# Stereo Review 1987 0 52.25

LOUDSPEAKERS THE STATE OF THE ART HOW TO BUY SPEAKERS POWERED SPEAKERS

TEST REPORTS: DBX CD PLAYER KENWOOD AMPLIFIER ONKYO CD PLAYER ...AND MORE

06276

0

# Building history's first 35-inch conventi Finding a magazine big enough

Its picture area is 86% larger than a 25-inch. Its picture is as rich, as sharp, as bright as a 25-inch. But you can see all that. Only at an authorized Mitsubishi dealer.



winstroistin Cartha Sains Armenica, such, 474 Fanga Drive, Cypress, Cas

Note: actual un-simulated picture.

onal-tube TV was hard enough. to see it was impossible.

# Presenting a New Spatial Dimension in Music Radio Shack's Powerful Receiver With IMX\* Stereo Expander





Patented IMX Stereo Expander for Sound With Amazing "Live" Quality

PHONO C	D/AUX	TV/AUX	۶M	AM
1	1	a	6	•
			TLIMING	MEMORY'
		TAPIC DLA	Press a	TAMP MONIFUN

Soft-Touch Station Memory Presets

The Realistic<sup>®</sup> STA-2280 takes you beyond ordinary stereo! Its built-in IMX signal processor creates an effect similar to the sound field produced by the latest reflecting-type speakers. You hear a wide soundstage which seems to extend *beyond* your speakers. And, since IMX widens the sound field electronically, you can vary it to suit your listening area or enjoy it with headphones.

This top performer also features programmable memory that stores six FM and six AM stations for instant recall. And it has ample power for use with today's digital systems. 60 watts per channel, minimum rms into 8 ohms from 20 to 20,000 Hz, with no more than 0.02% THD. Add an exciting new dimension to your listening with the STA-2280, only \$399.95 at Radio Shack.

Rad	10 S	151	<b>C</b> K
A DIVISIO	N OF TANDY C	ORPORAT	ION

STATE	ZIP

'TM Sci-coustics, Inc. Price applies at participating Radio Shack stores and dealers

# Stereo Review

BULLETIN	TECHNICAL TALK
EDITORIAL 8	Popular Music
Letters IO	CLASSICAL MUSIC
Audio Q&A	The High End $12$
EQUIP	MENT
CES SHOW STOPPERS Seventeen exciting new products	by William Burton
HIRSCH-HOUCK LABS EQUIPMEN Onkyo DX-530 CD Player, page 31 Boston Acoustics T830 Speaker, pa Kenwood KA-3300D Integrated Ar dbx DX5 CD Player, page 49 Celestion SL700 Speaker, page 51	ge 35
SPEAKERS: THE STATE OF THE A How much of the "improvement" designs is genuine, and how much	in new speaker
THE RIGHT SPEAKERS Loudspeaker shopping simplified	by Ian G. Masters 64
POWERED SPEAKERS The intriguing options offered by sp their own amplifiers	peakers that include by William Wolfe
MU	SIC
OPERA ON CD Part 1 of a basic library, from Beet Richard Strauss	hoven through by Robert Ackart
RECORD MAKERS The latest from Suzanne Vega, Mic Perahia, Fire Town, Marshall Chap	
BEST RECORDINGS OF THE MON The White Animals, Semyon Bych Tom Waits, and Mieczyslaw Horsz	kov's Shostakovich,
	esign Acoustics PS-103, Klipsch kg², Poli Iodel 102, and Infinity Kappa 8. photo by Roberto Brosan.
	ER POLL, SEE PAGE 112

STEREO REVIEW BUYER POLL, SEE PAGE 112 Please fill in if you bought equipment in the past thirty days. READER SERVICE INFORMATION CARD, FACING PAGE 112 Circle the items you want to know about. PAGE 69 PAGE 80

COPYRIGHT © 1987 BY CBS MAGAZINES, A DIVISION OF CBS INC. All rights reserved. Stereo Review, September 1987, Volume 52, Number 9. Published monthly by CBS Magazines at 3807 Wilshire Boulevard, Los Angeles, CA 90010. Editorial and Executive Offices at 1515 Broadway, New York, NY 10036: Telephone (212) 719-6000. Also publishers of Car Stereo Review, Stereo Buyers' Guide, Compact Disc Buyers' Guide, and Video Buyers' Guide. One-year subscription rate for the United States and its possessions, \$11.97: Canada, \$14.97: all other countries, \$16.97, cash orders only, payable in U.S. currency. Second-class postage paid at Los Angeles, CA 90052, and at additional mailing offices. Authorized as second-class mail by the Post Office Department, Ottawa, Canada, and for payment of postage in cash. *POSTMASTER/SUBSCRIPTION SERVICE:* Please send change-of-address forms and all subscription correspondence to Stereo Review, P.O. Box 2771, Boulder, CO 80302. Please allow at least eight weeks for the change of address to become effective. Include both your old and your new address, enclosing, if possible, an address label from a recent issue. If you have a subscription problem, write to the above address or call (800) 525-0643: in Colorado, call (303) 447-9330. *PERMISSIONS:* Material in this publication may not be reproduced in any form without permission. Requests for permission should be directed to William S. Bunchuck, Rights and Permissions, CBS Magazines, One Park Avenue, New York, NY 10016.

### BULLETIN

#### by Christie Barter and William Burton

#### THE DAT DEBATE

**Recording artist Stevie Wonder** (Tamla/Motown) has stated his opposition to legislation now in Congress that would prevent digital audio tape decks from recording encoded music. "The encoding process has the effect of distorting the music," he said in written testimony. "The integrity of my music will be compromised." The proposed anti-DAT bills are on hold until government agencies evaluate the audible effects of the encoding filter and the financial effects of home taping. In the meantime, record companies are refraining from encoding master recordings.

Speaking at A&M Records' twenty-fifth-anniversary convention in Los Angeles this summer. label artist Joe Jackson told attendees that he unqualifiedly favored the digital audio tape format: "The thought of people borrowing my records from their friends and taping them has never bothered me. My concern is that as many people as possible hear the music." Tower Records president Russ Solomon, another speaker at the convention, backed Jackson's stand on DAT. Solomon also noted plans to expand the giant retail chain into various new overseas markets, perhaps including Moscow.

#### FREE TAPE WITH CD

Selected CD's on the Pro Arte and ProJazz labels are being packaged with prerecorded cassettes containing the same music. The CD/tape sets carry a suggested list price of \$16.98, making the cassettes virtually "free." According to Intersound, the parent company of Pro Arte and Pro-Jazz, the sets enable purchasers to play the recordings in their car decks or on portable tape machines without having to dub the CD's at home.

#### "STEAL THIS DISC"

Rykodisc has released a lowpriced CD sampler (\$6.98 list) offering "Everything you've always wanted to hear on Compact Disc but were afraid to buy." Titled "Steal This Disc," the CD offers more than 70 minutes of music in twenty-one tracks by artists ranging from Jimi Hendrix and Mahavishnu John McLaughlin to Richie Havens, Devo, and George Thorogood to Frank Zappa and Doc and Merle Watson. The unusually low price was made possible because the participating artists and their record companies waived royalties on sales of the sampler disc.

#### TECH NOTES

The first speaker system from high-end turntable manufacturer Sota Industries is the Panorama, priced from \$1,300 to \$1,500 a pair depending on finish. Matching subwoofers are \$1,450 to \$1,750 a pair. . . . Extra-output technology in Ohm's new XO speaker line has been applied to all Ohm Walsh systems, increasing their rated sensitivity to more than 90 dB. . . New CD accessories from Discwasher include replacement jewel boxes and carrying cases that hold five or ten boxed discs.... JVC's Super-VHS full-size camcorder with hi-fi sound should be available in the U.S. this fall. Sharp's S-VHS camcorder and VCR should also be in stores soon.

#### MUSIC NOTES

Telarc recorded Liza Minnelli at New York's Carnegie Hall during her recent three-week engagement there. .... When Whitney Houston's new album, "Whitney," entered Billboard's album chart at No. 1 this summer, it became the first record by a female artist in pop history to do so. The only other artists to go straight to the top have been Bruce Springsteen, Elton John, and Stevie Wonder. August 31 is the in-store date set for Michael Jackson's first new album since the release of "Thriller" almost five years ago. . . . Club Nouveau's Lean on Me, recently certified Gold by the RIAA, was the first Gold single since last year's On My Own by Patti LaBelle and Michael McDonald. Prince is reportedly writing and

producing all the songs for Bonnie Raitt's new album. ... Clarinetist David Shifrin, whose Delos recording of Mozart won a STEREO REVIEW 1986 Record of the Year Award, recently received an Avery Fisher Career Grant of \$10,000, awarded annually to "talented young instrumentalists on the threshold of major careers."

#### HOME VIDEO

Frank Zappa has formed a company called Honker Home Video to produce his own full-length features. . . . HBO/Cannon has launched a special Classical Performances promotion to boost sales of its forty opera, concert, and ballet titles on videocassette, each with a suggested list price of \$39.95. The CD Video Group announced that more than 250 CDV titles will be released later this year, mostly containing a single music video of about 5 minutes and up to 20 additional minutes of music. The Philips and Du Pont Optical Company is pressing about fifty titles in Blackburn, England, for PolyGram alone. Pioneer has installed a CDV mastering machine in Japan and is also ready to press the new discs.

#### ROCK-AND-ROLL ARCHITECT

The internationally respected architect I. M. Pei has been chosen to design the Rock and Roll Hall of Fame and Museum in downtown Cleveland. Architect of the acclaimed east wing of the National Gallery in Washington and the expanded facilities at the Louvre now under construction in Paris, Pei is already working on the new project, to be completed in three or four years' time.



# BEYOND CONVENTIONAL SYSTEM CONTROL



## **THE ONKYO TX-84 AND RC-AV1**—Capable of operating any manufacturer's audio or video components with a single remote control

Today's audio/video home entertainment systems typically incorporate a variety of audio and video components, all operating with their own separate remote controls.

Introducing.... The ONKYO TX-84—the first receiver ever offered with a "Universal" Programmable Remote Control that can operate any wireless remote controlled components from any manufacturer. For total control of the TX-84 and everything else in your audio/video system, ONKYO introduces the "Unifier"—Universal Frogrammable Remote Control. With the RC-AV1, the functions of many brands of infrared remotes can be memorized into one master unit, eliminating inter brand remote incompatability forever. The RC-AV1 can be easily programmed to operate over 100 functions, with function keys conveniently grouped in three modes—audio, video, and auxiliary. The RC-AV1 "Universal" Remote Control is available for sale separately or included as an aption with the TX-84. Designed for the audio/video enthusiast, the ONKYO TX-84 offers outstanding sonic performance in addition to full A/V

Designed for the audio/video enthusiast, the ON<YO TX-84 offers outstanding sonic performance in addition to full A/V capability. The TX-84 delivers 60 watts of FTC rated power per channel into 8 ohms with no more than .C4% THD. Features such as low impedance drive capability, discrete output stages, Automatic Precision Reception, and Dynamic Bass Expander make the TX-84 the equal of any comparable audio-only receiver. Its seven inputs (5 audio, 2 video) offer total system versatility, while the Stereo Image Expander and Simulated Stereo can optimize ary video or audio soundtrack.

and Simulated Stereo can optimize ary video or audio soundtrack. Together, the TX-84 and RC-AVIM can form the heart of your audio/video system. Audition them today at your ONKYO dealer!



## Matthew Polk's Magnificent Sounding New SDA 2A



ALC: NO ALC: NO

# The Magnificent Sound of Matthew Polk's Extraordinary New SDA 2A Puts the Competition to Shame!

*"It bas the ability to make your previous favorite speaker sound almost second rate"* 

Stereo Review Magazine

atthew Polk's magnificent sounding new 3rd generation SDA 2A incorporates many new advances pioneered in his top-of-the-line Signature Edition SRSs. It achieves stunningly lifelike musical reproduction which would be remarkable at any price but is simply extraordinary at \$549. each. Stereo Review said, "listen at your own risk." Once you hear them you'll never be satisfied with anything else!

#### Polk's Revolutionary True Stereo SDA Breaktbrougb

The magnificent sounding new SDA 2A incorporates Polk's revolutionary True Stereo SDA technology. This patented, critically acclaimed, Audio Video Grand Prix Award winning breakthrough is the most important fundamental advance in loudspeaker technology since stereo itself. In fact, the design principles embodied in the SDAs make them the world's first and only True Stereo speakers.

Why do Polk SDAs always sound better than conventional speakers? When conventional loudspeakers are used to reproduce stereo both speakers are heard by both ears causing a form of acoustic distortion called interaural crosstalk which cuts down stereo separation, obscures detail and interferes with the proper reproduction and perception of imaging, and spaciousness. Polk SDAs are designed to eliminate interaural crosstalk so that each speaker is only heard by the one correct ear (i.e. left channel/left ear, right channel/right ear), like headphones. The result is dramatically improved stereo separation, detail and threedimensional imaging. In order to accomplish this each SDA incorporates a separate set of drivers which radiates a special dimensional (difference) signal which cancels the undesirable interaural crosstalk coming from the wrong speaker to the wrong ear. High Fidelity called the results "Mind Boggling".

#### *The Most Extraordinary Value in High End Audio Today*

The new SDA 2As, like all the current SDAs. incorporate the latest 3rd generation SDA technology developed for Matthew Polk's Signature Edition SRS and SRS-2 including 1: full complement sub-bass drive for deeper, fuller, tighter and more dynamic bass response; 2: phase coherent time-compensated driver alignment for better focus, lower-coloration smoother, clearer, more coherent midrange and improved front-to-back depth and; 3: bandwidth-optimized dimensional signal for smoother high-end and even better soundstage and image. The new SDA 2A is the finest sounding and most technologically advanced speaker ever produced at its extraordinarily modest price. It sounds dramatically better than speakers from other manufacturers that cost 4 times as much and more and is, at \$549 ea., truly the speaker of your dreams at a price you can afford.

#### "Breathtaking...a new world of bi fi listening." Stereo Buyers Guide

The spectacular sonic benefits of SDA technology are dramatic and easily heard by virtually anyone. Reviewers, critical listeners and novices alike are overwhelmed by the magnitude of the sonic improvement achieved by Polk's SDA technology. Stereo Review said, "These speakers *always* sounded different from conventional speakers — and, in our view, better — as a result of their SDA design."

All Polk's SDAs, including the new 2As produce a huge lifelike three dimensional sonic image which will amaze you. You will hear for the first time instruments, ambience and subtle musical nuances which are present on your recordings but masked by the interaural crosstalk distortion produced by conventional speakers. Stereo Review said, "Spectacular...literally a new dimension in the sound...the result is always better than would be achieved by conventional speakers". High Fidelity said, "Mind Boggling...Astounding ... Flabbergasting...we have yet to hear any stereo program that doesn't benefit". With SDAs every instrument, vocalist

## "Mindboggling, Astounding, Flabbergasting"

High Fidelity Magazine

and sound becomes distinct, tangible and alive; allowing you to experience the spine tingling excitement, majesty and pleasure of live music in your own home.

#### Other Superb Sounding Polks From \$85. to \$1495. each

No matter what your budget is there is a superb sounding Polk speaker perfect for you. Polk's incredible sounding/affordably priced Monitor Series loudspeakers utilize the samebasic components as the SDAs and begin as low as \$85. each. The breathtaking sonic benefits of Matthew Polk's revolutionary True Stereo SDA technology are available in 5 SDA models priced from \$395. to \$1495 ea.

#### "You owe it to yourself to audition them"

*audition them" mgb Fidelity* The experts agree: Polk speakers sound better. Use the reader's service card or write to us for more information. Better yet, visit your nearest Polk dealer today. Your ears will thank you.



5601 Metro Drive, Baltimore, Md. 21215

## SPEAKING MY PIECE

by Louise Boundas



Luxuries and Bargains

ACK in the Sixties, I was like a lot of other young people working in New York, then and now: poor. But I also had a distinct disadvantage when it came to balancing my budget. I worked across the street from what was then the city's largest record store. Who could go into Sam Goody without buying at least one record? Not me. And who could pass the store without going into it? Not me.

That was when you paid about \$4.99 for a stereo LP, although you could do better if you waited for sales and shopped from the cut-out bins. You could also eat lunch for about a dollar and a half, including tip. So if you skipped lunch for the next four days . . .

Then there was the equipment. Just the basics-a turntable, a receiver or an integrated amplifier. and a pair of speakers-could set you back over a month's salary after taxes. If you were lucky, you already had the equipment. You'd bought it with the money you earned during the summer while you were still in school or maybe with graduation checks. But if, like me, you were making about \$120 a week and paying \$120 a month rent, you had to skip lunch and walk to work for a long time if you wanted to replace your cartridge or your speakers.

Even a new stylus took some planning. Twenty years ago today, hi-fi was a luxury.

Things have changed since then. The Bureau of Labor Statistics Consumer Price Index for all goods and services in the U.S. has gone from 100 in 1967, the CPI base year, to over 330 in 1987. A tunafish sandwich and a Coke at the coffee shop down the block will run you around \$5 by the time you've left a tip, and a New York City subway token has gone from two thin dimes to a dollar. You may make \$350 a week, but you're probably paying close to a third of it in rent. Although it is more expensive to live in New York than in other cities, people across the country find themselves in comparable situations.

If you're building a record library, though, you don't have to skip lunch but a couple of times to put aside enough to buy a cassette, an LP, or even a "midline" compact disc. For, while the total U.S. cost of living has more than tripled, the cost of a record album has merely doubled. And there are still the cutout bins. So if you can't resist stopping into Tower Records or J&R on your way home, it's not going to affect your diet quite as much as it used to.

You've got even more of an advantage if you're in the market for audio equipment. According to the Electronic Industries Association, at the end of 1986, when the total U.S. Consumer Price Index had risen steadily to 328.4 from that 1967 base of 100, the index for sound equipment was only 102.3.

Of course, prices have gone up slightly in 1987 because the value of the dollar has declined in international trade, but you can still get a basic stereo system, even with a CD player instead of a turntable, for very little more than you would have had to pay in 1967. You can expect better sound from a 1987 system, too, and if you do decide on a CD player you won't have to budget for a new stylus next year. You could use that \$30 to buy a couple of CD's-or three CD's if the prices keep going down. You don't have to skip nearly as many lunches to replace your speakers, either. 

Today, hi-fi is a bargain.

Stereo Review LOUISE BOUNDAS **Editor** in Chief MICHAEL SMOLEN **Executive Editor** SUE LLEWELLYN Art Director WILLIAM BURTON, WILLIAM WOLFE Technical Editors CHRISTIE BARTER **Music Editor** DAVID STEIN Assistant Managing Editor MARGARET BRUEN Associate Art Director **ELIZABETH COSTELLO** Assistant Editor BARBARA AIKEN, ROCCO MATTERA WENDY SCHAUB, JOHN WEINBERG Editorial Assistants HENRY PLEASANTS London Editor BRYAN HARRELL Tokyo Correspondent WILLIAM LIVINGSTONE Editor at Large Contributing Editors: Robert Ackart, Chris Albertson, Richard Freed, Phyl Garland, Christopher Greenleaf, David Hall, Julian D. Hirsch, Ralph Hodges, Stoddard Lincoln, Ian Masters, Louis Meredith, Alanna Nash, Mark Peel, Charles Rodrigues, Eric Salzman, Steve Simels, Craig Stark, Joel Vance Production Director: Gerald Palacios Production Manager: Laura LaFontaine ROMAN BEYER Vice President and Publisher Associate Publisher: Winston A. Johnson ADVERTISING National Manager: Richard J. Halpern (212) 719-6037 Eastern Manager: Charles L. P. Watson (212) 719-6038 Account Representative: Sharon Dube (212) 719-6915 Assistant to the Publisher: Trisha Nickel Assistant to the Publisher: Trisha Nickel Classified Advertising: (212) 503-5999 Midwestern Managers: Arnold S. Hoffman, Dirk Barenbrugge, (312) 679-1100 Western Director: William J. Curtis Regional Manager: Meg Roberts (818) 784-0700

Tokyo Office, Iwai Trading Co., Ltd. 603 Ginza Sky Heights Building, 18-13, Ginza 7-Chome, Chuo-Ku, Tokyo, Japan 104 Account Manager: J. S. Yagi, (03) 545-3908

EDITORIAL CONTRIBUTIONS must be accompanied by return postage and will be handled with reason-able care, but the publisher assumes no responsibility for return or safety of art, photos, or manuscripts.

Member Audit Bureau of Circulations

MA

STEREO REVIEW IS PUBLISHED BY CBS MAGAZINES, A DIVISION OF CBS INC. President: Peter G. Diamandis

Vice President, Editorial Director: Carey Winfrey Senior Vice President, Publishing: Robert F, Spillane Senior Vice President, Circulation: Robert Alexander Senior Vice President, Operations & Administration:

Robert J. Granata Senior Vice President, Manufacturing & Distribution: Murray M. Romer

Vice President, Finance, Arthur Sukel: Vice President, Subscription Circulation, Bernard B. Lacy: President, CBS Magazine Marketing, Carl Kopf

# Once again, AR reshapes the future of high fidelity.

No longer do you need to live with components that look more at home in a power station than in your home. No longer need you sacrifice sound quality for some semblance of sound design.

M

A 10 Power Ampleh

AR, the company that revolutionized loudspeakers with the Acoustic Suspension design, now changes the face of stereo components forever. By combining worldclass industrial and electronic design, AR has produced the first audio components as pleasing to the eye as they are to the ear. The front fascias are gracefully

The front fascias are gracefully angled, so controls fall readily to hand. Behind a hinged panel, infrequently-used controls are ready when you need them, out of sight when you don't.

AR has reexamined the factors that

really matter to sound quality. That's why AR amplifiers produce high current output for outstanding dynamic headroom. Fourtimes oversampling gives the AR Compact Disc player absolute phase linearity. And AR's unified remote control adds a final touch of elegance.

··· 102.70 ····

OD/Aug

Phone Muse

No one serious about stereo would buy equipment without listening. Now it's no longer necessary to buy without looking.



We speak from experience.

### LETTERS

#### Copycode

As a filter-design engineer and stereophile, I feel it is my duty to make the audio community aware of the impact that the CBS Records Copycode "notch" filter will have on all recorded music. It is obvious that a 250-Hz slice taken out of everything the recording industry will produce will be audible, but what is not obvious to most people is the effect on sounds not removed by the notch. A law of physics requires an increased time delay of any sounds near the notch. Because the character of any sound is a function of all of the many harmonics and overtones and their timing, the notch filter proposed for the Copycode process will even distort sounds that contain no overtones that would be removed by the notch!

AL KLAPPENBERGER Salisbury, MD

At a recent meeting of the Audio Engineering Society, David Stebbings, the director of recording research for CBS Records, told us that the Copycode notch would be at 3,838 Hz. When he was asked what the width of the notch would be, Stebbings refused to answer. At a demonstration in London in early May, however, he spoke of a notch 112 Hz wide at the -3-dB points, which is much narrower than the 250 Hz CBS had previously mentioned.

The copy-protection scheme proposed by CBS Records is like "protecting" the Mona Lisa from thieves by cutting a hole in the middle of the painting. Moreover, any copy-protection scheme that prevents legitimate copying for the purchaser's personal use is wrong. And preventing the introduction of a new technology (DAT, in this case) is not a proper function of government. The proper governmental role in this conflict is enforcement of the existing copyright laws against the pirates.

STEPHEN G. PERKINS Seattle, WA

On June 2, NBC Nightly News aired a report about Copycoding, including a demonstration of music with and without encoding. The difference was clearly audible and musically offensive even within the limitations of the television medium. Direct from a CD through a good audio system, the effect can only be more noticeable. You know how a grand piano sounds different from a child's toy piano? Well, not any more it doesn't.

ROBERT ROWTON Albuquerque, NM

I wouldn't buy a receiver with a 5 to 20,000 Hz + 0, -90 dB frequency response. I won't buy a notched CD for the same reason. When I first heard the sound of a CD, I thought it was too good to be true. That may yet prove to be the case.

PAUL ZUKAS Niantic, CT

#### Mid-Price CD's

Several labels are releasing lines of "mid-price" CD's, which immediately raises the question: What is it about the "mid-price" CD's that allows their sale at a lower price? Normally, one assumes that a lower price means that the materials or manufacturing technology are lower in cost. If this assumption is correct, then the mid-price CD's must be inferior in some way to the more expensive "standard" CD's.

> FRED KORR Los Angeles, CA



### LETTERS

There is absolutely no difference in the materials or technology used to turn out a mid-price CD as opposed to a full-price disc. There is often some difference in the packaging, however: a cardboard "wallet" may be used instead of a "jewel box," and the inserted annotation may be minimal. Also, the musical contents of lower-price CD's are in most cases reissued recordings that have already recouped their original production costs from LP and tape versions. Royalties on these older recordings are generally lower too, further reducing costs and allowing the CD version to be sold for less. But the audio quality will rarely be substandard; in most cases, recordings reissued on CD sound better than ever.

#### Fleetwood Mac

Contrary to the July review by Steve Simels, Fleetwood Mac's "Tango in the Night" proves that Stevie Nicks's interests would be best served as a solo artist. Her songwriting talents have proved to be as good as those of any other female artist, and she has written most of Fleetwood Mac's biggest hits. I wasn't impressed with "Tango" in the least. For Stevie Nicks, returning to Fleetwood Mac is a big step down the ladder.

THOMAS M. FEASTER Fishertown, PA

Steve Simels's review in July of Fleetwood Mac's "Tango in the Night" is right on the money.

JOHN SCOTT New York, NY

#### Basic Mozart

Richard Freed is to be complemented on an impossible task for "Mozart: The Basic Repertoire on Compact Disc" in July. Mozart *is* the basic repertoire.

JAMES P. MANNION Palo Cedro, CA

#### Shopping Strategies

Charles Curtis's "Strategies for Equipment Shopping" in the May issue again reminded me of how far the majority of audio retailers need to go in the area of professionalism. After ten years on the sales floor in both specialty and so-called "supermarket" audio stores, I've learned that I am in the "people" business. I am here to serve the needs of my customer; my customer has not come in to wait on me.

Why is it necessary for the consumer, as Mr. Curtis put it, to "earn my respect"? Why should you hire a baby sitter just to shop for speakers?

Several times Mr. Curtis suggests that you remind him to ask you questions about your room acoustics and the way you use your system or to check an owner's manual about compatibility. How does Mr. Curtis earn his money?

Is it really true that the sales team in his store will give up on you if you have not made a purchase after the second visit? My best long-term relationships have stemmed from numerous no-buy visits before a decision was made.

On the subject of profit margin, Mr. Curtis may have a point. I certainly would not pay list price if I had to do as much work as Mr. Curtis requires of me. You purchase two things at any retail store: the item you are shopping for and the salesperson's expertise and service. If both meet your expectations, then the profit figures quoted in the article may not be out of line. If not, then any price paid will be too high.

JOHN RAMSAY Cleveland, OH

# PERFECT MARRIAGE

New SA-XG is TDK's exclusive SA-X formulation—the world's quietest tape —technomoniously joined together with TDK's most sophisticated mechanism ever—the RS-II.

Our unique 3-layer RS-II mechanism is specifically designed to sLppress the generation of modulation noise. A precision die-cast alloy frame and molded table guide block are sandwiched between two transparent precisionmolded shell halves made of a special hard plastic, which also incorporate 4 precisely machined metal guide pins. The RS-II's rigidity of construction, accuracy of fit and superior thermal resistance assure unerring tape travel, optimum tape-to-head contact and reduced modulation noise. The result is virtually true-to-source sound quality.

So whether you choose the outstanding SA-XG, or SA-X, with its new vibration-dampening

Dual Layer Mechanism (DLM), you can be assured of one thing: An everlasting high bias honeymoon---till decibels do you part.





TDK THE ART OF PERFORMANCE.



mazing components using new technologies such as CDV, S-VHS, and DAT were demonstrated at the Summer Consumer Electronics Show in June. Manufacturers also displayed new models of more conventional components to audio/ video dealers at the big trade show in Chicago. Marantz was the first to announce a DAT deck for America, the DT84; the company began taking orders in June for fall delivery.

Many "prototype" DAT decks were shown by Sony, Onkyo, and others. But the analog cassette deck is still going strong: new highperformance models were shown by Aiwa, Teac, Technics, and others.

Compact Disc Video combines the audio quality of CD's with the video abilities of LaserVision. A flashy audio/video extravaganza mounted by the CDV Group—a large association of hardware manufacturers and recording companies pledged to the new format attracted big crowds.

Super-VHS machines from JVC, Sharp, and others can produce better pictures than standard VHS VCR's, but only when they are loaded with the new S-VHS tape. Blank S-VHS cassettes were shown by Scotch, Maxell, Fuji, and JVC. Other noteworthy products included advanced-technology CD players from Cambridge Audio and Meitner. And Onkyo's TX-SV7M, a true audio/video receiver, can decode MTS television broadcasts as well as receive FM and AM radio.

Neither the noisy convention center nor the cramped demo rooms had perfect acoustics, but new speakers from a/d/s/, Mirage, Robertson, Boston Acoustics, Snell, and others were very impressive. For more information about these and other new components, check "New Products" and test reports in upcoming issues. Then see your local dealer for your own consumer electronics show.

# BY WILLIAM BURTON



With a tweeter and a midrange driver in the top cabinet and two woofers in the pedestal, B&W's Concept 90 CM2 speakers have a rated system frequency response of 48 to 20,000 Hz  $\pm$  1.5 dB. Both enclosures use B&W's lowresonance Matrix construction. List price is \$1,650 a pair.





Live recordings made with the Marantz DT84 digital audio tape deck may have broader frequency response —with higher highs—than compact discs. Subcodes allow quick access to any selection. The deck is scheduled for U.S. sale in October at a suggested price of \$1,995.



Altec Lansing's Model 55 two-way acousticsuspension speakers can be used indoors or outdoors. Price: \$250 a pair.



Polk's first SDA (Stereo Dimension Array) speaker system for the car includes front speakers, rear speakers, and a control box (center) with crossover and sub-bass drive. SDA technology eliminates interaural crosstalk for more precise imaging and a broader sound stage. In stores late this year, SDA car systems will be priced from \$500 to \$700.



The first solid-state compact disc player from California Audio Labs, the CD-3, uses "Wave-shaping" digital circuits to reduce odd-order harmonics and other distortions for improved sound at low signal levels. The remotecontrolled CD-3 is priced at \$995.



NEC's M-50 mono power amplifier is perfect for surround-sound or subwoofer systems that need adjustable crossover networks. The M-50's high and low filters each have five settings. The 50-watt amplifier is priced at \$375.



JVC's HR-S7000U is the first VCR with the new Super-VHS picture-improvement system. Shifting the brightness frequencies up and separating them from the color signals improves resolution to over 400 lines. Price is \$1,200.





Less than \$2,000 a pair, dbx's Model 50 speakers are designed for flat frequency response, 34 to 20,000 Hz  $\pm 2.5$  dB, and a realistic sound stage from any listening position.

> Special equalization modules customize Blaupunkt's PSA autosound system for the acoustics of "almost every car made." The PSA 108 four-channel amp (20 watts per channel) is \$169.95; the EQ module (right) is \$39.95.

BLAUPUNKT



Soundstream's first home audio components include (top to bottom) the T-1 AM/FM tuner (\$450), the C-1 preamplifier (with universal remote control, \$1,250), and the 200-wattper-channel DA-1 power amplifier (\$795).



Unwanted vibrations in Ariston's Q Deck turntable are converted into heat by viscoelastic damping material in the base. The belt-drive semiautomatic is \$260 without cartridge.

Canton's modular autosound system is built on a Mainframe base that holds up to five Canton mono power amplifiers. Each 50-watt amp can be set for one of three crossover frequencies. The MF-5 Mainframe is \$250, and each M50-VB amp is \$200.







Sony's TA-377ESD preamplifier includes a digital-to-analog converter that can handle digital inputs from CD players (44.1-kHz sampling rate), DAT decks (48 kHz), and satellite broadcasts (32 kHz). It also has three video inputs, including S-Video for S-VHS and ED Beta, and a universal remote control. Price: \$1,100.

Spurred by the approach of DAT, analog cassette decks are reaching a pinnacle of performance. The three-head Technics MS-B905 has Dolby B, Dolby C, and dbx noise reduction, Dolby HX Pro headroom extension, dual capstans, music search, repeat, and two DC motors. Suggested retail price is \$600.





Compact discs, CDV's (with 5-minute music videos and 20 more minutes of music), 8-inch LaserDiscs, and even 12-inch Laser-Discs with entire movies can all be played on Pioneer's CLD-1010 combination machine. Suggested retail price is \$800, including remote control.

Flip open the a/d/s/ R4 receiver's remote control (not shown), and you can choose from up to thirty preset radio stations, switch four sources, and do much more. The receiver's large LED display shows the station or source you selected. When not in use, the receiver's secondary control panel (at lower left) tilts into the unit and disappears. Rated at 65 watts per channel, the R4 is priced at \$1,100.



# **Investing in sound? Here's how to make it pay off.**



# Great buys—at a great buy: HALF PRICE!

Stereo Review is written for people who want to make smart buying decisions. We'll help you find the right stereo equipment—the *first* time you buy—and show you how to use it the right way. Because *sound information* is the key to getting an audio system that gives you what you really want.

We test over 70 stereo products in all price ranges each year. *Stereo Review's* product evaluations tell you how the components sound...identify unique features ...compare models to others in the same price bracket. We warn you about design quirks, distortion, potential problems. We make the components suffer—so you don't have to.

You'll appreciate our straightforward explanations of audio technology. Telling you how to get more out of your equipment. Announcing important breakthroughs. Clueing you in on professional maintenance tips. The kind of inexpensive know-how that can make a milliondollar difference in how your system sounds.

Even if you already have the perfect system, you'll value *Stereo Review's* record reviews. An average of 30 a month, in all categories of music. They'll insure that your system's power isn't wasted on inferior recordings. Use this coupon to subscribe to *Stereo Review* at HALF PRICE. It's one of the best sound investments you'll ever make!

# **Stereo Review**

P.O. Box 55627 Boulder, CO 80322-5627

YES! I want superior stereo sound. Please enter my ha f-price subscription to *Stereo Review* for the term checked below: One year (12 issues) \$5.99—

- HALF PRICE
- Two years (24 ssues) \$11.97— HALF FRICE
- Three years (3¢ issues) \$17.97—
  HALF PRICE

Savings based on full one-year subscription price of \$11.97.

(please print full name)

8H21

CHECK ONE: Payment enclosed. Bill me later. Mr.

#### Addre

Mes

Foreign postage: Add \$3 & year for Canada, \$5 a year (payment in U.S. currencymust accompany order) for other countries outside U.S. and possessions. Please allow 30 to 60 days for delivery of first issue.

## AUDIO Q&A

by Ian G. Masters



#### European Open-Reel

A friend recently gave me an ancient Revox F36 open-reel recorder, and I am hoping to incorporate it into my system. The power plug is European style with round pins and "10A/ 250V" marked on it, although there is a five-position voltage selector on the unit. Is there anything I can do to make this machine usable here?

DAVID T. RIEDEL Providence, RI

The presence of a voltage selector means that you will probably have no problem using your recorder on this side of the ocean: simply set the selector to 110 volts. The European power systems use a different line frequency-50 Hz instead of 60 Hz-but Revox machines incorporated a servo speed control even back then, if memory serves, so our 60-Hz power should pose no problems. Also, look at the recorder's registration plate on its rear and see if it says "50 Hz" or "50-60 Hz." If you do find that the unit runs slow, it should be a relatively simple matter for Revox to fix it, although you will have to send it to one of the company's authorized service facilities.

As for the plug, the 10A/250V marking simply shows its maximum rating. There are adaptors for such plugs, but they are very hard to find (most such adaptors allow you to use American equipment overseas, but not the other way around). Your simplest bet is to remove the plug and replace it with a North American one.

#### Dust

Q I recently purchased a new receiver, and I am concerned about the dust that is very evident in my apartment. Should I cover the unit with a cloth, or am I worrying needlessly?

> JIM SINGER Sterling Heights, MI

A Most electronic components are relatively immune to dust, but they can be unforgiving if allowed to overheat, so restricting air flow by covering your receiver with a cloth—or anything else—could damage it.

If the dust is extremely severe, however, it may eventually work its way into switches and volume controls, although this usually takes years. When level controls begin to make noises as you turn them, or switches make intermittent contact, a shot of contact cleaner will usually fix the problem.

#### Incomplete Erasure

I recently decided to replace the music on several of my chrome tapes, but I found that some of the old music could still be heard during the quiet spots in the new recording. Is my erase head not working properly, or is it the tape? Or am I doing something wrong?

> RON HERZIG Darien, IL

A There could be a fault either in the erase head itself or in the circuitry that drives it, but before sending your cassette deck back to the shop to find out, you should investigate a couple of other possibilities.

For instance, the bias may not have been set properly when you made your new recording. If you use your deck primarily for playback, you might not be in the habit of routinely checking this control, as it has no function in playback, but during recording, chrome and chrome-equivalent tapes require a higher bias current than "normal" ferricoxide tapes in order to erase the tape completely (and metal tapes need considerably more bias). Try recording a bit of silence over a loud portion of the offending tape, making sure that the bias is correct. If you can no longer hear the old recording, you've found the cause of the problem and can rerecord the new music without interference.

If that doesn't work, it may simply be that your tape heads or guides need cleaning. Oxide from tape can build up over a period of time, and when the buildup becomes severe, it can hold a tape far enough away from the heads that erasure is incomplete (this is usually accompanied by a reduction of high frequencies on playback, but not always). A thorough cleaning of everything that the tape touches should restore the erase function.

#### Replacement Tonearms

A friend somehow broke the tonearm on his semi-automatic turntable, and I would like to buy him a new one. Will the replacement arm still return and start up the platter in the same way as the original?

TYRONE HALLUMS Roanoke, VA

A Only if the new arm is an exact replacement of the broken one. It is very unlikely, however, that you will be able simply to go out and buy such an arm. The whole turntable will probably have to be returned to its manufacturer, or an authorized service facility, to have the new arm installed, and unless the repair is covered by the unit's warranty, this will probably cost more than buying a whole new turntable.

There are, of course, separate tonearms that could be installed instead, but these tend to be fairly expensive and would not perform the automatic functions that presumably determined your friend's choice of turntable in the first place.

#### Measuring Amplifier Power

I have been given an amplifier, but there is no indication of its output power. I don't want to damage my speakers by underpowering them. Can I get a fairly accurate assessment by connecting an ohm/voltmeter across the output terminals?

PAUL FOREMAN Darien, IL

A No. Even assuming that you can set your meter to indicate watts, the only thing you will learn is the actual output power at a particular moment. What you want to know, however, is the maximum power your amplifier can consistently produce over a period of time without distorting or overheating. For example, the amplifier you have fallen heir to is rated by its manufacturer for a continuous output of 73 watts per channel into an 8-ohm load, both channels driven, from 20 to 20,000 Hz, with no more than 0.08 percent total harmonic distortion (THD).

To arrive at this figure, you would have to drive a stable 8-ohm load (speakers present complex loads that vary with frequency and so would be inappropriate for this purpose) at a level that produces 0.08 percent THD—which means you would need some way of measuring distortion. The test would

# Magnificent Reception.

#### THE TX-11 a COMBINES CARVER'S REVOLUTIONARY ASYMMETRICAL CHARGE COUPLED FM DETECTION CIRCUITS WITH AN AM STEREO SECTION CAPABLE OF FM-QUALITY RECEPTION.

The Carver TX-11a Stereo AM-FM Tuner is the most complete high fidelity broadcast reception component ever offered. It is a technical tour-deforce which further distances Bob Carver's unique products from traditional electronic components. First, by eliminating forms of FM distortion and interference that even the most expensive tuners available can't correct. And second, with a unique additional tuning section capable of making AM stereo sound as good as FM!

**THE SILENT TREATMENT.** While AM stereo may not yet be available in your area, you can receive FM stereo. Including stations so fraught with interference and distortion that you may be tempted to return to mono AM. That's why the TX-11a includes the first circuitry to remove hiss, "picket fencing" and the myriad other unpredictable noises which often disturb FM listening. Without reducing stereo imaging, frequency response or dynamic range.

Part of the FM signal, the left minus right portion, is extremely prone to "ghosting," or multipath interference caused by hills, buildings and other obstructions. Bob Carver's Asymmetrical Charge Coupled circuitry cancels distortion-causing "dirty mirror" images before they can reach your ears. It filters out noise and restores the part of the signal needed by our ears and brain to construct stereo imaging. Reintroduced into the mono (L+R) signal matrix, a net reduction of 93% – or better than 20dB of noise reduction – is achieved. All ambient and localizing information is recovered. Only hiss and



distortion are left behind. Or, as *High Fidelity* magazine put it, ... clean, noise-free sound out of weak or multipath-ridden signals that would have you lunging for the mono switch on any other tuner."

Ovation magazine observed that the circuit, "...may well mean the difference between marginal reception of the station signals you've been yearning to hear and truly noise-free reception of those same signals."

Audio magazine called it, "An FM tuner breakthrough."

THE FIRST AUDIOPHILE AM STEREO CIRCUITRY. Contrary to popular belief, most AM stereo stations have frequency response (20-15kHz), separation (35dB) and signal-to-noise ratios (70dB) audibly indistinguishable from FM stations of equal strength. But only Carver offers the technology to appreciate this hidden performance. At a press conference in front of America's top stereo writers, Bob Carver unveiled a low powered C-QUAM format AM stereo broadcast transmitter with a Carver Compact Disc Player as a source. The CD source and the TX-11a were also routed directly to a preamplifier and speakers for comparison.

When Bob switched back and forth, most listeners had difficulty distinguishing between the straightwire CD player and the TX-11a's over-the-air AM stereo reception! Many could tell no difference at all!

HUMAN ENGINEERED FEATURES AND CON-VENIENCE. The TX-11a is designed to make enjoying FM and AM easy, not dazzle you with flashing light and complex programming. Thirteen presets, wide/narrow band selection, automatic/manual scanning as well as Multipath and Noise Reduction buttons are inset into the burnished anthracite metal face. Full instrumentation including digital display, 6-step signal strength LED's and other monitor functions are tastefully recessed, visible but not garish. The result is performance without theatricality, access without complication.

CLEAR THE AIR by visiting your nearest Carver dealer. Ask to hear the most expensive tuner they sell. (It probably won't be the Carver TX-11a). Tune a multipath-ravaged, hiss-filled FM station on it; then the same station on the TX-11a Stereo AM-FM Tuner. Now press the Carver Multipath and Noise Reduction buttons. You'll hear why High Fidelity Magazine called it, "By far the best tuner we have tested..."





CIRCLE NO. 49 ON READER SERVICE CARD

MUSICAL

ACCURATE

## YOU'LL FIND THE MOST ADVANCED CAR AUDIO TECHNOLOGY AT THESE ALPINE SPECIALISTS.

ALABAMA: Anniston Sound Performance Birmingham Audition, The Car Stereo Shop, Sounds Great Stereo O Center Point Cultinan Stereo Donter Point Cultinan Stereo Donter Point Souther Sound Gadenes Sound Performance Hoovr Sounds Great Huntsville Sound on Whenes Mobile Kerls Car Tunes Montgomery CKR Automo-tee Products Wussel Shoais Manhattan Audio Petinam The Car Tussaloosa Kincaid TV & Service Center

Tuscaloosa Kincaid TV & Service Center ALASKA Anchorage Shimels Car Adulo Farbanis Holtts Music ARIZONA: Flagstaff Sound Pro Glendat Liverside Speciality Electron-Century Sound Deterni Jerry's Audio for Your Car Livensyfikis Century Sound Pheenis Jerry's Audio for Your Car Livensyfikis Century Sound Prescott Smith Electronics Tempe Iwentyfikis Century Sound Tuscan Audio Emportum, Classic Car Sounds Yuma Warehouse Stereo Eurohamis design Series Eurohamis design Series ARKANSSA Statisviller HC F Horge Grossett Music Mart Florado Music Mart Fastersline HC Forge Center Stereo Dine FL Smith Stereo Center Stereo Dine FL Smith Stereo Center Stereo Dine HL Brock Car Tunes, Lessure Electronics Mart Donito, Kart Mountain Home Huberts Radio & TV No. Litte Rock Car Tunes, Lessure Electronics Mart Donito, Anno Engerss Mart Bohman, Mart Bohman, Anno Mart Bohman, Santon Chuba, Witte Med Jacks Elowis The Sound Chuba, Witte Med Jacks Elowis The Sound Chuba, Witte Med Jacks Elowis Car Faleity, Perfection Ando Covina Whiste Stop Culver City Hass Auto Sound Mart Bohman, Stereo Enclino Car Fidelity, The Sound Chuba, Witte Med Jacks Elowis Stereo Shenning Mart Backs Euress Eureba Chubas Stereo El Toro Henry's Encinitas Sound Mart Mart March March Mich Banan's H F Gardena Alvers Bernon Bart Mart Mart March Mich Banan's H F Gardena Marts Bernon Bart Mart Mart March Mich Banan's H F Gardena Marts Bernon Bart Mart Mart Marts Banan's H F Gardena Marts Bernon Bart Mart Marts Marts Banan's H F Gardena Marts Bernon Marten Marts Marts Banan's H F Gardena Marts Bernon Mart Marts Marts Marts Banan's H F Gardena Marts Bernon Mart Marts Marts Marts Marts Marts Marts Banan's H F Gardena Marts Banan's H F G Stense Inglewood Ai & Ed's Auto-sound Ctr. La Jolia Stereovisions La Mesa Mad Jacks Lafayette Crea-tive Car Stereo Lancaster California Sound Works Lafkspur Marin Auto Stereo Lawndale Ai & Ed's Autosteres Jampaie ALE 635 AUC Sound Cit. Carry Steres Livermore Florence Carr Steres Long Batch Florence Carr Steres Long Batch Auto Radio Los Matos Deelers Car Steres Los Angeles ALE 635 AUC Sound Cit. Auto Steres Warehouse, Beverly Hills Auto Steres Carl Steres Auto Steres Lietoronc. Entenan-ment, Florence Car Steres, Cauma Auto Steres Distores Warehouse, Deverly Hills Auto Steres Orano Carl Cit. Auto Steres Warehouse, Preson's Car Steres Menced Sound Cit. Auto Steres Menced Sound Cit. Auto Steres Menced Sound Auto Steres Distores Menced Sound Er Auto Auto Cit. Naga Autohaus Autonic Roll Cit. Naga Autohaus Autonic Roll Cit. Naga Autohaus Autonic Roll Cit. Naga Autohaus Autonicke No. Hollywood Al & ECS Sound Factor Dahland Auto Radio Headquarters Oceanside Mad Jack's Oringe Spaalewoorts Mobile Onand Breakers Steres Pasadem al & EdS Autosound Cit. Porten Ville Periets Sound Redding How's That Sound Rescal Al & EdS Autosound Starea Show Shows That Sound Rescal Al & EdS Autosound Cit. Porten Starts Sound Rescal Al & EdS Autosound Cit. Porten Starts Sound Rescal Al & EdS Autosound Cit. Porten Starts Sound Rescal Al & EdS Autosound Cit. Porten Starts Sound Rescal Al & EdS Autosound Cit. Porten Salars DBR Car Steres San Carlos Auto Scores San Carlos Auto Sound Start Ana Henry's Auto Steres Santa Barbana Creative Auto Scores Santa B Motoring Vallegio Stereo Showcase Ventura Creative Stereo, Muntz Stereo Victorville incretible Sounds Visalia Lee's Stereo W. Los Angeles Al & Ed's Autosound Cir Wahut Creek Walnud Creek Anto Rado West Hollywood Robec Auto Creek Walnud Creek Anto Rado West Hollywood Robec Auto Auto Stereo Woodland Hills Pars Auto Stereo Davido Sterings Stereo Unimited Grand Junction He Sound Cound Springs Stereo Unimited Grand Junction Pe Sound Comparig Greeley Soundtrons Utitieton Sound Parelo Soundtroms Stermbool Springs Soundtroms Stermbool Springs Soundtroms Stermbool Springs Soundtroms Emporum Thomton Soundtrack Coon Kengen Hills Stereo

Soundtrack CONNECTICUT: Avon Hi Fi Stereo House of Aven Canton Jo-Di's CONNECTICUT: Avon HN FI Stereo House of Avin Canton Jo-Dis Sound Center Danbury Carston Stereo East Berlin Cartunes Enfeid Jo-Dis Sound Center Fairfield Audioresign Classonbury Auto-tidelity Greenwich Auto Sounds Groton Lesser Sound Hartford Jo-Dis Sound Center Millord Installatoris Unlimited New Haven Auto Lits, Champoon Auto Safety Auto Carlo Cherler Millord Installatoris Unlimited New Haven Nacho Edit, Champoon Auto Safety Auto Carlo Dis Sound Center Newligton Hi-TI Streep House North Haven Jo-Dis Sound Center Normali Audiotronics, Jo-Dis Sound Center Und Greenwich Audiocom Stamford Fairfield Streep, Jo-Dis Sound Center Westports

Stereo DELAWARE: Dover Sound Stud Newark Sound Studio Wilming FLORIDA: Boca Raton Sound Advisor. Wernik Electronics' Bradenton Sternorama Bradenton Sternorama Gabier Sternorama Gabier Straducta Score (Learwater Gabier Straducta Score (Learwater Gabier Straducta Score) Advisor Straducta Score (Learwater Bradenton Sternorama Coral Gabier Straducta Score (Advisor FL) Pierce Scond Shabi FL Walton Hallen Score (Learwater Rectronic Disk Hellywood Score Advisor Lacksonville Advisor Earker Advisor Lacksonville Advisor Earker Records Longwood Auto Garage Marathan Score Lackson (Learwater Advisor Lacksonver, Florida Car Scores Electronics, Scorer Miami Electronic Charamer, Florida Car Sound Advisor Lacksoner Miami Electronic Charamer, Florida Car Sounds, Las Fabricas, Merro Electronic Charamer, Michiel Stereo Garage Nergoort Richey Stereo Score Jackson Advisor Scorer Audio Tech Driando Advisor Scorer Audio Tech Driando Advisor Stereo Prenacio Advisor Stereo Prenacio Advisor Stereo Tenacio Carlege Car Advisor Stereo Steren Audio Garage Nergoort Richey Stereo Scored Advisor Stereo Tenacio Advisor Stereo Tenacio Advisor Stereo Lactor and Rockledge Car Ratios USA ransola Stereo Bach Audio Garage Gabard Advisor Stareo Tex Advisor Stereo Lactor Scorer Stereo Stored Advisor Stareo Scorer Marker Breten Scorer Bornord Beach Advisor Stereo Tenacio La Marine Stereo Storer Tex Advisor Stereo Steren Tex Advisor Stereo Steren Ratio Stereo Decistro Advisor Stereo Storer Marker Breten Storer Genetic Can Rector Designs August Stereo Decistro American Radio Storer Advisor Stereo Lactor Minter Park Advisor Stereo Storer Advisor Stereo Decistro Mercor Rein Stereo Jandro

Junction HAWAII: Alea Electronic Entertain ment Hilo Hilo Audio Honolulu Auto Audio, Electronic Entertain-ment, Island Sound, Market Share Kahului Electronic Entertainment Mailua Car Tunes Lihue Radio Shack Kauai Wailuku Electronic Entertainment

Shack Kauai Waluku Electronic Entertainmen IDAHD: Boise Audio Source Systems of Idaho Corur D'Alene American Television Lewiston Steiner Electronics Moscow Aspen Sound Namaa Jamison's Music West Twin Falls Audio Warehouse ILLINDIS: Algonquin Team Elec-tronics Asig CarlFonics Ation Relable Stereo & Video Atrington Heights Automotive Dimensions, Columbia Audio Video Aurora Stereo Systems Bioomington Mobile Audio Carbondale Naider Stereo Childen Bioomington Mobile Audio Carbondale Naider Stereo Childen Musico Aurora Stereo Childen Bioomington Mobile Audio Carbondale Naider Stereo Childen Audio Carbondale Naider Stereo Champaing Good Vides

Systems, Capital Service, Mobie Music, Sound Tunnel, United Audio Centers, Cauntryside Automotive Sound Systems Danville Buds Car Stereo Decatur Appletree Stereo, Lam Electronico, Beerfield United Audio Centers De Rah Appletree Elemood Parte, Finshang Doch Car Care Highland Park Autosonics. Columite Audio Vdeo Joliet Stereo Systems Kankakee. Ine Shoppe Lansing United Rectarens: Lombard AutoBard Services Moline Ran Automotive Mourt Prospect Mobile Music Mit, Vernon Drins, Stereo A Automotive Mourt Prospect Mobile Music Mit, Vernon Drins, Stereo A Systems, Nites CMC, United Auto Centers Normal Appletree Stereo Cars and Stereo, Columbia Audio Centers Normal Appletree Stereo Cars and Stereo, Columbia Audio Centers, Spring Villey Audio Labs Springfield Suchow One St. Charles Springfield Suchow One St. Charles Electronics Vernon Hills United Audio Center, Swistmont Sounds Deluce.

Deluxe INDIANA: Carmet Sound Produc-tions Evansville Risley Audio Ft. Wayne Classic Stereu Pak Highland Road Concepts Indianapolis Audio Electrone Duration Electrone Content Road Concepts Indianapolis Audio Electronics: Ovartion Audio: Sound Productions Madisonville Risknys Marion Classic Sterec, Mishawaka Auto Rodio Specialist Muncie Classic Sterec Patrer Haute Audio Connection Vincennes Record Celtar Audio Video, Risky Electronics W Lafayette Good Whee Sevuri Seatonical Wield, Ney 7 Viets Sourd Statysete Good 10WA: Ames Octone Motors Carroll Sourd Service Centervitie Wrights Stereo TV & Applance Daveport Audo Odhyses, Spectrum Automotive Center Des Moines Audo Lati Steres Sound Studio Dubugue Audio Room FL Doge Sound World I owe City Audio Sound World I owe City Audio World Jatin Video Marion Audio Room Mason City Mason City Sound World Stows City Planz Electronics Spenere Careys TV & Stereo Storm Lake Sound & Service Watchool Team Electronics Waterloo Team Electronics KANSAS: Arkansas City Sparks Music Dodge City Cartunes Music Dodge Elity Cartures: Emporia Audio Electronics Emporia Audio Electronics Hutchiston Huyes Sight & Sound Lawrence Kiefs Record & Sperso Manhattan Rolling Thundler Ltd. Overland Pan Brands Mart Stereo, Santa Fé Auto Sound Salina Dell's Wichta Rolling Thundler KENTUCKY, Bardstown Mr. Music Bowling Chem Poston Fleetronics Wichta Rolling Thurder KRTUCKY: Bardsteim Mr. Music Bowling Green Poston Electronics Corbin Saund-Korund Town Corbin Saund-Korund Town Sightin-Sound Leinigton Cvation Ine Sound Sounds Around Town Louisville Audio Video By Design. The Sound Facubarh Relies Elec-tectronics Barduarh Relies Elec-tectronics Barduarh Relies Elec-tectronics Barduarh Relies Elec-tectronics Bardon Rouge Davids Electronics Bardon Rouge Davids Car Stere & Comm. Largette Davids CB & Custom Car Stereo, Archy Smith Audio Lake Chartes Classic Audio Systems Metare Carolic Audio Systems Metare Bardon Center New Orteans Alter Sound Center New Dreisen Village Sound Center New Dreisen Mart Shreveport Stereo & Recond Center Thobdaus Mukey's Music Pusion Martes Bargor Ratio Rives Thus Martes Bargor Ratio Rives Thus Martes Bargor Ratio Rives Thus Marte Bargor Ratio Rives Thus Nonthern Saund Co Harbot Auties & Velsio Lewiston Radio City & Portland Great Northern Ssund Co. MARYLAND. Annapolis Spaceways Sound Battimore Carsounds. Stansbury Steene Columbia Car Leatonic Shound Systems Columbia Car Electronic Shound Systems Columbia Car Electronic Shou Negerstown Hunt Audio Associates Langlay Park Audio Associates Audio Sound Stole DassAch Hise Park Parklay Park Park Park Parket Park Sound Systeme Boston Nantucket Sound Systeme Boston Nantucket Sound Juweeter, Etic Carbinge Tweeter Etic Destinut Hill Neeter Elevent Etic Destinut Hill Neeter House Farthaya Natural Sound Tweeter Etic Long Radio Concepts No Darkout Round Naturel Sound Tutteid Taylord Sound Sugury & Stereo Pace Sound Nature Sound Pattiteid Taylord Sound Sugury Stereo Pace Sevente Leiser Sound, Naveeter Etic Dires Sound, Naveeter Sound Pattiteid Taylord Sound Sugury Stereo Pace Sevente Sound Pattiteid Long Radio O's Springleid Long Radio Carber Sound, Naveeter Sound Pattiteid Day Sanuteket Sound Pattiteid Sterene Sound, Naveeter Sound Pattiteid Carber Sound, Naveeter Sound Pattiteid Carber Patres Sound, Pattiteid Long Radio O's Springleid Steneta Audio

MICHIGAN: Allen Park Car Tunes Stereo Centre Bag City Osson Auto Radio, Superior Sound Berkley Cas Dines Stereo Centre Biomingham Radio Frank Draydon Plains Dues Sound Flint Custom Auto Sound Grand Rapids Classic Stereo Jackson Jakison Auto Sounds Kalamazoo Classic Stereo Lansing Skory Auto Sounds Marquette American TU Mustegon Langlios Story Auto Sounds Marquette American TU Mustegon Langlios Sound SLI oscibility Martines Rochester The Sound Advantage Sagmay Olson Auto Radio. Superior Taverse City Kuriz Music Warten Radio Frank Westland Car Tunes Stereo Center Tpollant Future Sound SL Joseph TinCourty Auto Stereo Center Tpsilanti Fulure Sound & Community Community Community MINNESDTA: Alexandria Audio Concepts Brooklyn Center Audio King Burnsville Audio King Duith Team Electronics Galan Audio King Fairmont Midwesi Satellite Fegua Tails Team Electronics Golden Valley Audio King Carl Stereo Chere Mahato Audio King Mantenood Audio King Gar Stereo Center Minnespels Audio King Minnetonia Audio King Rochester Audio King University RoseVille Audio King St. Louis Park Audio King Outlet SI, Paul Audio King Virgina I zam Electronics King Virginia Tea King Virginia team Encurones William Sound Image MISSISSIPPI: Greenville Cartures Guilport Empres Of Missispoi Hattiesburg H-Fi Cruisni Jackson Automotive Audio Laurel Hi Fi Cruisni McComb Custom Audio Natchez Sound Circuit Pascagoula Empress Audio & Video Vicksburg Sound Circuit Sound Drivel: Cape Girardeau Stereo Dhe Columbia DAM Sound Jettrison The Editoria and Jopin The Stere Carl Editor and Jopin The Stere Carl Berlin and Jopin The Stereo The Stere Stereo Sound Popper Blutt American Hi Fi Rola Lind Ol The Rambaw Soringfield Carl Blutt American Hi Fi Rola Lind Ol The Rambaw Soringfield Carl Blutt American Hi Fi Rola Lind Ol The Rambaw Sound Popper Blutt American Hi Fi Rola Lind Ol The Rambaw Hi Fi Ro Fum, Sound Central Susset Plans Huberth Radio & Tv Hont MAA. Buttle Osavilo Fleat North May Blutter Osavilo Fleat Pro Heina Sound Pro Missoula Electrane Pars NEBRASKA Kearney Midwest Audio Lincoln Stered Wish N. Platte Team Destroates North Mid Chro Neek Toth Midwest Audio Reno Carl Audio Systems NEW LARSY Rever for Missoula Electrane Fleat Sounds Of New Eight American Audio Revo Carl Audio Systems NEW AMPSHIRE: Concord Audio Of New Eight American Haussould Elevane, Elevand Manchester Carlous Hi Fi, Sweeter, Elex Nashua Constiti W, Lebanon Carl Sounds Of New Eight American Haussound Elevane, Sound-Karl Sounds Cleaver, Sound-Karl Sounds Elevane, Elevand Karlson Stereo Cherry Hill Auto Sound Heitor Charl Maido Netton Hi Fi Connection Milbum Profes-Stereo Cherry Hill Audio 22 Neptune Auto Audio Netton Partroy Sound Paramus Leonard Audio Lindon Sound Audion Netton Partroy Sound Parama Leonard Stereo Samay Tee Rolling Trom Stereo Samay Sound Ridgewood Moloring Insaes Streensbury Monnoult Stereo Soning Stereo Westwood Cruisin Munic Westwood Cruisin Munic NEW MEXICO Albuquerque West Coast Sound Systems, Hudson's Llowis Towne Crier Farmington Praduse Village Callup Praduse Village Los Cruces. The Sound Room Coast Sound Systems. NEW YORK, Albany Jo Di's Sound Center Allepheny The Sound Track Amberst Amherst: Electronics Auburn Mayco Radio Batavia Uni-corn Record & Audon Bay Shore Auburn Mayco Radio Batavia Autor Mano, Professional Auto Radio Brootlym Phils Auto Genomes Chemical Benness Electronics Kerne Warehouse Corning Call Andro Rootlym Phils Auto Radio Brootlym Phils Auto Radio Brootlym Phils Auto Batio Brootlym Phils Auto Genomes Electronics Steneo Venong Electronics Methodes 681 Electronics Hennietta The Siereo Sound Stage Auto Borsonie Ching Call Cheming Electronics. Sound Stage Auto Borsonie Stem Warehouse Con Systems Manhasset Auto Spec Nobie Electronics Middeom The Carl Andio Center ML, Kisso Foor Meens Manhasset Auto Spec Nobie Electronics Middeom The Carl Andio Center ML, Kisso Foor Molate Electronics Middeom The Carl Andio Center ML, Kisso Foor Meens Manhasset Auto Spec Molate Electronics Middeom The Carl Andio Center ML, Kisso Foor Meens Manhasset Auto Spec Molate Electronics Middeom The Carl Andio Center ML, Kisso Foor Meens Manhasset Auto Spec Molate Electronics Middeom The Carl Andio Center ML, Kisso Foor Meens Manhasset Auto Spec Molate Electronics Middeom The Carl Andio Center ML, Kisso Foor Meens Manhasset Auto Spec Molate Electronics Middeom The Carl Andio Center ML, Kisso Foor Meens Manhasset Auto Spec Molate Electronics Middeom The Carl Andio Center ML, Kisso Foor Meens Manhasset Auto Spec Molate Electronics Middeom The Carl Andio Center ML, Kisso Foor Molate Electronics Middeom The Carl Andio Center ML, Kisso Foor Molate Electronics Middeom The Carl Andio Center ML, Kisso Foor Molate Electronics Middeom The Carl Andio Center M Leonard Radio, Sound Stage An Oneonta Stereo Lab Patchogue Square Deal Plattsburgh Great

Northern Stereo Whise Poughkerp-sie Sound Din Wheels Riverhead Shoulime Stereo Rochester Stereo Shou Posscale S Found Unlimited Salamana The Sound Track sarataga Spring Le Sounde en Hand Clore Andro Spossett American Sounderaft Syracuse Bordon Electronics Valley Stream Northern Electronics Antipe The Audio Experts White Plans Audio Experts White Plans Audio Experts WhiteStore Adrom-dack Music Williamswille The Stereo Advantage Woodside Leonard Radio MURTH CARDUNA, Abreville Me Diversite Carolina Stereo Lonover Audio Auganton Macs TU New Bern Anderson Audio Endopti Carolina Carolina Macs TU New Bern Anderson Audio Stereo Uninimed Willimigton Atlantic Audio Wilson Modern Atlantic Audio Wilson Modern Altantic Audio Milson Modern Concepts, Custom Stereo Sound NDRTH DAKDTA, Bismark Pacific Pickson Music Hut Grand Concepts, Custom Car Hi Fi, Stereo Sourd NDRIH DANDRA, Bismark Pacific Sound Dickson Music Mul Brand Fried Sourd Charles Music Mul Brand Music Comer Langton Sweet Minot The Stereo Shap. OHIO: Auron Audio Craft Golden Gramaphore Clinofnasti Sight In Sound Cleveland Audio Craft B&B Appliance Columbus Hammond Electronics Dayton Stireo On Whees Hino The Stereo Charl B&B Appliance Columbus Hammond Electronics Dayton Stireo On Whees United The Stereo Charl B&B Appliance Columbus Hammond Electronics Dayton Stireo On Whees Hina Wask Cost Stereo Pala Mansfield Hammond Electronics Mayriel Hts. Audio Craft Middle burg Heights B&B Appliance Middle Bart Bart Barts Hawarond Elec Chronics Westaward Arest Corn Audio Stereo Dre Warren Phase II Bec-tronics Westaward Middle Expless, Raves Unit OxLANOWA Bartesville The Sound Station Durant Rick Mickey Sound Widdle Ponce City Sounds Incredible Data Der Jand Theo Bayren Uti Westnerford Phil's Stereo Warehouse Moodward Gills Jo Dent Gib Stereo Lagrens Rave Sound Stillwalter Custom Cans Bass Stecknis Stereo Kanath Falls Theo Stereo The Stereo Litt Cansh Pass Stereo Ins Stereo Litt Cansh Pass Stereo Ins Electronics. The Dalles Lutz Enterprise Phys TittANNIA Allentom Sassa Siereo Portiand Chelsea Audio Salem Focus Electronics The Dalles Lutz Enterprises PENNSYUANIX: Allentown Sass-fras Records & Audio Bryn Maer Vesbers 'Pro Audio Bryn Maer Vesbers 'Pro Audio Bryn Maer Electronic Concellisitie The Electronic Concellisitie The Electronic Tore Ephrata Stereo Barn Chel Constant Stereo Barn Poist Greensburg Parts Stereo Horrsburg The Stereo Poist Maet Horrsburg The Stereo Poist Maet Horrsburg De Stereo Poist Maet Horrsburg De Stereo Poist Maet Horrsburg De Stereo Poist Maet Horrsburg Chel Stereo Toreo, The Stereo Poist Lewisburg MdM Stereo Equipment Monreville Audio Com-munications. Listening Poist Maet Horrsburg Des Monreville Audio Com-munications. Listening Poist Mont Stereo Staffars Audio Concert GNT Stereo, The Stereo David Potstburgh Listening Poist Potstburgh Listening Poist Potstburgh Listening Nathors State College High Fidelity House Upper Unit Stereo Staffars Kourde State College High Fidelity House Upper Unit News Cullet Whitehall Excalibur Williamsport Audio Services Vork Hom Sound & Custom Tores Custom Tops RHODE ISLAND: Cumberland Sounds Unimited Providence Tweeter Etc. Waswick Island Sound, Tweeter Etc. Westerly Leiser Sound SOUTH CAROLINA, Anderson SOUTH CAROLINA, Anderson SOUTH CAROLINA, Anderson Music Machine, Rogers Stereo Charleston Dashbard Stereo Clambia Music Machine, Rogers Stereo Greenville Music Machine, Rogers Stereo, Stereo Video South o AROLA. Aberdeen World Elegitronics Rapid City Fram Elec-South O AROLA. Aberdeen World Elegitronics Rapid City Fram Elec-Tomics Stereo Video Status Contentioned The Radio Clinic Cookeville Lindsay Ward Lakson New Wave Electronics Save A Lot Auto Johnson City Mr.

Toads Kingsoort Mr Toads Knouville Cardunes, Landsay Ward McMinn-Wille Undsay Ward McMinnis New Car Steres, Save AL Lot Auto Mun-the Landsay Ward McMinnis New Car Steres, Save AL Lot Auto Mun-the Car Steres, Save AL Lot Auto Mun-ter Auto Brownswite El Arca Electronics, Panorama Electronics Bryan Road Sounds Dieburne Auto Dify Car Steres Center Beaumont Brock Audio Brownswite El Arca Electronics, Panorama Electronics Bryan Road Sounds Dieburne Auto Cardo Video Corte Chrosi Infore Town Audio Dalles Amercell Caron, De Car Steres Corne Informi Infore Town Audio Dalles Amercell Caron, De Car Steres Corne Informi Infore Town Audio Dalles Amercell Caron, Bryan Road Sounds Cle Brase Cornel, Spetien Auto Eaglere, Landreit, Eustein Car Steres, Carl Her Joseffer Auto Barter, Landreit, El Steres, Cander Steres, Landreit, El Steres, Cander Steres, Center Longiver Steres, Raminez Tre Center Longiver Steres, Raminez Tre Landreit, Steffere Auto Barter Labock Minstall Steres & Record Center Lubbock Hi Ridelity Of Lubbock Marshall Steres & Record Center Maller El Arca, Showery Costom Audio, Fingers Furniture Hans Hawki Electronics Kound Bas San Antonio Bron's Audio Video, Mobile Hi Fi San Marcos Discoeres ; Custom Audio, Fingers Furniture Hans Hawki Electronics Wicki Steres Wichtig Fails Audio Carles Flank Steres Marting Bryan UTAH: Logan Lymis TV & Stereo Urani Yo Kristi Fails Audio Conter Lambrout Company VERMONT: Rutland Sound Directions S. Burlington Great

Uderbary T, Reitand Sound VERMON'S, Rutington Great Nonthern Stereo WREINIA: Alexandria Excalibor Arlington Audio Associates Blacks-burg Southy Statio & TV Bristol Mr Toads Charlottesville Audio Sound of Virgina, Holdren's Colonal Heiphs Auto Sound of Virgina Heiphs Auto Sound of Virgina Heiphs Auto Sound of Virgina Church Car Stereo Systems Funda Church Car Stereo Systems Sounds TV Radford Scotty's Radio Associates, Gregs Auto Sound & Commetton, Gay Auto Sound & Commetton, Gay Auto Sound & Commetton, Gay Auto Audio Connecton, Go Ho Auto Audio Wicherara Auto Audio Sound & Connecton, Go Ho Auto Audio Wicherara Auto Audio Winchester Sound Criv

Videorana Auto Audio Winchester Sound City WASHINGTON: Believue Northwest Auto Sound Belimgham Sound Advice Bermerton Swegneen Development Sound Autor Very Sound Andrea Elemination More Kent Northwest Auto Sound Lacey Desco Electronics Longview The Sound Authority Lymwood Northwest Auto Sound Sue Performance Auto Sound Millione Sound Advice Purpling Sound Advice So Purpling Sound Advice Sound Sound Tacoma Automotive Sound, Sound Tacoma Automotive Sound Sound Tacoma Automotive Sound Sound Tacoma Automotive Sound Sound Millionement Takwila Northwest Audio Sound Sound Management Tukwia Northwesi Audio Vudeo Wanatchee Performance Auto Sound WEST VIRGINIA Barboursville WEST VIRGINIA Barboursville Pier Morganitam Sound Investi-ment Mir. Gay Stereo Video Unimited M. Hoge The Pied Piper Magnitum Sound Investi-ment Mir. Gay Stereo Video Unimited M. Hoge The Pied Piper Marging Windhall Electric WiSCONSIN-Kapieton Acmer IV. Sound World Gau Claire (ME Aconsi Sciettorio Gal Dodai Photo Scan Of Wisconsin Green Bay Sound World, Muniz Audio/ Video La Crosse Sound World Madison American TV Mequon Flammer and Halsoos, General IV Oak Creek American TV Oshkosh The Exclusive Company Pawaykee American TV Racine Al'Sauto Stero World Nac Teorena The Sound Bay Sound World World Nick Company Pawaykee American TV Racine Al'Sauto Stero Marsa Sund Haramie The New Mice Box Rock Springs Fanelli Music & Appliance



Seekonk Leiser Sound, Iweeter, Etc. Shrewsbury Leiser Sound, Rayco Car Service Springfield Long Radio Of Springfield Stoneham Auto Sound North Watham Waitham Camera & Stereo Watertown Beaconwood Acoustics, Rich's Car Tunes

## HOW ALPINE RE-ENGINEERED THE CD PLAYER AND TUNER SECTION TO SHARE THE SAME IN-DASH CHASSIS.

It began with the goal of a car audio system able to do justice to the most artfully recorded music. It led to the development of a Compact Disc player smaller and more advanced than any before. And an FM-AM tuner of astounding capability. It resulted in Alpine's new Model 7902. The first true single-chassis all-inone design available in a standard DIN-size unit.

Throughout the 7902, Alpine has blended the digital engineering of CD with state-of-the-art analog circuitry to precisely control the musical signal at all stages of its journey. A doubleoversampling linear-phase digital filter eli-minates the distortion you hear when digital signals are converted into analog form. The filter suppresses ultrahigh frequency signals before their conversion to analog, while the double oversampling process improves the upper-band frequency response. The result? Dramatically reduced harmonic distortion in your music.

Once the music is converted to analog form, the signal continues to pass through a Butterworth analog filter. This rejects the ultrasonic noise that is characteristic of CDs.

#### ABSORBING THE SHOCKS OF THE ROAD WITHOUT LEAVING THE TRACK.

The mechanics of the 7902's CD section are no less innovative than its electronics. Alpine has combined its own 3-beam laser pickup with a series of other advances. Together they deliver exceptional sonic accuracy while compensating on the road for the bumps and jars that can

oilda

Silicon Dil Da

Beam Pick-u

DC-DC Converter

chanism.

soluli

Silicon oil dampers also protect the CD mechanism from vibrations and outside shocks. And the entire CD

Alumn

assembly is mounted on a rugged zinc die-cast

nohe

A double layer loaded gear assert ed laser tracking p

has packaged all these advances into the first CD pick-up small enough to share an in-dash DIN-sized head unit with an equally advanced FM-AM tuner.

#### GIVING THE MOST DISTANT STATIONS A POWERFUL RECEPTION.

The Model 7902 incorporates a tuner section that's already legendary for its performance: Alpine's remarkable T-10II Tuner." Three Alpine innovations contribute to the T-10 II Tuner's ability to

De Cast Chassis

in Circuit

Fla Digital Fill

control circuit reduces the intermodulation distortion that can degrade your musical reception.

111

BULLETIN NO. 1

Throughout the entire 7902, a unique circuit topology called STAR (Signal Transit for Accurate Response) keeps critical circuits separated to avoid interference. Moreover. STAR takes advantage of computer-aided design to engineer the shortest routes for signals to travel. The result is exceptionally clear reproduction with greater dynamic range and a truly linear musical output.

Making the 7902 all the more unique is a shielded, pulse-widthmodulated power supply designed with dual cir cuitry-two discrete power blocks that eliminate high-frequency signal interference. This rethinking and redesign of every aspect of circuitry results in improved clarity and definition, and contributes to the exceptional musicality of the 7902



High cut, blend and soft-mute circuits work together to maximize reception of weak FM stations, and minimize static noise.

It all adds up to a tuner with superb clarity and definition. In an incredibly small package that, combined with Alpine's equally compact new CD section, makes the model 7902 a first for Alpine. And a first for the mobile audio industry.

To see and hear Alpine's new 7902 CD Player/FM-AM Tuner, visit your local Alpine autosound specialist.

#### A CLOSER LOOK AT THE ALPINE 7902 CD PLAYER/FM-AM TUNER. cause a lesser CD player chassis that's able to ab- make the most of yo

to mistrack. A specially de-

signed gear system for the laser drive prevents backlash – the looseness that degrades tracking accuracy. The 7902 uses unusual twolayered gears, with a spring placed between them to maintain tension. So the drive operates with absolute precision. chassis that's able to absorb shock and vibration better than a common pressed steel or aluminum die-cast chassis. Alpine's 3-beam

Alpine's 3-beam laser pick-up uses a diffraction grating to split the laser light into a main beam and two "subbeams." Constant comparison of the two sub-beams instantly corrects the main beam's alignment, keeping it right on track. Remarkably, Alpine engineering make the most of your favorite radio stations. A double balanced mixer removes signal saturation from strong FM broadcasts before it reaches the tuning stage, so headroom is increased. Selected dual-gate MOSFETS reduce the noise level in the receiver And a double automatic gain

© 1987 Alpine Electronics of America, 19145 Gramercy Place, Torrance, CA 90501, 1-800-ALPINE-1

CIRCLE NO. 9 ON READER SERVICE CARD



You'll find the most helpful shopping information in the 108 page Crutchfield catalog.

# FREE Stereo & Video Catalog

#### Refer to the Crutchfield catalog before buying your next car stereo, home stereo, or video product:

- 108 pages of helpful articles, consumer tips, charts, and installation guides.
- Color photos, complete descriptions and technical specifications on hundreds of the finest brand name products.

## You get more value shopping Crutchfield:

- Toll-free product advice, ordering, and customer service.
- 24 hour shipping.
- Absolute satisfaction guaranteed.
- Full 30-day return privileges.
- Discount prices on Sony, Pioneer, JVC, Teac, Proton, Advent, Jensen, Clarion, Concord, Sherwood, Canon, Infinity, and many more!

nov	w for y		coupon E Catalog
		a call 800-5	
	In Alaska	a call 800-44	46-1640
Name			
Address			Apt. #
City		State Zi	p
	Year	Make	Model
Your car:			
2nd car:			
			IELD

## AUDIO Q&A

have to be repeated at enough discrete frequencies to insure that the amplifier provides at least this level of performance across the frequency spectrum, which means that you would require a tunable frequency generator, and each of these measurements would have to go on long enough to insure that the amplifier can produce this power level over an extended period of time rather than momentarily. Any amplifier can put out more than its rated power for short spurts, but the important measurement is its *continuous* output capability.

All in all, a very complicated and time-consuming procedure. You would be far better off simply to write the manufacturer and ask for the specifications (as I did!). While you are at it, request a copy of the owner's manual, which will not only list the specs but will also give you operating and maintenance instructions.

### Hi-Fi Video Dubbing

I am about to purchase a VCR with VHS Hi-Fi sound, and I would like to copy tapes from it to my existing (non-hi-fi) machine, and vice versa. Will the copies be in hi-fi, or do I need two machines with the feature?

> CHAR STANLEY Princeton, MN

With hi-fi VCR's, both the video and hi-fi audio are recorded helically on what used to be the video-only portion of the tape, but they are two separate signals. To copy both these signals requires two machines with the extra audio capability. Dubbing from a hi-fi VCR to a non-hi-fi VCR, you would lose the hi-fi audio track and record only the standard longitudinal audio track included on all videocassettes, hi-fi or otherwise, because the machine you're recording on cannot pick up the hi-fi signals. Trying it the other way around, using the older VCR for playback, you would still get only the non-hi-fi audio track in the dub, because the hi-fi VCR would not be receiving a hi-fi signal from the source

#### Airline Sound

Could you describe the sound systems installed in airliners? They certainly are not audiophile quality, I realize, but how do they work?

BRUCE A. HIGHLAND Avondale, AZ

A Whether we realized it or not, most of us were introduced to digital sound in the air. One of the main goals of aircraft designers is to reduce weight,

22 STEREO REVIEW SEPTEMBER 1987

and while an audio distribution system could have been devised using individual wires to carry signals to each passenger, providing a dozen channels to three hundred or more seats in a wide-body jet would require miles of wire. To avoid this, digital multiplexing is used.

A multichannel tape deck feeds an analog-to-digital converter that samples each signal in turn and sends the composite signal to each seat by a single set of wires. A small digital analyzer at each passenger location selects only the portion of the multiplexed signal that is desired-if you choose Channel 1, for instance, only the first, thirteenth, twenty-fifth (and so forth) slices of the overall signal would be accepted and reassembled into a single bit stream. This is processed by a digital-to-analog converter at your set and fed to a transducer in the armrest, which in turn is coupled to your ears by a pair of hollow tubes

The fidelity of this system is relatively low because a lot of information must be distributed and sampling rates must be kept within reason. The necessary tradeoff between quality and selection was decided in favor of a wide choice of material.

#### Record Crackle

Every time I play certain records, I get an irritating sound that resembles static, and the noise gets worse as the signal level increases. This doesn't occur with newer records or even with all of my older ones. Nor did it seem to happen with my old cartridge, which I recently replaced with a better model. What can I do to correct the problem? LAWRENCE TROST

A From the sound of it, you are experiencing the effects of past cartridge mistracking. If the stylus is allowed to rattle around in a record groove, it not only causes a particularly irritating sort of distortion—especially during highly modulated passages—but it tends to break off bits of vinyl in the process. The damage is permanent, and it usually becomes worse with subsequent playings. The cumulative nature of this damage may be why you only hear it on older records, and probably mostly on the ones that have been played most often.

It is possible that your old cartridge did not reproduce the distortion as dramatically because it had poorer highfrequency response (much of the damage caused in this fashion is at the upper end of the spectrum) or because the shape of your new stylus is more sensitive to the specific physical damage caused by the old one.

Duluth, MN



#### SONIC HOLOGRAPHY TRANSFORMS EXCITING NEW PROGAM SOURCES AS WELL AS FAMILIAR OLD ONES INTO TRULY LIFELIKE MUSIC EXPERIENCES.

Watch a movie on a 13" black and white TV. Now see it in 70 millimeter Technicolor with Surround Sound.

Listen to your favorite musicians on a portable radio. Now sit three rows back from the stage at a live concert.

The difference is dimension: Width, depth, breadth and detail that turn flat sensory input into breathtaking reality. They're the missing ingredients of live musical performance that Sonic Holography restores to records, compact discs and even hi-fi movie soundtracks.

The most experienced and knowledgeable experts in the audio industry have concurred. Julian Hirsch wrote in *Stereo Review, "The effect strains* credibility – had I not experienced it, I probably would not believe it."

High Fidelity magazine noted that "... it seems to open a curtain and reveal a deployment of musical forces extending behind, between and beyond the speakers." According to another reviewer, "It brings the listener substantially closer to that elusive sonic illusion of being in the presence of a live performance."

All this with your existing speakers and music collection.

#### HOW SONIC HOLOGRAPHY WORKS. Unfor-

tunately, conventional stereo cannot isolate the output of left and right speakers and send their output only to your left and right ears. Left and right versions of a sound occurrence also cross in the middle of your listening room, confusing your ears with additional extra sound arrivals a split second apart. Stereo imaging and separation suffer because both speakers are heard by both ears, confusing your spatial perception.

The Sonic Hologram Generator in the Carver 4000t Preamplifier, C-1 Preamplifier and Carver Receiver 2000 solve this muddling of sound arrivals by creating a third set of sound arrivals. These special impulses cancel the objectionable second sound arrival, leaving only the original sound from each loudspeaker.

The result is a vast sound field extending not only wider than your speakers, but higher than your speakers as well. Sounds will occasionally even seem to come from behind you! It is as if a dense fog has lifted and you suddenly find yourself in the midst of the musical experience. Or, as the Senior Editor of a major electronics magazine put it, "When the lights were turned out, we could almost have sworn we were in the presence of a live orchestra."

**IMAGINE THE POSSIBILITIES.** Thanks to VHS and Beta Hi-Fi stereo soundtracks (found even on rental tapes), and the increasing number of stereo TV broadcasts, Sonic Holography can put you inside the video experience, too.

It's a breathtaking experience. Without the need for additional rear speakers, extra amplifiers or decoders, the visual experience is psychoacoustically expanded by lifelike sound that envelops you, transforming stereo from monochromatic flatness into vibrant three-dimensional reality. Instead of being at arm's length from the action, you are immersed in it.

Then there are the familiar audio sources which Carver innovation has further improved upon, each of which gains character and heightened impact|through Sonic Holography. Compact discs, whose potential is still trapped in the two-dimensionality of conventional stereo, are even more lifelike with Sonic Holography.

Thanks to the Carver Asymmetrical Charge-Coupled FM Detector, FM stereo broadcasts can be received hiss- and interference-free, ready to take on an astonishing presence and dimension through Sonic Holography.

Even AM stereo can actually become a threedimensional phenomenon with Sonic Holography and the new Carver TX-11#AM/FM tuner which delivers AM stereo broadcasts with the same dynamics and fidelity as FM.

#### ENHANCE YOUR SPATIAL AWARENESS WITH CARVER COMPONENTS. When consider-

with CARVER COMPONENTS. when considering the purchase of a new preamplifier or receiver, remember how much more you get from the Carver 4000t, C-1 and Receiver 2000. Or add Sonic Holography to your existing system with the C-9 add-on unit.

Each can transcend the limits of your listening (and viewing) experiences by adding the breathtaking, spine-tingling excitement that comes from being transported directly into the midst of audiovideo reality.

Visit your nearest Carver dealer soon and expand your range of experiences with Sonic Holography.



POWERFUL CIRCLE NO. 49 ON READER SERVICE CARD MUSICAL

P.O. Box 1237, Lynnwood, WA 98046



#### Clearing the Cobwebs

O, the laboratory is not overgrown with cobwebs, but I have received several letters indicating some readers don't understand some of the terms and concepts used in our test reports. I would like to clear up some of these communication gaps at this time—a symbolic cobweb removal, if you will.

One correspondent wonders why it is that the frequency response of tape decks is often measured and rated above 20,000 Hz, but this is never done in connection with CD players. One good reason is that considerable design effort goes into each CD player to insure that its response does not extend past 20,000 Hz! In the process of decoding the recorded signal from digital to analog form, a spurious, frequency-inverted equivalent of the program is created that extends upward from about 22,050 Hz (half the 44.1-kHz sampling frequency of the CD format). If these spurious signals were allowed to mix freely with the decoded original program, a

process called "imaging," the playback would be very distorted and garbled.

A low-pass anti-imaging filter is used to remove these spurious signals from the decoded program before it leaves the CD player. It is not practical simply to cut off the frequencies above 22,050 Hz, leaving the lower ones intact. Real-world filters have a finite slope (the rate at which unwanted frequencies are attenuated), and the cutoff frequency must be chosen so that the necessary attenuation is obtained at the critical frequency (22,050 Hz) without losing any of the main program content below 20,000 Hz. Although filters can be made with extremely steep cutoff slopes, their operation can introduce large phase shifts within the range of the program itself

Recognizing that there is no meaningful musical content above 20,000 Hz, the designers of the CD format established its maximum frequency as 20,000 Hz. The rate of attenuation above that frequency is not considered germane to a consumer product specification. A few test CD's have signals up to 22,050 Hz, the ultimate theoretical limit. Since no one specifies the player response above 20,000 Hz, there is little point in measuring it. There are small, but measurable, differences between players in their response up to that frequency, but the significance of these differences is as debatable as how many angels can dance on the head of a pin (which is even trickier to measure).

One of the most widely used and most misunderstood terms in the audio world is the decibel (abbreviated dB). Lay readers can take

Tested This Month

Onkyo DX-530 CD Player Boston Acoustics T830 Speaker System Kenwood KA-3300D Integrated Amplifier dbx DX5 CD Player Celestion SL700 Speaker System some consolation in the fact that many engineers and technicians are equally confused on this matter! The basic unit is the *bel*, which was originally developed for use in telephone systems and was named after the telephone's inventor, Alexander Graham Bell, but it is generally more convenient to use one-tenth of a bel, or a *decibel*.

Fundamentally, the decibel is an expression of *the ratio between two power levels.* By extension, it is often applied to voltage ratios as well. Numerically, a figure in decibels is ten times the logarithm (base 10) of the power ratio. If you are rusty on logarithms, just remember that the log of 10 is 1, which means that a power ratio of 10:1 corresponds to 10 dB. Since the log of 100 is 2, a hundredfold power increase can be expressed in a much more convenient way as 20 dB, and so forth.

Since the decibel represents a ratio, its use requires a reference level. In the preceding examples, a power change from 10 to 100 watts, or from .01 watt to 1 watt, would be described as a 10-dB increase. If the change is in the opposite direction, a reduction instead of an increase, the number of decibels is the same but is preceded by a minus sign. If the variable is voltage instead of power, the logarithm is multiplied by 20 instead of 10.

I am not going to present a course in logarithms and decibel notation here, but I would like to point out that comparing two widely differing power levels is much more convenient in decibels. Consider the noise level in the output of a typical CD player, say -90 dB. This figure represents a power range of one billion to one or a voltage ratio of 31,600 to one. The convenience of decibel notation in this case is obvious.

Sometimes the reference level is unstated or implicit. The most familiar example of this is in the field of acoustics, where a 0-dB soundpressure level (SPL) corresponds to an acoustic pressure of 0.0002 dynes per square centimeter. It is vastly more convenient to deal with sound-pressure or power levels directly, and generally the reference level is understood but not stated. We can simply refer to the sound-



348458. Dvorak: Cello Concerto—Yo-Yo Ma; Moazel, Berlin Philhar. (Digital-CBS Masterworks) 347955. Huey Lewis & The News-Forel (Chrysolis) 349985. Johnny Mathis/ Henry Mancini-The Holly-wood Musicals (Columbia) 348979, Tino Turner-Break Every Rule (Copitol) 352633. Dolly Parton/ Linda Ronstaat/Emmylou Harris—Trio-{Warner Bros.} 302570. Mussorgsky: Pictures At An Exhibition; Ravel: La Valse-Mehro, cond. (CBS Masterworks) 336396-396390. Billy Joel's Greatest Hits, Vol. 1 & 2. (Columbia) 324822. Rovel: Bolero; Lo Volse; Rhapsodie Espagnole—Moazel, cond. [Digital—CBS Masterworks]

346643. Andreas Vollenweider-Down To The Moon, (CBS) 346478. Madonna-True Blue. (Sire) 343319. Janet Jackson-Control (A&M) 349571. Boston-Third Stage (MCA) 290916. The Best Of Earth, Wind & Fire, Vol. I (Columbia/Arc) 343715. Vivaldi: Four Seosons-Maozel cond. [Digital-CBS Masterworks] 319541, Elton John Greatest Hits. (MCA) 342105. Bangles-Different Light. (Columbia) 356279 Gloria Estefan And Miami Sound Machine 138586. Bob Dylon's —Let It Loose. (Epic) Greatest Hits (Columbia)

BOUING JIF & JAZZ

PIANO TRE

339044. Mozart: Sym-phonies 40 & 41 (Jupiter) – Kubelik, Bavarian Radia Cr. 349324. South Pocific. K. Te Kanawa, J. Carreras, etc. (Digital—CBS) (Digital-CBS Masterworks) 339226. Gershwin: Rhapsody In Blue; more. Thomas, Los Angeles Phil. (Diaital-CBS Masterworks) 316604. Tchaikovsky: 1812 Overture; Marche Slave; Beethoven: Wellington's Victory-Moazel cond. (Digital-CBS Masterworks) 287003. Eagles Greatest Hits 1971-1975 (Asylum) 347492. Glenn Miller Orchestra-In The Digital Maod. (Digital-GRP) 293597. Led Zeppelin-Houses Of The Holy. (Atlantic) 350736. Rolling Stones Rewind. (Rolling Stones Records)



withaut having 10 days to decide, you may return it at our expense.

(Island)

So. (Geffen)

Hits. (Saia)

(Columbia)

philip glass

dancepieces

355529

© 1987 Columbia House

The CDs you order during your membership will be billed at regular Qub sales throughout your membership. After completing your enrollment agreement you may cancel membership at any time. Special Bonus Plan: After you buy 2 CDs at regular Club prices, you can build your collection quickly with our money-saving bonus each CD you buy at regular Club prices. 10-Day Free Trial: We'll send details of the **Clubs** operation with your introductory shipment. If you are not satisfied for any reason whatsoever, just return everything within 10 days and you will have no further obligation. So why not choose 3 CDs for \$1 right now? **ADVANCE BOINUS OFFER:** As a special offer to new members, take one additional Compact Disc right now and pay only \$6.95.

346957. Steve Winwood —Bock In The High Life. 308049. Creedence Clearwater Revival Featuring John Fogerty/ Chronicle. 20 greatest 344622. Anita Baker-Rapture. (Elektra) 319996-399998. Motown's 25 # 1 Hits From 25 Years. (Motown) 291278. The Doobie Brothers-Best of the Doobies. (Warner Bros.) 345777. Peter Gabriel-Columbio 246868. Jim Croce-Photographs And Memories—His Greatest 334391. Whitney Houston. (Aristo) 314443. Neil Diamond's 12 Greatest Hits, Vol. 2. 348318. The Police Every Breath You Take —The Singles (A&M)

hits. (Fantasy) 343582. Van Halen-5150. [Warner Bros.] 326629. Bruce Spring-steen—Barn In The U.S.A. (Columbio) 342097 Barbra Streisand-The Broadway Album. 345827. Bob James and David Sonborn—Double Vision. (Warner Bros.) 219477. Simon & Garfunkel's Greatest Hits. (Columbia) 348649 Pachelbel Conon & Other Digital Delights —Toronto Chamber Orch (Digital-Fantare) 260638. Chicogo's Greatest Hits (Columbia)



351692

346312. Billy Joel-The Bridge. (Digital-Columbia) 346544. Kenny G-Duotones. (Arista) 336222 Dire Straits Brothers In Arms. (Warner Bros.) 355156. Vlodimir Horowitz Plays Favorite Chopin 341073. Steely Dan— A Decade of Steely Dan. (Digitally Remastered CBS Masterworks) MCA 349373. Beethoven Symphony No. 9 (Choral) Bernstein, NY, Phil. 354985. Billie Holiday-Digitally Remastered-CBS Masterworks 314997-394999. Stevie Wonder's Original Musiquarium 1. (Tamla) 348110. Buddy Holly-From The Original Moster Tapes: (Digitally Remastered—MCA) 352245 David Sonborn-A Change Of Heort. (Worner Bros.) 351122. Europe-The Final Countdown, (Epic)



	Г		OMP	ACT
٢	<u>_</u>	In		$\square$
	11		5	IIй
C	<u> </u>	າມ		U
D	IG	ITA	LAU	00

35Y/C3

344721. Lionel

Ceiling. (Motown)

Richie-Dancing On the

From The Original Decca

Masters. (Digitally Remastered—MCA)

Sketches of Spain.

349613. Original

Soundtrack-Round Midnight, (Columbia)

355115-395111. Prince

-Sign 'O' The Times. (Paisley Pork)

357186. Hooters-One

Way Home. (Columbia)

353037 Miles Davis-

Digitally Remastered-

Cl. Jazz Masterpieces

CBS COMPACT DISC CLU PC Box 1129, Terre Hour Please accept my member in this advertisement Senc bill me only \$1.00 for all the at regular Club prices in the membership at any time a St	te, Indiana 47811-11 rship application und d me the 3 Compact I ree. Lagree ta buy tw ne coming year—anc	29 ler the terms outlined Discs listed here and vo more selections
My main musical interest is ( Mr. DROC Mrs. Miss Prot First Name	(check one): (But I may alw IX/POP CLAS:	
Address		Apt
City		
State		Zip
Do you have a VCR? (Che Do you have a credit card		
ADVANCE BONUS ONFER: All a fourth CD right now at the su		

Note: We reserve the right to reject any application

or cancel any membership

353946

BRYAN ADAMS

We've built-in a wide range of choices. You can select from a wide variety of current hits and classical favorites. Our 3 CDs listed in this ad for just \$1.00. Fill in and mail the application—we'll send your CDs and bill you for \$1. You simply agree to buy 2 more CDs (at regular Club prices) in the next year-and you may then cancel your membership anytime after doing so.

How the Club works. About every four weeks (13 times a year) you'll receive the Aub's music magazine, which describes the Selection of the Month for your musical interest...plus many exciting alternates. In addition, up to six times a year, you may re-ceive offers of Special Selections, usually at a discount off regular Club prices, for a total of up to 19 buying opportunities.

If you wish to receive the Selection of the Month, you need do nothing-it will be shipped automatically. If you prefer an alter-nate selection, or none at all, fill in the response card always provided and mail it by the date specified. You will always have at least 10 days in which to make your decision. If you ever receive any Selection

Selections with two numbers contain 2 CDs and count as 2-so write in both numbers.

CBS COMPACT DISC CLUB: Terre Haute, IN 47811

353771



prices, which currently are \$14.98 to \$5.98 — plus shipping and handling, and sales tax where cipplicable. (Multiple-unit sets may be higher.) There will be special plon. It lets you buy one CD at half price for It's a chance to get a fourth selection at a super low price

pressure level from a loudspeaker as 87 dB instead of 4.47 dynes per square centimeter.

Decibel notation also makes it easier to appreciate that increasing the sound level by, say, 40 dB-that is, from a moderately loud home listening level (80 dB) to a rock-concert level (120 dB)-requires a tenthousandfold increase in power from the amplifier! It is generally considered that an acoustic level difference of 1 dB is barely detectable, and under many conditions a 3dB change would be the least perceptible sound-level difference. Subjectively, a 10-dB change is perceived as doubling (or halving) the sound volume.

Finally, we come to the very different matter of quartz-synthesis tuners. What does this feature mean to you as a user? As you know, a nonsynthesizing tuner is set to the station frequency by turning a knob until a meter or light indicates correct tuning, or until the background noise and program distortion are minimized. Some tuning indicators are accurate, but many are not, so a correct tuning indication may be obtained with a slightly mistuned receiver. The actual tuning is done by changing the frequency of an internal oscillator, which is continuously (smoothly) adjustable by the tuning knob.

A frequency synthesizer generates the same range of local-oscillator frequencies required in an analogtuned receiver (normally, from about 99 to 119 MHz), which converts the 88- to 108-MHz FM band to the receiver's intermediate frequency (IF) of 10.7 MHz. The accuracy and stability of the IF frequency, however, is determined by a highly stable quartz-crystal oscillator, to which a variable oscillator is "locked" in the widely used phaselocked-loop (PLL) system. This locking action takes place at discrete frequencies, typically at intervals of 100 or 200 kHz for FM reception.

When such a tuner scans the FM band, its synthesized frequency is actually changing in increments of 100 or 200 kHz, corresponding to the standard spacing between FM broadcasting channels. Some tuner



manufacturers imply that the tuner actually locks to the frequency of the received station, but that is not the case, although in stereo reception a PLL oscillator in the tuner's multiplex decorder *does* lock to the transmitted 19-kHz pilot carrier. The accuracy of the tuner's crystal reference oscillator is comparable to that of the broadcast station itself, however, and the two should agree to within a few kilohertz.

On the face of it, the frequencysynthesis system seems ideal, and in many ways it is, but it is only one part of the reception system. Remember, the synthesized localoscillator frequency converts the signal to the tuner's 10.7-MHz intermediate frequency, where it is amplified and finally detected and its modulation converted to audio signals. If the IF section, including its FM detector, are not tuned exactly to 10.7 MHz, or if its selective filters are not centered on 10.7 MHz or have an asymmetrical band-pass response, the tuner will effectively have a fixed tuning error on every station it recieves. And even if you have incredible hearing acuity, or a distortion analyzer, very few synthesizing tuners allow you to change the tuning by the small amount needed to correct for this error.

This possibility is why we often comment in test reports on the tuning errors of FM tuners and receivers. Sometimes by slightly shifting the frequency of our signal generator, we can substantially reduce the measured distortion in the tuner's output or improve its usable-sensitivity measurement. We make mention of this fact, and the amount of the error (generally 20 to 40 kHz), but since there is nothing a user can do about it, we make our actual measurements with the generator (itself a highly accurate synthesized source) set to the same indicated frequency as the tuner. Fortunately, the effects of these tuning errors are almost never audible. They usually represent a slight economy on the part of the tuner's manufacturer; tuning accuracy can be trimmed very closely in manufacture, but few companies do so.

Well, so much for those cobwebs. Undoubtedly, more will appear with the passage of time.  $\Box$ 

#### Canton announces significant engineering advances in the science of music reproduction.



Enlarged detail from center of photo: the rigid aluminum ring with obliquely positionee permanent magnets. In front of it, the semiconductor sensor which is linked via a supporting plate with the diaphragm and moves to and from with it.



#### **Motion Feedback:**

All loudspeaker systems have an inherent problem. A driver's diaphragm is burdened by mass and reacts to sound impulses with a certain amount of inertia. A time delay exists between the instantaneous sonic impulse and the acceleration and deceleration of the diaphragm. This delay translates into coloration of the source material.

Canton's new CA series, in addition to their advanced power amplifiers, are equipped with a built-in electronic signal correction system which monitors each speaker diaphragm, checking whether its motion corresponds exactly with the impulses of the musical signal at all times. Instantly—within a fraction of a

A "sound burst" (upper curve) as seen on the oscilloscope: fast attack and equally rapid decay of sonic impulses. Here's what an uncorrected speaker makes of the signal (center curve): there are distinct discrepancies on both incursion and excursion. And here's how the Canton system corrects diaphragm motion (lower curve): to the exact image of the original sound burst, in all but Infinitesimal "atterflash." millisecond—any discrepancies are registered, fed back and corrected via counteraction of the built-in power amplifiers.

Canton employs a number of new patented processes for driver correction. In the woofer illustrated here, the "Hall Effect" is used. A semiconductor element serving as sensor cuts across the field of a fixed magnet. This creates an electrical voltage related to depth of insertion. nversely, this "Hall Voltage" is an indicatar for the position of the sensor, e.g. the diaphragm. By comparing this actual value with the target value of the musical signal, the control circuitry acquires the impulse needed for any amplifier counteraction. The diaphragm is accelerated or braked accordingly.





The top-of-the line CA 30 active speaker is a 4-way system powered by 7 Internal amplifiers (one for each driver). The woofers are powered by 4x120 Watt amplifiers, the midranges by 2x100 Watt amplifiers and the titanium tweeter by 1x100 Watt amplifier. A total of 780 Watts per CA 30 speaker. In addition, problems normally associated with passive crossover networks are non-existent due to Canton's advanced MOS-FET electronic crossovers.

Each amplifier is meticulously fine tuned to achieve optimal performance with its associated, companion driver.



With these high standards, all components—not just the signal correction circuitry—incorporate the most sophisticated technical advances. The entire system reflects the design approach customary in industrial electronics like using thick film modules with SMD's (Surface Mounted Devices), bus interface connections, and plug-in card technology for high reliability and performance capability.



Connecting and control elements on rear panel of a CA series active speaker. Each frequency range can be independently boosted or attenuated to compensate for listening room idiosyncracies.



Since active speakers incorporate their own built-in power amplifiers, all that's needed to drive them is a pre-amp like the new EC-P1 from Canton (pictured above). Find out more about the entire Canton product line by visiting an Authorized Canton Dealer and picking up Canton's 1986/1987 40-page Loudspeaker Journal.



from



Canton North America, Inc. 254 First Avenue North Minneapolis, MN 55401 Telephone (612) 333-1150 CIRCLE NO. 33 ON READER SERVICE CARD

# Not Evolutionary,

# Pioneer's Revolutionary C-90/M-90 Elite High-Fidelity Components.

Audiophiles, take note: The preamp and amplifier you've been waiting for are finally here.

Introducing the Pioneer Elite Hi-Fi C-90 Preamp and M-90 Power Amplifier. Together, they combine the finest in both audio and video to retrieve every detail and nuance found in your cherished records, tapes, compact discs, LaserVision<sup>™</sup> discs and other software. Imagine a soundstage spread throughout your entire listening room! Stunning, transparent, threedimensional music, the likes of which you've never heard, apart from a live performance.

We paid fantastic attention to detail to gain this level of musical truth. One example: the C-90 volume control is a motorized, high precision rotary potentiometer. This permitted us to create the world's first high-end preamp with a no-compromise hand-held "SR"<sup>TM</sup> remote-control unit.

The C-90 features three separate power transformers—two to power left and right audio channels for vanishingly low crosstalk, and a third transformer to drive the preamp's unique video capabilities, relays, display and microprocessor. All switching functions are accomplished by electronic relays. Thus the signal paths are as short as possible, improving signal-to-noise ratio and channel separation. Anti-vibration measures taken to further the C-90's sonic excellence include a solid aluminum volume control knob, polycarbonate chassis feet, and rubber-cradled PC boards. Soft copper-plated screws insure a snug fit of chassis, transformers, transistors, and help to dampen vibration.

The C-90 Preamp readies you for the video revolution, with six video inputs, a built-in

video enhancer, and two-buss switching (separate "Record" and "View" selectors). The C-90's unique system remote-control unit features volume adjustment, input source selection, and control of audio and video input devices such as Pioneer's "SR" compatible VCRs, CDs, LaserVision players and cassette decks.

The M-90 is a superb high-power stereo amplifier, utilizing dual-mono construction. It is conservatively rated at 200 W/CH into 8 ohms' and delivers 800 W/CH of dynamic power at 2 ohms? The wide dynamic range of digital sources can now be reproduced effortlessly, with any loudspeakers. The M-90's high current capacity of 47 amps can handle the challenge of the most complex speaker loads. To further enhance S/N ratio and channel separation, relay-operated electronic switches and a long shaft volume control keep the length of signal paths down to a minimum. Why include a high quality volume control on a power amp? Simple. To pursue the straight-wirewith-gain philosophy when using a CD player connected directly. Pure sound, redefined.

The exquisite finish of the M-90 and C-90 reflects their quality. Elegant rosewood side panels and front panels with a deep handbrushed lacquer finish emphasize the care of craftsmanship we've lavished on these two components. The Pioneer C-90 Preamp and M-90 Power Amp. Evolutionary? Hardly. Revolutionary? Most definitely.

For your nearest Pioneer Elite Hi-Fi dealer, phone 1-800-421-1404.

©1986 Pioneer Electronics (USA) Inc., Long Beach, CA 'Based on FTC rules regarding measurement of amplifier power ratings. ?Measured by EIA method. CIRCLE NO. 8 ON READER SERVICE CARD

# Revolutionary.





FIRST, WE HELPED PIONEER THE TECHNOLOGY. THEN WE LEARNED FROM OUR SUCCESS. THE NEC 26" RECEIVER/MONITOR CERTAIN THINGS IN LIFE SIMPLY CANNOT BE COMPROMISED.



CIRCLE NO 19 ON READER SERVICE CARD

## TEST REPORTS



# ONKYO DX-530 COMPACT DISC PLAYER

Julian Hirsch, Hirsch-Houck Laboratories

NKYO was one of the first audio manufacturers to apply optical data transmission techniques to a CD player. The aim was to isolate the player's analog circuits from its digital circuits, thereby preventing stray digital pulses from mingling with the playback signal. The highspeed pulses that form a digitally encoded signal are difficult to confine to a limited area and are easily coupled into other portions of the circuitry through stray capacitance and common ground paths. Onkyo's engineers felt that this effect needlessly increases the noise level in the analog audio outputs of a CD player.

Their solution was to isolate the sensitive analog and digital circuits physically and to transmit the signal through critical areas with light beams. Optical transmission is essentially free of undesired crosscoupling effects, and the optical cables can easily accommodate very wide signal bandwidths (including those used for television programs and multiple telephone channels).

The DX-530 is the latest Onkyo CD player to employ Opto-Coupling. According to the manufacturer, the player uses Opto-Coupling modules for the two most important signals and photo-isolators for five others. The DX-530 also has double oversampling and digital filtering. The disc-playing mechanism, which is isolated on four rubber-damped spring supports, has a three-spot laser pickup.

In addition to the usual control functions, including fast search with audible sound and track-stepping, the DX-530 provides direct access to any numbered track through a front-panel keypad. Its program memory can store a playing sequence of up to twenty tracks, and an entire disc or any selected portion can be repeated indefinitely.

The DX-530 also has a "shuffle play" mode, which plays all the tracks on a disc in random order. A timer switch permits playback, in either normal or shuffled sequence, to be initiated by an external timer. A small knob on the panel adjusts the volume from the adjacent headphone jack and the rear variablelevel outputs; a second set of rear output jacks carries a fixed-level signal. There is also a pair of digital output jacks on the rear.

The display window of the Onkyo DX-530 is exceptionally informative and easy to read. When a disc is first loaded, it shows the total number of tracks and total playing time of the disc. While it is playing, the display shows the current track and index number (if any) and the elapsed time on the track. A button changes the display to show the remaining time on the track and disc. A grid displays the numbers of the tracks on the disc (up to No. 20) in the order in which they will be played, whether in normal, programmed, or shuffle-play mode.

The maximum number of programmed selections is twenty, but higher-numbered tracks can be included in the program (they appear on the display as a short dash instead of a number). Additional tracks can be added to a full twentytrack memorized program, without interrupting playback, as earlier tracks are played and their spaces become vacant.

A moment after pressing the shuffle-play button, the display grid fills with the sequence of track numbers the machine has randomly selected, and playback begins automatically. As the disc is played, the current track and index numbers are shown in their normal place in the window, with the next track at the upper left corner of the memory grid. The array of numbers advances each time a new track is started.

The DX-530 is supplied with a wireless remote control that duplicates all its front-panel controls ex-

cept for the disc drawer and power. It even has volume buttons for the variable line/headphone output control (the knob is motor driven when operated remotely). The player measures  $17\frac{1}{8}$  inches wide,  $14\frac{1}{4}$  inches deep, and  $3\frac{5}{8}$  inches high, and it weighs 12 pounds, 5 ounces. Price: \$600. Onkyo, Dept. SR, 200 Williams Dr., Ramsey, NJ 07446.

#### Lab Tests

The audio output of the Onkyo DX-530, from a 0-dB recorded level. was 2.08 volts into an EIA standard load, with a channel imbalance of about 0.13 dB. The maximum level of the variable output was identical to the fixed output. The player's response with a recorded square-wave test signal had the ringing symmetry typical of digital filters, and the interchannel phase shift was 35 degrees at 20,000 Hz, indicating the use of a single multiplexed digital-to-analog (D/A) converter in addition to the doubleoversampling technique.

The frequency response of the DX-530 measured  $\pm 0.1 \text{ dB}$  from 20

#### FEATURES

- Optical coupling between digital and analog circuits
   Spring-mounted mechanism for
- Spring-mounted mechanism for reduced vibration sensitivity
   Three-spot laser tracking system
- Double oversampling with digital filtering
- Fixed- and variable-level analog line outputs
- Digital audio output in rear
- Direct track access by keypad
- Index selection by púshbútton
  Programming for up to twenty tracks in any order; program sequence can be edited after

selection

## □ Shuffle play for random sequence of all tracks on disc

- Fluorescent display of complete operating status of player
- Track stepping in either direction
- □ Fast search in either direction with audible sound
- Front-panel headphone jack with volume control
- Full-function wireless remote control

#### LABORATORY MEASUREMENTS

Maximum output level: 2.08 volts Total harmonic distortion at

1,000 Hz: 0.004% referred to 0 dB, 0.0018% referred to -10 dB, 0.009% referred to -20 dB Signal-to-noise ratio (A-weighted):

96.5 dB Dynamic range: 101.5 dB Channel separation: 90 dB at 1,000 Hz, 78 dB at 10,000 Hz, 77 dB at 20,000 Hz Frequency response: +0.15, -0.25 dB from 20 to 20,000 Hz Cueing time: 3.5 seconds Cueing accuracy: A Impact resistance: top, B; sides, B Defect tracking: tracked all maximum-level defects on Philips TS5A test disc to 15,000 Hz. From 20 to 20,000 Hz, the output variation was  $\pm 0.15$ , -0.25 dB. The total harmonic distortion (THD) was 0.004 percent at 0 dB, 0.0018 percent at -10 dB, and 0.009 percent at -20 dB. The A-weighted signal-to-noise ratio was 96.5 dB, and the dynamic range was 101.5 dB. Stereo channel separation was 90 dB at 1,000 Hz, narrowing to 77 dB at 20,000 Hz.

The DX-530 had no difficulty tracking through the largest calibrated errors on the Philips TS5A test disc. The player's cueing accuracy was excellent even when there was no silent interval between tracks. The slewing time was about average, requiring 3.5 seconds to move from Track 1 to Track 15 of the Philips TS4 test disc. The player had fairly good resistance to impact, requiring a fairly hard drumming with the fingers on its top or side to produce mistracking. The headphone volume was good through medium-impedance phones.

#### Comments

While we found nothing in the measured performance of the Onkyo DX-530 that would unambiguously distinguish it from a number of other good CD players that do not use optical coupling, everything seemed so logically designed and placed that I found myself believing it sounded better than others in our initial listening tests. In an A/B comparison with another good player, however, both machines sounded pretty much alike.

But we had no difficulty recognizing the distinctive quality of the DX-530's superbly designed display and control system. Without looking garish or excessively complex, the display manages to convey a maximum of useful information at a glance, and even more at the touch of a button. The memory display is also superbly logical, and so is the method of entering tracks into the memory. There is even an EDIT feature that lets you change the selected tracks in a program after you have entered them.

Overall, the Onkyo DX-530 earns high marks for its combination of excellent human engineering, a topnotch display, versatility, and simplicity of operation.

## Introducing the Bose<sup>®</sup> 401<sup>™</sup> Direct/Reflecting<sup>®</sup> speaker system: Our most affordable floorstanding speaker

What separates the 401 system from other speakers? Direct/Reflecting® speaker technology. Taking their cue from a live performance, Direct/ Reflecting® speakers deliver a precise combination of direct and reflected sound. The result is a sense of musical realism and impact usually experienced only during a live performance.

Only Bose makes Direct/ Reflecting<sup>®</sup> speakers. To the listener, the benefits are immediately obvious:

- Full stereo—so you enjoy natural, balanced stereo throughout the listening area, no matter where you stand or sit.
- Even sound distribution —so you hear the correct blend of instruments and vocals everywhere in the room, not just between the speakers.
- Lifelike spaciousness your music sounds lifesized, instead of being confined to the speakers.

The 401 system draws on the design heritage of the world-

Each speaker has two longexcursion  $6^{1/2}$ " woofers that operate in a computer-designed ported enclosure, for deep, powerful bass with low distortion. The 2" tweeter delivers crisp, clean highs.





Since conventional speakers rad ate primarily *airect* sound; stereo is heard in only part of the room.



The 401 system projects both *direct and reflected* sound, providing full stereo every where.





acclaimed Bose 901<sup>®</sup> D rect/ Reflecting<sup>®</sup> speaker system. A resul: of ye≥rs of ongoing research, the 401 system is built around the *St∋reo Spac∋™ array*, an inncvative way to achieve a sense of musical realism usually heard only during a live performance.

What separates the 401 system from all other Direct/ Reflecting® systems is that it's Bose's most affordable floorstanding loucspeaker. It gives you true musical realism at less than half the price of a 901 system.

The 401 system's spaciousness, lifelike performance and high power handling capability combine to bring out the best in today's source material especially digital compact discs and hi-fi video. And like all Bose products, it's subjected to the Syncom® computer comprehensive quality assurance program.

Experience the results of the latest accustic technology.

Aud tion the new Bose 401 system soon at your nearest Bose dealer. For more information, write Bose Corporation, Dept. SR, The Mountain, Framingham, MA 01701.

The 40° system consists of two slim, m rror-image speakers that recuire less than one square foot of floorspace each.



Even if college isn't for you, the G.I. Bill Plus the Army College Fund can be.

You can earn \$17,000 for your Vo-Tech schooling with the Army's special Two-Year Enlistment. Or \$25,200 if you serve four years.

Of course, how much you earn for your schooling depends on how long you serve and which specialty you qualify and enlist for.

But you'll get a lot more out of your enlistment than money. You'll have a

#### chance to travel. To meet new people. To get yourself into the best physical shape you've ever been in. And, you'll get the Army's high-tech training that can help you in your Vo-Tech major and your career. If you'd like to learn more about how the G.I. Bill Plus the Army College Fund can help pay for your education at an accredited Vo-Tech school, visit your local Army Recruiter. Or call, toll free, 1-800-USA-ARMY.



# IF YOU WANT TO GET TECHNICAL IT ISN'T ONLY FOR COLLEGE.
#### TEST REPORTS



#### BOSTON ACOUSTICS T830 SPEAKER SYSTEM

Julian Hirsch, Hirsch-Houck Laboratories

HE Boston Acoustics T830 is a three-way tower system 32<sup>1/2</sup> inches high that occupies considerably less than a square foot of floor space (10 x 9<sup>3/4</sup> inches). The tower format allows the tweeter and midrange drivers to be located near the height of a seated listener's ear, and the woofer,

halfway up the front panel, is at an optimum height from the floor for uniform radiation into the room.

The 8-inch woofer, which operates in a sealed enclosure, crosses over at 800 Hz to a  $3\frac{1}{2}$ -inch cone midrange driver whose voice coil is cooled and damped by ferrofluid. The second crossover, at 4,000 Hz, is to a 1-inch dome tweeter, also ferrofluid cooled. The tweeter's faceplate and the rim of the midrange driver's basket are set flush with the front panel, with recessed screws, to prevent acoustic reflections that could interfere with the smoothness of the system's overall response. The detachable grille, using acoustically transparent black cloth, has also been designed to minimize diffraction effects.

The cones of the woofer and midrange driver are made of a copolymer that was chosen because it is inherently well damped, nonhygroscopic, and highly consistent from unit to unit. Special attention was paid to minimizing woofer distortion, including the use of a shorting

The T830's sound had a trace of crispness, but with no apparent emphasis or falloff in any part of the spectrum, and the stereo sound stage was broad and believable.

ring in the magnetic assembly to reduce flux modulation during large cone excursions.

The T830 has a rated frequency response of 45 to 20,000 Hz  $\pm 3$  dB and a sensitivity of 88 dB soundpressure level (SPL) at 1 meter with 1 watt (2.83 volts) into the speaker's nominal 8-ohm impedance. It is recommended for use with amplifiers delivering between 15 and 100 watts per channel. The vinyl-veneer cabinet is available either in ebony or in a dark woodgrain finish, including the front panel behind the grille. The twin binding-post terminals are located underneath the speaker. Price: \$450 a pair. Boston Acoustics, Dept. SR, 247 Lynnfield St., Peabody, MA 01960.

#### Lab Tests

The averaged room response of the Boston Acoustics T830 was flat within  $\pm 1.5$  dB from 200 to 12,000 Hz. There was a slight peak of 2 dB at 14,000 Hz and a return to the reference level at 20,000 Hz. The combined close-miked frequency-response curves of the woofer and midrange driver were flat within  $\pm 2.5$  dB from 46 to 3,000 Hz and overlapped the room-response curve closely for about four octaves (an unusually close match). The resulting composite response curve was flat within  $\pm 2.5$  dB from 43 to 20,000 Hz, which would be note-worthy performance for *any* speaker and is possibly unique for one in the price range of the T830.

Our quasi-anechoic FFT response measurements confirmed the salient characteristics of the roomresponse curves, including the relatively flat bass response and the slight peak at 14,000 Hz (the latter also appeared in a response measurement made by the manufacturer using one-third-octave analysis). In our horizontal-directivity measurements, we found that the T830's frequency-response curves on-axis and 45 degrees off-axis were essentially alike up to about 6,000 Hz and then diverged, differing by 10 dB at about 12,000 Hz.

The group delay of the T830 system was excellent, varying less than 0.3 millisecond between 3,000 and 29,000 Hz. In the midrange, the group delay varied no more than 1.5 milliseconds between 200 and 4,000 Hz, and in the woofer range it remained within 3 milliseconds from 100 to 1,000 Hz. Few other speakers in our experience have matched this performance, let alone surpassed it.

The system's impedance was a minimum of about 4.7 ohms at 130 Hz, with a maximum of 17 ohms at 53 Hz. Over most of the audio range, it measured between 6 and 10 ohms. The measured sensitivity was 86 dB SPL at 1 meter with 2.83 volts of pink-noise input. We measured the bass distortion at a 4.5-volt drive level, equivalent to a 90-dB SPL. The distortion, as claimed, was very low, about 0.5 percent from 100 to 70 Hz, reaching 1.4 percent at 50 Hz and 3 percent at 40 Hz.

The T830 easily withstood highpower single-cycle tone bursts, with only a slight audible distortion (principally third-harmonic) appearing in the woofer's output at 100 Hz when the power reached 200 watts into its 4.9-ohm impedance. The woofer distortion did not become serious until the amplifier clipped at about 700 watts! At 1,000 and 10,000 Hz, the amplifier clipped at 200 and 600 watts, respectively, before any significant distortion appeared in the speaker's acoustic output.

#### Comments

If measurements could adequately describe the sound of a speaker (which they cannot), we would not need to go any further in this report. In all measurable respects, the Boston Acoustics T830 delivered outstanding performance. Few speakers we have tested have had such a flat frequency response or such low distortion, for example, and most of those were considerably more expensive.

But the proof of a speaker is in the listening, and here, too, the T830 lived up to its promise. It had a trace of crispness (though we would not call it "bright"), with no apparent emphasis or falloff in any part of the audio spectrum. It imparted no upper-bass heaviness to human voices, and it reproduced the lower bass (down to the speaker's limits around 40 Hz) effortlessly and cleanly. The stereo sound stage was broad and believable, though it did not attract attention to itself by any unusual or spectacular effects.

It is a little difficult to describe a speaker like the T830 in terms of its acoustic qualities, which really had no flaws that we could discern. A more reasonable approach might be to consider that the T830 retails for a mere \$450 a pair, just above the lowest-priced speakers that could be called "hi-fi," yet it holds its own very well in listening comparisons against others selling for many times its modest price. Such comparisons proved to be both illuminating and frustrating. The more expensive speakers do have special qualities that, while not necessarily readily audible with some program material, justify their higher prices, but, overall, we were enormously impressed with the excellence of this new arrival from Boston Acoustics. Its heritage is unmistakably evident in its superb sound, practical size and proportions, and affordable price.



## "McIntosh . . . no other transistor amplifier is capable of reproducing as well."

"All the sounds, even those different one from another, remain separated and distinctive. There results a sensation of contrast, precision, and uncommon clarity.

... A close analysis of different frequencies reveals an extremely deep bass, very rich in spatial detail ... The upper bass region is very linear testifying to an extraordinary richness of information. The very structured mid-range contributes enormously to listening pleasure.

The feeling of power is never refuted and instead of stunning the listener, the 7270 recreates an audio environment of a majesty that no other transistor amplifier is capable of reproducing as well." Need we say more?

-REVUE DU SON, foremost French stereo magazine.

For a copy of the REVUE DU SON and information on the McIntosh MC 7270 Amplifier and other McIntosh products write: McINTOSH LABORATORY INC. P.O. Box 96 EAST SIDE STATION, DEPT. A47 BINGHAMTON, NY 13904-0096







DIGITAL DYNAMIC STÈREO POWER AMPLIFIER MC7270



## Come to Marlborr

Marlboro Red or Longhorn 100'syou get a lot to like.

Marlboro

Marlb

100'8

SURGEON GENERAL'S WARNING: Smoking By Pregnant Women May Result in Fetal Injury, Premature Birth, And Low Birth Weight.

16 mg ''tar,'' 1.0 mg nicotine av. per cigarette, FTC Report Feb.'85



You get out of our new Sherwood S-2770R CP digital remote-control receiver what you put into it. Like your TV audio. Your VCR audio and video. Your compact disc player. Your turntable. Your tape deck. Your everything. All in stereo. At 74 watts per channel.

The S-2770R CP even has the ability to synthesize stereo from monaural sources, such as normal broadcast and cable TV. Add an extra pair of speakers in the back of your entertainment room and turn it into a theater.

The S-2770R CP can decode rear channel information present in most stereo sound and video programs. Video tapes of movies you buy or rent are made from films originally shown in theaters, where rear



**herwood** 

channel sound is all part of the experience. The S-2770R CP

lets you recreate that surround-sound experience right in your own home.

You also get full video dubbing capability through permanent rear panel connections, or through conveniently located jacks on the front for those occasions you need a second VCR. There's more:

The wireless remote to control all of your components from across the room. A quartz digital AM/FM tuner with 16 presets. A digitally controlled seven-band graphic equalizer/spectrum analyzer with five different EQ memory settings. Auto/manual scan tuning. Loudness and sub-bass EQ. -20dB mute function. An LED signal-strength indicator.

All so you can put everything you've got (or intend to get) into it, except a lot of money. Just ask any of the dealers listed below.

They'll prove to you that Sherwood stops at nothing to give you better, more enjoyable, live-performance sound — whatever vou're listening to — at a surprisingly affordable price. LIVE PERFORMANCE SOUND<sup>™</sup>

Southern California - Leo's Stereo, (213) 537-7070, Maryland - Luskins, (301) 799-9000, New England, Georgia - Lechmere,

Chicago area - Musicraft, (312) 991-7220, Ohio - Sun T.V., (614) 445-8401, New York Metro, Eastern Pa., Connecticut - Crazy Eddie, (201) 248-1410



#### TEST REPORTS



#### KENWOOD KA-3300D INTEGRATED AMPLIFIER

Julian Hirsch, Hirsch-Houck Laboratories

ANY amplifiers are de-"digitalscribed as ready," but the Kenwood KA-3300D integrated amplifier is one of the few that actually contain true digital signal-processing circuits. Although its powerful amplifier section is purely analog in nature, the preamplifier/ control section has internal digitalto-analog (D/A) converters designed to operate at sampling rates of 32, 44.1, or 48 kHz. These converters enable the KA-3300D to process the digital audio signals available from many CD players and DAT (digital audio tape) recorders, bypassing the D/A converters and analog audio sections of the source components.

The Kenwood KA-3300D is a large, powerful amplifier, rated to deliver up to 150 watts per channel into 8-ohm loads from 20 to 20,000 Hz with no more than 0.004 percent total harmonic distortion. It carries secondary ratings (at 1,000 Hz) of 160 watts continuous output into 8 ohms and 220 watts into 4 ohms, and its dynamic power ratings are 178, 320, and 460 watts per channel into loads of 8, 4, and 2 ohms, respectively.

The amplifier has inputs and outputs for analog tape decks and one DAT deck, with full recording, playback, and dubbing connections between the recorders and a selected program source. The normal CD input accepts a player's analog output, but the amplifier also has both optical and electrical digital inputs for a suitably equipped player. There are also analog inputs for a tuner and a phono cartridge (switchable for either an MM or an MC cartridge). The headphone jack and one of the two pairs of high-level auxiliary inputs are located below the front panel; the other AUX input is on the rear apron.

The tone controls, which can be bypassed, provide selectable turnover frequencies of 200 or 400 Hz for the bass and 3,000 or 6,000 Hz for the treble. The loudness-compensation circuit, which operates independently of the volume setting and can also be bypassed, increases

#### **TEST REPORTS**

the low-frequency response as its control knob is rotated clockwise. Small buttons select the subsonic filter and mono or stereo mode, switch between the two AUX inputs, and reduce the audio level by 30 dB (MUTE).

A large, square DIGITAL DIRECT button switches the amplifier's input circuitry from analog to digital operation, lighting a green light next to it. A red LOCK light confirms that a digital signal is being received from the program source. Other buttons turn on the D/A converter, switch between the optical and electrical digital inputs in the rear, and connect the D/A converter to a DAT recorder.

Next to the tape-monitor button are three output-selection buttons, one for each of the three tape recorders that can be accommodated by the KA-3300D. A knob control connects the signal source to any of the tape machines for recording or cross connects any two of them for dubbing in either direction. It is possible to record one program source while listening to another. Inactive recorders are automatically disconnected from the signal path. The speaker switch sends the output to either or both of two pairs of speakers or silences the speakers for headphone listening.

The KA-3300D measures 17<sup>1/4</sup> inches wide, 16<sup>1/2</sup> inches deep, and 6<sup>3/4</sup> inches high, and it weighs 42 pounds. It is supplied with a fiberoptic cable, for connection to CD players having optical outputs, as well as a conventional stereo cable fitted with phono plugs. Price: \$1,199. Kenwood, Dept. SR, 2201 E. Dominguez, Carson, CA 90801.

#### Lab Tests

The standard one-hour preconditioning, with both channels driving 8-ohm loads at a 50-watt level (onethird power), left the top of the amplifier very hot—uncomfortable to the touch for more than a second

Selectable tone-control turnover

□ Continuously adjustable loudness

 $\Box$  Audio muting switch (-30 dB)

#### FEATURES

- Internal D/A converters for optical or electrical digital inputs
- Sampling rates of 32, 44.1, and 48 kHz
- Connections and switching for two analog tape decks, one digital tape deck (analog or digital output), two CD players (one with analog, one with digital output), three other high-level sources, and phono cartridge (MM or MC)
- Auxiliary inputs in front and rear

#### with speakers ther I Three AC convenience outlets phono (two switched)

□ Headphone jack

frequencies

Subsonic filter

compensation

Tone-control bypass

□ Outputs for two pairs of

#### LABORATORY MEASUREMENTS

- 1,000-Hz output power at clipping: 171 watts into 8 ohms, 248 watts into 4 ohms, 312 watts (approximately) into 2 ohms
- Clipping headroom (relative to rated output): 0.57 dB (8 ohms) Dynamic power output: 138 watts into 8 ohms, 253 watts into 4
- ohms, 460 watts into 2 ohms Dynamic headroom: -0.36 dB (8 ohms—see text)
- Harmonic distortion (THD + noise) at 1,000 Hz into 8 ohms: 1 watt, 0.018%: 10 watts, 0.006%: 150 watts, 0.0026%
- Maximum distortion (from 20 to 20,000 Hz into 8 ohms):
- 0.0094% at 15 watts (20,000 Hz) Slew factor: greater than 25

- Sensitivity (1-watt output into 8 ohms): phono (MM), 0.2 mV; phono (MC), about 8 μV; auxiliary/CD/tuner, 12.3 mV
- Phono-input overload: 157 to 225 mV
- A-weighted noise (referred to a l-watt output): phono (MM), -76 dB: auxiliary/CD/tuner, -77.5 dB
- **Phono-input impedance** (MM): 47,000 ohms in parallel with 220 pF
- RIAA phono-equalization error: ±0.1 dB from 20 to 20,000 Hz

Subsonic filter: -20 dB at 20 Hz Maximum tone-control range: ±11 dB at 30 to 50 Hz; ±11 dB

at 20,000 Hz

or two—but it did not become any hotter during our subsequent tests. We later discovered, by removing the top cover, that the KA-3300D has a small cooling fan located entirely within its case. The fan was so quiet that we never suspected its presence (and evidently its cooling ability was equally subtle).

With both channels driving 8ohm loads at 1,000 Hz, the waveform clipped at 171 watts (clipping headroom 0.57 dB). Into 4 ohms, the clipping output was 248 watts. Surprisingly, the dynamic power output, measured with the standard 20-millisecond tone-burst, was only 138 watts into 8 ohms, for a dynamic headroom of -0.36 dB. Longer tone bursts yielded higher output powers, reaching the steadystate value of 171 watts at about 300 milliseconds on, 200 milliseconds off. The amplifier's slew factor exceeded 25, although a small "jog" appeared on the waveform at frequencies between 70 and 140 kHz. The KA-3300D was stable with complex simulated loudspeaker loads and had a reactive-load factor of 0.33 dB.

The 1,000-Hz distortion was nearly identical with 8- and 4-ohm loads. It decreased linearly from about 0.02 percent at 1 watt to less than 0.003 percent between 50 and 150 watts. With 8-ohm loads the distortion was a nearly constant 0.0025 to 0.003 percent from 20 to 7,500 Hz at full power and half power, rising to about 0.005 percent at 20,000 Hz. At one-tenth rated power the distortion curve was similar, with readings of about 0.006 percent up to 7,500 Hz and a maximum of 0.0094 percent at 20,000 Hz.

The KA-3300D had an input sensitivity (for a 1-watt reference output) of 12.3 millivolts (mV) at the AUX input and 0.2 mV (MM) or about 8 microvolts (MC) at the phono input. The A-weighted noise level, referred to 1 watt, was -77.5 dB for the AUX input and -76 dB for the AUX input and -76 dB for the MM phono input. The phono preamplifier overloaded at inputs from 157 mV (20,000 Hz) to 225 mV (1,000 Hz). The MM phono impedance was 47,000 ohms in parallel with a 220-picofarad capacitance.

The bass tone-control response

## Your ears won't believe your eyes.

It's a new way to listen from Bose.<sup>®</sup> Be prepared for an experience that will literally challenge your senses. Auditioning now at selected Bose dealers.



#### **TEST REPORTS**

curves had sliding turnover frequencies, varying from 30 to 300 Hz or 60 to 400 Hz depending on the switch setting. The treble curves were hinged at 2,300 and 5,500 Hz. The loudness compensation affected frequencies below 500 Hz, with a maximum boost of 9.5 dB at 50 Hz and below. The RIAA phono equalization was extremely accurate, varying only  $\pm 0.1$  dB from 20 to 20,000 Hz.

#### Comments

Considered merely as a conventional integrated amplifier, the Kenwood KA-3300D would rank well above average in almost every respect. It is one of the most powerful integrated amplifiers on the market. and it is capable of driving even low-impedance speakers to very high volume levels. In spite of its considerable temperature rise during preconditioning and sustained high-power operation, it never became more than faintly warm during normal use, even at high sound levels. Perhaps its cooling fan is in part responsible for this, although its massive construction certainly deserves some credit as well.

We cannot explain the peculiar inverse relationship between toneburst duration and maximum power output that we measured with the KA-3300D, although we have occasionally seen a similar effect with other amplifiers. While it met its impressive 460-watt dynamic power rating into 2 ohms, the amplifier fell short of the corresponding ratings for 4- and 8-ohm loads. There is little doubt that it can easily drive 2-ohm loads under dynamic (music) conditions, but this should not be attempted with steady-state signals. The result is likely to be a blown line fuse, which cannot be replaced by the user.

For the most part, the front-panel controls of the KA-3300D are selfexplanatory and actually easier to understand than those of many other amplifiers we have used. A possible exception is the rather complexlooking tape-recording selector, but its use is explained satisfactorily in the manual. A few other front-panel features also impressed us as obscure and possibly confusing: above the DIGITAL DIRECT button, which bypasses the preamplifier stages and derives the signal from the amplifier's own D/A converters, a prominent illuminated window carries the legend VOLTAGE INTERFACE GATE, the significance of which was lost on us. Also, the tone-control bypass button, usually identified as such on other amplifiers and receivers, is called LINE STRAIGHT, and it is illogically located far away from the tone controls.

These quibbles aside, the Kenwood KA-3300D is a truly fine product. Wondering how much, if any, difference could be heard between its digital and analog operation, we used it with the only CD player we had on hand with a digital output (the Onkyo DX-530). We connected the player's analog outputs to the CD inputs of the KA-3300D and its (electrical) digital output to the corresponding digital input of the amplifier.

Comparisons between the two modes were easy since pressing the DIGITAL DIRECT button toggled between analog and digital operation and the amplifier's D/A converter and other circuits were evidently designed to match the CD standard of 2 volts output from a 0-dB recorded signal. We noticed only a barely discernible level change as we switched between modes. It came as no great surprise to find that the two modes sounded essentially identical. Although at times we thought we detected a slight difference in the sound quality, neither mode was in any way superior to the other, and we suspect that the distinction resulted from the minute level difference.

Anyone who believes, however, that there are audible differences between CD players not related to measurable characteristics will certainly wish to audition this amplifier for himself with CD players having digital outputs (optical ones if possible). The digital circuits of the KA-3300D should replace almost every part of a CD player that has ever (to our knowledge) been claimed to affect its sound. Regardless of how you stand on this issue. it is a very fine, highly impressive amplifier whose ruggedness and exceptional quality of components and workmanship are immediately apparent.

Circle 140 on reader service card



"Larry, when you have a chance, take Entwhistle into the demo room and explain to him what a male plug is and what a female plug is."



## After 9 years of advancing the science of radar warning, we have quite a following

f imitation is the sincerest form of flattery, then Escort and Passport are easily the world's most admired radar detectors.

And if imitation were the same as duplication, then there would be other equally capable detectors. Occasionally you hear of imitations "just as good as" Escort and Passport, usually from someone trying to sell you something cheaper.

#### The experts are unanimous

No matter what anybody says, there is, in fact, no detector on the market that's "just as good as" Escort and Passport. And you needn't take our word for it. In 1987, three respected magazines have published comparison tests of radar detectors.

#### What Car and Driver says

In April, Car and Driver rated Passport highest of nine miniature models, saying, "At \$295 direct from the factory, it's the most expensive piece of electronic protection in the group, but it's worth every nickel in roadgoing peace of mind."

#### What Roundel says

In June, Roundel ranked Passport and Escort first and second respectively in a comparison of 14 detectors. About Passport the author said, "It remains the State of the Art, a true quality product, American ingenuity at its best." Regarding Escort, "It is an excellent detector in its own right and continues as a pacesetter in the detector market."

#### What Popular Mechanics says

In July, Popular Mechanics rated Escort first and Passport second in a group of 11 brands. The magazine concluded, "Clearly, the Escort is the best radar detector around. The best of the minis was the Passport..."



Expert Testimony, It's FREE:

In every 1987 magazine test of radar detectors. Escort and Passport have been rated highest. See for yourself. For <u>complete</u> copies of the tests (not excerpts or selected quotes), showing ranking of all brands, just call us toll free.



#### 99 THINGS THAT AMERICANS MAKE BEST

**66**All of these widely available U.S.-made goods...are clearly superior to their overseas competitors, overwhelmingly dominate their markets or are so outstanding or novel that they have no well-known international counterpart.**99** Escort and Passport are the only radar

What we say

detectors to make the list.

Escort and Passport stay at the top of the experts' ratings year after year because, by definition, the imitators are always behind. Our engineers work constantly to lengthen detection range, and when they make a breakthrough. we rush that improvement into production.

Still. early warning means nothing if the warning is false. That's why—a year ago—we added Alternating Frequency Rejection (AFR<sup>™</sup>) circuitry. designed specifically to ignore the Rashid VRSS collision warning system.

Said Car and Driver, "While other makers have spent their energy on funny features or zoomy styling, CM has found a way to improve function in a quiet and systematic way. Such innovation is the mark of a leader, and we applaud Cincinnati Microwave for its eagerness to head off problems before they become problems."

Our anti-Rashid circuitry demonstrates our commitment to the highest radar warning technology. We think the fact that the imitators don't have it demonstrates their commitment too.

#### **Right here in Cincinnati**

Our attitude is unique in another way. We keep all of our engineering, assembly, sales, and service in one location so that we can respond quickly to our customers. If you have questions, need service, or want to order, just call toll free.

We sell direct to our customers only. Orders in by 3:00 pm eastern time go out the same day by UPS, and we pay for shipping. Overnight delivery is guaranteed by Federal Express for only \$10 extra.

#### Satisfaction guaranteed

If you're not entirely satisfied within 30 days, return your purchase. We'll refund all of your money and your shipping costs.

For the only radar detectors "just as good as" Escort and Passport, please call toll free.



#### TOLL FREE...800-543-1608

(Mon-Fri 8am-11pm, Sat-Sun 9:30-6 EST)



By mail send to address below. All orders processed immediately. Prices slightly higher for Canadian shipments.



Pocket-Size Radar Protection \$295 (Ohio res. add \$16,23 tax)



The Classic of Radar Warning \$245 (Ohlo Res. add \$13,48 tax)

Cincinnati Microwave Department 68497 One Microwave Plaza Cincinnati, Ohio 45249-9502 A decade ago, Concord changed car stereo forever. In those days, 8-track tape reigned supreme and the idea of high quality sound in a car was considered impossible. By challenging that belief, Concord appealed to a select few who demanded the best. High performance car stereo was born.

In the years that followed, Concord's quest for performance continued. Time and time again, Concord led the industry in developing new autosound technology. This drive for perfection established Concord as the reference standard for car stereo equipment.

Today Concord's leadership continues with the seven CX series cassette/receivers. The flagship CX70 incorporates the two most recent Concord Firsts – a 3-Band Bass/ 3-Band Treble equalizer and an active preamp level Subwoofer Crossover. The equalization system provides an extraordinary degree of control over the unpredictable acoustics of a



1977 First car deck with preamp outputs

> 1978 First in-dash deck with Dolby B<sup>™</sup> noise reduction

1977 First car deck with a preamp level fader

> 1977 First car deck with Sen-Alloy tape head

1977 First 50 watt car amplifier 1979 First car deck with D.C. Servo Motor

1979

First car deck with switchable bass EQ system

# Consider

vehicle's interior. The crossover allows easy system biamplification. In addition the CX70 has a removable chassis that lets you protect your investment in good sound.

The CX70 also incorporates many other Concord Firsts. FNR<sup>™</sup> FM noise reduction, a Matched Phase<sup>™</sup> tape head, dbx<sup>™</sup> tape noise reduction and a DC servo tape drive motor are all included.

Putting all the performance and control features of the CX70 in a car stereo unit could result in a jumble of indecipherable, hard to use controls. But the large dual function, color coded controls of the CX units make it easy to get the most from their exceptional performance.

The CX70 is just one of seven CX cassette/receivers that incorporate a variety of the Concord Firsts. When used in conjunction with Concord's CS speakers and, for the greatest fidelity at higher volume levels, the Concord CA amplifiers, the CX cassette/receivers provide a level of musical enjoyment that will have you dreaming up reasons to spend more time in your car.

Consider the Concord Firsts and you'll consider Concord first.

Concord Systems, Inc., 25 Hale Street, Newburyport, MA 01950 (617) 462-1000 (300) 225-7932

> Marketed in Canada by: PACO Electronics Ltd. 20 Steelcase Road W., Unit 10 Markham, Ontario L3R 1B2 (416) 475 0740

A Harman International Company CIRCLE NO. 11 ON READER SERVICE CARD

Anything else is a compromise.

1987

First car deck with 3-Band

Bass/Treble EQ

1981 First car deck with auxiliary inputs

> 1983 First car deck with 2/4 way amplifiers

> > 1984

First car deck with FNR<sup>™</sup> FM noise reduction

1982 First dbx<sup>™</sup> noise reduction for the car

> 1982 First Matched Phase " tape head

1987 First in-dash deck with subwoofer crossover

# Concord Firsts.



### SMART SINGLES.

### **MODERN MARRIAGE.**

If you're like most people who listen to audio cassettes, you've probably used a tape head-cleaner and felt pretty good about your conscientious attitude toward machine maintenance. Unfortunately, most cleaning cassettes allow contaminants to build up on the capstan/ pinch roller assembly. It's a situation that, if left uncorrected, can result in your valuable cassettes being "eaten" when they stick to, and wrap around, the pinch roller (a problem that's even more common in car systems). Fortunately, Discwasher has a simple solution.

Discwasher's Perfect Path<sup>™</sup> Cassette Head Cleaner uses a non-abrasive tape to remove oxides from your tape heads. And our C.P.R.<sup>™</sup> Capstan/Pinch Roller Cleaner uses an advanceable fabric and scientifically-formulated cleaning fluid to scrub away stickiness. Used together, they ensure good sound <u>and</u> "healthy" cassettes.

Now our System II<sup>™</sup> approach combines both technologies in a single cassette, adding convenience to optimum tape deck performance. With regular use, your equipment (and your cassettes) will have a fighting chance for a long, happy life together. Isn't that what you'd expect from Discwasher?



#### The makers of the famous D4+<sup>™</sup>Record Cleaning System.

CIRCLE NO. 10 ON READER SERVICE CARD

#### TEST REPORTS



### DBX DX5 CD PLAYER

Julian Hirsch, Hirsch-Houck Laboratories

ROPRIETARY signal-processing circuits have earned dbx a unique reputation among both professional and nonprofessional users. The company is best known to audiophiles for its noise-reduction systems, whose operation is based on stable, linear gain-control elements and signallevel sensors. Perhaps not surprisingly, the new DX5 CD player incorporates some of dbx's special technology to permit a listener to modify the dynamic characteristics of a program.

The DX5 is representative of the best current CD player designs. It uses a three-spot laser tracking system, two separate 16-bit digital-toanalog (D/A) converters, quadruple oversampling at 176.4 kHz, and a combination of a linear-phase digital filter and a third-order analog filter. Its control functions are similar to those of most other full-featured CD players, including track skipping and fast scanning in both directions with audible sound, programmed play of up to sixteen selections in any order, and repeat play of the programmed tracks, the current track, or the entire disc. It also has a phrase-repeat function that

can repeat any user-defined segment of a program. Among its other features are an electronically operated volume control and a mute button that drops the volume by 20 dB.

Initially, the front-panel display shows the number of tracks on a disc and its total playing time. While the disc is playing, the number of the current track and its elapsed playing time are shown. Pressing the TIME REMAINING button changes the display to show the remaining time on the track (preceded by a minus sign); pressing it again shows the remaining time on the disc.

When the volume level is changed, the display information is replaced by the relative volume setting. A smaller display group to the right of the numerical section shows the current status of all the unit's basic operating controls. It even includes an ERROR indication that flashes when the laser is unable to track a disc for any reason.

The special signal-processing features of the dbx DX5 are controlled by three small knobs at the lower right of the panel and the small buttons with red lights above them. A fourth knob is the volume control

for the adjacent headphone jack. The AMBIENCE control affects the spaciousness of the sound by adjusting the amount of midrange and treble difference information in the program. At its center (detented) position, the program is unmodified. Turning the knob counterclockwise blends the midrange and treble, centering the stereo image and decreasing its apparent spaciousness. A clockwise rotation adds difference (L-R and R-L)information, increasing the sense of ambience and spaciousness and sometimes adding a touch of brightness to the sound

The next control, marked COM-PRESS, reduces the program's dynamic range as it is turned from its counterclockwise limit (where it has no effect on the program). The circuit makes loud passages softer and soft passages louder, which gives CD's a more comfortable dynamic range, comparable to that of an LP, for many listening purposes. The feature is especially convenient for making cassette dubs on CD's for use in a car, where the full dynamic range of a CD usually cannot be heard (or even recorded on tape effectively).

Finally, there is the Digital Audio Impact Recovery control (DAIR), which adds impact to musical transients by increasing the signal level briefly at the onset of a sudden change, at the beginning of a drumbeat or the attack of a piano note. for instance. The knob varies the expansion effect from none to maximum (at its clockwise limit).

The three signal-modification systems of the DX5 operate entirely independently of each other and can be used in any combination or to any degree that one desires. Their effects are indicated on a display above the controls. Colored lights show the instantaneous alteration of program dynamics, from compression to expansion, over a range of  $\pm 10 \, dB.$ 

The dbx DX5 comes with a wireless remote control. Even though it is considerably smaller than most we have seen, it not only duplicates all the front-panel controls except the power switch and the knoboperated functions, but its numerical keypad provides direct access to any numbered track or indexed section. The DX5 is finished in black with clear, legible gold markings. It measures 171/8 inches wide, 117/8 inches deep, and 31/2 inches high and weighs 11 pounds. Price: \$700. Dbx. Dept. SR, 71 Chapel St., Newton, MA 02195.

#### Lab Tests

The dbx DX5 had one of the flattest frequency responses we have measured from a CD player. From 20 to 20,000 Hz the output varied only +0, -0.1 dB; the only departure from flatness was a slight, smooth drop below about 50 Hz. The output from the 0-dB level recording was 2.06 volts (into an EIA standard load of 10,000 ohms in parallel with a 1,000-picofarad capacitor), and the channel levels differed by a mere 0.04 dB. Because each channel has its own D/A converter, the phase shift between them was negligible. It was about 4 degrees at 100 Hz, but measured 0 degree above that frequency except for a barely detectable 0.7-degree shift at 20,000 Hz.

The playback distortion at 1,000 Hz was 0.0039 percent at 0- and -10-dB levels, increasing to 0.008 percent at -20 dB. The dynamic range (relative to the total harmonic distortion from a - 60-dB 1,000-Hz test signal) was 99.5 dB, and the Aweighted noise level was -105.5 dB referred to a 0-dB output level. The

Electronic volume control

track or index number

control

Headphone jack with volume

□ Full-function wireless remote

Ambience control to increase

spaciousness of sound Compression control to reduce

dynamic range up to 25 dB

Digital Audio Impact Recovery control to expand program transients up to 10 dB

control for all basic functions

plus direct access to programs by

#### FEATURES

- □ Three-spot laser tracking system Quadruple oversampling with
- digital and analog filters Dual D/A converters
- Programming for up to sixteen selections in any order Track stepping in either
- direction
- □ Fast search in either direction with audible sound
- □ Fluorescent display of player's
- complete operating status Repeat mode for entire disc, one track, or selected portion (phrase)

#### LABORATORY MEASUREMENTS

Maximum output level: 2.06 volts Total harmonic distortion at

1,000 Hz: 0.0039% referred to 0 dB, 0.0039% referred to

dB, 0.008% referred to -20 dB Signal-to-noise ratio (A-weighted): 105.5 dB

Dynamic range: 99.5 dB

Channel separation: 94 dB at 10,000 Hz, 97 dB at 10,000 Hz, 91 dB at 20,000 Hz Frequency response: +0, -0.1 dB from 20 to 20,000 Hz

Compressor range: up to 13 dB compression at 0 dB, 12 dB expansion at -90 dB **Cueing time: 3 seconds Cueing accuracy:** A Impact resistance: top, B; sides, B Defect tracking: tracked all maximum-level defects on Philips TS5A test disc.

channel separation varied between 91 and 97 dB over the range from 1,000 to 20,000 Hz. There was a trace of nonlinearity in the D/A converters at very low levels; a - 80-dB signal was reproduced at -77 dB and a -90-dB signal at -85 dB.

The only measurement we made of the signal-modification systems of the DX5 was of the compression characteristic. At its maximum setting, this circuit compressed a 0-dB signal by 13 dB and boosted the level from a -90-dB signal by 12 dB. The transition from compression to expansion took place at about -28dB. In effect, the circuit was able to transform a program with a 90-dB dynamic range to one with a manageable 65-dB range, which is comparable to that of a very good analog recording and considerably better suited than the full dynamic range of a CD to a car stereo system or the capabilities of a cassette recorder.

The DX5 had no difficulty in tracking the highest levels of calibrated defects on the Philips TS5A test disc. Its laser slewed from Track 1 to Track 15 of the Philips TS4 disc in 3 seconds, about average for recent players, and it made the transition from Track 17 to Track 18, which have no time interval separating them, without any loss of program from either track. The DX5 had good isolation from external shock, requiring fairly vigorous finger tapping on its top or sides to induce mistracking.

#### Comments

Considering only its CD playing functions, the dbx DX5 ranks among the best units we have tested. Its measured performance was superb in every respect, representative of the current state of the art in CD player technology. Furthermore, its controls, indicators, and markings were notably easy to read, understand, and operate. And even the remote control, about half the size of those provided with most players, was a pleasure to use (although we did find that the infrared sensor window on the front panel of the DX5 had a restricted angle of view and would not respond if the controller was more than 45 degrees off-axis). We also found that the headphone output was sufficient to

#### TEST REPORTS

drive medium-impedance phones to very comfortable volume levels.

Altogether, the DX5 rates a host of superlatives for the way it handles the basics of playing CD's. Special mention is also due the excellent manual, which explains the DX5's special features in clear and easily understandable terms.

It is those special features, however, that really set the DX5 apart from all the rest. A purist need not compromise his standards in the slightest; when the signal-processing circuits of this player are not used, they are completely removed from the signal path. When we did use them, they performed their intended functions well, without audible side effects. Even used together and at their maximum settings, the compression, expansion, and ambience systems never caused the sound to become unnatural or even obviously altered. Effective as they are, none of these modifications are excessive, and this moderation goes a long way toward making them successful.

The ambience control was strikingly effective on programs recorded in a relatively "dead" acoustic environment. It added "air" to such material and provided an audible increase in the subjective uppermidrange content. Although we rarely find a recording that is too "live" sounding, the control should also be beneficial in such a case.

Of course, there is no reason why the same signal-modification circuits as in the DX5 could not be incorporated in any preamplifier, integrated amplifier, or receiver. From time to time products have appeared with apparently similar functions, but they have never produced the kind of results we experienced with the DX5. The probable explanation is that the specific circuit elements dbx has developed over the years were designed to operate without audible side effects, and they usually do so, which cannot be said for most others claiming to do the same job.

Even without its special circuits, the dbx DX5 would rank as one of the best CD players available. With them, it has to be considered a very impressive product indeed. *Circle 141 on reader service card* 



## CELESTION SL700 SPEAKER

Julian Hirsch, Hirsch-Houck Laboratories

HE SL700 is the newest addition to the SL series of speakers from Celestion. It is an evolutionary development, incorporating a number of relatively minor refinements that in combination give the speaker a distinctive sound character, principally in respect to the breadth and depth of its subjective sound stage.

Like the SL600 and SL6S from which it was derived, the SL700 is a small, two-way system whose  $6\frac{1}{2}$ -inch PVC woofer cone is molded with an integral surround and

joined to a rubber outer surround ring. Celestion's engineers found that this dual-surround design gives the woofer the desired transientresponse capabilities as well as providing true piston action over its full operating range. The SL600 used a 1¼-inch copper hard-dome tweeter whose voice-coil former and dome were made in one piece. An improved version of this driver, pressed from aluminum, is used in the SL6S and SL700 to extend the high-frequency response. In the SL700, the crossover takes place at 3,000 Hz, using a second-order lowpass section and a third-order highpass section.

The cabinet of the SL700 is made of Aerolam, a sandwich of aluminum sheets bonded to a honeycomb internal structure. Developed for

The cabinet of the Celestion SL700 is made of Aerolam, a sandwich of aluminum sheets bonded to a honeycomb internal structure that is thin, light, and very rigid.

use in airplanes, the material is thin, light, and extremely rigid, with bending resonances above the low and midrange bands where conventional wooden cabinets typically resonate. The cabinet is stiffened further by an internal crossbrace. and the radiation from the rear of the woofer cone is absorbed by an acoustic foam whose absorptive qualities increase closer to the cabinet wall. The cabinet's exterior is finished in gray Nextel, a textured material. Dimensions are 141/4 inches high, 8 inches wide, and 91/2 inches deep, weight 1334 pounds.

The SL700 is designed to be operated on stands, which are included with the speakers. The base of each stand has four adjustable spikes that make a firm contact with the floor, and its top surface has three pointed extensions that engage rubber fittings on the bottom of the speaker cabinet to anchor it firmly. Like the speaker cabinets, the stands are finished in Nextel, and they are quite heavy (about 45 pounds), providing a firm, stable foundation for the speakers.

The SL700 does not have binding posts or other familiar connectors for attaching the cables from the amplifier; instead, it has two pairs of jacks that accept standard (single) banana plugs. One pair leads to the high-frequency portion of the internal crossover network, the other to the low-frequency portion. If a single pair of wires connects the speaker to the amplifier, the two inputs must be paralleled. The speaker can be used either with separate cables running from a single amplifier to the woofer and tweeter sections or with biamplification (separate amplifiers for the two sections).

The principal differences between the SL700 and the SL600 are the crossover design, including its components (low-loss capacitors and oxvgen-free copper wire) and layout (the network is supported by the internal acoustic material instead of being rigidly fastened to the cabinet wall), the internal wire connections using heavy oxygen-free wire, the dual input connections, the coupling of the speaker to its stand and the floor, and the aluminum (instead of copper) tweeter dome/ voice-coil assembly. Essentially unchanged are the cabinet dimensions and internal volume (12 liters, or 0.4 cubic foot), system impedance (nominally 8 ohms), and sensitivity (82 dB sound-pressure level, or SPL, at 1 meter with a 2.83-volt input). The low-frequency limit of the SL700 (at the -3-dB point) is rated as 63 Hz, compared to 75 Hz for the SL600, and its power-handling capability is rated as 120 watts of program material, compared to 100 watts for the SL600. Price: \$2,600 a pair, including stands. Celestion, Dept. SR, Box 521, Kuniholm Dr., Holliston, MA 01746.

#### Lab Tests

The measured room response of the Celestion SL700 was generally similar to that of the SL600 we tested three years ago, but it was markedly smoother and flatter over the largest part of the audio range, from approximately 400 Hz to beyond 20,000 Hz. The total variation between those limits was only 3.5 dB. The close-miked woofer response was also much like that of the SL600. The maximum output was between 100 and 150 Hz, falling off at 12 dB per octave at lower frequencies and at 6 dB per octave at higher frequencies. At 400 Hz, the woofer output leveled off and overlapped the room curve for the next couple of octaves.

The low-frequency portion of the composite response curve did not match what we heard from the SL700's, however. The shape of the curve suggests a boomy quality, but the sound of the SL700 had no trace

of that aberration. Close-miked measurements give a near approximation of the anechoic response of a woofer, and do not necessarily correspond to what might be heard in a normal room, but it is unusual to find a discrepancy of this magnitude. A clue to the reason for the difference between what we heard and measured from the SL700 lay in its room response at low frequencies. We normally do not use this measurement because it is inevitably affected by the room's resonances and is therefore highly irregular. In this case, the speaker's bass room response was only about 3 dB above the midrange level instead of the 8 dB that was indicated in our composite curve.

For the close-miked and roomresponse tests, and all our listening, the stands of the SL700's were about 4 feet from the back and side walls, and the speakers were angled inward about 20 degrees. This placement provided a minimum of bass reinforcement from the room boundaries and optimum listening quality.

Our quasi-anechoic FFT response measurements, made 1 meter from the speaker, were more consistent with what we heard than the other response tests. On the speaker's axis, response was flat within  $\pm 2$ dB from 180 to 14,000 Hz, dipped about 6 dB at 15,000 Hz, and returned to its average midrange

When we sat dead center, the sound from the SL700's seemed to extend well beyond the speakers. Instrumental definition of complex passages was outstanding.

level at 20,000 Hz. The tweeter resonance was at 24,000 Hz, where its output was up about 10 dB.

The phase linearity of the SL700 was excellent. The overall groupdelay variation from 360 to 23,000 Hz was less than 0.5 millisecond, and over most of that range it was about 0.1 millisecond. In the woofer range, where even large amounts of group delay are normal (and not

## There's only one other way to enjoy so many thrills for so little money.

Fast rides. Lots of excitement: A day at the amusement park is a great way to get your adrenalin going. For the money, there's nothing quite like it. Unless, of course, you're clever

enough to buy Jensen® Classic car speakers or a JS car receiver.

> Classic speakers give you big sound for a little price.

All the Jensen Classic speakers are compact disc ready, a feature you'd normally expect to find only on higher priced speakers. Although they're short on price, they're not short on power. Dynamic cone tweeters, long throw woofers and 2½" dynamic cone midranges (on our 6" x 9" model) give you up to 150 watts peak power. What's more,

they're made in the U.S.A. and there's a model to fit any installation.



#### JS receivers give you features you can really use.

Any car receiver gives you plenty of features. The Jensen JS receivers have features you'll use plenty. Like Auto Reverse. Dolby "B." Seek. Scan. And 40 watts system power.

Two JS receivers even have compact disc player inputs. So, adding a CD player to your system is as easy as plugging it in.

If you're ready for thrilling car sound, but not prepared to spend a lot of money, there's only one thing to do.

Put a Jensen in your car.Turn it up. Then hang on for the ride of your life.



**JENSEN** We make music a moving experience. CIRCLE NO. 53 ON READER SERVICE CARD audible), we measured less than 8 milliseconds variation from 40 to 450 Hz.

From a minimum of about 6 ohms at 150 Hz, the system's impedance rose to 43 ohms at 68 Hz and 100 ohms at 2,300 Hz. The speaker's sensitivity was slightly low, 81 dB SPL at 1 meter with 2.83 volts input, and we had to drive it at an 8-volt level (equivalent to a 90dB SPL) for our bass distortion measurements. As might be expected, the SL700's small woofer exhibited moderately high distortion with this input, rising from 2.7 percent at 100 Hz to 6.3 percent at 60 Hz and increasing more rapidly below that frequency. Subjectively, the lower limit of the speaker's response was about 50 or 60 Hz, and the distortion, which was almost entirely second- or third-harmonic, was not audible with musical programs.

The peak power-handling ability of the SL700 was comfortably higher than any input it is likely to experience in most installations. The woofer started to rattle with a onecycle input of 65 watts at 100 Hz, but at 1,000 and 10,000 Hz the amplifier ran out of output (at 140 and 225 watts, respectively) before the speaker reached its limits.

#### *Comments*

We first heard the Celestion SL700 at the Summer Consumer Electronics Show in Chicago last June, and we were immediately impressed by its seamless sound stage and the lack of any sense that these small speakers were producing the amount of sound we heard. Frankly, we did not expect to hear the same effect in our own room, but the spatial properties of the system were apparent from the first hearing.

When we sat dead center, the sound seemed to extend well beyond the speakers, which were less than 8 feet apart—nearly to the side walls, most of the way from floor to ceiling, and even beyond the wall behind the speakers. Listening with closed eyes produced this sensation almost every time, and soon the speakers became "invisible" (in an auditory sense) even with our eyes open.

We spent considerable time mak-



".... Oh, yes, Gus DaRosa the recording engineer. We buried him this morning. He was a very large-framed chap. We had to compress the coffin underpads, boost the side fabrics to compensate for removal of the satin lid panels, and equalize the headrest by expanding the cotton batting."

ing A/B comparisons between the SL700's and other speakers, some of which had better *measured* frequency-response characteristics than the diminutive Celestions. This proved to be a frustrating and confusing experience; our goal was to establish some connection between one or more measured properties of the speakers and their sound, and in this we failed utterly.

Constant group delay (a linearphase-shift characteristic) seemed like a good explanation of the SL700's sound, and it was certainly very good in that respect, but so are other speaker systems that do not share its spatial properties and clarity. The SL700's instrumental definition of complex orchestral passages was outstanding, and whenever we heard anything similar from another speaker, it was plainly associated with a frequency-response emphasis that "sharpened" the sound. Maybe it was the stands, we conjectured. But placing the SL700's on top of other speakers made no significant change in their sound. As I said, frustrating!

Even though we did not discover the reasons for the characteristic sound of these speakers, we are convinced that it is something special if not unique, at least very much out of the ordinary. Once you bring yourself to ignore the size and twoway design of the SL700, you realize that it has far more apparent bass output than the measured response would imply and that it can play very loud without generating unpleasant sounds. It is truly an excellent speaker.

It is also extremely expensive, and that is our major complaint. If you are prepared to spend over \$2,500 for a pair of loudspeakers, a number of other models compare favorably with the SL700's. The others may not sound better, but most of them are significantly larger and capable of handling greater power.

If you are considering speakers in this price range, however, try to audition the Celestion SL700 as demonstrated by a knowledgeable dealer. Be warned—you may be sorry you heard them, for then a critical decision faces you! *Circle 142 on reader service card* 

## **PERFORMANCE COUNTS.** THE THRILL OF REAL CIGARETTE TASTE IN A LOW TAR.



9 mg. "tar", 0.7 mg. nicotine av. per cigarette by FTC method.

SURGEON GENERAL'S WARNING: Smoking By Pregnant Women May Result in Fetal Injury, Premature Birth, And Low Birth Weight.

## Ultimate Power.



## With a worldwide reputation for sonic excellence, the new Luxman Receivers also deliver more power than ever before.

For over 60 years, Luxman audio components have been internationally recognized for their superb sonic quality.

However, the recent introduction of compact discs with wide dynamics and highaccuracy loudspeakers with low impedance ratings has created a need for receivers with "real" output power.

With the tremendous dynamic power of the new Luxman receivers, our reputation for "Ultimate Fidelity" is likely to change to "Ultimate Power."



## The finest sounding receivers in the industry... are available only at the finest retailers:

Tech

ALASKA Pyramid Audic 1907) 272-91 #1

ALABAMA Lidition 205+871-21-37 Southern Sound 205+350-5801

ARIZONA Audic Emporium 602)-881-7121 Smith Electronics 602)-445-1020 Sound Advice (602) 955-88:30 Warenouse Stereo 602) 782-9551

ARKANSAS Stereo One 5011452-9979

CALIFORNIA Bananas HI Fi 209+225-2011 Paracyme Audio/Video 209) 521-1730 netion Ametion 2134462-1200 2.IHansend Ltd. 2134858-8112 Dimensions in Stereo 213)-542-8521 GNP Showcase 213+577-77-37 Hollytron 2° 3)+464-2632 JA Sound & Comm. 2° 3)+473-9736 Marconi Radic 213+240-1090 Reference Aucio Systems 213+398-4205 Rogersound Labs 213#829-7119 Rogersound Labs 2131594-9646 Rogersound Labs 2134371-2411 Rogersound Labs Royal Sound 2 34933-3094 Sate & Sound 2139392-3081 Supervision 213#652-95#0 Century Stereo 408#998-7474 Catamia Sound 4150461-1170 Dentury Stereo 415 573-9644 Hermary's 4150592-9450 Pro Audio Electronics 415):654-6630 Sounding Soard 415#843-7001 Stereo Plus 415(861-1044 Stereo Plus 415) 828-3210 Western Audic Imports 415#494-2552 World of Sound 4 51 383-4343 World of Sound 415#928-3101 Desert Sterec 6190346-1733 Steres Designi 6191573-0060 Stereo Unlimited (619) 223-8151 Warehouse Stereo (619):353-0650 Catania Sound Inc 707) 526-7555 The Music Hw: 707) 462-8417 Audio Exposure 7141240-0742 Audio Today 7147,891-7575 Executive Sound 7141 759-1520

714) 380-8778 Solid State TV-Audio 714) 557-7370 Audio Video Concepts 805) 541-5778 Calif. Audio & Video 805) 687-5799 Casa Moore Stereo 805) 323-8341 Casa Moore Stereo 805) 832-6311 Dexter's Camera & Hi Fi (805) 643-2172 Northridge Audio Ctr (818) 993-1016 logersound Labs 818) 351-5421 Rogersound Labs 818) 882-4600 Rogersound Labs (818) 787-6863 Sound Center (818) 883-2811 Sound Center 818) 991-2685 Paradyme Electronics 916) 481-3900 COLORADO Gramophone Shop 303) 744-1283 Soundings 303) 759-5505 Soundtrack (303) 425-6700 Soundtrack 303) 671-9399 Soundtrack 303) 442-3600 Soundtrack 303) 759-5401 Soundtrack 303) 979-8900 Soundtrack 303) 450-6677 Soundtrack 303) 779-5003 Soundtronix (303) 356-1588 Soundtronix 303) 545-1097 303) 574-2900 The Sound Shop (303) 636-1684 CONNECTICUT Audiotronics (203) 838-4877 Carston Stereo (203) 744-6421 Hi Fi Stereo House 2031 666-4740 Hi Fi Stereo House 203) 674-9755 Take 5 Audio 203) 777-1750 Zinno Music 203) 755-3696 DELAWARE Sound Studic 302) 678-0100 Sound Studio 302) 731-1024 Sound Studio 302) 478-9300 FLORIDA Absolute Sound 305) 629-1930 Audio Advisors 305) 586-8497 Fox Audio 305) 287-4335 Sound Design & Eng. (305) 562-7210 Sound Plus Wood (305) 391-1843 Stereo By Design (305) 232-1812 Stereo By Design (305) 344-3700 Verns Electronics (305) 391-3259 Audio Workshop (813) 748-3868 Cooper For Stereo

(813) 527-6863 Maurice Stereo

(813) 876-1951

Stereo Garage (813) 775-5900 Behren's Audio Lab 904) 721 \$860 GEORGIA Hi Fi Buys (404) 266 ° 694 Stereo City of Georgia (404) 736 0189 Hi Fi Sales & Service (912) 228-0093 HAWAI Audio Shoppe 1931 808) 537 Bose Entertainment Ctr (808) 533-4122 Base Entertainment Ctr. (808):533-6738 Hilb Audic (808) 935-7146 IL LUNOIS Audio Enterprises (312) 754-6056 Audio Visions (312) 980-4946 Octumbia Audio-Video (3\*2)-394-4770 Columbia Audio-Video (3° 2) 433-6010 edia Room 13" 2) 966 5590 Mills Recording (3°2) 332-4116 Sounds Deluxe (312) 887 9818 Stereo Systems 312) 934 5544 Stereo Systems (312) 885-4144 Team Electronics 312) 658-8600 America's Best Audio 1815) 338-0565 Columbia Audio-Video 18: 5) 964-4886 Stereo Systems -8 5) 741 -1350 The Shoppe 8 5) 939 4014 INDIANA Audio Radio Specialst. 219) 255-6434 Classic Stereo 2 91483-0553 Diassic Stereo Classic Stereo 3171282-5264 Classic Stereo (3:7) 662-9344 Ovation Audio 3 71 849 7729 Iom Doherty's Audio (3: 7) 848-7503 Alan Audic (812) 332-2192 Audio Cornection (812) 232-1663 Risley Electronics (812) 479-6787 Risley Electronics (812) 886-5543 OWA Spencer Sound Syst. [3:9] 354-1448 Wilght's Sight & Sound [5:5] 437-4814 Phanz Electronics (7) 21 252 4507 KANSAS Audio Visions (316) 681-1751 Hayes Audio Elect (316) 792-8139 Hayes Sight & Sound (316) 662-2791 Audio Electronics (913) 381-8585 Nelson's (913) 267-2200 KENTUCKY

502) 821-5620 Risley Electronics 502) 443 4444 Audio Connection 606) 432-8132 Ovation Audio 606) 278-0335 Sight in Sound 606) 371-4036 Sounds Around Town 606) 528-0566 Sounds Around Town 606) 864-6487 LOUISIANA J's Sound Center 318) 387-6044 Stereo & Record Cent. 318) 861-2666 Stereo & Record Cent. 318) 865-6223 Discerning Ear 301) 494-8990 Myer-Emco 301) 468-2000 Sound Studio 301) 546-3181 MASSACHUSETTS Taylor d Sound 413) 499-1420 The Music Store 413) 774-2836 Audio Video Environ. 1617) 864-8001 Electric Gramaphone (617) 443-3703 Encore Audio 1617) 236-4646 High Fidelity House (617) 799-9737 Nantucket Sound (617) 231-3161 Nantucket Sound (617) 532-5777 Nantucket Sound (617) 734-0700 Nantucket Sound (617) 771-4434 Nantucket Sound (617) 848-6622 Nantucket Sound (617) 826-2344 Sound II (617) 996-5454 The Music Box (617) 235-5100 The Music Forum (617) 343-9393 The Music Forum (617) 632-0660 The Music Forum 617) 534-4431 Trolley Stereo (617) 484-7847 Audic Concepts Inc (619) 699-8819 MICHIGAN Stered Center (313) 239-9474 Video Alternative Classic Stereo (616) 957-2130 Classic Stereo (616) 381-6049 Langiois Stores (616) 733-2528 MINNESOTA Team Electronics #163 (218) 739-3874 Amalgamated Audio [507] 286-1328 Amalgamated Audio I507) 452-1965 Midwest Satellite A & V I507) 238-2233 Audio By Design (612) 475-1443 Entertainment Designs 1612) 339-8616 First Tech (612) 377-9840 Audio Video By Design [502] 425-3333 Risley Electronics First Tech (612) 378-1185 Top Tech (612) 780-9707 502 685 2264

(E12) 636-5147 Tep Tech (E12) 451-1765 MISSISSIPRI Audio Advantage (601) 323-4500 A Idio Advantage (601) 841-2400 Automotive Audio (601) 956-8158 The Sound Circuit (601) 445-2377 The Sound Circuit (601) 638-6033 MISSOURI Hi Fi Fo Fum (314) 647-3506 MONTANA Sound Pro (406) 449-4945 Sound Pro (406) 453-4364 NEVADA Import Audio (702) 731-2000 Import Audie (702) 731-4318 NEW HAMPSHIRE (603) 5241 532 Cuomo's (603) 8931 904 Soundsations (603) 7781 402 NEW JERSEY AC Audio Video (201) 526-1777 Atlantic Stereo (201) 390-0780 Bite Audio Video (201) 884-0044 JIS Audio (201) 292-2799 Landes Audio (201) 879-6389 Leonard Radio (201) 261-5525 Monmouth Stereo (201) 842-6565 Samm Sound (201) 575-8910 Stereo City (201) 561-5577 Soundworks (609) 751-1900 Sound Waves (609) 645-1222 NEW MEXICO The Sound Room (505) 524-7080 NEW YORK Audio Exchange (212) 964-4570 Audio Exchange (212) 962-7191 Audio Salor (212) 249-4104 lusic Masters (212) 840-1958 New York Video (212) 755-4640 Park Avenue Audio (212) 685-8102 Audio Exchange (516) 334-7077 Audio Exchange (516) 295-2100 Designatror's Stereo (516) 473-4242

The Sound Approach (516) 499-7620

Top Tech (€12) 920-4817 Top Tech (€12) 544-7412 Sound Insights (516) 536-9160 Audio Sound Syste (518) 783-0938 (518) 561-8909 6071 962-4606 Rowe Photo/Video (716) 442-8230 Stereo Shop (716) 442 2879 Stereo Shop (716) 621 4050 Stereo Shop (716) 424 1820 (716) 632-8038 Clone Auoio Wright's Signt & Sound (616) 665-7208 (718) 987-2850 Continental Sound (718) 459-7507 Leonard Fiadio (718) 803+1111 NYC Media Room (718) 783-2113 Sound Or Wheels (914) 471-9880 Audiohaus (704) 256-6911 Mac's TV (704) 437-2494 Audio Of New England (603) 225-3313 Anderson Audio (919) 633-3611 Audio Of New England (603) 524-1532 (919) 942-8546 Stereo Sound (919) 782-4111 OHIO OHIO B & B Appliance (216) 842-5600 B & B Appliance (216) 261-5600 Far East Audio (216) 264-2161 (216) 497-0070 (419) 228-9422 Sight In Sound (513) 474-4776 Sight In Sound (513) 931-7601 Sight In Sound (513) 772-6500 Sight In Sound (513) 471-5602 Sight In Sound The Sounding Board (201) 445-5006 (513) 24E-1110 Stereo On Wheels (513) 898-4590 Stereo On Wheels 1513) 866-4131 Stereo On Wheels (513) 253-3113 OKLAHOMA Custom Media Design (212) 689-5916 Designation's Stereo (516) 822-5277

Hawthorne Stereo (503) 234-9375 Sheckell's Stereo (503) 476-5282 Sheckell's Stereo Great Northern Stereo Chemung Electronics Chemung/Electronics (507) 733 5531 Chemung/Electronics (607) 272 2225 The Stereo Advantage NORTH CAROLINA Microwave Audio World (919) 446-1200 Stereo Sound Hammond Electronics Classic Stereo Of Ohio

(903) 773-3732 Siereo Plant (903) 382-9062 PENNSYLVANIA Sassafras Audio (215) 776-1941 Sassafras Audio (215) 527-3656 Sassafras Audio (215) 357-7400 Sassafras Audio (215) 884-0292 Sassafras Audic (215) 627-2913 Sassafras Audio (215) 362-2180 (215) 362-2180 Sound Shack (412) 224-7000 The Listening Post (412) 443-6160 The Listening Post (412) 681-8433 The Listening Post (412) 856-1199 Soundworks (609) 751-1900 Hi Fi House (717) 564-7688 Hi Fi House (717) 737-7775 M & M Stereo Equid. (717) 524-9182 Summit Audio-Video (717) 283-2770 SOUTH CAROLINA Frawley Electronics (803) 771-7340 SOUTH DAKOTA Western Stereo (605) 332-5535 TENNESSEE Hi Fi House (\$15) 693-4331 Lindsey Ward (615) 331-4434 Nicholsons Stereo (615) 327-4312 The Sound Room (615) 928-9233 New Wave Car Stereo (901) 346-3444 New Wave Car Stereo (901) 668-6711 TEXAS Hillcrest High Fidelity (214) 528-0575 Filtcrest High FideLty (214) 352-9757 Home Entertainment (214) 934-8585 Freston Trails Audio (214) 248-9104 Stereo & Record Ch (214) 757-3500 lereo & Record Clr (214) 297-1933 Stereo & Record Ctr. (214) 938-9401 Stereo & Record Cir.

Showery Stereo (512) 682-1221 Tape Town Audio Video (512) 851-2392 Groove Audio Video (713) 523-2900 Sheffield Audio (713) 789-1180 Hi Figelity of Lubbock (806) 794-4507) Soundroom (806):353-9171 Sound Idea (817) 277-1924 Sound Idea (817):346-4500 Sound Idea (817):284-4503 The Sound Room (915):594-8201 UTAH

Broadway Music (801):355-1110 Hi Fi Shop (801):621-5244 Lynns TV & Stereo (801) 752-6564 VERMONT

Mountain Music (802):775-2308 VIRGINIA

Contemporary Sounds (703):371-4815 Earlood Fine Audio (703) 665-0199 Excalibur (703) 548-3113 Myer-Emco (703) 536-2900 The Audio Cente (7031982-8793 Audio Exchange (804) 282-0438 Digital Sound (804] 424-5850 Sounds Unlimited (804) 792-6717 WASHINGTON

Brown's (206) 457-4150 Desco Electronics (206) 943-1393 The Sound Authority (206) 577-0900 Home Entertainment (206) 881-1265

WASHINGTON D.C. Myer-Emco (202 293-9100

WEST VIRGINIA

WEST Fine Pied Piper (304: 733-2030) Pied Piper (304: 529-3355 Pied Piper Piper (304 255-0235 Sterep Video Unlimited

(304-752-2265 WISCONSIN General Electronics (414.964-7660 General Electronics (414) 281-6651 Gene's Sound/Carnera (414 458-2141 Wisconsin Electronics (414) 921-5555 Wisconsin Electronics (715 423-2910

WYOMING Murchy Sight & Sound (307-682-4771 The New Music Box (307: 742-3774

Hammond Electronics (614) 237-2504 Hammond Electronics (614) 278-9292 Hammond Electronics (214) 561-7455 Texarkana Audio Ctr. (614) 522-8467 (2.4) 793-2866 Audio Video (409) 696-5719 Contemporary Sounds (405) 755-0795 Brock Audio (409) 832-0276 Sound Station Bjørn's Audio Video (512) 646-6991 918) 336-2240 The Phonograph (918) 665-6363 Discovery Audio Video (512) 396-2333 Metex International OREGON Focus Electronics (512) 727-8933 (503) 364-3289

## LUXMAN



LTHOUGH there are probably more loudspeakers in use than any other hifi component, thanks to

stereo and, more recently, surround sound, and although loudspeaker design has undergone little fundamental change in more than half a century, "new" models continue to appear almost daily. Some of their novelty is cosmetic in nature, but most are claimed to offer a genuine listening improvement—or at least a *difference*—compared with previous models. But how much of this improvement is genuine, and how much is hype?

Strange as it may seem, there are no standards for defining the true performance of a loudspeaker. The sound we ultimately hear depends not only on the speaker's design (and, of course, the program, but let's ignore that for the present) but also to a great degree on the dimensions and acoustical properties of the listening room, as well as the locations of the speakers and the listeners.

That doesn't mean that the speaker itself is not a vital part of the lis-

"Advanced" loudspeaker designs are being introduced at a very rapid rate, but how do you separate the hype from the reality?

tening equation-it is probably the most important part. But the other factors influencing what we hear can severely complicate the task of judging speaker quality.

#### How Do Speakers Work?

All speakers create sound by pushing against the air to produce a pressure wave that radiates outward into the listening area. The most widely used (and most familiar) type of speaker is the magnetic, or dynamic, driver. In its usual form, a magnetic driver consists of a paper cone, or diaphragm, suspended from a metal frame, or "basket," by a flexible surround attached to its rim. A cylinder wound with a coil of wire, the voice coil, is attached to the apex of the cone. The voice coil, located in a narrow gap between two concentric iron cylinders, is im-ANNE GIOVAN mersed in a powerful magnetic field. When a current passes through the voice coil, an opposing magnetic force is generated that moves it, and the speaker cone, along its axis.

As the cone moves in and out, following the waveform of the driving

.Om

BY RAE/

O.I.OHd



differences in the sounds of speakers that appear to be quite similar.

signal, it pushes air ahead of it to form a positive pressure wave, which is followed by a negative pressure wave as the cone reverses direction. In most speakers the driver is installed in a box, or enclosure. that prevents the wave generated by the rear of the cone from radiating into the room; otherwise, the front wave would be partially canceled by the rear wave at low audio frequencies. A widely used variation on the box enclosure is the vented enclosure, which has an opening, or port, that allows some of the rear wave to enter the room. The rear wave is vented only at low frequencies, and correct venting reinforces the bass response down to a predetermined cutoff frequency, below which the speaker's output decreases rapidly. A properly designed vented enclosure can provide extended bass response with higher sensitivity (efficiency) than a sealed enclosure of the same size.

Generating low frequencies can require the movement of a considerable volume of air. To move all that air, the speaker cone must be capable of a large movement (excursion) or have a large area, or both. But a large, relatively massive cone cannot move rapidly enough to generate the higher audio frequencies effectively, and its response is neither smooth nor uniform at those frequencies. That's why the treble range is normally reproduced by smaller and lighter drivers called "tweeters," while larger drivers, or "woofers," are used for the lower frequencies.

At high frequencies, where the wavelengths become comparable to the cone diameter, the sound tends to "beam," or radiate in a narrow angle, instead of covering a broad listening area. Beaming, which affects the overall character of the sound as well as its spatial properties, can be minimized by using a tweeter with a very small radiating surface. A popular tweeter design uses a dome (usually convex but sometimes concave) instead of a conical diaphragm. The frequency response of a dome tweeter can extend well above audible limits, with good angular dispersion.

Most modern speaker systems use multiple drivers in two-way or three-way configurations. A crossover network (a specialized form of electrical filter) channels low frequencies to the woofer and higher frequencies to the midrange driver and tweeter. The choice of crossover frequencies and cutoff slopes (the rate at which the input to a driver is decreased outside its operating range) can have a considerable effect on the ultimate listening qualities of the system.

As I mentioned, none of the basic elements of a dynamic speaker system are actually new, although the technology of designing and manufacturing modern drivers, and the crossover networks for them, continues to advance rapidly. Both processes have been greatly facilitated by the wide use of computers.

Although most of today's speakers use conventional box enclosures and dynamic drivers, there are some notable departures from the rule. A moving cone or dome is not the only way to move air. One of the earliest variants was the electrostatic speaker, which has long been an attractive solution to the known problems of dynamic speakers principally the irregularities of frequency and phase response that result from cone resonances and color the sound.

An electrostatic speaker moves air with a thin plastic diaphragm carrying a fixed electric charge. In one typical configuration, the diaphragm is suspended betwen two grids of wire whose open construction allows the sound generated by its movement to escape. The audio signal is applied to the two metal electrodes, and the varying electric field attracts and repels the plastic film in accordance with variations in the signal waveform.

An electrostatic diaphragm is fastened to a frame around its edges and cannot move as far as a typical dynamic speaker cone, but if it is large enough it can still move enough air to generate good bass response. Because of the extremely low mass of the film diaphragm, it can respond to the highest audio frequencies, extending well beyond the limits of human hearing. A fullrange electrostatic speaker requires an area of at least several square feet (some are as large as 12 to 15 square feet) and normally operates as a dipole radiator, with equal sound output to the front and the rear. It must be located several feet from the rear wall, which reflects the rear output, adding a quality of ambience that is preferred by many people.

Although the sound quality of electrostatic speakers is widely admired, this type has several obvious drawbacks. Such speakers are large and expensive, and they often place severe demands on the driving amplifier. Also, they cannot deliver the sheer volume of sound, especially at low frequencies, that is possible with dynamic systems of comparable size or cost.

Dynamic and electrostatic speakers account for the vast majority of today's speaker systems. There are other types of magnetically driven speakers, such as planar diaphragms or ribbons, that share some of the qualities of both electrostatic and dynamic systems, but they are few and can be classified as magnetically driven dipole radiators.

#### What's New

If all speakers operate by the same basic principles, what is the justification for the multitude of new models that are announced every year? How many of them offer a genuine improvement in sound quality?

Like many other hi-fi components, speakers are often promoted on the basis of extremely minute sonic differences whose importance may, to many people, seem highly exaggerated. Bear in mind that no one has yet been able to determine which performance parameters are important for the best sound or, indeed, to define quantitatively what that "best sound" might be. For every case where someone has attempted to establish a relationship between measurable performance and sound quality of speakers, on either theoretical or experimental grounds, there has been someone else with equally valid credentials and an opposite opinion.

For example, should a speaker beam its output toward the listener or should it have omnidirectional properties and "illuminate" all parts of the room with sound? These two contradictory concepts of desirable speaker performance have coexisted for many years, together with an intermediate variant, the combined Direct/Reflected sound long espoused by Bose.

One would hardly expect such disparate approaches to be equally correct, although "correctness" is hardly an appropriate term to apply to such a totally subjective matter as an individual's perception of reproduced sound. Nevertheless, proponents of each approach have made convincing arguments for their preferences. Even the verdict of that final arbiter, the consumer, has been similarly divided.

Can it be that there *is* no one theoretically correct dispersion pattern for a speaker intended to reproduce music in an arbitrary and undefined environment? Quite possibly, but that will not stop speaker designers from attempting to give their products wider consumer acceptance. Let's examine a few of things they are doing as part of that effort.

#### Spatial Control

We may never be able to produce a fully convincing illusion that the performance we hear from a recording is actually originating in the listening room, and there is good reason to believe that this is not a desirable aim in most cases. But today's technology has brought us surprisingly close to a more practical goal—recorded music whose sound is at least *believable*.

When we listen to stereo recordings through a pair of conventional speakers located at the front of the room, the "sound stage" is usually defined by the space between them. If the speakers are located well away from any room walls, the apparent width of the sound stage may be extended slightly beyond those limits, and some speakers can also impart a sense of depth or height to the sound. Moving close to one of the speakers will shift the apparent source of the sound to that side, however, destroying the spatial illusion. In fact, the ideal stereo listening location is along a line between the two speakers, equidistant from them, and usually at such a distance that each speaker forms an angle of about 30 to 40 degrees with the listener.

In recent years several speaker manufacturers have conducted studies to determine how the sound stage can be expanded and, if possible, made relatively independent of the listening position. One of the first commercially successful results of such an investigation that I can recall was the dbx Soundfield One. Designer Mark Davis used experimental studies to establish the criteria for the speaker and computers to help design the system.

Essentially, the Soundfield One's directivity was designed to compensate for the normal effects of getting close to one speaker and far off the axis of the other. The Soundfield One used a large number of drivers in a phased array. Subsequent dbx Soundfield speakers have been simplified without significant loss of performance but with a considerable reduction in cost.

Another effort to remove the listening room from the equation was the Magic Speaker (MGC-1) from Acoustic Research. This system also used controlled directivity, for the main speaker array was designed to deliver a "first-arrival" sound to the listeners with a minimum of modifications from wall, ceilings, or floor

> M any of the advances in loudspeaker technology stem from breakthroughs in the manufacturing process. The top photo at right shows a Polk tweeter assembly line in which steps have been consolidated to produce more uniform drivers. The middle photos show Celestion's experiments with improved cone materials and voice-coil windings, and the bottom photo illustrates how B&W uses laser interferometry to help determine the exact dispersion qualities of its speaker drivers.











reflections. The first-arrival sounds are what provide the spatial cues by which a listener perceives the placement of the sound source(s). In the MGC-1 system, a secondary driver array provided the room ambience. Under the control of the listener, the secondary array reflected its output off a side wall and used a variable electronic time delay. The result was that these "late arrivals" provided the sensory effect of a space much larger than the usual listening room.

The AR MGC-1 was very successful in removing the surrounding space from the listening equation. It was also large and expensive, although a smaller and less costly model has since been developed.

A very different method of enhancing realism by expanding the apparent sound stage was developed by Polk Audio. It involved canceling the interaural crosstalk that normally restricts the width of the stereo stage. In a conventional stereo system, each ear receives signals from both speakers, differing in their arrival time by the small interval required for the sound to travel around the listener's head. The Polk Stereo Dimension Array (SDA) speakers use separate drivers, a few inches away from the regular driver array, to radiate a signal derived from the opposite stereo channel. Under the right conditions, this derived signal cancels the equivalent signal reaching the ear from the opposite speaker system, which has the psychoacoustic effect of expanding the sound stage to the sides of the room and even along the sides toward the rear.

The greatest effect from this technique is heard along the ideal stereo listening axis, and it is highly dependent on a lack of coherence between the left and right program channels. Strongly separated channels, like the "two-channel mono" sometimes used to exaggerate stereo effects, give the most spectacular results with this type of signal processing, while more natural orchestral recordings made with close-spaced microphones receive little enhancement (and mono is unaffected).

#### Conventional Speakers

The preceding examples illustrate some of the sonic benefits of sophisticated or unconventional design approaches. Regardless of their merits, which are considerable, they make up only a small percentage of the hi-fi speaker systems purchased by American audiophiles.

Most people choose conventional enclosed speakers. They may be designed to perform at their best on a bookshelf, on free-standing pedestals, or on the floor, but they are still basically two- or three-way systems with passive crossover networks and dynamic drivers mounted in (usually) simple rectangular wooden boxes. Surely there cannot be major sonic differences between these speakers?

Actually, there can be surprisingly large differences in the sounds of speakers that may appear to be very similar. To be sure, such "differences" are usually little more than that, and it may be difficult to prove to anyone's satisfaction that one is *better* than another—although advertising and sales pitches will generally make a strong effort in that direction.

It is unusual for any single design factor to produce a distinctive speaker. If the difference in its sound is definite and desirable, chances are that several parts of the design are contributing to it.

There are many materials and construction techniques used in the manufacture of speaker drivers. In general, the aim is to minimize nonideal behavior. For example, a cone should move like a single piston instead of having "break-up" modes that create a ragged frequency response. To achieve this effect, designers use a variety of plastic materials for the cones of the better speakers, and the plastic is sometimes laminated with other materials to make the cones stiffer and less prone to flexing.

The shape of the cone (its included angle and depth) also differs among speakers. For woofers in particular, designers use a variety of suspensions for the voice coil and the surround. Their aim is to allow a large *linear* excursion, directly proportional to the requirements of the electrical driving signal, instead of one that is restricted by a limited range of movement in the driver.

A variation of cone design that has been used from time to time in dynamic speakers is the planar diaphragm. Provided that it is light and rigid, such a diaphragm simplifies keeping all the drivers in a system operating in phase and without time errors since all the radiating surfaces are in the same plane and therefore equidistant from a listener on the forward axis of the speaker.

Magnet design has changed over the years, reflecting the development of improved, lighter and more powerful magnetic materials. The changes are less important in home speakers, where size and weight are not critical factors, than in the case of automobile speakers or those used in portable radios or tape players. The magnet material itself has no effect on the actual performance of a driver provided that the correct magnetic field strength exists in the speaker's air gap.

For many years most tweeters have used hard or soft dome diaphragms. There does not appear to be a decisive quality difference between the two basic types (although I expect to hear strong arguments on that matter from their partisans). Some hard-dome tweeters use "exotic" and hard-to-work materials, such as beryllium and titanium, whose low mass and high rigidity are ideally suited to this function. These materials often have a greatly extended frequency response (well beyond audible limits), which is certainly a desirable characteristic if not actually a necessary one.

Crossover networks have probably received the most intensive scrutiny by speaker designers. The task of these networks is considerably more complex than merely distributing the parts of the audible frequency band to the corresponding drivers. The manner in which the levels and phase relationships of the network outputs vary in the vicinity of the crossover frequency can have a great effect on the sound-probably more on its spatial character than on the frequency balance, but both are inextricably linked in the stereo process. Years ago crossovers were very simple circuits, with perhaps one capacitor and one inductor (or a pair of each) for each frequency separation. Many are still that elementary, but the more sophisticated designs made possible by computers can be surprisingly complex.

For more than twenty-five years we have been reaping the benefits of the design criteria for vented speaker enclosures developed by Neville Thiele and later expanded by Richard Small. Perhaps more than anything else, these equations led to the elimination of "by-guess-and-bygosh" or cut-and-try speaker design, making it possible to create speakers with almost any combination of performance and physical properties as long as drivers with the necessary specifications can be manufactured. The influence of their work will continue into the future, and it may well be the single most important speaker development of the last couple of decades.

Finally, there is the enclosure itself. More than just a box to hold the drivers, it plays a vital role, for better or worse, in the system's total performance. There has always been more to a speaker box than appears on the surface: interior bracing to reduce panel vibration, stuffing with sound-absorbent material to damp volume resonances, and so forth. Enclosure refinement continues, but, as always, little or nothing shows externally.

There is no doubt that a perfectly rigid, nonresonant enclosure is a desirable feature for a speaker. More than thirty years ago, Wharfedale made hollow, sand-filled panels, and there were other enclosures using concrete, plaster, slate, concrete block, and similar rigid and massive materials. More recently we have seen the use of honeycomb-aluminum-sandwich panels (Celestion), an interlocking matrix structure (B&W), and an epoxy-laminated paper tube (Focus). Virtually every one of the speakers using such extrarigid enclosures has been acclaimed for its excellent sound compared with other systems of the day.

Speaker design, once largely an

art, is now a well-defined science, although it retains some elements of art in the choice of materials and manufacturing processes. It should surprise no one that the speaker designs that show the greatest conformity to known theoretical requirements almost always sound better (and generally measure better) than others. Bear in mind, however, that designers or manufacturers who devise a more ideal construction technique are likely to claim somewhat greater benefits from its use than strict objectivity would justify.

#### Continuing Evolution

It is reasonable to conclude from examining the past and present states of speaker technology that a steady evolutionary process has been going on, and it will probably continue in the foreseeable future.

Most speakers will continue to be enclosed box systems, if for no other reasons than that this format is most acceptable to the largest part of the buying public and that it yields a high quality-per-dollar ratio, at least in the low and moderate price ranges. Specialized variations on this theme, designed to have distinct spatial properties not readily available from conventional speakers, will unquestionably continue to proliferate, but they are not likely to make great market inroads among the general public.

More exotic speakers (planar or dipole radiators, both magnetic and electrostatic in their operation) will continue to hold their place, but their size and placement limitations, to say nothing of their prices, will probably keep them from capturing a much larger share of the market than they now hold. Exotic materials will continue to be used in drivers, especially in the upper part of the price range, but paper and plastics will continue as the mainstay of moderate-priced speakers.

As for the sound, although my crystal ball is a trifle cloudy on this question, I will venture to say that a few years from now, most of us will agree that speakers sound distinctly better than they did back in 1987. I also believe that their sound will be no closer to that of "the real thing" than the sound of speakers today, nor is it ever likely to be! But that won't stop audiophiles from arguing about the perceived quality differences and the pros and cons of the latest startling developments.





Behind the scenes in the dbx laboratories (top photo), testing and retesting, measuring and remeasuring go on constantly in order to improve the sound of dbx's Soundfield series speakers. Shown is the new Soundfield 50.

A llison's new IC 20 (lower photo) achieves superior imaging through an ingenious electronic switching system. The output of different panels can be combined so that the sound stage is centered no matter where you sit in a room.



Choosing the speakers that are right for you is tough but not impossible.

#### RY MASTERS I A N G.

Y first job," an audio engineer once told me, "was with a company that, while very successful, was notorious for producing speakers that had very weak treble response. The chief designer held that this characteristic was necessary for the proper reproduction of classical music. It didn't sound realistic to me, but I wasn't in a position to argue the point.

"Then, one day, I made a remarkable discovery. The designer was an avid music enthusiast and had had season tickets at the city's concert hall for many years. I attended regularly as well, but normally I could only afford the cheap seats in the second balcony. On one occasion, however, only expensive tickets were available for an artist I particularly wanted to see, and I found myself sitting right behind my boss. As soon as the concert began, I realized that we were located in an acoustic anomaly---the high frequencies were severely muted. The live music sounded just like our company's speakers!"

8

RATION.

The loudspeaker has always been the problem child of audio. Other components, for all their complexity, have relatively simple aims: to store, transmit, or amplify an electrical audio signal without changing its waveform or adding unwanted sounds. Admittedly, the original signal is sometimes flawed (usually

#### because of the engineering), but once an electrical signal is generated, most audio equipment has little trouble dealing with it. Low distortion and noise, flat frequency response, and-in mechanical devices such as tape decks or turntablesspeed stability are generally accepted as being the main requirements for high-quality reproduction. How low, how flat, and how stable components must be for their flaws to be inaudible may be disputed, but most audio designers agree that there is some level of performance beyond which improvement would yield no sonic benefit.

#### The Difficult Component

With speakers, nobody agrees on anything. For one thing, there is no consensus about what would constitute a perfect speaker. Should it be omnidirectional or carefully focused? Should it have flat response or a curve tailored to a particular type of music? Even if there were such agreement, there is no standard for measuring speaker performance, so it would be very difficult to identify a "perfect" sound reproducer even if one were to exist. Nor is there any way for a designer to predict how a speaker will sound in a particular listening room; not only are all rooms different, but the positions of both speakers and listeners have profound acoustic effects. And even if all these problems were solved, speaker designers



I he Boston Acoustics A40 is a popular bookshelf system now in its second generation. The A40 Series II is rated for a frequency response of 65 to 20,000 Hz  $\pm 3$  dB and features a ferrofluid-cooled polymer-dome tweeter. Available in woodgrain or black vinyl finish for \$220 a pair.



I hiel's Coherent Source CS 2 is a floor-standing ported speaker featuring complete time and phase coherence achieved by a sloping baffle and a synthesized first-order crossover network. Frequency response is 38 to 20,000 Hz ± 2 dB, and the speakers can handle inputs up to 250 watts. Height is 39 inches, and the base is 12 inches square. Price: \$1,550 a pair in teak finish.



I he JBL Ti series speakers, which range in price from \$590 to \$3,790 a pair, all have ultra-lowmass titaniumdome tweeters and polypropylene midrange and low-frequency drivers.

Revox's three-piece system includes a subwoofer measuring 154% x 14346 x 145% inches and two Piccolo satellites measuring 51/2 x 834 x 534 inches. System response is 48 to 22,000 Hz ± 3 dB. The satellites, available separately, are \$300 a pair, the subwoofer \$350.



Standing 25<sup>34</sup> inches high, the KEF C40 is a sealed-box system with third-order bass loading to extend low-frequency response and increase power-handling capability. Frequency response is 68 to 20,000 Hz ±3 dB. Price: \$490. would still have many different construction methods to choose from.

For anyone contemplating the purchase of an audio system for the first time, or even upgrading an existing one, all this confusion makes choosing speakers very difficult, as it has resulted in a truly staggering number of models, no two alike. And yet, selecting a pair of speakers is without a doubt an audio buyer's most critical decisionthis last vital link in the audio chain will largely determine the overall sound of a system. Careful shopping is obviously required, but it's often hard for even seasoned audiophiles to know where to start.

Fortunately, of the myriad speakers available, only a very small number will exactly fulfill your requirements. By eliminating obviously unsuitable speakers, you can make the number of candidates more manageable.

#### Narrowing the Field

First, decide on a budget. Speakers are available at a wide range of prices, but price has very little to do with their quality. Very good and very bad speakers (and everything in between) exist at all price levels. so decide at the outset how much you can spend and restrict your research to that range. When you start making the rounds of the audio stores, you may well be attracted to a more expensive speaker because of its looks, its extra features, the appeal of its brand name, or its sound, and you may consider spending more than you had intended. By all means do so if you can afford it, but remember that blowing your budget is rarely necessary. Unless you have extremely unorthodox requirements, vou should be able to find good sound without straining your finances unduly.

What you will pay for a given speaker also has a lot to do with where-and when-you buy it. Most audio retailers do have sales, and once you have decided what speakers you want, a little patience will often let you take advantage of the lower prices. Many dealers will also give you a break if you buy your whole system from them rather than from several different stores. Discount houses can also offer substantial savings, but you may have to sacrifice service if anything goes wrong, and almost certainly you will not have the opportunity to



exchange the speakers if you are not satisfied once you set them up at home. But however you achieve price reductions, they are worth seeking out, for they will enable you either to buy a more ambitious pair of speakers or to spend more on the other components in your system.

Once you have decided how much you can spend, look carefully at the requirements of the room in which your speakers will operate. One obvious factor is space: You can safely eliminate any speaker that simply won't fit in the area you have available. By the same token, if the only place you can accommodate your speakers is against a wall or in a corner, don't bother considering speakers designed to be positioned with free air around them. This category includes virtually all omnidirectional and bidirectional speakers as well as many conventional boxes. You may not be aware of such placement requirements without looking at an owner's manual, so make sure to check the manual before you make a final choice.

While an audio component's looks rarely have anything to do with how it performs sonically, it is usually unwise to underestimate the importance of visual appeal. Whatever speakers you eventually buy will become a prominent feature of your listening room. Don't count on their being unobtrusive-if you can't see them, you may not be able to hear them properly either. Within reason, choose units that will harmonize with your decor. While you may be content to have some bizarre-looking piece of exotic technology permanently ensconced in your perfect Georgian living room, other members of your household may not be quite so tolerant.

The size of your listening room has an important bearing on the speakers you choose. To achieve the same apparent listening level, a large area requires more acoustic output from a speaker than a small one does. Similarly, a "dead" room with thick carpets and draperies, overstuffed furniture, and so forth, requires more from a speaker than a "live" room with mostly hard surfaces.

Your listening habits also affect the amount of output your speakers will have to produce. High volume levels obviously need more power than background levels, but the type of music you listen to is equally important. Classical music may



A II of the speakers in Magnat's MSP series have voice coils using the company's patented Ribbon-Wire, which packs up to 40 percent more copper windings in the voice-coil gap than conventional round wire. The bookshelf-size MSP 100 (shown) has a frequency response of 41 to 27,000  $Hz \pm 3 dB$ and can handle up to 100 watts. Price: \$890 a pair.

Polk's new RTA 111 is a 39-inchhigh tower system with two 61/2-inch bass/midrange drivers symmetrically arrayed above and below a 1inch trilaminate-polymer dome tweeter. The acoustic center of the lower-frequency drivers coincides exactly with that of the tweeter, giving almost perfectly coincident radiation of the midrange and high frequencies for improved imaging and blending of the drivers' output. Two 8-inch passive radiators complete the system, which is rated for a response from 18 to 26,000 Hz  $\pm 3 dB$ . Recommended amplifier power is 10 to 250 watts. Price: \$425 each.







Magnepan's Magneplanar MG-IIIa is a full-range, floor-standing bipolar panel system utilizing both planar-magnetic and ribbon drivers. By eliminating the box enclosure, the design is said to produce a more open, natural, and dimensionally accurate sound. Price: \$1,995 a pair.





Ganton's full range of speaker systems represents some of the best European technology and styling available. Prices range from \$12,000 a pair for the floor-standing, quad-amplified CA 30 to \$275 a pair for the Plus S minispeaker.





The DCM Time Frame TF500 (above) is a taperedtransmission-line, bass-loading system with a  $6^{1/2}$ -inch cone woofer and a  $3^{1/2}$ -inch soft-dome tweeter with acoustic lens. Frequency response is 36 to 20,000 Hz  $\pm 3$  dB, height 41 inches. Price: \$549 a pair.

I he ADS L series speakers (left) range from \$340 to \$2,600 a pair. All use highcompliance Stifflite cone woofers and soft-dome tweeters. The top-of-the-line L1590 features an optional biamplifier/crossover module. have extremely high momentary peaks (particularly if it was recorded digitally), but rock music makes greater demands on audio equipment because it usually has higher *average* levels and therefore requires a system that won't fry when it's asked to produce sustained high output.

One way to obtain the necessary volume level is to use a high-power amplifier, often an attractive solution as watts are relatively cheap. High-wattage amplifiers run the risk of exceeding a speaker's power-handling capacity, however, and that can cause damage. The alternative is to choose speakers with relatively high sensitivity-ones that can produce a lot of acoustic output with relatively few watts from the amplifier. Not all speaker manufacturers measure sensitivity in the same fashion (or at all), but most now specify the acoustic output, in decibels of sound-pressure level (SPL) at 1 meter, from an amplifier input of 1 watt. A typical speaker with low sensitivity might show a specification of 84 dB SPL. For every 3-dB increase in sensitivity, half the amplifier power is required to produce the same sound level; anything above, say, 92 or 93 dB SPL is usually considered high sensitivity, and some blockbusters can put out more than 100 dB.

Sensitivity has very little to do with a speaker's overall sound quality; it is a measure of quantity for a given input. Another aspect of a speaker's design that should be considered even though it has no bearing on sonic character is its impedance: the electrical load presented to an amplifier's output circuitry, measured in ohms. Most amplifiers are intolerant of speakers whose impedance is too low because that increases current drain and can cause damage. Every amplifier spec sheet indicates the optimal load, just as every speaker has a stated nominal impedance.

In normal circumstances, it is unlikely that problems of impedance matching will occur, as the majority of home speakers have a nominal impedance of 8 ohms and virtually all amplifiers are happy driving that. If you intend to drive more than one pair of speakers from the same amplifier, however, remember that doing so reduces the total impedance and may cause trouble. When choosing speakers, therefore, you should limit your selection to





The pioneering Klipschorn is a folded-horn system designed for corner placement. A classic reference speaker, it costs about \$2,800 a pair depending on finish.

A pogee's Scintilla is a full-range ribbon dipole that stands 57 inches high. Each speaker requires 100 watts minimum power. Price: \$3,780 a pair.



models that will be compatible with your amplifier.

#### Doing Your Homework

Once you have identified your broad requirements, you will have eliminated the great majority of speakers on the market. You will then be faced with the more manageable task of finding a selection of the ones that do fit your particular needs. STEREO REVIEW and other audio magazines periodically publish comprehensive directories of audio components, with specifications and prices, and these are extremely useful for identifying candidates. Simply go through and mark those that match your criteria; in all likelihood, you will find several, but not too many. The information in the directories can often be supplemented by other published material such as test reports or advertisements.

Armed with this basic information, find out which of the brands you're considering are sold locally. While virtually everything is available in the major cities, if you live in a smaller town there is little point in selecting a speaker you'll have to go to another state to obtain. Often the telephone company's Yellow Pages will indicate which local dealers carry which lines, but a preliminary visit to as many of them as possible will not only give you an idea of what is available but also provide some sense of what each store is like. You will eventually have to make a careful choice as to where you want to make your purchase, and it is useful to weed out the obvious unsuitables at an early stage. This step may also narrow your equipment choices to some extent: You can safely eliminate any brand that is only available somewhere you wouldn't want to shop. While you're visiting the stores, pick up as much literature as you can. Most dealers can not only supply manufacturers' brochures but also test-report reprints-all favorable, of course, but they can still give you information about features, placement requirements, and so on.

Other valuable sources of information are audiophiles of your acquaintance, whether friends, relatives, or co-workers. Canvass their opinions about the brands you are considering and, if possible, even the specific models. Such unbiased opinions are worth many salesmen's pitches or glossy advertisements. You may even find that someone you know owns one of your candidates. If he is happy with it, try to arrange a listening session (or, better still, borrow the speakers). If you like what you hear, you might even decide to cut short your quest and buy a known quantity.

Give some thought-but not too much-to brand names. No manufacturer's imprint, however good the reputation, is an absolute guarantee of quality, but buying a speaker made by a leading company will usually insure a certain level of workmanship as well as the likelihood that service will be available if you have a problem in later years. Generally, you should avoid a store's "house brands," not because they are bad speakers—some are excellent-but because their source is usually a mystery and their prices are often more or less arbitrarily set by the retailer.

#### The Last Round

However much research you might have done, your final choice can only be made by listening—lots of listening. The subject of auditioning speakers has given birth to a vast literature, and no two experts really agree on what is the most reliable method. Even if there were some agreement, the chances of your finding stores with ideal demonstration environments are very small.

Nevertheless, if your list of finalists is small enough—half a dozen, say—and you can find a dealer who carries most of them, direct comparisons should be possible.

The listening room should approximate the size and arrangement of your own, if possible, and you should try to persuade the retailer to place the speakers you are considering in positions roughly equivalent to where they will be in your own room. Listen to the speakers two at a time, using familiar material (preferably your own records). Bear in mind that the speakers will inevitably sound different when you set them up at home, so make sure that the dealer has an exchange policy in case the differences are so great that your sound is unacceptable.

Throughout this process, take your time. Loudspeakers are the most important component in your audio system, and only patience and persistence can insure that the ones you buy are right for you.



# POWERED SPEAKERS

POWERED, or active, loudspeakers have power amplifiers built into them, and because of this they have long been regarded as something of an oddity in the audio universe. Recently, though, powered speakers have made a dramatic comeback—especially the compact models that can be connected directly to portable CD players, personal cassette players, and stereo video systems.

Today's powered speaker systems come in a variety of sizes and prices, and they can benefit home systems as well as portable ones. Though using active speakers at home means you cannot select your own power amplifier, they do offer a number of advantages over passive systems: the built-in amplifier(s) can be matched precisely with the speaker drivers, active equalizers can be introduced, and efficient low-level crossovers can be used. To complete your music system, simply connect a preamplifier or an individual line-level signal source to the speakers. If you are buying a new system or are considering an upgrade, powered speakers are an intriguing option.

#### BY WILLIAM WOLFE



ian M30 active speaker uses a pair of 70-watt Class AA amplifiers to drive its 5-inch papercone bass/midrange driver and 11/2-inch ferrofluid-damped soft-dome tweeter. A defeatable music-sensing circuit switches the system to standby mode if no signals are received for 10 minutes. The speaker measures 7 x 15 x 12 inches. Price: \$1,625 a pair.

he Merid-



Recoton's F.R.E.D. SP-1 has an efficient bass-reflex design, and the 12-watt-per-channel amplifier powers a 5-inch full-range driver in each speaker. The compact enclosures measure 17 x 10 x 7 inches. Price: \$169.95 a pair.



roton's Model 313 has a 4<sup>1</sup>/<sub>2</sub>-inch passive radiator, a 4<sup>1</sup>/<sub>2</sub>-inch woofer powered by a 20-wait amplifier, and a 1<sup>3</sup>/<sub>4</sub>-inch dome tweeter powered by a 5-wait amplifier. Tweeter output is adjustable. Dimensions are 6<sup>1</sup>/<sub>2</sub> x 23 x 11 inches. Price: \$300 a pair. A udio Pro's A4-14 system inchudes an "Ace-Bass" subwoofer, two rear-mounted, downward-firing 5-inch woofers, a  $4\sqrt{2}$ -inch cone midrange, and a 1-inch soft-dome tweeter. Crossovers are at 300 and 2,500 Hz. Dimensions are  $12 \times 20\sqrt{2} \times 10\sqrt{2}$  inches. Price: \$1,895 a pair.





he AR Powered Partners are shielded so that they can be used near video monitors without disrupting the picture. Each triangular speaker has a 4-inch long-throw woofer and a liquid-cooled tweeter. Dimensions are 6 x 10½ x 7% inches. Price: \$340 a pair.




he Active Diamond from Wharfedale is available in red, black, or white lacquer finish with removable cloth grilles. Its 20watt amplifier drives a 41/2-inch bass/midrange driver and a 34-inch tweeter. Overall dimensions are 71/2 x 91/2 x 8 inches. Optional accessories include shelf and wall mounting brackets, a carrying case, and adaptors for headphone jacks. Price: \$200 a pair.

A vailable in 6 x 9 x 6-inch black or white polypropylene enclosures, the Bose Roommates (right) use some of the same technology found in Bose's popular Model 901, including active equalization. Price: \$229 a pair.

Bang & Olufsen's Beolab Penta (below) is a five-sided, bass-reflex tower system finished in brushed stainless steel. Height is 65 inches; base is 5 inches on a side. A 150-watt amplifier powers the nine drivers. Price: \$2,999 a pair.





ohn Bowers's Active 1 is a compact powerhouse, using a 200-watt amplifier to drive its two 6-inch Bextrenecone woofers and a 100watt amplifier to drive a 1-inch polyamide-dome tweeter. The speaker measures 10 x 245/8 x 1534 inches, and the stand holding the amplifiers raises the top of the speaker 337/8 inches from the floor. Price: \$2,995 a pair.



## **DPERA DN CD** A BASIC LIBRARY, PART 1

#### BY ROBERT ACKART



NCREASING public exposure to opera and wide appreciation of fine operatic performances have greatly expanded the list of what might be considered the "basic" operas. At one time such a list might have included simply La bohème, Tosca, Madama Butterfly, La Traviata, Rigoletto, and, possibly, Lohengrin. Those works made up the repertoire, and they were the operas that got recorded.

Operatically our lives are immensely richer now, and our tastes and knowledge are more schooled. Fortunately, there is much to choose from on compact discmore than we can cover even in a two-part survey (operas by Verdi and Wagner will be covered in Part 2, scheduled for later this year). There are, perforce, omissions, and there are bound to be new releases even of the works discussed by the time this discography is printed. But operatic recordings do not go out of print quickly, and the versions evaluated here should remain available for some time.

Much has been said about the sonic advantages of CD's over LP's. The superiority of the CD is a fact and a big attraction—for the majority of recordings available in both formats, but it is not invariably the case. Remastered analog recordings, however, generally gain in quality on CD. Another attraction, of course, is increased playing time. CD's offer long stretches of uninterrupted listening—sometimes more than seventy minutes.

When two or more CD versions of an opera are available, they are listed here alphabetically by label (Deutsche Grammophon being abbreviated to DG). The label name is followed by the catalog number and the number of CD's in the set. Mono recordings are indicated by an O symbol.

#### **BEETHOVEN:** Fidelio

◆ DG 419 436-2 (two CD's). Janowitz, Kollo, Jungwirth, Fischer-Dieskau, Sotin; Vienna State Opera Chorus; Vienna Philharmonic Orchestra, Leonard Bernstein cond. Impressively cast and conducted with passionate dedication, this 1978 recording remains something of a landmark. The musical and dramatic power of Beethoven's one opera is fully realized by the Viennese forces under Bernstein's direction, and Gundula Janowitz as Leonore and René Kollo as Florestan have the amplitude of voice their roles require. The rest of the cast is excellent. The Leonore Overture No. 3 is played as the introduction to the opera's final scene-and quite a performance it is, too!

 LONDON 410 227-2 (two CD's). Behrens, Hofmann, Sotin, Adam, Howell; Chicago Symphony Chorus and Orchestra, Georg Solti cond. This fine Fidelio was recorded in 1979. The choral passages, under Margaret Hillis's direction, are thrilling, and each of the soloists is in top form. Hildegard Behrens's voice, though perhaps not as large as Janowitz's, is an instrument of greater emotional power; Peter Hofmann performs convincingly as Florestan for the most part, but he is not quite equal to the demands of his big aria. Hans Sotin, Theo Adam, and Gwynne Howell are all commendable. The Leonore No. 3 is here played as an appendix to the opera.

#### **BELLINI:** Norma

◆ ANGEL <sup>®</sup> CDCC-47303 (three CD's). Callas, Stignani, Filippeschi, Rossi-Lemeni; Chorus and Orchestra of La Scala, Milan, Tullio Serafin cond. Recorded in 1954 with a now legendary cast, this *Norma* is the only one available as yet on CD. While other performances *might* be more beautifully sung, Maria Callas's Norma is *the* standard for musical style and dramatic insight in this role. Her colleagues are somewhat less spectacular vocally but still splendid, and the conducting is authoritative.

#### **BIZET:** Carmen

♦ ERATO ECD 880373 (three CD's). Migenes-Johnson, Domingo, Raimondi, Esham; Chorus of Radio France; Orchestre National de France, Lorin Maazel cond. The 1984 soundtrack for the motion picture starring Julia Migenes-Johnson and Placido Domingo, this Carmen is as graphic as a recorded performance can be. "Sexy" is the word! Of the four principal roles, it is Migenes-Johnson's characterization of Carmen that is the most sharpened by cinematic demands. She croons, storms, and whimpers to great effect and generally delivers the role precisely and expertly. The performances of Domingo and the others are vocally

praiseworthy but more conventional, though intensified beyond what is customarily heard in the opera house. For theatrical effect, Maazel sometimes alters rhythms, purposely slowing or speeding them, but the chorus and orchestra under his direction perform crisply throughout.

♦ DG 410 088-2 (three CD's). Baltsa, Carreras, Van Dam, Ricciarelli; Paris Opera Chorus; Berlin Philharmonic, Herbert von Karajan cond. The original opéra comique version, with trained actors supplementing the fine singers to produce a completely believable Carmen. The sound is gorgeous, and Karaian conducts at a leisurely pace that is altogether revelatory. Agnes Baltsa colors and inflects her voice to bring her Carmen very much to life, and while she sings sensually, she also sings very beautifully. José Carreras is generally fine as Don José except when singing forte in the upper register, and José van Dam's Escamillo is properly suave and dashing

#### DONIZETTI: Lucia di Lammermoor

♦ ANGEL CDCB-47440 (two CD's). Callas, Tagliavini, Cappuccilli; Philharmonia Chorus and Orchestra, Tullio Serafin cond. A legendary recording that offers four special pleasures: Callas's Lucia, interpreted with such insight that the voice, though past its prime, truly becomes an instrument of dramatic communication; Ferruccio Tagliavini's Edgardo, a role especially suited to the purity of his voice; Piero Cappuccilli's Enrico, richly sung and menacingly articulated; and Serafin's conducting, which illuminates Donizetti's sometimes shopworn masterpiece so that it emerges like a new and exciting creation. The remastered sound of this 1959 stereo recording is entirely satisfactory.

LONDON 410 193-2 (three CD's). Sutherland, Pavarotti. Milnes; Chorus and Orchestra of the Royal Opera House, Covent Garden, Richard Bonynge cond. A very well remastered recording from 1972, when this cast was unsurpassed for Lucia. The unusually exciting performance is well paced for the high theatricality of the opera. Sometimes Bonynge's tempos are considerably faster than we're used to, and at others his purposeful slowing-up is dramatically enhancing. In short, Bonynge at his best. The enfire cast is strong, and the three principals, on whom the success of a Lucia performance depends, sing with the controlled abandon of true virtuosos. This recorded version is made even more attractive by the restoration of passages that are often cut but help round out the work both as music and as a theater piece. Highly recommended.

#### **GOUNOD:** Faust

◆ PHILIPS 420 164-2 (three CD's). Araiza, Te Kanawa, Nesterenko; Chorus and Orchestra of the Bavarian Radio, Colin Davis cond. The reason for the enduring popularity of *Faust* is demonstrated by this performance, meticulously prepared and conducted with the style necessary to show off the work CI.

Rosi's film of Bizet's Carmen. The scundtrack is available on an Erato CD.

At right, Kiri Te Kanawa is a childlike Marguérite and Francisco Araiza a stylish Faust in the new Philips recording of Gounod's opera.



#### **OPERA ON CD**

at its best. As Faust, Francisco Araiza sings convincingly and stylishly. Kiri Te Kanawa's silvery limpid voice evokes the childlike innocence of Marguérite, and Yevgeny Nesterenko makes a richvoiced, vigorous Méphistophélès. Chorus and orchestra sing and play expressively. This is a well-recorded, effective performance of one of the "grandest" of grand operas.

#### **GOUNOD:** Roméo et Juliette

♦ ANGEL CDCC-47365 (three CD's). Malfitano, Kraus, Van Dam, G. Quilico, Murray, Bacquier; Chorus and Orchestra of the Capitole de Toulouse, Michel Plasson cond. "Elegant' is the word for this performance. Plasson's conducting is sure and sensitive, and while his approach to Gounod's score is never profound, it is theatrically effective and emotionally appealing. Alfredo Kraus brings an ardent youthfulness to Roméo, and Catherine Malfitano sings Juliette with a clear, silvery voice and a sense of character that complements Kraus's portrayal. Gabriel Bacquier, José van Dam, and Gino Quilico are vocally impressive and dramatically convincing as Capulet, Frère Laurent, and Mercutio, respectively, and Ann Murray sings Stephano's aria with polish. Recommended.

#### LEONCAVALLO: Pagliacci

♦ PHILIPS 411 484-2 (one CD). Domingo, Stratas, Pons, Andreolli, Rinaldi; Chorus and Orchestra of La Scala, Milan, Georges Prêtre cond. Taken from the soundtrack of Franco Zeffirelli's TV film, the recording itself is satisfactory, but the singing is uneven. Placido Domingo and Teresa Stratas are well into their roles, but their performances are molded to the visual action of the film. As an operatic recording, this *Pagliacci* compares unfavorably with Riccardo Muti's on Angel and Nello Santi's on London, neither of which is available yet on CD.

#### MASCAGNI: Cavalleria rusticana

 PHILIPS 416 137-2 (one CD). Obraztsova, Domingo, Barbieri, Bruson, Gall; Chorus and Orchestra of La Scala, Milan, Georges Prêtre cond. For the soundtrack of the 1983 Zeffirelli film, Prêtre conducts an opulent, hit-'embetween-the-eyes performance that perhaps served its purpose but lacks nuance when heard on its own. Domingo stands up valiantly to Elena Obraztsova's muscular Santuzza-and nearly succeeds. Fedora Barbieri, long remembered with admiration, should want her thin-voiced, rather querulous Mamma Lucia quickly forgotten. Renato Bruson and Axelle Gall, as Alfio and Lola, come off best.

MUSSORGSKY: Boris Godunov ♦ PHILIPS 412 281-2 (three CD's). Vedernikov, Arkhipova, Masurok; TV



Maria Callas: legendary as Norma, Lucia, and Tosca

and Radio Chorus and Orchestra of the U.S.S.R., Vladimir Fedosevev cond. This is a recording of Boris as Mussorgsky left it, incorporating the additions and changes he made following the opera's initial rejection but not using the familiar Rimsky-Korsakov revisions. Some of the voices-such as Alexander Vedernikov in the lead-are not as big as we are accustomed to hear in this work, and, perhaps for that reason, other values come to light. In particular, the score is sung throughout, so we hear melody where we have come to expect declamation. The balance between the orchestra and the voices is good, and the recording itself is technically excellent. Fedoseyev's conducting is clear, clean, and crisp. Recommended.

#### **MOZART:** Don Giovanni

♦ ANGEL CDCC-47036 (three CD's). Allen, Vaness, Lewis, Ewing, Van Allan, Gale; Glyndebourne Festival Chorus; London Philharmonic Orchestra, Bernard Haitink cond. From the first clean, crisp, well-paced bars of the overture through the final sextet, musical matters are handled with style and the sense of theater and humor necessary to Mozart's dramma giocoso. Thomas Allen's clear-voiced Don recalls fabled performances of the not-too-distant past, and the rest of the cast is strong. Thanks to Haitink especially, this is the best recording of Don Giovanni since Fritz Busch's in 1936, also derived from a Glyndebourne production.

♦ DG 419 179-2 (three CD's). Ramey, Tomowa-Sintow, Winbergh, Burchu-

ladze, Baltsa, Furlanetto, Battle; Chorus of the Deutsche Oper, Berlin; Berlin Philharmonic, Herbert von Karajan cond. The recording is well balanced, clear, sonorous, and "live." The performance has several fine qualities: Samuel Ramey's warm voice and refined musical style as the Don; the graceful handling of Ottavio's two arias by Gösta Winbergh; the enchanting Zerlina of Kathleen Battle, who, more than the others in the cast, creates a living character; and, throughout, the firm stamp of Karajan's musicianship and imposing authority. But there is, too, some erratic pacing-forte passages seem to explode, and quiet sections are so relaxed that they tend to lose dramatic focus. The performance as a whole lacks excitement.

◆ EURODISC 6102-8723 (three CD's). Titus, Varady, Moser, Augér, Panerai, Mathis; Chorus and Orchestra of the Bavarian Radio, Rafael Kubelik cond. Kubelik tends toward a "romantic" reading of the score; his tempos are more relaxed than crisp, more leisurely than brisk. And Alan Titus is not yet a polished Don, singing the part accurately but without great magnetism. Without a dominating singer in the title role, Mozart's masterpiece inevitably lacks dramatic focus and tension. The rest of the cast is commendable, especially the three sopranos-Julia Varady, Edda Moser, and Arleen Augér-who contribute the most interesting performances.

#### **MOZART:** The Marriage of Figaro

 LONDON 410 150-2 (three CD's). Te Kanawa, Popp, Von Stade, Ramey, Allen, Moll; London Philharmonic Orchestra, Georg Solti cond. Recorded in 1981, this elegant performance has been successfully remastered for CD. The best performances are Frederica von Stade's captivating Cherubino, Lucia Popp's silvery Susanna, Thomas Allen's suave and clear-voiced Count, and Kurt Moll's blustering Bartolo. Te Kanawa, as the Countess, sings beautifully but seems uninvolved, making her characterization less than arresting. Samuel Ramey has one of the most satisfying voices I know-effortlessly produced, big, warm, and mobile-and yet, despite the apparent sincerity of his performance, his Figaro is unexciting.

♦ PHILIPS 416 370-2 (three CD's). Popp, Hendricks, Baltsa, Van Dam, Raimondi, Lloyd; Ambrosian Opera Chorus; Academy of St. Martin-in-the-Fields, Neville Marriner cond. We tend to take *Figaro* for granted until, to our delight, we come upon a performance that fully reveals its genius. This is such a performance. It is characterized by delicacy, crispness, accuracy, and finesse—qualities shared by the recording itself. Popp is at her stylish best; Barbara Hendricks sings Susanna with a purity of tone and ease of control not



Proton's AV27 audio-video system.



300 Series Remote-Controlled Components with Dynamic Power on Demand " (top to bottom) AM-300 Stereo Amplifier, AT-300 Stereo Tuner AD-300 Cassette Deck, 830R CD Player

Your audio-video system should be a reflection of your lifestyle. That's why you'll want the ultimate in picture, sound and design.

Introducing Proton's new AV27 audio-video system.

At the heart of the system is our superb, remote-controlled 300 Series audio components with exclusive Dynamic Power on Demand<sup>™</sup> (DPD<sup>™</sup>). Since its introduction, DPD has received the highest acclaim. It does what no other technological innovation has for CD, other digital recordings, or hi-fi video listening pleasure. DPD boosts the amp's output up to four times its rated power, to let you hear even the highest musical peaks clearly, without distortion.

When you put the 300 Series together with our new matching speakers, you'll have a combination that sounds as extraordinary as it

looks. And, it's the perfect complement to Proton's stunning new 27" flat screen stereo monitor/receiver.

The Proton AV27 audio-video system. Once you own it, you'll know you've arrived.

#### The ultimate audio/video guide is yours free for the asking.

Proton's Ultimate System Guide for Audio/Videophiles tells you everything about the innovative technology and design that go into creating the renowned Proton line

For your copy, which includes a list of the Proton retailers near you, call (800) 772-0172. In California, (800) 428-1006.



CLEARLY THE BEST 737 W. Artesia Blvd., Compton, CA 90220

#### OPERA ON CD

often encountered; José van Dam is a very winning *picaro*; Agnes Baltsa uses her limpid mezzo-soprano to fine advantage as Cherubino; and Robert Lloyd contributes an endearing fuddyduddy of a Bartolo. The ensemble singing is of a rare excellence throughout. In short, this version has everything that makes *Figaro* the unique achievement it is.

#### **MOZART:** The Magic Flute

◆ DG 410 967-2 (three CD's). Mathis, Ott, Araiza, Van Dam, Hornik; Chorus of the Deutsche Oper, Berlin; Berlin Philharmonic Orchestra, Herbert von Karajan cond. Richly remastered from a 1980 release, this CD version offers a truly stellar cast (including Anna Tomowa-Sintow and Agnes Baltsa as the First and Second Ladies!), and Karajan's direction brings out all the qualities that are dear to lovers of this most special *Singspiel*.

♦ PHILIPS 411 459-2 (three CD's). M. Price, Serra, Schreier, Moll, Melbye; Leipzig Radio Chorus; Dresden State Orchestra, Colin Davis cond. A strongly cast performance is lovingly molded to evoke the warmth, humor, and fairytale quality of Mozart's "people's opera." Margaret Price sings Pamina purely and touchingly, and Peter Schreier, Kurt Moll, and Mikael Melbye respectively bring affecting ardor, fatherly warmth, and endearing bumptiousness to the roles of Pamino, Sarastro, and Papageno. The orchestral playing is especially fine.

#### **OFFENBACH:** Tales of Hoffmann

 LONDON 414 581-2 (two CD's). Sutherland, Domingo, Bacquier, Tourangeau; Suisse Romande Chorus and Orchestra, Richard Bonynge cond. Despite Placido Domingo's youthful singing, Gabriel Bacquier's suavely evil characterization, and Joan Sutherland's performance of all four soprano roles, I find this well remastered 1971 recording a disappointment. True, Sutherland's Olympia is an incredible accomplishment, with a more embellished version of the Doll's Song than I have heard from anyone else, but she makes little of Giulietta's character beyond some rather edgy laughter, and it's hard to understand most of what she's singing about as Antonia. Bonynge's conducting is spirited, but at times it seems frantic. And the affected delivery of the dialogue is irritating.

#### PUCCINI: La bohème

◆ ANGEL <sup>®</sup> CDS-47235 (two CD's). De los Angeles, Bjoerling, Amara, Merrill, Reardon, Tozzi, Corena; RCA Victor Chorus and Orchestra, Thomas Beecham cond. This 1956 mono recording has been beautifully remastered for CD, and while the sound quality does not equal that of newer recordings, the performance is wonderful. The now legen-



Joan Sutherland: at her most "stupendous" as Turandot

dary singers were at their prime thirty years ago, and none of them ever sounded better or gave a more telling interpretation. Beecham's conducting fully reveals the score's humor and poignancy.

 PHILIPS 416 492-2 (two CD's). Ricciarelli, Carreras, Putnam, Wixel, Hagegaard, Lloyd; Chorus and Orchestra of the Royal Opera House, Covent Garden, Colin Davis cond. This well recorded performance, typical of Davis's work, is musically gratifying, carefully prepared, and sensitively communicated, but it lacks dramatic thrust and immediacy. Although Katia Ricciarelli sings a lovely Mimi, she does not seem to be especially involved in the role. José Carreras's performance, sadly, is not without effort even though it was recorded in 1979, before he turned to a more dramatic repertoire. The other three "Bohemians" are fine, but Ashley Putnam's Musetta is less an engaging hoyden than a strident shrew. The chorus and orchestra deserve high marks for musical finesse.

◆ RCA RCD2-0371 (two CD's). Caballé, Domingo, Milnes, Blegen, Raimondi, Castel; John Alldis Choir; London Philharmonic Orchestra, Georg Solti cond. An especially satisfying performance, originally recorded in 1974 and remastered to fine sonic effect. The four principal artists have rarely sung with so much freedom or dramatic expression. The serious moments are affectingly touching, the comic scenes have dash and bounce, and the participants communicate their sense of fun to the listener (a particularly delightful vignette is Nico Castel's Alcindoro). The chorus and orchestra are in top form. Despite the strength of the combined forces, *the* star may be the conductor. This is one of Solti's best opera recordings, theatrically exciting yet free of his usual driving intensity. Recommended.

#### **PUCCINI:** Madama Butterfly

 CBS M2K 35181 (two CD's). Scotto, Domingo, Wixell; Ambrosian Opera Chorus; Philharmonia Orchestra, Lorin Maazel cond. This 1978 recording transfers fairly well to CD, although there is a bit of cloudiness in the sound every so often. Renata Scotto sings with passion, power, and, for the most part, unforced tone. Her Butterfly is more "heroic" than I prefer, but you can't deny her thorough knowledge of the role's musical and dramatic requirements. It is a pleasure to hear the impetuous, warm-voiced Pinkerton that Placido Domingo creates here, and Ingvar Wixell is a compassionate and musically accurate Sharpless. Maazel's able direction yields lovely orchestral and choral moments, but overall this is the kind of intense reading of the score I find a bit tiring. Few will share that reaction, perhaps, given the stellar caliber of the participants.

MELANCON/LONDON

 HUNGAROTON 12256-57-2 (two CD's). Kinčses, Dvořsky, Miller; Hungarian State Opera Chamber Chorus and Orchestra, Giuseppe Patanè cond. Except for the conductor, this Butterfly is performed by non-Italian artists. It is, however, unusually satisfying. Veronika Kinčses and Peter Dvořsky have made several other recordings, and the other principals, though not generally known, are very good; they sing clearly, easily, and intelligibly. Patanè moves things along at a pleasant tempo and at the same time brings out details of the music that I have not often heard. The recorded sound is characterized by exceptional clarity.

◆ LONDON 417 577-2 (three CD's). Freni, Pavarotti, Kerns; Vienna State Opera Chorus; Vienna Philharmonic Orchestra, Herbert von Karajan cond. One of Karajan's best opera recordings, the 1974 original has been particularly well remastered for CD. The distinguished cast (Christa Ludwig sings Suzuki) was dedicated to bringing out musical and theatrical nuances, and both the singers and the conductor succeeded admirably. The sound is excellent, and the drama unfolds in a way that would be noteworthy in the most effective stage performance. Recommended.

#### **PUCCINI:** Tosca

◆ ANGEL <sup>(1)</sup> CDCB-47174 (two CD's). Callas, Di Stefano, Gobbi; Chorus and Orchestra of La Scala, Milan, Victor de Sabata cond. Recorded in 1953, this *Tosca* made history. Callas—"La Divina"—is simply breathtaking in what "Is the sun coming up or going down?"



"I don't know, the last thing I remember is you turning up the stereo."

That's the way it happens. The clean, clear sound of Pyle Driver<sup>®</sup> car stereo speakers transforms an ordinary ride in the country into a spellbinding experience.

The new Pyle Driver Pounder\* systems make superior sound a reality in virtually any type vehicle. Innovative features like heavy duty woofers, volume-weighted pass ve radiators, high fidelity dome tweeters, and low-leakage 12 dB crossovers are computer matched and hand built into custom tuned enclosures.

That same dedication to quality is built into Pyle's new Digital Demand amplifiers. Powerful yet distortion free, Pyle Digital Demand amplifiers provide the purest sound possible.

Make your next drive a spellbinding experience with Pyle Driver Pounder® speaker systems and electronic components.





For the name of the Pyle dealer nearest you wrte: Pyle Industries, Inc. • Huntington, IN 46750



#### OPERA ON CID

was perhaps her most completely realized role, and she is marvelously supported by Giuseppe di Stefano, in golden voice, and Tito Gobbi, whose Scarpia remains the prototype of aristocratic malevolence. De Sabata's forceful conducting makes one wish he had recorded more than he did; alas, there was so little, and only this on CD for the moment.

◆ LONDON 414 597-2 (two CD's). Te Kanawa, Aragall, Nucci; Welsh National Opera Chorus; National Philharmonic Orchestra, Georg Solti cond. The orchestra, recorded with vibrancy and exceptional clarity, plays very well, responding deftly to Solti's driven reading of the score. Giacomo Aragall's durable, if not particularly beautiful, voice is capable of Cavaradossi's outbursts. Leo Nucci's Scarpia is unmoving; he sings well and is readily understandable, but he is not interesting. The same must be said of Te Kanawa's Tosca, which is neither memorable nor rich. The set is noteworthy chiefly for its splendidly sumptuous sound.

◆ RCA RCD2-0105 (two CD's), L. Price, Domingo, Milnes; John Alldis Choir; New Philharmonia Orchestra. Zubin Mehta cond. Here is a Tosca as alive and immediate as pasta with garlic. The performance stays close to what the opera is all about, passionate love and malevolent lust. The 1973 recording has a rich, full sound, and Mehta paces the score dramatically but without frenzy. Yes, Leontyne Price overacts at times, but we also have her wonderful smoky voice, which can suddenly rise in a silvery pianissimo. Yes, Sherrill Milnes's Scarpia is stolidly hateful rather than smoothly despicable, but he sings with conviction and impressive richness of tone. And, of course, Domingo sings splendidly.

#### **PUCCINI:** Turnandot

 CBS M2K 39160 (two CD's). Marton, Carreras, Ricciarelli, Bogart; Chorus and Orchestra of the Vienna State Opera, Lorin Maazel cond. Recorded live in Vienna, this performance grows in intensity as it progresses. The sound, however, varies in quality, as is often the case with live recordings. Eva Marton sings powerfully and is undaunted. by Turandot's dangerous tessitura, but there is little sense of line. She declaims the role. Katia Ricciarelli is more successful with Liù and offers some lovely singing. José Carreras is disappointing as Calaf; his light and once-melting lyric voice is not suited to the prince's heroic outbursts. Maazel's pacing is effective, though.

◆ DG 410 096-2 (three CD's). Ricciarelli, Domingo, Hendricks, Raimondi; Vienna State Opera Chorus; Vienna Philharmonic Orchestra, Herbert von Karajan cond. Karajan's recent tendency to play in a relaxed manner does not enhance a work as taut as *Turandot*.



Samuel Ramey: warmth and refinement as Mozart's Don

though the sound he draws from the chorus and orchestra is full and rich. The chief disappointment of this performance, however, is Ricciarelli, who sings with all the strength she can muster yet barely makes the grade. Turandot is a harrowing if short role; for a lyric soprano to attempt it is foolhardy. The much longer part of Calaf is just as demanding, and while Placido Domingo accomplishes it, he does so with effort. Barbara Hendricks's Liù is most beautifully phrased and sung.

 LONDON 414 272-2 (two CD's). Sutherland, Pavarotti, Caballé, Ghiaurov; John Alldis Choir; London Philharmonic Orchestra, Zubin Mehta cond. First recorded in 1973 and splendidly remastered for CD, this Turandot finds Joan Sutherland at her most "stupendous," Luciano Pavarotti singing at his golden-voiced best, Montserrat Caballé delivering her two arias in celestial voice, and Nicolai Ghiaurov particularly affecting as Timur. (The emperor Altoum is Peter Pears, no less, who brings a special quality to his lines.) The chorus is admirable, and the orchestra plays with exceptional precision and fervor. Mehta creates a sumptuous musical setting that you will rarely encounter elsewhere. Recommended.

#### **ROSSINI:** The Barber of Seville

◆ PHILIPS 411 058-2 (three CD's). Allen, Baltsa, Araiza, Lloyd; Ambrosian Opera Chorus; Academy of St. Martinin-the-Fields, Neville Marriner cond. This Barber, performed con brio (e amore), is the only one on CD so far. Marriner and the cast seem to be openly enjoying themselves. His conducting is crisp, markedly rhythmic, and properly bubbly, and the vocal performances are all distinguished by fine diction, accurate and sometimes breathtaking *fioratura*, and an infectious sense of comedy. The inclusion of Almaviva's Act II aria "Cessa di più resistere," always omitted in staged performances, comes as a happy surprise (its principal melody can be recognized in the Act II finale of Cenerentola, produced some eleven months after the Barber). A fully enjoyable recording.

#### R. STRAUSS: Der Rosenkavalier

 DENON 100C37-7482-4 (three CD's). Pusar-Joric, Walther, Stejskal, Adam; Dresden State Opera Chorus; Dresden State Symphony, Hans Vonk cond. This performance of Der Rosenkavalier, recorded live at the opening of the newly reconstructed Semper Opera House in Dresden in 1985, is musically satisfying, and for those who enjoy realistic touches, there are some audible but unobtrusive stage sounds. Only Theo Adam as Ochs will be familiar to most listeners, but all of the cast sing accurately, tastefully, and with dramatic conviction. The opening scene is particularly touching; Sophie comes across as a stronger personality than she usually does. Also, Ute Walther sings the Octavian/Mariandel horseplay at the beginning of Act III (it is too often whined or nasalized). All told, a lively, lilting performance.

• DG 413 163-2 (four CD's). Tomowa-Sintow, Baltsa, Perry, Moll; Vienna Philharmonic Orchestra, Herbert von Karajan cond. Karajan conducts as one who knows this score as well as any living exponent of it; the orchestra simmers, soars, and sings. Agnes Baltsa's Octavian is beautifully sung and imaginatively portrayed. Anna Tomowa-Sintow matches her partner vocally, if without great dramatic incisiveness. Janet Perry sings prettily but is able to do little to make the character of Sophie interesting. The real "stars" are Karajan and the orchestra. But why four discs? LONDON 417 293-2 (three CD's). Crespin, Minton, Donath, Jungwirth; Vienna Philharmonic Orchestra, Georg Solti cond. Except for a throbbing sound at the beginning of Act II and a few-out-of-focus notes in the initial Octavian-Sophie duet, the sonics of this 1969 recording are entirely satisfying. Régine Crespin, always one of the warmest, most womanly of Marschallins, offers a moving characterization that is one of the special pleasures of this set. Yvonne Minton sings Octavian with glowing tone and conviction, Helen Donath makes as much of Sophie as anyone could, and Manfred Jungwirth sings more of Ochs's part than we usually hear in the theater-a welcome change. Solti draws an even richer tone from the Vienna Philharmonic than Karajan does. Recommended. 

A visual representation of 16-bit/88.2 kHz oversampling, the current industry standard.

CHICK COREA . NO MYSTERY

Yamaha's redefined HI-BIT standard 18-bit/176.4 kHz oversampling.

STEREO

## Yamaha has just redefined the compact disc.

The new Yamaha CDX-1100U brings a whole new definition to the term definition.

It does so by simply integrating the most innovative and advanced CD technologies ever. No doubt exactly what you expect from the leader in digital audio sound reproduction.

But if you think that's all we did to improve our new CD player, listen carefully. Because the CDX-1100U also employs HI-BIT technology no other manufacturer has even thought of.

Like quadrupling the sampling rate to 176.4 kHz, then combining it with our exclusive 18-bit



digital filter and 18-bit dual digital-to-analog converters. This unique combination produces waveform resolution accuracy four times greater than any other CD player on the market today.

What does all this accuracy mean? For starters, a more precise interpretation of the music that was always on your discs to begin with. A truer, more realistic soundstage, articulated without sacrificing musical warmth or smoothness. Of course, there are other design features that put the CDX-1100U at the forefront of CD performance. Including a floating suspension system that eliminates vibration-induced signal modulation, and photo-optical couplings for a noise-free digital signal transmission.

and d this leaded prombined a

And there's more than leading-edge technology to the CDX-1100U. There's also leading-edge convenience. By way of our 44-key wireless remote that has interactive control compatibilities, our 4-way repeat play, and our 24-track random programming that lets you play the music in the order you want it played.

If you'd like more details on Yamaha's latest advances in digital technology, write for a free technical white paper. But for the simplest and best explanation of our technological superiority, slip one of your compact discs into a CDX-1100U and push "Play." Then you'll know you've finally heard it all.



Yamaha Electronics Corporation, USA, P.O. Box 6660, Buena Park, CA 90622 CIRCLE NO. 14 ON READER SERVICE CARD

#### RECORD

by Christie Barter & Steve Simels



Lemper: Weill attraction

N the basis of what we've read in the European press and have heard on her first record, one of the new season's early delights will be the American debut of the twenty-three-year-old singing actress Ute Lemper. A featured attraction in the Kurt Weill festival being held at Merkin Hall in New York, Lemper will sing a cabaretstyle program on Saturday, September 26, that will in Viennese production of Cats and went

on to knock 'em dead in Paris earlier this year appearing as Sally Bowles in a production of *Cabaret*. For the latter she won a Molière, the French equivalent of Broadway's Tony Award.

Lemper's Kurt Weill album, released on the independent German Bayer label, is distributed here by Koch Import Service (95 Eads St., West Babylon, NY 11704) and should be available in all three formats at any major record store.

OOD Things Come to Those Who Wait. Suzanne Vega, currently the only folk singer in the Western World enjoying both a hit single (Luka) and a hit album ("Solitude Standing"), has made no secret of her two big heroes: Marlene Dietrich (whom she wrote a song about) and Sting (whom she hasn't written about yet). Consequently, since we know how much you worry about these things, we are pleased to report that Vega and the Police star finally met, blonde head to blonde head, after a recent Vega concert in Manhattan

That they're both on A&M Records may have had something to do with it, but we can



Vega and Sting: hits and heroes

clude most of the material in her album debut, "Ute Lemper singt Kurt Weill."

Lemper began her professional career in the theater singing Grizabella in the all sleep easier knowing that this historic confrontation has taken place. Sting, meanwhile, when not hobnobbing backstage, is hard at work on the follow-up to his best-sell-



M A

K

E

R S

Hugo Largo: dancing to no drummer?

ing album "Dream of the Blue Turtles."

H, that Michael Stipe, what a nut! The R.E.M. lead singer gets a chance to do his first project as an outside producer, and who does he pick to work with? Hugo Largo, a band with two bass players, an electric violin, and no drummer. Who's gonna dance to that, we ask you?

Well, funny thing is, the resulting album ("Drum," on Relativity Records) is absolutely fascinating, a haunting, dreamlike collage of folk music, Philip Glassian minimalism, and the Lou Reed of "Street Hassle." Despite the instrumentation and the ethereal vocals of Mimi Goese, the music is notwe repeat, not-New Age. There's a genuine rock sensibility at work here, however muted. Stipe, by the way, chimes in on occasional backing vocals, but the stuff sounds nothing like R.E.M., or anything else we've heard lately, which is meant as a compliment. Check it out.

N ICE Guys Finish First. How's this for a scenario? After years of slogging, an unknown band from the wilds of Wisconsin records an album in a member's basement, gets it mastered and pressed, and sends a copy to a major hi-fi magazine. A smart reviewer (whose initials are S.S.) flips over it and writes a rave. Major record company sees the review, listens to the album, and signs both band and record immediately.

Sound impossible, like some Frank Capra fairy tale? Well, don't tell that to Fire Town, whose home-recorded "In the Heart of the Heart Country" got a "Best of the Month" review in these pages back in March (the band's first national press). For Fire Town, the story is honest-togosh reality, and the proof is that Atlantic Records, no less, has just released the album absolutely unaltered. As far as we're concerned, it couldn't happen to a more deserving band. If you haven't heard them yet, you could run out



### The concert continues with the Ford JBL Audio System.

Imagine the music of 12 speakers driven by 140 watts...

Just imagine a car audio system that could really deliver music as rich and powerful as a live concert.

Imagine music emanating from 12 JBL speakers specifically equalized and adjusted to the surrounding environment and deftly capable of reproducing digitally accurate full-**ra**nge, high fidelity sound.

• 12 JBL speakers including 2-6" × 9" woofers, 2-3½" midrange speakers and 2-7%" tweeters located in the rear deck; 2-5¼" woofers mounted in the doors; and 2 tweeters and 2 midrange speakers in the instrument panel. Selective frequency fading so all woofers remain in operation at controlled levels when faded front/rear.

Imagine the sheer impact of 140 watts of total system power. Ample power to virtually eliminate distortion for the most comfortable listening—even at high volume for very long periods of time. • 140 watts TSP—4 amplifiers, 35 watts per channel into 4 ohms at 1000 Hz with .07% THD. 105 dB SPL maximum acoustic output. Excursion control computer with continuously variable loudness compensation and automatic overload protection.

Then stop imagining and hear the real thing for yourself, exclusively at your Lincoln-Mercury dealer today.

JBL loudspeakers are featured in world renowned sound systems everywhere, including Tokyo's NHK Hall, Los Angeles Music Center, Tanglewood Music Shed, Frankfurt Opera House and now the Lincoln Continental and the Lincoln Town Car.



AUDIO SYSTEMS



R E C 0 R

D

recording

derwrite the costs. In turn,

Juilliard will "dedicate" to

the Juilliard Orchestra at Al-

Glaser's Juilliard poster,

Whiteprint Editions, 207 E. 32nd St., New York, NY

rocker and heartthrob who won a STEREO REVIEW Rec-

becoming Chrissie Hynde

through the accident of bad

timing. Well, funny they

should ask, because Chap-

man has reappeared after

something of a dry spell.

First, Jimmy Buffett did three

of her tunes on "Last Mango

in Paris," and then Sawyer

Brown had a Top 10 country

hit with her cautionary Bet-

ty's Being Bad. And now

comes Chapman's own per-

fectly swell new album, "Dir-

HERE Are They Now?

tape, is helping to un-

1987-1988 season.

blank

10016.

and get the LP version right now. Or you could wait for the CD version of the record, expected real soon. In any format, of course, you shouldn't miss it.



Glaser's poster

MERICAN artist and graphic designer Milton Glaser has created a poster to benefit the Juilliard School in New York. While Juilliard is not the first major musical institution in the city to derive funds from a Glaser poster (Carnegie Hall had one for its ninetieth anniversary in 1981), in this case a third party, TDK Electronics, best known in the U.S. for its

Fire Town: nice guys finish first





M A K E R S

Country rocker Chapman: perfectly swell

ty Linen," available on cassette only as an import on the German Line label (\$10 from Tall Girl Records, 900 19th Ave. So., Suite 803, Nash-ville, TN 37212). Fans of Chapman's more rocked-out live show are advised to check out her participation in the current Buffett tour, "A Parrot Looks at Forty.' 

HE Live from Lincoln Center television series on PBS is inaugurating its new season with a direct transmission of the New York Philharmonic's opening concert at Avery Fisher Hall on September 15. The concert will feature Murray Perahia as soloist in Beethoven's Piano Concerto No. 4, with Colin Davis conducting, and CBS Masterworks is supporting the event with a promotional blitz spotlighting the completion of the pianist's Beethoven concerto cycle with Bernard Haitink and the Concertgebouw Orchestra. Perahia's recordings of Concertos Nos. 1 through 4 have been available for a while now and have been picking

up all kinds of good press. No. 5, the *Emperor* Concerto, takes pride of place among CBS Masterworks' September releases.

Perahia has also recorded all of Mozart's piano concertos-the first American pianist to do so-conducting the English Chamber Orchestra himself. Those recordings are now available on CD in two boxed sets totaling thirteen discs. 

Perahia: Beethoven on PBS



## MASTERPIECE: A work of notable excellence.



Hitachi introduces electronics so technologically refined, they offer something remarkable. Reality: Sound so true, you'll never miss'a note.

Like our new CD player with built-in dual cassette deck and AM/FM Digital Receiver, Compact disc performance and tape versatiliry, together at last. TV monitors with

CIRCLE NO. 13 ON READER SERVICE CARD





broadcast stereo reception that rival the finest high fidelity systems. And Hi-Fi/ HQ video recorders so incredibly advanced, fhey'll shock your senses.

If you're ready to appreciate the fine art of home entertainment, make a sound investment in quality. Make it a masterpiece.



#### WHY MANY OF TODAY'S EXPENSIVE LOUDSPEAKERS TRAP MANY OF THE MOST CRITICAL NOTES.



The music that goes into many of today's highly priced loudspeakers isn't always the same music that comes out. Many of the finer notes and nuances are often trapped or lost. Why? Because advanced recording techniques and digital processing demand a dynamic range of over 90 dB and an extended frequency response. Demands that are often beyond the limits of ordinary loudspeakers.

The truth is, most people can't hear what's missing from their music—like a broad frequency range—or what's been added—like color ng or distortion. But there are a few who can.

For that select group, listeners with well trained ears, Altec Lansing has engineered a new line of



loudspeakers to recreate every subtlety of recorded music with a clear open sound and without coloring or distortion. Even the accuracy of CD recordings can be more fully appreciated on these Altec Lansing loudspeakers, prompting Stereo Review to remark "...the bass distortion

Polyimide/Titanium Mid-range

> was among the lowest we have measured. The speakers have...very good bass, and a warm, extended and unstrained character."

> The secret to Altec Lansing's consummate performance? Remarkably sophisticated technology. Like woofers of a woven carbon fiber material (instead of paper or polypropylene) that is extremely rigid yet sufficiently light for maximum transient response and extraordinary low frequency definition. The result is a pure, clean, deep bass that beautifully complements the performance of our mid and high frequency polyimide/titanium

domed drivers. Virtues like these compelled Stereo Review to also comment on Altec Lansing's "...high sensitivity and ability to absorb large power inputs...a



Carbon Fibers in Woofer Cone

speaker that can develop high sound pressure levels in any environment." Even the hand crafted walnut veneered cabinets utilize the latest computer aided design techniques, thick walls and extra bracing to eliminate resonance.

So come hear Altec Lansing loudspeakers. And discover just how much of your music has been trapped by less than extraordinary loudspeakers. Call I-800-ALTEC 88 for information and the Altec dealer nearest you. (In PA 717-296 HIFI.) In Canada call 416-496-0587 or write 265 Hood Road, Markham, Ontario L3R 4N3.

CIRCLE NO. 21 ON READER SERVICE CARD





ALTEC LANSING LOUDSPEAKERS FOR THE WELL-TRAINED EAR

### Sounds For The Power Hungry.

Admit in You're into power. don't blame you. I'm as power crazed as you. After all, I'm Pioneer's powerful new 5C-watt ETR FM/AM cassette car stereo. And I'll give you four times the power of stancard systems. New Supertuner III.™ Of course! Dolby \* B & C? Yes! Separate bass and treble controls? Absolutely! Come. Flay with power.

KEH-9292

©1987 Fioneer Electronics (USA) Inc., Long Brach, CA DoDy is a registered trademark of Dolby Laboratories Joensing Corp.

CIRCLE NO. 65 ON READER SERVICE CARD

SUPERFTUMER

() PHON

Start at star

O DAL C

CATCH THE SPIRIT OF A TRUE PIONEER.

DIONEER

#### **BEST RECORDINGS OF THE MONTH**

Stereo Review's critics choose the outstanding current releases

#### WHITE ANIMALS: UP-TO-DATE RETRO ROCK

R EVIEWING a rock-and-roll album is sometimes a bit like making a public-service announcement—getting the word out for a good cause. In the case of the White Animals, currently the best-kept secret of regional rock-and-roll, I want to get explicit about it. To paraphrase a well-aired TV spot, a band is a terrible thing to waste.

The Animals, who've been tearing it up in Nashville and beyond for nearly eight years, are a classic American band in the great tradition. They deserve a wider audience, and with the release of "In the Last Days" they may just get it. What's remarkable about these guys is that, unlike a lot of other current roots-conscious bands, they manage to sound both retro and impeccably up-to-date. The basic sound, of course, is pure garage, thirty years of rock history run through a Cuisinart. You want frat-party stomp? Brit Invasion tunefulness and songcraft? Southern r-&-b grit? They're all here, in more or less equal proportions, and without a hint of camp: the stuff is clearly in the Animals' blood. But at the same time, they also have an appreciation for the wilder psychedelic overtones of Jamaican dub music; it colors nearly everything they do, and the result is utterly unique.

The Animals' new album may be the best they've done; certainly it's the most assured and the most deeply felt. In fact, underneath the general good-time facade, songs like *Last Five Years* have a sort of wistful melancholy and regret that's unexpectedly touching, especially coming from a bunch of hellraisers like this lot. Still, the album's centerpiece is basically a high-spirited aural raspberry, a radical deconstruction job on David Essex's glam-era hit Rock On. The Animals pull out all the stops, and what was once a sort of self-consciously minimal novelty song turns before your ears into a roiling sea of over-thetop guitars and jungle drums, living up to its lyrics at last. It's a great performance. Steve Simels

THE WHITE ANIMALS: In the Last Days. The White Animals (vocals and instrumentals). Don't Treat Me like a Dog; You Bring Out the Best in Me; Last Five Years; You Don't Know; Rock On; A Lonely View; She's Gonna Break It; Could You Be Loved; I Thought That; A Prison Song. DREAD BEAT DBLP 4157 \$8.98, © DBLC 4157 \$8.98.

#### Bychkov's Stirring Shostakovich

HAVE been hearing great things about Semyon Bychkov, the young conductor from Leningrad who is now a U.S. citizen and music director of the Buffalo Philharmonic, but I haven't had an opportunity to hear any of his concerts. His debut recording, the Shostakovich Fifth Symphony with the Berlin Philharmonic, makes clear at once what all the fuss is about.

Perhaps any conductor can make a big noise with this Shostakovich symphony, but few possess the understanding and skill to dig to its core and bring out both its strictly musical values *and* its emotional intensity for maximum impact on the very deepest level the way Bychkov does here. He displays more than mere virtuosity or showmanship. You are aware of a profound and insightful musical mind-probing, clarifying, and refining the familiar score to yield heretofore unnoticed details that make the experience richer and more illuminating without getting in the way. The momentum, in fact, is maintained throughout the four movements with exceptional assurance, and the tempo choices simply couldn't be hetter

The Berlin Philharmonic always plays creditably, but rarely-in recordings, anyway-with the pascommitment conveyed sionate here. Bychkov seems to have fired up every member of the orchestra to his own level of conviction, and the performance comes off in the nature of a collective testament, a grand affirmation of musical faith that anyone whose ears and heart are in working order should find irresistible. The recording itself is vivid enough to project all of Bychkov's Shostakovich's) clarifying (and power-with the single exception, perhaps, of the bass drum at the very end, which might have been a little more brightly lit.

There have been other fine accounts of the Shostakovich Fifth —Rostropovich's on Deutsche Grammophon remains in a class by itself for its raw power and uncompromising evocation of exposed nerves—but Bychkov's is clearly



The White Animals: a classic American band

#### BEST RECORDINGS OF THE MONTH



Semyon Bychkov: probing

one of the very best, one that actually adds to our understanding of an already admired work.

Richard Freed

SHOSTAKOVICH: Symphony No. 5, in D Major, Op. 47. Berlin Philharmonic Orchestra, Semyon Bychkov cond. PHILIPS **1** 420 069-1 \$10.98, © 420 069-4 \$10.98, © 420 069-2 no list price.

#### TOM WAITS: As Ragged As Reality

O other musician creates a separate reality as engrossing, convincing, or terrifying as the one Tom Waits invents each time he makes a record. You don't just "put on" a Waits album. You think about it first. Then you pour yourself a strong drink.

While most pop musicians tend to grow softer and make more commercial compromises as their careers lengthen, Waits has done just the opposite. The truck drivers and waitresses and night hawks of early albums like "Closing Time" and "The Heart of Saturday Night" seemed starkly naturalistic in their day; now, they're almost romantic. Waits grew harder-edged with the pimps and strippers and two-bit hoodlums of "Small Change," "Blue Valentine," and "Foreign Affairs," but even these chilling excursions seem glossy and melodramatic compared with his recent work.

Waits's latest album, "Franks Wild Years," completes a trilogy begun with "Swordfishtrombones" in 1982 and continued by "Rain Dogs" in 1985. They are recordings in which Waits abandoned what few commercial pretensions he had left and began to make music of everincreasing eccentricity and conviction. No longer are his characters romanticized symbols of life on the edges. Now they're real. Now they're scary. Like "Swordfish" and "Rain Dogs," "Franks Wild Years" takes some getting used to. And like those albums, it's worth the effort.

"Franks Wild Years" began as a song from "Swordfishtrombones" about a man who gets drunk one night after work and sets fire to his house with his wife and her Chihuahua inside. "Frank" then took on a life of his own in a musical play Waits wrote and performed in about a down-and-out lounge singer who, sitting on a park bench in East St. Louis, is freezing to death and reliving his life in a semi-hallucinatory state. "Franks Wild Years" includes many of the songs from the play, but it further develops the musical settings of Frank's reminiscences.

There's an astonishing variety of musical styles and instruments here, and the sound is like nothing you've ever heard. Waits's voice croaks as though it had marinated in cigarette smoke and Carstairs for a week. The instruments are woozy and continually out of tune. And the production values are what you'd expect from a bootleg tape of a 1950's bop combo playing rhumbas in the basement of an East Village tenement. But there's a reason for the disheveled production. This is music as ragged and beat up as the lives Waits sings about.

As Frank, Waits traverses a range of musical styles, from Afro-Cuban jazz to Irish drinking songs, carnival music to spaghetti-western guitar, Middle Eastern snake charming to Fifties rock-and-roll, gypsy tarantellas to the hopelessly pathetic Sinatra-style crooning of *Straight to the Top* and I'll Take New York. None of it is played straight. All of it is wonderfully evocative but quite frightening at the same time. The lyrics are hilarious, and for a while you chuckle at Frank's cornball posturing. But as his luck runs dry and he slides toward drunkenness and dissipation, the reality Waits creates becomes almost too much to bear. That's when you pour that second drink. Mark Peel

TOM WAITS: Franks Wild Years. Tom Waits (vocals, Optigon, pump organ, guitar, percussion); instrumental accompaniment. Hang On St. Christopher; Straight to the Top (Rhumba); Blow Wind Blow; Temptation; Innocent When You Dream (Barroom); I'll Be Gone; Yesterday Is Here; Please Wake Me Up; Franks Theme; More Than Rain; Way Down in the Hole; Straight to the Top (Vegas); I'll Take New York; Telephone Call from Istanbul; Cold Cold Ground; Train Song; Innocent When You Dream (78). ISLAND 90572-1 \$8.98, © 90572-4 \$8.98, © 90572-2 no list price.

#### HORSZOWSKI: HONEST, VITAL AUTHORITY

N June 1986, twelve days before his ninety-fifth birthday, Mieczyslaw Horszowski played a solo recital in London. The Wigmore Hall advertisement carried a marvelous photograph of the



Tom Waits: hard-edged

COLM HENRY/ISLAND RECOR

# At last, you've found the perfect Partners.





R

THE PERFECT PARTNERS FOR YOUR LEEPTM you can take high fidelity sound rever four wheels take you.

THE PERFECT PARTNERS FOR YOUR STERFOTY avorite movies and videos excite

Jeep is a trademark of American Motors, Walkman and Discman are trademarks of Sony Corp.

For those of you who have wanted to listen to high quality sound both in and out of the listening room, your wait is over. AR's new Powered Partners™ stereo loudspeakers are unlike any portable or transportable speakers to date. They feature an individual powerful amplifier, a 4" woofer and 1" tweeter in each impact-resistant, black crackle, cast aluminum enclosure. They also feature individual volume and tone controls, inputs for anything from an FM or cassette





THE PERFECT PARTNERS FOR YOUR DISCMANTM THE PARTNERS' PARTNERS. scman<sup>TM</sup>can play to a larger Now your audience

Custom Carrying Case, Wall/Shelf Mc Brackets: 12V Adaptor: Rechargeable Battery Pack. Wall/Shelf Mount

Walkman™ or Stereo TV Receiver to the latest portable CD players. A battery pack, DC adaptor, and carrying case featuring Music Windows with Velcro™ closures, are optional touches of perfection.

Simply put, the Powered Partners deliver the best sound you can carry. No surprise. They come from AR, the company that's been making speakers sound great for 32 years.



#### **BEST RECORDINGS OF THE MONTH**

eight- or nine-year-old Horszowski performing in 1901 and the statement, "Mieczyslaw Horszowski has had the longest international career of any major performer in Western classical music." I'm sure that's true, and I would emphasize the word "major," for, while Horszowski may not be turning up in advertisements for the American Express card, he is unquestionably a major figure.

MANAGEMENT.

ARTISTS A

BERT

ğ

What matters now is not that Horszowski continues to perform in his mid-nineties but the way he performs, the way he has always performed: authoritatively, poetically, communicatively, enlivened by the music and breathing its own life back into it. Solo recordings by Horszowski have been all too rare (the only one that comes to mind, in fact, is the one he made for Vox some thirty-five years ago of the Chopin Impromptus and the E Minor Concerto). Most of his recordings have been chamber music, with such companions as Casals, Szigeti. and the Budapest Quartet, and in ensembles organized by Alexander Schneider.

Horszowski's new Nonesuch recording is especially welcome because it is made up of the sort of solo material he has been playing in his recent recitals: Mozart's D Minor Fantasia (K. 397), two Chopin nocturnes, Debussy's Children's Corner, and Beethoven's Sonata No. 2. While the playing is anything but faceless, Horszowski is content in each case to allow the composer's own personality to prevail; he never thrusts his own at the listener. The endearing quality of the Debussy, the poetry of the Chopin, the fluent wit of the Beethoven are not interpretive overlays, but the qualities the composers themselves wrote into their music. Here is no archpriest, no self-exalting "living legend," but an honest living musician with a loving regard for the beauty of every note and an unerring sense of flow.

When I last heard Horszowski in recital, at the Kennedy Center in Washington in October 1984, the jewel-like Terrace Theater seemed to be populated mostly by pianists, some of whom had made pilgrimages from distant cities. Rudolf Ser-



Mieczyslaw Horszowski: unerring

kin was there, and so were Eugene Istomin and András Schiff and Sevmour Lipkin and several others. Some had been his pupils, and all, in a sense, have been his students. as anyone can be who hears the unostentatious yet all-revealing realizations of the works in the new Nonesuch release. It's Horszowski's picture, rightly enough, that's on the cover, but one buys the record, and treasures it, for Beethoven, Mozart, Chopin, and Debussy. It's a lovely, well-balanced program, actually much better for a single sitting than an hour of Beethoven or Mozart or Chopin or Debussy only.

The recording itself, made at the Curtis Institute in Philadelphia (where Horszowski has taught for the last forty-five years), is as honest and true as the playing. Since the music is all too familiar for the customary explication, Nonesuch has sensibly offered instead a charming piece on Horszowski by Joseph Horowitz.

Now, please, let's not stop with this one issue. This vital musician has a lot more to share with us.

Richard Freed

MOZART: Fantasia in D Minor (K. 397). CHOPIN: Nocturne in F-Sharp Major, Op. 15, No. 2; Nocturne in Dflat Major, Op. 27, No. 2. DEBUSSY: Children's Corner. BEETHOVEN: Piano Sonata No. 2, in A Major, Op. 2, No. 2. Mieczyslaw Horszowski (piano). NONESUCH @ 79160-1 \$9.98, © 79160-4 \$9.98, © 79160-2 no list price.

#### NOW ON CD Compact Discs of previously released LP's

#### POPULAR

□ ANATOMY OF A MURDER (Duke Ellington). RYKO RCD 10039. Original-soundtrack recording of 1959, featuring Cat Anderson, Shorty Baker, Clark Terry, others.

□ THE B-52'S. WARNER BROS. 3355-2. "The first truly *fey* punk band" (October 1979).

□ ERIC CLAPTON: Rainbow Concert. RSO 831 320-2. Recorded in 1973 and long out of print on LP and tape.

□ THE EAGLES: Desperado. ASYLUM 5068-2. "Best of the cowboy rock bands" (October 1973).

□ GORDON LIGHTFOOT: Summertime Dream. REPRISE 2246-2 "Running over with poetry" (Best of Month. October 1976).

□ ELVIS PRESLEY: The Memphis Record. RCA 6221-2-R. The Number One Hits. 6382-2-R. The Top Ten Hits. 6383-2-R (two CD's). The Complete Sun Sessions. 6414-2-R. "Commemorative" reissues, digitally remastered. "Rockabilly mementoes" (July 1976).

□ SOPHISTICATED LADIES (Duke Ellington). RCA 6208-2-RC. Originalcast recording, with Gregory Hines and Phyllis Hyman. "Dazling" (July 1981).

□ SWEETHEARTS OF THE RODEO. COLUMBIA CK 40406. "One of the most exciting acts to come along in a coon's age" (Best of Month, December 1986).

#### CLASSICAL

□ BEETHOVEN: Piano Concertos Nos. 1-5. MOZART: Piano Concerto No. 21. Fleisher, Szell. CBS M3K, 42445 (three CD's). Among "the touchstones for stereo-recorded interpretations" (December 1965).

DVOŘÁK: Violin Concerto: Romance in F Minor. Perlman, Barenboim. ANGEL CDC-47168. "Luscious" (September 1976).

□ MASCAGNI: L'amico Fritz. Freni, Pavarotti; Gavazzeni. ANGEL CDCB-47905 (two CD's). "Impressive performance of a lovable work" (Best of Month, July 1969).

□ MOZART: *Don Giovanni*. Schwarzkopf, Sutherland, Wächter; Giulini. ANGEL CDCC-47260 (three CD's). Recorded in 1959 and still unrivaled.

Dorati. SweDISH SOCIETY DISCOFIL/IBR SCD 1012. "Mesmerizing" (May 1973).

□ PURCELL: The Fairy Queen. Gardiner. DG ARCHIV 419 221-2 (two CD's). "A peak in the performance of English Baroque music" (Best of Month, March 1983).

# CAMEL LIGHTS Share a new adventure.

9 ng. "tar", 0.6 mg. nicotine av. per cigarette by FTC method.

20 FILTER CIGARETTES

CAMEL

LOW TAR CAMEL TASTE

SURGEON GENERAL'S WARNING: Smoking Causes Lung Cancer, Heart Disease, Emphysema, And May Complicate Pregnancy.



## After the mountains of Europe, the canyons of North America pose no problem for a Blaupunkt.

For a Blaupunkt car stereo, the radio reception difficulties created by big city buildings are no big deal.

Because ever since the first



Blaupunkt was introduced in 1932, our tuners have had to overcome much bigger obstacles.

The Alps.

The Pyrenees.

The Apennines.

These European mountain ranges make even the towering headquarters of modern megacorporations appear puny by contrast.

Yet thanks to the ingenuity of our 326 car audio engineers in Hildesheim, West Germany, Blaupunkt car stereos are superbly equipped to handle even the most extreme FM reception problems.

You see, a car stereo's ability to capture an FM radio signal is determined by five factors: FM sensitivity. Selectivity. Multi-path distortion. Signal attenuation. And RF intermodulation. Most car stereo systems do a reasonably good job with two– perhaps three—of these factors.

But due to the persistence of our engineers—and the dozens of pat-

> ents we've earned in this area alone—Blaupunkt's CODEM III and ORC II dynamic tuning systems do exceptionally well in all five areas.

Which helps explain why Blaupunkt has earned a reputation for engineering the world's finest tuners.

We even take the trouble to design our own antennas.

Something not one of our competitors bothers with.

So if you're an urban motorist frustrated by all those buildings wreaking havoc with the signals of all your favorite stations, pay a visit to your independent Blaupunkt car stereo specialist. (For the one nearest you, please call us at 1-800-237-7999.)

What you hear will be music to your ears.

Without all the static you've been accustomed to.



"It is so clearly superior ifiers in the amo low-to past 0 riced ra not mention mlo-to e amplifier St VO to three times its th Ce at ean 2 ti R recommend mo demanding high end system?





high current power amplifier Instantaneous distortion alert: L R channel

## ADCOM<sup>®</sup> GFA-555 POWER AMPLIFIER HIGH POWER, HIGH CURRENT



11 Elkins Road, East Brunswick, NJ 08816 U.S.A. Distributed in Canada by: PRO ACOUSTICS INC. Pointe Claire, Quebec 49R4X5

#### POPULAR MUSIC

Discs and tapes reviewed by Chris Albertson, Phyl Garland, Alanna Nash, Mark Peel, Steve Simels

**DEBORAH ALLEN:** *Telepathy.* Deborah Allen (vocals, keyboard sequencer programs); Deniece Williams (background vocals); vocal and instrumental accompaniment. *Telepathy: You Can't Say No; You're the Kind of Trouble; Don't You Think I Don't Love You;* and five others. RCA 6239-1-R \$8.98, © 6239-4-R \$8.98.

Performance: Full-tilt Recording: Busy

From the first crack out of the box—the title song, written and produced by the eternally erotic Prince—Deborah Allen's "Telepathy" grabs hold of a hot libido and squeezes it for all it's worth. Yes, in case you were wondering, this is the same Deborah Allen who initially made her mark in country music as part of a ghostly duet with Jim Reeves and who went on to score a pop hit with Baby, I Lied. But it's clear from the cover photo—where she looks like Brenda Lee on drugs—that Allen has dramatically changed her tune.

"Telepathy" turns out to be mood music for the manic depressive and the sexually weird, masquerading as, in the words of the press release, "serious and sultry" pop. Throughout, aiming to sound both decadent and hot-blooded, Allen caterwauls, purrs, and pouts her way over a driving beat and walls of synthesizers. She gets convincing on the Prince number, a funky, throbbing treatment of sexual abandon (for some reason, Prince has chosen to use the unlikely pseudonym of "Joey Coco" here), and keeps the mood going for several tunes before letting up.

Allen isn't really much of a singer there's something annoying about the thinness of her voice, which even Greg Mathieson's huge production can't cover up—but she is an affecting pop songwriter, as she proves in the eight tunes she has written in collaboration with her husband, the gifted Rafe Van Hoy. Obviously, "Telepathy" is mostly a collection of cheap thrills. But it's a headturner for a little while, anyway. A.N.

CHET ATKINS: Sails. Chet Atkins (guitar, banjo); Mark Knopfler, Earl Klugh (guitar); instrumental accom-

EXPLANATION OF SYMBOLS:

- $\bullet$  = DIGITAL-MASTER LP
- $\odot$  = TAPE CASSETTE
- = COMPACT DISC



#### **RANDY TRAVIS**

HE voice is so nasal as to set your teeth on edge occasionally, but the singing is as smooth as a mint julep on Derby Day, a seemingly effortless glide from one note and one emotion to another. After years of industry predictions that this one and that is the new Merle Haggard, or the heir to the throne of George Jones and Lefty Frizzell, twenty-eight-year-old Randy Travis, with only two albums to his credit, has come along to show he has not so much *aimed* for that honor, but that he was born to it.

Granted, Travis has yet to evolve into a writer of significance, but his new record, "Always & Forever," shows he is on his way. Good Intentions matches any of Haggard's songs of wayward youth and regret, Tonight We're Gonna Tear Down the Walls does credit to Bob Wills, and I Told You So is the kind of big, trembly heartbreak song that Elvis Presley spent a lifetime pursuing. And as a phraser, Travis, who grew up on a North Carolina turkey farm, clearly surpasses most of the old country masters. His handling of My House, for example, shapes the images with photographic clarity, enough to raise the hair on the arms of his listeners and bring a lump to the throat of anyone who has ever loved another human being.

Recently, when Travis became the all-time youngest member of the Grand Ole Opry, Roy Acuff dropped his curmudgeonly stance long enough to welcome the young traditionalist to the cast. "We need you," Acuff supposedly told him. Anyone who cares anything about country music will agree.

Alanna Nash

RANDY TRAVIS: Always & Forever. Randy Travis (vocals); vocal and instrumental accompaniment. Too Gone Too Long; My House; Good Intentions; What'll You Do About Me; I Won't Need You Anymore; Forever and Ever, Amen; I Told You So; Anything; The Truth Is Lyin' Next to You; Tonight We're Gonna Tear Down the Walls. WARNER BROS. 25568-1 \$8.98, © 25568-4 \$8.98, © 25568-2 no list price. ARNER BROS

paniment. Sails; Why Worry; Up in My Treehouse; Laffin' at Life; My Song; and five others. COLUMBIA FC 40593, © FCT 40593, © CK 40593, no list price.

#### Performance: Fluid Recording: Lovely

Although he is best known as a Nashville guitarist extraordinaire, Chet Atkins is as at home with classical music, blues, flamenco, and jazz as he is with country. In 1982, after some twenty-five years of overseeing the Nashville division of RCA, he moved his affiliation to Columbia and quickly set about recording "Stay Tuned," a jazz-fusion effort with Larry Carlton, Earl Klugh, George Benson, and Mark Knopfler. Another jazz-fusion LP, "Street Dreams," followed, and now we have "Sails." As with its predecessors, "Sails" is a sophisticated, low-key, and deft performance. Sometimes it gets a bit 100 quiet. and Bergen White's strings tend to run sappy. But Atkins and company work a fine balance. Knopfler adds drive to Chet's laid-back approach, and Klugh keeps things properly mellow. Unquestionably a keeper. A.N.

DAVID BOWIE: Never Let Me Down. David Bowie (vocals, guitar, keyboard, percussion); Carlos Alomar (guitar, guitar synthesizer); Erdal Kizilcay (keyboards, drums, bass); Peter Frampton (lead guitar); vocal and instrumental accompaniment. Day-In Day-Out; Time Will Crawl; Beat of Your Drum; Never Let Me Down; Zeroes; and six others. EMI AMERICA PJ-17267 \$9.98, © 4PJ-17267 \$9.98, © CDP-46677 no list price.

#### Performance: Out of shape Recording: Okay

In the five-year span from 1971 through 1975, David Bowie recorded nine albums, most regarded today as classics. In the last five years, since 1983, he has released just three new albums. This little bit of history suggests that David Bowie has had other things on his mind than making music. "Never Let Me Down" does nothing to contradict that impression. Lazy, amateurish, unfocused, and nearly unlistenable, it is undoubtedly Bowie's most brain-fatigued record ever.

The first track, Day-In, Day-Out, is an extreme example of the current, misguided belief that funk must be discordant and played in impossibly convoluted time signatures to be any good. Bowie's almost mumbled vocal sounds as though he's embarrassed by the song—and he should be: like much of popular culture in the 1980's, it is meaningless. Bowie clearly has let himself get so out of shape he can't tell how awful a song like the sluggish Time Will Crawl really is. In Beat of Your Drum, he's reduced to doing a parody of Bowie-the-crooner; in Never Let Me Down, he confuses soul with sleeping



David Bowie: just trying something different

sickness—by now, he's beginning to come off like Lloyd Price playing a halfempty Myrtle Beach lounge. Every song has a pieced-together-as-you-go feel. Tempos shift without creating any tension or edge. It's as if Bowie hadn't given any thought to how he wanted a song to sound, so he just kept trying something different hoping it would work. It never does. *M.P.* 

JOCELYN BROWN: One from the Heart. Jocelyn Brown (vocals); vocal and instrumental accompaniment. Ego Maniac; Love's Gonna Get You; Living Without Your Love; I Cry Real Tears; Caught in the Act; and three others. JEL-LYBEAN/WARNET BROS. 25445-1 \$8.98, © 25445-4 \$8.98, © 25445-2 \$15.98.

> Performance: Promising Recording: Very good

"One from the Heart" is an appropriate title for this debut album by Jocelyn Brown, for every note she sings seems to be part of a heavy personal statement. That's not to say she's a downer—far from it. She comes on like a spitfire when she strikes out at errant lovers in quality dance tunes like *Ego Maniac* and *Caught in the Act*, but she is at her best on the gut-tugging torcher *Living Without Your Love.* An assortment of producers has supplied Brown with stylishly contemporary songs and arrangements, though the dominant element is her own voice. It's an instrument that served her well in the past when she worked as a back-up singer for artists like John Lennon, Luther Vandross, George Benson, and Culture Club. In her rich, throaty sound, you'll hear a touch of Aretha Franklin's earthy reality and a whisper of Randy Crawford's trembling anticipation, along with a let-it-all-hang-out assertiveness that is entirely her own.

Although this album is fashioned for the urban market, Jocelyn Brown's talent is worthy of a broader audience. With performances of this quality, I'm certain she'll find it. P.G.

JAMES CARR: At the Dark End of the Street. James Carr (vocals); Jimmy Johnson (guitar); Roger Hawkins (drums); David Hood (bass); Spooner Oldham (keyboards); other musicians. (At the) Dark End of the Street; Pouring Water (On a Drowning Man); Love Attack; You've Got My Mind Messed Up; To Love Somebody; and nine others. BLUE SIDE/UPSIDE BL 60008-1, © BLC 60008-4, no list price.

Performance: Powerful Recording: Pretty good

James Carr is one of the genuine legends of mid-Sixties soul music, a guy who cut a couple of incendiary regional

## Magnat Speaker Technology vs. The Rest Of The World.

While most companies have been content using decades-old technology, Magnat of West Germany has consistently developed radical new designs in their pursuit of the perfect loudspeaker.

Over the past 14 years, Magnat<sup>®</sup> of West Germany has been involved in more loudspeaker innovations than any other company. Some have resulted in incremental improvements in sonic accuracy. Others have proven to be *major* breakthroughs in loudspeaker technology. A brief history....

**1974** Magnat designs woofer voice coils using exclusive rectangularly-shaped computerwound wire. These "Ribbon Wire"

coils provide greatly improved transient response and much lower distortion.



**1976** Magnat introduces the world's first speaker system with all drivers incorporating Ribbon Wire technology.

**1979** Magnat develops and patents a revolutionary omnidirectional plasma high-frequency

driver. This massless tweeter produces sound by modulating a small, controlled cloud of ionized air.



**1982** Magnat plasma speakers win Europe's two most coveted audio awards, Germany's "Hi Fi Preiz" and France's "Decibel D'Honneur."

**1983** Magnat develops a tweeter whose patented soft-metal dome is far more rigid than those made with

soft plastic or textiles, but doesn't suffer from the resonance peaks associated with domes made of other metals.



**1984** Magnat creates and patents Magnasphere<sup>®</sup> omni-directional drivers. These ball-shaped, bafflefree transducers radiate sound in *all* directions, just like musical instruments. Magnasphere

speakers redefine world standards for dispersion, accuracy and lifelike stereo imaging.

accuracy and lifelike stereo imaging. 1985 Magnasphere speakers

become the first products in history to win *three* "Decibel D'Honneurs," the prestigious French audio award.

Of course these new technologies are only a means to an end. The real point is that Magnat's research results in speakers that sound *audibly* better, with less distortion and a more natural, open sound, than what you're accustomed to hearing from conventional designs. Magnat and Magnasphere speakers are priced from \$300 to \$3,000 per pair.<sup>\*</sup> If you'd like to know more about Europe's most honored loudspeakers, send us the coupon for a brochure and a dealer referral.

\*Suggested retail prices.

Please send me a brochure	on Magnat lou	dspeakers.
Name		
Address		
City	State	
Zip Code		SR987



Germany's Number One Brand Of High-Performance Speakers Box 808 Marblehead, MA 01945 (617) 539-1400

Magnat and Magnasphere are registered trademarks of Magnat Electronik, GMBH & Co. KG





#### STREISAND'S SHOW

ARBRA STREISAND'S first "fulllength" concert in twenty years qualified as a genuine event last September—and so does the album "One Voice," which documents it. Streisand raised her "one voice" on the grounds of her California home to benefit a group of organizations involved in protecting human rights and the environment and in anti-nuclear activities. And what a voice she raised!

This was no grandstanding, token benefit on Streisand's part. She sang her heart out in a way she hasn't done in quite some time, and she reaffirmed that there's still no one who can top her as a pop vocalist when she's at her best. Mixed in with her inevitable renditions of People, The Way We Were, Evergreen, and Happy Days Are Here Again are two Harold Arlen songs Streisand had never before performed publicly: Over the Rainbow (including its seldomheard verse) and It's a New World (from the 1954 A Star Is Born). Contrary to her own brief remarks regarding these songs, Streisand need have had no fears about singing them because of their

identification with another great singer, Judy Garland (of whom Streisand speaks touchingly). As with almost any good song she turns her voice to, Streisand finds a way to make these two movingly her own.

Barry Gibb joins Streisand for a more contemporary interlude in *Guilty* and *What Kind of Fool*, which shows that imaginative teamings can be a worthy bonus for any solo act, including Streisand's. But it's still Streisand's show all the way, and she pulls it off as few other performers today could—right through her compelling rendition of *America the Beautiful.* Roy Hemming

BARBRA STREISAND: One Voice. Barbra Streisand (vocals); vocal and instrumental accompaniment. Somewhere; Evergreen; Something's Coming; People; Over the Rainbow; Guilty; What Kind of Fool; Papa, Can You Hear Me?; The Way We Were; It's a New World; Happy Days Are Here Again; America the Beautiful. COLUMBIA OC 40788, © OCT 40788, © CK 40788, no list price. hits and then more or less disappeared. He is apparently still alive but has become a sort of psychological basket case on the order of Pink Floyd's Syd Barrett. Whether his mental problems have contributed to his legend, I wouldn't venture to guess, but on strictly musical grounds, as this long-overdue compilation of his best stuff demonstrates, Carr deserves his reputation as one of the greats. Imagine a cross between Otis Redding, Percy Sledge, and any number of gospel singers, and you'll begin to have an inkling of the power of his performances. There is at once an almost Olympian repose and a suggestion of darker emotional currents; the combination is quite remarkable. The often-covered title track is the major stunner here. 2.2.

DAVID ALLAN COE: A Matter of Life . . . and Death. David Allan Coe (vocals); vocal and instrumental accompaniment. The Ten Commandments of Love; Jody Like a Melody; Need a Little Time Off for Bad Behavior; Southern Star; Child of God; Wild Irish Rose; and five others. COLUMBIA FC 40571, © FCT 40571, no list price.

Performance: Good stuff Recording: Fine

It isn't every record that comes complete with a photo of the artist's father reposing in his casket—wearing his son's "On Tour" sweater, of course but then, David Allan Coe could never be accused of turning out your average record. This latest one, more autobiographical than most, even for Coe, celebrates the circle of life, stemming from the death of the singer's father and the birth of his daughter in one three-week period last year.

Coe stops just short of going overboard with both his grief and his joy, but he's more effective in chronicling his father's passing than his daughter's arrival. One of the three songs about the elder Coe, *Child of God*, shows the singer at his most powerful and inventive. One of the younger Coe's strong points is that, even on record, there's something dangerous about him—you never know what he's going to do. In that respect, and in most others that count, "A Matter of Life... and Death" never lets down for a second. *A.N.* 

CURIOSITY KILLED THE CAT: Keep Your Distance. Curiosity Killed the Cat (vocals and instrumentals). Misfit: Down to Earth; Free; Know What You Know; Curiosity Killed the Cat; and four others. MERCURY CAT LP1 \$8.98.

#### Performance: Oh, shut up Recording: Slick

A very wise person once told me never to trust a band that names a song after itself or vice versa. I bring this up in the case of Curiosity Killed the Cat, the latest contender for the title of Biggest



## YOU JUST HAD TO BE THERE.

Woodstock. Buzzing with the presence of half-a-million people down on the farm for three unforgettable days of peace, love and rock and roll.

Zenith's 27"\* Digital TV with Sound by Bose brings it back. Capturing the emotional impact of a live performance with the world's most advanced built-in television sound systems.

Bringing you sounds you never heard or felt before from a TV this compact. Without surrounding you with a roomful of components.

It starts with the stereo signal Zenith invented, fed into the separate left and right amplifiers of a specially designed Bose sound system. Front-firing TWIDDLER™ drivers provide spaciousness and presence, filling the air with crisp, clear mid-range and treble harmonics. All shaped into astonishingly true-to-life stereo images that complement the picture beyond the capabilities of separate component systems.

Next, deep, clear bass is

## UNTIL NOW.



added by the exclusive Bose Waveguide technology, immersing you in the on-screen action, even at low levels. With virtually no distortion, even at earth-shaking volumes.

Finally, instead of the oldfashioned loudness button, an exclusive dynamic equalization circuit automatically adjusts bass levels to give you natural tonal balance with extraordinary richness and clarity at all volume levels.

And because it's digital, Zenith's square-cornered picture brings you sharper, more vibrant colors than ever before. Plus onscreen displays. Built-in Teletext for instant news, weather and sports. And a full set of jacks that make it the ultimate receiver/ monitor for everything from VCRs and cable to PCs.

Zenith's Digital TV with Sound by Bose. Experience it at selected Zenith dealers.

:// 4 =

al System 3 Color TV Model SC2793S Stand not included

ZENITH. THE QUALITY GOES IN BEFORE THE NAME GOES ON.



#### AUTHORIZED DEALER LIST

CANADA AB Banft: Nexus Sound \* Edmonton: Harold's Starso \* Calgary: Penny Lans Color & Sound

BC Kelowna: K&A Audio, Kely's Elect. World • Perutoten: AA. Singer Electronics Ltd. • Vernon: Kely's Elect. World • Vencouver: Sound Plus • Victoria: Sound Hounds • BL:: Vernon & Keweloope, Crazy Eddle's Sights & Sounds

MN Winnipeg: Advance Electronics NB Dieppe: Medjucks Ltd. \* Moncton: Medjucks Ltd.

Gender: Audio East • Grand Falls. ak Ltd. • St. Johna: West End

entmouth: Musicatop Ltd. • Helffax catop Ltd. • New Glasgow: The

#### **NWT Yellowknille:** Home Electronics Ltd.

NWT Yellowithite: Kome Electronics Ltd. ON Baleviellie: Copiel Audio \* Brenchen: Hi Fi 2009 \* Binchoffle: Just H Fi Audio & Visio + Chellene: Copie Audio \* Semonton: Hi Visio \* Schellene: Copie Audio \* Semonton: Hi Visio \* Semiteria: Copie Audio \* Semiteria: Audio & Ottawe: La Centre Du Son \* Kingators: Savio Ltd. \* Ottawe: Savio Ltd. \* Samite: St. Catar Starso \* Peterborough: Electronic Supermantar \* Othawes: Future Committing: Window: Starson & London: Audio \* Thandine Ray: CD Sound \* London: Great Versit Audio \* Uterbenet: Wesseling Advanced Audio \* Ottawes, Ont:: Studio Sound

#### de: HMC Audio

PEI Somewarité: HMC Audio OU Joliste: Viscovision Tromoc Inc. \* Ile Perrote Radio Dorin \* Visleyfield: Sarro Vision \* David Levis: Tachno Son Inc. \* Binethroeite: Bourget Sarro & Granty, Son Manada: Talvason Para Lazart \* Binethroeite: Bourget Sarro \* Qualtoc City Audologh: Sonet \* Lastes Audiocentre JB \* Larvis: Audiocentre JB \* Chartesborg: Sonet \* Outboo Life Audologh: Sonet \* Catelog Audologente / B \* Larvis: Audiocentre JB \* Audiocentre JB \* Larvis: Audiocentre JB \* S. Geles Elactrolis \* B. George de Besuce: Marce Radio LLS \* Montheat Audiocentre JB \* Repentingrup: A Card Du Son, Shawmgan: Sarroo Pila

#### SK Seekstoon: Custom Stereo (1986) Ltd. \* Regine: Advance Electronics

AK Anchorege: Magnum Electronics

AR Fayettville: The Stareo Buff \* Tucsor

#### AZ Tucson: Tucson Stereo

AZ Tucson: Tucson Stereo CA Berkeim; Honkers Sound Co. \* Bushen: The Lawr is Edge \* Campbelt Sound Goods \* Campbell Part: The Lawr is Edge for the Control Stereor Foreign Cally: Optial Sonics Inc. \* Ostetes House of Lancaster: Consume Superstores \* La Judio: Stereo Yuan \* Lae Angeles: Supervision \* Biountaintive: Sound @ on Heating Stereor Foreign Pathodise: Consume Superstores \* Heaton Back Systems Charge More Pathodise: Consumer Superstores \* Heaton Back Exposures Cound & \* Pathodise: Consumer Superstores \* Pathodise: Cased Systems Cound & \* Pathodise: Cased Systems Design Corup \* Visales: Systems Design Wathort Creat: Sound Bachwide Y & Hellymoodt Executive Sound

CO Boulder: Recycled Audio \* Colonado Banhai: Soundtronics, The Sound Shop \* Denver: Soundronics \* Cher \* Fort Colline: Soundronics \* Chereiter: The Sound Company \* Longment Coll sound \* Pueblic: Soundtronics \* Pt. Celline, Co.: U.S. Tech.

CT Denbury: Carston Stereo \* New He Take 5 Audio \* Airfield: Sound Source

DC Washington: Myer Ernco

DE Wilmington: HiFi House

FL Jacksonville: Hoyt HiFidelity Center \* Lake Park, Lake Worth: Audio Advisors \* Stuart: Fox Audio

HA Honolulu: Honolulu Audio Video Co., The Stereo Station

KY Somerset, Ky.: Sound Wave

LA Iours City: Glaser Audio \* Fairfield: Golden Ear's

ID Boles: The Starso Shoppe \* Katchum Infinite Audio & Video \* Pocatello: Sound Waves \* Twin Falls: The Sound Compan

Waves \* Iven Pate: In Sound Company I, Algonquit: Team Electronics \* Bioomingdate: Audio Valors Inc. \* Burban Dotal Audio Voto T\* - Champeligt: Gimn Audio \* Distage: United Audio, \* Votor's a Stenso \* Dare United Audio, \* Votor's Stenso \* Dare United Audio, \* Votor's Records \* Kanstates: Barret Enerstamme Corv. \* Lanalegu: United Audio \* Normet: Gamo Grove, Nae: United Audio \* Normet: Anobula Audio \* Scheumberg: United Audio \* Normet: Gamo Borinellait: The Kins's Same: or Vennon

KS Emp Thunder Ltd. \* Over Mart \* Topeka: Net

outh: Hi-Fi Exchange ME Fai

ckville: Myer Emco \* Tex ing Ear

intucket Sou ra inc.

er: Sound Assoc ng: Stareo Types Audio \* Mai can TV & Applances \* Plymo

de: In Concert \* St. Paul: Th

o Bull • Ja

MT Billings: New Horizon HiFi \* Bozen Thirsty Ear Ltd. \* Mesouls: Electronic I

MB Lincoln: Natural Sound

NC Carriboro: Starto Scund \* Conover: Audo Hau \* Danner: Trytor House \* Durhan: Audo Waton \* Greeseboro: Sterio Scund \* Greesettik: Sterio Village \* Headonsomite: Po Scund \* Statisannike: Oracion Audo \* Nere Berne: Andreson Audo II \* Ranight: Sterio Scund \* Winston Balan: Storio Scund \* Nere, NY: Semand Audo \* NC Charlotte: Tar's \* Chapel Hall: Sterio

#### er, Rochester: Campus Hi-Fi

NJ Paramus: Stareo Warehouse • Tom's River: Rand's Camera & Hi-Fi • Upper Montcleir: CSA Audio Video

ta Fe: Santa Fe Audio

Alterny: Mom's Music/Musical Deson an, NY 4 Amberit: The Speaker Shop oblym Stereo Warehouse 9 Budlet: The stere Shop 6 andrea (DHP, Rationa's e stances 8 A Rocotts, Ratbon's 4 Mil, to: The Sound Concept 9 Mark 1998 tances 4 Rocotts, Ratbon's 4 Mil, to: The Sound Concept 9 Mark 1998 (Path Judio 9 Antibelangit, August 1997) and 1997 (Sandar Concert 9 Symposer: Sound Concert 1997) Audio \* Platteburgic Alpha Ichester: The Sound Conce see: Clark Music \* Valley Ite Platte: Starso Warehou

OH Akron, Hightend Heights: Ohio Sound Inc \* Canton: Ohio Sound Inc. \* Latwareo Play It Agents: San \* Lornite: Grasso's Auc Inc. \* Bendesity: The Audio Force \* Bout Euclid: Atlentis Home Entertainment Systems \* Youngetown: The Speaker Sh & Art

OK Tules: The Phonopraph

OR Hermiston: Quickelly The Audio Alternative

Camphil: Hifi House \* Eris: House of ord \* Hamiaburg: Hifi House \* adelphis: Sound Service \* Throop: had Sound \* Pittaburg: Better Sound oop! \* Mantgameryvilla: World Wide

PR Rio Piedras: On Top Audio RI North Providence: Eastern Discount

BC Columbia: Audio Atlemative \* Gree Stareo Video Inc. \* Hillion Head Island: Video Plus Inc. \* Rock Hill Tart's

SD Bloux Falls: Western Stereo

Th Johnson City: The Sound Room + Memphis: Opus II + Sevierville: Sound Concepts

TX Delles: Ed Kellum & Son

UT Provo: Custom Acoustics \* Ogden: HiFi Shop \* St. George: Arrow Audio

nariotiseville: Sound Machine, red Sound ® Felle Church: Myer Emco mond: The Audio Exchenge ® Virginia I: Digital Sound

Herbor: Sea Acoustics \* Lines & Designs \* Pullma Sound \* Redmond: Home rent by Design \* Richland: r Audin \* Tenome: The Site WA Fride

n, Oak Creek, Wauke V & Appliance • La Cr ne • Medieon: America ce. Soecielized Sound

Band in England for the Next Five Minutes, because side one of their debut album closes with a song of the same name, and while listening to it I was struck by a nagging worry: Did I leave the hall light on when I left for work this morning? Which is to say, this is the kind of album and band that makes the mind wander a bit.

Here's yet another collection of Anglo pretty faces dispensing a tuneless brand of post-disco dance pop, as utterly indistinguishable from the Thompson Twins or the Blow Monkeys as Jessica Hahn is from Donna Rice. Coming soon to better cut-out bins everywhere, I'm sure. S.S.

HEART: Bad Animals. Heart (vocals and instrumentals); other musicians. Who Will You Run To; Alone; There's the Girl; I Want You So Bad; Wait for an Answer; and five others. CAPITOL PJ-12546 \$9.98, © 4PJ-12546 \$9.98, @ CDP-46676 no list price.

#### Performance: Overachievement Recording: Excellent

If I were an impresario and wanted to put together the world's greatest rock group, I'd take Fleetwood Mac and replace Stevie Nicks with the Wilson sisters, Ann and Nancy. These two could be backed by a couple of Capuchin monks and an accountant and still rock the back row at the Rose Bowl. Paired with Lindsay Buckingham's singularly deranged, energized rock, this group would be dangerous.

"Bad Animals" follows up last year's mega-hit comeback album "Heart" with more soaring two-part harmonies, seductive ballad singing, and hard-kicking vocal leads wrapped around competent, professional, but uninspiring AOR rock. "Animals" is the kind of "classic rock" that gets played on those FM stations that still keep Stairway to Heaven, Free Bird, and Riders on the Storm in heavy rotation. Alone is already a certified "classic," and Who Will You Run To is bound to join it. They'll get played on the radio from now until you're collecting Social Security, and everyone you know will buy the album. Which is why you don't have to. M.P.

LADYSMITH BLACK MAMBAZO: Shaka Zulu. Ladysmith Black Mambazo (vocals). Unomathemba; Hello My Baby; At Golgotha; King of Kings; The Earth Is Never Satisfied; and five others. WARNER BROS. 25582-1 \$8.98, © 25582-4 \$8.98, @ 25582-2 \$15.98.

#### Performance: Spirited Recording: Fine

The cultural spotlight in South Africa has increasingly fallen on the creative expression of the indigenous black people. A catalyst in the musical movement has been Paul Simon, who used some of South Africa's finest artists in his Grammy-winning "Graceland" set and later on his national tour. Foremost

100 STEREO REVIEW SEPTEMBER 1987

among them was the *a cappella* male singing group Ladysmith Black Mambazo, and Simon produced the group's first American album, "Shaka Zulu."

The group's haunting, irresistible sound is derived from a peculiarly South African music sometimes called Ngomabusuki, meaning songs of the night, because it is sung by black miners far from the ears of their bosses. The miners live in single-sex dormitories. near their jobs but far from their families, which they can visit only a few times during the year. Such music would have to be plaintive, and it is. Yet it also contains hope for freedom from oppression, usually couched in religious terms.

Under the direction of its founder, a singer-composer named Joseph Shabalala, Ladysmith Black Mambazo has shaped this music into an extraordinary and unique art form. The uniqueness derives not only from the precision of the group's harmonizing and mastery of shifting rhythms but from the profound emotion that infuses their sound. They also call upon their own linguistic traditions, with the famous "clicks" and other tongue tricks incorporated into the lyrics. But above all there is in this music an indomitable spirit. It is the music of people who know that some day they will win. P.G.

THE MEKONS: Honky Tonkin'. The Mekons (vocals and instrumentals). I Can't Find My Money; Hole in the Ground; Sleepless Nights; Keep Hoppin'; and nine others. TWIN/TONE TTR 87113 \$8.98, © TTR 87113C \$8.98.

Performance: Amazing Recording: Very good

The Mekons were among the first of the original British punk groups, and now, as the Eighties wind down, they're the last, although this is not exactly the same band. In fact, some seventy-five different folks have been Mekons over the years: apparently, when punk announced that anybody could (and should) be in a band, these characters took it seriously. In any case, the music the current Mekons are making is lightyears removed from punk thrash. It is, instead, a beer-soaked, politically angry British take on hard-core American country, at once hugely ironic and passionately felt.

The songs in "Honky Tonkin'" are about love, guilt, booze, injustice, tradition, and coping with a world that, in Ernie Kovacs's phrase, is essentially copeless. There are obvious analogsthe Gram Parsons-era Burrito Brothers, even the Band (the Mekons have been known to cover Richard Manuel's The Shape I'm In)-but mostly this is original stuff, for all its debt to Nashville. The Mekons may be the last of a dying breed, but there's more life in this record than in a hundred music videos on MTV, and you miss it at your peril. S.S.

#### nt: Sounds Deluxe



ANNE MURRAY: Harmony. Anne Murray (vocals); vocal and instrumental accompaniment. Are You Still in Love With Me; Anyone Can Do the Heartbreak; Perfect Strangers; Give Me Your Love; and six others. CAPITOL ST-12562 \$8.98, © 4XT-12562 \$8.98, © CDP-46761 no list price.

#### Performance: Stuck Recording: Very good

It's impossible to fault her voice, of course, but Anne Murray has been

mired in adult-contemporary sludge for so long she appears either not to notice or to be so entrenched that she cannot work her way out. "Harmony," with virtually nothing to recommend it, is only more distressing proof of Murray's steady, and tragic, artistic disintegration. Too bad. A.N.

**OINGO BOINGO:** *Boi-Ngo.* Oingo Boingo (vocals and instrumentals). *Home Again; Where Do All My Friends Go; Elevator Man; New Generation; My* 

## Powerful Analytical Tool

#### SIGNET TK44 STEREOPHONES

Plug in TK44 Stereophones by Signet and hear the plain truth about the rest of your stereo system. These truly sophisticated electret stereophones are almost uncanny in their accuracy. Their frequency response, sensitivity, low distortion, and dynamic range challenge some very prestigious speakers.

You can determine whether acoustic feedback from speakers is muddying up your bass, or whether that subtle HF distortion is really your tweeters...or perhaps a subtle preamp symptom. Are standing waves a problem? Compare your speakers with the sound of your TK44 Stereophones and get the answers. Even if you never hear a problem, you now own a listening standardof-comparision that is unrivalled at its price...and far beyond. And there's a bonus. Now you can listen at any level, any time of the day or night, without fear of annoying family or neighbors. Without compromising your sonic standards.

Enjoy the unparalleled freedom of TK44 Stereophones. Or simply use them as a diagnostic tool for better sound. Either way Signet TK44 Stereophones can improve your stereo system...and your every listening experience. TK44 Stereophones are displayed with confidence at your nearest Signet showroom.



CIRCLE NO. 36 ON READER SERVICE CARD

Life; We Close Our Eyes; Not My Slave; and two others. MCA MCA-5811 \$7.98, © MCAC-5811 \$7.98, © MCAD-5811 no list price.

Performance: *Hepped* up Recording: *Excellent* 

One look at the cover of "Boi-Ngo" and you know these guys are hot—any group this goofy looking has to be getting by on talent. Oingo-Boingo's first album is an eccentric, hyper-charged, and charming record, bouncing with double-time, peripatetic arrangements, curious, twisting melodies, and acrobatic vocals. For a band with two saxophones, a trumpet, and two guitars, Oingo Boingo is strangely dominated by the vocal work of its members—they're almost New Wave Doo Wop.

Lead singer and songwriter Danny Elfman is smart enough to play to this strength. His hook-laden songs all feature outstanding vocal arrangements, from the cascading chorus of Home Again to the finger-snapping a cappella intro on Where Did All My Friends Go to the rich harmony of We Close Our Eyes. Although it's a West Coast band, Oingo Boingo is almost British in outlook and energy. Songs like Home Again, about the brave front we put on when we're out in the world, hiding the overwhelming urge to crawl up into a ball when we get back home, and My Life, a gem of synth-pop musing, convey the same kind of dazed-and-confused-but-making-the-best-of-things attitude that typifies British pop. Quirky, unassuming, and thoroughly engaging. Recommended. M.P.

SLY AND ROBBIE: Rhythm Killers. Sly Dunbar (drums, percussion); Robbie Shakespeare (bass); Bootsy Collins (vocals, guitar); Henry Threadgill (saxophones, flutes); Bernie Worrell (prepared piano); other musicians. Fire; Boops (Here to Go); Let's Rock; Yes We Can; Rhythm Killer; Bank Job. ISLAND 90585-1 \$8.98, © 90585-4 \$8.98, © 90585-2 no list price.

Performance: Incendiary Recording: Excellent

What a wonderful collection of styles and themes this album hurls at us! Just when it seemed that contemporary urban dance music was about to selfdestruct under a mountain of monotonous beats and retarded raps, Sly Dunbar and Robbie Shakespeare come along to demonstrate how the best of the past can be combined with current modes to produce music that is both imaginative and readily accessible.

Both of these guys have been around for a while, having started out in Jamaica where they anchored Peter Tosh's backing groups during the late Seventies. For "Rhythm Killers" they collaborated with veteran funkster Bootsy Collins to produce bump-and-grind dance music with all the bumps in the right places. The format is simple. Each

# Dynamically Different.

#### THE CARVER M-500t MAGNETIC FIELD POWER AMPLIFIER LEADS AN INDUSTRY TREND TOWARDS MORE USEFUL DYNAMIC POWER FOR MUSIC...AND YET STAYS WELL AHEAD OF ITS INSPIRED IMITATORS.

With its astonishingly high voltage/high output current and exclusive operation features, the M-500t sets standards yet unequaled in the audio community. A conservative FTC sine wave output of 251 watts per channel belies its incredible ability to satisfy peak musical transients demanding far more power. In fact, the M-500t provides more power, more current and more voltage than any comparably priced amplifier ever offered.

**POWER EXPRESSED BY THE DEMANDS OF MUSIC.** The Carver M-500t responds to musical transients with 600 to 1000 watts of dynamic power, depending on speaker impedance. The gulf belween FTC and dynamic power ratings reflects Bob Carver's insistence that amplifier design should fitthe problem at hand: The need to reproduce music with instantaneous, stunning impact.

The individual leading edge attack of each musical note lasts less than 1/1000 of a second, yel forms the keen edge of musical reality which must be present if true high fidelity is to be realized. It is especially necessary with the increased dynamic capabilities of Compact Discs and video Hi-Fi. In ordinary amplifier designs, the vast amounts of power required is provided by bulky, expensive power supplies and huge output transformers.

#### THE MAGNETIC FIELD AMPLIFIER

**SOLUTION.** Rather than increase cost, size and heat output with massive storage circuits, Magnetic

Field Amplification delivers instantaneous high peak and long-term power from a six-pound, four-ounce Magnetic Field Coil. Shown below are the 40-pound toroid coils from a pair of \$7000 esoteric power amplifiers. In front of them is the M-500t's Magnetic Field Coil capable of delivering TWICE the output current (±100 amperes at 10% regulation!) for exceptionally precise control of voice coil motion.



Thus Carver's remarkable, patented design not only lets you enjoy the stunning sonic benefits of simultaneous high current and voltage in a compact, cool-running component, but enables you to afford audiophile-level power as well.

**POWER: WITH FINESSE.** While the M-500t isn't the only amplifier with aggressive output capabilities, it is one of the few that tempers brute power with sophisticated protection circuits beneficial to both the amplifier and your loudspeaker system. These include DC offset, short circuit and power interrupt systems, as well as two special computer-controlled speaker monitor circuits which protect against excessive high frequency tweeter input and overall voice coil thermal overload.

Output is continuously monitored through dual lighted infinite-resolution VU-ballistic meters which can react to musical transients as brief as 1 millisecond.

In addition, the M-500t's lack of external fan noise is complimented by internal circuitry with the best signal-to-noise ratio of any production amplifier. Better than 120dB. And, unlike any other amplifier in its price or power ranges, the M-500t is capable of handling problematic speaker loads as low as 1 ohm. It may also be used in a bridged mode as a 700 watt RMS per channel mono amplifier without any switching or modification.

**MUSIC IS THE FINAL PROOF.** Specifications aside, final judgment of any amplifier must be based on musicality.

Bob Carver has carefully designed the M-500t with a completely neutral signal path that is utterly transparent in sonic character, resulting in a total lack of listener fatigue caused by subtle colorations exhibited by many other amplifiers, regardless of their power rating. A veil will be lifted between you and your musical source as the most detailed nuances are revealed and delivered with proper impact.

We invite you to audition the M-500t at your nearest Carver dealer soon. Against any and all competition. We believe that you will be pleasantly surprised at just how affordable this much power, musicality and accuracy can be.

SPECIFICATIONS: POWER, 251 watts/channel into 8 ohms 20Hz to 20kHz, both channels driven with no more than 0.15% THD. Instaneous Peak power, 1000 watts into 2 ohms, 950 watts into 4 ohms. 600 watts into 8 ohms. Long Term Sustained RMS power, 500 into 2 ohms, 450 into 4 ohms, 300 into 8 ohms, 1000 watts bridged mono into 4 ohms, 900 watts bridged mono into 8 ohms. Bridged Mono RMS Continuous Power, 700 watts continuous into 8 ohms. Noise, --120dB IHF A-Weighted. Weight, 25 lbs.



CARVER PO. Eox 1237, Lynnwood, WA 98046

MUSICAL

album side is based on a funk classic of proven merit. Side one is derived from the Ohio Player's incendiary *Firel*, side two from *Yes We Can*, one of the best tunes ever recorded by the Pointer Sisters when they dared to be different. These anchoring songs serve as starting points for uninterrupted improvisations in rhythm that build to multiple climaxes while drawing from wildly disparate musical styles. Blistering blues guitar licks are juxtaposed with quotations from the *Masterpiece Theatre*  theme music and Henry Threadgill's intellectual saxophone commentaries, all interwoven with the thumping rap exclamations. The result is one of the best dance records I've heard in a very long time—funk with a fresh twist that begs to be heard again and again. P.G.

TOM WAITS: Franks Wild Years (see Best of the Month, page 88)

THE WHITE ANIMALS: In the Last Days (see Best of the Month, page 87)

M & K asks: How do other companies know their speakers accurately reproduce the sound of live music?



M & K PresIdent and chief speaker designer Ken Kreisel, recording the English Chamber Orchestra at London's Abbey Road Studios, using M & K S-1B Satellites and V-1B Subwoofers.

We know M & K speakers give you the most realistic reproduction of live music, because we are the only speaker manufacturer that is also a digital recording label (RealTime and Perpetua Records). No other speaker manufacturer constantly references the sound of their speakers to live professional musicians in a digital recording environment. The lifelike superiority of M & K Satellite-Subwoofer Systems is a direct result of this dual heritage.

Systems from \$220 to \$2500 at select audio specialists. Call or write for speaker and CD literature, plus the name of your nearest dealer.



MILLER & KREISEL SOUND CORPORATION 10391 Jefferson Boulevard, Culver City, CA 90230 USA-213/204-2854 CIRCLE NO. 46 ON READER SERVICE CARD



THE DUKE ELLINGTON ORCHES-TRA: Digital Duke. The Duke Ellington Orchestra, Mercer Ellington cond. Satin Doll; Perdido; Prelude to a Kiss; Cottontail; and four others (four additional selections on the CD). GRP **O** GR-1038 \$8.98, **©** GRC-1038 \$8.98, **©** GRD-9548 no list price.

Performance: Kinda Dukish Recording: Excellent

The Ellington sound is well preserved on this new release by the current Duke Ellington Orchestra, which is led by Duke's son, Mercer; a few members in the band actually did work for his father. Mercer Ellington acted as manager and played the trumpet in his father's band for nine years before circumstances made him its leader. What he inherited was the world's most famous big band, an organization that time had granted a life of its own. And you still hear today echoes of its illustrious past, the work of men like Johnny Hodges, Billy Strayhorn, Cootie Williams, and Lawrence Brown. But this is not the Duke Ellington Orchestra frozen in time, nor is it really a 1987-vintage Ellington Orchestra. It is an "Ellingtonian" orchestra that captures the essence of early Seventies Duke and adds enough fresh ingredients to make it tantalizing.

Among the fresh ingredients are some excellent solos, in *Jeep's Blues* and *Prelude to a Kiss*, by Ellington alumnus Norris Turney, who replaced Hodges and follows, stylistically, in his footsteps. The most stunning moments, however, are provided by guest tenor saxophonist Branford Marsalis, who sets *Cottontail* on fire. Overall, a fine production. *C.A.* 

LEE KONITZ: Ideal Scene. Lee Konitz (soprano saxophone); Harold Danko (piano); Rufus Reid (bass); Al Harewood (drums). Ezz-thetic; If You Could See Me Now; Silly Samba; Chick Came Around; and three others. SOUL NOTE SN 1119 \$9.98, © 1119C \$9.98, © 1119CD no list price.

Performance: Superb Recording: Excellent

As Lee Konitz points out in his notes, when his quartet recorded "Ideal Scene," in Milan last summer, it was a finely tuned working band, having just finished eight concerts at the North Sea Festival, in the Hague, and played Japan several months before. It is certainly not just another saxophone-withrhythm combo. The close rapport Konitz has with the rest of this quartet is evident from the beginning, and I would expect no less, considering the cast. Three of the seven tunes are by pianist Harold Danko, a prolific com-

## Now there's a better way to orchestrate your autosound.

SAVE 37% on CAR STEREO REVIEW... new from the Editors of Stereo Review!

Until now, it always took a lot of time and effort to ensure "living room" sound from your car stereo. That's why the Editors of *Stereo Review* are proud to introduce *Car Stereo Review*—the ultimate guide to ultimate autosound!

This is the world's *first* and *only* regular publication dedicated to the pursuit of highquality autosound. Each quarterly issue will be packed with how-to articles for buying, installing, and maintaining autosound equipment—so you can get more pure enjoyment from your car stereo than you thought possible.

Whether you're purchasing your first car stereo system or upgrading your present one, you'll want to check out our product reviews of all the latest autosound components. Our Equipment Test Reports make it easy for you to select the right components for your needs and your budget. And our exclusive Road Tests feature users' evaluations of various installations under real driving conditions.

You'll also find money-saving shopping tips, expert advice for choosing an installer (or doing it yourself), car stereo security tips, CD and tape reviews—and fresh, updated listings of car stereo products, so you can compare features, specs and prices.

Here, then, is everything you need to know about car stereo, written by the Stereo Poving

know about car stereo, written by the Stereo Review experts who are in the know. Subscribe today and receive special Charter Subscriber rates: just \$9.98 for four big quarterly issues. That's a 37% savings off the annual newsstand cost!

#### Musicians: N.Y. Chomber Orchestre CHARTER SUBSCRIPTION SAVINGS CERTIFICATE

#### CAR STEREO REVIEW

P.O. Box 57316, Boulder, CO 80322-7316

YES, show me the better way to guarantee the sound quality of my car stereo! Please enter my one-year Charter Subscription to Car Stereo Review, and send me four quarterly issues for only \$9.98. That is 37% off the annual newsstand cost of \$15.80.

#### **CHECK ONE:**

Payment enclosed. Bill me later. 8H15 Mr. Mrs.			
Ms(please print full name)			
AddressApt			
City			
StateZip			
Offer valid in U.S. and possessions only. Please allow 60 to 90 days for delivery of first issue.			



#### THE UNTOUCHABLES

HILE The Untouchables is clearly the best movie based on an old TV show ever made, it is not quite the masterpiece some are claiming. Despite an occasionally well-written scene by David Mamet, some nice performances (notably by the sublime Sean Connery as the wise old cop), and some well-staged action sequences, it's basically a live-action cartoon, and a rather thinly plotted one at that. That people are going bonkers over it is, I think, more a comment on the generally pathetic state of American filmmaking at the moment than a reflection of anything specifically swell about the film itself. But, then again, what do I know? I actually liked Heaven's Gate.

In any case, the one aspect of the film that I am unambiguously enthusiastic about is the score. Ennio Morricone, a composer much beloved of avant-garde rockers because of his penchant for cultural and stylistic cut-and-paste games, weighs in here with an absolutely smashing effort, in equal parts Italianate romanticism, parodistic period pop, and contemporary high-tech. Heady, breathlessly paced, and utterly original, it's an aural collage that works even without the visuals. In an era when most film music is either a marketing ploy (Top Gun, Beverly Hills Cop II) or a pale John Williams pastiche (take your pick), The Untouchables has a score that's the work of a genuine talent pushing a medium to its limits. In short, the album is the best thing of its kind since Randy Newman's soundtrack for The Natural. Highly recommended.

Steve Simels

THE UNTOUCHABLES (Ennio Morricone). Original-soundtrack recording. Orchestra, Ennio Morricone cond. A&M • SP-3909 \$8.98, © CS-3909 \$8.98, © CD-3909 no list price. poser who has yet to get the attention that is his due. It's all high-caliber jazz in that enduring vein we once called "modern." C.A.

MIKE MELILLO/CHET BAKER: Symphonically. Chet Baker (trumpet); Mike Melillo (piano); other musicians. Orchestra Filarmonica Marchigiana, Mike Melillo cond. Laura; Yesterdays; My Foolish Heart; and two others. SOUL NOTE SN 1134 \$9.98, © 1134C \$9.98, © 1134CD \$9.98 no list price.

Performance: Uneven Recording: Good

The going is a bit rough at times, but this live set, which for the most part features Chet Baker's still-mellow trumpet against a lush symphonic background, is not an altogether bad bit of jazz-flavored mood music. The roughness is largely due to the nature of the recording, which was made at a live concert with an Italian orchestra that sounds as if it would be more at home performing Verdi and Puccini. There was apparently little time for rehearsal, and Baker did not always show up-which shows up clearly in the performance. On only one track do he and Mike Melillo perform without the orchestra, and that's in My Foolish Heart, which Baker sings in the same foggy voice that once brought him great popularity outside the jazz world. Melillo's arrangements are pleasant but uneventful. The charts might have been more adventuresome, but, given the situation, it would probably have been unwise to aim higher. Don't go away thinking this set is all bad, though. It's just a little uneven. C.A.

MARK MURPHY: Night Mood. Mark Murphy (vocals); vocal and instrumental accompaniment. Sails; Love Dance; Ticket; Dinorah Dinorah; Madalena; and four others. MILESTONE M-9145 \$9.98, © 5-9145 \$9.98, © 9145-2 \$16.98.

Performance: Right mood Recording: Very good

Since his appearance on the jazz scene in the late Fifties, Mark Murphy has been quietly building up a following. He has recorded some thirty albums in as many years, and his latest, "Night Mood," is a well-honed set featuring compositions by Brazilian songwriter Ivan Lins. The years have added a bit of gravel to Murphy's voice, but it is quite becoming. As with so many other cabaret singers, it's the delivery that counts. The accompaniments provided by the group Azymuth as well as by alto saxophonist Frank Morgan and trumpeter Claudio Roditi add a jazz flavor, but Murphy has always been jazz-oriented. He has also crossed over the border into pop; here he straddles it. I like it. C.A.

BUDDY TATE: The Texas Twister. Buddy Tate (clarinet, tenor saxophone, vocals); Paul Quinichette (tenor saxo-
# Silent Running.

# CARVER'S FAMOUS TUNING TECHNOLOGY TAKES TO THE ROAD WITH THE ONLY AM/FM TUNER CASSETTE DECKS CAPABLE OF CUTTING MULTIPATH INTERFERENCE UP TO 92.9%!

The new TX-Seven and TX-Nine audiophile autosound decks employ the same Asymmetrical Charge-Coupled FM Stereo Detector circuitry as Carver's revolutionary TX-11a home tuner. They also incorporate an ingenious automatic computer logiccontrolled antenna switching system that further vanguishes multipath distortion.

In point of fact, no other autosound decks in the world – regardless of price – even begin to approach the TX-Seven and TX-Nine's ability to maintain a hiss-free, glitch-free FM listening environment in your car.

# COMPUTER LOGIC-CONTROLLED DIVERSITY ANTENNA SWITCHING DRIVES

**AROUND MULTIPATH.** One way to get temporary relief from interference at home is to move the antenna around slightly. Instead of physically moving your car antenna, the TX-Seven and TX-Nine use computerized circuitry to switch between *two separate antennas*, one out-of-phase, and one in-phase with incoming FM signals.

When multipath occurs, a special "smart" circuit automatically switches (at the speed of light) to the other antenna, automatically correcting phase and eliminating the multipath before you ever hear it. What little multipath distortion gets through this smart antenna system runs headlong into the remarkable tuner innovation *High Fidelity Magazine* described as "... distinguished (by) its ability to pull clean, noise-tree sound out of weak or multipathridden signais."

Alone, without antenna diversity switching, the TX-Seven and TX-Nine's Asymmetrical Charge-Coupled FM Detector Circuitry delivers a *net noise* and distortion reduction of 93.5%! Together, they set a new standard for clear, clean FM autosound reproduction.

**REAL WORLD CONFIRMATION.** Both decks were tested on a torturous 6-mile course near the Carver factory which could regularly trigger at least 287 separate multipath occurrences in conventional autosound FM tuners.

The TX-Seven and TX-Nine with Asymmetrical Charge Coupled FM Detection and diversity antenna system, reduced multipath occurrences to an average of *two* during the same course while listening to the same stations! **FACTORY—LOADED WITH EXTRAS.** The fifteen random presets on the TX-Seven and TX-Nine are incredibly easy to set. Just press the button marked BEST and the logic circuitry *automatically* selects the fifteen strongest signals and locks them in on the presets. Plus you can select another fifteen on your own!



Naturally both decks are metal tape compatible with Dolby® noise reduction and have auto-reverse transports, separate bass, treble, balance and loudness and four-way fader controls. All tuning and transport functions are signalled with a gentle "beep" that keeps your eyes on the road, not on the compact, ergonomically-styled deck.

There's even a security code system that renders the TX-Seven or TX-Nine inoperable to anyone but you, and a quick removal system so you can slip out your TX-Seven or TX-Nine in seconds for storage in trunk or house.

### THE BEGINNING OF THE PERFECT AUTO-SOUND LISTENING ENVIRONMENT. Visit your

Carver dealer soon and experience the TX-Seven and TX-Nine. Out of hundreds of the only tuner/ cassette models available, they are the only ones which can truly put you in the driver's seat of a unique, interference-free musical experience.

Dolby is a trademark of Dolby Licensing Corp.

POWERFUL

CIRCLE NO. 49 ON READER SERVICE CARD

MUSICAL

ACCURATE

# The best way to carry a tune.

Even if you can't sing a note, you can still appreciate great music. vVith Toshiba's portable CD player. The sound is awesome. It packs ar AM/FM stereo radic with 12 preset digital tuning, 3-beam laser pickup and 16-program rancom memory. Theres even a quick program key and a rechargeable Ni-Cad battery. It's a high note in portable CD's. TOSHIBA

CIRCLE NO. 57 ON READER SERVICE CARD



phone); Cliff Smalls (piano); Major Holley (bass); Jackie Williams (drums). Talk of the Town; Chicago; Boogie Woogie; Topsy; and four others. NEW WORLD NW 352-1 \$10.98, © NW 352-2 no list price.

Performance: Gentle swing Recording: Quite good

When tenor saxophonist Buddy Tate recorded this album, a day before his sixty-first birthday in 1975, he had more or less withdrawn from the New York scene. By the mid-Seventies, his warm, at all times robust Texas tenor seemed to find more appreciative ears in Europe. Tate, now seventy-three, is still summing up his experiences with the bands of Count Basie, Andy Kirk, Lucky Millinder, and Hot Lips Page, but "The Texas Twister" captures his work at a particularly creative time when he was able to combine impressive experience with strength that has now begun to ebb. The presence of another of the Count's former tenors, Paul Quinichette, gives these quintet tracks a Basie flavor, which Tate further enhances by rendering vocals that evoke Jimmy Rushing's style. They rarely make music like this any more, so this recording (originally released on Master Jazz) is a particularly welcome addition to the growing CD jazz library. Let's hope a similar laser rebirth is in store for the superb Chiaroscuro album "Buddy Tate and His Buddies," which he made two years earlier with Roy Eldridge, Mary Lou Williams, Buck Clayton, and Illinois Jacquet. CA

JOSH WHITE, JR., WITH ROBIN BATTEAU: Jazz, Ballads & Blues. Josh White, Jr. (guitar); Robin Batteau (violin); Jerry Burnham (bass). St. James Infirmary; Don't Smoke in Bed; House of the Rising Sun; Strange Fruit; Call Me Darling; and five others. RYKO © RCD 10033 no list price.

Performance: Excellent Recording: Yodeler's dream

Guitarist Josh White, Jr., plays in a style that is virtually identical to the style that brought his late father such great popularity several decades ago. I happen to like this kind of polished blues guitar, but much of this recording is marred by a dreadful abuse of the echo chamber. It is as if White and his partner, violinist Robin Batteau, were playing inside a large, empty cave. Engineers were fond of using excessive reverb in the Fifties, and pop producer Phil Spector took it to the max in the following decade, but I thought we had outgrown this sort of thing. And these two fine players certainly don't need it. So let's say that I love the picture but hate the frame. This is a wonderful set of familiar material, much of it associated with White's father, and I will be the first to recommend it if Rykodisc ever remasters it to give these performances the presence they deserve. C.A.

# The Best Speakers You <u>Never</u> Heard of.

During the past ten years Coustic has manufactured and sold over 2 million high-quality car audio speakers. And while numbers and experience certainly tell part of the story, its great sound that really counts. At least with us!

Coustic's broad line of technologically unique loudspeakers includes one for virtually any application, Our HZ Shaper™ series of high efficiency speakers ranges from the model HS-830, 3-inch in-dash full range, to the model HS-893, 3-way high power 3 by 9 inch. Coustic's new HT series of component speakers includes

such unique features as "symmetrical-wave loading" dome tweeters, carbon-filled polyprophylene cones and die-cast framed 10-inch subwoofers. In short, we manufacture some of the finest speakers available today-period!

No ad can accurately describe the quality sound of Coustic louds beakers. The only way to know how good our speakers really are is to listen to them yourself. After you hear them you wilk wonder why you've never owned a pair before. Coustic...a sound investment.

> 1260 Charter Street 213) 582-2832

Availablerat 4ine dealers such as:

von. Mass. New England Stereo Of (617) 580-8557

Aurora, Joliet, III. (312) 896-6464

King of Prussia, PA. (215) 277-2812

Highlander Hts., Ohio (216) 633-9525

Coustic 1987

Vancouver, B.C

(916) 742-6586

08-33 11 41, 33 17 95

(66-2) 277-0619

(604) <u>873-4475</u>

Marysville, CA.

Stockholm Sweden

Bangkok, Thailand InterAudio Co., Ltd.



# "How Big An Amp Do I Really Need?"

Contrary to popular belief, lots of amplifier power isn't necessarily the solution to getting lots of dynamic range from your system.

Fact is, amplifier power alone has little effect on the dynamic range we hear in compact discs and other modern recordings. Your speakers have far more effect on dynamic range than the amplifier or any other component in your system.

We compared a KLIPSCH<sup>®</sup> Loudspeaker with four other models from various makers. (The KLIPSCH model was not the most expensive.) Doubling, even tripling the power to the speakers had little effect on their dynamic range. Compared to the KLIPSCH model, the other speakers required at least 30 times more power to achieve a normal listening level. And regardless of the total power consumed by the other speakers, the KLIPSCH model still had 20 dB higher output.

Are we suggesting KLIPSCH Loudspeakers have the widest dynamic range in the industry? You bet. In most cases, the addition of KLIPSCH Loudspeakers will be the most effective and efficient way to widen the dynamic range of your system. Our special compression drivers are the reason why. They give you more controlled imaging, greater clarity and wider dynamic range. As these characteristics become higher priorities to your musical taste, we encourage you to compare KLIPSCH to any other

speaker mated to any size amplifier. Decide for yourself what gives you the most for your money.

For your nearest KLIPSCH dealer, look in the Yellow Pages. Or call toll free, 1-800-223-3527.





# **CLASSICAL MUSIC**

Discs and tapes reviewed by Robert Ackart. Richard Freed. David Hall, Stoddard Lincoln

BACH: English Suite No. 2, in A Minor (BWV 807); English Suite No. 3, in G Minor (BWV 808). Ivo Pogorelich (piano). DEUTSCHE GRAMMOPHON O 415 480-1 \$10.98, © 415 480-4 \$10.98. @ 415 480-2 no list price.

Performance: Glib Recording: Fine

Many pianists, not realizing (or ignoring) that the harpsichord is basically a legato instrument capable of sustained lines, use a continuous staccato touch when playing Bach. Ivo Pogorelich is no exception. Despite his compelling drive, Pogorelich plays the fast movements of these suites in so staccato a fashion, and so fast, that you feel a mechanical rather than a musical force is at work. The allemandes, on the other hand, are slow and gluey. Further misunderstanding of the Baroque style is manifested in Pogorelich's handling of the ornaments and his curious reversal of dynamics in the two bourées of the Second Suite and the two gavottes of the Third. In paired dances of this sort, the second is usually softer and lighter. All in all, this is a disappointing release, not because the pianist plays badly but because his style of playing is so inappropriate to the music. S.L.

**BENJAMIN:** At First Light; A Mind of Winter. Penelope Walmsley-Clark (soprano); London Sinfonietta, George Benjamin cond. Ringed by the Flat Horizon. BBC Symphony Orchestra, Mark Elder cond. NIMBUS O NI 5075 no list price.

### Performance: Accessible Recording: Very good

George Benjamin was born in 1960, which makes him twenty-seven years old-long in the tooth for a rock star but extraordinarily young for a successful classical composer these days. Benjamin composes in what might now be called mainstream modernism. He makes a big, sure, colorful symphonic sound. The pieces here are tonal pictures-the Straussian tone poem updated. At First Light was inspired by a Turner painting, Ringed by the Flat Horizon, his best-known work, by a photograph of a thunderstorm over the desert and some lines from T. S. Eliot's

**EXPLANATION OF SYMBOLS:** 

- $\Phi$  = DIGITAL-MASTER LP
- $\odot = TAPE CASSETTE$
- D = COMPACT DISC



FRITZ CURZON/DEUTSCHE GRAMMOPHON

Soprano Rosalind Plowright

# A NEW "FORZA"

ERDI'S La forza del destino is perhaps the most difficult of his operas to assess. Its diffuse plot deals with love and vendetta, war, and religious commitment. Dramatically, it's virtually impossible to find a point of focus. Musically, too. it is something of a patchwork, with glorious bits next to trite or insipid passages. Finally, the characters seem rather remote, not really developed as in other Verdi operas. They are, indeed, pawns of the force of destiny. The opera is well titled.

La forza casts its spell nevertheless. Focused or not, it is highly theatrical, and the music is very exciting. You can't help being caught up by Verdi's invention, passion, and uncanny sense of what will work in the theater.

Giuseppe Sinopoli's new Deutsche Grammophon recording of the opera delivers what we have come to expect from his past performances: tautness, musical focus, a strong rhythmic sense, and attention to sometimes overlooked musical details. The Ambrosian Opera Chorus and the Philharmonia Orchestra perform splendidly under his meticulous direction, and the recorded sound is first-rate.

As Leonora, Rosalind Plowright sings with emotional conviction and musical ease; her "Pace, pace" is especially rewarding. José Carreras strives valiantly with Alvaro and brings a sense of character and dramatic urgency to his

effort; unfortunately, his voice is not of sufficient weight to support the tessitura of the role, which requires the artist to "sing out" a good deal of the time. Renato Bruson fares better as Carlo, singing with the attention to refinements in both his music and characterization that is a hallmark of his recordings.

Agnes Baltsa, the Preziosilla, sings her two scenes with ease and disarming éclat (I normally find the role annoyingly silly), and Paata Burchuladze and Juan Pons are particularly effective as Guardiano and Melitone, respectively. The other members of the cast fulfill their assignments commendably.

Regardless of my feelings about the opera itself, I fully intend to play this performance of Forza many times over. It's that kind of opera-and that kind of performance. Recommended.

# Robert Ackart

VERDI: La forza del destino. Rosalind Plowright (soprano), Leonora; José Carreras (tenor), Alvaro; Kenato Bruson (baritone), Carlo; Paata Burchuladze (bass), Guardiano; Juan Pons (baritone), Melitone; Agnes Baltsa (mezzosoprano), Preziosilla; John Tomlinson (bass), Marchese di Calatrava. Ambrosian Opera Chorus; Philharmonia Orchestra, Giuseppe Sinopoli cond. DEUTSCHE GRAMMOPHON @ 419 203-1 three LP's \$29.94, © 419 203-4 three cassettes \$29.94, @ 419 203-2 three CD's no list price.

# HELP US HELP YOU!

# PARTICIPATE IN THE STEREO REVIEW BUYER POLL

Stereo Review wants to know more about our readers. How much equipment you buy (and how often), how much you spend on it, what sort of product features you like. That will help us create a better, more informative magazine, specially geared to your tastes and preferences.

To gather this important information, we've created the Stereo Review Buyer Poll. And we need your help to make it work.

If you've bought any equipment within the past 30 days, we'd like you to participate (see instructions below). We'll use the information you give us to keep manufacturers up to date on the buying habits of stereo enthusiasts—the most knowledgeable group of audio buyers in the country. And in the long run, that will mean better service for you.

# **HOW TO PARTICIPATE**

You can participate in the Stereo Review Buyer Poll by sending in the Reader Service Card appearing next to this page. We've provided space for you to list any equipment purchased in the past 30 days. Any kind of audio/video equipment qualifies.

For example:

Home Audio Components

- Amplifier Receiver/Tuner
- Speakers Turntable
- Cassette Deck = Equalizer
- CD player

Portable Stereo

- Portable Cassette Player
- Portable CD Player
- Headphones

Car Stereo

- Tuner 
   Cassette Deck
- Speakers

Home Video

- VCR Camcorder
- Videodisc Player
- Stereo TV

Fill in the type of equipment, manufacturer, model number, and price you paid. Include *all* the equipment you bought this month. Then print your name and address and drop it in the mail (we pay the postage). It's that simple!

eed	100 ***
	a mation Service
-	★ Free Information Service ★ ★ ★     ★
* *	★ Free information in this issue \$\simply fill out your name and additional instance for order.     If you have a start in the start in the advertisements and mail instance for order.     If you have a start in the output of the advertisements and mail instance for the start index.     If you have a start instance in the output of the instance instance in the start index.     If you have a start instance in the output of the instance
Cattree litera	Are on stere 0 products featured in this sale         Bit with the polymolithe advertisements and 22 23 24 25 26 27         Columber at the bottom of the advertisements and 25 23 24 25 26 27         Columber at the bottom of the advertisements and 25 23 24 25 26 27         Columber at the bottom of the advertisements and 25 23 24 25 26 27         Columber at the bottom of the advertisements and 25 23 24 25 26 27         Columber at the bottom of the advertisements and 25 23 24 25 26 27         Columber at the bottom of the advertisements and 25 23 24 25 26 27         Columber at the bottom of the advertisements and 25 23 24 25 26 27         Columber at the bottom of the advertisement at the bottom of the bot
card that corr	Gamma Storine Key number at 2013         MC (5)         16         17         16         15         52         53         55         57         29         91         12         13         MC (5)         16         17         16         15         52         53         55         57         57         59         55         56         57         88         99         01         11         21         33         48         50         55         56         57         88         89         90         17         29         39         30         33         36         37         38         94         45         56         57         58         89         90         91         62         93         93         55         56         57         78         78         79         80         81         82         83         84         85         86         99         91         125         126         127         128         128         116         117         116         117         120         121         122         123         143         153         146         147         148         195         155         153         153         153
1 2 3	4 5 38 39 40 41 42 43 44 77 18 79 80 81 82 80 117 118 119 120 127 154 155 156 157 158 159 100
33 34 35	68 69 70 71 72 73 74 107 108 109 110 111 112 113 146 147 148 149 150 151 154 1
65 09 07	100 101 102 103 104 105 138 139 140 141 142 143 145 HILLYER POLL
	2. Which is A. V Home add D. Video
i in the O	ast 30 days, have you purchased any audio ast 30 days. Aver you burchased any audio aguignment of accessories? accesories? accessories? accessories? accessories? accessories? a
or vige	$\begin{array}{c c c c c c c c c c c c c c c c c c c $
A. • •	Space below, please write in the type (speaker's, caloud state) space below, please write in the type (speaker's, caloud state) space below, please write in the past 30 days Space below, please write in the type (speaker's, caloud state) Space below, please write in the type (speaker's
3. In the s	Ice paid for each nem port MAKE NO- 5923 34.50. PO
	TYPE Longer BS2 da (A) Slove
C.	TYPE Statute Statut
54	Lawring Auge Spanner (you'll save 50% off our real subscription prese
cart	a live to subscribe to STERED REVIEW for \$5 99 and on the
Indicat	Please send me 12 issues of STETE
	SEPRINT CLEARLY NELSON SEPRINT CLEARLY NELSON AVENUE 10554
	STEVEN WEAVER AVENUE WOOK - 10554
NAM	SE PRINT CLEARLY NELSON E STEVEN NELSON RESS 158 LORRAINE AVENUE STATENEW YORK ZIP 10554 STATENEW YORK ZIP 10554
ADD	CIAL V DUTIENCE
CIT.	NEW ROOM envery
VON	s after October 31, 1987

# LOOK FOR THE BUYER POLL EVERY MONTH

The Stereo Review Buyer Poll will appear in every issue—just check the Table of Contents for that month's location. You can participate in any month in which you purchased audio/video equipment. Of course, even if you don't join our Poll, you can still send in the Reader Service card to get information about products advertised in that month's issue.

We hope you'll participate regularly in the Stereo Review Buyer Poll. Your answers are important to us—and you'll find the resulting benefits important to you.

Thanks for helping us out!

**Stereo Review** 

The Waste Land; A Mind of Winter sets (rather high-handedly) a poem by Wallace Stevens.

Benjamin, who is British, is very well served by these convincing recordings and the state-of-the-art performances (something that doesn't happen very often with new orchestral music in this country, even with music by established composers). He is a big talent, no doubt of it, and he writes serious modern music in a comfortable mode-picturesque, nondogmatic, quite romantic in scope and intention. The old Central European style has been trimmed and reshaped, the angst taken out. Expressionism without fear, modernism with-Eric Salzman out tears.

LISZT: Hungarian Rhapsody No. 2, in C-sharp Minor; Liebestraum No. 3; Valse oubliée No. 1; Consolation No. 3; Waldesrauschen; Mephisto Waltz No. 1; Isoldes Liebestod. Israela Margalit (piano). CHANDOS • ABRD 1197 \$11.98, © ABTD 1197 \$11.98.

Performance: Mostly fine Recording: A little clangy

Except for the arrangement, or paraphrase, of the finale of Wagner's *Tristan und Isolde*, everything in this Liszt package is about as basic as one might imagine—a convenient "starter set," one might say, for acquainting new listeners with this repertoire. Since many buyers may view it in just that light, it is fortunate that it is all brought off so well. These tend to be "comfortable" interpretations rather than revelatory ones, but they are none the worse for that. If Israela Margalit tells us nothing new about the music, she does suggest she cares for it a great deal, and for the most part she has all the technical resources required to put it over.

Margalit takes the familiar Liebestraum very slowly, barely maintaining momentum, and might have brought more drive to the Mephisto Waltz, but the evocative-poetic sections are beautifully realized, as are the Valse aubliée (refreshingly bright-eyed), the wellloved Hungarian Rhapsody, and, especially, both Waldesrauschen and the Wagner transcription. The last, a work of such adventurousness that it is better to think of it as "Liszt, based on Wagner," will be a stunning discovery for most listeners, and there can be no question of Margalit's understanding of the piece or her capacity for conveying all of its remarkable power. The piano sound is a bit less smooth than we've come to expect from Chandos, but it is certainly vivid enough. RF

MAHLER: Symphony No. 3, in D Minor. Gwendolyn Killebrew (contralto); Boys' Choir of the Bonn Collegium Josephinum; Women's Choirs of the Bavarian and West German Radio; Cologne Radio Symphony Orchestra, Gary Bertini cond. DEUTSCHE HAR-MONIA MUNDI/ANGEL DCDS-47568 two CD's no list price.

## Performance: Distinguished Recording: Very good

Mahler's gorgeously sprawling Third Symphony has been lucky in its recorded performances. Indeed, I cannot recall any inferior ones, and the seven versions currently available on CD all stand up well. Those that have stayed in my library are the famous Leonard Bernstein/New York Philharmonic version of 1962, now available on CBS compact discs, and the 1970 Jascha Horenstein recording, which I have on an Advent cassette but which first came out on Nonesuch (neither is still in the catalog). To my great pleasure, I can say that this new recording with Gary Bertini conducting is almost equally distinguished.

The kaleidoscopic unfolding of the immense, half-hour first movement proceeds with a splendidly cumulative impact that makes you as fully aware of

# Want more product information?

Whenever a product advertised in Stereo Review sounds interesting, turn up the volume!

Use our FREE INFORMATION SERVICE to get the detailed facts and figures you need to make sound purchasing decisions.

Manufacturers are only too glad to send you their literature...free and without obligation.

Just make a note of the Reader Service Number at the bottom of an ad, and circle that number on one of the FREE INFOR-MATION SERVICE cards facing page 112. Fill in your name and address and drop the card in the mail. No postage necessary.

THE NEXT TIME AN AD TURNS YOU ON, TURN TO A

FREE INFORMATION CARD!



# FOSGATE presents an important message for anyone considering the purchase of a surround audio processor.

When you consider the addition of surround audio processing to your audio-wideo system, consider **POSGATE Performance and Selection**. Leading experts acknowledge that Fosgate surround audio processors represent the state of the art. A recent article in a major trade publication described Fosgate as the "surround sound specialists." FACT — we are the specialists in the field.

The DSM 3602 (pictured above) — Digital Space Matrix<sup>®</sup> technology from im Fosgate and Peter Scheiber. Unmatched performance and flexibility. The DSM 3603 — advanced Digital Space Matrix technology. The wirld's most affordable highseparation surround audio processor.

The DSM 3604 — all of the major performance features of the DSM 3602 plus the convenience of infrared remote control and built-in surround audio amplifiers. Jim Fosgate's GAVOTTE," the world's first high-performance surround and ambience recovery system, for mobile sound applications. Compatible with motion picture surroundencoded software

FOSGATE Technical Support Optimizing a regular stereo system or a surround audio system is both science and art. Fosgate customer support personnel nave more "hands-on" experience with high-performance audio-video surround systems than any other manufacture: If you regular easistance, Fosgate customer support staff will help you achieve maximum system performance, courteously and quickly, by phone or mail

FOSGATE Surround Audio Processors vs. Others The rebirth of surround audio has created new product claims and, unfortunately, consumer confusion. Regardless of your goal—state-of-theart Dolby Surround<sup>11</sup> or transparent enhancement of your regular stereo system, there is a Fosgate surround processor to meet your requirements.

Write or call for the Fosgate "White Paper." It accurately compares various types of surround audio processors. It is essential reading for anyone contemplating the purchase of a surround audio processor.

# FOSGATE surround audio processors — the heart of an extraordinary audiovideo experience.



360° Digital Space Matrix is a trademark of Peter Scheider Dolby Surround is a trademark of Dolby Laborationes Lic Imm Forgate's GAVOTTE is a trademark of Forgate, Inc., Hebre, Utahi CIRCLE NO. 63 ON READER SERVICE CARD



Esa-Pekka Salonen: dynamic Nielsen

the music's poetic values as of its electrifying sonorities. The huge orchestral forces are beautifully focused, both as a whole and in detail, in somewhat closer perspective than usual without any sense of undue acoustic confinement. The lateral imaging of the stereo sound stage is superbly effective. The minuetlike second movement is imbued with delicious naïveté in its opening pages, and the third movement, with its touchingly evocative posthorn solo, is notable for the way an effect of distance is achieved.

The true centerpiece of the work is the great contralto solo on the text of Nietzsche's Midnight Song from Thus Spoke Zarathustra. Not only does Bertini treat it as the centerpiece, but in Gwendolyn Killebrew he has a singer who goes to the very heart of both music and text. Killebrew's opening is in veiled tones, and as the music arrives at its point of greatest intensity-"O Mankind! Deep is its grief!"-she elicits a response of profound emotion. A triumph.

The delightful "Es sungen drei Engel" choral movement for boys and women, with its pre-echo of the Fourth Symphony, comes off beautifully, with a highly effective division between the boys on the left and the women on the right. The great closing "hymn of love" unfolds at the same slow, sustained tempo as in the Bernstein recording, but it never achieves quite the same vibrant intensity. Even so, this recorded performance as a whole has much to recommend it, and I would want it for the solo-contralto movement alone. D.H.

NIELSEN: Symphony No. 1, in G Minor, Op. 7. Swedish Radio Symphony Orchestra, Esa-Pekka Salonen cond. Little Suite for Strings in A Minor. Op. 1. New Stockholm Chamber Orchestra, Esa-Pekka Salonen cond. CBS O IM

42321, © IMT 42321, © MK 42321, no list price.

## Performance: Arresting Recording: Clean and lean

Brahms was still alive in Vienna and Dvořák in America had yet to complete his New World Symphony when the twenty-seven-year-old, budding Danish symphonist Carl Nielsen put the final touches on his first essay in the genre, the Symphony in G Minor. And indeed, there is much more of the dynamism of Brahms and Dvořák in this music than there is of the easygoing lyricism of Niels Gade, Nielsen's mentor at the Konservatorium in Copenhagen. In addition, we find the beginnings of Nielsen's innovative treatment of key progression as well as a third movement of pronounced harmonic originality.

Most previous conductors who have recorded the First Symphony have treated the score as something of a preparatory essay for greater works to come. Not so Esa-Pekka Salonen, whose extraordinarily dynamic reading searches out every last bit of the purely Nielsenesque to be found in the piece, especially in the first and fourth movements, where we hear both exposition repeats. The slow movement has an extra measure of intensity here, and the Allegro commodo, which is often heard as a kind of Brahmsian intermezzo, goes at a faster pace than usual, becoming something rather fierce. Nielsen's even earlier Suite for Strings normally gets the salon treatment, but, again, Salonen seeks out things in the music that make it sound somewhat less comfortable.

Salonen elicits razor-sharp attacks and rhythmic responsiveness from both the Swedish Radio Symphony and the New Stockholm Chamber Orchestra. The sound that emerges from Stockholm's Berwald Hall is clean and a bit cool, but with an almost elemental transient impact. D.H.

SHOSTAKOVICH: Symphony No. 5, in D Major, Op. 47 (see Best of the Month, page 87)

TCHAIKOVSKY: Symphony No. 6, in B Minor, Op. 74 ("Pathétique"); Polonaise from "Eugene Onegin." Cleveland Orchestra, Christoph von Dohnányi cond. TELARC O CD-80130 no list price.

Performance: Good and clean Recording: Very good

**TCHAIKOVSKY:** Symphony No. 6, in B Minor, Op. 74 ("Pathétique"). Boston Symphony Orchestra, Seiji Ozawa cond. ERATO O NUM 75303 \$10.98, © MCE 75303 \$10.98, @ ECD 88242 no list price.

Performance: Good Recording: Good

This seems to be open season for the Tchaikovsky Pathétique on CD. The new one by Christoph von Dohnányi and the Cleveland Orchestra is straightforward and to the point, with tempos that keep the music flowing-no lachrymose lingering here. The close attention Dohnányi gives to coloristic detail is shown by the very opening, which has a fine realization of the dark viola timbre. Notable, too, are the clarity, almost never achieved, in the descending bass figuration that accompanies the march tune in the third movement and the intensity and thrust of the central section of the final movement. Overall, this is a good reading of the "objective" school, enhanced by the splendid acoustics of Cleveland's Masonic Audiorium. which both contains and projects the orchestral sound to good effect. The Eugene Onegin Polonaise is well done, but I see no reason for it here even as a filler.

Seiji Ozawa's Pathétique is more emotionally charged and intensely lyrical, and he achieves the most telling results in the middle movements. My long-held view that Ozawa has a flair for the balletic elements in Tchaikovsky is certainly borne out in this case. For sheer drama, the central portion of the Adagio lamentoso gets top marks. The sound is good, if just a shade recessed in the string department. DH

VAUGHAN WILLIAMS: Symphony No. 2 ("A London Symphony"); The Lark Ascending, for Violin and Orches-



CAPITOL RECORDS

Seiji Ozawa: Tchaikovsky with flair

tra. Barry Griffiths (violin); Royal Philharmonic Orchestra, André Previn cond. TELARC D CD-80138 no list price.

Performance: Exquisite Lark Recording: Lush

It was with eager anticipation that I loaded my CD player with this first alldigital recording of Vaughan Williams's evocative symphonic portrait of Britain's "Heart of Empire," but even the

# **ONE STEP IN THE MAKING OF A KEF**

'For decades, loudspeaker design was a matter of random trial and error. Engineers had no systematic means of identifying and correcting development problems.

At KEF, computerised testing and computer-aided design have changed all that. For example, KEF's computerised modal analysis ena-

bles me to pin-point troublesome cabinet vibrations. And it helps me determine the most effective countermeasures.

'While computers will never take the place of innovative engineering, they do enable us to examine and perfect loudspeaker performance as never before.' MODEL C40



CIRCLE NO. 69 ON READER SERVICE CARD

# 'By the time we build the final prototype in wood, we've already "built" dozens on computer.' — Tim Barton, KE SENOR RESEARCH ENGINEER



1º

CORDS/COMPACT DISCS/PRE-RECORDED CASSETTES/STEREO RECEIVERS/TAPE DECKS/ K SYSTEMS/BLANK AUDIO TAPES/AUDIO ACCESSORIES/VIDEO RECORDERS/COLOR TEL IERAS/BLANK VIDEO TAPES/VIDEO ACCESSORIES/PERSONAL IPUTER FURNITURE/CAR STEREO RADAR DETECTORS/CAR SEC





EQUALIZERS/HEADPHONES AMPLIFIERS/COMPACT DISC PLAYERS/TUNERS/RACK SYSTEM VISIONS/VIDEO PROCESSORS/CAMCORDERS/VIDEO CAMERAS/BLANK AUDIO TAPES/ NITORS/COMPUTER SOFTWARE/FLOPPY DISKS/ COMPUTER FUR CHINES/TELEPHONE BUSINESS SYSTEMS/HOME SECURITY/PERS



HOW TO ORDER BY MAIL: SEND MONEY ORDER, CERTIFIED OR CASHIER'S CHECK, MASTERCARD, VISA or DISCOVER CARD (Include card number, Interbank No, expiration date and signature.) TO: J&R MUSIC WORLD, 23 PARK ROW, NEW YORK, NY 10038, DEPT. SR0987. DO NOT SEND CASH. Personal and business checks music clear our Authorization Center before processing, \$25 Minimum Order: Shipping, Handling & Insurance Charge is 5% of Total Order with a \$3.95 minimum. (Canadian Orders Add 15% Shipping, with a \$9.95 minimum charge.) For shipments by all, please double these charges. SORRY, NO C.O.D.'s. NEW YORK RESIDENTS PLEASE ADD SALES TAX. ALL MERCHANDISE SHIPPED IRAND NEW, FACTORY FRESH, AND 100% GUARANTEED.



# AS AMERICAN AS PITTSBURGH

ACK in the old days, when American writers were trying to write the Great American Novel, American composers similarly became involved with the symphony. Could there be an American symphony—recognizably in the great tradition but also American in flavor and tone? Copland's Third Symphony is probably the best-known work of this kind, but there are others. During World War II, when Shostakovich's latest would arrive from a besieged Leningrad, we would send over a Roy Harris in exchange.

William Schuman's contributions to the Great American Symphony genre changed the nature of the discourse. Between his own Symphony No. 2, performed by the Boston Symphony in 1939, and his No. 7, commissioned by the same orchestra for its seventy-fifth anniversary and first performed in 1960. Schuman introduced a note of seriousness and introspection. These works retain a spaciousness and grandeur that seem connected with the work of composers like Harris and Copland. but they are also much more in the general framework of modernism. Much of the Schuman Seventh is made up of large-scale dissonant chorales. The intensity of this highly emotional music is relieved only by an optimistic rhythmic scherzo-finale, the most obviously American music of the symphony. A good piece and deserving of revival.

The Schuman Seventh has been newly recorded for New World Records by a first-rank American orchestra, the Pittsburgh Symphony, under a distinguished American conductor, Lorin Maazel. Maazel comes from a Pittsburgh family and was brought up there. He is currently the symphony's principal guest conductor and musical advi-



Leonardo Balada



William Schuman

sor, presumably on the way to taking over the post of music director.

Maazel's recording of the Schuman Seventh is coupled with one of the Steel Symphony by Leonardo Balada, a Catalan composer (born in Barcelona, Spain, in 1933) who has lived in this country since 1956. Balada has taught at Carnegie-Mellon University in Pittsburgh since 1970, and his Steel Symphony is an homage to his adopted city-an evocation of the great steel mills that made Pittsburgh the extraordinary if infernal place it once was. (Today it's a bright and cheery and rather picturesque place for big corporate headquarters; the grime and smoke are gone along with most of the mills.)

Balada's hymn to industry has its predecessors, notably the work of the Italian Futurists, Soviet composer Alexander Mossolov's The Iron Foundry, and a lot of the music and ideas of Edgard Varèse. There are also perceptible influences from a more recent Eastern European school represented by Krzysztof Penderecki and György Ligeti. It is an extremely well-wrought (the right word, I think, for iron and steel) and colorful work, a lot more picturesque than the factories that inspired it. It begins with the orchestra tuning up and ends with the tuning A from which it departed. It is rhythmic but only occasionally uses the big pulses that one might expect. Balada has romanticized those now-gone steel mills from an essentially Old World modernist perspective. It is a curious epitaph-a European composer's poetic meditation on a giant American industry in its death throes. A strange and quite pow-Eric Salzman erful statement.

SCHUMAN: Symphony No. 7. BA-LADA: Steel Symphony. Pittsburgh Symphony Orchestra, Lorin Maazel cond. NEW WORLD O NW 348-1, © NW 348-4, © NW 348-2, no list price. gorgeously lush sonics, with extraordinarily deep bass tones, cannot save a reading that verges on the somnolent for much of the time. Compared with Sir Adrian Boult's two definitive recordings (the first done under the composer's supervision), André Previn's new one is a minute slower in the first movement, two and a half minutes slower in the slow movement, and almost two minutes slower in the finale. Only the scherzo is reasonably paced.

The prevailing slow tempos deprive the music of the vivid drama that marked Previn's own 1972 version recorded with the London Symphony in Kingsway Hall, issued here on RCA. Also vitiating the dramatic impact of this CD is the excessive dominance of the bass part of the spectrum, to the point where the middle frequenciesespecially from the violins—are thrown out of focus relative to the musical texture. I would be inclined to blame the recording locale, Fairfield Hall in Croydon, except that this very same disc offers the very finest realization of The Lark Ascending that I have heard on or off discs. Virtually every other recording I know of The Lark makes the violin sound decidedly larger than life, but soloist Barry Griffiths, Previn, and the engineering staff have everything just right here. As in the symphony, the solo wind playing too is outstanding in sensitivity and warmth. I wish the whole disc had been as good! DH

WEBER: Clarinet Concerto No. 1, in F Minor, Op. 73; Clarinet Concerto No. 2, in E-flat Major, Op. 74; Concertino in C Minor, Op. 26. Sabine Meyer (clarinet); Dresden State Orchestra, Herbert Blomstedt cond. EMI/ANGEL © CDC-47351 no list price.

Performance: Marvelous Recording: Demonstration class

Since the LP edition of this recording, which I've been enjoying for the last year or so, was issued in Angel's Eminence series, on a superb German pressing enhanced by DMM, at a list price of \$6.98, I was prepared to advise that it would be foolish to invest nearly three times as much for the CD-but I'd have been wrong. This release is a stunning demonstration of the new medium's capacity for surpassing the old. Sabine Meyer's clarinet now sounds even juicier and more beguiling, and the Dresden strings under Herbert Blomstedt take on a brighter sheen, but with no loss of the warmth so impressive on the LP. The gain in all-round vividness brings out more of the infectious charm in both the music and the performances, and it would be hard to imagine this music (or any music, for that matter) better served. For the record, while the LP was labeled "digitally remastered," the CD is marked "DDD" (digitally recorded), and I'm sure the latter is correct. There is also a different, more elaborate set of notes with the CD. RF

illinois audio	illinois audio	illinois audia	illinois au	dio illinoiz audio
	SAVE MO	NEY · TIM	E · FREIGI	
			linoir au	dio Martin
		12 EAST DEL	AWARE PLACE, CHICAG 64-0020 • 800-62	0 60611
LOUDSPEAKERS	CASSETTE	DECKS	IVERS/TUNERS/	
KENWOOD JL-540W 10" 3-WAY \$120.4		ASSETTE INCOME	S/PROCESSORS	SONY CD PLAYER
TECHNICS SB-L35 10" 2-WAY \$ 41.0	RSB-105 Soft touch	S 95.00 Qtz. D	<b>S SA-590</b> (100x2) g. Receiver, Video &	CDP-21 \$199.95 ADC CD PLAYER
SB-L55 10" 3-WAY \$ 57.7	5 ea. WSI-20 Dolby B & C w/Hi-Speed Dubbin	n \$142.00 w/Ren	uts. 16 Presets, ote & Eq \$399.00	
SB-L75* 12" 3-WAY S 71.0 SB-L95 15" 3-WAY S 99.9	nal-oun Auove	Case on Otz. D	S ST-G40 AM/FM g. Tuner w/16 S	PD-420 Programmable w/Remote \$189.95
* = Truck Freight Collect	TEAC CASSET	TE DECKS	SU-VEO (90x2) A Integrated	TECHNICS CD PLAYERS SLP-800C 6-Disc Changer
	V-450X Dolby B, C & R-606X Dolby B, C &	dbx\$99.95 Amp., dbx Inputs	Video & CD \$235.00	01.0500.0
	W/Auto-Reverse	vith	ROUND SOUND	SLP-320 Black, Programmable w/RemoteCALL
PORTABLES/AUTO			DECODER C20 Video/HiFi	SLP-120 Black, Programmable, CALL
	TCW-223 Hi-Speed Du w/Dolby B & C	ubbing Dolby	expander with surround sound\$389.00	
SONY PORTABLES D-10 New! Programmable CD .			EGUALIZERS	
WM-F100 II Super Walkman w/AM-FM, Dolby & Auto. Rev	TDW-60WB Hi-speed	TECHNICS	SH-8046 14 Bd. /zer	
WM-F77 AM/FM, Cassette w/dolby		Channe	-208 10 Bd. per w/Tape Dubbing \$ 99.95	HEADPHONES/
DD-100 Famous "Boodo Khan" cassette player!	SL-HF650 Super Beta	HI-FI S499.00 ADC SS-4 w/Com	15X 10 Bd. per Ch., puter Memory \$169.95	TAPES/CARTRIDGES
TOSHIBA PORTABLE XRP-9 Programmable CD		Compu	25X NEW! terized, 12 Bd per Ch., trum Analyzer &	CASSETTE TAPE BASF CRE II-90 CRO2 w/\$3 Mail-in
W/Remote		Remote	CALL	Rebate
& EQ. Auto-Reverse \$ 7 SHARP PORTABLE				Cassette
WQ-CD15BK AM/FM. Cassette W/CD				MAXELL XLII-90 High Bias
PANASONIC PORTABL RX-FD80 AM/FM, Cassette				MAXELL XL'S' II-90 Premium High Bias \$24.00/10
W/CD	5.00 KENWOOD KR-V56R (5 AM/FM Audio-Video 20 Presets, 5 Bd.,			MAXELL MX-90 Metal \$30.00/10 SONY UCX-90 High Bias . \$14.00/10
w/HD. \$15		e CALL TU	RNTABLES/CDs	SCOTCH XSM IV-90 Metal \$27.00/10 SCOTCH XS II-90 Hi-Bias
PC-37JBK AM/FM Cassette w/AutoRev., 5 Bd. Eq. &	Same as above with Spectrum Analyzer	\$335.00	TECHNICS	\$2 Mail-in Rebate \$16.00/10
2-way Spkr. \$ S	9.00 SONY STR-AV31 (40x2 AM/FM Digital &/Remote	Drive	Fully Auto, Belt \$ 95.00	VIDEO TAPE MAXELL T-120EX \$3.99 ea.
ES-R12 Hi-Powered, Dolby, In-Dash	9.95 TECHNICS SA-290 (50 Quartz Digital Recei	x2) SL-UD35K Direct	Above w/Quartz Drive	MAXELL T-120 & L-750 HGX Gold Hi-fi \$5.99 ea.
PANASONIC AUTO. CQE-280 Digital AM/FM,	Video & CD Inputs, 16 Presets	\$159.00 Direct I	Full-Auto, Quartz Drive. \$122.00	TDK T-120HS \$3.97 ea. TDK T-120 & L-750 HO PRO \$7.50 ea.
cassette player with Seek Tuning, Auto-Replay, 4-way Bal. & Compact	TECHNICS SA-370 (40 Qtz. Dig. Receiver, 4 & CD Inputs, 16 Pro	Video Trackin	ull-Auto, Linear )	CARTRIDGES
Chassis	4.00 w/Remote Control		\$108.00	SHURE V15 Type VMR \$129.00 SHURE M-110HE 'P' and Standard Mount
JENSEN AUTO. TX-300 6x9 Tri-axial				Standard Mount \$ 36.50 AUDID TECHNICA AT-155LC with Linear Contact
Speakers (pr) \$ 6 IS-6200 12 Preset Digital	5.00	<b>illinoi</b>	oibup v	Stylus
AM-FM Cassette Player w/Auto-Reverse, Seek & Scan Tuning & CD Input <b>\$14</b>	5.00	12 East Del Chicago 60	aware Place	P-Mount \$ 59.95 HEADPHONES
SHERWOOD AUTO. CRD-210 Digital AM/FM	16 YEARS OF MI	EETING THE NATION	S STEREO NEEDS!	KOSS SST-7 Digital Ready . \$ 44.95 SONY MDR-CD6 CD
w/Dolby B & C \$16 CRD-350 AM/FM w/Dolby	10 to 5	MONDAY-S	ATURDAY	Monitors
B, C & Tape Scan	312-664-	0020 • 800	-621-8042	for Portable CD's\$ 39.00 Sennheiser HD-414SL Light Weight, Open Air\$ 49.50
VISA MosterCard	Clearance Time	& Availability Subject to Required on Personal &	Company Checks	Sennheiser HD-222 Light Weight, Closed Design \$ 59.00
	Freight	charges not included in t	hese prices.	



CIRCLE NO. 58 ON READER SERVICE CARD

# **COLLECTIONS**

VIRGIL FOX: The Digital Fox-Volumes I and II. Bach: Toccata and Fugue in D Minor (BWV 565); Toccata, Adagio, and Fugue in C Major (BWV 564). Jongen: Symphonie concertante: Toccata-Finale. Franck: Pièce héroïque. Alain: Litanies. Widor: Organ Symphony No. 5, in F Minor, Op. 42, No. 1: Toccata. Vierne: Organ Symphony No. 6, Op. 59: Finale. Dupré: Prelude and Fugue in G Minor. Gigout: Toccata in B Minor. Virgil Fox (organ). BAINBRIDGE @ BCD 8104 \$21.98

Performance: Spectacular Recording: Likewise

Remember the palmy days of the directcut super LP? The general assumption was that once the original metal master had done its service, that would be the end of production. Well, the team of Ed Wodenjak and Bert Whyte, who produced these last recordings by organ virtuoso Virgil Fox (1912-1980), saw to it that mastering was also done on analog tape, and, more important, on digital tape using the then brand-new Soundstream recording system. The Bainbridge label has taken over the material issued on two direct-to-disc LP's by Crystal Clear and has reissued it on a single CD.

In my 1979 review of the Crystal Clear records, I recommended the set to Romantic-organ buffs and subwoofer fanatics. On compact disc the sound is no less spectacular, but the balance between the various divisions and ranks of the 1977 Ruffati organ (at Garden Grove Community Church in California) is decidedly more realistic. The acoustic surround is fairly close, but the sonics are astonishingly clean.

Virgil Fox might be considered the Stokowski of the organ. Fox's technique was nonpareil. His musicianship ranged from the most scrupulous to what purists considered outrageous, but his concert audiences loved every bit of it.

Unquestionably, the most idiosyncratic interpretation here is that of the Bach Toccata, Adagio, and Fugue, in which the adagio is treated as a study in diminuendo rather than working toward the usual roof-raising climax following the recitative. But it is the Gallic spectaculars that find Fox in his own element-the Litanies of Jehan Alain and the fleet Marcel Dupré Prelude and Fugue. And it is a pleasure to hear the popular Franck work handled briskly rather than in the usual ponderous style. The Jongen, which tried my system sorely back in 1979, posed no problems this time around, although my system has been upgraded since then. All told, this is a highly enjoyable production. DH

MIECZYSLAW HORSZOWSKI: Piano Music of Beethoven, Chopin, Debussy, and Mozart (see Best of the Month, page 88)

City State Zip 





### Where to buy Polk Speakers

### AUTHORIZED DEALER LIST

AUTHORIZED DEALER LIST CAMADA Call Feoline lechnology, Tornto for nazerst acaler 1-800, 255-5355 AK Anchorage: Simme's - Faitbanks: Holth's AL Birmingham: Auditoli - Gaddeen: Sound Biotholigs - Mobile: Sound Advice Montgomery: The Rebod Shoor - Nasca-tol Little Rock Lesson Electronics AZ Fisspath's Sound Pro-Masca-Holt Little Rock Lesson Electronics AZ Fisspath's Sound Pro-Masca-Holt Little Rock Lesson Electronics - Tuscon: Audit Emporium - Yuma: Ware-house Stere

house Stereo CA Arcata: Arcata Audio • Berkelay: Sounding Board • Campbell: Sound Goods • Sounding Beard - Campaell: Sound Goots-Canoga Parts: Shelly's Davis: Wind Elec-tronics - Los Angeles: Beerly Simue - Mill Valley' Wind Gosand - Mountain View: Sound Eloods - Napa: Futurwision - Granga: - Redonds: Systems Elesion - Sacramento: Wind Electronics - Santa Cruz, Sound Wave San Diego: Sound Congary - San Fran-tices. Serles Dire. Wold of Sound - San San Diego: Sound Congary - San Fran-cisco: Street Sue, Wold of Sound - San Gabriet: Audio Concest - Santa Barbara: Crearve: Street: Santa Maria: Contarée Stereo - Santa Monica: Shelips Stereo - Stoction: Clusino: Camara: - Nousan O data: Creative Stereo - Ultain: Muna: Hul - Vanitra: Creative Stereo - Ultain: Muna: Hul - Vanitra: Creative Stereo - Ultain: Creat: Hup Fielding: Storgeo E data: Soundtrack: Marelength Stereo - Elorada Spring: Sunstine Audio - Denver & Suburba: Soundtrack - Pueblo: Sunshine Audio

Autio CT Avon: Hi Fi Stereo House - Danbury: Carston - Fahrlield: Audio Deson - Green-wich: Al Frankins' Groton: Robert's -Hartford: Al Fankins' - New Haven: Autio Her. Herwington: Hi Fi Stere Mokes - New London: Robert's - Norwalk: Audiotrones De Wilmington: Bing Make Stereo DE Wilfer Enco

De Wilmington: Bryn Maw Stereo De Wilmington: Bryn Maw Stereo FL Darptona Brach: Stereologie - FL Myerz; Berrio Graun - FL Luistrafate: Sound Advice - FL Pierze: Sound Stado - FL Waitton Brach: Administrational - Jacks torwille & Suburts: Admi International - Jacks torwille & Suburts: Administrational - Jacks Martin: Electronical - Ladeland. Sound Factory - Merritt Land: Southern Audio Martin: Electronic Competencies, Sound Advice - Maples: Stero Grange - Orlando & Suburts: Audio Morea: Tallabasse: Stereo Store - Tampa: Audio Morea, Subwan Advice - Tampa: Audio Morea, Subwan Advice - Sub-Tampa: Audio Morea, Subwan Advice - Subwan Audio Store: Tallabasse: Stereo Stereo, Sound Advice - Tallahassee: Sterei Store - Tampa: Audio Vision, Sound Advice W. Paim Beach: Electronic Connection GA Atlanta & Suburbs: Hi Fl Buys - Au-gusta: Stereo City - Maconi; Georgia Musik Savannah: Audio Warehouse - Valdosta:

Section ection HI Honolulus Audo Video III Honolulus Audo Video III Davenport (Engs Music - Des Molnes: Audo Labs - Dodge City Sound Wold -Iowa City Hawker Audo - Mason City Sound Wold - Waterloo: Ieam III Boles: Siene Snoppe - Coeur O'Alene: Electracit - Sandpoint: Electracat - Nuin Electracit - Sandpoint: Electracat - Nuin UD BOILE: Stelle Stoppe - Coer D Allene: Declaracit Sampoint: Bestands - Nein Restandt Sampoint: Bestands - Nein R. Auror: Stelles Stellere - Bitlao Grave: Columba - Carbondale: Southern Steres -Columba - Landon Villes - Decatur: J.R Lloyds - DeKalb Adid Plus: Hoftman Estate: Samba / Steres - Nythan Park: Dolumba - Joilat : Steres Systems - Kan-Kate: Samet Stering: Move - Peoria: Ioan Bestands: Nat - Version - Peoria: Ioan Bestands: Nat - Version - Nationale: Sambarg H.F. Hulth - Spring Valley: Adid Labs -Stering: Move: Nat - Version Hills: Agas - Willa Park: Hill - Hulth - Stering Holders - Hilder -Stering: Move: Hill - Version - Hille: Agas - Willa Park: Hill - Hulth - Stering: Move: Coston

Stering: Middes H Kin - Verhan Hills: Aams - Will 2014 H H F Huch - Wautegan: Aams - Will 2014 H H F Huch - Wautegan: A B B B Hower - Hard - H

ME Bangor: Sound Source - Camden:

MD Annapolla: Spaceways • Baltimore: Soundscape • Frederick: Evergreen •

HÖ Annapolla: Sackerey - exemute: Soundscare - Prometric Levergere -Rockville: Mye: Enco Mil An Arbor: Abouet Sound - Birming-hum: Almas Hr. F. - Darborn: Arms Hr. - Eat Lansing: Seleco Sound Far-Magdon Hills: Arms H. F. - Filet: Seleco Cener - Grand Raydie: Casso: Seleco - Iron Mountain: Sound North-Kalimazaro, Cas-Cast: Aboutile: Sound - Songhare: Advis Shoope: Court St. Listening Room - Traverse

Shoppe Cool a Shoppe NN Duluth: Mel's TV & Audio - Mankato: Audio King - Minneapolis & Suburbs: Audio King - Minnetonka: Audio King -Rochester: Audio King - S1. Paul: Audio King

MO Cape Girardeau: Stereo One - Jaffer-son City, Joplin, Springfield: Stereo Bult -St, Louis: Sound Centra MS Columbus: Audio Advantage - Guitport: Empress - Hattischurg: McLeiland TV - Jack-zon: Waiters - Pascagoula: Empress -Empress • Hattisburg: McLeiland IV • Ja son: Waiters • Pascagoula: Empress • Tupelo: Audio Advantage MT Bozeman: Thirsty Ear • Great Falls: Rocky Mountain HI Fi • Missoula: Aspen

HI Bozeman: Thrisy Ear Great Fails: Roby Monutan HF - Missould: Appen Sound - Montan HF - Missould: Appen Sound - Robert - Chapter HIII: Stereo Sound Greensborn: Stereo Sound - SatzbornHite: Sourbassen / Beatranse - Minston: Stereo Missourh - Robers Audo - PhreeHite: Stereo Sound - Robers Audo - PhreeHite: Stereo Sound - Robers Martino, There Hite Stereo Sound - Robers Martino, There Sound - Robers Martino, Therewild: Stereo Witeo - Releight Audo - Byns, Stereo Sound - Robers Martino, Therewild: Stereo Witeo - Releight Audo - Byns, Stereo Sound - Robers Martino, Therewild: Stereo Witeo - Releight Audo - Witston-Stereo: Cherne West - Morbite: Mid Chy Sterio: O marke: Stereo Martino - Landon - Martino Net Europics: Sound - Korbite: Mid Chy Sterio: O marke: Stereo Martino - Frank-lin Lakes: Frankin Care Stereo - Magin Shade: Byn Mark Stereo - Monalair, Per-due Rado - Bartian: ACAudo - Ridgewood: Stade: Stere Market, Cannol Stree Brade: Stereo Martino, Careto - Wit Aamogrob: D&R Electonics: Carti-bado: Banonis W La Y Lay Eggas: Upone Ear - Reno: The Audo Autonity W La Sterey. Durch Ear - Reno: The Audo Autonity W La Starter, Careto - Martino Cartino - Barter Bury, Market - Battery, University Market - Danse - Reno: The Audo Autonity W La Starter, Careto - Martino - Market - Bandon - Danse - Magin Mit Aamogord: D&R Electonics: Cartin-ad: Baaonis W La Starter, Careto - Martino - Market - Reno: The Audo Autonity W La Starter, Careto - Bandon - Starter, Earto - Market - Market - Bandon - Bandright - Bandright - Bandon - Market - Danset - Bandright - Bandon - Market - Bandon - Bandright - Bandright - Bandon - Market - Bandright - Bandright - Bandon - Market - Bandright - Ba

PUERIO INCU Into Premas, Preusion Audio RIN. Providence: Eastern Audio SC Anderson: John Brookshire's « Charlaston: Audio Warehouse « Greenville: Mitchell'S Stereo - Greenwood: Stereo Shop « Rock Hill: Tarts • Spartansburg: Stereo

Middeli Stereb - Greenwood, Stere Shoo -Rock Hitt, Satts Spartansburg, Stere -Stop Hitt, Satts Spartansburg, Stere Statts Audo King TH Chatanooga: College Hi Fi-Construits: Lindox Wad - Machine Wase Electronics - Johnson City, Mi Loads Sterev Mede - Kingspart, Mi Kads Sterev Video - Knorzhile: Lindox Wad - Michain-Statts - Audo Mice - Corpus Christi, Sate Stattor, Sand Berts, Sand Audo - Meastan, Stattorie - Hierare, Sond Mice Stattor, Audo Mice - Corpus Christi, Sate Stattor, Sand Berts, Sand Music - Mice -Mice Stattor, Sate Mice - Kado Mice -Sate Mice - Carpus Stattor, Audo Mice - Sher - Michaine, Sand Berts - Wasc - Audo Stattor, Sate Start, Audo Mice - Sher - Mice Stattor, Stattor Berther - Sate Mice Stattor, Audo Mice - Sher - Mice Stattor, Stattor Berther - Sate Stattor, Audo Mice - Christer, Sate Stattor, Audo Mice - Corpus Christi, Sate Stattor, Audo Mice - Corpus Christi, Sate - Sate Micros, Bartor, Barta Sate - Sate Mice - Sate Stattor, Sate Mice Stattor - Sate Mice - Sate Stattor, Sate Mice Stattor - Sate Mice - Sate Stattor, Sate Mice Stattor - Sate Mice - Sate Stattor, Sate Mice Stattor - Sate Mice - Sate - Sate Stattor - Sate Mice - Sate Stattor - Sate - Sate Stattor - Sate - Sate Stattor - Sate - Sate - Sate Stattor - Sate - Sate Stattor - Sate -

- Tearana: Sound Tome+ Waco: Audio Iech
UT Logan store only: Stokes Brothes's Sait Lake City, Reachawy Music VA Britatol: Mi Gaa's Stereo Video - Char-Iotersville: Sound Machine - Faith Church: Myer Emos - Franklin: Audio Shaakoon Capity Stereo - Anamake: Audio Internet Barbon - Franklin: Audio Shaakoon VA Beilingham: OC Stereo - Chain: Music VA Barbingham: OC Stereo - Chain: Music Stere - Oba Hrance OC Stereo - Chain: Music Stere - Oba Hrance OC Stereo - Chain: Music Stere - Oba Hrance: OC Stereo - Shoakane: Elec-Hickland: The Ear Stereo - Spokane: Elec-ted Audio Stereo: Grane Bart, Sund Wold - Lacrosse: Sound Wuld - Eau Claire: Mi Appleton: Sound Wuld - Eau Claire: Mi Appleton: Sound Wuld - Kadison-Hoay Medium - Marinette: Sound Stele - Milwackee: Audio Emporum - Wausau: Sound Wold

WY Barboursville, Beckley, Charleston, WY Barboursville, Beckley, Charleston, Huntington, Pied Piedre - Piedmont: Sound Gallery - Wheeling: Look & Listen -WY Cheyanne: Electronics Unlimited -Serdan: Star Video

# STEREO REVIEW **RETAIL MART**

# audio den Itd.

FOUR AUDITIONING ROOMS CUSTOM AUTOSOUND AND SECURITY **DESIGN AND INSTALLATION** Authorized Sales and Service AUDIO AND VIDEO COMPONENTS

CODE-ALARM

• MTX

BELL

 HIRSCHMAN STILLWATER DESIGN • TARGA NAKAMICHI YAMAHA SANSUL

 MOTOROLA CELLULAR PHONES PANASONIC CELLULAR PHONES

INSTALLATION KITS AVAILABLE SMITH HAVEN PLAZA 2021 NESCONSET HWY. (RT. 347) LAKE GROVE, N.Y. 11755 (ADJ. TO SMITH HAVEN MALL)

(516) 360-1990



1706 Main St. Marinette, WI 54143 (715) 735-9002

AAL.	DBX	MONSTER
ADCOM	DENON	NAKAMICHI
ADS	DUAL	OHM
ALLISON	ESB	ORTOFON
ALPINE	GRACE	SOUND-
B&O	GRADO	CRAFTSMEN
B&W	GRAND	STAX-SUMIKO
CARVER	INTEGRA	TANDBERG
CONNOISSEUR	LUXMAN	THORENS
CROWN	McINTOSH	
55 WEST 44	th ST. NYC (2	12) 840-2025
69-34 51st AV	E. WOODSIDE	OUEENS, NY
	718) 803-111	
	D RADIO O	
	TE 17. PARA	
	201) 261-552	
*Av	ailable in Paramus	only
	<b>R SHOWRO</b>	
	T POSSIBLE	
LUWES	I LOSSIDLE	FRICES

|  |  |  |   
   
  |   |   |  |   
  | EN   |  | ON V  | V  
  | B.C  | VA  | NE  | 195   |   
   |  |
|--|--|--
--
--|---|---
--|--|--|--
---|---|--|---|---
---|---|--|
| STERE<br>MAILOF  | OREVIE   | W  |   
   
  |   |   |  | |
  |  |  |   |  
  |  |   |   |   |   
   |  |
| MAILOP   | DER  | MARI   |   
   
  | \$2   | 9.9   | 5  | _   
  | CUF  |  | GUAR  |  
  |  |   | 15:   |   | \$199   
   | a a  |
|  |  |  |   
   
  |   |   | PLUS   | ir.   
  |  |  | WO SC   |  
  |  | 3   |   | т   | HE E  
   |  |
|  | 117  |  |   
   
  |   | _   | FEATURES   | -   
  | $\prec$  |  | CALL TO<br>1-800-2  |  
  |  |   | $\rightarrow$   |   | URES  
   |  |
| TENNESSEE  |  |  | S   
   
  |   | omple   | tely eliminat  | te all co   
  | ру   |  | IN MD. (30  |  
  |  |   | • The o   | only unit or<br>ruely resto   | the mari  
   | ket  |
|  | -345-0   |  |   
   
  | · · c   | omple   | on problems<br>tely automat  |   
  |  |  | sa Masterca<br>dwl\$5 for ship  | pping  
  | & handling   |   | origin  | al NTSC s   | tandards  
   |  |
| ASK<br>8 Herit   | For Jei  |  |   
   
  | • N   | lodern  | tc adjust<br>IC design   |   
  |  | Fourt  | GUAR/<br>een day mone   |  
  |  | sfied   | curre   | nt copy propo   | otection)   
   |  |
| P.O. Box 2651  |  | son, TN 3  | 8302  
   
  |   |   | is Macrovisi<br>copy protect   | |
  |  | .0   | me year parts<br>WAR  |  
  |  |   | prote   |   |   
   |  |
| The Car Sta  |  |  |   
   
  |   |   | s Copyguar   |   
  |  |  | this device to<br>all may be in   | dupli  
  | cate copyrig   |   | <ul> <li>Ampl</li> </ul>  | ifies signal  |   
   |  |
| The Car Ste  |  |  |   
   
  |   |   |  |   
  | F  | edera  | al & State law  | /s!  
  |  |   |   | ss switch &   |   
   |  |
| Total Product Knowle<br>Technical Advice   |  |  | tronics   
   
  | SI  | ARG   | CH TEC   | HNO   
  | LOGY,  | ING  | C. P.O. B   | Box 91   
  | 8683 F   | . Sma   | allwood Rd.   | Pasade  | ana, Md. a  
   | 21122  |
| Installation Tips  |  | lpine • Sony<br>udiovox • Pic  | oneer   
   
  |   |   |  | |
  |  |  |   |  
  |  |   |   |   |   
   |  |
| Personal Service   |  | osgate • Kicl  |   
   
  |   |   |  | |
  |  |  |   |  
  |  |   |   |   |   
   |  |
| <ul> <li>Guaranteed Satisfact<br/>or your money back</li> </ul>  |  | ecker • Cous<br>laxon • Cobr   |   
   
  | (   |   |  |   
  |  | St   | ereol   | Re   
  | view   |   |   |   |   
   | ٦  |
| 10 years of experienc  | e v  | /histler   | -   
   
  |   |   |  | ίπ.   
  |  |  | DRC   |  
  |  | Л   |   |   |   
   |  |
|  | 'isa<br>tercard  |  |   
   
  |   |   |  | |
  |  |  |   |  
  |  |   |   |   |   
   |  |
|  | Express  |  |   
   
  |   |   |  | |
  | •  |  | olume   |  
  |  |   |   |   |   
   |  |
| Please send  | -  |  |   
   
  |   | dverti  | sing to pr   | rime,<br>irder m  
  | heavy sp<br>harketer   | benc<br>'s ne  | ling STERE<br>eds in mind   |  
  | EVIEW cu   |   | ers is no   | longer a  | i luxury!   
   |  |
| riease senu  |  | ee cala  | iug   
   
  | N   | lart, a   | new ad p   | progra  
  |  |  | you to heav   |  
  |  |   |   |   |   
   |  |
|  |  |  |   
   
  | < 📕 in  | vento   | ry, for exa  | ample.  
  |  |  |   |  
  |  |   |   |   |   
   |  |
| THIS MA  | GAZINE   | IS   | 1   
   
  |   |   |  | |
  |  |  | der Mari  |  
  |  |   | -   |   |   
   |  |
| AVAILABLE I<br>DIRECT IN   | MICRO  | FORM   | - 1   
   
  | In  | toda  | y's crowd  | ed, co  
  | mpetitiv   | ve m   | arket, you  | can  
  | t afford n   | ot to   | be hear   | d by STE  | REO RE-   
   |  |
|  | SURF   |  |   
   
  |   | EVV S   | ubscriber  |   
  | spent  | <b>X41 II</b>  | 0 million o   | n ec   
  | Juipment   |   |   |   |   
   |  |
| MICRO PHI  |  |  | - 1   
   
  |   |   |  |   
  |  |  |   |  
  |  | surp  | risingly at   | fordable  | e rates.  
   |  |
| MICRO PHI  |  | sion   |   
   
  |   |   |  |   
  | Order M  | lart l   | ets you tur<br>v <b>our ad ir</b>   | ne in  
  | profits at   |   |   | fordable  | e rates.  
   | I  |
|  |  | sion<br>JELL   |   
   
  |   |   |  |   
  | Order M<br>To pla  | lart l<br>ice y  | ets you tur   | ne in<br>Ma  
  | profits at<br>ail Order  | Mai   |   | fordable  | e rates.  
   |  |
|  | E HOU<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CH |  |   
   
  |   |   |  |   
  | Order M<br>To pla  | lart l<br>ice y  | ets you tur<br>v <b>our ad ir</b>   | ne in<br>Ma  
  | profits at<br>ail Order  | Mai   |   | fordable  | e rates.  
   | J  |
| Coll to liter  | E HOU<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CH |  |   
   
  |   |   |  |   
  | Order M<br>To pla  | lart l<br>ice y  | ets you tur<br>v <b>our ad ir</b>   | ne in<br>Ma  
  | profits at<br>ail Order  | Mai   |   | ffordable   | e rates.  
   | J  |
| Coll to liter  | E HOU<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CH |  |   
   
  |   |   |  |   
  | Order M<br>To pla  | lart l<br>ice y  | ets you tur<br>your ad in<br>0) 44  | ne in<br>Ma  
  | profits at<br>ail Order<br>-606  | Mai<br><b>6</b>   | rt,   |   | e rates.  
   | J  |
| Coll to liter  | E HOU<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CH |  |   
   
  |   |   |  |   
  | Order M<br>To pla  | lart l<br>ice y  | ets you tur<br>your ad in<br>0) 44  | ne in<br>Ma  
  | profits at<br>ail Order  | Mai<br><b>6</b>   | rt,   |   | e rates.  
   | J  |
| Coll to liter  | E HOU<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CH |  |   
   
  |   |   |  |   
  | Order M<br>To pla  | lart l<br>ice y  | ets you tur<br>your ad in<br>0) 44  | ne in<br>Ma<br>5   
  | profits at<br>ail Order<br>-606  | Mai<br>6  | rt,   | ALL:  |   
   |  |
| Coll to liter  | E HOU<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CH |  |   
   
  |   |   |  |   
  | Order M<br>To pla  |  | ets you tur<br>your ad in<br>0) 44  | FOR  
  | profits at<br>ail Order<br>•606<br>FASTES  | Mai<br>6<br>T SE  | rt,   | ALL:  |   
   | J  |
| Contact<br>Call to liter   | E HOU<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CHONE<br>CH |  |   
   
  |   |   |  |   
  | Order M<br>To pla  |  | ets you tur<br>rour ad in<br>O) 44  | FOR<br>2 PA  
  | FASTES<br>FASTES<br>FASTES<br>FASTES<br>FASTES   | Mai<br>6<br>T SE<br>6<br>ct;<br>DEPT.   | rt,<br>ERVICE C<br>84-  | :ALL:<br>63(<br>York, NY  | <b>53</b><br>10016  
   | J  |
ID MAN MODEL Coll Date Coll Date Coll Date In Ohie, coll (21	E HOU CHONE CH	sion JELL Saa collect		er The second se			Mail	Order M To pla (&		ets you tur rour ad in O) 44	FOR 2 PA FOR 2 PA	FASTES FASTES 212) Trite Direct RK AVE., HOURS: S	Mai 6 T SE 6 ct; DEPT.	TT, ERVICE C 84-	:ALL: 636 York, NY Mon-S	<b>53</b> 10016 Sat	
In Ohio, coll fellow	SFELD ROAL SFELD ROAL 2 OH 44001 2 OH 440000 2 OH 44001 2 OH 440000000000000000000000000000000000	SION JELL Collect	SPEAKER	er The second se				Order M To pla (&		ets you tur rour ad in O) 44	FOR	FASTES FASTES FASTES FASTES FASTES	Mai 6 T SE 6 ct: DEPT. AM-	TT, ERVICE C 84-	:ALL: 63( York, NY	<b>53</b> 10016 Sat	
CAR SYEREOS NAKAMICHI 2000 119 7283	PINE Call	SION JELL Collect Collect	169 320 Call 300	S/PAIR ADS	Conor		Mail Control C	Order M To pla (8 ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) )		ets you tur your ad in O) 44	FOR 2 PA HUUSSI 649	FASTES FASTES 212) rite Direct RK AVE., IOURS: S CANTON CTIDOG CTIDOG	Mai 5 T SE 6 ct: DEPT. OAM- 1179 979	rt, ERVICE C 84- . 15, New .7PM est 	Call VME NIC	53 10016 Sat 2ENITH 2200 JVC	Call
IDERO PHI DED MAN WOOSIE Contact ( Contact ( Conta	PINE Call Call Call Call Call Call Call Cal	SION JELL Sea collect Callect	169 320 Call 300 CS7 Call		A49 DF	DENON RATSVR RATSV	Mail C	Order M To pla (& Vamana 100 00 00	fart l cce y BO	ets you tur your ad in O) 44 MISSION 780A 770 737	FOR 2 PA 1899 789 559	FASTES FASTES 212) rite Direct RK AVE., OURS: S CANTON CTIOOL KARATOOL KARATOOL	Mai 6 T SE 6 ct: DEPT. 0AM- 1179 979 979 729 579	rt, ERVICE C <b>84-</b> . 15, New .7PM est 	ALL: 63( York, NY Mon-S CANCORDE Call VMC Call VMC Call VMC Call CAC GRC	<b>53</b> 10016 Sat <b>250</b> <b>7</b> U 9	Call Call 749
CAR STEREOS  NAKAMICHI TO300 519 7283 7200 199 55		SION JELL Collect	169 320 Call 300 CS7														
   
  | S/PAIR<br>ADS<br>ALPINE   | 349 DF<br>Call DF<br>DF<br>Call DF<br>DF<br>Call ST   | DENON<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV<br>RASSV  | Mail 0<br>ECEIVER<br>519 RX1<br>439 RX2<br>239 RX2<br>489 RX8   
  | Drder M<br>To pla<br>(&<br>S<br>YAMAHA<br>100<br>00<br>00<br>00<br>00<br>00<br>00<br>00<br>00<br>00<br>00<br>00<br>00  | 799<br>569<br>469<br>319<br>479  | ets you tur<br>rour ad in<br>O) 44  | FOR<br>2 PA<br>1849<br>749<br>409  
  | FASTES<br>FASTES<br>212)<br>Trite Dired<br>RK AVE.,<br>IOURS: S<br>CANTON<br>CTHOOL<br>CTHOOL<br>CTHOOL  | Mai<br>6<br>T SE<br>6<br>ct:<br>DEPT.<br>979<br>729   | rt,<br>ERVICE C<br>384-<br>. 15, New<br>7PM est<br>. 15, New<br>. 7PM est<br>   | ALL:<br>63(<br>York, NY<br>Mon-S<br>CAMCORDE<br>Call VM<br>Call VM<br>Call CAC<br>Call CAC<br>CAC<br>CALL CAC<br>CALL CAC<br>CAC<br>CAC<br>CAC<br>CAC<br>CAC<br>CAC<br>CAC<br>CAC<br>CAC  | <b>53</b><br>10016<br>Sat<br><b>RS</b><br>2ENITH<br>200<br>JVC<br>7U<br>9<br>MINOLTA  
   | Cail   |
| МІСКО РНІ<br>ОДО МАК<br>МОСЗІЄ<br>СОІЛОНІКО<br>ОДО МАК<br>МОСЗІЄ<br>СОІЛОНІКО<br>ОДО ОДО<br>СОГЛОНІКО<br>ПОЛІССІ ОДІСТ<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОГЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІКО<br>СОСЛОНІВО<br>СОСЛОНІКО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНІВО<br>СОСЛОНО  | PINE<br>Call<br>Call<br>Call<br>Call<br>Call<br>Call<br>Call<br>Cal  | SION<br>JELL<br>Sea<br>collect<br>CAR<br>KEF<br>GT00<br>GT200<br>BOSTON<br>761<br>751<br>C700  | 169 320<br>Call 300<br>CS7<br>Call<br>Call 639<br>159 626   
   
  | S/PAIR<br>ADS<br>ALPINE   | 349 DFJ   | DENON<br>RAUSSU<br>RAUSSO<br>RAUSSO<br>RAUSSO<br>RAUSSO<br>RAUSSO<br>RAUSSO  | ECEIVEE<br>519 RX1<br>239 RX2<br>239 RX3<br>489 RX9<br>319 RX4<br>249 RX2<br>489 RX9                          
  | Order M<br>To pla<br>(&<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>Vanana<br>V<br>V<br>V<br>V  | 799<br>569<br>469<br>319<br>249<br>249<br>199                                    | ets you tur<br>your ad in<br>O) 44<br>Mission<br>7804<br>770<br>797<br>797  | Ma<br>Ma<br>5-<br>FOR<br>2 PA<br>FOR<br>2 PA<br>F<br>VUCSPI<br>849<br>80<br>80<br>80<br>80<br>80<br>80<br>80<br>80<br>80<br>80<br>80<br>80<br>80   
  | FASTES<br>FASTES<br>212)<br>rite Direct<br>RK AVE.,<br>IOURS: S<br>CANTON<br>CTIBOD<br>KARAT300<br>KARAT300<br>KARAT300<br>KARAT300  | Mai<br>6<br>T SE<br>6<br>ct:<br>DEPT.<br>0AM-<br>1179<br>979<br>979<br>729<br>579   | rt,<br>ERVICE C<br>384-<br>. 15, New<br>.7PM est<br>  | ALL:<br>63(<br>York, NY<br>Mon-S<br>CAMCORDE<br>Call VM<br>GRC<br>GRC<br>GRC<br>799 ALL   | 53<br>10016<br>Sat<br>ZENITH<br>200<br>JVC<br>70<br>9<br>MINOLTA<br>MODELS  
   | Call<br>749  |
Сан Stereos Какамісні син 2784 Тозоо зір 2783 Соласні син 2784 Соласні син 2784	PINE Call Conv Call Call Call Call Call Call Call Cal	SION JELL Collect Coll	169 320 Call 300 CS7 Call Call 639 159 626 CT DISC 6	S/PAIR ADS ADS ALPINE 35 PLAYERS YAMAHA	349 DF Call DF TST ST	DENON RA95VR RA95VR RA950 RAV550 RAV550 RAV550 RAV550 RAV550 RAV550 RAV550 RAV550 RAV550 RAV50 R	ECEIVES 519 RX11 239 RX2 239 RX5 239 RX5 239 RX5 239 RX5 239 RX5 249 RX2 249 RX2 249 RX2 249 RX5 249 R	Drder M To pla ( ( ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) )	799 569 469 319 479 199 229	ets you tur your ad in O) 44 Mission 780A 780 707 707 707 707 707 707	Ma Ma Solution FOR Call Call Moser Moser Moser Moser Moser Moser Moser Moser Moser Moser Moser Moser Moser Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma	FASTES FASTES 212) Trite Direct RK AVE., OURS: S CANTON CTIOOL KARAT200 KARAT200 KARAT200 KARAT200 KARAT200 KARAT200 KARAT200 KARAT200 KARAT200 KARAT200 KARAT200 KARAT200 KARAT200	Mai 6 5 T SE 6 :t: DEPT. 0AM- 1179 979 579 579 579 5599	RVICE C <b>84</b> - <b>15, New</b> 7PM est RCA CMR300 PAK8 CDV3 SONY PAK8 CDV3	Call VM Call VM Call VM Call VM Call GRC Call GRC GRC Call	<b>53</b> 10016 Sat <b>2ENITH</b> 200 <b>JVC</b> 70 9 <b>MINOLTA</b> MODELS <b>NERS</b> YAMAHA	Call 749 Call
САК SYEREOS САК	PINE Call 6000 729 729 729 729 729 729 729 729 729 729	SION JELL Collect Coll	169 320 Call 300 CS7 Call Call 639 159 626 CT DISC 6 489 CD)	S/PAIR ADS ALPINE 35 PLAYERS YAMAHA K1100	349 DF Call DF TST ST	DENON RA95VR RA95VR RA950 RAV550 RAV550 RAV550 RAV550 RAV550 RAV550 RAV550 RAV550 RAV550 RAV50 R	ECEIVEE 519 RX1 239 RX2 239 RX3 489 RX9 319 RX4 249 RX2 489 RX9	Drder M To pla ( ( ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) ) )	799 569 319 479 229	ets you tur rour ad in O) 44 Mission 780A 780 737 70 737 70 737 70 737 70 737 70 737 70 737 70 737	EFOR Call B49 749 699 Call 1149	FASTES FASTES 212) (rite Dired RK AVE., 100RS: 9 CANTON CT1000 CT800 KARAT200 KARATA	Mai 6 5 T SE 6 5 5 7 9 7 9 7 9 7 9 7 9 7 9 7 9 7 9 7 9	rt, ERVICE C 84- . 15, New .7PM est 	CALL: CALL: CALL: Control Call VMC Call VMC Call VMC Call CAL Call CAL CAL CAL CAL CAL CAL CAL CAL	<b>10016</b> <b>26017</b> <b>26017</b> <b>270</b> <b>300</b> <b>MINOLTA</b> <b>MODELS</b> <b>NERS</b> <b>YAMAHA</b>	Call 749 Call 759 539
МІСКО РНІ ОСО МАМ МОСОЗІЕ ОСО МАМ МОСОЗІЕ ОСО МОНТИС ОСО ІОНІГИС IN Ohio. Coll (24) ОСО СО ПОНТИС ОСО ОТОРІСЬІ ОСО СО ІОНІГИС ПОЛІСЬІ СО ІОНІГИС ОСО СО ІОНІСТИ ОСО СО ІОНІСТИ ОСО СО ОСО ОСО ОСО ОСО ОСО ОСО ОСО ОСО	PINE Call Constant Call Constant Call Constant Call Call Call Call Call Call Call Cal	SION JELL Sa1 collect collect	169         320           Call         300           CS7         Call           Call         639           159         626           CT         DISC           489         CD)           Call         C01           349         CD7           319         CD	S/PAIR ADS ADS ADS ADS ADS ADS ADS ADS ADS ADS	A49 DF A349 DF Call DF T79 ST ST ST ST ST ST ST ST ST ST ST ST ST S	DENON ADSVR	ECERVER 519 RX11 239 RX2 239 RX5 239 RX5 239 RX5 239 RX5 239 RX5 249 RX2 249 RX2 249 RX2 249 RX5 249 R	Croter M To pla (& Conternational Co	799 569 469 319 479 199 229	ets you tur rour ad in O) 44 Mission 780 770 277 CELESTION DIS OLIO SLES SLESO	FOR 699 149 149 119 1449 1109	FASTES FASTES 212) rite Direct RK AVE., IOURS: S CANTON CT 1000 KARAT30 KARAT30 KARAT300 KARA	Mai 6 5 T SE 6 ct: DEPT. 579 459 579 459 579 459 579 459	rt, ERVICE C 384- . 15, New .7PM est 	ALL: <b>63</b> York, NY Mon-S <b>CANCOLOE</b> Call VME Call VME Call VME Call AX5 CALL S09 M85 CALL S09 M85 CALL CALL:	<b>10016</b> <b>26017</b> <b>26017</b> <b>270</b> <b>300</b> <b>MINOLTA</b> <b>MODELS</b> <b>NERS</b> <b>YAMAHA</b>	Call 749 Call 759 539 Call 589
САК ВУСКОВО ОДО МАК WOOSTEL Contact	PINE Call Call Call Call Call Call Call Call	SIGN JELL Collect Coll	169         320           Call         300           CS7         Call           CCall         639           159         626           CT         DISC           489         CD)           Call         Call           Call         CD1           Call         CD2           Call         CD2           Call         CD1           Call         CD1           CD2         CD2           CALL         CALL           CALL         CALL <td>S/PAIR ADS ADS ADS ALPINE 35 PLAYERS YAMAHA K1000 700 700 700 700 700 700 700</td> <td>A49 DF A A49 DF A A49 DF A A49 DF A A44 A A44</td> <td>DENON RAJSSV RAJSSV RAJSSV RAJSSV RAJSSU RAV550 RAV</td> <td>ECEIVEE 519 RX1 439 RX2 239 RX2 239 RX2 489 RX99 RX2 319 RX4 439 RX5 319 RX5 Call SA5 SETTE O</td> <td>Оrder M То pla ( &amp;</td> <td>799 589 479 229 319 479 229 6 all</td> <td>ets you tur rour ad in (0) 44 (0) 44</td> <td>FOR (2 FOR (2 Call 849 959 Call 1149 109 649 875 549</td> <td>Profits at ail Order -606 FASTES 212) rite Dired RK AVE., IOURS: 9 CAKERS CANTON CTHOOL CHARAT 200 KARAT 200 KARAT 200 KARAT 200 KARAT 200 KARAT 200 KARAT 200 CTHOOL CHARAT 200 CHARAT 200</td> <td>Mai 6 T SE 6 1179 979 779 579 579 459 599 459 599 459 599 1079 300 219 149 139</td> <td>rt, ERVICE C 384- 15, New 7PM est 94Na50 Риларо РМА900 РМА900 РМА900</td> <td>ALL: <b>63</b> York, NY Mon-S CANCORDE Call VME Call VME Call AND TPS AND TU S09 M85 389 M65 Call ANS</td> <td>53 10016 Sat 2ENITH 2200 JVC 79 MINOLTA MODELS NERS YAMAHA</td> <td>Call 749 Call 759 539 Call</td>	S/PAIR ADS ADS ADS ALPINE 35 PLAYERS YAMAHA K1000 700 700 700 700 700 700 700	A49 DF A A49 DF A A49 DF A A49 DF A A44	DENON RAJSSV RAJSSV RAJSSV RAJSSV RAJSSU RAV550 RAV	ECEIVEE 519 RX1 439 RX2 239 RX2 239 RX2 489 RX99 RX2 319 RX4 439 RX5 319 RX5 Call SA5 SETTE O	Оrder M То pla ( &	799 589 479 229 319 479 229 6 all	ets you tur rour ad in (0) 44 (0) 44	FOR (2 FOR (2 Call 849 959 Call 1149 109 649 875 549	Profits at ail Order -606 FASTES 212) rite Dired RK AVE., IOURS: 9 CAKERS CANTON CTHOOL CHARAT 200 KARAT 200 KARAT 200 KARAT 200 KARAT 200 KARAT 200 KARAT 200 CTHOOL CHARAT 200 CHARAT 200	Mai 6 T SE 6 1179 979 779 579 579 459 599 459 599 459 599 1079 300 219 149 139	rt, ERVICE C 384- 15, New 7PM est 94Na50 Риларо РМА900 РМА900 РМА900	ALL: <b>63</b> York, NY Mon-S CANCORDE Call VME Call VME Call AND TPS AND TU S09 M85 389 M65 Call ANS	53 10016 Sat 2ENITH 2200 JVC 79 MINOLTA MODELS NERS YAMAHA	Call 749 Call 759 539 Call
MICRO PHI           Did Man.           WOOSIE           Contact ( Contact)           Contact ( Contact)<	PINE Call Call Call Call Call Call Call Cal	SION JELL Collect Coll	169         320           Call         300           Call         639           Call         639           Itop         626           Call         639           Call         639           Call         639           Call         626           Call         627           Call         600           279         603           SLP         549           SLP         549           Call         621	S/PAIR ADS ALPINE 35 5 5 7 4 1000 ALPINE 33 5 5 7 4 1000 700 6 500 700 700 700 700 700 700 700 700 700	349         DF           349         DF           349         DF           349         DF           347         DF           348         DF           349         DF           351         ST           351         ST           351         ST           352         ST           353         ST           354         ST           357         ST           357         ST           358         ST           357         ST           357         ST           357         ST           358         ST           359         ST           359         ST           359         ST           359         ST	DENON           RAV550           RAV500           PIONEER           M30HX           M320HX	ECEIVER 519 RX11 439 RX5 439 RX5 840 R	Order M To pla (E Vamana Vamana Vamana Vamana Vamana Vamana Vamana Vamana Vamana Vamana Vamana	799 569 469 319 479 229 199 Call	ets you tur your ad in (0) 44 (0) 44 (0) 44 (0) 44 (0) 6 (0) 6 (0	FOR 649 749 649 749 649 749 649 749 649 749 649 749 649 749 649 749 649 749 649 749 749 749 749 749 749 749 7	Profits at ail Order -606 FASTES 212) rite Direct RK AVE., 10URS: 5 CANTON CT 1000 KARAT300 K	Mai 6 T SE 6 T SE 6 Ct: DEPT. 0 AM- 1179 729 729 729 729 729 729 729 7	rt, ERVICE C 384- . 15, New 7PM est . 15, New 7PM est 	ALL: <b>63</b> York, NY Mon-S <b>CANCORDE</b> Call VMC Call VMC Call VMC Call VMC Call VMC Call VMC Call VMC Call VMC Call VMC Call CC Call CC CC Call CC CC CC CC CC CC CC CC CC CC	<b>10016</b> <b>3</b> <b>10016</b> <b>3</b> <b>2</b> <b>10016</b> <b>3</b> <b>2</b> <b>10016</b> <b>3</b> <b>2</b> <b>10016</b> <b>3</b> <b>2</b> <b>10016</b> <b>3</b> <b>10016</b> <b>3</b> <b>10016</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b>100</b> <b></b>	Call 749 Call 759 539 Call 589 359 409
MICRO PHI           DID MAN           WOOSIE           Connact ( Contact (	PINE Call Call 169 209 209 209 209 209 209 209 209 209 20	SION JELL Collect	169         320           Call         300           Call         639           Call         639           Call         639           Call         Call           Step         Call           Call         Step           Call         Step           Call         Step           Call         Step           Call         Step	EVPAIR ADS ADS ADS ADS ADS ADS ADS ADS	349         DF           3239         DF           3239         DF           3239         DF           3230         DF           3231         DF           3232         DF           3233         DF           3239         DF           3232         DF           3233         DF           3239         DF           324         DF           325         DF           326         DF           327         DF           328         DF           329         DF           320         DF           321         DF	DENON           RAV550           RAV500           PIONEER           M30HX           M320HX	ECEIVER 519 RX1 439 RX2 439 RX2 439 RX2 439 RX2 439 RX2 439 RX2 439 RX5 517 RX1 81 RX1	To pla (E VAMAHA 100 00 00 00 00 00 00 00 00 00 00 00 00	799 800 799 499 499 299 299 299 299 299 299 209	ets you tur rour ad in (0) 44 (0) 44	EFOR Call 1149 1449 1149 1449 1149 1449 1149 1449 1149 1449 1149 1	Profits at ail Order -606 FASTES 212) rite Direct RK AVE., 10URS: 5 CANTON CT 1000 KARAT300 K	Mai 5 5 5 5 5 5 7 5 7 5 7 5 7 5 7 5 7 5 7	rt, ERVICE C 384- . 15, New 7PM est . 15, New 7PM est 	ALL: <b>63</b> York, NY Mon-S <b>CAMCORDE</b> Call VME Call VME Call VME Call VME Call VME Call VME Call VME Call VME Call AX5 CALLS CALS	<b>33</b> <b>10016</b> <b>5at</b> <b>2ENITH</b> <b>2200</b> <b>JVC</b> <b>9</b> <b>MINOLTA</b> MODELS <b>NERS</b> <b>YAMAHA</b> 00 00 <b>EREOS</b> <b>AIWA</b>	Call 749 Call 759 539 Call 589 359 409
MICRO PHI           DID MAR           MOOSTER           OLD MAR           MOOSTER           Collocation           Collocation           Collocation           Collocation           Collocation           Model           Model           March           March           Collocation           March           Collocation           March           Collocation           March	PINE Call (49) 209 209 209 209 209 209 209 209 209 209	SION JELL Sat collect Sat collect Sat Collect Collect Sat Collect Sat Collect Col	169         320           Call         300           Call         639           Call         639           Itop         626           Call         639           Call         639           Call         639           Call         626           Call         627           Call         600           279         603           SLP         549           SLP         549           Call         621	EVPAIR ADS ADS ADS ADS ADS ADS ADS ADS	349         DF           3239         DF           3239         DF           3230         DF           3231         DF           3232         DF           3233         DF           3239         DF           3231         ST           3232         ST           3233         DF           3234         DF           3239         DF           3231         ST           3232         DF           3233         DF           3239         DF           3239         DF           3232         DF           3233         DF           3243	DENON           DENON           Ma95VR           MA950           RAV550           RAV650           PIONEER           MA930HX	Mail	Criter Mi To pla (E VAMAHA 00 00 JVC VBK 50 50 50 50 50 50 50 50 50 50 50 50 50	799 800 799 499 499 299 299 299 299 299 299 209	ets you tur rour ad in (0) 44 (0) 44	EFOR Call 1149 1449 1149 1449 1149 1449 1149 1449 1149 1449 1149 1449 1149 1449 1149 1449 1149 1	Profits at ail Order -606 FASTES 212) rite Direct RK AVE., 10URS: 5 CANTON CT 1000 KARAT300 K	Mai 5 5 5 5 5 5 5 9 7 5 9 7 5 9 7 5 9 7 5 9 7 5 9 7 5 9 5 9	rt, ERVICE C 844- 15, New 7PM est 600 7PM est 600 700 700 700 700 700 700 700	Call VM Mon-S CALL: Call VM Call VM Call VM Call GRC Call CA Soy M85 Call CA Call CA Call CA Call CA Call CA Call CA Call CA Call CA Call CA CALL CALL CA CALL	<b>10016</b> <b>3</b> <b>3</b> <b>3</b> <b>3</b> <b>3</b> <b>3</b> <b>3</b> <b>3</b>	Call 749 Call 759 539 Call 589 359 409 Call

KRC838	429	DCA3175	159	PIONEE		JAC		AIWA		TECHI	NICS
KRC2001	209	DCA3250	189	PDM60	349	XLM700	389	ADF260	. 89	BST60B	100
KRC333	249	DCR5320	329	PDM70	399			A0F770	Call	RST20	
		DCA3100	89					AUP770	Çdil	M3120	
BLAUPU	NKT	CARVE	R	-			-				
DENVER	209	M240	299	POR	TABLE	CD PLAYERS					_
PORTLAND	219	T X9	Call	SONY	1	QUASAR		v	IDEO RE	CORDERS	
LEXINGTON	329	ADS		055	259	CDA936	199	JAC		MAGN	XOVA
BPA430	199	PQ10	349	07DX	259	TOSHIBA		HRD180	299	9512	
BEA80	139	JVC				XRP9	199	HRD470	599	9558	-
		KSRX605J	299	PANASO	NIC			HRD570	769	9560	
		KSRX415	Call	SLNP10	239			NEC		SHA	RP
CONCO	RD	SOUNDSTR	REAM					OX2000	719	VC6846	- 2
HPL540	269	TC 308	Call				_	N965	669	VC685	3
HPA51	Call	TC 305	Call		TURNI	ABLES		N915	269		
CX SERIES	Call	SF90	Call	DENO	N	DUAL		PANASC	NIC	TOSH	IBA
PYLE DRI	VER	INFINIT	Y	DP59L	409	CS5000	289	PV2700	279	OX7	
6940D	149	RSA42	Call	DP47F	299	CS5052	Call	PV3720	309	SONY BE	TAMA
69290	129	RSA52	95	DP61F	Cali	TECHNICS		PV4700	319	All Models	(
Pounders	Call	RSA693	169			SL120011	Call	PV4760	499		

388	K600	299	040	389	TE100	179	F MATTOO	Gali	AA300	0.01
309	K640	Call	AR	000	TE250	279	PERS	ONA	L STEREOS	
Call	K540	259	PARTNERS	259	2.0	Call				
	K340	209					SONY		AIWA	
	TECHNI						WMD6C		HSJ600A	169
89	RST60R	289	PHONES/4	ANSWE	RING MACH	INES	WM03	209		149
Çall	RST20	149	PANASON	HC	SW BI	FLL	WMF100	129		139
			KXT1421	75	FF1700	129	DT3	229	HST200	79
		_	KXT1426	99		12.0			RIDGES	
EO RE	CORDERS		KXT2422	149	PHONE	MATE	C.	АНТИ	NUGES	
	MAGNAV	IOX.	«XT3135	99	7000	99	SHURE		AUDIOTECH	NICA
299	9512	Call			8000	119	V15VP	129	AT125LC	49
599	9558	5:9	SONY		8050	145	V15VMR	139	AT140ML	89
769	9560	619	ITA600	175	9700	159	TALISMAN		GRACE	1
105	SHAR		1TA500	149	9750	179	ALMG5(A)	. 89	+9E RUBY	179
719	VC6846	239			0100		ALCHEMIST(1A)	110	+9E SUPER	Cał
669	VC685	309						-		_
269		0110				_	MON	THLY	SPECIALS	
IC	TOSHIB	A		YPEW	RITERS		YAMAHA		DENON	
279	0X7	679	CANON		SCA	A	C DX3	179		389
309	SONY BET		TYPESTAR5	119	XE650€	289	T320	89	ORA555	279
319	All Models	Call	TYPESTAR6	149	XE5100	189	K-15	99	POA1500	479
499		27411	TYPESTAR7	199	X08000	349	P-27	149	PRA1000	339
						0.0				000

49

89

179 Cali

389

279 .4**79** 

339



A NAME TRUSTED FOR

1 - 800

223-3411

	ED FOR 0 ) 871-7600
	VERS
"DENON"     "DENON"     "DENON"     DCD-1500 Top Rated     DCD-100 Remote     DCD-1100 Remote     DCD-1100 Remote     DCD-100 DGTL AUDID     CD-500 DGTL AUDID     "MACNAVOV"	CALL 369.00 239.00 CALL 299.00
**MAGNAVOX* CDB650 Top Rated CDB-465 w/FTS CDB-460 20 Track CDB-473 NEW **SONY**	CALL 239.00 189.00 CALL
CDP110 Quality CDP310 310 Dgtl Audio CDP510 Remote CDP710 Prgrmbl CDP910 Unmatched CDP-C10 10 Play	399.00
PDIONEER** PDIONEER** PDM50 Mut-Play Rmt PDM50 Nuti-Play Rmt PDM50 Nuti-Play PDM50 Nuti-Play PDM50 Popt Source PD7050 Top Home Ply PD6050 Remote PD4050 Programmable * JVC**	CALL CALL CALL CALL CALL CALL CALL CALL
XLM-700 Multi Pty Rmt . XLM-500 6 + 1 Play XLV-1100 Top Player . XLV-550 3 Beam Rmt . XLV-450 3 Beam Rmt . XLV-450 3 Beam Rmt	359.00 CALL 299.00 219.00 169.00
CDX-900 CDX-700 CDX-500 CDX-400 CDX-305	CALL 369.00 CALL 259.00 CALL
OMS7A Top of Line OMS5A Rmt Full Fird OMS3A Remote OMS2A Remote	CALL
-	
CECEIVERS **PIONEER** VSX-5000 Hottest VSX-4000 60W RmdV VSX-3000 60W RmdV VSX-2000 50 Wtt Rmt SX-1600 50 Watts SX-1100 25 Watts **YAMAHA***	CALL CALL CALL CALL 179.95
**PIONEER** VSX-5000 holtest VSX-4000 60W RmIAV VSX-2000 60W RmIAV VSX-2000 50 W1R mt SX-1000 50 W1R mt RX 100 125 Matts **YAMAHA** RX 100 125 Rmt RX 900 65 Rmt RX 900 65 Rmt RX 500 50 Rmt RX 500 50 Rmt RX 300 37 Watts	CALL CALL CALL 179.95 149.00 769.00 559.00 459.00 CALL CALL
**PIONEER** VSX-5000 hottest VSX-4000 60W RmtAV VSX-2000 50 WmtAV VSX-2000 50 Wmt Rmt SX-1010 25 Watts SX-1010 25 Watts SX-1010 25 Watts RX 1100 125 Rmt RX 900 85 Rmt RX 900 85 Rmt RX 300 37 Watts **JVC** RX 900 95 Rmt RX 300 37 Watts **JVC** RX 950 Nw 100 Rmt AV RX550 New 50 Rmt RX 550 New 50 Rmt RX 550 New 45 Rmt RX 550 New 25 Watts RX 150 New 25 Watts	CALL CALL CALL 179.95 149.00 769.00 559.00 459.00 CALL CALL CALL 419.00 309.00
**PIONEER** VSX-5000 Hottest VSX-4000 60W RmIAV VSX-2000 50 Wrtt RmIA VSX-2000 50 Wrtt Rmit XS1-1000 25 Watts **YAMAHA** RX 1100 128 Rmt RX 1000 128 Rmt RX 2000 85 Rmt RX 2000 85 Rmt RX 300 37 Watts **JVC** RX950 Nw 120 Rmt AV RX550 New 50 Rmt RX550 New 50 Rmt AV RX550 New 50 Rmt AV RX550 New 50 Rmt AV RX550 New 25 Watts **SON** STRAV950 1158mt AV STRAV950 158 rmt AV STRAV950 55 Rmt AV STRAV950 55 Rmt AV	CALL CALL CALL 179.95 149.00 559.00 459.00 CALL CALL CALL CALL CALL CALL CALL CA
**PIONEER** VSX-5000 Hottest VSX-4000 60W RmIAV VSX-2000 50 Witt RmIAV VSX-2000 50 Witt RmIAV SX-1100 25 Watts **YAMAHA** RX 1100 128 Rmt RX 900 85 Rmt RX 900 Nw 120 Rmt AV RX550 Nw 60 Rmt AV RX550 Nw 60 Rmt AV RX550 Nw 60 Rmt AV RX550 Nw 45 Rmt RX450 New 35 Rmt RX150 New 25 Watts **SONY** STRAV950 115Rmt AV STRAV950 55 Rmt AV STRAV950 55 Rmt AV	CALL CALL CALL 179.95 149.00 769.00 559.00 CALL CALL CALL CALL CALL CALL CALL CA

"NAKAMICHI"

"TECHNICS"

CASSETTE DECKS

\*\*NAKAMICHI\*\* DRAGON Ultimate ... 1599.00

\*\*TECHNICS\*\* SA590 10 Watts Rmt ... SA370 40 Watts Rmt ... SA370 40 Watts Rmt ... SA190 35 Watts PrC ... SA190 35 Watts Ouardz SA130 35 Watts ... PDRA 95 85 Watts Rmt DRA 95 75 Watts Rmt DRA 55 55 Watts ... DRA 94 04 Watts ... DRA 95 40 Watts ...

DRA 35 40 Watts

SR 44

SR 3A SR 2A

871-760	OVER TWO DECADES O Send \$2 for new 1987 ca	talogue.
VERS	RX 505 Uni-Direc. A/R CR7A 3 Hd Rmt B&C CR5A 3 Head B&C BX125 BX300 RX 202 Uni-Direc A/R	CALL CALL CALL 419.00 629.00 559.95
CALL 369.00 239.00 CALL 299.00	**PIONEER** CT1380 Rmt DD AR BC CT1270 D/D A/R B&C CT1170 D/D Hi speed CT980 D/D Dolby B&C **AlWA**	CALL CALL CALL 139.00
CALL 239.00 189.00 CALL	ADA70 0/D Multi Play ADR-30 A/R Deck ADF250 B&C	
189.00 229.00 269.00 299.00 399.00 CALL 349.00	K-1020 K-720 Pro K-640 AR K-540 B&C K-540 B&C KXW-500 Double **HARMON-KARDO TD-392	689.00 529.00 CALL 339.00 289.00 CALL ON** 379.95
CALL CALL CALL CALL CALL	**SONY** TCWR950 D/D AR Rmt TCWR750 D/D AR 2Mtr TCW550 D/D 2 Motor TCW250 D/D Hi Speed **JVC** TDW660 D/D A/R B&C	489.00 289.00 249.00 169.00 CALL
CALL CALL 389.00 359.00 CALL 299.00	TDW560 DID 8&C TDW530 DID 8&C TDW330 DD HiSpd Dub TDW220 D/D A/R 8&C TDW110 Dual Dk Dol.8 TDX301 2 Mtr A/R 8&C TDX201 2 Mtr A/R 8&C SPEAKERS	209.00 189.00 159.00
219.00 169.00	"MISSION"	
919.00 CALL 369.00 CALL 259.00	700 LE 707 737 770 780 ARG **INFINITY**	279.95 399.95 569.95 759.95 1269.95
CALL CALL CALL 689.00	RS 1000 RS 2000 RS 5000 RS 6000 SM 150	119.95 169.95 499.95 729.95 Call
419.00	HEADPHONE "KOSS"	S
	JCK200 2 Pc Wireless JCK100 3 Pc Wireless	
CALL CALL CALL CALL 179.95 149.00	MDR V2 Digital MDR V4 Digital MDR V6 Top Digital MDR CD5 Quality Digital MDR Ad4 Value PORTABLE CD PL **CITIZEN**	29.00
769.00 559.00 459.00 CALL	CBM-1000 16 Track Pgm **SONY** D-3 Small DT-3 Small wIAM FM D-10 Smaller	189.00 259.00 289.00
CALL 419.00 309.00 229.00	CD To Case Adapt	239.00 19.95
209.00 179.00 CALL	AUTO AUDI **PANASONIC	179.00
CALL 399.00 339.00 269.00	CQE-302 12 Presents CQE-650 dbx deluxe CQE-800 CD/Radio "PIONEER"	439.00
229.00 169.00 369.00	KEH9020 B&C 25W AR KEH9191 B&C 25W AR KEH5151 25 Wtt A/A KEH6020 20 Spr Tnr3	189.00 CALL
479.00 589.00 689.00	KSRX715 Top Pull Out KSRX515 Pull Out KSRX415 PullOut CDRdy KSRX605 PullOut DolbyB	
499.00 499.95 639.95 429.95	9425 B&C 40W Din-e 9100 RI 50W Pre-Out 8825 Rt Pullout 50 W	369.00 215.00 259.00
CALL CALL 369.00 CALL	8800 Rt AR Diby PreOut 8625 RtAR Din-e-PreOut CALL FOR THE OTHER "ALPINE" 7163	PRICES
209.00 179.00 149.00 109.00	7283 7284 Pull Out 7901 CD/Radio **DENON** DCR 5500 A/R Dig	329.95 419.95 529.95 339.00
CALL 419.00 319.00 CALL	DCR 7600 Top VIDEO **NEC** DX2000 Top Digital **TOSHIBA** DX 2 Part Digital	399.00
ia i	DA-7 HINE Digital	. 399.93
S	HRD570 MTS Olgital	CALL
599.00	EVS700 U 8mm Dgti Top-of-Line Editing Cap	Recording 859.95
CS, 452	3 13th Ave., Bklyn, NY SA.MC.AMEX glady accepted CC water from FCCUS. Others	

NATIONWIDE
ELECTRONICS DIST. INC.
(SERVICE THAT SPANS THE NATION)
OPEN MONSAT. 10 A.M6 P.M. (EST)
212-575-1840
2 WEST 47TH ST. RM. #901
New York, N.Y. 10036
* 7 day defective exchange

All products warranteed

Ask about 3 yr. extended warranties serviced nationally

No deposits on C.O.D. orders

Professional staff for planning full systems

RECEIVERS	
ADS R-4\$718	COMPACT DISC PLAYERS
B&O 5500         \$1489           Carver 150 Receiver CALL         Carver 900         \$520           Denon DRA 35V         \$237           Denon DRA 755         \$399           Denon DRA 755         \$399           Harman Kardon 4951         \$339           JVC RX 900V         CALL           Kyocera R661         \$589           NAD 7220PE         \$249           NAD 7220PE         \$249           Onkyo TX80         \$168           Onkyo TX84         \$329           Sony Strav 450         \$219           Sony Strav 950         \$497           Yamaha RX 700         \$224	PLAYERS           ADS CD3         \$987           B&O CD50         \$827           DBX-DX5         \$549           Denon DCD 700         \$319           Denon DCD 1500         CALL           Harman Kardon HD300         In Stock           JVC XLM 700         \$419           Magnavox CDB465         \$229           Magnavox CDB465         \$239           Nakamichi OM53A         \$533           Onkyo DX120         \$219           Pioneer PDM70         CALL           Pioneer CL9909         \$649           Sony CDPCSF         \$349           Sony CDPCSF         \$349           Yamaha CD1000         \$439           Yamaha CD1000         \$439
Yamaha R-9 CALL	CASSETTE DECKS Denon DRM07 \$169
TURNTABLES- CARTRIDGES	Denon DRM07
AR EB101         \$309           B&O RX-2         \$189           Denon DP23F         \$197           Dual CS505 II         In           Dual CS505 II         Stock           Thorens TD316         \$209           Thorens TD320         CALL           Yamaha PF1000         \$389           B&O MC3         \$149           Ortofon X3MC         CALL           Talisman S         \$189	Harmon Kardon CD491 In Stock NAD 6155 \$\$349 Nakamichi CR7A \$\$1299 Nakamichi BX 300 \$\$679 Nakamichi BX 125 In Stock Sony TCWR 930 \$\$449 Tanberg TCD 3014 \$\$1429 Yamaha KX1200 \$\$59 Yamaha KX720 \$\$379 Yamaha K142 \$\$189
SEPARATE	SPEAKERS
SEPARATE COMPONENTS           Adcom GFA 535         \$249           Adcom GFA 555         CALL           Carver M500T         \$498           Carver M1.0T         \$399           Carver M1.0T         \$498           Carver M1.0T         \$498           Carver A1.0T         \$498           Carver M1.0T         \$529           Denon PMA 500         \$2292           Denon PMA 200         \$529           Hafter DH500A         \$649           NAD 2600         \$448           Yamaha A1020         \$489           Yamaha C85         \$579           Yamaha T1020         \$279           Yamaha DSP1         CALL	ADS L1090         \$890           Advent Legacy         \$359           Advent Prodigy         \$229           AR TSW 410         \$392           B&W Matrix 1         \$769           B&W Matrix 1         \$779           B&W 1101         \$298           Celestion DL6         \$279           Design Acoustic PS8A         \$269           DBX Soundfields         In Stock           JBL Pro III         \$198           Koss 100 Plus         \$159           Misslon 737R         \$479           CAR STEREO         Aipine 7902         \$685
COMPONENTS           Adcom GFA 535         \$249           Adcom GFA 555         CALL           Carver M500T         \$498           Carver M1.0T         \$399           Carver C-1         \$495           Carver TX-2         \$229           Denon PMA 500         \$229           Denon PMA 500         \$259           Denon POA 2200         \$529           Hafter DH500A         \$649           NAD 2600         CALL           Proton D1200         \$489           Yamaha A1020         \$879           Yamaha 11020         \$279	ADS L1090         \$890           Advent Legacy         \$359           Advent Prodigy         \$229           AR TSW 410         \$392           B&W Matrix 1         \$769           B&W 1101         \$298           Celestion DL6         \$279           Design Acoustic PS8A         \$269           DBX Soundfields         In Stock           JBL Pro III         \$198           Koss 100 Plus         \$159           Mission 737R         \$479           CAR STEREO         Alpine 7902         \$688           Alpine 7263         \$257           Blaupunkt Denver         \$229
COMPONENTS           Adcom GFA 535         \$249           Adcom GFA 555         CALL           Carver M500T         \$498           Carver M1.0T         \$399           Carver C-1         \$495           Carver TX-2         \$229           Denon PMA 500         \$229           Denon PMA 500         \$259           Denon POA 2200         \$529           Hafter DH500A         \$649           NAD 2600         CALL           Proton D1200         \$489           Yamaha A1020         \$879           Yamaha 11020         \$279	ADS L1090         \$890           Advent Legacy         \$359           Advent Prodigy         \$229           AR TSW 410         \$392           B&W 1410         \$392           B&W Matrix 1         \$769           B&W 101         \$298           Celestion DL6         \$279           Design Acoustic PS8A         \$269           DBX Soundfields .In Stock         JBL L100T           JBL L100T         CALL           JBL Pro III         \$198           Koss 100 Plus         \$159           Mission 737R         \$479           CAR STEREO         Alpine 7902         \$685
COMPONENTS           Adcom GFA 535         \$249           Adcom GFA 555         CALL           Carver M500T         \$498           Carver M1.0T         \$399           Carver TX-2         \$329           Denon PMA 500         \$229           Denon PMA 500         \$259           Parter TX-2         \$329           Denon PMA 500         \$259           Parter DH500A         \$649           NAD 2600         CALL           Proton D1200         \$489           Yamaha A1020         \$489           Yamaha A1020         \$489           Yamaha A1020         \$489           Yamaha DSP1         CALL           VIDEOS & T.V.'S         Mitsubishi 422           NBC DX 5000         In Stock           NEC DX 5000         In Stock           NEC DX 5000         \$639           Pioneer LD838         \$339           Proton 619A         \$589           Proton 619A         \$589           Proton 619A         \$589           Proton 619A         \$79           NK VMF500         In Stock           VISA         MA5	ADS L1090         \$890           Advent Legacy         \$353           Advent Prodigy         \$229           Advent Prodigy         \$229           AR TSW 410         \$392           B&W Matrix 1         \$769           B&W Matrix 1         \$769           B&W 1101         \$298           Celestion DL6         \$279           Design Acoustic FS8A         \$269           DBX Soundfields In Stock         JBL L70 III           JBL Pro III         \$198           Koss 100 Plus         \$159           Misslon 737R         \$479           Carver 7x-9         \$6639           Carver 7x-9         \$639           Carver 240         \$279           Denon DCR7600         \$3397           Nakamichi TD 300         \$346           Nakamichi TP 2002         \$188           Poton 203CD         \$247           Blaupunkt Derver.         \$229           Carver 74.9         \$639           Carver 74.9         \$639           Nakamichi TD 300         \$346           Nakamichi FA 2002         \$198           Proton 203CD         \$247           Soundstream TC308         \$539      <



# EQUIPMENT

HAFLER OWNERS, DYNA OWNERS, ALL MUSIC LOV-ERSI Jensens Stereo Shop, respected designers of higher performance circuits for Hafler and Dyna chassis, has a new name-AUDIO BY VAN ALSTINE Send \$1.00 (to cover postage) for our great new catalog describing our new equipment and cost-effective amplifier, preamp, tuner, and CD player upgrading services. Audio by Van Alstine, 2202 River Hills Drive. Burnsville, Minnesota 55337. (612) 890-3517.

Stere Expres	O CALL NOW NOW (714) 594-5749
CALI	FOR PRICE
Most Orders S	hipped Within 48 Hours OME AUDIO
INFINITY, AR, TECHNIC STA	DE, HAFLER, HARMAN KARDON SONY, DBX, JBL, JVC, AIWA, CS, AKAI, SAE, ADCOM, X, AUDIO SOURCE, GNAVOX, AND MANY MORE
ADS, ALPINE, B	CAR AUDIO LAUPUNKT, CONCORD, SONY DNEER, CLIFFORD, TECHNICS
	VIDEO CA. PANASONIC, ZENITH, GE Rd., Suite 9, Walnut, CA 91789

JSE INFINITE SLOPE LOUDSPEAKERS—All models! Home Auditionings! Free Shipping! Sound Unlimited, 169 Church St., Bristol, CT 06010. (203) 584-0131.

**DIRECT SIGHT AND SOUND, America's best kept** audio and video secret, continues to please ... Five years and over 40,000 customers later, we still offer the best in audio, video, and auto sound including esoterics at incredible prices! We sell and service only U.S. warranty merchandise! Our staff is not only knowledgeable, but helpful and courteous in choosing the right component for you. Become one of the ELITE! Call (404) 351-6772. Direct Sight and Sound, 3095 Bolling Way, Dept. S, Atlanta, GA 30305. MC/VISA/AMEX. COD with deposit.

LOUDSPEAKER COMPONENTS-KITS, Audax, Dynaudio, Focal, Eclipse. Catalog \$1.00, Meniscus, 3275S Gladiola, Wyoming, Michigan 49509, (616) 534-9121.

ORDER TOLL-FREE 1(800) 222-3465. DISCOUNTS! AR \* ALCHEMISTS \* AUDIOOUEST \* BOSE \* BOS-TON \* GRADO \* HAFLER \* HARMAN KARDON \* JBL \* KENWOOD \* MONSTER \* NITTY GRITTY \* PREMIER \* SONY \* SOTA \* THORENS \* PLUS MORE. HCM AUDIO, 1600 BX MANGROVE, CHICO, CA 95926. (916) 345-1341



CWD, SONY, HAFLER, THORENS, PROTON, GRADO, FRIED, SAE, MONSTER CABLE, CD PLAYERS, more, Immediate, FREE shipping! READ BROTHERS STEREO, 593-B King Street, Charleston, South Carolina 29403. (803) 723-7276.

FOCUS ELECTRONICS, 45 Description of the stormal order only (TSARE) sade, as unlia carry an actuary an actuary an actuary of the stormal order only (TSARE) sade, as a unlia carry and actuary service plase calculation and the storm and non-relandable. Not responsibility adjust to define all defined as a storm and non-relandable. Not responsibility adjust to define all defined as a storm and non-relandable. Not responsibility adjust to define all defined as a storm and non-relandable. OCUS Others carry s a call (718) 871-7600 SI

# Reference Audio Systems

We believe serious audiophiles deserve serious service. And that's what you'll get at Reference Audio Systems. We offer the best in high-end audio and the best in friendly service by our knowledgeable staff. From the latest CD player to a classic mega-watt ampli-fier, you'll like our surprisingly affordable prices and fast shipping



GET LOW PRICES ON ALL types of audio equipment-including high-end and even esoteric products not normally discounted! Now we can save you money on the equipment you REALLY WANT. Extensive selection-no need to settle for second choice. Thousands of satisfied customers nationwide, FAST delivery available. All products feature USA manufacturer's warranty. Call us for price quotes or friendly, expert advice. Catalog \$1. (616) 451-3868. VISA/MC/AMEX. The Audio Advisor, Inc., 225 Oakes SW, Grand Rapids, MI 49503.

PHILIPS, AUDAX, PEERLESS, FOCAL, AND DYNAU-DIO LOUDSPEAKERS in stock with good prices and competent services. Crossover components also. MADISOUND SPEAKER COMPONENTS, 8608 University Green, Box 4283, Madison, WI 53711, (608) 831-3433

CASH FOR ALL TYPES of used Stereo equipment. We buy by phone. THE STEREO TRADING OUTLET, 320 Old York Rd., Jenkintown, PA 19046. (215) 886-1650.



REMOVES VOCALS FROM RECORDS! Now You can sing with the world's best bands! The **Thompson Vocal Eliminator** can remove most or virtually all of a lead vocal from a standard stereo record and leave most of the background untouched! Record with your volce or perform live with the backgrounds. (Ised in Professional Perforwith the backgrounds. Used in Professional Perfor-mance yet connects easily to a home component stereo system. Not an equalizer! We can prove it works over the phone. Write or call for a Free Brochure and Demo Record. LT Sound, Dept. SR-3, 7980 LT Parkway Lithonia, GA 30058 (404) 482-4724

24 HOUR PHONE DEMO LINE: (404)482-2485

EXPERIENCE. INTEGRITY and the lowest price anywhere. Authorized dealers for Yamaha, Denon, Mc-Intosh, M&K, Canton, Tandberg, Sumo, Infinity and many more. AUDIO/VIDEO EXCHANGE, Since 1951, 57 Park Place, NY 10007. Call (212) 964-4570.

High -end and hard-to-find audio components. Low low prices! AUDIO AMERICA (Virginia). Call 1(804) 797-5861.

UNPRESSURED, PERSONALIZED CONSULTATION and lowest prices on a variety of superb components. COMMUNITY AUDIO, 318 West Duval, Philadelphia, PA 19144. (215) 843-9918.

STEREO REVIEW

LASSIFIEI

LOW PRICES-HIGH END EQUIPMENT!!! Denon, Hafler, PS Audio, Acoustat, Harmon Kardon, Yamaha, Conrad – Johnson, JBL, ADCOM, Boston Acoustics, CARVER, Proton and many others you desire. AUDIO ENTERPRISES, (414) 722-6889.

ARE YOU INTERESTED in Quality Preowned Audio Equipment? Subscribe to "The Sound Trek," published 6x annually, your listings of items for sale or wanted. \$10/yr. Call or write: Play It Again Sam. 12611-R Madison Avenue, Lakewood, Ohio 44107, (216) 228-0040. MC/VISA

WE SELL SECOND HAND high quality audio-video with money back guarantee! Send your name and address for FREE monthly inventory. Ross Stereo. 4912 Naples Place, San Diego, CA 92110. (619) 560-5500

HIGH-END LOUDSPEAKER systems, speaker kits and the widest selection of raw drivers from the world's finest manufacturers. For beginners and audiophiles. Free catalog. A&S SPEAKERS, Box 7462-5, Denver, CO 80207. (303) 399-8609.

AUTHORIZED DEALER FOR OVER 50 OF THE BEST MANUFACTURERS INCLUDING: "Perreaux" Celes tion, Denon, Hafler,"Klipsch","P S Audio", Signet. No extra charge for MC/VISA. ELECTRACRAFT, 400 Cedar Street, Sandpoint, Idaho 83864, (208)-263-9516. CABLE TV CONVERTERS/DESCRAMBLERS Guaranteed lowest prices in U.S. Jerrold, Hamlin, Zenithmany others! Lowest dealer prices! Orders shipped within 24 hours! MasterCard-Visa-C.O.D. accepted. Free catalog-call (800) 345-8927 only! Pacific Cable Co., Inc., #1318 Reseda Blvd., #1310, Reseda, CA 91335, All other information, call (818) 716-5914



SAVINGS TO 40%: Nakamichi, Denon, KEF, B&W, Yamaha, Mission, and Meridian. Plus 100 others. 1(206) 325-7601.

CALL TOLL FREE! 1 (800) 826-0520 for NAD, Proton, H.K., Hafler, B&W, Tandberg, Audiocontrol, dbx, Nitty-Gritty, 3D, CWD, STAX, M&K, Belles, Fried, Audioquest, Thorens, Monster, Oracle, Pro-Ac, Grace, Grado, DCM, Talisman, Tiptoes, Duntech, Sumiko. FREE CATALOG. SOUND SELLER, 1706 Main, Marinette, WI 54143. (715) 735-9002.

MONSTER CABLE AT LOWEST PRICES, INTERLINK AND ALL MONSTER ACCESSORIES. CUSTOM TER-MINATION AVAILABLE. TROLLY STEREO, 360 TRA-PELO ROAD, BELMONT MA 02178. (617)-484-7847.



HIGH QUALITY BRANDS— Car, Home, Video includ-ing esoteric. Audio Unlimited, 1203D Adams Ave., La Grande, Oregon 97850. (503) 963-5731

"STEREO WORLD" IS YOUR DISCOUNT MAIL ORDER SOURCE WITH SUPER DEALS ON AUDIO/VIDEO AND CAR STEREO. LINES INCLUDING: TECHNICS, PAN-ASONIC, MITSUBISHI, JVC, TEAC, MAGNAVOX, NIKKO, SONY, STANTON, AUDIO TECHNICA, CRAIG, PYLE, PIONEER, PICKERING AND MORE! CALL OR WRITE FOR YOUR FREE CATALOG! FREE UPS IN 48 STATES! 48 HOUR SHIPPING MOST ORDERS! DE-DUCT \$2.00 FOR PHONE ORDER OVER \$25.00! CALL FOR CLOSE OUT SPECIALS! 8:30AM-5PM MON-FRI WEDNESDAY TILL 10PM. \$2.50 HANDLING, N.J. ADD TAX. VISA/MC/MO/CK (MUST CLEAR)/COD-EXTRA. P.O. BOX 709, EDISON, N.J. 08818 (201)-494-0099.

IAS LOUDSPEAKERS—European drivers, computer tuned enclosures, LC crossovers, 5 year warranty Brochure \$1, 3747 Woodcock, Sierra Vista, AZ 85635.

SONY AUDIO, the one and only. Best prices, U.S. warranty, fast shipping. PULSE ELECTRONICS. (305) 331-5830

SONY DTC-1000ES DECK \$1990. DAT 46,60,90,120 minute blanks available. 3 week delivery. RTI Sales 486 Dawson Camarillo, CA 93010 (805) 484-1819.

SPEAKERKIT CATALOG-30 proven designs for home, cars & (and) pro. JBL, Audax, Hafler, polypropylene drivers, & crossovers. \$2. Gold Sound, Box 141SR, Englewood, CO 80151.

PAUL HEATH AUDIO 217 Alexander Bochester NY 14607-for 30 years one of the largest state-of-the art inventorles In USA. Your best investment is calling (716) 262-4310



CARVER, NAKAMICHI, BANG & OLUFSEN, A.D.S., CROWN, TANDBERG, REVOX, HAFLER, ADCOM, MISSION, MERIDIAN, N.A.D., HARMAN/KARDON, KYOCERA, YAMAHA, LUXMAN, DENON, KLIPSCH, B&W, POLK, KEF, D.C.M., E-V, J.B.L., INFINITY, D.B.X., AKG, AND OTHER QUALITY COMPONENTS. BEST PRICES—PROFESSIONAL CONSULTATION. ALL PRODUCTS COVERED BY MANUFACTURERS' U.S.A. WARRANTY. AMERISOUND SALES, INC., EAST: (904) 262-4000; WEST; (818) 243-1168.

CASH PAID FOR Quality Stereo/Video Equipment. BUY+ SELL+TRADE! STEREO VIDEO EXCHANGE, 485 Route 1 Edison, NJ 08817. (201) 985-1616.

SAVE 40% ON HIGH-END home speakers, subwoofers, amplifiers. FREE CATALOG! RTRD, 3021 Sangamon Ave., Springfield, IL 62702. (217) 529CABLE TELEVISION CONVERTERS, DESCRAM-BLERS and WIRELESS REMOTE CONTROL VIDEO EQUIPMENT ACCESSORIES. CATALOG FREE. Cable Distributors Unlimited, 116 Main Lane, Washington, AR 71862.

SONUS CARTRIDGE OWNERS! Looking for a replacement stylus! Call 1-(800) 243-2673. Also complete reconditioning of all Sonus cartridges with a new 2 year factory warranty. Ask us about literature on Audio Pro and Pixoff refills.

# UPGRADES FOR THORENS TURNTABLES— GRADO PICK UPS. Corktone Platter Mat, cables and other products. For information catalog: \$3.00 refundable. CHADWICK MODIFICATIONS, Dep. SR, 1925 Mass. Ave., Cambridge, MA 02140. (617) 354-8933.

BEAT THE PRICE FIXERS with low discount prices on: Carver, ADS, Bang & Olufsen, Revox, Nakamichi, Hafler, Kyocera, Tandberg, Luxman, H.K. Manufacturers U.S.A. warranty on all. ISLAND AUDIO, INC., (904) 253-3456.

SAVE UP TO 75%! Esoteric loudspeaker kits, acoustic foam, drivers, enclosures, capacitors etc. Catalog \$2.00. Refundable. Audio Concepts, 1631 Caledonia 51., LaCrosse, Wisconsin 54602. (608) 781-2110.

ORDER: 1-800-622-HIFI-ext.206. NAKAMICHI: BX100 \$279, BX 125 \$379, BX 300 \$599, RX 202 \$549, RX 505 \$1049, CR 5A \$799, CR 7A \$1199, DRAGON \$1599. OMS 2A \$419, OMS 3A \$679, OMS 5A11 \$1099, OMS 7A11 \$1479, SR 2A \$359, SR 4A \$709, TD 400 \$399, TD 500 \$529, TD 700 \$699, PA 400 M \$349, PA 350 \$329, PA 300 MII \$ 329, SP 300 \$279, SP 80 \$189, YA MAHA: RX 1100 U \$769, RX 900U \$569, RX 700U \$449 EQ 1100 U \$499, KX 1200 U \$579, AX 900 \$549, AX 700 \$439, CDX 1100 U \$899, CDX 900 U \$529, CDX 700 U \$369, AVC 50 \$369, TX 900 U \$309, YCT 850 \$519, YCDT 1000 \$559, YCR 950 \$479, YPA 800 \$309; DENON: DCD 900 \$389, DCD 1300 \$429, DCD 1500 \$529, DCD 1700 \$729, DRM 3HX \$399, DRA 95 \$499, TU 600 \$279 SONY: TCD 5M \$599; KYOCERA: R 861 \$899, R 661 \$669, R 461 \$509, DA 710 CX \$639, DA 610 CX \$399. D 811 \$599, A 910 \$1199; HARMON KARDON: TD 302 \$339, HD 300 \$369, PM 655 \$409, PM 665 \$609; JBL L100T \$879, L 80 T \$659, 18 T1 \$399. Manufacturer's USA warranty. Factory fresh. VISA, M/C, Discover, AMEX, Diners, COD. Other information. Please call 1 (206) 747-9999. TASKAMICHI AUDIO, P.O. Box 25583, Seattle, WA 98125. Prices subject to change



MISSION, VPI, MONSTER, ADS and Atelier demo sale. The King's Stereo, 1275 Wabash Ave. Springfield, IL 62704. (217) 787-5656.

### WANTED TO BUY

WE NEED QUALITY COLLECTIONS. Top dollar paid for Lp's, Compact Discs, and Cassettes. Classical, rock, etc. USA's LARGEST used and collector shop. PRINCETON RECORD EXCHANGE, 20 Tulane Street, Princeton, NJ 08542. (609) 921-0881.

### RECORDS

COLLECTORS' SOUNDTRACKS. Mint. Top titles, speedy service. List \$1.00 (refundable). Jemm's. P.O. Box # 157, Glenview, IL 60025.

RECORD COLLECTORS SUPPLIES. REPLACEMENT JACKETS, Inner sleeves, 78 RPM sleeves, opera boxes, etc. COMPLETE CATALOG. Cabco, Box 8212, Room 640, Columbus, Ohio 43201.

FROM EDISON TO ELVIS (AND BEYOND) LP's 78's, 45's etc. Visit or mail-in wants. The Olde Tyme Music Scene, 915 Maln Street, Boonton, NJ 07005. (201) 335-5040. Tuesday-Sunday.

Rare LP's, 45's, some 78's, CLASSICAL, ROCK (especially 50's), soundtracks, bandstands, country, rhythm & blues, etc... Inquirles welcome. Sample catalogs: \$2.00. Send long, stamped self-addressed envelope to: MARA RECORDS, PO. BOX 1253, Spring, TX 77383. (713) 353-6129.

FREE RECORD, CASSETTE AND COMPACT DISC CATALOG: Features a tremendous selection of remaindered LP new releases at discount prices. Many imports and smaller labels offered. Prompt delivery. Rose Records, Dept SR,214 SO. Wabash Avenue, Chicago, IL 60604.

MOBILE FIDELITY AT WHOLESALE! Stone's Collection: \$175.00. Sinatra Collection: \$200.00. Other titles and brands available. CHAD, Box 2043, Salina, KS 67402, (913) 825-8609.

RARE ROCK-PSYCHEDELIC, PROGRESSIVE & MORE. 60's to now. Two stamps for catalogues. Gregg Breth P.O. Box 4364 Burlington, VT 05401.

IN-PRINT & OUT-OF-PRINT RECORDS ALL CATE-GORIES & NOSTALGIA VIDEO TAPES.... Spectacular Catalog!! \$2.00 USA/\$3.00 Foreign. Serendipity Records. 4775 Durham Road, Guilford, CT 06437 USA.

OPERA-HISTORICAL PERFORMANCES. VIDEO& CD-Most comprehensive selection, Catalog \$1.00. LYRIC, Box 235, Roslyn Heights, NY 11577.

### INSTRUCTION

FREE CATALOG. Institute of Audio/Video Engineering. 1831 Hyperion (SR), Hollywood, CA 90027. RECORDING SCHOOL. (800) 551-8877, (213) 666-2380. Approved for International Students.

### COMPACT DISCS



COMPACT DISC CENTER PO. Box 6165. Clifton Park, NY 12065 NY (518) 664-2550 Outside NY — To Order Only Call 1-800-232-3687 STARTING DISCS AT \$12.99 Duantity Discount Pricing. \$2.50 Cont. U.S. Shipping FREE CATALOGUE

COMPACT DISCS—AT LOW WAREHOUSE PRICES. Now in our fourth year. Over 6,000 titles available. Free catalog, plus regular updates and monthly specials starting at \$10.99. OZ WAREHOUSE, 5246 Memorial Drive, Stone Mountain, GA 30083. (404) 292-5451.

CASH FOR CD'S! Send your CD's to us and within 48 hours we will send a check up to \$6.00 per disc. Discs must be in good condition only. DefectIve discs will be returned. Call (213) 379-3151 for further information. COMPACT DISC SUPERMARKET, 246 Pacific Coast Highway, Hermosa Beach, CA 90254.

THE AUDIO CATALOG-Todays most complete listings of CD's records and tapes. LOWEST POSSIBLE PRICES! 8000 TITLES! FREE CATALOG! 17935 NE 65th, Redmond, WA 98052. (206) 881-1961, Outside WA (800) 642-DISC.

OVER 1000 USED CDs \$9:49 EACH. NEW CDs \$9:99 to \$13.99. WE BUY USED/NEW! Specialize in purchasing complete collections. Audio House CD Club, 4304 Brayan, Orive, Swartz Creek, Michigan 48473. (313) 655-8639.

PRE-OWNED CD'S! Buy, sell, trade. Free catalog, information. THE CD LINK, 410-SR Weaver Lane, Simpsonville, SC 29681-8908.



CD'S \$6.95, UP. WE PAY \$6-\$10! "FREE TRADE"! Audio Club, 1105 Webster, Sandy, UT 84070-3151. (801) 571-9767.

Low COMPACT DISC prices—Schwann CD and COLOR CATALOGS \$5:00—Mini-Catalogs \$1.00— DUWARS, P.O. BOX 6662-D, GREENVILLE, SC 29606.

SERIOUS ABOUT CLASSICAL MUSIC? ABOUT COMPACT DISCS? Now In our 5th year. Ethel Enterprises is serious about both and invites you to subscribe to our 150+ page catalog detailing more than 2500 titles in stock. Annual subscription 55.00 ob-REFUNDABLE WITH ORDER). ETHEL ENTER-PRISES, P.O.B. 3301, Dept. SR, Falls Church, VA 22043.

WHY OVERPAY FOR CDs?. Call 7 days. 1(305) 653-5666. M-F 11am-9pm, SAT 9am-2pm, Sun 9am-1pm EASTERN. R & R MUSIC ENTERPRISES, P.O. BOX 69-4681, Miami, FI 33269. YOU'LL LOVE US!!

Give new life to scratched CD'S. Amazing new product cures skips and dropouts, guaranteed. Send \$8.95 +\$2.00 S&H to: SYNERGISTIC DATA SYSTEMS INC. Box 127D, Sierra Madre, CA 91024.

USED CD'S! Buy, Sell, Trade, FREE Catalog, MEDIA EXCHANGE, 1-(312) 477-7337, P.O. Box 14778, Chicago, IL 60614-0778.

THE CRITERION COLLECTION—landmark series of films on laser videodisc Including CITIZEN KANE and KING KONG—presents the Beatle's movie HELP with digital stereo soundtrack. Upcoming releases include GRADUATE, BLADE RUNNER, and HARD DAY'S NIGHT. 2139 Manning, L.A., CA 90025. For orders call (800) 446-2001, (800) 443-2001 CA only.

### TAPES

MOOD MUSIC. Now, create the mood that's right for any occasion. Jazz, Pop; Easy Listening. All your favorites. MONEY BACK GUARANTEE! If you like music, you'll love MOOD MUSIC. Specify Jazz 1, Pop 1 or Easy-Listen1. Cassette only. Send \$6.95pl\$2.00 p/ h. NRI, POB 06028, DEPT-SR, CHICAGO, ILLINOIS 60606-0028.

AMPEX OPEN REEL TAPE—USED ONCE, 1800' OR 2400' IN NEW BOXES— 12 REELS: \$25.00 (POST-PAID). SAMPLE: \$2.50. NEW, HIGH-BIAS CAS-SETTES: SAMPLE: \$1.25 AUDIO TAPES, BOX 9584-T, ALEXANDRIA, VA 22304. (703) 370-5555 VISA/MC.



### **BUSINESS OPPORTUNITIES**

MAILORDER OPPORTUNITY! Start profitable home business without experience or capital. Information Free. Mall Order Assoclates, Inc., Dept. 76, Montvale, NJ 07645.

YOUR OWN RADIO STATION! AM, FM, cable, Ilcensed/unlicensed, transmitters! Broadcasting: Box 130-R6, Paradlse, CA 95969.

START YOUR OWN speaker company in YOUR GA-RAGE. It's easier than you think. advice is free. AMS Enterprises, 1007 Capello Way, Ojai, CA 93023.

\$10-\$360 WEEKLY/UP, Mailing Circulars! No quotas/ bosses. Sincerely Interested RUSH Self-Addressed Envelope: Headquarters-MGG, POLB464, Woodstock, Illinois 60098.

## CLUBS

CLASSICAL MUSIC LOVERS EXCHANGE. Nationwide Link between unattached music lovers. Write: CMLE, Box 31sr, Pelham, NY 10803.

# FOR INVENTORS

INVENTORS! Can you patent and profit from your idea? Call AMERICAN INVENTORS CORPORATION for free information. Over a decade of service. 1(800) 338-5656. In Massachusetts or Canada call (413) 558-3753.

INVENTOR!! Call the INNOVATION CENTER in Washington D.C. — For FREE info call: (800) 257-7880. In CANADA: (800) 443-2806.

### LASER VIDEO DISCS



BOOKS & MAGAZINES

# **MUSIC & VCR BUYERS**

Wouldn't you love to get a free record, tape or blank video tape of your choice every time you purchased your favorite recording? You can!! Send for your book of 20 coupons for only \$10.00!! No expiration date on coupons. **C & T Distributors** 

275 Columbus St., Elyria, OH 44035

# AUDIO SPECIALTY SHOPS

AUDIOPHILES/VIDEOPHILES! We have the widest selection of audio/video equipment available. Adcom, Infinity, Harman Kardon, Kyocera, JVC Video, Canton, Klipsch, Luxman, Sony ES, Yamaha, NEC. Call for information. CONTINENTAL SOUND, 98-77 Queens Blvd., Rego Park, NY 11374. (718) 459-7507. Immediate delivery MC/VISA/AMEX/DISCOVER.

### FOR SALE

NEW! Now you can personalize and protect your records, cassettes, and CO'S with IDENTIFICATION DE-CALS from Canfield Enterprises. Get 125 flexible, polyester decals, complete with transparent backgrounds plus your name in sharp black letters for only \$4.95. MONEY BACK GUARANTEED, if not satisfied. Send name, address, and \$4.95 to:CANFIELD EN-TERPRISES, Box 661, Scott City, Kansas 67871.

VCR OWNERS-Clean video heads the same as professionals. Copyrighted instructions and cleaning wand, \$6.00, Tunco, P.O. Box 3147C, Shelby, NC 28150.

## GOVERNMENT SURPLUS

IS IT TRUE you can buy jeeps for \$44 through the US government? Get the facts today! Call 1(312) 742-1142. ext. 4670.

# **CLASSIFIED ADVERTISERS:**

The CBS CLASSIFIED MAGNET enables you to reach prime prospects for mail order products/services through low-cost Marketplace advertising.

To place an ad, or for further information or assistance, call Toll Free: (800) 445-6066 In New York State call

> (212) 503-5999 Ask for Lois Price

# **HELP US HELP YOU!**



Stereo Review wants to know more about our readers. How much equipment you buy (and how often), how much you spend on it, what sort of product features you like. And we've created the Stereo Review Buyer Poll to gather this important information.

We need your help to make the Buyer Poll work. If you've bought any audio/ video equipment within the past 30 days, we'd like you to participate.

Simply turn to the Reader Service/Buyer Poll card in this issue. (You can locate it in the Table of Contents.) You'll find full instructions on the card.

We hope you'll join us this month—and every month in which you buy audio/ video equipment. Your answers are important to us and you'll find the resulting benefits important to you.

Turn to the Buyer Poll now--and thanks for helping us out!

**Stereo** Review



INDEX TO ADVERTISERS

READER PAGE SERVICE NO. ADVERTISER NUMBER

SEPTEMBER

# THE HIGH END

by Ralph Hodges



LL of the mail that has turned up on my desk recently has had to do with questions of the physiology and psychology of the human hearing mechanism. I can't imagine why this should be so, but it's certainly a pleasure to see the readers of this column digging a bit below the surface of things.

To those who have suggested that all manner of phenomena-such as fatigue, tedium, indigestion, general illness, impatience, alcohol, and drugs-might have a significant influence on the listening experience, I can cheerfully report much confirmation in past and present literature. I have seen trained ears become remarkably erratic through annoyance at the presence of tobacco smoke in a room. I have colleagues who are uncomfortable evaluating stereo equipment unless the music used is of no interest to them. (I am the opposite; if the music has no substance to my mind, my attention span shrinks almost instantly.) There are numerous published accounts of how people who listen for a living have been tripped up by uncongenial mental or physical states. Fortunately, the best of them quickly realize when they're

impaired and take their condition into account.

What has kept this information from wide understanding is, first, that it's obviously unquantifiable and, second, that it tends to appear in technical journals that have their own, sometimes almost impenetrable jargon. Furthermore, many of the implications have to be extracted by inference.

So where can an interested party turn to learn about hearing foibles and fallibilities? A good starting point is one of the classics. Hermann Helmholtz's On the Sensations of Tone, published well over a hundred years ago, has an astonishing amount of information in it that applies directly to sound-reproduction devices the author never heard or envisioned. But if this book proves to be difficult going (as it is for many), a great deal can be deduced from a much pleasanter exercise: a simple contemplation of the equally tempered or well-tempered musical scale.

As a term, "equal temperament" would seem to suggest orderly mathematical relationships existing between various notes on, for example, a piano keyboard. Nothing could be further from the truth. Octave relationships are direct multiples of one another in the well-

All kinds of phenomena fatigue, tedium, indigestion, illness, impatience, alcohol, drugs—might significantly influence listening.

tempered scale, but within the octaves everything is willy-nilly, no note having any particular bearing on its predecessor or successor.

The well-tempered scale was devised empirically, over quite a period of time, in an effort to perfect a system by which melodies could be transposed from one key to another without losing their identities—and by which big chords spanning many octaves could be sounded without universal wincing. Except for a few visionaries, no one expected it to be eternally enduring, and even today there are composers trying to wean us away from it. And yet it is hard to find a country that doesn't have the well-tempered scale at the core of its contemporary music. It makes no sense to the mathematician, and even most musicologists tend to believe it is an "impure" construction that owes its appreciation to a learning process. Nevertheless, youngsters with very modest musical talents seem to be able to switch keys within the system effortlessly and securely, even though the tonal relationships are arbitrary. People foreign to Western music find it remarkably accessible. It works, and the numbers be damned.

Meanwhile, in the real world, musical instruments continue to form their overtones along Pythagorean (that is, strictly mathematical) lines, and many of the most familiar forms of distortion do likewise. There is, in other words, a good deal of conflict built into our systems of writing and performing music, and the tension that results has elevated some composers to glory and reduced others to ignominy. Instruments like the pipe organ, naturally rich in overtones and further enhanced by the player's ability to select the harmonic structure of notes at the console, entrance some listeners and drive others half mad. The informed guess is that there is just too much war going on between Pythagorean and well-tempered mechanisms for the ear seeking serenity. Alas, many of those most upset are faithful churchgoers.

Have we gotten to any big conclusions yet? I can think of two that are perhaps worth rattling around mentally. First, if we had decided on a system of temperament that more closely approached mathematical ideals, distortion might very well be less audible or less objectionable. Second, if Western music lacked its built-in tensions of pitch and tonality, we might be able to regulate our perceptions so that a composition wasn't pleasant one day and irritating the next. If you carry these concepts to their logical conclusions, you might discover reason to believe that, given a different sort of music, we'd have much less need of hi-fi. But what's done is done. Besides, I like the well-tempered scale. I whistle it all day long.

# **Real Dreams.**

# Real people want real taste. Winston

SURGEON GENERAL'S WARNING: Cigarette Smoke Contains Carbon Monoxide.

C 1987 R.L REY JOLDS TOBACCO CO

11 mg "tar", 0.8 mg, nicotine av, per cigarette by FTC method.

Winston

LIGHTS

SMOOTH RICH TASTE



# Only Sony offers the most advanced headsets for every mindset.

# Look to the company that listens to digital audio four different ways.

If you're going to invest in the world of digital audio, then only the right kind of headphones will do.

That's why you'd be most comfortable with headphones made by Sony, The Leader in Digital Audio. Like our best digital equipment, Sony's advanced headphones are designed to let you realize the full potential of digital sound reproduction.

Each Sony model is built with sensitivity, utilizing the most precise technology available. For example, cobalt diaphragm drivers for superior musical resolution and wider dynamic range; linear crystal, oxygen-free copper wiring for less signal path resistance, and gold-plated contacts for the finest possible conductivity.

And if all that sounds good to you, listen to this: Sony offers more types of advanced headphones for the widest variety of digital audio applications. So try one on and see what it's like to get the most from your music.

After all, once you've paid for the finest digital audio components, anything less than Sony wouldn't be a sound investment.

Headphones. SONY

© 1987 Sony Corporation of America. Sony and The Leader in Digital Audio are trademarks of Sony. CIRCLE NO. 7 ON READER SERVICE CARD THE LEADER IN DIGITAL AUDIO™