FEBRUARY 1985 VOL. 10, NO. 2

\$3.50 IN UNITED STATES \$4.25 IN CANADA / £2.10 IN U.K. A McGRAW-HILL PUBLICATION 0360-5260

THE SMALL SYSTEMS JOURNAL

COMPUTING AND THE SCIENCES

Why every kid should ha

Today, there are more Apples in schools than any other computer. Unfortunately, there are still more

kids in schools than Apples.


So innocent youngsters (like your own) may have to fend off packs of bully nerds to get some time on a computer.

Which is why it makes good sense to buy them an Apple[®] IIc Personal Computer of their very own.

The IIc is just like the leading computer in education, the Apple IIe. Only smaller. About the size of a three-ring notebook, to be exact.

Even the price of the IIc is small under \$1300.* Of course, since the IIc is the legitimate offspring of the IIe, it can access the world's largest library of educational software. Everything from Stickybear Shapes[™] programs in all. More than a few of which you might be interested in yourself. For example, 3-in-1 integrated busi-

ness software. Home accounting and tax



With a 11c, your kid can do something constructive after school. Like learn to write stories. Or learn to fly. Or even learn something slightly more advanced. Like multivariable calculus.

for preschoolers to SAT test preparation programs for college hopefuls.

In fact, the IIc can run over 10,000

programs. Diet and fitness programs. Not to mention fun programs for the whole family. Like 'Genetic Mapping' and



CHESS

MATH MAZE Deright

DATA

HERGERT THE APPLE II BASIC HANDBOOK

"Enzyme Kinetics."

And the Apple IIc comes complete with everything you need to start computing in one box.

Including a free 4-diskette course to teach you how — when your kids get tired of your questions.

An RF modulator that can turn almost for adding any TV into a monitor.

As well as a long list of built-in features that would add about \$800 to the cost of a smaller-minded computer. 128K of internal memory—twice the power of the average office computer. A built-in disk drive that would

drive up the price of a less-senior

machine. And built-

in electronics for adding accessories like a printer, a modem, an AppleMouse or In its optional carrying case, the lic can even run away from bome.



an extra disk drive when the time comes. as they get home from school.

So while your children's shoe sizes and appetites continue to grow at an

> alarming rate, there's one thing you know can keep up with them. Their Apple IIc.


INGIC

ulator II

To learn more about it, visit any authorized Apple dealer. Or talk to your own computer experts. As soon from school

* The FTC is concerned about price-fixing. So this is only a Suggested Retail Price You can pay more if you really want to. © 1984 Apple Computer Inc. Apple and the Apple logo are registered trademarks of Apple Computer Inc. Stickybear Shapes is a trademark of Optimum Resource. For an authorized Apple dealer nearest you call (800) 538-9696. In Canada, call (800) 268-7796 or (800) 268-7637.

$C \cdot O \cdot N \cdot T \cdot E \cdot N \cdot T \cdot S$



174

FEATURES

INTRODUCTION
THE HP INTEGRAL PERSONAL COMPUTER by Phillip Robinson 98 Hewlett-Packard's new all-in-one system makes UNIX truly portable. 98
CIARCIA'S CIRCUIT CELLAR: BUILD A SERIAL EPROM PROGRAMMER
by Steve Ciarcia
THE MACINTOSH OFFICE by John Markoff and Phillip Robinson
C TO PASCAL by Ted Carnevale
SIMULATE A SERVO SYSTEM by Don Stauffer
INTRODUCTION TO IMAGE PROCESSING by Jeffrey L. Star

THEMES

INTRODUCTION
THE BIRTH OF A COMPUTER conducted by John C. Nash 177 In this interview, James H. Wilkinson discusses the building of a computer designed by Alan Turing. 177
A Low-Cost Data-Acquisition System by Kiyohisa Okamura and Kamyab Aghai-Tabriz 199 A compromise between cost and quality, this system is adequate for many research projects. 199
FOURIER SMOOTHING WITHOUT THE FAST FOURIER TRANSFORM
by Eric E. Aubanel and Keith B. Oldham
PARANOIA: A FLOATING-POINT BENCHMARK by Richard Karpinski
MODELING MASS-ACTION KINETICS by Alan Curtis 239 In the future, microcomputers may have a substantial role in major scientific computations. 239
VIEWING MOLECULES WITH THE MACINTOSH by Earl J. Kirkland
LABORATORY INTERFACING by Lincoln E. Ford, M.D
INTERFACING FOR DATA ACQUISITION by Thomas R. Clune

REVIEWS

INTRODUCTION	86
REVIEWER'S NOTEBOOK by Glenn Hartwig	89
NewWord by John Heilborn and Nanci Reel	91
A word processor from some of the creators of WordStar.	

BYTE (ISSN 0360-5280) is published monthly by McGraw-Hill Inc. Founder: James H. McGraw (1860-1948). Executive, editorial. circulation, and advertising offices: 70 Main St., Peterborough, NH 03458, phone (603) 924-9281. Office hours: Mon-Thur 8:30 AM – 4:30 PM. Friday 8:30 AM – 1:00 PM. Eastern Time. Address subscriptions to BYTE Subscriptions, POB 590, Marrinsville, NI 08836. Second-class postage paid at Peterborough. NH 03458 and additional mailing offices. Postage paid at Winnipeg. Manitoba Registration number 9321. Subscriptions are 521 for one year, 538 for two years and 555 for three years in the USA and its possessions. In Canada and Mexico, 523 for one year, 538 for two years safe delivery to Europe. 17.100 yen for one year surface delivery to Japan. 537 surface delivery elsewhere. Air delivery to selected areas at additional rates upon request. Single copy price is 53.50 in the USA and its possessions, 53 95 in Canada and Mexico, 54 50 in Europe. and 55 elsewhere. Foreign subscriptions and sales should be remitted in United States funds drawn on a US. bank. Please allow six to eight weeks for delivery of first issue. Printed in the United States of America.

February


VOLUME 10, NUMBER 2, 1985

JANUS/ADA by Mark J. Welch	5
THE EPSON GENEVA PX-8 by Rich Malloy 30. It weighs five pounds and features a CMOS Z80 microprocessor. 30.	2
Two Modula-2 Compilers for the IBM PC by Kevin Bowyer	ŀ
E-MAIL FOR THE MASSES by Wayne Rash Jr	7
MANNESMANN TALLY MT 160 by Mark J. Welch 32 A dot-matrix unit with a variety of print modes. 32	5
REVIEW FEEDBACK	1

KERNEL

INTRODUCTION
COMPUTING AT CHAOS MANOR: TROUBLES by Jerry Pournelle
CHAOS MANOR MAIL conducted by Jerry Poúrnelle
BYTE JAPAN: DISKS AND PRINTERS by William M. Raike
BYTE WEST COAST: WHAT NEXT? by John Markoff. Phillip Robinson, and Ezra Shapiro
BYTE U.K.: REALIZING A DREAM by Dick Pountain
COMPUTERS AND LAW: COPYING MASS-MARKETED SOFTWARE by Robert Greene Sterne and Perry J. Saidman 387 This column debuts with a look at two Lotus lawsuits settled out of court. 387
CIRCUIT CELLAR FEEDBACK conducted by Steve Ciarcia

EDITORIAL: SERVICE AND SUPPORT	BOOK REVI <mark>E</mark> WS
MICROBYTES	EVENT QUEUE
LETTERS	PROGRAMMING INSIGHT
Fixes and Updates	BOOKS RECE <mark>IVED</mark>
WHAT'S NEW	UNCLASSIFIED ADS
Аѕк ВҮТЕ	BYTE'S ONGOING MONITOR BOX.
CLUBS & NEWSLETTERS	BOMB RESULTS
	READER SERVICE




London WCIR 4EI England Subscription questions or problems should be addressed to: BYTE Subscriber Service. POB 328, Hancock. NH 03449

ABC

479

65 ...83



286



Inquiry 220



RUTF

EDITOR IN CHIEF PHILIP LEMMONS MANAGING EDITOR GENE SMARTE CONSULTING EDITORS STEVE CIARCIA ERRY POURNELLE SENIOR TECHNICAL EDITORS G. MICHAEL VOSE. Themes GREGG WILLIAMS TECHNICAL EDITORS THOMAS R. CLUNE ON R. EDWARDS RICHARD GREHAN GLENN HARTWIG, Reviews RICHARD KRAIFWSKI KEN SHELDON RICHARD S. SHUFORD ANE MORRILL TAZELAAR EVA WHITE STANLEY WSZOLA MARGARET COOK GURNEY, Associate ALAN EASTON. Drafting WEST COAST EDITORS EZRA SHAPIRO. Bureau Chief, San Francisco JOHN MARKOFF. Senior Technical Editor. Palo Alto PHILLIP ROBINSON, Senior Technical Editor, Palo Alto DONNA OSGOOD, Associate Editor, San Francisco BRENDA MCLAUGHLIN. Editorial Assistant. San Francisco NEW YORK EDITOR RICHARD MALLOY. Senior Technical Editor MANAGING EDITOR, ELECTRONIC PUBLISHING AND COMMUNICATIONS GEORGE BOND USER NEWS EDITORS ANTHONY J. LOCKWOOD, What's New MARK WELCH, Microbytes CONTRIBUTING EDITORS DENNIS ALLISON, at large MARK DAHMKE, video, operating systems MARK HAAS, at large RIK JADRNICEK. CAD. graphics. spreadsheets MARK KLEIN, communications ALAN MILLER languages and engineering JOHN C. NASH, scientific computing DICK POUNTAIN, U.K. WILLIAM M. RAIKE. Japan PERRY SAIDMAN computers and law ROBERT STERNE, computers and law BRUCE WEBSTER. software COPY EDITORS BUD SADLER, Chief DENNIS BARKER ELIZABETH COOPER ANNE L. FISCHER NANCY HAYES LYNNE M. NADEAU PAULA NOONAN JOAN VIGNEAU ROY WARREN WILLIAMSON ASSISTANTS PEGGY DUNHAM MARTHA HICKS BEVERLY LACKSON FAITH KLUNTZ, Copyrights and Permissions LISA JO STEINER ART ROSSLYN A. FRICK, Art Director NANCY RICE. Assistant Art Director PRODUCTION DAVID R. ANDERSON. Production Director DENISE CHARTRAND MICHAEL L LONSKY IAN MULLER SHERRY MCCARTHY, Chief Typographer NAN FORNAL LEN LORETTE KATHY QUIST DONNA SWEENEY

SENIOR VICE PRESIDENT PUBLISHER HARRY L. BROWN ASSISTANT PUBLISHER MICHELE P. VERVILLE PUBLISHER'S ASSISTANT DORIS R. GAMBLE

ADVERTISING SALES 1. PETER HUESTIS, Sales Manager SANDRA FOSTER, Administrative Assistant ADVERTISING LISA WOZMAK, Supervisor ROBERT D. HANNINGS. Senior Account Manager MARION CARLSON KAREN CILLEY LYDA CLARK MICHELE GILMORE DENISE PROCTOR ADVERTISING/PRODUCTION WAI CHIU LI, Quality Control Director JULIE NELSON, Advertising/Production Coordinator LINDA J. SWEENEY, Advertisina/Production Coordinator

CIRCULATION GREGORY SPITZFADEN. Director ANDREW JACKSON, Subscriptions Manager CATHY A. R. DREW, Assistant Manager LAURIE SEAMANS, Assistant Manager SUSAN BOYD PHIL DECHERT MARY EMERSON LOUISE MENEGUS AGNES E. PERRY IENNIFER PRICE AMES BINGHAM, Single-Copy Sales Manager LINDA TURNER, Assistant Manager CAROL AHO CLAUDETTE CARSWELL KAREN DESROCHES

MARKETING COMMUNICATIONS HORACE T. HOWLAND. Director VICKI REYNOLDS. Marketing Associate PRISCILLA ARNOLD, Marketing Assistant STEPHANIE WARNESKY, Graphic Arts Supervisor SHARON PRICE, Graphic Arts Designer DOUG WEBSTER, Director of Public Relations WILBUR S, WATSON, Operations Manager, Exhibits PATRICIA AKERLEY, Research Manager CYNTHIA DAMATO SANDS. Reader Service Coordinator

ACCOUNTING

DANIEL RODRIGUES, Business Manager/Controller KENNETH A. KING, Assistant Controller VICKI WESTON, Accounting Manager LINDA SHORT, D/P Manager EDSON WARE. Credit MARILYN HAIGH DIANE HENRY VERN ROCKWELL JOANN WALTER

BUILDING SERVICES/TRAFFIC ANTHONY BENNETT, Building Services Manager BRIAN HIGGINS MARK MONKTON

RECEPTIONIST

L. RYAN MCCOMBS

PERSONNEL CHERYL A. HURD, Office Manager PATRICIA BURKE, Personnel Coordinator

BYTE BUSINESS PHONES

PETE HUESTIS, 603-924-6137 HORACE HOWLAND, 603-924-3424 DOLIG WEBSTER, 603-924-9027 BRAD BROWNE, 603-924-6616 ADVERTISING. 603-924-6448 CIRCULATION, 800-258-5485

Editorial and Business Office: 70 Main Street, Peterborough, New Hampshire 03458, (603) 924-9281. West Coast Offices: McGraw-Hill, 425 Battery St., San Frankson, CA 94111, 4415 382-4600. McGraw-Hill, 1000 Elwell Court, Palo Alto, CA 94303, (415) 964-0624. New York Office: 1221 Avenue of the Americas, New York, NY 10020, [212) 512-2000. Officers of McGraw-Hill Information Systems Company, President: Richard B. Miller. Executive Vice Presidents: Frederick P. Jannot, Con-

Officers of McGraw-Hill Information Systems Company, Presidenti, Richardo B, Minie Executive Vice Presidentis, Predetick P, Jainko, Com-struction Group, Russell C, White: Computers and Communications Group. J. Thomas Ryan, Marketing and International. Sensitive Structure Vice Presidents: Francis A, Shinal, Controller: Robert C, Violette, Manufacturing and Technology. Vice Presidents: Fred O. lensen, Planning and Development: Margaret L, Dagner, Human Resources. Officers of the Corporation. Harold W, McGraw, Ir., Chairman; Joseph L, Dionne, President and Chief Executive Officer: Robert N, Landes, Senior Vice President and Secretary: Ralph J, Webb, Treasurer.

CROMENCO GOM PUBLICAS DESIGNED TO NE RENDERSISTEM

UNIX System V, the new standard in multiuser microcomputer operating systems, gives you high performance features along with the portability and flexibility of a standard.

Cromemco computers can make UNIX System V even better. Because our systems are designed with UNIX in mind. First of all, we offer UNIX System V with Berkeley enhancements. Then, our hardware uses advanced features like 64K of on-board cache memory and our high speed STDC controller to speed up disk operations - very important with UNIX.

More capability and expandability

We have a high-speed, 68000-based CPU that runs at 10 MHz, coupled with a memory manager that uses demand-paging and scatter loading to work with UNIX, not for it.

We provide room for expanding RAM to 16 megabytes – with error detection and correction – for running even the most sophisticated and advanced microcomputer programs. And the power to accommodate up to 16 users – all with plenty of memory.

But we give you even more.

A complete solution

We give you a choice in systems: the System 100 series, expandable up to 4 megabytes of RAM, and the System 300 series, expandable to 16 mega-

bytes. A high speed 50 megabyte hard disk drive is standard on the systems. And you can expand the hard disk capacity up to 1200 megabytes using standard SMD drives. You can add floating point processing. High resolution graphics. Video digitizing and imaging, Communications through

UNIX is a trademark of Bell Laboratories. IBM is a trademark of International Business Machines Corp standard protocols. Mainframe interface

And software support is here to meet your needs. We offer major programming languages, datebase management systems, communications software, including SNA architecture, X.25 protocol, and Ethernot even a program to interface to an IBM PC if you press to And, of course, access to the broad range of standard UNIX applications programs that is growing dramatically every day.

Easy to use.

We also make our systems easier to use, because we install the operating system before we ship your computer. No complicated installation procedures. And the Berkeley enhancements give you the standard UNIX System V operating system, but with the added convenience of these widely acclaimed improvements.

Cromemco's System 100 and System 300 computers: designed to be the highest performance UNIX systems available anywhere.

Just call or visit one of our UNIX System V Official System Centers to see for yourself. They'll also give you a copy of our new publication, "What you should know before you buy a UNIX system". Or contact us directly.

We'll be glad to show you how to get a better UNIX system.

. Corporate Headquarters: Cromemco, Inc., 280 Bernardo Avenue, P.O. Box 7400, Mountain View, CA 94039. (415) 969-4710. In Europe:

Cromemco GmbH, 6236 Eschborn 1, Frankfurter Str. 33-35, P.O. 5267, Frankfurt Main, Germany.



E·D·I·T·O·R·I·A·L

SERVICE AND SUPPORT

When computers are working they keep us entertained, or at least occupied. That's why happy customers seldom praise the retail stores and mail-order businesses that sold them their computer equipment, and why we hear much more criticism of computer dealers. Often retail salespeople are decried for knowing little about the computers and software they sell and mail-order firms for providing less customer support than retail stores.

But the reality varies from store to store and transaction to transaction. I have had nothing but good experiences with mail-order companies, including free replacement of 100 floppy disks when three of ten in the first box wouldn't format properly. I've bought software, a modem, a printer, and various supplies through phone orders to mail-order businesses.

My experiences in retail stores have been mixed. I once heard a salesman tell a customer that Pickles and Trout were programming languages (they actually were two people who produced a version of CP/M for the Tandv Model II). On another occasion the sales staff of a retail store refused to go through the bother of taking an order for VisiCalc or to hold a copy for me from the next shipment. I went back several times only to find Visi-Calc sold out again and no one willing to take my order. (Finally, I bought VisiCalc through mail order and had no problems.) On the other hand, the retail salespeople at the computer store where BYTE made some recent purchases not only know what they are doing but also give technical support when things go wrong.

STREET ADDRESSES

There is room for improvement in both mail-order and retail computer

sales practices. The great concern with mail-order businesses is well expressed in a letter we received from John C. Gunn, director of consumer affairs for Priority One Electronics of Chatsworth, California: "Although we are primarily an industrial distributor, a measurable portion of our revenue comes from our 'mail-order' ads. We frequently hear horror stories about some poor soul who sent his money to a mail drop or post office box somewhere...and never saw any product or a dime of his dough. Incidents such as this hurt all of us."

Priority One took an interesting practical step to counteract this problem. "To assist in protecting unwitting consumers from unscrupulous advertisers," Gunn writes, "we lobbied strongly for the passage of a bill introduced by California Assemblyman Jack O'Connell. This law requires all advertisements in our state to carry the street address of the company placing the advertisement." We commend Priority One for its efforts to protect the interests of customers of mail-order businesses.

REMOTE DIAGNOSTICS

The convergence of computer and communications technologies offers an unprecedented opportunity for improving customer support. When a personal computer is connected to the telephone system through a modem, and if the operating system and hardware are still capable of taking input from the serial port, then someone at the other end of the telephone line should be able to take control of the computer and put it through a series of diagnostic tests.

The availability of such remote diagnostics would be a great convenience for computer users, retail stores, mail-order businesses, and

manufacturers. Remote diagnostics would be much less expensive than shipping costs and would reduce or eliminate the problems sometimes caused by the consumer's inability to describe a problem in a way meaningful to technicians. Instead of lugging the machine back to the store or packing it up for shipment, the consumer could just connect the computer to the telephone and watch the diagnostics at work. In many instances, the consumer could learn what was wrong and how much it might cost to fix before sending out the equipment. The service organization would know what type of repair was coming and be prepared to fix it. In some cases the machine wouldn't have to be sent out at all: there could be a software fix or a board swap.

Some companies already furnish diagnostic disks. These disks are valuable, but because of a lack of information needed to interpret the results of the tests, they tend to leave the customer poorly informed. Remote diagnostics would permit the service organization to use additional tests to identify the problem more precisely and then to tell the customer more about the extent of the repairs and potential costs.

Since repair bills can range from \$75 to more than \$1000, mystery breeds distrust. Consumers often express suspicion about repair costs of the automobile and other familiar machines. Similar feelings of distrust about repairs of computer equipment could become much more pervasive. Remote diagnostics could reduce mystery and improve consumer confidence in the computer industry. We hope the use of remote diagnostics becomes standard industry practice.

-Phil Lemmons, Editor in Chief




The floppy disk that turns Apples golden, keeps AT&T on-line, and makes every Texas Instrument a gusher.

Whether you're exploring for profits, reaching out for projections, or polishing your argument, there's a Maxell floppy disk perfect for your computer. Consider the unique way we pack and bind our oxide particles for quality over the long run. Or our lifetime warranty. Maxell. The Gold Standard in floppy disks. Precious metal for virtually every computer made.



Maxell Corporation of America, 60 Oxford Drive, Moonachie, N.J. 07074 Inquiry 201



SEEQUA SHOWS YOU HOW TO GET AN GET AN IBM PC FOR JUST \$1595.

BUY A CHAMELEON BY SEEQUA

The Chameleon by Seequa does everything an IBM PC does. For about \$1000 less than an IBM.

The Chameleon lets you run popular IBM software like Lotus® 1-2-3TM and dBase II.® It has a full 83 key keyboard just like an IBM. A disk drive like the IBM. And a bright 80×25 character screen just like an IBM.

But it's not just the Chameleon's similarities to the IBM that should interest you. Its advantages should, too. The Chameleon also has an 8 bit microprocessor that lets you run any of the thousands of CP/M-80[®] programs available. It comes complete with two of the best programs around, Perfect Writer [™] and Perfect Calc. [™] It's portable. And you can plug it in and start computing the moment you unwrap it.

So if you've been interested in an IBM personal computer, now you know where you can get one for \$1595. Wherever they sell Chameleons.

Odenton, MD 21113 Chameleon shown with optional second disk drive. To learn more about Seequa or for the location of the Seequa dealer nearest you, call (800) 638-6066 or (301) 672-3600. IBM is a registered trademark of International Business Machines Corporation.

CORPORAT

8305 Telegraph Road

The Chameleon by

BYTE • FEBRUARY 1985

1.1

M·I·C·R·O·B·Y·T·E·S

Staff-written highlights of late developments in the microcomputer industry.

CP/M for the Macintosh

IQ Software, Fort Worth, TX, is selling a version of CP/M-68K for Apple's 128K-byte Macintosh for \$395, including Digital Research's C Compiler and Macro Assembler. CP/M 2.2 emulation is available for \$195 extra but runs only on a 512K-byte Macintosh. A 512K-byte Macintosh is also required to access the mouse and pull-down menus. CP/M-68K disks are not compatible with other Macintosh disks.

Superex, Micromax Unveil Macintosh Business Software

Superex Business Software, Yonkers, NY, announced 25 new products for the Macintosh, priced from \$20 to \$800. The least expensive item is also the only hardware product introduced: MacSpeak is a \$19.95 external speaker. All products should be available this month.

Also included are business programs for cost estimating, time billing, inventory, finance, business letters, sales, and wholesaling. A complete accounting package with Accounts Payable and Receivable and General Ledger modules is \$750. A Home Executive program is \$90.

Four engineering packages—for civil, mechanical, chemical, or electrical engineers—are \$100 each. A MacScience series includes Physics or Chemistry formulas for \$100 each. Statistics and job-hunting programs were also announced.

Micromax, San Diego, CA, introduced Gallery, a business-accounting software series. The Finance module, which includes General Ledger, Accounts Payable and Receivable, and Cash Disbursement, is \$795; industry-specific vertical applications are also planned.

Conetic Introduces Desktop Management Software

Conetic Systems Inc., San Leandro, CA, introduced Higgins, a specialized relational database program for the IBM PC XT or PC AT that includes an appointment calendar, telephone/address file, expense report, and message features. Information entered into the program is linked to related files; for example, the telephone directory is checked when an appointment is made. Information for up to seven people can be tracked on one computer. A localarea-network version that exchanges nonprivate schedule information is also available. The single-user version of Higgins is \$395.

Lantech Offers UNIX-like Operating System for \$129

Lantech Systems Inc., Dallas, TX, announced uNETix 2.0, a multitasking operating system for the IBM PC that it says is compatible with AT&T's UNIX operating system but costs just \$129. Using optional \$100 window-management software, PC users can execute up to 10 applications concurrently; one of those could be a PC-DOS application running under Lantech's \$50 PC Emulator.

While a hard disk is recommended, Lantech says the operating system can run on a twodisk system. A separate version of uNETix is available for use in local-area networks.

Smalltalk for PCs

Digitalk, Los Angeles, CA, introduced Methods, a Smalltalk-80 object-oriented development system for the IBM PC. The \$250 system includes a compiler, debugger, and text editor; it uses a text-based windowing system with pop-up menus. Methods requires an IBM PC with 512K bytes of RAM and two 360K-byte disk drives.

Software Systems, San Francisco, CA, is also developing a Smalltalk for the Apple II, with later versions planned for 8088- and 68000-based systems.

(continued)

Software Teledelivery Efforts Falter

At last year's Winter Consumer Electronics Show, several companies announced or discussed plans for electronic delivery of software. Some, including Xante, Romox, and Cumma Technology, planned to download to erasable programmable read-only memory (EPROM) cartridges at dealer terminals. Others, including Control Video's GameLine and the Nabu Network's cable service, downloaded programs directly to computers or video games.

Xante, Romox, and Cumma have all ceased operations, mainly because of poor dealer response and the general collapse of the cartridge video-game market. Nabu's cable-TV-based software-downloading service continues to operate in Ottawa, Ontario, despite financial troubles. Control Video Corp., Vienna, VA, said poor distribution and the general video-game slump led it to cancel its GameLine service for the Atari 2600 VCS.

Control Video is now testing a new service which allows subscribers to play 20 games available each month as often as they wish for a \$14.95 monthly fee, which includes rental of a 2000-bps modem from BellSouth. MasterLine is now available for Apple II and Commodore 64 owners in Atlanta, Los Angeles, Houston, and Washington, DC.

Separately, NBC announced that it would cancel the NBC Teletext service in late January.

NANOBYTES

Intel introduced the 82588 single-chip local-area-network controller. The 82588 can be used in low-cost baseband or broadband networks-including such IEEE 802.3 protocols as IBM's PC Network and the developing STARLAN-at speeds up to 2 megabits per second. Initial pricing will be \$45 each in large quantities ... Laserstore, Princeton, NJ, plans to sell a 2.5-gigabyte write-once optical streaming-tape drive. The drives should be available in large quantities in mid-1986 for about \$2500.... Multi Solutions announced a licensing agreement with Computer Engineering & Consulting of Tokyo, under which CEC will translate Multi Solutions' S1 operating system for Japanese computers. Currently, S1 runs on several 68000-based computers and is being translated by MSI for the IBM PC AT. The agreement guarantees a minimum of \$40 million in royalties, according to Multi Solutions, ..., WATCOM Products Inc. has released two products developed at the University of Waterloo in Canada. WATFILE is a \$295 data-management system for the IBM PC; JANET/2 is networking software for IBM's PC Cluster system. ... Alphacom announced a 133-character-persecond printer at \$249 that it says is compatible with Epson's RX-80.... Corvus and NEC have agreed to jointly develop a single-chip controller for Corvus's Omninet local-area network. Currently, an Omninet controller requires three chips developed by Corvus. ... Advanced Micro Devices now offers a 10-MHz version of the 80186 processor.... Phoenix Software, Norwood, MA, has developed an IBM PC XT-compatible ROM BIOS and is developing software compatible with IBM's PC AT. Phoenix's earlier IBM PC-compatible ROM BIOS code has already been licensed by AT&T, Kaypro, Tandy/Radio Shack, Wyse Technology, and Zaisan.... Rumors that Tandy would begin selling ACT computers in its Radio Shack stores are apparently false. Instead, the two companies announced a joint venture to operate a chain of computer stores in Europe, called TA ComputerWorld. The stores will sell both Tandy and ACT computer products.... AST Research announced RamStak, a memory-expansion board for the Apple Lisa computer. The board can add up to 2 megabytes of memory to the Lisa; with 512K bytes, it's priced at \$1395.... Mosaic Electronics, Oregon City, OR, announced Access-M, an expansion card for the Commodore 64 adding up to 1 megabyte of memory. The standard \$195 card includes 64K bytes of RAM and RAM-disk software; additional memory is plugged into the card.... PortaAPL, a \$275 APL interpreter for the Macintosh, was introduced by Portable Software, Cambridge, MA. PortaAPL adds a full-screen editor and access to many Macintosh ROM toolbox routines to the standard APL language but requires a 512K-byte Macintosh.... C Line Inc., Chicago, IL, announced a dBASE II-to-cEnglish converter. The \$795 program converts standard dBASE II source code into cEnglish, which is then translated by the \$900 cEnglish program into C, which is in turn compiled into machine language by a C compiler.

The TI 855 is the only printer with letter quality, draft speed, graphics, plug-in font modules... all for under \$1000. (generation)

Finally, the printer for all PC needs.

The TI 855 printer. The printer for all major PC's. See for yourself today. Call 1-800-527-3500 for the dealer nearest you.



Creating useful products and services for you.

This printout was not generated by the TI 855.

DPF012BY 2764-08

Slide Cat from kodak introduces: THE CAT-QUICK SLIDE-MAKERS THAT WILL MAKE YOU GRIN.

0



Turn CRT Data Into A Slide, Cat-Quick.

"Now you can make presentationquality *instant* slides from CRT screens, one at a time. Slides that integrate beautifully into the rest of your show. It's like having your own instant slide department. And you don't have to be an audiovisual professional to do it.

"Kodak's new catquick slide-makers are a versatile group of

KODAK INSTAGRAPHIC Copy Stand

Use this well-designed unit to make slides of pictures, printed material, and artwork up to 11" x 17". Or small, three-dimensional objects. Right in your office. In ordinary room light.

state-of-the-art products designed to convert computer-generated material into slides, fast!

"With our new imager, you can make instant slides (or prints) from just about any data that appears on your CRT screen...pie charts, bar charts, organization charts, etc. And you can use just about any size terminal—9-, 12-, 13-, even 19-inch screens. Direct



KODAK **INSTAGRAPHIC** CRT Slide Imager Contains KODAK INSTAGRAPHIC Camera Back, KODAK INSTAGRAPHIC Slide Module, and KODAK INSTAGRAPHIC CRT Cone. Just add the appropriate CRT adapter to make instant presentationquality slides that integrate beautifully into the rest of your show. There's even an

optional module that lets you make prints.

conversion from CRT to slide can save you time, and money! For slides from hard copy use our sleek copy stand. Both methods are easy and affordable. "Your options are many. You can buy one product, or the entire line. Make a single slide or an entire presentation. Prove a point, or wow an audience. Even use our camera back, module, and film to photograph images electronically transferred with many manufacturers' video image recorders! And get results that make a grin begin.



KODAK INSTAGRAPHIC Color Slide Film Sboot just one slide or an entire presentation. Oneat-a-time exposure means you waste no film, waste no money. If you need instant color prints of CRT displays, use KODAK INSTAGRAPHIC Color Print Film and substitute the KODAK INSTAGRAPHIC Print Module.

KODAK CRT Adapters

Make an instant slide or print from your screen, any screen— 9-, 12-, 13-, even 19-inch—with your choice of adapter to fit between the imager and the CRT screen.

KODAK INSTAGRAPHIC Slide Mounter and Mounts

Last step. Mount your slide quickly and easily with this simple-to-use device. Eases film into the slide mount automatically, so you never have to snap the mount together or touch the image area.

"To learn more about these new state-of-the-art products, call **1 800 44KODAK**, **Ext 233 (1 800 445-6325, Ext 233)**, or use the coupon below. Or contact your local dealer in Kodak audiovisual products, listed in the Yellow Pages under 'AV equipment and supplies.'"



Eastman Kodak Company, Dept 412L Motion Picture and Audiovisual Markets Division Rochester, NY 14650

Please have a representative call mc. A8071
 Please send me your informative Slide Cat brochure. A8072

NAME		
TTLE		
COMPANY		
ADDRESS		
CITY	STATE	ZIP

$L \cdot E \cdot T \cdot T \cdot E \cdot R \cdot S$

CP/M PLUS FOR THE MODEL 4

Editor's note: In the following sequence of letters. reader William F. Crowell addresses Tandy Corporation Chairman John Roach. BYTE (having received a copy of Crowell's letter) responds to Crowell, and David Krebbs of Tandy replies to Crowell.

Dear Mr. Roach,

I am a longtime computer customer of Tandy Corporation. I presently own two Model Is, a Model 4, and a Model 4P. For over 18 months now, since it was first announced, I have been waiting to receive a working version of Model 4 CP/M Plus.

First. I had to wait 13 months after Tandy announced the product before it was even released. (However, this didn't stop Tandy from advertising the product as available during this entire period of time, presumably to sell more Model 4s to customers who want to run CP/M Plus.) I immediately bought a copy. As you know, however, the original release was *full* of bugs.

I volunteered to beta-test the new preliminary version 1.1, which I did. I immediately discovered that random access failed miserably. Then I observed from the source code, RANDOM.ASM, that virtually nothing had been done to implement random access on the Model 4 hardware environment.

Tandy calls this an operating system? How could the company even release it in the first place without random access? Also, the BIOS is supposed to emulate a DEC VT-52 terminal, but it doesn't. Many of the VT-52 control codes don't work. Further, the promised CBASIC has never been released, and there is no release date that I am aware of.

How is it that Tandy is able to release so much *other* TRS-DOS software, but it takes over 17 months now to merely write a correct BIOS for CP/M Plus? This rather obviously represents a violation of the antitrust laws.

Why haven't the popular magazines reported this irresponsible and reprehensible conduct by Tandy? Are they afraid of losing your advertising?

You are hereby placed on notice that I will attempt to file a class-action suit against Tandy Corporation for consumer

fraud. breach of contract. antitrust. and possibly other causes of action unless working versions of CP/M Plus and CBASIC are available for purchase and the working version of CP/M Plus is provided to purchasers of the original version within 30 days of this date.

I am sorry to take such an unfriendly tone in this letter, but apparently threats of legal action are the only thing that Tandy understands.

> WILLIAM F. CROWELL Attorney Oakland, CA

BYTE replies:

We called Mark Yamagata of Tandy regarding CP/M Plus for the Model 4. Mr. Yamagata quickly admitted that there were bugs in the product. He added that the new version was almost ready but that one more bug had to be worked out. He said the new version would be available by the end of October. He also said that all registered users would be advised of the new version, which will be available to them at no charge. We hope the new version solves the problems you've encountered with CP/M Plus; if not, or if Tandy fails to ship the new version, please let us know so we can report on it.

As to magazine policies on publishing letters to the editor, we receive far more letters than we can publish. We try to choose those of greatest interest to the greatest number of readers. When we receive copies of complaints like yours, we generally call the company involved and try to obtain information about how the problem can be solved. If a solution appears imminent, we call the author of the letter and inform him or her. By the time we could publish the letter, the reason for the complaint will have disappeared.

In this case, the solution appears to have been "imminent" for a long time. We hope that CP/M Plus is now fully functional on the Model 4.

Tandy replies:

Dear Mr. Crowell,

I regret your problems with Model 4 CP/M Plus, but I can do no more than to repeat some of the points that I mentioned during our previous telephone conversations. You are correct in observing that Model 4 CP/M Plus got onto the market later than we originally intended and that the initial release had bugs. This, as you know, is not at all unusual with software. Virtually all software packages do contain bugs when they are first released, and these bugs are subsequently removed as later versions of the software packages come into the market.

From your letter I infer that you do not regard the version of Model 4 CP/M Plus that we are now selling as a "working version." I must respectfully disagree. It is the position of Tandy Corporation that our Model 4 CP/M Plus software package is quite adequate for the purposes for which it is intended, and retail sales to date, as well as user feedback, indicate that the public agrees with us. I am sorry if this particular software package is not suitable to you in some way or ways, but you will understand, I trust, that it is not possible for us to design our products so that they are perfectly acceptable in every respect to every single member of the buying public.

Regarding your comments on the VT-52, please note that the first release of the Model 4 CP/M Plus manual did contain errors on the decimal values assigned to the VT-52 emulation codes. The correct codes have been sent to you by Mr. James Brown, of this office, and a Publication Change Notice has been submitted for future editions of the manual. You will find that the VT-52 control codes will work correctly with the information that Mr. Brown sent to you.

	LETTERS POLICY: To be considered for pub- lication, a letter must be typed double-spaced on one side of the paper and must include your name and address. Comments and ideas should be ex-	
	pressed as clearly and concisely as possible. Listings and tables may be printed along with a letter if they are short and legible.	
	Because BYTE receives hundreds of letters each month, not all of them can be published. Letters	
i	will not be returned to authors. Generally, it takes four months from the time BYTE receives a let- ter until it is published.	



Back Up All the Hard Drives in Your Office. The MaynStream offers fully portable hard drive backup employing the latest software technology. It is compatible with IBM, Compaq, and NCR personal computers* and comes with an industry-leading 1-year warranty.



*IBM Is a trademark of International Business Machines. Compaq is a trademark of Compaq Computer Corporation. NCR is a trademark of NCR Corporation.





100

N

430 E. SEMORAN BLVD., CASSELBERRY, FL 3270 305/331-6402 Inquiry 202

LETTERS

YSIS SOFTWARE

A New Tool For **Real Estate Profits!**

Real Estate Investment has become a complex and sophisticated challenge. Today's investor is faced with an ever-increasing difficulty in forecasting expenses and value, and a bewildering array of financing options and tax laws.

Now, R.E.A.P. gives you a powerful analytical tool for making rapid and informed decisions on the income potential and liquidation value of a property.

Although written by financial professionals to the exacting specifications of the sophisticated investor, R-E-A-P* remains easy to use by anyone buying or selling property.

R-E-A-P™ forecasts expense, loan, tax, and depreciation data, enabling you to build a comprehensive financial model of any real estate investment.

Some Special Features:

- Allows all data categories to be altered and recalculated for true "what if" analysis.
- Saves data for future analysis or manipulation.
- Automatically adjusts for calendar year.
- Forecasts expenses by 3 user selected methods.

Printed Reports:

Adjusted tax basis Income and expense analysis Cash flow analysis Capital gain at sale 6 Sales proceeds, after taxes Net benefit analysis Calculated value of investment I Net equity analysis

SPECIAL INTRODUCTORY PRICE \$149.00

MANUAL ONLY: \$15 PLUS SHIPPING Mass. residents add 5% sales tax. 10 DAY MONEY BACK GUARANTEE VISA OR MASTERCARD	R-E-A-P* is available for IBM-PC/XT* an COMPATIBLES (including 80186 micro processor), APPLE III*, APPLE II* and IIe* Requires 128K of RAM and 2 disk drives. Irademarks of Micro-Soft and Apple Compute
	the second se
Materiard Call or write too	ER LINE 1 · 800 · 637 · 0012 tay! COMPUDEC, Inc. TM

Inquiry 56

Enclosed please find a BASIC program that utilizes random-access procedures to retrieve and store data. At this time, we are not able to duplicate any inherent flaws with random-access procedures in CBASIC under CP/M Plus.

Let me advise you as well, by the way, that the catalog number for Model 4 CBASIC is 26-2217, and it is now available in our stores at a retail price of \$99.95.

In fact, it was released in June of this year. I repeat my previous offer to you: if you wish to have a full refund on the Model 4 CP/M Plus package that you purchased, just send me the complete package (media and manual) together with a copy of your sales receipt. I shall then see that a check is cut and sent to you at once. I make this offer to you in an effort to retain your goodwill.

I do not pretend that our position, as I have stated it above, will be perfectly acceptable to you, but I trust that at least you now understand it clearly. We do appreciate your past business, and I hope that we shall be favored with more of it in the future.

DAVID KREBBS Radio Shack Computer Customer Services

A PIRATE CONFESSES

This is an open letter to software vendors and dealers. It has been prompted by various letters and articles that I have read recently concerning why otherwise ethical people would "pirate" software.

I do not advocate the piracy of software. It is nothing short of theft. However, I have been guilty of pirating a package or two for one reason: I refuse to spend my money on software that I cannot be sure will run on my machine. No vendor that I know of will offer you a money-back guarantee on its software package. I work on mainframe computers for a living, and very few vendors of mainframe software will not let you have a 30-day trial on one of their packages.

I understand that the volume of dollars spent on a mainframe package is considerably more than what personal computer users spend for their software packages; however, we personal computer users do not work with the same size budgets as mainframe users.

Some software vendors do in fact offer demonstration disks, but the disks that I've seen flash lots of colors and text describing the products but do not give you an opportunity to use the products and (continued)

What every Apple owner should know about WORD JUGGLER[™].

If you own an Apple IIe or IIc—or you're planning to buy one—here are a few things you should know about Quark's Word Juggler word processor.

First of all, Word Juggler is the only word processor that gives you a powerful spelling checker and a built-in telecommunications feature. So you can create a document—check it for spelling errors—and then send it via electronic mail. All with just one program.

Plus, Word Juggler is the most easy-to-use, professional word processor you can buy for your Apple. Virtually every function—even complicated "cut-and-paste" tasks—can be accomplished with a single keystroke.

There's nothing to memorize, either. Because Word Juggler comes with replacement keycaps—and a special keyboard template—which identify principal editing and formatting commands. So you can focus your efforts on using the program, not learning it.

Fact is, no other word processor for your Apple IIe or IIc gives you this unique combination of power, functionality and ease of use. And if all these advantages aren't compelling enough, check the price. Suggested retail is only \$189.

So visit your favorite dealer today. Ask for a complete demonstration—and for a copy of our brochure, "What Every Apple Owner Should Know About Word Juggler." If you don't have a favorite dealer, but would like one, just call 1 (800) 543-7711. We'll fix you up.



2525 West Evans, Suite 220 Denver CO 80219

Quark and Word Juggler are trademarks of Quark Incorporated. Apple is a registered trademark of Apple Computer, Inc.

Ask about our specially-priced educational version.

Copyright 1985. Quark Incorporated

LETTERS

FINALLY! MAIL ORDER SERVICE YOU CAN DEPEND ON!								
WORDSTAR PROPAK	SYM	PHON	Y SIDEKICK (C.P.)	NULT	IMATE		TUS -2-3	
PhUPAK			(6.7.)			(C.P.)	-2-3	
			000	•				
\$243	\$ ²	409	\$39	\$2	253	\$39 \$2	295	
AID			HARVARD SOFTWARE			MONOGRAM		
Typequick	85	5 85	Harvard Project Mgr	395	240	Dollars and Sense (IBM)	179	149
ALPHA SOFTWARE Data Base Manager	295	179	HERITAGE Smart Key	90	65	Dollars and Sense (Mac) OASIS	149	119
ANDERSON-BELL	290	1/9	IUS	90	jou jou	Word Plus	150	105
Abstat	395	267	Easy System II	395	184	Punctuation and Style	150	95
ASHTON-TATE D Base II		265	General Ledger Accounts Payable	595 595	319 319	PACIFIC DATA SYSTEMS Money Track	295	219
D Base III		363	LEXISOFT	555	313	PEACHTREE		
Framework		363	Spellbinder	495	239	Peachtext 5000	425	185
Friday ATI		169	LIFETREE Volkswriter Deluxe	295	158	CalendarManagement Decision Manager	195 625	165 495
Training Word Star	75	45	LIVING VIDEO TEXT INC			Business Graphics System	295	219
Training dBase II BORLAND INTERNATION	75	45	Think Tank (IBM)	195	149	Peachpak 4 PETER NORTON	395	199
Toolbox	49	40	Think Tank (Mac) MDBS	150	109	Norton Utilities	100	65
CDEX	70		Knowledgeman	500	299	PRENTICE-HALL		
Advanced Lotus 1-2-3 CHANG LABS	70	45	MECA Managing Your Money	199	135	Execuvision SELECT INFORMATION SYS	395 STEMS	299
Rags to Riches Ledger	99	79	MICROPRO	155	100	Select Word Processor	295	199
CONOOR		240	WordStar	350	195	SORCIM	205	154
Condor 3 CONTINENTAL SOFTWAR	650 RE	249	SpellStar CorrectStar	99 145	79 99	SuperCalc 2 SuperCalc 3	295 395	154 199
Home Accountant Plus	150	99	MailMerge	99	79	SOFTWARE PRODUCTS INT	"L	
DIGITAL MARKETING Writers Pak	295	19 9	InfoStar		248	Open Access TYLOG	695	349
Footnote	295	84	WordStar 2000 WordStar 2000 Plus		CALL	dBase Window	249	155
Datebook II	295	179	MICRORIM			WARNER SOFTWARE INC.		
Notebook	150	98	R Base 4000	495	299	The Oesk Organizer	195	129
Proofreader Grammatik	50 75	38 65	Extended Report Writer MICROSOFT	150	119	WOOLF SYSTEMS Move It	150	85
ENERTRONICS			Multiplan	250	139			
Energraphics W/Plot.Opt	. 450	297	Word/Mouse	475				
FOX & GELLER DGraph or Quickcode	295	159	Chart (Mac) Cash Plan (IBM)	125 150	99 50			
dUtil	99	58	MICROSTUFF	150	50			
FOX RESEARCH	405	200	Crosstalk	195	98			
10 Base FUNK	495	399						
Sideways	60	45						
		C al	inning or c	nel -		Nor 61 000 00		
Free UPS shipping on orders over \$1,000.00								
CA	LI E	OR F	PRODUCTS Y	DU L	DON'	T SEE HERE!		
0/1		2111						



determine if they will satisfy your needs. I try to study a product as much as I can from reviews in the trade publications. I then select one or two similar packages and attempt to find people who are using them. I obtain a copy (or the original) and the product's documentation, and I try the package out for a month or so. If I like the product, I then purchase a "legitimate" version of it, or else I erase my copy or return it to the lender. In this respect I am probably more ethical than most in that I will buy a legitimate copy of any software that I intend to use on my machine for any length of time after I have already obtained a pirated version of it.

I seek only to protect my investment, and I will discontinue this practice when I can obtain a full-function demonstration disk of a package that I intend to purchase. I somehow expect that quite a number of software vendors would be opposed to a 30-day trial arrangement because their products wouldn't stand up to head-tohead competition.

NAME AND ADDRESS WITHHELD

NO SUPPORT FROM APPLE

I would like to confirm the lack of available Apple documentation noted in Dennis Doms's letter ("A Call for Better Apple Support," September 1984, page 14)."

After purchasing an Apple IIc in May to complement my IIe while I was traveling, I was immediately confronted with a lack of technical details needed to connect my "non-Apple" peripherals to the IIc. What are the pin connections on the serial ports? What are the memory locations that control baud rate, characters per line, ACIA status, etc?

Since I travel extensively I thought I could pick up the *Apple IIc Reference Manual* in one of the many authorized Apple dealers I visit when out of town. After visiting over 30 stores in New York, New Jersey, southern California, and Oregon, I have been unable to find the reference manual.

I hope that letters like Dennis's and mine will stir Apple into getting the publications into the hands of the thousands of Apple users who want to know all there is to know about one of the most revolutionary products of our times.

GEORGE W. ZIEGLER, JR. Mahwah, NJ


I read with interest Dennis Doms's letter describing his problems obtaining Apple documentation.

(continued)

And you thought there was only one "Graphics Card".

AST introduces Preview![™] for \$100 Less.

WORD TH



FRAMEWORK **

SYMPHONY[™]

Preview! provides all the features and functions you'd expect, like bit-map addressing the maximum supported 720 horizontal pixels by 348 vertical lines for two pages of full-screen high resolution graphics, an IBM PC-compatible parallel printer port and Hercules[™] bit-mapped graphics card compatibility.

It works with all kinds of software too, no other card offers more. New generation integrated business programs, bit-mapped text processing and advanced windowing applications are specialties.

Then there's the nonstandard features AST is famous for-consistent quality, reliability, comprehensive documentation, service, support and extra value. We include our

SuperPak™ RAM disk simulator and printer spooler utility diskette. Judged by PC WORLD readers as a World Class Winner for the past two years, it's worth \$45 by itself.

The leadership strength that makes our consistent quality so affordable is carried throughout our complete line of PC enhancement products. We offer a family of graphics products which provide a variety of features from serial ports to expansion memory, as well as multifunction boards, micro-tomainframe communications. local area networks and disk subsystems.

So you can settle for the common, ordinary graphics card and hope for the best. Or you can pay \$100 less and know you have the best-Preview! only from AST. For more information and dealer locations call our Customer Information Center (714) 863-1333, Ext. 5249. Or write, AST Research, Inc., 2121 Alton Avenue, Irvine, CA 92714 TWX: 753699AST UR.

FEATURES

1-2-3 **

MetaWINDOW ™

- 64K Screen Memory Two Pages of High Resolution 720 Horizontal PELS by 348 Vertical Line Bit-Mapped Monochrome Graphics
- 80 Character By 25 Line IBM PC-Compatible Text Display
- Previewl and SuperPak Indemarks of AST Research, Inc. IBM Indemark of International Business Ma-chines Corp. Hercule Graphics Card Tudemark of Hercules Computer Technology. Lotus 1-2-3 and Symphony tundemarks of Lotus Development Corp. Framework Indemarks of Ashton-Tate. Word Inde-mark of Microsoft, Inc. MetaWINDOW Indemark of Metagraphis.

Inquiry 5 for Dealers. Inquiry 6 for End-Users.

- Standard IBM Character Set • Compatible With Popular Bit-Mapped Graphics. Text and
- Windowing Applications Software
- SuperPak Utility
- Diskette
 - Hercules Compatible

ESEARCH INC.

Parallel Printer Port

Available for the IBM PC, AT, XT, jr.,* and true compatibles CECAR THE DESK, SIDEKICK'S

HERRE The Super Organizer ALWAYS JUST A KEYSTROKE AWAY ... No matter what software you're running! WHETHER YOU'RE RUNNING LOTUS, WORDSTAR, dBASE OR WHATEVER ...

JUST A KEYSTROKE AND A SIDEKICK WINDOW OPENS

- A CALCULATOR AN APPOINTMENT CALENDAR
- A NOTEPAD AN AUTO DIALER
 - A PHONE DIRECTORY
 - AN ASCII TABLE

"IF YOU USE A P GET SIDEKICK. YOU'LL SOO BECOME DEPENDENT ON I Jerry Pournelle, BYT



Here's Sidekick in action. That's Lotus 1-2-3 running underneath. In the Sidekick Notepad you can see data that's been imported from the Lotus screen. On the upper right, that's the Sidekick Calculator.

脱: ((2) 449



NOW ... Whether you're working in dBase, Lotus, Wordstar or whatever ... you can unleash the full power of your computer ... and make a lot of extra space on your desk at the same time.

Whenever you're using your computer . . . from start to finish of your session . . . SidekickTM will be there . . . ready to serve. And it's as lightning-fast and compact as only Borland knows how to make it.

There's a notepad that has a full-screen editor that can time and date stamp your notes, and then save them to disk. You can even pull information into the notepad directly from the screen of your "underlying" software.

Suppose you're working in Lotus and the phone suddenly rings. Give your Sidekick a call and it pops right up over Lotus with the notepad you need. Or an appointment calendar . . . one you can never misplace.

What if you need to do a quick calculation? A keystroke instantly brings up the calculator. And the results of your calculations can even be transferred to your "underlying" software.

Need to make a phone call? Up pops your personal phone directory. Type in the name you want . . . and Sidekick jumps right to the phone number. Another keystroke, and the phone is automatically dialed for you. † There's lots more, too. You can move the Sidekick windows

anywhere on the screen you like. And you can have as many on screen at a time as you need. There's even an on-line help window for each of Sidekick's features.

We designed it because we needed it. If you've ever been writing a report and needed to do a quick calculation, or jot down a note, then you need Sidekick, too.

†Only with Hayes Smartmodem and compatibles.

GOT YOUR SIDEKICK IS AVAILABLE AT YOUR NEAREST SOFTWARE DEALER, OR DIRECT FROM BORLAND.

For VISA and MasterCard orders, call 1(800) 255-8008: in California call (800) 742-1133.

_____\$54.95 SideKick copy-protected _____\$84.95 SideKick noncopy-protected (Prices Include 55 shilpping and handling per order.)

Check
Money Order
VISA
MasterCard
Card
MasterCard

Expiration Date _____

Please be sure your system is an IBM PC, AT, XT jr. or a true PCcompatible. PCjr. users must order noncopy-protected version. NAME _________ADDRESS ______

CITY/STATE/ZIP _____

TELEPHONE _

California residents add 6 % sales tax. Outside USA add \$10; payment must be by bank draft payable in the US and in US dollars. COD and purchase orders will not be accepted.



Borland International 4113 Scotts Valley Drive Scotts Valley, California 95066 TELEX: 172373

Inquiry 33

After several years of CP/M experience, I purchased an Apple IIc in May. I have written and phoned Apple in Cupertino, the Apple distributor in Charlotte, and two Apple dealers. The response I have gotten is difficult to accept. Based on the information I have to date, the Apple IIc Technical Manual, ProDOS Technical Manual, ProDOS Users Kit, and Applesoft Technical Manual volumes I and 2 are unavailable and there is no official date for delivery.

My choice of the IIc was based on the promise of true portability by the end of 1984. The present availability of carrying cases and portable power supplies coupled with the continued assurance, by Apple, of the flat-screen display in 1984 will provide the hardware I expected when I chose the IIc. The total lack of technical information for the IIc and the operating system will make software development almost impossible.

DON OVERTON Atlanta, GA

I found the letter by Dennis Doms concerning the lack of technical support by Apple for its new ProDOS System very true. I am one of those newcomers to computers. It is indeed a nightmare trying to make sense out of Apple ProDOS from the scant instructions supplied with the Apple IIe.

For months I have been trying to buy several of Apple's manuals on ProDOS, especially *BASIC Programming with ProDOS*. The authorized Apple dealer has no idea when his shipment will come in.

In my opinion any machine, no matter how excellent it may be, is no better than the instructions that teach the operator how to use it. It seems a pity that a company that can spit out machines at such a terrific rate cannot supply the bare tools the operator needs to operate that machine. Imagine that same company's concern if, when its new production line was ready to roll, it found it had few instructions on how to operate it.

> DAVID D. PERRY Ridgecrest, CA

TAKE BACK YOUR MAC

1 am outraged. Apple's original descriptions of the Macintosh, as quoted in the press, made it clear that the Macintosh was a 512K system that was being released in a temporary 128K version due to failures on the part of Apple's suppliers. Now we are told (in defiance of the experience of any user of the machine) that the 128K Macintosh is a useful computer and will continue to be sold at the original price, while a 512K version will cost \$1000 more. What's more, any purchaser of the earlier 128K machine who desires to upgrade to 512K must pay the \$1000 difference in price. This policy is as blatantly unscrupulous a case of bait-and-switch as was ever practiced.

As a professional programmer, I was intrigued and excited by the concept of the Macintosh and eagerly awaited the release of the real, 512K, machine. As a consumer, I am disgusted by Apple's business practices and have no intention of throwing good money after bad. I am especially frustrated by this decision of Apple's, since I am sure that it will strangle the Macintosh in its cradle, and so my already substantial investment in the machine will have been for nothing.

KIRK RADER Los Angeles, CA

I openly plead for a programmer or programming team somewhere to develop RAM-disk software to use the 512K RAM on the ''fat Mac'' as a RAM disk as well as for memory.

A logical configuration to emulate the 128K Mac would be 128K memory with a 384K RAM disk. Later, variable options of more memory and less RAM would be nice, but they are not essential initially. Good programs like Microsoft Word can use disk I/O to make files larger than memory and would not be limited by the main-memory constraint, but rather only by the RAM-disk memory constraint.

Such a RAM disk must permit copying data to and from it, programs to and from it, and opening it. So designed, the system and major programs that use disk overlays could be loaded into RAM, with consequent lightning-speed operation. I believe such software is essential for the Mac to appeal to business. It would also make software development itself easier and faster.

I've checked, and apparently Apple's own programming philosophy is opposed to this concept. If someone does do this, I hope he or she sells it for a reasonable price (\$50 or less) or else releases it accessibly into the public domain. Without such a development, my company will probably never buy a Mac and will probably never develop software for it.

> DON SLAUGHTER MicroCost Software Seattle, WA

Perhaps two of the most often used words throughout articles dealing with the

Macintosh are "potential" and "wait." The Macintosh was introduced over nine months ago, and still there is a lack of varied and practical software available for the computer. On the day of its introduction Apple announced that "hundreds" of software companies had already had the Macintosh for up to two years. Software for the machine would be available in a torrential flood in a matter of weeks. Nine months later a real word processor (i.e., capable of handling more than eight or nine pages) is still not available, nor can I find a spelling checker, a true database manager, or a high-level language. If software companies have had over two years to work on their products and still have not fully developed what could be considered "standard" software products, just how long is the Macintosh software-development cycle? Is Apple truly supporting its software developers?

Added to the problem of third-party software is the lack of support software from Apple itself. Nine months after the computer was introduced, an assembler has not even been made available, nor is a communication program like MacTerm available yet. Neither of these programs is particularly tricky to write, and, in fact, Apple must have had a 68000 assembler in house for quite a while (rehosting an assembler from the Lisa to the Macintosh takes over nine months?).

Many trade magazines and journals apparently wonder about these same problems. Often an attempt is made to rationalize Apple's tardiness and lack of support. The most common story is: "The Macintosh is a radically new computer requiring programmers to adapt to a completely different kind of style, and besides, 128K of memory makes for a tight squeeze on programs. When the 512K Macintosh is available, all kinds of fancy programs will appear and life will be wonderful again."

Well, the 512K Macintosh was recently announced. Now I can easily find several stores advertising the 128K Macintosh for \$1600 and the 512K Macintosh for \$2400. Yet Apple wants the people who have already paid \$2500 to fork over another \$995 for the 512K upgrade. The entire computer obviously costs far less than \$1000 to make, since that is the price the university consortium schools pay, and you can be certain that Apple is not so dedicated to education that it would pass up this additional source of profit.

If 128K is such a burden on software developers, why wasn't the computer released *after* the expanded memory was LETTERS

available? This would have given developers more time to work on their software as well. If Apple felt it just had to be in the market with a machine like the 128K Macintosh, why was it priced so high? At least Apple could have promised all the early purchasers a fair price (or even no cost) on the upgrade.

I truly feel that Apple has treated its customers unfairly and with a certain amount of contempt. Prior to owning any Apple product I had a great deal of trust and respect for the company. In fact, it was that trust and respect that convinced me to buy a Macintosh even though I was aware of its limitations. I felt certain that Apple would take care of its customers. However, since buying a Macintosh, that trust and respect has gone. Even though I could recommend no alternative, I would not advise anybody to buy a Macintosh. Instead, I would recommend waiting until Apple straightens up or until another company recognizes the void and fills it. R.S. LUEBKEMAN

Rancho Cucamonga, CA

CHOOSING A CAMPUS COMPUTER

We have recently undertaken a project to introduce the use of microcomputers in the junior/senior Physical Chemistry course at the University of Florida. Although the students are reasonably mature and mathematically sophisticated, they have shown a surprising reluctance to "get their feet wet" via hands-on work with the microcomputers available for the course (six Sanyo MBC 555 units, chosen for their low price, reasonably good graphics, and ability to use the 8087 math coprocessor).

There are several problems in introducing a microcomputer course as described above at a large state institution such as the University of Florida (35,000 students), where no requirement exists that students purchase a microcomputer (not to mention a specific brand of microcomputer). Even if money were available to fund purchase of sufficient machines to handle approximately 4000 technical students per year, along with space to house them, there remains the possible objection that the entire enterprise would be at least "type-specific." Thus we might select MS-DOS, Microsoft BASIC, and WordStar, which would slant the situation toward IBM PCs and/or compatibles. This might lead to a loud chorus of objections from Macintosh supporters, for example, (continued)

BAY TECH'S MULTIPORT-FOLIO

YOUR BEST SOURCE FOR HIGH QUALITY, HIGH PERFORMANCE, DATA COMMUNICATIONS PRODUCTS

PORT NETWORKING

Star network capable of any port-to-port connection with up to 18 ports communicating simultaneously.

PORT MULTIPLEXING

Allows up to 8 computers to use the same data communication line simultaneously.

PORT SWITCHING

Expands your single RS232C serial port to 4 or 8 ports. Even more ports by cascading.

1111111111111

CALL US TOLL-FREE 1-800-523-2702

BAY TECHNICA

Telex: 910-333-1618 (BAYTECH) EasyLink: 6277-1271

PORT CONTENTION

Adds terminals to your computer. For example: 12 terminals can contend for 6 ports on a first come, first serve basis.

PRINTER SHARING

Enables up to 8 computers to automatically share a single printer.

Multiport models with 5 to 18 ports, \$279 to \$1,750.






While some may disagree, I feel that the situation is more acceptable if reasonable alternate-brand selections do exist, such as the IBM PC, Seequa Chameleon, Eagle, Zenith 150, Tava, Tandy 2000, etc. However, selection of a unique machine such as the Macintosh is virtually an endorsement of a specific brand rather than type, to the exclusion of all others.

I would be interested in hearing from

others concerning this dilemma. Please write to me at the Chemistry Department, University of Florida, Gainesville, FL 32611. ROBERT J. HANRAHAN Gainesville, FL

ICONS ARE ARCANE

Circa 5000 years ago, writing was invented in ancient Mesopotamia. This earliest



known script, cuneiform, was derived from pictographic symbols that became stylized and standardized in form. Eventually it became mixed with phonetic elements until it was almost entirely phonetic. Our alphabet is most probably ultimately derived from ancient Egyptian-also originally a pictographic system. The point is this: Over thousands of years a phonetic and finally alphabetic system was developed. To anyone who has gone through the painful process of learning cuneiform or Egyptian, the superiority of the alphabet is readily apparent. A pictographic system (Apple's "icons") requires that the user learn many, many symbols. My contention is that though users may find icons more "user friendly," ultimately, as systems and software become more complex, the icon system will become more unwieldy and arcane than present systems.

As a humanist who uses computers extensively in my work, I would like to see user interfaces developed for micros that are faster, more streamlined ("elegant"), and smarter ("knowledge-based") to aid in the learning process. It doesn't take the uninitiated user long to grow impatient with the Mac.

> ANN MARCHANT Berkeley, CA

BRAVO, BORLAND!

This is the kind of letter I would like to be able to write more often. It's about the people at Borland International, who distribute Turbo Pascal and, if we are lucky, a lot of other programs.


I've already spoken to Borland's programmers about a problem, and with a completely satisfactory result. The latest event was my ordering of the Commodore 64 CP/M version of Turbo Pascal. When it arrived, it was an MS-DOS disk, which I couldn't use. I scribbled a note on the invoice and mailed the whole package back the same day, the same way it arrived, at a cost of about a dollar in postage.

Today the United Parcel Service truck pulled up and delivered the correct replacement package—Second Day Air. It cost Borland \$4. That is class.

WILLIAM T. POWERS Northbrook, IL

SAGE DEFENDED

I wish to respond to Dr. Richard Peskin's appraisal of Sage computers ("A Second Opinion on the Sage," September 1984, (continued)



Introducing the Hercules Graphics Card for the technical user.

OK. We confess. The Hercules Graphics Card in the picture above isn't a special version for the technical user.

In fact, it's exactly the same as the standard Hercules Graphics Card running programs like 1-2-3™ and Symphony[™] in more than 100,000 IBM[®] PCs.

We just wanted to make the point that the Hercules Graphics Card is not only big with business users—it's also the most popular high resolution graphics card for the technical user.

Why? We run more software than anyone else.

The Hercules Graphics Card is supported by more technical software than any other hi-res graphics card.



There are word processors that can produce publication

quality documents with mathematical formulas.

There are programs that enable your PC to emulate a graphics terminal and run mainframe graphics software.

There are toolkits of graphics utilities that can be linked to popular programming languages.

There are CAD programs that can provide features normally associated with \$50,000 systems.

And we supply free



software with each card to do hi-res graphics with the PC's BASIC. No one else does.

Hardware that set the

high performance standard.

When we introduced the Hercules Graphics Card in August, 1982, it set the standard for high resolution graphics on the PC.

But we didn't stop there. In the past two years, we've continually refined the original design.

Today's Graphics Card gives you two graphics pages, each with a resolution of 720h x 348v, and a parallel printer port standard.

A 2K static RAM buffer elegantly eliminates scrolling flicker. And our exclusive safety switch helps prevent damage to your monitor.

Convinced? Good. Now. how about a little color?

Should you want IBM



compatible color graphics for your system, then the

new Hercules Color Card is the smart way to go.

It gives you a parallel printer port and a size small enough to fit in one of the XT's or Portable's short slots.

And both Hercules cards are compatible with the new AT[™] and backed by our two year warranty.

Call 800 255-5550 Ext. 408 for the name of the Hercules dealer nearest you and we'll rush you a free info kit. See why the company that made the first graphics card for the IBM PC still makes the best.

Hercules. We're strong on graphics.

Address: Hercules, 2550 Ninth St., Berkeley, CA 94710 Ph: 415 540-6000 Telex: 754063 Trademarks/Owners: Hercules/Hercules Computer Technology, 1-2-3, Symphony/Lotus Development; IBM, AT/International Business Machines

page 18) as lacking "many architectural features needed for multiuser, multitasking applications." This is a gross distortion of the facts, since, from the beginning, Sage has supplied an excellent multiuser BIOS capable of supporting not only multiple users but multiple operating systems running simultaneously. I know of no other supermicro that can make this claim. Even single-user operating systems such as Softech's UCSD p-System appear to be multiuser on the Sage as multiple copies are run in memory partitions isolated by the Sage MU BIOS. The BIOS allows easy configuration of each user's time slice and priority, flexible mapping of RAM disks (yes, more than one!), memory and disk partitions, and serial ports and peripheral devices. Different operating systems may be allowed access to shared disk space.

At last count, at least 11 operating systems are supported, including CP/M 68K, Volition's Modula-2 system, HyperFORTH, and Whitesmiths's UNIX-like multiuser Idris. The Idris implementation currently available was ported to the Sage by Rakon, an Australian company. Rakon's version reportedly runs 2.5 to 5 times faster on the same hardware as Logos Information Systems' (Dr. Peskin's firm). In this light, Dr. Peskin's opinion about Sage can hardly be characterized as "objective technical assessment."

The new products announced in September by Sage (now Stride Micro) will have a hardware memory-management option to support UNIX System V with Berkeley enhancements. They also run faster (10 MHz standard, 12 MHz optional), support hardware floating point, utilize the industry standard VME bus, come standard with Omninet networking hardware, and are even lower in cost.

> Jai Gopal Singh Khalsa Millis, MA

IMPROVING THE IBM KEYBOARD


Where I work we have IBM PCs and XTs in abundance. People are always griping about the poorly designed keyboard, i.e., the long reach to the Return key and the dual-function 10-key pad/cursor controls that perform only one of their roles at a time. The complaints peaked around budget time, when data entry to spreadsheets became a paramount hassle. We found a partial remedy, however. Instead of switching between the 10-key pad and the cursor controls by using the Num Lock key, we found it easier to divide the labor between our two hands by locking in the 10-key pad for data entry and then, to move to another cell, holding the left shift key down with our left hands and moving the cursor with the 10-key pad that then functions as a cursor control.

Granted, this is not a perfect solution, but the roar did quiet. Now we'd like to know how to solve the problem of the reach to the Return key.

> W. TRAVIS GOOD Summit, NJ

SOFTWARE SWAPPING

In response to "Dear Thieves" (August 1984, page 18), William Wright has expressed the opinion that it is entirely (continued)



MicroSim's **Probe** is an interactive, comprehensive graphics post processor progam option that gives outstanding visual enhancement to your **PSpice** work.

PSpice.

The circuit simulator that brings mainframe advantages to your micro.

Now the industry-standard Spice, minus Spice's original "bugs" has been brought to the IBM-PC. With **PSpice**, the electrical engineer can try out a circuit right at his or her desk without having to build it. Design and check in 20 minutes what normally takes four to eight hours and the wiring of two dozen transitors on a breadboard. Take chances. Explore. Re-work. Without the worry that someone's waiting for the mainframe.

- AC, DC and Transient Analysis
- Up to 120 transistors per circuit
- One-fifth the speed of VAX-11/780
- Affordably priced at \$950 (Quantity price breaks)



MicroSim Corporation 14101 Yorba Street • Tustin, CA 92680 • (714) 731-8091

VAX is a trademark of Digital Equipment Corporation. IBM-PC is a trademark of International Business Machine Corporation.

Apple Owners: Increase your Display up to 455% and **Get The Big Picture!** 17 E 19 F 19 G 11 H 1 JULY AUG SEPT 1001 45071 6375 34358 93049 62989 300 22646 UTILITIES 375 375 375 375 375 TOTAL EXPENSES 35611 37368 56768 67394 37312 HET CASH FLOW 48818 CASH BALANCE: BEG. OF MONTH 100000 216388 255473 76547 END OF MONTH 148328 173991 76547

You know the importance of "Bottom Line" and cash-flow management in your daily operations. Original 40-column spreadsheets were adequate, 80-column spreadsheets were better, but even with 80-columns you still waste valuable time scrolling your spreadsheet searching for data. The Videx UltraTerm will provide you the tool you need to reduce wasteful searching, and free up your time to make important business decisions.

Just look at the actual display photo above. The dark green portion of the spreadsheet represents the amount of information you get with a standard Apple display. The medium green area shows you what you get with ordinary 80-column displays. Nice. But not enough. With UltraTerm, your business "Big Picture" is exploded up to a full 128-columns by 32-lines (as shown by entire photo above), or 455% more data than you've previously had to work with. In addition to the obvious benefits of using the UltraTerm with your spreadsheet, you can gain depth,breadth,and power when using the new generation of word processors that exploit the UltraTerm's vast array of display capabilities. Word processors that currently use UltraTerm's expanded display formats include WORD-STAR, Word Juggler //e, Letter Perfect, Executive Secretary, Apple Writer II (with Videx Preboot), and Write Away.

So, contact your local computer dealer today! If they are out of stock you can call Videx directly. Get THE BIG PIC-TURE today!

Suggested Retail Price—\$379.00



UltraTerm is a trademark of Videx, Inc. Apple is a trademark of Apple Computer, Inc: Visicalc Is a trademark of VisiCorp, Inc.

1. Except colors which were added for illustrative purposes only. 2. Assuming VisiCalc and Apple 40 \times 24 display.

Inquiry 324

1105 NE Circle Blvd., Corvallis, OR 97330 503-758-0521

NEW from BORLAND! TURBO TOOLBOX & TURBO TUTOR

Can demand

a pert

110

"TURBO is much better than the Pascal IBM sells.

Jerry Pournelle, Byte, July 1984

"TURBO PASCAL appears to violate the laws of thermodynamics. You won't find a comparable price/ performance package anywhere. It is simply put, the best software deal to come along in a long time. If you have the slightest interest in Pascal...buy it."

Bruce Webster. Softalk IBM: March 1984

RSION

BORIAND

BORLAND INTERNATIONAL GIFT PACK ONLY \$9995 A SAVINGS OF \$30!

What a gift for you and your friends! The extraordinary TURBO PASCAL compiler, together with the exciting new TURBO TOOLBOX and new TURBO TUTOR. All 3 manuals with disks for \$99.95.

TURBO PASCAL Version 2.0 (reg. \$49.95). The now classic program development environment still includes the FREE MICROCALC SPREAD SHEET. Commented source code on disk

• Optional 8087 support available for a small additional charge

NEW! TURBO TOOLBOX (reg. \$49.95). A set of three fundamental utilities that work in conjunction with TURBO PASCAL. Includes:

- TURBO-ISAM FILES USING B + TREES. Commented source code on disk
- QUIKSORT ON DISK. Commented source code on disk
- GINST (General Installation Program)

Provides those programs written in TURBO PASCAL with a terminal installation module just like TURBO'S!

• NOW INCLUDES FREE SAMPLE DATABASE . . . right on the disk! Just compile it, and it's ready to go to work for you. It's a great example of how to use TURBO TOOLBOX and, at the same time, it's a working piece of software you can use right away!

NEW! TURBO TUTOR (reg. \$29.95). Teaches step by step how to use the TURBO PASCAL development environment—an ideal introduction for basic programmers. Commented source code for all program examples on disk.

30 DAY MONEY BACK GUARANTEE Available at your nearest software dealer.

For VISA and MASTERCARD order call toll free: **1-(800)-255-8008 1-(800)-742-1133** (Lines open 24 hrs., 7 days a week) Dealer and Distributor inquiries welcome (408) 438-8400 **CHOOSE ONE** (please add \$5.00 for handling and shipping U.S. orders)

All Three-Gift Pack	\$ 99.95 + 5.00	SPECIAL	Turbo Toolbox	\$49.95 + 5.00
All Three & 8087	139.95 + 5.00	SPECIAL!	Turbo Tutor	29.95 + 5.00
Turbo Pascal 2.0	49.95 + 5.00		Turbo 8087	89.95 + 5.00
Check Money (Order	VISA	MasterCan	rd
Card #:		Exp. date:		Shipped UPS
My system is: 8 bit 16 bi	t			
Operating System: CP/M 80_	CP/M 86	_ MS DOS _	PC DOS	
Computer:		Disk Forma	t:	
Please be sure model numbe	r & format are co	prrect.		
NAME:			The start start and start	New Section Con-
ADDRESS:				
CITY/STATE/ZIP:				
TELEPHONE:			Land Barris and the Anti-	
California residents add 6% sales tax. O the U.S. and in U.S. dollars). Sorry. no C.			J.S.A. payment must be by b	ank draft payable in

BORLAND INTERNATIONAL 4113 Scotts Valley Drive Scotts Valley, California 95066 TELEX: 172373

Inquiry 34



Eco-C	Cor	npi	ler
	lease S.	U	

We think Rel. 3.0 of the Eco-C Compiler is the fastest full C available for the Z80 environment. Consider the evidence:

Benchmarks* (Seconds)			
Benchmark	Eco-C	Aztec	Q/C
Seive	29	33	40
Fib	75	125	99
Deref	19	ĊNC	31
Matmult	42	115	N/A

*Times courtesy of Dr. David Clark CNC – Could Not Compile N/A – Does not support floating point

We've also expanded the library (120 functions), the user's manual and compile-time switches (including multiple non-fatal error messages). The price is still \$250.00 and includes Microsoft's MACRO 80. As an option, we will supply Eco-C with the SLR Systems assembler - linker - librarian for \$295.00 (up to six times faster than MACRO 80).

For additional information, call or write:



PC FORTH TM IBM PC & XT. HP-150. Macintosh. Apple II, CompuPro, Sage & CP/M-68K, Wang PC, All CP/M and MSDOS computers.

Try the professional Innguage offering the utmost performance in the shortest development time. Transport your applications between any of our enhanced 83-Standard compilers or expanded 32-bit versions. Choose from our wide selection of programming tools including native code compilers, cross-compilers, math coprocessor support, and B-Tree file managers. All fully supported with hotline, updates, and newsletters.

ITH *面* FORTH

Laboratory Microsystems Incorporated Post Office Box 10430, Marina del Rey CA 90295 Phone credit card orders to (213) 306-7412



wrong and dishonest to copy software, even for one's own use. He is absolutely right. But his statement is incomplete.

The software industry, in general, has shown a total disregard for honesty in its marketing. A large portion of the available software is sold without proper testing. It is tested by us, after we pay a ridiculous price for it. Customer support just does not exist, and the documentation is often a joke. According to the "rules" I must buy WordStar for each machine in the office. And I do not have backup protection with some software. Even after paying their price I am held ransom!

My complaint is not against all software publishers. Lotus, for example, has done a wonderful job of documentation and service.

Mr. Wright is right. But incomplete. Two wrongs don't make a right. But as long as the publishers are so blatant in their dishonesty, software swapping will be with us. DAVE CHURCHER Rye, NH

SWIFT REMARK

I really got a big laugh out of Paul Bernstein's letter ("Computers and Lawyers," August 1984, page 16) about the "argument" between him and his fellow lawyer Robert Wilkins over whether lawyers need to know "terms such as RAM, bps,... 'and other foreign, often unnecessary technical terms." That from lawyers, "...a Society [that] hath a peculiar Cant and Jargon of their own, that no other mortal can understand, and wherein all of their Laws are written, which they take special Care to multiply; whereby they have wholly confounded the very Essence of Truth and Falsehood, of Right and Wrong."

No comment could better be made on the subject than that by Jonathan Swift in Gulliver's Travels, Part 4: A Voyage to the Country of the Houyhnhnms, Chapter 5. WILLIAM E. WHITE

Miami. FL

MODULA-2: OVERRATED?

After reading all those pro Modula-2 and Ada articles in BYTE (August 1984). I at first feared I was the only one who harbors mixed feelings concerning these languages. I was relieved to find David V. Moffat's "UCSD Pascal vs. Modula-2: A Dissenting View" (page 428).

While I don't agree with all of Mr. Moffat's views (e.g., that the lack of publications on Modula-2 will become less (continued) from MicroComputer Accessories, Inc.






Absolutely first class. Our Keyboard Storage Drawer is tops—it can turn your narrow credenza or typewriter return into a perfect work station. From a reinforced platform on protective felt pads, the cantilever drawer extends on industrial strength ball bearing glides and locks into working position. The scratch resistant finish matches IBM colors. Optional locking device. Also available-an under-desktop suspension model-the bottom drawer. But still "top drawer!"


MicroComputer Accessories, Inc.

5721 Buckingham Parkway P.O. Box 3725 Culver City, California 90231 Telephone 213/641-1800 Inquiry 355. Inquiry 356 for Dealers. In Europe: N.V. Microcomputer Accessories Europe S.A. Rue de Florence 37 1050 Bruxelles, Belgique Telephone 02/538.61.73

These and other fine products are available at Sears Business Systems Centers, Computerland, Businessland, IBM Product Centers and other computer/software retail locations.








distinct in the future). I'd like to point out a couple of items that have escaped mention so far.

The improved readability of Modula-2 source, achieved by the no-longer-needed BEGIN...END brackets that contain Pascal compound statements, is obviated because of the END statement that terminates all control structures apart from REPEAT. I would have preferred a specific end statement for each control statement, like ENDDO, ENDWHILE, ENDLOOP, ENDIF, etc.

Pascal's lamented rigid order in which declarations have to be made shows its main advantage when it comes to software maintenance. I wouldn't want to look for that doubly defined global variable that crept in when an existing program was extended, were it possible to declare



Taxtime is a highly integrated tax preparation program for use as a template with Lotus 123 and Symphony. It takes only 10 seconds to recalculate all forms, is easy to use, and is IRS approved. Federal 1040 and state forms are \$95.00, corporate returns are \$195, and annual updates are only \$45 to \$75. All programs require Lotus 123 version 1A and 256Kb or more memory. To order programs or free detailed catalog phone

800-227-2634 ext 998, or in Calif 800-772-2666 ext 998.



A product of Austin Scientific, Inc. 1259 El Camino, Suite 260 Menlo Park, CA 94025 Dealer inguiries welcome.

123 and Symphony are trademarks of Lotus Development Corporation.

said variable anywhere near the procedure that used it first, let alone in some external module.

I find Modula-2's IF not much of an improvement over that of Pascal as far as nested IFs are concerned, the latter of which I tend to avoid and use logical expressions instead. Taking Robert J. Paul's recipe example ("An Introduction to Modula-2," August 1984, page 195), wouldn't you agree that

IF (oregano IN recipe[1]) AND

(thyme IN recipe[1])

THEN

WRITELN('Use oregano & thyme') ELSE

WRITELN('Use only thyme');

is easier to understand than what appeared on page 198?

EDMUND RAMM Kaltenkirchen, West Germany

What a shame that you did not include the article "UCSD Pascal vs. Modula-2: A Dissenting View" by David V. Moffat in the theme section of your August issue; it would have provided some balance in what was an informative but rather biased section.

I write to support Mr. Moffat's thesis that Modula-2 has yet to be proved a significant improvement over UCSD Pascal. Having used UCSD Pascal since 1980. I can link in assembly-language routines, build libraries, and write units with hardly a second thought. For programmers, the inequality of

Benefits of Modula-2 > Cost of

software + time to relearn + time to rewrite old routines

must be clearly shown to be true. I have yet to be convinced that the benefits outweigh the value of Pascal experience. Could it be that those software companies that have sold thousands of Pascal compilers in the past few years now fear that they are beginning to saturate the market and are promoting Modula-2 as a means of maintaining company profits?

One small point: Am I the only one who finds that dozens of ENDs, some for IFs, some for FORs, some for LOOPs, make Modula-2 programs less easy to read than Pascal programs?

> STUART A. BELL Sidmouth, Devon, England (continued on page 416)

BYTE'S BUGS

C Listing Bug

Bob Bonomo picked out a bug in the C source listing for the quicksort function in the October BYTE Japan. (See "Bits and Pieces" by William M. Raike, page 369.)

In listing 1 on page 374, the third WHILE statement should read:

while (j > i && strcmp(base[j], pivot) > = 0)

Our thanks to Mr. Bonomo.

A Case of Misidentification

A caption in our product description of the Tandy 1000 incorrectly identifies a screen display. (See "The Tandy 1000" by G. Michael Vose, December, page 98.)

On page 101, the caption identifies the screen display on the right as being produced by DeskMate. The photo actually depicts a screen from IBM's HomeWord, a word-processing program that also runs on the Tandy machine. HomeWord is produced by IBM's Entry Systems Division in Boca Raton, Florida.

Penny Wise, Pound Foolish?

A note arrived from Paul Hills of Launceston in Cornwall, England, telling us that we misstated the annual subscription fee for his club's newsletter. (See Clubs & Newsletters, August, page 68.)

The 6809 User Group Newsletter is available for $\pounds 3$ annually. Overseas subscriptions are \$4.70 in the U.S. and \$6 in Canada.

Weather Report Incorrect

Charles S. Barnaby, vice president of the Berkeley Solar Group, sent us a clarification concerning the computer service that his company offers. In Matthew Lesko's article "Low-Cost On-Line Databases" (October, page 167), it was incorrectly stated that the Berkeley Solar Group offers "the latest weather."

The Berkeley Solar Group has a large collection of weather data: however, this data is based on records at least several years old. The data is suitable for use with building energy-analysis software. Portions of this information are available through interactive inquiry but the bulk of it serves as input for hour-by-hour building simulation programs.

The weather data is available for users of the Berkeley Solar Group's building energy-analysis software, which includes such programs as DOE-2, CALPAS3, and FCHART. The data can be used for other purposes, but its purchase must be negotiated on a case-by-case basis.

We thank Mr. Barnaby for clarifying this inaccuracy on our part. The Berkeley Solar Group can be reached at 3140 Martin Luther King Jr. Way, POB 3289, Berkeley, CA 94703, (415) 843-7600.

Books Have American Distributor

Jeffrey A. Blackman of the Computer Science Press in Rockville, Maryland, sent us some information about five books mentioned in the November Books Received section (page 495).

The books, A First Course in Formal Language Theory, From Logic to Computers, LISP Programming, Microcomputers and Their Commercial Applications, and UNIX for Users, are all published by Blackwell Scientific; however, they are distributed in North America by the Computer Science Press.

If you wish to order these books, contact Computer Science Press Inc., 11 Taft Court, Rockville, MD 20850, (301) 251-9050.

Windy Day Bug

Mark R. Parker of Seattle. Washington, saw an error in listing 1, the Module Windy-Day, in Eric Eldred's review "Volition Systems' Modula-2" (June, page 353).

In the procedure OpenWindow (page 356), the line:

Open (wind, 0, 1, 39);

should read:

Open (wind, 0, 0, 1, 39);

because a call to open requires five parameters. The omitted second zero places the message at the upper left-hand corner of the screen. Also, the comment "Phony" should be changed to "little busy bee."

New Telephone Number

Microserve in Tyler, Texas, which was mentioned in the October BYTE, has a new telephone number for its network. (See "Low-Cost On-Line Databases" by Matthew Lesko, page 167.)

The new telephone number is (214) 581-3722.

Photo Credits Due

We inadvertently neglected to credit Lee Wright, a freelance photographer based in Medford, Massachusetts, for snapping the photos that accompanied Henry Brugsch's article in the *Guide to the Apple Personal Computers*, a special supplement to the December BYTE. (See "Apple's New Modem and Access II." page A58.)

We apologize for this oversight.

Address Change

Sinclair Research, whose ZX Spectrum+ was featured in the December BYTE What's New, has relocated. (See page 435.)


The new address is Sinclair Research, Berkeley Square House, London W1X 5LB, England; tel: 01-499 2666; Telex: 265212.

FEEDBACK

More on POPLOG

In the October BYTE U.K., we inadvertently listed Aaron Sloman as the distributor for POP-11 and POPLOG, a pair of tools available to researchers in artificial intelligence. (See "Pop and Snap" by Dick Pountain, page 381.)

Mr. Solman informs us that POPLOG is marketed in the U.S by Systems Designers Ltd. International. Suite 201, 5203 Leesburg Turnpike, Falls Church, VA 22041, (703) 820-2700. In the U.K., it's available from Systems Designers Ltd., Systems House, I Pembroke Broadway, Camberley. (continued)



IEEE-488 Interfaces and Bus Extenders For:

IBM PC, PCjr & COMPATIBLES DEC UNIBUS, Q-BUS & RAINBOW 100 MULTIBUS, VMEbus STD & S-100

Full IEEE-488 functionality, with the most comprehensive language and operating system coverage in the industry. It takes experience to make IEEE-488 systems work with nearly 4000 devices available from more than 500 different manufacturers, and experience is what enables National Instruments to take the GPIB to the second power and beyond.



Surrey, GU15 3HX; tel: 0276 62244.

Mr. Sloman has informed us that "POP-LOG is now the main official AI software development environment in the U.K. for Prolog and POP-11. The existing 'toy' LISP component (suitable for teaching) is being replaced by COMMON LISP."

POPLOG, according to Mr. Sloman, comes with a large collection of on-line help files, teaching files, and libraries of utilities and demonstration programs. Mixed languages are supported, and a multiwindowed screen editor VED can be used with all three main languages. It runs

Speaking of Least Squares

Steven A. Ruzinsky saw a number of doubtful statements in Marco Caceci and William Cacheris's article "Fitting Curves to Data" (May. page 340). He cites these remarks:

This is called the least-squares criterion. For random errors randomly generated (usually a reasonable assumption), this is the best criterion of all.

"This is simply untrue," says Ruzinsky. "In order for least squares to be the best criterion, the errors must have independent and identical normal (Gaussian) distributions. In situations meeting this requirement, least squares can be a maximum likelihood estimate of the parameters. For situations where the errors are not Gaussian, least squares is suboptimal. A good counter example to the authors' statement is the case where the errors have a binary distribution, e.g., a random sequence of 1s and -1s. In this case, 1

Electronic Yellow Pages in LA

The vice president of Buy-Phone Inc., David Lappen, sent us information about his company's database, which was left out of Matthew Lesko's article "Low-Cost On-Line Databases." (See October, page 167.)

Buy-Phone is an "electronic yellow pages" system serving the Los Angeles area. It has more than 10,000 listings in 25,000 search categories, ranging from current movie listings, restaurant and department store offerings, to computer outlets.

Access is free of charge to users. Businesses pay \$150 for a year's worth of advertising; ads can be changed daily at no extra cost. Personal ads, which are also free, can be posted for two weeks.

At 300 bps, call Buy-Phone at (213) 474-0270. At 1200 bps, call (213) 470-4679. on VAX computers under VMS and Berkeley UNIX. It's also available "on a growing number" of M68000-based UNIX machines. In North America it's \$10,000, with a ninety-percent (90%) discount for educational institutions.

"At present," writes Mr. Sloman, "POPLOG is too big for most personal computers. Our hope is that it will not be long before machines with at least 2 megabytes of RAM and 40 to 100 megabytes of backup storage will be cheap enough to make POPLOG much more widely available for educational use."

believe one will find a minimax fit (also called "Chebyshev" or "I ∞ ") much more statistically efficient than least squares."

Mr. Cacheris notes that the first statement was intended to be broad and that least-squares analyses are often used under less than optimal conditions since the results can be checked by various methods, such as sensitivity analysis.

"Least-squares method is certainly best when the errors have identical distributions ... [which] we mentioned towards the end of our article when describing sensitivity analysis. We state that several synthetic data sets ... are made by *adding identical normal distributions* to the errorless curve. Thus, the least-squares fits to these synthetic data sets are the best fit to these data sets and the values of the parameters obtained should approach the experimental data's values of the parameters if the error in the experimental data has identical normal distributions."

BYTE'S BITS

Public-Domain Software Library

The Houston Area League of PC Users (HAL-PC), a group of 1000-plus IBM Personal Computer fans, maintains a library of public-domain and "shareware" (i.e., pay if you like it) software. Disks are available from the library for \$2 per disk. For a listing of titles, send a self-addressed, stamped envelope to Nelson Ford, HAL-PC Librarian, c/o The Public Library, POB 61565, Houston, TX 77208.

Software authors wishing to share their public-domain or shareware programs are encouraged to contact the group president, Duane Hendricks. Other users groups interested in trades should contact Jack McClure at POB 610001, Houston, TX 77208. ■

THE NCR PC **IS COMPATIBLE WITH** PEOPLE, TOO. can add on all sorts of helpful accessotronic mail, a mouse for even easier operation and all the memory you need-up to 640K.

Getting along with all kinds of people is one of the most endearing qualities of the NCR PC4.

It gets along with bosses, secretaries, accountants, engineers, lawyers, everybody.

Even first-timers take a liking to this computer the moment they take it out of the box.

Perhaps its good looks have a lot to do with this. But its beauty is more than skin deep.

Its smart, integrated cabinet takes up precious little space on your desk.

There are no complicated wires or clumsy boxes to set up. All you have to do is plug it in.

The keyboard is the same familiar layout your fingers know and love. Plus a couple of nice touches. Like separate

cursor keys and a separate numeric keypad to make it easier to work with programs that have long lists and lots of numbers.

The NCR PC even comes with two special self-teaching programs that will have you computing in a matter of minutes. NCR PAL shows you how to use the computer itself. NCR TUTOR introduces you to word processing, spreadsheets and other popular business programs.

And if you get lost along the way, there's a built-in HELP command you type in to get you back on track.

Add all this up and you start to see why the NCR PC is so compatible with people.

Of course, it's also compatible with thousands of programs available at computer stores everywhere.

And it's compatible with industry standard hardware. Which means you

ries. Like a printer, a modem for elec-

If you'd like to meet this terrific computer, go to your nearest Authorized NCR Personal Computer Dealer.

Just ask for the computer everybody gets along with.

For the name of your nearest dealer, call toll-free: 1-800-544-3333. In Nebraska call: 1-800-343-4300.




Great Ideas look even better on a Princeton monitor

Your Great Ideas deserve the best image you can give them. But, just as a music system's performance depends on the speakers, your computer system is limited by the quality of your monitor.

Monitor performance can be measured. That's something you should know about.

In other words, your Great Ideas should be seen, not blurred.



W. Shakespeare composing Great Ideas on a Princeton Monitor



Resolution The quality of a color monitor's image is lirectly related to its resolution. The greater the number of dots available within a given area for displaying an image the greater he resolution.

The PRINCETON SR-12 nonitor features an extraordinary 640x480 (non-interaced) resolution. The result is an extremely high quality, flickerless image with text that aporoaches monochrome quality. When used in conjunction with the PRINCETON Scan-Doubler tard, the SR-12 runs from a standard IBM or equivalent color tard, maintaining complete comoatibility with all IBM software. **Dot pltch** The image on an RGB color monitor is made up of a series of tiny dots. Dot pitch measures the distance between those dots. Anything finer than .38mm is considered high resolution.

The PRINCETON HX-12 RGB color monitor, with a dot pitch of .31mm, offers the finest resolution in its class. The HX-12 delivers 16 crisp, sharp colors including clean whites without color bleed—a not-so-easy accomplishment in an RGB monitor. **Price** All Princeton monitors set the price/performance standard in their class. The SR-12 at \$799 compares favorably with monitors costing hundreds more. The HX-12 is in a class by itself at \$695.

The PRINCETON MAX-12, with easy-on-the-eyes amber phosphor, sets the standard for monochrome monitors at \$249. The MAX-12's dynamic focusing circuitry ensures sharpness not only in the center but also in the edges and corners. And it runs off the IBM PC monocard—no special card is required.



All three monitors feature a non-glare screen and an IBM compatible cable. A PCjr adapter cable is also available for the HX-12. And to see your Great Ideas from the best possible angle, you can put your Princeton monitor on the Princeton Undergraduate Tilt and Swivel Base for only \$39.95. Or, while supplies last, get the Undergraduate FREE with the purchase of a MAX-12 monitor.

Image The ultimate test of any monitor is how the image looks to your own eyes. Compare the Princeton monitors side-by-side with the competition at Computerland, Entre or your local independent dealer.

Do it soon. You and your Great Ideas deserve the best.

For more information call toll-free: **800-221-1490 Ext. 804**



170 Wall Street Princeton NJ 08540 TLX 821402 PGS Prin

Technologically tuned for excellence

FOR PEOPLE WHO THOUGHT THEY'D NEVER MEET THE PERFECT IO

We've got one to knock your socks off. The StarWriter™ Y10 from C. Itoh.

What sets this letter quality daisy wheel apart is its fabulous figure. Priced at only \$595.

This little beauty prints 22 letter perfect characters per second. And like the rest of C. Itoh's fine printers, the StarWriter Y10 acts without acting up.

That's because it has been thoroughly tested and proven on the job to assure reliability. And it comes with a full year's warranty, backed by over 400 authorized service centers coast to coast.

The Y10 is an awful lot of printer for very little money. But that's not surprising when you consider that C. Itoh's been producing superior printers for over a decade. What's more, it has the strong backing of our 126year-old parent company with over \$60 billion in annual sales.

And the StarWriter Y10 is compatible with most of the popular PCs. It has a 256byte buffer. And there is a full line of accessories available such as a cut sheet feeder and tractor feed.

Little wonder C. Itoh printers are No. 1 worldwide, with over 2.2 million sold annually. And with the StarWriter Y10 we're aiming to keep it that way.

To meet your own perfect 10, just see your local C. Itoh printer dealer. Or for more information call 1-800-423-0300.

Or write C. Itoh Digital Products, Inc. 19750 South Vermont Avenue, Suite 220, Torrance, CA 90502.



StarWriter is a Trademark of C. Itoh Digital Products, Inc 1985 C. Itoh Digital Products, Inc.



hart © 1984 News Group Chicago, Inc.

$W \cdot H \cdot A \cdot T'S \quad N \cdot E \cdot W$



Tandy Unveils \$999 Notebook Computer

R adio Shack's batterypowered notebook-size Model 200 has a flip-up 16-line by 40-column LCD and a built-in 300-bps autodial modem. The Model 200 comes with 24K bytes of RAM and 72K bytes of ROM, and it includes wordprocessing, spreadsheet, telecommunications, and address-book programs.

.....

Memory can be expanded with two 24K-byte banks of RAM, for a total of 72K, and a 32K-byte ROM chip.

The system's keyboard has 60 full-travel sculptured keys, 12 special- and generalpurpose function keys, and a power switch that is automatically depressed when the LCD/cover is closed. A cassete interface and parallel and serial ports are standard. The Model 200 weighs 4½ pounds and measures 11¾ by 8½ by 2¾6 inches.

Although the Model 200 uses the same processor as the Model 100, changes in ROM will prevent Model 100 machine-language programs from running on the Model 200: BASIC programs will work on both. Other differences are a modified cursor key cluster, enhanced word-processing features, Microsoft's Multiplan spreadsheet in ROM, calculator function available from any program, and optional pulse or tone dialing. Normal battery life is 10–16 hours depending on RAM size, or you can install rechargeable nickel cadmium (nicad) batteries.

The Model 200 will retail for \$999; 24K-byte add-on modules cost \$249.95 each. Contact Tandy/Radio Shack. One Tandy Center, Fort Worth, TX 76102, or your local Radio Shack store. Inquiry **600**.

Model 1131 Compass Has 128-column LCD

RiD Systems' Model U 1131 Compass is a portable computer with a 25-line by 128-column electroluminescent display (ELD). GRiD says that the durable 10-pound computer is built to stand a shock equal to 130 Gs. The Model 1131 features 256K bytes of RAM (expandable to 512K bytes), 384K bytes of nonvolatile bubble memory, a 300/1200bps auto-dial/auto-answer modem, and the MS-DOS operating system in ROM.

The Compass Model 1131 costs \$6795; with 512K bytes, it's \$7995. The price of the original Model 1100 is now \$4250. Contact GRiD Systems Corp., 2535 Garcia Ave, Mountain View, CA 94043, (415) 961-4800. Inquiry **602**.

(continued)

Datavue Portable Includes Disk Drive, 80 by 25 Display

uadram's Datavue 25 is a 14-pound portable computer with a 360K-byte 5¼-inch disk drive and a pivoting 80-character by 25-line LCD. It features an 83-key keyboard that communicates with the computer through infrared signals. The Datavue 25 has an 80C88 microprocessor, a real-time clock, 128K bytes of memory, and serial and parallel ports. It is powered either by an AC adapter/ recharger or by built-in batteries that last up to four hours.

Monochrome graphics are available in either 640 by 200 resolution or 320 by 200 resolution with four levels of gray. An internal 300-bps modem is an option. Memory can be expanded to 256K bytes using 64K-byte chips or to 1 megabyte using 256K-byte chips. Quadram also plans to release an external IBM PC-compatible busexpansion chassis and an external second floppy-disk drive The Datavue 25 should be available in March for \$2195. Contact Quadram, 4355 International Blvd., Norcross, GA 30093, (404) 923-6666. Inquiry **601**.



WHAT'S NEW


Visage Videodisc Software Development System

V isage has introduced a series of products for developing interactive videodisc software. Using an IBM PC or compatible personal computer, a standard videodisc player, and Visage's controller card and software, developers can create interactive programs for educational applications using images from video-discs overlayed with computer-generated text and graphics.

Visage's V:Link 1000 includes an IBM PC expansion card and language-interface software, which together support NTSC graphics with 256 by 192 overlay capabilities. The V:Link 1500 adds the ability to switch between a 256 by 192 overlay and a 320 by 200 nonoverlay image, while the V:Link 1550 allows both 256 by 192 and 320 by 200 graphics to be overlayed on videodisc images. Prices range from \$1150 to \$2150.

The V:Station 2000 family all feature IBM PC-compatible computers with 256K bytes of RAM, one or two floppy disks, the V:Link 1550 graphics board, and a 13-inch RGB color monitor. Some of the V:Station configurations also include medium- or high-resolution touchscreens, 10-megabyte hard disks, and 512K bytes of memory. Prices range from \$5995 to \$10,850.

Visage's products support the KoalaPad, Bit Pad, and Microsoft Mouse as graphics input devices. Optional support packages allowing the Visage software and hardware to be used with BASIC. Pascal, dBASE II, and 8088 assembly language cost \$295 each. V:Paint I and II, \$500 each, use the Microsoft Mouse (\$125 extra) to create images. Cables are available to link the V:Link



NEC Introduces Four-Color Plotter

B ritewriter is a four-pen color plotter that NEC says is compatible with Hewlett-Packard plotters. The Britewriter can plot at a speed of 60 millimeters per second (mm/s) in low-speed

mode and 112 mm/s in highspeed mode. Characters can be drawn at 4.6 cps in one color or 2.6 cps in four colors. The plotter comes with black, blue, green, and red felt-tip pens; an optional set of colors includes violet, orange, brown, and pink pens. The plotter can be used with plain paper or transparencies up to $8\frac{1}{2}$ inches wide.


The Britewriter is available with parallel or RS-232C serial interfaces. It features a 256-byte character and instruction memory and supports the ASCII character set. Because it uses the same commands as Hewlett-Packard 7470 and 7550A plotters, it works with most graphics programs that support Hewlett-Packard plotters.

The Britewriter plotter will retail for \$599. Contact NEC Information Systems Inc., 1414 Massachusetts Ave., Boxborough, MA 01719, (617) 264-800. Inquiry **604**.

Commodore Announces 128K Computer

C ommodore's B128 runs any program written for the Commodore 64 and has a number of additional capabilities. This sytem has 128K bytes of memory, expandable to 512K, and it can display 80 columns by 25 lines of text in color on an optional monitor. In addition to the 8500 processor, which is used to run Commodore software, the B128 includes a 2-MHz Z80 coprocessor to run most CP/M-80 programs.

The 92-key keyboard has a numeric keypad, 4 cursor keys, 4 numbered shiftable function keys, and 4 specialpurpose function keys. Like the 64, the B128 can display



.....

Commodore also introduced a faster disk drive for the Commodore 64 and B128. It transfers data to the 64 at 320 cps, or to the B128 at 2000 cps, or, when running CP/M, 3200 cps.

The Commodore B128 will sell for less than \$400. Contact Commodore, Computer Systems Division, 1200 Wilson Dr., West Chester, PA 19380, (215) 431-9100. Inquiry **605**.

card to Sony, Pioneer, RCA, and Hitachi videodisc players.

Visage supplies its V:EXEC

and V:Draw software and one language interface with all V:Link and V:Station products. Contact Visage Inc., 12 Michigan Dr., Natick, MA 01760, (617) 655-1503. Inquiry **603**.

40 BYTE • FEBRUARY 1985

(continued)

NEW PRODUCT NEWS FROM TELETEK

Systemaster II. Responding to market demand for speed and increased versatility, Teletek is proud to announce the availability of the next generation in 8-bit technology - the new Systemaster II! The Systemaster II will offer two CPU options, either a Z80B running at 6 MHz or a Z80H running at 8 MHz, 128K of parity checked RAM, two RS232 serial ports with on-board drivers (no paddle boards required), two parallel ports, or optional SCSI or IEEE-488 port. The WD floppy disk controller will simultaneously handle 8" and 51/4" drives. A Zilog Z-80 DMA controller will provide instant communications over the bus between master

TELETEK TIMES DIRA

SBC 86/87. As the name indicates, Teletek's new 16-bit slave board has an Intel 8086 CPU with an 8087 math co-processor option. This new board will provide either 128K or 512K of parity checked RAM. Two serial ports are provided with individually programmable baud rates. One Centronics-compatible parallel port is provided. When teamed up with Systemaster II under TurboDOS 1.3, this 5MHz or 8MHz multiuser, multi-processing, combination cannot be beat in speed or feature flexibility!

Teletek Z-150 MB. Teletek is the first to offer a RAM expansion board designed specifically for the Z-150/Z-160 from Zenith. The Teletek Z-150 MB is expandable from 64K to 384K. Bring your Z-150 up to its full potential by adding 320K of parity checked RAM (or your IBM PC, Columbia, Compaq, Corona, Eagle, or Seequa to their full potential). The Teletek Z-150 MB optionally provides a game port for use when your portable goes home or a clock/ calendar with battery backup!

Evaluate the Systemaster II, SBC 86/87 or Teletek Z-150 MB for 30 days under Teletek's Evaluation Program. A money-back guarantee is provided if not completely satisfied! All Teletek products carry a 3-year warranty. (Specifications subject to change without notice.)

and slave. Add to the DMA capability a true dedicated interrupt controller for both onboard and bus functions, and the result is unprecedented performance.

NEW! SBC 86/87, SYSTEMASTER II, AND Z-150 MB Systemaster II will run under CP/M 3.0 or TurboDOS 1.3, and fully utilize the bank switching features of these operating systems.

FIFIFK4600 Pell Drive


Sacramento, CA 95838 (916) 920-4600 Telex #4991834 Answer back — Teletek Inquiry 310

> Yes, I'm interested in information regarding: Systemaster II SBC 86/87 Z-150 MB Evaluation Program Teletek's S-100 Board Line

Name Company_

Address _

WHAT'S NEW



Modular Robot Kit

C ybot's Tutor is a five-axis arm designed for educational and training uses. Because the robot can be dismantled and reassembled many times. it helps you understand how robotics work.

The package includes the robot arm, complete with five motors and a gripper, and the Controller module, which has one free S-100 card slot for custom applications, a standard RS-232C serial port, and an interface for an optional "teach pendant." You can control the robot arm by sending ASCII commands from a personal computer through the RS-232C port or by directly

manipulating the arm with the teach pendant.

Also available is an Optical Encoder Set. Since the set indicates the actual position of one of the motors (five are needed to monitor all five axis motors), a full feedback loop can be used to make sure the robot arm is precisely where it's supposed to be.

The complete Cybot Tutor robotics kit costs \$3395. The optional teach pendant is \$129.95. Each Optical Encoder Set is \$70. Parts of the robot kit can be purchased separately. Contact Cybot Inc., 12510 128th Ave. NE. B-5. Kirkland, WA 98034. (206) 823-4156. Inquiry **606**.

Computer Satellite Service

S atellite Broadcast Net-work has announced a satellite service that will transmit financial and news information to personal computer owners. SBN plans to have the service operational in May. You will need a 12-GHz satellite-receive antenna, a low-noise amplifier, a solid-state receiver, and SBN's demodulator; all are available from SBN for \$695. SBN will also charge a fee for access to each type of information, starting at about \$25 per month.

SBN will use multiple 9600-bps channels. Some channels will broadcast news and weather information. others will transmit stock and commodity prices. One channel might permit downloading of software sample programs, while another could include special-interest database information. A user could place a request for special database information with modems and telephone lines, but the response could be broadcast via satellite to avoid phone charges. A special header code would ensure that only one person could decode the information. Contact Satellite Business Network Inc., 212 West Superior St., Chicago, IL 60610, (312) 266-9844. Inguiry **607**.



Sord Adds 80 by 25 Display to IS-11

S ord has released a version of its IS-11 Consultant computer with an 80-character by 25-line liquid-crystal display and a built-in 300-bps modem. The 61/2-pound IS-11C has 80K bytes of RAM (expandable to 144K), 72K bytes of ROM, a 128K-byte microcassette tape drive. 62 full-travel sculptured keys plus 8 special function keys, and a CMOS Z80A microprocessor running at a speed of 3.4 MHz. In addition to parallel and serial ports, the IS-IIC can interface with a barcode reader, a separate numeric keypad, and optional 64K-byte ROM cartridges. Word-processing and communications software are standard in ROM.

The IS-11C should be available this month for \$1495. For more information, contact Sord Computer of America Inc., 645 Fifth Ave., New York, NY 10022, (212) 759-0140. Inquiry **608**.

(continued)

PERSONALTY PERSONALTY PROBLEM? UNIX[™] and DOS[™] At the Same Time!



Looking at an IBM PC/AT? Happy with DOS but want UNIX? Happy with UNIX but want DOS? Want them working together?

Get The Connector!™


The Connector is a revolutionary product that allows DOS applications to run on the IBM PC/AT or XT under VENIX/86 (the first licensed AT&T UNIX operating system for the IBM PCs) or PC/IX. That means you can add one or more terminals to your AT which run programs using multi-user VENIX/86 to share the disk and printer. Switch between UNIX and DOS at the console with a single command. And run more than one task simultaneously. Like running a spelling check in the background while you print a report and run Lotus 1-2-3[™] or dBaseII[™].

Get yourself an AT and load it with VENIX. Collect your DOS and/or UNIX applications. We'll supply The Connector. The right solution to your software personality problems.

Call for complete details.

Unisource Software Corp., Department 4109, 71 Bent Street, Cambridge, MA 02141. Telex 92-1401/COMPUMART CAM. 617-491-1264


Also available on the PC/XT and compatibles.



Getting UNIX Software Down to Business FEBRUARY 1985 • B Y TE 43

Digital Filtering Chip for Speech Processing

K urzweil Applied Intelligence has introduced the KSC 2408 digital filter chip for use in soundprocessing applications. Each of the eight filters in the KSC 2408 processes 24 bits of information (with 48 bits accumulated at a time). Each of the filters processes



information in a given frequency range; Kurzweil says that dozens of filters—or many 2408 chips—would be needed to divide up the frequency spectrum of the human voice enough to make speech recognition possible.

The 2408 can process sound up to a sampling frequency of 125 kHz (125,000 cycles per second) if only two filters are activated; if all eight filters are activated, the maximum sampling rate is 32 kHz. Since the chip is programmable, it can be used for other types of digital filtering, including high-pass, band-pass, or lowpass.

Kurzweil plans to market a

10.000-word vocabulary speech-recognition system and is working on development of a voice-activated typewriter. Company founder Raymond Kurzweil earlier developed the Kurzweil Reading Machine, which can read text for the blind regardless of the typeface, and the Kurzweil 250 digital keyboard (music synthesizer).

The Kurzweil 2408 digital filter chip costs \$81 for a 3-MHz version or \$101 for a 6-MHz version: quantity discounts are available. Contact Kurzweil Applied Intelligence Inc., 411 Waverley Oaks Rd., Waltham, MA 02154, (617) 893-5151. Inquiry **609**.

Twelve Million Instructions per Second

ccording to Cromemco, A its Maximizer coprocessor subsystem executes an average of 12 million instructions per second. The Maximizer features a 2900-series ECL (emittercoupled logic) bit-slice processor running at 48 MHz. It also has 16K bytes of 50-ns RAM, 16 dual-port registers, and 4096 48-bit words for downloaded microcode instructions. Cromemco savs the chip's speed is enhanced by the use of a 60-ns multiplier chip and a doubly pipelined instruction path. Most instructions execute in 62.5 ns, though some may take as long as 125 ns.

The Maximizer comes on two S-100 (IEEE-696) bus boards that plug into Cromemco's microcomputers. The system runs under the company's Cromix operating system, and it will soon run under UNIX System V as well.

The Maximizer supports FORTRAN, Pascal, and C. Also available is MAXASM, a microcode assembler used to write custom microcode for applications where execution speed is critical. The Maximizer retails for \$3495; the MAXASM Microcode Assember costs \$2995. Contact Cromemco Inc., 280 Bernardo Ave., POB 7400, Mountain View, CA 94039, (415) 964-7400. Inquiry **610**.

Data Access Enhances Database Program

D ata Access Corporation's DataFlex 2.1 is a 16-bit version of the company's multiuser relational database programming system. It permits over 16

million records per file, up to 250 files, each as large as the operating system will handle (up to 2 gigabytes, 32 megabytes in MS-DOS), and use of unlimited RAM.



The package includes a relational database command language, a custom menu system, and an application generator. Versions of the program are available for such operating systems as MS-DOS/PC-DOS 1.1 through 3.1, CP/M, CP/M-86, Concurrent CP/M-86, MP/M, MP/M-86, and TurboDOS. DataFlex also operates under a number of networking systems.

Pricing depends on the computer, operating system, and number of users; a single-user IBM PC version is \$995. A separate run-time version is available. For details, contact Data Access, 8525 Southwest 129 Terrace, Miami, FL 33156-6565, (305) 238-0012. Inquiry **611**.

(continued on page 421)

Need RGB color and TTL monochrome support from a single board?

There's only one INFELLIGENF decision!

INFELLIGENF B-450 Mono/Color Display Card



Color Graphics Mode: 640 dots x 200 lines

Introduce profile (Line 45 Corg.) But a subbut the sub-field annual state of the dependence on a state base of a set and sub-field base base of the state of t



TTL Monochrome Mode: 640 dots x 350 lines

Interlace Mode: 640 dots x 400 lines

ook no further, the INTELLIGENT B-450 has it all. Designed to work with the IBM PC, PC XT, and PC AT, the INTELLIGENT B-450 is also suitable for IBM PC look-alikes. In addition to a parallel printer port, the B-450 has fourteen different screen modes which cover everything from medium-resolution monochrome text to high-resolution color graphics with interlace.

Everyone from the ordinary user to the CAD/CAM specialist will find the B-450 is just right. Sound good? With a suggested retail price of only \$294, it's nothing less than great!

IBM and IBM PC are registered trademarks of International Business Machines Corporation.

INFELLIGENF DATA SYSTEM

Intelligent Data System, Inc. 14932 Gwenchris Ct., Paramount, CA 90723 Toll Free Tel: (800)325-2455 Calif. Tel: (213)633-5504 Telex: 509098

COMPUPRO SYSTEM COMPONENTS

Components are the essence of your computer. Without the right components, you're restricting your system's potential for maximum productivity.

CompuPro components enable you to make the most of your computer's capabilities. Choose from more than 25 boards to build or expand your system ...to any of our ten fully integrated models. You can add more users to your CompuPro system, increase its memory, add a hard disk drive—all with modular components that mesh perfectly with your existing system.

Since 1973, our design team has been recognized for creating the highest performing, most reliable products at the lowest possible price. For the toughest business, scientific and industrial computing environments—across the country and around the world—make CompuPro IEEE 696/ S-100 components the essence of your system.

CPU BOARDS

CPU 68K[™] 68000-based board with sockets for memory management unit and up to 8K×16 (16 Kb) of EPROM.

CPU 86/87^{IM} 8086-based board with sockets for 8087 math processor and 80130 firmware chips. Compatible with 8- and 16-bit memory.

CPU 8085/88TM The original, much imitated dual processor board delivers 8-bit, 16-bit, or 8- and 16-bit computing capability.

CPU-Z[™] Includes all standard Z80B features. Downward compatibility with the vast library of 8080 software.

CPU 32016[™] A true 32-bit processor for the desktop microcomputer. Compatible with 8- and 16-bit memory.

CPU 286^{IM} Based on the high-performance iAPX 80286/10 16-bit processor. 100% software compatible with 8086 and 8088 processors for unprecedented speed and power.


CMOS STATIC 12 MHZ MEMORY BOARDS

RAM 22™ 256K×8 or 128K×16—works automatically with 8- or 16-bit processors. A low-power, high-density RAM board.

RAM 23[™] 128K×8 or 64K×16—works automatically with 8- or 16-bit processors. A low-power, high-density RAM board.

MDRIVE®/H

512K or 2 Mb disk memory board. Emulates disk drive operation and runs under CP/M[®] or MP/M[™] Can increase operating speeds up to 3500%. Expandable up to 4 Mb for even more storage.



DUAL FLOPPY DISK SUBSYSTEM

Two 8" floppy drives provide up to 2.4 Mb of formatted storage. With all-metal enclosure, Disk 1A™ controller, rugged power supply, cables, **and software**: Digital Research's CP/M-80[™] and CP/M-86[®]

8" FLOPPY HARD DISK SUBSYSTEM

One or two 8" floppy disk drives and one 20 Mb, 40 Mb or 80 Mb hard disk drive in all-metal enclosure with controller, rugged power supply, cables **and software**. CP/M-80 and CP/M-86.

DISK CONTROLLER BOARDS

Disk 1A[™] High-performance, high-speed floppy disk controller for 8" and 514" drives; reads and writes most popular formats. **Disk 2[™]/Selector Channel**[™] A high-performance 8" Winchester disk controller with high operating speed and flawless DMA.

THE ESSENCE OF COMPUTING



Disk 3™ A high-performance Winchester disk controller for 5¼ " hard-disk drives. High speed "burst mode" DMA transfers each disk sector in a block.

INTERFACE **B**OARDS

Interfacer 3[™] Eight RS-232C serial ports (2 synchronous/asynchronous, 6 asynchronous). Interfacer 4[™] Three RS-232C serial ports, one parallel port, one Centronics parallel port.



Inquiry 58

Multi-user system front-end processor with 16K on-board RAM. Intended for OEM applications only.

HIGH-PERFORMANCE MOTHERBOARDS

Quiet, fast and reliable. Shielded with active termination. A variety of formats (6, 12 or 21 slots) offers maximum flexibility.

SYSTEM SUPPORT 1

Clock/calendar; math processor option; RS-232C serial port; interval timers and interrupt controllers; plus many more useful features.

SYSTEMS

CompuPro's extensive System 816 series of fully integrated singleand multi-user microcomputers includes eleven IEEE 696/S-100 bus models offering 8-, 16- or 32-bit operation, and our CompuPro 10 and CompuPro 286 business computers.

All are CP/M or MP/M based, enabling users to access more than 3,000 industry standard application programs.

DESKTOP ENCLOSURE 2

With shielded/terminated 21-slot motherboard, power supply, fan, dust filter, rugged all-metal construction.

DOCUMENTATION

"Bits, Bytes and Buzzwords" is a primer for those who want to get started right in business computing. 25 pages.

"CompuPro Product User Manuals," Volume 1. 250-plus pages.

"CompuPro Product User Manuals," Volume 2. 300-plus pages.


"Interfacing to S-100/IEEE 696 Microcomputers," by Mark Garetz and Sol Libes. 321 pages.

Individual technical manuals also available.

WARRANTY

All CompuPro products are backed by a one year limited warranty with a two year option. We also offer nationwide on-site service by Xerox Americare^M-free with the purchase of designated systems.





3506 Breakwater Court, Hayward, CA 94545

For further information and the location of the participating **Full Service CompuPro System Center** nearest you, call **1-800-367-7816.** In California call **(415) 786-0909 ext.** 206.

©1984 CompuPro

CP/M and CP/M-86 are registered trademarks and MP/M and CP/M-80 are trademarks of Digital Research Inc. SuperCalc is a trademark of Sorcim Corp. dBASE II is a registered trademark of Ashton-Tate. Americare is a trademark of Xerox Corp. MDRIVE is a registered trademark and CPU 68K, CPU 86/87, CPU 8085/88, CPU-Z, CPU 32016, CPU 286, Disk 1A, Disk 2, Selector Channel, Disk 3, RAM 22, RAM 23, Interfacer 3, Interfacer 4, System Support 1, MPX-1 and The Essential Computer are trademarks of CompuPro.

Conducted by Steve Ciarcia

CORONA COMPATIBILITY

Dear Steve,

I've had my Corona PC for about a year now, and for the first time I've run into an incompatibility with the IBM PC. The problem is that the IBM PC has an extra open socket built into it to add a ROM or EPROM, and the Corona doesn't. A few programs on the market make use of this socket, including a genetics program I am interested in. Is there a fairly simple way to add an extra ROM chip?

Another problem is that my BIOS is written on a 28-pin 2764, while the chip for the genetics program is on a 24-pin 2732A. How can I use the 2732 in my Corona, and what is the difference between a 2732 and 2732A anyway?

Yet another problem is the Corona's incompatibility with IBM graphics. To get graphics on the IBM, you must buy a graphics color card, which uses memory locations B800 to BC00 hexadecimal. On the Corona, different RAM locations are used for graphics. Is there a way to modify programs that need the color card (e.g., Flight Simulator) so that they will work on the Corona? It may not be that difficult because there is a graphics driver by HST, which if loaded before Lotus 1-2-3, enables 1-2-3 to draw graphs perfectly on my screen.

> RICHARD BERMAN King of Prussia, PA

You should be able to add a ROM to the Corona by installing it on an expansion board with the proper interfacing circuitry. This could be built on a PC prototyping board, such as those produced by Vector Electronic Co., POB 4336, 12460 Gladstone Ave., Sylmar, CA 91342, (818) 365-9661. Since all 20 address lines are available in the I/O channel (expansion slots), you can set up the addressing as required for the ROMs with your genetics program. There could be interference between the Corona's BIOS ROM and the add-on ROM. IBM uses 40K bytes out of the 48K bytes of reserved ROM space, and I suspect that the Corona uses the same space to preserve compatibility with IBM.

The 2732s are programmed at +25 V,

while the 2732As require only 21 V.

A possibility exists that the HST graphics-driver program you mention may allow you to run the new Microsoft Flight Simulator on your Corona but not the original version. The new version can be loaded from DOS with the command FS, so a driver can be loaded ahead of the program. The original version could be loaded only by rebooting, which of course wipes out the graphics driver. See your dealer for a demonstration before you buy because there may be other incompatibilities not fixed by the HST driver.—Steve

SOURCE BOOK NEEDED

Dear Steve

As a computer counselor, I help clients with hardware and software purchases, checking sources and buffering clients from high-pressure salespeople. Since I am not affiliated with any computer manufacturer or outlet, I do not limit my clients to the selections of a particular store. However, this lack of affiliation means that I do not receive promotional materials, which limits my effectiveness. Can you recommend any source book that lists various computer manufacturers and gives at least minimal specifications on their products?

> PATRICIA SELK Stafford, VA

Many sources of information of the type you need are available. First, most computer magazines, including BYTE, publish reviews of microcomputers, peripherals, and accessories. These are a good source of unbiased information.

Second, you can get promotional information from manufacturers by writing to them on your letterhead, explaining your needs. Their addresses are available in ads in BYTE and other magazines and are frequently published in buyers guides and directories available at most computer stores and many bookstores.

A third source is companies that specialize in publishing survey reports on this type of equipment. One of these is Datapro Research Corporation, 1805 Underwood Blvd., Delran, NJ 08075, (800) 257-9406.-Steve

DRIVE-HEAD PROBLEM

Dear Steve.

I bought an Atari 800 and two Atari 810 disk drives three years ago. Some time ago, one of the drives began to have problems. Before realizing that it was only a burned-out IC, I measured the head's resistance with a digital tester. Since then, the drive seems to be able to write but does not read. I think I've magnetized the head. I tried to demagnetize it with various methods (including the use of a commercial head demagnetizer for cassette recorders), but I haven't had any success. If you think I must replace the head, could you tell me where I could buy it?

> ODINO CIAI Buenos Aires, Argentina

Digital testers normally do not supply enough current to damage a disk-drive read/write head. You did not say whether you could write to a disk and read it from the other drive. It is possible that the alignment of the head was disturbed when you were making your tests. Try some cross-checks to see if that is the case. Also, check the obvious things, such as dirt on the head and a worn head-load pad. The head-load pad is a little felt pad that keeps the disk in contact with the head. If it is worn, data may not be properly read or written. Check the continuity of the read head with an ohmmeter or your digital tester. If the head coil is open, see if there is a mechanical break in the wiring.

If you are convinced that the head is defective, a replacement can be obtained from Micro Peripherals Inc., 9754 Deering Ave., Chatsworth, CA 91311, (213) 709-4202.—Steve

SHARING FILES

Dear Steve.

We have several Eagle PCs in our analytical laboratory, all of which use two pieces of software: pfs:File and Lotus (continued) How scow and seven years ago our fathers brought forth, upor this continent, a new nation, concerns in fiberty, and dedicated to the proportion that "all man are created upped" The picture in this ad is actually an 18" by 24" collector's item—an originally commissioned museumquality print. This month, the Gettysburg print is yours, absolutely free, at most computer stores that carry Leading Edge Word Processing.

For the name of the dealer nearest you, give us a call at 1-800-343-3436, (617) 449-4655.



LEADING EDGE PRODUCTS, INC SOFTWARE DIVISION, 21 HIGHLAND CIRCLE, NEEDHAM HEIGHTS, MA 02194,

WORD PROCESSORS AT THE LEADING ED

Ah, the great ones ...

They organized their ideas, their intuitions, their idioms. They set them down, sorted them out, arranged them and re-arranged them till they came out right.

They used small scraps of paper to record huge hunks of Truth; primitive tools to produce profound prose. But when the words finally went forth, they made indelible marks on all who read them.

The amazing thing is that these monumental processors of words, did it without the benefit of monumental help.

Like Leading Edge Word Processing: the easiest to use, yet most potent piece of software ever created to take full advantage of all the power inherent, but until now un-tapped, in today's most sophisticated personal computer. (Like the IBM[®] PC and the even faster and more powerful Leading Edge[™] & AT&T.)

The heart and soul of it is a 51/4" floppy disk, elegantly logical instruction manual and documentation ... everything. And what you end up with is word processing at the leading edge.

LEADING EDGE[™] WORD PROCESSING FROM \$100

IBM IS A REGISTERED TRADEMARK OF INTERNATIONAL BUSINESS MACHINES CORPORATION. LEADING EDGE IS A TRADEMARK OF LEADING EDGE PRODUCTS, INCORPORATED.

ASK BYTE

INDUSTRI	ES
CALL TOLL FREE 1-800-428-797 Call on Other Items Not Lis	9 sted
PRINTERS • PLOTTERS Epson Enter Sweet-P 6 Pen Plotter	
Inforunner	\$272 229 490 383 215
Silver Reed	S400 Call Call
EXP400 P or S EXP500 P or S EXP500 P or S EXP770 P or S	\$240 303 395 769
Anchor Mark XII. Express 1200 Baud (Hayes Exact)	\$235 272 180
Hayes Smartmodem 1200 Smartmodem 1200B (IBM)	\$469
Smart Cat Plus 1200 Baud Access 1-2-3 w/Crosstalk (IBM) Apple Cat II	\$695 299 359 195
Amdek	\$115 Call
Taxan	\$115 131 415 566 390 Call
COMPUTERS • CARDS NEC	
PC-8401A Computer. PC-8201A Computer. PC-8201A-30 Battery Pack. PC-8206A 32K Ram. PC-8271A AC Adapter. Paradise	299 17 173 17
Modular Graphics Card MGC with A & B Module.	\$269 526
SOFTWARE • DISKETTES Enable Lotus 1-2-3 Micropro	Call Call
	\$235 245 295
Practiword/Base/Calc III (IBM) Above each separate Maxell	\$189 69
MD-1 (Qty 100)	220 303
Fuji MD-1 (0ly 100). MD-2 (Oly 100) HP & MAC. MD2H (Oly 100) HP & MAC. MD2H (Oly 100) IBM-AT SOFTWARE NON-RETURNABLE	159 199 299 546
MINORITY HI-TECH INDUSTR 5021 N. 20th Street, #10261 Phoenix, Arizona 85064	IES
Other Information: (602) 890-0	596
WE BUY * SURPLUS GOODS	ISA
Prices reflect 3-5% Cash Discount, Shipping on mos \$3.00. Prices and availability subject to change v notice. Send cashier's check or money order other checks delay shipping 2 weeks AD	vithout

MINORITY HI-TECH

> 1-2-3. Because each computer is producing data that is eventually compiled into the same reports, it would be a great timesaver to have the systems all sharing a common hard disk containing the basic software as well as the data files.

> Does this type of data-file sharing require an elaborate LAN (local-area network) setup? It seems that a simple multiple linking of the PCs to a large hard disk would serve our purpose nicely, or are we greatly oversimplifying the problem?

> We are considering moving up to a true relational database-management system such as dBASE II (or III) or Condor but are still unsure that the file-sharing system we have in mind will work.

> Your advice on just how complicated (or simple) such a system could be would be greatly appreciated and would surely help us out of a real quandary.

> > CHARLES HARPER Dallas, TX

Your situation appears to be one that does not require an LAN—yet! But you would probably be better off if you did plan for one, especially if you intend to move up to a true relational database system. Even your simple file sharing could cause some potentially disastrous problems without the "safety net" of true LAN software. I am referring to problems that occur when two individuals access the same file simultaneously. Under certain conditions, it is quite probable that when two people write to the same file at nearly the same time, the resulting file will be incorrect from either's point of view. Worse yet, a condition called "fatal embrace" can essentially hang up the entire system until it is manually reset. Another point to remember is that not all software is ready for multiple users, although most LANs provide some mechanism to make it usable while avoiding the problems I've mentioned.

Two suppliers featuring LAN hardware and software are Corvus Systems and Orchid Technology. Another possibility is to purchase an IBM PC AT and IBM's networking software (when it becomes available).

Corvus can be reached at 800-4-CORVUS. Orchid Technology is located at 47790 Westinghouse Dr., Fremont, CA 94539, (415) 490-8586.—Steve

TRACK BALLS ARE BETTER

Dear Steve

I use my Z-100 almost exclusively for word processing and other nonnumerical data-manipulation tasks. I find the number pad to the right of the keyboard useless except for the cursor-control keys, which I think are tedious and clumsy.

What about this: replace the number pad with a track ball for cursor control. Or even better, an upside-down mouse (I never could understand why they had to run around on a tabletop—mine is always too cluttered) with one or two appropriate function buttons.

Is this possible? Am I the only one who would use such a gizmo? Where can I go for information on how this might be done?

MICHAEL R. THOMAS Port Arthur, TX

Some people who use track balls and mice claim that they would never go back to using cursor-control keys again. That is why several companies are making these devices for micros. Your idea to incorporate such a device into a keyboard is a good one, but it will have to be done by keyboard manufacturers. There is no easy or economical way to modify your Z-100 keyboard, due to the differing natures of keyboards and mice and their interaction with a particular program. A keyboard sends a unique code to the computer for each key as it is pressed. A mouse or track ball does not generate the same code when it is used, and the information it does generate usually enters the computer through a different port


Add-on mice are sold with utility software that translates the signals from the mouse into usable information. A word processor, for example, has been written to accept the control codes generated by certain keys (the cursor keys) and always expects those codes to come from the keyboard. Most current software is not written to take advantage of mice or track balls and would have to be modified to use these devices. Of course, Microsoft's Word program was written specifically for a mouse. Other programs are appearing that also use mice.—Steve

POWER-LINE POLLUTION

Dear Steve,

I greatly appreciated your article "Keep Power-Line Pollution Out of Your Computer" (December 1983, page 36). A nearby lightning flash once damaged a transistor board in my RCA television.

To protect my IBM PC, I am using the Radio Shack filter strip (cat. #26-1451). *(continued)*



IMSI Presents PC Paintbrush

With PC Paintbrush, you'll now be able to do things that you once only dreamed about.

Because, like your dreams, you'll be working with a palette of up to 256 vibrant colors and shades, depending on your color card.

And, as you'll notice, you'll also have drawing tools, drop-down menus, and a range of brush widths and shapes. Plus your choice of mouse or joystick.

In addition to freeform drawing, you'll be able to draw precise triangles, rectangles, boxes, circles and ellipses.

You'll be able to cut, paste, and move things around. Even enhance graphs, text, and images from other programs like Lotus 1-2-3, Microsoft Word, and SuperCalc 3.

But don't stop with painting. PC Paintbrush also gives you an electronic type shop to work with. Several fonts, from Olde English to Computer. Each in seven styles 'boldface, italics, underline, etc.) and even sizes. All of which makes it great for designing everything from fliers and report covers to greeting cards and birthday banners. (For a wall-sized work of art, just print sideways.)

The possibilities are endless. But the best way to see for yourself is to see for yourself. Get a demonstration at your nearest computer store.

Then, draw your own conclusions.




INTERNATIONAL MICROCOMPUTER SOFTWARE, INC. 633 Fifth Avenue • San Rafael, CA 94901 • 415/454-7101

RUNS ON:	IBM PC/ compatibles, and Corona PC, 192K RAM IBM PCjr., and Mindset, 256K RAM. HP 150, 320K RAM. All require DOS 2.0 and up and 1 drive.
MICE:	Summagraphics, Mouse Systems, Microsoft.
JOYSTICKS:	Any IBM compatible.
GRAPHICS CARDS:	Amdek, Hercules, IBM, PCjr., Quadram, Scion, Tecmar, STB, Paradise.
MONITOR:	Color or black and white.
OUTPUT:	Printers: IBM / Epson graphics, Epson FX-80 and 100, MX 80 and 100, IDS Non-Color, IDS Prism Color, NEC 8023, C-Itoh 8510, Okidata 8X or 9X series, Radio Shack CGP-220, Xerox 1770, PrintaColor TC1040, Quadram Quadjet, Transtar Color, Diablo C150, Tektronix 4695, HP Thinkjet, Star Micronics, Epson JX-80, Data Products 8050, IBM Color printer. Plotters: HP 7475A and 7470A.

PC Paintbrush is a registered trademark of ZSOFT CORP





AZTEG C68K-C \$499 commercial software development system

• Full Version 7 'C' Compiler • Fast and Compact Code • Linker (overlay) • Resource Editor • No Royalties • Source Editor • Compatible with AZTEC 'C' for PC DOS, CP/M-86, CP/M-80, APPLE //, TRS-80, COMMODORE 64 • 68000 Macro Assembler • Extensive Run Time Support • Utilities • Shell Environment • Requires 128K MACINTOSH • Compatible with LISA MACWORKS and 512 MACINTOSH • Full access to MACINTOSH TOOLBOX (ROM & OS)

NIXC CROSS COMPILER NOTES & FARCHES LISA, PC DOS, MS DOS, CP/M-80, APPLE //, VAX, PDP 11



TO ORDER OR FOR INFORMATION CALL OR WRITE: MANX SOFTWARE SYSTEMS Box 55 Shrewsbury, NJ 07701 TX 4995812



CALL:

800-221-0440

201-780-4004 (NJ)

TRS-80 IS A TRADEMARK OF TANDY CORP. MACINTOSH IS A TRADEMARK OF APPLE CP. M-86 & CP. M-80 ARE TRADEMARKS OF DIGITAL RESEARCH, PC DOS IS A TRADEMARK OF IBM Would you please answer the following questions?

Is it necessary to connect my IBM PC Color Display Monitor to the 0.5-A monitor outlet on the filter, as recommended for Radio Shack monitors?

My PC is connected to the 1.25-A processor outlet. Is this all right?

I could not determine from your article where the MOVs are to be soldered on this unit. Could you tell me where they go?

Is it advisable to remove disks from drives before turning the main power switch on?

I also need your help on a different problem. We have often found that our telephone bills contain calls we did not make. The telephone company doesn't charge us for these calls, but this involves an examination of each bill and checking with Ma Bell to determine whether we made suspect calls.

The computerized telephones being introduced are becoming more sophisticated, but none, as yet, keeps a record of outgoing calls. Is it possible to modify such a unit or to inexpensively build a device that would do this?

I have one Touch-Tone and two rotarydial telephones, and I would like the new unit to be attached to one of them that would record outgoing calls on all three. SIDNEY BELMAN Teaneck, NI

The Radio Shack filter strip was originally designed for the TRS-80 Model I computer, and the filters for each outlet were designed to handle different types of noise. The outlets have current limitations because the filters have current limitations. As long as the current ratings are not exceeded, any socket can be used.

The IBM PC is rated at 200 W at 120 V AC. This works out to 1.66 A, which is in excess of the 1.25-A rating of the filter.

It is not necessary to remove disks from the drives before turning on the PC. It was a problem on the TRS-80 Model I, but the PC has an autoboot feature that allows the disk to be inserted prior to it being turned on.

Recording outgoing telephone calls can be accomplished by a simple pulsecounter circuit connected to a computer. The computer would poll the line to see if a call were being made and then read and store the output of the pulse counter. A suitable pulse-counter circuit can be found in Telephone Accessories You Can Build by Jules H. Gilder (Hayden, 1976). (continued)

NJ RESIDENTS ADD 6% SALES TAX



C COMPILERS FOR PC DOS MS DOS CP/M-86 CP/M-80 APPLE II, IIe, IIc **COMMODORE 64 RADIO SHACK and MACINTOSH** NEW RELEASE



AZTEC C86

Optimized "C" compiler for PC DOS, MS DOS & CP/M-86 PC DOS, UNIX I/O, math, screen, graphics libraries 8086 assembler, linker & librarian, overlays /PRO-library source, debug, ROM, MASM & RMAC, 8087, large model



NEW C COMPILERS AZTEC C68K for MACINTOSH VAX cross compilers

C TOOLS & AIDS

Z editor (like Vi), C TUTOR compiler, PHACT database, C GRAFX, UNI-TOOLS I, QUICK C, BABY BLUE for PC to CP/M cross, QUADLINK for PC to APPLE cross



AZTEC C II Optimized "C" compiler for CP/M, TRSDOS & LDOS assembler, linker & librarian, overlays, utilities UNIX I/O, math & compact libraries /PRO-library source, ROM, M80 & RMAC

AZTEC C65

"C" compiler for APPLE DOS 3.3, ProDOS or COMMODORE 64 VED editor, SHELL, UNIX & math libraries /PRO-library source, ROM, overlays



CROSS COMPILERS



Compile & link on HOST-test on TARGET machine HOSTS: UNIX, PC DOS, CP/M-86, CP/M-80, VENIX, PCIX, APPLE TARGETS: PC DOS, CP/M-86, CP/M-80, APPLE, RADIO SHACK, COMMODORE 64, other hosts and targets available

C Compilers Featuring: • Fast portable code

AZTEC C86 C COMPILER

249
249
399
499
250
125
99
299
99
299
99
125

MANX SOFTWARE SYSTEMS **Box 55** Shrewsbury, NJ 07701 TELEX: 4995812

PRICES

AZTEC C II C COMPILER	
CP/M	199
CII/PRO	349
/PRO UPGRADE	150
TRS 80 MODEL 3	149
TRS 80 MODEL 4	199
TRS 80 PRO (3 & 4)	299

AZTEC C65 C COMPILER

APPLE DOS 3.3 199 PRODOS CALL E EDITOR 99

1		
	3	
	Y	
		\mathbf{O}
	-	

AZTEC C CROSS COMPILERS PDP-11 HOST PC DOS HOST CP/M-86 HOST CP/M-80 HOST APPLE HOST VAX HOST MACINTOSH

TARGETS PC DOS 2000 CP/M-86 750 750 750 APPLE 750

CP/M-80 RADIO SHACK COMMODORE 64 MACINTOSH

TRS 80 RADIO SHACK TRS DOS is a trademark of TANDY. APPLE DOS MACINTOSH is a trademark of APPLE.

CALL

CALL

TO ORDER OR FOR INFORMATION: CALL: 800-221-0440 (outside NJ) 201-780-4004 (NJ)

Australia: Blue Sky Industries – 2A Blakesley St. – Chatswood NSW 2067 – Australia 61-2419-5579 England: TAMSYS LTD – Pilgrim House – 2-6 William St. – Windsor, Berkshire SL4 1BA – England – Telephone Windsor 56747 Shipping: per complier next day USA \$20, 2 days USA \$6, 2 days worldwide \$75, Canada \$10, airmall outside USA & Canada \$20 UNIX is a trademark of Bell Labs. CP / M, CP / M-80 and CP / M-86 are trademarks of DRI. PC DOS is a trademark of IBM. MS DOS is a trademark of MICROSOFT. N.J. residents add 6% sales tax.

Achieve laboratory automation at low cost—connect a DAISI™ (Data Acquisition and Instrument Systems Interface) to your Apple[®] // or //e Computer.

DAISI peripheral devices...

- Interface with Apple // and Apple //e Computers and their lookalikes
- Work with all popular language systems
- Come with cable, instructional diskette and comprehensive manual

DAISI and Apple work together as a single system to measure, monitor, time, analyze, control and record a wide variety of research and testing functions.

DAISI peripherals plug easily into any Apple expansion slot, ready to be used in chromatography, environmental data collection, evoked response, gas analysis, spectroscopy, signal processing, solar heating, mechanical measurement, structural testing, and many more functional applications.

The Al13 analog-to-digital converter reads instruments and sensors and has its own external unit for easy cable access.

DISCOVER NEW HORIZONS IN LABORIZONS IN LABORIZONI LABORIZONI IN LABORIZO

Here's a rundown on the DAISI Peripherals:

Al13 12-Bit Analog

- Input Interface.....\$550
- Io input channels
 20 microseconds conversion time
- DI09 Digital Interface

bios Digital Internace

- with Timers\$330 timing and interrupt capability
- direct connection to BCD digits,
- switches, relays

AO03 8-Bit Analog

- Output Interface\$195-\$437 • up to 8 independent channels
- range and offset adjustable

Al02 8-Bit Analog

Input Interface.....\$299 = 16 input channels

• 70 microseconds conversion time

Plus the SC14 system for frontend signal conditioning and amplification, the UI16 isolation system for AC or DC power input or output, and more ...



(Designed and manufactured in the USA)

AND NOW . . . AMPRIS™

An easy add-on to Applesoft® BASIC.

With AMPRIS you can:

- Read and store analog and digital inputs
- Send out analog and digital outputs
- Set, read and control the DI09 counters
- Set, read and control the DI09 shift registers
- Make full use of the DI09 interrupt capability

Using AMPRIS is as easy as inserting an ampersand (&) command where you would normally insert an Applesoft command. For more information about the complete line of DAISI peripheral devices and the full spectrum of their applications, write or phone:

Interactive Structures, Inc. 146 Montgomery Avenue Bala Cynwyd, PA 19004 Telephone: (215) 667-1713

ASK BYTE

A simpler circuit, not requiring a computer, would consist of a tape recorder to record the pulses. The tape could then be played back through the pulse counter to see what numbers were dialed. The tape recorder could be controlled by the pulse detector.—Steve

COMPUTERIZED HOME

••••••••••••••••

Dear Steve,

I am planning to build a house and would like to provide for computer control in my home. Can you offer any suggestions?

> PAUL W. MARSH Urbana, IL

With the almost daily announcement of some computerized device, it makes sense to provide a means for installation in the home. However, it is difficult to know what devices will ultimately be required.

I will be presenting a series of three articles, beginning in April, covering the construction of the Circuit Cellar homecontrol system.—Steve ■

Between Circuit Cellar Feedback, personal questions, and Ask BYTE. I receive hundreds of letters each month. As you might have noticed, at the end of Ask BYTE I have listed my own paid staff. We answer many more letters than you see published, and it often takes a lot of research.

If you would like to share the knowledge you have on microcomputer hardware with other BYTE readers, joining the Circuit Cellar/Ask BYTE staff would give you the opportunity. We're looking for additional researchers to answer letters and gather Circuit Cellar project material.

If you're interested, let us hear from you. Send a short letter describing your areas of interest and qualifications to Steve Ciarcia, POB 582, Glastonbury, CT 06033.

IN ASK BYTE, Steve Ciarcia answers questions on any area of microcomputing. The most representative questions received each month will be answered and published. Do you have a nagging problem? Send your inquiry to

Ask BYTE clo Steve Ciarcia POB 582


Glastonbury, CT 06033

Due to the high volume of inquiries, personal replies cannot be given. All letters and photographs become the property of Steve Ciarcia and cannot be returned. Be sure to include "Ask BYTE" in the address.

The Ask BYTE staff includes manager Harv Weiner and researchers Bill Curlew, Larry Bregoli, Dick Sawyer, and Jeannette Dojan.

INPUT/OUTPUT TECHNOLOGY, INC. 25327 Avenue Stanford, Unit 113, Valencia, CA 91355 • [805] 257-1000


Uncompromising Additions to your S-100/IEEE-696 BUS



DUAL GPIB-488 INTERFACE BOARD

A Stand-Alone, Independently Controlled Dual Channel IEEE-488 I/O Processor, Interface Activity Modes for Controller-In-Charge, Controller Assigned or Terminal Bus Slave, and all Interface Functions are handled transparent to Host System CPU through an on-board CPU and DMA controller. User Friendly operation.


A&T, P/N 52748-800-102



RGB COLOR GRAPHICS BOARO

Programmable resolution up to 512 x 512, pixels with 4 local video planes and on-board graphics processor. Color mapper allows 16 colors from a palette of 4096. Light pen input. Plus more ...

A&T, P/N 52748-300-101




12-BIT A-D-A CONVERTER BOARD

8 Channel A-D: 12 microsec. Conversion, 50KHz Sample Rate, Programmable Gains, Offset and Diff./Single Modes. 8 Channel D-A: 2 microsec. Settling, Bipolar V or Unipolar I Output. Programmable Reference levels, Dual-Ported Channel Refresh RAM. 16/8-Bit Data Transfers via I/O or Memory Mapped A&T, P/N 52748-900-101



BAR CODE PROCESSOR BOARO


The BarTender is a stand-alone I/O Processor that reads and prints most common Bar Codes. Includes bi-directional reading, wand interface, clock/calendar with battery. Extensive documentation and software. **A&T,52748-500-101** Without Wand **A&T,52748-500-201** With Wand



PERIPHERAL SUPPORT BOARD

Two Serial SYNC/ASYNC Ports with RS-232, TTL or Current Loop Outputs, three 8-Bit Parallel Ports, three Timers, Real Time Clock/Calendar and Response Programmable Interrupt Controller. Small Proto Area with +5 and $\pm 12v$.

A&T, P/N 52748-150-101



MULTI-PURPOSE PROTOTYPING KIT

Industrial Quality with Plated-Thru holes for Wire-Wrap or Solder projects. Complete with +5, $\pm 12v$ Regulators, Bus Bar, Filter Capacitors, and Manual.

P/N 52748-450 Inquiry 148

ALSO AVAILABLE: MULTI-FUNCTION I/O BOARO, SMART PROTOTYPING KIT, 128Kx8/64Kx16 STATIC RAM MODULE

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.





AND NOW FOR SOMETHIN **INCOMPLETELY DIFFERE**

Incomplete, yes. But it's not just because we're always bringing out new stories in the Infocom interactive fiction collection. Nor is it simply due to the fact that with all the writing and re-writing, honing and perfecting that we put into every one of our stories, our work is seemingly never done.

The real reason is: an Good luck! Infocom work of fiction can never be complete until you become a part of it.

perfecting our stories, we always leave out one essential elementthe main character. And that's where you enter in.

Once you've got Infocom's interactive fiction in your computer, you experience something akin to waking up inside a novel. You find yourself at the center of an exciting plot that continually challenges you



In CUTTHROATS," the plot involves a motley band of hardbitten salts who get wind of a shipwreck laden with sunken treasure near the sunken treasure near the remote island where you live. In exchange for your diving skills, they offer you a piece of the action. Your challenge: survive them, the perils of the deep, and escape with the treasure and your life the treasure and your life.



THE HITCHHIKER'S GUIDE TO THE GALAXY" by Douglas Adams is the most mind-boggling story we've ever published. In the person of Arthur Dent, you'll chortle as your planet is demolished. You'll yelp with laughter as your life is threatened by a galaxy of horrors. Your sides will positively split as you search the universe for...well, you'll find out. Maybe.

with surprising twists, unique characters (many of whom You see, as hard as we work at possess extraordinarily developed personalities), and original, logical, often hilarious puzzles. Communication is carried on in the same way as it is in a novel-in prose. And interaction is easy-you type in full English sentences.

> But there is this key difference between our tales and conventional novels: Infocom's interactive fiction is active. not passive. The course of events is shaped by the actions you choose to take. And you enjoy enormous freedom in your choice of actions-



In SUSPECT," our newest mystery thriller, you're a reporter who gets the scoop on the society event of the year—the murder of a Maryland Blue Blood at a fancy costume ball. Great! Except you're the prime suspect. And if you can't find the real killer, your next by-line could be in the obituaries.

vou have hundreds, even thousands of alternatives at every step. In fact, an Infocom interactive story is roughly the length of a short novel in content, but because vou're actively engaged in the plot, your adventure can last for weeks and months.

In other words, only you can complete the works of Infocom, Inc. Because they're stories

that grow out of your imagination. Find out what it's like to get

inside a story. Get one from Infocom. Because with Infocom's interactive fiction. there's room for you on every disk.



Infocom, Inc., 55 Wheeler Street, Cambridge, MA 02138

For your: Apple II, Atari, Commodore 64, CP/M8", DECmate, DEC Rainbow, DEC RT-11, IBM PC" and PCjr, KAYPRO II, MS-DOS 2.0", NEC APC, NEC PC-8000, Osborne, Tandy 2000, TI Professional, TI 99/4A, TRS-80 Models I and III.

Use the IBM PC version for your Compaq, and the MS-DOS 2.0 version for your Wang or Mindset.

CUTTHROATS and SUSPECT are trademarks of Infocom, Inc. THE HITCHHIKER'S GUIDE TO THE GALAXY is a trademark of Douglas Adams.

Master Piece. puts the power at your fingertips.



Master Piece is the most versatile accessory ever made for IBM Personal Computers. Master Piece combines the four most popular IBM® accessories into one elegant accessory offering the most convenience and best value available.

A SWIVEL BASE

The Master Piece has a swivel so you can adjust the viewing angle of your monitor with just the touch of a finger. Since the Master Piece swivels with your monitor, its switches and static control are in front of you at all times.

FIVE SWITCHED OUTLETS

Stop searching for outlets to plug in your peripherals. Master Piece's five outlets put your entire system at your fingertips. Power up with the "Master" switch, then use the individual switches to control your peripherals. Touch the "Master" switch to shut down and you'll never accidentally leave your peripherals running overnight.

SURGE SUPPRESSION CIRCUITRY

Power surges, spikes and line noise are responsible for 70–90% of all PC malfunctions. They can wipe out memory in your PC, taking hours of hard work with them. They can zap your delicate chips, sending your PC in for costly repairs. Master Piece clips surges and spikes at a safe level. You end up with an IBM that's more accurate and reliable.

STATIC PROTECTION

Even you are a threat to your IBM. During the day you build up static charges—as much a threat to your PC as surges and spikes. Master Piece offers an elegant alternative to expensive and unsightly static mats. Just touch its nameplate before you begin work and static charges are grounded.

If you bought these accessories separately, you could spend more than \$200. Master Piece's recommended retail price is under \$150. Available now from IBM dealers everywhere.

Inquiry 169



251 Park Avenue South New York, NY 10010 (212) 475-5200 Telex: 467383 KML NY

Trademarks: Master Piece/Kensington Microware Ltd IBM/International Business Machines © 1984 Kensington Microware Ltd.

VISIT WITH APPLE USERS-Ideas. information. and the latest computer news are available to members of the Arkon Infosystem, a 24-hour 300-bps bulletin-board system operating in Toronto, Canada. Upload, download, electronic mail, and public messages are a few of its features. Also included are 20 conferences, 10 megabytes of storage, and on-line help. The annual fee for using the system is \$19.95, but inquirers can log on under the "Guest" user function. Questions about the system can be sent through the (F)eedback-tosysop function of the Arkon Infosystem at (416) 593-7460. Other details are available from David Fingold, Arkon Infosystem, 409 Queen St. W. Toronto, Ontario M5V 2A5, Canada, (416) 593-9653.

• CHAMELEON ADVOCATE The National Chameleon Users Group (NACHUG) produces a newsletter, The 80/88 National Newsletter, that contains hardware and software reviews, updates, and a users forum. Member discounts are provided on peripherals and accessories. Membership is \$12 a year. Contact Steven Bender, NACHUG, POB 28360, Queens Village, NY 11428.

• SIG, NEWS FOR PUBLIC-DOMAIN SOFTWARE

PC-SIG News, a newsletter from the PC Software Interest Group (PC-SIG), is devoted to public-domain or user-supported software for the IBM PC and compatible computers. It lists the disks in the library, updates recent disk arrivals, and encourages patches and feedback from users. The members have compiled a directory with a subject index and listings. Contact the PC Software Interest Group, Suite 130, 1556 Halford Ave., Santa Clara, CA 95051.

• C-CLUB IN RIVER CITY The River City Commodore Club is a nonprofit organization that meets twice a month to promote interest in all Commodore computers. The group features a large club library, help groups. and basic and advanced tutorials. For details, write River City Commodore Club, POB 4298, North Little Rock, AR 72116.

• COMPUTER AND SOFT-WARE LAW-The Center for Computer/Law, a nonprofit educational institution, provides research and educational services in computer law. The Center produces Computer/Law Journal, an international journal on the legal issues of computers, telecommunications, and the information industries. It also publishes a quarterly law review, Software Law Journal, that contains scholarly articles from computer law experts, as well as a bibliography of software law and a directory of recent cases. Contact the Center for Computer/Law, POB 3549, Manhattan Beach, CA 90266.

MANY SHARED

BENEFITS—The First Attache/2001 User Group (FAUG) produces a monthly newsletter titled Where It's Att. Members meet quarterly, have access to publicdomain library disks, and receive support by telephone and networking. The club can be reached on CompuServe at 70346.63. Annual dues are \$35. Contact Charles Raisch, FAUG, 1827 Haight, San Francisco. CA 94117-2791, (415) 221-3415.

NO TIME LIMITS SET

YET—In northern Idaho a 24-hour bulletin-board system called I-PACE features Atari downloads. Passwords are not required, no time limits are set, and people add to it frequently. The BBS number is (208) 772-9421. Contact Robert Marshall, POB 5123; Coeur D'Alene, ID 83814, (208) 772-5922.

● CHRISTIAN COM-PUTERISTS—Christian programs, a member's exchange, a monthly newsletter, and discounts on computer supplies are available from the Elect Christian Computer Club. For details and a free issue of the newsletter, *E*₃C Electletter, write to the Elect Christian Computer Club, Department LA1, POB 31022, Chicago, IL 60631-0022.

CLUBS & NEWSLETTERS is a forum for letting BYTE readers know what is happening in the microcomputing community. Emphasis is given to electronic bulletin-board services, club-sponsored classes, community-help projects, field trips, and other activities outside of routine meetings. Of course, we will continue to list new clubs. their addresses and contact persons, and other information of interest. To list events on schedule, we must receive your information at least four months in advance. Send information to BYTE, Clubs & Newsletters, POB 372, Hancock, NH 03449.

TRIANGLE dBASE USERS GROUP-Members of a users group for dBASE II and III meet at 7:30 p.m. on the second Wednesday of each month in the Drevfus Auditorium of the Research Triangle Institute in Research Triangle Park. North Carolina. A bimonthly newsletter is available on CompuServe (70156,404), and a publicdomain library of application disks is planned. Annual dues are \$10. Send a self-addressed, stamped envelope for a sample newsletter to Rich Slatta, Triangle dBASE Users Group, 2618 Davis St., Raleigh, NC 27608, (919) 782-8926.

NEWSLETTER WITH FOCUS-Users of Lotus 1-2-3 and Symphony can focus on applications with Learn Mode, a monthly newsletter from Systems Consulting. Among its features are book reviews, solutions to problems, questions and answers, and updates on Lotus products. Article contributions are welcome. Learn Mode is \$30 for 12 issues. Request a complimentary copy of the first issue from Systems Consulting, POB 982, Palo Alto, CA 94302, (415) 326-8605.

FRIENDLY USERS

Business computer users in the Chicago metropolitan area form the Tandy Business Users Group, which meets on the third Wednesday of each month. The monthly newsletter, *TBUG*, contains a schedule of coming events, workshops, and forums, profiles, meeting notes, news releases, and product announcements. An-(continued)



GET SERIOUS. STOP PAYING HIGH PRICES NOW!

THOUSANDS OF AVAILABLE ITEMS. CALL FOR COMPLETE PRICING.

SYSTEMS

IBM SOFTWARE

LOTUS 1-2-3	295.00
LOTUS Symphony	449.99
MICROPRO Wordstar	249.00
ASCII Express For IBM	125.00
Wordstar Professional	
Infostar	249.00
Multimate	
MICROSOFT Word	229.00
Word W/Mouse	279.00
Multiplan	139.00
Project	
ASHTON TATE Friday	179.00
dBASE II	280.00
dBASE III	349.00
Framework	
LIFETREE SOFTWARE Volkswriter	
Volkswriter Deluxe	169.00
FOX & GELLER Quickcode	139.00
	139.00
POX & GELLER Quickcode dUtil dGraph	139.00 . 59.00 149.00
POX & GELLER Quickcode dUtil dGraph MICRORIM Rbase:4000	139.00 .59.00 149.00 295.00
POX & GELLER Quickcode dUtil dGraph MICRORIM Rbase:4000 PFS Write	139.00 .59.00 149.00 295.00 .89.00
POX & GELLER Quickcode dUtil dGraph MICRORIM Rbase:4000 PFS Write File	139.00 59.00 149.00 295.00 .89.00 .89.00
POX & GELLER Quickcode dUii dGraph MICRORIM Rbase:4000 PFS Write. File Report Proof	139.00 59.00 149.00 295.00 .89.00 .89.00 .89.00 .79.00
POX & GELLER Quickcode dUii dGraph MICRORIM Rbase:4000 PFS Write. File Report Proof	139.00 59.00 149.00 295.00 .89.00 .89.00 .89.00 .79.00
POX & GELLER Quickcode dUtil dGraph	139.00 59.00 149.00 295.00 .89.00 .89.00 .89.00 .79.00 .79.00
POX & GELLER Quickcode dUii dGraph MICRORIM Rbase:4000 PFS Write. File Report Proof	1 39.00 59.00 1 49.00 295.00 89.00 89.00 79.00 79.00 269.00

IBM HARDWARE

AST Six Pack Plus 64K	259.00
MegaPlus II	
PC Net 1 Starter Kit	830.00
QUADRAM Quadboard 0-K.	
Quadcolor I or Microfazer 64K	
Quadlink	. 479.00
MICROSCIENCE	
10MB Winchester	.799.00
HERCULES Mono Graphics	
Color Card	199.00
PLANTRONICS Colorplus	389.00
STB Rio plus 64K	249.00
Super Rio	259.00
Graphix +11 NEW	309.00
Giapita Thi NEW	124.00
TEAC 55B	
55F	. 180.00
TANDON TM100-2	
IBM Floppy 1.2 Meg	
TALL GRASS 12MB W/Tape	
RAM 64K upgrade	
RAM 256K upgrade	26.00
MOUSE SYSTEMS Optical Mouse	189
ALSO - XCOMP, PERSYST, ORCHI	
TITAN AND OTHERS	

PRINTERS LETTER QUALITY

BROT	HER	t H	IR	-1	15	5							. 375.00
HR-25	5												. 629.00
													. 859.00
													429.00
													. 659.00
													.799.00
													1229.00
3550									÷				1539.00

PRINTERS DOT MATE	U.X.
STAR MICRONICS Gemini 10X	259.00
Gemini 15X	.389.00
EPSON RX-80 F/T	.329.00
FX-80	.349.00
FX-100	.649.00
LQ1500	
OKIDATA 92A	
93A	
84A	
PANASONIC 1091	CALL
TOSEIBA 1350-P	
MONITORS	
AMDEK 300	. 129.00
300A	
310A	.169.00
Color I+	. 269.00
Color II.	
TAXAN Composite Amber	
121/122	
420 (RGB)	.439.00
415 (RGB)	.489.00
PRINCETON GRAPHICS HX-12	.469.00
SR-12	.625.00
MAX-12	.189.00
ZENTTH ZVM-122 Amber	
ZVM-123 Green	. 95.00
NEC 1201 Hi Res Green	
1205 Hi Res Amber	. 125.00
1206 Green	85.00
JC1215 Composite Color w/audio	215.00
IC1216 Color RGB	.334.00

MODEMS

HAYES 1200	469.00
1200B	. 389.00
300	199.00
Micromodem //e	.219.00
ANCHOR Mark X	. 109.00
Mark XII	249.00
Volksmodem	59.00
NOVATION Smart Cat Plus	. CALL
Access 1-2-3	419.00
Apple Cat II	, 239.00
J-Cat	
U.S. ROBOTICS PC Modem	
Password	. 349.00
PROMETHEUS Promodem 1200.	329.00

APPLE PRODUCTS

MICRO SCI AZ drives	
RANA ELITE 1	
TEAC drive	
APPLE Compatible drive	
WESPER Interface	69.0
BUFFERED 16K	139.0
SYSTEM SAVER Fan	69.0
MICROSOFT Premium //e	279.0
Softcard CP/M	
Multiplan	129.0
MAC Multiplan (MacIntosh)	129.0
Basic (MacIntosh)	109.0
APRICORN Serial Card	69.0
Z-80 Card	59.0
ASCII Express Professional	
MAXELL S/S	19.0
D/S	
KOALA Touch Tablet	79.0
HAYES Mach III JoyStick	
THUNDERCLOCK	119.0
MOCKINGBOARD	CAI
APPLEMOUSE II	129.0
VIDEX Ultraterm	
80 COLUMN/64K Interface //e	
80 COLUMIN Card II+ only	

TELEX #550757/ANSWER BACK-COMPUTERBANK UD



Copyright 1984 COMPUTERBANC All Rights Reserved

CLUBS & NEWSLETTERS

nual dues are \$35 and include a one-year subscription to the newletter. For an application and further details, write Carlos Hidalgo, *TBUG.* 311 Longview Rd., Waukegan, IL 60087, (312) 623-9661.

EXCHANGE ATARI NEWS The Atari Computer Club of the Palm Beaches produces a monthly newsletter. The Pokey Press, that features club news, pen pals, participating businesses, news from shows, and software and product reviews, and welcomes the exchange of newsletters with other Atari groups. Contact Jim Woodward, Atari Computer Club of the Palm Beaches, Apt. B-101, 15993 Southwest 8th Ave., Delray Beach, FL 33444.

 SPECIALIZED NEWS FOR ACADEME-Theories in the field of word processing are addressed in Research in Word Processing Newsletter, a ninemonth publication from the Liberal Arts Department of the South Dakota School of Mines and Technology. It functions as a clearinghouse of information relevant to computer-based writing instruction at all educational levels and contains original research, article abstracts, bibliographies, and software evaluations. Article submissions are welcome. Contact The Editors, Research in Word Processing Newsletter, Liberal Arts Department, South Dakota School of Mines and Technology, Rapid City, SD 57701-3995.

FOR NEW VENTURES

A monthly newsletter, *Compu-Venture*, contains software reviews and information on how to make money using your microcomputer. Subscriptions are \$20 a year. Contact Microcomputer Software & Consultants, POB 1039, Mount Vernon, NY 10550.

MORE FOR ENCORE

Encore 100 and 200, two software-based portable network analyzers that are designed for data-communications monitoring, diagnostics, and emulations, now have a users group sponsored by its manufacturer. Digitech Industries. A newsletter, Encore Communicator, serves to solve user problems or print user programs. Application engineers answer hardware and software questions and supply needed information. To receive a business-reply registration form, contact Joseph Luciano, Digitech Industries Inc., 66 Grove St., POB 547, Ridgefield, CT 06877, (203) 438-3731.

COMMODORE IN SILVER The Silver State Commodore Users Group of Las Vegas. Nevada, meets at 7:30 p.m. Wednesday nights at the local YMCA. The \$4 per month dues entitle members to vote and to copy any of 35 public-domain programs. Though most members use Commodores, the group is not limited to a particular computer. The club offers ongoing classes in BASIC. program demonstrations. and assistance. Contact Karen Douglas, Silver State Commodore Users Group, POB 81075, Las Vegas, NV 89180.

• FOR THE FORTUNE

Users of the multiuser Fortune 32:16 can join /u/fortune, a group that meets in Cambridge, Massachusetts, on the first Thursday of each month. Meetings include presentations of new software, small group discussions, and user support. A monthly newsletter is produced. For complete information, contact Josh Lobel or Mark Palmerino, /u/fortune, Suite 28, 20A Prescott St., Cambridge, MA 02138, (617) 876-4763.

When all else

Most diskettes are pretty good.

And some of the time that's good enough. But next time you throw away one that won't format or you lose the cash flow analysis you've been working on for weeks, make a mental note to try a box of Dysan diskettes.

They're better.

So much better, in fact, that major computer manufacturers put their names on our diskettes and sell them as their own.

Without fear of failure.

You see, we make our diskettes better with advanced manufacturing processes that our competitors have yet to figure out.

And we test them.

Almost to the point of absurdity.

Dysan diskettes are inspected almost a hundred times as they come down the line. They're tested to performance levels way beyond industry standards. And each one is certified to be 100 percent error free.

Then our corporate quality assurance fanatics come along and check them all over again. For all

Dysan is a registered trademark of Dysan Corporation. © 1984, Dysan Corporation.

Flexible Diskette

the same things. Plus some things only they understand.

When we're done, you get exactly what you wanted in the first place. Diskettes that will record and retain all your data all the time.


We don't expect you to keep all that in your mental note, but we would like you to remember vour last diskette failure.

And when your computer products dealer offers you another box of pretty good diskettes, tell him you're ready for something better.

Dysan.

Call toll free for the name of the Dysan dealer nearest you. (800) 551-9000.

Dysan Corporation, 5201 Patrick Henry Drive, P.O. Box 58053, Santa Clara, CA 95050, (408) 988-3472.



Inquiry 98

Sooner or later, you'll have to face this computer problem.

PC MAGAZINE . MAY 15, 1984

o your eyes itch, burn, or tear? Are they tired and sore? Do you get headaches, occasional dizziness, or blurred or double vision? If you have any of these symptoms, you're probably suffering from eyestrain Eye fatigue and other vision problems are common for regular users of and fatigue, and it may be from using your PC. PCs and other kinds of video computer displays. This visual stress can also contribute to general tension and tiredness. Fortunately, lems experienced by video display-

Better sooner.

Better Sooner.

Computers don't ever get headaches.

But the people who use computers do.

Quite clearly, as PC Magazine spells out, that's not the only trouble they're having.

In case you're tempted to dismiss this as trivial, there are two things you should be aware of:

First, more than twenty states are already preparing legislation to force some improvements.

Second, if computer users suffer, so does business.

Because computers are only as fast and accurate as the people who operate them.

You are not a machine.

Computers are designed by engineers.

They usually know a lot about technology but very little about people.

Which is why so many computers are technically impressive but strangely unnatural to use.

Computer-ir problems (%	reacter
Eye strain	55%
Back pain	43%
Headaches	30%
Shoulder	25%
Hand/wrist	18%
Neck pain	15%
(Source: "Ergo Principles in C Automation" I 1983 by E.I.S. Sweden.)	Office Pub.

its very Swedish way, has always believed that excellent ergonomic design isn't a privilege. It's a right. That it isn't a noble gesture but demon-

Ericsson, in

strably good for business.

It's an attitude that has made Ericsson No. 1 in Europe twice over:

First, as the giant of European telecommunications.

Then again as Europe's biggest workstation company by far.

(You couldn't ask for a better marriage of technology for the future.)

Here is one example of how they got there.

It's the first of a whole range of computers to be introduced in the U.S.A. The Ericsson PC. It's Ergo-Intelligent.

Ericsson has spent \$300 million finding ways to make people and computers work better together.

Here are some of the results.

Ergo-Screen.™

Aspirin gets rid of a headache. Ergonomics gets rid of the cause. The Ericsson PC monitor has

a non-glare screen.

With restful amber characters on a specially developed, lowfatigue background color.

Even the shape of the actual characters was specially developed to allow easier recognition of difficult to distinguish letters like O and Q.

On the monochrome monitor, the resolution is double that of IBM's, so clarity is remarkable.

You can even have characters and graphics on the same screen.

> Ergo-Arm.™ Thousands of people get neck and muscle pain from inadequate height and angle adjustment. The Ericsson Ergo-Arm lets you move your screen

exactly where you want it. Better than back pain, wouldn't you agree?

Ergo-Touch.[™]

The keys are full-size and the layout is ergonomically planned for greater accuracy and speed.

Yet the keyboard is 20% more compact and less than half the weight of IBM's.

Even the cord is adjustable to suit left- or right-handers.

Ergo-Color.™

Even the color of the case is ergonomically selected to be restful to the eye over many hours. Ergo-Space.™

The system unit is onethird smaller than IBM's. It even fits under your desk in a vertical rack. So your desktop is your own again.

IBM Compatible.

Many companies claim to be compatible.

Some are. Some are stretching the truth.

The Ericsson PC boasts the highest compatibility rating there is.

It's operationally compatible. You can take advantage of thousands of PC-compatible programs already available.

In fact, with the best-selling software, the program and data disks are interchangeable with those of the IBM PC.

Service. Not Excuses.

Ericsson wouldn't give you anything less than on-site or carry-in service. The choice is yours.

3 Free Offers.

Ericsson will send you revealing literature on ergonomics.

Also a detailed brochure on the Ericsson PC.

And arrange a hands-on test if you ask for it.

Call toll-free 1-800-FOR-ERGO.



IBM is a trademark of International Business Machines Corp.



Sanyo 555-2's Now 51 Dollars Less For months a competitor has been selling Sanya 555-2's for a bit less than Scottsdale

Systems no more. Of course, we still include more free softwore like (1) Sketch. (2) 15 Games (3) Daremore (4) Diagnostics and Utilities. (5) P.C. Filer, and (6) 15. Manager, And now we have the best price for the 555-2, as well as the other madels.

Plus if you mention this od when you buy your Sanya fram Scartsdale you can buy an RS-232 port or an extra 128K of RAM at the same time for a mere \$69. To paraphrase Bagey, if you don't buy your Sanya from Scarrsdale Systems you'll regret it maybe not raday, maybe not romorrow, but soon and for the rest of your life.

STATISTICS.

Closeout

Sanyo1100's

Ask about our open access package

Columbia's



The Silver Fox[™] Trots Through Lotus like 1,2,3

The Silver Fax has always run hundreds of programs ariginally written for the IBM-PC. Now with its new compatible video board and GW Basic it runs the most papular and powerful software in microcomputing, including Latus 1 2.3, dBASE II, Multiplan, the PFS series, and even Flight Simulator. Yer you still get an incomparable combination of hardware and software at a price that Invites comparison.

MORE HAROWARE

Each Silver Fax cames with an 8088 CPU. 256K of RAM, monochrame and calar video and a printer port all on a single board. Plus you get more than rwice the storage of a srandard PC, 1.6 Megabyres on dual 5 1/4" floppys, and the Fax will read and write to all popular PC formats

Standard equipment also includes a better keyboord and a 12" high-resolution, green monochrome monitor, with a full 25x80 calumn display, and although the Silver Fax doesn t have "compatible" expansion slats you can odd serial ports, madems, platters, printers, jaysticks, ond 8087 co-processor, and/or a hard disk.

Decause the Silver Fax Is barn an a totally automated line in Japon it is simply more reliable than PC's that are assembled by hand. So we buck-each Silver Fax with a one year limited warranty. four times the industry standard.

FREE SILVERWARE

Were this not enough, each Fax cames with the best free software bundle in the business including:

MS-DOS 2.11	Sketch
Color BASIC	15 Go
GW BASIC	Words
HAGEN-DOS	ColcSto
Qwikdisc	Eosy W
Dotemote	

Games	Moilir	
rdStor	FILEBASE	
cStor	PC File III	
y Writer	PD Disk	

Spell

If you didn't think your



could buy you this much computer, give us a call and we'll rush you a brochure that will tell you how it can.

Coll

Coll





BOOK REVIEWS

ALAN TURING: THE ENIGMA Andrew Hodges Simon & Schuster New York: 1983 600 pages, \$24.95

COMPUTER GRAPHICS PROGRAMMING Günter Enderle, Klaus Kansy, and Günther Pfaff Springer-Verlag New York: 1984 560 pages, \$39


DATA STRUCTURES AND PROGRAM DESIGN Robert L. Kruse Prentice-Hall Englewood Cliffs, NJ: 1984 486 pages, \$29.95

ALAN TURING: THE ENIGMA Reviewed by G. Michael Vose

A nd thus it was that ... thinking in his spare time, an English homo-

sexual atheist mathematician ... conceived of the computer." This startling claim is at the heart of the first major biography of Alan Mathison Turing (1912-1954), a man whose legacies include the Turing machine and the Turing test. Andrew Hodges has uncovered the genius of this complicated man and recorded the evolution of his ideas within the unique context of the tumultuous times in which he lived. Hodges's fascinating study adds new information to the history of computer science, counters its all-American bias, and claims a rightful place for the eccentric Alan Turing.

Revising history is a risky endeavor. The task demands rigorous scholarship and the courage to successfully challenge the assumptions of the past. Hodges's Alan *Turing: The Enigma* brims with painstaking research and emphatic interpretation. No less an authority than the New



cipher machine could ever be broken.

Hodges is sympathetic to the idea that the Allied victory in WWII hinged on the battle in the Atlantic in which Hitler's U-boats tried to isolate Britain by cutting off her sea supply routes to the West. Here, the breaking of the Enigma codes made the difference between victory and defeat because deciphering German naval messages helped transatlantic convoys avoid the U-boat wolfpacks. But it is Hodges's contention that Turing came up with the major formulations of modern computer science that makes this biography so significant.

Of course, the Universal machine (now known as the Turing machine) that Turing conceived in 1935 and described in a 1936 paper called "On Computable Numbers, with an Application to the Entscheidungsproblem" has rightful-(continued)

York Times (December 4, 1983, section 7, page 80) has labeled this volume a work of major literary importance.

This praise derives from the wealth of ideas exposed and illuminated in the book, from lucid discussions of complex mathematics to revelations about the secret cryptography work accomplished by Turing and others during World War II. Through this work, the fortunes of war contributed significantly to the creation of the British computer.

In Bletchley Park, a London suburb, the cryptography group worked to decipher codes generated by the German army's Enigma machine. While Turing's inventiveness was instrumental in breaking these codes, his life was full of naive contradictions, similar in nature to the Nazis' refusal to believe that the codes of their



SOURCETEK



IPS-135

EXACTLY FIT TO IBM PC/XT OUTPUT 2 DISK DRIVES 2 HARD DISKS AC INPUT 115V or 220V

1 YEAR WARRANTY

IBM OR COMPATIBLE ADD-ON CARD

the second se	8		
DISK CONTROL CARD WITH CABLE	\$99.00		
COLOR GRAPHIC CARD	\$145.00		
SERIAL INTERFACE CARD	\$60.00		
PARALLEL PRINTER CARD	\$60.00		
MONOCHROME CARD	\$185.00		
IDEAMAX 384 MULTI-FUNCTION CARD			
WITH 384K RAM	\$399.00		
IPS-135W POWER SUPPLY	\$160.00		
HALF HEIGHT DISK DRIVE	\$129.00		

MICTRO (U.S.A.) INC. 1807 S. SAN GABRIEL BLVD. SUITE B SAN GABRIEL, CA 91776 TEL: (818) 288-8422, (408) 738-3105

DEALER, OEM, DISTRIBUTOR WANTED IBM is a trademark of I.B.M. Corp. BOOK REVIEWS

ly taken its place as a seminal computer science idea. It was central to Turing's lifelong inquiry into the idea that machines could be intelligent. However, his later, littlepublicized ideas about how computing machines might work form the bulk of the biographer's most interesting revisions to the historical record.

During his Enigma-deciphering work, Turing designed and helped construct a machine called the Bombe, an electromechanical device that calculated the permutations of the Enigma's enciphering rotors. It used relays as switches and was a specialized, high-speed calculating machine. Turing's work on the Bombe enabled others in the Bletchley Park group to develop the Colossus, the machine that some historians consider the first computer. The Colossus began service in December of 1943, but Turing played no part in its design or construction. In conceiving and building the Bombe, however, and later machines like the Delilah (a telephone-voice enciphering device), Turing began fermenting the ideas that he would later develop to construct a version of his Universal machine.

The distillation of these ideas appeared in "Proposed Electronic Calculator." a late-1945 report prepared in conjunction with his new responsibilities as senior scientific officer with the Mathematics Division of the National Physical Laboratory (NPL) in Bushy Park, Teddington. In this report, Turing laid out plans to construct a machine later named the ACE (automatic computing engine), a project in response to the American scientific community's efforts to build a digital computing machine. The plan outlined the construction of a true automatic electronic digital computer with *internal program storage*, a fully developed scheme broader in scope than those conceived by John von Neumann and others. But to Turing it was an old idea.

AN INNOVATOR

The stored-program concept was a natural one to Turing because it was essentially the same idea that he developed in connection with the "instructions on paper tape" idea that was central to his Universal machine. The ACE report described how the stored-program concept would apply to a computer. The report's discussion of how the machine's instruction tables would be created leads to Hodges's claim that Turing "... invented the art of computer programming." This art, in Turing's words, would find that "Instruction tables will have to be made up by mathematicians with computing experience and perhaps a certain puzzle-solving ability." Turing later wrote routines, in conjunction with J. H. Wilkinson (see the interview on page 177), to perform floating-point arithmetic that enabled programmers to multiply two numbers without knowing what was really happening inside the machine, thus presaging the development of high-level languages. His notes for the ACE report talk about "subsidiary" routines and about "burying" and "unburying" an area of memory containing information vital to a program returning from a sub-

MEPTT

BOOK REVIEWS

sidiary routine. (This is known today as "pushing" and "popping" the stack.) He even envisioned the use of remote terminals, claiming that "It would be quite possible to arrange to control a distant computer by means of a telephone line."

Although he left the NPL before the ACE machine was built because he was unable to deal with the politics of bureaucracy, Turing nonetheless walked through the front door of British computing. Taking up the post of Deputy Director: Royal Society Computing Laboratory at Manchester University, he arrived in time to witness the fruition of the other English attempt to build a computer. Driven by the efforts of M.H.A. Newman (a former professor of Turing's and the first reader of "Computable Numbers") and Cambridge mathematician M.V. Wilkes, the university assembled a team of wartime electronics engineers and Bletchley Park mathematicians to work on developing a computing machine. The major difference between the Manchester machine and Turing's ACE was the type of memory used. The ACE used acoustic delay lines made of thin tubes filled with mercury, capped on each end by piezoelectric crystals. A signal traveling between crystals through the mercury was "stored" for a microsecond. The Manchester machine used electrostatic tubes, primarily cathode-ray tubes that stored information as a charged phosphor, refreshed every millisecond, on the tube's screen.

Less encumbered by bureaucratic entanglements than the NPL, the university's computer, later called the Mark 1, executed its first program on June 21, 1948. Turing became a programmer of the Mark 1; for the rest of his life, which presumably ended by his own hand a scant-six years later, he worked on research that interested him but led to no significant discoveries. But during this time he exchanged ideas with other Manchester faculty members, including Michael Polyani, whose disdain for the idea of intelligent machines gave rise to the debate that spurred Turing's creation of the test that later carried his name. The Turing test was put forth in an article called "Computing Machinery and Intelligence" in the October 1950 issue of Mind. Its now-famous central thesis was that if a machine's response to interrogation was indistinguishable from a human's, then the machine exhibited intelligent behavior.

Hodges's treatment of the intellectual accomplishments of Turing's life is a major contribution. The book is a fountainhead of stimulating thought—discussing Turing's ideas on the determinism/free-will dialectic, for example—and historical minutiae. Hodges reveals, for example, that Mark 1 program code was written in base 32 arithmetic notation, a modification of Baudot teleprinter conventions. Turing found it easy to think in this notation and confused his colleagues by writing base 32 numbers on the blackboard when explaining an idea. A slash (/) was the symbol that represented the number 0 in this notation and is the likely origin of today's convention of writing 0s with (continued)



ShuffleBuffer

BOOK REVIEWS

a slash through them (also a good way to differentiate 0 from the letter "O"). Turing was also fascinated throughout his life by the natural occurrences of flower petals, fir-cone florets, and sunflower seeds in a Fibonacci number sequence.

Aside from its contributions to the historical record, this book is a fascinating human story. Turing's disdain of social conventions, his lack of social graces, and his individuality brought him both pleasure and pain. Though not a psychological history, *Alan Turing*: *The Enigma* explores the human side of the man who gave life to some remarkable ideas. Equally important, the study remains aware of the role played by the circumstances of a man's life in the development of his thought. Turing's ideas could have taken a much different tack were it not for a world war and a German cipher machine.

The major unanswered question about Alan Turing is why he took his life. There was a homosexual scandal, resulting in a conviction for violation of sexual decency laws, and a subsequent agonizing year of drug treatment with female hormones. But his suicide came a full year after the end of the treatments and probation for his offense. Hodges closes his book with a 15-page discussion of government debates about excluding homosexuals from sensitive scientific and research posts for fear of their susceptibility to blackmail and coercion. But he never satisfactorily answers the question, Why suicide? Turing's mother never accepted this verdict, claiming that Alan's death was accidental. If Hodges explored the other possibilities, he doesn't reveal his findings.

Though minor, there is one flaw in this book: it is plagued with editing and typographical errors, no doubt a result of the complexity of the manuscript. Anyone interested in the idea of intelligent machines should have no problem overlooking these errors. The book is nevertheless a major work in the history of computer science. Well indexed and containing 28 pages of bibliographic notes, it is a valuable resource for information about the people who created the technology and the papers they wrote describing their ideas.

G. Michael Vose is BYTE's senior technical editor for theme articles. He can be contacted at POB 372, Hancock, NH 03449.

COMPUTER GRAPHICS PROGRAMMING Reviewed by Judith L. Maggiore

The Graphical Kernel System (GKS) is the international standard for computer-graphics software. Computer Graphics Programming is an important addition to the standard document defining GKS because it explains concepts, examples, and figures that could not be included in the standard document. Günter Enderle, Klaus Kansy, and Günther Pfaff are in a good position to write about that (continued)

spreadsheets
 text

" THE are the over second with the base many hour socie can be the analytical of the second of the

and some of some functions

• graphics in any order!

ΩShuffleBuffer[™]

Print

- Has Random Access Printing ... an Intelligent processor which stores phrases, passages, entire letters, spreadsheets, graphics and commands, then prints the information in whatever order you want, as many times as you want.
- Has FIFO printing (first-In, first-out)... acts as a reservoir, accepts data at computer speed, prints on its own, freeing the computer for further tasks.
- Has BYPASS Printing . . . permits Interruption of long-term buffer operations for straight-thru short-term printing.

PLUS

Data compression . . . expands memory storage to 4 times. Infinite copy capability. Simple erase feature to clear buffer. Compatible with virtually any serial or parallel computer, serial or parallel printer (letter quality or dot matrix) as well as plotters and modems.

WRAP it all up with SHUFFLE/BUFFER!

Call or write for the dealer nearest you:



Interactive Structures Inc. 146 Montgomery Avenue Bala Cynwyd, PA 19004 Telephone: (215) 667-1713



WHY INVEST \$90 IN MODULA-2? BECAUSE YOU'RE COMPETING WITH PEOPLE WHO BELIEVE THE BEST PROGRAMMING METHOD IS THE ONE THEY ALREADY KNOW.

Whoever decided to make the switch from Roman Numerals to a more efficient notation for doing arithmetic should be a hero. His friends probably reacted as if he'd asked them to learn a *whole new language*. We think you'll see the parallel with Modula-2, especially after you try it.

Niklaus Wirth, creator of Modula-2, asserts that Modula- 2 is an abstract tool for the control of computing machinery: "In my opinion, the term *programming language* is ill chosen and misleading. *Program notation* would be eminently more appropriate."

We're not proposing that you learn a "new language." That would be like arguing the merits of English versus French. But it does make sense to avail yourself of the most efficient known technology for controlling computing machinery -- while your competition is left in the dark ages.

Compared to Modula-2, whatever program notation you're now using is like doing your arithmetic in Roman Numerals.

In this limited space, we won't try to prove that Modula-2 is *the best available competitive tool for the serious computer entrepreneur*. "Such matters," according to Frank Herbert (*DUNE*), "can only be tested in the crucible of survival, not in the play of symbols."

The question is, for \$90, can you afford not to test our claim? No other company in history has made it as easy for you to do business. Our entire object-program licensing agreement is on this page.

So put some distance between yourself and those who believe the best programming method is the one they already know.

MODULA-2 COMPILERS FOR IBM PCs, MACINTOSH, LISA AND APPLE IIs — \$90

Modula-2 compiler and interpreter with enhanced, bit-mapped graphics are available for Apple's Lisa, Macintosh and II computers; IBM's PC, XT and compatibles (MS-DOS 2.0); and others to be announced.

ABOUT MACMODULA-2 TM

MacModula-2 is what 128KB Macintosh users have been waiting for. Over 400 of the ToolBox ROM routines are supported, including pull-down menus, multiple windows, multiple fonts, QuickDraw graphics, the ROM-based serial driver, the sound driver, mouse support, etc. The M-code interpreter reduces memory requirements for 128KB Mac systems, yet executes at up to 75% of native-mode speeds if extensive use is made of the ROM routines.

Also included with MacModula-2 is a fullscreen, mouse-driven editor, a Transfer Menu facility that reduces the need for returning to the desktop between compiles, links and edits, and a Resource Maker that allows the entrepreneur to ship modifiable menus to customers, without shipping the actual Mac-Modula-2 source code.

THE IDEAL MODULA-2 ENGINE

We'd love to introduce you to the Lilith. It's a workstation computer with bit-map graphics, three-button mouse and a bit-slice processor. The Lilith was designed by the original Modula-2 team at the Swiss Federal Institute of Technology (ETH) as the ideal Modula-2 engine. Over 200 have been placed into academic and research environments. Now Modula Corporation makes a commercial version for your more demanding problems. Just call 800/LILITH2 to hear about customer benchmark reports.

SOFTWARE LICENSE

Join us in a commitment to personal integrity. Our prices are fair. Unlike program license agreements you can't help but violate, we've tried *reTHINKing* a few things. Perhaps we can start a trend that makes violation of another's intellectual property *unfashionable*. Without all the "whereas" and "herewith" language, here's our attempt to transfuse integrity into the entrepreneurial bloodstream:

You agree to treat the information we send you as if it were a book, with the exception that you are granted the right to make backup copies. Simple, Pournelle logic!

In the spirit of the "book" analogy, you are free to take your book to another house (or computer) with you. This, of course, means someone at your own house (or computer) cannot simultaneously read it. Similarly, you can loan your book to a friend. But there can be no possibility you can read it at the same time. You may sell your book, only if the new owner agrees to these same conditions (which means a copy of this agreement, signed by the new owner, must be sent to us). Finally, just as in a book, it lacks integrity to substitute your name for that of the legitimate author. As for our warranties: Defective software may be returned within

As for our warranties: Defective software may be returned within thirty days for a replacement. But just like any other self-help book, its value to you is what you make of it. No matter how badly it damages your life, or that of your customers, we're not obligated to do anything whatsoever about it.

Now, it's time to play "How'd- you-like-tosee-something-really -scary?" When you send us your check or credit card authorization, enclose this page (or a copy) with an original signature. Violate this agreement of integrity, and you'll get a doozer of a course in integrity at the claws of our attorneys; and they'll tell your mother.




1673 West 820 North, Provo, UT 84601 801/375-7400 or 800/LILITH2

In addition to information on the Lilith,	please send me the Modula-2 Co	mpiler at \$90 for the [IBM PC or XT, or the Apple 🗌 IIs, 🗌
Lisa or the D Macintosh.			
Utah residents include 6% sales tax.			
\$10 handling and postage for all order			
Total amount er	iclosed/authorized.		
My signature below, besides being a p	ossible credit card authorization,	indicates my agreem	ent to all the above terms.
My check is enclosed.			
Please bill my VISA / MASTE	RCARD		
Card number		Expiration	
Signature		Date	
Print/type full name	Title		
Company	Phone		
Address			
City	State		Zip

Copyright © 1985 by Modula Corporation. IBM™ 3BM Corp., Apple™ Apple Computer Inc., MS™ Microsoft., Advertising by The Rick Bennett Agency, 408/258-2708.

Inquiry 50





Macintosh meets Epson.

For under \$130, HanZon can enhance any Epson printer to Apple[®] standards. The HanZon Universal Interface Card plugs into your Epson MX, FX or RX. This combination delivers total compatibility with any software—even MacPaint[™] and AppleWorks that you run on the Macintosh[™] or Apple IIc. Ask your Epson dealer or call (206) 487-1717.



18732 142nd Ave. N.E., Woodinville, WA 98072

Apple and MacPaint are trademarks of Apple Computer, Inc. Macintosh is a trademark licensed to Apple Computer, Inc.

BOOK REVIEWS

standard because they have been involved in its design and review for several years.

The history of computer graphics has been one of fragmentation and separation. The subject is broad, covering areas including computer-aided design (CAD), business graphics, mapping, video games, and more. Each area had its own preferred hardware for displaying pictures. CAD applications used vector-refresh devices, while business graphics used storage tubes and pen plotters. The introduction of raster devices led to even more diversity. Software was tailored to take advantage of the capabilities of a particular device. As well as being device-dependent, computer-graphics software was also application- and system-dependent. There was little relation between the software used to design circuits and the software used to draw histograms. This situation meant that graphics programs were useful only for the application, operating system, and device for which they were specifically designed.


As graphics devices became less expensive, more people discovered computer graphics. The advantages of being able to display data as pictures are obvious. Once the prohibitive cost was removed, computer-graphics users proliferated. These new users of computer graphics were not interested in designing whole new systems—they were interested in using computers to draw pictures.

At this point, the field was ripe for a standard. The development of this standard began in the mid 1970s, with many organizations participating. In the United States, standardization was initiated in 1974 by the Association for Computing Machinery's Graphics Standards Planning Committee, part of the special-interest group on computer graphics. This work was taken over by ANSI (American National Standards Institute) committee X3H3, one of the major contributors to the review of GKS. The work of all the committees in various countries was consolidated under the auspices of the International Standards Organization (ISO) and eventually led to the development of GKS. The authors estimate that there were 50 man-years of effort devoted to the development of the graphics standard.

Computer Graphics Programming has something for everyone. The novice to computer graphics will find the definitions of graphical terms and concepts very valuable. Experienced graphics users and experts will find the book the best help available for understanding GKS. Applications programmers who plan to use an implementation of GKS will probably use this text daily as a reference. Implementors of GKS will find the sections on device and language interfaces and implementation styles invaluable. Students and teachers on either the undergraduate or graduate level can use *Computer Graphics Programming* as a text or reference for a course in computer graphics.

WELL ORGANIZED

The authors have organized this book very well. Section I contains an overview of the standard's general concepts (continued)




The first 3-in-One printer with a good head for graphics. The Toshiba P1351.

The Toshiba P1351 is the ultimate 3-in-One printer. Other printers try to approach our level of graphics sophistication. Other dot matrix printers can come close to us on speed. And there are even a couple of printers with a 24-pin dot matrix print head similar to ours. But our combination of graphics, speed and letter quality makes the Toshiba P1351 stand alone.

Intelligence with an eye for detail. The Toshiba P1351 comes with one of the most advanced print heads in the industry. A unique high-density 24-pin dot matrix print head that produces amazingly sharp 180 x 180 dot-persquare inch, fully dot-addressable graphics. So you get unbeatable high-resolution charts, graphs and illustrations no one can duplicate. And it's supported on popular graphics software like Lotus 1-2-3.[™]

Intelligence that's unlimited. The Toshiba P1351 does more than give you access to three resident typefaces for word processing.

It also gives you the ability to download an unlimited variety from a growing library of IBM-compatible software typefaces. They're all stored on floppy disk. And you get programming access to five typefaces at any time.



In Touch with Tomorrow


Intelligence that's letter-perfect. Our unique print head gives you letter-quality results from any typeface you choose. And with Qume SPRINT 5[™] emulation, the Toshiba P1351 can give you those results from almost every popular word processing program. Of course, it's fully IBM-compatible. And there's even an optional forms tractor or sheet feeder for paper handling versatility.

Intelligence and speed. You won't have to sacrifice speed for letter-quality printing. Because the Toshiba P1351 gives you the best of both. Sharp, clean letter copy at 100 cps. And even faster draft copy at 192 cps.

Intelligent and dependable. The Toshiba P1351 3-in-One[™] printer is also engineered and built with a very intelligent attitude toward dependability. And optional third party 24-hour service is also available. That's why, over the past four years, more than 200,000 intelligent buyers have depended on Toshiba 24-pin printers.

So make the intelligent move. To the Toshiba P1351, the first 3-in-One printer with a good head for graphics. And everything else. For more information, call 1-800-457-7777, Operator 32.

> Lotus and 1-2-3 are trademarks of Lotus Development Corporation. SPRINT 5 is a trademark of Qume Corporation.



Micros. Mice.


When you can't stop by your local Micro Mart Store, call us direct. **ORDERS ONLY**

00-241-8149

At Micro Mart, we've got our finger on the pulse of the microcomputer industry. And, from our retail stores to our telemarketing divisions, we're in touch with the very latest developments, the newest products and the cutting edge of expert advice.

When you need the right product at the right price, remember the sales, service and support our local store experts and national distribution center can give you.

So if you can't drop by your local Micro Mart Store, let us point you in the right direction. Ask for your best price and expert advice.



LEADING EDGE Color PC, 256K, 2-360K \$1995 DS/DD Disk Drives, Amdek Color 600. MINDSET Personal Computer, 256K, 2-360K DS/DD Disk Drives, W/Mindset Mouse.__\$1795

introductory price.

Networking/Protocol Conversion

SNA & BISYNC 3780, 5251, 3274, 3278 PCTURBO 186 by ORCHID, 80186 coprocessor board. \$829 IRMA/IRMALINE Replaces 3278's

\$899/\$1099 w/PC's. FORTEGRAPH for IRMA, upgrades IRMA to 3278 graphics capability.

IRMAPRINT Enhances IRMA graphics. PCnet By ORCHID, complete line.__Start @ \$299 BLUE LYNX 5251 Mod 12 & 3276 Emulators by TECHLAND

SANTACLARA PC Terminal. **Printers & Plotters**

Thousands in stock

HOUSTON INSTRUMENTS Plotters and Digitizers.

EPSON FX80/100. EPSON RX80/100. EPSON LQ1500._ EPSON JX80, color printer. OKIDATA 92 & 93, ML84,

Dot Matrix

(200 cps.), w/opt. IBM PROMS, Pacemark 2410, (350 cps). \$1295/\$799

TOSHIBA P-1351 & 1340.

PRISM 8050 Color, 132 col., 200 \$1295 cps. STAR MICRONICS

DATAPRODUCTS

Complete line. **TEXAS INSTRUMENTS**

\$729 855 NEC Pinwriters, P2 & P3, 180

DIABLO C-Series C-150. Color ink jet, IBM color compatible. \$985 Letter Quality

NEC Spinwriters 2050, 3550, 8850. DIABLO 630/630ECS.__\$1395/\$1795 C-ITOH Starwriter, (40 cps), Printmaster, \$950/\$1299 (55 cps).

We carry a full range of form handling options. Floppy Disk Drives

TANDON TM 100-2, DD/DS, 360K \$185 1/2 HEIGHT DISK DRIVES From SHUGART, TEAC. PC, XT & AT compatible._ \$119 Hard Discs

Micro Mart carries all the major brands.

If you don't see it -ask for it. **PÉACHTREE PERIPHERALS** P-10, 20 & 50, auto boot, int. & _Start @ \$845 SYSGEN 10 & 20 Meg w/streamer tape.,\$2395/\$2795 SYSGEN Image & Quickfile, streamer tape back-up for your IBM XT & AT. BERNOULLI **TECHNOLOGY** Hard Disc Subsystems. \$2895 MAYNARD Complete

line of hard disc subsystems EMERALD Hard disc drives w/back-up. Chips

INTEL 8087 High speed \$169 CODFOC 64K RAMCHIPS.

\$35/64K 256K RAMCHIPS. **Multifunction Boards**

We have a complete line of multifunction bds. compatible with the Portable, AT, XT, & Jr SIX PAK 64-384K, multifunc. MEGAPLUS 64-512K, max. 8 func. I/O PLUS Ser., Clk., Splr., Ramdisk, opt. 2nd Ser., Par. & Game. QUADRAM QUADBOARD, 64-384K, multifunc. \$250 TECMAR CAPTAIN, 64-384K, multifunc._\$249 TALLTREE J-RAMII, 0-512K, w/software. TALLTREE J-RAM IIX, 0-512K, \$129 w/software MICROLOG BABY BLUE II, 64-256K, Z80 coproc., + software. ORCHID PC Blossom, 64-384K, w/opt. PCnet

\$259 Piggy-Back.

MAYNARD Complete line.

Graphic Cards

STB Graphics Plus II, color & mono, w/par. port & software. \$369 HERCULES Mono & color graphics cards support

Lotus. PLANTRONICS ColorPlus +, HiRes color bd.,

par. port w/software.______ TECMAR Graphics Master, HiRes color & mono

\$459 supports Lotus. QUADRAM QUADCOLOR I & II, color cards._ PARADISE SYSTEM Multi-display or Modular Graphics Cards, color & mono, par. Starting @ \$299 port.

Software

Accounting SORCIM/IUS Complete line including windows. BPI ACCOUNTING Complete line. Spreadsheets & Integrated Packages ASHTON-TATE Framework._ \$345 LOTUS Symphony and Lotus. MICROSOFT MultiPlan, w/templates.__ MDBS Knowledge Man. SORCIM SuperCalc 3, Vers. 2.0 SPI Open Access. Enhancements & Utilities

SOFTCRAFT Fancy Font. FOX & GELLER Complete line of enhancements for dBase II, 111 & Rbase 4000. NORTON Utilities. \$65 **ROSESOFT** ProKey \$89 3.0._

Atlanta, New Orleans, Nashville, Miami, Tampa, Orlando

VICP. Price.

CENTRAL POINT SOFTWARE Copy II PC. \$35 \$55 **ATI** Training SOFTSTYLE Set FX + and Printworks. Printer control packages SIDEWAYS Inverts printout. \$45 **BORLAND** Sidekick \$39 LIVING VIDEO TEXT Think Tank **Compilers & Language Tools** LATTICE C-Compilers. \$299 MICROSOFT Complete line. WORDTECH The dBase compiler. DIGITAL RESEARCH Complete line. BORLAND Turbo Pascal, Turbo Toolbox \$39/each and more. **Graphics & CAD** Zsoft PC Paint Brush, mouse driven graphics._\$95 DECISION RESOURCES ChartMaster/Sign-Master pkgs. AUTODESK AutoCAD. Complete line.

ENERTRONICS Energraphics, graphics & CAD package

MICROPRO ChartStar.

Microsoft Mouse. Bus or serial mechanical mouse, comes with Mouse
Menu software. Works with WORD and other popular software\$159
PC Mouse, from Mouse Systems, Serial
optical 3-button mouse with Pop-Up TM Menus and PC Paint software.
Preconfigured for all the most popular
software\$159
MICROSOFT Chart.
DIGITAL RESEARCH Presentation Master.
Communications
MICROSTUF CROSSTALK XVI\$9
HAYES SMARTCOM II
Word Processors
MULTIMATE w/Spelling checker & tutorial.\$25
SAMNA III, wd. processor MICROSOFT Word, w/or w/out mouse
LIFETREE Volkswriter Deluxe.
MICROPRO WordStar Pro Pack &
Series2000.
SSI WordPerfect.
WORDMARC Wordmarc.
Office & Project Planning
Call for our Tax and Tax Planning packages.
HARVARD Harvard Project Manager. \$24
IUS Easy Sales Pro.

S Easy Sales Pro. MICROSOFT Project. **Data Base Managers** MICRORIM 4000 or 6000, Report Writer & Clout

options

GMS SYSTEMS Power-base. WARNER SOFTWARE The desk organizer. ASHTON-TATE dBase II & III. MICROSTUF Infoscope.

Modems

HAYES Smartmodem 300, 1200, &

1200B. RIXON 1200-4800 BAUD sync. & async. models ._

ANCHOR AUTOMATION Signalman Mark \$259 XII.

VEN-TEL 1200 BAUD Half Card for the IBM Portable & XT.

POPCOM Popcom, int. and ext. w/voice & data comm.

Miscellaneous Hardware

& Accessories

DYSAN Diskettes, PC, XT & AT compatible. MICRO MART Diskettes DS/DD, 7 yr. war.___\$19/10 KEYTRONICS 5150 & 5151. \$19/10

Keyboards. LQ SHEET FEEDERS Sheet feeders **CURTIS** Accessories. HAYES Mach II & Mach III joysticks. PENCEPT Penpad, software avail.

TOUCHSTONE TECHNOLOGY Touchstone I. Ten key pad w/ cursor control

QUADRAM MICROFAZER, print buffer, 8-128K

TRIPPELITE Back up power supply 200-1000 watts, and *ISOBAR* surge protectors, 4 & 8 plug.

Monitors & CRT's

PGS MAX 12, amber, 720h x 350v. PGS SR-12, 690h x 480v, w/dual scan cd. PGS HX-12, 690 Dot RGB._____ QUADRAM QUADCHROME, 690 Dot

RGB AMDEK COLOR 300, 500, 600, 700, 710, 725, new complete line of HiRes RGB's w/new low prices

AMDEK 300A/300G, composite monitors

AMDEK 310A, amber w/3 yr. war. WYSE Terminals, 100, 75, 50, entire line in stock ._



Micro Mart has financing options available. Ask for a Micro Mart **Blue Chip Credit Card application** today.



*On-Site—We have hundreds of service locations nationally. -Our National Service Center is *Depotone of the fastest in the US. *We have—A wide variety of services available. Just call us.

© Copyright Micro Mart 1984. **Technology Corporate Campus 3159 Campus Drive** Norcross, Georgia 30071

For information or the store location nearest you, call \$775 0 \$439 \$139/\$129 E) D. MARTIN

America's PC Specialist.


1BM is a registered trademark of International Business Machines Corporation. AT&T, Leading Edge, Mindset, Microsoft, Mouse Systems and their products, respectively, are trademarks of AT&T Information Systems, Leading Edge Products Inc., Mindset Corporation, Microsoft Corporation and Mouse Systems Corporation. All Prices are subject to change without notice.

Ft. Lauderdale, Louisville, Tyson's Corner, Rockville, Pittsburgh. FEBRUARY 1985 . BYTE 73

Wordstar Propak

Knowledgeman

Flt simulator



390

299

37

WE SHIP OVERSEAS TEL: (415) 340-1006 851 Burlway Road *303 Burlingame, CA 94010 U.S.A. Telex: 470477 Mons

AST 6 pack Plus 64K \$ AST Megapack 256K	395
64K (9 set) Chips	44
Hercules	
Monochrome	370
Tallgrass 12 to 70 MB	
PCnet Blossom 64K	
Modem 300/1200/1	
Hayes \$199, \$499, \$	425
USI Monitors Green/	100
Amb	130

Juki 6100
Epson Fx 100 690
Okidata 92 399
NEC 3550 1625
Qume Pro 20 599
We also carry Hundreds

of Other Products at Discounts

TERMS: Prices reflect 3% Cash Prepaid Discount on Cashier's Check, MO, Bank Transfer. California residents add sales tax. All prices subject to change. Shipping UPS surface minimum \$4.00 within USA continent. Monday thru Friday 9 a.m. to 5:30 p.m. We ship overseas,



BOOK REVIEWS

and vocabulary. The precise and clear definitions of graphical terms and concepts presented in this section should go a long way toward clarifying the vocabulary we need to talk about computer graphics. These basic terms and concepts form the basis of the more formal description of GKS found later in the book. Included in this section are chapters on the principles and goals used in the design of GKS and the interfaces to GKS. Since GKS is designed to be device- and system-independent, it must be interfaced on one side to a specific language and on the other to the graphical hardware. Chapter 6 is especially useful because here the authors provide concise definitions of all the main ideas used in GKS. These definitions are followed by chapters that supply additional detail and amplification about each concept.

The second section describes the process of the development of the GKS standard. The authors sketch briefly the history of computer graphics and the events that led up to the final GKS document. The most interesting part of this section is chapter 3, which presents some of the issues the developers of GKS had to resolve. Arguments pro and con on each issue and the ultimate decision of the committee are discussed.

Section III, the largest part of the book, is a detailed description of the functional capabilities of GKS. Enderle, Kansy, and Pfaff explain all the functions and data structures relevant to GKS.

The definitions of the functions are presented in two parts. First is the language-independent version, taken directly from the GKS standard document. Next is the FORTRAN definition. Following the function definitions are examples of programs or program fragments using GKS. The examples are presented in both Pascal and FORTRAN and very clearly show typical uses of GKS by applications programmers. The book also includes some exercises intended to help students and teachers.

Section IV will be most useful to the implementors of GKS, those people who will write the subroutine package that makes GKS available to applications programmers. This section covers methods of implementation, implementation styles, interfaces to devices, and interfaces to specific languages. A mapping of the abstract data structures of GKS to FORTRAN data structures is included. Other topics in this section are graphics metafiles, validation of GKS implementations, and three-dimensional extensions to GKS.

EVALUATION

This book clarifies an area that is often confusing and obscure. Terms and concepts are excellently presented. Anyone seriously involved in the use of GKS will find this book invaluable.

More pictures and illustrations should have been included. A book on computer graphics needs lots of pictures. The second problem is minor. The use of the English language seems awkward at times.



What C did for Programming Mark Williams has done for C Programming

The C Programming System from Mark Williams

MWC86 gets your C programs running faster and uses less memory space than any other compiler on the market. Then *csd*, Mark Williams' revolutionary C Source Debugger, helps you debug faster. That's The C Programming System from Mark Williams Company.

MWC86

MWC86 is the most highly optimized C compiler available anywhere for the DOS and 8086 environment. The benchmarks prove it! They show MWC86 is unmatched in speed and code density.

MWC86 supports large and small models of compilation, the 8087 math coprocessor and DOS 2.0 pathnames. The compiler features common code elimination, peephole optimization and register variables. It includes the most complete libraries. Unlike its competition, MWC86 supports the full C language including recent extensions such as the Berkeley structure rules, voids, enumerated data types, UNIX* I/O calls and structure assignments.

Quality is why Intel, DEC and Wang chose to distribute MWC86. These industry leaders looked and compared and found Mark Williams to be best.

User Friendly

MWC86 is the easiest to use of all compilers. One command runs all phases from pre-processor to assembler and linker. MWC86 eliminates the need to search for error messages in the back of a manual. All error messages appear on the screen in English.


A recent review of MWC86 in *PC World*, June, 1984, summed it up:

"Of all the compilers reviewed, MWC86 would be my first choice for product development. It compiles quickly, produces superior error messages, and generates quick, compact object code. The library is small and fast and closely follows the industry standard for C libraries."

csd C Source Debugger

Mark Williams was not content to write the best C compiler on the market. To advance the state of the art in software development, Mark Williams wrote *csd*.

csd C Source Debugger serves as a microscope on the program. Any C expression can be entered and evaluated. With csd a programmer can set tracepoints on variables and expressions with full history capability and can single step a program to find bugs. The debugger does not affect either code size or execution time. csd features online help instructions; the ability to walk through the stack; the debugging of graphics programs without disturb-



ing the program under test; and evaluation, source, program and history windows.

csd eases the most difficult part of development — debugging. Because csd debugs in C, not assembler, a programmer no longer has to rely on oldfashioned assembler tools, but can work as if using a C interpreter — in real time.

The C Programming System from Mark Williams now supports the following libraries:

ibrary	Company
Vindows for C	Creative Solutions
lalo	Media Cybernetics
НАСТ	PHACT Associates
he Greenleaf Functions	Greenleaf Software
strieve	SoftCraft

The C Programming System from Mark Williams

The C Programming System from Mark Williams delivers not only the best C compiler for the 8086 but also the only C source level debugger. That's why it does for C programming what C did for programming. The Mark Williams C Programming System gives the programmer the MWC86 C compiler and the *csd* C Source Debugger for only \$495. Order today by calling 1-800-MWC-1700. Major credit cards accepted.

Technical support for The Mark Williams C Programming System is provided free of charge by the team that developed it.



Mark Williams Company 1430 W. Wrightwood Ave. Chicago, IL 60614

BOOK REVIEWS

Powerful Single Board Computer Includes CP/M Plus[™] on Disk



780 CPU

280 CPU MSC-ICO uses the most popular microprocessor, the MSC-ICO uses the most popular microprocessor, the MSC as its main CPU MSC ICO runs at AMP2 without any wais states. The whole system is incorporated into a high quality four layer Cb cade measuring any ISSmi X250mm (IC' x 61 The system requires only 12 Amps at < 5 Voits and Cl Amps at 21 Voits Banked CPM Plus Included on dix with all manuels CPM Plus Included on dix with all manuels CPM Plus Included on dix with all manuels CPM Plus Statem points and RMAC macro assemblers and the UMK480 bader. MSC ICOS custom BICS provides support for multiple disk formats and GA device control. System specific software for disk control device control of the S0. Control device control of the S0. Control device control device control disk Control device control disk control device control disk C0. Control device control disk C0. Control device control d

Internal Floppy Disk Controller MSC-ICO handles Shugart/ANSI standard floppy disk drues in a variety of sizes and formats

Variety of sizes and forma • 8" SSSD, 243Kb • 8" DSDD, 1.2Mb • 5-1/4" DSDD, 320Kb • 5-1/4" DSDD, 800Kb • 5-1/4" QHD, 1.2Mb

• 5-114" CHID, 12/MI Up to Tourt drives of any density or size can be con-nected to MSC CO Buch 514 and 8 inch connectos are on board to make cisa driver connections exist DSC-CO contains and 80.24 all the memory mapped CHT controller. Video output is composite or separate for controller. Video output is composite or separate line, reverse video, and semigraphics are supported cursor escape enziences are in extension of DECs. VT52 and can be easily reprogrammed to emulate most sandard termosti. standard terminals

CP/M Plus¹⁴ of Elignat Research mic

\$599



Two IS232C Ports MSC-ICO communicates with printers, moderns, plot-ters, and other standard RS232C devices through its was Menal ports. These ports are independently pro-grammable for baud rates, stop bis, data format and parity Synchronous communication on Port A is jumper selectable.

jumper selectable. Centronics Parallel Port A standard Centronics parallel port allows MSC-ICO to communicate with printers and other parallel devices.

Parallel Keyboard Port MSCICO connects to any ASCII parallel keyboard of positive or negative polarity with a negative strobe. A type-ahead buffer and programmable function keys are provided by MSCICO's custom BIOS

Drovided by MK-KC3 custom BICS 10 Bit TTL 10 Port This pon allows you to access printers, relays, LED's, DAC's, ADC's, switches, EPRCM programmers and many other devices. Clock Catendar The battery backed up tools calendar provides time and date information to CPMI of file stamping. The clock can also be accessed from applications programs. External Bits

An inspectations programs. External Bus MSC-ICO s 50 pin bus connector provides expansion for a hard disk controller, RAM disk, graphics or a 68000 system. Please call or write for more information on these options.

these options. MSC-ICO Saves Time and Noney. With MSC-ICOS low cost and quality worksmarship. why spent time, energy and money to design, debug and test your own system Whether you require single units or large volume quantities we can meet your needs Order your evaluation unit today!

nuithern Pacific Limited 3-18 Tsurmichuo Tsurumi, Yokohama, JAPAN 230 .045-501-8842, Telex: 3822320 SPACIF J tribula: OFT, Inc. ix 41436, Tucson, Arizona 85719 & (602)327-430



Dept. 164921

It's too early to tell what effect GKS will have on the computer-graphics industry. It will be interesting to see how GKS stands up in light of recent developments. Whatever the future of GKS, it is a very important development now, and Computer Graphics Programming is indispensable to anyone wishing to understand and use GKS.

Judith L. Maggiore programmed graphics for three years prior to teaching computer science classes and computer-graphics seminars at Keene State College (Mathematics Dept., Keene, NH 03431).

DATA STRUCTURES AND PROGRAM DESIGN Reviewed by Edward Brent

he boundary between writing programs that merely get by and designing programs that perform complex tasks efficiently is one that many programmers never cross. Yet it is a boundary that is fundamental to the development of programming as a discipline. People who program by the seat of their pants and hold their programs together with the electronic equivalent of spit and baling wire must give way to trained programmers who develop finely crafted, efficient, and maintainable programming solutions to difficult problems. The selection and design of appropriate data structures and algorithms is a crucial element of professional-quality programming. The central role of data structures in professional programming is insightfully examined by Robert L. Kruse in Data Structures and Program Design.

AUDIENCE

In the preface Kruse indicates this book includes all the topics of specific courses recommended and offered by ACM (Association for Computing Machinery) Curriculum '78. The prerequisite for the book is a first course in programming, or equivalent experience, and elementary experience with Pascal.

I find the book suitable for a second course in computer programming. However, it could also be of value to programmers not enrolled in a computer science course but interested in upgrading their programming skills.

But the issues of selecting appropriate data structures should not be relegated to a second course on computing. Because the selection of data structures is such an important aspect of quality programming, it should not be left for more advanced books.

Kruse consistently highlights the distinction between abstract structures and their implementations. He begins by addressing the programming principles of top-down refinement, program design, and review and testing; he illustrates these principles with extended examples.

In chapters 2 and 5, Kruse discusses the more important structures: stacks, queues, and other lists in both contiguous and linked representations and binary trees. He (continued)



IBM SYSTEM SPECIALS	
256K, 2 Drives	SCall
256K, 2 Drives, color graphics, printer	
adaptor & PGS HX-12 monitor	\$2499
256K, 1 Drive & 10 MB Hard Disk	\$2459
TWO USER SYSTEM (incl. 10 MB, Advanced	
Digital PC Bd & Terminal)	\$3859
COLUMBIA	
MPC 4220 (256K, 2 Orives)	SCall
PROFESSIONAL (10 MB, w/tape backup)	SCall
VP 2220 (Portable w/256K)	SCall
COMPUPRO 10 (10 MB, Multi-user)	SCall

CORONA PC-22 (256K, 2 Drives) Portable PC-22 (256K, MS-DDS 2.0)	SCall SCall
FUJITSU MICRO 16s (8086/Z80A) MORROW DESIGNS Pivot, MD2, MD3,	\$1995
MD5, MD11	\$Call
PC-8801A (Z80A, 64K, 2 Drives, 12" Monitor,	
WordStar, MailMerge, Multiplan, NBASIC).	S1149
APC-III Specials w/ printer & Software	
SANYO	0.001
MBC 550-2 (8088, 128K, 1 DSDD Drive (320K).
WordStar, CalcStar, EasyWriter)	SCall
MBC 555-2 (550-2 Plus 1 Add, Drive,	
Mailmerge, Spellstar & Infostar)	\$Call
SEEQUA Chameleon/Plus (8088/Z80)	\$Call
SWP Micro Computer Products	
Co-Power-88 Board (8088 w/ 256K, 1 MB)	
For KAYPRO 2, 4 & 10	\$Call
TELEVIDED	C.C.all
1605 (8088, 128K, 2 Drives, DOS 2.0) TPC-II (Portable Version of Above)	SCall
ZENITH Z-151-52 (8088, 2 Dr. 320K RAM)	
	SCall
Lit is of (i bi, is ind fidio biak)	

FOR IBM PC/XT/AT & COMPAQ

ADVANCED DIGITAL Multi User Bd (8086) AST RESEARCH INC.	\$Call
ADVANTAGE!! (Multi Ftn Bd for AT)	SCall
MEGA PLUS II (64K, Ser & Clk)	
SIX PACK PLUS (64K, Ser/Par, Clk)	
MONO GRAPH PLUS Card	
QUADRAM	
EXPANDED DUADBOARD (S. P. Clock, Game)	
64K \$259 384K	S429
QUAD 512+ (Serial Port, Maximum 512K)	
64K \$229 256K	\$349
QUADCOLOR I (Video Board)	\$199
HERCULES Graphics Board (720x384)	\$339
Color Card (RGB, Composite, Parallel)	
INTEL 8087/80287 Math Co-Processor	
KEYTRONIC Deluxe IBM Keyboard (5151).	
MA SYSTEMS PC Peacock (RGB & Composite	
Parallel Port)	\$209
MICROLOG Baby Blue II (Z80B, 64K, Parallel &	
Serial Ports, Clock/Calendar).	\$529
ORCHIO PC Turbo (80186 CPU, 8 MHz)	
PANASONIC JA 551-2 (DSDD Thinline Drive)	
PARADISE SYSTEMS Multi-Display Card	\$299
Modular Graphics Card	
Module A/B.	
PLANTRONICS ColorPlus	
STB SYSTEMS Graphix Plus II	
Super Rio w/64K	
TANDON TM 100-2 (OSDD Disk Drive)	\$179
TEAC FD-55B (DSDD Thinline Drive)	
TECMAR Graphics Master (640x400 RGB)	
The Captain (w/ DK)	
1st Mate (w/ DK)	
TSENG LABS Ultra Pak	
131110 LADS UNIG FOR	0403

HARD DISK

APPLE MACINTOSH HARD DISKS NOW AVAI CORVUS, DAVONG & TECMAR CALL FOR F	
AMPEX 20 MB W/25 MB Tape Back-Up EVEREX 10 MB Internal for IBM MITAC 10 MB Internal for IBM CORVUS	\$795
Dmnidrlve (11 MB) Transporter \$399 The Bank OATAMAC Trustor 10	



DAVONG

DATURU	
Universal External: 10/21 MB \$1875	/\$2595
IOMEGA Bernoulli Box/Bernoulli Plus.	SCall
MAYNARD ELECTRONICS 10/20/30 MB	SCall
	0000
10 MB Internal For 18M	
23 MB External (w/ Controller)	SCall
10/20 MB w/Tape Back-Up \$2295	/\$2849
Image/Qic-File. \$799	
TALLGRASS	
12 MB External w/20 MB Tape Back-Up	\$2399
20 MB External w/ 20 MB Tape Back-Up	\$2499
TECMAR	
Remov. Cartridge Winchester in PC (5 MB)	\$1569
10 MB w/ 5 MB Cartridge in Chassis XCOMP 16 MB External (For IBM, Apple,	\$3119
Kaypro & Morrow Designs).	\$1749
DOT MATRIX PRINTERS	

C-ITOH Prowriter	1 8510 AP		\$329
DATA PRODUCTS	All Models	5	\$Call
EPSON JX-80: Co	for Printer		\$585
LQ-1500	\$1109	RX-100	\$Call
RX-80/80 F/T	\$Call	FX-80/100	\$Call
	Million		

8 MANNESMANN TALLY MT 1602

	Opinitoe
	MPI Sprinter/SX (Portable, 300 cps) \$Call
	NEC
	P2 Pinwriter (180 CPS, 10" Carriage)
	P3 Pinwriter (180 CPS, 15" Carriage)
	OKIDATA
	Ask for NEW Apple Imagewriter Compatible
	ML 92 SCall ML 93 SCall
	ML 84(P) SCall Pacemark SCall
	PANASONIC KX-P1091/1093
	STAR MICRONICS
	Gemini 10X \$249 Gemini 15X \$349
	Delta 15 \$459 Radix 10 \$489
ļ	TEXAS INSTRUMENTS
	850 RO \$489 855 RO \$759
	TOSHIBA
	P1340 SCall P1351 \$1289
	LETTER QUALITY PRINTERS
	ABATI LO-20 (18 CPS, 15" Carriage) \$359
	AMDEK 5040 (40 CPS) \$1299 BROTHER/DYNAX
	HR-15 XL (20 cps. Diablo Compat.)
	HR-25/HR-35 \$619/\$869 CORDNA Laser Printer faster than HP \$2699
	DIABLO 620 APL
	JUKI 6100 (17 CPS, Diablo Compat.) SCall
	6300 (40 CPS, Diablo Compat., 3K Buf.) SCall
	NEC
	2030 \$659 3510 \$1269
	3550 \$Call 8850 \$1879
	3550 \$Call 8850 \$1879 OLYMPIA Compact RO/2 \$349/\$419
	3550 \$Call 8850 \$1879 OLYMPIA Compact RO/2 \$349/\$419 QUADRAM Quadjet (Ink Jet Printer) \$759
	3550 \$Call 8850 \$1879 OLYMPIA Compact RO/2 \$349\$419 \$349\$419 \$349\$419 QUADRAM Quadjet (Ink Jet Printer) \$759 \$759 QUME Sprint 1140/1155 \$1299/\$1479
	3550 \$Call 8850 \$1879 OLYMPIA Compact RO/2 \$349/\$419 OLADRAM Quadjet (Ink Jet Printer) \$759 OUME Sprint 1140/1155 \$1299/\$1479 Letteror 20 \$Call
	3550 \$Call 8850 \$1879 OLYMPIA Compact RO/2 \$349/\$419 OUADRAM Quadjet (Ink Jet Printer) \$759 OUME Sprint 1140/1155 \$1299/\$1479 Letterpro 20 \$Call SILVER-REED EXP 500 (parallel or serial) \$369
	3550 \$Call 8850 \$1879 OLYMPIA Compact RO/2 \$349/\$419 OUADRAM Quadjet (Ink Jet Printer) \$759 OUME Sprint 1140/1155 \$1299/\$1479 Letterpro 20 \$Call SILVER-REED EXP 500 (parallel or serial) \$369
	3550 \$Call 8850 \$1879 OLYMPIA Compact RO/2 \$349\$\$419 \$349\$\$\$419 \$040\$\$\$419 \$040\$\$\$419 QUADRAM Quadjet (Ink Jet Printer) \$759 \$759 \$019\$\$\$\$4179 DUME Sprint 1140/1155 \$1299'\$\$\$1479 \$Call \$369\$\$\$\$\$ JUME Sprint 1140/1155 \$1299'\$
	3550 \$Call 8850 \$1879 OLYMPIA Compact RO/2 \$349/\$419 OUADRAM Quadjet (Ink Jet Printer) \$759 OUME Sprint 1140/1155 \$1299/\$1479 Letterpro 20 \$Call SILVER-REED EXP 500 (parallel or serial) \$369

PLOTTERS

NEW !! POLAR	DID PALET	TE!!	\$Call
AMDEK DXY-10	IO/Amplot I		\$599/\$749
ENTER COMPU			
Sweet-P	\$Call	Six Shooter.	\$799
HOUSTON INST	RUMENTS		
PC-595/PC-695	New!!.		SCall
DMP-40-2	\$749	DMP-29	\$1799
DMP-41/42	\$2349	DMP-51/52	\$3529
DT-11 Digitizer (1-Button C	ursor)	\$679
DT-114 Digitizer (4-Button Cursor)			
PANASONIC VP			
ROLAND DXY-10	1/800/880		\$Call
STROBE Model	200/Mode	el 260	\$519/\$729

AMDEK					
Video 300/300A/310	A			\$1	35/145/165
Color 300	\$259	Color	500		\$389
Color 600	\$459	Color	700		\$529
DYNAX Fortis FC1	0 (13" R	GB)			SCall
MONITECH 12" G	een/Am	ber			. \$80
PRINCETON GRAI	PHICS H	X-12			\$469
SR-12 (690x480).					\$609
Max-12 (12" Ambe	er. TTL)				\$179
QUADRAM Quade					
Quadchrome II.					
ROLAND					
MB-1216	\$135	MB-1	22G .		\$155
CB-141	\$269	CC-1-	41		\$559



KG-12N. 210 (380x262). ZENITH ZVM-123A	\$109 \$259 \$85	KG-12N/UY 420 (640x262)	\$119 \$439 \$90
7		21101220	\$Call

TERMINALS

\$789

\$Call

ESPRIT Esprit I	SC	all	Es	;p	rit	0						\$479
Esprit III	SC	ali	ES	SP	-6	3	10					\$559
QUME 102/102A												\$489
103/108 (Green)									Ş	84	19/	\$519
TELEVIDEO 914/924												
950/970												\$Cal
Personal Terminal .												
w/ 300 Baud Mo	der	n .										\$528



		\$559/\$689/Call				
102/300			. \$Call			
WYSE						
WY-50	\$519	WY-75	\$609			
WY-100	\$Call	WY-300.	\$819			
ZENITH						
Z-29	\$649	Z-49	\$Call			
ZTX-10	\$329	ZTX-11	\$389			
COMMUNIC	ATIO	IS FOR IBM				

DCA Irma/Irmaline/IrmaKey	\$Call \$Call \$Call
ANCHOR S179 Mark XII Mark VI \$179 Mark XII HAYES Smartmodem 300/1200 \$199/3 Smartmodem 1200B w/SmartCom II \$199/3	SCall
PRENTICE POPCOM C100/X100 \$289/3 PRDMETHEUS Promodem 1200 QUADRAM Quadmodem. TRANSEND PC Modem Card 1200	\$329 \$299 \$Call \$Call \$419 \$439

SOFTWARE

ASHTON-TATE dBase III/Framework	Call
PRENTICE HALL VCN ExecuVision	SCall
REAL WORLD MBSI Accounting	Call
LOTUS 1-2-3/Symphony	Call
MICROPRO WordStar 2000/Pro pack	Call
MICRORIM R:Base 4000/Clout \$285/5	Call
MICROSOFT Multiplan	5129
SAMNA Word III.	\$375
SATELLITE SOFTWARE WordPerfect	Call
SOFTWARE PUBLISHING PFS: Write	\$97
CENTRAL POINT Copy II PC/PLUS	\$29

FOR APPLE II/IIe

FUR APPLE II/IIE	
APPLE Macintosh/lie SYSTEMS	SCall
ALS CP/M Card Smarterm II (80 Column Card)	\$129
Smarterm II (80 Column Card)	
AST RESEARCH INC. Multi I/D Card	Scan
DIGITAL RESEARCH CP/M Gold Card w/64K	
FOURTH DIMENSION 16K RAM Card	\$55
80 Column Card w/64K (Ile Only)	\$129
HAVES	
Micromodem IIe w/SmartCom I	\$239
Smartmodem 300/1200	
INTERACT. STRU. PKASO Universal.	\$125
MICROSOFT Premium Softcard (IIe)	
Softcard (Apple/Franklin).	
MICROTEK Dumpling-GX	\$69
NOVATION	
J-Cat (Auto Orig/Answer, 300 Baud)	\$99
Apple Cat II (300 Baud)	\$209
212 Apple Cat II (1200 Baud)	\$389
103/212 Smart Cat (1200 Baud).	
ORANGE MICRO Grappler +	\$109
Buffered Grappler + (16K)	
Grappier Interface for ImageWriter.	
PCPI Applicard 6 MHZ.	
RANA Elite I/II/III	
TRANSEND ASIO	\$125
Modemcard w/Source	\$239
Wodemcard #7300rce	0200
MISCELLANEOUS	
BAM CHIPS	
RAM CHIPS 64K SET SCall 256K SET	\$Call
RAM CHIPS 64K SET SCall 256K SET DOUBLE-SIDED DISKETTES	
RAM CHIPS 64K SET SCall 256K SET DOUBLE-SIDED DISKETTES	
RAM CHIPS 64K SET SCall 256K SET DOUBLE-SIDED DISKETTES	
RAM CHIPS 64K SET SCall 256K SET DOUBLE-SIDED DISKETTES	
RAM CHIPS 64K SET SCall 256K SET DUBLE-SIDED DISKETTES "SKC (10 box min)\$12"	
RAM CHIPS SCall 256K SET SCall 256K SET SCall SCall	
RAM CHIPS 64K SET SCall 256K SET 00UBLE-SIDED DISKETTES "SKC (10 box min)512" 3M	
RAM CHIPS SCall 256K SET SCall 256K SET SCall SCALL	\$31 \$30
RAM CHIPS 64K SET SCall DOUBLE-SIDED DISKETTES "SKC (10 box min)\$12" 3M \$30 Dysan Maxell \$30 PRINT BUFFERS QUADRAM Microfazer Parallel/Parallel 16K \$139 64K \$185	\$31 \$30
RAM CHIPS 64K SET SCall 256K SET DOUBLE-SIDED DISKETTES "SKC (10 box min)512" 3M S30 Dysan Maxell S30 Verbatim PRINT BUFFERS QUADRAM Microfazer Parailei/Parailei 16K S139 64KS185 128K Seriai/Seriai, Seriai/Pari/Pari/	\$31 \$30 \$239
RAM CHIPS 64K SET \$Call 256K SET DOUBLE-SIDED DISKETTES "SKC (10 box min)\$12" 3M \$32" 3M \$32" 3M	\$31 \$30 \$239 \$209
RAM CHIPS 64K SET SCall 256K SET DUBLE-SIDED DISKETTES "SKC (10 box min)\$12" 3M S30 Dysan Maxell S30 Verbatim PRINT BUFFERS QUADRAM Microlazer Parallel/Paraitel 16K S139 64K S185 128K Serial/Serial, Serial/Part, Part/Serial 8K S145 16K S155 64K NETARCTIVE STRUCT, ShuffleBuffles J2K State State State	\$31 \$30 \$239 \$209 \$269
RAM CHIPS 64K SET \$Call 256K SET DOUBLE-SIDED DISKETTES "SKC (10 box min)\$12" 3M \$30 Dysan Maxell \$30 Verbatim PRINT BUFFERS QUADRAM Microfazer Parallel/Parallel 16K \$139 64K \$185 128K Serial/Serial, Serial/Parl, Parl/Serial 8K \$145 16K \$155 64K INTERACTIVE STRUCT, ShuffleBuffer 32K PRACTICAL PERIPHERALS Microbuffer 32K	\$31 \$30 \$239 \$209 \$269
RAM CHIPS 64K SET \$Call 256K SET DOUBLE-SIDED DISKETTES "SKC (10 box min)\$12" 3M \$30 Dysan Maxell \$30 Verbatim PRINT BUFFERS QUADRAM Microfazer Parallel/Parallel 16K \$139 64K \$185 128K Serial/Serial, Serial/Parl, Parl/Serial 8K \$145 16K \$155 64K INTERACTIVE STRUCT, ShuffleBuffer 32K PRACTICAL PERIPHERALS Microbuffer 32K	\$31 \$30 \$239 \$209 \$269
RAM CHIPS 64K SET SCall 256K SET DOUBLE-SIDED DISKETTES "SKC (10 box min) \$12" 3M S30 Dysan Maxell \$30 Verbatim PRINT BUFFERS QUADRAM Microfazer Parallel/Parallel 16K \$139 64K \$185 128K Serial/Serial, Serial/Part, Part/Serial 8K \$145 16K \$155 64K INTERACTIVE STRUCT. ShuffleBuffer 32K. PRACTICAL PERIPHERALS Microbuffer 32K.	\$31 \$30 \$239 \$209 \$269 \$269 \$209
RAM CHIPS 64K SET SCall 256K SET DOUBLE-SIDED DISKETTES "SKC (10 box min) \$12" 3M S30 Dysan Maxell \$30 Verbatim PRINT BUFFERS QUADRAM Microfazer Parallel/Parallel 16K \$139 64K \$185 128K Serial/Serial, Serial/Part, Part/Serial 8K \$145 16K \$155 64K INTERACTIVE STRUCT. ShuffleBuffer 32K. PRACTICAL PERIPHERALS Microbuffer 32K.	\$31 \$30 \$239 \$209 \$269 \$269 \$209
RAM CHIPS 64K SET \$Call 256K SET DOUBLE-SIDED DISKETTES "SKC (10 box min)\$12" 3M \$30 Dysan Maxell \$30 Verbatim PRINT BUFFERS QUADRAM Microfazer Parallel/Parallel 16K \$139 64K \$185 128K Serial/Serial, Serial/Parl, Parl/Serial 8K \$145 16K \$155 64K INTERACTIVE STRUCT, ShuffleBuffer 32K PRACTICAL PERIPHERALS Microbuffer 32K	\$31 \$30 \$239 \$209 \$269 \$269 \$209
RAM CHIPS 64K SET SCall 256K SET DOUBLE-SIDED DISKETTES "SKC (10 box min) \$12" 3M S30 Dysan Maxell \$30 Verbatim PRINT BUFFERS QUADRAM Microtazer Parallel/Parallel 16K \$139 64K \$185 128K Serial/Serial, Serial/Parl, Parl/Serial 8K \$145 16K \$155 64K INTERACTIVE STRUCT. ShuffleBuffer 32K PRACTICAL PERIPHERALS Microbuffer 32K. INTERACTIVE STRUCT. ShuffleBuffer 32K PRACTICAL PERIPHERALS Microbuffer 32K.	\$31 \$30 \$239 \$209 \$269 \$269 \$209
RAM CHIPS 64K SET SCall 256K SET DOUBLE-SIDED DISKETTES "SKC (10 box min)512" 3M. S30 Dysan Maxell S30 Verbatim PRINT BUFFERS OUADRAM Microfazer Parailei/Parailei 16K S139 64K S185 128K Serai/Scala, Serial/Pari, Pari/Serial 8K. S145 16K S155 64K INTERACTIVE STRUCT, ShuffleBuffer 32K PRACTICAL PERIPHERALS Microbuffer 32K. PRACTICAL PERIPHERALS Microbuffer 32K. SURGE PROTECTORS	\$31 \$30 \$239 \$209 \$269 \$209 \$209
RAM CHIPS 64K SET SCall 256K SET DOUBLE-SIDED DISKETTES "SKC (10 box min)St2" 3M S30 Dysan Maxell S30 Verbatim PRINT BUFFERS OUADRAM Microfazer Parailei/Parailei 16K S139 64K S185 128K Seriai/Seriai, Seriai/Pari, Pari/Seriai 8K S145 16K S155 64K INTERACTIVE STRUCT. ShuftleBuffer 32K. PRACTICAL PERIPHERALS Microbuffer 32K. PRACTICAL PERIPHERALS Microbuffer 32K. SURGE PROTECTORS EPD/CURTIS All models.	\$31 \$30 \$239 \$209 \$269 \$209 \$209 \$209 \$209 \$209 \$209 \$209 \$20
RAM CHIPS 64K SET SCall 256K SET DOUBLE-SIDED DISKETTES "SKC (10 box min)\$12" 3M S30 Dysan Maxell S30 Verbatim PRINT BUFFERS QUADRAM Microfazer Parallel/Parallel 16K \$139 64K \$185 128K Serial/Serial, Serial/Part, Part/Serial 8K \$145 16K \$155 64K INTERACTIVE STRUCT. ShuffleBuffer 32K. PRACTICAL PERIPHERALS Microbuffer 32K. PRACTICAL PERIPHERALS Microbuffer 32K. SURGE PROTECTORS EPD/CURTIS All models. NETWORX Wire Tree/Vire Tree Plus \$4	\$31 \$30 \$239 \$209 \$269 \$209 \$209 \$209 \$209 \$209 \$209 \$209 \$20
RAM CHIPS 64K SET SCall 256K SET DOUBLE-SIDED DISKETTES "SKC (10 box min) 512" 3M. S30 Dysan Maxell S30 Verbatim PRINT BUFFERS OUADRAM Microfazer Parallel/Parailel 16K S139 64K S185 128K Serial/Serial, Serial/Parl, Parl/Serial 8K. S145 16K S155 64K INTERACTIVE STRUCT. ShuffleBuffer 32K PRACTICAL PERIPHERALS Microbuffer 32K. SURGE PROTECTORS EPD/CURTIS All models. NETWORX Wire Tree Plus S4 ULTIMA SF-600.	\$31 \$30 \$239 \$209 \$269 \$209 \$209 \$209 \$209 \$209 \$209 \$209 \$20
RAM CHIPS 64K SET SCall 256K SET 00UBLE-SIDED DISKETTES "SKC (10 box min) \$12" 3M S30 Dysan Maxell S30 Verbatim PRINT BUFFERS 0UADRAM Microfazer Parailei/Parailei 16K \$139 64K \$185 128K Seriai/Seriai, Seriai/Pari, Pari/Seriai 8K \$145 16K \$155 64K INTERACTIVE STRUCT. ShuftleBuffer 32K. PRACTICAL PERIPHERALS Microbuffer 32K. PRACTICAL PERIPHERALS Microbuffer 32K. SURGE PROTECTORS EPD/CURTIS All models. NETWORX Wire Tree/Wire Tree Plus S4 ULIMA SF-600.	\$31 \$30 \$239 \$269 \$209 \$209 \$209 \$209 \$209 \$209 \$209 \$20
RAM CHIPS 64K SET SCall 256K SET DOUBLE-SIDED DISKETTES "SKC (10 box min)512" 3M S30 Dysan Maxell S30 Verbatim PRINT BUFFERS QUADRAM Microfazer Parallel/Parallel 16K S139 64K S185 128K Serial/Serial, Serial/Parl, Parl/Serial 8K S145 16K S155 64K INTERACTIVE STRUCT. Shufflebuffer 32K. PRACTICAL PERIPHERALS Microbuffer 32K. PRACTICAL PERIPHERALS Microbuffer 32K. SURGE PROTECTORS EPD/CURTIS All models. NETWORX Wire Tree/Wire Tree Plus S4 ULTIMA SF-600. EMERGENCY POWER SYSTEMS Tripplite BC200-10 (battery incl).	\$31 \$30 \$239 \$209 \$269 \$209 \$209 \$209 \$209 \$209 \$209 \$209 \$20
RAM CHIPS 64K SET SCall 256K SET DOUBLE-SIDED DISKETTES "SKC (10 box min) \$12" 3M. \$30 Dysan Maxell \$30 Verbatim PRINT BUFFERS QUADRAM Microfazer Parallel/Parailel 16K \$139 64K \$185 128K Serial/Serial, Serial/Parl, Parl/Serial 8K. \$145 16K \$155 64K INTERACTIVE STRUCT. ShuffleBuffer 32K PRACTICAL PERIPHERALS Microbuffer 32K. SURGE PROTECTORS EPD/CURTIS All models. NETWORX Wire Tree Plus \$4 ULTIMA SF-600. EMERGENCY POWER SYSTEMS Tripplite BC425-FC (425 Watts).	\$31 \$30 \$239 \$209 \$269 \$209 \$209 \$209 \$209 \$209 \$209 \$209 \$20
RAM CHIPS 64K SET SCall 256K SET DOUBLE-SIDED DISKETTES "SKC (10 box min)512" 3M S30 Dysan Maxell S30 Verbatim PRINT BUFFERS QUADRAM Microfazer Parallel/Parallel 16K S139 64K S185 128K Serial/Serial, Serial/Parl, Parl/Serial 8K S145 16K S155 64K INTERACTIVE STRUCT. Shufflebuffer 32K. PRACTICAL PERIPHERALS Microbuffer 32K. PRACTICAL PERIPHERALS Microbuffer 32K. SURGE PROTECTORS EPD/CURTIS All models. NETWORX Wire Tree/Wire Tree Plus S4 ULTIMA SF-600. EMERGENCY POWER SYSTEMS Tripplite BC200-10 (battery incl).	\$31 \$30 \$239 \$209 \$269 \$209 \$209 \$209 \$209 \$209 \$209 \$209 \$20



150 Broadway, Suite 2212, N.Y., NY 10038

HOURS 9-8 EST/MON-SAT

mounts 948 ESIMMUN-SAT Money Order, Cashier's CL, Personal Ck (2 Weeks To Clear), APD Orders Add 6% (minimum S7), Add 3% For Net Terms, All Returned Non-Defective Merchandise Are Subject To 20% Restocking Charge Genlech Reserves the Right to Change Advertised Prices.





BOOK REVIEWS

covers more advanced applications of trees, including AVL (Adelson-Velskii and Landis) trees, contiguous representation of binary trees, lexicographic search trees, and external searching. There is no discussion of graphs.

Kruse examines algorithms for searching, looking up tables, accessing hash tables, and sorting. He presents an in-depth study of recursion. The author works out large, complex programs in detail, and he develops programs to index text and to evaluate mathematical expressions.

In the appendixes, Kruse discusses techniques from combinatorial mathematics for assessing algorithms analytically. He also covers methods for manually removing recursion and presents standard syntax diagrams and tables for Pascal.

PASCAL AND CLEAR EXAMPLES

Kruse illustrates principles using Pascal programs that have been tested on several compilers. I endorse this strategy; others have used pseudolanguages. For people using Pascal, the book is eminently useful and educational. You can enter the programs and try your own modifications.

The book contains many in-depth examples of applications of data structures to programming problems. Realistic examples include Conway's game of Life, a textindexing program, and a program that evaluates mathematic expressions.

I lost count of the number of times I came across valuable nuggets of information or explanations that clarified concepts I had read about in other books but failed to understand. Where other authors simply use pointers, Kruse discusses how pointers can be created even in languages in which they are not implemented.

It is apparent that much of Kruse's time preparing this text was spent trying it out on students, polishing the prose, and clarifying important points. This book stands head and shoulders above others in making difficult concepts understandable.

Unfortunately, while Kruse covers most of the fundamental data structures I expected, he does not include a chapter on graphs. Graphs are an important data structure different enough from other data structures so as to require individual consideration. They have significant practical applications for scheduling programs, flow programs, and trip planning.

Data Structures and Program Design excellently covers data structures and algorithms for operating on them. Kruse is readable, covers topics in great depth, and does so without losing the reader. I recommend the book for a second course in any formal computer curriculum or as a resource and reference book for programmers who seek to improve their programming skills on their own. ■

Edward Brent, an associate professor of sociology and family and community medicine (108 Sociology, University of Missouri, Columbia, MO 65211), has recently completed a post-doctorate fellowship in which he studied the role of data structures in artificial-intelligence programming.

PHOTOBASE

PHOTOBASE



PHOTOLASIC is a soft with date base management systems such as: dbase Ur, R:Base 4000' and the /BM, Filing Assistant '.

	ta Systems NEL FILE		-	
Name HEATHE Address 26 RID Cory HOLLIS	R SMITH EOUT DR.	State MH Zip 03049		
Phone 617-882-6 Social Security Date of hire 4/	531 Number 00 18/84	3-68-76 94		
Education BAC	RETARY HELOR ORTS		Age 20 Height 5°2 Marital char	

Sex Eves

RRAU



PC-S/C is a high speed. high montation dates digitize (Condition of a you capture anything you can see.

Now you can open up a whole new dimension in data base applications by merging real-life pictures with popular data base management systems. Pictures of people, products, diagrams, maps, company logos — whatever you want to photograph can be integrated with your data base. Consider these typical applications:

Security — verify those employees who have authorized clearance to limited access areas. A data base containing employee pictures and personnel records can be searched and displayed for visual verification.

Signature Verification — increase the efficiency of credit checks by adding pictures of customer signatures to your financial data base records.

Real Estate — add pictures of houses to on-line real estate listings for faster property identification and improved sales presentations.

Electronic Cataloging — pictures of products can be combined with a data base system containing product specifications, pricing, availability and much more. Customers, distributors and sales personnel can quicky search data and view the resulting product/ picture information on one screen. Files can be updated easily, quickly.







With a simple keystroke, pop-out of your data by se system and into the PHOTODASE menu. Capture images of text, photos, artwork and 3-dimensional objects with an ordinary video camera and our high resolution PC-EYE[™] video digitizer. Pop back into your data base system and add the picture name to your data base like you would any other piece of information. The full functionality of the data base system is preserved, but the resulting display is text and picture information on one screen.

It's Easy

Pictures are displayed in the upper right quadrant of the screen at a resolution of 320 x 200 with 16 colors or levels of gray. Text information from data base records fills the rest of the screen. Pictures can also be exploded to full screen.

Call or write and we will send you information on PHOTOBASE, PC-EYE, compatible cameras and other imaging equipment in the Chorus Family of products.

(603) 424-2900 or 1-800-OCHORUS.

TM PHOTOBASE and PC-EYE are trademarks of CHORUS Data Systems.

*dBase II is a trademark of Ashton-Tate; R-Base 4000 is a trademark of Microrim, Inc.; IBM Filing Assistant is a trademark of International Business Machines Corporation.

inquiry 49

CHORUS



SHE'S TEMPORARY. THE DAMAGE IS PERMANENT.

One wrong key. The slightest slip. And your accounts receivable are accounts irretrievable. It can happen to you-because a leading cause of data loss is human error. If you employ people and computers, you're vulnerable. Unless you backup your data. Every day. No matter what. The smartest way to do that is with a Tallgrass HardFile" Mass Storage System.




Shown above, the 20 megabyte HardFile with 20 megabyte tape for \$2,995.

TALLGRASS SELLS MORE HARD DISK STORAGE WITH CARTRIDGE TAPE BACKUP THAN ANYONE IN THE WORLD.

Tallgrass took the industry's most reliable medium—magnetic tape—and perfected a format that's become the standard for personal computers.

We used a removable tape cartridge to store data out of



harm's way. And made two versions. Our 3000 Series HardFiles combine tape's accuracy with the enormous capacities of hard disk, providing 12, 20, 35 or 70 megabytes storage with a removable cartridge tape for backup. Our 4060 tape storage system, for personal computers with hard disks built in, supplies 60 megabytes of backup capacity. Result: the world's best selling mass storage systems with the most reliable data protection. The only kind to have when facing a permanent problem. For a free brochure, your nearest dealer, and more good reasons to backup, call 1-800-228-DISK. And solve your problems permanently.



Inquiry 307

Lotus 128-32 9299 Lotus 2399 Lotus 1290 Lotus 1200 Lotus
Word Processing Editors Markate Analysis Street Attraction Street Stre
PROKEY \$ 89 MICROTAX \$CMI PERSYST \$CM 64K RÁM SET \$40 ORCHID PC NET \$CMI RELAY \$ 99 MANAGING YOUR TECMAR CAPTAIN(64K) \$279 256K RAM SET \$CMI SMARTCOM II \$109 MONEY \$129 TECMAR WAVE (64K) \$209 8087 MATH \$150 *CALL FOR SHIPPING COSTS
<text><text><text><text><text></text></text></text></text></text>

$E \cdot V \cdot E \cdot N \cdot T$ $Q \cdot U \cdot E \cdot U \cdot E$

February 1985

• AI, EXPERT SYSTEM BRIEFING—Artificial Intelligence and Expert Systems: What Business Must Know Today to Reap the Benefits Tomorrow, Marriott Copley Place, Boston, MA. A one-day executive briefing. The fee is \$790. Contact Lee Burgess, Professional Development Programs, Rensselaer Polytechnic Institute, Troy Building, New York, NY 12180-3590, (518) 266-6589. February 11

SOFTWARE MANAGE-MENT CONTROL-Configuration Management of Software Programs, San Diego, CA. Intended to show those working in software management how to control development, maintenance, and operational costs. The cost is \$730. Contact Stod Cortelyou, Continuing Engineering Education, George Washington University, Washington, DC 20052, (800) 424-9773; in the District of Columbia, (202) 676-8520. February 11-13

NETWORK COMPO-NENTS EXPLAINED—Data Communications Network Components, Atlanta, GA. A thorough overview of the use, operation, applications, and acquisition procedures of 25 major communications components. The fee is \$795. Contact Elaine Hadden Nicholas, Department of Continuing Education, Georgia Institute of Technology, Atlanta, GA 30332-0385, (404) 894-2547. February 12-14

INTERACTIVE

INSTRUCTION—The Third Conference on Interactive Instruction Delivery, Sheraton Towers Hotel, Orlando, FL. Contact the Society for Applied Learning Technology, 50 Culpeper St., Warrenton, VA 22186, (703) 347-0055. February 13–15

• COMPUTERS FILL

EDUCATORS' TALL ORDER The Fifth Annual Conference of the Texas Computer Education Association, Hyatt Regency Hotel, Austin, TX. The theme is "New Directions for Education Using Modern Day Technology." Contact TCEA Conference, POB 2573, Austin, TX 78768. February 13–16

PC SYMPOSIUM

The 1984 UNM Personal Computer Symposium, University of New Mexico, Albuquerque. Exhibits, seminars, and demonstrations of personal computer systems for business, education, and professional offices. Contact the Tau Beta Pi Honor Society, c/o Dr. Randy Truman, Department of Mechanical Engineering. University of New Mexico, Albuquerque, NM 87131, (505) 277-6296. February 15–16

• COCO CONVOCATION RainbowFest, Irvine Marriott, Irvine, CA. A show for users of the Radio Shack TRS-80 Color Computer. More than 50 exhibitors are expected. Contact Falsoft Inc., POB 385, Prospect, KY 40059, (502) 228-4492. February 15–17

• MICROS FOR EDU-CATORS—Association of

IF YOU WANT your organization's public activities listed in BYTE's Event Queue, we need to know about them at least four months in advance. Send information about computer conferences, seminars, workshops, and courses to BYTE, Event Queue, POB 372, Hancock, NH 03449.

Teacher Educators National Conference, Riviera Convention and Resort Hotel, Las Vegas, NV. Exhibits and demonstrations of microcomputers, microcomputer products, and communications equipment will be featured. Contact Peter C. West, Learning Center, College of Education, Gabel Hall 8, Northern Illinois University, DeKalb, IL 60115, (815) 753-1241. February 18–19

MANAGE YOUR COM-

PUTER-Managing Computer Resources, Wintergreen Learning Institute, Wintergreen, VA. Focuses on networking, system design, performance evaluation, and operational difficulties encountered by managers and executives. Rates vary from \$570 to \$769, depending on accommodations. Contact Dr. M. D. Corcoran, Wintergreen Learning Institute, POB 7. Wintergreen, VA 22958, (800) 325-2200; in Virginia. (804) 325-1107. February 18-22

• COMMUNICATIONS FOR EXECS—Info/Central, O'Hare Exposition Center, Chicago, IL. A computer and communications show and conference for executives and data-processing managers. Topics: mainframes, microcomputers, telecommunications systems, and micrographics. Contact the Show Manager, Info/Central, 999 Summer St., Stamford, CT 06905, (203) 964-8287. February 20–22 MODULA-2 ENGI-NEERING—Software Engineering with Modula-2, Atlanta, GA, A course emphasizing methods for building large-scale software systems in Modula-2. Prerequisite: knowledge of Ada or Pascal. The fee is \$495. Contact Elaine Hadden Nicholas, Department of Continuing Education, Georgia Institute of Technology, Atlanta, GA 30332-0385, (404) 894-2547. February 20-22

• BUSINESS GRAPHICS Computer Business Graphics, Bonaventure Intercontinental Hotel, Fort Lauderdale, FL. Contact Carol Every, Frost & Sullivan Inc., 106 Fulton St., New York, NY 10038, (212) 233-1080. February 20–23

• MAC IN SPOTLIGHT MacWorld Exposition, Brooks Hall, San Francisco, CA. A hands-on festival of Macintosh hardware, software, and peripherals. Contact World Expositions, Mitch Hall Associates, POB 860, Westwood, MA 02090, (617) 329-7466. February 21–23

• COMPUTER FAIRE

The Fourth Annual IEEE Computer Faire, Huntsville, AL. Sponsored by the Institute of Electrical and Electronics Engineers. Contact Terry Mizell, POB 5188, Huntsville, AL 35805, (205) 532-2036. February 22–23

• COMPUTERS IN MEXICO The First International Computer and Communications Exposition and Conference: MexCom '85, Mexico City, (continued)



ERGO® 4000 is the ASCII Terminal featuring 80-column by 66-line format for full-page display capability. Features include: 15 downloadable function keys, four video attributes, pass-through printer port, screen saver, alternate character generator, settable tabs, 24-line display, and user-definable custom mode. (Compatible with VT100 codes.) Most popular word processing packages are already modified to run on the **ERGO®** 4000.

> **MICRO-TERM, INC.** Call toll-free 1-800-325-9056 512 Rudder Road Fenton (St. Louis County), Missouri 63026

COMPETITIVE EDGE

P.O. Box 556 • Plymouth, MI 48170 • (313) 451-0665

THUNDER 186[™] SYSTEM\$1995.

Includes 256K RAM, 2-5" Floppys and concurrent DOS[®] expandable to 10 or 40 MB hard disk & up to 4 users.

TELETEK SYSTEMASTER II® SYSTEM ... \$5895. With 2 Hi-speed 128K banked slaves, 10MB hard disk and two Qume 102 terminals.

Includes fastest Z80 slaves available.

WE INTEGRATE SYSTEMS WITH THE FOLLOWING COMPONENTS

CompuPro[®] Lomas Data Products Teletek

Sample Component Prices

Sample Component Trices							
CompuPro 286 with 287 chip CPU\$1199.							
Disk 1A \$459. RAM 22 \$995. I/O 4 \$297.							
CPU Z TM \$215. 85/88\$327. RAM 23-64 TM \$309.							
LDP 286\$1116. LDP Hi-speed 512K\$899.							
Color Magic TM $$496$. Thunder 186^{TM} $$1195$.							
Teletek Systemaster II® 8MHZ Z80 \$899.							
Teletek HDCTC [®] Hard Disk Controller\$525.							
QUME 102 GR\$450. C. ITOH 8510 PTR\$350.							
DRI FORTRAN \$250. COMP. Inovation C \$299.							
All prices subject to change and stock on hand shipping extra min. \$3. ALL PRICES CASH PRICES							
Concurrent DOS is registered treademark of Digital Research Inc. RAM 23, CPU							

Concurrent DOS is registered treademark of Digital Research Inc. RAM 23, CPU 286/287, CPU Z, RAM 22, are trademarks of CompuPro a Godbout Company. Thunder 186, Color Magic trademarks of LDP Inc. Systemaster 11 & HDCTC are registered trademarks of Teletek Enterprises Inc.

EVENT QUEUE

Mexico. This show features mini- and microcomputers, software, office automation equipment, and communications exhibits. Contact Mex-Com, Suite 219, 3421 M St. NW. Washington, DC 20007, (703) 685-0600. February 25–28

• FARM AUTOMATION Agri-Mation, Palmer House Hotel, Chicago, IL. This conference and exposition will focus on the role of automation in agriculture. Contact the Society of Manufacturing Engineers, One SME Dr., POB 930, Dearborn, MI 48121, (313) 271-1500. February 25–28

• DYNAMIC COMPUTING Dynamics on Microcomputers, University of Michigan, Dearborn. A course and workshop for engineers. Contact Professor R. E. Little, University of Michigan, 4901 Evergreen Rd., Dearborn, MI 48128, (313) 593-5241. February 25–March 1

• HIGH-TECH IN FOCUS High-Tech '85 Exhibit and Seminar, Thunderbird Motel, Bloomington, MN. More than 100 manufacturers will exhibit terminals, peripherals, data-communications equipment, and digital test instruments. Admission is free. Contact John Bastys or Barb Mueller, Countryman Associates Co., 1821 University Ave., St. Paul, MN 55104, (612) 645-9151. February 26–27

MICRO-AIDED MANAGE-

MENT—Microcomputeraided Maintenance Management System, Ramada Inn, Airport, Milwaukee, WI. This course shows how computers can help improve the maintenance functions of any organization. The fee is \$60. Contact Unik Associates, 12545 West Burleigh, Brookfield, WI 53005, (414) 782-5030. February 27

March 1985

• DISCOVER UNIX Discover UNIX, various sites throughout the U.S. A twoday seminar exploring such topics as the UNIX file system, shell interpreter, text editors, programming languages, and system tools. The fee is \$595. Contact Data-Tech Institute, 57 Lakeview Plaza, POB 2429, Clifton, NJ 07015. (201) 478-5400. March

• COMPUTERS FOR SALE Computer Supermarket, San Mateo County Fairgrounds, San Mateo, CA. A gathering of retailers, manufacturers, distributors, and potential consumers of a wide variety of computer-related products. Contact Microshows, Suite 203, 1209 Donnelly Ave., Burlingame, CA 94010, (415) 340-9113. March 2–3

• FOSE SOFTWARE SHOW Federal Office Systems Exposition (FOSE) Software '85, Convention Center, Washington, DC. Workshops, symposia, and exhibits of software. Contact Rosalind Boesch, National Trade Productions Inc., Suite 400, 2111 Eisenhower Ave., Alexandria, VA 22314, (800) 638-8510; in Virginia, (703) 683-8500. March 4–7

• MINI/MICRO

Mini/Micro Southeast-85, Georgia World Congress Center, Atlanta. A conference and exposition. Contact Electronic Conventions Management, 8110 Airport Blvd., Los Angeles, CA 90045, (213) 772-2965. March 5–7

DESIGN SHOW

The 1985 National Design Engineering Show, McCormick Place, Chicago, IL. More than 600 CAD/CAM system and electronic component companies will exhibit. Contact the Show Manager, National Design

EVENT QUEUE

Engineering Show, 999 Summer St., Stamford, CT 06905, (203) 964-0000. March 11-14

DATACOMM FROM ALL

ANGLES-Data Communications: Technology, Techniques, and Applications, Tarrytown Hilton, Tarrytown, NY. This seminar covers existing and emerging technologies, data compression techniques and applications, multiplexers, protocol conversion, data security, and local-area networks. The fee is \$150. Contact Glasgal Communications Inc., 207 Washington St., Northvale, NI 07647, (201) 768-8082. March 12

ACM COMPUTER

CONFERENCE-The Thirteenth Annual ACM Computer Science Conference: CSC '85. New Orleans Marriott, LA, An employment register, social events, technical programs, award presentations, and exhibits are highlights of this show. Contact Della T. Bonnette, Conference Chair, Computing and Information Services, University of Southwestern Louisiana, Lafayette, LA 70504, (318) 231-6306. March 12-14

EDUCATIONAL

CONFERENCE-The 1985 Microcomputers in Education Conference, Arizona State University, Tempe. The theme for this conference is "Tomorrow's Technology." Emphasis will be placed on integrating computer technology and languages into the educational environment. Exhibits will be featured. Contact Donna Craighead, Payne B47, Arizona State University, College of Education, Tempe, AZ 85287, (602) 965-7363. March 13-15

• SIMULATION IN SUNSHINE—The Eighteenth Annual Simulation Symposium, Tampa, FL. A forum for the interchange of ideas. techniques, and applications among those working in simulation. Contact Alexander Kran, IBM Corp., East Fishkill Facility, Hopewell Junction, NY 12533. March 13–15

INTERFACING

WORKSHOP—Personal Computer and STD Computer Interfacing for Scientific Instrument Automation, Virginia Tech, Blacksburg, A handson workshop with participants wiring and testing interfaces. The fee is \$450. Contact Dr. Linda Leffel, C.E.C., Virginia Polytechnic Institute and State University, Blacksburg, VA 24061, (703) 961-4848. March 14–16

• SHOW IN DELAWARE The Seventh Annual

Delaware Computer Faire, Delaware State College, Dover, Current technology for use in the classroom, office, and home will be displayed. Workshops, demonstrations, and sessions on the use of computers in the classroom are planned. Contact Dr. William J. Geppert. State Supervisor, Mathematics, Department of Public Instruction, Townsend Building, POB 1402, Dover, DE 19903, (302) 736-4885. March 16

CLASSROOM COMPUTING TECHNIQUES

Instructional Strategies for Integrating the Microcomputer into the Classroom. University of Wisconsin. Madison, A special emphasis is placed on strategies that have already proved successful. Hands-on sessions will be offered. Contact Dr. Judith Rodenstein or Dr. Roger Lambert, University of Wisconsin, 964 Educational Sciences Building, 1025 West Johnson St., Madison, WI 53706, (608) 263-4367 or 263-2704. March 18-19

(continued)

No need to tie up your valuable computer to duplicate diskettes ... when VICTORY can provide you with a duplicator that will do the job flawlessly, and much faster. One button operation automatically formats, duplicates and verifies up to 8 diskette copies at the same time.

VICTORY can supply you with literally dozens of standardized formats to match the protocol of virtually

any current computer. In addition, built-in utilities enable you to read or devise any format you may require. If that's not enough, VICTORY can help you with unusual or unique formatting, serializing or copy-protecting problems.

VICTORY duplicators are designed to be reliable. Each of the copy drives has a separate controller to increase copying throughput and ensure maximum uptime. VICTORY Duplicators use industry proven drives combined with 100% digital technology ... there are no analog circuits to slowly drift out of tolerance.

Let us help free you from your disk-duplicating bottleneck at a surprisingly attractive price. Write or call: VICTORY ENTERPRISES TECHNOLOGY, INC., 8910 Research Blvd., Suite B2, Austin, Texas 78758— (512) 450-0801.



Victory Enterprises Technology, Inc.



Bank on BYTEK's (E)PROM MultiProgrammer System S15-G With Less Restrictions & a <u>FREE KEYBOARD</u> For Only \$995.

Stand Alone or Hook Up to your Terminal, 3 Voltage Devices, Simulation Module, Supports Bipolar, PALs, 40 Pin Chips. Also Available: S5 Basic (E)PROM Programmer, \$690. UV Erasers from \$67.

BYTEK^{*} **COMPUTER SYSTEMS CORPORATION** 4089 South Rogers Circle, Boca Raton, FL 33431

CALL TO ORDER (305) 994-3520, Telex 4310073 MEVBTC Distributor Inquiries Welcome

EVENT QUEUE

• EXPOSING THE MYTH OF MICROS—Public Awareness Seminars, Hyatt Regency, Los Angeles, CA. A seminar that shows nontechnical businesspeople how a microcomputer could be used to increase productivity. Contact International Microcomputer Industries Association, Suite 175, 21 Tamal Vista Blvd., Corte Madera, CA 94925, (415) 924-1194. March 18–19

• COMPUTERS AND TELECOMMUNICATIONS COMTEL '85: International Computer and Telecommunications Conference, Infomart, Dallas, TX. Contact COMTEL '85, Suite 600, 13740 Midway Rd., Dallas, TX 75244, (214) 458-7011. March 18–20

• TECHNOLOGY AND EDUCATION—The First Annual Conference on Technologies in Education, University of Arizona, Tucson. This conference will focus on the effective implementation of research in educational technology. Contact Steve Louie, NACCIS, Suite 125, 2200 East River Rd., Tucson, AZ 85718, (602) 323-6144. March 18–20

• ROBOTICS TECHNOLOGY UPDATE—The Second Annual Robotic End Effectors: Design and Applications Seminar, Holiday Inn Livonia-West, Livonia, MI. More than 25 companies will exhibit. Contact John McEachran, Special Programs Department, Society of Manufacturing Engineers, One SME Dr., POB 930, Dearborn, MI 48121, (313) 271-1500, ext. 382. March 19–20

• AI FOR ROBOTS Aircon 2: The Second Annual International Conference on Artificial Intelligence for Robots, Stouffers Concourse in Crystal City, Arlington, VA. A conference designed to promote a dialogue between experts and users of artificial-intelligence systems. The theme is "Toward Intelligent Robots: The Droids Are Coming." Contact Cindy Mega, IIT Research Institute, 10 West 35th St., Chicago, IL 60616, (312) 567-4024. March 21–22

• EDUCATION AND COMPUTING—Educational Computing Today, Westin Hotel, Renaissance Center, Detroit, MI. Kindergarten, elementary, high school, and college educators will share educational computing experiences. Contact Michigan Association for Computer Users in Learning, MACUL/ICCE Conference, POB 628, Westland, MI 48185, (313) 595-2493, March 21–22

• ELEMENTARY COMPUTING---University of Delaware Second National Conference: Computers and Young Children, University of Delaware, Newark. The emphasis is on programs for children 4 to 8 years of age. Contact Dr. Richard B. Fischer, Division of Continuing Education, University of Delaware, Newark, DE 19716, (302) 451-8838.

March 21–22 • WINTER COMDEX COMDEX/Winter, Convention Center, Anaheim, CA. One of the largest shows in the microcomputer industry. Contact The Interface Group, 300 First Ave., Needham, MA 02194, (800) 325-3330; in Massachusetts, (617) 449-6660, March 21–24

• DATABASE SYMPOSIUM The Fourth Annual ACM SIGACT/SIGMOD Symposium on Principles of Database Systems, Portland, OR. This conference covers developments in the theoretical and practical aspects of database (continued)

Introducing the Most Powerful Business Software Ever!

TRS-80TH (Model I, II, III, or 16) • APPLETH • IBMT^H • OSBORNETH • CP/MT^H • XEROXT^H

DAYROLLSIMDLIFTED

The VERSABUSINESS" Series

Each VERSABUSINESS module can be purchased and used independently, or can be linked in any combination to form a complete, coordinated business system.

VERSARECEIVABLES" \$99.95 VERSARECEIVABLES" is a complete menu-driven accounts receivable, invoicing, and monthly statement-generating system. It keeps track of all information related to who owes you or your company money, and can provide automatic billing for past due ac-counts. VERSARECEIVABLES" prints all necessary statements, invoices, and summary reports and can be linked with VERSALEDGER II" and VERSAINVENTORY".

VERSAPAYABLES" \$999.95 VERSAPAYABLES" is designed to keep track of current and aged payables, keeping you in touch with all information regarding how much money your company owes, and to whom. VERSAPAYABLES" maintains a complete record on each vendor, prints checks, check registers, vouchers, transaction reports, aged payables reports, vendor reports, and more. With VERSAPAYABLES", you can even let your computer automatically select which vouchers are to be paid.

VERSAPAYROLL^{**} \$99.95 VERSAPAYROLL^{**} is a powerful and sophisticated, but easy to use payroll system that keeps track of all government-required payroll information. Complete employee records are maintained, and all necessary payroll calculations are performed automatically, with totals displayed on screen for operator approval. A payroll can be run totally, automati-cally, or the operator can intervene to prevent a check from being printed, or to alter information on it. If desired, totals may be posted to the VERSALEDGER II[®] system.

VERSAINVENTORY" \$99.95 VERSAINVENTORY" is a complete inventory control system that gives you instant access to data on any Item. VERSAINVENTORY" keeps track of all information related to what items are in stock, out of stock, on backorder, etc., stores sales and pricing data, alerts you when an item fails below a preset reorder point, and allows you to enter and print invoices directly or to link with the VERSAECEUVABLES" system. VERSAINVENTORY prints all needed inventory listings, reports of items below reorder point, inventory value re-ports, period and year-to-date sales reports, price lists, inventory checklists, etc.

50 N. PASCACK ROAD, SPRING VALLEY, N.Y. 10977

VERSALEDGER II"

\$149.95

GENERAL LEDGER?

VERSALEDGER MAS BEEN CHEATED

VERSA LEDGER WIT WEERS

DU PUIADOCC

 VERSALEDGER II"
 \$149.95

 VERSALEDGER II" is a complete accounting system that grows as your business grows. VERSALEDGER II" can be used as a simple personal checkbook register, expanded to a small business bookkeeping system or developed into a large corporate general ledger system without any additional software.

 • VERSALEDGER II" gives you almost unlimited storage capacity (300 to 10,000 entries per month, depending on the system),

 • stores all check and general ledger information forever,

 • prints tractor-feed checks,

 • handles multiple checkbooks and general ledgers,


 • prints 17 customized accounting reports including check registers, balance sheets, income statements, transaction reports, account listings, etc.


- listings. etc.

VERSALEDGER II" comes with a professionally-written 160 page manual de-signed for first-time users. The VERSALEDGER II" manual will help you become quickly familiar with VERSALEDGER II", using complete sample data files supplied on diskette and more than 50 pages of sample printouts.



* TRS-80 is a trademark of the Radio Shack Division of Tandy Corp. - *APPLE is a trademark of Apple Corp. - *IBM is a trademark of IBM Corp. - *OSBORNE is a trademark of Osborne Corp. *CP/M is a trademark of Digital Research - *XEROX is a trademark of Xerox Corp.





Polaroid



Instant Slide

A black border may appear around the Palette slide image, which will be imperceptible when projected.

Now last minute presentations can be made from your personal computer. In color. In house. In minutes.

Introducing Polaroid Palette.

Whether your presentation is in 30 minutes or 30 days, the new Polaroid Palette Computer Image Recorder will make it easier. Priced at under \$1800*, it lets you make Polaroid instant 35mm slides or prints from personal computer-generated data. Right at your desk. So now you can create a presentation in minutes. Without sending out for processing, paying premiums for rush service or risking the security of your confidential information.

Works with the graphics packages of the IBM PC or XT, DEC Rainbow or PRO, Apple IIe or II+ and AT&T 6300.

The Polaroid Palette is designed to work with many graphics software packages. In fact, when using such popular programs as Graphwriter, Chart-Master, Sign-Master, DR Draw and DR Graph, Palette can virtually double both the horizontal and vertical resolution of your monitor. Plus, a "backfill" feature reduces raster lines for a smoother, more finished appearance. The result—presentation quality slides. On-the-spot.

Color 35mm slides, even from a black and white CRT.

Think of it as an artist's palette. Because Palette "paints" your graphs, charts and text. You're choosing from up to 72 colors. If you don't want red, press a few keys—it's green. And if you're not the artistic-type, Polaroid has developed a menu of color sets: combinations of colors that have been specially coordinated to complement your presentations. And all of this is yours, even if you have a black and white monitor.

Lets you make last minute changes or add up-to-the-minute information.

The Polaroid Palette is the fast, convenient, low-cost way to prepare slides for your presentation. And perhaps even more important, Palette allows you to keep confidential information confidential. You won't have to send your work out to anyone again.

So why wait until the last minute to find out about Polaroid Palette? Call this toll-free number or return this coupon. Because with Palette you'll make your deadlines, in no time.

coupon to Polaroid Co 604, 575 Technology S	call toll-free, or mail the orp., E.I. Marketing, Dept. q., Cambridge, MA 02139.
	00-225-1618
Send information.	□ Have representative call.
Name	Title
Company	
Address	
	State Zip
Telephone ()	
PC make and model	
	loroid
= P0	laroid
	B-2/85
	*Suggested list price. Polaroid

PKASO/U®

The Universal Printer Interface

SER NO.

Apple II, *IIe*, *III* and Apple compatible.

- Universal for virtually all standard parallel printers.
- Famous for Graphics (LoRes, HiRes, SuperRes) (Logo Compatible)
- Terrific tor text (even rotates spreadsheets to print sidewards)

One set of commands for all printers. One command changes character sizes. Create your own printing fonts, alphabets and symbols... bold face, underline, italics, subscript and superscript, HiRes Zooming.

PLUS:



FREE Utility and Demonstration Software Disk. CLEAR, comprehensive user documentation. PKASO/U... for all the reasons you need an interface.

Contact us for a list of Authorizea Dealers near you.



Interactive Structures, Inc. 146 Montgomery Avenue Bala Cynwyd, PA 19004 Telephone: (215) 667-1713 systems. Contact David Maier, Department of Computer Science, Oregon Grad Center, 19600 Northwest Walker Rd. Beaverton, OR 97006. March 25–27

OPTICAL STORAGE

TECHNIQUES—The Third Annual Conference on Optical Storage of Documents and Images, Shoreham Hotel, Washington, DC. Contact Technology Opportunity Conference, POB 14817, San Francisco, CA 94114-0817, (415) 626-1133. March 25–27

CAI INVESTIGATED

The Twenty-Sixth International Conference of the Association for the Development of Computer-based Instructional Systems, Philadelphia, PA. Presentations and panel discussions will explore the research and use of computers for direct instruction. Interest groups for educators. Contact ADCIS International Headquarters, Miller Hall 409, Western Washington University, Bellingham, WA 98225. March 25-28

• INTEGRATION, COMMU-NICATIONS, COMPUTERS IEEE INFOCOM '85, Washington, DC. Papers will address such issues as architecture, protocols, gateways, and support. Contact Tom Stack, IEEE INFOCOM '85, POB 639, Silver Spring, MD 20901, (301) 589-8142. March 25–28

• MACHINE VISION EYED The Applied Machine Vision Conference and Vision '85 Exposition, Cobo Hall, Detroit, MI. Contact Society of Manufacturing Engineers, One SME Dr., POB 930, Dearborn, MI 48121, (313) 271-0777. March 25–28

• JOINT CONFERENCE IN MINNESOTA—Updata '85: The Seventh Annual Minnesota Joint Computer Conference, Radisson South Hotel, Bloomington, MN. A conference for data-processing professionals. The theme is "Meeting Tomorrow's Challenge Today!" Contact Mick Williams, Standard Iron, 4990 North County Rd. 18, New Hope, MN 55428, (612) 533-1110. March 28–29

WESTERN EDUCATORS

MEET—Western Educational Computing Workshops, University of California. Santa Cruz. A series of workshops and demonstrations that give educators hands-on experience with computer application packages and computer hardware. Contact Hal Roach, Computer Services, Mount San Antonio College. 1100 North Grand Ave., Walnut, CA 94542. March 28–29

• WEST COAST FAIRE The Tenth Annual West Coast Computer Faire, Moscone Center, San Francisco, CA. This is one of the largest computer shows. Contact Computer Faire Inc., Suite 201, 181 Wells Ave., Newton Falls, MA 02159. (800) 826-2680; in Massachusetts, (617) 965-8350. March 30–April 2

• COMPUTERFEST The 1985 Greater Baltimore Hamboree and Computerfest, Maryland State Fairgrounds, Timonium. Exhibits, flea market, and forums highlight this annual event. Admission is \$4, and the gates open at 8 a.m. Contact Baltimore Amateur Radio Club Inc., POB 95, Timonium, MD 21093-0095, (301) 561-1282. March 31

• FOCUS ON SOFTWARE Softcon, Georgia World Congress Center, Atlanta. The Spring and Fall Softcons have been merged into this event. Nearly 3000 software vendors are expected to participate. Seminars, panel discussions, forums, and

EVENT QUEUE

EVENT QUEUE

workshops are planned. Registration is \$35 for exhibits-only admission or \$195 for a four-day conference and exhibits badge. Contact Softcon, Northeast Expositions, 822 Boylston St., Chestnut Hill. MA 02167, (617) 739-2000. March 31–April 3

• TELECONFERENCING

SEMINAR—Teleconferencing in the Marketplace, International Congress Centre RAI, Amsterdam, The Netherlands. A seminar for users and suppliers of teleconferencing services and facilities. For further information, contact International Congress and Convention Association, POB 5343, 1007 AH Amsterdam, The Netherlands. March 31–April 3

• MICROPROCESSOR IDEA EXCHANGE—The 1985 Microprocessor Forum, Bally's Park Place Casino Hotel, Atlantic City, NJ. Tutorials, forums, and exhibits will be held. A robotic maze contest will be held. On April 1 and 2, the 1985 IEEE VLSI Test Workshop will be held. Contact IEEE Computer Society, Suite 300, 1109 Spring St., Silver Spring, MD 20910, (301) 589-8142. March 31–April 4

April 1985

• GULF COAST SHOW The Second Annual Gulf Computer & Office Show. Rivergate Convention Center, New Orleans, LA. Seminars, workshops, and product displays. Contact Gulf Computer & Office Show Management, c/o 119 Avant Garde, Kenner, LA 70065, (504) 467-9949. April 2–4

• MEET SOME NETWORKS Introduction to Network Architectures, Atlanta, GA. This course provides an understanding of the role of network architectures and explains their many forms. The fee is \$795. Contact Elaine Hadden Nicholas, Department of Continuing Education. Georgia Institute of Technology. Atlanta, GA 30332-0385, (404) 894-2547. April 2–4

• ENGINEERING WITH MODULA-2—Software Engineering with Modula-2, Atlanta, GA. See February 20–22 for details. April 3–5

COMMUNICATIONS **TECHNOLOGY FOR THE** NONVERBAL-The Fourth Annual Conference on Communication Technology: Technology and Nonspeaking Children, Joseph Stokes Auditorium, Children's Hospital of Philadelphia, PA. Up-to-the-minute information on the use of technology with nonverbal children will be presented. Concurrent sessions will address ongoing research, computers, and treatment strategies. The registration fee is \$95. Contact Joan Bruno, Children's Seashore House, 4100 Atlantic Ave., POB 4111, Atlantic City, NJ 08404, (609) 345-5191, ext. 278. April 12-13

GRAPHICS

Computer Graphics '85, Dallas, TX. Tutorials and technical sessions on architectural and engineering computer graphics, artificial intelligence, business graphics, and CAD/CAM. Contact National Computer Graphics Association, Suite 601, 8401 Arlington Blvd., Fairfax, VA 22031, (703) 698-9600. April 14–18

• OPTICAL STORAGE INVESTIGATED—The 1985 Materials Research Society: Symposium D, Golden Gateway Holiday Inn, San Francisco, CA. A mass-storage technologies symposium in-(continued) High performance to cost ratio...

Programming Chips?

Projects develop profitably with development hardware /software from GTEK.



grammer with intelligent algorithm can copy 8 EPROMS at a time! This unit is used in a production environment when programming a large number of chips is required. It will program all popular chips on the market through the 27512 EPROMS. It also supports the Intel 2764A & 27128A chips. It will also program single chip processors.



MODEL 7228 - \$599

This model has all the features of Model 7128, plus Intelligent Programming Algorithims. It supports the newest devices available through 512Kbits; programs 6x as fast as standard algorithims. Programs the 2764 in one minute! Supports Intel 2764A & 27128A chips. Supports Tektronics, Intel, Motorola and other formats.

EPROM & PAL PROGRAMMERS -These features are standard from GTEK-

Compatible with all RS232 serial interface ports • Auto select baud rate • With or without handshaking • Bidirectional Xon/Xoff • CTS/DTR supported • Read pin compatible ROMS • No personality modules • Intel, Motorola, MCS86 Hex formats • Split facility for 16 bit data paths • Read, program, formatted list commands • Interrupt driven – program and verify real time while sending data • Program single byte, block, or whole EPROM • Intelligent diagnostics discern bad and/or ensable EPROM • Verify ensaure and compare commands • Busy light • Complete with Textool zero insertion force socket and integral 120 VAC power (240 VAC/50Hz available) •



MODEL 7324 - \$1199 This unit has a built-in compiler. The Model 7324 programs all MMI. National and TI 20 and 24 pin PALs. Has non-volatile memory. It operates stand alone or via RS232.



MODEL 7128 • \$429 This model has the highest performance-to-price-ratio of any unit. This is GTEK's most popular unit! It supports the newest devices available through 256Kbits.

DEVICES SUPPORTED

by GTEK's EPROM Programmers

NMOS	NMOS	CMOS	EEPROM	MPU'S
2758 2764A 2716 27128 2732 27128A 2732A 27256 2764 27512	2508 6876 2516 8755 2532 5133 2564 5143 68766	27C16H 27C32H	5213 12816A 5213H 12817A 52B13 X2816 48016	8748 8741H 8748H 8744 8749H 8751 8741 68705 8742H

UTILITY PACKAGES

GTEK'S PGX Utility Packages will allow you to specify a range of addresses to send to the programmer, verify erasure and/or set the EPROM type. The PGX Utility Package includes GHEX, a utility used to generate an Intel HEX file. PALX Utility Package – for use with GTEK's Pal Programmers – allows transfer of PALASM[®] source file or ASCII HEX object code file. Both utility packages are available for CPM,[®] MSDOS,[®] PCDOS,[®] ISIS[®] and TRSDOS[®] operating systems. Call for pricing.

AVOCET CROSS ASSEMBLERS

These assemblers are available to handle the 8748, 8751, Z8, 6502, 68X and other microprocessors. They are available for CPM and MSDOS computers. When ordering, please specify processor and computer types.


ACCESSORIES

GTEK, PALASM, CPM, MSDOS, PCDOS, ISIS, and TRSDOS

are all registered trademarks.

Model 7128-L1, L2, L2A		
(OEM Qua	ntity) \$259.	
Model 7128-24	\$329.	
Cross Assemblers	\$200.	

PGX Utilities Call for pricing PALX Call for pricing



Development Hardware/Software P.O. Box 289, Waveland, MS 39576 601/467-8048 INC





vestigating optical data storage. Contact D. H. Davies, Symposium Co-Chair, 3M, 420 North Bernardo Ave., Mountain View, CA 94043. April 15–18

INDUSTRIAL SOFTWARE

EXPO---The Second CIMCOM: Industrial Software Conference & Exposition, Disneyland Hotel, Anaheim, CA. Contact Computer and Automated Systems Association of the Society of Manufacturing Engineers, One SME Dr., POB 930, Dearborn, MI 48121, (313) 271-1500. April 16--18

TRAINING AND **TECHNOLOGY**—The Third Annual Technology in Training and Education (TITE) Conference, Antler's Hotel, Colorado Springs, CO. A conference designed to facilitate the interchange of ideas and to explore ways that computers and technology can be applied to education and training. Contact Lt. Colonel McCann, 1985 TITE Conference, USAFA/DFSR, USAF Academy, Colorado Springs, CO 80840-5751, (303) 472-4195. April 16-19

• NETWORK CONTROL AND MANAGEMENT—Network Management/Technical Control, Marriott Copley Place, Boston, MA. Diagnostic and test instruments will be among the products displayed. Contact Louise Myerow, CW/Conference Management Group, 375 Cochituate Rd., POB 880, Framingham, MA 01701, (800) 225-4698; in Massachusetts, (617) 879-0700. April 18–19

• PATIENT CARE AND COMPUTERS—The Second Annual Physicians and Computers: Applications in Patient Care, Las Vegas Hilton, NV. This conference addresses the concerns of doctors, nurses, dietitians, pharmacists, administrators, and medical record administrators. Contact Beverly J. Johnson, University of Southern California School of Medicine, Postgraduate Division, 2025 Zonal Ave. KAM 318, Los Angeles, CA 90033, (213) 224-7051. April 19–21

COMPUTER FESTIVAL

The Tenth Annual Trenton Computer Festival, Trenton State College, Trenton, NJ. Highlights talks. tutorials, user-group activities, exhibits, computer-graphics theater, games, and a 50-acre outdoor electronics flea market. Contact Ms. Marilyn Hughes, Trenton State College, Hillwood Lakes CN 550, Trenton, NJ 08625, (609) 771-2487. April 20-21

AIDS FOR EDUCATORS AEDS/ECOO '85: The Twenty-Third Annual Convention of the Association for Educational Data Systems (AEDS), Hilton Harbour Castle, Toronto, Ontario. The theme is "Computing Knows No Borders." Contact AEDS/ ECOO '85, c/o OISE, 252 Bloor St. W. Toronto. Ontario M5S 1V6, Canada. In the U.S., AEDS/ECOO '85, 1201 16th St. NW, Washington, DC 20036. April 21-27

• SPEECH IN FOCUS Speech Tech '85. Vista International Hotel, World Trade Center, New York City. Speakers and exhibitors will focus on voice synthesis and recognition. Registration is \$195. Contact Media Dimensions Inc., POB 1121 Gracie Station, New York, NY 10028, (212) 772-7068 or 680-6451. April 22–24

PUBLIC NETWORK
 OPERATIONS—X.25 and
 (continued)



FEBRUARY 1985 . BYTE 93

Inquiry 85 for Dealers. Inquiry 86 for End-Users.



CHECK UNDER THE HOOD!

DATA SPEC^T cable assemblies are the very best. Each cable is fully shielded to exceed FCC EMI/RFI emission requirements. The unique P.D.T. technique, introduced by DATA SPEC^T and employed beneath the hood shield, insures maximum integrity under the most adverse conditions. DATA SPEC^T has interface cables for all your requirements: Printers, Modems, Monitors, Disk Drives, and much more. And all DATA SPEC^T cable assemblies carry a lifetime warranty. Insist on DATA SPEC^T cables in the bright orange package. Available at better computer dealers everywhere. For more information, call or write:



dBASE II

with 65,000 memory variables, arrays, 8087 support, high-speed math functions, windows, animation, full syntax checking!

Impossible?

Not anymore!

... with GRYPHON Microproducts' dBASE II "add-ins". For PC/MS-DOS. Write or call for details.



P.O. BOX 6543 SILVER SPRING, MO. 20906 (301) 946-2585 Packet Switching Networks. Atlanta, GA. This course covers the internal operations of a packet-switching network and its implementation. The fee is \$795. Contact Elaine Hadden Nicholas, Department of Continuing Education, Georgia Institute of Technology, Atlanta. GA 30332-0385. (404) 894-2547. April 23-25

TRADE SHOW,

CONFERENCE—Electro/85 and Mini/Micro Northeast-85, New York City. Topics: artificial intelligence, communications and networks, consumer electronics, high-density data storage, and personal computing. Contact Electronic Conventions Management, 8110 Airport Blvd., Los Angeles, CA 90045, (213) 772-2965, April 23–25

• COMPUTER APPLI-CATIONS EXPLORED Perscomp '85, Sofia,

Perscomp 85, Solia. Bulgaria. An international conference on the applications of personal computers and the problems encountered in using them. Contact Dr. Marcel Israel, Bulgarian Academy of Sciences, Institute of Industrial Cybernetics and Robotics, 1113 Sofia, Acad. G. Bonchev St., Bl. 12, Bulgaria; tel: 72-46-98; Telex: 22836 ITKR BG. April 23-26

MICROS IN EMPIRE

STATE—The Fourth Annual New York Computer Show and Software Exposition, Nassau County Coliseum, Uniondale, NY. Contact Ann Katcef, CompuShows, POB 3315, Annapolis, MD 21403, (800) 368-2066; in Annapolis, (301) 263-8044; in Baltimore, (301) 269-7694; in the District of Columbia, (202) 261-1047. April 25–28

• VIRGINIA COMPUTING The Fourth Annual Virginia

EVENT QUEUE

Computer Show and Software Exposition, Pavilion, Virginia Beach, VA. Contact Ann Katcef, CompuShows, POB 3315, Annapolis, MD 21403, (800) 368-2066; in Annapolis, (301) 263-8044; in Baltimore, (301) 269-7694; in the District of Columbia, (202) 261-1047. April 25–28

• EQUIPMENT SALE

Produx 2000: Wholesale Expo '85, Civic Center, Philadelphia, PA. Contact Vertical Marketing Corp.. POB 557, Bala Cynwyd, PA 19004, (800) 523-3882; in Pennsylvania, (215) 457-2303. April 26–28

• C FOR ENGINEERS C Programming for Engineers, University of Michigan, Dearborn. A short course and workshop. Contact Professor R. E. Little, University of Michigan, 4901 Evergreen Rd., Dearborn, MI 48128. (313) 593-5241. April 29-May 3

• COMMERCIAL AI, HIGH-TECH CONFERENCE AI '85: Artificial Intelligence and Advanced Computer Technology Conference/Exhibition, Convention Center, Long Beach, CA. Technical sessions, panel discussions, and product displays are planned. Contact Tower Conference Management Co., 331 West Wesley St., Wheaton, IL 60187, (312) 668-8100. April 30-May 2

● MEETING ON LINE National Online Meeting, Sheraton Centre Hotel, New York City. Formal paper presentations, product review sessions, exhibits, and special workshops and seminars transmitted via satellite. Contact Thomas Hogan, National Online Meeting, Learned Information Inc., 143 Old Marlton Pike, Medford, NJ 08055. (609) 654-6266. April 30–May 2

INSTANT LAN

WITH STANDARD MICROSYSTEMS' NEW ARCNET-PC, ARCNET-S100 OR ARCNET-LINK, YOU CAN CREATE YOUR OWN LOCAL AREA NETWORK.

The world's first single-chip local area network controller established Standard Microsystems as a leader in networking technology. Now we're devoting our technical expertise to bring you revolutionary LAN board products, too.

Our ARCNET-PC board interconnects up to 255 IBM*-type personal com-

puters, permitting them to share disk files and printer resources

ARCNET-S100

an el in fa

at an extremely efficient 2.5 Megabit data rate.

ARCNET-LINK

The **ARCNET-S100** board links up to 255 S100 computer systems, providing the S100 computer user with a high performance local area network.


ARCNET-PC

The **ARCNET-LINK** is a self-contained unit that provides a simplified interface between equipment with a programmable asynchronous RS-232 port and an ARCNET[®] local area network.

All three products incorporate SMC's industry-standard MOS/VLSI local area network chip set to give you a totally integrated and cost-effective LAN solution. Software available from Standard Microsystems and others provides increased capability for your networking applications. Standard Microsystems Corporation, 35 Marcus Boulevard, Hauppauge, NY 11788. (516) 273-3100.

IBM® is a trademark of the International Business Machines Corporation ARCNET® is a trademark of the Datapoint Corporation.

STANDARD MICROSYSTEMS



BYTE

Features

THE HP INTEGRAL PERSONAL COMPUTER by Phillip Robinson	-
CIARCIA'S CIRCUIT CELLAR: BUILD A SERIAL EPROM PROGRAMMER by Steve Ciarcia	104
THE MACINTOSH OFFICE by John Markoff and Phillip Robinson	120
C TO PASCAL by Ted Carnevale	138
SIMULATE A SERVO SYSTEM by Don Stauffer	147
INTRODUCTION TO IMAGE PROCESSING by Jeffrey L. Star	163

THIS MONTH BYTE presents a variety of features including two product previews.

Developed under the name "Pisces," Hewlett-Packard's Integral Personal Computer includes UNIX System III in a transportable package. This product preview by Phillip Robinson, technical editor on our West Coast staff, takes an introductory look at the Integral, its major subassemblies, and its capabilities and limitations. The Integral uses a built-in electroluminescent flat screen and ink-jet printer, but the big news is its incorporation of UNIX in ROM.

The Macintosh continues to provoke lots of love/hate feelings. To bolster its attractiveness to business environments, Apple introduced AppleTalk, a local-area network, and the first two in a series of peripherals designed to be networked. AppleTalk, previewed this month by John Markoff and Phillip Robinson, is a departure from what we often consider fundamental to a localarea network concept. With only a printer and file server currently available, AppleTalk is an interesting approach.

It you are ready to commit your code to EPROM but don't have access to an EPROM programmer, or if you would like to learn more about the process, read Ciarcia's Circuit Cellar. This month, Steve shows us how to build an EPROM programmer inexpensively. This unit attaches to your computer's serial port and uses your computer's intelligence. It is also fully documented and is easily expandable to work with future EPROM designs.

Translating programs among various languages (or even between two languages) is a wonderful concept but generally difficult to implement. In "C to Pascal," Ted Carnevale describes some of the conventional approaches and problems he discovered while trying to move a graphics subroutine library in C to a Pascal environment. He also provides us with a program that makes the process less tedious.

The theme of the March 1984 BYTE was simulation, an intriguing topic once relegated only to rooms full of computers. While microcomputers really can't compete with the fast, large-scale simulations that run on the CRAY-1 and other supercomputers. Don Stauffer uses a microcomputer to "Simulate a Servo System," using an electronic weighing scale as an example of servo-system simulation.

Jeffrey L. Star also capitalizes on the power of the microcomputer in his article "Introduction to Image Processing." While commercial broadcast television limits gray-scale reproduction to about 12 levels and human vision covers a restricted spectrum, image-processing systems usually can deal with at least 32 gray levels and over 16 million unique colors. And, interestingly, there are a couple of image-processing programs available for microcomputers.

-Gene Smarte, Managing Editor



THE HP INTEGRAL PERSONAL COMPUTER

BY PHILLIP ROBINSON

he Hewlett-Packard Integral Personal Computer is a complete, transportable computer system designed around UNIX (System III). (See photo 1.) With the UNIX kernel in ROM (read-only memory), an electroluminescent (EL) flat screen,

A new all-in-one system makes UNIX truly portable

a 3½-inch floppy-disk drive, a built-in ink-jet printer, and is proceeding. This leaves the RAM's speed unaffected Hewlett-Packard's Personal Applications Manager (PAM), the Integral is a marvel of advanced personal computing technology.

HISTORY

A big team worked on the Integral, which, during development, was known by the name "Pisces." Some of the team's members I met were Jon Brewster (user interface), Ray Fajardo (software), Tim Williams (section manager), Doug Collins (hardware manager), and Andy Rood (operating system).

While the hardware development of the Integral began in the fall of 1982, the software development had begun a year earlier. In fact, several projects were merged to come up with the Integral. The original design called for desktop functions in a transportable box: 80 characters by 25 lines on the display, a full-size printer (not thermal), and a real keyboard. When the project began, many of the elements that would meet those requirements didn't exist. To assure that those devices would be ready in time, Hewlett-Packard (HP) had to get intimately involved in the particular technologies. For example, HP decided early on to use an EL screen and an ink-jet printer. At the time, EL technology was in its infancy and HP had to become a major factor in the EL marketplace.

BRASS TACKS

The Integral's logic board is a generic 68000 8-MHz system supplemented by a few special fillips: a memory mapper for UNIX and a proprietary graphics chip. The 68451 MMU (memory-management unit) chip wasn't

The custom graphics processing unit (GPU) chip was designed and made by HP in Corvallis, Oregon. Accord-

ing to Jon Brewster, a lot of effort went into the chip, which handles window scrolling, window moves, line drawing, and soft character fonts. The GPU is a big chip: it has a 16-bit ALU (arithmetic logic unit), a 16-bit data path, and a barrel shifter.

The engineering and a nearly silent fan enable the Integral to work in some severe environments-up to 40 degrees centigrade and 80 percent humidity. (The humidity limit is 95 percent without the disks, which

> are the most susceptible to moisture problems.) According to HP, some of the humidity testing involved just taking the machine outside-remember, (continued)

used for memory mapping because

it slows the memory cycle quite a

bit-it would reside between the pro-

cessor and RAM (random-access

read/write memory). Instead, only the

top address bits are mapped, and

while that mapping is going on, the

lower-half addressing of the RAM also

while still giving reasonable page sizes.

more in the UNIX section that follows.

The RAM comes as a standard 512K bytes (with 32K

more for the display) made up of 256K by 1 bit DRAMs (dynamic RAMs) with no parity chips. You can purchase

256K and 512K RAM boards separately and insert them into the Integral's two internal slots. By using extender

boxes (which plug into one of the slots, sit underneath the Integral, and provide five slots) you can have up to

5.5 megabytes of RAM. When the 1-megabyte RAM cards

become available (soon after introduction) you'll be able

to use the full logical RAM space of 7.5 megabytes. The

Integral also has 256K bytes of ROM, which holds the

operating system. I'll discuss the Integral's ROM a little

Phillip Robinson is a senior technical editor at BYTE. He may be contact at 1000 Elwell Court, Palo Alto, CA 94303.

Editor's note: The following is a BYTE product preview. It is not a review. We provide an advance look at this new product because we feel it is significant. A complete review will follow in

a subsequent issue,





Photo 2: HP's Personal Applications Manager (PAM) and Calculator.



this was all done in moist Oregon.

NO FEATHERWEIGHT

HP says that the Integral is the only complete product around (i.e., with both a full screen and a printer) that you can really carry and that will fit under airline seats or in overhead

racks. Regardless, this machine definitely remains in the transportable category. It is smaller than other transportables—such as the Kaypro—but still weighs 27 pounds.

RELIABILITY

I asked what sort of reliability the Integral will have when it is actually carted around. "You'd be amazed," replied an HP spokesperson, who recited numerous tests with glee. For instance, in one test they dropped the system from a meter up: it sustained some cosmetic damage but still ran (although that isn't guaranteed). When something did break during testing, HP made the necessary changes to the components or case. Further testing included vibrating the system, checking for condensation, and giving prototypes to marketing people.

Another ramification of this reliability obsession is that HP won't soon introduce a hard-disk version of the Integral. Though HP engineers admittedly had considered the possibility, it seems they don't trust the ruggedness of the hard disks they've seen. Beyond that, the design team believes that RAM disks and ROM-based operating systems give hard-disk. performance without the problems.

SERVICE

Service for the Integral will be available through dealers or HP, with the standard 90-day warranty offered in the U.S. Because of different legal requirements, the warranty period will be one year in Europe. You will also be able to purchase extended service agreements.

I/O CAPABILITIES

The Integral has only a single port on the back, an HPIB (Hewlett-Packard In-

In one test, HP dropped the Integral from a meter up. It still ran. terface Bus) socket. If you need more I/O (input/output) capabilities you have to put I/O boards in the slots (for example, an RS-232C card, which should be immediately available).

Another form of I/O is provided by the keyboard and mouse sockets. These sockets are called Human Inter-

face Loop (HIL) ports and can handle other devices, such as graphics tablets. Hewlett-Packard has standardized the protocol for these ports throughout many of its wide range of products.

DISPLAY

The Integral's electroluminescent, flat-screen display is a centerpiece. Although the display isn't manufactured at HP, the HP engineers worked closely with the vendor to assure readability and reliability. In fact, each time I talked to an HP engineer I was assured that the "slight shadowing" on the prototype screen had been corrected. Unfortunately, I never saw the shadow. Maybe eyes trained on LCDs (liquid-crystal displays) aren't yet ready to analyze an EL flat-screen critically. The screen is also fast—with no phosphors to fade, it could be faster than a CRT (cathode-ray tube). The only color choice is amber.

With 512 by 255 pixels in an area 8 inches wide and 4 inches tall, the Integral screen is twice the size of the Grid Compass screen—the only other well-known example of an EL on a microcomputer. Because the screen is so thin, the Integral could probably be the shallowest system you have ever put on a desk. While transportables of the Osborne and Kaypro variety have to be unbuttoned and then tilted over, taking up much of the depth of a desk, the Integral retains its standing position, with only the keyboard folding down to occupy writing space.

An EL display is clearer than a CRT because there's no focus problem. As project manager Tim Williams noted dryly, "If a dot lights up, a dot lights up."

The Integral has a variety of fonts and a font editor that lets you create your own. An antireflective coating

and a circular polarizer for glare reduction combine to improve your

Photo 3: PAM, with HP's MemoMaker.



view of the already crisp images.

KEYBOARD

The Integral's low-profile keyboard (photo 4) is a compact adaptation of a new HP standard keyboard that will be used with portables, desktops, and terminals. The keyboard has com-

pletely soft mapping because it will be used in a number of countries: the Corvallis division of HP gets half of its business from outside the United States, so German, French, Spanish, and British versions of the Integral also were set for introduction in January. Another effect of European sales is that the arrangement of the keyboard (and of other system elements such as the display and fonts) had to meet European ergonomic standards.

The keyboard consists of a full-size QWERTY layout with sculpted keys surrounded by special function keys. My first impression is that the keyboard is not especially quiet but is fast and easy to type with. The numeric keypad on the right side is closer to the alphabetic keys than on many other HP keyboards: the engineers had to squeeze it inward because of the requirements of portability. The cursor keys are below the numeric keypad.

Several of the numeric keys also have special functions, which are printed on the keys, such as Insert Line and Delete Character. The Integral also has: a Select key, used to shift the active window on the screen; Extend keys, which, in conjunction with the alphabetic keys, produce special characters; a Reset/Break key and a Stop key, placed in the extreme top left to prevent frustrating accidents; and eight programmable function keys, part of the standard HP user interface. The bottom lines of the Integral's screen display the changing definitions of the function keys.

MASS STORAGE

The mass-storage capacity of the Integral consists of one HP-standard, 3½-inch floppy-disk drive with hard-shell disks that hold 710K bytes each. One of my first reac-

tions to the machine was, "Why is there only one floppy-disk drive?"

The Integral PC's electroluminescent, flat-screen display is its centerpiece. "One disk is cheaper than two," says HP's Andy Rood. "So the question is: "Why two?"

Normally manufacturers include two disk drives to provide enough total storage, separate storage devices for programs and data, and backup capability.

According to HP, the Integral's single floppy-disk drive, RAM, and ROM meet these needs: the very high density of the floppy-disk drive provides enough total storage; the separation of programs and data is accomplished partly by the ROM and partly by the RAM disk; and because the operating system is in ROM instead of on a disk and the RAM of the Integral automatically includes a RAM-disk function, you can put programs on the RAM disk and data files on the floppy. As an added benefit, RAM-disk programs run faster than those on a floppy disk. Finally, the development team felt that the high-density floppy and the RAM disk made up a perfectly capable pair of devices for backing up files. For those reasons, and to save on space and power, the team decided to leave out a second disk drive.

The use of ROM for the operating system was a big challenge: UNIX likes to have a disk drive at its disposal. The HP team had to "tune" their UNIX so that it didn't do that. The ROM solution provides that the root file is on the RAM disk, so when UNIX comes up, the only file system it presumes to exist is the RAM disk.

You can have more mass storage (externally) if you want it. Through the Integral's I/O interface you can use any of HP's many storage peripherals. All of the software drivers—such as for a hard disk—are already built in.

THINKJET PRINTER

One of the features that makes the Integral unusually "integrated" is the built-in ink-jet printer (see "The Hewlett-Packard ThinkJet Printer" by Mark Haas in the January BYTE, page 337). The ThinkJet is also a product of the Corvallis division of Hewlett-Packard and the

Integral team was intimately asso-(continued)

Photo 4: The Integral Personal Computer's keyboard.



ciated with its development.

As an ink-jet printer, the ThinkJet is quiet and fast. The characters it produces are near letter quality. The ThinkJet can print in a number of different fonts and can also handle black-and-white graphics. The Integral's keyboard has a Print key that

immediately cues a dump of the screen's contents to the ThinkJet.

One small drawback of the printer's placement is that there is no good place to put the paper—that is, if you put the pile of blank paper just behind the computer, the system takes up a lot more room.

The ThinkJet is generally simple to load and use but doesn't have a platen knob. Therefore, you have to be careful not to overrun when using the line-feed and formfeed buttons.

MOUSE

The Integral's optional mouse is HP's standard twobutton, mechanical contraption that uses a steel ball beneath a circular palm grip. The plug-in position (on the left side of the unit) is slightly awkward for a righthanded user because the cable must run behind the keyboard. The mouse's left button is called the "clicking" button (for selection) and the right is called the "right" button (for mode changing).

SOFTWARE

The Integral runs HP-UX 2.1, which HP calls a "vanilla" UNIX environment, and the Personal Applications Manager (photos 2 and 3), HP's operating-environment shell (see "The HP 150" by Phil Lemmons and Barbara Robertson in the October 1983 BYTE, page 36, and "The HP 110" in the June 1984 BYTE, page-111). The Integral's windows emulate terminals that report back at 9600 bits per second, have 80 characters by 24 lines, and use normal escape sequences. As Tim Williams puts it, "We think the UNIX wave is just beginning. And as the UNIX wave

rolls along we want to roll with it and help it to grow." Ray Fajardo noted Although the Integral is compatible with UNIX System III, it emulates other versions. that a lot of development time was devoted to making the Integral run most UNIX software without modification. The primary goal was System III compatibility: a secondary goal was flexibility. The system can dynamically configure drivers and make operating-system patches on the fly, so the

environment is standard yet can be specialized by independent software vendors. According to HP, HP-UX's flexibility enables it to emulate Venix, System V, and other UNIX derivatives. Over 50 utilities, commands, and standard applications are included with the system.

How hard was it to put UNIX in ROM? "We first did it the same way we do a disk operating system," says Andy Rood. "We just took what would have been our 200K boot image, put it in ROM, and put a little poweron preamble that copied it to RAM just as a bootstrap up for disk." They then embellished the first version by making the code execute directly from the ROM and made some flexibility modifications by linking ROM through RAM jump tables. Any bugs that turn up in the ROM now can be masked by intercepting and isolating ROM routines. The kernel is in the ROM and is treated as another disk device. At the time the machine is started, the ROM disk-which has both the PAM shell and the traditional UNIX init process—is configured. The ROM looks like shared memory for user libraries and programs. There also is a demon in the background to do the disk handling. The HP-UX system is supported by real-time extensions (BCD |binary coded decimal|, HPIL [Hewlett-Packard Interface Loop], HPIB, RS-232C, and instrumentation I/O) and device-independent libraries, as well as HP Technical BASIC.

USER INTERFACE

The Integral's user interface (windows, graphics, function keys, and optional mouse) were Jon Brewster's responsibility. He explained that the original reason for windows was to provide users with more than one interface to

the product. HP had discovered that even novice users use multitasking

Photo 5: The Integral PC with keyboard in place.



and keep multiple programs on the display. The windowing system, then, had to allow novices to do multitasking without worrying about foreground, background, priorities, and scheduling. Because the mouse was to be (and is) optional, the windows had to work well with and without it.

Also, unlike the Macintosh, the Integral allows you to move windows while they are being updated: windows are moved by animating a sprite (which resembles a corner of the window) and positioning it—rather than moving the entire window. Thus, you can hide windows (they appear as title lines in the lower left of the display), stretch them (by choosing a new bottom right corner with a sprite), move them (by choosing a new top left corner with a sprite), and shuffle them (the top window being the only one with which you can interface directly, although the others can still be active).

APPLICATIONS

According to HP, a variety of software packages will be available within 60 days of the Integral's introduction. These include Microsoft's Multiplan, Officeware's Script and Plan, Ashton-Tate's dBASE III, HP's MemoMaker, Data and Calculator, HP-UX software development tools, and others.

More software is being developed both at HP's personal software division and by independent vendors who have already been alerted to the Integral's introduction. Also, because of the compatibility of HP Technical BASIC, many programs for other HP systems, such as Series 200 and 500 products, will immediately run on the Integral.

DOCUMENTATION

Although the documentation I viewed was only in the draft stage, HP has given plenty of attention to the literature explaining its system. The documentation is clear and thorough. Beginners will spend the most time with the Personal Tutor disk and booklet, a tutorial that takes

an estimated eight hours to fully absorb. Lessons include use of the The Integral's user interface lets you move, hide, stretch, and shuffle windows. mouse, windows, and the organization, viewing, printing, and creating of files. The Integral's documentation also includes a cartoon booklet that explains how to set up and start up the system, and a reference guide. HP claims that the documentation, user interface, and PAM will have novices

working on the system within 30 minutes.


PRICE AND CONCLUSIONS

The Integral Personal Computer is priced at \$4990 (with HP-UX, PAM, and HP Windows). Although the price is high for a single-disk-drive system, the perceived price/value ratio depends on what class of computer you compare the Integral to. HP would like it to be compared to the higher-performance (and higher-priced) UNIX machines, rather than MS-DOS transportables such as the Compaq.

The big question is, who will buy the Integral? Perhaps business and technical professionals whose requirements push the limitations of today's 16-bit MS-DOS machines. Certainly computer science students and engineers will see many advantages to a complete UNIX system they can take home. And with the benefits of multitasking, HP may pull in more people: imagine having several data-communications cards, each hooked to a different electronic information service, and all communicating while you work on a spreadsheet and a word processor.

The HP Integral Personal Computer's advantages include: state-of-the-art technology; the "everything you need in one box" design; engineering that looks absolutely solid, and a multitasking environment—all from a company with a great engineering track record. On the minus side: the list of software available for the Integral PC is short, and the price may be too high. But for those who need advanced computing power and who want to cast their votes against the IBM PC and its various compatibles, the HP Integral Personal Computer may be the

best argument yet for biting the bullet and switching to UNIX.



$C \cdot I \cdot A \cdot R \cdot C \cdot I \cdot A' S \quad C \cdot I \cdot R \cdot C \cdot U \cdot I \cdot T \quad C \cdot E \cdot L \cdot L \cdot A \cdot R$

BUILD A SERIAL EPROM PROGRAMMER

BY STEVE CIARCIA

An inexpensive way to put your programs on a chip



Over the years, many articles have been published on programming EPROMs (erasable programmable read-only memories). The number of articles alone indicates

the value of an EPROM programmer and the interest expressed in the subject. Trueblooded computer experimenters consider an EPROM programmer as essential a tool as a soldering iron and a DVM (digital voltmeter).

Most EPROM programmers designed for personal computers are implemented as bus-dependent I/O (input/output) peripheral cards that use computer-specific, machinelanguage driver programs. By eliminating the need for an enclosure and using the system power supply, a relatively costeffective unit can be produced. Unfortunately, if I designed such a unit, it probably wouldn't be for the computer you own.

For computer users who don't have expansion buses or who want their EPROM programmer to be transportable between systems, the only alternative is a standalone EPROM programmer attached to a serial port (much like a modem). Making it a separate peripheral device, however, necessarily increases its cost. In fact, external serial-port EPROM programmers are frequently two or three times the cost of board-level units.

A certain portion of the cost is due to its separate power supply and enclosure, but most of the expense is attributed to the features that manufacturers generally incorporate in the devices. The majority of standalone serial-connected programmers are, in fact, designed as intelligent EPROM programmers that have the basic processing power and memory of whole computers. I have taken this approach on previous designs. Such devices perform well and require little assistance from the host system beyond the data to be programmed.

This time I'm approaching the problem differently. I've decided to keep it simple and design the most universally applicable and cost-effective programmer that I can.

The latest Circuit Cellar EPROM programmer is a serial-port programmer that has the speed of a turtle, the intelligence of the mightiest computer (that is, it has absolutely no smarts of its own), and is as functional as a doorstop between uses. On the positive side, it's fully documented, universally applicable, and easily expandable to ac-(continued)

Steve Ciarcia (pronounced "see-ARE-see-ah") is an electronics engineer and computer consultant with experience in process control, digital design, nuclear instrumentation, and product development. He is the author of several books about electronics. You can write to him at POB 582, Glastonbury, CT 06033. commodate future EPROM types.

The serial-port programmer can be operated from almost any system with a serial port. The driver software is written completely in BASIC with no machine-language routines. The serial-port programmer offers all the hardware features to program 2716, 2732, 2732A, 2764, and 27128 EPROMS through a serial port, including: RS-232C compatibility, no handshaking necessary, internal power supplies, jumper-selectable EPROM types, and jumper-selectable data rates.

The BASIC-language driver program included offers features such as:

• menu-driven operation using single keystrokes

• a help routine that can be called at any time

• single-byte or burst-write modes

read or copy EPROM

 optional programming from a disk file

• verify after write

• verify EPROM erasure

 screen-dump routines by page or byte

single-stepping mode

• software-controlled read/write mode select

• BASIC driver that can be usermodified

REVIEWING EPROM BASICS

A personal computer, even in its minimum configuration, always contains some user-programmable memory or RAM (random-access read/ write memory), usually in the form of semiconductor-memory integrated circuits. This memory can contain both programs and data and can be read or modified as needed.

Any of several kinds of electronic components can function as bitstorage elements in this kind of memory. TTL (transistor-transistor logic) type-7474 flip-flops, bistable relays, or tiny ferrite toroids (memory cores) are suitable, but they all cost too much, are hard to use, and have other disadvantages.

In personal computer and other microprocessor-based applications, the most cost-effective memory is made from MOS (metal-oxide semiconductor) ICs (integrated circuits). Unfortunately, data stored in these semiconductor RAMs is volatile. When the power is turned off, the data is lost. Many ways of dealing with this problem have been devised, with essential programs and data usually stored in some nonvolatile medium.

In most computer systems, some data or programs are stored in nonvolatile ROM (read-only memory). A semiconductor ROM can be randomly accessed for reading in the same manner as the volatile memory, but the data in the ROM is permanent. In a mask-programmed ROM, the data that can be read is determined during the manufacturing process. Whenever power is supplied to the ROM, this permanent data (or program) is available. In small computer systems,




Figure 1: Pinouts of the 2716 and 2764 EPROMs.

ROM is chiefly used to contain operating systems and/or BASIC interpreters—programs that don't need to be changed.

Another type of ROM is the PROM (programmable read-only memory). A PROM component is delivered containing no data. The user decides what data it should contain and permanently programs it with a special programming device. Once initially programmed, PROMs exhibit the characteristics of mask-programmed ROMs. You might label such PROMs as write-once memories.


The EPROM, which is ultravioletlight-erasable, is a compromise between the write-once kind of PROM and the volatile memory. You can think of the EPROM as a read-mostly memory, used in read-only mode most of the time but occasionally erased and reprogrammed as necessary. The EPROM is erased by exposing the silicon chip to ultraviolet light at a wavelength of 2537 angstroms. Conveniently, most EPROM chips are packaged in an enclosure with a transparent quartz window.

HOW AN EPROM WORKS

EPROMs store data bits in cells formed from stored-charge FAMOS (floating-gate avalanche-injection metal-oxide semiconductor) transistors. Such transistors are similar to positive-channel silicon-gate fieldeffect transistors, but they have two gates. The lower or *floating* gate is completely surrounded by an insulator layer of silicon dioxide; the upper *control* or *select* gate is connected to external circuitry.

The amount of electric charge stored on the floating gate determines whether the bit cell contains a 1 or a 0. Charged cells are read as 0s; uncharged cells are read as 1s. When the EPROM chip comes from the factory, all bit locations are cleared of charge and are read as logic 1s; each byte contains hexadecimal FF.

When a given bit cell is to be burned from a 1 to a 0, a current is passed through the transistor's channel from the source to the gate. (The electrons, of course, move the opposite way.) At the same time, a relatively high voltage potential is placed on the transistor's upper select gate, creating a strong electric field within the layers of semiconductor (continued)



FEBRUARY 1985 . BYTE 107

material. (This is the function of the +21- or +25-volt $|V| V_{pp}$ charging potential applied to the EPROM.) In the presence of this strong electric field, some of the electrons passing through the source-drain channel gain enough energy to tunnel through the insulating layer that normally isolates the floating gate. As the tunneling electrons accumulate on the floating gate, the gate takes on a negative charge, which makes the cell contain a 0.

When data is to be erased from the chip, it is exposed to ultraviolet light, which contains photons of relatively high energy. The incident photons excite the electrons on the floating gate to sufficiently high energy states that they can tunnel back through the insulating layer, removing the charge from the gate and returning the cell to the 1 state.

The 2700 family of EPROMs contains bit-storage cells configured as individually addressable bytes. This organization is often called "2K by 8" for a 2716 or "8K by 8" for a 2764. Figure 1 shows the 2716 and 2764. The completely static operation of these devices requires no clock signals. The primary operating modes include read, standby, and program (program-inhibit and program-verify

IC Number	Туре	Ground	5 V	12 V	-12 V
IC1	AY3-1015	pin 3	pin 1		1
IC2	74LS175	pin 8	pin 16		
IC3,4,5	74LS374	pin 10	pin 20		T.
IC6	74LS00	pin 7	pin 14	P	
IC7	74LS14	pin 7	pin 14		1
1C8	NE555	pin 1	pin 8		
IC9	74LS02	pin 7	pin 14		
IC10	MC1488	pin 7		pin 14	pin 1
IC11	MC1489	pin 7	pin 14		
IC12	74LS04	pin 7	pin 14	[
IC13	CD74HC4040	pin 8	pin 16		




Figure 3: Serial interface and data-rate generator.

modes are important primarily in high-volume applications).

Control inputs are used to select the chip and configure it for one of these operating modes. In the program mode, particular bit cells are induced to contain 0 values. Both 1s and 0s are present in the data word presented on the data lines, but only the presence of a 0 causes action to take place. To program the 2716 EPROM, the V_{pp} input is made +25 V and the OE input is at a high TTL level. Then, the TTL-level data to be programmed for a specific address is set up on the 2716's data lines, and the address is set up on address lines A0 through A10. After a setup time of at least 2 microseconds (μ s), a high TTL-level programming pulse 50 milliseconds (ms) long is applied to the CE/PGM input. Addresses to be programmed may be specified in any order.

The 50-ms programming pulse must be applied once for each location to be programmed (under no circumstances should a constant high level be applied to the CE/PGM input in the program mode). Repeated 50-ms pulses to the same location are acceptable, but any pulse width greater than 55 ms might destroy the chip. The minimum pulse width is 45 ms.

CIRCUIT DESCRIPTION

Figures 2, 3, and 4 show the schematic drawings for the serial-port EPROM programmer, the RS-232C interface, and the four-voltage power supply. Table 1 shows the powersupply connections for the schematics. The main element in figure 2 is the AY-3-1015 UART (universal asynchronous receiver/transmitter). The UART converts serial information sent from the computer into parallel information used in the programmer. This parallel data appears on pins 5 through 12 of the UART receiver bus. The UART can also pass information back to the computer by converting any parallel information present on pins 26 through 33 of the transmitter bus into serial information. The serial information is received from the computer on pin 20 and transmitted to the computer on pin 25.

A logic high level on pin 21 resets and initializes the UART. This level is generated as a power-on reset (PWR) every time the power to the programmer is turned on or the manual reset button pressed. This PWR also clears the receiver character counter, IC2.

UART pins 35 through 39 set the format of the serial transmission between the computer and the programmer. (I chose to hard-wire these options rather than provide option switches that are rarely used.) As shown, the UART is configured for an 8-bit character length with 1 stop bit and parity checking inhibited. If your computer requires 2 stop bits, connect pin 36 to +5 V instead of ground. The programmer will operate at any desired data rate up to and including 9600 bits per second (bps). A software delay loop keeps the programmer from being swamped.

The programmer requires 4 bytes to be sent from the computer for each location read from or written to in the EPROM. This 4-byte protocol eliminates the need for incremental counters and sophisticated decision logic in the programmer. It does, however, reduce the speed of read and erasure-verification operations.

The first 3 bytes received are latched a byte at a time into latches IC3, IC4, and IC5. The latching pulses are generated by IC2, which is configured as a 4-bit byte counter. Each time a byte is received by the UART, an RDA (received data available) pulse is generated at pin 19 of the UART. This pulse is used to clock IC2 and is gated back to the RDAV (reset data available) line, pin 18, to clear the receiver section of the UART. As the counter clocks, the leading edges of its output latch the data from the UART into IC3, IC4, or IC5. The counter is reset by the PWR line or when the fourth byte is received.

The first byte received by the programmer contains the most significant 3 to 6 bits of the EPROM address (depending upon the EPROM type) and 1 bit to select either the read or write mode of operation. A logic 1 in bit 7 sets the write mode; a logic 0 sets the read mode.

The second byte contains the lower 8 bits of the EPROM address.

The third byte contains the data to be programmed into the addressed location when it is in the write mode or a dummy character when in the read mode.

The fourth byte contains dummy data in both the read and write modes. When the counter increments with the reception of the fourth byte, it causes IC2 to reset. The time between setting this output bit and clearing the counter is about 100 nanoseconds (ns). This short pulse concluding the setup of the address and data is used to trigger the actual programming pulse to the EPROM.

The programming pulse to the EPROM is generated by IC8, which is configured as a 50-ms one-shot (triggered by the reception of the fourth byte). The programming pulse is fed to the EPROM at several different locations, depending on which EPROM is being programmed and how the EPROM selection jumper block (see figure 5) is configured.

The one-shot is functional only when the mode select line (R/W, read/not write) IC3 pin 2 is a logic 0, setting the write mode. The mode select line is also used to select the programming voltage ranges of the various EPROMs. When configured for a 2732 or a 2716 EPROM, a low on the mode select line sets the V_{pp} supply to a 25-V level. For all other EPROM types, the V_{pp} supply is set to a 21-V level.

Depending on the configuration of the jumper block, the mode select line sets the proper TTL levels at the \overline{CE} and \overline{OE} pins to place the various EPROMs in the read or write mode. A logic high on the mode select line causes the V_{pp} supply to drop to 0 V for the 2732 and 2732A EPROMs and to 5 V for the other types.


The mode select line also functions as the output enable line of data latch

IC5. When the programmer is in the write mode, data from the UART is latched and directed to the EPROM data bus for programming. When the programmer is in the read mode, IC5's output is disabled, and the EPROM data-bus contents are transmitted back to the computer.

LEDs (light-emitting diodes) 1, 2, and 3 indicate when power is on and when read and write pulses occur. They are not necessary to the operation of the programmer and are merely included as visual aids.

Figure 3 shows the serial-interface connections and the data-rate generator, ICIO and ICII are standard RS-232C transmitter and receiver chips that conform to the EIA (Electronic Industries Association) standard for RS-232C transmission. (If your computer needs a handshaking signal, the 50-ms write pulse can be connected to the clear-to-send line. It is not used with the software presented in this article.) The serial-communication rate between the programmer and the computer is jumperselectable. A 4.9152-MHz oscillator divided down through a is CD74HC4040 (it must include the HC designation to accommodate the high frequency) to produce the appropriate clock rate for the UART.


Figure 4 shows the power supply used with the programmer. The power transformer I chose was 22 V CT (center tap), but any transformer from (continued)



22 to 25.6 V CT is adequate. The secondary output of the transformer is full-wave rectified, filtered, and then regulated to +12 V, +5 V, and -12 V. Only the +5-V supply needs an actual IC regulator; less stringent zener regulation is adequate for the 12-V

supplies to the RS-232C drivers.

The 35-V output consists of components C4, C5, D3, and D4 connected as a cascade voltage doubler with half-wave rectification. This configuration produces an input of approximately 32 to 34 V to the LM317/



338 regulator. The minimum acceptable voltage at the input is 28.5 V (for a 25-V output). If you use a higheroutput transformer than 22 V CT, be careful that the input to the V_{pp} regulator doesn't exceed 35 V. If it does, additional preregulation may be necessary to use this circuit.

Figure 6 shows the programmable V_{pp} supply. The 2732A EPROM requires the programming voltage to be pulsed between 0 and 21 V, while a 2716 requires a pulse between 5 and 25 V. The supply is controlled by the jumper connections and the mode select line. With jumper #1 across R6, the supply is configured for a maximum V_{pp} level of 21 V. When it is removed, the supply has a maximum voltage of 25 V.

The minimum V_{pp} level is set by two jumper-selectable programming circuits, which are also connected to the regulator's output set point-adjust line. When jumper #2 is installed, a two-transistor circuit is enabled, which applies – 1.2 V to the adjust line. The result is a 0-V output from the regulator. When jumper #3 is installed, the reference-adjust line is set to allow a +5-V regulator output.

INTERACTING WITH HARDWARE

The operation of the serial programmer should become clear by following an example of a write operation followed by a read operation. This is the sequence that would necessarily occur during a standard write-andverify cycle.

First, the EPROM programmer is cleared and set to the read mode by the power-on reset pulse (which can be generated by pressing a button or by turning the programmer on) so that it is ready to receive the first character. If we plan a write cycle, the first character must contain a logic 1 in bit 8 to activate the write mode. The upper 3 to 6 bits of the EPROM address (the page address that depends on the size of the EPROM) must also appear in the first 3 to 6 bits (bit 0 through bit 5) of this first character. Each character of data to be programmed into the EPROM is sent to the programmer as a 4-byte transmission with the programming address specified each time.

Table 2 indicates the allowable bit patterns for this first character received by the programmer.

For our example, assume that the

data byte C3 (hexadecimal) is to be written into the first byte of page 4 in the EPROM. In this case, the first character received by the programmer should be 1x000100. The receipt of this character pulses IC2 and latches the page address and mode select bit into the page/mode latch, IC3. The mode select bit selects the EPROM for a write cycle, turns on the V_{pp} supply to the EPROM, releases the reset line on the timer, activates the output enable line of the data latch, and shuts off the transmission gate of the UART.

The second character sent contains the lower 8 address bits for the EPROM. To program the first location in page 4, the rest of the address must then be 00000000. This character sets

Page	Write Mode	Read Mode
0	1x000000	0x000000
1	1x000001	0x000001
2	1x000010	0x000010
3	1x000011	0x000011
4	1x000100	0x000100
5	1x000101	0x000101
6	1x000110	0x000110
7	1x000111	0x000111
*		
64	1x111111	0x111111

the second stage of the counter and latches the lower address location into the lower address latch, IC4.

The third character, 11000011 (C3 hexadecimal), contains data to be programmed into the EPROM. When this character is received, the counter latches the data into the data latch, IC5.

The fourth character sent is a dummy character that may contain any value. This fourth and last character simply clocks IC2 and triggers the 50-ms programming pulse. When the one-shot times out, the programmer is still in the write mode. It has to be set to the read mode by initiating a read cycle.

The four characters sent in our present example of a write sequence are 1x000100, which sets the write mode and upper address; 00000000, which sets the lower address; 11000011, which sets the data byte (C3 hexadecimal); and xxxxxxx, dummy data.

The read sequence is similar to the write sequence. The first character (continued)




Figure 6: Close-up of the programmable V_{pp} supply.

sent again contains the upper bits of the address, but bit 8 is now set to logic 0 to put the mode select line high (read mode). A logic I on the read/write line deactivates the programming one-shot and tristates the data latch, IC5.

Again, the first character is latched into the page/mode latch, and the second character is latched into the lower address latch. With IC5 tristated, the EPROM's data output is placed on the UART transmitter bus. The third character is a dummy character that is used to clock IC2. This signal causes the UART to transmit the data on the transmitter bus to the computer. The fourth character is then sent to the programmer to reset the counter.

The four characters that must be sent in the verify sequence of our example are 0x000100, which sets the read mode and upper page address; 00000000, which sets the lower address; xxxxxxx, which gets the data byte from the EPROM (C3 hexadecimal); and xxxxxxx, which resets the programmer.

PROGRAMMER SOFTWARE

The driver program shown in listing 1 could have been written in any language that supports input and output ports. [This program is available for downloading from BYTEnet Listings at (603) 924-9820. You can also receive it by sending an IBM PC-formatted disk and return postage to Steve Ciarcia.] BASIC was chosen because it has wide appeal in the personal computer field and because most systems with serial I/O ports support BASIC. The software (flow-diagramed in figure 7) was written specifically for the IBM PC but can be easily modified to conform to most other systems that also support Microsoft BASIC. The program was written with a short MAIN program module that calls a number of subroutine modules. This modular approach makes modifying, debugging, or ex-




Figure 7: A flowchart of the driver program.


panding the software a much easier task. Examining the driver software should provide enough understanding so that any additions or changes desired can be easily implemented.

The program modules that access the serial port are labeled READ A BYTE and WRITE A BYTE in listing 1. These sections contain the only software modules that are hardware-dependent and that need to be configured to your particular system.

The WRITE module performs the actual program burn of the data into the EPROM. The first statement sends the page address to the serial port with the value of bit 8 set to 1. This

is accomplished by combining the page address with the value 128 (10000000 binary). The page address is calculated elsewhere in the program before entering this module. The next statement sends the lower address contained in the variable BYTE to the serial port. This value is also calculated by the program prior to entering the WRITE module.

The statement "PRINT #3,DATUM" sends the data to be written into the EPROM to the serial port. The last statement in the WRITE module is a timing loop that causes the program to pause while the 50-ms timer in the serial-port programmer times out.



The READ module requests a data byte from the programmer and receives the byte from the serial port. It accomplishes this by sending a page address and byte address to the serial port as in the WRITE module. In this case, bit 8 of the page address is set to 0 to inform the programmer that a read cycle is being performed. The next two lines send a dummy data value and a strobe to the serial port to complete the read sequence. The values of DUMMY and STROBE are set in the INITIALIZATION module. The data sent by the serialport programmer is received in the variable RDATA.

Once these modules have been configured to your system, it is a simple matter to write and read data from the programmer. Simply define the PAGE and BYTE address variables along with the DATUM value and send them to your serial port by calling the appropriate module. The rest of the program in listing 1 shows methods for doing this.

The approach used in the program is to place any data to be programmed into the EPROM in an array so that it can be reviewed and edited prior to burning it permanently into the EPROM. The array name is appropriately called ARRAY(). The highorder byte of every element in AR-RAY() stores a flag bit indicating that the lower-order byte of the element is data to be programmed. This method allows the program to write to only those locations in the EPROM where a valid data value has been entered in ARRAY().

Each time a data value is put into ARRAY(), the value is combined with 256 to set the flag. When it is time to send all the data to the EPROM, the flag is checked in each element, and only those elements with the flag bit set are sent to the EPROM. This process is repeated until all the flagged elements have been programmed. The initial values for ARRAY() are taken directly from the EPROM by reading each location and storing the values in ARRAY().

Several methods of entering data into ARRAY() are used in the program. One method is to enter each data value directly from the keyboard; another method is to fill ARRAY() by reading an already-programmed EPROM. Finally, a disk file previously (continued)

Listing 1: EPROM programmer routines.

```
1000 REM = = = = = = =
                                                        -----
1010 REM
                       SERIAL EPROM PROGRAMMER
1020 REM
                                  written in
                      MICROSOFT BASIC for the IBM PC
1030 REM
1070 REM INITIALIZATION ROUTINE
1090 KEY OFF
1100 LINE25$ = "BAUD RATE = \ EPROM = \ BASE PAGE = \ \"
1110 BR$ = "0000":EP$ = BR$:BP$ = BR$
1120 DEFINT A-Z:ON ERROR GOTO 4600
1130 STROBE = 255:DUMMY = 255:PAGE = 0:BYTE = 0:DATUM = 255
1140 K$="VPNEOWHDIBSL':FORMAT$="PAGE=\\ BYTE=\\ DATA=\\"
1150 MIMAGE = 0:MCRADDR = &H3FC:DELAY = 100
1160 REM ======
1170 REM MAIN BODY OF PROGRAM - KEYBOARD SEQUENCE
1190 GOSUB 2250
1200 PRINT" = = = = = = = = SERIAL EPROM PROGRAMMER = = = = = = = = =
1210 PRINT"
                                   BAUD-RATE SELECTION
1230 PRINT"The SERIAL PORT programmer can operate at several different baud"
1240 PRINT"rates. Select the baud rate for your system from the list below:
1260 PRINT"
                 (1) 300 baud'
1270 PRINT"
                 (2) 600 baud'
1280 PRINT"
                 (3) 1200 baud'
1290 PRINT"
                 (4) 2400 baud'
1300 PRINT"
                 (5) 4800 baud'
1310 PRINT"
                 (6) 9600 baud'
1330 PRINT"Enter the number of your selection -> ";:BAUD$ = INPUT$(1)
1340 PRINT BAUD$: BAUD = VAL(BAUD$): IF BAUD > 0 AND BAUD < 7 THEN 1360
1350 PRINT" < < < < BAUD-RATE SELECTION ERROR >>>>>": GOTO 1330
1360 BR$ = STR$(300*2^(BAUD - 1))
1370 GOSUB 2250
1380 PRINT"======== SERIAL EPROM PROGRAMMER ========"
1390 PRINT" EPROM-TYPE SELECTION"
1410 PRINT" The SERIAL EPROM programmer has the ability to program several"
1420 PRINT" different EPROMS. Select the type of EPROM from the list below:
1440 PRINT"
                 (1) 2716"
1450 PRINT"
                 (2) 2732/2732A"
                 (3) 2764'
1460 PRINT"
1470 PRINT"
                 (4) 27128
1490 PRINT"Enter the number of your selection -> "::ESIZE$ = INPUT$(1)
1500 PRINT ESIZE $: ESIZE = VAL(ESIZE $): IF ESIZE > 0 AND ESIZE < 5 THEN 1520
1510 PRINT "<<<<<< EPROM-TYPE ERROR >>>>":GOTO 1490
1520 DSIZE = 1024*2^ESIZE:PAGES = DSIZE/256
1530 EP1$ = STR$(16*2*(ESIZE - 1))
1540 EP$ = "27" + RIGHT$(EP1$,LEN(EP1$) - 1)
1550 DIM ARRAY(DSIZE)
1560 GOSUB 2250:GOSUB 4790:GOSUB 2250
1570 PRINT "======== SERIAL EPROM PROGRAMMER ===========
1580 PRINT "
                                   CONDITION OF EPROM'
1600 PRINT"If the EPROM you are programming is fully erased then select"
1610 PRINT"'EPROM ERASED' from the selection list below. This will save
1620 PRINT" the time required to read the EPROM into memory. If the EPROM"
1630 PRINT" has been partially programmed then select 'PARTIALLY PROGRAMMED'"
1640 PRINT" and the EPROM will be read into memory prior to programming.
1660 PRINT"
               (1) EPROM ERASED"
1670 PRINT"
               (2) EPROM PARTIALLY PROGRAMMED"
1690 PRINT"Enter the number of your selection -> ";:ERA$ = INPUT$(1)
1700 PRINT ERA$:PRINT:ERA = VAL(ERA$):IF ERA = 2 THEN 1740
1710 IF ERA<> 1 THEN PRINT'' << << SELECTION ERROR >>>>>'':GOTO 1690
1720 PRINT'' < < < < INITIALIZING MEMORY - PLEASE WAIT >>>>>'
1730 FOR I = 0 TO DSIZE - 1:ARRAY(I) = 255:NEXT |
1740 ON BAUD GOTO 1750,1760,1770,1780,1790,1800
1750 OPEN "COM1:300,n,8,1,rs,cs,ds" AS #3:GOTO 1810
1760 OPEN "COM1:600,n,8,1,rs,cs,ds" AS #3:GOTO 1810
1770 OPEN ''COM1:1200,n,8,1,rs,cs,ds'' AS #3:GOTO 1810
1780 OPEN "COM1:2400,n,8,1,rs,cs,ds" AS #3:GOTO 1810
1790 OPEN "COM1:4800,n,8,1,rs,cs,ds" AS #3:GOTO 1810
1800 OPEN "COM1:9600,n,8,1,rs,cs,ds" AS #3
1810 GOSUB 2250
1820 PRINT "======= SERIAL EPROM PROGRAMMER =========
1830 PRINT "
                                 BASE-PAGE INITIALIZATION'
1850 PRINT"The SERIAL EPROM programmer is driven by a keystroke-oriented"
1860 PRINT" program. The keys are defined in a HELP menu. This help menu'
1870 PRINT" can be displayed at any time by typing the letter (H) after
1880 PRINT"the program has been initialized.
1890 PRINT:PRINT
1900 PRINT"To initialize the program you must enter the base page"
1910 PRINT"address of the EPROM. This address is generally a HEXADECIMAL value"
1920 PRINT" corresponding to the beginning page of an even 2K-byte boundary.
```

1930 PRINT"For example 00,08,B0,B8,etc." SET BASE ADDRESS 1950 GOSUB 3770:REM 1960 IF HFLAG = 1 THEN HFLAG = 0:GOTO 1950 1970 JE ERA = 1 THEN 2000 1980 PRINT"A MEMORY IMAGE OF YOUR EPROM IS BEING MADE" 1990 GOSUB 3890:REM MAKE MEMORY IMAGE 2000 GOSUB 2880:REM DISPLAY HELP MENU 2010 PRINT:PRINT 2020 PRINT"YOUR PRESENT LOCATION IS:" 2030 GOSUB 2320:REM READ AND DISPLAY DATA 2040 PRINT"COMMAND ->" 2050 IKEY\$ = INPUT\$(1) 2060 IF IKEY\$> = "a" AND IKEY\$ < = "z" THEN IKEY\$ = CHR\$(ASC(IKEY\$) AND 95) 2070 K = INSTR(K\$, IKEY\$): IF K = 0 THEN PRINT "WHAT ?";:GOTO 2050 2080 HELAG = 0 2090 ON K GOSUB 3430,2380,2440,2160,2500,2660,2880,3550,3760,3980,4240,4400 P 2100 REM V N E O W H D B S 2110 IF HFLAG = 1 THEN GOSUB 2880 2120 IF HFLAG = 1 OR IKEY\$ = "H" THEN 2010 ELSE 2030 2130 BEM -----------2140 REM BURN EPROM AND END OPTION 2160 GOSUB 3980 2170 IF IKEY\$ <> "N" THEN RETURN 2180 CLOSE:END 2190 BEM 2200 REM MAIN BODY ENDS HERE - SUBROUTINE MODULES FOLLOW 2220 REM ______ 2230 REM DISPLAY STATUS LINE 2250 CLS:LOCATE 25,1:PRINT USING LINE25\$;BR\$,EP\$,BP\$; 2260 PRINT "COMMANDS: ";K\$ 2270 LOCATE 3,1,1:RETURN 2280 REM ======== 2300 REM DISPLAY LOCATION AND DATA 2320 RDATA = ARRAY(PAGE*256 + BYTE) AND 255:REM GET DATUM FROM ARRAY 2330 PRINT USING FORMAT\$;HEX\$(BIAS+PAGE),HEX\$(BYTE),HEX\$(RDATA) 2340 RETURN 2350 REM = = 2360 REM DECREMENT ADDRESS 2380 IF PAGE = 0 AND BYTE = 0 THEN RETURN ELSE BYTE = BYTE - 1 2390 IF BYTE = -1 THEN PAGE = PAGE - 1:BYTE = 255 2400 RETURN 2410 REM ARREST ARREST ARREST ARREST ARREST ARREST 2420 REM INCREMENT ADDRESS 2440 IF PAGE = PAGES - 1 AND BYTE = 255 THEN RETURN ELSE BYTE = BYTE + 1 2450 IF BYTE = 256 THEN PAGE = PAGE + 1:BYTE = 0 2460 RETURN 2470 REM ====== 2480 REM OFFSET TO NEW STARTING ADDRESS 2500 ADD\$ = " ":PRINT:PRINT"ENTER NEW LOCATION IN HEXADECIMAL (hhhh) -> "; 2510 L\$ = INPUT\$(1):PRINT L\$; 2520 IF L\$> = ''a'' AND L\$< = ''z'' THEN L\$ = CHR\$(ASC(L\$) AND 95) 2530 IF L\$ = ''H'' THEN HFLAG = 1:RETURN 2540 IF L\$ = ''Q'' THEN PRINT:RETURN 2550 ADD\$ = ADD\$ + L\$: IF LEN(ADD\$) = 4 THEN PRINT ELSE 2510 2560 PAGE\$ = LEFT\$(ADD\$,2):BYTE\$ = RIGHT\$(ADD\$,2) 2570 CON\$ = PAGE\$:GOSUB 3110:IF SUM = -1 THEN 2500 2580 PAGE = SUM - BIAS 2590 IF PAGE>PAGES-1 OR PAGE<0 THEN PRINT''<<<<< OUT OF RANGE >>>>'':GOTO 2500 2600 CON\$ = BYTE\$:GOSUB 3110:IF SUM = -1 THEN 2500 2610 BYTE = SUM 2620 RETURN 2630 REM ---_____ 2640 REM WRITE TO ARRAY - BYTE BY BYTE 2660 XFLAG=0:DATUM\$="`":PRINT"<<<< WRITE MODE >>> ENTER DATA IN HEXADECIMAL (hh) -> "; 2670 D\$ = INPUT\$(1):PRINT D\$; 2680 IF D\$> = "a" AND D\$< = "2" THEN D\$ = CHR\$(ASC(D\$) AND 95) 2690 IF D\$ = "H" THEN HFLAG = 1:RETURN 2700 IF D\$ = "Q" THEN PRINT:RETURN 2710 IF D\$ = "X" THEN XFLAG = 1:DATUM\$ = " ":GOTO 2670 2720 DATUM\$ = DATUM\$ + D\$: IF LEN(DATUM\$) < >2 THEN 2670 2730 PRINT:CON\$ = DATUM\$:GOSUB 3110:DATUM = SUM 2740 IF SUM = -1 THEN 2660 2750 IF (ARRAY(PAGE*256 + BYTE) AND 255) < >255 AND XFLAG = 0 THEN 2830 2760 DATUM = DATUM OR 256:REM TAG LOCATION AS WRITTEN TO 2770 ARRAY(PAGE*256 + BYTE) = DATUM:REM WRITE DATUM TO ARRAY 2780 GOSUB 2320:REM **DISPLAY WRITE TO ARRAY** 2790 IF BYTE = 255 AND PAGE = PAGES - 1 THEN RETURN 2800 GOSUB 2440:REM INCREMENT ADDRESS 2810 GOSUB 2320:REM DISPLAY NEXT LOCATION 2820 GOTO 2660

(continued)

2830 PRINT: PRINT: <<<<<< ILLEGAL WRITE TO PREVIOUSLY PROGRAMMED LOCATION >>>>> " 2840 RETURN 2860 REM HELP ROUTINE 2880 GOSUB 2250:REM CLEAR SCREEN 2890 PRINT"To initialize the program you should enter the beginning page 2900 PRINT"address of the EPROM to be programmed. This value is used when" 2910 PRINT"printing to the screen and as a bias value in the write modes. 2920 PRINT" The following single-letter commands are used to control the 2930 PRINT''modes of the EPROM programmer:":PRINT 2940 PRINT" (I) INITIALIZE BASE-PAGE ADDRESS - base address is ";BIAS\$;"00" (V) VERIFY ERASURE 2950 PRINT" 2960 PRINT" (N) DISPLAY NEXT BYTE" 2970 PRINT'' (P) DISPLAY PREVIOUS BYTE" 2980 PRINT" (O) OFFSET TO NEW PAGE AND BYTE" 2990 PRINT" (L) LOAD ARRAY FROM DISK" 3000 PRINT" (S) SAVE ARRAY ON DISK' 3010 PRINT" (W) ENTER BYTE WRITE MODE (use Q or H to exit, X to edit)' 3020 PRINT" (D) HEXADECIMAL DUMP TO SCREEN" 3030 PRINT" (B) ENTER 'BURN EPROM' MODE'' 3040 PRINT" (H) ENTER HELP MODE (from any input statement)" 3050 PRINT" (E) EXIT PROGRAM" 3060 RETURN 3070 REM CONVERT HEXADECIMAL TO DECIMAL 3090 REM ENTER WITH HEXADECIMAL STRING IN CON\$, EXIT WITH DECIMAL VALUE IN SUM 3110 SUM = 0 3120 FOR I = 1 TO LEN(CON\$) X = ASC(MID\$(CON\$,(LEN(CON\$) + 1 - 1),1))3130 IF X < 48 OR X > 70 THEN SUM = - 1:I = LEN(CON\$):GOTO 3190 3140 IF X>57 AND X<65 THEN SUM = -1:1 = LEN(CON\$):GOTO 3190 3150 3160 IF X < 64 THEN X = X - 48 ELSE X = X - 55 3170 $SUM = SUM + (X^{*}16^{(I-1)})$ IF SUM>255 OR SUM<0 THEN SUM = -1 3180 3190 IF SUM = -1 THEN PRINT" < < < < INPUT ERROR >>>> " 3200 NEXT I:RETURN 3210 REM ______ 3220 REM WRITE A BYTE 3240 WPAGE = PAGE OR 128:REM SET WRITE PAGE (W/R = 1) 3250 PRINT #3,CHR\$(WPAGE);:REM SEND WRITE PAGE 3260 PRINT #3,CHR\$(BYTE);:REM SET WRITE BYTE 3270 PRINT #3,CHR\$(DATUM);:REM DATA TO WRITE 3280 PRINT #3,CHR\$(STROBE);:REM WRITE STROBE 3290 FOR DEL = 1 TO DELAY:NEXT DEL:REM WRITE DELAY 3300 RETURN 3310 REM ______ 3320 REM READ A BYTE 3340 PRINT #3,CHR\$(PAGE);:REM SET READ PAGE (W/R = 0)3350 PRINT #3,CHR\$(BYTE);:REM SET READ BYTE 3360 PRINT #3,CHR\$(DUMMY);:REM DUMMY DATA SENT 3370 PRINT #3,CHR\$(STROBE);:REM READ STROBE 3380 RDATA = ASC(INPUT\$(1,#3)):REM INPUT DATA 3390 RETURN 3400 REM ====== 3410 REM VERIFY ERASURE 3430 PRINT: PRINT "VERIFYING THAT EPROM IS ERASED": PRINT 3440 BYTE = 0:PAGE = 0 3450 FOR PAGE = 0 TO PAGES - 1:V\$ = " OK" 3460 FOR BYTE = 0 TO 255 3470 IF (ARRAY(PAGE 256 + BYTE) AND 255) = 255 THEN 3490 3480 V\$ = " < < < < < NOT ERASED >>>>> ' NEXT BYTE:PRINT"PAGE";PAGE;V\$ 3490 3500 NEXT PAGE 3510 BYTE = 0:PAGE = 0:RETURN 3520 REM = = = = _____ 3530 REM DUMP TO SCREEN 3550 GOSUB 2250 3560 FOR LN = 1 TO 16 3570 DPAGE\$ = RIGHT\$(''0'' + HEXADECIMAL\$(BIAS + PAGE),2) 3580 DBYTE\$ = RIGHT\$(''0'' + HEXADECIMAL\$(BYTE),2) 3590 PRINT USING"\\";DPAGE\$;DBYTE\$;": 3600 FOR D = 1 TO 16 DDATA\$ = RIGHT\$("0" + HEXADECIMAL\$((ARRAY(PAGE*256 + BYTE) AND 255)),2) 3610 PRINT USING'\\";DDATA\$; 3620 IF PAGE = PAGES - 1 AND BYTE = 255 THEN D = 16:LN = 16 3630 GOSUB 2440:IF BYTE MOD 16=0 THEN PRINT:D=16 3640 3650 NEXT D 3660 NEXT LN:PRINT:PRINT 3670 IF PAGE = PAGES - 1 AND BYTE = 255 THEN PRINT" < < < < END OF EPROM >>>>>":RETURN 3680 PRINT"ENTER (C) TO CONTINUE OR (Q) TO EXIT DUMP -> ";:IKEY\$ = INPUT\$(1) 3690 IF IKEY\$> = "a" AND IKEY\$< = "z" THEN IKEY\$ = CHR\$(ASC(IKEY\$) AND 95)

3700 PRINT IKEY\$:PRINT:IF IKEY\$ = "C" THEN 3560 3710 IF IKEY\$ = "H" THEN HFLAG = 1:RETURN 3720 IF IKEY\$ = "Q" THEN RETURN ELSE 3680 3730 REM ==== 3740 REM SET BIAS ADDRESS 3760 GOSUB 2250 3770 BIAS\$ = " ": PRINT: PRINT" ENTER BASE-PAGE ADDRESS IN HEXADECIMAL (hh) -> "; 3780 B\$ = INPUT\$(1):PRINT B\$; 3790 IF B\$>="a" AND B\$< = "z" THEN B\$ = CHR\$(ASC(B\$) AND 95) 3800 IF B\$ = "H" THEN HFLAG = 1:RETURN 3810 IF B\$ = "Q" THEN PRINT; RETURN 3820 BIAS\$ = BIAS\$ + B\$:IF LEN(BIAS\$) < >2 THEN 3780 3830 PRINT 3840 CON\$ = BIAS\$:GOSUB 3110:BIAS = SUM:PRINT:PRINT:IF SUM = -1 THEN 3770 3850 PAGE = 0:BYTE = 0:BP\$ = BIAS\$ + "00":GOSUB 2250:RETURN 3860 REM 3870 REM READ EPROM TO ARRAY 3890 PAGE = 0:BYTE = 0:GOSUB 2250 3900 GOSUB 3340 3910 ARRAY(PAGE*256 + BYTE) = RDATA: IF BYTE = 0 THEN PRINT''READING PAGE'': PAGE 3920 BYTE = BYTE + 1:IF BYTE = 256 THEN PAGE = PAGE + 1:BYTE = 0 3930 IF PAGE < = PAGES - 1 THEN 3900 3940 PRINT: PAGE = 0: BYTE = 0: RETURN 3950 REM ----3960 REM WRITE ARRAY TO EPROM 3980 GOSUB 2250 3990 PRINT" < < < < < BURN ALL PROGRAMMED BYTES ?? >>>>>> >>> 4010 PRINT"TYPE (Y) TO PROGRAM EPROM 4020 PRINT"(Q) TO RETURN TO PROGRAM' 4030 PRINT"(H) TO DISPLAY HELP MENU' 4040 PRINT"(N) TO RETURN TO PROGRAM FROM 'BURN' MODE" 4050 PRINT"TO ABORT PROGRAM IN 'EXIT' MODE." 4060 PRINT:PRINT"ENTER SELECTION -> ";:IKEY\$ = INPUT\$(1) 4070 PRINT IKEYS 4080 IF IKEY\$> = "a" AND IKEY\$< = "z" THEN IKEY\$ = CHR\$(ASC(IKEY\$) AND 95) 4090 IF IKEY\$ = "N" THEN RETURN 4100 IF IKEY\$ = "H" THEN HFLAG = 1:RETURN 4110 IF IKEY\$ = "Q" THEN PRINT:RETURN 4120 IF IKEY\$ <> "Y" THEN 3990 4130 FOR ADD = 0 TO DSIZE 4140 DATUM = ARRAY(ADD): IF DATUM < 256 THEN 4190 DATUM = DATUM AND 255:BYTE = ADD MOD 256:PAGE = (ADD - BYTE)/256 4150 PRINT "BURNING ";:GOSUB 2320 4160 4170 GOSUB 3240:GOSUB 3340 4180 IF RDATA <> DATUM THEN PRINT "<< << < > DATA NOT VERIFIED >>>>> " 4190 NEXT ADD 4200 PRINT: BYTE = 0: PAGE = 0: RETURN 4210 REM = = = 4220 REM SAVE ARRAY IN DISK FILE 4240 GOSUB 2250:PRINT"THE DISK FILE CREATED HERE WILL CONTAIN ALL THE DATA" 4250 PRINT''PRESENTLY CONTAINED IN YOUR EPROM MEMORY IMAGE AND' 4260 PRINT''WILL BE ASSIGNED THE FILE EXTENSION 'PRM' 4270 PRINT" THE FOLLOWING IS A LIST OF EXISTING DISK FILES WITH" 4280 PRINT"THE FILE EXTENSION '.PRM'.":PRINT:PRINT 4290 FILES "*.PRM":PRINT:PRINT 4300 INPUT"ENTER THE FILENAME OF YOUR NEW DISK FILE -> ",FILENAME\$ 4310 IF FILENAME\$ = "H" OR FILENAME\$ = "h" THEN HFLAG = 1:RETURN 4320 IF FILENAME\$ = "Q" OR FILENAME\$ = "q" THEN RETURN 4330 OPEN "O",#1,FILENAME\$+".PRM" 4340 FOR I = 0 TO DSIZE – 1:PRINT #1,(ARRAY(I) AND 255); 4350 IF I MOD 256 = 0 THEN PRINT "SAVING PAGE";1/256 4360 NEXT I:CLOSE #1:RETURN 4370 REM 4380 REM LOAD ARRAY FROM DISK 4400 GOSUB 2250:PRINT:PRINT"THE FOLLOWING IS A LIST OF FILENAMES WITH THE FILE" 4410 PRINT"EXTENSION '.PRM"":PRINT:PRINT 4420 FILES "*.PRM":PRINT:PRINT 4430 INPUT"ENTER A FILENAME FROM THE LIST ABOVE ->".FILENAME\$ 4430 INFOTENTER A FILENAME FROM THE ENTROUGHTE ENTROUGHTE STREETURN 4440 IF FILENAME\$= "H" OR FILENAME\$= "h" THEN HFLAG = 1:RETURN 4450 IF FILENAME\$= "Q" OR FILENAME\$= "q" THEN RETURN 4460 OPEN "I",#1,FILENAME\$ + ".PRM" 4470 FOR I = 0 TO DSIZE - 1:INPUT #1,DATUM 4480 IF I MOD 256 = 0 THEN PRINT "LOADING PAGE";1/256 IF DATUM = 255 OR DATUM = (ARRAY(I) AND 255) THEN 4560 4490 IF ARRAY(I) < >255 THEN 4520 4500 4510 ARRAY(I) = DATUM OR 256:GOTO 4560 4520 PRINT" <<<<<< ILLEGAL INPUT DATA FROM FILE >>>>>" PRINT" <<<<< ATTEMPT TO WRITE OVER PROGRAMMED LOCATION >>>>>>" 4530 PRINT'' < < < < < PROGRAM HAS BEEN ABORTED >>>>>' 4540

(continued)

4550 CLOSE#1:END 4560 NEXT I:CLOSE #1:RETURN 4570 REM -----4580 REM DISK-ERROR ROUTINE 4600 IF ERR = 53 AND ERL = 4290 THEN PRINT"NO PRM FILES": RESUME 4300 4610 IF ERR = 53 AND ERL = 4420 THEN PRINT"NO PRM FILES": GOTO 4670 4620 IF ERR = 53 AND ERL = 4460 THEN PRINT"UNKNOWN FILE": GOTO 4670 4630 IF ERR = 61 THEN PRINT "DISK FULL":GOTO 4670 4640 IF ERR = 57 THEN PRINT''RESET EPROM PROGRAMMER'':GOTO 4670 4650 IF ERR = 67 THEN PRINT"UNKNOWN FILENAME, DON'T TYPE '.PRM'":GOTO 4670 4660 CLOSE#1:PRINT "UNKNOWN ERROR #";ERR;"IN LINE #";ERL 4670 PRINT"PRESS ANY KEY TO CONTINUE -> ";:IKEY\$ = INPUT\$(1):PRINT 4680 IF ERR = 57 THEN RESUME 0 4690 HFLAG = 1 4700 RESUME 2110 4710 ON ERROR GOTO 0 4720 REM = = = = 4730 REM CONFIGURATION ROUTINE 4750 DATA 255,255,196,255,196,255,196,255,255,196,255,196 4760 DATA 026,196,255,255,255,196,255,196,196,255,255,196 4770 DATA 196,255,196,196,255,255,196,255,196,255,255,255 4780 DATA 196,255,196,196,255,255,196,255,196,255,196,255 4790 IF ESIZE = 1 THEN RESTORE 4750 4800 IF ESIZE = 2 THEN RESTORE 4760 4810 IF ESIZE = 3 THEN RESTORE 4770 4820 IF ESIZE = 4 THEN RESTORE 4780 4830 LOCATE 1,22:PRINT "JUMPER CONFIGURATION" 4840 LOCATE 3,30:PRINT CHR\$(201);CHR\$(205);CHR\$(205);CHR\$(187) 4850 FOR I = 4 TO 15 LOCATE 1,30:PRINT CHR\$(199);" ";CHR\$(182);"J";I-3 4860 4870 NEXT 4880 LOCATE 16,30:PRINT CHR\$(200);CHR\$(205);CHR\$(205);CHR\$(188) 4890 FOR I = 4 TO 15 READ JUMPER 4900 LOCATE I,31:PRINT CHR\$(JUMPER);CHR\$(JUMPER) 4910 4920 NEXT | 4930 LOCATE 4,38 4940 IF ESIZE = 2 THEN PRINT"NOTE: INSTALL J1 FOR 2732A EPROMS" 4950 LOCATE 18,20:PRINT "If jumpers are not properly configured" 4960 LOCATE 19,20:PRINT "shut off programmer and set jumpers," 4970 LOCATE 20,20:PRINT "then turn programmer back on. 4980 LOCATE 22,20:PRINT "Press any key to continue -> 4990 A\$ = INPUT\$(1):RETURN

created with a SAVE command in the program can also be used to enter the data.

A help routine is provided in the program to assist the user during the operation of the programmer. It consists of a menu that contains all the choices available in the driver program. The routine can be entered from any location in the program by typing the letter H. A screen-dump routine and an EPROM erasure-verification routine are also provided.

IN CONCLUSION

The serial-port EPROM programmer isn't designed for volume programming. It's intended to be a costeffective, transportable programmer that doesn't become outmoded with each new computer and system bus. You'll also find, cleverly embedded in every programming cycle, enough time for you to take a well-deserved coffee break.

CIRCUIT CELLAR FEEDBACK

This month's feedback begins on page 393.

NEXT MONTH

I've always been intrigued by home control and electronic messaging. In March, I'll tackle the subject in earnest, beginning with a Touch-Tone Interactive Message System. ■ Special thanks to Larry Bregoli for his software expertise.

Editor's Note: Steve often refers to previous Circuit Cellar articles. Most of these past articles are available in reprint books from BYTE Books, McGraw-Hill Book Company. POB 400. Hightstown, NJ 08250.

Ciarcia's Circuit Cellar, Volume 1 covers articles that appeared in BYTE from September 1977 through November 1978. Volume 11 covers December 1978 through June 1980. Volume 111 covers July 1980 through December 1981. Volume 1V covers January 1982 through June 1983.

To receive a complete list of Ciarcia's Circuit Cellar project kits, circle 100 on the reader-service inquiry card at the back of the magazine.

Your Gateway to Artificial Intelligence

GOLDEN COMMON LISP



Gold Hill Computers brings the language of Artificial Intelligence to Your Personal Computer.

You know you want to do more with Artificial Intelligence. Two problems have held you back: the expense of the hardware and the scarcity of LISP programmers. *But no longer*. GOLDEN COMMON LISP® makes it possible for you to learn and use LISP on your personal computer. You will know the excitement of expert systems, intelligent data access, and smart programs.

COMMON LISP is the new LISP standard developed by researchers from universities and corporations such as CMU, MIT, Stanford, UC Berkeley, Digital, LMI, Symbolics, and Texas Instruments. GOLDEN COMMON LISP is the right LISP for you because it is based on COMMON LISP. Programs you develop using GOLDEN COMMON LISP. on your personal computer will run in the COMMON LISP environments of larger, more expensive machines.

With GOLDEN COMMON LISP, every programmer becomes a LISP programmer. GOLDEN COMMON LISP comes with the LISP Explorer," an interactive instructional system developed by Patrick H. Winston and San Marco Associates. The San Marco LISP Explorer guides you through the steps of LISP programming and makes the full range of LISP's power accessible to both novices and experienced programmers. The new second edition of the classic LISP textbook by Winston and Horn is also included.

GOLDEN COMMON LISP COMES COMplete with the intelligent GMACS editor (based on EMACS), on-line documentation of all LISP and GMACS functions, a comprehensive user manual, and program debugging tools. In short, GOLDEN COMMON LISP comes with everything you need to program in LISP. Features of GOLDEN COMMON LISP for advanced users include co-routines for multitasking, macros for code clarity, streams for I/O, closures for object-centered programming, and multiple-valuereturning functions for efficiency.

GOLDEN COMMON LISP—the intelligent path to Artificial Intelligence.

GOLDEN COMMON LISP (GCLISP") requires an IBM PC, PC XT, or IBM PC compatible running PC-DOS 2.0. 512K bytes of memory are recommended for program development. A version of GCLISP for the DEC Rainbow is also available. The package includes:

- an intelligent GMACS editor
- program development tools
- the San Marco Lisp Explorer
- the new 2nd edition of *LISP* by Winston and Horn
- the COMMON LISP Reference Manual by Guy Steele
- on-line documentation of all GCLISP and GMACS functions
- the GOLDEN COMMON LISP Users' Guide and Reference Manual


ORDER GCLISP TODAY using the coupon below. Or call our Customer Service Department at:

(617) 492-2071

163 Harv	ll Computers er Service vard Street lge, MA 0213		B10-84
Name			
Organizat	ion		
Address			
		1	1
Phone		Toda	y's Date
Card #		Expir	/ ration Date
C:00000			
Signature	Description	Unit Price	Total Price
Quantity	Description Golden Common Lisp	Unit Price \$495.00	Total Price

163 Harvard Street, Cambridge, Massachusetts 02139

GOLDEN COMMON LISP is a registered trademark of Gold Hill Computers. GCLISP is a trademark of Gold Hill Computers. The LISP Explorer is a trademark of San Marco Associates. LISP is copyrighted by Addison-Wesley Publishing Company, Inc. The Common LISP Reference Manual is copyrighted by Digital Equipment Corporation. Rainbow is a trademark of Digital Equipment Corporation. IBM is a registered trademark of International Business Machines.



$P \cdot R \cdot E \cdot V \cdot I \cdot E \cdot W$



BY JOHN MARKOFF AND PHILLIP ROBINSON

Editor's note: The following is a BYTE product preview. It is not a review. We provide this advance look at this new product because we feel it is significant.

ON THE FIRST ANNIVERSARY of the introduction of the Macintosh, Apple Computer has introduced AppleTalk, which is a new local-area network (LAN), and a series of intelligent networked peripherals, including a laser printer and file server. The company hopes these products will make the "Macintosh office" a popular choice for work groups in large and small corporations.

AppleTalk and the laser printer are scheduled to be shipped in March.

The network was developed to serve as a small-work-group interconnect system, as a tributary to larger high-speed local-area and long-haul networks, and, in its most basic form, as a peripheral bus between an Apple computer and dedicated peripheral devices.

The new Apple LAN concept is a radical departure from common industry thinking about LAN design (for *(continued*)

John Markoff and Phillip Robinson (1000 Elwell Ct., Palo Alto, CA 94393) are BYTE senior technical editors.



AppleTalk networks the Macintosh and a new laser printer.

more information on Apple's plans for the future see the text box "Steve Drops By" on page 124). Instead of providing a high-bandwidth channel to link personal computers to each other and to larger remote computers, Apple designed its LAN to be a lowspeed, low-cost network for small work groups.

The AppleTalk architecture relies on the distribution of "intelligence" in network peripherals and on the clever use of the network's limited speed. Apple is betting that the principal barrier to networking office microcomputers has until now been cost. By focusing on an LAN that is optimized to share resources among small groups, the company hopes to achieve a better match to the organization of the typical office.

Since the introduction of the Macintosh. Apple has changed the name of its LAN from AppleBus to AppleTalk. When Apple first described the LAN. the company emphasized the network's role in providing the Macintosh with "virtual" serial slots for peripherals as an alternative to the open hardware architecture of the Apple II. As it is released, AppleTalk goes beyond this. However, you may still be able to daisy-chain peripherals by adding a smart network controller. But for now, Apple has decided to leave this option to third parties. One manufacturer, Tecmar Inc. has already demonstrated the ability of its 68000based hard-disk system to control both an ImageWriter and an Apple modem.

Apple is moving toward putting microprocessors in all or most of its peripherals. This design philosophy, plus the standardization on the Zilog SCC (serial-communications controller) chip that is now used in the Lisa, Macintosh, and Apple IIc computers, will make the task of networking peripherals simpler.

At the time of AppleTalk's introduction, Apple is only demonstrating the LAN with a *prototype* 20-megabyte intelligent file-server hard-disk system, which you will need for network applications such as electronic mail and print spooling. However, we were told that the hard disk will be announced in August 1985 and it will cost \$3500. An electronic-mail communications package for AppleTalk is also scheduled to be announced at the same time.

The company is also discussing a variety of future network products such as a bridge to link individual AppleTalk networks, an interface to the recently announced IBM PC LAN, communication servers, network databases, and as many as 50 third-party hardware and software development projects based on AppleTalk. Details of these products aren't vet available: therefore, it is difficult to assess AppleTalk at present. But after several false starts at developing a LAN, Apple is moving toward making it possible to link its products in office and other workplace settings.

APPLETALK

The heart of AppleTalk is the Macintosh serial-communications chip, a two-channel Zilog 8530 SCC that provides synchronous and asynchronous data communications at up to 230.4K bits per second (bps) using a selfclocking data format. (The 8530 will provide data communications at speeds as high as 1 megabit per second, using an external clock. Corvus Systems Inc. has also used this higherspeed scheme in its Macintosh implementation of the Omninet LAN.)

At the physical level, AppleTalk consists of a shielded twisted-pair trunk cable with modules that are passively connected to computer and peripheral nodes via a short drop cable. An individual AppleTalk network can have up to 32 nodes and has a packetswitching protocol and a data rate of 230.4K bps using FM 0 modulation (a bit-encoding technique that provides self-clocking) over a maximum distance of 300 meters. Externally, AppleTalk is simple, consisting of the connection modules, each of which has two miniature DIN three-pin connectors, and a DB-9 port that connects to the printer port on the Macintosh via a 2-meter cable. Inside each connection module are resistors, a capacitor, and a small transformer, designed so that the link is transformer-isolated and not susceptible to any kind of radiofrequency interference (RFI) or static discharge.

Apple calls the connector modules self-terminating, which keeps you from worrying about line termination and, in combination with the transformer, lets you add nodes to the network and remove them without disrupting network functions. A 100-ohm terminating resistor is included in each connector box, and there are two switch connections that are opened when the miniature DIN connectors are inserted. If both connectors are used, the switches are open, but if one of the connectors is not used, the terminating resistor is connected across the line.

AppleTalk uses a dynamic-addressing scheme that ensures that each node on the network has a unique 8-bit address (there is also a mechanism for internet communications across bridges and through gateways). The AppleTalk destination address is used to "filter" frames at the data-link layer. Frames are not accepted unless their destination address matches the address of the receiving node. The SCC chip facilitates this process by performing the address-recognition function in hardware.

AppleTalk doesn't require that a particular node's address be permanently recorded or set with jumpers. The advantage of this is that you can move computers and peripherals between networks and install them by simply attaching them to the network. For example, Apple claims you can bring your Macintosh to the network, plug it in, insert a disk, and turn it on. No special network configuration is necessary. Setting of the node address takes place when the computer first looks at some nonvolatile memory to find a previous address it has saved, or when it computes a new address based on the generation of a pseudorandom number. The computer then tests the address to see if it already exists on the network by sending a special packet

STEVE DROPS BY

to the address. If the address is already in use, the node there will answer and a new guess must be gen-(continued)

e met Burrell Smith and Bud Tribble and the rest of the Macintosh office design crew in the Macintosh headquarters, one of the many Apple buildings in Cupertino, California. After moving beyond the lobby, we heard someone play a pretty piece of music on a grand piano in the center of a large open area that also had sofas and a Ping-Pong table. On the left was the Matisse room: we used the Picasso room on the right. During the introduction, someone mentioned that Steve would drop by later. When Steve Jobs did drop by, he had some interesting things to say about Apple's plans and strategy.

"We hope to be able to offer people two things based on the Macintosh technology. The first, using the graphics and the power of that box, is radical ease of use. That was the first benefit of the Macintosh and that's the one we've really been trumpeting this last year.

"We are just now beginning to demonstrate the second great benefit of that graphic user interface—capabilities that you can't do on any other computer. You can't do the kind of project management you can do on Mac, you can't do stuff you can do with Mac-Draw, you can't print out entire forms or create forms on other computers. It will take something like the LaserWriter to really drive that home. As we roll out the next pieces that complement the workstation, I think it's going to become very clear to people why the graphic user interface is so important.

"Ultimately, we think that these products are going to be used to help people communicate with each other. Not analysis, not computationally intensive things for their own sake, but things to help people communicate much as the telephone did. And in terms of communication, look at middle-manager productivity in particular. Yes, we collect information, we analyze it, but then we draw conclusions from it and we need to communicate those conclusions to people around us. "We communicate in two ways. One, with paper, and the paperless office, which generates more paper than the traditional office; we've all found that out because we give people tools that generate the paper. So we've got to improve the quality of visual communication, improve the ability to communicate via paper. That includes overhead transparencies, which I think are going to be a big use for the printer. We can do that through the software tools on the Mac and through the ability to print them.

The next way that we can radically improve communication is to electronically link up people. We can start to do things like mail, electronic scheduling, and a variety of things that will improve how we communicate with each other. The result of improving those two ways of communication, I think, is going to be startling, when coupled with the fact that you can learn how to use the system in a half hour.

"I also think we're holding true to our vision of trying to remove the service and support requirements from the equation of success so that we don't have to send out a person at a thousand dollars per half day to help you install your computer system.

"AppleTalk plugs together and you don't have a chance to forget to hook up the terminator plugs because there aren't any, and you don't have to set the thumb-wheel switches because there aren't any, and you don't have to run the network master-configuration program because there ish't any. You just plug it together like a telephone or stereo and it works. And its very, very difficult to do wrong. Those little things are what keep you from having to go out and hold people's hands, run them through half-day training courses, and things like that.

"We think that networking is going to start from the bottom up in small work groups. If you've got four people on the network, which is a typical number to start with, it will cost \$150 per person for the head end. So you've got to have about \$1000 to hook up a computer to the net. It may be worth it someday when there's a lot of great software. But, right now not many are going to pay a thousand bucks to hook up a \$2000 computer to a network.

"And that's what AppleTalk is all about. Nobody's hooking up to nets because there isn't enough software that makes it worthwhile. There isn't enough software that runs in nets because if you write software to run in a net, there's nobody to sell it to because there aren't any nets. So it's a circular problem. No nets, no software; no software, no nets. We want to break through that logjam with Apple-Talk costing 50 bucks a computer.

'We just wish the whole world would standardize on a net. We'd all be happy. Just give us the jacks in the walls everywhere; we'd have no problem calling it the IBM net or the AT&T net, but it's not coming together. Ultimately, we feel that [the standard] network in the office is going to be the digital phone switch and not something that Apple or IBM comes up with. It turns out that the rates at which the digital-phoneswitch standards are emerging (the CCITT |Comité Consultatif International Téléphonique et Télégraphique| standards) are very close to AppleTalk rates. They're about anywhere from 64 kilobits per second up to maybe 192 kilobits per second.

"So the rates we have chosen will probably map well to the ultimate rates of what will be the office network. And that's how the voice-data integration will take place, through a digital CBX, not through our network or IBM's network. The decision that we made was fundamental: put intelligence in the peripherals. The really interesting thing that's happening isn't the products themselves, it's the software standards that are being set. As an example, Post-Script is more important, in a way, than the printer [the LaserWriter]. "Though we think that particular printer is what's going to make PostScript a standard."



THE WORLD'S LARGEST **COMPUTER MAIL ORDER FIRM**

ALL MAIL: Convoy-LaPointe, Inc. 12060 SW Garden Place, Portland, OR 97223

TOLL FREE (800) 547-1289

		SAN FRANCISCO, PORTLAND, SEAT	TLE-SEE BELOW		
HARDWARE fo	or your APPLE	SOFTWARE for	or your APPLE		
COMPUTERS	MISCELLANEDUS	BUSINESS & TRAINING	UTILITY & SYSTEM		
Capple	+Orange Micro, Grappler Plus (e or +) \$149 \$ 99	*ALS/Silicon Valley, Word Handler \$ 80 \$ 39	Beagle, GPLE or Alpha Plot, each \$ 35 \$ 27 Full Beagle line in stock CALL		
SYSTEMS IN STOCK CALL LINITED WARRANTY-100% Parts & Labor for 90 days by us	16K Buffer Board for Grappier Plus \$175 \$ 99 Buffered Grappier Plus, 16K \$239 \$ 159 2 Chip Set for Buffered Grappier \$ 28 \$ 12	List Handler Soft Tech., VersaForm	Borland, Turbo Pascal \$ 55 \$ 35 Central Point, Copy II Plus (bit copier) \$ 40 \$ 25 Einstein / Alison, Compiler \$ 129 \$ 95		
DISK DRIVES	Paymar, Lower Case Chip, Rev. 7 (I+) \$ 50 \$ 19 *PCPI, Applicard, 64K w/128K Ext. \$ 595 \$ 395	Arktronics, Jane w / Mouse (II + or IIe) \$295 \$ 195 Jane w / Mouse (IIc) \$179 \$ 119	Epson, Graphics Dump \$ 15 \$ 9 Funk Software, Sideways \$ 60 \$ 40		
+CENTRAL PT., Filer, Ubility & Apple DOS \$ 20 \$ 15	Applicard 6MHz, 14 features \$375 \$ 275 RH Electronics, Super Fan II \$75 \$ 59	Artsci, Magic Window II \$150 \$ 99 Magic Words \$70 \$ 48	Hayes, Terminal Prog. for Smartmodem \$100 \$65 Hosoft, GraFDRTH II by Paul Lutus \$90 \$65		
*MICRO-SCI, A2, 143K Disk Drive \$345 \$ 199 A2 Controller Card \$100 \$ 79 1/2 Ht. Disk Drive (Ile) \$269 \$ 195	 Titan / Saturn, Accelerator IIe \$599 \$ 399 Trackhouse, Numeric Key Pad \$149 \$ 94 Transend / SSM, AlOII, Senal /Para I /F \$225 \$ 169 	*Ashton-Tate, dBase II (Req CP/M 80) \$ 495 \$ 269 BPI, Job Cost \$ 595 \$ 375 AR,AP,PR or INV,each \$ 395 \$ 249	Microsoft, Full Line in Stock CALL Omega, Locksmith \$100 \$75 Penguin, Complete Graphics System II \$80 \$54		
1/2 Ht. Disk Drive (IIc) \$209 \$ 209 1/2 Ht. Disk Drive (IIc) \$299 \$ 209 TEAC TEAC, T4Q Direct Drive, 163K \$349 \$ 239 Controller Card by ComX \$110 \$ 49	TG, Tracball or Select-A-Port \$ 40 \$ 26	Honderbund, Print Shop So \$ 34 Bank Street Speller So \$ 70 So \$ 34	Phoenix, Zoom Grafix \$ 40 \$ 34 Quality, Bag of Tricks \$ 40 \$ 29		
1/2 HIGH TEAC, T80, Double Sided, 326K \$449 \$ 329	Joystick or Game Paddles \$ 45 \$ 29 ♦Videm, PSI0 I /F Card \$ 229 \$ 145 Macintosh	Bank Street Writer (specify 11+, e, c) \$ 70 \$ 45 Bank St. Combo (Writer & Speller) \$ 140 \$ 85	United SWI, ASCII Express-The Pro \$130 \$ 87 Utilico, Essential Data Duplicator III \$80 \$ 49		
TEAC, Controller Card \$ 85 \$ 59 Bana Elite 1, 163K. 40 Track \$ 379 \$ 239		Continental, GLAR, AP or PR, each \$250 \$165 Home Accountant \$75 \$49	HOME & EOUCATIONAL Barrons, Study Program for SAT \$ 90 \$ 60		
Elite 2, 326K, 80 Track \$649 \$ 389 Elite 3, 652K, 160 Track \$849 \$ 499 Elite Controller \$145 \$ 89		CDEX,tor Visicalc, Multiplan, Apple lie,each \$ 60 \$ 40 Dow Jones, Market Analyzer \$ 350 \$ 219 Market Manager \$ 300 \$ 189	Beagle Bros. Full line in Stock CALL Bluechip, Millionaire \$ 60 \$ 32		
Video Tech, 1/2 Ht. Disk Drive \$ 225 \$ 149	Bluechip, Millionaire \$ 60 \$ 39	Market Microscope IN STOCK \$ 349 \$ 219 Haydon, Pie Writer (vers. 2.2) \$ 150 \$ 89	Broderbund, Print Shop \$ 50 34 CBS, Large Inventory in stock CALL		
RAM EXPANSION *ComX. 80 col. +64K RAM, for He, 1 Yr. Wty \$ 199 \$ 99	Central Point, Copy II MAC \$ 40 \$ 30 Continental Software, Home Accountant \$100 \$ 65	Howard Soft, Tax Preparer, 1984 \$ 250 \$ 185 Human Edge, Sales Edge or Management \$ 250 \$ 165 Knoware, Knoware \$ 95 \$ 64	Continental, Home Accountant S 75 \$ 49 Davidson, Full line in stock CALL Dow Jones, Home Budget \$ 95 \$ 69		
 RAM Card, 1 Yr. Wty. (II+) 16K \$179 \$ 39 Microsoft, RAM Card (II+) 16K \$100 \$ 69 	Creative Solutions, MacForth Level 1 \$ 149 \$ 95 Dow Jones, Straightalk NEW \$ 79 \$ 50 Electronic Arts, Pinball Construction \$ 40 \$ 29	Knoware, Knoware \$ 95 64 Living Videotext, ThinkTank \$ 150 \$ 99 Meca, Managing Your Money \$ 200 \$ 125	Edu-Ware, Large Inventory in Stock, CALL 40% off list Electronic Arts. Full line in stock CALL		
Titan / Saturn RAM Card 128k (II+) \$599 \$ 329 Other RAM Cards & Software in Stock CALL	Hayden, Sargon III \$50 \$ 33 Human Edge, Sales or Mgmt, Edge, ea, \$250 \$ 159	Micro Pro, (all require Z80-CP /M Card) • WordStar '" \$ 350 \$ 189	Hancourt, Computer Prep for SAT \$ 80 \$ 49 Koala, Full line in stock, CALL 35% off list		
VIOEO CARDS +ComX, 80 col. +64K RAM(lie) 1 yr. wty. \$199 \$ 99	Inflocom, Full Line in Stock CALL Kensington, Swivel \$ 25 \$ 21 Starter Pak \$ 90 \$ 60	WordStar w /Starcard \$ 495 \$ 265 WordStar Professional, 4 Pak \$ 495 \$ 265 MailMerge, SpellStar, or Startindex, ea. \$ 99 \$ 54	Learning Co,Large Inventory in Stock/ALL 35% off list Microsoft, Typing Tutor II \$ 25 \$ 1.7 Monogram, Dollars & Sense or SAM, ea \$ 100 \$ 59		
★Video. Video.Term 80 col. (+ or e) \$ 279 \$ 175 ★ UltraTerm (+ or e) \$ 379 \$ 229	Surge Suppressor \$ 50 \$ 35 Living Videotext, Think Tank \$ 145 \$ 85	 InfoStar and StarCard \$595 Micropolit, Multi-Plan (Apple DOS or CP/M) \$195 \$129 	Scarborough / Lightning, Mastertype \$ 40 \$ 27 Simon & Schuster, Typing Tutor III \$ 50 \$ 33		
Soft Video Switch (II+) S 35 \$ 22 Enhancer II (II+) S 149 \$ 95 Function Strip (II+) S 39 \$ 25	Main Street, Filer or Writer, ea. \$199 \$125 Maxell, Diskettes, SS/SD, 3½", 10 pak \$ 60 \$ 35	*Osborne / Corn X, (Disk and Book) (Stat, Bus & Math) Some Common Basic Programs (75 ea.) \$100 \$ 49	Sub Logic, Flight Simulator II \$ 50 \$ 25 Terrapin, Logo \$ 99 \$ 65		
We Have Full Videx Line Call Up to 35% off MISCELLANEOUS	Magahaua, Megafiler \$ 195 \$ 125 Microsoft, Chart \$ 125 \$ 94 Word or File or Multiplan, each \$ 195 \$ 129	Practical Basic Programs (40 ea.) \$ 100 \$ 49 Peachtree, Requires CP /M & MBasic, 64K Series 40 GL & AR & AP, all 3 \$ 395 \$ 239	GAMES Atari, Large Inventory in stock CALL		
+CCS. Senal Interface 7711 (Set BAUD) \$ 150 \$ 95	Mirage Concepts, Trivia \$ 50 \$ 32 Monogram, Dollars & Sense \$ 150 \$ 95	*Quark, Word Juggler & Lexicheck (Ile) \$189 \$ 129 Sensible, Sen, Speller or Bookends, ea. \$125 \$ 79	Broderbund, Fulline in stock CALL Detaurd: Aster or Zaconn each \$ 40 \$ 27		
+CPS/Eastside, Wild Card 2 (copier, +or e) \$140 \$99 Chalkboard, Power Pad (Requires Kit) \$100 \$73 Digital Research, CP/M Gald Card (w/640 \$495 \$359	Novation, Smartcat Plus Modern w/soft \$499 \$ 379 Pengulin, Transylvania \$35 \$ 24 Graphics Magician \$50 \$ 32	Sierra / On-Line, The Dictionary \$100 \$ 69 Gen. Manager II \$230 \$ 155 Construction II 2 Date: City \$100 \$ 150	Electronic Arts, Sky Fox or Pinbal \$ 40 \$ 29 Hayden, Sargon III (Chess) \$ 50 \$ 34 Indiocom, Zork IZork IIZork III, ea. \$ 40 \$ 27		
Digital Presentch, CP/M Gold Card (w/64N) \$ 495 \$ 359 * 64K to 192K Gold Card Expansion \$ 325 \$ 239 Konsington, System Saver Fan \$ 90 \$ 65	Graphics Magician \$ 50 \$ 32 Promitihum, ProModem 1200 w/cable&oft \$ 495 \$ 350 Scarborough /Lightning, Mastertype \$ 35 \$ 19	Screen Writer II, 2 Pak w /Dict. \$130 \$ 89 Homeword \$50 \$ 45 Software Arts, TK!Solver (for IIe or IIc) \$ 299 \$ 199	Insoft, 3 Games, Zarg / Spider Raid / Grapple \$ 82 \$ 25 Muse, Castle or Beyond Castle Wolfenstein \$ 35 \$ 23		
Key Troinic, KB 200 Keyboard (II+) \$ 298 \$ 219 Koala, Touch Tablet w /Micro Iliustrator \$ 125 \$ 75	Simon & Schuster, Typing Tutor III \$ 50 \$ 33 Softw. Pub., PFS: File or PFS: Report, ea. \$ 125 \$ 79	Software Publishing, (specity + or e) PFSFile, PFS:Graph, PFS:Report.each \$125 \$ 79	Ongon, Utoma III 5 60 5 40 Penguin, Transylvania 5 35 5 24		
Kraft, Joystick (II/I+) \$ 65 \$ 49 Game Paddles (II/I+) \$ 50 \$ 39 M&R, Sup R fan (II+ only) \$ 50 \$ 30	PFS: File & Report \$ 195 \$ 125 Stoneware, DB Master \$ 195 \$ 125 Telos, File Vision \$ 195 \$ 125	PFS: Write (lie) \$125 \$ 79 PFS: Proof \$70 \$48	Professional, Ťrivia Fever \$ 40 \$ 25 Sierra / On-Line, Ultima II \$ 60 \$ 40		
			Sir-Tech Wizardry \$ 50 \$ 35		
*Microsoft, Z80 Softcard (+ or e) \$ 345 \$ 235 Z80 Softcard Premium (Ile) \$ 395 \$ 275	T/Maker, Clickart \$ 50 \$ 32 Viciex, Vegas \$ 60 \$ 34	Stoneware, DB Master Version 4.0 \$350 \$ 225 DB Ublifty Pak I or II \$129 \$ 82 VisiCorp, Full Line In Stock CALL	Sir-Tech, Wizardry \$ 50 \$ 35 Spinnaker, Full line in stock, CALL 35% off list Sub Logic, Flight Simulator II \$ 50 \$ 35		
*Microsoft, 280 Softcard (+ or e) \$ 345 \$ 235	T/Maker, Clickart \$ 50 \$ 32 Videx, Vegas \$ 60 \$ 34	DB Ublity Pak or \$129 \$ 82	Spinnaker, Full line in stock, CALL 35% off list Sub Logic, Fight Simulator II \$ 50 \$ 35 PRINTER INTERFACES		
Microsoft, Z80 Softcard (+ or e) \$345 \$ 235 Z80 Softcard Premium (IIe) \$395 \$ 275 DISKETTES CONDYLAPOINTE* DISKETTES We guarantee these top quality produces with the Conrov-	T/Maker, Clickart \$ 50 \$ 32 Videx, Vegas \$ 60 \$ 34 MODEMS UST OUR ANCHOR, Signalman Mark XII \$ 399 \$ 269	DB Unify Pak I or II \$129 \$ 82 VisiCorp, Full Line In Stock CALL PRINTERS DOT MATRIX:	Spinnaker, Full line in stock, CALL 35% off list Sub Logic, Flight Simulator II \$ 50 \$ 35 PRINTER INTERFACES & BUFFERS UST DUR		
Kerosoft, 280 Softcard (+ or e) Z80 Softcard Premium(IIe) S345 S 235 Z80 Softcard Premium(IIe) S345 S 275 DISKETTES the CONROY-LAPOINTE** DISKETTES We guarantee these top quality products with the Conroy-LaPointee Warkanty.	T/Maker, Cickart \$ 50 \$ 32 Videx, Vegas \$ 60 \$ 34 MODDEMS LIST 0/// ANCHOR, Signalman Mark XII \$ 399 \$ 269 HAYES, IBAP Amark KII \$ 399 \$ 269 HAYES, IBAP C Snartroom 11200 \$ 149 \$ 99 Micromodem I lew //Smartroom \$ 149 \$ 99	DB Unify Pak I or II \$129 \$ 82 VisiCorp, Full Line In Stock CALL PRINTERS DOT MATRIX: LIST OUR EPSON, JX80—Color Printer, 160 cps	Spinnaker, Full line in stock, CALL 35% off list Sub Logic, Flight Simulator II \$ 50 \$ 35 PRINTER INTERFACES & BUFFERS UST OUR ARBO, IBM-PC to Para Printer Cable \$ 60 \$ 30 EPSON, Parallel Interface for [0]500 \$ 100 \$ 79		
Microsoft, 280 Softcard (+ or e) \$ 345 \$ 235 Z80 Softcard Premium (IIe) \$ 395 \$ 275 DISKETTES w CONTRY-LAPOINTE** DISKETTES w Quarantee these top quality products with the Conroy- LaPointe name, 5*EAR LIMITED WARRAITY, 10 es 3550, 35 frack (Apple, etc.) \$ 14 1000 es 35:00, 35 frack (Apple, etc.) \$ 999	T/Maker, Cickart \$ 50 \$ 32 Videx, Vegas \$ 60 \$ 34 MODDEMS LIST OUR ANCHOR, Signalman Mark XII \$ 399 \$ 269 HAYES, IBM-PC Smartmodem 12008 \$ 149 \$ 99 IBM-PC Smartcom II Software \$ 149 \$ 99 Micromodem IIe w/Smartcom \$ 329 \$ 239 \$ 229 Micromodem IIe Software \$ 149 \$ 99 \$ 2275 Stack (Privorgash (RS-232) \$ 239 \$ 239 \$ 237	DB Unify Pak I or II \$ 129 \$ 82 CALL WeiCorp, Full Line In Stock Call Call DRINTERS DOT MATRIX: UST OUR EPSON, JX80—Color Printer, 160 cps LIST OUR Stable L01500, 200 & 67 cps \$ 1395 InStock \$ 1395 InStock RX80—ID0 cps \$ 269 InStock \$ 369 InStock	Spinnaker, Full line in stock, CALL Sub Logic, Flight Simulator II \$ 50 \$ 35 PRINTER INTERFACES & BUFFERS UST OUR ARBO, IBM-PC to Para Printer Cable EPSON, Parallel Interface for IQ1500 Serial Interface Board MPCA0ceBU / 8 & Cable for Igons 8 (200) \$ 55		
Microsoft, 280 Softcard (+ or e) \$ 345 \$ 235 Z80 Softcard Premium((le) \$ 395 \$ 275 DISKETTES + CONROY-LAPOINTE ^{+*} DISKETTES We guarantee these top quality products with the Conroy- LaPointe name, 5*EAR LIMITED WARRANTY, 10 ea, SS/50, 35 frack (Apple, etc.) \$ 140	T/Maker, Cickart \$ 50 \$ 32 Videx, Vegas \$ 60 \$ 34 MCODEMS ANCHOR, Signalman Mark XII \$ 399 \$ 269 HAYES, IBAP C Snartnoom 12006 \$ 149 \$ 99 HBAP C Snartnoom 11 Software \$ 329 \$ 229 Micromodem 100 (S 100 bus) \$ 399 \$ 275 Stack Chronograph (HS-232) \$ 249 \$ 189 Stack Smartnoodem 100 (IRS-232) \$ 699 \$ 4495 IBM-PC to Modem Cable \$ 99 \$ 459	DB Unify Pak I or II \$ 129 \$ 82 VisiCorp, Full Line In Stock CALL PRINTERS List OUR L01500 List 0UR EPSON, JX80—Color Printer, 160 cps \$ 139 InStock L01500 200 & 67 cps \$ 1395 InStock X80—100 cps \$ 269 InStock RX80—100 cps \$ 369 InStock RX100—100 cps \$ 499 InStock FX80—160 cps \$ 569 InStock	Spinnaker, Full line in stock, CALL 35% off list Sub Logic, Flight Smulator II \$ 50 \$ 35 PRINTER INTERFACES & BUFFERS UST 0UR ARBO, IBM-PC to Para Printer Cable EPSON, Parallel Interface Board MPCAptell I/F & Cable for L01500 MPCAptell I/F & Cable for Epson & Gemin MPCAptell I/F & Cable for Epson & Gemin State for the State for Epson & Gemin State for the		
-Microsoft, 280 Softcard (+ or e) \$345 \$235 280 Softcard Premium ((le) \$395 \$275 DISKETTES + CONROY-LAPOINTE** DISKETTES We guarantee these top guality products with the Conroy- LaPointe name, 5 YEAR LIMITED WARRANTY. 10 est SX50, 35 Track (Apple, etc.) \$ 14 100 est SX50, 35 Track (Apple, etc.) \$ 120 100 est SX50, 35 Track (Apple, etc.) \$ 120 100 est SX50, 35 Track (Apple, etc.) \$ 140 100 est SX50, 48 Track (IBM, H/P) \$ 17 100 est DX50, 48 Track (IBM, H/P) \$ 140 100 est DX50, 48 Track (IBM, H/P) \$ 1190 CONROY-LAPOINTE**	T/Maker, Cickart \$ 50 \$ 32 Videx, Vegas \$ 60 \$ 34 MCODEMS ANCHOR, Segnaiman Merk XII \$ 399 \$ 269 HAYES, IBM-PC Smartmodem 12008 ILIST OUR IBM-PC Smartmodem 12008 \$ 149 \$ 99 Micromodem IIe w/Smartcom \$ 149 \$ 29 Stack Ornoragaph (RFs 232) \$ 399 \$ 225 Stack Smartmodem 300(RS-232) \$ 699 \$ 449 IBM-PC to Modem Cable \$ 99 \$ 39 \$ 19 KENSINGTON, Modem 1200 \$ 555 \$ 385	DB Unify Pak I or II \$ 129 \$ 82 CALL VisiCorp, Full Line In Stock CALL PRINTERS DOT MATRIX: LIST OUR LIST OUR CALL EPSON, JX80—color Printer, 160 cps LIST OUR LIST OUR RX80—r/r Sado L, Sin Stock Sado L, Sin Sock RX80—r/r Sado L, Sin Sock RX80—r/r Sado L, Sin Sock RX80—r/r Sado L, Sin Sock RX80-r/r Sado L, Sin Sock <	Spinnaker, Full line in stock, CALL 35% off list Sub Logic, Flight Simulator II \$ 50 \$ 35 PRINTER INTERFACES & BUFFERS UST 0UR ARBO, IBM-PC to Para Printer Cable EPSON, Parallel Interface for L01500 MPCAptell // 8 Cable for Epson, Roman MPCAptell // 8 Cable for Epson & Gemin MPCAptell // 8 Cable for Epson & Gemin 9 55 59 OKDATA, Plug n Pay, Razio, Negraphia 5 00 42 ORANGE MICHOLGrapher Plus ter Apple 149 59 Bufferd Cappler Plus, IRV 2239 159 PRACTICAL, Microburt In-Line 64K, para 349 5259		
Microsoft, 280 Softcard (+ or e) \$ 345 \$ 235 Z80 Softcard Premium ((le) \$ 395 \$ 275 DISKETTES * CONROY-LAPOINTE* DISKETTES * CONROY-LAPOINTE* OISKETTES * CONROY-LAPOINTE* 10 * 14 100 e.s. SX50, 35 Track Apple, etc.) \$ 14 100 e.s. SX50, 35 Track Apple, etc.) \$ 14 100 e.s. SX50, 35 Track Apple, etc.) \$ 129 100 e.s. SX50, 35 Track Apple, etc.) \$ 14 100 e.s. SX50, 35 Track Apple, etc.) \$ 120 100 e.s. SX50, 35 Track Apple, etc.) \$ 120 100 e.s. SX50, 35 Track Apple, etc.) \$ 120 100 e.s. SX50, 35 Track Apple, etc.) \$ 120 100 e.s. SX500, 48 Track (IBM, H/P) \$ 119 100 e.s. DX500, 48 Track (IBM, H/P) \$ 119 CONROY-LAPOINTE** IBM PRE-FORMATTED DISKETTES 10e.s. DX500, 48 Track (IBM-H/P) \$ 25	T/Maker, Cickart \$ 50 \$ 32 Videx, Vegas \$ 60 \$ 34 MCDDEMS ANCHOR, Signalman Mark XII \$ 399 \$ 269 HAYES, IRAH PC Snartnomen 12006 184 \$ 99 Micromodem Ilew /Smartcom \$ 149 \$ 99 Micromodem Ilew /Smartcom \$ 329 \$ 239 Stack Chronograph (RS-232) \$ 399 \$ 4209 Stack Smartmodem 300(RS-232) \$ 699 \$ 4499 IBM-PC to Modem Cable \$ 99 \$ 449 IBM-PC to Modem Cable \$ 99 \$ 459 VOVATON, 103/212 Smart Cat \$ 595 \$ 345 Smartat IPus #/ coftware (MAC) \$ 449 \$ 379 ACK S5 1-23 (12008 "Chrostatk XM) \$ 459 \$ 379	DB Unifity Pak I or II \$ 129 \$ 82 VisiCorp, Full Line In Stock CALL PRINTERS DOT MATRIX: LUST OUR UST OUR RX80—Color Pinter, 160 cps LOT MATRIX: LUST OUR RX80—100 cps RX80 cpl colspan="2" <t< td=""><td>Spinnaker, Full Infe in stock, CALL 35% off list Sub Logic, Flight Smulator II \$ 50 \$ 35 PRINTER INTERFACES UST BUBLEFERS UST ARBO, IBM-PC to Para Printer Cable \$ 60 \$ 30 PSON, Parallel Interface for LQ1500 \$ 100 \$ 79 Serial Interface Board \$ 50 \$ 42 MRCAGENIT / & Cable For figon & Gemin \$ 50 \$ 30 MRCAGENIT / & Cable For figon & Gemin \$ 50 \$ 30 MRCAGENIT / & Cable For figon & Gemin \$ 50 \$ 30 MRCAGENIT / & Cable For figon & Gemin \$ 50 \$ 30 MRCAGENIT / & Cable For figon & Gemin \$ 50 \$ 42 ORANGE MICHAGROPHIS for Agene \$ 30 \$ 259 Microbard In-Line 64X, ser. \$ 349 \$ 259 Microbard IN , sepandateker wropy to IS14X (Snapon to 64K)</td></t<>	Spinnaker, Full Infe in stock, CALL 35% off list Sub Logic, Flight Smulator II \$ 50 \$ 35 PRINTER INTERFACES UST BUBLEFERS UST ARBO, IBM-PC to Para Printer Cable \$ 60 \$ 30 PSON, Parallel Interface for LQ1500 \$ 100 \$ 79 Serial Interface Board \$ 50 \$ 42 MRCAGENIT / & Cable For figon & Gemin \$ 50 \$ 30 MRCAGENIT / & Cable For figon & Gemin \$ 50 \$ 30 MRCAGENIT / & Cable For figon & Gemin \$ 50 \$ 30 MRCAGENIT / & Cable For figon & Gemin \$ 50 \$ 30 MRCAGENIT / & Cable For figon & Gemin \$ 50 \$ 42 ORANGE MICHAGROPHIS for Agene \$ 30 \$ 259 Microbard In-Line 64X, ser. \$ 349 \$ 259 Microbard IN , sepandateker wropy to IS14X (Snapon to 64K)		
*Microsoft, 280 Softcard (+ or e) \$ 345 \$ 235 280 Softcard Prenium (1e) \$ 395 \$ 275 DISKETTES * CONROY-LAPOINTE** DISKETTES We guarantee these top quality products with the Conroy- LaPointe name 5 YEAR LIMITED WARRANTY. 10 ex, 55/20, 35 Track Apple, etc.) \$ 14 100 ex, 55/20, 35 Track Apple, etc.) \$ 129 100 ex, 05/20, 35 Track Apple, etc.) \$ 120 100 ex, 05/20, 35 Track Apple, etc.) \$ 120 100 ex, 05/20, 48 Track (16M, H/P) \$ 140 100 ex, 05/20, 48 Track (16M, H/P) \$ 119 100 ex, 05/20, 48 Track (16M+CP re-tormation NEW \$ 250 100 ex, 05/20, 48 Track (16M+CP re-tormation NEW \$ 210 1000 ex, 05/20, 48 Track (16M+CP re-tormation NEW \$ 210 1000 ex, 05/20, 48 Track (16M+CP re-tormation NEW \$ 210 1000 ex, 05/20, 48 Track (16M+CP re-tormation NEW \$ 210	T/Maker, Cickart \$ 50 \$ 32 Videx, Vegas \$ 60 \$ 34 MCODEMS ANCHOR, Signalman Mark XII \$ 399 \$ 269 HAYES, IAMP C Snartnoom 12000 \$ 149 \$ 99 HBVP, Smartoom II Software \$ 229 \$ 229 Micromodem II Software \$ 399 \$ 275 Stack Chronograph (HS-232) \$ 299 \$ 489 Stack Smartoom II 00 (IS-232) \$ 699 \$ 499 Stack Smartoom II 00 (RS-232) \$ 699 \$ 499 IBM-PC to Modem L200 \$ 595 \$ 449 NOVATOM, II03/212 Smart Cat \$ 595 \$ 315 SmartOat Plus # (software (MAC)) \$ 499 \$ 379 AOESS I.2.3 (12008+Crasstak XVI) \$ 399 \$ 229 212 Apple Cat, I 200 BAUD \$ 329 \$ 229 Cat \$ 120 \$ 130 \$ 130	DB Unify Pak I or II \$ 129 \$ 82 VisiCorp, Full Line In Stock CALL PRINTERS DOT MATRIX: UST OUR UST OUR RSON, JX80—Color Pinter, 160 cps LOIS OU & 67 cps R380—Color Pinter, 160 cps LOIS OU & 67 cps R380—Color Pinter, 160 cps LOIS OU & 67 cps R380—L00 cps R380—L00 cps R380—L00 cps R380—L00 cps LOIS OU CPS R380—L00 cps LOIS Colspan="2">LOIS OU R380—L00 cps R380—L00 cps LOIS Colspan="2">LOIS Colspan="2">Colspan="2">LOIS Colspan="2">LOIS Colspan="2">Colspan="2">LOIS Colspan="2">LOIS Colspan= 2" LOIS Colspan= 2" LOIS Colspan= 2" LOIS Colspan= 2"	Spinnaker, Full Ine: In stock, CALL 35% off list Sub Logic, Flight Simulator II \$ 50 \$ 35 PRINTER INTERFACES UST & BUFFERS UST ARBO, IBM-PC to Para Primter Cable \$ 60 \$ 30 EPSON, Parallel Interface for LQ1500 100 \$ 79 Smal Interface Board \$ 130 \$ 105 MRCAGENIT / & Cable Board \$ 50 \$ 32 ORANGE MICHCR (Stopphene) \$ 50 \$ 250 ORANGE MICHCR (Stopphene) \$ 50 \$ 250 ORANGE MICHCR (Stopphene) \$ 30 \$ 255 Microboff In-Line 64X, ser. \$ 349 \$ 255 Microborgen, P.P., Bit, MPB W/PS \$ 179 \$ 139 Microborgen, V.Gony, PP, Bit, MMPB W/PS \$ 375 \$ 345 Microborgen, Stapen, Bit, Proper S, 375 \$ 345 3 128		
Microsoft, 280 Softcard (or e) \$ 345 \$ 235 280 Softcard Prenium (1e) \$ 395 \$ 275 DISKETTES * CONROY-LAPOINTE** DISKETTES We guarante these top quality products with the Conroy- LaPointe name, 5 YARL LIMITED WARRANTY. 10 ex, 55/00, 35 frack Apple, etc.) \$ 14 100 ex, 55/00, 35 frack Apple, etc.) \$ 120 100 ex, 05/00, 48 frack (16M, H/P) \$ 14 100 ex, 05/00, 48 frack (16M, H/P) \$ 119 100 ex, 05/00, 48 frack (16M, H/P) \$ 119 100 ex, 05/00, 48 frack (16M, H/P) \$ 119 100 ex, 05/00, 48 frack (16M, HC Pre-tormated NEW \$ 250 100 ex, 05/00, 48 frack (16M+CP Per-tormated NEW \$ 210 100 ex, 05/00, 48 frack (16M+CP re-tormated NEW \$ 210 100 ex, 05/00, 48 frack (16M+CP re-tormated NEW \$ 250 100 ex, 05/00, 48 frack (16M+CP re-tormated NEW \$ 250 100 ex, 05/00, 48 frack (16M+CP re-tormated NEW \$ 210 100 ex, 05/00, 48 frack (16M+CP re-tormated NEW \$ 250 100 ex, 05/00, 48 frack (16M+CP re-tormated NEW \$ 1695 100 ex, 05/00, 48 frack (16M+CP re-tormated NEW \$ 1695 105 ex, 05/00, 48 frack (16M+CP re-tormated NEW \$ 1695 105 ex, 05/00, 48 frack (16M+CP re-tormated NEW \$ 1695 105 ex, 05/00, 48 frack (16M+CP re-tormated NEW \$ 1695 105 ex, 05/00, 48 frack (16M+CP re-tormated NEW \$ 1695 105 ex, 05/00, 48 frack (16M+CP re-tormated NEW \$ 1695 105 ex, 05/00, 48 frack (16M+CP re-tormated NEW \$ 1695 105 ex, 05/00, 48 frack (16M+CP re-tormated NEW \$ 1695 105 ex, 05/00, 48 frack (16M+CP re-tormated NEW \$ 1695 105 ex, 05/00, 48 frack (16M+CP re-tormated NEW \$ 1695 105 ex, 05/00, 48 frack (16M+CP re-tormated NEW \$ 1695 105 ex, 05/00, 40 frack (16M+CP re-tormated NEW \$ 1695 105 ex, 05/00, 40 frack (16M+CP re-tormated NEW \$ 1695 105 ex, 05/00 ex, 05/00, 40 frack (16M+CP re-tormated NEW \$ 1695 105 ex, 05/00 ex, 05/00, 40 frack (16M+CP re-tormated NEW \$ 1695 105 ex, 05/00 ex,	T/Maker, Cickart \$ 50 \$ 32 Videx, Vegas \$ 60 \$ 34 MCDDEMS UST 00// ANCHOR, Signalman Mark XII \$ 399 \$ 269 HAYES, IBM-PC Smartnodem 12008 \$ 149 \$ 99 Micromodem ILe V/Smartnodem 12008 \$ 329 \$ 229 Micromodem ILe V/Smartnodem 12008 \$ 399 \$ 225 Stack Chronograph (RS-232) \$ 289 \$ 289 Stack Smartnood ILE V/Smartnoom 300(RS-232) \$ 289 \$ 289 Smartnoodem 1200 (RS-232) \$ 595 \$ 385 KENSINGFONK, Modem 1200 \$ 595 \$ 385 Smartnooft 1200 (RS-232) \$ 399 \$ 19 KENSINGFONK, Modem 1200 \$ 595 \$ 385 Smartnooft 1300 (RAUD \$ 595 \$ 385 Apple Cat 1300 BAUD \$ 725 \$ 599 Apple Cat 1300 BAUD \$ 725 \$ 599 Cat \$ 149 \$ 149 J Cat \$ 149 \$ 149	DB Unify Pak I or II \$ 129 \$ 82 VisiCorp, Full Line In Stock CALL PRINTERS DOT MATRIX: UST OUR UST OUR UST OUR L01500 cps L01	Spinnaker, Full Ine in stock, CALL 35% off list Sub Logic, Flight Simulator II \$ 50 \$ 35 PRINTER INTERFACES BULFFEBS ARBO, IBM-PC to Para Printer Cable EPSON, Parallel Interface for [01500 MPC/Qoell I/F & Cable for [01500 MPC/Qoell I/F & Cable for for 30 \$ 100 Serial Interface Board \$ 50 \$ 42 ORANGE MCHO(Srapper Piks tir Apple BARETCALL, Microboff In-Line 64K, para Microboff In-Line 64K (MIP64 w/PS 299 Microboff In-Line 64K (MIP64 w/PS 290 Microboff I		
*Microsoft, 280 Softcard (+ or e) \$ 345 \$ 235 280 Softcard Premium (1e) \$ 395 \$ 275 DISKETTES * CONROY-LAPOINTE* DISKETTES * CONROY-LAPOINTE* DISKETTES * CONROY-LAPOINTE* 1 \$ 14 100 e. \$550,35 Track Apple, etc.) \$ 14 100 e. \$550,04 \$ Track (BM, H/?) \$ 14 100 e. \$550,04 \$ Track (BM, H/?) \$ 119 100 e. \$550,04 \$ Track (BM, H/?) \$ 119 CONROY-LAPOINTE* IBM PRE-FORMATTED DISKETTES 100 e. \$5500, 48 Track (BM, HC Prekumated NEW \$ 250 100 e. \$5500, 48 Track (BM, HC Prekumated NEW \$ 250 100 e. \$5500, 48 Track (BM, HC Prekumated NEW \$ 250 100 e. \$5500, 40 Track (BM, HC Prekumated NEW \$ 250 100 e. \$5500, 40 Track (BM, HC Prekumated NEW \$ 250 100 e. \$5500, 40 Track (BM, HC Prekumated NEW \$ 250 100 e. \$5500, 40 Track (BM, HC Prekumated NEW \$ 250 100 e. \$5500, 40 Track (BM, H)? \$ 550 \$ 195 10 e. \$5500, 40 Track (BM, H)? \$ 550 \$ 21 10 e. \$5500, 40 Track (BM, H)? \$ 550 \$ 21 10 e. \$5500, 40 Track (BM, H)? \$ 550 \$ 21 10 e. \$5500, 40 Track (BM, H)? \$ 550 \$ 30 10	T/Maker, Cickart \$ 50 \$ 32 Videx, Vegas \$ 60 \$ 34 MCDDEMS ANCHOR, Signalman Mark XII \$ 399 \$ 269 HAYES, IRAH PC Snartnoom 12008 \$ 149 \$ 99 HGromodem II Software \$ 149 \$ 99 Micromodem II wolfsmartcom \$ 139 \$ 227 Stack Chronograph (RS-232) \$ 399 \$ 229 Stack Chronograph (RS-232) \$ 395 \$ 195 Stack Smartmodem 300(RS-232) \$ 595 \$ 449 IBM-PC to Modem Cable \$ 39 \$ 19 KENSINGTON, Modem 1200 \$ 555 \$ 385 Modem Cable \$ 395 \$ 19 ACES S1-23 (12008 + Constalk XVI) \$ 389 \$ 249 ADDe Cat, 1200 BAUD \$ 385 \$ 395 Apple Cat, 1200 BAUD \$ 385 \$ 199 JCat \$ 149 \$ 139 JCat \$ 149 \$	DB Unfity Pak I or II \$ 129 \$ 82 CALL VisiCorp. Full Line In Stock CALL DEDT MATRIX: LUST OUR UIST OUR LO Cols Printer, 160 cps LO 100 cps \$ 1395 LO 100 cps \$ 1395 LO 100 cps LO 100 cps \$ 369 LO 100 cps \$ 369 LO 100 cps \$ 369 RX80—F7 AMAINNESMANN Spirt—80 col. 80 cps \$ 399 LALY, 160 cps colspan= \$ 349 LO 120 cps para \$ 349 MAINNESMANN Spirt—80 col. 80 cps \$ 399 CALLY, 160 cps para \$ 349 S 240 — 90 col. 160 cps \$ 399 A —80 col. 160 cps para \$ 349 S 349 \$ 3199 CALLY, 160 cps para \$ 399 A —80 col. 160 cps para \$ 399 A —80 col. 160 cps para \$ 399	Spinnaker, Full Ine in stock, CALL 35% off list Sub Logic, Flight Simulator II 5 50 \$ 35 PRINTER INTERFACES & BUFFERS US OUT ON A State of the stat		
Microsoft, 280 Softcard (or e) \$ 345 \$ 235 280 Softcard Prenium (1e) \$ 395 \$ 275 DISKETTES * CONROY-LAPOINTE** DISKETTES We guarantee these too quality products with the Conroy- LaPonte name. 5 YEAR LIMITED WARRANTY. 10 es, SS/20, 35 Track Apple, etc.) \$ 14 100 es, SS/20, 35 Track Apple, etc.) \$ 129 100 es, SS/20, 35 Track Apple, etc.) \$ 129 100 es, DS/20, 48 Track (16M, H/P) \$ 14 100 es, DS/20, 48 Track (16M, H/P) \$ 119 100 es, DS/20, 48 Track (16M, HC Pre-tormatted) NEW \$ 250 100 es, DS/20, 48 Track (16M, HC Pre-tormatted) NEW \$ 210 100 es, DS/20, 48 Track (16M, HC Pre-tormatted) NEW \$ 220 100 es, DS/20, 48 Track (16M, HC Pre-tormatted) NEW \$ 250 10 es, DS/20, 48 Track (16M, HC Pre-tormatted) NEW \$ 250 10 es, DS/20, 40 Track (16M, HC Pre-tormatted) NEW \$ 250 10 es, DS/20, 40 Track (16M, HC Pre-tormatted) NEW \$ 250 10 es, DS/20, 40 Track (16M, HC Pre-tormatted) NEW \$ 250 10 es, DS/20, 40 Track (16M, HC Pre-tormatted) NEW \$ 250 10 es, DS/20, 40 Track (16M, HC Pre-tormatted) NEW \$ 250 10 es, DS/20, 40 Track (16M, HC Pre-tormatted) NEW \$ 250 10 es, DS/20, 40 Track (16M, HC Pre-tormatted) NEW \$ 250 10 es, DS/20, 40 Track (16M, HC Pre-tormatted) NEW \$ 250 10 es, DS/20, 40 Track (16M, HC Pre-tormatted) NEW \$ 250 10 es, DS/20, 40 Track (16M, HC Pre-tormatted) NEW \$ 250 10 es, DS/20, 40 Track (16M, HC Pre-tormatted) NEW \$ 20 10 es, DS/20, 40 Track (16M, HC Pre-tormatted) NEW \$ 20 10 es, DS/20, 40 Track (16M, HC Pre-tormatted) NEW \$ 20 10 es, DS/20, 40 Track (16M, HC Pre-tormatted) NEW \$ 20 10 es, DS/20, 40 Track (16M, HC Pre-tormatted) NEW \$ 20 10 es, DS/20, 40 Track (16M, HC Pre-tormatted) NEW \$ 20 10 es, DS/20, 40 Track (16M, HC Pre-tormatted) NEW \$ 20 10 es, DS/20, 40 Track (16M, HC Pre-tormatted) NEW \$ 20 10 es, DS/20, 40 Track (16M, HC Pre-tormatted) NEW \$ 20 10 es, DS/20, 40 Track (16M, HC Pre-tormatted) NEW \$ 20 10 es, DS/20, 40 Track (16M,	T/Maker, Cickart \$ 50 \$ 32 Videx, Vegas \$ 60 \$ 34 MCDDEMS ANCHOR, Signalman Mark XII \$ 399 \$ 269 HAYES, IBM-PC Smartmodem 12008 \$ 149 \$ 99 IBM-PC Smartcom II Software \$ 149 \$ 99 Micromodem II Software \$ 149 \$ 99 Micromodem II Software \$ 324 \$ 189 Stack Knonograph (RS-232) \$ 269 \$ 449 Stack Knonograph (RS-232) \$ 699 \$ 469 IBM-PC to Modern L200 (RS-232) \$ 699 \$ 469 IBM-PC to Modern Calle \$ 555 \$ 345 NOVATON, 103/212 Smart Cat \$ 595 \$ 349 Shack Snartmodem 1200 (RS-232) \$ 699 \$ 449 You Apole Cat, 1200 BAUD \$ 395 \$ 329 ADDE Cat, 1200 BAUD \$ 389 \$ 299 Add \$ 139, Daple Cat \$ 149 J L2 Auto Cat \$ 149 \$ 104 YI ZAppe Cat, 1200 BAUD \$ 399 \$ 289 J Cat \$ 149 \$ 149 \$ 140	DB Unify Pak I or II \$ 129 \$ 82 CALL VisiCorp. Full Line In Stock PRINTERS DOT MATRIX: LIST 0UR Colspan="2">Colspan="2" Colspan="2" Colspan="2" Vision Colspan="2" Vision Colspan="2" Vision Colspan="2" Colspan="2" Colspan="2" Colspan="2" Colspan="2" Colspan= 200cl, 000ps 100ps	Spinnaker, Full Iner in stock, CALL 35% off list Sub Logic, Flight Simulator II \$ 50 \$ 35 PRENETER INTERFACES UST BUDEFELS UST ARBO, IBM-PC to Para Primter Cable \$ 60 \$ 30 EPSON, Parallel Interface for LQ1500 100 \$ 79 Smal Interface Board \$ 130 \$ 105 MRCAGENIT / & Cable Board \$ 50 \$ 99 ORANGE MICHAGENERS \$ 50 \$ 90 ORDATA Rug IP Ray, Tradors, Okergaphea \$ 50 \$ 90 MRCAGENT IA K acte for fixon 8 Gemin \$ 349 \$ 259 Microbalt In-Line 64K, ser. \$ 349 \$ 259 Microbalt In-Line 64K, ser. \$ 39 \$ 259 Microbalt In-		
Microsoft, 280 Softcard (or e) 280 Softcard Premium (IIe) \$ 345 \$ 395 \$ 275 DISKETTES * CONROY-LAPOINTE* OISKETTES * CONROY-LAPOINTE* OISKETTES * CONROY-LAPOINTE* 10 ex 55:00, 35 Track Apple, etc.) 10 ex 55:00, 35 Track Apple, etc.) 10 ex 55:00, 35 Track Apple, etc.) 10 ex 55:00, 48 Track (IBM, H/P) 10 ex 55:00, 40 Track (IBM,	T/Maker, Cicklart \$ 50 \$ 32 Videx, Vegas \$ 60 \$ 34 MCDDEMS \$ 39 \$ 269 ANCHOR, Signalman Mark XII \$ 399 \$ 269 HAYES, IBM-PC Smartmodem 12006 \$ 394 \$ 269 IBM-PC Smartmodem 12006 \$ 399 \$ 269 Micromodem III Software \$ 149 \$ 99 Micromodem III Software \$ 394 \$ 289 Stack Kinongraph (RS-232) \$ 289 \$ 289 Stack Sinartmoodem 1200 (RS-232) \$ 289 \$ 285 Smartmodem 1200 (RS-232) \$ 289 \$ 38 KEMSINGTON, Modem 1200 \$ 595 \$ 365 NOVATION, 103/212 Smart Cat \$ 595 \$ 365 Smartmoli 1300 (RAUO) \$ 399 \$ 249 212 Apple Cat, 1200 BAUD \$ 725 \$ 559 Cat \$ 189 \$ 149 J Zat, Urio Cat \$ 189 \$ 249 QUADRAM, Quadmodem, Internal IBM \$ 395 \$ 249 Quadmodem, Stand atone \$ 555 \$ 455 Mathew, Quadmodem, Internal IBM	DB Unify Pak I or II \$ 129 \$ 82 VisiCorp, Full Line In Stock CALL PRINTERS DOT MATRIX: LIST 0UR EPSON, JX80—Color Printer, 160 cps 1335 InStock R PRION_DOD & 67 cps \$ 269 InStock R PROM_DOD & 67 cps \$ 369 InStock R PROM_DOD & 67 cps \$ 360 InStock \$ 360	Spinnaker, Full ine in stock, CALL 35% off list Sub Logic, Flight Simulator II \$50 \$35 PRINTER INTERFACES & BULFFERS US 00000000000000000000000000000000000		
•Microsoft, 280 Softcard (+ or e) 280 Softcard Premium (1e) \$ 345 \$ 395 \$ 275 DISKETTES * CONROY-LAPOINTE*DISKETTES * CONROY-LAPOINTE*DISKETTES * CONROY-LAPOINTE*DISKETTES 10 es 35:00, 35 frack (Apple, etc.) 10 es 35:00, 35 frack (Apple, etc.) 1000 es 35:00, 35 frack (Apple, etc.) 1000 es 35:00, 45 frack (Apple, etc.) 1000 es 05:00, 48 frack (16M, H/P) 1000 es 05:00, 40 frack (16M, H/P) 1000 es 05:00, 40 frack (16M, HP) 1000 es 05:00, 40 frack (16M, HP) 100 es 05:00 40 frack (16M, HP) 100 es 05:	T/Maker, Cickart \$ 50 \$ 32 Videx, Vegas \$ 60 \$ 34 MCODEMS ANCHOR, Signalman Mark XII \$ 399 \$ 269 HAYES, IBM-PC Smartnodem 12008 IIST 0UR IBM-PC Smartnodem 12008 \$ 399 \$ 4000 IBM-PC Smartnodem 12008 \$ 399 \$ 4000 IBM-PC Smartnodem 12008 \$ 399 \$ 269 Micromodem 100 (\$ 100 bus) \$ 399 \$ 275 Stack Knonograph (RS-232) \$ 699 \$ 463 IBM-PC to Modem 1200 (RS-232) \$ 699 \$ 463 IBM-PC to Modem 1200 (RS-232) \$ 699 \$ 463 IBM-PC to Modem 1200 (RS-232) \$ 699 \$ 463 IBM-PC to Modem 1200 (RS-232) \$ 699 \$ 463 Smartnordem 1200 (RS-232) \$ 699 \$ 463 VOVATON, 103/212 Smart Cat \$ 595 \$ 343 ADDE Cat, 1200 BAUD \$ 389 \$ 249 212 Aupt Cat \$ 149 \$ 104 \$ 124 PROMETHEUS, ProModem 1200 (MCI) \$ 399 \$ 259 \$ 425 <td< td=""><td>DB Unify Pak I or II \$ 129 \$ 82 CALL VisiCorp. Full Line In Stock CALL DEDT MATRIX: LIST OUR DOT MATRIX: LIST OUR LIST OUR LOI 500, 200 & 67 cps RX80—100 cps LOI 500, 200 & 67 cps RX80—160 cps LIST OUCLAS RX80—160 cps RX80—160 cps LINE Colspan="2">LINE Colspan="2">LINE Colspan="2">LINE Colspan="2">LINE Colspan="2">LINE Colspan="2">Colspan="2">LINE Colspan="2">LINE Colspan="2" COLSpan="2" LINE Colspan="2" LINE Colspan="2" LINE Colspan="2" <td< td=""><td>Spinnaker, Full iner in stock, CALL 35% off list Sub Logic, Fright Simulator II \$ 50 \$ 35 PRINTER INTERCASS BULFERS ARBO, IBM-PC to Para Printer Cable EPSON, Parallel Interface for [0,150 MPCApell I/F & Cable for [0,150 MPCAPEL, Morobalf In-Line 64K, para Microbalf In-Line</td></td<></td></td<>	DB Unify Pak I or II \$ 129 \$ 82 CALL VisiCorp. Full Line In Stock CALL DEDT MATRIX: LIST OUR DOT MATRIX: LIST OUR LIST OUR LOI 500, 200 & 67 cps RX80—100 cps LOI 500, 200 & 67 cps RX80—160 cps LIST OUCLAS RX80—160 cps RX80—160 cps LINE Colspan="2">LINE Colspan="2">LINE Colspan="2">LINE Colspan="2">LINE Colspan="2">LINE Colspan="2">Colspan="2">LINE Colspan="2">LINE Colspan="2" COLSpan="2" LINE Colspan="2" LINE Colspan="2" LINE Colspan="2" <td< td=""><td>Spinnaker, Full iner in stock, CALL 35% off list Sub Logic, Fright Simulator II \$ 50 \$ 35 PRINTER INTERCASS BULFERS ARBO, IBM-PC to Para Printer Cable EPSON, Parallel Interface for [0,150 MPCApell I/F & Cable for [0,150 MPCAPEL, Morobalf In-Line 64K, para Microbalf In-Line</td></td<>	Spinnaker, Full iner in stock, CALL 35% off list Sub Logic, Fright Simulator II \$ 50 \$ 35 PRINTER INTERCASS BULFERS ARBO, IBM-PC to Para Printer Cable EPSON, Parallel Interface for [0,150 MPCApell I/F & Cable for [0,150 MPCAPEL, Morobalf In-Line 64K, para Microbalf In-Line		
Microsoft, 280 Softcard (or e) 280 Softcard Premium (IIe) \$ 395 \$ 275 DISKETTES * CONROY-LAPOINTE* DISKETTES * CONROY-LAPOINTE* OF SKETTES * CONROY-LAPOINTE* 10 \$ 14 100 e. 35:X03 35 frack (Apple, etc.) 100 e. 35:X00 48 frack (IBM H //?) 100 e. 35:X00 48 frack (IBM H /?) 100 e. 35:X00 40 (Apple, IBM) 100 e. 35:X00 40 (Apple, IBM) 10 e. 35:X0	T/Maker, Cickart \$ 50 \$ 32 Videx, Vegas \$ 60 \$ 34 MCODEMS ANCHOR, Signiman Mark XII \$ 399 \$ 269 HAYES, IS& MARMARK KII \$ 399 \$ 269 Macromodem II Software \$ 149 \$ 99 Micromodem II & Software \$ 149 \$ 99 Stack Chronograph (RS-232) \$ 289 \$ 225 Smartmodem 1200 (RS-232) \$ 699 \$ 469 IBM-PC to Modem Cable \$ 395 \$ 155 Stack Snartmodem 1200 (RS-232) \$ 699 \$ 469 VENNINGTON, Modem 1200 \$ 555 \$ 385 Smartbot Rulu & Software (MAC) \$ 499 \$ 379 ADDE Cat, 1200 BAUD \$ 389 \$ 249 212 Aupto Cat, 201 DBAUD \$ 389 \$ 249 J 2LA Aupt Cat \$ 149 \$ 104 PROMETHELUS, Prowhodem 1200 (MAC) \$ 595 \$ 595 <td>DB Unify Pair or II \$ 129 \$ 82 CALL Veicorp, Full Line In Stock CALL CALL PERINTEERS DOT MATRIX: UST OUR Colspan="2">OUN CALL EPSON, JARD-Color Printer, 160 cps UST OUR LIST OUR R 2000 & 67 cps \$ 339 InStock R 2000 & 67 cps \$ 339 InStock R 2000 & 67 cps \$ 339 InStock R 200 - 100 cps \$ 369 InStock R 200 - 100 cps \$ 369 InStock R 200 - 100 cps \$ 369 InStock R 200 - 100 cps \$ 399 \$ 199 T 310 \$ 399 \$ 299 TALLY Color para \$ 499 \$ 319 S 200 \$ 100 cps \$ 1095 S 200 \$ 100 cps \$ 139 \$ 249 \$ 249 \$ 249 \$ 249 \$ 249 \$ 249</td> <td>Spinnaker, Full knie in stock, CALL 35% off list Sub Logic, Fight Smulator II 50 35 PRENERENE Interface Interf</td>	DB Unify Pair or II \$ 129 \$ 82 CALL Veicorp, Full Line In Stock CALL CALL PERINTEERS DOT MATRIX: UST OUR Colspan="2">OUN CALL EPSON, JARD-Color Printer, 160 cps UST OUR LIST OUR R 2000 & 67 cps \$ 339 InStock R 2000 & 67 cps \$ 339 InStock R 2000 & 67 cps \$ 339 InStock R 200 - 100 cps \$ 369 InStock R 200 - 100 cps \$ 369 InStock R 200 - 100 cps \$ 369 InStock R 200 - 100 cps \$ 399 \$ 199 T 310 \$ 399 \$ 299 TALLY Color para \$ 499 \$ 319 S 200 \$ 100 cps \$ 1095 S 200 \$ 100 cps \$ 139 \$ 249 \$ 249 \$ 249 \$ 249 \$ 249 \$ 249	Spinnaker, Full knie in stock, CALL 35% off list Sub Logic, Fight Smulator II 50 35 PRENERENE Interface Interf		
Microsoft, 280 Softcard (or e) 280 Softcard Prenium (1e) \$395 \$275 DISKETTES * CONROY-LAPOINTE* DISKETTES * CONROY-LAPOINTE* DISKETTES * CONROY-LAPOINTE* DISKETTES * CONROY-LAPOINTE* DISKETTES * CONROY-LAPOINTE* DISKETTES * CONROY-LAPOINTE* DISKETTES 1000 ex 55/00.35 Track Apple. dc.) 1000 ex 55/00.45	T/Maker, Cickart \$ 50 \$ 32 Videx, Vegas \$ 60 \$ 34 MCDDEMS ANCHOR, Signalman Mark XII \$ 399 \$ 269 HAYES, IBM-PC Smartmodem 12006 189 \$ 99 Micromodem III Software \$ 149 \$ 99 Micromodem III Software \$ 149 \$ 99 Micromodem III Software \$ 399 \$ 225 Stack Chronograph (RS-232) \$ 289 \$ 289 Stack Snartmodem 1200 (RS-232) \$ 289 \$ 289 Stack Snartmodem 1200 (RS-232) \$ 289 \$ 289 Stack Snartmodem 1200 (RS-232) \$ 395 \$ 445 Smartmodem 1200 (RS-232) \$ 395 \$ 445 Smartmodem 1200 (RS-232) \$ 395 \$ 445 Smartmodem 1200 (RS-232) \$ 395 \$ 445 Appe Carl 1300 BAUD 775 \$ 556 Car \$ 190 \$ 199 \$ 104 212 Apple Cat, 1200 BAUD \$ 755 \$ 556 Car \$ 180 \$ 139 \$ 249 QUADRAM, Quadmodem, Intermal IBM <t< td=""><td>DB Unify Pak I or II \$ 129 \$ 62 VisiCorp, Full Line In Stock CALL PRINTEERS DOT MATRIX: LIST OUR RIGO Stock Stock Stock Stoch</td><td>Spinnaker, Full knein stock, CALL 35% off list Sub Logic, Flight Simulator II \$ 50 \$ 35 PRENTER INTERFACES UST ARBO, IBM-PC to Para Printer Cable \$ 60 \$ 30 EPSON, Patielle Interface Board \$ 100 \$ 79 Serail Interface Board \$ 100 \$ 79 MRCADELI / F & Cable Ker (son 8 Gemm) \$ 50 \$ 42 ORANGE MCHOC Stopper Plas, Iragor, Oligraphica \$ 50 \$ 42 ORANGE MCHOC Stopper Plas, Iragor, Oligraphica \$ 50 \$ 42 DRACADEL MICTOL Flash (Figure 6 MK, para) \$ 349 \$ 259 OLADRAM, N expandate M / copy to 5120; Shapon to 643; Microbulf In-Line 64K, sor. \$ 31 \$ 21 Microbulf In-Line 64K, Sor. \$ 31 \$ 22 Microbulf In-Line 64K, Sor. \$ 31 \$ 21 BM Corolazer, Shapon, 64K, PF, Esson W/FS \$ 169 \$ 129 Microbulf In-Line 64K, Sor.<</td></t<>	DB Unify Pak I or II \$ 129 \$ 62 VisiCorp, Full Line In Stock CALL PRINTEERS DOT MATRIX: LIST OUR RIGO Stock Stock Stock Stoch	Spinnaker, Full knein stock, CALL 35% off list Sub Logic, Flight Simulator II \$ 50 \$ 35 PRENTER INTERFACES UST ARBO, IBM-PC to Para Printer Cable \$ 60 \$ 30 EPSON, Patielle Interface Board \$ 100 \$ 79 Serail Interface Board \$ 100 \$ 79 MRCADELI / F & Cable Ker (son 8 Gemm) \$ 50 \$ 42 ORANGE MCHOC Stopper Plas, Iragor, Oligraphica \$ 50 \$ 42 ORANGE MCHOC Stopper Plas, Iragor, Oligraphica \$ 50 \$ 42 DRACADEL MICTOL Flash (Figure 6 MK, para) \$ 349 \$ 259 OLADRAM, N expandate M / copy to 5120; Shapon to 643; Microbulf In-Line 64K, sor. \$ 31 \$ 21 Microbulf In-Line 64K, Sor. \$ 31 \$ 22 Microbulf In-Line 64K, Sor. \$ 31 \$ 21 BM Corolazer, Shapon, 64K, PF, Esson W/FS \$ 169 \$ 129 Microbulf In-Line 64K, Sor.<		
Microsoft, 280 Softcard (or e) 280 Softcard Prenium (1e) \$395 \$275 DISKETTES * CONROY-LAPOINTE* DISKETTES * CONROY-LAPOINTE* DISKETTES * CONROY-LAPOINTE* DISKETTES * CONROY-LAPOINTE* 1 \$14 100 e. \$5/00, 35 frack Apple, dtc.) 100 e. \$5/00, 48 frack (16M, H/P) 100 e. \$5/00, 40 frack (16M, H/P) 10 e. \$5/00 frack (10M, H/P) 10 e. \$5/0	T/Maker, Cickart \$ 50 \$ 32 Videx, Vegas \$ 60 \$ 34 MCODEMS ANCHOR, Signalman Mark XII \$ 399 \$ 269 HAYES, IBM-PC Smartnodem 12008 \$ 149 \$ 99 Micromodem II Software \$ 149 \$ 99 Micromodem II Software \$ 149 \$ 29 Micromodem II Software \$ 391 \$ 225 Stack Sinartmodem 1200 (S-100 bus) \$ 399 \$ 275 Stack Sinartmodem 1200 (S-232) \$ 289 \$ 289 Stack Sinartmodem 1200 (S-232) \$ 289 \$ 289 IBM-PC to Modem Cable \$ 39 \$ 19 KELNSINGTON, Modem 1200 \$ 595 \$ 365 NOVATION, 103/212 Sinart Cat \$ 595 \$ 365 Samarton Tipos vjoftware (MAC) \$ 399 \$ 229 QUADRAM, Quadmodem, Intermal IBM \$ 399 \$ 229 QUADRAM, Quadmodem, Intermal IBM \$ 399 \$ 229 QUADRAM, Quadmodem, Intermal IBM \$ 399 \$ 255 Quadmodem, Sand Alaone \$ 555 \$ 455 Cat <	DB Unify Pair or II \$ 129 \$ 82 CALL Veicorp, Full Line In Stock CALL CALL PERINTEERS DOT MATRIX: UST OUR Colspan="2">OUN CALL EPSON, JARD-Color Printer, 160 cps UST OUR LIST OUR R 2000 & 67 cps \$ 339 InStock R 2000 & 67 cps \$ 339 InStock R 2000 & 67 cps \$ 339 InStock R 200 - 100 cps \$ 369 InStock R 200 - 100 cps \$ 369 InStock R 200 - 100 cps \$ 369 InStock R 200 - 100 cps \$ 399 \$ 199 T 310 \$ 399 \$ 299 TALLY Color para \$ 499 \$ 319 S 200 \$ 100 cps \$ 1095 S 200 \$ 100 cps \$ 139 \$ 249 \$ 249 \$ 249 \$ 249 \$ 249 \$ 249	Spinnaker, Full knein stock, CALL 35% off list Sub Logic, Flight Simulator II \$ 50 \$ 35 PRENTER INTERFACES UST ARBO, IBM-PC to Para Printer Cable \$ 60 \$ 30 EPSON, Patielle Interface Board \$ 100 \$ 79 Serail Interface Board \$ 100 \$ 79 MRCADELI / F & Cable Ker (son 8 Gemm) \$ 50 \$ 42 ORANGE MCHOC Stopper Plas, Iragor, Oligraphica \$ 50 \$ 42 ORANGE MCHOC Stopper Plas, Iragor, Oligraphica \$ 50 \$ 42 DRACADEL MICTOL Flash (Figure 6 MK, para) \$ 349 \$ 259 OLADRAM, N expandate M / copy to 5120; Shapon to 643; Microbulf In-Line 64K, sor. \$ 31 \$ 21 Microbulf In-Line 64K, Sor. \$ 31 \$ 22 Microbulf In-Line 64K, Sor. \$ 31 \$ 21 BM Corolazer, Shapon, 64K, PF, Esson W/FS \$ 169 \$ 129 Microbulf In-Line 64K, Sor.<		
Microsoft, 280 Softcard (or e) 280 Softcard Prenium (1e) \$395 \$275 DISKETTES * CONROY-LAPOINTE* DISKETTES We guarante: these tog quality products with the Conroy- LaPonte name, 5*EAR LIMITED WARRANTY. 10 es, 5520, 35 frack Apple, etc.) 10 es, 5520, 35 frack Apple, etc.) 10 os, 25,203, 35 frack Apple, etc.) 10 os, 25,200, 48 frack (1BM, H/P) 10 os, 25,200, 48 frack (T/Maker, Cickart \$ 50 \$ 32 Videx, Vegas \$ 60 \$ 34 MCDDEMS ANCHOR, Signalman Mark XII \$ 399 \$ 269 HAYES, IBM-FC Smartnodem 12008 \$ 149 \$ 99 IBM-FC Smartnom II Software \$ 149 \$ 99 Micromodem II & Software \$ 149 \$ 99 Micromodem II & Software \$ 391 \$ 225 Stack Chronograph (RS-232) \$ 289 \$ 249 Stack Smartnood II 200 (SS-232) \$ 289 \$ 249 Stack Smartnooden I200 (SS-232) \$ 289 \$ 249 Stack Smartnooden I200 (SS-232) \$ 289 \$ 249 Stack Smartnooden I200 (SS-335) \$ 395 \$ 249 Smartnooden I200 (SS-232) \$ 399 \$ 249 KENSINGTON, Modern I200 \$ 555 \$ 365 NOVATION, 103/212 Smart Cat \$ 595 \$ 369 Apple Cat I 1200 BAUD \$ 725 \$ 399 212 Apple Cat, I200 BAUD \$ 725 \$ 399 Cat \$ 149 \$ 104 212 Apple Cat, I200 BAUD \$ 725<	DB Unify Pak I or II \$ 129 \$.82 VisiCorp, Full Line In Stock CALL PRINTERS DOT MATRIX: UST OUR	Spinnaker, Full knein stock, CALL 35% off list Sub Logic, Flight Simulator II \$ 50 \$ 35 PRENTER INTERFACES UST ARBO, IBM-PC to Para Printer Cable \$ 60 \$ 30 EPSON, Patielin Interface for IQ1500 100 79 Seral Interface Board \$ 130 \$ 105 MPCApell I/F & Cable for IQ1500 \$ 60 \$ 30 MPCApell I/F & Cable for IQ1500 \$ 50 \$ 99 OKROTAPELI I/F & Cable for IQ1500 \$ 50 \$ 99 ORANGE MCHOGROP Has, Trader, Olegraphica. \$ 50 \$ 90 ORANGE MCHOGROP Has to Apple. \$ 30 \$ 259 Microbull In-Line 64K, ser. \$ 349 \$ 259 Microbull In-Line 64K, ser. \$ 31 \$ 21 Microbull In-Line 64K, ser. \$ 31 \$ 229 Microbull In-Line 64K, ser. \$ 31 \$ 21 Microbull In-Line 64K, ser. \$ 31 \$ 21 </td		
Microsoft, 280 Softcard (or e) 280 Softcard Premium (1e) \$ 345 \$ 235 280 Softcard Premium (1e) \$ 395 \$ 275 DISKETTES * CONROY-LAPOINTE "DISKETTES * CONROY-LAPOINTE "DISKETTES * CONROY-LAPOINTE "1 \$ 14 100 e.s. 55/20, 35 frack (Apple, etc.) 100 e.s. 55/20, 45 frack (BM, H/P) 100 e.s. 55/20, 46 frack (BM, H/P) 100 e.s. 55/20, 46 frack (BM, H/P) 100 e.s. 55/20, 46 frack (BM, H/P) 100 e.s. 55/20, 47 (Apple, BM) 100 e.s. 55/20, 40 (BM, H/P) 100 e.s. 55/20, 40 (BM, H/P) 100 e.s. 55/20, 40 (BM, H/P) 100 e.s. 55/20, 40 (BM, H/P) 10 e.s. 55/20, 40 (BM,	T/Maker, Cickart \$ 50 \$ 32 Videx, Vegas \$ 60 \$ 34 MCDDEMS LIST 0UR ANCHOR, Signalman Mark XII \$ 399 \$ 269 HAYES, IBM-PC Smartmodem 12006 189 \$ 299 IBM-PC Smartmodem 12006 189 \$ 99 Micromodem III Software 149 \$ 99 Micromodem III Software 149 \$ 299 Stack Chronograph (RS-232) \$ 289 \$ 289 Stack Snartmoodem 300(RS-232) \$ 289 \$ 285 Smartmoolm 1200 (RS-232) \$ 289 \$ 285 Stack Snartmoodem 1200 \$ 595 \$ 415 Smartmodem 1200 (RS-232) \$ 289 \$ 289 IBM-PC to Modem Cable \$ 399 \$ 19 KENSINGTON, Modem 1200 \$ 595 \$ 455 NOVATION, 103/212 Snart Cat \$ 595 \$ 445 212 Auple Cat, 1200 BAUD \$ 389 \$ 289 Quad Cat, 1200 BAUD \$ 389 \$ 289 Quadmodem, Stad atone \$ 595 \$ 495 Goir 300 Comp //CR/RGB/Audio <td< td=""><td>DB Unify Pair of II \$ 129 \$ 22 CALL VeicCorp. Full Line In Stock CALL CALL PERINTEERS DOT MATRIX: UST OUR PROM. JN80—Color Printer, 160 cps 1335 In Stock PR00—100 cpc \$ 269 In Stock 900 PR00—100 cpc \$ 269 In Stock 990 PR00—100 cpc \$ 990 In Stock 990 PR00—160 cpc \$ 990 In Stock 990 PR00—160 cpc \$ 990 In Stock \$ 990 PALLY, 160—80 cpt, 160cpc 1398 \$ 568 DOLDATA, 82A—80 cot, 160cpc, 9788 \$ 1393 \$ 569 Stock \$ 1200 cpt, para \$ 449 \$ 599 Stock \$ 1200 cpt, para \$ 1495 \$ 1199 Stock \$ 1200 cpt, para \$ 1200 cpt, para</td><td>Spinnaker, Full knein stock, CALL 35% off list Sub Logic, Flight Smulator II \$ 50 \$ 35 PRINTER INTERFACES UST 0// ARBO, IBM-PC to Para Printer Cable \$ 60 \$ 30 EPSON, Parallel Interface for LQ1500 100 79 Seral Interface Board \$ 50 \$ 135 105 MPCAgeell / A Cable Er fgon & Gemin \$ 50 \$ 100 79 Seral Interface Board \$ 130 \$ 105 100 79 MPCAgeell / A Cable Er fgon & Gemin \$ 50 \$ 23 169 99 Differed Gapter Pus, TRADS, Olegraphica \$ 50 \$ 26 109 109 PRACTCAL, Microbult Tine GM, para \$ 349 \$ 259 149 99 Differed Gapter Pus, TRADS, Olegraphica \$ 50 \$ 129 149 139 149<!--</td--></td></td<>	DB Unify Pair of II \$ 129 \$ 22 CALL VeicCorp. Full Line In Stock CALL CALL PERINTEERS DOT MATRIX: UST OUR PROM. JN80—Color Printer, 160 cps 1335 In Stock PR00—100 cpc \$ 269 In Stock 900 PR00—100 cpc \$ 269 In Stock 990 PR00—100 cpc \$ 990 In Stock 990 PR00—160 cpc \$ 990 In Stock 990 PR00—160 cpc \$ 990 In Stock \$ 990 PALLY, 160—80 cpt, 160cpc 1398 \$ 568 DOLDATA, 82A—80 cot, 160cpc, 9788 \$ 1393 \$ 569 Stock \$ 1200 cpt, para \$ 449 \$ 599 Stock \$ 1200 cpt, para \$ 1495 \$ 1199 Stock \$ 1200 cpt, para \$ 1200 cpt, para	Spinnaker, Full knein stock, CALL 35% off list Sub Logic, Flight Smulator II \$ 50 \$ 35 PRINTER INTERFACES UST 0// ARBO, IBM-PC to Para Printer Cable \$ 60 \$ 30 EPSON, Parallel Interface for LQ1500 100 79 Seral Interface Board \$ 50 \$ 135 105 MPCAgeell / A Cable Er fgon & Gemin \$ 50 \$ 100 79 Seral Interface Board \$ 130 \$ 105 100 79 MPCAgeell / A Cable Er fgon & Gemin \$ 50 \$ 23 169 99 Differed Gapter Pus, TRADS, Olegraphica \$ 50 \$ 26 109 109 PRACTCAL, Microbult Tine GM, para \$ 349 \$ 259 149 99 Differed Gapter Pus, TRADS, Olegraphica \$ 50 \$ 129 149 139 149 </td		
Microsoft, 280 Softcard (or e) 280 Softcard Prenium (1e) \$395 \$275 DISKETTES * CONROY-LAPOINTE*DISKETTES * CONROY-LAPOINTE*DISKETTES * CONROY-LAPOINTE*DISKETTES * CONROY-LAPOINTE*DISKETTES * CONROY-LAPOINTE*DISKETTES * CONROY-LAPOINTE*DISKETTES 100 e. 35/30. 35 frack (Apple, dc.) 100 e. 35/30. 35 frack (Apple, dc.) 100 e. 35/30. 35 frack (Apple, dc.) 100 e. 35/30. 48 frack (16M, H/P) 100 e. 35/30. 40 (Apple, 16M) 10 e. 35/30. 45 frack (16M, H/P) 10 e. 35/30. 55 129 10 e. 40 (AD) (AD) (AD) 40 a 27 10 e. 40 (AD) (AD) 40 a 27 40 a	T/Maker, Cickart \$ 50 \$ 32 Videx, Vegas \$ 60 \$ 34 MCDDEMS ANCHOR, Signalman Mark XII \$ 399 \$ 269 HAYES, IBM-FC Smartmodem 12006 \$ 349 \$ 269 IBM-FC Smartmodem 12006 \$ 399 \$ 407 Marcomoden III Software \$ 149 \$ 99 Micromoden III Software \$ 149 \$ 29 Stack Chronograph (FR-522) \$ 289 \$ 289 Stack Smartmood III 200 (FS-232) \$ 289 \$ 285 Smartmoolongraph (FR-5232) \$ 289 \$ 289 IBM-PC to Modem Cable \$ 39 \$ 19 KENSINGTON, Modem I200 \$ 565 \$ 415 Smartmodem I200 (FS-232) \$ 289 \$ 248 VANTON, I03/212 Smart Cat \$ 555 \$ 415 Smarton I1200 (FBAC) \$ 595 \$ 362 ADDEK Cat \$ 100 BAU0 \$ 389 \$ 289 Quadmodem, Internal IBM \$ 395 \$ 289 \$ 289 Gat \$ 130 BAU0 \$ 395 \$ 289 Quadmodem, Nata Al	DB Unify Pair or II \$ 129 \$ 22 CALL Vericorp, Full Line In Stock CALL PRINTERS LOT MATRIX: UST OUR MAILY IST-Colspan="2" IST-Colspan="2" Stocs OURDATA S2A-BOCI, BOCIS, Supa="2" Stocs Stocspan="2" Stocs VICKLOALTATA S2A-BOCI, BOCIS, Supa="2" Stocs Stocspan="2" Stocspan="2" VICKLOALTA S2A-BOCI, ICOCIS, Supa="2" <td <="" colspan="2" td="" td<=""><td>Spinnaker, Full knein stock, CALL 35% off list Sub Logic, Fight Simulator II \$ 50 35 PRINTER INTERFACES UST OUR ARBO, IBM-PC to Para Printer Cable \$ 60 30 EPSON, Parallel Interface for LQ1500 100 79 Small Interface for LQ1500 100 79 Small Interface for LQ1500 100 100 MPCACedII / F& Cable for figon 6 Gemin 50 99 DMRCACedII / F& Cable for figon 6 Gemin 50 99 DMRCACedII / F& Cable for figon 6 Gemin 50 92 PRACTCAL, Mcrobull for Mis for Agemin 50 92 Microbull in-Line 64X, set 349 259 Microbull in-Line 64X, set 316 129 Microbull in-Line 64X, set 316 129</td></td>	<td>Spinnaker, Full knein stock, CALL 35% off list Sub Logic, Fight Simulator II \$ 50 35 PRINTER INTERFACES UST OUR ARBO, IBM-PC to Para Printer Cable \$ 60 30 EPSON, Parallel Interface for LQ1500 100 79 Small Interface for LQ1500 100 79 Small Interface for LQ1500 100 100 MPCACedII / F& Cable for figon 6 Gemin 50 99 DMRCACedII / F& Cable for figon 6 Gemin 50 99 DMRCACedII / F& Cable for figon 6 Gemin 50 92 PRACTCAL, Mcrobull for Mis for Agemin 50 92 Microbull in-Line 64X, set 349 259 Microbull in-Line 64X, set 316 129 Microbull in-Line 64X, set 316 129</td>		Spinnaker, Full knein stock, CALL 35% off list Sub Logic, Fight Simulator II \$ 50 35 PRINTER INTERFACES UST OUR ARBO, IBM-PC to Para Printer Cable \$ 60 30 EPSON, Parallel Interface for LQ1500 100 79 Small Interface for LQ1500 100 79 Small Interface for LQ1500 100 100 MPCACedII / F& Cable for figon 6 Gemin 50 99 DMRCACedII / F& Cable for figon 6 Gemin 50 99 DMRCACedII / F& Cable for figon 6 Gemin 50 92 PRACTCAL, Mcrobull for Mis for Agemin 50 92 Microbull in-Line 64X, set 349 259 Microbull in-Line 64X, set 316 129 Microbull in-Line 64X, set 316 129
Microsoft, 280 Softcard (or e) 280 Softcard Premium (1e) \$ 345 \$ 235 280 Softcard Premium (1e) \$ 395 \$ 275 DISKETTES * CONROY-LAPOINTE "DISKETTES * CONROY-LAPOINTE "DISKETTES * CONROY-LAPOINTE " 1 1 100 e. 25:00, 35 Track Apple, etc.) 100 e. 25:00, 35 Track Apple, etc.) 100 e. 25:00, 35 Track Apple, etc.) 100 e. 25:00, 48 Track (16M, H/P) 100 e. 25:00, 40 Track (16M, H/P) 100 e. 25:00, 40 Track (16M, HC Pre-tormatted NEW 100 e. 25:00, 40 Track (16M, H/P) 10 e. 25:00 40 Track (10M, H/P) 10 e.	T/Maker, Cickart \$ 50 \$ 32 Videx, Vegas \$ 60 \$ 34 MCDDEMS UST \$ 99 \$ 269 ANCHOR, Signalman Mark XII \$ 399 \$ 269 HAYES, IBM-PC Smartnomen 12008 \$ 149 \$ 99 IBM-PC Smartom II Software \$ 149 \$ 99 Micromodem ILe V/Smartom \$ 329 \$ 229 Stack Chronograph (RS-232) \$ 289 \$ 249 Stack Smartmodem 1200 (RS-232) \$ 399 \$ 249 Stack Smartmodem 1200 (RS-232) \$ 399 \$ 249 ADCESS 1-2-3 (L2008+Crosstalk XV) \$ 595 \$ 385 MAPIC cat II 300 BAUD \$ 725 \$ 559 Cat \$ 120 (MAC) \$ 495 \$ 399 J 2Auto Cat \$ 189 \$ 149 \$ 104 J 24 auto Cat \$ 149	DB Unify Pair or II \$1.29 \$.82 CALL Veicorp, Full Line In Stock CALL CALL PERINTEERS LOT MATRIX: LIST OUR LIST OUR REPSON, JX80—Color Printer, 160 cps 1335 In Stock RIDO—100 cps 1335 In Stock RIDO—100 cps 1335 In Stock RIDO—100 cps 1335 ISOck RIDO—160 cps 1335 ISOck RIDO—120 cpt, 160 cps 1335 ISOck </td <td>Spinnaker, Full knein stock, CALL 35% off list Sub Logic, Fight Simulator II 50% 35 PRENETER INTERFACES UST & BULFFERS UST ARBO, IBM-PC to Para Printer Cable 50% 30 EPSON, Parallel Interface for LQ1500 100 MRCAgell /F & Cable 50% 30 MRCAgell /F & Cable for figon 8 Gemin 50% 30 MRCAgell /F & Cable for figon 8 Gemin 50% 30 MRCAgell /F & Cable for figon 8 Gemin 50% 32 MRCAgell /F & Cable for figon 8 Gemin 50% 32 MRCAgell /F & Cable for figon 9 figon 9 349 Marcalaer, wCony, P, Hok (MP64 w/rs) 5179 139 Microlazer, Snapon, R, KP, Epson w/PS 259 Microlazer, Snapon, G, KP, F, Epson w/PS 259 S-TA MICRO, Serial Inter</td>	Spinnaker, Full knein stock, CALL 35% off list Sub Logic, Fight Simulator II 50% 35 PRENETER INTERFACES UST & BULFFERS UST ARBO, IBM-PC to Para Printer Cable 50% 30 EPSON, Parallel Interface for LQ1500 100 MRCAgell /F & Cable 50% 30 MRCAgell /F & Cable for figon 8 Gemin 50% 30 MRCAgell /F & Cable for figon 8 Gemin 50% 30 MRCAgell /F & Cable for figon 8 Gemin 50% 32 MRCAgell /F & Cable for figon 8 Gemin 50% 32 MRCAgell /F & Cable for figon 9 figon 9 349 Marcalaer, wCony, P, Hok (MP64 w/rs) 5179 139 Microlazer, Snapon, R, KP, Epson w/PS 259 Microlazer, Snapon, G, KP, F, Epson w/PS 259 S-TA MICRO, Serial Inter		
Microsoft, 280 Softcard (or e) 280 Softcard Premium (1e) \$ 345 \$ 235 280 Softcard Premium (1e) \$ 395 \$ 275 DISKETTES * CONROY-LAPOINTE* DISKETTES * CONROY-LAPOINTE* 10 \$ 14 100 e. SS/20, 35 Track (Apple, dt.) 100 e. SS/20, 48 Track (1BM H/P) 100 e. SS/20, 40 T(Apple, 1BM) 100 e. SS/20, 40 Track (1BM H/P) 100 e. SS/20, 35 Track (Appe, Aran) 100 e. SS/20, 35 Track	T/Maker, Cickart \$ 50 \$ 32 Videx, Vegas \$ 60 \$ 34 MCDDEMS 139 269 ANCHOR, Signalman Mark XII \$ 399 269 HAYES, IBM-PC Smartnodem 12006 189 299 IBM-PC Smartnodem 12006 339 275 Micromoden III Software 149 99 Micromoden III Software 149 199 Stack Knonograph (RS-232) 289 228 Stack Stronograph (RS-232) 289 128 Smartmoden 1200 (RS-232) 289 324 Stack Stronograph (RS-232) 289 325 Smartmoden 1200 (RS-232) 289 325 Smarton II Bas vicitivare (MA) 389 249 ADDEK Catl. 1200 BAUD 389 249 Stack Stronograph (RS-232) 556 365 MOVATION, 103/212 Smart Catl 555 365 Smarton II as vicitivare (MA) 389 249 J12 Aubo Catl 139 139 J424 130 OBAUD 389 225 </td <td>DB Unify Pair for II \$ 129 \$ 62 VesiCorp, Full Line In Stock CALL PRINTEERS LOT MATRIX: UST 0UR EPSOM, JA80—Color Printer, 160 cps 1335 InStock 100 cps \$ 1335 InStock REPSOM, JA80—Color Printer, 160 cps 1335 InStock RAD—100 cps \$ 1335 InStock RAD—100 cps 1335 InStock RAD, 160 cps 1335 InStock RAD, 160 cps 1335 InStock RAD, 160 cps, para 1349 539 Stoppara 1345 51995 RAD, 160 cps, para 1395 1312</td> <td>Spinnaker, Full knein stock, CALL 35% off list Sub Logic, Fight Simulator II \$ 50 \$ 35 PRINTER INTERFACES BUDIFIELD VIEW AND STORED ST</td>	DB Unify Pair for II \$ 129 \$ 62 VesiCorp, Full Line In Stock CALL PRINTEERS LOT MATRIX: UST 0UR EPSOM, JA80—Color Printer, 160 cps 1335 InStock 100 cps \$ 1335 InStock REPSOM, JA80—Color Printer, 160 cps 1335 InStock RAD—100 cps \$ 1335 InStock RAD—100 cps 1335 InStock RAD, 160 cps 1335 InStock RAD, 160 cps 1335 InStock RAD, 160 cps, para 1349 539 Stoppara 1345 51995 RAD, 160 cps, para 1395 1312	Spinnaker, Full knein stock, CALL 35% off list Sub Logic, Fight Simulator II \$ 50 \$ 35 PRINTER INTERFACES BUDIFIELD VIEW AND STORED ST		
Microsoft, 280 Softcard (or e) 280 Softcard Prenium (1e) 395 § 275 DISKETTES * CONROY-LAPOINTE* DISKETTES * CONROY-LAPOINTE* OF SKETTES * CONROY-LAPOINTE* 1 14 100 e. 35/00, 35 frack (Apple, dtc) 10 e. 35/20, 35 frack (Apple, dtc) 100 e. 35/20, 48 frack (16M, H/P) 100 e. 35/20, 40 (16M, H/P) 100 e. 35/20, 40 (16M, H/P) 10 e. 35/20 (16M, H/	T/Maker, Cickart \$ 50 \$ 32 Videx, Vegas \$ 60 \$ 34 MCDDEMS 139 269 ANCHOR, Signalman Mark XII \$ 399 269 HAYES, IBM-PC Smartmodem 12008 149 \$ 99 IBM-PC Smartmodem 12008 149 \$ 99 Micromodem 110 (\$ 100 bus) \$ 399 \$ 227 Stack Chronograph (IRS-232) \$ 289 \$ 289 Stack Snartmodem 1200 (\$ 5100 bus) \$ 399 \$ 275 Stack Chronograph (IRS-232) \$ 289 \$ 289 KEMSINGTON, Modem 1200 \$ 595 \$ 385 Nordomodem 1200 (IRS-232) \$ 899 \$ 499 Smartmodem 1200 (IRS-232) \$ 899 \$ 499 Smartmodem 1200 (IRS-232) \$ 899 \$ 499 ADDECK TON, Modem 1200 \$ 595 \$ 365 NOVATION, 103/212 Smart Cat \$ 595 \$ 365 Yidau to all \$ 309 \$ 229 \$ 239 Quadmodem, Internal IBM \$ 399 \$ 229 \$ 230 Quadmodem, Rad Aluno \$ 695 \$ 495 \$ 505<	DB Unify Pair for II \$ 129 \$ 62 VesiCorp, Full Line In Stock CALL PRINTEERS LOT MATRIX: LIST OUR PRINTEERS LIST OUR EPSOM, JK80—Color Printer, 160 cps 1335 InStock REPSOM, JK80—Color Printer, 160 cps 1335 1335 InStock REPSOM, JK80—Color Printer, 120 cp, para 1449 599 REPSON, JK80—Color Printer, 120 cp, para 1495 5199 COLID ACI, 120 cp, para 149 539 PSON JK80—Color Printer, 120 cp, para 1495 5199 SOLA, 160 cp, para 1395 1419 Colspara 1495 549 14	Spinnaker, Full line in stock, CALL 35% off list Sub Logic, Fight Simulator II \$ 50 \$ 35 PRINTER INTERFACES & BULFFLEX UST OUR ARBO, IBM-PC to Para Printer Cable EPSON, Parallel Interface tor LQ1500 ID0 79 Senal Interface Board III 00 179 Senal Interface Board III 00 179 Senal Interface Board III 00 179 Senal Interface Board III 00 179 ORDATA, Rug n Ray, Tractors, Oligraphia. 50 142 ORANGE MICHOLGRapher Rus tr Apple Microbid In-Line 64K, ser. 349 1259 Microbid III-Line 64K, ser. 349 1259 Microbid IIII-Line 64K, ser. 349 1259 Microbid IIII-Line 64K, ser. 349 1259 Microbid IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		
Microsoft, 280 Softcard (or e) 280 Softcard Prenium (1e) 3955 § 275 DISKETTES * CONROY-LAPOINTE* DISKETTES * CONROY-LAPOINTE* DISKETTES * CONROY-LAPOINTE* DISKETTES * CONROY-LAPOINTE* 1 14 100 e. 35/20, 35 frack Apple, etc.) 100 e. 35/20, 45 frack (16M, H/P) 100 e. 25/20, 40 frack (16M, H/P) 100 e. 25/20, 40 frack (16M, H/P) 10 e. 25/20, 45 frack (16M, H/P) 10 e. 25/20, 35 frack (Appe, Aran) 10 e. 25/20, 35 frack (Appe, Aran) 25 5 3 19 10 e. 25/20, 48 frack (16M, H/P) 10 e. 25/20, 35 frack (Appe, Aran) 10 e. 25/20, 35 frack (Appe, Aran) 10 e. 25/20, 35 frack (Appe, Aran) 10 e. 25/20, 48 frack (16M, H/P) 10 e. 25/20, 25 frack (20M, Aran) 10 e. 25/20, 35 frack (20M, Aran) 10 e. 25/20, 35 frack (20M, Aran) 10 e. 25/20, 35 frack (20M, Aran) 10 e. 25/20, 48 frack (16M, H/P) 10 e.	T/Maker, Cickart \$ 50 \$ 32 Videx, Vegas \$ 60 \$ 34 MCDDEMS 139 269 ANCHOR, Signalman Mark XII \$ 399 269 HAYES, IBM-PC Smartmodem 12008 149 \$ 99 IBM-PC Smartomet II Software 149 \$ 99 Micromodem 110 (\$ 100 bus) \$ 399 275 Stack Chronograph (RS-232) 289 289 Stack Snartmodem 1200 (\$ 232) 289 225 Smartmodem 1200 (RS-232) 289 225 Smartmodem 1200 (S 100 bus) 399 326 IBM-PC to Modem Cable \$ 39 19 KEMSINGTON, Modem 1200 \$ 555 365 NOVATION, 103/212 Smart Cat \$ 555 365 SmartCat Plase viofivmer (MA) 399 228 QUADRAM, Quadmodem, Internal IBM \$ 399 229 QUADRAM, Quadmodem, Internal IBM \$ 555 325 Gat 124 nobic Cat \$ 555 325 Quadmoden, RaGB /Audio \$ 495 329 229 Gat 700 C	DB Unify Pair or II \$ 129 \$ 62 VesiCorp, Full Line In Stock CALL PRINTEERS LOT MATRIX: LIST OUR BOT MATRIX: LIST OUR LIST OUR REPSON, JK80—Color Printer, 160 cps 1335 InStock REPSON, JK80—Color Printer, 160 cps 1335 ISO COL REPSON, JK80—Color Printer, 160 cps 1335 ISO COL REPSON, JK80—Color Printer, 160 cps 1335 ISO COL REPSON, JK80—Color Printer, 120 cp, para 1495 ISO COL REPSON, JK80—Color Printer, 120 cp, para 1495 ISO COL REPSON, JK80—Color Printer, 120 cp, para 1495 ISO COL REPSON JK80—Color Printer, 120 cp, para 1495 1335 1335 1335 1335 1335	Spinnaker, Full line in stock, CALL 35% off list Sub Logic, Fight Simulator II \$50 \$35 PRINTER INTERFACES & BULFFLEX UST OUR ARBO, IBM-PC to Para Printer Cable EPSON, Parallel Interface tor LQ1500 ID0 79 Senal Interface Board III 00 179 Senal Interface Board III 00 179 Senal Interface Board III 00 179 Senal Interface Board III 00 179 ORDATA, Rug n Ray, Tractors, Oligraphia. 50 142 ORANGE MICHOLGRapher Rus trachor MICCAGENI IF & Cable tor figon 6 Cernin MICCAGENI IF & Cable tor figon 7 Signer MICCAGENI IF MICCAGENI IN THE CABLE MICCAGENI IF TO MODERICAGE (Cable 192 79 STAR MICRO, Senal Interface 8 Cable 192 199 FIGUNARY MICRO, ANGREN 6 CORT INTER Signer Store Card Mitter 190 455 Signer Store Tor MICRO 19723		
Microsoft, 280 Softcard (or e) 280 Softcard Prenium (1e) 3955 \$ 275 DISKETTES * CONROY-LAPOINTE* DISKETTES * CONROY-LAPOINTE* OBSKETTES * CONROY-LAPOINTE* 1 \$ 14 100 e. SS/00. 35 frack (Apple, dtc) 100 e. SS/00. 48 frack (16M, H/P) 100 e. SS/00. 40 (16M, H/P) 10 e. SS/00. 48 frack (16M, H/P) 10 e. SS/00. 55 119 10 e. SS/00. 57 119 10 e. SS/00. 57 128 10 e. SS/00. 48 frack (16M, H/P) 10 e. SS/00. 57 128 10 e. SS/00. 48 frack (16M, H/P) 10 e. SS/00. 57 128 10 e. SS/00. 57 128 10 e. SS/00. 57 128 10 e. SS/00. 57 128 10 e. SS/00. 57 128	T/Maker, Cickart \$ 50 \$ 32 Widex, Vegas \$ 60 \$ 34 MCDDEMS \$ 399 \$ 269 ANCHOR, Signalman Mark XII \$ 399 \$ 269 HAYES, IBM-R: Smartnome 12008 \$ 329 \$ 239 Micromodem II Software \$ 149 \$ 99 Micromodem II & Siftware \$ 149 \$ 99 Micromodem II & Siftware \$ 391 \$ 227 Stack Chronograph (RS 232) \$ 289 \$ 289 Stack Smartmodem 1200 \$ 505 \$ 355 Stack Siftwork \$ 391 \$ 19 KELNSINGTON, Modern 1200 \$ 505 \$ 355 Smartmodem 1200 (RSC 232) \$ 999 \$ 299 ADDE Catl 1200 BAUD \$ 725 \$ 369 Cat \$ 149 \$ 399 \$ 224 ADDE Catl 1200 BAUD \$ 725 \$ 559 Cat \$ 149 \$ 104 212 Aopie Catl 1200 BAUD \$ 725 \$ 559 Cat \$ 120 Apple Catl 1200 (MAC) \$ 495 \$ 425 QUADRAM, Quadmodem, Intermal IBM	DB Unify Pair for II \$ 129 \$ 82 VesiCorp, Full Line In Stock CALL PRINTEERS LOT MATRIX: LIST 0UR EPSON, JX80—Caker LIST 0UR EPSON, JX80—Caker Printer, 160 cps 1335 InStock LIST 0UR EPSON, JX80—Caker Printer, 160 cps 1335 InStock RX80—100 cps 1335 InStock RX80—100 cps 1335 InStock RX80—160 cps 1395 InStock RX80—160 cps 1395 1395 1395 RX80—160 cps 1395 1395 1395 ALLY 160—20 cps para 1495 1395 136 col, 120 cps para 1495 1395 1395 2410F —Pacemait 350cpt para 1495 1395 1395 1495 1395 2 120 120 cps para 1495 1395 1495	Spinnaker, Full line in stock, CALL 35% off list Sub Logic, Fight Simulator II 50 3 35 PRENCESSION Parallel Interface Interf		


 APPL/CATION FORM
 NAME

 Please and there is a Compy
 NAME

 Laborate cradit and stage
 ADDRESS

 spokation form Lunde ADDRESS

 son Compy Laborate cradit
 If Address is a stage of the cradit and stage of the cradit and the set of the cradit and the cradit and the set of the cradit and the set of the cradit and the cradit and the set of the cradit and the cra 124 BYTE • FEBRUARY 1985



Inquiry 72 for IBM Peripherals. Inquiry 73 for Apple. Inquiry 74 for all others.

erated by the new arrival.

AppleTalk divides node addresses into two classes: server node and user node. The system reserves 255 possible addresses; hexadecimal address FF is a special "broadcast" address used to reserve the line for transmission as part of the network's scheme.

AppleTalk is based on an open system architecture (see figure 1). Apple has published detailed information on the suite of network protocols that comprise AppleTalk and has held a number of seminars to aid third-party vendors that are developing software and hardware applications for the network.

The AppleTalk protocols implement a packet-switching scheme that provides functional correspondence with the International Standards Organization (ISO) Open Systems Interconnection (OSI) model. Protocols equivalent to the ISO OSI layers 1 through 5 (physical, data link, network, transport, and session) are at the core of AppleTalk.

The access scheme to the network is based on a CSMA/CA (carrier sense multiple access with collision




Figure 1: A diagram of AppleTalk's protocol architecture, printed by the LaserWriter.

avoidance) model. Although both AppleTalk and Ethernet are based on a bus topology, they differ in the way they handle the problem of data collisions on the network.

Ethernet provides hardware capability for detecting collisions. Apple-Talk, on the other hand, implements collision avoidance in software at the data-link level. The AppleTalk Link-Access Protocol (ATLAP) software handles the address-assignment mechanism, the frame format, and the frame transmission and reception process.

In the AppleTalk collision-avoidance scheme all transmitters wait until the line is idle. This time interval is determined by the generation of a pseudorandom number whose range is adjusted based on perceived bus traffic.

As part of this scheme each transmitter can send special broadcast frames (addressed to all nodes in the network) that reserve the line by informing other nodes that it is preparing to send a packet. The transmitters use directed frames (or packets) to send data to a single address on the network.

While a transmitting node is sending to a receiving node, a dialogue takes place. If a collision occurs during the dialogue, the sending node backs off and tries again, adjusting the randomly generated time interval. This adjustment follows a linear backoff algorithm that changes dynamically in response to recent network-traffic history. If the node detects collisions among recently sent packets, this suggests higher loading and greater contention for the bus. Thus, the random wait that is generated is calculated over a larger range, effectively spreading out the different contenders for the line.

Apple reports that it has extensively tested AppleTalk's CSMA/CA protocol and is satisfied with its ability to remain stable under heavy network loads.

In addition to ATLAP, AppleTalk consists of a variety of other protocols that generally correspond to other levels of the ISO OSI model.

TIED UP WITH DATA RECORDING? Here comes SEED to set you free.

Are you frequently tied up with typing large amounts of data from printouts into your personal computer, or frustrated at not being able to use it while it is being used as an expensive data collection device? If so, then let a SEED set you and your PC free.

These highly portable and cost effective data recording units allow you to continuously record data wherever and whenever you want via an RS-232C serial interface onto a diskette for analysis or editing later on your PC.

SEED 1 is intended for use with an Apple II compatible disk drive (single or dual drive – 120 Kbyte memory per disk) and after recording, the diskette can be loaded into your Apple II, IIe or III personal computer.

SEED 2 is intended for use with an IBM PC and has the additional advantages of a built-in disk drive unit, a 350 Kbyte memory, single or double sided, double density disks, and dip switch selectable baud rate, parity and data bits.

An optional analogue/digital conversion unit is available for each model.

Both SEEDs can be used for a really wide range of data recording applications:

in the office where data can be recorded from mainframe, other computers or serial communication networks

in the laboratory where results can be recorded from samples being measured continuously, including overnight runs

on the factory floor where performance data can be recorded from instruments undergoing quality control testing prior to shipment

So now there's no need to get tied up with data recording. All you need is SEED.





mariachioy Iso-Heikkiläntie 14, SF-20200 Turku, Finland, Tel. (9)21–307 000, Telex 62665 maroy sf

USA, CMK Associates, Inc., (408) 374 1805; CANADA, Fisher Scientific, (613) 226 8874; W. GERMANY, LKB Instrument GmbH, (89) 85830, Isolab, (05609) 2736; FRANCE, LKB Instruments S.A., (6) 928 6507; AUSTRIA, LKB Instrument Ges.m.b.H, (0222) 92 1607; ENGLAND, LKB Instruments Ltd., (01) 657 8822; SWEDEN, SEED Trading, (08) 768 5595.

Apple is a registered trademark of Apple Computer, Inc. IBM PC is a registered trademark of International Business Machines, Corp.

While ATLAP handles node-to-node delivery of packets on a single Apple-Talk network, a Datagram Delivery Protocol (DDP) extends this mechanism to socket-to-socket delivery. Sockets are logical entities in the individual nodes of a network. An individual socket is identified by a 1-byte address. Therefore, there can be as many as 256 different socket addresses on a single node. The DDP is designed to provide addressing and packet delivery between several AppleTalk networks connected by a bridge. A bridge might consist of a single node connected to two Apple-Talk networks or it might consist of two nodes, each connected to a separate AppleTalk network, connected by a communications channel.

Additional protocols include a routing table maintenance protocol (RTMP) that permits any AppleTalk node to "discover" network routing information, such as the number of the

LAN to which it is directly attached; a name-binding protocol (NBP) that permits users to access network addresses by names rather than numbers; and the AppleTalk transaction protocol (ATP), designed to ensure loss-free delivery of packets from a source socket to a destination socket.

On the Macintosh, these protocols are implemented as 5.5K bytes of code written in assembly language. Because the SCC chip handles address recognition, the network protocols take no system overhead unless a particular node is directly addressed over the network.

Initially, AppleTalk will link groups of Macintosh computers to the Laser-Writer laser printer, an impressive 68000-based electronic printing system that will provide hard-copy output of any text or graphical image that can be displayed on the Macintosh screen. The special significance of the LaserWriter is that it is in-

ADOBE SYSTEMS AND THE POSTSCRIPT LANGUAGE

A dobe Systems Inc., of Palo Alto, California, was started by a number of researchers who left Xerox's PARC (Palo Alto Research Center). In particular, John Warnock, president of Adobe, was a principal scientist at PARC for raster-graphic display techniques. Charles Geschke, the executive vice-president, was a manager of the Imaging Sciences Laboratory at PARC.

Adobe is trying to make PostScript their text and graphics language—a business standard. Unlike most printfile description languages, PostScript is not a static, data-structured written description: it is a programming language. When the Macintosh communicates with the LaserWriter, it actually sends a program across AppleTalk.

According to Geschke, "When the program arrives at the 68000 in the printer and begins executing, it has one very interesting side effect, namely, it drives the video on that laser and produces output. But it is really a program description that is generated on the Macintosh and is executed on the printer." By using PostScript, the amount of information sent across AppleTalk can be trimmed, in some cases, to just 10 percent more than the raw ASCII (American Standard Code for Information Interchange) data.

PostScript is completely encoded in the printable character subset of 7-bit ASCII code and so is completely invisible across any kind of communications line, not just AppleTalk. PostScript can handle any material: text, line-art, photographics, and even color (for printers that can use it). While photographic images are sent as bit maps. graphics are sent as commands and the fonts are sent as mathematical outlines (based on Bezier cubics) that can be stroked, filled, scaled, oriented, or used as clipping boundaries. And it is flexible, as Geschke pointed out. "If you're really into graphic art you can adjust the shape of the half-tone dot, the shape of the tonal production curve, the orientation of the screen, and its frequency."

Adobe isn't only working with Apple. You'll be seeing PostScript in other systems from other companies. tegrated with PostScript, a pageimage-description language developed by Adobe Systems, a start-up company founded by a group of electronic-printing experts who recently left Xerox Corporation (see the text box "Adobe Systems and the Post-Script Language" below). PostScript is essential to the viability of AppleTalk because it permits extensive compression of the information the Laser-Writer needs to print bit-map images.


LASER TECHNOLOGY

Laser printers are fast, quiet, and capable of high-resolution printing. Until recently, they have also been very expensive, ranging from \$50,000 to \$400,000.

A laser printer has a raster-scanning laser that projects the print image onto an electrostatically charged photosensitive drum. A set of rotating mirrors manipulates the beam—the laser itself doesn't move. Wherever the laser beam touches the drum, the static charge is nullified. Toner (particles of colored plastic) is then attracted to those points. The printer rolls paper against the drum and the toner sticks to the paper. Finally, a hot fuser permanently affixes the toner by melting it onto the page.

The price of laser printers has dropped dramatically because of developments such as Canon's LBP-CX marking engine. That engine, which is also used in Canon's personal copiers, combines several fundamental printer components into a single, inexpensive, disposable cartridge. Because those same components—including the toner and drum—frequently needed repair and replacement on laser printers, the Canon engine greatly improves reliability.

The LaserWriter's disposable cartridges (made by Canon) cost \$99 each and will print approximately 3000 pages. That puts the price in the range of 3 cents per page. The Laser-Writer prints on ordinary copy paper but can also use bond paper, European and legal-size paper, transparencies, envelopes, labels, or even business cards. Several different toner (continued)



WHEN YOU BUILD A HOUSE ... YOU DON'T NEED TO MAKE THE WINDOWS YOURSELF. NOW ... THE SAME IS TRUE WHEN YOU'RE WRITING CODE.

Windows With A View Toward The Future

The Window Machine[™] occupies only 12K! Written in tight, fast Assembler, it performs like a racing engine ... with more power than you'll probably ever need. Yet, it's an engine designed to fit in the vehicle of your choice...from a 'stripped-down" 128K IBM PC to a fully loaded AT. The programs you write today will run on the broadest range of machines possible... now, and in the future.

Windows Bigger Than Your Screen?

Here's where the VSI part of our name fits in. VSI means Virtual Screen Interface. Behind each window, there's a much bigger picture. VSI defines virtual

screens rather than just windows. The window itself shows whatever portion of its virtual screen you wish to exhibit at any given point in your program. Each screen can be up to 128 x 255 (columns x rows, or rows x columns). And there are more than 100 screen primitives at your command.

Multilingual Windows

You can order The Window Machine with the language interface of your choice: C, Pascal, Compiled Basic, Fortran, Cobol, or PL1. We've even recently completed

coders' windows... designed to be built into the programs you are writing. They can overlap, move anywhere on the screen, grow, shrink, vanish or blink. They can be bordered in anything from a simple line to flashing asterisks...or even no border at all. And you can have up to 255 of them at a time! Color or monochrome ... of course!

AMBER SYSTEMS, INC: 1171 S. Saratoga-Sunnyvale Road, San Jose CA 95129

These are

Why did Simon & Schuster, 3COM, Tymshare, and Revlon choose VSI – The Window Machine? \$59.95

(and how come you can buy it for such a low price?)

an interface for Turbo Pascal*, so that now true, full-featured windowing can be utilized with this fine compiler. (Turbo's own built-in "windowing" procedure is extremely limited).

Windows That Won't Break You

We decided to save you a lot of money. So, we left behind fancy binders, monogrammed slip cases and plastic presentation boxes. Instead, you'll find an extremely powerful tool and a 200 page manual written with an eye toward simplicity, clarity and completeness. (We *Turbo Pascol is a Trademark of Borland International figured if you wanted ribbons and bows you could always add them yourself.)

And by offering you the product ourselves, we were able to cut out all the middlemen and save you a tremendous amount of money.



Available for the IBM PC. XT, AT, IBM Compatibles: and the Wang, T.I., HP 150, and Tandy 2000.

The Window Machine Includes:

 Multiple Virtual Screens (up to 255)
 Choice of Borders (including flashing borders)
 Support for all Color and Monochrome Video Attributes (no graphics card required)
 Built-in Diagnostics
 And much, much more

Zoom Windows

ORDER YOUR COPY OF VSI—THE WINDOW MACHINE TODAY For Visa, MasterCard and American Express orders call toll free: 1-800-227-3800 ext. 986

O PLI ON	C 🛛 Realia Cobol C Aicrosoft Pascal 🗗 'ER	Turbo Pasca	al (full featured tre	e windowing)
Name		-		
Address	_	_		
City			State	Zip Code
🗅 Check	Money Order	UVISA	OMasterCard	C American Express
Card # _				Exp. Date
	ia residents: tax in ng and handling.	-		
			MBER SYSTEMS 71 S. Saraloga-Su	
	-		an Jose, CA 95129	IIII Y VAIE KUAU

FOR DEALER INQUIRIES: CALL OUR 800 NUMBER

colors are available.

The Canon engine is used in the LaserWriter and many other new laser printers, from Hewlett-Packard's \$3495 LaserJet to the \$10,000 QMS 800. These laser printers can turn out eight pages a minute and vet make only about as much noise as a copier. All of these machines can print at the same 300-dots-per-inch resolution. While far better than standard dotmatrix printers, they aren't up to the 1200 dots per inch or better that phototypesetters produce (see figures 1 and 2 for samples of the Laser-Writer's output). Still, unless you're a graphics expert, it is hard to distinguish this resolution from typeset text. The difference between the various Canon-based laser printers is in the controllers; each manufacturer uses its own controlling computer.

Because the laser scans synchronously across the page, image dots must be fed to the laser at exactly the right time. That requires data storage in the printer itself. Shipping data to the printer memory as a simple bit map would take too much time for most users. An RS-232C port running at 19.200 bps (bits per second) would take nearly 7 minutes to send the 7,920,000 bits for a single page; even the speedier AppleTalk network would take half a minute. To ease that bottleneck, most manufacturers put some form of intelligence, such as encoded graphics instructions and preloaded fonts, into the printer controller. Then the computer need only send a condensed form of the print image to the printer controller.

The least intelligent controllers have limited printing capabilities. The Hewlett-Packard LaserJet, for instance, can only print 6 square inches of graphics per page and has a limited set of character fonts. On the other hand, the expensive QMS printer uses a standard Tektronix terminal emulation (a set of graphics protocols). For example, instead of sending a bit map of a circle to that printer, a computer only needs to send the Tektronix instruction to print a circle of a certain size, shape, and position.

LASERWRITER HARDWARE

The Apple LaserWriter printer can generate a variety of fonts and highquality graphics with the help of a




Figure 2: Sample output from the LaserWriter.

powerful built-in computer and the PostScript language.

The LaserWriter's internal computer-controller board was designed by Burrell Smith, a key figure in the Macintosh design group, and is built around an 11.2-MHz 68000 processor, 1.5 megabytes of RAM (randomaccess read/write memory), and 0.5 megabyte of ROM (read-only memory). The ROM contains the PostScript code.

The laser-printer project's design goals were formed when Adobe Systems suggested that a laser printer could offer graphics without giving up letter-quality text. Part of this involved making the printer controller as intelligent and as fast as possible, so that encoded information could be sent over the AppleTalk LAN to spare the network a huge overhead burden.

Of the LaserWriter's 1.5 megabytes of RAM, half a megabyte is used for temporary scratch-pad buffers and font caching and a full megabyte is devoted to the screen. The Laser-Writer has other small memory components, such as a static RAM cache of 4K bytes that allows the 68000 to process faster by executing inner loops without any wait states. In addition. Apple built into the hardware one of the most common input transfer modes. Burrell Smith said, "We do a classical OR between contents of memory and the data you wish to enter to the frame buffer-in a single bus cycle.

Apple is a high-volume producer. To that end, it has kept the component count on the board low-there are only 34 chips plus memory and resistor packs. In comparison, one competing laser-printer controller board has close to 150 chips. The LaserWriter board has been designed, as was the Macintosh, for automatic insertion and test. The chip technology used is generally the same as for the Macintosh: 25-nanosecond PAL (programmable-array logic) chips, 256K-byte dynamic RAM chips, and 256K-byte ROM chips. Smith noted, "What we're trying to do is take relatively expensive technologies and (continued)

A shelf loaded with software is impressive, but

one simple program loaded with capabilities is better.



FIF SoftStyle

To get a lot out of a printer, you need a lot of programs, right?

Wrong.

..................

True, your customers want to change type sizes, create their own characters, and even print sideways. But you don't need to stock a lot of different printer utilities. One simple program will blow all the others right off your shelf.

Printworks. It's loaded.

SoftStyle"


SoftStyle. Inc. • 7192 Kalanianaole Hwy. • Suite 205 Honolulu, Hawaii 96825 • Phone (800) 367-5600

\$89.95 retail. SoftStyle products are distributed by Softsel and Ingram Software. Simple Menu Control • Pivot Printing [™] lets you print sideways quickly and easily • Prints full IBM character set including line graphics, math and science symbols • Foreign language characters • Easily set print modes: condensed, emphasized and more • Create new characters or entire fonts • Many fonts included • Supports


For equilation of popular software packages including Wordstart, dBasell and Lotus 1-2-3.
Printworks enhances over 30 dot-matrix printers: C ITOH Prowriter (8510, 1550, 7550 all with the letter "E" included in the model number), CENTRONICS Horizon (H80), EPSON (FX-80/100, RX-80/100, JX-80, LO-1500, MX-80/100 ill with Graftrax Plus). IBM Graphics Printer. INFORUNNER Riteman (Plus, Blue Plus, II, 15), NECPInwriter (P2-3, P3-3), OKIDATA (ML 84 Step 2, ML 92 and 93 with or without Plug 'n Play Kit, Pacemark 2350 and 2410), and STAR (Gemini 10X/15X, Radix 10/15, Delta 10/15). For the IBM PC, PC-XT, PCjr, Compag and many other IBM compatibles. Needs 128K and DOS 1.1 or later.

make them ourselves."

Once the print image has been completely set in the RAM, the printer needs to ship it out to the laser apparatus as quickly as possible. That task is aided by the 68000, which helps drive the video electronics. The central processor stores the data in two FIFO (first-in/first-out) memories. That scheme allows a minimum amount of bus contention between the microprocessor and memory. Everything on the board is a slave to the 68000. That flexible architecture is expoited, for example, by the margins of the page to be printed. When the margins move inward, the frame buffer used for generating the



Each subject is a 3-tape series. *The Basics* will take you from the beginning and lead you through dBASE II commands. You will soon be creating your own databases, editing files, deleting records, etc. *Application Programming* will teach you program layouts, loops, structures and so much more. You will be writing your own programs within hours.



bit map is actually reduced in size allowing more RAM to cache the fonts.

The Macintosh has nonvolatile parameter memory that allows it to remember certain modifiable control settings between uses. Apple decided to further explore that scheme in the LaserWriter by putting in a 0.5K-byte EEPROM (electrically erasable programmable ROM), which is expandable to 2K bytes. As Smith points out, that is "equivalent to 16,000 DIP (dualinline package) switches."

The AppleTalk port isn't the only way to drive the LaserWriter. There is also a DB25 connector with completely programmable RS-232C protocols. Adobe indicated that they and others would provide packages that will use translators or emulators to drive Tex, Troff, Scribe, and other mainframestyle composition systems.

What sort of performance does the built-in computer offer for the Laser-Writer? According to Smith, when it is combined with perfect hardware, the printer is capable of turning out a page in 6 seconds. With the Apple controller, "We're expecting a 10-second average time per page," he says.

Anything that can be put on the Macintosh screen can be printed by the LaserWriter. When you use the Printer Chooser desk accessory to select the LaserWriter printer instead of the ImageWriter, the Macintosh calls a new printer driver. On the Macintosh, all screen graphics are based on QuickDraw routines called from ROM. Bud Tribble, the Macintosh software manager, says, "The LaserWriter's strategy is different than the ImageWriter's. Even though all the Macintosh's QuickDraw routines are in ROM, every entry point to Quick-Draw has a handle on it that allows us to trap out that call and go someplace else. That's what happens during printing to the LaserWriter driver. We trap out all the QuickDraw calls, and when that call comes along, the system translates it to the equivalent PostScript call, which ships it over AppleTalk to the laser printer and prints out." For now, the printer works (continued)



Trade over the counter.

Introducing the most complete 24-hour investment service on the market.

Spear Securities has teamed up with The Source[™] to bring you the most comprehensive personal investment service ever introduced.

Now you can use any personal computer to trade stocks, options or bonds quickly and inexpensively. Without software. But that's not all.

If you're going to compete with professional investors, you need more than instant trading. That's why we give you the ability to analyze and compare thousands of companies. And we provide immediate access to critical business news and price changes as they occur.

We even take care of your portfolio updating and record-keeping. And your account is protected up to \$10 million.*

Get started for \$35-a-trade.

Between now and February 28, 1985. most market orders placed with Spear Securities (up to 1,000 shares) will cost only \$35 each. After that, you'll enjoy our regular discount rates, which will save you up to 70% on stock transactions com-Immediate access to market intelligence. pared to full-cost broker commissions.

The coupon on the right will get you all the details. Fast. Our toll-free number is even faster. Just dial (800) 821-1902. In California, call (800) 321-6116.

*Combination of SIPC protection and private insurance. See brochure for details. Member Available exclusively via The Source STPC NASD

SPEAR SECURITIES

The Electronic Investment Center 626 Wilshire Boulevard Los Angeles, CA 90017

 Send me information on how to trade over the counter. I have a personal computer. I am currently a member of 	
The Source.	
Name	
Address	
City	
StateZip	
B-2	

Spear Securities, a member of the NASD and SIPC, is a wholly owned subsidiary of Investment Resources & Technology, Inc. The Source is a service mark of Source Telecomputing Corporation, a subsidiary of The Reader's Digest Association, Inc. The Source services are offered in participation with Control Data Corporation.


Picture a computer under \$1000 that can run Lotus 1-2-3.



To run a powerful program, you need a powerful computer. But "powerful" And for all of its power, it costs less than \$1,000,* without monitor.

doesn't always have to mean expensive.

Case in point: PC*jr*, from IBM. With its



"But I already have Lotus"1-2-3™ on diskette."

If that's the case, you may not want to buy the cartridge version. All you need is a PC*jr*Installation Kit (available free where you bought 1-2-3) and the new 128KB PC*jr*Memory Expansion Attachment.

This doubles PCjr's memory. And, by no coincidence, it also doubles the number of programs you'll be able to run.

So you can use Lotus 1-2-3 on diskette, and over a thousand *additional* programs that utilize expanded memory.

128KB memory, PC*jr* can run the world's best-selling business program—Lotus1-2-3—in its new cartridge form. Giving you the power to integrate spreadsheets and data bases, and visualize numbers in charts and graphs.

PČ*jr*'s cartridge format offers some real advantages, too.

A cartridge not only loads much faster than a program on diskette—it uses almost no user memory. So you get more "room to work."

It can also free the diskette drive to be used for information storage alone.

And perhaps best of all, a cartridge program can't be erased. Which means your investment is safe.


Of course, PC*jr* runs diskette programs as well. Over a thousand of the best programs written for the IBM PC. For business, home management, communications, education and entertainment. Picture yourself with PC*jr*. You can try one out at an authorized IBM PC*jr* dealer or IBM Product Center.

For the name of the store nearest you, call 1-800-IBM-PCJR. In Alaska and Hawaii, call 1-800-447-0890.

IBM PCjr Growing by leaps and bounds.

Inquiry 143

Before or after you buy a PCjr, it's easy to get answers to your questions. Just call 1-800-222-PCJR. *IBM Product Center price, monitor not included. Lotus and 1-2-3 are trademarks of Lotus Development Corp. Little Tramp character licensed by Bubbles Inc., s.a,



A program to take the tedium out of converting C programs to Pascal

BY TED CARNEVALE

o matter how much you prefer a particular programming language, there are times when it is necessary to use a different one. I found myself in this situation recently after I had written a graphics subroutine library in C for the Pixeltronics highresolution graphics display board that uses the NEC 7220 GDC (graphics display controller) chip. Since the display was attractive, I decided to incorporate the routines into our lab's highspeed data-acquisition system.

The data-acquisition program, which controlled A/D (analog-todigital) conversion and signal averaging, was compiled with Digital Research's Pascal/MT+ compiler. I chose this implementation of Pascal because it supports floating-point operations using the AMD (Advanced Micro Devices) 9511A, a high-performance arithmetic coprocessor that allows faster on-line data averaging and scaling. To run the A/D converter at top speed, special drivers were written in assembly language. The package's weak link was its subroutine to display data on a nonstorage oscilloscope, using the D/A (digital-toanalog) section of the converter board. The time required to sweep multiple traces across the oscilloscope screen limited the maximum rate of data acquisition.

It didn't seem practical to rewrite all of the data conversion software in C just to use the graphics display. Furthermore, we would have to write new drivers to use the AMD 9511A for floating-point calculations in C. Worse yet, the floating-point format and dynamic range of the AMD 9511A are radically different from their counterparts in our version of C (Software Toolworks C80 with optional floats and longs).

For a while I considered linking the rel (relocatable) files produced by C80 (which contain the graphics routines) to the erl (extended relocatable) files generated by Pascal/MT+ (which contain the data-conversion routines). This proved to be especially cumbersome for two reasons.

First, both of these languages use the stack to pass parameters to subroutines. Pascal/MT+ assumes that the subroutine will pop the parameters from the stack, which has the side effect of restoring the stack pointer to its position before the subroutine call. However, C80 expects the calling program to restore the stack pointer. Therefore, repeated calls from a Pascal program to C subroutines would make the stack grow larger and larger, potentially overwriting vital regions of memory. Circumventing this problem requires the crude but effective dodge of inserting a special "unstack" routine after each C routine call, so that the stack pointer would be properly restored.

The second problem is more difficult to deal with and relates to the fact that Pascal lacks local static variables. LINKMT, the linker for Pascal/MT+, issues error messages when it encounters certain conditions in the data segment. Some of my graphics procedures used local static variables, and these modules could not be processed by LINKMT.

In theory this can be overcome by

using LIBMT to convert the Pascal erl files to rel files and then linking them to the C80 rel files with Microsoft's L80. But somehow I could never get this technique to work right. Even if L80 could have produced a functioning mongrel, it would have been needlessly bulky, since the graphics drivers would have their own arithmetic and logic routines extracted from the C library with much needless duplication of similar functions provided by the Pascal library. Still, if it had worked I would have used it.

Having failed to weld C routines to Pascal, I had to rewrite the graphics drivers in Pascal. At first this seemed less awful than it really was. There are enough similarities between these two descendants of ALGOL that major revisions are not necessary for most simple routines. Many of the required changes can be done with any editor using global search/replace commands. For example, C's block delimiters { and } are direct counterparts of Pascal's begin and end.

This method is fine if you only have to translate a few short programs, but it has some major problems otherwise. Suppose you accidentally replace the C comment delimiters /* and */ with { and } before replacing the block delimiters with begin and end? And how about the different uses of = in C and Pascal? If you replace each = with :=, then C's (continued)

Ted Carnevale is an assistant professor of neurology at the State University of New York at Stony Brook. He can be reached in care of the Neurology Dept., SUNY, Stony Brook, NY 11794.

Listing I: The C	C-to-Pascal program, written for the Software Toolworks C80 compiler.
/* C to Pascal	 filter to replace C punctuation and certain key words with their Pascal equivalents.
C form	Pascal form
{	BEGIN
<tab></tab>	END; <2 blank spaces >
()	< nothing >
&& 	AND OR
comment start comment end	}
= =	= <>
= printf	: = writeln
scanf	readin
while Usage: ctp <inf< td=""><td>WHILE</td></inf<>	WHILE
*/	
#define EOF - 1 #define EOS \0	
main ()	
{ char c, ' int word	*letter,word[100]; iInth;
letter = v wordIntl	
while ((d i	c = getchar()) != EOF) { f (isalpha(c)) letter[wordInth + +] = c;
e	if (wordInth >0) { /* word ready to check */
	letter[wordInth] = '\0'; wtest(word); /* pass or replace it */ wordInth = 0; /* reset index */
	} ctest(c); /* process following char */
}	
by EOF with no Pascal or C prog	: the last word in the file will be missed if it is immediately followed intervening nonalphanumeric character. This is not a problem for gram sources. However, a general-purpose word filter would have onzero wordlength after EOF is reached. */
wtest(word) char *word;	
{ char *	swapword;
switch	<pre>vord = word; (word[0]) {</pre>
case '	break; s': if (strcmp(word, ''scanf\0'') = = 0) swapword = ''readIn\0''; break
case '	w': if (strcmp(word, "while\0") = = 0) swapword = "WHILE\0";
default	break; t: break; /* pass unchanged */ (continued)

The C functions printf and scanf could be replaced by writeIn and readIn.

equality test == becomes :=:=, <= turns into <:=, and >= becomes >:=.

You could step manually through the file, verifying all replacements one at a time, and this might not take too long if you have excellent eye-hand coordination. If you're really good, you might catch most of the errors before your compiler does. However, I wouldn't even attempt it. I was faced with the task of editing 27 separate files, totaling about 30 pages of drivers and test programs to convert from C to Pascal. After manually translating three of these to Pascal, I decided to write a "filter" that would do as much of the dirty work as possible.

The first step in developing this C program, called CTP.C (see listing 1), was identifying what substitutions could by made easily, reasonably, and safely by an unsupervised, i.e., non-interactive, program. The C functions printf and scanf could be replaced by writeln and readln. Where necessary, the In suffixes can be deleted manually at the same time the argument lists are revised.

The only other word substitution that I made was to capitalize WHILE. It is a trivial matter to change the program to perform case substitutions on other words (e.g., for or if). You will also want to replace switch with case and delete any case that appears in the C source. In addition to the block and comment delimiters, the nonalphanumeric characters that I decided to replace included tab (replaced with two spaces, my own format preference for Pascal), double quote, empty pairs of parentheses, logical "and" (&&), logical "or" (!!), and the various uses of =.



... and be a Leader!

MicroAge is the computer solution leader. Throughout the United States and Canada, businesspeople rely on MicroAge for advice, leading products, and service when computerizing their companies.

But remaining the leader takes talented professionals who are willing to invest in their own community. People who are willing to assume a leadership position. That's why MicroAge is meeting with individuals who want to own and operate a MicroAge sales organization.

Owning a MicroAge franchise is more than running a store. We sell multi-user systems, local area networks and telephone systems...along with personal computers. We provide service, installation and training for our customers.

If you would like to develop a long-term relationship serving the businesses in your area, let's talk business! Call or write:



"The Solution Store"®

1457 West Alameda • Tempe, AZ 85282 1-800-245-4683

In Arizona or outside the continental U.S. call (602) 968-3168

"The Leader In Multi-User Technology"

C TO PASCAL

_						
	}	} swap(swa	pword);			
	ctest(c) char c;					
	{	outitab (a)	Y			
		switch (c) case '"':	putchar('\' ');			
			break;			
		case '{':	swap(''BEGIN\0''); break;			
		case '}':	swap(''END;\0''); break;			
		case '\t':	swap('' \0'');			
		case '&':	break; swapif('&', '&','' AND \(break;	0'');		
		case ' ':	swapif(' ', ' ',''OR 0''); break;			
		case '('	swapif('(', ')',''\0'');		/* () simply deleted	•7
		case '/':	break; swapif('/', '*`,''{\0'');			
		case '*':	break; swapif('*', '/',''}\0''); break;			
		case 'l';	swapif('!', '=','' < $> 0''$); break;		/* != -> <> */	
		case '<':	Diedn,			
			putchar(c); /*	< x and >	x are passed unchanged	*7
			c = getchar(); putchar(c);			
			break;			
		case '=':		= - >	= , = -> := */	
		default:	purchar(c);			
		}	break;			
	}					
	swap(s) char *s;					
	{	while (* s! :	= EOS) putchar(*s++);			
	}					
			eplacement) placement;			
	t	char c;				
		if ((c = geto else {	char()) = = second) swap(r	replacemen	it);	
			putchar(first);			
		1	putchar(c);			
	}	}				
	identassig	gn()				
	{	char o:				
		char c;				
		if ((c = geto	char())! = '=') { putchar(':'); putchar('=');		<pre>/* assignment */</pre>	
		}				
		putchar(c)				1
	}					_

The next question was how to perform the substitutions. I decided the program should read through the file one character at a time, building words and testing them one at a time, while checking nonalphanumeric characters for any necessary replacements. For my purposes. I defined a word as a string of alphanumeric characters bounded by nonalphanumeric characters (including underline and numerals). This convention places restrictions on the labels that can be used in a program. For instance, printf1 would change into writeIn1, and new_scanf would become new_readln. If you use reasonable prudence in choosing names, you will avoid such undesired side effects.

An array of type char is used for temporary storage of each word. This array is arbitrarily much longer than any variable, function, or constant label that I am ever likely to use. Words are built one character at a time, starting with the first alphanumeric character encountered. The appearance of a nonalphanumeric character signals the end of each word. An index variable keeps track of the length of the word, and a pointer indicates the location for the next character.

When a nonalphanumeric character is found, the length of the word is examined. If the word length is nonzero, the program branches to a string comparison and conditional replacement routine. This routine handles each word in a similar fashion. It seemed easiest to use C80's strcmp (string compare) function to identify replaceable words. This function is not difficult to simulate if it is lacking from any particular C implementation.

Nonalphanumeric characters are treated in a somewhat different manner. Some, like tab or ", are simply replaced directly. Others, like / or &, are replaced only if followed by a second character such as * or another &, respectively. The various = constructs are all handled differently.

For the sake of convenience, I used a UNIX-like command-line specification for input and output filenames. (continued)

Networking Raised to a Greater Power

all all the state

Advanced Technology. With it, IBM tripled the speed of the PC and increased its memory capacity five-fold. Nowhere is this increase in computing power more important than in networking situations. If the AT's technological advances have prompted you to look into a multi-user network, you owe it to yourself to take a closer look at MultiLink Advanced¹⁰⁴ ..., a unique multi-tasking, multi-user networking system that runs programs under PC-DOS 3.0.

Eight Workstations for the Price of an AT. MultiLink Advanced[™] represents the next generation in networking systems for IBM microcomputers. The system enables terminals, connected to a single AT, to emulate IBM-PC's having up to 448K of RAM (The PC-Shadow[™] terminal, shown above, even has a PC look-alike, as well as work-alike keyboard and display).

This means that instead of spending \$3,000 per workstation for a PC with a Kilobuck "Network Interface Board," you can use inexpensive terminals . . . eight of which cost less than an IBM AT. Even if you need only one workstation connected to your AT, you'll realize significant savings. MultiLink Advanced [™] … Instant Access to All of Your Resources. Central to most multi-user situations is the need to coordinate a variety of printers. With what's been described by *PC-Tech Journal* as [™]... by far, the best print spooler for the IBM PC,[™] MultiLink Advanced [™] gives users the option to print either at their workstations, or at a central location. In addition, programs and files can be shared by multiple users locally or through use of a modem. Just think of it ... having remote access to an AT with a lightweight terminal/modem.

Although designed to take advantage of the AT, MultiLink Advanced¹¹⁴ runs on all versions of PC-DOS, except 1.0, and certain implementations of MS-DOS. A wide range of leading programs are supported which include WordStar, dBASE III, Multimate, and Lotus 1-2-3.

dBASE III, Multimate, and Lotus 1-2-3. **Get the Advanced Story Today.** Call The Software Link Today for complete details and the dealer nearest you. Multi-Link Advanced[™] is immediately available at the suggested retail price of \$495 and comes with a money-back guarantee. VISA, MC, AMEX accepted.



IBM, PC, AT, & PC-DOS are trademarks of IBM Corp. MS-DOS, WordStar, dBASE III, Lotus 1:2-3, and Multimate are trademarks of Microsoft Corp., MicroPro. Ashton-Tate, Lotus Development Corp., & Multimate International, respectively.

8601 Durwoody Place. Suite 336. Atlanta. GA 30338 Telex 4996147 SWLINK CALL: 404/998-0700

MultiLink Advanced[®] & PC-Shadow[®] are trademarks of The Software Link, Inc.

Dealer Inquiries Invited

C TO PASCAL

Listing 2: Sample output of the CTPC program, a partial processing of the program's own source file.

```
#define EOF -1
#define EOS '\0'
main
BEGIN
  char c, *letter, word[100];
  int wordInth;
  letter: = word:
  wordinth: = 0:
  WHILE ((c: = getchar) <> EOF) BEGIN
    if (isalpha(c)) letter[wordInth + +]: = c;
    else BEGIN
      if (wordInth>0) BEGIN { word ready to check }
        letter[wordInth]: = \sqrt{0};
        wtest(word); { pass or replace it }
         wordInth: = 0; { reset index }
      END:
      ctest(c); { process following char }
    END:
  END;
END:
```

The typical command line reads

CTP < INFILE.XXX > OUTFILE.YYY

Listing 1 is my current version of CTP.C. Listing 2 is part of the file CTP.PAS produced by using CTP to process itself.

This filter program was designed to perform simple substitutions. It passes #define, #ifdef, and #include statements unchanged. It does not label functions or procedures, generate type definitions, reorganize variable declarations, or perform other radical alterations. Nor does it eliminate the need for program restructuring to compensate for major differences between C and Pascal (the lack of local static variables in Pascal being one of the more annoying problems). However, it does remove most of the error-prone aspects of building a Pascal program on the framework of a C program.

BLANK

DISKS

Major Brands . Low Prices

Call ALF first

1-800-321-4668

If you need 50 or more top quality disks, bulk-packed (without

expensive labels or fancy packaging), call the toll-free number

above for the latest price on your favorite brand. ALF copies

thousands of disks each day—so we know which disks will perform best with your system! Inside Colorado call 234-0871.

ALF


ALF Products • Denver, CO

IBM COPY PROTECTION

A versatile system that works.

Call ALF first 1-800-321-4668

<u>MultiGuard</u> is ALF's new IBM copy protection system. It's reasonably priced, yet offers maximum protection and flexibility. Call the toll-free number above for our pamphlet on copy protection systems. Inside Colorado, call 234-0871.



Think BEFORE YOUR NEXT PC! Your PC to Time Sharing System

KT-7/PC

Why buy ''ADDITIONAL EXPENSIVE PC'S'' just to get additional users!

Kimtron is the only one that enables you to expand your IBM PC, XT, AT or the other PC compatibles to Multi-Tasking and Multi-User system at a fraction of the cost of additional PC's. Only Kimtron can display the screen exactly as your PC monochrome monitor, even for software like Lotus 1-2-3 or Word Star. Plus only Kimtron provides an IBM PC keyboard look-alike.

Operators will not only think and feel the KT-7/PC as if they're using IBM PC, but the KT-7/PC


Kimtron, a 5-year technology leader - we're going places and want you to join the Kimtron family of satisfied users. For more information about our KT-7/PC and your other terminal needs, call the Kimtron Corporation. (408) 727-1510

NOTE: IBM PC, XT, and AT, Lotus 1-2-3, and Word Star are trade marks of IBM Corporation, Lotus Development Corp., and MicroPro International Corp.

provides many more useful features such as tilt, swivel and height adjustment of monitor, optional amber screen, a dedicated serial printer port for each user at no extra cost, and optional 14 inch screen.

In addition, the KT-7/PC is designed for flexibility so that it can also be used as an industry compatible ASCII terminal.





Revelation. Because the object is to win.

Winning isn't easy when you have to work harder than your PC because your relational database falls short.

That's why experienced users power their PC's with the Revelation[®] "Applications Environment" from Cosmos.

More than a relational database. Revelation gives you the tools and flexibility you need to prototype and develop even the most exotic microcomputer applications with relative ease and efficiency. Revelation uses plain English to create files, fields, entry screens and menus, process information, make simple inquiries or generate complex reports.

generate complex reports. Revelation's R/DESIGN applications generator does the work for you, or you can switch to Rev's structured R/BASIC language for precise program customization. You can make changes in programs, screens or data structures in a matter of seconds without having to start from scratch.

Revelation works with MS/DOS[™] so you can take advantage of all your favorite microcomputer software packages, and Rev's "Open Environment" communications concept allows interactive access to many mainframe and minicomputer systems. Networking and runtime versions are also available.

When you need more than a simple database, Rev up your PC with Revelation, the "Applications Environment" from Cosmos.

Contact us by phone or write and we'll arrange an unforgettable demonstration for you with a Cosmos representative in your area.

MS/DOS™ of Microsoft Corp.

Inquiry 75

COSNOSTM Seattle, WA 98188, (206) 824-9942

SIMULATE A SERVO SYSTEM

Letting the computer handle the math eases the designer's job

A servo mechanism is essentially a small motor that controls a larger motor. A servo-control system consists of the logical instructions needed to guide the servo mechanism. Control systems were brought out of the laboratory and into practical use about the time guided missiles were developed for World War II. The original vacuum-tube type was big, heavy, and expensive, but integrated-circuit (IC) technology has reduced the size of controlsystem technology as well as others. Now, almost the entire servo-control electronics package fits into a single IC, as in present model-airplane radiocontrolled servos. Consequently, the cost of these systems has been reduced so that they are now found in automobile cruise-control systems, stereo turntables and tape decks, kitchen appliances, and home-workshop tools.

A reduction in the size and cost of servo-control systems, however, has not reduced their complexity. The design of servo-control systems remains one of the most intricate of the electrical engineering sciences. However, the computer's simulation ability has simplified the designer's job. Simulation is now a common part of the servo-control system engineer's tool kit, and similar simulation, though not as complex, can be effected with home computers.

As an example, let's design an electronic weighing scale. Figure 1 is an illustration of how such a scale would be arranged. A balance beam forms the main part of the scale, along with the weight pan on the left. On the right side, instead of the normal balance weights, we attach a solenoid. The solenoid is designed so that the pull on the solenoid armature is directly proportional to the current in the coil. A sensor, such as a low- *(continued)*

Don Stauffer is a senior research scientist at Honeywell Systems and Research who went from building model airplanes from balsa wood to modeling advanced avionics systems on computers. He can be reached at 6741-157th Lane NW, Anoka, MN 55303.

friction potentiometer, forms an error detector that gives a voltage proportional to the angle by which the scale is out of balance. The servo-control system uses this error signal to change the current through the solenoid to eliminate the imbalance. The current in the solenoid coil is now proportional to the weight in the pan, and a current meter is calibrated to read in weight units.

Figure 2 is the type of diagram a designer would draw for this kind of feedback servo-control system. The circle at the left represents a summing junction. The output to the right of the junction is the sum of the inputs to the other two (or three) quadrants. As shown here, the junction indicates the difference between the commanded or desired quantity, Q_e , and the actual quantity, Q. The servo-control computer operates on this difference and outputs a voltage to the actuator. The actuator is a physical device, usually a force transducer that drives the

quantity to be controlled either up or down so that the actual value equals the desired value. At this point the system is balanced, and the error signal (or feedback) will remain at zero unless some perturbing force displaces the system or a new input value is commanded.

A servo-control designer is concerned with several aspects of the system's behavior. First and foremost is stability. That is, does the system indeed act to reduce the error, and not, as servo-control systems have a habit of doing, actually cause the error to increase wildly? How soon will the system reach a new equilibrium? If it takes too long to settle down, the system may not be usable in practice. Is the amount of error that remains after the system reaches a new equilibrium sufficiently small? Ideally, you'll have no error but in practice you'll probably have some and will have to decide if it is tolerable.

Without simulation you have to use

complicated differential equations to try to predict a mechanism's behavior. Computer-based simulation does the math for you. In addition, simulation lets you design more complex servos, whose behavior could not be predicted easily by normal differential equation methods. Figure 3 charts a typical simulation. After setting the initial conditions, the program enters the iterative loop (input, model, output, update). It scans user or process input to see if conditions are to be changed. If the simulation is supposed to be continuous, such as the physical simulation we will be working with, input is best done with a keyboard-monitoring routine to keep the program running between inputs. The heart of the simulation is the next step-the math model. In this block, the computer performs its mathematical operations on the equation that describes the system being simulated. Almost any system or (continued)






Figure 1: The servo system holds the balance beam level.








Figure 3: A typical simulation-program flowchart.



Now, in just minutes, you can get two incompatible office automation systems to work together. To swap documents in letter perfect order.

BQ

D

Teee.

All without battling a single modem, service bureau, telephone company or instruction manual.

Announcing the KEYWORD 7000, an exciting new breakthrough in office automation compatibility.

It's here! A compact new hardware/software device that can convert diskettes quickly. Easily. With no cleanup. That means you can swap diskettes between all the major office automation systems without losing headers. Footers. Tabs. Underlines. Or any other formatting codes.

What's more, the KEYWORD 7000 costs just pennies a page. Compared to service bureaus at \$3. And rekeying at \$4.50.

But that's not all. With Keyword, you'll discover a whole new cost-saving world of office efficiency...using the office automation systems you have right now!

To find out more, call 1-800-227-1817 ext.812A and get your complimentary copy of How to Win the Compatibility Battle. Exciting New Facts about Today's Office Automation *Compatibility Solutions.* Or fill in – or attach your business card to-the tear-out coupon. And mail.

Call 1-800-227-1817 ext. 812A for your free booklet.

812A1

Keyword Office Techr 25354 Cypress Avenue Hayward, California 94		812A	.1
Yes! I wa office automati	nt to find WORD 70 on compa	out how the 000 can solve my atibility problems.	
Call me ASA	AP at		
() Send me you	ur FREE b	Ext pooklet.	-
Name Title	_		-
Company			_
Address		M/S	_
City	State	Zip	-
Phone ()		Ext	_
	FEBRU	UARY 1985 • BYTE 149	

	SERVO SYSTEM
1 - 800 - 354 - 2985 HOT LINE	
GUARANTEED BEST PRICES CALL MON - SAT 8 - 5	
SUPER SALE	situation that can be mathematically able is incremented and, if the p described in a cause-and-effect rela-
OKI 92P - \$349 STAR 10X - \$235	tionship can be simulated by a com- puter. Next, the program displays or gram repeats.
HAYS 1200B - \$399 LOTUS 123 - \$295	prints an output. Then the time vari-
MODEMS	
HAYS 1200 - \$475 MICROMODEM - \$225	Listing 1: This program is written in TRS-80 Level II BASIC but can be adapted
U.S. ROBOTICS PASSWORD - \$310 IBM PC - \$320	to any of the BASIC dialects.
COMPUTERS	10 REM SCALE SERVO CONTROLLER 20 REM by Don Stauffer
ALTOS	30 CLEAR 200 40 REM EDIT ASSIGNMENT STATEMENTS TO ALTER CONTROL CONSTANTS
586-20 - \$5695 586-40 - \$7195 SANYO	50 PR=0 : REM PRINT CONTROL VARIABLE
550-1 - \$679 555-2 - \$1049	60 TH = 0 : REM SCALE BALANCE BEAM ANGLE 70 TM = 0 : REM BEAM ANGLE DURING LAST ITERATION
PRINTERS	80 W = 0 : REM INITIAL WEIGHT IN PAN 90 JS = 5 : REM BEAM MOMENT OF INERTIA
C-ITOH F10 - \$899 8510 - \$1175	100 D = 5 : REM DISTANCE FROM PIVOT TO WEIGHT OR SOLENOID 110 K = 10 : REM SCALE FACTOR, SOLENOID CURRENT TO FORCE
DATASOUTH	120 K1 = - 0.4 : REM PROPORTIONAL SERVO CONSTANT
DS180 - \$1099 DS220 - \$1399 DIABLO	130 K2 = 0 : REM RATE SERVO CONSTANT 140 K3 = 0 : REM LAG SERVO CONSTANT
620 - \$725 630 - \$1675 EPSON	150 DT = 0.2 : REM TIME INCREMENT 160 T = 0 : REM INITIAL TIME
RX80 - \$220 JX80 - \$560	170 ST = 0 : REM STOP PARAMETER 180 REM BEGIN SIMULATION LOOP
NEC 3510 - \$1215 3550 - \$1519	190 IF PR > 1.5 GOSUB 5000 200 REM CHECK FOR INPUT
OKIDATA 182 - Cali 93 - \$575	210 GOSUB 1000
SILVER REED 400 - \$269 770 - \$839	220 REM COMPUTE CONTROL FORCE 230 GOSUB 2000
TELEVIDEO	240 REM COMPUTE MOTION 250 GOSUB 3000
TPC II - \$1729 1605 - \$1699	260 REM DISPLAY AND PRINT OUTPUT 270 GOSUB 4000
	280 REM UPDATE TIME
123 - \$295 SYMPHONY - \$439	290 T = T + DT 300 IF ST < 0.5 THEN 200
MICROPRO Wordstar - \$189 Wordstar Pro - \$295	310 STOP 1000 'CHECK FOR INPUT
D Base II - \$299 Friday - \$175 Multiplan - \$139 Supercal III - \$200	1010 IF PEEK(14400) = 128 THEN GOTO 1010 1020 IF PEEK(14340) = 8 THEN ST = 1
MBSI - \$325 TCS - \$75	1030 IF PEEK(14340) < > 128 THEN RETURN 1040 PRINT@65."
BOARDS	1050 INPUT"CHANGE WEIGHT";W
AST Six Pac - \$259 Combo + - \$259	1060 IF W < 0 THEN W = 0 1070 RETURN
QUADRAM	2000 REM COMPUTE CONTROL CURRENT 2010 ER = TH
Quadlink - \$449 Quadboard - \$279	2020 IF ER < - 10 THEN ER = - 10 ELSE IF ER > 10.0 ER = 10.0 2030 I = K2*(TH - TM)/DT + K1*ER + K3*(ER + EM)
TERMINALS TELEVIDEO	2040 EM = ER
914 - \$515 925 - \$699	2050 RETURN 3000 TM = TH
WYSE 50 - \$495 75 - \$565	3010 J = JS + W*D[2 3020 F = K*I
DISCOUNT COMPUTER	3030 LC = F*D 3040 LW = W*D
4655 N. ORACLE RD. #207	3050 AA = (LC - LW)/J 3060 WD = WD + AA*DT
TUCSON, ARIZONA 85705	$3060 \text{ WD} = \text{WD} + \text{AA} \text{ DT}$ $3070 \text{ TH} = \text{TH} + \text{WD}^{*}\text{DT}$ (continued)

YOUR DAYS OF BUYING TERMINALS ARE OVER!

Now there's SmarTerm terminal emulation software for your IBM* PC, XT, AT or compatible system. All SmarTerm products offer comprehensive and exact terminal emulation, powerful file transfer facilities, and include TTY mode to link you to The Source, CompuServe, Dow Jones or other popular time-sharing services. We've included features such as ASCII and binary file transfer,

AFTE

multiple setup configurations, XMODEM and PDIP* protocol support, "smart" softkeys, plus European DOS support.

SmarTerm 100 is your choice for DEC* VT100, VT102 and VT52 emulation. SmarTerm 125 has all the features of SmarTerm 100, plus VT125 ReGIS graphics support. For Data General Dasher* D100, D200 or D400 emulation, you need SmarTerm 400.

More than 15,000 users are already "hooked" on SmarTerm. Try it for 30 days, with full refund privileges, and you will be too.

Persoft, Inc. - 2740 Ski Lane Madison, WI 53713 (608) 273-6000 - TELEX 759491




SMARTERM, WHAT DO YOU DO WITH YOUR OBSOLETE TERMINAL?



See your name in print! Send us your ideas for uses of obsolete terminals replaced by SmarTerm. The best ideas will be used in future ads. Write Persoft, Dept. FISH., 2740 Ski Lane, Madison, WI 53713.



*SMARTERM and POIP are trademarks of Persoti, Inc. * IBM is a registered trademark of International Business Machines Corp. * DEC, VT and ReGIS are trademarks of Digital Equipment Corp. * DAS-HE is a registered trademark to Otale General Corp.



SERVO SYSTEM

-	
1	3080 IF TH < - 10 THEN TH = - 10 ELSE IF TH > 10 THEN TH = 10 3090 RETURN
	4000 CLS
	4010 PRINT 'ACTUAL WEIGHT = '';W
	4020 PRINT@384, "TIME", "ANGLE", "CURRENT", "WEIGHT"
	4030 PRINT@448,T,TH,I,F
	4040 IF PR<0.5 THEN RETURN
	4045 IF PR> 1.5 GOTO 4080
	4050 LPRINT T,W
	4060 LPRINT AA,WD,TH,F
	4070 RETURN
	4080 NF = $T:NI = INT(NF)$: RX = NF – NI
	4090 IF (RX < DT) THEN LPRINT CHR\$(51); ELSE LPRINT CHR\$(54);
	4100 PP = 10*F:IF PP < 2 THEN PP = 2
	4110 IF PP> 134 THEN PP = 134
	4120 IF PP = 134 THEN CH = 74 ELSE CH = 47
	4130 NS = PP - 2:IF NS < 0 THEN NS = 0
	4135 FOR NZ = 1 TO NS:LPRINT CHR\$(88);:NEXT
	4140 LPRINT SP\$;CHR\$(CH)
	4150 RETURN
	5000 LPRINT CHR\$(27)CHR\$(81):LPRINT CHR\$(27)CHR\$(84);''12''
	5010 LPRINT CHR\$(27)CHR\$(35)
	5020 FOR N = 1 TO 135
	5030 NF = N/10:NI = INT(NF):RX = NF - NI
	5040 IF (RX < 1E - 2) THEN LRPINT CHR\$(49); ELSE LPRINT CHR\$(53);
	5050 NEXT N
	5055 LPRINT CHR\$(10)
	5060 RETURN

The program shown in listing 1 follows this flowchart closely. The program is written in TRS-80 Level II BASIC, but I have attempted to use as few nonstandard instructions as possible. You can adapt this program to any of the BASIC dialects (see the text box "Program Changes" on page 153, for more information). Lines 50-170 set the physical constants' values and give initial values to variables. The stop variable ST (in line 170) is used to terminate the program upon command. The program must be edited to change the values of any of the constants except weight, which can be changed by the operator. PR is a variable printout control. PR = 0 results in no hard copy, PR = 1 gives you a tabular list of the variables shown on the screen, and PR = 2 gives a graphic trace of the indicated weight. Line 5000, referenced if PR>1.5, is used to set up the scale of the printer and to print an axis.

Line 200 is where the main loop begins. Line 1000 looks for a user input. If you press the W key, the program stops and expects a new value for the weight on the pan. The S key and the space bar also have functions, which I'll describe later. The subroutine starting on line 2000 is the math model of the control computer block in figure 2. We will be able to understand this block better after we begin to play with the servo simulation. The subroutine that begins at line 3000 is also part of the math model and represents the physics of our scale. It represents Newton's second law of motion as applied to rotating systems. (The text box "Physics Math Model" on page 153 has more details about the mathematical model of our scale.) The force applied to the solenoid equals the current after it is multiplied by a scale factor (line 3020). Torque is equal to the product of a force (F) multiplied by a distance (D), so the torgue in the beam is equal to the product of F multiplied by D (line 3030). Assume that the distance from the pivot to the weight is the same as that from the pivot to the solenoid, so line 3040 calculates the torque due to the weight. Therefore, line 3050 determines the angular acceleration by finding the net difference between the torque due to the weight and the torque due to the solenoid current, and then that net difference is divided by the moment of inertia. Lines 3050 and 3060 integrate the acceleration to angular velocity and angle.

The subroutine starting at line 4000 displays the output on the screen. The program displays elapsed time, the deflection angle, the solenoid current, and the indicated weight. For reference, the actual weight is also displayed in the upper left corner. If a hard copy is desired (PR equal to or greater than 1), the print routine continues. Lines 4050-4070 output the table, and the graphic output is begun by the command at line 4080. The table output routine slows down execution considerably, so don't use it unless you find an interesting case. If you don't want a hard copy, the subroutine returns to the main program. If you haven't set the stop variable, the program loops back to line 200 and continues.

The subroutine starting at line 5000 scales the characters per inch in both directions and draws an axis. In operation, the graph is drawn vertically down the paper. (The values given are those needed with a C. Itoh ProWriter.) Other printers will require different values in lines 5000 and 5010. Line 5000 puts the ProWriter in condensed (17 characters per inch) mode and sets the vertical feed to 12 lines per inch. You can set these values to any you like. Line 5010 puts the printer into the graphics mode. Be forewarned: The program does not take the printer out of the graphics mode. You have to do it manually.

You usually start the program with no weight on the pan (W = 0). Pressing the W key for about one second stops the problem and the computer will prompt you for the value of weight you want to add. The scale will work well with any weight less than 10 units. Other keys include the S key, which will stop the program (you can also hit the Break key) and the space bar, which freezes the operation for as long as you hold it down. You have to edit the program to alter the servocontrol constants, the physical parameters of the scale, or the printout command. I recommend that you avoid printing anything until you have a setup you really want to document. The printer slows down the simulation, especially when you call for graphics. In fact, while the computer is executing the subroutine that does the scaling (line 5000), expect a lengthy pause. After several seconds the normal screen and simulation will appear.

SERVO THEORY

After typing in the program with the values given in listing 1, go ahead and run it to see that it works. Don't worry (continued)

PROGRAM CHANGES

he BASIC I used in this program is Radio Shack Level II BASIC, but you can easily convert the program to other computers. I minimized commands unique to the Level II interpreter. The CLEAR command in line 30 clears for string space and is needed only for the graphic print option. The keyboard-scanning routine in lines 1010 to 1030 checks the keyboard for depressed keys. Using a normal IN-PUT statement would stop the program once every iteration, while we want the program to continue. The PEEKs look at the memory area of the memory-mapped TRS-80 keyboard. The Apple should use the same technique, although the memory locations will be different. Line 1010 looks for the space bar and freezes the program for as long as that key is depressed. Line 1020 looks for the S key. Line 1030 looks for the W key. For the Commodore 64 use the GET command.

The other main thing to watch for is the manner in which an output is sent to a line printer. If no printer is used, PR in line 50 will always be set to zero, and no changes are required. If a printer is used with another computer, however, modifications must be made. The TRS-80 merely uses the command LPRINT followed by the desired outputs, as in line 4050. For Apples, change all LPRINTs to PRINTs, precede each one with a PR#1, and follow it with a PR#0. For the Commodore 64, you must use the OPEN command before each output to the printer, followed by an OPEN 1,3 to return the output to the screen.

The other area of the program you may need to modify contains the graphics commands to printers other than the ProWriter. These parameters are discussed in the main text.

PHYSICS MATH MODEL

he code in lines 3000-3090 is a mathematical model of the physics of our scale. The scale operates according to Newton's second law of motion, but it is expressed in a form for angular motion, which may make it seem a little unfamiliar. Newton's second law is ordinarily expressed as: F=MA. For rotary or angular motion, however, it is expressed as: AA=L/J. where AA is the angular acceleration (degrees per second squared), L is the net torque (difference between the torques in opposite direction), and J is the moment of inertia. Moment of inertia is the resistance to a change in rotation and is the rotary equivalent of mass. The moment of inertia is a function of the beam's structure and of the weight added to the pan (line 3010). Torque equals force times distance. For our scale, we assume that the distance between the weight and the pivot is the same as the distance between the pivot and the point where the solenoid applies its force. Thus, line 3030 represents the torque generated by the solenoid, while 3040 represents the torque from the applied weight. Line 3050 calculates the angular acceleration. Line 3060 integrates the acceleration to find the angular velocity; 3070 integrates once more to find the angle. Line 3080 represents mechanical stops that prevent the beam from rotating more than 10 degrees in either direction.

SPERRY PERSONAL COMPUTER SPECIFICATIONS

OPERATING SYSTEM MS DOS Version 2.11 with G.W. BASIC MICRO-PROCESSOR 16-bit 8088 DISPLAY SCREENS **High Definition** monochrome display IBM compatible graphics. COMMUNI-CATIONS Built-in Asynchronous

KEYBOARD 84 keys, 6 ft. cord AUXILIARY MEMORY Up to two internal 51/4" diskettes 5¼" diskettes 10MB internal fixed disk when configured with single diskette. USER MEMORY Standard 128K bytes, expandable to 640K DIAGNOSTICS Power-on self test

o Sperry, performance has never been a question of how we strut our stuff, but of how well we pass muster.

RP ппп nn TIN ANA

n

11

nnnn nnn

1111 1177

Ini

กก กกก

nh-nn

nnn nn

nnn

So while other PC's parade their bells and whistles and fancy foot-work, the Sperry PC quietly proves its superiority.

Superiority in graphics. With a brilliant display of color and design. Ergonomic superiority. With a far more comfortable and infinitely more operable keyboard.

Operational superiority. With its ability to run 50% faster than most other PC's.

© Sperry Corporation, 1984

IBM is a registered trademark of International Business Machines Corporation. MS DOS is a registered trademark of Microsoft Corporation.



SPERRY

And all of this at a price well below the standard.

กกุกก חההחח nnno רקח

CUUN ทักกก nnnn

But the area in which the Sperry PC clearly demonstrates its leadership is compatibility,

It is our understanding of this critical concept that has made the Sperry PC so compatible with software for the IBM PC.

And in terms of its ability to be compatible with your company's most important source of information, the Sperry PC is peerless.

Because the Sperry PC plugs into the main computer.

Whether that main computer is

Sperry. IBM. Or both. The Sperry desktop and portable

PC's.

VDGES

By comparison, everyone else will seem a little flatfooted.

But when you're out to lead the parade, you have to be on your toes.

A full-color reproduction of this original Sempe illustration, suitable for framing, is available with our compliments. Call or write for it. and we'll also send you an informa-tion kit on our family of PC's.

The Sperry PC. What the personal computer should have been in the first place.

Telephone toll-free 1-800-547-8362. Sperry Corporation, P.O. Box 500, Blue Bell, PA 19424-0024.

Inquiry 354

about making sense out of the simulation yet. Before we do any experiments, let's look at some elementary servo theory. Figure 4 shows the most simple form of servo controller. This is known among servo designers as a proportional control system. The controller merely takes the error




Figure 4: In a proportional control system, the error between the actual and the commanded value is multiplied by a gain constant to drive the actuator.




Figure 5: Continuous oscillation is a common feature of a proportional control system with no damping.




Figure 6: A proportional-plus-rate system uses the output variable's rate of change as part of the control calculation.

signal $(Q_c - Q)$ and multiplies it by a constant, known as the "gain constant." In our example, we want the angle of the scale to be zero. Thus, the commanded value of Q (Q_c) will always be zero, and our error is always equal to -Q, where Q is the scale's actual angle. The output signal to the actuator and, as mentioned previously, the restoring force on the scale are proportional to the error.

Now consider for a moment how you want your scale to act. Obviously the weight readout should be close to the actual weight in the pan. There are other desirable features, too. Beam balances seem to take forever to settle down and show whether they are indeed in balance. Electronic scales can also exhibit such oscillations, so we would like ours to settle down quickly. Additionally, if the scale comes to rest with the beam not level, there may be an inaccuracy. With these three criteria, let's run the program with the initial values from listing 1 and see how the scale performs.

As we start out, the scale is in balance and everything stays at rest with the scale at zero angle. Now press the W key until you see the prompt for weight. Type in a value, such as 5.0. This adds 5 ounces to the scale. The scale is now out of balance, and the beam swings to a negative angle. The control system senses this angular error and increases the solenoid current. This attracts the beam and slows it down. Now the current-generated force exceeds the weight, and the beam's angle moves back toward zero. When this happens, the solenoid shuts off the current and the cycle repeats. We have built a good oscillator. Our simulation will continue to oscillate like this forever. Figure 5 is a plot of a cycle of this condition. Stop the program now, as it is neither exciting nor instructive beyond this point. Pivot friction in an actual scale would eventually reduce these oscillations. However, it would take a long time and its effect would be small in a well-built scale. Consequently, I left friction out of my simulation model. Playing with the value of K1 will affect the period of the oscillation but won't eliminate it.

The way the servo designer eliminates eternal oscillation is to add "rate damping" to the system. Figure 6 shows a proportional-plus-rate system. The symbol *Q* with a dot over it (pronounced "Q dot") represents *Q*'s rate of change over time. Again, *Q* is our controlled variable, the angle of the scale. In calculus, this is the time derivative. We add rate damping to our system by setting *K*2 to some nonzero value. Try a value of -4 in line 130 and run the program again. Figure 7 shows a typical result. Now we have reduced most of the oscillation, although a small amount of excess motion remains. The excess motion eventually stops, but the speed at which it stops is sluggish. The scale could almost be considered practical now. However, in addition to the sluggish response and the excess motion, (continued)




Figure 7: The addition of rate-of-change feedback creates a damped oscillation.





Figure 8: The addition of a quantity proportional to the integral of the controlled quantity reduces error when the system reaches equilibrium.



- No surcharge added for charge cards. No charges until products are shipped.
 Purchase orders accepted.
 - Call for shipping charges.

ERG/68000 MINI-SYSTEMS Full IEEE 696/S100 Compatibility HARDWARE OPTIONS 8MHz, 10 MHz, or 12 MHz 68000/68010 CPU 68451 Memory Management **Hardware Floating Point** Multiple Port Intelligent I/0 64K/128K Static RAM (70 nsec) 256K/512K/1MB Dynamic RAM (150 nsec) **Graphics-Digital Graphics** CAT-1600° **DMA Disk Interface SMD Disk Interface** 1/4" or 1/2" Tape Backup 51/4" or 8" Floppy Disk Drives 11 5MB-474MB Hard Disk Drives 7/10/20 Slot Back Plane 1 20 or 30A Power Supply Desk Top or Rack Mount Encl. SOFTWARE OPTIONS 68KFORTH¹ Systems Language CP/M-68K2O/S with C. 58K-BASIC1. 68KFORTH1, FORTRAN 77, EM80 Emulator, Whitesmiths' C, PASCAL IDRIS³ O/S with C, PASCAL, FORTRAN 77, 68K-BASIC', CIS

- COBOL⁴, INFORMIX⁵ Relational DBMS UNIX⁶ SYS V O/S with C, PASCAL, FORTRAN 77, BASIC, RM COBOL⁷, ADA⁴, INFORMIX⁵, Relational DBMS VED 68K Screen Editor Motorola's MACSBUG and FFP
 - Package

Trademark 'ERG, 'Digital Research, 'Whitesmiths, 'Micro Focus, 'RDS, Inc., 'Bell Labs, 'Ryan McFarland, 'U.S. DoD, 'Digital Graphic Systems

30 Day Delivery - OEM Discounts






Figure 9: The integral partially offsets the effect of rate damping so you get quicker response and some overshoot, which is quickly damped out. You can't see the reduction of the weight beam's angular error in this plot of indicated weight versus time, but including the integral Q increases the scale's accuracy.

we have another problem. As the system approaches equilibrium, we still have an angle error of about 1 degree. This is not drastic, but we can do much better.

Specifically, we will add yet another block to the system (shown in figure 8) and create a proportional-plus-rateplus-integral, or proportional-plusrate-plus-lag, system. Although this is beginning to look like a formidable circuit, don't be dismayed. This is as complicated as it gets. We can create a proportional-plus-rate-plus-lag servo by changing K3 to a nonzero value. Try a -3 for K3 in line 140 and run the system again. We've speeded up the response and increased the excess motion. But as the system damps out, we see that a greatly reduced angle is obtained. Since an increase in K2 reduced the excess motion before, let's try increasing it again, this time to -8. Now that's more like it. Although there is still some excess motion, it quickly stops (see figure 9).

The reading reaches equilibrium in a few seconds, and the angular error is less than one-tenth of a degree. You can improve your results even more by further refining *K*2 and *K*3. We have now designed a practical servo-controlled scale that is stable and becomes quiescent with reasonable speed. Play around with the system. As with any computer simulation, you can't hurt anything. If you want to see things really go awry, try putting in a value for any of the three servo constants with the opposite sign.

This simplified simulation illustrates much of the behavior of the typical servo system. You can easily modify the program to represent a speedcontrol servo (e.g., an automobile's cruise control). The professional engineer must still dabble in the realms of complex variables, nonlinear differential equations, and other forms of higher math, but simulations similar to this one are revolutionizing the design of servo systems. ■

100 MHz scope, counter, timer, multimeter: All one integrated system.



Now make measurements faster, easier, with greater accuracy and user confidence. The Tek 2236 makes gated coun-

EK 2236 100 MHZ OSCILLOSCOPE

The Tek 2236 makes gated counter measurements, temperature, time, frequency, resistance and voltage measurements pushbutton easy. You see results concurrently on the 9-digit numeric readout and CRT display.

Its complete trigger system includes pushbutton trigger view, plus peak-to-peak auto, TV line, TV field, single sweep and normal modes. At just \$2650,* the 2236 includes the industry's first 3-year warranty on all parts and labor, including the CRT.

Integrated measurement system. 3-year warranty. 15day return policy. And expert advice. One free call gets it all! You can order, or obtain literature, through the Tek National Marketing Center. Technical personnel, expert in scope applications, can answer your questions and expedite delivery. Direct orders include probes, operating

manual, 15-day return policy, full warranty and worldwide service back-up.

Order toll-free: 1-800-426-2200 Extension 57

THE ANSWER BY ANY MEASURE

In Oregon call collect: (503) 627-9000 Ext. 57 Or write Tektronix, Inc. P.O. Box 1700 Beaverton, OR 97075



We Just Made Our Terminals Look Even







Best Selling Graphics Better. NEVER BEFORE HAVE DEC COMPATIBILITY AND GRAPHICS BEEN SEEN AT A PRICE THIS LOW.

At \$1395, the Visual 102G is the only DEC[®] compatible terminal with Tektronix compatible graphics at a price this low.

The 102G actually outperforms the VT240.[™] Unlike DEC's machine, it uses the full screen for superior Tektronix emulation. The keyboard is more compact and has 16 programmable, nonvolatile function keys. Powerful graphics capabilities give you a higher resolution (768 x 293) in a terminal with power and features emulating the Tektronix 4010/4014.11 And it's fully compatible with the DEC VT102.

Compared to the DEC VT220," buying the Visual 102G is like getting a DEC compatible terminal with free graphics.

AT \$1595, RESOLUTION AND FEATURES THIS SHARP ARE A SIGHT TO BEHOLD.



For those who require even higher resolution graphics than the 102G, the Visual 500/550 terminals deliver it with full Tektronix 4010/4014 emulation. 768 x 585 resolu-

tion on a large, easy to read 14" screen gives you remarkably sharp text and

graphics displays. The 500 emulates the DEC VT52,[™] Data General D200,[™] Lear Siegler ADM3A[™], and Hazeltine 1500[®] terminals. The 550 is DFC VT100** protocol compatible and a character or block mode terminal that complies with

graphic resolution been seen at this price.

ALL THREE TERMINALS OFFER MORE THAN MEETS THE EYE

The Visual 102G, 500 and 550 are fully compatible with all of the major software available. This includes PLOT 10." DISSPLA, TELL-A-GRAF, SAS/GRAF, DI 3000/GRAFMAKER,[™] INFOgraph,[™] SPSS,[™] TERMPLATE,[™] DR Graph,[™] GSX,[™] and all GSS[™] products.

Each of the terminals comes with a wide variety of advanced resident graphics features, including vector draw; point plot; circle, arc and rectangle draw and fill; multiple line styles and patterns; as well as an auxiliary port that supports a variety of printers, plotters and data tablets.

BEING NUMBER THREE WE DO OUR BEST TO LOOK OUT FOR NUMBER ONE: YOU

Visual Technology Incorporated is the third largest producer of graphics terminals in the industry. It's been your widespread acceptance of our products that has allowed us to offer you a price second to none.

If you're in the market for graphics terminals with the optimum combination of features, resolution and price, look no further. Call Visual today.



Visual Technology Incorporated

540 Main Street, Tewksbury MA 01876 For more product information. call 1-800-341-5400 (1-800-462-5560 in MA) or 1-617-851-5000.


Inquiry 325

AS SNUG AS A BUG IN A RUG.

Snuggle The SQUASH[™] AC Power Controller comfortably underneath your computer monitor, plug your computer and peripherals into the back panel and you'll have complete power control of all of your accessories at your fingertips. Not only do you gain added convenience, but with EPD's advanced surge protection and EMI-RFI filtering technology, The SQUASH will keep your computer from becoming a vegetable. And it's backed by a lifetime performance guarantee.

It's compatible with IBM*, Apple*, Commodore*, Columbia*, and most other desk top computers.

The SQUASH, ask for it at your local dealer. It's part of a new harvest of products from the folks who brought you The LEMON™



DON'T PLUG IN WITHOUT US.



Electronic Protection Devices Inc. P.O. Box 487, Stoneham, MA 02180 (617) 279-0424 • 1-800-343-1813

*All of the above titles are trademarks, registered trademarks, or service marks of third parties.

INTRODUCTION TO IMAGE PROCESSING

IMAGE PROCESSING, or I/P as it is often abbreviated, is a branch of computer graphics based on image data—the pieces that make up a picture. In essence, image processing is a special form of two-dimensional (and sometimes three-dimensional) signal processing. Scenes are developed from a camera-like sensor, either a conventional film-based system or a scanner, and manipulated so Image manipulation reveals hidden information

that they provide more information. I'd like to show just how common I/P is and describe some of its fundamentals.

Image processing is a powerful suite of techniques for uncovering information. Some of the techniques are comparable to photographic darkroom processes, but much more is involved. The principal idea behind image processing is to make an image more informative, or, in communications jargon, to extract more signal from the noise.

Commercial television has trouble displaying more than a dozen different gray levels. The human eye can perceive more levels of gray, but not many. If you need to be able to distinguish between shades of gray that are finer than you can see, you enter the realm where image processing can help. A black-and-white imageprocessing system can usually distinguish at least 32 gray shades.

Typically, computer systems treat images as arrays, or series of elements. The number of elements in an array determines the resolution of the image, and the number of bits available to any element of the array (or *word size*) determines the number of "colors" or gray-scale values each element can have. The smallest element of a picture corresponds to a single element of the data array. This element is called a *pixel*, an abbreviation for picture element. Popular choices for the number of pixels in an image are either based on powers of 2 (256 by 256, 512 by 512, or 1024 by 1024)

or on hardware standards like the 525-line commercial television system.

The number of bits in a given pixel determines the number of unique gray

by Jeffrey L. Star values or colors available. Eight-bit pixels provide 256 different gray values in black and white or 256 unique colors. Most larger systems have 24-bit pixels—8 bits each for red, green, and blue—which translates into over 16 million unique colors. That many colors is more than one can display on a monitor, and certainly more than you can distinguish visually.


At least three standard systems are used to describe color. (See reference 2 for more background on color theory.) The *additive* system works by considering the amount of red, green, and blue light you would have to add together to create a specific color. Color television works precisely this way. If you take a close look at a color television or video monitor screen, you'll see triplets of colored dots. Each triplet contains a dot of each of the additive primary colors, red, green, and blue. This triplet represents the single pixel, the smallest element in the picture whose color you can specify. Similarly, I/P systems are almost always based on the red-green-blue additive system.

In contrast, when you're mixing paint, you mix the *subtractive* primary colors. The subtractive primary colors are cyan, magenta, and yellow.

Finally, human visual perception is often parameterized by hue, saturation, and intensity (or value). Hue is the simplest to understand; it is the "color" or dominant wavelength you see, for example, red versus green. Saturation, sometimes called purity, is easy to think of in terms of mixing white into a pure color. Red and pink are the same hue, but they differ in saturation—red is more saturated than pink. Intensity (or value) is the relativetive brightness of a color. When the relative brightness of a color. When you view a red wall with the sun shining brightly on it and then when the light is dim, the difference in "reds" appears only in intensity.

> Dr. Jeffrey L. Star is a development engineer at the Remote Sensing Research Unit, Department of Geography, University of California, Santa Barbara, CA 93106.

> > FEBRUARY 1985 • B Y T E 163



Since all three of these systems are alternative ways of describing color, you might expect that you could freely convert (or "transform") between them, and you'd be right (see references 2 and 3). From here on, however, I'll be discussing the red-green-blue additive system. Photo 1a: Color composite image of southern California by NASA Landsat Thermatic Mapper.

IMAGING IN ACTION

My particular area of interest is image processing for satellite remote sensing. Several U.S. federal agencies, in particular NASA (National Aeronautics and Space Administration) and NOAA (National Oceanic and Atmospheric Administration), fly satellites with imaging sensors.

NASA's Landsat 5 is the most interesting such satellite now in operation. Landsat has two imaging systems: the Multispectral Scanner (MSS) and the Thematic Mapper (TM). Both are multiband imaging systems. Because of their fields of view and the satellite's orbital parameters, they cover the globe between latitudes 80 north and 80 south about every 18 days. Ground resolution for MSS is approximately 80 meters (that is, each pixel represents an area on the ground that is 80 meters on a side). For TM, ground resolution is approximately 30 meters. (Data from these sensors is available to the public from NASA. Ask for The Landsat Tutorial Workbook: Basics of Satellite Remote Sensing; see reference 6.)

Photo 1 comes from the NASA Landsat TM, showing a portion of southern California at the edge of the Salton Sea. The different colors correspond to rock type, and the San Andreas and associated faults run generally parallel to the shore. The image in photo 1a is a multiband color composite, produced as if several cameras with different filters were providing distinct information on the same scene. The image in photo 1b is pseudocolor processed (see explanation below). Photos 2a and 2b are from the Landsat MSS.

I/P SYSTEMS AND SOFTWARE

Systems for image processing range over almost all of the computer field—from Apples and IBM Personal Computers (PCs), through small minicomputers, to mainframe installations. While small PDP-11s have been the standard in the past, the Motorola 68000 microprocessor and DEC VAX systems seem to be the emerging standards. The fol-

lowing are a few of the commercially available systems.

ApplePIPS, for the Apple II with Apple DOS 3.3, and MicroPIPS, for the IBM PC with PC-DOS 2.0, are available from The Telesys Group Inc.. Columbia, Maryland, at a cost of \$495 each. These packages come with demonstration Landsat satellite data and are an excellent way to learn the rudiments of image


processing. Classification (see definition below) and other higher mathematical functions are included in an advanced version of the software.

RIPS (Remote Image Processing System, Spectral Data Corp., Hauppauge, New York) is a Z80, S-100 bus 8-inch CP/M system with a 256- by 240- by 12-bit image memory. The base price is under \$20,000 for the complete system. Software packages cover a broad range of applications. RIPS will process satellite data that the EROS Data Center (Sioux Falls, South Dakota) now supplies on 8-inch floppy disks. Upgrades include video input and a 9-track tape drive.

The IIS Model 75 (International Imaging Systems, Milpitas, California) and COMTAL/3M Vision One (COM-TAL/3M, Altadena, California) are dedicated imageprocessing systems that include display memory, a video processor, a parallel interface to a computer, a track ball and function pad, digital-to-analog (D/A) converters, and a comprehensive software library. A typical small system as a peripheral to another computer might cost \$50,000, and upgrades include a Motorola 68000 or DEC PDP-11 embedded microcomputer, with Winchester and 9-track magnetic-tape storage. These systems are typically used at universities and research agencies.

The only specialized hardware you must have for image processing is a display driver and a monitor, although when performance or image quality is important a great deal of specialized equipment is available. Among the components of display drivers are frame buffers, D/A converters, and lookup tables.

A *frame buffer* is the key to any image-processing system. This bank of memory stores the image data. Most medium-size systems use several banks of 512 by 512 elements; in I/P jargon, the rows of the frame-buffer matrix are the *lines* of the image, and the columns are the *samples* along each line. A typical choice for a color I/P system



is to have four memory banks or channels one each for red, green, and blue, and a fourth for intermediate calculations and superposition of graphics and annotation.

Frame buffers and their associated control circuitry can get complicated. Some systems give you an option to segment memory on the fly. For example, a given system can have 128K bytes of image memory, and you could

configure it as either 512 by 512 by 4 bits (16 colors), or 1024 by 1024 by 1 bit (black versus white), or 256 by 256 by 16 bits (64 kilocolors). Often, a system implements zoom and pan, which let you expand a smaller area in the image space to cover the entire display. You can accomplish zoom most easily by pixel replication; for any original pixel, the system displays a 2-pixel by 2-pixel square on the screen. This procedure provides a twofold magnification of any linear feature, and, of course, a fourfold reduction in the area displayed.

A *digital-to-analog converter* transforms the contents of the image memory into a form compatible with your monitor. The number of different intensity levels that a D/A converter can output is related to the number of bits it is designed to handle; the more bits, the more distinct colors or gray levels it can produce. Few systems use D/A converters with more than 8 bits of resolution. As mentioned earlier, for a full-color system this arrangement translates into 8 bits on each of three channels (red, green, and blue), a total of 24 bits of color information per pixel, or over 16 million unique colors. The outputs of the D/A converters are generally formatted to either a standard RS-170 composite video or, in higher-resolution systems, sent to the display via separate R, G, and B (red, green, and blue) cables.

A *lookup table* is an important part of an image-processing system and, like other lookup tables in the computer field, it is a table of stored data for reference purposes. The lookup table performs mapping between each unique input data value and some predefined output value. Applications include color or density mapping and calculations that must be performed rapidly. You could also use a lookup table to assign any particular value in image memory to any arbitrarily displayed color; this method of color determination is pseudocolor processing (more later). You could also use a lookup table to change the contrast range

Photo 1b: Pseudocolor processing highlights specific features of the image. of a displayed image by setting up the table with a nonlinear transformation between input and output gray values; this adjustment of range can make the output intensities more distinct from one another or compensate for a nonlinear film emulsion or an electronic sensor response. In the same way, you could use the lookup tables, for example, to take square roots of the image values. This

capability is particularly valuable if you are using the data in the image in a mathematical model or a statistical classification. You can then "recycle" the output of the lookup table back into a memory plane, which allows you to save enhanced images and manipulate them further.

Video processors are essentially array processors designed to work with the contents of frame buffers. They are dedicated computation units for performing certain routine operations on images, such as computing the ratio of two colors in an image. They permit relatively small computers and I/P systems to work in "real time," which is comparable to the time it takes to refresh an image on the screen (typically 1/30 second for a standard interlaced display, such as on a color television or microcomputer).

A *frame grabber* digitizes the output of a video camera and places the resulting image into memory. Video inputs are usually limited in terms of geometric accuracy and the number of available gray levels.

A video film writer is designed to produce color slides and prints with better resolution than a standard color CRT (cathode-ray tube). Again, on a color monitor a red, green, and blue dot make up a single pixel. The monitor's ability to display color depends on the limits of your eye's resolving power to merge the three color dots. Simply taking a photograph of a monitor works moderately well, but the quality is limited by the nature of the phosphor array (not much better than 1-millimeter resolution at best) and the curved screen.

Inside a video film writer are a black-and-white, highresolution flat-screen monitor and three color filters. A single piece of film (color slide film or instant print film) is exposed to the monitor three times—first through the red filter, then the green, and finally the blue filter. This way, instead of the red, green, and blue dots being at a different place (as on a CRT), they are superimposed for each and every pixel. The business computer (continued) graphics and computer-aided design/computer-aided manufacturing (CAD/CAM) uses for video film writers are numerous, with video film writers now available for under \$4000. Some of the manufacturers include Celtic, Polaroid, Dunn, and Matrix.

If you want to turn an image into an array of numbers and you need more resolution and accuracy (or "spatial detail") than you can get from a video camera, you probably need an electromechanical scanner. The original image—transparency, film negative, or paper print—is mounted on a cylindrical carrier (similar to an old Edison cylinder phonograph). As the cylinder rotates, a photodetector scans along its axis and picks up image data. These scanners are generally large and expensive machines, but they have spatial resolution (in terms of pixel size) in the tens of micrometers.

The reverse process—turning digital data into a photograph—is performed by a device called a *film writer*. In this



Photo 2a: Raw Landsat satellite data.

case, the cylinder holds a piece of film, which is exposed to a modulated light source (sometimes based on a laser in some commercial instruments). Such a device is capable of much higher resolution output than any monitor or video film writer; one manufacturer's specifications report a 25-micrometer raster over a 250-millimeter film negative. Negative and positive images and transparencies can be produced this way with high accuracy and geometric fidelity.

IMAGE-PROCESSING OPERATIONS

The principal operations involved in image processing are relatively simple. (Problems arise when you have large data sets. For example, the latest images from space derived from the Landsat Thematic Mapper satellite are from a piece of the earth's surface about 180 kilometers on a side and contain 300 megabytes of data.) A number of the key (continued)



Photo 2b: Landsat data contrast-enhanced.



Photo 2c: Upper portion is original data, lower portion has been rectified to a base map.




Photo 2d: Pseudocolor-enhanced image.

Raging C.

Concise structure and fast execution make C the ideal language for applications and system-level programming.

And compared with other MS[™] DOS C compilers, Microsoft[®] C consistently produces the fastest executable code.

It supports the full C language and includes an extensive library of subroutines that implement most UNIX⁻⁻ compatible functions.

Small, medium, compact, and large memory models give you flexibility in selecting the addressing requirements of your software. Programs can be designed to make **MICROSOFT**, effective use of The High Performance Software the available memory of your computer, up to one megabyte.

Microsoft C Compiler provides you with a complete development system including the compiler, run time library, linker and library manager, and full support of MS-DOS 2.0 directory structure (pathnames) and I/O redirection.

How do programmers feel about Microsoft C?

"In the top category for its quick compile and execution time, small incremental code, best documentation, and consistent reliability."**

– Ralph Phraner, BYTE Magazine
"Best for software development."
– Bill Hunt, PC Tech Journal

"Produces good, tight-running programs."

-Peter Norton, Softalk

Call 800-426-9400 to order the raging C. \$500*

In Washington State, call 206-828-8088. Ask for operator A6, who will rush you your order, send you more information, or give you the name of your nearest dealer to see Microsoft C in action.



*Price exclusive of handling and Washington State sales tax. Microsoft is a registered trademark and MS is a trademark of Microsoft Corporation. UNIX is a trademark of Bell Laboratories.

** Reprinted with permission, BYTE Magazine, August '83.

image-manipulation functions are explained below.

Radiometric operations manipulate the intensity of the pixels in an image. For example, a given image may be washed out; all the pixel values are in a small range, and they are all very light. One type of radiometric operation, called *contrast stretching*, takes the darkest values in the image and forces their value to black, forces the lightest values to pure white, and linearly varies all the intermediate values. An example of contrast stretching is shown in photo 2, a series of images based on a test case in Sweden. Photo 2a shows the raw Landsat satellite data. In 2b, the image has been contrast-stretched so that the dark areas, representing water, show up better.




Photo 3: A 10-nanosecond x-ray pulse generated during the heating of a magnetically confined argon plasma. Red indicates the most intense x-ray emission and blue the least. (Courtesy of COMTAL/3M and Sandia National Laboratories.)



Photo 4: A neck x-ray image is shown on left. On the right is the same image enhanced by a spatial filtering operation. (Courtesy of International Imaging Systems.)

Another radiometric operation is *density slicing*, where you display only those pixel values whose intensity is in some specified range. This operation is often used to highlight or classify objects in the image that have a characteristic brightness or color. Photo 3 illustrates a 10-nanosecond x-ray pulse during the heating of a magnetically confined argon plasma. In this image, red indicates the most intense x-ray emission and blue the least intense emission. The radial lines indicate the direction of the plasma motion prior to x-ray emission.

Sometimes color coding aids in the interpretation of the density-sliced image; for example, objects whose brightness is in a specified range are displayed in red. This process, known as *pseudocolor processing*, is shown in photos 1b, 2d, and 3.

Spatial operations are another family of manipulations that fall into several categories. One such category is *registration procedures*, which are used to take an image and force it to "overlay" another. For example, any map projection is a distortion of the earth's surface, and to superimpose an aerial photograph onto a map you need to "stretch" the photograph. (Imagine painting the photograph on a rubber sheet and then stretching the sheet until objects on the image overlay the same objects on the map.) Photo 2c shows the effect of a registration procedure. The upper portion is original data, and the lower portion has been rectified to a base map. Notice that features are both rotated and changed in shape; this is a typical application.

Another category of spatial operations is *filtering*, a term used in a signal-processing context. For those who are mathematically minded, think of a Fourier analysis, in this case, a two-dimensional Fourier transform. By isolating the high-frequency components in a scene (those that recur repeatedly), you can find edges, as shown in photo 4, a neck x-ray. The first view is the original x-ray, while the second has been enhanced by spatial filtering. The improvement in the ability to see structure is dramatic. Other smoothing operations remove high-frequency noise from an image in the same way that a filter on your stereo can reduce the sound of scratches and pops on an old record.

Spatial texture, the variation in pixel brightness in a small specified region, can be important in understanding an image. Texture is often calculated as the standard deviation of the nearest neighbors around a pixel, and this deviation can be displayed as an image itself.

Feature extraction and classification, also spatial operations, are powerful tools for image analysis. For example, if certain features in an image are a unique color or gray level, a simple statistical exercise is to "teach" the system to find the features. Unfortunately, feature extraction is almost never this easy. Pattern recognition is a complicated science itself and enters the realms of multivariate statistics, geometry, artificial intelligence, and radiative transfer theory. The end result of feature extraction is similar to photo 2d, where water is represented by the color purple and the regions that are peppered with yellow (continued)

Ferocious FORTRAN.

Microsoft[®] FORTRAN crunches numbers with a vengeance!

It combines fast and efficient native code compilation with built-in 8087 coprocessor support. The result? Mini and mainframe performance from your MS[™]DOS micro.

Based on the '77 standard, Microsoft FORTRAN supports extensive statements and data types—including complex numbers and IEEE single and doubleprecision floating point accuracy.

Support for large arrays (greater than 64K bytes), separate module **MICROSOFT** compilation, The High Performance Software and overlays, allow you to create very large programs — up to one megabyte, with access to more than 65 thousand records in a file as large as four gigabytes.

How do programmers feel about Microsoft FORTRAN?

"The first FORTRAN compiler

that takes advantage of the full addressing capability of the 8088 and the power of the 8087." – Jack Wilschke, Softalk

"We decided to use the Microsoft FORTRAN Compiler for its INTEGER 4 capability and the flexibility of its 8087 implementation."

– Charlie Huizena & Chip Barnaky, PC World

Call 800-426-9400 to order the ferocious FORTRAN. \$350*

In Washington State, call 206-828-8088. Ask for operator A4, who will rush you your order, send you more information, or give you the name of your nearest dealer to see Microsoft FORTRAN in action.



correspond to known ground cover.

In the realm of *multiple-image operations*, another family of I/P manipulations, image processing can be considered three-dimensional; *x* and *y* are the rows and columns of the image, and *z* (the third dimension) is a spectral or time component. For example, you can have high-altitude color infrared images of agricultural crops taken at different times through the growing season. An image of a hydraulic system from both visible and infrared scanners can help detect overheating in the system by interpreting the infrared band as heat. In each case the data has a third dimension.

Data compression can be an important feature in an imageanalysis system. At a theoretical level, the most efficient representation of a scene is to describe the location and orientation of the highest-level object description. ("Highlevel" is used here in the same way that BASIC is described as a high-level programming language as compared to assembly language. A high-level object description is "This is a house," as compared to "This is a square white object 25 feet by 25 feet in size.") This form of representation requires that you be able to distinguish all the objects in the scene, which is possible in only limited circumstances. On a more practical level, it is often possible to describe the image, using statistical techniques like principal-components analysis, or reduce the size of the data set with other techniques, such as run-length and difference encoding. Data compression becomes most important when image data must be transmitted or where large amounts of image data must be stored.

DOWN-TO-EARTH APPLICATIONS

Image processing is now being used in a number of disciplines. Medical people use image processing to construct pseudocolor images from CAT (computer-aided




Photo 5: PET scan images in a medical study of blood flow. (Courtesy of COMTAL/3M and the Positron Diagnostic Research Center, University of Texas Health Science Center.)

As hardware prices drop while capabilities improve, image processing will be used more.

tomography) or PET (positron emission tomography) scanners. Photo 5 shows a series of images generated during a study of blood flow in a rabbit's heart.

Art, advertising, and publishing people use pseudocolor and other techniques in the pursuit of more effective graphics. In the era of computer text editing, the idea of "cut and paste" is common; here, however, this approach includes full-color images and graphics. While straight graphics systems, in general, have difficulty with halftone illustrations and precise color balancing, an imageprocessing system can handle text, line art, and images in full color.

Structural engineers use I/P to examine weld x-rays for imperfections. Photographers can use I/P for a multitude of image enhancements that are either difficult or impossible in a conventional darkroom.

In each of these settings, people are interested in improving an image's ability to convey certain kinds of information. As hardware prices continue to drop while capabilities improve, image processing will become even more widely used. Courses in image processing are already available at many universities around the country, and in a remarkable range of subject areas; at the University of California, Santa Barbara, for example, I/P is taught in the geography department at levels ranging from beginning to advanced. ■

ACKNOWLEDGMENTS

I'd like to thank David Eckhardt and Earl Hajic, University of California, Santa Barbara, for their help preparing this article, as well as Robert Crippen (University of California, Santa Barbara), SATSCAN (San Francisco, California), COMTAL/3M (Altadena, California), and International Imaging Systems (Milpitas, California) for providing data and images.

REFERENCES

1. Andrews, H. C., and B. R. Hunt. Digital Image Restoration. Englewood Cliffs, NJ: Prentice-Hall, 1977.

2. Baldwin, Lee. "Color Considerations." BYTE, September 1984, page 227.

3. Buchanan, M. "Digital Image Processing: Can Intensity, Hue, and Saturation Replace Red, Green, and Blue?" *Electro-Optical Systems Design*, March 1980.

4. Moik, Johannes G. Digital Processing of Remotely Sensed Images, NASA SP-431. Washington, DC: National Aeronautics and Space Administration, 1980.

5. The Manual of Remote Sensing (2nd Ed.). Falls Church, VA: American Society of Photogrammetry, 1983.

6. Sabins, Floyd F. Remote Sensing: Principles and Interpretation. New York: W.H. Freeman and Co., 1978.

7. Short, Nicholas M. The Landsat Tutorial Workbook: Basics of Satellite Remote Sensing, NASA Reference Publication 1078. Washington, DC: National Aeronautics and Space Administration, 1982.

Potent Pascal.

Microsoft[®] Pascal may be the most powerful software development environment available for the MS[™] DOS system. It combines the programming advantages of a structured high-level language with the fast execution speed of native code compilation.

And it exceeds the proposed ISO and ANSI standards with logical extensions that make the language more powerful and versatile. For example, programming capabilities even allow you to manipulate data at the system and machine level.


It gives you single and double **MICROSOFT** precision IEEE The High Performance Software floating point arithmetic. Numeric operations take advantage of the 8087. Or automatic software emulation is provided if the coprocessor is not installed.

Support for long heap allocation and separate module compilation gives you the flexibility to create large programs up to one megabyte.

And the standard linking interface makes it easy to combine Microsoft FORTRAN or assembly language subroutines.

Call 800-426-9400 to order the potent Pascal. \$300*

In Washington State, call 206-828-8088. Ask for operator A5, who will rush you your order, send you more information, or give you the name of your nearest dealer to see Microsoft Pascal in action.



THE ADVENTURE CONTINUES ...

SOMETHING BRAND NEW

INSTANT DATABASES BECAUSE THAT'S HOW MOST OF US NEED INFORMATION ... INSTANTLY!

Homebase provides you instant access to a whole realm of databases. Just hit the hotkey to freeze whatever software you're working in, and you're ready to find, insert or manipulate data.

This is much more than a simple cardfile or mini-database. You'll be able to set up your own templates, define parameters such as the length of a field, and do rapid key searches. You can have thousands of records in a database. And numerous databases on your menu.

THE TOOLS YOU NEED.

We've included a powerful set of tools that will save you time and help you organize information, schedule, calculate and a whole lot more. All within a quick keystroke ... regardless of the software you're running! You may find a few of these in some "desktop" products ... but nothing else approaches the power of Hornebasel

Instant Databases

- Phone Message Pad
- Rolodex¹
- Appointment Calendar Calculator
- Notepad
- Time and Expense Diary
- Programmable Hotkey (You choose the key that gets you to your Homebase) Electranic Mall (as an
- automatic multi-task!)
- Tables and Pages (for those
- things you always need to
- look up) Alarm Clock (including Musical Snooze Alarm)
- · To-Do List

- Quickerm Terminal (available even when you're working in another program) • Autodialer
- Template Maker (for designing your own databases) • DOS Services
- Rolodex Card Printer
- Mailing Label Printer
- Data Transfer (between databases or your other software)
- Cut and Paste (great for putting together an Electronic Mail letter that combines a chunk of spreadsheet, some text from a document, and a few notes)

THE EXCITEMENT IS BACK

With the Electronic Mailbag of Your Dreams

ELECTRONIC MAIL THAT TAKES CARE OF ITSELF ... IN THE BACKGROUND

(While you're running WordStar, Lotus, dBase, a compiler or whatever)

We wanted electronic mail that could take care of itself while we were busy on the computer doing something else. We always felt that there was something strange about having to play postman every time a piece of electronic mail was due. It was always a case of loading up a communications package and either waiting for the mail or going out to fetch it. Now, we've got it! And you can have it, too. With HOMEBASE, Electronic mail can arrive while you're working in another piece of software. Up in the corner of your screen, a signal lets you know that there's incoming mail. You can read it as it comes in, if you want. Or you can ignore it, and your mail will automatically file itself . . . to be read at your leisure.

When you're sending Electronic Mail, its just as easy. Once you've written and addressed your letter, the rest is done for you, automatically, while you're back working in another piece of software.

CHECK THE DIFFERENCE IN VALUE!

WHY ARE YOU GETTING SO MUCH SOFTWARE FOR SUCH A SMALL PRICE?

Amber Systems makes tools for programmers including VSI—The Window Machine. We make mouse drivers, asynchronous drivers and electronic mail packages for a number of companies. Now, we've decided to use these tools, plus some new ones that aren't yet on the market, to produce new concepts in software. Because we make the tools ourselves, our costs, and consequently yours, are the lowest possible... with never a compromise in guality.

YES! Site licenses are available for companies... large and small. If you would like to order a single copy, now, to examine and show around your company, its cost can be deducted, later on, from your site license. For further information on site licenses call 408-996-1883.

Inquiry 19

HOMEBASE Notepad Autodialer Appointment Calendar DOS Services Calculator Rolodex Rolodex Card Printer Tables and Pages Alarm Clock Template Maker Instant Databases Data Transfer Cut and Paste Programmable HotKey Phone Message Pad Time and Expense Diary To-do List Electronic Mail Quickterm Terminal Mailing Label Printer	SIDEKICK Notepad Autodialer Calendar Calculator ASCII Table Rolodex \$49.95	POLY WINDOWS Notepad Keyboard Macros Calendar Calculator Game Alarm File Cards \$49.95	SPOTLIGHT Notepad Calendar DOS Services Calculator Rolodex File Cards \$149.95
\$49.95 !	and a solid to		

Sidekick is a trademark of Bortand Internitional, Inc. Poly Windows is a trademark of Polytron Corp. Spatlight is a trademark of Software Arts.

1171 S. Saratoga-Sunnyvale Road

San Jose, CA 95129

ORDER YOUR COPY OF HOMEBASE TODAY! For VISA and MasterCard Orders Call Toll Free 1-800-227-3800 ext. 986 (Call anytime — lines open 24 hours a day, 7 days a week)

or fill in this ORDER FORM and enclose a check, money order or your VISA or MasterCard number.

HOMEBASE is available for the IBM PC, XT and <u>true</u> compatibles \$49.95 + \$5 for shipping and handling*

m.e	
COMPANY NAME	
ADDRESS	
CITY STATE ZIP	
HOME PHONE () WORK PHONE ()	
CHECK MONEY ORDER VISA MASTERCARD Card # Exp. date _	SEND TO:
30-day money-back guarantee!	
	AMBED SYSTEMS INC

*California residents add 6% sales tax. Outside U.S. please add \$15. Checks must be on a U.S. bank and in U.S. dollars. Sony, no C.O.D. or purchase orders. For dealer and site license information, call 408 996-1883.



BYTE

Sciences

THE BIRTH OF A COMPUTER conducted by John C. Nash	. 177
A Low-Cost Data-Acouisition System by Kiyohisa Okamura and Kamyab Aghai-Tabriz	
Fourier Smoothing Without the Fast Fourier Transform by Eric E. Aubanel and Keith B. Oldham	. 207
Paranoia: A Floating-Point Benchmark by Richard Karpinski	. 223
MODELING MASS-ACTION KINETICS by Alan Curtis	. 239
VIEWING MOLECULES WITH THE MACINTOSH by Earl J. Kirkland	. 251
Laboratory Interfacing by Lincoln E. Ford, M.D.	. 263
INTERFACING FOR DATA ACQUISITION by Thomas R. Clune	. 269

WHEN I WAS ASKED to find articles under the umbrella of scientific computing, I realized that BYTE readers would probably best be served by articles focusing on the main aspects of microcomputer applications in science: development of tools of the trade, data acquisition, data analysis and reduction, and modeling of scientifically interesting systems or phenomena. This month's theme articles delve into those areas.

In "The Birth of a Computer" Dr. James H. Wilkinson, F. R. S., tells a fascinating story of the building of one of the earliest digital computers based on the designs of Alan Turing. Despite the 30-odd years since this work took place, the account is surprisingly fresh and relevant to today's use of computers in science.

The arithmetic underlying calculations is often ignored by users, regardless of their scientific background, yet it is important to know that the basis for these fundamental computer "tools" is sound. Richard Karpinski discusses one approach to learning about the arithmetic implemented on computers, the program Paranoia. This work, like so many others in the realm of scientific computation, owes much to the careful and detailed analyses performed and persistently reported by Professor William Kahan of Berkeley.

Data acquisition can be a difficult task involving expensive equipment. Some of the issues in the analog-to-digital conversion aspect of data acquisition are described by Dr. Lincoln Ford. For those with tight budgets, Kiyohisa Okamura and Kamyab Aghai Tabriz present the hardware and software design of a Commodore 64–based system. To round out data acquisition, BYTE Technical Editor Tom Clune reviews the main avenues for interfacing experiments to computers.

Once the data is in the machine, it must be processed before it can be regarded as useful information. One technique for removing noise from data is Fourier smoothing, discussed by Eric Aubanel and Keith Oldham.

Having gained some understanding of a system, a scientist can attempt to model it—to generate or simulate the outcomes of experiments and "pictures" of what is going on. Earl J. Kirkland literally pictures molecules with an Apple Macintosh. Alan Curtis introduces the subject of modeling dynamic systems such as large-scale chemical or nuclear processes.

We have tried to strike a reasonable balance between depth and breadth in our coverage of scientific computing. In a field as large and sophisticated as this, the editorial choices made are never entirely satisfying. Nonetheless, we think that these articles present some fascinating glimpses into a complex domain.

-John C. Nash, Contributing Editor, Scientific Computing

interact with a Genius



135W POWER SUPPLY

Hard Disk ready +12V at 4.5A max +5V at 15A max Same dimension and plug compatible with IBM PC/XT power supply



HARD DISK ASSEMBLY

10 Mb formatted Fixed Disk 5 Mb formatted Removable Cartridge Unlimited storage Bootable from fixed disk

SUPER MOTHERBOARD


Single layer double sided board Same dimension as IBM motherboard Up to 256K Ram on-board 8 I/O slots

PERSYST B.O.B. BOARD

Super hi-res display adapter on text and graphics 10 x 16 character cell in monochrome and color Programmable and software selectable character sets

MULTIFUNCTION CARD

0-384K memory expansion plus 256K on board to give maximum addressable memory.



The Ultimate in IBM PC/XT[®] compatibles.

The Super XT Plus by Super Computer is a better alternative than the standard PC/XT configuration. The 256Kb of dynamic RAM with parity can be upgraded to 640Kb. Eight I/O slots give you the maximum in tailored expandability. A 16 Bit 8088 Microprocessor with an 8087 coprocessor option gives you the speed to tackle the heavy jobs. Two half-height 360 Floppy Disk Drives are matched with a half-height 5 Mb Removable hard Disk and a 10 Mb fixed Hard Disk. A Multifunction card is included with Serial and Parallel ports, Clock Calendar, Game port, and memory expansion to 384K. An Ultra High-Res Taxan* monitor equipped with Persyst's B.O.B.* Board gives you the highest resolution possible (720 x 400). A unique 135 Watt Power Supply offers 220 Voltage conversion as an option. The Super Computer PC/XT.

Interact with a Genius!

* 1984 Super Computer, Inc.

DEALER AND OEM INQUIRES INVITED

FAX 213/532-6342 TELEX 3719394 SUPER



SUPER COMPUTER Manufacturer/Distributor 17813 South Main St. Suite 103, Gardena, CA 90248 213/532-2133 Inquiry 303

IBM PC/XT is a registered trademark of International Business Machines, Corp.

Persyst is a registered trademark of Personal Systems Technology, Inc

S·C·I·E·N·C·E

THE BIRTH OF A COMPUTER

CONDUCTED BY JOHN C. NASH

An interview with James H. Wilkinson on the building of a computer designed by Alan Turing

The story of the construction of the first computers is both fascinating and instructive. Understanding the insights and decisions of computing's innovators may explain how the technology evolved to its present state and may illuminate the directions it might take in the future.

Among computing's innovators were Alan Turing (see page 65 for a review of a Turing biography) and the men he assembled to help him build a computer based on his Universal machine. Turing's team included James H. Wilkinson, a mathematician who had studied at Cambridge and worked for the British government as a ballistics engineer doing numerical analysis of explosives problems during World War 11.

This interview was conducted for BYTE by Dr. John C. Nash and took place on July 13, 1984, at the Ninth Householder Gatlinburg Conference held at the University of Waterloo, Waterloo, Ontario, Canada.

BYTE: Dr. Wilkinson, how did you become involved with Alan Turing and his computer? IHW: Shortly after the war, I discovered that a Mathematics Division was being set up at the National Physical Laboratory (NPL). I got in touch with E. T. Goodwin, who had been a colleague of mine at Cambridge in the Maths Lab. He was one of the first to join this new division. He invited me to have a chat with him at NPL in Bushy Park, Teddington, and there I met Turing, who I knew already by reputation as something of an eccentric. Turing and I had a long discussion, and I was very impressed with him. Presumably he must have been reasonably satisfied with me since he said if I came to NPL he would like me to work with him. I think that this offer and my friendship with Goodwin were the decisive factors. So in May '46, six and a half years after I joined the government service, I moved to NPL (as I thought then, temporarily) instead of going back to Cambridge University.

Turing had worked alone on the logical design of an electronic computer. When I arrived, he had presented his plans to what you might call a "review committee" at NPL. This consisted of a small group of Fellows from the Royal Society. The committee decided that Turing's ideas were basically sound, and they gave him a mandate to go ahead and recruit the appropriate staff.

Up to that time everything associated with the project had been done

by Turing himself. He was a man with an original and inventive mind. His design had practically nothing in common with the group of computers which arose out of discussions at the Moore School of Electrical Engineering at the University of Pennsylvania. John W. Mauchly and J. Presper Eckert had already successfully completed the construction of the first electronic computer, the ENIAC (this was not a stored-program computer), and their influence was at its peak. When I went to NPL in May '46, Turing was working on what he called version 5 of [his] computer, though I never saw any documents relating to versions 1 to 4. Turing was not a great documenter, and no doubt the earlier versions were buried in the rubble on his desk.

Perhaps I should attempt to give some idea of the flavor of version 5, a typical Turingesque creation. It was (continued)

Dr. John C. Nash (Nash Information Services, 1975 Bel Air Dr., Ottawa, Ontario, K2C OX1, Canada) is an associate professor with the Faculty of Administration at the University of Ottawa, Canada. He is the author of two books on scientific computing and numerous journal articles. a serial machine using mercury delay lines for storage, with a pulse repetition rate of what I still call a megacycle, being rather old-fashioned in such matters.

BYTE: Define a megacycle.

JHW: The basic pulse frequency was provided by a master clock which had a 1-megacycle pulse rate. It worked in binary, of course. That decision was taken early on and was regarded as irrevocable. The word length was 32 binary digits, which is rather better than 9 decimals.

BYTE: They were fixed point?

IHW: Yes. They were fixed point, but one of the earliest things that I did (at Turing's request) was to program a set of subroutines for doing floating-point arithmetic. These were later to become rather important in the history of NPL. Right from the start, Turing was impressed with the importance of speed. It is possibly not widely known that at that time most people weren't. For instance, Maurice Wilkes at Cambridge (who quite early became one of our principal competitors) took the view then that electronic computers were so fast that it was much more important to get one built than to make special efforts to increase its speed, and his views were generally shared. Turing took the opposite view, and most of the special features of his machine were designed to make it as fast as possible. There was merit in both views, but it was certainly true that the machines we were designing then were not nearly so fast as they appeared to be. However, Turing's obsession with speed certainly made for a very untidy machine. A great weakness of mercury delay lines is access time. In order to make them reasonably economic, it is necessary to store a number of words in each delay line. Clearly, if one stores consecutive instructions in consecutive positions in a delay line, one could perform only one instruction per major cycle, and indeed the early machines (other than ACE) that were based on mercury delays suffered from this weakness. |Editor's note: ACE-for "automatic computing engine'-was the name given to



Photo 1: English mathematician James H. Wilkinson, one of the builders and programmers of the early ACE computer.

Turing's machine by Mathematics Division head J. R. Womersley.]

BYTE: "Major cycle" meaning ...?

JHW: "Major cycle" meaning the time of circulation of the main storage units, each of which held 32 words of 32 binary digits and hence had a circulation time of 1024 microseconds, i.e., approximately a millisecond. A conventional design would have meant that the maximum speed of operation was one instruction per millisecond.

BYTE: Because, unlike a dynamic RAM, where you can get at any cell with one or two clock cycles, this had to use a thousand clock cycles.

JHW: The other two early machines to work-EDSAC at Cambridge (which Wilkes built) and SEAC at the National Bureau of Standards (which Samuel Alexander built)-did, in fact, store consecutive instructions in consecutive positions, so that by the time one instruction had been executed the next one had been "missed," and one had to wait a full cycle for it to emerge. To avoid this, Turing stored consecutive instructions in such relative positions that the next instruction emerged just when the previous one was completed. Since different instructions took different times for their execution, consecutive instructions were irregularly spaced in the

store. As you can well imagine, this made for what one would call "difficult" coding. I'm not sure that "difficult" is the right word. I would say such coding was tiresome or tedious. Also it made the design of automatic programming languages more laborious, while at the same time it made them more desirable. However, this feature of the machine turned out to be rather important; it meant we could do up to 16 instructions per major cycle, i.e., about 64 microseconds per instruction.

This practice later became known as "optimum coding" or "latency coding," but Turing never used that term. It was characteristic of him to see his machine as the basic one, all the others being out of step.

BYTE: What was the ACE's total memory? JHW: Well, Turing envisioned a memory of 200 long delay lines, which would have given 6400 words.

BYTE: About 24K bytes?

JHW: Yes, and although that may sound rather small now, it was really very ambitious for that time. I am sure Turing would never have contemplated or supported the building of a smaller machine.

Shortly after 1 joined NPL, Turing moved on to version 6 and then rapidly to 7 and 8. Those were four-address code machines. [Editor's note: A fouraddress machine had up to four address operands after an instruction, one of which would be to give the memory location of the next instruction.]

The earlier machine, version 5, is hard to describe in these terms. But its successors performed instructions of the type A+B to C and selected the position D of the next instruction, which was necessary because they were not in consecutive positions.

BYTE: A complete instruction would occupy one word?

JHW: Yes, but it was a more powerful instruction than that on a conventional one-address code machine. Another striking difference in Turing's design was that he had a number of one-word delay lines and the arith-(continued)

BUY A 1200 BPS MODEM FOR UNDER \$200!

INFOMATE 212PC \$149

FEATURES:

- 1200/300/110 bps. full duplex
- Internal card for IBM PC/XT or compatibles
- Bell 212A and 103 compatible
- CROSSTALK software compatible
- MODEM-MATE software included
- Auto-dial, Auto-answer
- Tone or rotary dialing, auto-selected
- Call progress monitoring
- 8 diagnostic test modes
- Asynchronous data format
- 1 year limited warranty

The INFOMATE 212PC comes complete with MODEM-MATE software and will run other popular programs such as CROSSTALK and PC TALK III. The 212PC plugs into any of the computer's full size expansion slots and communicates with all commonly used 1200 or 300 bps modems.

Yes, it's true! Cermetek is selling your choice of two 1200 bps modems for under \$200. There's no catch! We want you to take advantage of this spectacular deal and find out what communications can do for your computer. It's as simple as that.

CROSSTALK SOFTWARE ONLY \$95!

Now you can purchase CROSSTALK software, with your INFOMATE modem, for \$100 under the retail value. This version of CROSSTALK will run on IBM PC's or compatibles with 96K of memory, 1 disk drive, and PC DOS 1.1 or 2.X. You may only purchase CROSSTALK software with one of the INFOMATE modems and this offer is limited to one software package per modem.

ORDER TODAY!

Offer expires 3/31/85. Offer is limited to quantities on hand.

INFOMATE MODEMS

by Cermetek Microelectronics 1308 Borregas Avenue Sunnyvale, CA 94088-3565 (800) 862-6271 (In California call 408/752-5000)

INFOMATE 1995A \$199

FEATURES: • 1200/300/110 bps, full duplex

• Bell 212A and 103 compatible

• Stand alone modem for use with any computer or terminal with and RS-232C port

- CROSSTALK software compatible
- Auto-dial, Auto-answer
- Auto-speed, Auto-parity selection
- Tone or rotary dialing
- Asynchronous or synchronous operation
- 1 year limited warranty

The INFOMATE 199SA is an intelligent stand alone modem, compatible with CROSS-TALK software, and allows you to communicate with all commonly used 1200 or 300 bps modems.

This is a deal I can't pass up! I would like to order: The INFOMATE 212PC for \$149.00 The INFOMATE 1995A for \$199.00 CROSSTALK software for IBM PCs for \$95.00 Please send the above checked items to: Name Address Zip City_ State Daytime phone (____) My check is enclosed for \$_ Please charge my purchase on my: MASTERCARD VISA Acct. No. Signature Exp. date

Calif. residents add 6½% sales tax. All orders must add \$4.00 per modem for shipping and handling. Please allow 4 weeks for delivery.

MidWest **Micro-Peripherals** Save with Confidence

Let us earn your trust as we have that of others, such as: Goodyear . General Motors . US Navy . etc. Ask for: Sue, Marlanne, Kathy, Tim, Rick or Roger

List Our Price

PRINTERS PRINTE Star Gemini 10X (120 CPS) Star Gemini 15X Star Delta 10 / Delta 15 (160 CPS) Star Baink 10 / Badik 15 (200 CPS) Epson RX 80 (100 CPS) Epson RX 80 (100 CPS) Epson RX 80 (160 CPS) Epson L0 1500 (200 CPS) Okidata 92P (80 Col., 160 CPS) Okidata 92P (136 Col., 160 CPS) Okidata 92P (160 Col., 160 CPS) Okidata 92P (102 CPS) Panasonic 1090, 1092, 1093 Toshiba 1334P (100 CPS) Dalsywheel P \$249 379 SCALLS SCALLS 229 280 \$399 549 399 499 689 799 1495 **599** 699 999 2495 **499** SCALLS SCALLS 389 469 599 \$CALL\$ 299 \$CALL\$ 769 1299 090,1092,1093 1340P (54 CPS) 985 1855 DAISYWHEEL PRINTERS 18715 (13 CPS) 599 Brother HR 359 619 839 299 359 439 349 349 399 749 899 1599 899 Brother HR-15 (13 CPS) Brother HR-35 (23 CPS) Brother HR-35 (23 CPS) Silver Reed EXP 500 (16 CPS) Silver Reed EXP 550 (19 CPS) Silver Reed EXP 550 (19 CPS) Silver Reed EXP 570 (36 CPS) Diable 530 (40 CPS) Diable 530 (40 CPS) 895 1245 399 1495

IBM PC SYSTEMS



metic and logical operations were distributed among them. On a conventional one-address code machine the use of one accumulator leads to a tremendous bottleneck. One is always taking one number out of the accumulator to put in another. By having a number of one-word stores (delay lines), this is avoided. You see, this was all related to Turing's objective of making his computer faster.

BYTE: When a word had an instruction, it would also have an address in it? JHW: Oh, yes.

BYTE: So it wasn't like a modern microcomputer with instruction, operand, operand? IHW: NO.

If Turing had stayed at NPL he would have gone for the full-scale computer with 200 delay lines, and guite frankly we had neither the facilities nor the experience to embark on such an ambitious project. It should be appreciated that the full-size computer was far larger than the one Wilkes was planning and eventually built as EDSAC.

Although I have used the term "optimum coding," most programs fell a good deal short of the optimum speed attainable. To achieve this would have been far too tedious. However, when it came to very important subroutines such as floating-point arithmetic, optimum speed was almost achieved. As I mentioned before. I produced the first set of floating-point routines, but when in 1947 Donald Davies, Mike Woodger, Gerald Alway, Billy Curtis, and John Norton joined the team, they all played a part in polishing them up.

BYTE: This was all on paper?

IHW: Naturally: we had no working computer. Because of the optimum coding, floating-point arithmetic (and other important routines such as double-length arithmetic) was much faster on Turing's machines than it was on its competitors. The speed of floatingpoint arithmetic turned out to be very important for me. When we finally built our computer, we dusted down our early routines and polished them up further. By the standards of the

time they were very fast indeed, and this enabled me to get really extensive working experience with floatingpoint computation before it was practical elsewhere. I am sure this is why floating-point error analysis first made headway at NPL.

Turing continued with the logical design of machines, but after a while he began to get very dissatisfied. The policy had been adopted that the actual construction of the computer should be undertaken by some other government department such as the Ministry of Supply, where personnel experienced in pulse techniques as a result of working on radar were available.

I never liked that decision, but the director of NPL. Sir Charles Darwin (great-grandson of the great Charles Darwin), was not a very easy man to argue with. Remember, I was quite a junior member of the NPL staff at that time. But as I saw it, there were only two possibilities. Either the external group would be successful, in which case, if they had any imagination at all, they would take control of the computer themselves. Alternatively, they might fail. It seemed to me that we were in a no-win situation, and I couldn't understand why Turing accepted the proposal. This attempt to get the machine built outside continued very unsuccessfully, and Turing got more and more morose about it.

Finally, very belatedly, in 1947, Darwin agreed to set up a very small electronics group (not a division) at NPL. It was recruited mainly from people from other divisions of NPL, and inevitably most of the recruits were far from being experts in electronics, so they were going to have to learn on the job. A disaster struck almost immediately. The person who was put in charge of the team-a Dr. Thomasis often criticized, but in my view rather unjustifiably. Thomas was much more interested in industrial electronics than in building a computer. I do not feel that this was unreasonable; it was not easy to have the imagination to foresee that computers were to become one of the most im-(continued) Not long ago, *PC* Magazine called MDBS III "The most complete and flexible data base management system available for microcomputers." That's a powerful statement. But then, MDBS III is an amazingly powerful software package. So powerful, in fact, that it lets you build mainframe-quality application systems on your micro or mini. MDBS III is not for beginners. It's for application developers with large data bases or complex data interrelationships who want to define data base structures in the most natural way—without resorting to redundancy or artificial constructs. It's for professionals who can appreciate its extensive data security and integrity features, transaction logging, ad hoc query and report writing capability and its ability to serve multiple simultaneous users. And if you want the power and the glory that only the world's most advanced data management system can provide, MDBS III is for you. For information on MDBS III and our professional consulting services, write or call Micro Data Base Systems, Inc., MDBS/Application Development Products, 85 West Algonquin Road, Suite 400, Arlington Heights, IL 60005. (800) 323-3629, or (312) 981-9200. **MDBS III. ABSOLUTE POWER.** Inquiry 208

WE'L GIVE YOU THE POWER. YOU TAKE THE GLORY.

0

INTERVIEW



Technical & Other Information (602) 246-2222 TOLL-FREE ORDER LINE 1-(800) 421-3135

FREE COMPUTER ALARM CLOCK!

In appreciation of your patronage we are giving a program diskette for the IBM PC to all our customers who make a purchase of \$100 or more. This program features popup menus and permits continuous or intermittent time display, alarm for appointments, etc. A Bellsoft program with a retail value of \$20.

DATA BASE MANAGEMENT SYSTEMS

Fox and Geller Quickcode\$14	5
Knowledgeman	9
Condor II\$29	
NWA Statpak\$26	0
Tim IV\$24	2
Infostar+\$17	2
FRIDAY	
Personal Pearl\$21	
PFS File\$19 Electric Desk\$19	
RBase 4000	
CLOUT 2	

WORD PROCESSING

Wordstar, Pro Pack \$245
Samna III\$335
Wordstar 2000 for IBM PC\$269
Wordstar 2000 + CALL
Leading Edge Word Processor/Merge \$85
Mail Merge or Correct Star Call
Microsoft Word With Mouse\$284
Word Perfect\$225
Volkswriter for the IBM PC\$110
Volkswriter DeLuxe\$154
Random House Spell Checker\$36
PFS Write
Multimate \$235
Peachtext 5000\$185

SPREADSHEETS

Calcstar .								14	4				Ļ						×							.\$99
Supercalc	11						×.							•			4	ų,				•			•	\$145
Supercalc	1	1								•			z	÷	4	•	•	•			•	•	•		•	\$160
Microsoft	Μ	u		ti	p	ł	ar	١	•	•	•	•	R	•	6	•			•	•	•	•	•	•	•	\$119
!TK Solver	r.		•	•	•	•	•	•	•	•	•		•	•			•	•		.•	•	•	•	•	•	\$259
Lotus 123	• •	• •	•	•	•		•	•	•		ę	٠	•	٠	•	•	•	•	÷	•	•	•	•	•	•	\$294
Symphony	1			•		•		•	•	÷	•	÷	•	ŕ	•	•	•	•	•	•	•	•	•	•	•	\$415

ACCOUNTING

augn Cust and CP/M	nented by omized for Printer - GL, A-86 for PC X	I Peachtree - Sp Warehouse So your IBM PC To , AR, PA, AP, CF (T, DOS 1.1, 2.0. \$65 For All Fo	ftwaré. erminal P/M-80,
CYMA	s & Sence		Call
		Real World)	
	FER PROGRA		
layes	Smartcom		
		alk	
VIICIO	1		
	FOR IBM	PRICE IN U.S. PC OR CLONES	

FUR IBM PC UN CLUNES	
Multifunction Board - Includes Async	
Adapter, Parallel Adapter, Clock with	
battery back-up and Software, 64K	
memory expandable to 384K. 1 year	
warranty \$239	

TERMS: Prices include 3% cash discount. Add 3% for charge orders. Shipping on most items \$5.00. AZ orders +6% Sales Tax. Personal check, allow ten (10) days to clear. Prices subject to change. TOLL-FREE ORDER LINE 1-(800)-421-3135

WAREHOUSE DATA PRODUCTS

2701 West Glendale Ave., Suite 6 Phoenix, AZ 85021

LA				

Lifeboat Lattice C Compiler\$2	95
Microsoft C Compiler\$3	15
Microsoft Pascal Compiler\$2	15
Microsoft Basic Compiler	
CP/M-86 for IBM PC	
Concurrent CP/M 86	

FOR PC DOS

PC Paint											•	÷								. \$85
Norton Utilities			•							÷	,	-	÷	ž		•	•			. \$48
Copy II PC														ć						.\$24
Prokey V3.0											•	è		÷	•	•	•	•	•	.\$79
Harvard Project	t	Ν	18	11	n	а	a	e	r				*							\$225
Microsoft Flight	t	S	i	m	ι	ıl	ā	t	0	r		÷	,							. \$32

HAROWARE

ABC Printer Switch\$85
Micro Fazer Parallel\$185
Hayes 1200 Modem\$450
Hayes 1200b Modem for IBM PC\$379
64K RAM Chips (9) 150 NSEC \$34
Anchor Signalman 1200 baud Modem \$235
10 MB Int. Hard Drive for the PC \$750
30 MB External Hard Drive for IBM PC .\$1695
10 MB External Hard Drive for IBM PC \$895
Princeton RGB Monitor\$459
Taxan BGB Vision 425 \$399

COMPUTERS

Leading Edge Computer 256K	,			•	•				Call
IBM Computer		•	•	•	•	•	•		Call
Corona Computer	•	•	•	•	•	•	•	:	Call
Televideo Portable & Software)							51	795

BOARDS FOR THE IBM PC

OR LOOKALIKES

Hercules Color Board with Par. Port\$169	3
AST Six Pack	5
384K Board with 256K\$275	5
Quadcolor I\$185	5
STB Graphics II Board\$335	j j
Tecmar Graphics Master\$495	j
New Quadram Multifunction Board Cal	

PRINTERS

Dot Matrix Printers include a Free	
\$35 Print Set Program	
Gemini 10X	
Gemini 15X	
Okidata 82A, 83A, 93P	

Okidata 82A, 83A,	. 93P	Call
Okidata 92P		369
Okidata 84P		375
Call on all Epson Mi		199
		2-11
Diablo		all

Call

\$245 \$345 portant developments of the century. However, from our point of view Thomas's preferences were unfortunate. But worse was to come. Thomas and Turing had absolutely nothing in common and were scarcely capable of being civil to each other. So there we have the situation where the leaders of the two groups were completely incompatible.

This, naturally, made Turing even more unhappy, and he began to talk seriously of leaving. Finally, he left in 1948 and joined the group led by Freddy Williams and Tom Kilburn at Manchester. They were making rapid strides in the construction of a computer based on what became known as the "Williams-Kilburn store." Turing's decision was, in my opinion, an unfortunate one. He should have returned to Cambridge where he still held a fellowship at Kings.

I was left in charge of a team which consisted of six people including myself. We had virtually no contact with the electronics group, and at that stage Goodwin, who was in charge of the Desk Computing Section, had a long discussion with me. He said, "You know this enterprise looks now as though it's going to founder. Before you can be held responsible for its failure, would you not prefer to become a member of the Desk Computing Section?"

Well, I just couldn't accept that. By this time I was hooked on computers, so I said I would sweat it out and see what could be done.

Then a miracle occurred. Thomas left and went into industry where he had always belonged. The person who succeeded him, F. M. Colebrook, was an old radio engineer with very little knowledge of pulse techniques but a great fund of common sense. When he'd been in the post about two weeks, he came over to see me and he said, "You and I appear to be holding a very unhealthy baby." He went on to invite the four senior members of our group (Alway, Davies, Woodger, and myself) to join him in the Electronics Section on a semipermanent basis and attempt to achieve something together. This would be


about May or June of 1948. Colebrook was a remarkable tactician, and soon we were all working rather well together. There were one or two uneasy weeks, but soon the animosity died down. E. Newman was in technical charge of the electronics group; he had worked on the H2S airborne radar system during the war and already knew quite a lot about pulse techniques. He and I got on remarkably well and that was a great help. In those days supplies were a problem, but fortunately one member of the electronics group, W. Wilson, a giant of a man, knew everybody in the supply world and was able to solve this problem satisfactorily. After we had spent a month or two building bits and pieces and generally finding our feet, Colebrook said, "Why don't we get together now and try to build a pilot machine, the success of which will demonstrate to the authorities that we are competent and therefore ensure the continuation of the enterprise." Then, in the light of successwe didn't hint at failure-we would go on and build the full-scale ACE.

Now it so happened that we had done a little experimental work in 1947 in the the Mathematics Division when Harry Huskey had spent a sabbatical year with us. At that time we had designed just such a miniature machine based on Turing's version 5. This enterprise had been stopped by Darwin when the Electronics Section was formed.

To a large extent we resurrected this machine, incorporating, of course, a substantial number of improvements. It was to be called the Pilot ACE and, effectively, it would be the smallest machine based on the logic of version 5, which would demonstrate the practicality of it.

BYTE: How large a machine was the Pilot *ACE*?

JHW: I suppose I was largely responsible for deciding on the size and scope of the machine, but any of the other three could by that time equally well have done so. In order to have some specific objective, I decided that (continued)



About Bulls Bears & Savings Bonds.

The stock market says that bulls are good and bears are bad. But if you buy U.S. Savings Bonds through the Payroll Savings Plan, you can get the most out of both markets.


Rates are high during bull markets, so the variable interest rate you get on Bonds lets you share in those higher returns.

But if the bear takes over and rates fall, don't panic; you're protected by a guaranteed minimum of 7.5%.

Just hold your Bonds 5 years or more, and you can ride the bull and beat the bear.



Other daisy wheel printers still make you choose.



At 80 characters per second, the DaisyMax 830 is one of the fastest letter-quality, daisy wheel printers you can buy.

And that means you no longer have to sacrifice image quality to increase productivity!

Speed and superb quality are but two of a long list of benefits you get with the DaisyMax 830.

Multiple users can share the DaisyMax 830 since it is designed for heavy volume word processing environments. Plus, you get standard

DaisyMax 320^{*} & 830^{*}



interfaces for easy installation, and friction, tractor and cut sheet feeders to handle all your office forms. All these great features also are available in the DaisyMax 320, offering print speeds up to 48 cps.

Juall

And of course *both* printers feature rugged reliability — a hallmark of Fujitsu products earned from over 30 years as a technology leader and equipment supplier to companies worldwide. Reliability backed by TRW service nationwide.

Contact your nearest distributor for your local dealer.

Fujitsu Printers Maximum Quality. Maximum Value.



Authorized Fujitsu Distributors

Algoram Computer Products (415) 969-4533, (714) 535-3630, (206) 453-1136, (916) 481-3466: Allen Edwards Associates Inc. (213) 328-9770; Four Corners Technology (602) 998-4440, (505) 345-5651: Gentry Associates Inc. (305) 859-7450, (305) 791-8405, (813) 886-0720, (404) 998-2828, (504) 367-3975, (205) 534-9771, (919) 227-3639, (803) 772-6786, (901) 683-8072, (615) 584-0281; Inland Associates, Inc. (913) 764-7977, (612) 343-3123, (314) 391-6901; Logon Inc. (201) 646-9222, (212) 594-8202, (516) 487-4949; Lowry Computer Products, Inc. (313) 229-7200, (216) 398-9200, (614) 451-7494, (513) 435-7684, (616) 363-9839, (412) 922-5110, (502) 561-5629; MESA Technology Corp. (215) 644-3100, (301) 948-4350, (804) 872-0974; NACO Electronics Corp. (315) 699-2651, (518) 899-6246, (716) 223-4490; Peak Distributors, Inc. (An affiliate of Dytec/Central) (312) 394-3380, (414) 784-9686, (317) 247-1316, (319) 363-9377; R² Distributing, Inc. (801) 595-0631; R² Distributing of Colorado, Inc. (303) 455-5360; Robec Distributors (215) 368-9300, (216) 757-0727, (703) 471-0995; S&S Electronics (617) 458-4100, (802) 658-0000, (203) 878-6800, (800) 243-2776; The Computer Center (907) 456-2281, (907) 561-2134, (907) 789-5411; USDATA (214) 680-9700, (512) 454-3579, (713) 681-0200, (918) 622-8740. In Canada, Micos Computer Systems, Inc. (416) 624-0320, (613) 230-4290, (514) 332-1930, (204) 943-3813: SGV Marketing, Inc. (416) 673-2323, (1-800) 387-3860 (outside Ontario); Systerm Inc. (514) 332-5581.

Additional Ribbon Distributors

Altel Data (403) 259-7814; EKM Associates, Inc. (416) 497-0605; Metropolitan Ribbon & Carbon (703) 451-9072, (800) 368-4041; The Very Last Word (415) 552-0900, (800) 652-1532 CA, (800) 227-3993 USA. In Canada, Tri-Media, Inc. (514) 731-6815.

Fujitsu Printers Maximum Quality. Maximum Value.



it should be capable of solving fully automatically a set of 8 to 10 linear equations by Gauss elimination. This it would do in a matter of a second or two, very impressive for that time.

BYTE: So you needed to store at least 150 numbers and the word width was 32 bits? JHW: In fact we decided to have 10 long delay lines, that is, 320 words. We started to design the chassis in late '48, some chassis being designed by the "mathematicians" and some by the "engineers." In the event, the mathematicians probably designed slightly more than half the chassis. I must emphasize that I am now talking about the detailed electronic design, not just the logical design. We put our newly won knowledge of electronics to immediate use.

We started to send our blueprints to the NPL workshop towards the end of that year. As each chassis arrived from the workshop, we put it into the main frame.

BYTE: Literally a main frame?

JHW: Yes, there really was a frame. We decided to use a plug-in assembly and planned to have spares of key chassis.

By the standards of the time it was an incredibly small machine physically, and yet it was in many regards more powerful than either EDSAC or SEAC. Direct comparisons are not really possible, but Pilot ACE was substantially faster on most problems, and it could solve some problems the other two couldn't.

BYTE: And the clock cycle was still 1 megacycle?

JHW: Yes, still 1 megacycle, a slightly tough decision. Wilkes had decided on 500 kilocycles. Certainly some of the problems we had would have been a lot easier at 500 kilocycles.

BYTE: It is interesting that the Apple II is a 1-megacycle or 1-megahertz machine, by comparison. [Editor's note: This refers to the instruction rather than clock rate.] IHW: Yes, that's right.

The completed chassis would have started to arrive, I imagine, well

INTERVIEW

through '49; I'm afraid progress was not documented. It so happened that the first chassis to arrive had been designed by Alway and myself, two of the mathematicians of the team, and naturally we put them into the main frame and got them working.

Then when the next chassis arrived which Alway and I had not designed we assisted in its installation because we already knew about the earlier chassis. Thus, without any conscious decision being made, Alway and I became the debuggers.

BYTE: Weren't the chassis somewhat different from each group? Or were these different components?

JHW: Of course, the various chassis had entirely different functions. Thus several were associated with the line counter, several with the logical control, and then there was one chassis for each delay line. (The latter were, of course, all identical.)

BYTE: The line counter is?

JHW: This was the section which counted the basic 32 pulses in a word time.

BYTE: All this is now on one chip?


JHW: Yes, of course, and much more. Our units were vast by today's standards in spite of being small by the standards of the contemporary design. Pilot ACE was also unique among the early computers in being extremely mobile. The main frame was on wheels and when the computer was finished, we wheeled it back to Mathematics Division without affecting its performance.

BYTE: Was it power-hungry?

JHW: It consumed somewhat less than 10 kilowatts, which was quite low. But we didn't have any forced cooling, and perhaps the construction was a little too compact for that. When we were assembling it, we were, of course, standing in front of it all day. It was like working in front of a 10-kilowatt fire, a rather trying experience.

BYTE: Did you have much component trouble?

JHW: Not really. Our main problem (continued)



3 speeds and graphics, too.

Dataproducts 8010-under \$550 at MTI.

180 cps dataprocessing printing • 90 cps text quality printing 30 cps letter quality printing Dot addressable graphics Bit image or raster graphics 10, 12, 13.3 and 17.1 cpi allows for up to 136 char. on 8 in, line

IBM compatibility

Serial and Parallel interfaces Bi-directional tractors

Multipart forms handling

INTERVIEW

was with germanium diodes, which fortunately we didn't use on the same scale as SEAC. We used them for some gating requirements. Because our machine was so compact and didn't have forced cooling, the diodes were working at a temperature which was much higher than specified by the manufacturer.

BYTE: So they would fail?

JHW: Yes, there were some good diodes and some bad diodes. The bad diodes would fail after perhaps a week in the computer. A good diode, on the other hand, would go on almost indefinitely, so bad diodes were eventually weeded out.

Then came a key stage in the assembly of the computer. This was the day the first delay-line chassis was integrated. This was designed by Newman, and, as usual, he joined Alway and myself while it was installed, but from then on he staved with us. The three of us worked well together and debugged the whole of the rest of the machine.

BYTE: When did the first program run? JHW: On May the tenth, 1950. It is interesting that, unlike Wilkes, who had built everything he intended to have and then made it work, we added chassis by chassis as they were completed, and as soon as it was possible to do something (which was as soon as we had the control unit working, the adder and the subtracter, the logical operations and one long delay line), we tried it.

BYTE: How would you feed the data in? JHW: Oh, at that point we fed the instructions in (in binary) from a set of 32 keys. When it worked on May the tenth, it could perform only the simplest of programs. In fact, our first program achieved the following: it took the binary number set up on the 32 keys, and every major cycle it added that number into the accumulator until it overflowed. Now, in addition to the 32 input keys we had a set of 32 output lights. When an overflow took place, the program put on the next light. So successive lights would come on at a speed which was directly

INTERVIEW

related to the size of the number on the switches. Now this program, admittedly rather small, had to be fed in one instruction at a time, in binary, from the 32 keys. At the time the design of the delay lines needed improving; the amplifiers were somewhat unstable. So we kept feeding in the program, and it kept being forgotten before we could complete the input. So I said to Alway, "Let's try it four or five more times, and if it doesn't work, we'll call it a day and go home."

Well, we put it in about four times, and suddenly all the lights came on. This could have happened in any case, and it didn't guarantee the program was working. However, we made the input number smaller and the lights came on more slowly.

BYTE: So the amplifiers had settled down? JHW: Yes. Then we doubled the number, and the lights came up twice as fast. We made the number three times as large and they came up three times as fast. On a binary machine that was quite convincing, so we said, "It must be working," and went home rejoicing. That program later became rather famous on the machine. It was known affectionately as "Successive Digits" or "Suck Digs."

Sometime before this. Teddy Bullard (later Sir Edward) had succeeded Darwin. and when he visited the Electronics Section (in late April 1950) he asked me how it was going. I replied that we should have something going in a week or two. Bullard was a very forthright chap, and he said with some scorn, "Come on, you can't pull the wool over my eyes. I've heard it's going very badly." (He had heard this, quite justifiably, via Harry Huskey.) I said, "You may well have heard this, and indeed it was true, but it's coming along nicely now, and in a week or two I confidently expect it to be working.

Naturally, when it did work, I tried to get in touch with him as I had promised to do. I tried to phone him. He wasn't there. Now the machine wasn't really very good at that stage (continued)

Heathkit

Metal

Detector

More than just a catalog, a trustworthy guide to what's new in computers and electronics.

> For many years, the Heathkit catalog has been a guide to new, exciting kit products for people like you to build. To enjoy. Learn from. And save money.

Triple-Trace Oscilloscope What sets this catalog apart is Computerized its range of high quality prod-Weather Station ucts and accurate information on every product. Over 450 interesting Ham Radio Transceiver items - Computer hardware and soft-44 1 ---ware • Robots • Precision test instruments • Computer-Microprocessor Trainer & Course ized weather instruments • Solar hot water • Automotive and home energy **Real Time** products • Spectrum Analyzer With Heathkit, you'll dis-cover a special pride of ac-Security devices • Color TVs • Video recomplishment by creating hand-built quality that is Most Accurate Clock corders, cameras uniquely yours and acces-You'll build your kit sories • Stereo 40-Channei with confidence too, know-Scanner components ing you're backed by our simple promise, "We won't Amateur radio gear • Electronics courses let you fail." 7/11 leading from basic If you don't have the latest electronics to high tech. Heathkit Catalog, the whole family is missing some-thing great. HERO[®] Robot IBM PC Compatible Computers Heath Company, Dept. 334-262 Benton Harbor, Michigan 49022 Please send me the latest Heathkit Catalog Free. Name Address State City Heathkit Zip Heath Company CL-777D A subsidiary of Zenith Electronics Corporation

Inquiry 104

Here are 69 reasons to buy at Elek-Tek, not to mention the fastest delivery anywhere.

	ywhere.		
		EPSON®	in international time
PRI	INTER ACCESSORIES	7. RX 80 FT + \$ 275	in the state of th
		8. RX 100 375	and a line of the second s
1.	FR 192	9. FX 80 + 375	
	Epson 80 col. ribbon \$ 3.50	10. FX 100	
2.	FR 193	11. LQ 1500 par 1150	1. The second
	Epson 132 col. ribbon 5.00	12. CR II Comriter	
3.	FR 153A	12. Ch il Commer	
	OKI & Gemini Ribbon	ୢୢୢୢଽ୲ଡ଼୲୵	The Branch Harden and Street S
4.	FF 7353	DECIN	EPSON
	80 col. printer stand	13. Gemini 10X	FX 80+
	(metal)	14. Gemini 15X	OTHER PRINTERS
5.	FF 7354	15. Delta 10	19. TTX 1014 \$ 36
	132 col. printer stand	OVIDATA	
	(metai) 18.00	OKIDATA	20. SCM D200
6	CB 5609	16. Oki 84	21. NEC 3510
•.	IBM PC to Epson cable.	17. Oki 92	22. NEC 3550
	8 ft	18. Oki 93 CALL	23. Toshiba P1351 119
	IBM PRODUCTS		ETTES
24	Amdek 310A		g for 10 boxes or more.
24.	Amber Monitor \$ 160	Maxel Box of 10	55. 3M8SSDD
		42. MF1	8" SSDD 2
25	Other Amdek Monitors . CALL	42. MF1 3½" SSDD \$ 34	56. 3M8DSDD
25.	AST Six Pak +	43. MF2	
00	Multifunction Board, 64K 250		8" DSDD
26.	AST Megaplus II Multifunction Board, 64K 250	3½″DSDD	
27	AST I/O Plus II	44. MD1	Dvsan
£1.	Multifunction Board, 0K 125	5¼″SSDD 16.50	57. Dys 12
28	Quadram Quadboard	45. MD2	
20.	Multifunction Board, 0K 210	5¼ "DSDD	51/4 " SSDD 2
29	Quadram Quadboard	46. MD2DD	58. Dys 22
- 9.	Multifunction Board, 64K 270	51/4 "DSDD/96 TPI	5¼″ DSDD
30	Quadcolor I	47. MD2HD	59. Dys 33
	Graphic Board	51/4"DSDD/IBM AT	51/4" DSDD/96 TPI
31.	Paradise	48. FD1	60. Dys 24
	Modular Graphics Card 290	8" SSDD	51/4" DSDD/IBMAT 5
32.	Hercules	49. FD2	
	Monochrome Card	8" DSDD	61. Dys 8128
33.	Hercules Color		8" SSDD
	Color Graphic Card	3 M	62. Dys 8228
34.	Novation 4905911	50. 3M3SS	8" DSDD
	Modern w/software	31/2" SSDD	
35.	Novation 4905921	51. 3M3DS	wabash
	Internal Modern w/software .320	31/2" DSDD CALL	
36.	Hayes 1200B	52. 3M5SSDD	63. WAB 1111
	Internal modern w/software . 399	51/4" SSDD	5¼ " SSSD
37.	Anderson-Jacobson1212-2C01	53. 3M5DSDD	64. WAB 1212
	Internal modern w/crosstalk . 360	51/4 " DSDD	51/4" SSDD
38.	Anderson-Jacobson1212-2C02	54. 3M5DSDD96	65. WAB 2222
8	Modern w/crosstalk,	51/4" DSDD/96 TPI	51/4" DSDD
	2nd ser. port	574 - 2022/30 Tr 1.1.1.33	1 010 0000 1111111111111111111111111111
39.	TEAC FD55B	DISKETTE A	CCESSORIES
	1/2 ht. DSDD Disk Drive 129		
40.	Switchcraft Keyboard	66. RSI 600 51/4" Head Cleaning H	
	13 prog. keys, heavy duty 175	67. F 320 31/2" Head Cleaning H	
41.	WICO 500110	68. MM 5 Media Mate-Holds 50	
	Analog Joystick	69. MM 3 Media Mate-Holds 30	31/2"
	CALL TOLL	REE 800-621-1269 EXCEPT Illin	ois, Alaska, Hawaii
-	Accts. Invited. Min. Ord. \$15.00. Above prices refle	ct cash discount. Add 3% for use of Visa or MasterCard b , B.R., Canada add \$10.00 first item) \$1.00 es. add's shoc	y Mail or Phone. Mail Cashier's Check, Mon. Ord., Pe & handi, Shipmenta to IL address add 7% tax. Prices
Corp. A	Check (2 wks. to clear) Add \$4.00 ist item (AK H		
Corp. A sonal C to char	Check (2 wks. to clear) Add \$4.00 1st item. (AK, H nge. WRITE for free catalog. RETURN POLICY: De	fectives Only: Most products replaced within 30 days of pr	urchase with identical merchandise only. Computer a
Corp. A sonal C to char large p BRAND	Check (2 wits, to clear) Add \$4.00 1st Item, (AK, H rge, WRITE for free catalog, RETURN POLICY: De eripherais replaced only when defective on arrive NEW, FIRST QUALITY AND COMPLETE.	fectives Only: Most products replaced within 30 days of p I (within 3 work days of delivery). Other problems covered	urchase with identical merchandise only. Computer a by mfr. warranty. ALL ELEK-TEK MERCHANDISE IS
Corp. A sonal C to chan large p BRAND	CALL IOLL I Accts, Invited. Min. Ord, 315.00. Above prices reflection Check (2 wise, to clear) Add \$4.00 Ist liten, (AK, H rgs, WHITE for the cleating, RETURN POLICY WHITE for the cleating, RETURN POLICY were reflected and the clean of the reflection NEW, FIRST QUALITY AND COMPLETE.	fectives Only: Most products replaced within 30 days of p I (within 3 work days of delivery). Other problems covered	urchase with identical merchandise only. Computer a I by mfr. warranty. ALL ELEK-TEK MERCHANDISE IS

Save 30% to 43%

off Manufacturer Suggested Ret. prices on

EPSON • Okidata • Gemini • NEC

• TOSHIBA • COMREX • TTX

and might stop working at any time. The director could not be traced, and I was pacing up and down, saying, "The bloody director is never here when you want him," when he stepped into the room via the window. His opening words were, "Here's the bloody director. I hear it's working."

I showed him this program, and he played with it and agreed that it was working. Then he turned to me with a grin and said, "It may be working, but the program's somewhat less than epoch-making," with which we had to agree, but it was very heartening for us.

We continued to add the chassis one by one, and by the end of June most of it was assembled. We didn't at that time have a multiplier, nor had we planned to have one, on Pilot ACE.

BYTE: You would use successive addition? IHW: Yes; it was to be done by a subroutine, optimum coded so that it was not too slow. In fact, the optimumcoded version was about as fast as the automatic multiplier on EDSAC. So as soon as it began to do significant things, Bullard began to press us to have an Open (House) Day and to demonstrate it to the world. Well, I was a bit anxious about that because it wasn't really reliable enough. The amplifiers on the delay lines were still inclined to be unstable. However, Bullard was a very impetuous man, and he finally landed us with these "demonstration days."

BYTE: When was that?

JHW: It would have been November of 1950. By that time we could do a variety of significant things, but it was still not a very reliable machine.

One of the troubles we had at that time was with the power supply—not our power supplies but that of the Central Electricity Generating Board. For instance, in the evening when everyone arrived home and switched on electric fires, the voltage would drop suddenly, and that gave us problems.

BYTE: Historically there was a coal shortage (continued)



CALL TOLL FREE -800-528-1 054

PRINTERS

Anadex \$1129 \$2039 \$2259 9625B WP6000 DP6500 Brother \$369 DX-15 HR-25 \$649 \$875 HR-35 C-Itoh \$479 \$909 \$1049 \$315 \$389 \$459 A-10-30 F-10 Parallel or Serial 55 CPS Serial or Parallel 8510 Parallel (Prowriter) 8510 SP 8510 SCP 8510 BPI \$335 Comrex Call CR-2E CB-4 Ċall 420 Call Datasouth \$1149 \$1469 DS180 DS220 Diablo \$694 \$1499 \$1669 \$1669 \$1139 \$2649 620 630 API 630 ECS 630 ECS/IBM Series 36 80 IF \$529 \$759 \$839 P32CQI S32COI \$1639 \$1719 \$999 P38 S38 C150 Epson All Printer Models Call Inforunner Riteman w/Tractor Riteman 15. \$244 \$499 \$299 Riteman Blue w/Tractor Juki Call 5500 6100 6300 \$399 \$699 NEC 2010, 2015, 2030 \$639 \$669 \$1215 \$1359 3550 7710, 7715, 7730 1649 \$1779 Call 8850 P2. P3 Okidata All Printer Models Call Panasonic \$275 1091 1092 \$439 \$709 1093 Silver Reed \$235 \$295 **EXP400** EXP500 Parallel \$295 \$399 \$399 EXP500 Serial . EXP550 Parallel EXP550 Serial 770 Parallel \$705 \$705 770 Serial Star Micronics Call All Printer Models Tally Spirit 80 \$245 Toshiba US Robotics Password 1200 P1340 Parallel or Serial P1351 Parallel or Serial \$709 \$1215 PLOTTERS





COLUMBIA COMPUTERS

PECIALS OF THE MONT

All systems include fifteen software packages with a \$3.200 value.

MPC4210 MPC4220 MPC4610 Columbia VP **MPC4620**

PRICED TOO LOW **TO PRINT Call for Prices.**

VIDEO TERMINALS ADDS \$469

A-3.	\$469
Viewpoint 60	
Viewpoint 90	
Altos	
Smart II	\$699
Qume	
QVT 102 Green	\$399
OVT 102 Amber	
QVT 103 Green	
QVT 103 Amber	\$850
QVT 108 Green	\$449
QVT 108 Amber	\$519
Televideo	
910	
910+	\$559
914	
924	
925	
950	
970	
800A (User Station)	
Personal Terminal	
Wyse	
50	
75	
Zenith z-29	\$599
MODEMS	
Anchor Automation	
Anchor Express	Call
Mark XII	
Hayes	
Smartmodern 300 Baud	
Smartmodern 1200 Baud	
Smartmodern 1200B Baud (IBM) Micromodern IIE (Apple)	
Novation Smart Cat Plus	
Racal-VadicAll Models	Call

COMPUTERS MONITORS Amdek All Monitors Altos All Computer Models Call **Princeton Graphic** Columbia Call HX-12 Corona Sanvo \$1919 PC-22 Dual Drive PC-HD2 Hard Disk \$2999 \$1689 CRT-30 CRT-36 PPC-2 Portable/Dual Drive PPC-HD2 Portable/Hard Disk \$2599 CRT-50 CRT-70 Leading Edge Personal Computer Call Taxan NEC 121 Green 122 Ambe PC-8201 Computer \$315 PC-8201A-90 Battery Pack \$15 \$215 \$16 420 RGB PC-8206A 32K Ram PC-8271A-01 AC Adapter 425 RGB/Green Zenith PC-8271A-02 AC Adapter S16 PC-8281A Recorder \$89 ZVM-122 Amber ZVM-123 Green Northstar ZVM-124 All Computer Models Call ZVM-133 Color/RGB Sanyo MBC-775 Portable ZVM-135 Color/RGB W/Audio DISK DRIVES Call MBC-550 System Çall MBC-555 System MBC-550-2 System Call Alpha Omega Turbo 10 Call MBC-555-2 Syslem lomega MBC-885 Call Bernoulli Box for IBM Televideo 10 Megabyte 20 Megabyte \$4285 802 H \$1765 \$2850 \$4640 \$869 803 Rana 803H Elite I Elite II 806/20 TPC-1 Elite III \$1749 \$1509 \$1909 TPC-2 Dual Drive Elite 10H/Apple Controller (W/Drive Only) TPC-2 Single Drive 1605 1000 W/DOS for Atari Visual Commuter From \$1469 **TEC MAR** Zenith Graphics Master Z-150 Single Drive Z-150 Dual Drive Z-150 W/10 Megabyte Save 25% 126K Dynamic Me Save 25% Save 25% Save 25% 256K Dynamic Memory aptain 128k Z-160 Single Drive Z-160 Dual Drive Captain 256K Save 25% BOARDS DISKETTES AST Six Pack Plus Maxeli Paradise MD-1 (Qty 100) \$175 Modular Graphic 06-A1 MD-2 (Qty 100) Eive Pak

Order Line: 1-800-528-1054

\$319

Other Information: 602-954-6109

2222 E. Indian School Rd. Phoenix, Arizona 85016

Order Processing &

Store Hours: Mon-Fri 10-5:30 Saturday 9-1 Order Line Hours: Mon-Fri 8:30-5:30 Saturday 9-1



Call

\$479

\$99 S149 Call

\$549

\$125

\$134 \$399

S410

S95

\$95

\$129 \$410

\$459

\$739

\$1950

\$2660

\$179 \$339 \$405 \$1080

\$69

5449 5225 5299

\$299

\$399

\$285

\$275 \$159

Prices reflect 3% to 5% cash discount. Product shipped in factory cartons with manufacturer's warranty. Please add \$8.00 per order for UPS shipping. Prices & availability subject to change without notice. Send cashier's check or money order ... all other checks will delay shipping two weeks. 11/84

at that time?

JHW: Yes. Such things added to our difficulties. We knew, too, that when SEAC had had its first demonstration—a little before us—it had been a fiasco, even though SEAC had, in general, been working reasonably well. During the whole of the time allotted to the press demonstration, it never once worked. You will find the early years abound with such badluck stories.

I must confess to having been pessimistic. We decided to have two popular programs for the daily press. For the first, they would give us a sixfigure decimal number and the computer would tell them if it were a



prime, and if not, output a factor.

For the second program, they would give us any date from the year 0 up to the year 9999 and it would output what day of the week it was. It covered both the Julian and Gregorian calendars and dealt with all leap years. In all, quite an amusing little program. Mike Woodger produced that program.

BYTE: And where did he discover the technique?

JHW: He worked it out for himself. Such programs are good fun, of course, but they leave one mercilessly exposed to the vulgar gaze. Someone puts in the current date, which is Wednesday, say, and the machine promptly says Thursday! So they're very much more dangerous. If you tell the press it's solving a partial differential equation, you can swear blind it's solving a partial differential equation and they would be hard put to prove it is not. Finally, we were to have one serious program; this traced skew rays through a set of lenses.

Well, we decided on this last program and announced it, only to find that we couldn't get the program to work. Two days before the press show it had still never worked, and we didn't know whether the program had a bug or whether it was due to computer malfunction. Then, just two days before the show, Alway and I accidentally found it was a minor machine fault which was not invoked at all in our other programs.

We got all three programs working then, just in time. The arrangement was that Bullard would entertain the popular press and I would give the demonstrations. The whole thing was to cover three days; one day with the popular press, one with the technical press, and a third day for VIPs including our competitors. Wilkes had his machine running in Cambridge and was justifiably proud of it. Williams and Kilburn from Manchester were also coming.

BYTE: They had a machine too, didn't they? JHW: They had a little hookup at that (continued)

You've probably already outgrown your personal computer.

Introducing the TeleVideo Personal Mini. Your simplest PC growth path.

You'll know you've outgrown your personal computer the first time you realize it won't let people share resources or work on the same job simultaneously.

The fact is, the isolated, standalone PC is only the beginning of how computers can meet today's business needs.

The fact is, your next step to growth is the new TeleVideo® Personal Mini.[™] Simply plug it in and grow.

Runs PC, mini and multiuser software.

With the TeleVideo Personal Mini, users of IBM® or TeleVideo PCs, XTs, and portable computers can share data and expensive peripherals like printers and plotters. Personal Mini

The Personal Mini dramatically increases computing power. So it not only runs PC software, but also hundreds of popular, fast minicomputer and multiuser software programs in your established PC environment.

And, unlike less advanced networks, the Personal Mini never sacrifices performance or speed regardless of how many workstations are on line. It also offers multitasking.

Enhance your original PC investment.

Even system expansion costs are substantially less than what you'd pay to add new IBM PCs. And your original investment in hardware, software and personal computer education is never lost. Your TeleVideo dealer now has the Personal Mini. Arrange to see it today by calling toll free, 800-521-4897. In California, call 800-821-3774. Ask for operator 10.

This is the first PC compatible multiuser, multitasking system. And the computer solution you'll never outgrow. Regional Sales Offices: Northwest (408) 745-7760, Southwest (714) 476-0244, Southcentral (214) 258-6776, Midwest (312) 397-5400, Southeast (404) 447-1231, Mid-Atlantic (703) 556-7764, Northeast (617) 890-3282, East (516) 496-4777, Rocky Mountain (408) 745-7760.

IBM is a registered trademark of International Business Machines.



The TeleVideo Personal Mini. The first PC compatible multiuser system.

FEBRUARY 1985 . BYTE 191



SANYO SANYO

Sanyo 550 & 555 PC's, Built-in software includes Easywriter, Easy Filer, Word Star, Calcstar and more. Great Prices.

Computer 550-1	Ram 128K -	Drive 180K (1 drive)	Price
550-2 555-1	128K ·	360K (2 drives) 360K (2 drives)	CALL
555-2		720K (2 drives) ABLE TO 256	CALL

OTHER COMPUTER SPECIALS

IBM PC and PCXT in stock, available at special prices. CALL

ALSPA 8" CPM Computers, 64K memory workhorse at super special

prices 1/SS 2/DS ... \$1,000 2/SS ... \$700. Commodere-full fine...... CALL

DISKS & ACCESSORIES

Price per 5%" Disk

311			22	05	AT
Øty.	SS/DD	05/00	96 TPI	96 TPI	H DENS
10	\$1.53	2.04	2.31	2.86	CALL
100	1.50	2.90	2.28	2.80	CALL
200	1.47	1.96	2.22	2.75	CALL
TERBA				05	AT
Qty.	SS/DD	05/80	96 TPI	BS TPI	H DENS
10	\$1.68	2.26	2.83	3.77	4.17
100	1.84	2.21	2.77	3.70	4.09
200	1.61	2.17	2.72	3.62	4.00
LAXEL			55	85	AT
Qty.	55/80	05/00	96 TPI	96 TPI	H DENS
10	\$1.95	2.59	2.82	3.53	5.25
100	1.92	2.54	2.78	3.48	5.15
200	1 84	2.49	2.71	3.38	5.04

30 MacIntosh 31/2" diskettes in Amaray diskbank \$135.



AB'S OWN DISKETTES

Over 40% off our regular lew price! 50 top quality ds/dd diskettes packaged in an Amaray Media Mate 5. Only \$72.

AB carrys all major brands....3M, Verbatim, Maxell, Wabash, Sentinet, Dysan...in all popular sizes and configurations. CALL for super prices

DISK STORAGE

DIGK GIVNAUL	
Mini Flip 'N File (50 5" disks) \$17.4	15
Rolltop 100 (100 disks,	
10 dividers). 28.9	99
Mini Kas-ette/10 (for 5" disks)	
1/2.25 10/2.05	
*Amaray Mediamate 5 11.6	
Innovative Concepts-fold out style f	or
5" disks;	
Flip 'N File/25	jO
Flip 'N File/50	15
Smith & Bellows Wooden Storage	-
Boxes for 5" disks. Natural or dark finis	n .
For 50 disks	8.
For 70 disks	1.
For 100 disks	4.
BANG HISTADE dat standard th	
PLUS "HEAD" disk cleaning kit	
(w/2 disks) 11.9	9
IBM drive analyzer (Verbatim) 22.5	10

data ENITH systems

All Zeniths fully software & hardware com-patible with the PC and XT ... superior keyboard:

Computer	Ham Ur	ive	Pons	Price
ZF-151-21	128K 36	0	1PL/2 SEI	R CALL
ZF-151-52	320K 72	0 (2 drives)	1PL/2 SEI	R CALL
ZW-151-52	320K 10	6 MB + 360	1PL/2 SEI	R CALL
ZF-161-21*	128K 36	0	1PL/2 SEP	R. CALL
ZF-161-52*	320K 72	0 (2 drives)	1PL/2 SEP	R CALL
	Portable			
Derconal	Dearl	databaca	manaa	r only

\$100 with any Zenith System purchase

SOFTWARE HIT PARADE

	Math Blaster! (Davidson)	35.
	Typing Tutor III (S&S)	. 35.
	Alphabet Z00 (Spinnaker)	. 22.
	Success with Math (CBS)	18.
	Typing Tutor II (Microsoft)	. 18.
	Algebra I (Peachtree)	. 22.
	Story Machine (Spinnaker)	. 22.
	Word Attack! (Davidson)	. 35.
•	Get Organized! (Electronic Arts)	139.
	Spotlight (Software Arts).	120.
	Microsoft "Word" (w/Mause)	325.
	Unix Operating System for PC	CALL
	Copy PC.	. 29.
	Flight Simulator II (Sub Logic)	
	1-2-3 (Lotus)	299.
	PFS:File (Software Pbshq.)	. 89.

USI—20 Mhz band width, 1000 lines resolution. Easily capable of 80 char-acter display. *1200A (PI-3)-12" amber phosphor

ZVM-124 12" amber-22 MHz TTL for IBM \$150.

12" Green 20 MHz (Sound)..... \$137.

12" Amber 20 MHz (Sound) 145.

 ELECTROHOME
 Cloud
 143.

 ELECTROHOME
 ECM 1226-12" Green
 \$95.

 ECM 1302-1-13" Color RGB
 195.

 ECM 1302-2-13" Color (Hi Res)
 330.

......

MONITORS

SPECIAL

PANASONIC

ZENITH

Amdek

Color 300

500

600

700

710A NEW X-TRON Monitor.

POWER DEVICES

"BITS" Power back-up-250W

Datashield back-up power source 200 PC-200 watt 300 XT-300 watt

True uninterruptable Brooks 6 Outlet—Surge Supressor/ Noise Filter Computer Power Inc.-500 VA Tripp Lite 425 VA

Ordering Information: Order by check. MasterCard or VISA Personal checks take 15 days to clear no waiting on certified

resonances and outputs and outputs to be in the maining on center checks or money orders Add 3% shopping and handling on all orders firminimum \$2000, Mail APO/FPO Aim may require add-tional charges PA residents add 6% sales tax. MA residents add 5% All items subject to availability. Prices subject to

change Additional discounts available to qualified educational

institutions. Requests for bid on volume requirements invited

Panasonic

Pagasenic Panasonic KXP 1090, IBM cable Friction and tractor. Reg. list \$430. NOW \$260

	Symphony (Lotus)	
	PFS:Report (Software Pbshq.)	
	PFS:Write (Software Pbshq.)	
	dBase III (Ashton-Tate)	. 460.
	dBase II (Ashton-Tate).	325.
	Framework (Ashton-Tate)	. 460.
	Multimate (Multimate)	. 320.
	Chart (Microsoft)	. 179.
	Muttiplan (Microsoft)	. 129.
	Wordstar (Micropro)	
	J.K. Lasser's Your Income Tax	
	Book and 2 diskettes	
	(Apple & IBM only)	. 48.
	Your New Baby	
	Kermits Story Maker	
	*Personal Pearl (pearlsoft)	_Data.
	base filing/reporting system	
-		

We carry full software lines by Electronic Arts. Scholastic, Scarborough. PFS, Spinnaker, Batteries Included, Others. If you don't see it here. CALL.

80

CALL

CALL

CALL

CALL

125.

\$265.

695.

54

1320.

390.

OUTPUT DEVICES

Printers by Star, Epson, C. Itoh, Amdek, Panasonic, Okidata, Diabio, Brether: Star Micronics Gemini 10X - 10" carriage, F/T 120 CPS. Epson LQ-1500-NEW 24-pin \$285. letter quality det matrix Epson RX-80-Tractor Feed, Graftrax + CALL 250 Okidata 92 CALL Amdek Printers

5025-25 CPS Daisywheel, 2K Buffer 5040-40 CPS Daisywheel, 2K Buffer 5055-55 CPS Daisywheel, 2K Buffer CALL CALL CALL Brother HR-35 Daisywheel-35 CPS Bi-Directional ... Brother HR-25 Daisywheel-889 23 CPS Bi-Directional ... Brother HR-15 Daisywheel-649. 13 CPS Bi-Directional 389 Star Radix 10 . Star Radix 15 . 600 695 C. Itoh Prowriter I (Parallel) Starwriter (40 CPS) CALL CALL Diablo 620 (Daisywheel). IBM Parallel Printer Cable CALL

COMMUNICATIONS

••••••••
Mark X Auto Dial/Auto Answer \$119
Anchor Mark XII SmartModem 265
Hayes SmartModem 1200B 459
(includes Smartcom II soltware)
Hayes SmartModem 1200/300 495
"Crosstalk" software
+ Voad keyboard-phone software for
IBM PC and compatibles. Features
mail merge, call reporting, "Note
Pad" and more
FREE CATALOG!
! This ad space can accommodate only a

few of the exceptional values available from AB. Our latest catalog is packed with fantastic buys, top brands, thousands of items. For a free copy call or write.

commodore commodore

WC6420 Auto Modem (also avail	able for
Atari, & Apple at slightly higher price)	\$65.
Tech Sketch Light Pen & Micro	. 900.
Hustrator	. 44.
MSD Superdrives, single and deal	
	CALL
CBC 4/12 Analog to Digital	
4 Chan/12 Bit	179.
Typing Tutor III w/Letter Invaders	. 35.
(Also for Apple & IBM)	
Paper Clip Word Processor	
CBM/C64	. 60.
50 Column Display Card	
by "Batteries Included"	149.
Oracle (Consultant) Data Base	
by "Batteries Included"	. 89.
BusCard II	
by "Batteries Included"	149.
Cable from BusCard to parallel Printer .	25.
All other "Batteries Included" items	
in stock	CALL
FORTH for PET/C 64	
	. 50.
Ditto Disk 64 (copy discs even if or	
Is copy pretected)	36.
Stat for PET/CBM/C64	. 95.
Comprehensive Statistical Analysis Routines	
*AB's C64 Upgrade Kit: includes 8	usCard
II, IEEE cable and MSD Superdrive	
KMMM PASCAL IV.1 (C64/PET)	05
NEW +4 PASCAL	CALL
FLEX-FILE II-User friendly. Set-up	GALL
maintain data base. Includes r	
writer & mail label routines	aport
Petscan-Connect up to 37 CBM	
computers as networked cluster to s	
drives & printers	CALL
C-Scan—Connect up to 8 computers	(C 64,
VIC 20, or similar buss) to shared a	drives
and printers	125.

/ETC.

+ Data Technology TeamMate Drive
super new system Puts 3.3 M8 on 5% floppy For-
mats to 2.8 For PC XT owners, an alternative to hard
disk. 4 disk back-up 10 megabytes CALL
Winchester Orives (10 MB)
Paradise Modular Graphics
Card
Paradise 5 pack
Quadram Quadboard-Parallel port, serial
port, clock/calendar.
No RAM-\$299, w/64K-\$379, w/384K-\$499,
*AMDEK MAI graphics card for
IBM PC (includes Halo software) 200.
Hercules graphics board
Votrax speech synthesizers—
Personal Speech System
AST-full line of IBM cards & Boards. GALL
Keytronics 5150 keyboard
Koala Pad (w/software)
4164 Chip-Memory expansion for
IBM, 64K
Interface Cables-6, 10, 12 ft. all
popular connectors
(Dealer inquiries invited)



time, but it could scarcely be called a computer. They hadn't built the Mark I by that time. Their little hookup was the first anywhere ever to run a stored program. It worked in 1947 and found the highest common factor of two numbers. This was, of course, a great deal smaller even than the Pilot ACE. However, it *was* an impressive "first" and I well remember being very heartened when I saw it working.

My point then, is that Open Day was doomed to be a failure. The plan for the first day was that Bullard was to entertain the press upstairs, while downstairs we made sure the computer was working. We were to receive a signal when Bullard was almost through. We did, and immediately the machine stopped working. We found out, almost at once, that it was a chassis associated with one of the delay lines. We plugged in a spare, but unfortunately we knew that the amplifier, as it warmed up, would become unstable; the amplifier would then need to be retuned and in 10 minutes all would be fine from then on.

So we were expecting to run into trouble almost as soon as the demonstration started. Well, the press arrived. They threw numbers at us and the computer factorized them like a charm. It was indefatigable!

We moved on to the 'dates' program. It worked as it had never worked before: the day of Trafalgar, Waterloo, King George V's birthday.

We moved on to the ray tracing. It traced rays like a fiend; nothing could stop it. It continued in this vein from 10 till 1 o'clock. Then the press went away to lunch. We immediately looked at the output from the delay line, that is, the shape of the pulse coming out. It was the best output we'd ever seen!

The computer factorized numbers like a charm.

Further press representatives came in the afternoon; still a faultless performance.

The next day we had the technical press, and it was the same story. Never before had it worked for anything approaching this time period without a fault. The third day the VIPs came. Surely it would let us down now? Not a bit of it. Wilkes was there. I have always found him a very fair man, but naturally he was not prepared to give anything away. He didn't get a chance; it was perfect. It had already been decided that there would be a fourth day when it would (continued)

2 YEAR WARRANTY ON CARD AND DRIVE



Suggested retail price \$1095



100% refundable within 30 days.

For IBM PC* & compatibles. 2 Years Warranty on disk drive and controller card.

- Half-height drive with controller card
- Low error rate
- Low power
- High performance and reliability
- Easy installation

20 Mbyte for '1,495.

TO ORDER SEND CHECK OR MONEY ORDER TO:

Linde Technology, Inc. 8820 S. Sepulveda Blvd., Suite 204 Los Angeles, CA 90045

OR CALL TOLL FREE: 1 (800) 227-2400 ext. 974

In Catifornia call 1 (800) 772-2666 ext. 974 Visa and MasterCard accepted. Catifornia residents add 6½% sales tax.

For dealer inquiry and more information call: (213) 215-9484 "IBM is a registered trademark of International Business Machines Corp. Yes, send me more Information on: D Mbyte Disk Drive 20 Mbyte Disk Drive Linde Technology, Inc. 820 S. Sepulveda Blvd., Suite 204 Los Angeles, CA 90045 NAME ADDRESS.



ZIP

INTERVIEW



Photo 2: A hand-cranked desk calculator, like the one used by Wilkinson to perform numerical analysis during World War II. This machine was manufactured by Brunsviga.

be put on show for the staff of NPL. This was a Saturday. The computer had a small fault before our audience arrived, but we soon put this right, and once again it performed flawlessly. The chances of such a performance must have been a million to one against.

On Monday we came in feeling rather jubilant. The computer was down, and it took us about a week to get it working again!

BYTE: Today a lot of people are coming into computing with no background in calculation. Many of the machines they're using don't have the properties that ACE did, with doubleprecision accumulation of inner products. People have very little knowledge of this. How can these ideas be got across to them? JHW: It's a really difficult question, and I wouldn't claim to know the complete answer to it. Our experience with the Pilot ACE was really rather special. In order to get the most out of a machine with such a small store, user cooperation was essential on a scale which in many ways is not achieved even now. This gave one an intimacy with the machine; we were forced to look at the numbers and thereby achieved a deep understanding of what was going on. One can, of course, do this with modern computers; indeed the potential for doing it is actually greater, but one has to

realize what it is one should be doing and why. For iterative methods we used acceleration techniques which were actually under the direct control of the operator. (For instance, when we were using the power method for the determination of the dominant eigenvector of a matrix, we could follow the progress of the vector on a cathode-ray tube screen. We had a cathode-ray display which showed the contents of any long delay line. We would look at the screen (which showed 32 components of the current vector), and we would see how fast it was converging. We would put a piece of paper over it, and we could say, for example, "It's gaining a binary digit every three iterations, so the ratio of the dominant to the subdominant eigenvalue must be about 2 to the power 1/3." We could then set up a shift of origin on the input keys that would give much faster convergence.) This work was commonly done by assistants who were in no sense qualified mathematicians, but they became very expert indeed. It is surprising how well they understood the battery of acceleration techniques available and how efficiently they used them. When later we went over to more automatic techniques, they complained we were "taking the guts out of their work." They really loved these early programs. The familiarity and intimacy gained with the computing process was fully comparable with that which one gets on a hand desk machine, where perforce you see every number. But on ACE that familiarity was gained quickly and painlessly. This experience was invaluable. Is there any way you can get it now? Of course there is, but one needs to know what is worth having and to have the incentive to output it.

BYTE: I would say my own experience is that we are transferring large-machine; "faceless" programs down to the personal computers, where in fact one can go back to the ACE ideas.

JHW: Yes. I agree. The potential is there, and it's much greater, really, than it was on ACE. But in my experience, many people who do computing are reluctant to look at numbers. At Stanford the general level of our students has been pretty high, but I would say their main weakness is in their inability to look at outputs and extract the meaningful information in them. In fact, somewhat to my surprise, they are generally less efficient at this than the assistants I used to have at NPL in the ACE days, in spite of having far superior mathematical qualifications. Most of those assistants had experience with desk computers and had learned to "look at numbers." The Pilot ACE forced them to continue with this habit.

I certainly do not want to suggest that the way to acquire this habit is to serve an apprenticeship on hand desk computers, but we have yet to learn how to instill the relevant knowledge. ■

FURTHER READING

This interview examines James H. Wilkinson's role in building the computer designed by Turing. For additional information on this subject, see Wilkinson's "Turing's Work at the National Physical Laboratory," in A History of Computing in the Twentieth Century, N. Metropolis, J. Howlett, and G. C. Rota, eds. (New York: Academic Press, 1980) and his articles on this topic in The Radio and Electronic Engineer (July 1975), plus a transcript of an oral history in Pioneers of Computing, C. Evans, ed. (London: Science Museum, 1975).

HOW TO BUY SOFTWARE WHEN ALL THE ADS LOOK THE S

e know it's hard to choose a software house. All the ads say the same thing—"Lowest prices," "fastest delivery," "best support," "biggest inventory."

Trouble is, although the claims are the same, the companies are very different. Which is why we want you to know some important facts about us:

800-SOFTWARE is one of the oldest and most reputable firms in the industry. Our customers include IBM. GE Hewlett-Packard, Xerox, AT&T, and thousands of other satisfied buyers.

Our National Accounts Pro-2. gram offers volume discounts and valuable services to large software users. We offer *incredibly* low prices on large bids!

We have a giant, \$1,000,000 • inventory. Which means we can offer next-day delivery if needed.

With every product you get • friendly, expert technical support. Have a question? You'll be glad you bought from 800-SOFTWARE!

We'll match our com-**D** • petitors' prices on most products. We never cut service.

We never charge extra for 6. credit card purchases, nor do we process for payment until the product is shipped. (Our competitors don't make this claim!)

You'll automatically receive • our Technical Support Newsletter-a great way to stay up-to-date.

We are members of the 8. Better Business Bureau and the Direct Marketing Association.

We want your business. • And your repeat business. Which is why we work so hard to keep you happy. Give us a call and let us prove it!

CHECK OUT ALL OUR INCREDIBLE BUSINESS SOFTWARE PRICES:

Lotus 1-2-3 \$309		dBase / \$299/\$379	Framework \$379	WordStar 2000/2000 Plus \$269/\$329
Lotus Symphony \$439		Crosstalk \$105		Hayes Smartmodems 1200/12008 \$489/\$409
SOFTWARE		TelMerge	\$ 99	HAROWARE, ETC
ASHTON-TATE"		All Other Products	CALL	AMOEK" Monitors CALL
dBase II/III	\$299/\$379	MICRORIM"	1	AST [™] Products CALL
Framework	\$379	RBase 4000	\$289	ATI" & CDEX" TRAINING CALL
Friday!	\$219	MICROSOFT®		EPSON" PRINTERS NEW LOW PRICES!
OIGITAL RESEARCH"	CALL	Multiplan	\$149	HAYES
FOX & GELLER"	CALL	Word w/Mouse	\$299	Smartmodems 1200/12008 \$489/\$409
IMSI"		Fortran	\$269	HERCULES
4-Point Graphics	\$ 99	All Other Products	CALL	Color Card \$199
PC Paintbrush	\$ 99	MICROSTUF" Crosstalk	\$105	Graphic Card \$329
LIFETREE'"		MULTIMATE"	\$299	IBM®
Volkswriter Oeluxe	\$179	ROSESOFT" Pro Key	\$ 99	Computers and
LOTUS"		SOF TWARE PUBLISHERS"		Other Products NEW LOW PRICES!
1.2.3	\$309	PFS File/Graph/Write	\$ 84	MAXELL [™] & MEMOREX [™] DISKETTES CALL
Symphony	\$439	PFS Report	\$ 75	NORTON UTILITIES" \$ 59
MICROPRO®		SORCIM/IUS"		OKIDATA" PRINTERS NEW LOW PRICES!
WordStar 2000/2000 Plus	\$269/\$329	SuperCalc 2/3	\$159/\$209	PRINCETON GRAPHICS" MONITORS CALL
WordStar Pro Package/P.P. Plus	\$259/\$359	EasyWriter II System	\$185	QUADRAM'" CALL
InfoStar	CALL	IUS Easy Business Accounting	\$299/mod.	WESTERN UNION EASY LINE® FREE
ChartStar	\$239	All Other Products	CALL	

WE ALSO CARRY HUNDREDS OF OTHER PRODUCTS!



800-SOFTWARE, INC. 940 Dwight Way Berkeley, CA 94710


Copyright 800-Software 1984

To order call toll-free:

800-227-4587 or 415-644-3611

- Dealer inquiries welcome.
 Quantity discounts available through our National Accounts Program.
 Purchase orders accepted. Please call us in

- □ Purchase orders accepted. Please call us in advance.
 □ Call for shipping charges. Overnight delivery available.
 □ We do not add surcharge for credit card purchases.
 □ Prices may change. Above prices are for IBM-PC and compatibles.
 □ International orders welcome: TELEE x 751743 800 SOFTWARE UI)
 □ Compuserve Key Word "GO-EH."



For Distributor Information, write or phone JIM-PAK, 1355 Shoreway Road, Belmont, CA 94002 (415) 595-5936

DIS AUTHORIZED DISTRIBUTORS • AUTHORIZED DISTRIBUTORS • AUTHORIZED DISTRIBUTORS • AUTHORIZED DISTRIBUTORS •

1355 SHOREWAY ROAD O Competence	itive Prices Authorized Jll	on call (415) 595-5936 Telex #176043
MICRO CHARTS With the second	FIBEROPTICS The EDU-LINK Learning Kit The EDU-LINK fiber optic system is a low-cost, TTL compatible data trans- mission system designed specifically as an educa- tional tool for students and engineers working in many different industries. Includes: • Transmitter PCB • Receiver PCB • One meter of plastic optic fiber • All necessary electrical hardware • Complete step-by-step instructio • Theory of operation • Tutorial information Part No. ELK-1	Part No. Description LM387N Low Noise Dual Pre-Amp NE558N Quad Timer LM3905N Precision Timer
DATA BOOKS Description 30001 Nat. CMOS (CD4000/74C) 30003 National Linear 30005 National TL Logic 30009 Intersil Data 30014 National Intuitive IC CMOS Evolution 30015 National Intuitive Op Amps 30016 National Voltage Regulator 30017 National MOS Memory 30018 National Interface, Bipolar (LSI & Memory), Prog. Logic 30019 Intel Memory Components 230843 Intel Microsystem Components	Electronic Robot Kits Fertion Peppy MV915 Piper-Mouse (Sound Sensor MV916 Peppy (Sound/Touch Sensor MV918 Memocon Crawler (Programmable Memory) MV931 Mr. Bootsman (Wired Control MV935 Circular (Remote Control) MV939 Medusa (Sound Sensor)	2732A32K EPROM (21V)2732A32K EPROM (21V)4164N-20064K Dynamic RAM (200ns)6116LP-416K Static CMOS RAM (200ns) Low Power6264P-1564K Static CMOS RAM (150ns)6502BMPU with Clock (3MHz)6845CRT Controller (CRTC)8085ACPU 8-Bit N Channel8086CPU 16-Bit (8MHz)8088CPU 16-Bit (8-Bit Data Bus)8251AProgrammable Comm. I/O (USART)or)8253-5Programmable Interval Timer 271280r)27128128K EPROM 250ns (21V) MM58167MICOLATOR000
FANS AND ACCESSORIESPert No.DescriptionMU2A1Muffin Style Fan (4.68 inch sc Sprite Style Fan (3.125 inch sc Sprite Style steel wire finger Sprite-style steel wire finger	DIODES CRYSTALS CRYSTALS TRANSISTORS SOCKETS SOCKETS KITS Souare) guard SWITCHES RESISTORS	DURNECTORS DER-TYPE CONTACTS No. Description 30360 36 Contact Plug (Centronics) 60360 36 Contact Socket (Centronics) 30500 50 Contact Plug 60500 50 Contact Socket ENDER HANGERS

LEDS

HEAT SINKS

KEYBOARDS

WIRE

SPEAKERS

TOOLS

CORDS

SOLDER

IC'S

BOOKS

CAPACITORS

and more

Includes the popular verse: "I'm a computer memory chip Just a little brain I do so many things for you Too many to proclaim

Look through my window See what makes me tick A thousand tiny circuits And my silicon chip."

Description

Gender Changer (Connects 2 DB25P) RS232

Gender Changer (Connects 2 DB25S) RS232

The Famous Silicon Chip

Gender Changer (Connects 2 Male Centronics cables)

Gender Changer (Connects 2 Female Centronics cables)

Part No.

JRSMM

JRSFF

JCENMM

JCENFF

Muffin-style steel wire finger guard SFG648 Sprite-style steel wire finger guard 🗃 <u>industries</u>



EMI-RFI noise before it can damage your equipment or cause data loss.

 6 sockets · 6 ft. power cord
 Brown-out/black-out reset switch · Brown-out notification (audible alarm) · 6 mo. warranty

Inquiry 165

Part No.

Model 100

FEBRUARY 1985 • BYTE 197

Part No. MKC-1

Memory Key Chain (Gold)

The United Way volunteer gives a gift that's hard to measure.

Because without his or her contribution of time, energy and dedication, the community

services and local programs of United Way simply cannot exist.

United Way has much to do in our community. From day care for the young to services for the elderly.

So this year, be generous. Give yourself.



FOR ALL OF US C United Way 1984

THANKS TO YOU

A Public Service of This Publication

S·C·I·E·N·C·E

A LOW-COST DATA-ACQUISITION SYSTEM

by Kiyohisa Okamura and Kamyab Aghai-Tabriz

A compromise between cost and quality, this system is adequate for many research projects

COMMERCIALLY AVAILABLE dataacquisition systems are quite expensive. A decent system may cost as much as or more than the entire annual equipment budget of an engineering department at a small educational institution like ours. Our solution to this problem was to design and build our own system. A reasonable compromise between price and quality, our system includes a Commodore 64 computer, a video display, a disk drive, and some miscellaneous hardware for about \$800. It has only 8-bit data acquisition, but you can design a 12-bit system by using one and one-half I/O (input/output) ports (i.e., 12 bits) as the data-input pins. Furthermore, during breaks between experiments, our system can provide you with entertainment. Have you ever heard of a data-acquisition system you can play Pac-Man on?

HARDWARE

The circuit diagram to interface the real world to the Commodore 64 is shown in figure 1, and the corresponding hardware is shown in photo 1. For analog-to-digital (A/D) conver-

sion, we use an 8-bit ADC0804. To multiplex the multichannel analog input signals, we use the multiplexer (MUX) chip 4051. The outputs are connected to data lines PBO-PB7 of Complex Interface Adapter 2 (CIA2) through the Commodore 64's User Port CN2. The input channel selection is done by the three bits PBO, PB1, and PB2 of CIA1, which are connected respectively to C(MSB), B, and A(LSB) of the 4051. For example, channel 0 is selected by CBA-000, channel 1 by CBA-001, and so on. This multiplexing arrangement can accept up to eight analog signals. However, our plotting software is limited to three channels. The graphic resolution decreases as the number of channels displayed on Kiyohisa Okamura, an associate professor of mechanical engineering and director of the Applied High-Tech Laboratory at North Dakota State University (Fargo, ND 58105),

Dakota State University (Fargo, ND 58105), holds a Ph.D. from Purdue University. He is also a technical consultant for U.S.–Japanese biomedical engineering and computer businesses. Kamyab Aghai-Tabriz is a graduate student of mechanical engineering at North Dakota State University. the screen increases. Handshaking between the ADC and CN2 can be done through a pair of connections: $\overline{WR}(ADC)$ to $\overline{PC2}(Commodore 64)$ and $\overline{INT}(ADC)$ to $\overline{FLAG}(Commodore 64)$. The latter is optional, and we don't use it in our software.

The analog signal to be connected to each input terminal of the MUX CD4051 in figure 1 should be properly conditioned, which involves amplifying and biasing the signal so that the voltage level is between 0 and +5 V, because +5 V is used as a voltage reference in the ADC. The signal should be made to come as close as possible to the full range of the ADC. without exceeding the full-range limit, for maximum resolution. Therefore, you may need an amplifier between each transducer and the MUX. In our case, since the output of each transducer was relatively large, we used an analog computer for signal conditioning. For a very small signal you can use a differential amplifier. According to figure 1, one of the two lead wires for the input signal is for return and should be grounded.

(continued)

The ADC converts analog input voltage to 8-bit binary data with 0 V corresponding to 00000000 and +5 V to 11111111. The computer shows only the decimal equivalent on the screen. that is, 0 to 255 for 0 to 5 V, respectively. Any value between these two extremes is proportionally converted. For example, a converted data 1 (decimal unity) corresponds to an analog input to 0.02 V (1 \times 5/255). Similarly, a data value of 37 corresponds to 0.73 V (37 × 5/255), and so on. If you want to store or display the value of input directly expressed in voltage, all you have to do is divide the acquired data by 51 (255/5).

Using this method of conversion together with a manufacturer's calibration data sheet for a transducer, we can determine the correlation between the original physical quantity and the acquired data in the computer. Another method we often use is direct calibration.

The accuracy of the A/D conversion depends partly upon the accuracy and stability of the voltage supplied to REF/2 (pin 9). We used the reference voltage from the Commodore 64's 5-V power supply. Our measurement shows that this voltage is actually 4.98 V with a ripple component of less than 0.5 percent. It is quite stable and accurate enough for undergraduate experiments conducted in our laboratories. If you want greater accuracy, use a more reliable voltage reference for pin 9.

The serial data is output to pin M of CN2, which is connected to the coaxial cable as shown in figure 2. The other end of the cable is connected to the serial port of a receiving computer either directly or through a line driver/receiver, depending on the compatibility of the two computers' serial ports. For example, the Commodore 64 and TRS-80 we are using in our laboratories are not RS-232C-compatible. In the Commodore 64, binary state 1 corresponds to +5 V and binary 0 to 0 V at pin M. On the other hand, at the RS-232C terminal of the TRS-80, binary state 1 corresponds to 0 V and binary 0 to +12 V. Therefore, these two computers are incompatible in both voltage levels and polarity. This incompatibility can be resolved by line driver MC1488 as shown. If the receiving computer uses +12 V and -12 V with inverted polarity, you should connect point P to the receiving RS-232C. With noninverted polarity, use point Q instead.

We use a 500-foot coaxial cable to connect a Commodore 64 in one laboratory to a TRS-80 in another laboratory. We haven't noticed any voltage drop or noise at the receiving end.

SOFTWARE

[Editor's note: The program for data acquisition is available for downloading via BYTEnet Listings. The telephone number is (603) 924-9820.] The main portion of the program uses several assembly-language subroutines that are loaded in machine-language form via BASIC DATA statements. When you load the program, the menu in photo 2 appears. The menu and software are self-explanatory, so we'll only discuss the software briefly. When downloading the program, eliminate all state-




Figure 1: A schematic for the A/D converter for the Commodore 64 data-acquisition system.

ments headed with REM except for line 10, since they are strictly for comment and if typed in, they occupy too much space in RAM (random-access read/write memory).

When the main program is executed, all subroutines written in assembly language are poked into the appropriate locations as sequential data. Therefore, you should store the data (listings 2, 3, 4, and 5) as sequential files. Assign names (listing2, listing3, and so on) to these files. When the main program is executed, these programs will be poked into the locations shown in the first column of each listing.

A data-transmission subroutine is part of the main program. The transmission format is 2400 bps (bits per second), 7 data bits, 1 stop bit, and no parity check. This part of the program is also self-explanatory, but you have to remember to throw switch SW1 to the +5 V position when you use it. The screen displays the data as it is being transmitted from the Commodore 64. At the end of transmission, the screen displays an instruction: switch to ADC and press any key. You then throw SW1 back to the previous position so that the CIA is connected to the ADC.

The standard sampling rates of A/D conversion programmed in the main program are 1000, 500, and 100 samples per second; you can select the rate as part of the data-acquisition subroutine. In addition, you can set any sampling rate by yourself by adjusting parameters qq and ww in line 1110. This setting corresponds to the default value when the instruction for selecting the sampling rate is displayed on the screen. The maximum rate available is 4360 samples per second at ww = qq = 1. If you have three channels, this implies the sampling rate of 1453 samples/second for each channel. To lower the sampling rate, just increase qq and/or ww. These parameters are used in timedelay loops in the assembly program with parameter ww in the inner loop and parameter qq in the outer loop. Delay parameter ww has a greater effect on lowering the sampling rate than parameter qq does.

To calibrate the exact sampling rate, we used a square wave from a crystal oscillator as an input. Since the frequency of the crystal oscillator is quite accurately known, the sampling rate can therefore be determined.

(continued)




Figure 2: TTL (transistor-transistor logic) to RS-232C-level conversion.




Photo 1: The A/D converter.



The Silver Fox™ Trots through Lotus like 1,2,3

The Silver Fox has always run hundreds of programs originally written for the IBM-PC. Now with its new compatible video board and GW Basic it runs the most popular and powerful software in microcomputing including Lotus 1,2,3, dBASE II, Multiplan, the PFS series, and even Flight Simulator. Yet you still get an incomparable combination of hardware and software at a price that invites comparison.

MORE HARDWARE

Each Silver Fox comes with an 8088 CPU, 256K of RAM, monochrome and color video, and a printer port all on a single board. Plus you get more than twice the storage of a standard PC, 1.6 Megabytes on dual 5 1/4" floppys, and the Fox will read and write to all popular PC formats.

Standard equipment also includes a better keyboard, and a 12" high-resolution, green monochrome monitor, with a full 25x80 column display. And although the Silver Fox doesn't have "compatible" expansion slots you can add serial ports, modems, plotters, printers, joysticks, and 8087 co-processor, and/or a hard disk.

Because the Silver Fox is born on a totally automated line in Japan it is simply more reliable than PC's that are assembled by hand. So we back each Silver Fox with a one year limited warranty, four times the industry standard.

FREE SILVERWARE

Were this not enough, each Fox comes with the best free software bundle in the business including: MS-DOS 2.11 Ske Sketch 15 Games Spell Mailit MS-DOS 2.11 Color BASIC GW BASIC HAGEN-DOS Qwikdisc Datemate FILEBASE PC File III PD Disk WordStar CalcStar

Easy Writer





LOW-COST DATA ACQUISITION

Photo 2: The software menu for the data-acquisition system.

The colors of screen background and data dots are determined by line 1470 in listing 1. You can change these colors by replacing the number 22 with another number. The number should be calculated as: $16 \times (code)$ number of dot color) + (code number of background color). In our example we used the white dots and a blue background. Hence, the number to be poked in is: $16 \times 1 + 6 = 22$. You can find the color codes in the Commodore 64 reference manual. You can also manipulate the color of the border in graphic display by changing the second number in line 1520.

When one channel of data is plotted on the screen, each data point is represented by one of 200 pixels in the vertical direction. The resolution represented by the error resulting from bit mapping is 0.5 percent. With three channels, the software divides the vertical axis into three sections: 66 (top), 67 (middle), and 67 (bottom) pixels. Hence, the resolution of each channel is 1.5 percent. As the number of channels increases, the resolution decreases.

The program stores data sequentially in RAM. In case of multiple channels (e.g., displacement x for channel 0, velocity v for channel 1, and acceleration a for channel 2) the data is stored in the following order: x(1), v(1), $a(1), x(2), v(2), a(2), x(3), \ldots$, where x(1)and x(2) are the first and the second bytes of data for x, and so on. They are stored sequentially in RAM with the starting address of 32769. The number of data points for each channel is 320 by default but can be changed. Since there are 320 pixels in the horizontal direction of the screen, 320 data points per channel is the maximum number of data points that can be displayed at one time.

CONCLUSION

We've found this system perfect for student use and adequate for some types of research. Though the system has many limitations, it is inexpensive and, above all, it's better than no system at all.

We would like to express our appreciation for the help Mr. William Welscher, a graduate student of agricultural engineering at North Dakota State University, gave us during the preparation of the manuscript of this article.

Finally, a New DBMS Technology

INFORMA is what **NETWORKING** is all about: INTERACTIVE REAL-TIME **DATASHARING**

The experts say...

Corvus Systems, Inc.

"INFORMA is one of the finest multi-user Database Management Systems available for the OMNINET[™] Local Area Network."

Sid Arora, Third Party Marketing Manager

Novell

"Many of our Netware end users have found INFORMA to be a very powerful and versatile Database Management System."

NFORMA

Rob Walton, Manager of Independent Software Development

TeleVideo Systems, Inc.

"INFORMA is one of the finest, true multi-user Database Management Systems we have seen run on the TeleVideo Personal Mini.¹⁹ Mark Calkins, Product Marketing Manager

3COM Corporation

"The INFORMA DBMS is one of the best examples of the benefits users achieve with multi-user network software."

Robert Buchanan, Jr., Software Product Manager

•FAST •POWERFUL •EASY TO USE

EFERENCE

•10 Level Security

•50 Keys (indexes) per record

•8000 fields per record

•1 sec. access from 35,000 record file

•255 screens per record

•Unlimited math and relational operations

•Intuitive "Query by Example"

•Full Formatting Reporter

UNLIMITED PROCESSING INCORPORATED

TUTORIALS

8382 Baymeadows Road, Suite 8 Jacksonville, Florida 32216 (904) 641-8330 (800) 874-8555 Telex 350754 (800) 874-4185

Incredible Introductory Offer

Single-user \$199 regularly \$795 LAN/Multi-user \$599 regularly \$1495

Available on over 20 operating systems including IBM's new PC NETWORK

NETWORK

BUY HARDWARE AND SOFTWARE AT WHOLESALE +8%, AND GET 14-28 DAY SOFTWARE RENTALS[†]...

(rreade 800 S1 al Bluebush Chess (Your Toughest Opponent) Bluechtig Millenarie/Ul Barin or Tycoon CBS Goren-Bridge Made Easy CBS Mastengi the SAT Egyx Temple of Apshai Infocom Zink or Witness Infocom Deadline, or Suspended Microsoft Figure Smulator Microsoft Figure Smulator

PC into A Color Macintosh¹ Orion JBird (OBert Look Alike) Scarborough Mastertype

ATI How to use Multimate ATI How to use Microsoft: Word ATI How to use Lotus 1-2-3 Ashton-Tate DBase III

Ashion-Tate Framework
 Ashion-Tate Framework
 Borland Side Kick (Protected)
 Conceptual Instruments Desk Organizer
 Digital Research DPI Logo
 Digital Research DPI Logo
 Digital Research DPI Logo
 Digital Research DPI Logo
 Research
DPI Logo
 Research
DP

Hayes Smartcom II - New VT300 Emu Human Edge The Management Edge Human Edge The Sales Edge Human Edge Mind Prober Lattice C Compiler Lotus Development Lotus 1-2-3

processed over 60,000 orders.

In just the last few months, The NETWORK has Listed below are just a few of the over 20,000 products available saved its members more than \$24,000,000 and at our EVERYDAY LOW PRICES! All software below is priced in **IBM-PC** format.

GAMES & EDUCATIONAL SOFTWARE

GAMES & EDUCATIONAL SOFTWARE (Please add \$1 shipping and handling for each tille ordered from below.) wholesale ghest Opponent) ian or Tycoon 19,75 Sizers On-Line Crossire 48,00' Sublogic Night Mission Pinball Sublogic Night Mission Pinball Sublogic Night Mission Pinball Sublogic Night Mission Pinball 21,97' Spinnaker Jachaker and 22,00' Spinnaker Pachaker Spinnaker Pachaker 27,00' Spinnaker KinderComp Turnyour 59,95' Spinnaker Stort Machine

BUSINESS SOFTWARE

22.00° 27.00°

68.00 145.00 145.00 28.45

270.00

HARDWARE

to each the defect that below.) Screenplay Asym (works with mono card too) Sierra On-Line Frogger Sublogic Night Mission Pinbail Spinnsker Anghabet Zoo Spinnsker Anghabet Zoo Spinnsker Anghabet Zoo Spinnsker Angebadet Spinnsker KinderComp Spinnsker Kinder

SOFTWARE Idling for each title order from below.) Lotus Development Symphony Microsoft C Complet Microsoft C Complet Microsoft Wulliplan Microsoft Mulliplan Microsoft Mul

Monogram Dollars & Sense Monogram Dollars & Sense Mollikhate Multimatic Laled Version) One in The Void Pho Select Antibust Near Monogram Control (International Control Near Monogram Control (International Control Sama Sama III Word Processor Satellie Software WordPerfect Softraft Fancy Fonts Software Publishing PFS: File Software Publishing PFS: Report Software Publishing PFS: Write Software Publishing PFS: Graph CS Total Ledger Versatim Desk Drive Analyzer

Wholesale \$ 15.50° 21.00° 18.00° 24.00° 17.00° 29.00° 17.00° 17.00° 17.00° 17.00° 20.00° 23.00° 21.00°

CALL

\$230.00* 275.00* 255.00* 105.00* CALL 240.00*

240.00* 90.00* 370.00* ea. 387.50* 74.00* 570.00* 325.00* 125.00* 35.00* 125.00* 35.00* 72.00* 64.00* 72.00* 440.00* 25.00*

The nation's largest corporations depend on **PC NETWORK!**

On our corporate roster are some of the nation's largest financial industrial and professional concerns including some of the most important names in the computer industry:

Gillette

ATRT Barclays Bank

Bell & Howell Citibank Columbia University Data General Exxon Farm Bureau Insurance Frontier Airlines General Mills General Electric

Hewlett Packard Hughes Aircraft IBN ITT Kodak **Multimate** Standard Oil of Ohio Yale University Veteran's Administration

plus thousands of satisfied consulting firms, small businesses, user groups, municipalities, government agencies and value-wise individuals ACROSS THE NATION! Their buyers know that purchasing or renting from PC NETWORK saves them time, money and trouble. They also count on us for product evaluation, professional consultation and the broadest spectrum of products and brands around.

· · · · · · · · · · · · · · · · · · ·	(Please add shi	pping and I	handling	charges found in italics next to price.) MULTIFUNCTION CARE	DS	
	Apple Macintosh Base System Apple Apple IIc	\$1,580.00*	(34 12) (18 58)	► Apparat 256K Memory Board with 64K \$	81.00* 115.00*	(1.75)
CALL TOLL FREE	Apple Apple Ile Columbia Desktop & Portable Systems	CALL		clock/stw/		. ,
		CALL		AST Park is with 64K	136.00° 229.00° 229.00°	(2.50)
1-800-621-S-A-V-E	Eagle Desktop PC and Spirit Portables BM PC Stater System 1 DSDD1 EDC Color CD/Par Port/Montor/64K	1,620.50*	(35 00)	AST I/O Plus II	105.00*	(2.50) (2.50)
In Illinois call (312) 280-0002	N IDM DO Dess Duster 2 DCODICDODCCV	1,575.73	(34 16)		CALL 205.00	(2.50)
Your Membership Validation Number: B325	 IBM PC base system 2 DSDD/PDC/250K IBM PC Professional Hard Disk (XT) (1 DSDD/FDC/10MB Hard Disk/256K) 		(43.20)	Multifunction with networking at an unbelievable price. Up to 384KiSer/Pari		
You can validate your membership number and, if you wish, place your first money-saving order over the	 BM PCIAT All Configs Sayno MBC 550 "Lowest Cost Compatible" 	CALL 620.00*	(13.39)	Clock Software/Net Siol Quadram Improved Quadboard w/OK	199.00*	(2.50)
phone by using your VISA, MASTERCARD or	 Tava PC Complete IBM Compatible (256K 2 Drives) 		125 92	"Tecmar Captain Multifunction Card O/K	195.00*	(2.50)
AMERICAN EXPRESS. Our knowledgeable service	Texas Instruments Professional	CALL		Amdek 5025 (NEW!) 25CPS LQ \$	525.00°	(10.48)
consultants are on duty MonFri. 7:30 AM to 9 PM, SAT.	 DISK DRIVES & CONTRO Cogito 10MB-INTERNAL 1/2 Height 			w/2K Butter	875.00*	
9 AM to 7 PM CST.	Autoboot Drive New lower price	5 625.00° 665.00°		C. Itoh Prowriter 8510 AP	285.00*	(18.90) (6.16) (33.12)
PERSONAL COMPUTER NETWORK	Mounts Like Half Height Drive	4,900.00* (From the Epson Organization		
320 West Ohio Chicago, Illinois 60610	Drive with Controller for PC	4.600.00* (Epson FX-80	220.00° 370.00°	(4.75) (7.99)
Call now Join the PC NETWORK and start saving today!	Drive for AT Maynard Floppy Disk Controller	92.00"		Epson LQ1500	CALL	(11.34)
can now / / container o the two the and start saving today:	Maynard WS-1 10MB Internal Hard Disk	770.00	(18 15)	Epson IBM-to-EPSON Parallel Cable NEC 2030 20CPS LO Parallel	21.00* 625.00* 625.00*	(1.00) (13.50) (13.50)
	with Sandstar Multi Function Card Maynard WS-2 same as WS-1 but with	930.00*	(20 30)	NEC 2050 20CPS Latter Quality Printer NEC 3530 33CPS LO Parellel NEC 3550 33CPS Later Quality Printer		(13,50) (31,54) (27,22)
PC NETWORK • MEMBERSHIP APPLICATION	Sandstar Floppy Controller (uses 1 slot) Maynard Floppy Controller/Serial Port Panasonic Half Height DSDD Drive Pair	145.00*	(2.50)	NEC 8850 55CPS LO New Model 1.0		(27 22) (35.64)
YES! Please enroll me as a member in the PC NETWORK™ and rush my	PC Network Hall Height Drive Pars	225.00° 200.00°	(5.40)	IBM Version Okidata ML84P 200CPS 132 Col	620.00*	(13.40)
catalog featuring thousands of computer products, all at just 8% above	Our Volume Lets us Import These Name Brand Drives Directly from the Source.			Okidata ML92P 160CPS 80 Gol Punter	350.00° \$50.00°	(7 56)
DEALER WHOLESALE PRICES. I will also periodically receive "THE PRINT- OUT", a special up-date on merchandise at prices BELOW even those in my	They are the quietest most reliable drives we've seen yet.			Okidata 2410P Pacemaker 350CPS 1.	640.00* 20.75*	(35.42) (1.00)
wholesale catalog, and all the other exclusive, money-saving services	Tandon 1M 100-2 Full Revent DSDD Drive Tallgrass 20MB External Hard Disk	140.00*		Qume Sprint 11/40 40CPS Letter Quality 1,1	155.00 CALL	(24.00)
available to Members. 325	with Tape Backup Teac FD 55-8 Half Height DSDD Drive Pair		(5 29)	New! Fastest Daisywheel Out!	TRALL	(1.00)
I am under no obligation to buy anything. My complete satisfaction is	MEMORY CHIPS	10.00	1023)	 Star Micronics Star Micronics w Tractor Epson Graphics Companyle 	225.00	(1.00)
guaranteed. Please check () all boxes that apply:	All chips guaranteed for life	e. \$ 26.91?			325.0 0 °	(7 20)
Basic Membership Special V.I.P. Membership*	 64K Dynamic Ram Chips Each 256K Dynamic Ram Chips (Each) 	2.99° 22.00°			300.00*	(6 48)
One-year membership for \$8 One-year membership for \$15	128K AT Mother Board Chips (Each)	16.00*		LO Diabis Code Comparible Texas Instruments 855 DP/LQ w/Tractor	716.00*	(15 50)
Two-year membership for Two-year membership for \$25	MODEMS Anchor Mark XII LOWEST PRICE 1200BPS S	230.00*	(5 00)	Toshiba P-1340 80 Col Version of P-1351 Toshiba P-1351 160/100 CPS Draft/LQ 1.2	696.00* 200.00*	(15.03)
\$15 (SAVE \$1) (SAVE \$5) Business Software Rental BOTH Business and Game	HAYES COMPATIBLE EXTERNAL MODEM Hayes Smartmodem 300	180.00*		LQ Printer VIDEO CARDS		
Library for \$25 add'l. per Software Rental Libraries for \$30	Hayes Smartinbder 12008 with hex mentcorr (LVT100 Emulato	366.90	(3.60)		148.00°	(3,29)
year—with 14 day rentals add'l per year—with 28 day rentals	Rixon R212A Stand Alone 1200PBS U.S. Robotics Password (Compact	335.00° 290.00°	(8.50)	Paradise New Monutar Multidisplay Card	255.00*	2 50)
Games Software Rental *VIP members receive advance notice	1200BPS External)	290.00	10 00)	Card with Mono Quality Text in Color		(2.50)
Library for \$10 add'l per year on limited quantity merchandise specials	MONITORS Amdek Video 300G Composite Green S	5 110.00°	(3.00)	STB Graphix Plus II NEW! (simultaneous Mono Graphics & Color)	295.00	(2.50)
Bill my credit card VISA MasterCard American Express	Amdek Video 300G Composite Green S Amdek Video 300A Composite Amber Amdek Video 310A IBM Type Amber	120.00* 130.00*	(3 00) (3.00) (3 00)	ACCESSORIES AND SUPP	LIES	
Account	Amdek Color 300 (NEW!) Composite	215.00*	(4,64)	Brand Name DSDD Diskettes Guaranteed for Life ¹¹ Not Generic	16.00*	(1.00)
Number:	Amdek Color 500 (NEW ¹) Composite/RGB/VCR	320.00*	(691)		36.00*	(2,50)
Exp	Amdek Color 600 (NEW!) High Res RGB Amdek Color 700 (NEW!) Ultra High Res	395.00* 455.00*	(8 53) (9 83)	PC Network Replacement 130 Watt IBM-PC	165 00*	(3 56)
mo. year	Amdek Color 710 (NEW!) 700 w/Non Glare/Long Phosphor		(10 48)	Power Supply—Gives your PC (Old or New) t capacity as an XT_Good for add in tape drive	s (withou	need
Check or money order enclosed for	Princeton HX-12 RGB Monitor Princeton MAX-12 IGB Mono	CALL		for a piggyback unit) and large capacity disk SMA PC Documate. Keyboard Templates for	drives	(1 00)
Name	 Princeton SR-12 Ultra High Res RGB Quadram Quadram Quadram Princeton RGB 	\$78.00	(8.2.1)	Lotus/DBASE/Multimate and others (Each) WP Printer Paper 2600 Sheets	17.00*	
Address Apt. No	640x200 RGB w 14 Leer Black Phospr 2 BMC ase			Microfine Perfs (invisible when torn)		
CityStateZip	Taxan 420 Super High Res RGB Monitor Taxan 440 Highest Res RGB (720x400)	380.00° 525.00	(8.21)	PC NETWORK Members pay just 8% above	the whol	esale
	Cutrently Available Works With Persysi Bot Zenith ZVM-123 Green High Res	b Card	(2.50)	price, plus shipping. All prices reflect a 3% cas Minimum shipping S2 50 per order.	sh discou	nt
Telephone () My computer(s) is: IBM PC IBM-XT IBM-AT Apple II	Consumer Reports Rated Best Buy!)		,=/			
□ Macintosh □ Other						
				to join The NETWORK's Business and 14 (Regular) or 28 (VIP) days to see		
Signature (Signature required to validate membership)	needs. And The NETWORK's rental	I charges		ar less than other software rental serv		
Copyright © 1984, PC NETWORK, INC.	OF THE MEMBER WHOLESALE P	RICE.				

COMPLETE IMM PC SYSTEMS

IBM PC STARTER SYSTEM IBM PC w/64K (256K capacity)

loppy Drive C

1 Double Sided Double Density 320/360 Disk Drive Hercules Color Card w/Parallel Port Zenith ZVM-123 Display Monitor



\$1,575.73* (34.16)

\$2,000.73* (43.20)

CUSTOM CONFIGURATIONS WELCOME

The NETWORK has the perfect starter system for you! The combination of a double sided drive, color card and printer part allows you to run most any program and grow without need for replacing any component you buy now.

IBM PC BASE SYSTEM IBM PC w/256K

Floppy Drive Controller 2 Double Sided Double Density 320/360K Disk Drives

The Base System is your lowest cost starting point for configuring the exact system of your choice. Combine it with any of the monitors, video cards, multifunction cards and accessories listed in this ad, and prove the Network can't be beat as your system source

IBM PC PROFESSIONAL HARD DISK SYSTEM (XT) **IBM PC w/256K**

oppy Drive Controller

1 Double Sided Double Density 320/360K Disk Drive

w/Half Height Disk Subsystem.

Half Height 10MB Drive Allows Room for Addition of Tape Backup in PC!

11/2 times faster than XT

Automatic Hard Disk Boot Feature.

This system increases productivity in any business or professional situation. The 10Mb hard disk eliminates cumbersome floppy disk changes, simplifies operations and dramatically speeds program execution time. The NETWORK's buying power provides you with better than XT performance at a price lower than you'd expect to pay for a standard PC

*PC Network Members pay just 8% above this wholesale price plus shipping. These prices have been prepared in December, 1984 and may have been changed with new product announcements. Call for latest prices.

- LATEST ISSUE FEATURES! -
► 64K MEMORY EXPANSION KITS \$ 26.91*
Set of 9 chips Guaranteed for Life.
►LOTUS 1-2-3
New Best Price!
COGITO 10MB INTERNAL
HARD DISK
► PANASONIC/SHUGART per pair 225.00*
¹ / ₂ Height DSDD Disk Drives with Mounting Kit
►STAR MICRONICS GEMINI 10X 225.00*
120 CPS Epson IBM Graphics Compatible w/Tractor
TANDON TM100-2 DRIVES 140.00*
ORCHID BLOSSOM/64K installed 205.00*
New Price! Full Six-Pack Features with networking capability!
AMDEK MONITORS
V300G Composite Green
V300A Composite Amber 120.00*
V310A IBM Amber
HERCULES COLOR CARD
w/Printer Port
VT100 Emulator
NEC SPINWRITER 2050 625.00* 20 CPS-Letter Quality Printer
BRAND NAME DISKETTES 16.00* DS/DD Box of 10 Guaranteed for Life Not Generic
*NETWORK members pay just 8% above these wholesale prices plus shipping
CALL TOUL ERFE 1.800.621.S.A.V.E (memberships)

In Illinois call (312) 280-0002 validation code B325

... WITH THESE 15 **UNIQUE BENEFITS**

COST + 8% PRICING — The NETWORK purchases mil-lions of dollars in merchandise each month. You benefit in receiving the lowest price available and all at just 8% above published dealer wholesale price.

OUR 500 PAGE WHOLESALE CATALOG - Members re-Ceive our 500 page wholesale catalog containing over 20,000 hardware and software products for the IBM PC, APPLE and over 50 other popular computer systems. THE NETWORK'S CATA-LOG IS THE LARGEST SINGLE COMPILATION OF PERSONAL COMPUTER PRODUCTS AVAILABLE TODAY. NOW UPDATED QUARTERLY

3 IN-STOCK INSURED FAST HOME DELIVERY — The NETWORK maintains a glant multi-million dollar inventory of most popular products, allowing us to ship many orders from stock. Non-stock items are typically maintained in local ware-houses just days away from The NETWORK and YOU. We pay all insurance expenses on your shipment. EMERGENCY OVER-NIGHT SERVICE IS AVAILABLE ON REQUEST.

4 10 DAY RETURN POLICY—If you are not satisfied, for any reason with any hardware component purchased from The NETWORK within 10 days of receipt, we will refund your entire purchase (less shipping) with no questions asked.

MEMBERSHIP SATISFACTION GUARANTEE-**O** any reason you are not satisfied with your membership within 30 days, we will refund your dues IN FULL.

EXPERIENCED CONSULTANTS — The NETWORK hires 6 consultants, not order takers, to aid you in product selection. Our consulting staff possesses in excess of 150 man years of personal computer product experience. We back our consultants with our money back guarantee: IF ANY PRODUCT RECOM-MENDED BY OUR CONSULTING STAFF FAILS TO PERFORM AS PROMISED—WE WILL TAKE IT BACK AT OUR EXPENSE FOR A 100% REFUND.

7 FREE TECHNICAL SUPPORT — The NETWORK supports every product it sells. Our qualified TECH-SUPPORT staff will help you assemble your system, interpret vendor documentation and get your software and hardware to work. WE WILL GIVE YOU ALL THE HELP YOU NEED, WHEN YOU NEED IT—FREE!

† 8 OPTIONAL BUSINESS RENTAL LIBRARY — All mem-bers can join our BUSINESS RENTAL LIBRARY featuring over 1000 available titles for just \$25 PER YEAR above the base members for this available titles was a set human and the set of membership fee. This entitles you to rent business software AT JUST 20% of the DISCOUNT PRICE FOR A 14 DAY PERIOD. If you decide to keep the software, the entire rental fee is de-ducted from the purchase price. VIP MEMBERS GET A FULL 28 DAYS for just \$30 above the V.I.P. base fee. This also includes the game library privileges for a \$5 combination savings.

game or educational software product as above.

10 SPECIAL SAVINGS BULLETINS — THE PRINTOUT — Issued Quarterly at no charge to Network members only! The Printout contains all the New Product listings and price changes you need to keep your Catalog up to date. Also, we buy excess dealer inventories, and store bankruptcy closeouts, which we turn around and make available to our members at fantastic savings via THE PRINTOUT.

1 DISCOUNT BOOK LIBRARY — Working with numerous publishers and distributors, The NETWORK has assembled a library of over 1000 computer related books and manuals at savings of up to 75% from the normal store price.

12 MEMBERSHIP REFERRAL BONUS - Our most valuable source of new members is you! To date almost 40% of our members have been referred by word of mouth from other sat-isfied members. For those of you who refer new members, The NETWORK will credit a cash bonus to your account applicable to any future purchase.

13 CORPORATE ACCOUNT PROGRAM — Almost 50% of The NETWORK's members are corporate buyers and users (see opposite page left). The NETWORK can establish open account status and assign designated account managers to expedite orders, and coordinate multiple location shipments.

14 QUANTITY DISCOUNTS—For large corporations, clubs, and repeat or quantity buyers The NETWORK can extend additional single order discounts, when available to us from our manufacturers and distributors.


PRICE PROTECTION - The PC Industry is crazy!! Prices 15 PRICE PROTECTION—The PC industry is Grazy:: Chices change not yearly or monthly or even weekly but often day by day! These changes are sometimes up but are mostly down!!! THE NETWORK GUARANTEES THAT IN THE EVENT OF A PRODUCT PRICE REDUCTION, BETWEEN THE TIME YOU PLACE YOUR ORDER AND THE TIME THE PRODUCT SHIPS YOU WILL ONLY PAY THE LOWER AMOUNT!!

Inquiry 246

We apologize for our evasiveness. After our last advertisement, many of you felt compelled to contact us regarding the implication that The Shoebox Accountant is completely integrated on a single disk. Although we would like to confirm that a single disk holds general ledger, accounts receivable, accounts payable, and payroll modules, queuing files, and the powerful reporting capabilities for which CYMA Corporation is so well known, and offers the entire program for a mere \$395, modesty prevents us from doing so. As ever, we prefer our same, subtle approach.

> Nice Box. Fully Integrated.





$S \cdot C \cdot I \cdot E \cdot N \cdot C \cdot E$

FOURIER SMOOTHING WITHOUT THE FAST FOURIER TRANSFORM

by Eric E. Aubanel and Keith B. Oldham

An in-depth look at using the Fourier transform to remove noise from your data

IN THE SCIENTIFIC AND BUSINESS communities, gathering and analyzing data are very important activities. Data is often collected as a set of values of some variable (e.g., sales in business or current in electrochemistry) against some independent variable, most often time, at evenly spaced intervals. The data is then analyzed for the presence of significant trends. Sometimes these trends are difficult to discern because of the presence of noise or other short-duration perturbations in the data. You can attenuate the noise either by performing replicate experiments and signal averaging or by smoothing the data. The second approach is probably the less satisfactory of the two; it is commonly adopted, however, because the alternatives are more costly or time-consuming.

The three most common methods for smoothing data are moving-average, least-squares, and Fourier transformation. In the moving-average method, each data point is replaced by the average of itself and n neighboring points on either side of it. The advantage of this method is that it is very easy to program. The disadvantages include: the first and last n points are not smoothed to the same degree as the rest of the data set because they don't have n neighbors on each side of them; you must sample at a rate much faster than the fastest transient that you wish to study; and the method flattens the signal more than other smoothing methods.

The least-squares method identifies the line of the order you specify that minimizes the sum of the squares of distances between the data points and the calculated line. The advantages of this method are that it will permit you to easily generate statistical information on the goodness of fit, and it does not require that the data be collected at regular intervals. The disadvantages of the method are that it assumes that you know the basic form of the equation that the data satisfies, and the method is disproportionately biased by one or two very bad data points because it will twist the line of fit to spread the error over the entire data set.

Fourier transformation and inversion is probably the best method, since it lends itself naturally to identifying and eliminating noise. The reason for this is that noise is usually present at high frequencies, whereas the signal proper is usually at low frequencies. Fourier transformation produces the frequency spectrum. By eliminating the highfrequency portion of the spectrum and performing an inverse Fourier transform, you can obtain the original data without much of the noise—the "smoothed" data. The primary disadvantage of this method is that the data points must be collected at regular time intervals.

There are several reasons why Fourier smoothing is not practiced as often as other methods. Descriptions of Fourier transformation are often couched in unfamiliar jargon, though a few authors have succeeded in explaining Fourier transformation theory in simpler terms (see (continued)

Eric E. Aubanel, a fourth-year student at Trent University, is interested in applications of mathematics to chemistry. Keith B. Oldham, a professor of chemistry at Trent University, has taught and researched in England, California, Australia, and Canada. Both authors can be reached at Trent University, Peterborough, Ontario K9J 7B8, Canada. references). A second reason is the common misconception that Fourier transformation and inversion are massive number-crunching operations that require large computers and cannot be implemented on the small personal computers that people are increasingly using for data collection and processing. Further, the success of the "fast Fourier transform" has spawned the belief that it is the only practical algorithm for transformation and inversion.

Before discussing the principles and operation of our BASIC subroutine for Fourier smoothing, let's look at the discrete Fourier transform, the removal of high frequencies, and the features of the fast Fourier transform. Our program does *not* execute fast Fourier transformation, though it does incorporate some of the same features. It is not especially fast when executed in a high-level programming language on a microcomputer, but it can achieve excellent smoothing in an acceptable length of time.

DISCRETE FOURIER TRANSFORMATION

A good explanation of the continuous and discrete transformations can be found in the article by Stanley and Peterson in the December 1978 issue of BYTE (reference 1). We will outline only some of the important features of the discrete Fourier transform.

Performing a discrete Fourier transform on a sequence of real valued data x_0 , x_1 , and x_{N-1} produces two sets of real valued transforms:

(1)

$$R_{k} = \frac{1}{N} \sum_{j=0}^{N-1} x_{j} \cos\left(\frac{2\pi jk}{N}\right) \qquad k = 0, 1, \dots, N-1$$
(2)

$$I_{k} = \frac{-1}{N} \sum_{j=0}^{N-1} x_{j} \sin\left(\frac{2\pi jk}{N}\right) \qquad k = 0.1, \dots, N-1$$

To regenerate the real valued data from the transforms, the following operation is performed:




Figure 1: When the digital filter function is incorporated into the FT algorithm, it eliminates all frequencies corresponding to $k \ge E$ from the discrete Fourier transform spectrum. Frequencies corresponding to k < E are gradually attenuated.

(3)

$$x_{j} = \sum_{k=0}^{N-1} R_{k} \cos\left(\frac{2\pi k j}{N}\right) - I_{k} \sin\left(\frac{2\pi k j}{N}\right)$$
$$\hat{j} = 0, 1, \dots, N-1$$

The operation above is called Fourier inversion.

The information content of the original data is transferred, on Fourier transformation, into about the first half of the R_k . I_k numbers, i.e., those having $0 \le k \le \frac{N-1}{2}$ (if *N* is odd; $0 \le k \le \frac{N}{2}$ if *N* is even). The second half merely duplicates the first in magnitude: $R_{N-k} = R_k$. $I_{N-k} = -I_k$ (see Stanley and Peterson for a good illustration of this).

REMOVING HIGH FREQUENCIES

The procedure for removing high frequencies can be represented as a multiplication,

(4)

$$R_k \rightarrow f_k R_k$$
: $I_k \rightarrow f_k I_k$

by a function f_k (the so-called digital filter function). The simplest filter function is a rectangle, which would cut off the transforms for k > E. Such a sudden cutoff can lead to a false accentuation of frequencies corresponding to transform points in the vicinity of *E*. To avoid this you can use a quadratic filter function, which results in a gradual attenuation (see figure 1). The filter function we have incorporated into our algorithm is

(5)

$$f_k = \begin{bmatrix} 1 & -(\frac{k}{E})^2 & k = 1, 2, 3, \dots, E-1 \\ 0 & k = E, E+1, \dots \end{bmatrix}$$

The smaller the value chosen for the integer *E*, the more denuded of high frequencies the subsequent invert will be: the closer *E* is to $\frac{N-1}{2}$ (or to $\frac{N}{2}$ if *N* is even), the less affected the regenerated signal will be.

Because there is no purpose in calculating those values of R_k and I_k that duplicate others or that will be replaced by zeros, the equations for Fourier transformation and inversion can be abbreviated to the following equations:

(6)

$$R_{0} = \frac{1}{N} \sum_{j=0}^{N-1} x_{j}$$
(7)

$$R_{k} = \frac{x_{0}}{N} + \frac{1}{N} \sum_{j=1}^{N-1} x_{j} \cos\left(\frac{2\pi jk}{N}\right)$$

$$K = 1, 2, \dots, E-1$$

(continued)

The Hard Disk With The Software Shell

Why pay more for 10 or 20 Meg drives than you have to? Our 10 Meg internal hard disk subsystem is priced at \$794, with the 20 Meg model going for \$1088. Our external 10 Meg goes for \$944, 20 Meg for \$1238.

Our drives are fully compatible with any IBM PC or PC-compatible with 64K RAM and PC-DOS 2.0 or later.* Qubie' drives boot directly from the hard disk. You can power up the PC and load the system directly, without using any floppy disks. No software patches or drivers to install.

Using the same amount of power as a floppy drive, the Qubie' hard disk uses less energy than other aftermarket drives.



The drives come complete with Idir software. I dir's commands are in English, eliminating the need to type in DOS commands, and are all selected by using cursor control keys. 1 dir even explains commands with HELP screens that give you online advice when you need it.

Qubie' drives are made of spe-

cial plated recording media. They withstand the vibration and movement that has damaged hard disks in the past. In fact, Qubie' drives have been selected by several computer makers for use in their portable computers.

Good service starts with answer-

ing your questions before and after you buy. It continues with same or next day shipment of your order. Since we only sell a few selected products, we have the information and inventory to help you fast.

We perform repairs in our own service department within 48 hours, should you ever need service during the one year warranty period.

Our price is the whole price. All prices include UPS surface charges and insurance. In a hurry? Two day UPS air service is just \$12.

Corporations, dealers and institutions, call for volume purchase price information.

*Call for information.

Inquiry 265

Internal 10 Meg \$794 External 10 Meg \$944

No Risk Guarantee If you are not completely satisfied with your purchase,

sanshed with your purchase, you may return it within 30 days for a full refund, including the cost to send it back. If you can get any of our competitors to give you the same guarantee, buy both and return the one you don't like.

ter an an an the set of the set and the set and

Order Today, Shipped Tomorrow! For fastest delivery, send cashiers check, money order, or order by credit card. Personal checks, allow 18 days to clear. California residents, add 6% sales tax. Hours: Mon.-Fri. 8:00 a.m.-6:00 p.m. PST Sat. 9:00 a.m.-1:00 p.m. PST

(800) 821-4479 Toll Free Outside California

(805) 987-9741 Inside California



4809 Calle Alto Camarillo, CA 93010

CUB

London (01) 223-4569 Paris (01) 321-5316 Sydney (02) 579-3322

© Qubie' 1984

(8)

$$l_{k} = \frac{-1}{N} \sum_{j=1}^{N-1} x_{j} \sin\left(\frac{2\pi jk}{N}\right)$$

$$k = 1, 2, \dots, E-1$$

$$\hat{x}_{0} = R_{0} + 2 \sum_{k=1}^{E-1} f_{k}R_{k}$$

(10)

$$\widehat{x_j} = R_0 + 2 \sum_{k=1}^{E-1} f_k R_k \cos\left(\frac{2\pi k j}{N}\right) - f_k I_k \sin\left(\frac{2\pi k j}{N}\right)$$

$$i = 1, 2, \dots, N-1$$

where \hat{x}_i is the high-frequency-stripped analog of x_i . Note that R_0 is now expressed separately from R_k , as well as \hat{x}_0 from \hat{x}_i , and that $I_0 = 0$ because sin 0 = 0. The factor of two in equations 9 and 10 is present as a result of restricting E to be less than $\frac{N}{2}$ and by taking advantage of the symmetries ($R_{N-k} = R_k$, $I_{N-k} = -I_k$) already noted. Though we used the word "abbreviated" to describe

Though we used the word "abbreviated" to describe equations 6 through 10, their implementation still requires a lot of computation. Approximately 20NE multiplications or divisions and 4NE cosine or sine evaluations are needed to implement these equations straightforwardly. For example, if N=200 and E=20, about 16,000 trigonometric functions are needed, along with 80,000 multiplications. Some microcomputers take as long as 0.2 second to calculate a single trigonometric function and would spend almost an hour on this aspect of a Fourier program alone.

FAST FOURIER TRANSFORMS

To meet the problem of the large number of multiplications and other operations required to implement Fourier transformation and inversion straightforwardly, the fast Fourier transform (FFT) algorithm was invented. Books have been written on this topic, but here we can do no more than cite some of the features of the FFT.

The FFT has several advantages. (1) By using the properties of the sine and cosine functions, the number of needed sines and cosines is drastically reduced. (2) Similarly, the number of multiplications is drastically reduced, these, in effect, being replaced by additions. (3) The same routine, virtually unchanged, can be used for Fourier transformation and inversion. (4) No storage space is needed beyond that required for the initial data; the transforms simply "overwrite" the original numbers. (5) The total processing time is massively reduced, especially when N is large.

The disadvantages of the FFT algorithm, for our present

purposes, are as follows. (1) To function efficiently, N is required to be a power of 2. (2) Even though far fewer are needed, the evaluation of sines and cosines may still be a bottleneck and therefore a memory-consuming "sine lookup table" must be incorporated into time-efficient FFT algorithms. (3) The algorithm is inherently "square," being designed to generate 2N outputs from 2N inputs; thus it cannot exploit the potential savings in the "rectangular" task of producing only E outputs from N inputs. (4) Because of the need to perform "bit inversions," programming in anything except machine language is not efficient.

To deal with situations in which the number of input data cannot be conveniently made a power of 2, the technique of "zero-filling" is often used. This inflates the number of points to be processed from N to the next higher power of 2—for example, from 200 to 256—with a consequential increase in storage and time requirements but without any benefit to our present task. On the contrary, because it may introduce a sharp discontinuity (see examples), zero-filling hinders smoothing.

For data-smoothing purposes, the disadvantages of the FFT often outweigh its advantages. This was the conclusion we reached after we had implemented a smoothing procedure that relied on a standard FFT routine. We therefore designed the algorithm that is the subject of this article. This new algorithm is not an FFT. It shares with the FFT the first two advantages cited above but does not share any of the disadvantages.

PRINCIPLES OF THE ALGORITHM

Notice that equations 7, 8, and 10 are all of the form


(11)

$$G = \sum_{m=1}^{M} U_m \cos\left(\frac{2\pi m l}{N}\right) + V_m \sin\left(\frac{2\pi m l}{N}\right)$$

when G, m, $U_{m'}$, $V_{m'}$, M, and l are appropriately interpreted. To evaluate expression 11 our algorithm uses the following principle: The sum is split into odd-m and even-m terms,

$$\begin{aligned} G &= \sum_{m=1,3}^{M \text{ or } M-1} U_m \cos\left(\frac{2\pi(m+1)l}{N} - \frac{2\pi l}{N}\right) \\ &+ V_m \sin\left(\frac{2\pi(m+1)l}{N} - \frac{2\pi l}{N}\right) \\ &+ \sum_{m=2,4}^{M \text{ or } M-1} U_m \cos\left(\frac{2\pi m l}{N}\right) + V_m \sin\left(\frac{2\pi m l}{N}\right) \end{aligned}$$

and the arguments of the trigonometric terms are modified in the odd-m moiety. Next, addition formulas are used to expand the modified functions and the m is then replaced by 2m-1 in the first summation and by 2m in the second. After collection of terms, this leads to



MY OWN WORKSTATION



How many long unproductive hours have you spent "in line" for your simulation? Well, no more. MICROCAP and MICROLOGIC can put you on line by turning your PC into a productive and cost-effective engineering workstation.

Both of these sophisticated engineering tools provide you with quick and efficient solutions to your simulation problems. And here's how.

MICROCAP: Your Analog Solution

MICROCAP is an interactive analog circuit drawing and simulation system. It allows you to sketch a circuit diagram right on the CRT screen, then run an AC, DC, or Transient analysis. While providing you with libraries for defined models of bipolar and MOS devices, Opamps, transformers, diodes, and much more, MICROCAP also includes features not even found in SPICE.

MICROCAP II lets you be even more productive. As an advanced version, it employs sparse matrix techniques for faster simulation speed and larger net-




"Typical MICROCAP Transient Analysis"

works. In addition, you get even more advanced device models, worst case capabilities, temperature stepping, Fourier analysis, and macro capability.

MICROLOGIC: Your Digital Solution

MICROLOGIC provides you with a similar interactive drawing and analysis environment for digital work. Using standard PC hardware, you can create logic diagrams of up to 9 pages with each containing up to 200 gates. The system automatically creates the netlist required for a timing simulation and will handle networks of up to 1800 gates. It provides you with libraries for 36 user-defined basic gate types, 36 data channels of 256 bits each, 10 user-defined clock waveforms, and up to 50 macros in each network. MICROLOGIC produces high-resolution timing diagrams showing selected waveforms and associated delays, glitches, and spikes-just like the real thing.



"Typical MICROLOGIC Diagram"

Reviewers Love These Solutions

œ

Regarding MICROCAP... "A highly recommended analog design program" (PC Tech Journal 3/84). "A valuable tool for circuit designers" (Personal Software Magazine 11/83).

Regarding MICROLOGIC ... "An efficient design system that does what it is supposed to do at a reasonable price" (Byte 4/84).

MICROCAP and MICROLOGIC are available for the Apple II (64k), IBM PC (128k), and HP-150 computers and priced at \$475 and \$450 respectively. Demo versions are available for \$75.

MICROCAP II is available for the Macintosh, IBM PC (256k), and HP-150 systems and is priced at \$895. Demo versions are available for \$100.

Demo prices are credited to the purchase price of the actual system.

Inquiry 295

Now, to get on line, call or write today!




FOURIER SMOOTHING

Listing 1: The Microsoft BASIC version of the Fouriersmoothing algorithm. 2 ********** 4 * FOURIER SMOOTHING WITHOUT THE FAST FOURIER TRANSFORM PROGRAM 6 * By Eric E. Aubanel and Keith B. Oldham 10 CLS 12 INPUT "ENTER NUMBER OF DATA POINTS":N 14 REM LEAVING R AND | ARRAYS UNDIMENSIONED LIMITS VALID VALUES OF E TO < = 10 16 N2 = INT((N + 1)/2 + 1):DIM X(N),X1(N),U(N2),V(N2) 18 FOR I=0 TO N-1 INPUT "ENTER DATAPOINT VALUE";X(I) 20 22 LPRINT ((i; l; i)) = (i; X(l))24 NEXT I 26 GOSUB 60 28 LPRINT "WHEN E = ";E;" THE SMOOTHED DATA VALUES ARE: 30 FOR I=0 TO N-1 LPRINT "X(";1;") = ";X1(İ) 32 34 NEXT I 36 INPUT "IF YOU WANT TO TRY A DIFFERENT E, ENTER 1 ELSE ENTER 0"; MORE 38 IF MORE = 1 THEN GOSUB 60 ELSE IF MORE < >0 THEN 36 ELSE 42 40 GOTO 28 42 END 44 REM FOURIER ALGORITHM SUBROUTINE BEGINS AT LINE 60, LINE NUMBERS ARE THE SAME AS FOR THE HP VERSION OF THE SUBROUTINE 60 PI = 3.141593 70 PRINT "NUMBER OF TRANSFORM POINTS TO BE KEPT" 80 INPUT E 90 IF E>INT((N + 1)/2) THEN PRINT "E TOO LARGE" GOTO 70 100 IF E<>INT(E) OR E<=1 THEN GOTO 70 110 IF E < = Q THEN 870 120 REM 130 IF Q<>0 THEN 330 240 'CALCULATE R(0) 250 G = 0260 FOR J=0 TO N-1 280 G = G + X(J)290 NEXT J 300 R(0) = G/N310 Q = 1320 REM 330 PRINT "WORKING ON R(K) TRANSFORM CALCULATIONS' 340 J2 = INT((N - 1)/2)350 P1 = INT(LOG(2*J2-1)/LOG(2)) 360 FOR K = Q TO E - 1 370 J1 = J2380 S = PI * K * 2/N390 C = COS(S):S = SIN(S)400 FOR J=1 TO J1 L = 2 * J - 1410 420 U(J) = X(L) * C + X(L + 1)430 V(J) = X(L) * S440 NEXT J

450 S = 2 * S * C:C = 2 * C * C - 1FOR P=1 TO P1 460 U(J1 + 1) = 0:V(J1 + 1) = 0470 480 J1 = INT((J1 + 1)/2)490 FOR J=1 TO J1 1 = 2 * J - 1500 U = U(L) * C - V(L) * S + U(L + 1)510 520 V(J) = U(L) * S + V(L) * C + V(L + 1)530 U(J) = U540 NEXT J 550 $S = 2 \cdot S \cdot C : C = 2 \cdot C \cdot C - 1$ 560 NEXT P 570 R(K) = (X(0) + (U(1) * C + V(1) * S))/N580 NEXT K 590 REM 600 PRINT "WORKING ON I(K) TRANSFORM CALCULATIONS" 610 FOR K = Q TO E - 1 620 J1 = J2630 S = 2 * PI * K/N640 C = COS(S):S = SIN(S)650 FOR J=1 TO J1 L = 2 * J - 1660 670 $U(J) = -(X(L) \star S)$ 680 V(J) = X(L) * C + X(L+1)690 NEXT J 700 S = 2 * S * C:C = 2 * C * C - 1710 FOR P=1 TO P1 720 U(J1 + 1) = 0:V(J1 + 1) = 0730 J1 = INT((J1 + 1)/2)740 FOR J=1 TO J1 750 L = 2 * J - 1760 U = U(L) * C - V(L) * S + U(L + 1)770 V(J) = U(L) * S + V(L) * C + V(L + 1)780 U(J) = U790 NEXT J 800 S = 2 * S * C:C = 2 * C * C - 1810 NEXT P 820 I(K) = -((U(1) * C + V(1) * S)/N)830 NEXT K 840 REM 850 IF E>Q THEN Q=E 860 REM 870 PRINT "WORKING ON INVERSE TRANSFORM" 880 REM 890 'CALCULATE X1(0) 900 F1 = 0:F2 = 0 910 FOR K = 1 TO E - 1 T = R(K)920 F1 = F1 + T930 940 $F2 = F2 + K \cdot K \cdot T$ 950 NEXT K 960 X1(0) = R(0) + 2 (F1 - F2(1/E/E))980 REM 990 $P1 = INT(LOG(2 \times E - 3)/LOG(2))$ 1000 FOR J=1 TO N-1 1010 T2 = E * E1020 FOR K=1 TO E-1 1030 F = 1 - K * K/T21040 $U(K) = R(K) \star F: V(K) = -(I(K) \star F)$ NEXT K 1050 1060 K1 = E - 11070 S = 2 * PI * J/N

Our multi-mode printers accelerate from 100 cps to 480 cps and have an impressive finish everytime.



In the Grand Prix of office automation, HERMES multi-mode printers always come in first. Both 400/480 cps data and 100/120 cps single pass near letter quality are possible with the same print-head.

Speed and quality have never been as successfully combined. Professionals who want only the best will also appreciate:

Their versatility. Wide range of attractive characters sets in 16 national versions, as well as math symbols, bar codes and teletex. Dual ports, parallel (CENTRONICS™/ EPSON™ compatible) and serial (RS-232C/RS-422) interfaces. DIABLO™ 630 emulation optional.

Their resolution. Finest print quality available on matrix printers. So good you can even print signatures. Bit mapping graphics in single and double density modes, 6 dots densities in each mode. A circle on the screen means a circle on the paper too!

Their quality. Swiss high quality construction. Quality that lasts - thanks to their exclusive «moving-ruby» head.

Their multicolored printing. Text and graphics printing in 8 colors on both models 615 and PC-Printer 2.



Made by HERMES PRECISA INTERNATIONAL, CH-1401 Yverdon, Switzerland HERMES printers are distributed in Austria, Canada, Cyprus, Finland, France, Greece, Jordan, Kuwait, Lebanon, Saudi Arabia, South Africa, Spain, Sweden, Switzerland, United Kingdom, USA, West Germany.



To receive a sample of the finest quality matrix print-out and additional information on the HERMES printers, please return the coupon below.

Please send printers.	me more documentati	on about your HERMES
Name	Title	
Company	, r	
Street		City
State	Zip	Phone ()
Cond to UED	MES DRODUCTS Inc	Drinter Division

Send to: HERMES PRODUCTS, Inc. – Printer Division 1900 Lower Road, LINDEN, NJ 07036, (201) 574 0300

FOURIER SMOOTHING

1080 1090 1100 1110 1120 1130 1140 1150 1160 1170 1180	C = COS(S):S = SIN(S) FOR P = 1 TO P1 U(K1 + 1) = 0:V(K1 + 1) = 0 K1 = INT((K1 + 1)/2) FOR K = 1 TO K1 L = 2 • K - 1 U = U(L) • C - V(L) • S + U(L + 1) V(K) = U(L) • S + V(L) • C + V(L + 1) U(K) = U NEXT K S = 2 • S • C:C = 2 • C • C - 1	
1120	FOR $K = 1$ TO K1	
1130	$L = 2 \cdot K - 1$	
1140	U = U(L) * C - V(L) * S + U(L + 1)	
1150	V(K) = U(L) * S + V(L) * C + V(L + 1)	
1160	U(K) = U	
1170	NEXT K	
1180	S = 2 * S * C:C = 2 * C * C - 1	
1190	NEXT P	
1200	X1(J) = R(0) + 2 * (U(1) * C + V(1) * S)	
1220	NEXT J	
1230	RETURN	

Listing 2: The straight-line procedure for eliminating the "end effect" can be MERGEd with listing 1 without modification. Note that this listing is not a stand-alone program.

140	'STRAIGHT LINE CALCULATION
150	S1 = 0:S2 = 0
160	D = INT(N/10)
170	FOR J = 0 TO D - 1
180	S1 = S1 + X(J)
190	S2 = S2 + X(N - J - 1)
200	NEXT J
210	X1 = S1/D: X2 = S2/D
220	M = (X2 - X1)/(N - D)
230	$B = (X1 + X2)/2 - M \cdot N/2$
270	$X(J) = X(J) - M \star J - B$
970	X1(0) = X1(0) + B
1210	X1(J) = X1(J) + M * J + B

(13)

$$G = \sum_{m=1,2}^{\ln t \frac{M+1}{2}} \left[U_{2m-1}c - V_{2m-1}s + U_{2m} \right] \cos\left(\frac{4\pi ml}{N}\right) \\ + \left[U_{2m-1}s + V_{2m-1}c + V_m \right] \sin\left(\frac{4\pi ml}{N}\right)$$

where *c* and *s* are abbreviations for $\cos (2\pi l/N)$ and $\sin (2\pi l/N)$, respectively. If *M* is odd, equation 13 calls for the values of U_{M+1} and V_{M+1} , which were not present in equation 11; these terms are to be interpreted as zero.

A comparison of equations 11 and 13 shows that, at the expense of having to evaluate two new coefficients, we have condensed the number of summed terms by a factor of (almost or exactly, according to the parity of *M*) 2. A careful analysis shows that if such a condensation procedure is repeated *P* times, where $P = Int\{log_2(2M-1)\}$, then a single (m=1) term

(14)

$$G = \left[\text{newest U coefficient} \right] \cos \left(\frac{2^{P+1} \pi l}{N} \right)$$
$$+ \left[\text{newest V coefficient} \right] \sin \left(\frac{2^{P+1} \pi l}{N} \right)$$

remains, from which G is easily calculable.

By adopting this *P*-fold condensation procedure, we have reduced the number of sines and cosines that each need to be evaluated from *M* to *P*+1, or from 198 to 9, for example. In fact, you can get away with evaluating only one sine and one cosine, since the arguments involved $(2\pi l/N, 4\pi l/N, 8\pi l/N, \ldots, 2^{P+1}\pi l/N)$ form a sequence in which each is double the previous argument, allowing the duplication formulas $\sin 2\theta = 2\sin\theta\cos\theta$ and $\cos 2\theta = 2\cos^2\theta - 1$ to be used with advantage. It must be emphasized that our algorithm is for Fourier *smoothing* alone.

OPERATION OF THE ALGORITHM

[Editor's note: The listings reprinted here are Microsoft versions of the authors' HP programs. The HP listings are available on the FROMBYTE file area of BYTEnet Listings, (603) 924-9820, under the names FT.BAS and FTEXT.BAS.]

The data to be smoothed is entered into array X(I), I = 0 to N-1, where N is the number of points. The number of iterations of the condensation procedure, Q, is initialized to zero. Lines 140 through 230, 270, 970, and 1210 have been omitted from the subroutine listing. These lines can be filled with a straight-line modification of the data, which we will discuss in the next section.

The degree of smoothing, *E*, must be an integer greater than 1 and less than N/2 (half the total number of points). The first transform calculated is R_0 , followed by the evaluation of R_k and I_k for k = Q to E-1 (see below). Then the first inverse transformed point χ_0 is calculated, using the quadratic filter function and R_k . Finally, the rest of the inverse transforms χ_j , for j = 1 to N-1, are calculated using R_k , I_k and the quadratic filter function. These inverse transforms consist of the smoothed data and are stored in array $\chi_1(J)$, J = 0 to N-1.

After one pass through the subroutine, you may want to select a different degree of smoothing. To do so, you execute the subroutine again. Since many of the transforms will have been calculated previously (the number currently existing is Q), this second execution of the subroutine will require fewer transform calculations (or none if greater smoothing—i.e., a smaller *E*—is chosen).

EXAMPLES

Let's take a look at three types of applications of our algorithm: on scientific data, meteorological data, and annual agricultural statistics.

Our first example concerns electrochemical data acquired in this laboratory during studies of very low con-(continued)

Gifford's Multiuser Concurrent DOS. The net that works!

Gifford has the network solution. It's simple, fast, secure, complete, and it works. Multiuser Concurrent DOS is based on Digital Research's Concurrent DOS, the only major microcomputer operating system specifically designed for networking.

Users can share disks and printers transparently, and can also take advantage of true multiuser features like file and record lockout. And Gifford has added a bundle of features that makes Multiuser Concurrent DOS easy to install and use. It lets you get right to work.

Our net is ARCNET."

Multiuser Concurrent DOS utilizes Datapoint's ARCNET, the most popular network hardware in the industry. It's reliable, economical, and fast – so you can add users without overloading the network.

You can network up to 255 single and multiuser systems. You

can connect single or multiuser Gifford or CompuPro* systems as well as IBM PC-XTs* Dual processor Gifford and CompuPro systems can run thousands of 8 or 16 bit CP/M or MP/M applications. PC-XTs can run 16 bit CP/M and MP/M programs as well as most popular MS-DOS applications, such as Lotus 1-2-3.™

Gifford adds to your net worth.

Our enhancements of Concurrent DOS make it possible to get more and better work done in less time. Networkwide features include electronic mail, event calendar, inter-terminal communication, user time accounting and usage report generation, telecommunications, user expandable HELP facility, reminder messages, message of the day, automatic startup and shutdown procedures, and easily prepared files for initializing terminals, printers, and network nodes.

Gifford's Virtual Terminals[™] increase productivity

by offering fullscreen concurrency; you can run up to four programs simultaneously from one physical terminal.


> The safety net. Multiple users can mean multiple security problems. Gifford's security enhancements include

> > login account names and encrypted passwords to control

access to the system. Users can be further restricted to specified terminals,

user areas, programs, or nodes on the network. You're also safe from

excessive down time, since the modular network architecture gives you immunity from single point failure.



If you've gone through the ordeal of typing as many as seven commands just to get on and off a network,

Gifford has your number. A single, menudriven network command

handles all your network options. Everything you need is right in

front of you. The net effect is simplicity – and sanity. If you'd like to see how Gifford's Multiuser Concurrent DOS can solve your networking problems, or if you'd like to know about Gifford's selection of multiuser systems and software options, call (415) 895-0798. Or write us at the address below. We'll send you a free networking brochure and give you the name of the nearest dealer.

Multiuser Concurrent DOS is a trademark of Gifford Computer Systems. Concurrent DOS is a trademark of Digital Research, Inc. ARCNET is a trademark of Datapoint Corporation. IBM PC-XT is a registered trademark of IBM Corporation. CompuPro is a registered trademark of CompuPro Corporation. Lotus 1-2-3 is a trademark of Development Corp. Virtual Terminals is a trademark of Gifford Computer Systems.

GIFFORD A subsidiary of Zitel Corporation 2446 Verna Court San Leandro, CA 94577 (415) 895-0798 TELEX: 704521 Houston, TX (713) 680-1944

THE MULTIUSER COMPANY"

centrations of heavy metal in water. Because the signal is so small, it is contaminated with noise (see figure 2). Fourier smoothing the data eliminates the noise, leaving the signal proper. This illustrates the virtue of Fourier smoothing experimental data acquired electronically, since it can eliminate the high-frequency noise originating from the instrumentation. The peak height, which is proportional to the metal concentration, can be quantified easily from the smoothed curve.

Choosing the right degree of smoothing, by varying E, is a matter of trial and error. The effects of undersmoothing and oversmoothing are illustrated in figure 2. We obtained the best smoothing when $3 \le E \le 9$.

Consider a graph of daily maximum temperature readings for the period of January 1982 to June 1983, shown in figure 3. There is a clear seasonal variation, but there is also a great deal of scatter. This scatter is caused




Figure 2: An example of Fourier smoothing scientific data. The data represents a derivative neopolarogram at a static-mercurydrop electrode. The black line, showing proper smoothing, was obtained by N = 72, E = 8. In the red line, showing undersmoothing, E = 20. In the oversmoothed blue line E = 4.

by short-term variations in the temperature due to changing weather conditions. To better examine the underlying seasonal variations, it would help to eliminate the shortduration fluctuations of temperature. A direct application of Fourier smoothing, however, produces the red line shown in figure 3, which is obviously not satisfactory. The smoothed curve does not match the data at the ends. The cause of this "end effect" is that some high frequencies not due to noise were eliminated in the smoothing process. The "genuine" high frequencies come from the discontinuity between the beginning and the end of the data. The discrete Fourier transform treats the data as periodic; that is, it assumes that the last points are followed by replicas of the initial points (see figure 4a). Thus the transform "perceives" a sudden jump between the end of one period and the beginning of the next. Sudden (continued)




Figure 3: Daily maximum temperatures at the Peterborough, Ontario, weather station from January 1982 through June 1983. The red line (N = 546, E = 9) provides an example of false smoothing due to an "end effect." To correct for this effect, subtract a straight line (black) joining the ends of the unsmoothed data. The resulting "normalized" smoothing is shown by the blue line (E = 7).




Figure 4: An explanation of the "end effect," which results from the discrete Fourier transform treating the data as periodic (a). The sudden jumps between one period and the next produce "genuine" high frequencies (not associated with noise) in the transform spectrum. To eliminate the "end effect," subtract a straight line joining the ends from the data. The result of this operation is shown in (b). Notice that now the data begins and ends at the same ordinate value, which means that there are no sudden discontinuities from the transform's point of view.

2 Megabytes

THE LARGEST CAPACITY DISK EMULATOR YOU HAVE EVER SEEN.

You know about disk emulators. They're fast semiconductor disk drives. Very fast. But until now, the most disk storage you could get on a single board was 1Mbyte. (That was from us, too.) Now we have news that'll really blow your socks off... 2 Megabytes on a single board. Available NOW. That's not a pie-in-the-sky promise.

That's enough storage for dozens of large programs and undreds of kilobytes of data files. Enough for almost anything ou want to do with a disk drive. But that's not all. With SemiSpool, ur CP/M print spooler, you can implement a print buffer undreds of kilobytes long in seconds. All in software. At no extra bst.

Another thing about disk emulators. Unless they're from miDisk Systems, they're probably afraid of the dark: Lose power turn the computer off, and your valuable data goes to that big ckup disk in the sky. But our Battery Backup Units keep miDisk data flying high while your computer is off, and up to 10 urs during a complete blackout. So remember this: SemiDisk Systems has been building dedicated microcomputer disk emulators longer than anyone. And larger, And faster. And at a much lower cost. And that's not a lot of hot air.

AT A PRICE YOU NEVER THOUGHT YOU'D SEE

2Mbyte

\$2549

\$2499 \$2499

\$2499

	512K	1 Mbyte
emiDisk I, S-100	\$995	\$1795
emiDisk II, S-100	\$1295	\$2095
BM PC, XT, AT	\$945	\$1795
QX-10,QX-16	\$799	
TRS-80 II,12,16	\$995	\$1795
Battery Backup Unit	\$150	

SEMIDISK

SemiDisk Systems, Inc. P.O. Box GG, Beaverton, Oregon 97075 503-642-3100

Call 503-646-5510 for CBBS/NW, 503-775-4838 for CBBS/PCS, and 503 649-8327 for CBBS/Aloha, all SemIDisk-equipped computer bulletin boards (300/1200 baud). SemIDisk, SemISpool trademarks of SemIDisk Systems. CP/M trademark of Digital Research.

S

T

jumps correspond to high frequencies, which in turn result in more high frequencies in the transform spectrum.

The solution to the problem of retaining genuine high frequencies from transformed data is to subtract a straight line joining the beginning and the end of the unsmoothed data. Initially we thought of subtracting a line joining the first and last points. However, since the unsmoothed data contains a lot of scatter, the straight line joining the end points would not necessarily match the beginning and end of the trend. We dealt with this problem by taking the first and last 10 percent of points, averaging each set, and joining the two resulting points. The procedure consists of subtracting the line from the unsmoothed data, smoothing the modified data, then adding the line on to the smoothed data. As mentioned before, the effect of subtracting the line is to eliminate end discontinuities (figure 4b). To include this procedure in the smoothing subroutine, you should merge the program steps shown in listing 2 with listing 1.

The result of treating the data in figure 3 with a straight line is shown as a blue line, which produces a much better fit. Note that a greater degree of smoothing is used here than in the "unnormalized" (red) line. Since we have now eliminated most "genuine" high frequencies, we can filter out more high frequencies.

Historical statistics can be found on such varied subjects as wheat production and the number of hospital beds. In many cases there is an upward trend, due to the increasing population and increasing costs. To examine a trend over a long period of time, you may want to smooth the data.

Our third case concerns wheat production in Canada from 1906 to 1974 (see figure 5). Here there is a great deal of noise, which makes it difficult to draw a definitive trend "by eye." The Fourier-smoothed curve shows an upward trend, as expected, but not in a straight line. This is important, because a straight-line fit might be an oversimplification for a particular analysis.

There are other, more subtle sources of high frequencies that will not be discussed but should be mentioned.

tor, no expensive adaptors or personality

modules are needed.





Figure 5: Unsmoothed (dots) and smoothed (line) statistical data on wheat production in Canada from 1906 through 1974. The large amount of scatter makes it difficult to draw a straight curve through the data. Fourier smoothing accomplishes this quite well, given an appropriate choice of the degree of smoothing. Smoothing parameters: N = 69, E = 3.

Sudden discontinuities other than the end type may occur in the data, and these may be treated by subtracting several straight lines where appropriate. You can also handle this problem by smoothing the continuous segments separately instead of treating the data as a whole. Another source of high frequencies is a sudden change in slope, which is more difficult to correct. Here it is necessary to subtract an appropriate curve that matches the portion of the data that changes slope abruptly. ■

REFERENCES

 Stanley, W. D., and S. J. Peterson. "Fast Fourier Transforms on Your Home Computer." BYTE, December 1978, page 14.
 Zimmermann, M. "A Beginner's Guide to Spectral Analysis," parts 1 and 2. BYTE, February 1981, page 68, and March 1981, page 166.

3. Lord, R. H. "Fast Fourier for the 6800." BYTE, February 1979, page 108.



8048, 6500, 6800, 8031, 8085, Z-8, 1802,

8088/80188, 8086/80186, R65 and 68000.

ORION 172 Otis Ave., Woodside, CA 94062 (415) 851-1172



Would you hire an entire band when all you need is one instrument? Of course not.

So why use a whole orchestra of computers when all you need is one to develop software for virtually any type of micro-processor?

The secret? Avocet's family of cross-assemblers. With Avocet cross-assemblers you can develop software for practically every kind of processor — without having to switch to another development system along the way!

Cross-Assemblers to Beat the Band!

Development Tools That Work

Avocet cross-assemblers are fast, reliable and user-proven in over 4 years of actual use. Ask NASA, IBM, Xerox or the hundreds of other organizations that use them. Every time you see a new microprocessor-based product, there's a good chance it was developed with Avocet cross-assemblers.

Avocet cross-assemblers are easy to use. They run on almost any personal computer and process assembly language for the most popular microprocessor families.

Your Computer Can Be A Complete Development System

Avocet has the tools you need to enter and assemble your soft-ware and finally cast it in EPROM:

EPROM Programmers let you program, verify, compare, read, display EPROMS but cost less because they communicate through your personal computer or terminal. No personality modules! On-board intelligence provides menu-based setup for 34 different EPROMS, EEPROMS and MPUs (40-pin devices require socket adaptors). Selfcontained unit with internal power supply, RS-232 interface, Textool ZIF socket. Driver software (sold separately) gives you access to all programmer features through your computer, lets you download cross-assembler output files, copy EPROM to disk.

Model 7228 Advanced Programmer

-Supports all PROM types listed. Superfast "adaptive" programming algorithm programs 2764 in 1.1 minutes.

Model 7128 Standard Programmer — Lower-cost version of 7228. Supports all PROM types except "A" versions of 2764 and 27128. Standard programming algorithm programs 2764 in 6.8 minutes.

Avocet	Target	CD/M 00	CP/M-86
Cross-assembler	Microprocessor	CP/M-80	IBM PC, MSDOS**
XASM04 NEW	6804	\$ 250.00	\$ 250.00
XASM05	6805	200.00	250.00
XASM09	6809	200.00	250.00
XASM18	1802/1805	200.00	250.00
XASM48	8048/8041	200.00	250.00
XASM51	8051	200.00	250.00
XASM65	6502/65C02	200.00	250.00
XASM68	6800/01, 6301	200.00	250.00
XASM75	NEC 7500	500.00	500.00
XASM85	8085	250.00	250.00
XASM400	COP400	300.00	300.00
XASMF8	F8/3870	300.00	300.00
XASMZ8	Z8	200.00	250.00
XASMZ80	Z80	250.00	250.00
XMAC682 NEW	68200	595.00	595.00
XMAC68K NEW	68000/68010	595.00	595.00

Model 7956 and 7956-SA Gang Programmers — Similar features to 7228, but program as many as 8 EPROMS at once. 7956-SA stand-alone version copies from a master EPROM. 7956 lab version has all features of stand-alone plus RS-232 interface.

EPROM: 2758, 2716, 2732, 2732A, 2764, 2764A, 27128, 27128A, 27256, 2508, 2516, 2532, 2564, 68764, 68766, 5133, 5143. CMOS: 27C16, 27C32, 27C64, MC6716. EEPROM: 5213, X2816A, 48016, I2816A, 5213H. MPU (w/adaptor): 8748, 8748H, 8749, 8749H, 8741, 8742, 8751, 8755.

7228	Advanced Programmer	\$ 549
7128	Standard Programmer	429
7956	Laboratory Gang Programmer	1099
7956-SA	Stand-Alone Gang Programmer	r 879
GDX	Driver Software	95
481	8748 Family Socket Adaptor	98
511	8751 Socket Adaptor	174
755	8755 Socket Adaptor	135
CABLE	RS-232 Cable (specify gender)	30

HEXTRAN Universal HEX File Con-

Ask about UNIX.

68000 CROSS-ASSEMBLER — With exhaustive field testing completed, our 68000 assembler is available for immediate shipment. XMAC68K supports Motorola standard assembly language for the 68000 and 68010. Macros, cross-reference, structured assembly statements, instruction optimization and more. Linker and librarian included. Comprehensive, well-written manual.

To find out more, call us toll-free.

1-800-448-8500

(in the U.S. Except Alaska and Hawaii)

VISA and Mastercard accepted. All popular disc formats now available -please specify. Prices do not include shipping and handling -- call for exact quotes. OEM INQUIRIES INVITED.





Sales and Development: 10 Summer Street P.O. Box 490. Dept. 285-B Rockport, Maine 04856 (207) 236-9055 Telex: 467210 AVOCET CI Corporate Offices: 804 South State Street Dover, Delaware 19901

Inquiry 27

7400		74F00 NEW	74ALS00	Digitalker"		
Part No. Pins. Pint No. Pins. Pint No. Pins. Pins. SNF401N 14 20 SNF421N 16 35 SNF401N 14 20 SNF421N 16 35 SNF401N 14 20 SNF401N 16 35 SNF401N 14 20 SNF401N 14 95 SNF403N 14 20 SNF403N 14 95 SNF403N 14 20 SNF403N 14 89 SNF403N 14 25 SNF403N 16 55 SNF403N 14 55 SNF403N 18 59 SNF403N 14 25 SNF403N 18 59 SNF403N 14 25 SNF403N 14 21 SNF403N 14 25 SNF403N 14 21 SNF41N1N 14 25 SNF403N 14 31 SNF41N1N 14 <td< td=""><td>Part No Price SN 121500 24 155 SN 7741600 16 59 SN 7741600 16 59 SN 7741600 16 59 SN 7741600 16 59 SN 741600 15 59 SN 741600 16 69 SN 741600 15 69 SN 741600 16 69 SN 741700 16 59 SN 741700 16 16 SN 7417000 16 16</td><td>Prime Price Price Price 744700 14 Duicd Zhrput MAND Gate 66 744 744704 14 Duicd Zhrput MAND Gate 76 744 744704 14 Duicd Zhrput MAND Gate 75 744 744704 14 Duicd Zhrput MAND Gate 75 744 744704 14 Duicd Zhrput MMN Gate 75 744 744704 14 Duicd Zhrput MMN Gate 75 744 744705 14 Duicd Zhrput MMN Gate 75 744 744710 15 Duicd Zhrput MMN Gate 75 744 744710 15 Duicd Zhrput MMN Gate 75 744 744710 15 Duicd Zhrput MM Gate 75 744 744713 15 Duicd Zhrput Mitghtsgr (mp) 160 744 744713 15 Duicd Zhrput Mitghtsgr (mp) 160 744 744713 16 Duick Zhrput Mitghtsgr (mp) 160 744 744713 16<td>Pia Factor Process 1500 1 Outod 2-Input NAND Gate .59 1501 1 Outod 2-Input NAND Gate .59 1504 1 Head 2-Input NAND Gate .59 1504 1 Head 2-Input NAND Gate .59 1505 1 Head 2-Input NAND Gate .59 1501 1 Head 2-Input NAND Gate .59 1502 1 Augus A-MAD Gate .59 1503 1.6 Augus A-MAD Gate .59 1504 1.0 Date Point Mand Gate .58 1505 1.0 Date Point Point Point .65 1512 1.6 Capacadare 30 Bocode .75 1512 16 Fischer Coda Line Drees Invertinget .25 1512 10 Fischer Coda Line Drees .25 1512 10 Fischer Coda Line Invertinget .25 1512 10 Fischer Coda Line Invertinget .25 1512 10 Fischer Coda Line Invertinget .25<</td><td>DT1050 — Applications: Teaching aids, appliances, clocks, automotive, telecommunica- tions, language translations, etc. The DT1050 is a standard DUIGTALKER kire necoded with 13 separate and useful words, 2 toons, and 5 different silence durations. The words and tones have been assigned discrete addresses, making it possible to output single words or words concatenated into phrases or even sentences. The "words of words concatenated into phrases or even sentences. The "words and the DT1050 is a finghty in- tellighte male words - Bernale and children's voices can be synthesiz- dicts and markets. The DT1050 consists of a Speech Processor Chip, MM54104 (40-pin) and two (2) Speech RDMs MM321645SR1 and MM521645SR2(24-pin) and two (2) Speech RDMs MM32164SSR1 and MM521645SR2(24-pin) and markets. DT1050 DigitalkerTM</td></td></td<>	Part No Price SN 121500 24 155 SN 7741600 16 59 SN 7741600 16 59 SN 7741600 16 59 SN 7741600 16 59 SN 741600 15 59 SN 741600 16 69 SN 741600 15 69 SN 741600 16 69 SN 741700 16 59 SN 741700 16 16 SN 7417000 16 16	Prime Price Price Price 744700 14 Duicd Zhrput MAND Gate 66 744 744704 14 Duicd Zhrput MAND Gate 76 744 744704 14 Duicd Zhrput MAND Gate 75 744 744704 14 Duicd Zhrput MAND Gate 75 744 744704 14 Duicd Zhrput MMN Gate 75 744 744704 14 Duicd Zhrput MMN Gate 75 744 744705 14 Duicd Zhrput MMN Gate 75 744 744710 15 Duicd Zhrput MMN Gate 75 744 744710 15 Duicd Zhrput MMN Gate 75 744 744710 15 Duicd Zhrput MM Gate 75 744 744713 15 Duicd Zhrput Mitghtsgr (mp) 160 744 744713 15 Duicd Zhrput Mitghtsgr (mp) 160 744 744713 16 Duick Zhrput Mitghtsgr (mp) 160 744 744713 16 <td>Pia Factor Process 1500 1 Outod 2-Input NAND Gate .59 1501 1 Outod 2-Input NAND Gate .59 1504 1 Head 2-Input NAND Gate .59 1504 1 Head 2-Input NAND Gate .59 1505 1 Head 2-Input NAND Gate .59 1501 1 Head 2-Input NAND Gate .59 1502 1 Augus A-MAD Gate .59 1503 1.6 Augus A-MAD Gate .59 1504 1.0 Date Point Mand Gate .58 1505 1.0 Date Point Point Point .65 1512 1.6 Capacadare 30 Bocode .75 1512 16 Fischer Coda Line Drees Invertinget .25 1512 10 Fischer Coda Line Drees .25 1512 10 Fischer Coda Line Invertinget .25 1512 10 Fischer Coda Line Invertinget .25 1512 10 Fischer Coda Line Invertinget .25<</td> <td>DT1050 — Applications: Teaching aids, appliances, clocks, automotive, telecommunica- tions, language translations, etc. The DT1050 is a standard DUIGTALKER kire necoded with 13 separate and useful words, 2 toons, and 5 different silence durations. The words and tones have been assigned discrete addresses, making it possible to output single words or words concatenated into phrases or even sentences. The "words of words concatenated into phrases or even sentences. The "words and the DT1050 is a finghty in- tellighte male words - Bernale and children's voices can be synthesiz- dicts and markets. The DT1050 consists of a Speech Processor Chip, MM54104 (40-pin) and two (2) Speech RDMs MM321645SR1 and MM521645SR2(24-pin) and two (2) Speech RDMs MM32164SSR1 and MM521645SR2(24-pin) and markets. DT1050 DigitalkerTM</td>	Pia Factor Process 1500 1 Outod 2-Input NAND Gate .59 1501 1 Outod 2-Input NAND Gate .59 1504 1 Head 2-Input NAND Gate .59 1504 1 Head 2-Input NAND Gate .59 1505 1 Head 2-Input NAND Gate .59 1501 1 Head 2-Input NAND Gate .59 1502 1 Augus A-MAD Gate .59 1503 1.6 Augus A-MAD Gate .59 1504 1.0 Date Point Mand Gate .58 1505 1.0 Date Point Point Point .65 1512 1.6 Capacadare 30 Bocode .75 1512 16 Fischer Coda Line Drees Invertinget .25 1512 10 Fischer Coda Line Drees .25 1512 10 Fischer Coda Line Invertinget .25 1512 10 Fischer Coda Line Invertinget .25 1512 10 Fischer Coda Line Invertinget .25<	DT1050 — Applications: Teaching aids, appliances, clocks, automotive, telecommunica- tions, language translations, etc. The DT1050 is a standard DUIGTALKER kire necoded with 13 separate and useful words, 2 toons, and 5 different silence durations. The words and tones have been assigned discrete addresses, making it possible to output single words or words concatenated into phrases or even sentences. The "words of words concatenated into phrases or even sentences. The "words and the DT1050 is a finghty in- tellighte male words - Bernale and children's voices can be synthesiz- dicts and markets. The DT1050 consists of a Speech Processor Chip, MM54104 (40-pin) and two (2) Speech RDMs MM321645SR1 and MM521645SR2(24-pin) and two (2) Speech RDMs MM32164SSR1 and MM521645SR2(24-pin) and markets. DT1050 Digitalker TM		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	SN41182N 10 105 SN41182N 10 2.33 SN41182N 16 2.33 SN41182N 16 2.33 SN41182N 16 2.93 SN41191N 46 69 SN41192N 16 69 SN41192N 16 69 SN41192N 16 69 SN41192N 16 69 SN41195N 16 69 SN41195N 16 69 SN41195N 18 19 SN41195N 18 19 SN41195N 16 19 SN41195N 18 55 <	Dirsol. 40 Frogs Dup Constitute 1995 Dirsol. 40 Frogs Dup Constitute 1995 TASSD 40 Synchrones Data Interface SHCI 1496 TABLE 200 200 200 200 TABLE 200 200 200 200 200 TABLE 200 200 200 200 200 200 TABLE 200	3 1 1 12/24-1 2005s 9 9 2 6 40 ⁵ 12/24-1 12/24-1 12/2 12/24 12/24-1 9 2 7 25-4 12/24-1 12/24-1 12/24-1 12/24-1 9 2 2 12/24-1 12/24-1 12/24-1 9 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	DT1057 - Expands the DT1050 vocabulary from 137 to over 260 words, includes 2 RDMs and specs. Part No. DT1057 S24.95 ea. DT057 S24.95 ea. DM067 T05 T057 DT057 T0567 T05 T05 <th <="" colspan="2" td=""></th>		
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6802CP 46 MFU with Dack and RAM 7.95 HME 6802C 46 MFU with Dack and RAM 7.95 8.95 7.15 6802 46 CPU - B & Bit Chic Dack Moll Mole 8.95 7.12 8.95 6802 46 CPU - B & Bit Chic Dack Moll Mole 5.95 7.405 8.95 7.415 6810 21 21845 State RMA (Althr) 5.95 7.405 8.95 7.415 6821 40 Perspheral Intrin Adate (MOLRY) 2.95 7.435 8.95 7.435 6821 40 Perspheral Intrin Adate (MOLRY) 1.95 7.435 8.65 7.45 8.65 8.65 8.64 6.75 8.74 7.65 8.65 8.65 8.75 8.75 8.75 8.75 8.75 8.65 8.65 8.75 8.75 8.75 8.75 8.75 8.75 8.75 8.77 8.75 8.77 8.75 8.77 8.75 8.77 8.75 8.77 8.75 8.77 8.75 8.77 8.75 </td <td>CARD 4:5 28 8192x8 1125xxxxx 34 56 55 30 15 82 8192x8 1125xxxxx 34 56 55 30 16 156 44 2505xx1 1005xxxxx 2 55 55 30 16 156 44 2505xx1 1005xxxxx 2 55 55 31 16 156 44 2505xx1 1005xxxxx 2 55 55 16 16 44 155xx1 35405 2 55 55 155 55 2 55 55 18 16 44 155xx1 35405 2 55 55 2 55 55 15 15 64 155xx1 2 55 55 2 55 55 15 15 64 155xx1 2 55 55 2 55 55 15 15 64 155xx1 2 55 55 2 55 55 15 15 64 155xx1 2 55 55 2 55 55 15 15 64 155x1 2 55 55 15 15 64 155x1 15 15 25 2 55 55 15 15 15 25 15 15 15 15 15 15 15 15 15 15 15 15 15</td> <td>30009 1983 INTERSIL Data Book (1356p.) 59.951 744C0 14 59 744C139 16 105 744C24 32 255 744C21 17 16 129 744C21 18 19 109 744C23 18 109 744C21 18 19 109 744C23 18 109 744C23 18 109 744C23 18 109 744C23 18 299 744C26 18 299 744C28 <th <="" colspan="2" td=""></th></td>	CARD 4:5 28 8192x8 1125xxxxx 34 56 55 30 15 82 8192x8 1125xxxxx 34 56 55 30 16 156 44 2505xx1 1005xxxxx 2 55 55 30 16 156 44 2505xx1 1005xxxxx 2 55 55 31 16 156 44 2505xx1 1005xxxxx 2 55 55 16 16 44 155xx1 35405 2 55 55 155 55 2 55 55 18 16 44 155xx1 35405 2 55 55 2 55 55 15 15 64 155xx1 2 55 55 2 55 55 15 15 64 155xx1 2 55 55 2 55 55 15 15 64 155xx1 2 55 55 2 55 55 15 15 64 155xx1 2 55 55 2 55 55 15 15 64 155x1 2 55 55 15 15 64 155x1 15 15 25 2 55 55 15 15 15 25 15 15 15 15 15 15 15 15 15 15 15 15 15	30009 1983 INTERSIL Data Book (1356p.) 59.951 744C0 14 59 744C139 16 105 744C24 32 255 744C21 17 16 129 744C21 18 19 109 744C23 18 109 744C21 18 19 109 744C23 18 109 744C23 18 109 744C23 18 109 744C23 18 299 744C26 18 299 744C28 744C28 744C28 744C28 744C28 744C28 744C28 744C28 744C28 744C28 <th <="" colspan="2" td=""></th>		
74500 14 35 74S7/PRUMS* 74502 14 35 745114 16 55 74504 14 35 745114 16 55 74505 14 45 745124 16 257 74506 14 45 745124 16 257 74507 14 35 745131 16 65 74507 14 35 745131 16 65 74511 14 35 745131 16 65 74511 14 35 745131 16 65 74511 14 35 745140 14 69 74520 14 35 745161 16 99 74521 14 35 745161 16 99 74522 14 35 745161 16 99 74532 14 45 745151 16 99 74537	746241 70 195 75542 4 219 745244 20 219 745244 20 219 745253 16 99 745253 16 99 745253 16 99 745254 10 219 745253 16 99 745254 10 219 745257 16 170 745269 10 20 745279 10 249 745279 10 249 745279 10 249 745373 20 495 745377 16 29 745377 16 29 745377 16 29 7455727 16 495 7455727 16 495 7455727 16 495 7455727 16 49 7455727 16 49 745574	8253 24 Prog. Instruct Imme 6.95 7.65 8253.45 44 Prog. Pergineal (O. QP), Step: 5.95 7.65 8254.45 44 Prog. Pergineal (O. QP), Step: 5.95 7.65 8254.45 44 Prog. Instruct Control 5.95 7.65 8254.45 44 Prog. Instruct Control 5.95 7.65 8274 44 Muln.Prostoc/Strail Control 7.95 8.75 8274 44 Muln.Prostoc/Strail Control 6.95 8.75 8274 44 Muln.Prostoc/Strail Control 6.95 8.75 8276 45 Molar, Prostoc/Strail Control 6.95 8.75 8278 46 Cock (Beactan Chore 6.95 8.75 8287 7.0 Cock (Beactan Chore 7.95 8.25 8287 20 8.84 Prostochart Prostoc 8.24 8.25 8287 20 8.84 Prostochart Prostoc 8.24 8.24 8.24 8.24 8.24 8.24	100 5 102-44 PRON D: ISSUE) 355 100 5 102-44 PRON D: ISSUE) 355 571 65 102-44 PRON D: ISSUE) 455 571 15 102-44 PRON D: ISSUE) 455 572 16 102-44 PRON D: ISSUE (127514) 455 103 16 52-44 PRON D: ISSUE (127514) 245 103 16 52-44 PRON D: ISSUE (127514) 245 103 16 12-44 PRON D: ISSUE (127514) 245 103 16 24-44 PRON D: ISSUE (111-14-55 145 103 16 24-44 102-15 144 95 103 16 24-44	14.00 14 35 740;154 16 2,15 740;164 16 2,12 740;17 20 22 23 740;17 16 740;17 16 740;17 16 740;17 16 740;17 16 740;17 16 740;17 16 740;17 16 740;17 16 740;17 16 740;17 16 740;17 16 740;17 16 740;17 16 17 740;17 16 17 740;17 16 16 17 740;17 16 16 17 740;17 16 16 17 740;17 16 16 17 740;17 16 16 17 740;17 16 16 17 740;17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16 17 16 16		
CA30294 H 29 CA30274 H 15 CA30294 H 255 CA3024 H 15 CA30294 H 255 CA3024 H 15 CA30294 H 255 CA3024 H 15 CA30296 H 25 CA3024 H 15 CA30297 H 29 CA3024 H 15 CH4007 H 29 CH4014 H 69 CH4007 H 29 CH4044 H 69 CH4007 H 29 CH4044 H 69 CH4007 H 29 CH4044 H 69 CH4007 H 29 CH4047 H 89 CH4017 H 29 CH4047 H 89 CH4017 H 29 CH4046 H 59 CH4017 H 29 CH4045 H 89	CA31042 1 449 CA31042 1 595 CA31042 1 595 CA31042 1 59 CA30118 1 59 CA30187 14 59 CA3017 14 119 CA3018 16 60 CA3017 14 195 CA3018 16 85 CA3017 14 195 CA3018 16 85 CA311 16 85 CA3115 24 1.49 CA3115 24 1.49 CA3118 15 89 CA3118 15 89 CA3118 15 89 CA3118 15 89 CA3118 18 89 CA3118 18 89 CA3118 18 89 CA318 18 89 CA318 18 89 CA318	MAX22 III. 11 IV Current Sync. Generative 9 mit MAX23 IV. 16 IV Current Sync. Similar Recent Sync. Generative 9 mit MAX24 IV. 16 March mitoroxic Similar Recent Sync. Generative 9 mit MAX25 IV. 16 March mitoroxic Similar Recent Sync. Generative 8 mitoroxic Similar Recent Sync. Generative Free Cack. 8 mitoroxic Gen	1022 16 19 88 / DA Core (13 % min.) 4.56 1022 20 16 19 88 / DA Core (13 % min.) 4.56 1023 21 12.81 / DA Core (10 % min.) 156 156 1231 21 12.81 / DA Core (10 % min.) 135 156 1131 40 19 86 / DA Core (10 % min.) 135 156 1131 40 19 86 / DA Core (10 % min.) 135 156 1131 40 19 86 / DA Core (10 % min.) 135 156 1131 40 19 86 / DA Core (10 % min.) 135 156 1131 40 19 10 / DA Core (10 % min.) 135 166 176 1131 40 19 10 / DA Core (10 % min.) 135 166 176 167 176 <td>Listicolor # 1/5 Listicolor 1/5</td>	Listicolor # 1/5 Listicolor 1/5		

ProModem 1200 and Options Apple[®] Accessories Commodore[®] Accessories 5¼" APPLE™ **RS232 ADAPTER FOR** Intelligent 300/1200 Baud **Direct Plug-In** VIC-20 AND COMMODORE 64 **Telephone Modem with Compatible Disk Drive** PROMETHEUS and Controller Card **Real Time Clock/Calendar** The ADD-514 Disk Drive uses Shugar SA300 mechanics-143K formatted storage · 35 tracks compatible with Apple Control-ler & ACC-1 Controller · The drive comes complete with connector and cable – just plug into your disk controller cand · Size: 6"L x 31/2" W 8-9/16"D · Weight: 4% lbs. New! New! The ProModem[™] is a Bell 212A (300/1200 baud) intelligent stand-alone modem · Full featured expandable modem · Standard features include Auto Answer and Auto Dial, Help Commands, Programmable Intelligent Dialing, Touch Tone[™] and Pulse Dialing & More · Hayes The JE232CM allows connection of standard serial BS232 command set compatible plus an additional extended printers, modems, etc. to your VIC-20 and C-64. A 4-po command set . Shown w/alphanumeric display option ADD-514 (Disk Drive)..... \$169.95 switch allows the inversion of the 4 control lines. Com-Part No Description Drine plete installation and operation instructions included ACC-1 (Controller Card). \$ 49.95 RS-232 Stand Alone Unit. \$349.95 Apple II, II+ and I/e Internal Unit. \$369.95 IBM PC and Compatible Internal Unit. \$269.95 IBM PC & Comp. Int. Unit w/ProCom Software. \$319.95 Macintosh Package. \$399.95 (Includes PM1200, Cable, & ProCom Software) \$399.95 PM1200 Plugs into User Port · Provides Standard RS232 signal PM1200A PM1200B More Apple Compatible Add-Ons... levels · Uses 6 signals (Transmit, Receive, Clear to Send, Request to Send, Data Terminal Ready, Data Set Ready). APF-1 (Cooling Fan with surge protection). \$39,95 KHP4007 (Switching Power Supply). \$59,95 JE614 (Numeric/Aux, Keypad for //e). \$59,95 PM1200BS JE232CM \$39.95 MAC PAC KB-A68 (Keyboard w/Keypad for II & II+)..... **VOICE SYNTHESIZER** MON-12G (12° Green Monitor for II, II+, IIe, IIc), ... \$99,95 JE864 (80 Col. + 64K RAM for IIe), \$99,95 ADD-12 (54° Halt-Height Disk Drive), \$179,95 PTIONS FOR ProModem 1200 FOR APPLE AND COMMODORE ANNWW M PM-COM (ProCom Communication Software)..... \$79.95 Please specify Operating System. Great Prease specify Operating System. \$79.95 (Options Processor). \$79.95 (Options Processor Memory – 16K). \$10.95 (Options Processor Memory – 25K). \$20.95 (Options Processor Memory – 64K). \$39.95 PM-OP **DISK DRIVES** Educating PMO-16K PMO-32K PMO-64K PM-ALP Tool! (Alphanumeric Display).\$79.95 PM-Special (Includes Options Processor, 64K Memory and Alphanumeric Display).....\$189.95 mm N Best Documentation Buys! KEYBOARDS Included G (MPI 5¼" SS tull-ht).....\$89.95 (Remex 5¼" DS tull-ht)....\$129.95 (Tandon 5¼" DS tull-ht)...\$159.95 (Tac 5¼" DS half-ht)...\$149.95 (Shugart 5¼" DS half-ht)...\$149.95 (Shugart 5¼" DS half-ht)...\$159.95 (Shugart 5¼" DS half-ht)...\$139.95 (Shugart 5¼" DS half-ht)...\$33.95 (Shugart 5¼" DS half-ht)...\$33.95 MPI51S Mitsumi 54-Key Unencoded **RFD480** JE520AP TM100-2 All-Purpose Keyboard FD55B SA455 SPST keyswitches · 20 pin ribbon cable conhec-tion · Low profile keys · Features: cursor controls, control, caps (lock), function, enter and shift keys · Color (keycaps): grey · WI: 1 lb. · Pinout included 11211 FDD100-8 JE520CM PCK-5 PCK-8 • Over 250 word vocabulary-affixes allow the formation of more than 500 words • Buik-in amplifier, speaker, volume control, and undio jack • Recreates a clear, natural mate voice • Plug-in user ready with documentation and sample software • Case size: $7^{\prime\prime} T \times 3^{\prime\prime} W \times 1-378^{\prime\prime}$ 13%"L x 4% "W x %"H KB54.....\$14.95 New! 76-Key Serial ASCII Keyboard **UV-EPROM Eraser** Simple serial interface · SPST mechanical switch ing · Operates in upper and lower case · Five use function keys; F1-F5 · Six linger edge card connec tion · Color (keys); tan · Weight; 2 lbs. · Data inc APPLICATIONS: - Security Warning - Telecommunication - Teaching - Handicap Aid - Instrumentation - Games 8 Chips - 21 Minutes KB76.....\$29.95 16"L x 6%"W x 1%"H Description Price Darl M Apple Owners! JE520CM For Commediate 64 & VIC-20 \$114 95 Apple Keyboard and Case for Apple II and II+ 1 Chip - 15 Minutes JE520AP For Apple II. II+, and fle\$149.95 Erases all EPROMs. Erases up to 8 chips within 21 minutes (1 chip in 15 minutes). Maintains constant exposure distance of one inch. Special conductive toam liner eliminates static build-up. Built-in safety lock to prevent UV exposure. Compact – only 9.001 x 3.70 w X.2601. Complete with holding tray for 8 chips. • Keyboard: Direct connection with 16-pin ribbon connector - 26 special functions • Size: 14%"L x 5½"W x 112"H **Computer Memory Expansion Kits IBM PC, PC XT and Compatibles** Case: Accommodates KB-A68 · Pop-up lid for easy access · Size: 151/2"W x 18"D x 41/4"H NEW! Mosi of the popular Memory Boards (e.g. Quedram[®] Expansion Boards) allow you to add an additional 64K, 128K, 192K or 256K. The IBM64K Kit will populate heas boards in 16K Kybe increments. The Kit is simple to install-net the second second second second second second second second second of switches. Complete conversion documentation included. DE-4 UV-EPROM Eraser. \$74.95 Description Part No Price \$16.95 UVS-11EL Replacement Bulb. Apple Keyboard and Case (pictured above). \$134.95 68-Key Apple Keyboard only. \$ 79.95 Expanded Apple Enclosure Case only. \$ 59.95 KB-EA1 100101000 KB-468 Somware IBM64K (Nine 200ns 64K RAMs)..... \$43.95 Documentation CP/M Compute EAEC-1 IBM PC AT IC RAMs and documentation Each kil comes complete POWER SUPPLIES IBM128K (Nine 200ns 128K RAMs)..... \$199.95 TRANSACTION TECHNOLOGY, INC. **APPLE** *lle* 100 **5VDC @ 1 AMP Regulated Power Supply** ended 80-Column/64K RAM Card. Expands memory by 64K to give 128K in used with programs like VisiCalc.", Fully assembled and tested 4 Output: +5VDC @ 1.0 amp (also +30VDC regulated) · Input: 115VAC, 60 Hz Two-tone (black/beige) self-enclosed case · 6 toot, 3-conductor black JE864.....\$99.95 power cord · Size: 612" L x 7" W x 214" H · Weight: 3 lbs TRS-80 MODEL I, III JE664 EPROM PROGRAMMER Each Kit comes complete with eight MM2502 (UPD416/4116) 16K Dynamic RAMs and documentation for conversion. Model 1: 16K equipped with Ex-pansion Interface can be expanded to 48K with 2 Kits. Model III: Can be expanded from 16K to 48K using 2 Kits. Each Kit will expand computer by 16K Increments. PS51194 \$14.95 8K to 64K EPROMS - 24 & 28 Pin Packages Completely Self-Contained - Requires No Additional Systems for Operation Power/Mate Corp. REGULATED POWER SUPPLY Compitelly Self-Contained — Requires No Additional Systems Intr Operation Programs and validates EFROMs - Res232C Computer Interface DEPROMs Emulates PPOMs - RES232C Computer Interface for editing and program loading - Loads data into AMb by exposed. - Changes data in RAM by keyboard - Loads RAM from an EPROM - Compares EPROMs for content differences - Copies EPROMs - Pow Input : 15XAC, Goltz, less than 10W power consumption - Enclosure: Color-coordinated, light tan panels with model and places in mocha bown - Size 15% - 2, 6% - 2, 3% + V - Waght: Input: 105-125/210-250 VAC at 47-63 Hz - Line regulation: ±0.05% - Three mounting surfaces - Overvoltage protection - UL recognized - CSA certified Part No. Output Size Weight Price TRS-16K3 200ns (Model III)......\$8.95 TRS-16K4 250ns (Model 1).....\$6.95 TRS-80 MODEL IV & 4P 5V@3A/6V@2.5A 4%"L x 4"W x 2%"H 2 lbs. \$29.95 5V@6A/6V@5A 5%"L x 4% W x 2%"H 4 lbs. \$39.95 FMA5/6B stall Kil comes complete with 8 ea. 41 64N-20 (200ns) 64K Dynamic conversion documentation. Converts TRS-80 Model IV computers to 64K. Also expands Model 4P from 64K to 128K. 4K-2 EMA5/6C 5% tos 15% KEPCO/TDK 4-OUTPUT SWITCHING POWER SUPPLY · Ideal for disk drive needs of CRT terminals, microcomputers and video games · Input: 115/230V&C, 50/601z · Output: +5V # 5 Amp, +12V @ I.8 Amp, +12V @ 2 Amp, - 12V @ 0.5 Amp, - UI recognized · CSA certified · Size: 7%1 x 6-3/16'W x 1%'H · Weight: 2 lbs. \$59.95 each or MRM 174KF. 2 for \$99.95 TRS-64K-2. \$3 (Converts the Model IV from 16K to 54K or will expand the Model 4 (Star to 138) \$38.95 TRS-64K2PAL (Model IV only).....\$59.95 (8 - 4164's with PAL Chip to expand from 64K to 128K) TRS-80 COLOR AND COLOR II Easy to result it is one source with the set of the set Switching Power Supply for APPLE II, II+ & //e** Can drive four floppy disk drives and up to eight expansion cards Short circuit and overload protection - Fits inside Apple computer Fully regulated +5V @ 5A, +12V @ 1.5A, -5V @ .5A, -12V @ .5A JE664-A EPROM Programmer. \$995.00 Assembled & Tested (includes JM16A Module) Direct plug-in power cord included · Size: 9%"L x 3½"W x 2¼"H Weight: 2 lbs. ADUSTRIES Protect Yourself ... **DATASHIELD®** Surge Protector 4-CHANNEL SWITCHING POWER SUPPLY . With 111 • Microprocessor, mini-computer, terminal, medical equipment and process control applications: input 90-130/WC, 47-440/Hz; • Output: +5V/CC § 5A, 55/C § 1A, 112/MC gill A12/MC, 91A, Lineregulators: ± 0.2% • Ripple: 0.000 ± 10% • Size: 6% ± 1.2 MC, W x 4-15/16 Hr • Weight: 18 ibs. ECC = 0.04. EPROM Programmer w/JE665 Option Eliminates voltage spikes and EMI-RFI noise before il can damage your equipment or cause data loss - 6 month warranty - Power dissipa-tion (100 microseconds): 1,000,000 watts - 6 sockets - 6 foot power cord - Normal line volti-JE664-ARS. \$1195.00 Assembled & Tested (includes JM16A Module) 1 332353 -EPROM JUMPER MODULES — The JE664's JUMPER MODULE (Personality Module) is a plug-in Module that pre-sets the JE664 for the proper programming pulses to the EPROM and configures the EPROM socket connections for that particular EPROM. age indicator light - Brown out/black out reset switch FCS-604A.....\$69.95 \$10.00 Minimum Order — U.S. Funds Only California Residents Add 6½% Sales Tax Shipping — Add 5% plus \$1.50 Insurance Send S.A.S.E. for Monthly Sales Fiyer! Spec Sheets — 30¢ each Send \$1.00 Postage for your FREE 1985 JAMECO CATALOG Prices Subject to Change Model 100. Programming Turkeys 25V AMO, Motoxola, Nat., Intel, TL 25V AMO, Motoxola, Nat., Intel, TL JENNA EPIDIN Jumper Red. Ro. EPIDINE DATASHIELD® Back-Up Protect \$14.95 2708 25V 2716, TMS2516 (TI) 25V JAN16A 2108 200</t Yourself \$14.95 \$14.95 \$14.95 JM 168 Provides up to 30 minutes of continuous 120 VAC 60Hz power to your computer system loadidipendin when you have a black out or control of the system of the system (PC200): 24 lbs. – (AT300): 37.5 lbs. JM32A JM328 **VISA°** MasterCard \$14.95 21V 21V

ELECTRONICS

1355 SHOREWAY ROAD, BELMONT, CA 94002

2/85 PHONE ORDERS WELCOME - (415) 592-8097 Telex: 176043

Fujitsu, Intel. . . Motorola

21V Intel, Fairchild, OKI

\$11.95 \$14 %

JMG2C JM64A

MCM68764 MCM68L764


PC200

XT300

..

(Output rating: 200 watts). \$299.95

(Output rating: 300 watts). \$399.95



GORILLA

SC 100 Color STSI Tinstand SG 1000 Greet 5 88 00 SA 1000 Ambi

29 94

109

MSD \$259.00

54 15 00

INDUS GT Atari 269 GT Commodore CALL GT Apple w/controller 219 GT Apple 169

SAVE ON THESE IN STOCK PRINTERS

SD: DRIVE

MANNESMANN	JX 80 \$1089.00	NEC	OKIDATA	PANASONIC
TALLY	LQ1500P(includes kil)\$1149.00	NEC8025 \$699.00	80 \$159.00	1090 \$219.00
-4:R01.80 \$255 MTL.160L \$549 MTL.180E \$739 JUKI JUKI 1:A:E10C \$389 TRACTOR +01 \$119 EPSON \$229 R+80.FT \$269 R+80.FT \$269 F+50 \$369 F×50 \$369 F×50 \$369	0 PROWRITE R8510A \$289.00 0 85108C2 \$399.00 0 85108C1 \$149.00 0 85108C1 \$149.00 0 85105C \$399.00 0 85105C \$399.00 0 85105C \$49.00 0 85105C \$49.00 0 85105C \$49.00 0 1550F \$49.00 0 1550P \$489.00 0 1550BLD \$549.00 0 A10-20P \$469.00 0 F1040FU or RDU \$849.90	NEC8027 \$359.00 STAR MICRONICS GEMINI 10X \$229.00 GEMINI 15X \$345.00 DELTA 10 \$339.06 DELTA 10 \$349.06 RADIX 10 \$499.0 RADIX 15 \$589.00 POWERTYPE \$309.00 SWEET P 100 \$549.00	82A \$299.00 83A \$549.00 84 \$5649.00 92 \$359.00 93 \$5569.00 LEGEND 880 \$259.00 1000 \$279.00 1200 CALL 1500 CALL 1081 CALL	1091 \$279.00 1092 \$415.00 1093 \$599.00 3151 \$469.00 BLUE CHIPS M12010 \$275.00 M12010 C 64 \$275.00 D4015 \$1389.00 CARDCO LQ1 LQ1 \$449.00 LQ3 \$339.00 PRINTER INTERFACE W/ FULL GRAPHICS \$65.75

DISKETTES

		- MD	MAXELL	\$17.95		
	SKO		(Bo+ 10)	EL	EPHAN	T
	180x 1				(Box 10)	
		\$12.99		5 . \$550		\$14.99
	5500	\$15.99		5 . 5500		\$16.99
5×1.	9500			5% 0500		\$21.99

IBM-PC COMPATABLE

	000014		Zenith		Micro	prose
	CORONA		2 150	Call	Solo Flight	\$22 75
1	PFC 224		Columbia	Data	NATO	\$22 75
	Portable 256K Amber	\$1995	1600	Call	Graphics	Tablet
	PPC22G		Televide	0	Supersketch	\$49 95
1 1	Portable 256K Green	\$1995	TS1605	Call	Kolala	\$99.95
	PPCXTA				Illustrator.	\$99.95
	Portable 2%bK 10Meg		Leading		Logo Design	\$27 95
	COR128K-128K RAM	\$ 159	PC Compata	ble Ca	II Grams Spell	\$27.95

TOLL FREE 1-800-233-8760



RISK FREE POLICY

In-stock item shipped within 24 hours of order. No deposit on C.O.D. orders. Free shipping on prepaid cash orders within the Continental U.S. PA residents add sales tax. APO, FPO, and International orders add \$5.00 plus 3% for priority mail service. Advertised prices show 4% discount for cash, add 4% for Master Card or Visa. Personal checks require 4 weeks clearance before shipping. All items subject to change without notice

S·C·I·E·N·C·E

PARANOIA: A FLOATING-POINT BENCHMARK

BY RICHARD KARPINSKI

Test the quality of your software, not just its speed

FLOATING-POINT ARITHMETIC was created to make programming easier and programs faster. It is complicated so that your programs can be simple, but rough edges and pitfalls are common in floating-point systems.

The Paranoia benchmark was designed to find and notify you of those places where actual results are not good enough. It reports pitfalls discovered in a systematic checkout of the arithmetic used by the computer running it. Why Paranoia? Webster's Ninth New Collegiate Dictionary (Springfield, MA: Merriam-Webster Inc., 1983) provides the following as its second definition of paranoia: "a tendency on the part of an individual or group toward excessive or irrational suspiciousness and distrustfulness of others'-an apt description of this program, which looks for problems at every turn. This article looks into the workings of floating-point arithmetic to see why you need such quality tests and how they work.

LIFE WITHOUT FLOATING POINT

Remember those heavy mechanical calculators with 10 long rows of keys?

If you wanted to use measurements in fractions rather than whole numbers, you could set the decimal point somewhere in the middle of the field. Numbers could grow or shrink on either side of it, but the point itself was really fixed. This is enough for many hand calculations where you need only 5 or 10 steps to get the final result. Fixed-point calculations like this are simple and match the penciland-paper methods we learned in grade school. They are easy to understand and use, and they work quite well almost all the time.

Almost is not enough, however. Even events that happen quite rarely require careful attention when you are designing a computer system. Because computers are so much

Richard Karpinski (IEEE p854 Mailings, U-76 UCSF, San Francisco, CA 94143) is the manager of UNIX services at the computer center at the University of California at San Francisco. With interests in software engineering, Modula-2, and other aspects of computer science, Dick has enjoyed being "the consultant of last resort" for many in the past two decades. faster than we are, a system that works correctly on 99.999 percent of its data can still fail once *every second*. With paper and pencil, if a few numbers don't fit within the limits you have chosen, you can write smaller or use another sheet of paper. Mechanical calculators and computers are not so flexible.

If you set up a calculator for numbers of the form nnn,nnn,nnn,nnn, for example, an intermediate result of 1 million is hopelessly damaged. There is no place to put the digit in the millions place. This problem is called overflow. There are calculators with 20 or 30 digits or even more, but you can't really solve the problem this way. Long calculations continually require you to copy an intermediate result from the calculator's dials back onto the keys in order to shift it to the left or the right to accommodate the overflow. The copying process is error-prone and tedious for those who do it. (Originally, these people were called "computers.")

Very small numbers in this format also suffer. Numbers smaller than 1 (continued) one-millionth are lost entirely. They underflow to zero. Even numbers as large as 1 one-thousandth lose most of their significant digits. Only 3 of the 12 digits of precision initially provided remain.

When overflow and underflow problems arise in hand calculations, and even in many computer applications that have tight constraints on hardware and timing, you can solve them by rescaling the numbers—multiplying or dividing them by 10, 100, or 1000 to bring the number back into view. Naturally, you must keep track of each scaling operation you perform so that you can readjust the final answer properly.

What do you get when you cross 1200 baud, free on-line time, and extra features at a price Hayes can't match?

Data Rate?

The MultiModem gives you a choice either 1200 or 300 bits per second. So you can go on-line with the information utilities. Check out bulletin boards. Dial into corporate mainframes. Swap files with friends.

On-Line Time?

With the Multi-Modem you get CompuServe's DemoPak, a free twohour demonstration of their service, and up to seven more free hours if you subscribe. You also get a \$50 credit towards NewsNet's business newsletter service.

Features & Price?

Of course, the MultiModem gives you automatic dial, answer, and disconnect. Gives you the Hayescompatibility you need to support popular communications software programs like Crosstalk, Data Capture, our own MultiCom PC, and dozens of others. Gives you a two-year warranty, tops in the industry.

Inquiry 227

Trademarks — MultiModem, MultiCom PC: Mult-Tech Systems, Inc. — Compu-Serve: CompuServe Information Services, an H & R Block company. — NewsNet: NewsNet, Inc. — Crossiak: Microstul inc. — Data Capture: Southeastern Software — Smartmodem: Hayes Microcomputer Products, Inc.

MultiModem.

But Better? Yes. The Multi-

Modem gives you features the Hayes Smartmodem 1200^w can't match. Features like dial-tone and busysignal detection for more accurate dialing and redialing. Like a battery-backed memory for six phone numbers. All at a retail price of just \$549 — compared to \$699 for the Smartmodem.

What do you get? The new MultiModem, from Multi-Tech Systems. Isn't this the answer you've been looking for?

For the name of your local distributor, write **Multi-Tech Sys**tems, Inc., 82 Second Avenue S.E., New Brighton, MN 55112. Or call us at (612) 631-3550.





You must also check to see if this problem arises at every possible place, although such checking makes every program longer and more complicated. This high cost of being extra careful must be weighed against the fact that the unchecked version works most of the time. In fact, you may have tested the *unchecked* version with thousands of cases and consider it completely debugged.

In principle, if you know enough about the numbers that arise, you can build the rescaling shifts into your procedure so that they don't take any extra effort during the calculation itself. This can save up to two-thirds of the time that floating-point calculations take. John von Neumann, often called the father of computing, held the view that such a priori analysis was the proper approach. He saw no need for floating point. However, most programmers now agree that the analysis required is far too costly and error-prone to ignore floatingpoint hardware.

SCIENTIFIC NOTATION

As researchers and scientists have probed the further reaches of our world, they have developed scientific notation to express very large and very small numbers with equal precision. For example,

602,300,000,000,000

becomes 6.023×10^{14} while

0.000,000,000,000,006,624


becomes 6.624×10^{-15} . The precision or uncertainty figures for these numbers look very different until you express them in scientific notation: 5.0×10^{10} for the first versus 5.0×10^{-18} for the second.

When you consider imprecise numbers, it is easy to become confused between absolute uncertainty and relative uncertainty—relative to the size of the value involved. The relative uncertainty here is referred to as "half a unit-in-the-last-place" or "½ ulp." Since we want computers to cope quickly and precisely with a wide range of numbers, we adapt the (continued)

In a one-to-one comparison, Westrex-One.



The one printer you can rely on.



The new Westrex One. Compare it for yourself.

See the Westrex One in action, and you'll understand why it's far and away the winner in any one-on-one comparison.

Westrex One has the versatility that gives your product extra value. It produces some of the crispest, clearest Dot Matrix printing you can find. Plus a comprehensive variety of type fonts and styles. And the ability to handle intricate graphics. Custom interfaces where required.

Naturally, because it's built and backed by Westrex/Division of Litton, it's a reliable, long lasting product. We kept moving parts to a minimum, so there's less to go wrong.

If you need a printer with Flexibility... Quality... High Performance, the Westrex One is the 1 for you.

Send for free comparative performance matrix and make your own "one-to-one" evaluation. Contact Westrex/Division of Litton OEM Products, 51 Penn Street, Fall River, MA 02724, (617) 676-1016. TELEX: 651490, Please Relay WNJW.



WESTREX OEM PRODUCTS

Inquiry 330

Inquiry I

PARANOIA

CALL FREE 1-800-841-2748

WEST OF MISSISSIPPI EAST – ½ UPS CHARGES

COMPUTERS

ALTOS 580-20 \$3350 ALTOS 586-20 \$5350 ALTOS 986-40 \$CALL APPLE LOOK-A-LIKE \$CALL IBM PC \$CALL LEADING EDGE PC \$CALL NEC 8201 \$429 SANYO 550-555 \$AVE \$CALL TELEVIDEO TPC I TPC I \$1795
1605
PRINTERS
ABATI \$369 RADIX 10. \$479 DAISYWRITER 48K. \$819 EPSON. \$CALL GEMINI 10X \$239 JUKI 6100. \$399 OKIDATA (LOW PRICES) \$CALL QUME 1140+ W/INF. \$1365 CITOH
8510 \$319 1550 \$499 F10-40C PS . \$899 F1055 \$1179
DIABLO 620
NEC 3550\$1495 3510 \$1235 7710\$1645 2030 \$639
TERMINALS – MONITORS
ALTOS II \$749 QUME 102G. \$425 WYSE 50. \$485 TELEVIDEO 924. \$655 TELEVIDEO 950. \$895 TELEVIDEO 970. \$965 AMDEK 300G. \$129 AMDEK 300A. \$145 AMDEK COLOR 300 \$245 AMDEK COLOR 600 \$469 B.M.C. COLOR \$235 PRINSTON HX 12 \$464 DISK DRIVES - MODEMS INDUS APPLE
INDUS APPLE \$259 MICRO SCI A2 \$185 INDUS COMMODORE \$315 INDUS ATARI \$299 ASTRA ATARI \$525 PROMODEM 1200 \$325 HAYS SMART MODEM \$199 SMARTMODEM 1200 \$469 SMARTMODEM 1200B \$445 MICROMODEM II E \$235 RIXON 212A \$449 U.S. ROBOTICS PASSWORD \$315
Test PLACE COMPUTER SYSTEMS 13422 N. CAVECREEK RD. PHOENIX, AZ. 85022 OTHER INFORMATION: 602-867-9897 Free shipping is on UPS ground only. Send cashier's checks or money order all other checks will checks or money order all other checks will gries & availability subject to change without notice.

scientific notation to the task. You don't need to store the "× 10" part because it doesn't change between various numbers, so you represent each number with a fractional significand and a whole-number exponent.

The rescaling hasn't gone away. The "exponent" is the variable in which rescaling operations note their adjustments. As you might expect, exponents are represented and used in different ways—each with its own particular problems—and each number is rescaled automatically after each operation to eliminate any leading zeros and to preserve the maximum number of significant digits.

We use decimal notation (radix 10) for numbers, but computers usually use binary notation (radix 2) to match their memory and logic-circuit components. In binary you can, for example, use a significand between 1/2 and 1, that is, between 1-over-the-radix and 1. Some computers use hexadecimal (radix 16) instead; their significands can lie between 1/6 and 1. Radix 2 packs the most range and precision into any given word (the number of bits devoted to representing a number). Radix 10 is also very useful because there are no errors introduced in moving ordinary decimal numbers into the computer. There are errors, but there are no new errors.

If your computer uses six decimal digits of precision, you have a pretty good idea of what happens to numbers like ½. However many digits you type, the most precise estimate you can ever get is 0.333,333. This contains a small error—only ½ ulp—but this error is inherently present for such fractions in any floating-point notation.

There are systems for maintaining rational numbers that avoid the problem of precision as long as possible, at a high cost in size and speed. They keep two whole numbers to represent a fraction—1 and 3 here—and save the division for later. Thus, if $\frac{1}{3}$ is later multiplied by 3, the threes cancel and the answer is exactly 1. Unfortunately, in long calculations both of these numbers grow unreasonably large all too rapidly. Unless your need for high precision is very great, this method is uneconomical.

If you multiply 0.333,333 times 3, 0.999,999 is as close to 1 as you can get, given the round-off error of 1 ulp. Sometimes you can accept answers within several ulps of the best possible answer. In this case you must accept the 0.999,999 result if you're going to use floating point; but, even here, 0.999,998 is clearly unacceptable because we can do better.

ROUND OR CHOP?

Some computers offer you the choice of rounding off or chopping (truncating) the result of each calculation. Rounding off preserves an extra ½ ulp of precision in each step. If the numbers are all positive, rounding off avoids the systematic underestimating error that truncation introduces.

This is an important matter. For example, the Wall Street Journal reported on November 8, 1983 (page 37), that the Vancouver Stock Exchange maintains a stock index rather like the Dow Jones average. It began with a nominal value of 1,000.000 and was recalculated after each recorded transaction. At each stage, the value was calculated to five decimal places, but the last two were truncated.


The exchange found that after 22 months of operation, with about 2800 transactions per working day, the index had fallen to the 520 range while stock prices were reaching new highs. Investigation showed that all those lost fractions of thousandths of a point had mounted up to a major inaccuracy.

The solution the exchange planned was to round off instead of chop. If this was done in the usual way—01 to 49 round down, 50 to 99 round up then a consistent error still remains. The error is only one percent as large as it was and tends to inflate rather than deflate the index, so the exchange might even consider it an advantage. This new error is that while 49 of the values round down and one stays the same, 50 of them round up.

The point is that even tiny errors, when they all go the same way, can (continued)

"Now when I talk, my broker listens."

No matter what kind of investing you do, there is a Dow Jones Software product that will make you and your broker a better team.



Dow Jones Market Manager PLUS™

is a powerful portfolio management system for serious investors. It allows you to easily monitor and account for your security transactions while providing printed reports for review and tax records. These reports include Holdings

by Portfolio, Holdings by Security, Realized Gain/Loss and Dividend Transaction.

Dow Jones Market Analyzer™

is designed for sophisticated investors who chart stocks. The Market Analyzer stores historical quotes and updates daily data on your securities. It constructs comparison and price and volume charts, allowing you to test theories, identify trends and improve the timing of your investment decisions.

Each of these programs communicates with Dow Jones News/Retrieval,[®] the leading electronic information service.

Ms. Lynn Filippone, Dov Princeton, NJ 08540.		e, send this coupon to: Inc., P.O. Box 300,
Yes, please send me moi in: Dow Jones Invest Dow Jones Marke Dow Jones Marke	tor's Workshop™ et Manager PLUS™	particularly interested
Name		
NameAddress		

Dow Jones Investor's Workshop™

is the perfect software for private investors who want an introduction to the world of computerized investing. The Investor's Workshop creates reports and charts that give you a clear picture of the performance of your investments. It enables you to become more proficient in portfolio management and technical analysis.



For more information, mail coupon or call: 1-800-345-8500 ext. 48

(Alaska, Hawaii and foreign call: 1-215-789-7008 ext. 48)

Dow Jones Investor's Workshop available for Apple®IIc, Apple®IIc and Apple®II Plus. Dow Jones Market Manager PLUS available for IBM®PC, Apple®II and Apple®Macintosh™ Dow Jones Market Analyzer available for IBM PC, IBM®XT, Apple II and TI Professional.

Dow Jones News/Retrieval is a registered trademark of Dow Jones & Company, Inc. Dow Jones Software, Dow Jones Investor's Workshop, Dow Jones Market Manager PIUS and Dow Jones Market Analyzer are trademarks of Dow Jones & Company, Inc. Copyright © 1984 Dow Jones & Company, Inc. All Rights Reserved. do serious damage to numerical results. The Paranoia benchmark checks your arithmetic to see whether rounding is done correctly if at all.

GUARD DIGITS

Round-off errors are unavoidable. These errors are not mistakes in the process but the inevitable result of restricting the width of floating-point numbers. A carefully built arithmetic system can round meticulously whenever approximation is required. However, in order to round correctly, extra (guard) digits are needed temporarily in the course of ordinary calculations.

Guard digits reduce error. In a fourdigit system you may need five or more digits to maintain accuracy un-

IEEE ARITHMETIC AND PARANOIA AVAILABILITY

The IEEE has specified a particularly careful floating-point arithmetic intended to avoid the worst problems of the older arithmetics used on computers. One committee (p754) designed a very specific binary floating-point arithmetic with three sizes of numbers. A second working group (p854) relaxed some of those specifications to permit different sizes of numbers and different radixes to be used. These IEEE arithmetics are so good that Paranoia finds no fault with them at all.

An example of IEEE arithmetic is the way it avoids the problem of more numbers rounding up than down (50 versus 49): it rounds numbers ending in 50 up only half the time, i.e., when the previous digit is odd. The rest of the time, the numbers round down. For this reason, the normal IEEE rounding mode is called round-to-even.

The drafts of the IEEE specifications are highly technical and quite compact. The dozen or so pages require careful reading and often some deliberate studying to fully comprehend. Still, that task is rewarding to those who seek to achieve numerical results of the highest quality with their programs.

If you would like a copy of the IEEE p754 (binary) or p854 (binary and decimal) drafts, you may write to the author (IEEE p854 Mailings, U-76 UCSF, San Francisco, CA 94143). The full Paranoia test program will also be available, on floppy disk, for a distribution charge of \$15. The author also has order forms for the disk. The floppy formats of the Paranoia disk will include at least the PC-DOS 9-sector 5¼-inch double-sided format. A page

or two of documentation will help you run the program.

The second, corrected release of Paranoia in MS-BASIC should be available by this issue's cover date. Versions in FORTRAN and Pascal are also expected to be ready. Although the author of the Paranoia program, Professor William Kahan, is a key member of the IEEE Computer Society committees, the IEEE does not guarantee the program in any way.

If you request these test programs, you will be asked to assist Professor Kahan and Mr. Karpinski by reporting back the results you get when you use them. Please send us your results for any system that is either commercially available or interesting in its own right. You may copy the test program freely, maintaining its copyright notice, and pass it on to your friends. We would appreciate their results as well.

When you run Paranoia, you will get several pages of messages about the details of the arithmetic. So far results have been collected on more than six different BASIC systems, but some of these results are already obsolete. Perhaps you can help us to bring them up-to-date. We are especially interested in hearing about any errors you may discover in the tests themselves. We would also like to hear of any problems you have running or interpreting the tests, although we do not promise anything but our thanks in return.

A benchmark of this complexity may take years to reach its full value to the computing community. When enough arithmetics have been tested to make the results interesting, the authors will try to publish them. til the result is rescaled. For example, 1.144×10^1 minus 8.336×10^0 really needs five digits. Without the extra digit this simple subtraction suffers an error of 4 to 6 ulps, a serious defect that makes numeric programming even more difficult and error-prone. To illustrate: *with* the guard digit, 11.44 minus 8.336 yields 03.104, which results in an answer after rescaling of $3.104 \times 10^\circ$; *without* the guard digit, 11.44 minus 8.33 (if truncated) yields 03.11 for a result of $3.100 \times 10^\circ$ and 11.44 minus 8.34 (if rounded off) yields 03.10 for a result of $3.100 \times 10^\circ$.

The need for guard digits becomes quite clear. What about your computer? Often the specific details of the arithmetic used on a given computer are known only to its designers. Yet they are important to programmers and other users who want to get good, precise, accurate answers.

Professor William Kahan at the University of California at Berkeley wrote Paranoia for just this reason. Paranoia checks many of the arithmetic details of your computer. For each aspect that is not handled in the best way, Paranoia reports what sort of difficulty will ensue from its use.

The full Paranoia program is some 700 lines of BASIC. Listings 1 and 2 show an extract sufficient to test for the use of a guard digit in addition and subtraction. If some part of the routine seems confusing, you may find it helpful to try a pencil-andpaper example with a four-digit system like the one above. These programs were simplified from the Pascal translation of Paranoia by B.A. Wichmann of the National Physical Laboratory in England. The full program guards itself against many (rare) problems that might possibly arise. Full Paranoia also rechecks critical calculations by a second method, just to be sure.

TEST YOUR CALCULATOR

You can use essentially the same guard-digit procedure to test your pocket calculator. Without checking for radix, etc., the results of two simple expressions will signal the (continued)

IT CAME FREE WITH YOUR COMPUTER.

If you've got a computer, you've got a problem. Because every computer comes equipped with something you didn't bargain for---static.

Static is the major cause of computer malfunctions, downtime and lost productivity. And sooner or later a static problem could result in costly repair charges.

But you can eliminate your problem and improve your productivity with Staticide[®]. So effective, just one application to floors, furniture, walls and equipment keeps the entire workstation area static-free for up to six months.

Staticide is the number one topical antistatic formula on the market. And still the most effective! Don't accept substitutes.

And when it comes to eliminating static and cleaning CRT screens, new Staticide[®] Wipes[™] is the answer. These handy towelettes are non streaking and will not harm sensitive electronic components.

Try Staticide and Staticide Wipes. After all, you may not have been charged for that something extra that came with your computer...but it may very well charge you.



1960 E. Devon Avenue Department 101 Elk Grove Village, IL 60007 (312) 981-9212 Ext. 101



Constant and state electricity comparing, cabinety, work suffocts. Dates and other materials \$ tax.

the sector of the sector

WARNINGI OUT OF REACH OF CHILDREN 132 Net Contents 1 QUART



PARANOIA

Listing 1: A Microsoft BASIC program to test for the presence of a guard digit in subtraction. Note: fpwidth is the smallest number formed by multiplying one by the powers of the radix. It is calculated by successive multiplications, until the product when added to 1.0 no longer gives an exact result. (Width is a Microsoft BASIC reserved word and cannot be used as the variable name.)

10 20		 Test if add/subtract has a guard digit
30 40 50 60	One Half Zero MinusOne	 = 1.0 ' Floating-point constants = 0.5 = 0.0 = -1.0
	variables:	
	Radix Precision	Calculated floating-point radix Significant digits in base Radix
	fpwidth Wjde	Precision Radix (or Radix ^ Precision) First estimate of fpwidth
170 '	UlpOne UlpRadix	Unit in last place of just less than one Radix • UlpOne
200 '	OneMinus RadixMinus	One – UlpOne calculated with care Radix – UlpRadix
230 240 250	s, t, ú x, y, z	Working variables
260 [°] 270 [°] 280 [°]	Find a Wi	de so big that adding one does not change it by one
290 300 '	Wide = One	
310 320 330 340 350 360 370 380	Wide = Wi x = Wi y = x z = y IF (MinusC	de + Wide ' Double it until it grows so large thatde + One ' Adding one does not change it or' (with rounding) changes it by 2- Wide ' So the difference is zero or 2- One ' And this becomes + / - oneOne + ABS(z)) < Zero THEN 310
390 400 410 420 430 440 450	Find the radio Remember is not repu- (the tens) Try it by h	(or number base) as the minimum increase in Wide that Wide is just large enough that the units place resented, so a one in the last represented place place, for decimal) is exactly the radix itself. hand.
460 470 '	y = One	
480 490 500 510 520 530	Radix = y = Radix = IF Radix	Wide + y ' No change on first additiony + y ' So double yRadix - Wide ' Until some change happens= Zero THEN 480 ' The change is the radix
540 550 560	PRINT "Rac	lix = "; Radix

Lotus 123 is a trademark of Lotus Development

PARANOIA


570 ' Find the precision in Radix digits

580 590 Precision = Zero fpwidth = One 600 610 620 Precision = Precision + One Count the digits fpwidth = fpwidth * Radix And increase fpwidth 630 640 = fpwidth + One Until adding one У 650 660 IF (y - fpwidth) = One THEN 620 ' Is imprecise 670 PRINT "Precision = "; Precision 680 690 700 PRINT "fpwidth = "; fpwidth 710 720 UlpOne = One / fpwidth 730 740 PRINT "Closest relative separation found is UlpOne = "; UlpOne 750 760 OneMinus = (Half - UlpOne) + Half 770 UlpRadix = Radix + UlpOne 780 790 RadixMinus = Radix - One 800 RadixMinus = (RadixMinus - UlpRadix) + One 810 820 x = One - UlpOne830 y = One - OneMinus840 z = One - x850 860 s = Radix - UlpRadix t = Radix - RadixMinus 870 u = Radix - s880 890 IF y = UlpOne THEN 920 900 910 **GOTO 960** 920 IF t = UlpRadix AND u = UlpRadix THEN 940 **GOTO 960** 930 PRINT "Add/subtract has a guard digit as it should." 940 950 **GOTO 980** 960 PRINT "Add/subtract lacks guard digit, cancellation obscured." 970 980 END ' Guard Listing 2: Pascal program to test for the presence of a guard digit in subtraction. program Guard; { Test if add/subtract has a guard digit 3 const One 1.0: { Floating-point constants } Half 0.5; 7ero 0.0; MinusOne = -1.0; var { Calculated floating-point radix Radix : real: Precision : real; { Significant digits in base Radix Precision (or Radix ^ Precision) Width : real; Radix Wide : real; { First estimate of Width

Mac Inler Re-ink any fabric ribbon

Re-Ink any fabric ribbon AUTOMATICALLY for less than 5¢. Extremely simple operation with built-in electric motor. We have a MAC INKER for any printer: cartridge/spool/harmonica/ zip pack. Lubricant ink safe for dot matrix printheads. Multicolored inks, uninked cartridges available. Ask for brochure. Thousands of satisfied customers.






Mac Switch lets you share your computer with any two peripherals (serial or parallel). Ideal for word processors—never type an address twice. Ask us for brochure with tips on how to share two peripherals (or two computers) with MAC SWITCH. Total satisfaction or full refund.

\$99.00

Order toll free 1-800-547-3303 Computer Friends 6415 SW Canyon Court Suite #10 Portland, Oregon 97221 (503) 297-2321

c Swite


(continued)



PARANOIA

UlpOne { Unit in last place of just less than one real; UlpRadix { Radix x UlpOne real; OneMinus { One - UlpOne calculated with care real; RadixMinus : real; { Radix - UlpRadix { Working variables : real: 3 s.t.u X, Y. Z : real; begin {Guard} } { Find a Wide so big that adding one does not change it by one. Wide := One: repeat Wide := Wide + Wide; { Double it until it grows so large that := Wide + One; Adding one does not change it or (with rounding) changes it by 2 = X - Wide; So the difference is zero or 2 And this becomes + / - one - One z := v 1 until (MinusOne + abs(z)) Zero: > = { Find the radix (or number base) as the minimum increase in Wide Remember that Wide is just large enough that the units place is not represented, so a one in the last represented place (the tens place, for decimal) is exactly the radix itself. Try it by hand. v := One;repeat Radix := Wide + y: { No change on first addition So double y := y Radix := Radix - Wide Until some change happens The change is the radix! } until Radix < > Zero; { writeln('Radix = ', Radix); { Find the precision in Radix digits } Precision := Zero; Width := One: repeat Precision := Precision + One: { Count the diaits Width := Width * Radix: And increase Width = Width + One Until adding one until (y - Width) < > One; Is imprecise { } writeln('Precision = ', Precision); writeIn('Width = '', Width); UlpOne := One / Width; writeln('Closest relative separation found is UlpOne = ', UlpOne); OneMinus := (Half - UlpOne) + Half; UlpRadix := Radix * UlpOne; (continued)

NEW HARD DISK PROLOK: THE FLOPPY TO END ALL FLOPPIES.



Finally there's a foolproof way to protect software against unauthorized duplication. The technology is all on the disk and is installed on a hard disk without the ongoing need for a floppy key.

Prolok[™] doesn't need add-on hardware. Instead each diskette is marked with a unique, physical "fingerprint." No two are alike. A precise description of the individual print is encoded magnetically. The fingerprint AND the description must match exactly before the software is decrypted and released to the system. No match, no access.

Its genius is its simplicity and familiarity. Prolok looks like an unprotected disk, loads like an unprotected disk, works like an unprotected disk. The user feels immediately at home and in command. It's as easy as A>PROLOK B: filename.

Backups are easily made via normal system utilities. However, to be read they must be accompanied in the system by the original Prolok disk, *except when installed on a hard disk.*

Prolok puts the casual copier-and even the deliberate pirate-out of business. It barely

increases the price of your product, yet it makes sure your customers don't buy one program and copy ten.

Several command line slash (/) options are built into Prolok diskettes for customized security, depending on your needs.

Software can be loaded easily onto Prolok diskettes using any system from a PC to commercial mass duplication equipment.

Prolok is an engineering breakthrough of Vault Corporation, which has been successfully safeguarding software since the inception of security disk technology. Over 3500 businesses and organizations protect their valuable programs with Prolok.

Simply contact Vault Corporation at 2649 Townsgate Road, Suite 500, Westlake Village, CA 91361. Or phone us at 800-445-0193 (U.S.) or 800-821-8638 (California). And find out why software freebies are becoming a thing of the past.



SOFTWARE PROTECTION, RIGHT ON THE DISK.

VHA - 8406 Inquiry 321

Copyright © 1984 Vault Corporation. Prolok is a trademark of Vault Corporation

Circuit-Board-Design Without the Tedium

smARTWORK[™] lets the design engineer create and revise printed-circuit-board artwork on the IBM Personal Computer.

Forget tape. Forget ruling. Forget waiting for a technician, draftsman, or the CAD department to get to your project. smARTWORK[™] software turns your IBM Personal Computer into a professional, high-quality drafting tool. It gives you complete control over your circuit-board artwork — from start to finish.

smARTWORK[™] transforms your IBM PC into a CAD system for printed-circuit-board artwork. Display modes include both single-layer black and white and dual-layer color.

IN THE REAL PROPERTY OF

What makes smARTWORK[™] so smart is that it understands electrical connections. Conductor spacing is always correct, lines don't become too narrow, and connecting lines do not intersect other conductors. smARTWORK[™] can automatically find and draw the shortest route between two conductors. Or you can specify the route.


smARTWORK[™] is the only lowcost printed-circuit-board artwork editor with all these important advantages:

- Complete interactive control over placement and routing
- \Box Quick correction and revision
- Production-quality 2X artwork from pen-and-ink plotter
- Prototype-quality 2X artwork from dot-matrix printer
- Easy to learn and operate, yet capable of sophisticated layouts
- □ Single-sided and doublesided printed-circuit boards up to 10 x 16 inches
 - Multicolor or black-andwhite display

WINTEK.

- 32 user selectable color combinations; coincident points can be displayed in contrasting colors.
 - Can use optional Microsoft Mouse as pointing device

Twice scale hardcopy of your artwork is produced using the Epson dot-matrix printers or the Houston Instrument DMP-41 penand-ink plotter. Quick 1X check plot is also available from Epson printers.



Dual-layer color display of a 2" by 4" section of a 10" by 16" circuit board

The Smart Buy

At \$895, smARTWORK™ is an exceptional value, particularly when compared to conventional engineering workstation costs.

Call or write us for more information on smARTWORK™ We'll be glad to tell you how smARTWORK™ helps us design our own circuit boards and what it can do for your business.

Send a purchase order, or major credit card number, and smARTWORK[™] can be working for you next week.

System Requirements

- □ IBM PC or XT with 192K RAM, 2 disk drives and DOS Version 2.0
- □ IBM Color/Graphics Adapter with RGB color or b&w monitor
- Epson MX-80/MX-100 or FX-80/ FX-100 dot-matrix printer
- Houston Instrument DMP-41 pen-and-ink plotter (optional)
- □ Microsoft Mouse (optional)



"smARTWORK" and "Wintek" are trademarks of Wintek Corporation.

WINTEK CORPORATION, 1801 South St., Lafayette, IN 47904-2993, Phone: (317) 742-8428, Telex: 70-9079 (WINTEK CORP UD)

RadixMinus := Radix - One; RadixMinus := (RadixMinus - UlpRadix) + One;
x = One - UlpOne; y = One - OneMinus; z = One - x;
s := Radix - UlpRadix; t := Radix - RadixMinus; u := Radix - s;
if (y = UlpOne) and (z = UlpOne) and (t = UlpRadix) and (u = UlpRadix) then writeln('Add/subtract has a guard digit as it should.') else writeln('Add/subtract lacks guard digit, cancellation obscured.')
end {Guard}

presence or absence of a guard digit. If their results are equal, the guard digit is present. Otherwise, it is probably not. Those expressions are

1/2 - (9/27 * 3) + 1/2

and

1 - (9/27 * 3)

For four-function calculators without parentheses or memory, you can use -9/27 + 3 + 1

and

 $-9/27 \times 3 + .5 + .5$

A smaller test in Pascal could be:

if (-9/27 * 3 + 1) =(-9/27 * 3 + .5 + .5)then writeln('Add/subtract has a guard digit.') else writeln('Add/subtract lacks guard digit.')

CONCLUSION

Paranoja is an unusual benchmark: it tests the quality of your software, not just its speed. Most common computer arithmetics have a half-dozen or more flaws that Paranoia finds, reporting what kinds of calculations are harmed by them. Its use can be highly rewarding to those who seek to achieve very accurate, precise, numerical results from their programs.



©Relax Technology. The company that works so you can relax and get down to business.

FEBRUARY 1985 . BYTE 235

When it comes to printers, we have the two best names in the business. The Xerox line of Diablo printers.

There are a lot of printers to choose from. But there's only one Diablo line. And it's part of Xerox.

To begin with, there are our Diablo daisywheel printers which have been voted number one for print clarity and quality in a brand preference study.* But that should come as no surprise since we had a headstart on the rest of the industry, inventing the daisywheel back in 1972.

There are also our Diablo dot matrix printers, known for their speed and endurance, they deliver perfect letter definition under the heaviest use.

For producing just about any visual presentation from graphics to text, our high quality Diablo color ink jet printers generate seven vibrant colors to create over 4,000 variations.

Every Diablo printer is unusually quiet, reliable and compatible with most computers on the market including the IBM

Team Xerox PC. All are part of

Team Xerox, a wide array of products, people and services to meet all your information needs.

The Xerox line of Diablo printers is serviced by the national Xerox service force and Diablo service centers across the country.

So if you're in the market for a printer, go with two of the best names in the business. For the location of the Xerox office, authorized Diablo or Xerox dealer nearest you, call 1-800-833-2323, ext. 802.

*Source Datamation Magazine 1983 Brand Preference Study of printer preference by end users and OEM's.

XEROX® and Diablo® are trademarks of Xerox Corporation. IBM® is a trademark of International Business Machines Corporation.

Inquiry 365

Daisywheel Printers We invented the technology, and now it's the accepted standard among letterquality printers.


November

Mr. Phillip Wallace Onwit Construction Company Bonwit A2nd Street 0 East 42nd Street 0 East 2530 Suite 2530 New York, New York 10165 New York, New York 10165 Dear Mr. Wallace: Dear Mr. Wallace: Dear Our conversation of Friday, November take this opportunity to tell you in mor take this opportunity to gual you in mor take this opportunity to gual you in mor take this opportunity to fell you in mor take this opportunity to sell you in mor take this opportunity to gual you can be that of a typewriter. And you can hav that a range of 20 to 60 characters i to 3 pages per minute, it's performance to 5 tions.

capabilities make these some of the most versatile

in the world.

XHR()X




THE 8087 AND 80287 ARE IN STOCK!

MicroWay is the world's leading retailer of 8087s and high performance PC upgrades. We stock a complete selection of 8087s that run at 5 and 8mhz. All of our coprocessors are shipped with a diagnostic disk and the best warranty in the business – 180 days! We also offer daughterboards for socketless computers such as the NEC PC and PCjr, and a board which increases the clock speed of the 80287 in the PC AT. Our new NUMBER SMASHER[™] will run the IBM PC at clock speeds up to 9.5mhz and achieves a throughput of .1 megaflops with 87BASIC/INLINE,

Intel Fortran, or Microsoft Fortran. Software reviewers consistently cite MicroWay software as the best in the industry! Our customers frequently write to thank us for recommending the correct software and hardware to meet their specific needs. They also thank us for our same day shipping! In addition to our own products which support the 8087 and 80287, we stock the largest supply of specialized software available anywhere. These include three FORTRANs, three PASCALs, APL, Intel's ASM-86 and PL/M-86, several Cs, 87 BASIC/INLINE, 87MACRO, 87FFT, and MATRIXPAK. For real time or multi-user applications we offer RTOS" – our implementation of Intel's iRMX executive. Our new products include a professional debugger with 8087 support, support for Lotus 1-2-3, and a translator that converts object modules into readable assembly language files. If you have a question about which computer, language, compiler, operating system or application package is best suited to your problem, we can answer it. Just call:

617-746-7341



Micro Way [™]	
8087 Sup	oport

For the IBM PC, PC XT, PC AT and Compatibles.

SCIENTIFIC SOFTWARE

87 FFT[™] performs Forward and Inverse FFTs on real and complex arrays which occupy up to 512K bytes of RAM. Also does convolutions, auto correlations, hamming, complex vector multiplication, and complex to radial conversions. Callable from MS Fortran or 87 BASIC/INLINE.....\$150

87FFT-2[™] performs two-dimensional FFTs. Ideal for image processing. Requires 87 FFT...**\$75**

DATA ACQUISITION PACKAGE

Interactive, user-oriented language which allows the acquisition and analysis of large data streams.

GRAPHICS PACKAGES

Energraphics (stand alone)	295
Grafmatic for MS Fortran or Pascal	125
Plotmatic for Grafmatic	
Halo for Basic, C or Fortran each	

OTHER TOOLS

Alpha Software ESP.	. 595
Borland Sidekick, Toolbox, or Graphics	45
COSMOS Revelation	
PSI MATHPAK	
SMARTWORK	895
SPSS/PC	
STSC APL + PLUS/PC.	475
Pocket API	85

DFixer

A disk utility which thoroughly checks PC or AT hard disks for bad sectors and updates the MS DOS file allocation table accordingly......150

¹Requires RTOS or iRMX-86. All Intel compiler names and iRMX-86 TM Intel Corp.

P.O. Box 79

02364 USA

(617) 746-7341

Kingston, Mass.

INTEL COMPILERS¹

FORTRAN-86	750
PASCAL-86.	750
PL/M-86	500
87C (LATTICE/MICROWAY)	750
ASM-86	200

87 MACRO^{**} - our complete 8087 software development package. It contains a "Preprocessor," source code for a set of 8087 macros, and an object library of numeric functions including transcendentals, trigonometrics, hyperbolics, encoding, decoding and conversions. For the IBM Macro Assembler, Version 1.0 or 2.0.....\$150



HARDWARE AND LANGUAGES 8087-3 5mhz \$149 Including DIAGNOSTICS and 180-day warranty For IBM PC and compatibles 8087-2 8mhz \$275 For Wang, AT&T, DeskPro, NEC, Leading Edge 80287-3 5mhz \$275 For the IBM PC AT 64K RAM Set \$24 256K RAM Set \$150 128K RAM Set PC AT \$225 NUMBER SMASHER[™]..\$995 9.5mhz 8087 coprocessor board for the IBM PC LOTUS1-2-3" 8087 Support.... CALL FORTRAN and UTILITIES Microsoft Fortran 3.2.239 IBM Professional Fortran.595 Intel Fortran-861.750 FORLIB+ 65 STRINGS and THINGS C and UTILITIES Lattice C. 299 Microsoft C..... 329 C TOOLS 299 . 85 C Trigs and Trans 150 BASIC and UTILITIES IBM Basic Compiler 270 Summit BetterBASIC" 200 175 Summit 8087 Module..... MACRO ASSEMBLERS PASCAL . 209 Microsoft Pascal 3.2. Borland Turbo... 45
 Iurbo.
 45

 Turbo with 8087 Support
 85
 1-2-3 and Lotus are trademarks of Lotus Development Corporation. Formerly MicroWare, Inc. - not affiliated or connected with MicroWare Systems Cor-

poration of Des Moines, Iowa,

238 BYTE • FEBRUARY 1985

S·C·I·E·N·C·E

MODELING MASS-ACTION KINETICS

BY ALAN CURTIS

In the future, microcomputers may have a substantial role in major scientific computations

AT THE UNITED KINGDOM Atomic Energy Research Establishment, Harwell, we have assembled scientific and technological applications of our FAC-SIMILE reaction-kinetics program. All can be run on one mainframe or another, but for the purposes of this article I have selected a few of those that now run on an IBM PC with 512K bytes of RAM (random-access read/ write memory).

Like other simulation modelers such as DYNAMO, FACSIMILE facilitates the calculation of a set of differential equations that describe the continuous evolution of a system from a known initial configuration and then flexibly formats the output.

Simulation models solve problems repeatedly and carry out thorough statistical analyses to find the best fit among parameters. For such work, whether the microcomputer is practical depends on your point of view. A fairly large program that takes, say, three minutes on an IBM mainframe might well run all night on the PC, provided you use an 8087 math coprocessor; without it, running time would probably be about 10 times longer (this is a guess—we haven't checked it out).

Let's take a look at several examples of how simulation models can be used.

URANIUM FROM SEAWATER?

Seawater contains uranium, an extremely valuable fuel, at an extremely low concentration. Suppose we want to extract the uranium. The question is whether an economically viable extraction process exists. We might try pumping the seawater through an ion-exchange column, a tube tightly packed with minute spheres of a resin that preferentially absorbs uranium ions from solution and replaces them with ions of another metal. When sufficient water has been pumped through, the col-

Alan Curtis leads the Applied Mathematics Group in the Computer Science and Systems Division at the U.K. Atomic Energy Research Establishment, Harwell. He is a graduate of Cambridge and a former lecturer at the University of Sheffield. He can be reached at AERE, Harwell, Didcot, Oxfordshire OX11 ORA, England. umn is removed and cut up, and ordinary chemical means remove the uranium (now at high concentration in the resin) for further processing. Obviously the value of the recovered uranium must offset the costs of manufacturing the resin and the tubes, of the pumping power, and of the postprocessing to recover the uranium from the resin.

A feasibility study of the problem called for a simulation model because the rate coefficients for the absorption of uranium by the resin were not known. Experiments removed supposedly identical ion-exchange columns at different times, pumped different rates of seawater, and analyzed uranium contents at various points along the columns. Parameter-fitting options might have determined the best fit for these experimental results.

As it turned out, variations in properties, mainly the density of packing of the resin from one column to another, and even along the length of a single column, invalidated the model, which assumed a single uniform column. A more complicated (continued) model might have involved some of the variability, but the experiments had shown that the whole process was not likely to be economical anyway.

Such negative results are not failures in scientific investigations. On the contrary, we understand far better the requirements for the simulation if we decide to pursue it again.

A modified model, now used for demonstration purposes, contains parameter values chosen to exhibit significant saturation. (There are other ways of solving the problem of modeling an ideal ion-exchange column if you know that saturation is negligible.)

To model the behavior of the column, we divided its length into 20 equal-size sections. One array of 20 variables represents the concentration of uranium in the seawater in each section, a second array represents the concentration in the resin, and a third array checks for saturation by monitoring available absorption sites in the resin. The simulation models the flow of seawater by passing material from one element of the array to the next at a rate reflecting the time it takes for the water to move the length of a section.

The first element receives material with the concentration in the incoming water; the last element sends material to a "waste" variable. The simulation of the exchange process between solution and resin uses modeling features for chemical reactions; a second-order reaction between corresponding elements of the first and third arrays represents absorption, and a first-order reaction represents the reverse process. The program runs on the IBM PC in about 550 seconds (compared with 2.5 sec-

INDEPENDENT Dependent V	VAPIABLE :DIST APIABLES (PLOTTE	(PLOTTED VER D HORIZONTALLY):	TICALLY)	
x	SCALE 1.00000			
Y	SCALE 1.00000			
S	SCALE 1.00000			
	0	0.5		
1.0000+00	I YI	1 1	I S	×
	1 1	E I	1	,
3+000D+00	YI		I S	X
5.0000+00	I'= −54′±16₀− − Y − I − − − −		· · · · · · · · · · · · · · · · · · ·	×
7.0000+00	Y		İSX	
	i se si i se si	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	month distant	
9.0000+00	I Y I	P 1	1 5	
1.1000+01	Y I	1	i xs	
1.3000+01			ix s	3
	i i	i	1	
1.5000+01			***** X S	
1.7000+01	i Y İ		X I S	
1.9000+01	Y	1	xis	
2.1000+01	Y	1 1	X I S	
2.3000+01	I Ý I		× i s	
2.5000+01	. • • • • • • Y = • • • • • • •		ו••••	
2.7000+01	Y I		(is	
2.9000+01	1 Y]		i s	
3.1000+01	 Y	i ix	S	
3.3000+01	Y I		1 1 S	
3.5000+01	}	9->	s	
3.7000+01	i y i		1	
3,9000+01		f. t	1 5	

Figure 1: A snapshot graph from the ion-exchange-column problem.

onds on the IBM 3081K), so that even a parameter-fitting run, which executes several dozen simulation runs, could be done overnight on the micro. It is fair to say that this investigation could have been done on the PC from the beginning.

The model provides three types of output: "snapshot" graphs, which show how the concentrations vary along the column at any time: "timecourse" graphs, which illustrate how integrated quantities, such as the total uranium trapped in the resin, vary with time; and tables of numbers that give more accurate time histories of these integrated quantities. Figure 1 is a snapshot graph from this problem. By plotting the independent variable (distance along the column) along the *y*-axis and the dependent variables along the x-axis, a printer can plot graphs of any length. Points X represent the concentration of uranium in solution, multiplied by 100,000,000; points Y represent concentration in the resin, multiplied by 10,000; points S represent available sites, multiplied by 10,000.

STARTING UP A CHEMICAL REACTOR

In a 1981 thesis for Imperial College, London, I. T. Cameron proposed this chemical-engineering problem. It is much simpler than the others described here, but in practice it had proved difficult to solve.

Initially a chemical reactor contains neutral gas. A pump starts to supply liquid feedstock through an inlet valve, compressing the gas and reducing the flow from the pump because of back pressure. A chemical reaction takes place in the vessel, and product mixed with unused feedstock, driven by the gas pressure and the liquid head, flows out through an outlet valve. In time the system reaches a steady state, but the main focus of the simulation is the start-up transient. Results of interest include the peak gas pressure and temperature (for vessel design) and the loss of unused feedstock and substandard product. The model includes the ef-

If you're using more than one of these...



You should be using this. THE INTEGRATOR from ModTech.

With THE INTEGRATOR[™] you can combine YOUR choice of the world's most powerful software into your own custom-integrated system. Plus, you get a series of powerful office tools.

The greatest integrated system.

Lotus[™] 1-2-3[™], dBase II[™], WordStar[®], and other standards act as one super-powerful software system using THE INTEGRATOR.

No prepackaged integrated software product can match the power, versatility, and features of THE INTEGRATOR and your software.

More important, THE INTEGRATOR allows you to use the files you've collected over time.

Prepackaged integrated systems may not.

There are no new commands to learn to run your software. It remains unchanged; use it as always.

THE INTEGRATOR simplifies computing for the novice and expert alike, by shielding the user from the operating system with Help screens and Pull-down menus.

THE INTEGRATOR takes command of the

operations, the reformatting of files, eliminates salutation commands and keystrokes. You work faster and more efficiently.

THE INTEGRATOR also adds four quick, useful office tools.

A daily calendar with an alarm to remind you of important engagements, a full functioned calculator which can save and execute repetitive functions, a Note Pad for quick ideas, and a floppy-dump File Cabinet to free up hard disk space.

An IBM PC/XT®, or workalike with 256K, a




hard disk, and any of the software above is all you need.

Your local ModTech™ dealer has more information and the ability to add other software packages to the list. Even programs you've designed yourself.

Call ModTech for the dealer nearest you. 800-223-6250. In CA: 800-521-6790

Modern Technologies International, Inc. 656 Bair Island Road, Suite 302, Redwood City, CA 94063 MODTECH AG, Mühlegasse 25, CH-8025 Zürich, Switzerland Tel. 01/252 04 20 Tlx 36 456 rlfr ch

Trademarks: THE INTEGRATOR is a trademark of Modern Technologies International Modifiech— Modern Technologies International Inc. Registered Trademarks: IBM, PC/XT—International Business Machines Corporation. Trademarks: Lotus 1-2-3—Lotus Development Corporation. dBase II—Ashton-Tate. Registered: WordStar—Micropro International Corporation.



fect of pressure on inlet and outlet flow rates as well as the progress of the reaction, the depth of the liquid, and the thermodynamics of the gas.

Output consists of time-course graphs and tables of numbers. The graphical output (see figure 2) illustrates an interesting phenomenon that occurs fairly often. There is a long transient before the approach of the steady state, but the initial transient is very fast. To study the initial part effectively, it is necessary to plot many points at small time intervals. Graphs, therefore, have the independent variable (time in this case) plotted downward and the dependent variables plotted from left to right; thus (with continuous paper) there is no limit to the length of the plotted graph. However, if the PC screen displays the graph as it is produced, only about 25 lines are shown at a time, so a printer is essential.

DEATH OF A STAR

When a typical "main sequence" star has been burning and radiating energy away for a few billion years, it has transmuted all of its original lighter elements into carbon and oxygen and must enter a carbon-burning phase. During this time, the internal pressure needed to support the star's weight against its own gravitational attraction has required high density and temperature, which in turn make the star opaque to radiation.

According to Planck's law, the star radiates at a rate determined by its surface area and temperature. Therefore, when the star's lighter elements are exhausted and its energy from nuclear reactions becomes inadequate to support its weight, it starts to contract under gravity; this increases its internal temperature until it reaches about 1 billion degrees (continued)

Figure 2: A time-course graph from Cameron's reactor problem. A = concentration of feedstock: B = concentration of an intermediate (on larger scale); P = concentration of product; 1 = inlet flow rate; 2 = outlet flow rate. NEW A powerful multifile database with a programming language for only

Versaform's new XL database isn't just promises—it's here now! And it offers—YES, FOR ONLY \$99—all the features you'd expect in a database costing 4 times as much.

lersat

Accounting applications are XL's strength. Invoicing, purchasing, receivables, and shipping almost create themselves as you design the forms and XL transfers data between them. There's an Invoicing, A/R and Inventory application—source code included—in the package that shows how it's done. The power's there. And unlike packaged accounting programs, you can do them YOUR way.

	VersaForm XL	dBASE III*	R-BASE 4000*
PRICE	99	695	495
STRUCTURED			
LANGUAGE	Y	Y	Y
MULTI-FILE	Y	Y	Y
COLUMNS WITHIN			
DATA RECORD	Y	N	N
DATA ENTRY CHECKING	BUILT-IN	MUST WRITE PROGRAM	BUILT-IN
ON-SCREEN CALC	BUILT-IN	MUST WRITE PROGRAM	MUST WRITE PROGRAM
FORMS OUTPUT	BUILT-IN	MUST WRITE PROGRAM	MUST WRITE PRDGRAM
DATE ARITHMETIC	Y	Y	N
DATA TYPES	DYNAMIC	FIXED	FIXED
COLUMN TOTAL OPERATOR	Y	N	N
QUERY BY EXAMPLE	Y	N	EXTRA
MAX FILE SIZE	4 MB	OPEN	OPEN
MAX RECORD SIZE	4000	4000	1530

 XL's structured language can access multiple files. 48 built-in functions give control of file access, printing, and user dialogues. You'll develop transaction-based applications with an ease you've never experienced before. And all at this unheard-of low price.

- VersaForm XL's unique form-oriented data structures let you easily set up forms and ledgers—even those with columns! Application development is FAST, FAST, FAST. And since forms are the way that businesses already store their data, the transition is smooth. That's why VersaForm XL is so easy to operate even for high-turnover clerical people—it starts from where they are now.
- Automatic data entry checking and on-screen calculation make transactions error-free. Stored print formats make output formatting a snap—you can quickly match existing paper forms. VersaForm XL's report generator is clear and intuitive. Designers can pre-install reports,

users can set up their own.

 Query-by-forms (at no extra cost) lets users go right to the data they need. No query language to learn—forms are the natural language of business.

Ironclad Money-Back Guarantee

Try VersaForm XL for 30 days. If you're not fully satisfied, return it. We'll gladly refund your money.

Order now, and have the pleasure of using the right tool at the right price. You can't lose!

VersaForm XL runs on IBM PC, XT, AT and compatibles. Requires 192K, two 360KB drives, DOS 2.0 or later. Hard disk recommended.

Standard VersaForm (single file, no language) available for 64K, 2-drive Apple II or 128K IBM PC. \$69.



Generation of smog in urban areas is a complex phenomenon that involves numerous reactions among over 100 trace gases in the atmosphere.

Kelvin. This temperature is sufficient to cause carbon nuclei to begin fusing together to form heavier elements. This carbon-burning process supplies the necessary energy to make further gravitational contraction unnecessary.

If the star is an ordinary one-not.

too big-the temperature generates enough pressure to keep the star stable until the carbon is exhausted. The temperature and density do not rise further, and the carbon-burning phase takes place relatively slowly, in conditions of hydrostatic equilibrium. In a more massive star, however, the pressure is inadequate, contraction continues, the temperature and density continue to rise, and carbon burning proceeds explosively fast; the star becomes a supernova. In either case, the phase is extremely short in relation to the earlier leisurely history of the star; typical durations may be a week or two for an ordinary (less massive) star or about a second for a supernova.

Simulations have been successful for both the hydrostatic and the explosive carbon-burning phases. In both cases, the set of nuclear reactions is the same, but the rate coeffi-




cients depend on temperature and density, variables that vary with time in a way determined by the stellar dynamics. To model the hydrostatic version, temperature and density are kept constant and rate coefficients are computed only once, at the start of the run. For the supernova version, temperature and density are defined as functions of time, and the rate coefficients are frequently recalculated during the run.

The coding of the nuclear reactions, although they are numerous, is relatively easy because their structure is exactly that of chemical reactions. Protons, neutrons, neutrinos, alpha particles, and 36 heavier nuclides are simulated.

A run of the hydrostatic version takes about 8200 seconds (2.3 hours) on the PC, compared with about 25 seconds on the IBM 3081K. This is a larger speed ratio than average-about 330:1-but we may be able to improve the performance. The supernova version takes about 67 seconds on the 3081, so we expect it to take about 22,000 seconds (say, 6 hours) on the PC. Output consists of time-course graphs of the mass fractions of the various nuclides, plotted on logarithmic scales for time and for the mass fractions, and of tables giving numerical values for the mass fractions as functions of time. The graphs show clearly the stages at which the various nuclides are produced or used up; in many cases, this occurs in straight lines on the log-log plot, indicating mass fractions proportional to a (positive or negative) power of the time.

PHOTOCHEMICAL SMOG GENERATION

The generation of photochemical smog in urban areas is an extremely complex phenomenon that involves numerous reactions among well over 100 trace gases in the atmosphere. Important elementary steps in the process involve the breaking of chemical bonds when a molecule absorbs solar radiation; these steps switch off rapidly as sunset approaches and switch on equally fast *(continued)*



Which electronic mail service delivers much more than mail?

Every one of these electronic mail services does a very good job of delivering the mail.

But only one delivers so many more online services with equal expertise.

The Source.

With The Source, you can have the daily news delivered along with your daily mail. Make airline reservations. Trade stocks. Hold a computer conference. Communicate with thousands of people who share your interests.

Even get the latest word on new hardware and software products, in seconds.

All this, and more, along with the electronic mail service called "the most powerful available anywhere."

And all for just \$49.95,

plus reasonable hourly usage fees.

Call 800-336-3366* and you can have the power of The Source working for you in a matter of minutes.

Or for more information, visit your nearest computer dealer or mail the coupon below.

The Source is a service mark of Source Telecomputing Corporation. a subsidiary of The Reader's Digest Association, Inc. The source services are offered in participation with Control Data Corporation, @Source Telecomputing Corporation, 1985. MCI MailSM is a service mark of MCI Communications Corp. EasyLinkSM is a service mark of Western Union. *In Virginia or outside the continental U.S. call (703) 734-75(0). Please send me more details about The Source.

Name	Telephone #
Address	
City	State Zip
	personal computer.
yes no	
	elecomputing Corp.
	erson Road
McLean,	VA 22102
	CCBY0



Source MailSM Electronic Mail Mailgram[®] Message Service PARTICIPATETM Computer Conferencing **CHAT** Interactive **Communications** News Bulletins **UPI News Service** Associated Press Scripps-Howard News Service Accu-WeatherTM The Washington Post **Electronic Edition** Sports **BYLINES** Feature News Portfolio Management **Real-Time Stock Quotes Delayed Stock Ouotes** Spear Securities Online Trading Media General **STOCKVUE** Donoghue Investment Newsletter **INVESTEXT Research** Reports (Ist Qtr. 1985) Management Contents **Publication Abstracts Employment Services UNISTOX** Market Reports **Commodity World** News **BIZDATE Business** Magazine MICROSEARCHTM Hardware, Software Reviews Member Directory POST Bulletin Board Classifieds Member Publications Official Airline Guide® A-Z Worldwide Hotel Guide Travel, Hotel Reservations & Ticketing Restaurant Guides Travel Tips, Tours, Discounts Movie Reviews CompuStore Electronic Shopping Games, Educational Quizzes

at dawn. Rate coefficients also depend on smaller day/night variations such as temperature and water vapor content. Thus the behavior of the chemistry during the night is quite different from that during the day, and the switching processes are technically difficult for many differentialequation solvers to handle. The model of this process is by far the largest and most complicated of those described here. The model involves a total of 300 reactions among 135 chemical species: the data occupies about 620 lines of code. The model also requires larger working arrays than the others, but it can be fitted into 470K bytes of RAM.



Simulating 50 hours of real time (thus seeing how much greater the pollution is on the second day than the first) takes about 110 seconds on the IBM 3081K; we are not vet able to run it on the PC, but we might expect a speed ratio similar to that for the astrophysical problem. It is thus at the limit of practicability on the PC (at present) so far as running time is concerned, but it is interesting that the model would still run faster than real time. Simulation of the second 24 hours takes about one-third of the total time, and we would expect subsequent days to run at approximately this speed.

Output consists mainly of timecourse graphs, which illustrate clearly the buildup, with afternoon peaks and nighttime troughs, in the concentrations of the important pollutants.

CONCLUSION

I have presented only a few of the many scientific and engineering applications that are practicable on a micro like the IBM PC with 512K bytes of RAM and an 8087 math coprocessor. I hope, nevertheless, that I have conveyed a feel for what I am sure has a very big future—the use of micro-computers for major scientific computation. ■

FOR FURTHER INFORMATION

For information on some specific microcomputer simulation modelers, contact:


ATOMIC ENERGY RESEARCH ESTABLISHMENT Harwell, Didcot, Oxfordshire OX11 ORA, England (FACSIMILE)

PUGH-ROBERTS ASSOCIATES INC. 5 Lee St., Cambridge, MA 02139 (Micro-DYNAMO)

ACKNOWLEDGMENT

I would like to thank the United Kingdom Atomic Energy Research Establishment, Harwell, for permission to publish the material about FACSIMILE contained in this article; and I would also like to thank my colleagues Philip Sweetenham and Kevin McPherson for providing me with information about the test runs they executed.

Here's The Savvy-est True Dual Trace 10 MHz Digital Storage Scope You Ever Saw ... At The Saving-est Price. Only \$595.



The Handy New LogicScope[™] 136

True Dual Trace • 10 MHz Real Time Bandwidth • 3 Input Channels • I/O Port Digital Waveform Storage • Boolean Waveform Operations • Audio Functions 8.0 (L) x 4.5 (D) x 1.75 (H) Inches • 1.25 Pounds • 9 Volt Battery/AC Operation

Consider the LogicScope 136

■ The LogicScope 136 is the next logical step in test instrumentation for you. It combines many of the features and capabilities of sophisticated logic analyzers and oscilloscopes . . . and it fits in your hand. Never before has so much technology been available in so small an instrument, at such a low price.

• The pocket-sized LogicScope 136 is made possible by a patented breakthrough in display technology. The conventional CRT has been replaced by a unique array of 400 LED's that permits simultaneous display of two digital waveforms.

■ The 136 can be used for viewing single shot events, or repetitive waveforms. It can be operated in real time mode, or in memory mode which permits acquisition and storage of up to 50-100 bit waveforms. These can be recalled, logically compared (AND, OR, EXCLUSIVE OR) to other input waveforms, or output to an external device via an I/O port. This I/O port will also accept future add-on 136 Modules.

• Its very low cost, convenience and ease-of-use make the LogicScope the ideal instrument, for designing, troubleshooting or repairing digital systems. Made in U.S.A.

Consider its Engineering & Field Service Applications:

• On microprocessor-based systems, check the timing relationship of various parameters relative to the system clock and other key events. Its storage capability allows visual and logical comparison of non-repetitive waveforms to known reference signals. Output in the start-up of the digital device can be compared to reference signals to determine the operating state of the device. Questionable waveforms can be stored for analysis.


Its light weight and small size make the LogicScope convenient to take on every service call. The 136 provides much more information for trouble shooting a digital system or peripheral than a logic probe or digital counter without having to lug an oscilloscope or logic analyzer along.

Contact us for the name of your local distributor


POCKET TECHNOLOGY, INC.



7320 Parkway Drive, Hanover, MD 21076 U.S.A. 301-796-3300 TELEX 908207 Division of Renaissance Technology Corp. FEBRUARY 1985 • B Y T E 247



ASYST multiple windows permit side-by-side comparisons. The two-dimensional FFT routine, shown, is one of the many built-in functions.



With ASYST, data acquisition and analysis routines can be combined to create powerful, menu-driven functions.

Now acquire, analyze, and graph data all at the same time. Introducing ASYST Scientific Software.

ASYST. The most powerful scientific software package available for a personal computer.

ASYST is the only software that turns an IBM PC, or compatible, into a complete scientific workstation – offering full data acquisition, analysis, and graphics capabilities.

• ASYST puts you in direct control of your data. Its unique interactiveness allows you to start reducing data even as it is being collected – graphing as you proceed.

• Multiple graphics windows permit quick visual comparison and allow you to select segments for further manipulation. ASYST gives you the speed and precision of a minicomputer at a fraction of the cost. And because it works on a PC, you




ASYST and your IBM PC give you the power, speed and precision of a minicomputer in your own lab.


can pull information through the analytical process without timesharing delays or software bottlenecks.

• ASYST fully utilizes an IBM PC with the 8087 coprocessor. This unique combination takes all intermediate calculations to the 80-bit precision level, offering precision exceeding that of other micros – as well as many minis and mainframes.

• A 1024-point Fast Fourier Transform, with ASYST and an IBM PC with 8087 chip, takes less than 3 seconds. An optimum performance custom routine tested on a DEC 11/23 + minicomputer with FPF 11[™] took 2 seconds – at five times the price.



ASYST automatic graphics are flexible enough to handle the most demanding applications.



ASYST integrates analysis functions with graphics. On-screen cursors allow interactive selection of curve segments.

Three integrated modules.

ASYST is composed of three separate, but fully-integrated, modules – Module 1: System/ Graphics/Statistics; Module 2: Analysis; and Module 3: Data Acquisition.

• Module 1 works alone—or with either of the other two modules allowing you to tailor the system to your specific needs.

• All functions are always available for your use. You never have to leave the system to access any of its capabilities.

Module 1: System/Graphics/ Statistics establishes the environment. Among other features, it provides data representation and storage capability; supplies arithmetic, trigonometric, hyperbolic and other mathematical and statistical functions; and provides direct graphics output and display. Array manipulation, control of vectors and matrices, automatic plotting, file manipulation, programming control structures, and a built-in text editor are all included in Module 1.

Module 2: Analysis reduces and analyzes data and includes a powerful selection of analytical functions. They include Eigenvalues, Eigenvectors, and polynomials. Least squares approximations, curve fitting, convolutions, integration, differentiation, smoothing, and Fast Fourier Transform are only a few of the automatic functions provided.

Module 3: Data Acquisition

allows ASYST to interface with laboratory instruments to capture data directly with a minimum of keyboarding. Standard commands such as "A/D.IN" are all that are needed to carry out communication between ASYST and standard interface boards. A/D and D/A conversions, digital I/O, timing, and triggering are all supported. Commands can be combined in programs to provide customized automatic acquisition and control.

Built-in routines make ASYST easy to use. Programmability lets you customize.

You don't have to be a computer expert to utilize ASYST. Instead of rigid, unreadable computer syntax, you deal with an assortment of built-in commands that do what their names indicate – XY.DATA.PLOT, ARRAY.EDIT, FFT, etc.

• Interactively use pre-programmed commands to get immediate control of your work.

• Combine and modify commands to extend the capability of the system for your custom applications. ASYST is fully programmable.

Supported by extensive, top-down documentation.

ASYST layered documentationwith examples, a quick reference card, and a cross-referenced index-lets you go only as deep as your needs require. A comprehensive, on-line "help" system is always ready to supply additional assistance.

30-Day No-Risk Offer. 1-800-34-8-0033 In New York State call (212) 702-3241.

Call our ASYST hotline for more information.





MACMILLAN SOFTWARE CO. An Affiliate of Macmillan Publishing Company 866 Third Avenue New York, NY 10022

TRANSTECTOR Has A Better Way To Eliminate Computer Malfunctions

Computer foul-ups are enough to bring out the beast in even the most patient of individuals. But when random logic errors, memory loss, software damage or component failures have driven you to the brink, don't resort to wielding a sledgehammer. Fight back with TRANSTECTOR SYSTEMS

TRANSTECTOR is the world's leading manufacturer of transient overvoltage protection systems for sensitive electronics. In fact, many FORTUNE 500 companies, such as NCR, General Electric Medical Systems and Johnson Controls, have chosen TRANSTECTOR to safeguard equipment they sell

Now, that same famous technology is available to you Ask your dealer for details on how TRANSTECTOR protectors can save you money--not to mention your mental health

> 10701 Airport Dr. Hayden Lake, ID 83835 (208) 772-8515

RANSTECIO

For the name of the TRANSTECTOR SYSTEMS authorized dealer nearest you call toll-free:

800-635-2537

this photo tents

AATE TOR

STECTOR dealer

Soul

Beller

1 300 can an an in the roll of the poor

ou can empanie with the post of a a

Cel put ver own por

1985 Transfector Systems • TRANSTECTOR is a registered trademark of Franstector Systems, Inc

S·C·I·E·N·C·E

VIEWING MOLECULES WITH THE MACINTOSH

by Earl J. Kirkland

A BASIC program provides 3-D images of complex molecules

RESEARCHERS HAVE GAINED valuable insights into how molecules work by examining the basic physical structures of the molecules, which in part determine their functions. Scientists have learned, for example, that the physics of electronic conduction in a silicon crystal is influenced by the basic symmetries of the crystal.

The relative physical sizes and shapes of two molecules may also influence the rate at which they interact chemically (since, for two chemicalsi.e., atoms or molecules-to interact, they must first come into contact with each other). This is the case with a particular class of biochemical substances called enzymes, which are responsible for controlling the rate of biochemical activity without themselves being changed (i.e., they are biological catalysts). The size and shape of the enzyme molecule influences which other biochemical substances (molecules) may bind to it and hence be influenced by it.

We can gain some understanding of the basic functions of molecules by examining the size and shape of a given molecule, using either a real physical model or a computer-graphics representation of the molecule. References 1, 2, and 3 give some examples of graphic representations of molecular structure and their usefulness in understanding molecular function.

Molecules are far too small to be seen with optical microscopes, and electron microscopes are just becoming capable of directly imaging a few specialized types of molecules. Most of the molecular structures that we know today have been determined by X-ray diffraction studies of large crystals. A crystal can be thought of as a very large, single molecule composed of a small structure of a few atoms repeated many times. This repetitive nature allows researchers to analyze many identical molecules at one time and obtain a reasonable "signal-to-noise" ratio in the results.

Earl J. Kirkland (Cornell University, Ithaca, NY 14853) holds a doctorate in applied physics and is a research associate at Cornell's School of Applied and Engineering Physics. His work involves computer image processing of electron micrographs.

X-ray diffraction patterns cannot be directly interpreted but require a computer to digest the diffraction pattern. The computer outputs a sequence of numerical data describing the threedimensional (3-D) positions of the atoms inside the molecule. This numerical data is rather difficult to understand without further reduction. Simple structures with only a few atoms may be intuitively visualized from the raw numerical data, but the more interesting or important structures often contain hundreds of atoms, each with its own numerical coordinate (x,y,z). Intuition is inadequate for complicated structures such as these.

Before the advent of computer graphics, researchers had to go through the elaborate process of building 3-D models of each molecule for futher study. Because this molecular-structure data is often generated by a computer, it is a practical alternative to also let the computer draw a 3-D perspective view of the molecule using computer graphics.

Computer graphics is a powerful (continued)

tool for visualizing the structure of large molecules in three dimensions. Sophisticated (and expensive) computer hardware and software systems for displaying molecules and crystals in 3-D perspective are discussed in references 4 and 5.

The Apple Macintosh has enough resolution and speed to draw 3-D perspective views of relatively large molecules and to rotate them in space (not in real time but fast enough to be interactive). Although not as good as the more sophisticated systems (several of which are discussed in references 4 and 5), the Macintosh is certainly less expensive and can provide guite usable and educational results. MODEL3D, a program written in Microsoft Macintosh BASIC 1.0 and designed to run on the 128K-byte Mac, is capable of displaying up to 600 atoms in three dimensions, with hidden-surface removal, and azimuthal and polar rotations (these terms are defined below).

MOLECULES

For the purposes of this discussion, think of a molecule as a group of atoms that are bound together in a well-defined structure. Each molecule has a given number of one or more different types of atoms and each atom has a specific 3-D coordinate associated with it. A molecule may be as simple as two atoms or as complicated as the DNA molecule with its thousands of atoms. The atom-toatom spacing varies from one molecule to the next and is determined by the chemistry and physics of the bonds. Typical atomic spacings are on the order of a few angstroms (1 angstrom = 10^{-8} centimeters).

Each atom in the molecule or crystal has a further substructure consisting of a small nucleus of positive charge (protons and neutrons) surrounded by a larger, negatively charged electron cloud. The outer electrons in this cloud form the actual bond to the neighboring atoms. The radius of the atom (i.e., the electron-cloud radius) varies from one type of atom to the next. (Typically, atomic radii are on the order of 1 angstrom.) This atomic structure may be modeled graphically as a slightly fuzzy sphere whose radius is the radius of the electron cloud. The specific 3-D coordinate of the atom is associated with the center




Figure 1: A perspective view of a three-dimensional object as projected onto a two-dimensional CRT screen. The point $(x,y,z)_i$ represents the center of a 3-D sphere, and $(x,z)_i$ represents the projected screen coordinates.

or nucleus of the atom. Therefore, to describe a whole molecule all you need is a list containing the 3-D coordinate and size of each atom in the molecule. This will be represented as the coordinates $(x.y.z)_i$ and atomic sizes (or radii) s_i , for i = 1, 2, 3, ..., n, where *n* is the total number of atoms in the molecule.

ROTATION

Once you have the list of atomic coordinates inside the computer, you can rotate the atomic structure to any angle prior to viewing it. In three dimensions there are two possible independent rotations about a given center (or any other given point). They will be referred to as an azimuthal rotation (about the *z*-axis) and a polar rotation (about the *x*-axis). To azimuthally rotate the molecule about its center point (*x*,*y*,*z*)_o through an angle ϕ , you must transform each atomic coordinate (*x*,*y*,*z*)_i as:

$$\begin{aligned} x_i^* &= (x_i - x_o) \cos(\phi) + (y_i - y_o) \sin(\phi) \\ y_i^* &= -(x_i - x_o) \sin(\phi) + (y_i - y_o) \cos(\phi) \end{aligned}$$

and to rotate through a polar angle θ , you must transform each atomic coordinate as:

$$y_i'' = y_i \cos(\theta) + (z_i - z_o)\sin(\theta)$$

$$z_i' = -y_i'\sin(\theta) + (z_i - z_o)\cos(\theta)$$

The computer uses the new resulting rotated coordinates $(x',y'',z')_i$ to calculate the 3-D perspective view of the molecule. For convenience you may define the center of rotation $(x,y,z)_o$ to be halfway between the minimum and maximum extent of the molecule (along each axis).

3-D PERSPECTIVE

To display a molecule in 3-D on a computer screen, the light coming from the two-dimensional CRT (cathode-ray tube) screen must be made to appear as if it comes from a three-dimensional object (i.e., the molecule). One way to do this is illustrated in figure 1 (see also references 4 and 6). The human observer is in the "viewing position" at a distance *D* from the CRT screen, which is illustrated as a two-dimen-

VIEWING MOLECULES

sional x,z plane, seen from the side. Projected on this "screen" is a 3-D molecule, of which one atom has the coordinates $(x,y,z)_i$.

We then trace several light rays from the viewing position through the three-dimensional-object points. The points where these rays intersect the CRT plane is where the object should be placed when drawn on the CRT screen. By comparing similar right triangles formed with the viewing position, the *y*-axis, and either the $(x,y,z)_t$ or $(x,z)_{is}$ points, we can calculate the screen coordinates as:

 $x_{is} = Dx_i / (D - y_i)$

and

 $z_{is} = Dz_i / (D - y_i)$

In practice, the leading multiplicative factor of *D* will be dropped because the screen coordinates will be rescaled later to fill the screen. The apparent size of each atom should also be scaled as above so that the atoms appear smaller as they get further away.

In realistic 3-D perspective, some atoms will be in back of other atoms and hence should not be visible. This is the so-called "hidden-surface problem." An easy, if crude, solution is to simply sort the atoms by depth and draw from the back forward, always overwriting each successive layer of atoms. When each successive atom is drawn it exactly overwrites the portion of the object that it would normally obscure. This is the approach I have used here.

THE PROGRAM

I have implemented the theory outlined above in MODEL3D (listing 1), a program written in Microsoft BASIC for the Macintosh. [Editor's note: The source code for MODEL3D is available for downloading via BYTEnet Listings. The number is (603) 924-9820.] The program first asks for the name of the data file containing the atomic coordinates of the molecule you wish to draw. You can obtain this information from college-level chemistry or physics textbooks, or from the (continued) Listing 1: The Source listing of MODEL3D, a Microsoft BASIC 1.0 program to draw 3-D perspective views of molecules.

```
*** MODEL3D.BAS ***
 10
     ' Draw a 3D perspective view of a molecule with rotation
 20
 30
      ' For private, noncommercial use only.
 40
     ©E. Kirkland 4-JUL-84, added printer distortion 9-SEP-84
 50
     ' NOTE: Remember to shrink command window to lower left
 60
 70
     'hand corner so that the lower right side of screen is visible
 80
 90
     DEFINT I - N:DEFSNG O - Z:DEFSNG A - G
100 DIM IE(4), IP(12), X(600), Y(600), Z(600), S(600)
110
120 ' Define shading bit patterns for sphere
130 IP(0) = &H4411 : IP(1) = IP(0) : IP(2) = IP(0) : IP(3) = IP(0)
140 IP(4) = \&H55AA: IP(5) = IP(4): IP(6) = IP(4): IP(7) = IP(4)
150 IP(8) = &HFFFF:IP(9) = IP(8):IP(10) = IP(8):IP(11) = IP(8)
160
170 '
       Ask what to do
180 CLS:INPUT "Data file name : ",FILE$
190 INPUT "Azim., polar angles : ", PHI,THETA
200 INPUT "Viewing distance : ", VIEWD: INPUT "Size mag. : ", SMAG
210 INPUT "Type 1 for printer:", IPRINT
220 ' Printer distortion correction factor
230 IF IPRINT = 1 THEN DISTORT = 1.094 ELSE DISTORT = 1!
240 TIM# = TIMER
250 PHI = PHI * 3.14159/180!: THETA = THETA * 3.14159/180!
260 CP = COS(PHI):SP = SIN(PHI):CT = COS(THETA):ST = SIN(THETA)
270
280 ' Read atomic coordinates from data file and scale
290 OPEN FILE$ FOR INPUT AS #1
300 XMIN = 1E + 25:XMAX = - XMIN:YMIN = XMIN:YMAX = XMAX
310 ZMIN = XMIN: ZMAX = XMAX:N = 0
320 WHILE NOT EOF(1)
330 N = N + 1
340 INPUT#1,X(N),Y(N),Z(N),S(N)
350 IF X(N) > XMAX THEN XMAX = X(N)
360 IF X(N) < XMIN THEN XMIN = X(N)
370 IF Y(N) > YMAX THEN YMAX = Y(N)
380 IF Y(N) < YMIN THEN YMIN = Y(N)
390 IF Z(N) > ZMAX THEN ZMAX = Z(N)
400 IF Z(N) < ZMIN THEN ZMIN = Z(N)
410 WEND
420 PRINT N "atomic coord."
430 XMIN = .5*(XMAX + XMIN):YMIN = .5*(YMIN + YMAX)
440 ZMIN = .5 * (ZMIN + ZMAX): PRINT "Rotating..."
450
460 '
      Rotate molecule around its center
470 FOR I=1 TO N
480 XA = X(I) - XMIN:YA = Y(I) - YMIN
490 X(I) = CP * XA + SP * YA: Y(I) = -SP * XA + CP * YA
500 YA = Y(I):ZA = Z(I) - ZMIN
510 Y(I) = CT * YA + ST * ZA:Z(I) = -ST * YA + CT * ZA
520 NEXT I:PRINT "Sorting ...
530
540 '
      Sort by depth (shell sort)
550 IGAP = INT(CSNG(N)/2!)
560 WHILE IGAP > = 1
570 FOR I = IGAP + 1 TO N
580 FOR J=I-IGAP TO 1 STEP - IGAP
590 JG = J + IGAP
```

(continued)



VIEWING MOLECULES

610 620 630 640 650	IF $Y(J) < = Y(JG)$ THEN GOTO 640 SWAP $X(J), X(JG)$:SWAP $Y(J), Y(JG)$ SWAP $Z(J), Z(JG)$:SWAP $S(J), S(JG)$ NEXT J NEXT I IGAP = INT(CSNG(IGAP)/2!) WEND
670 680	
690	SCALE = -1E + 25 SMAX = $SCALE$
	FOR I = 1 TO N YA = 1!/(VIEWD - Y(I)):X(I) = X(I) * YA:Z(I) = Z(I) * YA:S(I) = S(I) * YA
720	IF SCALE < ABS(X(I)) THEN SCALE = ABS(X(I))
	IF SCALE < ABS(Z(I)) THEN SCALE = ABS(Z(I))
	IF SMAX <s(i) smax="S(I)<br" then="">NEXT I:SCALE = 110!/(SCALE + .5 *SMAX *SMAG)</s(i)>
	SCALEX = SCALE + DISTORT
770	
	' Plot shaded circles (emulating spheres)
	FOR $I = 1$ TO N IX = FIX(X(I) * SCALEX + 350!):IY = FIX(Z(I) * SCALE + 130!)
	IR = FIX(S(I) * SCALE * SSO().IT = FIX(Z(I) * SCALE * FSO()) IR = FIX(S(I) * SCALE * SMAG):IRX = IR * DISTORT
	GOSUB 880
	NEXTI
	PRINT TIMER - TIM# " sec"
850	CLOSE#1:END
870	Sphere plotting subroutine using Quickdraw FILLOVAL IE(0) = IY - IR:IE(1) = IX - IRX:IE(2) = IY + IR:IE(3) = IX + IRX
	CALL FILLOVAL(VARPTR(IE(0)), VARPTR(IP(0)))
	IR2 = .8 * IR: IRX2 = .8 * IRX
	IE(0) = IY – IR2:IE(1) = IX – IRX2:IE(2) = IY + IR2:IE(3) = IX + IRX2 CALL FILLOVAL(VARPTR(IE(0)), VARPTR(IP(4)))
	IR2 = .65 × IR: IRX2 = .65 × IRX
	IE(0) = IY – IR2:IE(1) = IX – IRX2:IE(2) = IY + IR2:IE(3) = IX + IRX2 CALL FILLOVAL(VARPTR(IE(0)), VARPTR(IP(8)))
	RETURN

crystallographic technical literature. Wyckoff's six-volume series (see reference 12) offers an encyclopedic tabulation of many molecular structures. [You can also make up your own coordinates, following the format below, to experiment with the program.]

Prepare the data file using MacWrite. As shown in the example in figure 2, each line of the file represents one atom in the molecule and has four numbers. The first three numbers of each line are the $(x,y,z)_i$ coordinates of the *i*th atom and the fourth number is the size or atomic radius of this atom. These numbers may be in any convenient set of units as long as all the numbers are in the same units. Note that MacWrite sometimes leaves several blank lines at the end of the file that must be deleted. You must

also save the file as "text-only" instead of the default "entire-document."

Alternatively, if the molecule is a crystal, you can generate a data file containing the atomic coordinates for it by programming the rules for the repetitive structure of the crystal in a separate BASIC program, as I did for the crystal silicon (see below).


After asking you for the name of the data file, the program asks for the rotation angles (in degrees), the viewing distance (*D* in figure 1; in the same units as the atomic coordinates and sizes), the atomic-radius size magnifier (this can be used to expand or contract the apparent size of each displayed atom; to get the normal size from the input file, type 1), and finally, (continued)

We Set the Standard in Prices!

For IBM PC Add-On Products.

Superior quality products and services at lowest prices.

Look at what **we** have to offer, before you buy any add-on products for your IBM PC.



QIC-01. 10 MB internal hard disk subsystem at **5725** - too low to guote!

Our half-height 10 MB hard disk comes complete with controller, cables, Microscience drive and easy to follow instructions. It fits inside one of your floppy slots and draws same amount of current as a floppy. It is compatible with DOS 2.0, 2.1 and 3.0 without any patches. In fact, you can simply boot up from the hard disk. This is the same hard disk system you see advertised for hundreds of dollars more.

20 MB half-height internal hard disk **\$1095.** 20 MB drive for PC AT **\$895.** 40 MB full height with controller **\$1995.**

QIC-02. Streaming cassette tape back-up subsystem. **\$777.**

Now, you can back-up your 20 MB of hard disk in less than 10 minutes. This half-height cassette tape system fits inside your IBM PC and is very easy to install. It comes with a controller card, cables, cassette drive, one cassette tape and all necessary software. You can perform image back-up as well as file by file back-up and restore.

20-60 MB Cartridge tape subsystem **\$995.**

QIC-03. 300/1200 baud internal modem. **\$275.**

This auto dial/auto answer plug-in modem lets your PC talk to the world with reliable and easy operation. It is FCC certified. Bell 103/212 compatible as well as fully Hayes compatible. You can run all the popular communication programs as well as our superior QIC Com software program.

Our QIC-Com software program provides phone list management as well as powerful file transfer capabilities. You can even run any DOS programs such as WordStar concurrently without having to disconnect your line. Priced at \$45.00, it is an offer you don't want to miss.

QIC-04. Half-height floppy drive. **\$129.**

This half-height floppy is the quietest drive on the market. It draws the least amount of current and is compatible with your PC's floppy controller card. It's double sided, double density.

CALL US TODAY AT 408-942-8086

QIC-05. Five function card. **\$199.** (64 K RAM Set \$33.00).

Our five function card includes memory expansion from 0 to 384K, one serial port, one parallel port, one game port and one battery back-up clock calendar. RAM disk, print spooler and clock utilities are also included.

Expansion box with 10 MB hard disk **\$1495**. Expansion box with 20 MB hard disk **\$1995**.

One Year Guarantee

No Risk. All our products are guaranteed for one year. And remember, if for any reason, you are not completely satisfied within 30 days, you can return it for a full refund. Check out our competition and find out which is best. We know better.

RESEARCH

INCORPORATED

Milpitas. CA 95035

528 Valley Way

VIEWING MOLECULES

Figure 2: A sample data file showing the three-dimensional coordinates for one unit cell of silicon. This was generated by the program in listing 2.

Listing 2: A Microsoft BASIC program to generate the three-dimensional coordinates for a silicon lattice.

10	****SIGEN.BAS ***
20	' Generate a Silicon lattice of Nx, Ny, Nz unit cells
30	'E. Kirkland 15-SEP-84
40	DEFINT I – N:DEFSNG A – G,O – Z
50	INPUT "Generate Nx,Ny,Nz Silicon unit cells : ",NX,NY,NZ
60	INPUT "Output file name : ",FILE\$
70	OPEN FILE\$ FOR OUTPUT AS #1:SIZE = .15
80	FOR IX = 0 TO NX
90	FOR IY = 0 TO NY
100	FOR IZ = 0 TO NZ
110	WRITE#1,IX,IY,IZ,SIZE
120	IF $(IX = NX)$ OR $(IY = NY)$ OR $(IZ = NZ)$ GOTO 230
130	WRITE#1,IX + .5,IY + .5,IZ,SIZE
140	WRITE#1,IX + .5,IY,IZ + .5,SIZE
150	WRITE#1,IX,IY + .5,IZ + .5,SIZE
160	WRITE#1,IX + .5,IY + .5,IZ + 1,SIZE
170	WRITE#1,IX + .5,IY + 1,IZ + .5,SIZE
180	WRITE#1,IX + 1,IY + .5,IZ + .5,SIZE
190	WRITE#1,IX + .25,IY + .25,IZ + .25,SIZE
200	WRITE#1,IX + .25,IY + .75,IZ + .75,SIZE
210	WRITE#1,IX + .75,IY + .25,IZ + .75,SIZE
220	WRITE#1,IX + .75,IY + .75,IZ + .25,SIZE
230	NEXT IZ
240	NEXT IY
250	NEXT IX
260	CLOSE#1:END

A circle appears elliptical printed with the Imagewriter.

whether the drawing is to be printed. The Apple Imagewriter printer has a slightly different aspect ratio than the screen, so that a circle on the CRT screen appears slightly elliptical when printed. The program can apply a predistortion to the drawing (multiplying the x coordinate by 1.094) so that it will appear normal when you print it.

The program then reads from the data file until it encounters an "end-of-file" (EOF) condition (the total number of input lines determines the total number of atoms in the mole-cule). An "Input Past End" error indicates that the data file contains extra characters.

After reading in the atomic coordinates and size data, the program rotates them about the center point and sorts them by depth using the Shell sort method (see references 7, 8, and 9). The program then projects these new coordinates into the viewing screen coordinates with a 3-D perspective and scales them. If at this point the program signals, "Out of Memory," type CLEAR, 20000 and run the program again.

The final portion of the program draws a sphere at each of the projected atomic coordinates, from the back forward, to fulfill the hiddensurface requirements. The "sphere" is drawn using three QuickDraw FILL-OVAL calls with different shading patterns (see Appendix E of the Microsoft BASIC 1.0 manual). The first call draws a light-gray circle filling the whole atomic radius, the second draws a dark-gray circle with a slightly smaller radius, and the third draws a black circle with a still smaller radius. The net effect is a shaded circle that looks like a sphere. For a printout of the drawing, use the printscreen (Shift-Command-4) command. (continued)

A few smart reasons to buy <u>our</u> smart modem:

Features	Ven-Tel 1200 PLUS	Hayes
1200 and 300 baud, auto-dial, auto-answer	Yes	Yes
Compatible with "AT" command set	Yes	Yes
Can be used with CROSSTALK-XVI or Smartcom II software	Yes	Yes
Regulated DC power pack for cool, reliable operation	Yes	No
Eight indicator lights to display modem status	Yes	Yes
Speaker to monitor call progress	Yes	Yes
Attractive, compact aluminum case	Yes	Yes
Two built-in phone connectors	Yes	No
Compatible with The Source and Dow Jones News Retrieval	Yes	Yes
Unattended remote test capability	Yes	No
Phone cable included	Yes	Yes
Availability	Now	
Price	\$499	\$699

The Ven-Tel 1200 PLUS offers high speed, reliable telecommunications for your personal computer or terminal. Whether you use information services or transfer data from computer to computer, the Ven-Tel 1200 PLUS is the best product around. Available at leading computer dealers and distributors nationwide.

Also from Ven-Tel: internal modems for the IBM and HP-150 Personal Computers with all of the features of the 1200 PLUS.

You choose. The Ven-Tel 1200 PLUSthe smartest choice in modems.

amatinudem from Ven-Tel Inc. 12000 PLUG

Auto-Dial, Auto-Answer, 1200 Baud Modem

Ven-Tel

Ven-Tel Inc.

2342 Walsh Avenue Santa Clara, CA 95051 (408) 727-5721

Versatile. Use with either a computer or termini data over standard telephone lines. Easy to us compatible with virtually all communications s

Automatic Dialing with using either tone or put speed selection during dialing and autor

Built in speaker monitors call progress. Exp provide complete communications status

Crosstalk is a trademark of Microstuf: Hayes and Smartcom II are trademarks of Hayes Microcomputer Products. Inquiry 322



VIEWING MOLECULES

Note that if two atoms are located at exactly the same depth (distance from the viewer), this program will arbitrarily draw one atom in front of the other. (Obviously this will make a difference only if the atoms are close enough to each other so that their radii overlap.) This problem will probably not be significant in most cases and may be easily overcome by




Figure 3: A 3-D perspective view of 2- by 2- by 2-unit cells of a silicon lattice. The data file was generated by the program in listing 2.




Figure 4: Another 3-D perspective view of the 2- by 2- by 2-unit cell structure in figure 3.

921 Louisville Road, Starkville, MS 39759

rotating the molecule so that one atom is slightly in front of (or behind) the other. A proper solution to this problem is beyond the scope of this exercise.

EXAMPLES

As I mentioned above, a crystal may be thought of as a single large molecule whose structure is a simple pattern repeated many times. Silicon forms a crystal structure with a basic repeat distance of 5.43 angstroms. It is composed of two interpenetrating face-centered cubic (fcc) lattices (see references 10 and 11), with one fcc lattice offset from the other by $(\frac{1}{4},\frac{1}{4},\frac{1}{4}) \times 5.43$ angstroms. There are roughly 6.25×10^{18} unit cells per cubic millimeter of silicon. Large crystals of silicon in this form (with suitable treatment) are commonly used to make the vast majority of integrated circuits in use today. For example, the Motorola 68000 processor used in the Macintosh is made out of a single crystal of silicon. Listing 2 shows SIGEN, a short Microsoft BASIC 1.0 program that generates a data file of the positions of the atoms in crystalline silicon. The data file in figure 2 was produced by SIGEN and contains the coordinates for one 1- by 1- by 1-unit cell of silicon. Figures 3 and 4 show computer-graphic representations of the crystal, with two slightly different orientations: the face of the cube (figure 3) and an edge of the cube (figure 4). Note the slight slope (like a roof of a house) visible in figure 4. The vertical edge in the center is nearer to the observer than the two outer edges on the left and right and hence appears larger (taller) than the outer edges in 3-D perspective. Note the characteristic symmetry of silicon that the graphic representation reveals.

Figure 5 is a computer-graphic representation of the aspirin molecule, whose structure is given in reference 12. The chemical formula for aspirin is $(HOOC)C_6H_4 - OC(0)CH_3$. I have arbitrarily depicted the hydrogen atoms with a small radius to distinguish them from the other atoms in the molecule. The aspirin molecule has a large hexagonal carbon structure (benzene) on the bottom and clusters of carbon, hydrogen, and oxygen on the top.

CONCLUSIONS

Computer graphics offers a convenient way to visualize three-dimen-




Figure 5: 3-D perspective view of the aspirin molecule.

sional structures of molecules as an aid to understanding the behavior of the molecules. The Apple Macintosh computer is capable of displaying a graphic representation of fairly complex molecules. Although there are large computer systems that can produce better graphic representations, they are beyond the price range of most individuals. The Macintosh gives a spectacular performance in relation to its cost. Even though MODEL3D is written in interpreted BASIC, most of the actual graphics is done by the Macintosh ROM via the QuickDraw subroutine. Hence, the program runs relatively fast. These built-in graphics routines make the Macintosh very useful for this application.

REFERENCES

1. Bechgaard, K., and D. Jerome. "Organic Superconductors." *Scientific American*, July 1982, pp. 52–61.

2. Ptashne, M., A. D. Johnson, and C. O. Pabo. "A Genetic Switch in a Bacterial Virus." *Scientific American*, November 1982, pp. 128–141.

3. Dickerson, R. E. "The DNA Helix and How it is Read." Scientific American, December 1983, pp. 94–111.

4. Foley, J. D., and A. Van Dam. Fundamentals of Interactive Computer Graphics. Reading. MA: Addison-Wesley, 1982, plate 15.

5. Greenberg, D., A. Marcus, A. H. Schmidt, and V. Gorter. *The Computer Image: Applications of Computer Graphics*. Reading, MA: Addison-Wesley, 1982, pp. 58–59.

6. Newman, W. M., and R. F. Sproull. Principles of Interactive Computer Graphics. 2nd ed. New York: McGraw-Hill, 1979, pp. 339–342.

7. Shell, D. L. "A High Speed Sorting Procedure." CACM 2, 7 (July 1959) pp. 30–32. 8. Rich, R. P. Internal Sorting Methods Illustrated with PL/I Programs. Englewood Cliffs, NJ: Prentice-Hall, 1972.

9. Kernighan, B. W., and P. J. Plauger. Software Tools. Reading, MA: Addison-Wesley, 1976, p. 106.

10. Ashcroft, N. W., and N. D. Mermin. Solid State Physics. New York: Holt, Rinehart, & Winston, 1976, p. 106.

11. Kittel. C. Introduction to Solid State Physics. 4th ed. New York: John Wiley & Sons, 1971, pp. 30, 31.

Wyckoff, R. W. G. Crystal Structures: Vol.
 Part 1, The Structure of Benzene Derivatives.
 2nd ed. New York: John Wiley & Sons.
 1951, pp. 234–235.

IT ALL ADDS UP

\$469 00

\$309.00

\$269.00

\$289.00

\$105.00 300 0

Payroll, Inventory

IBM SYSTEMS

Starting as low as

1399

NEC

NEC PRINTERS

TANDON

VISICORP

IDEAdisk

5MB to 45MB Hard drives with

AST RESEARCH

from

from

QUADRAM

PARADISE

removable Cartridge back up

New Quadboard ... as low as ...

Quadboard II as low as

Quad 512 Plus ... as low as.

Parallel Interface Board

64K RAM Chips Kit.

Six Pak Plus....from...

NEC 2050

NEC 3550.

NEC 8850.

VisiCalc IV

as low as..

I/O Plus.

Mega Plus.....

Quadlink 64K

Quadcolor I

Chronograph

51/4" 320K Floppy

64K, 1-DS/DD DRIVE **KEYBOARD**

\$639.00

\$1399.00

\$1749.00

\$169.00

\$159.00

\$1299.00

\$249.00

\$299.00

\$139.00

\$249.00

\$479.00

\$249.00

\$249.00

\$209.00

\$89.99

\$79.99

\$29.99



LOTUS

Hayes

MAI

Accounts Payable/Receivable....CALL

MICROMIM

MULTIMATE INT.

MICROSTUF

MICROSOFT

ASHTON.TATE

.upgrade

TUS

Symphony

Please (Data Base).

General Ledger.

R:Base 4000

Multi Mate

Crosstalk

MultiPlan

Framework.

dBASE II.

dBASE II

dBASE III

Friday!....

Easy Filer

EasyWriter II

EasySpeller.

1-2-3





PC COMPATIBLES

TENITH		☆ SANYO			
	PC-180 DesktopCALL	MCB	880\$699.00		
	PC-160 Portable	MBC	550-2\$749.00		
	COLUMBIA		555\$949.00		
5	DesktopsCALL	MBC	555-2\$1099.00		
	PortablesCALL		CORONA		
		Desk	topsCALL		

\$749.00 \$949.00 1099.00CALL Portables......CALL

AP

APPLE IIe PROFESSIONAL PACE WordStar Professional Pack. \$279.00 64K Apple IIe, Duo Disk Drive Controller, Extended 80 Column Card \$279.00 Monitor II & DOS 3.3.CALL

1	لايلاع		
ĸ	APPLE	IIe	CALL
8c	APPLE	IIc	CALL
h	MacINT	OSH	CALL

SAKATA

\$449.00

\$339.00

\$339.00

\$309.00

\$369.00

9 (\mathbf{O})

MONITORS

\$105.00	300 Green\$129.00	SC-100 Color\$249.00
	300 Amber\$149.00	SG-1000 Green\$129.00
\$139.00	310 Amber IBM Plug\$169.00	SA-1000 Amber\$139.00
1000	New Color 300/audio\$259.00	TAXAN 115 12" Green Mono\$139.00
\$379.00	Color 500 Composite/RGB/VCR\$389.00	115 12" Green Mono\$139.00
\$139.00	Color 600 Hi-Res (640 × 240).\$439.00	116 12" Amber Mono\$149.00
\$299.00	Color 700 Hi-Res (720 × 240).\$499.00	121 Green TTL\$159.00
\$389.00	Color 710 Long Phosphor \$579.00	122 Amber TTL\$169.00
\$179.00	BMC	210 Color RGB\$249.00
	1201 Plus (12" Green Hi-Res).\$88.99	
\$249.00	9191U Color\$219.00	415 Hi-Res RGB\$439.00
\$119.00	9191 Color +\$229.00	420 Hi-Res RGB (IBM)\$469.00
\$229.00	NAP	420L Long Phosphor\$479.00
ARE	NAP 12" Amber\$69.99	425 Audio + WP FeatureCALL
\$79.99	NEC	440 UILPA HI-Res RGB
\$88.99	NEC JB 1206 Green\$109.00	QUADRAM
VARE	JB 1206 Green\$109.00	Quadchrome 8400 Color\$489.00
\$269.00	JB 1201 Green\$139.00	TENITH
* FO 00	JB 1205 Amber\$149.00	
\$59.99	JB 1215 Color\$239.00	ZVM 122 Amber\$89.99
\$139.00	JC 1216 RGB\$379.00	ZVM 123 Green\$84.99
\$139.00	JC 1460 Color\$269.00	ZVM 124-IBM Amber\$149.00
	PRINCETON GRAPHICS	ZVM 131 Color\$309.00
.\$139.00	MAX-12 Amber \$199.00	ZVM 133 RGB\$429.00
	THE IN HOLD.	ZVM 135-RGB/Color\$459.00
\$219.00	SR-12 RGB	ZVM 136-RGB/Color\$629.00
	3503	
\$49.00	MOD	EMS
	NCHOR	Novation
	Volksmodem \$59.99	J-Cat \$99.99
	Mark IL Serial\$79.99	
	Mark VII (Auto Ans/Auto Dial)\$99.99	Cat\$139.00
	Mark XII (1200 Baud)\$259.00	Smart Cat 103 \$179.00
	Mark TRS-80\$99.99	Smart Cat 103/212\$399.00
\$15.99	9 Volt Power Supply	AutoCat\$219.00
\$17.99		212 AutoCat\$549.00
\$24.99	(Hayes	Apple Cat II\$249.00

Multi-Display Card. \$339.00 CONTINENTAL SOFTWARE 12" / Modular Graphics Card \$319.00 1st Class Mail/Form Letter \$79.99 SPI Home Accounting Plus \$88.99 Open Access. \$339.00 PROFESSIONAL SOFTWARE JB 12 \$269.00 JB 12 HARVARD PC Plus/The Boss. Harvard Project Manager \$229.00 SYNAPSE JB 12 \$59.99 JB 12 PFS File Manager. IBM/APPLE FOX & GELLER JC 12 \$139.00 JC 14 Write \$89.99 dGraph Graph \$89.99 \$139.00 Quick Code \$79.99 Report dIIt.il \$49.99 MAX-\$139.00 HX-12 \$89 99 File Grafox \$89.99 ALPHA SOFTWARE Plan SR-12 ELECTRONIC ARTS \$219.00 Electronic Desk Get Organized. \$139.00 BORLAND Turbo Pascal \$49.00 Volks Mark DISKETTES Mark Mark maxell Denniso Mark 5¹/4" MD-1. 5¹/4" MD-2. 8" FD-1.... Elephant 54" SS/SD. \$19.99 \$15.99 9 Volt \$29 99 Elephant 51/4" SS/DD \$17.99 Elephant 51/4" DS/DD. \$39.99 \$24.99 212 Apple Cat. 8" FD-2. Elephant EMSP 51/4 \$49.99 \$34.99 Smartmodem 300 \$199.00 Apple Cat 212 Upgrade. \$259.00 VERBATIM DISK HOLDERS Smartmodem 1200 \$479.00 Smart Cat Plus. 5 3/4 " SS/DD. \$21.99 INNOVATIVE CONCEPTS 1200B \$399.00 Smartmodem TENITH 51/4" DS/DD \$29.99 Flip-in-File 10. \$3.99 Micromodem IIe \$269.00 ZT-1 BTB Flip-in-File 50. \$17.99 Micromodem 100 \$299.00 ZT-10 Flip-in-File 50 w/lock 544" Disk Head Cleaner \$75.99 \$14.99 \$24.99 Smart Com II. ZT-11 Flip-in-File (400/800 ROM) \$17.99 Chronograph \$199.00 VISA TOLL FREE 1-800-233-8950 DINERS CLUB ORDER LINE **CANADIAN ORDERS** Ontario/Quebec: 1-800-268-3974 In PA Call: (717) 327-9575 Other Provinces: 1-800-268-4559 WEST EAST P.O. Box 6689, Dept. A102 477 E. 3rd St., Dept. A102 In Toronto: (416) 828-0866 Telex: 06-218960 Williamsport, PA 17701 Stateline, NV 89449 2505 Dunwin Drive, Unit 3 Mississauga, Ontario, Canada L5L1T1 Customer Service Number: (717) 327-1450 Order Status Number: (717) 327-9576 Open purchase orders accepted with net 30 days terms, subject to credit approval. Next day shipping on all stock items. No risk, no deposit on C.O.D. orders and no waiting period for certified checks or money orders. Add 3% (minimum \$5) shipping and handling on all orders. Larger shipments may require additional charges. NV and PA residents add sales tax. All items subject to availability and price change

Call today for our catalog. 260 BYTE • FEBRUARY 1985

THE BEST PRICES

\$719.00 \$1299.00



PRINTERS

AXIOM	
AT-100 Atari Interface Printer\$159.00	2010/15/30.
AT-550 Atari Bidirectional\$259.00	3510/15/30.
GP-100 Parallel Interface \$189.00	8810/15/30.
GP-700 Atari Color Printer\$489.00	8027
GP-550 Parallel Printer\$269.00	
BMC	82, 83, 84, 9
401 Letter Quality\$589.00	Okimate 64.
BX-80 Dot Matrix\$239.00	Okimate - A
BX-100 Dot Matrix\$249.00	
C.ITOH	Compact 2
C.ITCH Prowriter 8510P\$339.00	Compact RC
Prowriter 1550P\$669.00	Needlepoint
A10P (18 cps) Son of Starwriter\$479.00	
Hot Dot MatrixCALL	1090
F10-40P Starwriter\$949.00	1091
F10-55 Printmaster\$1099.00	1092
COMREX	1093
ComWriterII Letter Quality \$449.00	81
DIABLO 620 Letter Quality\$749.00	TP-1000
620 Letter Quality\$749.00	Tractor Fee
630 API Letter Quality \$1549.00	8
DAISYWRITER	400 Letter
2000 \$949.00	500 Letter
EPSON.	550 Letter
RX-80, RX-80FT. RX-100CALL	770 Letter
FX-80, FX-100	0
LQ 1500, JX80 ColorCALL	Gemini 10X
JUKI	Gemini 15X
6100 \$449.00	Radix 10
6300	
	Powertype
160L \$589.00	1340
180L\$749.00 Spirit 80\$259.00	1340
INTER	FACES

PRACTICAL PERIPHERALS

Graphcard \$84.99	Grap
Seriall Card\$109.00	Grap
Microbuffer II +\$179.00	Grap
Microbuffer 32K\$199.00	

0010/10/00	
8810/15/30	\$1699.00
8027	\$349.00
8027 OKIDAT	Ά
82, 83, 84, 92, 93, 235	0 2410 CALL
Okimate-64. Okimate - Atari	\$200.00
OLYMPI	
Compact 2 Compact RO	
Compact No	
Needlepoint Dot Matri	
PANASON	
1090	
1091	
1092	
1093	
SMITH COR	
TP-1000	
Tractor Feed	
SILVER RE	
400 Letter Quality	
500 Letter Quality	
550 Letter Quality	\$459.00
770 Letter Quality	\$799.00
STAR	
Gemini 10X	\$259.00
Gemini 15X	
Radix 10	
Radix 15	
Powertype	
TOSHIBA	
1340	\$789.00
1340 1351	\$1299.00

NEC

INTERFACES

		ORAN	IGE MIC	RO
99	Grappler	CD (CE	54)	\$99.99
00	Grappler	+ (Ap	ople)	\$109.00
00	Grappler	16K +	(Apple)	\$189.00
00		ou	ADBAM	

Microfazer · Printer Buffers starting at \$139.00

We carry interfaces and cables for most computers on the market today. Call to determine

We carry interfaces and	i cables for most comp	puters on the market today. Call (o determine	CBM 0090		Commodore Plus 4.	
your requirements.		A/E/0		CBM 9000		CBM 64	
		NEC		B128-80		C1541 Disk Drive	
		PC-8201 Portable Compute	er\$299.00	8032 to 9000 Upgrade		C1530 Datasette	
	WLETT	PC-8231 Disk Drive		2031 LP Disk Drive		C1520 Color Printer	
	CKARD	PC-8221A Thermal Printer	s\$149.00	8250 Disk Drive		M-801 Dot Matrix P	
		PC-8281A Data Recorder	\$99.99	4023 Printer.		C1526 Dot Matrix/Se	
1 CV	\$189.99	PC-8201-06 8K RAM Chips	\$105.00	8023 Printer.		C1702 Color Monito	
1CX	\$249.99	PC-8206A 32K RAM Cartrid	ge\$329.00	6400 Printer		C1600 VIC Modem C1650 Auto Modem	
P 71B	\$419.99	SHARP		Z-RAM		Simons Basic	
P 11C				Silicon Office		MCS 801 Color Print	
P 12C		PC-1350		The Manager		DPS 1101 Daisy Prin	
IP 15C		PC-1261		5		PFS	
P 16C		PC-1260		BATTERIES		File (64)	
P 75D.		PC-1500A	\$165.99	PaperClip w/Spell Pack	\$84.99	Report (64)	
	\$98.99	PC-1250A	\$88.99	The Consultant DBMS	\$69.99	PRECISION S	
PIL Cassette or Pr		CE-125 Printer/Cassette		Bus Card II	\$149.00	Superbase 64	
ard Reader		CE-150 Color Printer Casset		80 Col Display	\$149.00	PROFESSIONAL	
xtended Function	Module\$63.99	CE-151 4K RAM		DISK DRIVES		Word Pro 2 Plus	\$159.00
		CE-155 8K RAM	\$49.99	MSD SD1		Word Pro 3 Plus	\$189.00
We stock the	full line of	CE-161 16K RAM	\$134.99	MSD SD2.		Word Pro 4 Plus/5 P	lus each \$239.00
HP calculato	r products	CE-500 ROM Library ea	\$29.99	Indus GT/C64		Info Pro	
	KO	ALA		PERSONAL PERIPHE		Administrator	
				Super Sketch Graphics Pac	1\$39.99	Power	
		IBM				Word Pro 64 Plus	
64	\$79.99	Apple/Franklin	\$85.99			Fleet System II	\$59.99
			6	$\Delta \Delta \Delta \Omega \Omega$	6		AMERICAN
VISA'					$(\cap) $	211122	112 9 100v
							ann
					90		
AasterCard T()LL FREE	000 000 00	DEO	A MEMORY			
01	DER LINE	800-233-89	JJU		C	ANADIAN ORDE	RS DINERS CLUB
	In PA	Call: (717) 327-9575		and a second the contraction	Ontario	Quebec: 1-800-20	8-3974
1	VEST		EAST			rovinces: 1-800-2	
	39, Dept. A102			pt. A102 In			
						(416) 828-0866 Tel	
Statemn	e, NV 89449		msport, P.			5 Dunwin Drive, U	
Order Status Nu	mber: (717) 327	-9576 Customer Servi	ce Numbe	r: (717) 327-1450	Mississa	uga, Ontario, Cana	da L5L1T1
ANADIANORD	ERS. All prices	re subject to shipping ta	y and cur	rency fluctuations. Call fo	P evact DE	icing in Canada IN	TERNATIONA
				e Continental United Stat			
				DISCOUNTS: Additional			
					discounts	s are available to q	uanniea sauca
tional institutio	ns. APO & PPO:	Add 3% (minimum \$5)	snipping a	and handling.			
Inquiry 67						FEBRUARY 198	5 • BYTE 26
						LERGITIKI 170	

HOME COMPUTERS



CALL WHILE SUPPLIES LAST 600XL & 800XL

\$11.99

\$12.99

\$16.99

\$32.99 \$32.99

\$32.99 \$32.99 \$32.99

\$32.99

\$32.99 \$16.99

\$32.99

\$34.99

\$64.99

850 Interface\$109.00	CX30Paddles
1010 Recorder\$49.99	
1020 Color Printer\$79.99	4011 Star Raiders.
1025 Dot Matrix Printer \$199.99	
1027 Letter Quality Printer. \$269.99	
1030 Direct Connect Modem \$59.99	8026 Dig Dug
1050 Disk Drive\$179.99	
Touch Table/Software\$64.99	8034 Pole Position
Light Pen/Software\$72.99	8040 Donkey Kong Jr.
CX22 Track Ball\$39.9	8043 Ms Pacman
7097 Atari Logo\$74.99	8044 Joust
4018 Pilot (Home)\$57.99	8045 Pengo
405 Pilot (Educ.)\$99.99	8052 Moon Patrol
8036 Atari Writer\$49.99	4003 Assembler.
5049 VisiCalc\$59.99	8126 Microsoft Basic I or II
MEMORY BOARDS	DISK DRIVES
Axion 32K\$44.99	Indus GT Drive (Atari)
Axlon 48K\$69.99	

C

Axi Axlon 128K... Microbits 64K (600). \$269.99 \$109.00 Tra SWP ATR-8000-16K Z80 CP/M ATR-8000-64K Z80 CP/M. \$499.00 BIT 3 Full View 80..... ..\$239.00

CBM 8038

CBM 8096.


DISK DRIVE	s
ius GT Drive (Atari)	\$279.00
na 1000	
ak AT-D2	\$389.00
ak AT-D4	\$539.00
MODEMS	
DU MD 1100	A100.00

\$129.99 \$349.00 Micro Bits MB-1100. INTERFACES Microbits MB-1150 \$79.99

\$869.00 Commodore Plus 4 \$289.00

commodore

Tra



PLEASE SEND ME THE FOLLOWING BOOKS:

Lotus 1-2-3\$	14.95
Symphony\$	14.95
Frame Work	14.95
🗆 dBase II	14.95
🗆 Multiplan	14.95
Wordstar\$	
Appleworks\$	
(Corporate discounts available.)	

CARD No.	Exp. Date
NAME	
ADDRESS	
CITY	STATE ZIP
TOTAL ENCLOSED \$	🗌 VISA 📄 MasterCharç
SIGNATURE	
MANAGEMENT INFORMATION SOURCE, INC.	

3543 N.E. Broadway, Portland, Oregon 97232

$S \cdot C \cdot I \cdot E \cdot N \cdot C \cdot E$

LABORATORY INTERFACING

BY LINCOLN E. FORD, M.D.

A medical researcher examines the capabilities and limitations of an important laboratory device

ALMOST ALL LABORATORY computer applications can be described as one of the following functions: (1) control of experiments, including timing and synchronizing external events and setting external voltages; (2) data acquisition, usually through the digital conversion of analog electrical signals; (3) data storage; and (4) data analysis. While data storage and analysis make computers most appealing in the laboratory, these functions are common to most computer applications. The functions that make laboratory applications different from other computer uses are the first two. control of experiments and data acquisition. The following discussion is directed at these two areas. The two functions together require five distinct hardware components: analog-todigital (A/D) converters, digital-toanalog (D/A) converters, digital inputoutput (I/O) ports, counters, and an accurate frequency generator. This discussion is developed from my experience with a hardware device that provides all five functions.

A/D CONVERSION

In a typical application, analog signals from some electronic device are

sampled and converted to digital data at regular intervals. Usually sampling continues for some well-defined period. The sampling may progress at different speeds at different times. For example, it is frequently desirable to record high-speed events that occur within the setting of lower-speed events. To record both types of events with an analog recorder (an oscilloscope or chart recorder), it is usually necessary to make two recordings, one at a high speed and one at a low speed. Using a computer, it is relatively simple to record a single input at different speeds.

Analog-to-digital conversion is perhaps the most critical of laboratory applications because errors at this step will greatly distort the data. It is also frequently the function that most taxes the speed of the computer. Speed at this stage is sometimes limited by the A/D converters,

Lincoln E. Ford, M.D., is an associate professor of medicine and cardiology at the University of Chicago (Cardiology Section, Department of Medicine, University of Chicago, 950 East 59th St., Chicago, IL 60637). His hobbies include gardening and skiing. but more often it is limited by software. Ultimately, the software is limited by the design of the computer, but more frequently it is limited by having to perform some other task concomitantly. One such task is the generation of control pulses during A/D sampling.

In many instances the initiation of an A/D recording must be synchronized with the experiment. Instead of having an external device initiate the A/D conversion sequence, it is tempting to have the computer control the experiment at the same time that it is collecting data. An additional advantage of this combined approach is that the data collection is very accurately synchronized to the experimental procedure. The difficulty with this approach is that it requires the computer to perform two tasks at once. This can call for some relatively sophisticated programming, particularly when high speeds are necessary.

INTERFACE BOARDS

There are several commercially available devices that will perform at least four of the five functions required for (continued) the laboratory applications described above. Several of my colleagues and I bought the LabMaster board made by Tecmar because it provides all five functions and because it was the first one available. It also costs less than more recent devices. It consists of a motherboard that fits into the IBM PC and a daughterboard that houses the A/D converters outside the computer. This arrangement isolates the incoming analog signals from electrical interference inside the computer.

The Data Translation Company makes a similar board that has the capability of direct memory access not available on the LabMaster but does not have the Tecmar board's progammable counters. We preferred the Tecmar board in part because we wanted to put out logic pulses to control the experimental apparatus while collecting data with the A/D converter. The five programmable counters simplify this task because they operate independently of the central processing unit of the host computer. The counters can be programmed to begin counting the same frequency pulses that trigger the A/D conversions. When they have completed their count they toggle their external outputs without intervention from the computer. Thus, the logic pulses are synchronized exactly to data acquisition without interfering with the highspeed operation of the central processor.

When very high speeds are not required, the digital I/O port can be used for applications control. Although most commonly used as a single interface to other digital equipment, the individual channels in the port can be used separately to control different pieces of apparatus. In addition, these channels can be configured to accept logic pulses from the apparatus, thereby allowing a bidirectional interaction.

A final way of controlling experiments is to use the D/A converters to set voltage levels for external devices.

POSSIBLE IMPROVEMENTS

In spite of our general satisfaction with the Tecmar board, we found

several areas that need improvement, both in the LabMaster and in the other devices that are available. As explained in John Mertus's letter to BYTE ("Data Collection with an IBM PC," October 1984, page 14), the absence of direct memory access on the Tecmar board severely limits this board in multitasking operations.

The cable connections could be greatly improved. Tecmar sells a set of cables for external connections to the board, but they are simply thatbare cables. Users must make their own interfaces. We have made an interface box with BNC connectors for each connection, and while we were at it, we put in some buffer chips to protect the digital I/O ports. Several other manufacturers supply slightly less primitive connections for their devices, but at best these consist of screw terminals for bare wires. I do not know of many laboratory scientists who relish the thought of bringing their signals out on bare wires. Any manufacturer who supplied a device with an interface having standard connectors such as BNCs and well-protected inputs would find a ready market.


There is one improvement related to signal processing that I would especially like to see. This is the addition of filters to the analog inputs of the A/D converters. It is well known that no information can be derived about the frequency components of a digitized signal that are greater than half the sampling frequency. Noise and oscillations in the signal that are faster than the sampling frequency at best decrease the signal-to-noise ratio. In many cases, faster signals introduce "aliasing," spurious lowfrequency oscillations that result from sampling a high-frequency oscillation at systematically different parts of its period. Although filters generally introduce lags in electronic signals, the lags introduced by antialiasing filters are likely to cause far less signal distortion than will high-frequency oscillations. The antialiasing device should consist of a low-pass filter with a sharp cutoff frequency near the sampling frequency. The main argument against such a filter is that the sampling frequency varies widely, sometimes within the same record, so that the cutoff frequency must be made to vary in the same way. The solution to this problem is to use an integrator that averages the signal between sample intervals. A. F. Huxley and G. L. Reed recently described a clever circuit that performs this averaging (see "An Automatic Smoothing Circuit for Input to Digitizing Equipment," Journal of Physiology, volume 292, 1979, page 11P). It is triggered by the same clock pulse that triggers the A/D conversions, so that its cutoff frequency always varies with the sampling frequency.

A major way in which A/D converters could be improved is by the use of separate converters for each input channel and the use of on-board data buffers. Most computer-controlled multichannel devices have a single A/D converter with a multiplexer that switches different channels into it. Only one channel is converted at a time, so that the samples in each channel are displaced in time relative to those in other channels. This time displacement can cause a systematic error when the data from one channel is plotted as a function of that in another. The samples from different channels can be brought into coincidence either by using separate A/D converters for each channel or by holding the signals from all channels in sample-and-hold circuits that are triggered when the first channel begins its conversion. The advantage of separate converters and on-board data buffers is that they increase the speed of operation while effecting the synchronization.

COMPUTER CONSIDERATIONS

Your choice of interface board has an effect on the size of the central processor and data bus needed. Most data is collected from 10-, 12-, or 16-bit A/D converters, so one A/D conversion will require a 2-byte word. In a machine with a 16-bit bus (a true 16-bit computer) entire words can be moved at once. In a smaller computer *(continued)*

We make everybody look good.



No matter what kind of computer you have, chances are your output would look better on an NEC monitor.

Need the finest in color graphics? We've got the monitor for that. Need easy-view amber screen for lots of word processing? We've got it. A bigger screen? A small screen? A more affordable screen? Check it out; We've got them. So it's no wonder we're becoming everybody's No. 1 choice for monitors. Special cables or boards may be necessary so call NEC service department for details. Or see your nearby dealer.


#1 for me. NEC.



NEC monitor models: (a) JB1201: 12" monochrome; (b) JB1205: 12" amber monochrome; (c) JC1215: 12" color composite with audio; (d) JC1216: 12" color RGB; (e) JB1260: 12" monochrome; (f) JC1460: 14" color RGB; (g) JB1410: 14" monochrome; (h) JC1410: 14" color RGB. Specifications and prices are subject to change without notice.

For the location of your nearest NEC dealer dial 1-800-323-1728. In Illinois, 1-312-228-5900.

NEC Home Electronics (U.S.A.), Inc., Personal Computer Division, 1401 Estes Avenue, Elk Grove Village, IL 60007, NEC Corporation, Tokyo, Japan.



having an 8-bit bus, words must be moved in two sequential steps. This need to make two-step transfers greatly slows most of the computer's operation. Since most time-critical operations involve data transfers along the bus, this slowing occurs at a very vulnerable stage. Although a true 16-bit computer transfers data twice as fast as an 8-bit machine, it does not follow that a 32-bit computer would be still faster in handling integer data. Since integer data occurs in 2-byte words, increasing the bus size to 32 bits would not produce any increase in speed unless some way could be devised to move two words at once. The 16-bit machines available today are therefore as large as many operations require.

A question related to size is whether it is better to have several small, single-purpose computers or one large, multipurpose machine. My own preference is for the former. A major consideration is cost. In addition, the failure of a single computer in a group does not incapacitate the entire laboratory in the way that the failure of a single large computer does. Another advantage of a group of computers is that each can be dedicated to a single task. Even with the best multitasking arrangements, there will always be some time-critical operation that requires the uninterrupted use of the computer, forcing other users to wait. With multiple computers such interactive interruptions do not occur.

The main disadvantage of small computers is that they are slow. This disadvantage is usually more than offset by the ability to dedicate the machine to a specific task for an extended period.

THE IBM PC COMPROMISE

In spite of the negative considerations about the 8-bit bus, my colleagues and I bought several IBM PCs for use in the laboratory. We selected this computer rather than a true 16-bit machine because of its popularity. Many peripherals and programs are available for it, and we felt that it would not go out of production nearly as guickly as some of the other, less popular models.

We have found the PC to be as good as or better than expected in almost all areas except for one peculiarity: the absence of a limited interrupt or a software-controllable wait state. Once an A/D conversion is made, a flag consisting of one bit in a status register is set. The computer must then detect the flag and take the digital data from the converter. The PC can detect the flag in only two ways: polling the status register or generating a full interrupt. A full interrupt, together with its return, requires 83 clock cycles. This many cycles would take more than 20 microseconds (μs) just to detect the flag. Polling takes substantially less time. Using a polling routine, we have written sequential A/D sampling programs that operate at a rate of 22 µs per conversion. Over half that time is spent polling the status register. If a more rapid way of detecting the flag could be devised, this routine could operate at more than twice the speed. If the central processor could be put in a wait state immediately before each A/D conversion and be released by the "A/D done" flag, detection of the conversion would be virtually instantaneous. An otherwise-similar computer that had such a capability would be able to accept A/D conversions about every 10 µs.

SOFTWARE

Software is the most crucial part of any laboratory system. Clever programming can introduce great flexibility and compensate for many deficiencies in hardware. Poor programming can hobble even the best system. The time required to develop good programs should not be underestimated. Many of us have bought a piece of equipment that was physically capable of performing some desired task only to find that weeks of programming were required to make it work. For those of us who have had this experience, there is no stronger selling point for equipment than the concomitant availability of adequate programs to run it.



IBM-PC COMPATIBLE COLOR GRAPHICS FOR THE S100 BUS


COLOR MAGIC brings to the S100 bus a new level of compatibility with the IBM-PC. In combination with our other boards, COLOR MAGIC allows execution of IBM PC-DOS programs without modification. COLOR MAGIC maps to the same port addresses and memory space as the IBM-PC color graphic board.

COLOR MAGIC has the following features:

- 32 K bytes of onboard video memory (The IBM-PC has only 16 K bytes)
- DISPLAY MODES
 - 80 by 25 alpha-numeric
 - 40 by 25 alpha-numeric
 - 160 by 100 16 color graphic
 - 320 by 200 4 color
 - 640 by 200 4 color 32k version (not supported by IBM)
- RGB and composite video outputs
- Light pen input

■ IBM-PC compatible KEYBOARD INTERFACE onboard

COLOR MAGIC is supported under MS-DOS 2.11 now and will be supported under Concurrent DOS by MAR 1. With COLOR MAGIC in combination with our




other high performance boards, you can now configure an S100 bus system with up to 5 times the performance of an IBM-PC and 1.5 times the performance of an IBM-PC/AT. If your application requires IBM compatibility and high performance LOMAS DATA PROD-UCTS IS THE ONLY LOGICAL CHOICE

PRICE....16K VERSION - \$595.00, 32K - \$695.00

= ANNOUNCING MEGARAM: = THE HIGH PERFORMANCE DYNAMIC RAM FOR THE S100 BUS

IMbyte



Application programs being written for today's 16 bit computers are requiring more and more memory, while the performance requirements of the memory are increasing as the 16 bit processors require faster and faster access times. MEGARAM has been designed to address this problem and provide FAST, RELIABLE, HIGH DENSITY memory for the S100 BUS. MEGARAM requires no wait states with any of our 8086 (up to 10MHZ) or 80186 CPU boards and only one wait state with our 6MHZ 80286 CPU board. Our board does not resort to piggybacking to attain up to 2 Megabytes of on board memory (piggybacking generally reduces reliability). Parity is included to insure data corruption, due to memory errors, will not go undetected 256 Kbyte

\$595.00	512 Kbytes	\$1095.00
\$1995.00	- (Feb 1) - 2 Mbytes	\$3795.00

LIGHTNING ONE *** 8086/8088 CPU

8086 or 8088, with 8087 and 8089 coprocessors. Up to 10 MHZ PRICES start at \$425.00 operation

HAZITALL SYSTEM SUPPORT BOARD

2 serial, 2 parallel ports, battery protected clock calendar, Hard disk controller host interface **PRICE \$325.00**

RAM67 HIGH PERFORMANCE STATIC RAM

High speed (100ns) low power CMOS static RAM. 128K bytes. extended addressing **PRICE \$995.00**

LDP72 FLOPPY DISK CONTROLLER

Single/double density, single/double sided disks, both 8" and 5 1/4" inch drives simultaneously **PRICE \$275.00**

LIGHTNING 286—80286 CPU BOARD Offers 4 times the performance of a 5MHZ 8086 CPU while **PRICE \$1395.00** maintaining software compatibility

OCTAPORT 8 PORT SERIAL BOARD

8 serial ports 0 to 19200 baud operation real time clock interrupt. Ideal for multi-user systems such as MP/M-86.* ... **PRICE \$395.00**

CP/M-86, MP/M-86 and CONCURRENT CP/M-86 are trademarks of Digital Research. **MS DOS is a trademark of Microsoft. ***Lightning One is a trademark of Lomas Data Products, Inc. ****PC DOS is a trademark of IBM.

Dealer inquiries invited



66 Hopkinton Road, Westboro, MA 01581 Tel: (617) 366-6434 🗔 Telex: 4996272

Inquiry 188

For orders outside the U.S., contact our exclusive	dealers:
Australia – LAMRON PTY. LTD., (02) 85-6228	
England — FULCRUM 0621828763	
England - Rational Systems, Newport Pagnell,	Buckinghamshi
Μαίαγsia – EXA COMPUTER (M)	
Sendirian Berhad, 795284	
Prices and specifications and	subject to cho

HIGH TECHNOLOGY AT AFFORDABLE PRICES

Dot Matrix Printers

BROTHER/DYNAX	
Brother 2024L \$	039.88
C. ITOH	
Prowriter (8510)	369.88
Prowriter-2 (136 col)	624.88
Prowriter BPI (IBM-PC)	399.88
HotDot	509.88
HotDot-2 (136 col)	729.88
CITIZEN	
MSP-10	349.88
MSP-15 (136 col)	519.88
EPSON	
RX/FX/LQ Series	CALL
OKIDATA	
Microline 92	399.88
92 w/PC compatibility	399.88
92 w/Mac compatibility	499.88
Microline 93	639.88
93 w/PC compatibility	639.88
Microline 84	739.88
MEMOTECH	100.00
DMX-80 (Panasonic 1090)	189.88
NEC	
Pinwriter (80 col).	699.88 929.88
Pinwriter (132 col)	929.88
	249.88
SG-10 (Gemini)	249.00
SG-15 (Gemini) SD-10 (Delta)	369.88
SD-10 (Delta)	489.88
SD-15 (Delta) SR-10 (Radix)	409.00 529.88
SR-10 (Radix)	649.88
On-10 (nauk) Autoretter	043.00

Letter-Quality Printers

BROTHER/DYNAX
Brother DX-15 \$ 399.88
Brother HR-25
Brother HR-35 939.88
С. ІТОН
Starwriter A-10 (18 cps) 549.88
Starwriter (40 cps) 1079.88
Printmaster (55 cps) 1249.88
Diablo 620/630/Series 35 CALL
NEC
2010/2030 (18 cps) 739.88
2050 for IBM (18 cps) 759.88
3510/3530 (33 cps) 1379.88
3550 for IBM (33 cps) 1449.88
7710/7730 (55 cps) 1779.88
QUME
Letter Pro 20 (18 cps) 459.88
SILVER REED
EXP-770 (35 cps)
EXP-550 (18 cps) 469.88
EXP-500 (12 cps)
EXP-400 (10 cps) 289.88
STAR MICRONICS
PowerType (18 cps) 359.88

Modems

HAYES

Micromodem Ile (Apple)\$ 249.88
Smartmodem, 300 bd CALL
Smartmodem, 1200 bd CALL
Smartmodem 1200B (PC) CALL
NOVATION
SmartCat+ w/software,
IBM-PC Internal, 1200bd 349.88
External, (MS-DOS) 349.88
USROBOTICS
Password, 1200 bd

Monitors

AMDEK	
300A (amber)\$	159.88
310A (TTL amber)	179.88
Color 300 (composite)	. CALL
PGS	
HX-12	499.88
Max-12	189.88
QUADRAM	
QuadChrome	529.88
ROLAND DG	

QuadChrome	529.88
ROLAND DG	
DG-121 (amber)	144.88
DG-122 (TTL output)	169.88
TATUNG	
Big Blue's RGB	449.88

IBM-PC Software

ibin i o oonware
ALPHA SOFTWARE
Electric Desk. \$ 239.88
ASHTON-TATE
dBase II/III
Framework
BEST PROGRAMS
PC TaxCut 174.88
BORLAND INTERNATIONAL
Sidekick (non-protected) 59.88
Turbo Pascal
BRODERBUND
Bank Street Writer 54.88
FUNK SOFTWARE
Sideways 44.88
LIFETREE SOFTWARE
Volkswriter Deluxe w/ATI 204.88
LIVING VIDEOTEXT
ThinkTank
MECA/ANDREW TOBIAS
Managing Your Money 139.88
MICROPRO
Wordstar 2000
MICRORIM
R:Base 4000
Clout Ver 1.0. 134.88
MICROSOFT
Multiplan
Chart
Flight Simulator
PETER NORTON
Norton Utilities
SATELLITE SOFTWAR
Word Perfect
SOFTWARE ARTS
TK! Solver 274.88 SOFTWARE PUBLISHING
SOFTWARE PUBLISHING
PFS: Write 99.88
PFS: File 99.88
PFS: Report
VIRTUAL COMBINATICS
Micro Cookbook 29.88
WARNER SOFTWARE
Desk Organizer (3 Pak) 134.88
IBM-PC Peripherals

C Peripherais

200ns 64K Memory Kit \$ 49.88
ALLOY
41 MB Hard Disk w/Tape CALL
PC Tape Backup CALL
CURTIS
Monitor Stand
Monitor Extention Cable 39.88
Keyboard Extention Cable 29.88
KEYTRONICS
5151 keyboard 219.88
Monitor Stand. 39.88 Monitor Extention Cable 39.88 Keyboard Extention Cable 29.88 KEYTRONICS

MOUSE SYSTEMS	
PC-Mouse w/PC-Paint\$	154.88
QUADRAM	
384K Quadboard w/64K	269.88
Quad 512 + w/512K	456.88
QuadColor-1	219.88
QuadVue (TTL output)	259.88
Parallel Card, RS-232C Car	rd or
Clock/Calendar Card	. 79.88
QuadLink (IBM)	509.88
STB	
Super I/O	169.88
Super RIO (64K)	289.88
Super RIO Plus (64K)	309.88
TANDON	
TM 100-2 DSDD	199.88
TITAN	
Cygnus I/O (clk/par)	149.88
Cygnus I/O (clk/RS-232)	169.88

Apple Peripherals

ALS	
CP/M 3.0 Plus Card \$	279.88
Smarterm II (80 col)	139.88
Dispatcher (RS-232)	74.88
AMT MicroDrive	179.88
Grappler+ Card w/cable	109.88
Buffered Grappler (16K)	164.88
MICROSOFT	
CP/M Softcard Ile	279.88
Pkasso-U Card & cable	129.88
QUADRAM	
E-Ram (IIe, 80 col/64K)	109.88
RANA SYSTEMS	
Elite-1 Disk Drive	219.88
Controller	99.88
TITAN/SATURN	
Accelerator II/IIe	224.88
Memory Boards	CALL
Neptune 64k/80 col (IIe)	194.88
System Saver Fan	69.88
Videx	
VideoTerm	199.88
VideoTerm/softswitch	219.88
PSIO (parallel/RS-232)	159.88

Macintosh Software

DATABASES

1 st Base \$	134.88
DB Master.	134.88
FactFinder	99.88
Filevision	134.88
Habadex DB	69.88
Habadex Adapter	
Main Street Filer	139.88
MegaFiler	134.88
Microsoft File	134.88
Odesta Helix	279.88
Omnis 2 (Req. 2 drives)	189.88
OverVue	199.88
PFS: File	89.88
PFS: Report	

FINANCIAL/BUSINESS

Back to Basics GL\$	109.88
Dollars & \$ense	99.88
Front Desk	104.88
Microsoft Chart	89.88
Microsoft Multiplan	134.88
Human Edge Series	CALL
TK! Solver	169.88
TK! Templates.	44.88

LANGUAGES

MacASM (Assembler) \$	69.88
MacForth (Level I)	99.88
MacForth (Level II)	169.88
Microsoft BASIC 2.0.	99.88
Softworks "C"	289.88

WORD PROCESSING

HONDFHOULSSING	
Hayden Speller \$	54.88
Mac Daisy Connection	79.88
Mac Epson Connection	69.88
Mac Spell Right	64.88
MasterType	34.88
MegaMerge	89.88
Palantir MacType	34.88
ThinkTank 128	99.88
ThinkTank 512 1	69.88
Typing Tutor III	44.88

GRAPHICS

Building Blocks\$	54.88
Click Art Series	34.88
Commercial Interiors 1	39.88
daVinci Series	34.88
Mac the Knife	29.88
Mac the Knife Fonts.	34.88
McPic! Series	34.88
Slide Show Magician	44.88

OTHER

Copy II Mac\$	29.88
Dow Jones Straight Talk	54.88
Hayden MusicWorks	54.88
Hey, MAC! Newsletter	10.00
Mind Prober	34.88
Smoothtalker	99.88
Videx MacCalendar	59.88

Macintosh Hardware

31/2" Diskettes (10 pkg)\$ 34.88
Diskette Holder 24.88
Field Pro Carrying Case 79.88
HabaDisk (2nd drive) 369.88
Kensington Starter Pak 69.88
Kensington Modem 119.88
Surge Suppressor 44.88
Koala MacVision 259.88
Tecmar MacDrives CALL
Microcom MacModem 499.88
Smartcat+ modem 349.88
Turbo Touch

TECHNICAL SALES DESK (603) 881-9855 TOLL-FREE ORDER DESK (800) 343-0726

Hours: 9:00 to 5:30 EST, Mon-Fri

FREE UPS ground shipping on orders over \$50 (under \$50 add \$2.50 for shipping). MasterCard, VISA, American Express, Diners Club & Carte Blanche credit cards accepted

No surcharges on credit cards

- Credit cards are not charged úntil your order is shipped
- All personal checks held 30 days for clearance
- Sorry, no APO/FPO or foreign orders.
 Software can be returned for an exact
- exchange only; no credits or refunds issued Allow 10 days for delivery

HIGH TECHNOLOGY AFFORDABLE PRICES

MILFORD, NH 03055-0423 • TECHNICAL (603) 881-9855 • ORDER DESK (800) 343-072

THE BOTTOM LINE

S·C·I·E·N·C·E

INTERFACING FOR DATA ACQUISITION

BY THOMAS R. CLUNE

A comparison of three interfaces

THE USE OF MICROCOMPUTERS for data acquisition in the sciences is surprisingly limited. It is widely recognized that the need for such applications exists. But I discovered in my experience at Brandeis University that most researchers have either had bad experiences with data acquisition on minicomputers or simply don't feel that they have the time to learn what they would need to know to retool their labs. Nonetheless, the advantages of computerizing are so substantial that microcomputer-based data acquisition is slowly moving into the lab. In this article, I'll share some of my experience with different approaches to computerizing data acquisition. Since I find the IEEE-488 to be the most versatile option for laboratory data acquisition, I will devote a fair amount of time to explaining that interface. My hope is that my experience may ease the problems that you might encounter in computerizing your setup.

THE PROBLEM

There are three basic reasons why microcomputers are so important in

the context of data acquisition. First, for a minicomputer or mainframe to be affordable, its use must be shared by more than one person, but in data acquisition it is crucial to have the computer's attention when the data is ready. Microcomputers make singleuser systems affordable. Second, mainframe computers are generally not located in the laboratory. Thus, in any but very low speed data-acquisition contexts, there is a communications bottleneck created by the data transmission. Third, there is no common standard for interfacing with laboratory instruments on mainframes, so each laboratory setup presents substantial and individual problems of design and implementation that exacerbate the financial and logistical difficulties.

At least one other concern is fueling the drive toward computerization

Thomas R. Clune is a BYTE technical editor. Before coming to BYTE, he was the physicalchemistry lab coordinator at Brandeis University, where he taught data acquisition by microcomputer. He can be contacted at POB 372, Hancock, NH 03449. in the lab: The cost of turnkey instruments has become so high that most institutions are unable to afford the state-of-the-art equipment needed to conduct research. This is particularly irritating because most instruments in the sciences have essentially the same components. You end up paying over and over again for a built-in chart recorder, a waveform digitizer, a monochrometer, a photomultiplier, etc. And when the new generation of an instrument comes out with a broader dynamic range or some other improvement in one component, the entire turnkey instrument must be replaced. We simply can't afford to pay for research done that way any more. With the availability of microcomputers, we don't have to. We can tie chart recorders, waveform digitizers, and whatever else we need together into a dedicated instrument and recycle the components as the field or our research evolves.

A/D CONVERTERS

The least expensive way to automate a lab is with an analog-to-digital (A/D) (continued)

The speed of a transient tracked by D/D equipment is not limited by the computer's throughput.

converter. There are, however, a number of limitations to this approach. First, an A/D converter samples only one voltage source at a time. Typically, an experiment requires correlating one reading to others for the same instant of time (e.g., pressure versus temperature at time t). If the time requirements are sufficiently lax, that is, if readings taken 10 or 20 microseconds apart can be treated as simultaneous, an A/D converter may be acceptable. But often this time lag is sufficient to make the data hopelessly imprecise. The second problem with A/D converters is that they are slow. The maximum sampling rate on most "high-speed" A/D converter boards is 100 kilohertz (kHz). Practically speaking, this means that you can't track a transient of greater than approximately 20 kHz. Much of scientific data acquisition now requires at least the ability to track a transient of a few megahertz. A third problem with A/D converters is that, because the boards are made to be inexpensive, their linearity is not very good. A 12-bit board may have an effective resolution of only 7 or 8 bits. Finally, A/D converters are very susceptible to noise in a lab. Commonly, the cabling will be either twisted-pair or ribbon cable-very good antennae. In a well-designed board, the cabling is simple coax, which may still not give the level of noise immunity required in a laboratory environment.

Nonetheless, an A/D converter is a good buy if it will do your task. My feeling is that the best use of an A/D converter is to connect it to the chart output of a stand-alone instrument. Instead of junking a high-quality analog instrument in the interests of modernizing, use the capabilities available in your lab now. One big advantage of this kind of setup is that you can use a very slow A/D converter. This is desirable for two reasons: first a slow A/D converter will be better made than a comparably priced high-speed board, and second, since you will only need a 30-Hz-or-so A/D converter, most noise in the lab will be too fast for the A/D converter to respond to it. Further, your low-pass filter will be able to cut out line voltages, which are an inevitable source of noise in any lab.

D/D AND RS-232C

If an A/D converter won't meet your needs, you need stand-alone instruments that can transfer digital information to the computer via a digitalto-digital (D/D) interface. The first advantage of D/D over A/D is that data may be analyzed at high speed and the digital "snapshot" of the analysis stored in a buffer of a few kilobytes on the stand-alone instrument. The buffer data can then be downloaded to the computer at whatever speed the interface will support. That is, A/D conversion necessarily requires realtime analysis, whereas the speed of a transient that can be tracked by D/D equipment is not limited by the microcomputer's throughput. Of course, speed of data transfer is still important because it determines how quickly the instrument can repeat an analysis.

D/D interfaces come in two flavors: serial, which transfers information a bit at a time; and parallel, which transfers data a word (commonly one byte) at a time. The most common serial port is an RS-232C interface.

There is a lot to dislike about the RS-232C. First, it is not standard. There are two ends to an RS-232C interface: the DTE (data-terminal equipment) end and the DCE (data-communications equipment) end. Often the two instruments you want to hook together will both be configured as DTEs, so you will probably have to create a cable that matches your par-

ticular setup once you find out what it is. Second, the only handshaking provided is on the level of whole messages. The interface does not verify that data has been received before proceeding. It is very easy to lose data on this interface. Third, RS-232C is a notoriously noisy interface-perhaps no worse than an A/D converter, but that isn't saying much. Fourth, RS-232C is slow. Since it sends only one bit at a time, it has a built-in speed disadvantage over parallel interfaces. And interference is an increasing problem with increasing transmission rates (as is true of any system). Finally, RS-232C is able to connect only two devices together. Thus, coordination and control of multiple data sources requires more than one RS-232C port on the computer and makes for devilishly difficult software integration.


The strong points of RS-232C are twofold. First, it is capable of transmitting information over long distances by telephone. Second, it is the only interface available on some older instruments. If you have to use it, you learn to live with it. But you'll never learn to love it.

IEEE-488

The IEEE-488 is a byte-serial, bitparallel interface that overcomes the problems of the interfaces outlined above. First, the interface is incredibly resistant to interference. For example, at the Brandeis University chemistry department, we used the interface in a pulsed-nitrogen-laser experiment and found that the data transmission was unaffected by noise in any environment where the computer itself was able to function. Figure 1 shows the physical layout of the cable that provides such excellent noise immunity.

The second virtue of IEEE-488 is that the interface has a bus structure. That is, you can interface up to 15 devices at a time using the same board. This structure simplifies process control and allows true simultaneous data acquisition, as we shall see presently.

The PCturbo 186[™] takes a good computer and makes it the **BEST**!



First the standard was the IBM[™]PC. Then it became the IBM PC AT with it's high processing speed. For those, however, who have an IBM PC and need PC AT-like performance, Orchid Technology will put you out in front again with a new standardthe PCturbo 186. The PCturbo outperforms the PC AT in speed with fast disk access, and unmatched performance while providing complete software compatibility.

Best of all, PCturbo allows you to protect your existing hardware and software investment without the cost of replacing your existing PC or the need to learn to use a new computer and its software. Simply install the PCturbo adapter board and Orchid's "Productivity Software" and your PC becomes a powerful turbo-driven computer.

The PCturbo 186 is actually a second computer within your PC. Powered by the advanced Intel 80186 processor, the PCturbo

PCturbo 186 is a trademark of Orchid Technology. IBM is a registered trademark of International Business Machines

Corporation. Lotus 1-2-3 and Symphony are trademarks of Lotus Development Corporation. Base II, dBase II, and Framework are trademarks of Ashton-Tate. Multimate is a trademark of Multimate International.

is transparent to your favorite programs like Lotus 1-2-3™ Symphony™ dBase II or III," Framework" and Multimate," running them at turbo speeds. So, with PCturbo, your PC looks and acts the same as before; it just runs faster.

While the PCturbo is speeding up your processing power the 8088 microprocessor in your PC takes care of the I/O functions. Most importantly, complete compatibility is assured since the PCturbo allows you to switch back and forth between Turbo Mode and PC Mode with a simple command.

SincePCturboboosts the processing speed of your PC, there's no more waiting to recalculate spreadsheets or to retrieve data. With the unique built-in features like automatic disk caching, electronic RAM disks and print spooling, you can get even more done in less time. Now isn't that why you bought a PC in the first place?

TECHNICAL DETAILS: Hardware

- Single slot plug-in board with high-speed 16-bit processor (80186).
- Up to 640K memory expansion for a maximum of 1.28 Megabytes total memory.
- Simple "one-step" installation.

Software

- Runs IBM PC-DOS 2.x/3.x on either the IBM PC/XT and versions of most compatibles.
- Provides high speed disk caching, RAM disk and print spooling.
- StandardPC (8088) operation for total compatibility.

Write or call for more information today.



ORCHID TECHNOLOGY 47790 Westinghouse Drive Fremont, CA 94539 (415) 490-8586 Telex: 709289 Third, the interface is fast for a micro. Data can be transferred at up to 1 million bytes per second (using special tristate drivers on the lines) and without any special care will support transmission rates of about 250K to 300K bytes per second using DMA (direct memory access).

Fourth, the interface is standard and widely available. All IEEE-488 instruments are plug-compatible, and the interface is available on every major kind of laboratory device. Over 2000 devices are currently available with an IEEE-488 interface. Given that the standard was not set in its current form until 1978 and that there is a lag between specification and implementation, the rapid adoption of the standard gives an indication of how sorely needed it was.

The primary limitation of the standard is that the total cable length on an installation cannot exceed 20 meters without special (and expensive) repeaters. In practice, you will seldom need to exceed that length. And given that long cabling slows transmission rates and is more susceptible to noise, you generally do better to keep the cabling short anyway.

THE STANDARD EXPLANATION

The IEEE-488 standard is relatively involved because it accommodates a wide variety of uses. In the rest of this article, I'll examine the standard and then take a close look at a setup using the interface.

IEEE-488 began life as the General-Purpose Interface Bus (GPIB) of the Hewlett-Packard Corporation. In 1975, the IEEE adopted the GPIB as its standard. Some minor modifications were made to the standard in 1978, but IEEE-488 still goes by the name GPIB on HP products.

Devices on the interface may perform three kinds of functions. They may be talkers: that is, they may transmit data to other devices on the interface. Of course, there can be only one active talker at any given time. Alternatively, a device may be a listener—it may receive data or instructions from another device on the interface. There may be more than one active listener on the interface at any given time. And a device may act as a controller, a coordinator of which device may talk when and which devices may listen. Finally, a device may do nothing but stand by. A device may, at different times, assume any of the above functions.

The interface supports two modes of operation: command and data. As the name suggests, the command mode is for process control. For example, if one of the devices on the interface is a digital multimeter (DMM), the controller may program the DMM for reading DC voltages in the 3-volt full-scale deflection range. In the data mode, data is transferred from talker to listener(s) over the interface.

The interface has 24 lines, 8 of which are ground lines. The other 16 are divided into three groups: 8 bidirectional data lines, 3 data-byte control lines (handshake lines), and 5 general interface-management lines.

The three-line handshake protocol functions as follows: When information is going to be transferred over the bus, the listeners must be ready to receive the data. If they are not, they signal NRFD (not ready for data) by (continued)




Figure 1: Cutaway view of an IEEE-488 cable. Notice the large number of grounds for shielding.

Expand Your PC To A Multi-User System With Advanced Digital's PC-Slave

Up To 32 Users

Expanding your PC to a multi-user system is easy. Simply plug in a PC SLAVE processor board and ASCII terminal for each user. With ADC's unique Master/Slave concept, each user runs independent of other users without RTNX executive software turns your PC into a master processor and shares disks, peripherals and data with processor and snares disks, peripherals and data with the slaves. ADC's PC-File Server provides you with additional expansion slots, hard disk drive and a highspeed streaming tape back-up for your IBM PC System.

256 kB of RAM, expandable to 768 kB 8 MHz, 8088 CPU

- Two Serial I/O Ports

Advanced Digital Corporation, USA 5432 Production Drive, Huntington Beach, CA 92649 Tel. (714) 891-4004 • Telex 183210 ADVANCED HIBH Advanced Digital U.K. Limited London WirkeinG • United Kingdom [01] 409-0077 • [01] 409-3351 • Telex 265840 FINEST 27 Princes St., Hanover Square RINX is a trademark of LOUK RAFT
 PC DOS is a trademark of International Business Mathines
 MS DOS is a trademark of Microsoft Corporation
 MS DOS is a trademark of Microsoft Corporation • MS DOS is a trademark of Microsofi Corporation • COUS 1-2 3 is a trademark of Microsofi Corporation • Mutti Plan is a trademark of MicroSofi Corporation • Mutti Plan is a trademark of MicroPro-Couperation MultePlan is a trademark of Micro Son Corporati Wordstar is a trademark of MicroPlo Corporation

pulling the NRFD line low (low is defined as true by the IEEE-488 standard). The NRFD line has an opencollector design, so if any one listener is not ready, the line is kept low. When all the listeners are ready, the NRFD line goes high. If the talker is ready to transmit data, it sets the DAV (data valid) line low. The transition of the DAV line triggers the resetting of the NRFD line and the listeners pick up the latched byte of data. When each listener receives the data, it releases the NDAC (not data accepted) line, which is also open-collector. When all listeners have received the data, the NDAC line goes high, causing a reset of the DAV line, which in turn triggers the resetting of the NDAC line. This sequence, outlined in figure 2, is repeated for each byte in a transmission. It may not be immediately apparent why three lines are useful in this sequence. At first glance it appears that the DAV and NDAC line would accomplish everything necessary for the transmission of data. However, the NDAC line is released as soon as the IEEE-488 board of the listener has received the data. The information must still be downloaded from the IEEE-488 data register to, for example, the computer's main memory to be stored more permanently. By releasing the talker as soon as the data has been transferred, the talker becomes free to prepare the next byte for transmission at the same time that the listeners are "digesting" the last byte, so the rate of information transfer may be maximized. The NRFD line is thus necessary to pre-

vent the possibility of a listener's data register being prematurely overwritten.

Since each byte of data transferred is a self-contained event on the interface, there must be some way of signaling the end of a data-transfer sequence. This may be done in two ways. The one I will mention here is to use one of the bus-management lines, the EOI (end or identify) line. When a talker sets this line, it signals that the data-transfer sequence is complete.

The "identify" in EOI applies to the controller's use of the line. If the interface is to be used for process control, there must be a way for the controller to monitor the "fitness for duty" of the various devices. One way it may do so is by conducting a parallel poll of the devices. If the controller asserts ATN (attention) and EOI, each device responds by using one data line to say whether or not it has any problems. If one does, the computer (the controller) can query that device further to determine the precise nature of the difficulty. The limitation of a parallel poll is that the controller must initiate the inquiry. IEEE-488 also provides for a serial poll, in which a device in trouble may alert the controller that all is not well by asserting SRQ (service request). The computer then can ask each device in turn what its status is to determine the source and nature of the problem.

ATN serves another, more general purpose as well. Any time the controller asserts ATN, it can change the




Figure 2: The logic flow of the IEEE-488 handshake squence. Low is true.

function of a device from, say, talker to listener. When ATN is asserted, the board goes into the command mode. All subsequent information is control data. In general, control information will apply to only some of the available devices. How is the information restricted to only the appropriate devices' attention? Each instrument on the interface can be assigned a unique 5-bit address, generally by DIP (dual-inline package) switches on the backplane of the instrument. Valid addresses are numbers up to and including 30. When the computer wants to address its control data to a specific set of devices, it asserts ATN and outputs a list of the appropriate address numbers (notice that the same string of outputs would be treated as data were the board not in the command mode). Table 1 shows the protocols of the computer addressing for different functions. If a device is being told to listen to control information. an addressed command follows its address-to-listen call. Addressed control information defined by the IEEE-488 standard includes GTL (go to local), which releases a device from remote control; SDC (selected-device clear), which resets a device to its default setting; PPC (parallel-poll configure), which is used to assign a data line to a device for answering a parallel poll; GET (group-enable trigger), which initiates simultaneous data acquisition by each addressed device; and TCT (take control), which passes control of the bus management from the present controller to the specified device.

Two other kinds of multiline commands are shown in table 1. First is a secondary address. This is information after the primary address that configures a device for a particular kind of operation. This is one way that a DMM may be set for DC volts, for example. The primary address specifies the DMM device number, and the secondary address specifies the DC voltmeter function in the DMM. The significance of secondary addresses is not part of the standard. Each manufacturer decides whether (continued)

SOME DARK TRUTHS ABOUT BACKING UP YOUR DATA ON TAPE.

- Tape backup manufacturers promise speed, peace of mind and a good nights sleep for a small investment!
- Your sleep can turn into a nightmare when your hard disk crashes!
- If your replacement disk has bad sectors in locations that were good on your original drive, the restoration of a 'physical image' backup will not work as it cannot distinguish bad sectors and will attempt to write on the bad sectors. You will lose all data continuity from that point on!!

DATASATE * AFTEK Introducing the next generation of tape drives for the micro computer industry-Only \$69500.0.S.

Reliable

The DATASAFE addresses all the problem issues of tape backup. The DATASAFE has a simple and elegant tape self threading tape transport system that puts it far ahead of any other on the market. It has been consistently tested for over 150,000 self threading loads without failure.

Unlimited Capacity

Each tape holds 10 meg data on the ADI 1010 and 20 meg on the ADS 1020, but this does not limit the capacity, using the MS-DOS BACKUP utility, you can backup any amount of data.

• No Fancy Installation

The DATASAFE can be mounted internally (it is daisy chained off the existing floppy controller so you don't need any additional slots), or you can use the standalone unit. The standalone unit plugs into the connector at the back of the computer. It needs no special installation. You can easily move it from computer to computer.

Easy to Use

The tape drive looks just like a floppy to the computer, the DOS commands you are familiar with work just the same on the DATASAFE.

BUSINESS MACHINES INC.

762 Gordon Baker Rd., Willowdale, Ont. Canada M2H 3B4 Tel.: (416) 497-0531 Telex: 06-986133



FTEK MUSIG

The DATASAFE uses industry standard 1/4" tape on a self threading 2.2" spool. You just drop the reel in the drive and close the door-the drive does the rest, no messing with leader tape! The loading arrangement is similar to the system used in large computers. You do not have to pay fancy prices for tape cartridges, the 10 or 20 meg spools are only \$14.95 (US)/\$22.95 (C)

Random Access

If your hard disk fails, the DATASAFE can be used just like a disk with a seek time of 45 sec end to end! No more down time for hard disk failures.

To order in U.S.A. or Canada Call Toll Free:

1-800-268-5412

Internal Mount ADI 1010 U.S.A. \$695.00 Canada \$1195.00

Standalone ADS 1010 U.S.A. \$945.00 Canada \$1495.00

1050 Clinton St., Buffalo, New York 14206 Tel.: (716) 694-5366 Telex: 916428

PRIME DEALER DISTRIBUTOR TERRITORIES AVAILABLE. OEM CALLS INVITED.

Pascal and C Programmers

Your programs can now compile the *FirsTime*™

FirsTime is an intelligent editor that knows the rules of the language being programmed. It checks your statements as you enter them, and if it spots a mistake, it identifies it. FirsTime then positions the cursor over the error so you can correct it easily. FirsTime will identify all syntax errors, undefined variables, and even statements with mismatched variable types. In fact, any program developed with the FirsTime editor will compile on the first try.

More than a syntax checker!

FirsTime has many unique features found in no other editor. These powerful capabilities include a zoom command that allows you to examine the structure of your program, automatic program formatting, and block transforms.

If you wish, you can work even faster by automatically generating program structures with a single key-stroke. This feature is especially useful to those learning a new language, or to those who often switch between different languages.

Other Features: Full screen editing, horizontal scrolling, function key menus, help screens, inserts, deletes, appends, searches, and global replacing.

Programmers enjoy using *FirsTime*. It allows them to concentrate on program logic without having to worry about coding details. Debugging is reduced dramatically, and deadlines are more easily met.

FirsTime for PASCAL	\$245
FirsTime for C	\$295
Microsoft PASCAL Compiler	\$245
Microsoft C Compiler	\$395
Demonstration disk	\$25

Get an extra **\$100** off the compiler when it is purchased with *FirsTime*. (N.J. residents please add 6% sales tax.)



Dealer enquiries welcome. Custom versions for computer manufacturers and language developers are available.

FirstTime is a trademark of Spruce Technology Corporation.



universal version of SDC); PPU (parallel-poll unconfigure), which deactivates parallel polling; SPE (serial-poll enable), which initiates a serial poll; and SPD (serial-poll disable), which terminates a serial poll. The logical difference between the uniline commands and the multiline commands is that uniline commands are unconditioned. That is, they operate immediately instead of requiring that the bus be in command mode. The last two uniline bus-management lines illustrate the need for such immediacy. REN (remote enable) places a device under computer control. When a device is first going to be

addressed by the computer, this provides the "warm boot" needed to get its attention. IFC (interface clear) is the "panic button." When the controller asserts IFC, the active talker must immediately relinquish control of the data lines to the computer. As you can

to use secondary addresses and, if so,

what they will mean. The last kind of

multiline command is a universal command. Reasonably enough, uni-

versal commands apply to all devices

on the bus and are therefore not

preceded by an address list. The

universal commands defined by the

standard include LLO (local lockout),

which disables instrument front-panel

control; DCL (device clear), which

resets all devices to their factory-

selected default states (this is the

see, the standard is rather involved. But it is not complete.

HPIB

The IEEE-488 standard ensures electrical compatibility among instruments, but it does not insure that two instruments will understand each other. The analogy has been drawn between IEEE-488 and the telephone system: You can call Rome on your telephone, but you may not understand what the person who answers the phone is saying. Similarly, the IEEE-488 standard does not specify the code that is to be used by instruments in transmitting data. Some instruments speak binary, some speak ASCII, etc. The Hewlett-Packard Corporation has developed a software standard for IEEE-488 data that is not universally employed. However, it is the most common format for data transfers on the bus. The protocol is called the Hewlett-Packard Interface Bus (HPIB). GPIB and HPIB are often used interchangeably, but strictly speaking GPIB is the IEEE-488 standard and HPIB is the conformance to HP's software protocol. HPIB specifies the following:

1. All information is transferred in ASCII code.

2. Information is transmitted "left to right"; that is, "C A T" is transmitted "67 65 84," not "84 65 67."

(continued)

Table 1: IEEE-488 interface management command bit protocols. These apply only when the controller asserts ATN. A=address bit, C=command bit, S=secondary address bit, N=not used.

Data Lines Bit	Significance
76543210	
N 0 0 0 C C C C C N 0 0 1 C C C C N 0 1 A A A A A N 1 0 A A A A A N 1 1 S S S S S	addressed command universal command address to listen address to talk secondary address

Hot to plot.

Epson[®] puts the HI-80[™] four-pen plotter on your desk for \$599.

If you're still doing your charts and graphs in black and white, have we got a plotter for you.

High speed, low cost.

The new Epson HI-80 is small enough to sit on your desk, yet it plots in any four of ten available colors at a remarkable nine inches per second, with resolution, accuracy and repeatability comparable to units costing twice as much.

No. 1 on the charts.

DIVISION

ALES BY

The HI-80 draws on paper for reports, or acetate for overhead projection. It has 42 intelligent commands to reduce programming time. And it even prints text formatted for the Epson RX-80[™] dot matrix printer.

It's an Epson.

Which means you can count on it to be extraordinarily reliable, extremely versatile, supported by virtually all graphics software, and backed by the Epson one-year Number One Warranty.

White Is a

Get an art department for your desk. Get an Epson HI-80 Plotter.

Number one. And built like it.



2780 Lomita Boulevard • Torrance, CA 90505 • (213) 539-9140 • Call (800) 421-5426 for the Epson dealer in your area. In California call (213) 539-9140 Epson is a registered trademark of Epson Corporation. HI-80 and RX-80 are trademarks of Epson America, Inc.

The significance of a device's program data is determined by the manufacturer, not IEEE-488.

3. All sequences of data transmission end with ASCII 13 (a carriage return) and, optionally, ASCII 10 (a linefeed) instead of using the EOI line.

The advantage of the standard is that data can be fed directly to a printer to produce properly formatted output in continuous-data-collection applications. Of course, the biggest advantage of the standard is simply that it is a standard.

USING THE INTERFACE

So much for the standard. Now let's take a look at how to use it. Manufacturers of IEEE-488 interface boards provide interface drivers for you, so using the interface is easier than learning about the standard in the first place. Usually the interface driver is a set of assembly-language routines that you can call. In high-speed applictions you will want an assembly-language driver. But in the program I provide here (listing 1), 1 use an interpreted BASIC driver. The program is taken from a course in interfacing I taught at Brandeis University. It is used to calculate the lattice energy of solid argon from temperature and

Listing 1: A sample data-acquisition routine using the IEEE-488 interface. 10 REM IEEE-488 PROGRAM FOR HEAT OF SUBLIMATION OF SOLID ARGON. PROGRAM SHOULD BE MERGED WITH TECMAR IEEE-488 SOFTWARE VER. 3. 20 REM PROGRAM BY THOMAS CLUNE, BRANDEIS UNIVERSITY CHEMISTRY DEPARTMENT 30 REM DMM #19 READS THE THERMOCOUPLE. DMM #17 READS THE PRESSURE TRANSDUCER INITIALIZE IEEE-488 BUFFER LOCATION, DIMENSION ARRAYS 40 BD.ADDR% = &H310:DIM PRES(250):DIM TEMP(250) REM SPECIFY COMPUTER DEVICE NUMBER, INITIALIZE DATA 50 POINTER 60 MY.ADDR% = 1:DPT = 1 REM WAIT UNTIL READY TO BEGIN RUN. PRESSURE READINGS 70 MUST BE POSITIVE AND THERMAL EQUILIBRIUM MUST BE REACHED BEFORE THE RUN BEGINS. 80 CLS:PRINT "PRESS ANY KEY WHEN YOU ARE READY TO BEGIN YOUR RUN" 90 A\$ = INKEY\$:IF A\$ = "" THEN 90 100 REM INITIALIZE BOARD WITH COMPUTER AS CONTROLLER 110 PARAM\$ = "INIT.C/":GOSUB 10000 REM SET BOTH DMM'S FOR REMOTE CONTROL BY COMPUTER 120 130 PARAM\$ = "ADTR/":GOSUB 10000 REM SET INTERRUPT REGISTERS OF DMM'S FOR SYNTAX ERROR 140 AND FRONT PANEL SRQ. 150 DATA.STRING\$ = "KM24D2PRESSURE 160 PARAM\$ = "WR.STR/17/14///":GOSUB 10000 170 DATA.STRING\$ = "KM24D2TEMPERATURE" 180 PARAM\$ = "WR.STR/19/17///":GOSUB 10000 REM ENTER DATA.STRING\$ AND WRITE PROGRAMMING 190 INFORMATION TO DMM #17. ADD <CR> FOR EOS. 200 CLS:INPUT "ENTER COMMAND STRING FOR PRES. DMM (#17)'';DATA.STRING\$ 210 DATA.STRING\$ = DATA.STRING\$ + CHR\$(13) 220 **REM OUTPUT DATA.STRING\$ TO DMM** 230 PARAM\$ = "WR.STR/17//13/EOS/":GOSUB 10000 (continued) pressure data pairs. This is a lowspeed application, with readings being taken every 30 seconds. Thus, an interpreted BASIC interface driver will provide adequate speed. A further benefit to me is that students can study the driver routines to understand how the interface works. Tecmar also makes an assembly version of its interface driver.

The equipment used in this experiment includes an IBM PC with 128K bytes of memory, a Tecmar IEEE-488 interface for the PC, two HP 3478A DMMs with IEEE-488 installed, a copper-constantan thermocouple wire, and a Barytron 220 pressure transducer. The program listing includes only the data-acquisition part of the program, and Tecmar's interface driver routine is not reprinted here. Before the experiment can be run, the DMMs must be set to their respective addresses (17 and 19) by DIP switches on the DMM backplanes.

The program is largely self-explanatory. I will limit my remarks on it to points that the listing may not make sufficiently clear. Notice the statement BD.ADDR%=&H310 in line 40. This initializes the beginning memory location of the 16-byte buffer used for communication between the IEEE-488 interface and the computer. MY.ADDR%=1 in line 60 declares that the computer's device address number will be 1. Both these variable names are specified by the driver software. Line 110 shows the way that the Tecmar driver routine is invoked. The routine begins at line 10000 and is merged with your application program. PARAM\$ is the variable name for any parameter to be passed to the driver routine. In this case, the operation performed is initializing the IEEE board for controller operation. In line 130, ADTR is the mnemonic for asserting REN, to let the DMMs know that they are connected to and will be controlled by the computer. Line 150 contains the information to be output to the DMM that will monitor the pressure transducer. The significance of this data is determined by the DMM manufac-(continued)

BASF QUALIMETRIC" FLEXYDISKS. A GUARANTEED LIFETIME OF OUTSTANDING PERFORMANCE.

BASF Qualimetric FlexyDisks feature a unique lifetime warranty,* firm assurance that the vital information you enter on BASF FlexyDisks today will be secure and unchanged tomorrow. Key to this extraordinary warranted performance is the BASF Qualimetric standard... a totally new set of criteria against which all other magnetic media will be judged.

You can count on BASF FlexyDisks because the Qualimetric standard reflects a continuing BASF commitment to perfection in magnetic media. One example is the unique two-piece liner in our FlexyDisk jacket. This BASF feature traps damaging debris away from the disk's surface and creates extra space in the head access area for optimum media-head alignment. The result is a guaranteed lifetime of outstanding performance. For information security that bridges the gap between today

Inquiry 344

*Contact BASF for warranty details.

ENTER TOMORROW ON BASE TODAY. BASE BASE

magnum	INTERFACING
p.c.	
800-544-4354	
V/SA GA Residents MasterCard	
(404) 441-3112	240 REM CHECK FOR SYNTAX ERROR IN DATA.STRING\$. IF YES, LOOP BACK TO REENTER DATA.STRING\$
5965 PEACHTREE CORNERS E, B-2, NORCROSS, GA 30071 COMPUTERS	250 PARAM\$ = "RBST/":GOSUB 10000
IBM PC YOU CONFIGURECALL	260 IF SRQ% = 1 THEN PARAM\$ = ''SER.POLL/17/'':GOSUB 10000:IF POLL.RESP% AND 4 = 4 THEN PRINT ''SYNTAX ERROR IN
SANYO MBC & SUPERNEW LOW PRICES BOARDS	COMMAND'':SRQ% = 0:GOTO 200
AST SIX PAC PLUS & MONOGRAPHCALL	270 REM IF ERROR < >SYNTAX ERROR, LIST ERROR MESSAGE IN OCTAL AND END.
EVEREX GRAPHICS EDGE	280 IF SRQ% = 1 THEN PRINT "ERROR. STATUS REGISTER (IN
IRMA 3278 EMULATORBEST PRICE MICROTEK NEW PRODUCTSCALL	OCTAL) = '';OCT\$(POLL.RESP%):END 290 REM ENTER DATA.STRING\$ AND WRITE PROGRAMMING
ORANGE MICRO ALL BOARDSCALL ORCHIO PC BLOSSOM & TURBOCALL	INFORMATION TO DMM #19. ADD <cr> FOR EOS.</cr>
PERSYST BOARDS & CARDSSAVE	300 INPUT ''ENTER COMMAND STRING FOR TEMP, DMM (#19)'';DATA.STRING\$
QUAORAM ALL PRODUCTSCALL STB GRAPHIX PLUS IICALL	310 DATA.STRING\$ = DATA.STRING\$ + CHR\$(13)
TECMAR ALL PRODUCTSCALL TITAN ACCELERATORS FOR IBM OR APPLECALL	320 REM OUTPUT DATA.STRING\$ TO DMM 330 PARAM\$ = ''WR.STR/19//13/EOS/'':GOSUB 10000
TSENG LABS ULTRA PAKNEW	340 REM CHECK FOR SYNTAX ERROR IN DATA.STRING\$. IF YES, LOOP
FULL HEIGHTS (FOR IBM)FROM 110	BACK TO REENTER DATA.STRING\$ 350 PARAM\$ = ''RBST/'':GOSUB 10000
HALF HEIGHTS (FOR IBM)FROM 125 ALPHA OMEGA TURBO 10 (FASTER THAN XT)800	360 REM IF ERROR < > SYNTAX ERROR, LIST ERROR MESSAGE IN
EVEREX 10 MEG INTERNAL HARD DISK	OCTAL AND END. 370 IF SRQ%=1 THEN PARAM\$=''SER.POLL/19/'':GOSUB 10000:IF
IOMEGA BERNOULLI BOX (20 MEG)2795 MICRO SCI (FOR APPLE)CALL	POLL.RESP% AND 4 = 4 THEN PRINT "SYNTAX ERROR IN
PCjr 2ND DIŠK DRIVE OR HARD DISKCALL	COMMAND'':SRQ% = 0:GOTO 300 380 IF SRQ% = 1 THEN PRINT ''ERROR. STATUS REGISTER = (IN
PEACHTREE PERIPHERALSCALL QUAOOISK 6 MEG REMOVABLE1725	OCTAL) '';OCT\$(POLL.RESP%):END
QUENTIN (FOR APPLE & IBM)SAVE SUPER 5 (FOR APPLE)179	390 REM BEGINNING OF DATA-ACQUISION LOOP. INITIATE A GROUP- EXECUTE TRIGGER TO RECORD THERMOCOUPLE AND
TALLGRASS HARD DISK WITH BACKUPCALL TANOON TM100-2	PRESSURE TRANSDUCER READINGS SIMULTANEOUSLY. 400 PARAM\$ = ''GET/17,19/'':GOSUB 10000
PRINTERS	410 REM READ THE DMM VALUES INTO THE COMPUTER
C. ITOH LETTER QUALITYCALL EPSON FX. RXSAVE	420 PARAM\$ = ''RD.STR/17//10/EOS/'':GOSUB 10000 430 REM STORE THE READING IN THE PRESSURE ARRAY. 1
FUJITSUCALL NEC SPINWRITER, P2 & P3CALL	TORR = 10mV, SO *100 MAKES V = PRES IN TORR.
OKIOATA ALL MODELSBEST PRICES PANASONICCALL	440 PRES(DPT) = VAL(DATA.STRING\$)*100 450 REM NOTE THAT THE LINE FEED IS USED TO SIGNAL THE END OF
OUME	DATA INSTEAD OF THE LENGTH OF COUNT. LENGTH OF
TOSHIBA P1350 & P1340CALL	COUNT CAUSES AN ERROR CONDITION HERE WITH V.3 460 PARAM\$ = ''RD.STR/19//10/EOS/'':GOSUB 10000
	470 REM STORE THE READING IN THE TEMPERATURE ARRAY. IF
PRINCETON GRAPHICSSAVE	TEMP>77K GO TO CALCULATION ROUTINE 480 TEMP(DPT)=VAL(DATA.STRING\$)*1000:IF TEMP(DPT)>-5.539 THEN 630
QUAORAM QUADCHROMECALL SUPER 5	490 REM CHECK FOR FRONT PANEL SRQ. IF YES, GO TO
TAXAN ALL MODELSCALL	CALCULATION ROUTINE 500 PARAM\$= ''RBST/':GOSUB 10000
COPY II PCSAVE 0-BASE III	510 IF SRQ% < >1 THEN 550 520 PARAM\$ = ''SER.POLL/17/'':GOSUB 10000:IF POLL.RESP% < >0 THEN 630
FRAMEWORK399 JANUS/AOASAVE LOTUS 1-2-3SAVE MULTIMATE279	530 PARAM\$ = 'SER.POLL/1// 'GOSUB 10000:IF POLL.RESP% < >0 THEN 630
SYMPHONY475 10 BASECALL	540 REM READ NEW TIME, CHECK ELAPSED TIME REM TIME\$ IS RESET TO 0 WHEN RBST CHECKS FOR TIMEOUT
HAYES SMART MODEM 300/1200212/499	FAULTS
NOVATION SMART CAT PLUS W/MITE399 VEN-TEL HALF CARD 1200 BAUD425	560 ENDCLK = VAL(RIGHT\$(TIME\$,2)):PRINT ENDCLK 570 REM IF AT LEAST 30 SEC HAVE ELAPSED, GET NEW READING
PENRIL SAVE MAXWELL NEW ACCESSORIES	580 IF ENDCLK < 30 THEN 560
BUFFERS/SPOOLERS CALL	590 REM CHECK FOR END OF ARRAY. IF YES, JUMP TO CALCULATION ROUTINE. OTHERWISE INCREMENT DPT AND COLLECT NEXT
CHIPS 64K - SET OF 9	POINT
2 & 4 WAY SWITCH BOXES PAR. & SERIAL. SAVE	600 IF DPT>249 THEN 630 610 DPT=DPT+1:GOTO 400
DISKETTES VERBATIM/MAXELL_SAVE CASE 100 BOX 10	620 REM PRINT DATA AND DO SEMILOG REGRESSION GOES HERE.
BASF 51/4 SS/DD 145 17	ROUTINE DELETED FOR BYTE ARTICLE. FULL ROUTINE AVAILABLE FROM AUTHOR.
51/4 DS/DD 170 20 Avail ability and prices subject to change	
APPROVED CORPORATE ACCOUNTS WELCOMED	(continu
80 BYTE • FEBRUARY 1985	I Inquiry 290 -

ł

DATAEASE

"I was very impressed with its overall performance and features ... excellent interactive and data quality assurance capabilities ... relatively easy to master ... "

> Bill Jacobson From a feature article in **BYTE**, October 1984

Over 20,000 large and small business clients worldwide have turned to DATAEA5E to increase productivity. In fact, leading software suppliers to Corporate America like MI5, Inc. have recently sold more DATAEA5E than dBASEIII™, Symphony™, Framework™ and R:BASE™ 4000!

DATAEASE, with its ideal combination of power and ease-of-use lets you harness the full power of your micro to create forms and custom menus, gather, sort, group and calculate statis tical information, update and link files, generate standard or custom reports, interchange data with mainframes and popular programs.

DATAEASE, the complete information manage ment system. Available through highly competent dealers throughout the U.S. Call or write for information on The SOFTEASE Family of Products[™]: DATAEASE, WORDEASE[™], GRAPHEASE[™], DOSEASE[™]:

DATAEASE BYT-2/85 Demonstration Diskette

Check one: DIBM PC WANG DEC TI Check attached for \$10. Send Information package with demonstration. Send Information only. Name: ________ Title: _______Phone: ______

Company: ______ Frione: ______ Street: ______ City: _____ State: _____ Zip: _____

Software Solutions, Inc., 305 Bic Drive Milford, CT 06460 • 203-877-9268 • Telex: 703972

For dealer, corporate and product information call:

800-243-5123

Scandanavia South Africa West Soft A/S, Alesund, Horway; (47) 71-41141 DataRex, Craighill; 11724-6553 United Kingdom West Germany

Sapphire Systems, Essex; 01-544-0582 Markt & Technik, Munich; 089-4613-0

© 1985 Software Solutions, Inc

The cost of adding an IEEE-488 interface is nominal and the added flexibility is not available from any other source.


turer and is not a part of the IEEE-488 standard. This data is used to program the 3478A instead of secondary addresses, which the HP does not support. The significance of the string to the DMM is as follows: K = "clear the maskable interrupt register," M24 "set a new mask to generate an SRQ if programming data sent to the DMM has a syntax error or if the front-panel SRQ button is pushed," and D2PRESSURE = "display the word 'PRESSURE' on the DMM's display panel." Since the pressuremonitoring DMM and the temperature-monitoring DMM look exactly the same, this prompt ensures that the instrument is connected to the right transducer. Line 160 has the programming string output to the correct DMM. Field 2 of WR.STR specifies the device number (17) of the appropriate DMM and field 3 says to transmit 14 characters. That is, the end of sequence (EOS) is identified by simply

counting the number of characters transmitted. At the end of 14 characters, the computer will UNLISTEN the DMM to terminate transmission. Line 200 has the operator input the programming information that will specify the functions that the pressure-monitoring DMM will use. Since the number of characters in the command string will vary with what options the operator selects, we don't use a character count to signal EOS here. Rather, in line 210 we tack a < CR > code onto the end of the data and in line 230 specify that the transmission to the DMM should continue until "13" (the carriage-return code in ASCII) is encountered. Since each operator enters the programming information on each experimental run, we want to verify that the DMM string does not contain any typographical mistakes. Therefore, we read the IEEEbus status (line 250) and see whether an SRQ flag has been set (line 260). Remember that the DMM was programmed in line 160 to generate an SRQ on a syntax error. If an SRQ has been sent, we examine the status register of the DMM (260 also) to make sure that the SRQ was caused by a syntax error and, if so, have the operator reenter valid programming information for the DMM. Note that the SRO does not automatically interrupt the central processing unit. It only sets a flag on the IEEE bus. If we want to ignore it, all devices that are still able to function properly can carry on with their business as usual.

If we want an SRQ to automatically interrupt the computer, we can tie the SRQ line to an IRQ line.

Now let's skip to line 400. This initiates a group-enable trigger for both DMMs (numbers 17 and 19). Thus, our pressure and temperature data readings are triggered at the same time and are truly simultaneous. In line 420, we read the pressure DMM data into the pressure array PRES. Character 10, a linefeed, is used as an EOS by the DMM and is so declared in line 420. Lines 500 through 530 check to see if an SRQ was sent by any device and, if so, conducts a serial poll. This is done because the program allows the experimenter to interrupt the experiment at any time by pressing a front-panel button on either DMM. The program will then treat the data collected up to that time as the complete data set and begin the data analysis routine. If there was no SRQ, the program waits 30 seconds, checks to make sure that the data arrays are not about to overflow, and then takes another data reading.

The program presented above is a very simple routine. However, even this basic level of process control is very difficult to achieve on interfaces other than the IEEE-488. If you have a choice, you should begin reshaping your lab to support IEEE-488 interfacing. As you replace outdated or broken equipment, the cost of adding an IEEE-488 interface is nominal and the added flexibility is not available from any other source. ■



The PC Plotter: It will change the way business looks at graphics.

The lowest-priced professional plotter on the market today is Houston Instrument's new fourpen PC Plotter. It is designed to produce the crisp graphics you need to compete — and communicate — in business. Just what makes this plotter so competitive? Let's take a look:

Price — A multi-pen, compact, single-sheet plotter at \$595* isn't just a low price — it's an unbelievably low price. What an affordable way to link the power of graphics communication to your personal computer.

Performance — Yours and Ours — Until the PC Plotter was born, it was too expensive to let the pictures do the talking. Now that's no longer true. So, the next time the boss walks into the office needing some "nice charts and graphs," you can quickly fill the request with clean, colorful, wonderful graphics. Who knows, you might even get a raise!

BY REGION

REGISTRIATION MIX

As to our performance, we're the only plotter manufacturer offering you hundreds of graphics software packages which are compatible with the PC Plotter. That means you can produce any type of drawing you require.

Flexibility — Depending on your needs, you can select from two PC Plotter models. One (PC Plotter Model 595 for \$595.00^{*}) allows you to produce graphics or overhead transparencies on $8\frac{1}{2}$ " × 11" paper or film; the other (PC Plotter Model 695 for \$695.00^{*}) permits either $8\frac{1}{2}$ " × 11" or 11" × 17" graphics. And we didn't forget the OEM. Houston Instrument will work with you to configure a plotter that's perfect for your particular application.

For the name of your closest PC Plotter distributor or dealer, contact Houston Instrument, P.O. Box 15720, Austin, Texas, 78761 or call (512)835-0900. Outside Texas call 800-531-5205. In Europe, contact Houston Instrument, Belgium NV., Rochesterlaan 6, 8240 Gistel, Belgium. Tel. 059-27-74-45, Tlx. 846-81399.

0

4PO16

Inquiry 139

R USAGE FOR

in.



*U.S. suggested list price.

Kodak Diskettes

Double Sided • Double Density 48 TPI • Soft Sectored 10 • 5¼ inch diskettes

CERTIFIED ERROR FREE

Diskette Diskette Jougin Sinder Davere Dent In Terr Sind Sherrand

Kodal

A NEW LEGEND BEGINS.

INTRODUCING NEW KODAK DISKETTES.

For as long as anyone can remember, the world has trusted Kodak film to capture its memories. Now the world can trust legendary Kodak quality to capture its computer data.

Introducing Kodak diskettes. And the beginning of a new legend.

We know you expect nothing less than extraordinary performance from a Kodak product. We didn't disappoint you.

These remarkable new diskettes are so thoroughly tested, they're certified error-free.

Every Kodak diskette has a highly burnished head surface for optimum read-write accuracy. And every standard diskette is made to

© Eastman Kodak Company, 1984 Inquiry 346 withstand 4¹/₂ million passes before significant wear occurs.

With accuracy and durability like that, we can offer this no-questions-asked replacement policy:

This KODAK Diskette will be free from manufacturing defects, or we will replace it.


Kodak diskettes for home and business PC use are available in standard 8- and 5¹/₄-inch formats, high-density 5¹/₄-inch diskettes, and

> 3¹/₂-inch micro diskettes in our HD 600 Series.

New Kodak diskettes. Because the only thing that can follow a legend is another legend.







BYTE

Reviews

REVIEWER'S NOTEBOOK by Glenn Hartwig	080
NewWord	207
by John Heilborn and Nanci Reel	291
Janus/Ada by Mark J. Welch	295
THE EPSON GENEVA PX-8 by Rich Malloy	302
Two Modula-2 Compilers For the IBM PC by Kevin Bowyer	311
E-Mail FOR THE MASSES by Wayne Rash Ir.	317
MANNESMANN TALLY MT 160 by Mark J. Welch	325
REVIEW FEEDBACK	

EVEN WITH ITS MULTIPLE-KEYSTROKE FUNCTIONS and non-mnemonic commands, WordStar has retained its reputation as a powerful and popular word processor. Now some of the people who developed WordStar have gotten together and written a package designed to capitalize on WordStar's strengths while addressing its weaknesses. Called NewWord, this program from NewStar Software has strengths and weaknesses of its own. In our first review this month, John Heilborn and Nanci Reel take a close look at whether it fails or succeeds in its objectives.

Next, Mark Welch gives us his investigations of Janus/Ada. A nonstandard subset of Ada for MS-DOS and CP/M-80, Janus/Ada lacks a lot of features that give Ada its special character and utility. On the other hand, its fundamental structure is that of Ada's, and it can give you a definite head start in your attempts to pick up a new and complex programming language.

The Geneva PX-8 is Epson's lap-size computer. These small machines look now to be a permanent feature of the microcomputing landscape. The PX-8's credentials are impressive: a CMOS Z80, 96K bytes of two kinds of memory, an 8 by 80 LCD, and a comprehensive list of bundled software for less (just less) than \$1000. Still, what we've seen for some time are systems that do very similar things with their major difference being price. How well can one of these briefcase computers help you work? Rich Malloy has taken a hard look at the PX-8. His review this month shows you what you can expect.


When confronted with a choice between two products designed to do the same thing, do you ever find yourself asking why one costs more than 10 times as much as the other—and is it worth it? A case in point is demonstrated in this month's review of "Two Modula-2 Compilers for the IBM PC." Both are adaptations of the original Swiss compiler and neither is a trivial implementation. Why then does one cost \$40 and the other \$495? Is the more expensive product necessarily the better product? While not primarily a comparison on a cost basis, Kevin Bowyer's review provides good evidence about what each compiler can do.

Another comparative review is offered by Wayne Rash Jr. in his look at MCI Mail and EasyLink. In theory, electronic-mail services have a lot to recommend them. Why haven't they caught on as well as their advance billing a few years ago would lead us to expect? Both of these packages are full services, and each has been heavily promoted. Do you want one to call your own? If so, do you want either of these? Good questions. Mr. Rash provides some good answers.

Closing out this month's review section, Mark Welch provides a straightforward look at a straightforward product. Mannesmann Tally's latest printer, the MT160, has a variety of print modes, speeds, configuration capabilities, and programmable features. Mark Welch details the MT 160 and gives you as good an idea as anyone could about what this machine will and won't do.

-Glenn Hartwig, Technical Editor, Reviews

A Picture's Worth:



- ANSI STANDARD CONFORMANCE
- SOFTWARE COMPATIBILITY
- COLUMNS, WINDOWING 80/132
- AGES OF HEHORY STANDARD (UP TO 8)
- PROGRAMMABLE FUNCTIONS
- ASCII AND APL MODELS

graphics at a new low price!

- ILTRA-THIN KEYBOARD
- LUTION AMBER PHOSPHOR performance

****** GRAPHICS CAPABILITIES ******

- HIGH PERFORMANCE GRAPHICS
- TEKTRONIX 4010 COMPATIBILITY
- AUTOHATIC SCALING (1023x1023) TH 250x512 RESOLUTION
- PHA HODE (35 LINES x 73 COLS)
- OPTIONAL JOYSTICK
- CONNECTION TO LOW COST PRINTER FOR GRAPHICS HARDCOPY
- ASCII AND APL CHARACTER SETS
- BLOCK FILL, DOTTED/DASHED LINES





1190 **CONCEPT GVT+** Graphics Display Terminal

'Small quantity price

human designed systems, inc

Whether used in video display mode or in its high-performance graphics mode, Human Designed Systems' GVT+" Graphics Display Terminal offers more user friendliness, more design features, and more advanced functionality to optimize productivity - and encourage creativity - for the terminal operator, interactive user, and applications developer than any other terminal available today.

Atlanta — (404) 391-9763; Boston — (617) 449-6446; Chicago — (312) 825-2960; Dallas — (214) 437-1888; Delaware — Infocon: (302) 239-2942; Denver — (303) 469-1953; Detroit — (313) 471-2807; Hawaii — Gray Associates; (808) 261-3751; Houston — (713) 952-1403; Los Angeles — (213) 410-9454; Northern New Jerssen — Infocon: (201) 624-1372; New York City Area — Infocon: (212) 669-8833; New York State — Nacce Electronics: Rochester; (716) 223-4490; Synacuse; (315) 699-2651; San Francisco — (415) 692-4184; Washington, DC — International Systems Marketing; (301) 279-5775; Argentina — Itron SA (01) 774-9369; Australia — Computer Clarity Pty. Ltd.: (02) 241 3385; Belgium — BELCOMP: 091-31.52.22; Canada — CALL Systems: Toronto: 03 (365) 0825; Portugal — Soc. Com. Crocker, Dellatorce Co. Ltd.: 1-680141; Singapore — DTS Singapore: 33-88-566; South Africa — Psitec (Pty.) Ltd: (11) 836-9181; Switzerland — Mather and Methadel Systems Ltd.: 2407-2027; Venzuela — H. Blohm SA: 2541.21.22; West Germany — COMKO Computersystemges, mbH: 221-48 30 51. INTERNATIONAL DISTRIBUTORSHIP INQUIRIES INVITED.

Inquiry 140

$R \cdot E \cdot V \cdot I \cdot E \cdot W \cdot E \cdot R'S = N \cdot O \cdot T \cdot E \cdot B \cdot O \cdot O \cdot K$

wo software packages for laboratory data acquisition tie in with this month's theme, computing in the sciences. Up for future review are Labtech Notebook, from Laboratory Technologies Corp., 328 Broadway, Cambridge, MA 02139, (617) 497-1010; and Asyst, from Macmillan Software Co., 866 Third Ave., New York, NY 10022, (212) 702-3241, Also slated for closer scrutiny in upcoming issues is the software provided by various A/D (analog-to-digital) board manufacturers. Those companies include Tecmar, 6225 Cochran Rd., Cleveland, OH 44139, (216) 349-0600, maker of the Labmaster board: and Data Translation, 100 Locke Dr., Marlboro, MA 01752, (617) 481-3700. While the A/D board makers seem to concentrate on producing driver software, the two packages first mentioned are integrated data-acquisition and data-analysis software.

Beginning with hardware requirements, there are key differences between the two main packages. The Labtech Notebook (which Data Translation also markets, under the name DT Notebook) *can* use the Intel 8087 math coprocessor chip; the Asyst package *requires* it.

There are other differences between the two. Asyst supports complex number types, while Labtech Notebook does not. Asyst includes a wide variety of statistical-analysis options, while Labtech Notebook is more limited. Asyst includes routines to calculate polynomials, to operate on vectors and matrices (including matrix inversions), to determine the eigenalues and eigenvectors of a matrix, o fit data to curves using leastjuares approximations and multiear regression, and to do fast urier transforms (including twonensional forward and inverse sforms). Labtech Notebook lacks these sophisticated mathematical functions. Arguing on behalf of Labtech Notebook is its ability to continuously stream input data to disk up to the limit of mass-storage space. Additionally, Labtech Notebook (written in FORTH-like MAGIC/L) is menudriven and easy to use, while Asyst is a FORTH extension and requires the use of FORTH syntax, making it more difficult for some people to use. Finally, Labtech Notebook supports a wider variety of A/D boards. Both packages, however, support curve fitting.

Labtech Notebook uses Lotus 1-2-3 or similar products to do its graphing (except for real-time graphing, which is built in) and requires a spreadsheet or user-written program to perform data analysis. What is good about this is that the data files are written in comma-delimited ASCII (American Standard Code for Information Interchange), which could be transported to most other software packages that include a user-written analysis routine. What is not so good is that we don't know many scientists who can so easily write good graphing routines that they actually want to spend time doing it. Further, Lotus 1-2-3 has been characterized as inappropriate for creating sophisticated analysis programs. You'll need to take a serious look at this Labtech Notebook/Lotus 1-2-3 interdependency if you're considering it for your application. Right now, being tied into Lotus's graphing capabilities strikes a number of people around here as providing less functionality than needed for serious laboratory data analysis.

Nor is Asyst a likely "white knight" for the scientist. True, it has everything you could want except continuous data acquisition, but it is so hard to use that some of the company's own demonstrators seemed to have learned their presentations by rote. At a recent demonstration in Washington, DC, they wouldn't vary the input data at the suggestion of the audience.

Neither of these packages is cheap. Asyst comes in three separate modules and is priced at \$1695 when all three are bundled together. The first module contains the system/ graphics/statistics routines, is required to run the other two modules, and costs \$795. The second module handles data analysis and costs \$495. The third takes care of data acquisition and sets you back another \$495.

Labtech Notebook is a single package and is less expensive in strictly relative terms—\$795. The catch is that you have to provide your own Lotus 1-2-3.

eporters are slowly realizing that R system crackers cannot magically break into any computer. They are more likely invited in by poorly designed security measures. One of the devices that has arisen from this purported problem is the call-back modem, a device that allows access only from a group of specially selected phone numbers. And the first to arrive here at BYTE is the GTX-100 secure modem, from Lockheed-GETEX, 86 South Cobb Dr., Marietta, GA 30063. This modem, which sells for about \$1000, can be set up so that nobody can call in to the system directly. You merely give it a password and the modem will then call you back after referring to a list of phone numbers in its memory. Unfortunately, the modern is not completely compatible with the Hayes modem, so some software may not work with it, but it seems to be a pretty interesting idea.

-Glenn Hartwig, Technical Editor, Reviews

Hayes sets the standard for personal computer communications. Again. Smartmodem 2400.

The new fast mover from Hayes. The telecomputing

leader. When it comes to communications products for personal computers, we're the leader! Hayes Smartmodem 1200[™] set the industry standards for quality, reliability and performance.

ARTMODEM 2400

HS

AA

Now our new, faster Smartmodem 2400 goes even further to lower telephone line costs and improve user productivity. So, at twice the speed of a 1200 bps modem, it quickly pays for itself in any highvolume communications operation.

Smartmodem 2400 provides a quick link to minis and mainframes. Both synchronous and asynchronous transmissions are supported by an advanced version of the well-known Hayes "AT" command set. You can download from the IBM mainframe at the home office. Send data to the mini upstairs. And guarantee accurate transmission with information services.

With worldwide communications in mind, Smartmodem 2400 was designed to meet CCITT international standards. It provides a fast, cost-effective way to transmit data between approved countries.

CD

OH

RD

SD

TR

New version of Hayes Smartcom II[®] communications software creates a complete tele-

computing system with Smartmodem 2400. Our new Smartcom II, Version 2.1, is available for the IBM* PC and many popular compatibles. Smartcom II makes the most of Smartmodem's exceptional features, at the same time it makes communicating easy for you. And, if you're currently using an earlier version of Smartcom II, Hayes offers a \$25 upgrade to Version 2.1.

So if you're looking for ways to streamline your communications, see your authorized Hayes dealer right away. For a hands-on demonstration of Smartcom II and our new Smartmodem 2400. Guaranteed to get you moving fast!

Hayes Microcomputer

Products, Inc., 5923 Peachtree Industrial Blvd., Norcross, Georgia 30092, 404/441-1617.

MR

Smartmodem 2400

Direct connect • Asynchronous and synchronous communications
Accommodates Hayes-compatible modems of slower speeds
Meets CCITT worldwide standards • Keyboard control of all communications parameters • High speed indicator • Voice/data capabilities • Call progress monitoring • Two-year limited warranty with optional four-year extended warranty available.

Smartcom II

 Hayes Verification and XMODEM protocols
 Emulates DEC* VT52 and VT100/102
 Totally unattended operation
 Voice/data capabilities.



Smartcom II is a registered trademark and Smartmodem 2400 and Smartmodem 1200 are trademarks of Hayes Microcomputer Products, Inc.

Trademarks of their respective companies. ©1985 Hayes Microcomputer Products, Inc.



S·O·F·T·W·A·R·E R·E·V·I·E·W

NewWord

A WordStar clone with significant improvements

BY JOHN HEILBORN AND NANCI REEL

John Heilborn (POB 20102, Castro Valley, CA 94546) is president of ThinkWorks Inc., and Nanci Reel (6700 Southwest 105th St., Suite 200, Beaverton, OR 97005) is a technical writer for Teneron Corporation. ordStar, the archetypal word processor, is a versatile textmanipulating tool, but it can be difficult to master. NewWord, developed by NewStar Software, retains the strengths that have made WordStar popular while addressing most of WordStar's shortcomings.

NewWord, available for the IBM PC, PCcompatibles, and CP/M-80 systems, is priced at \$249. Functionally, NewWord is similar to WordStar—it was, in fact, designed by some of the same people—but it is not merely a WordStar clone. And although it is not perfect, NewWord offers some significant advantages over WordStar.

WordStar's delete commands (Control-G, Control-T, Control-Y) are permanently destructive; when you delete something, it's gone forever. If you change your mind (or if you erase accidentally), you need to retype. To make matters worse, Control-Y (delete line) is right next to Control-T (delete word), so you can easily delete an entire line by mistake.

NewWord has an undo command (Control-U) and an "unerase" buffer. This command will usually undo whatever the last command did. For example, it will unerase a block that you erased with the command Control-KY. You can set the size of the unerase buffer during installation. Its original setting is 255 characters, or about 10 words.

When you request a document to edit, WordStar does not check to make sure that you typed the name correctly. If you misspell a document name, WordStar assumes that you want to create a new document. You have to abandon your misspelled file with Control-KQ. On the other hand, NewWord looks for the document and asks for verification if the entered name does not match a file in the disk directory. This eliminates abandoning empty files inadvertently created when you try to retrieve an existing document for editing.

When WordStar saves a file during editing (Control-KS), the cursor returns to the top

of the document, not to where you were editing. You must then use Control-QP to move the cursor back. NewWord returns the cursor to your editing location without extra keystrokes.

PRINT FEATURES

In general, WordStar displays a document on the screen that looks exactly the way the printed page will look. Unfortunately, it also displays the control commands that you have to insert before and after text to turn boldface, underline, and other print features on and off. WordStar does have a special command that hides these commands, but it prevents you from seeing the control codes. You might forget where they are or leave out a trailing command and, for example, italicize the remainder of your document.

NewWord can display special print options such as boldface, underline, and strikeover on the screen if your terminal supports this capability. And NewWord's search function recognizes these embedded print control characters. For example, you can find all the boldfaced words and change them to underlined words; with WordStar, you have to conduct such a search visually without program support.

Another feature WordStar lacks is the ability to print more than one copy of a document at a time unless you buy the MailMerge program at extra cost. NewWord, however, includes the option of printing multiple copies of a document via a selection from the print menu. Also, you do not need an extra program to create form letters and perform other merge-printing tasks. NewWord has a merge-print function with features and commands similar to Micro-Pro's MailMerge, and advanced features such as conditional merge-print commands.

RULERS AND HEADERS

WordStar has other shortcomings that might be visible only to advanced users. For (continued)

REVIEW: NEWWORD

AT A GLANCE

Name

NewWord

Туре

Word-processing software

Manufacturer


NewStar Software Inc. 1601 Oak Park Blvd. Pleasant Hill, CA 94523 (415) 932-2278


Price

\$249

Format

51/4-inch floppy disk, PC-DOS (MS-DOS) and CP/M





Language

Computer

tutorial

Audience

SAVE (SEC)

40

30

20

10

machine language

microcomputers

Documentation

8080 machine language or 8086/8088

420-page manual, Read Me First (23

pages), Pocket Reference flyer, and disk

Business and home users of microcom-

puter word-processing software who re-

24.9

21.9

quire advanced features

232

MS-DOS- and CP/M-80-based

Document Load measures how long it takes each word processor to load a standard 4000-word document from disk. Document Save measures how long it takes to save the document to disk. Search measures the time it takes to find the last word in the document. Scroll measures how long it takes to scroll through the document manually.

example, in WordStar a "ruler" indicates left and right margins and tab stops. If you use several rulers within a document, you must embed each ruler in the text of your document. Each time you edit a document with several rulers, you must use a special command to turn on the new rulers as you encounter them.

NewWord allows more flexible use of multiple rulers. When you edit, NewWord automatically changes the ruler line every time it encounters a new ruler (when moving either forward or backward through a file). The command Control-OO inserts a copy of the current ruler into your text, and the factory setting lets you use up to six rulers per file, although you can increase the number during installation.

NewWord also lets you use up to three lines in page headings and footings, where WordStar limits you to single lines.

PRINTER INSTALLATION

WordStar operates with a wide variety of printers but usually does not take advantage of their most sophisticated capabilities, such as proportional spacing (with microjustification) and italics, without assembly-language patches to the printer drivers. Also, if you have more than one printer hooked up to your system (for example, a dot-matrix printer for drafts and a letter-quality printer for final copies), you need to customize a WordStar disk for each printer and load the appropriate one.

NewWord lets you attach more than one printer to your computer and select the right one when you are ready to print. NewWord accomplishes this with multiple printer drivers, including dot-matrix. letterquality, and electronic typewriter drivers, which are available as overlays. This package uses the advanced capabilities of the printers supported, including microjustification, variable character width and line height, and alternate pitches on the same line.

OTHER FEATURES

NewWord's IBM PC version (with DOS 2.0 or higher) protects a document

when you use the opening menu's C command. You cannot edit or delete a protected document.

NewWord also lets you find a particular page using Control-QP.

The ControlT command (delete word) works differently in NewWord than in WordStar. WordStar treats a punctuation mark as part of a word; if you use ControlT to delete the word "end." the trailing period is deleted with the word. NewWord deletes the word but not the period.

A minor difference between New-Word and WordStar is that NewWord's left-arrow key is a destructive backspace (WordStar's is nondestructive).

Finally, in NewWord you can set the right margin to 255 (WordStar's limit is 240). The wider margin is not significant for most applications, but it might be important in yours.

DISADVANTAGES

You have to give up some WordStar features for NewWord's improvements. For example, you can't print a document while editing (Control-KP). This is NewWord's most serious flaw. Even when you use a print spooler, printing a long document requires a fair amount of time before the program accepts additional input.

You can change logged disks while editing, but NewWord can't turn on the file directory (Control-KF in Word-Star), so you can't see what's on your disk. For a way around this, issue the command Control-KJ (delete file). NewWord will display the directory of the currently logged disk and prompt you for the name of the file to delete. You can check the directory of the currently logged disk and cancel the command with Control-U; NewWord won't delete anything.

The R command, which temporarily returns you to DOS and runs a program, is missing from NewWord, and NewStar Software has no plans to add it to NewWord's vocabulary. If you want to format a blank disk from within NewWord, you're out of luck.

Another missing command is Word-Star's "repeat this key" (Control-Q Control-Q*). Also, NewWord doesn't separate program messages and text clearly, which often makes the screen display confusing.

USING NEWWORD

Like WordStar, NewWord uses a multiple-menu-oriented command structure, but because NewWord's menus are less cluttered, they are easier to read (see photo 1).

When you begin program execu-

(continued)

tion, NewWord presents an opening

Newstar_Deno_-Not_For a document to change, change logged disk drive meate a new document rename a document create or change non-document print a document delete a documen print a document directory off uwent with Newword (exit) (1a)ENU >>> Susten Com PRINT a file to system WordStar Options MailMerge SpellStar locument file (1b)

Photo 1: (a) NewWord's opening menu compared with (b) WordStar's no-file menu.




Photo 2: (a) NewWord's edit menu compared with (b) WordStar's main menu.

menu (older versions of WordStar call this a no-file menu). You select one of the activities listed by typing a single character.

If you select D or N, you enter edit mode (see photo 2). Once you are in the edit mode, the edit menu (called the main menu in WordStar) appears on the screen. From this menu, you access commands by pressing the Control key and entering a character. The four commands labeled EXTENSIONS (Control-O. Control-K. Control-P. and Control-O) are for submenus. Pressing these commands calls submenus that let you select the third character required for each command sequence. If you are familiar with NewWord, you can enter the commands without waiting for the submenus.

Fortunately, NewWord can read and edit WordStar files without conversion or translation. The program can also use some of the same auxiliary programs; for example, we use the same print spooler we use with WordStar.

PERFORMANCE

We tested NewWord version 1.29, which is available for the IBM PC and compatibles (we used a PC, PCjr, and Compag) and for CP/M-80 systems (we used a Morrow MD-11). Some improved versions are available: version 1.40 for the IBM PC and compatibles is slightly faster than 1.29 and contains some minor program changes, and version 2.0 for CP/M-80 systems contains the column block-move feature, which NewStar reports will be available soon (two to three weeks) for IBM PC users. [Editor's note: We used New-Word version 1.43 to perform our benchmark tests.

Unlike WordStar, NewWord uses no

overlays except the printer driver. In cases where WordStar must load an overlay to perform a function, New-Word's performance is faster. Overall though, we judge WordStar to be faster than NewWord on the IBM PC and compatibles and slightly slower on the CP/M computers. See table 1 for data on the IBM PC, and John Heilborn's article "The Morrow MD-11" (September 1984 BYTE, page 325) for benchmarks using CP/M systems (in table 2, page 334).

INSTALLATION

The NewWord installation procedure is long (13 pages of step-by-step instructions) and critical, because the custom installation procedure is also the copy-protection scheme. Prior to this installation (called "unlocking") the software won't run on any computer. In order to unlock the software, you have to call a special 800 number maintained by NewStar. After unlocking, the software runs only on the machine on which it was installed.

The unlocking procedure is described in *Read Me First*, a 13-step instruction guide accompanying New-Word. The steps are clearly stated and even an inexperienced novice could follow the guidelines.

To customize NewWord to fit your own needs, NewStar has included a utility called NWINSTAL, a customization program. Like NewWord, NWINSTAL is menu-driven. Some users will need to use the utility to install special terminals and printers (the default terminal is a TeleVideo 925). The program is easy to use and well documented; the menus are comprehensive but not intimidating. NewWord's many customization options are described in the manual's Nuts and Bolts section. The organization of this section could use work (and there are several typographical errors) but, in general, the guidelines for using NWINSTAL are clear.

NewWord includes another utility program called NWCOLOR that lets you customize the screen display for a color monitor. You can select any one of eight colors for the foreground and background of text display, as well as high intensity (boldface), blinking, and blinking boldface mode for the foreground. You can display text in seven different ways and change any or all of them. NWCOLOR makes it easy to play with possibilities.

DOCUMENTATION

NewWord's documentation includes a 420-page manual divided into three major sections: Do It Yourself, a tutorial that is organized into 12 sections, each covering important wordprocessing tasks; Nuts and Bolts, a customization guide; and NewWord Encyclopedia, a reference manual. The manual was written for the CP/M version and has not been updated for the MS-DOS version, so it does not include the information required to make full use of some of NewWord's enhancements (such as built-in special printer drivers and programmable function keys).

NewWord also includes the aforementioned Read Me First, a disk tutorial for word-processing novices, a Pocket Reference flyer, and a Do-It-Yourself supplement that describes conditional merge-print dot commands.

CONCLUSIONS

NewWord has some features Word-Star users have longed for (such as sophisticated yet flexible printer control and the undo command, which reverses whatever you just did). However, NewWord is not perfect. It can be slower than WordStar and it doesn't have some of the capabilities you might be dependent on if you've used WordStar more than casually. But at \$249, NewWord is useful enough so that the lack of a few features is tolerable. ■

 Table 1: A comparison of benchmarks for NewWord, WordStar, and Volkswriter

 Deluxe.

Benchmark	NewWord 1.43	WordStar 3.3	Volkswriter Deluxe
Document Load	19.76	9.9	22.0
Document Save	23.17	24.9	21.9
Search	10.75	10.5	7.0
Scroll	1:21.45	41.2	30.1



$S \cdot O \cdot F \cdot T \cdot W \cdot A \cdot R \cdot E = R \cdot E \cdot V \cdot I \cdot E \cdot W$

Janus/Ada

A useful nonstandard tool for learning Ada

BY MARK J. WELCH

da is the U.S. Department of Defense's "Language of the Future." Although the DOD ordered that all defense contractors use Ada beginning this year, a lack of available, proven compilers has delayed its wide use. Whether or not you agree with the DOD that Ada is the best language, it will soon be the language of preference for government work. The DOD hopes that using a single standardized language will reduce maintenance costs for software.

Microcomputer owners seeking to learn Ada will likely feel a sense of despair, since the compilers available for microcomputers are either partial implementations or nonstandard subsets of the full Ada language.

RR Software's Janus/Ada (version 1.4.7) is a nonstandard subset of Ada for MS-DOS and CP/M-80. Janus lacks most of the features that distinguish Ada from other highlevel languages, and it includes a number of nonstandard features.

However, Janus is a useful tool for learning about a complex programming language; those who have tried realize how hard it is to learn any programming language by reading even the best books or magazines. For a written overview of Ada, see Sabina H. Saib's two-part tutorial, "An" Ada Language Primer," in June 1984 BYTE, page 131, and July 1984, page 139.

I used the MS-DOS version of Janus for the IBM PC. I am not an experienced Ada programmer; most Janus/Ada buyers will probably be in the same situation.

Ada was originally designed for real-time applications like guiding missiles or processing radar data. I don't have access to guided missiles and Janus doesn't implement Ada's concurrent tasking, so I wrote sample programs exercising Ada's usefulness as a general-purpose language. Since Janus doesn't have built-in graphics libraries, I wrote a simple text-based adventure game.

I had written a similar adventure game in BASIC in about 10 hours. Programming the game in Janus/Ada took quite a bit longer, perhaps due to my lack of experience. However, the resulting code was more structured and easier to understand and update later.

I am familiar with Pascal, the language Ada most resembles. Pascal programmers should have an easier time learning Ada than those experienced in other, less structured languages. A warning, though: the similarity between the languages is also confusing. I was often slow to locate an error because the illegal Janus/Ada line resembled valid Pascal code.

Included with the compiler are several sample Janus/Ada programs translated from Pascal. While none of the programs are noteworthy, they show how some functions are implemented.

After compiling several of the included packages, I wrote a simple program of my own to print a message, read a line of text, and echo it. It took four hours and a phone call to RR Software before I could compile the program.

JANUS IS NOT ADA

Janus is not an entirely accurate subset of Ada. The problem I battled for hours involved parameter calls. Standard Ada lets you call any function or procedure that assumes default parameter values by invoking its name. Janus—like an earlier version of Ada—requires that you add an empty set of parentheses so the use of default parameters is explicitly stated.

Because Janus doesn't use standard Ada strings, it does not have a simple way to read in a string with the valid Ada procedure:

get(word);

or

get_line(word);

Instead, Janus excludes strings from the get procedure. You must use the get_line function instead of the get procedure. This (continued)

Mark J. Welch is a BYTE staff writer. He can be contacted at POB 372, Hancock. NH 03449.

AT A GLANCE

Name

Janus/Ada Compiler

Туре

Ada programming language subset compiler

Manufacturer

RR Software Inc. 2718 Dryden Dr. POB 1512 Madison, WI 53701 (608) 244-6436

Price

\$300 for CP/M-80 (not reviewed) \$500 for MS-DOS \$700 for MS-DOS with tools disk

Format

Three 51/4-inch double-sided floppy disks (compiler, linker, and tools)

Documentation

237-page loose-leaf manual in three-ring binder

Audience

Applications software developers, Ada programmers, aspiring Ada programmers

makes any program that uses 1/O (input/output) nonstandard Ada. To read a string, you must call the get____ line function:

word := get_line();

Note the required parentheses.

To make finished code look more like standard Ada, 1 created simple procedures to hide these nonstandard calls; if you compile such a program with a more complete Ada compiler, you need to change only these procedures.

Janus's nonstandard array handling also creates problems. You can create patches to cover some missing features, but some of Ada's elegance is lost. For example, the valid Ada array assignment:

$$y(1..10) := x(1..10);$$

will copy each element of x(i) into the corresponding y(i) element. This won't

work in Janus because Janus doesn't implement array or string "slicing." That is, it cannot access groups of array elements. If x and y are non-string arrays, the following replaces the above code:

for i in 1..10 loop y(i) := x(i); end loop; -- for i

If x and y are strings, the job is tougher. An appendix to the manual explains several nonstandard substring functions and procedures. To do exactly the same as the original, I'd have to use:

y := extract(y,11,length(y));insert(y,extract(x,1,10),1);

where the first line removes the first 10 characters of y and the second inserts the first 10 characters of x into the beginning of y. Somehow this lacks the simple elegance of the valid Ada array assignment.

SEPARATE COMPILATION

Any Ada or Janus code can easily be bundled off in a separate segment and separately compiled. By doing this, several programmers can develop code independently, each knowing only the names and parameters of the subprograms the others are developing. Any changes made to the subprograms later will require only that dependent segments be recompiled and the program relinked with a minimum of debugging.

THE COMPILER

The compiler makes four separate passes; I've only experienced errors on the first three. Much information is echoed to the screen, most of it useless to the typical user; during each pass of the source or intermediate code, screen symbols show that the compiler is working.

When the compiler finds an error, it displays the guilty line and the line preceding it along with the line number; it points out the error and displays a fairly helpful error message.

Run-time errors are more confusing. When an error occurs during run time, the system merely displays the error message and line number. Since my text editor isn't line-oriented, I had to count lines to find the error—not an easy task when the error is in line 675.

Each compilation takes from two to five minutes, depending on the length of the file and on whether the file being compiled is merely a specification or includes executable code. Long files can be broken into segments for separate compilation; this is helpful when a single procedure must be recompiled many times during debugging. After all segments are compiled, you can link the main program and generate a .COM file. Like most compilers, Janus/Ada generates .COM files that are longer than the source code because library subprograms are linked into the file as well.

BENCHMARK PERFORMANCE

Janus/Ada is not an optimized compiler, nor does it optimize the code it generates. This is forgivable given its price and the speed with which it was brought to market. Still, it needs substantial performance improvements before I would use it for commercial software development.

The Sieve program in Ada compiled in 184.7 seconds, linked in 15.1 seconds, and ran in 29.4 seconds. Most, if not all, other language compilers on the IBM PC generate faster code more quickly. (RR Software includes with the compiler a version of the Sieve program translated from Pascal to Ada that is different from the BYTE Ada Sieve benchmark.)

The floating-point benchmark (listing 1) compiled in 184 seconds, linked in 15.8 seconds, and ran in 2.6 seconds. In this case, execution time was faster than the speed of several C compilers, although compilation speed was slow by comparison. Note that an 8087 coprocessor was used and that Janus can use floating-point numbers on the IBM PC only if it is equipped with this math coprocessor; no provision is made for floating-point arithmetic in software.

A benchmark that computes Fibonacci numbers wouldn't run when translated because Janus/Ada doesn't support 16-bit unsigned integers; they cause a run-time error when the highest value is computed. When rewritten to use Janus's long___integer type, a stack/heap overflow occurs because Janus uses only 64K bytes of memory for data. (It uses another 64K bytes for code.) The Ouicksort and IOfile programs used in benchmarking compilers also use long integers but were not benchmarked.

Janus's long__integer type was not easy to figure out, even after several calls to RR Software. The manual notes that long__integer is a standard type, but in fact you must use a separate library package called LONGOPS. Copies of the library packages are included on disk, a fact I discovered only after calling the company several times.

Janus long_integers can't be manipulated like integers, since they're essentially user-defined types; addition or type conversion has to be done using one of the functions in LONGOPS. As a result, a program using long_integers in Janus looks radically different from one using integers in a more standard compiler. Listing 2 shows the Fibonacci program in standard Ada; an overflow error is generated because the 24th Fibonacci number is a 16-bit unsigned number and Janus supports only 15-bit unsigned or 16-bit signed integers. Listing 3 shows the program converted to use the type long_integer in Janus; a heap overflow occurs because of the deep recursion and large data space required.

DOCUMENTATION

The Janus/Ada manual follows the format of Ada's military standard reference manual: each section mimics the reference manual and discusses any differences between Janus and Ada. The manual warns that it is not a complete guide and suggests that you have a copy of the Ada reference manual and an Ada textbook.

The Janus manual refers to the Ada reference manual of 1980, which is no longer accurate; changes were made during the ANSI (American National Standards Institute) review process, (continued)

```
Listing 1: The floating-point benchmark program translated from the C version.
package body floatbch is
  const1 : constant float := 3.141597E0;
  const2 : constant float := 1.7839032E4;
  count : constant integer := 1000;
  a, b, c : float;
  i: integer;
begin -- float main program body
  a := const1;
  b := const2;
  for i in 1..count loop
    c:= a * b:
    c := c / a:
    c := a * b;
    c := c / a;
    c := a * b;
    c := c / a;
    c := a * b;
    c := c / a:
    c := a * b;
    c := c / a;
    c:= a * b;
    c := \cdot c / a;
    c := a * b;
    c := c / a;
  end loop; -- for i
  put ("Done"); new_line;
end floatbch:
```

Listing 2: The Fibonacci benchmark program in the standard Ada language translated from the C version as printed in BYTE, June 1984, page 307.

```
package body fibo is
  ntimes : constant integer := 10; -- # of times to compute fibonacci value
  number : constant integer := 24; -- biggest we can compute in 16 bits
  value
         : integer;
           : integer;
  i.
  function fib(x: in integer) return integer is
  begin
    if x > 2 then
      return (fib(x -1) + fib(x -2));
    else
      return 1:
    end if;
  end; -- function fib
begin -- fibo
  put(ntimes);
  put(" iterations: ");
  new_line;
  for i in 1...ntimes loop
    value := fib(number);
  end loop; -- for i
  put("fibonacci(");
  put(number);
  put(``) = `');
  put(value);
  new_line;
end: -- fibo
```

Listing 3: The Fibonacci benchmark program translated from C (BYTE, June 1984, page 307) into Janus/Ada using the necessary long_integer type.

with longops; package body fibo is use longops; ntimes : constant integer := 10; # of times to compute fibonacci value
number: constant long_integer := lint(24); biggest we can compute in 16 bits
<pre>one : constant longinteger := lint(1); two : constant longinteger := lint(2); value : longinteger;</pre>
i longinteger;
function fib(x: in longinteger) return longinteger is begin
if Lgt(x,two) then return Ladd(fib(Lsub(x,one)),fib(Lsub(x,two)));
else
return one; end if:
end i, end; function fib
begin fibo put(ntimes);
put("iterations: ");
newline;
for i in 1ntimes loop value := fib(number);
end loop; for i
put ("fibonacci(");
put (L_to_Int(number));
put ('') = ''); put (L_to_Int(value));
new_line;
end; fibo

Table 1: A partial list of unimplemented or nonstandard features of Janus/Ada.

ltem	Purpose/Difference
Slices	Allows references to sections of arrays or strings Example: <i>a</i> (15)
Strings Named/default parameters	Not Ada standard (dynamic length)
Tasks Exceptions Generics	Ada's multitasking facilities Exception/error-handling facilities Subprograms can be easily redefined for new data types Example: procedure EXCHANGE (u,v: in out ELEM) is t: ELEM; begin t:= u; u:= v; v:= t; end EXCHANGE; procedure swap is new EXCHANGE (character); procedure swap is new EXCHANGE(ELEM => integer);

You need to rewrite Janus programs to run on an Ada compiler.

and the true Ada is now reflected in the reference manual of January 1983. (Like its manual, Janus conforms to the earlier version of Ada.)

A fairly complete index is included in the manual, but some items are omitted. When I tried to learn about string-handling routines, for example, I found that section 15—which includes the list of string functions—was not in the index under "string."

As noted above, the manual says that long__integer is a standard type, although it isn't. RR Software admits that the manual (version 3.2) is behind the compiler.

SUMMARY

The Ada Joint Program Office (AJPO) insists that any partial implementation of Ada be so marked and all missing features be clearly identified. RR Software includes a list of implemented and unimplemented features in its brochure and its documentation. Some of the most significant missing features are listed in table 1.

While missing Ada features make experience with Janus less helpful to programmers, its nonstandard implementations of other features can be downright confusing. String and file handling are nonstandard, which means that you will need to rewrite almost all Janus programs in order to run them on a valid Ada compiler.

RR Software expected the next version of Janus/Ada to be available in the fall of 1984 and said that many extensions and changes would be made to the compiler. The new version might be available by the time you read this article.

While Janus is not a true implementation and lacks many of Ada's features, it is a useful, inexpensive tool for those wishing to learn the language before true Ada compilers are available for microcomputers.

JUKI® 6300: THE SPEED OF A BEE ONE HONEY OF A PRICE-\$995!

It's the buzz of the industry—our new letter-quality printer that zips along at **40 characters per second** and sells for less than a thousand dollars! Its 13" print line will handle your spreadsheets and every imaginable kind of correspondence—plus graphics! Quiet, too less than 60 dbA. And the 3K buffer memory (expandable to 15K) lets you use your computer for other purposes while the JUKI is printing. Compatible with most computers. (You can even get an optional tractor feed and cut-sheet feeder for it!) Now you know why JUKI printers are humming in offices all over the world!

The worker. JUKI OFFICE MACHINE CORP.

JUKI

EAST COAST: 299 Market St., Saddle Brook, NJ 07662 (201) 368-3666

WEST COAST: 23844 Hawthorne Blvd., Suite 101, Torrance, CA 90503 (213) 373-9060

FEBRUARY 1985 . BYTE 299

C Is The Language. Lifeboat Is The Source.



Lifeboat._{TM} The Leading Source And Authority For Serious Software. 1-800-847-7078.

In NY State: 212-860-0300

Serious Software For The C Programmer From Lifeboat...

Lattice[®] C Compiler: The serious software developer's first choice.

Selected for use by IBM,[®] Texas Instruments, Wang,[®] MicroPro,[®] Ashton-Tate,[™] IUS/Sorcim,[®] Microsoft[®] and Lotus[™] to name a few of the many. Why? Lattice C is clearly the finest 16 bit C compiler available today.

- -Renowned for speed and code quality.
- -Fully compatible with the C standards set forth by Kernighan and Ritchie.
- -Four memory model options offer you unsurpassed control and versatility.
- -Superior quality documentation.
- -Now includes automatic sensing and use of the 8087 chip.
- -Widest selection of supporting add-on packages.

Halo[™]: A graphics development package rapidly emerging as the industry standard.

- -140 graphics commands including plot, line, arc, box circle and ellipse primitives, bar and pie charts; pattern fill and dithering commands.
- -New: multiple viewports and "stroke text" for angling, scaling and filling text.

C Food Smorgasbord^m: This beautifully written collection of C functions is a valuable time saver.

-Library includes a binary coded decimal arithmetic package, level 0 I/O functions, a terminal independence package, IBM PC ROM BIOS access functions and much more.

Pmate^M: The premier editor for the programming professional.

Pmate is a full screen editor with its own powerful macro command language:

- -Perform on screen row and column arithmetic, alphabetize lists,
 - translate code from one language to another, call up other macros.

-Customize Pmate almost any way you like.

- -Contains 10 auxiliary buffers for storage of macros, text, subroutines.
- -An "undo" feature allows the programmer to retrieve whole series of deleted items.

Additional C Tools Panel[™]: Screen formatter and data entry aid. Available From Lifeboat: Lattice Windows[™]: Windowing utility; create "Virtual Screens." Plink-86[™]: The popular linker; includes extensive overlay capabilities. Pfix86[™]: Dynamic debugging utility. Pfix86 Plus[™]: Symbolic debugger with capacity to debug overlays. Btrieve[™]: Database record access/retrieval library. Phact: Multikeyed ISAM C-Function library. Fabs: Fast access B-tree database function library. Autosort: Fast sort/merge utility. ES/P: 'C' program entry with automatic syntax checking and formatting. Greenleaf Functions[™]: Library of over 200 popular C functions. And much more. YES! Please rush me the latest FREE Lifeboat_{TM} catalog of C products. Business Phone____ Company Name Title Name Address Citv State_ Zip Please check the category where Lifeboat can best help you: □ Software development □ Corporate **Education** Dealer/distributor Government Other. Call Direct: 1-800-847-7078 (In NY State: 212-860-0300) Return coupon to: Lifeboat AssociatesTM

1651 Third Avenue, New York, NY 10128.

© 1984 INTERSOFT CORPORATION

FEBRUARY 1985 . BYTE 301

B/2



$S \cdot Y \cdot S \cdot T \cdot E \cdot M = R \cdot E \cdot V \cdot I \cdot E \cdot W$

The Epson Geneva PX-8

Epson

strikes back

BY RICH MALLOY

he Epson Geneva PX-8 (see photo 1) has a low-power CMOS (complementary metal-oxide semiconductor) version of the Z80 processor, 64K bytes of CMOS memory, 32K bytes of permanent ROM (read-only memory), an 8-line by 80-character LCD (liquid-crystal display), a rechargeable battery, a full-size keyboard. and a microcassette drive. In addition, the PX-8 comes with a full complement of software: the CP/M operating system (version 2.2), WordStar, CalcStar, BASIC, a scheduling program, and a communications program. This package (\$995), in combination with a healthy supply of expansion hardware, makes the PX-8 a good second computer, especially for people with CP/M systems.

HARDWARE

At five pounds and with physical dimensions just slightly larger than a heavily packed three-ring binder, the PX-8 is quite at home in a briefcase. With its LCD folded tightly and a plastic cover over its keyboard, it is fairly well protected for the ordeals of the road. There is even a large plastic handle that slides out near the keyboard. When you want to use it, the cover quickly slides off and the display unfolds to the desired angle, revealing a speaker and microcassette drive.

On the rear panel of the PX-8 are several ports: an RS-232C DIN (Deutsche Institut für Normung, the German standards organization) connector, a serial DIN connector (for an optional floppy-disk drive), a connector for a bar-code reader, an external speaker connector, and a 50-pin expansion connector covered by a plastic strip. The power switch is conveniently placed on the right side of the unit.

DISPLAY

Rich Malloy is a senior technical editor for BYTE. He can be contacted at BYTE, 43rd Floor, 1221 Avenue of the Americas, New York, NY 10020.

The size of the Geneva's LCD is acceptable, but it is a little hard to read (see photo 2). You can adjust the display to whatever angle gives you the least glare and the most contrast, and you can adjust the screen contrast further by sliding a switch that's below the screen.

The PX-8 can display 8 lines of 80 characters each. (The characters are composed on a 5- by 7-pixel matrix inside a 6- by 8-pixel matrix.) However, lowercase letters such as g and y do not have descenders, and you can't display in reverse video (i.e., light character on dark background). The characters are much smaller and thinner than those on the TRS-80 Model 100, and the screen is slower, but the Epson does display twice as many characters.

The screen displays all 96 standard ASCII (American Standard Code for Information Interchange) characters plus 32 common graphics symbols (codes 128–159 decimal), which are compatible with *some* Epson printers but not with the IBM-compatible ones. Character sets are available for France, Germany, U.K., Denmark, Sweden, Italy, Spain, and Norway.

The PX-8's keyboard is similar to but better than the HX-20's (see photo 3). It has four cursor keys above the Return key and a Help key plus five function keys in the upper left. And there are indicators for caps-lock and num-lock features.

MEMORY

The PX-8 uses a low-power CMOS version of the Z80 microprocessor with a clock rate of 2.45 MHz. In tests with BASIC and Calc-Star, it appeared slower than most other office computers at calculating. The PX-8 also uses two slave processors. A 6303 controls access to the display, the external disk drive, and the application ROM chips, among other things. A 7508 works with the system clock and keyboard and controls the Geneva's alarm features.

The Geneva comes with 64K bytes of CMOS memory that is always *on*; even if the main battery fails, a small backup battery keeps the memory chips powered on for a week or so until you can recharge it. The only event that should clear memory is if

you press a special hidden reset button on the bottom of the machine and do a cold reboot. You can set part of the memory up as a RAM disk with a size of 2K to 24K bytes.

The operating system is held in 32K bytes of ROM. When you turn on the system, it replaces (bank-switches) the lower 32K bytes of RAM (random-access read/write memory) with this ROM. When you run an application, the system bank-switches the RAM back into this location. The net result is a virtual 96K-byte machine.

The machine has two sockets for ROM chips hidden under a panel on the bottom of the computer. The software bundled with the PX-8 comes on four 32K-byte ROM chips: one each for CP/M system utilities, WordStar, BASIC, and a combination of CalcStar and a scheduling program. Only two of these chips can be resident in the machine at one time.

Epson has done a good job of implementing a microcassette drive in the Geneva. Even though it looks and acts like a tape drive, the operating system sees it as a disk drive, albeit a slow one. It even has its own directory and drive specification (H:). However, it has some quirks. To save time, the system doesn't write the directory onto the cassette until you tell it that you are going to remove the tape. If you forget to tell the system, some data stored on the cassette will be lost.

A 60-minute cassette (30 minutes per side) stores up to 12 files and up to 60K bytes per side.

You can also use the microcassette drive much like a regular audio-tape drive. Under certain conditions, the programmable function keys can simulate the control keys on a cassette tape player. You can even use it to listen to your audio cassettes, but the volume is very low.

The PX-8 is powered by an internal nicad (nickel-cadmium) battery, which can supply full power for about 15 hours. (Use of the microcassette drive or serial port shortens this time.) You can recharge the battery with a small transformer that plugs into any power outlet. A full recharge takes about 8 hours, longer if you use the machine during the process.

INTERFACES

The Geneva has a number of interfaces for external peripherals. The most useful is probably the RS-232C serial port configured as a round eight-pin DIN jack. It has pins for all the most commonly used signals— GND, TD, RD, RTS, CTS, DSR, DTR, DCD, and FG (frame ground)—and a maximum speed of 19,200 bps (bits per second). You can use two protocols: SI/SO (shift in/shift out), which can transmit a full 256 characters over a 7-bit communications link, and XON/XOFF.

To use the RS-232C port you need to purchase a DIN/DB-25 converter cable (approximately \$25). Although we didn't test a large number of serial devices, we found the Geneva worked well with an Epson acoustic modem and with an IBM Personal Computer (PC) using a null modem adapter.

(continued)



Photo 1: The Epson Geneva PX-8 computer, shown with optional batterypowered 3¹/₂-inch floppy-disk drive. Note the internal microcassette drive located between the keyboard and the display.

The PX-8 has another similar connector labeled serial, which you can use to connect an external disk drive (at 38,400 bps) or a serial printer (at 4800 bps). It also has three other ports: an external speaker jack (in addition to the internal speaker), an analog input jack (which connects to an internal analog-to-digital (A/D) converter, 0-2 volts, 6 bits of resolution), and a connector for a bar-code reader. One interface noticeably absent is a parallel printer interface. Another desirable connection would be for a full-size 80- by 24-character display.

The PF-10 portable 3½-inch disk drive (see photo 1) is available for \$599. Powered by an internal battery, it is rechargeable by the same transformer that recharges the Geneva. The disk drive can store about 320K bytes on a 3½-inch microfloppy disk and connects to the PX-8 with a short



Photo 2: The display of the Epson PX-8. Under certain lighting conditions this 80-character by 8-line display can be difficult to read.



Photo 3: The keyboard of the Epson PX-8. In this picture the display is folded down over the microcassette drive. Note the second Control key to the right of the space bar and the caps-lock, num-lock, and insert-mode indicators above the zero key.

cable through the serial port. You can connect two disk drives in daisy-chain fashion. The data-transmission rate is 38,400 bps, slower than the parallel connections most disk drives use. When you purchase the disk drive, you also get the following familiar CP/M utilities: FORMAT, DISKCOPY, ED, DDT, ASM, LOAD, and DUMP.

EXPANSION

The Geneva has some other interesting accessories. All are wedge-shaped modules that attach to the bottom of the computer and connect through the 50-pin expansion bus. These modules add little to the size and weight of the unit and elevate the keyboard to a comfortable typing angle.

The first of these are memory-expansion modules (see photo 4), which come in two flavors: 60K bytes (\$329) and 120K bytes (\$460). Since the Z80 microprocessor can address only the basic 64K bytes of memory, the second and third 60K-byte segments are set up as a RAM drive.

A second add-on module is a directconnect, 300-bps modem (\$180). A third module combines that modem with 60K bytes of memory for \$360. We did not test either of these modules.

These expansion units all connect through the 50-pin expansion-bus connector on the back of the computer. This connector was not designed for easy access, but once you attach an accessory you probably won't have to touch it again.

SOFTWARE

The Geneva comes equipped with 128K bytes of software on ROM chips—four 32K-byte chips. The first one contains the BASIC interpreter; the second, some CP/M utilities; the third, Portable WordStar; and the fourth, a combination of Portable Calc (CalcStar) and Portable Scheduler. Only two of these chips can be present in the system at one time (see photo 5).

The Geneva's operating system has some interesting features. First, it all resides on yet another ROM chip, (continued)

AT A GLANCE

Name Geneva PX-8

Generalized

Manufacturer

Epson America 2780 Lomita Blvd. Torrance, CA 90505 (213) 539-9140

Size

11.7 by 8.5 by 1.9 inches (29.7 by 21.6 by 4.8 cm), 5.1 pounds (2.3 kg)

Components

Display: 80-character by 8-line LCD, 480- by 64-pixel graphics Keyboard: 72 keys, 4 cursor keys, 5 programmable function keys Processor: Z80-compatible, low-power CMOS version, 2.45-MHz clock speed Memory: 64K RAM; 6K RAM for display; 32K ROM (system); 64K ROM (applications) Power: Nicad battery rated at 15 hours, small transformer/recharger Options: 320K, 31/2-inch disk drive (\$599); 60K memory expansion (\$329); 120K memory expansion (\$460) 300-bps, direct-connect modem (\$180); combination 60K memory plus modem (\$360)

Software

CP/M 2.2, BASIC (Microsoft), Portable WordStar, Portable Calc, Portable Scheduler, TERM (communications)

Documentation


Five manuals


Price \$995





10

IBM PC









APPLE IIE


The Memory Size graph shows the standard and optional memory available for the computers under comparison. The graph of Disk Storage capacity shows the highest capacity of one and two floppy-disk drives for each system. The Bundled Software Packages graph shows the number of software packages included with each system. The Price graph

EPSON PX-8


shows the list price of a system with two highcapacity floppy-disk drives; a monochrome monitor; graphics and color-display capability; a printer port and a serial port; 256K bytes of memory (64K for 8-bit systems); and the standard operating system and standard BASIC interpreter for each system. Note that the price of the Epson does not include a disk drive.



The rear panel reveals (among other things) a speaker jack, an expansion bus, and an RS-232C port.



A look inside the PX-8 shows the processor chips (left) and the ROM chips (lower center).



The graphs for Disk Access in BASIC show how long it takes to write a 64K-byte sequential text file to a blank floppy disk and how long it takes to read this file. (For the program listings see June 1984 BYTE, page 327, and October 1984, page 33.) The Sieve column shows how long it takes to run one iteration of the Sieve of Eratosthenes prime-number benchmark. Note that the Epson could not run the Sieve test because of insufficient available memory. The Calculations column shows how long it takes to do 10,000 multiplication and division operations using single-precision numbers. The System Utilities graph shows how long it takes to format and copy a disk (adjusted time for 40K bytes of disk data). The file-copy test involved copying a file from one part of a floppy disk to another. The Spreadsheet graph shows how long the computers take to load and recalculate a 25- by 25-cell spreadsheet where each cell equals 1.001 times the cell to its left. The spreadsheet programs used were Portable Calc for the Epson and Microsoft Multiplan for the others. The tests for the Apple IIe were done with the ProDOS operating system. The IIe Multiplan test was done with DOS 3.3, the IBM with PC-DOS 2.0. which is permanently installed in the system. Second, when you turn the machine on for the first time, the system asks you how much memory you want in your RAM disk—from 2K to 24K bytes. Thereafter when you turn on the system, you see a menu of all the files on a particular drive. (By *drive* I refer to any device: a disk, a RAM drive, a microcassette tape. The operating system treats them all alike.) You then move the cursor to the program or document you want and press the Enter key. This loads the selected program into RAM and executes it.

If you press Control-Help, you see the System Display, which includes information on various operating-system parameters. The display contains the date and time, the size of the RAM disk, whether or not a password is in effect, which drives are listed on the menu, and which data files are linked to which programs.

The password feature on this machine is pretty secure. If you set a password, the machine won't do anything until you give it the correct one. The only way around it is to do a cold reboot and lose all your data.

You can turn the menu on or off and choose which drives are to be listed on the menu and in which order.

The System Display also lets you control the cassette drive manually. The function keys become like the controls on a tape recorder.

In practice, the menu is quite useful, but sometimes it gets in the way. For example, it is hard to enter a command such as STAT A: *. *—how many files are on the A drive and how large are they. To do this you must leave the menu by hitting Escape. Fortunately, you can turn the menu on or off.

The most significant piece of software in the Geneva is the ROM-based version of WordStar. Despite its small size, this version seems to contain most of the features of the larger version. The only features lacking are certain printing capabilities.

The spreadsheet supplied with the PX-8 is Portable Calc, a ROM-based version of CalcStar. Portable Calc performed our standard recalculation (continued) Table 1: Word-processing benchmarks for Portable WordStar on the Epson Geneva PX-8 (times in seconds). In many tests the Epson with a RAM disk performs as fast or faster than a floppy-disk-based IBM PC. There are two glaring exceptions, however: the scroll test and any test involving the Epson's floppy disk. All tests were done using a standard BYTE 4000-word test file (21K bytes). The RAM disk used was a 128K-byte external memory-expansion module. The data for the IBM PC was obtained using an IBM PC with WordStar version 3.3, DOS 2.0, two floppy-disk drives, and a monochrome monitor and adapter.

	Geneva PX-8		IBM PC	
	RAM disk	Floppy disk		
Load text file	8.3	17.3	9.9	
Save text file	15.6	80.0	24.2	
Search	12.5	37.6	10.5	
Scroll	287.0	n.a.	41.2	



Photo 4: The optional memory-expansion module for the Epson PX-8, shown ready to attach to the bottom of the computer.





Photo 5: The sockets for the Epson's ROM chips are hidden in a special compartment on the bottom of the machine. A soft metallic sheet minimizes radio-frequency interference in the surrounding environment.



Availability and prices subject to change. IBM is a registered trademark. APPROVED CORPORATE ACCOUNTS WELCOME. test as fast as Multiplan did on the Apple IIe, and it was much faster than the CalcStar version that comes with the 16-bit Sanyo MBC 550.

Portable Scheduler runs rings around the SCHED program on the Radio Shack Model 100 and approaches the usefulness of the scheduler features on the HP 75 portable. You can set an alarm, and you can have the computer remind you of a series of appointments.

BASIC AND CP/M

The BASIC interpreter on the Geneva takes up about 32K bytes of memory, compared to about 16K bytes used by the Model 100's BASIC. The Geneva version lets you do quite a few more things; for example, you can access the alarm features directly from BASIC. It also includes AUTO (automatic line numbering) and WHILE ... WEND. Both BASICs were created by Microsoft, and they are

fairly compatible. In terms of performance, the Geneva's BASIC does not compare

Geneva's BASIC does not compare well with desktop-machine versions. The results of our single-precision calculation test were significantly slower on the Epson than on the IBM PC and the Apple IIe. Also, we could not get our Sieve of Eratosthenes test to run. Of course, anything that involved disk accesses was significantly slower.

Finally, we come to the utility programs of CP/M version 2.2, such as copy files (PIP), check disk or RAMdrive status (STAT). and perform several different programs in sequence (SUBMIT). To these programs Epson has added a configuration utility and two communications programs.

TERM is a general-purpose program for communicating with other computers via phone or direct connection. It doesn't support automatic dialing or logging on, but it is quite easy to use. FILINK is for file transfer to and from an Epson QX-10. We didn't test this program.

The practicality of these application programs is somewhat limited by the fact that only two ROM chips can be present in the PX-8 at one time. If, however, you have one of the optional memory-expansion modules, you can load some of the more useful utilities into the RAM drive, then remove the CP/M utility chip and use that socket for another ROM chip.

One advantage of owning a CP/M system is that you potentially have a wide selection of available software. The Geneva display and keyboard emulate a Soroc IQ-120 terminal, and, theoretically, the Epson can run any CP/M software that is compatible with the Soroc. In actuality, the Geneva doesn't support features such as highintensity or inverse-video characters, and although it has a virtual screen of 24 lines, its physical screen has only 8. According to Bob Diaz of Epson, most of the simple CP/M utility programs such as DU and CATALOG run on the Geneva. More complex CP/M programs, such as PeachText, will run but with some minor problems. And CP/M programs customized for a particular terminal or computer probably won't run at all.

DOCUMENTATION

The documentation for the Geneva and its software is, on the whole, good. The manuals are typeset, well written, accurate, and practically devoid of typographical errors. I was particularly impressed with the easyto-read Portable WordStar manual, which included a reference card and stick-on labels for certain keys.

The main manual lists the entry addresses and functions of all the BIOS (basic input/output system) and BDOS (basic disk operating system) routines of the Geneva's version of CP/M.

SUMMARY

After the disappointment of the Epson HX-20, the Geneva PX-8 represents a giant improvement. It is, at this time, the most powerful 8-bit portable available. And its price of \$995 makes it fairly affordable. With the CP/M 2.2 operating system, the Geneva is an ideal second computer for CP/M system owners. It is also a good second computer for people who use Word-Star on a desktop system. ■

money order or cash.

THE WORLD OF PC UPGRADES

MT10	10 Mbyte Micro Tape Backup "add it to your XT"	\$695
XT01	Micro Tape Backup and 1/2 High Floppy "add it to your XT"	\$895
IS10	10 Mbyte Hard Disk with Controller	\$795
IS10R	10 Mbyte Removable Hard Disk/Controller	\$1295
IS20	20 Mbyte Hard Disk with Controller	\$1095
IS33	33 Mbyte Hard Disk/Controller & Power Supply	\$1995
IS PS	Power Supply "Internal" (140 watts)	\$295
CC01	Floppy/Hard Disk/Controller Card (1.6 Meg Floppy Compatible)	\$465
	when included in any of above Hard Disk Systems add	\$185

NOTE: The above pricing is for internal units. External units are available. Micro Design International has been serving the Computer Industry for over 8 years and all our products carry a one year warranty with a 30-day money back guarantee.

MAGNETIC MEMORY PRODUCTS FOR THE **IBM XT/PC AND** COMPATIBLES. . .

> WITH THE PURCHASE OF ANY HARD DISK

COMMAN **ASSIST \$49.95**

.as reviewed in P.C. Week

(DOS manual on disk)

FROM \$695

TO ORDER CALL COLLECT (305) 677-8333

AND

CACHE

MasterCard/Visa/Check/or Money Order



ASSIST \$49.95

(For taster disk access)

THE FOOL PROOF XT/PC TAPE BACKUP

Now you can get personal with a Datasouth.



Day hello to the Datasouth Personal Printer—an office-quality dot matrix printer that makes itself right at home next to your personal computer.

Technically speaking, the Personal Printer is "Epson compatible." But it's <u>better</u> than the competing Epson because it also does <u>near-letter-quality</u> printing.

Personally speaking, the Personal Printer is "checkbook compatible." So you don't have to sacrifice the money you need to get the printer you want. And it comes in two models—one with a 10-inch and one with a 17-inch carriage.

Make a personal visit to your local computer store, and bring home legendary Datasouth performance for an affordably personal price. The Personal Printer. Only from Datasouth.

atasouth

N

CALL TOLL FREE:

1-800-222-4528

TERS

Find Datasouth Printers At Participating **ComputerLand®** Stores And Other Fine Dealers.

Datasouth Computer Corporation Box 240947 · Charlotte, NC 28224 704/523-8500 · Telex 6843018 DASOU UW Inquiry 87

orsonat

310 BYTE • FEBRUARY 1985

G



Two Modula-2 Compilers for the IBM PC

A great buy is pitted against a professional system

BY KEVIN BOWYER

Kevin Bowyer is on the faculty of Computer Science and Engineering at the University of South Florida in Tampa. He was previously on the faculty of the Swiss Federal Institute of Technology in Zürich. He received his Ph.D. in Computer Science from Duke University. Among several books he has written are An Introduction to Modula-2 (Reston Publishing, available early 1985, co-authored with Warren Jones of the University of Alabama at Birmingham) and Pascal for the IBM PC (Robert J. Brady Co.).

wo Modula-2 compilers are available for the IBM PC and run under PC-DOS. Both are adaptations of the original Modula-2 compiler developed at the ETH (Federal Institute of Technology, Zürich, Switzerland) to run on the Lilith personal workstation. One is the Modula Research Institute (MRI) Modula-2 compiler, version 1.35, available for \$40 from the Modula Research Institute in Provo, Utah. The other is the Logitech Modula-2/86 compiler, version 1.0, available for \$495 from Logitech Inc. in Redwood City, California. The one other Modula-2 compiler for the IBM PC is marketed by Volition Systems of Del Mar. California. However, this compiler runs under the UCSD p-System and so is not directly comparable to the two I discuss here. [Editor's note: A PC-DOS version of this compiler has recently become available.

The MRI and Logitech compilers have many similarities traceable to their common ancestor. The essential difference between them is that the MRI compiler generates Mcode, the machine language developed at ETH for the Lilith workstations, whereas the Logitech compiler generates 8088 machine language. The noticeable differences in compilation and program execution speed are a result of this difference.

REQUIRED RESOURCES

The Logitech compiler requires an IBM PC equipped with an 8087 numeric coprocessor chip, two double-sided disk drives, and at least 170K bytes of RAM (randomaccess read/write memory) in addition to whatever space the operating system uses. It runs under PC-DOS 1.1 or 2.0. A practical minimum for using the Logitech Modula-2 compiler with PC-DOS 2.0 is 256K bytes of memory. The MRI compiler might function on a system of two single-sided disk drives and 128K bytes of RAM, but a practical minimum is two double-sided drives and 196K bytes of RAM.

I did all the testing for this comparison on a PC XT with 256K bytes of RAM. Judging by the number of disk accesses made by either system, enough extra internal memory to create an "electronic disk" would greatly increase speed.

EASE OF USE

Both the MRI and Logitech systems require some care in setting up the original configuration. You have to decide where to put the many files that make up either system, and your CONFIG.SYS file at the root level of the file system must have certain options. All this is well described in the documentation and should present no problem.

Neither the MRI nor the Logitech compiler runs directly from PC-DOS. Nor do they produce standard EXE or COM format files, so the programs created with the compilers cannot be executed directly from PC-DOS. The MRI system runs its own "shell," or command interpreter, on top of PC-DOS. The compiler and any programs that you write are run from this shell. The Logitech system is similar. While it doesn't have a shell that stays resident on top of PC-DOS, it does have a "run-time system" that you have to invoke for running the compiler or programs created with the compiler.

Since neither the Logitech nor MRI system includes a text editor, you must use your own (or EDLIN) to prepare a standard PC-DOS text file that contains the program's source code. Assume that you have already prepared a source program in the file SAM-PLE.MOD. You can start up the MRI shell with the command interp. The MRI shell then displays the copyright notice and an asterisk prompt. You can now run the compiler by entering the command modula. You can run the resulting compiled program by entering its name. When you want to leave the MRI shell, you type Control-C.

In the case of the Logitech system, you invoke the compiler from PC-DOS with the command m2 comp. The m2 is the name of the Logitech run-time system, so any Logitech program running under PC-DOS (continued) must be prefaced with m2 at run time.

Both systems will then prompt you for the source file and give almost exactly the same messages as the compiler progresses:

source file sample.mod p1 InOut: C:InOut.SYM p2 p3 p4 end compilation

The sameness of the messages reflects the origin of both compilers the Modula-2 compiler developed at ETH. The four-pass structure of the compilers is a carryover from the original Lilith compiler, which was ported from a PDP-11 Modula-2 compiler that had to run in a small address space.

Unlike the MRI system, the output

Listing 1: "Hello, World!" program. MODULE sample; FROM InOut IMPORT WriteString; BEGIN WriteString("Hello, World!"); END sample. of the Logitech compiler must undergo a separate link step before it can be executed. The linker collects all the separately compiled parts of the program and groups them into a single load file. The m2 command executes this load file.

The MRI interpreter takes rather long to load into memory: about 10 seconds on a hard-disk system, more with a floppy-disk system. This can be annoying if you have to leave and reenter the interpreter to use an editor for correcting errors in your program. For this reason, the MRI shell incorporates an "escape to DOS" feature. You can enter an exclamation point to start up a copy of the PC-DOS command interpreter (COMMAND.COM) on top of the MRI shell. Then you can edit your program and return to the MRI system with the exit command.

```
Listing 2: Nothing to the nearest
integer program.
MODULE sample;
VAR i, j, sum: INTEGER;
BEGIN
sum := 0;
FOR i := 1 TO 1000 DO
FOR j := 100 TO 1 BY -1 DO
sum := sum + (i-j) + (j-i);
END;
END;
END sample.
```

Listing 3: Extended-precision nothing program.

```
MODULE sample;
VAR x, y: ARRAY[1...100] OF REAL;
sum: REAL;
VAR i, j: INTEGER;
BEGIN
FOR i := 1 TO 100 DO (* initialize *)
x[i] := FLOAT(i); y[i] := FLOAT(i); END;
sum := 0.0;
FOR i := 1 TO 100 DO
FOR j := i TO 100 DO
sum := sum + x[j]*y[j] - y[j]*x[j];
sum := sum / FLOAT(i);
END;
END;
END;
END sample.
```

The escape-to-DOS feature works quite well and is much faster than the alternative most of the time. However, if you change directories while in DOS and forget to change back before returning to the MRI shell, things get hopelessly confused and you have to reboot the system. If you want to use the escape-to-DOS feature and have the MRI software in a subdirectory of the file system, you need to place a copy of COMMAND.COM in the same directory as the MRI software.

SPEED

After running lots of small test programs, I am convinced that Logitech's compiler is substantially slower than the one from MRI. However, the Logitech compiler can produce programs that execute much faster than those produced with the MRI compiler. A program that does nothing but write "Hello, World!" to the display (listing 1) compiles in a little less than 40 seconds with the MRI compiler and about 65 seconds under the Logitech system. This does not include time for the link step required by the Logitech system, which takes another minute or SO.

An equivalent IBM PC-DOS Pascal program could be compiled and linked in under 30 seconds—even though it involves entering three separate commands to PC-DOS (PAS1, PAS2, and LINK). Neither Modula-2 system could be called speedy as far as compile time is concerned.

If program execution speed is what you are after. Logitech's compile time might be worth waiting for. The Logitech compiler can produce programs that are many times faster than those produced by the MRI system. Another trivial example program (listing 2), using nested loops and integer arithmetic, takes about 20 seconds for the MRI system to compile and something over 60 seconds to execute. The Logitech system takes 55 seconds to compile the same program, again not counting the required link step. (The link step would be quick here because there are no IMPORTs from separately compiled modules.) However,

REVIEW: COMPILERS

the Logitech program executes in about 8 seconds—which is less than one-sixth the time of the MRI program.

Both systems compile this second example more quickly than the first one, even though the executable part is more complex. This is because the first example imports a procedure from a separate module. Nearly any useful Modula-2 program will import procedures from at least one module, if for no other reason than to do input/output (I/O). Importing objects from separate modules takes time because the compiler must read the definition of the module and check it against the IMPORT clause.

For one more comparison on compiler and execution speed, I ran the Sieve of Eratosthenes prime-number generator used as a benchmark in previous BYTE articles (see reference 1). The Logitech compiler took about 65 seconds to process the program, 25 seconds to link, and about 17 seconds to execute. The MRI compiler took about 55 seconds to process the program and nearly 3 minutes to execute it. (The definition of "execution time" here is the same as that used in the article referenced above: the time between seeing the messages from the two output statements in the benchmark program.)

REAL NUMBERS

The MRI and Logitech compilers are similar in how they represent all the standard data types except real. The MRI system implements real values as 32-bit quantities, and arithmetic operations on these values are performed in software. The Logitech system uses 64-bit real numbers and can generate code for the 8087 numeric coprocessor. For a PC with the 8087 installed, this can be a great advantage. Consider the program in listing 3.

The MRI compiler took just under 30 seconds to compile this program, and the resulting program took about 25 seconds to execute. The Logitech compiler took just over 50 seconds to compile the program, but the resulting program executed in about 3 sec-(continued)

AT A GLANCE

Name

MRI Modula-2 Compiler

Vendor

Modula Research Institute 950 North University Ave. Provo, UT 84604 (801) 375-7402

Computer

IBM PC or compatible

Price

\$40 plus \$2.50 shipping and handling

Audience

Anyone who wants a good, inexpensive introduction to Modula-2 on the PC

hardware. Compile times for the Logitech

Name Logitech Modula-2/86

Vendor


Logitech Inc. 805 Veterans Blvd. Redwood City, CA 94063 (415) 365-9852

Computer IBM PC or compatible

Price \$495

Audience

Anyone who wants to develop software using Modula-2 and the 8087 numeric coprocessor chip; the 8087 is required with Modula-2/86



Note that the Logitech compiler requires an compiler in 2007 coprocessor and the MRI compiler compiler to 2007 compiler the 8087, so execution MRI compiler times do not involve commensurable an M-cod

compiler include link times. The Logitech compiles to 8088 machine code, while the MRI compiles to M-code and operates as an M-code-to-8088 interpreter at run time.

3 = SIEVE OF ERATOSTHENES * = NOT TIMED





onds on a PC XT equipped with the 8087 numeric coprocessor.

COMPILER DIRECTIVES

Compiler directives in Modula-2 are specified much the same as in Pascal. The directive letter and setting are given inside a comment. The Logitech compiler has three directives:

(*\$R+*)	code generation for sub-	
	range and type	
	checking	
(*ST + *)	index testing (arrays	

- case statements) (*\$S + *) stack overflow

The directives can be turned off by using a minus sign instead of a plus sign, or an equal sign can be used to change the setting back to the previous value.

Directives work the same way in the MRI system, but only the first two of the three options above are available. Both systems also allow several possible options on the command line that invokes the compiler. Among these are a listing file and prompting for the names of symbol files.

LANGUAGE EXTENSIONS

Both compilers claim to accept the same Modula-2 language as defined by the Modula-2 report (see reference 2). However, the Logitech system has the advantage of some extra PCspecific routines available in the System module. Technically, these don't count as extensions to the language, but most users will think of them that way. Among the extensions are routines to read and set the values of 8088 registers; enable, disable, and initiate interrupts; read and write to the 8088 I/O ports; and generate a call to the DOS system interrupt.

The MRI System module contains only procedures defined in the Modula-2 report. It might be easier to write processor and operating-systemspecific programs with Logitech Modula-2.

To test whether these compilers might be useful to owners of PC-compatibles. I checked them out on a Compag portable equipped with two floppy-disk drives and 256K bytes of memory. Both compilers ran several small examples properly. Both also seemed painfully slow-with all the file I/O. a hard-disk drive is almost a necessity for using one of these compilers.

SUMMARY

The compilation/execution speed comparisons between the two compilers are not surprising. The MRI system compiles programs into Mcode, which was designed with the goal of efficient Modula-2 compilation. Given this background, it makes sense that the MRI compiler is faster than the Logitech compiler. But the MRI programs pay for this advantage with their slower execution. The MRI software executes programs by interpreting the compiled M-code, but the Logitech programs' 8088 machine code doesn't need interpretation.

If you just want to learn Modula-2 and write some programs for your own use, the MRI software is probably for you. You will appreciate the faster compile time with small programs, in which execution speed probably depends on user input anyway. And the MRI software is much cheaper.

On the other hand, if you want to write software to distribute or sell, the Logitech system is probably right for you. This is especially true if Logitech comes out with a linker to produce COM or EXE format files.

If you are one of the relatively few PC owners who operates the UCSD p-System, you should look into the Modula-2 compiler available from Volition Systems. However, better compilers are likely to become available at any time, from these companies as well as others. Professor Wirth and Jurg Gutknecht of ETH have created a fast one-pass Modula-2 compiler for the Lilith; a compiler for the IBM PC derived from this one is likely to show up in the future.

REFERENCES

1. Gilbreath, Jim. and Gary Gilbreath. "Eratosthenes Revisited: Once More through the Sieve." BYTE, January 1983. page 283.

2. Wirth, Niklaus. Programming in Modula-2. Springer-Verlag, 1982.

SoftCard squeezes the most juice out of your Apple.

Microsoft[®] Premium SoftCard[™]IIe is the high-performance CP/M[®] board that really juices the Apple[®] IIe.

Hard facts on SoftCard. It has a high speed (6MHz) Z-80 that runs CP/M up to three times faster than lesser boards. Plus 64K memory and 80-column display that fits the IIe auxiliary slot and acts like Apple's own Extended 80-column Card. So it works with CP/M, Apple DOS and ProDOS programs, too.

Microsoft BASIC is built-in, so it's compatible with more Apple CP/M software than any other board on the market: Thousands of the juiciest business programs including dBase II," WordStar[®] and sophisticated Microsoft languages like FORTRAN-80, COBOL and BASIC Compiler.


It also has a new low price.

Juicing up the performance of computers is nothing new for us. We invented the SoftCard and make versions for the entire Apple family. We wrote Applesoft for the Apple II. MICROSOFT. In fact, our The High Performance Software BASIC is the language spoken by nine out of ten microcomputers worldwide.

Get the Apple juicer from Washington. Call 800-426-9400 (in Washington State call 206-828-8088) for the name of your nearest Microsoft dealer.



SoftCard is a trademark and Microsoft is a registered trademark of Microsoft Corporation. Apple is a registered trademark of Apple Computer, Inc. IBM is a registered trademark of International Business Machines Corporation. dBASE II is a registered trademark of Ashton-Tate. WordStar is a registered trademark of MicroPro. CP/M is a registered trademark of Digital Research, Inc.



"It's easy to spot the difference between our IBM PC-based frame grabber and the others".

High performance and affordable cost, just \$1495 for



Laplacian Filter



False Color

a single plug-in board.

Unlike other video I/O svstems, the new DT2803 provides real-time image capture capabilities, digitizing a 6-bit video field every 1/30 second. An on-board, memory-mapped, dual-ported frame store memory (256 \times 256×8) makes it ideal for the IBM PC's 64K buffer size. And for real number crunching.

the DT2803's external ports interface to high speed co-processors.

With our software package, VIDEOLAB,[™] the DT2803 is easy to use for image operations like averages, histograms, and convolutions.


So, if your application is manufacturing/automatic inspection, robotics, or medical research.



Call for our new 576 pg. catalog/ handbook or see it in Gold Book 1985. formance video I/O

	SPECIFICATIONS: D12803
A/D Input	RS-170 (CCIRR), 6-bits at 5MHz
Frame Grab	1/30 (1/25) second per field
LUT's	8, 64 × 8 input; 4, 256 × 12 output
D/A Output	64 colors × 64 intensities, R-G-B; 64 grey levels, monochro
Frame Memory	$256 \times 256 \times 8$ (2-bits for graphic overlays)

ODECIFICATIONS, DTOROS



our new high per-

Fram TATRAN

World Headquarters: Data Translation, Inc., 100 Locke Dr., Marlboro, MA 01752 (617) 481-3700 Tix 951 646. European Headquarters: Data Translation, Ltd., 430 Bath Rd., Slough, Berkshire SL1 6BB England (06286) 3412 Tix 849 862. In Canada: (416) 625-1907.

IBM PC is a registered trademark of IBM. VIDEOLAB is a registered trademark of Data Translation, Inc.



 $S \cdot O \cdot F \cdot T \cdot W \cdot A \cdot R \cdot E \cdot V \cdot I \cdot E \cdot W$

E-Mail for the Masses

MCI Mail and Western Union's EasyLink

BY WAYNE RASH JR.

Wayne Rash Jr. is a member of the professional staff of American Management Systems Inc. (Federal Consulting Group. 5th Floor. 1925 North Lynn St.. Arlington, VA 22209). He consults with the federal government in areas concerning microcomputers. wo giants of the telecommunications industry have started electronic mail services. MCI Telecommunications Corporation's MCI Mail and Western Union Telegraph Company's Easy-Link offer the services to individual consumers and businesses. Both services are heavily advertised, and both promise to open the world of easy and inexpensive instant communications to nearly anyone. Only one fully delivers on this promise.

MCI MAIL

MCI Mail is part of the same corporation that provides MCI telephone communications. MCI has expanded its operations to include electronic mail, billing itself as the "nation's new postal system." You can access MCI Mail with a local phone call in 64 cities around the country and with a tollfree number to its Washington, DC, headquarters. You can use these numbers with your computer to transmit letters and documents to other MCI Mail subscribers in the U.S. and Canada or to Telex addresses anywhere in the world. If your recipient does not have access to MCI Mail or Telex, you can have a paper copy of the communication mailed or delivered. As of January 1, 1985, MCI Mail service was available in 41 countries.

MCI Mail's hard-copy communications are prepared using a laser printer at 18 locations in the U.S. Courier delivery is available within four hours in some locations, and overnight courier delivery is available in most major metropolitan areas. Delivery by mail usually takes two business days. Because they are prepared on a laser printer, the MCI letters look like they were done on a letter-quality printer and then photocopied. You can have your letterhead and signature placed on file with MCI so they can appear on your letters. Otherwise, the MCI Mail letterhead will appear on the first page of your letter.

You can log on to MCI Mail with either a 300- or 1200-bps (bit per second) modem.

After you enter your user name and password, you will read some announcements and get a couple of news headlines before the main menu appears. Every function of MCI Mail is menu operated, and the service has extensive help files for every function. You can use the built-in text editor to prepare your document, or you can transmit a document you have already prepared. Once you finish, you can edit the document or reformat it before sending it. There is no limit to the length of the document you can send, but longer documents cost more.

You can read incoming messages or refer to messages you sent out earlier. MCI Mail also offers you access to Dow Jones News/ Retrieval or lets you order discount merchandise from on-line advertisers.

EASYLINK

Western Union apparently designed Easy-Link for experienced users who already understand how the system works. You can access EasyLink with either a 300- or 1200-bps modem. You will find no descriptive prompts or menus to lead you through the system. You log on at the ID? prompt by giving a terminal description, your ID number, your user name, and your password. You enter these on a single line, separated by spaces and a period. You will not see what you are typing if you are operating in full duplex.

Once you gain access to EasyLink, the cryptic PTS prompt greets you. You can find out what your options are by using the online help facility or by reading the package's User Guide or quick-reference guide. Essentially, your choices are: send one of several types of messages, read messages waiting for you, or use the help facility. An information database called FYI is also available to EasyLink subscribers, but not from within EasyLink.

EasyLink gives you a wide variety of ways to send a communication to others. You can send a message directly to another sub-(continued) scriber's mailbox, just as you can with MCI Mail, and you can have a message mailed to a nonsubscriber using what Western Union calls a "computer letter." Computer letters are mailed from Western Union's facility in the Washington, DC, area, which means that delivery can take a while for some sections of the country. Unlike MCI's laser-printed letters, the Easy-Link computer letter is printed on what appears to be a Teletype printer using only uppercase letters.

Like MCI Mail, EasyLink lets you send messages to Telex addresses and gives you a Telex address for replies. Since you are using Western Union, you can use EasyLink to send telegrams, mailgrams, and cablegrams. Western Union also has an arrangement with the U.S. Postal Service that lets you send messages through the E-COM system, although the longterm existence of that service is questionable.

USING MCI MAIL

Working with MCI Mail, especially for the inexperienced, casual, or infrequent user, is a pleasant experience. About the only information you have to remember is your password. As you enter the system, every possible command is listed for you (see photo 1). The help files are extensive and detailed, and you can specify the command or function for which you need help. Since the on-line time on MCI Mail is free, you don't feel the need to rush the process unless you're using the 15-cents-per-minute 800 number.

Creating a message is easy. Following the directions on the main menu, you type the word CREATE and enter the text editor. The next prompt asks for the addressee. After you type in the name, MCI Mail checks to see whether it matches the name of a subscriber. If one or more names match. you are shown a list of names and asked to pick the proper one. If the person you want is on the list, you choose him; otherwise, you will be asked to enter his address so the message can be mailed. You can name any number of addressees since the TO: prompt will appear un-

				100
	Comand (r MENE or EXII): ∢		
	You may e	iter:		
	SCAN HEAD PRINT CREATE DOLIONES ACCOUNT HELP	for a summary of your nail to RDAD nessages one by one to display nessages nonstop to write an NCI Letter for Dou Jones Neus/Retrieval to adjust terminal display for assistance		
	Connand (ar MDNI ar EXII): 4		
	tou nay e	nter;		
	indox Mitdox Mafi All Hill	to SCAM your unread nessages to SCAM nessages you sent to SCAM nessages read before to SCAM gour MMFT nessage to SCAM ALL your nessages for assistance		
A	Companie (Paticipanie	or MDNU or DX(1): 4 Alt- Intran Rerecy Viview Didial Ene	echo Mimesy Xiexii (Bome/1921)	

Photo 1: Entry-level and Scan menus for MCI Mail. Your correspondence is organized like an office desk. The In box holds incoming messages, the Out box holds copies of messages sent, the desk holds copies of messages received, and the draft folder contains a message written but not sent.

til you enter a blank line. You will be prompted to enter the mailing address of the recipient and the subject of the message. Then MCI Mail prompts you to enter the text of the message.

The basic rate for an MCI Mail message is \$1 for an "MCI ounce" transmitted electronically. An ounce equals 7500 characters. Short messages of 500 characters or less cost 45 cents. The cost for the first ounce is \$2 if the letter is mailed. In areas where courier service is available, you can have a letter hand-delivered overnight for \$8 and within four hours for \$30. In each case the cost for an additional ounce is \$1, although for courier delivery the second ounce is free. If you are sending to a Telex address, the ounce is quite a bit less, about 400 characters, due to a limit set by Telex. International rates are higher than domestic rates, but still within reason. MCI gives you a Telex number so your correspondents can answer you by Telex. If you use the toll-free number, you are charged an extra 15 cents per minute.

Once you complete your message, you can read it. If you want to make changes, an MCI editing mode has its own menus, prompts, and help files. You can also see what your document will look like when it's printed, complete with spaces reserved for the letterhead and the page breaks. You can use the edit mode to reformat the letter. Once you are satisfied, you tell MCI to send your document by typing SEND followed by any optional delivery methods. Once you send the message, a copy is placed in your Out box for a day or two. This makes it easy to refer to messages later.

Checking for messages is also easy; MCI Mail tells you that your In box has a message. You might also be told that an unfinished draft is on your desk, in the event that you terminated an earlier session for some reason before sending a message. This is one of the nice features of MCI Mail. Once you start creating a message, it stays in the MCI system. If your computer or phone goes dead or your modem explodes, the draft of your message will be waiting when you return.

As I mentioned earlier, you can do a lot besides send and receive messages. MCI Mail has an advertising section where you can order anything from gifts and travel services to fanfold paper and floppy disks. You also have access to Dow Jones News/ Retrieval at regular Dow Jones rates. Off-peak rates are 20 cents a minute for 300-bps connections or 40 cents for 1200-bps service. Incidentally, Dow Jones customers also have access to MCI Mail as part of their subscription.

USING EASYLINK

My first impression of EasyLink is that it isn't very easy. As I've already discussed, logging on to the system is complicated and tedious.

Logging on wouldn't be such a problem if you were given the necessary information to enter. For example, the terminal ID is necessary if you are using a personal computer and a modem, since EasyLink's default mode does not seem to work with that type of equipment. The terminal codes are listed in Appendix E in the User Guide, but the differences between the 24 terminal codes aren't explained. Many users will have little luck deciphering them. The first time I used EasyLink it took me four tries to log on.

Once you get past the log-on sequence, you are faced with the PTS prompt (see photo 2). At this point you have to enter a slash followed by a command. Since EasyLink has no menu, you will have to look up all the commands in the documentation or read the on-line help file. If you don't have a local-access phone number, looking at the help file is going to cost you 15 cents per minute. Fortunately, Western Union has over 400 localaccess phone numbers in the U.S.

Since the charges for EasyLink are based on the actual connect time, you will save yourself money if you prepare your messages ahead of time and transmit them to EasyLink. You can also save money if you minimize use of the on-line help by using the manual instead. You are also charged by the minute for the time it takes you to send messages. The normal charge for a 1200-bps connection is 45 cents per minute. If you like to compose on line or if your modem program can't transmit easily, this can run into money. You can save 40 percent by calling during off-peak hours (12:01 a.m. to 7 a.m. local time).

EasyLink has a number of charges besides the connect time. For example, a computer letter costs you \$1.25 for the first page and 40 cents for each additional page. A three-page letter that costs you \$2 to send on MCI Mail will cost you \$3.30 on EasyLink, assuming the total connect time was two minutes, the time required to send the document was one minute, and you called using the EasyLink toll-free number. Using a local-access number would reduce the cost by 45 cents.

Sending messages to other Easy-Link subscribers is less expensive. The basic charge is only 45 cents per minute for 1200-bps service, plus 15 cents per address. A short message could go out for less than the equivalent message on MCI Mail, but a longer one could cost somewhat more. If you have to use the WATS line to call EasyLink, your costs are almost certain to be higher.

If you are a low-volume user of electronic mail, EasyLink will be a substantially more expensive service. Even though it has no sign-up fee, EasyLink has a \$25-per-month minimum charge. Depending on the type of electronic mail you use, you might have to send one piece of mail per day just to break even.

DOCUMENTATION

EasyLink definitely has the more complete and attractive documentation. When you sign up for EasyLink, Western Union sends you a bookshelfsize binder. Sections of the book are marked by tab dividers, and the pages are attractively typeset and easy to read. This is an advantage because you're probably going to spend lots of time reading this manual.

A disadvantage is that the manual is not well organized. The process of calling EasyLink, logging on, creating (continued)




Photo 2: Entry-level prompt and help menu for EasyLink. You enter commands by typing a slash and a command word, such as /SCAN to list all messages. /READ to read a message, or /HELP for the help files.

REVIEW: E-MAIL

AT A GLANCE

Name

EasyLink

Service Supplier

Western Union Telegraph Company One Lake St. Upper Saddle River, NJ 07458 (800) 336-3797 ext. 908

Requirements

Personal computer, modem, and telecommunications software, or dedicated communications terminal

Special Features

Messages can also be sent via Telex, telegrams, cablegrams, mailgrams, and through the U.S. Postal Service E-COM system

Optional Software

EasyLink Instant Mail Manager program (\$95) requires IBM PC or compatible computer with one disk drive, 256K bytes of RAM, and asynchronous communications modem

Price

Minimum monthly charge: \$25 EasyLink mailbox message (maximum 200,000 characters): 30 cents/minute (300 bps)

45 cents/minute (1200 bps)

EasyLink to Telex (maximum 200,000 characters):

43 cents/minute (300 and 1200 bps) Mailgram message overnight letter (maximum 15,000 characters): First page (2700 characters) \$3 Each additional page (3500 characters) 75 cents

Computer letter service (maximum 25,000 characters): First page (2700 characters) \$1.25

Each additional page (3500 characters) 35 cents

Name MCI Mail

Service Supplier

MCI Telecommunications Corporation 1900 M St. NW Washington, DC 20036 (800) 424-6677

Requirements

Personal computer, modem, and telecommunications software, or dedicated communications terminal

Special Features

Messages can also be sent via Telex, via mail delivery, or via overnight or four-hour hand delivery

Optional Software

MCI Mail Access program (\$49.95) requires IBM PC or compatible computer with one disk drive, 256K bytes of RAM, and asynchronous communications modem

Price

Instant letter	
500 characters or less	\$0.45
7500 characters	\$1
MCI letter (mail delivery)	\$2
Overnight letter	\$8
Four-hour letter	\$30
Each additional 7500 characters	<mark>\$</mark> 1
Annual mailbox fee	\$18

and sending a message, and getting off again requires a great deal of flipping through the manual. All the time you're looking up what to do next, the connect charges are mounting if you're calling on the WATS line or are in the midst of creating a message. [Editor's note: EasyLink has since issued a new User Manual Release 1.3 that appears to be rewritten and better organized.]

The MCI Mail manuals are shorter, less fancy, and paper-bound. They include the Welcome Kit and Service Guide, which gives an overview of the service, contains some basic information on performing routine functions, and explains the services available; and the Basic User's Guide, which gives detailed information on the use of MCI Mail. The manuals skip some of the functions of MCI Mail (for example, sending a Telex message).

The manuals are much less important for the routine use of MCI Mail, however, since the menus lead you through most functions quite well. The help files are also excellent and do not have a connect charge.

CUSTOMER SUPPORT

I had occasion to call customer support at MCI Mail twice, and at Western Union three times. The personnel at MCI Mail were helpful and familiar with the service. I received accurate, complete answers to both questions. Unfortunately, MCI Mail customer support is not open on weekends.

Western Union's customer service is nearly a total contrast. The customerservice lines are open on weekends, but they might as well be closed. Regardless of the time I called, the support representatives showed little familiarity with EasyLink. Once I was told that no one knew anything about it, but that the representatives were trying to learn. In another case, the representative had never heard of a computer letter and could offer no information on how to send one or on how long it would take to deliver.

CONCLUSIONS

Both EasyLink and MCI Mail offer communications packages to make (continued)

"Despite the recent press notices, multiuser microcomputers aren't anything new!"


This is the first in a series of discussions with Rod Coleman. President of Stride Micro (formerly Sage Computer) on the 68000 multiuser market and its current environment.

Q: Why do you say that?

RC: "The technology to build a high performance multiuser system has been around for five years. And while some of the leaders in this industry have been pretending that micro multiuser didn't exist, we've been shipping complete systems for nearly three years. The benefits of multiuser are undeniable; it is more cost effective, and offers greater flexibility and utility. But until just recently, the marketing pressure to be compatible instead of being better, has blinded the industry."

Q: What do you mean?

RC: "Well, for example, the Motorola 68000 processor introduced 16/32-bit technology to the personal computer world a long time ago. It was fully capable of



"A surprising feature is compatibility. Everybody talks about it, but nobody does anything about it."

meeting high performance and multiuser design requirements in 1980. Instead of this trend taking off, most energy was spent promoting 8088/8086 products that

were clearly inferior from a technical point of view. This phenomenon leads me to believe that they will soon rewrite the old proverb: 'Build a better mousetrap and the world will beat a path to your door,' but only if they can find the way through the marketing fog.' Q: Are things changing now?


RC: "Yes and no. With the business world starting to take more and more interest in microcomputer solutions, the advantages of a solid multiuser system couldn't be kept hidden forever; companies like ours and a few others were beginning to make a dent. Instead of taking a fresh approach, some of the newest multiuser offerings will probably only give the technology an undeserved black eye! Multiuser is far more than the ability to plug in more terminals. It involves things like machine compatibility, fast processors, adequate memory, large storage capacities, backup features, networking, and operating system flexibility.'

Q: Is this what makes the new Stride 400 Series different?

RC: "Exactly. That sounds self-serving, but it's true. Today a number of companies are introducing their first multiuser system. We've been building and shipping multiuser machines for almost three years. We know the pitfalls, we've fallen into some of them. But we have learned from our mistakes."

Q: Give me some examples.

RC: A hard disk is almost mandatory for any large multiuser installation. Yet, backing up a hard disk can be a nightmare if you only have floppies to work with. That's why we've added a tape backup option to all the larger Stride 400 Series machines. It's irresponsible for a manufacturer to market a multiuser system without such backup. Another good lesson was bus design. We started with one of our own designs, but learned that it's important not only to find a bus that is powerful, but also one that has good support and a strong future to serve tomorrow's needs. We MHz 68000 running with no wait



"The marketing pressure to be compatible instead of being better, has blinded the industry."

think the VMEbus is the only design that meets both criteria and thus have made it a standard feature of every Stride 400 Series machine.

Q: What are some of the other unique features of the 400 Series?

RC: "A surprising feature is compatibility. Everybody talks about it, but nobody does anything about it. Our systems are completely compatible with each other from the 420 model starting at \$2900, through the 440, on to the powerful 460 which tops out near \$60,000. Each system can talk to the others via the standard built-in local area network. Go ahead and compare this with others in the industry. You'll find their little machines don't talk to their big ones, or that the networking and multiuser are incompatible, or that they have different processors or operating systems, and so on."

0: When you were still known as Sage Computer, you had a reputation for performance, is that still the case with the new Stride 400 Series?

RC: "Certainly, that's our calling card: 'Performance By Design.' Our new systems are actually faster; our standard processor is a 10 states. That gives us a 25% increase over the Sage models. And, we have a 12 MHz processor as an option. Let me add that speed isn't the only way to judge performance. I think it is also measured in our flexibility. We support a dozen different operating systems, not just one. And our systems service a wide variety of applications from the garage software developer to the corporate consumer running high volume business applications."

Q: Isn't that the same thing all manufacturers say in their ads?

RC: "Sure it is. But to use another over used-term, 'shop around'. We like to think of our systems as 'full service 68000 supermicrocomputers.' Take a look at everyone else's literature and then compare. When you examine cost, performance, flexibility, and utility, we don't think there's anyone else in the






For more information on Stride or

the location of the nearest Stride Dealer call or write us today. We'll also send you a free copy of our 32 page product catalog.

Corporate Offices: 4905 Energy Way Reno, NV 89502 (702) 322-6868

Regional Offices: Boston: (617) 229-6868 Dallas: (214) 392-7070



BLES MISCELLANEDUS MISCELLANEOUS 130 WATT POWER SUPPLY FOR IBM-PC. 4164-150 Ax 9 CHIP SET (64K) 41256-150 Ax 9 CHIP SET (64K) \$165 er \$35 1 \$7 8087.3 \$170 10 KT GOLD FLOPPY DISK SHAPED JEWELRY WITH UNUSUAL GENUINE SAPPHIBE DIAMOND AND BURY CUFF LINKS ISAPPHIRE AND DIAMONDI \$210 GIFTSIIII TIE PIN (SAPPHIRE AND DIAMUNU) LADIES PIN (RUBY AND DIAMOND) \$175 \$150 CALL MET-CHEM BULLETIN BDARD (300/1200 BAUD)/203-281-7287 Met-Chem MAG Mel-Chem International Corporation 2911 Dixwell Avenue, Hamden, Conn. 06518 Phone: (203) 248-3212 or 1-800-638-2436 Inquiry 204 diskettes 51/4" Specify soft, 10 or 16 sector Minimum Order 20 Single sided 1.49 double density Double sided 1.99ጫ double density Certified Check - Money Order - Personal Check. Allow up to 2 weeks for personal checks to clear. Add \$3.00 per 100 or part to each order for U.P.S. shipping charges. NJ Residents add 6% sales tax 178 Route 206 South, P.O. Box 993 Department C Somerville, N.J. 08876 • (201) 874-5050 **Inquiry 83** liatatt Lets you Design, Advises. create and run Forecasts, problem solving Simulates. expert systems on the IBM-PC or Tutors. DEC Rainbow. No Decides. programming, uses English language Evaluates. knowledge base. Solves. \$95. Reports. Level 5 Research 4980 S-A1A, Melbourne Bch. FL 32951 305/729-9046 CREDIT CARD ORDERS ACCEPTED

INTERNAL SUBSYSTEMS: DRIVE, CONTROLLER, CABLES

FULL HEIGHT 10MB.\$675 15MB.\$750 20MB.\$1225 32MB.\$1525 10MB.\$775

\$500

\$1825

10MB \$450

20MB \$1575 \$1525 32 M 8

WINCHESTER ORIVES (DRIVE ONLY) WINCHESTER DRIVES (DRIVE UNLY) FULL HEIGHT 10mb Formatted \$425 15mg formatted 20mb formatted samma is what IBM-AT uses) 32mb formatted HALF Height 10mb.

EXTERNAL SUBSYSTEMS 10MB 15MB APPLE \$1150 \$1250 1BM \$1050 \$1150

TODAY

PRICES

IBM PC

LOW

AND

EasyLink is slow in sending printed material and can be ``user-hostile''

REVIEW: E-MAIL

using their services easier. I have not had the opportunity to test them, but the information I have about them indicates that they are functionally equivalent. Both systems run on the IBM PC or close compatibles, and both make logging on and sending messages almost automatic. I would consider such a package essential for the use of EasyLink.

I found the difference between these two services to be substantial MCI Mail was easy to use and fairly inexpensive for the low-volume user, and it presented a much more attractive product when messages were delivered on paper. Overnight or fourhour delivery of printed material can be critically important in some circumstances.


On the other hand, EasyLink was anything but easy. For the low-volume user it can be very expensive, and a printed computer letter is not particularly attractive. In addition, Easy-Link is slow in sending printed material and can be "user-hostile" in the process. Twice I tried to send myself a computer letter in order to compare delivery time and appearance. The first try was canceled two days after I sent it because a line was too long. The second try took eight days to arrive. I should add that Western Union has plans to implement two-hour and overnight courier delivery in 1985.

EasyLink might be easy if you have the communications software sold by Western Union, and it might be relatively inexpensive if you send large volumes of electronic mail. This is especially true if you need the ability to send telegrams or use the Postal Service's E-COM system. Otherwise. MCI Mail appears to be the electronic mail service of choice.

Inquiry 179

(604) 732-7411

A COMPUTER PROGRAM DELVERED VIA SATELLITE!



The Computer Chronicles, a halfhour weekly television series brings you an in-depth look at the latest developments in the computer world.

Correspondent Stewart Cheifet and Gary Kildall, creator of CP/M provide interviews with industry leaders plus news and information from Silicon Valley and around the world.

> The Computer Chronicles, every week on a public television station near you.

(Check local listings for time and channel.)



THIS IS COMPUTER PROTECTION,



To safeguard your computer against mysterious errors and costly servicing, not just any surge and noise suppressor will do. Serious computer problems demand serious computer protection... DATAGARD[®] by SL WABER.

For more information about DATAGARD and our complete line of Computer Accessories, call or write today.





Inquiry 281

A Division of SL Industries, Inc.

Computer Accessories Group 300 Harvard Avenue Westville, NJ 08093 Toll-free (800) 257-8384 In NJ (609) 456-5400

Nobody does it better. Nobody can.



BY MARK J. WELCH

$H \cdot A \cdot R \cdot D \cdot W \cdot A \cdot R \cdot E \quad R \cdot E \cdot V \cdot I \cdot E \cdot W$

Mannesmann Tally MT 160

An adaptable dot-matrix printer printer printer using front-panel buttons and a printer-generated menu. The printer features high-speed, draft-quality printing; a slower correspondence-quality mode; and a wide range of character sets and printing formats.

> The MT 160 is compact—considerably more compact than, for example, Epson's MX-80—but surprisingly heavy at 18 pounds. It includes both serial and parallel interfaces, so it can be connected to virtually any computer.

Mannesmann Tally advertises the MT 160 as printing at 160 characters per second (cps) in draft-quality mode, or 40 cps in correspondence-quality mode. In actual use, the MT 160 is faster in draft mode than the Epson FX-80, also advertised as a 160-cps printer. In its higher-quality correspondence mode, however, the MT 160 slows down severely, lagging behind the FX-80.

A wide variety of print modes are supported by the MT 160, including underlining, emphasized (bold), superscript, and subscript (see figure 1). In draft-quality mode it can print 5, 6, 8.3, 10, 12, 16.7, and 20 characters per inch (cpi). In correspondence-quality mode, it can print 10 or 12.5 cpi or proportional spacing.

In draft mode, the MT 160 prints characters in a 7- by 9-dot matrix. Uppercase characters use the top 7 by 7 matrix, with lowercase descenders using the bottom of the matrix. In correspondence mode characters look almost like typewriter quality. A line is printed in two passes. The paper is advanced a fraction of a line between passes, so characters are printed in a 7 by 18 matrix. In emphasized mode, characters are again printed twice; the second impression is slightly offset to the side. When the correspondence and emphasized modes are combined, it's almost impossible to distinguish any dots.

The printer can be reconfigured to recog-

nize control codes used for other printers. This is especially helpful since very little software supports the MT 160's standard control codes. WordStar text and Lotus 1-2-3 graphs were printed accurately by the MT 160 using this mode. Mannesmann Tally also offers a configuration program for Lotus 1-2-3.

The MT 160 doesn't support italic characters even when Epson control codes are used. The lack of italics is a serious handicap, although emphasized characters or underlining could be used instead.

PROGRAMMABLE FEATURES

One of the most convenient features of the MT 160 is that configuration details can be selected using the front-panel buttons and printed menus, so no DIP (dual-inline package) switches or jumpers are involved in configuring the printer for your computer (see listing 1). The current configuration is stored when the printer is turned off.

Many of the print features available through software control can be set as default parameters (see listing 2). Any of the seven character sets available can be chosen. If the printer is usually used for printing documents in another language, a European or other character set can be selected as the default. Likewise, formlength, print-format, and communications parameters can be reset.

To reconfigure the printer for my serial interface, for example, I simply pressed the Yes and No buttons to activate the menu, answered Yes to the CHANGE COMM CONFIG? prompt, and again to SERIAL prompt. While responding to prompts, I had to press No quite a few times, but this is far simpler than removing the cover to move jumpers and reset DIP switches.

There are six control buttons on the front panel of the MT 160. The on-line, form-feed, line-feed, and test buttons do what you'd expect. Two additional buttons labeled Yes and No allow you to answer the questions (continued)

Mark Welch is a BYTE staff writer. He can be contacted at POB 372. Hancock, NH 03449.

You'll have to go out of your way to build a special cable to hook the MT 160 up to your system.

in the reconfiguration mode and also combine with other buttons for special functions. For example, pressing the Yes and the line-feed buttons causes the printer to toggle from correspondence to draft mode.

I dislike loud, nonstop fault alarms, so I appreciate that the MT 160 makes no noise when a fault occurs. A red light indicates a problem. While this is better than the endless whine some printers produce when the paper runs out, I wish it would give a little beep so I'd know something was wrong right away.

The MT 160 is not a standard serial printer. Its RS-232C connector uses pins 11 and 19 to send a busy signal,

something most computers don't expect. As a result, you'll almost certainly have to buy or build a special cable to connect the MT 160 to your computer. For my older CP/M system, 1 switched pins 19 and 20. For the IBM Personal Computer (PC), Mannesmann Tally's service department says pin 5 must be swapped with either pin 11 or 19. Since the MT 160 is configured as data-terminal equipment (DTE), IBM PC users will also have to swap the connections to pins 2 and 3 (printer cables are readily available that way). The use of pins 11 and 19 was a surprise to me. You'll have to go out of your way to hook up the MT 160 to your system by either paying a premium to have a cable built your way or spending the extra time building your own.

Another problem I often find with printers is that the paper feeding out can feed right back into the printer. You'd almost have to work at it to get that to happen with the MT 160.

Power and interface cables often seem to need the same path as the paper. The MT 160's power cable has a right-angle connector at the printer end and feeds though a slot in the back of the left side of the printer, so there's no interference with the paper feed.

The parallel and serial connectors, however, feed straight out through the path the paper needs when it feeds from below. This problem was aggravated when, rather than rewire the printer cable, I used an adapter that also extended the printer's serial port. The right side of the paper dragged against this adapter and tore several times; there seems to be no solution except to wire a new cable especially for the MT 160. The parallel port is closer to the center of the back of the printer, so the cable would have to be routed underneath the printer.

There's never been a standard printer ribbon and Mannesmann Tally hasn't tried to change that. When my first ribbon faded, I tried to buy a replacement at several local computer stores. No one at any of the stores had seen this kind of ribbon before and delivery estimates ranged from two days to two weeks. The ribbons cost about \$13 each—well above an average price for other types. If you buy an MT 160, you should probably (continued)

```
This is the Mannesmann Tally MT-160 printer.
This is regular draft-guality output.
This is the double-pass 'correspondence-quality' mode.
This is emphasized mode.
This is emphasized correspondence-quality mode.
This is 10 cpi printing.
This is 12 cpi printing.
This is 16.7 cpi printing.
This is 20 cpi printing.
This.
          £ 455
                double-width
                                           Hann F
                                               meni en fi
This
        i s
             double-width & cpi printing.
This is double-width 8.3 cpi printing.
This is double-width 10 cpi printing.
This is 10 cpi correspondence-quality.
This is 12.5 cpi correspondence-quality.
This is proportional spaced correspondence-quality.
This is underlined text.
```

Figure 1: Print samples from the Mannesmann Tally MT 160 printer.

AT A GLANCE

Name MT 160

Manufacturer Mannesmann Tally 8301 South 180th St. Kent, WA 98032 (206) 251-5500

Type High-speed, 80-column dotmatrix printer

Size 14¼ by 9¾ by 6¼ inches

Weight 18 pounds

Equipment Needed Computer with parallel or serial interface, cable


Features

Six front-panel buttons; reprogrammable configuration; high-speed draft quality or slower correspondence quality; international character sets; graphics

Documentation Operator's manual, 64 pages

Price \$798





This is the Mannesmann Tally MT-160 printe This is the Epson FX-80, draft mode. This This is the Star Gemini-10X This is the St

The output from the Mannesmann Tally MT 160 dot-matrix printer in draft mode is compared with the Epson FX-80 and the Star Micronics Gemini 10-X, both in draft mode. The pitch for all printers is 10 cpi. The print speeds were

determined by dividing 3000 characters (50 lines of 60 As each) by the time required to produce the output. (See "The Art of Benchmarking Printers" by Sergio Mello-Grand, February 1984 BYTE, page 193.) Prices shown are list.

REVIEW: MT 160

Listing 1: An example of the interactive way of changing the configuration of the MT 160 printer. The printer prints out a short question to which you might respond by pressing either a Yes or No button on the printer's control panel.

RESTORE DEFAULTS ? CHANGE FORM LENGTH ? CHANGE PRINT FORMAT ? CHANGE LPI ? CHANGE CPI ? 10 ? 12 ? 16 ? 20 ? CORR.QUAL. 10 ? CORR.QUAL. 10 ? CORR.QUAL. 12 ? CR IMPLIES LF ? LF AT FULL LINE ? POPC ? CHANGE CHAR SET ? USA ? UK ? NOR/DAN ? SWE/FIN ?	NO YES NO YES NO NO NO YES NO YES NO YES NO NO NO NO
GER ? FREN ? SPAN ?	NO NO YES
SLASH ZERO ?	NO
CHANGE AUX CODE SET ?	YES
NONE ?	NO
E CODES ?	NO
D CODES ?	YES
CHANGE COMM CONFIG ?	YES
CHANGE COMM CONTIG ? CHANGE BUFFER SIZE ?	NO
PARALLEL ?	NO
	YES
SERIAL ?	
CHANGE BAUD ?	YES
9600 ?	NO
4800 ?	NO
2400 ?	YES
CHANGE NO. DATA BITS ?	NO
CHANGE NO. STOP BITS ?	NO
CHANGE PARITY ?	NO
CHANGE BUSY ?	NO
CHANGE COMM PROTOCOL ?	NO
END OF MENU	

buy spare ribbons and reorder when you install the last one.

DOCUMENTATION

I've never seen a printer manual that I liked. I found myself flipping through the MT 160 manual hunting for simple details I wish were included in a one-page appendix. To its credit, the manual does include a careful description of most (not all) of the configuration menu, as well as brief explanations for each print command with examples in BASIC.

However, the explanations were too short, while the four-page controlcode appendix was too long to be useful as a quick-reference guide. Several control-code commands weren't explained enough and left me wondering exactly what they did.

I'm not sure a novice would understand the MT 160 manual, but anyone who has used another printer should Listing 2: The current status of the printer can be printed out by pressing the No button.

FORM LENGTH LPI CPI CR IMPLIES LF LF AT FULL LINE POPC LF IMPLIES CR CHAR SET SLASH ZERO AUX CODE SET BUFFER SIZE INTERFACE TYPE BAUD NO. DATA BITS NO. STOP BITS PARITY BUSY PROTOCOL	11 INCH 6 CORR. QUAL. NO YES NO SPAN NO D CODES MAX SERIAL 2400 8 1 NONE LOW NONE
---	---

be able to figure it out fairly quickly. There is enough information in both manuals for a programmer to use most of the printer's features, though some experimenting may be necessary.

Mannesmann Tally doesn't have a toll-free number, but I called the company several times while configuring the printer and looking for a new ribbon. Each time I was put through to the service department quickly, and the person I spoke with answered my questions competently.


CONCLUSIONS

The Mannesmann Tally MT 160 is a fast, high-quality, dot-matrix printer, but its price led me to expect more. Particularly irritating was the lack of italic characters, the unusual serial cable configuration, and the nonstandard printer ribbon. Even though the printer is well designed, small and quiet, I had problems using an adapter with the serial port.

This machine is probably not as suited for the home user as some other printers, notably the Epson FX-80. However, its speed, print quality, and diverse print modes might make it appropriate for office use.

WHY IS OUR WORKSTATION DATA ACQUISITION SYSTEM THE COMPLETE SOLUTION?

Keithley DAS' Series 500 workstation data acquisition system is the complete solution to your control and measurement needs, present and future. Even a basic configuration provides enough power and capacity for most lab and test bench applications. As your needs become greater, you can set it up to perform more complex or varied operations later on. The key is: you configure it for your needs, whenever you need to.





Pirst or all, the Series 500 supports the PCs most commonly used in lab and R&D work: the IBM PC, PC-XT and Portable PC; the Apple II + and IIe; and the Compaq Portable. We even support the 8087 coprocessor.

A CHOICE OF SOFTWARE.

Our Soft500 package was written to give beginners the accessibility and ease of use they need to get results, yet it also offers more experienced users the depth and extra facilities necessary for more complex applications. Facilities like high-speed sampling, data storage, graphics, statistical analyses and memory-mapped I/O for highspeed data transfer. Our unique interrupt-driven architecture allows data acquisition in the background and simultaneous real-time analysis, control and display in the foreground. What's more, with our new Plus500 interface, you can also connect IEEE-488 instruments to your PC and put the same



by the Macmillan ASYST™ and Lab Notebook™ software packages.

software environment in

charge of both interfaces.

For special needs, there's our Chem500 analytical chemistry software package for chromatography, spectroscopy, thermal

analysis and colorimetry. And the Series

500 is also supported

A CHOICE OF FUNCTIONS. With the Series 500, you can choose from a larger library of plug-in function cards than any other company offers.

Choose from 18 analog and digital I/O modules; isolated and non-isolated analog input; direct connection of

transducers: thermocouples, strain gauges and RTDs; pulse counting; 4-20 mA current loop input and output; direct switching and sensing of AC and DC power lines; and programmable excitation for transducers. All with full software support.

ALL THIS, BACKED BY KEITHLEY QUALITY.

Behind the Series 500 is Keithley's 40-year reputation for engineering excellence and low-level measurement expertise. We designed it to provide the least noise, the highest accuracy and the greatest thermal stability of any PC-based data acquisition system.

A BACKED BY KEITHLEY SUPPORT, TOO.

We haven't provided a complete solution unless we provide complete support. And we do. Your Series 500 comes with a one-year full warranty and 90 days' free software counseling. Most important, Keithley DAS provides you with a toll-free applications hot line, for the times you need a helping hand.

For a demonstration or more information, call us toll-free at 1-800-552-1115. In Massachusetts call 617-423-7780. Or write us at Keithley DAS,

349 Congress Street, Boston, MA 02210. For literature on the Series 500, circle Reader Service Number 168

Series 500



SuperSoft Languages When Performance Counts

A programmer's most important software tool is the language compiler or interpreter he uses. He has to depend on it to work and work well.

At SuperSoft, we believe it. That's why we offer three excellent compilers: SuperSoft FORTRAN, SuperSoft C, and SuperSoft BASIC. They answer the programmer's need for rock solid, dependable performance on microcomputers.

SuperSoft FORTRAN

With large code and data. SuperSoft FORTRAN version 2.0 with large code and data space is now available under MS DOS and PC DOS. It gives you the power to compile extremely large FORTRAN programs on micros. It allows double precision and complex numbers, full IEEE floating point, and a full range of other important features for the serious FORTRAN programmer. Both 8087 support and a RATFOR preprocessor are optionally available. FORTRAN (CP/M-80 & 86, MS

DOS, PC DOS): \$325 8087 support: \$50 RATFOR:\$100

SuperSoft A

A true Ada* subset

SuperSoft A is a completely standard subset of the Ada language, incorporating approximately 63% of the standard Ada syntax and including such important features as packages and separate compilation. For CP/ M-80 microcomputers: \$300.

SuperSoft C

SuperSoft C is a high-powered, fullfeatured C compiler designed for serious C applications. It is fast – both in compilation and execution, and it is packed with more than 135 library functions (all delivered in source code form). SuperSoft C produces optimized assembly code, and object code can be ROMed.

SuperSoft C (for CP/M-80, CP/M-86, MS DOS, PC DOS): \$350





SuperSoft BASIC

The SuperSoft BASIC compiler lets you get serious with business and financial programs. It uses BCD math to give you highly accurate results for demanding applications. SuperSoft BASIC is a true native code compiler that is generally compatible with Microsoft's BASIC interpreter. And an additional bonus – no run time license fee is required.

SuperSoft BASIC Compiler (for MS DOS, PC DOS, and CP/M-86): \$300

Also available for programmers:

Star-Edit, a full-featured programmer's text editor: \$225.00 Disk-Edit, an invaluable programmer's disk data editor: \$100.00

To order call: 800-762-6629

In Illinois call 217-359-2112

In conjunction with SuperSoft, Supersoft FORTRAN was developed by Small Systems Services, Urbana, IL, a leader in FORTRAN development.

Japanese Distributor: ASR Corporation International, TBL Building, 7th Floor, 1-19-9 Toranomon, Minato-Ku, Tokyo 105, Japan Tel, 03-5025550. Telex 222:5650 ASRTYO J.

*Ada is a trademark of the Department of Defense

PC DOS is a trademark of International Business Machines MS DOS is a trademark of Microsoft.

CP/M-80 and CP/M-86 are trademarks of Digital Research, Inc.



SuperSoft, Inc., 1713 S. Neil St., P.O. Box 1628, Champaign, IL 61820

SAGE II AND IV

I was pleased to see the review by Allen Munro of the Sage II and Sage IV in your July 1984 issue (page 235). I agree with the author's conclusion that the Sages are fast, powerful, and reliable machines. I've owned a Sage IV for almost a year now and I'm extremely pleased with it. Not one single glitch so far.

After getting used to the power and speed of the Sage it's hard to imagine going back to a slower machine. The amount of Sage software in terms of operating systems, languages, utilities, and applications may cover the broadest range in the industry. (How many computers offer 10 operating systems and languages such as Ada and APL?) I do have some problems with Mr. Munro's review, however. I find several misleading and simply incorrect items.

First, the graphs are terribly misleading. The price graph states that the comparison is for systems with "two highcapacity floppy-disk drives," yet the Sage line lists the Sage IV at \$7300, which includes a hard disk. By the way, the price shown for the IBM PC XT is considerably lower than we've paid for that machine.

The spreadsheet comparison reaches the point of being ridiculous. The graph is labeled "Multiplan." Yet we read in the fine print that the Sage run was actually on Timberline, a p-System spreadsheet with many more bells and whistles than Multiplan that is consequently much slower. This is NOT a benchmark.

The BASIC calculation comparison is not valid. Even though the Sage's power is shown to be an advantage here, the comparison is still against the Sage. The procedure states that the calculation test involved 10,000 multiplication and division operations. Later, in the fine print, we find that the Sage runs were using 64-bit real arithmetic.

There are also minor discrepancies in the system standard configurations. For instance, both the II and IV come equipped with the IEEE-488 interface as standard equipment, not just the IV. Also, the picture of the computer shown in "At a Glance" is a Sage II, not a Sage IV. True, Sage did try for a short time to market all machines as the IV, but soon returned to the II/IV separation. As many Sage ads as you've run, I'm sure you could have obtained the right pictures.

Incidentally, Mr. Munro failed to note some of the more exotic standard features of the Sage, such as the fact that its multiuser capacity is not operating-systemdependent, which means that different operating systems with multiusers on each can operate simultaneously. Or that multiusers can be assigned to the same terminal, thus producing concurrency with any operating system.

I'm a professional engineer with over 20 years of experience in the computer arena. I currently direct a large staff of scientific programmers using everything from PCs, HPs, 3033s, and 3081s up to the CRAY-1. I'm convinced that the Sage is by far the best computer value in today's market. It outperforms many upper-end "business oriented" machines, including several minicomputers, at a fraction of the price.

> BILL BRUMMETT Dhahran, Saudi Arabia

We thank Mr. Brummett for noting an error in our Sage review. The prices listed for the Sage II/IV on the "At a Glance" page were incorrect. The prices were listed as \$3200 and \$7300. The prices for the BYTE standard configuration (including terminal, two drives, and BASIC) should have been \$4790 and \$8190. The price of the IBM PC, not the XT, was given in the graph and was labeled as such.

For our Spreadsheet test we usually use Multiplan. For the Sage, we used the only spreadsheet available, Timberline. The purpose of our spreadsheet test is to determine how fast a given system/ software combination can perform a given task. In this case, the Sage/Timberline combination is twice as slow as the IBM PC/Multiplan combination. Incidentally, bells and whistles do not always slow down a program: for example, Lotus 1-2-3 runs three times faster than Multiplan on the IBM PC.

As for the BASIC calculation test, again we wanted to time how long it took a given system to do a given task. Most calculations only require seven significant digits. If a system cannot efficiently support this type of arithmetic, then in this test that system is penalized slightly and justifiably.

Finally, there was what looked to be a discrepancy in the photograph of the Sage. The machine in the picture, which we received directly from Sage, was configured as a Sage II but was marked as a Sage IV. We were aware of the discrepancy at the time, but we can only photograph what we receive. We do not change or alter products to put them in a better light. We are, however, glad to hear that Sage is now labeling their products more logically.

> -Rich Malloy Senior Technical Editor

SANYO MBC 550

Bill Sudbrink was generally fair in his review of the Sanyo MBC 550 (August 1984, page 270). However, there were obvious errors in the article that do a disservice to an excellent product. To begin with, the comparison of execution time between the IBM and Apple running Multiplan to the Sanyo running CalcStar was misleading and irresponsible. Only the fine print at the bottom of the page explained the untruth of the spreadsheet (Multiplan) caption. The fine print further stated that "Sanyo BASIC apparently cannot access other disk drives." This is incorrect. The author apparently was not aware that the catch here is that the drive specifier must be in uppercase, such as LOAD "B:filename". Granted, the documentation did not point this out, and I agree that it was an unfortunate oversight.

James G. Droppo Jr. feels that the Sanyo BASIC screen editor is limited in comparison to the IBM Personal Computer (PC) BASIC screen editor (see "The Double-Drive MBC-555," August 1984, page 278). Maybe so. However, I find it much more convenient than that which comes with some of the PC-compatibles. The Sanyo's feature of being able to suspend and resume scrolling during a list is super. Entering changes during program debugging is also far superior. I can make (continued) changes all over the screen, then with one touch of the Break key I can be assured that every change has, in fact, been entered into the program. Try that in IBM's BASICA!

After having used a Columbia professionally and a Sanyo recreationally on a daily basis for several months, I find that I prefer to use the Sanyo, if possible, because of its superior keyboard arrangement, its large Return key, a better key "feel," its handy reset switch, and the dedicated asterisk key.

> Orrin B. Iseminger Colton, WA

REVISING THE SIEVE

Mark Bridger's article, "Four Logos for the IBM PC" (August 1984, page 287), includes two benchmark programs using the Sieve of Eratosthenes—one iterative and one recursive. They execute in about the same amount of time but differ in how many primes can be discovered before stack space is gone. IBM Logo used the stack space best but it could not get all the primes through 1500 using the recursive version in the review.

In the November 1984 BYTE (page 356). Ian MacMillan of Logo Computer Systems Inc. gives a revision of the recursive version that finds all primes through 1500 on a 128K-byte IBM PC. MacMillan's program runs about as fast as the other two: its main feature is efficient use of tail recursion.

The version in listing 1 uses Logo's property lists to increase simplicity. It might not use stack space as efficiently, but it seems to execute on a 128K-byte IBM PC.

It also seems to execute faster. For example, the Zenith Z-150 takes over 35 minutes for the primes through 1500 using MacMillan's version but only 15 minutes for the version in listing 1.

> FURMAN SMITH Montgomery, AL

PEACHTEXT 5000

In the September 1984 Review Feedback (page 355), A. Stanbury reported problems with the PROP ON and PROP OFF commands for PeachText 5000. We had similar problems, and after about two months of talking to our dealer I was allowed to talk directly to people at Peachtree. They told me about the following patch that corrected the problem.

Use the Debug (under PC-DOS 2.0) utility to patch the PRINT.PGM portion of PeachText. When you are done the screen should look like the following:

DEBUG PRINT.PGM

Listing 1: Revised recursive version of the Sieve program.
TO SIMPLE.SIEVE :LIMIT MAKE ''PRIME 2 CARRY.ON END
TO CARRY.ON IF :PRIME > :LIMIT (TONE 300 3 STOP) PRINT :PRIME MAKE ''FOOT.PRINT :PRIME CROSS.OUT MAKE ''PRIME PRIME.AFTER :PRIME CARRY.ON END
TO CROSS.OUT IF :FOOT.PRINT > :LIMIT (STOP) MAKE "FOOT.PRINT :FOOT.PRINT + :PRIME PPROP :FOOT.PRINT ''? ''N CROSS.OUT END
TO PRIME.AFTER :NUMBER MAKE "NUMBER :NUMBER + 1 IF NOT GPROP :NUMBER ''? = ''N (OUTPUT :NUMBER) OUTPUT PRIME.AFTER :NUMBER END

- E3558

091B:3558	A0.F6 0D.06 08.FC 34.07
	80.01 A2.75 0D.0C 08.A0
091B:3560	F6.0D 06.08 FC.34 07.80
	01.A2 74.0D 04.08 FF.
– W	
-0	

Refer to the Debug instructions for the correct interpretation of this information.

To make the superscript and subscript function work, it is absolutely essential to use one of the printers listed on the configuration menu. Unfortunately, there is no way to customize the printer driver to accommodate printers other than those listed. I hope this helps.

JOHN SONEWALD Rolla, MO

I am writing in regard to the letter in Review Feedback from A. Stanbury (September 1984, page 355).

I have been using PeachText and its predecessor, the MagicWand, for more than six years and have yet to find anything I like better. By comparison, WordStar with its voluminous help messages, disk-intensive editing, and complicated commands is not worth the trouble. Stanbury complains that proportional spacing, character spreading, and suband superscript don't work with PeachText. It is stated clearly and often in the manual that these functions will only work with printers (such as the NEC Spinwriter) equipped to handle them.

The only complaint I have with Peach-Text 5000 is that it is not integrated, but it does the job and the price is right. The Heath H-110 (Zenith Z-100 clone) is also a best buy. It does everything better than the IBM.

> ROD HALLEN Medan, Indonesia

LEADING EDGE PC

Jeffrey Mazur did a good job in the review of the Leading Edge PC (September 1984, page 312). However, I want to bring up a couple of points.

First, the fan was not correctly designed. It draws air from inside the system unit and expels it out the back. This air is drawn through such convenient openings as the disk-drive doors. This results in dust deposits on the inside of the disk drive and other boards.

The second item concerns the Leading Edge word processor, which is excellent. However, the program came with very few printer drivers. After all, many users own Okidatas and the newer Epsons. What caused my concern was that my MX-80 (type 3) is capable of solid underlining, italics, and super- and subscripting, but the word processor does not support these features. My dealer told me that Leading Edge will provide additional printer drivers in the future.

I feel that I have made the right decision in buying the Leading Edge PC. The only alternative is an IBM PC; if purchased locally with similar software, it would cost almost \$14,000.

> RAMESH INDHEWAT Bangkok, Thailand

LEADING EDGE WORD PROCESSING

The software review entitled "Leading Edge and MultiMate" (November 1984, page 287) is strewn with bias and inaccuracies. Our documentation is being rewritten, the latest 1.2 version of the software has increased speed, and at no point in time could it be considered inefficient. If during the reviewing process the reviewer had called us to find out something about the future of our package, that could have been reported.

We are, if anything, faster than MultiMate in just about everything and give Word-Star a run for the money in almost all categories. We also provide easy-to-use and easy-to-learn word processing that we feel is leagues ahead of WordStar. How does the reviewer know that "Programs like MultiMate and Leading Edge might be easy to teach because they are designed for correspondence and short reports, projects that require few commands"? Both Leading Edge and MultiMate have many similarities to the Wang word processor. Surely the reviewer doesn't intend us to believe that the original Wang word processor was designed solely for short reports and correspondence.

Finally, this is the only reviewer to date who did not like Leading Edge Word Processing or see it as a great value for the money. It is not wrong to be different or to state opposing points of view, as long as one has done the research correctly, thoroughly, and fairly. In comparing our 1.1 version with the current version of MultiMate and WordStar, the author has done a grave disservice to BYTE's readers. J. B. ROYAL

Senior Vice President Word Processing R&D Leading Edge Products Inc. Canton, MA

SPIRIT 80

I was pleased to see Mark Welch's review of the Mannesmann Tally Spirit 80 printer, (November 1984, page 335). I agree with your conclusions that it represents a fine combination of improved print quality and lower price.

I've experienced the occasional paper jamming that Welch mentioned, but only when I tried to print from the top of a cut sheet of paper. What seems to happen is that the paper is hampered as it first goes through the paper bail rollers and jams either against them or against the removable cover. The remedy is to have about a half-inch of paper past the print head when starting printing or a full sheet if beginning precisely at the top of the form is essential. If an adjustment of the top of the form is desirable you can ask the printer to pause at the end of the first page. Using these procedures, I've had no jamming.

Two points Welch does not mention might be of importance to some users. The cassette ribbons used by the Spirit 80 are specific to it and list for about \$12. though I've found them for \$7 at a discount house. Second, the replaceable print head is rated at 30 million characters, significantly less than some other dotmatrix printers; for medium use, I still consider it adequate (at 1.6K bytes per page, that represents about 19,000 doublespaced pages).


> CHRISTOPHER CONLY Seattle, WA

SANYO CUSTOMER SUPPORT

I would like to share Harvey I. Coopersmith's complaint in Review Feedback (November 1984, page 357) about Sanyo's poor response to owner's problems. I bought the Sanyo 1250 and had difficulty booting up the CalcStar program.

I forwarded to Sanyo the error messages, original disks, warranty, and original purchase receipt with instructions written in large letters to return the receipt for my income tax records. Sanyo returned the original disks with a scribbled note stating (continued)

Once you choose Lattice, our friends will C you through...



Contact Lattice to learn how we can help your C program development.



P.O. Box 3072 Glen Ellyn, IL 60138 312/858-7950 TWX 910-291-2190

that its testing equipment found no problems. The booting problem remained, and Sanyo offered no explanations for the error messages. Moreover, the company did not return the warranty or the original purchase receipt as I requested. Fortunately, I resolved the booting problem by PIPping the components of CalcStar between the two disks.

> MAXIM W. MIKULAK Nesconset, NY

GIFFORD UPDATE

Since my recent review ("Gifford's MP/M 8-16," January, page 305) Gifford Computer Systems (2446 Verna Court, San Leandro, CA 94577, (415) 895-0798) has started shipping MC-DOS, the multiuser concurrent disk operating system. This operating system is one of the first implementations of Digital Research Inc.'s Concurrent CP/M 3.1 to be available for non-IBM hardware. MC-DOS resembles MP/M 8-16 at the userinterface level, so the user who is already familiar with the older Gifford offering needs little training. Upgrades include a simple update guide for converting from MP/M 8-16 to MC-DOS.

MC-DOS has several advantages, including increased speed. Concurrent CP/M is basically an outgrowth of MP/M-86 and uses disk buffering, directory buffering, hashing, etc., to allow faster operation. The M-Drive/H 512K-byte board is no longer used as a disk emulator but serves as a large hard-disk buffer. A utility locks any files into this buffer, so they are unaffected by the LRU (least recently used) technique of buffer flushing. This provides an MC-DOS user with the advantages of a large buffer and a solid-state disk emulator.

Gifford incorporated local-area networking into its new operating system. Optional Arcnet hardware is available for Gifford's S-100 systems and IBM PCs, and all appropriate utilities in the MC-DOS package have been modified.

Also new from Gifford is the Macrotech MI-286 dual-processor board, now supported and shipped in most Gifford systems. This board was designed as a plugcompatible replacement for the Compu-

TOUGH LOCAL NETWORK PROBLEM:

"How can our department get our six computers and three printers to work together efficiently? We also want to be able to access outside data services and our future company LAN."

SIMPLE NETWORK SOLUTION: NetCommander

NetCommander is a smart, small Local Area Network manager. It lets you link from four to 40 computers and peripherals in any mix of models and makes. A 50K buffer (expandable to 250K) makes sure that productivity is high — keeping fewer printers humming — while computer and PC users do their thing, without waiting for a printer, modem, or shared disk. Those devices can be specified with names defined by users — and allocated on the basis of availability and capability. And NetCommander handles multiple protocols and different baud rates simultaneously without modifications to hardware or software. It will also tie into your company's LAN. The latest in a family of products in use since 1979, NetCommander is a smart, small, efficient network manager.

For more information, call or write:



Digital Products Inc. • The Simple Network Solution Company 600 Pleasant Street • Watertown, MA • 02172 (617) 924-1680 • Outside Mass., call 1-800-243-2333 And check out our 30-day trial evaluation. Pro 8085/8088 board. It comes in its standard configuration with a 6-MHz 80286, an 8-MHz Z80H, and a socket for an optional 5.33-MHz 80287 numeric processor. Operating in an 8086-compatible mode, the MI-286 offers as much as two-and-ahalf times more throughput under ideal circumstances.

MC-DOS lists for \$695, and you must order it for a specific hardware configuration. MP/M 8-16 is listed in the price guide for \$1345. The networking software and a single board cost \$895. A networking package for the IBM PC XT and compatibles is available. Passive hubs (connecting up to four nodes, 200-foot maximum) are \$95, while an active hub (eight nodes, 2000-foot maximum) is \$795. The Macrotech MI-286 processor board with the standard Gifford two-year replacement warranty is \$1595, and the 80287 numeric processor is \$650.

> CHARLES H. STROM New York, NY

THE COMPAQ DESKPRO


I noticed with interest in the November 1984 Reviewer's Notebook (page 261) that you have been using a Compaq DeskPro. The DeskPro is not compatible with the 384K-byte Quadram Quadboards; I have tried three in my DeskPro and each makes the screen go into outer space when the machine tries to switch resolutions on the monochrome monitor. Compag claims on the telephone that this board is compatible with the machine, and people at Ouadram have discussed it for the past six weeks or so, but I think it is clear that the board is not usable with this computer. Dealing with Quadram about this has soured me on them as a source of peripherals for IBM-type machines-their support is weak.

A couple of additional points: Compaq's documentation is helpful in setting up the machine, but it doesn't include much technical information (like a memory map), and Compaq's customer-support telephone number will only answer real questions from dealers, not end users.


GEORGE CAREY Marietta, GA

REVIEW FEEDBACK is a new column of readers' letters. We welcome responses that support or challenge BYTE reviews. Send letters to Review Feedback, BYTE Publications, POB 372, Hancock, NH 03449. Name and address must be on all letters.

Inside Outside



PC212A/1200 \$299 212A/1200E \$329



satisfied with your purchase, you may return it within 30 days for a full refund, including the cost to send it back. If you can get any of our competitors to give you the same guarantee, buy both and return the one you don't like.

Order Today, Shipped Tomorrow!

For fastest delivery, send cashiers check, money order, or order by credit card. Personal checks, allow 18 days to clear. California residents, add 6% sales tax. Hours: Mon-Fri. 8:00 a.m.-6:00 p.m. PST Sat. 9:00 a.m.-1:00 p.m. PST

(800) 821-4479 Toll Free Outside California

(805) 987-9741 Inside California



4809 Calle Alto Camarillo, CA 93010

London (01) 223-4569 Paris (01) 321-5316 Sydney (02) 579-3322

© Qubie' 1984

Why pay more for a 300/1200 baud modem than you have to? Through the use of four low-cost, state-of-the-art microprocessors, we can now offer two versions of our full featured modems at prices, hundreds less than the competition. PC212A/1200 is available for \$299, the 212A/1200E for \$329.

Our modems are fully compatible with all Hayes software commands. Software packages like Crosstalk™, Sidekick™ and SmartcomII™ will work with our modems.

Our internal modem card, PC212A/1200, is designed specifically for the IBM PC, PC/XT or other PC-compatible units.* The board occupies only one slot, since it is just 6/10" in thickness. The optional asynchronous port, available for \$40, can be used for other peripherals when the modem is not being used. The modem comes complete with PC-TALK III™, modular phone cable, card edge guide, and user's guide.

Our external standalone modem, 212A/1200E, can be used with any computer or terminal that has an RS-232C serial port. The modem is housed in an attractive gold anodized case and fits comfortably under a standard telephone. An easily accessible volume control knob adjusts the modem speaker's output. The modem comes complete with modular phone cable, serial connector cable, and user's guide.

Both modems are Bell 103/212A compatible. Both feature auto-dial and can be accessed remotely through an auto-answer mode.

Good service starts with answering your questions before and after you buy. It continues with same or next day shipment of your order. Since we only sell a few selected products, we have the information and inventory to help you fast.

We perform repairs in our own service department within 48 hours, should you ever need service during the one year warranty period.

Our price is the whole price. All prices include UPS surface charges and insurance. In a hurry? Two day UPS air service is just \$5.

Corporations, dealers and institutions, call for volume purchase price information.

Inquiry 266

*Call for information.

Now, You Can Buy an IBM-PC[™] and OPTOMUX from Opto 22.

(Industrial Control has never been Easier!)

Opto 22, an IBM-PC Value Added Dealer, combines OPTOMUX and the IBM-PC to provide a powerful general purpose industrial control or data acquisition system. Optically isolated analog and digital I/O modules plug into a variety of mounting racks which communicate to the IBM-PC over a simple pair of twisted wires.

Opto 22 provides the software to program the PC in a high level language. commanding OPTOMUX to perform: • Process Control • Energy Management • Machine Control • Data Acquisition or any combination of analog or digital control.

Our application engineers are ready to answer any questions you may have regarding the use of the IBM-PC and OPTOMUX. Call us at 1-800-854-8851.*



In California use our direct line.

Inquiry 237 for Dealers. Inquiry 238 for End-Users

Kernel

TROUBLES HAVE WE ALL, and this month Jerry Pournelle mentions some space problems at Chaos Manor, talks about the problem of choosing computer books, and still finds time to look at some interesting goodies.

In BYTE Japan, columnist Bill Raike's trip to the 1984 Data Show provides some information on disk-drive storage technology and laser printers.

From California, BYTE West Coast looks at a high-resolution digitizer for the Mac, some new workstations, and the windowing game.

Dick Pountain, our U.K. contributing editor, appears to have found the system that he's always wanted—and this time it's affordable.

We introduce a new column this month—Computers and Law. Attorneys Robert Greene Sterne and Perry J. Saidman begin with the legal issues of copying software.

Also this month. Steve Ciarcia again finds time to answer readers' questions about his projects in Circuit Cellar Feedback.

COMPUTING AT CHAOS MANOR: TROUBLES by Jerry Pournelle
CHAOS MANOR MAIL conducted by Jerry Pournelle
BYTE JAPAN: DISKS AND PRINTERS by William M. Raike
BYTE WEST COAST: WHAT NEXT? by John Markoff, Phillip Robinson, and Ezra Shapiro
BYTE U.K.: REALIZING A DREAM by Dick Pountain
COMPUTERS AND LAW: COPYING MASS-MARKETED SOFTWARE by Robert Greene Sterne and Perry J. Saidman
CIRCUIT CELLAR FEEDBACK conducted by Steve Ciarcia

Don't buy a disk/tape system that can't grow with you.



Get the Sysgen^{**} XL^{**} *expandable* hard disk and tape back-up system.

Most popular disk/tape systems offer 20 Megabytes of hard disk, plus a 20-Megabyte tape back-up.

That may seem ample now, but do you know whether, a year down the road, 20 Megabytes will give you enough storage?

You don't. So it makes sense to get the *only* disk/tape system that gives you room for expansion later on.

And that doesn't cost you any more now.

The new Sysgen XL comes with 20 Megabytes of fast, reliable hard disk storage, a built-in 60-Megabyte tape for fast, reliable back-up, *plus* room for an additional hard disk drive.

What happens if you later need more hard disk storage?

With the XL, you simply add a second $5\frac{1}{4}$ disk drive. It fits inside the cabinet, and plugs right into the XL controller.

You can add an additional 20 Megabytes, and back-up with a single pass of the 60-Megabyte tape.

Or add up to 100, and back-up with two tapes. With the low cost of hard disk drives, expansion is *much* more economical than buying a whole new \$3,000 system. Plus, you save desktop space by expanding *inside* the cabinet.

The XL sells for \$3,295, including cabling, host adaptor, and utility software. You get everything you need.

(Watch out. Some companies charge extra for cabling and the host adaptor.)


Installation? Just snap in the controller, plug in the system, install the system software, and you're running.

Compare before you buy:

You'll find the XL to be the outstanding disk/tape system for your PC, XT, AT^{TM} , or compatible today. And the only system that can expand for your needs for tomorrow.

Trademarks: Sysgen, XL-Sysgen, Inc.: AT-International Business Machines, Inc.





C·O·M·P·U·T·I·N·G A·T C·H·A·O·S M·A·N·O·R

Troubles

Computer Books SemiDisk Valdocs/QX-10 Revisited PCturbo 186 PC Reset Electric Dragon Small Disks Newmedia SPUZ UNIX Flow Charting Free Filer

BY JERRY POURNELLE

have problems. My office, its extension, the back room, and indeed my whole house are filled with software, books, computers, and computer components.

I've foreseen the crisis. We have plans for rebuilding Chaos Manor, adding a large new library, office, and workshop as a second story. If I can get that up, I'll last awhile longer. Alas, my *real* problem is with the city of Los Angeles, which has taken nearly a year to process my application to let me build that second story. If I have any friends in the appropriate departments—it's a yard variance I need, to let me build out even with the existing office extension—HELP!

BOOKS AHOY

I've just sent in the final version of my Adventures in Microland (Baen Books, spring 1985). Like The Users Guide to Small Computers (Baen Books, 1984), it's a collection of my BYTE and Popular Computing columns with considerable updating. I don't change the columns, but I do add information and comments to make them up-to-the-minute timely. Indeed, Adventures will contain columns that haven't been published as I write this.

After I finished the book I called my publisher, Jim Baen; what he told me is very disturbing.

It also gives me a problem. I want to enlist your help in what I think is a cause important to all of us. So far, so good, but I'm hardly a disinterested party.

THE BOOK EXPLOSION

The problem is real: there's been an enormous explosion of computer books. *Publishers Weekly* estimated the total 1985 sales of computer books to be comparable to *fiction*. However, there are so many computer books that no one of them does very well. Moreover, many of those books are pure schlock. Many publishers, seeing the rapid expansion of the computer-book category, simply flooded the market with books regardless of their quality. Quick in, quick profit, quick out. The result is that the field will soon be awash in dreck; and by a kind of Gresham's law, the bad books drive out the good ones. Publishers who take their time, bringing out carefully edited books of high quality—publishers like Que—are already being forced out, leaving the field to the schlockmeisters and hypesters.

The problem is curable but complicated. What's happening is that book buyers—the book-chain and book-distributor officials charged with actually ordering the books do not know the difference between the good and the bad. How could they? A year ago these same people were buying romances. Romances are down, computer books are up, so their assignments changed. They didn't read the romances they used to buy, and they aren't reading the computer books they buy now.

My books sell fine once they get to the bookstores-but the only reason they get to the store in the first place is that the salespeople remember me as a sciencefiction writer. Frank Herbert wrote a computer book. So did Pournelle. Neither the book buyers nor the publisher's sales force ever heard of this column, or indeed of BYTE magazine; magazine sales are handled by entirely different people. Since buyers don't know the difference between good and bad computer books, they order "some of each." If the salespeople insist that a particular book is hot, the buyer may order twice as many of that one; still not enough to make any sales.

THE REMEDY

The only cure for this is consumer organization, and the only relevant organized consumer groups I know of are the enthusiasts and hobbyists. The largest block of those are BYTE readers. There was a time when we enthusiasts *were* the computer revolution. We're still the largest organized part of it. We're also the people who lose the most (continued)

Jerry Pournelle holds a doctorate in psychology and is a science-fiction writer who also earns a comfortable living writing about computers present and future. if computer-book publishing is abandoned to drecksters and schlockmeisters. We *need* good books.

It's time for us to do something about the situation. If we don't, no one will.

Several things must happen. First, most of us are accustomed to buying computer books in specialty stores. That's not the way to influence what's published. The impact is made in regular bookstores, and particularly in the big book chains: which means that if you don't see the computer books you want at your local B. Dalton and Waldenbooks, say something to the manager. Better yet, put in a special order. The only way the book buyers will know which are the best computer books is for store managers to tell them-and the only information source the managers have is us. Most of their customers don't know a good computer book from a bad one. The average computer-book buyer is so used to being ripped off that yet another overhyped horror isn't even noticed.

It isn't enough to praise the good books. You must also condemn the bad. Now do understand what I mean by a bad book. I'm not talking about books that I disagree with or say "bad things," as for example the silly books that try to claim that computers are bad for poor people. I am thoroughly uninterested in censorship of ideas. No; by "bad books" I mean those that are poorly edited, filled with typos and misspelled words, crammed with jargon: books with neither index nor analytical table of contents; books written so poorly that you don't know whether or not you disagree with the authors because you can't understand what they said. Books with programs that can't possibly run. Books filled with obsolete materials.

There are plenty of such books, and if you discover that a particular publisher seems to bring out a lot of them—you won't have any trouble finding them if you look on the shelves of your local B. Dalton—then take them to the bookstore manager. Show her why these are bad books. Make sure she notices which publisher put them out.

There's another odd phenomenon: newcomers to the computer field are desperate for books, so much so that they pay little attention to price. It's strange: but a book will sell about as well at \$19.95 as it does at \$9.95. Publishers notice this sort of thing. If it keeps up, pretty soon there aren't going to be any low-cost books. Incidentally, my own Pournelle Users Guide books, including both The Users Guide to Small Computers and Adventures in Microland, sell for \$9.95. They'd sell for even less if there were the slightest evidence that lowering the price would sell significantly more books.

If a certain publishing line consistently puts out overpriced schlock, complain loudly and often. If you find a publisher who consistently puts out good books at decent prices, tell your store manager that.

Baen tells me that he can make five times the profit publishing science fiction-quality science fiction-than computer books. It's true for me, too: my advances for computer books are a pretty small fraction of what I can get for science fiction. So far, the love of the field—I really like writing about little computers-keeps me putting out the books, while hope that the market will settle into something reasonable keeps quality outfits like Baen Books publishing them, but it's a strain. The real computer enthusiasts, led by BYTE readers, could make things a lot easier for the good guys.

SEMIDISK

Speaking of good guys, SemiDisk Systems of Beaverton, Oregon, continues to develop a high-quality line of RAMdisk products for S-100 machines, IBM PCs and PClones, and the Epson QX-10. They've now got SemiDisk boards with up to 2 megabytes on board, and I believe their costs are now the lowest per megabyte in the industry. A RAM (random-access read/write memory) disk, for those few who tuned in late, is a method of fooling your computer into believing that a block of memory is a *very* fast disk; indeed, the computer can't tell the difference. In CP/M systems, we generally designate the RAM disk as M: (for memory drive); once installed, you use it as you would any other disk drive, copying files to and from it (use COPY in MS-DOS and PIP in CP/M), renaming files, erasing them, marking them read-only, etc.

The time saved can be quite significant. For instance, my accounting system begins with a journal, which is a report, in chronological order, of every financial transaction: income from my agent, or BYTE, or speaking engagements; travel expenses, computer supplies, salaries to my assistants, etc. From time to time, these must be posted into the general ledger. Since the files are quite large, each page of my ledger is a randomaccess disk file. There are about 200 ledger pages, and each month's journal has a couple of hundred entries.

Due to sloth, I seldom post all these until year's end. That can take time. With 8-inch floppy disks, it takes about three hours. With my CompuPro (Quantum) hard disk, it takes about 50 minutes. With a RAM disk, it takes just under 11 minutes to do a year's posting. Now true: in my CompuPro system I'm using a CompuPro M-Drive/H RAM disk; but we've done speed comparisons between Semi-Disk's S-100 boards and the Compu-Pro, and they're nearly identical. We've had a SemiDisk board running in Helen, Alex's CCS S-100 computer, for nearly three years with no problems at all.

Except for power failures, RAM disks are much more reliable than physical disk drives. There are no moving parts and no door latches to break (Barry Workman reports that he's still doing a brisk business in Tandon drive-door latches). There's no maintenance and no problems with disks lunched by cats, tobacco, or stray magnetic fields. SemiDisk makes a battery backup unit; you can plug it into the wall, so that if you turn off your computer, the memory stored on SemiDisk doesn't go away; and if there is a power failure, the files are protected for up to six hours.

That six-hour limit does bother me

CHAOS MANOR

somewhat, but in actual fact the longest power failure we've endured in 20 years here at Chaos Manor was only about four hours, and it happened in the middle of the night. In fact, that data on my RAM disks is safer than the rest of what I'm doing since, although I've intended to get one for years. I blush to confess I am not using an uninterruptible power supply. I intend to get one Real Soon Now.

As I said above. SemiDisk makes RAM-disk boards for the Epson QX-10; they've done that for years, and therein lies a tale.

VALDOCS COMES FORTH AGAIN

The Epson QX-10 story is very odd. Back in mid-1982 Chris Rutkowski, president of Rising Star Industries, secretly showed the upcoming Epson computer to a number of writers. Rutkowski had been heavily involved in marketing the Epson printers (he once told me that he had made them the success they were) and was given a contract to develop unique software for the QX-10; he seemed to be involved with marketing the QX-10 at that time.

The Epson QX-10 was yet another Z80 in a market flooded with new Z80 machines, but it did have some special features. First, it had a bitmapped screen, meaning that it was capable of better graphics than almost anything then on the market. Second, it could hook into an Epson dot-matrix printer, so that the onscreen graphics could be translated into hard copy.

Third, the QX-10 would come out with Rutkowski's own keyboard design, which he called the HASCI; the acronym stood for human applications standard computer interface. Rutkowski predicted a great future for that design; so great that he was going to license it and charge 50 cents a copy, the money to go to a research institute that would improve human/ machine interface designs. The HASCI keyboard had a good feel and was intended for newcomers: Rutkowski (continued)

4,000 Programmers depend on us to find, compare, evaluate products and for solid value.

THE PROGRAMMER'S SHOP serves serious microcomputer programmers . . . from giant institutions to small independents. Specializing helps us provide 100s of programming products technical literature ... specialized evaluations and more to help you find and evaluate. Other services like ... special formats . . . rush delivery . . . payment options (POs, COD, credit cards, etc.) . . . newsletters . . . and reports help vou save time, money, and frustration and get solid value.

ARTIFICIAL INTELLIGENCE

EXSYS - Expert System building tool. Full RAM, Probability, Why, \$295 Intriguing, serious. PCDOS GC LISP - "COMMON LISP", Help,

tutorial, co-routines, compiled functions, thorough. PCDOS \$475

TLC LISP - "LISP-machine"-like, all RAM, classes, turtle graphics 8087 for CP/M-86, PCDOS or MSDOS \$235

Expert System front-ends for PROLOG: APES (\$275), ES/P (\$1895)

Other solid alternatives include: IQ LISP (\$155), MuLISP-86 \$250), WALTZ LISP for CPM (\$159), MicroPROLOG (\$275). PROLOG-86 (\$125), more.

C PROGRAMMING

C SHARP Realtime Toolikit - well supported, thorough, portable, \$600 objects, state sys. Source

INSTANT C - Interactive development - Edit, Source Debug, run. Edit to Run - 3 Secs. MSDOS \$500

"INTRODUCING C" - Interactive C to learn fast. 500 page tutorial, examples, graphics. PCDOS \$95

MEGAMAX C - native Macintosh has fast compile, tight code, K&R, toolkit, OBJ, DisASM MAC \$295

SUPPORT PRODUCTS BRIEF Programmer's Editor - undo, windows, powerful. PCDOS \$195

PERISCOPE DEBUGGER - load after "bombs", symbolic, PCDOS \$295

Call for a Catalog, literature on any product or a free literature "Packet" on: "Al", BASIC, C, COBOL, Debuggers, Editors, FORTH, FORTRAN, Libraries, PASCAL

CALL TOLL FREE 800-421-8006

U The programmer's complete source for software, services and answers

128-B Rockland Street, Hanover, MA 02339 In Mass.: 800-442-8070 or 617-826-7531

PROLOG-86[™] Become Familiar in One Evening

The tutorials combined with the interactive PROLOG-86 Interpreter help you to learn the fundamentals of PROLOG quickly. In a few days modify samples like an EXPERT SYSTEM or a NATURAL LANGUÁGE INTERFÁCE.

1 or 2 pages of LOGIC and FACTS create a significant PROLOG program that might take 10 to 15 pages in C. Programming experience is not required; logic is.

FULL REFUND if not satisfied during first 3 weeks.

Intro Price: \$125 for PCDOS, MSDOS or CP/M-86. Most formats available.

For questions/orders, call 800-821-2492 Use Visa, MC, COD.



617-659-1571



Putting the latest products and best prices in our customers' hands is our goal. We challenge any company to match our pricing, selection and service. Take the challenge & save!

This Month's JUKI **Special Saver!** PC TH Ca COMPUTERS IBM CORONA 256K PC w 2 1550 Desktop w/2 · 256K Portable w/2 · 256K PC-256K w 10 meg 2195 New PC JR ON SALE APPLE New Models at CALL XTw 2 drives MAC All Models LEADING EDGE Apple Entry Sys 1549 Apple lie PC Call for Accessories PC - 4 PC - 6 195/ 2695 COMPAO Portable NEC Portable w 10 meg Desktop Models CALL All Models 8201A ZENITH TELEVIDEO 151-21 1605 color 2350 151-52 1605 20 meg color PM - 16 & PM 4 CALL AT& T COLUMBIA AllModels MPC 4210 1895 1989 SANYO MPC 4220 MPC 4620 3359 MBC 775 MBC 550 MPC 4820 3795 MPC 4750 4129 2059 MBC 55 MBC 550-2 UP 2220

ACCESSORIES

or IBM JR. PO	C/AT	For APPLE 2/	MA
ST MP MIni	ON	MAC Phone	
STI O Man	SALE	Kensington Port Mod	lem
TAdvantage CA	LL	5 5 Omni drive	1
T Monograph +	FOR	11.1 Omni drive	1
T Graph Pak 54		MAC drive 5 meg	. 10
omodern 1200	359	MAC 10 meg fixed .	1
ROB 1200	349	AST Multil/O	.CA
ves 1200B	379	Videx Videoterm.	
OK drive	.159	Haves Mitro Ile	
height Teac	149	Haveslic	- 1
to boot 10 me	789	Nova212	
DS DD (box)	21	MAC cat.	
radise Mod-Graf	294	lic drive	
w XP Quad 64K	2:19	Apple drive	2.3
ad 512	249	Micro sta	C
ercules color cd	179	Appli-card 4-125K	12.
rcules GRFX cd	349	Appli-card 6-128K	100
c.ar GRFX mast	489	Microbuffer II +	-
cmar PC JR's	CALL	Promodemitte	22
iek Best Buy!	239	Promodem MAC	-
State of the second second	Sector Sector	Contraction of the second	Pro la

CALIF.

Sales Office

Equipment subject to price change and availability

NOW SERVING YOU

FROM OUR NEW

NEVADA LOCATION

Tax

1-8(

NEVADA

Sales Office

No Sales 6%

AS AS AS AS Pro US Ha 32 1₂ Au Fu Pa Ne Qu He

No.	PRIN	TERS
	JUKI	CITIZEN
Listers's	6100	MSP-10
	6300	MSP-15
THE W	EPSON	8050 Models CALL
1.5	LQ 1500 1049	Pinwriter 2
2.2.7.0	RX 100	Pinwriter.3
LAT	RX 80	2030-PAR 779 2050-PAR 889
/AT	JX 80 rolor	3510 1299
111	DAISYWRITER	3515
	Daisy,2000 839 Daisy M45 CALL	3550 1499
		STAR Delta 10
	1090 .219	Delat 15
1000	1091	Radix 10
	1092 399 1093 589	All Models CALL
	Ribbons (w/purchase)	
	TOSHIBA	OKI 92 MAC
CALL	P 1351 P or S	84 P CALL
CALL	P 1351 P or S 1259 P 1340 P or S 749	02 P CALL 2350 CALL 2410 CALL
CALL	QUADRAM	2350 CALL
	Quadjet 695 IBM kit 19	All Models ON SALE
	IDIAKa 13	AirModela
2195	MONIT	TORS
.3450 .CALL	Roland DG-121-G139	Quadscreen //Card 1650
	Roland DG-121-A249	Zenith 131 319
1795	Roland CB-141 319	Zenith 135 487
3490	Roland CC-141	Zenith 122
. 1990	Taxan 420	Amdek 310 159 Amdek Color IV-T
	Taxan Amber	Amdek 300 G 134
CALL	TGB-80 col IIe 139	Amdek 300 A 144
	RGB Card Ile	NEC JC 1215 269
2250	RGB Card Ile	
ON SALE	RGB Card Ile	NEC JC 1215 269 NEC JC 1216 397
2250 ON SALE NOW!	RGB Card Ile 89 Quadchrome 559	NEC JC 1215 269 NEC JC 1216 397 WARE
ON SALE	RGB Card Ile 89 Quadchrome 559 SOFT FOR PC & XT	NEC JC 1215 269 NEC JC 1216 397 WARE APPLE
ON SALE NOW!	RGB Card lie 89 Quadchrome 559 SOFT FOR PC & XT OZ by Fox & Geller 299	NEC JC 1215 269 NEC JC 1216 397 WARE APPLE dBase III by Ash/Tate 419
ON SALE NOW!	RGB Card lie 89 Quadchrome 559 SOFT FOR PC & XT OZ by Fox & Geller 299 Quick Code 219	NEC JC 1215 269 NEC JC 1216 397 WARE APPLE dBase III by Ash/Tate 419 Friday by Aston-Tate 199
ON SALE NOW! MAC 144	RGB Card IIe 89 Quadchrome 559 SOFT FOR PC & XT OZ by Fox & Geller 299 Quick Code 219 FrameWork by SALE! dBase III 419	NEC JC 1215 269 NEC JC 1216 397 WARE dBase III by Ash/Tate 419 Friday by Aston-Tate 199 Bottom Line Strategist 269 C DexPackages (ea) 39
ON SALE NOW! MAC 144 lem 109 1450	RGB Card lie 89 Quadchrome 559 SOFT FOR PC & XT OZ by Fox & Geller 299 Quick Code 219 FrameWork by SALE! dBase III 419 Friday 199	NEC JC 1215 269 NEC JC 1216 397 WARE dBase III by Ash/Tate 419 Friday by Aston-Tate 199 Bottom Line Strategist 269 C DexPackages (ea) 39 CPA Modules 1 thru 4
ON SALE NOW! MAC 144 lem 109 1450 1990	RGB Card lie 89 Quadchrome 559 SOFT FOR PC & XT OZ by Fox & Geller 299 Quick Code 219 FrameWork by SALE! dBase III 419 Friday 199	NEC JC 1215 269 NEC JC 1216 397 WARE dBase III by Ash/Tate 419 Friday by Aston-Tate 199 Bottom Line Strategist 269 C DexPackages (ea) 39 CPA Modules 1 thru 4 (eacth_1174
ON SALE NOW! MAC 144 Idem 109 1450 1990 1650	RGB Card lie 89 Quadchrome 559 SOFT FOR PC & XT OZ by Fox & Geller 299 Quick Code 219 FrameWork by SALEI dBase III 419 Friday 199 Please by Hayes CALL Lotust 1:23 275	NEC JC 1215 269 NEC JC 1216 397 WARE dBase III by Ash/Tate 419 Friday by Aston-Tate 199 Bottom Line Strategist 269 C DexPackages (ea) 39 CPA Modules 1 thru 4 (each)L74 QZ by Fox & Geller 319
ON SALE NOW! MAC 144 Idem 109 1450 1990 1650 	RGB Card Ile 89 Quadchrome 559 FOR PC & XT OZ by Fox & Geller 299 Quick Code 219 FrameWork by SALE! dBase III 419 Friday. 199 Please by Hayes CALL Lotus 1.2.3 275 Mayday by Teletek CALL Sormbhony bu Lotus SALE	NEC JC 1215 269 NEC JC 1216 397 WARE APPLE dBase III by Ash/Tate 419 Friday by Aston-Tate 199 Friday by Aston-Tate 199 Bottom Line Strategist 269 C DexPackages (ea) 39 CPA Modules 1 thru 4 (each-L)174 OZ by Fox & Geller 319 Graphox 197 Sales Edge 174
ON SALE NOW! MAC 144 Idem 109 1450 1990 1650	RGB Card Ile 89 Quadchrome 559 FOR PC & XT OZ by Fox & Geller 299 Quick Code 219 FrameWork by SALE! dBase III 419 Friday. 199 Please by Hayes CALL Lotus 1.2.3 275 Mayday by Teletek CALL Sormbhony bu Lotus SALE	NEC JC 1215
ON SALE NOW! MAC 144 lem 109 1450 .1990 1650 1639 .CALL 179 .229	RGB Card Ile 89 Quadchrome 559 FOR PC & XT OZ by Fox & Geller 299 Quick Code 219 FrameWork by SALE! dBase III 419 Friday. 199 Please by Hayes CALL Lotus 1.2.3 275 Mayday by Teletek CALL Sormbhony bu Lotus SALE	NEC JC 1215
ON SALE NOW! 144 lem 109 1450 .1990 1650 .1639 .CALL .179 .229 .259	RGB Card IIE 89 Quadchrome 559 FOR PC & XT OZ by Fox & Geller. 299 Quick Code 219 FrameWork by SALE! dBase III 419 Friday. 199 Piease by Hayes CALL Lotus 1·2·3 275 Mayday by Teletek CALL Symphony by Lotus SALE Upgrades for 1·2·3 CALL DESQ. CALL Inves Anyl by Dow Jones	NEC JC 1215 269 NEC JC 1216 397 WARE APPLE dBase III by Ash/Tate 419 Friday by Aston-Tate 199 Bottom Line Strategist 269 C DexPackages (ea) QZ by Fox & Geller Sales Edge 174 OZ by Fox & Geller Sales Edge 174 Format Ile Master Type 27
ON SALE .NOW! 144 lem 109 1450 1650 1639 .CALL 179 229 259 399	RGB Card lie 89 Quadchrome 559 SOFT FOR PC & XT OZ by Fox & Geller . 299 Quick Code . 219 FrameWork by SALE! dBase ill 419 Friday. 199 Please by Hayes CALL Lotus 1-2-3 . 275 Mayday by Teletek CALL Symphony by Lotus SALE Upgrades for :12-3 CALL DESQ. CALL Inves Anyl by Dow Jones Market Analyzer 249	NEC JC 1215 269 NEC JC 1216 397 WARE APPLE dBase III by Ash/Tate 419 Friday by Aston-Tate 199 Bottom Line Strategist 269 C DexPackages (ea) QZ by Fox & Geller Sales Edge 174 OZ by Fox & Geller Sales Edge 174 Format Ile Master Type 27
ON SALE .NOW! MAC 144 lem 109 1450 1630 1639 CALL 179 229 259 359	RGB Card lie 89 Quadchrome 559 SOFT FOR PC & XT OZ by Fox & Geller 299 Quick Code 219 FrameWork by SALE! dBase III 419 Friday 199 Please by Hayes CALL Lotts 1-2-3 275 Mayday by Teletek CALL Symphony by Lotus SALE Upgrades for 7-2-3 CALL DESQ DESQ CALL Inves Anyl by Dow Jones Market Analyzer. 249 Market Manager. 219	NEC JC 1215
ON SALE .NOW! 144 lem 109 1450 1650 1639 .CALL 179 229 259 399	RGB Card lie 89 Quadchrome 559 SOFT FOR PC & XT OZ by Fox & Geller 299 Quick Code 219 FrameWork by SALE! dBase III 419 Priday 199 Please by Hayes CALL Lotus 1*2:3 275 Mayday by Teletek CALL Symphony by Lotus SALE Upgrades for 1*2:3 CALL DESQ DESQ CALL Inves Anyl by Dow Jones Market Manager. Market Manager. 219 PFS Acces 65 PFS: File 89	NEC JC 1215
ON SALE .NOW! MAC 144 lem 109 1450 1639 1639 1639 CALL 229 259 399 359 359 189 259 359	RGB Card lie 89 Quadchrome 559 SOFT FOR PC & XT OZ by Fox & Geller 299 Quick Code 219 FrameWork by SALE! dBase III 419 Priday 199 Please by Hayes CALL Lotus 1*2:3 275 Mayday by Teletek CALL Symphony by Lotus SALE Upgrades for 1*2:3 CALL DESQ DESQ CALL Inves Anyl by Dow Jones Market Manager. Market Manager. 219 PFS Acces 65 PFS: File 89	NEC JC 1215 269 NEC JC 1216 397 WARE APPLE dBase III by Ash/Tate 419 Fiday by Aston-Tate 199 Bottom Line Strategist 269 C DexPackages (ea) QZ by Fox & Geller 197 Sales Edge 174 Format Lie Monoware 64 Master Type 27 Micro Sott CALL PFS File II. 84
ON SALE .NOW! MAC 144 lem 109 1450 1650 1639 CALT 229 .259 .259 399 359 359 559 CALT 	RGB Card lie 89 Quadchrome 559 SOFT FOR PC & XT OZ by Fox & Geller 299 Quick Code 219 FrameWork by SALEI dBase III 419 Friday 199 Please by Hayes CALL Lotts 1*2-3 275 Mayday by Teletek CALL Symphony by Lotus SALE Upgrades for 1*2-3 CALL DESQ DESQ CALL Inves Anyl by Dow Jones Market Manager. Market Manager. 249 Market Manager. 249 Market Manager. 65 PFS: File 89 PFS: Write 89 PFS: Write 89 PFS: Write 84	NEC JC 1215 269 NEC JC 1216 397 WARE APPLE dBase III by Ash/Tate 419 Fiday by Aston-Tate 199 Bottom Line Strategist 269 C DexPackages (ea) QZ by Fox & Geller 197 Sales Edge 174 Format Lie Monoware 64 Master Type 27 Micro Sott CALL PFS File II. 84
ON SALE .NOW! MAC 144 lem 109 1450 1639 1639 1639 CALL 229 259 399 359 359 189 259 359	RGB Card lie 89 Quadchrome 559 SOFT FOR PC & XT OZ by Fox & Geller 299 Quick Code 219 FrameWork by SALE! dBase III 419 Priday 199 Please by Hayes CALL Lotus 1*2*3 275 Mayday by Teletek CALL Symphony by Lotus SALE Upgrades for 1*2*3 CALL Inves Anyl by Dow Jones Market Analyzer 249 Market Manager 219 PFS Acces 65 PFS Write 89 PFS Write 89 PFS Write 89 PFS Write 84 Bankstreet Writer 47	NEC JC 1215 269 NEC JC 1216 397 WARE APPLE dBase III by Ash/Tate 419 Friday by Aston-Tate 199 Bottom Line Strategist 269 CPA Modules 1 thru 4 (each) L74 OZ by Fox & Geller Graphox 197 Sales Edge 74 Format Ile 104 Micro Pro CALL Micro Fot CALL PFS File II Stelle II PFS File II B4 PFS File II PFS File II Mather Logo. 9
ON SALE .NOW! MAC 144 lem 109 1450 .1990 1650 .1639 CAL 179 .259 .259 .259 .359 159 559 159 CAL .359 159 2429 194 359	RGB Card lie 89 Quadchrome 559 SOFT FOR PC & XT OZ by Fox & Geller 299 Quick Code 219 FrameWork by SALEI dBase III 419 Friday 199 Please by Hayes CALL Lotts 1*2-3 275 Mayday by Teletek CALL Symphony by Lotus SALE Upgrades for 1*2-3 CALL DESQ DESQ CALL Inves Anyl by Dow Jones Market Manager. Market Manager. 249 Market Manager. 249 Market Manager. 65 PFS: File 89 PFS: Write 89 PFS: Write 89	NEC JC 1215
ON SALE .NOW! MAC 144 lem 109 1650 1639 CALL 179 229 259 359 163 2259 359 189 259 359 189 2429 249 194	RGB Card IIE 89 Quadchrome 559 SOFT FOR PC & XT OZ by Fox & Geller 299 Quick Code 219 FrameWork by SALE! dBase III 419 Friday. 199 Please by Hayes CALL Lotus 1-2.3 275 Mayday by Teletek CALL Symphony by Lotus SALE Upgrades for 1-2.3 CALL Inves Anyl by Dow Jones Market Manager. Market Manager. 219 PFS: Acess. 65 PFS: File. 89 PFS: Report. 84 Bankstreet Writer. 47 Easy Write Tilby IUS. 269	NEC JC 1215 269 NEC JC 1216 397 WARE APPLE dBase III by Ash/Tate 419 Fiday by Aston-Tate 199 Bottom Line Strategist 269 C DexPackages (ea) QZ by Fox & Geller 197 Sales Edge 174 Format Lie Monoware 64 Master Type 27 Micro Sott CALL PFS File II. 84
ON SALE .NOW! MAC 144 lem 109 1450 1650 1639 CALL 359 359 159 CALL 359 359 159 229 259 359 159 2429 159 359 359 359 359 359	RGB Card lie 89 Quadchrome 559 SOFT SOFT FOR PC & XT 29 Quick Code 219 FrameWork by SALE! dBase III 419 Priday 199 Please by Hayes CALL Lotus 1-2.3 275 Mayday by Teletek CALL Symphony by Lotus SALE Upgrades for 1-2.3 CALL DESQ CALL Norket Manager 219 PFS Acess 65 PFS: Write 89 PFS: Write 81 Bankstreet Writer 47 EasyWinterIIbyUS 269 Dow JOnes Soft CALL Volkswriter Delux 179	NEC JC 1215 269 NEC JC 1216 397 WARE APPLE dBase III by Ash/Tate 419 Friday by Aston-Tate 199 Bottom Line Strategist 269 CDexPackages (ea) CPA Modules 1 thru 4 (each) 174 OZ by Fox & Geller 197 Sales Edge 174 Graphox 197 Sales Edge 174 Format Ile 104 Knoware 64 Master Type 27 Micro Pro CALL PFS File II 84 PFS File III 84 PFS File III 267 PressaForm 259 BPI GL 267 Pre Writer by Hayden 97
ON SALE .NOW! MAC 144 lem 109 1450 1650 1639 CALL 359 359 159 CALL 359 359 159 229 259 359 159 2429 159 359 359 359 359 359	RGB Card lie 89 Quadchrome 559 SOFT FOR PC & XT OZ by Fox & Geller 299 Quick Code 219 FrameWork by SALEI dBase III 419 priday 199 Please by Hayes CALL Lotus 1-2-3 275 Mayday by Teletek CALL Symphony by Lotus SALE Upgrades for :12-23 CALL DESQ CALL Invest Anglyby CALL PFS: Ress 65 PFS: Report. 89 PFS: Write 89 PFS: Write 89 PFS: Write 89 PFS: Write 89 DFS: Report. 84 Bankstreet Wniter. 47 EasyWinterIlbyIUS 269 Dow JOnes Soft CALL	NEC JC 1215 269 NEC JC 1216 397 WARE ApPLE dBase III by Ash/Tate 419 Friday by Aston-Tate 199 Bottom Line Strategist 269 CDexPackages (ea) CPA Modules 1 thru 4 (each) 174 OZ by Fox & Geller 319 Sales Edge 174 Graphox 197 Sales Edge 144 Format Ile 104 Knoware 64 Master Type 27 Micro Sott CALL PFS File II 84 PFS File III 84 PFS File IIII 84 PFS File IIII 84 PFS File IIII 84 PFS File IIIIIIII (Sale IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII
ON SALE .NOW! MAC 144 lem 109 1450 1650 1639 CALL 359 359 159 CALL 359 359 159 229 259 359 159 2429 159 359 359 359 359 359	RGB Card lie 89 Quadchrome 559 SOFT SOFT FOR PC & XT 29 Quick Code 219 FrameWork by SALE! dBase III 419 Priday 199 Please by Hayes CALL Lotus 1-2.3 275 Mayday by Teletek CALL Symphony by Lotus SALE Upgrades for 1-2.3 CALL DESQ CALL Norket Manager 219 PFS Acess 65 PFS: Write 89 PFS: Write 81 Bankstreet Writer 47 EasyWinterIIbyUS 269 Dow JOnes Soft CALL Volkswriter Delux 179	NEC JC 1215 269 NEC JC 1216 397 WARE APPLE dBase III by Ash/Tate 419 Friday by Aston-Tate 199 Bottom Line Strategist 269 CDexPackages (ea) CPA Modules 1 thru 4 (each) 174 OZ by Fox & Geller 197 Sales Edge 174 Graphox 197 Sales Edge 174 Format Ile 104 Knoware 64 Master Type 27 Micro Pro CALL PFS File II 84 PFS File III 84 PFS File III 267 PressaForm 259 BPI GL 267 Pre Writer by Hayden 97
ON SALE .NOW! MAC 144 lem 109 1450 1650 1659 CALL 179 259 359 359 159 CALL 359 359 159 CALL 359 359 159 CALL 359 369	RGB Card lie 89 Quadchrome 559 SOFT SOFT FOR PC & XT 29 Quick Code 219 FrameWork by SALE! dBase III 419 Priday 199 Please by Hayes CALL Lotus 1-2.3 275 Mayday by Teletek CALL Symphony by Lotus SALE Upgrades for 1-2.3 CALL DESQ CALL Norket Manager 219 PFS Acess 65 PFS: Write 89 PFS: Write 81 Bankstreet Writer 47 EasyWinterIIbyUS 269 Dow JOnes Soft CALL Volkswriter Delux 179	NEC JC 1215 269 NEC JC 1216 397 WARE Base III by Ash/Tate 419 Fiday by Aston-Tate 199 Bottom Line Strategist 269 CDexPackages (ea) CPA Modules 1 thru 4 (each) L74 OZ by Fox & Geller Graphox 197 Sales Edge 174 Format lie 104 Knoware 64 Master Type Master Type 27 Micro Soft CALL PFS File II 94 PFS File II 94 95 File II 94 95 File II 94 95 File II 95 91 GL 267 97 98 91 GL 267 91 GL 92 94 95 97 98 99 90

COMPUTERS

Inquiry 71

and MORE

THE CHALLENGERS!

8265 Commercial Dr., La Mesa, CA 92041

680 Greenbrae Drive #234, Sparks, Nevada 89431

CHAOS MANOR

tried to make it like a typewriter by. for example, putting the Escape key well off to one side and labeling it "Margin Release." There were some other special-function keys with labels like "Edit" and "Copy" and "Delete Line!

The OX-10's really big feature, though, was to be the integrated software known as Valdocs; this was going to be so wonderful that Epson would stop the IBM flood, save the Z80 computer, and, while they were at it, wipe out CP/M. Epson pinned so many hopes on Valdocs that the company didn't even have a CP/M version of the machine. Valdocs ran under TP/M, which is a kind of CP/M workalike different enough from CP/M that CP/M hackers have real problems with it.

More: the whole Valdocs/TP/M software package was developed in STOIC, which is an offshoot of FORTH. The machine itself used a hardware bus developed by Epson America and employed by no one else. The result was that there were essentially no independent software or hardware developers interested in the Epson QX-10.

Freezing out independent developers has been the formula for financial disaster for every computer company that has tried it so far. Epson was going to bring it off, though, because of Chris Rutkowski, Rising Star Industries, and Valdocs. Valdocs would do everything. It made charts, wrote documents, kept track of files, made file indexes, took care of communications, did calculations, and kept track of calendars: in other words, at least what Borland's Sidekick plus WordStar does on the IBM PC and other 16-bit machines. Rutkowski had promised a salable version of Valdocs by the end of 1982. Epson America believed him and began a big advertising campaign.

Alas, Valdocs wasn't ready in January of 1983. The first versions were sent to test sites. I got one. I really wanted it to succeed, but it was a disaster. Valdocs was slow, sent without documents, easy to learn but (continued)

here to find all the software without all the

Today it seems that everybody's trying to sell you on their software.

So how do you locate the best programs for your needs at the best price?

ARCH OUT WITH A SURE-FIRE BARGAIN

Send for a copy of Vanloves 1985 Software Directory for your Apple, IBM or CP/M-system micro.

Each system-specific Directory gives you complete, reliable, up-to-date information on approximately 3,000 different programs in more than 60 different categories.

And it's objective information from the most-trusted name in the information business, not advertising copy from the software supplier.

You'll find out the package name, the publisher, the memory requirements, operating system and cost of each program.

You can look up and compare programs by the precise application you have in mind. Locate programs by their titles. Or check for all the offerings from a particular publisher.

You can even use our electronic bulletin board and club lists for free access to valuable information and independent advice from users like yourself.

So before you spend another dollar or another hour searching for software that might not do the trick, send for the Vanloves Software Directory of your choice and get all the information you need before making a buying decision.

For a free 10-day examination, call toll-free or clip and nail the coupon.

Vanloves 1985 Software Directories om R.R. Bowker, The Information Company Inquiry 351

Vanloves 1985 Software Directories Free 10-day Examination Order Form

DANCE OFF WITH SUPER SAVINGS



YES, I need information, not hype!

Send me the Vanloves Software Directory checked below to examine free for 10 days.

Exp. date

If I like it, I'll pay your bill of \$24.95 for each directory ordered. If not, I'll return your invoice along with the book(s) within 10 days and owe nothing.

Send the IBM Software Directory 0-8352-1969-0, 968 pp., Order Code: 1969-OS

- Apple Software Directory 0-088674-001-0, 965 pp., Order Code: 001-OS
- CP/M Software Directory 0-8352-1973-9, 768 pp., Order Code: 1973-9S □ Payment enclosed □ Bill me

Charge to my credit card
MC
VISA
AMEX

Name Company Address City/State/Zip Telephone (Clip and mail to: R.R. Bowker Order Department

Prices are applicable in the U.S., its territories and possessions and in Canada, and are 10% higher in all other West Hemisphere cou voices are payable in U.S. dollars. Prices and publication dates are subject to change with out notice. Applicable sales tax must be included. Shipping and handling will be added to each order. (Outside WH: Erasmus House, Epping, Esser CM16 4BU, England.)

P.O. Box 1807, Ann Arbor, MI 48106

FOR FASTEST SERVICE, CALL TOLL-FREE: 1-800/521-8110 (In MI, AK, HI and CN, call 1-313-761-4700)

hard to use, and quite capable of losing your files without warning. It could take up to a full minute simply to erase an unwanted file, and it took about 15 minutes to use Valdocs to create a one-paragraph letter. As to TP/M, the only documentation was some photocopied sheets so dim that I couldn't read them in strong light with a powerful glass; and it blew up if you tried to use standard CP/M utilities such as SWEEP.

Over the course of 1983, version after version of Valdocs (and, I suppose, of TP/M) emerged from Rising Star. All were improvements, but none were very good. In the September 1983 BYTE (Valdocs Revisited, page 480), Rutkowski promised that Valdocs 2.0 would fix everything and that it would be available soon (italics his). My answer was that I hoped he was right, but I didn't believe it; in my view. Valdocs was too ambitious for the Z80 chip. To do what Rutkowski wanted his software to do, you'd need a great deal more memory (8-bit computer chips such as the Z80 can address only 64K bytes of memory directly; to have access to more requires kludges).

ONE POSSIBLE FIX

There was, though, one obvious improvement that could be made to Valdocs: a RAM disk could probably take the software well past tolerable. The Epson used a very conservative—and slow—disk-control system, and Valdocs is heavily dependent on disk operations, making it painful; but with a RAM disk it might become a pleasure to use.

Apparently the people at SemiDisk thought so. In any event, they developed a SemiDisk for the Epson QX-10. In the meantime, Epson had brought out a CP/M version of the QX-10. The CP/M Epson was a nice little machine, well made and handsome, but not particularly distinguished among Z80 machines except for its extremely nice screen and graphics. The SemiDisk worked splendidly with the CP/M Epson—but of course that wasn't the system that needed the RAM disk. Alas, they never did get the software to connect up the SemiDisk to Valdocs.

I don't blame them, understand. Working with an operating system written in FORTH and intended to ape CP/M is my idea of purgatory. The fact remains that even with plenty of cooperation from Rising Star, they never were able to tie SemiDisk to Valdocs; so we were never able to see whether the speed improvements would make Valdocs tolerable.

A RAM disk would certainly have helped Valdocs. The trouble is that it's not *really* an integrated software package. It's not even callable on demand. It's only a set of chained programs.

That is: when you invoke Sidekick on your IBM PC, the program is *already* in memory and so is your own work in progress. Whatever you were doing stays where it was, while Sidekick operates with its own section of the PC's memory cells. If Sidekick needs to call in a file from disk—such as the calendar or the help file—it does it, but it still hasn't disturbed what you were doing. The result is that when you exit Sidekick, you're right back where you were when you brought it in.

Valdocs doesn't work that way. When you change functions in Valdocs, it must first save your current work to disk, then bring the new job in off the disk. When you return to your previous work, that process is reversed. Disk operations are slow. Five-inch floppies are *very* slow. If Valdocs could have been hooked up with a good RAM disk, the slowest and worst part would be speeded by a factor of at least 10, and Valdocs might have been tolerable. Alas, that didn't happen.

REAL SOON NOW

In October 1984 Rutkowski announced the imminent release of Valdocs 2.0 in a big press conference. Computer writers who were present— I didn't go; it was in the Bay Area and I live in Hollywood—had mixed reactions. The BYTE staff wasn't very impressed, especially when they were told that certain features promised for 2.0 would be implemented in "the next version."

Valdocs 2.0 was developed with a new language: according to Rising Star, a greatly improved version of FORTH. It will employ a new operating system, TP/M 3. It was developed under a radical new organizational structure: many programmers, working individually in locations from New Hampshire to Hollywood, linked by electronic mail, each working on a small part of the system. I wasn't told whether the documents were developed that way; perhaps it doesn't matter, since Rutkowski once told me that he didn't consider documents necessary anyway. The program ought to teach itself.

The people at SemiDisk have been told by Rising Star that the software drivers for using a SemiDisk RAM disk with Valdocs 2.0 and TP/M 3 are "already written and installed directly into the operating system." Moreover, they actually have a copy of TP/M; they do not have Valdocs.

My advice to QX-10 owners is not to hold your breath. The Valdocs 2.0 release date is said to be January of 1985. At the moment (December 12, 1984), the software technicians inside Epson America do not have copies of Valdocs 2.0.

Valdocs was a valiant effort. In my judgment, it was doomed from the beginning: 8-bit machinery just isn't powerful enough for what Valdocs attempted even if you don't further handicap it by trying to do it in FORTH. It's a kind of moot question anyway, now that the 16-bit integrated software packages are beginning to deliver what Valdocs promised.

I've never understood the people at Epson America. They had everything going for them, but somehow they hitched themselves irrevocably to Rising Star and Rutkowski's obsession with proving that you can write good, fast, compact, usable software in FORTH. Epson's loyalty to Rising Star is touching. I guess they can afford it.

MORE ORCHIDS

Last month I reviewed Orchid Technology's PCturbo 186 board ("Orchids to You," page 363), which speeds up your IBM PC something wonderful. We've been running it for nearly two months now: no glitches, no problems, and it's fast, FAST, **FAST**.

The Orchid board uses its own onboard memory, allowing the original memory in your PC to become one or more RAM disks. Last month there was a problem: the Orchid manuals weren't clear enough on how to install the RAM disks.

That's been fixed. Orchid now has an Options program that runs fine and lets you configure your PC in a number of ways, allocating memory to I/O (input/output) buffers, RAM disks, etc. The version sent to me still had documentation problems; but after my phone call to get Orchid's people to walk me through it, they once more rewrote the instructions, and I don't think you'll have trouble with them now. I'm very impressed with the Orchid PCturbo 186.

SO THAT'S IT ...

I've often wondered why there's no hardware reset key on the IBM PC. (There isn't one on the PC AT either.) The lack of such a key can be pretty serious, as for instance when your machine locks up and won't listen to the keyboard at all, and you have to turn it off to get it going again. This is not good for hard disks. It isn't particularly good for power supplies, either.

Deep Blue, my source inside IBM, has told me why there's no hardware reset: Microsoft didn't want IBM to put one on. It seems that if you can reset the machine it's easier to pirate software. IBM, for reasons not known to my source, went along with this nonsense. It didn't even put a hardware reset on the AT. Of course, all the IBM people at Boca Raton use an expensive hardware addition called PC Trace that contains, among other things, a hardware reset. That's a pretty costly way out.

Fortunately, there's a less expensive remedy. Security Microsystems, the manufacturer of Ouickon, the nifty little switch that lets you dispense with the PC's memory test on power-on, now makes PC Reset, a combination gadget that will disable the memory test and also do a hardware reset. There's a version for the PC and another for the PC XT; so far none for the AT, although I wouldn't be surprised if one is in the works.

I've had Security's memory-disabler in Lucy Van Pelt, our fussbudget PC, for eight or nine months now with no problems. When we were installing the reset switch, we brought up the (continued)



PC with the memory test. We'd forgotten how long that takes: 90 seconds, if you have your system chock-full of memory. That's a long time.

We've just put in the reset switch system. It works: push the button and it forces reset. To install it, you have to cut one power wire; Security Microsystems thoughtfully includes a gizmo to reconnect the wire if you ever decide to remove the switch. The kit also includes an IC (integrated circuit) puller. Interestingly enough, it works with the PCturbo 186 board installed: I don't know whether or not it forces the 186 to reset. That board has its own hardware reset button on the back, and if I ever lock up the 186, I'll

GET UP THE RAMP



Choose from our **Stand Alone, Intelligent, RS-232 units.** COMPATIBLE WITH ANY COMPUTER OR TERMINAL

GANGPRO-8 \$995.00 High throughput. Gang & EPROMS with the fast Algorithm. Optional 512K buffer. Programs ALL 24 pin & 28 pin EPROMS. Other units to gang 24 EPROMS.

BIPOLAR & PAL Programmers...Call!



TELEX 383 142

UV ERASERS

- ECONOMY MODEL QUV-T8/1 \$49.95 Erases over 15 EPROMS, Plastic case.
- INDUSTRIAL QUV-T8/2N \$68.95 Metal case, UV indicator, Iray, erases over 15 EPROMS in 15 minutes.

TOLL FREE **1-800-EE1-PROM** (331-7766) FLORIDA (305) 974-0967

AVAILABLE SOFTWARE DRIVERS
1 IBM PC 2. APPLE II 3. Intel-MDS 4. CPM
5. TEVTRONIX8002 A COMMODOREAL 7. TES-80. COLOR 8. FLEX

5 TEXTRONIX6002 6 COMMODORE 64 7 TRS-80 COLOR 8 FLEX

DEPT. 6, 1321-E N.W. 65th PLACE - FT. LAUDERDALE, FL 33309

DISTRIBUTORS INQUIRY WELCOME

probably use both reset buttons just to be sure.

With an S-100 system, the contents of a RAM disk will survive a reset; at least they do with my CompuPro, which won't reformat a RAM disk that's already formatted. Alas, the Orchid PCturbo 186 RAM-disk files do not survive resetting the PC, whether that's done by the Security Microsystems button or by Ctrl-Alt-Del. I suspect that's a function of the Orchid Software, but it may be inherent in the way Security Microsystems forces system reset.

The Security Microsystems reset comes out the back of the machine to a big button reminiscent of the pickle switch on the old Norden bombsight. The company has thoughtfully included some stickyback Velcro so that you can attach the button to the side of your PC at any convenient place. Alas, the Orchid PCturbo 186 button remains on the back where it's hard to get at.

Anyway, you can now have hardware reset for your PC; gee, if this keeps up, the machine will have most of the features the Altair did.

PC AT RUMORS

Knowledgeable sources are ordering their PC AT for delivery in six to nine months; it seems there are some hairy power-supply problems on many of the ATs recently delivered. This comes from a company that orders IBM PC equipment by the pallet load.

Deep Blue tells me there are about 80,000 PC ATs sitting in warehouses waiting for Intel to deliver 80286 chips. The production yields on those chips are *much* lower than expected. There's also some concern that the power supplies in many of those warehoused machines will have to be replaced or at least reworked. By the time you read this, you can be sure that IBM will have done something about the problem. Big Blue does not intend to ship equipment that frustrates users.

I've further information on the AT: according to a friend in an independent laboratory, the AT is set up for (continued)

When the going gets tough, Optimizing C86 comes through time and time again. C86 is a highly dependable C compiler that has been optimized through the years to provide the best combination of reliability, speed, and performance.

FAST, IN-LINE 8087/80287 SUPPORT

Now you can take full advantage of 8087/80287 capabilities, allowing your programs to run many times faster than possible with other C compilers. Plus the source code to all routines is included, so you have complete control over all functions.

MORE OF THE FEATURES YOU WANT

- SOURCE is provided to all libraries for total programming control. The source includes a set of standard UNIX routines plus many DOS specific functions.
- SPECIAL IBM-PC LIBRARY including communication, screen, and keyboard handling functions.



980 Shrewsbury Avenue, Tinton Falls, NJ 07724

• COMPATIBLE WITH WIDELY AVAILABLE LIBRARIES such as HALO screen graphics and many, many others (call for list).

The C Compiler Thousands Rely On

NEW-IMPROVED Version 2.2 Compiles 25% Faster

- TOPVIEW SUPPORT LIBRARY provides windowing capabilities.
- SPEED OPTIMIZATION there's always room to tighten your code, and Computer Innovations has the tools to help. For example, *PROFILER-86* helps identify key areas for optimization.

TECHNICAL SUPPORT, NOBODY DOES IT BETTER

Computer Innovations has earned a reputation for providing customer support that is **unequalled** in the industry. This includes a user's group, an on-line bulletin board, and a user's newsletter.

JOIN THE THOUSANDS OF PROGRAMMERS WHO TRUST AND RELY ON C86

For Further Information Call 800-922-0169. Technical Assistance Call (201) 542-5920. Computer Innovations features a full line of C products including **C-to-dBase** (dBase development tool) and **Introducing C** (C Interpreter Language Learning System). Call or write for a product profile.



Inquiry 66

REAL MEN DON'T USE MENUS. I WANT TO KNOW HOW TO USE POWER COMMANDS.



HERE'S HOW: FRAMEWORK SOFTWARE


and C keys together, then


Framework[™] has elegant menus that are handy for beginners and occasional users, but are easily bypassed once you know your way around the program.

We're going to show you the simplicity and speed of using power commands to create and use our unique automatic outline.

This fancy keywork is typical of the power commands for all of the powerful integrated functions of Framework: word processing, spreadsheet, graphics, data management, and telecommunications, as well as running other sophisticated software such as dBASE III™ within Framework. And for writing macros or creating custom programs with FRED,™ the built-in programming language, power commands are the only way to go.


Boot Framework, and you've created the Framework desktop.





text, creating spreadsheets,

generating graphics, etc.)




together, then the S key. A spreadsheet frame is created as the second subhead.



Press the F9 key. There's the spreadsheet you created,

full screen.



Ctrl and D keys

together, then the C key. Your desktop is cleaned up.

Now, how's that for a power trip. And you did it by following a few simple directions. Amazing. In just seconds you were in control of a powerful creative tool. Which is the way we think software should work.

For a dealer near you call (800) 437-4329, ext. 222. In Colorado, (303) 799-4900, ext. 222. Framework, FRED, ext. 222. Framework, FRED, BASE III and Ashton-Tate

dBASE III and Ashton-Tat are trademarks of Ashton-Tate. ©Ashton-Tate 1984.

Software from ASHTON • TATE We'll put you in control.

Subscription Problems?



We want to help!

If you have a problem with your BYTE subscription, write us with the details. We'll do our best to set it right. But we **must** have the name, address, and **zip** of the subscription (new and old address, if it's a change of address). If the problem involves a payment, be sure to include copies of the credit card statement, or front and back of cancelled checks. Include a "business hours" phone number if possible. We'll respond A.S.A.P.

BYTE Subscriber Service P.O. Box 328 Hancock, NH 03449 multiprocessing—there are signals on the extra bus for it. (The "extra bus" is another strip of connectors that make the AT's bus 16 bits wide.) The extra bus seems to run all of the current PC cards just fine but also will run "wider" cards.

Another thing: the AT's crystal is socketed, just as if IBM were planning for faster 80286s already.

SYNCHRONICITY

Talking with Jim Baen reminds me that he has a new software line. It includes a number of games, many based on the works of authors he's published the most notable is Fred Saberhagen's Berserker series, and of course I'll finish the game based on Niven and Pournelle's Inferno Real Soon Now. I've mentioned Baen's Magic Keyboard several times before.

There's also The Electric Dragon.

The *I* Ching or Book of Changes has been around a long time; Confucius thought it was old at the time of Christ. It is supposed to have been composed about the time of the Trojan War. Scholars including Confucius and Jung have thought it worth a great deal of study. Many science-fiction readers first heard of it through the late Philip K. Dick's masterful The Man in the High Castle, which, according to Dick, was largely written through the aid of the oracle.

One uses the *I Ching* by tossing joss sticks to generate random numbers. The theory is that all events in the universe are connected, and thus the study of any event will lead to understanding of events (and total situations) existing simultaneously; and thus the total pattern of the universe will be brought to bear on the fall of the yarrow stalks.

You can also generate the *I Ching* hexagrams by tossing coins; Chinese coins were supposed to be preferable, but I used to use silver dollars. Whatever method you use generates a hexagram of six lines. Each possible hexagram has a name and considerable text concerning it. Study of that text is supposed to give you sage advice on what to do at this particular moment.

Modern science, particularly the general theory of relativity, holds that the concept of simultaneity is meaningless; and it isn't necessary to believe in the theory of the *I Ching* to be fascinated with it. You can also believe that its author was a very astute judge of human nature and wrote a number of mind-concentrating passages designed to focus an individual's powers of thought.

In any event, the standard way to consult the *I* Ching involves hand washing, lighting incense, taking the book down from a high shelf, and unwrapping it from its silk cover with great respect; laying it on a southfacing table in the middle of the room; and, after suitably composing one's mind, tossing the yarrow stalks in a precisely defined manner.

With The Electric Dragon you merely put a floppy disk into an IBM PC and type ICHING < return >. The system will prompt you from there. The manual tells you that you may, if you like, treat your floppy disk with the proper reverence, place your computer facing south on a table in the middle of the room, and use incense. Somehow it's not quite the same.

However, the program does all that the yarrow stalks could do. Instead of tossing the sticks (or coins), you press any key whenever you feel that the time is propitious; this generates one line of the six-line I Ching hexagram. Lines are either yin or yang and can be either fixed or moving; if any of the lines is a "moving line" (the odds are good that at least one will be), you have actually generated two hexagrams, and their meaning, modified by the meaning of the moving line or lines, must also be considered. The odds for generating each kind of line (as generated by tossing varrow stalks) are easily calculated; one supposes that The Electric Dragon program duplicates those odds as closely as possible.

The manual was written by Steve Rasnic Tem. I've not read a lot of his poetry, but I have twice included poems by Tem in anthologies I've edited. The *I Ching* implemented in the (continued)

CHAOS MANOR

WHAT TO WARE WHILE BALANCING THE BOOKS.

Go ahead. Slip into something comfortable. Ware the most comfortable, most sophisticated microcomputer accounting software in the world. Open Systems. Accounting software so rich in features, it can handle the complex problems of today's small business with unprecedented ease. Software so flexible, it runs on all popular microcomputers. And can grow right along with your business needs.

No other accounting software line is so complete. With a choice of General Ledger, Accounts Receivable, Accounts Payable, Inventory, Payroll, Job Cost, Sales Order, Purchase Order and Fixed Assets as well as a

Report Writer that links your accounting data to popular spreadsheets, word processors and graphics software. Assuring you the luxury of a perfect software fit.

The fact is, Open Systems meets the needs of today's small business so completely, it's become one of the best selling lines of accounting software on the market. More than 300,000 accounting products are providing comprehensive accounting solutions for businesses throughout the world. Now that's comforting. Call Open Systems right now. And get your mind off the books.

For the dealer nearest you call 1-800-328-2276

Inventory

General Ledger

Accounts Receivable

121

UCCEL

UCCEL

1110

UCCEL

11 744 744

OPEN SYSTEMS The accounting

software that you look goo

program is the 1950 Richard Wilhelm translation rendered into English by Cary F. Baynes from Princeton University Press. I'm no authority on versions of the *I Ching*; I assume this is a good one mostly because I've known Jim Baen a long time, and he's always pretty careful to do things right—and I also know he's been intrigued by the *I Ching* for many years. Certainly the messages read poetically—and enigmatically—enough.

The Electric Dragon program contains what amounts to a log book. You can type in your question, and after receiving an answer from the oracle, type in a comment; after which you can save the whole thing. The file is time- and date-stamped, so that it can become a kind of diary of your problems and your thoughts about them. Alas, I've found no way to make hard copy to paste into my regular log book.

You can also review previous sessions or study an individual hexagram.

If you've ever wondered about the *I Ching*, this is a reasonably painless way to consult it. At worst, it's an expensive electronic log book.

SMALL DISKS!

Everyone has moved to 5¼-inch disks; everyone, that is, except me. Eightinch disks are still the main workhorses here at Chaos Manor. The CompuPro 8-inch double-sided format holds 1.1 megabytes per disk: that's 180,000 English words, more than enough for a novel. I can copy all that in about two minutes flat. It's easy to keep *lots* of backup copies. Eight-inch drives are much faster than 5¼ and significantly more reliable; I almost never get "retry" errors on the 8-inch drives, and there's at least one a week with 5¼.

However, most software now comes on the small disks, and it's a pain to have to get Peter to use the Disk Maker I to transfer it over to 8-inch format so that I can get it into the Golem, my big CompuPro 8/16 system. For some time now I've been promised small disks for the Golem; when the CompuPro hard disk arrived, it had a blank spot with a piece of yellow stick-on saying "5¼ drive goes here"; but nothing happened.

Last week that got fixed. CompuPro sent down a big box that contained a new power supply and two Mitsubishi 96-tpi (tracks per inch) 5¼-inch drives. There was also a CompuPro Disk One-A controller that will handle both the 5¼-inch and 8-inch drives.

We took the hard disk out of the old box and put it in the new; the old power-supply box went back up to Hayward, where CompuPro intends to take it apart to see how it has held up under nearly a year of intense use. Then Tony Pietsch came over to set things up. In the course of the installation, we discovered one mode of board failure that the CompuPro quality-assurance people hadn't tested for. A quick phone call took care of that; they've now changed their test procedure.

One of the main reasons I get so much attention from the people at CompuPro is that nearly everything they put out gets set up and used here before it gets to the public; and I often find problems that did not show up in other tests, precisely because I do not "test" equipment and software. I use it; and since we do almost everything here, from writing books to running accounting software to writing programs, it gets "tested" a great deal more thoroughly than most test sites can manage.

I generally find some problems. That's why I have more than one computer, including one I don't touch; when we get a problem with the experimental system, I leave it alone until Tony can look at it. He finds the problem, consults with CompuPro, and they modify the design, change software, or do what it takes to make things work properly.

The result can be impressive. Take the Golem as an example. He's often torn apart and filled with experimental equipment. We work him *hard*. Yet he hasn't been off duty for two weeks cumulatively in the more than two years we've had him.

Anyway, the board glitch was fixed, as was a minor software problem; and

I can now run my 5¼-inch drives as well as 8-inch. They run under Tony's Newmedia program. Newmedia tells your system that any one of about 40 different disk formats (he's adding to them all the time) is *native*. Once that's done, you can read, write to, and *format* 5¼-inch disks in the format you chose. Possible formats include both 48- and 96-tpí, IBM, Epson, Kaypro, and a whole bunch of others.

Changing native formats with Newmedia takes about 30 seconds, after which you can use COPY or PIP to move files to the new format from the hard disk. 8-inch drive, or RAM disk. Like all of Tony's recent programs, it contains its own instructions: type NEWMEDIA? < return > and it tells vou all vou want to know about using it. Newmedia with the CompuPro Disk One-A is going to save Peter and the Disk Maker I a lot of work. Incidentally, all of Tony Pietsch's software uses that convention: type the program name, space, and a question mark and the program explains itself. Nifty.

Tony also brought the new very fast Copy and Format programs that cut disk-copy time in about half.

My system was installed by Tony; but CompuPro has been working on making its stuff easier to get running, and installation of the new BIOS (basic input/output system) software can now be accomplished by running a single Submit file, which assembles the BIOS (you get the source code) and does the system installation. Pournelle's law still obtains though: if you don't know what you're doing, deal with people who do. In Compu-Pro's case, that translates to "work with Systems Centers unless you're pretty familiar with S-100 bus systems."

THAT VIDEO BOARD AND THE SPUZ

Tony also brought over a copy of the new CompuPro PC-compatible S-100 video board. Alas, he couldn't leave it; as of now there are only five of them in existence. CompuPro is making more next week, and I ought to have mine Real Soon Now. I can hard-(continued)

Your Career Is Our Business-Catch Our Magazine

Grab the brass ring through McGraw-Hill's COMPUTER CAREER

McGraw-Hill's COMPUTER CAREERS magazine will be published in May 1985. This McGraw-Hill publication, focusing on career development, will be edited for computer specialists working in leading edge areas such as computer graphics, communications and robotics, as well as mainstream design and application of computer technology.

You are only eligible to receive a free subscription if you graduated between 1978-1985 with a:

Computer Engineering/Science major or Electrical/Electronic Engineering major with computer related curriculum, and/or

Are actively involved in computer technology in your job function.

To receive this free subscription to COMPUTER CAREERS, fill in order of the attached postcards which will trigger an application form for your to complete. We must have your home address only. If both cards are missing, send your request to: Violet Frey, Circulation Manager, McGraw-Hill's COMPUTER CAREERS, McGraw-Hill Publications Company, 1221 Avenue of the Americas, New York, NY 10020.

missing, send your request. McGraw-Hill's COMPUTER CAREERS, McGraw-Hill Publication Company, 1221 Avenue of the Americas, New York, NY 10020. COMPUTER CAREERS editorial content will focus on interests and concerns of the computer science/engineering specialist. Articles will sift through the maze of computer-related jobs to show you what and where the opportunities are...tell you how to weigh them now and in the future...offer expert advice that will help you move successfully ahead in your career...identify areas where you can build your personal attributes to enrich your career. In addition, the reader has available a Resume Forwarding Service in each issue.

npl

aree



Maxeli disks LIFETIME WARRANTY

Think you're getting the best price on Maxell Diskettes? You're right BUT ONLY IF You're buying from NORTH HILLS CORP. We will beat any nationally adver-
tised price* or give you a 15 disk
library case FREE!
Call us last—TOLL FREE—for our best shot every time.
1-800-328-3472
Formatted and hard sectored disks in stock. Dealer inquiries invited. COD's and charge cards accepted. All orders shipped from stock within 24
hours. Why wait 10 days to be shipped?
A A M
North Hills Corporation
3564 Rolling View Dr. White Bear Lake, MN 55110 MN Call Collect I 612-770-0485
*verifiable; same product, same quantities
nquiry 235

C Preprocessor


If you have ever found yourself wishing that C had a more sophisticated preprocessor, you will appreciate this stand-alone preprocessor from Hyperon Software.

- Supports Harbison & Steele Preprocessor
- Preprocessor Variables & Expressions
- #While & #Do Loops
- Full Macros
- One Pass
- C Source & Documentation Provided

Designed for portability. Presently PCDOS diskettes are available; please inquire about other formats.

Price: \$39.95 (California residents add 6%)

Hyperon Software PO Box 3349 Costa Mesa CA 92628



ly wait. When I get that in, we'll change my 8/16 over to Concurrent DOS, replacing the CompuPro 8/16 processor board with the new 80286 microprocessor and one or more SPUZes.

SPUZ is CompuPro's code name for a concurrent Z80 board, which is already running in test sites, including at Tony's house. Once Tony is happy, it's my turn. I'm eager to get at it. When it's all done, there will be no more Switch! and Swap programs; if the machine's fed a Z80 program, it will run that simultaneously with 16-bit 80286 programs. Bill Godbout says it's like having a box full of computers: turn 'em loose and let 'em all play together, each one running at its own speed.

CompuPro also has a new version of Shirley, otherwise known as the CompuPro 10 multiuser system. The new one will fly with Concurrent DOS. Owners of the older machines will be able to upgrade through local Systems Centers.

UNIX?

I've not changed my views on UNIX: on Mondays and Wednesdays I'm convinced it's going to sweep through the computer world like wildfire and be the unifying influence we all need. After all, Digital Research is supposed to be working on ways to make Concurrent DOS run under UNIX; and since PC-DOS runs under Concurrent DOS, that will go a long way toward integrating the micro world into one happy family.

On Tuesdays and Thursdays I recall that UNIX is enormous, too big and too slow, changes all the time, and generally requires a UNIX wizard to maintain; there's no way it's going to be popular outside large computer establishments. Give vanilla UNIX to business users and hear the screams of agony.

For those interested, though, these rumors out of CompuPro: the European branch of the firm has shipped a beta-test version of UNIX for the 68000 chip to CompuPro Canada. This is supposed to be the full Berkeley UNIX plus System V. Compu-

Pro also has UNIX System V for the 80286 chip. It shouldn't take the company all that long to bring UNIX into the United States.

FLOWCHARTS

Mrs. Pournelle is doing a book plus computer program that will allow any child with access to a computer to learn to read. She can do that because she has for years been the reading teacher of last resort for the Los Angeles County juvenile justice system. Her students are teenage illiterates in a lockup. They mostly come with pound after pound of psychological mumbo jumbo that 'proves" the kid can't possibly learn to read; it wasn't the school system's fault.

She ignores that junk and teaches the kids to read. She hasn't failed vet.

Now she's doing a book on methods. With the book will come a computer program. Alex and I are working on it. Her contract specifies that part of the advance will be paid when we turn in a flowchart of the computer program. By coincidence, we got that contract the same day that Flow Charting, a program by Patton and Patton, arrived.

This looks as if it would be an easy system for producing flowcharts; heaven knows I'd like to use something like that, because modifying and redrawing flowcharts is one of the more boring ways to spend time.

Alas, Flow Charting is copy-protected. The manual says a backup copy of the program is provided, but there's none in my package.

I'm not about to waste my time designing flowcharts that can then be accessed only by use of an off-brand disk that I can't make backups of. For that matter, I don't much like using programs I can't put on a RAM disk. Looks as if Flow Charting goes off into the same corner as the other stuff I'll get to when things are slack.

FREE FILER

One of Peter Flynn's jobs is compiling the Items Discussed box. This can be a pretty tedious job. He has recent-(continued)

CHAOS MANOR

CHAOS MANOR

ly found an excellent CP/M program that makes it considerably easier.

Free Filer from Telion Software was designed to work with WordStar files, but it works fine with WRITE text files, too. Free Filer is a "free form information retrieval system" that will let you keep card files, search through them on single or multiple keys, and make sorted files of the kind you see in the Items Discussed box.

His example: suppose you had the following card entries:

-Cats

furry, sneaky, warm, smart, small, edible (although eating them is not socially acceptable), semidomesticated, cheap to expensive

-Sheep

wooly, medium-sized, warm, edible, domesticated, expensive

-Toads

small, wet, cold, beautiful (it's Peter's file, not mine), inedible (as far as I'm concerned), cheap

Free Filer could be used to search for all animals that are small (toads and cats) or warm and expensive (cats and sheep) or cheap and edible (cats). Each time a record is found that contains the word or words searched for, it is displayed by itself on the screen. You then have the option to print it or add it to the search file.

There are a number of ways to sort your data once you retrieve it.

The program is not copy-protected and indeed urges you to make a backup copy before using it. It can be run from within WordStar as an information utility to generate specialized files that can then be included in the text you're working on.

The instructions are simple, in English, and easy to use. There are plenty of examples. Free Filer is one of those wonderful little generalpurpose text utilities that simplify life with computers.

Recommended.

WINDING DOWN

Tony just called. He's got a CompuPro 80286 board and SPUZ intended for me; first they go into his system for

ITEMS DISCUSSED

FREE FILER.....Not Available Telion Software POB 1464 La Mirada. CA 90637-1464

IBM Entry Systems Division POB 1328 Boca Raton, FL 33432 (800) 447-4700

PC RESET PACKAGE (includes

PCTURBO 186
128K bytes \$1095
256K bytes \$1245
Orchid Technology
47790 Westinghouse Dr.
Fremont, CA 94539
(415) 490-8586

THE ELÉCTRIC DRAGON . . disk \$34.95 Baen Enterprises 8 West 36th St. New York, NY 10018 (212) 947-8244

VALDOCS 2.0 less than \$50 Rising Star Industries 24050 Madison St., Suite 113 Torrance, CA 90505 (213) 378-9861

checkout. COMDEX is coming up in two weeks; just after that I ought to have the new stuff aboard.

I could say the book of the month was mine; certainly that was the book I put the most time and effort into. However, the real book of the month is The World of Digital Typesetting by John W. Seybold (1984; Seybold Publications, POB 644, Media, PA 19063; no price shown). This book will tell you a lot about typesetting equipment, software, and interfaces. It is not complete. There's more to the story; but this is a good introduction and history. Like Skillin and Gay's Words Into Print, Seybold's book belongs on the reference shelf of any serious professional writer. It's not easy reading, but it's stuff that professional wordsmiths had better know.


There hasn't been enough time for games, so there is no game of the

month. However, I have been promoted to Vice Admiral in the Cygnus Star Fleet I game.

We've ordered 512K-byte upgrades for our Macintosh computers, but they haven't come yet. Our dealer says Real Soon Now.

Finally, I just got a call from AT&T, and it looks as if I'm going to get one of the UNIX-running 3B2 systems to play with; hopefully, in a couple of months I'll know what to think about UNIX on Fridays and weekends. ■

Jerry Pournelle welcomes readers' com- ments and opinions. Send a self- addressed, stamped envelope to Jerry
Pournelle, clo BYTE Publications, POB
372, Hancock, NH 03449. Please put your address on the letter as well as on
the envelope. Due to the high volume of
letters, Jerry cannot guarantee a personal reply.



RUN-TIME VERSION AVAILABLE THERE'S NO

KnowledgeMan[™] and You. The possibilities are endless.

To succeed in business, you need a partner that's fast, flexible, intelligent and easy to work with. A partner that can help turn your big ideas into well-conceived reality. One that gives you the support you need to make critical decisions confidently.

No partner can give you more of what you need than KnowledgeMan, the knowledge management software from MDBS.

A powerful partner.

KnowledgeMan helps you manage more knowledge, in more ways, than ordinary software. It can help you make better decisions on just about everything from production scheduling to financial planning to market



forecasting. KnowledgeMan and its optional components offer data management, spreadsheet analysis, statistical analysis, text processing, forms management, business graphics, programming and more.

The key to KnowledgeMan's versatility is its exclusive synergistic integration, allowing you to accomplish your computing needs within one program. Unlike other software, there's no need to exit one function before entering another. The result: different kinds of processing can be intermingled. Quickly and easily.

A partner that speaks your language.

For all of its power and sophistication, KnowledgeMan is remarkably simple to understand. Even a beginner can start putting KnowledgeMan to work in minutes. With a single query, you can obtain related data from unlimited multiple tables. You can even teach KnowledgeMan to understand your own jargon.

A partner that helps you along.

The on-line HELP facility allows you to draw on 6800 lines of helpful information organized into 380 screens. If you have a problem or question, KnowledgeMan allows you to access the pertinent HELP screen immediately. Each screen is carefully designed to provide a quick reference guide to KnowledgeMan commands.

A partner that gives you room to grow.

Ordinary software packages can be frustratingly easy to outgrow. Not KnowledgeMan. Each KnowledgeMan component has more power than you'll probably ever need—far more than conventional integrated programs. With KnowledgeMan, you don't sacrifice capability, capacity or convenience. So with KnowledgeMan, you spend your time solving problems—not trying to overcome software limitations.

A partner that protects your interests.

KnowledgeMan offers sophisticated security features. Unauthorized access to data is next to impossible, thanks to password checking, thousands of access code combinations and data encryption. So your secrets are safe with KnowledgeMan.

A partner you can build on.

To add yet another dimension to KnowledgeMan's capabilities, you can get fully-integrated options like K-Graph, an extensive business graphics facility that



lets you plot information in a variety of colorful graphs, charts and diagrams. For text processing, the K-Text option lets you incorporate data into written documents quickly and easily. Or, create highly-polished, full-color customized forms with K-Paint, our forms painting option. To short-cut the keyboard, put the K-Mouse option to work.

A partner you should get to know better.

To see KnowledgeMan in action, visit your dealer. Or contact Micro Data Base Systems, Inc., P.O. Box 248, Lafayette, IN 47902, (317) 463-2581, Telex: 209147 ISE UR.

It may be the beginning of a long, successful partnership.

Current version is 1.07 as of 9/10/84. KnowledgeMan, K-Graph, K-Paint, K-Text, and K-Mouse are trademarks of Micro Data Base Systems, Inc. MDBS is a registered trademark of Micro Data Base Systems, Inc.



The Knowledge Management Software from MDBS

Operating Systems: PCDOS, MSDOS, CP/M-86. Minimum RAM required: 192K, K-Graph: PCDOS only.

Only from Topaz...

Powermaker[®] Micro UPS

Uninterruptible, computer-grade power — at half the cost



It's in a class by itself.

For about half the cost of other Uninterruptible Power Systems, you can now get the same degree of protection with our Powermaker Micro UPS. This remarkable new system eliminates computer problems caused by blackouts, brownouts, voltage sags and power-line noise.

Providing up to 75 minutes of continuous computer-grade power, our Powermaker Micro UPS is compatible with microcomputers and PC's. It's fully automatic, maintenance-free, portable and compact. It fits neatly alongside or under your desk or workstation. And because you can't always tell when you've lost primary power, our little UPS even features an andible line-loss alarm.

But best of all is the price. The Powermaker Micro UPS is priced right and is ready for immediate hipment. Find out more about our Powermaker Micro UPS. Call us at (619) 279-0831, or contact your local Square D distributor.



SQUARE D COMPANY

CORVUS PROBLEMS

Dear Jerry.

I was very interested to see your comments on the Corvus hard disk. We've been using one for almost two years. Our experience has been frustrating, different enough from yours, and, I hope, relevant to enough people that you might decide to look into it further.

After researching hard disks for several months, our ultimate reason for going with Corvus was that the finance company we use for our computer deals said it was the only brand it wanted to finance because it was the only one with a reasonable service record. After five firmware and hardware crashes, I wish I knew then what I know now.

More distressing than having to baby the beast has been the response of Corvus itself. Our first crash was due to a bug in Corvus's firmware. I got on the phone with Corvus's technical people, who told me they knew about the problem and how to fix it. The strange part was that they also told me they hadn't bothered to notify dealers or users about the problem. Corvus has also failed to answer my letters asking to buy documentation (including a manual for multiusers, which an insert in the original users manual two years ago promised would be mailed to me Real Soon Now).

Among our other problems was a burned-out main drive bearing, which. luckily, failed just before the warranty ran out. There was one service technician in all of Colorado who seemed to know something about the drive, but his shop went under, and the new local Corvus contact told me they're not interested in spending much time with them unless we're ready to spend big bucks on more hardware. They did tell us all our problems were because the Rev B was a lousy product, and if we'd just junk it and buy all the latest Corvus stuff, our problems would go away.

My computer responsibilities are with a small business, using Apples and wanting to get bigger. But it's the old story of having to live with an investment after so many bucks went into it. We'd like to get a real network in here and more disk space. but I'm sure not going to trust Omninet after our experiences with our first Corvus product. I've done a fair amount of documentation myself, have the thing interfaced with ProDOS now, and managed to get around some of the limits Corvus built into the thing when it implemented it under DOS 3.3.

I thought you might be interested. I enjoy reading you, even when I disagree with you.

> GLENN HOLLIDAY Denver, CO

Alas, Rev B was a dog, as was Rev A. Corvus has got most of its problems fixed now, or so I am told. The one we have is scheduled for a pack of revisions; I'll do a full report when it's done.

I do wish Corvus well. The company has some good troops and good ideas, and its people are trying hard: unlike most of their competitors, they're trying to network everything, not just the biggies. We hear good things about their networks.—Jerry

NEC PC-8201A

Dear Jerry

Recently I purchased an NEC PC-8201A lap-size portable computer, partly because you had nice things to say about it and partly because I couldn't resist the sale price. In general, I've been quite pleased with it (although I'll need to add more memory before I'll be really happy). I also own a Kaypro 2, and I have been using Mycroft Labs' MITE communications package along with the Telcom program in the NEC to transmit text files between the two. However, according to the way I read the NEC manuals, it should be possible to use the NEC SAVE < filename > as COM: command to transmit files from the NEC through the RS-232C port to the Kaypro. This feature would be potentially useful in saving BASIC programs from the NEC to the Kaypro's disk drives. The useful feature is that the NEC tries to convert a BASIC file (.BA) from internal format to ASCII format as it transmits. Thus, using the SAVE command would prevent you from having to first save a BASIC program in ASCII format on the NEC and then calling up Telcom to send it to the Kaypro.

Unfortunately, the SAVE command does not work very well in my setup. I have both computers set to agree on communications protocol and whatnot, but when I save a text file to the RS-232C port on the NEC, the Kaypro gets only about half a screen and then gets hung up. When I try this procedure with a .BA file, the same thing happens, but the Kaypro drops a few characters as well (notably line numbers). This seems to happen regardless of how low I set the transmission rate. I was wondering if you have tried the NEC SAVE command to send things out the communications port to a Kaypro or other/ computer.

The NEC Telcom program has worked fine for my setup (as long as one is aware that because of the Kaypro's software screen scrolling, any communication that echoes to the screen has to be no faster than 1200 bps for the scrolling to keep up and no characters to be lost). At any rate, I would like to hear about any experience you have had with the SAVE command. Thanks.

MARK E. CORNELL Tucson, AZ

I've never used the SAVE command. Indeed, I only use Percy, my NEC PC-8201A, as a lapboard typewriter when I'm on aircraft. When I get to my hotel, I use Telcom and the PIP command to send the resulting text to Adeline, my Otrona Attache: or when I get home, I use Telcom to send the text to my CompuPro 8/16. Both work perfectly at 9600 bps.

I've tried this with the Kaypro 10 and it all works fine at 9600 bps; just don't echo to the screen. Use PIP to collect the files onto the Kaypro. Alas, I think you have no choice but to save your programs in ASCII and use Telcom.

I still like Percy a lot. So does Mrs. Pournelle.—Jerry

COPY PROTECTION

Dear Jerry,

I can empathize with your gripes about copy-protected source disks. I had such a (continued)

utility disk self-destruct on me six months ago. I have no children or animals underfoot and am reasonably fastidious about disk care. Even with the best-laid plans, part of the copy-protection scheme is an (usually abortive) attempt to reformat the disk. Fair enough, except when the switch on your drive slips slightly and the underside of the write-protect flap caves in just enough, leaving you with a rather expensive blank disk. In defense of the manufacturer, the program is very reasonably priced, does exactly what it claims, and one backup disk is available to registered owners at a reduced price. I was still rather miffed at having my disk destroyed through no real fault of my own.

The distributor was no help (buy the backup-but what if that one goes?). I began snooping around in my DOS and discovered the nature of the copy protection, where certain information is returned to the DOS buffers with certain types of read errors. I then wrote a couple of utilities to read and write these irregular formats track by track. I now have backups for my own use that in a better world I should have had in the first place. I'm no real pirating threat, since I don't know anyone who can use this program who doesn't have it already (an essential part of my system is no longer manufactured). yet these copies are not entirely on the up-and-up (maybe one, since I paid for one). Serial numbers are a good idea, but the numbers on this package are not hidden verv well even though the code itself is gibberish

I don't know if an equitable and sensible solution is on the horizon. Just look at what a mess "fair use" turned out to be when certain publishers decided to play hardball with photocopying. Inflating software costs to anticipate piracy could easily price some packages out of the market. Improved copy protection is just more of a challenge in the escalating war of copy-protection/subversion schemes. I agree that cheap, reliable software usually isn't worth trying to steal, but I don't think we'll be flooded with exemplars anytime soon.

LAWRENCE L. CRAWFORD Philadelphia, PA

Another good letter on copy protection. The issue is not going away.—Jerry

THE USERS STRIKE BACK

Dear Jerry,

The time has come for the computer users of the world to unite and to make

the following declaration to the software suppliers of the world.

Dear Software Supplier/Copy Protector:

I understand that you perceive the unauthorized and illegal copying of your software to be a huge and critical problem. There are many people who criticize your position and logic, but that is neither here nor there. To you, this copying is seen as a problem, and I doubt that any arguments or evidence will change your mind. So I am not writing you about piracy, its economic effects, or any of this. Instead, I ask you to consider for a moment the forgotten person in this debate, the ordinary user.

The means you have chosen to solve this problem of illegal copying, copy protection, are completely inappropriate from the viewpoint of the user of your software. You should be able to recognize this without long and tedious argument; you should be able to recognize that you owe everything to the user, that you owe to the user the duty of utmost care, that you are a trustee of the user's information needs. You should, in short, be able to recognize the tremendous responsibility you have toward the user.

But you don't. Instead, you treat the user with the utmost contempt and disrespect. You deliver unintelligible manuals, full of jargon and convoluted syntax, when you should be trying desperately to communicate clearly. You disclaim all legal responsibility for the correctness of your software; you spend millions in advertising and then refuse to even commit yourself to the proper working of your product.

But you show your greatest contempt by instituting copy-protection schemes, which create new dangers for those who have so foolishly placed their trust in your ability to help them. No copy-protection scheme will ever help any user, and usually the scheme will only serve to injure and frustrate the user. Are the concepts of pride and professionalism really so foreign to you?

Maybe you are protected by these schemes; but they serve me poorly. Can't you see that your duty is to me, your customer, instead of to your perception of your own injury? You can't balance the perceived cost to yourself against the injury to me and then say your interest is the greater and should prevail; you are morally responsible to consider and protect my own information welfare, and I demand that you attend to this duty.

Maybe your product is truly wonderful, but I am not interested in any copyprotected software, no matter how wonderful. I can see that your only interest is what you can get from me and not what you can do for me. So I will avoid your product. I will not buy it, so you will not have my money. More important, I will not use it, so you will not have my trust and respect; for these are what I give when I use a piece of software. Needless to say. I will not waste my time trying to copy a piece of software that I am committed not to use. I will advise everyone I know to do the same. I will choose my software vendors as I do my friends, my physician, and my attorney. And I will hold you in the same contempt as you, perhaps unknowingly, hold me.

Should you learn to temper your greed with wisdom, let me know. I'm always ready to make a new friend,

Sincerely, Software User

Boycott is the only effective answer to this problem. The vendors will somehow have to be coerced into being fair and reasonable, since they have no inclination to take this step on their own.

> EDMUND B. BURKE Atlanta, GA

Maybe yours is the only way. Alas, computer users are not all that well organized. Still, a few thousand such letters...-Jerry

A FANTASY?

Dear Jerry,

A while back, I was part of a commercial programming effort. The question of copy protection came up. We came to the following conclusions:

If customers cannot back it up, then: We would have to maintain full customer records; We would have a higher number of disks returned because the disk needed very accurate drive-speed adjustment; It would involve another entire job/ position/department; It would have to be a nonprofit endeavor.

All locks can be picked:

- The only people we had to stop could copy and sell it anyway; If they give away only one to three copies, we still have a large number of paying clients (free advertising, too!).
- We would either have to: Write the lock ourselves (time=\$); Hire someone to write it (ditto); Pay (continued)



rotessiona People who want to spend their time analyzing results, not just crunching numbers.

Statpro[™] data analysis software was specifically created to give professionals of all kinds the analytical tools they need on the job.

It's for corporate planners and marketing specialists, engineers and lab technicians, scientists and educators. In fact, Statpro is for every professional who does data analysis but can't afford to waste time.

Mainframe statistics on your PC.

As a practical tool for professionals, Statpro was specially designed for the personal computer. It's not a scaled-down mainframe program or one of those packages that can only handle a few basic analyses. Instead, it brings a full repertoire of statistical techniques to your IBM PC or PC/XT. From basic descriptive statistics and linear regressions to unequal size ANOVA and

discriminant function analysis.

And despite its impressive power, Statpro is easy to use. You just respond to simple menus and screen prompts with single keystrokes. No programmers,



Single keystrokes are all it takes to put Statpro to work.

complex commands or long lines come between you and the job.

A powerful database.

Because you'll want to set up your analyses according to your needs, we've equipped Statpro with a remarkably flexible database. You can range check, verify data entries and keep track of missing data. Analyze



any subset of your database. Transform variables according to virtually any formula. And add, edit, delete, sort or move data wherever you want. Chances are you'll also be

Statpro exchanges data with many popular programs.

using data from other sources. So Statpro is designed to allow you to easily exchange information with other popular programs and file formats, such as 1-2-3,[™] dBase II,[™] ASCII, DIF[™] and SYLK.™

Lots of graphics.

Nothing makes complex data clearer and easier to present than pictures. So Statpro lets you create graphics and charts in the best format for each job, from pie charts, scatter and regression plots to bar, box and

multivariate vector plots. What's more, Statpro graphics can be customized-with



Colorful graphics make complex data easy to understand.

and colors-to emphasize important aspects of your analyses. Call for a demo.

Statpio

atpro

scaling, labels

Statpro Professionals get more

done, faster. But don't take our word for it. Call and ask about our demonstration package, or order Statpro for only \$795.

Don't wait! Become a Statpro Professional today.

800-322-2208 In Massachusetts, call (617) 423-0420.

Call us for the dealer nearest you.

Wadsworth **UU** Professional Software

Statpro is a trademark of Wadsworth Professional Software, Inc. dBase II is a registered trademark of Ashton-Tate. DIF is a trademark of Software Arts, Inc. 1-2-3 is a trademark of Lotus Development Corporation. SYLK is a trademark of Microsoft Corp.

a higher duplication cost.

We would find ourselves with a large custom-programming job:

- Patches to fit/use all printers; Patches for all 80-column (Apple) cards; Patches for several disk operating systems.
- The market would be more than halved because it would not fit many specific systems (hardware).
- The market would be reduced further because it could not fit into a menudriven, userproof, black box with many functions.
- It would please the programmer because no one would see the faults. But then he had already been paid.
- I would not have bought it because I think programs should be unlocked; people lend/borrow your books don't they?

At this point we ended the discussion and sold it unprotected.

WILLIAM M. REED New Orleans, LA

I wish all the publishers would come to the same conclusion.—Jerry

ETHICS

Dear Jerry,

Re your September 1984 column on Tom Tcimpidis and his RCBS being busted at the behest of one of Ma Bell's offspring:

Of course, it's always the little guy who gets hung out to dry. This same sort of stuff must certainly go on (even if only on a one-on-one basis) via CompuServe and The Source. Can you imagine how many lawyers the *Reader's Digest*, Control Data Corp., and H & R Block would have barring the doorway if a phone company tried to impound the computers at *their* two subsidiaries?

You seemed to think that your supermarket analogy was a bit off-the-wall, but if you've ever read the tortured logic and mind-boggling conclusions that some judges hand down every day, you wouldn't be *quite* so quick to dismiss the idea. Some more hypothetical cases:

The Washington Post runs a car dealer's ad. I respond, get bait-and-switched, and buy a lemon from him. Can I impound the Post presses? What if the Post had received previous complaints about the dealer? Even if the Post later yanked the ad, the damage is done. It seems to me that the argument for joint tort-feasance is just as strong here as it is in Tcimpidis's case.

If I get ripped off by a con-artist adver-

tisement, can I have the magazine's Second Class Postage permit yanked?

Suppose you print in your column (notice how we're getting closer and closer to home?) my casual comment to you that "the Bytecrunch-99 computer stinks," along with my name and address. Some irate Bytecrunch-99 owner firebombs my house. Can I send your local sheriff over to impound your 32 computers?

As a "reader service," I print your phone number in our Eagle users group newsletter, with the suggestion that you can be reached between the hours of 2–4 a.m. PST. Is your unpublished phone number "owned" by you and/or Ma Bell?

Regarding your comments (same column) that electronic bulletin boards publish ways to defeat copy-protection schemes—there's an obvious connection here to the Tcimpidis case. If Tcimpidis is guilty of some crime, then what do we do about those who publish these other hacker goodies? Or are they safe because they only published ways to defeat copyprotection schemes and not the proprietary information itself?

How ethical is it to hit a buyer for one or two weeks' take-home pay for a copyprotected program? While awaiting a replacement for the program disk you accidentally trashed, you make the next VISA payment on a worthless disk and loose-leaf binder, the project deadline has come and gone, and you've lost bucks, grades, or a job. What are the ethics of arrogant licensing agreements, hyped product descriptions with product disclaimers packed inside the box. refusal to fix bugs, user nonsupport, and other problems you've talked about?

Yes, I read program reviews by the bucketful. My eyes glaze over and skip to the next product review as soon as they encounter the phrase "copy-protected." I absolutely refuse to buy copy-protected programs. But let's be realistic-what percentage of home computer software produced today gets a thorough magazine review so you can be forewarned? And how many interested buyers are going to dig up, say, a March 1983 BYTE to see what you said about their intended purchase? What makes it really bad is that fighting a battle against copy-protected programs can be heartbreaking when you have to pass up an otherwise luscious piece of software. There's got to be a better way.

JOHN MAZOR Clinton, MD

Yeah. I get so coldly furious about the Tcimpidis situation that I'm tempted to

cry havoc. One thing I note that Pacific Telephone has done: by acting as its people have, they've opened what ought to have been a closed ethical debate, thus causing a lot of bright kids to seriously consider becoming phone phreaks.

It is statistically improbable that the forbidden phone codes have not been sent through The Source and Compu-Serve; equal justice demands that Ma Bell try to confiscate their equipment. Perhaps they're not so eager to take on the Reader's Digest?

As to copy protection: I don't know the answer. One of my readers counsels me to "let loose the demons"; that is, any copy-protection scheme can be defeated, usually by a program called a "demon" that sits in high memory, watches what the copy-protection scheme does, and then begins to do it. My reader wants me to publish the source and installation procedures for various demons.

A number of them are already available on computer bulletin boards. I'm thinking what to do.—Jerry

THE TRUTH ABOUT ALEX

Dear Jerry,

A friend of mine and his wife are taking a systems course at UCSD. As part of this course they develop software in C on the UNIX system there. While browsing through the system after a long night of programming, my friend's wife came across an adventure game. As any selfrespecting hacker would do, she began playing the game. At the end of the game, after being killed several times, the program listed the top ten players. It turns out your son has more talents besides the business end of computer systems. His name was at the *top* of the list.

> ANDREW H. BUSHNELL San Diego, CA

So that's what he's doing down there! I understand the game was Rogue. Alas. −Jerry ■

USERS GROUP CORNER

MIDWEST CONNECTION (NEC systems) 6200 Prince Dr. High Ridge, MO 63049

North Orange County Computer CLUB POB 3616 Orange, CA 92665-0616

Engineering Excellence





ŢΜ

CROSSTALK IS AVAILABLE FOR MOST SMALL BUSINESS COMPUTERS

Any modem can send and receive information. But what good is a modem if you can't communicate with it? In plain English.

The Maxwell Modems and George,[™] our communications software, let you do just that.

In fact, learning to use them is as easy as reading a menu. Instead of a manual.

All the features make sense.

Like auto-dialing directories. Automatic log-on. Auto-answer. Automatic error-checking. And complete unattended operation. Which means you can send and receive files late at night when the phone rates are lower. And you're asleep.

Racal-Vadi

Plus, with single keystroke dialing, you can call a database faster than you can say Racal-Vadic. While the handy mes-

RACAL

FINALLY, A MODEM YOU CAN COMMUNICATE WITH.

sage editor makes jotting a quick message just that. Quick.

The Maxwell Modems are available in two versions, internal* or desktop. And, now, in three different speeds. 300, 1200 or 2400 bits-per-second. So there's bound to be one just right for you. And your personal computer.

Best of all, they're from

Racal-Vadic—the world's leading supplier of switchednetwork modems. The kind of modems data networks use to take calls from modems like yours.

Just as soon as you get one. And the easiest way to do that is to call 800-4-VADICS for the name of the Maxwell Modem dealer nearest you.



124 The Maxwell Modem and George are trademarks of Racal-Vadic. *Internal modems for IBM® PC, XT and compatibles. IBM is a registered trademark of International Business Machines Corp. © 1984, Racal-Vadic

Viasyn (vi' uh sin) n. [L., via, a way or road; Gr., syn, together or integrated], formerly CompuPro. 1. n. a twelve year old manufacturer of microprocessor systems, subsystems and components, notably multi-user computers used in business, science and industry. 2. adj. related to Viasyn, formerly CompuPro, quality, i.e., possessing extraordinary reliability, performance, modularity and ruggedness. See CompuPro (previous name).



3506 Breakwater Court Hayward, California 94545 (800) 367-7816 (Outside California) (415) 786-0909 (California)

$B \cdot Y \cdot T \cdot E \quad J \cdot A \cdot P \cdot A \cdot N$

Disks and Printers

Important peripherals from the 1984 Data Show

BY WILLIAM M. RAIKE

William M. Raike, who holds a Ph.D. in applied mathematics from Northwestern University, has taught operations research and computer science in Austin, Texas, and Monterey, California. He holds a patent on a voice scrambler and was formerly an officer of Cryptext Corporation in the United States. In 1980, he went to Japan looking for 64K-bit RAMs. He has been there ever since as a technical translator and a software developer. The 1984 Data Show was held from September 26 to 29 at the International Trade Center Exhibition Site at Harumi, near the Tokyo waterfront. The fastest way to get there is by ferryboat; a pleasant 5-minute ride replaces the usual 15-minute taxi or bus trip through some of the least impressive neighborhoods in Tokyo. In this case, the boat trip was one of the more interesting events of the afternoon; the show itself was only so-so in terms of noteworthy new computer products. The most important exhibits at this show were peripheral devices, especially optical disks and laser printers.

One of the high points of the show was Hitachi's OC-301 optical-disk cartridge system, which looks like a practical solution to on-line storage requirements for large databases. You can put 2.6 gigabytes on one double-sided disk and still have room left over. The disks look like ordinary videodiscs. While a disk spins at 600 rpm (revolutions per minute) within its cartridge, microscopic pits are laser-scanned to read the data. Data can also be written in randomaccess mode to any track and any sector on the disk.

According to Hitachi, the maximum datatransfer rate is 440K bits per second; this limitation is apparently due to the drive itself, since the built-in controller/formatter is capable of more than twice that rate. The disk is organized into over 40,000 tracks per side (both single- and double-sided cartridges are available), but the average seek time is only 200 milliseconds. That means that it takes less than 1/4 second, on the average, to access any part of a 2.6-gigabyte disk, and a single controller can handle up to four disks. No information about prices of either the cartridges or the optical-disk drive was available during the show, but the system is now available to OEMs (original equipment manufacturers). It will probably be adopted first by minicomputer vendors, but the supermicro market won't be far behind.

Hitachi floppy-disk drives were featured earlier in BYTE Japan (see "Show Time," September 1984, page 407) when I reported on the 9.6-megabyte 8-inch floppydisk drive that was announced at the Tokyo Microcomputer Show. After that announcement, it seemed almost anticlimactic when Hitachi displayed its 6.5-megabyte 514-inch FDD541 floppy-disk drive at this Data Show. Even though the new DK 512 (see photo 1), a 171-megabyte 5-inch hard-disk drive, was displayed right next to it, the new floppydisk drive stole the show: its data-transfer rate is 3 million bits per second. That's more than twice as fast as the transfer rates of most hard-disk drives and means really fast access, even for big files. Right now the FDD541 (and the DK 512) are available to OEMs, but it won't be long until we see consumer products that use them.

For people who want something in between the sizes of the new optical-disk and floppy-disk systems, Hitachi also displayed a compact 8-inch hard-disk drive. The DK 815 holds 525 megabytes unformatted (435 megabytes formatted), and two of them will fit into a standard 19-inch equipment rack.

Printers were very much in the spotlight at the show, among them laser printers by Canon, Fuji Xerox, Konica, and TEC. (TEC printers are marketed in the U.S. by the C. Itoh trading company.) All four laser printers have similar characteristics: they print with very high resolution (typically about 300 dots per inch), offer a large variety of character fonts with sharp, magazinequality printing, and have printing speeds in the 8- to 10-page-per-minute range. All are tabletop machines. Some models have RS-232C serial interfaces, while others require a special video interface. Although no prices were available as of this writing, it looks as if laser printers will eventually become standard for high-quality wordprocessing and office applications.

Laser printers use the same principle as an electrostatic copying machine. A drum (continued)

Conventional

printers are getting better and cheaper.

coated with a material like selenium is given a static charge. When light (in this case, laser light) touches the drum, the drum material becomes conductive and the charge leaks away from the area exposed to light. A dark powder (the toner) charged with the same polarity is then applied to the drum; since like charges repel, the toner adheres only to the parts of the drum that were exposed to the light. The laser beam itself is extremely narrow and is bounced off a multifaceted (typically 8 or 12 facets) spinning mirror, so that the beam sweeps across the surface of the drum as the mirror

spins. Regulation of the mirrorrotation speed is simplified because the beam can be synchronized using a simple photodetector arrangement. The beam is simply turned on and off to form the desired image, much the same as the electron gun in a cathode-ray-tube screen. No "vertical deflection" of the beam is necessary because of the rotation of the selenium drum.

The Casio LCD (liquid-crystal display) shutter printer I mentioned in last month's BYTE Japan ("The New and the Old," page 429), the LCS-2400, uses a similar principle, except that the laser and the scanning mechanism are replaced by a simpler combination of a light source and a liquid-crystal shutter to expose the image on the drum. Casio has announced a Japanese price for the printer equivalent to \$1650.

Conventional printers, both the dot-

matrix type and the daisy-wheel type. are getting better and cheaper. A number of 18-dot and 24-dot nearletter-quality (or better) printers have been on the market for some time, at prices ranging from \$800 to \$1000. for both Japanese-language word-processing and graphics applications. Now TEC has introduced the M1570, which prints kanji characters using a 24-dot font and letter-quality alphanumeric characters using an 18-dot font. In draft mode it produces near letter-quality printing at 200 characters per second (cps) and has a fourcolor ribbon so that it can produce graphics and/or characters in any of seven colors.

Citizen, better known for its electronic wristwatches, is a newcomer to the computer peripheral-equipment market. Citizen's new MSP-10K printer (see photo 2) is an 18-dot, 21-cps kanji printer and near letter-quality alpha-



The more disk formats you work with, the more our Disk MakerTM system saves time and money by reading and/or writing disks in any of over 200 formats. No modems, no patches, no other special software necessary.

Disk Maker II is a complete, stand alone system with one 8" DSDD disk drive, one 48 tpi 5%" DSDD disk drive, 6 MHZ Z80B, 64K CP/M system with Disk MakerTM software. (96 tpi and second 8" drive optional.) Just plug in your terminal and make disks! Bundled software includes MicroShellTM/MCALL-II communications software. Base price: \$3,395. Supported with comprehensive, easy-to-read manual, software updates (\$50.00, all formats in revision), and additional drives and hard disk options.

Disk Maker' prices from \$1,695 Disk Maker I runs as a peripheral with an S-100 system and comes with S-100 controller board, one 48 tpi DSDD 514' disk drive, dual drive cabinet and power supply, cables and Disk Maker software. 96 tpi and 8'' drives are optional. Base price: \$1.695.

> Deveration VA 22000 (78) 471-5550 Order Line (280) 385 3359 Deverating inguines welcomed.

numeric printer that prints in draft mode at 160 cps. It will retail for about \$520.

Two low-speed, relatively low-cost daisy-wheel printers are worth mentioning. C. Itoh is selling its Y-10 daisvwheel printer, which weighs only 17 pounds, at a list price of only about \$525. It has a cassette-interface feature that lets you change between serial and parallel interfaces; you swap print wheels using a "slide-inand-snap" loading method. The other printer is an original-equipment model that's sold here in Japan as the Aurora 650. You can buy one for only about \$360, discounted, which is just about the best deal I've seen. It uses a film-type ribbon cartridge and prints clearly and evenly at 13 cps. It includes built-in parallel and RS-232C serial interfaces.

New Toshiba MSX COMPUTER CAN COMMUNICATE

In the December 1984 BYTE Japan I discussed the MSX computer phenomenon. MSX is the name of a set of standards, developed by Microsoft Corporation, for low-cost computers based on Z80 or equivalent microprocessors that have Microsoft BASIC in ROM (read-only memory). About two dozen models of MSX computers are available in Japan from all the major Japanese computer manufacturers.

Until now they have been sold almost exclusively for playing video games. Prices generally range from about \$200, or even less, up to about \$400 for models with 64K bytes of RAM (random-access read/write memory). In addition to built-in sound generators and joystick interfaces, MSX machines all have one or more slots that can accept standardized RAM/ROM cartridges. Hundreds of game cartridges are available; most sell for about \$10 to \$20.

There is little MSX software for any purpose other than entertainment. and with the computer-game market quickly becoming saturated, the MSX phenomenon here has been more of a curiosity than a force for steady growth.

All of that may change soon, however. I had a chance to try out Toshiba's newest MSX machine, the HX-22, the other day. Due to be released in about a week, it's a 64Kbyte computer that has a list price of only about \$360, is supplied with useful Japanese-language word-processing software, and includes a standard RS-232C serial interface and terminal software. A 500K-byte 31/2- inch floppy-disk drive is optional, supported by the MSX-DOS operating system. (See the December 1984 BYTE Japan, "Hand-held Computers and MSX Standards," page 365.) The standard display is only 40 characters

wide, but an inexpensive 80-column adapter will be available soon.

The HX-22's serial interface, which can operate at speeds up to 19.200 bits per second, may cause major changes in the low-priced computer market in Japan. Until now, personal computer users here have lagged behind their American counterparts in terms of communication services like bulletin boards, conferencing systems, and wide-ranging information services like The Source and CompuServe. Although The Source is available in Japan, there aren't yet any widely available analogous Japanese services. My guess is that the introduction of the HX-22 (and its inevitable competitors) will be a powerful stimulus for people to start developing them. Also, because the HX-22 includes a sizable Japanese-language (kanji) character set in ROM, the road is now open for developing information and communication services in the Japanese language, which is an absolute necessity for acceptance of this kind of technology by the Japenese general public.

The market for MSX machines is fiercely competitive, and other major producers like Sony, Canon, Pioneer, and Mitsubishi are certain to introduce their own versions of MSX machines with communications and kanii display capabilities; prices in the \$275 (continued)



D541(6.5MB)



Photo 2: An inexpensive (about \$520) 18-dot kanji printer from Citizen.

Inquiry 357

FURE SUPPORT BACK CHAIR FROM The ORIGINAL Genuine Oak Chair

BYTE JAPAN

Standard Version,

SALE PRICE: \$29.95

Adjustable On Wheels: \$49 95!

New 3-Position

The First "Intelligent" Chair, FORMERLY \$89.95! Now on s from \$29.95, REDUCE THE EFFECT OF GRAVITY ON YOUR BACK. Sitting regularly in a conventional chair your lower back is supporting the TOTAL WEIGHT of your body, plus additional weight due to the downward effect of gravity. Unfortunately most chairs are de signed for appearance, not for comfort.

THE BACK CHAIR SOLUTION-Sitting on the Back Chair relieves your back from supporting the total weight of your body by distributing your weight between your lower back and legs. Your legs support you when standing, your lower back supports you when sitting. Combine them both in a comfortable sitting posture and you relieve the unnecessary stress on your back. When sitting on the Back Chair you'll feel more relaxed and sit up perfectly straight.

Standard Chair made of hardwood lavers with final laver of Genuine Oak, Adjustable Chair made from solid hardwood with Oak Finish. Both come with padded seat and knee pads upholstered in Chocolate Brown.

SHOP FASTER BY PHONE -805-966-7187

Or send a check or your credit card # (Dine's Club, VISA, MasterCard, American Express) for THE BACK CHAIR (Standard Model, \$29.95 ea; Adjustable Model, \$49.95 ea.—please indicate below) plus \$9.95 shipping (Canadian orders, \$13.00 shipping). CA residents add 6% sales tax. Sorry no C.O.O. If not satisfied re turn within 15 days for refund (less shipping),

ITEM NO.	QUAN.	ITEM	PRICE EA.	SHIPPING	TOTAL
825	C.L.C.	Stan. BACK CHAIR	\$29.95		
808	1	Adj. BACK CHAIR	\$49.95		

STARSHINE (ROUP 816 B State Street, Dept. BC225, Santa Barbara, CA 93101 America's Premium Direct Mail House Now In Our 8th Year



to \$300 range wouldn't surprise me at all. Toshiba claims it has no plans vet to market the HX-22 in the U.S. because of the lack of an appropriate distribution system, but those kinds of plans have a way of changing quickly when the company perceives a demand.

INNOVATIONS

Especially in the last few years, integrated-circuit designs have been moving more and more toward CMOS (complementary metal-oxide semiconductor) technology. The biggest advantage CMOS has to offer is its very low power consumption. Although the speeds of CMOS integrated circuits have been increasing, they generally can't match the speeds obtainable with the older bipolar technology. Hitachi has just announced that it has come up with a way to combine both bipolar and CMOS elements on the same chip and claims that a gate array based on the new process has a gate delay, or operating speed, of only 0.8 nanosecond. That's comparable to the fastest ECL (emitter-coupled logic) chips. Its power consumption is only about 0.15 milliwatt per gate, similar to CMOS.

Optical-disk technology is moving fast, too. Sony has just developed a magneto-optical-disk system for delivery to the Japanese international telephone company this month. The significance of the Sony development is that the disks are erasable, in contrast to other optical-disk systems like the one Hitachi introduced at the Data Show. The capacity of the disk is 1 gigabyte, and a single controller can handle up to four disk drives. No information about the speed of the new system was available, and so far Sony hasn't announced that it will market the system commercially.

COMING UP

Next month I'll cover the IBM IX. WordStar 2000, the new Toshiba I-megabit RAM chip, and the growing popularity of UNIX in Japan, and I'll compare the Japanese PC-9801F3 personal computer with the NEC APC-III.

$B \cdot Y \cdot T \cdot E \quad W \cdot E \cdot S \cdot T \quad C \cdot O \cdot A \cdot S \cdot T$



What Next?

Thunderscan, the ins and outs of the windowing game, new workstations, and more

by John Markoff, Phillip Robinson, and Ezra Shapiro pple Computer's president, John Sculley, has a habit of publicly referring to Macintosh graphics as "super graphics." However, although the Mac may be impressive when compared to the Apple II and the IBM PC, we've always been a little irritated by the super-graphics claim. Shouldn't the superlatives be reserved for the new generation of personal computers with 1024- by 1024-pixel (picture element) bit-mapped screens and hardware coprocessing support for animation and other sophisticated graphics operations? By those standards, the Mac seems primitive indeed.

Yet, over the course of the past few months, as new applications have been introduced, the Macintosh has proven to be consistently surprising in the quality of its graphics. Despite its relatively low number of pixels, the Macintosh display is crisp, partly because of its small screen size.

THUNDERSCAN

Recently, a demonstration given to us by Macintosh designer Andy Hertzfeld and Tom Petrie of Thunderware provided convincing evidence that if Macintosh graphics aren't "super," they're at least a clear step above anything else currently available in that price range.

Thunderware, previously known as a manufacturer of clocks for the Apple II and III, drew a lot of attention when its new Macintosh product, Thunderscan, was introduced at this year's National Computer Conference. Thunderscan is a high-resolution digitizer that enables the Macintosh to capture and later reprocess virtually any image that can be rolled under the platen of the Apple Imagewriter dot-matrix printer. The process is deceptively simple. Thunderscan consists of a palm-size optical sensor that snaps into the Imagewriter in place of the ribbon cartridge. When a document or picture is rolled through the printer, software written by Hertzfeld controls the sensor as it slides back and forth over an image.

Petrie says that Thunderware is sensitive about discussing the exact nature of the scanning technology used in the device. However, he will say that the scanner is able to extract analog information from the image and transmit it to one of the Macintosh serial ports without having to use traditional A/D (analog-to-digital) conversion techniques.

It's an intriguing process. For example, it's possible to increase the resolution of the image being scanned by increasing the scanning rate. The result of the proprietary technology is a low-cost scanning device (initially \$229) that permits the Macintosh to store and manipulate images with a resolution in excess of 200 dots per inch.

According to Petrie, there are a number of difficulties in getting graphics images into the Macintosh. The greatest problem is that high-resolution graphic images require a relatively large bit map. Until now, the only way of stuffing this information into the Mac has been to use a video camera, and video cameras are relatively high cost and low resolution. (At the same time, it should be noted that cameras have the advantage of being fast. Because essentially only one row of pixels is scanned at a time, it takes Thunderscan as long as 15 minutes to digitize an entire 8½- by 11-inch document.)

Once Thunderscan has transmitted an image to the Macintosh, software designed by programmer Hertzfeld (who has left Apple and is now working on his own) can do a remarkable job of enhancing or manipulating it. Not only can you rescale images, you can also alter brightness and contrast to create halftones or high-contrast images (see figure 1). Additionally, the Thunderscan software contains a number of graphics tools familiar to those who have used the MacPaint program on the Mac. There is also a special "express" option that lets you go directly to MacPaint to further enhance an image.

The Thunderscan software operates on a (continued)

BYTE West Coast is presented monthly by BYTE's editors and staff in San Francisco and Palo Alto. Correspondence should be addressed to BYTE West Coast, BYTE Magazine, 425 Battery St., San Francisco, CA 94111. bit map that is stored in the Macintosh RAM (random-access read/write memory). The bit map has a size limit of 48K bytes on the 128K-byte machine. This is just about a full page at 72 dots per inch. On the 512K-byte Macintosh, a bit map as large as 300K bytes can be stored. With this amount of information you can store a full 81/2by 11-inch document at up to a 300 percent magnification. You can use this expanded storage space for image enlargement or to extract gray-scale information on up to 64 levels of intensity. On the 128K-byte Macintosh, both the magnification and the halftoning features are available, but only for smaller regions of a scanned document (a document can be scaled four times linearly, yielding a magnification of up to 16 times by area).

To use the equipment, first select a page-map option from the scanner's menu. From within the page-map screen you can choose to scan the area of your original by changing the size of a selection rectangle. The system prompts you with warning messages if the area you select is either too large to store gray-scale information or too large to scan. This feature also lets you scan just a portion of a larger document to make certain that you have gray scale and magnification set correctly.

After you've completed the scanning phase, you can play with the image in memory. You can work with a document in the same way you use MacPaint, with a special image window. But Hertzfeld has added a series of features to the Thunderscan software that give it functions that Mac-Paint doesn't have. You can use a special hand icon to move large documents around in the image window (unlike the first release of MacPaint, which stored image information outside of memory on disk, Thunderscan allows the document to slide freely).

You also can use the hand icon to impart inertia. For example, if you push the mouse in one direction, the image will continue to slide after you



Figure 1: A scan dump. As Thunderscan scans a document, the image appears on the screen display. It can be adjusted dynamically by resetting the contrast and brightness gauges on the display. As each line is scanned, a scattergram of the scan appears on the Light Intensity Gauge. In the lower left corner a message reports on the progress of the scanner. After the bit map of the image has been transferred to the Macintosh RAM it can be edited with several MacPaint-style tools that are displayed as icons in the upper left corner of the screen. The image also can be displayed in a larger window accessible from the menu bar.

have stopped, much like a piece of paper slides along a table. In addition to being intuitive, this feature lets you move slowly or quickly around an image.

Other MacPaint icon tools, such as the pencil, FatBits, and cutting and pasting, as well as inversion (changing black pixels to white pixels and vice versa), are also available within Thunderscan.

Documents created by Thunderscan can be saved in one of two formats. One is a special MacPaint format yielding a 720- by 756-pixel document with 1 bit of information per pixel. The second is a less-restricted scan format that permits multiple bits of information to be stored for each pixel.

The range of possibilities that Thunderscan creates is fascinating. For example, Hertzfeld thinks that it might put an end to the burgeoning market for Macintosh predrawn images because you can copy virtually any image into the Macintosh memory.

A future project for Hertzfeld is a Macintosh desk accessory (a small program that runs in the background under the Mac operating system) that will permit Thunderscan to send scanning information out through the Macintosh modem port while you work in another program. This would convert the Macintosh into a low-cost (and multitasking) digital-facsimile machine. Hertzfeld is also working on a protocol that would enable the Macintosh to print software code in a format that could be scanned using Thunderscan. Paper would then be the medium for software distribution. Hertzfeld believes that he could get close to 40K bytes per sheet of paper.

MORE DELAYS FOR MICROSOFT WINDOWS

In early October 1984, Microsoft Corporation announced that it was postponing the introduction of its longawaited Windows software-integration package until June 1985. Leo Nikora, Windows product-marketing manager at Microsoft, said that the company was undertaking "a major redesign," in part because Windows' code currently takes up too much space and also because several functions are not running fast enough.

As recently as this spring, Microsoft was hoping to achieve a minimum recommended system size of 192K bytes. The most current technical information available on Windows states that Windows together with the operating system occupies 156K bytes of memory; thus the currently recommended 256K bytes leaves only about 100K bytes for applications software—not much by today's standards.

Nikora said that almost all of Windows is now written in the C language and that Microsoft plans to rewrite as much as half of the program in 8088 assembly language. Apparently Microsoft is happy with the windowmanagement functions of the program but feels that text management is inadequate. Nikora said that Microsoft expects a twofold increase in text performance after the code is rewritten, although he feels that the performance of the product is already satisfactory on the IBM PC AT.

Microsoft is clearly worried that its decision to delay Windows will lead to a negative attitude in the marketplace. "We have to be careful that Microsoft doesn't get the reputation of giving up in the face of TopView," claims Nikora, referring to IBM's entry in the window-management fray.

He also maintains that Microsoft's decision to delay the product introduction hasn't led to mass desertions on the part of companies developing applications software for Windows. On the contrary, he said that there was a general feeling of relief that they were being given more time to get their applications ready for market.

Microsoft is also looking for a way to differentiate Windows from Top-View, and the company appears to have found one because the current version of TopView is designed for a character-based display. This will, at least temporarily, be a selling point for Windows, which functions only in a bit-mapped environment.

Will Windows face the same fate that befell Visi On? Nikora says that


he is certain that it won't—his evidence is the fact that a number of the manufacturers of IBM PC-compatible computers appear to have a sizable stake in the success of Windows. Still, Microsoft is starting over again after investing more than a year in attempting to develop a user interface for the IBM PC.

CONVERGENT'S FAST NGEN

Although criticism of the IBM PC AT hasn't been nearly as fevered as that leveled at the PCjr, there are some doubters emerging. Why, some experts have asked, does the 80286 microprocessor in the PC AT have an artificially lowered clock speed? And why is the bus speed even slower than the bus speed for the IBM PC? A number of companies are already comparing their systems to the PC AT to demonstrate their systems' performance. Several companies are already comparing their systems to the PC AT to demonstrate their systems' performance.

Convergent Technologies Inc., a Santa Clara, California, company is selling its NGEN "modular" workstation based on the Intel 80186 microprocessor to a variety of OEM suppliers. Last year the NGEN got off to a slow start because of the scarcity of the 80186, but now Convergent claims to have shipped 50,000 systems.

The NGEN is built around a collec-(continued)



Reference Magazine

the closest thing to perfect is WordPerfect

When it comes to software, nobody's perfect. But according to many of the experts, one word processing program is as close as you can get. No wonder it's called WordPerfect.

v SS

What are all the critics raving about?

Simplicity. Most WordPerfect functions require only one keystroke, a simple press of a finger. So you can concentrate on writing, not programming.

Speed. Because it is

documentoriented instead of page-oriented, WordPerfect won't make you

wait between pages. No matter how fast you type,

down

WordPerfect isn't flawless

word processing software,

but it comes very close.

Castio

Digital Review

IL VILL MALL LU MALLAN WordPerfect is my favorite because it is easy, simple and powerful. The people · Wing " vfort are

List Magazine

WordPerfect won't slow you

doctors, accountants to

is spent upgrading and

improving WordPerfect -

lawyers, WordPerfect has

built-in special functions to

meet a wide variety of specific needs. And at SSI, every day

reaching for

on the critics'

word processing from SSI.

choice, WordPerfect

Get your hands

perfection.

Features. From writers to

It's the closest thing to perfection. For more information, see your dealer.

Or call or write: SSI Software 288 West Center Street Orem, Utah 84057 Information: (801) 224-4000 Order Desk: 1-800-321-4566, Toll-free



The NGEN is a quick machine, and it has an "X-Bus" that allows 16-bit DMA transfers at speeds up to 4 megabytes per second.

tion of components; a separate video display and keyboard connect to a shoebox-size central processor. A variety of add-ons such as RAM, floppy- and fixed-disk drives, and graphics components can be simply plugged into the processor module to expand the system. Convergent Technologies' own multitasking multiprogrammed operating system (CTOS) permits users to run MS-DOS, CP/M-86, and Convergent's own flavor of UNIX System V called Distrix.

It's a quick machine; the 80186 runs at 8 MHz, and it comes equipped with 120-nanosecond RAM. The NGEN has a proprietary "X-Bus" that allows 16-bit DMA (direct memory access) transfers at speeds up to 4 megabytes per second.

To show off the performance of the NGEN, Convergent sets it next to an IBM PC AT and then has both systems recalculate a series of Fibonacci numbers in 2400 cells of a Multiplan spreadsheet. It takes the NGEN 4.9 seconds to recalculate the series while the PC AT finishes it in 11.8 seconds. This performance comparison may not be entirely fair, given that Multiplan on the NGEN has been ported to run under CTOS and in the process its performance has been considerably improved. However, the demonstration gives ample evidence that it won't be hard to improve on the performance of the PC AT.

EXPLOSIVE COMPATIBLES

Tandem Computers Inc. has a new workstation and some associated software aimed at the IBM PC crowd.


Tandem is known for its NonStop systems, such as the new TXP 32-bit, transaction-processing computer. Parallel processors and special software protects these systems from breakdowns, which endears Tandem computers to on-line users such as airlines and banks.

The new Dynamite 654x family of workstations provides the same features as the 653x family of on-line terminals but adds both 3270 emulation and personal computer features. The Dynamite is built around the 8086 and can, it is claimed, run most IBM PC software.

The two Dynamite workstations (which will be built in Austin, Texas) differ in mass-storage capacity and price. The 6541 has two 360K-byte floppy-disk drives and costs \$2995. The 6546 has one 360K-byte floppydisk drive and a 10-megabyte harddisk drive and will cost \$3995. Both the 6541 and the 6546 have 12-inch green screens (for both text and graphics) and 256K bytes of RAM. The current options include bitmapped graphics and memory expansion to 640K bytes of RAM. The Dynamite terminals interface directly with Tandem's 5540 and 5541 printers.

Dynamite terminals come with MS-DOS and GW-BASIC. The new Tandem software includes IXF and PCformat. IXF (and associated information exchange facilities) can transfer data from files on a Tandem NonStop system to a Dynamite workstation. PCformat converts such files into MS-DOScompatible files.

Is Dynamite just another "compatible"? Tandem says it isn't because, while the Dynamite can run most IBM PC software, it isn't supposed to be an IBM PC competitor; it's designed (continued)



ALL AIRLINES DEPART FROM THIS TERMINAL.

Presenting Travelshopper ... new from CompuServe and TWA.

Now you can save time and money by getting information and reservations on virtually any flight on any airline worldwide—from one source. It's TWA's new Travelshopper, available now through CompuServe's Information Service. With Travelshopper, you can scan

With Travelshopper, you can scan flight availabilities, discover airfare bargains and order tickets...on your own personal computer...at home or in the office.

You also receive automatic membership in TWA's Frequent Flight Bonus[™] program. And you can build bonus points by staying at Marriott and Hilton hotels and by using Hertz Rent-A-Car. Besides Travelshopper, CompuServe offers an ever-growing list of other traveloriented on-line services.

The Official Airline Guide Electronic Edition lists direct and connecting flight schedules for over 700 airlines worldwide plus over 500,000 North American fares.

Firstworld Travel offers worldwide travel advice and service.

Discover Orlando provides complete prices, hours and features on all of Central Florida's attractions and accommodations.

West Coast Travel offers travel information for the western states.

Pan Am's Travel Guide contains up-to-date information on immigration and health requirements for most foreign countries.

And TravelVision® provides complete automotive information, including road maps and an expert, personalized routing service.

Let your travel plans really take off. Use Travelshopper and lots, lots more from CompuServe.

To buy a CompuServe Starter Kit, see your nearest computer déaler. To receive our informative brochure, or to order direct, call or write:



P.O. Box 20212, 5000 Artington Centre Blvd., Columbus, Ohio 43220

1-800-848-8199 In Ohio, Call 1-614-457-0802

An H&R Block Company

Travelshopper and Frequent Flight Bonus are Service marks of TWA

BYTE WEST COAST

TANDEM COMPUTERS INC.

19333 Vallco Parkway

19 Orinda Way, Suite G

Cupertino, CA 95014

(800) 482-6336

THUNDERWARE

(415) 254-6581

Orinda, CA 94563

COMPANIES MENTIONED

CONVERGENT TECHNOLOGIES INC. 2500 Augustine Dr. Santa Clara, CA 95051 (408) 727-8830

INTEL CORPORATION 151 Blue Ravine Rd. Folsom, CA 95630 (916) 351-8080

MICROSOFT CORPORATION 10700 Northup Way Bellevue, WA 98004 (206) 828-8080

specifically to work with Tandem's bigger transaction machines.

REMEMBER BUBBLES?

Intel's Non-Volatile Memory Divisionone of the few companies still in the bubble-memory game-has a couple of new removable bubble-memory cassette kits: the BCK-10 and the BCK-12. Both provide a 1-megabit cassette. The BCK-12 prototype kit costs \$495 and has a limited temperature range (10 to 55 degrees Celsius). The BCK-10 production kit costs \$605 and can survive a greater range of temperatures (0 to 65 degrees Celsius). The kits include the necessary support chips for the bubble memories and an SBC-258 board interface with a ribbon-cable output so you can just hook the kit up and start writing software. Intel is proud of the simplicity of these kits; they use only six support chips where earlier bubble systems required many more.


The Intel facility in Folsom, California, is getting a new fabrication line to make 4-megabit bubble chips; the standard 1-megabit chips will now probably be phased out in 1985 or 1986. Moving from 4 to 16 megabits on a chip (by shrinking the loops) will be difficult and should take several years—the 4-megabit chips already depend on the advanced, expensive technique of X-ray lithography.

Bubble memories aren't found in many personal computers; the expense just can't be justified for routine applications. Some portables—the Grid and the Sharp—do use bubbles, which allow mass-storage with low power use. A few add-on boards have appeared (such as the Helix board for the IBM PC) that exploit the non-


volatility of the bubble chips. While both the Grid and the Helix products use Intel bubbles, the Sharp portable uses Japanese bubble chips. If fabrication costs can be brought down to a reasonable level, bubbles could be the storage device of the future, though early hopes have long since faded.

A BLUE NOTE

Rolm—the telecommunications equipment maker—has frequently been used as an example of the Silicon Valley workstyle because it offers such employee benefits as flextime, sabbaticals, and a multimillion-dollar recreation center. Two senior IBM officials appeared at Rolm to quell speculation that the famous workstyle would be threatened by the IBM buyout. Said one of the officials, "Contrary to what the press has said, we're not here to drain the pool." ■



Now there's, Dow Jones Software for the Macintosh computer.



In the beginning there was Dow Jones Straight Talk.™

All across the country, Macintosh[™] computers – and their owners – are getting smart with just the information they need: an electronic encyclopedia, business news and information, the latest stock quotes, sports and weather reports, airline schedules and fares. Point, click, Dow Jones News/Retrieval[®] and other leading electronic information services are at your fingertips.

In fact so many Macintosh computers are getting smart that Straight Talk is a best seller.

Now there's more.

Introducing Dow Jones Spreadsheet Link[™] and Dow Jones Market Manager PLUS[™] – new software for the Macintosh computer. **Dow Jones Spreadsheet Link** adds brainpower to your Multiplan[®] spreadsheet. Just collect the financial information you need from News/Retrieval and – click – Spreadsheet Link automatically downloads it into your spreadsheet.

Dow Jones Market Manager PLUS makes portfolio management as easy as using a mouse. With current stock price information from News/Retrieval, the Market Manager PLUS saves time in record keeping, giving you more time to make smart investment decisions.

Call for more information on Dow Jones Software™ for the Macintosh computer:

1-800-345-8500 ext. 100 (Alaska, Hawaii, and foreign, call 1-215-789-7008 ext. 100)



Macinitish is a trademark licensed to Apple Computer, Inc. Multiplan is a registered trademark of Microsoft Corporation. Dow Jones Software is a trademark of Dow Jones & Company, Inc. Dow Jones Straight Talk is a trademark of Dow Jones & Company, Inc. Dow Jones & Company, Inc. Dow Jones Software is a trademark of Dow Jones & Company, Inc. Dow Jones & Com



 $B \cdot Y \cdot T \cdot E \quad U.K.$

Realizing a Dream

The Whitechapel Computer Works MG-1 personal workstation

BY DICK POUNTAIN

n previous columns I've documented some of the activity in British low-cost home computer design. Don't run away with the idea that we can *only* make home computers, though. This month I've been looking at a 32-bit graphics workstation that provides power roughly equivalent to a VAX 11/750 at a starting price of £5500.

The machine is called the Whitechapel Computer Works MG-1 (see photo 1), and it is the first product from this start-up company (let's call them WCW from now on). WCW was founded in April 1983 by Managing Director Timothy Eccles (a physicist turned computer engineer who has worked at Bell Laboratories, Logica, and Rank Xerox) and Technical Director Bob Newman (a computer science lecturer at Queen Mary College in London). The company is located in a new complex called Whitechapel Technology Centre, which was created with assistance from the city council to attract high-technology industries back into the deindustrialized center of London; it seems to be working. Design of the MG-1 was begun in August 1983 and carried through to production in barely a year, with the first units shipped in September of 1984.

PERSONAL WORKSTATIONS

For several years I've permitted myself the occasional daydream about what my (realizable) dream computer might be. It goes something like this: a 68000 or 16032 (this was before National Semiconductor decided that 32016 sounded sexier) processor in a desktop box, a "clean" architecture with lots of memory and straightforward in-memory bit-mapped graphics (but very high resolution), an on-board Winchester drive, and above all, hardware assistance for rastergraphics operations. In other words, my dream computer would be a personal computer (à la Apple II) fed with anabolic steroids, or alternatively, the Xerox Alto at a personal computer price. I kept watching, but it didn't quite happen. The Sage (now Stride) looked interesting, but what's this-a serial terminal? The Corvus Concept showed us that even a 68000 runs out of steam if asked to run the screen as well as crunching numbers, but the Lisa and Macintosh continue to try.

The MG-1 fits the bill exactly except that it isn't quite in my price range. It isn't meant to be, of course. WCW has single-mindedly targetted it at the CAD/CAM (computeraided design/computer-aided manufacturing) personal workstation market, competing with machines like Sun, Apollo, and Perq, which typically cost over four times as much as the MG-1. These dedicated minicomputers are called "personal workstations" because only one person uses the machine at a time (i.e., they're not multiuser), but at upwards of £20,000 all but the richest firms would require several designers or engineers to share one machine on a rota.

Bob Newman, principal designer of the MG-1, reasoned that if he adopted personal computer rather than minicomputer design techniques (no multiboard bit-slice processors, no demountable hard-disk packs, no industrial fans), a colossal price reduction should be possible. He reasoned thus at the same time that VLSI (very-large-scale integration) technology had made it possible. Viewed this way, the MG-1 is the first truly personal workstation; not only will it fit on a desk, but it's priced so that firms can afford one per person: it costs about the same as a full-spec IBM Personal Computer (PC) XT and less than a PC AT.

SPECIFICATIONS

The MG-1 is driven by the NS32016 32-bit virtual-memory processor chip, running at 8 MHz, and mounted along with all the other integrated-circuit (IC) components on a single personal-computer-style system board. An eight-layer board is used to give simpler routing for the conductors. This board is held in a desktop casing with a footprint slightly larger than that of an IBM (continued)

Dick Pountain is a technical author and software consultant living in London, England. He can be contacted c/o BYTE, POB 372, Hancock, NH 03449. PC; the works are cooled by a single miniature silent fan.

The 32016 is complemented by its support chips, the 32082 memory manager and the 32081 floating-point processor, though the former is still suffering from bugs, and WCW currently has it on a piggyback board that contains its own hardware fixes. Standard memory is 512K bytes, expandable in 512K-byte chunks up to 8 megabytes. At least 100K bytes of this memory is devoted to the bitmapped black-and-white display that has a resolution of 1000 by 800 pixels. A 17-inch (landscape format) monitor with a display width of 150 characters is included, and it can depict an A4 document page, albeit slightly reduced to fit the height. Mass storage is provided by a single 800K-byte floppy-disk drive and a choice of a 10-, 22-, or 45-megabyte Winchester drive built into the case.

Peripheral expansion is catered to by the bold step of adopting the IBM PC bus. The MG-1 internal expansion unit has three IBM expansion slots and IBM cards will work (with the proviso that suitable drivers have to be written). Communication is via a builtin Ethernet interface for networking MG-1s to share the expensive laser printers or plotters necessary to print on the high-resolution screen. An RS-232C port enables a local draftquality printer or modem to be attached.

The operating system is Genix, a Berkeley 4.1 UNIX customized by WCW to support the MG-1's graphics abilities, for which optimized C, FOR-TRAN, and Pascal compilers are offered.

RASTER GRAPHICS

A CAD/CAM workstation has very specific requirements (which I believe are, in the main, also the requirements for future personal computers). It is by definition an interactive system that dictates very fast response times even for the most complex operations.

It must be capable of very-highresolution graphics. In a low-cost machine this has to be achieved by using a direct refresh bit-mapped screen. Personal computer users are quite familiar with bit-mapped graphics; it's the rule rather than the exception. However, in the CAD/CAM business it isn't yet the rule, but one technique among many; random-scan vector displays still are in use, and where a raster display is used it frequently has a dedicated frame buffer separate from main memory.



Photo I: The Whitchapel Computer Works MG-1 uses the National Semiconductor 32016 32-bit virtual-memory processor chip.

WCW decided that the bit-map data should be in main memory (just like an Apple II or IBM PC) so that multiple screen buffers could be utilized; animation then can be achieved by building one screen while another is being displayed. The other advantage of having the bit map in main memory is that it simplifies the use of *RasterOps* as the primitive graphics operations.

RasterOp (called BitBlt, for Bit Block Transfer, at Xerox PARC (Palo Alto Research Center|) is a fast algorithm for doing bit-mapped graphics. Anyone who has written a BASIC program to draw a circle knows that it takes a long time to move that circle (by redrawing it again somewhere else); the computation of which points to plot is wastefully repeated every time the circle is drawn. RasterOp, in a nutshell, says "don't redraw the circle, move the bits that make up the first circle." Rectangular areas of the screen data (called "rasters") are directly moved about in the bit map using raster block-move operations (RasterOp). Unlike, for instance, simple Z80 block moves, with RasterOp you can do Boolean operations (AND,OR,XOR) between the destination and source rasters so you can get effects like overlapping transparent backgrounds or use mask rasters to clip shapes. Much of the theory and practice of this kind of graphics was worked out at Xerox PARC in the 1970s (by the Smalltalk people, among others), and it lives today in the Lisa and Mac. (For more information on Smalltalk, see the August 1981 BYTE.)

Display systems based on RasterOp tend to be homogeneous; there is no distinction between "text" and "graphics." All text characters are handled as rasters, and this is what makes the plethora of different type styles possible on the Macintosh. Because of this total reliance, the efficiency of RasterOp becomes critical.

There are two computation problems when using RasterOp; what to do if a raster (which is defined in *bit* coordinates) doesn't lie nicely on byte or word boundaries, and how to find the actual memory addresses of the lines in a raster (don't forget that successive lines in a rectangle on the physical screen aren't contiguous in memory). The amount of computation involved can bring even the most powerful of the new microprocessors to its knees if it has to do the computation every time it wants to write a character or scroll the screen in addition to all its other duties.

Having decided on a 1000 by 800 screen (the minimum for a serious CAD display), WCW was committed to a 100K-byte bit map. It's often necessary to treat the whole screen as a raster (e.g., when scrolling) so you have to be able to deal with single graphic objects of up to 100K bytes in size. The main design question has now answered itself. A 32K-bit processor is necessary to efficiently manipulate objects larger than 64K bytes. When writing a program on the MG-1 in C, for example, you can pass the whole screen as a single array.

.WCW then decided to provide a separate video processor to handle RasterOps; this unit performs the shifts to align rasters to word boundaries, masking, and Boolean operations. It also calculates the addresses of rasters and feeds them to the microprocessor. The 32016 isn't loaded with any of these chores.

By employing some tricky design techniques, including a 64K-bit-wide memory bus, WCW has managed to attain a flickerless 60-MHz screenrefresh rate using industry-standard 150-nanosecond memory chips. The total memory bandwidth available is 200 MHz, giving sufficient leeway for the 32016 to access memory with effectively no wait states.

The 32016's demand-paged virtual memory means that the data for a single screen might be scattered all over physical memory in different pages. Rather than waste time reorganizing these fragments into a contiguous 100K-byte block, the video controller maintains a page map so that it always knows where its images are stored.

The result of all these design decisions is spectacularly fast graphics operation combined with easy programming in high-level languages. Rasters can be created and processed anywhere in main memory and then moved onto the screen. As many screens as memory allows can be held in memory simultaneously, and with virtual memory, "memory allows" has a broad meaning. The MG-1 employs a two-level paging system similar to that on the VAX.

At a somewhat higher level, WCW has implemented the GKS (Graphical Kernel System) graphics standard, which is more suitable for CAD/CAM (continued)

CAD SYSTEM	DISKETTES	DISC DRIVES
2D Starting at \$9,999.99 3D Also Available — CALL All Plotters, Digitizers, Software and	VERBATIM DS/DD	EVEREX COGITO 10 MB INTL
Training, one place for all your needs.	PRINTERS SPECIALS CABLE \$19 OKIDATA 92P \$395	SHUGART 455 for IBM 360K
IBM PC 64K 1 DR \$1449 IBM PC 256K 2½ HT DR \$1630 IBM PC 256K HT DR + 10 MB \$2699	OKIDATA 93P \$625 EPSON FX 100/80 very very low BROTHER HR 15/HR 25 \$398/659 BROTHER HR 35 \$898	CDC DRIVE for IBM
SANYO 555-2 (2) DS/DD+SOFTWARE \$999 SANYO 555-2 (2) DS/DD+MON+8 . \$1399 IBM PC XT 256K. \$3848 IBM PORTABLE CAL	DTC STYLE WRITER 35K BUF	PC PEACOCK \$2 HERCULES CARD \$3
SANYO 555-2+COL.MON +5 SOFTWARE \$1599 SOFTWARE	MODEM SALE HAYES 1200 MODEM. \$480 HAYES 1200B \$397	64K RAM SET \$ AST 6-PACK 64K/256K. CA AST MEGA PLUS II 64K. CA KEY TRONIC KEYBOARD 5151. \$2
SYMPHONY	1200 BAUD Auto Dial, Auto Answer, Auto Log On, File Transfer, Printing, Call Progress Monitoring, Auto Baud Rate Selection. For IBM PC, XT Portable \$249 and Compatible. Made in Sunnyvale U.S.A. Dealer inguiries welcome.	TELMAR GRAPHICS \$4 EVERX BOARD CA OTHER HARDWARE CA
dBASE II/III \$289/\$398 WORD STAR PROPACK \$348 OTHER SOFTWARE CALL R BASE CALL	WE'LL BEAT ANY	SIGMA MAXMISER
MONITORS	ADVERTISED	PLANTONIC PLUS\$3
AMDEC 310A. \$165 AMDEC 11+ \$415 PRINCTON GRAPHIC HX 12 \$469 SANYO \$149 TAXAN RGB \$448	PRICE (IF WE BOTH HAVE IN STOCK)	LEASING ARRANGED UP TO \$1 MILLION LOW RATES, CAN INTRODUCE YOUR N PRODUCTS TO MARKETS. UPGRADE YO PRESENT COMPUTERS WITH 10MB PI HARD DRIVES. COMPANY P.O. WELCO MC/VISA + 3% CASH PRICES SUBJECT
PGS MAX 12 \$195	,	STÓCK ON HAND. OPEN 7 DAYS. 665 Grape Ave. (408) 732-6200
ADVANCED COMPUTE	R STSIEMS Fremont San Francisco Walnut Creek	39138 State St. 690 Market St. 1987 No. Main St. (415) 397-1311 (415) 945-8011



Memorex seals its floppy discs with a process it developed, called Solid-Seam Bonding. This seals shut every inch of every seam of every Memorex floppy disc

PLUSI If you call, write, or utilize reader service in response to this ad—we'll send you our full-range catalog of com-puter supplies with Special Offers good for further savings on Memorex diskettes and many other quality products.

LYBEN COMPUTER SYSTEMS 1250-E Rankin Dr., Troy, MI 48083 Phone: (313) 589-3440

Simply #1 in Service & Reliability

CERTIFIED 100% ERROR-FREE

Inquiry 190

I.B.M. Compatible PROM 8200 (FAST UNIVERSAL TYPE Case \$100.00 EPROM & PROM KeyBoard \$149.00 PROGRAMMER) Call Motherboard without EPROM: 2716, 2732, BIOS \$280.00 Power Supply 130 Watt \$150.00 Multi Function Card Prom: ANY KIND \$170.00 Color Graphic Board \$185.00 Floppy Disk Control Card \$160.00 **CP-80** Printer \$169.00

2732A, 2764, 27128, 27256, 2516, 2532, 2564 Apple Compatible IC Tester Card \$125,00 Z-80 Card \$40.00 80 Column Card \$50.00 Disk Drive \$149.00 (APPLE OR IBM) 14 inch Monitor \$89.00 ALL PHONES

CALL NOW (312) 280-7610 DIST. WANTED **CUSTOM PRODUCTS** HOFFMAN INT'L 600 N McClurg CT. STE. 309A Chicago, Illinois 60611

Inquiry 138



Inquiry 332

applications programmers than are the raw raster-graphics primitives.

I/O HARDWARE

The adoption of virtual-memory UNIX together with the constraints imposed by the high-performance display places extraordinary demands on the hard-disk subsystem.

Again Newman broke away from minicomputer design practices and went for a solution taken from the personal computer domain: a central DMA (direct memory access) controller rather than complex multiple buses. The single-chip DMA controller can load consecutive blocks to any page in memory and works fast enough to do without buffering; there is a direct path from memory to the Winchester disk. In one rotation of the disk a whole track can be loaded. shotgun fashion, into a scattered selection of pages. Apart from performance and cost benefits, this scheme has the virtue of providing DMA service for any IBM expansion cards fitted to the expansion bus.

The Ethernet controller can't be as simple because Ethernet requires devices to receive its packets of information without warning and at very high speed. With Ethernet, buffering was found to be necessary under operating system control using a second DMA device.

OPERATING SYSTEM

Having decided upon the 32016, WCW was faced with the crucial choice of an operating system. UNIX turned out to be the only commercially widespread operating system that could support 32-bit virtual memory and had a reasonable software base. The fact that UNIX was designed for timeshared multiuser systems and has no support for graphics didn't help.

National Semiconductor already had Genix, based on UNIX System II with the BSD (Berkeley Software Distribution) extensions, available for the 32016. WCW had to do considerable work to get satisfactory performance in a single-user, interactive, graphics-based application quite unlike that for which it was designed.

One of the biggest problems with UNIX is its poor response time to interrupts. Like most modern workstations, the MG-1 uses a mouse for cursor control and a mouse works by sending interrupts to the operating system to say that it's moved. If UNIX is busy elsewhere, cursor movement will start to lag noticeably behind mouse movement, thus destroying the visual illusion upon which mouse control is based. It's like driving a car with a flexible rubber steering wheel. Newman, typically, went for a hardware solution. The cursor is not represented in the main bit map as on most other systems. Instead another coprocessor is employed to read the mouse position continuously, and the 64-pixel cursor is produced in a small separate memory, then video-mixed with the main display. UNIX and the main processor are only interrupted when some action is to be taken, i.e., a mouse button has been pressed. This same coprocessor handles the "soft" keyboard too, which makes it earn its keep.

Another problem arises with the windowing system, for which UNIX's process communication system is not ideal. WCW is working on the window manager and has decided to treat it as a user program rather than an extension to the UNIX kernel. This will permit experienced users to modify it if they wish.

One of the great dangers with UNIX is system corruption on shutdown; you can't simply switch off the power on a UNIX system as you can with CP/M or MS-DOS and expect it to come back up unscathed. Huge amounts of housekeeping and reshuffling need to be done before UNIX can be put to sleep. Because personal computer users are used to a more cavalier attitude toward their machines. WCW took a leaf out of Lisa's book and provided a soft power switch. When you hit the "power-off" button, power is not disconnected immediately: instead an orderly UNIX shutdown is initiated while you are on your way down the stairs to catch your bus.



PROMAL. The First Fast lit's a fast, structured programming very beginning to work on small Structured Language That Lets You **Program The** Way You Always Wanted To. And For Only \$49.95.

PROMAL NOW AVAILABLE FOR:

Commodore 64 (with disk drive) Apple Ile (with extended 80 column card, 128K and ProDos) Apple IIc (with ProDos)

AVAILABLE IN APRIL FOR: IBM PC/PCir.

A New Age Dawns for **Microcomputer Programming**

PROMAL[™] is innovative.

PROMAL (PROgrammer's Micro Application Language) was designed to achieve maximum performance from small computers...performance previously impossible except with machine **Meet** language. And it was developed, specifically, to meet the need for a development system for limited ming. With PROMAL, you can memory environments.

PROMAL is complete.

language. It's also a true development system, complete with its own command-oriented operating system executive; fast one-pass compiler; and fullscreen cursor-driven editor. In short, PROMAL is the complete set of tools that microcomputer programmers have been waiting for.

PROMAL is fast.

PROMAS CONNEL PASCAL FORTH Commodore 64 Benchmark 8ASK (Sieve of Eratosthenes) Execution Time (secs.) 30 630 490 51 55 Object Code Size (bytes) 128 255 329 181 415 Program Load Time (secs.) 3.2 3.8 6.3 11.2 23.5 Compile Time (secs.) 85 3.9 108

As the benchmark results in the table show, PROMAL is much faster than any language tested. From 70% to 2000% faster! And it generates the most compact object code. The PROMAL compiler is so fast that it can compile a 100-line source program in 10 seconds or less. And, not only is it fast in compile and run time, it also reduces programming development time.

PROMAL is easy.

It's easier to learn than Pascal or C or FORTH. It makes use of powerful structured statements, like IF-ELSE, WHILE, REPEAT, FOR, and CHOOSE. Indentation of statements is part of the language's syntax, so all programs are neatly and logically written. There are no line numbers to complicate your programming. And comments don't take up memory space, so you can document programs completely. And with the fullscreen editor, you can speed through program development

with saves to memory and compilation from memory workspace.

PROMAL is elegant.

PROMAL overcomes the performance limitations inherent in all small systems. It gives you access to the power of the machine. But it doesn't require the complexity of machine language programhave performance the easy way... since it was developed from the systems...elegantly.

PROMAL may be the answer to your programming needs.

Finally, there's an answer to the need for a complete environment for simple and rapid program development. Finally, a new age has begun for microcomputer programmers. Finally, there's PROMAL.

For quicker response on credit card orders, call: Toll Free 1-800-762-7874

In NC: 919-787-7703

Please send me my copy of PROMAL

- SYSTEM (check one)
- Commodore 64 Apple lle PROMAL Package Desired (check one):
- PROMAL (for systems listed above) \$4995 plus \$5.00 for shipping and handling at a total cost of \$54.95. Satisfaction guaranteed.
- PROMAL Developer's Version \$9995 plus \$5.00 for shipping and handling for a total cost of \$104.95. Includes unlimited run-time distribution license. Satisfaction guaranteed.
- PROMAL demo diskette \$10.00 for the diskette plus \$2.50 for postage and handling for a total cost of \$12.50. (Non-refundable.)
- My check is enclosed. Please charge my purchase to my ... Visa MasterCard

Card Number

Signature

Name

Address

City State Zin

Try your copy of PROMAL for 15 days. If you are not completely satisfied, return it to us undamaged and we'll refund your money. No questions asked. Dealer inquiries invited.



PROMAL FEATURES

COMPILED LANGUAGE Structured procedural language with indentation Fast, 1-pass compiler Simplified syntax requirements No line numbering required Long variable names Global, Local, & Arg variables

Byte, Word, Integer & Real types Dec or Hex number types Functions w/passed arguments Procedures w/passed arguments

Built in I/Olibrary Arrays, strings, pointers Control Statements: IF-ELSE, IF, WHILE, FOR, CHOOSE, BREAK, REPEAT,

INCLUDE, NEXT, ESCAPE, REFUGE Compiler I/O from/to disk or memory

EXECUTIVE

Command oriented, w/line editing Memory resident Allows multiple user programs in memoryatonce Function key definitions Program abort and pause 22 Resident system commands, 8 user-defined resident commands, no limit on disk commands Prior command recall I/O Re-direction to disk or printer Batch jobs EDITOR Full-screen, cursor driven Function key controlled Line insert, delete, search String search and replace Block copy, move, delete & write to/ read from file. Auto indent, undent support

LIBRARY

Apple lic

43 Machine-language commands Memory resident Call by name with arguments I/O, Edit, String, Cursor control

and much more ORDER FORM

Expiration Date

North Carolina residents add 4-1/2% sales tax. Our Guarantee

SYSTEMS MANAGEMENT ASSOCIATES 3700 Computer Drive, Dept. PB-2 Raleigh, North Carolina 27609

Inquiry 306





Inquiry 30



Hardware solutions are becoming cheaper than writing software.

Other little goodies include a battery-backed real-time clock/calendar and CMOS (complementary metal-oxide semiconductor) RAM (random-access read/write memory) area for holding system information to assist service engineers in maintenance and fault tracing.

SOFTWARE

WCW does not intend to become a supplier of CAD/CAM software. The sort of client they are aiming the MG-I at will typically have some existing software system or will have a specification for such a system and the capability to write it. WCW will provide an operating system with graphics support (included in the machine's price), the GKS Kernel, a window manager, and three highquality compilers for Pascal, C, and, in recognition of its huge existing software base, FORTRAN.

THE FUTURE

There's no point in pretending that the MG-1 is a personal computer in its present form. It's an extremely power-ful and cost-effective tool for engineers, designers, and possibly artificial-intelligence researchers, but it requires a plotter or a laser printer to provide proper hard-copy output (hence the Ethernet). A serial dot-matrix printer could only produce text output for program listings.

As a personal computer user I am interested in the MG-1 because the design decisions embodied in it are relevant to the next generation of personal computers. In particular, Bob Newman's philosophy of "do it in hardware where you can" is at odds with current thinking in certain large corporations, where a reliance on software solutions seems to be based on highly optimistic estimates of the power of the new microprocessors. Besides, we are entering an epoch in which hardware solutions are becoming cheaper than writing software.

At the moment, the Macintosh is by far the cheapest personal computer using advanced raster graphics. Could the functionality of an MG-1 be had for the price of a Macintosh? The 32016 chip set is still terrifyingly expensive and constitutes a significant fraction of the hardware costs, but this factor should ease in coming years as the various 32-bit chips get into volume manufacture. Similarly, the price of 256K-bit memory parts and of Winchester disks is steadily falling. Custom gate arrays could do away with most of the discrete logic used in the MG-1. Perhaps most significant, though, is the new generation of graphics coprocessor chips that are on the way: for example INMOS's G213 Graphics Controller promises BitBlt at 8 million pixels per second. Laser printers are tumbling in price (witness the Canon), or perhaps one of the more potent dot-matrix printers like the Epson LQ-1500 could be persuaded, like Apple's Imagewriter, to perform as a fast graphics device.

Speculation aside, a most exciting prospect arises because the MG-1 possesses sufficient brawn to support the Xerox Smalltalk language system. Newman is enthusiastic about Smalltalk and sees it as a possible development, though the marketing people are not vet convinced that a real demand exists. Tektronix announced the HS 4404 Artificial Intelligence System with Smalltalk-80 at \$14,950-the cheapest Smalltalk system so far (see What's New, October 1984 BYTE, page 39). You won't need a spreadsheet to work that out; an MG-1 should do it for about half that price with a laser printer thrown in. This would at least put Smalltalk into the hands of educational institutions, but it remains well beyond private pockets. More's the pity.

WCW should have a subsidiary in the U.S. in operation by the time this column is printed. Contact Whitechapel in the U.K. at 75 Whitechapel Rd., London E1, England. BYTE hopes to review the MG-1 in a future issue.

Train for the Fastest Growing Job Skill in America

Only NRI teaches you to service and repair all computers as you build your own 16-bit IBM-compatible micro

As computers move into offices and homes by the millions, the demand for trained computer service technicians surges forward. The Department of Labor estimates that computer service jobs will actually *double* in the next ten years—a faster growth than any other occupation.

Total System Training

As an NRI student, you'll get total hands-on training as you actually build your own Sanyo MBC-550-2 computer from the keyboard up. Only a person who knows *all* the underlying fundamentals can cope with *all* the significant brands of computers. And as an NRI graduate, you'll possess the upto-the-minute combination of theory and practical experience that will lead you to success on the job.

You learn at your own convenience, in your own home, at your own comfortable pace. Without classroom pressures, without rigid night-school schedules.

without wasted time. Your own personal NRI instructor and NRI's complete technical staff will answer your questions, give you guidance and special help whenever you may need it.

The Exciting Sanyo MBC-550-2—Yours To Keep

Critics hail the new Sanyo as the "most intriguing" of all the IBM-PC compatible computers. It uses the same 8088 microprocessor as the IBM-PC and the MS/DOS operating system. So, you'll be able to choose thousands of off-the-shelf software programs to run on your completed Sanyo.

As you build the Sanyo from the keyboard up, you'll perform demonstrations and experiments that will give you a total mastery of computer operations and servicing techniques. You'll do programming in BASIC language. You'll prepare interfaces for peripherals such as printers and joysticks. Using utility programs, you'll check out 8088 functioning. NRI's easy step-by-step directions will guide you all the way right into one of today's fastest growing fields as a computer service technician. And the entire 

system, including all the bundled software and extensive data manuals, is yours to keep as part of your training.

100-Page Free Catalog Tells More

Send the postage-paid reply card today for NRI's big 100-page color catalog, which gives you all the facts about NRI training in Microcomputers, Robotics, Data Communications, TV/Video/Audio Servicing, and other growing high-tech career fields. If the card is missing write to NRI at the address below.

NRI is the only home study school that trains you as you assemble a topbrand microcomputer. After building your own logic probe, you'll assemble the "intelligent" keyboard...

... then install the computer power supply, checking all the circuits and connections with NRI's Digital Multimeter. From there you'll move on to install the disk drive and monitor. Your NRI Course Includes a Sanyo MBC-550-2 Computer with 128K RAM, Monitor, Disk Drive, and "Intelligent" Keyboard; The NRI Discovery Lab[®], Teaching Circuit Design and Operations; a Digital Multimeter; Bundled Spread Sheet and Word Processing Software Worth \$1500 at Retail—and More.



MR SCHOOLS

McGraw-Hill Continuing Education Center 3939 Wisconsin Avenue, NW Washington, DC 20016 We'll Give You Tomorrow. IBM is a Registered Trademark of International Business Machine Corporation.



Is your calculator programmed for success?

Move up to the TI-66. The easy 512 step programmable.

You're in the fast lane now, and the last thing you need is a calculator that slows you down. That's why you need the TI-66 programmable calculator



from Texas Instruments. The TI-66 offers full programming power and flexibility so you can handle complex and repetitive math problems quickly, easily, and with fewer keystrokes.

Its 512 merged program steps and over 170 built-in scientific, engineering, and statistical functions make for powerful programming. And its sleek, streamlined design makes for easy use.

Its Algebraic Operating System lets you key in problems as they are written, left to right. And its 10-digit angled Liquid Crystal Display not only makes it easy on your eyes, but provides alphanumeric notation of

Copyright © 1984 Texas Instruments Incorporated

your program steps so you can make easy modifications as you go along.

The keys are readable and large enough for your fingers. The guide book is a quick study. And at \$69.95 suggested retail, the price is easy. So instead of spending extra time on routine calculations that won't get you noticed, promote yourself with the TI-66 programmable



Inquiry 311



$C \cdot O \cdot M \cdot P \cdot U \cdot T \cdot E \cdot R \cdot S \quad A \cdot N \cdot D \quad L \cdot A \cdot W$

Copying Mass-Marketed Software

Both sides of the Lotus lawsuits

BY ROBERT GREENE STERNE AND PERRY J. SAIDMAN

his is the first of our columns on computers and law, and a few words are in order. As contributing editors, we will examine state-of-the-art computer-law issues. Since the law lags behind the technology and the technology is evolving at a rapid rate, legal systems everywhere are being confronted with such novel legal questions as legal protection of application and operating-system software, user rights against vendors for defective hardware and software, ownership rights in microcomputer technology created by independent contractors, and the right to publish protected software in user magazines. The resolution of such questions will shape the microcomputer industry in the years ahead. In our columns, we will address a given computer-law issue, present the arguments and legal precedents, if any, on either side, and let you decide which is more persuasive. This, we hope, will foster an awareness of computer-law issues.

THE LOTUS LAWSUITS

Lotus Development Corporation has started the next round in the legal prizefight between software vendors and users of massmarketed software packages. In the winter of 1983/84. Lotus filed a lawsuit against Rixon, a maker of modems and multiplexers in Silver Spring, Maryland, alleging that Rixon personnel have made more than 10 unauthorized copies of Lotus 1-2-3 and associated documentation. The suit was quickly settled. According to the trade press, Rixon agreed to a permanent injunction against unauthorized copying and paid Lotus an undisclosed sum of money. The suit received widespread publicity and sent shock waves through corporate America.

Flush with victory, Lotus filed suit in July 1984 against Health Group Inc. (HGI). Lotus alleged that HGI had made several unauthorized copies of the Lotus 1-2-3 disks and delivered them to its hospitals and nursing homes in the southeastern United States. The suit was settled by consent decree in September 1984, a little more than two months after it was initiated. As Rixon did, HGI agreed to a permanent injunction against unauthorized copying and paid Lotus an undisclosed sum of money. This suit also has received widespread publicity.

These two lawsuits appear to be the beginning of a wave of such suits by software vendors against institutional users manufacturers, service organizations, governmental bodies, schools—whose personnel are making unauthorized copies of mass-marketed software packages. This activity seems to be enormous and growing. Depending on whom you talk to, estimates range from 1 to 20 unauthorized copies for each *authorized* copy. These unauthorized copies represent an enormous amount of money: estimates place it in the hundreds of millions of dollars.

Top executives at several large software houses have indicated to us that they are seriously thinking of following Lotus's lead. We also know from discussions with top lawyers at several large companies and governmental agencies that a massive cleanup campaign is afoot as organizations silently trash their unauthorized copies.

LEGAL ISSUES INVOLVED

All this has started a spirited, and often very heated, debate between vendors and users. Vendors see this as a market-correcting mechanism for keeping institutional users "honest." Many users grudgingly agree but wonder if the vendors might not be biting the hand that feeds them. A vocal group of users vehemently disagrees with the vendors and charges that this is nothing more than an attempt to intimidate us *rs* into paying inflated license fees. The users warn that the upshot of this will be a loss of creativity and freedom as big business tightens its grip on the microcomputer market.

In its suit against HGI, Lotus alleged six (continued)

Robert Greene Sterne and Perry J. Saidman are attorneys with the computer-law firm Saidman, Sterne, Kessler, & Goldstein in Washington. DC. They are also contributing editors for BYTE. They can be contacted clo BYTE, POB 372, Hancock, NH 03449.

Lotus claimed maximum statutory damages of \$50,000 for each unauthorized copy plus court costs.

legal theories (called counts) to support the legal remedies sought, including a permanent injunction against unauthorized copying, compensatory money damages, lost profits, statutory money damages, attorneys' fees, and court costs. If the Lotus Development Corporation had been awarded relief on all counts in the amounts alleged in the complaint, HGI would have been out more than 2 million dollars.

Count one alleged that HGI had willfully infringed the Lotus copyrights on Lotus 1-2-3. Lotus stated that it owned two copyright registrations— TX 1-233-501 and TX 1-233-502—in the Lotus 1-2-3 packages, which include the user's manual and the software disks. It stated that the two registrations had effective dates prior to the date on which infringement began. This was important, since Lotus could not receive statutory damages or attorneys' fees for any infringement that occurred before the effective date of the copyright registrations. Lotus also stated that all lawful copies of Lotus 1-2-3 had carried a proper copyright notice. It alleged that since the infringement was willful, it was entitled to attorneys' fees and statutory damages of \$50,000 for "each act of infringement" (i.e., *each* unauthorized copy!) in addition to a permanent injunction and court costs.

Court decisions have been handed down that find that application software is entitled to copyright protection and that verbatim copying constitutes copyright infringement unless it is authorized by agreement or by law. Further, the Copyright Office routinely grants copyright registrations for application software that is in compliance with the registration requirements. What is of great significance in count one is that Lotus alleged that it was entitled to statutory damages in the maximum of \$50,000 for each unauthorized copy. Section 504(c) of the Copyright Act of 1976 states that the copyright owner may receive instead of actual damages and profits "an award of statutory damages for all infringements involved in the action, with respect to range from \$100 to \$50,000 depending on whether the infringement is innocent or willful. While the court has considerable latitude in the actual dollar amount, many legal experts argue that the language of Section 504 and its legislative history do not permit the court to multiply the


statutory-damage dollar amount by the number of unauthorized copies. There do not appear to be any legal decisions that have addressed this precise issue.

The resolution of the statutorydamage issue will have far-reaching practical effects. If Lotus were correct in its interpretation and if the court agreed that it should receive the maximum \$50,000 for each infringing copy, then Lotus would have received 1 million dollars for 10 unauthorized copies of Lotus 1-2-3 (multiplied by two since there were two copyright registrations). If Lotus were incorrect in its interpretation, then it would have received \$50,000 for the 10 unauthorized copies. Compare these two amounts to \$4950, which is calculated by multiplying the 10 unauthorized copies by \$495 (the suggested retail price for Lotus 1-2-3). Under the 1909 Copyright Act, the current law's predecessor, some court decisions multiplied "in lieu" damages (similar to statutory damages) by the number of infringements of a single work. Fine lines were drawn as to the number of infringements. For example, one factor was whether the unauthorized copies were made all at once or over a space of time. Essentially, courts were finding ways to justify the multiplication approach in situations where a large number of unauthorized copies had been made of a single work and they felt that only one statutory amount was insufficient.

Supporters of the Lotus interpreta-

Compact, low-cost switching systems

Available in Serial RS232, Parallel Centronics and IBM P.C. Parallel.



For connecting several printers to one computer port or for connecting one printer to several computers. Our Centronics and RS232 transfer switches are designed to last a lifetime. The internal slide switch is a high quality dust sealed type with a life expectancy of 15,000 operations (sliver/sliver alloy contacts). The RS232 and IBM compatible parallel transfer switches employ female connectors (DB25S style) with gold plated contacts and have hex female stand offs installed.

The Centronics transfer switch uses female connectors with gold plated contacts and bail lock retainers All components are assembled on a high quality P.C board to minimize cross talk between lines.

 Select 1
 out of 2.
 center Position off

 CS12
 IS12
 Select 1
 out of 3.

 CS13
 PS13
 Select 1
 out of 3.

 CS12
 Serial RS232
 switches lines 2-6
 8.
 15.
 17.
 20.
 22

|S12,|S13,|18M parallel, switches lines 1-17, 19, 20, 21 |S13,|PS13,|PS13,|PS13||Parallel Centronics, switches lines 1-14, 31, 32, 36 <math display="inline">|S13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,|PS13,

AVAILABLE MODELS

 CS12
 7" x 3.75" x .75"
 \$60

 IS12
 7" x 3.75" x .75"
 \$75

 PS12
 8.75" x 3.25" x .90"
 \$75

 IS13
 9.0" x 3.75" x .75"
 \$99

 PS13
 11.60" x 3.75" x .90"
 \$99

 IS13
 10.60" x 3.75" x .90"
 \$99

U.S. Call toll free: 1-800-268-5156 Dealer inquiries invited.

Q4 INSTRUMENTS INC.

1100 Invicta Dr., Oakville, Ontario L6H 2K9 1-416-842-0200

Prices in U.S. funds, FOB Buffalo, New York, In Canada - Quebec call AMAK (514) 844-8847

Vancouver, Calgary, Oakville, Ottawa, Edmonton call VARAH LTD

tion argue that the multiplication is proper since it fulfills the intent behind statutory damages, which is to provide adequate relief to the copyright owner. They point out that it is form over substance if multiplication is allowed when unauthorized copies are made over time and not allowed if they are made all at once. They maintain that the court should have discretion both with the dollar amount of the statutory damage and with the number of times it is awarded.

Detractors of the Lotus interpretation go straight to the language of Section 504. They see no ambiguity and argue that only one amount of statutory damages can be awarded for all infringements of a single work. They note that the legislative history of Section 504 supports this interpretation. They see the availability of actual damages and profits as the mechanism to compensate the copyright owner where there have been many unauthorized copies of a single work. Any other approach, they argue, would allow the copyright owner to effectively obtain punitive damages. which are unavailable under the copyright law.

Count two alleged that HGI committed willful trademark infringement since the unauthorized copies contained the Lotus and 1-2-3 trademarks. As pointed out in our article "Trademarking Software Packages" (March 1984 BYTE, page 393), trademarks often offer the most effective way to protect mass-marketed software packages. It is interesting to see that Lotus thought enough of its trademark rights to allege that it was entitled to not less than 1 million dollars for their infringement. It has been well documented that Lotus has spent millions of dollars advertising and promoting Lotus 1-2-3. It makes good business sense that Lotus would try to protect this investment by vigorously enforcing its rights in its trademarks and goodwill.

Count three is of interest because Lotus alleged that HGI violated the terms of the license agreement that accompanied the lawful copy of Lotus 1-2-3. This is the so-called *shrink-wrap* license, which you find under the clear wrapper that encases Lotus 1-2-3 before you first open it. The whole issue of shrink-wrap licenses was debated at the BYTE Computer Show in San Francisco in September 1984. (Tapes of the software piracy session (SS1) can be purchased for \$8 from Professional Cassette Center, 180 East California Blvd., Pasadena, CA 91105, (818) 796-0200.)

Lotus alleged that the unauthorized copies breached the provision of the shrink-wrap license that states that the user "may not ... make copies of the User's Manual or the 1-2-3 system shrink-wrap license becomes binding on the user when the software package is opened and not returned and that contractual provisions against copying are valid. Users take the opposite view. First, they argue that a shrink-wrap license is not binding because the user never has accepted it. They also argue that even if there has been acceptance, the copying provisions are invalid because they are in conflict with the copying provisions contained in Section 117 of the 1980 Software Amendments to the 1976 Copyright Act. Section 117 states that "it is not an infringement for the owner of a copy of a computer program to make or authorize the making of another copy or adaptation of that computer program provided: (1) that such a new copy or adaptation is created as an essential step in the utilization of the computer program in conjunction with the machine and that it is used in no other manner, or (2) that such new copy or adaptation is for archival purposes only and that all archival copies are destroyed in the event that continued possession of the computer program should cease to be rightful!

Users argue that, when it is read literally, the Lotus copying prohibition is in conflict with Section 117 and thus is invalid due to preemption under Section 301 of the copyright law. Essentially, preemption means that the federal copyright law will take precedence over any state law that is It would seem that Lotus is picking and choosing its targets carefully.

in direct conflict with it.

Count four alleged that HGI unjustly enriched itself by making and using the unauthorized copies. Count five alleged that HGI committed fraud and misrepresentation. And, finally, count six alleged that HGI violated the Tennessee Consumer Protection Act. Each of these counts may have been viable, but the real teeth of the Lotus action were in counts one to three.

WHY SETTLE?

Lotus has been able to settle both of these suits to its satisfaction outside of court. Thus, we have no way of knowing whether a court would find one or more of the alleged legal theories valid. Cynics would argue that Lotus and other vendors will only bring lawsuits in situations with a high probability of settlement. In other words, they are deliberately avoiding a legal test of these legal theories.

There is definite merit to the argument that Lotus is picking and choosing its targets carefully. This is exactly what Apple did when it successfully went after copiers of its operatingsystem software. This approach was also employed by Bally, Atari, and other electronic-game manufacturers. Copyright owners have learned to be very careful in bringing lawsuits involving new computer-law theories. An unfavorable decision, even if later overruled, can have a major impact on that theory of computer law for years. A loss also generates adverse publicity for the vendor, which makes settlements in other situations more difficult to obtain.

How Do THEY FIND OUT?


We were interested in learning how vendors find out about institutional (continued)

Lotus[™] User?

Free Mail Order Catalog for Lotus Software users, includes Lotus Programs

- Lotus Enhancement Software
- Books and Training Aids
- Hardware and Utilities

We are a unique mail order company specializing in Lotus related products.



Inquiry 3



Inquiry 102



you enter the ROEIH-79 standard language, you never here to have. All operating in functions - file commands, directories, terminol. (70 – ere excludes from the root. Cash system includes & AUI-screen editors, escender, inclearence, river and delegger. Une UNIFIGETH es activitation or as committing program. regional informaminations, graphics, delta have emagement and word escring mobules, end UNIFORTH will autoprior of the RNH systems hands down!

UNIFORTH is a solid, proven product. Our usars include many of the fortune 500 component, as well as hundrade of software davelopers, expinatering laboratories invarsities and virtuals. UNIFORTH is strongest in process cantrol, outsituation and invarsite environments, but has been used for a run-time MXXML compiler, a scientific word processor. Excling or pholes as in community college, ad dasging general as the science of the software and an exclination of the software and processor. Excling or pholes as incommunity college, ad dasging general and a science of the software and an exclination of the software processor and the software and the sof

User's "Renuel is not only complete and thorough, it's also understandable budge you through item inits (2011) to writing and debugging your first program. The generamen's "Network" gives you insight into the inner versitations of FORTH, gramming conventions, and helpful utilities both manuels are indisead and content arous semples are writing programs.

Why take a chance? Order the best and you won't be disappointed

Only UNIFORTH offers free corrections and an unconditional, 30-day money-back guaranteel

IFOR TH is even lable for most personal computers and DEC minicomputers. Our prices competitive, with many systems selling for *under \$100*. Call on write for our me 20-040

UNIFIED SOFTWARE SYSTEMS P.0 8ox 2644, New Carroliton, MD 20784 (301) 552-9590

Users argue that the root of the problem lies in inflated prices of software.

copying. It seems that vendors are as creative in this regard as users are in making unauthorized copies. They appear to have two major avenues of information. The first involves vendor software support. The actual user of an unauthorized copy will call the vendor's support number for assistance. In helping the user, the vendor begins to realize that the copy is unauthorized. It may sound crazy, but this is exactly what happened in the Rixon situation.

The other avenue is employees. It is understandable that disgruntled former employees often inform on their former employer as a way of getting revenge. Vendors meet with such people, and if their stories check out, a legal action may result. Even more interesting is the present employee who is having pangs of conscience. Management is asking him to make unauthorized copies, and he feels that it is wrong.

The unauthorized copies occur for many different reasons: a supervisor may have it done to keep within budget; a purchasing agent may make the procurement process so cumbersome that unauthorized copying is the path of least resistance; or a corporate attitude may evolve that condones and even applauds unauthorized copying. Vendor lawyers told us that this is one of the major areas of reform that the suits are intended to achieve.

IN THE FINAL ANALYSIS

Users argue that much of the unauthorized copying would not be taking place if vendors had more enlightened marketing policies. They think that it is absurd that they have to pay such a high price for the *n*th copy of the same software package.

Some vendors are responding to this argument by implementing site licenses that allow multiple copies to be obtained at discounted prices. This seems to make economic sense for vendors due to the economy of scale that is present.

Some users argue that the root of the problem lies in the inflated prices of software, whether in single or multiple copies. They contend that copying, whether by institutions or individuals for their own use, would come down in direct proportion to a reduction in price. It is a kind of supply-side economic theory.

Vendors see things quite the opposite. They argue that high prices are due to the lost sales caused by the unauthorized copying. Contrary to the myth of exorbitant profits, they point to the shakeout in the microcomputer software industry as proof positive that they cannot afford to shave their profits any more than they have. They point out that creating a commercially successful software package today requires a team of specialists-designers, programmers, technical writers, marketing specialists, and administrative personnel-and big development and marketing budgets. Gone are the days of shoestring success stories such as Electric Pencil. They constantly come back to the fact that the financial community no longer is in awe of the software industry and demands significant returns for its software investments.

WHERE DOES THIS LEAVE US?

There is no doubt that the Lotus suits are having a major impact on institutional users. As time goes on, a greater percentage of mass-marketed software will be used by institutional users as microcomputers find their way onto desks and workstations throughout the country. Lotus and others intend to make sure that authorized software is used with these machines. Sooner or later, one of these users will actually be sued and will fight back. That first court case will have an impact that will cause the impact of Lotus's two out-of-court settlements to pale by comparison.

Put an ATtack board 000 ower

... not just another turbo board.



• The ATtack series is designed to increase the performance of the IBM PC-XT

- biological to increase the PC-XT
 4 to 10 times to the fEM PC-XT
 4 to 10 times to the functionality of the PC-AT.
 The ATtack series is a tool to increase the productivity of programmers, engineers, and system houses working with CAD, CAE, LAN and DATA BASE applications.
 The ATtack series, with full hardware protection, virtual memory support and 16 MB address space, makes true multi-user UNIX available to the IBM PC user.
 Runs most PC DOS compatible programs without modification
 Runs most PC DOS compatible programs without modification
 Runs most software 4 to 10 times faster
 Works with most PC Bus compatible expansion boards
 Multi-user applications supported
 Intel 80286 processor running 4, 6, 8 MHz
 80287 companion math co-processor
 Supports vitrual memory and hardware protection.
 Expansion connector for future growth and OEM applications
 640K memory capacity onboard, 4 meg with expansion.

The following are registered trade marks: IBM PC-XT is a registered trade mark of International Business Machines. UNIX is a registered trade mark of Bell Laboratories. ATtack series is a trade mark of Aftek Business Machines Inc. ©Copyright Aftek Business Machines Inc., 1984. SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.



BUSINESS MACHINES INC.

762 Gordon Baker Rd., Willowdale, Ont. Canada M2H 3B4 Tel.: (416) 497-0531 Telex: 06-986133

BY AFTEK icc NTRODUCE **IE PRODUCTIVITY MACHINE**

The ATtack is bus compatible with the IBM PC. The hardware includes a state machine to generate 8088 timing. By replacing the 8068 with a 40 pin header the ATtack can totally take over the IBM PC's bus. This allows the ATtack to run most software without special disks or software to transfer the applications program into the 286 address space ... it already resides there.

Aftek ATtack is basically a plug and play productivity machine. All the necessary firmware is provided on the board such that the ATtack will provide the fastest possible processing speed with no user inter-vention. No special disks are required to move software or Basic into the fast 16 Bit memory. The 80286 operation is virtually transparent, "Except for speed," to the user.

ATtack board prices with 256K Ram memory: Hz. fHz. tra Memory ... 80287 Processor . 500.00

U.S. FUNDS

ili.

in

To order in U.S.A. or Canada Call Toll Free: 1-800-268-5412

1050 Clinton St., Buffalo, New York 14206 Tel.: (716) 694-5366 Telex: 916428

FEBRUARY 1985 . BYTE 391



BYTE. International Trader To The World Micro Market.

If you've been waiting for the lines of communication to open up in the international micro market, you've been wasting your time. BYTE is not only in touch with the market: *BYTE is the market*. We communicate regularly with the top microcomputing professionals and business people all over the world.

We are *the* international standard in micro publications. That's why our readers rely on our editorial *and* ads to deliver the latest in available micro products and services. And when we deliver, 94.5% of our readers take action on the ads they read.*

If you need a communications link to impact the international marketplace, or for the International or Domestic Subscriber Profile, call your BYTE sales representative now. The waiting is over.



*Source: 1984 Subscriber Profile For subscription information in Europe, call James Hay in England: (0628) 2341.

For advertising information, call:

Hans Csokor	75 76 84
Gurit Gepner	866 561 321 39
Fritz Krusebecker	72 01 81
Maria Sarmiento	45 52 891
Andrew Karnig	46-8-44 0005
Jean Christian Acis	720 33 42
Arthur Scheffer	01 493 1451
Savio Pesavento	86 90 656
Seavex Ltd.	734-9790
Seavex Ltd.	5-260149
Hiro Morita	581-9811
Peter Huestis	(603) 924-9281
	Gurit Gepner Fritz Krusebecker Maria Sarmiento Andrew Karnig Jean Christian Acis Arthur Scheffer Savio Pesavento Seavex Ltd. Seavex Ltd. Hiro Morita

When Byte Speaks Micro, The World Listens.



Conducted by Steve Ciarcia

TERM-MITE FOR VISUALLY

Dear Steve,

I am looking into the possibility of assembling a word-processing system for someone who is visually impaired and can read only oversize type. My thought is to couple a terminal with oversize characters to a machine like the Morrow Micro Decision, which works with an external terminal. Could your Term-Mite ST Smart Terminal be configured with a character grid of 12 lines by 40 columns of double-height and double-width characters? Do you know of any other terminals that produce oversize characters?

I would greatly appreciate an answer to these questions and any other suggestions you have regarding computing for the visually impaired.

STEVEN EBSTEIN Cambridge, MA

The Term-Mite ST Smart Terminal (described in January and February 1984) has attributes to allow double-height and double-width characters. It is therefore possible to create the 12-line by 40-column display you desire.

Several terminals on the market that feature double-height/double-width character sizes include the Ergo 301 from Micro-Term Inc., 1314 Hanley Industrial Court, St. Louis, MO 63144, (314) 968-8151: the ET80 from Tec Inc., 2727 North Fairview Ave., Tucson, AZ 85705, (602) 792-2230; and the TeleVideo 970 from TeleVideo Systems Inc., 1170 Morse Ave., Sunnyvale, CA 94086, (408) 745-7760.

Many graphics terminals are available that allow custom programming of character sizes, but they are considerably more expensive (several thousands of dollars). If double-size characters are not adequate, either a terminal of this type or a dedicated computer with graphics capability will be needed.—Steve

LINE PROTECTION

Dear Steve,

After reading your December 1983 article, I decided to install some MOVs (metal-oxide varistors) in my power strips for my computer systems. When I purchased my computer, I bought a General Electric Spike Protector from the hardware store (for \$19.95—and I thought radio tubes had the highest markup in the electronics industry). I can see that this is identical to the Radio Shack model pictured in your article. However, I realized that this would not afford me the full protection you recommended.

I decided, after reading your article, to take it apart to see what it contained. I found a GE V170LA10A MOV connected in series with a Microtemp 4168A1 temperature-cutoff device. How does this device function in this circuit?

My local electronics-supply store does not carry GE parts but had the RCA equivalents. I decided upon the SK53, which is equivalent to the GE V130LA20A. This is because I have several items plugged into my power strip, and I didn't want to take the chance of underprotecting it. The SK (and the ECG) catalogs list temperature devices, but I did not know which one to get nor how to install it (one for each MOV?), so I left them out for now. I would like to know if I need to install these cutoffs and how I should go about it.

I would also like to know how to build my own power strip that would filter out line noise, because my Apple IIe causes my wireless telephone to go crazy whenever graphics or flashing text is being displayed on the screen. I don't believe that the interference is RF-transmitted because the phone is two rooms away. Also, the phone is in its cradle at the time and is supposed to be immune to outside transmissions. Would a line filter help in this instance? The Radio Shack filter, part number 273-100, doesn't seem to be available any more—none of the stores in my area have it.

I look forward to your excellent articles every month, and although some are above me (I'm an audio/video expert). I still enjoy reading them. Keep warm up there in Connecticut and keep the articles coming!

> ROBERT M. DEANO New Orleans, LA

MOVs usually fail by shorting. The temperature-cutoff device in series with the MOV is designed to open in the event of an MOV failure. A fuse will serve the same purpose and should be installed in series with the MOV.

In either case, the protection device should function before the MOV casing ruptures. If you are in an area where lightning strikes are not too frequent, the SK53 or GE VI30LA20A MOVs are suitable. Use a 'slow-blow'' series fuse rated at no more than 15 A.

Before applying line filters to your Apple IIe, be sure that the cause of radiation is not ungrounded leads to your monitor or disk drives. Often, these leads can act as an antenna and radiate spurious signals.

Several manufacturers supply powerline filters that are suitable for your applications. They include

Corcom Inc. 1600 Winchester Rd. Libertyville, IL 60048 (312) 680-7400 Type 5VK1 or 5VK3

Cornell-Dubilier Electronics 150 Avenue L Newark, NJ 07105 (201) 589-7500 Type APF511L

Delta Electronics Industry USA 1355 Yosemite Way Hayward, CA 94545 (415) 785-5231 Type 05DBAG5

Potter Company POB 337 Wesson, MS 39191 (601) 643-2215 Type 600A5

These filters are equivalent to the Radio Shack part number 273-100. Write the manufacturers for additional information and the address of your nearest supplier. --Steve

SPEECH SYNTHESIS

Dear Steve, I thoroughly enjoyed your article ''Build

a Third-Generation Phonetic Speech Syn-(continued) thesizer" in the March 1984 issue. I would like to bring attention to two comments in the article. On page 36, you said: "Most text-to-speech routines don't let you modify the rule tables or expand the number of exceptions." My company. Spectrum Projects, markets a voice synthesizer for the Radio Shack Color Computer; it costs \$69.95 and includes in its text-tospeech software a word manager that lets you construct and edit custom dictionaries. It also prints the phonemes of a word, which lets you try different spellings to get better pronunciation and then have hard-copy printouts to review before adding the words to the dictionary. Finally, the product pronounces each alphanumeric key as it is pressed-an aid for the visually impaired

On page 40, you said: "I haven't mentioned many uses for speech synthesis, but I'm sure you have a few ideas for what you could do with a speech synthesizer." Spectrum Projects also markets a program called Termtalk that allows the visually impaired to communicate using low-cost equipment (\$159 for a 16K-byte Color Computer II. \$69 for the Spectrum Voice Pak, and \$39 for Termtalk). A blind customer of mine is thrilled that he can now get stock quotes from Dow Jones using my products.

> BOB ROSEN Spectrum Projects 93-15 86th Dr. Woodhaven, NY 11421

Thank you very much for your letter and the data on your Voice Pak speech synthesizer and related software. The product sounds quite impressive, especially the price!

The ability to modify the rules of speech is an excellent feature that enables greater accuracy in pronunciation. The Sweet Talker speech-synthesis algorithm is a proprietary package and lacks that feature.

Your software is very comprehensive and allows the Voice Pak to be used in an integrated fashion. Termtalk is especially useful for the visually impaired.

Thanks again for the information. It's nice to see others promoting speech-synthesis applications.—Steve

NOT JUST FOR IBM

Dear Steve

I have a new Columbia 1600-4. This desktop model is considered to be an IBM PC-compatible computer. Would the Trump Card work in it? I also have a North Star Horizon, about four years old, on which I run BASIC programs—some under North Star DOS and some such as WordStar under CP/M. The Horizon has a Z80-A chip, and I am wondering whether the Zilog Z8001 can run Z80 programs. In other words, is the 8000 or 8001 upward-compatible with the Z80 instruction set, and does it constitute what could be considered part of a family of chips with the 8001 simply being more advanced, powerful, and able to handle 16 bits?

> WOLCOTT TOLL Newtown, CT

The Z8001 does not have the same instruction set as the Z80 and is not directly compatible with your Z80 programs. The Trump Card does, however, have a CP/M 2.2 software emulator that will run Z80 programs like WordStar, SuperCalc, and Multiplan. To use your Z80 programs, they must first be transferred to a PC-DOS or MS-DOS disk and given a filename extension of .CMD to differentiate them from 8088 .COM files. This can be accomplished in several ways. The easiest way to transfer your files is to connect the RS-232C ports on your computers and use communication software to send and receive the files.

The Trump Card should be compatible with your Columbia 1600-4, but if you have any questions contact Sweet Micro Systems, 50 Freeway Dr., Cranston, RI 02910, (401) 461-0530.—Steve

TEMPERATURE OVER POWER LINES

Dear Steve,

I read your article "Build a Power-Line Carrier-Current Modem" in the August 1983 issue. I'd like to build a datacollection network that would send temperature information over 120-V power lines to a host computer for storage. The temperature sensors would send information only when requested to do so by the host. In what form is the information best sent and which is cheapest?

> NASSER AUDATALA Cleveland, OH

Most low-cost serial-communication systems use ASCII characters to transmit information. These systems require a method of generating the ASCII character and converting it to serial data on the transmitting end and a method of receiving the serial data on the receiving end and converting it to some useful format. Computers and dumb terminals are typically used to send and receive the information in these systems.

However, in a data-collection system of the type that you indicate, data transfer can be handled in a much simpler manner. The temperature data can be acquired and converted to a frequency proportional to the temperature using a VCO (voltage-controlled oscillator). I presented a temperature-conversion circuit of this type in my article "Build a Computerized Weather Station" in the February 1982 issue. With this type of system, the computer on the receiving end needs only to determine the frequency and compare it to a calibration table to determine the remote temperature.-Steve

TRUMP CARD FOR S-100 BUS

Dear Steve,

I am an engineer forced into retirement by a heart condition several years ago. However, I have been interested in electronics since about 1927 when my father got involved in that field, and it has been a hobby of mine ever since. I took several night courses at our technical school in digital electronics and computers. I invested in a Heathkit H-100, which is the 8085/8088 hybrid using the S-100 bus. I purchased a couple of 8-inch doublesided double-density MPI drives and did all my own interfacing.

Adapting your Trump Card looks rather challenging, as I would have to wire-wrap the board for the S-100 bus. This would not deter me, but before I start I would like to know whether there would be a lot of program adaptation required to use the software that you offer with this system. Is the BASIC compiler suitable for Microsoft BASIC or, as Heath/Zenith terms its version, ZBASIC? I am not familiar with the version that IBM supplies (BASICA), and my concern is whether the compiler is specific to the IBM version or if it is general purpose. Would you venture to say how the Z8001 would compare in execution speed on mathematical programs compared to the 8087 coprocessor?

E. G. Hrdlicka

Edmonton, Alberta, Canada

With your background in interfacing, you should have little trouble in converting the Trump Card circuit to operate on the H-100 bus, and it should be an interesting project.

The software-initializing routine called

LDSYS and the device driver used by PC-DOS will probably have to be modified to run on your system. The documentation that accompanies the software does not describe these routines in any great detail, and this may be a problem area depending on your programming skills. You will also need a 5¼-inch disk drive that can read PC-DOS or MS-DOS disks, since this is the only format for which you will be able to find available software.

I am not familiar with ZBASIC syntax, but if it is close to MBASIC, written by Microsoft for standard CP/M machines, it will be highly compatible with BASICA, since MBASIC is practically a subset of BASICA.

The Trump Card will have a higher throughput in most applications than the 8088/8087 combination. This is because the 8087 is used only to perform numeric computations, which usually comprise only a small part of most BASIC programs. The advantages of the 8087 will be noted in programs that predominantly do number crunching.—Steve

TRUMP CARD AND CP/M-80

Dear Steve,

I currently have an IBM PC and a Xerox 820 printer. With the arrival of your Trump Card, I'd like to consolidate as much software as possible in the IBM. Question: How good is the CP/M-80 emulator accompanying your Trump Card? Also, is there a list of commercial CP/M-80 programs that can run under it? Can it handle all BDOS function calls? Thank you for any information you have.

> JOHN M. ALLRED FPO Miami, FL

The CP/M-80 emulator used with the Trump Card can run many programs written for a standard CP/M 2.2 environment. Typical programs that have been tested on the Trump Card are WordStar, Super-Calc, and Multiplan.

Since the CP/M-80 emulator is really a 28001 program that interprets 280 code and emulates it on the 28001, the performance of the interpreted programs suffers a little in speed of execution. This

reduction may or may not be noticeable to you, depending on how fast your own CP/M system is running.

The emulator handles 28 of the 37 CP/M 2.2 function calls. The function calls not supported are 3 Reader Input, 4 Punch Output, 7 Get I/O Byte, 8 Set I/O Byte, 27 Get Alloc Addr, 28 Write Protect, 30 File Attributes, 31 Disk Param Addr, and 32 User Codes. In addition, the standard CP/M BIOS calls dealing with the disk, the reader, and the punch are not supported by the emulator.—Steve

Over the years I have presented many different projects in BYTE. I know many of you have built them and are making use of them in many ways.

I am interested in hearing from any of you telling me what you've done with these projects or how you may have been influenced by the basic ideas. Write me at Circuit Cellar Feedback, POB 582. Glastonbury, CT 06033 and fill me in on your applications. All letters and photographs become the property of Steve Ciarcia and cannot be returned

synchronous communication (Zilog

Real Time Clock with battery backup for continuous timekeeping

Centronics type parallel printer port

Fully assembled and tested only \$800

Available in several kit forms also

THE SLICER PC EXPANSION BOARD

IBM compatible monochrome video

Video memory provides 8 pages of

2 IBM type card slots for color video,

text or special graphics capability

Fully assembled and tested only \$600

5 1/4" form factor. Call or write for

Operating systems are CP/M 86 by

by Microsoft Corporation (\$175).

Available in several kit forms also

Also available: The Slicer 80188 system.

Digital Research, Inc. (\$85), and MS DOS

MasterCard, Visa, Check, Money Order,

or C.O.D. Allow four weeks for delivery.

Prices subject to change without notice.

Gives your Slicer high performance

2 additional serial ports for

8530 SCC)

video capability


more information.

I/O expansion, etc.

IBM type keyboard port

asynchronous RS232C or

SLICER — THE SYSTEM THAT GROWS TO FIT YOUR NEEDS



THE SLICER Real 16 Bit Power on a Single Board — Featuring the Intel 80186

- Complete 8 MHz 16-bit microprocessor on a 6" × 12" board
- 256K RAM, plus up to 64K EPROM
- SASI port for hard disk controller
- Two full function RS232C serial ports with individually programmed transmission rates --- 50 to 38.4K baud
- Software compatibility with the 8086 and 8088.
- 8K of EPROM contains drivers for peripherals, commands for hardware checkout and software testing
- Software supports most types and sizes of disk drives
- Source for monitor included on disk
- Bios supports Xebec 1410 and Western Digital WD 1002 SHD
- controller for hard disks Fully assembled and tested only \$995
- Also available in several kit forms

THE SLICER SYSTEM EXPANSION BOARD For expanded memory, additional ports, and real time clock

- Up to 256K additional dynamic RAM
- 2 RS232C asychronous ports with baud rates to 38.4K for serial communication



Slicer Computers, Inc.

2543 Marshall St. N.E., Minneapolis, MN 55418 612/788-9481 • Telex 501357 SLICER UD

Super assemblers <u>plus</u> the world's largest selection of cross assemblers!

Z-80

Macroassembler \$49.50

Power for larger programs! This 2500AD macroassembler includes:

- Zilog Z-80 Macroassembler (with the same powerful features as all our assemblers)
- powerful linker that will link up to 128 files. Com files may start at any address
- Intel 8080 to Zilog Z-80 Source Code Converter (to convert all your Intel source to Zilog Syntax in one simple step)
- COM to Hex Converter (to convert your object files to Hex for PROM creation, etc.)
- 52 page User Manual

8086/88 Assembler with Translator \$99.50

Available for MSDOS, PCDOS, or CPM/86! This fully relocatable macroassembler will assemble and link code for MSDOS (PCDOS) AND CPM/86 on either a CPM/86 or MSDOS machine. This package also includes:

- An 8080 to 8086 source code translator (no limit on program size to translate)
- A Z-80 to 8086 translator
- 64 page user manual
- 4 linkers included:
 - -MSDOS produces .EXE file
 - -CPM/86 produces CMD file
 - -Pure object code generation
 - -Object code and address information only
- Linker features:
- Links up to 128 files
- Submit mode invocation
- Code, Data Stack and extra segments
- Handles complex overlays
- Written in assembly language for fast assemblies.

Z-8000 Cross Development Package \$199.50

Instant Z-8000 Software! This package allows development and conversion of software for the Z8001, 8002, 8003 and 8004 based machines on a Z-80, Z-8000 or 8086 machine. This powerful package includes:

- a Z-80/8080 to Z-8000 Assembly
- Language Source Code Translator • Z-8000 Macro Cross Assembler and Linker

The Translators provide Z-8000 source code from Intel 8080 or Zilog Z-80 source code. The Z-8000 source code used by these packages are the unique 2500AD syntax using Zilog mnemonics, designed to make the transition from Z-80 code writing to Z-8000 easy.

All 2500 AD Assemblers and Cross Assemblers support the following features:

Relocatable Code — the packages include a versatile Linker that will link up to 128 files together, or just be used for external reference resolution. Supports separate Code and Data space. The Linker allows Submit Mode or Command Invocation.

Large File Handling Capacity —the Assembler will process files as large as the disk storage device. All buffers including the symbol table buffer overflow to disk.

Powerful Macro Section handles string comparisons during parameter substitutions. Recursion and nesting limited only by the amount of disk storage available. **Conditional Assembly**—allows up to 248 levels of nesting.

Assembly Time Calculator-

will perform calculations with up to 16 pending operands, using 16 or 32 Bit arithmetic (32 Bit only for 16 Bit products). The algebraic hierarchy may be changed through the use of parentheses.

Include files supported— Listing Control—allows listing

of sections on the program with convenient assembly error detection overrides, along with assembly run time commands that may be used to dynamically change the listing mode during assembly.

Hex File Converter, included

—for those who have special requirements, and need to generate object code in this format.

Cross reference table generated— Plain English Error Messages—

System requirements for all programs: Z-80 CP/M 2.2 System with 54k TPA and at least a 96 column printer is recommended. Or 8086/88 256k CP/M-86 or MSDOS (PCDOS).

Cross Assembler Special Features

Z-8—User defined registers names, standard Zilog and Z-80 style support. Tec Hex output option.
8748—standard Intel and Z-80 style syntax supported.
8051—512 User defined register or addressable bit names.

6800 Family—absolute or relocatable modes, all addressing modes supported. Motorola syntax compatible. Intel Hex or S-Record format output.

6502—Standard syntax or Z-80 type syntax supported, all addressing modes supported.

	Z-80 CP/M®	ZILOG SYSTEM 8 UNIX	IBM P.C. 8086/88 MSDOS	IBM P.C. 8086/88 CP/M 86	OLIVETTI M-20 PCOS
8086/88 ASM			\$ 99.50	\$ 99.50	
3086/88 XASM	\$199.50	\$750.00			\$199.50
B0186 XASM new	199.50	750.00		199.50	199.50
32000 (all) XASM new	299.50	750.00	299.50	299.50	299.50
58000,08,10XASM new	199.50	750.00	199.50	199.50	199.50
Z-8000 [®] ASM		750.00			299.50
Z-8000 XASM	199.50		199.50	199.50	
Z-80 ASM	49.50				
Z-80 XASM		500.00	99.50	99.50	99.50
Z-8 XASM	99.50	500.00	99.50	99 .50	99.50
6301(CMOS) new	99.50	500.00	99.50	99.50	99.50
6500/11 XASM new	99.50	500.00	99.50	99.50	99.50
6502 XASM	99.50	500.00	99.50	99.50	99.50
65CO2(CMOS)XASM new	99.50	500.00	99.50	99.50	99.50
6800,2,8 XASM	99.50	500.00	99.50	99.50	99.50
5801,03 XASM	99.50	500.00	99.50	99.50	99.50
6804 XASM new	99.50	500.00	99.50	99.50	99.50
6805 XASM	99.50	500.00	99.50	99.50	99.50
6809 XASM	99.50	500.00	99.50	99.50	99.50
8748 XASM	99.50	500.00	99.50	99.50	99.50
B051 XASM	199.50	750.00	199.50	199.50	199.50
BOBOXASM	99.50	500.00	99.50	99.50	99.50
BO85 XASM	99.50	500.00	99.50	99.50	99.50
8096 XASM new	199.50	750.00	199.50	199.50	199.50
1802 XASM	99.50	500.00	99.50	99.50	99.50
F8/3870XASM	<mark>99.5</mark> 0	500.00	99.50	<mark>99.50</mark>	99.50
COPS400 XASM	<mark>99.5</mark> 0	500.00		99.50	99.50
NEC7500 XASM	99.50	500.00		99.50	99.50
NSC800	99.50	500.00	99.50	99.50	99.50
Subtotal \$		\$	\$	\$	\$
Name			TO ORDER. Simp	ly circle the proc	fuct or
Company			products you want	t in the price colu	mns above,
Address			enter the subtotal		
City State	Zin		and add up your to		orget
Phone 0tate			shipping/handling	ا ا	Total \$
Make and model of compute			Check one:	shipping/hand	
viake and model of compute	÷1		 8" Single Density 5¹/₄" Osborne 	(\$9.50 per unit, Blue Label, \$2	, U.P.S.
system C.O.D. (2500AD pays C.	O D charge	25)	□ IBM P.C.		mail) \$
VISA or MasterCard #, E		o./yr.)	 Cartridge Tape Apple (Softcard) 		
			Kaypro DSDD		rademark of Digital Research. In
Signature			other formats availa	ivie, piease call!	21
A=A4					11 10
			FIN		INC



SIMULTANEOUS EQUATIONS WITH LOTUS 1-2-3

BY JAN-HENRIK JOHANSSON

An example from macroeconomics

SPREADSHEETS ARE amazingly useful in a number of applications. In this article, I will show how macroeconomic models can be formulated as simple spreadsheet programs as long as they can be defined using just linear simultaneous equations. I will then go on to show how to solve such equations numerically using standard spreadsheet commands.

My inspiration for this article came after reading an article by Patrick E. McGuire (see reference 3). He published a simple BASIC program that solved simultaneous equations analytically, and he therefore seemed to have solved the problem I was interested in. But programming everything in BASIC from now on seemed to me to be a step backward. Was there a more general approach? I will illustrate a different method by using only the familiar spreadsheet Lotus 1-2-3. I will use it to solve systems of simultaneous linear equations through iteration (successive recalculations) rather than through successive transformations of the equations. The technique demonstrated here is in fact quite general and can

also be applied to other spreadsheets and to many other types of models.

A FAMOUS MACROECONOMIC MODEL

Before describing the solution technique in detail, let me describe the problem. An area where systems of simultaneous equations (even very large ones) have become an essential vehicle for formulating and analyzing relationships is macroeconomics. Macroeconomic models describe global economic behavior of nations and groups of nations. Many models with hundreds of equations have been developed in efforts to analyze and project the economic performance of, for example, the United States. One of the first economists to

Jan-Henrik Johansson (11123 Saffold Way. Reston, VA 22090) is a manager in the World Bank. He is interested in the use of microcomputers for development in the third world. The views and interpretations in this article are those of the author and should not be attributed to the World Bank, its affiliate organizations, or to any individual acting on their behalf. develop major macroeconomic models for the U.S., using simultaneous equations as his analytical tool, was Professor Lawrence Klein of the Wharton School of the University of Pennsylvania. His classic model of the U.S. consists of a set of 20 simultaneous equations. The work was done in the early 1950s (see reference 2).

As our example, I am using an earlier and slightly simpler version known as "Klein's model I" (see reference 1), which I will formulate and run in Lotus 1-2-3. I will then show how to solve this model through iteration, using nothing but standard Lotus 1-2-3 commands. The example is important because it represents a type of application where the need to solve simultaneous equations efficiently has continued to be a key technical problem for economists around the world. However, you do not need to be an economist to understand the technique itself. I will ignore the economics and concentrate instead on demonstrating a general method-expecting the method to be applicable to other problems as well. On the (continued)



other hand, if you want to know more about macroeconomic models, reference 4 is a good book. All the models described there can be handled by the techniques described in this article.

I will first define the model by using standard college algebra and then verify that the equations are circular. The circularity is what makes this example interesting. I will then translate the equations into an equivalent set of spreadsheet formulas. Table 1 shows the equations in algebraic form. This version of the model has six equations, each defining an economic variable in terms of some other economic variables. The equations for C(t), I(t), and W(t) have previously been estimated from historical data using regression. The equations for YR(t), Y(t), and K(t) are identity relationships. To see the circularity, notice that I(t)is defined in terms of K(t) and that K(t)is defined in terms of K(t-1) and I(t) the variable we started with. The equations are therefore circular. If we take a closer look, we will find other circularities in the set of equations as well.

But there is more: not only is this set of equations circular, it is also recursive. That is, the solution to the set of equations for a particular time period depends on the solution of the same equations for preceding time periods. In this particular model, only one preceding time period is needed (referring to, for example, K(t-1)). However, it is quite common that one has to go back in time more than one time period to define the model. Of course, the recursion must stop at some point in the past. Therefore, instead of a reference to an earlier period, we need an initial numeric value to start the process.

One last point regarding the algebraic formulation of the model: the equations make use of three variables that have no equations. They are G(t), W'(t), and P(t). These variables are input data. In fact, they are constants, although they vary from one year to the next. These three input variables are said to be exogenous (external to the model). while the six variables computed by the model are endogenous (internal to the model). We now have a model and a nomenclature to describe it. Let's now translate it to Lotus 1-2-3.

The reformulation of the equations in table 1 as a spreadsheet is straightforward; table 2 displays the formulas in columns B, C, and D of the spreadsheet. The spreadsheet formulas are in fact almost identical to the ones in table 1, except that we have reserved extra rows for the exogenous variables G(t), W'(t), and P(t) as well as for the time period YR(t). No typical spreadsheet coordinates are shown because I have named every cell in column D by the name of the corresponding variable. If a formula references a cell that has a name. Lotus 1-2-3 automatically replaces the normal coordinate notation by the name (continued)

Table I: Klein's moa	lel I.
Behavioral equations: Consumption function Investment function Demand for labor	$\begin{split} C(t) &= B0 + B1^*P(t) + B2^*(W+W')(t) + B3^*P(t-1) + u1 \\ I(t) &= B4 + B5^*P(t) + B6^*P(t-1) + B7^*K(t-1) + u2 \\ W(t) &= B8 + B9^*(Y+T-W')(t) + B10^*(Y+T-W')(t-1) + B11^*t + u3 \end{split}$
Identities: Taxes Income after tax Capital stock	T(t) = C(t) + I(t) + G(t) - Y(t) Y(t) = W'(t) + W(t) + P(t) K(t) = K(t - 1) + I(t)
Exogenous data:	Government expenditure (G), Government wage bill (W') and Profits (P) Regression coefficients: B0 – B11. Stochastic disturbances: u1, u2, and u3.

COLUMBIA FALLS, MT 59912

406-387-5355

ELECTRONIC PRINTHEAD MAKES FOR WHISPER-QUIET PRINTING IEW RIBBON TECHNOLOG PRODUCES DARK, RICH PRINTING COMPATIBLE WITH IBM PC AS WELL AS WITH MANY OTHER MICROCOMPUTERS PLUG-N MODULES ALLOW FOR QUICK. CHANGES OF TYPE FACES

The new IBM Quietwriter[®] Printer. When letter quality should be seen and not heard.

If you're looking for a printer for your personal computer that offers quiet, letter-quality printing, look at—and listen to—the IBM "Quietwriter" Printer.

It's a technological breakthrough, featuring a new and innovative system for transferring ink to paper that makes it whisper-quiet.

But more than quiet, the "Quietwriter" Printer gives your letters the crispness of an IBM typewriter along with the deep, rich gloss of a carbon ribbon. All at up to 60 quiet characters per second.

What's more, plug-in electronic modules support the full 252-character set of the IBM Personal Computer.

You can easily attach the "Quietwriter" Printer to IBM personal computers and to many other microcomputers.

The "Quietwriter" Printer is just one example of the more than 70 printer models we build. But they all serve a single purpose: To make your printing as effective as your processing. To give your work the finishing touch.

Contact your IBM marketing representative or call 1800 IBM-2468, Ext. 587/3T, for the IBM Product Center or authorized IBM

dealer nearest you.



IBM PRINTERS

of the cell. This makes the formulas more readable and is a practical necessity for bigger models. As a special trick, I have given names like K(-1) to the cells in column C (corresponding to period 1).

The net result is that Lotus 1-2-3 displays all formulas in a notation that is familiar to economists and almost identical to that of table 1. We thus have six equations with six unknowns for each period. Because formulas for subsequent periods are structurally identical to the ones in column D, it is sufficient to list only one column in order to display the logic of the model. But to *solve* the model, we must explicitly repeat the formulas in column D for each time period we are interested in.

Because the formulas for different periods reference each other, a solution to the model must satisfy all formulas for all periods at the same time. In fact, if we wrote down an algebraic formulation of this model in a nonrecursive form, the total number of equations would equal the number of equations (six) for each period times the number of time periods minus four initialized values for the first time period. Solving the model for, let us say, 24 periods therefore amounts to solving a system of linear equations with 140 unknowns. The lesson is that our rather simple spreadsheet example has revealed considerable underlying complexity and a respectable

computational problem. Considering recursion and circularity, how do we go about calculating the solution?

GAUSS-SEIDEL

A common method used to solve complex systems of linear equations is the Gauss-Seidel iterative method, which roughly goes like this: take an arbitrary value (often 0) and use it to initialize one or several of the unknowns in order to break all circularities in the system of equations. Now compute the rest of the unknowns through simple substitution. Obviously, what we have now is not a solution because at least one unknown has been given an arbitrary value. Because of the circular nature of the equations, however, we can now compute this variable from the other variables we just computed. In so doing, we will get a better initial value to use in a second round with the other unknowns. Now repeat the process a number of times. During each iteration the values tend to change less and less. After a certain number of iterations, they do not change any more. The process has converged, and the values are stable. We have reached the solution.

Solving equations through iterations is not something one would like to do by hand, but a computer can do it, and Lotus 1-2-3 does it quite nicely. The traditional Gauss-Seidel method may sometimes require many iterations to converge and may therefore be quite slow, even on a computer. It is not unusual if 40 to 100 iterations are needed before a solution is found. The better we are at guessing the initial values, the fewer iterations we need for convergence. In particular, if we already have solved the equations once and we then introduce a slight change to the exogenous data or to the equations, the old solution is likely to be a good first guess. Taking it as our set of initial values (instead of arbitrary numbers), we will need fewer iterations to reach a new solution.

A spreadsheet gives us the opportunity to take advantage of this fact, because spreadsheets like Lotus 1-2-3 always store the results of the last computation (the last solution) with the formulas. When using a spreadsheet, we will always start the iterations from an approximation that is probably close to the solution. The only exception to this rule is the first time we enter the formulas. By going in small steps from solution to solution, we can explore the performance of our model in a way that is fast because we have reduced the total number of computations needed.

Fortunately, this process matches well with the way people actually use models. For example, we may be interested in how sensitive exports are to small changes in exchange rates or import tariffs. Or we may want to see (continued)

Table 2: A formulation of Klein I in Lotus 1-2-3. The exogenous variables G and W' have been given a 5 percent and 3 percent annual growth rate, respectively. Use of the information in this table is explained in the text box.

Column B	Column C	Column D
B1: YR ⇒ B2:	C1: 1 C2:	D1: +YR(-1)+1 D2:
B3: C =	C3: 1.5	D3: -2.0+0.2*P+0.55*(W+W')+0.26*P(-1)
B4: =	C4: 3.0	D4: +1.0+0.78*P-0.05*P(-1)-0.02*K(-1)
B5: G =	C5: 5.0	D5: $+G(-1)^{+}1.05$
B6:	C6:	D6:
B7: W =	C7: 3.0	D7: $-1.0+0.24*(Y+T-W')+0.2*(Y(-1)+T(-1)-W'(-1))+0.1*YR$
B8: W' =	C8: 1.0	D8: +W'(-1)*1.03
B9: P =	C9: 3,0	D9: 3
B10:	C10:	D10:
B11: T =	C11:	D11: $+C+I+G-Y$
B12: Y =	C12:	D12: $+W + W' + P$
B13: K =	C13: 5.0	D13: $+ K(-1) + I$

OPDER 1336 OPDER 1336

COMPUTERS

Altos All Computer Models	Cal
Columbia	Cal
Corona	
PC-22 Duol Drive	\$1010
PC-HD2 Hard Disk	
PPC-2 Portable/Dual Drive	
PPC-HD2 Portable/Hard Disk	
Leading Edge Personal Computer	
NEC PC-8201 Computer	6216
PC-8201 Computer PC-8201A-90 Battery Pock	
PC-8206A 32K Rom	
PC-8206A 32k Rom PC-8271A-01 AC Adopter	514
PC-8271A-02 AC Adopter	
PC-8281A Recorder	580
Northstar	
All Computer Models	Cal
Sanyo MBC-775 Portable	Cal
MBC-550 System	Cal
MBC-555 System	
MBC-550-2 System	Cal
MBC-555-2 System	Cal
MBC-885	Cal
Televideo	
802 H	\$4285
803	
803H	
806/20	\$4640
TPC-1	\$869
TPC-2 Dual Drive	\$1749
TPC-2 Single Drive	
1605	\$1909
Visual	
Commuter	om \$1469
Zenith	
Z-150 Single Drive	Save 25%
Z-150 Dual Drive	
Z-150 W/10 Megabyte	
Z-160 Single Drive	
Z-160 Dual Drive	Save 25%

DISK DRIVES

Alpha Omega

lomega	
Bernoulli Box for 1BM.	
10 Megabyte	\$1950
20 Megabyte	
Rono	
Elite I	\$179
Elite II	
Elite III	\$405
Elite 10H/Apple	
Controller (W/Drive Only)	\$69
1000 W/DOS for Atori	\$305

\$739

BOARDS

AST Six Pock Plus	\$285
Paradise	
Modular Graphic 06-A1	\$ 27 5
Five Pak.	

PRINTERS

	PRINTERS	
	Anodex 9625B	\$1120
	WP6000	\$2039
	DP6500	\$2259
	Brother DX-15	\$369
	HR-25	\$649 \$875
		\$875
	C-Itoh	
	A-10-30 F-10 Parallel or Serial	\$479 \$909
	55 CPS Serial or Parallel	\$1049
	8510 Parallel (Prowriter) 8510 SP	\$315
	8510 SCP	\$459
	8510 BPI	\$335
	Comrex CR-2E Parallel	\$ave
	CR-4	Call
		Call
	Datasouth	\$1149
	DS180 DS220	\$1469
	Diablo	
I	620	\$694
I	630 API 630 ECS	\$1499
,	630 ECS/IBM	\$1669
9	Series 36 BO IF	\$1139
2	P12CQI	\$529
9	P32CQI	\$759 \$839
I	P38	\$1639
5	S38 States and states and an appropriately and a C150	\$1719
5		Call
5	Inforunner	can
5	Riteman w/Tractor	\$244
9	Riteman 15 Riteman Blue w/Tractor	\$499 \$299
ı.	Juki	
i.	5500	Call
I.	6100	\$399
1	6300	\$699
1	NEC 2010, 2015, 2030	\$639
I	2050	\$669
5	3510, 3515, 3530 3550	\$1215
5	7710, 7715, 7730 and the second states	\$1649
2	8850 P2, P3	\$1779 Call
)	Okidata All Printer Models	Call
2	Panasonic	
,	1091	\$275
	1092 1093	\$439 \$709
)	Silver Reed	
	EXP400	\$235
	EXP500 Parallel EXP500 Serial	\$295
	EXP550 Porallel	\$399
	EXP550 Serial 770 Parallel	\$399
	770 Serial	\$705
	Star Micronics	
	All Printer Models.	Call
	Tally Spirit 80	\$245
	Toshiba	\$245
	P1340 Parallel or Serial	\$709
	P1351 Parallel or Serial	\$1215
	MODEMS	
	Anchor Automation	
	Anchor Express	Save
	Mark XII	\$239
	Hayes Smartmodem 300 Baud	\$185
	Smartmodem 1200 Baud	\$445
	Smartmodem 1200B Baud (IBM)	\$379
	Novation	1209
		\$315
	Pacal Vadicana a	C 11

MONITORS

	-		
Amdek All Monito	1.00	Call	Enter
		con	Sweet-P600
Princeton Gra	phic		Sweet-F000
HX-12		\$479	
Sanyo			
CRT-30		\$99	
CRT-36		\$149	
CRT-50	* • • i • • • • i • i • i • i		
CRT-70	******	Call \$549	

Taxan			
121 Green	CORP. A. & C. L. S. Laws	\$125	
122 Amber		\$134	
420 RGB		\$399	
425 RGB/Greens		\$410	
Zenith			
		\$95	
ZVM-122 Amber			
ZVM-123 Green			
ZVM-124		\$129	
ZVM-133 Color/RG8 .		\$410	
ZVM-135 Color/RGB V	//Audio.	\$459	
			~
			O
			1 .x0".
			0. 6.
			V.O.N
			2.6.
			i min
		73. 14	0 10 5
		CO X	2 O. S.
		- V. C.	Nº
		0. 2.	63
		a' s'a	\$ 6 4
		V O X	50
	676	0.0.0	0
		Nov.	e" . M 🔅
	VAP.	800	
	VV	2 0 10	
	~ X.	h	V 0
	18 6	1 20	201
	0 5	1. 5	
· · ·	V AO N	N .0-	NO CL
	V N	10	~ 6
		٨	1
	5	States St	V
	-	A DO DO DO DO DO DO DO DO DO DO DO DO DO	

PLOTTERS

Enter \$780

- Martin - Article - Artic	\$95 \$129 \$410		
W/Audio 5		Portole the noniton	
	And a point of the order of the	nitor	
	32 North Stinite	IONIC	
S.	tive et linting	Jet 1	
A D	PLU ON SHIPH	xdor	
R 0 ²	of the ord O	2 ⁰	
	O bles O Or		
.N. N. 6		2	
Letterin 13t 213		a series and	
Wi We	10 5		
2.	in line		
4	4.		
Se	VIDE	OTERMINALS	
ST	ADDS		
a	A-2 Green A-3	\$469 \$460	
2	Viewpoint 60	\$485	
P	Viewpoint 90	\$849	
	Altos		
	Smort II		
	Gome		
	QVT 102 Green	\$399	
	QVT 102 Amber	5419	
	QVT 103 Green	\$816 \$850	
	QVT 108 Green	\$449	
	QVT 108 Amber	\$519	
	Televideo		
	910	\$439	
	910+		
	914 924	\$515	
	924	\$635 \$700	
	950	\$905	
	970	\$985	
	800A (User Station)		
	Personal Terminal	\$385	
	Wyse	Contraction of the second second	
	50	\$489	
	Zenith Z-29	\$ 599	

DISKETTES Maxell

MD-1 (Qty 100) MD-2 (Qty 100)

TEC MAR

VISA

Call

\$319

Grophics Moste 126K Dynamic Memory 256K Dynamic Me Captain 128K Captain 256K

\$175

\$449 \$225 \$299 \$299 \$399



Prices reflect 3% to 5% cash discount. Product shipped in factory cartons with manufacturer's warranty. Please add \$8.00 per order for UPS shipping. Prices & availability subject to change without notice. Send cashier's check or money order...all other checks will delay shipping two weeks.

Racal-Vadic All Models

US Robotics Password 1200

Table 3: The solution to	Klein I fo	or 10 tin	ne perio	ds using	the date	a from t	able 2					
Klein's model I	YR=	1	2	3	4	5	6	7	8	9	10	
Consumption Investment	C =	1.500 3.000	1.620 3.090	1.784 3.028	1.937 2.968	2.094 2.908	2.256 2.850	2.423 2.793	2.596 2.737	2.775 2.683	2.961 2.629	
Government expenditure Private wage bill Government wage bill Profits	G = W = W '= P =	5.000 3.000 1.000 3.000	5.250 3.043 1.030 3.000	5.513 3.309 1.061 3.000	5.788 3.557 1.093 3.000	6.078 3.809 1.126 3.000	6.381 4.070 1.159 3.000	6.700 4.339 1.194 3.000	7.036 4.618 1.230 3.000	7.387 4.907 1.267 3.000	7.757 5.206 1.305 3.000	
Taxes Income after tax Capital stock	T = Y = K =	2.500 7.000 5.000	2.887 7.073 8.090	2.954 7.370 11.118	3.044 7.649 14.086	3.145 7.935 16.994	3.259 8.229 19.844	3.384 8.533 22.637	3.521 8.848 25.375	3.672 9.173 28.057	3.836 9.510 30.686	
Regression coefficients:	B0 B1 B2 B3	= 0.55	0 B5 0 B6		80 B9 50 B1	- W - = - 1.0 = 0.2 0 = 0.2 1 = 0.1	40 00					

what happens to the model when it is exposed to a shock, such as quadrupling the oil price or barring all sales of grain to the Soviet Union.


THE REAL THING: 9000 UNKNOWNS

Experimenting with Klein's model I shows that when changing exogenous variables we need only 3 to 9 iterations to reach a new solution from an old one. Of course, a drastic change of exogenous variables may require more iterations. For 24 years, one iteration takes less than 7 seconds on my Compaq. With an average of 5 iterations required to reach the solution, the microcomputer has solved a system of simultaneous equations

that has 140 unknowns in about half a minute. A printout showing the results for the first 10 years can be found in table 3.

I have experimented with very large models with up to 450 endogenous and 100 exogenous variables covering a time span of 20 years. Such a system has almost 9000 unknowns! One complete iteration still takes only about 22 seconds, and only 4 to 10 iterations are required for convergence. This is fully adequate for practical work with realistic models and makes our simple spreadsheet approach surprisingly competitive when compared even to large mainframe software packages specifically designed to solve macroeconomic models. What we have seen is a synergism. Iteration is an easy and slow method to solve equations. But because a spreadsheet by default makes a smart guess, we see a drastic improvement in efficiency, allowing us to attack much tougher problems than before.

However, a problem relates to finding a new solution to the system of equations. In the case of a small model, like Klein's model I, there is no question whether the model has converged or not. We can simply look at the screen and see what happens when we give a calculation command. When nothing happens, we are done. However, it will not take long before we have a model that does not fit on



PROGRAMMING INSIGHT

KLEIN'S MODEL I IN LOTUS 1-2-3

T his is a complete step-by-step example of how to build and execute the model. First, you set up the worksheet. When entering the model, use the data in table 2.

1. Type in the variable names in cells B1 to B13.

2. Type in the initial values in cells C1 to C13.

3. Using the variable name in column B and the Lotus /RNC command, name all the corresponding cells CI to CI3 as lagged variables (i.e., "YR(-1)," "C(-1)," etc.) and name all cells D1 to D13 simply with the variable names (i.e., "YR," "C," etc.).

4. Format the range C3. .D13 to display three decimals.

Now enter the model equations into cells D1 to D13. Because cell names have been created earlier, equations can now be entered exactly as they are.
 Copy the range D1. .D13 all the way to column H. Also, copy D11 and D12 to C11 and C12, respectively. This extends the model to six annual periods.
 Hit the Calc key (F9) several times and watch the values for year six in column H. If the model has been entered correctly, you will see the worksheet converge.

8. To run further simulations, change some of the initial values. Convergence control is still manual.

Automatic convergence control is next. We will use wages in year six (cell H7) to check for convergence.

the screen. What we need is some kind of convergence-control mechanism. The ideal is that Lotus 1-2-3 keeps iterating until the biggest change in any value is smaller than some predefined (small) constant. Some other spreadsheets (Multiplan, for example) have convergence control built in, which is a real plus. The step-by-step example in the text box ("Klein's Model I in Lotus 1-2-3") contains a simple test for convergence written in the macro language of Lotus 1-2-3. The one-line macro il**9.** Type the formula +H7 into cell A1. This will cause Lotus 1-2-3 to start every new iteration by copying the result of the preceding iteration to A1. The value of H7 is then recomputed. The difference between A1 and H7 is a measure of how close we are to a solution.

10. Using /RNC. give the cell A15 the name " S" and enter the test for convergence: '/XI@ABS(A1-H7)>0.001~ {CALC}/XG S~. Translated into English, this macro says: if the absolute value of the difference between two iterations for wages in year six is greater than a certain tolerance (0.001), recompute the spreadsheet and reevaluate the macro again; otherwise, you have found the solution. That is, if the condition is not met, Lotus 1-2-3 will loop over the macro and continue recomputing the worksheet until changes are smaller than the tolerance.

11. To ensure that the value of A1 is computed before H7, i.e., that the value of the old iteration is stored, type /WGRC.

You are now ready to run a simulation. The macro we just created will automatically control the iteration process for you.

12. Change the initial value of some variable, for example, change G in C5 from 5.0 to 3.0.

13. Now execute our macro by typing ALT-S. We will see the model converging and then stop automatically when the solution is reached.


lustrates the impressive power of the macro facility of Lotus 1-2-3. ■

REFERENCES

1. Gujarati, Damodar. Basic Econometrics. New York: McGraw-Hill., 1978, page 341. 2. Klein, L. R., and A. S. Goldberger. An Econometric Model of the United States, 1929–1952. New York: North-Holland, 1955.

3. McGuire, Patrick E. "A Gauss-Jordan Elimination Method Program." BYTE, August 1983, page 394.

4. Taylor, Lance. Macro Models for Developing Countries. New York: McGraw-Hill, 1979.



Inquiry 61



the mede to mere to a constant.

Stand-alone programs can't be made to work as a system no matter how hard you might try.

> Stand-alone programs are fine. Unless, of course, you need them to work together. Because the sum of the parts will never equal a whole.


That's why even the highly touted WordStar,*

dBase II" and 1-2-3," programs don't make sense as a business system.

They were designed to perform very specific application functions only, and therefore, make miserable workmates. Fortunately, there's a smart solution. It's the new Smart Software System.

Smart's unique "modular integration" is the key to productivity. It means that The Smart Word Processor, The Smart Data Manager

Smart.



The fully integrated Smart Software System is designed to make the whole office more productive.

and The Smart Spreadsheet with Graphics not only have the uncompromising power and capacity of these leading stand-alone programs, but they also have the unprecedented capability to work brilliantly together: So you can easily transfer data and pass commands from one to another. Which means that you can compile financial data, to be included in graph-form, within the text of a printed report, that's mailed to a list drawn from the data manager — automatically.

Don't short change your business by attempting to squeeze the impossible out of a makeshift software system. Get Smart, and the whole office will thank you. Smart is available for the IBM PC, PC/XT, PC/AT, and compatibles. For information call, 800-GET-SMART. (In Kansas call, 913-383-1089).

Smart Software

1-2-3", WordStar and dBase II" are registered trademarks of Lotus Development Corporation. Micro Pro International Corporation and Ashton-Tate respectively. \$1984 Innovative Software. Inc.

The Micromint Collection



TERM-MITE is a completely self-contained video



All you need to build a Smart Video Terminal enviva lent to the types advertised for \$1000 or more is a Term-Mite ST circuit board, scanned or parallel key-board, video monitor and power supply.

Uses brand new Nat'l Semi NS405 Terminal

24 lines by 80 characters, 25th reverse-video

24 lines by 80 characters, 29th reverse-video status. Upper & lowercase. Line (block) graphics. Selectable data rate, parity & display options. Reverse video, half intensity, double height & width, underline, blinking and/or blank character. Separate sync or composite video output. Self Test.

TERM-MITE ST Video Display Terminal Board

MPX-16 MICROCOMPUTER IBM PC COMPATIBLE



As featured on the cover of BYTE Magazine. Also featured in Ciarcia's Circuit Cellar November, December 1982 & January 1983

The Computer with a Split Personality Hee it as an IBM PC look alike that directly boots

Use it as an IBM PC look alike that directly boots PC DDS 2,0 and accepts all expansion boards designed for the IBM PC. Use it as a powerful 8088 single board computer for all your OEM applications. Just add serial ter-minal, disk drive and power supply. Directly boots CP/M-86.

Buy the MPX-16 in the form that best meets your needs or budget. As a bare board, as a wave soldered board that contains all components less (Cs, as an assembled and tested circuit board or as a complete system

Directly boots PC DOS 2.0 and CP/M-86. Most IBM PC software executes with no

Most IBM PC software executes with no modifications. IBM PC bus compatible +9 expansion slots. Intel 8088 19-bit microprocessor. Optional Intel 8087 math corprocessor. 256K bytes on board memory. Up to 64K bytes of system memory. Up to 64K bytes of system ROM/EPPOM Up to 84K bytes of system ROM/EPPOM Up to 84K bytes of system ROM/EPPOM D bits kontroller for 5%" of 4" drives. Sixteen levels of vectored interrupts.

MPX-16 Circuit Board Assembled

w/64K RAM
OEM 100 quantity price
MPX-16 Circuit Board Assembled
w/256K BAM
MPX-16 Semi-Kit (wave soldered circuit
board w/all components) Less ICs 595.
Complete Kit of ICs w/256K RAM 595.
MPX-16 Unpopulated (bare) PC Board 300.
CP/M-86 Operating System + Manuals 80.
MPX-16 Switching Power Supply
MPX-16 Technical Reference Manual 50.
MPX-16 Metal Enclosure with Fan 225.
Tandon TM 100-2 Double Sided/Density
Drive
IBM/PC Keyboard Interface Adapter 100.

Shipping and handling additional on MPX-16 orders

IBM PC is a trademark of International Business Machines Inc; CP/M-86 is a trademark of Digital Research Inc, Z8 is a trademark of Zilog Inc.



The 28 Basic System Controller is an updated version of our popular BCC01. The price has been reduced and features added, The entire computer is 4" by 4%". and includes a timy BASIC interpreter, up to 6K bytes of RAM and EPRDM, one RS 2320 serial port with

or nAm and EPMUM, one KS-232C serial port with switchable baud rates and two parallel ports. BASIC or machine language programming is accomplished simply by connecting a CPT terminal. Programs can be transferred to 2732 EPPOMs with an optional EPPOM programmer for auto star applications. Addi-tional 28 peripheral boards include memory expan-

tional 28 peripheral boards include memory expan-sion, seria and parallel 1/0, real time clock, an A/D Converter and an EPROM programmer. - Uses Zilog 28 single chip microprocessor. - Darta and address buses available for complete peripheral expansion - Can be battery operated. - Cross assemblers for various computers. BCC11 Assemble & Tested - State

FORTH Language Version

With the new 28 with on board 4K FORTH you can program high speed control functions in a few simple high level language commands. Perfect for data reduction, process control and high speed control

BCC20 Z8F FORTH Microprocessor chip . \$150.

BCC21 ZBF FORTH System Controller (This board is a BCC11 with a BCC20 installed)

Memory, I/D Expansion, Cassette Interface

8K bytes of additional RAM or EPROM.

Eprom Programmer

FPROM

K. bytes of additional HAM of EPHUM.
 Three additional 8 bit parallel ports.
 Cassette interface — 300 baud K.C. Standard.
 Software real time clock.
 BCC33 w/KK RAM Assembled & Tested ... \$150.
 BCC34 w/6K RAM Assembled & Tested ... \$180.

Transfer BASIC or Assembly Language application programs from RAM to 2716 or 2732 EPROM. Comes with programming & utility routines on EPROM

16K Memory Expansion Board

Add up to 16K of additional memory, RAM or EPROM, to your Z8 System Controller in any Accepts 2016, 6116, 2716, or 2732 memory types. Four 16K cards may be installed on the 28 System bringing the total memory to 64K.

BCC14 Assembled & Tested w/4K RAM . \$120.

Expand your Z8 BASIC System with minimum

Triple Voltage Power Supplies

Contains five slots complete w/44 pin connectors.

From Micro Resources BM PC, APPLE, 6502 Systems 5%", CP/M 2.2 8" From Allen Ashley TRS-80 Model I, III, Northstar 5%"..... CP/M 2.2 8".....

Five Slot Mother Board

Cross Assemblers

Ranges

Analog to Digital Converter

Serial Expansion Board

sembled & Tested

SPEECH PRODUCTS



Uses the new, high performance SP1000 voice recognition chip.

The LIS' NER 1000 provides voice input capability for your computer. The unit functions in the same, manner as your keyboard, serving as a date entry device for application programs or the normal op-eration of the computer.

eration of the computer. The LIS' NER 1000 recognition system works by analyzing human speech and extracting the most important features. These impressions of words are compacted into "templates" which can be stored and later compared to someone taking to the recognition unit. The LIS' NER 1000 supports a 64 word vocabulary in speaker dependent, discrete utterance mode. The rec-ognition accuracy is greater than 98%. Each unit comes with a professional quality head-band style electret microphone to assure accu-racy, software on diskette and a user's manual. The ADBI ELI'S NER

The APPLE II LIS' NER board has provision for an SSI 263 phonetic speech synthesizer chip with text-to-speech algorithm, This addition provides all the features described for the Sweet Talker II as well s sneech recognition APPLE II LIS' NER 1000 with SP1000

recognition/synthesis components only VR01 Assembled & Tested \$189. \$149. VR02 Complete Kit APPLE II LIS' NER 1000 with SP1000 recognition/synthesis components and SSI 263 phaneme synthesizer chip with text to speech

Sweet Talker II

Text-to-Speech Synthesizer



SWEET TALKER II, a 3rd generation speech synthesizer, is based on the SSI 263. SWEET TALKER II directly drives a speaker to provide music, sound effects and continuous speech of unlimited vocabulary at data rates as low as 50-70 bps. - SSI 263-based Apple II compatible speech

speech synthesis board Comes with text-to-speech algorithm on

dick (DDS 3 3)

disk (DOS 3.3) Appropriate control inputs for mapping with several buses On-board 1 watt amplifier with volume control Measures 37 x 3%" Operates on +5 and +12v

ST22 SWEET TALKER II Apple II compatible speech synthesizer with text-to-speech algorithm on disk \$104.

Microvox Text-to-Speech Synthesizer



Microvox is a professional voice quality text- to speech synthesizer that is easily interfaced to any computer, modern, RS-232C serial or parallel output device and provides speech of unbelievable clarity.

- Untimited vocabulary. - B4 programmable inflection levels. - 64 programmable inflection levels. - Full ASCII character stresontion and echó. - FS232 cand parallel input. - 1000 Character buffer, 3000 optional. - Adjustable bud rates (75-9600). - Spelling output mode. - 7 octave music and sound effects. - On board audio amplifier & power supply. - X-On/X-Off handshaking. MV01 Assembled with 1K buffer. - S249. Add S15.00 for 3K buffer option. Unlimited vocabulary

Speech Synthesizer IC's

The SC-D1A Speech Synthesizer is a completely self-100+ 1000+ \$24

100 \$30 Pa

The Micromint is stocking thousands of SP1000 voice recognition chips. Call us for a quote.

MICRO D-CAM **DIGITAL TV CAMERA**



Give your computer the dimension of sight Sive your computer the dimension of sight. Interprets, enhances and stores images. 256 x 128 digital image sensor. Plug-in boards for the IBM-PC, APPLE II or e. Software includes utilities for auto exposure. multi-level greyscale, screen dump and image enhancement. Includes interface card, 4 foot extension cable camera assembly, manual, and software on disketre.

diskerte. DC01 IBM PC Assembled & Tested. DC02 IBM PC Complete Kit. DC03 APPLE II Assembled & Tested. DC04 APPLE II Complete Kit. S264 \$299.

ULTRASONIC RANGING SYSTEM

The Micromint Sonar Ranging Experimenter's Kit is an updated and higher functioning version of the Polaroid SX-70 Camera sonar ranging cicuit used in the original Polaroid Ultrasonic Ranging System Designer's Kit. There are similar performance characteristics but this unit requires far less sup-port circuity and interface hardware. The TI ranging module can function between 4.5 and 6.8w. With a 5v supply, the ranging module I/O is TL compatible and can be connected directly to most computers with one input and one supput bit. The Sonar Ranging Experimenter's Kit includes one SW28527 ranging module, one Polaroid 50 KHz electrostatic transducer, and user's manual with data abeets. The Micromint Sonar Ranging Experimenter's

with data sheets. TIO1 Sonar Ranging Experimenters Kit..., \$60.

300 BAUD ANSWER/ **DRIGINATE MODEM KIT**



Micromint's latest 300 Baud Modem Klt is crystal controlled, uses the TI TMS995321C, contains just 25 parts and requires no calibration or ad-justments. Use with acoustic coupler or in direct

MICROMINT INC. 561 Willow Avenue, Cedarhurst, NY 11516 To Order: Call Toll Free 1-800-645-3479 For Information Call: 1-516-374-6793 Call: Monday-Friday, 9-5 PM





Z8 COMPUTER SYSTEM

BASIC System

Controller

The 78 Basic

BOOKS RECEIVED

ADVENTURE INTO BBC BASIC. Miles Ellis and David Ellis. New York: John Wiley & Sons, 1984; 328 pages, 17 by 24.8 cm, softcover. ISBN 0-471-90171-7. \$14.95.

AMERICAN UNIVERSITY PRO-GRAMS IN COMPUTER SCIENCE, William W. Lau. ed. Fullerton, CA: GGL Educational Press, 1984; 222 pages, 16 by 23.5 cm, hardcover, ISBN 0-915751-25-9, \$18.

ANALYSIS AND SIMULATION OF SEMICONDUCTOR DEVICES, Siegfried Selberherr. New York: Springer-Verlag, 1984; 308 pages, 16,8 by 25 cm, hardcover, ISBN 0-387-81800-6, \$54.

ANIMATION, GAMES, AND SOUND FOR THE TI 99/4A, Tony Fabbri. Englewood Cliffs, NJ: Prentice-Hall, 1984; 272 pages, 17.5 by 23.3 cm, softcover, ISBN 0-13-037227-7, \$14.95.

APPLE LOGO FOR KIDS, David A. Yule. Blue Ridge Summit, PA: Tab Books, 1984; 224 pages, 18.5 by 23.5 cm, softcover, ISBN 0-8306-1728-0. \$11.50.

APPLE TO IBM PC CONVERSIÓN GUIDE, Richard Steck. Glenview, IL: Scott, Foresman and Co., 1984; 112 pages, 19.3 by 23.5 cm, softcover, ISBN 0-673-18047-6, \$11.95.

THE APPLE WORDSTAR BOOK, Jerry Mar. Glenview, IL: Scott, Foresman and Co., 1984; 288 pages, 19 by 22.8 cm, spiralbound, ISBN 0-673-15992-2, \$11.95.

APPLIED BASIC FOR MICROCOM-PUTERS, ROY A. Boggs, Reston, VA: Reston Publishing, 1984; 288 pages, 15.3 by 22.8 cm, softcover, ISBN 0-8359-0042-8, 516.95.

ARCHITECTURE OF THE 8048, Edward W. Page. Beaverton, OR: dilithium Press, 1984; 208 pages, 17.3 by 22.3 cm, softcover, ISBN 0-88056-071-1, \$19.95.

ART AND THE COMPUTER, Melvin L. Prueitt. New York: McGraw-Hill, 1984; 256 pages, 25 by 20 cm, softcover, ISBN 0-07-050899-2, \$29.95.

ASSEMBLY LANGUAGE MADE EASY FOR THE TRS-80, Chao Chien. New York: Holt, Rinehart and Winston, 1984; 240 pages, 17.5 by 23.5 cm, softcover, ISBN 0-03-070441-3, \$18.45.

AUTOMATA, LANGUAGES AND PROGRAMMING, Jan Parendaens, ed. Lecture Notes in Computer Science #172. New York: Springer-Verlag, 1984; 536 pages, 16.5 by 24.3 cm, softcover, ISBN 0-387-13345-3, \$22.

BASIC FUN FOR THE COMMO-DORE 64 BEGINNER. Arthur Denzau, Kent Forrest, and Robert Parks. Englewood Cliffs, NJ: Prentice-Hall, 1984; 256 pages, 17.5 by 23.3 cm, softcover, ISBN 0-13-061441-6, \$19.95. Includes floppy disk.

A BASIC PRIMER FOR THE IBM PERSONAL COMPUTER: PROGRAM-MING BUSINESS APPLICATIONS, Donald B. Trivette. Glenview, IL: Scott, Foresman and Co., 1984; 208 pages, 19.5 by 23 cm, softcover, ISBN 0-673-15997-3, \$18,95.

BANK STREET'S FAMILY COMPUTER BOOK, Barbara Brenner with Mari Endreweit. New York: Ballantine Books, 1984; 272 pages, 13.5 by 20.8 cm, softcover, ISBN 0-345-31367-4, \$6.95.

BEEPERS: 21 ELECTRONIC PROJ-ECTS FOR THE TIMEX/SINCLAIR 1000 AND 1500, Gordon Rockmaker and Stephen Adams.

THIS IS A LIST of books recently received at BYTE Publications. The list is not meant to be exhaustive; its purpose is to acquaint BYTE readers with recently published titles in computer science and related fields. We regret that we cannot review or comment on all the books we receive; instead, this list is meant to be a monthly acknowledgment of these books and the publishers who sent them.

New York: McGraw-Hill, 1984; 112 pages, 13.8 by 20.3 cm, spiral-bound, ISBN 0-07-053358-X, \$8.95.

THE BEGINNER'S COMPUTER DICTIONARY, Elizabeth S. Wall and Alexander C. Wall, New York: Avon Books, 1984; **30** pages, 13 by 19 cm, softcover, ISBN 0-380-87114-9, S2.25.

BOOK BYTES: THE USER'S GUIDE TO 1200 MICROCOMPUTER BOOKS. 1984 ed., Cris Popenoe. New York: Pantheon Books, 1984; 240 pages, 21 by 27.5 cm, softcover, ISBN 0-394-72273-6, \$9.95.

BUSINESS DECISION MAKING WITH MULTIPLAN, William R. Osgood and James F. Molloy Jr. Somerville, MA: Curtin & London and New York: Van Nostrand Reinhold, 1984; 152 pages, 21.5 by 28 cm, softcover, ISBN 0-930764-90-0, \$19.95.

BUSINESS GRAPHICS WITH LOTUS 1-2-3, William R. Osgood and Dennis P. Curtin. Somerville, MA: Curtin & London and New York: Van Nostrand Reinhold, 1984; 208 pages, 21.5 by 28 cm, softcover, ISBN 0-930764-59-5, \$19.95.

BUSINESS PROBLEM SOLVING WITH LOTUS 1-2-3, James F. Molloy Jr. and Dennis P. Curtin. Somerville, MA: Curtin & London and New York: Van Nostrand Reinhöld, 1984; 208 pages, 21.5 by 28 cm, softcover, ISBN 0-930764-85-4, \$19.95.

A BUYER'S GUIDE TO MICROCOM-PUTER BUSINESS SOFTWARE, 'Amanda C. Hixson. Reading, MA: Addison-Wesley, 1984; 304 pages, 18 by 23.3 cm, softcover, ISBN 0-201-11065-2, \$19.95. CLU REFERENCE MANUAL, B. Liskov, R. Atkinson, T. Bloom, E. Moss, J. C. Schaffert, R. Scheifler, and A. Snyder. New York: Springer-Verlag, 1981; 200 pages, 15.5 by 23.5 cm, softcover, ISBN 0-387-91253-3, \$14.95.

CAREERS IN COMPUTERS, Texe W. Marrs. New York: Simon & Schuster, 1984; 160 pages, 15.5 by 23.5 cm, softcover, ISBN 0-671-50221-2, \$8.95.

THE COMMODORE 64 SOFTWARE BUYER'S GUIDE, Gary Phillips, Terry Silveria, and Sanjiva K. Nath. Bowie, MD: Brady Communications Co. 1984; 494 pages, 17.8 by 23.3 cm, softcover, ISBN 0-89303-382-0, \$16.95.

THE COMMODORE 64 SURVIVAL MANUAL, Winn L. Rosch, New York: Bantam Books, 1984; 256 pages, 15.3 by 22.8 cm, softcover, ISBN 0-553-34127-8, S9.95.

COMPAO USER'S HANDBOOK, Weber Systems Inc. staff. New York: Ballantine Books, 1984; 352 pages, 14 by 21.5 cm, softcover, ISBN 0-345-31841-2, \$9.95.

THE COMPLETE SOFTWARE MAR-KETPLACE, 1984–85, Roger Hoffman. New York: Warner Books, 1984; 256 pages, 20.5 by 23.3 cm, softcover, ISBN 0-446-38024-5, \$17.95.

THE COMPUTER ALPHABET BOOK, Elizabeth S. Wall. New York: Avon Books, 1984; 64 pages, 13 by 19 cm, softcover, ISBN 0-380-87106-8, \$2.25.

COMPUTER BASED NATIONAL INFORMATION SYSTEMS, Stephen J. Andriole, ed. New York: Petrocelli Books, 1984; 176 pages, 20 by 26 cm, hardcover, ISBN 0-89433-255-4, \$24.95.

THE COMPUTER COOKBOOK. William Bates. 'New York: (continued)

The best of two worlds

The MYTECH COMAL interactive programming language gives you the simplicity of Basic and the power of Pascal. Many of the concepts are infuenced by ADA®1, for example exception handling, packages etc.

Mytech Comal features

 Friendly, interactive user interface with help facilities

godlike_programing

ELIF kasic OR fortran OR some other innautae THEN

unstructured_programming

100% orthogonal.

PROC language_check

IF come THEN

ENDPROC language _ check

ENDIF

- Available for IBM^{®7} PC-G, PC-XT, PC-AT, PPC, WICAT etc. Implemented on UNIX^{®2} CPM/86®3, C-CPM/86®4 MS-DOS®5, PC-DOS®6
 - Easily ported to 16/32-bits systems
 - The package concept makes Mytech Comal extensible
 - Turtlegraphics package (LOGO) is available
 - · Easily customized for foreign languages
 - Support for the 8087.
- · Fulfills the Comal 2.00 requirements
- Is written in "C" Comal is an official education
 - language in Europe.

Mytech Comal is the perfect language for students as well as for the professional programmer. For further information please ask for a data sheet. Or why not do it the right way, order your Mytech Comal system today and move in to a new fascinating and powerful programming dimension. 1) DoD. 2) AT & T. 3&4) Digital Research. 586) Microsoft, IBM, 7) IBM

MYTECH M DATA AE

Jungmansgatan 25, P.O. Box 7230 S-402 35 Gothenburg, Sweden Tei. +46 (0)31 42 07 80, Telex 89200574, Teletex, Datex 240189200574

a message to our subscribers

From time to time we make the BYTE subscriber list available to other companies who wish to send our subscribers material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services, or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to the following address.

> BYTE Publications Inc. Attn: Circulation Department, 20 Main St., Peterborough, NH 03458

BOOKS RECEIVED

Doubleday and Co., 1984; 416 pages, 20.8 by 27.8 cm, softcover. ISBN 0-385-19291-6. \$14.95.

COMPUTER CRAZINESS, Paul Somerson and Stephen Manes. New York: Scholastic, 1984; 176 pages, 20.3 by 27.5 cm, softcover. ISBN 0-590-33175-2, \$4.95.

COMPUTER KEYBOARDING FOR CHILDREN, Edward B. Fry. New York: Teachers College, Columbia University, 1984; 28 pages, 21.5 by 28 cm, spiralbound, ISBN 0-8077-2754-7, \$8.95.

COMPUTER MONSTERS, Stephen Manes and Paul Somerson. New York: Scholastic, 1984; 176 pages, 20.3 by 27.5 cm, softcover, ISBN 0-590-33177-9, \$4.95

COMPUTER OLYMPICS, Stephen Manes and Paul Somerson. New York: Scholastic, 1984; 174 pages, 20.3 by 27.5 cm, softcover, ISBN 0-590-33176-0, \$4.95.

COMPUTER PROGRAMS FOR THE KITCHEN, Terence F. Dicker, Blue Ridge Summit, PA: Tab Books, 1984; 256 pages, 18.8 by 23.3 cm, softcover, ISBN 0-8306-1707-8, \$13.50.

COMPUTER SPACE ADVENTURES. Paul Somerson and Stephen Manes. New York: Scholastic, 1984; 176 pages, 20.3 by 27.5 cm, softcover, ISBN 0-590-33178-7, \$4.95.

COMPUTERS AND DATA PROCESS-ING. 2nd ed., H. L. Capron and Brian K. Williams. Menlo Park, CA: Benjamin/Cummings Publishing Co., 1984; 488 pages, 20.5 by 26.3 cm, hardcover, ISBN 0-8053-2214-0, \$26.95.

COMPUTERS AND MICROPRO-CESSORS: COMPONENTS AND SYS-TEMS, A. C. Downton. Berkshire, England: Van Nostrand Reinhold (U.K.), 1984; 192 pages, 19 by 24.5 cm, softcover, ISBN 0-442-30572-9, £5.75.

COMPUTING IN APPLIED SCIENCE. William J. Thompson. New York: John Wiley & Sons, 1984; 352 pages, 16.5 by 24 cm, hardcover, ISBN 0-471-09355-6. \$26.95.

CREATING TECHNICAL MANUALS. Gerald Cohen and Donald H. Cunningham. New York: McGraw-Hill, 1984; 176 pages, 15 by 22.5 cm. softcover. ISBN 0-07-011584-2, \$16.95.

EASYWRITER SIMPLIFIED FOR THE IBM PERSONAL COMPUTER, DON Cassel. Englewood Cliffs, NJ: Prentice-Hall, 1984; 176 pages. 17.5 by 23.5 cm, softcover, ISBN 0-13-222431-3, \$21.95.

EXPERIMENTAL METHODS OF POLYMER PHYSICS, A. Malkin, A. Askadsky, A. Chalykh, and V. Kovriga. Englewood Cliffs, NJ Prentice-Hall, 1983; 520 pages, 14.5 by 22 cm, hardcover, ISBN 0-13-295485-0, \$38.95.

THE FREE SOFTWARE HANDBOOK, 1984-1985 CP/M EDITION. Patricia Hatcher and Blake Van Meter. Plano. TX: PeopleTalk Associates, 1984; 368 pages, 14 by 21.5 cm, softcover, ISBN 0-915907-07-0, \$17.95.

AT HOME WITH BASIC, Henry Mullish and Dov Kruger. New York: Simon & Schuster, 1984; 272 pages, 14.8 by 21.3 cm, spiral-bound, ISBN 0-671-49861-4, \$12.95.

HOW DID WE FIND OUT ABOUT COMPUTERS? Isaac Asimov. New York: Walker and Co., 1984; 66 pages, 14.8 by 21.3 cm. hardcover, ISBN 0-8027-6533-5, \$8.85.

HOW TO DOCUMENT YOUR SOFT-WARE, Barbara Spear. Blue Ridge Summit, PA: Tab Books, 1984; 208 pages, 18.5 by 23.5 cm, softcover, ISBN 0-8306-1724-8, \$13.50.

IBM PC/XT: BASIC PRO-GRAMMING AND APPLICATIONS. Louis Nashelsky and Robert Boylestad. Englewood Cliffs, NJ: Prentice-Hall, 1984; 320 pages. 17.8 by 23.3 cm, softcover, ISBN 0-13-448325-1, \$14.95.

INFOWORLD'S ESSENTIAL GUIDE TO APPLE. Thom Hogan and the editors of InfoWorld. New York: Harper & Row, 1984; 240 pages, 18.5 by 23.5 cm, softcover, ISBN 0-06-669001-3, \$16.95.

INFOWORLD'S ESSENTIAL GUIDE TO CP/M, Tony Bove, Cheryl Rhodes, and the editors of Info-World. New York: Harper & Row,

Inquiry 91

BOOKS RECEIVED

1984; 254 pages, 18.5 by 23.5 cm, softcover, ISBN 0-06-669003-X, \$16.95.

INFOWORLD'S ESSENTIAL GUIDE TO THE IBM PC, Frank J. Derfler Jr. and the editors of *InfoWorld*. New York: Harper & Row, 1984; 256 pages, 18.5 by 23.5 cm, softcover, ISBN 0-06-669002-1, S16.95.

INSIDE CP/M-86: A GUIDE FOR USERS, David E. Cortesi. New York: Holt, Rinehart and Winston, 1984; 224 pages, 19 by 23.5 cm, softcover, ISBN 0-03-062656-0, \$17.45.

INSIDE COMMODORE DOS, Richard Immers and Gerald G. Neufeld. Chatsworth, CA: Datamost, 1984; 512 pages, 17.8 by 25.3 cm, softcover, ISBN 0-88190-366-3, \$19.95.

INSTANT WORDSTAR FOR THE KAY-PRO, Robert Wolenik, Reston, VA: Reston Publishing, 1984; 144 pages, 15 by 22.8 cm, softcover, ISBN 0-8359-3090-4, \$15.95.

INVITATION TO MVS: LOGIC & DEBUGGING, Harry Katzan Jr. and Davis Tharayil. New York: Petrocelli Books, 1984: 256 pages, 16 by 24 cm, hardcover, ISBN 0-89433-081-0, \$29.95.

JOB CONTROL LANGUAGE, 2nd ed., Ruth Ashley and Judi N. Fernandez. New York: John Wiley & Sons, 1984: 168 pages, 17 by 25.3 cm, softcover, ISBN 0-471-79983-1, \$12.95.

THE JOY OF COMPUTER CHESS, David Levy. Englewood Cliffs, NJ: Prentice-Hall, 1984; 144 pages, 13.5 by 21.5 cm, softcover, ISBN 0-13-511619-8, \$7.95.

KIDS & COMPUTERS: ADVANCED PROGRAMMING HANDBOOK, Eugene Galanter. New York: Perigee Books, 1984; 224 pages, 17.5 by 23.5 cm, softcover, ISBN 0-399-50976-3, \$7.95.

LET'S LEARN BASIC: A KIDS' INTRODUCTION TO BASIC PROGRAMMING ON THE APPLE II SERIES. BEN Shneiderman. Boston, MA: Little, Brown and Co., 1984; 208 pages, 19 by 23.5 cm, softcover, ISBN 0-316-78721-3, \$8.95.

LET'S LEARN BASIC: A KIDS' INTRODUCTION TO BASIC PROGRAMMING ON THE ATARI HOME COMPUTERS, Ben Shneiderman. Boston, MA: Little, Brown and Co., 1984; 208 pages, 19 by 23.5 cm, softcover, ISBN 0-316-78722-1, \$8.95.

LOTUS 1-2-3 FOR MARKETING AND SALES, Michael V. Laric and Ronald Stiff. Englewood Cliffs. NJ: Prentice-Hall, 1984; 240 pages, 17.8 by 23.5 cm, softcover, ISBN 0-13-540899-7, \$14.95.

MACHINE INTELLIGENCE 10, INTELLIGENT SYSTEMS: PRACTICE AND PERSPECTIVE, J. E. Hayes, D. Michie, and Y-H Pao, eds. New York: John Wiley & Sons, 1982; 582 pages, 15.8 by 25 cm, softcover, ISBN 0-470-27323-2, \$109.95.

MANAGING YOUR BUSINESS WITH MULTIPLAN, Ruth K. Witkin. Bellevue, WA: Microsoft Press. 1984; 430 pages, 18.8 by 23.3 cm, softcover, ISBN 0-914845-06-3, \$17.95.

MICROCOMPUTERS GO TO SCHOOL, Stanton Leggett, ed. Chicago, IL: Teach 'em, 1984; 248 pages, 13.5 by 21.5 cm, softcover, ISBN 0-931028-53-1, \$16.95.

LE MICROPROCESSEUR 16 BITS 8086/8088, Alain-Bernard Fontaine. Paris, France: Masson. 1984; 238 pages, 16 by 23.8 cm. softcover, ISBN: 2-225-80313-7, 108 francs.

MICROPROCESSORS IN INDUSTRY, Michael F. Hordeski. New York: Van Nostrand Reinhold, 1984; 542 pages, 16 by 23.5 cm, hardcover, ISBN 0-442-23207-1, \$49.50.

MINUTE MANUAL FOR PFS: FILE/ REPORT/GRAPH/WRITE. Jeffery Lesho and Jim Pirisino. Columbia. MD: MinuteWare. 1984; 184 pages. 13.5 by 21.5 cm, softcover. ISBN 0-913131-03-2, \$12.95.

A MODEL-MANAGEMENT FRAME-WORK FOR MATHEMATICAL PRO-GRAMMING, Kenneth H. Palmer. New York: John Wiley & Sons. 1984: 416 pages, 17 by 24 cm. hardcover, ISBN 0-471-80472-X. \$42.50.

(continued)

Inquiry 132



H	RMON	NY VIDEO &	CON	PUTERS	
	2357 CONE	Y ISLAND AVE., BRC	OKLYN	NY 11223	
		O ORDER CALL TO			
	800-VIDE	IBM PC w/DR		APPLE 2	0
	N	\$1299.95		\$869.95	
	19	OKIDATA	92	GEMINI 1	οx
		\$349.95		\$226.95	5
		"PRINTER SPEC	CIALS'	,	
Okidata 92	350	Radix 15	567	Panasonic KXP 1091	259
Okidata 93 Epson RX80 FT	551 291	Radix 10	481 280	Panasonic KXP 1090	201
Epson HX80 FI	291	Powertype Dalsywriter	280	Silver Reed EXP 550 Silver Reed EXP 500	286
Epson RX100	387	Brother HR15	339	Silver Reed EXP 770	742
Epson Fx80	392	Brother HR25	572	Nec 3550	1299
Epson FX100	598	Brother HR35	784	Nec 2050	647
Epson LQ1500	1039	Keyboard	122	Olympia RO	312
Toshiba 1351	1208	Riteman Blue +	279	Nec 7730	1643
Delta 10	329	Diablo 620 API	684	Nec 7715	1643
Delta 15	456	Mannesman Spirit 80	233	OKI 84	636 567
Gemini 10X Gemini 15X	227	Mannesman 160L Juki 6100	530 371	Panasonic KXP 1093 Panasonic KXP 1092	382
Toshiba 1340	678	Pana 3151	509	Oki 83	546
Diablo 630 API	1431	Dynax DX15	350	Okimate 10	138
Quadiet	721	MNNSMN 180L	742	Silver Reed EXP400	233
Anadex 9625B	1034	NEC 8850	1754	HP Laser Jet	3021
Epson QX10	1712	Pinwriter P3	848	Citizen MSP10	350
		WOV	M		
APPL	F	IBM		ZENITH	
2E w/Disk Drive	859	PC w/Drive	1299	Zenith PC 2150	1631
Macintosh	1689	PCXT	2499	Zenith PC 15152	2076
Apple 2C	869	PC Portable w/Drive PC Jr.	1499		
Imagewriter	486	PC Jr. Color Card	459	MONITORS	5
Addt. Drives	from 114	Monocrome Card	159	Amdek 300 Green	114
COMMOD	OBE	IBM Monitor (GRN)	199	Amdek 300 Amber	124
Commodore 64	177	Tecmar Captain 64K	249	310 Amber	139
1541 Disk Drive	204	AST Six Pack	229	Color 300	229
1702 Monitor	208	Tallgrass 20 Meg	2399	Color 500	324
MPS801 Printer	179	Quad Board	224	Color 600	384
1526 Printer	215	Paradise	254	Color 700	489
ATAR		Keytronics	159	Color 710 Zenith Green	529
		Hercules Color	159	Taxan 210	209
800 XL 1027 Printer	107	Hercules Monochrom	e 319 409	Princton HX12	449
1050 Drive	159	Plantronics STB Graphix	234	Taxan 122A	139
Indus, Drive	279	PC w/10 Meg Hard Dr.	2399	Taxan 420	389
1025 Printer	169	Bernouli Box	1999		
		10 Meg Drive	699	MODEMS	
SANY		Teac 1/2 Ht	94	Hayes 1200	435
550 S.S.	648	Shugart 1/2 Ht	94	Hayes 1200B	382
550 D.S.	659	Panasonic 1/2 Ht	94	Hayes 300	187
555 D.S. 555 S.S.	949 839	800-441-11		Micromodem 2E Access 123	212 364

BOOKS RECEIVED

MORE COLOR COMPUTER APPLI-CATIONS, John P. Grillo and J. D. Robertson. New York: John Wiley & Sons, 1984; 176 pages, 17 by 25.3 cm, softcover, ISBN 0-471-80767-2, \$39.90. Includes floppy disk.

MULTIPLAN FOR MARKETING AND SALES, Michael V. Laric. Englewood Cliffs. NJ: Prentice-Hall. 1984; 320 pages, 17.8 by 23.3 cm, softcover. ISBN 0-13-605080-8, \$14.95.

MULTIPLAN: HOME AND OFFICE COMPANION, Elna Tymes and Peter Antoniak. Berkeley. CA: Osborne/McGraw-Hill, 1984; 246 pages, 20.5 by 27.5 cm. softcover. ISBN 0-88134-133-9. \$15.95.

NEW HORIZONS IN EDUCA-TIONAL COMPUTING, Masoud Yazdani, ed. New York: John Wiley & Sons, 1984; 320 pages, 17 by 24.5 cm, hardcover, ISBN 0-470-20022-7. \$44.95. THE OSBORNE/MCGRAW-HILL BUSINESS SYSTEM BUYER'S GUIDE, 2nd ed. Adam Osborne, Steve Cook, and Gail Todd. Berkeley, CA: Osborne/ McGraw-Hill, 1984: 182 pages, 16.3 by 23.3 cm, softcover, ISBN 0-88134-125-8, \$10.95.

PEAS STRUCTURAL ANALYSIS SERIES: APPLE II OR IIE VERSION, Practical Engineering Applications Software (PEAS). New York: John Wiley & Sons, 1984; 88 pages, 14.8 by 22.8 cm, softcover, ISBN 0-471-80290-5, \$30. Includes floppy disk.

PERSONAL FINANCE PROGRAMS FOR HOME COMPUTERS, William S. Hodges and Neal A. Novak. Boston, MA: Little, Brown and Co., 1984: 192 pages, 21.5 by 27.8 cm, softcover, ISBN 0-316-36788-5, S14.50.

THE POWER OF: APPLEWORKS, Robert E. Williams. Englewood Cliffs, NI: Prentice-Hall, 1984; 240 pages, 21 by 27.5 cm, softcover, ISBN 0-13-688045-2, \$19.95

Power UP! KIDS' GUIDE TO THE COMMODORE 64. Marty DeJonghe and Caroline Earhart. Berkeley. CA: Sybex. 1984; 204 pages. 18 by 22.8 cm. spiralbound, ISBN 0-89588-188-8. S14.95

A PRACTICAL GUIDE TO THE APPLE IIC, Peter C. Weiglin and Joyce Conklin, Reading, MA: Addison-Wesley, 1984; 176 pages, 18.8 by 23.5 cm, softcover, ISBN 0-201-09660-9, \$12,95.

PRESENTATION GRAPHICS ON THE APPLE MACINTOSH, Steve Lambert. Bellevue, WA: Microsoft Press, 1984; 288 pages, 18.8 by 23.3 cm, softcover, ISBN 0-914845-11-X, \$18.95.

PROBOTS AND PEOPLE: THE AGE OF THE PERSONAL ROBOT, Timothy O. Knight. New York: McGraw-Hill, 1984; 144 pages, 13.5 by 20.3 cm. softcover, ISBN 0-07-035106-6, \$9.95.

PROGRAMMABLE ASSEMBLY, W. B. Heginbotham, ed. New York: Springer-Verlag, 1984; 368 pages, 16 by 24 cm. hardcover, ISBN 0-387-13479-4, \$43.

PROGRAMMING APPLE BASIC, John J. DiElsi, Elaine S. Grossman, John P. Tucciarone. New York: Holt, Rinehart and Winston, 1984; 464 pages, 17.8 by 23.3 cm, softcover, ISBN 0-03-063733-3, \$18.45.

PROGRAMMING IN C ON THE IBM PC. Bryan J. Cummings and Lawrence Pollack. Englewood Cliffs, NJ: Prentice-Hall, 1984; 208 pages, 15.3 by 22.8 cm, softcover, ISBN 0-13-729351-8. \$14.95.

SHOULD I BUY A HOME COM-PUTER? A GUIDE WITH CHECK-LISTS, Lincoln Hallen. Princeton, NJ: Petrocelli Books, 1984;

UTEback issues for sale

	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985
Jan.				\$2.75	\$3.25	\$3.25		\$3.70	\$4.25	\$4.25
Feb.			\$2.75	\$2.75	\$3.25	\$3.25	\$3.70	\$3.70	\$4.25	
March			\$2.75		\$3.25		\$3.70	\$3.70	\$4.25	
April			\$2.75	\$ 2.75	\$3.25	\$3.25	\$3.70	\$3.70	\$4.25	
May		\$2.00	\$2.75	\$2.75	\$3.25		\$3.70	\$3.70	\$4.25	
June		\$2.00	\$2.75	\$2.75	\$3.25		\$3.70	\$3.70	\$4.25	
July	\$2.00	\$2.00	\$2.75	\$2.75	\$3.25		\$3.70	\$4.25	\$4.25	
Aug.		\$2.00	\$2.75	\$2.75		\$3.25	\$3.70	\$4.25	\$4.25	
Sept.		\$2.75	\$2.75	\$2.75	\$3.25		\$3.70	\$4.25	\$4.25	
Oct.			\$2.75	\$2.75	\$3.25	\$3.25	\$3.70	\$4.25	\$4.25	
Nov.				\$3.25		\$3.25	\$3.70	\$4.25	\$4.25	
Dec.		\$2.75	\$2.75	\$3.25	\$3.25	\$3.25	\$3.70	\$4.25	\$4.25	
Special BYTE Guide to IBM PC's — \$4.75										

Circle and send requests with payments to: BYTE Back Issues P.O. Box 328 Hancock, NH 03449 Prices include postage in the US. Please add \$.50 per copy for Canada and Mexico; and \$2.00 per copy to foreign countries (surface delivery).

Check enclosed

Payments from foreign countries must be made in US funds payable at a US bank.

MasterCard

Card # _____

Ехр.____

Signature

Please allow 4 weeks for domestic delivery and 12 weeks for foreign delivery.

ADDRESS	
CITY	
	ZIP

BOOKS RECEIVED

104 pages, 14 by 20.8, softcover, ISBN 0-89433-257-0, \$8.95.

SMALL-TIME OPERATOR: THE COMPUTER EDITION, Bernard Kamoroff, South Bend, IN: and books, 1984; 306 pages, 21 by 27 cm, spiralbound, ISBN 0-89708-117-X, \$19.95.

SOFTWARE DEFECT REMOVAL, Robert Dunn. New York: McGraw-Hill, 1984; 352 pages, 15.5 by 23 cm, hardcover, ISBN 0-07-018313-9, \$29.95.

A SOFTWARE LAW PRIMER, Frederic William Neitzke. New York: Van Nostrand Reinhold, 1984; 170 pages, 16 by 23.5 cm, hardcover, ISBN 0-442-26866-1, \$24.95.

THE SOFTWARE MARKETPLACE: WHERE TO SELL WHAT YOU PROGRAM, SUZAN D. Prince. New York: McGraw-Hill, 1984; 220 pages, 16 by 23 cm, softcover, ISBN 0-07-050859-3, \$16.95.

STRUCTURE AND INTERPRETATION OF COMPUTER PROGRAMS. Harold Abelson and Gerald Jay Sussman with Julie Sussman. Cambridge, MA: MIT Press, 1985; 564 pages, 16 by 23.5 cm, hardcover, ISBN 0-262-01077-1, \$30.

STRUCTURED PROGRAMMING WITH BASIC FOR THE ACORN COM-PUTER, Roy Atherton. New York: John Wiley & Sons, 1984; 208 pages, 17 by 25.5 cm, softcover, ISBN 0-471-80600-5, \$15.95.

TI Loco, Harold Abelson. New York: McGraw-Hill, 1984; 256 pages, 18 by 23.5 cm. softcover. ISBN 0-07-038459-2, \$17.95.

TAKE IT WITH YOU: THE COMPLETE-GUIDE TO PORTABLE BUSINESS COMPUTING, Richard M. Grelewicz. New York: John Wiley & Sons, 1984: 264 pages, 15 by 22.8 cm. softcover, ISBN 0-471-88198-8, \$14.95.

THE TIME-LIFE STEP-BY-STEP GUIDE TO THE COMMODORE 64, the editors of *Time-Life*, New York: Random House, 1984; 102 pages, 21 by 24 cm, hardcover, ISBN 0-394-72515-8, \$12.95.

THE TIME-LIFE STEP-BY-STEP GUIDE TO THE IBM PC, the editors of Time-Life, New York: Random House, 1984; 102 pages, 21 by 24 cm. hardcover, ISBN 0-394-72521-2, \$12.95.

THE TIME-LIFE STEP-BY-STEP GUIDE TO THE IBM PCIR, the editors of Time-Life, New York: Random House, 1984; 102 pages, 21 by 24 cm, hardcover, ISBN 0-394-72519-0, \$12.95.

LA TRANSPORTABILITÉ DU LOGICIEL, Olivier Lecarme and Mireille Pellissier. Paris, France: Masson, 1984; 264 pages, 16 by 24 cm, softcover, ISBN 2-225-80223-8, 140 francs. TURTLESTEPS: AN INTRODUCTION TO APPLE LOGO AND TERRAPIN LOGO, Pamela Sharp. Bowie, MD: Brady Communications Co., 1984; 210 pages, 17.8 by 23.3 cm, softcover, ISBN 0-89303-906-3, \$14.95.

USING THE IBM PERSONAL COMPUTER: EASYWRITER, Ada W. Finifter. New York: Holt, Rinehart and Winston, 1984; 318 pages, 17.8 by 23.5 cm, softcover, ISBN 0-03-063736-8, \$18.45.

VIC 20 COMPUTER GRAPHICS TOOLBOX, Russell L. Schnapp and Irvin G. Stafford. Englewood Cliffs, NJ: Prentice-Hall, 1984; 192 pages, 17.8 by 23.3 cm, softcover, ISBN 0-13-941998-5. \$14.95.

WORD PROCESSING WITH YOUR ADAM, Barbara Spear. Blue Ridge Summit, PA: Tab Books, 1984; 160 pages, 18.5 by 23.5 cm, softcover, ISBN 0-8306-1766-3, \$9.25. ■

FOR S100 BUS OR SINGLE BOARD COMPUTERS


- Low Price Model 2210 (shown) \$350"
- Low Profile Set display on top, keyboard in front
- Laser/3000 Modern office styling Model 3310 \$387*
- 51/4 Winchesters & Floppies Full or Half
- 4 Card \$100 Motherboard and Connectors
- Accomodates I/O Personality Boards
- Hefty Power Supply \$100 and Drive, Controllers
- Multifan, Push-Pull Cooling System
- Multiple EMI Filters
- Switched AC Outlets
- INTE/National Power Supply 115/230, 50-60 Hz

[®]Call for quantity pricing.

Write or call for our brochure which includes our application note: "Making micros, better than any ol' box computer."



8620 Roosevelt Ave./Visalia, CA 93291 209/651-1203 We accept BankAmericard/Visa and MasterCard



Disk drives & computer boards not included

INTRODUCING Interface Technologies' Modula-2 Software Development System

The computer press is hailing Modula-2 as "the next standard in programming languages." Modula-2 combines the strengths of Pascal with the features that made C so popular, like independent

compilation and direct hardware control. But until today, no company offered a Modula-2 system that made the development of software fast, easy and efficient. Now, though, there's a new tool at your disposal.

The fast, powerful tool for programmers

The breakthrough is here: Interface Technologies' new Modula-2 Software Development System for

the IBM[®] PC, XT, AT and compatible computers to give programmers the same quantum leap in productivity spreadsheets and word processors gave to end-users. It can reduce monotonous wait time, will dramatically increase speed, help stop

thoughtless mistakes, and free you to become more creative in virtually all of your programming efforts.

How to speed input and eliminate 30% of errors

Thirty percent of programming mistakes are syntax errors and simple typos in the program structure. Our "syntax-directed" Modula-2 editor does away with these time-consuming headaches once and for all.



It speeds input by cutting manual typing as much as 90%, letting you enter statements with a single keystroke. For example, if you type a capital "I" to begin a line, the editor completes the logical "IF THEN" statement automatically, so you can concentrate on what you

Ν

Enter complete statements want to program, rather than conwith one keystroke. centrate on what you're typing.

The editor locks out errors, finishing statements and procedures in perfect accord with the standardized rules of Modula-2. It also indents and formats your text automatically, making programs easy to read and maintain, an important feature on big projects. And if you leave an undefined variable or data type, the editor detects the mistake and gives you the option of on-line "help" to correct it. No other programming text editor offers you so much innovation at any price.

How to turn "wait time" into "work time"


The vast majority of

programming time is

spent waiting, and the

biggest slowdown is most

often with compilers.



It not only has a faster compiler, it also saves time by compiling while you edit.

Our compiler turns wait time to work time with a new innovation that lets you compile in the "background."

With background

compilation, your program is automatically compiled into object code line by line as you work, every minute you spend writing or editing a Modula-2 program!

When you're finished editing, all that's left for the compiler is a quick mopping up job that generates optimized native code in a single pass.

How quick is "quick"?

Thanks to background compilation and the fact that the compiler itself is so fast, Interface Technologies' compiler turns 100 lines of typical Modula-2 text into optimized machine code in *under five seconds*.

Plus the Interface compiler produces compact code with execution speed superior to that produced by any other Modula-2 compiler on the market.

How to do two things at once

Along with the background compiler and syntaxdirected editor, which can save you hours every day and make you more productive, Interface Technologies' Software Development System gives your monitor windows so you can refer to one file while you edit another simultaneously, saving you even more time.

Concurrent editing of two or more files is especially useful when doing programming work that's intended for separate compilation, and Interface Technologies has the only Modula-2 system on the market that provides you with this helpful benefit for developing software.



Work with multiple files faster, easier in windows.

How preprogrammed modules speed development

One of the advantages of Modula-2 is that it lets you build large, reliable programs quickly, by linking together many smaller "building-block" modules.

The development system's toolkit of precompiled program modules includes the standard Modula-2 library, and adds exclusive link-and-run modules for direct calls to the operating system, sound, and color You can use it on any IBM[®] PC, XT, AT or compatible computer with two double-sided, doubledensity floppy drives and 320K RAM diskette.

You get a thoroughly indexed, comprehensive user's manual and free telephone support from Interface Technologies. But the most important thing you get is the future, and *the programming language of the future is Modula-2*, and now it's easier than ever.

For more information, or to order the Modula-2 Software Development System, call 1-800-922-9049 today. In Texas, call (713) 523-8422.

You can also order or request further in-

formation by mail. Just fill out the coupon below and send it in. Act today and receive your system soon.

Operates on the new IBM PC AT, as well as the PC, XT, and all other IBM-compatible computers.

DOSCALL InOut Graphics Sound Files Graphics Sound Files Graphics Sound Files Graphics Sound Files Graphics Sound Files Fil

The Modula-2 development system's toolkit of ready-made modules turns big programs into smaller projects.

Increase productivity for \$249

Interface Technologies' Software Development System is fast, powerful and unlimited. It works so well that it's the same tool Interface Technologies is using to write business and consumer applications in Modula-2.

For \$249, you get the syntax-directed editor and compiler, linker, module library and tutorial that will have even modestly experienced programmers writing in Modula-2 in days. And you have full rights to your work; there's no license fee for programs you develop with the Interface Technologies system.

NAMEADDRESSSTATEZIPPHONEPLEASE CHECK ONE: AMERICAN EXPRESS VISA MASTERCARD CHECK ENCLOSED CHARGE ACCOUNT NUMBER CHARGE ACCOUNT NUMBER EXPIRATION DATE SIGNATURE PLEASE SEND MECOPIES @ \$249 EACH. INTERFACE TECHNOLOGIES CORPORATION 3336 RICHMOND, SUITE 200, HOUSTON, TX 77098 Texas residents, add 6. 125% Sales Tax. BT/2 INTERFACE TECHNOLOGIES MODULA-2 SOFTWARE DEVELOPMENT SYSTEM				
CITYSTATEZIP PHONE PLEASE CHECK ONE: AMERICAN EXPRESS VISA MASTERCARD CHECK ENCLOSED CHARGE ACCOUNT NUMBER CHARGE ACCOUNT NUMBER CHARGE ACCOUNT NUMBER CHARGE ACCOUNT NUMBER CHARGE ACCOUNT NUMBER COPIES @ \$249 EACH. INTERFACE TECHNOLOGIES CORPORATION 3336 RICHMOND, SUITE 200, HOUSTON, TX 77098 Texas residents, add 6. 125% Sales Tax. BT/2 INTERFACE TECHNOLOGIES MODULA-2 SOFTWARE	NAME			
PHONE				
PLEASE CHECK ONE: AMERICAN EXPRESS VISA MASTERCARD CHECK ENCLOSED CHARGE ACCOUNT NUMBER EXPIRATION DATE SIGNATURE PLEASE SEND ME COPIES @ \$249 EACH. INTERFACE TECHNOLOGIES CORPORATION 3336 RICHMOND, SUITE 200, HOUSTON, TX 77098 Texas residents, add 6. 125% Sales Tax. BT/2 INTERFACE TECHNOLOGIES MODULA-2 SOFTWARE		STATE	ZIP	
AMERICAN EXPRESS VISA MASTERCARD CHECK ENCLOSED CHARGE ACCOUNT NUMBER CHARGE ACCOUNT NUMBER EXPIRATION DATE SIGNATURE PLEASE SEND ME COPIES @ \$249 EACH. INTERFACE TECHNOLOGIES CORPORATION 3336 RICHMOND, SUITE 200, HOUSTON, TX 77098 Texas residents, add 6. 125% Sales Tax. BT/2 INTERFACE TECHNOLOGIES MODULA-2 SOFTWARE				
CHECK ENCLOSED CHARGE ACCOUNT NUMBER CHARGE ACCOUNT NUMBER CHARGE ACCOUNT NUMBER COULT AND ATE SIGNATURE PLEASE SEND ME COPIES @ \$249 EACH. INTERFACE TECHNOLOGIES CORPORATION 3336 RICHMOND, SUITE 200, HOUSTON, TX 77098 Texas residents, add 6. 125% Sales Tax. BT/2 INTERFACE TECHNOLOGIES MODULA-2 SOFTWARE				
CHARGE ACCOUNT NUMBER EXPIRATION DATE SIGNATURE PLEASE SEND ME COPIES @ \$249 EACH. INTERFACE TECHNOLOGIES CORPORATION 3336 RICHMOND, SUITE 200, HOUSTON, TX 77098 Texas residents, add 6. 125% Sales Tax. BT/2 INTERFACE TECHNOLOGIES MODULA-2 SOFTWARE			MASTERCARD	2
PLEASE SEND MECOPIES @ \$249 EACH. INTERFACE TECHNOLOGIES CORPORATION 3336 RICHMOND, SUITE 200, HOUSTON, TX 77098 Texas residents, add 6.125% Sales Tax. BT/2 INTERFACE TECHNOLOGIES MODULA-2 SOFTWARE				1
PLEASE SEND MECOPIES @ \$249 EACH. INTERFACE TECHNOLOGIES CORPORATION 3336 RICHMOND, SUITE 200, HOUSTON, TX 77098 Texas residents, add 6.125% Sales Tax. BT/2 INTERFACE TECHNOLOGIES MODULA-2 SOFTWARE				
PLEASE SEND MECOPIES @ \$249 EACH. INTERFACE TECHNOLOGIES CORPORATION 3336 RICHMOND, SUITE 200, HOUSTON, TX 77098 Texas residents, add 6.125% Sales Tax. BT/2 INTERFACE TECHNOLOGIES MODULA-2 SOFTWARE				
PLEASE SEND MECOPIES @ \$249 EACH. INTERFACE TECHNOLOGIES CORPORATION 3336 RICHMOND, SUITE 200, HOUSTON, TX 77098 Texas residents, add 6.125% Sales Tax. BT/2 INTERFACE TECHNOLOGIES MODULA-2 SOFTWARE		CICNIATURE		1
INTERFACE TECHNOLOGIES CORPORATION 3336 RICHMOND, SUITE 200, HOUSTON, TX 77098 Texas residents, add 6. 125% Sales Tax. BT/2				
3336 RICHMOND, SUITE 200, HOUSTON, TX 77098 Texas residents, add 6. 125% Sales Tax. BT/2				
Texas residents, add 6.125% Sales Tax. BT/2 INTERFACE TECHNOLOGIES MODULA-2 SOFTWARE				
INTERFACE TECHNOLOGIES MODULA-2 SOFTWARE		,		
MODULA-2 SOFTWARE				-
MODULA-2 SOFTWARE	INTERFACE TE	CHNOLOGIES		1
				J
			0	
				1
		SOFTW	ARE	
				1
		ENT OVC		1
		IENT SYS	TEM	6

(continued from page 32)

BENCHMARKING UNIX SYSTEMS

Thanks to David F. Hinnant's excellent article, "Benchmarking UNIX Systems" (August 1984, page 132), I feel I gained an awareness of the limitations and advantages of the different UNIX/machine combinations. The results are a great reference guide. However, I was a little surprised by the lack of a System V version (the standard-to-be one), which motivated me to run all the benchmark programs specified in the article on an NCR Tower (an M68000-based computer) under UNIX System V. Table I shows my findings. For the tests I used 2 megabytes of RAM and one 30-megabyte hard disk.

The values obtained fall about midway between systems 6 and 7 when plotted on the graph in figure 1 on page 408.

I was rather pleased with these results, since my Tower was, according to Hinnant's tables, among the top seven most powerful systems. I hope this small extension of Mr. Hinnant's work will be very useful to all System V users, because this version is intended to standardize the UNIX world.

> MARIO DESCALZI Columbia, SC

Table 1: NCR Tower performance using UNIX benchmarks discussed in "Benchmarking UNIX Systems."						
	real	user	sys			
 Pipe System Call Function Call Sieve Disk Write Disk Read Shell Loop 	6.1 13.8 1.7 4.5 3.4 8.8 9.1 13.4	0.0 0.5 1.6 4.3 0.0 0.0 0.4 12.8	2.8 13.2 0.0 0.1 1.3 2.0 2.2 0.1			
Number of Concurrent Processes						
1 2 3 9.8 16.0 22.2	4 35.3	5 44.2	6 52.2			

A CALL FOR STANDARDS

In a computer system, dates can be kept in many different ways. If "DD" represents day, "MM" month, and "YY" the year, let me define the British way as "MMDDYY," the French way as "DDMMYY," and the standard international way as "YYMMDD." Despite its universality and advantages for sorting, the last one is not used by MS- DOS. dBASE, or Quickcode (to name just a few).

Let me ask both software and hardware developers to stick to international standards. Let me further suggest that they keep dates as numeric values (taking advantage of most keyboards' numeric locking feature) and automatically enforce month and day values smaller than 13 and 32, respectively. Zeros could be allowed for month and day when their values are unknown.

> PAUL-ANDRE DESIARDINS Rabat, Morocco

ENHANCING PERFECT WRITER

In the August 1984 BYTE, Barry D. Smith wrote about reconfiguring Kaypro's keypad for use with Perfect Writer (''Reconfiguring Perfect Writer Commands,'' page 22).

To anyone using Perfect Writer on a Kaypro. I recommend the inexpensive enhancements available from Plu*Perfect Systems (Box 1494, Idyllwild, CA 92349). While running the word-processing program, keys can be defined, files printed or erased, disks changed, and the directory accessed. Key definitions also can be saved and automatically loaded. The swap file can be increased in size up to an entire disk.

Plu*Perfect recommends erasing Perfect Writer's menu to provide space on the disk for key definitions and other files. Everything that can be done through the menu can be done more quickly at the system level.

Documentation and user support is excellent. I have been using the enhancements for nearly a year and wouldn't do without them.

JAMES SWANSON McBride, British Columbia, Canada

SUBSCRIBER'S LAMENT

My letter is one of caution to other readers of computer magazines. My experience with computers and the computer-magazine industry goes back only about four years, and in this period of time I have subscribed to at least eight different publications, most of which are good sources of information and education, especially yours. But something less than professional is happening within this industry.

In the past six months I have had the unfortunate experience of being a subscriber to two publications that just quit sending out their magazines: *CLOAD* and Computer User. A third magazine that quit publishing (Basic Computing) did have the professional integrity to transfer its subscriptions to another magazine.

Maybe I have been a victim of a freak set of circumstances, but I don't think so. I believe this is the trend of the future. I hope not, but there doesn't seem to be much a consumer can do once the magazine has your money. It's obvious that bad management is ever present even in the computer-magazine industry.

> STEVE HERMES Bloomington, IL

FORTH CONFERENCE

The fifth Rochester FORTH Conference will be held at the University of Rochester, Rochester, New York, June 12–15, 1985. Sponsored by the Institute for Applied FORTH Research Inc., the focus of the conference will be on software engineering and software management.

There is a call for papers on the following topics:

•software engineering and software management practices

•FORTH applications, including, but not limited to: real-time, business, medical, space-based, laboratory and personal systems; and FORTH microchip applications •FORTH technology, including finite-state machines, metacompilers, FORTH implementations, control structures, and hybrid hardware/software systems

Papers may be presented in either platform or poster sessions. Please submit a 200-word abstract by March 30, 1985. Papers must be received by April 30, 1985, and are limited to a maximum of four single-spaced, camera-ready pages. Longer papers may be presented at the conference but should be submitted to the refereed *Journal of FORTH Application and Research*.

Abstracts and papers should be sent to the conference chairman: Lawrence P. Forsley, Laboratory for Last Energetics, 250 East River Rd., Rochester, NY 14623. For more information, call or write Ms. Maria Gress, Institute for Applied FORTH Research, 70 Elmwood Ave., Rochester, NY 14611. (716) 235-0168.

ADDING A HARD DISK

In Roy M. Matney's excellent article, "Adding a Hard Disk" (October 1984, page 203), he reiterated a common misunderstanding about my software product, The Norton Utilities. I would like to explain what my programs can and cannot do, and why.

As many of your readers know, my Norton Utility programs provide file recovery (UnErase) and disk exploration (DiskLook) features for the IBM PC family. However, in the past they have not worked on most unconventional disks: RAM disks, quaddensity disks, JFORMAT 10-sector disks, or any hard disk that wasn't in one strict format.

Many people—including Mr. Matney have assumed that this was because my programs worked "below the BIOS." Actually not. All disk operations were done through conventional PC BIOS services. My programs did not work on more disk formats for a much worse reason: simply because I had coded these programs rather rigidly on the framework of five standard IBM disk formats. It was a lack of flexibility in my programming that restricted their use from wide application.

I am happy to say that I have mended my ways. Version 3 of my Utilities does all of its disk work completely at the DOS level (a full level higher than the BIOS) and is carefully written to adjust to any reasonable disk format. The version 3 programs run beautifully on RAM disks, partitioned hard disks, the PC AT's 1.2-megabyte highcapacity disk, quad-density micro disks (such as those in the Data General/One), and many others.

Version 3 of the Norton Utilities is in beta test as I write this and is planned to be released to the public in mid-December 1984. Owners of old versions can upgrade for a \$25 charge.

For those who are interested, here is a summary of what's new in version 3: the programs automatically adjust to the format of the disk they are working with; the programs are virtually DOS-generic, so that they would work on nearly any MS-DOS computer; a new set of disk-management services, dubbed the "hard disk helpers." has been added; overall, the character of these programs has been shifted toward the needs of nonexpert computer users: the programs are easier to understand and use and have features with broader appeal. I'm not leaving the experts unsatisfied, though: my betatesters; experts all, have been giving version 3 lots of applause.


PETER NORTON Santa Monica, CA

I enjoyed Roy Matney's informative article, "Adding a Hard Disk," on hard-disk upgrades. However, it is incorrect to say that the Norton Utilities will not work with our controller. The Norton program is expecting 305 DOS cylinders, no more, no less. Our system gives you more than that. By using FDISK.COM to reduce the number of DOS cylinders to 305, the Norton Utilities will perform as expected.

> CHRIS TIPTON Director of Technical Support Maynard Electronics Casselberry, FL

CLUSTER ANALYSIS

Rob Spencer's article. "Cluster Analysis" (September 1984, page 129), is a jewel. In the midst of all the recent articles on structuring BASIC by executing subroutines (continued)



Call Oryx and order by phone ...without a single hang-up!

IBM/PC SOFTWARE

Alpha Software Data Base Mgr II \$179
Arrays, Inc.
Home Acct. +\$ 95 Home Acct. w/
Tax Advntg\$139 Central Point
Copy II PC \$34 CompuView
Vedit
VPrint
Connecticut Software Printer Boss
w/ Letter Boss\$79 Above w/ Side Kick 119
Creative Software
Creative Filer\$ 39 Creative Calc\$ 39
Creative Writer
(Filer, Calc, Writer) 109
Digital Research Concurrent CPW 86 \$240
CP/M-86 49
C Language/Comp 240
Others Call Dow Jones
Market Analyzer \$229
Market Manager 189
Spreadsheet Link 179
Ecosoft, Inc. Microstat\$259
Electronic Arts
Get Organized\$159 Enertronics
Energraphics \$259
w/ Plotter Option 299
Fastware Thor (the thought organizer \$245
Financier, Inc.
Financier II \$119 Fox & Geller
Grafox
R-base 4000)\$175
Superfile \$149
FYI 3000 287
Sort Facility
Harvard Software Project Manager \$249
Lifetree
Volkswriter Deluxe \$179 Volkswriter Scientific 359

Living Videotext Think Tank (256K)...... \$139 MDRS Knowledge Man \$299 Menlo Corp. In Search..... \$299 Micropro Wordstar ProPak (WS, CS, MM,SI)..... \$299 Wardstar 199 Professional Options Pak \$129 ProPak Plus (WS, CS, MM, SI, TM) \$399 TeleMerge 109 Microrim R-base 4000 \$279 R-base Clout 169 R-Writer..... 99 Prog Interface 259 Microsoft Flight Simulator II.....\$ 39 Project 1.01 199 C Comp...... 309 Basic Comp 249 Word 1.15..... 229 MuMath/MuSimp 199 (All Microsoft products provided in MS DOS.) Morgan Computing Prof Basic.....\$ 79 Trace 86..... 99 Pathfinder..... 59 Multimate Call **Northwest Analytical** Statpak.....\$365 Peter Norton Computing Norton Utilities......\$ 55 Peachtree PeachText 5000...... \$249 Series 8 Accounting Modules \$389 Samna Corp. Samna Word + \$229 Samna Word II..... 369 Samna Word III 439 Satellite Software Word Perfect w/ Sp... \$255 Software Arts Spotlight \$109 Software Publishing PFS: File, Graph Write, Plan ea \$ 89 PFS: Report...... 79 PFS: Access, Proof 69 Sorcim Supercalc III..... \$249 Star Software Systems Acct'g Partner \$229 Acct'g Partner II...... 659

0			
Supersoft C Compiler – 8086 \$350			
Wang Software Grammatik\$ 60 Proofreader\$ 42			
Warner Software Desk Orgonizer \$219			
Westminster Software Pertmaster			
and many more!			

APPLE SOFTWARE

Al-L-C-Marine
Alpha Software Apple-IBM
Connection \$169
Typefaces 69
Arrays, Inc.
Home Acct
BPI Call
Broderbund
Bank Street Writer \$ 45
Bank Street Speller 45 Others
Cdex
All Trng Prog'sea \$ 49
Central Point
Copy II +\$ 34
Digital Research Call
Dow Jones
Market Analyzer \$229 Market Manager 189
Market Manager 189 Spreadsheet Link 179
Eduware Call
Living Videotext
Think Tank \$ 99
Micropro
Pro Pak (WS, SS, MM, SI) \$349
Microsoft
Peachtree
Back to Basics \$149
PeachPak
Series 40 or 80 \$239
Penguin Software Call
Sierra
Frogger\$ 25
Software Publishing PFS: File, Graph,
Reportea \$ 79
Spinnaker Call
Xerox Education

Sticky Bear Series, ea \$ 35

CP/M SOFTWARE

dBASE II CORNE	R
Anderson-Bell Abstat	200
Abstar	207
dBase II	Call
	Call
Fox & Geller	con
dGraph\$	169
Quick Code	169
	58
Human Soft DBPlus\$	90
Sensible Designs	
dProgrammer\$	199
All prices below are fo 8" standard.	r
ATI	
All Trng Prog'sea	\$ 52
CompuView	*100
V-Edit 8080 V-Edit CP/M 86	3130
Digital Research	150
Pascal MT+ w/ SPP	\$389
DR Assembler & Tools	149
CP/M 2.2	300
	125
C Basic	115
C Basic PL/I-80	115
C Basic PL/I-80 Personal Basic Access or	115 375 120
C Basic PL/I-80 Personal Basic Access or Display Mgr	115 375 120 \$299
C Basic PL/I-80. Personal Basic Access or Display Mgr C Lang/compiler	115 375 120
C Basic PL/I-80 Personal Basic Access or Display Mgr	115 375 120 \$299
C Basic PL/1-80 Personal Basic Access or Display Mgr C Lang/compiler All 8" - 86 Version of Above Infocom	115 375 120 \$299 260 Call
C Basic	115 375 120 \$299 260 Call \$ 49
C Basic	115 375 120 \$299 260 Call \$ 49 39
C Basic	115 375 120 \$299 260 Call \$ 49
C Basic	115 375 120 \$299 260 Call \$ 49 39 39
C Basic	115 375 120 \$299 260 Call \$ 49 39 39 39 39
C Basic	115 375 120 \$299 260 Call \$ 49 39 39 39 39
C Basic	115 375 120 \$299 260 Call \$ 49 39 39 39 39 39 39 265
C Basic	115 375 120 \$299 260 Call \$ 49 39 39 39 \$250 265 \$359 Call
C Basic	115 375 120 \$299 260 Call \$ 49 39 39 39 \$250 265 \$359 Call
C Basic	115 375 120 \$299 260 Call \$ 49 39 39 39 \$250 265 \$359 Call Call
C Basic	115 375 120 \$299 260 Call \$ 49 39 39 39 \$250 265 \$359 Call Call \$ 109

MACINTOSH

SOFTWARE
ATI
MacCaach \$ 60
Dow Jones Straightalk
Human Edge
Sales Edge
Intermatrix
MacPhone\$159
Living Videotext
Living Videotext Think Tank\$119
Main St. Software
Main St. Filer \$225
Microsoft
MacBasic V 1.01 \$ 99
MacChart
MacFile 139
Dollars & Sense \$139
Software Publishing
PFS: File, Report . ea \$ 89
T/Maker
T/Maker Click Art\$ 39
T/Maker Click Art\$ 39 Telos Software
T/Maker Click Art\$ 39 Telos Software Filevision\$109
T/Maker Click Art\$39 Telos Software Filevision\$109 Games
T/Maker Click Art\$ 39 Telos Software Filevision\$109 Games Hayden, Infocam
T/Maker Click Art\$39 Telos Software Filevision\$109 Games Hayden, Infocam Penguin, Mirage Concents Sierra
T/Maker Click Art\$ 39 Telos Software Filevision\$109 Games Hayden, Infocam Penguin, Mirage
T/Maker Click Art\$39 Telos Software Filevision\$109 Games Hayden, Infocam Penguin, Mirage Concents Sierra
T/Maker Click Art\$39 Telos Software Filevision\$109 Games Hayden, Infocam Penguin, Mirage Concepts, Sierra, and moreCall HARDWARE Davong
T/Maker Click Art\$39 Telos Software Filevision\$109 Games Hayden, Infocam Penguin, Mirage Concepts, Sierra, and moreCall HARDWARE Davong Disk DrivesCall
T/Maker Click Art\$39 Telos Software Filevision\$109 Games Hayden, Infocam Penguin, Mirage Concepts, Sierra, and moreCall HARDWARE Davong Disk DrivesCall Kensington Microware
T/Maker Click Art\$39 Telos Software Filevision\$109 Games Hayden, Infocam Penguin, Mirage Concepts, Sierra, and moreCall HARDWARE Davong Disk DrivesCall Kensington Microware Swiyel \$29
T/Maker Click Art\$39 Telos Software Filevision\$109 Games Hayden, Infocam Penguin, Mirage Concepts, Sierra, and moreCall HARDWARE Davong Disk DrivesCall Kensington Microware Swiyel \$29
T/Maker Click Art\$39 Telos Software Filevision\$109 Games Hayden, Infocam Penguin, Mirage Concepts, Sierro, and moreCall HARDWARE Davong Disk DrivesCall Kensington Microware Swivel\$29 Surge Supressor\$399 Memorex
T/Maker Click Art\$39 Telos Software Filevision\$109 Games Hayden, Infocam Penguin, Mirage Concepts, Sierra, and moreCall HARDWARE Davong Disk DrivesCall Kensington Microware Swizel\$29 Surge Supressor45 Modem\$399
T/Maker Click Art\$39 Telos Software Filevision\$109 Games Hayden, Infocam Penguin, Mirage Concepts, Sierro, and moreCall HARDWARE Davong Disk DrivesCall Kensington Microware Swivel\$29 Surge Supressor\$399 Memorex



ALS

ALS
CP/M Card \$269
Smarterm II 119
Z-Engine 139
CCS 7711
Asynch Serial\$ 99
Microsoft
16K Ramcard\$ 69
Softcard
Softcard + 449
Prem Softcard (IIE) 335
Microtek
Printer I/F\$ 75
Dumpling-16K 169
Dumpling-GX 89
Mountain
A-D/D-A Call
Music System \$349
Orange Micro
Grappler + w/ buffer . \$175
Prometheus
Versacard\$159
Video-7, Inc.
V-Color RGB cards Call
Videx
Videoterm VT-602 \$249
Ultraterm 249



AST Research Six Pok + 64K (exp 384K, S/P, Clk) .. \$279 MegaPlus 64K, (Cl/Cal, S Part, 512K cap \$279 w/ Megapak) Extra ports available for Megaplus and I/O Plus II (Game, P or S).....\$ 40 Megapak 256K upgrade for Megaplus. Call I/O Plus II Cl/Cal and \$ Port..... \$139 Maynard Electronics Floppy Drive Cntrlr.... \$139 w/ Par Port..... 169 w/ Ser Port..... 179

Sandstar Call

Parodise Quadram Tecmar

POLICY:

- Wisconsin residents add 5% for sales tax.
- ► Minimum \$4.00 for shipping, handling and insurance for orders to \$200.
- ▶ For orders over \$200, add 2½% for shipping, handling and insurance.
- For cash prepayment of orders \$200 or more, add ONLY 2% for shipping, handling and insurance.
- Foreign either add 15% handling & shipping (Int'I money order) or inquire.
- Prices are subject to change without notice.
- All items subject to availability.

Orange Micro	
Mr. Chips	Call
w. cnps	Cuii

Orchid Technology the "Orchid Blossom"
(To 384K, Clk w/ alarm,
S&P ports, ram disk,
disk caching, upgrade- able to PCNet) Call
Quadram
Quadboard 64K, (exp

384K, Clk/Cal, S&P Parts, Software)..... \$269 Microfazer Stack Printer -P/P 8K (exp 512K) \$139 -S/P 8K (exp 64K) 149 -S/S 8K (exp 64K) 149 Quadlink 64K Memory (allows Apple SW ta run on IBM/PC) \$469 Other Products..... Call Tecmar Graphics Master \$479

Captain's Board	299
1st Mate	
2nd Mote	
3rd Mate	379
Jr. Captain (128K, C, P)	
Jr. 2nd Mate (C, P)	129
N 1 (14)	

Xedex/Microlog Baby Blue..... \$325 Baby Blue II 525

DISPLAY CARDS Amdek MAI Card \$399 Fredericks/Plantronics Colorplus... Call Hercules Graphics Board.....\$349 Color Board 199 MA Systems PC Peacock Color Board \$249

Display Card (clr/monochrome). \$379 Modular/Display.... 359

Quadcolor 1 \$199 Quadcolor II..... 389

Graphic Master..... \$479

DISK DRIVES

CDC 1800	\$209
Corona	Call
Corvus Hd	Call
Datamac Trustor 10H (for Macintosh, Ile, PC)	Call
Davong Hd	Call
Maynard HD	Call
Tall Grass For Wisconsin customers	Call
Tandon TM-100-2	\$199

Mountain, Inc.

FileSafe Combo Disk/Tape Pack for the IBM PC or XT Model 01-4000-04: 35MB HD w/27MB tape backup Model 01-4000-06: 35MB HD w/60MB tape backup. For more info...... Call

MONITORS

Amdek 300A Amber \$149 310A 199 300 Chr 299 500 Clr RGB 449 710 Clr Non Glare 649 NEC JB1201-12" Green..... \$169 JB1260-12" Green 119 JC1216 RGB 429 Panasonic CT160 10" comp Call PGS HX12 RGB Clr \$489 MAX 12 189 SR12 (690 × 480 Res) ... 639 Doubler Card..... 175 Quodram Quadchrome \$489 Sanyo 8112 12" HR Green \$195 Taxan 440..... \$679

USI 1200A 12" HR Am..... \$139 7 enith 135 (RGB or comp).... \$499

MODEMS

Hayes Smartmodem 300 \$195 Smartmodem 1200 489 Smartmodem 1200B 399
Prometheus Promodem\$399
Quadram Quadmodem\$529
US Robotics Auto-Dial 300/1200 \$459 S-100 Modem
Password 525
Zoom Telephonics Networker w/o SW \$109

PRINTERS

C. Itoh Electronics, Inc.	
8510 AP (Par)\$34	19
8510 PC-II (Ser)	.,
(w/ 3K Buffer) \$49	79
1515P 59	
Starwriter	
F10-40P (40cps) \$99	99
A10-205 (20cps) 52	29
Diablo	
630 ECS Co	all
Juki Industries	
6100\$3	99
NEC	
Okidata 82-93 Co	all
Printek, Inc.	
920 S/P \$20.	50
Quadram	
Quadjet C	all
Star Micronics	all
Teletex T1014 \$3	99
Transtar	
T-130 P&S \$6	59
T-315 P - Dot Matrix. 4	
T-120 P&S 4	75
and much more.	

DISKETTES

3M, CDC, Maxell, Verbatim, Ultra Magnetics Call

PLOTTERS

Amdek DXY-100\$599 Amplot II
Enter Sweet P Six Shooter Call
Houston Instruments Call
Panosonic VP6801P Plotter \$1375

MISC.

Alpha-Delta "MACC" Surge Pratector\$ 69
Computer Accessories Power Director
Electronic Protection Devices Lemon / EC I\$ 45 Lime / EC II65 Oronge / EC IV105
Houppoge 87 Chip\$159 Other ProductsCall
Kensington Masterpiece Call
Keytronic KB 5150 \$169 KB 5151 175 KB 5151 Dvorak 175 Street Electronics Call
TG Call
Versa Computing VersaWriter\$239

A variety of complete PC compatible systems are available at Oryx. For assistance in determining your needs use our technical line? We will be happy to provide full support.


WE WELCOME:

- Visa, MasterCharge and American Express. (No charge for credit cards.)
- Corporate, government or educational volume purchases, please ask for special accounts desk for additional discount. (1-715-848-1374)
- COD (Add \$2.00 per box/parcel. Cash or certified check required.)
- Checks. (Allow 1-2 weeks for cleoring.)

WORKING HOURS:

Monday-Friday 8:30-6:00 • Saturday 10:00-2:00 (Ordering Lines only) • Central Time For tech. support, order status and customer service, call (715) 848-1374 (M-F, 8 am to 5 pm)

Inquiry 241 for Hardware. Inquiry 242 for Software. Inquiry 243 for February Specials.



CRAFTSMEN OF THE NEW TECHNOLOGY 1 800 826-1589

ORYX SYSTEMS, INC.



425 First Street • P.O. Box 1961 Wausau, Wisconsin 54401 INT'L TELEX: 260181 ORYX SYS WAU each time anything is to be accomplished, his program succeeds in accomplishing its task simply and clearly with only one GOTO and only four GOSUB instructions in the body of the program, plus the two recursive GOSUB instructions in each subroutine. Only five line numbers are referenced in the entire program.

The problem with the "structured BASIC" proponents is that in general they want us to write BASIC programs as if they were really Pascal. Let's face it: It may be proper German to put a verb at the end of a sentence, but in English that is bad grammar. The goal is to write clear programs. What purpose would have been served by inserting in Mr. Spencer's program lines such as:

31 GOSUB 40 ' initialize

32 GOSUB 140 ' get data, do basic stats 33 GOSUB 240 ' do means

The goal is to write clearly with the tools given us, not to emulate one language from within another.

W. HOWARD CORNELSEN JR. Houston, TX

The September issue was outstanding. Two programs presented in it—'Cluster Analysis'' by Rob Spencer and ''Fractals'' by Peter R. Sørensen—give the micro owner a wonderful opportunity to use a program running on a computer as a way of understanding important phenomena. This aspect of computer literacy is not often stressed, and articles such as these serve such a purpose.

> BENJAMIN W. WHITE Tiburon, CA

DATABASE TYPES

Every once in a while BYTE carries an article that really makes me sit up and take notice. I wish that I had seen Rich Krajewski's article. "Database Types" (October 1984, page 137), a couple of years ago.

I had need of a database program to run on my Commodore 64 but really had no way to know which program to buy. Actually, none that I read about sounded right for me. So I wrote my own. Now, as I am in the middle of revising my program, I discover in your October issue that I have a "free-format database." Too bad I didn't know what to look for before. But, actually, I'm not sure that there was, or is, such a program for the Commodore 64.

I teach at Southern Arkansas University– El Dorado. Each year I need to select an outstanding student from science and math to be honored at graduation. And I need to select students for nomination to "Who's Who." Frequently I hear from a student who would like me to write a letter of recommendation. With my Database program, I can print out my records for all students that got an A for any particular semester, and in any particular course if needed. Or I can print out all the information that I have on a particular student.

Recently I have been computerizing my card file. When finished, I will be able to call up all references to databases, or to dot-matrix printers, or on using solar energy to heat pools.

If any reader of BYTE would be interested in trying "Database" on his Commodore 64, send me a disk and a check for \$5. I'll return a copy of the program and documentation.

> JACK RYAN Rte. 5, Box 244 El Dorado, AR 71730

I have been searching for databases that will fulfill my own requirements as well as requirements for clients over the past several months and found your articles very helpful. There was, however, one change to your coverage that other "searchers" might find helpful. Savvy, by Excalibur, now runs on MS-DOS as well as on its own operating system. It requires MS-DOS version 2.0 or later. With this enhancement, I have found it to be an unbeatable value for most applications. It is easy to use, complete, powerful, and very well supported. Its documentation is excellent, a real rarity in the marketplace-and in the industry.

> WARREN S. NAKISHER Falls Church, VA

WHAT'S "FRIENDLY"?

I wonder if you have any idea how overused and undefined the word "friendly" is when used to describe a computer system? I have found that every user community has a different idea about that, and even the same users will feel differently about it with use.

I believe we should be simply talking to our users rather than trying to define friendly within the computer community. This kind of action requires that we get hardware and operating systems that are as flexible as possible and that we write applications to react to the needs of the users. This is hard to do when writing for a large unknown user, and perhaps this is the reason most software is deemed unfriendly.

I think the most unfriendly operating sys-

tem is UNIX, but I really like that system, and many users will call it friendly because it is flexible and permits the programmer to write friendly applications. I would be interested to hear comments on this.

> JOHN L. BEAL Phoenix, AZ

PSEUDORANDOM NUMBERS

Your article by Charles A. Whitney entitled "Generating and Testing Pseudorandom Numbers" (October 1984, page 128) is a good tutorial on examining the periodicity of pseudorandom sequences used in Monte Carlo and other simulation techniques. To this end, I would like to contribute the two-line program below for IBM PC DOS 2.0 to further demonstrate the inherent periodicity of the BASICA RND (and other) pseudorandom functions.

- 10 RANDOMIZE TIMER: KEY OFF: SCREEN 1: CLS
- 20 X = 320*RND: Y = 200*RND:
 - C = 4*RND: PSET (X, Y), C: GOTO 20

The program is intended to graphically demonstrate periodicity as spatial/color banding. Such banding indicates a clear recurrence of pseudorandom triplets repeatedly formed for X, Y, and color.

Other than an interesting star-like twinkling effect, this graphical technique has considerable value in visually inspecting both the periodicity and distribution (uniform, Gaussian, etc.) of other pseudorandom sequences.

> H. J. SOMMER III University Park, PA

THE ORIGIN OF "FOO.BAR"

I have been working with computers for 26 years, and I *still* don't know the origin of the words "FOO" and "BAR" which appear in just about every language manual I've read.

Are they Ada Lovelace's boyfriend's middle names? Or perhaps they are magic words from an early adventure game. (They never work for me.)

Someone out there must know.

Ретек Sмітн Kenmore, Australia

We believe "FOO.BAR" started out as "FUBAR," an unofficial military acronym for Fouled Up Beyond All Recognition. Perhaps often used as a test filename, FUBAR may have been altered to FOOBAR when a large computer manufacturer's file specification required six characters. We're curious too.■

ADD-INS

PC Chinese Software Bridge

The CCC-PC Chinese Character Generator Card from Multitech Industrial Corporation lets you run Chinese applications software on your IBM 5550 and IBM PC. This card plugs into an IBM expansion slot and gives you the ability to display and print out Chinese characters.

The CCC-PC card stores Chinese characters in a 2-byte international code using a technique known as the Dragon Coding Method. This method is said to reduce 17.000 characters to 24 alphabet-like symbols. The CCC-PC supports the method in two modes: one for beginners and the other for experienced Chinese encoders.

Other input/output methods on the CCC-PC include telegraphics. lightning, national phonetic alphabet, and internal code dictionary.

The CCC-PC supports IBMcompatible TTL-input monochrome monitors with a 40-character by 25-line display for Chinese characters and an 80 by 25 format for ASCII characters. The resolution uses a 16- by 16-dot character cell.

The CCC-PC is available to original equipment manufac-


IBM PC Color-Graphics Board for S-100


A n IBM PC-compatible color-graphics display board for S-100 bus systems is available from CompuPro. The PC Video Board runs under CompuPro's Concurrent DOS 8-16 with Digital Research's IBM PC-compatibility module, and it works with Digital Research's GSX graphics software.

Built around the Motorola 6845 video-display controller, this board can be programmed to produce an assortment of timing characteristics for a variety of color and monochrome monitors. It features 16K bytes of static CMOS RAM, 24-bit memory addressing, 16-bit addressing for I/O ports, and variable wait states, which provide independent access to up to eight boards.

In its color mode, the board permits graphics screens of 160 (horizontal) by 200 pixels (vertical) in 16 colors using an alphanumeric 4- by 2-dot character box, 320 by 200 pixels in four colors, or 640 by 200 pixels in one color plus black.

The alphanumeric screen uses an 80 or 40 by 25 format and an 8- by 8-dot cell with a 7- by 7-dot





turers and end users. Contact Mr. William Lu, Multitech Industrial Corp., 266 Sung Chiang Rd., Taipei,

character within the box. A

256-character ROM gener-

ates uppercase and lower-

case characters with single-

line descenders. Direct-drive

sync, vertical sync, RGB TTL,

In its monochrome mode,

outputs include horizontal

and half- and full-intensity.

the PC Video Board pro-

duces a graphics screen

with a 320 or 640 by 200

resolution. Its alphanumeric

screen in this mode has the

same column and line sizes

uses a 9- by 14-dot charac-

ter cell with a 8- by 12-dot

ROM generates character

sizes in upper- and lower-

ter attributes as underline,

blanking, and reverse video.

Direct-drive outputs include horizontal sync, vertical

sync, video dots, and half-

The PC Video Board is

\$495. Contact CompuPro,

Hayward, CA 94545, (415)

3506 Breakwater Court,

and full-intensity.

786-0909.

Inquiry 616.

cases with fully formed

character. The 256-character

descenders and such charac-

as in the color mode but

Taiwan, Republic of China; tel: (02) 551-1101; Telex: 19162 MULTIIC. Inquiry **615**.

2K Programmable Microcontroller

T he MC-1Z is a 3- by 4-inch microcontroller with 2K bytes of RAM and 40 fully programmable I/O lines. Its resident programming language is Integer BASIC, making the MC-1Z suitable for such applications as instrumentation and process control.

This board is built around a Zilog 8671 microprocessor. It can be upgraded to 16K bytes of RAM, or it may be equipped with a 4K- or 8K-byte EPROM. Standard equipment includes a clock/ calendar, two timer/counters, six interrupts, and an EPROM receptacle. With more cabling, the MC-1Z can be linked to an RS-232C terminal for applications programming. Its data rates range from 110 to 19,200 bps.


The MC-1Z comes with complete hardware and software manuals. Prices begin at less than \$200. Contact Basicon Inc., 11895 Northwest Cornell Rd., Portland. OR 97229, (503) 626-1012. Inquiry **617**.

(continued)

ADD-INS

X.25 Interface for PC

The PC-X25 is an X.25 communications interface for the IBM Personal Computer. A plug-in board, the PC-X25 comes with supporting software that provides a menu-driven environment for accessing network services, exchanging messages, and transmitting



Apple IIe Video Card

heckmate Technology has announced the MultiView 80/160 Card, a video card that displays from 80 to 160 characters per line on a 12-MHz monitor. The MultiView 80/160's seven screen sizes are 80 characters by 24 lines. 80 by 32, 80 by 48. 96 by 24, 132 by 24, 132 by 30, and 160 by 24. Screens longer than 24 lines require a monitor with a longpersistence phosphor. The user can view each screen size in wide-angle mode for easier reading.

The MultiView 80/160 also adds up to five prompt lines to the standard screen display. The card uses an 8 by 9 matrix with true descenders to create a letter-quality character set. Characters can be displayed as bold, inverse, normal, or underlined. You can reversescroll up to 4096 characters.

The MultiView 80/160 installs in the Apple Ile's slot 3. It lets you use the 64K bytes of memory of an extended 80-column card in the auxiliary slot. Through MultiView, you can access the extra 64K bytes by using BASIC commands. The card is compatible with CP/M, Apple Pascal, DOS 3.3, and ProDOS. MultiView is priced at \$349.95. Contact Checkmate Technology Inc.. 509 South Rockford Dr., Tempe, AZ 85281-3021, (602) 966-5802. Inquiry 619.

files. Data transmission rates

The PC-X25 has received

PTT approval in the United

Kingdom, France, Holland,

proval is imminent in the

rest of Europe and Aus-

is £1000, Contact S-Com

Computer Systems Engi-

neers Inc., Tower House,

inghamshire, HP20 ISQ,

High St., Aylesbury, Buck-

England; tel: (0296) 32023;

Telex: 837520 ADTRAV G.

tralasia.

Inquiry 618.

Japan, and Switzerland. The

manufacturer claims that ap-

United States as well as the

The single-license charge

range up to 19,200 bps.

Multifunction Card for Apple IIe

A ST Research's Multi-I/O board for the Apple IIe offers a serial printer port, a communications serial port, and a ProDOS-compatible clock/calendar with battery backup. It also includes an on-disk tutorial program, clock read/set, text-file listing, graphics dump,

Greeting Card Security

The Greeting Card prevents unauthorized use of your Apple II, II+, or Ile. This single card has a 2K-byte nonvolatile memory that holds a security program that gives your Apple password protection. It can be used for posting short messages, and it can hold up to eight assemblyphone dialer, modem or remote-terminal print, and screen time-display utilities package.

The price for the complete package is \$235. Contact AST Research Inc., 2121 Alton Ave., Irvine, CA 92714, (714) 476-3868. Inguiry **620**.

language programs, which can be set to run when the Apple is booted up.

The Greeting Card requires 48K bytes of RAM and a disk drive. The price is \$69.95. Contact Birchem Computer Products, 5728 Thames Way, Carmichael, CA 95608, (916) 489-7542. Inquiry **621**.

A/D Cards

A ction Instruments offers a line of plug-in, IBM PC-compatible analog and digital I/O cards for industrial process and laboratory applications.

The ACIP-AI04 accepts 4 analog inputs, transmits 2 analog outputs, and provides 12 channels of configurable digital I/O, all with 12-bit resolution. The AICP-AI016, also with 12-bit resolution, accepts 16 singleended or 8 fully differential inputs. The AICP-AI08 handles 8 single-ended, \pm 5-volt inputs and provides 7 channels of digital I/O.

Both the AICP-RTD15 and the -TC15 are designed for temperature applications. Each accepts up to 15 input channels and provides 500-volt input-to-expansion bus signal isolation.

The AICP-SG4 enables the IBM PC to monitor and control force, strain, and pressure applications. A general-purpose, low-level analog card, the SG4 provides 8 outputs and sources its own excitation voltages for direct connection to load cells, strain gauges, and pressure transducers. Also standard are front-end filtering and individual on-board channel alarm set points.

The AICP-DIM32 has 32 input channels, and the -DOM32 has 32 output channels. Both are designed for interfacing multiple digital signals to the IBM PC and can connect with industrial, isolated high-level I/O racks. They provide positive or negative true TTL-compatible logic levels.

Prices range from \$250 for the AICP-DIM32 to \$1295 for the thermocouple, RTD, and strain-gauge cards. Contact Action Instruments Inc.. 8601 Aero Dr., San Diego, CA 92123, (619) 279-5726. Inquiry **622**.

PERIPHERALS

Omninet for the Mac

C orvus Systems' Omninet local-area network can connect up to 63 Macintoshes at distances up to 4000 feet and run at 0.7 megabits per second. This card is built into the computer interface cable; you plug the cable into the modem port of the Mac.

The connections for Omninet are \$200. Disk drive costs depend on amount of memory: \$1795 for 5 megabytes, \$2495 for 10 megabytes, \$3495 for 16 megabytes, and \$4995 for 45 megabytes. Contact Corvus Systems Inc., 2100 Corvus Dr., San Jose, CA 95124, (408) 559-7000. Inquiry **623**.

. . .

High-Speed Printer

The OT-700 dot-matrix printer from Output Technology uses an advanced print-head technique to reach a maximum speed of 700 characters per second. It also features correspondence-quality printing at 350 cps and dot-addressable graphics capability in two modes: 50 by 69 dots per inch for high speed or 100 by 69 dpi for high resolution.

Centronics parallel and RS-232C serial interfaces and a 4K-byte buffer are standard. You use menudriven program commands to configure the OT-700. Numerous character sets, including foreign languages.



Graphics and Letter-Quality Print

S tar Micronics has announced the Star SB-10, a letter-quality, dot-matrix printer. The Star SB-10 produces text at two speed and quality settings: letter quality at 60 cps and draft quality at 120 cps. It also can combine letter-quality text with graphics.

The printer's character fonts include pica, elite, condensed, proportional, expanded, emphasized, and double-strike. It has a standard Centronics parallel interface plus optional serial (RS-232C) and GPIB (IEEE-488) interfaces. Some of the Star SB-10's features are continuous underline, vertical and horizontal programmable tabs, self-test, left and right margin set, and bit-image column scan.


The Star SB-10 is \$995. For details, contact Star Micronics Inc., 200 Park Ave., New York, NY 10166, (212) 986-6770. Inquiry **626**.

(continued)



The printer has 136-column carriage width, and paper feeds from the front or bottom of the case. The control panel features membrane switches and LED indicator lights.

The OT-700 sells for \$1595. Contact Output Technology Corp., Suite 205, 606 110th Ave. NE, Bellevue, WA 98004, (206) 453-9794. Inquiry **624**.



Multiuser Hard Disk for the IBM

A multiuser, 38-megabyte hard-disk drive for the IBM PC or PC XT is available from Adcomp. Up to 16 microcomputers can access the system, which includes a removable 6-megabyte disk drive for backup. Its modular design lets you expand it to use more computers and up to 100 megabytes of memory. Adcomp also offers readymade file administration for multiuser applications. One computer supervises the access administration for the others while it remains functional as a workstation.

The hard-disk system costs \$3995. Contact Adcomp Datensysteme GmbH, Olgastrasse 15, D--8000 Munich 19; tel: 011 (49) 89-129-80-45; Telex: 52 16 271. Inquiry 625.

NEW SYSTE MS


Passport Comes with Hard Disk

A nderson Jacobson's AJ Passport/PHD desktop computer gives you both floppy- and hard-disk storage. The system behind the storage has 256K bytes of dynamic RAM, on-board color, graphics, and five expansion bus slots. An MS-DOS 2.11-compatible operating system, TeleDOS controls operations.

Based around Intel's 8088 microprocessor, the Passport/PHD comes with an asynchronous RS-232C serial communications port, a parallel Centronics-type printer port, a single internal IBM PC-format bus slot, and RGB and composite-video connections. It has fifteen data rates, ranging from 50 to 9600 bps.

The slimline 5¼-inch floppy-disk drive provides 360K bytes of formatted storage, and the 3½-inch hard disk offers 10 megabytes. The floppy-disk transfer rate is 250K bits per second. The hard disk offers a 5-megabit per second transfer rate.

The Passport/PHD has a 12-inch amber display with a nonglare surface that tilts and swivels. Graphics capabilities are supported by 16K bytes of dedicated memory. The monochrome



display resolution is 640 by 200 pixels. The color resolution is 320 by 300 pixels. The IBM PC-style keyboard

features 83 keys, with a numeric pad and 10 programmable function keys. The Passport/PHD is \$4095. which includes integrated word-processing, spreadsheet, and databasemanagement programs. Contact Anderson Jacobson, 521 Charcot Ave., San Jose, CA 95131, (408) 945-9030. Inquiry **627**.

A Wyse Line of IBM PC-Compatibles

W yse Technology has unveiled a line of IBM PC-compatible computers.

The WYSEpc Model WY-1100-1 is an entry-level system. It comes with a pair of 360K-byte double-density floppy-disk drives, 256K bytes of RAM, two serial ports, and a parallel printer port. A 14-inch tilt-andswivel monochrome display and a 101-key keyboard are standard. Two expansion slots provide room for IBM PC-compatible options.

The IBM PC XT-compatible Model 1100-2 comes with a 10-megabyte Winchester hard-disk drive and one floppy-disk unit.

Both units are shipped with MS-DOS 2.11 and GW-BASIC and are offered with a color graphics option. Other options include 256K bytes of RAM, a real-time clock/calendar, battery backup, and an expansion chassis with four IBM PCcompatible slots.

The Model 1100-1 is \$1995, while the Model 1100-2 is \$3495. The color graphics option is \$500. Contact Wyse Technology, 3040 North First St., San Jose, CA 95134, (408) 946-3075. Inquiry **628**.

Datapoint Announces 32-bit Computer

The Datapoint 3200, a 32-bit computer has a UNIX-like operating system known as UNOS. The 3200 can serve as a stand-alone system and as a member of Datapoint's ARC intelligent local-network system.

UNOS, which is said to optimize 68000 performance, provides such file-management capabilities as multitasking, device-independent I/O, dynamic file allocation, I/O redirection, and hierarchical directory structure.

Software options for the 3200 include C. RM/COBOL, and a business programming language. Ace Microsystem's LEX word processor and Microsoft's Multiplan are supported.

The 3200 has dual 68000 microprocessors. One 68000 has a 4K-byte cache memory for application processing at a 12.5-MHz clock rate. The second 68000 organizes I/O.

Presently, two models are available with a variety of options, including up to 8 megabytes of RAM, three types of terminals, three different printers, and a 2780/3780 communications adapter. The 3200 can support 28 Datapoint terminals.

An entry-level 3200 comes with I megabyte of RAM, cache memory, and four

serial ports. A 1-megabyte 8-inch floppy disk and a 32-megabyte hard disk provide mass storage. The base system price is \$15,430 through Datapoint's ISO and end-user direct-sales force. UNOS is \$1000, and a network adapter is \$2500. For more information, contact Datapoint Corp., 9725 Datapoint Dr., San Antonio, TX 78284, (800) 334-1122. Inquiry **629**.

SOFTWARE • APPLE

Musical Macintosh

E ven if you can't read a note of music, you can use MusicWorks to create and perform music on a Macintosh. MacroMind, developer of the software, claims the program enables anyone to compose and edit simple melodies or fully orchestrated symphonies. The compositions can then be played back with as many as four voices simultaneously over an eight-octave range, and you can assign each

MacManage Projects

A project-management tool for the Macintosh, MacProject enables you to draw a schedule on the screen and enter beginning dates, required completion dates, resources, and fixed and variable cost data for each task. MacProject then calculates the start and finish dates.

The program features "what-if" analytical capability that lets you instantly recalculate dates, resources, and expenses when variables are introduced into a project. You can cut and paste sections of projects into other project schedules or into files created with MacWrite. You can also transfer cost data to Multiplan for further analysis. Schedules, resources, and tasks can be represented in tables.

MacProject can accommodate up to 200 jobs on the 128K-byte Macintosh and up to 2000 jobs on the Lisa 2 or the 512K-byte Macintosh. Available from authorized Apple dealers, the package has a suggested retail price of \$125. Contact Apple Computer Inc., 20525 Mariani Ave., Cupertino, CA 95014, (408) 996-1010. Inquiry **631**. voice any one of eight musical instruments. You can vary the tempo, intensity, timbre, and meter.

MusicWorks features two composing options. In the first method, you place notes and rests on a conventional staff. In the second method, you place boxes on a matrix grid that resembles the keys of a piano. The program automatically updates the composition in standard notation

High-Level Language

Based on the FORTH language model, SkyForth 1.3 is a development system for the Apple II series. According to the vendor, Sky-Forth can execute 10 iterations of the Sieve of Eratosthenes benchmark in 139 seconds and alphabetize 2000 five-character names in 5.2 seconds.

The language, including its source-code editor, resides in the upper 16K bytes of the computer. Since the editor/compiler is always resident, you can write, compile, and test programs quickly. SkyForth reads and writes its programs as continuous Apple DOS 3.3 files. You can save finished programs and overlays as object code.

The developer features a full assembler, utility and debugging routines, and a turnkey, run-time package. SkyForth's kernel includes words to handle floatingpoint math, 32-bit integers, memory moves, sorts, list structures, and windowed graphics.

A single-user license costs \$99. Contact Tosch Information Management, Dept. S. 16025 10th Ave. SW, Seattle, WA 98166, (206) 246-3839. Inquiry **632**. and can print scores for one instrument or for an ensemble.

The program comes with sample songs that you can edit and rearrange. The manual includes an introduction to the basics of music.

MusicWorks for the Apple Macintosh costs \$79.95 and is being marketed by Hayden Software Company Inc., 600 Suffolk St., Lowell, MA 01854, (617) 937-0200. Inquiry **630**.

Introduction to CAD

W ith CADAPPLE—Entry Level, you can learn and apply the fundamentals of computer-aided design (CAD). The program features menus and single-stroke operation, built-in error recovery, and floating-point internal calculations.

The package provides lines, arcs, circles, rectangles, ellipses, polygons, and text. You can select grid spacing and divisions in both x and y axes independently, in "real world" coordinates. and change them at any time. You can input with a keyboard, joystick, mouse, or KoalaPad. Any distance can be dimensioned automatically. You can scale objects or groups of objects independently, rotate them to any degree, or delete (or undelete) them. Windowing functions let you zoom in and out of a drawing or pan across it. Drawings are done on a plotter.

CADAPPLE—Entry Level costs \$495 and runs on an Apple II or II+ with 64K bytes of memory and on an Apple IIc or IIe. Contact T & W Systems Inc., Suite 106, 7372 Prince Dr., Huntington Beach, CA 92647, (714) 847-9960. Inquiry **633**.

System Helps You Search Information Databases

S earchware has developed a software system that enables an Apple computer to access and search information databases. The system emphasizes a knowledge of the subject you are investigating rather than familiarity with the search procedures of each database.

According to the company, you don't need to know the syntax of search commands. The program asks you to identify key words in the subject of interest; the search strategy is then developed off line, which can reduce search-time charges. When the strategy is complete, the computer automatically dials the phone number of the database, logs on, transmits the search strategy, records the results of the search either on paper or on floppy disk, and then logs off and disconnects.

You can search at three levels. The first level takes care of commands, syntax, and logic. At the second level, the software develops and transmits the search commands, but you create the logic. The third level lets you search on line.

Searchware bills monthly for search-time charges. There is no minimum monthly charge.

The company is offering an automated demonstration program for \$15. No modem is required to run this program. Complete software packages start at \$290. A version for the IBM PC is also available. Contact Searchware Inc., Suite E. 22458 Ventura Blvd., Woodland Hills, CA 91364, (818) 992-4325. Inquiry **634**.

(continued)

SOFTWARE • CP/M/MS-DOS

WordStar Commands Placed on Function Keys

K eys Please! with Instant Install gives WordStar users the convenience of single-keystroke operation. This enhancement package. published by Precision Software Products. places all 140 WordStar commands onto function keys and automatically activates all WordStar's printer capabilities. including condensed, bold. and italics. Commands

are grouped by function, and an on-screen command summary line eliminates the need for rote memorization of key combinations.

Hardware modifications or optional boards are not required. Keys Please! with Instant Install runs on CP/M 2.2, CP/M-80, CP/M 3.0, TurboDOS, CDOS, and Cromix systems with 56K bytes of RAM. It also works

Hard-Disk Backup Traps Errors in CP/M-86

BackRest 2.0 is a harddisk drive backup program for such operating systems as CP/M-86, MS-DOS, and MP/M. When used with CP/M-86, BackRest will trap hard system errors, even though that operating system does not support error trapping.

BackRest can interrupt a backup at any time to perform a priority task or to format additional floppy disks. After the interruption, it can resume the backup procedure from where it left off. It locks out bad sectors on the hard disk, and it supports backups to most fileoriented tape devices. Standard features include optional restoration to an alternate drive, automatic restoration, the ability to split large files over several flopwith MS-DOS and PC-DOS version 1.x or 2.x computers with 128K bytes of RAM. Two disk drives are required. A variety of printers are supported. The suggested list price is \$69.95. For more information, contact Precision Software Products, Suite 204, 360 17th St., Oakland, CA 94612. (415) 839-5780. Inquiry **635**.

py disks, backup of sparse files, and local-area network support.

Other DOSes supported include PC-DOS, Concurrent CP/M, CP/M 2.2. CP/M Plus, MP/M-86, and TurboDOS. The suggested retail price is \$180. Contact Stok Software Inc., 17 West 17th St., New York, NY 10011. (212) 243-1444. Inquiry **636**.

Product Generation Utility Eases Rebuilding Process

L attice has announced attice has announced automated product generation utility for MS-DOS. Called LMK, this product functions like a UNIX MAKE facility. LMK is designed to facilitate the making of alterations in a variety of source files. It eliminates the manual reconstruction of a product's source files. Its scope in constructing software, documentation, or file systems is limitless.

Here's what LMK does: Once you have specified the relationships between various pieces of a system, such as source modules, object modules, or chapters of a manuscript, in a "dependency file," you can invoke a single LMK command to automatically rebuild the system. LMK's actions can be any executable command, such as invoking a batch text editor to make replacements in a number of files, applying a file comparator to new and old files, updating a database. or running utilities.

.......

Minimum system requirements are 320K bytes of floppy-disk capacity, 128K bytes of RAM, and MS-DOS 2.0 or 3.0. It runs on computers based on 8086, 8088, 80186, or 80286 microprocessors. The suggested retail price for LMK with full documentation is \$195. For further information, contact Lattice Inc., POB 3072, Glen Ellyn, IL 60138, (312) 858-7950. Inquiry **637**.

Software Connections Supports Networks 1.0

S oftware Connections has announced a line of network applications software that works with Microsoft's Networks 1.0 network-operating system extension. Products available include a relational database-management system, a relational database-applications development tool, and a store-andforward electronic-mail filetransfer system.

Contact Software Connections, 2041 Mission College Blvd., Santa Clara, CA 95054, (408) 988-0300. Inquiry **638**.

Integrated Package Grows with You

vmIV is an integrated T software package that can be expanded as your needs increase. The basic package, known as Anthology, comes with wordprocessing, spreadsheet analysis, and databasemanagement capabilities. For more sophisticated data management, there's Six, a universal database package that lets you save, recall, and edit large quantities of information and print standard or custom-designed reports, forms, and labels.

At the heart of this package is a native C code master program called Execu/Bus. Execu/Bus serves as a common environment by generating uniform commands and screen presentations for all applications. These commands control the start-up and completion of a task as well as provide an interface for data swapping among applications. Operating system utilities can be accessed through Execu/Bus. Utility functions include file backup and copy; rename, delete, and print file; and display directory. A common help facility supports all applications.

Presently, the manufacturer has 18 vertical and horizontal applications in the TymIV series, including financial application templates, plotting software, banking packages, and communications. The TymIV series runs on MS-DOS, PC-DOS, and UNIX System V systems. Anthology is \$495. and the suggested price for Six is \$395. Specialized applications range from \$195 to \$1500. For details, contact InfoTym, TymIV Marketing, 20705 Valley Green Dr., Cupertino, CA 95014, (408) 446-7406. Inquiry 639.

Equation Processor

E quate is an equation processor for the IBM PC and compatibles using DOS 1.1 through 2.1.

It lets you enter up to 799 equations anywhere on screen in standard algebraic notation. A full-screen text editor facilitates equation and explanatory-text entry, and an interactive Constants Window gives you more than 400 physical constants and measurement conversions to insert into equations. Equations or other constants can be added to the window.

Equate evaluates your equations, prompts for undefined variables, and produces 16-bit (doubleprecision) results at the press of a function key. A forms feature helps you devise application worksheets that prompt for data or arrange results into tables. Data cells can be sited at any spot on screen; rows or columns are not mandatory.

Equations, results, and tables can be stored as worksheets. Worksheets may be printed or transferred to a word processor that accepts ASCII files.

The General Worksheet Series Disk I comes with Equate. It provides worksheets for solving simultaneous equations and for calculating standard deviation, variance, and the area and moments of inertia for principal shapes.

Equate comes with an evaluation version that's good for 30 uses. The master disk and related materials can be returned to the manufacturer within 30 days for a full refund. Equate is \$195. Contact Banyan Systems Corp., 5632 East Third St., Tucson, AZ 85711, (602) 745-8086. Inquiry 640.

SOFTWARE • IBM PC

Soft Winchester: Inexpensive, Alternative Hard Disk

The BYSO Soft Winchester program from Levien Instrument Company stores your most frequently used data in RAM so that you can access it quickly. The manufacturer says that with Soft Winchester such programs as WordStar and dBASE II will load or sort hundreds of times faster than from a floppy. Soft Winchester lets you use 1440K bytes of data. If you have data that cannot be accessed from RAM or disk, it prompts you for the disk with the data. It automatically backs up your data to disk, and, once loaded, its operation is transparent. A simple key combination lets you use new 1440K-byte sets of data. The BYSO Soft Winchester runs on 128K-byte IBM Personal Computers, including the PCjr, and true IBM compatibles. A monochrome or graphics adapter is required. It costs \$60. For more information, contact Levien Instrument Co., POB 31. McDowell, VA 24458, (703) 396-3345. Inquiry 641.

FORTRAN and UNIX for AT

Unisource Software Corporation has introduced a UNIX-based FORTRAN-77 compiler for the IBM PC XT and PC AT. In a related development, the Massachusetts-based publisher and distributor of UNIX software also announced an implementation of UNIX for the IBM PC AT. The FORTRAN compiler runs under VENIX on such machines as the IBMs, AT&T 6300, Compaq Plus, Eagle Turbo, MAD I, and DEC Professional 350. It costs \$395. Its UNIX operating system, claims Unisource, is the first licensed implementation of AT&T UNIX for the the IBM

PC AT. This version is

delivered with a System V UNIX license. A full implementation for one or two users retails for \$875. For up to eight users, it's \$1075. For further information, contact Unisource Software Corp., 71 Bent St., Cambridge, MA 02141, (617) 491-1264. Inquiry 642.

IBM Fits the Curves

A curve-fitting program for the IBM PC, Curve Fitter-PC is available directly from Interactive Microware.

Curve Fitter-PC fits curves to experimental or business data. Curve types include polynomial, cubic spline, or Stineman interpolation methods. If you want, leastsquares fitting can produce the standard curve using a polynomial (degree 1 to 6), geometric, or exponential least-squares method. Any or all fitting models can be used to select the best fit. Some statistical measures

of the accuracy of the fitted curve provided are standard

WHERE DO NEW PRODUCT ITEMS COME FROM?


The new products listed in this section of BYTE are chosen from the thousands of press releases, letters, and telephone calls we receive each month from manufacturers, distributors, designers, and readers. The basic criteria for selection for publication are: (a) does a product match our readers' interests? and (b) is it new or is it simply a reintroduction of an old item? Because of the volume of submissions we must sort through every month, the items we publish are based on vendors' statements and are not individually verified. If you want your product to be considered for publication (at no charge), send full information about it. including its price and an address and telephone number where a reader can get further information, to New Products Editor, BYTE, POB 372, Hancock, NH 03449. error of estimates and percent deviation for calculated versus observed values.

Features include curvefitting demonstrations, highresolution (i.e., 320 by 200) graphics, choice of plotting symbols on the same graph for distinguishing multiple superimposed curves, the ability to enter data as *x.y* pairs or as values at fixed intervals, and four text-label locations. Working files can be saved and transferred to programs that accept ASCII data.

Minimum requirements are 128K bytes of RAM, color graphics board, a disk drive, and PC-DOS 1.1. 2.0, or 2.1. The manual alone is \$15; the complete package is \$95. Contact Interactive Microware Inc., POB 139, State College, PA 16804-0139, (814) 238-8294. Inquiry 643.



SW	40W	SW70W		SW8	BOW	SW13	38	SW	150		S3 & S4	R1 & R1A	
No.				Ś	Children of the second		A				Pr		ter .
ITEM		FOR	+5V	-5V	+12V	+12V	-12V	+24V	+8V	±16V	W x D x H in.	TERMINALS	PRICE
SW40W		ALPS DRIVES	2.5A	-	2/2.5A pk.	-	.3A	-	-	-	6.3 x 3.9 x 1.9	MOLEX 5051	\$ 54.95
SW70W		, IBM PC-I, II®	7A		2.5/3.5A pk.	-	.3A	-	-	-	9.6 x 4 x 2.4	MOLEX 126-P1	64.95
SW80W		SOFT DRIVES	8A	.3A	3/4A pk.		.3A		-	-	7.4 x 4.5 x 2.3	MOLEX 2139	74.95
SW138		P/S RPLCMN		1.0A	4/5A pk.	-	1.0A		-	e r H	9.5 x 5.6 x 4.6	MOLEX, AMP.	119.95
SW150	PC WITH H	ARD DRIVES	12A	.3A	4/5A pk.	2.5A	.5A	-	-	-	10.4 x 5 x 2.5	TERM. BLOCK	129.95
R	EGUL. 1% O IOISE, 1% M	N +5V, 5% ON O AX, 50,000 HRS.	THER V MTBF F	OLTAGE	S, 6.2 OVP SE ITY, UL, FCC	TTING ON	+5V, OV ETY & N	ERLOAD &	SHORT ON NORT OF	CIRCU	IT PROTECT, LOV	REGUL: 0.3%, LOAI	3
S ₃ S ₄		, 10 SLOTS	5A	1A	*	-		5/7A pk.	12A	3A	10 x 6 x 5	SOLDER POST	\$105.95
S ₄		, 6 SLOTS		1A	*	-		4/5A pk.		2.5A	8.4 x 5 x 4.8	SOLDER POST	89.95
R ₁	2 FLOPPY		3A.		*	—		3/4A pk.	-	-	8 x 4 x 3.4	SOLDER POST	44.95
R _{1A}	APPLE II F		3A	.5A	3/4A pk.	-	.5A	-	-	-	8 x 4 x 3.4	SOLDER POST	46.95
C64		ILE TO COMMO			,				A & 117 \	AC IN	POTTED & U/L.		19.95
		ANGED TO + 12V										C64	
POWE	ER TRAN	SFORMERS	: (W	тн мо	DUNTING	BRACK	(ET) 0	N SALE			and the second s	A.	20
	PRIMARY	SECOND. #1		SECOND 3 VAC, C1		ECOND. #3		x D x H in 4 x 35/a x 31		1ICE 5.95	SHIPPING:		
	10/120 VAC	2 x 8 VAC/12/		8 VAC, CI		_		4 x 3 ³ / ₈ x 3 ¹ / ₄ x 4 ³ / ₈ x 3 ¹				R SUPPLY: \$6.00 I	
	110/120 VAC	2 x 8 VAC/6A		8 VAC, C		VAC, CT. 3		4 x 43/8 x 31				STATES; \$18.00 IN (
	10/120 VAC	16 VAC, CT, 4		B VAC, CT		VAC, CT, 3		4 x 35/8 x 31				SFORMER: \$6.00	
	10/120 VAC	16 VAC, CT, 4		B VAC, CT		VAC, CT, 2		4 x 35/8 x 31		4.95	STATES; \$12.0	00 IN CANADA.	CALIF.
	10/120 VAC	16 VAC, CT, 3		8 VAC, C		-		3 x 3 x 21/2				0 6.5% SALES TAX	
IBM PC/PC-XT®, APPLE II/III® & COMMODORE C64/C+4® ARE TRADEMARKS OF IBM CORP., APPLE COMPUTER INC. & COMMODORE BUSINESS MACHINES, RESPECTIVELY.													
P.O. BC	IG ADDRE DX 4296 NCE, CA		SA	(21		IY INT USINES 2425	S SINC	CE 1975)	30	MosterCard 2212	PPING ADDRES 29½ S. VERMO RRANCE, CA 90	NT AVE.





S3 & S4 SW70W **SW80W** SW138 SW150 R1 & R1A **SW40W** ± 16V ITEM FOR +5V-5V + 12V + 12V 12V +24V +8V WxDxHin TERMINALS PRICE SW40W TERM. & 2 ALPS DRIVES 2.5A 2/2.5A pk. .3A 6.3 x 3.9 x 1.9 **MOLEX 5051** \$ 54.95 SW70W APPLE III®, IBM PC-I, II® 7A .3A 2.5/3.5A pk. .3A --. _ 9.6 x 4 x 2.4 **MOLEX 126-P1** 64.95 PC WITH SOFT DRIVES 3/4A pk. .3A 7.4 x 4.5 x 2.3 **MOLEX 2139** 74.95 SW80W 8A .3A IBM PC-XT® P/S RPLCMNT. 15A MOLEX, AMP. SW138 1.0A 4/5A pk. 1.0A -9.5 x 5.6 x 4.6 119.95 2.5A SW 150 PC WITH HARD DRIVES 12A .3A 4/5A pk. .5A 10.4 x 5 x 2.5 TERM. BLOCK 129.95 SPECS. OF ABOVE SWITCHERS: 117/220 VAC SELECTABLE, INPUT 90-132 VAC/180-275 VAC, EFFIC. 75% TYPICAL, LINE REGUL. 0.3%, LOAD REGUL. 1% ON +5V, 5% ON OTHER VOLTAGES, 6.2 OVP SETTING ON +5V, OVERLOAD & SHORT CIRCUIT PROTECT, LOW OUTPUT RIPPLE & NOISE, 1% MAX, 50,000 HRS. MTBF RELIABILITY, UL, FCC & VDE SAFETY & NOISE STANDARDS. S3 S4 FOR S-100, 10 SLOTS 5A 1A 5/7A pk. 12A 10 x 6 x 5 SOLDER POST \$105.95 3A --FOR S-100, 6 SLOTS 4A 1A 4/5A pk 8A 2.5A 8.4 x 5 x 4 8 SOLDER POST 89.95 3/4A pk. R₁ 2 FLOPPY DRIVES 3A SOLDER POST .5A 8x4x34 44.95 -R_{1A} APPLE II PC® 3A .5A 5A 3/4A pk 8 x 4 x 3.4 SOLDER POST 46.95 COMPATIBLE TO COMMODORE C64 (OR C+4)* POWER SUPPLY: +5V/1.7A, 9 VAC/1A & 117 VAC IN, POTTED & U/L. C64 19.95 *: +24V CAN BE CHANGED TO + 12V BY FACTORY, PLEASE SPECIFY WHEN YOU ORDER. **C64** THE ABOVE 5 LINEAR P/S ARE WITH 3% LOAD REGUL., OVP ON +5V, FUSED: INPUT & OUTPUTS. POWER TRANSFORMERS: (WITH MOUNTING BRACKET) ON SALE SECOND. #1 ITEM PRIMARY SECOND. #2 SECOND. #3 WxDxHin. PRICE SHIPPING: 110/120 VAC 2 x 8 VAC/7A 28 VAC, CT, 2-5A 33/4 x 35/8 x 31/8 \$15.95 T₁ _ FOR EA. POWER SUPPLY: \$6.00 IN CALIF.; 28 VAC, CT, 3A 28 VAC, CT, 2A Т2 110/120 VAC 2 x 8 VAC/12A 33/4 x 43/8 x 31/8 21.95 \$8.00 IN OTHER STATES; \$18.00 IN CANADA. Тз 110/120 VAC 2 x 8 VAC/6A 28 VAC, CT, 3A 33/4 x 43/8 x 31/8 23.95 28 VAC, CT, 1.5A 28 VAC, CT, 1.5A T4 28 VAC, CT, 3A FOR EA. TRANSFORMER: \$6.00 IN ALL 110/120 VAC 16 VAC, CT, 4A 33/4 x 35/8 x 31/8 17.95 16 VAC, CT, 4A 16 VAC, CT, 3A STATES; \$12.00 IN CANADA. CALIF. 110/120 VAC T4-1 48 VAC, CT, 2A 33/4 x 35/8 x 31/8 14.95 RESIDENTS ADD 6.5% SALES TAX. 110/120 VAC 28 VAC, CT, 2A T5 3 x 3 x 21/2 11.95 IBM PC/PC-XT*, APPLE II/III* & COMMODORE C64/C+4* ARE TRADEMARKS OF IBM CORP., APPLE COMPUTER INC. & COMMODORE BUSINESS MACHINES, RESPECTIVELY. MAILING ADDRESS: SUNNY INTERNATIONAL SHIPPING ADDRESS: P.O. BOX 4296 **IN BUSINESS SINCE 1975** 221291/2 S. VERMONT AVE VISA TORRANCE, CA 90510 TORRANCE, CA 90502 (213) 328-2425 MON-FRI 8:30-5:30 TELEX: 182558

SOFTWARE . IBM PC

Equation Processor

E quate is an equation processor for the IBM PC and compatibles using DOS 1.1 through 2.1.

It lets you enter up to 799 equations anywhere on screen in standard algebraic notation. A full-screen text editor facilitates equation and explanatory-text entry, and an interactive Constants Window gives you more than 400 physical constants and measurement conversions to insert into equations. Equations or other constants can be added to the window.

Equate evaluates your equations, prompts for undefined variables, and produces 16-bit (doubleprecision) results at the press of a function key. A forms feature helps you devise application worksheets that prompt for data or arrange results into tables. Data cells can be sited at any spot on screen; rows or columns are not mandatory.

Equations, results, and tables can be stored as worksheets. Worksheets may be printed or transferred to a word processor that accepts ASCII files.

The General Worksheet Series Disk I comes with Equate. It provides worksheets for solving simultaneous equations and for calculating standard deviation, variance, and the area and moments of inertia for principal shapes.

Equate comes with an evaluation version that's good for 30 uses. The master disk and related materials can be returned to the manufacturer within 30 days for a full refund. Equate is \$195. Contact Banyan Systems Corp., 5632 East Third St., Tucson, AZ 85711, (602) 745-8086. Inquiry **640**.

Soft Winchester: Inexpensive, Alternative Hard Disk

T he BYSO Soft Winchester program from Levien Instrument Company stores your most frequently used data in RAM so that you can access it quickly. The manufacturer says that with Soft Winchester such programs as WordStar and dBASE II will load or sort hundreds of times faster than from a floppy.

Soft Winchester lets you use 1440K bytes of data. If you have data that cannot be accessed from RAM or disk, it prompts you for the disk with the data. It automatically backs up your data to disk, and, once loaded, its operation is transparent. A simple key combination lets you use new 1440K-byte sets of data. The BYSO Soft Winchester runs on 128K-byte IBM Personal Computers. including the PCjr. and true IBM compatibles. A monochrome or graphics adapter is required. It costs \$60. For more information. contact Levien Instrument Co. POB 31. McDowell. VA 24458, (703) 396-3345. Inquiry **641**.

FORTRAN and UNIX for AT

U nisource Software Corporation has introduced a UNIX-based FORTRAN-77 compiler for the IBM PC XT and PC AT. In a related development, the Massachusetts-based publisher and distributor of UNIX software also announced an implementation of UNIX for the IBM PC AT. The FORTRAN compiler runs under VENIX on such machines as the IBMs, AT&T 6300, Compaq Plus, Eagle Turbo, MAD 1, and DEC Professional 350. It costs \$395. Its UNIX operating system, claims Unisource, is the first licensed implementation of AT&T UNIX for the the IBM PC AT. This version is delivered with a System V UNIX license. A full implementation for one or two users retails for \$875. For up to eight users, it's \$1075.

For further information, contact Unisource Software Corp., 71 Bent St., Cambridge, MA 02141, (617) 491-1264. Inquiry **642**.

IBM Fits the Curves

A curve-fitting program for the IBM PC, Curve Fitter-PC is available directly from Interactive Microware.

Curve Fitter-PC fits curves to experimental or business data. Curve types include polynomial, cubic spline, or Stineman interpolation methods. If you want, leastsquares fitting can produce the standard curve using a polynomial (degree 1 to 6), geometric, or exponential least-squares method. Any or all fitting models can be used to select the best fit. Some statistical measures

of the accuracy of the fitted curve provided are standard

WHERE DO NEW PRODUCT ITEMS COME FROM?

The new products listed in this section of BYTE are chosen from the thousands of press releases, letters, and telephone calls we receive each month from manufacturers, distributors, designers, and readers. The basic criteria for selection for publication are: (a) does a product match our readers' interests? and (b) is it new or is it simply a reintroduction of an old item? Because of the volume of submissions we must sort through every month, the items we publish are based on vendors' statements and are not individually verified. If you want your product to be considered for publication (at no charge), send full information about it, including its price and an address and telephone number where a reader can get further information, to New Products Editor, BYTE, POB 372, Hancock, NH 03449. error of estimates and percent deviation for calculated versus observed values.

Features include curvefitting demonstrations, highresolution (i.e., 320 by 200) graphics, choice of plotting symbols on the same graph for distinguishing multiple superimposed curves, the ability to enter data as *x.y* pairs or as values at fixed intervals, and four text-label locations. Working files can be saved and transferred to programs that accept ASCII data.

Minimum requirements are 128K bytes of RAM, color graphics board, a disk drive, and PC-DOS 1.1, 2.0, or 2.1. The manual alone is \$15; the complete package is \$95. Contact Interactive Microware Inc., POB 139, State College, PA 16804-0139, (814) 238-8294. Inquiry 643,

GUARANTEED I.C.'s. SHIPPED IMMEDIATELY

The Computer Parts Merchant is a leading nationwide supplier of wholesale I.C.'s. We have just about every I.C. made in stock today. Plus, we offer these special services:

Guaranteed parts—every part guaranteed for 60 days—and pretested before shipment.


Guaranteed fast-same dayshipping.

Guaranteed low prices.

Guaranteed satisfaction or purchase price cheerfully refunded.

How to order.

Call toll free. We accept Visa, Mastercard or American Express. Or we can ship UPS C.O.D. National 800-235-4900 California 800-238-4900 Local Orange County (714) 474-1033.



CPN The Computer Parts Merchant, Inc.

Visit our retail store:

The Computer Parts Merchant, Inc. 17777 Main Street, Suite D Irvine, CA 92714

Terms: minimum order \$10. For shipping and handling, include \$2.50 UPS Ground, or \$3.50 for UPS Air. California residents must include 6% sales tax. All prices are subject to change without notice. We are not responsible for typographical errors. All merchandise subject to prior sale.

Search service. If we don't have the I.C. you need in stock, we can find it for you. (There is a \$25 minimum charge for I.C.'s found through a search.)


A few samples from our million part inventory:

r mill	ion		745	SXX		L	INEAR	DEVICES		STA	TIC		CN	IOS	
74LS170 74LS191 74LS221 74LS240 74LS241 74LS242 74LS242 74LS243	\$1,49 99 1.30 1.60 1.30 1.30 1.30	74500 74502 74504 74508 74510 74511 74520 74520 74530 74532 74537 74538 74537	\$.45 .49 .49 .49 .45 .49 .45 .49 .45 .59 .89 .99 .89	74S151 74S153 74S157 74S161 74S169 74S174 74S181 74S194 74S194 74S197 74S240 74S241 74S244 74S251	\$.97 97 .97 1.87 3.99 4.39 1.99 1.99 2.20 2.40 2.20 .95	LM301 LM307 LM309H LM312 LM318 LM324 LM350 LM380 LM393 NE555 NE556	\$.47 .57 1.95 1.75 1.95 1.75 4.95 .89 1.29 .57 .77 Call for	NE570 LM709 LM723 LM741 LM747 LM748 LM1458 LM2900 LM3900 MC4024 MC4044 others	\$3 95 .59 .49 .69 .59 .59 .59 .85 .79 3.95 4.50	RA 2101 2114 2147 TMS4044 TMM2018 HM6166 TMS4016 HM6264 Others of	\$1.95 1.50 4.95 4.59 4.59 4.75 6.95 39.95	4001 4002 4008 4010 4011 4012 4020 4021 4022 4030 4034 4040 4041	\$ 35 .95 .97 .37 .37 .87 .95 .87 .57 1.95 .97	74C00 74C02 74C04 74C08 74C10 74C20 74C30 74C73 74C74 74C86 74C90 74C93 74C151	\$.49 .47 .47 .47 .49 .49 .87 .79 .59 1.19 1.75 2.25
74LS244 74LS245	1.49	74S86 74S112	.95 1.19	74S253 74S257	.95 .95			74	XX			4050 4069	.47	74C157 74C161	1.75
74LS251 74LS257 74LS258 74LS266 74LS273 74LS373 74LS374 74LS377	.75 .75 .79 1.69 1.49 1.49 1.49	74S113 74S124 74S132 74S138 74S139 74S139 74S140	1.19 2.99 1.59 .97 .97 .77 Call for	74S260 74S273 74S287 74S373 74S374 74S374 74S570 others	.79 2.45 2.29 3.39 3.39 3.50	7400 7401 7402 7404 7406 7407 7408 7410	\$.35 .35 .39 .39 .89 .89 .89 .41 .35	7451 7473 7474 7489 7498 7492 74107 74109	\$.39 .54 .69 3.40 .47 .69 .39 .59	74160 74161 74163 74164 74166 74174 74181 74191	.89 .89 .99 1.50 .99 2.39 1.15	4071 4082 4093 4502 4512 4522 4532 4556	.35 .35 .67 .95 .97 1.25 1.95 .99	74C173 74C174 74C192 74C193 74C373 74C374 74C906 74C912	.79 1.19 1.49 2.45 2.45 .95 8.95
4LS640 4LS669	3.49 1.99	D	YNAM	C RAMS		7411 7420	.39	74123	.69 .69	74193	.99	4585	.99 Many m	74C921 ore. Call.	15.95
74LS670	2.99	TMS4027 MM5280	\$ 1.99 1.95	4116 2118	\$1.49	7421	.49	74123	.59 1.75	74221 74273	1.35		MEMORY		
		TMS4060	1.95	4164	5.95	7430	.45	74147	.79	74366	.99			-	-
S		UPD411 MK4108	1.95 1.95	TMS4416 41256	9.95 Call	7432 7438 7442	.35	74153 74154	1,25	7 436 7 74393	.99 1.35	2708 2716 2732	\$3.95 3.95 4.95	2764 27128	\$6.95 34.95
			Call fo	rmore		1442	.59	74157 Otners of	.79					vailabie.	

A few samples from our million part inventory:

		741	.SXX		
74LS00 74LS04 74LS08 74LS10 74LS10 74LS11 74LS12 74LS12 74LS20 74LS20 74LS30 74LS32 74LS33 74LS33 74LS40 74LS40 74LS451 74LS51 74LS54 74LS54 74LS54	\$.38 38 40 40 40 .40 36 76 38 .38 .38 .50 40 38 66 36 38 1.55	74L S83 74L S95 74L S91 74L S91 74L S107 74L S107 74L S112 74L S122 74L S122 74L S122 74L S137 74L S137 74L S137 74L S153 74L S153 74L S157 74L S158 74L S161 74L S169	\$ 87 46 .75 .66 .66 .50 .53 2 90 .91 .99 .87 2.75 .66 .65 .65 .75 1.95	74LS170 74LS21 74LS221 74LS221 74LS241 74LS242 74LS243 74LS243 74LS251 74LS251 74LS258 74LS258 74LS258 74LS373 74LS374 74LS374 74LS540 74LS640 74LS6670	\$1,49 .99 1,30 1,60 1,30 1,30 1,49 1,49 1,49 1,69 1,49 1,49 1,49 1,49 1,49 2,99
		Partial	List		

Call for Prices





IBM PC, 256 K, One Half Height 320 K Disk Drive DS/DD. Persyst Color Card, Taxan Green Monitor, DOS 2.1 PLUS a 10MB Hard Disk Sub System all for

\$2690.00

IBM PC, 256 K, Two Half Height Drives DS/DD, Persyst Color Card, Taxan Green Monitor, DOS 2.1, 130 Watt Power Suply PLUS a 10MB Hard Disk Sub System all for

\$2980.00

IBM PC, 256 K, Two Half Height Drives DS/DD, Persyst Color Card, Taxan Green Monitor, DOS 2.1, 130 Watt Power Supply, 10MB Hard Disk Sub System, PLUS 10MB Tape Back Up System all for:

\$3579.00

IBM PC, 256 K, Two Half Height Drives DS/DD, Persyst Color Card, Taxan Green Monitor, DOS 2.1, 130 Watt Power Supply, 20MB Hard Disk Sub System all for:

\$3380.00

IBM PC, 256 K, Two Half Height Drives DS/DD, Persyst Color Card, Taxan Green Monitor, DOS 2.1, 130 Watt Power Supply, 20MB Hard Disk Sub System PLUS 10MB Tape Back Up System all for:

\$3979.00

(We configure and test the system for you at no extra cost.

SOMEBODY Has To Have The Lowest Prices!

MONITORS

AMDEK 300	\$135.00
PGS HX-12	\$475.00
PGS MAX-12	\$190.00
PGS SR-12	\$625.00
TAXAN GREEN COMPOSITE	\$125.00
TAXAN AMBER COMPOSITE	\$135.00
TAXAN GREEN W/TTLPLUS	\$149.00
TAXAN AMBER W/TTL PLUS	\$159.00
IBM MONOCHROME DISPLAY	\$260.00
IBM COLOR DISPLAY	\$590.00

PRINTERS

EPSON FX 80	\$425.00
EPSON FX 100	\$625.00
EPSON RX 80	\$245.00
EPSON RX 80FT	\$295.00
OKIDATA 82A	\$299.00
OKIDATA 83A	\$569.00
OKIDATA 92P	\$399.00
OKIDATA 93P	\$625.00
OKIDATA 84P	\$759.00
OKIDATA 2410P	\$1959.00
TOSHIBA P1351	\$1295.00
NEC SPINWRITER 3550	\$1595.00
NEC PINWRITER 80 COL	\$699.00
NEC PINWRITER 136 COL	\$899.00
BROTHER HR-25	\$699.00
BROTHER HR-35	\$925.00

(Accessories on NEC & OKIDATA printers available)

DRIVES

TANDON TM-100-2	\$179.00
SLIMLINE - TOSHIBA	\$155.00
SLIMLINE - TEAC 55B	\$155.00

MULTIFUNCTION BOARDS

AST I/O+1 SER & 1 PAR	\$179.00
AST SIX PACK 64K, 1 SER & 1 PAR	\$269.00
QUADBOARD 64K	\$269.00
IBM COLOR GRAPHIC ADAPTER	\$269.00

IBM MONO PRINTER ADAPTER	\$230.00
PERSYST COLOR ADAPTER	\$190.00
PERSYST MONO PRINTER ADAPTER	\$210.00
HERCULES GRAPHIC ADAPTER	\$349.00
HERCULES COLOR CARD	\$210.00
STB GRAPHIX PLUS II	\$375.00

MODEMS

HAYES SMART MODEM 1200	\$469.00
HAYES SMART MODEM 300	\$209.00
HAYES 1200B PLUG IN CARD	\$429.00
QUBIE PC 212A/1200 INT	\$275.00
QUBIE PC 212E/1200 EXT	\$299.00

HARD DISKS

10MB SUB SYSTEM INT	\$850.00				
10MB TAPE BACK UP	\$599.00				
GENERAL					

CONTROL DATA DISKETTES	\$25.00/box
KEYTRONIC KB5151	\$189.00
PARALLEL CABLES	\$25.00
64K RAM UPGRADE KIT	\$50.00
128K RAM UPGRADE KIT (For AT)	\$199.00
IBM PC POWER SUPPLY (Original)	
63.5 Watts	\$89.00
IBM KEYBOARD FOR PC (Original)	\$109.00



(714) 838-7530 2640 Walnut Avenue, Unit K,

Tustin, California 92680 (Prices & availability subject to change without notice-IBM is a registered trademark of IBM Corporation.)

CUSTOM COMPUTER **TOLL-FREE ORDERING:** TECHNOLOGY 800-222-8686 1 CCT PLAZA - P.O. BOX 4160 - SEDONA, ARIZONA 86340


FOR TECHNICAL SUPPORT/ **SERVICE / IN ARIZONA:** 602-282-6299

Purchase your Hardware and Software directly from an OEM / Systems Integrator. Take advantage of our buying power! We stock a full line of Board Level Components, Software and Peripherals. Call for your needs. We'll give you the Lowest Prices, and the Technical Support and Know-How we are quickly becoming well-known for. Satisfied Customers Nationwide. The Nation's Custom Systems House for Business, Education and Science. Call for a system quote. CCT implements tomorrow's technology today!

FOREMOST QUALITY ADVANCED SUPPORT REASONABLE COST









80286 NOW!

CCT-286Z is our model designation for the MI-286 dual processor board from Macrotech. It features the super high speed combination of Z-80H and 80286, with provision for the 80287 math chip. Directly replaces 8085/88 and 8086 CPUs running CP/M, MP/M Concurrent DOS, and MS-DOS, at throughput increases of 3X to 5X!

SPECIAL PRICE - \$1099 80287 Option - Installed - \$395

SEE THE CCT-4 SERIES USING THIS BOARD DETAILED ON THE FACING PAGE

• 8" CP/M SOFTWARE SPECIALS •
dBASE II - Latest Version 2.4
Supercalc 86 \$99 Supercalc 2 \$259
Wordstar \$279 Pro-Pak \$379
DRI CBASIC Compiler 80 \$389 86 \$449
DRI Pascal Compiler 80 \$279 86 \$449
DRI GSX-86 \$79 Assembler Tools/RMAC \$179
Microsoft BASIC \$299 Compiler \$339
Supersoft FORTRAN IV . \$339 C Comp . \$399
• TOP SELLING PERIPHERALS • Wyse Terminals DROPPED-
LIBERTY TERMINALS
LIBERTY TERMINALS • Superior Reliability •
LIBERTY TERMINALS • Superior Reliability • 100-12" GREEN-25 X 80 \$399
LIBERTY TERMINALS • Superior Reliability • 100-12" GREEN-25 X 80 \$399 110-14" GREEN-80/132 Column \$499
LIBERTY TERMINALS • Superior Reliability • 100-12'' GREEN-25 X 80 \$399 110-14'' GREEN-80/132 Column \$499 200-14'' GREEN-80/132 Super Deluxe \$569
LIBERTY TERMINALS • Superior Reliability • 100-12" GREEN-25 X 80 \$399 110-14" GREEN-80/132 Column \$499 200-14" GREEN-80/132 Super Deluxe \$569 220-14" GREEN-DEC Compatible \$699
LIBERTY TERMINALS • Superior Reliability • 100-12" GREEN-25 X 80 \$399 110-14" GREEN-80/132 Column \$499 200-14" GREEN-80/132 Super Deluxe \$569 220-14" GREEN-DEC Compatible \$699 CCT RECOMMENDS—
LIBERTY TERMINALS • Superior Reliability • 100-12" GREEN-25 X 80 \$399 110-14" GREEN-80/132 Column \$499 200-14" GREEN-80/132 Super Deluxe \$569 220-14" GREEN-DEC Compatible \$699
LIBERTY TERMINALS • Superior Reliability • 100-12" GREEN-25 X 80 \$399 110-14" GREEN-80/132 Column \$499 200-14" GREEN-80/132 Super Deluxe \$569 220-14" GREEN-DEC Compatible \$699 CCT RECOMMENDS—

84 - 132 Col/200cps-Top of the Line . \$799 For Serial Interfaces — Add \$100

DIABLO — Letter Quality Series Model 620 ... \$969 Model 630 ... \$1799

INDUSTRIAL GRADE CCT DISK DRIVE SYSTEMS ROLLS ROYCES OF SUPERIOR QUALITY CCT DISK DRIVE SYSTEMS THE INDUSTRY S-100 HARD DISK SUBSYSTEMS

Professionally engineered ST-506 type systems for the business market S-100 Computer user. Includes industry top guality drives, CompuPro Disk 3 DMA controller, all cabling, A&T, formatted, burned-in. Provisions for up to two hard disks in each system. We include operating system update. CP/M 80, CP/M 86, CP/M 8-16, MP/M 8-16, CP/M 68K. (/1 Systems are CCT innovated hard/floppy ations with Mitsubishi DSDD 8" drive) 12 m

combinations, with Mitsubishi DSDD o unve.	, ,,	2 month warranty.		
CCT-10 (11 + MEG) \$179	99	CCT-10/1	\$2349	
CCT-20 (22 + MEG) \$231	9	CCT-20/1	\$2869	
CCT-40 (36 + MEG) \$279	99	CCT-40/1	\$3349	
CCT-60 (58 + MEG) (New) \$399	99	CCT-60/1	\$4549	
CCT-90 (87 + MEG) (New) \$520)9	CCT-90/1	\$5759	
CCT-125 (123 + MEG) (New) \$639	99	CCT-125/1	\$6949	
Drive expectition shows are after formatting!	14/	a are working on tang cartridge back up	unito	

Drive capacities shown are **after** formatting! We are working on tape cartridge back-up units.

FLOPPY SYSTEMS CCT-2.4 • Dual 8" DSDD Mitusbishi 2.4 Megabyte in Extra Heavy horizontal enclosure, removeable filter air system, all cabling, A&T, Burned in. The fastest system available: \$1229

CCT-5 • 51/4" DSDD

IBM Compatible Tandon 320K. Extra Heavy Cabinet accommodates two drives, hard or floppy. All cabling, A&T, Burned-in. Perfect for our MS-DOS Package \$399

★ SUPER PRICES ★ COMPUPRO COMPONENTS ★ IN STOCK ★ CCT-2 - \$6799 • CCT-3 - \$6699 • Disk 1A w/CP/M - \$619 • CPU 8086/87 - \$819 • M-Drive/H - \$1099 CPU 8086 - \$559/10Mhz - \$599 CPU 8085/88 - \$349 • . CPU 68K - \$519/10Mhz - \$639 CPU-Z - \$249 • Disk 1A - \$519 • Disk 3 - \$499 • RAM 23/64K - \$309/128K - \$599 • RAM 21 (128K) - \$749 * RAM 16 CLOSE-OUT SPECIAL - \$249 * RAM 22 (256K) - \$1179 Interfacer 3 - \$499 Interfacer 4 - \$349 System Support 1 - \$329 . Enclosure 2 Desk - \$649/Rack - \$699 CP/M 80 (CCTHMX) - \$125 CP/M 86 (CCTTMX) - \$175 CP/M 8-16 (CCTTMX) - \$199 MP/M 8-16 (CCTSX) - \$499 CP/M 68K (CCTCX) - \$279 .

16 Bit Upgrade Kit: CP/M 86, RAM 16, System Support 1, Cable \$709 CP/M 8-16 - Kit - \$733

Operating System Updates/Remakes - \$30

• FREE CONCURRENT DOS 8-16 UPGRADE (WHEN AVAILABLE) WITH PURCHASE OF MP/M 8-16 •

CCT-1 — ENTRY LEVEL S-100 BUSINESS SYSTEM

- Enclosure 2-Desk-20 Slot Mainframe CCT-2.4-Dual 8" Mitsubishi DSDD Drive System - 2.4 Megabytes • SPECIAL PRICE CPU 8085/88 - 6Mhz 8085/8Mhz 8088
 - Disk 1A DMA Floppy Disk Controller • RAM 16 - 64K Static RAM - 12Mhz •
 - CP/M 80 2.2 HMX CCT Modified • All Cabling, Complete CCT Assembly,

 Interfacer 4 - 3 Serial/2 Parallel I/O • Testing, and Minimum 20 Hour Burn-in . RUNS ALL STANDARD 8" CP/M SOFTWARE - INCLUDES OUR EXCLUSIVE 12 MONTH DIRECT WARRANTY

Prices & availability subject to change. All products new, and carry full manufacturer's warranties. Call for catalog. Free technical help to anyone. All products we sell are CCT individually tested and set up for your system - Plug-In & Go! Arizona residents add sales tax CCT Trademark --- Custom Computer Technology; MS-DOS® Trademark --- Microsoft; IBM® Trademark International Business Machines; CompuPro® Trademark — W.J. Godbout; CP/M® MP/M® Trademarks — Digital Research





IF YOU SEE IT ADVERTISED FOR LESS, CALL **COMPUTER CONNECTION FIRST FOR LOWEST QUOTE!**

We accept VISA, MasterCard, COD (w/deposit), Certified Checks or Wire Transfers. Minimum Shipping Charge \$4.00. Someitems subject to back order. California Res. add 6% % Sales Tay. Brise subject to change

Tax. Prices subject to change

without notice.

MAIL ORDER:

12841 S. Hawthorne Blvd., No. 585 Hawthorne, California 90250

NO SURCHARGE FOR CREDIT CARDS

VISA

(800) 732-0304 (213) 514-9019

Mon.-Fri. 7 a.m. to 6 p.m. Saturday 11 a.m. to 3 p.m.


CUSTOMER SERVICE: [213] 514-9019 Mon.-Fri. 9 a.m. to 3 p.m.

Announcing 4 New Collector Edition


BYTE COVERS

The 4 Byte covers shown below are the newest additions to the Collector Edition Byte Cover series. Each full color print is $11'' \times 14''$, including a 11/2'' border, and is part of an edition strictly limited to 1,000 prints. Each print is a faithful reproduction of the original Byte painting, printed on museum quality acid free paper, and is personally inspected, signed and numbered by the artist, Robert Tinney. A Certificate of Authenticity accompanies each print. Collector Edition Prints are carefully packaged flat to avoid bending, and are shipped first class within one week of receipt of order. The price of each print is \$30. All 4 prints are available for only \$100.

Other Collector Edition Byte Covers are also available from Robert Tinney Graphics. For a color brochure, or to order one or more of the prints shown, please check the appropriate box in the coupon below.



Please send me the following Prints (\$30). All 4 only	\$100. I have enclosed check or money order.	Mail this coupon to:
QTY. TITLE & PRINT NO. A	MOUNT Visa MasterCard	robert tinney graphics
\$	Card No Exp. Date:	1864 N. Pamela Drive Baton Rouge, LA
\$	SHIP MY PRINTS (OR BROCHURE) TO:	FOR VISA OD
postage & handling \$3.00 (Overseas \$8.00) \$	Name:	FOR VISA OR MASTERCARD ORDERS or for more information CALL 1-504-270
TOTAL \$	City:	De 1-504-2-
Please send me your color brochure.	State:Zip:	or for more information CALL 1-504-272-7266





Inquiry 369 for Dealers. Inquiry 370 for End-Users.



Inquiry 248

FEBRUARY 1985 • BYTE 439





ompuPro

SYSTEM 816/B TWO-USER	\$4,899
SYSTEM 816/10 H40 40Mb H.D.	\$5,995
FOR 40Mb H.D. OPTION ADD	\$1,900
TO HAVE 2ND 8" FLPY W/ H.D.	\$395
51/4" H.D. SUBSYSTEM	IS
W/ CONTROLLER, CP/M 80886 DRIV	ERS.

CABLES, CABINET, FAN, P/S, ETC.

27Mb	RODIME	90 mSEC	\$1,525
42Mb	QUANTUM	45 mSEC	\$1,995
52Mb	MICROPOLIS	30 mSEC	\$2,425
85Mb	Mactor	30 m SEC	\$2,995
105Mb	Mactor	30 mSEC	\$ 3, 695
140Mb	Mactor	30 mSEC	\$4, 395
CPU 28	BA&T W/ 287 MATH C	HIP	\$1,495
CPU 32	016 W/ MMU 6MHz		\$699
HUDSO	N 8087 PIGGY BACK F	OR 8085/8	8 \$435
RAM 22	256K STATIC 8&16 A	LT S	1,075
DISK 2	A&T 8" H.D. CNTRL SE	т	\$559
FUJITSU	23028 20Mb 8" ADD	ON H.D.	\$1,995

SMC-200 DUAL DRV. SMD 1/F CTRL BD. \$500

DGC-100 CTRL 8D./51/11 H.D., ST-506 I/F \$325

[Electralogics]				
QUASI-DISK 512K RAM-DISK	\$735			
QUASI-DISK 2Mb	\$1,735			
QUASI-DISK 4Mb	\$3,230			
BATTERY BACK-UP	\$169			
SYNTECH DATA SYSTEMS				
EXPANDORAM 4	\$825			

\$1,435

\$399

EXPANDORAM 4	
EXPANDORAM 4 W/ EDC	
SD 300 CHASSIS W/ 6 SLOT	

MORROW

PIVOT PORTABLE W/ DUAL 514 DRVS, BAT	т.
256K, MODEM, MSDOS, NEWWORD	CALL
MD3 W/TERMINAL & EPSON FX100	\$1,999
MD5 W/TERMINAL & EPSON FX100	\$1,999
MD11 W/TERMINAL & EPSON FX100	\$2,995



CPZ 48006 6MHz MASTER	\$739
256KMB MEMORY BOARD	\$709
CPS-16 256K 8MHz 8086 SLV	\$989
CPS-B4D 64K RAM SLAVE 6MHz	\$389
CPS-B6A 128K RAM SLAVE 6MHz	\$529
MUTD-E 280 MULTI-TURBODOS	\$556
ADVANCED	

1	🕫 ADVANCEL
	DIGITAL
	COMPORA TION

PC-SLAVE/16-256K 8MHz	
2 SERIAL PORTS - TURN YOUR	
PC INTO A HIGH SPEED MULTI-USER	
MACHINE W/ TODAY'S TECHNOLOGY	\$750
SUPER SIX 128-6MHz	\$739
SUPER SLAVE 128-6MHz	\$525
SUPER 186 256K MSTR SLAVE-4 USERS	\$1,295
CP/M 3.0	\$300
TURBODOS VER. 1.4 8 BIT MULTI-USER	\$450
	li \$599
Yotrax PERSONAL SPEECH SYSTEM	
SYSTEM	\$289

FULL DEALER SUPPORT VISIT OUR SHOWROOM Irs. 8:30AM - 5:00PM M-F



S-100 DIV./696 CORP. 14455 NORTH 79TH ST.

SCOTTSDALE, AZ 85260


All merchandise	new. We accept MC, Visa, Wires, COD (\$5 min. fee) with
Cashiers Check/	MO, P.O.'s from qualified firms. APO accepted. Shipping:
minimum \$4. fin	it 3 Lbs. Tax: AZ Res. Only add 6% sales tax. All returns
subject to 20% re	stocking fee. Advertised prices for Mail Order Only, Retail
prices slightly his	pher. Prices subject to change,
	Inquiry 271 for Dealors

Inquiry 272 for End-Users

SALES 800-528-3138 CUST. SERVICE/TECH. 602-991-7870 TELEX 165025 FTCC SEC PHX

Dysan.	25Mb 8" CARTRIDO	GE \$89
	W" SSDD BOX/10	\$18 \$22
MD2D 9	6TPI 514" DSDD BOX.	/10 \$34
FD2D 10	24N 8" DSDD BOX/	10 \$32
TRIPPLIT	E STAND-BY POW	ER
BC-425-FC 425 W BC-1000-FC 1000	ATTS. 4 OUTLETS WATTS. 4 OUTLETS	\$469 \$1,949
	R SUPPRESSOR	
	ETS & 6 FT. CORD	\$40
	TS & 6 FT, CORD ETS & 15 FT, CORD	\$55 \$69
IEM	PC W/256K, FLPY	\$2,330
64K RAM 416		
9 CHIPS/SE 256K RAMS (\$24 \$14.50
	CO-PROCES.	\$130
FORTRON 140	WATT IBM-PC P/	S \$155
HARD DISK S	UBSYSTEMS:	
12Mb RODI	ME PC-INSID	ER \$719
27Mb RODI		ER \$1,375
		ER \$1,815
52Mb MICROI	POLIS PC-OUTSID	ER \$2,250
	and the second se	
	PC-OUTSID	
-	PC-OUTSID	
WANGTEK PC-36 PC-INTERNAL S	60Mb TAPE BACK-UP	\$1,525
PC-EXTERNAL S		\$1,625
QUARTER BYTE 2		\$249
RIO PLUS II 256K		\$395
GRAPHIC PLUS II SUPER RIO 256K	W/PARALLEL	\$325 \$350
RIO GRANDE 128	K/IBM-AT	\$369
TECAA	AD	
IBM-AT/MAESTRO	W/O RAM TO 2.1ME	,
PRINTER & MEN	DISK SOFTWARE	\$399
CAPTAIN OK, IS, I WAVE 'XT' MEMO		\$219 \$189
GRAPHICS MASTE	ER - HIGH RES. COLOI	R \$439
	R MONOCHROME	\$199). \$249
	ac Drive	
73020 2X 5Mb RE	MOVABLE H.D.	\$2,429
73200 10Mb FIXE 73210 10Mb FIXE		\$1,459 \$2,429
Giltre	D nix switch	BOXES
FOR NETWORKIN	G MULTIPLE PRT.'S, M	ODEMS
TERMINALS &/ O	R SYSTEMS BY MANU	
ZE	data system	15
	Jystell	
Z-150 PC THE Z-150 PC (W/	MOST COMPATIBLE I 10.6Mb H.D.)	PC \$2,095 \$2,888
Z-150 PC THE Z-150 PC (W/	MOST COMPATIBLE I 10.6Mb H.D.)	PC \$2,095 \$2,888
Z-150 PC THE Z-150 PC (W/	MOST COMPATIBLE I	PC \$2,095 \$2,888

0 S-1000



Inquiry 105 for Dealers.

	RIORITY ONE	EEEEnoni	
2/3-HEIGH Tested up to 2ms EACH \$59.95 \$4 BRAND NEW - IN BNRMX523		SHUGART 604 ST506 Compatible 60 DAY EACH \$199 \$1 BNSHUG04 Single & Dual 51/4" H	e - In Factory Cartons WARRANTY! 2-9 10+ 89Ea. \$175Ea. (Sh. wt. 9 lbs.) ord Disk Drive Cobinets abinet (16 lbs.) \$239.00
COMPUTER SYSTEMS	PRINT		5-100 CPU BOARDS Shooing weight on all 5-100 loards 2lbs, each
MCRACW DEsigns Description Part no. Prit http://disk.terminBNPDBNDSMDS \$199 \$199 stad6.spce/calc.bersnar-Partan BNMDSMD1150F1 \$ 350 \$199 lot software for MD5 above BMMDSMD1150F1 \$ 350 software for MD5 above SANYO SANYO HB0550-2 MS-DDIS 1 dold drive sys-BNPDBSY0999 \$ 99 em w/Gm screen monitor & 80cos printer \$ 90 \$ 90 \$ 90	EPSON EPSON Rx80 2010s BMEPNRX80+ \$ 239.00 Rx80pf1201s BMEPNRX80+ \$ 279.00 Rx100 2610s BMEPNRX100+ \$ 279.00 Fx80 20 Ibs BMEPNRX10+ \$ 399.00 Fx80 20 Ibs BMEPNRX10+ \$ 399.00 L01500 561 ibs BMEPNRX10+ \$ 599.00 L01500 561 ibs BMEPNRX10+ \$ 599.00	Description Port no. Price COSHIDA P1340 serial 30bs BNTSNP1340 \$\$ 699.00 P1340 paralel 30bs BNTSNP1351 \$\$ 599.00 P1351 paralel 30bs BNTSNP1351 \$\$ 1299.00 Bidirection tractor for P1351 6bs BNTSNP404003 \$\$ 195.00 Single bin cut sheet feeder BNTSNA065002 \$\$ 995.00 for P1351 15bs BNTSNA065002 \$\$ 995.00	Description Pair no. Price MACRITECH 10265 & 250 BIN4ACM1266 \$1395.00 CompuPro CPU-Z BINGBTA039 \$ 269.00 CompuPro 2005/88 dual processor BNGBTA041 \$ 339.00 SOS 586:300 AMHz BINSDS38095 \$ 599.00 SDS 586:000 AMHz BINSDS38092 \$ 699.00 CONTIMER, 1248 RAM BINSDS38092 \$ 699.00
IBM PC" COMPATIBLE ADD-ON Franklin Hard Disks with Controllers	LO1500 Par int 30cps BNPDBEPNL01500P\$1199.00	STAR Gemini 10X 20 lbs. BNSTRGEM10X S 259.00	ADVANCED DIGITAL 4MHz SBC. 5%" BNADCSBC15 \$ 595.00 floppy controller, 64K RAM ADVANCED DIGITAL 4MHz SBC. 8" BNADCSBC18 \$ 595.00
ONE Internal 10 lbs BHFChD10 S 74 OMB External 16 lbs BHFChD10HH S 74 OMB Internal 12-Height 8 lbs BHFChD10HH S 74 MB Internal 12-Height 8 lbs BHFChD10HH S 74 MB Internal 12-Height 8 lbs BHFChD10HH S 74 MB Internal 12-Ibs BHFChD10S S 99 SMB External 18 lbs BHFChD10S S 199 SMB External 72 lbs BHFCHD10S S 199 SMB Sterman Tare Internal 10 lbs BHFCHD10S S 199 SMB Steremart 72 lbs BHFCHD10S S 199 SMB Steremart 72 lbs BHFCHD10S S 79 OMB Streammort Tare Internal 16 lbs BHFCTCT10 S 79 OMB Streammort Review S 35 SHFCTCT10 S 199 SHB Tage 8.20MB disk Ext.25 lbs BHFCTCT10 S 199 S 34 SK RAM expansion for IBM FC* S NPDPDIBMMEM9 S 33 S 33	00 82A witractor feed 35 lbs BNDKIDAT82AT \$ 49400 00 83A witractor feed 35 lbs BNDKIDAT83AT \$ 59900 00 84A - parallel 35 lbs BNDKIDAT83AT \$ 59500 00 84A - parallel 35 lbs BNDKIDAT83AF \$ 6900 01 84A - serial 35 lbs BNDKIDAT84AF \$ 6900 02 92A - parallel 25 lbs BNDKIDAT92AF \$ 69000 03A - parallel 35 lbs BNDKIDAT92AF \$ 69000 03A - serial 35 lbs BNDKIDAT92AF \$ 92500 00 93A - serial 35 lbs BNDKIDAT92AF \$ 92500 00 93A - serial 35 lbs BNDKIDAT93AF \$ 92500 00 93A - serial 35 lbs BNDKIDAT93AF \$ 92500 00 93A - serial 35 lbs BNDKIDAT93AF \$ 57500 00 MTI60L 132 col 28 lbs BNTALMTI80L \$ 79900	Germini 10X for IBM PC 20 Ibs ** BNSTRGEM10XPC 5 32900 Germini 15X 16 IbB PC** 26 Ibs BNSTRGEM15XF 5 37900 Serial Interface for GEWINI X series BNSTRGEM15XF 5 449.00 Serial Interface for GEWINI X series BNSTRSERITIXX \$ 1900 COEX 80FT - parallel 21 Ibs BNSTRSERITIXX \$ 1900 BNSTRSERITIXX \$ 1900 BNSTRSERITIXX \$ 1900 G4K Microbuffer (serial) 21bs BNPRMB1564 \$ 249.00 Microbuffer (serial) 21bs BNPRMB1564 \$ 249.00 Microbuffer (serial) 21bs BNPRMB1564 \$ 249.00 Microbuffer (serial) 21bs BNPRMB1564 \$ 249.00 Microbuffer (serial) 21bs BNPRMB1564 \$ 249.00 Microbuffer (serial) 21bs BNPRMB1564 \$ 249.00 Microbuffer (serial) 21bs BNPRMB1564 \$ 249.00 Microbuffer (serial) 21bs BNPRMB1564 \$ 249.00 Microbuffer (serial) 21bs BNPRMB1564 \$ 249.00	Topoy controller, 64K RAM S-100 RAM DOARDS Compu/bro RAM 23 / 128K BN0BTA316 \$ 349.00 SDS ExpandoRAM III/656 BN0BTA306 \$ 499.00 SDS ExpandoRAM IV BN0BTA306 \$ 255.00 MACROTECH 1 Megabyte BN0BTA070 \$ 199.00 SDS ExpandoRAM IV BN0BTA070 \$ 199.00 SDS FexpandoRAM IV BN0BTA070 \$ 199.00 SDS Compubre RAM 22 / 256K BN0BTA070 \$ 199.00 SD Compubre RAM 22 / 256K BN0BTA070 \$ 199.00
contains 9-4164's 34K RAM expansion for IBM PC* BNPDBIBMMEM9 \$ 3	MOI	DEMS	SDS RAM disk 256K BNSDS38082 \$ 649.00 S-100 I/O BOARDS
contains 94164's 1 lb BNHM50256P15 S 156K Dynamic RAM chops 150ms BNHM50256P15 S 8 or more S19.95 each BMHM50256P15 S IDM A17" Compartible Hand Disk Drive 2Mbyte hind dsk formattd SEAGATE SlibsBNSEAST225F S 8 20Myte hind dsk formattd SEAGATE SlibsBNSEAST225F S 8 20Myte hind dsk formattd QLANTUM BlosBN01M0540F S 35 VIDEC CARDS VIDEC CARDS VIDEC CARDS	 ProModem 1200 baud auto dialaras 4 lbs BNPRMPM1200 S349.00 ProModem IBM-PC* card wisothware BNPRMPM1200A S349.00 ProModem for Macrostaw visothware BNPRMPM1200A S349.00 Apbainum of polar to arrow disade is software BNPRMPM1200A S399.00 Apbainum of polar to arrow downed model Apbainum of polar to arrow downed model Appainum of polar to arrow downed model 	HAYES 1200 Baud Smartmodem BNDCH0400P \$ 479.00 1200 Baud for IBM-PC* Wisothware BNDCH0200P \$ 429.00 300 Baud Smartmodem BNDCH0200P \$ 249.00 Micromodem II for Apple BNDCH701400 \$ 249.00	Vector Interfacer II BHVCT8800GF28 5 259.00 CompuPro Interfacer 3 BKGBTA078 559.00 CompuPro Interfacer 4 BKGBTA080 5 349.00 CompuPro Interfacer 4 BKGBTA080 \$ 349.00 CompuPro Interfacer 4 BKGBTA030 \$ 350.00 S05 4 port Async, serial BKSDS38096 \$ 449.00 S05 8 port Async, serial BKSDS38094 \$ 579.00 S05 8 port Async, 4-sync BKSDS38094 \$ 64.00
IBM color video card 2lbs BNIBM1504910 \$ 25 IBM Monochrome Card 2lbs BNIBM1504900 \$ 25		Sided	S-100 CONTROLLER BOARDS
IDM-PC" COMPATIBLE MONITORS IBM 12" green screen 18bs BNIBM515100 \$2 IBM 12" green screen 18bs BNIBM515100 \$2 TAXAN 12" green screen 18bs BNIBM515100 \$2 TAXAN 12" green screen 18 BNIBM515100 \$2 \$1 BN13" color R6B 28bs BNIBM515100 \$2 BN13" color R6B 28bs BNIBM515100 \$2 STD CARD5 (2" bs: each \$3 Super 10 BNSTB81010 \$3 Super 10 BNSTB81010 \$1 R10 F410 BNSTB81010 \$1 R10 F0 FUS (14) BNSTB81015 \$2 Grapho E YLS II BNSTB810212 \$2 TECMAR DOARD5 TECMAR DOARD5 \$2 TECMAR DOARD5 BNIECX71NIN \$2 \$3 Strip USU \$1 BNIECX71NIN \$2 \$3 SAMEYE Y1 MMEME	5" Double Double Density \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$1	1015 RELEVENCE 100 EACH in Packs of 25 DS25 (\$1.60 X 25=\$40.00/pack) (Sh. wl. 1 lb. per pack) 100 EACH in Boxes of 250 (Sh. wl. 8 lbs. per box) 100 EACH in Cartons of 1000 EACH in Cartons of 1000	CompuPro Disk1 DMA Biolation 339.00 CompuPro Disk1 DMA Biolation Biolation 339.00 CompuPro Disk1 A DMA Biolation Biolation 339.00 SDS VersaFloopy III with CPM 30° Biolation Biolation 359.00 SDS VersaFloopy III with CPM 30° Biolation Biolation 359.00 with 6° unbanked CPM 30° Biolation Biolation Biolation with 6° unbanked CPM 30° Biolation Biolation Biolation CompuPro Disk3 Seagate ST500 serves Biolations 5 399.00 Biolation CompuPro Disk3 Seagate ST500 serves Biolations 5 399.00 S58.95 DiskK DRIVEE ENCLOSURES Biolations 5 399.00 Biolations 5 399.00
High res monochrome card BNHECGC \$ 33 Color card with printer port BNHECCOLOR \$ 17	00	SHUGART 40trk ½ height, dbl side 3lbs. BNSHUSA455 \$ 149.00	ParaOynamics dual desktop 35lbs. BNPDN22000 \$ 479.00 ParaOynamics dual rack mount 35lbs. BNPDN2200R \$ 499.00
QUADRAM CARDS (2 lbs. each) XPANDED OUADBOARD (0 K) BNODRODBRXPO 5 22 UADBOARD II BNODRODBRXPO 5 22 UADELORN II BNODRODCHIII 5 21 UADCOLDR II" BNODRODCHII 5 21 UADD 512 (64X installed) BNODRODCHII 5 21 UADD 512 (64X installed) BNODRODCHII 5 24 UADD 512 (64X installed) BNODRODLIK 5 25 uadotlink 5 21 BNODRODLIK 5 25 uadotlink 5 21 BNODRODLIK 5 25 uadotlink 5 21 BNODROSUR 5 25 uadotlink 5 21 BNODROSUR 5 25 uadotlink 5 21 BNODROSUR 5 25 uadotlink 5 21 BNODROSUR 5 25 BNODROSUR 5 25 BNODRIS325 25 BNODRIS225 25 BNODRIS232 55 BNODROSUR 5 25 BNODRIS235 25 BNODROSUR 5 25 S	DISK DRIVES 00 6" DRIVES 00 2 to 5 Ornes \$1000 each / 6 or more Drives \$99.00 each 00 NORCO BUSK DRIVES 00 2 to 5 Ornes \$10.00 each / 6 or more Drives \$99.00 each 00 WORLD DISK DRIVES Double side 00 6 or more Drives \$19.00 each 00 6 or more Orrives \$18.00 each 00 MITSUBISHI abi side dbi/density tables	TEAC 48tp- ½ neight, dbl side 3ibs. INTEAS58 \$ 155.00 TEAC 98tp- ½ neight, dbl side 3ibs. BNTEAS5F \$ 169.00 TANDDN 100- 201rk, bill neight. BNTEAS5F \$ 199.00 dbl side 4lbs. BYTACHTOTM 1002 \$ 199.00 S1/4" NARD DISK S 1495.00 \$ 1495.00 QUANTUM 42 Mbyte Had disk 9bb BNT0M0540 \$ 1495.00 TANDON 19.2 Mbyte Hol Disk BNTSEAST25 \$ 759.00 MAXTOR 4.0 Mbyte 30ms access 121b BNKEXT11140 \$ 3995.00 MAXTOR 4.0 Mbyte 30ms access 121b BMKTX11140 \$ 3995.00 MAXTOR 4.0 Mbyte 30ms access 121b BMKTX11140 \$ 3995.00 MAXTOR 1.0 Mbyte 30ms access 121b BMKTX11140 \$ 3995.00	ParaDynamics dual rack mount 350s BMPDN22004 \$ 499.00 JMR Dual desktop 300s BNJMR263 \$ 229.00 JMR Single 510s BNJMR265 \$ 80.00 JMR Dual full height 910s BNJMR255 \$ 80.00 JMR Dual full height Winternal data BNJMR255 \$ 89.00 JMR Dual full height Winternal data BNJMR255 \$ 65.00 JMR Dual half height vert. mount 71bs BNJMR255 \$ 65.00 JMR Dual half height wert. mount 71bs BNJMR255 \$ 299.00 JMR Dual half disk enclosure 20bs BNJMR452 \$ 299.00
VIDEO MONITORS SANYO 12MHz 12' Amber 18 lbs BNSYODM2212 \$ 7	Olfi Decrin	g Ave., C Chatsworth,	Calif.
SARVO 112MHz 12 27 Green 24 lbs BNSYDUM222 Z 51 SARVO 112MHz 12 Amore 24 lbs BNSYDOM8212CX S 52 SARVO 112MHz 12 Amore 24 lbs BNSYDOM8212CX S 52 SARVO 112MHz 12 Amore 24 lbs BNSYDOM8212CX S 52 SARVO 112 Creen 18 lbs BNIAX115 S1 SARVO 113MHz 12 Amore 18 lbs BNSYDOM7500 S7 SARVO 113 RGB color 7MHz 30 lbs BNSYDOM7500 S7 SARAM 12* RGB color 7MHz 30 lbs BNAXLTDS S1 S1 DISKETTES and ACCESSORIES MAXLED S1 S1 B' db/dens single sided 111 BMMX1ED1128M1200 S 27 B' db/dens double sided 110 BMMX1ED122XM1200 S 34	ORDER TOLL FREE (80 MINIMUM PREPAID ORDER \$15.00. Terms U.S. SHIPPING & HANDLING of \$3.00 for the first 31 case, include your phone number. Prices subject to charged appropriate freight. We are not respons		RONICS

ORDER TOLL FREE (800) 423-5922 - CA, AK, HI CALL (818) 709-5111



Inquiry 215





P.O. Box 246, Morris Plains, NJ 07950

Inquiry 180





CODE A CTIVATED - PORTER connects one computer to multiple peripherals. A software code selects the peripheral Parallel or Serial 4 channels - \$295 B channels - \$395 Buffer option 64K - \$100 256K - \$250

 ACMOTE TELEPATH connects multiple computers to multiple peripherals. A selector at each computer or terminal chooses up to 4 peripherals and displays busy status. 44 - \$495 - 48 - \$795 - 5elector - 539. Give a Rose to your computer

ROSE ELECTRONICS (713) 240-7673 P.O. BOX 742571 MC & VISA Accepted HOUSTON, TX 77274 Desler inquiries invited CALL US FOR ALL YOUR INTERFACE NEEDS

Electronic Circuit Analysis

New release

• Transient, AC, DC analysis

- Full nonlinear
 Over 200 nodes
- Full editing
- · Macro circuits
- Worst case, Monte-Carlo
- Temperature effects
- · Frequency dependent parts
- Time dependent parts

1 1

For MS-DOS. 128k minimum: \$395.00


Tatum Labs P.O. Box 698 Sandy Hook, CT 06482 (203) 426-2184

11.410

Inquiry 364

What's New at AMERICAN DESIGN COMPONENTS? electro-mechani for the hobbyist.

"The Source" of electro-mechanical components



FEBRUARY 1985 • BYTE 445

KRUEGER Technology, Inc.

The Home of Remanufactured

offers you an attractive alternative

No late-comer to the high tech business world, we perfected our IC remanufacturing process in 1975... and have been serving the needs of important, qualityconscious OEMs and distributors ever since. Now we are making available, to the serious "hobbyist," our vast inventory of ICs.

The patented Krueger Process is the key to the quality or our remanufacturing. Using patterned and controlled infra-red heat, we remove soldered-in ICs from obsolete, over-run, or scrap PCBs. Then we use automated, stateof-the-art procedures for leadstraightening, replating, optical scanning, and functional testing. The result is ICs which are "better than new" because they're already burned-in and retested.

This means that you can now buy just like the OEMs ... the same top quality, in the small quantities that meet your needs ... 100% tested and guaranteed. Use your Visa or MasterCard.

The listings on this page are but a sample selection from our full inventory. Call our toll free number to place your order or obtain information.

EXTRA SPECIAL FEATURES

EPROMS





STATIC RAMS

1702 5204 2708 68708 2716 300-450NS 2532, 2732 200NS 2532, 2732 200NS 2532, 2732 250NS 2763 68766 (24 PIN) 2564, 2764 300NS 27128 250NS 27128 300NS 27128 00 2716 br>2716 300 2716 300 2717 2717 2718 300 2718 3000 2718 3000 2718 30	2K 8K 8K 16K 16K 32K 54K 64K 128K 128K 128K 128K 128K 64K 64K 64K 64K 64K 64K 64K 16K 16K 16K	2.63 2.63 2.37 7.50 2.63 1.88 4.20 3.75 5.93 11.95 10.95 MS 3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.0	10415 2115 2125 93415 93425 2510 2511 2149 10474 2114 2 2114 4 48017 21418 2 6116 2 6116 2 10470 2141 2147 TMS40 1420 2168 2167	50NS 50NS 50NS 50NS 50NS 44 200NS 44 300NS	1 Kx1 1 Kx1 1 Kx1 1 Kx1 1 Kx1 1 Kx1 1 Kx1 1 Kx1 1 Kx4 1 Kx4 1 Kx4 1 Kx4 1 Kx4 1 Kx4 1 Kx4 1 Kx4 1 Kx6 1 Kx8 2	6.26 1.13 1.50 3.38 3.38 3.38 3.38 3.92 3.92 3.92 3.00 .70 .50 3.38 2.93 3.68 2.93 1.05 3.38 1.05 .90 4.50 4.50
Z80 SERIES	1				FLOPPY D	
2.5 MHZ		ACQUI	SITION		CONTROLL	.ERS
CPU CTC DART DMA PIO SIO (Any)	1.13 1.13 3.00 3.00 1.13 3.00	DAC08 DAC0800 DAC0806 DAC0808 ADC0809		1.14 9.90 1.14 1.44 2.48	D765 1791 1793 8876 8877 8272	11.25 11.25 11.25 11.25 11.25 11.25 18.00
4.0 MHZ (Z80 A)		8000 S	SERIES	1	2143	5.25
CPU CTC DART DMA PIO SIO (Any)	1.88 1.88 4.50 4.50 1.88 4.50	8031 8035 8039 8080A 8085 8085A2 8086		14.00 3.75 3.75 2.25 3.75 7.50 12.00	9216 CRT CONTROLL CRT5027 CRT5037	5.25 ERS 5.00 10.00
6500/6800		8088		11.25	6845	5.00
MICROPROCESSO	IRS	8155		2.85	46505	5.00
		8741 8748		18.00 18.00	UARTS	
6502 6503 6504 6512 6522 6532 6545 6800 6802 6803 6809 6810 6820 6821 6821 6824 6844 6850 6852	1.50 1.50 2.75 1.25 2.75 3.75 8.00 1.75 3.25 7.50 5.00 .75 1.50 1.25 10.50 1.25 10.50 2.25	8202 8205 8212 8214 8216 8224 8226 8228 8237 8237-5 8238 8243 8243 8243 8251 8251 8253 8255		$\begin{array}{c} 13.50\\ 2.25\\ 1.00\\ 2.25\\ 1.00\\ 1.50\\ 1.25\\ 2.25\\ 6.75\\ 7.50\\ 3.00\\ 5.00\\ 3.25\\ 3.50\\ 4.00\\ 3.25\end{array}$	UARTS AY3-1015A TR1402 TR1802 TR1863 TR1472 1482 2350 2651 6402 7201 MISCELLAN TMS9901	2.00 3.00 2.25 2.25 4.50 4.50 4.50 4.50 3.50 10.50
6860	3.25	8255-5		3.75	TMS9904	1.50
16 BIT MICROPROCESSO Z8001 MC68000L8 SOUND CHIPS	2.75	8257 8257-5 8259 8259-5 8272 8274 8276 8279 8279-5 8284		3.50 4.00 3.50 4.00 16.00 25.00 17.50 4.00 5.00 4.00	1003914 1003914 10039910 10039900 9602 9602 9602 9602 9602 9602 9602	3.00 13.26 3.00 1.10 2.25 3.75 NE
		8286		4.50		
AY3-8910 AY3-8912 76477 76489	5.00 5.00 2.25 4.00	8287 8288 8289 8292		4.50 10.00 18.00 5.00	ANY 74LSXX ANY 74LS1XX ANY 74LS2XX ANY 74LS3XX	.25 .33 .45 .49

NOTE: This is just a sampling of our **6 million IC inventory.** In addition to microprocessors and memory, we carry a full inventory of linear, digital, and interface devices.





Inquiry 92

Inquiry 48

Inquiry 298

The state of the second second second second			
DeVen	74LSOO 74L800 .23 74L8125 .48 74L8260 .58	6500 1 MHZ 2 MHZ	Low Cost EPRON - PROGRAMMER
DoKay	74L801 24 74L8126 48 74L8266 54 74L802 24 74L8132 56 74L8273 1.45 74L803 24 74L8133 56 74L8275 3.30	6502 4.90 6502A 6.90 6504 6.90 6522A 9.90	- PROGRAMMER
COMPUTER	74LS04 23 74LS136 38 74LS279 48 74LS05 24 74LS137 98 74LS260 1.95 74LS08 27 74LS138 54 74LS283 68	6505 8.90 6532A 10.95 6507 9.90 6545A 26.95 6520 4.30 6551A 10.95 6522 6.90 6.90 6.90	SHOOTIS
PRODUCTS,	74L809 .28 74L8139 .54 74L8290 .86 74L810 .24 74L8145 1.15 74L8293 .88 74L811 .34 74L8147 2.45 74L8295 .98	6532 9.90 3 MHZ 6545 21.50 6502B 8.95 6551 10.85	//////////////////////////////////////
ORDER TOLL FREE	74L\$12 .34 74L\$148 1.30 74L\$298 .88 74L\$13 .44 74L\$151 .54 74L\$299 1.70 74L\$14 .58 74L\$153 .54 74L\$233 3.45	0,001	
(000)	74L815 .34 74L8154 1.85 74L8324 1.70 74L820 .24 74L8155 .68 74L8352 1.25 74L821 .28 74L8156 .68 74L8353 1.25	6800 68000	The "Shooter" \$395." • 32K bits upgradable to 128K memory
(800)	74L822 .24 74L8157 .64 74L8363 1.30 74L826 .28 74L8158 .58 74L8364 1.90 74L827 .28 74L8160 .68 74L8365 .48	6800 2.75 6862 10.95 6802 7.90 6875 6.90 6808 12.90 6880 2.20	Built-in Serial RS-232 Port Program & verify 2716 thru 2725
538-8800	74L\$28 .34 74L\$161 .64 74L\$388 .48 74L\$30 .24 74L\$162 .68 74L\$367 .44 74L\$32 .26 74L\$163 .64 74L\$366 .44	6809£ 13.95 6883 21.95 6809£ 10.95 68047 23.95 6810 2.90 68488 18.95	Intelligent, fast programming Up/download Hex, Binary, ASCII etc Serial RS-232 Interface compatible
(CALIFORNIA RESIDENTS)	74L833 .54 74L8164 .68 74L8373 1.35 74L837 .34 74L8165 .94 74L8374 1.35 74L838 .34 74L8185 1.90 74L8377 1.35	6820 4.30 6821 2.75 1 MHZ 6828 13.95 68800 9.95	UV ERASERS
(800)	74L840 .24 74L8168 1.70 74L8376 1.13 74L842 .48 74L8169 1.70 74L8376 1.30 74L847 .74 74L8170 1.45 74L8385 1.85	6840 11.95 68802 21.25 6843 33.95 68809E 28.95 6844 24.95 68809 28.95	QUV-T8/1 \$49.9
848-8008	741848 .74 7418173 .68 7418386 .44 741849 .74 7418174 .54 7418390 1.15 741851 .24 7418175 .54 7418393 1.15 741854 .28 7418181 2.10 7418395 1.15	6845 11.95 68810 6.90 6847 10.95 68821 6.90 6850 3.20 68845 18.95	ECONOMY Model
070-0000	741855 .28 7418169 8.90 7418389 1.45 741856 1.20 7418169 8.90 7418399 1.45 741863 1.20 7418190 .88 7418424 2.90 741873 .38 7418191 .88 7418447 .36	6852 4.95 68850 5.90	AND - YO LA REMOVA SHADEN THE
VISA MasterCard	741875 .30 7418192 .78 7418490 1.90 741875 .38 7418192 .78 7418490 1.90 741875 .38 7418193 .78 7418824 3.95 741876 .38 7418194 .68 7418840 2.15	MICROPROCESSORS	and the second s
	741878 48 7418195 68 7418645 2.15 741883 59 7418196 78 7418668 1.65 741885 88 7418197 78 7418669 1.85	8000 8031 5.75 8088 25.95	
STATIC RAMS 2101 256 x 4 (450ms) 1.90	741888 .38 7418221 .88 7418670 1.45 741890 .54 7418240 .94 7418674 9.60 741891 .88 7418241 .98 7418882 3.15	8035 5.90 8089 59.95 8039 5.75 8155 6.90 INS-8060 16.95 8155-2 7.90	• Erases 8 EPROMS in 20 minute
5101 256 π 4 (450ns) (cmos) 3.90 2102-1 1024 π 1 (450ns) .88 2102L-4 1024 π 1 (450ns) (LP) .98	741892 .54 7418242 .98 7418883 3.15 741893 .54 7418243 .98 7418884 3.15 741895 .74 7418244 1.25 7418885 3.15	INS-8073 45.95 8156 6.90 8080 3.90 8185 28.95 8085 4.75 8185-2 38.95	• Plastic Enclosure QUV-T8/2T \$97.51
2102L-2 1024 x 1 (250ns) (LP) 1.45 2111 256 x 4 (450ns) 2.45 2112 256 x 4 (450ns) 2.95	741896 .88 7418245 1.45 7418688 2.35 7418107 .38 7418247 .74 7418689 3.15 7418109 .38 7418248 .98 7418783 23.95	8085A-2 10.95 8741 19.95 8086 23.95 8748 35.95	INDUSTRIAL Model • Tray Action, • UV Indicator
2114 1024 x 4 (450ms) .99 2114-25 1024 x 4 (250ms) 1.10 2114L-4 1024 x 4 (450ms) 1.20	74L\$112 .38 74L\$249 .68 81L\$95 1.45 74L\$113 .38 74L\$251 .58 81L\$98 1.45 74L\$114 .38 74L\$253 .58 81L\$97 1.45	8087 159.95 8755 23.95 8200	60-minute adjustable timer Steel enclosure Safety switc
2114L-3 1024 x 4 (300ns) [LP] 1.30 2114L-2 1024 x 4 (200ns) [LP] 1.40 2125 1024 x 1 2.49	74L8122 44 74L8257 .58 81L898 1.45 74L8123 .78 74L8258 .58 25L82521 2.75 74L8124 2.85 74L8259 2.70 25L82569 4.20	8202	• Erase 15 EPROMS in 20 minutes QUV-T8/2N \$68.9
2147 4096 x 1 (55ms) 4.90 TMS4044-4 4096 x 1 (450ms) 3.45 TMS4044-3 4096 x 1 (300ms) 3.95 TMS4044-2 4096 x 1 (200ms) 4.45		8205. 3.45 8257-5 8.90 8212. 1.75 8259. 6.85 8214. 3.80 8259-5 7.45 8216. 1.70 8271. 75.00	(No Timer)
Imsedues2 4090 H I (200m) 4.40 MK4118 1024 x 8 (250ms) 9.90 TM M2016-200 2048 x 8 (200ms) 4.10 TM M2016-150 2048 x 8 (150ms) 4.90	CRT CONTROLLERS	8224. 2.20 8272. 38.95 8226. 1.75 8274. 29.95 8228. 3.45 8275. 28.95	PRODUCTION Model
TM M2016-100 2048 x 8 (100ms) 6.10 H M6116-4 2048 x 8 (200ms) (cmms) 4.70 H M6116-3 2048 x 8 (150ms) (cmms) 4.90	7220	8237. 18.95 8279. 8.90 8237-5 20.95 8279-5 9.00 8238. 4.45 8282. 6.45	QUV-T8/2 \$124.9 FAST Industrial Model
HM6116-2 2048 x 8 (120ns) (cmos) 8.90 HM6116LP-4 2048 x 8 (200ns) (cmos) 5.90 HM6116LP-3 2048 x 8 (150ns) (cmos)(LP) 5.90	TMS 9918A	8243. 3.95 8283. 6.45 8250. 9.95 8284. 4.95 8251. 4.45 8286. 6.45	ST-8 \$195.01 8-Tray Storage Cabinet
HM6116LP-2 2048 x 8 (120ns) (cmcs) (LP) 9.95 Z-6132 4096 x 8 (300ns) (Qstat) 33.95 HM6264P-15 8192 x 8 (150ns) (cmcs) 32.95		8253	GANG PROGRAMMER
HM6264LP-15 8192 x 8 (150ns) (cmes) 36.95 HM6264LP-12 8192 x 8 (120ns) (cmes) 46.95	DISC CONTROLLERS	8292	GANGPRO-8" \$995."
LP = Low Power Qatat = Quasi-Static DYNAMIC RAMS	1791 21.95 6843 33.95 1793 25.95 8272 18.95 1795 21.95 UP0765 18.95	2.5 MHZ 4.0 MHZ Z80-CPU	TE CI CANNAND
TMS4027 4096 x 1 (250ns) 1.95 UP0411 4096 x 1 (300ns) 1.95 MM5280 4096 x 1 (300ns) 1.95	1797 21.95 MB8876 23.95 2791 49.95 MB8877 25.95 2793 49.95 1691 6.95	Z80-0ART 8.95 Z80A-0ART 8.95 Z80-0MA 11.95 Z80A-0MA 8.95	High through-put
MK4108 8192 x 1 (200ns) 1.90 MM5298 8192 x 1 (250ns) 1.80 4116-200 16384 x 1 (200ns) .79	2795 54.95 2143 6.95	Z80-PI0 2.95 Z80A-PI0 3.95 Z80-S10/0 10.95 Z80A-S10/0 11.95 Z80-S10/1 10.95 Z80A-S10/1 11.95	Reliable, user-friendly Intelligent algorithm
4116-150 16384 x 1 (150ms) 1.20 2118 16384 x 1 (150ms) (5v) 4.90 4164-250 65536 x 1 (250ms) 2.99	1984 — THE IC MASTER —	Z80-810/2 10.95 Z80-S10/9 10.95 Z80A-S10/9 11.95	• Program and verify 2716 thru 2725 • Stand alone (RS-232 option \$185
4164-200 65536 x 1 (200ns) (5v) 3.33 4164-150 65536 x 1 (150ns) (5v) 3.99 41256 (200ns) (200ns) (29.95 29.95	Your ticket to fast and	6.0 MHZ Z80B-CPU	OTHER PRODUCTS
41256 (150ns) 39.95 5V = Single 5 Volt Supply	easy IC selections	Z80B-PI0 8.95 Z80B-DART 12.95 Z80B-DART 12.95	PROMPRO-8 \$689. 64K Versio • Powerful EPROM/Micro develor
EPROMS 1702 256 x 8 (1us) 4.45	and the second se		Keypad simulation
2708 1024 x 8 (450ns) 2.49 2758 1024 x 8 (450ns) (5v) 5.90 2716 2048 x 8 (450ns) (5v) 2.95	E E SCMASTE	MEMORY EXPANSION KIT	• 256K memory buffer option availabl PROMPRO-7 \$489.4
2716-1 2048 x 8 (350ms) (5v) 5.90 TMS2516 2048 x 8 (450ms) (5v) 5.45 TMS2716 2048 x 8 (450ms) (5v) 5.45 TMS2716 2048 x 8 (450ms) (5v) 5.95	- Claire	- Manual	 32K non-expandable unit Built-in 8748, 8749 programmin
TM \$2532 4096 x 8 (450ms) (5v) 5.90 2732 4096 x 8 (450ms) (5v) 4.45 2732-250 4096 x 8 (250ms) (5v) 8.90 2732-200 4096 x 8 (250ms) (5v) 10.95	· ton	4104	PALPRO-2 \$1895." Stand-alone RS-232 Unit
2764 8192 x 8 (450ms) (5v) 6.45 2764 8192 x 8 (450ms) (5v) 7.45 2764-250 8192 x 1 (250ms) (5v) 7.45 2764-200 8192 x 1 (200ms) (5v) 16.45	111		• Programs 20 and 24 series PAL PALPRO-1 \$995.
TM \$2564 8192 x 8 (450ms) (5v) 12.95 2732A (350ms) 4.45 M C68766 8192 x 8 (450ms) (5v) (24 pin) 29.95	* 1	4164 200ns	Programs 20-pin PALs
27128 16384 x 8 (250ns) (5v) 24.95 5v = Single 5 Veit Supply	\$ 89. ⁹⁵	9 for \$29.97	DEVICES, INC. LOGICAL
448 BYTE • FEBRUARY 1985	"你们的你们的你们的你的?"		

DIP SWITCHES	IC SOCKETS
ON CH 12345678	(1 to 99) 8 pin ST
OSITION	40 pin 81
081TION	ZIF SOCKETS
RIBBON CABLE	14 pin ZIF 545 26 pin ZIF 745 26 pin ZIF 745
	40 pin ZIF 10.45 Z1F = TEXTOOL (Zero Insertion Force)
	VOLTAGE REGULATORS
	7805T
	7812T
SINGLE COLOR COLOR CODEO	7824T
10 .45 4.30 .78 7.20	7815K
20 .80 5.60 1.15 10.90	78L05
25 .70 6.50 1.22 11.50 26 .70 6.50 1.27 11.50	78L15
34 .93 8.50 1.55 14.40 40 1.27 11.50 1.62 16.70	C,T = TO-220 K = TO-3
50 1.28 12.00 2.40 21.90	L = TO-92
50 1.28 12.00 2.40 21.90	
50 1.28 12.00 2.40 21.90 DIP CONN DESCRIPTION DROER BY B	L = TO-92
50 1.28 12.00 2.40 21.90 DIP CONN	L = TO-92 NECTORS NO. of CONTACTS
50 1.28 12.00 2.40 21.80 DIP CONN DESCRIPTION DRUER BY HIGH RELIABILITY TOOLED ST HRTXXST .94 IC SOCKETS COMPONENT CARRIERS ICCXX .60	L = TO-92 NECTORS NO. of CONTACTS 14 16 18 20 22 24 28 40
50 1.28 12.00 2.40 21.90 DIP CONN DESCRIPTION DADES TION COMPONENT CARRIERS COMPONENT CARRIERS COMPONENT CARRIERS DIPERT BADES TION	L = TO-92 NECTORS NO. of CONTACTS 14 16 18 20 22 24 28 40 .94 .94 1.59 1.79 1.89 2.39 2.89
50 1.28 12.00 2.40 21.80 DIP CONN DESCRIPTION DROER BY HIGH RELIABILITY TOOLED ST HRTIXEST ARTIXET COMPONENT CARRIERS ICCXX BIRBON CARLE	L = TO-92 NECTORS NO. of CONTACTS 14 16 18 20 22 24 28 40 .94 .94 1.59 1.79 1.79 1.89 2.39 2.89 .70 .80 .95 1.15 1.15 1.25 1.40 2.00 1.35 1.55 2.40 - 4.05
50 1.28 12.00 2.40 21.80 DIP CONN DESCRIPTION 0A0ER BY 8 HIGH RELIABILITY TOOLED ST HRTXX8T 84 IC SOCKETS COMPONENT CARRIERS ICCXX 60 (DIP HEADERS) RIBBON CABLE IDPXX — ORDER EXAMPLE: A 14-pin High Reference 0 0 0	L = TO-92 NECTORS NO. of CONTACTS 14 16 18 20 22 24 28 40 .94 .94 1.59 1.79 1.79 1.89 2.39 2.89 .70 .80 .95 1.15 1.15 1.25 1.40 2.00 1.35 1.55 2.40 - 4.05 ef. ST socket would be HRT 14 ST
50 1.28 12.00 2.40 21.80 DIP CONN DESCRIPTION DROER BY HIGH RELIABILITY TOOLED ST HRTIXEST BHIGH RELIABILITY TOOLED ST HRTIXET COMPONENT CARRIERS ICCIX TOBEON CABLE DIP PLUGS (IDC)	L = TO-92 NECTORS NO. of CONTACTS 14 16 18 20 22 24 28 40 .94 .94 1.59 1.79 1.79 1.89 2.39 2.89 .70 .80 .95 1.15 1.15 1.25 1.40 2.00 1.35 1.55 2.40 - 4.05 el. ST socket would be HRT 14 ST NIATURE NO. of CONTACTS
50 1.28 12.00 2.40 21.80 DIP CONN DESCRIPTION 080E8 BY 8 HIGH RELIABILITY TOOLED ST HRTXXST 94 IC SOCKETS COMPONENT CARRIERS ICCXX 80 (DIP MEADERS) IDPXX RIBBON CABLE IDPXX ORDER EXAMPLE: A 14-pin High Re D - S U B M II	L = TO-92 NECTORS NO. of CONTACTS 14 16 18 20 22 24 28 40 .94 .94 1.59 1.79 1.79 1.89 2.39 2.89 .70 .80 .95 1.15 1.15 1.25 1.40 2.00 1.35 1.55 2.40 - 4.05 el. ST socket would be HRT 14 ST NIATURE NO. of CONTACTS 9 15 25 37 50
50 1.28 12.00 2.40 21.80 DIPCONN DESCRIPTION DROER BY HIGH RELIABILITY TOOLED ST HRY X8T A4 IC SOCKETS COMPONENT CARRIERS ICCXX BON CABLE DIP PLUGS (IDC) ORDER EXAMPLE: A 14-pin High Re D - SUBMIN DESCRIPTION ORDER BY SOLDER MALE DP XXP FEMALE	L = TO-92 NECTORS NO. of CONTACTS 14 16 18 20 22 24 28 40 .94 .94 1.59 1.79 1.79 1.89 2.39 2.89 .70 .80 .95 1.15 1.15 1.25 1.40 2.00 1.35 1.55 2.40 - 4.05 el. ST socket would be HRT 14 ST NIATURE NO. of CONTACTS 9 15 25 37 50 1.98 2.59 2.40 4.70 5.98 2.56 3.53 3.15 7.01 9.14
50 1.28 12.00 2.40 21.80 DIP CONN DESCRIPTION DRUER BY B HIGH RELIABILITY TOOLED ST HRTXXST .94 IC SOCKETS COMPONENT CARRIERS ICCXX .80 (DIP HEADERS) IDPXX - ORDER EXAMPLE: A 14-pin High Re D-SUBMIN DESCRIPTION ORDER BY SOLDER MALE DPXXP SOLDER MALE DPXXP FEMALE DBXXS RT. ANGLE MALE PC. SOLDER FEMALE DBXXS	L = TO-92 N E C T O R S NO. of CONTACTS 14 16 18 20 22 24 28 40 .94 .94 .59 1.79 1.79 1.99 2.39 2.89 .70 .80 .95 1.15 1.15 1.25 1.40 2.00 1.35 1.55 2.40 - 4.05 el. ST socket would be HRT 14 ST N I A T U R E NO. of CONTACTS 9 15 25 37 50 1.98 2.59 2.40 4.70 5.96 2.56 3.53 3.15 7.01 9.14 PR 1.55 2.10 2.90 4.73 - FR 2.08 2.93 4.32 6.09 -
50 1.28 12.00 2.40 21.80 DIP CONN DESCRIPTION DRDER BY B HIGH RELIABILITY TOOLED ST HRTXXST .94 IC SOCKETS COMPONENT CARRIERS ICCXX .80 (DIP MEADERS) RIBBON CABLE DIP PLUGS (IDC) ORDER EXAMPLE: A 14-pin High Re D - SUBMIN DESCRIPTION ORDER BY SOLDER MALE DPXXP FEMALE DBXXS RT. ANGLE	L = TO-92 N E C T O R S NO. of CONTACTS 14 16 18 20 22 24 28 40 .94 .94 1.59 1.79 1.79 1.99 2.39 2.89 .70 .80 .95 1.15 1.15 1.25 1.40 2.00 1.35 1.55 2.40 - 4.05 el. ST socket would be HRT 14 ST N I A T U R E NO. of CONTACTS 9 15 25 37 50 .9 15 25 37 50 .9 1.98 2.59 2.40 4.70 5.96 .2.56 3.53 3.15 7.01 9.14 .87 1.55 2.10 2.90 4.73 - .9 3.27 4.60 6.13 9.12 -
50 1.28 12.00 2.40 21.90 DIP CONN DESCRIPTION DADER BY HIGH RELIABILITY TOOLED ST HATIXAST ANDER BY HATIXAST COMPONENT CARRIERS ICCIX RIBBON CABLE DIP PLUGS (IDC) ORDER EXAMPLE: A 14-pin High Re D - SUBMII DESCRIPTION ORDER EXAMPLE: A 14-pin High Re D - SUBMII DESCRIPTION ORDER BY SOLDER MALE DBXXP FEMALE TOR TOR TOR	L = TO-92 NECTORS NO. of CONTACTS 14 16 18 20 22 24 28 40 .94 .94 1.59 1.79 1.79 1.89 2.39 2.89 .70 .80 .95 1.15 1.15 1.25 1.40 2.00 1.35 1.55 2.40 - 4.05 el. ST socket would be HRT 14 ST NIATURE NO. of CONTACTS 9 15 25 37 50 1.98 2.59 2.40 4.70 5.96 2.56 3.53 3.15 7.01 9.14 VR 1.55 2.10 2.90 4.73 - SR 2.08 2.93 4.32 6.09 - P 3.27 4.60 6.13 9.12 - S 3.59 5.03 6.74 9.98 B 1.15
50 1.28 12.00 2.40 21.80 DIPCONN DESCRIPTION DROUGH BY HIGH RELIABILITY TOOLED ST HATTALE BY HIGH RELIABILITY TOOLED ST HATTALE BY HATTALE BY HATTALE BY HATTALE BY HATTALE BY COMPONENT CARRIERS ICCIX .60 (DIP MEADERS) RIBBON CABLE DIP PLUGS (IDC) ORDER EXAMPLE: A 14-pin High Re DESCRIPTION ORDER BY SOLDER MALE DPXXP CUP FEMALE DBXXS RT. ANGLE MALE DPXXP CUP FEMALE DBXXS IDC MALE IDC BLACK HOODS <td>L = TO-92 NECTORS NO. of CONTACTS 14 16 18 20 22 24 28 40 .94 .94 1.59 1.79 1.79 1.89 2.39 2.89 .70 .80 .95 1.15 1.15 1.25 1.40 2.00 1.36 1.55 2.40 - 4.05 el. ST socket would be HRT 14 ST NIATURE NO. of CONTACTS 9 15 25 37 50 1.98 2.59 2.40 4.70 5.96 2.56 3.53 3.15 7.01 9.14 VR 1.55 2.10 2.90 4.73 - SR 2.08 2.93 4.32 6.09 - P 3.27 4.60 6.13 9.12 - S 3.59 5.03 6.74 9.98 - -B 1.15 1.50 1.50 1.15 1.15 2.85 3.40</td>	L = TO-92 NECTORS NO. of CONTACTS 14 16 18 20 22 24 28 40 .94 .94 1.59 1.79 1.79 1.89 2.39 2.89 .70 .80 .95 1.15 1.15 1.25 1.40 2.00 1.36 1.55 2.40 - 4.05 el. ST socket would be HRT 14 ST NIATURE NO. of CONTACTS 9 15 25 37 50 1.98 2.59 2.40 4.70 5.96 2.56 3.53 3.15 7.01 9.14 VR 1.55 2.10 2.90 4.73 - SR 2.08 2.93 4.32 6.09 - P 3.27 4.60 6.13 9.12 - S 3.59 5.03 6.74 9.98 - -B 1.15 1.50 1.50 1.15 1.15 2.85 3.40
50 1.28 12.00 2.40 21.80 DIP CONN DESCRIPTION 0A0ER BY 8 HIGH RELIABILITY TOOLED ST HRTXXST 84 IC SOCKETS COMPONENT CARRIERS ICCxx .60 ORDER EXAMPLE: A 14-pin High Reliabon CABLE DIP PLUGS (IDC) IDPxx ORDER EXAMPLE: A 14-pin High Reliabon CABLE DIP PLUGS (IDC) IDPxx ORDER EXAMPLE: A 14-pin High Reliabon CABLE DESCRIPTION ORDER BY SOLDER MALE DPxxP CUP FEMALE DBxxP CUP FEMALE DBxxP SOLDER FEMALE DBxxP IDC MALE IDPxxI IDC MALE IDPxxI IBBON CABLE FEMALE IDBxxP BLACK HOOD HOODS BLACK HOOD GREY HOOD RER IDC	L = TO-92 NECTORS NO. of CONTACTS 14 16 18 20 22 24 28 40 .94 .94 1.59 1.79 1.79 1.89 2.39 2.89 .70 .80 .95 1.15 1.15 1.25 1.40 2.00 1.35 1.55 2.40 - 4.05 el. ST socket would be HRT 14 ST NIATURE NO. of CONTACTS 9 15 25 37 50 .1.98 2.59 2.40 4.70 5.96 .2.56 3.53 3.15 7.01 9.14 .2.08 2.93 4.32 6.09 - .3.27 4.60 6.13 9.12 - .3.27 4.60 6.13 9.12 - .3.29 5.03 6.74 9.98 - .8 1.15 .9 1.50 1.50 1.15 2.85 3.40 .01der Cup would be MALE DP 25 P NECTORS
50 1.28 12.00 2.40 21.80 DIPCONN DESCRIPTION 0A0ER BY 8 HIGH RELIABILITY TOOLED ST MRTXX8T 84 IC SOCKETS COMPONENT CARRIERS ICCXX 80 OPHEADERS) RIBBON CABLE DIP PLUGS (IDC) ORDER EXAMPLE: A 14-pin High Re D-SUBMIN ORDER MALE DPXX ORDER MALE DPXXP CUP FEMALE DBXXS RT, ANGLE MALE DBXXS IDC MALE DBXXS IDC MALE DDXXS IDC MALE IDPXX IBBON CABLE FEMALE IDBXXS IDC MALE IDPXX IBBON CABLE FEMALE IDBXXS HOOD RDER EXAMPLE: A 5-pin Male Sc	L = TO-92 NECTORS NO. of CONTACTS 14 16 18 20 22 24 28 40 .44 1.59 1.79 1.79 1.89 2.39 2.89 .70 .80 .95 1.15 1.15 1.25 1.40 2.00 1.36 1.55 2.40 - 4.05 e1. ST socket would be HRT 14 ST NIATURE NO. of CONTACTS 9 15 25 37 50 1.98 2.59 2.40 4.70 5.96 2.56 3.53 3.15 7.01 9.14 PR 1.55 2.10 2.90 4.73 - IR 2.08 2.93 4.32 6.09 - P 3.27 4.60 6.13 9.12 - S 3.59 5.03 6.74 9.98 - B 1.15 I.50 1.50 1.15 1.15 2.85 3.40 Dider Cup would be MALE DP 25 P
50 1.28 12.00 2.40 21.80 DIP CONN DIP CONN DESCRIPTION 0A0ER BY 8 HIGH RELIABILITY TOOLED ST WRTXX8T 84 IC SOCKETS COMPONENT CARRIERS ICCIX 60 OPPHUGS (IDC) ORDER EXAMPLE: A 14-pin High Re DIP PLUGS (IDC) ORDER EXAMPLE: A 14-pin High Re DESCRIPTION ORDER BY SOLDER MALE DPXXP CUP FEMALE DBXXS RT. ANGLE MALE DPXXP CUP FEMALE DBXXS IDC MALE IDPXXI IBBON CABLE FEMALE DBXXS IDC MALE IDPXXI IBBON CABLE FEMALE IDBXXS IDC MALE IDPXXI IBC CON N DIC CON N DESCRIPTION ORDER BY SOLGER HEADER IDC CON N DESCRIPTION ORDER BY	L = TO-92 NECTORS NO. of CONTACTS 14 16 18 20 22 24 28 40
50 1.28 12.00 2.40 21.80 DIP CONN DESCRIPTION DROLED ST HATTANT ADIP CONN DESCRIPTION ORDER ST COMPONENT CARRIERS COMPONENT CARRIERS COMPONENT CARRIERS IDE PLUGS (IDC) IDP RUGS (IDC) ORDER EXAMPLE: A 14-pin High Re D - SUBMII DESCRIPTION ORDER EXAMPLE: A 14-pin High Re D - SUBMII DESCRIPTION ORDER MALE DPXXP CUP FEMALE DBXXP CUP FEMALE DBXXP IDC MALE DBXXP IDC MALE DBXXP IDC MALE IDEX IDC <	L = TO-92 NECTORS NO. of CONTACTS 14 16 18 20 22 24 28 40 .94 .44 1.59 1.79 1.79 1.89 2.39 2.89 .70 .80 .95 1.15 1.15 1.25 1.40 2.00 1.35 1.55 2.40 - 4.05 e I. ST socket would be HRT 14 ST NIATURE NO. of CONTACTS 9 15 25 37 50 1.98 2.59 2.40 4.70 5.96 2.56 3.53 3.15 7.01 9.14 XR 1.55 2.10 2.90 4.73 - XR 2.08 2.93 4.32 6.09 - P 3.27 4.60 6.13 9.12 - S 3.59 5.03 6.74 9.98 - P 3.27 4.60 6.13 9.12 - S 3.59 5.03 6.74 9.98 - P 3.27 4.60 6.13 9.12 - S 3.59 5.03 6.74 9.98 - P 3.27 4.60 6.13 9.12 - S 3.59 5.03 6.74 9.98 - P 3.27 4.60 6.13 9.12 - S 3.59 5.03 6.74 9.98 - NO. of CONTACTS NO. of CONTACTS 10 20 26 34 40 50 .77 1.19 1.58 2.10 2.48 3.14 .80 1.25 1.66 2.21 2.62 3.29 1.76 2.88 3.74 4.40 5.18 6.53
50 1.28 12.00 2.40 21.80 DIP CONN DIP CONN DESCRIPTION 0.00E8 BY 8 HIGH RELIABILITY TOOLED ST 0.00E8 BY 8 HIGH RELIABILITY TOOLED ST 0.00E8 BY COMPONENT CARRIERS 0.00E8 BY COMPONENT CARRIERS 0.00E8 BY ORDER CABLE DIP PLUGS (IDC) ORDER EXAMPLE: A 14-pin High Re D-SUBMIN ORDER EXAMPLE: A 14-pin High Re DESCRIPTION ORDER MALE DPxxP CUP FEMALE DBxxS RT. ANGLE MALE DPxxP CUP FEMALE DBxxS IDC MALE DBxxS IDC MALE IDPxx1 IBBON CABLE FEMALE IDBxx5 IDC CONN DESCRIPTION ORDER BY IDC CONN DESCRIPTION ORDER BY SOLGEA HEADEA <td>L = TO-92 NECTORS NO. of CONTACTS 14 16 18 20 22 24 28 40 .94 .94 1.59 1.79 1.79 1.89 2.39 2.89 .70 .80 .95 1.15 1.15 1.25 1.40 2.00 1.35 1.55 2.40 - 4.05 el. ST socket would be HRT 14 ST NIATURE NO. of CONTACTS 9 15 25 37 50 .1.98 2.59 2.40 4.70 5.96 .2.56 3.53 3.15 7.01 9.14 .PR 1.55 2.10 2.90 4.73 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.08 2.93 4.32 6.09 - .B .2.1155 - .2.95 2.00 2.25 2.20 2.20 2.20 2.20 2.20 2.2</td>	L = TO-92 NECTORS NO. of CONTACTS 14 16 18 20 22 24 28 40 . 94 .94 1.59 1.79 1.79 1.89 2.39 2.89 . 70 .80 .95 1.15 1.15 1.25 1.40 2.00 1.35 1.55 2.40 - 4.05 el. ST socket would be HRT 14 ST NIATURE NO. of CONTACTS 9 15 25 37 50 . 1.98 2.59 2.40 4.70 5.96 . 2.56 3.53 3.15 7.01 9.14 . PR 1.55 2.10 2.90 4.73 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.08 2.93 4.32 6.09 - . B . 2.1155 - . 2.95 2.00 2.25 2.20 2.20 2.20 2.20 2.20 2.2
50 1.28 12.00 2.40 21.80 DIP CONN DESCRIPTION DADER BY 8 HIGH RELIABILITY TOOLED ST HATTANST ANDER PCONN COMPONENT CARRIERS ICCux .80 (DIP MEADERS) RIBBON CABLE DIP PLUGS (IDC) ORDER EXAMPLE: A 14-pin High Re D - SUBMII DESCRIPTION ORDER EXAMPLE: A 14-pin High Re DESCRIPTION ORDER EXAMPLE: A 14-pin High Re DESCRIPTION ORDER EXAMPLE: A 14-pin High Re DESCRIPTION ORDER EXAMPLE: DBXXS RT. ANGLE MALE DBXXS IDC MALE DBXXS IDC MALE IDBXXS HOODS BLACK HOOD GREY HOOD RDER EXAMPLE: A 5-pin Male Sc IDC IDC CON N DESCRIPTION ORDE	L = TO-92 N E C T O R S NO. of CONTACTS 14 16 18 20 22 24 28 40 .44 1.59 1.79 1.79 1.89 2.39 2.89 .70 .80 .95 1.15 1.15 1.25 1.40 2.00 1.35 1.55 2.40 - 4.05 el. ST socket would be HRT 14 ST N I A T U R E NO. of CONTACTS 9 15 25 37 50 1.98 2.59 2.40 4.70 5.96 2.56 3.53 3.15 7.01 9.14 PR 1.55 2.10 2.90 4.73 - S 3.59 5.03 6.74 9.98 - - 1.15 S 3.59 5.03 6.74 9.98 - 1.15 S 3.59 5.03 6.74 9.98 - 1.15 S 3.59 5.03 6.74 9.98 -

CRYSTALS 1.0000 MHz 3.69 8.0000 MHz 2.69 1.0432 MHz 3.69 10.0000 MHz 2.69 2.0900 MHz 2.69 10.7386 MHz 2.69 2.0972 MHz 2.69 12.0000 MHz 2.69 3.6745 MHz 2.69 14.3182 MHz 2.69 3.6745 MHz 2.69 14.3182 MHz 2.69 3.6745 MHz 2.69 15.0000 MHz 2.69 3.6745 MHz 2.69 17.4300 MHz 2.69 4.0000 MHz 2.69 17.4300 MHz 2.69 5.0000 MHz 2.69 18.4320 MHz 2.69 5.0000 MHz 2.69 18.608 MHz 2.69 5.0000 MHz 2.69 18.608 MHz 2.69 5.0000 MHz 2.69 22.0104 MHz 2.69 5.0000 MHz 2.69 32.0000 MHz 2.69 5.429 MHz 2.69 32.0000 MHz 2.69 5.1440 MHz 2.69 48.0000 MHz 2.69 6.1440 MHz 2.69 48.0000 MHz<	Pro
CRYSTAL CLOCK OSCILLATORS	go
PART NO. FREQUENCY PRICE 1.000 1.0000 MHz 6.99 1.843 1.8432 MHz 6.99 2.000 2.0000 MHz 6.99 4.000 4.0000 MHz 6.99 6.000 8.0000 MHz 6.99 10.000 10.0000 MHz 6.99 16.000 10.0000 MHz 6.99 16.000 10.0000 MHz 6.99 16.000 10.0000 MHz 6.99 16.000 19.6606 MHz 6.99 19.860 19.6606 MHz 6.99 32.000 32.0000 MHz 6.99	SP:
EDGECARD CONECTORS	ST
S-100 ST 3.85 S-100 WW 4.85 72-pin ST 6.85 72-pin WW 7.85 44-pin WW 4.85	hig da sit SU
RESISTORS ¼ WATT 5% CARBON FILM ALL STANDARD VALUES FROM 1 OHM - 10 MEG OHM 50 PCS 1,000 PCS 1,000 PCS	
	Eli
1-99 100+ Jumbe RED .09 .08 Jumbo GREEN .16 .14 Jumbo YELLOW .16 .14	es IN1
INTERFACE CHIPS 8725 1.54 8798 88 86728 1.84 DW8131 2.90 8795 88 DP8304 2.24 8796 88 D88335 1.94 8797 88 D88335 98	Iso ic o ag pre
TRANSISTORS 2N918 .49 2N3563 .39 2N4402 .24 MYS018 .24 2N3565 .30 2N4402 .24 2N2102 .74 PN3565 .24 2N4367 .99 2W2218 .49 PM53638 .24 PN4916 .24 2W2218 .49 PM53638 .24 PN4916 .24 2W2218 .49 PM3540 .24 PN5128 .24 2W2218 .49 PM3540 .24 PN5128 .24 2W2218 .49 PM3643 .24 PN5128 .24 2W2218 .49 PM3643 .24 PN5128 .24 2W2218 .49 PM3644 .24 PN5128 .24 2W2222 .09 MP53706 .4 2N6028 .34 MP52369 .24 2M3772 .160 2N6045 .170 2W202 .09 MP53706 .4 2N6045 .170	





Inquiry 42

Inquiry 244

OKIDATA **Prices Slashed** *FREE IBM ROMS

160 CPS, Correspondence Quality	LIST	JADE
Okidata 92 parailel	\$599	\$389.95*
Okidata 93 parallel FREE tractor!	\$995	\$599.95*
2K serial board	\$120	\$99.95
IBM PC ROMS for 92	\$59	
IBM PC ROMS for 93		
Extra 82/93 Ribbon	\$9.95	
82/92 tractor	\$89	\$54.95
120 CPS & 200 CPS OKIDATAS	LIST	JADE
Okidata 82 120 CPS	\$499	\$299.95
Okidata 83 120 CPS	\$775	\$569.95*
Okidata 84 parallel 200 CPS 3	\$1395	\$799.95*
Okidata 84 serial 200 CPS	\$1495	
	_ \$150	\$119.95
IBM PC ROMS for 82/83	\$49	\$39.95

\$89.95

\$399 \$149.95

IBM PC ROMS for 84 \$99 *FREE! Plug-n-Play option with purchase of 92, 93, or 84

A-B PRINTER SWITCH

Allows your computer to run either	of two	printers
standard parallel switch box.	LIST	JADE
Printer switch	\$149	\$89.95
Extra Cable	\$40	\$29.95

The LITTLE BOARD with FREE! CP/M 2.2

Minature single board CP/M computer designed to mount directly on top of a 51,1" floppy disk drive (7.75" x 5.75") Contains Z80A, CPU, 64K RAM. Boot Eprom, terminal port, modem port, parallel printer port, floppy disk controller, and CP/M 2.2 included FREE! LIST JADE \$400 \$349.95 Little Board with CP/M Support package \$50 \$48.95 Serial cable \$13 \$11.95 Diskless monitor Eprom \$30 \$24.95 190K Disk drive \$249 \$99.95



EPSON RX-100F/T	SAVE	\$250.00
EPSON JX-80F/T	SAVE	\$200.00
EPSON FX-80F/T	SAVE	\$200.00
EPSON FX-100F/T	SAVE	\$300.00
EPSON LQ-1500	SAVE	\$300.00
EPSON/COMREX 420 CPS	SAVE	\$500.00
2K Serial Board RX/FX	\$149	\$99.95
FX-80 Tractor	\$59	\$39.95
LQ-1500 Tractor	\$89	\$49.95
LQ-1500 Sheet Feeder	\$499	\$399.95

Continental U.S.

800-421-5500



Bulk Diskettes as low as



LETTER QUALITY PRINTER'S ON SALE!

	LIGI		
Diablo 630 40 CPS	\$2340	\$1699.95	
Tractor for 630	\$250	\$219.95	
Starwriter F-10 40 CPS	\$1895	\$999.95	
Starwriter F-10 55 CPS	\$1995	\$1199.95	
Tractor for F-10	\$250	\$199.95	
New Comrex CR-IIE	\$599	\$439.95	
Tractor for CR-II	\$120	\$99.95	
Keyboard for CR-II	\$199	\$179.95	
Sheet feeder for CR-II	\$259	\$199,95	
Juki 6100 18 CPS	\$599	\$449.95	
Tractor for 6100	\$149	\$124.95	
NEC 3550 33 CPS	\$2250	\$1399.95	
Tractor for 3550	\$265	\$229.95	

TOSHIBA P1351 High speed & letter quality!

High quality 24 pin head. 19:	2 CPS draft	mode, 96
CPS letter quality.	LIST	JADE
P1351	\$1895	\$1299.95
Tractor	\$195	\$174.95
Sheet Feeder	\$1095	\$899.95

MANNESMAN-TALLY Spirit 80 Printer

List Price \$399 **\$249**⁹⁵ Hurry Limited Quantity!

PRINTER ACCESSORIES

Printers

IBM PC style cable	\$54	\$28.95
Standard parallel cable	\$40	\$28.95
Apple Card & cable	\$109	\$49.95
RS-232 serial cable	\$30	\$24.95
Ribbons	AS LOW A	S \$4.99
Apple IIc cable	\$39	\$27.95

JADE

MICROFAZER BUFFERS Ouadram

Expandable to 64K (parallel model expands to 512K)


8K parallel in/parallel out	<mark>\$169</mark>	\$139.95
32K parallel in/parallel out	\$225	\$164.95
128K parallel in/parallel out	\$445	\$269.95
8K serial in/parallel out	\$199	\$169.95
32K serial in/parallel out	\$260	\$199.95
8K parallel in/serial out 32K parallel in serial out		\$169.95 \$199.95
8K serial in serial out	<u>\$199</u>	\$169.95
32K serial in serial out	\$260	\$199.95

MICROBUFFER Practical Peripherals

Stand alone Microbuffers	LIST	JADE
32K parallel in/parallel out	\$299	\$229.95
64K parallel in/parallel out	\$349	\$269.95
32K serial in/serial out	\$299	\$229.95
64K serial in/serial out	\$349	\$269.95
64K add-on board	\$179	\$149.95



350K Disk drive We accept cash, checks, credit cards, or purchase orders from gualified firms and institutions. Minimum prepaid order \$15.00 California residents add 61/6% tax. Export customers outside the US or Canada please add 10% to all prices. Prices and availibility subject to change without notice. Shipping and handling charges via UPS Ground 50¢/lb. UPS Air \$1.00/lb. minimum charge \$3.00



available. External model includes cabinet & power supply. LIST JADE

10 mbyte internal	\$1350	\$699.95
10 mbyte external	\$1585	\$849.95
15 mbyte Internal	\$1795	\$899.95
15 mbyte external	\$1895	\$1099.95
20 mbyte internal	\$1800	\$995.95
20 mbyte external	\$2060	\$1299.95
33 mbyte internal	\$3298	\$1849.95
33 external	\$3 3 88	\$1999.95
10 mbyte internal tape	\$1000	\$599.95
10 mbyte external tape	\$1240	\$749.95
KENTRONICO KE	VDOAD	0.0

KEYTRONICS KEYBOARDS

5151

5152

LIST	JADE
\$209	\$159.95
\$299	\$199.95
\$329	CALL

Double sided, double density Tandon 100-2 \$159.00 each Teac 55B \$129.00 each 360K Half height drive \$99.00 each

AST for IBM PC	LIST	JADE
Six Pak plus OK	NIA	\$249.95
Six Pak plus 64K	\$395	\$269.95
Six Pak plus 256K	\$695	\$399.95
Six Pak plus 384K	\$945	\$469.95
Mega plus 64K	\$395	\$269.95
Mega plus 256K	\$665	\$379.95
Mega plus 512K	\$1095	\$699.95
I/O plus	\$165	\$119.95
Graphpak	\$790	\$574.95

Quadport-AT 1S. 1P	\$154	\$139.95
4 Serial port kit	\$195	\$179.95
Quadmeg-AT 1 MEG	\$2465	\$1995.00
Quadmeg-AT 2 MEG	\$3995	\$3195.00
Quadmeg-A4 4 MEG	\$7490	CALL
JADE AT-Expando plus	\$495	\$395.00
AT-Memory Master plus	\$495	\$429.00
AST Advantage-AT	\$495	\$449.00
Bar Code Reader System	\$895	\$695.00
128K Upgrade Kit	\$395	\$169.00
20 Megabyte Hard disk	\$1790	\$995.00
30 Megabyte hard disk	\$1999	\$1495.00

PERSYST BOARDS

Mono display adapter	\$225	\$189.95
Mono display adapter w/parallel	_ \$250	\$199.95
BoB Hi-res display adapter	\$595	\$469.95
Time Spectrum SB 384 64K	\$395	\$299.95

HIGH SPEED 8087 APU

List Price \$293 SALE PRICE \$179.95

LIST JADE

HAYES Smartmodem

Sophisticated direct-connect auto-answer/auto dial modem, touch tone or pulse dialing RS232C

interfaci	e programmable	LIST	JADE
HAYES	Smartmodem 2400		\$649.95
HAYES	Smartmodem 1200	\$699	\$459.95
HAYES	1200B w/o Smartcom II	_ S539	\$359.95
HAYES	1200B for IBM PC	\$599	\$389.95
HAYES	Smartmodem 300	\$289	\$199.00
HAYES	Hayes Cronograph	S249	\$199.95
HAYES	Micromodem 100	\$399	\$299.95
HAYES	Micromodem Ile		\$239.95
HAYES	Smartmodem IIc	\$399	\$249.95
HAYES	PLEASE Software	\$395	\$299.95
HAYES	Smartcom II	<u>\$149</u>	\$99.95

5150

New! from JADE IBM Multifunction Card

Full one year warranty!!!

Up to 384K, parallel printer port, RS-232 serial port. FREE serial cable, clock/calendar, RAM disk/spooler and diagnostic software package

	5	LIST	JADE
OK		\$349	\$198.95
64K		\$449	\$239.90
256K		\$549	\$349.90
384K		\$649	\$439.90
J04N		3049	3433.

64K RAM	Upgrade Kits
for your IBM PC	\$29 ⁹⁵

High speed RAM upgrade kit wi		E! parity
(error detection) and one year war	ranty.	JADE
128K RAM Kit for AT	\$359	\$169.95
256K RAM Upgrade Kit	\$495	\$179.95

The Best from EVEREX

Graphics Edge	\$499	\$389.95
Graphics Pacer	\$489	\$379.95
Ever Graphics	\$289	\$249.95
Evercom Modem	\$359	\$299.95
Magic card 0K	\$275	\$199.95
Magic card 384K	\$799	\$399.95

PC

OPTION #2

JADE

256K two disk drives. Monochrome card, monitor, and printer port

\$1895.

OPTION #1

Call us Toll Free! & our experts will custom build an IBM PC to satisfy your exact needs.

256K. two disk drives.

disk controller. PGS color monitor. color graphics card, parailel port.

\$2395.

256K, dual disk drives, and disk controller **OPTION #3**

\$1595

OUADRAM for IBM PC

Quad 2 MEG w/1 mbyte _____ \$1995

Quad 2 MEG w/2 mbyte _____ \$3495

Quadvue IS, IP, C, monochrome _ \$345

MICROSOFT for IBM PC

Quadboard No RAM

Quadboard 64K

Quadboard 128K

Quadboard 256K

Quadlink

Quadcolor I

Quadcolor II

Quadboard 384K

Quad 512 plus 64K

Quad 512 plus 256K

Quad 512 plus 512K

Quad 2 MEG w/512K

Pallette Master 256 colors

Quad sprint doubler

516K Max PAQ w/384K

576K Max PAQ w/64K

Asher Voice & Data

Mouse with Word

Mouse

Quadgraph Graphics Card

256K expandable to 640K, 10 megabyte hard disk parallel port, serial port. clock/calendar, RAM disk/spooler, color card Amdek 300G monitor \$2995.

IBM VIDEO BOARDS LIST LADE

JADE

\$234.95

\$275.95

\$319.95

\$399.95

\$469.95

\$449.95

\$239.95

\$359.95

\$549.95

\$209.95

\$199.95

\$995.00

\$1695.00

\$2995.00

\$599.00

\$399.00

\$299.00

\$549.00

\$189.00

\$349.00

\$599.00

JADE

\$339.95

\$129.95

\$269

\$395

\$495

\$595

\$795

\$680

\$325

\$550

\$895

\$295

\$275

\$1195

\$695

\$499

\$645

\$205

\$595

\$695

LIST

\$495

\$199

Hercules Color	\$245	\$189.95
Hercules Graphic	\$499	\$339.95
Plantronics Color plus	\$549	\$379.95
Quadcolor I	\$295	\$209.95
Quadcolor II	\$275	\$209.95
AST Monograph plus	\$595	\$449.95
PC Peacock	\$299	\$239.95
PC 384K Genie 0K	\$395	\$249.95
Paradise Graphics card	\$395	\$319.95
Paradise Module A	\$95	\$87.95
Paradise Module B	\$275	\$239.95
Everex Graphics Edge	\$599	\$389.95

Hi-Res MONITORS LIST

Amdek 300G	\$179	\$139.95
Amdek 300A	S199	\$149.95
Amdek 310A	\$230	\$179.95
Amdek Color 300	\$349	\$249.95
Amdek Color 500	\$525	\$399.95
Amdek Color 600	\$650	\$469.95
Amdek Color 700	S799	\$589.95
PGS MAX-12	\$269	\$199.95
PGS HX-12 640x240	\$699	\$469.95
PGS SR-12 720x480	\$799	\$649.95
PGS Doubler board	\$299	\$229.95
14 inch Quadchrome II	\$599	\$499.95
Comrex CR6800 750x400	\$649	\$499.95
Gorilla Green	\$99	\$89.95
Gorilla Amber	S119	\$99.95
JADE Hi-res Amber	\$199	\$139.95
JADE Hi-res Green	\$199	\$129.95
JADE Color RGB 640x240	\$699	\$349.95
JADE Color RGB 720x480	\$799	\$469.95

SHUGART SA 801R

SHL	JGART	SA 801R	SS/DD				
List	\$502 .		\$359.00	ea 2	for \$3	349.99	ea.
SHL	JGART	SA-851R	DS/DD				
List	\$605		\$459.00) ea 2	for \$	455.00	ea

ULTRA-VIOLET EPROM ERASERS

Spectronics w/o timer	\$99	\$69.95
Spectronics with timer	\$139	\$94.95
Logical Devices	\$89	\$49.95

LIST JADE

PRO MODEMS from Prometheus

1200B for IBM PC	\$375	\$249.95
1200B for IBM PC w/software	\$399	\$299.95
1200 RS-232 stand alone	\$494	\$369.95
1200A for Apple	\$449	\$329.95
1200 Mac Pac for Macintosh	\$495	\$389.95

ISOBAR

425 Watt UPS

The ISOBAB looks like a standard multioutlet power strip but contains surge suppression circuitry and built-in noise filters, plus 15 amp circuit breaker

	LIST	r JADE
4 receptacle	589	\$59.95
8 receptacle	\$99	\$69.95

UNINTERRUPTABLE POWER SUPPLY

A must for every computer system

\$539 \$469.95

LIST JADE

Bernoulli Boxes from IOMEGA

5, 10 or 20 megabyte removeable cartridge mass storage system with flexability not available in hard disks.

	5 mbyte system/MacIntosh	\$1896	\$1699.95
	10 mbyte system/IBM	\$2695	\$2099.95
Į	20 mbyte system/IBM	\$3895	\$3099.95
1	Extra 10 mbyte cartridge	\$100	\$79.95

APPLE ACESSORIES

LIST	JADE
\$299	\$149.95
\$249	\$149.95
\$100	\$79.95
\$399	\$269.95
\$299	\$145.95
\$99	\$39.95
\$219	\$139.95
\$109	\$49.95
\$99	\$59.95
S125	\$89.95
\$175	\$119.95
\$245	\$175.95
\$299	\$159.95
\$1495	\$895.00
	\$299 \$249 \$100 \$399 \$299 \$219 \$109 \$109 \$125 \$175 \$175 \$245 \$299

Place Orders Toll Free! Continental U.S.A. Inside California (800) 421-5500 (800) 262-1710

Los Angeles Area (213) 973-7707

JADE **Computer Products**

4901 West Rosecrans Ave. Hawthorne, California 90250

COMPUTERS

SANYO

MBC550 - Includes 128K Memory, 51/4 Disk Drive, Parallel Printer Port, CPU has RGB Color and Monochrome Composit Video. Software includes: Sanyo BASIC, Wordstar, Calostap and Easywriter. Call for Price MBC555 **Call for Price**

Sanyo Monitors, Serial Cards, Upgrades **Call for Prices** Avail. from \$av-On

COMPAG

COMPAQ PLUS 2 Drives (1	Floppy &
1 10 Meg) & 256K	\$3740
DESK TOP Model 1	Call
DESK TOP Model 2	For
DESK TOP Model 3	Pricing

CALL FOR PRICING ON APPLE, KAYPRO TAVA, ZENITH, EPSON, NEC, COLUMBIA AND OTHER CPU's.

WE CAN GET YOU THE LOWEST

PRICE AROUND

PRINTER INTERFACE and **PERIPHERALS**

PRINTER CABLES ALL MAKES (6 foot long) \$20

FOURTH DEMINSION

PAR	CARD	&	CABLE	for	Apple			54	

ORANGE MICRO

GRAPPLER	+			2119
GRAPPLER	+	w/16K		. 175

OKIDATA

SERIAL	INTERFACE .]	ł

MICRO TEK

DUMPLING	GX	585
DUMPLING	GX (Exp to 64K)	145
BAM 16		. Cal

82A (120cps p	par.	& ser.j	 5299
92P (160cps)			. 399
84P (200cps)			Call

EPSON

RX80FT (120c	ps, Fric/Tractor)	\$299
FX80 (160cps		\$399

JUKI

6100 (1	8cp	s٤	Ś	le	t.	qu	ali	ty]		\$409
6300										Call
BROTH	R									Call
DYNAX										Call
NEC										Call

MONITORS

PRINCETON GRAPHICS

HX12 (High Res,	BN	ЛĊ	omp	batib	ole)	459
SR12						Call
MAX12						185
SCAN DOUBLER						Call

AMDEK

300G 12''	Green
300A 12''	Amber
310A 12''	Amber (Monochrome) 160
COLOR I +	(Color Composite) 299
COLOR II+	(RGB w/Cable)

ZENITH

ZVM122	12''	Amber						. 59
ZVM123	12"	Green .						99

LEADING EDGE

GORILLA	12''	Green.							5	8	9
GORILLA	12''	Amber								9	9

TAXAN 12

12

42 44

Call, We Have
The Lowest
Priced Taxan
Monitors In Town

DISKETTES

DYSAN

5¼" OS/DO (Box of 10) 528

computers, Inc.

ORDER	7100 2115	675-2382 InC.
ORDER TOLL FREE BOO-34	Agenti, and and an anti-anti-anti-anti-anti-anti-anti-anti-	CRS, TYDUR BUSINESS
ORDERS INSIDE CAN TEC	CONTRACTOR SIMPLE	MODEMS
Gal mquiry 275	Y ADVERTISED PHAN	HAYES 300 \$199 1200 External, PC Compatible 469 1200B Internal, PC Compatible 399 MICRO MODEM lie 239
WHY WILL WE BEN	STAR MICRONICS GEMINI 10X (120cps) \$259 OKIDATA \$24 (120cps par. & ser.) \$299	NOVATION ACCESS 123 J-CAT
COMPOTEND	92P (160cps)	APPLE CAT

ACCESS 123									Call
J-CAT									Call
APPLE CAT									Call

ANCHOR

MARK VII (300 Baud)
MARK XII (1200 Baud)
MARK VI
CALL FOR PRICING ON OTHER MODEMS

The Sav-On Sytems

THE PROFESSIONAL SYSTEM ADDLE

2 Orives, 80 Col Card, Apple Monitor Very Nicely Priced

\$1295

Call



PC Compatible Low Priced

At A Very Very Low



\$2195.00

APPLE ADD-ONS

TG	
JOY STICK	Call For
SELECT PORT	Lowest
PAODLES	Prices
MICROMAX	8
VIEWMAX 80	\$130
VIEWMAX 80e	
KENSINGTON	
SYSTEM SAVER	\$69
MORE AVAILABLE	

CALL US WITH YOUR LOWEST ADVERTISED IBM PRICE . . . WE WILL MATCH IT PLUS PAY SHIPPING

IBM COMPUTERS

IBM PC Bare Bone 64K w/Dr Cont \$1179	Į
IBM PC 64K with 1 Drive	
IBM PC 256K with 2 Drives	
IBM PC XT 128K w/1 Drive & 10Mb . 3349	
IBM PC XT 256K with 2 Drives	
IBM PC AT Enhansed, Base, Jr. Call	
IBM PORTABLE 256K with 2 DrCall For	

DRIVE CONTROLLER CARDS
IBM Original (Controls 4 drives) \$139
MAYNARD (Any Configuration)Call
IBM Copy (120 Day Warranty) 119
COMPATIBLE DRIVES FOR PC
CDC (IBM Compatible)
TANDON Full Height 320K
MPI A2 [IBM Compatible]
TALLCDACE HADD DIEVE

TALLGRASS HARD DISKS

20Mbyte w/20Mb Back-up Call	
35Mbyte w/45Mb Back-up Call	
70Mbyte w/60Mb Back-up	

ARD, ALPHA OMEGA, GENIE CALL FOR PRICING

Valentines Specials IBM PC SYSTEM

w/2 Drives, 256K Memory Mono Monitor, Mono Card w/Print Port 8087-3 Math Coprocessor & DOS 2.1

\$1899.00

IBM DC With 1 Orive, 128K, Monitor Interface & Monitor

\$1599.00

IBM PC SYSTEM

IBM PRODUCTS

5 up	10 up
\$1165	\$1150
1285	1275
1540	1520
Call	Call
Call	Call
Call	Call
Low	Price

1 110

TEAC	1 up	5 up∍	10 up
TEAC 55B (½ High Drive for PC)			

INTEL

INTEL 8087-3 Math Coprocessor \$129

Priced

\$199

MEMORY (NEC, TI, Others) 100 up 1000 up 2000 up RAM CHIPS (All are 200nS or faster) \$2.50 \$2.25 \$2.15

> PLANTRONICS COLOR PLUS

IBM COMPATIBLE PRODUCTS

Low Low

r/1 Par Port

LOTUS 123	
SYMPHONY	
AST	
SIX PAC PLUS (1	
Clock w/O mem	nevi

L.D.C.

Clock w/O memory]\$239
SIX PAC PLUS (1 Ser/1 Par Port,
Clock & 64K exp. to 384K]
SIX PAC PLUS [1 Ser/1 Par Port,
Clock & 384K Memory]
I/O PLUS (1 Ser & 1 Clock)
I/O PLUS (1 Ser/ 1 Par & Clock) 165
MEGA PLUS (64K)
MEGA PAC [128K]
MEGA PAC (256K)
OTHER AST BOARDS AVAILABLE

QUADRAM COLOR 1

OLOH 2									. Call
UADBOARDS									Call
JEDAIII EQ									

	U	J	1	Ŧ	5	5	Л.	d	μ	1	L	,	1	U	J	9		2
COLOR CARD																1	9	9

TECHMAR

GRAPHICS MASTER (Runs Mono & Color, High Res in Both Modes ... \$459

STB

ſ

ſ

GRAPHICS (PLUS) II Supports Both Color and Mono Display. You'll get 50% faster flicker-free scrolling over IBM's color graphics board.

OTHER BOARDS AVAILABLE CALL FOR LOWEST PRICES! **KEYTRONICS** 5151 Keyboard w/Sep Num. Pad Call 5150 Keyboard Call EVEREX GRAPHICS EDGE \$389 VUTEK \$239 COLOR PLUS PERSYST BOARDS MONO DISPLAY \$189 MONO DISPLAY w/Parallel Port 199 BOB BOARD 479 100% IBM PRODUCTS **IBM CARDS** MONO CARD w/Parallel Port] \$199 COLOR CARD 189 **IBM MONITORS** COLOR MONITOR Call IBM DOS 2.1 \$58 DOS 3.0 PRINTER PAR PORT Call .74 IBM to PRINTER CABLE [6 foot] \$18 **IBM UPGRADES**

\$125

\$120

339

64K \$29 128K 50

59 SAV ON IS HELPING YOU GROW BY SAVING YOU MONEY ON YOUR PERSONAL COMPUTER NEEDS 12595 Crenshaw Blvd., Hawthorne, CA 90250 Inquiry 275 TERMS: We accept Visa. MasterCard. CDS, Federals please add for Credit Cards. UPS, Federals please aber No surcharge for Credit Cards. Calf. residents please subject to Shipping sales tax to order. Not responsible Gi/2% change without notice. Not responsible for typografical errors.



Customer Service (801) 972-2739 Sales (Utah) (801) 972-2717 Sales (Outside Utah) (800) 545-2633

IBM PC JR SYSTEMS

PCjr-1 Enhanced Model
PCjr-2 Entry Model \$499
Includes 64K RAM (expands to 512K) 2 ea Cart. Slots, New Kybd
PCjr-3 All features of
"Enhanced Model" Plus
Free Software includes Basic Cartridge, Word Processor and DOS 2.1
PCjr-4 All features of
"Enhanced Model" Plus \$1499 IBM Color Monitor and Internal Modem Free Carrying Case and Software

PCjr ACCESSORIES

list	our pric
\$429	\$365
\$99	\$87
\$175	\$160
\$480	\$399
\$25	\$23
\$20	\$18
\$20	\$18
\$30	\$28
\$60	\$55
\$45	\$41
\$40	\$36
\$17.50	\$16
\$75	\$70
\$199	\$175
\$195	\$175
\$295	\$250
	\$429 \$99 \$175 \$480 \$25 \$20 \$20 \$20 \$30 \$60 \$45 \$45 \$45 \$40 \$17.50 \$75 \$199 \$195

PC JR. MEMORY BOARDS

		Im	pulse	110 Jr	. M	lemory	Ca	rds	
has	220K	RAM	expai	ndable	to	512K,	Par	port,	clock;
-									

RAM disk	8	6.)	SI	20	00	ы	e	r																	
with 64K			.,								4	4	÷						j,		2				\$239
with 128K							-		*						÷			1				**			\$279
with 256K											÷		÷				÷			 4					\$399
with 512K		1																							\$599

DISK DRIVES

1	2	10
165	160	149
169	159	140
OK		
155	145	140
60K		
150	140	130
360K		
155	145	140
)K		
280	270	260
135	129	119
169	159	149
	169 50K 155 60K 150 360K 155 50K 280 135	169 159 50K 155 145 60K 150 140 360K 155 145 155 145 145 360K 200 270 135 129 200

DISK DRIVE CABINETS

8" CABINETS

III DTL-002 Holds 2 ea.
8" Thinline W/P S
III FDE-002 2 ea 8" Std Size
Horizontally w/P S \$189
OTC DDC88V28 Holds 2 ea. 8" Std
Size/Vert.w/P.S \$289
5¼" CABINETS
HD5-001 - w/P.S. for 2 Thinline Hard Disk \$189 HD5-002 - w/P.S. for 2 Full Size Hard Disk
or Tape Back-up
JMR DDC5H w/PS. Horiz, for 1 ea
Std Size
Std. Size \$55
P.C. DDC55V w/P S Vert. for 2 ea.
Std. Size
SLIMLINE 51/4" CABINET
JMR DDC55H 1/2 w/P.S. Horiz, lor 2 ea.
1/2 HGT \$75

1/2 HG	T.																					i.			\$75
P.C DDC	55	V	1	1	2	۷	v	/ P	2	S	1	/e	ert	fc	r	2	e	a							
Drives																×	×		i.	÷			÷	×	\$75

PRIN	TERS
------	------

COMPUTER

C

Daisywriter 2000-48K Buffer, 20 to
40 CPS Ltr Qual \$999
Diablo 620 API (25CPS) \$749
Diablo 630 API (40CPS) \$1549
Diablo 630 ECS/IBM or API \$1649
Epson FX-80 (160 CPS - 10" -
Graphtrax/Tractor) \$399
Epson FX-100 (160 CPS - 15" -
Graphtrax/Tractor) \$649
Juki 6100 (18 CPS - Diablo Compatible
Daisywheel) \$419
Juki 6300 (40 CPS - 16" - 3K Buffer
Upgrade to 15K) \$799
Okidata 82a (120CPS -10") \$319
Okidata 83a (120CPS - 15") \$569
Okidata 92a (160CPS - 10") \$399
Okidata 93a (160CPS - 15") \$649
Okidata 84p (200CPS - 15") \$729
Okidata 84S (200CPS - 15") \$849
Okidata 2350P \$1895
Okidata 2410P \$1895
Panasonic 1091 (120 CPS - Logic
Seeking Head - Runs Faster than
FX-80-Par Port - Double Strike
Switch - with Tractor \$299
C.ITOH 8510A Pro-Writer 1 or
Image Writer \$339
Diablo D-25 (NEW)/25 CPS \$595
Epson JX-80/160 CPS/7 Color \$579
Epson LQ1500/Par/Letter Quality \$1249
Panasonic KXP 1092
180 CPS/33 CPS Corres.
Toshiba P-1340/112 CPS/54CPS
Letter Quality \$695
Toshiba P-1351
(192CPS/120CPS Ltr) \$1299
DDINTED ACCESCODIES
PRINTER ACCESSORIES

Daisywriter 2000 B1-D)1	Tr	a	С	to	r		4	2	2	2			\$210
Diablo 620 Tractor														
Diablo 630 Tractor			4											\$210
Juki 6100 Tractor														\$139
Juki 6100 Serial Interfa	ace	е												\$65
Okidata 82/92 Tractor														
Okidata Serial Interfac	e	w.	12	2	<									
Buffer (92 & 93)											÷		ų,	\$129
Okidata Okigraph I														
Okidata Okigraph II .														
Star Gemini 10X or 15)														
w/4K Buffer														\$129
Toshiba 1351 Tractor														

PRINTER SWITCHER

Allows you to switch from letter quality to Dot Matrix

by the of Switch				
SCN-2/Two Position Centronics Par				
to Centronics Par		-		. \$99
SCN-4/Four Position Cen Par				
to Cen Par				\$139
SRS-2/Two Position Serial to Serial				. \$89
SRS-4/Four Position Serial to Serial				

CABLES

IBM to Par Cable			÷	,	2			. \$22
Centronics to Centronics						.2		. \$24
RS232 Serial (Specify)								. \$16
Columbia to Par								
IBM Add-on Drive (DC37 Conn)								
Disk Drive Cable 5" or 8"		1.						. \$26
Y-Splitter Cable	÷							\$7.95

DISKETTES

DISK STORAGE

SYSTEMS

Compaq Portable - 256K/2ea. 360K F.D.	\$2295
256K/2 ea. 360K F.D. Columbia 1600-1	

Retail and Mail Orders 1780 West 2300 South Salt Lake City, Utah 84119

VISA'

Prices subject to change without notice.

SANYO PRODUCTS

MBC 555-2 - 128K RAM (8	xpands to 256K)
2 ea. DS/DD 1/2 HGT D	rive, Par port.
Speaker and joystick po	
Keyboard & Following S	
Wordstar	Mailmerge
Easywriter	Spellstar
Calcstar	Infostar
MS-DOS 2.11	\$1089
SANYO DRIVE UPGRADE	
Double Your Storage by	Adding
2 ea Teac FD55B with s	oftware
for only	\$339
Sanvo Serial Port	\$65
	for Sanyo \$69
	\$19.95
Copylink Software (US Did	
	\$89
	ONITOR
13" (460x240)	\$289

APPLE PRODUCTS

16K RAM Card				 		• •	÷						\$30
Grappler +				 								. 1	\$119
Grappler + 16K									 			. :	\$179
ALS CPM 3.0				 								. 1	\$199
ALS Printermate				 									\$60
ALS Z-Engine .			• /•	 	 							. !	\$139
Viewmax 80 (2 o	r 2+) .											. :	\$149
Viewmax 80E (w	/64K)											. 1	\$139
Micro-SC1 A2 D	rive .			 								. :	\$189
Micro-SC1 A2 Co	ontrolle	er		 							÷		\$69
Apple 2C Drive A	Adapte	r		 								\$2	1.95
Apple 2C Serial													
Apple 2C Par Int													\$89

QT PRODUCTS/S-100

QT 8" MAINFRAME

Provision for any 2-8" drives (hard or floppy) Desk Top Version	
QTC-MF · DD6 (6 Slot MB) \$	575
QTC-MF · DD8 (8 Slot MB) St	525
QTC-MF · DD12 (12 Slot MB) St	575
All mainframes have EMI filter, 2 AC outlets, 15 DB25,2ea,50pin,2ea,34pin,1ea,Centronic cuton power supply for 8" MF (-5V1A/-5V5A/-8V14 +16V3A/-24V5A)	uts.

CARD CAGES/MOTHERBOARDS

Slots	Bare Bd	AT	w/card cage	bare card cage
4	\$20	15%	15%	\$20
6	\$25	15%	15%	\$22
8	\$30	15%	15%	\$31
12	\$35	15%	15%	\$41
18	\$50	15%	15%	\$50
22	\$65	15%	-	\$75

Add \$20.00 for 1 fan - Add \$30.00 for 2 fans

CLOCK/CALENDAR

S-100•Time in hrs. min, sec.•AM/PM or Military
FormateDate in Mo., Day, Yr., Day of Week & Leap
Year recognition•4 hard interrups (1024 Hz, 1 Hz 1
min,1 hr)•On board battery (will last 14 mos. w/no
power on)
QTC-CCS-BB (S-100) \$45
QTC-CCS-A (A T) for S-100 \$110

QT/COMPUTIME BOARD SET

1) Includes manuals & assembly instructions 2) Parts available 3) Monitor & B10S available

TOLL FREE 1-800-545-2633

9 YEARS IN COMPUTER MAIL ORDER GSL COMPUTER TOLL FREE 1-800-545-2633

All prices for MC, VI	SA, AMEX or Pre-pay customers only.	Call for P.O. Prices.
qualified firms. All returns without RMA are subj	MEX only), Wire transfer, and Purchase Orders from ect to 20% restocking charge. Utah residents pay subject to change and are in U.S. Currency only. Inface Min: 3 to 10 day delivery	IBM HARD DISK SYSTEMS IBM XT 128K RAM, 10 MB Hard Disk, & Keybd S3495 PC-10 256K RAM, 10MG H.D., 1 ea 360K FD and Keybd S2569 PC-10/2 256K RAM, 10MG H.D., 2 ea 1/2 Hg1 360K FD and Keybd S2769
IBM SY	STEMS	PC-10/2M 256K RAM, 10 MG HD, 2 ea 360K FD. Quimax DM14A, IBM Monocard, Keybd \$3149
IBM PC-1 Includes 64K, RAM, 1 ea. 360K FD, KB \$1449 IBM PC-2 64K RAM, 2 ea \$1599 360K FD, KB \$1599 IBM PC-22 256K RAM, 2 ea \$1699	IBM PC-3 256K RAM, 2 ea 360K FD, IBM Mono Display, IBM Mono Card, KB IBM PC-33 256K RAM, 2 ea 360K FD, Color Bd. Monitor, KB \$2049 IBM PC-4 256K RAM, 2 ea 360K FD, Everex Graphics Edge, Quimax PX4, KB	IBM-AT SYSTEMS 3 TIMES SPEED OF XT IBM-AT (Base Model) includes 256K RAM. 1.2 MB F D., Cik/Cai, 8 Slots. Keylock, KB. 12 MB FD, 20 MB Fixed Drive. Ser/Par Port, 8 Slots. Keylock, KB. Ser/Par Port, 8 Slots. Keylock, KB. Strong AT ADD-ON DRIVES 20MG Hard Disk. \$1295
MEMORY BOARDS	MEMORY UPGRADES	30MG Hard Disk
AST 6 Pak+ w/64K (Expands to 384K) has Par, Serial, Clk, RAM Disk, Spooler	IBM UP-GRADE FOR PC INCLUDES 9 EA. 4164-200NS FOR EXPANSION ON ALL PRODUCTS WITH PARITY \$28.00 PER SET \$25.00 5 OR MORE IBM MEMORY UPGRADE FOR AT 9 EA 4128-200 NS (256K) \$229.00	360K F.D. w/Rails \$229 AT ADD-ON MEMORY BOARD * STB "Rio Grande" w/128K \$359 Expands to 1.5MG Has Par/Ser/Optional Serial & GP * STB "Grand Byte" w/128K \$299 Expands to 2 MG MODEMS Anchor Mark XII - External-Direct Connect-
above features \$459	COMPAQ MEMORY (256K) UPGRADE 9 ea 256K CHIP (200NS) \$229.00	Hayes Commands Includes Serial Cable- Auto Answer & Dial \$239 Hayes 1200 - External-Direct Connect \$479 Hayes 1200B - Internal for IBM
MONITORS	PC POWER SUPPLIES	with Software \$399 Popcom X100 External 300/1200. Auto Answer/
IBM Color Display \$569 IBM Monochrome Monitor \$249 Amdek 300A \$149 ea.	HDPC-X Pwr - External Power Supply (130w) for Hard Disk Add-ons w/fan	Auto Diai (20% more features than Hayes 1200) ONLY \$319 Pro-Modem 1200 - External-Direct Connect- w/Clock - Hayes Commands - Auto Answer and Dial \$329 VIDEO CARDS
Amdek 310A	KEYBOARDS KB 5151 (Same as IBM Selectric) \$199 IBM Keyboard \$119	MONO CARDS MONO CARDS IBM Monochrome w/Par Port \$229 HERCULES Graphics Card \$329
NEW QUIMAX MONITORS	HARD DISK CONTROLLER	PERSYST Monochrome w/Par Port \$199 COLOR CARDS
Hi-Res, 14" Screen Tilt & Swivel DM14A (Amber) \$169 DM14G (Green) \$149 PX-IV (4) - Hi-Res RGB w/Switch \$149	Everex \$319 Int'l Instrumentation \$329 * Controls any Winchester Tech HD * 2-1 Interleave/3 times faster than XT	IBM Color Graphics
to convert to green for Word Processing w/Tilt & Swivel Base	INTERNATIONAL INSTRUMENTATION 10, 15, 22 and 30 MG Hard Disk Subsystems	or 132x44
FLOPPY DISK CONTROLLERS	Plug in controller and have instant Mass Storage • 3 times faster than XT • • Boot from hard disk	STB "Graphic's Plus 2" Composite, Mono, RGB/50% Faster Scroll/Flicker
FDC (Controls up to 4 ea. 5") \$119 Maynard "Sandstar" FDC \$219 (5" or 8" w'Ability to add Par, Serial, Clock, Game Port or Hard Disk Modules) \$219	Fully PC or XT compatible Size Internal External 10 MB \$749 \$889 15 MB \$989 \$1089 22 MB \$1349 \$1529	Free/(320x200) 16/(640x200) 4/(640x352) Mono \$349 TECMAR "Graphics Master" 128K RAM/(640x400) 16/(720x480) 4 RGB and Mono \$499 IBM MISCELLANEOUS \$499
ALPHA-OMEGA HARD DISK	33 MB \$1769 \$1889 10 MG TAPE STREAMER	IBM Memory Upgrade Kit (64K) \$32
TURBO 20 20MG Hard Disk w/Cont \$1795 TURBO 10 10MG Hard Disk w/Cont \$749 TURBO 101 10MG Hard Disk w/Controller and Tape Backup S1495 COGITO 10MG Hard Disk COGITO 10MG Hard Disk \$539 COGITO 20MG Hard Disk \$1199	10 MG Streamer Tape back-up • Back-up in 8 min. Internal Stream 1/2 HGT	P.C. Ware Serial Board \$79 P.C. Ware Serial Board \$75 P.C. Ware Clock / Calendar \$59 Math Co-Processor - 8087 \$149 IBM DOS 2.1 \$57 IBM DOS 3.0 \$60 LOTUS 1-2-3 \$299
MasterCard	TANK	V754*
Customer Service (801) 972-2739	The Great Salt Lake	Retail and Mail Orders


Customer Service (801) 972-2739 Sales (Utah) (801) 972-2717 Sales (Outside Utah) (800) 545-2633 Inquiry 125

Computer Company, Inc.

SEND FOR NEW CATALOG

Retail and Mail Orders 1780 West 2300 South Salt Lake City, Utah 84119 Prices subject to change without notice.







California Digital 17700 Figueroa Street 🗕 Carson, California 90248





The NEC JC-1401D is a 13" medium/high resolution RGB monitor suitable for use with the Sanyo MBC-550/555 or the IBM/PC. The monitor leatures a resolution of 400 dots by 240 lines. Colors available are Red, Green, Blue, Yellow. Cyan. Magenta, Black and White. These monitors are currently being used in applications far more critical than microcomputers. The NEC monitor carries the Litton-Morroe tabel and was originally scheduled for use in their "Office of the Future" equipment. A change in Monroe's marketing strategy has made these units excess inven-tory which were sold to California Digital. We are offering these prime mew "RGB monitors at a fraction of there original cost. Sanyo com-patible NEC-1401/S; IBM/P/C Computer compatible NEC-1401/PC



BMC 12A green phosphor 15 MHz composit video	BMC-12A
BMC 12 high resolution, 20MHz	BNIC-12EN
Amdek 300G 12" green phosphor	AMK-300G
Amdek 300A 12 amber phos, hi-resolution	AMK-300A
Amdek 310A designed for IBM/PC, amber	AMK-310A
Zenith ZVM122 Amber Phosphor 12 40/80 column switch	ZTH-122
Zenith ZVM123 green phosphor 12 40/80 column switch	ZTH-Z123
NEC JB1201 green phosphor 18 MHz composit video	NEC-JB1201
NEC JB1260 commercial grade composit	NEC JB1260
NEC JD1200 commercial grade composit	CON-BW9
Conrac 9" open frame requires horz sync. & 12v, supply.	CONSERVE

COLOR		
NEC JC1401D Medium/High 13" RGB	NEC-1401/X	259.00
BMC AU9191U Color composit video with sound	BMC-9191	238.95
BMC 9191M RGB designed for use with the IBM computer.	BMC-9191M	379 00
NEC JC1203DM, RGB color monitor	NEC-1203	699 00
NEC JC1215 color composit	NEC-JC1215	339 00
Zenith ZVM135 RGB & composite suitable for IBM PC	ZTH-Z135	475 00
Amdek Color I. 13 composit video	AMK-100	299 00
Amdek Color II + , 13' RGB hi/resolution	AMK-200	419.95
Amdek Color III + , 13" RGB. medium resolution	AMK-300	359.95
Princeton HX-12 RGB (BM/ PC compatible	PRN-HX12	478 95

7



The Teletype peripherals are continuous heavy duty communi-cation equipment that have recently come off lease from a Cado Computer customer. It is seldom that California Digital becomes involved in the marketing of USED products but we felt that these peripherals represented such an exceptional value that we had to offer this equipment to our customers.

The full character chain printer is capable of printing text in excess of 300 lines per minute. This printer, long used in high speed min-computer applications, will provide the small busi-ness user with good quality multi-part printous at speeds that can not be attained by dot matrix printer. This unit also has a four channel vertical forms feed controller.

that allows for quick change of various form lenghts. The Tele-



type Model 40 printer has a proprietary serial Teletype SSI interface and DIP switches are provided for setting baud rates to 9600. The printer requires special support software when connecting directly to a mainframe, call for technical support.

The Model 40 CRT terminal has a RS-232 and current loop serial interface as well as a printer port that supports the Model 40 printer. This terminal features block mode, full screen editing as well as DC1/DC3 select capabilities.

All Teletype equipment is tully inspected by our engineering department before shipment. These peripherals are shipped

freight collect by truck. Teletype Printer \$795 ● Model 40 CRT Terminal \$395 ● Both printer and terminal \$1065 ●

Typewriter

OLYMPIA Computer Printer

and



The Eagle IIE/2 Computer features a 12 non-glare green phosphor CRT, hypewriter style keyboard with separate numeric cluster. This unit provides two 514' drives for a combined storage capacity of 780 K/Byte. The computer contains a 4Mbz 2-80A, DMA disk interface, two RS-232C serial ports. Centronics printer interface, along with an auxiliary parallel port. Software included consists of ULTRACALC electronic spread sheet, SPELIBINDER word processor. CBASIC2, CP/M 2.2, and an exclu-sive Eagle menu driven utility package. These units are all "factory new" and are being offered far below their suggested price of \$22495. This is your opportunity to purchase a complete CP/M system for only \$895.

PROMETHEUS

ProModem 1200

The Prometheus Promodem 1200 is best value that we have seen in a 300/1200 baud modem. This Hayes compatible modem teatures completely unattended operation, auto answer/auto dial and even includes "redial number when busy". Internal diagnostics makes the Promodem 1200 an easy modem to install. Help commands, real time clock and internal speaker add to the ease of use of this unit. An optional processor accessory allows butery back up, extra mem-ory space for storing additional phone numbers, messages received. add ran act as a transfer hulfer when exchanging processors.

and can act as a transfer buffer when exchanging programs. The Alphanumenc display option allows messages saved to be dis played when they were received, diagnostic test results, numbers in the directory, as well as modern status.

rect connect with terminal cable 1200 baud, auto answer, auto drai with the IBM/ PC, 1200 baud

00 Hayes Armpatible bits 2124300/1200 baud ofts: Password 300/1200 baud 0/1200 industrial quality Data 1030; To power, all siver 8 originate Data 202; To Dobud, half duplex only Data 221; To Data (half duplex inne power

wer, auto dial

CTS 212AH 1200 b

Rob. S Robot ril 300/ sal

for use with the IE modern 300 baud nodern II, 103 App ograph, time & dat 1200 super fact


\$339

HYS-212AU HYS-103AD HYS-103AD HYS-MM2 HYS-CHR232 PRM-P1200 PRM-P1200 PRM-P1200 USR-212A USR-212A USR-212A USR-212A USS-103LP UDS-103LP UDS-212LP

229.00 279.00 199.00 339.00 279.00 229.00 439.00 389.00 595.00 169.00 219.00



orrespondence needs





Compatible with most Radio Shack Color Computer software. The world famous Dragon computer is now available in the United States. Manufactured by the Tano Corp. under license of the British Broadcasting Company. The Dragon comes complete with 64K Byte of memory, serial modem port along with La Centronics printer interface. This unique micro-computer features Motorola's advanced 6809E microprocessor and comes standard with Microsoft Color Basic, data base manager, and a complete word processing package. The computer outputs Color composite video along with RT- video that allows the unit to be used in conjunction with any color television. This is the Ideal low cost computer to be used with any dial up information system such as the Source, Western Union's EasyLink or any other time share service.



leased by the Shugart division of Xerox. The Shugart 604 is fully 506 industry compatible. Each drive is tested before shipment and is supplied with a 90 day warranty. SHU-604

TECHNICAL & CALIFORNIA



TOLL FREE ORDER LINE (800) 421-5041

TONTO BEA




Call for an IBM PC system custom enhanced to meet all your business needs.

Printers:

1 /11/10/01	
EPSON JX-80 (160cps, 10", 8 colors) BEST	PRICE
EPSON FX-80 (160cps, 10")	\$425
EPSON EX-100 (160cos 15")	\$625
EPSON FX-100 (160cps, 15"). EPSON FX-100 + (160cps, 15", near L0).	\$625
EPSON BX-80 (100cps 10")	\$245
EPSON RX-80 (100cps, 10"). EPSON RX-80F/T PLUS (100cps, 10" w/platten,	
near LQ)	S295
EPSON RX-100 (100cps, 15" while they last)	
EPSON LO-1500 (LO dot matrix w/ nar interface)	CALL
OKIDATA MI 92 (160cos 10")	\$425
OKIDATA ML93 (160cps, 15")	\$625
OKIDATA ML84 (200cps 15")	\$725
OKIDATA ML92 (160cps, 10"). OKIDATA ML93 (160cps, 15") OKIDATA ML94 (200cps, 15") OKIDATA PACEMARK 2410 (350cps, 15").	\$1995
GEMINI 10X (120cps, 10").	\$275
GEMINI 15X (120cps, 15")	\$395
GEMINI 15X (120cps, 15"). DATAPRODUCTS 8010 (180cps, dot matrix, 10")	CALL
DATAPRODUCTS 8020 (180cps, dot matrix, 15")	CALL
DATAPRODUCTS 8050 (200cps, dot matrix, 15")	CALL
DATAPRODUCTS 8050 (200cps, dot matrix, 15") DATAPRODUCTS 8070 (400cps, dot matrix, 15", LQ) .	CALL
FLORIDA DATA PRINTERS (High speed, durable)	CALL
TOSHIBA P1340 (LQ dot matrix, 10")	. \$745
TOSHIBA P1340 (LQ dot matrix, 10"). TOSHIBA P1351 (LQ dot matrix, 15")	\$1295
TI-855 (LQ dot matrix w/font cart) PRICE REDU	CTION
DIABLO 630API (40cps LQ)	\$1595
DIABLO 630ECS (192 chars on wheel)	\$1995
NEC 2050 (Durable, low cost LQ). BEST	PRICE
NEC 3550 (33cps LQ). NEW LOW	PRICE
NEC 7730 (55cps LQ)	
NEC 8850 (Fast LQ from the people setting standards)	
C.ITOH A10 (New letter quality)	CALL
C.ITOH STARWRITER (40cps LO)	
C.ITOH PRINTMASTER (55cps LQ)	
QUME LETTER PRO 20 (New, nice).	
QUME SPRINT 1140 (40cps LQ)	CALL
QUME SPRINT 1155 (55cps LQ)	
BROTHER HR-15 (13cps LQ, 10").	
BROTHER HR-25 (23cps LQ, 15")	\$675
BROTHER HR-35 (32cps L0, 15")	\$895
COMREX, DYNAX PRINTERS	CALL
CALL EOD ADO ON TRACTORS & CIT SUBET CEEP	PRC

CALL FOR ADO-ON TRACTORS & CUT SHEET FEEDERS



462 BYTE . FEBRUARY 1985

Miscellaneous:

MISCEIIIanteous: POLAROID PALETTE (Makes hirres slides from PC's) ... BEST PRICE ORCHID PC TURBO (80186 coprocessor-runs at 8MHz) ... CALL KEYTRONIC 5151 KEYBOARD (Sep. cursor keys) ... 5199 MOUSE SYSTEMS (Optical mouse, runs LOTUS) ... 5139 MICROSOFT SERIAL OR BUS MOUSE (wisothware) ... 5139 ISOBAR SURGE PROTECTORS (4 & 8 plug) ... \$49'569 POWER BACK-UP (200 & 425 watts) ... \$269'5499 MICROSAZER (8-128K print buffer) ... from \$139 ASHER by QUADRAM (Electronic tickler, more) ... CALL SANTA CLARA PC TERMINAL (Smart terminals plus) ... CALL

Diskettes:

VERBATIM:					
SS/DD Box	\$24- Case	 			. \$199
DS/DD Box	\$29-Case.	 			. \$249
FOR DYSAN, MAXELL	. 3M	 	 		. CALL

Floppy Disk Drives:

TANDON TM 100-2	 			 			\$179
SHUGART SA 455-2							
PORTABLE HALF HEIGHTS	 			 			 \$159
CDC FULL HEIGHTS	1						\$169

Multifunction Boards:

QUADMEG (at memory up to 4MB RAM)	CALL
QUADBOARD (64K-384K.S.P.G.C/C.bracket)	\$269/459
QUADPORT (Serial & parallel w/option of 4	
more serial)	CALL
AST ADVANTAGE (ups AT's RAM to 3MB w/port) .	CALL
AST 6-PAK (64-384K, S, P, C/C, opt G)	\$269/459
	from \$269
AST I/O PLUS (S.C/C.opt S.P.G)	from \$139
ORCHID BLOSSOM (64-384K S.P.C/C, opt PC Net)	\$249
	rom \$259
BABY BLUE II (64-256K, Z80B, 2S, P, C/C) f	rom \$429
PERSYST Time Spectrum (64-384K,S,	
P,c/c, 2 yr. wrty)	\$279
NEW PROFIT RAM ELITE & PLUS (64-512K,25	Sor
CODCICI	CALL

MAYNARD SANDSTAR MODULAR BOARDS CALL



Plotters:

HP7470 & 7475 PLOTTERS HOUSTON INSTRUMENTS (Full Line) AMDEK AMPLOT II (8 Pen, does overlays)	CALL
Emulation Boards:	
IRMA BY DCA (3278 Terminal Emulation)	\$895
IRMALINE (3278 RJE)	
IRMALETTE (Use with Irmaline).	
IRMAPRINT (3287 emulation)	CALL
ID1140011 (0071 0070 0	

IRMACOM (3274, 3276 Controller,	
3770, 2780, 3780 RJE)	CALL
FORTE DATA SYSTEM	CALL
TECHLAND BLUF LYNX 3270 & 5251	CALL
AST PCOX, SNA, BSC, 3780, 5251	CALL

Monitors:

AMDEK COLOR 710(No glare, no flicker ultra

hi/res)	\$579
AMDEK COLOR 700 (New ultra hi/res RGB)	
AMDEK COLOR 600 (New hi/res RGB w/audio)	\$429
AMDEK 300 A and G (Amber or green) \$149	/\$139
AMDEK COLOR 500, 400, 300 (New hi/res RGB)	CALL
AMDEK 310A (Amber, dark non-glare tube)	. \$169
PGS SR-12 (690x480 non-interlaced).	
PGS HX-12 (690x480 interlaced)	
PGS MAX-12 (720x350 mono)	
KIMTRON TERMINALS	
WYSE 50, 75, 100 TERMINALS (Progam funct, keys)	
TAXAN, NEC, ZENITH MONITORS	

Hard Disk Drives:

DEACHTDEE DEDIDUEDALC SOMD Internet & a damat	
PEACHTREE PERIPHERALS 10MB internal & external.	. \$895
PEACHTREE PERIPHERALS P-30 AT & P-50 AT	. CALL
EVEREX 10MB internal	. CALL
MAYNARD 10MB internal	CALL
MAYNARD 30MB internal	\$2195
MAYNARD MAYNSTREAM (Portable tape back-up)	. CALL
MITSUBISHI (10MB & 25MB w/tape)	. CALL
SYSGEN 10MB HARD DISK (w/tape back up)	\$2395
SYSGEN 20MB HARD DISK (w/tape back up)	\$2895
SYSGEN IMAGE 10 minute XT tape back up	. \$796
CALL FOR TECMAR, DAVONG, AND TALLGRASS P	RICES

HARD DISKS

- INTERNAL/LOW POWER
- EXTERNAL/MASS STORAGE
- ARCHIVE TAPE BACK-UP
- REMOVABLE MEDIA

BUDGET H



Call for an IBM PC system custom enhanced to meet all your business needs.

Chips:

64K RAM UPGRADE (Set of 9)	
128K RAM (AT Upgrade)	
256K RAM	BEST PRICE
8087-3 (High Speed Math)	
8087-3 (High Speed Math) 80287 (AT High Speed Math)	CALL
WE ARE CHIP BROKERS, ASK FOR QUANTITY PRIC	

Modems:

HAYES 300 baud external.	. \$209
HAYES 1200 (300 or 1200 baud ext).	\$469
HAYES 1200B (300 or 1200 baud int w/soft)	. \$399
HAYES 2400 (New external, twice the speed!)	. CALL
HAYES Compatibles	CALL
SIGNALMAN MARK 12 (1200 baud at 300 price) .	
VENTEL HALF CARDw/Crosstalk	
BIZCOMP INTELLIMODEMS BEST	PRICE

Display Cards:

EVEREX GRAPHIC EDGE	
(Simultaneous color & mono. w/ports)	\$399
TSENG UltraPAK (132 mono,	
S. P. C/C. opt RAM, FDC. color)	\$439
PARADISE MODULAR GRAPHICS CARD (Color/	
graphics in mono with mod ports options!) . from	n \$339
PERSYST BoB (clear text on a color monitor)	CALL
STB GRAPHIX PLUS II (Mono, color, par)	. \$369
PROFIT MULTIGRAPH (Mono, color, opt par)	. \$369
TECMAR GRAPHICS MASTER (640x400 + mono)	\$489
QUAD COLOR I (Upgrades to hires w/QuadcolorII	\$199
HERCULES COLOR CARD (New from old faithful).	\$179
AST MonoGraphPlus	
(LOTUS mono, serial, par. clock)	.\$399
PLANTRONICS Colorphus (Hi/res w/color manic)	\$379

PLANTRONICS Colorplus (Hi/res w/color magic) ... 3379 IBM PC Enhanced Graphics Adapter CALL

Software:

SYMPHONY (New from LDTUS) BEST PRICE- FRAMEWORK (New from ASHTON-TATE) BEST I	CALL
FRAMEWORK (New from ASHTON-TATE) BEST I	PRICE
MULTIMATE (Emulates WANG dedicated WP)	\$279
SAMNA WORD III ("Ultra-WANG") WORDSTAR PRO-PAK (WS/CS/MM/SI/Tutor)	3295
WURUSTAR PRU-PAK (W5/U5/MM/5//WU01)	3213
(Ath application W/D)	\$280
MICROSOFT WORD w/MOUSE (4th generation WP) VOLKSWRITER DELUXE w/Textmerge	\$170
PANK CTDEET MOITED	.\$50
BANK STREET WRITER EASYWRITER II SYSTEM (-writer,-speller,-mailer) SUPERCALC 3 (Better graphs than LOTUS) BEST	CALL
SUPERCALC 3 (Better graphs than OTUS) REST	PRICE
PFS Write, File and Graph each \$99.Report	.\$79
OPEN ACCESS (Proven Integrated Package)	CALL
dRASE II & III (From Ashton-Tate) \$299	/\$375
KNOWLEDGEMAN (Version 1.06)	\$299
KNOWLEDGEMAN (Version 1.06). RBASE 4000 & 6000 (Use w.CLOUT, REPORT WRITER) POWER BASE (Relational, hierarchical).	CALL
POWER BASE (Relational, hierarchical)	\$279
CIP (New and fantastic!) DAYFLOW (Enhance with REPORTFLO)	CALL
DAYFLOW (Enhance with REPORTFLO)	CALL
OZ (from Fox & Geller) NUTSHELL by Leading Edge LIFEBOAT LATTICE C COMPILER (w/8087 support	CALL
NUTSHELL by Leading Edge	CALL
LIFEBOAT LATTICE C COMPILER (W/8087 Support	12289
LIFEBOAT LATTICE C-FOOD SMORGASBORG	
MICROSOFT C. BASIC, FORTRAN, PASCAL, COBOL.	CALL
BORLAND TURBO PASCAL & TOOLBOX	CALL
DIGITAL RESEARCH (All products)	CALL
DOW JONES (All products).	CALL
DOW JONES (All products). IUS A/R, A/P, G/L OPEN SYSTEMS ACCOUNTING MODULES . BEST	9299
REAL WORLD ACCOUNTING MODULES . DEST	CALL
REAL WORLD ACCOUNTING	PRICE
BPI GENERAL ACCOUNTING AND MODULES	CALL
DOLLARS AND SENSE by Monogram MANAGING YOUR MONEY by Tobias/Meca HARVARD PROJECT MANAGER BEST	S119
MANAGING YOUR MONEY by Tobias/Meca	\$129
HARVARD PROJECT MANAGER	PRICE
HOWARDSOFT TAX PREPARER BEST	PRICE
MICROTAX. CALL FOR DECISION RESOURCES CHART MASTER	PRICE
DECISION RESOURCES CHART MASTER	\$249
DECISION RESOURCES SIGN MASTER	. \$179
DECISION RESOURCES SIGN MASTER BPS BUSINESS GRAPHICS Z-SOFT PC PAINTBRUSH w/FRIEZE GRAPHICS	\$259
Z-SUFT PC PAINTBRUSH w/FRIEZE GRAPHICS	299






PROKEY VERSION 3.0 by Rosesoft	\$95
SET-FX for your EPSON	. \$45
NORTON UTILITIES.	\$55
COPY II PC by CENTRAL POINT	. \$35
COPYWRITE by Quaid (Copies all IBM software)	. \$45
	. \$35
SIDEWAYS by FUNK SOFTWARE	. \$49
HAYES SMART COM II	\$95
TRACE 86 by Morgan (Assembly language debug)	CALL
FLIGHT SIMULATOR	. \$39
	SET-FX for your EPSON.' NORTON UTILITIES COPY II PC by CENTRAL POINT COPYWRITE by Quaid (Copies all IBM software) COMPUSERVE STARTER KIT SIDEWAYS by FUNK SOFTWARE CROSSTALK XVI by MICROSOFT



HOURS: 9AM to 9PM EST (Sat/Sun-12PM to 5PM EST) 7000 Peachtree Industrial Boulevard Norcross, Georgia 30071 All prices are subject to change. IBM is a registered trademark of International Business Machines.

NO SURCHARGE FOR MC/VISA





Computer Components Components Unlimited A California Corporation

VISA

No Surcharge for Credit Cards All Prices Reflect a Cash, Pre-Paid Discount This Ad Supersedes All Others Customer Service & Technical (213) 618-0487

> Sales Desk (800) 847-1718 Outside California

> (213) 618-0477 Inside California



CALL (800) 847-1718

PRINT	ERS
Epso RX-80 (120 cps) RX-80FT RX-100 + FX-80 + FX-100 + LO1500 JX-80 We are an Auth	Save AtLeast \$150 \$ 589
OK183A OK184P OK184S OK192P	ata \$ 295 549 669 749 359 589

Call for other Models FREE Plug 'n Play Roms w/92 & 93

JUKI
6100, 18 cps Ltr. Quality. \$ 394 6300, 40 cps "New" w/3K Buffer
Letter Quality 775
Brother Dist. by Dynax
HR15, 12 Cps 5 375 HR25, 25 Cps 659 HR35, 36 Cps 949
Panasonic
1091, 120 cps w/tractor \$ 289
Star Micronics
Gemini 10X \$ 259 Gemini 15X 389 Delta 10 379 Power type 390
C. ITOH
8510AP
F10, 40 cps 929
Printmaster F1055pu 1179

Toshiba		
P1351, 192 cps		
PRINTER INTERFACES		
Fourth Dimension		
Card & Cable		
Microtek		
Dumpling GX (Grappler Compatible) \$ 89 Dumpling GX exp to64K		
Dumpling GX 16k w/16k exp to 64K 169 for each additional 16K 15		
Okidata Options		
Tractor for 82 & 92 Serial Interface 99		
Orange Micro		
Grappler +		
Star or EpsonEpson Serial Interface\$ 119Star Serial Interface59		

WE STOCK WHAT WE SELL!!

RETAIL STORES:

11976 Aviation Blvd. Inglewood, CA 90304

16129 Hawthorne Blvd., Suite E Lawndale, CA 90260


MAIL ORDER: Inquiry 51 P.O. Box 1936 Hawthorne, CA 90250

Retail Hours: 10 a.m. - 6 p.m. Mon.-Fri. 10 a.m. - 3 p.m. Sat.

All merchandise new. We accept MC, Visa, Wire Transfer, COD Call, Certified Check, P.O.s from qualified firms, APO accepted. Shipping: Minimum \$4.50 first 5 pounds. Tax: California Res. Only add 6½% sales tax. All returns subject to 15% restock-ing charge. Advertised prices for Mail Order only. Retail prices slightly higher. Prices Subject to Change.

Customer Service Hours: 10 a.m. - 4 p.m. Mon.-Fri. **John Aurentz** (213) 618-0487 Mail Order Hours:

7 a.m. - 7 p.m. Mon.-Fri. 10 a.m. - 3 p.m. Sat. (800) 847-1718 (213) 618-0477 (Outside California) (Inside California)



IBM & APPLE ACCY'S



 ★ Nine Prime 4164 ★ 1 Year Warranty \$26 set 		
1000 pcs \$2.60 ea	1	
ALS ZEngine S CPM 3.0 Card	119 249	
Astar RFModulator Fan w/Surge	15 34	
CCU 16K Mem. Card 1 yr war		
Kraft Joystick	44	
Macro S	29	
Micro Max Viewmax 80, 80 col. card	139 129	

CALL Up aread

VIEWINAXOUE (FIOI IIE/04K	129
Micro Soft Mouse S Premium Soft Card IIE Multiplan Soft Card (Z80) w /64K	139 369 189 279
Micro Tek Serial Interface	89
TC Select-A-Port Sales	39 31 34



51/4" DISKETTES		
CCU Sgl/Dbl reinforced hub \$16 Dbl/Dbl reinforced hub 19 Not Bulk Packed	100 for 140 100 for 170	
Sgl/Dbl S33 Dbl/Dbl 39	100 for 300 100 for 370	
Sgl/Dbl \$19 Dbl/Dbl 25	100 for 180 100 for 230	
Sgl/Dbl \$26 Dbl/Dbl 36	100 for 240 100 for 340	

8" DISKETTE	S
Dysan	
Sal/Sal	4 100 for 320
Sgl/Sgl Sgl Sgl Sgl Sgl Sgl Sgl Sgl Sgl Sgl	3 100 for 480
Verbatim	
Sgl/Sgl \$30 Dbl/Dbl 40	0 100 for 280
Dhl/Dhl 40	100 for 360

DISK ACCESSORIES

8" or 5¼" Head Cleaning Kit	9
Flip Tub 51/4" Holds 70 disks, plexiglass \$	17

CALL TOLL FREE

(800) 847-1718

Computer Components Unlimited A California Corporation

RETAIL STORES: 11976 Aviation Blvd inglewood CA 90304

16129 Hawthorne Blvd., Suite E Lawndale. CA-90260

MAIL ORDER: P.O. BOX 1936 Hawthorne, CA 90250

All merchandise new two accept MC, visa Wire bransfer, COD Call, Certified Check, P.O.s. from qualified times, APD accepted shipping Minimum \$4.50 inst 5 pounds. Tax California Res Only add 61.55 sales tax. All returns subject to 15 - restock ing charge. Advertised prices for Mail Order only Ret an Drion sughtly hoper Prices Subject to Unange

Customer Service & Technical (213) 618-0487

Inquiry 52

Sales Desk **Outside California**

(213) 618-0477 Inside California





No Surcharge for Credit Cards All Prices Reflect a Cash. **Pre-Paid Discount** This Ad Supersedes All Others

Customer Service Hours: 10 a.m. - 4 p.m. Mon.-Fri. **John Aurentz** (213) 618-0487

Mail Order Hours:

7 a.m. - 7 p.m. Mon.-Fri. 10 a.m. - 3 p.m. Sat. (800) 847-1718 (213) 618-0477 (Outside California) (Inside California)

Retail Hours: 10 a.m. - 6 p.m. Mon.-Fri. 10 a.m. - 3 p.m. Sat.

(800) 847-1718

What business does a handsome dog like me have with a top cat like you?

My name's McGruff, and it's my business to help prevent crime. I think it should be your business, too-to teach your employees how to protect themselves. Just send for my business kit -it'll help you develop a program that teaches your employees how to make their homes burglarproof, make their neighborhoods safer, even how not to get mugged. And, while you're at it, get in touch with the cops-they can help you out. So now you're probably wondering (like a top cat businessman should), what's in it for you. That's easy. When your company works harder for your people, your people work harder for your company.

So take the time, and...

TAKE A BITE OUT OF

McGruff, Crime Prevention Coalition, 20 Banta Place, Hackensack, NJ 07601 Please send me lots of information on Crime Prevention.

Name:____ Company:

Address:

City:____

A message from the Crime Prevention Coalition, this publication and The Ad Council.



AMERICA'S NO. 1 Systems Specialists WE CUSTOMIZE IBM PC SYSTEMS IBM PC \$1499 256K, two disk drives 360K each, Drive Controller and Keyboard		IBMPC w/10MB 256K, one floppy Drive, Keyboard 10 MB Hard Disk with Controller BOOTS FROM HARD DISK ALL SYSTEMS ARE CONFIGURED AND TESTED AT NO EXTRA CHARGE IBMPCw/30MB 256K, one floppy Drive, Keyboard 30 MB Hard Disk with Controller and Booster Power Supply BOOTS FROM HARD DISK
★ PRICE PRICE Same PRINTERS Same PRON RX-80 S229 FX-80 S389 EPSON RX-80 S279 FX-100 S569 L0-1500 Porallel S1,099 Serial S1199 L0-1500 Tractor S50 Cutsheet feeder S399 OKIDATA 92P S349 93P S549 INCLUDES PLUG & PLAY 84P S649 JUKI Ltr Quality, 18 CPS, 13" wide S379 6100 Tractor S129	AR A CALL US LAS HARD DRIVES TALL GRASS TECHNOLOGY 20 MB w/20 MB Bockup \$2,399 35 MB w/45 MB Bockup \$3,799 70 MB w/60 MB Bockup \$3,799 70 MB w/60 MB Bockup \$3,799 70 MB w/60 MB Bockup \$3,799 70 MB w/60 MB Bockup \$3,799 80 MB Bockup \$3,799 70 MB w/60 MB Bockup \$3,999 Controller Cord \$140 Controller \$40	WITH YOUR BEST QUOTES NETWORKING ORCHID TECHNOLOGY PC Net PLUS Starter Kit PC netBlossom, PC turbo, PC netPlusRom
TOSHIBA 1351 \$1299 Tractor \$169 Cut Sheet Feeder \$799 DYNAX DX-15 \$369 Keyboard \$149 Tractor \$99 BROTHER HR-25 \$599 HR-35 \$849 Tractor \$119 Cut Sheet Feeder \$199 BROTHER HR-25 \$599 HR-35 \$849 Tractor \$119 Cut Sheet Feeder \$199 QUME SPRINT \$140 \$1299 With IBM Interface Module \$155 \$1499 NEC SPINWRITER \$1499	MAYNARD 10MB/30MB 10MB/WS-1 \$888 10MB/WS-2 \$1,029 30MB/WS1A \$1999 30MB/WS-2A \$2,099 WS-1 Gemini \$1049 WS-2 \$1,029 WS-1 Gemini \$1049 WS-2 \$1,029 WS-1 Gemini \$1149 \$1149 The Gemini' includes 10MB Hord Disk & Holf Ht. Floppy FLOPPY DRIVES FLOPPY DRIVES TEAC HALF HEIGHT 55B-DSDD \$109 CDC Full Ht DSDD \$139	PERSYST BOB Color .CALL AST Serial Port Option .S369 EVEREX Graphics Edge CALL MYLEX .CALL TECMAR Graphics Moster \$429 HERCULES Color Graphics .S319 NEW STB Graphix II \$299
2050 \$699 3550 \$1299 8850 \$1699 NEC PINWRITER \$1699 P2 CALL P3 CALL MAX-12 Amber-Monochrome \$179 PGS \$R-12-Hi-Res Color \$429 SR-12-Super Hi-Res Color \$599	TANDON 100-2 \$139 Full Ht. DSDD \$25 * SUPER SPECIALS * 64K RAM Set of 9 chips \$25 HAYES 1200 Standolone \$439 SMARTMODEM 1200B w/Software \$369	VUTEK (olor with Parollel & Serial CALL PARADISE \$299 MULTI-FUNCTION CARDS ORCHID TECHNOLOGY Blossom 64K (to 384K) \$249 PC net/upgrodes CALL
Scan Doubler CALL TAXAN 440 Color - Super Hi Res \$549 122A(M) \$169 121G(M) \$159 116A(C) \$149 300A (Composite) \$159 300G \$139 AMDEK 310A (Mono) \$179	8087 CHIP \$109 JUKI 6 1 00 \$399 MAYNARD 10MB/WS-2 \$1,029 IBM PC Keyboard (original) . CALL OKIDATA 92P \$349 93P \$549	NEW QUADBOARD 0-K AST S1X PAK with 64K (to 384K) \$219 AST SIX PAK with 64K (to 384K) \$249 AST MISC. ADD ONS \$249 B087 CHIP \$109 CABLE Parallel \$20 \$25
MICROCOM ERA 2 PC Internal 1200 Baud w/software, 4 Yr. Warranty \$359 MAYES 1200 Standalone \$439 SMARTMODEM 1200B w/software \$369 QUBIE Standalone \$329 POPCOM Internal or Standalone CALL PROMETHEUS PROMODEM 1200. \$299 Minimum order \$100. Prices & availability subject to change. We ship UPS. Shipping/handling changes vary. COD requires cash, money order, mather or certified cherk only for advance moment allocar of first for windown number Personal 8.	INCLUDES PLUG & PLAY 84P \$649 BROTHER HR-25 (23CPS) \$599 BROTHER HR-35 (36CPS) \$849 KEYTRONIC \$849 Deluxe Keyboard KB5151 \$179 ORCHID TECHNOLOGY Blossom 64-K (to 384K) \$249 Jurbo 186 CALL	Keyboard Extension, 6 ft. 320 Seriol 323 PLATINUM DISKETTES Box of 10 \$29 VERBATIM Datalife DSDD Box of 10 \$27 COMPUTER ACCESSORIES DIRECTOR P2 \$109 P12 \$149 STANDBY POWER SUPPLY 200 WATTS \$279 Standby Protection, up to 30 minutes Standby Power Standby Power
check only. For advance payment, please call first for workarder number. Personal & Company check take 3 weeks to dear. 20% restacking fee on returns. No PO's or foreign order.	NO SURCHARGE ON COD, VISA or MC AMEX 5%	WILL CALL: Please call first for workorder number. 05-498-6635

and the second second second		and the second second second
PRINTER RIBBOND PICE PER PER NADÓE 9500 10.50 APPLE DMP 5.25 C. ITOH PROWRITER 5.25 S.ON MX-FX 100 6.75 PERON MX-FX 100 7.55 PERON MX-FX 100 7.55 PERON MA-COLOR 7.55 PERON MX-FX 100 5.75 PERON MX-FX 100 5.75 PERON MA-COLOR 7.50 PERON MX-FX 100 9.00 PERON MX-FX 100 9.00 PERON MX-FX 100 9.00 PERON MX-FX 101 5.75 PERON MX-FX 101 5.75 PERON MX-FX 1020 5.00	<section-header><section-header><text><text><text><text></text></text></text></text></section-header></section-header>	<section-header><section-header><image/><image/><list-item><list-item><list-item><list-item><list-item></list-item></list-item></list-item></list-item></list-item></section-header></section-header>
	the second second second second second second second second second second second second second second second se	and any state of the state of the
<section-header><section-header><text><text><text><text></text></text></text></text></section-header></section-header>	CSOFTWAREAD DEDUCTION PEDUCTION PEDUCTION PEDUCTION PEDUCTION PEDUCTION Period Period	UNLIMITED DECRIPHERALSDisk Trays Maray Media Mate 512Maray Media Mate 512Maray Media Mate 512Maray Media Mate 513Hayes Mach II33Hayes Mach III13Hayes Mach III11Hayes Mach III12Mico Original Bat Handle17Provinterlimagewriter3MirfX 8010To Colors AvailableiAdd 30%"O' Colors AvailableiAdd 30%"O' Colors Smartmodem 1200440Astar Fan Wisurge protection23Astar Fan Wisurge protection23Brooks Surge Stopper VCN:46135SOFTWARE TOODI25201 La Paz, Laguma Hillis, CA 92653MASTERCARD/VISA ACCEPTED(CALIF) 1-800-982-5800(OUTSIDE CALIF) 1-800-683-47807
Inquiry 55		Inquiry 319
So You Love Your Work Keep It Fun Let our fast stand alone CODE COOSE Reference Ate the drudgery out of programming! Vour IBM PC w128K, DOS 2.0, one disk drive and our Program; Will cross reference and/or print Source Code Will flag duplicate data names and invalid references. Will allow more than 1400 data names and 11,000 references Will process all versions of Cobol Will be "personalized" with your name on the report heading. Invest \$250° in your future Send check or money order to: Meta System Inc. of Alaska 2806 Iris Drive Anchorage, Alaska 99503 Phone 907-243-8619	HARD DISK BOOT HARD DISK BOOT DATA SECURITY DATA SECURITY FixT ends boot hassles, stops data thieves— DATAMAC, DAVONG, GREAT LAKES, IOMEGA, XEBEC, ZOBEX, others. No-Stot Installation for IBM PC, COMPAQ, COLUMBIA S70-595 + tax/shpg GOLDEN BOW SYSTEMS Box 3039 San Diego CA 92103 619/298-9349	NEW! NEW!

Inquiry 205

Inquiry 124

Inquiry 203

4164 64K DYNAMIC 9/39.95


41256 256K DYNAMIC 29.95

	JH	200ns	5/1											
2101		C RAMS	1.95	1702	EPF 256x8	ROMS		4.50	CRYST. 32.768 KHz	1.95	0		STAL ATORS	
5101 2102-1	256x4 1024x4	(450ns)(cmos) (450ns)	3.95 .89	2708 2758	1024x8 1024x8	(450ns) (450ns)(5V)		3.95 5.95	1.0 MHz 1.8432 2.0	3.95 3.95 2.95	1.0MHz	7.95	8.0	7.95
2102L-4 2102L-2 2125	1024x1 1024x1 1024x1	(450ns)(LP) (250ns)(LP) (45ns)	.99 1.45 2.95	2716-6 2716 2716-1	2048 x8 2048 x8 2048 x8	(650ns) (450ns)(5V) (350ns)(5V)		2.95 3.95 4.95	2.097152 2.4576	2.95 2.95	1.8432 2.0 2.4576	7.95 7.95 7.95	10.0 12.0 15.0	7.95 7.95 7.95
2111 2111L	256x4 256x4	(450ns) (450ns)(LP)	2.49 2.95	TMS2516 TMS2716	2048x8 2048x8	(450ns)(5V) (450ns)		4.95	3.2768 3.579545 4.0	2.95 2.95 2.95	2.5 4.0	7.95	16.0 18.432	7.95
2112 2114 2114-25	256×4 1024×4 1024×4	(450ns) (450ns) (250ns)	2.99 8/9.95 8/10.95	TMS2532 2732 2732A-4	4096x8 4096x8 4096x8	(450ns)(5V) (450ns)(5V) (450ns)(5V)(211/ 0014	4.95 4.95 4.95	4.032 5.0	2.95	5.0688 6.0 6.144	7.95 7.95 7.95	20.0 24.0	7.95 7.95
2114L-4 2114L-3	1024x4 1024x4	(450ns)(LP) (300ns)(LP)	8/12.95 8/13.45	2732A-35 2732A	4096x8 4096x8	(350ns)(5V)((250ns)(5V)(21V PGM)	4.95	5.0688 5.185 5.7143	2.95 2.95 2.95	0.144	1.55		
2114L-2 2114L-15 TC5514	1024x4 1024x4 1024x4	(200ns)(LP) (150ns)(LP) (650ns)(cmos)	8/13.95 8/19.95 4.95	2732A-2 2764 2764-250	4096x8 8192x8 8192x8	(200ns)(5V)((450ns)(5V) (250ns)(5V)	21V PGM)	10.95 5.95 6.95	6.0 6.144	2.95 2.95	1-			4
2141 2147	4096x1 4096x1	(200ns) (55ns)	2.95 4.95	2764-200 TMS2564	8192×8 8192×8	(200ns)(5V) (450ns)(5V)		11.95	6.5536 8.0 10.0	2.95 2.95 2.95			1 11	5
2148 TMS4044-4 TMS4044-3	1024x4 4096x1 4096x1	(70ns) (450ns) (300ns)	4.95 3.49 3.99	MCM68764 MCM68766 27128-45	8192x8 8192x8 16384x8	(450ns)(5V)((350ns)(5V)((450ns)(5V)	24 pin)	24.95 42.95 16.95	10.738635 14.31818	2.95 2.95			Ĩ	
TMS4044-2 TMS40L44-2 UPD410	4096x1 4096x1 4096x1	(200ns) (200ns)(LP) (100ns)	4.49 4.95 3.95	27128-30 27128	16384x8 16384x8	(300ns)(5V) (250ns)(5V)		18.95 19.95	15.0 16.0 17.430	2.95 2.95 2.95		-	000	
MK4118 TMM2016-200	1024x8 2048x8	(250ns) (200ns)	9.95 4.15	SV=Single S	von suppry	21V PGM=Prog	ram at 21 V	ofts	18.0 18.432 20.0	2.95 2.95 2.95	74LS00	24	S00 74LS189	8.95
TMM2016-150 TMM2016-100 HM6116-4	2048x8 2048x8 2048x8	(150ns) (100ns) (200ns)(cmos)	4.95 6.15 4.75	***	* HIGH	TECH	***	*	22.1184 24.0	2.95 2.95	74LS01 74LS02 74LS03	.25 .25 .25	74LS190 74LS191 74LS192	.89
HM6116-3 HM6116-2	2048×8 2048×8	(150ns)(cmos) (120ns)(cmos)	4.95			220			32.0	2.95	74LS04 74LS05	.24	74LS193 74LS194	.79
HM6116LP-4 HM6116LP-3 HM6116LP-2	2048x8 2048x8 2048x8	(200ns)(cmos)(LP) (150ns)(cmos)(LP) (120ns)(cmos)(LP)	4.95 5.95 8.95	GRAPHI	CS DISP	LAY CON	TROLL	ER	GENERA	TOPS	74LS08 74LS09 74LS10	.28 .29 .25	74LS195 74LS196 74LS197	.69 .79 .79
TC5516 TMS4016	2048×8 2048×8	(250ns)(cmos) (200ns)	9.95 6.95	* FOUR MEG * DRAWS LIN	NES, ARCS, C	CIRCLES & RE			BIT RA	TE	74LS11 74LS12	.35 .35	74LS221 74LS240	.89
Z-6132 HM6264P-15 HM6264LP-15	4096x8 8192x8 8192x8	(300ns)(Ostat) (150ns)(cmos) (150ns)(cmos)(LP)	34.95 24.95 27.95	* ZOOM, PA		H SECOND	HT PEN		MC14411 BR1941 4702	11.95 11.95 12.95	74LS13 74LS14 74LS15	.45 .59 .35	74LS241 74LS242 74LS243	.99
HM6264LP-12 LP=Low po	8192x8 ower	(120ns)(cmos)(LP) Qstat=Quasi-S	29.95	CAPABILIT * DMA TRAN * UP TO 1024	ISFER WITH	8257 OR 8237	OR 256 -	100	COM5016 COM8116	16.95 10.95	74LS20 74LS21 74LS22	.25	74LS244 74LS245 74LS247	1.29
D' TMS4927	4096x1	IIC RAMS	1.99		ERS				FUNCT		74LS26 74LS27	.29	74LS248 74LS249	.99
2107 MM5280	4096x1 4096x1	(200ns) (300ns)	1.95	XXX	×arui	LIUNI	XXX	X	MC4024 LM566 XR2206	3.95 1.49 3:75	74LS28 74LS30 74LS32	.35 .25 .29	74LS251 74LS253 74LS257	.59 .59 .59
TMS4050 UPD411 TMS4060	4096x1 4096x1 4096x1	(300ns) (300ns) (300ns)	1.95 1.95 1.95						8038	3.95	74LS33 74LS37	.55	74LS258 74LS259	.59 2.75
MK4108 MM5298 4116-300	8192x1 8192x1 16384x1	(200ns) (250ns) (300ns)	.49 .49 8/6.95	ORD			- •] -				74LS38 74LS40 74LS42	.35	74LS260 74LS261 74LS266	.59 2.25 .55
4116-250 4116-200	16384x1 16384x1	(250ns) (200ns)	8/6.95 8/8.95	UNU		ULL		5	CRT		74LS47 74LS48 74LS49	.75 .75 .75	74LS273	1.49 3.35
4116-150 4116-120 2118	16384x1 16384x1 16384x1	(150ns) (120ns) (150ns)(5v)	8/10.95 8/12.95 4.95	000	T FG	0 E			6845 68B45	12.95 19.95	74LS51 74LS54	.25	74LS279 74LS280 74LS283	1.98
MK4332 4164-200	32768x1 65536x1	(200ns) (200ns)(5v)	9.95 9/39.95		-15	8-5			6847 68047 HD46505SP	11.95 24.95 15.95	74LS55 74LS63 74LS73	.29 1.25 .39	74LS290 74LS293 74LS295	.89
4164-150 4164-120 MCM6665	65536x1 65536x1 65536x1	(150ns)(5v) (120ns)(5v) (200ns)(5v)	9/44.95 8.95 6.95	000					MC1372 8275 7220	6.95 29.95 39.95	74LS74 74LS75	.35 .39	74LS298 74LS299	.89 1.75
TMS4164-20 TMS4164-15 4164-REFRESH	65536x1 65536x1	(200ns)(5V) (150ns)(5v) (150ns)(5V)(REFRE	6.95 7.95	800 (calif	-55	74.7	4		CRT5027 CRT5037	19.95 34.95	74LS76 74LS78 74LS83	.39 .49 .60	74LS322 74LS323 74LS324	3.50
TMS4416-20 TMS4416-15	16384x4 16384x4	(200ns)(5V) (150ns)(5v)	8.95 9.95	(CALIF	ORNIA	RESI	HNTS	ł	TMS9918A DP8350	39.95 49.95	74LS85 74LS86 74LS90	.69 .39 .55	74LS348 74LS352 74LS353	2.50
41256-200 41256-150 5v=Single 5 Vo	262144x1 262144x1 olt Supply	(200ns)(5v) (150ns)(5v) REFRESH=Pin 1	29.95 31.95 Refresh								74LS91 74LS92	.89 .55	74LS363 74LS364	1.35
	-								DISH		74LS93 74LS95 74LS96	.55 .75 .89	74LS365 74LS366 74LS367	
Z-80		6500		800	800 8031	29.95	8202	Ú 24.95	1771 1791	15.95 23.95	74LS107 74LS109 74LS112	.39 .39 .39	74LS368 74LS373 74LS374	1.39
2.5 MH 280-CPU	2.49	1.0 MHz 6502 4.95	6800 6802	2.95 7.95	8035 8039	5.95 5.95	8203 8205	39.95 3.50	1793 1795 1797	23.95 23.95 23.95	74LS113 74LS114	.39	74LS375 74LS377	.95
Z80-CTC Z80-DART Z80-DMA	2.95 7.95	65C02(CMOS)12.95 6504 6.95 6505 8.95	6803 6808 6809	19.95 13.90 8.95	INS-8060 INS-8073 8080	17.95 49.95 3.95	8212 8214 8216	1.80 3.85 1.75	2791 2793	39.95 39.95	74LS122 74LS123 74LS124	.45 .79 2.90	74LS378 74LS379 74LS385	1.35
Z80-PIO Z80-SIO/0	8.95 ° 2.95 9.95	6507 9.95 6520 2.95	6809 6810	8.95 2.95	8085 8085A-2	4.95	8224 8226	2.25 1.80	2795 2797 6843	39.95 39.95 34.95	74LS125 74LS126	.49	74LS386 74LS390	.45
280-SIO/1 280-SIO/2 280-SIO/9	9.95 9.95 9.95	6522 5.49 6532 9.95 6545 9.95	6820 6821 6828	4.35 2.95 14.95	8086 8087 8088	24.95 175.00 19.95	8228 8237 8237-5	3.49 13.95 15.95	8272 UPD765	19.95 19.95	74LS132 74LS133 74LS136	.59 .59 .39	74LS393 74LS395 74LS396	1.19
4.0 MH		6551 9.95	6840 6843 6844	12.95 34.95 25.95	8089 8155 8155-2	69.95 6.95 7.95	8238 8243 8250	4.49 4.45 10.95	MB8876 MB8877 1691	29.95 34.95 7.95	74LS137 74LS138 74LS139	.99 .55	74LS399 74LS424 74LS447	
280A-CPU 280A-CTC	2.95 3.95	2.0 MHz 6502A 5.95 6520A 5.95	6845 6847	12.95 11.95	8156 8185	6.95 29.95	8251 8251A	3.95 4.49	2143	7.95	74LS145 74LS147	1.20 2.49	74LS490 74LS540	1.95
Z80A-DART Z80A-DMA Z80A-PIO	8.95 9.95	6522A 9.95 6532A 11.95	6850 6852 6860	3.25 5.75 7.95	8185-2 8741 8748	39.95 29.95 24.95	8253 8253-5 8255	6.95 7.95 4.49	KENDO		74L\$148 74L\$151 74L\$153	.55	74LS541 74LS624 74LS640	3.99
Z80A-SIO/0 1	3.95 10.95 10.95	6545A 12.95 6551A 11.95	6875 6880 6883	6.95 2.25 22.95	8749 8755	39.95 24.95	8255-5 8257 8257-5	5.25 7.95 8.95	CHIP	S	74LS154 74LS155 74LS156	1.90 .69 .69	74LS645 74LS668 74LS669	1.69
Z80A-SIO/2 1 Z80A-SIO/9 1	10.95	3.0 MHz 6502B 8.95	6804 6848	7 24.95			8259 8259-5	6.90 7.50	AY5-2376 AY5-3600 STI AY5-3600 PRO	11.95 0 11.95 0 11.95	74LS157 74LS158	.65 .59	74LS670 74LS674	1.49
6.0 MH				0=1 MHz	MISC UPD7201	C. 19.95	8272	79.95 19.95 39.95			74LS160 74LS161 74LS162	.69 .65 .69	74LS682 74LS683 74LS684	3.20
Z80B-CPU Z80B-CTC Z80B-PIO	8.95 9.95 9.95	UARTS AY5-1013 3.95 AY3-1015 6.95	68B0 68B0	2 11.95	TMS99531 TMS99532	9.95 29.95	8275 8279	29.95 6.95	CLOC		74LS163 74LS164 74LS165	.65 .69 .95	74LS685 74LS688 74LS689	3.20
Z80B-DART 1 Z80B-SIO/0 2	19.95 29.95	PT1472 9.95 TR1602 3.95	68B0 68B1	9 11.95 0 5.95	ULN2003 3242 3341	2.49 7.95 4.95	8279-5 8282 8283	7.95 6.50 6.50	CIRCU MM5314	4.95	74LS166 74LS168	1.95	81LS95 81LS96	1.49
Z80B-SIO/2 2		2350 9.95 2651 8.95 IM6402 7.95	68B2 68B4 68B4	0 19.95	MC3470 MC3480 11C90	4.95 9.00 13.95	8284 8286 8287	5.50 6.50 6.50	MM5369 MM5369-EST MM5375	1.95 1.95 4.95	74LS169 74LS170 74LS173	1.75 1.49 .69	25LS251 25LS252 25LS253	1 2.80
Z6132 3	34.95	IM6403 8.95 UPD7201 19.95	68B5	0 5.95	95H90 2513-001 up	7.95 9.95	8288 8289	14.95 49.95	MM58167 MM58174	8.95 11.95	74LS174 74LS175	.55	25LS256 26LS31	9 2.80 2.19
Z8671 3	39.95	IN\$8520 10.95	68B	00=2 MHz	2513-002 lov	w 9.95	8292	14.95	ETAIL STO	3.95 RE - 12	74LS181	2.15 SCO	26LS32	2.19
									JRS: M-W-F		58 3. BA TU-TH			T, 10-
H F			/lic	rode		295		PLEA	SE USE YOU	R CUSTO	MER NUM	IBER N	HEN OR	DERIN
***	1224 6	Bascom		in San		A 951	8	TERM \$2.50	IS: Minimum o for UPS Grour	rder \$10.0 id and \$3.5	0. For ship 50 for UPS	ping an Air. Or	d handling ders over	incluc 1 lb. an
000	520 5	. вазсот 6000 • 800-	AVENU	270 (CA	$\sim (40)$	8) 005	5/20	foreig conta	n orders may ct our sales de	require a epartment	dditional s for the arr	hipping 10unt. (i charges CA. reside	 pleas nts mu
- 000-							3430	incluc merch	te 6% sales ta: nandise is warra	anted for 9	a and LA i 0 days unle	resident ss othe	s include rwise state	61/z%. A
	F.	AX (408) 2						typog	ubject to chan raphical errors.	We reser	ve the right	t to lim	it quantitie	s and i
		< Cop	yright 1984 JC	R Microdevices				Substi	tute manufactu	er. All mer	chandise si	noject to	phor sale	

HM6264P-15 ^{8Kx8} static 24.95 SSI263 synthesizer 39.95

2004

			<u>U</u> 2				10	UNS										
	74000	-			740044	2.00				1.00								•
	74502	.35	745138	.85	745251	.95	4001	.25	4538	1.95	the speed of	low power Schot	tky (8ns typical g	ate prop				-
	74504 74505	.35	745140 745151	.55	74S257 74S258	.95 .95	4006	.89	4541 4543	2.64 1.19	very low pow	ver consumption.			7805T	.75	7905T	.85
	74509	.40	745157	.95	745273	2.45	4009	.39	4555	.95					7815T	.75	7915T	.85 .85
	74511	.35	745161	1.95	745275	19.95	4011	.25	4558	2.45	for new, all-	CMOS designs.						
	74520 74522	.35	745168	1.95	74S283 74S287	3.29 1.90	4013	.38	4569 4581	3.49	74HC04	.59	74HC193 74HC194	1.04	7812K	1.39	7912K	1.49
	74\$32	.40	745174	.95	745289	6.98	4016	.39	4584	.75	74HC10	.59	74HC238	1.35	7815K 7824K	1.39 1.39		1.49 1.49
	74538	.85	745180	11.95	745301	6.95	4018	.79	45151	12.95	74HC14	.79	74HC241	1.89				iE .79
	74551 74564	.35	74\$185	2.95	745374 745381	2.45 7.95	4020	.75	4724 74C00	1.50 .35	74HC27 74HC30	.59 .59	74HC244	1.89	78L12		79L12	.79 .79
	74574	.50	745189	6.95	74\$399	2.95	4023	.29	74C04	.35	74HC51	.59	74HC251	.89				
	74586	.50	745195	1.49	745470	6.95	4025	.29	74C10	.35	74HC75	.85	74HC259	1.39	LM338K	Adj. 5amp	p TO-3	4.95 3.95
	745113 745114	.50	74S197 74S201	1.49 6.95	745472 745474	4.95 4.95	4027	.45	74C20 74C30	.35 .35	74HC93	1.19	74HC367	.99	78H12K	2volt 5amp	p TO-3	9.95
	745132	1.24	745226	3.99	745571	2.95	4030	.39	74C42	1.29	74HC132	1.19	74HC374	2.29				1.95
					875181	16.25	4035	.85	74C73	.65	74HC139	.99	74HC4017	1.99				
							4041	.75	74C76 74C83	.80 1.95	74HC154	2.49	74HC4024 74HC4040	1.59 1.39	LM301	.34	LM567	.89
		16 y	740	00	1000 200		4044	.79	74C86	.39	74HC161	1.15	74HC4050	.89	LM307	.45	NE571	3.95
TRAD TABLE TABLE <th< td=""><td></td><td></td><td>7483</td><td>.50</td><td></td><td></td><td>4047</td><td>.95</td><td>74C90</td><td>1.19</td><td>74HC166</td><td>2.95</td><td>74HC4511</td><td>2.39</td><td>LM308H</td><td>1.15</td><td>NE592</td><td>2.50 .98 .59</td></th<>			7483	.50			4047	.95	74C90	1.19	74HC166	2.95	74HC4511	2.39	LM308H	1.15	NE592	2.50 .98 .59
2000 20 2001 20 2001 20 2000 2	7402 7403	.19	7486 7489	.35	74174 74175	.89 .89	4049	.35	74C95 74C150	.99 5.75		74HC	TOO		LM309K	1.25	LM710 LM711	.75
$ \frac{1}{100} 1$	7405	.25	7491	.40	74177	.75	4052	1.99	74C154	3.25	can be inter	mixed with 74LS	S in the same circ	uit.	LM311H	.89	LM723H	.49
TRAD TATE	7407	.29	7493	.35	74179	1.75	4060	.89	74C160	1.19	74HCT02	.69	74HCT193	1.39	LM317K	3.95 1.19	LM741	.35
211 30 7410 175 7418 200 4071 32 74000 175 7418 200 4071 32 74000 175 7418 200 4071 32 74000 175 7418 200 175 7418 200 175 7418 200 175 7418 200 175 7418 200 175 7418 200 175 7418 200 175 7418 200 175 7418 200 175 7418 200 175 7418 175	7409 7410	.19	7495 7496	.55	74181 74182	2.25	4068	.39	74C162 74C163	1.19 1.19	74HCT10	.69	74HCT238	1.49	LM318 LM318H	1.49 1.59	LM741H	.40
2111 32 2100 32 2	7412	30	74100	1.75	74185	2.00	4071	.29	74C165	2.00	74HCT14	.89	74HCT241	2.19	LM319	1.25	LM1014	.59 1.19 1.95
71/2 23 71/2 21/2 72/2 73/2 73/2 73/2	7414 7416	.49	74107 74109	.30	74190 74191	1.15 1.15	4073	.29	74C174 74C175	1.19 1.19	74HCT27 74HCT30	.69 .69	74HCT243 74HCT244	2.19 2.19	LM322 LM323K	1.65	LM1310 MC1330	1.49
7432 35 74120 120 74187 450 450 32 74020 57 74077 120 74187 57 74187 58 74187 58 74187 58 74187 58 74187 58 74187 58 74187 58 74187 58 74187 58 74187 58 74187 58 74187 58 74187 58 <td>7417 7420</td> <td>.25</td> <td>74110 74111</td> <td>.45</td> <td>74192 74193</td> <td>.79 .79</td> <td>4076</td> <td>.79</td> <td>74C193</td> <td>1.49</td> <td>74HCT32 74HCT51</td> <td>.69</td> <td>74HCT251</td> <td>1.09</td> <td>LM324 LM329</td> <td>.59 I .65 I</td> <td>MC1349 MC1350</td> <td>1.89 1.19</td>	7417 7420	.25	74110 74111	.45	74192 74193	.79 .79	4076	.79	74C193	1.49	74HCT32 74HCT51	.69	74HCT251	1.09	LM324 LM329	.59 I .65 I	MC1349 MC1350	1.89 1.19
283 29 7422 40 7417 73 400 95 74224 25 7441713 130 74417143 130 74417143 130 74417143 130 74417143 130 74417143 130 74417143 130 74417143 130 74417143	7422	.35	74120	1.20	74195	.85	4081	.29	74C200	5.75	74HCT75	.95	74HCT259	1.59	LM334	1.19 (MC1372	1.69
727 29 7425 48 7429 138 7427 248 7427 248 7427 248 7427 248 7427 248 7427 248 7427 248 7427 248 7427 248 7427 248 7428 248 7428 248 7428 248 7428 248 7428 248 7428 248 7428 248 7428 248 7428 248 7428 248 7428 248 7428 248 7428 248 748 <	7425 7426	.29	74122 74123	.45	74197 74198	.75 1.35	4085	.95	74C244 74C373	2.25 2.45	74HCT86 74HCT93	.79	74HCT299 74HCT367	5.25 1.09	LM336	1.75	LM1458	1.59
7437 429 7414 50 7424 128 7429 128 128 7429 128 128 128 128 128 128 128 128	7427 7428	.29	74125 74126	.45	74221	1.35 1.35	4094	2.99	74C901	.39	74HCT125 74HCT132	1.29	74HCT373 74HCT374	2.49	LM337K LM338K	3.95 I 3.95 I	LM1489 LM1496	.69 .85
7437 23 7441 65 74239 135 1410 1255 74239 135 1410 1255 74239 135 1410 1255 74239 135 1410 1255 74239 135 1410 1255 74239 135 1410 1255 74239 135 1410 1255 74239 135 14110 1255 74239 135 14110 1255 74239 135 14110 1255 74239 135 14110 1255 74239 135 14110 1255 74239 135 14110 1255 74239 135 14110 1255 74239 135 14110 1255 74239 14110 1255 74239 135 14110 1255 74239 135 14110 1257 74239 135 14110 1257 74239 135 14110 1257 14110 1257 14110 1257 14110 1257 14110 1257 14110 1257 14110 1257 14110 1257 14110 1257 141010	7432	.29	74132	.45	74247	1.25	4099	1.95	74C903	.85	74HCT139	1.15	74HCT4017	2.19	LM340 see	7800	LM1800	2.37
739 749 7	7437 7438	.29	74141 74142	.65	74249 74251	1.95 .75	1441 1441	0 12.95	74C906 74C907	.95 1.00	74HCT153 74HCT154	1.05 2.99	74HCT4024 74HCT4040	1.79 1.59	LM350K	4.95	LM1830	8.25 3.50 6.49
7443 66 74147 1.75 72475 1.25 74607 1.95 74617 <td>7439 7440</td> <td>.79</td> <td>74144</td> <td>2.95</td> <td>74265</td> <td>1.35</td> <td>1441</td> <td>9 7.95</td> <td>740909</td> <td>2.75</td> <td>74HCT161</td> <td>1.29</td> <td>74HCT4050</td> <td>.99</td> <td>LM358 LM359</td> <td>.69 I 1.79 I</td> <td>LM1872</td> <td>5.49 3.52</td>	7439 7440	.79	74144	2.95	74265	1.35	1441	9 7.95	740909	2.75	74HCT161	1.29	74HCT4050	.99	LM358 LM359	.69 I 1.79 I	LM1872	5.49 3.52
rzłaś 68 rzłaś 138 rzdzy rzłaś 68 rzdzy rzdzy </td <td>7443</td> <td>.65</td> <td>74147</td> <td>1.75</td> <td>74276</td> <td>1.25</td> <td>4502</td> <td>.95</td> <td>74C911</td> <td>8.95</td> <td>74HCT166</td> <td>3.05</td> <td>74HCT4511</td> <td>2.69</td> <td>LM377</td> <td>1.95</td> <td>LM1896</td> <td>1.95 1.75 1.29</td>	7443	.65	74147	1.75	74276	1.25	4502	.95	74C911	8.95	74HCT166	3.05	74HCT4511	2.69	LM377	1.95	LM1896	1.95 1.75 1.29
TA46 669 74153 555 74285 3.75 4511 3.8 746291 7435 7429 7428 7429	7445 7446	.69	74150 74151	1.35	74279 74283	.75 2.00	4507	1.25	74C914 74C915	1.95					LM379 LM380	4.50	XR2206 LM2877	3.75 2.05
7451 23 7415 26 74233 26 7431 27 7415 23 7415 26 7433 26 7433 26 7433 26 7433 26 7433 27 7435 28 7415 25 7435 25 7435 25 7436 26 26 25 26 26 27 26 27 26 27 26 27 26 27 26 27 26 26 26 26 <th2< th=""><th>7448</th><th>.69</th><th>74153</th><th>.55</th><th>74285</th><th>3.75</th><th>4511</th><th>.85</th><th>74C920</th><th>17.95</th><th></th><th>SPECT</th><th>RONIC</th><th>S</th><th>LM381</th><th>1.60</th><th>LM2900</th><th>2.25 .85 1.00</th></th2<>	7448	.69	74153	.55	74285	3.75	4511	.85	74C920	17.95		SPECT	RONIC	S	LM381	1.60	LM2900	2.25 .85 1.00
7446 23 74351 2451 133 74262 535 PEROM ERASERS Masses	7451 7453	.23	74155 74156	.75	74293 74298	.75	4514	1.25	74C922 74C923	4.49 4.95					LM383	1.95	MP02907	
1472 25 7485 785 7452 79 74222 25 7473 33 74163 68 65 7437 74223 345 74223 345 7474 33 74163 68 74376 2420 4522 125 74223 345 7436 45 74376 245 315 4522 125 74223 35 149 98 8000 483.00 100334 135 44521 119 800237 355 PE-141 9 8.000 483.00 100334 46.01 100334 3.25 100334 1.20 100334 3.25 100 100334 4.52 100334 1.20 100334 4.50 100344 4.55 1004 1.65 6.66 RC4151 3.29 1004 1.65 1.66 1.64 1.66	7460	.23	74159	1.65	74365	.65	4518	.89	74C926	7.95					LM387	1.40	LM3905	.59 1.25
1474 .33 74163 .69 74376 .22 125 747630 4.95 PF-141 .9 9 .0000 \$83.000 LM3331 1.29 LM3315 3.39 7475 .45 74164 .85 74164 .9 9 .0000 \$83.000 LM3315 3.425 LM3215 LM3215 LM3215 LM3215 LM3215 LM3215 LM3215 LM3215 LM3215 LM3315 3.425 LM3315<	7472	.29	74161	.69	74367	.65	4520	.79	74C928	7.95		Capacity	/ Intensity		LM390	1.95 1	LM3911	.98 2.25 3.95
1481 1.0 7445 3.15 4425 3.15 4528 1.20 PL265T x 3.0 9,600 \$395.00 \$395.00 7481 1.0 7442 3.5 74170 1.85 7442 3.5 80C97 9.5 PL265T x 3.0 9,600 \$395.00 \$349.00 NE556 66 RC115 3.1 7481 3.5 74170 1.85 74420 2.55 4529 2.55 80C97 9.5 PL265T x 3.0 9,600 \$395.00 \$349.00 NE556 66 RC115 3.1 N1767 N1767 N1767 N1777 N1767 N1777 N1777 N1777 N1777 N17777 N17777 N17777 N17777 N17777 N177777 N177777 N1777777777777777777777777777777777777	7474 7475	.33	74163 74164	.69	74376 74390	2.20 1.75	4522	1.25	74C930 80C95	4.95	PE-14T		8,000	\$119.00	LM393 LM394H	1.29 4.60 I	LM3915 LM3916	3.95 3.95
7482 35 74170 1.65 74490 2.55 4531 .95 PR-320T × 42 17,000 \$595.00 NE556 .65 R Ca15i 3.9 TRANSISTORS IC SOCKETS ISO INTERFACE DATA AQC 9000 9304 .95 P000 SOUND NE556 .65 R Ca15i 3.9 2022128 250 243304 100 8 PN ST 13 .11 125 P100 8 P100 9 P100 9 P100 P100 </td <td>7480</td> <td>.59</td> <td>74166</td> <td>1.00</td> <td>74425</td> <td>3.15</td> <td>4528</td> <td>1.19</td> <td>80C97</td> <td>.95</td> <td>PL 265T</td> <td>× 30</td> <td>9,600</td> <td>\$255.00</td> <td>NE531</td> <td>2.95</td> <td>MC4044</td> <td>3.95 4.50</td>	7480	.59	74166	1.00	74425	3.15	4528	1.19	80C97	.95	PL 265T	× 30	9,600	\$255.00	NE531	2.95	MC4044	3.95 4.50
TRANSISTORS IC INTERFACE DATA AQC 9000 SOUND 2M318 50 2N3772 1.85 Interface 1.59 1.69 1.60 1.53 1.69 1.60 1.65 9000 304 95 328 1.49 <td< td=""><td></td><td></td><td>74170</td><td></td><td>74490</td><td>2.55</td><td>4531</td><td>.95</td><td>00030</td><td>1.20</td><td></td><td>x 42</td><td>17,000</td><td>\$595.00</td><td>NE556 NE558</td><td>.65 I</td><td>RC4151 LM4250</td><td>3.95</td></td<>			74170		74490	2.55	4531	.95	00030	1.20		x 42	17,000	\$595.00	NE556 NE558	.65 I	RC4151 LM4250	3.95
THAILS 50 2N3772 1.85 CH Substance Subst	TOA	NIC	ICTO	20	A	10		INTER	FACE	DAT	AAOC	9000	SOU	ND	NE564 LM565	2.95	LM4500 RC4558	3.25 .69
MP5918 25 2N303 25 SOUCKETS ADC0817 9328 1.49 76477 3.95 2N2102 75 2N306 10 8 PN 8176 89 ADC0816 9.95 9328 1.49 76477 3.95 CA3023 2.75 CA3083 1.65 2N2218 50 2N4212 25 8 PN 15 12 PN 8176 89 ADC0817 9.95 9328 1.49 76477 3.95 CA3023 2.75 CA3086 1.55 2N2219 50 2N4123 25 PN ST 15 PN ST 15 PN ST 15 PN ST CA3086 1.55 2N2219 50 2N404 75 18 PN ST 20 13 PN ST 20 13 13 125 CA3086 1.49 PN CA3086 1.49 CA3086 1.49 CA3086 1.49 CA3086 1.49 CA3086 1.25 CA3086 1.25 CA3086 1.25 CA308	2N918	.50	2N3772	1.85	604		e	8T26	1.59 1.98	ADC0 ADC0	800 15.55 804 3.49	9304 .95 9316 1.00	СНІ	PS			LM13700	1.45
222218A 50 2N4122 25 8 PIN ST 13 11 <th>2N2102</th> <th>.75</th> <th>2N3904</th> <th>.25</th> <th>300</th> <th></th> <th></th> <th>8795 8796</th> <th>.89 .89</th> <th>ADC0 ADC0</th> <th>809 4.49 816 14.95</th> <th>9328 1.49 9334 2.50</th> <th>76477 76488</th> <th>5.95</th> <th></th> <th>RC/</th> <th>A</th> <th></th>	2N2102	.75	2N3904	.25	300			8795 8796	.89 .89	ADC0 ADC0	809 4.49 816 14.95	9328 1.49 9334 2.50	76477 76488	5.95		RC/	A	
2N2219A 50 2N4249 25 16 PIN ST 17 13 PP304 2.25 DAC0808 125 MC340 1.49 Soc CA3066 2.96 CA3066 2.95 CA3066 2.96 CA3066 2.95 CA3066 2.96 CA3066 2.95 MC340 1.49 Soc CA3066 2.96 CA3066 1.69 Sp1000 39.00 CA3066 1.75 CA3086 1.0 CA3066 1.75 CA3086 1.0 CA3066 1.75 CA3086 1.0 CA3086 1.0 CA3086 1.0 CA3086 1.0 CA3086 1.6 I.43 I.43 I.43 I.43 I.43 I.45 CA3088 1.0 CA3088 I.65 CA3183 I.6 I.6 CA3183 I.6 I.6 CA3183 I.6	2N2218/ 2N2219	A .50 .50	2N4122 2N4123	.25 .25	14 PIN	ST .13 ST .15	.11	8T98	.89	ADC0	831 8.95	9401 9.95	SSI-263	39.95	CA3039	1.29 0	CA3086	1.55 .80 2.99
PM2222 10 20 PIN ST 29 .27 20 PIN ST 29 .27 22 PIN ST 30 .27 22 PIN ST 30 .27 22 PIN ST 30 .27 24 PIN ST 30 .27 24 PIN ST 30 .27 25 PIA403 25 PIN ST 30 .27 24 PIN ST 30 .27 25 PIA457 1.00 DS8833 1.39 DS6833 1.59 DAC1021 7.59 CA3060 1.10 CA3140 1.41 1.46 1.45 CA3080 1.10 CA3140 1.41 1.41 1.45 CA3080 1.10 CA3140 1.41 1.41 1.45 CA3080 1.10 CA3140 1.41 1.41 1.41 1.45 CA3080 1.10 CA3140 1.41 1.41 1.45 CA3080 1.10 CA3140 1.41 1.41 1.45 CA3081 1.45 CA3080 1.10 CA3140 1.41	2N2219/ 2N2222	A .50 .25	2N4249 2N4304	.25 .75	16 PIN 18 PIN	ST .17 ST .20	.13 .18	DP8304 DS8833	2.29 2.25	DAC0 DAC0	806 1.95 808 2.95	9602 1.50 9637 2.95	AY3-891 MC3340	2 12.95	CA3059 CA3060	2.90	CA3096 CA3130	3.49 1.30
2N2905 50 2N4857 1.00 28 PIN ST 40 32 2N2907 32 2N5916 25 PN4916 25 PN2916	PN2222 MPS236	.10	2N4402	.25	20 PIN 22 PIN	ST .30	.27	DS8835 DS8836	1.99 .99	DAC1 DAC1	020 8.25 021 7.95	96502 1.95	SP1000		CA3065 CA3080	1.75 0	CA3140 CA3146	1.15 1.85
PM2907 13 2N5086 25 64 PIN ST 4.25CALL INTERSIL EXAR 4N26 1.00 MCA-25 4.25 2N3055 .69 PN5139 .25 ST-SOLDERTAIL ST-SOLDERTAIL BIN WN 59 49 100 MCA-25 125 1.496 1.65 75450 1.89 2N3055 .69 PN5139 .25 ST-SOLDERTAIL ST-SOLDERT	2N2905	.50	2N4857	1.00	28 PIN	ST .40	.32	D\$8837 D\$8838		MC14	08L6 1.95				CA3081 CA3082	1.65	CA3160 CA3183	1.19
30557 .69 PN5139 .25 2N3303 2N5209 .25 2N3341 .25 2N6028 .35 2N3355 .40 2N6043 1.75 2N3355 .40 2N6043 1.75 14 PIN ww 69 .99 16 16 PIN ww 69 .58 17500 1.49 .55 MPS3630 .25 MPS-A06 .25 PN3664 .26 MPS-A06 .25 PN3664 .26 MPS-A06 .25 WPS3706 .15 TIP32 .69 22 PIN ww 1.89 1.49 24 PIN ww 1.89 .49 25 MPS-A55 .25 PN3643 .25 MPS-A55 .25 PN3644 .26 </td <td>PN2907 2N3055</td> <td>.13</td> <td>2N5086 PN5129</td> <td>.25 .25</td> <td>64 PIN</td> <td>ST 4.25</td> <td>CALL</td> <td></td> <td></td> <td></td> <td></td> <td>4N27</td> <td>1:10 MCA-225</td> <td>5 1.75</td> <td></td> <td>4.20</td> <td>75365</td> <td>1.95</td>	PN2907 2N3055	.13	2N5086 PN5129	.25 .25	64 PIN	ST 4.25	CALL					4N27	1:10 MCA-225	5 1.75		4.20	75365	1.95
2213563 40 2106043 175 8 PIN WW.95 49 1000000000000000000000000000000000000	2N3393	.30	2N5209	.25				ICL7107 ICL7660	12.95	XR220 XR220	06 3.75 07 3.75	4N33 4N35	1.75 ILA-30 1.25 ILQ-74	1.25 2.75	TL496 TL497	1.65	75450 75451	.59
PN3665 25 MPS-A05 25 MPS3586 25 MPS-A05 25 MPS35840 25 MPS-A05 25 PN3643 26 MPS-A13 40 PN3644 25 MPS-A55 25 PN3644 25 MPS-A55 25 PN3644 25 MPS-A55 25 PN3644 25 MPV.131 MPS3706 15 TIP31 75 75 1.95 75 75 1.95 75 75 75	2N3563 2N3565	.40	2N6043 2N6045	1.75	14 PIN	WW .69	.52	ICM72074	A 5.59	XR22 XR22	08 3.75 1 5.25	4N37 MCT-2	1.25 H11C5 1.00 TIL-111	1.25	75108	1.49	75453	.39 .39 .39
MP53640 25 MP5-A13 40 APP3643 25 MP5-A13 40 PN3643 25 MP5-A15 25 PN3644 25 MP4-A15 125 PN3643 25 MP4-A15 125 PN3644 25 MP4-A15 15 MP53706 15 TIP31 .75 VTSA MosterCard MosterCard MosterCard	PN3565 MPS363	.25	MPS-A05 MPS-A06	.25	18 PIN 20 PIN	WW .99 WW 1.09	.90 .98	ICM/208	10.95	AH22	3.25	MCT-6	1.50 IIL-113	1.75	75150 75154	1.95	75491 75492	.79
Wrss704 15 TIP23 .55 Mrss704 .15 TIP31 .55 Mrss706 .15 TIP32 .79 Www.wirewrap And And And MosterCord MosterCord MosterCord And	PN3643	.25	MPS-A55	.25	22 PIN 24 PIN	WW 1.39 WW 1.49	1.28 1.35			H:	INT	HIVE	-25		75188	1.25	75493	.89 .89
TIP32 .79 WW=WIREWRAP A TL071 .79 LF351 .60 MosterCord MosterCord MICROPRICES TL081 .79 LF355 .10 MosterCord MosterCord LF412 LF412 .19 LF412 .19		4 .15	TIP29 TIP31	.65 .75	40 PIN	WW 1.99	1.80								TLOGG			2.19
MosterCard MicroPRCES T1.081 7.9 LF356 1.10 TL082 1.19 LF357 1.40 TL083 1.19 LF317 1.22 TL084 2.19 LF412 1.95	MPS3704			.79	WW=	VIREWRA	P				1				TL071 TL072	.79 1	LF351	.60
VISA MasterCard IIIUIUIUIUIUIUE TL083 1.19 LF411 1.29 VISA LIAU LIAU<	MPS3704		TIP32															
	MPS3704		TIP32								DND	DIAL	<u></u>		TL081	.79 1	LF356	1.10
C Copyright 1984 JDR Microdevices	MPS3704	6.15			MasterCa	rd				IC	RÔP	RICE	S		TL081 TL082 TL083	.79 L 1.19 L 1.19 L	LF356 LF357 LF411	




1224 S. Bascom Avenue, San Jose, CA 95128


800-538-5000 • 800-662-6279 (CA) • (408) 995-5430 FAX (408) 275-8415 • Telex 171-110 RETAIL STORE - 1256 S. BASCOM AVENUE HOURS: M-W-F, 9-5 TU-TH, 9-9 SAT, 10-3

PLEASE USE YOUR CUSTOMER NUMBER WHEN ORDERING

TERMS: Minimum order \$10.00. For shipping and handling include \$2.50 for UPS Ground and \$3.50 for UPS Air. Orders over 1 lb and foreign orders may require additional shipping charges - please contact our sales department for ihe amount. CA. residents must include 6% sales tax. Bay Area and LA residents include 6%%. All merchandise is warranted for 90 days unless otherwise stated. Prices are subject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantilies and to substitute manufacturer. All merchandise subject to prior sale.

Copyright 1984 JDR Microdevices





- NEEDED: Information on or public-domain software for Commodore 64 to develop educational and social skills of mentally handicapped adults. Also, we will share the programs we have developed. Mrs. M. Worsman, Pennine House, 39 Well St., Bradford, West Yorkshire BDI 5RE. England.
- WANTED: Information on computers/hardware to videotape high-resolution/double high-resolution drawings and animation without flickering. Want equipment to transform signal to NTSC or computer with such capability (now using an Apple IIe and Add Wor board that does not generate true NTSC output). Marianne Unger, 1313 Good St., Reading, PA 19602
- NEEDED: Tax-deductible donation of computers (Apple II, IBM PC, or compatible), monitors, and printers for Appalachian students in biology and pre-medicine. Shipping will be paid. Dr. H. W. Elmore, Department of Biology, Marshall University, Huntington, WV 25701. (304) 696-3638 or 696-3148.
- WANTED: Donation of a Macintosh or Apple IIe to be used by Miss Pantipa Isaramongkolpant, Multi-ple Cropping Project, Faculty of Agriculture, Chiangmai University, Thailand 50002. For shipping fee and arrangements, call John Dennis (Department of Rural Sociology, Cornell University, Ithaca, NY 14850) at (607) 256-3159.
- WANTED: Tax-exempt, nonprofit organization working with teenagers seeks donation of personal com-puter equipment for word processing. Fully taxdeductible. Will pay shipping. Especially interested in letter-quality printer. Northwest Indiana Youth for Christ, POB 537, Valparaiso, IN 46383.
- WANTED: Private elementary school seeks to pur-WANTED: Private elementary school seeks to purchase Apple II+ at low cost or receive as donation. Dr. Peter Hulick, James River Day School, 5039 Boonsboro Rd., Lynchburg, VA 24503.
 NEEDED: Boy Scout Troop #397 seeks tax-deductible donation of Apple II, IBM PC, Kaypro, or compati-ble. Troop #397, 243 42nd St., Copiague. NY 11726.
 WANTED: Educational institution seeks tax-deductible donations of microcomputer disk drived
- deductible donations of microcomputer, disk drives, monitor, and printer. Cardozo Computer Users Group, Cardozo School of Law, 55 Fifth Ave., New
- WANTED: Nonprofit publisher of Education Week newspaper needs PC and Apple computers and peripherals of all types in exchange for tax benefit and printed recognition. Janice Lopez, Education Week, 1255 Twenty-third St. NW. Washington, DC 20036, (202) 466-5190.
- NEEDED: Nonprofit state college art department with computer graphics skills needs graphics equipment to update curriculum and improve student employment profile. Anything will do: CPUs, RGB monitors, video input, printers, disk drives, plotters, graphics tablets, and video film recorder. Desmond McLean, Art Department, Memorial Hall, Glassboro State College, Glassboro, NJ 08028, (609) 863-7366/7081
- WANTED: Charitable nonprofit organization seeks donation of computers, peripherals, printers, monitors terminals, disk drives, memory expansion, etc Certified tax-deductible receipts furnished. Will pay reasonable shipping. Holdeman International, POB 329, West Point, MS 39773.
- WANTED: Tax-exempt, nonprofit educational organization seeks donation of microcomputers and peripherals. Donation is tax-deductible; will provide receipts and pay reasonable shipping. Baton Rouge Astronomical Society. 11683 Flamingo Dr., Baton Rouge, LA 70814.
- WANTED: Information on an available cut-sheet feeder that accommodates 11-inch-wide paper and fits a Brother HR-35 printer, Michael L. Cook, 3318 Wimberg Ave., Evansville, IN 47712
- FOR SALE: BYTE, September 1975 through December 1984. 112 consecutive issues. Best offer for all. R. F. Nichol, 25747 Date St., San Bernardino. CA 92404, (714) 862-1252
- WANTED: Documentation for Motorola Experimenter II 6800 board. Schematic for Burroughs EA2300 10-column calculator. Correspondence with hackers using Tano Dragon. APF M-1, or TS1000. B. R. Pogue.
- POB III. Thatcher, AZ 85552. FOR SALE: HP 86 computer, HP interface bus 82937A, HP dual-disk drives 250K each, and HP 82913A monitor: \$2500 or trade for Apple IIe. Rick

Crowsey, 9599 Southeast Valley Court. Hobe Sound. FL 33455, (305) 840-1633 or 546-8560.

- WANTED: Religion department at private Lutheran college seeks donation of Apple IIe, TRS-80 Model III. or any comparable model with disk drive. Shannon Jung, Department of Religion, Concordia
- College Moorhead, MN 56560, (218) 299-3435. FOR SALE: BYTE, July 1976 (volume 1, number 11) through December 1982, marked but complete: SI90 includes UPS shipping in US. Jerry Nelson, 3 Hill Rd., St. James, NY 11780, (516) 862-9351. FOR SALE: Lobo MAX-80 (128K, serial ports, runs
- eight 5-inch/8-inch hard-disk drives, clock, 5-MHz Z80. function/numeric keypad, RAM drive) with two Shugart 160K drives, books, and original documen-tation: \$1250. Stewart Dean, POB 120, Lake Hill, NY
- tation: S1250. Stewart Dean, POB 120. Lake Hill, NY 12448, (914) 679-7637.
 FOR SALE: BYTE, September 1975 through present in good condition. Missing May 1980 and January 1982. \$250 includes shipping. D. M. Wyckoff, 5419 Mariposa Ave., Citrus Heights, CA 95610, (916) 967-6790 home, (916) 322-7484 work.
 FOR SALE: New Radio Shack Model 16B with two cold moders.
- disk drives, printer, hard-disk drive, and modem. Haas Honda, Route I, Box 7, Marietta, OH 45750, (614) 374-4044
- FOR SALE: Magnavox Odyssey 1, the original videogame machine. Excellent condition; make an offer. William Blair, 909 East Emerson, Morton, IL 61550, (309) 266-7032.
- FOR SALE: MS-DOS/CP/M-86 S-100 system, 12 slots, 8088/8087/8089 CPUs. 128K CMOS RAM, 64K low-power RAM (all static), battery-backed-up clock, two serial and two parallel ports. Jade bus probe, kludge card, two 8-inch DS/DD drives, one 5¼-inch SS/DD drive. ADM-2A CRT: \$2450. Flexible: must sell. Dan Pritchard, 4721 Bali Court, Albuquerque, NM 87111.
- WANTED: Other Olivetti M20 owners to share ideas and information. Kurt Moeller, POB 193, Chico, CA 95927, (916) 893-0887.
- FOR SALE: TI 59 programmable calculator with PC-100C thermal printer, includes over a dozen magnetic cards and two rolls of printer paper: \$100. Ed Cundy, Lyme Rd., Hanover, NH 03755, (603) 643-5004 evenings.
- NEEDED: Correspondent who has knowledge of the KORG SAS-20 music keyboard's operating system. Looking for help in interfacing with computer and programming new ROM packs. Bill Tomlinson, 1038 West Mill St., Kewanee, IL 61443.
- NEEDED: Victor 9000 owner wants to exchange ideas with other Victor users. Philippe Ciraud-Lanoue, 18
- WANTED: Back issues of BYTE, June through September 1982 and August 1983 through May 1984. Will pay \$15 and postage. W. Michael Yearick, 305 July Lane #285, Copperas Cove. TX 76522.
 WANTED: CompuPro system. Other multiuser systems of the postage of the postage of the postage of the postage of the postage of the postage of the postage.
- tems considered. Alan Born, POB 272. Tiburon, CA 94920, (415) 924-6352.
- FOR SALE: TRS-80 Model I, like-new condition, 514and 8-inch disks, parallel and RS-232C ports. Passand officit looks, parallel and Noviet of an officient and the port 300/1200-bps auto-answer auto-dial modern, brand new: \$325. Anadex 9501 graphics printer: \$800. loc Ruby, 6641 Northwest 22 Court, Margate, FL 33063, (305) 972-6641. WANTED: Eagle PC II user wants to join/form support group to share information, advice. Prefer NYC provide leager to correspond with Eagle users any
- area, but eager to correspond with Eagle users anywhere. M. C. Scarino, 55B Brighton #10 Court,

Unclassified Ads must be noncommercial, from readers who have computer equipment to buy. sell, or trade on a onetime basis. All requests for donated computer equipment must be from nonprofit organizations. Programs to be exchanged must be written by the individual or be in the public domain. Ads must be typed double-spaced, contain 50 words or less, and include full name and address. This is a free service; ads are printed as space permits. BYTE reserves the right to reject any unclassified ad that does not meet these criteria. When you submit your ad (BYTE, Unclassified Ads, POB 372, Hancock, NH 03449), please allow at least four months for it to appear.

- Brooklyn, NY 11235, (718) 646-6988. FOR SALE: Heath H-89 Z80 computer with 64K memory, 2-37 double-density floppy-disk controller with two SS/DD disk drives, full documentation. Excellent condition: \$1450, Mike Ulis, 337 Cody Rd., San Dimas, CA 91773, (714) 592-3133 after 5 p.m.
- WANTED: Schematics. service manuals. or other in-formation on the GCE Vectrex video-game unit and the prototype Vectrex computer add-on unit. Want to contact anyone interested in interfacing the Vectrex to other computer hardware. Dennis Lo, 1862 East Broadway, Vancouver, BC V5T 1Y1, Canada. **NEEDED:** Information on TI 99/4A, circuit diagrams.
- and hardware. Roy Antaw, 47 Park Ave., Ashfield, New South Wales 2131, Australia. FOR SALE: Columbia MPC. 384K, two disks, color-
- graphics board, monochrome monitor, Gemini-10X printer, 1200-bps modern, and more. Will telephone support first month: \$3500 for everything. Richard Platkin, 222 3rd St., Troy, NY 12180, (518) 271-7449.
- FOR SALE: S-100 static memory boards. CompuPro: two RAM IV (16K) and one RAM IIa (8K). All 4 MHz, used but in excellent working condition: \$100 for 16K and \$75 for 8K or offer. Also, Industrial Microsystems: two 8K at 2 MHz (use 2102s): \$50 each or offer. Arnold Cohen, 41-34 52nd St., Apt. 3L, Woodside, NY 11377, (212) 446-0399.
- FOR SALE: Centronics printer Model 779, parallel interface, friction feed: \$500. Anderson-Jacobson IBM Selectric keyboard/printer terminal, serial interface 1200 bps): \$600. Both work well. Manuals included: prices negotiable. Jeffrey Katz, 160 West 87th St., New York, NY 10024, (212) 873-6717. FOR SALE: Level II ROM set with instructions: \$100.
- Disk-drive upgrade for Model III or 4, less drives: \$225. Frank Weatherford, Route 12, Hidaway Hill #36, Gray, TN 37615. FOR SALE: Ohio Scientific timesharing system with
- 104K SALE: Onlo Scientific timestaning system with 104K 80-megabyte hard disk, two 8-inch floppy-disk drives: \$8000. Also, extra boards to reconfigure sys-tem to support extra users/peripherals. Dana Humfleet, 665 East Dublin-Granville #300. Colum-bus. OH 43229, (614) 436-9510.FOR SALE: HP 85 with 7470 plotter, HPIB interface.
- RS-232C serial port and ROM drawer, 16K expan-sion module. All manuals included: best offer, Dave Fiske, 8139 Van Noord, North Hollywood, CA 91605,
- (818) 848-4429 days, (818) 989-2070 evenings.
 FOR SALE: Zenith Z-90 computer with 64K, Z-37 disk drive, warranty: make offer. Scott Kudika, 237 Main St., New Kensington, PA 15068, (412) 282-4756.
- WANTED: Schematic diagram for Digital Equipment Corp. LA-30P DECwriter. Elwood Jackson, 34 Have-lock Dr., Rochester, NY 14615, (716) 621-3266 or 682-4308
- FOR SALE: BYTE, September 1975 through July 1984.
- FOR SALE: BY IL, September 1975 through July 1984. Complete set except July and September 1983 issues. Best offer over \$300 plus shipping. Thomas Aulicino, 2014 59th St., Brooklyn, NY 11204.
 WANTED: Manuals or hardware helpful in interfac-ing an old Kennedy 3110 nine-track 800-bpi, 25-ips bare Magtape deck to an H11 (O-bus) or DEC PDP-11 Unibus system. A. DuRea, 101 Indian Lane. Oak Ridge, TN 37830, (615) 483-0784.
 FOR SALE: SLI00 computer motherboard mounted
- FOR SALE: S-100 computer, motherboard mounted inside ADDS Regent 25 terminal. 4-MHz Z80 CPU, two serial and three parallel ports. 64K RAM, 8-inch and 5¼-inch DD controller. Two Shugart 8-inch SS/DD drives. Used by church camp for three years: \$2000 or best offer. D. Golowka, 6510 Lindley Ave., Reseda, CA 91335, (818) 705-6631.
- WANTED: Will pay good price for used Apple disk drives, memory cards, modems, and other equip-ment. Would like to trade tips and techniques useful on an Apple II+ or IIe. Jared Edis, POB 1772, Summerland, BC VOH 1ZO Canada. (604) 494-9934.
- FOR SALE: Fortune 32:16 small-business computer; console plus two terminals. Expandable to 12 users, 20-megabyte hard disk, 512K (also expandable). MX-100 dot-matrix printer: \$500. D. F. S., POB 9687. Colorado Springs, CO 80909, (303) 471-4633.
- FOR SALE: Hazeltine 1500 terminal, 80 by 24 lines, upper/lowercase, well-designed keyboard, dust cover, excellent condition: \$250 or best offer. Christopher Pettus, 10920 Palms Blvd. #110, Los Angeles, CA 90034, (213) 202-8925.

B.O.M.B

BYTE'S ONGOING MONITOR BOX

RTICLE#	PAGE	ARTICLE AUTHOR(S)
1	98	The HP Integral Personal Computer
2	104	Ciarcia's Circuit Cellar:
		Build a Serial EPROM Programmer
3	120	The Macintosh Office
		Robinson
4	138	C to Pascal
5	147	Simulate a Servo System
6	163	Introduction to Image Processing
7	177	The Birth of a Computer
8	199	A Low-Cost Data-Acquisition System Okamura.
		Aghai-Tabriz
9	207	Fourier Smoothing Without the
		Fast Fourier Transform
		Oldham
10	223	Paranoia: A Floating-Point Benchmark Karpinski
II	239	Modeling Mass-Action Kinetics
12	251	Viewing Molecules with the Macintosh
13	263	Laboratory Interfacing
14	269	Interfacing for Data Acquisition
15	291	NewWord
		Reel
16	295	Janus/Ada
17	302	The Epson Geneva PX-8
18	311	Two Modula-2 Compilers for the IBM PC Bowyer
19	317	E-Mail for the Masses
20	325	Mannesmann Tally MT 160 Welch
21	339	Computing at Chaos Manor: Troubles Pournelle
22	369	BYTE Japan: Disks and Printers
23	371	BYTE West Coast: What Next?
		Robinson,
		Shapiro
24	379	BYTE U.K.: Realizing a Dream
25	387	Computers and Law:
		Copying Mass-Marketed Software
		Saidman

COVER STORY WINS

The product description prepared by BYTE's Gregg Williams and Ken Sheldon on "The Data General/One" is number one in the BOMB results for November. Dr. Leo D. Bores wins \$100 for his feature story on the "AGAT: A Soviet Apple II Computer." which came in second. Jerry Pournelle's "NCC Reflections," from Computing at Chaos Manor, placed third. In fourth place is "The MC68020 32-bit Microprocessor" by Paul F. Groepler and James Kennedy. These two authors will split the \$50 bonus. And in fifth place is Steve Ciarcia's Circuit Cellar speechrecognition invention, "The Lis'ner 1000."

BYTE ADVERTISING SALES STAFF:

J. Peter Huestis, Advertising Sales Manager, 70 Main Street, Peterborough, NH 03458, tel. (603) 924-9281

NEW ENGLAND

ME. NH. VT. MA. RI Paul McPherson Jr. (617) 262-1160 McGraw-Hill Publications 575 Boylston Street Boston, MA 02116

ATLANTIC NY, NYC, CT

AF

Dick McGurk (212) 512-3588 Leah Goldman (212) 512-2096 McGraw-Hill Publications 1221 Avenue of the Americas-39th Floor New York, NY 10020

EAST PA (EAST). NI (SOUTH). MD. VA. W.VA. DE. D.C. Daniel Ferro (215) 496-3833 McGraw-Hill Publications Three Parkway Philadelphia. PA 19102

SOUTHEAST NC. SC. GA. FL. AL. TN Maggie M. Dorvee (404) 252-0626 McGraw-Hill Publications 4170 Ashford-Dunwoody Road-

Atlanta, GA 30319

Suite 420

MIDWEST IL. MO. KS. IA. ND. SD. MN. WI. NB Bob Denmead (312) 751-3740 McGraw-Hill Publications Blair Building 645 North Michigan Ave. Chicago, IL 60611

GREAT LAKES, OHIO REGION MI. OH. PA (ALLEGHENY), KY. IN. EASTERN CANADA Mike Kisseberth (313) 352-9760 McGraw-Hill Publications 4000 Town Center-Suite 770 Southfield, MI 48075

SOUTHWEST, ROCKY MOUNTAIN UT, CO, WY, OK, TX, AR, MS, LA Dennis Riley (214) 458-2400 McGraw-Hill Publications Prestonwood Tower-Suite 907 5151 Beltline Dallas. TX 75240

SOUTH PACIFIC

SOUTHERN CA. AZ. NM. LAS VEGAS Jack Anderson (714) 557-6292 McGraw-Hill Publications 3001 Red Hill Ave. Building #1-Suite 222 Costa Mesa, CA 92626

Karen Niles (213) 480-5243, 487-1160 McGraw-Hill Publications 3333 Wilshire Boulevard #407 Los Angeles, CA 90010

NORTH PACIFIC

HI, WA, OR, ID, MT, NORTHERN CA. NV Jexcept LAS VEGASI, W. CANADA David Jern (415) 362-4600 McGraw-Hill Publications 425 Battery Street San Francisco, CA 94111

Bill McAfee (415) 964-0624 McGraw-Hill Publications 1000 Elwell Court-Suite 225 Palo Alto, CA 94303

WEST COAST SURPLUS AND RETAIL ACCOUNTS Tom Harvey (805) 964-8577 3463 State Street-Suite 256 Santa Barbara. CA 93105

Post Card Mailings

National Bradley Browne (603) 924-6166 BYTE Publications 70 Main Street Peterborough. NH 03458

Seavex Ltd. 503 Wilson House 19-27 Wyndham St. Central, Hong Kong Tel: 5-260149 Telex: 60904 SEVEX HX

Hiro Morita McGraw-Hill Publishing Co. Overseas Corp. Room 1528 Kasumigaseki Bldg. 3-2-5 Kasumlgaseki. Chlyoda-Ku Tokyo 100, Japan 581 9811

International Advertising Sales Representatives:

Mr. Hans Csokor Publimedia Reisnerstrasse 61 A-1037 Vienna, Austria

Mrs. Gurit Geoner McGraw-Hill Publishing Co. PO Box 2156 Bat Yam, 59121 Israel 866 561 321 39

Mr. Fritz Krusebecker McGraw-Hill Publishing Co. Liebigstrasse 19 D-6000 Frankfurt/Main 1 West Germany 72 01 81

Mrs. Maria Sarmiento Pedro Teixeira 8. Off. 320 Iberia Mart I Madrid 4, Spaln 45 52 891

Mr. Andrew Karnig Andrew Karnig & Associates Finnbodavagen S-131 31 Nacka, Sweden 46-8-44 0005

Mr. lean Christian Acls McGraw-Hill Publishing Co. 17 rue-Georges Bizet F 75116 Paris France 720 33 42

Mr. Arthur Scheffer McGraw-Hill Publishing Co. 34 Dover St. London WIX 3RA England 01 493 1451

Mr. Savio Pesavento McGraw-Hill Publishing Co. Via Flavio Baracchini I 20123 Milan, Italy

86 90 656 Seavex Ltd 400 Orchard Road. #10-01 Singapore 0923 Republic of Singapore Tel: 734-9790 Telex: RS35539 SEAVEX

$R \cdot E \cdot A \cdot D \cdot E \cdot R$ $S \cdot E \cdot R \cdot V \cdot I \cdot C \cdot E$

Inquir	y No. Page No.	inquiry No.	Page No.	Inquiry	No.	Page No.	Inquir	y No.	Page No.
1	Ist PLACE SYSTEMS	67 COMPUTER MAIL ORDER			GOLD HILL COMPL		368		T INFO. SOURCE262
	2500 AD SOFTWARE 396, 397	68 COMPUTER PARTS MERCH			GOLDEN BOW SYS		194		WARE SYS 52
3	4-5-6 WORLD	69 COMPUTER SOURCE			GREAT SALT LAKE C				WARE SYS 53
4	800 SOFTWARE	COMPUTER WAREHOUSE			GRYPHON MICRO F				Y
5	A.ST. RESEARCH	70 COMPUTERBANC			GTEK INC		197		AMS CO
6	A.S.T. RESEARCH	71 COMPUTERS AND MORE			H&E COMPUTRONI				TWARE
8	ABC DATA PRODUCTS	72 CON ROY-LAPOINTE			HADAX ELECTRON				DUSTRIES 442
9	ACL INC. 229	73 CONROY-LAPOINTE			HALLOCK SYSTEMS				COMP. OF N.Y 92
10	ADDMASTER CORP. 430	75 COSMOS			HANZON DATA INC HARMONY VIDEO		201		A PRODUCTS 7
11	ADV. COMP. PROD. 429	76 CROMEMCO			HARMONY VIDEO		358		LECTRONICS 15
	ADV. COMPUTER SYS	77 CUESTA SYSTEMS			HAYES MICROCOM				MP. PRODUCTS 471
13	ADV. DIGITAL CORP	78 CUSTOM COMP. TECH.			HEATH COMPANY		204		NT'L CORP 322
14	ADV. DIGITAL CORP 273	79 CUSTOM COMP. TECH.			HERCULES COMPU				M INC
336	AFTEK	80 CYMA CORPORATION			HERMES PRECISA				RISES INC
337	AFTEK	81 CYMA CORPORATION		-	HOFFMAN INT'L		207		OMP. STORES INC. 141
15	ALF PRODUCTS, INC	361 DAISY DATA TERMINALS (HOUSTON INSTR/BAU		208		BASE SYS 181
16	ALLIED MICRO DEVICES 450	82 DATA EXCHANGE		140	HUMAN DESIGNED	SYSTEMS288	209	MICRO DATA	BASE SYS. 356, 357
18	AMBER SYSTEMS	83 DATA EXCHANGE			HYPERON SOFTWA		210		GN INT'L 309
19	AMBER SYSTEMS 172, 173	85 DATA SPEC		143	IBM CORP.	136, 137	211		. INC
21	AMER. DESIGN COMPONENTS445	86 DATA SPEC	94	339	IBM - (ISG) SERVIC	ES 401	212	MICRO PROD	UCTS, INC 434
366	AMPERE INC	44 DATA TRANSLATION INC					355		JTER ACCESSORIES31
22	AMPRO COMPUTERS INC	87 DATASOUTH COMP. COR			INNOVATIVE SOFTV		356		JTER ACCESSORIES31
	APPLE COMPUTER INC CII, I	88 DECISION RESOURCES			INOVION CORP				INC 408
	APPLEWARE, INC. 384	360 DECMATION			INPUT/OUTPUT TEC		215		ESSORS UNLTD. 444
187	APPLIED SOFTWARE TECH 243	372 DIGITAL PRODUCTS INC.			INTEGRAND				
	APROPOS TECHNOLOGY 444	DIGITAL RESEARCH CON			INTELLIGENT DATA		217		ORP
349	ARTISOFT	89 DIRECT-CONNECT DEVIC	-		INTERACTIVE STRU		218		ORP
25	ARTISOFT	90 DISCOUNT COMPUTER .			INTERACTIVE STRU				CORP
26	AUSTIN SCIENTIFIC	DISCOUNT COMPUTER CEN			INTERACTIVE STRU				CORP
27	AVOCET	91 DISKETTE CONNECTION 92 DISKS PLUS			INTERFACE TECH.				CORP. 171 CORP. 315
28	B&B ELECTRONICS 450	92 DISKS PLUS. 93 DISKWORLD, INC.			IOMEGA		219		INC
	B&C MICROSYSTEMS 447	94 DISPLAY TELECOMMNCT			IOMEGA		309		INC
344	BASF SYSTEMS				ADE COMP. PROD.				
29	BAY TECHNICAL ASSOC 23	95 DOKAY COMP. PROD. INC.			JADE COMP. PROD.		221		
30	BINARY TECHNOLOGY 384	96 DOW JONES SOFTWARE			IAMECO ELECTRON		40		66
32	BLAISE COMPUTING INC 190	97 DOW JONES SOFTWARE			IDR MICRODEVICES		222		CRO-PERIPHERALS180
33	BORLAND INT'L	359 DWIGHT CO., INC.			IDR MICRODEVICES		:	MINORITY IN	IDUSTRIES 50
34	BORLAND INT'L	98 DYSAN CORP.		164	IDR MICRODEVICE	5 INC 476	223	MODTECH IN	TERNATIONAL . 241
36	BOTTOM LINE. THE	345 EASTMAN KODAK CO	12, 13	165	IIM-PAK	196, 197	224	MODULA SY	S. CORP 69
•	BYTE PUBL. INC	346 EASTMAN KODAK CO	284, 285	166	JUKI INDUSTRY OF	AMERICA 299	225		INESS CENTERS . 76
•	BYTE BACK ISSUES	 ECONOMY SOFTWARE 	157	335	KADAK PRODUCTS		226		S CORP 186
	BYTE SUBSCRIBER NOTICE 410	101 ECOSOFT			KEITHLEY/DAS		227		SYSTEMS 224
	BYTE SUBSCRIBER SERVICE . 350	102 EDUCATIONAL MICROCO			KENSINGTON MICR		367		
37	BYTEK COMP. SYS. CORP 86	103 ELECTRONIC PROTECTION			KEYWORD OFFICE		228		92
	C WARE/DESMET C	104 ELEKTEK			KIMTRON		229		C DOMAIN SFTW.450
28	C-SYSTEMS	180 ELEXOR			KRUEGER TECHNO				NSTRUMENTS
	C. ITOH DIGITAL PRODUCTS 38	ELLIS COMPUTING INC. EMPIPICAL PESEAPCH CI			LABORATORY MICH LANGLEYSTCLAIR		230		
	CALIF. DIGITAL	ENIT INICAE RESEARCH OF			LARK SOFTWARE				ELECTR. USA 265
•	CALIF. MICRO COMP	105 ENCHANTED FOREST 107 EPSON AMERICA				333	. 9		IATION SYS CIII
42	CANDELARIA WORKS	108 ERICSSON COMPUTER C			LAWSON LABS				ATION SYS 368
	CAPITAL EOUIPMENT CORP. 230	109 EXPOTEK	254		LEADING EDGE PR		234		5 CORP 442
45	CDR SYSTEMS	110 EXPRESS BUSINESS SOFT			LEVEL 5 RESEARCH		235		S CORP 354
•	CERMETEK MICROELECTRONICS179	III FALCON SAFETY PROD.			LIFEBOAT ASSOC .	-	•	NRI SCHOOL	S ELECTR. DIV 385
48	CHIPSOFT, INC	369 FORTRON. INC.		182	LINDE TECHNOLOG	GY INC 193	236		MS/UCCEL 351
49	CHORUS DATA SYSTEMS 79	370 FORTRON, INC.			LINTEK INC.		237		
50	CMA MICRO COMP. DIV 70	113 FOX & GELLER INC			LIONHEART PRESS		238		
362	COGITATE	114 FOX SOFTWARE INC			LOGICAL DEVICES		239		HNOLOGY 271
51	COMP. COMPNTS. UNLTD.464, 465	115 FRIENDLY COMPUTER			LOGICAL DEVICES		240		RUMENTS 218
52	COMP. COMPNTS. UNLTD.466, 467	116 FUIITSU AMERICA			LOMAS DATA PROD		241		MS 418, 419
54	COMPETITIVE EDGE	117 FUJITSU AMERICA			LYBEN COMP. SYS				MS 418, 419
56	COMPUDEC	120 GENERAL TECHNOLOGY			LYCO COMPUTER		243		MS 418, 419
57 58	COMPUMAIL 470	121 GIFFORD COMP. SYS/ZITEL			MACMILLAN SOFT		244		HANGES
	COMPUPRO 46, 47 COMPUSERVE 376	122 GILTRONIX. INC.		193	MAGNUM P.C.		245		442, 444, 447, 450. DURSEWARE 444
	COMPUTER AFFAIRS INC 314						245		C
61	COMPUTER AFFAIRS INC 405								
	COMPUTER BROKERAGE SERV.308								430
	COMPUTER CAREERS 353	TO GET ELIPTHED informa	tion on the	aproduc	te adverticed in	BVTE either	240		151
	COMPUTER CHANNEL 417	TO GET FURTHER information							MPUTER
	COMPUTER CHRONICLES 323	pick up your touch-tone te							HNOLOGY
64	COMPUTER CONNECTION INC.435	service card. Either way ful					254		ORP
	COMPUTER DISCOUNT PROD.437	service index which is prov	vided as an	n additio	nal service by th	ne publisher.	255		GRAPHIC SYS. 36, 37
•	COMPUTER FRIENDS	who assumes no liability f	for errors	or omiss	sions. *Corresp	ond directly	334		IE
66	COMPUTER INNOVATIONS	with company.					256		ERS SHOP 341

READER SERVICE

inquir	y No. Page No.	Inquiry	No. Page No.	Inquir	y No. Page No.	inquir	y No. Page No.	
						4		
257	PROGRAMMERS SHOP 345		SILICON SPECIALTIES 403	304	SUPERSOFT	325	VISUAL TECH. INC 160, 161	
258	PROGRESSIVE MICRO DISTR		SILVER FOX	305	SYNALTA SYSTEMS 450	•	VLM COMPUTER ELECTR447	
		281	SL WABER		SYSGEN INC	327	WADSWORTH PROF. SFTW 361	
259	PURPLE COMPUTING	282	SLICER COMPUTERS	306	SYSTEMS MANAGMNT. ASSOC 383	328	WALLING COMPANY 442	
260	Q4 INSTRUMENTS INC	283	SOFTLINE CORP	307	TALLGRASS TECH	•	WAREHOUSE DATA PRODUCTS182	
261	QIC RESEARCH 255	284	SOFTSTYLE INC	364	TATUM LABS 444	329	WESTERN VIDEO	
262	OUALITY PRINTERS 430	285	SOFTWARE EXCHANGE 444		TEKTRONIX INC	330	WESTREX OEM PRODUCTS 225	
263	OUANT SYSTEMS	287	SOFTWARE LINK, THE 143	310	TELETEK ENTERPRISES, INC. , 41	331	WINTEK CORP	
264	QUARK INCORPORATED 17	288	SOFTWARE SERVICES 430	•	TELEVIDEO SYSTEMS 191	332	WINTEK CORP	
265	QUBIE DISTRIBUTING 209	289	SOFTWARE SERVICES 405		TEXAS INSTRUMENTS 11	365	XEROX	
266	QUBIE DISTRIBUTING 335	290	SOFTWARE SOLUTIONS INC . 281	311	TEXAS INSTRUMENTS 386	352	Z-SOFT	
•	RACALVADIC	291	SOLUTIONWARE CORP 447	106	TIGERTRONICS 442	348	ZSTEM COMMUNICATIONS DIV.322	
268	RADIO SHACK	292	SOURCE TELECOMP. CORP 245	•	TINNEY, ROBERT GRAPHICS . 436			
269	RELAX TECHNOLOGY	293	SP COMPUTERS	312	TOPAZ. INC	* Cor	rrespond directly with company.	
363	ROSE ELEC	294	SPEAR SECURITIES	313	TOPAZ. INC			
351	R.R. BOWKER	295	SPECTRUM SOFTWARE 211	314	TOSHIBA AMERICA INC 71			
271	S-100 DIV. 696 CORP 441		SPERRY COMPUTER SYS 154, 155	315	TRANSTECTOR SYSTEMS INC.250	1		
272	S-100 DIV. 696 CORP	296	SPRUCE TECHNOLOGY CORP.276	317	UNIFIED SOFTWARE SYS 390			
273	SAFEWARE	297	STANDARD MICROSYS. CORP. 95	318	UNISOURCE	INTE	RNATIONAL ADVERTISING SECTION	
274	SATELLITE SOFTWARE 374	298	STARBUCK DATA CO 447	319	UNLIMITED PERIPHERALS 471			
275	SAV-ON COMPUTERS 454, 455		STARSHINE	320	UNLIMITED PROCESSING INC.203	500		
٠	SCOTTSDALE SYSTEMS 64		STRIDE MICRO 321	321	VAULT CORP		BYTE	
276	SECURITY MICROSYSTEMS 405		SUMMIT SOFTWARE TECHN. INC. 246	322	VENTEL INC	501		
277	SEEQUA COMP. CORP		SUNNY INT'L	323	VICTORY ENT. TECHNOLOGY , 85	502	HIGH TECH. ELECTRONICS 32A	
278	SEMIDISK SYSTEMS 217		SUNTRONICS CO. INC 428	353	VIASYN/COMPUPRO			
280	SHEPHERD MARKETING 430	303	SUPER COMPUTER INC 176	324	VIDEX	No do	mestic inquiries, please	

AIMS	Use BYTE'S Automated Inquiry Management System Available 24 Hours, 7 Days a Week
GET PREPARED	 Write your Subscriber Number, as printed on your Subscriber I.D. Card in boxes in Step 4 below. (Do not add 0's to fill in blank boxes) Write numbers for information desired in boxes in Step 6b below. (Do not add 0's to fill in blank boxes.)
CALL AIMS	3) Now, on a Touch-Tone telephone dial: (413) 442-2668 and wait for voice commands.
ENTER YOUR SUBSCRIBER AND ISSUE NUMBERS	 4) When AIMS says: "Enter Subscriber Number" (Enter by pushing the numbers and symbols [# or * enclosed in the boxes] on telephone pad ignoring blank boxes) Enter 5) When AIMS says "Enter magazine code & issue code" Enter 4) # #
ENTER YOUR INQUIRIES	 6a) When AIMS says "Enter (next) Inquiry Number" Enter one inquiry selection from below (ignore blank boxes) b) Repeat 6a as needed (maximum 17 inquiry numbers) 1
END SESSION	 7) End session by entering * * 9 1 # # 8) Hang up after hearing final message If you are a subscriber and need assistance, call (603) 924-9281.

If you are not a subscriber fill out the subscription card found in this issue or, call BYTE Circulation 800-258-5485. 480 BYTE • FEBRUARY 1985

NO OTHER LETTER-OUALITY PRINTER CAN TOUCH OUR NEW SPINWRITER FOR SPEED AND EASE-CHANGE FORMS LENGTH AT THE PRESS OF A BUTTON

Introducing the Spinwriter 8850.

OF-USE.

Our newest, and fastest, Spinwriter® printer operates at over 550 wordsper-minute. And is extraordinarily easy to operate.

For one thing the Spinwriter 8850 takes care of basic settings such as pitch and forms length automatically. Of course you can also change either



printer available for the IBM® PC. It's still one of the few that works with all IBM PC software, as well as all other popular packages. You'll notice even its looks are compatible.

years without a failure is not unusual. No wonder there are more Spinwriter printers hooked up to IBM PC's than any other letter-quality printer.

How to get up to speed. For more information on the Spinwriter 8850 or our two companion

THE 8850 PLUGS RIGHT INTO THE IBM PC.

THE 8850 JOINS THE HIGHLY-RELIABLE SPINWRITER LINE.

ating status.

And make it

simple for

even an un-

ator to use.

And, of

course, the

8850 has all

the features.

quality and

reliability that

familiar oper-

one at the touch of a button. It also has a unique control panel. With large, legible alphanumeric LED's to indicate the specific opera-



TO THE FACT THE COVER IS OPEN.

make a Spinwriter a Spinwriter. The first choice of IBM PC users.

The Spinwriter printer was the first totally plug compatible letter-quality Spinwriter printers also give you capabilities you won't find on other printers. Like a selection of 80 different print styles.

And, nine easily installed forms handling options that can accelerate your printed output even more. Spinwriter printers also have an enviable record for reliability. In fact, several

tion Systems at: 1-800-343-4419; in Massachusetts call (617)264-8635. Also available at: Entre, 1-800-HI **ENTRE: Sears Business Sys**tem Centers, 1-800-228-2200; and Computerland stores, fIn California) 1-800-321-1101; (Outside California) 1-800-423-3008. Find out why more and more IBM PC users are saying, NEC and me."

models, just call NEC Inform-



Spinwriter is a registered trademark of NEC Corp. IBM is a registered trademark of International Business Machines Corp.

TANDY... Clearly Superior

It's evident when you can cover the MS-DOS market with a line of computers unmatched in performance and value.

Tandy brings you not one, but three solutions to the personal computer dilemma.

Like the IBM PC-AT, the Tandy 2000 performs up to three times faster than the IBM PC. Disk storage is double the PC's. Our color graphics offer twice the resolution, twice the colors. The Tandy 2000 personal computer starts at just \$2499.

Or how about a system that does everything an IBM PC XT

18 2

TANDY

1000

does—but costs at least \$1400 less? The new ten-megabyte Tandy 1200 HD is compatible with urtually all XT software and hardware ... yet it's priced at only \$2999.

Our new Tandy 1000 comes complete with software. We call it DeskMate^M, and it's six programs on one disk.

The Tandy 1000 has many features that cost extra on the IBM PC, Like adapters to use a monitor, printer, joysticks

TANDY

2000

ormarinericali

and light pen, plus a Disk Operating System and BASIC all for only \$1199.

For the best in technology, support, service and value, stop by your local Radio Shack Computer Center. We invite comparison!

Available at over 1200 Radio Shack Computer Centers and at participating Radio Shack stores and dealers

COMPUTER CENTER A DIVISION OF TANDY CORPORATION

TANDY

1500 HD

Inquiry 268



rs 198

Engineered for Excellence

We've introduced the latest in technology for over 60 years. The Tandy 1000 and 2000 represent the state of the art in performance, quality and price.

*Plus applicable use/sales tax. Tandy 2000, 1200 HD and 1000 prices do not include monitor and apply at Radio Shack Computer Centers and participating stores and dealers. IBM/ registered TM International Business Machines Corp.