

4^D


The Wireless World

THE PRACTICAL RADIO JOURNAL
with

Complete Foreign Programmes

Friday, February 3rd, 1933.

TELSEN SCREENED TUNING COILS



Supplied complete with bakelite knob, eucalypton plate finished in oxidised silver and full instructions for mounting.

SUITABLE as aerial coils, or as anode coils, following a S.G. valve, giving selectivity comparable with a well-designed hand-pass filter.

Single Screened Coil 8/6
Twin Matched Coils 17 -
Triple Matched Coils 25 6



TELSEN RADIO COMPONENTS ARE 100% BRITISH

Announcement of the TELSEN ELECTRIC Co. Ltd., Aston, BIRMINGHAM

SONOCHORDE

SENIOR D.C. MODEL (11" CONE) MOVING COIL SPEAKER



"From the Point of View of Efficiency and Sensitivity this Model is Equal to anything we have so far tested, regardless of Price . . ."

says the **Wireless World** January 20th, 1933.

PRICE **42/6** Complete Permanent Magnet Model, 62/6

Sonochorde Reproducers Ltd.

1, Willesden Lane, London, N.W.6. Phone: Maida Vale 6066 (5 lines).

Distributors in Belgium - Van der Beke and Marsily, 41, Rempart Kipling, Antwerp, Belgium, under the trade name SONOVOX.

DUBILIER "SPIROHM"

Heavy-load Resistances

These wire-wound Resistances will stand a load of ten watts. The different ranges with the corresponding maximum permissible milliamperes are given below.

Resistance	Milliamps	Price
200 Ohms	200	3/- each
500 "	140	3/- "
1,000 "	100	3/- "
2,500 "	60	3/- "
5,000 "	45	3/6 "
7,500 "	35	3/6 "
10,000 "	30	3/6 "
20,000 "	20	4/- "
30,000 "	15	4/- "
50,000 "	10	5/- "

DUBILIER CONDENSER CO. (1925) LIMITED, DUCON WORKS, VICTORIA ROAD, NORTH ACTON, W.3.

Greatly Reduced Prices

★ THE FINEST METHOD OF OBTAINING H.T. CURRENT from an L.T. BATTERY

Owing to increased demand, these machines, famous for supplying smooth, reliable H.T. and G.B. current from a 6 or 12v. battery, are now priced from £8. Quality unchanged—Built to last!

These machines consume only modest current!

Special Models for McMichael, G.E.C., Philips and Peto-Scott short-wave receivers £9.10.0. Eddystone Model £8.5.0.

Models to suit all Long and Short-Wave Receivers!



ANODE CONVERTERS

Write for Full Details, post free from Dept. 1. ROTAX LTD., WILLESDEN, LONDON, N.W.10




MURPHY RADIO

IT is very difficult for me to discuss with you in this small advertising space the various problems of Selectivity, Amplification, Ease of Control and the hundred and one other things that govern the performance of such a set as the A8. That is largely the reason why I've written a short book on our new set—so that you can have an opportunity of reading in detail what my views are. To some, this book may not seem to tell them a great deal. To others, I may be talking right over their heads, but as far as possible I have written what I think will be of real interest to the majority of you technical people if you will spend an evening reading it.

Any Murphy dealer will be pleased to give you a free copy if you will ask him.

Frank Murphy

B.Sc., A.M.I.E.E., A.I.Rad.E.,
Chartered Elect. Engineer.



A8. SUPER-HETERODYNE RECEIVER

Nine valves, including mains rectifying valve. *Automatic volume control*, using double diode valve. This eliminates to a great extent fading on distant stations, and forms a necessary control of volume when receiving the local stations. Manual volume control also fitted. This controls both radio and gramophone record reproduction. Single dial tuning. Scale illuminated and calibrated in wavelengths.

One main switch used for switching on set, changing from medium to long waves and putting gramophone jack in circuit. Moving Coil Speaker; undistorted power output approximately 2 watts.

£24

Nett cash with order.

Walnut Cabinet.

Ask your dealer for full particulars of Murphy Sets.

4-VALVE BATTERY OPERATED - - - £12 - 10

3-VALVE ALL ELECTRIC, with Pedestal - £15 - 5

3-VALVE ALL ELECTRIC, without Pedestal - £13 - 10

★ All Murphy sets are obtainable on Hire Purchase Terms.

MURPHY RADIO LTD., WELWYN GARDEN CITY, HERTS. Telephone: WELWYN GARDEN 800

The Wireless World

PROGRAMMES from A BROAD



**BROADCASTING STATIONS
ARRANGED IN ORDER
OF WAVELENGTH**

**TIMES AND DETAILS OF
FULL WEEK'S FOREIGN
TRANSMISSIONS**

Metres.	Kc.	kW.	Station.	Tuning Positions.	Metres.	Kc.	kW.	Station.	Tuning Positions.
1935	155	7	Kaunas (Kovno) (Lithuania)		453.2	662	10	Odessa, RV13 (Russia)	
1875	160	8.5	Hilversum (Holland)		447.1	671		Paris, Ecole Supérieure, PTT (7.0 kW.); Rjukan (0.15 kW.), Notodden (0.08 kW.) (Norway) (relays Oslo).	
1796	167	40	Lahti (Finland)		441.2	680	50	Rome, IRO. (S.-W. Station, 2RO on 25.4 m.)	
1725	174	75	Radio Paris, C.F.R.		435.4	680	55	Stockholm, SASA (Sweden)	
1635	183.5	60	Zeesen (Königswusterhausen) (Germany). (S.-W. Stn. DJA on 31.38 m.)		430	698	2.5	Belgrade (Yugoslavia)	
1554.4	193	30	Davenport National		424.3	707	2	Madrid, EAJ7 (Union Radio). (After 7.0 p.m.)	
1538	195	7	Ankara (Angora) (Turkey)		424.3	707	100	Moscow, Imini Stalina (Russia)	
1431	202.5	100	Moscow, RV1 (Old Komintern) (Russia)		419.5	715	1.5	Berlin, No. 1, Witzleben (Germany)	
1446	207.5	13	Eiffel Tower, FL, Paris		416.4	720.5	5	Rabat (Morocco)	
1412	212.5	120	Warsaw 1 (Poland)		413	725	1.2	Dublin (Irish Free State)	
1380	217.5	100	Novosibirsk, RV6 (Russia)		413	725	80	Athlone (Irish Free State) (Testing after 10.30 p.m.)	
1348	222.5	30	Motala (Sweden). (Relays Stockholm)		408.7	734	16	Katowitz (Poland)	
1304	230	100	Moscow, WZSPS (Trade Union) (Russia)		403.8	743	25	Sottens (Radio Suisse Romande) (Switzerland)	
1275	235	0.5	Tunis-Kasbah (Tunisia)		398.9	752	25	Milland Regional	
1230	244	0.6	Boden (Sweden). (Relays Stockholm)		394.2	761	12	Bucharest (Roumania)	
1200	250	5	Stamboul (Turkey)		389.6	770	120	Leipzig (Germany)	
1200	250	21	Reykjavik (Iceland)		389.6	770	10	Archangel, RV36 (Russia)	
1170	256	25	Tashkent, RV11 (Russia)		385.1	779	8	Toulouse (Radiophonie du Midi) (France)	
1154	260	7.5	Kalundborg (Denmark). (Relays Copenhagen)		385.1	779	10	Stalino, RV26 (Russia)	
1117	268.5	40	Moscow, Popoff RV58 (Russia)		331	788	16	Lawow (Lomburg) (Poland)	
1083	277	80	Oslo (Norway)		376.4	797	50	Scottish Regional (Falkirk)	
1071	280	35	Tiflis, RV7 (Russia)		372.2	806	1.5	Hamburg (Germany)	
1035	290	36	Kiev, RV9 (Russia)		370.1	810.5	0.8	Radio, I.L., Paris	
1000	300	100	Moscow (Russia)		293.1	815		Seville, EAJ5 (Union Radio) (1.0 kW.) (Spain); Bolzano (1.0 kW.) (Italy); Hel- sinki (10 kW.) (Finland) (relays Lahti); Khar'kov, RV20 (10 kW.) (Urssia).	
938	320	20	Kharkov, RV4 (Russia)		337.6	816	0.7	Fredriksstad (Norway). (Relays Oslo)	
857	350	100	Leningrad (Russia)		331.1	824	1	Bergen (Norway)	
840	357	18.5	Budapest (Hungary)		233.3	825	13	Algiers (Algeria)	
825	363.6	50	Sverdlovsk, RV5 (Russia)		360.6	832	60	Mühlacker (Stuttgart) (Germany)	
770	389	0.6	Ostersund (Sweden). (Relays Stockholm)		355.9	843	50	London Regional (Brookmans Park)	
760	395	1.3	Geneva (Switzerland). (Relays Sottens)		352.1	852	7	Graz (Austria). (Relays Vienna)	
720	416.6	20	Moscow, RV2 (Experimental) (Russia)		348.8	860	7.6	Barcelona, EAJ1 (Spain)	
690	434.6	1.5	Oulu (Uleaborg) (Finland)		348.8	860	10	Leningrad, RV70 (Russia)	
680	441.2	0.6	Lausanne (Switzerland). (Relays Sottens)		345.2	869	11.5	Strasbourg, PTT (France)	
574.7	522	2.5	Ljubljana (Yugoslavia)		341.7	878	35	Brno (Brunn) (Czechoslovakia)	
569	527	0.25	Freiburg-im-Breisgau (Germany). (Relay Stn.)		335.2	887	15	Brussels II, Veithem (Belgium). (In Flemish)	
563.1	528	2	Grenoble (France)		335	896	5	Cadiz (Spain)	
566	530	0.25	Hanover (Germany). (Relays Hamburg)		334.4	897	1.9	Poznan (Poland)	
563	533	16	Wilno (Poland). (Relay Station)		231.5	905	50	Milan (Italy). (Relays Turin)	
560	536	0.25	Angsburg (Germany). (Relays Munich)		233.2	914	60	Poste Parisien (France)	
560	536	0.7	Hamar (Norway). (Relays Oslo)		325	923	60	Breslau (Germany)	
560	536	1.5	Kaiserslautern (Germany). (Relays Munich)		321.9	932	10	Göteborg (Sweden). (Relays Stockholm)	
558.6	537	1	Tampere (Finland). (Relays Helsinki)		318.8	941	0.25	Dresden (Germany). (Relays Leipzig)	
550	545	18.5	Budapest No. 1 Lakihegy (Hungary)		313.8	941	1.5	Naples, INA (Italy). (Relays Rome)	
542	554	3	Palermo (Italy)		315.8	950	1.6	Marseilles, PTT (France)	
542	554	10	Sundsvall (Sweden). (Relays Stockholm)		312.8	959	1.7	Cracow (Poland)	
533	563	60	Munich (Germany)		312.8	959	10	Genoa, IGE (Italy). (Relays Turin)	
525	571	15	Riga (Latvia)		309.9	968	1	Cardiff	
517	580	15	Vienna (Rosenhügel) (Austria)		307	977	0.7	Radio Vitus (Paris). (S.-W. Stn. on 43.75 m.)	
509	589	15	Brussels No. 1, Velthem (Belgium). (In French)		304	986	13	Bordeaux Lafayette, PTT (France)	
500.3	599	20	Florence, IFL (Italy). (Relays Turin)		301.5	995	50	North National (Manchester)	
495.8	605	1.2	Trondheim (Norway)		293.8	1004	11	Tallinn (Esthonia)	
483.3	614	120	Prague, No. 1 (Czechoslovakia)		293.1	1013	20	Huizen (Holland). (After 4.40 p.m.) (Exchanges wavelengths with Hilversum every three months.)	
480	625	50	North Regional (Manchester)		293.5	1022	0.7	Limoges, PTT (France)	
472.4	635	60	Langenberg (Germany)		291	1031	2.6	Kosice (Czechoslovakia)	
467	642	0.4	Aalesund (Norway)		288.3	1040	10	Viipuri (Viborg) (Finland). (Relays Helsinki)	
465.8	644	1.5	Lyon la Doua, PTT (France)		288.3	1040	50	Scottish National (Falkirk)	
459.4	653	60	Beromünster (Schweizerischer Landessender) (Switzerland).		288.3	1040	—	British Relays (Bournemouth, Plymouth)	
453.2	662		San Sebastian, EAJS (0.6 kW.); Porj (1.0 kW.) (Finland); Danzig (0.5 kW.) (relays Heilsberg); Klagenfurt (0.5 kW.) (Austria) (relays Vienna); Pörsgrund (0.7 kW.) (relays Oslo); Tromsø (0.1 kW.) Bodö (0.5 kW.) (Norway); Upsala (0.15 kW.) (Sweden) (relays Stockholm).						

BROADCASTING STATIONS ABROAD (In Order of Wavelength).

Table with columns: Metres, Kc., kW., Station, Tuning Positions. Lists various international broadcasting stations and their technical specifications.

PRINCIPAL SHORT-WAVE STATIONS.

(N.B.—Times of Transmission, given in parentheses, are approximate only and represent G.M.T.)

Large table with columns: Metres, Kc., Call Sign, Station, Tuning Positions. Lists principal short-wave stations with their call signs and transmission times.

FOREIGN SUNDAY PROGRAMMES

FEBRUARY THE FIFTH

PRINCIPAL EVENTS OF THE DAY:

AT HOME

NATIONAL Dvorak programme, gramophone records. Rev. E. S. Waterhouse: "The Future Life." Music by Herman Finck, conducted by the composer. "God and the World through Christian Eyes," by Dr. Edwyn Bevan. Orchestral concert from Eastbourne.

LONDON REGIONAL Military Band concert. "Reading from Classical Literature," by Ronald Watkins. Service from St. Barnabas Church, Gillingham. Sunday orchestral concert.

MIDLAND REGIONAL Organ and pianoforte recital. Service conducted by Rev. D. R. Morgan, from the Cathedral, Birmingham.

NORTH REGIONAL Service from Carlisle Cathedral. London Regional programme.

WEST REGIONAL Carolare No. 7. Orchestral concert.

SCOTTISH REGIONAL Professor Tovey's Sunday concert. Service from St. Cuthbert's Parish Church, Edinburgh.

BELFAST Service of Old Psalmody, relayed from the New Row Presbyterian Church, Coleraine.

ABROAD

BRUSSELS (No. 2) Gala concert by the Radio Orchestra, conducted by C. Walpot.

HAMBURG The Philharmonic Orchestra, conducted by R. Richter.

HEILSBURG The Königsberg Opera House Orchestra, conducted by E. Börschel.

LANGENBERG The Station Orchestra, conducted by Busch Kötter.

STOCKHOLM Concert by the Station Orchestra.

STUTTGART Recital of Schubert chamber music.

TOULOUSE Selections of opera music.

(approx.), Radio Journal. 7.45, Sports Notes. 8.0, Programme for Ex-Servicemen. 8.15, Lottery Results. 8.30, Popular Concert on Gramophone Records. 9.0, Terre inhumaine—Play (François de Curel). After the Play, Entertainments Guide and Time Signal.

BRATISLAVA

279 metres; 14 kW.—4.40 p.m., Concert by the Station Orchestra, conducted by F. Dyk: Overture No. 1 (Blodek); Selection from Lohengrin (Wagner); Nocturne (Haydn); Suite from Raduz and Mahulena (Suk); Slav Dance No. 6 (Dvorák). 5.45, Talk. 6.0, Concert of Light Music by the Station Band. 7.5, See Prague. 9.0, Cigány Music, relayed from the Astoria Café. 10.0 (approx.), Close Down.

BREMEN—See Hamburg.

BRESLAU

325 metres; 60 kW.; and GLEIWITZ, 253 metres.—10.30 a.m., See Leipzig. 11.0, Concert from Vienna. 12.5 p.m., Concert from Hamburg. 1.0, News Bulletin. 1.10, The Rhymed Unrhymed, by Traugott Conrad. 1.30, Programme from Stuttgart. 2.30, Talk: Everyday Terms in Political Economy. 3.0, Programme for Children. 3.30, Orchestral Concert, conducted by Franz Marszalek. Soloist: Bruno Schäfer (Harp). German Dances (Schubert); Träumerei (Schumann); Suite from The Merchant of Venice (Sullivan); Serenade (Lehár); Slav Dances Nos. 2 and 10 (Dvorak); Berceuse (Bizet); Waltz from Faust (Gottschalk); Roccoo Gavotte (Pataky); Quick Polka. Tritsch-Tratsch (Joh. Strauss). 5.30, Reporters' Sunday Sports Events. 6.20, Richard Euringer reads from his own Works. 6.55 (from Gleiwitz), Talk on the following Transmission. 7.0, Undine—Opera in Three Acts (Lortzing), relayed from the Municipal Theatre, Gleiwitz. In the first interval from 8.0 to 8.15, News; and in the second interval from 8.45 to 9.0, Time, Weather, News, Sports Notes and Programme Announcements. 9.40, Dance Music from Eerlin (Witzleben). 11.0 (approx.), Close Down.

BRNO

342 metres; 35 kW.—11.5 a.m., Military Band Concert, conducted by F. Zita: Czech March (Oberthor); Overture, The Kiss (Smetana); Selection from Cavalleria rusticana (Mascagni); Moravian Dance (Balling); Torelli Dance (Meyerbeer); Bugle Horn Solos: (a) Folk Song, (b) Der Vater des Regimentes (Ziehler); Selection from Die Puppenfee (Bayer); Introduction to Act III of The Devil and Kate (Dvorák); Folk Dance (Zita); March (Vackar). 12.30 p.m., See

of Spain (Falla); Largo from the Sonata for Cello (Chopin); Andaluza (Falla); Ronde villageoise (Chabrier). 6.45, Song Recital by Mme. Maria Marova, Romance (Tchaikovsky); Down the Don (Mussorgsky); Mushrooming (Mussorgsky); Comme je souffre (Rachmaninov); Le femme du Soldat (Rachmaninov). 7.15, Religious Address. 7.30, Music Review. 8.0, Gala Concert by the Radio Orchestra, conducted by Charles Walpot, and the Station Choir and Vocal Quartet. Soloists: Mmes. Baritza and Brulez (Songs), M. Tontenel, Loeffler, and Leener (Songs), and M. Gason (Saxophone). March of the Grenadiers, Choir and Orchestra, from The Love Parade (Schertzing) for Soprano; Potpourri, Fünf-Ihr-See bei Robert Stolz (Dostal); Waltz Suite for Choir and Orchestra; The Blue Danube (Joh. Strauss); Rhapsody in Blue for Pianoforte and Orchestra (Gershwin); Scène de ballet russe (Ketelbey); Finale from the Second Act of Les Saltimbanques (Gauco); Musiquette for Pianoforte and Small Orchestra (Marcel Poot); Melody for Two Pianofortes and Choir, Jazz Band, and Vocal Quartet; Lying in the Hay. Saxophone Solos: (a) Gitana (Kreisler); (b) Waltz (Caprice, Vanity (Wiedouft); Fantasia on Flemish Songs for Soloists, Choir, and Orchestra (Walpot). In the interval, Recitations. After the Concert, Le Journal Parlé. 10.10, Dance Music. 12 Midnight, Close Down.

BUCHAREST

534 metres; 12 kW.—4.0 p.m., Concert of Light Music and Romanian Music by the Marco Orchestra. 5.0, News and Time Signal. 5.10, Variety Programme. 5.25, Concert by the Marco Orchestra. 6.0, Talk on Romania: Her Agriculture. 6.40, Light Music on gramophone Records. 7.0, Time Signal. 7.2, An Operetta in Three Acts (Bohesco). In the intervals, News.

BUDAPEST

550 metres; 18.5 kW.—Programme also relayed on 840 metres from 6.30 to 11.0 p.m.—8.0 a.m., News and Beauty Hints. 9.0, Divine Service Relay. 10.0, Sacred Music and Address, followed by Concert by the Opera House Orchestra. 1.0 p.m., Popular Music on Gramophone Records. 2.0, Agricultural Talk. 2.45, Broadcast for Schools. 3.30, News. 3.40 (approx.), Orchestral Concert: Selection from The Goldsmith of Toledo (Offenbach); Waltz from Prince Bob (Huska); Nocturne (Liszt); Serenade (Naday); Selection from Black-and-White (Garami); Waltz from Count Rinaldo (Szirmai); Reve anglique (Rubinstein); Selection from The Golden Harp (Jaray). 4.30, Programme by Gynta Pekuri. 5.0, Military Band Concert. 6.0, Talk on Swimming. 6.30, Dramatic Programme. 8.30, Sports Notes and Racing Results. 8.40 (approx.), Concert by a Jazz Band and a Cigány Band relayed from the Café Ostende. Soloist: Paul Kalmar (Hungarian Folk Songs). 11.0 (approx.), Close Down.

CASSEL—See Frankfurt.

COPENHAGEN

281 metres; 0.75 kW.; and KALUNDBORG, 1,153 metres; 7.5 kW.—9.0 a.m., Divine Service Relay. 10.30, Weather Forecast. 10.40, News. 11.0, Time and Chimes from the Town Hall. 11.5, Concert by Louis Prell's Instrumental Ensemble. 12.30 p.m., Talk in English: The Grand Tour of England—XII. 12.50, Talk in German: Stephan George. 1.10, Talk in French: Pessimism. 1.30, Popular Music on Gramophone Records. 1.55, Programme for Children. 2.25, Orchestral Concert from the Axelborg Studio: Soloist, Ingeborg Steffensen (Songs). 4.0 (also relayed by Skamleback from 31.51 metres). Service from the Castle Church, Christiansborg. 5.20, Talk: The Peasant in Danish Literature. 5.50, Weather Forecast. 6.0, News. 6.15, Time Signal. 6.17, Sports Notes. 6.30, Talk: The Danish Training College for Teachers. 7.0, Chimes from the Town Hall. 7.5, Concert of Italian Music by the Station Orchestra, conducted by Lanny Gröndahl: Overture, The Secret Marriage (Cimarosa); Selection from the Good Humoured Ladies (Scarlatti-Tomassini); Selection from La Boutique fantasque (Rossini-Respighi); Intermezzo from L'amore medico (Wolf-Ferrari); Overture, The Force of Destiny (Verdi). 8.0, Carillon Recital of Danish Folk Melodies from St. Saviour's Church. 8.30, The Hansen Family—Sketch (Locher). 8.45, Danish Duets by Hertha Björvig and Hedvig Bus. 9.5, News. 9.15, Concert by the Radio Orchestra, conducted by Lanny Gröndahl: March of the Tin Soldiers (Nedbal); Orientale (Cui); Berceuse (Cui); Aubade (Lalo); Scherzo (Lalo); Selection from Zampa (Hérold); Valse mignonne (Palmgren); March of the Cossacks (Sperber). 10.0, Dance Music from the Wivex Restaurant. In the interval at 11.0, Time and Chimes from the Town Hall. 11.30 (approx.), Close Down.

CORK—See Dublin.

DANZIG—See Heilsberg.

DRESDEN—See Leipzig.

BARCELONA

RADIO-BARCELONA, Call EAJ1, 348.8 metres; 8 kW.—11.0 a.m., Chimes from the Cathedral and Weather Forecast. 1.0 p.m., Popular Music on Gramophone Records. 1.30 (in an interval), Theatre Notes. 2.0, Film Review, followed by Concert by the Station Sextet. 3.0, Programme for Hospitals and other Benevolent Institutions, with Gramophone Records. 4.0 to 5.30, Interval. 5.30, Agricultural Talk in Catalan, followed by Part Relay of an Opera from the Gran Teatro del Liceo. 9.0, A Musical Comedy, on Gramophone Records. 10.45, Chess Lesson. 11.0 (approx.), Close Down.

BASLE—See Schweizerischer Landessender.

BELGRADE

430.3 metres; 2.5 kW.—11.30 a.m., Orchestral Concert of Operatic Music. 12.30 p.m., News Bulletin. 2.0, Variety Music on Gramophone Records. 2.30, Sokol Talk. 3.0, Choral Concert. 3.30, Variety Music on Gramophone Records. 4.0, Recital of Yugoslav Songs. 5.55, Time and Programme Announcements. 6.0, Light Music on Gramophone Records. 6.30, Wireless Talk. 7.10, Relay of European Stations. 8.40, News Bulletin. 8.45 (approx.), Orchestral Concert: Overture, Chal Romano (Ketelbey); Potpourri, Von Wien durch die Welt (Hruby); Waltz, Habanera (Waldteufel); Barcarolle, Die Liebe kam von Märchenland (Linke); March, Hissarvedette (Fueick).

BERLIN

KONIGS WUSTERHAUSEN; 1,635 metres; 60 kW.—10.30 a.m., See Leipzig. 11.0, Willy Seidel reads from his own Works. 11.20, Concert from Berlin (Witzleben). In the interval at 11.55, Nauen Time Signal. 1.0 p.m., See Berlin (Witzleben). 1.30, Gramophone Records of Favourite Operetta Melodies. 2.0, Talk: The Great Philosophers—Kant. 2.30, Concert from Berlin (Witzleben). 3.30, See Langenberg. 4.40, Talk: Art in Handicrafts—German Wood and German Furniture. 5.0, Quintet in E Flat (Mozart). 5.30, Rural Programme—The Village in Winter. 6.30, Aida—Opera in Four Acts (Verdi), relayed from the Municipal Opera House, Charlottenburg. In an interval at 9.10, Weather, News and Sports Notes. 10.15, Weather Report for Shipping, followed by Dance Music from the Café Berlin. 11.30 (approx.), Close Down.

BERLIN

WITZLEBEN; 419.5 metres; 1.5 kW.—10.30 a.m., See Leipzig. 11.0, We enter a New Church—Ferdinand Krogmann at the Microphone. 11.20, Radio Matinee from the Winter Garden. The Weintraub Synopaters, Hans Fidesser, Lee Parry, Lotte Werkmeister, the Gosvoly Ballet and the Winter Garden Orchestra, conducted by Max Roth. 1.0 p.m., Dialogue with a Father. 1.30, Programme for Children. 2.30, Orchestral Concert, conducted by Eugen Sonntag: Ballet Overture (Kremsner); Lento from the Concerto for String Orchestra (Winnig); In der Kirche (Geopfert); Prelude (Massenet-Kellner); Wedding Waltz (Dohnanyi); Selection from The Mask (Hulay); Festliche Musik (Wappenschmitt); Overture, The Cockatoo (Offenbach); A Viennese Waltz (German); Selection from Polenblut (Nedbal); Overture, Die Landstreicher (Ziehler); Hungarian March (Schubert-Liszt). 3.35 (in an interval), Reading of Poems by Dr. Owlglass. 4.30, Crises of Yesterday—a Reporter interviews Grandfather, Father and Son. 5.0, Quartet Concert: Quartet in D, Op. 50, No. 6, for two Violins, Viola and Cello (Haydn); Quartet in F (Mozart). 5.50, A Visit to the Animal-Breeding Week. 6.50, Sports Notes. 7.0, Light Opera—a Radio Potpourri by the Berlin Wireless Orchestra, conducted by Clemens Schmalstieg, the Maximilian Albrecht Choir, Erika Berger, Emmy Zador, Charles Kullmann, Max Kuttner, Emanuel List and Cornelius Bronsgeest. 8.0 (in an interval), News and Sports Notes. 9.0, Weather, News and Sports Notes. 9.15 (approx.), Dance Music from the Café Berlin. 11.0 (approx.), Close Down.

BERNE—See Schweizerischer Landessender.

BEROMUNSTER.—See Schweizerischer Landessender.

BODEN—See Stockholm.

BODO—See Oslo.

BORDEAUX-LAFAYETTE

304 metres; 13 kW.—8.0 a.m., Review of the Paris Morning Press, relayed from Paris (Ecole Supérieure) (447.1 metres). 12 Noon, Concert, relayed from Paris (Ecole Supérieure). 2.0 p.m., Relay from Paris or Relay of a Local Festival. 2.30, Symphony Concert from the Salle des Pêches, relayed from Paris (Ecole Supérieure). 4.30, Pasdeloup Symphony Concert, relayed from the Théâtre des Champs-Élysées, Paris. 6.50

DUBLIN

Call 2RN, 413 metres, 1.2 kW.; and CORK, 224.4 metres.—8.30 p.m., Time Signal. 8.31, Vocal and Instrumental Concert. 11.0, Time Signal, News, Weather Report, and Close Down.

FECAMP

223 metres; 10 kW.—4.0 to 8 p.m., Programme in English by the I.B.C. 4.0, International Broadcasting Club Concert. I'll follow you; Please; Balloons; A Million Dreams; Here lies Love; I don't want to go to bed. 5.0, Programme for Children. 5.30, The Children's Club Concert. 6.0, Military Marches, Thunder and Blazes; Old Comrades; On the Mall; Sambre et Meuse; The Changing of the Guard; Hands across the Sea; Carry on; Commander of the Legion. 6.30, Concert of Light Music. Sweet Mielchacha; I'll stay with you from There goes the Bride (Grey); Selection from I Pagliacci (Leoncavallo); Hungarian Dance, No. 2 (Brahms); The Lady I love; Toreador Song from Carmen (Bizet); Sleeping Beauty Waltz (Tchaikovsky). 7.0, Orchestral Concert. Stephanie Gavotte (Czibulka); Serenade (Haydn); Dance of the Teardrops (Schmidt-Hagen); Ideale (Tosti); Vienna, City of my Dreams (arr. Reeve); The Clock and the Dresden Figures (Ketyelby); The Wedding of the Winds (Hall). 7.30, Concert of Operetta Music. Selection from Frederica (Lohár); Song, I give my heart from The Dubarry (Mackeben); Waltz from Vienna (Griffiths); Selection from The Dubarry (Mackeben); You are my Heart's Delight from The Land of Smiles (Lohár); Selection from The New Moon (Ronberg). 8.0, Variety Concert. 9.0 till Close Down. Programme in English by the I.B.C. 9.0, Variety Concert. Tipperary by Judge Williams; Selection from Love Me To-night; Vocal Duet: Happy-go-lucky you, by Layton and Johnstone; Song: I want to cling to Ivy from Jack's the Boy, by Jack Hulbert; Vocal Duet: Same old Moon, by Layton and Johnstone; Song, O'Donnell, aboo (Traditional); Selection from The Crooner. 9.30, Orchestral and Vocal Concert. Souvenir de Capri (Bece); Songs: (a) All through the Night (Traditional). (b) Beware of the Maiden (Craske); Lichesfreud (Kreiser); Songs: (a) The Arrow and the Song (Balfe). (b) Good Old-Fashioned Chorus (Amos); Autumn Leaves (Pepper). 10.0, Orchestral and Vocal Concert. Comedy Overture (Kéler-Béla); Songs: (a) Ave Maria (Schubert), (b) Down in the Forest (Landon Ronald); Humoresque (Dvorák); Slav Dance, No. 10 (Dvorák); Songs: (a) The Last Rose of Summer (Moor), (b) The Pipes of Pan (Monckton); Valse des fleurs (Tchaikovsky). 10.30, Concert of Dance Music. A Million Dreams; Someday we'll meet again; Southern Serenade; Lyin' in the Hay; Big Ben is saying Good-night; You've got me in the Palm of your Hand; Mimi; Pal of Dreams. 11.0, Song and Pianoforte Recital. Pianoforte Solo: Monte Carlo Medley (Robin); Songs: (a) It don't mean a Thing, (b) Down among the Sheltering Palms. Pianoforte Solo: She didn't say "Yes." Songs: (a) Coney Island Washboard, (b) We just couldn't say Good-bye. Pianoforte Solo: Whoopee Medley (Kahn). 11.30, Orchestral Concert: Overture, Morning, Noon and Night (Suppé); Chinese Fantasy (Deppen); Love sends a little Gift of Roses (Openshaw); Waltz, Tales from the Vienna Woods (Joh. Strauss); From the Canbrake (Gardner); Mignonne (Frini); Down by the old Mill Stream (Taylor); Waltz: Wine, Woman and Song (Joh. Strauss). 12 Midnight, Variety Concert: A little Kiss each Morning (Woods); Fun on the Phone; Getting a Job. Cornet Solo: I hear you calling me. Now I'm in Love (Yellen); The Mountain Guide; Happy Days; So I joined the Navy. 12.30 a.m. (Monday), Song Recital: When your lover has gone; She's a Good Girl; Running between the Raindrops; I still have my Dreams of you; I wasn't ashamed of you, Mother; Dream Lover; Will they love me up in Heaven?; My Love Parade. 1.0, Concert by an Accordion Band: Selection from Carmen (Bizet); Melody (Eblinger); Melody (Parsons); Mona Lisa (Carter); Selection from Faust (Gounod); La Javanette (Bozi); Melody (Lefebvre); Whistling Waltz (Reeves). 1.30, Orchestral and Vocal Concert: My Sunshine is you (Stolz). Songs: (a) Reaching for the Moon (Berlin), (b) I am the Words (de Sylva). Good-night Sweetheart (Noble). Songs: (a) Little Things in Life (Berlin), (b) Little White Lies (Donaldson). Last Night I dreamed of you (Kálmán). 2.0, Dance Music: Let's all sing like the Birds sing; Try a little Tenderness; Wanderer; When the Morning rolls around; The old Man of the Mountains; How'm I doin'; Let's put out the Lights; Say it isn't so; How are you?; Leave a little for me; Let's all dance the Polka; How do you do, Mr. Brown?; What would happen to me; I can't write the words; How deep is the Ocean; Balloons. 2.57, Good-night Melody. 3.0, Close Down.

FLensburg.—See Hamburg.

FLORENCE.—See Turin.

FRANKFURT

259 metres; 17 kW.; and CASSEL, 245.9 metres.—10.30 a.m., See Leipzig. 11.0, See Munich. 12.5 p.m., See Langenberg. 1.0, See

FEB. 5th

SUNDAY

continued

Stuttgart. 2.0, Agricultural Notes. 2.10, Agricultural Talks. 3.0, Concert. 5.0, Talk arranged by the Frankfurter Zeitung. 5.25, An Entertaining Interlude. 5.55, Talk. 6.20, Sports Notes. 6.35 to 9.0, See Stuttgart. 9.0, Time, News, Weather and Sports Notes. 9.35, Report on the Six Days' Racing, relayed from the Festhalle. 9.45, See Munich. 11.0, (approx.). Close Down.

FREDRIKSSTAD.—See Oslo.

Freiburg.—See Stuttgart.

Geneva.—See Radio-Suisse Romande.

Genoa.—See Turin.

Gleiwitz.—See Breslau.

Göteborg.—See Stockholm.

Graz.—See Vienna.

Hamar.—See Oslo.

HAMBURG

Call ha (in Morse), 372 metres; 1.5 kW. Relayed by Bremen. 269.8 metres; Flensburg, 227.4 metres; Hanover, 566 metres; and Kiel, 232.2 metres.—10.30 a.m., See Leipzig. 11.0 (from Flensburg), Concert by the Municipal Orchestra, relayed from the Deutsches Haus, Flensburg. 11.55 (in an interval), Time and Weather. 1.0 p.m. (from Hanover), Mandoline Concert. 1.30, See Stuttgart. 2.30, Programme for Children. 3.30, Programme for Children in North German Dialect. 4.40, (Choral Concert by a Pathfinders' Club and a Young People's Association. 4.45, Humorous Programme. 5.50, The Sacred Folk Song—Concert by a Solo Quartet for Church Music. 6.30, Talk: Max Schneider and the Evolution of German Skiing. 6.40, Sports Notes. 6.55, Weather Report. 7.0, Concert by the Hamburg Philharmonic Orchestra, conducted by Richard Richter. Overture, Oberon (Weber); Adagio religioso from the Violin Concerto in D minor, Op. 31 (Vieuxtemps); Violin Solo: Hejre Kati (Hubay); Rondo all'ongarese (Haydn); Fantasia for Harp, Op. 95 (Saint-Saëns); Symphonic Poem, The Moldau (Smetana); Overture, William Tell (Rossini); Three Pieces for 'Cello and Pianoforte: (a) Melody (Rubinstein), (b) Spanish Serenade (Glazunov), (c) Am Springbrunnen (Davydov); Suite, Caucasian Sketches (Ippolitov-Ivanov); Selection from Faust (Gounod); Hungarian March from The Damnation of Faust (Berlioz); News in the interval. 9.0, Second News. 9.10, Radio Report on the Harz Skiing Championships on the Eckerloch-Sehauze, Schierke. 9.30, Dance Music from Berlin (Witzleben).

HANOVER.—See Hamburg.

HEILSBURG

276.5 metres; 10 kW.; and DANZIG, 453.2 metres.—10.30 a.m., See Leipzig. 11.0, Concert from Vienna. 12.5 p.m., Concert by the Königsberg Opera House Orchestra, conducted by Ludwig Leschetizky; Overture, A Midsummer Night's Dream (Mendelssohn); Selection from Tosca (Puccini); Suite from L'Arlesienne (Bizet); Slav Dances Nos. 2 and 8 (Dvorák). 1.0, Talk on Chess. 1.30, Radio Report from Passenheim, East Prussia, of the Opening of the Tannenber Ski-Rin. 2.0, Programme for Young People. 2.30, Old Barrel-Organ Songs. 3.0, Concert by the Königsberg Opera House Orchestra, conducted by Erich Börschel; Overture, Die Heimkehr aus der Fremde (Mendelssohn); Prelude to Hansel and Gretel (Humperdinck); Rhapsody, España (Chabrier); Suite, Jeux d'enfants (Bizet); Rhapsody in G (Dohnányi); Overture, Die schöne Galathée (Suppé); Cockney Suite (Ketyelby); Waltz, Tales from the Vienna Woods (Joh. Strauss); Potpourri, Viennese Operetta Revue (Robrecht); March from Die goldene Meisterin (Eysler); Sports Notes in the interval. 4.45, Talk: An Englishman in East Prussia. 5.15, Narratives by Dietrich Speckmann. 5.45, Concert by the Euphonie Male Voice Choir. 6.15, Hansjürgen Wille reads from his own Works. 6.45, Sports Notes. 7.0, See Langenberg. 9.15, News, followed by Dance Music from Berlin (Witzleben). 11.0 (approx.). Close Down.

HILVERSUM

Announced HUIZEN; 296.1 metres; 20 kW. (7 kW. up to 4.40 p.m.).—5.10 a.m., Gregorian chants by the Catholic Radio Society (K.R.O.). 9.10 to 11.55, Programme of the Christian Radio Society (N.C.R.V.). 9.10, Organ Recital. 10.0, Divine Service from the Hague. 11.55 to 4.40 p.m., K.R.O. Programme. 11.55, Orchestral Concert, conducted by Johan Gerritsen; Marche militaire (Schubert); Moment Musical (Schubert); Selection from Lilac Time (Schubert-Berté); Overture, Die Felsenmühle (Reissiger); Waltz, Frühlingsstimmen (Strauss); Radetzky March (Joh. Strauss). 12.40 p.m., Talk. 1.0, Concert (contd.): Overture, Masaniello (Auber); Waltz, Estudiantina (Waldteufel); Heimatsklänge (Krone); Aubade printanière (Lacombe); Selection from Der Bettelstudent (Millöcker); March, Hansa (Siede). 1.50, Literary Talk. 2.10, Concert by the Concertgebouw String Orchestra: Quartet in G, Op. 78, No. 1, for two Violins, Viola and 'Cello (Haydn). 2.40, Recitatives. 3.0, Concert (contd.):

Quartet in F Sharp, Op. 59, No. 1 (Beethoven); Quartet in B Flat (Zimmermann). 3.55, Programme for Hospitals. 4.40 to 7.25, N.C.R.V. Programme. 4.40, Divine Service from the Hague. 6.30, Concert of Sacred Music by a Vocal Quartet. 7.25 till Close Down, K.R.O. Programme. 7.25, Talk. 7.45, Football Report. 7.50, Concert for the Fiftieth Anniversary of the Maasricht Municipal Orchestra. The Municipal Orchestra, the St. Cecilia Choir and Soloists. The Ninth Symphony (Beethoven). 8.55 (approx.), News Bulletin. 9.5, Pianoforte Recital, followed by Concert (contd.): Te Deum (Dipenbrock). 10.10, Pianoforte Recital (contd.). 10.20, (Choral Epilogue. 10.40 (approx.), Close Down.

HORBY.—See Stockholm.

HUIZEN

(Announced HILVERSUM), 1,875 metres; 8.5 kW.—11.40 a.m., to 4.40 p.m., Programme of the Algemeene Vereeniging Radio Omroep (A.V.R.O.). 11.40, Time Signal. 11.41, Concert by the Wireless Orchestra, conducted by Nico Treep. 1.40 p.m., Weekly Book Talk. 2.10, Quartet in E Minor, from my Lie (Smetana), by the Prague Quartet. 2.40, Radio Play. 4.10, Variety Music on Gramophone Records and Sports Notes. 4.40 to 7.40, Programme of the Workers' Radio Society (V.A.R.A.). 4.40, Programme for Children. 5.40, Concert by the Little V.A.R.A. Orchestra. 6.30, The Adventures of Messrs. Wakker and Tropicuit. 6.50, Sound Film Music by the De Flierefluiter, conducted by Hugo de Groot. 7.40 till Close Down, A.V.R.O. Programme. 7.40, Time Signal. 7.41, News. 7.55, Concert by the Wireless Orchestra, conducted by Nico Treep. Soloist: Rosa Spier (Harp). Overture, La Princesse jaune (Saint-Saëns); Fantasia for Harp and Orchestra (Dubois); A Wedding Day on Troldhaugen (Grieg); Concertino for Harp and Orchestra (Oerthür); Third Norwegian Rhapsody (Svendsen). 8.40, Recitatives. 9.0, Concert by the Wireless Orchestra, conducted by Nico Treep. Soloists: Betty v. d. Bosch-Schmidt (Soprano), Toos van Ven (Contralto), Henk Vuskil (Tenor), and Piet Vanderbilt (Baritone). 9.55, Popular Music on Gramophone Records. 10.10, Concert by the Wireless Orchestra, conducted by Nico Treep: March Potpourri (Robrecht); Berenice (Järnefeldt); Waltz, Badner Mad'n (Kozak); Traumerei (Schumann); Overture, The Thieving Magpie (Rossini). 10.40, Light Music on Gramophone Records. 11.40 (approx.), Close Down.

INNSBRUCK.—See Vienna.

KALUNDBORG.—See Copenhagen.

KIEL.—See Hamburg.

KLAGENFURT.—See Vienna.

KOSICE.—See Prague.

LANGENBERG

473 metres; 60 kW.—10.30 a.m., See Leipzig. 10.55, Talk: The Music of the Week. 11.30, Concert from Vienna. 12.5 p.m., Concert, conducted by Wolf; Overture, Der Erlenhügel (Kuhlan); Waltz, Erinnerung, ein Schweden (Heinecke); Selection from The Hermit's Bell (Mailhar); First Peer Gynt Suite, No. 1 (Grieg); Folk scene from Der Evangelium (Kienzi); Selection from Hoheitz tanz Walzer (Ascher); March Potpourri, Alte deutsche Treue (Frantzen). 1.15, shorthand dictation. 1.35, Talk: The Structure of the Atom. 2.0, Talk on Ernst Moritz Arndt. 2.20, Running Commentary on the West German Skiing Championship at Winterberg. 2.40, Talk: The 125th Anniversary of the Birth of Spitzweg. 3.5, Talk: The Weaving Industry in the East Mediterranean Lands. 3.30, Military Band Concert, relayed from Bad Lippspringe; March, Einig Volk (Friedemann); Wedding-Marsch (Vieffues); Overture, Die schöne Galathée (Suppé); Waltz, La Hussarde (Gaune); The Pappenhain March; Parade March; Lehmpotpourri (Th); Nibelungen-Marsch (Schott); Cherusker-Ruf Marsch (Reckling); Helgen-Marsch (Lühbter); Hacketäuer Marsch (Beez); Potpourri, Minutenspiele (Fetras); Unter dem Sparsenschild (Heurion); Barbarossas Erwachen (Reckling). 4.40, Talk: Musicians who died Young. III. 5.10, The World on Gramophone Records—Through Swabia. 5.30, Radio Report on Gramophone Records: A Visit to a Social Service Centre at Bochum-Querenburg. 6.5, Variety Programme. 6.45, Sports Notes. 7.0, A Bit of New York—Concert by the Station Orchestra, conducted by Buschötter. Soloists: Helene Guermanova (Contralto) and Hermann Girtler (Tenor); Symphony, From the New World (Dvorák); A Bit of New York—Dialogue (Manfred Hausmann); Pacific No. 231 (Honegger); African Songs (Grosz). 9.20, News and Sports Notes. 9.45, American Music: Concerto in F for Pianoforte and Symphonic Jazz Orchestra (Gershwin) on Gramophone Records; Negro Spirituals by Harold Roberts (Baritone); Mississippi Suite (Grafé) on Gramophone Records; American Dance Bands on Gramophone Records. 11.0 (approx.), Close Down.

LAUSANNE.—See Radio-Suisse Romande.

LEIPZIG

389.6 metres; 120 kW.; and DRESDEN, 399 metres.—10.30 a.m., Jesus schläft, was soll ich hoffen—Cantata (Bach) by the Municipal and Gewandhaus Orchestra, the Choir of St. Thomas' and Soloists. 11.0, Concert from Munich. In the interval from 12 Noon to 12.15 p.m., Talk on the Wagner Festival in Leipzig. 1.0, Weather and Time. 1.5, Programme Announcements. 1.20, Agricultural Notes. 1.30, Programme from Stuttgart. 2.30, String Quartet in A (Julius Bitter). 3.0, Reading. 3.30, Concert by the Leipzig Symphony Orchestra, conducted by Hilmar Weber. 5.0, Spies—Radio Play (Max Heyde). 6.0, Choral Concert conducted by Max Fischer. 6.30, Concert of Light Music. 7.0, Topical Reports on Gramophone Records. 7.40, Topical Talk. 8.0, Concert by the Leipzig Symphony Orchestra, conducted by Willy Steffen. Soloist: Elisabeth Bischof (Violin). Festpolonaise in E (Svendsen); Overture in D (Schubert); Concerto in A Minor for Violin and Orchestra, Op. 53 (Dvorák); Overture, Scherzo and Finale, Op. 52 (Schumann). 9.15, News, followed by Dance Music Relay. 11.0 (approx.). Close Down.

LINZ.—See Vienna.

MADRID

ARANJUEZ (EAQ), 30.43 metres; 20 kW.—10.30 p.m., Popular Music. 10.45, Humorous Talk. 11.0, Concert of Variety Music. 11.30, Talk. 11.40, Light Music. 12 Midnight (approx.). Close Down.

MADRID

UNION RADIO, Call EAQ7, 424.3 metres; 2 kW.—8.0 to 9.0 a.m., Topical Review. 9.0 p.m., Chimes, Time Signal, Theatre Notes, and Concert by the Arty's Orchestra. 9.0 to 7.0, interval. 7.0, Chimes and Dance Music, relayed from the Ritz Hotel. 7.0 (in an interval), Agricultural Talk. 8.30 to 9.30, interval. 9.30, Chimes and Time Signal. 9.35 (approx.), Concert; Pianoforte Solos by Elena Romero; Interlude by Ramon Gomez de la Serna; Songs by Luisa Neri (Soprano) and Franco Mar (Baritone). 12 Midnight, Chimes and Close Down.

MALMO.—See Stockholm.

MILAN.—See Turin.

MORAVSKA-OSTRAVA

263.8 metres 11 kW.—3.0 p.m., Concert by the Station Orchestra, conducted by B. Trvdý. 4.30, See Prague. 6.0, See Bratislava. 7.5 See Prague. 9.20, Concert of Cigany Music relayed from Bratislava. 10.0 (approx.). Close Down.

MOSCOW

TRADES UNION; 1,304 metres; 100 kW.—4.30 p.m., News. 4.10, Announcements. 4.30 Concert. 5.30, Concert of Light Music, or Relay. 8.0, Talk in English: The Function and Uses of the Trades Union. 8.55, Time 9.5, Press Review.

MOTALA.—See Stockholm.

MUHLACKER.—See Stuttgart.

MUNICH

533 metres; 60 kW. Relayed by Augsburg and Kaiserslautern, 560 metres; and Nürnberg, 239 metres.—9.0 a.m., Protestant Service. 9.45, Chimes from Our Lady's Church. 10.0, Reading from Homer's Odyssey. 10.30 See Leipzig. 11.0 (from Nürnberg), Orchestra Concert. 12.5 p.m., Time, Weather, and Programme Announcements. 12.15, Agricultural Talk. 12.35, Julius Patzak Song Recital on Gramophone Records. 1.0, See Stuttgart. 2.0, Chess Lesson. 2.45, Vocal and Instrumental Concert, conducted by Erich Kloss. Soloists: Emmy Steinkohl (Soprano) and Josef Janko (Tenor). 3.45, The Coss Corner—Programme arranged by the Social Club of Dimpflberg. 4.0, Programme for Mother and Child—A Trip into the Land of Health. 6.0, Karl Spitzweg Memorial Programme. 5.20 Concert of Chamber Music by the Stuhlfaut Quartet. 6.0, Report on the 1933 Eisbee Race, followed by Weather Forecast and Sports Notes. 6.20, Concert (to be announced). 7.10, Talk on the Following Trans mission. 7.20, William Tell—Play (Schiller). 9.20, Time, Weather, News, and Sports Notes. 9.45, Serenade, conducted by Erich Kloss. 11.0 (approx.). Close Down.

NAPLES.—See Rome.

NOTODDEN.—See Oslo.

OSLO

1,083 metres; 60 kW. Relayed by Fredriksstad, 365.8 metres; Hamar, 574.7 metres; Notodden, 447.1 metres; Porsgrund, 453.2 metres; and Rjukan, 447.1 metres.—9.20 a.m., Chimes. 9.30, Divine Service from St. Saviour's Church. 4.0 p.m., Orchestral Concert, conducted by Oskar Holst. 5.0, Talk: Austria To-day. 5.30, Recitations. 6.0, Parliamentary Review. 6.15, Weather and News. 6.30, Chamber Music. 7.0, Time Signal. 7.1, Talk. 7.25, Concert by the Station Orchestra, conducted by Hugo Kamm. Overture, Euryanthe (Weber); Selection from Boris Godunov (Mussorgsky); Indian Lament (Dvorák); In a Nutshell (Percy Grainger); Fjeldstift (Grieg); Selection from Death and Transfiguration (R. Strauss); A Tale (Gunnar

FEB. 5th

SUNDAY

continued

Fjerström): Hungarian Rhapsody, No. 3 (Liszt). 8.40, Weather and News. 9.0, Topical Talk. 9.15, Readings. 9.45, Dance Music on Gramophone Records. 11.0 (approx.), Close Down.

OSTERSUND.—See Stockholm.

PALERMO

542 metres; 3 kW.—9.25 a.m., Bible Reading. 9.40, Sacred Music. 10.5, Agricultural Talk. 11.45, Giornale Radio. 12 Noon, Variety Concert. 12.30 p.m. (in an interval), Time Signal, Announcements and Weather Forecast. 1.0 to 4.30, Interval. 4.30, Light Music from the Olympia Tea Rooms. 5.30 to 7.0, Interval. 7.0, Announcements and Giornale Radio. 7.20, Sports Notes. 7.30, Time Signal and Announcements. 7.45, Symphony Concert on Gramophone Records. 9.0, Recital of Songs. 9.55, News Bulletin.

PARIS

EIFFEL TOWER; Call FLE; 1,445.7 metres; 13 kW. Time Signals (on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and 6-dot Signals).—12.30 p.m., Concert, relayed from Paris (Ecole Supérieure) (447.1 metres). 1.0, Concert by the Rex Orchestra. 5.45, Le Journal Parlé. 6.45, Programme for Children. 7.20, Weather Report. 7.30, Gramophone Concert. Part I. Bizet Programme: Prelude to L'Arlesienne; Aria from The Fair Maid of Perth; Spanish Serenade; Selection from The Pearl Fishers. Part II. Variety Music: Ballet Egyptian (Luigini); Dear little Mother (Klose); Glückliche Liebe (Loewenthal); L'amour dema vie (Marinier); Song (Beal); Destiny (Baynes); Waltz Dream (Joyce); Minnet (Schubert); Gipsy Song (Weinberger); Revy de fleurs (Waldenfel); Chanson d'automne (Waldenfel); Hunting Horn Chorus; Souvenir des Pyrénées (Boudant). 9.0 (approx.), Close Down.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW.—9.45 a.m., Bible Reading. 10.5, Sponsored Concert. 11.5, Film Stars—Sponsored Programme. 11.40, Sponsored Gramophone Concert. 12.15 p.m., Extracts from Sound Films. 12.45, Half-an-hour of Fantasy by Paul Weill. 1.15, Interval. 1.30, Sponsored Programme. 2.0 to 6.45, Interval. 6.45, Le Journal Parlé. 7.0, Sports Notes. 7.15, Catholic Review. 7.30, Concert of Light Music. 8.30, Interval. 8.45, Sponsored Concert with Gramophone Records. 10.15, Concert by the Alexandra Scriabin Russian Orchestra, relayed from the Berry. 10.45 (approx.), Close Down.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW.—7.45 a.m., Light Music on Gramophone Records. 8.0, Press Review and Weather. 8.30, Physical Culture. 10.0, Elementary Book-keeping Lesson. 10.20, Advanced Book-keeping Lesson. 10.40, Spanish Lesson. 11.30 to 12 Noon, Programme in English by the I.B.C. Gramophone Concert: Famous Waltzes of the World, Part I, by Alfred Hertz with his Orchestra; Just an Echo in the Valley, by Val Rosing; Mimi, by Al Benney's Broadway Boys; My Romance; What a Lady Josephine must have been, by Tully Stuart and Eddy Pola; Sandy at the North Pole, Part II, by Sandy Powell; Always in my Heart, by Jack Payne and his Band; Smilin' Thought, by Tom Burke. 12 Noon, Religious Address. 12.20 p.m., Sacred Music: Prelude (Bach-Schönberg); Fugue in G Minor (Bach). 12.30, Bilbouet. 12.45, Press Review, News and Weather. 1.0, Orchestral Concert. 1.30, Variety Music on Gramophone Records. 2.0, Popular Gramophone Concert. 3.0 to 3.30, Programme in English by the I.B.C.: Music by Jack Raymond and his Orchestra; Rama; If you were only mine; Parlez-moi d'amour; Miss Rena May (Vocalist); Madona; When you hear Fritz play the Twiddly Bits. 3.30, Orchestral Concert. 4.0 to 5.0, Programme in English by the I.B.C.: Tea-Time Variety Hour: Mr. S. H. C. Williams announcing. 5.0, Orchestral Concert. 5.30, Gramophone Concert of Popular Music. 7.0 to 8.0, Programme in English by the I.B.C.: Film Fans' Hour. 8.0, Music Hall Programme by the Orchestra, conducted by Maurice André; Soloist: Denis Paulet (Songs). In the intervals at 8.30, News, Weather and Sports Notes and at 9.15, Press Review and News.

PITTSBURGH

WESTINGHOUSE ELECTRIC (KDKA), 206 metres; 25 kW. Relayed by W8XK on 48.86 metres and 25.27 metres.—9.0 p.m., Temple of Song, from New York. 9.30, Vesper Services from Shadyside Presbyterian Church, Pittsburgh. 10.30, Pages of Romance, from New York. 11.0, Sealed Power, from New York. 11.30, Time Signal. 11.31, Weather Report. 11.32, Teaberry Sport Review. 11.37, Press News-Reeler. 11.42, Strange Facts. 11.44, Temperature Report. 11.45, Programme to be announced. 12.0 Midnight, Time Signal and Westinghouse Concert. 12.30 to 3.30 a.m. (Monday), New York Relay. 12.30, Great Moments in History.

1.0, Russian Gaieties. 1.30, Red Adams. 2.0, Sloan's Programme. 2.30, Walter Winchell. 2.45, Jubilo—Singer of the Lonesome Road. 3.0, D. W. Griffith's Hollywood. 3.15, Edna St. Vincent Millay. 3.30, Jean Wald and her Vagabonds. 4.0, Time Signal. 4.1, Teaberry Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.15, Press Last-Minute News. 4.20, Alexander Roy (Tenor). 4.30, L'Heure Exquise. 5.0, Time Signal and Good-night.

PORSGRUND.—See Oslo.

PRAGUE

488.6 metres; 120 kW.—10.0 a.m., Concert by the Station Orchestra, conducted by O. Jeremias. 11.0, Chimes. 11.5, See Brno. 12.30 p.m., Agricultural Talk. 12.45, See Brno. 1.15, Talk on Social Questions. 1.25 to 3.0, Interval. 3.0, See Moravská-Ostrava. 4.30, Talk on the West Indies. 4.45, Light Music on Gramophone Records. 5.0, German Transmission: Popular Songs, News and Recitations. 5.45 to 6.0, Interval. 6.0, See Bratislava. 7.5, Concert by the Czech Philharmonic Orchestra, conducted by Clemens Kraus, relayed from the smetana Hall; Symphony No. 5 in E Minor, Op. 95. From the New World (Dvorák); Rhapsody for Saxophone and Orchestra (Debussy); Bolero (Ravel); Symphonic Poem, Don Juan (R. Strauss). In the interval at 8.0, Time Signal. 9.0, Time, News and Sports Notes. 9.20, Concert of Cigány Music, relayed from Bratislava. 10.0 (approx.), Close Down.

RADIO-SUISSE ROMANDE

SOTTENS, 403 metres; 25 kW; **LAUSANNE,** 680 metres; and **GENEVA,** 760 metres.—8.55 a.m. (from Lausanne), Chimes. 9.0 (from Lausanne), Protestant Service. 10.0 (from Geneva), Popular Music on Gramophone Records. 11.0 (from Geneva), Literary Talk. 11.30, News and Weather. 11.40 to 1.0 p.m. (from Geneva), Light Music on Gramophone Records. 4.0 (from Fribourg), Concert by La Mutuelle Male Voice Choir, conducted by A. Hug, relayed from the Capitol Cinema. Soloists: Marguerite Chapuis (Soprano) and M. Kreml (Pianoforte). 5.30 (from Lausanne), Catholic Address. 6.0 (from Geneva), Hapsichord Recital by Charles Koller. 6.40 (from Lausanne), Sports Notes and News. 7.0, Concert by the Radio Orchestra. 8.0 (from Lausanne), Concert by the Budapest Trio (Tchaikovsky); Trio, Op. 99 (Schubert). 9.0, News and Weather. 9.15 (approx.), Close Down.

RJUKAN.—See Oslo.

ROME

Call 1RO, 441 metres; 50 kW. Relayed by Naples, 319 metres, and 2RO, 25.4-80 metres.—9.10 a.m., News, Sports Notes, and Amusement Guide. 9.30, Agricultural Notes. 9.45, Bible Reading. 10.0 to 11.0 and 11.50 to 12.30 p.m., See Turin. In the interval at 12 Noon, Time and Announcements. 2.45 (from Naples), Weather and Sports Notes. 3.0, Football Results. 3.15 to 5.20, Orchestral and Vocal Concert. Sports Notes in the interval. 6.50, Football and other Sports Notes and News. 7.0, Time and Announcements. 7.50, Sports Notes. 7.45, The Dollar Princess—Opera in Three Acts (Fall). In the intervals: Talk and Theatre Talk. News after the Programme.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY (WGY), 379.5 metres; 50 kW. Relayed at intervals by W2XAF on 31.48 metres and by W2XAD on 19.56 metres.—7.0 p.m. till Close Down, New York Relay. 7.0, Musical Programme. 7.15, Clyde Doerr and his Saxophone Octet. 7.30, Moonshine and Honey-suckle. 8.0, Wayne King's Orchestra. 8.30, Hour of Worship. 12.0 Midnight, Harmonica Rascals. 12.15 a.m. (Monday), Wheatena-Ville. 12.30, Pickens Sisters. 12.45, Smith Brothers' Programme. 1.0, Chase and Sanborn Programme. 2.0, General Electric Sunday Circle Concerts. 2.30, American Album of Familiar Music.

SCHWEIZERISCHER

LANDESENDER

BEROMUNSTER, 459 metres; 60 kW; **BASLE,** 244.1 metres; and **BERNE,** 245.9 metres.—9.0 a.m. (from Zürich), Catholic Address. 9.45 (from Zürich), Chamber Music Concert. 10.30 (from Zürich), Otto Schwarz reads his Short Story, Kleist. 11.0 (from Zürich), Concert by the Radio Orchestra. 11.25, Time and Weather. 11.30, News Bulletin. 11.40, Offenbach and Lecocq Concert by the Radio Orchestra. Overture, Orpheus in the Underworld (Offenbach-Binder); Waltz, Feuilles du soir (Offenbach); Overture, Le petit due (Lecocq); Waltz, from Les cent Vierges (Lecocq); Selection from Les Bavards (Offenbach-Gauswin); Overture, La petite mariée (Lecocq-Turlet). 12.20 p.m. (from Zürich), Agricultural Talk. 1.0, See Stuttgart. 2.0 to 3.0, Interval. 3.0, Variety Music on Gramophone Records. 3.30 (from Zürich), Concert by the Male Voice Glee Society, conducted by Dr. Joh. Ulrich Maier, relayed from the Conservatoire. Soloists: Res Fischer (Contralto), and Lyssandro Journides (Tenor). 4.15 to 5.30, Interval. 5.30 (from Zürich), Talk in French-Swiss. 6.0,

Be a listener..

The days of the home-made set are over—much too expensive and wasteful. Buy a Radiogram that is designed as a complete unit—not an assembly of odd parts—and buy it at a price far less than that for which you could build it.

Specification


The specification is right up to date, as the brief particulars will show. All-electric. Band pass tuning. 4 valves vari-mu H.F. stage, screen grid detector, pentode output and valve rectifier. No reaction. Moving coil speaker. Electric induction motor, smooth and silent running with automatic controls. Alba pick-up. In the Auto-record changer models the Garrard changer plays 8 records, and repeats or rejects any at will.

Available in Oak or Walnut Cabinet
A.C. 22 Guineas Cash
D.C. 23 Guineas Cash
Or, if you wish, let your Alba dealer explain the special H.P. terms.

Full particulars from your dealer or from:—

"ALBA"

52-53, TABERNACLE STREET, E.C.2



Model 70 (walnut)

22 GNS.
with AUTO. RECORD CHANGER

30 GNS.

CUT OUT THE LOCAL AND GET PARIS!

CLEAR, LOUD UNDISTORTED, AND OTHER FOREIGN STATIONS JUST FIX A PIX IN YOUR AERIAL

Enjoy foreign concerts while your local station is working or when being "Swamped" or interfered with by a powerful station. A PIX works equally well on a crystal battery or all mains set. Ask your local dealer or send postal order NOW.



24
WITH CLIP 29

Follow the lead of over a million listeners—Fix a PIX today from your local dealers or from **The British Pix Co. Ltd., Dept. 406, 118/26, Southwark St., London, S.E.1.**

Pix clip holds the PIX aerial. Insulated base, drilled and fitted screws.



OVER A MILLION PIX LISTENERS

Time, Weather and Sports Notes. 6.15 (from Zürich). Pictures of Swiss History: The Dissolution of the Monastery of St. Gallen. 7.0 (from Zürich). Lakmé—Opera in Three Acts (Delibes), relayed from the Municipal Theatre. News in the interval. 9.45 (approx.), Sports Notes and Close Down.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SAsA; 436 metres; 55 kW. Relayed by Boden, 1,229.5 metres; Göteborg, 322 metres; Hörby, 257 metres; Motala, 1,348 metres; Östersund, 770 metres; and Sundsvall, 542 metres.—10.0 a.m., Divine Service Relay. 11.45, Weather and Ice Report. 1.0 p.m., Concert, relayed from Malmö (231 metres). Conductor: Georg Schmevcovgt. Soloist: Sigrid Schmevcovgt (Pianoforte). 2.40, Talk in Danish, relayed from Koppenhamn. 3.0, Programme for Children. 3.30, Popular Music on Gramophone Records. 4.30, Reading. 5.0, Evenson, relayed from Kristinehamn (203 metres). 6.15, Weather and News. 6.30, Talk. 7.0, Concert by the Station Orchestra. Soloists: Knut Almroth (Flute) and Ingrid Fager Ström (Harp). Overture, Heimkehr aus der Fremde (Mendelssohn); Andantino from the Concerto for Flute and Harp (Mozart); Allegretto from the Symphony in D Minor (Franck); Selection from Tieland (d'Albert); Lilljantäns Song (J. Halvorsen); Ballet Suite from Feramors (Rubinstein); Slav Dances (Dvorák). 8.15, A Radio Play (Josef Kjellgren). 8.45, Weather and News. 9.0, Orchestral Concert of Light Music. 10.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW.—9.30 a.m., Orchestral Concert, conducted by M. de Villars. 10.45, Protestant Service in French. 11.30, Catholic Service in German. 12.0 Noon, Mozart Concert on Gramophone Records. 12.45 p.m., News Bulletin. 1.0, Time Signal. 1.1, Popular Songs on Gramophone Records. 2.0, Agricultural Talk in German. 2.15 to 2.30, Interval. 2.30, Symphony Concert, conducted by Henri Tomasi, relayed from the Salle du Journal, Paris. 4.30, Padeloup Concert, relayed from the Théâtre des Champs Elysées, Paris. 6.45, Medical Talk. 7.0, Sports Talk. 7.15, Light Music on Gramophone Records. 7.30, Time, News and Sports Notes. 7.45, Light Music on Gramophone Records. 8.35, Lottery Results. 8.45, Variety Programme relayed from Toulouse-Pyrénées (255 metres). 12.0 Midnight (approx.), Close Down.

STUTTGART

MUHLACKER, 360.5 metres; 60 kW.; and FREIBURG, 570 metres.—10.30 a.m., See

FEB. 5th **SUNDAY** continued

Leipzig. 11.0, Talk: Gramophone Records of Famous German Opera Artists. 12.0 Noon, Topical Talk. 12.20 p.m. (from Karlsruhe), Agricultural Talk. 12.45, Popular Music on Gramophone Records. 1.0, Provincial Programme: The Swabian-Alemannic Feast of Fools in Stockach, Baden—a Radio Sequence (Carl Struve). 2.0, Programme for Children. 3.0, Concert by the Symphony Orchestra, relayed from Pforzheim. Conductor: Julius Schroder. Soloist: Jakob Haaf (Bassoon): Eine lustige Ouvertüre (Lincke); Selection from Der Bettelstudent (Müllcker); Humorous Polka for Bassoon and Orchestra, Der alte Brummbar (Fueck); Maskenzug (Kämpfert); Potpourri, Von Wien durch die Welt (Hrny); Waltz, Lustige Brüder (Vollstedt). 4.0, Chamber Music for Wind Instruments, relayed from a Private House in Stuttgart, with Introductory Talk. 5.0, Richard Zouzmann, Programme for his Seventieth Birthday: Introductory Talk by Martin Lang. Recitations and Gramophone Records. 5.40, Recital of Schubert Chamber Music, Andrea Wendling (Violin) and Hermann Loux (Pianoforte); Sonata in D for Violin and Pianoforte; Fantasia in C for Violin and Pianoforte. 6.15, Sports Notes. 6.35, Stendhal Programme for the Hundred and Fiftieth Anniversary of his Birth: An Appreciation and Readings from his Book, "Essai sur l'amour." 7.15, Variety Programme. The Three Optimists, Mischa Ignatiev (Balalaika) and other Soloists. 8.40, Offenbach Music on Gramophone Records. 9.0, Time, News, Weather, Programme Announcements and Sports Notes. 9.35, See Frankfurt. 9.45, See Munich. 11.0 (approx.), Close Down.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW.—12.15 p.m., News Bulletin. 12.30, Catholic Service. 1.0, Amusement Guide and Market Prices. 1.5, Orchestral Music. 1.15, Opera Music. 1.40, Agricultural Report. 1.45, Protestant Service. 2.15, News Bulletin. 2.20, Three Waltzes. 2.30, Faust—Opera in Five Acts (Gounod). In the intervals, News and Horse Racing Results. 5.15, News and Horse Racing Results (contd.). 5.20, Accordion Music. 5.30, Dance Music. 6.0, News Bulletin. 6.15, Orchestral Music: Overture, Fra Diavola (Anber); Schubert Potpourri (Berté). 6.30, Extracts from Sound Films. 6.45, Operetta Music: Selection from The Dollar Princess

(Fall); Potpourri of Viennese Operetta Music (Robrecht). 7.0, Spanish Songs. 7.15, News and Market Prices. 7.25, Local News Bulletin. 7.30, Music by a Viennese Orchestra. 8.0, Opera Music: Aria from Resurrection (Alfano); Rise, fair Sun in Heaven, from Romeo and Juliet (Gounod); Romance from The Pearl Fishers (Bizet). 8.15, 'Cello Solos: Mazurka (Neruda); Anitra's Dance (Grieg); Adagio (Tartini). 8.30, Popular Melodies. 8.45, Symphonic Fantastique (Berlioz). 9.15, Extracts from Sound Films. 9.30, Opera Music: Ballet Music from Manon (Massenet); Prelude to the Third Act of Louise (Charpentier). 9.45, Concert for Listeners in Morocco. 10.15, North African News. 10.30, Programme in English by the I.B.C.: Light Orchestral Music: Selection from White Horse Inn (Stolz-Benatzky); Live, love and laugh (Heymann); You are my Heart's Delight (Lehár); Trees; Cuban Love Song; My Heart sings a Broken Melody; An Old Violin; Titania. 11.30, Bal Musette. 11.45, Chansonnettes; Les Papillons de Nuit (Gabaroché); Un simple Poupe (Halet); Melody (Zimmermann); An Evening in Singapore (Sylvaino). 12 Midnight, Weather and Announcements. 12.5 a.m. (Monday), Orchestral Music: Selection from Alessandro Stradella (Flotow); Pavane pour une Infante défunte (Ravel). 12.15, Military Music. 12.30 (approx.), Close Down.

TRIESTE

247.7 metres; 10 kW.—8.40 a.m., See Turin. 8.55, Mass from the Cathedral of San Giusto. 10.0 to 10.20, Agricultural Report. 11.0 till Close Down, See Turin.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relayed by Milan, 331.5 metres; Genoa, 312.8 metres; and Florence, 500.8 metres.—8.40 to 8.55 a.m., Giornale Radio. 9.40, Agricultural Report. 10.0, Mass relayed from the Church of the Annunciation, Florence. 11.0, Religious Programme. 11.30, Orchestral Concert, conducted by Ugo Tansini. 12 Noon (in the interval), Time and Announcements. 12.30 p.m., Orchestral Concert. 1.30 to 2.30, Interval. 2.30, Orchestral Concert. 3.40, Variety Music on Gramophone Records. 5.0, Giornale Radio and Football and other Sports Notes. 5.15 to 6.0, Interval. 6.0, Announcements. 6.5, Variety Music on Gramophone Records. In the m-

terval at 6.30, Time and Announcements. 7.0, Giornale Radio, Sports Notes and Popular Music on Gramophone Records. 8.0, Opera Relay. In the intervals, Talk, Theatre Notes, and Giornale Radio.

VIENNA


517 metres; 15 kW. Relayed by Graz, 52.1 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 246 metres; and Salzburg, 218 metres.—10.5 a.m., Concert by Two Hundred Jazz Musicians, relayed from the Konzerthausaal. 12.5 to 1.0 p.m., Symphony Concert by the Vienna Chamber Orchestra, conducted by Karl Audieth: Overture, Coriolanus (Beethoven); Symphony in E-flat (Mozart); Tone Poem (Andress). 2.0, Time, Programme Notes, and Announcements. 2.5, Book Review. 2.30, Chamber Music: Pianoforte Quartet in G Minor, Op. 25 (Brahms); Adagio and Rondo (Schubert). 3.0, Talk: On American Highways. 3.30, Orchestral Concert. 4.35, Talk: The Island of Patmos. 5.0, Carnival in the Aussee District—A Relay from Güssam, Grundsee. 6.0, Talk: Twenty Nations compete for the International Skiing Championship at Innsbruck. 6.30, Time, Programme Announcements, and Sports Notes. 6.40, The Humoreskimos sing Dance Melodies. 7.15, The Heroic Escape—Radio Play (Robert Walter). 9.0, News. 9.15, Part Relay of the Programme arranged by the Burghtheater Sports Club from the Volksgarten-Etablissement, followed by Dance Music from the Volksgarten-Etablissement.

WARSAW

1,411 metres; 120 kW.—11.15 a.m., Concert by the Philharmonic Orchestra, conducted by T. Mazurkiewicz and a Village Orchestra, conducted by S. Kazuro. Soloist: E. Zaturczeky (Violin). Talk in the interval. 1.0 p.m., Agricultural Talk. 1.20, Concert of Folk Songs and Music from the Mountains. 1.50, Agricultural Talk. 2.10, Concert by the Szezeglow Mandoline Orchestra. 3.0 (approx.), Programme for Children. 3.25, Light Music on Gramophone Records. 3.45, Polish Lesson. 4.0, Hungarian Music for Violin and Baritone. News in the interval. 4.55, Programme Announcements. 5.0, Dance Music from the Café Adria. News in the interval. 6.0, Miscellaneous Items. 6.35 (approx.), Dramatic Programme from Craow (312.8 metres). 7.0, Popular Concert by the Radio Orchestra, conducted by J. Oziminski. Soloist: W. Wermiska (Soprano). 7.50, Sports Notes. 8.0, Concert (contd.). 8.30, Dance Music from Craow. 9.55, Aviation Weather Report and Police Notes. 1.0, Dance Music from the Café Ziemian-ska. 10.0 (approx.), Close Down.

ZURICH.—See Schweizerischer Landessender.

**BE
GUIDED
BY
QUALITY**



Smoke the finest value the cigarette world has to offer

PLAYER'S

50 FOR 2/5

PLAIN OR CORK-TIPPED

100 FOR 4/8


FOR THE PIPE SMOKER

PLAYER'S NAVY CUT TOBACCO



however stentorian—never jar the senses when "Anodex" amplification is employed. Scientific design ensures absolute purity of tone and freedom from distortion.

Ask for "Anodex" Standard Extra or Triple Power H.T. Batteries and Grid Bias. Agents throughout the country.



Showing "Anodex" 120 volt H.T. Battery. Price 11/-

"ANODEX"

S. SMITH & SONS (Motor Accessories) LTD., CRICKLEWOOD, LONDON, N.W.2

MONDAY

FEBRUARY THE SIXTH

PRINCIPAL EVENTS OF THE DAY:

AT HOME

BARCELONA
RADIO-BARCELONA, Call EAJ1, 348.8 metres; 8 kW.—6.0 p.m., Trio Concert. 7.0, Request Gramophone Concert. 7.30, Exchange Quotations and a Talk. 8.0, Popular Music on Gramophone Records and News. 9.0, Chimes from the Cathedral, Weather Forecast, Exchange Quotations, and Market Prices. 9.5, Humorous Review of the Week in Verse. 9.15, Concert of Sardanas. 10.0, Guitar Recital. 10.20, Concert by the Station Orchestra: Overture, La Princesse Jaune (Saint-Saëns); Sarabande for String Quintet (de Frumerie); A la cubana (Granados); Siciliana for String Quintet and Oboe (de Frumerie); Phrygian Suite (Brusselsmans). 11.0 (in an interval), News Bulletin. 11.30, Dance Music, relayed from the Hollywood Bar Dancing. 12 Midnight (approx.), Close Down.

BARI
 269.8 metres; 20 kW.—7.0 p.m., Agricultural Notes, Tourist Report and Announcements. 7.20, Giornale Radio and Weather. 7.30, Time and Announcements. 7.35 (approx.), Concert of Operetta Music and Songs. Soloists: Michele Montanari (Tenor) and Clara Demitri (Soprano). 9.30, Concert, relayed from the Gran Caffè del Levante. In an interval, Miscellaneous Announcements. 9.55, News.

BASLE.—See *Schweizerischer Landessender*.

BELGRADE
 430.4 metres; 2.5 kW.—6.0 p.m., Programme in Commemoration of Veeclay Rendla. 6.50, Talk on the following Transmission. 7.0, Relay from the Belgrade National Theatre. 8.30 (in an interval), News.

BERLIN
KONIGS WUSTERHAUSEN, 1,635 metres; 60 kW.—11.55 a.m., Nansen Time Signal. 12.35 p.m., News Bulletin. 1.0, Gramophone Concert of Austrian Music, relayed from Berlin (Witzleben). 2.0, Talk for Women. 2.30, Weather and Exchange. 2.45, Review of Books. 3.0, Talk: The Training of Teachers in England. 3.30, Concert from Berlin (Witzleben). 4.10, Talk: Everyday Life in Moscow. 4.30, Songs and Arias for Harpsichord. 5.0, Talk: German in Eastern Europe. 5.30, Making Music with Invisible Partners. 5.55, Weather and Announcements. 6.0, English Language Lesson. 6.30, A Poem. 6.35, Talk on Poetic Art. 7.5, See *Frankfurt*. 8.15, Talk on Winter Relief. 8.20, See *Berlin (Witzleben)*. 9.15, Weather, News, and Sports Notes. 9.30, See *Berlin (Witzleben)*. 9.45, Weather Report for Shipping, followed by Dance Music from Berlin (Witzleben). 11.0 (approx.), Close Down.

BERLIN
WITZLEBEN, 419.5 metres; 1.5 kW.—3.30 p.m., Concert of Chamber Music; Introductory Talk; Largo and Rondo from the Duet in C for Violin and Pianoforte (Karl Stamitz); Adagio and Rondo from the Duet Op. 10, No. 2, for Violin and Pianoforte (Franz Neubauer); Pieces for Pianoforte, Violin, and Viola, Op. 83, Nos. 2 and 6 (Max Bruch); Finale from the Suite for Pianoforte, Violin, and Viola (Johannes Brahms); First and Last Movements from the Trio Sonata, Op. 4, for Pianoforte, Violin, and Viola (Adolf Schubert). 4.30, Should a Doctor Tell?—a Dialogue between a Doctor and a Judge. 4.50, Review of Books for Young People. 5.10, Song Recital by Gerda Klemm (Soprano); Three Songs (Schubert): (a) Sonne du sinkst; (b) Der Schmetterling; (c) Es mahnt der Wald; (d) Three Songs (Schumann): (a) Stille Tränen; (b) Die Meerfee; (c) Mondnacht. 5.30, Will Vesper reads his own Poems. 5.55, The Witzleben Station informs its Listeners. . . . 6.0, Talk in connection with the Visit of the Vienna State Opera House to Cairo, relayed from Cairo. 6.20, Topical Talk. 6.30, Concert by Edith Lorand and her Orchestra: Larghetto (Handel); Prelude and Allegro (Pugnani-Kreiser); Minuet (Mozart); Scherzo from A Midsummer Night's Dream (Mendelssohn); Military March (Schubert). 6.55, Talk on Music. 7.5, Concert (contd.): Fledermaus-Fantasia (Strauss-Lorand); Potpourri of Hungarian Folk Melodies; A Hungarian Peasant's Wedding (Por); Waltz, Wiener Blut (Joh. Strauss); Zigeunerweisen (Sarasate); Souvenir de Vienne (Lorand). 7.45, Five of us travel round the world—The Last Stage: The Holy Ganges. 8.20, The Fifth Symphony in E Minor, Op. 64 (Tchaikovsky), relayed from the Philharmonic, The Berlin Philharmonic Orchestra, conducted by Wilhelm Furtwängler. 9.15, Weather, News, and Sports Notes. 9.30, Radio Report on the International Skiing Championship in Innsbruck (on Gramophone Records). After the Report, Dance music from the Femina. 11.0 (also relayed by Zaesen on 31.38 metres), New Composition for Electrical Instruments; Music by Paul Höffer, Wolfgang Jacobl, and Ernst Lothar von Knorr; Introductory Talk and Commentary by Prof. Dr. Gustav Leithäuser and Hans von Benda.

BERNE.—See *Schweizerischer Landessender*.
BEROMUNSTER. — See *Schweizerischer Landessender*.
BODEN.—See *Stockholm*.
BODO.—See *Oslo*.

NATIONAL Mr. R. Ellis Roberts: "New Books." "Some Makers of the Modern Spirit." Public chamber concert. Vaudeville programme.
LONDON REGIONAL Royal Marines Band concert. Recital of gramophone records. String orchestral concert. Organ recital.
MIDLAND REGIONAL Light music. Choral programme. The Sutton Coldfield Musical Committee's concert from the Town Hall, Sutton Coldfield.
NORTH REGIONAL Mr. F. W. Brooks: "The Seventeenth Century Village." Orchestral concert. "Our Northern Heritage," a chronicle play by Edwin Lewis. Waltzes by Johann Strauss, orchestral programme.
WEST REGIONAL Orchestral concert. Welsh interlude.
SCOTTISH REGIONAL Recital of gramophone records. Mr. M. H. Williamson: "Up Helly A!" Orchestral concert.
BELFAST Recital of gramophone records. Band programme. The Music of Johann Strauss, orchestral concert.

ABROAD

BERO-MUNSTER Wagner concert by the Tonhalle Orchestra, Zurich.
COPENHAGEN Oratorio: "The Seasons," by Haydn.
PALERMO Concert of chamber music.
RADIO PARIS Opera: "Othello," by Verdi.
TOULOUSE Concert of classical music, presented by the I.B.C.

BORDEAUX-LAFAYETTE
 304 metres; 13 kW.—7.30 p.m., News, Exchange and Market Prices. 7.40, Talk: Bordeaux a Century Ago. 7.55, Lottery Results. 8.0, Talk on Hygiene. 8.15, Charades. 8.20, News Bulletin. 8.30, Concert of Classical and Modern Music. After the Concert, Entertainments Guide and Time Signal.

BRATISLAVA
 279 metres; 14 kW.—3.10 p.m., Concert by the Station Orchestra, conducted by F. Dyk: Four Slav Dances (Lauko); Zigeunerweisen (Sarasate); March (Suchy). 4.10, Talk. 4.20, Light Music on Gramophone Records. 4.29, Song Recital by J. Bloho, with an Introductory Talk by J. Krasko. 5.0, Popular Music on Gramophone Records. 6.0, See *Prague*. 6.5, Programme for Women. 6.20, See *Moravská-Ostrava*. 6.35, See *Bрно*. 7.0, A Sketch. 7.30, See *Bрно*. 9.0, See *Prague*. 9.15 (approx.), Close Down.

BREMEN.—See *Hamburg*.

BRESLAU
 325 metres; 60 kW.; and **GLEIWITZ**, 253 metres.—12.10 p.m., Gramophone Concert: March of the Priests from the Magic Flute (Mozart); Overture and Ballet Music from The Huguonots (Meyerbeer); Aria, Che gelida manina from La Bohème (Puccini); Waltz in A (Liszt); La Jongleur (Moszkowski); Responsorium (Gretchaninov); In the Forest (Paschenko); Prelude in G Minor, Op. 23, No. 5 (Bach); 12.45, Time, Weather, News, Exchange and Shipping Report. 1.5, Gramophone Concert: Selection from Casanova (Joh. Strauss); Two Pieces (Boulangier): (a) Recollections of Vienna; (b) Scandinavian Cradle Song; March from Strich durch die Rechnung (Borgmann-Gilbert); Volga Song from the Czarevitch (Lehar); Aquarellen Walzer (Jos. Strauss); Potpourri, Servus Wien! (Dostal). 1.45, Sponsored Programme with Gramophone Records. 2.10, Agricultural Prices. 2.35, Review of Silesian Periodicals. 3.0, Talk: Between Russia and Austria. 3.20, Orchestral Conducted by Max Kaden: Overture, La villanella rapita (Mozart); Suite, Kinderlieder (Blech); Rose Minuet from Die Rose der Königin (Kieslich); Selection from I Pagliacci (Leoncavallo-Dobler); Vibrationen-Walzer (Joh. Strauss); Selection from Gasparone (Millöcker); Meister Petz am Hofe Mayers, Bassoon-Ragtime (Pécsi); March Potpourri, Die Wache zieht auf! (Kochmann). 4.30, Agricultural Prices. 4.35, Talk: The Organisation of Leisure Time for Employed and Unemployed. 4.50, Report on Intellectual Affairs. 5.15, English Lesson. 5.40, Programme to be announced. 6.0, Medical Talk. 6.30, Concert from Berlin (Witzleben). 6.55, Weather for Families. 7.0, Anecdotes and Stories of Germany, arranged by Rudolf Mirbt. 7.50,

Announcements. 8.0, Folk Songs of German Colonies Abroad—The England. The Station Choir and Orchestra, conducted by Ernst Prade. Soloist: Dr. Hans Hermann Adler. 9.10, Time, Weather, News, Sports Notes, Colonial Market Report and Programme Announcements. 9.35, Answers to Technical Wireless Questions. 9.45, Talk: Winter Landscapes in the Eulengebirge. 10.0 (approx.), Close Down.

BRNO
 342 metres; 35 kW.—4.20 p.m., Talks for Women. 4.40, Review of New Political Publications. 5.0, Talk on Gymnastics. 5.15, See *Prague*. 5.25, German Transmission: News, Elementary French Lesson, and Medical Talk. 6.0, See *Prague*. 6.5, English Lesson. 6.20, See *Moravská-Ostrava*. 6.35, Concert of Dance Music by the Schrammci Quartet. 7.0, Organ and Song Recital by Vilem Blazek and S. Tauber: Tocata (Purcell); Cantata, Tronchisi pensieri (Carissimi); Concerto in D Minor (Vivaldi-Bach). 7.30, A One-Act Operetta (Offenbach). 9.0, See *Prague*. 9.15 (approx.), Close Down.

BRUSSELS (No. 1)
 I.N.R., 509 metres; 15 kW.—12 Noon, Concert by the Small Station Orchestra, conducted by P. Leemans: Overture, Der Bettelstudent (Millöcker); Dance Suite (Zimbalist); Italian Serenade (Caludi); Selection from Manon (Massenet); Pianoforte Solo: Papillons (Schumann); Violin Solo, Die Biene (Schubert); Paysages Wallons (de Teye). 1.0 p.m., Le Journal Parlé. 1.10, Gramophone Concert: Overture, Les Cloches de Cornéville (Planquette); Tes Yeux (Bonincontro); Two Melodies from Les Saltimbanques (Ganne); Serenade, Blonde Amie (Carcel); Selection from Bitter Sweet (Coward); Melody (Lehar); Gipsy Romance (Drizo); Ballet Music from Sylvia (Delibes); Gipsy Romance (Fomine); March (Moreau). 2.0, Educational Programme. 5.0, Concert of Rhapsodies by the Station Orchestra, conducted by Charles Walpot: Rhapsody in B Minor (Liszt); Hungarian Rhapsody, No. 14, for Two Pianofortes and Orchestra (Liszt); Norwegian Rhapsody (Lalo); Rhapsodie Dahoméenne (A. de Boeck); España (Chabrier). 6.0, Talk for Housewives. 6.15, Song Recital by Mlle. Hélène Paul. 6.50, Sonata Recital by M. Pitsch and M. Scherer: (a) Sonata, No. 2 (Guy Roppartz); (b) Ballade (Serge Prokofiev). 7.15, Talk on Folklore, by Louis Banneux. 7.30, Theatre and Cinema Review. 8.0, Gala Concert by the Station Orchestra, conducted by M. Van Raalte. Modern Dutch Music: Overture, Viva Carolina (Voormolen); Ciaconna gothica (Dopper); Suite, No. 3 in C (Enthoven). 8.45, In Praise of Work—Readings from the Poems of Albert Samain, Emile Verhaeren, Adille Millien, and others. 9.0, Concert (contd.): Symphony No. 6 in B

Minor—the Pathetic (Tchaikovsky). 10.0, Le Journal Parlé. 10.10, Programme of 16 Jazz, with Commentary by André Asche. 10.40, Gramophone Concert of Dance Music. 11.0 (approx.), Close Down.

BRUSSELS (No. 2)
 N.I.R., 338.2 metres; 15 kW.—12 Noon, Gramophone Concert of Light Music. 1.0 p.m., Le Journal Parlé. 1.10, Concert by the Small Station Orchestra, conducted by P. Leemans. 2.0, Educational Programme. 5.0, Concert by the Small Station Orchestra, conducted by P. Leemans: Overture, Der Schauspieler (Mozart); Four Lyric Pieces (Debussy): (a) Au Printemps, (b) Scherzettino (c) Intermezzo, (d) Une larme; Alsatian Dances (Levadé); A Summer's Evening on the Terrace (Turina); Ballet Music from Antar (Dyput). 5.45, Programme for Children. 6.30, Concert by the Small Station Orchestra, conducted by P. Leemans: Overture on Jewish Themes (Prokofiev); Thamineh (Schoemaker); Suite for Violin (Pergolesi - Stravinsky); Brazilian Dance for Pianoforte, Leme (Milhaud); Asturias (Albeniz); Bourrée fantasque (Chabrier). 7.15, Talk on Folklore. 7.20, Talk: Three Flemish Post war Poets—Gysen, Musche, and Moens. 7.30, Variety Items. 8.0, Gramophone Records: Sonetto del Petrarca, No. 104 (Liszt); Introduction and Allegro for Harp (Ravel). 8.15, Talk for Philatelists. 8.30, Trio Concert: Trio in E Flat (Hummel); Trio in G Minor (Strens); Trio in B (Schubert). 10.0, Le Journal Parlé. 10.10, Gramophone Concert: Selection from The Desert Song (Romberg); Chanson bohémienne (Baldy); Minuet (Bolzoni); The Pamel and Judy Show (Black); Scandinavian Dance (Runo); Rose Mousse (Bosc); Selection from William Tell (Kruzer); Selection from Tosca (Puccini); Melody from Les Cloches de Cornéville (Planquette); Estrelita (Ponce-Davis); Selection from Der Freischütz (Weber). 11.0 (approx.), Close Down.

BUCHAREST
 394 metres; 12 kW.—4.0 p.m., Concert by the Station Orchestra: March (Fucik); Waltz, Dorfkinder (Kálmán); Oriental Suite, On the Banks of the Nile (Platen); Violin Solo: Melodie enchanteresse (Ackermans); Orientale (Leopold); Minuet in D (Brunetti); Waltz from Roses from Florida (Fall). 5.0, News and Time Signal. 5.10, Talk. 5.25, Concert (contd.): Berceuse and Canzonetta (Prini); Adagio (Nardini); Potpourri, Von Wien durch die Welt (Hrubý); Waltz (Meyer-Heldmann); March, Zürich (Heusser). 6.0, Talk on Romania: Her Forests. 6.40, Light Music on Gramophone Records. 7.0, Time Signal. 7.2, String Quartet (Pohla). 7.40, Talk. 7.55, Song Recital by Mlle. Hélène Sarsen; Agnus Dei (Mozart); Aria from Werther (Massenet); Elegy (Massenet); Down in the Forest (Landon Ronald); Es muss ein Wunderbares sein (Liszt); Song (Grieg); Schnee (Lie); Maria Wiegand (Reger). 8.15, Trio, with Pianoforte (Leken). 8.45, News. 9.0, Relay of Dance Music.

BUDAPEST
 550 metres; 18.5 kW. Programme also relayed on 840 metres from 7.15 to 11.0 p.m.—4.30 p.m., Orchestral Concert, conducted by Otto Berg: Comedy Overture (Busoni); Cançonian Sketches (Ippolitov-Ivanov); Waltz (Lehar); Suite No. 2 from the Ballet égyptien (Luigini); Selection from Sybill (Jacobi). 5.45, German Lesson. 6.15, Opera Music on Gramophone Records: Selection from (a) de Cid Massenet; (b) Tosca (Puccini); (c) Mignon (Thomas); (d) Faust (Gounod); (e) Carmen (Bizet); (f) The Tales of Hoffmann (Offenbach); (g) Samson and Delilah (Saint-Saëns); (h) Boris Godunov (Moussorgsky). 6.45, Talk on the Pest Society. 7.15, Concert by the Arpad Toll Cigany Band. 8.15, News. 8.30, Concert by the Opera House Orchestra, conducted by Ernst Dohnanyi. Soloist: Anny Fischer (Pianoforte). Symphony in C (Schubert). Pianoforte Concerto in A Minor (Schumann). 9.15, Weather Report. 10.0, Dance Music from the Hotel Bellevue. 11.0 (approx.), Close Down.

CASSEL.—See *Frankfurt*.

COPENHAGEN
 281 metres; 0.75 kW.; and **KALUNDBORG**, 1,153 metres; 7.5 kW.—11.0 a.m., Time and Chimes from the Town Hall. 11.5, String Ensemble Concert, conducted by Max Skalka, relayed from the Hotel d'Angleterre. 1.0 to 2.20 p.m., Interval. 2.20, Talk for the Housewife. 2.30, Wind Instrument Concert, conducted by Launy Grøndahl: Coronation March from The Prophet (Meyerbeer); Overture, Poet and Peasant (Suppé); Waltz, Spring Flowers (Wilkenfeld); Bolero from La Chanson de Fortunio (Offenbach); Cavatina (Raff); Polka, Mina (Lumbye); Swedish Folk Melodies and Dances (arr. van Eysden); Anaximander March (Stork); Reading; Wedding March from The Wedding at Ulfaas (Sæde-man); Waltz, Rosenhög (Aago Bruun); Selection from Glutarne (Wennerberg); Ständchen (Schubert); Selection from the Music to the Dane in Paris (Fr. Neelsen); Galop (A. F. Lincke). 4.40, Exchange and Fish Market Prices. 4.50, Talk. 5.20, English Lesson. 5.50, Weather Forecast. 6.0, News Bulletin. 6.15, Time Signal. 6.16, Talk on Eduard Bernstein. 6.45, Talk, with Musical Illustrations: Haydn's Oratoria, The Sea-

FEB. 6th

MONDAY

continued

sons. 7.5, The Seasons—Oratorio (Haydn), relayed from the Oddfellows' Hall. 9.15, News. 9.35, Reading. 10.0, Dance Music from Nimb's Restaurant. In the interval at 11.0, Time and Chimes from the Town Hall. 11.30 (approx.), Close Down.

CORK.—See Dublin.

CRACOW

312.8 metres; 1.5 kW.—2.50 p.m., Popular Music on Gramophone Records. 3.25, Programme from Warsaw. In the interval at 4.55, Programme Announcements and News. 5.50, Miscellaneous Items and News. 6.15, Talk: Waxworks. 6.30, See Warsaw. 11.0 (approx.), Close Down.

DANZIG.—See Heilsberg.

DRESDEN.—See Leipzig.

DUBLIN

Call 2RN, 413 metres; 1.2 kW.; and **CORK**, 224.4 metres.—1.30 to 2.0 p.m., Time Signal, Weather Report, Stock Report, and Light Music on Gramophone Records. 6.15, Programme for Children. 7.0, Popular Music on Gramophone Records. 7.20, News Bulletin. 7.30, Time Signal. 7.51, Gaelic Talk. 7.45, Talk on Poultry Keeping. 8.0, The Station Sextet. 8.30, Gentlemen Boarders—Farce in One Act (Bekersley) by the Level Players. 9.0, Concert of Irish Music by the Station String Orchestra. 9.30, Traditional Fiddle Music by May Kavanagh. 9.50, Irish Song Recital by T. O'Flynn. 10.10, Pipe Band Music. 10.30, Time Signal, News, Weather Report, and Close Down.

FECAMP

223 metres; 10 kW.—6.0 to 7 p.m., Programme in English by the I.B.C. 6.0, Concert: Part I—Military Band Music. King Cotton (Sousa); Medley of British Songs; Jungle Drums (Ketchum); Páree (Pedilla); The Battle of Waterloo (Bekersberg); Valencia (Padilla); National Emblem (Bagley); Le Kève passe (Krier-Holme). Part II—Orchestral Music: The Skaters' Waltz (Waldteufel); The Cockchafers' Tea Party (Noack); Waltz, Très jolie (Waldteufel); Nachtigall in Fliederbusch (Krome); Over the Waves (Rosas); The Butterfly (Lenin); Soldatenlied (Gungl); Grasshoppers Dance (Bucalossi). 10.0 till Close Down: Programme in English by the I.B.C. Dance Music: I wanna sing about you; Little Girl; Ragamuffin Romeo; Three little Words; The longer that you linger in Virginia; Go Home and tell your Mother; Who am I? Wahash Moon; In a little Rendez-vous; The Match Parade; Two little Blue little Eyes; Say a little Prayer for me; Dancing with the Devil; When the Moon comes over the Mountain; Down Sunny-side Lane; Fmny dear, what love can do. 11.0, Light Orchestral Concert with Songs: The Hit Parade; Songs: (a) Only a Rose (Friml); (b) Goin' Home (Dvorák); (c) Song of the Vagabonds (Friml); (d) Waiting at the End of the Road (Berlin); Old Timers (arr. Griffiths). 11.30, Organ Recital: Melodies from the Indian Love Lyrics (Woodford-Finden); Les millions d'Harlequin (Drigo); Bird Songs at Eventide (Coates); The Londonderry Air (Traditional); A Palace of Dreams (Waller); Selection from the Ballet égyptien (Luigini). 12.0, Midnight, Concert of Scottish Music: The Glasgow Highlanders (arr. Dyack); Songs: (a) Duncan Gray, (b) Johnnie Cope, (c) Piper o' Dundee, (d) Ye Banks and Braes, (e) Kirkconnel Lea; Mcg Merrilies (arr. Dyack). 12.30 a.m. (Tuesday), Pianoforte Recital: Tunesful Melodies of To-day (Ray); I found you (Noble); Selection from The King of Jazz (White-man); Let Love take care of you (van Phillips); Selection from Puttin' on the Ritz (Berlin); Popular Melodies (Ray). 1.0, Light Music: Fall in and follow the Band; Don't look at me that way; Back to tany Páree; He's a good Man to have around; Sally; I wonder what is really on his Mind; We're uncomfortable; I'm doing what I'm doin' for Love. 1.30, Vocal Duets: I'm thir' with love; Shine on Harvest Moon; Just one more Chance; Save the last Dance for me; Ain't that too bad; Rosalita; Egyptianella; I lost my Gal again. 2.0, Dance Music: Love is the Sweetest Thing; Good Morning Mr. Sun; I'll do my best to make you happy; Smile and sing your Cares away; The Voice in the old Village (Choir); The Turning of the Tide; Where the Blue of the Night; Day by Day; An Evening in Caroline; Now that you're gone; By the Sycamore Tree; Blues in my Heart; Now's the Time to fall in love; Back again to Happy-go-lucky Days; Only me knows why; Hot Coffee. 2.57, I.B.C. Good-night Melody. 3.0 (approx.), Close Down.

FLensburg.—See Hamburg.

Florence.—See Turin.

FRANKFURT

259 metres; 17 kW.; and **CASSEL**, 245.9 metres.—4.0 p.m., See Langenberg. 5.15, Economic Notes. 5.25, Talk: Disputes about Wavelengths. 5.50, English Lesson. 6.15, Time, Programme Announcements, Weather and Economic Notes. 6.25, Topical Talk. 6.45, Report on the First Day of the International Ski-ing Championships in Innsbruck. 7.5, Lehar Concert, relayed from the Opera House. The Station

Orchestra, the Egon Kaiser Dance Band, the Station Choir, augmented by Members of the Opera House Choir, and Soloists. 9.30, Time, News, Weather and Sports Notes. 9.45, See Stuttgart. 11.0 (approx.), Close Down.

FREDRIKSSTAD.—See Oslo.

Freiburg.—See Stuttgart.

GENEVA.—See Radio-Suisse Romande.

GENOA.—See Turin.

CLEIWITZ.—See Breslau.

GOTEBORG.—See Stockholm.

GRAZ.—See Vienna.

HAMAR.—See Oslo.

HAMBURG

Call ha (in Morse), 372 metres; 1.5 kW. Relayd by Bremen, 269.8 metres; Flensburg, 227.4 metres; Hanover, 566 metres; and Kiel, 232.2 metres.—6.0 p.m., Karl Söhle reads from his own Works. 6.25, Weather Report. 6.30 (from Hanover), Song Recital by Dusolina Gianni, with the Hanover Opera House Orchestra, conducted by Rudolf Krasselt, relayed from the Municipal Opera House. Old English Suite after Sixteenth Century Composer (arr. Max Etlinger); Aria from Norma (Bellini); Sinfonie breve, No. 96 (Paul Graener); Roll on thou Mighty Ocean Roll, from Oberon (Weber); Symphony No. 2 in C (Schumann); News in the interval. 8.20, Topical Talk. 8.30 (from Bremen), Organ Recital from the Gemeindefaust St. Pauli. Introductory Talk, Allegro and Adagio from the Trio Sonata in C, No. 6 (Bach); Choral Prelude, Vom Himmel hoch (Pachelbel); Concert Fugue in G (Krebs). 9.0, News Bulletin. 9.10 (from Bremen), Concert and Dance Music from the Café Atlantik. 9.50 (in an interval), Ice Report. 10.25 (from Bremen), String Quartet No. 3 in A (Schumann).

HANOVER.—See Hamburg.

HEILSBURG

276.5 metres; 60 kW.; and **DANZIG**, 453.2 metres.—12.5 to 1.30 p.m., Gramophone Concert of Slav and Italian Music. In the interval at 12.20, News. 2.0, Exchange Rates. 3.0, Talk: The History of 1932 in Postage Stamps. 3.30, Concert by the Little Orag Orchestra, conducted by Eugen Wilcken; Overture, Mignon (Thomas); Largo (Handel); Serenade (Haydn); Selection from Taubhäuser (Wagner); Waltz, Deutsche Grösse (Josef Strauss); Chant sans paroles (Tchaikovsky); Melody (Rubinstein); Selection from Der Bettelstudent (Müllöcker). 4.45, A Dialogue for Motor Drivers, Pedestrians and Cyclists. 5.15, Market Prices. 5.20 Ice Report. 5.30 (from Danzig), Talk: The Old Prussian Population in the Free State of Danzig. 5.55, Talk: Memorable Days of the Week. 6.5, Elementary English Lesson. 6.30, Weather and News. 6.40, A Pianoforte Cabaret with Lyrics, by Peter Paul Althaus. 7.15, Die blaue Grotte—A Radio Sequence (George Goldschlag) for the Eightieth Anniversary of the Death of August Kopisch. 8.20, Concert from Berlin (Witzleben). 9.10, Weather, News and Sports Notes.

HILVERSUM

Announced **HUIZEN**, 296.1 metres; 20 kW. (7 kW. up to 4.40 p.m.)—Programme of the Christian Radio Society (N.C.R.V.). 11.55 a.m., Variety Music on Gramophone Records. 12.10 p.m., Organ Recital by Jan Zwart: Preludes and Chorals (Zwart); Larghetto, Alleluia, and Largo (Handel); Fantasia (Wolf); Prelude (Ewart); Toccata (Kee); Fugue, Trio, and Fugue in C Minor (Bach); Preludes and Chorals (Zwart); Cantabile (Franck); Finale (Franck); Scherzando (Pierné); Finale (Zwart). 1.40, Programme for Schools. 2.15, Gardening Talk. 2.55, Dressmaking Lesson. 3.40, Bible Reading and Sacred Music. 4.00, Vocal and Instrumental Concert: Greta de Knegt-ter Haar (Songs), Louis de Ruyter (Violin) and Mlle. Rie Beute (Pianoforte); I know that my Redeemer liveth, from Joshua (Handel); Sonata in D (Handel); La Poule (Rameau); Jesu, Joy of Man's desiring (Bach-Hess); Gavotte and Gigue (Bach); Hear Israel, from Elijah (Mendelssohn); Ballad and Polonaise (Vieuxtemps); Three Etudes (Chopin); Fantasia impromptu (Chopin); Song (Wagenaar); Two Pieces (Kuiler); Gloria in Excelsis Deo. 6.10, Answers to Correspondence. 7.10, Police Notes. 7.25, Religious Report. 7.40, Part Relay of the Bruckner Concert, from Leipzig. 8.20, Variety Music on Gramophone Records. 8.40, Talk. 9.10, Quintet Concert: Overture, The Crown Diamonds (Auber); Selection from Rigoletto (Verdi); Selection from Le Roi s'amuse (Delibes); Divertissement from Les Brynnies (Massenet); Selection from Cavalleria rusticana (Mascagni); Spanish Serenade (Metra); Overture, La Dame Blanche (Boieldieu). 9.40, News. 10.40, Popular Music on Gramophone Records. 11.10 (approx.), Close Down.

MORBY.—See Stockholm.

HUIZEN

(Announced **HILVERSUM**), 1,875 metres; 8.5 kW.—11.40 a.m. till Close Down, Programme of the Workers' Radio Society (V.A.R.A.). 11.40, Concert by De Notenkrakers, conducted by M. Wins. 1.40 to 2.10, Interval. 2.10, Song Recital by Mme. Tiel-Schmidtke: Addio de Napoli; La Follotta (Marchesi); Feinsliebchen, du sollst mir nicht barfuss gehen (Brahms); Mein Mädel hat einen Rosenmund (Brahms); Sonntag (Brahms); Frühlingsglaube (Schubert); Der Schmetterling (Schubert); Ich wand'le nicht (Schumann); Marienwürmchen (Schumann). 2.40, Recitations by Mme. Janny van Oogen. 3.10, Popular Music on Gramophone Records. 4.20, Programme for Children. 4.50, Concert by the V.A.R.A. Mandoline Orchestra, conducted by M. Kok. Gramophone Records in the interval. 5.20, Recitations by Mme. Rolien Numan. 5.40, Mandoline Concert (contd.). 5.55, Organ Recital by M. Jong: Serenade (Gounod); Ballet Music from Faust (Gounod); Serenade (Romberg); I'll try to make you happy (Noble); Air from The Gipsy Princess (Kálmán); The Whistler and his Dog (Pryor). 6.40, Talk: The Song, with Illustrations, by Mlle. Woud (Contralto) and Barend Renden. 7.35, S.O.S. Messages. 7.40, From the Piccolo to the Kettle-drum—Gramophone Concert. 8.40, Recitations. 9.10, Orchestral Concert, relayed from the Gehouw voor Kunsten en Wetenschappen, The Hague. Conductor: M. Ruygrok. Soloists: Mme. Wickevoort Crommelin (Songs) and M. Wigelaar (Violin). Prelude to Die Loreley (Bruch); Concerto for Violin and Orchestra (Bruch). Songs: (a) Solveig's Song (Grieg); (b) Solveig's Lullaby (Grieg); Fandango, from the Second Arlesienne Suite (Bizet). 10.20, News Bulletin. 10.30, Popular Music on Gramophone Records. 11.40 (approx.), Close Down.

INNSBRUCK.—See Vienna.

KALUNDBORG.—See Copenhagen.

KIEL.—See Hamburg.

KLagenfurt.—See Vienna.

KOSICE.—See Prague.

LANGENBERG

473 metres; 60 kW.—12 Noon, Concert, conducted by Eysoldt: Military March (Schubert); Overture, Peter Schmitt (Weber); Fantasia, aus Mozarts Reich (Urbach); Serenade, Siciliana (Schmalstieg); Serenata (Tarenghi); Petite Suite de Concert (Cotard-Taylor); Waltz, An der schönen grünen Narenta (Komzak); Selection from Die geschiedene Frau (Fall); Melody (Mills); Siamesische Wachtparade (Lineke). In the interval at 1.0 p.m., News. 1.30, Meat Market Prices. 2.30, Economic Notes and Time. 2.50, Programme for Children. 3.20, Two Talks for Young People. 4.0, Orchestral Concert, conducted by Kühn: Suite from Bonduca (Purcell-Unger); Overture, L'épreuve villageoise (Grétry); Ballet Music from The Mask (Hubay); Waltz Intermezzo from Der Freikörperklub (Vollertan); Overture, Le preziose ridicole (Lattuada). 5.20, The Unwelcome Microphone—Programme by Hermann Tölle. 5.45, Weather, Time, Economic Report, and Sports Notes. 6.0, Review of Books and Periodicals for Women. 6.20, Talk: Employees' Insurance. 6.35, Talk: The Iron Industry in the Crisis. 6.55, News. 7.0, Concert relayed from Düsseldorf. The Düsseldorf Chamber Orchestra, conducted by Dr. Alfred Frölich. Soloists: Milli Engelmann-Gilrath (Soprano), Hildgard Thielen (Violin), and Wilhelm Strienz (Bass); Prelude and Songs from Mer hahn en neue Oerkeet (Bach); Das Echo, a Suite for Six String Instruments to be played in Two Different Rooms (Haydn); Violin Solo: Rondo from the Hafner Serenade (Mozart); Bass Solo: Nun liebes Weibchen (Mozart); Selection from the Five Contredanses for Strings, Flute, and Drum (Mozart); Aria from Die schöne Schusterin (Beethoven); Two Waltzes from the Mödlinger Tänze (Beethoven); Bass Solo: Mit Mädeln sieh vertragen (Beethoven); Hungarian Dance No. 5 (Brahms-Parlow); Overture, The Barber of Seville (Rossini); Folk Songs for Strings (arr. Kassmayer); (a) Bohemian Folk Song, (b) Steirisches Wildschützen-Lied; Overture, Orphans in the Underworld (Offenbach-Binder). 9.5, News and Sports Notes. 9.30, Light Music and Dance Music, conducted by Eysoldt. 11.0 (approx.), Close Down.

LAUSANNE.—See Radio-Suisse Romande.

LEIPZIG

389.6 metres; 120 kW.; and **DRESDEN**, 319 metres.—12.15 p.m., Gramophone Concert of Marches and Waltzes. Exchange Quotations after the Concert. 1.0, Art and Film Notes. 1.30 Advice for the Unemployed. 1.45, Eyes—A Sketch (Leonhard Schrickel). 2.0, A Dialogue on Confidence between Mother and Child. 2.35, Exchange Rates. 3.0, Concert conducted by Karl Weiss. Soloist: Marianne Tunder (Violin). Overture, Euriteo (Johann Hasse); Concerto in G Minor for Violin and Orchestra (Vivaldi); Chromatic Fantasia and Fugue in D Minor for Pianoforte (Bach); Sonata in A Minor for Violin and Pianoforte (Schumann); Concerto in D No. 7 for Violin

and Orchestra (Mozart). 4.30 to 4.45, Weather and Time Signal. 4.50, Economic Notes. 5.0, Educational Talk. 5.30, Talk: A Thousand Years of German Literature—Mysticism. 5.50, Programme to be announced. 6.0, Andante—Lyrics by Alfred Pabst, Artin Ossa, Theo Goerlitz, Carola Seiler, Oskar Kollbrunner and others. 6.15, Rudolf Sias Songs sung to the Lute by Reinhold Gerhardt. Es geht ein Liedlein; Das Lied eines deutschen Wachtpostens; Wandert, ihr Wolken; Und ich geh nicht von hier; Liegt in Raubreif; Ständchen; Tanzlied; Lachede Augen; Ein Lied und eine Rose; Anne Marie; St. Florian; Der kluge Peter; Heute wo'n wir tanzen geh'n; Eine antike Forungsgeschichte. 6.45, See Vienna. 7.0, Bruckner Concert by the Leipzig Symphony Orchestra, conducted by Carl Schuricht. Overture in G Minor; Symphony in E, No. 7. After the Concert: Reading from Mark Twain. 9.15, News Bulletin. 9.30 (approx.), Gramophone Concert: Overture, Mariana (Wallace); Two Melodies for Orchestra (Mendelssohn); (a) Spring Song, (b) Spinning Song; Violin Solos: (a) La Campanella, Op. 7 (Paganini), (b) The Bride's Song from The Czar's Bride (Rimsky-Korsakov); Breakfast Scene, Trio and Finale from Der Rosenkavalier (Richard Strauss); Songs: (a) Liebesliederwalzer (Joh. Strauss), (b) Thème with Variations (Proch); Extraits from Carmen (Bizet); Pianoforte Solo: Impromptu in A (Chopin); Hungarian Rhapsody in D, No. 4 (Liszt); Choral Music from The Mastersingers (Wagner); Soprano Solos: (a) Agatha's Prayer from Der Freischütz (Weber), (b) Aria from Figaro (Mozart); Overture, The Bartered Bride (Smetana). 11.0 (approx.), Close Down.

LINZ.—See Vienna.

LJUBLJANA

574.7 metres; 2.5 kW.—5.30 p.m., Esperanto Lesson. 6.0, Serbo-Croatian Lesson. 6.40, Talk on Hygiene. 7.0, See Belgrade. 9.40, Time and News.

LWOW

381 metres; 16 kW.—6.5 p.m., Miscellaneous Items. 6.20, Variety Music on Gramophone Records. 6.30, See Warsaw. 9.0, Talk. 9.15, Dance Music, relayed from the Bagatela Variety Theatre. 9.55, See Warsaw. 10.30 (approx.), Close Down.

LYONS

LA DOUA, 465.8 metres; 1.5 kW.—7.30 p.m., Radio Gazette for Lyons and the South-East. 8.30, Concert arranged by Charles Strony, with Songs by Armand Crabé (Baritone). After the Concert, News Bulletin.

MADRID

ARANJUEZ (EAQ), 30.43 metres; 20 kW.—10.30 p.m., Variety Music. 10.45, Radio Chronicle. 11.0, Popular Concert. 11.15, Sports and Bull-fighting Notes. 11.55, Light Music. 12 Midnight (approx.), Close Down.

MADRID

UNION RADIO, Call EAJ7, 424.3 metres; 2 kW.—7.0 p.m., Chimes, Exchange Quotations and Request Gramophone Concert. 8.15, News Bulletin. 8.30 (approx.), Close Down.

MALMO.—See Stockholm.

MILAN.—See Turin.

MORAVSKA-OSTRAVA

263.8 metres; 11 kW.—5.30 p.m., German Transmission: Talk on Spinoza and a Sketch. 6.0, See Prague. 6.5, See Brno. 6.20, Talk. 6.35, See Brno. 7.0, One-Act Play (Vrchlicky). 7.30, See Brno. 9.0, See Prague. 9.15 (approx.), Close Down.

MOSCOW

TRADES UNION, 1,304 metres; 100 kW.—4.0 p.m., News. 4.10, Announcements. 4.40, Concert. 5.30, Concert of Light Music on a Relay. 8.0, Talk in English: Doctrines of Marx and Lenin. 8.55, Time. 9.0, Relay of an Opera.

MOTALA.—See Stockholm.

MUHLACKER.—See Stuttgart.

MUNICH

533 metres; 60 kW. Relayd by AUGSBURG and KAISERSLAUTERN, 560 metres; and NURNBERG, 239 metres.—4.0 p.m. (from Augsburg), Concert by the Augsburg Concert Orchestra, conducted by Gustav Heiner, relayed from St. Ann's College. Four Pieces (Kistler): (a) Prelude to Act Four of Faust, (b) Minuet from Honigmond, Blumensgen from Baldurs Tod, Festmarsch; Overture, Beatrice and Benedict (Berlioz); Feast of the Capulets from Romeo and Juliet (Berlioz); Symphonic Poem, Tasso (Liszt). 5.15, Talk: Sport, an Integral Part of the Modern World. 5.35, Talk on the Saar. 5.55, Time, Weather and Agricultural Notes. 6.5, Sports Report. 6.25, Bunte Stunde—Concert with a Sketch and Reading. 7.45, Concert by the Munich Philharmonic Orchestra, conducted by Siegmund von Hausegger, relayed from the Tonhalle. Soloists: Alma Moodie (Violin). Spanish Symphony for Violin and Orchestra (Lalo); Suite from Le bourgeois gentilhomme (R. Strauss). 8.55, Late Evening in the Sports Editorial Department—a Radio Report. 9.20, Time,

Weather, News and Sports Notes. 9.45, See Stuttgart. 11.0 (approx.). Close Down.

NAPLES.—See Rome.

NOTODDEN.—See Oslo.

OSLO

1,083 metres; 60 kW. Relayed by FREDRIKSTAD, 365.8 metres; HAMAR, 574.7 metres; NOTODDEN, 447.1 metres; PORSGRUND, 453.2 metres; and RUKAN, 447.1 metres.—4.0 p.m., Concert by the Radio Ensemble. 5.0, German Lesson. 5.30, Chamber Music: Ernst Glaser (Violin), Oscar Holst (Violin), Bjørne Bristad (Viola), and Karl Andersen (Cello). Quartet in C, No. 9 (Mozart); Berceuse (Brüstad); Scherzo (Alf Hurum). 6.0, Announcements, Weather and News. 6.30, Educational Talk, relayed from Trondheim (495.8 metres). 7.0, Time Signal. 7.1, Pianoforte Recital by Mlle. Ingebjørg Grevik. 7.30, A Play. 8.10, Political Review. 8.40, Weather and News. 9.0, Topical Talk. 9.15, Orchestral Concert, relayed from Stavanger (240.6 metres). 9.45 (approx.), Close Down.

OSTERSUND.—See Stockholm.

PALERMO

542 metres; 3 kW.—7.0 p.m., Announcements, Tourist Talk, Agricultural Notes, Report of the Royal Geographical Society, and Giornale Radio. 7.20, Light Music on Gramophone Records. In an interval at 7.30, Time Signal and Announcements. 7.45, Concert of Chamber Music: Gabriella Scala (Pianoforte), Pollicino (Tenor), Angelo Saporetto (Violin), and Lidia Attisani (Soprano). Pianoforte Solos: (a) Berceuse and Russian Song (Illiński), (b) Improviso (Rossomandi). Tenor Solos: (a) Romance, Primavera (Tronchi), (b) Bimba non l'avvicinar (Bettinelli). Violin Solo: Sonata in F (Grieg); Soprano Solos: (a) Spring (Rachmaïnov), (b) Träume (Wagner). Tenor Solos: (a) Air from Don Carlos (Verdi), (b) Romance from Act I of the Italian Girl in Algiers (Rossini); Violin Solos: (a) Prelude to Le déluge (Saint-Saëns), (b) Die Biene (Schubert); Soprano Solos: (a) Madama Renzoia (Donaudy), (b) Die Forelle (Schubert); Pianoforte Solos: (a) Ballad in G Minor (Chopin), (b) Serenade (Novak), (c) Marcia selvaggia (Florida). After the Concert, Light Music on Gramophone Records. 9.55, News Bulletin.

PARIS

EIFFEL TOWER, Call FE. 1,445.7 metres; 13 kW.—Time Signal (on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and 6-dot Signals).—5.45 p.m., Le Journal Parlé. 7.20, Weather Report. 7.30, Audran Operetta Concert, arranged by Maurice Bex and Henri Beaulieu: Selection from La Mascotte, Gilles de Marboune, and La Cigale et le Fourmi. 8.30, Recital of Celtic Songs: Les sabots d'anne de Bretagne; Ma douce Annette; Si vous voulez me marier; Le retour de marin; Quand celui qui t'adore; Celle qui J'aimé Corbier Marlon; Blanche rose d'été; An son du lître. 9.0 (approx.). Close Down.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW.—7.0 to 9.0 a.m., Probable Relay of the Test Match from Australia. 6.45 p.m., Le Journal Parlé. 7.0, Hot Jazz on Gramophone Records. 7.30, Sponsored Concert. 8.0, Talk by Dr. Ombredane. 8.5, Talk on Aviation. 8.15, Interval. 8.30, Sponsored Concerts. 10.40, News.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW.—6.45 a.m., Physical Culture. 7.30, Weather and Physical Culture (cont'd). 7.45, Light Music on Gramophone Records. 8.0, Press Review and Weather. 12 Noon, Concert by the Radio Paris Orchestra: Selection from I Puritani (Bellini); Selection from Gwendoline (Chabrier); La quête de Dieu from La Légende de St. Christophe (d'Indy). 12.30 p.m., Variety Music on Gramophone Records. 1.0, Exchange, News and Weather. 1.5, Song Recital by Robert Marino. 1.30, Exchange. 1.35, Orchestral Concert (cont'd.): Scènes Hongroises (Massenet); Divertissement on Russian Songs (Rabaud). 2.0, Exchange. 3.45, Exchange and Market Prices. 6.10, Agricultural Talk. 6.30, Elementary English Lesson. 6.50, Talk: Comedy on the Films. 7.0, Review of New Books. 7.20, Concert by the Radio Paris Orchestra: Prélude, Le passant (Paladilhe); First Ballet Suite (Masson); Tournoi (Boellmann). 7.45, Commercial Prices and News. 7.50, Gardening Talk. 8.0, Othello—Opera (Verdi). In the intervals at 8.30, News, Weather and Sports Notes; at 8.40, Review by Reboux; and at 9.15, Press Review and News.

PITTSBURGH

WESTINGHOUSE ELECTRIC (KDKA), 306 metres; 25 kW. Relayed by W8XK on 48.86 metres and 25.27 metres.—9.0 p.m., Work-day Thoughts. 9.5, Business News. 9.15, Programme to be announced. 9.30, Weather Report. 9.32, Market Report. 9.45, Pianoforte Interlude. 9.50, David Lawrence Dispatch. 9.55, KDKA Artist Bulletin. 9.57, Programme Announcements. 10.0, Programme to be announced. 10.30, The Singing Lady, from New York. 10.45, Little Orphan Annie. 11.0, Mande and Cousin Bill, from New York. 11.15, Time Signal. 11.16,

FEB. 6th

MONDAY

continued

Temperature Report. 11.17, Teaberry Sport Review. 11.22, Press News-Reeler. 11.27, Strange Facts. 11.29, Weather Report. 11.30, Westinghouse Watchmen. 11.45 to 3.15 a.m. (Tuesday), New York Relay. 11.45, Today's News, by Lowell Thomas. 12.0 Midnight, Peppodent Amos 'n' Andy. 12.15 a.m., Tastyest Jesters. 12.30, Five Star Theatre, by the Marx Brothers. 1.0, Cluquet Club Eskimos. 1.30, Time Signal and Don Carney—a Talk for Dog Lovers. 1.45, Phillips Lord in The Country Doctor. 2.0, Sinclair Minstrels. 2.30, Jack Frost Melody Moments. 3.0, Alice Joy. 3.15, Bridge School of the Air, by E. Hall Downes. 3.30, Samuel Di Primo (Tenor). 3.45, Bradley Kincaid. 4.0, Time Signal. 4.1, Teaberry Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.13, KDKA Artist Bulletin. 4.15, Press Last Minute News. 4.20, Henry Halstead and his Californians. 5.0, Hotel Bismarck Orchestra, from New York. 5.30, Time Signal and Goodnight.

PORSGRUND.—See Oslo.

PRAGUE

488.6 metres; 120 kW.—3.10 p.m., See Bratislava. 4.10, Talk: The Czech National Museum. 4.20, Technical Talk. 4.30, Programme for Children. 4.50, Gramophone Records of Light Music. 5.5, Agricultural Talk. 5.15, Talk for Workers. 5.25, News in German. 5.30, German Transmission: Natural History Talk. 6.0, News. 6.5, Elementary English Lesson. 6.20, See Moravská-Ostrava. 6.35, See Brno. 7.0, Pianoforte Recital by F. Lukasiewicz: Variations in G Minor (Beethoven); Pastorale and Capriccio (Searlati-Taussig); Three Pieces (Chopin); (a) Polonaise in F Sharp Minor, Op. 44, (b) Waltz in D Flat, Op. 64, (c) Scherzo in B Minor, Op. 35. 7.30, See Brno. In the interval at 8.0, Time Signal. 9.0, Time, News, Press Review, and Sports Notes. 9.15 (approx.), Close Down.

RADIO-SUISSE ROMANDE

SATIONS, 403 metres, 25 kW.: LAUSANNE, 650 metres; and GENEVA, 760 metres.—5.0 p.m., Programme for Children. 5.30 (from Lausanne), German Lesson. 6.0 (from Geneva), Weather, News and Report on the Work of the League of Nations. 6.30 (from Lausanne), Technical Lesson. 7.0 (from Lausanne), Pianoforte Recital. 7.20 (from Lausanne), Talk on the following Transmission. 7.35 (from Lausanne), Symphony Concert by the Radio Orchestra, conducted by Franz von Husslin. Soloist: Edmond Appia (Violin). Symphony in G Minor (Mozart); Concerto in D for Violin and Orchestra (Bach); Symphony No. 1 in C Minor (Brahms). 8.15 (in the interval), News and Weather. 9.15 (approx.), Close Down.

RIGA

525 metres; 15 kW.—6.5 p.m., Orchestral Concert of French Music. 7.0, News. 7.20, Soprano Solos by Ada Benefields. 7.40, Orchestral Concert of Popular Music. 8.0, Weather and News. 8.30, Concert: Overture, The Flying Dutchman (Wagner); Prologue to I Pagliacci (Leoncavallo); Air from Othello (Verdi); Air from Madame Butterfly (Puccini); Humoresque (Tchaikovsky); Air from La Traviata (Verdi). 9.30 (approx.), Close Down.

RUKAN.—See Oslo.

ROME

CALL IRO, 441 metres; 50 kW. Relayed by Naples, 319 metres, and 2RO, 25.4 to 80 metres.—7.0 a.m., Gymnastics. 7.15 to 7.30, Giornale Radio and Announcements. 11.50, Weather and Light Music on Gramophone Records. 12 Noon, Time and Announcements. 12.2 to 1.15 p.m., Orchestral Concert. In the interval from 12.30 to 12.45, Giornale Radio and Exchange. 3.45, Children's Radio Review. 4.10, Announcements. 4.15, Exchange and Giornale Radio. 4.30, 'Cello Recital by Enrico Mainardi, relayed from the Royal Philharmonic Academy. 6.0, Giornale Radio. 6.10 (Naples), Shipping, Sports Notes and Report of the Dopplavoro. 7.0, Time, Announcements and Light Music on Gramophone Records. 7.30, Sports Notes and Tourist Report. 7.45, Concert of Light Music. In the intervals, Talk and Announcements. 9.55, News Bulletin.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY (WGY), 379.5 metres; 50 kW. Relayed at intervals by W2XAF on 31.48 metres, and by W2XAD on 19.55 metres.—7.30 p.m., Revolving Stage, from New York. 8.0, Talk, from New York. 8.15, Antoinette Halstead (Contralto). 12 Midnight, Jane Froman, from New York. 12.15 a.m. (Tuesday), Stock Reports. 12.30 to 2.0, New York Relay. 12.30, Melody Keepsakes. 12.45, The Goldbergs. 1.0, Seawayland Sketch. 1.30, Voice of Firestone. 2.0, A and P. Gipsies. 2.30, Buick Programme and Programme Resumé.

SCHWEIZERISCHER

LANDESENDER

BEROMUNSTER, 459 metres; 60 kW.; BASLE, 244.1 metres; and BERNE, 245.9

metres.—9.20 a.m., Musical Programme for Schools. 9.50 to 11.28, Interval. 11.28, Time Signal from Neuchâtel Observatory. 11.30, Weather and News. 11.40, Variety Music on Gramophone Records. 12.35 p.m., Weather and Exchange. 12.45 to 2.30, Interval. 2.30, Concert by the Radio Orchestra. 3.0 (from Basle), Concert by the Radio Quintet. 4.0, Swiss Authors on Gramophone Records. 4.30, Weather. 4.35 to 5.30, Interval. 5.30 (from Zürich), Talk, Everyday Psychology. 6.0, Time and Weather. 6.15 (from Zürich), Elementary English Lesson. 6.45 (from Zürich), Talk on the following Transmission. 7.0 (from Zürich), Wagner Concert by the Tonhalle Orchestra, conducted by Dr. Volkmar Andreae, relayed from the Tonhalle; Soloists, Elisabeth Delius (Soprano) and Franz Völker (Tenor). 9.0 (approx.), Weather, News, and Close Down.

SOTTENS.—See Radio-Suisse Romanda.

STOCKHOLM

Call SASA, 436 metres; 55 kW. Relayed by Boden, 1,229.5 metres; Göteborg, 322 metres; Hörby, 257 metres; Motala, 1,348 metres; Östersund, 770 metres; and Sundsvall, 542 metres.—4.5 p.m. (from Östersund), Provincial Programme: Readings and Music. 4.30, Talk. 4.55, Popular Music on Gramophone Records. 5.55, Reading. 6.30, Literary Review, relayed from Malmö, 231 metres. 7.0, Concert by the Station Orchestra. Soloist: Hugo Kolberg (Violin); Overture, Così fan tutte (Mozart); Concerto in D, Op. 35, for Violin and Orchestra (Tchaikovsky); The Unfinished Symphony in B Minor (Schubert); Overture, The Bartered Bride (Smetana). 8.15, Talk. 8.45, Weather and News. 9.0 (from Göteborg), Concert. Folke Lundborg (Organ). Karl Bornfors (Violin), and Emma Werther-Carlsson (Songs); Organ Solo: Prelude in E Flat (Bach); Aria from The Messiah (Handel); Adagio from the Violin Concerto in A (Mozart); Three Songs; Violin Solos: (a) Largo (Veracini), (b) Berceuse (Juon); Organ Solo: Passacaglia in F Sharp Minor (Merikanto). 10.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW.—11.30 a.m., Operetta Music on Gramophone Records. 12.45 p.m., News Bulletin. 1.0, Time and Exchange. 1.5, Quintet Concert, relayed from Bordeaux-Lafayette. 1.50 to 5.0, Interval. 5.0, Orchestral Concert, conducted by Roskam. Soloist: M. Grégoire (Violin); Motor March (Rosey); Waltz from Eva (Lehar); (a) Chaminade; (a) Idylle Arabe, (b) La chaise aux porteurs; Overture, Die Felsenmühle (Reissiger); Violin Solo: Légende (Wienlasky); Selection from Cocorico (Gunn); A Wedding Day on Trollhaugen (Grieg); March (Blankenburg). 6.0, Literary Review. 6.15, Topical Talk. 6.30, Orchestral Concert, conducted by Maurice de Villers; Overture, Così fan tutte (Mozart); Ballet Music from Alceste (Gluck); Military Symphony (Haydn); Melodies (Mendelssohn); (a) Canzonetta, (b) Spinning Song; Overture, Manfred (Schumann). 7.30, Time and News. 7.45, Dance Music, conducted by M. Roskam. 8.25, Lottery Results. 8.30, Concert of Music by Pierre Bretnage, relayed from the Exchange Hall, Nancy. Soloists: Suzanne Nicolas (Soprano), Mlle. Grisol (Mezzo-Soprano), M. Morany (Cello), M. Tachmann (Pianoforte), and M. Stämpfling (Songs); Sonata in E Flat for Pianoforte; Songs from Les Vœux secrets: (a) Nous avons respiré sur la grande merline, (b) Tu viendras un jour, (c) Je me sens près de vous à cause d'une fleur, (d) Ton silence ma bien-aimée; Soprano Solos: (a) Air from Pontius Pilate, (b) Soir d'Été; Adagio and Finale from the Sonata in G for 'Cello and Pianoforte; Songs from Imazes de mon pays: (a) Le cimetière, (b) Les deux auberges, (c) Symphonie d'automne; Duets for Soprano and Mezzo-Soprano: (a) La source, (b) Les chèvres. 10.15 (approx.), Close Down.

STUTTGART

MUHLACKER, 360.5 metres; 60 kW.; and FREIBURG, 570 metres.—12.30 p.m., Inesolina Giannini sings on Gramophone Records. 1.0, Sponsored Music. 1.15, Sponsored Music, relayed from Karlsruhe. 1.30, Spanish Lesson. 2.0, English Lesson for Beginners. 2.30 to 4.0, Interval. 4.0, Gramophone Concert: Overture, Der Schauspielfeldirektor (Mozart); Three German Dances (Mozart); Introduction, and Tarantella (Sarasate); Sarabande (Mozart); Selection from The Tales of Hoffmann (Offenbach); Duet from Aida (Verdi); Extracts from the Italian Capriccio (Tchaikovsky); Concert Transcription of Wiener Blut, after Strauss (Szreter); Two Pieces (Rathke); (a) Zwerger-Patrouille, (b) Pan und Waldchriest; Selection from The Flower of Hawaii (Abraham); Second Waltz Potpourri (Rohrbach); March, Durch Nacht zum Licht (Laukien). 5.15, Time, Weather, and Agricultural Notes. 5.25, Talk on Economics. 5.50, See Frankfurt. 6.15, Time, News, and Variety Music on Gramophone Records. 6.45, Report on the First Day of the International Skiing Championship in Innsbruck. 7.5, See Frankfurt. 9.30, Time, News, Weather, and Programme Announcements. 9.45, Chess Lesson. 10.10, Dance Music by the Dance Band of the Phil-

harmonic Orchestra, conducted by Harry Risch; Soloist, Gerda Hansi (Soprano). 11.0 (approx.), Close Down.

SUNDSVALL.—See Stockholm.

TGLOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW.—5.0 p.m., Hawaiian Guitar Music. 5.15, Market Prices and Racing Results. 5.20, Chansonnettes. 5.30, Opera Music: Prélude and Piense from Pelléas et Melisande (Debussy). Selection from Il Trovatore (Verdi). 5.45, Instrumental Solos. 6.0, News. 6.15, Opera Music: Aria from I Pagliacci (Leoncavallo); Gavotte from Manon (Massenet); Berceuse from Louise (Charpentier); Swallows' Duet from Mignon (Thomas). 6.30, Overture, Patric (Bizet). 6.45, Accordion Music. 7.0, Tourist Report. 7.15, Racing Results, Market Prices and News. 7.25, Local News. 7.30, Chansonnettes. 7.45, Concert by a Viennese Orchestra. 8.15, Extracts from Sound Films. 8.30, Concert of Soldiers' Songs and Military Marches. 9.0, Violin Solos: Minuet (Dussek); Rondo (Weber); Serenade (Drdla). 9.15, Popular Melodies: Griserie (Bosc). 9.30, Concert of Opera Music: Selection from (a) The Damnation of Faust (Berlioz), (b) Lohengrin (Wagner), (c) L'Enfant Prodigue (Debussy); The Flower Song, from Carmen (Bizet); Like a Feather in the Wind, from Rigoletto (Verdi); Aria from Louise (Charpentier). 10.0, Talk: The Care of the Blind. 10.10, Orchestral Music. 10.15, North African News. 10.30, Concert for Listeners in Morocco: Overture, Sicilian Vespers (Verdi); Chorus from Mireille (Gounod); Selection from La Fille de Madame Angot (Lecoq); Song from a Sound Film (Holländer). 11.0, Request Concert. 11.30, Programme in English by the I.B.C. Concert of Classical Music: Classical Memories; Contralto Solos: (a) Ave Maria (Bach), (b) Ombrina mal fu (Handel); Selection from Rigoletto (Verdi); Tenor Solos: (a) How vain is Man (Handel), (b) Where'er you walk (Handel); Selection from Rigoletto (Verdi). 12 Midnight, News and Announcements. 12.5 a.m. (Tuesday), Vocal Tangos. 12.15, Dance Music. 12.30 (approx.), Close Down.

TRIESTE

247.7 metres; 10 kW.—6.30 p.m., Orchestral Concert from the Caffè Dante. 7.0 till Close Down, See Turin.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relayed by Milan, 331.5 metres; Genoa, 312.8 metres, and Florence, 500.8 metres.—6.0 p.m., Giornale Radio. 6.10, Popular Music on Gramophone Records. 6.25, Tourist Talk. 6.30, Time, Announcements and Popular Music on Gramophone Records. 7.0, Giornale Radio and Weather. 7.30, Chamber Music Concert. 8.20, A One-Act Comedy. 9.0, Orchestral Concert, conducted by Igo Tansini; Promethéus (Beethoven); Petite Suite (Debussy); Valse triste (Sibelius); Minuet, Musette and Gavotte (Handel-Martucci); Tarantella (Godard). 10.0, Giornale Radio.

VATICAN CITY

19.84 metres (Morning), and 50.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Information in Italian. 7.0 to 7.15 p.m., Religious Information in Italian.

VIENNA

517 metres; 15 kW. Relayed by Graz, 352.1 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 245.9 metres, and Salzburg, 218.5 metres.—4.0 p.m., Concert by the Franz Eber Orchestra: Sportmarsch (Sless); Overture to a Comedy (Glieck); Waltz, Balletttratten (Kra); Selection from The Mask (Hubay); Ja, wer ist schuld, wenn man dummecht macht? (Götz); Humoresque, Frohschlochzeit (Beil); Potpourri of Sound Film Melodies (Rochert); Tango, Ist dein kleines Herzchen mir treu? (Eisele); Gallop, Raus (Eber). 5.10, Dramatic Criticism. 5.30, Talk: Books of Reference in Connection with the Week's Talks. 5.55, Talk: The Baroque Period in Music and Plastic Art. 6.0, Talk in connection with the Visit of Prominent Members of the Vienna State Opera House to Cairo, relayed from Cairo. 6.20, English Lesson. 6.35, Time, Weather and Programme Announcements. 6.45, Report on the International Skiing Championships at Innsbruck. 7.5, See Frankfurt. 8.20, See Berlin (Witzleben). 9.15, News, Weather and Announcements. 9.30, See Langenberg. 11.0 (approx.), Close Down.

WARSAW

1.411 metres; 120 kW.—4.0 p.m., Chamber Music Concert by B. Kon (Pianoforte) and T. Ochlewski (Violin); Sonata in D, Op. 6 (Brzezinski); Sonata in F Sharp Minor, Op. 18 (Wertheim). News in the interval. 5.0, Light Music from the Café Italia. News in the interval. 5.50, Miscellaneous Items. 6.20, Agricultural Correspondence. 6.30, On the Horizon. 6.45, Radio Journal. 7.0, Carnival of Love—Operetta in Three Acts (Walter Bromme). In the intervals, Sports Notes and Radio Journal. 9.0, Answers to Technical Correspondence. 9.15, Dance Music from Lwów (381 metres). 9.55, Aviation Weather Report and Police Notes. 10.0, Dance Music from the Adria. 11.0 (approx.), Close Down.

ZURICH.—See Schweizerischer Landeseender.

BARCELONA

RADIO-BARCELONA, Call EAJ1, 248.8 metres; 8 kW.—8.0 p.m., Trio Concert. 7.0, Request Gramophone Records. 7.30, Talk on the History of Art, and Exchange Quotations. 8.0, Popular Music on Gramophone Records and News. 9.0, Chimes from the Cathedral, Weather, Messages to Seamen, Exchange Quotations, and Market Prices. 9.10, Part Relay of an Opera from the Gran Teatro del Liceo. 11.0 (in an interval), News Bulletin. 12 Midnight (approx.), Close Down.

BARI

269.8 metres; 20 kW.—7.0 p.m., Agricultural Notes, Tourist Report and Announcements. 7.20, Giornale Radio and Weather. 7.30, Time, Announcements and Popular Music on Gramophone Records. 7.45, Relay of an Opera from the Teatro Petruzzelli. In the interval, Literary Review, Talk and Announcements. After the Opera, News.

BASLE.—See *Schweizerischer Landessender*.

BELGRADE

430.4 metres; 2.5 kW.—6.0 p.m., Song Recital: Arias from (a) Julius Caesar, (b) Judas Maccabaeus, and (c) Il Pastor Fido (Handel); Three Yugoslav Songs. 6.30, Light Music on Gramophone Records. 7.0, Concert by the Zagreb String Quartet and Frau Staua Ribnika (Pianoforte); Quartet in A, Op. 33 (Boccherini); Quartet (Slavensky); Pianoforte Quintet (Schumann). 8.15 (approx.), Concert from Zagreb (307 metres). 9.0, News, followed by Cigány Music from the Potrosacka Zadruha Restaurant.

BERLIN

KONIGS WUSTERHAUSEN, 1,635 metres; 60 kW.—11.55 a.m., Nauen Time Signal. 12.35 p.m., News Bulletin. 1.0, Gramophone Concert of Classical Music, relayed from Berlin (Witzleben). 2.0, Talk for Young People. 2.30, Weather and Exchange. 2.45, Tales from Swabia. 3.0, Talk for Women. 3.30, See Leipzig. 4.10, Topical Talk. 4.30, Old Chamber Sonatas: Sonata in D Minor (Be Fesch); Sonata in G Minor (Henry Eccles). 5.0, Talk: Political Science as a Counsellor in the Crisis. 5.30, How to play Bach, by Willi Apel. (Chromatic Fantasia, Italian Concerto, Suites and Partitas. 5.55, Weather and Announcements. 6.0, Talk: Greek Drama and the People of To-day (I)—Aeschylus. 6.30, A Poem. 6.35, Political Press Review. 7.0, Dance Music from Heilsberg. 8.0 (approx.), Flowers, Animals and Children—A Radio. Sequence from Ernst Kreidolf's Picture Books (Ursula Scherz and William Wauer. 8.45, Studies of Musicians, by Dr. Nikolaus Feinberg. 9.30, Weather, News and Sports Notes. 9.45, Weather Report for Shipping, followed by Concert from Hamburg. 11.0 (approx.), Close Down.

BERLIN

WITZLEBEN, 419.5 metres; 1.5 kW.—6.0 p.m., Topical Talk. 6.10, Concert of Light Music by the Eddy Wallis Band, relayed from the Eden Pavilion. 7.30, Literature becomes Reality—A Speech by Rudolf Alexander Schirder. 8.0, Beethoven Concert by the Berlin Wireless Orchestra, conducted by Eugen Jochem. Soloist: Edwin Fischer (Pianoforte). Pianoforte Concerto in C Minor, Op. 37; Symphony in D, Op. 36. 9.10, Weather, News and Sports Notes. 9.30, See Hamburg. 11.0 (approx.), Close Down.

BERNE.—See *Schweizerischer Landessender*.

BEROMUNSTER.—See *Schweizerischer Landessender*.

BODEN.—See *Stockholm*.

BODO.—See *Oslo*.

BORDEAUX-LAFAYETTE

394 metres; 13 kW.—7.40, p.m., Colonial Notes. 7.45, Light Music on Gramophone Records. 7.55, Lottery Results. 8.0, Talk. 8.15, News Bulletin. 8.30, Carmen—Opera (Bizet), relayed from Marseilles (315 metres). After the Relay, Entertainments Guide and Time Signal.

BRATISLAVA

279 metres; 14 kW.—5.15 p.m., Concerto in G Minor for Viola and Pianoforte (Porsyth). 5.45, Slovak Spelling Lesson. 6.0, See Prague. 6.20, Song Recital by A. Rehnitzova: The Nursery—Seven Pictures of Child Life (Mussorgsky). 6.50, Introductory Talk to the following Transmission. 7.0, Symphony Concert, conducted by Karel Nedbal, relayed from the Slovak National Theatre. 9.0, See Prague. 10.0 (approx.), Close Down.

BREMEN.—See *Hamburg*.

BRESLAU

325 metres; 60 kW.; and GLEIWITZ, 253 metres.—12.5 p.m., Weather for Farmers. 12.7, Popular Music on Gramophone Records. 12.45, Time, Weather, News, and Exchange Quotations. 1.5, Gramophone Concert: Lehár Potpourri; Es liegt ein Traum auf der Heide (Fieltz); Caprice viennois (Kreisler); Klänge aus der Heimat (Gungl); Potpourri, Von Wien durch die Welt (Mar-

TUESDAY

FEBRUARY THE SEVENTH

PRINCIPAL EVENTS OF THE DAY:

AT HOME

NATIONAL Military Band concert. Professor Cyril Burt: "Social Psychology." "Hassan," Part 1, a play by James Elroy Flecker.

LONDON REGIONAL Concert from the Houldsworth Hall, Manchester. Instrumental programme. Choral concert. Pianoforte and violoncello recital. "Nine-thirty Novelties," feature programme.

MIDLAND REGIONAL "Saturday Night," a play by Philip Johnson, from the Repertory Theatre, Birmingham. Orchestral concert. "Melody," a gramophone recital. "Nine-thirty Novelties," feature programme.

NORTH REGIONAL Concert from the Houldsworth Hall, Manchester. Violin recital. Organ music. Liverpool Philharmonic Society's concert.

WEST REGIONAL A Gloucestershire programme, orchestral and vocal.

SCOTTISH REGIONAL Music by Bizet, orchestral concert. Lessons in Scottish Country Dancing, with musical illustrations, by Mr. J. M. Duthie. A choral recital.

BELFAST Light music. Dance music. Light orchestral concert.

ABROAD

BRUSSELS (No. 1) Borodin concert, by the Symphony Orchestra, conducted by M. Meulemans.

HAMBURG PALERMO The Norag Orchestra, conducted by Horst Platen. Opera: "Rigoletto" (Verdi), on gramophone records.

STUTTGART The Philharmonic Orchestra, conducted by Emil Kahn.

ischka-Karczag); Waltz, Frühlingsstimmen (Joh. Strauss-Bass); Waltz, Aus dem Hochwald (Kaulich); Vöslauer Pupperin (Dietrich). 1.45, Sponsored Programme, with Gramophone Records. 2.10, Agricultural Prices. 2.40, Programme for Children. 3.10, Cello and Song Recital by Pepo Eiseit and Maria Schmidt (Contralto); Melody (Gluck); Rondo (Boccherini); Songs (Schubert): (a) Ganymed, (b) Suteika, (c) Mignonlieder Nos. 1 and 2; Minuet (Beethoven); Songs (H. Wolf): (a) Liebewohl, (b) Weylas Gesang, (c) Verborgenheit, (d) Der Gärtner; Songs (Eisels): (a) Wiegeliend, (b) Nocturne; Scherzo (van Goëns); Le Cygne (Saint-Saëns). 4.8, Review of English Novels. 4.20, Agricultural Prices. 4.25, August Friedrich Krause, a Forgotten Silesian Author—Talk and Recitations from his Works. 5.0, Programme to be Announced. 5.40, Wireless Notes. 5.50, Talk: Metabolic Diseases. 6.50, Soloist Concert on Gramophone Records: Passepied in E Minor from English Suite (Bach); Fantasia in C Minor (Bach); Rondino on a Theme by Beethoven (Kreisler); Allegro in A (Boccherini); Andante and Finale from the Flute Concerto in C (Mozart); Romance in A (Schumann); Song without Words (Mendelssohn); Rhapsody in B Minor (Brahms). In the interval at 6.35 (approx.), Weather for Farmers. 7.0, A German Requiem, Op. 45, for Soloists, Choir, and Orchestra (Brahms), relayed from the Concert House. 8.40, Political Press Review. 9.0, Time, Weather, News, Sports Notes, and Programme Announcements. 9.25, Theatre Talk. 9.35, Talk on the Fire Brigade. 10.5, Concert from Hamburg. 11.0 (approx.), Close Down.

BRNO

342 metres; 35 kW.—4.20 p.m., See Prague. 4.50, Esperanto Lesson. 5.0, Music Review. 5.15, Talk for Workers. 5.25, German Transmission; News, Talk and Agricultural Report. 6.0, See Prague. 6.20, A Sketch (Svobodová). 6.45, See Moravská-Ostrava. 7.40, See Prague. 8.10, Concert by the Station Orchestra, conducted by Jan Janota. Soloist: Josef Bok (Flute). Overture (Sehor); Flute Concerto (Blodek); Serenade in D (Hrimaly); Ballet Music from Cinderella (Rozkosny). 9.0, See Prague. 10.0 (approx.), Close Down.

BRUSSELS (No. 1)

1.N.R., 509 metres; 15 kW.—12 Noon, Extracts from Der Rosenkavalier—Opera (Richard Strauss) on Gramophone Records. 12.15 p.m., Debussy Concert, on Gramophone Records: Fêtes from the Nocturnes; Valse romantique; Reflets dans l'eau; Three Preludes: (a) La Cathédrale engloutie, (b) Minstrels, (c) Ondine; Rhapsody for Orchestra and Saxophone. 1.0, Le Journal Parlé. 1.10, Concert by the Small Station Orchestra,

conducted by Paul Lecmans; Petite suite enfantine (Akron); Cello Solo: Berenice (Renard); Suite for Strings and Pianoforte (Olsen); Violin Solo: Rondo (Saint-Saëns); Selection from La Gioconda (Ponchielli). 5.0, Concert by the Station Orchestra, conducted by Franz André: Selection from A Waltz Dream (Oscar Straus); Waltz, Tales from the Vienna Woods (Johann Straus); Perpetuum Mobile (Johann Straus). 6.30, Programme for Children. 6.5, Literary Talk. 6.15, Light Music on Gramophone Records. 6.30, Concert of Sacred Music. 7.15, Catholic Review. 7.30, Talk for Women. 8.0, Borodin Concert by the Symphony Orchestra, conducted by M. Meulemans; Soloist: Alex Siline (Songs); In the Monastery; Nocturne; In the Steppes of Central Asia; Overture, Prince Igor; Two Songs from Prince Igor; Polovtsian Dances. 8.45, Religious Address. 9.0, Symphony Concert, conducted by M. Meulemans; Soloist: Jet Dussart (Clarinet); Overture, Oberon (Weber); Clarinet Solo; Concertino (Weber); Lotzler Gedake (Weber); Oriental Fantasia (d'Ollone); Clarinet Concerto (Mozart); Suite from Les Indes galantes (Rameau). 10.0, Le Journal Parlé. 10.10, Request Gramophone Concert: Overture, Rosamund (Schubert); In the Mystic Land of Egypt (Kettelby); The Moonlight Sonata (Beethoven). 10.30, Classical Music on Gramophone Records. 10.55, Punctilious Hymn. 11.0 (approx.), Close Down.

BRUSSELS (No. 2)

1.N.R., 338.2 metres; 15 kW.—Programme in Flemish. 12 Noon, Concert by the Small Station Orchestra conducted by P. Lecmans: Cortège (Ippolitov-Ivanov); Strauss Potpourri (Winter); Träume (Wagner); Violin Solo: Guitar (Moszkowsky-Sarasate); Selection from Robert the Pirate (Romberg); Waltz, C'est bon de pouvoir se griser (Sylviano); Foxtro, Flapperette (Greer); Tango (Moretti); Selection from The Carnival Fairy (Kalmán). 1.0 p.m., Le Journal Parlé. 1.10, Popular Music on Gramophone Records. 5.0, Concert by the Symphony Orchestra, conducted by Meulemans: Overture, Coriolanus (Beethoven); Danse dorienne (Guittard); Little Polonaise (Dejoncker); Humoresque (Demalet); Lagunen-Walzer (Strauss); Petite Suite de Concert (Coleridge-Taylor). 5.45, Programme for Children. 6.30, Concert by the Small Station Orchestra, conducted by P. Lecmans: French Comedy Overture (Kéier-Béla); Petite Suite (Chaminade); Hornpipe (Norman O'Neill); Album de jeunesse for Pianoforte (Meulemans); Aubade à Kiki (De Boeck); Slav Potpourri, Solojanka (Wilke). 7.15, Talk. 7.30, Le Journal Parlé. 8.0, Variety Programme; Dramatic Items, Orchestral Music, and Talk by M. Bert Witte. 10.0, Le Journal Parlé. 10.10, Popular Music on Gramophone Records. 11.0 (approx.), Close Down.

BUCHAREST

394 metres; 12 kW.—4.0 p.m., Concert of Light Music and Romanian Music by the Motosi Orchestra. 5.0, News and Time Signal. 5.10, Talk. 5.25, Concert by the Motosi Orchestra. 6.0, Talk on Romania; Her Prairies. 6.40, Popular Music on Gramophone Records. 7.0, Time Signal. 7.2, The Creation—Oratorio (Haydn), relayed from the Athenaeum by the Carmen Choir and the Station Orchestra. Soloists: Mme. Rosi Baumann-Radulesco, G. Folesco (Bass), and A. Alexandresco (Tenor). 9.15, News.

BUDAPEST

550 metres; 18.5 kW. Programme also relayed on 840 metres from 6.25 to 11.0 p.m.—3.0 p.m., Gramophone Concert: Selection from Figaro (Mozart); Ständchen (Schubert); Selection from The Tales of Hoffmann (Offenbach); Elégie (Massenet); Selection from Ernani (Verdi); Il bacio (Arditi); Selection from Tosca (Puccini); Selection from Cavalleria rusticana (Mascagni); Hungarian Song from Lilac Time (Schubert-Béty); Waltz, Tales from the Vienna Woods (Joh. Straus); Isn't it romantic? (Rodgers); Verita de Nardo (Pardavé); Lullaby of the Leaves (Petkere-Young). 4.0, Talk on the British Empire. 4.30, Dance Music from the Hotel Dunapalota, with Ernst Horvath in his Repertoire. 5.0, Reading. 5.20, Choral Concert. 6.0, Programme by Ernst Mihályfi. 6.30, Dohnanyi Concert, from the Royal Hungarian Opera House: The Tenor—Comic Opera in Three Acts: The Veil of Pierre—Pantomime in Three Scenes. In the intervals, News. After the Programme, Cigány Concert from the Hotel Dunapalota. 11.0 (approx.), Close Down.

CASSEL.—See *Frankfurt*.

COPENHAGEN

281 metres; 0.75 kW.; and KALUNDBERG, 1,153 metres; 7.5 kW.—11.0 a.m., Time and Chimes from the Town Hall. 11.5, Spring Ensemble Concert, conducted by Harald Andersen, relayed from the Bellevue Stadhôtel. 1.0 to 2.0 p.m., Interval. 2.0, Concert by Mogens Hansens Instrumental Ensemble: Soloist: Erik Westh (Songs); Moment musical (Schubert); Overture, Rosamund (Schubert); Selection from Sonnenmühle (Johs. Andersen); Vaar (Thor Ibsen); Invoi (Thor Ibsen); Selection from Madame Butterfly (Puccini); Seven Songs; Overture, Queen for a Day (Adam); Waltz, Doctores (Waldteufel); Selection from The Merry Widow (Lehar); In the Shadows (Fieck); Melody from Countess Maritza (Kálmán). 4.0, Programme for Children. 4.40, Exchange and Fish Market Prices. 4.50, Talk on Soviet Russia. 5.20, German Lesson. 5.50, Weather Report. 6.0, News. 6.15, Time Signal. 6.30, Talk: The Danish National Character. 7.0, Chimes from the Town Hall. 7.5, Heimat—Drama in Four Acts (Sudermann). 9.0, News. 9.15, Concert of Scandinavian Music: The Station Orchestra, conducted by Emil Reesen; Suite ancienne (Halvorsen); Selection from Curie (Horneman); Swedish Rhapsody, Midnattsmarvaka (Alfvén). 10.0, Dance Music from the Ritz Restaurant. In the interval at 11.0, Time and Chimes from the Town Hall. 11.30 (approx.), Close Down.

CORK.—See *Dublin*.

DANZIG.—See *Heilsberg*.

DRESDEN.—See *Leipzig*.

DUBLIN

Call 2RN, 413 metres; 1.2 kW.; and CORK, 224.4 metres.—1.30 to 2.0 p.m., Time Signal, Weather Report, Stock Report, and Light Music on Gramophone Records. 6.0, Popular Music on Gramophone Records. 6.15, Programme for Children. 7.0, Light Music on Gramophone Records. 7.15, News and British Market Report. 7.30, Time Signal. 7.31, Gaelic Talk. 7.45, Talk. 8.0, Symphony Concert, relayed from the Mansion House; Conductor: Dr. V. O'Brien. 10.30, Time Signal, News, Weather Report, and Close Down.

FECAMP

223 metres; 10 kW.—6.0 to 7.0 p.m., Programme in English by the I.B.C. 6.0, Concert. Part I, Orchestral Music: March from Tannhäuser (Wagner); Air gai (Guck-Mottl); Selection from Suzanna's Secret (Wolf-Ferrari); Deep River (Schubert-Barlow); Furiat from The Bartered Bride (Smetana); Rustle of Spring (Sinding); Finale from the First Symphony (Beethoven). Part II: Songs of the Sea: Over the Waves (Rosas); Songs: (a) At Santa Barbara (Kennedy Russell), (b) The Drunken Sailor (Ferry); Selection from Merrie England (German); Songs: (a) Four Jolly Sailors (German), (b) Shenandoah (Terry); Gold and Silver (Lehar). 10.0 till Close Down, Programme in English by the I.B.C. 10.0, Dance Music: Lights of Paris; It always starts to rain; It happened in Monterey; Just a little closer; Linda; I don't mind walking in the Rain; Little Painted Doll; Got the Bench, got the Park; The Waltz you saved for me; Smile, darn ye, smile; Carry on; My Cradle is the Desert; With my Guitar and you; Lazy Day; Jolly Good Company; Swingin' in a Hammock. 11.0, Orchestral

FEB. 7th TUESDAY continued

and Vocal Concert of Welsh Music: Welsh Medley (arr. Somers); Songs: (a) Y Bugail, (b) Aleluia; Chorus, March of the Men of Harlech; Songs: (a) Y Gwaw ar y Fedwen, (b) My little Welsh Home; Britelodia (Humphries). 11.30, Orchestral Concert: Musical Gems (Shalman); Barcarolle from The Tales of Hoffmann (Offenbach); Black Eyes (Ferraris); The Wayward Shrine (Sherwood); Dream of Love after the Ball (Czibulka); Around the Volga (Borchert). 12.0 Midnight, Songs: Wishing and waiting for love; Just Plain Folk (Gilbert); Am I Blue? (Akst); The Heart of the Sunset (Nicholls); Sleep, Baby, Sleep (Tucker); I'll never ask for more (Ahler); Take your to-morrow (Razof); Hello, Sunshine (Murray). 12.30 a.m. (Wednesday): Concertina Solos: Lopeziana (Alter); Irish Medley (arr. Dale); Marilyn (Alter); Scottish Reels (arr. Dale); Hornpipe Medley (arr. Dale); Bonnie Lass o' bon Accord (Skinner); Orange and Blue (arr. Dale); The Road to the Isles. 1.0, American Songs: Can't we talk it over? Hallelujah, I'm a bum; Dinah; I don't work for a Living; Fortunes galore; Minnie the Mocher; The Railroad Boomer; Rhapsody in Love. 1.30, Light Music: Pianoforte solo: Selection from The Big Pond (Pain); Songs: (a) Absent-minded (Summers); (b) Memories of you (Blake); Pianoforte Solo: One Night alone with you (Jeffreys); Songs: (a) Girl of a Million Dreams (Gay); (b) The Kid next door (Leslie); (c) My Hindu Love (Alter); Pianoforte Solo: The Squirrel Dance (Elliott Smith). 2.0, Dance Music: Looking on the Bright Side; Marta; Please don't mention it; Shadows on the Window; Just hummin' along; What makes you so adorable?; The King was in the Counting House; Don't tell a Soul; Hummin' to myself; We will always be Sweethearts; Night shall be filled with Music; What would you do?; Moonlight on the River; Let's all dance the Polka; Song of the Lamp; How are you? 2.57, I.B.C. Goodnight Melody. 3.0 (approx.), Close Down.

FLENSBURG.—See Hamburg.

FLORENCE.—See Turin.

FRANKFURT 259 metres, 17 kW.; and CASSEL, 245.9 metres.—4.0 p.m., See Langenberg. 5.15, Economic Notes. 5.25, Talk: Count Schlieffen. 5.50, Talk: Fritz Boehle, a German Painter. 6.15, Time, Programme Announcements, Weather, and Economic Notes. 6.30, Recitation. 6.45, Report on the Second Day of the International Skiing Championships in Innsbruck. 7.0 to 9.20, See Stuttgart. 9.20, Time, News, Weather, and Sports Notes. 9.35, Report on the Six Days' Racing, relayed from the Festhalle. 9.45, See Stuttgart. 11.0 (approx.), Close Down.

FREDRIKSSTAD.—See Oslo.

FREIBURG.—See Stuttgart.

GENEVA.—See Radio-Suisse Romande.

GENOA.—See Turin.

GLEIWITZ.—See Breslau.

GOTEBORG.—See Stockholm.

GRAZ.—See Vienna.

HAMAR.—See Oslo.

HAMBURG Call ha (in Morse), 372 metres; 1.5 kW. Relayed by Bremen, 269.8 metres; Flensburg, 227.4 metres; Hanover, 566 metres; and Kiel, 232.2 metres.—6.0 p.m., Agricultural Programme—Radio Report from Oldenburg. 6.25, Weather Report. 6.30, Lutz Weltmann reads from his own works. 7.0, Hans Saeh's Carnival Play—a Humorous Sketch (Albert Petersen). 8.0, News Bulletin. 8.10, Concert of Music by Bach and his Sons. The Philharmonic Orchestra, conducted by José Eibenschütz, with Dr. Ernst Lutzko (Harpisichord). Concerto in D Minor for Harpischord and Orchestra (Bach); Three Pieces for Harpischord (Ph. E. Bach); (a) Prussian Sonata in B flat, (b) Rondo in A, (c) Aria with Variations, Ich schliefe, da traümete mir; Symphony in B flat (J. Ch. Bach, arr. Fritz Stein). 9.10, News Bulletin. 9.20, Topical Talk. 9.30, Concert by the Norwegian Orchestra, conducted by Horst Platen. Dances and Melodies from Don Gil (Braunfels); Pieces from the Biedermeyer Suite (Hübner); Intermezzo from Tiefland (d'Albert); Selection from Logehring (Wagner); Waltz from Le Pavillon d'Armide (Tcherepnin); Pyric Vision (Mascanigi); Piedmontese Dance No. 1 (Sinigaglia); Ballet Music from La Gioconda (Ponchielli). 10.20 (in an interval), Ice Report.

HANOVER.—See Hamburg.

HEILSBURG 276.5 metres, 60 kW.; and DANZIG, 453.2 metres.—12.5 p.m., Concert of German Music on Gramophone Records. In the interval at 12.20, News. 1.30, Sponsored Programme, with Gramophone Records. 2.0, Exchange Rates. 2.30, Musical Improvisation for Children. 3.0, Concert by the Little Orag Orchestra, conducted by Eugen Wilcken; Overture, Der Generalkonsul (Reinhardt); Wien, Traum meiner Seele (Geiger); Du mein Schönbirnen, from Die Kaiserin (Fall); Dream Waltz from Der Feldprediger (Müllbacher); Selection from The Gipsy Baron (Joh. Strauss); Overture, Franz Schubert (Suppe); Two Pieces from Countess Maritza (Kálmán): (a) Komm Cigány, (b) Gruss mir

mein Wien; Selection from Tango um Mitternacht (Komzak); Humorous Review in the interval. 4.30, Review of Books. 4.50, Talk by Dr. Riebes Buch. 5.15, Market Prices. 5.20, Ice Report. 5.30, Talk: In a Hairdresser's Saloon. 6.00, Shorthand Dictation. 6.30, Dance Music by the Little Orag Orchestra, conducted by Eugen Wilcken, and the Eddur Runde Dance Band. 7.0 (in an interval), Weather and News. 7.45 (from Agram), Part Relay of an International Concert from Zagreb. 8.15, Literary Programme: Problems of the Day in Contemporary Literature.—III.: The Old and the Young Generation. 9.15, Weather, News, and Sports Notes.

HILVERSUM Announced HUIZEN, 296.1 metres; 20 kW. (7 kW up to 4.40 p.m.).—Programme of the Catholic Radio Society (K.R.O.). 11.10 a.m., Religious Address. 11.40, Police Notes. 11.55, Sextet Concert: Kaiser Friedrich Marsch (Friedemann); Pizzicato (Stabel); Waltz from Fra Luna (Lincke); Le soir (Thomas); Rendez vous bei Lehar (Hrabys); Siamesische Watchparade (Lincke). 12.40 p.m., Variety Music on Gramophone Records. 12.55, Concert (cont'd.). Selection from Der Bettelstudent (Müllbacher); Call me Darling (Reisfeld); Back to the Waltz (Friedenthal); That tender Melody (Lindern); Freiheitshubel (Blankenburg). 1.25 to 1.40, Interval. 1.40, Talk. 2.15, Programme for Women. 3.10, Dressmaking Lesson. 3.40, Lesson for Milliners. 4.10, Chopin Pianoforte Recital: Ballad in F Sharp Minor, Op. 32; Waltz in A flat, Op. 69, No. 1; Scherzo in C Sharp, Op. 39. 4.30, Light Music on Gramophone Records. 4.50, Concert (cont'd.): Moment musical in A flat, Op. 94 (Schubert); Imprimtu in E flat, Op. 90 (Schubert); Danses de Delphes (Debussy); Le vent dans la plaine (Debussy); Minstrels (Debussy). 5.10, Gramophone Records of Variety Music. 6.10, Esperanto Lesson. 6.30, Gramophone Records (cont'd.). 6.50, Talk. 7.10, Police Notes. 7.25, Talk. 7.40, Orchestral Concert, conducted by J. Gerritsen. Soloists: Mlle. Gruys (Songs). Frisch voran (Blankenburg); Selection from Jung Heidelberg (Müllbacher); In the Ten House of a Hundred Steps (Yoshitomo); Donausagen (Fueck). 8.10, Agricultural Talk. 8.40, News Bulletin. 8.50, Concert (cont'd.): Songs. Recitative and Aria from Siroe (Handel); Air from Partenope (Händel); Kol Nidrei (Aubert); Air from the First Ballet Suite (Rameau); Songs: (a) Klärens Lied (Schubert); (b) Auf dem Wasser zu singen (Schubert); (c) Dein blaues Auge (Brahms); (d) Sonntag (Brahms); (e) Wetter (Krenek); (f) Unser Wein (Krenek); Overture, Djamileh (Bizet); Scènes napolitaines (Massenet); Dance (Sinigaglia). 10.10, Concert by the K.R.O. Boys. 10.55, Variety Music on Gramophone Records. 11.10, Concert (cont'd.).

HORBY.—See Stockholm.

HUIZEN Announced HILVERSUM, 1,875 metres; 5.5 kW.—Programme of the Alkemeene Vereniging Radio Groep (A.V.R.O.) Transmits at intervals from 11.40 a.m. Time Signal. 11.41, Concert by the Station Chamber Orchestra, conducted by Nico Gerharz; Motor March (Rosey); Overture, Pax et Labor (Parès); Andante cantabile (Tchaikovsky); Selection from Don Giovanni (Mozart); Accordion Solo; Prelude to Nakirishochzeit (Lincke); Amour brisé (Gillet); Tout feu toute flamme (Berger); Waltz, Ever or Never (Waldteufel); Donna Vatra (Köpping); Spanish March (Grit); Potpourri (Urbach); Accordion Solos; Selection from The Merry Peasant (Fall); Selection from Frederika (Lehar); March, Stets Zielbewusst (Blankenburg). 1.55 p.m. to 2.10, Interval. 2.10, Variety Music on Gramophone Records. 2.40, Talk. 3.40, Pianoforte Recital by M. Szomptka. 4.10, Concert by a Children's Choir, conducted by Jacob Hamel. 4.40, Stories for Children. 5.10, Talk. 5.40, Popular Music on Gramophone Records. 6.40, Concert by the Station Orchestra, conducted by Nico Treep; Overture, Raymond (Thomas); Selection from Der Teufelsreiter (Kálmán); Marching Song from Das moderne Mädchen (Jessel). 7.10, English Lesson. 7.40, Time Signal. 7.41, News Bulletin. 7.45, Concert by the Station Orchestra, conducted by Nico Treep; Soloists, Billy Mayerl (Pianoforte) and Gretie Weinschent-Hogenbirk (Soprano); Overture, Berliner Luft (Lincke); Waltz, Sehen Sie so tanzt man in Wien (Zeller); Madrid (Speyer); Pianoforte Solos of Jazz Music: Parade March (Roland); Soprano Solos: Arias from: (a) Der Waffen-schmid (Lortzing); (b) Das Nachtlager in Granada (Kreutzer); Invitation to the Waltz (Weber); Pianoforte Solos of Jazz Music. 9.10, Concert of Light Music by Hans Bund and his Orchestra; Soloists, Irene Ambrus and Luigi Bernauer. 10.40, News Bulletin. 10.45, Popular Music on Gramophone Records. 11.40 (approx.), Close Down.

INNSBRUCK.—See Vienna.

KALUNDBORG.—See Copenhagen.

KIEL.—See Hamburg.

KLAGENFURT.—See Vienna.

KOSICE.—See Prague.

LAHTI 1,796 metres; 40 kW.; and HELSINKI, 368.1 metres.—6.30 p.m., Orchestral Concert, conducted by Toivo Haapaa; Soloists: Naum Tevin (Violin); Eine kleine Nachtmusk (Mozart); Réverie du soir (Saint-Saëns); Danse des Enfants (Honegger); Poème (Chausson); Napoli from the Italian Suite (Charpentier); Intermezzo sinfonico (Mascanigi); Overture, William Tell (Rossini). 7.45, News in Finnish. 8.0, News in Swedish.

LANGENBERG 473 metres; 60 kW.—12 Noon, Concert, conducted by Eysoldt. Waltz, Sphärenklänge (Strauss); Selection from Cavalleria rusticana (Mascanigi); Spring Serenade (Lacombe); Symphonic Poem, Turkish Carnival (Lajm); Overture, Die Frau Meisterin (Suppe); Russian Rhapsody from Prince Igor (Borodin); Pizzicati-Scherzettino from Sylvia (Delibes); Pierrots Geständnis (Jessel); Potpourri of Russian Folk Songs and Dances, Wolgalklänge (Lindemann). In the interval at 1.0 p.m., News. 1.30, Sponsored Programme with Gramophone Records. 2.30, Economic Notes and Time. 2.50, Programme for Children. 3.20, Hints on the Broadcasts for Schools. 3.30, Geographical Talk. 4.0, Concert by the Dresden String Quartet: String Quartet, Op. 95 in F Minor (Beethoven); String Quartet, Op. 161 in G (Schubert). 5.15, Italian Lesson. 5.45, Weather, Time, Economic Notes and Sports Results. 6.0, Agricultural Talk. 6.20, Review of New German Books. 6.35, Talk: World Economics. 6.55, News. 7.0, From the Days of our Youth. 8.0, Concert by the Station Orchestra, conducted by Buschkötter. Soloists: Willi Stech (Pianoforte) and Alina Moosle (Violin). Pianoforte Concerto in B flat Minor (Tchaikovsky); Violin Concerto in A, Op. 35a (Busoni). 9.10, News, Sports Notes, and Close Down.

LAUSANNE.—See Radio-Suisse Romande.

LEIPZIG 389.6 metres; 120 kW.; and DRESDEN, 319 metres. 12.15 p.m., Bavarian Folk Music on Gramophone Records, followed by Exchange. 1.0, Programme for the Unemployed. 1.15 to 2.0, Interval. 2.0, Programme for Young People. 2.35, Economic Notes. 3.0, Talk in connection with the Annual Meeting of the Thuringian Equestrian Club. 3.30, Concert by the Leipzig Symphony Orchestra, conducted by Carl Schürich. Soloist: Gisela Binz (Pianoforte); Romantic Overture in D, Op. 16 (Thuille); Concerto No. 2 in A for Piano-forte and Orchestra (Liszt); Theme with Variations from the Third Suite, Op. 55 (Tchaikovsky). 4.30, Weather and Time. 4.50, Economic Notes. 5.0, Talk: Trans-Atlantic Air Traffic between Europe and South America. 5.25, French Lesson. 5.50, Introductory Talk to the Gewandhaus Concert on February 9th. 6.0, Looking at Works of Art—Young People talk to an Artist. 6.30, Concert by the Emdé Orchestra: Overture, Der Göttergatte (Lehar); Minnet in A (Kostal); Ura-Zardas; Waltz, Rudolfsklänge (Jos. Strauss); March, Mit Mut und Kraft (Blon); Valse douce (Nikisch); Intermezzo, Rosenzeit (Mannfred); Galantes Fest (Dreyer); Ballet Suite (Fresco); Waltz, Frühlingsschweif (Fueck); Springtanz (Selyste); Tanzweisen (Brüll); March, Morgen muss ich fort von hier (Lindemann). In the interval at 6.15 (approx.), Report of the Second Day of the International Skiing Championship at Innsbruck. 8.0, Economic Notes. 8.10, The Whip Radio Play (A. H. Lehmann). 9.0, News. 9.30, Concert of Music by Leipzig Composers. Franz Hammerla (Clarinet), Herbert Heyde (Bassoon), Kurt Stiehler (Violin), Willy Pretzsch (Flute), and Joachim Popelka (Pianoforte). Sonata in E Minor, Op. 16, for Flute and Pianoforte (Köttschau); Heitero Suite for Flute, Clarinet and Bassoon (Ziems); Sonata in E flat for Violin and Pianoforte (Büchner).

LINZ.—See Vienna.

LJUBLJANA 574.7 metres; 2.5 kW.—5.30 p.m., German Lesson. 6.0, Talk on Spalato. 6.30, Talk: A Voyage to India. 7.0, Programme relayed from Zagreb, 307 metres. 9.0, Time, News, and Light Music.

LYONS LA DOUA, 465.8 metres; 1.5 kW.—7.30 p.m., Radio Gazette for Lyons and the South-East. 8.10, Carmen—Opera (Bizet), relayed from the Opera House, Marseilles. After the Concert, News Bulletin.

MADRID ARANJUEZ, EAQ, 30.43 metres; 20 kW.—Programme arranged by the Spanish-American Radio Club and dedicated to Listeners in Porto Rico. 10.30, Popular Music. 10.45, Radio Chronicle. 11.0, Concert of Variety Music. 11.35, Answers to Correspondence. 11.40, Light Music. 12 Midnight (approx.), Close Down.

MADRID UNION RADIO; Call EAJ7; 424.3 metres; 2 kW.—7.0 p.m., Chimes, Exchange Quotations and Request Gramophone Concert. 7.15, Medical Talk. 7.30, Talk by Joaquin España Cantos. 7.45 (approx.), Request Gramophone Concert (cont'd.). 8.25, News Bulletin. 8.30 to 9.0, Interval. 9.0, Linguistic English Lesson. 9.30, Chimes and Time Signal. 9.35 (approx.), Aida—Opera (Verdi). 11.55, News Bulletin. 12 Midnight, Chimes and Close Down.

MALMO.—See Stockholm.

MILAN.—See Turin.

MORAVSKA-OSTRAVA 263.8 metres; 11 kW.—3.10 p.m., Concert by the Station Orchestra, conducted by J. Plichta. 4.10, See Prague. 4.50, See Brno. 5.0, Talk. 5.15, See Brno. 6.0, See Prague. 6.45, Cabaret Programme. 7.40, See Prague. 8.10, See Brno. 9.0, See Prague. 10.0 (approx.), Close Down.

MOSCOW TRADES UNION, 1,304 metres; 100 kW.—4.0 p.m., News. 4.10, Announcements. 4.30, Concert. 5.30, Concert of Light Music or a Relay. 8.0, Talk in French: Preparatory School Education. 8.5, Time. 9.5, Press Review.

MOTALA.—See Stockholm.

MUHLACKER.—See Stuttgart.

MUNICH 533 metres; 60 kW. Relayed by Augsburg and Kaiserslautern, 560 metres; and Nürnberg, 239 metres.—4.0 p.m., Orchestral Concert, conducted by Erich Kloss: Soloists, Maria Schäfer (Folk Songs); Overture, Il re pastore (Mozart); Three Pieces (Richard Strauss): (a) Selection from Die Frau ohne Schatten, (b) Oriental Burlesque from Le Bourgeois Gentilhomme, (c) Liebessehnsucht; Ballet Music from Little Ida's Flowers (Klenau); Interlude, Folk Songs of the Saar and Alsace; Intermezzo from Graziella (Mattausch); Die wunderbaren Geschichten des Kapellmeisters (Kreiser-Reznizek); Boston Waltz from Dance Suite (Niemann); Suite, Friedemann Bach (Lenschner); Serbian Melodies (Gal). 5.15 (from Nürnberg), Talk on Money. 5.35 (from Nürnberg), Talk for Workers. 5.55, Time, Weather, and Agricultural Notes. 6.5, Talk: Röntgen's Great Discovery. 6.25, Introduction to the following Transmission. 6.35, The Bird Faucier—Operetta in Three Acts (Zeller), relayed from the National Theatre. 9.20, Time, Weather, News, and Sports Notes.

NAPLES.—See Rome.

NOTODDEN.—See Oslo.

OSLO 1,083 metres; 60 kW. Relayed by Fredriksstad, 365.8 metres; Hamar, 574.7 metres; Notodden, 447.1 metres; Porsgrund, 453.2 metres; and Rjukan, 447.1 metres.—4.0 p.m., Orchestral Concert, conducted by Hans Backe, relayed from the Grand Hotel. 5.0, Talk for Housewives. 5.45, Saxophone Solos by M. Trygve Gundersen. 6.0, Announcements, Weather, and News. 6.30, English Lesson. 7.0, Time Signal. 7.1, Concert by the Station Orchestra, conducted by Hugo Kramm; Radezky March (Joh. Strauss); Overture, The Queen's Kerchief (Joh. Strauss); Selection from Les Géorgiennes (Offenbach); Waltz, Wiener Bürger (Zelhrer); Selection from Das Puppenfco (Hayer); Waltz, Gold and Silver (Lehr); Melody (Kálmán); Selection from Der Tenor der Herzogin (Künneke); Selection from Oh Kay! (Gershwin). 8.10, Talk: The Argentine To-day and its Possibilities. 8.40, Weather and News. 9.0, Topical Talk. 9.15, An interview with M. Oscar Mathiescu—Champion Skater. 9.45 (approx.), Close Down.

OSTERSUND.—See Stockholm.

PALERMO 542 metres; 8 kW.—7.0 p.m., Announcements, Tourist Talk, Agricultural Notes, and Giornale Radio. 7.20, Popular Music on Gramophone Records. 7.30 (in an interval), Time Signal and Announcements. 7.45, Rigoletto—Opera in Four Acts (Verdi) on Gramophone Records. In the intervals: Talk, Notes on Art, and Announcements. 9.55, News Bulletin.

PARIS EIFFEL TOWER, Call FLE, 1,445.7 metres; 13 kW. Time Signal (on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and 6-dot Signals).—5.45 p.m., Le Journal Parlé. 7.20, Weather Report. 7.30, Recital of Fantasias by Marie-Antoinette Pradier (Pianoforte), with Commentary by André Delacour. Chromatic Fantasia (Bach); Fantasia (Mozart); Fantasia, Op. 111 (Schumann). 8.0, Concert by the Firmin Touche Quartet: Quartet in A Minor, Op. 29 (Schubert); Two Serenades for String Quartet (Jongjen). 9.0 (approx.), Close Down.

PARIS

POSTE PARISIEN; 328.2 metres; 60 kW.—7.0 to 9.0 a.m., Probable Relay of the Test Match from Australia. 6.45 p.m., Le Journal Parle. 7.0, Sponsored Concert with Gramophone Records. 8.0, Film Notes. 8.5, Legal Talk. 8.15, Interval. 8.30, Concert of Music by Sylvio Lazzari by the Station Symphony Orchestra, conducted by Théodore Mathieu: Prelude to Amour; Songs, accompanied by the Composer; Ballet Music from Mélanis; Effet de nuit, conducted by the Composer; Ballad, La tour de feu; Symphony in E Flat. 10.30, News.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW.—6.45 a.m., Physical Culture. 7.30, Weather Forecast and Physical Culture (cont'd). 7.45, Gramophone Records: Jeux d'eau (Ravel); Selection from Les Biches (Poulenc). 8.0, Press Review and Weather. 12 Noon, Concert by the Kretzky Orchestra. Part I: Opera Music: Overture, Martha (Fiolet); Entr'acte, from Mignon (Thomas); Ballet Music from Lakmé (Delibes); Selection from Tosca (Puccini); Suite from Aphrodite (Erlanger); Aubade, from Chérubin (Massenet); Selection from Messaline (de Lara); Second Suite, La Habanera (Laparra). Part II: Modern French Music: Vers l'église, dans le Soir (Ladmirault); Du Côté de la Mer (Tournier); Pavane pour une Infante défunte (Ravel); Four Sketches (Gaubert); Cortège des Éléphants sacrés (Delmas); Hercéuse (Ropartz); Sérénade (Ropartz). In the interval at 1.0 p.m., Exchange, News, and Weather, and at 1.30, Exchange. 2.0, Exchange and Announcements. 3.45, Exchange and Market Prices. 4.30, Elementary English Lesson. 6.10, Agricultural Talk. 6.30, Advanced English Lesson. 6.50, Theatre Notes. 7.5, Talk on Art. 7.20, Concert by the Kretzky Orchestra: Gondola Song (Mezzacapo); Sérénade (Braga); Valse Lumineuse (Ganne); Selection from El Guarany (Gomez); Cardas No. 3 (Michiels). 7.45, Review of the British Press, Commercial Prices, and News. 8.0, Feuille-Mère de Madame-Comedy (Peydau). 8.20, News and Weather. 8.40, Review by Pierre Seize. 8.55, Chamber Music Concert: The Radio Paris Quintet, soloists: Madeleine Peltier (Pianoforte), Serge Tenenbaum (Violin), and Roger Bouincké (Cello); Trio (Lalo); Pianoforte Solos: (a) Barque sur l'Océan (Ravel); (b) Vent dans la plaine (Debussy); (c) Étude en Forme de Valse (Saint-Saëns); Phalènes (Philipp); Cello Solos: (a) Romance in F (Saint-Saëns); (b) Le Baiser d'Émilie (Nougues); (c) Tarantella (Popper); Quintet (Vienna). In the interval at 9.15, Press Review and News.

PITTSBURGH

WESTINGHOUSE ELECTRIC (KDKA), 306 metres; 25 kW. Relayed by W3XK on 48.86 metres and 25.27 metres.—9.0 p.m., Work-a-day Thoughts. 9.5, Business News. 9.15, Programme to be announced. 9.30, Weather Report. 9.31, Johnny Muskrat. 9.32, Market Reports. 9.45, Pianoforte Interlude. 9.50, David Lawrence Dispatch. 9.55, KDKA Artist Bulletin. 9.58, Programme Announcements. 10.0, Programme to be announced. 10.30, The Singing Lady, from New York. 10.45, Little Orphan Annie. 11.0, Maudie and Cousin Bill, from New York. 11.15, Time Signal. 11.16, Weather Report. 11.17, Teaberry Sport Review. 11.22, Press News Reeler. 11.27, Strange Facts. 11.29, Temperature Report. 11.30, KDKA Dinner Concert. 11.45 to 12.45 a.m. (Wednesday), New York Relay. 11.45, To-day's News, by Lowell Thomas. 12.0 Midnight, Pepsodent Amos 'n' Andy. 12.15 a.m., National Advisory Council on Radio in Education—Local Government Needs of 1933. 12.45, Fireflies. 1.0 to 3.15, New York Relay. 1.0, Eno Crime Club. 1.30, Time Signal and Adventures in Health. 1.45, Phillips Lord in the Country Doctor. 2.0, Household Musical Memories. 2.30, Willard Robinson's Deep River Orchestra. 3.0, Morin Sisters. 3.15, Westinghouse Pioneers. 3.30, Ho May Bailey and Orchestra from New York. 3.45, Bradley Kincaid. 4.0, Time Signal. 4.1, Teaberry Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.13, KDKA Artist Bulletin. 4.15, Press Last Minute News Flashes. 4.20, Henry Halstead and his Californians. 5.0, Cotton Club Orchestra, from New York. 5.30, Time Signal and Good-night.

PORSGRUND.—See Oslo.

POZNAN

335 metres; 1.0 kW.—5.50 p.m., Miscellaneous Items and Announcements. 6.10, Book Review. 6.28, Time. 6.30, See Warsaw. 7.0, Military Band Concert, conducted by Dzikel. Soloists: Wanda Kedzirowna (Soprano) and Jules Leszji (Whistler). Piece for Orchestra; Whistling Solos: (a) Air from The Tales of Hoffmann (Offenbach); (b) Amor e canto (Tagliaferr); (c) Air from Frasquita (Lehar); Piece for Orchestra; Whistling Solos: (a) Waltz, Frühlingsstimmchen (Joh. Strauss); (b) O sole mio (Di Capua); Piece for Orchestra. 8.0, Song Recital by Wanda Kedzirowna (Soprano). Songs (Schumann): (a) Der Nussbaum; (b) Die Lotusblume; (c) Widmung; Amor-amor (Tirindelli); Waltz, Purja (Arditi). 8.20, Pianoforte Recital by Olga Karpacka; Variations, Op. 21 (Brahms); Scherzo in C Sharp Minor (Chopin). During the intervals, Theatre

FEB. 7th

TUESDAY

continued

(Guide and Programme Announcements. 9.0, See Warsaw. 9.15, Time, Sports Notes and Police Report. 9.30, Dance Music from the Café Esplanade. 11.0 (approx.), Close Down.

PRAGUE

458.6 metres; 120 kW.—3.10 p.m., See Moravská-Ostrava. 4.10, Talk on Economics. 4.20, Czech Lesson for Germans, followed by German Lesson for Czechs. 4.50, Light Music on Gramophone Records. 5.5, Market Prices. 5.15, Topical Talk for Workers. 5.25, News in German. 5.30, German Transmission; Talk on Social Questions and Reading of Ballads by Works of Goethe, Schiller, and Heibel. 6.0, News. 6.5, Talk: The Modern Woman. 6.20, Concert by the Mandr Bagpipe Trio. 6.45, See Moravská-Ostrava. 7.40, Viola Recital by Kitty Cervenková; Sonata for Violin and Pianoforte, Op. 3 (Vomacka); Sonata No. 3 in G Minor, Op. 137 (Schubert). In the interval at 8.0, Time Signal. 8.10, See Brno. 9.0, Time, News, Press Review, and Sports Notes. 9.15, Concert of Modern Music by the Prague Wind Instrument Quintet; Introductory Talk; Quintet, Op. 10 (Pavel Haas); Sérénade, Op. 5 (Eugene Suehon). 10.0 (approx.), Close Down.

RADIO-SUISSE ROMANDE

SOTTENS, 403 metres 25 kW.; LAUSANNE, 680 metres; and GENEVA, 760 metres.—5.0 p.m. (from Lausanne), Talk: Blind People in the World of To-day. 5.30 (from Geneva), English Lesson. 6.0 (from Lausanne), Weather and News. 6.20 (from Geneva), Answers to Correspondence. 6.30 (from Geneva), Newly-released Gramophone Records. 7.0 (from Geneva) Chamber Music by the Geneva Quartet; Quartet in G (Beethoven); Pianoforte Quintet, Op. 31 (Brahms). 8.0 (from Lausanne), Cabaret Concert. 9.0, News and Weather. 9.10 (from Geneva), Report on the Work of the League of Nations. 9.25 (approx.), Close Down.

RIGA

525 metres; 15 kW.—6.0 p.m., Weather Report. 6.5, Orchestral Concert. 7.0, News. 7.20, Schubert Song Recital by Emils Maurins (Baritone). 7.40, Concert of Popular Music; Humoresque (Dvorák); A Pête in Aranjuez (Demersmann); Salut d'amour (Eranjuz); Melody from Agnès, dame galante (Février). 8.0, Weather and News. 8.30, Dance Music. 9.0 (approx.), Close Down.

RJUKAN.—See Oslo.

ROME

Call IRO; 441 metres; 50 kW. Relayed by Naples, 319 metres; and ZRO, 25.4 metres.—7.0 a.m., Gymnastics. 7.15 to 7.30, Giornale Radio and Announcements. 11.30, Weather and Light Music on Gramophone Records. 12 Noon, Time and Announcements. 12.2, to 1.15 p.m., Orchestral Concert. In the interval from 12.30 to 12.45, Giornale Radio and Exchange. 3.45, Children's Radio Review. 4.10, Announcements. 4.15, Exchange and Giornale Radio. 4.30 to 5.15, See Turin. 6.0, Giornale Radio. 6.10 (Naples), Shipping and Sports Notes. 6.15, Atmospheric Signals, Agricultural Notes and Announcements. 7.0, Time and Announcements. 7.2, Talk: The Moon. 7.15, Light Music on Gramophone Records. 7.30, Sports Notes and Tourist Report. 7.45, Variety Concert: Adagio and Finale from the String Quartet in G (Pezosi); Rapsodie nègre (Poulenc); Three Songs for Soprano, Strings and Harpsichord: (a) Solitario bosco ombroso (Bettino Campi); (b) Supplica d'amore (Diamondo del Fiore); (c) Inveittiva contro una donna (Anon, 1763); Three Songs in Popular Italian Style for Soprano and Small Orchestra (Gian Luca Toeschi): (a) Ninna nanna; (b) Teresa bella; (c) Vendemmia; Rhapsody, España (Chabrier). 8.30, Rossini—Play in One Act (J. M. Barrie). 9.0 (approx.), Concert (cont'd); Third Act of L'Amico Fritz (Mascanigi); Gipsy Dance from The Fair Maid of Perth (Bizet). 9.25, News Bulletin.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY (WGY); 379.5 metres; 50 kW. Relayed at intervals by W2XAF on 31.48 metres and by W2XAD on 19.56 metres.—12 Midnight, General Electric Programme. 12.15 a.m. (Wednesday), Stock Reports. 12.30 till Close Down, New York Relay. 12.45, The Goldbergs. 1.0, Blackstone Plantation. 1.20, Wayne King's Orchestra. 2.0, Ben Bernie's Blue Ribbon Orchestra. 2.30, Ed Wynn and the Fire Chief Band. 3.0, Lucky Strike Hour and Programme Resumé.

SCHWEIZERISCHER

LANDESENDER

BEROMUNSTER, 459 metres; 60 kW.; BASEL, 244.1 metres; and BERNE, 245.9 metres.—11.28 a.m., Time Signal from Nenchâtel Observatory. 11.30, Weather and News. 11.40, Concert of Operetta Music by the Radio Orchestra. 12.35 p.m., Weather and Exchange. 12.45 to 2.30, Interval. 2.30,

Concert by the Little Radio Orchestra. 3.0, Light Music on Gramophone Records. 4.0, Chamber Music on Gramophone Records. 4.30, Weather. 4.35 to 5.30, Interval. 5.30 (from Berne), Talk: The Historic Flags of the Swiss Confederation. 6.0, Time and Weather. 6.1 (from Berne), Notes on the Broadcasts for Schools. 6.15 (from Berne), Talk: Gold as a Basis of Currency. 6.45 (from Berne), A Scene from Der Napolitaner—Comedy (Otto von Greyerz), with Music by the Radio Orchestra. 7.15 (from Berne), Concert of Folk Songs by the Freiheit Male Voice Choir, conducted by Ernst Tanner and the Workers' Children's Choir, conducted by Fritz Hug, accompanied by the Radio Orchestra. 8.30, Weather and News. 8.40 from Berne), Concert of Country Dances by the Bure vom Bielersee Ländler Orchestra. 9.15 (approx.), Close Down.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SASA, 436 metres; 55 kW. Relayed by Boden, 1,229.5 metres; Göteborg, 322 metres; Hörby, 257 metres; Motala, 1,348 metres; Östersund, 770 metres; and Sundsvall, 542 metres.—4.5 p.m., Choral Concert by Schoolboys. Conductor: Nils Mahlberg. 4.30, Reading. 4.50, Variety Music on Gramophone Records. 5.45, Elementary French Lesson, relayed from Malmö, 231 metres. 6.15, Weather and News. 6.30, Talk. 7.0, Military Band Concert, relayed from Örebro, 237.2 metres. Conductor: Nils Höghund. 8.0, A Play. 8.45, Weather and News. 9.0, Orchestral Concert of Light Music. Soloist: Anna Lundström (Songs). 10.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW.—11.30 a.m., Russian Music on Gramophone Records. 12.45 p.m., News Bulletin. 1.0, Time and Exchange. 1.5, Light Music on Gramophone Records. 2.0 to 4.45, Interval. 4.45, Talk on French Colonies; Nigeria. 5.0, Orchestral Concert, conducted by Re-kant: Marche Chourriffante (Popy); Waltz, Wedding of the Winds (Hall); Overture, L'Ambassadrice (Auber); Selection from Le Postillon de Longjumeau (Adam); Italian Ballet Airs (Bozi); Aubade Printanière (Lacombe); Slav Rhapsody (Volpatti); Lontanetta (Razagade); March from El Capitan (Souza). 6.0, French Lesson. 6.15, Topical Talk. 6.30, Concert by the Station Orchestra, conducted by M. de Villars: Overture, Le Roi P a dit (Delibes); Cantabile (Sporeck); Selection from Manon (Massenet); Ein Trauspiel (Schlecker); Suite from Sleeping Beauty (Tchaikovsky); Hungarian Dances (Brahms). 7.30, Time and News. 7.45, Popular Music on Gramophone Records. 8.25, Lottery Results. 8.30, Carmen—Opera (Bizet), relayed from the Opera House, Marseilles. After the Opera, Relay of the Pastrycooks' Ball from the Palais des Fêtes. 10.30 (approx.), Close Down.

STUTTGART

MUHLACKER, 360.5 metres; 60 kW.; and FREIBURG, 570 metres.—12.30 p.m., Concert from Langenberg. 1.0, Sponsored Concert. 1.30, Advanced English Lesson. 2.0 to 3.0, Interval. 3.0, Talk on Flowers. 3.30, Talk for Women. 4.0, See Langenberg. 5.15, Time, Weather, and Agricultural Notes. 5.25, Lesson in Skiing. 5.50, Talk: Disaffection in Brazil. 6.15, Time and News, followed by Popular Music on Gramophone Records. 6.45, Report on the Second Day of the International Skiing Championships in Innsbruck. 7.0, A Sunny Land—Pictures of Sicily (Anton Briscola). 7.45, Concert by the Philharmonic Orchestra, conducted by Emil Kahn: Soloist: Hermann Zanke (Flute); Overture, The Secret Marriage (Cimarosa); Symphony in G (Frederick the Great); Concerto for Flute and Orchestra (Mozart); Military Symphony (Haydn). 9.0, Time, News, Weather, Snow Report, and Programme Announcements. 9.35, See Frankfurt. 9.45, Dance Music by the Dance Band of the Philharmonic Orchestra. 11.0 (approx.), Close Down.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 5 kW.—5.45 p.m., Operetta Music: Song from Robert the Pirate (Romberg); Two Melodies from Frederica (Lehar); Melody from The Gipsy Princess (Kahn). 6.0, News. 6.15, Selection from Hansel and Gretel—Fairy Opera (Humperdinck). 6.30, Chansonnettes. 6.45, Cello Solos; Interlude (Chausson); Simple ayeu (Thomé); La flûse (Popper); El piano moruno (Falla). 7.0, Music by an Argentine Orchestra. 7.15, News, Market Prices and Racing Results. 7.25, Local News. 7.30, Instrumental Music: Minuet from the Quartet in D Minor (Mozart); Evensong (Martin); Vienna, City of my Dreams (Sieczynski). 7.45, Opera Music: Airs from: (a) Philémon et Baucis (Gonod); (b) La Favorita (Donizetti); (c) La Juive (Halévy). 8.0, Accordion Music. 8.15, Music by a Viennese Orchestra. 8.30, Extracts from Louise—Opera (Charpentier). 9.0, Orchestral Concert. 9.30, Operetta

Music: Selection from: (a) Eva (Lehar); (b) Le Petit Duc (Lecocq); (c) Countess Maritza (Kahn). 9.45, Extracts from Sound Films. 10.0, Instrumental Solos: Hungarian Pastoral Fantasia (Doppler); Andalusian Romance (Sarasate); Minuet (Valentin). 10.15, North-African News. 10.30, Concert for Listeners in Morocco; Selection from The Hugenots (Meyerbeer); Quintet from Carmen (Bizet); Overture, Zampa (Hérold); La biguine, from the Sound Film Il est charmant (Moretti). 11.0, Military Music. 11.15, Bal Musette. 11.30, Programme in English by the I.B.C.: Organ Recital of Popular Melodies; Song of the Dawn (Velen); Close your Eyes (Carter); An Organ Potpourri; Just one more Chance (Coshw); Home (Clarkson); Musical Variety; The Twilight Waltz (Dubin); I bring a love Song (Romberg). 12 Midnight, Weather and Announcements. 12.5 a.m. (Wednesday), Music by a Viennese Orchestra. 12.30 (approx.), Close Down.

TRIESTE

247.7 metres; 10 kW.—4.30 till Close Down, See Turin.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relayed by Milan, 331.5 metres; Genoa, 312.8 metres; and Florence, 500.8 metres.—4.30 p.m., Orchestral Concert, conducted by Ugo Tostani; Overture, Alessandro Stradella (Flores); Selection from Anna Karenina (Robbins); Intermezzo serenata (Repoli); Waltz, Morgenblätter (Joh. Strauss). 5.35, Giornale Radio, Agricultural Report and Dopulavoro Notes. 6.0, Giornale Radio. 6.30, Popular Music on Gramophone Records. 6.25, Report of the Royal Geographical Society. 6.30, Time, Announcements and Light Music on Gramophone Records. 7.0, Giornale Radio, Weather, Variety Music on Gramophone Records and Announcements. 7.30, An Operetta in Three Acts. In the intervals, Talk and Notes on Art. After the Operetta, Giornale Radio.

VATICAN CITY

19.84 metres (Morning) and 50.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Information in Spanish. 7.0 to 7.15 p.m., Religious Information in Italian.

VIENNA

517 metres 15 kW. Relayed by Graz, 352.1 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 255.9 metres; and Salzburg, 218.5 metres.—4.0 p.m., Concert by the Josef-Aichorn Orchestra: Potpourri, Von Wien durch die Welt (Hruby); Ach, Herr Schmidt (Carlo); Potpourri, Suppl-Illusionen (Michael); Waltz, Seid unschlungen, Millionen (Joh. Strauss); Foxtrot Fantasia, Nach Wien (Robrecht); Intermezzo, Die Biene (Mayr-Aichorn); Matrosentanz (Klein). 5.15, Agricultural Talk. 5.40, A Discussion between Dr. Max Eisler and Art Students. 6.0, French Lesson. 6.35, Time, Weather and Programme Announcements. 6.45, Report on the International Skiing Championships at Innsbruck. 7.0, Selection from Les Knaeb Wunderhorn, by Dora Miklosch, Richard Eyher, Josef Hueller, Arthur Preis and Ludwig Unger. Conductor: Werner Riemerscheid. 7.40, Talk: The Austrian Federal Theatre. 7.55, Concert of Music by Richard Heuberger, by the Josef Ludwig Payr Orchestra. Soloist: Maria Gerhart (Soprano). 9.15, News, Weather and Announcements. 9.30, Dance Music by the Juan Lloassa Orchestra, relayed from Hübners Kursalon.

WARSAW

1,411 metres; 120 kW.—4.0 p.m., Symphony Concert by the Philharmonic Orchestra, conducted by Paul Scheinpflug. Overture to a Shakespearean Comedy (Schubling); Passacaglia and Fugue (Stew); Suite from Le Bourgeois Gentilhomme (R. Strauss). News in the interval. 4.55, Programme Announcements. 5.0, Light Music from the Café Gastronomija. In the interval, News. 6.0, Miscellaneous Items. 6.20, Agricultural Correspondence Lesson. 6.30, Talk: Polish Composers. 6.45, Radio Journal. 7.0, Concert by the Radio Orchestra, conducted by J. Oziminski. Soloist: M. Bojar-Przemieniecka (Soprano); March (Nowowiejski); Entr'acte from Livia Quintilla (Noskowski); Minuet and Traveller's Song (Paderevsky); Waltz in G Flat (Chopin); Mazurka in F, Op. 33 (Chopin); Soprano Solos; Overture, Tannhäuser (Wagner); Elsa's Dream from Lohengrin (Wagner); Soprano Aria from Tannhäuser (Wagner); March from Tannhäuser (Wagner); 8.10, Sports Notes. 8.1, Radio Journal. 8.20, Violin Recital by Zacharewsky; L'Urstein at the Pianoforte; Sonata in D Minor (Geminiani); Adagio in E (Mozart); Le petit moulin à vent (Cuiperin-Press); Scherzo (Dittlerdorf-Kremler); Hungarian Rhapsody (Bizet-Hubay); Scherzo-Tarantella (Wieniawski). 9.0, Literary Programme. 9.15, Dance Music from the Café Italia. 9.55, Aviation Weather Report and Police Notes. 10.0, Dance Music from the Bodega. 11.0 (approx.), Close Down.

ZURICH.—See Schweizerischer Landessender.

For the D.C. Gramophone Amplifier the WIRELESS WORLD chooses MARCONI VALVES

The Marconi D.C. series comprises six valves which together meet every need of the D.C. mains user. Each is fitted with the standard Marconi 16 Volt 0.25 ampere heater, unsurpassed for its freedom from hum and long life yet with a total power consumption of only 60 watts for the whole receiver. Owing to the perfection of the insulation, resulting from months of painstaking research, each valve will withstand a potential difference of 110 volts between heater and cathode and has actually been tested at twice this figure. Cathodes can thus be taken to a common earth through the usual biasing resistances, the full available voltage being used on the anodes. The characteristics of Marconi D.C. mains valves are almost identical with those of their A.C. counterparts, and the adaptation of A.C. circuits for D.C. working is thus enormously simplified.

Marconi Valves for the D.C. Gramophone Amplifier

The types specified by the Wireless
World are :—

- 1 Marconi DH 13/6
2 Marconi DPT 20/- each



MARCONI D.C. MAINS VALVES

- *VDS Variable-Mu 19/-
*DSB Screen grid (single stages) 19/-
*DS Screen grid (multi stages) 19/-
*DH General purpose 13/6
DL L.F. and Power 15/-
DPT Pentode 20/-

*available metallised or plain

“Thought Katowice was Midland Regional last night. We get foreign stations so clear since we put Exide and Drydex Batteries in our portable.”



P36

SOME POPULAR SETS AND THEIR EXIDE AND DRYDEX BATTERIES

	For L.T.	For H.T.
Columbia 306 and 309	Exide JZ2 12/-	Drydex H1051 11/-
Marconi phone, 255	“ JZ3 14/-	“ H1056 12/-
	“ CZ3 11/-	
Murphy Model B4	“ L.FJ5 13/-	“ H1018 13/-
	“ RMP6 12 6/-	
Portadyne, Challenger	“ JWR5 12 6/-	“ H1018 13/-
	“ PY4 10 6/-	
Pye Twintriple	“ RSZ4 13/-	“ H1024 15/-
	“ JS3 12/-	

There is an Exide and Drydex Battery for every set
 These prices do not apply in the Irish Fr. & State

Exide AND

Drydex

BATTERIES FOR WIRELESS

- Exide Batteries for wireless low tension and high tension. Drydex Dry Batteries for wireless high tension and grid bias. Also for torches, cycle lamps and bells.

EXIDE WIRELESS BATTERIES ARE USED IN NINE OUT OF EVERY TEN BRITISH SHIPS.

Obtainable from Exide Service Stations and all reputable dealers.

EXIDE BATTERIES, EXIDE WORKS, CLIFTON JUNCTION, NEAR MANCHESTER. BRANCHES: LONDON, MANCHESTER, FIRMINGHAM, BRISTOL, GLASGOW, DUBLIN, BELFAST


CONSTRUCTIONAL

"Power Amplifiers and Receivers"

This booklet should be in the hands of every reader of this Journal interested in the construction of Amplifiers and Receivers for providing reproduction that is very nearly perfect. Detailed instruction with theoretical circuits and scale drawings are provided, and in addition, overall fidelity curves are included.

- I.—**B.E. AMPLIFIER.**—FOR BATTERY OR ELIMINATOR OPERATION. A three-stage Amplifier, designed for entire battery operation, or for use in conjunction with an H.T. Supply Unit; provided with a push-pull output stage giving an undistorted output of 1,000 to 2,500 milliwatts, according to the valves used.
- II.—**S.G.4 BAND-PASS RECEIVER.**—FOR BATTERY OR ELIMINATOR OPERATION. A four-stage Receiver, having a screened grid H.F. stage, linear grid detector and two low-frequency stages, the output being connected in push-pull and provision included for use with a gramophone pick-up. The same remarks regarding milliwatts output apply here as in (I).
- III.—**D.C.2 AMPLIFIER.**—FOR D.C. MAINS OPERATION. A three-stage Amplifier, designed for entire operation from D.C. mains valves, and has a push-pull output stage giving a maximum undistorted output of 2,500 milliwatts. Consumption 0.125 unit per hour.
- IV.—**A.C.6A AMPLIFIER.**—FOR A.C. MAINS OPERATION. A two-stage Amplifier, designed for entire operation from A.C. mains, 200-250 volts, 40/100 cycles. It employs a high magnification, indirectly heated triode, transformer coupled to a push-pull output stage, giving a maximum undistorted output of 6,250 milliwatts. Consumption 0.080 unit per hour.
- V.—**A.C.6A BAND-PASS S.G.4 RECEIVER.**—FOR A.C. MAINS OPERATION. A four-stage Receiver, employing a screened grid band-pass H.F. stage, linear grid detector and two low-frequency stages, the output stage being connected in push-pull, to give an undistorted power output of 6,250 milliwatts. Provision is included for use with a gramophone pick-up. This set, and the A.C.12 Band-pass Receiver (VII) are ideal Receivers for building into cabinets as Radio Gramophones, and for small public address and auditorium work generally. Consumption 0.088 unit per hour.
- VI.—**A.C.12 AMPLIFIER.**—FOR A.C. MAINS OPERATION. A two-stage Amplifier, generally similar to the type A.C.6A Amplifier (IV), but giving the larger maximum undistorted output of 12,500 milliwatts. Consumption 0.117 unit per hour.
- VII.—**A.C.12 BAND-PASS S.G.4 RECEIVER.**—FOR A.C. MAINS OPERATION. A four-stage Receiver, generally similar to the A.C.6A Band-pass Receiver (V), but providing the greater undistorted output of 12,500 milliwatts. Consumption 0.125 unit per hour.

Ask your dealer for Pamphlet Wa 513, 48 pages. Price 6d. (Post Free). If your dealer cannot supply, send (P.O. preferred) to Ferranti Ltd.



Type D3 and D3T Chassis (D3T illustrated)

A very moderately priced Moving Coil Speaker which gives an exceptional quality of reproduction. Two forms of Chassis—Types D3 & D3T.

These Speakers have D.C. energised field windings which can be supplied for 100/125 volts or 200/250 volts, the voltage to be specified when ordering. The field winding may be used as a smoothing choke, and has a consumption of approximately 6 watts. The approximate D.C. resistances of the standard Chassis are:—100/125 volts = 2,000 ohms, maximum current, 65 mA; 200/250 volts = 8,000 ohms, maximum current, 32.5 mA. NOTE.—These Speakers can be supplied to order with Field Windings having resistances of 2,500, 2,200, or 1,000 ohms respectively. All windings take approximately 6 watts maximum.

Each Chassis is fitted with a Hum Reducing Coil.

D3 Chassis. Average Coil Impedance, 10 ohms. Maximum A.C. Input, 3 watts. Overall dimensions, 8 1/2 in. high, 6 in. deep, 3 in. wide. Price **£2.0.0**

D3T Chassis. Similar to the above, but has a built-in Output Transformer having three ratios: 10/1, 20/1, and 30/1, enabling it to be used with all types of power valves from a PN4 to a Pentode. Price **£2.10.0**

The D.C. voltage and Field Winding Resistance must be specified when ordering.

Write for leaflet Wa 550, giving particulars of all Ferranti Speakers.

There is 50 years' experience behind every Ferranti Mains Transformer

Where else can such experience be found?

A WIDE RANGE OF TYPES TO SUIT EVERY PURPOSE

Available for 200/250 volts 40/100 cycle supplies. Voltage regulation 5 per cent. from full to 1/4 load. Insulation resistance not less than 200 megohms. Pressure tested at 2,000 volts A.C. Non-Hygroscopic Insulation—does not absorb moisture. Earth shield between windings. Arrangement of windings reduces external magnetic field (which reduces hum) to minimum. Liberal rating giving temperature rise far below that dangerous to insulation. Rigorously tested under actual load conditions.

TYPE EV4.—For use with the full wave Rectifying Valve, type U10, to give a D.C. Output when smoothed of 250 volts 60 milliamps. Price **29/-**

TYPE EV5.—For use with the full wave Rectifying Valve, type U12, to give a D.C. Output when smoothed of 200 volts 115 milliamps. Price **30/-**

TYPE SV4.—H.T. and L.T. Transformer. For use with U10 or DW2 valve. Output 240 volts 40 milliamps., 4 volts 1 amp. for Rectifier, and 4 volts 2 amps. for Indirectly Heated Valves, and 6 volts 1/2 amp. for Output Valve. Price **32/6**

TYPE SV13.—For use with the full wave Rectifying Valve, type U12, to give a D.C. H.T. output of 330 volts 120 milliamps., 4 volts 2 1/2 amps. for filament of Rectifier, 4 volts 6 amps. for Indirectly Heated Valves. Two 4 volt 1 amp. windings for two separately biased PN4 Push-pull Output Valves. Price **87/6**

TYPE SV14.—For use with two full wave Rectifying Valves, type U14, to give a D.C. H.T. output of 440 volts 160 milliamps., one winding giving 4 volts 5 amps. for filaments of two Rectifiers, one winding giving 4 volts 6 amps. for Indirectly Heated Valves. Two 4-volt 2 amp. windings for feeding the filaments of two Push-pull separately biased PN25 Output Valves. Price **98/6**

TYPE SV84.—H.T. and L.T. Transformer for use with U12 Valve. Output: 250 volts, 70 milliamps., 4 volts 2.5 amps. for Rectifier, 4 volts 5 amps. A.C. and 4 volts 1 amp. A.C. L.T. windings, centre tapped. Price **35/-**

TYPE EM3.—For use with Westinghouse Metal Rectifiers, types HT5 or HT7, to give various D.C. outputs up to 200 volts 28 milliamps., according to the Rectifier used. Price **22/6**

TYPE EM6.—For use with Westinghouse HT8 Metal Rectifier, D.C. output 250 volts 60 milliamps. Price **22/6**

TYPE SM2.—For use with Westinghouse Rectifiers, types HT5 and HT7. Gives same H.T. outputs as EM3, and also provides 4 volts 5 amps. A.C. Centre tapped. Price **26/-**

TYPE SM34.—For use with Westinghouse Rectifier, type HT8. Gives same H.T. outputs as EM6, and also provides 4 volts 5 amps. and 4 volts 1 amp. A.C. Price **31/6**

Write for leaflet W5221, which gives full details of all models.


FERRANTI

FERRANTI LTD., HOLLINWOOD,


LANCASHIRE

EVERYTHING **The G.E.C.** ELECTRICAL
your guarantee

A TONIC TO ANY SET



OSRAM LP2
 Electrode design



Electrode design OSRAM PT2

THE VALVES RECOMMENDED FOR THE POPULAR QUIESCENT PUSH-PULL CIRCUITS

RECOMMENDED OPERATING CONDITIONS

OSRAM VALVE TYPE	LP2	PT2
DESCRIPTION	POWER TRIODES	POWER PENTODES
H.T. VOLTAGE	150	110 to 150
GRID BIAS VOLTS	-9.0	-6.0 to -9.0
QUIESCENT ANODE CURRENT (per pair)	2.0 m.a. approx.	2.5 to 4.5 m.a. approx.
PRICE EACH	8/9 _d	17/6 _d

For Detector—use OSRAM HL2 Price 7/- (non microphonic)

NOTE

The sturdy design of Anode for strength and reliability—large power output and long life — Osram "Cushion-Springing" & "Safety Lock Construction."

Osram

MADE IN ENGLAND

2 VOLT BATTERY Valves


FOR EXTRA QUALITY WITHOUT EXTRA COST

MADE IN ENGLAND
 Sold by all Wireless Dealers

Advt. of The General Electric Co., Ltd., Magnet House, Kingsway, London, W.C.2.

Mention of "The Wireless World," when writing to advertisers, will ensure prompt attention.

ATONIC



THE SUPERCHARGED RADIO BATTERY

FOR many years the Alton Battery Company Limited—the big battery people—have specialised in stationary storage batteries of the highest merit, and many vital electricity supply stations and telephone exchanges throughout the world depend upon them.

So meritorious are these batteries that the Company has been continually pressed to develop a small portable radio battery. After two years' experience there is now available, through most Wireless Dealers, the **ATONIC** Supercharged Radio Battery—a battery apart, in its vigour, long life and very excellent quality.

In the interests of better reception and cheaper radio maintenance, do not fail to ask for **ATONIC** the Supercharged Battery.

GIVE YOUR

SET **ATONIC**

Illustration opposite shows a typical installation of the famous ALTON Batteries of Merit (in a B.B.C. Transmitting Station). This will give some indication of the immense experience behind the manufacture of **ATONIC** Radio Batteries.




IF YOUR DEALER CANNOT SUPPLY WRITE TO:—

THE
ALTON BATTERY COMPANY
LTD.

ALTON HANTS

Telephone:
ALTON 67.

Telegrams:
"BATTERY
ALTON."



9 DUBILIER METALLISED RESISTANCES EXCLUSIVELY SPECIFIED FOR THE D.C. GRAMOPHONE AMPLIFIER

—surely sufficient proof of the supremacy of Dubilier, the resistances that are renowned for consistent performance and dependability.

The very exacting tests to which Dubilier Resistances are subjected ensure a reliability that has spread their fame far and wide among set constructors throughout the World.

Make your choice Dubilier and you will then be certain of enjoying "designers" results with your D.C. Gramophone Amplifier.

The reason for manufacturers and designers choice of Dubilier is obvious—their indisputable merit.

The resistances exclusively specified for the D.C. Gramophone Amplifier are:—

2	Metallised Resistances	100 ohms	1 watt	Dubilier	1/- each.
2	"	250	" 1 "	"	1/- "
1	"	1,000	" 1 "	"	1/- "
2	"	5,000	" 1 "	"	1/- "
1	"	50,000	" 1 "	"	1/- "
1	"	100,000	" 1 "	"	1/- "

Follow the designers lead and

R.10.

Build with **DUBILIER RESISTANCES**

DUBILIER CONDENSER Co. (1925) Ltd., Ducon Works, Victoria Road, North Acton, W. 3.

RADIO from AUSTRALIA



Distant countries on your present set or radiogram!

No longer is there any need to be tied down to British Stations—with an Ecelex Short-Wave Converter fitted you can receive Short-Wave Stations from Australia, America and other distant countries with your present set or radiogram—a wonderful increase in range.

Your friends will be amazed at the remarkable improvement, and no experience is needed to tune in Short-Wave Stations. An Ecelex Short-Wave Converter can be fitted in a moment by connecting to the aerial and earth terminals.

Sold for Ecelex Short-Wave booklet number C.39.

DUPLEX Single valve model for Mains or Battery receivers with duplex coils **£2 - 12 - 6**
MODEL Valve extra for Battery - - - **7 - 0**
 Valve extra for Mains - - - **13 - 6**

J. J. EASTICK & SONS,
 Ecelex House, 118, Bunhill Row, London, E.C.1.

Phone: Metropolitan 0374 (6 lines).

For Wireless Engineers and Experimenters

"THE WIRELESS ENGINEER" is a monthly magazine catering for the professional engineer, and for the wireless enthusiast who is anxious to increase his knowledge both in theoretical and practical directions.

Month by month the latest radio developments are recorded, and authoritative technical and scientific information, bearing upon varied aspects of wireless experiment and research, is presented in a clear and instructive manner.

The correspondence columns, which are open to all, provide a forum for the discussion of readers' problems and experiences.

SUBSCRIPTION:
 32/- per annum, post free
 THE

WIRELESS ENGINEER

AND
 EXPERIMENTAL WIRELESS
 MONTHLY 2/6 By Post 2/8

The Journal of Radio Research and Progress
ILIFFE & SONS LIMITED
 Dorset House, Tudor Street, LONDON, E.C.4
 W.W.2

NOW! Why be without a Moving Coil Loudspeaker?



The NEW ORMOND Permanent Magnet MOVING COIL CHASSIS

This, yet another Ormond miracle of value, enables you to enjoy the luxury of moving-coil reproduction without undue expenditure.

This speaker has an excellent frequency response, giving natural reproduction with the maximum sensitivity.

26/-

It is fitted with a pressed steel chassis and moulded cone, with large permanent magnet, to give reliability with long life. Complete with output transformer.

Overall size : Diameter, 8 in. ; depth, 5½ in. Cat. No. R/494.



The NEW ORMOND Moving Coil CABINET LOUDSPEAKER


If you prefer to buy your loud-speaker complete and ready to attach to your receiver, here it is—the moving-coil chassis described above, fitted into an exceedingly handsome figured walnut cabinet of modern style. Size : Height, 14¾ in. ; depth, 8 in. ; width at base, 15¼ in. Cat. No. R/495.

40/-



THE ORMOND ENGINEERING CO., LTD.
Ormond House, Rosebery Avenue, LONDON, E.C.1
Phone : Clerkenwell 5334-5-6 and 9344-5-6. Grams : "Ormondengi, Isling."

FOR PUNCH, POWER AND PURITY!



For the
ALL-WAVE MONODIAL
 unquestioned reliability
 was demanded.....
T.C.C. CONDENSERS
 are specified.....

A "super" set—the "All-Wave Monodial"—a set in which every component must pull its weight and above all must be of unquestioned reliability. That is why the designer specifies T.C.C. Backed by over a quarter of a century of specialised experience T.C.C. condensers have attained a wide world reputation for living "up to specification—always." Make certain with *your* "Monodial"—do as the designer did—use T.C.C.

THE T.C.C. CONDENSERS SPECIFIED

1	Fixed Condenser	0.01 mfd. mica	T.C.C. No. 34	s. d.
3	" Condensers	0.001 " "	" No. 34	1 10 each
1	" Condensers	0.001 " "	" Type "M"	1 4
2	" Condensers	0.0001 " "	" No. 34	1 6 each
7	" "	0.1 " non-inductive	400 v. D.C. test T.C.C. No. 50	1 9 each
2	" "	1 mfd. non-inductive	400 v. D.C. test T.C.C. No. 50	2 10 each
1	" Condenser	2 mfd. non-inductive	400 v. D.C. test T.C.C. No. 50	3 10

The Telegraph Condenser Co. Ltd., Wales Farm Road, North Acton, London, W.3.

T.C.C.
 ALL-BRITISH
CONDENSERS

2280


CHALLIS
TRANSFORMERS

OVER 4,000
 MONODIAL A.C. SUPER
 TRANSFORMERS HAVE
 BEEN SUPPLIED BY US
 AS ILLUSTRATED

AS SPECIFIED
 BY THE AUTHOR

ALL CHALLIS TRANSFORMERS CAN BE SUPPLIED PROMPTLY THROUGH YOUR USUAL RETAILER. If any difficulty in delivery write us direct.

SPECIAL TRANSFORMERS AT SHORT NOTICE. Send us your enquiries.



PRICE
37/6
 EACH

CHALLIS
 41,
 King
 Edward
 Road,
 RUGBY


THIN RED
 350 + 350
 100ma
 BLACK C.T.

YELLOW
 2-0-2v
 1a
 BLACK C.T.

BLUE
 2-0-2v
 6a
 BLACK
 C.T.

RED
 2-0-2v
 2-6a
 BLACK
 C.T.

Britain's lowest priced
 Electric Gramophone Motor
 The



ELECTRIC
GRAMOPHONE MOTOR

a real bargain at the price.

Fit one to your instrument—you will appreciate the wonderful improvement in reproduction.

Thousands in daily use. Your local dealer stocks them.

Write for free folder.

The British Thomson-Houston Co. Ltd.
 Head Office & Works - - - - - Rugby, England

A1387N



Purveyors of
Electric Lamps
By Appointment

EDISWAN



Manufacturers
and Purveyors
of Electric Lamps
By Appointment

The name that means 'EXCELLENCE'

“QUIESCENT PUSH-PULL”



—the new principle developed in the Mazda valve laboratories and used for the following “Wireless World” receivers—

“QUIESCENT PUSH-PULL” and “Q.P.P. BATTERY GRAMOPHONE AMPLIFIER”

The problem of economically providing a battery operated set with sufficient power to operate a moving coil speaker efficiently has hitherto proved a serious difficulty. The new principle of Quiescent Push-Pull, developed in the Mazda Valve Laboratories, has solved this problem as, by the use of two Mazda Pen 220A's, a power output of as much as 1.3 watts can be obtained with a total H.T. consumption of only 6 m/A at 120 volts.

The new principle is used to great advantage in this new “Wireless World” circuit, which has been designed to work with Mazda valves.

For full report on Quiescent Push - Pull see article by E. YEOMAN ROBINSON, CHIEF ENGINEER, THE MAZDA VALVE LABORATORIES, in “Wireless World” for January 6th, 1933.

TWO “WIRELESS WORLD” SPECIFICATIONS:

QUIESCENT
PUSH-PULL 2

2—MAZDA PEN 220A
17/6 each
1—MAZDA H.L.2 7/-

Q.P.P. BATTERY
GRAMOPHONE
AMPLIFIER

2—MAZDA PEN 220A
17/6 each
1—MAZDA H.L.210 7/-

MAZDA

THE
BRITISH
VALVES

THE EDISON SWAN ELECTRIC CO. LTD.



155 CHARING CROSS RD., LONDON, W.C.2

Mazda Radio Valves are manufactured in Great Britain for The British Thomson-Houston Co. Ltd., London and Rugby

GOOD RADIO DEALERS RECOMMEND EDISWAN

V.187

"GOLTONE" MAINS FITTINGS FOR YOUR RADIO-GRAM AND RECEIVER


WE list herewith a few components from our Wide Range of Moulded Accessories. Outstanding features are, Robust Design, Attractive Finish and accurately machined metal parts. A complete range of Radio Wires and Components are listed in our large 1933 Radio Catalogue.

FREE
1933 48 PAGE FULLY ILLUSTRATED
RADIO CATALOGUE NOW ISSUED.


"GOLTONE" Components are obtainable from all First-Class Radio and Electrical Stores.
Refuse Substitutes—if any difficulty write direct.



"GOLTONE" COMBINATION ADAPTOR
Enables current to be tapped from a Lampholder or Wall-Plug. Shock-proof and Moulded Brown or Walnut finish.
R80/90 1/- each



R27/9
"GOLTONE" 2-PIN EXTENSION ADAPTOR
For external Loud-Speaker extensions. Standard B.E.S.A. Plug which can engage with normal Wall Sockets. Adaptor with Cord-Grip easily wired.
R27/8 2-Pin Socket 6d. each
R27/9 2-Pin Plug 7d. each




"GOLTONE" TWIN FLEXIBLE PICK-UP LEADS
A Twin Conductor of extreme flexibility to prevent induced hum effects, for Radio Gramophone Pick-ups.
R43/98. In coils of 10 feet 1/- each
Can also be supplied in greater lengths.



"GOLTONE" 3-WAY WALL-PLUG ADAPTOR
Makes your Wall-Plug serve the purpose of three. Fits standard 5-amp. Wall-Plug, and enables three Tappings to be taken from one plug base.
Attractive finish.
R27/180 - 1/- each

Ward & Goldstone
PENDLETON MANCHESTER

Unrivalled Reproduction



on both radio and gramophone. This piece of radio furniture makes a handsome addition to the furnishing of the home. For the first time the radio set becomes a definite part of a furnishing scheme and not an encumbrance which must be placed in an inconspicuous position as possible. The speaker is at the correct height and scientifically baffled, giving a pleasing tone. The controls are conveniently arranged and come readily to hand, the dial being illuminated and marked in stations. The changing of records is facilitated by the light of the electric lamps. All electrical circuits are connected to one mains lead, each circuit being independently controlled by its own switch. The electric clock is of the synchronous type and runs indefinitely without attention. Automatic start and stop regulation to gramophone and ample record storage is provided. The cabinet work is of the piano standard both as regards construction and finish, of which a choice of mahogany, walnut or oak is offered. The receiving set employs six valves including rectifier. Two variable mu valves are employed in the high frequency stage. Stations may be changed with absolute absence of howling or shrieking. The selectivity is beyond reproach.


Price exclusive of light fittings - **49 GNS.**

Price including light fittings - **52 GNS.**

RADIO FURNITURE & FITTINGS LTD.

Showrooms :

106, VICTORIA STREET, LONDON, S.W.1.



HEYBERD
For 3 to 6 Valve Receivers
SET M.T.6
Mains Power
HEYBERD

Olympia Stand 40
British Industries Fair

February 20th to Mar. 4th

....POST COUPON TO-DAY....

I enclose 3d. stamps for 36-page Handbook "Mains Power for Radio." Written and produced by Specialists.

Mr.....


Address.....

Seventeen different circuits for the construction of Mains Units, Battery Chargers, etc., are given in the 1933 Handbook on "Mains Power." Details of the many Heyberd mains units, mains transformers, chokes and kits of components. Service Hints and Technical Tips. Whatever your need in mains apparatus, whether you are an experimenter, a set designer or an ordinary listener—this book will prove invaluable. Send for it to-day!



F. C. HEYBERD & CO.
Mains Apparatus Manufacturers
10 FINSBURY STREET, LONDON E.C.2.
One minute from Moorgate Und. Station.

35 =



**Acclaimed by the
Trade and Public
-the finest
value ever
offered!**

The R. & A. CHALLENGER costs no more than many moving iron instruments, yet it is a Moving Coil Reproducer of the finest materials and workmanship, capable of a remarkable degree of fidelity in the reproduction of speech and music.

It renders the highest notes with crispness and clarity; the deep bass with superb richness and freedom from 'boom,' and the balance throughout the whole range is such that the reproduction completely satisfies the trained musical ear.

The CHALLENGER is beyond question the finest value ever offered. Its sensitivity, to quote "The Wireless World" Test report, is "better than the average." The reproduction of bass below 100 cycles is "quite definitely above the average" and "the balance in music is exceptionally good."

Ask your dealer to demonstrate, and you will agree with the verdict of Technical Experts, Trade and Public.

344:

The **R & A**
"CHALLENGER"

**PERMANENT MAGNET
MOVING COIL REPRODUCER**

REPRODUCERS & AMPLIFIERS LIMITED, WOLVERHAMPTON.

Holdens

Advertisements for "The Wireless World" are only accepted from firms we believe to be thoroughly reliable.



1805 A.D.

"England expects every man *this* day . . . !"

1933

You can expect

The **LION**

H.T. BATTERY

to do its duty every day

. . . . and besides giving you efficient service, and giving your Set greater and more lasting power, the Lion H.T. Battery COSTS LESS! It is made in one of the largest factories in Gt. Britain devoted exclusively to battery manufacture. It is made by men who know what you want, and who know how to produce it at the price you want to pay. It is the Battery with the lowest internal resistance.

● LOOK AT THE PRICES!

60v. H.T. 4/6 100v. H.T. 7/-

120v. H.T. 9/- 9v. G.B. 10d.

4½v. Pocket Lamp Battery 4½d.



Sold under Limited Licence

● BRITISH MADE ●

YOUR DEALER CAN SUPPLY

Advt. of VINCES DRY BATTERIES Ltd. Lion Works, Garford Street, London, E.14. Phone: EAST 1902.



. . . is not a catch phrase designed to persuade the public to buy a component of doubtful value, but adequately describes the effect produced by fitting the 'NOVOTONE' Compensator to a Gramophone amplifier. These extracts from user's letters fully bear out this statement.

"Although I had heard that it was really an amazing instrument, I did not expect quite such a transformation. I have demonstrated it before many local enthusiasts and all have marvelled at the effect."

"Upon fitting the 'Novotone' the results were most surprising. Moving Coil Speakers that we thought were the last word in purity on Radio Gramophone work, were improved beyond measure."

"The 'Novotone' is a wonderful instrument and does all you claim for it. In fact, on hearing a record with it and then without it, is just like listening to the original orchestra and then to a gramophone record of the same piece of music."

"I am more than delighted with it. It has brought notes out from my records that I had no idea were there."

Write now for a free descriptive booklet, "Realism from Records," which fully explains the application to your Radio Gramophone of this remarkable instrument.



THE **'NOVOTONE'** COMPENSATOR

GAMBRELL BROS. LTD., MERTON ROAD, SOUTHFIELDS, S.W.18. Telephone: Putney 3641.

COMBINED PICK-UP AND TONE-ARM 22/6

NEW TYPE Q.M.B. SWITCH

(Type 485).

These new switches are now fitted with terminals. They are strongly made, with an easy action and ensure perfect contact. 3 amps., 250 volts.

Price 1/3 each.

Embodying many refinements which are the outcome of careful research, the British Radiophone Combined Pick-up and Tone-Arm reproduces voice and music with utmost fidelity.

This component is cased in moulded bakelite, finished in black or brown, and objectionable resonances are eliminated owing to its robust construction and careful design.

The output shows an ample degree of sensitivity, is crisp, free from coloration and needle scratch. Perhaps the most important feature is the head, which, being fixed, eliminates lost motion and rattle. Because the head is fixed at the correct angle, record wear is minimised, and light damping and good tracking are ensured. Full fitting instructions included.



A "rest" for the British Radiophone Pick-Up can be supplied. Price 1/6 each.

Finished in Brown or Black.

THE BRITISH RADIOPHONE, LTD.
ALDWYCH HOUSE, ALDWYCH, W.C.2.

Telephone: Holborn 6744.

RADIOPHONE

ALL THE BEST SETS ARE CONSTRUCTED WITH



CONNECTING WIRES

Over 50 years' wire-manufacturing experience, the use of only the best raw materials and the skill of specially trained craftsmen are the factors that combine to make Lewcos Connecting Wires the finest materials for receiver-construction.

A list of prices of these fine examples of wire production is printed on the right. They are stocked by all reputable dealers.

INSIST ON "LEWCOS"

- Glazite Connecting Wire (6 colours) 6d. per 10' coil.
- Screened Connecting Wire, Single 10d. per 10' coil
- Flat Twin 1/8 " " "
- Hollow Stranded Copper Braid, 9d. & 1/-, " " "
- Lewcoflex (Coloured Rubber connecting Flexible)
100 yard lengths or drums, 8/6 to 33/-
- Multiway Battery Leads, 4 way to 9 way, 3/6 to 6/6 ea
- Speaker Cords, Varying Lengths, 1/- to 3/6 ea.
- H.F. Flexibles (Litzendraht) 100yd. Lengths, 5/- to 16/6
- Spaghetti Resistances, values 300 ohms to 100,000
ohms, 9d to 1/6

THE LONDON ELECTRIC WIRE COMPANY AND SMITHS, LIMITED, CHURCH ROAD, LEYTON, LONDON, E.10

The Greatest Compliment you can pay your Set


YOUR set has probably had quite a deal of money spent on it if you consider its initial cost plus the time and money you've spent on improvement.

Isn't it rather a shame to cramp its style with a poor speaker? A good set *deserves* a good speaker—and there is nothing, absolutely nothing, to equal Blue Spot 99 P.M. This moving-coil speaker is really amazing. It reproduces every note in the

musical scale from the lowest bass to the highest treble with a clarity and purity that is the exact counterpart of the original. You will never regret purchasing Blue Spot 99 P.M. Any dealer will be glad to demonstrate it. Write for Catalogue No. W.W. 68.S.

99 P.M. chassis 59/6. Cabinet speaker in walnut (32 P.M.) 87/6. Also Blue Spot De Luxe Permanent Magnet Speaker 75 P.M. Price 75/-.

GIVE IT A BLUE SPOT 99 PM



BLUE SPOT 66R

This remarkable unit goes on enjoying undiminished popularity. There is none to equal it for volume without distortion. It handles any output with ease, and moreover reproduces everything with a silky smoothness that is a treat to listen to. You should hear it at your dealer's. 66R unit 35/- . Oak cabinet speakers, 45R 52/6 and 44R 52/6.



THE BRITISH BLUE SPOT COMPANY LTD.

Blue Spot House, 94/96 Rosoman St., Rosebery Ave., London, E.C.1.
 Telephone: Clerkenwell 3570. Telegrams: "Bluospot, Isling, London."
 Distributors for Northern England, Scotland and Wales: H. C. RAWSON (Sheffield and London), Ltd., 100, London Road, Sheffield; 22, St. Mary's Parsonage, Manchester; 44-46, High Bridge, Newcastle; 37, 38, 39, Clyde Place, Glasgow.

The M-R-G Console 3 RADIO-GRAMPHONE



FEATURES:

General.—A three-valve self-contained radio-gramophone with built-in moving-coil loud speaker of the energised type. For operation on A.C. mains with an external aerial.

Circuit.—One H.F. stage with single-tuned input and intervalve circuits. Capacity-controlled reaction and H.F. volume control by grid bias adjustment. Power grid detector, coupled by parallel-fed transformer to output pentode. Full-wave rectifier; smoothing by loud speaker field coil.

Gramophone.—Garrard Induction Motor.

Controls.—(1) Single tuning control. (2) Combination on-off radio-gramophone change-over and wave-range switch. (3) Reaction. (4) Combined radio and gramophone volume control.

Light-ray tuning.—A line of light moving across a graduated scale clearly indicates the station being received.

"Satisfactory all-round performance and outstanding quality."

Vide "The Wireless World," Jan. 13th, 1933.


23 Gns. (Walnut or Oak) 29 Gns. (Record Changer Oak)

Write for catalogue and nearest authorised dealer.

MAINS RADIO GRAMOPHONES LTD.,
 Vaughan Works, BRADFORD, Yorks.

Phone: 6795.

*Grams: "Emmargee."



your present set

plus APOLLO Playing Desk

equals a fine Radio-Gram

8 gns. in REAL WALNUT

ALSO TO MATCH VARIOUS SETS

As illustrated, with Collaro Induction motor, and pickup, automatic current stop, volume control, Record cupboard—8 gns. or 12 payments of 15/6. Cabinet only, without motor or pickup, £3.15.0 Table Models: Electric Motor, Walnut, £5.17.6, or 13/6 and 11 payments of 10/6; Leather Cloth, £4.17.6 or 12 payments of 9/- Spring motor, Walnut, £4.4.0 or 10/- down and 11 payments of 7/6; Leather Cloth, £2.18.0 or 7/6 down and 11 payments of 5/6.

APOLLO PLAYING DESKS

Ask your Radio Shop, or write to—

APOLLO GRAMOPHONE CO., LTD.,
 4-5, Bunhill Row, London, E.C.1.

MILNES H.T. SUPPLY UNIT

is ideal for driving the
Quiescent Push-Pull Two

The circuit gives you mains volume—the Milnes Unit gives reliability equal to the mains


A battery-driven two-valve set which will work a moving coil speaker at ample volume is revolutionary, and so is the Milnes Unit method of supplying H.T.

THE MILNES UNIT IS A NICKEL-IRON ACCUMULATOR WHICH RECHARGES ITSELF AUTOMATICALLY FROM THE L.T. ACCUMULATOR. Unlike ordinary lead-acid H.T. accumulators, it does not need to be sent for recharging. It is left permanently coupled to the L.T. and is always fully charged. Nor can it be harmed by overcharging or neglect.

Unlike dry batteries, there is no inevitable voltage drop and no crackling.

The Milnes Unit is practically everlasting. It improves with hard work.

But the Milnes Unit is not merely suitable for economical sets such as the Quiescent Push-Pull Two. It has an output equal to any demand.



One user writes:—
"I have a discharge of 70 to 80 mA from a single-capacity Milnes Unit."

Another user says:—
"My set is the New Century Super Het (6 valves) Celestion PPM 79 speaker, which I had previously run with dry 120 v. Super Capacity H.T. It is now improved fully 100%."

The Milnes H.T. Supply Unit improves every set. Many enthusiasts are scrapping mains eliminators in its favour for the sake of the greater purity and entire absence of background hum. It is the most economical and the least troublesome of all sources of H.T. supply.

PRICES IN G.T. BRITAIN AND N. IRELAND.	90 volt ..	£2 18 0
	120 volt ..	£3 16 0
	150 volt ..	£4 14 0

Electrolyte extra.

Ask your dealer to show you the Milnes H.T. Supply Unit or, if he has not one in stock, send the coupon to us for full particulars.

MILNES RADIO CO., VICTORIA WORKS, CHURCH ST., BINGLEY
Please send me full particulars of the Milnes H.T. Supply Unit. No obligation.


Name.....

Address.....

B.2.

Keir-Dawson—Bradford

PERFECT TRACKING WITH THE SIMPSON ARM & PICK-UP



**TECHNICALLY
CORRECT
MECHANICALLY PERFECT!**

A Simpson Straight Track Arm and Pick-Up is the only instrument which will give you perfect gramophone reproduction through your radio set. Here are a few points which show that the Simpson has no equal in value at the price:—

1. Record wear minimised.
2. 100% Straight Track ensured.
3. Needle scratch eliminated.
4. Life of records doubled.
5. Tone natural and pure.
6. Fits any gramophone.
7. A scientifically designed and produced instrument.
8. Incorporates *Automatic Stop*.

Consider these points in comparison with others and your choice of the Simpson will be fully justified. Ask your Dealer. Fill in coupon below for the Free booklet describing this Pick-Up and Arm.

**32'6
COMPLETE**

SIMPSONS SYNCHRONOUS MOTOR & TURNTABLE!

**CONSTANT SPEED
NOTHING TO WIND**

2 1/2" DEEP



No winding the Simpson Synchronous Motor and Turntable, a flick of the finger starts or stops it, and with an almost negligible electricity consumption revolves at a constant speed of 78 (correct speed) with perfect silence. Consider the following points when purchasing an electric gramophone motor and see why the Simpson is supreme:—

1. Only 2 1/2" deep.
2. Nothing to go wrong.
3. Fits any gramophone.
4. Takes five minutes to fix.
5. Sizes 10" and 12".
6. Costs less than 1d. per week to run.
7. Goes by itself.
8. Constant speed of 78 (correct speed).

Buy yours to-day! It is amazing value, and can be obtained from all good retailers for 39/6. Fill in coupon below for your Free copy of booklet describing this motor.

**39'6
COMPLETE**

FREE

SIMPSONS ELECTRICALS LTD.
Grange Road, Leyton, London, E.10.

To interested readers of "Wireless World" we shall be pleased to send our illustrated Folder (containing all technical details) on receipt of complete coupon.

NAME.....

ADDRESS.....

RADIO = GRAMOPHONES

THE WIDEST RANGE OF ALL TO CHOOSE FROM!



Model 501

Transportable Radiogram (above).

Four valves (inc. rectifier). A.C. or D.C. Band-pass tuning. Moving coil loudspeaker. Combined operating switch. Single tuning knob. One volume control. Illuminated wave-length scale. Mains aerial. Electric gramophone motor. Walnut cabinet with felt-lined lid. 19 guineas or by hire purchase.

Superhet Radiogram Seven (Model 523).

A seven-valve (inc. rectifier) all mains superhet radio receiver — electrically reproducing gramophone. Energised field moving coil speaker. Electric gramophone motor. Tone control. A.C. only. Walnut cabinet. 48 guineas or by hire purchase.

To-day there are 15 different and distinct reproducing instruments made by "His Master's Voice"—and no less than five are all-electric radio-gramophones. Think what a breadth of choice that gives you! If you want a table radio-gramophone with cabinet radiogram performance—there is the 'Transportable' model, at its unprecedented price, a moderate price even for a straight wireless set.


If you want the utmost that modern science can provide for home entertainment—there is the 'Superhet Ten Autoradiogram' with its improved automatic record-changing device. Those are only two of the five. Simply decide whether you want ten valves, seven, four—whether you need automatic record-changing—and ask your dealer to let you hear the appropriate model. But, above all, notice its tone. *Throughout the whole range of radio-gramophones under the mark of "His Master's Voice," reproduction is 'true-to-life.'*

Superhet Ten Auto-radiogram (Model 532).


Ten valves (inc. rectifier). New tone or brilliance control. Improved automatic record-changing mechanism, allowing 10 records to be played consecutively, one record to be repeated indefinitely, or the changer to be thrown out of action so that the instrument can function as an ordinary electric gramophone. Electrically excited speaker. Variable mu valves. 100-160, 200-260 volts, 50-60 cycles. A.C. only. Imposing walnut cabinet. 80 guineas or by hire purchase.

Superhet Ten Auto-radiogram de Luxe (Model 532).


The Superhet Ten Autoradiogram in a dignified hand-made cabinet specially designed for a modern background. Main panels of finely figured walnut; side and base of dark macassar ebony; panel below grill, of fine burr walnut. Workmanship and finish in the finest tradition of cabinet-making. 95 guineas. Model '531' in the same cabinet, 85 guineas. Either model may be obtained by hire purchase.



Model 523



Model 532 (de luxe)



Model 532

MARCONI VALVES FITTED AS STANDARD TO ALL MODELS



"HIS MASTER'S VOICE"

True-to-life RADIO - GRAMOPHONES



The Gramophone Co., Ltd., London, W. 1

(Prices do not apply in I.F.S.)

Mention of "The Wireless World," when writing to advertisers, will ensure prompt attention.

The Wireless World

THE
PRACTICAL RADIO
JOURNAL
22nd Year of Publication



No. 701.

FRIDAY, FEBRUARY 3RD, 1933.

VOL. XXXII. No. 5.

Proprietors: ILIFFE & SONS LTD.

Editor:
HUGH S. POCOCK.

Editorial Offices:
116-117, FLEET STREET, LONDON, E.C.4.
Editorial Telephone: City 9472 (5 lines).

Advertising and Publishing Offices:
DORSET HOUSE, TUDOR STREET,
LONDON, E.C.4.

Telephone: City 2846 (17 lines).
Telegrams: "Ethaworld, Fleet, London."

COVENTRY: Hertford Street.
Telegrams: "Cyclist, Coventry." Telephone: 5210 Coventry.

BIRMINGHAM:
Guildhall Buildings, Navigation Street, 2.
Telegrams: "Autopress, Birmingham." Telephone: 2970 Midland (3 lines).

MANCHESTER: 260, Deansgate, 3.
Telegrams: "Iliffe, Manchester." Telephone: Blackfriars 4412 (4 lines).

GLASGOW: 26B, Renfield Street, C.2.
Telegrams: "Iliffe, Glasgow." Telephone: Central 4857.

PUBLISHED WEEKLY. ENTERED AS SECOND CLASS MATTER AT NEW YORK, N.Y.

Subscription Rates:
Home, £1 1s. 8d.; Canada, £1 1s. 8d.; other countries abroad, £1 3s. 10d. per annum.

As many of the circuits and apparatus described in these pages are covered by patents, readers are advised, before making use of them, to satisfy themselves that they would not be infringing patents.

CONTENTS

	Page
PROGRAMMES FROM	
<i>ABROAD, pp. 1—XXIV</i>	
Editorial Comment	79
The Evolution of the Gramophone	80
Pick-up Circuits	81
The Radio-gramophone of To-day	86
Unbiased	88
News of the Week	89
Modern Practice in Pick-up Design	90
Amplifier Designs	92
Types of Gramophone Motors	97
Choosing a Record Changer	98
Practical Hints and Tips	99
Synthetic Sound	101
Broadcast Brevities	102
Readers' Problems	104

EDITORIAL COMMENT

Broadcasting Hours

Should They Be Continuous?

FROM time to time the question of broadcasting hours becomes a topic for discussion, and opinions differ widely as to how many hours a day broadcasting should be "on tap." Some people are in favour of "continuous performance" which will provide for all B.B.C. stations to be on the air from early morning till late at night with no interruptions. On the other hand, there are those who consider that if we had only a few hours' broadcasting every day the programme organisers would have a chance of putting out the very best programmes possible, and that the public would, as a result, learn to treat broadcasting with more respect and value the entertainment provided.

There is much to be said in support of either of these two extreme views. We can well recollect that in the early days of broadcasting it was quite the custom to make special efforts to arrange other commitments so as not to interfere with listening to some special items of the broadcast programme. From time to time we have recommended that the B.B.C. should make a greater effort to announce, in advance, important broadcasts which they are arranging. The very fact that broadcasting can be listened to at almost any time tends to make the listener indifferent, whereas strictly limited hours of broadcasting might do much to encourage more regular listening and would also facilitate a raising of the general standard of the programmes. To fill every hour of the day with a variety of transmissions, all up to a high standard, would be a task probably beyond the reach of fulfilment, even if talent and money were far more plentiful than at present.

The experiment might be tried by the arrangement, say, once a week, of a couple of hours' transmission which the B.B.C. would announce as their best effort.

Interference

Procrastination Must End

IN spite of the urgent need for control over electrical interference and the very widespread public concern at the rapid increase of this nuisance, certain electrical associations seem to be unwilling to show real enthusiasm to co-operate. Probably it is felt by the officials of these organisations that any compulsory modifications to electrical equipment offered for sale will prove an embarrassment to the electrical manufacturer, and that consequently the longer any compulsion in this direction can be delayed the better it will be for their membership.

This is surely a very short-sighted view to adopt. It is inconceivable that electrical interference can be permitted to continue indefinitely, when almost every member of the public is interested in wireless reception and suffers, to a greater or lesser degree, from the effects of electrical disturbances. Facing the fact, therefore, that interference has got to be stopped, or at least curtailed in the future, it is far better that remedies should be found at once. The longer this is delayed the more expensive it is going to be for the electrical industry as a whole.

General co-operation on the part of the organisations representing the electrical industry would pave the way for immediate action to the benefit of everyone concerned, and it would especially remove prejudice against electrical apparatus which is at present growing because of the nuisance of interference.

The Evolution of the Gramophone

From the Early Talking Machine to the Modern Radiogram

By RICHARD ARBIB

(The Gramophone Company)



An early type of Berliner gramophone.

IT is a far cry from a wavy line inscribed by a hog's bristle on a lamp-blackened sheet of paper to the modern radio-gramophone. The former was the first recording of the human voice—the latter, as we all know, is the latest form of reproducer. In 1857 a French printer, Leon Scott, conceived the idea that he might be able to fix a sound wave upon paper. He wrapped round a drum a sheet of paper smeared with lamp-black; to a stretched goldbeater's skin he attached by sealing-wax a hog's bristle which rested on the surface of the paper. In front of the crude diaphragm he mounted a horn. Scott found that when he rotated the drum and spoke into the horn a wavy line was traced in the lamp-black and surface of the paper. He noted that if he did not speak the line was straight. He also discovered that repetitions of the same sound gave the same tracings. Scott called the tracings in the blackened paper the "Phonautograph," and deposited with the Academy of Sciences in Paris an article entitled the "Principles of Phonautography."

Although in this treatise he expressed the hope that it would be possible to record and subsequently reproduce sound, he did not specify any methods by which this might be brought about. The crude tracings made by this French printer were, in fact, the first lateral recordings of the human voice, upon which the gramophone is based.

The Phonograph

Another Frenchman, Charles Cros, deposited a treatise with the Academy of Sciences eighteen years later, entitled "The Process of Recording and Reproducing Audible Phenomena." Although he did not demonstrate his invention practically, he described the principles upon which the "Phonograph" was subsequently founded.

The scene of the development of the talking machine then passed to America, where, in July, 1877, Edison first recorded his voice by embossing a paraffin paper wrapped round a drum. In August he drew a sketch of his first "Phonograph,"

TO-DAY the gramophone has become such a normal adjunct to civilised existence that the public may be forgiven for accepting it without considering the slow and laborious process which has led to its ultimate development in the modern highly complex radio-gramophone. Eighty years have now elapsed since its fundamental principles were first made the subject of experiment.

which was made to his specification by a mechanic, Krusei, for eighteen dollars. This machine is now in the South Kensington Museum. In this instrument a cylinder is mounted in the centre of a threaded spindle, which passes through two uprights fixed to a wooden base. The male thread of the spindle passes through a female thread in one of the uprights, and to the end of the spindle is attached a small handle. On one side of the cylinder is mounted a ferrotype plate, in the centre of which is a sharp steel needle.

This diaphragm was intended for recording; on the other side of the cylinder was mounted a paper diaphragm, to the centre of which was fixed a rounded pin. Both these crude forms of needles were adjustable by springs to make contact with the cylinder. A sheet of tinfoil was wrapped round the cylinder, and the sounds of the voice indented thereon. Although Edison's "Phonograph" excited considerable interest in its early days, it did not become a commercial success, for its sponsors did not appreciate its entertainment value, and only exploited it as an adjunct to business, to replace, for instance, stenographers. The indenting of the tinfoil introduced distortion into the voice, and for fifteen years the "Phonograph" was only regarded as a scientific toy.


The Graphophone

Other inventors were now striving to produce a better machine, and in 1885 the "Graphophone" was patented by C. M. Bell and C. C. Tainter, of telephone fame. Their instrument was very similar to Edison's, but the difference between

their records and those of Edison's was that, whereas Edison's were indented by an up-and-down line, the "Graphophones" were cut by an up-and-down line. Both the "Phonograph" and the "Graphophone" cylinder records employed "hill and dale" recording, the track being of uneven depth.

Two years later The American Graphophone Company (later The Columbia Graphophone Company) was formed to market machines and wax cylinder records made under Bell and Tainter patents. These inventors had, in the previous year, filed an application for the use of wax and a sapphire point as the material and instrument for cutting a record. Litigation between Bell and Tainter and Edison followed, culminating in a working agreement between the two parties.

Other talking machines began to make their appearance, and in 1892 Charles Stroh demonstrated in London the first portable "Phonograph." On this machine, the original of which is in the H.M.V. Museum at Hayes, disc records were used, although



The Auxetophone with auxiliary blower to give increased output.

they were indented by a sapphire point. No inventor, up to this time, had realised that it was necessary to discover the method by which many duplicates could be made of an original recording.

The Evolution of the Gramophone

On November 12th, 1887, Emile Berliner, a German subject, who had emigrated to America at an early age, filed his first patent for the "Gramophone." He had, after inspecting a model of the Leon Scott "Phonautograph" at a local museum, become convinced that the future of the talking machine rested in a lateral-cut record; that is, one in which the sound waves were traced in a wave-form of even depth on a surface instead of being indented in the surface.

He also decided that it was necessary to discover a method by which thousands of duplicates could be made from one matrix. Berliner's first records were made by covering a small paper-covered cylinder with soot from a lamp. After the voice had been recorded thereon he fixed the tracings by pouring on a shellac solution. He cut the paper tube into strips and arranged for a photo-engraver to etch the tracings into a piece of flat zinc. He then considered his first crude gramophone in order that he might test his theory that the human voice could be reproduced through a lateral-cut record. He took a telephone receiver, and, after sawing off the front, he affixed to the diaphragm a stylus, at the end of which was attached a steel pin. By moving the point of the pin over the photo-engraved lines on the zinc by hand he was able to reproduce snatches of his own voice from the flat piece of zinc.

Berliner then proceeded to construct a gramophone with a turntable similar to those with which we are so familiar. This machine was hand-driven, but had a fly-wheel which assisted in obtaining constant speed. By means of a round glass plate, blackened over by smoke, a flat, circular record was made, and by a photo-engraving process the first flat disc record suitable for reproduction came into existence.

Master Records

It was at this time that Berliner discovered that the grooves of the record itself were sufficient to take the sound-box across the disc. He included this observation in his patent, and for many years it was a master patent of the "Gramophone." The inventors of the "Phonograph" and "Graphophone" had used screw mechanisms to take the needle across the record.

Although Berliner realised that it would be simple to make a matrix by recording in wax and then depositing it in an electrolytic bath and growing a copper negative, he was prevented from carrying out his theory by the fact that Bell and Tainter had already patented the methods for recording on a wax surface. Up to 1901 Berliner's master records were made by covering zinc discs with a composition of

beeswax. After the lateral tracings had been made from that, the record was placed in an acid bath and the sound tracings etched. The matrix was then made by a copper deposition, and the first records pressed in celluloid. Subsequently, records were made in vulcanised rubber, and eventually in a shellac composition.



Marketed in 1924 — a gramophone embodying the Lumiere diaphragm.

of the lateral-cut record, had transferred his activities to Berliner, had taken out a patent for the use of a governor in conjunction with the hand-driven gramophone.

Berliner and Clark realised that it was necessary to incorporate a suitable spring motor before the gramophone would become a commercial success for home entertainment, and Clark therefore set forth to find a machinist who could produce a suitable motor. Spring motors had been fitted to the early phonographs,

First Motor and New Sound-box

In 1897 Berliner's chief inventive work in connection with the gramophone had been accomplished, and its rapid development as a commercial instrument then passed into the hands of two of his colleagues. A year previously, Alfred Clark, who had originally worked with Edison, but, realising the immense superiority

but none of them had been satisfactory owing to excessive noise and uneven running. His first visit was to the workshop of Eldridge R. Johnson, a machinist, in Camden, New Jersey.

After a few weeks' experimenting, Johnson produced a satisfactory sample motor, and then made supplies for all the early Berliner gramophones. Alfred Clark had by this time realised that the first Berliner sound-box was very unsatisfactory; the stylus bar was clamped across the face of the box, and was held so rigidly that after a few playings a record was completely worn out. Despite the great improvements in record matrix making and record pressing (due principally to the substitution of shellac composition pressing material for vulcanised rubber), the inefficiency of this sound-box did not enable the best results to be obtained from the improved records. Clark realised that a much lighter and freer stylus bar was necessary, and worked out an experimental model. He then handed this to Johnson, who perfected it in order that commercial models could be produced.

Wax for Recording

Clark-Johnson sound-boxes were introduced on the Berliner gramophones in 1897, and remained as standard until 1902 when a modified box was introduced to cope with the further improved records owing to the adoption of wax as a recording material. It is interesting to note that the development of these two sound-boxes was due to improvements in records. In fact, throughout the history of the gramophone, the development in instruments has followed the improvements in recording.

The Clark-Johnson sound-box is probably the most familiar in the world, for it was the one fitted to the small gramophone in the famous "His Master's Voice" picture. The incorporation of the spring motor and the introduction of the Clark-Johnson sound-box were responsible for the rapid hold that the gramophone gained on the public between 1897 and 1903. It is also interesting to note that these two colleagues of Berliner's, Johnson and Clark, were to become the founders of the two largest gramophone companies in the world. In the first year of the twentieth century the Victor Talking Machine Company was formed in Camden in order that Berliner patents and the Johnson improvements of these patents could be combined in one corporation. Eldridge R. Johnson became its president, and remained so up to 1926.

In 1909 Alfred Clark became managing director of The Gramophone Company in London, and is now chairman of the great merger company, Electric and Musical Industries, combining the interests of "His Master's Voice," Columbia, Marconiphone, Parlophone, and Regal-Zonophone.



An early radio-gramophone produced by the H.M.V. research laboratories at Hayes in 1923.


The Evolution of the Gramophone—

By 1902 the Bell and Tainter patents for sound recording had expired, and lateral disc recording on wax then became universally used in place of the old etching in zinc method. Great artists, such as Caruso, Melba, and Patti began to record for the gramophone, and thus the talking machine became to be appreciated as an instrument of entertainment. On the record side there was no great step forward between the years of 1902 and 1925, with the exception of the introduction of a practically non-scratch record by the Columbia Graphophone Company in 1922.

Early Public Address Gramophones

The quality of reproduction from the gramophones likewise did not meet with any great improvements. In 1903 the first instrument to incorporate a tone arm was placed on the market, and by 1905 two types of gramophones were evolved for playing music to large crowds of people. The first, the "Triplephone," required a great deal of skill for satisfactory operation. Three turntables were mounted on top of one another and driven by a single motor, a separate horn and sound-box was played from each record, and it was naturally necessary to ensure that the needles were placed on the same copies of the records in exactly the same place.

A very much more expensive machine,



Produced at Hayes in 1920 and believed to be the first experimental automatic record changer. Five records could be handled.

the "Auxetophone," enjoyed considerable popularity for some years. In this instrument a small air valve replaced the mica-diaphragm in the sound-box. An electric motor actuated bellows which pumped air past the valve at a pressure of 2 lb. per square inch. The sound from the record was, in point of fact, blown out of the horn by compressed air.

Up to 1911 the horns of gramophones

had been external, but manufacturers then realised that, however beautiful they might make the cabinets, the horns could not fail to be other than ugly in the home. Internal horn machines then made their appearance, and, although they increased the popularity of the gramophone commercially, it cannot be said that their reproduction was as good as their predecessors. The horns had to be limited in size and bent to fit into the cabinets. There was, in fact, little improvement in quality


of reproduction between the years 1906 and 1924. To make the gramophone even more attractive, attention was directed to automatic record changing, and in 1920 the first experimental design was produced at the H.M.V. works at Hayes. Eldridge R. Johnson, whilst on a visit to England from America, had conceived the idea of the automatic gramophone,

and made sketches of the instrument. On arrival at Hayes they were handed over to a mechanic named Tompsett, who, in a fortnight, had produced a working model. Five records were mounted on top of one another on a turntable and rejected after playing. The instrument was driven by a spring motor. The directors of the company did not think the time was ripe for an instrument of this kind, but between the years 1920 and 1927, when the first automatic gramophone was introduced to the public by H.M.V., twelve different experimental models had been produced at Hayes.

At the same time experiments were taking place in the development of a large-diaphragm gramophone. Before the War the Pathé Company in France had introduced a gramophone in which their "hill-and-dale" disc records were played upside down by a needle attached to the centre of a paper cone. The Gramophone Company acquired the patents for a pleated diaphragm reproducer from a French experimenter, Lumiere, and after four years' experiment at Hayes the first Lumiere gramophone was marketed in 1924. A special paper diaphragm was pressed, folded, and then dipped into an acetate solution. The diaphragm was mounted upright at right angles to the record, and was supported by a ring which was car-

ried by an arm across the face of the disc, a needle was fixed in a stylus which was connected by a long-wooden bar through a bell-crank lever fastened to the centre of the diaphragm. The reproduction from this machine was a relief from the rather hollow horn quality the public had been accustomed to up to then.

By 1923 the first experimental single-dial combined wireless and gramophone had been produced in the Research Laboratories at Hayes. B. Mittell, who



H.M.V. automatic record changer with record turning-over device. This model has not been placed on the market.

had recently joined the company, had taken charge of electrical research. After months of experiment he evolved a method of cam control which adjusted the capacity of a single condenser and simultaneously carried the reaction coupling. Many instruments in the United States and other countries used this patent. This early radio-gramophone was not produced commercially, for within a few months the possibilities of recording by an electrical process was engaging the whole attention of the Research Departments of the large gramophone companies. In July, 1925, the first electrically recorded records were issued in England by "His Master's Voice." Once again an improved method of recording demonstrated how inefficient were the reproducing instruments.

Matched Impedances

By the end of the year the new gramophones embodying long horns and the partial use of matched impedance were placed on the market. Up to this time the construction of horns and sound-boxes had been by trial-and-error methods. In the Bell Laboratories in America two engineers, Maxfield and Harrison, had turned their attention to the scientific production of logarithmic horns used in connection with scientifically produced sound-boxes. The new "His Master's Voice" machines were a development of these experimenters' researches. Two years later these models were replaced by ones in which the principles of "matched impedance" were applied throughout from the stylus bar of the sound-box to the mouth of the horn. An unobstructed pathway for the sound waves from the tip of the needle to the outer opening of the horn was obtained. The sound-box was

The Evolution of the Gramophone—

matched to the tone arm, and the components were matched to each other, and there was no reflection of the sound waves during their passage through the gramophone.

In these machines all-metal sound-boxes were employed in which specially constructed aluminium diaphragms reduced edged stiffness, and enabled a large area of the diaphragm to vibrate evenly. This gave improved reproduction of the bass notes, and the flexibility of the stylus bar reduced record wear by enabling the needle to track the larger sound waves of the electrically recorded records. By a clever method of folding, a truly exponential horn of six and a half feet in length was fixed in an ordinary cabinet gramophone. This type of tone chamber was called the "Re-Entrant." At the same time the Columbia Graphophone Company had commenced to market gramophones in which bifurcated horns were used in conjunction with new sound-boxes.

Meanwhile, experiments had taken place in the electrical reproduction of records, and, although experimental pick-ups had been produced at Hayes as early as 1923, the first electrical reproducer to bear the H.M.V. trade-mark did not make its appearance until 1927. A year previously the Brunswick Company had begun to market the "Panatrope," the first commercial machine to utilise an electrical pick-up, amplifier, and loud speaker for reproducing records.

Freak Machines

The "boom" years of the gramophone, 1927-1928, led to numerous companies being floated for exploiting some extraordinary machines. In many cases only experimental models were produced, and all the companies had short lives. An automatic gramophone which played records vertically, a portable gramophone which went back to the old cone diaphragm method of reproduction, and records which reverted to the original celluloid base, were a few of the products for which company directors prophesied abundant sales. Most of us will be familiar with the progress during the last four years; the combined instrument—the radio-gramophone—is now made by many manufacturers, and has established itself as an instrument of very wide appeal both for the home and for general entertainment purposes.

Automatic record changers have been simplified, and now occupy little more space in the cabinet than the ordinary electric motor. In view of the frequent cry for a changer that will turn records over, it is interesting to note that an experimental model was demonstrated before the Royal Society of Arts in March, 1931. This instrument, produced in the H.M.V. Research Laboratories, can be set to play twelve records, ten- or twelve-inch mixed, in succession. By pressing a button on a remote volume control, either one side only or both sides can be played at will. It should be emphasised that the machine is unlikely to be produced commercially, as

the cost of production is hardly justified. Compact automatic mechanisms can now be produced so cheaply for playing complete works which are specially pressed for use on automatic machines. Progress in the development of the radio-gramophone is unlikely to be so rapid in the future as it has been during the last five years. Excellent reproduction with satisfactory operation can now be obtained for a comparatively small sum.

In a short article of this nature it has only been possible to sketch briefly the development of the gramophone.

Readers who are anxious to learn more of the interesting history and development of the talking machine are referred to the following publications, some of which may be out of print:—"Modern Gramophones and Electrical Reproducers," by P. Wilson and G. M. Webb; "The Romance of the Gramophone," by T. Lindsay Buick; "Emile Berliner," by F. W. Wile; "The Reproduction of Sound," by Henry Seymour; and Cantor Lecture delivered by A. G. D. West before the Royal Society of Arts on the "Recording and Reproducing of Sound."

FERROCART COILS IN GERMANY



(1) The Ferrocart discs are sawn into two parts.
 (2) Sorting the cores into categories according to their magnetic properties.
 (3) Winding the coils on removable formers; adjacent turns are secured by adhesive.
 (4) Inserting the two halves of the Ferrocart core.
 (5) Matching by variation of the air gap (see inset).

THESE photographs, from our Berlin correspondent, show various stages in the manufacture of the new high-efficiency tuning coils wound on iron-powder formers, and disclose the secret of how the Ferrocart core is placed inside the winding—a problem akin to that of the apple and the dumpling. The initial sorting of cores into categories is necessary because individual specimens vary slightly in their magnetic properties. Each category requires a slightly different number of turns of wire for a given inductance value. Instead of winding the coil directly on the core, it is first wound on a mandrel, or removable former, and the two sections of the Ferrocart disc are then inserted.

The critical operation of inductance matching is carried out with the help of oscillators and a means for making fine air-gap adjustments by rocking one section of the coil. Finally, the sections are secured by filling up the gap with a sealing compound.

Pick-up Circuits

Gramophone Reproduction from the Radio Receiver

By W. T. COCKING

THE electrical reproduction of gramophone records offers such striking advantages over purely mechanical methods that it is not surprising to find it becoming more and more generally employed where high-quality reproduction is required. Any wireless receiver capable of giving good quality at a reasonably large volume can readily be modified for the electrical reproduction of records. Apart from the motor and turntable, which will often be available from an existing mechanical gramophone, the only essential components are a pick-up and a volume control potentiometer. Since most present-day sets include a detector valve transformer coupled to the output pentode or triode, and these will provide sufficient amplification for any normal type pick-up, it is necessary only to connect the extra components to the input of the detector valve.

In the case of a battery receiver the connections are simplicity itself, and are illustrated both diagrammatically and pictorially in Fig. 1. The potentiometer R is provided for the volume control, and it can with advantage be of the specially graded type, so that the changes of volume are even throughout the range. The straight-line type, however, is quite as satisfactory electrically, but it is not so pleasing in its operation. The really important point is the value selected for its total resistance, since it can have a marked effect upon the quality of reproduction. If the resistance be less than a certain value, which depends upon the type of pick-up, the higher musical frequencies will be greatly attenuated, and it is wise, therefore, to adhere to the pick-up makers' recommendations in this respect.

It is possible, however, to turn this effect to useful account, for it often happens that the high notes are unduly strong—particularly in cases where the output valve is a pentode. By using a volume control of lower resistance than usual, or, alternatively, by shunting the pick-up by a variable resistance as shown in Fig. 2, the high-frequency response can be reduced to the desired degree. In the majority of cases, therefore, some experimenting with different resistance values will be well repaid.

Automatic Bias

In a battery set it will suffice if the bias battery has a potential of 1.5 volts, but in the case of a mains set, to which the same connections are applicable, 3 volts bias should be used. This, of course, is due to the fact that with most mains valves there

is a flow of grid current until the grid is at least 1 volt negative with respect to its cathode, whereas with battery valves grid current ceases at about zero bias. In general, however, it is desirable to employ automatic bias in a mains set, and the circuit of Fig. 3 should then be used. The bias resistance can be given a value of 1,000 ohms, since this value covers all normal type detector valves, such as the M.H.4, M.H.L.4, AC/HL, 354v., 165v., and 41MHL.

The results obtainable with these simple circuit arrangements represent a considerable improvement upon the usual mechanical reproduction, but a closer acquaintanceship with the apparatus reveals that there is something lacking, and the quality rarely comes up to the standard set by broadcasting. The usual defects are—needle scratch, hard quality, and rattling, and of these the latter is often the most annoying.

frequencies it is due to the needle being unable to follow the groove of the record, showing poor pick-up design. Increasing the weight of the pick-up will help.

The general type of rattle, however, is at a high frequency, and it is due largely to radiation from the needle and its holder. By the very nature of the pick-up these must vibrate in accordance with the dictates of the recording, and they will consequently act upon the air and set up

vibrations in it. At low frequencies they can move an insufficient quantity of air for the sound to be audible, but this is far from being the case at high frequencies. Musical notes in the neighbourhood of the natural resonance frequency of the needle and its

holder are most strongly reproduced by this direct means, and it is a common experience that, with the amplifier switched off, the recording can be followed by the direct radiation from the pick-up.

When the amplifier is working and the volume level is high, this radiation is drowned, and may be of no importance. In cases where only moderate volume is required, however—and these are the most common—both the direct radiation and the output of the loud speaker can be heard, and they interfere with one another

to produce a distressing rattling effect. There is one cure, and one only: the pick-up must be enclosed in a sound-proof cabinet. A simple lid covering the playing-desk affords an appreciable reduction in the noise, but to obtain complete freedom it is usually essential for the lid to be thoroughly packed with felt.

We come now to the second source of

trouble—harsh reproduction. This is usually due to the high-frequency resonance of the pick-up, which accentuates unduly those frequencies in the neighbourhood of 3,500 cycles. The harshness may be reduced by the simple expedient of lowering the general high-frequency response, either by shunting the pick-up by a low-value resistance or by fitting one of the standard type scratch filters. At best, however, these remedies are only partial,

NEARLY every receiver is capable of giving good reproduction when a gramophone pick-up is connected. It is, however, important to consider the value of the volume control resistance which, if incorrect, may affect the frequency response. A needle scratch filter and resonance eliminator are also given consideration in this article.





Fig. 1.—The ease with which a gramophone pick-up can be fitted to a battery set is depicted in these illustrations. The switch S is not essential, but it saves disconnecting wires when radio reception is required.



It is, of course, assumed that the amplifier itself is free from blame, for this is a trouble which cannot be taken into account in this present article. If the performance is satisfactory on radio, however, and the gramophone connections are correctly made, it is usually safe to regard the amplifier as above suspicion. The rattle which is so common is due to the purely mechanical chatter of the pick-up, and it may be of two kinds. If it occurs at low

Pick-up Circuits—

for if the resonance be sufficiently reduced the really high frequencies are obliterated altogether. A better method is to fit a tuned acceptor circuit to the pick-up, so that only those frequencies close to the resonance are reduced, and both lower and higher frequencies are left untouched.

Needle scratch is the next point of importance. It is undoubtedly of high frequency in its origin, and the usual method




Fig. 2.—A variable resistance may be connected in parallel with the pick-up if the reproduction is too high-pitched.

of eliminating it is to fit a low-pass filter to prevent all frequencies above a certain limit from being reproduced. The difficulty comes in deciding where this upper limit shall be. The frequencies recorded extend up to some 5,000 cycles, but if we reproduce these fully, and cut-off only at a higher frequency, most of the scratch will still remain. On the other hand, if we cut out most of the scratch we shall also remove most of the frequencies above about 3,000 cycles. As a result, the usual scratch filter is a compromise, and a reduced response is obtained above about 2,500 cycles and some scratch is allowed to remain.

Pick-up Resonance

It was recently pointed out in this journal,¹ however, that the greater portion of the scratch is caused by the high-frequency resonance of the pick-up, and that if this resonance could be removed the majority of the scratch would also vanish. We thus come back to the tuned acceptor circuit mentioned above, and practical tests show that this is capable not only of removing the harshness due to the high-frequency resonance, but the major portion of the needle scratch.

The arrangement is very simple, and is illustrated in Fig. 4; apart from the usual volume control potentiometer, the only components needed are a choke, a con-




Fig. 3.—The connections for automatic bias in a mains set are shown here. The resistance in the cathode lead can be 1,000 ohms, and a 1 mfd. shunt condenser is sufficient.

denser, a fixed resistance, and a variable resistance. For a high-resistance pick-up,

¹ "Pick-up Resonance and Needle Scratch," by A. W. Stewart, *The Wireless World*, Dec. 16th, 1932.

such as the Marconiphone, the fixed resistance can have a value of 25,000 ohms and the variable resistance a maximum value of some 100,000 ohms. The condenser C should, theoretically, be variable, so that the circuit may be tuned to the exact resonance frequency of the pick-up, but in many practical cases it is sufficient to employ a fixed capacity of 0.001 mfd. The choke L should have an inductance of 2H., and a suitable component would be the Varley 3H. tapped choke.

The variable resistance should be adjusted to the point at which needle scratch practically vanishes, and the tone of the reproduction will then be appreciably lowered, due to the removal of the resonance. There should be no evidence that really high frequencies are missing, how-





Fig. 4.—The connections for a simple scratch and resonance eliminator are shown diagrammatically and pictorially in these diagrams. The arrangement is unusually effective, and prevents hard reproduction.



ever. The values given above are, of course, suitable only for a high-impedance pick-up, and if a low-impedance type, such as the B.T.H., be employed, it is suggested that the fixed resistance be given a value of 2,500 ohms and that the variable resistance have a maximum value of some 20,000 ohms only. The choke inductance should also be reduced, and about 0.5H., with a capacity of 0.004 mfd., would probably be satisfactory.

By the careful application of this principle a vast improvement to the reproduction can often be made. It will be realised, however, that much depends on the pick-up, and the closer this approximates to perfection the smaller will be the improvement found on fitting the circuit.

The question of a suitable choice of needle is another factor of considerable importance. If an automatic record changer be used there is really no alternative to the Tungstyle type, and, in general, a loud-tone steel or Tungstyle needle will be found the best from the point of view of quality. Where trouble from pick-up chatter is present, however,

a half-tone steel needle may prove the best. Fibre needles should never be employed in ordinary circumstances, since most types are incapable of reproducing the really high frequencies, and they wear so rapidly that the quality at the end of a record is noticeably poorer than at the commencement. Where the high-frequency response is excessive, of course, fibre needles may, by virtue of their high-frequency attenuation, give an improved result; the correct course, however, is to redesign the apparatus so that a steel needle gives the correct reproduction.

CLUB NEWS

Making Moving-coil Loud Speakers

MR. R. E. FABIAN, late "Phyvenno," of the *Newcastle Evening World*, recently gave an interesting lecture-demonstration before the Newcastle Radio Society on the construction of a moving-coil speaker. Mr. Fabian was representing his firm, Whiteley Electrical Radio Co., Ltd. We understand that he would be pleased to give a lecture or demonstration to any Radio Society. His address is 5, Egremont Drive, Sheriff Hill, Gateshead.

The Hon. Secretary of the Newcastle Radio

Society is Mr. W. Pope, 9, Kimberley Gardens, Jesmond, Newcastle-on-Tyne.

Mains Transformers

AT a recent meeting of the Catford and District Radio and Television Society Mr. F. G. Sawyer, of Messrs. Partridge, Wilson and Co., lectured on "Mains Transformers and Power Smoothing Chokes." Demonstrations and a lantern slide display added much interest.

Hon. Secretary: Mr. H. W. Floyd, 38, Como Road, Forest Hill, London, S.E.23.

Coming Shortly

A HIGHLY attractive programme will fill the spring session of the Southall Radio Society. Coming items include demonstrations of cathode ray, short-wave sets, television and loud speakers. On February 21st members will debate "That pentode valves have more favourable characteristics than a triode for modern set design."

Hon. Secretary: Mr. H. C. Rayner, 114, North Road, Southall.

For Battersea Amateurs

MR. F. G. SAWYER, of Messrs. Partridge, Wilson and Company, recently lectured on "Mains Transformers and Power Chokes" to the Battersea and District Wireless Society.

Full particulars of the Society can be obtained from the Hon. Secretary, Mr. S. F. Harris (G5SH), 93, Salcott Road, Battersea, London, S.W.11.

The Radio-gramophone of To-day



The Variety of Types of Instrument

GRADUALLY, re-production from records has come to be regarded as almost essential as a companion to broadcast reception, and practically every receiver of to-day has provision for the connection of an electrical pick-up. Apart from the instrument specially designed as a combination of gramophone and radio, there are a variety of units available for converting the broadcast set into a combination instrument.

equipped for wireless and also possesses an ordinary gramophone, can convert his installation into a radio-gramophone at a cost of a pound or two—the price of a pick-up and volume control. Provided that the existing radio receiver is beyond reproach, there is not the slightest reason why the results obtained should not be equal to those obtainable from a completely self-contained instrument; indeed, as separate units the results may be better, unless the self-contained example has been carefully designed as a whole.

Needle-track Alignment

Admittedly, in certain cases the results will not be quite so good if the receiver is of the small and unduly compact type, for, despite efforts to prevent it, box resonance is often quite pronounced. This must not be taken as an adverse criticism of compact sets generally, for many of them are beyond reproach in the matter of quality of reproduction, whilst, on the other hand, certain console receivers leave quite a lot to be desired. As a general rule, however, one may expect better quality from a receiver that has less congestion at the back and sides of the loud speaker.

One or two important points must be remembered when purchasing a pick-up for use with an existing gramophone. In the less expensive of the mechanical gramophones no care is taken to obtain anything like correct needle-track alignment, yet this point must be attended to or various troubles will occur in electrical reproduction. The construction of cheap gramophones will not usually permit of the fixing of a new tone arm of more modern type, which would enable the gramophone to be used with an ordinary sound-box or pick-up as desired. It is usually necessary, therefore, to purchase a pick-up already attached to a proper carrier arm.

It is not worth while to buy a pick-up alone to add to an existing gramophone unless the gramophone is a really good instrument with a reliable motor and so built that needle-tracking is accurate. If the instrument falls short in these essentials it is far better to purchase a complete playing-desk. Most of these units are as small and compact as a portable gramophone.

THE name "radio-gramophone" is usually applied only to a completely self-contained installation embracing radio receiver, loud speaker, turntable, and pick-up, but it can, with equal justification, signify a wireless receiver used in conjunction with a "playing-desk," of which quite a number have made their appearance on the market in the past few months. Although the playing-desk is regarded by most people as something quite new, it is actually far older than the complete radio-gramophone; in fact, it might almost claim to be older than the broadcast receiver itself, since a well-known firm marketed one in 1921, over a year before the commencement of regular broadcasting.

The Playing Desk

As it preceded electrical recording by four years, it is rather difficult to see what was its *raison d'être*, for, although it was used with a low-frequency amplifier, the quality was certainly no better than that of the acoustic gramophone.

No real interest in the electrical reproduction of records was evinced, however, until some time later, after several different types and makes of pick-up had made their appearance. A playing-desk represented the first design put forward by *The Wireless World* in the direction of a radio-gramophone, full constructional details of such a device being given in 1927; it is interesting to note, however, that it was not until four years later, in 1931, that commercial firms saw the possibilities of a gramophone unit and pick-up as an accessory for increasing the enjoyment to be obtained from existing wireless receivers.

The simplest form of the radio-gramophone to-day is that in which a pick-up

is attached mechanically to the tone arm of an ordinary acoustic gramophone and electrically to the pick-up terminals of an existing receiver. Practically all wireless receivers of to-day are fitted with pick-up terminals, and so anybody who is



Two balanced loud speakers are incorporated in this R.G.D. radio-gramophone. Nine valves are to be found in the equipment, which includes tone control and a volume control effective on both radio and gramophone.

The Radio-gramophone of To-day—

phone, and they can, of course, be obtained with a spring or an electrically driven motor as required. They are very convenient, as they can be placed on a table or near an armchair, thus enabling the user to change records without constantly getting up; for this reason the playing-desk may be described as the poor man's record-changer.

These instruments can be obtained in various different types. In some the lid



Ad-a-gram's radio-gramophone adaptor.

is hinged in the manner of an ordinary gramophone, whilst in others it is in the form of a pull-out drawer which can be pushed back into place as soon as the record is started in order to deaden the mechanical noise of the needle scratch.

It is advisable, of course, not to use extremely long pick-up leads, and the additional precaution of using screened leads is sometimes necessary. A great deal of nonsense is, however, talked about long pick-up leads by people whose knowledge is more theoretical than practical. In many cases where trouble is apparently caused by long leads the fault lies in bad receiver design. There is, in fact, nothing like a gramophone pick-up with leads of even moderate length for showing up inherent instability in a receiver.

Apart from the portable type of playing-desk just discussed, there is another form which, for want of a better name, may be described as a console model. It usually consists of a record-filing cabinet built in console form with the playing-desk at the top. The intention is that the existing radio receiver with its built-in loud speaker be

placed on the top so that the whole installation forms a complete radio-gramophone. Usually in this type of instrument the playing-desk is in the form of an actual bureau with the usual let-down flap, the whole arrangement being very practical. Others, no less convenient, have a built-in drawer, as in the portable type previously discussed.

Many people prefer this type of instrument to a complete radio-gramophone of the more conventional type, since the loud speaker output is at ear level, or slightly above, which is certainly more correct theoretically than the low-down

position given by the ordinary instrument. In addition, ample space is given for record storage, which is not the case with the majority of instruments of the other type. This design of playing-desk can also be used with a console-type receiver, and the two pieces of apparatus would take up no more floor space than an ordinary radio-gramophone and its accompanying record cabinet.

Despite the merits of playing-desks, however, it cannot be seriously argued that the man who is starting *de novo* and has the necessary cash to spend on a radio-gramophone should purchase a receiver and playing-desk instead. The advantages of an instrument which has been specially designed for the function which it is intended to fulfil are too great to permit of their being outweighed by those of the playing-desk.

Considering the radio-gramophone from the gramophone side only, it must be remembered that the instrument can be purchased either with or without a record-changer. If the extra cost can be afforded a record-changer is a desirable adjunct, for the convenience is great

in being able to select a complete programme and then retire to one's armchair with the knowledge that musical enjoyment can be had for half an hour or so without bothering to attend to the instrument. Practically all these automatic changing devices have an arrangement whereby the gramophone can be manually operated if required.

Incidentally, the joys of a record-changing device are not denied to the man who, possessing a good set, becomes a radio-gramophone owner *via* the playing-desk

route; at least one firm markets a complete turntable, record-changing device, and pick-up, all mounted on a unit plate for fixing by screws into a playing-desk cabinet or other convenient article of furniture.


There is now only the radio side of the instrument to be considered. (It may be taken for granted that the power output of these instruments is adequate and their tone beyond reproach). The point to be decided is what radio range is required.

Two or three years ago practically all radio-gramophones, while excellent as electrical reproducers of gramophone


records, were woefully underpowered on the radio side and were suitable for the reception of nearby stations only. Nowadays one can purchase a radio-gramophone having any number of valves from two to ten, the multi-valve instruments embodying the superheterodyne principle and permitting the reception of practically any station having entertainment value. The choice of a radio-gramophone will be largely governed by the geographical position of the prospective purchaser, since this consideration will largely determine the degree of sensitivity and selectivity required.

Gramophone reproduction and wireless reception are now so closely associated in the minds of the public that it is


almost amusing to recollect that when broadcasting began there was nearly a panic amongst record manufacturers lest broadcasting would eclipse their activities. Instead, we have seen interest in gramophone reproduction grow steadily side by side with the progress of broadcasting, and boom years in wireless and record sales have coincided.



Turntable, motor and pick-up are housed in a drawer in this Univolt Pedestal Unit, where provision for storing records is provided in the lower compartment.



The "C.A.C." playing-desk incorporates an induction motor, pick-up and volume control.



The Peto-Scott "Adaptagram" cabinet provides liberal space for a receiver or amplifier and loud speaker equipment. A spring or electric motor can be provided to drive the turntable.

UNBIASED

Following the Music

I SUPPOSE that most of you, like myself, find an added interest in listening to a broadcast opera or symphony concert by following the musical score. Personally, I find that my enjoyment of gramophone record recitals is similarly increased by following the "score," which is easily done by twirling the appropriate gramophone record round on a pencil and looking at it through an ordinary reading glass. It is a little trick taught me many years ago by an old musician who often plays an organ solo from a gramophone record by propping up a small portable gramophone on the music stand and allowing the record to rotate.

The ability to read the score of a record in this way—which is quite as easily acquired as reading an ordinary musical score if you will only persevere sufficiently—will, I assure you, greatly add to your interest in gramophone recitals. It has, at any rate, taught me to appreciate at its full value the strenuous efforts made by the B.B.C. to make good the well-known musical deficiencies of a gramophone record by superimposing sound



Quite easily done.

from instruments played in other studios. Sometimes their efforts are so emphatic that I find a real difficulty in following the original score on the record.

Bright Ideas for 1934

ALTHOUGH it is not yet six months since the last Olympia Show, it is by no means too soon to begin thinking about what we expect the manufacturers to provide for us in next season's models. If any of you have got any bright ideas in this respect, please send them along and I will endeavour to give them publicity. Only in this way can we get the manufacturers to market the things we want.

As a start off, I think that no manufacturer's range of sets should be included among the 1934 models which does not make provision for at least three wave-bands, namely, long, medium, and the most useful of the various short wave-bands. Of course, we must expect the

usual opposition. It will be pronounced technically impossible to produce such a set at an economic price, and the detrimental effects of switching will be pointed out to us; in short, the usual obstructionist methods will be employed, just as

By

FREE GRID

they were umpteen years ago when we demanded dual-waveband receivers.

The use of automatic record changers on radiogramophones must become more widespread. Furthermore, there must not be so great a discrepancy between the price of a console receiver and a radiogramophone.

If any manufacturer knows of any just impediment to the achievement of these worthy aims let him declare it.

"Enormous Sacrifice"

IT is unfortunate, but none the less true, that obsolete sets and components are foisted on to the public as new, even in the radio departments of certain of the large stores. I came across a typical instance of this sort the other day in one of our large departmental establishments.

I noticed an imposing-looking superhet of 1926 vintage, the makers of which have long since passed along Carey Street to merciful oblivion. Evidently it had not been used, as it was very spick and span; and since its makers had been a firm always noted for their cabinet work it was of quite prepossessing appearance even when compared with the modern instruments which surrounded it.

Its original price—which would make a nasty dent in a hundred-pound note—was marked on it, followed by the words, "Maker's current list price." After this came the sale price of £10, which was hailed as an "enormous sacrifice."




Adding rhythm to records.

I don't know what you think about this sort of thing, but, in my opinion, it is sheer dishonesty, and I said so in no uncertain terms to the manager.

With Knobs On

I HAVE received a long and involved letter from a reader who sighs for the days that are no more. His particular moan is the paucity of knobs on the modern set. In the good old days, when men were men and sets were sets, he points out, you had at the very least half a dozen knobs to twiddle exclusive of filament rheostats. He goes on to lament what he calls the "effeminacy" of the average set-owner of to-day, who is not satisfied even with only one main tuning control on his receiver but wants still greater simplicity.



With treadle-driven generator.

Personally, I profoundly disagree with my correspondent, and would gladly welcome the present tendency towards simplification of control. Why use six tuning dials when one will suffice, and why use filament rheostats when they are not wanted? I am greatly in favour with the modern vogue of combining the on-off switch with the volume-control knob, and cannot for the life of me see why the wave-band and gramophone-switching arrangements should not be combined with the tuning knob, as is done in the case of a certain highly efficient receiver. This reduces the number of knobs to two only. Three knobs is, I think, the outside limit in numbers; if more are permitted we might be lavish and fit our sets with such refinements as a treadle-generator to supply H.T. and L.T.

Why not?

Her Tiny Hand is Frozen

MY confidential secretary complains that her fingers are stiff with cold and the tips thereof absolutely numbed as the result of typing these few notes, for in spite of the fact that the room is pleasantly warm the typewriter keys are like icicles. Surely it is not beyond the ingenuity of our manufacturers to turn out a model with electrically heated keys? The actual amount of heat per key that would be required would be infinitesimal, and a miniature heating element built into each key would be all that would be required.

NEWS of the WEEK

Listening in Iceland

ICELAND'S listeners have increased in number by 28 per cent. during the past year. The Reykjavik transmitter now has a local audience of 5,418.

Welcome to Athlone!

BY the time these lines are read the new 80 kW. broadcasting station of the Irish Free State at Athlone should have opened its regular service. The station has been experimenting nightly after 10.30 o'clock on its wavelength of 413 metres.

Open-air Wireless Mart

FOR a daily "rent" of 50 centimes, the amateurs of Lyons are permitted to sell old radio sets and parts in the Place Riviere, Villeurbaine. Apparatus can be found here displayed on trestles or the cold cobble stones. The place is said to be a popular haunt for all radio-minded folk.

More Radio Palaces

APPARENTLY the best is just good enough for broadcasting, to judge from the general tendency to provide palatial headquarters for broadcasting purposes. Two new "Broadcasting Houses" are to go up in Germany: at Cologne and Königsberg respectively.

Rebuilding Giant Studio

EUROPE'S biggest broadcast studio, in Berlin, is to be completed. This imposing hall in the Funkhaus seats 750 people in the lower auditorium alone and contains room for many more in the gallery and orchestra. When the Funkhaus was first erected the large studio was given temporary walls and decorations while acoustic experiments were carried out.

Imported Valves

THE Board of Trade give notice that they have referred to the Standing Committee an application for an Order-in-Council to require the marking with an indication of origin of imported wireless valves and rectifying valves.

Those who desire to be heard in opposition at the public enquiry which will be held later should communicate with the Secretary, Mr. E. W. Reardon, at the Board of Trade Offices, Great George Street, London, S.W.1, not later than February 25th, 1933.

The Television Society

"THE New Gas Discharge Tubes and their application to Television" is the title of a lecture to be given before the Television Society on Wednesday next, February 8th, by Mr. Norman L. Harris, of the G.E.C. Research Laboratories. The meeting will be held at 7.0 p.m. at University College, Gower Street, W.C.1.

Non-members may obtain cards of invitation on application to the Hon. Business Secretary, Mr. J. J. Denton, A.M.I.E.E., 25, Lisburne Road, Hampstead, N.W.3.

Current Events in Brief Review

Electing an Announcer


NEARLY 12,000 listeners in Algiers have taken part in the election of a lady announcer. The position has been won by Mlle. Costes, who originally officiated at the same station and, later, at *Poste Parisien*.

Another Swiss Regional

SWITZERLAND'S third regional station—that intended for the Italian-speaking population—is nearing completion in the centre of the fortified region of the Monte Ceneri, in the canton of Tessin, with studios at Lugano. The ceremonial opening will take place in the early summer.



THE COMPLETE POLICEMAN. The day draws near when every constable will be radio-equipped. (Above) A Brighton policeman with a motor cycle receiver. (Right) A Nottingham radio police car.



The Loudest Spot

LONDON may possess the honour or shame of being the world's noisiest city. Noise skuths of the Western Electric Co. are now experimenting with their "sound meter" in various cities, filing the results at their Cricklewood Works, London.

The noisiest spot in London, according to last week's survey, was in Fleet Street, near *The Wireless World* offices, where the volume of sound measured 83 decibels, Lombard Street, in the financial quarter, and the Embankment were comparatively quiet, registering only 63 decibels.

In Switzerland

SWISS listeners numbered 231,000 on December 31st, 1932, an increase of 81,000 in twelve months.

Believe It or Not

OUR Paris correspondent reports that when, during the recent Anti-Interference Congress in the French capital, speakers were denouncing radio parasites in no uncertain terms, a local benefactor, misunderstanding the use of the term, sent an employée to the hall to distribute free packets of vermicide.

Tally Ho!

THE famous secret broadcasting station at Almelo, Holland, which sends out a nightly "good luck" message to the police who are trying to catch it, has not yet been run to earth. It is assumed that the station must be mobile, as no official direction finder seems to be able to locate it.

"Skip Distance" on Plane

STRINGENT requirements have been laid down in an order received by Messrs. Standard Telephones and Cables, Ltd., from the Belgian Air Force for fifty combined short-wave transmitters and receivers for use on Fairey "Firefly" fighting planes. The specification called for constant and reliable two-way telephonic communication on short waves, although the communicating machines and headquarters will often be only a few miles apart. "Skip distance" effect has had to be overcome, and this the company claims to have achieved.

Pigeons versus Wireless

IT may take the conceit out of radio engineers to learn that the Ontario Forest Patrol has decided not to depend entirely upon radio communication from its outlying posts. It is believed that under certain conditions pigeons will be far more efficient.

"The Accumulator"

A COURSE of six lectures on "The Accumulator" is to be given by Mr. R. W. Minter, A.I.E.E., on Wednesdays, at 6.30 p.m., at the Chelsea Polytechnic, Manresa Road, London, S.W.3, the first lecture being on February 15th next.

Full particulars can be obtained on application to the Principal.

Broadcasting via Light Beam

AN acid test for the photo-electric "eye" was carried out in New York on January 20th, when a woman singer's voice modulated a beam of light half a mile in length, extending from one New York skyscraper to another. The beam actuated a photo-electric cell which, in turn, modulated the broadcast carrier wave. The transmission was duplicated over the ordinary line, the engineers being able to switch from one to the other method without notifying listeners, who were unable to tell which method was being used at any given time.

Alternative Programmes in Japan

JAPANESE listeners are to enjoy alternative programmes in the near future, the Broadcasting Corporation of Japan having adopted a "regional" broadcasting plan on similar lines to that of the B.B.C.

New equipment for this purpose at the Osaka station consists of a Marconi Type P.A. broadcasting transmitter, of 10 kW. power, incorporating the most modern features of design, including the principle of low power modulation.

World's Oldest Broadcast Announcer?

HARRISON HOLLIWAY, manager of KFRG, San Francisco, claims to be the world's oldest broadcast announcer. Holliway built his own amateur station in 1919, and in November, 1920, at about the time that KDKA, the world's first regular broadcasting station, inaugurated its service, he began announcing over his station, 613N. He is still broadcasting, and claims that no one preceded him who is still a regular announcer.

"The Wireless World" Index and Binding Cases

THE index for Volume XXXI, July to December, 1932, is now ready, and may be obtained from the publishers at Dorset House, Tudor Street, London, E.C.4, price 4d., post free, or binding case, 3s. 1d., post free.

Royal Warrant for H.M.V.

A FURTHER Royal honour has been bestowed on the Radio industry. The first Royal Warrant of the Prince of Wales for radio, records, and gramophones has been granted to The Gramophone Company, Ltd. Last month "His Master's Voice" were appointed official suppliers of radio apparatus to His Majesty the King.

Seen but Not Heard

STRASBOURG — the station without a service area" might be an appropriate motto for the 11.5 kW. State broadcasting station in Alsace-Lorraine. According to a clamorous body of listeners Strasbourg cannot be heard even in the near neighbourhood of the transmitter owing to interference by foreigners.

MODERN PRACTICE IN PICK-UP DESIGN

Constructional Details Contributing to Quality of Reproduction and Convenience in Use

THE early development of the gramophone pick-up proceeded along empirical lines, and it was not until 1927 that an attempt was made to develop a design from first principles. In that year a paper was published in America by Kellogg which laid the foundation of modern practice and established the "half-rocker" moving iron pick-up as the predominant type.

In this design a small armature is pivoted between U-shaped pole pieces attached to a horse-shoe permanent magnet. The needle vibrations cause the magnetic flux to traverse the armature first in one direction and then in the other as the tip of the armature approaches first the North and then the South pole of the magnet. Surrounding the armature is a coil of fine wire in which the fluctuating magnetic field induces an electromotive force that is finally amplified and passed on to the loud speaker. Although individual makes show apparently wide divergencies in treatment it will be found on close examination that in most cases the basic half-rocker principle has been adopted, since it offers the best solution of the problem of combining the qualities required to do justice to records produced by modern methods.

The Ideal Pick-up

Briefly these qualities can be summarized as follows:—

- (1) Correct frequency response.
- (2) Freedom from harmonic distortion.
- (3) Freedom from record wear.
- (4) Adequate output.
- (5) Ease of needle changing.
- (6) Mechanical silence.

It will be assumed that this is the relative order of importance.

In dealing with the frequency response it goes without saying that the output should be free from sharp resonances. The earliest pick-ups suffered from a bad resonance in the middle register which was due to the fact that the armature was much too heavy.


In general principle the modern pick-up does not differ greatly from the first experimental models of five or six years ago. The "half-rocker" electromagnetic type still predominates, but its design is now established on a scientific basis, and closer attention is being paid to refinements, such as ease of needle changing, which contribute to the convenience of the user.

Consequently we find that the modern pick-up has the smallest possible armature, proportioned to give a low inertia. It has even been found possible to dispense with an armature as such, and to pass the magnetic flux through the needle itself. The Lissen needle armature pick-up is an example of this practice, which not only results in freedom from

resonances but also gives a much improved response in the extreme upper register.


Judicious proportioning of the restor-

(Below) Lissen needle armature pick-up. The shoulder of the spear-point needle N, embedded in a rubber block B in the coil C, takes the weight of the pick-up head.




armature resonance being raised to a frequency of the order of 3,500 to 4,500 cycles. Even so this resonance must not be too pronounced, otherwise needle scratch may become prominent. Trouble from this source is far more frequently due to a high-frequency resonance than to a response which extends too high into the upper register.

Having safely disposed of the armature resonance, the next step in determining the frequency characteristic is to ensure



(Above) Adjustable damping in the Bowyer-Lowe Mark III pick-up. The rubber is clamped at C and the pressure of the damping contacts D is controlled by the set screws S.



(Left) Accurate centering of the armature and damping block D in the British Radiophone pick-up is ensured by pressure plates C and adjusted by the cam E and locking screw L. Mechanical noise is reduced by the felt lining F.

pressure plates pivoted at C and adjusted by the cam E and locking screw L. Mechanical noise is reduced by the felt lining F.

that the output in the lower register below 250 cycles shall increase progressively to compensate for the restriction in amplitude necessitated by the limitations of the pitch of the record groove. The simplest method, and one which has been most



ing force due to the rubber damping pads holding the armature in a central position between the pole pieces results in the

Modern Practice in Pick-up Design—


frequently used in the past, is to obtain this increased output by narrowing the air gap, so that as the amplitude increases towards the bass the armature is brought closer to the pole pieces and a correspondingly increased magnetic flux is obtained. With this method a perfectly satisfactory response curve is obtained, but the effect of introducing amplitude distortion to obtain a rising characteristic in the bass also has the effect of causing modulation of high frequencies by low. In addition, harmonics are introduced, since the peak of the wave is drawn out as the armature approaches the pole pieces.

(Right) Side-play and the possibility of jarring is avoided in the hinged head of the B.T.H. de Luxe pick-up by adjustable sliding pivots P locked by grub screws G.

(Below) Leakage of magnetic flux is reduced and sensitivity increased in the Bulgín pick-up by assembling the laminated pole pieces L in echelon as shown at E.



alignment. A weight of approximately 5 ozs. is generally accepted as giving the correct pressure at the needle point. If it is much lighter than this there is a tendency for the needle to jump the groove




(Above) Section of the Limit "Reliance" pick-up. The case M is specially moulded to locate the armature pivot while the top pole pieces and damping clamp D are assembled as an integral unit. The oval section of the hollow armature needle carrier is shown at A.

during loud passages, while a heavier pressure may tend to abrade the surface of the record. Needle track alignment has been carefully studied, and it has been found that the simple expedient of setting the pick-up head at a predetermined angle to the tone arm gives correct tangential needle alignment within 1 or 2 per cent. at any point of the record. Sensitivity is important. In general an average output

simplified the task of the designer. High permeability nickel-iron alloys are also being used for the armature in many modern designs with promising results, while conservation of the permanent magnet flux by reducing leakage also helps greatly in obtaining increased efficiency.

The foregoing covers most of the essential factors governing the design from the electrical standpoint. There are, however, numerous opportunities for introducing refinements which contribute to the convenience of the user. Where a swivelling head is provided to facilitate needle changing it is important that the joint should be free from rattle. The time required to change a needle is greatly reduced in the Limit "Reliance" pick-up. No grub screw is provided and the needle is wedged diagonally in the hollow armature which is of elliptical cross-section. Experience shows that this method is entirely satisfactory, and that the weight of the pick-up head is sufficient to prevent the needle turning during the playing of a record.



A wide angle of lift in the British Clarion pick-up gives accessibility for needle changing with a rigid tone arm assembly.




Freedom from extraneous induction from the gramophone motor is given attention in most modern designs. If the tone arm is of metal this is generally earthed, a separate terminal being provided for the purpose. Finally, there is the question of mechanical silence. It is not an unusual experience to find that where a pick-up is used on an open turntable, the noise emitted by the pick-up—particularly at high frequen-

Consequently, we find that in modern designs tone-arm resonance is rapidly displacing amplitude distortion as a means of boosting the low frequencies. The flexibility of the needle and armature assembly and the effective mass of the tone arm are so proportioned that the tone arm resonates about the needle point at some frequency in the neighbourhood of 50 cycles. When tone arm resonance is employed the air gap can be increased, since the rising characteristic is obtained by mechanical and not electrical means.

The methods employed in obtaining the correct frequency response and freedom from harmonic distortion must not, however, prejudice the performance of the pick-up from the point of view of record wear. This is primarily a matter of reducing the stiffness of the armature movement in relation to the mass of the pick-up head and tone arm, and the performance from the point of view of record wear can generally be judged by the freedom of movement of the needle when gently rocked between the fingers. Other factors affecting record wear are the pressure at the needle point and correct needle track




(Above) Screened leads in the Marconiphone pick-up prevent induction interference from the gramophone motor.



(Left) To facilitate needle changing the tone arm in the Igranick pick-up rotates as a whole.

between 0.5 and 1 volt R.M.S. may be regarded as satisfactory. To maintain this output while keeping the air gap wide to reduce harmonic distortion is not always an easy matter; but improvements in magnet steels have greatly

Self-contained wire-wound volume control in the pedestal base of the Bowyer-Lowe pick-up.




cies—exceeds that reproduced from the loud speaker. This trouble is overcome by cushioning the pick-up movement inside the head by rubber or felt lining.

In conclusion, it can safely be said that the design of the modern pick-up has kept pace with recording and amplifying technique.

Amplifier Designs

How to Make Two Gramophone Amplifiers. An Economical Battery-fed Unit, and a Model for D.C. Mains Supply

By H. B. DENT



Q.P.P. Battery Amplifier.

THE electrical reproduction of gramophone records is by no means a new subject; indeed, it is now so commonplace that designers of modern mains receivers endeavour wherever possible to include this facility. The most recent development in low-frequency amplification, whereby two small pentodes are operated in a manner described as quiescent push-pull, enables the battery user to obtain a large power output at small cost, for it is possible now to build an amplifier giving some 1,300 milliwatts output yet demanding on the average but 7.5 mA. from the H.T. battery. Thus, the smallest size will suffice, and operating costs are, of course, comparatively low. For the purpose of this article quiescent push-pull will henceforth be referred to as Q.P.P., a descriptive and convenient abbreviation that is being adopted, and may be more widely used in the future.

Q.P.P. Battery Amplifier


It is this system that is embodied in the battery gramophone amplifier to be

WITH the advent of quiescent push-pull for the battery user and an increase in range of indirectly heated D.C. valves, the A.C. user is not alone in being able to secure satisfactory amplification of gramophone records. This article is of special value to all D.C. users, whether current is derived from batteries or the mains.

described here, and which forms one of the units in the illustrations. From the circuit diagram it will be seen that the amplifier includes two stages, coupled by a high-ratio push-pull transformer. In the first stage is a medium-impedance valve—such as the Cossor 210 HF, for example—which when biased to minus 1.5 volts passes about 1.5 mA. under working conditions.

The input to its grid is controlled by a 50,000-ohm potentiometer, this being a very convenient size, and, moreover, will suffice for most gramophone pick-ups in general use. Where, however, the makers

specify a higher value for the volume control it would be best to observe their recommendations. The anode circuit of this valve is decoupled by a 20,000-ohm resistor and a 2 mfd. condenser. Incidentally, it has since transpired that the decoupling condenser C1 could be turned




D.C. Gramo-Amplifier with two pentodes in parallel.

through a right angle and fixed to the underside of the baseboard if one of slightly smaller width, such as the Wego type ALU, the T.C.C. type 65, or the Dubilier BB model, were used.

In the output stage are two Mazda Pen. 220A valves arranged as described in the article "Outstanding Battery Set Development," and more recently in the "Quiescent Push-pull Two" receiver, so that as the reader must by now be quite familiar with its particular technical features we will not further enumerate them here but give our attention to a discussion of the constructional work and the practical operation of the amplifier.

The components are assembled on a plain box-type base built up from plywood to the dimensions shown in the drawings. On the panel are mounted the volume control, on-off switch, and the pick-up terminals. The valve holders, L.F. transformer, and tone compensating components are assembled on top of the baseboard, while the underneath space is utilised to accommodate the grid bias batteries, decoupling components, and the bulk of the wiring.

The grid bias potentiometer, which is located in the back right-hand corner of the baseboard, serves a dual purpose; it enables critical adjustment to be made of the bias voltage for the pentodes and also imposes a load on these batteries with a view to slowly reducing the grid bias in sympathy with the fall in H.T. battery



Theoretical circuit diagram of the battery amplifier. Valve V1 is a Cossor 210 HF and V2 and V3 Mazda Pen. 220A.

Amplifier Designs—


volts, and thereby avoiding constant checking of the matching of the two output valves. This is achieved in the first place by adjustment of the auxiliary grid voltage, of which more anon. It requires, however, that each pentode auxiliary grid must have a separate H.T. lead so that a six-way battery cable is necessary to convey the various H.T. and L.T. voltages to their respective points. In addition, three other leads are brought out from the amplifier. These join to the loud speaker *via* the special Q.P.P. transformer, such as that fitted to the Celestion P.P.M19 model moving-coil loud speaker, which, incidentally, was used during the initial tests of the amplifier. This has three terminals marked P1, P2, and H.T. + respectively, and on the diagram and wiring plan the leads that join to these terminals are marked accordingly.

The only other matter in connection with the wiring that needs attention is in connection with the filament circuit. The valve holders must be wired so that the pin


exceed 2 mA. It need not be a high-grade instrument, and one of the moving-iron type will serve. At this stage it might be as well to check over again the connections to the grid batteries to ensure that these are correct. If arranged according

possible, then a slight adjustment can be made to the grid bias potentiometer and the process repeated.

This valve is then removed and the remaining pentode inserted in the other valve holder. The auxiliary grid voltage of this



Layout of the components and the wiring plan of the battery amplifier.



Underside view of the Q.P.P. amplifier showing the position of the grid batteries.

marked 3 on the base of the pentodes join to the negative of the L.T. battery.

Before the amplifier is put into use the two pentodes must be carefully matched. The process, however, is quite simple and entails nothing more than adjusting their respective auxiliary grid voltages so that the anode current is the same for each valve. A milliammeter taking 5 mA. for a full-scale deflection would be suitable for this purpose, as the current will not

to the drawings the output valves will receive the maximum bias, i.e., minus 18 volts, when the knob of the 25,000-ohm potentiometer is turned as far as it will go in a clock-wise direction. The working position is about one-sixth of a turn off maximum, but its actual setting is a matter for trial, as will be explained later.

One other item of the equipment that is non-standard is the H.T. battery. Owing to the fact that the pentode auxiliary grids require fairly critical adjustment of voltage a special Drydex battery has been evolved for use with sets and amplifiers embodying the Q.P.P. output stage. This is a 130½-volt unit of standard capacity size and it is provided with seven tapings at 1½-volt intervals from 120 volts onwards.

The milliammeter is connected in the main H.T. positive lead to the 130½-volt tapping, and one of the pentodes inserted in position. The auxiliary grid H.T. supply lead for this valve is then plugged into the various intermediate H.T. sockets in turn until a position is found that gives a reading of 2 mA. approximately on the anode milliammeter. Should this not be

valve is then adjusted so that the milliammeter reads the same as in the case of the other valve, but the grid bias voltage must not be altered. Should it be impossible to obtain a perfect balance then a slight readjustment may be made to the



Three-quarter plan view of battery model. In the lower right-hand corner is the control knob of the grid bias potentiometer.

grid bias potentiometer, but the important point to remember is that both valves be matched finally with the same bias.


Amplifier Designs—

When the valves have been matched the milliammeter must be removed from the H.T. supply lead when the remaining

sufficient to give a large power output under all conditions. The potential on the anode of the output valve will rarely exceed 160 volts or so, since from the

It will be seen from the circuit diagram of this unit that particular care is taken to isolate completely the gramophone pick-up and the loud speaker from the supply mains; one-mfd. condensers suffice in the case of the pick-up circuit, but two-mfd. condensers are employed in the output circuit. If further protection is desired the unit can be fitted in a small cabinet, but it must be borne in mind that the valves dissipate a fair amount of heat, and adequate ventilation should be provided.

Although it has not been found necessary to earth the amplifier to suppress hum



Circuit diagram of the D.C. mains amplifier. The components enclosed by a dotted line are contained in the R.I. coupling unit. Valves are, V1 Marconi or Osram D.H. V2 and V3 Marconi or Osram D.P.T.


valve can be placed in position and the amplifier given its first practical test.

available D.C. supply has to be deducted the volts lost in smoothing, by grid bias and in the output choke, so that the valve is not working anywhere near its maximum efficiency.

D.C. Gramo-Amplifier

In view of the improved efficiency of the latest types of indirectly heated D.C. valves sufficient amplification can now be obtained with a two-stage amplifier, in which transformer coupling is used, to comply with all normal requirements. Furthermore, it has the distinct advantage that there is little likelihood of encountering L.F. instability and kindred troubles if the usual precautions are observed. Complete decoupling and such safeguards as the inclusion of anti-parasitic resistances in the grids and anode circuits of the two output valves are, nevertheless, essential to ensure absolute immunity from the troubles so often met with in amplifiers of this type.

The use of two pentodes in the output stage, with their grid and anode circuits joined in parallel is, admittedly, a refinement, but experiments have shown that one valve only is hardly



This view of the D.C. model shows the numerous small components accommodated below the baseboard.

LISTS OF PARTS.

After the particular make of component used in the original model, suitable alternative products are given in some instances.

Q.P.P. BATTERY AMPLIFIER

- 3 5-pin Valve holders **W.B. type "A.C."**
(Benjamin, Ferranti, Junit, Lotus, Wearite)
- 1 Push-pull L.F. transformer, 1:7 **Ferranti AF60**
(Multitone 1:9 ratio, R.I. model DY34, Sound Sales 1:9 ratio, Varley)
- 1 Resistance, 10,000 ohms, 1 watt, **R5** **Erie**
- 1 Resistance, 20,000 ohms, 1 watt, **R1** **Erie**
- 1 Resistance, 50,000 ohms, 1 watt, **R2** **Erie**
- 1 Resistance, 150,000 ohms, 1 watt, **R3** **Erie**
(Dubilier, Claude Lyons)
- 1 Fixed condenser, 0.01 mfd. mica, **C2** **Graham Farish**
(Dubilier, T.C.C., Telsen)
- 1 Fixed condenser, 2 mfd., 700 v. D.C. test, **C1** **Wego**
- 1 Volume control, 25,000 ohms, **R4** **Igranic No. 2235/7**
- 1 Volume control, 50,000 ohms, **Igranic No. 2235/8**
(Colvern, Leweos, Rotorohm, Varley, Watmel, Wearite)
- 1 3-point Switch **Goltone R26/745**
(Junit, Telsen, W.B.)
- 2 Grid bias batteries, 9 volt
- 1 pair Grid bias battery clips **Bulgin No. 7**
- 2 Insulated terminals **Clix "All-in"**
(Belling-Lee, Burton, Eelex, Igranic)
- 1 6-way Battery cable, 30in. **Goltone "Court" R40/16**
(Belling-Lee, Bulgin, Harbros, Leweos)
- 5 Wander plugs **Clix "Master" type "B"**
(Belling-Lee, Eelex)
- Wood, Systoflex, small quantity 20 tinned copper wire, etc. Wood baseboard, 7½ x 8 x ¾ in.
- Screws: 5 ¼ in. No. 4 R/hd.; 4 ½ in. No. 6 R/hd.; 6 ½ in. No. 4 R/hd.; 5 ½ in. No. 4 C/sk.
- Valves: 2 Mazda Pen 220A, 1 Cosor 210 HF, or Mazda HL210, or Marconi HL2 or Osram HL2, or Mullard PM11L.

D.C. GRAMO-AMPLIFIER

- 3 5-pin Valve holders, chassis mounting type **Bulgin VH7**
(Clix, Eddystone, W.B.)
- 2 Chokes, 15 henrys, 100 milliamps **Bulgin LF21**
(Ferranti R1, Igranic 180, R.I. 28/14 henrys)
- 1 Mains resistance, **R10** **Bulgin MR5**
- 1 Volume control, 50,000 ohms **Colvern type ST18**
(Igranic, Leweos, Rotorohm, Varley, Watmel, Wearite)
- 5 Fixed condensers, 1 mfd., **C1, C2, C3, C5, C6,**
250 v. D.C. working **T.C.C. type 65**
- 3 Fixed condensers, 2 mfd., **C4, C7, C8,** 250 v.
D.C. working **T.C.C. type 65**
- 1 Fixed condenser, 4 mfd., **C9,** 250 v. D.C. working
(Dubilier type BB, Goltone, Wego) **T.C.C. type 65**
- 1 L.F. coupling unit **R.I. "Parafeed"**
(Bulgin "Transcoupler")
- 1 2-pole mains switch **Bulgin S88**
(Claude Lyons)
- 2 Metallised resistances, 100 ohms, **R6, R7,** 1 watt **Dubilier**
- 2 Metallised resistances, 250 ohms, **R8, R9,** 1 watt **Dubilier**
- 1 Metallised resistance, 1,000 ohms, **R2,** 1 watt **Dubilier**
- 2 Metallised resistances, 5,000 ohms, **R4, R5,** 1 watt **Dubilier**
- 1 Metallised resistance, 50,000 ohms, **R3,** 1 watt **Dubilier**
- 1 Metallised resistance, 100,000 ohms, **R1,** 1 watt **Dubilier**
(Erie, Claude Lyons)
- 1 Twin safety fuseholder with 1 amp. fuses **Bulgin F11**
(Bulgin F11) **Belling-Lee No. 1033**
- 4 Ebonite shrouded terminals **Belling-Lee type "B"**
(Burton, Clix, Eelex, Igranic)
- 1 Adaptor **Goltone R80/90**
Wood, Systoflex, small quantity 20 tinned copper wire, flex, etc. Wood baseboard, 11½ x 9½ x ¾ in.
- Screws: 26 ¼ in. No. 4 R/hd.; 10 ½ in. No. 4 R/hd.; 2 ½ in. No. 4 R/hd.
- Valves: 1 DH, 2 DPT **Marconi**
(Osram)

Amplifier Designs—


there is the possibility that on certain supply systems this might be desirable, in which case the earth connection should be made *via* a one- or two-mfd. condenser, and can be arranged as shown by the dotted lines in the circuit diagram. Under no condition should the amplifier be earthed direct.

The position of the smoothing choke Chz is based on the assumption that the negative conductor of the supply main is at earth potential, but this will not necessarily be so in every case.

Now the smoothing choke must be connected in the "live" main to be effective, but it is not proposed here to suggest that the constructor should test his mains to ascertain which conductor is earthed. The easiest and simplest way is to assemble the amplifier as shown, and if mains hum is at all pronounced to change over the smoothing choke to the other line and insert it between the points marked X and Y.

Volume is controlled by a potentiometer in the grid circuit of the first valve, and although one of 50,000 ohms has been fitted, its value really depends on the type of pick-up employed, as explained in the

Specimen equipments are available for inspection at 116-117, Fleet Street, London, E.C.4.




earlier part of this article. No provision more than building a box-type base, is made in the design for a tone control, assembling the components, and wiring.

but if one is deemed necessary it can be joined across the output terminals as shown in dotted lines in the diagram, or embodied in the loud speaker.

A variable resistance of about 25,000 ohms and a 0.05 mfd. condenser would serve in the present case. The heaters of the valves are joined in series, and the surplus volts dropped by a resistance capable of carrying 0.25 amp. The Bulgin type M.R.5 is used in the present amplifier, as this model is intended to be used with three valves only. It has three voltage adjusting tappings and will suit all supply mains between 200 to 250 volts. The H.T. supply for the valves is taken from the 200-volt tapping. Separate grid bias resistances are fitted in the cathode lead of each valve, which, so far as the output stage is concerned, ensures that in the event of one valve failing the other will not be damaged and will receive adequate bias.

The constructional work should not present any difficulties, as it entails little more than assembling the components, and wiring.



Disposition of the components and wiring diagram of the D.C. amplifier. The mains voltage adjustment lead passes through the hole identified by the numeral four.

Amplifier Designs—

The pick-up and the loud speaker should be well insulated from the wood, either by fitting ebonite washers on each side and drilling large clearance holes in the panel for the metal shanks, or by employing completely insulated models, as in the case of the battery amplifier.

The R.I. Parafed Coupling Unit may be connected in a number of different ways, but the one adopted here, and shown in the wiring plan, is the best for our purpose, since it joins the sundry component parts inside the case to give a straightforward parallel-fed transformer having a 1 to 3 step-up ratio. Alternative connections affording a higher ratio and making use of the auto-transformer coupling are not advised, since they vitiate the grid decoupling of the output stage as arranged at present.

Anode Decoupling

One section of the resistance in the R.I. Unit is employed to decouple the anode circuit of the first valve, and a two-mfd. condenser is joined between the H.T.1 terminal and the negative line. This capacity will suffice, as a rule, but it is just possible that if the D.H. valve used is slightly above the average in efficiency an additional two-mfd. condenser in parallel with C₄ may be necessary to decouple this stage completely.

To avoid confusion in following the wiring diagram it was decided to omit all the "earthing" wires joining the metal cases of the various condensers to the negative line. This must be done, and the most convenient way is to remove the paint from one fixing lug on each condenser and loop a wire under the head of the fixing screw and join it to the nearest point on the negative line.

The majority of loud speakers include an input transformer, and it is customary to provide a few tappings so that the correct matching between speaker and output stage can be ensured. The two pentodes will give the best results when working into a 4,000-ohm load, but it will not be necessary to obtain a special transformer as this falls within the latitude allowed on the standard models.

AN A.C. POWER AMPLIFIER

Constructional details of a 25-watt gramophone amplifier for A.C. mains, built as a self-contained unit with electric motor and pick-up, will be given in the issue dated February 17th.

CORRESPONDENCE**American Broadcast Reception**

I AM extremely interested in the experiences of "Experimental Station G6LI" as set forth in your Correspondence columns.

I beg to endorse their statements and desire to associate myself with the sentiments expressed, in connection with "medium-wave" transatlantic reception.

Conditions permitting, my average nightly "bag" is thirty New World stations, 25 per

cent. of which are of definite entertainment value after 3 a.m. K.P.O. (California), on approximately 442 metres, is very erratic even on the best of mornings, although, at times, it comes in with great strength. South American stations are strong and consistent just now, but broadcast very little of general interest.

I am fully in accordance with the view expressed regarding the superiority of a well-designed and *correctly ganged* "super-het." I should like to mention, for the benefit of other radio enthusiasts, that it is absolutely unnecessary to possess L.F. power valves dissipating enough watts to run a small power-station in order to receive transatlantic stations.

I also desire to express my curiosity regarding the future problem of station separation. Even now several European stations are subject to "American" interference, quite early in the evening.

In conclusion, I wish to register a protest at the serious morse interference on the "broadcast bands." Having kept a lengthy record of the ships and land stations concerned, I definitely attribute most of the interference to land stations; and therefore consider that it is up to the B.B.C., in-

centally the Post Office, who collect our "ten bobs" to give the matter their earnest consideration. "ZETA."
Liverpool.

Electrical Interference

"Free Grid's" remarks in the January 13th issue of *The Wireless World* with reference to the trolley-bus nuisance have interested us. Without exaggeration, it can be safely said that the present state of affairs has lost us the sale of hundreds of radio receivers. This you must admit can be taken as a very good indication with regard to the extent of the trouble. Although we have large show-rooms, it is quite impossible to demonstrate a set, just because our premises are situated on the trolley-bus route.

Naturally, the local W.R.A. has taken the matter up with the P.O. and Corporation officials and meetings were arranged. The outcome of the situation was a deadlock. The Corporation were not prepared to finance anything; furthermore, by their own report, there was no apparatus that would effectively cut the disturbance out.

A. ADCOCK,

For the Ipswich Wireless Co., Ltd.

DISTANT RECEPTION NOTES

QUITE a number of new high-powered stations will shortly be conducting their initial tests within the limits of the medium waveband. At the recent Madrid Conference it was decided that on the medium waves power should be limited to 100 kilowatts, though 150 kilowatts might be used on the long waves. Certain exceptions, however, were made amongst existing and projected medium-wave stations. The new Berlin Witzleben transmitter, for instance, is designed for 120 kilowatts. It is anticipated that it will be in full operation by the beginning of the spring.

Vienna's new giant is nearing completion at Bisamberg, which, like Brookmans Park, is situated a dozen miles or so outside the city itself. This plant will also include a transmitter capable of 120 kilowatts when required. Tests are likely to begin in March or April and full working may be expected a few weeks later.

Forty Programmes for All?

Not to be outdone, the Hungarian authorities are erecting a 120-kilowatt transmitter near Budapest in addition to a system of relays which should enable the whole country to be covered.

Both of the Brussels stations will be up to 75 kilowatts this year, and Rennes will be transmitting with an output rating of at least 60 kilowatts. Other stations which will join the super-power class—most of them with ratings probably between 60 and 75 kW.—are Hamburg, Belgrade and Bucharest. The time is in fact not far distant when every available channel, with the exception of those devoted to common waves between 300 and 550 metres will be occupied by a station with a power rating of from 25 to 120 kilowatts. Provided that the selectivity of the receiving apparatus is adequate this should mean that listeners will have a choice of thirty or forty programmes within the limits of the medium waveband alone.

The only fly in the ointment is sideband splash, against which knife-edge selectivity is of no avail. It is to be hoped that at the forthcoming Prague Conference an agreement may be reached to limit strictly the permissible depth of modulation for speech transmissions, for the trouble is mainly caused by the use of very deep modulation or even over-modulation during such transmissions.

Best American Wavelengths


At the moment the reception of American stations is by no means so good as it was at the end of last year. There are, in fact, nights when hardly a whisper can be heard from transmitters on the other side of the Atlantic. These, though, are fortunately rare, and old friends such as WJSV, WCAU, WBZ, WHAM, WTIC, WENR and WPG seldom disappoint. Those who intend to burn the midnight oil will do well to remember that, as a general rule, the best stations are those with wavelengths between 200 and a little over 300 metres. If I were asked to select the most profitable of all parts of the waveband for American stations I would choose a belt a little above and below 270 metres.

Of European stations the best upon the long waves just now are unquestionably Zeesen and Radio-Paris. Warsaw is much less interfered with than it was by the Eiffel Tower and comes through as a rule with splendid quality and strength.

I would pick Katowice as one of the best medium-wave stations. It must, I am sure, be using more than its rated power output of 16 kilowatts. Listeners, though, may have some difficulty in receiving this station when Athlone comes into full service. Other stations that I can strongly recommend to the attention of listeners are Rome, Stockholm, Brussels No. 1, Munich, Budapest, the Poste Parisien, Leipzig, Frankfurt, Turin and Magyarovar.

D. EXER.

Types of GRAMOPHONE MOTOR



Harlie "Midget" high-speed induction motor.

A Brief Guide to the Salient Features of Modern Designs

THE electric gramophone motor has been developed to a high state of perfection, and it is safe to say that any of the leading makes can be bought with the assurance that the performance from the point of view of cool running, adequate torque, and reliability will leave nothing to be desired. There are, however, several distinct principles of operation in current use, and it may therefore be profitable briefly to run through the salient features of each type in order that a prospective purchaser may choose the one best suited to his individual requirements.

Where D.C. mains are available the choice is limited to the "universal" or commutator type of motor. This motor works either on A.C. or D.C. mains and is governor-controlled. It may be of the high-speed geared type or of the slow-speed type in which the rotor runs at turntable speed. The latter principle is conducive to long life and is specially suitable for continuous service in restaurants, dance halls, etc.



If alternating current supply mains are available the range of choice is wider. One of the most popular types is the induction motor, which depends for its action upon the setting up of eddy currents in a plain metal rotor. Here, again, we have both high- and low-speed types, the former em-

ploying a small geared motor with a cylindrical rotor and the latter a large-diameter disc running at turntable speed. With the eddy current principle of drive the speed would tend to increase indefinitely, so that governor control is necessary. This is an advantage where records requiring slight differences of speed for standard pitch are to be played.


In the synchronous motor we have the

chronous principles. On first switching on the current the motor functions on the induction principle and its speed increases until the correct turntable speed is reached, when the motor falls into step with the 50-


B.T.H. "Truspeed" motor, combining the advantages of induction and synchronous motors.




Simpson's electric turntable, a synchronous motor of exceptionally small depth.




Univolt high-speed induction unit motor incorporated in a shallow playing unit with pick-up and volume control.



Collaro Model 32 high-speed induction motor.



B.T.H. slow-speed "Universal" motor.



Garrard slow-speed induction motor.

simplest and cheapest type of A.C. motor. No governor is required, and the number of poles is fixed to give the standard turntable speed of 78 r.p.m. on a 50-cycle supply. It is necessary to start the turntable by hand, but the knack of hitting-off the synchronous speed is soon acquired. A shock-absorber is usually incorporated to smooth out any roughness due to the 50-cycle impulses.

The advantages of constant speed are also to be found in the self-starting synchronous A.C. motors which have recently made their appearance. The rotor is designed to operate both on the induction and syn-

cycles supply. The synchronous force is made sufficiently strong to hold the motor speed constant against the induction effort which would otherwise tend to make speed increase.

To sum up, the universal commutator motor is the only type suitable for D.C. mains and may still be used if the supply should subsequently be changed to alternating current. For A.C. mains the synchronous motor, whether in its simplest form for starting by hand or of the self-starting type, gives absolutely constant speed and avoids the complication of governor mechanism, while the induction motor offers the possibility of speed control for recordings designed to run at speeds other than 78 r.p.m.

Choosing a Record Changer

Important Details Affecting Smoothness of Operation



Record-changing mechanism fitted to current H.M.V. radio-gramophone.

THE automatic record changer has found such popularity as an adjunct to the radio-gramophone that it has become standardised in many of this season's more ambitious equipments. As it is a complicated piece of mechanism the finer points of construction should be studied before making a choice.

machines an adjustment gives alternative positions of the ledges—one for 10- and the other for 12-inch records. Further, the catch may not be capable of supporting all makes of standard record owing to slight variations in outside diameter. Great care should be exercised over this point and a comprehensive selection of records tried before buying. The writer has found some machines incapable of dealing with a variation of even $\frac{1}{16}$ inch from standard diameter.

OWING to the somewhat complicated work which a record-changing mechanism has to perform and to the fact, comparatively speaking, that it is yet only in the development stage, too much care cannot be taken in making a choice. It is the purpose of this article to consider some of the points which require attention.


First of all let us think of all that an "ideal" record changer should do and then go on to see how near the commercial instrument approaches it. Our "ideal" machine must be capable of taking at least eight records of any size and make, play both sides of each in succession and stop at the end. There must be no appreciable interval between the finish of one record and the start of the next, nor must the pick-up needle require any attention. Records not liked must be capable of instantaneous rejection at the pressure of a button and another button should permit a record to be repeated. The mechanism

are now available, however, with consecutive parts on separate records so that the principal objection to this type of instrument has been met. Only one turnover of the pack of records is involved in the playing of a complete work.

In most types, the records to be played are stacked on a shelf or catch immediately above the turntable, on which the first record is placed. The pick-up plays this record and when it reaches the end is raised and carried outwards. The record at the bottom of the pile is then allowed to drop on to the top of that already on the turntable. An escapement mechanism prevents more than one record falling at a time.

The cycle of operations is repeated until all the records have been played, when either the last record will be repeated indefinitely or the motor will be switched off.

Most makes also include "repeat" and "reject" controls for earlier records.




Record-changer chassis in the latest Decca radio-gramophone

should be silent in operation, not absorb much power in running and, above all, should be foolproof, simple and robust so that it will work without the need for adjustment.

Record changers in their present state fall rather short of this ideal. In the first place, as far as the writer is aware, all the changers at present on the market play only one side of each record. Series of double-sided records of symphonies

It will be readily seen that following this principle it is impossible to mix 10- and 12-inch records because the ledge designed for supporting the 12-inch disc will let the smaller ones fall through. In most



The Garrard record changer may be purchased together with pick-up as a separate unit

Another point to be watched is whether the throw-off mechanism will function on all records. Some changers are designed to work only with records having an eccentric run-off groove and the changing mechanism will not operate when a concentric groove record is played.

A point to notice is how smoothly the records fall down into place. Avoid a machine which treats the records harshly.

Little seems to be done as regards machines for playing both sides of a series of records. The problem, however, is being tackled and no doubt some solution will be found in due course, though the question of its commercial production is quite another matter since the manufacturing costs would necessarily be high. Another point to watch in buying a record changer is the length of time taken to effect a change. Some makes take as much as 20 seconds, while others make the change in as short a time as 5 seconds. Obviously the quicker the change the better, provided the records are not roughly handled in the process. Little can be said regarding the mechanism itself. The operations involved naturally call for a somewhat complicated mechanism and all other things being equal the machine with the least "works" should be chosen as being less likely to go wrong. Record-changing turntables are always electrically driven. A spring motor would not have sufficient power to work the mechanism and play all the records at one winding unless very cumbersome. The record-changing unit is generally already equipped with a pick-up, and the quality of this must not be neglected in buying. When testing, listen to the quality of the music to make sure that the motor is not causing unevenness.

S. F. P.

Practical HINTS AND TIPS



AIDS TO BETTER REPRODUCTION

output voltage that will be applied to the grid is determined by the relative value of the two resistances; if it is desired to apply only half the available voltage, then they may be of equal value. With a sensitive pick-up and a receiver giving high magnification it will probably not be necessary to use more than one-quarter of the available pick-up voltage; in this case the resistance of R1 should be three times that of R2.

WHEN a pick-up is fitted to a receiver which derives its current supply from either batteries or A.C. mains there is virtually no risk of introducing a short-circuit across the source of supply. But when making this addition to a D.C. mains receiver it is strongly advised that special precautions should be taken, as in some cases the pick-up and its external connecting leads will be at practically the full voltage of the mains with respect to earth. As a consequence, annoying or even dangerous shocks may be felt when handling the pick-up, and considerable damage may be done through short-circuits.

D.C. Mains Precautions

To be on the safe side and, what is equally important, to comply with both the word and the spirit of the various regulations, it is wise to make provision for isolating the pick-up from the mains. The arrangement embodied in the latest *Wireless World* D.C. receiver (the "Modern D.C. Three"), which is reproduced in Fig. 1, is to be advocated. It will be observed that the pick-up is entirely isolated, so far as D.C. voltages are concerned; by a pair of 1-mfd. condensers; in order that grid bias may be applied to the grid of the detector valve—or, rather, to the first amplifying valve, into which it is converted—a resistance R must be interposed. The value suggested will be found suitable in almost every case.


It should be added that where indirectly heated D.C. valves are used it may be necessary, in certain cases, to "tie

down" one side of the valve heater to the earth line by means of a large condenser (marked C in Fig. 1).

WHEN a receiver already includes a post-detection (or L.F.) volume control, it might appear that the addition of a pick-up would not involve the fitting of any additional means for regulating intensity. But the voltage output of most modern pick-ups is quite high, and if it be applied in full to the grid of the average detector valve (temporarily converted into an L.F. amplifier) it is more than probable that overloading will be produced. The fact that volume may be cut down to any required level by operation of the existing post-detection control does not in any way obviate the ill-effects of this overloading.

Fixed Pick-up Potentiometer

A simple tone corrector, in the form of a semi-variable condenser, may be added.



The radio-gramophone switch and detector valve of "The Modern D.C. Three" are mounted close together.




Fig. 2.—A fixed potentiometer, by means of which any desired proportion of the voltage delivered by a pick-up may be applied to the succeeding valve. A simple tone corrector, in the form of a semi-variable condenser, may be added.

In cases such as those we are considering the expense of an extra variable potentiometer may be avoided by shunting the pick-up with a fixed potentiometer, as shown in Fig. 2.

The combined ohmic value of the two resistances forming the potentiometer should equal that recommended by the makers of the particular pick-up that is to be used. The proportion of the pick-up

In order to compensate for the loss of high notes that may result from making a drastic reduction in applied pick-up voltage, the upper limb of the potentiometer may be shunted with a semi-variable condenser, as shown in dotted lines. To strengthen high notes the value of the condenser is increased by screwing its knob in a clockwise direction.

This method of tone control, though so simple, is extremely effective, especially if the associated resistances have high values. Assuming R1 to be something between 100,000 ohms and ¼ megohm, a maximum capacity of 0.001 will be about right.

WHEN making provision for the addition of a pick-up to an existing receiver it is worth while to mount the radio-gramophone change-over switch as close as possible to the valve with which it is associated. In nine cases out of ten this valve will be the detector, which will have to deal with both H.F. and L.F. impulses.

The Radio-gramophone Switch

Although this precaution is perhaps not of very great importance when the simplest form of switching is fitted, it is certainly highly desirable when a change-over switch is used, as, for




Fig. 1.—A safe method of connecting a pick-up to a D.C. mains set.

Practical Hints and Tips—


example, that shown in the accompanying Fig. 1. Two of the leads connected to the switch carry H.F. currents.

If it is impossible to mount the switch in close proximity to the valve it may be found necessary, in order to prevent instability, to shield one or more of its connecting leads in metal-braided sleeving. This course, though unobjectionable from most points of view, may add so much extra stray capacity to the associated tuned circuit that the waveband covered by the receiver will be restricted.

IN a self-contained radio-gramophone with built-in loud speaker a more or less serious resonance effect is sometimes caused by the transmission of vibration from speaker to receiver. Although modern valves are not usually microphonic, the possibility that this defect is responsible should not be ruled out entirely. Again, vibrations may be of such an amplitude that the condenser vanes will be affected, and this is particularly likely to cause a puzzling effect in a superheterodyne.

Insulation Against Vibration

Whatever the precise cause of the trouble may be, mechanical insulation will generally cure it, and it is not a difficult matter to mount the entire receiver chassis on blocks of sponge-rubber or similar material. Of course, all the good




done in this way would be entirely offset by screwing the control spindle rigidly to the front of the cabinet; to use an electrical analogy, this would short-circuit the mechanical insulation afforded by the rubber. When this plan is adopted it is generally best to make the control panel integral with the receiver chassis, and to cut a vignette in the face of the cabinet to expose the control knobs.

It will sometimes be easier to attack the problem from an opposite angle, and to insulate the loud speaker itself in such a way that the vibration from it cannot be transmitted to the receiver through the woodwork. To do this the loud speaker is screwed to a sub-baffle measuring perhaps a foot square, which is mounted behind the "fret" of the cabinet. Again, strips of insulating material, such as felt

or sheet sponge-rubber, must be interposed between the sub-baffle and the cabinet, as suggested in the accompanying sketch. Further, blocks of insulating material must be placed under the clamps by which the sub-baffle is held in position.

These precautions should remove the cause of certain types of resonance, and also of howling, provided the latter be due to mechanical reaction, and not to electrical reaction. Before going to the trouble of providing insulation in the manner suggested it is not a bad plan to make a test by temporarily removing the receiver from its cabinet, connecting the loud speaker by long leads, and then observing whether performance of the set is improved.



A pair of ganged Rotor-ohm potentiometers, suitable for a combined radio and gramophone volume control. An on-off switch is included.

ALTHOUGH it is not the purpose of this note to suggest that the number of control knobs on a receiver or radio-gramophone should be reduced to such an extent that desirable adjustments cannot be made, it is always worth while to

Twin Volume Controls

simplify operation if this can be done without prejudice to efficiency. It is particularly desirable to do so when the set is to be operated by non-technical members of the household.

It is obviously all to the good if the same control knob which determines the loudness of radio reproduction shall also be operative when the set is converted for use with a pick-up. In a few cases it is just possible to arrange matters so that the potentiometer which customarily performs this duty shall act in both cases, but as a rule a relatively complicated system of change-over switching will be necessary, and so the plan is not one to be generally recommended.

But an exactly similar effect, from the point of view of the user, can be brought about by using a double-unit potentiometer of the type that is now obtainable commercially. Both

potentiometers are mounted on the same spindle, and are actuated by a single external knob.

In wiring up, the two potentiometers should, of course, be treated as separate units—as indeed they are—but care should be taken to see that the ends of the resistance elements are connected in such a way that the volume of reproduction for both "radio" and "gramophone" is increased by rotating the knob in the same direction.

IT will hardly be necessary to say that the usual procedure of inserting a pick-up in the grid circuit of a detector valve is not applicable when diode detection is employed. The two-electrode detector is no more an amplifier than is

Diode and Pick-up

a crystal, and without a very elaborate switching scheme cannot be made to act as one.

The rule to apply when converting such sets for gramophone reproduction is to connect the pick-up in the grid circuit of the L.F. valve which immediately succeeds the diode. In order to isolate the latter a change-over switch may be employed, but when dealing with battery-operated sets the somewhat simpler plan shown diagrammatically in Fig. 3 may be preferred. In addition to the usual switch by means of which the pick-up is connected, another switch is connected in the diode filament circuit; this should be opened when the set is being used for gramophone reproduction. Failure to observe this precaution will introduce distortion, but the presence of the diode will do no harm providing its filament is cold. The incidental capacities associated with the diode are so small that their presence is most unlikely to cause any falling off in quality, while the load resistance, which is effectively in parallel with the pick-up, is so high that it will have virtually no effect.

Of course, this arrangement applies only to battery-operated sets, in which, incidentally, it is economical to make provision also for extinguishing the filament of the H.F. valve while the pick-up is in




Fig. 3.—By interrupting the filament circuit of a diode detector, a pick-up may be connected to the grid of the succeeding L.F. valve in the simple manner shown.

use. These various operations can be effected simultaneously by means of a single multi-contact switch.

SYNTHETIC SOUND



INHUMAN perfection of articulation and other remarkable phenomena are claimed as possible with the new system of artificial sound production now being experimented with by a German acoustic expert, Rudolf Pfenninger. The method is based on the variable area system of sound recording on film.

By HERBERT ROSEN


Voices from Pencil Strokes

THERE seems no limit to the possibilities of the sound film. Only recently an Austrian firm produced an interesting type of record consisting of nothing more nor less than long rolls of paper tape; now we learn that a German, Rudolf Pfenninger, with the assistance of the Bavarian Film Company, is producing from paper strips records of human speech that no lips have ever spoken! Records of songs, too, that no human voice has ever sung!

Studying Zig-zags

This miraculous-sounding achievement is the result of a lengthy and gruelling study, under the microscope, of the characteristic shapes of the zig-zag outlines of innumerable sound-on-film records—such as are used for "talkies" in which the variable-area system is employed. Like a five-year-old learning to read and write, letter by letter Pfenninger mastered the appearance of the various sounds as recorded on the films, so that in time he was able to "read" a film as well as if it were the strip out of a tape-

machine. But this was only the first step; presently he developed such a virtuosity that he could draw, with a pencil, his own zig-zag outlines, which,



Wave forms, drawn by Herr Pfenninger, representing the five vowel sounds and a commonly used German consonant.

when passed through the reproducer, sounded just like human speech.

Nowadays, with increasing skill, he can even improve on the product of us poor imperfect humans, smoothing and polishing his curves until his results give an inhuman perfection of articulation which even a B.B.C. announcer can never attain! It is even reported that in his lighter moments Herr Pfenninger can produce the most amusing effects by playing all sorts of tricks with the human voice.

The general idea underlying this work is not new, but we believe that efforts have not hitherto been directed towards producing results of such precision nor on so ambitious a scale.

Helping the Dumb Talk

It is almost impossible to foresee just where this new tech-

nique will lead us. Is it, for instance, possible that the music of a sound film will be recorded by one man at his desk instead of by an orchestra in a large studio? And—the bright idea occurs to us as we write—will a dumb man be able to talk by tapping out his speech on a special keyboard like that of a typewriter but actuating artificial sounds instead of printed letters? And will our

politicians, addressing their constituents, scorn to rely on their poor human larynxes and use instead the awe-inspiring perfection of Science's latest achievement?

But, to refer to a possible application of more immediate utility, could not the principle be applied to taking the "Yank" out of American films so that those little peculiarities of speech which jar the nerves of B.B.C.-trained ears could be suppressed without changing the film actors or going to the expense of a specially recorded film for English

patrons of the cinema?


New Amateur Call-Book

THE winter quarterly issue of the "Radio Amateur Call-Book" has now been issued, and is obtainable in Great Britain from Mr. F. T. Carter, Flat A, Gleneagle Mansions, Streatham. Owing to the dollar exchange the price is now 6s. 6d., post free, for single copies, or 21s. for the four quarterly issues.

The list of call-signs, names and addresses of all known amateur transmitters in the world now extends to 185 closely printed pages, and is, we believe, the only one of its kind now published, since, for reasons of economy, the American Government has ceased issuing their official list of American amateurs.

In addition to the main list, short-wave enthusiasts will find other useful information, such as Press and weather reports, and a fairly comprehensive list of commercial short-wave stations.

If we may judge by our own correspondence there are still many short-wave listeners who do not know of this publication, despite the fact that it is often mentioned in our columns, and to these we would say: "Now you know what it is and where you can get it."



To facilitate rapid preparation of records Herr Pfenninger has manufactured stencils.

BROADCAST

By Our Special Correspondent

BREVITIES

Hypothesis

A DELIGHTFULLY characteristic theory has been evolved by the B.B.C. to account for the increase in the number of complaints concerning electrical interference with broadcast reception. It is that the programmes are so much more entertaining to-day that people cannot tolerate interruptions which would have gone unnoticed two or three years ago.

Uncanny Increase

Be that as it may, the figures are undoubtedly startling. In 1930 only 3 per cent. of the technical correspondence received related to man-made static; a year later it had risen to 19 per cent., and in 1932 to no less than 39 per cent.

Crackles as a Radio Miracle?

This is out of all proportion to the growth in the number of licence holders. There are probably several reasons for the increase. For example, listeners are undoubtedly more critical of results than they were a few years ago; probably crackles were once accepted as part of the miracle of radio.

The vastly increased popularity of domestic electrical appliances must also account for a good deal of noise.

By way of remedy the B.B.C. firmly plumps for the silencing of electrical apparatus at the time of manufacture.

Defeating the Born Querist

Taken *en masse*, the technical correspondence received at Broadcasting House is definitely diminishing, and the B.B.C. put this down to the new vogue of "the unanswerable pamphlet." The various brochures now distributed to listeners in trouble are written in such simple, foolproof terms that even the born querist has difficulty in finding ambiguities worth writing about.

Should It?

TWO well-known journalists go to the microphone on February 11th to hold a discussion in the "Should they be Scrapped?" series. They are Mr. Hamilton Fyfe, former editor of a London paper and international correspondent, and Mr. Tom Clarke, former editor of an Australian paper, present editor of a London paper, and the living embodiment of modern journalistic methods as introduced by the late Lord Northcliffe. The subject of their discussion is "Should the Press be abolished?"

Autograph Hunters at Large

HENRY HALL is threatened with writer's cramp. He tells me that when by special invitation the other day he attended the Lancashire Masonic Ball in Liverpool he conducted just one number by the local dance orchestra. The rest of the evening was taken up in signing autograph albums!

Making the Empire Dance

By special request, numbers by the B.B.C. Dance Orchestra are now included in every Empire transmission.

Provincial Protests

DIE-HARDS in the Provinces are still urging the B.B.C. to restore the local orchestras, though I feel sure that their efforts will come to nought. It is true that opinion is divided even at headquarters on whether the regions should each have their own musical combination; the Music De-

were given back its orchestra of 38 players, northern listeners would still complain, for their local orchestra would be unable to offer them the more ambitious symphonic works and would only occupy programme time which could be much better filled by the big orchestra in London.

Arguing Over the Atlantic

EVEN for those of us who can afford to ignore war debts and reparations the broadcast debate on this topic between students of Yale and Cambridge Universities on February 11th should hold an uncommon technical interest.

The pros and cons will be tossed to and fro over the Post Office Transatlantic 'phone, and I can imagine nothing more thrilling than a really heated debate over the watery wastes.

Presumably Father Neptune will preside.

Miss Dulcima Glasby

GOOD may yet come of the regrettable resignation of Miss Dulcima Glasby from the staff of the B.B.C. This talented adaptor of plays and books for broadcasting has lacked the time during her seven years of service with the Corporation to produce very much original work of her own; yet the one radio play that Miss Glasby did write—"Obsession"—was voted a rare success. I hope that her pen will soon be active in the production of original radio plays, of which—as Mr. Val Gielgud knows only too well—there are far too few.

A Lot in a Name

SO Maschwitz is Maschwitz and Marvell is Marvell, and never the twain shall meet. Which means that although Mr. Eric Maschwitz, the radio playwright, better known as "Holt Marvell," had intended to alter his name to the latter by deed poll, circumstances have ruled otherwise. The rumour published, fierce telegrams hurtled across from relatives in Poland intimating that the family was coming over to argue the point. The hasty reply said in effect, that, for the present, the writer would remain, theirs devotedly, Eric Maschwitz.

Physical Jerks.

THE vision of a hypothetical apoplectic colonel seems to loom up in the eyes of the B.B.C. whenever radio "physical jerks" are suggested. The official attitude seems to be that the broadcasting of early morning exercises would lead elderly or delicate persons to attempt the impossible with baleful results, and that the responsibility for these (imaginary) disasters would be laid at the door of Broadcasting House.

The Reason?

The argument is so easily answered that one wonders whether there is not some underlying deterrent to ante-breakfast broadcasting. Are the B.B.C. late-risers?



NOISE MAKING IN U.S. It is interesting to compare this picture with that of the B.B.C. "effects" department published in our issue of January 20th. Above are the appliances for producing storm and other noises in the Columbia studios. The artistes can depict falling rain, wind moaning, footsteps on gravel and other ominous effects.

partment, I hear, are in favour of such a scheme, but practical and financial considerations far outweigh the musical and the sentimental.

Drawbacks of Local Orchestras

The B.B.C. contend that the really big works which everyone wishes to hear can only be performed by the B.B.C. Symphony Orchestra. If, say, the Northern Region

Warmed-Up Thrills

MR. LIONEL SECCOMBE made a splendid attempt to give us the excitement of a running commentary in his eye-witness account of the Petersen-Pettifer fight, but did not quite succeed. The description made me think of a good dinner warmed up a second time for supper.

Why Not the Blattnerphone?

A friend suggests that the B.B.C. might well copy the German method of taking an actual record of events which cannot for various reasons be broadcast at the moment of happening. If Mr. Seccombe could have given a running commentary over the line to Broadcasting House, his remarks—plus the crowd noises—being Blattnerphoned, the item would have been much more successful when re-transmitted half-an-hour later.

I commend the idea to Mr. Gerald Cock, the "O.B." chief.

"Hassan"

A BRILLIANT cast of twenty-five has been engaged for the broadcast of "Hassan," part one of which is to be heard on the National wavelength on February 7th and part two on the Regional wavelength on February 10th. The name part will be played by Henry Ainley, that of the Caliph by Ronald Simpson, Ishak, his minstrel, will

be Leon Quartermaine, and Rafi, King of the Beggars, Ion Swinley. The Executioner will be Abraham Sofaer, and the narrator, Harman Grisewood.

Just the Same in China

IN its struggle with conflicting interests, such as the General Theatres Corporation, the B.B.C. should gaze eastwards for a few moments and take courage in the thought that it has a companion in distress in far-away China. According to the *Radio Corriere*, the Chinese theatrical interests, which have been in the business since two or three thousand B.C., are savagely accusing the National broadcasting authorities of ruining the theatre through the medium of the loud speaker.

The Only Way

A few months ago, it seems, young and old alike in the cities of Shanghai, Peking and Nankin, would sit around the theatrical booths and watch the same old antics that had amused their forefathers for generations. Now, however, they turn their backs on the nummers, preferring the more sophisticated radio entertainment.

The Chinese theatre ought to amalgamate with the radio business while the going's good. Alternatively, it might seek an exclusive alliance with the television and cinema interests.

Jack Payne Again

ANOTHER broadcast by Jack Payne with his Band takes place in the National programme for February 13th. These old friends of broadcasting are giving performances before the microphone at the rate of one a month to enable them to keep in touch with the listening public, who now have the opportunity of seeing them in the flesh as well as hearing them by wireless.

A Radio Mass

LA MESSE du Cinéma et de la Radio was celebrated at the Madeleine, Paris, on January 19th, when Archbishop Verdier, addressing a large congregation, declared that the "intellectual and moral welfare of the multitude" was largely in the hands of those controlling broadcasting.

Do Americans Copy Us?

A WASHINGTON friend tells me that "three cardinal crimes" in every-day and especially in radio speech have been specified by Miss Dagmar Perkins, president of the U.S. National Association for American Speech. They are: (1) Failure to open the mouth widely enough; (2) ignorance or carelessness of diction; and (3) too much imitation of English.

"What we want," said Miss Perkins, "is pure and beautiful American."

ON THE SPOT

VISITS TO FOREIGN BROADCASTING STATIONS

V.—Radio Toulouse, 779 kc. 385.1 m.


"ICI, Radio Toulouse!" What listener with any pretensions as an ether searcher has not heard that call? Not long ago I visited the station and studios in the surprisingly humble building known as "Villa Schmitt," just outside the town. The famous "war" between the privately owned Radio Toulouse and the official Toulouse P.T.T. was smouldering then, as now. In those days Radio Toulouse was forbidden to use a land line from studios in town, so the owners were using, and continue to use, as studios the "Villa Schmitt," which, incidentally, is a converted pig farm. The "war" now centres round the official refusal (up to the present) to grant Radio Toulouse a permit to broadcast on 100 kW. from the new transmitter at Château d'Agnan. All is ready for regular transmission from this imposing mansion.

The Post Office station at Toulouse is known as *Toulouse Pyrénées*, and is the sort of station specially designed to enable club secretaries to bestow gold medals on members who succeed in hearing it.

WANDERING WAVE.

Situated on high ground in a smiling landscape, the old Château d'Agnan makes an excellent modern broadcasting station.

The main studio at Radio Toulouse is a converted pig-sty. The inset sketch shows the studio building and the masts of the old station.



READERS' PROBLEMS

Dual Loud Speakers

WE are asked to summarise briefly the main advantages of so-called "dual compensated" loud speakers, which consist of a pair of instruments specially matched for working in conjunction with each other.

Although the subject is not entirely free from controversy, and further, not all dual loud speakers are planned with precisely the same objects in view, the matter may be summed up in general terms without risk of being seriously misleading.

As a rule, the frequency range covered by dual loud speakers of the normal type is but little wider than that of a single loud speaker of similar design. This does not apply to designs in which one of the units is intended to act almost solely as a reproducer of the higher audible frequencies.

THESE columns are reserved for the publication of matter of general interest arising out of problems submitted by our readers.

Readers requiring an individual reply to their technical questions by post are referred to "The Wireless World" Information Bureau, of which brief particulars, with the fee charged, are to be found at the foot of this page.

there is a distinct risk of introducing instability, but the difficulties in this direction are by no means insuperable, as the amount of extra magnification needed is relatively small. Even this possibility of trouble might be overcome almost entirely by adopting diode detection, a plan suggested by another reader, who already uses this method in his receiver with extremely satisfactory results, and wishes to retain its advantages in combination with the additional ones offered by the Q.P.P.

affecting the brilliancy of reproduction which is a special feature of his set, but doubts whether the device as described would be suitable for his own set.

We think that in this case better elimination would be obtained by using lower inductance and higher capacity values in the suppressor. It is suggested that the coil in the unit should be halved in inductive value by winding on only about 70 per cent. of the number of turns specified, and that all capacities should be doubled. This means that a tuning condenser of 0.001 mfd. will be needed, but components of this value are obtainable commercially without very much difficulty.

More Voltage Step-up Needed

IT is not difficult to recognise the signs of detector overloading, which is a more common defect in present-day receivers than is generally realised. In very bad cases there may be a wipe-out effect, strong signals being tuneable at two distinct positions on the dial. This is often due merely to excessive signal strength.

But it will sometimes be painfully evident that reasonable volume cannot be obtained when strong—as opposed to over-strong—signals are being received, and for this the detector must always be suspected if it is known that the output stage is free from blame. Yet another indication is that tuning appears to be excessively broad when receiving fairly strong signals, but is sharpened appreciably when weak ones are tuned-in.

These various symptoms are described in recent letters, and we are asked to suggest how matters may be improved.

Although each case should perhaps be dealt with individually, it may be pointed out that the power-handling capabilities of a grid-leak detector may always be increased by applying a greater H.T. voltage to its anode. Even when the maximum voltage available is already being used a similar result might sometimes be achieved by reducing the value of decoupling resistance, but, of course, there is always the risk that this may produce instability. Another sovereign remedy, and perhaps the safest to apply, is the substitution of an L.F. transformer having a greater step-up ratio than the component at present in use. If quality of reproduction is to be maintained the new transformer should be of good design, and this is a case where undue economy should not be exercised.




Fig. 1.—Quiescent push-pull output system, preceded by an intermediate L.F. stage and a diode detector.

Matched pairs, in which individual units have slightly different characteristics, are capable of a power-handling capacity of more than twice that of a single similar instrument; further, there is a considerably greater immunity from resonances, since each instrument tends to damp out the resonance of the other. Again, some improvement in sensitivity is to be anticipated.

Superior-quality Q.P.P.

A NUMBER of readers have asked whether there is not some simple way of using existing push-pull L.F. transformers with a low step-up ratio (in the order of 1:3.5) in a quiescent push-pull receiver, on the lines of that recently described in this journal.

With any practical grid detector, we fear that without the help of a considerable voltage step-up, as afforded by the special types of L.F. transformers produced specially for this new circuit, it would be impossible to feed a quiescent push-pull output stage directly from the detector valve. Consequently, an intermediate L.F. stage must be interposed if a low-ratio transformer is to be used, and we do not know of any satisfactory alternative to this plan.

As a result of adding this extra valve

system. He asks us to suggest a suitable circuit arrangement.

The circuit given in Fig. 1 should meet the needs of this reader. From the L.F. valve onwards, the arrangement is precisely the same as that of the "Quiescent Push-pull Two," while the diode detector connections are quite conventional. In spite of the fact that an extra valve is employed, the drain on the H.T. battery will not be increased, as the diode valve requires no anode current.

Of course, an arrangement of this nature may be preceded by an H.F. stage.

For Low-Impedance Circuits

AS has already been stated, the "Whistle Suppressor" (*The Wireless World*, October 28th) works at its best when connected to a circuit of high impedance.

A reader who is using, for local-station reception, a "quality" receiver with low gain resistance-coupled L.F. circuits and a low-impedance output stage, is troubled by whistle interference from foreign stations after dark; this is by no means an uncommon occurrence at this time of year, even when the receiver is of low sensitivity. He concludes, quite rightly, that a device like the "Whistle Suppressor" should provide a satisfactory cure without appreciably

The Wireless World

INFORMATION BUREAU

THE service is intended primarily for readers meeting with difficulties in the construction, adjustment, operation, or maintenance of wireless receivers described in *The Wireless World*, or those of commercial design which from time to time are reviewed in the pages of *The Wireless World*. Every endeavour will be made to deal with queries on all wireless matters, provided that they are of such a nature that they can be dealt with satisfactorily in a letter.

Communications should be addressed to *The Wireless World* Information Bureau, Dorset House, Tudor Street, E.C.4, and must be accompanied by a remittance of 5s. to cover the cost of the service. The enquirer's name and address should be written in block letters at the top of all communications.

The Success of —

HAYNES RADIO DESIGNS

is due to —

1. Unique, yet well proved, technical features.
2. Easy construction, with a beauty of finish that is unsurpassed.
3. Tooled out metal base-plates and all components cellulosed to uniform colour—a Haynes innovation.
4. Service and free advice, with a guarantee of correct performance for the home-constructed set.
5. The use of components that are indisputably the best.
6. Reasonableness of price.
7. And an experience that is without parallel in the service of the constructor.

1933 Models. Kits, with full-scale blue prints, assembled chassis and complete receivers.

THE HAYNES QUALITY RECEIVER. HAYNES A.C. and D.C. SUPERHETERODYNES.

Ask for Constructional Booklets Free and Post Free.

Short Wave Superheterodyne to be issued shortly.

London Office : (Sales)
57 HATTON GARDEN,
E.C.1.
Chancery 8023



SAFEGUARDS THE CONSTRUCTOR.

Entirely New Factory:
QUEENSWAY,
ENFIELD, MIDDLESEX.
Enfield 2726.

COMPLETE GRAMOPHONE AMPLIFIER

by
PARMEKO

Here is a piece of apparatus for which many have been waiting—a complete Gramophone Amplifier of a compact and more or less portable nature, comprising a quality Amplifier of 25 watts, a high grade electric motor and pick-up, volume control, switch, connecting plugs, etc. The whole is enclosed in a light steel case and can be locked up. In operation it will be found ideal for home use where considerable power is required, for dancing, cafes, hotels, entertainments, shops and many other uses. Several Speakers can be operated, which may be placed in different rooms if desired, thereby adding considerably to its usefulness.



PARTRIDGE & MEE LIMITED

Aylestone Park, LEICESTER
AYLESTONE 487.

74, New Oxford St., LONDON, W.C.1
MUSEUM 5070.

● THOSE WHO KNOW

..... the connoisseurs whose knowledge of wireless is above the average—who have money to spend—and who are, therefore, most critical and most interested in radio-gram development and progress

● are fitting a GARRARD Automatic RECORD CHANGER



Complete with electric motor, tone-arm and pickup, automatic stop, etc.

£10

FROM ALL DEALERS

PREH

POTENTIOMETERS MEET EVERY KNOWN NEED


The new range of variable resistances have been designed to meet the demand for a component with a particularly silent and smooth movement. The curve of the potentiometer is arranged "straight line," which gives a straight line ratio between angular movement and resistance variation. The resistance can be supplied with "straight line" or logarithmic curves according to requirements.

In resistances of a value more than 50,000 ohms, the guaranteed tolerances are -15 per cent and +30 per cent of the rated values. In the case of low value resistances, the corresponding guaranteed tolerances are + or -10 per cent.

These components are also supplied with a combined switch, making an extremely neat and robust unit. The switch has a quick make and break movement, and will handle 1.2 amperes at 250 volts without arcing.

Prices for your special requirements on application

Preh



POTENTIOMETERS AND RHEOSTATS

PREH MANUFACTURING Co. Ltd.
Broadwater Road, Welwyn Garden City.

Manufacturers and wholesalers only supplied.

Sole Sales Organization: Harwell Ltd., The Sessions House, Clerkenwell Green, E.C.1. Phone: Clerkenwell 6905-6.

SERVICE CONSTRUCTION EXPERT ADVICE

THORNBER ENGINEERS
RADIO RICHARDSON

Green Lane, ROMILEY, Stockport, and 10, Chidlow Avenue, WITHINGTON, Manchester.

SERVICE A guarantee to correct the fault in any set in three days from receipt. We specialise in tuning up and adjusting all wireless equipment.

CONSTRUCTION We undertake to build an "Wireless World" or other specified chassis or complete set and deliver instrument and aerial tested, inside fourteen days, with a guarantee of satisfaction to the most discriminating listener.

PHONE (DIDSBURY 1801) (WOODLEY 2481)

All parts supplied for any specified set by return.

All the stations on the FARADAY ALLWAVE

It gives a range of 15 to 2,000 metres on one dial—and no coils to plug in. The thrills of short-wave reception can now be enjoyed by everyone, stations from America and Australia being received with ease. A set with an amazing performance. Choose your stations from those listed in this number and the FARADAY ALLWAVE SUPERHET will get them for you. However far away the station may be, it's all the same to the FARADAY, for this receiver covers the world on the ultra-short, short, medium and long wave-bands. Amazing selectivity and sensitivity on all four wavebands, but NOT at the expense of quality or upper register response.

Our claims are endorsed by "The Wireless World" test report:

"Just as simple and easy to operate as an ordinary domestic receiver. Without allowances for the attractions that it offers in the way of short-wave reception the FARADAY set makes a remarkably good showing. Selectivity on the broadcast band is surprisingly good. On short-waves the set bore comparison with a specialised 'Super' which was vastly more difficult to operate. Sensitivity of the FARADAY was virtually as good and quality was better."

WRITE FOR A COPY OF THE FULL REPORT

FEATURES.

GENERAL. A self-contained five-valve superheterodyne with built-in moving-coil loudspeaker of the energised type. For operation on A.C. mains with external or mains aerial; D.C. model also available. Four wave-ranges: short, 15-30 metres; long-short, 30-60 metres; medium, 215-250 metres; long, 950-2000 metres. Five tuned circuits with one-knob control, compensating tone control, provision for mains aerial and gramophone pickup. Additional loudspeaker or headphones if desired for extra charge.

CIRCUIT. Signal frequency H.F. stage; combined detector oscillator, one I.F. stage, auto-tune set out detector, resistance coupled to output pentode. Full-wave power rectifying valve.

CONTROLS. (1) Single-knob tuning. (2) 4-position wave-range switch. (3) Combined volume control and on-off switch. (4) Tone-control switch.

Few sets are designed to receive other than medium and long wave stations, that is why the FARADAY ALLWAVE SUPERHET is so popular.

PRICE:


27 GNS. (inclusive of Royalties) Table stand 30/- extra. Chassis, complete with speaker and valves: £25:13:0 including Royalties. Special model for Overseas available, £30 in walnut cabinet or £32 in teak cabinet.

FARADAY ALLWAVE WIRELESS LTD.,

1, Salcott Road, S.W.11.

Tel.: Battersea 2085.

OSBORN'S NEW RADIO-GRAM CABINET FOR ONLY



Model No. 201. A Radio-Gram Cabinet by "Osborn" for 35/- in Figured Oak, 3' 2" high, 1' 10" wide, 4" deep. Height between motor board and baseboard 12". Height for pick-up 4". Accommodates a baseboard 18" x 14" or smaller. Ample room for any type of speaker and batteries. Morticed and tenoned throughout. Silk fabric, baffle board and baseboard are included. The panel above fret will be cut to your specification.

35'-

PRICES:

Machined Ready to Assemble £1 15 0
Assembled Ready to Polish £2 10 0
Assembled and Polished £3 5 0
All Models Carriage Paid.

Osborn Super Acoustic Baffle Board. Prevents 90 per cent. speaker worry. Any size hole cut FREE. Guaranteed no vibration. 18 in. by 18 in., 3/-; 24 in. by 24 in., 5/-; 30 in. by 30 in., 8/-; 36 in. by 36 in., 11/3.

Carriage paid U.K. Send for Free Sample.

CHAS. A. OSBORN,

REGENT WORKS, ARLINGTON ST., LONDON, N.1. Telephone: Clerkenwell 5095. Showrooms: 21, Essex Road, Islington, N.1. Telephone: Clerkenwell 5634.

Mention of "The Wireless World," when writing to advertisers, will ensure prompt attention.

MISCELLANEOUS ADVERTISEMENTS

NOTICES.

THE CHARGE FOR ADVERTISEMENTS in these columns is 12 words or less, 3/- and 3d. for every additional word.

Each paragraph is charged separately and name and address must be counted.

SERIES DISCOUNTS are allowed to Trade Advertisers as follows on orders for consecutive insertions, provided a contract is placed in advance, and in the absence of fresh instructions the entire "copy" is repeated from the previous issue: 13 consecutive insertions 5%; 28 consecutive, 10%; 52 consecutive, 15%.

ADVERTISEMENTS for these columns are accepted up to **FIRST POST ON MONDAY MORNING** (previous to date of issue) at the Head Offices of "The Wireless World," Dorset House, Tudor Street, London, E.C.4, or on **SATURDAY MORNING** at the Branch Offices, 19, Hertford Street, Coventry; Guildhall Buildings, Navigation Street, Birmingham, 2; 260, Deansgate, Manchester, 3; 26a, Renfield Street, Glasgow, C.2.

Advertisements that arrive too late for a particular issue will automatically be inserted in the following issue unless accompanied by instructions to the contrary. All advertisements in this section must be strictly prepaid.

The proprietors retain the right to refuse or withdraw advertisements at their discretion.

Postal Orders and Cheques sent in payment for advertisements should be made payable to **LIFFE & SONS Ltd.**, and crossed & Co. Notes being untraceable if lost in transit should not be sent as remittances.

All letters relating to advertisements should quote the number which is printed at the end of each advertisement and the date of the issue in which it appeared.

The proprietors are not responsible for clerical or printers' errors, although every care is taken to avoid mistakes.

RECEIVERS FOR SALE.

HIRE a McMichael Duplex Portable; £12/6 weekly, £2/12/6 monthly; amplifiers for dances, etc., on hire.—Alexander Black, Wireless Consultant, 55, Ebury St., S.W.1. Sloane 1655. [0328]

KOLSTER BRANDES 6-valve Kolster Superhet, all waves, latest model; cost £24/17/6, will accept £17/10; 230 volt A.C. mains, used 3 months.—Ewbank, Carleton Park, Pontefract. [1682]

A MATEUR Giving Up.—All guaranteed O.K.; B.T.H. special 50-watt amplifier outfit, with double turntables, R.K. speaker and motor generator, complete and working (cost £175), accept £12/10; Newco D.C. generator, 720 volts 140 milliamperes, £2/5; Lewco kit chassis, complete with 3 Cylodon A.C. or D.C., 17/6; Magnum short wave converter, 30/-; 250-watt modulator valve, 25/-; Watford alternator, 200 watts 20 volts, 500 cycles, 12/6; Cylodon 3-gang 0.0005, new, 9/-; R.I. automatic tonearm, 4/-; lots of coils, condensers, resistances, 6-volt valves, switches, and parts, etc.; list willingly.—H. H. S. Harris, 80, Wardour St., W.1. Gerrard 2504. [1690]

HAYNES Radio Single Dial Superhet Chassis, 200-50 A.C. choke substituted for speaker, 6 valves; cost 19 guineas, accept 13 guineas.—Freed, 5, Raphael Rd., Gravesend. [1688]

MCMICHAEL D.C. Mains Moving Coil Receiver; cost 24 guineas in May, a bargain, £12; as new.—Ford, 35, Bedford Rd., Firswood, Chorlton-cum-Hardy, Manchester. [1681]

RADIOGRAM, Ekco 1933 R.G.25 superhet, console, as brand new, guarantee, any trial; just cost £45; first £25.—Particulars Box 5963, c/o *The Wireless World*. [1698]

PYE Twintriple, second-hand, new batteries, in perfect condition; 11 guineas.—Box 5964, c/o *The Wireless World*. [1699]

ZEVAVOX 8-valve Superhet, automatic volume control; cost 25 guineas; purchased November; as new, half price.—Whittall, R.N. College, Dartmouth. [1702]

MARCONI 42 4-valve A.C.; cost £21; 6 months ago; perfect, £12.—85, Balgreen Rd., Edinburgh. [1714]

15 Watt Cinema Amplifier Chassis, 3 Ferranti meters and valves, for generator or battery supply; £6, or offer.—Watling, 15, Newburgh Rd., Acton, W.3. [1725]

OSTARGANZ Combined A.C. and D.C. Receiver, in modern walnut cabinet, with Rola M.C. loud-speaker, unboxed, list price £12/12, our price, 2 valves £5; 3 valves £6/10; e.o.d., carriage paid; state voltage.—Kay, 167, City Rd., Pimbury, E.C.1. [1632]

FOR SALE—New Kolster Brand all-mains 200-250 A.C. S.G. det. pen.; £5.—S. S. Burchill, 32, Powis Sq., W.11. [1737]

D.C. Gambrell 4-valve (new), 1931; listed £42, accept £18.—Monro, 24, Inverness Terrace, W.2. [1744]

CHARGERS AND ELIMINATORS.

N.P.—Battery chargers for all A.C. mains, Westinghouse metal rectifiers; trade price; list 1933.

N.P.—2 to 10 amp. chargers, A.C. mains; from 75/- to £30.—See centre column.

N.P., for D.C. Charging Boards; from 25/-, with ammeter, etc.—Nash Products, Stechford, Birmingham. [1708]

BATTERY CHARGERS For A.C. Mains



THE SENIOR TWO TYPE N.P.

(illustrated) will charge one to eighteen batteries at once. 15-25 volts at 3 amps. Sliding Variable Resistance from small amperage—Westinghouse Metal Rectifiers. For H.T. and L.T. Cells.

Trade Price 105/-

Complete, delivered.

Other models up to £20

Send for 1933 trade list

NASH PRODUCTS LTD. STECHFORD, BIRMINGHAM (9)

10,000 GRAMO-MOTORS FROM STOCK

BIG CASH DISCOUNT ALLOWED
Make a Gramophone or Radiogram
Order loose kits and assemble them at home. Get for 3d. our new 64-page catalogue with scale drawings and instructions how to make them. We sell motors from 7.6, tone-arms, sound boxes, I.B. pickups, big volume horns, loud-speakers, radio kits, complete receiving sets, gramophones, radiograms.
Established 1903.
THE REGENT FITTING CO., W.C. 120, OLD STREET, LONDON, E.C.1.



Read these extracts from "Wireless World" Laboratory Test, Dec. 30, 1932, on the

"BRYCE" POWER PACK

For A.C. Mains Drive
"The model A.B.2.P. is intended for use with a "C" class rectifying valve, such as the Mazda U120/500, and, in addition to providing a perfectly smooth H.T. supply of over 500 volts at 100 m.a., two separate L.T. supplies are available, one rated at 4 volts 6 amps. and the other at 4 volts 2 amps.

Power Margin
All the components employed are well suited for the part they have to play; indeed, the specification is most generous.

Ideal Conversion to Mains AMPLE POWER
This unit forms an ideal power pack for incorporation in the design of a mains set or radio-gramophone, for there is ample power available to meet the requirements of the most ambitious design.

PRICES Model A.B.1.P. supplies up to 350 v. 80 mamps. Smoothed High Tension, also 4v. 3a. C.T. Low Tension. PRICE (less Valves) **70/-**

Model A.B.2.B. supplies up to 500v. 120 mamps. Smoothed High Tension, also 4v. 4-5a. C.T., 4v. 2a. C.T. Low Tension. PRICE (less Valves) **100/-**

[Note:—All components mounted on steel chassis, but unboxed.]



Also makers of the well-known

"BRYCE" Transformers, Chokes, Amplifiers, etc.

Send for Illustrated Lists.

W. ANDREW BRYCE & CO., Woodfield Works, BURY, Lancs.

London: **WILBURN & CO., 23, Bride Lane, E.C.4**

NUMBERED ADDRESSES.

For the convenience of private advertisers, letters may be addressed to numbers at "The Wireless World" Office. When this is desired, the sum of 6d. to defray the cost of registration and to cover postage on replies must be added to the advertisement charge, which must include the words Box 000, c/o "The Wireless World." All replies should be addressed to the Box number shown in the advertisement, c/o "The Wireless World," Dorset House, Tudor Street, London, E.C.4. Readers who reply to Box No. advertisements are warned against sending remittance through the post except in registered envelopes; in all such cases the use of the Deposit System is recommended, and the envelope should be clearly marked "Deposit Department."

DEPOSIT SYSTEM.

Readers who hesitate to send money to unknown persons may deal in perfect safety by availing themselves of our Deposit System. If the money be deposited with "The Wireless World," both parties are advised of its receipt.

The time allowed for decision is three days, counting from receipt of goods, after which period, if buyer decides not to retain goods, they must be returned to sender. If a sale is effected, buyer instructs us to remit amount to seller, but if not, seller instructs us to return amount to depositor. Carriage is paid by the buyer, but in the event of no sale, and subject to there being no different arrangement between buyer and seller, each pays carriage one way. The seller takes the risk of loss or damage in transit, for which we take no responsibility. For all transactions up to £10, a deposit fee of 1/- is charged; on transactions over £10 and under £50, the fee is 2/6; over £50, 5/-. All deposit matters are dealt with at Dorset House, Tudor Street, London, E.C.4, and cheques and money orders should be made payable to Liffe & Sons Limited.

SPECIAL NOTE.—Readers who reply to advertisements and receive no answer to their enquiries are requested to regard the silence as an indication that the goods advertised have already been disposed of. Advertisers often receive so many enquiries that it is quite impossible to reply to each one by post. When sending remittances direct to an advertiser, stamp for return should also be included for use in the event of the application proving unsuccessful.

Chargers and Eliminators.—Contd.

BROWN and **SALTER**, Vortexion, Wimbledon, for the finest transformers made regardless of price; all models guaranteed 12 months, tested on full load and 2,000 volts between windings before despatch; all finished in cast aluminium frames or die-cast shroudings.

VORTEXION.—W5, 6 or 7 for Westinghouse H.T.5, 6, or 7, with 4v., 1.4a., C.T.; 11/6.

VORTEXION.—W8, 9 or 10 for Westinghouse H.T.8, 9 or 10, with 4v. 1.2a., C.T., 4v. 2.5a., C.T., lagged leads, shrouded; 16/6.

VORTEXION.—W11 for Westinghouse H.T.11, with 4v. 1.2, 4v. 1.6a., all C.T., shrouded; 40/-.
VORTEXION.—250-0-250, 60 m.a., 4v. 1.2, 4v. 2.4a., all C.T., open type lagged leads; 11/6.

VORTEXION.—350-0-350, 75 m.a., 4v. 1.2, 4v. 2.4a., all C.T., open type lagged leads; 13/6.

VORTEXION.—350-0-350, 120 m.a., 4v. 2.5, 4v. 1.5, 4v. 2.4, all C.T., shrouded type lagged leads; 16/6.

VORTEXION.—400-0-400 or 450 or 500-0-500, 120 m.a., open type, 4v. 2.4a., 4v. 2.5a., 4v. 2.5a., all C.T.; 19/-.; lagged leads.

VORTEXION.—500-0-500, 150 m.a., or 450-0-450, 160 m.a., or 400-0-400, 190 m.a., 4v. 2.5a., 4v. 4a., 4v. 2a., 4v. 2a., all centre tapped, any input, 50 C., beautifully shrouded, core size, 2 1/2 x 3 1/4, screened primary and strips, a £5 mod.; 35/-.
VORTEXION Only Use Sankey Laminations, British Insulated Cables wire, and non-hygroscopic paper interleaving for 100% reliability and excellent regulation.

VORTEXION.—30h. 50 m.a. chokes, 5/6; 20h. 120 m.a., 8/6; 15h. 350 m.a., excellent for rough D.C., shrouded, 15/-.
VORTEXION for Helsby Condensers, 750 D.C. working, 6 mfd.; 6/6, list price 21/6.

VORTEXION.—Transformer made to your specification.

VORTEXION.—Brown and Salter, 182, The Broadway, Wimbledon Tel.: Liberty 2814. [1743]

O!!!!—Eliminators for the discriminating; no junk; guaranteed 2 years, incorporating Bryce, T.C.C., etc., material.

O!!!!—Model A, output, 120v. 20 m.a., 3 tapings, 32/6; valve or Westinghouse rectifier, 9/6 extra.

O!!!!—Model B, outputs 250v. 75 m.a., 4v. 3.5a., C.T., 37/6; valve, 9/6; or, complete with Westinghouse, on steel chassis, 57/6.

O!!!!—Model C, outputs 350v. 80 m.a., 4v. 3.5a., C.T., 47/6; valve, 9/6; or, complete with Westinghouse, 72/6; a beautiful chassis job.


O!!!!—Anything else to specification.—R. A. Arnell, 8, Fishponds Rd., Upper Tooting, S.W.17. Alight Mayfair Cinema. See last week's valves advertisement. [1713]

TANTALUM for A.C. Chargers, H.T. and L.T.—Blackwell's Metallurgical Works, Ltd., Garston, Liverpool. [9346]

AITKEN BROS. and Co., 7, Gallowgate, Newcastle-on-Tyne.—Makers of really good transformers and chokes. Finest Materials. Experienced Craftsmen. Guaranteed for two years. Quotation for one of any type or specification on application. Satisfaction guaranteed. Enquiries invited. [1691]

NOW CONVERT YOUR SET TO A RADIOGRAM

YOUR SET FITS HERE



Convert your existing Set to a Radiogram. This beautiful WALNUT Cabinet comes to you with Vinctrol motor as illustrated and motor board, ready to take your own Set, Gramophone-Motor and Pick-up. Presents the professionally finished appearance of the most luxurious Radio-Gramophone money can buy. *Notes, Janet 18, Discard, 11, Deep, Height, 38.*

1933 WALNUT ADAPTAGRAM

Cash or C.O.D. **63/-** or 33 Deposit and 11 monthly payments of 5/3. Carriage Paid. Bottle Board 2/8 extra. Carriage and Packing 2/6 extra.

MODEL "B"
With Garrard Double Spring Motor, B.T.H. Tone-Arm with Pick-up. Cash or C.O.D. **6 GNS.** or 12 monthly payments of 12/-. Carriage Paid.

MODEL "C"
With Collored Electric Motor with Tone-Arm, Pick-up. In one Unit. 12 in. Terminals. Cash or **7 GNS.** or 12 C.O.D. or 12 monthly payments of 13/9. Carriage Paid.

GARRARD AUTOMATIC RECORD CHANGER MODEL

CASH or C.O.D. Carriage Paid. As illustrated, and fitted with Garrard Record Changer Unit, complete with Motor, Pick-up Tone Arm, etc. Plays pack of eight 10" or 12" records. **13 GNS.** or 23-13-0 Deposit and 11 monthly payments of 20/-.

PETO-SCOTT CO. LTD. 77, City Road, London, E.C.1
Dear Sirs, Please send me CASH, C.O.D. or H.P.

1933 WALNUT ADAPTAGRAM

Model A 63/-
Model B 6 Guineas
Model C 7 Guineas
Model D 13 Guineas
for which I enclose £ s. d. Cash Deposit
Name
Address

MADE IN OUR OWN FACTORY

ELIX

Specified
for the
Q.P.P. GRAMOPHONE AMPLIFIER
to ensure
Perfect Contact.



CLIX ALL-IN TERMINAL
A very robust terminal which is completely insulated whether connected or disconnected, providing absolute protection from "shorts."
You require two of these.

CLIX "MASTER" PLUG
Has positive metal-to-metal wiring. Non collapsible prongs, with curved ends for easy insertion, give firm grip and full contact with ANY battery socket.
You require five of these.

Recommended for the D.C. Amplifier.

Chassis Mounting VALVEHOLDER

Although of skeleton type, is very sturdy. Resilient Sockets, which have a lateral movement, guarantee perfect contact with ANY valve pin without fear of collapse.



5-Pin 9d.
4-Pin 8d.

Cheapest PERFECT Contact

LECTRO LINX LTD., 79a, Rochester Row, S.W.1.

From all dealers

Chargers and Eliminators.—Contd.

SERADEX All-British Radio Saves you Money.

D.C. Gram-amplifier. uses the following: 1 R.B.2 mains resistor, 3 6; 5 type B 1 mfd., 1/6 each; 3 type B 2 mfd., 2 3 each; 1 type B 4 mfd., 4/5; 2 M150 100 ohm resistors, 2 ditto 250 ohms, 1 ditto 1,000, 1 ditto 5,000, 1 ditto 50,000, 1 ditto 100,000, 8d. each (if wire-wound are preferred, use type G125); 2 C.A. chokes, 12/6 each; price for complete kit, carriage paid, £2 10.

Q.P.P. Amplifier, uses 4 M150 resistances, at 8d., and 1 B 2 mfd., at 2/3.

SERADEX Glass-wound Resistors, see illustration on page 24; type G125 (1 1/2 watt rating), 25 to 1,500 ohms, 5d.; 5,000 ohms, 1/6; 10,000 ohms, 1 3.

SERADEX Rectifying Units, see page 28, housed in attractive steel cases, complete with all components, etc., ready wired; ideal for converting sets to all mains.

SERADEX Battery Chargers, all models, suitable for mains 100 to 250v. A.C.; see page 22.

SERADEX M.R.151C, Westinghouse rectified, output 15 volts 1 amp., complete in case, with variable output, rheostat meter incorporated; £3 12/6.

SERADEX M.R.6030 Battery Charger, output 60 volts 3 amp., Westinghouse rectified, complete with meter, in metal case; £14 14; split outputs arranged if desired; ready made models available between the above two; lists for stamp.

SERADEX Filter Condensers, "Practical Wireless" writes: "A first class component... rating very complete"; new illustrated list now ready.

SERADEX Type B Condensers, 400v. working, 1 mfd., 1 8; 2 mfd., 2 3; 4 mfd., 4/5; 4 1/4 mfd., 7 3; 8 1/8 mfd., 14 6.

SERADEX Resistors.—"Practical Wireless" reports: "A thoroughly reliable article"; new illustrated list now ready.

CARRIAGE Paid on all retail orders over £2.

TREVOR PEPPER, Wake Green Rd., Moseley, Birmingham. [1729]

A.C. Charging Boards (bankrupt stock), output 40v. 6a., 1 valve rectification; cost £25, £29 5.—Jersey, Cunnor Hill, Oxford. [1715]

CABINETS.

CABINETS for Radiograms, mains or battery sets, loud-speakers, gram-phones, etc., endless variety, lowest prices (see catalogues).

H. L. SMITH and Co., Ltd. 287-9, Edgware Rd., W. or at associated shops: Charles and Co., 27, Lewisham High Rd.; Burt and Co., 49, Broadway, Deptford; Wright and Co., 367, High St., Stratford; G. E. Smith, 25, Queen's Rd., Watford. [11664]

RADIO-GRAM Cabinets: fully illustrated list free; remarkable values.—Gilbert, Cabinet Maker, Swindon. [1686]

DYNAMOS, ETC.

CONVERTER, 220 D.C. to 220 A.C., 150-200-watt, filter unit, silencing cabinet, good condition; state make and price. Box 5977, c/o The Wireless World. [1738]

LOUD-SPEAKERS.

B.T.H. R.K. Moving Coil Speakers, guaranteed new, unused, manufacturers' surplus, original price 6 guineas.

HIGHLY Sensitive and Wonderful Tone Response: will handle up to 10 watts output; available for 6v., 100v., 200v., 30/-; also A.C. models, £2/10.

CARRIAGE Paid, c.o.d., or cash with order; send for list of other unused bargains.—Seekamp, 46, Farringdon St., London, E.C.4. [1425]

8 1/4 IN. Epoch P.M. Moving Coil Speaker; 25/6.—Williams, 82, Cranford Mile, Waltham Abbey. [1694]

BRITISH Made Lamophone Moving-coil Speakers, Universal transformer, power or pentode; post free 19/6.—Newmans, 30, Hoylelake Crescent, Uxbridge. [1747]

LOUD Speakers.

USED for Test Purposes Only.—Rola M.C. types, K and F 6-volt, 2,500 ohm, 7,500 ohm, 17/6 each; Peter Gram-phon M.C., 17 6 each; Marconi M.C., type 80, 17 6 each; Baker's M.C., in cabinet, 40/- each; B.T.H. R.K., P.M., 25/- each.—A. Davey, c/o "Tannoy Products," Dalton St., W. Norwood, S.E.27. [1745]

30/-—11 B.T.H. R.K. moving coil speakers, 6 in. cone, new and unused, guaranteed; these speakers are type as used in cinema-sound equipment, weight 20lb., and are vastly superior to cheap speakers now on the market, 100 volts, 150 volts, and 200 volts D.C.

27/6—11 6v. D.C. speaker, as above; £2/7/6, speaker as above, for 100-250 A.C.

16/6—11 Ekco pick ups, complete with volume control and recording attachment, brand new and perfect; carriage paid, cash with order, or c.o.d.—Ward, 12, Tredegar Rd., Bow, E.3. [1741]

TRANSMITTERS.

SERADEX S.V.M. Super Transformer, input 200 to 250v. 50C., outputs 1,000-0-1,000 at 80 mbs. with L.T.s to order, £4 17 6; stripped type, £4/7/6; carriage paid; guaranteed two years; see Chargers column. [1732]


PICTURE RECEIVER APPARATUS.

TELEVISION.—All necessary components supplied; lists free; handbook on television free with all complete kits.—John Sutter, Member Television Society, Featherstone Buildings, H. Thorn, W.C. [1736]

VALVES.

MAINS Valves. 8.4V. B.S., A.C.S.G.S., 244V.S., P.M. 24.A.S., etc., at low prices or exchange.—Write requirements to Advertiser, 7, Lansdowne Gardens, S.W.8. [1726]

The only Diary published which is compiled by The Staff of "The Wireless World"



Make sure of your Copy of

The Wireless World DIARY for 1933

This handy little pocket volume is now in its ninth year of publication. As a convenient source of information on many aspects of wireless theory and practice it is unique. In addition to the usual Diary pages—one week at an opening—there are 78 pages of facts, figures and explanations to which wireless amateurs make frequent reference. These include a series of 16 up-to-date circuit diagrams of complete receivers and accessories such as Band Pass Filters, Volume Controls, Eliminators and Rectifiers, and Methods of applying Reaction.

LIST OF CONTENTS

Regulations controlling Receiving Licences—Broadcasting Stations of Europe—Principal Short-Wave Broadcasting Stations of the World—Useful formulae—A Series of Abbots—Copper Wire Tables; Sizes, Weights and Resistance—Conversion Tables—Symbols in Common Use—Symbols Used in Wireless Diagrams—Circuit Diagrams and Notes—Tracing Horn in Main Receivers—Coil Construction Data—Practical Hints and Tips—Matching Output Valve and Loud Speaker—Morse Code—Valve Data

Size 3 1/4 x 4 1/2 inches, 192 pages. Bound leather cloth, backloop with pencil, round corners and gilt edges

PRICE 1/6

By Post 1/7

From all Booksellers Stationers and Bookstalls or direct from the Publishers

ILIFFE & SONS LIMITED
Dorset House, Tudor St., London, E.C.4
W.W.66

Valves.—Contd.

THE Following Valves are Guaranteed as New, and any valve differing from the makers' characteristics will be exchanged; all latest types.

A.C./Pens., A.C.S.I.V.M.s., M.P.T.4s., D.C.2 Pens., D.C.28.G./V.M.s., 11/-; M.S.4s., M.S.4B.s., A.C.S.G.s., S.4V.A.s., D.S.B.s., A.C.S. 2s., D.C.2/8.G.s., 9/6.

M.L.4s., A.C.P.s., 41M.P.s., P.M.24s., 8/-; A.C.H.L.s., A.C.2/H.L.s., 354V.s., 41M.H.L.s., U.10s., U.U.60/250s., M.H.4s., 7/6; P.T.2s., V.S.2s., 215S.G.s., 9/-; D.C.3H.L.s., 8/-.

ALL Types of Brand new American Valves in Stock; 247s., 235s., 224s., 236s., 237s., 12/-; 227s., 226s., 280s., 245s., 232s., 10/6.

U.X.250s., 7 watts output, 16/-; 282M. mercury vapour rectifiers, 11/-; carriage paid, cash with order or c.o.d.

FOR Quickest Delivery Send Telegraph Money Order.—Ward, 12, Tredegar Rd., Bow, E.3.

GUARANTEED Valves, as new, emissions and characteristics perfect, all latest types; unsolicited testimonials.

COSSOR.—210H.L.s., 210H.F.s., 210L.F.s., 3/9; 215P.s., 220P.s., 4/9; 41M.H.L.s., 41M.H.s., 6/9; 41M.P.s., 7/6; M.S.G./H.A.s., 8/-; P.T.41s., 12/-; M.V.S.G.s., 12/-; M.P.Pens., 14/-; 442B.U.s., 120 m.a. rectifiers, 8/9; 620T.s., 15/-.

OSRAM.—H.T.210s., H.210s., D.E.H.210s., L.210s., 3/9; L.P.2s., P.215s., 4/9; M.H.4s., D.H.s., 7/6; M.L.4s., 7/6; M.S.4B.s., 9/6; P.T.4s., 12/-.

MULLARD.—P.M.H.F.s., P.M.2D.X.s., P.M.1L.F.s., 3/9; P.M.2s., P.M.2A.s., 4/9; S.4V.A.s., S.4V.B.s., 8/9; 354V.s., 7/-; P.M.3s., 3/9.

MAZDA.—H.L.210s., H.210s., 3/9; P.220s., 4/9; A.C./H.L.s., A.C./2H.L.s., 7/-; A.C./S.G.s., 9/6; A.C./P.s., 7/6; D.C./3H.L.s., 7/-.—R. Newnau (First Floor), 309, Roman Rd., E.3. [1659]

COMPONENTS, ETC., FOR SALE.

WESTON Moving Coil Milliameters (301). 0.15 upwards. 22 6; Turner ditto, 17/6; Turner thermo couple ammeters, 0.1-5, 25/-; 3-range moving coil meters, 0.3 m.a., 6 and 120 volts, 22 6; electrostatic and moving coil voltmeters, 0.2, 0.00, 32 6; moving coil milliameters, 0.10 upwards, 10 6; alterations and repairs of every description.—The Victoria Electrical Co., 47, High St., Battersea, S.W.11. [10355]

FERRANTI M.1 Speaker, 1930, £4; W.B. P.M.1 speaker, 1931, complete in B.R.C. 18in. cabinet, £4 15; Zonophone pick-up, 10/-; all as new.—L. H. Keight, 143, Park Lane, Aston, Birmingham. [1684]

51/6.—Manufacturers' surplus, 1933 3-valve battery chassis, receivers (listed £7 15 6), V.M. screened grid, detector, pentode, J.B. ganged condenser, screened coils, R.I. and T.C.C. components (with valves, £3/9/6).—Baile, 154, High St., Ilfracombe. [1711]

DIX Onemeter and 5 shunts, £3; A.C. 3-range meter, 0-600 volts, in case, £2.—Box 5965, c/o The Wireless World. [1700]

PEPPER Offers the Following under Usual Money-back Guarantee; cash, c.o.d., or deposit; carriage paid on orders over £2.

2-GANG Condensers, brand new (bankrupt), Amisco, similar to radiophone, semi screened, with trimmers; easily worth 25/-, a precision made job; limited quantity, 7/11 each.

T.C.C. Condensers (unused manufacturers' surplus), 750v. test, 2 mfd., 1/9; 500v. test blocks, 2+2, 2+2+2-1 mfd., 6/11.

FRAME Ariels.—Lewcos, boxed, 14/6; Wearite (cost £2-), boxed, 16/6; H. and B., 12/6.

SURPLUS Lists Available Shortly; send stamp.

VALVES, as new, P.M.12, S.G.215, 8/6; P.M.14, P.M.16, S610, P.T.425, etc., 7/6; A.C. S41, M.S.G./H.A., D.C. S.G., D.C./P.E.N., 9/11; P625A, P625, 5/11; Tungstam, boxed, P414, P614, S407, 5/11; D.G.210, 8/11; 104v. M.H.L.4, A.C. H.L., 7/11.

COILS.—Colvern, T.G.S.C. and cans, T2R, R2R, 4 11 each; Lewcos A.T.G., T.O.S., I.F.T., I.F.T.P., Wearite O.T.1, 5/6; 0.2, 4 11; 0.6, 6 3; Binowaves, 5/11; Explorer Three, 4/11 pair; B.P.P., 6/6.

SUNDRIES.—Polar Star Superhet 3-gang, 15 6; G.E.C. twin drum, 7 6; J.B. ditto, 7/6; W.B. £5/5 speaker, £2/7 6.

CARRIAGE Paid over £2.—Pepper, 48, Wake Green Rd., Birmingham, 13.

SET Varley 3-gang Coils (B.P.-T.G.), 17/6; Pola 3-gang condenser, 16/6; Bowyer-Lowe Mark III P.U., 17/6; all new.—Petty, Clapham, Lancaster. [1723]

AMERICA to Ilventry—All wave tuners, 20-2,000 metres, reaction incorporated; 6/-; trade discounts.—Evans, 77, Jernyn St., London. [1722]

FERRANTI O.P.M.6, 13/6; A.F.5, 15/-; A.F.3, 12/6.

MULLARD L.T. Transformer, 4v. 4a., C.T.; 12/6.

J.B. Unitune 2-gang Condensers, with disc drive, fully screened; 10/6.

SONOCHORDE Standard P.M. Speaker, with universal transformer; £1 list, 32/6.

ROLA P.M.F.6; 35/-; with universal transformer.

WESTINGHOUSE Metal Rectifier, 300v. at 60 m.a., 13/6; 350v. at 65 m.a., 15/-.

ALL the Above Goods are Unused and Guaranteed Perfect; sent on 7 days' approval against cash, or c.o.d.; we will allow you 50% off list price on your surplus radio components in part exchange for new.

W. B. MACKIE, 61, Dartmouth Rd., Forest Hill, W. S.E.23. Phone: Sydenham 6741. [1727]

FOR EVERY SET—there's a PILOT AUTHOR KIT CASH—C.O.D.—or H.P.

Q.P.P. BATTERY GRAMOPHONE AMPLIFIER

KIT "A" Author's Kit of specified parts, including Ready Drilled and Assembled Plywood Chassis, but excluding Valves and Cabinet. CASH or C.O.D. Carriage Paid £3-6-6 or 12 monthly payments of 6/-

Set of Specified Valves £2 - 2 - 0

D.C. GRAMOPHONE AMPLIFIER

KIT "A" Author's Kit of specified parts, including Ready Drilled and Assembled Plywood Chassis, but excluding Valves and Cabinet. CASH or C.O.D. Carriage Paid £5-13-0 or 12 monthly payments of 10/3

Set of Specified Valves £2 - 13 - 6

QUIESCENT PUSH PULL TWO

KIT "A" Author's Kit of specified parts, including Ready Drilled Panel and Assembled Baseboard, but less Valves, Cabinet, Meter and Speaker. CASH or C.O.D. Carriage Paid £3-9-0 or 12 monthly payments of 6/4

ACCESSORIES. Sifam Moving Iron Milliammeter, E.66 - - - 10 0 Celestion Q.P.T. 19A Loudspeaker with Transformer - - - - - £2 10 0 Specify if Panel is required drilled to take Meter when ordering.

KIT "B" As Kit "A," but with Valves less Cabinet, Meter and Speaker. CASH or C.O.D. Carriage Paid £5-11-0 or 12 monthly payments of 10/3

KIT "C" As Kit "A," but complete with Valves and Cabinet (less Speaker and Meter). CASH or C.O.D. Carriage Paid. £6-3-6 or 12 monthly payments of 11/4

ALL-WAVE MONODIAL

KIT "A" Author's Kit of specified components including Ready Drilled polished Oak Ply Panel, and ready drilled and assembled baseboard, but less Valves and Cabinet. CASH or C.O.D. Carriage Paid £12-1-0 or 11 monthly payments of £1-0-0

KIT "B" As Kit "A" but with valves, Cash or C.O.D. Carriage Paid £16-18-6 or £2 18 6 deposit and 11 monthly payments of £1 8 0

DIRECT READING STATION FINDER

Complete Kit including all components as specified by the designers, LESS "Knock-down" Plywood Cabinet. CASH or C.O.D. only 20/- As above but with "Knock-down" Plywood Cabinet. CASH or C.O.D. only 27/6

To PETO-SCOTT CO. LTD. 77 City Road, E.C.1. Dear Sirs: Please send me by return CASH/C.O.D./H.P. for which I enclose £. Name Address W.W. 3/2/33. West End Showrooms: 62, High Holborn, W.C.1.

Components, etc., for Sale.—Contd.

R. SELECTED Parts for Sale, as new; any c.o.d., or "Wireless World" deposit system, which we recommend if in doubt as to the splendid value offered; we take all risk of damage in transit to our customers; all goods tested for callers and guaranteed, however low price. Notice.—Payment by cheque; no goods despatched until these are cleared.

T.C.C. 1 mfd., type 84, 1/3; T.C.C. 2 mfd., 250v., type 65, 1/6; T.C.C. 2 mfd., 375v. working, 1/9; 250v. av.

MAGNAVOX D.C. 144, with transformer, 2,500 ohm, 20/-; Rola D.C., 2,500 ohm, with pentode transformer, 22/-; 6,500 ohm, ditto; post free; type P6.

SET Cabinets for 3v. A.C. Sets, room for speaker, suit "W.W." A.C.3, etc., brand new, in cartons, ready for immediate despatch, fitted escutcheon, suitable Polar Star; few only; 20/-; used, 16/-.

SPECIAL Offer of Pye 20h. Chokes, 40 m.a., 150 m.a. maximum, D.C. resistance 300 ohms, in brown crystalline finish, new, unused, Pye 32h. chokes, D.C. resistance 750 ohms, 30 m.a., 80 m.a. maximum, ditto, 6/3 each, post free.

VALVES, used, many as new, M.H.L.4, 244v. I.P., 484, S4V. 41M.L.F., Marconi P2B super 2v., new, 7/6 each; Mullard M.M.4V, 10/6; S4V.A., A.C. S.G., M.S.4B, P.M.24B, 9/-; M.S.4, 7/6; S4V.B., 8/-; to callers only the following: U5, 8/-; U8, 10/-; L.S.6A, 12/-; Mazda U.U.60 550, new, 9/-.

METERS.—Turner 0-20 a., 10/-; Turner 0-250 m.a., 15/-; Weston 506 0.500 m.a., 20/-; Weston 301 projecting 0-15 a., 20/-; Weston 506 150v. 20/-, 200v. 20/-; Ferranti 0-7v., 20/-; Ferranti 0-15a. charge, discharge, 15/-; ditto, flush, 0-10a., 20/-.

TRANSFORMERS.—Ferranti O.P.M.1C, 16/6; O.P.M.2C, 14/6; O.P.M.4, 14/6; Nicore 1, 9/-; Permacone, 9/-; Ferranti B1 choke, new, 14/-; used, 13/6; Edison Bell, new 50h. choke, 100 m.a., massive job, 9/-.

RYALL'S Radio Mains Transformers and Chokes, new goods, 250v. 60 m.a., 4v. 1 amp., 4v. 3 amp., 10/6; 350v. 60 m.a., 4v. 2 amp., 4v. 5 amp., 12/6; filament transformer, 4v. 5 amp., 8/6; Ryall's Monodial transformers, special job with screened primary, guaranteed 12 months, 350v. 100 m.a., 4v. 1 amp., 4v. 6 amp., 4v. 2 1/2 amp., 25/-; chokes, constant inductance, 20h. 100 m.a., 8 6; 40h. 100 m.a., 10 6; all transformers 200/250v. input; chokes, resistance 280 ohms and 600 ohms.

IGRANIC Mains Transformers, 110/250v. input, 250v. 75 m.a., 4v. 1 amp., 12/-; 460v. 2 amp., 7.5, 8v., 15v.; to clear at 17/6.

RYALL'S Own Mansbridge Condensers, fully guaranteed peak 400v., 3/-; 4 mfd., 400v. working, peak 650v., 4/6; 4 mfd., 750v. working, peak 1,000v., 7/6; 2 mfd., 750v. working, peak 1,000v., 4/6; definitely reliable; offered with confidence, selected with care.

FERRANTI D2 D.C. Speaker, 20/-; Lotus 3-gang, with drive, screened, latest, new, 15/-; J.B. superhet, Nugang, 15/-; with drive; British Radiophone 3-gang, 16 6; Polar tub, screened, with trimmers, genuine article, new, 15/-; Polar Uniknob, 10/-.

R.I. 375v. Transformer, 7.5v., 5.5v., 100 m.a., 15/6; Savage Massicore transformer, 20.1, 23.1, 26.1, 12/6; Wearite H.T.4 choke, 2,500 ohm, 10/-; Amplion output transformer, power and pentode, 5/6; Amplion 2,500 ohm pot, 5 6.

BULGIN 20h. Output Filter Choke, new, 6/-; Cyldon 0.0005 log condensers, 2/6; R.I. P.U. auto arm, 5/-; Tunewell H.T.8 transformer, 15/-; Harlie portable mike, 25/-; Philips filament transformer, 4v. 5 amp., 10/-; Rola P7 speaker, with hum coil and transformer, 6,500 ohm field, 27/6; Foster H.T.1 transformer, 10/-.

MARCONI D.C. Eliminator, 150v. 25 m.a., 18/6; Epoch 20 P.M. speaker, 24/-; H.T.2, with transformer, 300v. 100 m.a., 50/-; Lewcos frame aerial, 12/6 Brown Vee units, new, 9/6; Mazda D.C. Pen., 8v. type, 9/-; Bulgin transcoupler, 7/6, new.

EKCO K18 Unit, £2; Ekco 3F20 unit, 150v. 18 m.a., 28/6; G.E.C. P.M. cabinet speaker, latest, £2.

T.C.C. 2,000 m.f. Electrolytic, 12v. working, 9/-; Polar Star 3-gang condenser, new 16 with drive, 18/6; H.T.8, with transformer, including 4v. 4 amp., 27/6, new; Radiophone 2-gang 0.0005, with cover and disc drive, new, 16/6.

RYALL'S RADIO, 33, Chancery Lane, London, W.C.2. (Nearest Tube Chancery Lane; bus 67 passes door, or train to Savoy St.) Holborn 3529. Open Saturday afternoon. Close 7 p.m., Thursdays 1 o'clock, Saturdays 6 p.m.

R. [1718]

BIRMINGHAM RADIO MART'S Weekly Selection Manufacturers' Surplus Stocks; new unless otherwise stated.

RESISTANCES, Erie, H.M.V., etc.; our selection, 5,000 to 100,000 ohms, 3/- dozen; Dubilier and T.C.C. mica condensers, 3/- dozen; H.M.V. hum stoppers, C.T., 9d.; anode oscillation stoppers, 3d.

METERS.—British flush 2 1/2in. nickel, any range above 20 m.a., 5/9; Lew Sifam M.C., 15/-; 2 m.a., 17/6.

COLUMBIA 2-valve Chassis, complete, disc, dials, leads, etc.; 15/-; no valves.

CONDENSERS.—T.C.C. 1,700v. working, brand new, 4-4 mfd., with heavy stand-off insulators; 25/-; large stocks of Hydra and T.C.C.

CAPEHART A.C. Induction Motors, as fitted £28 record changer, 25/-; 2 only, Garrard Universal 50/-.


2-GANG 0.0005 Diecast Frame 1/4in. Spindle Trimmers, worth 17/6, finest quality, made largest firm in industry, 6/6.

NEW Boxed Lewcos Short Wave 6-pin Coils, 20/45 and 40/90 metres; 1/6, or 3/- pair, post free. PLEASE Note.—Radio Mart's oddment sale commences February 6th; hundreds of snips for callers.—19, John St., Birmingham. [1728]

WALNUT or BLACK

and a Price Reduction . . .

Belling-Lee "R" Type and "B" Type terminals and terminal mounts now made in Black or Walnut Bakelite.



The Terminal Mount is reduced from 6d to 6d.

BELLING-LEE
FOR EVERY RADIO CONNECTION


Advt. of Belling & Lee Ltd., Cambridge Avenue, Road, Enfield, Middlesex.

DETERMINE THE TRUTH

The AvoDapter enables all valves and valve circuits to be tested externally, and disposes once and for all of the difficulty of making tests inside the set. The patent convertible plug is inserted in the valve holder of the set and the Valve under test is plugged into the AvoDapter base. A switch enables anode, screen and grid currents to be measured without change of connections, and filament or heater, screen and anode voltages may be taken simultaneously or separately.

The AvoDapter Complete **25/-**

AvoDapter Patent convertible Plug with 6-way lead for use with existing testing equipment . . . **7/6**



IT'S EASY WITH THE AVO DAPTER

The Automatic Coil Winder and Electrical Equipment Co. Ltd., Winder House, Douglas St., London, S.W.1
Telephone: Victoria 3405-5.

Components, etc., for Sale.—Contd.

PREMIER SUPPLY STORES Offer the Following Brand New Goods at a Fraction of the Original Price; all goods guaranteed perfect, carriage paid over 5/- under 5/- postage 6/- extra. (Ireland carriage forward.)

PREMIER—Mains transformers, all guaranteed, terminal connections, 200-250 input 40-100 cycles, output 135 volts at 80 m.a. for voltage doubling, 8/6; 4 volts 4 amps. (C.T. low tension, 2/- extra; Westinghouse rectifier for above, 8/6.

MAINS Transformers, primary 200-240 volts, secondary 350-0-350 volts at 90 milliamps., 4 volts at 3 amps. (C.T.), 4 volts at 2 amps (C.T.), 12/6.

AMPLION Transformers, input 100-250 volts, output 350+350 volts, 120 milliamps., 4 volts at 5 amps., 4 volts at 2 amps., 6 volts at 1 amp., all centre tapped; 17/6.

MAINS Transformers, 12 volts 1 amp., 7/6; 0 volts 1 amp., 7/6; 4 volts 4 amps. and 4 volts 2 amps., 6/6; 14 volts 4 amps., 12/6; 4 volts 3 amps., 7/6; 4 volts 5 amps., 8/6; 6 volts 2 amps., 7/6; 7 1/2 volts 2 1/2 amps., 7/6; 10 volts 3 amps., 10/-.

H.T.9 Transformer, 230 volts 200 milliamps., with 4 volts 4 amps. (C.T.) winding; 17/6 (with screened primary).

H.T.8 Transformer, 10/-; with 4 volts 3.5 amps. low tension C.T., 15/-; complete with Westinghouse H.T.8 rectifier and L.T. winding; 27/6 (with screened primary).

MAINS Transformers, output 250-0-250 volts at 60 milliamps., 4 volts at 1 amp., 4 volts at 2 amps., 4 volts 3-4 amps., all centre tapped; 15/- (with screened primary).

MULTI-RATIO Output Transformers, 15 different ratios; 7/6.

PREMIER Chokes 40 milliamps., 25 henries, 4/-; 65 milliamps., 30 henries, 6/-; 150 milliamps 30 henries, 10/6; Pentode output chokes, tapped, 7/6.

PYE Chokes 110 henries, 4/-; 20 and 32 henries, 4/6.

SMOOTHING Chokes for Series Connected Filaments from D.C. mains, carry 1 amp.; 7/6.

KOLSTER-BRANDS 80 milliamps., 30 henry Chokes Tapped, 1/3 and 2/3, 7/6.

T.C.C. Condenser, 2 mfd. 750 volts working, 4/-; 4 mfd. 750 volts working, 6/-; 4 mfd. 400 volts working, 4/-; 4 mfd. Electrolytic, 440 volts working, 4/-; 8 mfd., 4/6.

T.C.C. Block Condensers, 250 volts working, 8+2+2+1+1 mfd., 5/6; 375 volts working, 1+1+0.1+0.1+0.1+0.1+0.1 mfd., 2/-; 375 volts working, 6-4-2+2-2 mfd., 10/-; 250 volts working, 2+2+2+2+1 mfd., 5/6.

WESTERN ELECTRIC, 0.01+0.01 mfd., 400 volts working, 1/-; blocks 4+2+2+2+1+0.09 mfd., 400 volts working, 6/-; 10 mfd., 400 volts working, 5/-.

FERRANTI Condenser Blocks, 300 volts working, 4+4+2+2 mfd., 10/-; T.C.C. 0.1 mfd. non-inductive condensers, 9d.

VARIABLE Condensers, Polar, 3-gang tube type, fully screened split end vanes and disc drive, 0.0005, 12/6.

ORMOND All-brass 2-gang Condensers, semi shielded, 0.0005, 5/-; Ormond all-brass 0.0005 slow-motion condensers, with knob and dial, 3/6; Polar 0.0005 and 0.00035 Bakelite Dielectric condensers, with knob, 1/-.

PREMIER Eliminators, input 200-250 A.C., 40-100 cycles, output 250 volts at 60 milliamps., 80 volt and 120 volt taps, incorporating Westinghouse rectifier, 42/6; with 4 volts 4 amps., L.T., 7/6 extra.

PREMIER Eliminators, input 200-250 A.C. Output 80, 100, and 120 volts at 20 milliamps., incorporating Westinghouse rectifier, 27/6; with L.T. charger incorporated, 35/-.

D.C. Eliminators, output 60, 90 and 120 volts, at 120 milliamps., 15/-; larger model, output 80, 100 and 200 volts at 50 milliamps, 25/-.

ACCUMULATOR Chargers for A.C. Mains, input 100-250 volts, 1-2 amp., 17/6; 1 amp., 22/6.

PREMIER Eliminators, input 200-250 A.C., output 150 volts at 30 milliamps, 2 lower taps, incorporating Westinghouse rectifier, 37/6, with 4-volt 3-4 amp. L.T.

AMPLION Moving Coil Speakers, type E.M. 644, dual field, 2,500 and 5,000 ohms (100 or 200 volts), with multi-ratio output transformers; 15/-.

B.T.H. R.K. Minor, moving coil speaker, 2,500 ohm field, 15/-, with multi-ratio transformer.

K.B. Auditorium Speaker, 6 volt model, 25/-; A.C. model £2, with output transformers.

S. G. BROWN Permanent Magnet Speakers, giant S. model, 12in. cone, high resistance speech coil; listed £8, our price £2.

AMPLION Permanent Magnet Moving Coil Speakers, type M.C.22, complete with multi-ratio transformer; 50/-.

15,000 Ohm Wire Wound Potentiometers, 1/6; Centralex potentiometer volume controls, 50,000 ohms, 2/-; Cilver resistors, logarithmically wound, potentiometers, 6,000 ohms, 1/9.

WIRE Wound Resistances, any value, carry 20 m.a., 2/-; 40 m.a., 3/-; 60 m.a., 4/-; 120 m.a., 5/6.

WIRE Wound Resistances, 3,500, 4,000, 7,500, 8,500, 9,000, and 10,000 ohms; 1/- each.

EDISON BELL Wire Wound Clip-in Resistances, 10,000, 60,000, 70,000, 80,000, and 90,000 ohms; 1/2 each.

HEAVY Duty Variable Resistances (slider type), wound on porcelain, 200 ohms, 1 amp., 2/6; 350 ohms 1 amp., 2/6; 2,000 ohms 1/2 amp., 5/-; 500 ohms 1/2 amp., 5/-; 50 ohms 2 amps., 2/6; B.T.H. electric gramophone motors, induction type, 100-250 volts, A.C., 30/- complete; double spring gramophone motors, complete 15/-, single spring 9/-; B.T.H. A.C. and D.C. motors, 55/-.

S. G. BROWN'S Microphone Amplifiers (Microbox); S. listed £5 5, our price 7/6.

CROYDON Rotary Converters, input 220 D.C., output 220 A.C., 160 v.a.; £4/10.

WESTERN ELECTRIC Public Address Speaker Horns, weatherproof, exponential, 7in. long, bell 22x14, fit practically any unit, constructed of solid timber, weight 100lb.; 25/-, carriage forward.

(This advertisement continued on next page.)



KINVA
TRADE MARK

CHOKES

SLAB TYPE,
LOW D.C.
0-1 to 0-3H, 3/6;
0-5, 4/6; 1-0, 5/9;
2-0H, 6/9
(Tappings Extra)

HETERODYNE WHISTLE FILTERS
TYPE "B.1," Adjustable Choke Filter, 7/-
TYPE "B," Adjustable, 7/6; "A," 12/-

SCREENED H.F. CHOKES

FAMOUS STANDARD TYPE, 2/9 POST
MAJOR TYPE for 'SUPERS,' 5/6 EXTRA
SHORT WAVE, UNSCREENED, 2/3 ALL ITEMS

List on Request.

POSTLETHWAITE BROS.
KINVER, STOURBRIDGE

Write for Illustrated Catalogue of

RADIO-GRAMPHONE CABINETS

of exclusive modern design, made by craftsmen in highly figured Oak, Walnut or Mahogany, post free.

REMARKABLE VALUES.
Cabinets made to order a speciality.
Maker, under license, of the
HOWE BOX BAFFLE.
Recommended by the B.B.C.
Full details on request.

GILBERT
Cabinet Maker - SWINDON
Estimates Free. Est. 1866



Famous Maker's Offer:

PIANO-TONE CABINETS

7 DAYS' FREE TRIAL (OR 10/- MONTHLY)

Piano built (Pat. 8123). The acoustic tone brings a true third (Radio O.K.). (Radio-Press, B.B.C., 3,000 clients).
At Maker's Prices, 35/- to £15.
LIST FREE.

Send for photographs, detail drawings.
Picketts Piano-Tone Cabinet, Albion Rd. (w.w.) Bezzel Heath, Kent.

RYALLS RADIO,

33, CHANCERY LANE, LONDON, W.C.2,
accept used radio parts, or sets, in part or full payment for brand new, at list prices. Only good quality components accepted, accumulators and very small items cannot be taken. Goods bought for cash from callers, up to one third of list price paid, parcels by post by arrangement only.

PARIMA SELENIUM CELLS

FOR ALL PURPOSES.

Parima Light-Sensitive Resistances are constant, mechanically strong, moisture proof and exceedingly sensitive. Fully guaranteed for 12 months.
Prices from **5/-**

PARIMA MANUFACTURING CO.,
21, BROMLEY ROAD, S.E.3. *Hitler Green 3623*

SERADIX BATTERY CHARGER

Type V.R.328. Output 28 V. 1.3 amps.

Complete in case, with meter and variable resistance. Price **£3.5.0**

TREVOR PEPPER, Wake Green Rd., Birmingham


JUNIT SYNCHRONOUS ELECTRIC CLOCKS

Write for the new Complete Catalogue including models to match Pye, Ultra, etc., radio receivers.

Junit Mfg. Co., Ltd.,
Junit Works, Steele Rd.,
Chiswick, London, W.4.

FOR VOLUME & TONE IGRANIC ALONE

BUY WATMEL THIS YEAR



ADVANTAGES

- 1 NON-INDUCTIVE.** This is because the resistance element is not wire.
- 2 Furthermore,** the wire contacts shown make contact with the resistance element so that the moving contact does not wear out the element. This guarantees even and true contact always.
- 3 The extremely firm and even contact** with the element. This is obtained by a new patented clamping cone, which directly it is screwed down forces the sprung external ring against the wire band. The pressure is so great that perfect all-round contact is made with the element which will not vary in any circumstances.
- 4 Self-cleaning wiping contacts.** This ensures perfectly clean contact always.
- 5 Silent in operation.**
- 6 PRICE 4/6**

We recommend this resistance (Type 3) only for values above 50,000 ohms where wire-wound potentiometers are not required. Patents for this new Resistance have been applied for. Type 1. Wire Wound, any value up to 50,000 ohms. Write for Free Component Catalogue and also for our Free Calculation Resistance Chart.

If you have any difficulty in obtaining Watmel Components, WRITE DIRECT TO US.

TRADE ENQUIRIES INVITED

Watmel

COMPONENTS

GET THE BEST OUT OF ANY SET

WATMEL WIRELESS CO. LTD.

Imperial Works, High Street, Edgware.

Telephone: Edgware 0323

Components, etc., for Sale.—Contd.

(This advertisement continued from previous page.)

EKCO Microphones, complete with transformer, a really fine job; 18/6.

S. G. BROWN'S Power Units, consisting of tapped mains transformer, Westinghouse rectifier, and T.C.C. electrolytic condenser, output 6v. 1 amp., for charging and increasing; 21/-, listed 23/15.

WESTINGHOUSE Rectifiers, 120 volts at 20 m.a., 6/6; 180 volts at 30 m.a., 8/6; 8 volts at 0.5 amp., 6/6.

AMPLION Pick-up, with arm and volume control; 18/6; Clarostat wirewound potentiometer, 50,000 ohms, 2/6.

ALL the Following Lines 6d. Each, or 5/- dozen assorted Trimming condensers; Mullard half-watt resistances, 60,000 and 16,000 ohms; vacuum resistances, 15,000 and 10,000 ohms; shielded S.G. or Pentode leads; Diffuser 0.01 condensers; 2 meg., 1 meg., 1/2 meg. metalised resistances; 2ft. lengths of screened wire; 5-pin. valve holders; 4-pin valve holders; any size grid leaks and condensers; fuse lubb with holder; Crabtree sunk 5-amp. switches.

FOR Callers Only. The following guaranteed valves at 60% of list price: M.P. Pen.; U.U.60 250; P.T.625; M.V.S.G.; A.C. Pen.; V.D.S.; U.U.120/350; D.H.A.C.P.; D.P.T.; S4V.A.; M.S.4B; A.C./S.G.; A.C./H.L.; A.C.P.1; 304V.

ALL Orders to 20-22-24, High St., Clapham, S.W.4. Callers to High St., Clapham (Macaulay 2188). Closed 1 o'clock Wednesday. Open till 9 o'clock Saturday. Nearest Station Clapham North Underground. 11674

M. J. HOYNE for Power Transformers and Chokes.

250 0-250v. 60 m.a., 4v. 1-2a. C.T., 4v. 2-3a. C.T.; 10/-, post 9d.

350 0-350v. 70 m.a., 4v. 2a. C.T., 4v. 2-3a. C.T.; 12/6, post 1/-.

350 0-350v. 120 m.a., 4v. 2a. C.T., 4v. 4-6a. C.T., 4v. 1-2a., C.T.; 16/-, post 1/-.

450 0-450v. 150 m.a., 4v. 2-4a. C.T., 4v. 2-6a. C.T., 4v. 2a. C.T., 4v. 2a. C.T.; 25/-, post 1/3.

500 0-500v. 140 m.a., 4v. 2-4a. C.T., 4v. 2-6a. C.T., 4v. 2a. C.T., 4v. 2a. C.T., or 6v. windings if preferred; 27/6, post 1/3.

750 0-750v. 250 m.a., 4v. 4a. C.T. for G.U.1 and delay switch, 3 C.T. filament windings to specifications not to exceed 100 watts, 65/-, carriage 2/9.

WESTINGHOUSE Model 150, 200, 240v. 300 m.a., 4v. 2a. C.T., 4v. 2-6a. C.T., suitable for H.T.8, H.T.9, or H.T.10; 15/-, post 1/3.

LINE Transformers (auto wound), 0-100, 110, 200, 220, 240v. 60 watt, 7/9, post 1/-; 120 watt, 11/-, post 1/-; 180 watt, 15/-, post 1/3.

CHOKES, 30h. 150 m.a. 12/-, post 1/-; 20h. 120 m.a. 8/6, post 9d.; 30h. 60 m.a. 6/-, post 6d.; 30h. 30 m.a. 2/6, post 6d.

CONDENSERS, resistances, M.C. speakers in stock; write your requirements for bargains.

ALL Transformers are Guaranteed for 12 Months, and made from the finest British made material, primaries, tapped and screened, clamped in aluminium frames and fitted with clearly marked terminal strips.

M. J. HOYNE for Better Transformers.

M. J. HOYNE, Offices and Works, 8a. Gladstone Rd., Wimbledon, S.W.19. Tel.: Liberty 3303. [1598]

EVERYTHING for Movies and Talkies.—Phone, write for, better still, call and inspect immense stock of bargains.

ILLUSTRA ENTERPRISES, 159, Wardour St., London, W.1. Tel.: G889 Gerrard. [1621]

VALVES at 3/- Each, used for testing purposes only. American types, 250, 281, 227.

1.85 Valves, used for experimental purposes, at 5/- each; and B.12 at 3/- each; the above valves are for callers only; Mullard P.M.24a valves, as new, used very lightly for experimental jobs only. 6/- each; Eka American base mains S.G. valves, type 624, absolutely brand new and unused, 7/- each.

ROLA D.C. Moving Coil Speakers, 90-120-volt field, yet made field resistance 2,500 ohms, fitted with pentode output transformer, guaranteed brand new, every one boxed; 17/6 each.

UTILITY 2-gang Condensers, air spaced type, 0.0005 each half, complete with external trimmer for front section, with knob concentric with tuning knob, inside trimmer for rear section, and including disc drive and drilling template, brand new, every one boxed and guaranteed unused, 11/6 each; Low vacuum type condensers and resistances, 10,000 ohms, 15,000 ohms, and 25,000 ohms, 0.0093 and 0.005 condensers, 3d. each, 2/- per dozen.

MERSION Electrolytic Condensers, wet type, self sealing on short overload, capacity 8 plus 8 mfd., 450 volts working; a few left at 5/- each.

UTILITY Mite Drum Dials, complete with 0.0005 condenser, brand new and boxed; 2/6.

MAINS Transformers, input 100-240 volts A.C., a really sound job, manufacturer's type, outputs as follows: 350-0-350 volts 100 milliamps., 4 volts 4 amps. C.T., 4 volts 2-3 amps., 11/6 each; number two model, same input, outputs 350-0-350 volts 60 milliamps., 4 volts 4 amps. C.T., 4 volts 2-3 amps. C.T., 11/6 each; both models brand new and unused.

PICK-UPS Made by Edison Bell, brand new and boxed, a good sound job, giving excellent reproduction for 12/6 each.—Call or write without delay to Modern Radio, 25, York Terrace, Clapham, S.W.4. Phone your order to Macaulay 3409. [1721]

TWO D.O.20, 2 U8, A.C./P, Colvern K.S.V. coil, Igranic S.W. choke, A3 rectifier, Parmeko I.T. smoothing choke, pick-up transformer; offers.—10, Juliet St., Ashington, Northumberland. [1683]

To the TRADER EVERY PART FOR LEONARD HEYS BLACKPOOL EVERY CIRCUIT

AFTER all, customers are only human and you cannot blame them for being impatient. All the more need for your keeping in touch with Faraday House. We buy boldly and carry enormous stocks. Give us the worry and detail work of filling your want lists—the inconvenience saved and promptness of delivery will allow you to devote your time to SELLING and your reputation for speedy service will develop your business.

TERRIFICALLY QUICK DELIVERY
89% of our orders are despatched by return

HERE is some idea—by no means complete—of the wide range we carry; all bought for our cash or C.O.D. Wholesale service—for YOU, Mr. Trader, whether at home or abroad.

- | | | |
|--|--|--|
| ACCUMULATORS & H.T. BATTERIES:
Dagenite
Drydex
Energec
Exide
Ever-Ready
Hellenes
Oldham
Pertrix, etc. | GRAMOPHONE MOTORS:
B.T.H. Collaro
Paillard
Simpson
Univolt, etc. | SPEAKERS:
Baker-Selhurst
Blue-Spot
Celebration
Epoch
Ferranti
Magnavox
Ormond
Rola R. & A. Tilsen W.B. etc.
(All standard makes stocked)
Speaker Units
Speaker Chassis |
| CABINETS:
Camco
Kabilok
Radio Cabinets, etc. | KITS:
Cosmar
Graham-Farish
Ferranti, Osram
Lissen
Lotus
Melody Ranger
R. for M.
Ready Radio
Sektus
S.T. 303
S.T. 400
Telsen, etc.
and for "Wireless World" and all other published circuits. | TUNERS:
British General
Padiopak
Tonatuna, etc. |
| COMPONENTS:
ALL STANDARD BRANDED LINES | PICK-UPS:
All makes | VALVES:
All BVA types: Standard Micromesh and Tungstram |
| EBONITE | ELIMINATORS:
Atlas
Ekeo
Heayberd, etc. | ACCESSORIES:
Aerial and earth equipment, wires and sundries |

Cut Here
MESSRS. LEONARD HEYS, FARADAY HOUSE, HENRY STREET, BLACKPOOL.

Dear Sir,
I am a bona-fide wireless dealer interested in your "DELIVERY BY RETURN" service (for cash with order or C.O.D.) upon all types and makes of radio components, accessories, etc.


Please send me, without obligation on my part, details of your service to the trade, together with order forms, etc.

Yours faithfully,

Name

Address

A Trade card or letter should accompany this coupon. (If 128-page catalogue required enclose 1/6.) Enquiries from persons not in the trade ignored.



LEONARD HEYS, (Wholesale Only) FARADAY HOUSE, Henry Street, BLACKPOOL, Lancashire
Eleven years continuous experience in the Wireless Trade.

SCOTT SESSIONS

Equipment for the "W.W."

Q.P.P. Battery Gramophone Amplifier

Described in this issue, supplied by Scott Sessions, including valves, royally and complete assembly

PRICE

£8.14.0

D.C. Gramophone Amplifier

Completely assembled, and tested, including valves, royally, etc. (as described in this issue).

PRICE

£9.18.6

QUIESCENT "Push-Pull"

Battery Two

This popular new set, completely assembled, inclusive of cabinet, valves, moving coil loud speaker, battery and royally (as described in the "Wireless World"—Jan. 20th).

PRICE

£13.0.0

Owing to the importance of the initial adjustments on the Sets, we have arranged for every Scott Sessions built "Q.P.P. Two" to be individually tested and adjusted by a Research Engineer, who has been engaged for some months solely on research in connection with this outstanding battery set development. No extra charge, of course!

For A.C. or D.C. users the W.W. Monodials assembled by Scott Sessions are still proving as reliable and popular as ever.

SCOTT SESSIONS & CO.

RADIO ENGINEERS,
MUSWELL HILL, LONDON, N.10
Telephone No.: Tudor 5326.

Contractors to H.M. Government Departments, Crown Agents for the Colonies, Electricity Corporations, etc.

THIS H.T. BATTERY LASTED 2 1/2 YEARS

User Forgot He Had It

FREE BOOKLET TELLS ABOUT RADIO'S GREATEST ECONOMY

"I have had this battery in use 2 1/2 years and it was so trouble free I forgot all about it, with rather disastrous results, there being only 30 volts left"—

C. H. P. (London).

Here's a man who thought it "disastrous" that his battery gave out! Of course, the STANDARD PERMANENT H.T. BATTERY needs attention occasionally, say every year or 18 months. But the replacement is merely a matter of changing cartridges at a few pence each—and you can do it yourself quite easily. Think of the money saved before and after. The STANDARD is a special adaptation of the famous Leclanché principle which recharges itself when the set is shut down, giving Level current and Better reception for much less money. We sell direct and Guarantee your satisfaction, whether you pay cash or deferred terms. Why not write now for our interesting Free Booklet.

Model H.5

126 VOLT STANDARD BATTERY

No. 3 size. 84 cells, 12,500 milliamp capacity.

Cash Price **37/8** or delivered on 1st payment of **5/-**

STANDARD BATTERY CO. (Dept. W.W.),
184-188, Shaftesbury Avenue, London, W.C.2.

Components, etc., for Sale.—Contd.

WEST END RADIO STORES for Genuine Wireless Bargains: Pvc, L.F. chokes, 20 and 32 henries; 4/-

EKO Pick-ups, complete with volume control, etc., 15/-; heads only, 5 11.

SPEAKERS.—Blue Spot, 100", boxed, 17/9; Helby 8 Mfd., 500v., conds, tapped, 8/6; ditto, 4 Mfd., 4 11.

TRANSFORMERS for Mains.—Wearite 250-0-250v., 4v. 4a. 4v. 2a., 12 6; 350-0-350v., with L.T. tappings, 12/6.

ELECTROLYTIC T.C.C. Condensers, 2,000+2,000 mfd., 12v. peak, 4 9. Blue Spot wave traps, 3 11.

N. and K. Farrand Inductor Speakers, 35/-; S.G. Brown solo speaker, 18/9; list 39/6.

DUAL Gang British Conds. 0.0005, 5/6; Utility 0.0003 Bakelite reaction conds, 1 2

READY Radio Motor, 3 kits, less valves, 35/-; Utility dual gang, 0.0005 condensers, with s./m., 12/6.

AMERICAN A.C. Valves, S.C., 7/6; Pentodes, 8/6; Eta 2v. H.F. valves 2 9.

DRUM Control Utility 0.0005 Condensers, 3 6; Frost 500,000 ohm volume controls 1 3.

INDUCTION Collaro Gramophone Motors for all voltages, with automatic stop, £3 model; 37/6.

GRMOND 0.01 Fixed Condensers, 6d.; postage extra on all goods.—West End Radio Stores 14, Lisle St., London, W.C.2, and at 382, Coldharbour Lane, Brixton, S.W.8. [1734

CONDENSER Blocks; 6d. per mfd., 650-volt test, in blocks of 6 mfd. upwards, stored in 2 mfd. unit; 2 years' guarantee and by return of post on 7 days' approval; cash with order.—Butlers Radio, Ltd., 191, Forest Rd., Walthamstow, E.17. Phone: 3134. [0396

SETS.—"Wireless World" Everyman Four, with valves, complete, in cabinet, 40 - each.

CONDENSERS, used for test purposes only.—Plessey 3- and 4-gang super-het. condensers, 15- and 20/- each; Utility 3-gang, with covers, 8 6 each, without covers 7 6 each; Jackson Bros., without covers, 3-gang, 10 6 each; 4-gang, 15/- each.

PICK-UPS, used for test purposes only.—B.T.H. Gilt (old type), 7 6 each; A.E.D., 10 6 each; Webster Gilt, 7 6 each; Ampion, nickel plated, type 150, 7 6 each; amp. meters, 1-0-1 charge and discharge, 2 9 each; R.C. units, Graham Farish, Edison-Swan, 2 6 each; Graham Farish, various resistances, 3d. each; holders, 2d. each; 2-pin plug-in coils, 6d. each; wave traps, B. & J., 3 6 each; Harle 2 6 each; "Tannoy" 3-valve sets (200-250v. and 110v.), complete with valves, £5 each.

D.C. Eko H.T. Unit, 10/- each; A.C. Atlas H.T., I.P., and G.B. unit, 40 - each; "Tannoy" 16 C.H. units, metal case, list price (wet) £3 15, 30 - each, (dry) £4, 35/- each; "Tannoy" 16 C.H. (wet), wooden case, 25 - each; "Tannoy" 12 c. wet unit, in wooden case, 17 6 each; "Tannoy" 12 c. dry unit, in metal case, list price £2 17/6, 22 6 each; "Tannoy" D.C. unit, H.T. and L.T., in wooden case, 15 - each; "Tannoy" D.C. unit, H.T. only, 10/- each; "Tannoy" H.L.8 unit, wet, in wooden case, 45/- each, in metal case 50/- each; "Tannoy" H.L.1 unit, wet, in metal case, 50/- each, H.L.2 40/- each; various oak cabinets, suitable for 3v. sets, 3 6 each.—A. Davey, c/o "Tannoy Products", Dalton St., W. Norwood, S.E.27. [1746

MILDMAY RADIO EXCHANGE Offers.

FERRANTI M1 Speaker, P.M. £7/10 model, 55/-; M3 model, 35/-; Epwch model 66, P.M., listed £6/15, 50/-; G.E.C. inductor, 32/6; Lamplugh inductor, 27/6.

WESTON Moving Coil Meters, type 506, 0-300 m.a., 12 6; 0-10 volt, 0-20 amp., 10/- each; type 301, 0-8 volt, 20/-; 0-100 m.a., 20/-; Ferranti, 0-8 volt, 17 6; 0-500 m.a., 20/-; 15-0-15 amp., 14/-.

FERRANTI A.P.S.C., 18 6; O.P.M.C., 14/-; O.P.M.I., 10/-; O.P.I., O.P.2, 8/- each; Varley P.P. input, 14/-; A.F.5, 16/-.

PALLIARD A.C. Induction Motor, listed £4/19/6, 40/-; Diehl induction motors, listed £4/18/6, 35/- each.

LEWCOS Frame Aerials, 15/-; Varley S. peak coils, 7/6; Varley H.F. coils, 4/6; S.T.400 Colvern, 6 6 pair; Kingston home recorders, 10/- each; Celestion W5 pick-up, 27/6; Challis Monodial transformer, 20/-—24, Millmay Grove, Islington, N.1. [1720

SOUTHERN RADIO'S Guaranteed Wireless Bargains.—Mains transformers, fully tapped primary, 200-250v. 50 cycle centre tapped L.T., 250-0-250, 60 m.a., 4 volts 1 amp., 4 volts 3 amps., 11/- each; 350-0-350, 60 m.a., 4 volts 2 amps., 4 volts 4 amps., 13/- each; 350-0-350, 120 m.a., 4 volts 1 amp., 4 volts 2 amps., 4 volts 4 amps., 18 - each; 450-0-450, 120 m.a., 4 volts 2.5 amps., 4 volts 4 amps., 4 volts 2 amps., 19 6 each; 500-0-500, 120 m.a., 4 volts 2.5 amps., 4 volts 5 amps., 21 - each.

TRANSFORMERS for Eta, Lissen and Lowe rectifiers, 14/6; for Pix and Triotron, 12/6; for Westinghouse H.T.4, 5, 6, or 7, 12 6; for Westinghouse H.T.8 or 9, 14 6 each.

SMOOTHING: Chokes—40 henries 40 m.a., 700 ohms, 5 6 each; 20 henries 60 m.a., 480 ohms, 7 9 each; 15 henries 100 m.a., 330 ohms, 8 9 each; 20 henries 120 m.a., 270 ohms, 9 3 each; pentode output choke, tapped, 1 5, 2, and 3 to 1 ratios, 50 henries 30 m.a., 7 9 each.

ALL Transformers and Chokes Guaranteed for 12 months; special capacities quoted for and delivery given within 3 days from receipt of order.

SET Manufacturers' New Surplus.—Mullard Radio for Million A.C. 3-valve Kits, in sealed cartons, including 3 Mullard A.C. valves, £3 12/6 (list £6/10); Regentone 2-valve A.C. sets, in sealed cartons, complete with 2 Mullard valves and Westinghouse metal rectifier, £3/19/6 (list £6/10); Ready Radio 303 3-valve battery kits, complete with 3 Mullard valves, £2 (list £3/10), less valves, 22 6; S. G. Brown solo loud-speaker units, 3 9 (list 12 6), new, boxed, dual gang variable condensers, shielded and trimmers, 0.0005 (H.M.V.), 6/- each; screened chokes (H.M.V.), 1/- each, 9/- dozen; condensers, 4 mfd. 2.7, 2 mfd. 1/9, 1 mfd. 1/1 each, all 750 volt. (C.E.C.) D.C. moving coil speakers, 17 6 each; permanent magnets, 25/- each; every article guaranteed and carriage paid.—Southern Radio, 323, Euston Rd., London, N.W.1 (near Warren St. Tube). Phone: Museum 6324. [1716

RICH & BUNDY MAINS TRANSFORMER

(MODEL 44)

Recommended for the

'MODERN STRAIGHT FIVE'

POWER UNIT

PRIMARY UNIVERSAL VOLTAGE.

200-250 V. 40-100 cycles.

Other Voltages to Order.

SECONDARIES 400-0-400

120 m.a.

4V. C.T. 3 1/2 amps.

4V. C.T. 6 "

4V. C.T. 2 "

Earthed Copper Electrostatic Screen over Primary

PRICE

62/6

Carriage Paid.

All RICH & BUNDY Mains Transformers for Radio are fitted with Screened Primary.

Manufactured by

RICH & BUNDY Ltd., Transformer Manufacturers, NEW ROAD, PONDBERS END, MIDD.

Phone: Enfield 0777.

Sole Distributors I.F.S.—

KELLY & SHIEL Ltd., 47, Fleet St., Dublin, C.4.

Lockwood Casework Telephone Harrow 1950.

for RADIO GRAMS

FOR SHEER VALUE The RG.63 STANDS SUPREME



OAK - 63/- Complete with Motor & Ballboard on Carriage Paid

MANGANY - 73/-

WALNUT - 73/-

SEND FOR FREE DETAILS

OAK 63/-

24 LONGLEY RADIO MANUFACTURING CO. 63, LONGLEY R. HARROW, MDX.

Hear PERFECT radio through a PERMAG REPRODUCER

CHASSIS ONLY CABINET MODEL 38/6 49/6

Ask your dealer or write to: BAKER'S SELHURST RADIO 75 & 77, Sussex Road, Croydon. Phone: Croydon 3441/2.

SERADEX GLASSWOUND RESISTORS Wire-Wound

Illustrated List for stamp. TREVOR PEPPER, Wake Green Ed., Birmingham



A set is as good as its components


When you incorporate a BURTON TRANSFORMER in your set you are using a component of the highest efficiency, which will reveal itself in the tonal purity and volume of your set.

Ask your dealer for BURTON.

Wound in ratios of 3-1 and 5-1. PRICE 5/9

Made by C. F. & H. BURTON, Walsall.


BUILD A BETTER SET WITH BURTON COMPONENTS



AN IDEAL RADIO GRAM CABINET

WHY NOT

a SALISBURY Radio Gram Cabinet to convert your set into an all-in Radio or Gramophone?



ARE YOU BUILDING THE A.C. OR D.C. MONODIAL SUPER?

If so, decide without delay to install in this fine Cabinet, for you will not find better value than as given in this **KABILOK** product, unless you are looking for a Super De Luxe Model which is exemplified in our **BEAUFORT** Cabinet also available and as specified in the "Wireless World" July 22nd, 1932, issue.

SPECIFICATION.
The Salisbury Cabinet is attractively finished in veneered shaded Walnut. Fitted with baffle board, removable back, and best quality N.P. Fittings, etc. Price as illustrated - - - **£5-17-6** or drilled for **MONODIAL**, 3/6 extra. Also to take **OSRAM** FOUR Music Magnet. Price **£6-5-0**

Beautifully illustrated list with full particulars of all "KABILOK" Cabinets and how to add tone to your set sent on request to

W. & T. LOCK LTD.,
5, ST. PETER'S WORKS, BATH,
London Showrooms: 11, Red Lion Square, W.C.1.

Get a GENEROMETER



BATTERY SUPERSEDER.—No H.T. Batteries needed for your set even if you are not on the mains. An H.T. Battery run down to 30 volts is useless and has to be thrown away. Yet you pay for the wasted volts.

The **GENEROMETER** makes H.T. from your L.T. 2-volt battery, rectified and smoothed. Gives three tappings and lasts indefinitely. A boon and blessing to all using H.T. Reduced from **£3 15s.** New and Guaranteed. **37/6** from us only.

PARCELS.—For the Experimental Amateur who wants a useful junk-box of oddments, our famous **Barman** Parcels of Electrical and Radio Sundries from dismantled W.D. sets, surplus stocks, etc., with Switches, Wire, Chokes, Condensers, and Coils, and a host of useful parts, post free. 10lb. 7/-, 7lb. 6/-

ELECTRADIX RADIOS, 218, Upper Thames St., E.C.4

"SHAKEPROOF" LOCK WASHERS

British Patent 194937

AND LOCKING TERMINALS.

Used by all the Leading Set Manufacturers—

The twisted teeth bite into the metal and prevent "slacking off." The more the vibration, the tighter they grip.

ASK YOUR DEALER FOR "SHAKEPROOF."



Manufactured by **BARBER & COLMAN LTD.,** Brooklands, MANCHESTER.

Trade enquiries to **Wm. CLARK (Spare Parts), 5, Marshalsea Rd., S.E.1.**

Miscellaneous.—Contd.
LISTS of Seradex Filter Condensers, resistances, and battery chargers for stamp.—Trevor Pepper, Wake Green Rd., Birmingham, 13. [1730]

AGENTS WANTED.
AGENTS Wanted; sell all makes radio on commission.—Selby, 22, South End, Croydon. [1712]

PATENT AGENTS.
PATENTS and Trade Marks, British and foreign.—Geo and Co. (H. T. P. Gee, Member R.S.G.B. and A.M.I.R.E.), 51-52, Chancery Lane, London, W.C.2. Phone: Holborn 1525. [1001]

KING'S PATENT AGENCY, Ltd., 146a, Queen Victoria St., London, E.C.4. Phone: Central 0682. 45 years' experience. Advice handbook free. [0391]

REPAIRS.
CONSULT Alexander Black about Set Repairs.—55, Ebury St., S.W.1. See advertisement Miscellaneous column. [0385]

REPAIRS to Loud-speakers, transformers and headphones, 4/- each; Blue Spots or Wufa's, 5/-; mains eliminators, etc., quoted for; prompt service; satisfaction guaranteed; terms to trade.—Loud Speaker Repair Works, 2, Shipka Rd., Balham, London. Streatham 6618. [0394]

ELIMINATORS and Mains Transformers Repaired; prompt service, moderate charges.—The Sturdy Electric Co., Derwent View, Dipton, Newcastle-on-Tyne. [1536]

REPAIRS, with 12 months' written guarantee, a 24-hour service, and one fixed price of 3/- for all types L.F. transformers, loud-speakers, pick-ups, headphones; postage extra; mains transformers, M.C.s, and inductors quotation. Terms to trade.—Repairs, 208, High St., Tooting, London, S.W.17. [1709]

COSMIC RADIO SERVICE, 23, Water St., Liverpool, specialise in repairs of all kinds; transformers and speakers rewound. [1705]

GUARANTEED Repairs by Experts; specialists for repairs to S.G. Brown and Amplion radio apparatus; also loud-speakers, headphones, pick-ups, Blue Spots, any type rewound, remagnetised and adjusted; 4/-; post free; mains transformer repairs; terms to trade.—Howell, 91, Morley Hill, Enfield, Middlesex. [9716]

ANY Loud-speaker or Radio Receiver (American receivers particularly) Repaired or Reconditioned.—Radio Service Laboratories, 41, Southampton Rd., London, N.W.5. Gulliver 3669. [1071]

MAINS Transformers Rewound, promptly and efficiently; satisfaction guaranteed; keenest terms.—The Sturdy Electric Co., Derwent View, Dipton, Newcastle-on-Tyne. [1742]

TUITION.
WESTMINSTER CORRESPONDENCE SCHOOL OF ENGINEERING.—Wireless engineering offers splendid opportunities to trained men; take our interesting and practical course and fit yourself for a good position; fee £3/10 inclusive, or by instalments.—Write for free lesson and full particulars to 84, Chandos House, Palmer St., Victoria St., S.W.1. [1609]

WIRELESS as a Career.—Whether you are engaged in the radio industry and wish to improve yourself, or if you wish to obtain employment in this profession, we can help you. Our students are engaged in responsible positions in the majority of the large wireless firms in England. Booklet, describing Home Study Course, post free.—Northern Counties Wireless School, Preston. [0373]

EXCHANGE.
HIGH Part Exchange Allowance on Your Old Receiver or Components for new; immediate quotation; state your requirements.—Warburton's Radio, 43, David St., Bury. [1710]

COSMIC RADIO SERVICE, 23, Water St., Liverpool, accept your old receiver or components in part exchange for new. [1704]

WANTED.
NEW or Second-hand Wireless Parts Wanted for Cash, any amount, any condition; send yours, stating reasonable price; cash by return; top prices paid for 1932 parts; also meters, etc.; will call London districts.—Mildmay Radio Exchange, 24, Mildmay Grove, London, N.1. [1637]

VALVES Wanted, highest prices paid.—Send your valves to Newmans, the largest valve buyers for cash. See advert under Valves. [1660]


REQUIRED. Coherer for wireless telegraphy, good condition.—Write Davey, 176, Tottenham Court Rd., W. [1689]

WANTED, winding machine, suitable for paper interleave Douglas machine preferred.—Box 5952, c/o The Wireless World. [1685]

MILNES 120v. Battery, good condition essential.—Box 5962, c/o The Wireless World. [1697]

MANUFACTURERS' dealers' and amateurs' surplus purchased for cash.—Cosmic Radio Service, 23, Water St., Liverpool. [1703]

WANTED, 1932 Ferranti constructors A.C.3, excellent condition essential.—Smith, 43, Roberts Rd., High Wycombe. [1733]



Ratio **9:1** Price **15/-**

SPECIFIED by the EXPERTS.
FIRST AND FOREMOST for the

Wireless World Quiescent Push-Pull Two
Sound Sales has the honour of being Specified in this, the First "Wireless World" circuit using a "Quiescent" Push-Pull Transformer. Needless to say full supplies are ready for the public. This intervalve transformer is multi-section wound, has special alloy core, high inductance and ample bass response.

QUIESCENT PUSH-PULL OUTPUT CHOKE
Variable ratio, to enable you to use your existing moving-coil speaker with economy, and obtain the amazing results possible by means of this new development in L.F. amplification Price **10/6**

Write for full particulars of Sound Sales Range to:



SOUND SALES LTD., JUNCTION ROAD, N.19. Telephone: Archway 1661-2.
TREMLETT GROVE WORKS.

FREE CONVERSION

of your receiver

TO QUIESCENT PUSH-PULL

by **NATIONAL RADIO SERVICE** under the supervision of

Capt. P. P. ECKERSLEY, M.I.E.E.

Full particulars from:—
N.R.S. LTD., 15-16, Alfred Place, London, W.C.1.

or, **SOUND SALES LTD., Tremlett Grove Works, Junction Road, Highgate, N.19.**

BURTON

FOUR POSITION ROTARY SWITCH

(Patents pending.)

A component which meets most switching requirements of modern Receivers. Will short three coils for long or short waves, operate gramophone pick-up, and 'On' and 'Off' at mains voltage. Maintains firm uniform pressure between surfaces. Ask your dealer for it.



6/- EACH

C. F. & H. BURTON
PROGRESS WORKS, WALSALL, ENQ.

Wanted.—Contd.

WANTED, clean copy of "The Screened Four Electrode Valve," by H. J. Round; also Raycraft Bridge selenium cell; also photocells, approval first; also the following valves in any condition: Marconi Osram L.T.1, D.E.2, U.4, T.30, T.50, Mullard O.R.A., 83, 5, and 6, D.F.A.O.1, 2, and 3, Loewe multiples, standard micro-mesh, Ostar Garry mains.—Write, with prices, to B.M./B.J.F.J., London, W.C.1. [1735]

WANTED, all types of A.C. valves, A.C. sets, moving coils speakers, and any other radio apparatus for spot cash; no small odd parts required.—Ward, 12, Treleagar Rd., Bow, E.3. [1740]

BUSINESSES AND PROPERTY FOR SALE, TO BE LET, OR WANTED.

TO Be Let.—North Finchley, main road position, lock up shop, 20ft. x 50ft., with expensively fitted front, busy centre, exceptional opening for wireless and gramophone business.—Apply Francis W. Walker, 2, The Broadway, Finchley, N.5. [1687]

SITUATIONS VACANT.

IF You Wish to Enter the Wireless Profession with a Thorough Training, or if you wish to improve your present position, you will need the certificate issued by Britain's leading wireless college. This is not a correspondence college. Apparatus of all leading makes installed for instructional purposes. Boarders accepted. Training fee can be paid after appointment. Prospectus free.—Wireless College, Colwyn Bay. [10388]

CIVIL SERVICE COMMISSION.—Forthcoming Examination: Male Assistant Superintendent of Traffic (Class II) in the London Telephone Service and Male Assistant Traffic Superintendent in the Provinces, General Post Office (18-23, with extension for service in H.M. Forces). [1692]

REGULATIONS and particulars, together with the forms on which applications must be made, will be sent in response to requests (preferably by postcard) addressed to the Secretary, Civil Service Commission, Burlington Gardens, London, W.1, giving the title of the situation. The latest date for the receipt of application forms is 2nd March. [1692]

REPRESENTATIVE, with technical knowledge, required to sell radio components to set manufacturers; full details of experience, age, and salary must be given.—Write Box 5958, c/o The Wireless World. [1695]

REQUIRED by a Firm of Radio Manufacturers, a research engineer; applicants should possess an honours degree in physics or electrical engineering, with some experience of high frequency measurements.—Write Box 5959, c/o The Wireless World. [1696]

WANTED, glass-blower, with experience of cathode ray tubes preferred.—Write Box W.21, c/o Knights, 55, Chancery Lane, W.C.2. [1707]

WANTED, high vacuum technician, accustomed to radio valve manufacture, with experience of cathode ray tubes preferred.—Write Box W.20, c/o Knights, 55, Chancery Lane, W.C.2. [1708]

SITUATIONS WANTED.

DO You Want Skilled, Certified Service Engineers and Salesmen? Then consult the Principal, The Wireless College, Colwyn Bay. Phone: 2407. [10392]

DESIGNER (21) (A.C.G.I.), college trained, works experience in design of L.F. amplifiers and radio grams, seeks situation.—Box 5966, c/o The Wireless World. [1701]

RADIO Engineer, 23, three years on transmitting and receiving plants of commercial short-wave telephony and telegraphy station, P.M.G., City and Guilds Radio, A.M.I.R.E., desires post.—Box 5831, c/o The Wireless World. [11544]

BOOKS, INSTRUCTIONS, ETC.


FIFTEEN Volumes "W.W." 1925-32, clean, intact; what offers?—Cox, Godstone Rd., Caterham. [1680]

"MOTOR Racing," by S. C. H. Davis ("Casque" of "The Autocar"). A book of speed and thrills by a racing driver of international repute who secured notable successes at Le Mans in 1927, and in the 500 miles race in 1930. Demy 8vo., 320 pages, 6 maps, numerous illustrations from photographs, and pen sketches by the Author. Price 7/6 net, by post 8/-. from the Publishers, Hife and Sons Ltd., Dorset House, Tudor St., London, E.C.4.

Quiescent Push Pull
with H.F. stages !!
de Luxe Table Model, Band Pass, 1 H.F. and 5 gns. Speaker - - - - **21 Gns.**
Super Het Types to order.
F. E. GODFREY (Radio) LTD. MUS. 8134.
63-5-7, Chenies Mews, Francis St., W.C.1.

THE MOTOR CYCLE Every Thursday 3d. w.w.15

SPECIFIED FOR THE World Wireless D.C. GRAMO. AMPLIFIER



THE reliability and excellent workmanship of Bulgin Products can always be depended upon. Here in this splendid new amplifier, several of our components are incorporated and ample stocks are available for immediate delivery.

DEFINITELY INCORPORATED

List No.	VALVEHOLDERS	Price
V.H.7	New chassis type with pure phosphor-bronze low resistance contacts	6d.
L.F. CHOKES		
L.F.21	A super power choke, 15 Henries at 100 mA, 350 ohms resistance. In aluminium-finish container	15/6
D.C. RESISTANCES		
M.R.5	Enclosed and protected type. Adequately ventilated. Insulated terminals	11/6
MAINS SWITCH		
S.88	Double pole type, quick-make-and-break with terminals and indicating plate	2/9

Send for our 80-page catalogue "W." Enclose 2d postage.



A. F. BULGIN & COMPANY, LIMITED
ABBEY ROAD, BARKING, ESSEX
Telephone: GRANGEWOOD 3266-7

Amplification of Quality
for those who appreciate the best

In the range of TRIX Amplifiers there is a model for every requirement, large or small. They are being used regularly in Cinemas and Ships, where only the best is good enough, while the small models are ideal for building into your home radiogram.



Illustration shows
20 WATTS
UNDISTORTED
model at **£35**
Other types include
10 WATTS
UNDISTORTED
model at **£18.10.0**
Portable type in oak case with gram, motor and pick up **10 watts** undistorted. **£24**
Let us convince you by a demonstration in our newly fitted showroom.
Hire and Hire Purchase Terms.



Eric J. Lever (TRIX) Ltd.
8/9, Clerkenwell Green, London, E.C.1
—Contractors to the G.P.O.—

EXPERIENCED WIRELESS SERVICE ENGINEERS WANTED

RICH REWARDS AWAIT THE TRAINED SERVICE ENGINEER

The demand for trained Wireless Engineers is steadily increasing and many well paid jobs are waiting for the right men. You can train yourself at home to fill one of these positions with one of the Radio Training Institute Courses. Particularly should parents consider this excellent opportunity to enter their sons in an interesting and remunerative profession.

STUDY AT HOME—NO TEXT BOOKS

No text books are employed, and a complete course instructs from elementary principles to the application of the knowledge gained. As we are recognised as a Training Institute of the highest class we can guarantee to put students who have qualified in touch with prospective employers.

CERTIFICATE OF PROFICIENCY

Every student on qualifying will receive our "Certificate of Proficiency" which is recognised throughout the wireless industry. Post the Coupon to-day for copy of Prospectus Post Free and without obligation.

HARLAND R. KERRISON, Principal,
A.I.R.E., F.T.S.
The RADIO TRAINING INSTITUTE of GREAT BRITAIN, Union Buildings, St. John Street, Newcastle-on-Tyne.

Name.....
Address.....

FREE BOOKLET
IF YOU POST THIS COUPON

QUIESCENT PUSH-PULL

REVOLUTIONISE YOUR PRESENT BATTERY RECEIVER by replacing existing output stage with quiescent push-pull. Complete series of components, including famous Bryce transformers (5 years guarantee) specially matched to any M.C. speaker you may specify, valves, resistances, milliammeter, etc., (Loud Speaker extra.)


£3-9-0 post free

Send for complete lists.

WOODS RADIO — Holcombe Brook, Nr. Bury, Lancs.

A "SOUND" INVESTMENT

The Camco NUTONE Speaker Cabinet.



Because of the absence of box resonance it is the ideal cabinet for moving coil units. Tonal results equal to those obtained with large baffleboard. Price **32/6**, Oak, Mah., or Walnut. Fret opening 7 1/2". Send for free Camco Cabinet Catalogue which describes the complete range, and see them in our showroom.


CARRINGTON MFG. CO., LTD.
Showroom: 24, HATTON GARDEN, LONDON, E.C.1.

Phone: Holborn 8202.

Works: 8, Croydon.



WHY BUY GANGED CONDENSERS?



No need to buy expensive ganged condensers. This device enables you to utilize any existing condensers. You can gang them yourself; full instructions supplied. From all dealers, or direct from the manufacturers.

2/6

BRITISH GENERAL

BRITISH GENERAL MANUFACTURING CO., LTD.
Brockley Works, London, S.E.4

VOLPRUFE INSULATING SLEEVING



Supplied in Red, Yellow, Blue, green and Black. Sizes from 1 m/m to 20 m/m. We shall be pleased to forward samples.

FAIRE BROS. & CO. LTD. LEICESTER

SERADIX RECTIFYING UNITS

(For A.C. Mains 200 to 250 volts.)

Incorporating Westinghouse Metal Rectifiers.

Type.	Rectified Output.	Price.
M.R.8a.....	200 volts 50 Ma.....	£2.17.6
M.R.8.....	280 volts 60 Ma.....	£3. 5.0
M.R.9.....	330 volts 60 Ma.....	£3. 11.6
M.R.10.....	200 volts 100 Ma.....	£3.19.6
Extra for 4V 4-6 A L.T. 3.0.		Carriage Paid.


Full details for stamp.

TREVOR PEPPER,

48, Wake Green Road, MOSELEY, BIRMINGHAM.

HIGHEST OUTPUT EFFICIENCY

—one of the many reasons for "Electro Dynamic" Supremacy!
Electro Dynamic ROTARY CONVERTERS



THE LEADING MACHINES ON THE MARKET

FREE FROM INTERFERENCE, SUBSTANTIALLY MOUNTED in sound-proof cabinet and equipped with highly efficient filter unit, the Electro Dynamic Converter enables any A.C. Receiver or Radiogram to be run off D.C. with Guaranteed Reliable Service. WRITE for fully illustrated leaflet. **ELECTRO DYNAMIC CONSTRUCTION CO. LTD.** DEVONSHIRE GROVE, LONDON, S.E.15 Telephone: NEW Cross 4572 (4 lines.)

B.I.F. Stand No. 211 4 Birm. Stand No. 54, London.

1933 SUPER RADIO-GRAM CABINET



Send for illustrated leaflet W.W.

A fine new model Radio-Gram Cabinet made by a first-class cabinet maker. Supplied in oak, mahogany or walnut in the following sizes:—Height 3ft 3ins., Width 2ft. 6ins., Depth 1ft. 6ins., giving ample clearance for Pick-up, Motor, etc. Will take any size set. The front can be left plain and drilled to take controls or an aperture can be cut to take your panel. Please give particulars of which style you require when ordering.

Prices.

OAK	24 - 17 - 6
MAHOGANY	25 - 10 - 0
WALNUT	25 - 16 - 0

View this model at our spacious new showrooms.

Carriage paid and crate free from:

W. S. WILKIN, 12, NELSON ST., SOUTHEM, ESSEX.
Can also be obtained at our Ghersey depot: Messrs Loale Ltd., 7, Bondage, Guernsey, C.I.

SPECIAL FEATURES of this new model:—There is no need to turn the cabinet round to get at the set as the motor board is fitted with strong hinges, thus giving easy access to any part of the set at a moment's notice. The cabinet is easy to lift, being fitted with hand holes in the magazine pockets in each side. These pockets are quite roomy and can be used for gramophone records or papers as required.

PARFAIT

BRITISH MADE
THE PERFECT
EBONITE PANEL
ONE QUALITY ONLY
— THE BEST —


SUPPLIED IN | Matt Semi-Polished Mahogany Highly-Polished Black
SIX FINISHES | Cube Surface Highly-Polished Mahogany Semi-Polished Black

Stocked by most Wireless dealers. If any difficulty in obtaining locally write for name of nearest stockist:

CLAYTON (Rubber Sales) Ltd.
Progress Works, Croft Street,
CLAYTON, MANCHESTER.

Phone: Bar 0788. Grams: "Crepechoua"

ONLY IN PRICE
 does this distinctive **RADIOGRAM** cabinet differ from those supplied with the best and most expensive sets on the market.



Dimensions
 Height 39", Width 20", Depth 16".

***STANDARD MODEL HAS:**

- Panel Opening 13½" x 6½"
- Baffle Board 7" Diam. Hole.
- Takes baseboard up to 19" x 15".

All Models beautifully polished.


VIBRANTI PRODUCTS COMPANY,
 308, Euston Road, N.W.1.

Here is your opportunity to secure a 9 guinea cabinet at little more than half that price. It is a beautiful piece of furniture of highest quality workmanship. Can be supplied in OAK, MAHOGANY or WALNUT. Act at once and secure a bargain. All orders promptly and satisfactorily carried out. Give the following information when ordering:—

- (1) *If dimensions given are required specify standard model and whether in oak, mahogany, or walnut. If different measurements are wanted
- (2) Give size of panel opening or state if panel opening is not required.
- (3) Diameter of hole in baffle.

- Model
- 1. Oak - - £4 17 6
 - 2. Mahogany - £5 10 0
 - 3. Walnut - - £5 15 0

Packed free, carriage paid. With panel to match 5/- EXTRA.



TECHNICAL TOPICS No. 3
SPEECH COIL MOUNTING

THE method sometimes employed in the mounting of the speech coil tends to increase the amplitude of standing waves in the diaphragm, and to produce a peak in the response curve at approximately 3000 cycles. This may produce an artificial appearance of sensitivity.

Another tendency is for the joint between cone and coil to act like a concertina, due to the fact that the cone is being driven at a sharp angle to its surface plane. This leads to a reduction in the amount of energy transferred from coil to cone.

Goodman construction eliminates these discrepancies. It consists of a process of impregnation after the coil is fitted, and this feature, together with the diaphragm arrangement already discussed, results in a response curve which has no peak audible under ordinary listening conditions.

Another point which receives very close attention is the alignment of the coil unit. Particular care is taken to see that it is mounted absolutely at right angles to the surface of the magnet.

THIS talk is the third of a series on speaker technicalities and you are advised to cut each one out as it appears.

P.M. TYPES.

- "DREADNOUGHT" Chassis Model (Complete with auxiliary baffle)..... 39 6
- "DREADNOUGHT" Cabinet Speaker (Real walnut cabinet)..... 59 6
- "RENOVN" Chassis Model..... 27 6
- "RENOVN" Cabinet Speaker (Real walnut cabinet)... 42-



69, St. John Street, London, E.C.1
 Clerkenwell 3838-9

A Tribute from an Enthusiastic User.
 Mr. John Tully, of 5, Brunswick Place, Aberdeen, writes us as follows:—
 Dear Sir,—Some months ago I wrote you for details of your Ostar-Ganz valves, and after receiving your reply I purchased them at my local dealer, Mr. Laidlaw, Aberdeen. May I take this opportunity of expressing my appreciation of the results.

EUGEN FORBAT (Sole Representative for Gt. Britain), c/o Nivalight L'd., 1, Rosbury Av., London, E.C.1. Tel.: Clerk. 1227.

Hum from the mains is practically non-existent, even shorting out the chokes in the leads from the mains failing to bring about any appreciable mains hum. Yes, these valves are a success, and a big success at that. You are at liberty to make what use you care of this letter if you wish, as I think it is time the public should know that these valves are all they are claimed to be.



HIGH VOLTAGE MAINS VALVES & RECTIFIERS
 A.520. G.P. - 17 6 E.G.50. 50 m.a. Half Wave 14/6
 W.310. R.C. - 17 6 E.G.100. 125 m.a. - 15/6
 U.920. L.F. Power 17 6 N.G.40. 40 m.a. Voltage
 L.1525. S.P. - 18 - doubler - - 29/6
 V.G.45. 45 m.a. Full Wave 42 -

Mains Energised Loud-speaker Kit with Ostar-Ganz Valves, £2 2-. See p. 70 last issue.

GRESSALL RESISTANCES
 "Cressall" Asbestos-Wire Woven Resistance Nets for voltage absorbing on D.C. Mains. Receivers. Mica - Wound Resistance Units. Sliding Resistances. Resistance Wires.
 Please write for Lists.
GRESSALL MANUFACTURING COMPANY,
 31-32, TOWER STREET, BIRMINGHAM.

THE BRITISH RADIO INSTITUTION
 Founded over two years ago; membership steadily increasing. Objectives: Closer technical co-operation between, and subsequent advancement of, its members. Entirely non-political. Associateship by examination or approved qualifications. Subscription membership open to all. Office Bearers act in honorary capacity only. Explanatory brochure (free) from Hon. Sec.—Mr. J. D. Fox, 25, Kingswood Drive, King's Park, Cathcart, Glasgow.

GRIPSO
 INDOOR AERIAL HOOK INSULATORS
 SUPPORT WIRE AWAY FROM WALL
THE GRIPSO COY.
 28 VICTORIA ST. LONDON, S.W.1.

INDEX TO ADVERTISEMENTS:

	PAGE		PAGE		PAGE
Alba	v.	Garrard	18	Pieckets	22
Alton Battery Co., Ltd.	5	General Electric Co., Ltd.	4	Players	vi.
Apollo Gramophone Co., Ltd.	14	Gilbert, J. C.	22	Postlethwaite Bros.	22
Automatic Coil Winder & Elec. Equipment Co., Ltd.	22	Gilfroy, F. E. (Radio), Ltd.	27	Preh Manf. Co., Ltd.	18
Baker's "Selhurst" Radio	24	Goodmans	29	Radio-Gramophone Development Co. ... Outside Back Cover	
Barber & Colman, Ltd.	25	Gramophone Co., Ltd.	16	Radio-Furniture & Fittings, Ltd.	10
Belling & Lee, Ltd.	22	Gresley Radio, Ltd.	30	Radio Training Institute of Great Britain	27
British Blue Spot Co., Ltd.	14	Gripso Co.	23	Regent Fitting Co.	19
British General Mfg. Co.	23	Haynes Radio	17	Reproducers & Amplifiers, Ltd.	11
British Pix Co., Ltd.	v.	Hayward, F. C., & Co.	10	Rich & Bundy, Ltd.	24
British Radio Institution	23	Heys, Leonard	23	Rotax, Ltd. (M.L. Equipment)	Front Cover
British Radiophone Co., Ltd.	12	Igranic Electric Co., Ltd.	22	Ryalls Radio	22
British Thomson-Houston Co., Ltd.	8	Junit Manf. Co., Ltd.	22	Savage, W. Bryan	25
Bryce, W. Andrew, & Co.	19	Leetio Linx, Ltd.	20	Scott Sessions & Co.	24
Bulgin, A. F., & Co., Ltd.	27	Lever, Eric J. (Trix), Ltd.	27	Simpson Electricals, Ltd.	15
Burton, C. F., & H.	24 & 26	Lock, W. & T., Ltd.	26	Smith, S., & Sons (Motor Accessories), Ltd.	vi.
Carrington Manf. Co., Ltd.	28	London Electric Wire Co. & Smiths, Ltd.	13	Sonochorde Reproducers, Ltd.	Front Cover
Challis, O. M.	8	Longley Radio Manf. Co.	24	Sound Sales, Ltd.	26
Chayton (Rubber Sales), Ltd.	28	Mains Power Radio, Ltd.	14	Standard Battery Co.	24
Cressall Manfg. Co.	29	Marconiphone Co., Ltd.	1	Telegraph Condenser Co., Ltd.	8
Dubilier Condenser Co. (1925), Ltd.	Front Cover & 6	Milnes Radio Co.	15	Telsen Electric Co., Ltd.	Front Cover
Eastick, J. J., & Sons	6	Murphy Radio, Ltd.	Inside Front Cover	Thornber-Richardson	18
Edison Swan Electric Co., Ltd.	9	Nash Products, Ltd.	19	Vibranti Products Company	29
Electradix Radios	26	National Radio Service, Ltd.	26	Vines Dry Batteries, Ltd.	12
Electro Dynamic Construction Co., Ltd.	28	Ormond Engineering Co., Ltd.	7	Ward & Goldstone, Ltd.	10
Epoch Radio Manf. Co., Ltd.	25	O-born, Chas.	13	Watmel Wireless Co., Ltd.	23
Exide and Drydex	2	Ostar-Ganz (Eugen Forbat)	29	Westinghouse Brake & Saxby Signal Co., Ltd.	Inside Back Cover
Faire Bros. & Co., Ltd.	28	Pavina Manfg. Co.	22	Wilkin, W. S.	28
Faraday All-wave Wireless, Ltd.	18	Pepperidge & Mee, Ltd.	17	Woods Radio	28
Ferranti, Ltd.	3	Pepper, Trevor (Seradex)	22, 24, & 23		
Gambrell Bros., Ltd.	12	Peto-Scot Co., Ltd.	20 & 21		



THE GRAM THAT IS NOT ALL SMOKE

There is a kick in it that will fill a Dance Hall

**The Radio-Gram
with a BOOST**

The Gresley No. 145 model is a unique example of All Mains Radio Gramophone technique. In the new Gresley De Luxe cabinet of figured walnut, it is suitable for small or large rooms. The diagram sketch shows the slot at rear of cabinet, which enables 12 inch records to be played, and saves space. Full gramophone equipment includes





Diagram Sketch showing Gramophone Equipment.



**SIMPSON'S ELECTRIC MOTOR
and G.E.C. UNIT PICK-UP**

The radio equipment includes Rola moving coil speaker which gives perfect reproduction of both radio and records, whilst the design of the receiver ensures the reception of most of the worth-while British and European Broadcasting Stations. The Cossor Detector Valve, the Cossor Screened Grid Valve and the Mazda A/C Pentode Valve definitely assure you of the capabilities of this receiver and the tuning is controlled by the Gresley three-gang Condenser incorporating our special dial. A Westinghouse Metal Rectifier gives an even flow of current amply sufficient to work the receiver under all reception conditions.

A set to hear, to buy, and be proud of.

The Price includes Valves and Royalties.
IF YOUR DEALER CANNOT SUPPLY WRITE
DIRECT TO THE MANUFACTURERS:—

Gresley
RADIO
LTD.

ORDSALL LANE, SALFORD, M/CR.
Telephone BLAckfriars 6961.

17

GUINEAS
or £2 DEPOSIT secures
Radio Table of Figured
Walnut 1 Gn. Extra.
Made up as a Record
Cabinet 2 Gns. Extra.

GRESLEY—
the Aristocrat of Radio

BARCELONA

RADIO-BARCELONA, Call EAJ1, 348.8 metres; 8 kW.—6.0 p.m., Trio Concert. 7.0, Request Gramophone Records. 7.30, Exchange Quotations. 8.0, Popular Music on Gramophone Records and News. 9.0, Chimes from the Cathedral. Weather, Exchange Quotations, and Market Prices. 9.5, Popular Concert by the Station Orchestra. 10.0, La Creu de la Masia—Three-Act Play in Catalan (Soler). 11.0 (in an interval), News Bulletin. 12 Midnight (approx.), Close Down.

BARI

269.8 metres; 20 kW.—7.0 p.m., Agricultural Notes, Tourist Report, and Announcements. 7.20, Giornale Radio and Weather. 7.30, Time and Announcements. 7.35 (approx.), Chamber Music Concert. Soloists: Nina Lucheo (Pianoforte), Maria de Santis Bruno (Soprano), and Nilda Pignatelli (Violin). Overture. Medea (Cherubini). Pianoforte Solos (Martucci): (a) Capriccio, (b) Scherzo. Soprano Solos: (a) Ninnu nanna (Pesce), (b) Van gli elluvi delle rose (Casavola). Violin Solos: (a) Air on the Fourth String (Bach-Wilhelmj), (b) La fille aux cheveux de lin (Debussy-Hartmann). Pianoforte Solos: (a) The Great Gate of Kiev (Mussorgsky), (b) Prelude in G Minor (Rachmaninov). Soprano Solo: Bella di sapone (C. Franco). Violin Solo: Tambourin chinois (Kreisler); Jubelouverture (Weber). Pianoforte Solos (Scgambati): (a) Gavotte and Musette, (b) Concert Etude. Soprano Solo: La sera (Casavola). Violin Solo: Concerto in D Minor (Wieniawski). Soprano Solos: (a) Chivou! comprar la bella calandrina (Jommelli), (b) Vergiliches Ständchen (Brahms); St. François de Paul (Liszt). In the Interval, Literary Review. 9.30, Dance Music on Gramophone Records. 9.55, News.

BASLE.—See Schweizerischer Landessender.

BELGRADE

430.4 metres; 2.5 kW.—3.0 p.m., Recital of Yugoslav Songs. 3.30, Gramophone Records of Light Music. 4.0, Medical Talk. 5.55, Time and Programme Announcements. 6.0, Talk. 6.30, Gramophone Records of Variety Music. 7.0, Pianoforte Recital by Frau Dokic-Djurkovic; Prelude and Fugue (Bach); Theme with Variations in A (Mozart); Waltzes Nos. 7 and 6 (Chopin); Nocturne in F Minor (Chopin); Etude (Chopin); Theme—variee (Faderovsky); Dance (Grgosevic). 7.30, A Radio Play. 8.0, Orchestral Concert: Overture, Sakuntala (Goedmark); Selection from André Chénier (Giordano); Hymn to St. Cecilia (Gounod); Ballet Music from Lakmé (Delibes). 8.50, News, followed by Dance Music Relay.

BERLIN

KONIGS WUSTERHAUSEN, 1,635 metres; 60 kW.—11.55 a.m., Noon Time Signal. 12.35 p.m., News Bulletin. 1.0, Gramophone Concert of Sound Film Music relayed from Berlin (Witzleben). 2.0, Agricultural Talk. 2.30, Weather and Exchange. 2.45, Reading (Ricarda Huch). 3.0, Health Talk. 3.30, See Hamburg. 4.10, Legal Talk. 4.30, Talk: Shakespeare and Politics. 5.0, Recital of German Eighteenth-century Songs by Telemann, Zelter, Reichart, Johann Peter, Abraham Schulz and others. 5.25, Topical Talk. 5.40, Wireless Technical Talk. 5.55, Weather and Announcements. 6.0, French Lesson. 6.30, A Poem. 6.35, Concert of Light Music from the Traube Wine-restaurant. 7.0, Coriolanus—Drama (Shakespeare)—Translation by Hans Rothe, with Music by Paul Höffer. 8.30, Programme to be announced. 9.0, Weather, News, and Sports Notes. 9.45, Weather Report for Shipping, followed by Dance Music, relayed from London. 11.30 (approx.), Close Down.

BERLIN

WITZLEBEN, 419.5 metres; 1.5 kW.—5.5 p.m., Violin Recital by Elisabeth Bischoff and Udo Dammert. Romance in G (Rogier); Sonata in A (Mozart). 5.30, Heinz Stegweitz reads from his own works. 5.55, The Witzleben Station informs its listeners. . . . 6.0, Topical Talk. 6.10, Programme for Children. 6.30, Concert of American Music by the Station Orchestra, conducted by Dr. Howard Hanson. Symphonie Poem, Pan and the Priest (Hanson); Natchez on the Hill (Powell); Money Music (Sowerby); Scherzo from the Afro-American Symphony (William Grant Still). 6.55, Concert of Rondos by the Station Orchestra, conducted by Fritz Rehl. 8.0, Behind the Scenes. At the Opera, the Winter Garden, the Films, and an Exhibition—a Radio Report. 9.0, Weather, News, and Sports Notes. 9.15, Relay of the Ball of the National Aviation Sports Club from the Kroll Festalon. 11.0 (approx.), Close Down.

BERNE.—See Schweizerischer Landessender.

BEROMUNSTER. — See Schweizerischer Landessender.

BODEN.—See Stockholm.

BODO.—See Oslo.

BORDEAUX-LAFAYETTE

304 metres; 13 kW.—7.30 p.m., News and Market Prices. 7.40, Dramatic Criticisms. 7.55, Lottery Results. 8.0, Agricultural Talk.

WEDNESDAY
FEBRUARY THE EIGHTH

PRINCIPAL EVENTS OF THE DAY:

AT HOME

NATIONAL Orchestral concert, from Bournemouth. Professor H. J. Laski: "What is the State?" Symphony concert from Queen's Hall. "Strange Music."

LONDON REGIONAL Ballad concert. Organ recital. Orchestral concert. Vaudeville programme. Instrumental concert.

MIDLAND REGIONAL Organ recital. Military Band programme. From the Musical Comedies, orchestral concert.

NORTH REGIONAL The Newcastle-upon-Tyne Bach Choir, relayed from the King's Hall, Armstrong College. Mr. W. Leonard Flinn: "Persia." "Beckside Chronicle No. 2," by Zachariah Briggus.

WEST REGIONAL Orchestral concert from the National Museum of Wales. West Regional Sketches.

SCOTTISH REGIONAL Pand concert. "Bandit," a Holiday Adventure, written for broadcasting by Andrew Stewart.

BELFAST Orchestral concert from Stranmillis.

ABROAD

BARI Chamber music.

HEILSBURG Opera: "Figaro," by Mozart.

LANGENBERG Concert, conducted by Arnold Schönberg, relayed from London.

RADIO PARIS The Lamoureux Concert Society. Conductor: Albert Wolff, relayed from the Salle Gaveau.

STRASBOURG The Municipal Orchestra, conducted by P. Bastide, relayed from the Palais des Fêtes.

8.15, News Bulletin and Weather Forecast. 8.30, Programme to be announced. After the Programme, Entertainments Guide and Time Signal.

BRATISLAVA

279 metres; 11 kW.—5.0 p.m., Hungarian Transmission: Talk, a Sketch, and Songs by E. Reichnitzova. 6.0, See Prague. 6.20, See Brno. 8.15, Concert of Light Music by the Station Orchestra. 9.0, See Prague. 9.15 (approx.), Close Down.

BREMEN.—See Hamburg.

BRESLAU

325 metres; 60 kW., and **GLEIWITZ**, 253 metres. 12.5 p.m., Weather for Farmers. 12.7, Gramophone Concert: Introduction to Feryaal (V. d'Indy); Intermezzo from Naïfa (Delibes); Abendlied (Schumann); Après un rêve (Fauré); Prelude to Mona Lisa (Schilling); Two Songs without Words (Mendelssohn); (a) Spring Song, (b) The Bee's Wedding; Siegfried's Rhine Journey from The Twilight of the Gods (Wagner); War March of the Priests from Athalia (Mendelssohn). 12.45, Time, Weather, News and Exchange. 1.15, Light Music on Gramophone Records. 1.45, Sponsored Programme with Gramophone Records. 2.10, Agricultural Prices. 3.0, Talk: Unfamiliar Figures of German Literature. 3.30, Schumann Duets by Käthe Prochaska (Soprano) and Adelheid Prochaska (Contralto): Ländliches Lied; Wenn ich ein Vöglein wär; Herbstlied; Schön Blümelein; Erste Bèzengung; Liebesgram; Beschaft; Die Schwaben; Mähdied; An die Nachtigall; An den Abendstern; Zwischen grünen Bäumen; Sommerruh; Eedeckt mich mit Blument. 4.0, Review of Books on South America. 4.15, Talk: The Care of the Feet. 4.40, Agricultural Prices. 4.45, Sonnade No. 11 for Two Oboes, Two Clarinets, Two Horns and Two Bassoons (Mozart). 5.10, Talk: Discipline in Education. 5.30, Orchestral Concert, conducted by Erich Peter: Overture, (Oberon) (Weber); Selection from Undine (Lortzing); Schallweiser-Walzer (Joh. Strauss); Selection from Otello (Verdi); Entry March from The Queen of Sheba (Gounod). 6.30, Weather for Farmers. 6.32, Talk for Veterinary Surgeons. 7.0, Ec geht im! Radio Cantata in Silesian Dialect (Kaerger-Vogel). 8.0, News. 8.10, Cabaret on Gramophone Records. 9.10, Time, Weather, News, Sports Notes and Programme Announcements. 9.30, Dance Music from Berlin (Witzleben). 10.50, Dance Music from the Kit-Cat, London. 12 Midnight, Close Down.

BRNO

342 metres; 35 kW.—4.10 p.m., Marionette Play. 5.5, Review of Periodicals. 5.15, Talk for Workers. 5.25, German Transmission: News and Two Talks. 6.0, See Prague. 6.20, Introductory Talk to the following Transmission. 6.30, Salome—One-Act Opera

(Richard Strauss), relayed from the National Theatre. 8.15, See Bratislava. 9.0, See Prague. 9.15 (approx.), Close Down.

BRUSSELS (No. 1)

1.N.R., 509 metres; 15 kW.—12 Noon, Gramophone Concert: March (Mees); Slav Dance No. 2 (Dvorák-Kreisler); Si tu le veux (Koechlin-de Marsan); Sevilla (Albéniz); Russian Gipsy Melody; Mazurka Fantasia, Les deux virtuoses (de Nattes); Polka (Petit); Air from The Fair at Sorochinsk (Mussorgsky); Spanish Dance, No. 4 (Sarasate); Danse des pécheurs (Maquet); Dolly (Fauré); Funeral March of a Marionette (Gounod); Liebestraum (Liszt); Nocturne from La Navarraise (Massenet); Military March (Saint-Saëns). 1.0 p.m., Le Journal Parlé. 1.10, Concert, conducted by Paul Moreaux, relayed from the Memline Hall. Antwerp. 5.0, Concert by Mickey's Club Jazz Attraction. 6.0, Talk on the Belgian Chamber of Commerce. 6.15, Schubert Song Recital by M. F. Aspach (Tenor): Gute Nacht; Der Schnee; Der Lindenbaum; Wasserflut; Frühlingstraum; Die Post; Das Wirtshaus; Ständchen; Die Forelle. 6.45, Talk: How to write a Radio Sketch. 7.0, Gramophone Concert: Rhapsody for Clarinet and Orchestra (Debussy); Suite, Op. 11 (Feinberg); Cello Solo: Après un rêve (Fauré). 7.15, Talk: The Belgian Congo. 7.30, Medical Talk. 8.0, La Chimère—Musical Play (Lionel Wiener), by the Station Orchestra and Soloists. In the Interval at 8.45, Answers to Correspondence. 10.0, Le Journal Parlé. 10.10, Concert by the Max Alexys Orchestra, relayed from the Ancienne Belgique. 11.0 (approx.), Close Down.

BRUSSELS (No. 2)

N.I.R., 338.2 metres; 15 kW.—Programme in Flemish. 12 Noon, Orchestral Concert, relayed from the Memline Hall. Antwerp. 1.0 p.m., Le Journal Parlé. 1.10, Gramophone Concert: March (Verlaegen); Cello Solo: Moment musical (Schubert); Selection from The Gipsy Princess (Kálmán); Air from Martha (Flotow); Selection from The Bayadere (Kálmán); The Flower Song from Carmen (Bizet); Caprice for Clarinet (Mayer); Selection from Piccolino (Guiraud); Overture, Lakmé (Delibes); Londonderry Air (Kreisler); Souvenir des bois d'Avron-la-Chateaufort; Waltz. Quand l'amour meurt (Crémioux); March (Vandenbroeke). 5.0, Gramophone Records: Symphony No. 4 (Beethoven); Sarabande et Tambourin (Leclair-Sarasate); La Nuit ensorcelée (Chopin-Aubert). 6.0, Violin Recital by Marcel Bady: Chanson triste (Tchaikovsky); Ley me plorer (Dufrechoux); Ik ken een lied (Denof); Plainte d'une poupée (C. Franck). 6.15, Protestant Address. 6.30, Chamber Music: Sonate à trois (Loelliet); Trio (Arensky). 7.15, Talk: Young People and Maurits Sabbe. 7.30, Theatre Review. 8.0, Gramophone Records: Souvenir (Lübke);

Victoria Regia (Künneke); Spanish Waltz, Mia Bella (Sommerfeld); Lotus Flowers (Ohlsen); Gallop, Derby (Sommerfeld). 8.15, Programme dedicated to Maurits Sabbe; Talk on Maurits Sabbe; An Interview with Maurits Sabbe; Recitations from Maurits Sabbe's Virige Tongen. 9.0, See Paris (Radio Paris). 10.0 (in the interval), Le Journal Parlé.

BUCHAREST

594 metres; 12 kW.—4.0 p.m., Concert by the Station Orchestra: March (Wagner); Overture, Die schöne Galathée (Suppé); Waltz, Accelerationen (Johann Strauss); Selection from The Circus Princess (Kálmán); Selection from La Bohème (Puccini). 5.0, News and Time Signal. 5.10, Talk. 5.25, Concert by the Station Orchestra (cont'd.): Intermezzo (Hartuny); Waltz (Zimmer); Violin Solo: Souvenir de Moscou (Wieniawsky). 6.0, Talk on Romania; Her Vineyards. 6.40, Popular Music on Gramophone Records. 7.0, Time Signal. 7.2, Violin Recital by Mnc. Bartfeld: Sonata in C Minor (Grieg); Caprice vicinois (Kreisler); Yota Navarra (Sarasate). 7.30, Talk. 7.45, Pianoforte Recital by M. Stcu; Impromptu in G Sharp (Schubert); Two Preludes (Chopin); Melody (Chopin-Liszt); Schicksarspann. Serenade (Liszt-Schubert); Souhait d'une jeune fille (Strauss-Tausig); Cordoba (Albéniz). 8.15, Orchestral Concert, relayed from the Enesso-Restaurant. 9.0, News.

BUDAPEST

550 metres; 18.5 kW.—Programme also relayed on 840 metres from 7.15 to 11.0 p.m.—4.0 p.m., Orchestral Concert, conducted by Bela Nagypal. Overture, Turandot (Lachner); Italian Suite, No. 1 (Beccce); Selection from Carmen (Bizet); Waltz (Kálmán); Badensouyer. Weinlese (Nagypal). 5.15, Italian Lesson. 5.45, Concert by the Misi Város Cigány Band. 6.45, Talk for Workers. 7.15, Mass in C Minor (Mozart), relayed from the Academy of Music. 9.15, News. 9.30 (approx.), Popular Music on Gramophone Records. 11.0 (approx.), Close Down.

CASSEL.—See Frankfurt.

COPENHAGEN

261 metres; 0.75 kW., and **KALUNDBORG**, 1,153 metres; 7.5 kW.—11.0 a.m., Time Signal and Chimes from the Town Hall. 11.2, Concert by the A. Bendix String Ensemble, relayed from the Wivex Restaurant. 1.0 to 2.0 p.m., Interval. 2.0, Concert by the Station Orchestra, conducted by Emil Reesen: Overture, Sargino (Paër); Two Movements from the Serenade for Strings (Tchaikovsky); Waltz from Manon (Massenet); Pastorale in Three Movements (Palmyren); Coronation March from The Maid of Orleans (Södermann); Overture, Les Saltimbanques (Ganne); Wedding Waltz from The Veil of Pierrette (Dohnányi); Selection from La Bohème (Puccini); Piece en Forme de Habanera (Ravel); Scherzo in B Flat (Schubert); Overture, The Daughter of the Regiment (Donizetti). In the interval at 2.45 (approx.), Talk for Women. 4.0, Gramophone Concert: Frank Titterton; Aria from The Messiah (Handel); Elisabeth Ohms; Senta's Ballad from The Flying Dutchman (Wagner); Jussi Björling; Gondola Song (de Curtis) Pablo Casals; Nocturne in E Flat (Chopin-Popper); Gittar Alpar and Hans Robmann; Duet, Wenn du bist dann scheint die Sonne from Katharina (Steffan); George Buck; Happy is the Corps that the Sun shines on (Clifford and Cliffe); Stuart Ross and Joe Sargent; What a Lady Josephine must have been (Pola). 4.40, Exchange and Fish Market Prices. 4.50, Agricultural Talk. 5.20, French Lesson. 5.50, Weather. 6.0, News. 6.15, Time Signal. 6.30, Talk: Great Philosophers—Hegel and Marx. 7.0, Time Signal from the Town Hall. 7.1, String Quartet in E Flat, Op. 74 (Beethoven). 7.40, Talk. 8.10 to 1.0 a.m. (Thursday). Radio Ball for Young People. 8.10, Dance Music by Louis Prell's Dance Band. Vocal Refrains by V. Davids. In the interval at 9.0, News. 10.15, Dance Music by the Valencia Band, conducted by Aage Juhl-Thomsen. 11.0, Time Signal and Chimes from the Town Hall. 11.2, Dance Music from the Ritz Restaurant. 12 Midnight, Dance Music from the Nimb Restaurant. 1.0 a.m. (Thursday), Close Down.

CORK.—See Dublin.

DANZIG.—See Heilsberg.

DRESDEN.—See Leipzig.

DUBLIN

Call 2RN, 413 metres; 1.2 kW.; and **CORK**, 224.4 metres.—1.30 to 2.0 p.m., Time Signal, Weather Report, Stock Report, and Light Music on Gramophone Records. 6.0, Gramophone Concert of Popular Music. 6.15, Programme for Children. 7.0, Light Music on Gramophone Records. 7.20, News Bulletin. 7.30, Time Signal. 7.31, Gadic Talk. 7.45, German Lesson. 8.0, A Relay. 9.0, Song Recital by Mrs. A. Hughes (Contralto). 9.15, The Station Orchestra. 9.45, Baritone Solos by A. O'Farrell. 10.5, The Station Orchestra. 10.30, Time Signal, News, Weather Report, and Close Down.

FECAMP

223 metres; 10 kW.—6.0 to 7.0 p.m., Programme in English by the I.B.C. Concert: Part I.—Organ Solo: Home (Steeden); On Wings of Song (Mendelssohn); Trees (Kilmer); Roses of Picardy (Haydn Wood); Less than the Dust (Woodforde-Finden); There is Nothing New in Love (Maclean); Temple Bells (Woodforde-Finden); The Butterfly Waltz (Ralton). Part II.—Light Music: Tiger Rag; Hot and Anxious; You Rascal, you; Sweet Sue; How'm I doin'; Clarinet Marmalade; Try getting a good Night's Sleep; I got Rhythm. 10.0 till Close Down. Programme in English by the I.B.C. 10.0, Dance Music: On a little Balcony in Spain; Belle of Barcelona, The One Man Band; Fiesta; How's your Uncle? Carolina Moon; Pardon, Madame; I'd like to find the Guy that wrote the Stein Song; Bathing in the Sunshine; Whistling in the Dark; Choo Choo; You're twice as nice as that Girl in my Dreams; Sweet and Lovely; How about me; Goodnight; Let's have a Sing-Song. 11.0, Song Recital: Boots (McCall); Song of the Flea (Mussorgsky); The Smuggler's Song (Mortimer); Vulcan's Song (Gounod); The Gay Highway (Drummond); The Admiral's Broom (Bevan); The Yeoman's Wedding (Poniatovsky); In Cellar cool (Traditional). 11.30, Orchestral Concert: The Bumble Bee's Wedding (Clare); Selection from Die Fledermaus (Joh. Strauss); Columbine (Garland); Bells across the Meadow (Kettelby); Waldteufel Memories (arr. Finck); Devotion (Kettelby). 12 Midnight, Banjo and Song Recital. Banjo Solo: Cracker Jack (Roser); Songs: (a) Exactly like you (Fields), (b) I like to do Things for you (Yellen), (c) More than you know (Youmans), (d) My Lover (Yellen); Banjo Solo: Flapperette (Greer); Songs: (a) Swingin' in a Hammer (Seymour), (b) On the Sunny Side of the Street. 12.30 a.m. (Thursday), Concert: Selection from Princess Pat (Herbert). Organ Solo: Londonderry Air (Traditional). Selection from The Student Prince (Romberg). Vocal Trio: Me minus you. Song: My little Irish Cottage (Summers). Orchestra: Old Spanish Song. Vocal Quartet: Leave the Pretty Girls alone (Robison). Waltzes from A Waltz Dream (O. Straus). 1.0, Variety Concert: Sing Holly, go whistle, Hey Hey; Call me Darling; Topsy Turvy Talk; Marta; Bed; My Hiking Girl; The Scotch Italian Christening; Round the Marble Arch. 1.30, Hawaiian Duets, Hawaiian Waltzes; Alma Mia (Whidden); Sing Something Simple; Goodnight Sweetheart (Noble); Bone Festa (Traditional); Three little Words (Check); O sole mio (di Capua); Hawaiian Medley. 2.0, Dance Music; Lovable; Put that Sun back in the Sky; When we're alone; Where's Bill Bailey? Sailing on the Robert E. Lee; There's another Empty Saddle; Gettin' Sentimental; Can't we talk it over? Bahama Mama; Moon; If you were only mine; Let's put out the Lights; Moonlight, the Danube and you; Mad about the Boy; You're my Everything; The Younger Generation. 2.57, I.B.C., Goodnight Melody. 3.0, Close Down.

FLENSBURG.—See Hamburg.

FLORENCE.—See Turin.

FRANKFURT

259 metres; 17 kW., and CASSEL, 245.9 metres.—4.0 p.m., Concert. 5.15, Economic Notes. 5.20, Talk: The Airs of the Workers' Radio Society. 5.50, Topical Talk. 6.15, Time, Programme Announcements, Weather and Economic Notes. 6.20, Mandoline Concert: Eröffnungs-Festmarsch (Fries); Paraphrase on the Song, Das Bild der Rose (Ritter); Märchen-Ouverture (Eilender); Nachtfalter (Mandt); Paraphrase on the Song, Aennehen von Tharan (Schanne); March, Alte Kameraden (Teike). 6.45, Radio Report on the Third Day of the International Skiing Championships in Innsbruck. 7.0, See Munich. 8.0, The Ehrenburg—Radio Sequence (R. Piper). 9.0, Time, News, Weather and Sports Notes. 9.20, A Marionette Play. 9.50, Concert by the Station Orchestra. Soloist: Max Strub (Violin). Part I, Conductor: Hans Rosbad. Overture, Die Heimkehr aus der Fremde, Op. 89 (Mendelssohn); Violin Concerto No. 7 in E Minor (Spohr); Symphonic Poem, Von der Wiege bis zum Grabe (Liszt). Part II, Conductor: Walter Caspar. Old Dance Music. 11.0 (approx.), Close Down.

FREDRIKSSTAD.—See Oslo.

FREIBURG.—See Stuttgart.

GENEVA.—See Radio-Suisse Romande.

GENOA.—See Turin.

GLÉWITZ.—See Breslau.

GOTEBDRG.—See Stockholm.

GRAZ.—See Vienna.

HAMAR.—See Oslo.

HAMBURG

Call ha (in Morse), 372 metres; 1.5 kW. Relayed by Bremen, 269.8 metres; Flensburg, 227.4 metres; Hanover, 566 metres; and Kiel, 232.2 metres.—3.30 p.m. (from Flensburg), Concert by the Municipal Orchestra, conducted by Kurt Barth: Prelude to the Third

FEB. 8th

WEDNESDAY

continued

Act of Kunihiild (Cyril Kistler); Puzsart-Ritt (Hagspiel); Selection from The Trumpeter of Sackingen (Nessler); Two Hungarian Dances, Nos. 1 and 2 (Brahms); Dream Waltz from Der Feldprediger (Müllböcker); Gallop, Die Hällenjagd (Kölling). 4.30, Talk: The Middle-Class Household in Northern Germany. 4.55, Concert of Revue Music by the Norag Chamber Orchestra, conducted by Gerhard Maas, Erna Kroll-Lange, Bernhard Jaksehtat, Gertrud Schnitzer, Erwin Bolt, and the Norag Choir. 5.50, Exchange and Market Prices. 6.0 (from Hanover), Talk: Is an Alteration of the Trade Laws necessary and practicable? 6.25, Weather Report. 6.30 (from Bremen), Pianoforte Miniatures of the German Romantic Period—by Hanna Arens. Kinderszenen (Schumann); from the Deutsche Reigen und Romanzen (Joseph Haas). 7.0, See Munich. 8.20, Programme in North German Dialect—Three Poets and a Musician, by a Choir and Richard Germer (Songs to the Lute). 9.20, News Bulletin. 9.40, Topical Talk. 9.50, Concert from the Alsterpavillon. 10.20 (in an interval), Ice Report.

HANOVER.—See Hamburg.

HEILSBURG

276.5 metres; 60 kW.; and DANZIG, 453.2 metres.—12.5 p.m., Concert by the Little Orag Orchestra, conducted by Eugen Wilcken: Overture, Der Wildschütz (Lortzing); The Second Hungarian Rhapsody (Liszt); Extrase (Ganne); The Nigger's Dream (Myddleton); Waltz, Künstlerleben (Joh. Straus); Selection from Die Königskinder (Humperdinck); Russian Song Potpourri, Dubinuschka (Schirraun). In the interval at 12.20, News. 1.30, Sponsored Programme with Gramophone Records. 2.0, Exchange Rates. 2.20, Hints for the Housewife. 2.30, Programme for Children. 3.0 (from Danzig), Talk: Educational Problems of the Day. 3.30, Concert by the Little Orag Orchestra, conducted by Eugen Wilcken: Overture, Die Geschöpfe des Prometheus (Beethoven); Two Songs (Mendelssohn): (a) Spring Song, (b) Spinning Song; Fantasia on Marschner's Music (Urbach); Phönixschwingen (Joh. Straus); Rhapsody in C (Dohnanyi); Potpourri, From Glück to Wagner (Schreiner); Overture in G (Azzoni). 4.45, Talk on Health: Clothing. 5.15, Market Prices. 5.20, Ice Report. 5.30, Song Recital: Three Songs (Schubert): (a) Dass sie hier gewesen, (b) Frühlingsschneeglöckchen, (c) An Laura; Four Songs (Brahms): (a) Botenschaft, (b) Serenade, (c) An den Mond, (d) Die Kränze; Two Songs (Richard Strauss): (a) Die Georgine, (b) Frühlingserdränge; Two Songs (Lothar Windsparger): (a) Die Stadt, (b) Verkürzung. 6.0, Bridge Lesson. 6.25, Talk: Aspects of the World of To-day—The World of Technics. 6.55, Weather and News. 7.5, Figaro—Comic Opera in Four Acts (Mozart). 9.5, Weather, News, and Sports Notes. 9.15 (approx.), Dance Music from Bertin (Witzleben). 11.0 (approx.), Close Down.

HILVERSUM

(Announced HUIZEN), 296.1 metres; 20 kW. (7 kW. up to 4.40 p.m.)—Programme of the Christian Radio Society (N.C.R.V.). 11.40 a.m., Police Announcements. 11.55, Popular Music on Gramophone Records. 12.25 p.m., Organ and Saxophone Recital: March from Tannhäuser (Wagner); Russian Patrol (Rubinstein); Hindu Song (Rimsky-Korsakov); Selection from The Golden Cockerel (Rimsky-Korsakov); Aragonaise (Massenet); Kol Nidrei (Hebrew Melody); Twilight (La Torrest); Les Rameaux (Faure); Dance of the Hours from La Gioconda (Ponchielli); Evening Thoughts (Dunn); Élégie (Massenet); Ballet Suite (Pop); Poème (Fibich); Waltz (Brahms); Coronation March (Meyerbeer). 1.40, Talk on Agriculture. 1.25, Interval. 2.40, Reading. 3.10, Trio Concert: Trio, Op. 121a (Beethoven); Trio in G Minor, Op. 63 (Weber); Gramophone Records: Trio in D Minor, Op. 49 (Mendelssohn). 4.40, Programme for Children. 5.40, Talk by Max Gerisch. 5.55, Talk by A. Stapelkamp. 6.30, Elementary English Lesson. 6.40, Talk. 7.10, Police Announcements. 7.25, Ecclesiastical Information. 7.40, Concert: Panis angelicus (Franck); Allegro con spirito from the Third Sonata in D (Mozart); Chanson and Pavane (Couperin-Kreisler). Talk, Serenade (Lange); Herdertje op de groene wei (Tussenhuizer); Houd zonne in 't hart (v. Oort); Minuet and Gavotte (arr. Röntgen); Rots der eeuwen. 8.40, Popular Music on Gramophone Records. 9.30, News. 9.40, Organ Recital: Variations on a Choral; Adagio cantabile (Beethoven); Andante (Haydn); Religious Songs: Réverie du soir (Rickmann); Berceuse (Crookes); Variations on Well-known Songs. 10.25, Popular Music on Gramophone Records. 11.10 (approx.), Close Down.

HORBY.—See Stockholm.

HUIZEN

(Announced HILVERSUM), 1,876 metres; 8.5 kW.—11.40 till Close Down, Programme of the Workers' Radio Society (V.A.R.A.). 11.40 a.m., Concert by De Notenkrakers, con-

ducted by M. Wins: Matador March (Siede); Waltz, Espana (Waldteufel); Un peu d'amour (Siléau); Alt Wiener Reiken (Oscar Straus); Melody (Smith); Selection from Countess Maritza (Kálmán); Gramophone Records: Waltz, Schwert und Leier (Strauss); Sketches (Petre); Wedding March of the Marionettes (Tradslateur); Russian Rhapsody (Michiels); Gramophone Records; Waltz, Ein Myrtenkranz (Ed. Strauss); Serenade (Fillipucci); Melody (Francis); Puppe und Humpelmann (Armandola); Einmal geht jeder hinaus (Heymann); Selection from Paganini (Lehár). 1.25 p.m. to 1.40, Interval. 1.40, Programme for Women. 2.40, Programme for Children. 5.10, Concert by the Drucker Trio: Selection from Les Saltimbanques (Ganne-Tavan); Melody (Frank); Comme j'étais jardinier (Chaminade); Selection from Mignon (Massenet-Alder); Light Music on Gramophone Records; Overpeizing (Broekhuys); The Hunt (Meylink); Nocturne, No. 3 (Liszt); Torádor et Andalouse (Rubinstein); Waltz (Aivaz); Two Guitars (Horlick). 6.40, Talk. 6.25, Popular Music on Gramophone Records. 6.30, Organ Recital by M. Jong; Potpourri (Dostal). 6.40, Weekly Review. 7.0, Organ Recital (cont'd). Selection from La Bohème (Puccini). 7.10, Talk. 7.30, S.D.S. Messages. 7.35, Wagner Concert by the V.A.R.A. Philharmonic Orchestra, conducted by H. de Groot. Soloist: M. Urlus (Tenor). Prelude to Rienzi; Tenor Solos: (a) Rienzi's Prayer from Rienzi, (b) Love Song from The Valkyries; Prelude to Lohengrin; Lohengrin's Narrative from Lohengrin; Bacchanale from Tannhäuser; Melody from Tannhäuser. 8.30, De stem van het geweten—Play (Hermynia zur Mühlen), by the V.A.R.A. Dramatic Society. 9.10, Variety Music on Gramophone Records. 9.20, Symphony, No. 6—The Pathetic (Tchaikovsky), by the V.A.R.A. Philharmonic Orchestra. 10.0, News Bulletin. 10.10, Sea Shanties, sung by J. Moulton to Lute Accompaniment. 10.25, Light Music on Gramophone Records. 10.30, Sea Shanties (cont'd.). 10.40, Light Music on Gramophone Records. 11.40 (approx.), Close Down.

INNSBRUCK.—See Vienna.

KALUNDBORG.—See Copenhagen.

KAUNAS

1,935 metres; 7 kW.—6.30 p.m., Variety Concert. 7.10, Talk for Women. 7.30, Talk. 7.50, Talk: Curiosities in Nature. 8.10, Variety Concert. 8.40, Sports Notes. 8.50, Popular Concert. 9.30 (approx.), Close Down.

KIEL.—See Hamburg.

KLAGENFURT.—See Vienna.

KOSICE.—See Prague.

LAHTI

1,796 metres; 40 kW.; and HELSINKI, 368.1 metres.—4.0 p.m., Programme for Children. 4.40, Programme for Boys. 4.50, Press Review in Finnish. 4.59, Time and Weather. 5.10, Press Review in Swedish. 5.15, Estonian Lesson. 5.40, Cello Recital, relayed from Viipuri. 6.0, Talk. 6.25, Concert by the Radiolaulajat Choir. 6.45, Dance Music. 7.5, Music by a Hawaiian Quartet. 7.15, Dance Music (cont'd.). 7.45, News in Finnish. 8.0, News in Swedish.

LANGENBERG

473 metres; 60 kW.—12 Noon, Concert, conducted by Wolf: March, Under the Star-spangled Banner (Souza); Waltz (Waldteufel); Overture, Der Geist des Wojewoden (Grossmann); Ballet Music from Faust (Gounod); Hymn to Night (Scassola); Selection from The Tales of Hoffmann (Offenbach); Strauss Operetta Potpourri (Schögel); Gallop, Auf der Rennbahn (Lincke). In the interval at 1.0 p.m., News. 1.30, Sponsored Programme with Gramophone Records. 2.30, Economic Notes and Time. 2.50, Programme for Children. 3.15, Talk on Plant Life. 3.40, Talk on Poetry. 4.0, See Munich. 5.0, Talk for Women. 5.20, Talk: The Literary Criticism. 5.45, Weather, Time, Economic Notes and Sports Results. 6.0, Talk: The Reform of Criminal Law as relating to Young People. 6.20, Health Talk: Hay Fever and Asthma. 6.35, The World on Gramophone Records—On the North Coast of Columbia. 6.55, News. 7.0, Dance Music from the Small Station Orchestra, conducted by Eysoldt. 8.15, Concert, conducted by Arnold Schönberg, relayed from London. 9.20, News and Sports Notes. 9.45, Dance Music, relayed from London. 11.0 (approx.), Close Down.

LAUSANNE.—See Radio-Suisse Romande.

LEIPZIG

389.6 metres; 120 kW.; and DRESDEN, 319 metres.—11.5 a.m., Concert by the Dresden Philharmonic Orchestra, conducted by Helmuth Schaefer. Overture, Isabella (Suppé); Ballet Music from Coppélia (Delibes); Hungarian Sketches (Volkmann-Wittenbecher); Waltz, Mondscheinzauber (Jessel); Ein Opernalbum (Schreiner); Intermezzo, Das

getanzte Festmahl (Schettler); Overture, La chasse du jeune Henri (Méhul); Suite, Zur Karnevalszeit, Op. 22 (G. Schumann); Mädi-Walzer (Stolz); Selection from Frederica (Lehár). In the interval at 12.0 Noon, News, Weather, Snow Report and Time. After the Concert, Exchange. 1.0 p.m., Talk for the Unemployed: How to make a Wireless Receiver. 1.30 to 2.0, Interval. 2.0, Talk on the Postal Service. 2.35, Economic Notes. 3.0, Programme for Young People: I. Peter will Schiffsjunge Werden—Play (A. Dieffenbach, Music by H. Fritzsche). 11, Concert of Light Music. 4.50, Economic Notes, Weather and Time. 5.10, Review of Books—Men who made History. 5.35, Italian Lesson. 5.55, Programme to be announced. 6.5, Talk by Dr. Ernst Ledermann. 6.40, Talk on Augustus of the Great, on the Second Century of his Death. 7.40, Die Glückseligkeit—Operette, in Three Acts (Ernst Sniégelski). In the interval, Sports Report from Vienna. 9.10, News Bulletin. 9.50, Orchestral Concert from Frankfurt. 11.0 (approx.), Close Down.

LINZ.—See Vienna.

LJUBLJANA

574.7 metres; 2.5 kW.—6.0 p.m., Russian Lesson. 6.30, Talk: A Voyage to India. 7.0, Concert of Music by the Slovene Composer Victor Parma, with a Commentary. 8.30, Concert relayed from the Café Zvezda. 9.15, Time and News.

LYONS

LA DOUA, 465.8 metres; 1.5 kW.—7.30 p.m., Radio Gazette for Lyons and the South-East. 8.35, Ca c'est Lyon—a Revue, relayed from the guignol Mourguet. After the Programme, News Bulletin.

MADRID

ARANJUEZ, EAQ, 30.43 metres; 20 kW.—10.30 p.m., Light Music. 10.45, Radio Chronicle. 11.0, Concert of Popular Music. 11.20, Tourist Talk: Toledo. 11.35, Light Music. 12 Midnight (approx.), Close Down.

MADRID

UNION RADIO, Call EAJ7, 424.3 metres; 5 kW.—7.0 p.m., Chimes, Exchange Quotations Talk on the Spanish Novelist, Pereda, and Request Gramophone Records. 7.30, Agricultural Talk and Request Gramophone Records (cont'd.). 8.25, News Bulletin. 8.30, to 9.30, Interval. 9.30, Chimes, Time Signal and Scientific Talk. 10.0, Two Plays submitted in connection with the Radio Play Competition. 11.45, News Bulletin. 12 Midnight, Chimes and Close Down.

MALMO.—See Stockholm.

MILAN.—See Turin.

MORAVSKA-OSTRAVA

263.8 metres; 11 kW.—5.25 p.m., Band Concert of Folk Music. 6.0, See Prague. 6.20, See Brno. 8.15, See Bratislava. 9.0, See Prague. 9.15 (approx.), Close Down.

MOSCOW

TRADES UNION, 1,304 metres; 100 kW.—4.0 p.m., News. 4.10, Announcements. 4.30, Concert. 5.30, Concert of Light Music, or a Relay. 8.0, Talk in English: Preparatory School Education. 8.55, Time. 9.5, Press Review.

MOTALA.—See Stockholm.

MUHLACKER.—See Stuttgart.

MUNICH

533 metres; 60 kW. Relayed by Augsburg and Kaiserslautern, 560 metres, and Nürnberg, 239 metres.—4.0 p.m., Orchestral Concert, conducted by Erich Kloss. Soloist: Hugo Reker (Violin). Hungarian Concert Overture (Köler-Béla); La chapelle de Guillaume Tell (Liszt); Canzonetta di Salvatore Rosa (Liszt); Scenes from Jessonda (Spohr); Violin Solo; Scherzo Tarantella (Wieniawsky); Suite, At the Circus (Armandola); Serenade (Lehár); Selection from Das Lercherl von Hernalz (Ascher); Selection from Die fünf Wünsche (Benatzky). 5.15, Italian Lesson. 5.35, Talk for Women: The Stage-struck Girl. 5.55, Time, Weather and Agricultural Notes. 6.5, Reading (Alphons von Czibulka). 6.25, Concert by a Male Voice Choir. 7.0, Weiss Ferdi und seine Dachauer—Munich Dialect Programme. 8.0, Gramophone Concert of Modern Dance Music. 8.40, Beethoven conducted by the Station Orchestra, conducted by Hans Winter. Soloist: Wilhelm Kempff (Pianoforte). Overture, Die Geschöpfe des Prometheus; Concerto in G for Pianoforte and Orchestra. 9.20, Time, Weather, News and Sports Notes. 9.50, See Frankfurt. 11.0 (approx.), Close Down.

NAPLES.—See Rome.

NOTODDEN.—See Oslo.

OSLO

1,083 metres; 60 kW. Relayed by Fredriksstad, 365.8 metres; Hamar, 574.7 metres; Notodden, 447.1 metres; Porsgrund, 453.2 metres; and Rjukan, 447.1 metres.—4.0 p.m., Variety Music on Gramophone Records. 5.0,

FEB. 8th

WEDNESDAY

continued

French Lesson. 6.30, Reading for Boys. 6.30, Announcements, Weather and News. 6.30, Educational Talk: Recent Discoveries in the North. 7.0, Time Signal. 7.1, Sven Møren reads from his own Works. 7.30, Concert by the Station Orchestra, conducted by Hugo Kramm. Soloist: M. Hugo Kolberg (Violin); Fugue in A Minor (Bach); Concerto in D for Violin and Orchestra (Beethoven); Overture in G Minor (Bruckner). 8.30, Market Prices. 8.40, Weather and News. 9.0, Topical Talk. 9.15, Talk on Bridge, relayed from Aalesund, 447.1 metres. 9.45, Dance Music on Gramophone Records. 11.0 (approx.), Close Down.

OSTERSUND.—See Stockholm.

PALERMO

542 metres; 3 kW.—7.0 p.m., Announcements, Tourist Talk, Agricultural Notes, and Giornale Radio. 7.20, Light Music on Gramophone Records. In an interval at 7.30, Time Signal and Announcements. 7.45, Orchestral Concert. Soloists: Gilda Adelfo (Soprano) and S. Gallesi (Oboe); Slav Dance (Dvorák); Soprano Solos: (a) Mistica (Tirindelli), (b) Mediaeval Ballad (De Lucia); First Peer Gynt Suite (Grieg). Oboe Solo: Sonata in G Minor (Handel); Minuet (Boeccherini); Largo (Handel); Soprano Solos: (a) Pallide mammole (Trimarchi), (b) Bimba bimbeta (Sibella); Oboe Solo: Improvisation (Buttner); Overture, Ruy Blas (Mendelssohn). In an interval, Talk. 9.0, Recital of Songs. 9.55, News Bulletin.

PARIS

EFFEL TOWER, Call FLE, 1,445.7 metres; 13 kW. Time Signals (on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and 6 dot Signals).—5.45 p.m., Le Journal Parlé. 7.20, Weather Report. 7.30, Poetry Reading. 7.45, Programme for Children. 8.15, News Bulletin. 8.30, See Strasbourg.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW.—7.0 to 9.0 a.m., Probable Relay of the Test Match from Australia. 6.45 p.m., Le Journal Parlé. 7.0, Gramophone Concert of Popular Music. 8.0, Tourist Talk. 8.15, Interval. 8.30, Sponsored Concert. 9.0, Interval. 9.10, Recital of Breton Songs by M. Cneff. 10.10, Dance Music by the Lido Orchestra. 11.0, News.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW.—6.45 a.m., Physical Culture. 7.30, Weather and Physical Culture (cont'd). 7.45, Classical Music on Gramophone Records. 8.0, Press Review and Weather. 12 Noon, Educational Talk. 12.15 p.m., Concert by the Radio Paris Orchestra: Overture, Les petits fonctionnaires (Messager); Overture, Manizelle (Hirfmann). 12.30, Organ Recital from the Gaumont Palace: Overture, The Bohemian Girl (Balle); Making Faces at the Man in the Moon (Rich); Selection from Samson and Delilah (Saint-Saëns); Romantic Waltz (Lanner). 1.0, Exchange, News, and Weather. 1.5, Orchestral (concert) (cont'd.): Betsy (Bonincontro); La Cocarde de Mimi Pinson (Goublier Junior); Selection from The Last Waltz (O. Strauss); Selection from Lilac Time (Schubert-Berte); Selection from Tom Jones (German-Higgs). 1.10 the interval at 1.30, Exchange. 2.0, Exchange. 3.45, Exchange and Market Prices. 6.10 Agricultural Talk. 6.30, Market Prices, Weather, Agricultural Report, and Exchange. 6.40, German Lesson. 7.0, Medical Talk. 7.20, Concert by the Radio Paris Orchestra: Tableaux musicaux (Daneau); Summer Days Suite (Eric Coates); Fagottino (Camuzzi). 7.45, Commercial Prices and News. 8.0, Literary Readings from the Works of Chantfort and Rivarol. 8.30, News and Weather. 8.40, Fashion Review by Mlle. José. 8.45, Gramophone Records: Die Loreley (Liszt); Barcarolle for Pianoforte in F Sharp (Chopin). 9.0, Concert by the Lamoureux Concert Society, conducted by Albert Wolff, relayed from the Salle Gaveau; Soloist: Maud Randle (Pianoforte); Easter Overture (Rimsky-Korsakov); Prélude à l'après-midi d'un faune (Debussy); Concerto for Pianoforte and Orchestra (Debussy); Fantastic Symphony (Berlioz). In the interval, Press Review and News.

PITTSBURGH

WESTINGHOUSE ELECTRIC (KDKA), 306 metres; 25 kW. Relay by W8XK on 48.86 metres and 25.27 metres.—9.0 p.m., Work-a-day Thoughts. 9.5, Business News. 9.15, Programme to be announced. 9.30, Weather Report. 9.32, Market Reports. 9.45, Pianoforte Interlude. 9.50, David Lawrence Dispatch. 9.55, KDKA Artist Bulletin. 9.58, Programme Announcements. 10.0, Westinghouse Chief. 10.15, Programme to be announced. 10.20, The Singing Lady. 10.45, Little Orphan Annie, from New York. 11.0, Maude and Cousin Bill, from New York. 11.15, Time Signal. 11.16, Weather Report. 11.17, Teaberry Sport Review. 11.22, Press News Reeler. 11.27, Strange Facts. 11.29, Temperature Report. 11.30, Sheer Romance. 11.45 to 3.15 a.m. (Thursday), New York Relay. 11.45, To-day's News, by Lowell Thomas. 12.0 Midnight, Amos 'n' Andy. 12.15 a.m., Carlson Robison and his Barabool Buckaroos. 12.30, Five Star Theatre. 1.0, Eno Crime Club. 1.30, Time Signal and Harriett Lee and her Leaders. 1.45, Country

Doctor. 2.0, Adventures of Sherlock Holmes. 2.30, Woodbury Programme with Morton Downey and Donald Novis. 3.0, D. W. Griffith's Hollywood. 3.15, Bridge School of the Air, by E. Hall Downes. 3.30, Around the Cracker Barrel. 3.45, Bradley Kincaid. 4.0, Time Signal. 4.1, Teaberry Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.13, KDKA Artist Bulletin. 4.15, Press Last Minute News Flashes. 4.20, Henry Halstead and his Californians. 5.0, College Inn Orchestra, from New York. 5.30, Time Signal and Good-night.

PORSGRUND.—See Oslo.

POZNAN

335 metres; 1.9 kW.—6.0 p.m., Miscellaneous Items and Announcements. 6.28, Time Signal. 6.30 to 7.50, See Warsaw. 7.50, Theatre Notes and Programme Announcements. 7.55 to 9.15, See Warsaw. 9.15, Time, Sports Notes and Police Report. 9.30, Popular Music on Gramophone Records. 9.40, Programme from Cracow. 9.55, Dance Music on Gramophone Records. 11.0 (approx.), Close Down.

PRAGUE

488.6 metres; 120 kW.—3.10 p.m., Concert by the Station Orchestra, conducted by O. Jeremias; Overture, The Twins (Weis); Selection from The Two Widows (Smetana); Selection from The Secret (Smetana-Jeremias). 4.0, Medical Talk. 4.10, See Brno. 5.5, Agricultural Talk. 5.15, Talk for Workers. 5.25, News in German. 5.30, German Transcription: Talk for Workers and Review of New Books. 6.0, News. 6.5, Talk: The Czech Kings. 6.20, See Brno. In the interval at 8.0, Time Signal. 8.15, See Bratislava. 9.0, Time Signal, News, Press Review, and Sports Notes. 9.15 (approx.), Close Down.

RADIO-SUISSE ROMANDE

SOTTENS; 403 metres; 25 kW.; **LAUSANNE, 680 metres;** and **GENEVA, 760 metres.**—5.0 p.m. (from Lausanne), Programme for Children. 6.0 (from Geneva), Weather, News and Report on the Work of the League of Nations. 6.30 (from Lausanne), Agricultural Talk. 7.0 (from Lausanne), Dramatic Programme. 7.30 (from Geneva), Concert by the Palatpala Municipal Orchestra, conducted by Alfred Dupont, a Choir and a Peasant Orchestra, conducted by Herman Schenk: Marche des fiancailles (Parès); Selection from Mirella (Gounod); Choral Music: (a) Réveil (Mousterier), (b) Notre chalet, là-haut (Boller), (c) Le rossignol (Grétry), (d) Sur l'Alpe voisine (Daleroze); Music by the Peasant Orchestra; Choral Music: (a) Là-haut tout en haut (Bovet), (b) Les cloches du soir (Weyts), (c) Chante montagnard (Moudon), (d) Dimanche de mai (Gosler); Gavotte and Farandole (Piercé); Impressions of Geneva (Koeckert); Waltz from The Merry Widow (Lehar). 8.30 (in the interval), News and Weather. 9.20 (from Lausanne), Dance Music from the Bel-Air Metropole. 10.0 (approx.), Close Down.

RIGA

525 metres; 15 kW.—4.0 p.m., Orchestral Concert: Overture, The Barber of Seville (Rossini); Selection from Aida (Verdi); Selection from Faust (Gounod); Overture, Tannhäuser (Wagner). 5.0, English Lesson. 5.30, Agricultural Talk. 6.0, Weather Report. 6.5, Relay of an Operetta. In the intervals, News and Weather. After the Programme, Dance Music. 10.0 (approx.), Close Down.

RJUKAN.—See Oslo.

ROME

Call 1R0, 441 metres; 50 kW. Relay by Naples, 319 metres; and 2R0, 25.4-80 metres.—7.0 a.m., Gymnastics. 7.15 to 7.30 a.m., Giornale Radio and Announcements. 11.30, Weather and Light Music on Gramophone Records. 12 Noon, Time and Announcements. 12.2 to 1.15 p.m., Orchestral Concert: The Old Man of the Mountain (Brown); Sperduti nel blu (Borella); Hawaiian Song (Restano); Slav Rhapsody (Friedemann); Sogno radioso (Colutta); Seguidilla (Malatesta); Selection from Frasquita (Lehar); Melody (Nielhols); Wedding of the Butterflies (Barzon); Danubiana (Rotter). In the interval from 12.30 to 12.45 p.m., Giornale Radio and Exchange. 3.45, Children's Radio Review. 4.10, Announcements. 4.15, Exchange and Giornale Radio. 4.30 to 5.15, Song Recital. 6.0, Giornale Radio. 6.10 (Naples), Shipping and Sports Notes. 6.15, Agricultural Report and Announcements. 7.0, Time, Announcements, and Light Music on Gramophone Records. 7.15, Medical Talk. 7.30, Sports Notes and Tourist Report. 7.45, Relay of an Opera. In the intervals, Theatre Notes and News.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY, WGY, 379.5 metres; 50 kW. Relay at intervals by W2XAF on 31.48 metres and by W2XAD on 19.56 metres.—7.30 p.m. to 12.15 a.m. (Thursday), New York Relay. 7.30 p.m., West-

minster Choir. 8.0, Two Seats in the Balcony. 12 Midnight, Soloist. 12.15 a.m., Stock Reports. 12.30, Ralph Kirbery (Baritone). 12.30 to 2.30, New York Relay. 12.30, Ralph Kirbery (Baritone). 12.45, The Goldbergs. 1.0, Royal Vagabonds. 1.30, The Shadow. 2.0, Musical Programme. 2.30, Supper Club Orchestra and Programme Resumé.

SCHWEIZERISCHER LANDESENDER

BEROMUNSTER, 459 metres; 60 kW.; **BASLE, 244.1 metres;** and **BERNE, 245.9 metres.**—11.28 a.m., Time Signal from Neuchâtel Observatory. 11.30, Weather and News. 11.40, Gramophone Record: Overture, Ruy Blas (Mendelssohn). 11.45, Mendelssohn Songs on Gramophone Records. 11.55, Mendelssohn Pianoforte Music on Gramophone Records. 12.10 p.m., Gramophone Records: Carnival Suite (Schumann). 12.35, Weather and Exchange. 12.45 to 2.30, Interval. 2.30, Concert by the Little Radio Orchestra. 3.30 (from Zürich), Programme for Children. 4.0, Popular Music on Gramophone Records. 4.30, Weather. 4.35 to 5.30, Interval. 5.30 (from Zürich), Wilhelm Schäfer reads from his own Works. 6.0, Time, Weather, and Market Prices. 6.15 (from Zürich), Elementary English Lesson. 6.45 (from Zürich), Hans Sonnenstössers Höllenfahrt—Radio Play in Five Acts (Paul Apel), with Incidental Music by Friedrich Beer-mann. 8.30, Weather and News. 8.40, Late Concert by the Radio Orchestra, conducted by Hermann Hofmann. 9.15 (approx.), Close Down.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SASA, 436 metres; 55 kW. Relay by Boden, 1,229.5 metres; Göteborg, 322 metres; Hörby, 257 metres; Motala, 1,348 metres; Östersund, 770 metres; and Sundsvall, 542 metres.—4.5 p.m. (from Göteborg), Programme for Children. 4.30, Popular Music on Gramophone Records. 5.30, Talk: Old and New Ornamental Gardens. 6.0, Björnson's Poems—Song Recital by Elisabeth Hoel. 6.15, Weather and News. 6.30, Cabaret Programme. 7.15, Talk. 7.45, Violin Recital by Boris Schwarz, relayed from Malmö (231 metres): Sonata de camera (Nardini); Sicilienne and Rigaudon (Francœur); Siciliano (von Paradisi); Rondo (Mozart); Hymn to the Sun (Rimsky-Korsakov); Spanish Dance (Granados); Tambourin chinois (Kreisler). 8.25, Reading. 8.45, Weather and News. 9.0, Dance Music by the Enders Orchestra, relayed from the Bern Hall. 10.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW.—11.30 a.m., Classical Music on Gramophone Records. 12.45 p.m., News. 1.0, Time and Exchange. 1.5, Quintet Concert, relayed from Bordeaux-Lafayette. 1.50 to 4.45, Interval. 4.45, Talk on Electricity in German. 5.0, Dance Music: Pasodoble, Madrid; It looks like Susie; Slow Foxtrot. Say it isn't so; Waltz; La ballade des bébés; Slow Foxtrot, Tom Boy; Tango, Mi Torneito; You; If you were only mine; Waltz, Künstlerleben; Foxtrot, My Baby's gone; Foxtrot, It looks like Love; Tango, Tes yeux, Marga; Like I like; Foxtrot, I'm so in love; March, Esmeralda. 6.0, Trio Concert, relayed from Lille (265.4 metres). 7.0, Talk in German on French civilisation; The Song of Roland. 7.15, Legal Talk. 7.30, Time and News. 7.45, See Paris (Eiffel Tower). 8.15, Lottery Results and Light Music on Gramophone Records. 8.30, Concert by the Municipal Orchestra, relayed from the Palais des Fêtes. Conductor: Paul Bastide. Soloists: Nathalie Radisse and M. Ehrhard (Pianoforte), and Paul Krauss (Flute). Symphony No. 21 in B flat La Reine (Haydn); Concerto No. 10 in E flat for Two Pianofortes (Mozart); Pianoforte Concerto (Nathanael Berg); Flute Solo: First suite from Namouna (Lalo). 10.30, Dance Music from the Savoy. 12 Midnight (approx.), Close Down.

STUTTGART

MUHLACKER, 360.5 metres; 60 kW.; and **FREIBURG, 570 metres.**—12.30 p.m., Concert from Langenberg. 1.0, Sponsored Music. 1.15, Sponsored Music, relayed from Mannheim. 3.0, Programme for Children. 4.0, See Munich. 5.15, Time, Weather, and Agricultural Notes. 5.25, Talk: The Preservation of National Monuments and the Protection of the Countryside in Württemberg. 5.50, Talk: The Dornier Airship D.O.X. as a Means of making the Nation Air-minded. 6.15, Time and News, followed by Popular Music on Gramophone Records. 6.45, Report on the Third Day of the International Skiing Championship in Innsbruck. 7.0, See Munich. 8.0 till Close Down, See Frankfurt. In the interval at 9.0, Time and News. 11.0 (approx.), Close Down.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 5 kW.—6.0 p.m., News Bulletin. 6.15, Popu-

lar Music. 6.30, Extracts from Countess Maritza—Operetta (Kálmán). 6.45, Opera Music: Selection from: (a) Boris Godunov (Mussorgsky), (b) Faust (Gounod). 7.0, Violin Solos: Berceuse (Kavel); Le Lac de Côme (Galos). In the interval, Talk. 7.15, Racing Results, Market Prices and News. 7.25, Local News. 7.30, Extracts from Operettas: (a) Frasquita (Lehar), (b) La Mascotte (Andran), (c) The Girl in the Taxi (Gilbert). 7.45, Airs from Opera: (a) Rigoleto (Verdi), (b) I Pagliacci (Leoncavallo), (c) Romeo and Juliet (Gounod). 8.0, Music by a Viennese Orchestra. 8.15, Accordion Music. 8.30, Operetta Music: Selection from: (a) Countess Maritza (Kálmán), (b) The Merry Widow (Lehar), (c) Nina Rosa (Komberg). 8.45, Instrumental Solos. 9.0, Concert arranged by the Society La Sirène, conductor: M. Ichac. 10.15, North African News. 10.30, Concert for Listeners in Morocco: Hofballtänze (Lammer); Duet from Maion (Massenet); Waltz, Amoureuse (Berger); The Two Grenadiers (Schumann); Parisette (Prodhomme). 11.0, Orchestral Music. 11.15, Chansonnettes. 11.30, Programme in English by the I.B.C. Concert: "A Night in Spain"; Military Band; El Ambrico; Comedien; Charlie in Spain; Dance Band: (a) In Old Madrid, (b) Lady of Spain; Duet: When Yuba plays the Rumba on the Tubu; Military Band: A Frangesa; Dance Band: (a) Belle of Barcelona, (b) On a Little Balcony in Spain. 12 Midnight, Weather and Announcements. 12.5 a.m. (Thursday), Dance Music. 12.30 (approx.), Close Down.

TRIESTE

247.7 metres; 10 kW.—4.0 p.m. till Close Down. See Turin.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relay by Milan, 331.5 metres; Genoa, 312.8 metres; and Florence, 500.8 metres.—4.0 to 5.0 p.m., Soprano and Baritone Song Recital. 5.35, Giornale radio, Agricultural Report, and Popolavoto Notes. 6.0, Giornale radio, 6.10, Popular Music on Gramophone Records. 6.25, Tourist Talk. 6.30, Time, Announcements, and Popular Music on Gramophone Records. 7.0, Giornale radio, Weather, and Variety Music on Gramophone Records. 7.15, Sponsored Medical Talk. 7.30, A Comedy in Three Acts, followed by Orchestral Concert: Die Spieluhr des Pompadours (Xoack); Melody from Le Ville (Puccini); Symphonic Prelude (De Michelé); Selection from Madame Butterfly (Puccini). 10.0, Giornale radio.

VATICAN CITY

19.84 metres (Morning) and 50.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Information in Spanish. 7.0 to 7.15 p.m., Religious Information in Italian.

VIENNA

517 metres; 15 kW. Relay by Graz, 352.1 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 245.9 metres; and Salzburg, 218.5 metres.—4.15, Gramophone Concert Part I—Opera Music; Triumphal March from Aida (Verdi); Duet from La Bohème (Puccini); Chorus from Othello (Verdi); Final Duet from André Chénier (Giordano); Scene from The Bartered Bride (Smetana); Final Scene from Faust (Gounod); Part II—Dance Music by Jack Payne and his Orchestra; One-step, Listen to the German Band (Gordon-Connelly); Slow Foxtrot, I'll do my Best to make you happy (Noble); Foxtrot, Love is the Sweetest Thing (Noble); Slow Foxtrot, The Old Man of the Mountain (Young-Brown); Waltz, Masquerade (Webster); Foxtrot, Oh that Kiss! (Warren-Dixon-Young). 5.10, Talk: Five Years of Advice for Young People in Vienna. 5.35, Talk for Workers: The Problem of Short Time at the Geneva Conference. 6.0, Time, Weather, and Programme Announcements. 6.10, Report on the International Skiing Championships at Innsbruck. 6.25, Relay from the State Opera House. In an interval, News, Weather, and Announcements. 9.0, Talk on the Austrian Musical Festival (April 22nd and 23rd). 9.15, Jazz Music, relayed from the Dase.

WARSAW

1,411 metres; 120 kW.—4.0 p.m., Variety Music on Gramophone Records. In the interval, Announcements. 4.40, Talk. 4.55, Programme Announcements. 5.0, Light Music from the Adria, News in the interval. 6.0, Miscellaneous Items. 6.20, Agricultural Correspondence. 6.30, Talk: The Famous Novelist, François Mauriac. 6.45, Radio Journal. 7.0, Recital of Old Songs and Melodies by Mme. J. Godlewska and R. Bojke. 7.55, Sport Notes. 8.0, Radio Journal. 8.5, Chamber Music Concert: Pianoforte Quartet in E flat (Mozart); Trio Serenade, Op. 8, for Violin, Viola and Cello (Beethoven). 9.0, On the Horizon. 9.15, Popular Music on Gramophone Records. 9.40, Talk in Esperanto, relayed from Cracow (312.8 metres). 9.55, Aviation Weather Report and Police Notes. 10.0, Dance Music from the Café Ziemianska. 11.0 (approx.), Close Down.

ZURICH.—See Schweizerischer Landessender.

BARCELONA

RADIO-BARCELONA, Call EAJ1, 348.8 metres; 8 kW.—6.0 p.m., Trio Concert. 7.0, Request Gramophone Concert. 7.30, Exchange Quotations and Programme for Women. 8.0, Popular Music on Gramophone Records, followed by News. 9.0, Chimes from the Cathedral. Weather. Exchange Quotations and Market Prices. 9.5, Part Relay of an Opera from the Gran Teatro del Liceo. 11.0 (in an interval). News. 12 Mid-night (approx.). Close Down.

BARI

269.8 metres; 20 kW.—7.0 p.m., Agricultural Notes, Tourist Report and Announcements. 7.20, Giornale Radio and Weather. 7.30, Time and Announcements. 7.35 (approx.), Concert by a Military Band: Overture, Arolio (Verdi); Selection from Gloria (Cilea); Selection from Lucia di Lammermoor (Donizetti); Intermezzi, Sinfonici for Agamemnon (Pizzetti); March, Espico (Rubino). In the interval, Announcements. 9.30, Light Music on Gramophone Records. 9.55, News.

BASEL.—See Schweizerischer Landessender.

BELGRADE

430.4 metres; 2.5 kW.—3.0 p.m., Orchestral Concert: Overture, Der Erlenhügel (Kuhlan); Selection from Hansel and Gretel (Humperdinck); Ballet Scene from Hamlet (Thomas). 4.0, Popular Music on Gramophone Records. 5.25, Time and Programme Announcements. 5.30, French Dialogue. 6.0, Popular Music on Gramophone Records. 6.30, Talk. 7.0, Recital of Yugoslav Songs. 7.30, Concert by the Belgrade Philharmonic Orchestra: Overture, Lady Godiva (Novak); Concerto for Violin (Sibelius); Symphonic Poem, My Youth (Foerster). 9.0 (approx.), News, followed by Concert from the Restaurant Ratnicki Dom.

BERLIN

KONIGS WUSTERHAUSEN, 1,635 metres; 60 kW.—11.55 a.m., Nauen Time Signal. 12.35 p.m., News Bulletin. 1.0, Gramophone Concert of Vocal and Instrumental Music, relayed from Berlin (Witzleben). 2.0, Musical Programme for Children. 2.30, Weather and Exchange. 2.45, Anecdotes by Heinz Stegewart. 3.0, Talk for Countrywomen. 3.30, Concert from Berlin (Witzleben). 4.10, Talk on Philosophy. 4.30, Chamber Music: Impromptu in A Flat (Schubert); German Dances (Schubert); Ecossaises (Schubert); Ecossaises (Chopin); Etude (Chopin). 5.0, Talk: God and the World in German Medieval Literature. 5.30, Violin Recital: Prelude for Violin, Op. 117, No. 6 (Beger); Second Movement from the Sonata for Violin (Artur Schnabel); First Movement from the Violin Sonata, Op. 13 (Philipp Jarnach); First Movement from the Sonata for Violin, Op. 18 (Paul Höffer). 5.55, Weather and Announcements. 6.0, German for Germans. 6.30, A Poem. 6.35, Agricultural Talk. 7.0, See Langenberg. 9.0, Weather, News, and Sports Notes. 9.45, Weather Report for Shipping, followed by Dance Music from Berlin (Witzleben). 11.0 (approx.). Close Down.

BERLIN

WITZLEBEN, 419.5 metres; 1.5 kW.—3.30 p.m., Orchestral Concert: Potpourri, Von Wien durch die Welt (Hrubý); Mein Herz (Pataky); Viennese Folk Song (Brandl-Kreiskler); Prelude (Rachmaninov); The Blue Pavilion (Armandola); Witches' Dance (MacDowell); Waltz from Das Fürstentum (Lohár). 4.30, Talk on Legal Questions of the Day. 4.50, The Children's Calendar for February. 5.10, Pianoforte Recital of Dances by Nikolai Lopatnikov: Two Gavottes (Prokofiev); Two Dance Pieces (Hindemith); Two Brazilian Dances (Milhaud); Two Ionic Dance Pieces (Lopatnikov). 5.30, Talk: Relief for the Unemployed. 6.0, The Witzleben Station informs its Listeners. 6.5, Topical Talk. 6.15, People of Yesterday speak to People of To-day. 7.0, See Frankfurt. 9.20 (approx.), Weather, News, and Sports Notes. 9.30 (approx.), Dance Music from the Eden Pavilion. 11.0 (also relayed by Zeesen on 31.38 metres), Symphonic domesticia, Op. 53 (R. Strauss), by the Berlin Philharmonic Orchestra, conducted by Richard Lert.

BERNE.—See Schweizerischer Landessender.

BEROMUNSTER.—See Schweizerischer Landessender.

BODEN.—See Stockholm.

BODD.—See Oslo.

BORDEAUX-LAFAYETTE

304 metres; 13 kW.—7.30 p.m., News and Exchange. 7.40, Talk arranged by the International Labour Bureau. 7.55, Literary and Charades Results. 8.0, Talk on Wines. 8.15, News Bulletin. 8.30, Concert. After the Concert, Entertainments Guide and Time Signal.

BRATISLAVA

279 metres; 14 kW.—5.20 p.m., Mandoline Band Concert. 6.0, See Prague. 6.5, Music Review. 6.20 till Close Down, See Prague. 9.35 (approx.), Close Down.

BREMEN.—See Hamburg.

THURSDAY

FEBRUARY THE NINTH

PRINCIPAL EVENTS OF THE DAY:

- NATIONAL** Concert from the Town Hall, Birmingham. Mr. Desmond MacCarthy: "The Art of Reading." "Ring o' Roses," feature programme. Orchestral concert.
- LONDON REGIONAL** Concert from Queen's College, Birmingham. Instrumental concert. Organ music. Orchestral concert. Chamber music.
- MIDLAND REGIONAL** Concert from Queen's College, Birmingham. Light French Music, orchestral concert. Male Voice Choir concert from the Co-operative Hall, Rugby.
- NORTH REGIONAL** Orchestral music. Belfast programme.
- WEST REGIONAL** Orchestral concert. Organ music. Light music. "Facet," drama viewed from various angles.
- SCOTTISH REGIONAL** Dr. William Grant: "Oor ain Dictionar." Concert by the Reid Symphony Orchestra. Choral and orchestral concert.
- BELFAST** The Music of Mozart, orchestral concert. "The Volunteer," an impression of the work of the Royal Naval Volunteer Reserve, relayed from H.M.S. "Caroline."
- ABROAD**
- BRESLAU** Wagner concert, by the Silesian Philharmonic Orchestra, conducted by K. Köhler.
- COPENHAGEN** The Radio Symphony Orchestra, conducted by F. Mahler.
- HEILSBURG** Famous singers on gramophone records.
- RADIO PARIS** Brahms' pianoforte recital, by L. Kartun.

BRESLAU

325 metres; 60 kW.; and GLEIWITZ, 253 metres.—12.10 p.m., Weather for Farmers. 12.12, Concert by the Small Silesian Philharmonic Orchestra, conducted by Hermann Behr: Albumblatt (Kaun); La Caressante (Sokolov); Kaiser-Walzer (Joh. Strauss); Mitzig voran (Joh. Strauss). 12.45, Time, Weather, News and Exchange. 1.5, Popular Music on Gramophone Records. 1.45, Sponsored Programme, with Gramophone Records. 2.10, Agricultural Prices. 2.40, Talk: Winter Sports in the Eastern District of the Riesengebirge. 2.50, Review of Technical Books. 3.10, Harmonium Recital by Erich Schäffer. 3.30, See Heilsberg. 4.30, Agricultural Prices and Programme for Children. 5.0, Talk on Music. 5.20, Programme to be announced. 5.35, Talk for Workers. 6.0, Medical Talk: Heart Disease. 6.30, Weather for Farmers. 6.35, Gramophone Concert: Military March (Schubert); Selection from Die Försterehrstet (Jarno); Duet from The Gipsy Baron (Joh. Strauss); Serenade (Moszkowsky); Waltz, Loteley-Rheinlinge (Joh. Strauss, Sen.). 7.0, Wagner Concert by the Silesian Philharmonic Orchestra, conducted by Karl Köhler. Soloists: Berta Eber-Oswald (Soprano), Adolf Löttgen (Tenor), and Alfons Egarinus (Baritone). Prelude to The Mastersingers; Klug Henry's Aria from Lohengrin; The Landgrave's Aria from Tannhäuser; Song at the Forge from Siegfried; Siegfried Idyll; Aria, Brünhilde Foretells; Siegmund's Death from The Valkyries; Tristan mir! from Tristan und Isolde; Hans Sachs' Monologue from The Mastersingers. In the interval at 8.0 to 8.10, News. 9.10, Time, Weather, News, Sports Notes, and Programme Announcements. 9.30, Talk for Workers in Esperanto. 9.40, Talk: Equestrian Clubs in the Country. 10.0 (approx.), Close Down.

BRNO

242 metres; 35 kW.—3.10 p.m., Concert by the Station Orchestra, conducted by Jan Janota: Il cavaliere romantico (Toni); Suite algérienne (Saint-Saëns); Prelude à l'Après-midi d'un faune (Debussy); Symphonic Variations, Op. 78 (Dvorák). 4.10, Programme for Children. 4.50, Talk for Students. 5.0, Literary Review. 5.15, See Prague. 5.25, German Transmission: News and Two Talks. 6.0, See Prague. 6.5, English Lesson. 6.20, Talk. 6.35 till Close Down. See Prague. 9.35 (approx.), Close Down.

BRUSSELS (No. 1)

1.N.R., 509 metres; 15 kW.—12.0 Noon, Gramophone Concert: March, Nocture (Chopin); Screeude in B Flat (Schubert-Liszt); Mon ami Pierrot (Zimmerman); Gromenreigen (Liszt); Scènes Alsaciennes (Massenet); Overture, Norma, arranged for Guitar (Bellini); Waltz, Hawaiian Rose

(Berlin); Krenz (Strauss); Polka, Flattergeist (Jos. Strauss); Fantasia Capriccio (Vinas); Melody (Faulwetter). 1.0 p.m., Le Journal Parlé. 1.10, Concert by the Small Station Orchestra, conducted by P. Leemans. 5.0, Popular Music on Gramophone Records. 5.30, Programme for Children. 6.0, Talk for Women. 6.15, Gramophone Concert: Overture, Egmont (Beethoven); Four German Dances (Mozart); Song from Sanson and Delilah (Saint-Saëns); Navarra (Albéniz); Minuet (Mozart); Sierra Morena (Monasterio); Selection from Tannhäuser (Wagner); La Romanesca (arr. Achron); Offenbach Operetta Potpourri; Overture, The Bartered Bride (Smetana). 7.15, Talk for Workers. 7.30, Sports Review. 8.0, Concert by the Station Orchestra, conducted by Jean Kumps: Symphonic Sketches; La Mer (Gilson). 8.45, Talk: Chinese Food. 9.0, Concert (contd.): Le Chasseur maudit (Frank); Prelude and Seherzo for Pianoforte and Orchestra (Goyens), the Composer at the Pianoforte; Adagio for Strings (Leken); Extracts from Versailles (Guillaume); Fantasia on a Walloon Theme (Ysaye). 10.0, Le Journal Parlé. 10.10, Gramophone Concert of Old and Modern Dances and Classical Music.

BRUSSELS (No. 2)

N.I.R., 338.2 metres; 15 kW.—Programme in Flemish.—12.0 Noon, Concert by the Small Station Orchestra, conducted by P. Leemans. Soloist: M. Wigy (Violin); Part I, Russian Music: Fantasia on Russian Themes (Leemans); Musical Box (Liadov); Lamentation (Liadov); Melody (Rubinstein); Le Christ renait (Rachmaninov); Prelude (Rachmaninov). Part II, Spanish Music: Danza Gitana and Danza Aragonesa (Granados); Spanish Pieces for Violin (Falla); Nocture and Fiesta from Gitanerias (Infante); Seville (Albéniz). 1.0 p.m., Le Journal Parlé. 1.10, Gramophone Concert: Overture, Der Freischütz (Weber); Selection from The Tales of Hoffmann (Offenbach); Selection from Rigoletto (Verdi); Interlude: Three Flemish Songs; Ballet Music from Faust (Gounod). 5.0, Concert by the Radio Orchestra, conducted by Charles Walpot; K.V.R.O.—Stijldied (Meulmans); Mirene Iorraine (Ganne); Spanish Caprice (Rimsky-Korsakov); Ballet Music from Milenka (Blok); Marche commémorative (Gilson). 5.45, Programme for Children. 6.30, Programme by the V.K.R.J. 7.15, Talk. 7.30, Programme for Women. 8.0, Concert by the Radio Orchestra, conducted by Charles Walpot; Overture, The Gipsy Baron (Joh. Strauss); Selection from White Horse Inn (Benatzky); Rhapsody in B Minor (Hartung). 8.35, Russian Music for Choir. 8.50, Talk: The Catholic Workers' Organisation. 9.5, Concert by the Radio Orchestra (contd.): Overture, Chal Romano (Ketelbey); Two Pieces (Albéniz): (a) Catalan

Caprice, (b) Malaguena; Ballet Suite (Sude); Scènes alsaciennes (Massenet); Selection from L'Arlesienne (Bizet). 9.25, Evensong. 10.0, Le Journal Parlé. 10.15, Gramophone Concert: Till Eulenspiegels Merry Pranks (R. Strauss); The Nutcracker Ballet (Tchaikovsky); Overture, Mireille (Gounod). 11.0 (approx.), Close Down.

BUCHAREST

394 metres; 12 kW.—4.0 p.m., Concert of Light Music and Romanian Music by the Dinico Orchestra. 5.0, News and Time Signal. 5.10, Talk. 5.25, Concert by the Dinico Orchestra. 6.0, Talk on Romania. 6.15, Cereals. 6.40, Relay from the Opera House. In the intervals, News.

BUDAPEST

550 metres; 18.5 kW. Programme also relayed on 840 metres from 6.45 to 11.0 p.m.—4.30 p.m., Dance Music from the Café New York, with Popular Songs by Karl Vajda. 5.10, English Lesson. 5.30, Gramophone Concert: Selection from The Land of Smiles (Lohár); Der schönste Gedanke hist o (Abraham); Largo (Händel); La Paloma (Yradier); Lied (Seres); Selection from Bill im Savay (Abraham); Potpourri, Von Wien durch die Welt (Hrubý); Lied (Kokay); Lied (Kondor). 6.15, Programme by Nikolaus Suranyi. 6.45, Concert by the Wa'dbau Kerpoly String Quartet, relayed from the Academy of Music. Soloist, Inre Stefanini (Pianoforte); String Quartet in A Minor (Brahms); String Sextet in B Flat (Brahms); Pianoforte Quintet (Schumann). 8.45, News. 8.50 (approx.), Concert by Inre Magyara and his Cigány Band, relayed from the Hotel Hungaria. 9.45, Concert by the Opera House Orchestra, conducted by F. Friedl: Overture, Der Zigeunerprimas (Kálmán); Selection from The Count of Luxembourg (Lohár); Intermezzo from Die geschiedene Frau (Fall); Selection from The Geisha (Jones); Melody from Das Zirkuskind (Eysler); Melody from A Cossack Wedding (Peregrin); Selection from Die lustigen Nibelungen (O. Strauss). 11.0 (approx.), Close Down.

CASSEL.—See Frankfurt.

COPENHAGEN

281 metres; 0.75 kW.; and KALUNDBORG, 1,153 metres; 7.5 kW.—11.0 a.m., Time Signal and Chimes from the Town Hall. 11.2, Concert by the Max Skalka String Ensemble, relayed from the Hotel d'Angleterre. 1.0 to 2.0, Interval. 2.0, Chopin Pianoforte Recital by Aage Forlev; Nocturne in B; Nocturne in F Sharp Minor; Barcarolle. 2.20, Concert by the Tedd Petersen Orchestra, relayed from the Wive Restaurant. 4.0, Programme for Boys. 4.40, Exchange and Fish Market Prices. 4.50, Agricultural Talk. 5.20, English Lesson. 5.50, Weather. 6.0, News. 6.15, Time Signal. 6.16, Talk. 6.45, Danish Lesson. 7.10, Opera, Operetta and Walk Concert, relayed from the State Broadcasting Building. The Radio Symphony Orchestra, conducted by Fritz Mahler and a Students' Choir. Soloists: Rose Ader-Trigoua and Herbert Ernst Groh (Songs); Overture The Merry Wives of Windsor (Nicolaï); Aria from The Merry Wives of Windsor (Nicolaï); Soprano Solos: (a) Aria from A Masked Ball (Verdi); (b) Gavotte from Manon (Massenet); Song from Le Postillon de Longjumeau (Adam); Overture, Le dragons de Villars (Maillart); Overture, Night in Venice (Joh. Strauss); Song Coloratura Waltz, O schöner Mai; Song from A Night in Venice (Joh. Strauss); Choir: Waltz, The Blue Danube (Joh. Strauss); Duet from Der Bettelstudent (Millocker); Overture, Orpheus in the Underworld (Offenbach-Binder). 9.15, News. 9.30, Dance Music by the Kai Julian Band, relayed from the National Scala. In the interval at 11.0, Time Signal and Chimes from the Town Hall. 11.30 (approx.), Close Down.

CORK.—See Dublin.

DANZIG.—See Heilsberg.

DRESDEN.—See Leipzig.

DUBLIN

Call 2RN, 413 metres; 1.2 kW., and CORK, 224.4 metres.—1.30 to 2.0 p.m., Time Signal, Weather Report, Stock Report and Light Music on Gramophone Records. 6.0, Popular Music on Gramophone Records. 6.15, Programme for Children. 7.0, Light Music on Gramophone Records. 7.10, Dublin Cattle Market Report. 7.20, News Bulletin. 7.30, Time Signal. 7.31, French Lesson. 7.45, Literary and Dramatic Talk. 8.0, Concert of Music by Prof. O'Dwyer, The Station Sextet, conducted by the Composer. 8.30, Pianoforte Solos by Irvine Lynch. 8.40 (approx.), The Station Orchestra. 9.20, Pianoforte Solos by Grace Hughes. 9.40, Song Recital. 9.55, Station Orchestra. 10.30, Time Signal, News, Weather Report and Close Down.

FECAMP

223 metres; 10 kW.—6.0 to 7.0 p.m., Programme in English by the I.R.C. 6.0, Concert: Orchestra: (a) Some of these Days, (b) It don't mean a Thing. Pianoforte Solo: She didn't say Yes. Vocal Duet:

FEB. 9th

THURSDAY

continued

Down among the Sheltering Palms. Orchestra: (a) Out of Breath, (b) Coney Island Washboard, Vocal Duet: We just couldn't say Good-bye. Orchestra: Aphrodite Waltz. Organ Solos: (a) Berceuse de Jocelyn (Godard), (b) In a Chinese Temple Garden (Ketchey), (c) Melody in F (Rubinstein), (d) La Serenata (Braga), (e) Somewhere a Voice is calling (Old), (f) Un peu d'amour (Stilesu), (g) Love's Late Song (Molloy), (h) Bouncing Ball (Wark). 10.0 till Close Down, Programme in English by the I.B.C. Dance Music: Two little blue little Eyes; That's when I learned to love you; I love you, believe me I love you; Gipsy Dream Rose; My Heart belongs to the Girl who belongs to Somebody else; The Moon is low; Beside an Open Fireplace; Kitty from Kansas City; Reminiscing; My Cigarette Lady; I still remember; It must be you; Mary I love you; If I had a Girl like you; Just a little closer; You're just a Lover. 11.0, Orchestral and Vocal Concert: Overture, The Caliph of Bagdad (Boieldieu). Songs: (a) O hear the Wild Winds blow (Matten), (b) Song of Hybrias the Cretan (Elliot), (c) The Lifeboat Man (Drakeford), (d) In Sheltered Vale (Clarke); Prelude, The Witch's Ride and the Gingerbread Waltz from Hansel and Gretel (Humperdinck). 11.30, Concert of Potpourri: Selection from The King of Jazz (arr. Somers); Wonder Bar (Katscher); Selection from (a) The Three Musketeers (Friml), (b) Show Boat (Kern). 12 Midnight, Song Recital: Every little Girl he sees (Aksl); Here in my Heart (Campbell); Nobody cares if I'm blue (Clarke); One Night alone with you (Jeffrey); O dem Golden Slippers (Händl); Songs I heard at Mother's Knee; Poor Old Joe (Poster); When it's Sunset on the Nile. 12.30 a.m. (Friday), Xylophone Solos: Schön Rosmarin (Kreislner); Liepess (Rosse); Parade of the Minutes; Hinnisfreud (Kreislner); Looping the Loop (Easton); First Waltz (Durand); Marionette (Easton); Tarantella (Byug). 1.0, Comedy Duets: Crystal Gazing; Afloat; Moonshine; In the Trenches; Fun on the Phone; The Police Station; Happy Days. 1.30, Song Recital: Once aboard the Luggie; Hobbie Bill's Last Ride; Foolish Facts; The Squire and the Deacon; There's another Empty Saddle; A High Silk Hat; Open up dem Pearly Gates; Climbing up dem Golden Stairs. 2.0, Dance Music: I've gone and lost my little Yo-Yo; I do like to see a Game of Football; The Gag Song; Sing a New Song; Pagan Moon; The Old Kitchen Kettle; Leave the Rest to old Man Moon; At Eventide; Speedway Sam; The Sun has got his Hat on; Dance of the Cuckoos; Singing in the Moonlight; When the Band goes marching by; Paradise; It's that Extra little Something; Strangers. 2.57, I.B.C. Good-night Melody. 3.0, Close Down.

FLensburg.—See Hamburg.

Florence.—See Turin.

FRANKFURT

259 metres; 17 kW.; and CASSEL, 245.9 metres.—4.0 p.m., See Munich. 5.15, Economic Notes. 5.25, Dialogue: The Influence of German Films on those of other Countries. 6.50, Dialogue on Economics, Dr. Spitz and Jakob Schladt. 6.15, Time, Programme Announcements. Weather and Economic Notes. 6.20, Discussion between Dr. Rudolf Hoffmann and Professor Gustav Freytag. 6.45, Radio Report on the Fourth Day of the International Skiing Championships in Innsbruck. 7.0, Die himm-blaue Zeit—Operetta in Three Acts (O. Strauss). 9.20, Time, News, Weather and Sports Notes.

FREDRIKSSTAD.—See Oslo.

FREIBURG.—See Stuttgart.

GENEVA.—See Radio-Suisse Romande.

GENOA.—See Turin.

GLEIWITZ.—See Breslau.

GÖTEBORG.—See Stockholm.

GRAZ.—See Vienna.

HAMAR.—See Oslo.

HAMBURG

Gall ha (in Morse), 372 metres; 1.5 kW. Relayed by Bremen, 269.8 metres; Flensburg, 227.4 metres; Hannover, 566 metres; and Kiel, 232.2 metres.—6.0 p.m., Health Talk: The Causes of Backwardness in Children. 6.25, Weather. 6.30, Alwin Lau reads from his own Works. 7.0, Gasparone—Operetta (Milköcker), relayed from the Operetta House. 9.10, Time, Weather, Announcements, Sports Notes, and Police Report. 9.30, Topical Talk. 9.40, Concert, relayed from the Stadt-schänke. 10.20, Ice Report. 10.25, Dance Music from the Carlo Haas

HANOVER.—See Hamburg.

HEILSBURG

276.5 metres; 60 kW.; and DANZIG, 453.2 metres.—12.5 to 1.30 p.m., Gramophone Concert of Classical and Light Music. In the interval at 12.20, News. 2.0, Exchange Rates and Market Prices. 3.0 (from Danzig), Talk for Young People: Treasures and Beauties of Spitzbergen. 3.30 (from Danzig), Concert by the Danzig Municipal Theatre Orchestra, conducted by Otto Selberg. Overture, Si j'étais roi (Adam); Suite, Chopin Suite (Hofner); Intermezzo from A basso porto (Spinelli); Overture, The Water Carrier (Cherubini); Scherzo (Hartmann); Selection

from Carmen (Bizet). 4.45, Review of Periodicals. 5.15, Market Prices. 5.20, Ice Report. 5.30 (from Danzig), Agricultural Talk. 6.0, Humour in Wind Instrument Music—Concert: Theme and Variations for Oboe, Clarinet, Horn, and Bassoon (Rossini); Einen Jux wollen sie sich machen—Potpourri for Oboe, Clarinet, Horn, and Bassoon (Friedemann); Humorous Quartet for Oboe, Clarinet, Horn, and Bassoon (Krieger). 6.30, Elementary English Lesson. 6.55, Weather and News. 7.5 (from Danzig), Der Erbhärdter—Drama (Otto Ludwig). 8.5, Humorous Topical Review. 8.15, Famous Singers on Gramophone Records: Galli Curci: The Titania Aria from Mignon (Thomas). Sigrid Onegin: Aria from The Huguenots (Meyerbeer). Chaliapin: The Golden Calf Rondo from Faust (Gounod). A. M. Guglielmetti: Aria from The Magic Flute (Mozart). Maria Nemeth: Aria from Il Seraglio (Mozart). Schlussus: Cavatina from The Barber of Seville (Rossini). Lotte Schöne: Bolero (Rossini). Eva Leoni: The Nightingale and the Rose (Saint-Saëns). Galli-Curci: Shadow Song from Dinorah (Meyerbeer). Sigrid Onegin: Leggiero invisible (Arditi). Anna Rosza and A. Ziliani: Duet from La Traviata (Verdi). Giovanni Inghilleri: Brindisi from Otello (Verdi). A. Bonci, Aurora Ettore, E. Rubadi, S. Baccaloni, and G. Menni: Quintet from A Masked Ball (Verdi). 9.20 (approx.), Weather, News, and Sports Notes.

HILVERSUM

Announced HUIZEN, 296.1 metres; 20 kW. (7 kW. up to 4.40 p.m.).—11.40 a.m. to 1.40 p.m., Programme of the Catholic Radio Society (K.R.O.). 11.40, Police Notes. 11.55, Orchestral Concert, conducted by M. v. t Wond: Overture, Semiramis (Rossini); Neu Wien (Strauss); Selection from La Source (Delibes); La Tzigane (Ganne); Molly on the Shore (Grainger); Shepherd's Hey (Grainger). 12.40 p.m., Variety Music on Gramophone Records. 12.55, Concert (cont'd). Ballet des parfums (Popy); Suite Phrygienne (Brusselmanns); Dutch Dances (Sieg); Au temps jadis (Montagne); Carmen March (Petras). 1.40 till Close Down, Programme of the Christian Radio Society (N.C.R.V.). 1.40, Handwork Lesson. 2.40, Programme for Women. 3.10 to 3.40, Interval. 3.40, Bible Reading and Sacred Music. 4.40, 'ello Recital: Sonata (Marcello); Sonata (Brevall). A Gramophone Record: Sonata (Locatelli); Adagio from the Toccatina in C (Bach); Après un rêve (Faure). 5.25, Handwork Lesson for Young People. 5.55, Talk. 6.25, Dressmaking Lesson. 6.40, Weekly Review. 7.10, Police Notes. 7.25, Religious Notes. 7.40, Concert by the Arnhem Orchestral Society, conducted by Maap Spanderman: Soloist, Mmc. de Rook-van Leenen (Songs); Selection from Les Indes galantes (Rameau); Cantata, Non sa che sia dolore (Bach). 8.10, Talk. 8.40, Concert (cont'd). Selection from Rosamunde (Schubert). 8.55, Talk (cont'd.). 9.25, Concert (cont'd.). Air from Elijah (Mendelssohn); The Italian Symphony (Mendelssohn). 10.10, Variety Music on Gramophone Records. 11.10 (approx.), Close Down.

HORBY.—See Stockholm.

HUIZEN

Announced HILVERSUM, 1,875 metres; 8.5 kW. Programme of the Algemeene Vereeniging Radio Omroep (A.V.R.O.) Transmits at intervals from 11.40 a.m., Time Signal. 11.41, Concert of Light Music. 1.55 to 2.10 p.m., Interval. 2.10, Violin and Pianoforte Recital by Boris Lensky and Egbert Veen: Siciliana (Beccce); Serenade espagnole (Chaminade-Kreislner); Nocturne (Boilanger); Cortège (Bonlangier); Cantabile (Dambé). 2.40, Talk. 3.25, Popular Music on Gramophone Records. 3.40, Talk. 4.10, The Waldstein Sonata (Beethoven), by G. Verhey. 4.40, Stories for Children. 5.10, Concert by the Small Station Orchestra, conducted by Nico Treep: March, Globe trotter (Leopold); Dance from Peramos (Rubinstein); Extracts (Gillet); Selection from the Daughter of the Regiment (Donizetti); Feuilles éparées. No. 2 (d'Ambrosio); En badinant (d'Ambrosio); Lotus Flowers (Ohlsen); Melody (Ganglbberger); Zelin Minnten Schlager (Schneider). 6.10, Sports Talk. 6.40, Concert (cont'd.): Overture, Rip van Winkle (Planquette); L'Augurte (Ganne); Selection from The Bird Fancier (Zeller); Leuchtkäferchen Steil-diehm (Niede); Durchs Ziel (Translatenr). 7.10, English Lesson. 7.40, Time Signal. 7.41, News Bulletin. 7.45, Light Concert by Hans Bund and his Orchestra: Soloists, Irene Ambrus and Luigi Bernauer. 8.40, Recitations. 9.0, Concert by the Station Orchestra, conducted by Nico Treep: Soloist, Geza Frid (Pianoforte); Overture, Rosamunde (Schubert); Ballet Music from Rosamunde (Schubert); Pianoforte Concerto in C, Op. 15 (Beethoven). 9.55, Light Music on Gramophone Records. 10.10, Concert (cont'd.): Einzug des Schneekönigs (Noack); Dwarf Patrol (Rinaldi); Melody (Benatzky); Caravan (Bayer); Serenade (Fauchy); Aufzug der Stadtwache (Jessel). 10.35, Light Music on Gramophone Records. 10.40, News Bulletin. 10.45, Concert of Light

Music by Hans Bund and his Orchestra. 11.40 (approx.), Close Down.

INNSBRUCK.—See Vienna.

KALUNDBORG.—See Copenhagen.

KAUNAS

1,925 metres; 7kW.—6.30 p.m., Popular concert. 7.10, Talk for Gardeners. 7.30, Variety Concert. 8.0, Esperanto Talk. 8.20, Evening Concert. 9.30 (approx.), Close Down.

KIEL.—See Hamburg.

KLAGENFURT.—See Vienna.

KÖSICE.—See Prague.

LAHTI

1,796 metres; 40 kW.; and HELSINKI, 368.1 metres.—4.0, Concert by the Helsinki Orchestra, conducted by Dr. van Gilse van der Pals: Symphony in D (Haydn); Spring Song (Sibelius); Valse triste (Sibelius); Overture, The Hebrides (Mendelssohn). 4.50, Press Review in Finnish. 4.59, Time and Weather. 5.10, Press Review in Swedish. 5.15, Talk. 5.40, Song Recital. 6.5, Talk. 6.30, Pianoforte Recital of his own Music by Selim Palngren. 6.55, Recitations. 7.15, Orchestral Concert, conducted by Erkki Linko: Melodies from Coppélia (Delibes); Sous les Lilieus (Massenet); Overture, Si états roi (Adam). 7.45, News in Finnish. 8.0, News in Swedish.

LANGENBERG

473 metres; 60 kW.—12 Noon, Concert, conducted by Eysoldt: Overture, The Water Carrier (Cherubini); Selection from Faust (Gounod); Cavatina (Raff); Ballet Suite from The Swan Lake (Tchaikovsky); Minuet (Bolzoni); Hindu Dance (Bizet); Lyric Scene (Huppertz); Romantic Intermezzo (Huppertz); Spielzug und Waldnixe (Ertl); Potpourri, from A to Z (Geiger). 1.0 p.m. (in an interval), News. 1.30, Sponsored Programme with Gramophone Records. 2.30, Exchange and Time Signal. 2.50, Fairy Tales for Children. 3.20, Notes on the Broadcasts to Schools. 3.30, Educational Talk. 4.0, Concert, conducted by Wolf: Overture, Preciosa (Weber); Prairie Roses (Poldini); Wagner-Freude (Provanik); Selection from Lucia di Lammermoor (Donizetti); Oriental Suite, Reminiscences of Cairo (Armandola); Tonwellen-Potpourri (Mannfred). 5.0, Talk: The History of the German Language. 5.25, French Conversation. 5.45, Weather, Time, Exchange and Sports Notes. 6.0, Review of Books on the History of the Nations. 6.20, Talk: The Feminist Movement. 6.30, Talk: Unemployment and Unemployment Benefit in England. 6.55, First General News. 7.0, Lebende Schallplatten-Radio Fantasy (Martin Bey). 9.5, News Bulletin. 9.30, Serenade and Dance Music. 11.0 (approx.), Close Down.

LAUSANNE.—See Radio-Suisse Romande.

LEIPZIG

389.6 metres; 120 kW.; and DRESDEN, 319 metres.—12.15 p.m., Spanish Music on Gramophone Records, followed by Exchange Quotations. 1.0, Film Review. 1.30, Talk for the Unemployed. 2.35, Economic Notes. 3.0, Concert by the Leipzig Symphony Orchestra, conducted by Willy Steffen: Overture in C Minor, Op. 27 (Jadassohn); Ariel's Song from The Tempest (Braunfels); Four Dance Melodies (Niemann): (a) Entrée, (b) Sarabande, (c) Minuet, (d) Pavane; Scherzo, Op. 8, Ein clausisches Fest (Ambrosius); Waltz, Op. 25, No. 2 (Fuchs); Orchestral Suite, Op. 3 (Wedig); Two Military Marches (Elgar); Overture, Die Fledermaus (Joh. Strauss). 4.30, Weather and Time. 4.35 to 4.50, Interval. 4.50, Economic Notes. 5.0, Talk on Hygiene. 5.15, Talk on Taxation. 5.30, Spanish Lesson. 5.50, Talk: At the Graves of Famous Musicians in Dresden. 6.15, A Discussion on the Present Crisis. 6.10, Gramophone Concert: Fantasia on a Theme by Verdi (Reibiger); Songs (Brahms): (a) In stiller Nacht, (b) Sandmännchen; Allegro from the Concerto in D Minor for Two Violins (Bach); Prelude to La Traviata (Verdi); Folk Song, Carmela; Overture, Rome, and Juliet (Tchaikovsky); Songs: (a) Maria, Mari (Di Capua), (b) Sentinella (De Curtis); Waltz: Roses from the South (Joh. Strauss); Songs from Opera by Franz Völker. 8.0, Topical Talk. 8.15, Hölderlin—Recitations by a Verse-Speaking Choir. 9.15, News and Gramophone Report on the Fourth Day of the International Skiing Championship in Innsbruck.

LINZ.—See Vienna.

LJUBLJANA

574.7 metres; 2.5 kW.—5.30 p.m., Italian Lesson. 6.0, Talk on Economics. 6.30, The Letter Box. 7.0, Relay from the Opera House. 9.0, Time, News and Popular Music on Gramophone Records.

LYONS

LA DOUA, 465.8 metres; 1.5 kW.—7.30 p.m., Radio Gazette for Lyons and the South-East. 8.30, Variety Concert of Music, by Léon

Raiter, with Accordion Solos by the Composer. After the Concert, News Bulletin.

MADRID

ARANJEZ (EAQ), 30.43 metres; 20 kW.—10.30 p.m., Light Music. 10.45, Radio Chronicle. 11.0, Concert of Popular Music. 11.35, Talk. 11.40, Light Music. 12 Midnight (approx.), Close Down.

MADRID

UNION RADIO, Call EAJJ, 424.3 metres; 2 kW.—7.0 p.m., Chimes, Exchange Quotations, Programme for Children and Request Gramophone Records. 8.15, News Bulletin. 8.30 to 9.0, Interval. 9.0, Linguaphone English Lesson. 9.30, Chimes and Time Signal. 9.35 (approx.), Educational Talk, followed by Band Concert, conducted by Martin Domingo, relayed from the Hotel Nacional. 11.45, News Bulletin. 12 Midnight, Chimes and Close Down.

MALMO.—See Stockholm.

MILAN.—See Turin.

MORAVSKA-OSTRAVA

263.8 metres; 11 kW.—5.0 p.m., Talk. 5.15, See Prague. 5.30, German Transmission: Talk on Wagner with Gramophone Illustrations. 6.0, See Prague. 6.5, See Brno. 6.20 till Close Down, See Prague. 9.35 (approx.), Close Down.

MOSCOW

TRADES UNION, 1,304 metres; 100 kW.—4.0 p.m., News. 4.10, Announcements. 4.30, Concert. 5.30, Evening Concert or a Relay. 8.0, Review of the Week and Answers to Correspondents in French. 8.55, Time. 9.5, Press Review.

MOTALA.—See Stockholm.

MUHLACKER.—See Stuttgart.

MUNICH

533 metres; 60 kW. Relayed by Augsburg and Kaiserslautern, 560 metres; and Nürnberg, 239 metres.—4.0 p.m., Orchestral Concert, conducted by Erich Kloss: Overture, Die Matrosen (Flotow); Paraphrase on Musica proibita (Gastaldon-Blühning); Selection from I Pagliacci (Leoncavallo); Waltz, Faschingskinder (Zichler); Krähwinkler Landstürms Wachtparade (Heffner); Suite, Fasching (Selmatschik); Dance of the Merry Mascots (Kettelbey); Czardas (Zehetmeier); March, Soldatenliebe (Alibont). 5.15 (from Nürnberg), Talk on Housing. 5.35, Agricultural Talk. 5.55, Time, Weather, and Market Prices. 6.5, Talk: Wagner and Posterity. 6.25 (from Nürnberg), Concert, conducted by Carl Friedemann. In the interval (from Munich), Recital of Yugoslav Folk Songs. 7.20, The Death of the General—Historical Drama on the Death of Count von Tilly (Alois Johannes Lippel), with Music by the Station Orchestra, the Station Male Voice Choir, and a Boys' Choir. 8.30, The Power of Song (Lo Verses by Schiller), Op. 87, for Soloists, Choir, and Orchestra (Desiré Thomassin). The Station Orchestra, the Augmented Station Choir, Henry Wolf (Soprano) and Georg Haun (Baritone). 9.5, Programme to be Announced. 9.20, Time, Weather, News, and Sports Notes.

NAPLES.—See Rome.

NOTODDEN.—See Oslo.

OSLO

1,083 metres; 60 kW. Relayed by Fredrikstad, 365.8 metres; Hamar, 574.7 metres; Notodden, 447.1 metres; Porsgrund, 453.2 metres; and Bjukan, 447.1 metres.—4.0 p.m., Orchestral Concert, relayed from the Continental Hotel. 5.0, German Lesson. 5.30, Studio Service. 6.0, Announcements, Weather and News. 6.30, English Song Recital by the Pauline Hall Quartet. 7.0, Time Signal. 7.1, Agricultural Talk. 7.30, Pianoforte Recital by Anton Meyer, relayed from Stavanger (240.6 metres): Seven Pieces (Chopin): (a) Prelude in B Minor, (b) Nocturne in C Minor, (c) Waltz in A Minor, (d) Waltz in A Flat, (e) Mazurka in F sharp Minor, (f) Mazurka in A Minor, (g) Fantaisie-Improptu. 8.0, Song Recital by Johannes Bergh Ilaasen (Baritone): Aria from a Cantata (Bach); Recitative and Aria from The Messiah (Händel); Norwegian Melodies; Melody (Grieg); Skalgenta in det (Alnaes); Swedish Melodies. 8.25, Recitation by Mlle. Constance Stoltenberg. 8.45, Weather and News. 9.0, Topical Talk. 9.15, Relay of European Stations. 11.0 (approx.), Close Down.

OSTERSUND.—See Stockholm.

PALERMO

542 metres; 3 kW.—7.0 p.m., Announcements, Agricultural Notes, and Giornale Radio. 7.30, Time Signal and Announcements. 7.45, Variety Concert. 8.30, Il bridge delle signore mature — Sketch (Luco D'Ambrà). 9.0, Variety Concert (cont'd.). 9.55, News Bulletin.

PARIS

EIFFEL TOWER, Call FLE, 1,445.7 metres; 13 kW. Time Signals (on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and 6-dot Signals).—5.45 p.m., Le Journal Parlé. 7.20, Weather Report. 7.30, Gramophone

FEB. 9th THURSDAY continued

Concert: Part I, Chopin Programme: Concerto in E Minor for Pianoforte and Orchestra; Fantasia in C Sharp Minor; Mazurka in B Flat; Finale, La Nuit ensorcelee. Part II: Variety Music. Selection from The Daughter of the Regiment (Donizetti); The Dairy-maid's Dream (Lubinski); Serenade (Toselli); Selection from The Land of Smiles (Lehar); Le royaume du berger (Blancny); Tyrolienne du noyau (Saint-Servan); Waltzes (Waltz); (a) Charme de sirennes, (b) Mon reve; Humming Horn Music: (a) Le Moulin de la Vierge, (b) Les echos des Vosges, (c) Le clocher de Dampierre; Pasodoble, Tierra hispana (Senti); Old Comrades (Teike); March, The Gladiators; Farewell (Blankenburg). 9.0 (approx.). Close Down.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW.—7.0 to 9.0 a.m., Probable Relay of the Test Match from Australia. 6.45 p.m., Le Journal Parle. 7.0, Programme for Children. 7.30, Sponsored Concert. 8.0, Agricultural Talk. 8.15, Interval. 8.30, Pêcheurs d'ombre—Play (Jean Sarriment). 10.0, Concert by the Alexander Scriabin Russian Orchestra, relayed from the Berry. 10.30, News.

RADIO PARIS

RADIO PARIS, Call CFR, 1.725 metres; 75 kW.—6.45 a.m., Physical Culture. 7.30, Weather and Physical Culture (cont'd). 7.45, Gramophone Records. 8.0, Press Review and Weather. 12 Noon, Protestant Address. 12.30 p.m., Orchestral Concert: The Jupiter Symphony (Mozart); Songs: (a) Aria from Lohengrin (Wagner), (b) Aria from Hérodiade (Massenet), (c) Aria from Sappho (Massenet), (d) Aria from Tosca (Puccini); The Blue Waltz (Margis); Selection from Coups de Roulis (Messager); Songs (Chepfer) (a) Un Cocktail parisien, (b) La Marraine du poilu de Saizerais; Selection from Manon (Massenet). 1.0, Exchange, News, and Weather. 1.30, Exchange. 2.0, Exchange. 3.45, Exchange and Market Prices. 6.10, Agricultural Talk. 6.30, Popular Music on Gramophone Records. 6.45, Legal Talk. 7.0, Talk: The French Revolution—the Opening of the States General. 7.20, Orchestral Concert: Overture, Lalla Roukh (David); Jota (Cools); Aphrodite (Février); A Pallemande (Gédalge). 7.45, Review of the German Press, Commercial Prices, and News. 8.0, Dramatic Programme: Salons in the Olden Days—Chez Madame de Girardin, (Gabrielle Réval), with the Collaboration of Marcelle Schmitt, Mme. Nordmann, Léon Kartun (Pianoforte), and M. Bonifard. In the intervals at 8.30, News, Weather, and Sports Notes; and at 8.40, Review by Christophe. 9.15, Press Review and News. 9.30, Brahms, Pianoforte Recital by Léon Kartun: Variations and Fugue on a Theme by Handel; Capriccio in B Minor; Rhapsody in G Minor. 10.0, Light Music on Gramophone Records: Français (Mauried); Les Anomalies de l'existence (Mauried); Souvenir (Perzov); Two Songs from La Basoche (Messager); Cheri (Wiltite); Our Jack's Back (Sarany); Little White Lies (Donahson).

PITTSBURGH

WESTINGHOUSE ELECTRIC (KDKA), 306 metres; 25 kW. Relay by W8XK on 48.86 metres and 25.27 metres.—9.0 p.m., Work-a-day Thoughts. 9.5, Business News. 9.15, Programme to be announced. 9.30, Weather Report. 9.32, Market Reports. 9.45, Pianoforte Interlude. 9.50, David Lawrence Dispatch. 9.55, KDKA Artist Bulletin. 9.58, Programme Announcements. 10.0, Programme to be announced. 10.30 to 11.15, New York Relay. 10.30, Singing Lady. 10.45, Little Orphan Annie. 11.0, Maude and Cousin Bill. 11.15, Time Signal. 11.16, Weather Report. 11.17, Teahery Sport Review. 11.22, Press News Reeler. 11.27, Strange Facts. 11.29, Temperature Report. 11.30, KDKA Orchestra. 11.45 to 12.30 a.m. (Friday), New York Relay. 11.45, To-day's News, by Lowell Thomas. 12.0 Midnight, Pepsodent Amos 'n' Andy. 12.15 a.m., Carson Robinson and his Barbasol Buckaroos. 12.30, Westinghouse Parade. 1.0 to 3.45, New York Relay. 1.0, Cape Diamond Lights. 1.30, Time Signal and Rin Tin Tin Thrillers. 1.45, Thurston, the Magician. 2.0, Death Valley Days. 2.30, Len Joy's Dancing Strings. 3.0, Mr. Twister. 3.15, Wilfred Glenn (Bass). 3.30, Ho May Bailey and Orchestra. 2.45, Bradley Kincaid. 4.1, Teahery Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.13, KDKA Artist Bulletin. 4.15, Press Last Minute News Flashes. 4.20, Heart Songs by Louise Frayne. 4.30, Henry Halstead and his Californians. 5.0, Hotel McAlpin Orchestra, from New York. 5.30, Time Signal and Goodnight.

PORSGRUND.—See Oslo.

PRAGUE

488.6 metres; 120 kW.—3.10 p.m., See Brno. 4.10, Talk on Economics. 4.20, Programme for Children relayed from Brno. 4.50, Light Music on Gramophone Records. 5.5, Agricultural Talk. 5.15, Talk for Workers. 5.25, News in German. 5.30, German Transmission: Educational Talk and Programme for Workers. 6.0, News. 6.5, Elementary English Lesson. 6.20, Talk: Illnesses in Winter. 6.35, Raduz and Mahulena—Play in Four Acts (Zeyer) with Music by J. Suk. In

the Interval, News, Press Review and Sports Notes, and at 8.0 and 9.0, Time Signals. 9.35 (approx.). Close Down.

RADIO-SUISSE ROMANDE

SOTTENS, 403 metres; 25 kW.; LAUSANNE, 650 metres; and GENEVA, 760 metres.—5.0 p.m. (from Geneva), Sports Talk. 5.20 (from Geneva), Esperanto Lesson. 5.35 (from Lausanne), Italian Lesson. 6.0 (from Lausanne), Weather and News. 6.15 (from Lausanne), Answers to Correspondence. 6.30 (from Lausanne), Talk on the Theatre. 7.0 (from Geneva), Nach dir, Herr, verlanget mich—Cantata No. 150 (Bach), by the Bach Society of Geneva. Soloists: Gabriella Bodet (Soprano), Nelly Gentilla (Contralto), Ernest Bajer (Tenor), Joseph Lombard (Bass), Charles Koller (Harpsichord), and Bernard Reche (Organ). 7.45 (from Geneva), Talk. 8.0 (from Geneva), Concert by the Geneva Wind Instrument Society: Trio for Pianoforte, Oboe and Bassoon (Poulenc); Rhapsody (Jongens); Quintet in E Flat for Pianoforte, Oboe, Clarinet, Bassoon and Horn (Mozart). 9.0, News and Weather. 9.10 (from Geneva), Report on the Work of the League of Nations. 9.25 (approx.). Close Down.

RIGA

525 metres; 15 kW.—4.30 p.m., Sonata in C Minor for Violin (Biber). 5.0, Wireless Notes. 5.30, English Lesson. 6.0, Weather Report. 6.5, Orchestral Concert: Selection from (a) The Flower of Hawaii (Abraham) and (b) White Horse Inn (Renatzky); Waltz, Gold and Silver (Lehar); Potpourri of Latvian Songs; Polka Potpourri (Lindemann). 7.0, News. 7.20, Song Recital by Olga Ryss: A la jeunesse (Darzina); Ferme tes yeux et souris (Wiltols); Songs (Sachow); Aria from The Force of Destiny (Verdi); Song from La Gioconda (Ponchielli). 7.45, Orchestral Concert. 8.0, Weather and News. 8.30, Italian Music on Gramophone Records: Prelude and Airs from Cavalleria rusticana (Mascagni); Symphonic Poem, La Fontaine di Roma (Res-spih); Air from I Pagliacci (Leoncavallo); Monologue from Rigolotto (Verdi); Finale from the Aida (Verdi). 9.30 (approx.). Close Down.

RJUKAN.—See Oslo.

ROME

Call 180, 441 metres; 50 kW. Relay by Naples, 319 metres; and ZRO, 254.80 metres.—7.0 a.m., Gymnastics. 7.15 to 7.30, Giornale Radio and Announcements. 11.30, Weather and Light Music on Gramophone Records. 12 Noon, Time and Announcements. 12.2, Humorous Programme. 12.5 to 1.15, Orchestral Concert. In the interval from 12.30 to 12.45, Giornale Radio and Exchange. 3.45, Programme for Children. 4.10, Announcements. 4.15, Exchange and Giornale Radio. 4.30 to 5.15, Orchestral Concert: Danse barbare (Brusselmanns); Taote (Carducci); Selection from Le maschere (Mascagni); Foxtrot Tragico (Castellonovo-Tedesco); Serenata a Seny (Culotta); Harlequin (Erwin); Sognando te (Giordano); Only your Love (Lopez). 6.0, Giornale Radio. 6.10 (Naples), Shipping and Sports Notes. 6.15, Agricultural Report and Announcements. 7.0, Time and Announcements. 7.2, Talk. 7.15, Variety Music on Gramophone Records. 7.20, Talk for the Housewife. 7.30, Sports Notes and Tourist Report. 7.45, Symphony Concert, conducted by Oscar Szita. Soloist: Germano Arnaldi (Pianoforte). Prelude (Jarnfeldt); The Second Symphony (Sibelius); Talk on Literature and Art. Pianoforte Solos: Suite, Pohjalaisia (Maddetoja); Two Pieces for Orchestra (Sibelius); (a) Legend, Satu; (b) Finlandia. 9.55, News.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY (WGY), 379.5 metres; 50 kW. Relay at intervals by W2XAF on 31.48 metres and by W2XAD on 19.56 metres.—12 Midnight, Jane Froman, from New York. 12.15 a.m. (Friday), Stock Reports. 12.30 till Close Down, New York Relay. 12.30, Regimentalists. 12.45, The Goldbergs. 1.0, Fleischmann Honr. 2.0, Captain Henry's Show Boat. 3.0, Lucky Strike Hour.

SCHWEIZERISCHER

LANDESENDER

BEROMUNSTER, 459 metres; 60 kW.; BASLE, 244.1 metres; and BERNE, 245.9 metres.—9.20 a.m., Broadcast for Schools: Radio Report from an Animal's Hospital. 9.50 to 11.28, Interval. 11.28, Time Signal from Neuchâtel Observatory. 11.30, Weather and News. 11.40, Popular Music on Gramophone Records. 12.35 p.m., Weather and Exchange. 12.45 to 2.30, Interval. 2.30 (from Zurich), Programme for Women. 3.0, Concert by the Radio Orchestra. 4.0, Light Music on Gramophone Records. 4.30, Weather. 4.35 to 5.30, Interval. 5.30 (from Basle), Talk: How to make a Will. 6.0, Time, Weather and Traffic Report. 6.15 (from Basle), Elementary Italian Lesson. 7.0, Concert by the Radio Orchestra. 7.30 (from Basle), Recital of Modern Flute Music by Hermann Zaunke of Breslau, Eduard

Ehrsam at the Pianoforte. 8.10, Concert by the Radio Orchestra. 8.30, Weather and News. 8.40 (from Basle), Folk Songs to the Lute by Manuela da Costa. 9.15 (approx.). Close Down.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SASA, 436 metres; 55 kW. Relay by Boden, 1,229.5 metres; Göteborg, 322 metres; Hörby, 257 metres; Motala, 1,348 metres; Ostersund, 770 metres; and Sundsvall, 542 metres.—4.5 p.m. (from Sundsvall), Studio Service. 4.30, Programme for Children. 4.45, Popular Music on Gramophone Records. 5.45, Elementary English Lesson. 6.15, Weather and News. 6.30, Talk on Economics, relayed from Malmö (231 metres). 7.0, Song Recital by Karin Mark-Marcus. 7.15, Play in Four Acts (J. J. Bernard). 8.45, Weather and News. 9.0, Chamber Music, relayed from Malmö. Ilmari Hannikainen (Pianoforte), Arvo Hannikainen (Violin), and Tauno Hannikainen (Cello): Moderato assai from the Pianoforte Trio in A, Op. 7 (Kubla); Finnish Folk Melodies, for Pianoforte, Violin, and Cello (Hannikainen); Pianoforte Trio in A Minor (Ravel). 10.0 (approx.). Close Down.

STRASBOURG

345 metres; 11.5 kW.—11.30 a.m., Classical Music on Gramophone Records. 12.45 p.m., News Bulletin. 1.0, Time and Exchange. 1.5, Light Music on Gramophone Records. 2.0, Programme for Children. 3.0 to 4.15, Interval. 4.15, Elocution Lesson. 4.30, Programme for Children, relayed from Bordeaux-Lafayette. 6.0, Talk: The Louvre. 6.15, Talk for Women. 6.30, Dance Music: One-step, Ten fais pas Rousin; Slow Foxtrot, Tantalising Baby; Foxtrot, Lies; Waltz, Ewiges Mai strahlt in Hawaii; Foxtrot, Hoeh Caroline; Foxtrot, I'm forgetting myself for you; Tango, Lass uns von Liebe sprechen; Foxtrot, Nobody's Sweetheart; When it's Sleepy Time down South; Moonlight on the Alster; Foxtrot, Tom Thumb's Drum; Foxtrot, Maria, my own; Tango, It's an Old Spanish Tango; Foxtrot, Say; You can make my Life a Bed of Roses; Foxtrot, Polynesian Night; La Manilla. 7.30, Time and News. 7.45, Gramophone Records: Overture, Fingal's Cave (Mendelssohn); Waltz Suite (Brahms); Finale and Ride of the Valkyries from The Valkyries (Wagner). 8.25, Lottery Results. 8.30, Orpheus—Opera (Gluck). 10.30 (approx.). Close Down.

STUTTGART

MUHLACKER, 360.5 metres; 60 kW.; and FREIBURG, 570 metres.—12.30 p.m., Concert from Langenberg. 1.0, Sponsored Concert. 1.30, Spanish Lesson. 2.0, Elementary English Lesson. 2.30, Programme for Young People. 3.35, Reading. 4.0, See Munich. 5.15, Time, Weather, and Agricultural Notes. 5.25, Talk: The Life and Work of a Reichswehr Soldier. 5.50, Agricultural Talk relayed from Karlsruhe. 6.15, Time and News, followed by Report of the South-West German Produce Market relayed from Mannheim. 6.25, Recital of Old Melodies by a Double Quartet: Aus der Jugendzeit; Dort oben in jenem Tale; Das stille Tal; Das Abendglocklein; Mei Mutter mag mi net; Herzerl, was kränket dich so sehr; Schön ist die Jugend. 6.45, Report on the Fourth Day of the International Skiing Championship, relayed from Innsbruck. 7.0, See Frankfurt. 9.20, Time, News, Weather, and Programme Announcements. 9.40, Final Report on the Six Days' Racing, relayed from the Festhalle, Frankfurt. 9.50, Concert of Music by Ewald Strässer; Helene Geray-Scheel (Songs) and Philipp Dreisbach (Clarinet); Songs: (a) Nachtgesang (Böhm), (b) Worte am Abend (Müller), (c) Rihelus (Gothis), (d) Wenn ich wüsst (Miguel), (e) Julinacht (Böhm); Clarinet Sonata. 10.30 (approx.). Close Down.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW.—6.0 p.m., News Bulletin. 6.15, Septet (Saint-Saëns). 6.30, Programme for Children. 7.0, Melodies from Sound Films. 7.15, Racing Results, Market Prices and News. 7.25, Local News Bulletin. 7.30, Music by a Viennese Orchestra. 8.0, Popular Melodies. 8.15, Light Music by an Argentine Orchestra. 8.30, Extracts from Don Quichotte—Opera (Massenet). 9.0, Accordion Music. 9.15, Orchestral Concert: Marche joyeuse (Chabrier); Lehar Potpourri (Hrabzy); The Flight of the Bumble Bee (Rimsky-Korsakov); Wedding March (Mendelssohn); Verschlammte Liebe (Lincke). 9.45, Light Orchestral Concert. 10.15, North African News. 10.30, Concert for Listeners in Morocco: Overture, Masaniello (Auber); Air from L'Attaque du Moulin (Brucan); Wiener Madli (Ziehrer); Chez le Juge (Bach-Laverne); Mon Fétiche (Vacher). 11.0, Orchestral Concert: Selection from (a) Manfred (Schumann), (b) Benvenuto Cellini (Berlioz), (c) The Tales of Hoffmann (Offenbach), (d) Philémon et Baucis (Gounod). 11.30,

Programme in English by the I.B.C.: Concert of Light Music: Cardias; Quintet, Wrap your Troubles in Dreams; Baritone Solo, Eleanor; Quintet, Come to me; Paschlei; Pianoforte and Organ Duet, Clockwork; Soprano Solo, Bohemia; The Clock is Ringing. 12 Midnight, Weather and Announcements. 12.5 a.m. (Friday), Orchestral Concert of Variety Music. 12.30 (approx.). Close Down.

TRIESTE

247.7 metres; 10 kW.—4.10 p.m. till Close Down, See Turin.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relay by Milan, 31.5 metres; Genoa, 312.8 metres; and Florence, 500.8 metres.—4.10 to 5.0 p.m., Orchestral Concert: Overture, Poet and Peasant (Suppé); Barcarolle from Silvano (Mascagni); Overture, Francesca da Rimini (Zanussi); Gavotte from Rolando (Leoncavallo); Overture, The Italian Girl in Algiers (Rossini). 5.0 to 5.35, Interval. 5.35, Giornale Radio, Agricultural Report and Popolare Notes. 6.0, Light Music on Gramophone Records. 6.25, Tourist Talk. 6.30, Time, Announcements and Light Music on Gramophone Records. 7.0, Giornale Radio, Weather, and Variety Music on Gramophone Records. 7.20, Sponsored Talk for Housewives. 7.30, Reading from the Twenty-Second Canto of the Inferno. 8.0, Relay of an Opera. In the intervals: Talk, Theatre Notes and Giornale Radio.

VATICAN CITY

19.84 metres (Morning), and 50.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Information in French. 7.0 to 7.15 p.m., Religious Information in Italian.

VIENNA

517 metres; 15 kW. Relay by Graz, 32.1 metres; Innsbruck, 243 metres; Klagenfurt, 453.2 metres; Linz, 285.9 metres; and Salzburg, 218.5 metres.—4.5 p.m., Concert by C. M. Winternitz Orchestra. Overture, Der Göttergatte (Lehar); Waltz from The Gipsy Princess (Kálmán); Selection from The Geisha (Jones); Valse Musette (Winternitz); La lettre de Manon (Gillet); Two Pieces (E. Strans); (a) Slow Foxtrot, Nadine, (b) The Bumba; Kleine Serenade (Grünfeld); Potpourri of Johann Strauss: Operetta Music (Schlögl). 5.20, Talk for Women: Woman in Public Life. 5.40, Talk: Capitalism in the Crisis. 6.5, Talk for the Tenth Anniversary of the death of Röntgen: How the Röntgen Ray came to be discovered. 6.35, Time, Weather, and Programme Announcements. 6.45, Report on the International Skiing Championships at Innsbruck. 7.0, Talk: Observations on Landscape. 7.20, Concert by the Josef Holzer Orchestra. Soloists: Wily Drabozal (Violin) and Ernst Reindl (Bassoon). Overture, Boccaccio (Suppé); Waltz, Samt und Seide (Ziehrer); Violin Solo: Air viennois (Gluck); Potpourri, Goldene Barselstänche (Manfred); Bassoon Solo: Bay-Bär-Ständchen (Mayer); Waltz, Lolo (Beeth); Polka, Marianka (Wangl); Intermezzo, Appaladina (Wichl); Potpourri (Morena). 8.50, News, Weather and Announcements. 9.5, Snow Report. 9.10, Dance Music by the Fred Clement Orchestra, relayed from the Grabencafé.

WARSAW

1,411 metres; 120 kW.—11.35 a.m., Concert for Schools, Naval Propaganda. The Philharmonic Orchestra conducted by C. Wilkomirski, and a Village Orchestra conducted by S. Kazuro. Soloist: S. Zmigród-Pedyczkowska (Songs). Overture, The Legend of the Baltic (Nowojelski); Three Songs from Legend of the Baltic (Nowojelski); Two Pieces from the Cycle Maritime Sketches (Jutejko); Address: Polans Return to the Sea; Songs; Polonaise in A (Chopin); Mazurka from Baika (Moniuszko). 1.0 to 2.10, Interval. 2.10, News. 2.15, Economic Report. 2.25, Variety Music on Gramophone Records. 2.35, Talk: Saving in Poland and Abroad. 2.50, Light Music on Gramophone Records. 3.25, Intermediate French Lesson. 3.40, Talk: Chinese Poetry. 4.0, French Chamber Music on Gramophone Records: Feux d'Artifice (Debussy); Song, Les Amants séparés (Honegger); Chant des sirennes (Honegger); Berceuse des sirennes (Honegger); Sonata (Ravel); Jeux d'enfant (Ravel). News in the interval. 4.40, Local Talk. 4.55, Programme Announcements. 5.0, Light Music from the Cristal Restaurant, News in the interval. 6.0, Miscellaneous Items. 6.20, Agricultural Report. 6.30, Literary Programme. 6.45, Radio Journal. 7.0, Concert by the Radio Orchestra, conducted by S. Navrot. Soloist: S. Milor (Soprano). Ballet Suite (Armandola); Romantic Overture (Kéler-Béta); Three Songs; Potpourri (Maured); Two Songs from Polenbunt (Seiball); Soprano Solos (a) Waltz, Tales from the Vienna Woods (Johann Strauss), (b) Song (Tagliafico), (c) English Waltz, Spring's Awakening (Henderson); Humoresque (Levine); Overture, La Belle Hülene (Offenbach). In the interval, Sports Notes and Radio Journal. 8.0, A Sketch. 9.15, Dance Music from Craiova (312.8 metres). 9.55, Aviation Weather Report and Police Notes. 10.0, Dance Music from the Café Gastronomja. ZURICH.—See Schweizerischer Landessender.

BARCELONA

RADIO-BARCELONA, Call EAJ1, 348.8 metres; 8 kW.—6.0 p.m., Trio (concert, 7.0, Request Gramophone Concert, 7.30, Exchange Quotations, 8.0, Popular Music on Gramophone Records and News, 9.0, Chimes from the Cathedral, Weather, Messages to Seamen, Exchange Quotations and Market Prices, 9.10, Concert by the Station Orchestra: March (Freil); Nocturne (Coppola); Three Popular Romanian Dances (Béla Bartók); Dance (Griegh). 9.30, A Musical Comedy, relayed from Madrid (EAJ7). 11.0, (in an interval), News.

BARI

269.8 metres; 20 kW.—7.0 p.m., Agricultural Notes, Tourist Talk and Announcements, 7.20, Giornale Radio and Weather, 7.30, Time and Announcements, 7.35 (approx.), Concert of Opera Music: Soloists: Lino d'Angelo (Baritone) and Maria De Sautis Bruno (Soprano); Overture, Si j'étais roi (Adam); Selection from Aida (Verdi); Baritone Solos: (a) O Carlo, ascolta, from Don Carlos (Verdi), (b) Air from L'Africaine (Meyerbeer); Soprano Solos: (a) Aria, O mamma, mia mamma, from Il piccolo Marat (Mascagni), (b) Minsette's Waltz from La Bohème (Puccini); Selection from The Pearl Fishers (Bizet); Overture, Der Freischütz (Weber); Baritone Solo: Cruda funesta smania, from Lucia di Lammermoor (Donizetti); Soprano Solo, from Madame Butterfly (Puccini); Selection from Martha (Flotow); Baritone Solo: Zaza, piccola zingara, from Zaza (Leoncavallo); Soprano Solo: Regnava nel silenzio, from Lucia di Lammermoor (Donizetti); Selection from A Masked Ball (Verdi). In the interval, Theatre Notes, 9.30, Concert, relayed from the Gran Caffè del Levante, 9.55, News.

BASLE.—See Schweizerischer Landessender.

BELGRADE

430.4 metres; 2.5 kW.—3.0 p.m., Orchestral Concert: King Peter's March (Brodil); From our Country (Brodil); Potpourri, Gisle (Domini); Chanson (Friml-Artok); La Zizgane (Ganne); Romantic Suite (Armandola). 4.0, Talk, 5.55, Time and Programme Announcements, 6.0, Popular Music on Gramophone Records, 6.30, Talk for Sokols, 7.0, See Vienna, 9.0, News, followed by Cigány Music from the Rudnicain Restaurant.

BERLIN

KONIGS WUSTERHAUSEN, 1,635 metres; 60 kW.—11.55 a.m., Nauten Time Signal, 12.35 p.m., News Bulletin, 1.0, Gramophone Concert of Classical and Light Music, relayed from Berlin (Witzleben). 2.0, Talk for girls, 2.30, Weather and Exchange, 2.45, Reading (W. J. Hartmann), 3.0, Educational Talk, 3.30, See Leipzig, 4.10, Talk: The Automobile Exhibition, 4.30, Talk: From the Far East—Japan's Conception of Mission Work, 5.0, Recital of Pianoforte Duets: Marches (Schubert): (a) in B Minor, Op. 40, No. 3, (b) in C Minor, Op. 54, (c) in G Minor, Op. 40, No. 2; Bilder aus dem Osten, Op. 66, Nos. 1, 2 and 4 (Schumann); Pianoforte Duets for kleine und grosse Kinder, Op. 85, Nos. 10 and 9 (Schumann), 5.30, Talk for Workers, 5.55, Weather and Announcements, 6.0, Talk: The Church and Unemployment, 6.30, A Poem, 6.35, Concert from Breslau, 7.5, Concert from Stuttgart, 8.10, Recital of Little Known Polishes by Schumann, with Introductory Talk, 9.0, Weather, News and Sports Notes, 9.45, Weather Report for Shipping, followed by Concert from Berlin (Witzleben), 11.0 (approx.), Close Down.

BERLIN

WITZLEBEN, 419.5 metres; 1.5 kW.—6.0 p.m., Topical Talk, 6.10, Talk: Röntgen—the History of a Discovery, 6.55, Extracts from the Second, Third, and Fourth Acts of Carmen—Opera (Bizet) on Gramophone Records, 8.0, Unter der Dukatensflagge—Radio Picture (Alfred Mühr), 9.15, Weather, News, and Sports Notes, 9.30 (approx.), Orchestral Concert, relayed from the Central Hotel, 11.0 (approx.), Close Down.

BERNE.—See Schweizerischer Landessender.

BEROMUNSTER. — See Schweizerischer Landessender.

BODEN.—See Stockholm.

BODO.—See Oslo.

BORDEAUX-LAFAYETTE

304 metres; 13 kW.—7.30 p.m., News Bulletin, 7.40, Educational Notes, 7.55, Lottery Results, 8.0, Spanish Lesson, 8.15, News Bulletin, 8.30, Concert of Light Music.

BRATISLAVA

279 metres; 14 kW.—5.25 p.m., Light Music on Gramophone Records, 5.45, Slovak Spelling Lesson, 6.0, See Prague, 6.5, See Brno, 6.20, A Radio Dialogue, 6.45 till Close Down, See Prague, 9.15 (approx.), Close Down.

BREMEN.—See Hamburg.

BRESLAU

325 metres; 60 kW; and GLEIWITZ, 253 metres.—12.5 p.m., Weather for Farmers, 12.7, Popular Music on Gramophone Records, 12.45, Time, Weather, News, and Exchange, 1.5, Popular Music (contd.), 1.45, Soonsored Programme with Gramophone

FRIDAY
FEBRUARY THE TENTH

PRINCIPAL EVENTS OF THE DAY:

AT HOME

- NATIONAL** A light classical concert. Mr. St. John Ervine: "The Theatre." Military Band concert, Mr. S. P. B. Mais: "S.O.S." Orchestral concert.
 - LONDON REGIONAL** Orchestral concert. "Hassan," a play by James Elroy Flecker, Part 2. Will C. Pepper's White Coons' Concert Party.
 - MIDLAND REGIONAL** Orchestral concert. London Regional programme.
 - NORTH REGIONAL** Organ music. Orchestral concert.
 - WEST REGIONAL** A Welsh Melley. National programme.
 - SCOTTISH REGIONAL** Orchestral concert. Song and pianoforte recital. Organ music.
 - BELFAST** Folk Tunes, orchestral concert.
- ABROAD**
- BARI** Concert of opera music.
 - BRUSSELS (No. 2)** Gala concert by the Station Symphony Orchestra, conducted by M. Meulemans.
 - HEILSBURG** Wagner concert by the Königsberg Opera House Orchestra.
 - LANGENBERG** Oriental programme.
 - PALERMO** Old and new dance music.
 - STUTTART** The Philharmonic Orchestra, conducted by Emil Kahn.
 - TURIN** Symphony concert, conducted by D. Amfithetrot.

Records, 2.10, Agricultural Prices, 2.40, Reading for Young People, 3.10, Song and Pianoforte Recital of Light Music, 4.0, Gramophone Concert: Rheinländer Potpourri (Kernbuch); Polka-Mazurka, Frau-pourri (Zahner); Potpourri, With Song and Wine (Armandola); Waltz, Les Sirènes (Waldteufel); March, Alt Wien (Dietrich). 4.30, Agricultural Prices, 4.35, Talk on Disease, 5.0, Reading from the Works of César Flaischlen, 5.30, Programme to be Announced, 6.0, Concert by the Station Orchestra, conducted by Franz Marszalek: Potpourri, Major and Minor (Schreiner); Suite from American Forest Idylls (MacDowell); Madrigalet (Bullerian); Russian Romance (Friml); Spanish Serenade (Chaminade); Second Petite Suite (de Michel); Rhenish Waltz (Gretschner); Dance of the Derivishes from The King's Masked Ball (Bendix). In the interval at 6.30 (approx.), Weather for Farmers, 7.0, Talk: What are Colds and how can you prevent them? 7.30, Sepp Summer sings Songs to Bass Guitar Accompaniment: Songs (Summer): (a) Forschen nach Gott, (b) Die Ewigkeit; Weihnachtliches Wiesenlied; Wallensteins Artollei (Summer); Reiterlied (Zahn); Songs (Summer): (a) Der deutsche Tod, (b) Das Vogelrakel, (c) Schön Rohtraut, (d) Die Musik kommt; Zimm Tanz (Pöl), 8.0, News, 8.10, Concert of Dances and Songs: The Radio Orchestra, conducted by Franz Marszalek and Willy Hezel (Baritone), 9.45, Time, Weather, News, Sports Notes and Programme Announcements, 10.5, Orchestral Concert from Berlin (Witzleben), 11.0 (approx.), Close Down.

BRNO

342 metres; 35 kW.—3.10 p.m., Concert by the Station Orchestra, conducted by B. Bakala, 3.55, Theatre Review, 4.5, Concert by the Moravian Quartet; String Quartet in D (Bichter); Quartet in F, Op. 3, No. 5 (Haydn); Quartet in A Minor, Op. 29 (Schubert), 5.5, Talk on Art, 5.15, Talk for Workers, 5.25, German Transmission: News, Sports Notes and Talk on the Theatre, 6.0, See Prague, 6.5, Talk on Photography, 6.20, Serenade, Op. 12, for Two Violins and Viola (Kogily), 6.45, See Prague, 8.0, Reading of Modern Czech Poetry, 8.25 till Close Down, See Prague, 9.15 (approx.), Close Down.

BRUSSELS (No. 1)

I.N.R.; 509 metres; 15 kW.—12 Noon, Concert by the Station Orchestra, conducted by P. Leemans; Overture, Don Pasquale (Donizetti); Suite, Mascara (Lacôme); Gondoles Vénitienes (Leemans); Selection from Sappho (Massenet); Czardas for Violin (Monti); Dance of the Hours, from La Giocanda (Ponchielli); Songs (Heymann), 1.0 p.m., Le Journal Parlé, 1.10, Extracts from Madame Butterfly—Opera (Puccini), on Gramophone Records, 2.0, Broadcast for

Schools, 5.0, (concert by the Radio Orchestra, conducted by Franz André: Hungarian Dances (Brahms); Waltz, Gold and Silver (Lehár); Zapateado (Sarasate); Selection from Tip Toes (Gershwin); Serenade for Flute and Horn (Titl); At the Circus (Armandola); Racketeer Stomp (Deloor-Tower); Free as the Air (De Kers); Spanish Dances (Granados), 6.0, Talk: Art in the Walloon Country, 6.15, Recital of Marching Songs by MM. Devillers and Delstanches, F. Boland at the Pianoforte, En toi, j'ai foi (De Ceuninck); Cœurs virils (Spool); Sous le ciel de la Belgique (Boland); Ca va (Bury); Le Chant du Cavalier (Boland), 6.35, Concert by the Small Station Orchestra, conducted by P. Leemans: Prelude and Cortège from Déjanire (Saint-Saëns); Nocturne for Flute (Dropper); Symphonic Poem, Provence (Fourdrain); Intermzzo (Bramagne); Potpourri (Ralf), 7.15, Talk: Rheumatism and its Prevention, 7.30, Literary Report, 8.0, Concert by the Radio Orchestra, conducted by Franz André: Overture, Si j'étais roi (Adam); Waltz, Wiener Blut (Joh. Strauss); Poem in Foxtrot Rhythm, Katesk (Packay); Sugar Foot Strut (Pierce); Tempo Tempo (Dostal); Fantastic Suite (Foulds); La Madelon (Borel), 8.45, Talk for Ex-Servicemen, 9.0, Concert (contd.), Soloist, Mlle. De Troch (Songs), Love Parade (Arlen); Caprice viennois (Kreisler); Lillies-fren (Kreisler); Aria from Hérodias (Massenet); Selection from Le Train bleu (Milhaud); Songs: (a) Aria from Cavalleria rusticana (Mascagni), (b) Song (Brahms); Chicago Baby (Shields); Ballet Music from Les deux Pigeons (Messager), 10.0, Le Journal Parlé, 10.10, The Fifth Symphony (Tchaikovsky), on Gramophone Records, 11.0 (approx.), Close Down.

BRUSSELS (No. 2)

N.I.R.; 338.2 metres; 15 kW.—Programme in Flemish, 12 Noon, Act I and Extracts from Act II of La Traviata—Opera (Verdi), on Gramophone Records, 1.0 p.m., Le Journal Parlé, 1.10, Concert by the Small Station Orchestra, conducted by P. Leemans, Soloists: M. Douliez (Pianoforte) and M. Derissen (Popper), Overture, La Vestale (Spontini); Spanish Dances (Laparra); Berceuse and Réverie (Scambati); Selection from A Masked Ball (Verdi); Minuet, with Variations for Pianoforte; Cello Solo, Spanish Dance, Vito (Popper); Rag Time (Goffin), 2.0, Educational Programme, 5.0, Dance Music, relayed from the St. Sauveur Palais de Dause, 6.15, Talk: Wireless and its Importance in the Teaching of Music and in Schools, 6.30, Pianoforte Recital: Sonata in G (Haydn); Perpetuum mobile (Weber); Nocturne in F (Chopin); Waltz in D Flat (Chopin); Etude (Liszt); Le rossignol (Liszt), 7.0, Two Movements from the Quartet in E Flat (Mozart), on Gramophone Records, 7.15, Literary Programme, 7.30, Talk on Natural History, 8.0, Gala Concert by the Station Symphony Orchestra, con-

ducted by M. Meulemans: Melody from Princesse d'Auberge (Blockx); Mijn Moederspraak (Benoit); Old Flemish Songs (De Greef); Popular Melodies: (a) Het Kwezelken, (b) De Kockok; Fantasia on Airs from Tournai (Daneau); Leye me plorer (Défrécheux); Fantasia on a Walloon Air (Ysaye); Walloon Rondo (Jongen); Romance for Violin and Orchestra (Alpaerts); Two Popular Walloon Songs; Fantasia on Two Flemish Songs (De Boeck); Habanera and Waltz (Mates); Canadian Fantasia (Gilson). In the intervals, Recitations, 10.0, Le Journal Parlé, 10.10, Gramophone Concert of Flemish and Walloon Songs, 11.0 (approx.), Close Down.

BUCHAREST

394 metres; 12 kW.—4.0 p.m., Concert by the Station Orchestra: March (Müller); Overture, Die Fledermaus (Johann Strauss); Waltz, Golden Rain (Waldteufel); Selection from Mignon (Thomas); Selection from The Gipsy Baron (Johann Strauss), 5.0, News and Time Signal, 5.10, Talk, 5.25, Concert by the Station Orchestra, 6.0, Talk on Romania: Her Cercals—Maize, 6.40, Popular Music on Gramophone Records, 7.0, Time Signal, 7.2, Symphony (concert by the Philharmonic Orchestra, relayed from the Athenæum, 8.0, Talk, 8.15, Symphony Concert (contd.), 9.0, News.

BUDAPEST

550 metres; 18.5 kW.—Programme also relayed on 840 metres from 7.0 to 11.0 p.m., 4.30 p.m., Concert by the Budapest Concert Orchestra, conducted by Wilhelm Komor; Selection from Das Nachtlager in Granada (Kreutzer); Symphonic Poem, Helvetia (Scassola); Selection from Lakme (Delibes); Miami (Jacobi); Porzellanpüppchen (Lincke); Waltz (Strauss); Overture (Lehár), 5.45, Review of Foreign Politics, 6.0, Concert by the Budapest Salon Orchestra: Espagnola (Weninger) Golden Rain (Waldteufel); Souvenir (Drlla); Ballet Suite (Bayer); Lied (Huska); Lied (Buchner); English Waltz (E. Strauss); Slow Foxtrot (E. Strauss), 7.0, Programme by Franz Kiss, 7.30, Concert, In the interval at 8.30, News, 9.30, Weather Report, 9.35 (approx.), Cigány Concert from the Café Baross, with Emmerich Varga (Hungarian Folk Songs). In the interval at 10.0, Talk for Pathfinders, 11.0 (approx.), Close Down.

CASSEL.—See Frankfurt.

COPENHAGEN

281 metres, 0.75 kW.; and KALUNDBORG, 1,153 metres, 7.5 kW.—11.45 a.m., String Ensemble Concert, conducted by Harald Andersen, relayed from the Bellevue Strandhotel, 1.0 to 2.0, Interval, 2.0, Concert of Danish Dance Music by Sid Merriman's Band. In the interval, Reading, 4.0, Programme for Children, 4.40, Exchange and Fish Market Prices, 4.50, Talk, 5.20, German Lesson, 5.50, Weather, 6.0, News, 6.15, Time Signal, 6.30, Agricultural Talk, 7.0, Time Signal from the Town Hall, 7.1, Concert of Ballet Music from French Opera by the Station Orchestra, conducted by Emil Rescen; Entr'acte and Danse des Bacchantes from Philémon et Baucis (Gounod); Waltz from Faust (Gounod); Minuet from Céphale et Procris (Grétry); Ballet Music from La Juive (Halévy); Two Airs from Izely (Pierné); Andalouse and Aragonaise from The Cid (Massenet); Selection from Henry VIII (Saint-Saëns), 7.50, A Funeral—Humorous Radio Sketch after Mark Twain (Clara Rosenber), 8.15, Songs from Sound Films on Gramophone Records: Ein Bischen Liebe für mich (Abraham); Song of the Dawn from The King of Jazz (Yellen and Ager); Two Songs from Hungarian Nights (Brodzky), 8.30, The Miracle—Sketch (R. L. Wit), arranged for Radio by Hans Rösler, 8.45, News, 9.0, Concert of Contemporary Danish Music by the Radio Symphony Orchestra and a Wind Instrument Quintet; conductor, Emil Rescen; Symphony in B Flat, Op. 4 (Sestius); Dialogue for Oboe and Clarinet, Op. 10 (Höfding); Intermzzo espressivo for Flute, Oboe, Clarinet, Bassoon, and Horn (Bentzon), 10.0 (approx.), Close Down.

CORK.—See Dublin.

DANZIG.—See Heilsberg.

DRESDEN.—See Leipzig.

DUBLIN

Call 2RN, 413 metres; 1.2 kW., and CORK, 224.4 metres.—1.30 to 2.0 p.m., Time Signal, Weather Report, Stock Report and Light Music on Gramophone Records, 6.0, Popular Music on Gramophone Records, 6.15, Programme for Children, 7.0, Light Music on Gramophone Records, 7.20, News Bulletin, 7.30, Time Signal, 7.31, Gardening Talk, 7.45, Talk on Ancient Irish Art, 8.0, Concert of Classical Music by the Station String Orchestra, 8.45, Tenor Solos by Edward Kenny, 9.0, Dance Music on Gramophone Records, 9.30, Light Music by the Station Orchestra, Soloist: Miss K. Fagan, 10.30, Time Signal, News, Weather Report and Close Down.

FECAMP

223 metres; 10 kW.—6.0 to 7.0 p.m., Programme in English by the I.B.C., 6.0, Concert for Torquay and Weymouth Listeners: Piccolo Solo: Deep Blue Sea (Bremer); Songs: (a) The Floral Dance (Moss), (b)

FEB. 10th

FRIDAY

continued

HEILSBURG

276.5 metres; 60 kW and DANZIG, 453.2 metres.—12.5 p.m., Orchestral Concert: Overture, The Hermit's Bell (Maillart); Waltz, Wine, Woman and Song (Joh. Strauss); Salut d'amour (Elgar); Rusticelli (Cortopassi); Potpourri, Fortissimo (Feigl); Ich liebe dich (Grieg); Erotica (Grieg); Suite, On the Banks of the Nile (Platen). In the interval at 12.20, News, 1.30, Sponsored Programme with Gramophone Records. 2.0, Agricultural Market Prices and Exchange Rates. 2.30, Reading for Children. 3.0, Talk for Women: From the Diary of a Woman Aviator. 3.30, Concert by the Small Station Orchestra, conducted by Eugen Wilcken; Overture, Silvana (Weber); Prelude in C Sharp Minor (Chopin); Valse lente (Chopin); Selection from Hierodiade (Massenet); Suite, La Source (Delibes); Overture, The Thieving Magpie (Rossini). 4.45, Talk: Books and the Education of Country People. 5.15, Agricultural Prices. 5.20, Ice Report. 5.30 (from Danzig), Vocal and Instrumental Concert of Popular Music: Friedel Leopold (Songs to the Lute), Hermann Gerner (Zither), and Max Dowileit (Violin). 6.30 (from Danzig), French Conversation. 6.55, Weather Report. 7.0, Love, Nothing But Love—a One-Act Play, an Operetta and Variety Items (Erik Schwabach, Music by Allan Gray). 8.0, News. 8.10, Wagner Concert: The Königsgang Opera House Orchestra, conducted by Bruno Vondenhoff; Soloist: Erich Halls-Ström; Eine Faust Overture; Prayer from Rienzi; Second Movement from the Symphony in C; The Rome Narrative, from Tannhäuser; Overture and Bacchanale from Tannhäuser. 9.10, Weather, News and Sports Notes.

HILVERSUM

(Announced HUIZEN), 296.1 metres; 20 kW. (7 kW. up to 4.40 p.m.).—Programme of the Catholic Radio Society (K.R.O.). 11.55 a.m., Orchestral Concert, conducted by Johan Gerritsen; March from The Prophet (Meyerbeer); Selection from Aida (Verdi); Dream Children (Elgar); Concerto for Double Bass (Kusnewski); Spanish Dance (Falla); Gramophone Records: Overture, The Merry Wives of Windsor (Nicolai); East Asiatic Suite (Yoshitomo); Waltz, from Eugene Onegin (Tchaikovsky); Träumerei (Schumann); Durch Webers Zauberwald (Uriaeh). 1.55 to 2.10 p.m., Interval. 2.10, Organ Recital: Andante cantabile from the First Symphony (Beethoven); Bénédiction nuptiale (Debuis); Offertoire No. 6 (Lefebvre-Wely); Nocturne (Chopin); Prelude and Fugue in A Minor (Bach); Minuet and Cantabile (Tchaikovsky); Wiegenlied (Brahms); First Part of the Concerto for Flute (Prineck). 3.10, Vocal and Instrumental Concert: Prelude and Fugue in A Minor for Pianoforte (Bach); Sonata in E Minor for Violin and Pianoforte (Bach); Pianoforte Solos: (a) Polonaise in C Minor (Chopin), (b) Nocturne in B. Op. 32 (Chopin), (c) Waltz in C Sharp Minor (Chopin), (d) Waltz in E Minor (Chopin); Songs: (a) Ave Maria (Cherubini), (b) Sanctus (Gounod), (c) Come raggi di sol (Caldara), (d) Ah mio cor (Handel), (e) Vittoria (Carissimi); Sonata for Violin and Pianoforte (Franck); Pianoforte Solos: (a) Prelude (Reger), (b) Cradle Song (Gretchaninov), (c) Seven Short Pieces (Luiz); Songs: (a) Der Atlas (Schubert), (b) Der Doppelgänger (Schubert), (c) Wanderers Nachtlied (Schubert), (d) Feielseinsamkeit (Brahms); Danse nègre (Scott). 4.40, Agricultural Talk. 5.10, Concert of Light Music by the K.R.O. Boys. 5.55, Lesson in Public Speaking. 6.25, Concert of Light Music (contd.). 6.50, Talk. 7.10, Police Notes. 7.25, Programme to be announced. 8.0 (approx.), Concert from Brussels No. 2. 9.20 (in an interval), News Bulletin. 10.20, Variety Music on Gramophone Records.

HUIZEN

Announced HILVERSUM, 1,875 metres; 8.5 kW.—11.40 a.m. to 3.40 p.m., Programme of the Algemeene Vereeniging Radio Omroep (A.V.R.O.). 11.40, Time Signal. 11.41, Concert by the Wireless Orchestra, conducted by Nico Treep. 1.40 p.m., Variety Music on Gramophone Records. 2.10, Concert by the Wireless Chamber Orchestra, conducted by Nico Gerharz, with Gramophone Interludes. 3.40 to 7.40, Programme of the Workers' Radio Society (V.A.R.A.). 3.40, Concert by the Little V.A.R.A. Orchestra, conducted by P. Duclant. 4.30, Programme for Children. 5.10, Concert (contd.). 5.50, Variety Music on Gramophone Records. 5.55, Organ Recital by Johan Jong; Selection from Masaniello (Auber); Dance of the Flowers (Mascheroni); Selection from Pegg Gynt (Grieg); Soidenspitzen (Platzmann); Zwei Märchenaugen (Kálmán). 6.40, Talk on Russia. 7.0, Concert by the Fliegerfluters, conducted by Hugo de Groot. Soloist: Esther Philippse (Songs); Elle est tout nue (Pérou); Love is the sweetest thing (Noble); Alles verstein' heisst alles verzeih'n (Heymann); Vor einer alten Spieluhr (Müller-Melbourn); A Little Street where old Friends meet (Kahn-Woods); Love me tonight (Young); Moonlight in Abazia (Vale-rio); Tiger Rag (Rocca-Konst); Masquerade

(Loeb); How deep is the Ocean (Berlin); Night shall be filled with Music (Marks); Chinatown (Gerrenos); Marching along together (Steininger). 7.40 to 10.40, Programme of the Liberal Protestant Radio Society (V.P.R.O.). 7.40, Talk. 8.10, Piano-forte Recital by Mme. H. Bosmans: Kinder-scenen (Schumann); Eallad Op. 24 (Grieg); Aus meinem Tagebuch Op. 82, Nos. 2 and 10 (Reger); Triumme (Strauss); Two Spanish Dances Op. 13 (V. Brücken Fock); Sonata No. 2 (Pijper); Sonata (Béla-Bartok). In the interval at 8.40, Religious Address. 9.40, Religious Report. 9.45, News. 9.55, Religious Address. 10.25, Gramophone Records. 10.40, V.A.R.A. Programme: Variety Music on Gramophone Records. 11.40 (approx.), Close Down.

INNSBRUCK.—See Vienna.

KALUNDBORG.—See Copenhagen.

KIEL.—See Hamburg.

KLAGENFURT.—See Vienna.

KOSICE.—See Prague.

LAHTI

1,796 metres; 40 kW.; and HELSINKI, 368.1 metres.—6.5 p.m. (from Helsinki); Symphony Concert by the Municipal Orchestra, conducted by Prof. Georg Schneewitz, relayed from the University. Soloist: Martti Paavola (Pianoforte); Symphony (Nielsen); Piano-forte Concerto in G (Beethoven); Suite (Klami). 7.45, News in Finnish. 8.0, News in Swedish.

LANGENBERG

473 metres; 60 kW.—12 Noon, Concert conducted by Wolf: Hensel-Marsch (Wöhler); Delirien-Walzer (Strauss); Overture, Martha (Flotow); Selection from The Pearl Fishers (Bizet); Two Songs (Rich. Strauss); (a) Traum durch die Dämmerung, (b) Ich trage meine Minne; Scandinavian Suite (Frederiksen); Valse triste (Sibelius); Witches' Dance (MacDowell); Minuet (Mars); Gondoliera (Ries); Selection from Prince Methusalem (Joh. Strauss). 1.0 p.m. (in an interval), News Bulletin. 1.30, Sponsored Programme with Gramophone Records. 2.30, Exchange and Time Signal. 2.50, Programme for Children. 3.20, Programme for Young People—Radio Play after a Tale of the South Seas (by Robert Louis Stevenson). 4.0, Concert, conducted by Eysoldt: Ballet Music (Lassen); Intermezzo, Bilder aus dem Osten (Schumann); Scherzo (Schubert); Hungarian Rhapsody (Popper); Cradle Song (Järnefeldt); Amorettenstäudchen (Kockert); Ballet des Parfums (Popy); Lotostuben-Walzer (Ohlson). 5.10, Reading (Otto Stösel). 5.30, English Conversation. 5.50, Weather, Time, Exchange and Sports Notes. 6.0, Talk: The Animal World. 6.20, A Discussion on Sickness Benefit. 7.0 to 9.10, Oriental Programme. 7.0, Music in the Tea House, by the Station Orchestra, conducted by Eysoldt. 7.15, Rice—an Instructive Sketch (E. M. Eber). 8.15, Music in the Tea House (contd.). 8.30, In the Porcelain Pavilion—Chinese Reveries. 9.10, News and Sports Notes. 9.30, Serenade conducted by Wolf. 10.30, Gramophone Dance Music. 11.0 (approx.), Close Down.

LAUSANNE.—See Radio-Suisse Romande.

LEIPZIG

389.6 metres; 120 kW.; and DRESDEN, 319 metres.—11.5 a.m., Orchestral Concert. In the interval at 12.00 Noon, News, Weather, Snow Report and Time. After the Concert, Exchange Quotations. 1.0 p.m., Art Report. 1.15, Three Pathfinders travel as Sailors—Literary and Musical Sequence (Karl Köster). 2.15, Talk for the Country Woman. 2.35, Economic Notes. 3.0, The Gardening Calendar for February. 3.15 to 3.30, Interval. 3.30, Concert by the Leipzig Symphony Orchestra, conducted by Theodor Blumer: Overture, Les Francs-Juges (Berlioz); Piedmont-e Dance in G (Sinigaglia); Selection from Finst Toublider (Reinecke); (a) Romanze and Lento, (b) Idylle, (c) Dämmerung und Tanz unter der Dorflinde; Waltz, Edelweiss (T. Blumer, Sen.); Fischer-Polonaise, Op. 225 (Ziehrer). 4.30, Review of Books on Wagner. 4.50, Economic Notes, Weather and Time. 5.0, Talk on Insurance. 5.25, English Lesson. 5.50, Programme to be announced. 6.0, Talk: Strange Peoples on an Unknown Island in the Pacific Ocean. 6.30, Choral Concert: Unterländers Heimweh (Scherchen); Der Träumende See, Op. 32 (Schumann); Abschied (Scherchen); Du fernes Land (Sirus); Russisches Bauerntied (Gerster); Liebe wohl (Guttman); Die Schmiede (Scherchen). 7.0, Concert by the Dresden Philharmonic Orchestra. Soloists: Eugenie Burkhart (Soprano), Elsa Wieber (Soprano), Max Hlzel (Tenor), and Paul Schöffler (Baritone); Melodies (Weber); (a) Overture, Der Freischütz, (b) Tenor Solo; Durch die Wälder, durch die Auen, from Der Freischütz, (c) Soprano Solo; Glöcklein im Tale, from Euryanthe; Overture, Don Giovanni (Mozart); Baritone Solo from Don Giovanni (Mozart); Aria from Fidelio (Beethoven); Quartet from the First Act of Fidelio (Beethoven); Overture, Nero (Reissiger); Selection from Die Folkunger

(Kretschmer); (a) Eriksgang, (b) Coronation March; Melodies (Wagner); (a) Prelude and Death of Isolde, from Tristan and Isolde, (b) Tenor Solo from Rienzi, (c) Overture, Tannhäuser. 9.5, News and Gramophone Report on the Fifth Day of the International Skiing Championship at Innsbruck. 10.15 (approx.), Concert by the Endé Orchestra: Overture, Venus auf Erien (Lincke); Waltz, GrosstadtKinder (Dornik); Wachtparade der Hutzelnäuelen (Ecklebe); Hungarian Song and Czardas, Dort, wo die Wälder grün (Brodsky); Potpourri, Wolgalklänge (Lindemann); Waltz-Intermezzo, Dream of Love after the Ball (Czibulka); March, Ferrest los! (Holzmann). 10.30 (approx.), Close Down.

LINZ.—See Vienna.

LJUBLJANA

574.7 metres; 2.5 kW.—5.30 p.m., Geographical Talk. 6.0, French Lesson. 6.30, Programme for Women. 7.0, See Vienna. 9.0, Time, News, and Light Music on Gramophone Records.

LYONS

LA DOUA, 465.8 metres; 1.5 kW.—7.30 p.m., Radio Gazette for Lyons and the South-East. 8.5, La Traviata—Opera (Verdi), relayed from the Opéra, Paris.

MADRID

ARANJUEZ (EAQ), 30.43 metres; 20 kW.—10.30 p.m., Variety Music. 10.45, Radio Chronicle. 11.0, Concert of Popular Music. 11.35, Answers to Correspondence. 11.40, Spanish-American Talk. 11.45, Light Music. 12 Midnight (approx.), Close Down.

MADRID

UNION RADIO, Call EA37, 424.3 metres; 2 kW.—7.0 p.m., Chimes, Exchange Quotations, and Programme of Musical Novelties. 7.15, Medical Talk, Programme of Musical Novelties (contd.), and Variety Items by Ramon Gomez de la Serna. 8.15, News Bulletin. 8.30 to 9.30, Interval. 9.30, Chimes and Time Signal. 9.35 (approx.), Confessions before the Microphone by M. Sanchez de Palacios, with an Interlude by Rosita Cadenas, Arturo Lledo, and M. Guercera After the Programme, Variety Concert of Songs. 11.45, News Bulletin and Programme Announcements for Listeners Abroad. 12 Midnight, Chimes and Close Down.

MALMO.—See Stockholm

MILAN.—See Turin.

MORAVSKA-OSTRAVA

263.8 metres; 11 kW.—5.15 p.m., See Prague. 6.5, See Brno. 6.20 till Close Down, See Prague. 9.15 (approx.), Close Down.

MOSCOW

TRADES UNION; 1,304 metres; 100 kW.—4.0 p.m., News. 4.10, Announcements. 4.30, Concert. 5.20, Concert of Light Music or a Relay. 8.0, Review of the Week and Answers to Correspondents in English. 8.5, Time. 9.5, Press Review.

MOTALA.—See Stockholm.

MUHLACKER.—See Stuttgart.

MUNICH

533 metres; 60 kW. Relayed by Augsburg and Kaiserslautern, 560 metres; and Nürnberg, 239 metres.—4.0 p.m., See Frankfurt. 5.15, Talk: The New Picture Telegrams. 5.5 (from Nürnberg), Talk on Housing. 5.5, Time, Weather, Agricultural Report, and Snow Report. 6.5, Talk: Wagner and Posterity. 6.25, Variety Programme: An Easy Musical Guessing Competition for Attentive Listeners; Sizilianische Liebescherche—a Sinister Episode (Frank Braun); Overture, Le Brasseur de Preston (Adam); Scenes from the Tales of Hoffmann (Offenbach); Reverie (Scasola); Grand Potpourri from Der Teufelsreiter (Kálmán). 8.0, Dialogue: Handwriting as a Plastic Exercise. 8.2, Concert of Modern Chamber Music: The Anton Huber Quartet and Soloists; Serenade for Violin, Viola, Double Bass, Two Clarinets, and Harp (Prestle); Das alte Lied—for Soprano Flute, two Violins, Viola, Cello, and Harp (Freytag); Sonata in E Minor for Flute, Viola, and Harp (Debussy); Psyche—for Mezzo-Soprano, Flute, Harp, Violin Viola, and Cello (Falla). 9.20, Time, Weather, News, Sports Notes, Snow Report, and Traffic Notes.

NAPLES.—See Rome.

NOTODDEN.—See Oslo.

OSLO

1,083 metres; 60 kW. Relayed by Fredrikstad, 365.8 metres; Hamar, 574.7 metres; Notodden, 447.1 metres; Porsgrund, 453. metres; and Rjukan, 447.1 metres.—4. p.m., Vocal and Instrumental Concert. 5.0 French Lesson. 5.30, Talk: Modern Prisons. 6.0, Announcements, Weather, and News. 6.30, English Lesson. 7.0, Time Signal. 7.1 Symphony Concert by the Philharmonic Orchestra, conducted by M. Odd Gröner Hegge relayed from the Logen Hall; Soloists: Robert Riedling (Pianoforte) and Rol Schüttanf (Flute); Overture, Egmont (Beethoven); Suite in B Minor for Strings and Flute (Bach); Concerto No. 1 in D Minor for Pianoforte and Orchestra (Brahms). 8.30 Foreign Agricultural Market Report. 8.40

Whither? (Schubert), (c) The Lute Player (Allitson), (d) Drake's Drum (Stanford), (e) By the Sea (Schubert), (f) The Old Superb (Stanford); Piccolo solo: Sylvia Scherzo (La Thiere); Violin Solos and Orchestral Music; Narcissus (Nevin); Violin Solos: (a) Kashmiri Love Song (Woodforde-Finden), (b) Because (d'Harlelot), (c) The Morning Dew, (d) The Song of Songs (Moya), (e) Tell Her I am, (f) Hindu Song (arr. Kreisler); Kater Wulzer (Strauss). 10.0 till Close Down, Programme in English by the J.B.C. 10.0, Dance Music: After the Party; Blue again; Bubbling over with love; I'm yours; Nevertheless: Love for sale; I believe in you; Hello, Beautiful; There's Something in your Eyes; Sing; The Queen was in the Parlour; There's Something about an Old-fashioned Girl; Springtime reminds me of you; My Sunshine came on a Rainy day; I found you; I like a little girl like that. 11.0, Song Recital: Brothers of the Empire (Helmere); I am a Friar of Orders grey (Reeve); The Volunteer Organist (Lamb); Rocked in the Cradle of the Deep (Knight); My Sword and I (Byng); Le reve passe (Helmere); I travel the Road (Helmere); Rolling down to Rio. 11.30, Music by a Symphony Orchestra: Overture, Tancered (Rossini); Two Dances from the Nell Gwynn Suite (German); (a) Country Dance, (b) Merry Makers' Dance; Prelude to Carmen (Liszt); Two Henry VIIIth Dances (German); (a) Torch Dance, (b) Morris Dance; The Hall of the Mountain King from the Peer Gynt Suite (Grieg). 12.0 Midnight, Pianoforte Duets: Happy go lucky you; Silver Hair and Heart of Gold; Dream Sweetheart; The Turning of the Tide; Same Old Moon; Round the Bend of the Road; Night shall be filled with Music; Auf wieder-chen, my Dear. 12.30 a.m. (Saturday), Acceogion Solos: Ragtime Medley (arr. Charles); Petit Jean (Cuvellier); Perdita (Cuvellier); Triumph of Eros (Cuvellier); La Tourterelle (Danmare); Tango de Paques (Cuvellier); Restless Fingers (Cuvellier). 1.0, Vandeville Programme: The Telegraphy Boy; Song: I laughed so hard I nearly died; Child Impersonation (Brief); Songs: (a) Fe Fi Fo Fum, (b) She's too good for me; Child Impersonation, Daddy's Sweetheart (Lehmann); Song: My Wife is on a Diet. 1.30, Light Songs: Pretty Kitty Kelly (Johns); Speak to me of love (Stevier); Today, to-morrow, for ever; Springtime reminds me of you (Carter); Dream Lover (Schertzinger); O Nicholas, don't be so ridiculous (Hargreaves); My Love Parade (Schertzinger); On a Cold and Frosty Morning (Hargreaves). 2.0, Dance Music; You, just you; In a Shanty, in old Shanty Town; Don't say goodbye; We just couldn't say goodbye; She was only Somebody's daughter; Silver Hair and Heart of Gold; Marching along together; Song of the Belts; Where is this Lady?; Rock your cares away; Tell me to-night; A Bedtime Story; Same old Moon; Bravo, Jim; Goodbye Blues; When the Band goes marching by. 2.57, I.B.C. Goodnight Melody. 3.0 (approx.), Close Down.

FLENSBURG.—See Hamburg.

FLORENCE.—See Turin.

FRANKFURT

259 metres; 17 kW and CASSEL, 245.9 metres.—4.0 p.m., Concert by the Station Orchestra; Soloist: Willy Renner (Pianoforte); Part I, Conductor: Hans Roshaud; Ballet Suite (Gluck-Mottl); Pianoforte Concerto in D Minor (Bach); Three Marches (Mozart); Part II, Conductor: Walter Caspar; Descriptive Pieces. 5.15, Economic Notes. 5.25, See Stuttgart. 5.50, Time, Programme Announcements, Weather and Economic Notes. 6.0 (approx.), See Stuttgart. 6.45, Radio Report on the Fifth Day of the International Skiing Championships in Innsbruck. 7.5, See Stuttgart. 9.0, Time, News, Weather and Sports Notes. 9.30, Orchestral Concert from Berlin (Witzleben). 11.0 (approx.), Close Down.

FREDRIKSSTAD.—See Oslo.

FREIBURG.—See Stuttgart.

GENEVA.—See Radio-Suisse Romande.

GENOA.—See Turin.

GLEIWITZ.—See Breslau.

GOTEBORG.—See Stockholm.

GRAZ.—See Vienna.

HAMAR.—See Oslo.

HAMBURG

Call ha (in Morse), 372 metres; 1.5 kW. Relayed by Bremen, 269.8 metres; Flensburg, 227.4 metres; Hanover, 566 metres, and Kiel, 232.2 metres.—6.0 p.m., Talk: Economic Independence and World Industry. 6.25, Weather. 6.30, Review of Books on the English and French Revolutions. 7.0, Self-Portraits of Living Composers: Siegfund von Hausegger Concert by the Hamburg Singakademie and Members of the Hamburg Teachers' Choral Society, with an Introductory Talk by the Composer. Conductor: The Composer. Symphonic Variations, Aufklänge; Nature Symphony. 8.40, Topical Talk. 8.50, Time, Weather, Announcements, Sports Notes and Police Report. 9.10, Concert, relayed from the Reichshof. 10.20, Ice Report. 10.25 (from Hanover), Concert relayed from the Continental Café. HANOVER.—See Hamburg.

Weather and News. 9.0, Topical Talk. 9.15, M. Ormulf Rec reads from his own Works. 9.45 (approx.), Close Down.

OSTERSUND.—See Stockholm.

PALERMO

542 metres; 3 kW.—7.0 p.m., Announcements. Tourist Talk. Agricultural Notes, Report of the Royal Geographical Society and Giornale Radio. 7.20, Popular Music on Gramophone Records. In an interval at 7.30, Time Signal and Announcements. 7.45, Concert of Old and New Dance Music, with Commentary by Giacomo Del Valle. In the interval, Talk. 9.0, Operetta Music on Gramophone Records. 9.55, News Bulletin.

PARIS

EFFEL TOWER, Call FLE, 1,445.7 metres; 13 kW.—Time Signal (on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and 6-dot Signals). 5.45 p.m., Le Journal Parlé. 7.20, Weather Report. 7.30, Music of the Cities—Concert conducted by Edouard Flament: Naples au soir (Marie); A Fête in Cordova (Turina); En vue d'Alger (Saint-Saëns); Jour de fête à Strasbourg (Brun); Scherzo from Roma (Bizet); Sevilla (Albeniz); Bruges and Antwerp (Brusselmann); A Fête in Aranjuez (Demerssemann); Souvenir de Biarritz (Waldteufel); Une journée à Versailles (Delmas); Selection from La Vie Parisienne (Offenbach). 8.15, La Traviata—Opera in Four Acts (Verdi), relayed from the Opéra.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW.—7.0 to 9.0 a.m., Probable Relay of the Test Match from Australia. 6.45 p.m., Le Journal Parlé. 7.0, Popular Music on Gramophone Records. 7.45, Topical Talk. 8.0, Talk on Music. 8.15, Interval. 8.30, Concert of Music by Women Composers by the Station Symphony Orchestra. 10.30, News.

PARIS

RADIO PARIS, Call GFR, 1,725 metres; 75 kW.—6.45 a.m., Physical Culture. 7.30, Weather and Physical Culture (contd.). 7.45, Probable Relay of the Test Match from Australia. 8.0, Press Review and Weather. 8.30, Test Match Relay (contd.). 12 Noon, Jewish Address. 12.30 p.m., Concert by the Kretzky Orchestra: Musette and Tambourin (Rameau); Concerto in D Minor (Bach); Overture, Ruy Blas (Mendelssohn); Andante from the Unfinished Symphony (Schubert); Entr'acte from Manfred (Schumann); Preudes Nos. 15 and 13 (Chopin); Kol Nidrei (Bruch); Divertissement (Lalo); Pieces for Flute and Piano (Revel); Berceuse (Grovez); Sous les tilleuls (Massenet); Two Arabesques (Debussy). In the intervals at 1.0, Exchange, News and Weather, and at 1.30, Exchange. 2.0, Exchange and Announcements. 3.45, Exchange and Market Prices. 4.30, Elementary English Lesson. 5.10, Agricultural Talk. 6.30, Concert by the Kretzky Orchestra: La Parisienne (de Montalent); Chasse joyeuse (Dyck); L'éternelle confiance (Paulin-Colin); Ravissement (Leduc). 6.50, Talk on Social Insurance. 7.0, Talk: The Programme of the Forthcoming World Economic Conference. 7.20, Concert by the Kretzky Orchestra: Farade de Saltimbanques (Pierné); Le Gai Postillon (Flament); By the Camp Fire (Siedel); Slav Song (Monfred); Budapest (Leoni). 7.45, Commercial Prices and News. 8.0, Literary Readings: China in the Works of Charles Petit. 8.30, News and Weather. 8.40, Gastronomic Review. 8.45, L'étrange aventure de Martin-Pequet—Play (Chaine). In the interval at 9.15, Press Review and News.

PITTSBURGH

WESTINGHOUSE ELECTRIC (KDKA), 306 metres; 25 kW. Relay by W8XK on 48.86 metres and 25.27 metres.—9.0 p.m., Work-a-day Thoughts. 9.5, Business News. 9.15, S.A.I. Musicale (Carnegie Tech Chapter). 9.30, Weather Report. 9.32, Market Reports. 9.45, Pianoforte Interlude. 9.50, David Lawrence Dispatch. 9.55, KDKA Artist Bulletin. 9.58, Programme Announcements. 10.0, Muskingum College Music Clubs. 10.15, Programme to be announced. 10.30 to 11.15, New York Relay. 10.30, The Singing Lady. 10.45, Little Orphan Annie. 11.0, Maude and Cousin Bill. 11.15, Time Signal. 11.16, Weather Report. 11.17, Teaberry Sport Review. 11.22, Press News Reeler. 11.27, Strange Facts. 11.29, Temperature Report. 11.30, KDKA Dinner Concert. 11.45 to 3.15 a.m. (Saturday), New York Relay. 11.45, Today's News by Lowell Thomas. 12 Midnight, Pepsodent Amos 'n' Andy. 12.15 a.m., Hilda Burke (Soprano). 12.30, Five Star Theatre—Charlie Chan. 1.0, Nestlé's Programme. 1.30, Time Signal and Adventures in Health. 1.45, Howard Thurston, the Magician. 2.0, The First Nighter. 2.30, Armour Programme. 3.0, Alice Joy. 3.15, Westinghouse Pioneers. 3.30, Bridge School of the Air by E. Hall Downes. 3.45, Bradley Kincaid. 4.0, Time Signal. 4.1, Teaberry Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.13, KDKA Artist Bulletin. 4.15, Press Last Minute News Flashes. 4.20, Cora Williams Hines (Contralto). 4.30, Henry Halstead and his Californians. 5.0, Cotton Club Orchestra, from New York. 5.30, Time Signal and Good-night.

PORSGRUND.—See Oslo.

FEB. 10th

FRIDAY

continued

PRAGUE

488.6 metres; 120 kW.—3.10 p.m., See Brno. 3.55, Talk: Technocracy. 4.5, See Brno. 5.5, Market Prices. 5.15, Talk for Workers. 5.25, News in German. 5.30, German Transmission: Talk on Economics, and Topical Talk. 6.0, News. 6.5, See Brno. 6.20, Saxophone Solos. 6.45, Concert of Operetta Music; The Station Orchestra, conducted by Jan Plichta; Soloists: M. Piskačkova (Soprano) and J. Pospisil (Tenor); Overture, Die Fledermaus (Joh. Strauss); Two Duets from Der Bettelstudent (Müllacker); Four Songs from A Waltz Dream (O. Straus); Waltz from Die Kausche Barbara (Nedbal); Song and Duet from Eva (Lehár); Overture, Der Opernball (Heuberger); 8.0, Time Signal. 8.1, Concert by a Vocal Quartet. 8.25, Introductory Talk to the following Transmission. 8.35, The Evolutions of the Pianoforte; Sonata (IV), a Recital; Sonata in B Flat (Benedetto Marcello); Sonata in F (Christian Wagenseil); Sonata in F (Jos. Paganelli); Sonata in F (Martini). 9.0, Time, News, Press Review, and Sports Notes. 9.15 (approx.), Close Down.

RADIO-SUISSE ROMANDE

SOTTENS, 403 metres; 25 kW.; LAUSANNE, 680 metres; and GENEVA, 760 metres.—5.0 p.m. (from Geneva), Programme for Young People. 5.30 (from Lausanne), Talk for Instructors. 6.0 (from Geneva), Weather, News, and Report on the Work of the League of Nations. 6.30 (from Lausanne), Lesson for Typographers. 7.0 (from Lausanne), La Traviata—Opera in Four Acts (Verdi), in Italian, on Gramophone Records. 9.0, News and Weather. 9.15 (approx.), Close Down.

RJUKAN.—See Oslo.

ROME

Call 1RO, 441 metres; 50 kW. Relay by Naples, 319 metres; and 2RO, 25.4 metres.—7.0 a.m., Gymnastics. 7.15 to 7.30, Giornale Radio and Announcements. 11.30, Weather and Light Music on Gramophone Records. 12 Noon, Time and Announcements. 12.2 to 1.15 p.m., Orchestral Concert. In the interval from 12.30 to 12.45, Giornale Radio and Exchange. 3.0, Viola Recital by Lionel Tertis, relayed from the Royal Academy of Saint Cecilia. 6.0, Giornale Radio. 6.10 (Naples), Shipping and Sports Notes. 6.15, Agricultural Report, Announcements and Light Music on Gramophone Records. 7.0, Time and Announcements. 7.5, Report of the International Institute of Agriculture (in Italian, English, French, German, and Spanish). 7.30, Talk on Sport, Sports Notes, and Tourist Report. 7.45, Variety Concert: Soloists: Maria Perea Labia (Soprano), Emilio Livi (Tenor), Vittorio Sensi (Baritone), Arturo Dalmonte (Bass), and Oletia Parisini (Soprano); Extracts from Don Pasquale (Donizetti). 8.15 (approx.), Fungiamo—Comedy in One Act (Lucilla Antonelli). 8.45, Concert (contd.): Wedding March from Lohegrün (Wagner); Autumn from The Seasons (Glazunov); The Third Act of La Bohème (Leoncavallo); Dance Music. 9.55, News Bulletin.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY (WGY), 379.5 metres; 50 kW. Relay at intervals by W2XAF on 31.48 metres, and by W2XAD on 19.56 metres.—7.30 p.m. to 12.15 a.m. (Saturday), New York Relay. 7.30, Three Shades of Blue. 7.45, Muted Strings. 8.0, Echoes of Erin. 8.15, Famous Loves. 12 Midnight, Jane Froman. 12.15 a.m., Stock Reports. 12.30 to 1.30, New York Relay. 12.30, Three Keys. 12.45, The Goldbergs. 1.0, Cities Service Concert. 1.30, WGY Farm Forum. 2.0, Musical Programme from New York. 2.30, Pond's Programme, from New York.

SCHWEIZERISCHER LANDESENDER

BEROMUNSTER, 459 metres; 60 kW.; BASLE, 244.1 metres; and BERNE, 245.9 metres.—11.28 a.m., Time Signal from Nenschel Observatory. 11.30, Weather and News. 11.40, Concert by the Little Radio Orchestra. 12.35 p.m., Weather and Exchange. 12.45 to 2.30, Interval. 2.30, Popular Music on Gramophone Records. 3.30 (from Berne), Programme for Children. 4.0, Gramophone Concert of Mozart's Youthful Compositions. 4.30, Weather Report. 4.35 to 5.30, Interval. 5.30 (from Berne), Talk: The Dangers of Alcoholic Poisoning. 6.0, Time, Weather, Market Prices, Tourist Report, and Winter Sports Bulletin. 6.20 (from Berne), Talk: New Literature about Richard Wagner. 6.45, Orchestral Concert. 7.0 (from Berne), Songs and Dances of Death (Musorgsky), sung by Felix Löffel (Bass). 7.20, Orchestral Concert (contd.). 7.30 (from Berne), Othmar Schoeck Song Recital by Felix Löffel (Bass). 7.40, Orchestral Concert (contd.). 7.55 (from Berne), Recital of rarely heard Cello Music by Lorenz Lehr, Rudolf von Tobel, Charlotte George, and Walter Rytz. Oletta Anlet at the Pianoforte. 8.30, Weather and News. 8.40, Dance Music.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SASA, 436 metres; 55 kW. Relay by Boden, 1,229.5 metres; Göteborg, 322 metres; Hörby, 257 metres; Motala, 1,348 metres; Östersund, 370 metres; and Sundsvall, 542 metres.—4.5 p.m., Boy Scouts' Report. 4.25 (from Sundsvall), Accordion Music. 5.0, Orchestral Concert: Dance Suite (Smetana); A la Gavotte (Schütt); Selection from L'Africain (Meyerbeer); Foxtrot (Brosch); Waltz, Prima ballerina (Waldteufel); Berceuse, Op. 9, No. 3 (Kallstenius); Selection from Les cloches de Corneville (Planquette). 6.0, The Inquisitive Microphone. 6.15, Weather and News. 6.30, Literary Talk. 7.0 (from Göteborg), The Queen of Golconda (F. Berwald); The Göteborg Symphony Orchestra, Choir and Soloists. 8.45, Weather and News. 9.0, Gramophone Cabaret. 10.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW.—11.30 a.m., Light Music on Gramophone Records. 12.45 p.m., News. 1.0, Time and Exchange. 1.5, Popular Music on Gramophone Records. 2.0 to 4.45, Interval. 4.45, Literary Talk. 5.0, Orchestral Concert, conducted by Koskam: Petite Suite (de Michel); Overture, Stradella (Flotow); Kaiser-Walzer (Joh. Strauss); Selection from Les Dragons de Villars (Maillart); Träume (Wagner); March, Salut à l'Alsace (Sali). 6.0, Trio Concert, relayed from Lille (265.4 metres). 7.0, Topical Talk in German. 7.15, Light Music on Gramophone Records. 7.30, Time and News. 7.45, Popular Music on Gramophone Records. 7.55, Lottery Results. 8.0, Gramophone Records of Variety Music. 8.30, Chamber Music by the Théophile Soudant Quartet: Quartet Op. 54 No. 1 (Haydn); Quartet Op. 41 No. 1 (Schumann); Quartet (Ravel). 10.30 (approx.), Close Down.

STUTTGART

MUHLACKER, 360.5 metres; 60 kW.; and FREIBURG, 570 metres.—12.30 p.m., Concert from Langenberg. 1.0, Sponsored Concert. 1.30, Advanced English Lesson. 3.15, Programme from Berlin (Witzleben). 3.45 (from Freiburg), Talk: The Baptismal Certificate in America. 4.0, See Frankfurt. 4.45, Time, Weather, and Agricultural Notes. 5.0, Talk: Violin-makers at Work. 5.25, Medical Talk. 5.50 (from Mannheim), Talk: Suggestions for Sunday Hikes. 6.0, Report on the Fifth Day of the International Skiing Championship, relayed from Innsbruck. 6.25, Time and News. 6.30, February—Songs and Recitations. 7.5, Concert by the Philharmonic Orchestra, conducted by Emil Kahn; Soloists: Dusolina Giannini (Soprano); Overture, Iphigenia in Aulis (Gluck), with the Finale by Wagner; Aria from Alceste (Gluck); Divertimento in D (Mozart); Fireworks (Stravinsky); Arias (Puccini) from (a) Manon Lescaut, (b) Madame Butterfly; Two Slav Dances (Dvorák); Italian and Spanish Folk Songs (Giannini); (c) In Mezzo al Mar, (b) Estrelita, (c) Cielito Lindo. 9.0, Time, News, Weather, Snow Report, Programme Announcements, and Sports Notes. 9.20, Pianoforte Solos by Otto Sonnen: Humoresque, Op. 4 (Otto Sonnen); Fantasia in F Minor (Chopin). 9.45, Orchestral Concert from Berlin (Witzleben). 11.0 (approx.), Close Down.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW.—6.0 p.m., News Bulletin. 6.15, Extracts from Opera: (a) Romeo and Juliet (Gounod), (b) Carmen (Bizet). 6.30, Symphony Music: Quartet in E Flat (Schubert). 6.45, Music by an Argentine Orchestra. 7.0, Tourist Talk. 7.15, Racing Results, Market Prices, and News. 7.25, Local News. 7.30, Accordion Music. 7.45, Military Music. 8.0, Extracts from Opera: (a) The Tales of Hoffmann (Offenbach), (b) The Magic Flute (Mozart), (c) Faust (Gounod). 8.15, A Viennese Orchestra. 8.45, Sound Film Music. 9.0, Orchestral Suite from The Fire Bird (Stravinsky). 9.30, Operetta Music: Airs from (a) La belle Hélène (Offenbach), (b) Ciboulette (Hahn), and (c) La Mascotte (Audran). 9.45, Orchestral Music: Selection from Il Natale di Pierrot (Monti); Concentration (Razaf); Valse du Souvenir (Melé). 10.0, Humorous Sketches. 10.15, North African News. 10.30, Concert for Listeners in Morocco: Selection from La Princesse Jaume (Saint-Saëns); Duet from Lakmé (Delibes); Violin Solo: Air on the G String (Bach); Mon petit Caprice (Halet); Accordion Solo: March (Marcean). 11.0, Balalaika Music and Russian Songs. 11.15, Instrumental Solos. 11.30, Programme in English by the I.B.C.: Choral Concert: Sanctuary of the Heart (Ketelbey); Duet: I travel the Road; Song of the Flame (Harbach); Of Man River (Kern); Duet: When it's Moonlight in Kilarney; Song of the Dawn (Yellen); Duet: Memories for the Fire-side; Songs made famous by Vesta Victoria. 12 Midnight, Weather and Announcements. 12.5 a.m. (Saturday), Dance Music. 12.15, Vocal Tangos. 12.30, Close Down.

TRIESTE

247.7 metres; 10 kW.—3.0 p.m., See Rome. 5.35 to 6.30, See Turin. 6.30, Orchestral

Concert, conducted by M. Vatta, relayed from the Caffè Dante. 7.0 till Close Down. See Turin.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relay by Milan, 331.5 metres; Genoa, 312.8 metres; and Florence, 500.8 metres.—3.0 p.m., See Rome. Giornale Radio in the interval. 5.35, Giornale Radio, Agricultural Report and Dopolavoro Notes. 6.0, Giornale Radio. 6.10, Variety Music on Gramophone Records. 6.25, Report of the Royal Geographical Society. 6.30, Time, Announcements and Variety Music on Gramophone Records. 7.0, Sports Notes and Popular Music on Gramophone Records. 8.0, Symphony Concert, conducted by Daniele Amfitheatrof. Soloists: Jean Wiener and Clement Doncet (Pianoforte); Concerto in C Minor for Two Pianofortes and Orchestra (Bach); Sonata in D (Mozart); Franco-American Concerto for Pianoforte and Strings (Wiener); Two Romanian Songs; Three South American Dances; Three North American Dances; Rhapsody in Blue (Gershwin). Talk in the interval. 10.0, Giornale Radio.

VATICAN CITY

19.84 metres (Morning), and 50.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Information in German. 7.0 to 7.15 p.m., Religious Information in Italian.

VIENNA

517 metres; 15 kW. Relay by Graz, 352.1 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 245.9 metres; and Salzburg, 218.5 metres.—3.35 p.m., Concert. Olli Santera (Soprano), Josef Geringer (Violin), Natalie Freundlich and Roderich Bass (Pianofortes). Elizabeth's Prayer, Allmächtige Jungfrau from Tannhäuser (Wagner); Aria from The Taming of the Shrew (Götz); Marietta's Song to the Lute from Die tote Stadt (Korngold); Sonatina in G, Op. 100, for Violin and Pianoforte (Dvorák); Airs (Chopin): (a) Fantasia in F Minor, (b) Polonaise in A Flat; Sonata in G, Op. 13, for Violin and Pianoforte (Grieg). 4.35, Tourist Report. 4.45, Talk: The Social Side of Sport. 5.0, Talk for Rudolf Hans Bartsch's Sixtieth Birthday: The Author and his Landscapes. 5.25, Talk: The Vatican State. 5.50, Time, Weather and Programme Announcements. 6.0, Report on the International Skiing Championships at Innsbruck. 6.25, Talk: The Troubles and Joys of a Metal Worker. 6.55, Concert of Music by Julius Bittner, by the Vienna Symphony Orchestra. Conductor: Oswald Kabasta. Soloists: Wanda Arschel (Soprano), Emil Bittner (Contralto) and Alfred Jerger (Baritone). Selection from Der liebe Augustin (Fall): (a) Prelude, (b) Baritone Solo: Augustin's Song, Sehr verehrte Herren und Frau'n, (c) Soprano Solo: Tini's Song, Ein frecher Kuckuck, (d) Contralto Solo: Wer wird denn allweil aus Sterben denken; Prelude and Soprano Solo from Die Kollhaimerin; Contralto Solo: Prayer, O Mutter in Schmerzen from Das höllische Gold; Baritone Solo: Song from Act I of Der Bergsee; Soprano and Baritone Duet: Scene from the Second Act of Das Rosenkästlein. 8.10, Reading: Die ferne kulisse (Heinz Liepmann). 8.40, News, Weather, Road Report and Announcements. 9.0, Concert, relayed from the Krantz-Ambassador Hotel. Gustav Macho (Violin), Haus Quikereiz (Cello) and Dr. Eugen Billig and Fritz Spielmann (Pianoforte).

WARSAW

1,411 metres; 120 kW.—11.10 a.m., Concert by a Naval Band, relayed from Gdynia: Hymn to the Baltic (Nowowiejski); Polonaise in A Flat (Chopin); Overture, Polonia (Wagner); Potpourri of Polish Melodies (Sidorowicz); Slav Dance, No. 1 (Dvorák); Mazurka (Namyslowski); March, Virtuti Militari (Dulcin). 12.20 p.m., Weather Forecast. 12.25 to 2.10, Interval. 2.10, Announcements. 2.15, Economic Notes. 2.25, Aviation and Anti-Gas Report. 2.30, Maritime and Colonial Notes. 2.35, Talk in connection with the Naval Festival. 2.50, Talk for Soldiers on the Anniversary of Poland's Return to a Seaboard. 3.0, Concert of Folk Songs and Sea Shanties by a Sailors' Chorus, conducted by A. Dulcin, relayed from Gdynia. 3.25, Review of Periodicals. 3.40, Talk: Biological Research. 4.0, Programme in connection with the Naval Festival. 5.50, Skiing Notes, relayed from Cracow (312.8 metres). 6.0, Miscellaneous Items. 6.20, News. 6.25, Programme Announcements. 6.30, Talk on the Naval Festival. 6.45, Radio Journal. 7.0, Talk on Music. 7.15, Symphony Concert by the Warsaw Philharmonic Orchestra, conducted by I. Neumark. Soloists: Mme. Hansen (Violin) and M. Zurawlew (Pianoforte). Symphony in G (Haydn); Violin Concerto (Tchaikovsky); Toccata for Pianoforte and Orchestra (Respighi); Symphonic Suite, Stained-Glass Windows (Respighi). In the interval, Talk on the Naval Festival. 9.40, Sports Notes. 9.45, Radio Journal. 9.55, Weather Forecast for Aviation and Police Notes. 10.0, Dance Music by a Naval Band, relayed from Gdynia. 11.0 (approx.), Close Down.

ZURICH.—See Schweizerischer Landessender.

SATURDAY

FEBRUARY THE ELEVENTH

PRINCIPAL EVENTS OF THE DAY:

AT HOME

NATIONAL A running commentary on the Rugby Football Match, England v. Ireland, relayed from Twickenham. Organ music. Welsh interlude. Choral concert. Will C. Pepper's White Coons' Concert Party. Instrumental concert.

LONDON REGIONAL Mr. S. P. B. Mais: "The Week-end." Light orchestral programme. Brass Quartet programme. Tango orchestral concert. Orchestral concert.

MIDLAND REGIONAL Symphony concert. "The Music of Schumann," piano-forte recital. "Red Riding Hood," pantomime relayed from the Alexandra Theatre, Birmingham, with a commentary on the production.

NORTH REGIONAL Mr. John Armitage: "Deerpole and its Cave." A Relay from the Argyle Theatre, Birkenhead. Folk Songs of the North: Lancashire. Brass Band concert.

WEST REGIONAL Orchestral concert, from the National Museum of Wales. Welsh interlude. "Cue for Number." Some pages from Music Hall history, collected by L. E. Williams.

SCOTTISH REGIONAL BELFAST "Trawlers," feature programme. Mr. George Blake: "The Week in Scotland."

BERO-MUNSTER RADIO PARIS Mr. R. J. Welch: "The Ards Peninsula." Alexander Riddell: "Ulster Regiments." Orchestral concert from Wellington Hall. "Loaves and Fishes," a comedy by C. K. Ayre.

ABROAD

BERO-MUNSTER RADIO PARIS Symphony concert by the Basle Musical Society, conducted by Felix Weingartner.

Opera: "Parsifal," Wagner, relayed from the Municipal Theatre, Amsterdam.

Prague. 9.15 till Close Down, See *Moravská-Ostrava*. 10.30 (approx.), Close Down.

BREMEN.—See *Hamburg*.

BRESLAU

325 metres, 60 kW.; and **GLEWITZ**, 253 metres.—12.5 p.m., Weather for Farmers. 12.7, Popular Music on Gramophone Records. 12.40, News Bulletin. 12.45, Sponsored Programme with Gramophone Records. 1.0, Radio Report on the Bob-sleighting Championship for Pairs, relayed from *Schneierhau*. 2.0, Market Prices and Exchange. 2.15, Report on the International Skiing Championship, from *Innsbruck*, and Orchestral Concert. In the interval, Report on the Ski-jumping from the Isel Berg. 3.30, Weekly Film Review. 3.50, Concert from *Berlin (Witzleben)*. 4.30, Book Review. 4.45, Talk: Household Remedies and Dentistry. 5.10, Review of the Week's Talk and Literature. 5.40, Gramophone Concert: Overture, Donna Diana (Rozniczek); Selection from *The Geisha* (Jones); Waltz, Wine, Woman and Song (Joh. Strauss); Polka, from *Schwanda the Piper* (Weinberger); Wiener Flakerlied (Pick); Jetzt trink'n ma noch a Flascherl Wein (Lorenz); Slow Foxtrot, *Sendezeichen* (Evert); Waltz, *Die Schönbrunner* (Lanner); 6.30, Weather for Farmers and Topical Talk. 7.0, Film—A Radio Play (Erik-Ernest Schwabach), with Music by Allan Gray. 9.15 Time, Weather, News, Sports Notes and Programme Announcements. 9.35, Dance Music from *Berlin (Witzleben)*. 11.0 (approx.), Close Down.

BRNO

342 metres; 35 kW.—5.0 p.m., Theatre and Film Review. 5.15, See *Prague*. 5.25, German Transmission: News and Mandoline Band Concert. 6.0, See *Prague*. 6.35, Band Concert, conducted by J. Krenovsky. 7.30, Cabaret Programme. 9.0, See *Prague*. 9.15 till Close Down, See *Moravská-Ostrava*. 10.30 (approx.), Close Down.

BRUSSELS (No. 1)

I.N.R., 509 metres; 15 kW.—12 Noon, Concert, conducted by André Felleman, relayed from the Grand Hotel, Antwerp: Suite from *L'Arlesienne* (Bizet); Suite, Pieter-Both (Douliez); Rondo Capriccioso for Piano-forte and Orchestra (Mendelssohn-Zwysen); Tango, *Moja Malenka* (Karazinski); Foxtrot, Yvonne (Lewis-Douliez); Viennese Operetta Potpourri (Hrnly). 1.0 p.m., *Le Journal Parlé*. 1.10, Concert by the Little Station Orchestra, conducted by P. Leemans: Siamesische Wachtparade (Lüneke); Potpourri, Echoes of Romania (Dauber); Jougou d'amour (Demareé); Spanish Caprice for Piano-forte (Moszkovsky); Waltz, Du, Du, Du (Stolz); Selection from *The Pink Lady*

(Caryl). 5.0, Dance Music from the St. Sauveur Palais de Danse. 6.0, Talk: Careers and Professions—The Stenographer. 6.15, Song Recital by Rachel Pieter: Ballad from *The Flying Dutchman* (Wagner); *L'amante* (Marsick); *Ma soeur la pluie* (d'Agreves); *Retour* (Goyens). 6.30, Sonata for Cello and Piano-forte (Chopin) by Mme. Hlsson-Michaux and Mme. Berthe Labille. 7.0, Request Gramophone Records: Prelude in E Flat Minor (Bach); Dance of the Seven Veils from *Salome* (R. Strauss); I call upon Thee, Jesus (Bach). 7.15, Talk: Missions to the Belgian Congo. 7.30, Review of International Affairs. 8.0, Dance Music on Two Piano-fortes by Sylvain Hamy and René Sinclair. 8.30, *A Comédiant*—One-act Comedy (Deauville). 9.0, Concert by the Station Orchestra, conducted by P. Leemans: Overture, *Gli Orizzonti* (Cimarosa); Suite, Henry VIII (Foulds); Flute Solo: *Bubul* (Poljini); Dance sacrée et danse profane for Piano-forte and String Quartet (Debussy); Adagio for Clarinet and String Quintet (Wagner); Nocturne and Tarantella for Violin (Szymanowski); Second Hungarian Rhapsody (Liszt). 10.0, *Le Journal Parlé*. 10.10, Hot Jazz by André Arhe. 10.30, Concert by Paul Moreaux and His Orchestra, relayed from the Memline Hall, Antwerp. 12 Midnight (approx.), Close Down.

BRUSSELS (No. 2)

N.I.R., 338.2 metres; 15 kW. Programme in Flemish.—12 Noon, Concert by the Small Station Orchestra, conducted by P. Leemans; Soloists: M. Derissen (Cello) and M. Wigy (Violin): Overture, *Die schöne Galathée* (Suppé); Second Petite suite (de Micheli); Russian Dance, No. 4 (Bul-lérian); Elegy for Cello (Massenet); Selection from *Rienzi* (Wagner); Serenade for Violin (Drdla); Intermezzo (Macker); Foxtrot. Ein nettes kleines Fräulein (Sachs-Schwarz). 1.0 p.m., *Le Journal Parlé*. 1.10, Concert, relayed from the Grand Hotel, Antwerp; Conductor: André Felleman; Foxtrot Overture, Russian Rhapsody (Nussbaum); Cello Solo: Träumerei (Schumann); Rhythmic Foxtrot (Wolrecht); Romance for Violin (Svensen); Waltz, Reaching for the Moon (Berlin); Songs from *The Circus Princess* (Kálmán). 5.0, Concert by the Symphony Orchestra, conducted by Jean Kumps: Italian Symphony (Mendelssohn); Two Pieces (Gilson): (a) Humoresque, (b) Zabava; Eighteenth Century Suite (Goyens); Claironerie (Ducasse). 6.0, Reading. 6.15, Gramophone Concert *La Santa Espina* (Morera); Serenade (Toselli); Contemplation (Renié); Overture, *Nelochadnezar* (Verdi); *La nit de l'amor* (Morera); Notturno d'amore (Drigo); *La source* (Zabel); Gipsy Serenade (Borganov); Operetta Potpourri (arr. Misraiki); Ballet Music from *Faust* (Gounod). 7.15, Talk: The Origin of Signs and Signboards. 7.30, Agricultural

BARCELONA

RADIO-BARCELONA, Call EAJI, 348.8 metres; 8 kW.—6.0 p.m., Programme for Children, followed by Trio Concert and Transmission of Comic Pictures. 7.0, Request Gramophone Concert. 7.30, Exchange Quotations and Catalan Grammar Lesson. 8.0, Popular Music on Gramophone Records and News. 9.0, Chimes from the Cathedral, Weather, Exchange Quotations and Market Prices. 9.5, Concert by the Station Orchestra: Pasodoble, *El Dario* (Scintis); Serenade (Löhrl); Prelude to Act III of *The Master-singers* (Wagner); String Quartet *La oración del torero* (Turina); Overture, *Los-fan-tulle* (Mozart). 9.45, Roura Garriga recites his own Poems. 10.0, Concert by a Mandoline Orchestra, conducted by Felix de Santos Sebastian; Lied (Schumann); Minuet (Bocherini); *Leitner-Frühling* (Grieg); Selection from *Manon* (Massenet); Nolette (d'Am-brosio); Valencian Song (Serrano); *En el Oasis* (Martí); Andalusian Melodies (Lacena). 11.0, News, followed by Sextet Concert, relayed from the Grania Royal. 12 Midnight (approx.), Close Down.

BARI

269.8 metres; 20 kW.—7.0 p.m., Agricultural Notes, Tourist Report, and Announcements. 7.20, *Giornale Radio*, Sports Notes, and Weather. 7.30, Time and Announcements. 7.40, Relay of an Opera from the Teatro Petruzzelli. In the intervals, Talk, Announcements, and News.

BASLE.—See *Schweizerischer Landessender*.

BELGRADE

430.4 metres; 2.5 kW.—3.0 p.m., Orchestral Concert: Overture, *Die Fledermans* (Joh. Strauss); Selection from *Hohentanz* Walzer (Ascher); Selection from *Der Orlov* (Granichstaedten). 4.0, Yugoslavian Songs. 5.55, Time and Programme Announcements. 6.0, Wireless Talk. 6.30, Quartet (Schumann), by the Radio String Quartet. 7.10, A Radio Play. 7.40, *Madame Butterfly*—Opera (Puccini), on Gramophone Records. 9.40, News, Followed by Dance Music on Gramophone Records.

BERLIN

KONIGS WUSTERHAUSEN, 1,635 metres; 60 kW.—11.55 a.m., Nauen Time Signal. 12.35 p.m., News Bulletin. 1.0, Gramophone Concert of Operetta Music, relayed from *Berlin (Witzleben)*. 2.0, Programme for Children: Making Diaries. 2.30, Weather and Exchange. 2.45, Legends by Friedrich Schnack. 3.0, Talk on Social Service. 3.30, See *Hamburg*. 4.10, The Review of the Week. 5.0, Songs by Reger and Strauss, by Rita Weiss (Soprano). 5.30, Talk: Problems of the Art of Singing. 5.55, Weather and Announcements. 6.0, See *Frankfurt*. 7.0, See *Berlin (Witzleben)*. 9.0, Weather, News, and Sports Notes. 9.45, Weather Report for Shipping. 10.0, Gramophone Records of Schubert's Music, followed by Dance Music from *Berlin (Witzleben)*. 11.30 (approx.), Close Down.

BERLIN

WITZLEBEN, 419.5 metres; 1.5 kW.—3.5 p.m., Orchestral Concert, conducted by Bruno Seidler-Winkler: Overture, *Undine* (Lortzing); Ein Sonnettag (Reim); Two Melodies, Op. 53, for Strings (Grieg); Märkische Suite, Op. 92 (Kamm); Overture, *L'île de Tulipatan* (Offenbach); Selection from *The Tales of Hoffmann* (Offenbach); Overture, *The Gipsy Baron* (Joh. Strauss); Waltz *Morgenblätter* (Joh. Strauss); Persian March (Joh. Strauss). 5.0, One of Eighty Million. 5.15, Piano-forte Trio in C Minor, Op. 101 (Brahms). 5.45, Topical Talk. 5.55, The Witzleben Station informs its Listeners. . . . 6.0, A Reply to W. Michel's Address. 6.20, Suite from *Der Rosenkavalier* (R. Strauss). 6.40, An Address by W. Michel: Nobody knows where he is going. 7.0, Radio Revels—a Variety Programme by Soloists, Leo Bernmann's Orchestra, the Dietrich Schrammel Quartet and the Carl Weitschach Wind Instrument Orchestra. 9.0, Weather, News, and Sports Notes. 9.15 (approx.), Relay of the Bohémie Ball from the Studenthaus. 10.20, Dance Music from the Kaisersaal of the Zoo. 11.30 (approx.), Close Down.

BERNE.—See *Schweizerischer Landessender*.

BEROMUNSTER.—See *Schweizerischer Landessender*.

BODEN.—See *Stockholm*.

BODO.—See *Oslo*.

BORDEAUX-LAFAYETTE

304 metres; 13 kW.—7.30 p.m., Sports Notes. 7.40, Talk on Wireless. 7.55, Lottery Results. 8.0, English Lesson. 8.15, News Bulletin. 8.30, Popular Music on Gramophone Records. 9.0, Dramatic Programme, followed by Entertainments Guide.

BRATISLAVA

279 metres; 14 kW.—2.30 p.m., Concert of Dance Music by the Station Orchestra, conducted by J. Odchizel. 4.10, See *Prague*. 4.20, Light Music on Gramophone Records. 5.15, Band Concert of Folk Music. 5.45, Talk for Housewives. 6.0, See *Prague*. 6.35, See *Brno*. 7.30, Variety Concert by the Station Orchestra. Soloists: V. Strelcova (Soprano) and S. Ilzoa (Tenor). 9.0, See

and Gardening Notes. 8.0, Concert by the Symphony Orchestra, conducted by Jean Kumps; Soloists: Edmond Harvant (Violin) and Henriette Sala (Songs); Symphony (de Maleingrean); Concerto No. 3 for Violin and Orchestra. 8.45, Talk: How to become a Photographer. 9.0, Orchestral Concert (cont'd): Zohar (Breinta); Songs: (a) Im Frühling (Schubert), (b) Frühlingstraum (Schubert), (c) Zur Rosenzeit (Grieg), (d) Ein Traum (Grieg); In Memoriam (Jevreeze); Three Songs Rhapsody on Two Popular Flemish Themes (Absil). 10.0, *Le Journal Parlé*. 10.10, Dance Music from the St. Sauveur Palais de Danse. 11.30, Gramophone Concert of Popular Music. 12 Midnight (approx.), Close Down.

BUCHAREST

394 metres; 12 kW.—4.0 p.m., Concert of Light Music and Romanian Music by the Sibiceano Orchestra. 5.0, News and Time Signal. 5.10, Talk. 5.25, Concert by the Sibiceano Orchestra. 6.0, Talk on Romania: Her Industries. 6.40, Popular Music on Gramophone Records. 7.0, Time Signal. 7.1, Piano-forte Recital by Mme. Corkez Nezeesco: Harlequin's Entry (Rinaldi); In the Monastery (Borodin); Melody (A. Fos-sid); Two Sonatas (Searlatti); Prelude (Chopin); Glow-worms (Jean Philip). 7.30, Talk. 7.45, Choral Concert of Sacred Music and Popular Romanian Melodies. 8.25, Dance Music, relayed from the Grand Hotel. 9.0, News.

BUDAPEST

550 metres; 18.5 kW.—Programme also relayed on 840 metres from 6.40 till Close Down.—4.0 p.m., Concert by the Karl Rura Cigány Band. 4.50, A Visit to the Klubsberg Exhibition, followed by Concert conducted by Ernst Dolmányi. 6.10, *The Letter Box*. 6.40, A ven zember-Play (Csolt Barsanyi). 8.50, News and Weather. 9.0, Concert by the Sandor Parkas Cigány Band, from the Café Bodo. Soloist: Gyula Szantho (Hungarian Folk Song). 10.30, Dance Music from the Café Bodo with Gyula Szantho in his Repertoire. 12 Midnight, Close Down.

CASSEL.—See *Frankfurt*.

COPENHAGEN

281 metres; 0.75 kW.; and **KALUNDBERG**, 1,153 metres; 7.5 kW.—11.0 a.m., Time and Chimes from the Town Hall. 11.5, String Ensemble Concert, conducted by A. Bendix, relayed from the Wivek-Restaurant. 12 to 1.30, Interval. 1.30, Gramophone Concert. Amelia Galli-Curci: Catherine's Song from *The North Star* (Meyerbeer); Joseph Schmidt: Aria from *Manon* (Massenet); Franz Völkel: Selection from *Lilac* (Spanish) (Schubert-Berté); Jacques Thibaud: Spanish Dance (Granados-Thibaud); Sven Sandberg: Hvorfor (Lesso); Marta Geerth: Das Glück macht eine Frau so schön (May); Stuart Ross and Joe Sargent: Every Husband has a Wife, but the Iceman has his Pick (Pau); The Boswell Sisters: Two-step, Charlie (Car-michael). 2.0, Programme for Children. 2.30, Concert by the Radio Orchestra, conducted by Emil Reesen. Soloist: L. Vendusoe (Songs); March, *Berzaghire* (di Capua); Doctrinen-Walzer (E. Strauss); Selection from *Der Bettelstudent* (Milficker); Scandinavian Folk Music (Hartmann); Prelude, Renaissance (Lange-Müller); Songs: (a) O, Herr, jeg er meget traet (Melartin), (b) Gik du fra mig ud, (c) Silde den Arten, and (d) Højt op i Fjeldet og dybt ned i Dal (Lange-Müller), (e) Oz nu vil jeg syng en Vise engang, and (f) Du rækker mig henderne trygt og frit (Malling), (g) Ich sehe dich (Grieg); Overture, *Prociost* (Webt); Lyric Suite (Grieg); Tango (Albéniz); *Waltz, Golden Rain* (Walther); Overture, *La belle Hélène* (Offenbach). 4.40, Exchange and Fish Market Prices. 4.50, Talk: Houses and Rents in Copenhagen. 5.20, French Lesson for Beginners. 5.50, Weather Forecast. 6.0, News. 6.15, Time Signal. 6.30, Talk: Young People of To-day and Education. 7.0, Chimes from the Town Hall. 7.5, Sonata in C, Op. 39, for Violin and Piano-forte (J. P. E. Hartmann) by Leo Hansen and Polmer Jensen. 7.30, Reading, *The Black Cat* (Edgar Allan Poe). 7.45, Concert of Folk Song Music by the Radio Orchestra, conducted by Lanny Gröndahl. 8.10, Song Recital by Kai Allen. 8.30, Adana Concert. The Station Orchestra, conducted by Lanny Gröndahl. Overture, *The Nuremberg Doll*; Selection from *St Jétais Roi*; Overture, *The Brewer of Preston*. 9.0, Marimba Recital by Richard Strangrup. 9.15, News. 9.20, Orchestral Concert, conducted by Lanny Gröndahl. Overture, *Il Guarany* (Gomz); Waltz, *Pays age d'autonne* (Walther); *Furiant* (Makst); *The Grasshoppers* Dance (Bucloss); March, *Le Régiment de Samoret-Moise* (Turk); 10.0, Dance Music from the Ledberg Restaurant. In the interval at 11.0, Time and Chimes from the Town Hall. 11.15 (approx.), Close Down.

CORK.—See *Dublin*.

CRACOW

312.8 metres; 1.5 kW.—3.0 p.m., Popular Music on Gramophone Records. 3.40, Programme from *Warsaw*. In the interval at 4.55, Programme Announcements and News. 6.0, Miscellaneous Items and News. 6.15, Review of Foreign Politics during the last Week. 6.30, See *Warsaw*. 10.0, Concert from the Pavilion Restaurant. In the interval at 10.30 (approx.), News for Members of the

Polish Polar Expedition. 11.0, Bugle Call from the Tower of St. Mary's Church.

DANZIG.—See Heilsberg.
DRESDEN.—See Leipzig.

DUBLIN

Call 2RN, 413 metres; 1.2 kW., and CORK, 224.4 metres.—1.30 to 2.0 p.m., Time Signal, Weather Report, Stock Report and Light Music on Gramophone Records. 7.20, News Bulletin. 7.30, Time Signal. 7.31, Talk. 7.45, Gaelic Talk. 8.0, 'Cello and Song Recital by Joseph Schofield and Mary Maguire. 8.30, The Station Orchestra. 9.0, Baritone Solos by John Lynskey. 9.20, The Station Orchestra. 9.50, Soprano Solos by Mme. A. Hoffmann. 10.0, The Station Orchestra. 10.30, Time Signal, News, Weather Report and Close Down.

FECCAMP

223 metres; 10 kW.—6.0 to 7.0 p.m., Programme in English by the I.B.C. Announcer, Mr. C. Danvers Walker. 6.0, Concert. Orchestra: (a) Love sends a little Gift of Roses, (b) Sleeping Beauty Waltz (Tchaikovsky); Vocal Quartet: (a) O dry those Tears, (b) Silver Threads among the Gold; Orchestra: (a) Tierra Hispana, (b) Chinatown, my Chinatown; Vocal Quartet: (a) Swing low Sweet Chariot, (b) All Gods 'hillum got Wings; Orchestra: I'm crazy about my Baby; Selection from (a) The Belle of New York, (b) Veronique, (c) The Bohemian Girl, (d) Floradora. 11.0 till 'Close Down, Programme in English by the I.B.C. 11.0, Club Concert. Let's all dance the Polka; The Lady I love; How are you?; Love is the Sweetest Thing. 11.30, Concert. Orchestra: Selection from The Gondoliers; Song, Phil the Fluter's Ball; Orchestra: Barn Dance, Happy Danksies. Songs: (a) After the Ball, (b) Father O'Flynn; Orchestra: (a) Brooklyn Cakewalk, (b) Lazy Pete. 12 Midnight, Orchestral Concert. Colonel Bogey (Alford); The Rose Beetle goes a-woeing (Armandola); Wee MacGregor Patrol (Amers); Sicilianu Senetata (Schmatsch); The Whistler and his Dog (Pryor); Babes in Toyland (Herbert); The Warbler's Serenade; Reconciliation (Drigo). 12.30 a.m. (Sunday), Hawaiian Band: Alma (Bowers); Home (Steeden); Julien (Donata); Save the Last Dance for me (Hirsch); Makin' Wicky Wacky down in Waikiki (Hoffmann); Ay, ay, ay (Freire); Song of the Islands (King); Aloha He (Lilinalani). 1.0, Song and Pianoforte Recital. Pianoforte Solo: I found you (Noble); Songs: (a) Eleanor (Harley), (b) Never swat a Fly (de Sylva), (c) That Night in Venice (Nicholls); Pianoforte Solo: Let Love take care of you (Van Phyllyse); Songs: (a) I'm in the Market for you (McCarthy), (b) Sittin' on a Five Barred Gate (Hargreaves), (c) When I passed the old Church Door (Nicholls). 1.30, Vaudeville. Sketch, Peter Perkins in the Races; Songs: (a) Yodelling Love Song, (b) If you can't sing, whistle; Sketch: Doon the Clyde; Songs: (a) Lena, (b) They never go to Bed in China. 2.0, Dance Music. An Evening in Caroline; Now that you're gone; By the Sycamore Tree; Blues in my Heart; Now's the Time to fall in Love; Back again to Happy-go-Lucky Days; Only me knows why; Hot Coffee; Was that the Human Thing to do?; Good-night Vienna; She didn't say Yes; Five Minutes to Twelve; Snap your Fingers; Somebody loves you; Snuggled on your shoulder; Majah General Thing-a-me-hoh. 2.57, I.B.C. Good-night Melody. 3.0, Close Down.

FLENSBURG.—See Hamburg.

FLORENCE.—See Turin.

FRANKFURT

259 metres; 17 kW.; and CASSEL, 245.9 metres.—4.0 p.m., See Munich. 5.15, Economic Notes. 5.25, Talk: Air Defence as Self Defence. 5.45, Time, Programme Announcements, Weather and Economic Notes. 6.0, The Eiffel, a Volcanic Plateau in Prussia—a Radio Sequence. 7.0, See Berlin (Witzleben). 8.0, Time, News, Weather and Sports Notes. 9.20, See Stuttgart. 10.30, Dance Music, relayed from London. 12 midnight (approx.), Close Down.

FREDRIKSSTAD.—See Oslo.

FREIBURG.—See Stuttgart.

GENEVA.—See Radio-Suisse Romande.

GENOA.—See Turin.

GLEIWITZ.—See Breslau.

GOTEBORG.—See Stockholm.

GRAZ.—See Vienna.

HAMAR.—See Oslo.

HAMBURG

Call lia (in Morse), 372 metres; 1.5 kW. Relayd by Bremen, 269.8 metres; Flensburg, 227.4 metres; Hanover, 566 metres; and Kiel, 232.2 metres.—3.30 p.m., Concert of Operetta Music by the Philharmonic Orchestra. Conductor: Horst Platen. Overture, Die schöne Galathée (Suppé); Selection from The Gipsy Baron (Joh. Strauss); Kusswalzer (Joh. Strauss); Overture, Der Waldmeister (Joh. Strauss); Selection from The Dollar Princess (Fall); Waltz, Du und Du (Joh. Strauss). 4.30, Talk: Do Spectators promote Sport? 4.55, The Week's True Sea Story. 5.5 (from Kiel), Clarinet Concert. Ernst August Beetz (Clarinet) and

Hans Döring (Pianoforte). Fantastic Pieces for Clarinet and Pianoforte, Op. 43 (Gade); Adagio from the Quintet in B Minor, Op. 115 (Brahms). 5.25, Talk: The Economic Strength of Australia and how it was achieved. 5.50, Weather. 6.0, See Frankfurt. 7.0, See Berlin (Witzleben). 9.30, Time, Weather, Announcements, Sports Notes and Police Report. 9.50, Topical Talk. 10.0, Part Relay of the Press Ball in the Uhlenhorst Fährhaus. In the interval at 10.20, Ice Report.

HANOVER.—See Hamburg.

HEILSBERG

276.5 metres, 60 kW.; and DANZIG, 453.2 metres.—12.5 p.m., Popular Music on Gramophone Records. In the interval at 12.20, News. 1.30, Sponsored Programme with Gramophone Records. 2.0, Market Prices and Exchange Rates. 2.30 (from Danzig), Handwork for Children. 3.0, Concert by the Small Station Orchestra, conducted by Eugen Wilcken: Flieger-Marsch (Dostal); Overture to a Ballet (Lincke); Tom der Reimer (Loewe); Mattinata (Leoncavallo); Waltz, Winterstürme (Fueik); Suite, In a Fairy Realm (Ketybey); Selection from Tiedland (d'Albert); Rosenlieder (Eubenberg); Selection from Der Zigeunerprimas (Kálmán); Teutonen-Marsch (Lüling). In the interval at 4.0 (approx.), Book Review. 4.40, Reading. 5.0, Programme Announcements. 5.10, Programme Announcements in Esperanto. 5.15, Agricultural Prices. 5.20, Ice Report. 5.30, World Market Prices. 5.45, Talk on Wilhelm Konrad Röntgen on the Tenth Anniversary of his Death. 5.55, Weather Report. 6.0, See Frankfurt. 7.0 till 'Close Down, See Berlin (Witzleben). 11.30 (approx.), Close Down.

HILVERSUM

(Announced HUIZEN). 296.1 metres; 20 kW. (7 kW. up to 4.40 p.m.). Programme of the Catholic Radio Society (K.R.O.).—11.55 a.m., Sextet Concert: Pusztasagen (Naef); Overture, Fahrend Volk (Lenschner); Eine Sängerkunft nach Wien (Silving); The Whirlwind (Matte); Melody (Rubinstein); Gramophone Records; Sevilla (Alfonso); Selection from The Geisha (Jones); Tango (Kaper); Le réveil du papillon (Jakina); Kaveewe March (Maas). 1.25, Interval. 1.40, Programme for Young People. 2.10, Programme for Children. 3.40, Parsifal—Opera (Wagner), relayed from the Stadsschouwburg, Amsterdam. In the intervals at 5.40, News in Esperanto, Press Review, and Police Announcements; and at 7.40, News and Agricultural Talk. 9.55, Concert by the KRO Boys, with M. J. Mossel (Songs), and the Bossche Revellers: Herr Hauptmann, Herr Leutnant (Reisfeld); Die Dorfmusik (Frijberg); Susi, entzückende Susi (Weiss); Du bist mein beste Kamerad (Doelle); Melody from White Horse Inn; Weine nicht, Mütterlein; To-day I feel so happy; Bye, Bye, Blues; Flieger grüss mir die Sonne (Gray); Vibraphone Solo: Von Rosen ein Ringlein (Pfeuffer); March Potpourri (Ciere); Die goldene Spieluhr (Krome); Bei der Weissmann uie (Erwin); The Belle of Barcelona (Rayne); Fiesta; My Golden Baby; Der Onkel Bumba aus Columbia; Tap your Feet; Lasst Schlager sprechen; Malaga (Sentsis); Ich mocht' heiraten (Krauss); Wenn man sein Herz verliert (Stranky); Das Lied ist aus (Stolz).

HORBY.—See Stockholm.

HUIZEN

(Announced HILVERSUM). 1,875 metres; 8.5 kW.—Programme of the Workers' Radio Society (V.A.R.A.). 11.40 a.m., Orchestral Concert, conducted by P. Duchant: Morgenrod (de Nobel); Petite suite (Chaminade); Suite, La Feria (Lacôme); Waltz, Acceleration (Strauss); Interlude on Gramophone Records; Selection from Louise (Charpentier); Chanson triste (Tchaikovsky); Serenade (Padilla); Lament (Bortkiewicz); Socialist March (Gramm); Interlude on Gramophone Records; Vindobona (Leopold); Selection from The Mikado (Sullivan). 1.40 to 1.55 p.m., Interval. 1.55, Variety Music on Gramophone Records. 2.30, Talk. 2.50, Concert by the Fluireluters, conducted by Hugo de Groot; Songs by Leo Fuld. 3.30, Chamber Music. 4.10, Talk on Sport. 4.30, Concert by the Notenkrakers. 5.20, Literary Talk. 5.40, Variety Music on Gramophone Records. 6.40, Concert of Choral, Orchestral and Organ Music, with Addresses. 8.40, Orchestral Concert, conducted by Hugo de Groot. Soloists: M. Henri Wallig and Liddy Bergmann (Songs). 10.40, News Bulletin. 10.50, Announcements. 10.55, Gramophone Concert of Variety Music. 11.40 (approx.), Close Down.

INNSBRUCK.—See Vienna.

KALUNDBORG.—See Copenhagen.

KIEL.—See Hamburg.

KLAGENFURT.—See Vienna.

KOSICE.—See Prague.

LAHTI

1,796 metres; 60 kW.; and HELSINKI, 368.1 metres.—3.0 p.m., Variety Concert on

Gramophone Records. 4.0, Talk. 4.25, Song Recital. 4.50, Press Review in Finnish. 4.59, Time and Weather. 5.10, Press Review in Swedish. 5.15, Talk. 5.40, Orchestral Concert, conducted by Erkki Linko: Overture, Morning, Noon and Night (Suppé); Morgenblätter (Joh. Strauss); Cello Solo, Le Cygne (Saint-Saëns); Hungarian Dance No. 1 (Brahms). 6.5, A Radio Play. 6.35, Song Recital. 7.0, Orchestral Concert: Selection from The Black Orchid (d'Albert); Dance Suite (Mrazek); Intermezzo from Stimmungsbilder (R. Strauss); Minuet and Gavotte from Ein Tanzspiel (Schreker); Overture, The Ace of Hearts (Künneke). 7.45, News in Finnish. 8.0, News in Swedish. 8.15, Dance Music from the Grand Restaurant. 10.0 (approx.), Close Down.

LANGENBERG

473 metres; 60 kW.—12 Noon, Concert of Operetta Music, conducted by Wolf: Casanova March (Lincke); Waltz from Das verwunschene Schloss (Müllacker); Overture, The Gipsy Baron (Joh. Strauss); Selection from The Mikado (Sullivan); Three Melodies from The Cousin from Nowhere (Künneke); Selection from Katja the Dancer (Gilbert); Waltz from Die geschiedene Frau (Fall); Selection from Die Fäsechingsfee (Kálmán). 1.0 p.m. (in an interval), News Bulletin. 1.35, Week-end Concert on Gramophone Records. 2.0, Radio Report on the International Bob-Sleighting Championship for Pairs on the Zuckelfall Track (on Gramophone Records). 2.30, Exchange and Time Signal. 2.50, Fairy Tales for Children. 3.10, Talk: The German Language in Eastern Europe. 3.30, Reading in English. 4.0, Concert by the Beethoven Chamber Choir, conducted by Dr. K. E. Heinrich, with Franz Ludwig and Dr. Richard Gress (Pianoforte) and the Orchestra conducted by Wolf: Orchestral Prelude to Sein Lied (Stierlin); Choir: (a) Mutter unser (Volkmann), (b) Sei getreu (Gress); Three Pieces for Pianoforte (Gress); Music for Orchestra from Pole Poppenspieler (Stierlin); Two Songs for Choir (Ludwig): (a) Die Prinzessin Aulden, (b) Scheideleid; Suite for Pianoforte, Op. 8 (Ludwig); Choir: (a) Abendlied, (b) Sturmlied (Heinrich). 5.10, Talk for Women: The Amazons. 5.30, Talk: Nature and Chemistry. 5.50, Weather, Time, Exchange and Sports Notes. 6.0, Talk on Political Problems: The Borderland of Bessarabia. 6.20, Topical Talk. 6.30, Talk on Social Problems. 6.55, First General News. 7.0, Variety (concert in Aid of the Winter Relief Fund, relayed from the Stadthalle, Gimmersbach. 9.30, News and Sports Notes. 9.50, Serenade conducted by Wolf. 10.30, Gramophone Dance Music. 12 Midnight, Close Down.

LAUSANNE.—See Radio-Suisse Romande.

LEIPZIG

389.6 metres; 120 kW.; and DRESDEN, 319 metres.—12.15 p.m., Popular Music on Gramophone Records, followed by Exchange Quotations. 1.0, Wireless Notes. 1.25, Labour Market Report. 1.35, Programme for Children. 2.15, Chess Lesson. 2.45, Economic Notes. 3.0, Music Notes. 3.15 to 3.30, Interval. 3.30, Concert from Berlin (Witzleben). 5.0, Legal Talk. 5.30, Talk: Rudolf Hans Bartsch on his Sixtieth Birthday. 5.50, A Modern Dictionary. 6.0, Mandoline Concert: Einigkeit-Marsch (Blankenburg); Concert Waltz, Flowers from Trento (Sarteri); Mazurka (Brunetti); March (Schuppe). 6.30, Talk: Air Travel and Problems of the Future. 7.0, Concert by the Leipzig Symphony Orchestra, conducted by Hilmar Weber. Soloists: Irma Beilke (Soprano), Oskar Lassner (Bass) and Theodor Blumer (Pianoforte); Jubel-Ouverture (Weber); Cavatina from Don Pasquale (Donizetti); Overture, Romeo and Juliet (Bellini); O saneta justitia, from Czar and Carpenter (Lortzing); Mephisto Walzer (Liszt); Recitative and Polonaise from Mignon (Thomas); Rhapsody in Blue for Pianoforte and Jazz Orchestra (Gershwin); Galkulieder (Graener); Symphonie Dance Suite (Künneke). In an interval, Gramophone Report on the Sixth Day of the International Skiing Championship in Innsbruck. 9.5, News. 9.15 (approx.), Concert from Langenberg. 11.0 (approx.), Close Down.

LINZ.—See Vienna.

LJUBLJANA

574.7 metres; 2.5 kW.—5.30 p.m., English Lesson. 6.0, Talk on Sociology. 6.30, Talk on the History of Philosophy. 7.0, Light Music. 8.15, Quintet Concert. 9.0, Time, News, and Dance Music on Gramophone Records.

LYONS

LA DOUA, 465.8 metres; 1.5 kW.—7.30 p.m., Radio Gazette for Lyons and the South-east. 8.30, Popular Concert of Songs. In the interval, Talk on Paul Delmet. After the Concert, News Bulletin.

MADRID

ARANJUEZ (EAQ), 30.43 metres; 20 kW.—6.0 to 8.0 p.m., Programme for Listeners in Europe, the Canary Islands, Guinea and

America. 6.0 p.m., Concert of Popular Music. 7.15, Talk. 7.30, Dance Music. 8.0 to 10.30, Interval. 10.30, Variety Music. 10.45, Radio Chronicle. 11.0, Popular Concert. 11.35, Talk. 11.40, Light Music. 12 Midnight (approx.), Close Down.

MADRID

UNION RADIO, Call EAJ7, 424.3 metres; 2 kW.—7.0 p.m., Chines, Exchange Quotations, and Request Gramophone Concert. 7.30, Talk on Co-operative Societies, followed by Request Gramophone Concert (contd.). 8.15, News Bulletin. 8.30 to 9.0, Interval. 9.0, Linguaphone English Lesson. 9.30, Chimes and Time. 9.35 (approx.), A Musical Comedy. 11.45, News Bulletin. 12 Midnight, Chines and Close Down.

MALMO.—See Stockholm.

MILAN.—See Turin.

MORAVSKA-OSTRAVA

263.8 metres; 11 kW.—5.25 p.m., Balaor Song Recital by Stepanka Stepanova. 6.0, See Prague. 6.35, See Brno. 7.30, See Bratislava. 9.0, See Prague. 9.15, Variety Programme—Songs, Instrumental Solos, Dramatic Items and Music by the Station Orchestra. 10.30 (approx.), Close Down.

MOSCOW

TRADES UNION, 1,304 metres; 100 kW.—4.0 p.m., News. 4.10, Announcements. 4.30, Concert. 5.30, Concert of Light Music, or a Relay. 8.0, Talk in French: Lenin's View of the Doctrines of Marx. 8.55, Time. 9.5, Press Review.

MOTALA.—See Stockholm.

MUHLACKER.—See Stuttgart.

MUNICH

533 metres; 60 kW. Relayd by Augsburg and Kaiserslautern, 560 metres, and Nurnberg, 239 metres.—4.0 p.m., Concert, conducted by Erich Kloss: Overture, The Nurnberg Doll (Adam); Waltz Scene from Intermezzo (R. Strauss); Scenes from The Black Orchid (d'Albert); Delirien-Walzer (Jos. Strauss); Stolz Potpourri (Dostal); Negro Cradle Song (Gutscham); Waltz, Resignation (Schütze); Alsatian Peasant Scenes (Merklings). 5.15, Programme for Young People. 6.0, Wireless Hints. 6.15, Recital of Music by Hermann Zanke. The Composer (Flute) and Richard Staab (Pianoforte). Suite, Op. 7; Two Impressions, Op. 6a, Three Humoresques, Op. 8. 6.40, Talk on Wireless. 7.0, Alter schützt . . . Comedy (R. J. Kreuzt). 8.30, Concert by the Station Orchestra, conducted by Karl List; March, Furchtlos und treu (Fueik); Waltz, In lauslicher Nacht (Weber); Selection from Boccaccio (Suppé); Waltz, Amorettenlänze (Gungl); Selection from Der liebe Augustin (Fall); Weiber-marsch (Lehar); Overture, Orpheus in the Underworld (Offenbach). 9.20, Time, Weather, News and Sports Notes. 9.45, Serenade, conducted by Erich Kloss. 11.0 (approx.), Close Down.

NAPLES.—See Rome.

NOTODDEN.—See Oslo.

OSLO

1,083 metres; 60 kW. Relayd by Fredriksstad, 365.8 metres; Hamar, 574.7 metres; Notodden, 447.1 metres; Porsgrund, 453.2 metres, and Rjukan, 447.1 metres.—3.30 p.m., Variety Music on Gramophone Records. 4.15, Programme for Children. 5.15, National Songs by M. Gunnar Nygaard and Sacred Melodies by M. Henrik Gjellvik (Hardanger Fiddle). 5.45, Talk on Economics. 6.0, Announcements, Weather and News. 6.30, Talk: Marine Research. 7.0, Time Signal. 7.1, Variety Programme, relayed from Christiansand (235.5 metres); Talk, Music and a Play. 8.40, Weather and News. 9.0, Topical Talk. 9.15, Concert of Light Music by the Station Orchestra, conducted by Hugo Kramm. 10.0, Dance Music on Gramophone Records. 11.0 (approx.), Close Down.

OSTERSUND.—See Stockholm.

PALERMO

542 metres; 3 kW.—7.0 p.m., Announcements, Tourist Talk, Agricultural Notes and Giordano Radio. 7.20, Light Music on Gramophone Records. In the interval at 7.25, Sports Notes, and at 7.30, Time Signal and Announcements. 7.45, Frasquita—Operetta in Three Acts (Lehar). In the intervals: Book Review and Miscellaneous Announcements. 9.55, News Bulletin.

PARIS

EIFFEL TOWER, Call FLE, 1,445.7 metres; 13 kW. Time Signals on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and 6-dot Signals).—5.45 p.m., Le Journal Parlé. 7.20, Weather Forecast. 7.30, A Midsummer Night's Dream—Fairy Play (William Shakespeare), with Incidental Music by Mendelssohn. 9.0 (approx.), Close Down.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW.—6.45 p.m., Le Journal Parlé. 7.0, Popular Music on Gramophone Records. 7.30, Humour

FEB. 11th

SATURDAY

continued

ous Items by Lucien de Gerlor. 8.0, Talk: The Event of the Week. 8.5, Theatre Notes. 8.15, Interval. 8.30, Viola da Gamba Recital by Jean Schrickle. 9.10, Dance Music by the Sonora Orchestra, conducted by Fred Hoffmann. 11.0, Dance Music on Gramophone Records. 12 Midnight (approx.), Close Down.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW.—6.45 a.m., Physical Culture. 7.30, Weather and Physical Culture (contd.). 7.45, Probable Relay of the Test Match from Australia. 8.0, Press Review and Weather. 8.30, Test Match Relay (contd.). 9.0, Concert, conducted by Philippe Gaubert, relayed from the Old Conservatoire. Soloist: M. Francescatti (Violin). Symphony in C (Schubert); Concerto for Violin and Orchestra (Beethoven); Overture, Le Carnaval romain (Berlioz). 12 Noon, Concert by the Radio Paris Orchestra: Scenes montagnardes (Debussy); English Melodies (Rigo-Stratos); Plantation Melodies (Chambers); German Students' Songs (Mantfred); Songs of Italy (Lohr); Noel Pastoral (Aubert); Fourth Hungarian Dance (Brahms); Habanera (Chabrier); Danish Song (Cools); The Old Musical Box (de Séverac); Creole Legend (Chapelier); Barcarolle (Debussy); Song of the Volga Boatmen (Doyen); Sérénade Lointaine (Filipucci); Pupazzi (Schmitt); Air de Ballet (Fouadain); Noce villageoise (Gödar). In the intervals at 1.0 p.m., Exchange, News and Weather, and at 1.30, Exchange. 2.0, Exchange. 3.0, Programme for Children. 3.40, Parsifal—Opera (Wagner), relayed from the Municipal Theatre, Amsterdam. 5.40, Agricultural Talk. 6.25, Opera Relay (contd.). 7.40, News, Weather and Review by Rieux. 8.0, A Radio Journey to France, Switzerland, Italy, and Austria, conducted by René Dorin. 8.25, Opera Relay (contd.). 9.55, Press Review and News. 10.10, Gramophone Records: Symphonic Poem, Mazepa (Liszt); Mephistowalzer (Liszt).

PITTSBURGH

WESTINGHOUSE ELECTRIC (KDKA); 305 metres; 25 kW.—Relayed by W8XK on 48.85 metres and 25.27 metres.—9.0 p.m., Dance Masters, from New York. 9.30, Concert Favourites, from New York. 10.0, KDKA Orchestra. 10.30, Weather Report. 10.32, Behind the Law—Tales of the Pennsylvania State Police. 10.40, Little Orphan Annie, from New York. 11.0, Little German Band. 11.30, Time Signal. 11.31, Temperature Report. 11.32, Teaberry Sport Review. 11.37, Press News Reeler. 11.42, Strange Facts. 11.44, Weather Report. 11.45, A Recreo by Bill and Alex of the Downtown Y.M.C.A. 12 Midnight, Time Signal and Programme to be announced. 12.15 a.m. (Sunday), Atkinson string Ensemble. 12.30, KDKA Players. 1.0 to 4.0, New York Relay. 1.0, American Taxpayers League. 1.15, The Boston Symphony Orchestra. 3.15, Salon Singers. 3.30, Buccaneers. 3.45, Twenty-Fingers of Harmony. 4.0, Time Signal. 4.1, Teaberry Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.13, KDKA Artist Bulletin. 4.15, Press Last Minute News. 4.20, Messages to United Presbyterian Missionaries. 5.20, Messages to Dwellers Far North.

PORSGRUND.—See Oslo.

PRAGUE

488.6 metres; 120 kW.—3.10 p.m., Dance Music, relayed from Bratislava. 4.10, Talk on Economics. 4.20, Czech Lesson for Germans and German Lesson for Czechs. 4.50, Popular Music on Gramophone Records. 5.5, Agricultural Programme. 5.15, Talk for Workers. 5.25, News in German. 5.30, German Transmission: Reading by Max Brod from his New Novel. 6.0, News. 6.5, Talk on the Czech Language. 6.20, Reading. 6.35, See Brno. 7.30, See Bratislava. In the interval at 8.0, Time Signal. 9.0, Time, News, Press Review and Sports Notes. 9.15, See Moravská-Ostrava. 10.30 (approx.), Close Down.

RADIO-SUISSE ROMANDE

SOTTENS, 403 metres; 25 kW.; LAUSANNE, 680 metres; and GENEVA, 760 metres.—5.0 p.m. (from Geneva), Talk: Radiation. 5.30 (from Lausanne), Review of New Books. 6.0 (from Lausanne), Weather and News. 6.20 (from Geneva), Report on Works of the League of Nations. 6.50 (from Lausanne), Talk on Films. 7.0 (from Geneva), 'Cello Recital by Maurice Esenberg. 7.30 (from Geneva), Talk on the following Transmission. 7.35 (from Geneva), Symphony Concert by the Radio Orchestra, conducted by Fernand Closset; Soloist: André de Ribautpierre (Violin); Overture, King Stephen (Beethoven); Concerto in D for Violin and Orchestra (Brahms); Le festin de l'araignée (Roussel); Symphonie Suite, Paris (Debussy). In the interval at 8.15, News and Weather. 9.0 (from Geneva), Dance Music by the Broadcasting Serenaders, relayed from the Hotel des Bergues. 10.30 (approx.), Close Down.

RIGA

525 metres; 15 kW.—4.30 p.m., Organ Recital. Prelude in C (Bach); Wedding Procession from Lohengrin (Wagner); Prelude to Parsifal (Wagner); The Pilgrims' Chorus from Tannhäuser (Wagner); Choral. 5.0, French Lesson. 5.28, Weather Report. 5.30, Children of Fortune—Comedy (Janchevski), relayed from the National Theatre. In the intervals, News and Weather. 8.30, Dance Music. 10.0 (approx.), Close Down.

RJKUKAN.—See Oslo.

ROME

Call IRO, 441 metres; 50 kW.—Relayed by Naples, 319 metres, and 2RO, 254.80 metres.—7.0 a.m., Gymnastics. 7.15 to 7.30, Giornale Radio and Announcements. 11.30, Weather and Light Music on Gramophone Records. 12 Noon, Time and Announcements. 12.2 to 1.15 p.m., Orchestral Concert: In a Cradle of Dreams (Nicholls); Lousita (Barzizza); Strauss Potpourri (Morena); Desire (Mantfred); Urtimo Rajah (di Lazzaro); Do-Do (Morel); Mammela (Carducci); Bolero del Picador (Bellotti); On Lake Maggiore (Henker); Tabù (Kolko). In the interval from 12.30 to 12.45, Giornale Radio and Exchange. 3.45, Children's Radio Review and Talk for Young People. 4.0, Exchange, Announcements. Report of the Royal Geographical Society, and Giornale Radio. 4.15, Reading. 4.30 to 5.15, Orchestral Concert: Come un raggio di sole (Barzizza); Melody (Gilbert); Selection from André Chénier (Giordano); Pianoforte Solos: (a) Sevilla (Albeniz); (b) Epigrave (Castelnuovo); (c) Le Rossignol (Liszt); Serenata agli sposi (de Nardis); Niobe (Carducci). 6.0, Giornale Radio. 6.10 (Naples), Shipping and Sports Notes. 6.15, Atmospheric Signals, and Agricultural Notes. 7.0, Time, Announcements, and Light Music on Gramophone Records. 7.30, Sports Notes, Tourist Report, and Announcements. 7.45, Relay of an Opera. In the intervals: Talk, Announcements, and News.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY, WGY, 379 metres; 50 kW.—Relayed at intervals by W2XAF on 31.48 metres, and by W2XAD on 19.56 metres.—12.0 Midnight, Soloist, from New York. 12.15 a.m. (Sunday), Municipal Series. 12.30, Hotel New Yorker Orchestra, from New York. 12.45, The World To-day, by James G. McDonald, from New York. 1.0, Lady Fingers (Pianists). 1.15, Bernard Silberg (Cellist). 1.30 till Close Down, New York Relay. The Economic World To-day. 2.0, The Golden Thread. 2.30, Old-mobile Programme. 3.0, Lucky Strike Hour and Programme Resumé.

SCHWEIZERISCHER

LANDESENDER

BEROMUNSTER, 459 metres; 60 kW.; BASEL, 244.1 metres; and BERNE, 245.9 metres.—11.28 a.m., Time Signal from Neuchâtel Observatory. 11.30, Weather and News. 11.40, Winter Sports Notes. 11.45, Light Music on Gramophone Records. 12.35 p.m., Weather and Exchange. 12.45 (from Berne), Answers to Correspondence. 1.0 (from Berne), Radio Report: The Departure for Winter Sports. 1.20, Songs of the Highroad on Gramophone Records. 1.30 (from Berne), Review of New Books. 2.0 (from Berne), Famous Pianists—Reproductions of Pianoforte Etudes and Sonatas by Willy Girsberger, followed by Variety Music on Gramophone Records. 2.30 (from Berne), Animal Stories. 3.0 (from Berne), Accordion Concert. 3.30 (from Berne), Medical Talk. 3.40 (from Berne), Talk: The Position of the Domestic Servant. 4.0, Weather Forecast. 4.5 to 5.30, Interval. 5.30 (from Basle), Programme for Young People. 6.0 (from Zürich), Chimes from the Zürich Churches, followed by Weather and Market Prices. 6.15 (from Basle), Talk: Holidays in Morocco. 6.45 (from Basle), Introductory Talk to the following Transmission. 7.0 (from Basle), Symphony Concert by the Basle Music Society, conducted by Dr. Felix Weingartner; soloist: Erika Franseher (Soprano). 9.0, Weather and News. 9.10, Gramophone Dance Music. 10.0 (approx.), Close Down.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SASA; 436.5 metres; 55 kW.—Relayed by Boden, 1,229.5 metres; Göteborg, 322 metres; Hörby, 257 metres; Motala, 1,343 metres; Östersund, 770 metres; and Sundsvall, 542 metres.—3.0 p.m., Orchestral Concert: Overture, Berliner Luft (Lincke); Liebeslieder-walzer (J. Strauss); Mimet (Delmas); Vision d'amour (Wickmann); Selection from Tannhäuser (Wagner); Waltz, Intermezzo (Rusch); Potpourri, Ein Sangerfahrt nach Aia from Rigoletto (Verdi); Maoula

Wien (Silving). 4.5, Programme for Children. 4.30, Popular Music on Gramophone Records. 5.15, The Practical Corner. 5.30, Orchestral Concert of Old Dance Music. 6.15, Weather and News. 6.30, Dialogue. 6.45, Cabaret Programme. 7.15 (from Göteborg), Talk. 7.45, Light Music by Edith Lorand's Orchestra. 8.45, Weather and News. 9.0 (approx.), Part Relay of a Revue. 10.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW.—11.30 a.m., Concert of Classical Music, conducted by M. de Villars. 12.45 p.m., News. 1.0, Time and Exchange. Quotations. 1.5, Quintet Concert, relayed from Bordeaux-Lafayette. 1.50, Dance Music on Gramophone Records. 3.0 to 3.30, Interval. 3.30, Popular Concert, relayed from Lille (265.4 metres). 4.30, Talk on Music: Frédéric Chopin. 4.45, Legal Talk in German. 5.0, Pasdeloup Symphony Concert, relayed from the Théâtre des Clamps Ellysées, Paris. 7.0, Agricultural Talk. 7.15, Popular Music on Gramophone Records. 7.30, Time and News. 7.45, Light Music on Gramophone Records. 7.55, Lottery Results. 8.0, Alsatian Evening. 9.30, Concert relayed from the Café Moll, Mulhouse: Overture, La Dame Blanche (Bischoff); Waltz, Etincelles (Waldteufel); Sumatra Coolies (Jesst); Enlevés-moi (Gabrielle); Saxophone Solo: Selection from Mignon (Thomas); Minuet (Paderewski); Selection from Lakmé (Delibes); Woodwind Blue (Ketelberg); D'ane Prison (Hahn); The Student Passes by (Barnes). 11.0, Quintet Concert, relayed from Coloniale (Paris) (25.63 metres). Overture, Mireille (Gounod); Air (Bach); Selection from Carmen (Bizet); Chanson (Friml); Roses of Picardy (Haydn-Woods); Waltz, A toi (Waldteufel); Selection from Chouquette (Hahn). 12 Midnight (approx.), Close Down.

STUTTGART

MUHLACKER, 360.5 metres; 60 kW.; and FREIBURG, 570 metres.—11.20 a.m., Song Recital by Margarete Kramer (Contralto); Song Cycle, Trauer und Trost (Cornelius); (a) Trauer, (b) Angedenken, (c) Ein Ton, (d) An den Traum, (e) Treue, (f) Trost; Songs (Max Reger); (a) Das Dorf, Op. 97, (b) Ein Drängen, Op. 97. 11.50, Skiing Songs to the Lute by Heinz Eschwege; Der Winter ist kommen; Winterjodler; Warmung; Bindungslied; Skihupferl. 12.10 p.m., Gramophone Records: Waltz from The Dollar Princess (Fall); Selection from Countess Mariza (Kálmán); Waltz from Die Forstehristel (Jarno); Waltz from A Waltz Dream (O. Straus). 12.30, Concert from Langenberg. 1.30, Time, News, Weather, and Programme Announcements. 1.40, The Care of a City—Radio Pictures of Stuttgart, IV: A Grand Spring Cleaning. 2.30, Programme from Frankfurt. 3.30, Dance Music on Gramophone Records: Foxtrot, Good Evening (Evans); Foxtrot, Auf Wiedersehen, my dear (Hoffmann); Tango (Hajos and Karlick); Slow Foxtrot, Du wirst was für mich (Gilbert); Two Pieces (Perl); (a) Cowboy, (b) Foxtrot, Ducky; Love Waltz (Molloy); Waltz from Venus auf Erden (Lincke); Tango, So ein Mädel verzieht man nicht (Erwin and Gilbert); Tango, Signorina, ich liebe dich (Kaper). 4.0, See Munich. 5.15, Time and Sports Notes. 5.25, Talk: Modern Life Construction. 5.50, Time, News, Weather and Snow Report. 6.0, See Frankfurt. 7.0, See Berlin (Witzleben). 9.0, Time, News, Weather, Snow Report and Programme Announcements. 9.20, Dance Music on Gramophone Records. 10.30, Dance Music, relayed from London. 12.0 Midnight (approx.), Close Down.

SUNDEVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW.—6.0 p.m., News Bulletin. 6.15, Sound Film Music. 6.30, Ballet Egyptian (Luigini). 6.45, Popular Melodies. 7.0, Operetta Music. Selection from La Pass sur la Bouche (Vain) and (b) Le Vinet-huit Jours de Chaintte (Roger). 7.15, News, Racing Results and Market Prices. 7.25, Local News. 7.30, Accordion Solos. 7.45, Opera Music. Aria from La Traviata (Verdi); Air from Mignon (Thomas); Melody from Carmen (Bizet). 8.0, Concert of Light Music. 8.30, Operetta Airs, Melodies from (a) Rip Van Winkle (Planquette); (b) Tip Toes (Gershwin); and (c) Chouquette (Hahn). 8.45, Music by an Argentine Orchestra. 9.0, Extracts from The Pearl Fishers—Opera (Bizet), followed by Music by a Viennese Orchestra. 10.0, Violin Solos. Air from Les Millions d'Arlequin (Drigo); Hungarian Poem (Hubay); Invitation des petits Lampions (Puljakin). 10.15, North African News. 10.20, Concert for Listeners in Morocco: Marche des petits Pierrots (Bose); Selection from The Land of Smiles (Lehár); Air from Thais (Massenet); Selection from Yvande (Messager); Gibla's (Rusch); Potpourri, Ein Sangerfahrt nach Aia from Rigoletto (Verdi); Maoula

(Liberati). 11.0, Request Concert. 11.30, Programme in English by the I.B.C.: Dance Music: My Love Parade; A Little Kiss each Morning; Alone in the Rain; Go to bed; Out of the Blue; Maybe it's the Moon; Blaze away; Pardon me, Pretty Baby. 12 Midnight, Weather and Announcements. 12.5 a.m. (Sunday), Organ Solos. 12.15, Military Band Music. 12.30 (approx.), Close Down.

TRIESTE

247.7 metres; 10 kW.—4.10 to 6.30 p.m. See Turin. 6.30, Castelvovo-Tedesco Recital for Violin and Pianoforte by Muggia Gusberti and Enrico Martucci: Ritmi; Notturno adriatico; Capitan Fracassa. 7.0 till Close Down, See Turin.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW.—Relayed by Milan, 31.5 metres; Genoa, 312.8 metres; and Florence, 500.8 metres.—4.10 p.m., Dance Music from the Select Savoia. 5.0 to 5.25, Interval. 5.35, Giornale Radio, Lottery Results, Agricultural Report, and Dopolavoro Notes. 6.0, Giornale Radio. 6.10, Popular Music on Gramophone Records. 6.25, Tourist Talk. 6.30, Time, Announcements, and Variety Music on Gramophone Records. 7.0, Giornale Radio, Weather, and Light Music on Gramophone Records. 7.30, Talk: Events and Problems. 7.45, Variety Programme. 8.45, Review of New Books. 9.0, Dance Music. 10.0, Giornale Radio.

VATICAN CITY

19.84 metres (Morning) and 50.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Announcements in Different Languages. 7.0 to 7.15 p.m., Religious Information in Italian.

VIENNA

517 metres; 15 kW.—Relayed by Graz, 52.1 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 245.9 metres, and Salzburg, 218.5 metres.—4.10 p.m., Italian Lesson. 4.35, Concert by the Johann Wilhelm Gangleberger Orchestra. Soloists: Kurt Wilhelm Kron (Violin) and Hans and Lois (Vielliding). March, Tiroler Adler (Achleitner); Overture, Joan of Arc (Verdi); Violin Solo: Réverie (Vieuxtemps); Waltz, La belle saute (Lehar); Yodeling Songs: (a) Am der Alm, do is so lustig, (b) Es gibt ja nur a Zillertal allein; Potpourri, Eine Sangerfahrt nach Wien (Silving); Waltz, So tanzt man in Wien (Paus-perli); Yodeling Songs: (a) I bin a Steirerln, (b) Alpenkönig; Potpourri of Popular Songs (Borchert). 4.45, Talk on the Twentieth Anniversary of Franz Schmuhe's Death. 6.5, Topical Talk. 6.35, Time, Weather, Sports Notes and Programme Announcements. 6.45, Report on the International Skiing Championships at Innsbruck. 7.0, See Berlin (Witzleben). 9.0, News, Weather and Announcements. 9.15, Dance Music by the Charly Gaudriot Jazz Band, relayed from Hübners Parkhotel Schönbrunn. Soloist: Leo Greiner (Songs).

WARSAW

1,411 metres; 129 kW.—11.0 a.m., Light Music on Gramophone Records. 12.19 p.m., Weather Forecast. 12.15, Programme for Schools, relayed from Lwów (381 metres). 12.55 to 2.10, Interval. 2.10, Announcements. 2.15, Talk on Economics. 2.25, Talk on Military Affairs. 3.0, Popular Music on Gramophone Records. 3.40, Talk on Malaga. 4.0, Programme for Invalids, relayed from Lwów. 4.30, Announcements. 4.40, Topical Talk. 4.55, Programme Announcements. 5.0, Light Orchestral Concert, relayed from the Cristal Restaurant. In the interval: News. 6.0, Miscellaneous Items. 6.20, Agricultural Notes. 6.30, Topical Talk. 6.45, Radio Journal. 7.0, Concert of Light Music by the Station Orchestra, conducted by S. Naviot, and a Women's Choir, Overture, Pique Dame (Suppé); Barcarolle (Bullerini); Waltz, Galanterie (Leopold); Three Songs for Choir; Suite carnavalesque (Chabrier); Three Songs for Choir; Waltz, Etude polaire (Waldteufel); Potpourri, Major and Minor (Schreiner); Overture, Orpheus in the Underworld (Offenbach); Czardas from Der Geist des Wojewoden (Gresmann). In the interval: Sports Notes and Radio Journal. 9.5, Chopin Pianoforte Recital by J. Szumanski; Ballad in F Minor; Two Etudes: (a) in C, Op. 10, (b) in C Sharp Minor; Variations in B Flat, Op. 12; Scherzo in G Minor. 9.40, Reading. 9.55, Weather Forecast for Aviation and Police Notes. 10.0, Dance Music relayed from the Bodega. In the interval at 10.30 (approx.), News for Members of the Polish Polar Expedition. 11.0 (approx.), Close Down.

ZAGREB


307 metres; 0.75 kW.—4.0 to 5.30 p.m., Popular Music on Gramophone Records. 6.40, Announcements. 7.0, Concert of Light Music by the Radio Orchestra. Soloists: Milla Popovic-Mosinger (Soprano) and Milan Supec (Tenor). 9.0, News, Weather and Snow Report. 9.15, Dance Music, relayed from the Esplanade Hotel. 10.30 (approx.), Close Down.

ZURICH.—See Schweizerischer Landessender.

Printed for the Publishers, LITTLE & SONS LTD., Dorset House, Tudor Street, London, E.C.4, by The Cornwall Press Ltd., Paris Garden, Stamford Street, London, S.E.1.

UNITED STATES—The International News Co., 131, Varick Street, New York. FRANCE—W. H. Smith & Son, 243, Rue Rivoli, Paris; Hachette et Cie., Rue Réaumur, Paris. BELGIUM—W. H. Smith & Son, 71-75, Boulevard Adolphe Max, Brussels. INDIA—A. H. Wheeler & Co., Bombay; Alibhai and Co., Calcutta. SOUTH AFRICA—Central News Agency, Ltd. AUSTRALIA—Gordon & Gotch, Ltd., Melbourne (Victoria), Sydney (N.S.W.), Brisbane (Queensland), Adelaide (S.A.), Perth (W.A.), and Lancaster (Tasmania). CANADA—The American News Co., Ltd., Toronto, Winnipeg, Vancouver, Montreal, Ottawa, St. John, Halifax, Hamilton; Gordon & Gotch, Ltd., Toronto; Imperial News Co., Toronto, Montreal, Winnipeg, Vancouver, Victoria. NEW ZEALAND—Gordon & Gotch, Ltd., Wellington, Auckland, Christchurch and Dunedin.

DON'T TRUST




TO LUCK

when buying your new A.C. Mains Receiver, specify a Westinghouse Metal Rectifier, and cut out all risk of breakdown of the high tension supply.

Remember other types of rectifier definitely have a limited life. Like a high tension battery, deterioration commences the moment they are put into service; and their life depends to a great extent on luck.

A Westinghouse Metal Rectifier is the only rectifier of a definitely permanent character; and, by incorporating it in your A.C. Mains Set, you can rely on a constant and uninterrupted high tension supply as long as the set itself is in use.



WESTINGHOUSE METAL RECTIFIERS

THE WESTINGHOUSE BRAKE & SAXBY SIGNAL CO. LTD., 82, York Road, King's Cross, London, N.1.



Consummate Craftsmanship


IF one accepts the dictum "the excellence of every Art consists in the complete accomplishment of its purpose," then is the R.G.D. Radio Gramophone not only an example of consummate craftsmanship, but also a work of Art.

Designed and produced for the perfect and uninterrupted reception of radio broadcast and for gramophone reproduction, it completely accomplishes the purpose for which it was created.

Every component fulfils its purpose; nothing superfluous is included, nor is one single essential lacking.

From the smallest accessory to the twin balanced loud speakers; from the dimensions of the cabinet to the selection of its materials, each contributes to the ultimate—perfect reception and reproduction.

Thus is the R.G.D. not only a thing of beauty, but also a musical instrument of the highest quality; the instrument you must eventually possess.



CHASSIS, Model 801 9 valve SUPERSONIC, having 9 tuned circuits as follows:—Band pass, aerial and oscillator ganged to tuning control and 6 tuned circuits on the Band pass intermediate frequency transformers. Band passing at all points in the intermediate Radio frequency channel ensures retention of the higher frequencies whilst maintaining the required selectivity. The first detector is an S.G. valve giving adequate amplification before changing the frequency which is done by means of separate oscillator valve. Second channel interference is eliminated by Band pass aerial tuning. The intermediate frequency is amplified by 2 Variable Mu, followed by a power grid detector. A 10-watt push-pull output stage is fitted.

MODEL 901 has a 9 valve chassis with 9 tuned circuits and tuning is by a single illuminated dial. Fitted with two balanced speakers thus ensuring amazing fidelity of reproduction. Volume control is effective on both radio and gramophone. A tone control is also fitted.

IN OAK - 80 GUINEAS.

MODEL 701 is a 7 valve superheterodyne, with 7 tuned circuits. Tuning is by a single illuminated dial. This model provides a selectivity and quality of reproduction to satisfy every requirement, but is produced at a somewhat lower price than the Model 901.

IN WALNUT - 48 GUINEAS.

Also available with Automatic Record Changer.

R.G.D.

gives perfect performance

**RADIO GRAMOPHONE DEVELOPMENT CO., LTD.,
17-20, FREDERICK ST., BIRMINGHAM.**

Manchester: 17, Bridge Street.

London: 40, Doughty Street, W.C.1

The Wireless World

4^D

THE PRACTICAL RADIO JOURNAL

with

Complete Foreign Programmes

Friday, February 10th, 1933.

1 buys a year's H.T.

FKCO
POWER SUPPLY UNITS

Write for full details to
E. K. COLL, LTD.,
Dept. W., Fkco Works,
Southend-on-Sea.

REGULARLY "SPECIFIED"!

BAT
RESISTORS

Type R-1:
NOM. RATING, 1-WATT

LYONS' "B.A.T." (Best-After-Test) FIXED RESISTANCES are obtainable promptly from all good dealers in over 200 stock values from 100 Ohms to 20 Megohms, and in nominal power ratings of 1/2, 1, 2, 3 and 5-Watts.

OUR NEW 48-PAGE ART CATALOGUE contains full information. Moderately priced at 10^d. per Watt (1/2 or 10^d), or hand-tested to 5% at 1/- per Watt. Guaranteed noiseless, permanent and indestructible. Will withstand severe overloads. RMA Colour-Coded. Standard Wire-ends, etc., etc.

In cases of difficulty, write:
CLAUDE LYONS, LIMITED,
76, OLDHALL STREET, LIVERPOOL.
40, BUCKINGHAM GATE, LONDON, S.W.1.

R & A

The "VICTOR."
A leader among P.M. Moving Coil Reproducers, giving as it does reproduction of speech and music as closely resembling the original performance as is possible in the present stage of loud speaker development. Perfectly even response throughout the complete musical scale. Complete with 6-ratio Ferranti Transformer. 70 -.

PRICES FROM
15 - to 70 -.

Write us for descriptive leaflet and ask your dealer to demonstrate.

REPRODUCERS
REPRODUCERS & AMPLIFIERS LTD.
WOLVERHAMPTON.

TELSEN SCREENED TUNING COILS

SUITABLE as aerial coils, or as anode coils, following a S.G. valve, giving selectivity comparable with a well-designed band-pass filter.


Single Screened 8/6
Coil
Twin Matched Coils..... 17 -
Triple Matched Coils..... 25 6

Supplied complete with bakelite knobs, screw-on plate finished in oxidized silver and full instructions for mounting.

TELSEN
RADIO COMPONENTS

TELSEN RADIO COMPONENTS ARE 100% BRITISH

Announcement of the TELSEN ELECTRIC Co. Ltd., Aston, BIRMINGHAM



A8 SUPER-HETERODYNE RECEIVER

Nine valves, including main rectifying valve. Automatic volume control, using double diode valve. This eliminates to a great extent fading on distant stations, and forms a necessary control of volume when receiving the local stations. Manual volume control also fitted. This controls both radio and gramophone record reproduction. Single dial tuning. Scale illuminated and calibrated in wavelengths.

One main switch used for switching on set, changing from medium to long waves and putting gramophone jack in circuit. Moving Coil Speaker; undistorted power output approximately 2 watts. Walnut Cabinet. **£24**

Send a postcard for leaflet giving full particulars of Murphy sets.

- 4-VALVE BATTERY OPERATED - £12 - 10
- 3-VALVE ALL ELECTRIC, with Pedestal - £15 - 5
- 3-VALVE ALL ELECTRIC, without Pedestal - £13 - 10

★ All Murphy sets are obtainable on Hire Purchase Terms.

“Why a Superheterodyne?”

I THINK it may be useful if I try to give shortly an answer to this question, which I know is often asked. The A8 was designed as a superheterodyne, as it was considered that in this case such a circuit would give a more economical and more consistent answer than a straight H.F.


It is very necessary, however, to keep in mind in comparing the merits of superheterodyne and straight H.F. circuits, that as regards selectivity, quality of reproduction, ease of control, etc., they are both capable of giving precisely the same results. The propaganda which suggests that a superhet has some great inherent advantage, and that any set is out of date if it is not a superhet, is utterly false. The choice is essentially decided by manufacturing conditions and costs, and it is quite impossible for anyone to say that a superhet is better than a straight H.F. or vice versa. One thing is quite certain; namely, that a ‘cheap’ superhet can be very much more unpleasant than a ‘cheap’ straight H.F. Numbers of people, for instance have learnt to their cost that superhets are often very noisy. A superhet can be every bit as quiet as a straight H.F.”

This paragraph is taken from the A8 booklet which deals with Amplification, Ease of Control, Quality of Reproduction, Selectivity, and the various problems which face a manufacturer in designing a set of the A8 type. If you would like a free copy to read, any Murphy dealer will be pleased to give you one.

Frank Murphy
 B.Sc., A.M.I.E.E., A.I.Rad.E.
 Chartered Elect. Engineer.

MURPHY RADIO

MURPHY RADIO LTD., WELWYN GARDEN CITY, HERTS. Telephone: WELWYN GARDEN 800.



**BROADCASTING STATIONS
ARRANGED IN ORDER
OF WAVELENGTH**

**TIMES AND DETAILS OF
FULL WEEK'S FOREIGN
TRANSMISSIONS**

Metres.	Kc.	kW.	Station.	Tuning Positions.	Metres.	Kc.	kW.	Station.	Tuning Positions.
1935	155	7	Kaunas (Kovno) (Lithuania)		453.2	662	10	Odessa, RV13 (Russia)	
1875	160	8.5	Hilversum (Holland)		447.1	671		Paris, Ecole Supérieure, PTT (7.0 kW.); Rjukan (0.15 kW.), Notodden (0.08 kW.) (Norway) (relays Oslo).	
1796	167	40	Lahti (Finland)						
1725	174	75	Radio Paris, C.F.R.						
1635	183.5	60	Zeesen (Königswusterhausen) (Germany). (S.-W. Stn. D.J.A. on 31.38 m.)		441.2	680	50	Rome, IRO. (S.-W. Station, 2RO on 25.4 m.)	
					435.4	689	55	Stockholm, SASA (Sweden)	
1554.4	193	30	Daventry National		430	698	2.5	Belgrade (Yugoslavia)	
1538	195	7	Ankara (Angora) (Turkey)		424.3	707	2	Madrid, EAJ7 (Union Radio). (After 7.0 p.m.)	
1481	202.5	100	Moscow, RV1 (Old Komintern) (Russia)		424.3	707	100	Moscow, Imini Stalina (Russia)	
1446	207.5	13	Eiffel Tower, F.L. Paris		419.5	715	1.5	Berlin, No. 1, Witzleben (Germany)	
1412	212.5	120	Warsaw 1 (Poland)		416.4	720.5	5	Rabat (Morocco)	
1380	217.5	100	Novosibirsk, RV6 (Russia)		413	725	1.2	Dublin (Irish Free State)	
1348	222.5	30	Motala (Sweden). (Relays Stockholm)		413	725	80	Athlone (Irish Free State) (Testing after 10.30 p.m.)	
1304	230	100	Moscow, WZSPS (Trade Union) (Russia)						
1275	235	0.5	Tunis-Kasbah (Tunisia)		408.7	734	16	Katowitz (Poland)	
1230	244	0.6	Boden (Sweden). (Relays Stockholm)		403.8	743	25	Sottens (Radio Suisse Romande) (Switzerland)	
1200	250	5	Stamboul (Turkey)		398.9	752	25	Midland Regional	
1200	250	21	Reykjavik (Iceland)		394.2	761	12	Bucharest (Roumania)	
1170	256	25	Tashkent, RV11 (Russia)		389.6	770	120	Leipzig (Germany)	
1154	260	7.5	Kalundborg (Denmark). (Relays Copenhagen)		389.6	770	10	Archangel, RV36 (Russia)	
1117	268.5	40	Moscow, Popoff RV58 (Russia)		385.1	779	8	Toulouse (Radiophonie du Midi) (France)	
1083	277	60	Oslo (Norway)		385.1	779	10	Stalino, RV26 (Russia)	
1071	280	35	Tiflis, RV7 (Russia)		381	788	16	Lwow (Lemberg) (Poland)	
1035	290	36	Kiev, RV9 (Russia)		376.4	797	50	Scottish Regional (Palkirk)	
1000	300	100	Moscow (Germany)		372.2	806	1.5	Hamburg (Germany)	
938	320	20	Kharkov, RV4 (Russia)		370.1	810.5	0.8	Radio, L.L. Paris	
857	350	100	Leningrad (Russia)		368.1	815		Seville, EAJ5 (Union Radio) (1.0 kW.) (Spain); Bolzano (1.9 kW.) (Italy); Hel- sinki (10 kW.) (Finland) (relays Lahti); Kharkov, RV29 (10 kW.) (Russia).	
840	357	18.5	Budapest (Hungary)						
825	363.6	50	Sverdlovsk, RV5 (Russia)		367.6	816	0.7	Fredriksstad (Norway). (Relays Oslo)	
770	389	0.6	Ostersund (Sweden). (Relays Stockholm)		364.1	824	1	Bergen (Norway)	
760	395	1.3	Geneva (Switzerland). (Relays Sottens)		363.6	825	13	Algiers (Algeria)	
720	416.6	20	Moscow, RV2 (Experimental) (Russia)		360.6	832	60	Mühlacker (Stuttgart) (Germany)	
690	434.6	1.5	Oulu (Uleaborg) (Finland)		355.9	843	50	London Regional (Brookmans Park)	
680	441.2	0.6	Lausanne (Switzerland). (Relays Sottens)		352.1	852	7	Graz (Austria). (Relays Vienna)	
574.7	522	2.5	Ljubljana (Yugoslavia)		348.8	860	7.6	Barcelona, EAJ1 (Spain)	
569	527	0.25	Freiburg-im-Breisgau (Germany). (Relay Stn.)		348.8	860	10	Leningrad, RV70 (Russia)	
568.1	528	2	Grenoble (France)		345.2	869	11.5	Strasbourg, PTT (France)	
566	530	0.25	Hanover (Germany). (Relays Hamburg)		341.7	878	35	Brno (Brunn) (Czechoslovakia)	
563	533	16	Wilno (Poland). (Relay Station)		338.2	887	15	Brussels II, Velthem (Belgium). (In Flemish)	
560	536	0.25	Augsburg (Germany). (Relays Munich)		335	896	5	Cadiz (Spain)	
560	536	0.7	Hamar (Norway). (Relays Oslo)		334.4	897	1.9	Poznan (Poland)	
560	536	1.5	Kaiserslautern (Germany). (Relays Munich)		331.5	905	50	Milan (Italy). (Relays Turin)	
558.6	537	1	Tampere (Finland). (Relays Helsinki)		328.2	914	60	Poste Parisien (France)	
550	545	18.5	Budapest No. 1 Lakihegy (Hungary)		325	923	60	Breslau (Germany)	
542	554	3	Palermo (Italy)		321.9	932	10	Göteborg (Sweden). (Relays Stockholm)	
542	554	10	Sundsvall (Sweden). (Relays Stockholm)		318.8	941	0.25	Dresden (Germany). (Relays Leipzig)	
533	563	60	Munich (Germany)		318.8	941	1.5	Naples, INA (Italy). (Relays Rome)	
525	571	15	Riga (Latvia)		315.8	950	1.6	Marseilles, PTT (France)	
517	580	15	Vienna (Rosenhügel) (Austria)		312.8	959	1.7	Cracow (Poland)	
509	589	15	Brussels No. 1, Velthem (Belgium). (In French)		312.8	959		Genoa, IGE (Italy). (Relays Turin)	
500.8	599	20	Florence, IPI (Italy). (Relays Turin)		309.9	968	1	Cardiff	
495.8	605	1.2	Trondheim (Norway)		307	977	0.7	Radio Vitus (Paris). (S.-W. Stn. on 43.75 m.)	
488.6	614	120	Prague, No. 1 (Czechoslovakia)		304	986	13	Bordeaux Lafayette, PTT (France)	
480	625	50	North Regional (Manchester)		301.5	995	50	North National (Manchester)	
472.4	635	60	Langenberg (Germany)		298.8	1004	11	Tallinn (Estonia)	
467	642	0.4	Aalesund (Norway)		296.1	1013	20	Huizen (Holland). (After 4.40 p.m.) (Exchanges wavelengths with Hilversum every three months.)	
465.8	644	1.5	Lyons la Doua, PTT (France)						
459.4	653	60	Beromünster (Schweizerischer Landessender) (Switzerland).		293.5	1022	0.7	Limoges, PTT (France)	
453.2	662		Sau Sebastian, EAJ8 (0.6 kW.); Pori (1.0 kW.) (Finland); Danzig (0.5 kW.) (relays Heilsberg); Klagenfurt (0.5 kW.) (Austria) (relays Vienna); Porsgrund (0.7 kW.) (relays Oslo); Tronsö (0.1 kW.), Bodö (0.5 kW.) (Norway); Upsala (0.15 kW.) (Sweden) (relays Stockholm).		293.5	1022	2.6	Kosice (Czechoslovakia)	
					291	1031	10	Vipuri (Viborg) (Finland). (Relays Helsinki)	
					288.3	1040	50	Scottish National (Palkirk)	
					288.3	1040	—	British Relays (Bournemouth, Plymouth)	

BROADCASTING STATIONS ABROAD (In Order of Wavelength).

Table with columns: Metres, Kc, kW, Station, Tuning Positions, Metres, Kc, kW, Station, Tuning Positions. Lists various international broadcasting stations and their technical specifications.

PRINCIPAL SHORT-WAVE STATIONS.

(N.B.—Times of Transmission, given in parentheses, are approximate only and represent G.M.T.)

Table with columns: Metres, Kc, Call Sign, Station, Tuning Positions, Metres, Kc, Call Sign, Station, Tuning Positions. Lists principal short-wave stations with call signs and transmission times.

FOREIGN SUNDAY PROGRAMMES

FEBRUARY THE TWELFTH

PRINCIPAL EVENTS OF THE DAY:

ATHLONE
413 metres; 60 kW.; and **CORK**, 224.4 metres. 8.20 p.m., Time Signal. 8.31, Vocal and Instrumental Concert. 11.0, Time Signal, News, Weather Report and Close Down.

BARCELONA
RADIO-BARCELONA, Call EAJ1, 348.8 metres; 8 kW.—11.0 a.m., Chimes from the Cathedral and Weather Forecast. 1.0 p.m., Popular Music on Gramophone Records. In an interval at 1.30, Theatre Notes. 2.0, Film Review, followed by Concert by the Station Sextet. 3.0, Programme for Hospitals and other Benevolent Institutions. 4.0 to 5.0, Interval. 5.0, An Opera relayed from the Gran Teatro del Liceo. In the interval, Agricultural Talk in Catalan. 9.0, A Musical Comedy on Gramophone Records. 10.45, Chess Lesson. 11.0 (approx.), Close Down.

BASLE.—See Schweizerischer Landessender.

BERLIN
KONIGS WUSTERHAUSEN, 1,635 metres; 60 kW.—10.30 a.m., See Leipzig. 11.55, Nansen Time Signal. 12.5 p.m., See Hamburg. 1.0, Talk for Parents. 1.30, Talk: Art Treasures and Art Centres of the Nation. The Work of Andreas Schlüter. 2.0, See Vienna. 2.25, Contemporary Music for Children—Was sollen wir werden?—Oratorio (Hans Grossmann). 3.10, Programme from Berlin (Witzleben). 3.50, Talk: The Administrative Official. 4.15, Lyrics by Hermann Bunte. 4.30, Talk: Versailles—Discussion on the Frontiers of the East Mark. 4.55, Trio in B Flat, op. 39 (Schubert). 5.35, Talk on Winter Relief. 6.0, Talk: The Young Generation—The Position with regard to Parents. 6.45, See Vienna. 7.0, See Munich. 9.0, Weather, News and Sports Notes. 9.45, Weather Report for Shipping. 10.0, Dance Music from Berlin (Witzleben). 11.0 (approx.), Close Down.

BERLIN
WITZLEBEN, 419.5 metres; 1.5 kW.—10.50 a.m., See Leipzig. 12.5 p.m., See Hamburg. 1.0, Discussion with Gramophone Records: Is your child frightened of the Begg Man? 1.30, Two Winter Sports Reports. 2.0, Programme for Children. 2.30, Songs and Instrumental Solos on Gramophone Records. 3.10, Celebrations for the Anniversary of the Coronation of Pope Pius XI, relayed from the Philharmonic; Catholic Male Voice Choirs, conducted by Theodor Jacob; Organ Prelude and Papal Anthem for Trombones; Hymn for Male Voice Choir; Wind Instruments, Kettledrums and Organ; Aeternae rei (Kromolicki); Address by Dr. Klansener, President of the Berlin Catholic Action. Address by His Eminence the Papal Nuncio, Mgr. Cesare Orsenigo; Motet for Male Voice Choir and Organ, Op. 137, Tu es Petrus (Mittlerer). 3.50, Trio Concert: Alfredo Casella (Pianoforte), Alberto Pollinieri (Violino) and Arturo Bonucci (Cello); Trio Sonata in B Flat (Schubert); Pianoforte Trio in D Op. 70, No. 1 (Beethoven). 4.30, The Burden of Free Time—A Talk with Leaders of Unemployed Youth. 5.0, Gossip of Old Berlin—Programme arranged by E. Lawrence. 5.55, The Witches' Sabbath of the Films—a Report by Dr. Künmerlin. 6.15, Concert, relayed from the Café Corso. 6.40, Sports Notes. 7.0, See Munich. 7.45, Choral Concert, relayed from the Beethoven Hall. 8.15, Wagner Concert: The Station Orchestra, conducted by Eugen Joachim; Soloists: Emma Leisner (Contralto); Songs: (a) Der Engel, (b) Stehe still, (c) Im Treibhaus, (d) Schmerz, (e) Träume; Siegfried Idyll. 9.0, Weather, News, and Sports Notes. 9.15 (approx.), Relay of Dance Music from the Technical College Ball in the Marmorsaal of the Zoo. 11.0 (approx.), Close Down.

BERNE.—See Schweizerischer Landessender.

BEROMUNSTER.—See Schweizerischer Landessender.

BODEN.—See Stockholm.

BODO.—See Oslo.

BORDEAUX-LAFAYETTE
304 metres; 13 kW.—8.0 a.m., Review of the Paris Morning Press, relayed from Paris (Ecole Supérieure) (447.1 metres). 12 Noon, Concert, relayed from Paris (Ecole Supérieure). 2.0 p.m., Relay from Paris, or Relay of a Local Festival. 3.0, Concert by the Conservative Concert Society, relayed from Paris. 7.0, Radio Journal. 7.10, Sports Notes. 7.25, Programme for Ex-Servicemen. 7.40, Lottery Results. 7.45, Light Music on Gramophone Records. 8.15, Le Pardon de Bloemel—Opera in Three Acts (Meyerbeer), relayed from the Grand Théâtre.

BRATISLAVA
279 metres; 11 kW.—3.0 p.m., Concert by the Station Orchestra, conducted by F. Dyk. 4.30, Talk. 4.45, Concert of Light Music, relayed from the Museum Café. 5.45, Talk, relayed from Kosice. 293 metres.

NATIONAL Gramophone records (operatic duets). Rev. Canon S. C. Carpenter: "The Future Life." Military Band programme. Song recital. Welsh service. Service from St. Martin-in-the-Fields. Orchestral concert.

LONDON REGIONAL Instrumental concert. "The Story of the Cyclops," read by Robert Farquharson. Sunday orchestral concert.

MIDLAND REGIONAL Vocal and instrumental concert.

NORTH REGIONAL Ballet music and songs. London Regional programme.

WEST REGIONAL Welsh service from Caernarvon. Carolare No. 8. Orchestral concert.

SCOTTISH REGIONAL Orchestral concert. National and London Regional programmes.

BELFAST National and London Regional programmes.

ABROAD

BRUSSELS (No. 2) Rimsky-Korsakov concert, by the Symphony Orchestra.

HAMBURG Brahms-Schubert concert, by the Philharmonic Orchestra, conducted by R. Richter.

LANGENBERG Opera: "Lohengrin," 2nd Act.

LEIPZIG Wagner concert from Munich.

PRAGUE Wagner concert, by the Czech Philharmonic Orchestra, and the Hlahol Choral Society.

TOULOUSE Opera music, selections.

VIENNA Wagner Commemorative Programme from Beyreuth.

WARSAW Concert of Opera Music, by the Station Orchestra.

6.0 (ill Close Down. See Prague. 10.0 (approx.), Close Down.

BREMEN.—See Hamburg.

BRESLAU
325 metres; 60 kW.; and **GLEIWITZ**, 253 metres.—11.0 a.m., See Leipzig. 12.5 p.m., Orchestral Concert, relayed from the Deutsche Haus. 1.0, Relay of the Double Bobsleigh Championship from Schreiberhau. 2.0, Report on the International Ski Championships at Innsbruck, followed by Military Band Concert. In an interval, Report on the Ski Jumping Competition at Berg Isel. 3.10, See Berlin (Witzleben). 3.50, Programme for Children. 4.20, Orchestral Concert of Light Music. 5.10, Der deutsche Rhein (Hugo Kaun). Concert by the Görtz Glee Society, relayed from the Town Hall, Görtz. 6.15, Talk: The Disarmament Controversy in 1932. 6.35, Weather for Farmers. 6.40 (approx.), Erich Hönkisch reads from his Novel, Nacht über Flandern. 7.0, See Munich. 7.45, String Quartet in E Flat, Op. 127 (Beethoven). 8.25, Announcements. 8.35, Orchestral Concert: Overture, Alessandro Stradella (Elotow); A Wedding Day on Troldhaugen (Grieg); Solvieg's Song (Grieg); Selection from Gasparone (Müllbeck); Melody (Rubinstein); Spring Song (Mendelssohn); Hungarian Dances (Brahms); Selection from Die Puppezeit (Bayer). 9.40, Time, Weather, News, Sports Notes, and Programme Announcements. 10.0, Dance Music from Berlin (Witzleben). 11.0 (approx.), Close Down.

BRNO
342 metres; 35 kW.—4.30 p.m., Recital of Czech Operatic Duets by M. Snykova and J. Snyek. 5.0, German Transmission: Richard Wagner Memorial Concert on the Fiftieth Anniversary of his Death. The Station Orchestra, conducted by J. Heidegger. Soloists: Hilde Thim (Songs); Introductory Talk: Funeral March from the Third Symphony (Beethoven); Siegfried's Narrative from The Valkyries; Brünnhilde's Aria from Siegfried; Overture and Death of Isolde from Tristan and Isolde. 6.0, See Prague. 10.0 (approx.), Close Down.

BRUSSELS (No. 1)
I.N.R., 599 metres; 15 kW.—10.0 a.m., Relay of the Mass on the Occasion of the Feast of Pope Pius XI, from the Church of St. Michel and St. Gudule. 12 Noon, Concert by Mickey's Club Jazz Attraction. 1.0 p.m., Le Journal Parlé. 1.10, Concert (cont'd.). 1.30, Monologues by Mlle. Olga Augin. 1.40, Concert (cont'd.). 2.25, Running Commentary on the Football Match, Belgium v. Italy. 5.0, Concert, conducted by André Fellmann, relayed from the Grand Hotel, Antwerp. In the interval at 5.30, Football Results. 6.0, René Demaret in a Programme of his own

Works. 6.15, Saxophone Recital by M. Gason. 6.30, The Adventures of Bonzo—Sketch (Léon Leroy). 6.50, Quartet in G Minor, Op. 25 (Brahms). 7.15, Religious Address. 7.30, Wireless Notes and Music Review. 8.0, La Danseuse de Tanagra, relayed from the Royal Festival Theatre, Antwerp. 8.35, Romeo and Juliet Sketch (André Blandin). 8.50, Second Act of La Danseuse de Tanagra. 9.20, Jean la Guigne—Comedy in One Act (Jean Mendrot). 9.35, Humorous Fantasia, Nuit joyeuse (Missard) on Gramophone Records. 9.40, Third Act of La Danseuse de Tanagra. 10.20, Le Journal Parlé. 10.30, Pianoforte Recital on Gramophone Records: Mazurka, Op. 21, No. 1 (Chopin); Chant polonais (Chopin-Liszt); La plus onérente (Debussy); Mazurka (Debussy). 10.45, Fourth Act of La Danseuse de Tanagra. 11.20, Light Music on Gramophone Records. 12 Midnight, Close Down.

BRUSSELS (No. 2)
N.I.R., 338.2 metres; 15 kW. Programme in Flemish.—10.0 a.m., See Brussels, No. 1. 12 Noon, Concert by the Radio Orchestra, conducted by Franz André; March of the Priests (Mendelssohn); Overture, Fingal's Cave (Mendelssohn); Pieces (Liszt); (a) Hungarian Rhapsody, No. 14, (b) Christus vinet (Gramophone Records), (c) Hungarian Rhapsody No. 2, Overture, Euryanthe (Weber). 1.0 p.m., Journal Parlé. 1.10, Act 1 of La Traviata—Opera (Verdi) on Gramophone Records. 2.25, See Brussels No. 1. 5.0, Rimsky-Korsakov Concert by the Symphony Orchestra; Overture, The Golden Cockerel; Symphonie Suite from the Tale of Czar Sultán. In the interval at 5.15 (approx.), Sports Notes. 5.45, Programme for Children. 6.30, Norwegian Rhapsody (Lalo) on Gramophone Records. 6.40, Dramatic Programme. 7.5, Gramophone Record: Prelude (Rachmaninov). 7.15, Talk: The Idea of Eternity in Human Life. 7.30, Talk on Music. 8.0, Relay of a Religious Meeting from the St. Rombaut Hall, Malines, under the Presidency of Cardinal Van Roey. Musical Hems and Addresses. 9.55, Evening Prayer. 10.0, Journal Parlé. 10.10, Gramophone Concert: L'apprenti sorcier (Dukas); Valse triste (Sibelius); Le chasseur maudit (Frank); Overture, Frausquita (Lehar); Waltz from A Waltz Dream (O. Straus); Selection from Die Fledermaus (Joh. Straus); Kleiner Marsch (Kreisler). 11.0, Recital by Willie Lewis of the Penguin Club. 12 Midnight (approx.), Close Down.

BUCHAREST
394 metres; 12 kW.—5.25 p.m., Orchestral Concert. 6.0, Talk: Romania's Medicinal Herbs. 6.40, Gramophone Records of Light Music. 7.0, Time Signal. 7.5, Orchestral Concert. 7.30, Talk. 7.45, Song Recital. 8.5, Concert (cont'd.). 8.45, News.

BUDAPEST
550 metres; 18.5 kW. Also relayed on 840 metres from 4.30 to 11.0 p.m.—8.0 a.m., News and Beauty Hints. 9.0, Mass for the Anniversary of the Pope's Coronation, relayed from the Coronation Church. 10.0, Divine Service, followed by Concert by the Budapest Concert Orchestra, conducted by Otto Berg. Soloists: Margarete Bokor (Songs). 1.0 p.m., Variety Music on Gramophone Records. 2.0, Agricultural Talk. 2.45, Broadcast for Schools. 3.30, News. 3.40 (approx.), Concert by a Gypsy Band. 4.30, Variety Programme from the Academy of Music. 7.0, Reading. 7.30, Wagner Concert by Ernst Dolmányi. Soloists: Ella Nemethy and Franz Szende (Songs). Overture, The Flying Dutchman; Melody from Act 1 of The Flying Dutchman; Prelude and Death of Isolde from Tristan and Isolde; Melody from Lohengrin; Monologue from the Third Act of The Mastersingers; Overture, The Mastersingers. In the interval at 8.15, Talk on Richard Wagner, for the Fiftieth Anniversary of his Death. After the Concert, News and Sports Notes, followed by Dance Music and Gypsy Music from the Café Ostend.

CASSEL.—See Frankfurt.

COPENHAGEN
281 metres; 0.75 kW.; and **KALUNDBORG**, 1,153 metres; 7.5 kW.—11.0 a.m., Town Hall Chimes. 11.2, Instrumental Concert. 12 Noon Talk in English: A Grand Tour of England. 12.20 p.m., Talk in German. 12.40, Talk in French. 1.0, Talk: Richard Wagner. 1.30, Gramophone Records of Variety Music. 1.55, Programme for Children. 2.25, Thirtieth Concert from the Christiansborg Castle Church. 5.20, Talk: The Peasant in Danish Literature—Jacob Knudsen and the Peasants. 5.50, Weather and News. 6.15, Time and Sports Notes. 6.30, Talk: Denmark and her Workers. 7.0, Town Hall Chimes. 7.2, Dance par Koldinghus—Melodrama (Holger Drachmann, arranged for Radio). Music by Kjerulf. 8.15, Cello Recital by Jens Sørensen: Sonata in G Minor for Cello and Piano (Loeillet). 8.30, Concert by the Concordia Harmonists. 9.30, News Bulletin. 9.40, Reading from the Works of P. H. Woldhouse. 10.0, Dance Music from the National scale. 11.0 (in an interval), Town Hall Chimes. 11.30 (approx.), Close Down.

CORK.—See Athlone.

DANZIG.—See Heilsberg.

DRESDEN.—See Leipzig.

DUBLIN.—See Athens.

FECAMP
223 metres; 10 kW.—4.0 to 8.0, Programme in English by the I.B.C. 4.0, Military Band Concert: Selection from Iolanthe (Sullivan); Sussay by the Sea (Ward Higgs); Police-mans Holiday (Ewing); Tipperary (Judge Williams); Selection from The Pirates of Penzance (Sullivan); Bells across the Meadows (Ketebevy); Brighton Camp; In a Persian Market (Ketebevy). 4.30, Vocal and Orchestral Concert: Barcarolle from The Tales of Hoffman (Offenbach); Songs: (a) Onaway awake beloved (Cowen), (b) Ilo Jolly Jenkin (Sullivan), (c) Sinners and Saints (Geech), (d) Tiek Toek, from The Toy-Maker of Nuremberg (Glass), (e) The Toy-Maker's Song from The Toy-Maker of Nuremberg (Glass), (f) A Jovial Monk am I (Andran); The Wayside Shrine (Sherman). 5.0, Programme for Children. 5.30, Children's Club Concert. 6.0, International Broadcasting Club's Concert for Birmingham Listeners. Overture, William Tell (Rossini); Message by the Lord Mayor of Birmingham. Fantasia and Fugue in G Minor (Bach); March, Viny Ridge (Bildgoy); Humoresque, March of the Mannikins (Fletcher); Intermezzo, In a Chinese Temple Garden (Ketebevy); March, Old Contrades (Teike); Fantasia, A Lancelaire Rumble (Myddleton). Cornet Solo: Fire Star (Carter). Irish Medley (arr. Somers). Intermezzo, Sanctuary of the Heart (Ketebevy); Second Movement from the Sonata in G; March, Light Cavalry; Marche militaire (Schubert). 7.0, Orchestral Concert: Old Times (arr. Hall); Me and the Man in the Moon (Monroe); Amoretantänze (Gungl); Russian Rhapsody (Nissbaum); Waltz from Der Rosenkavalier (R. Straus); Musical Comedy Sketch (Hall). 7.30, Light Music: How deep is the Ocean; Dreaming; If you haven't got Love; To-night; Leave the pretty girls alone; Selection from Nina Rosa (Romberg); Way down in Georgia; Let's put out the Light. 8.0, Popular Concert. 9.0 till Close Down, Programme in English by the I.B.C. 9.0, Concert of Light Music on Behalf of Hospitals Trust. Ltd.: Selection from The Student Prince (Romberg); Irish National March (Brass); Xylophone Solo: Carnival of Venice (arr. Baston); Song: River stay way from my door (Dixon Woods); Harp Solo: Irish Melodies; Grand March from Aida (Verdi). 9.30, Concert: Selection from The Belle of New York (Kerker); Soprano Song: Love will find a way, from The Maid of the Mountains (Fraser-

FEB. 12th

SUNDAY

continued

Simpson); Prologue to I Pagliacci (Leoncavallo); Rustle of Spring (Sinding); Baritone Song: Annie Laurie; Selection from Faust (Gounod). 10.0, Songs: Only for you; Mummy is gone; My Song of the Nile; Just keepin' on; Since you went away; A Banjo Song; Lonesome Moonlight; Wid de Moon, Moon, Moon. 10.20, Healy Concert of Dance Music; Look who's here; Thompson's Old Grey Mule; Just a little Street where Old Friends Meet; It's winter again; Just an Echo in the Valley; Leave the pretty Girls alone; I don't want to go to bed; How deep is the Ocean. 11.0, Orchestral Concert; Selection from Chu Chin Chow (Norton); Gipsy Moon (Eyton); Waltz Medley from Bitter Sweet (Noel Coward); Moment musicale (Schubert); The Moon and I, from The Mikado (Sullivan); From the Canebrake (Gardner); Valencia (Padilla). 11.30, Banjo Solos: March, Ragly Parade (Oakley); A Desert Breeze (Earle); Tattoo March (Earnshaw); A Banjo Vamp (Grimshaw); Heather Bloom (Kirby); Wedding of the Painted Doll (Brown); Riverside (Kirby); Popular Medley. 12 Midnight, Songs: Cryin' for the Carolines; Gipsy Melody; Wasn't it nice?; Say a little Prayer for me; My Heart is where the Mowhawk flows; Wandering Days; When you wore a Gingham Gown; Would you take me back again. 12.50 a.m. (Monday), Variety; Let's all have a Sing-song; The Dutchman's Return; Is Izzy azzy wozzy?; Slippery Sam the Stoker; Sketch, A Music Hall Show; In Grandpa's Day; The Billed Dutchman; Twenty Thousand Scotsmen. 1.0, Concert by an Accordion Band; Señorita Tango; Javanette; Volante March; The Waltz that made you mine; Eleven Pounds of Heaven; Bertina Waltz; After the Ball; Lullaby of the Leaves. 1.30, Vocal Duets: I'm just wearing out my Heart for you; Make yourself a Happiness Pie; Pasadena Rose; The Waltz you saved for me; The Medley of the Three Blind Mice; When your Lover has gone; It's an old Spanish Custom. 2.0, Dance Music. 2.57, I.B.C. Good-night Melody. 3.0 (approx.), Close down.

FLENSBURG.—See Hamburg.

FLORENCE.—See Turin.

FRANKFURT

259 metres; 17 kW.; and CASSEL, 245.9 metres.—10.30 a.m., See Leipzig. 12 Noon, Gramophone Concert of Light Music. 1.0 p.m., Agricultural Talk. 1.10, Radio Report from a Dairy Farm in the Tannus. 2.0, See Vienna. 3.10, See Berlin (Witzleben). 3.50, Programme for Young People. 4.30, Concert of Light Music on Gramophone Records. 5.0, Dialogue: A Cruise in a Ship round Africa. 5.25, A Pleasant Interlude. 5.55, Talk: European Thinkers—Hans Driesch. 6.20, Sports Notes. 6.40, Reading of the Norwegian Masters: A Tale of Skiing (Casimir Edschmid). 7.0, See Munich. 7.45, Eighth Sunday Concert relayed from the Saalbau. The Frankfurt Wireless Symphony Orchestra, conducted by Hans Rosbald. Soloist: Erica Morini (Violin); Symphonic Triology on the Cantata, Von deutscher Seele (Pfitzner); Concerto for Violin in A Minor, Op. 82 (Glazunov); Symphonic Poem, Mazepa (Liszt). 9.0, Time, News, Weather, and Sports Notes. 9.30, See Stuttgart. 11.0 (approx.), Close Down.

FREDRIKSTAD.—See Oslo.

FREIBURG.—See Stuttgart.

GENEVA.—See Radio-Suisse Romande.

GENOA.—See Turin.

GLEIWITZ.—See Breslau.

GOTEBORG.—See Stockholm.

GRAZ.—See Vienna.

HAMAR.—See Oslo.

HAMBURG

Call ha (in Morse), 372 metres; 1.5 kW. Relayed by Bremen, 269.8 metres; Flensburg, 227.4 metres; Hanover, 566 metres; and Kiel, 232.2 metres.—10.30 a.m., See Leipzig. 12 Noon, Time and Weather. 12.5 p.m. (from Flensburg), Concert from the Deutsches Haus. 1.0, Talk: Tales from the Vienna Woods. 1.30, Radio Report from Breslau. 2.0, Musical and Literary Programme from Children. 2.45, The Hamburg Musical Play, Two Hundred Years Ago—Concert by the Station Choir, Orchestra, and Soloists, with Introductory Talk. 3.45 (from Kiel), Concert by the St. Nicholas Choir on its Tenth Anniversary. 4.30 (from Hanover), The Versailles of 1648—A Play about the Peace of Westphalia (Ludwig Bate), relayed from the Osnabruck Town Hall. 5.30, Humorous Programme. 6.30 (from Kiel), Talk by Dr. Peltzer: My Experiences as a Sportsman Abroad. 6.40, Sports Notes. 6.55, Weather Report. 7.0, See Munich. 7.50, First General News. 8.0, Brahms-Schubert Concert by the Philharmonic Orchestra, conducted by Richard Richter, and a Women's Choir. Soloist: Josef Degler (Songs). Songs for Women's Choir, with Accompaniment for two Horns and Harp (Brahms): (a) Es taut ein voller Harfenklang, (b) A Shakespear Song, (c) Der Gärtner, (d) Song from Fingal. The Fifth Symphony in B flat (Schubert); Four Songs (Schubert): (a) Fischerweise, (b) Wiedersehen, (c) Wohin, (d) Im Abendrot; Ave Maria (Schubert); Ballet Music from Rosamund (Schubert); March in B Minor (Schubert). 9.0, News Bulletin. 9.10, Topical Talk. 9.20, Dance Music from Berlin (Witzleben).

HANOVER.—See Hamburg.

HEILSBURG

276.5 metres; 60 kW.; and DANZIG, 453.2 metres.—10.30 a.m., See Leipzig. 12.5 p.m., Concert, conducted by Hugo Hartung; Serenade, Op. 85 (Juno); Concerto, Op. 79, for Viola da Gamba and Orchestra (Herrmann); Symphony in D Minor (Haydn). 1.0, See Breslau. 2.0, Programme for Children. 3.0, Concert of Request Music by the Small Station Orchestra, conducted by Eugen Wilken. In the interval, Racing Results. 5.0, Reading. 5.30, Reading: Germans in the Tropics. 6.0, Concert of Sacred Music from the Sackheimer Kirche, Königsberg; Toccata and Fugue in D Minor for Organ (Bach); Three Songs for A cappella Choir: (a) Missa brevis (Lotti), (b) Adoramus te Christe (Corsi), (c) Miserere (Lassus); Prelude and Fugue in G Minor for Organ (Frescobaldi). 6.30, Sports Results. 6.40, Poetry Reading: Hymnen an Deutschland (Gertrud von la Fort). 7.0, See Munich. 7.50, Recital of Sacred Folk Songs, Tony Jaekel (Soprano and Alto), Kees Veeting (Baritone) and Gerhard Rühl (Violin). 8.15, Don Juan—Play (after an old German Marionette Play) Arranged for the Radio by Werner Eggk. 9.15, News and Sports Results. 9.20 (approx.), Dance Music from Berlin (Witzleben). 11.0 (approx.), Close Down.

HILVERSUM

Announced HUIZEN, 296.1 metres; 20 kW. (7 kW. up to 4.40 p.m.).—9.40 a.m. to 4.40 p.m., Programme of the Catholic Radio Society (K.R.O.). 9.40, High Mass, relayed from the Johan van Veenkerk, Dovenort. 11.10, Gramophone Records. 11.40, Talk. 11.55, Concert by the K.R.O. Boys, conducted by P. Lustenhouwer; Soloist: H. Weissbach (Songs). 12.40 p.m., Literary Talk. 1.0, Concert (contd.). 2.10, Concert by the K.R.O. Orchestra, conducted by M. v. C. Woud. 2.50, Variety Music on Gramophone Records. 3.10, Concert (contd.). 3.40, Programme for Invalids. 4.40 to 7.25, Programme of the Christian Radio Society (N.C.R.V.). 4.40, Sacred Music on Gramophone Records. 5.0, Missionary Service, relayed from a Church in Gers. 7.10, Sacred Music on Gramophone Records. 7.25 till Close Down, K.R.O. Programme. 7.25, Talk. 7.45, Football Results. 7.50, Concert by the K.R.O. Orchestra, conducted by J. Gerritsen; Prelude from Tieland (d'Albert); Suite algérienne (Saint-Saëns); Waltz and Selection from Der Rosenkavalier (R. Strauss). 8.40, News Bulletin. 8.55, Concert (contd.); Overture, Fra Diavolo (Auber); Concert Waltz, Op. 17 (Glazunov); Irish Melody from County Kerry (Grainger); Prelude (Järnefelt). 9.10, Agricultural Talk. 9.40, Concert (contd.); Selection from Comte Maritza (Kálmán); Overture, La Roi Yvetot (Adam); Andalous (Poppy); Barcelona from the Tales of Hoffmann (Offenbach); El Capitan (Souza). In the interval at 9.55, News. 10.20, Epilogue. 10.40 (approx.), Close Down.

HORBY.—See Stockholm.

HUIZEN

Announced HILVERSUM, 1,875 metres; 8.5 kW.—11.40 a.m. to 4.40 p.m., Programme of the Algemeene Vereeniging Radio Omroep (A.V.R.O.). 11.40, Time Signal. 11.41, Concert by the Wireless Orchestra, conducted by Nico Treep. 1.40, Weekly Book Talk. 2.10, Concert by Hans Bund and his Orchestra; Soloists: Irene Ambrus and Luigi Bernauer (Songs). 3.40, Two Scenes from Dear Brutus—Play (James Barrie), with Introductory Talk. 4.25, Variety Music on Gramophone Records and Sports Notes. 4.40, Programme of the Workers' Radio Society (V.A.R.A.): Programme for Children. 5.40 to 7.40, Programme of the Liberal Protestant Radio Society (V.P.R.O.). 5.40, Literary Talk. 6.25, Divine Service from a Church at Beverwijk. 7.40 till Close Down, A.V.R.O. Programme. 7.40, Time, Weather, and News. 7.55, Concert by the Wireless Orchestra, conducted by Albert van Raalte; Soloist: Hermann Sehey (Baritone); Overture, The Water Carrier (Cherubini); Songs from Czar and Carpenter (Lortzing); Symphony No. 35 (Mozart); Songs: (a) Serenade from Don Giovanni (Mozart), (b), (c) and (d) Arias from Figaro (Mozart); Waltz from the Serenade for Strings, Op. 48 (Tchaikovsky); Songs: (a) Aria from Rigoletto (Verdi), (b) Even the bravest Heart may swell, from Faust (Gounod); Ballet égyptien (Luigini). 9.20, Recitations by Felix Timmermans. 9.40, Concert of Light Music by Kovacs Lajos and his Orchestra; Soloist: Bob Scholte (Songs). 10.40, Popular Music on Gramophone Records. 11.40 (approx.), Close Down.

INNSBRUCK.—See Vienna.

KALUNDBORG.—See Copenhagen.

KIEL.—See Hamburg.

KLAGENFURT.—See Vienna.

KOSICE.—See Prague.

LANGENBERG

473 metres; 60 kW.—11.0 a.m., See Leipzig. 12 Noon, Concert, conducted by Wolf. Overture, Lysistrata (Lincke); Selection from Der Wildschütz (Lortzing); A Wedding Day on Troldhaugen (Grieg); Suite,

Carnival (Schaubach); Waltz, Mondnacht auf der Alster (Fetras); Im wogenden Achenfeld (Drummann); Murrelndes Lüftchen (Jensen); Potpourri, Ein Sängerepalet nach Wien (Silving). 1.0 p.m., Talk on Music. 1.20, Shortland Lesson. 1.40, Review of New Historical Novels. 2.0, See Vienna. 3.10, Programme from Berlin (Witzleben). 4.0, Lohengrin—Opera in Three Acts (Wagner). 5.10, Masters of their Craft—Gramophone Records. 5.30, Lohengrin (Second Act). 7.0, See Munich. 7.45, Sports Notes. 8.0, Lohengrin—Third Act. 9.5, News and Sports Notes. 9.45 (approx.), See Munich. 11.0 (approx.), Close Down.

LAUSANNE.—See Radio-Suisse Romande.

LEIPZIG

389.6 metres; 120 kW.; and DRESDEN, 319 metres.—10.30 a.m., Nimm, was Dein ist und gelbe ihn—Cantata (Bach) by the Leipzig Symphony Orchestra, the Choir of St. Thomas and Soloists. 11.0, Wagner Memorial Concert by the Municipal and Gewandhaus Orchestras, relayed from the Gewandhaus; Conductor: Dr. Karl Münck; Prelude to Parsifal; Address by Dr. Gerdeler; Address by Dr. Max von Schilling; Prelude to The Mastersingers. 12 Noon, Music of Four Centuries—Concert by the Munich Violin Quintet; Fantasia in C Minor (Bach); Chanson (Sweelinck); Kyrie (Hulst); Canzone (Monteverdi); Canzone (Morino); Two first Fugues from The Art of the Fugue (Bach); Old English Dances; Four Pieces (Henry Purcell): (a) Fantasia on a Note, (b) Trumpet Air, (c) Air, (d) Hornpipe. 1.0 p.m., Weather and Time. 1.5, Programme Announcements. 1.25, Agricultural Hints. 1.35, Esperanto Lesson. 2.0, Zither Recital by Paul Renk and Hugo Bräunlich; Tone Poem, Op. 10d (Hauström); Unter des Dorfes Lindenbaum (Pugh). 2.30, Reading from the Letters of German Mystics. 3.0, Concert by the Leipzig Symphony Orchestra. 4.0, Der Erlöser—Play (Otto Ludwig), arranged for the Radio by Albert Will. 5.0, Rudolf Philipp Concert by the Leipzig Symphony Orchestra, conducted by Theodor Blumer; Introduction and March, Intermezzo and Mirror Dance from the Ballet Suite, Elvira; Four Pieces for Pianoforte with Orchestral Accompaniment: (a) Melancholic, (b) Scherzo capriccioso, (c) Humoresque, (d) Valse Brillante; Skarsbriek gavotte in D. 5.50, English Sea Chanties—Talk with Gramophone Illustrations. 6.10, Reports on Gramophone Records: (a) Tobogganing at Inceuan, (b) The International Bob-sleigh Championship from Breslau, (c) The International Ski Championships from Vienna. 7.0, See Munich. 7.45, Wagner Concert from Munich. 9.5, News Bulletin. 9.15 (approx.), Concert by the Dresden Soloists' Ensemble; Soirée de Vienne (Schubert); Ballet Music from Les petits riens (Bizet); Hindu Song from Sadko (Rimsky-Korsakov); Suite from Le fils perdu (Wormser); Spanish Dance, Op. 26, No. 8 (Sarasate); Prayer and Temple Dance from Olav Trygvason (Grieg); Cradle Song (Sitt); Fourth Movement from the Divertimento, Op. 67 (Grainger); Finlandia, Op. 26, No. 7 (Sibelius); Entr'acte Music and Hymn from Stimmungsbilder, Op. 57 (Fielitz). 11.0 (approx.), Close Down.

LINZ.—See Vienna.

LWOW

381 metres; 16 kW.—6.5 p.m., Miscellaneous Items. 6.25, See Warsaw. 7.0, Concert of Light Music by M. Wiktor Bulzynski and M. Adam Epler. 8.0 till Close Down, See Warsaw. 11.0 (approx.), Close Down.

MADRID

ARANJUEZ (EAQ), 30.43 metres; 20 kW.—10.30 p.m., Variety Concert. 10.45, Humorous Talk. 11.0, El misicor de la luerta—Musical Comedy (Sanchez Prieto and Magenti). 11.35, Talk. 11.40, Light Music. 12 Midnight (approx.), Close Down.

MADRID

UNION RADIO; Call EAJ7; 424.3 metres; 2 kW.—8.0 to 9.0 a.m., Topical Review. 2.0 p.m., Chimes, Time Signal, Theatre Notes and Concert by the Artys Orchestra. 4.0 to 7.0, Interval. 7.0, Chimes and Dance Music, relayed from the Ritz Hotel. 7.30 (in an interval), Agricultural Talk. 8.30 to 9.30, Interval. 9.30, Chimes and Time Signal. 9.35 (approx.), Pianoforte Recital by Gloria de Loizaga, an Interlude by Ramon Gomez de la Serna and Songs by Jose Calvo de Rojas (Tenor). 12 Midnight, Chimes and Close Down.

MALMO.—See Stockholm.

MILAN.—See Turin.

MORAVSKA-OSTRAVA

263.8 metres; 11 kW.—11.5 a.m., Concert by the Station Orchestra, conducted by J. Plichta. 12.30 p.m., See Prague. 3.0, See Bratislava. 4.30, See Prague. 10.0 (approx.), Close Down.

MOSCOW

TRADES UNION, 1,304 metres; 100 kW.—4.0 p.m., Press Review. 4.10, News. 4.30,

Concert. 5.30, Concert of Light Music, relayed from the Radio Theatre. 8.0, Talk in English: Lenin's Views on the Doctrines of Marx. 8.55, Time Signal. 9.5, Press Review.

MOTALA.—See Stockholm.

MUHLACKER.—See Stuttgart.

MUNICH

533 metres; 60 kW. Relayed by Augsburg and Kaiserslautern, 560 metres; and Nürnberg, 239 metres.—9.0 a.m., Concert of Chamber Music. 9.45, Chimes from Our Lady's Church. 10.5, Concert by the Boys' Choir of Regensburg Cathedral, the Station Male Voice Choir, and the Station Orchestra. 11.0, See Leipzig. 12.5 p.m., Time, Weather, and Programme Announcements. 12.15, Agricultural Talk. 12.35, Talk with Gramophone Records: A Little Trip through the U.S.A. 1.30, Chess Lesson. 2.15, The Cossy Corner. 3.10, See Berlin (Witzleben). 3.50, Pianoforte Recital of Scandinavian Music. 4.20, Talk: Names of Mountains. 4.40, Orchestral Concert, conducted by Erich Kloss, Carnival Overture (Leuschner); Dance Scene from Scheherazade (Rimsky-Korsakov); Selection from Il Trovatore (Verdi); Douce Violette (Gillet); Carnival (Gillet); Potpourri Musikalische Neckerkeien (Worch); Mein Herz (Platen); Sérénade ambulante (Micheli); Topical Talk in the interval. 6.0 Report on the International Skiing Championships in Innsbruck (on Gramophone Records), followed by Weather and Sports Notes. 6.35, Talk: Wagner's House, Wahnfried—the Significance of its Name. 7.0 Genus dwelt Here—Wagner Memorial Programme relayed from the Composer's House, Wahnfried, Bayreuth. 7.50, Wagner Memorial Concert by the Munich Philharmonic Orchestra, conducted by Willy Haerdel-Christiansen, relayed from the Tonhalle. Soloists: Sabine Olfenmann (Soprano), Fritz Müller-Ravon (Tenor), and Carl Snoeck (Violin). Prelude to Lohengrin, Soprano Solos: (a) Elizabeth's Prayer, from Tannhäuser, (b) Santa's Ballad from The Flying Dutchman, Two Pieces for Violin and Orchestra: (a) Träume, (b) Albumblatt, Walter's Prize Song from The Mastersingers, Overture, Rienzi. 9.20, Time, Weather, News, and Sports Notes. 9.45, Serenade conducted by Erich Kloss. 11.0 (approx.), Close Down.

NAPLES.—See Rome.

NOTODDEN.—See Oslo.

OSLO

1,083 metres; 60 kW. Relayed by Fredrikstad, 365.8 metres; Hamar, 574.7 metres; Notodden, 447.1 metres; Porsgrund, 453.2 metres; and Rjukan, 447.1 metres.—9.20 a.m., Chimes. 9.30, Divine Service from the Fagerberg Church. 4.0 p.m. (from Fredrikstad), Kristian Wendelborg Concert on his Seventieth Birthday. 5.30, Talk: The Success of Educational Films. 6.0, Parliamentary Review. 6.15, Weather and News. 6.30, Trio for Pianoforte, Violin and Cello (Schubert). 7.0, Time Signal. 7.1, Talk by Oscar Braaten; Reminiscences of my Youth. 7.30, Concert by the Station Orchestra, conducted by Hugo Kramm; Overture, Mignon (Thomas); Ballet Music of the time of Louis XIV (Rouget); Selection from Sanson and Dilliah (Saint-Saëns); Petite Suite (Debussy); Bolero (Ravel); Selection from La Roi Parsolo (Honneger). 8.40, Weather and News. 9.0, Topical Talk. 9.15, Song Recital by Magnus Samnelson, relayed from Stavanger (240.6 metres). 9.45, Popular Music on Gramophone Records. 11.0 (approx.), Close Down.

OSTERSUND.—See Stockholm.

PALERMO

537.6 metres; 3 kW.—9.25 a.m., Religious Programme. 9.40, Sacred Music. 10.5, Talk. 11.45, Giornale radio. 12 Noon to 1 p.m., Concert from the Olympia Tea Rooms. In the interval at 12.30, Time, Announcements and Weather. 1.30, See Turin. 4.30 to 5.30, Light Music from the Olympia Tea Rooms. 7.0, Announcements and Giornale Radio. 7.20, Sports Notes. 7.30, Time and Announcements. 7.45, Symphony Concert on Gramophone Records. 9.0, Songs and Variety Music; Talk in the interval. 9.55, News Bulletin.

PARIS

EIFFEL TOWER, Call FLE, 1,445.7 metres; 13 kW.—Time Signals (on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and 6-dot Signals). 12.30 p.m., Concert relayed from Paris (Ecole Supérieure) (447.1 metres). 1.0, Concert by the Rex Orchestra. 5.45, Le Journal Parlé. 6.45, Programme for Children. 7.20, Weather Report. 7.30, Gramophone Concert: Selection from Hérodiade (Massenet); Pensée d'automne (Massenet); Melody from Pauvre (Massenet); Selection from Les Dragons de Villars (Maillart); Les Remords de Colombine (Dumas); Vision d'Orient (Dumas); Balletto (Martini); Selection from The Desert Song (Romberg); La Pénitence (Chenal); Piece (Guarrotto). 9.0 (approx.), Close Down.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW.—9.45 a.m., Bible Reading. 10.0, News. 10.5, Sponsored Concert. 11.5, Film Stars—Sponsored Programme. 11.40, Sponsored Gramophone Concert. 12.15 p.m., Sponsored Concert. 12.45, Half-an-Hour of Fantasy by Paul Weill. 1.15, Interval. 1.30, Sponsored

FEB. 12th

SUNDAY

continued

Programme. 2.0 to 6.45, Interval. 6.45, Le Journal Parlé. 7.0, Sports Notes. 7.15, Catholic Review. 7.30, Organ Recital. 8.0, Sponsored Concert. 8.30, Interval. 8.45, Sponsored Concert. 10.0, Popular Music on Gramophone Records. 10.30, News.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW. 7.45 a.m., Light Music on Gramophone Records. 8.0, Press Review and Weather. 8.30, Physical Culture. 10.0, Elementary Book-keeping Lesson. 10.20, Advanced Book-keeping Lesson. 10.40, Spanish Lesson. 11.0 to 11.30, Interval. 11.30 to 12 Noon, Programme in English by the I.B.C. Songs from the Shows, Part I, by the Embassy Musical Comedy Company, with Orchestra and Compière, Wheezy Anna, by Leslie Sarony; Sweethearts of Yesterday, Part I, by Reginald New on the latest Compton Cinema Organ; A Boy and a Girl were dancing, by Morton Downey (Tenor); Just an Echo in the Valley, by Jack Payne and his Band, with Vocal Chorus by Jack Payne; Bells across the Meadow, with Gemine Bird Singing by a Choir of Canaries with Orchestral Accompaniment, presented by Musical Dawson; In a Shanty in Old Shanty Town, by Roy Smeek and his Vita Trio; Hits from a Hit Film, The Big Broadcast, Part I, by Ned Fox's Film Fans, with Vocal Refrains. 12 Noon, Religious Address by the Reverend Father Pade. 12.20 p.m., Sacred Music. 12.30, Bilhouquet. 12.45, Press Review, News and Weather. 1.0, Orchestral Concert. 1.30 to 3.30, Programme in English by the I.B.C. 1.30, Gramophone Concert: Sweet Rhythm, by Cab Calloway and his Orchestra; Marita, by Bobby Brown and his Accordion Band; Crazy People, by the Boswell Sisters; I'll follow you, by Sam Browne; Tiger Rag, by the Mills Brothers; Puss, Puss, by Maurice Winnick and his Orchestra; Fit as a Fiddle, by Aunette Hamshaw; Just an Echo in the Valley, by Will Osborne and his Orchestra. 2.0, Gramophone Concert. Standing in the Corner, by Jack Hyllton and his Orchestra; Die miei Bolkanti Spiriti, by Sydney Rayner (Tenor); Till to-morrow, by Nick Lucas; The Crooning Troubadour; Blue Moon in the Sky, by Roy Fox and his Band; Here lies Love, by Bing Crosby; I'm sure of everything but you, by Guy Lombardo and his Royal Canadians; Absent, by Alfred Picaver; A little Street where Old Friends meet, by Gene Austin; I want to go Home, by the Street Singers; I may never pass your way again, by Eddy Duchin and his Central Park Casino Orchestra; Waltz, Wiener Bonbons, by Marek Weber and his Orchestra; Little Nell, by Lew Stone and the Monseigneur Band; Songs from the Shows, Part I, by Anona Winn and Reginald Purdell; Well! Well! Well! by Benn Benic and his Orchestra; Pale

Voiga Moon, by Alfredo Campoli and his Salon Orchestra; Come Gipsy, from Comtesse Maritza (Kilmin) by Lily Gyenes and her Twenty Hungarian Gipsy Girls. 3.0, Clarke's Atlas Concert of Light Music, by Fred Addison and his Band. How are you? Let's put out the Lights; Selection from White Horse Inn; Tu soif du Réveillon; Paradise; Marching along. 3.30, Popular Concert. 4.0 to 5.0, Programme in English by the I.B.C. Tea Time Variety Hour. Mr. S. H. C. Williams announcing. 5.0, Orchestral Concert. 6.30, Variety Concert. 7.0 to 8.0, Programme in English by the I.B.C. Film Fans' Hour. Mr. S. H. C. Williams announcing. 8.0, Radio Paris Chorus. 8.30, News, Sports Notes and Weather. 8.45, Song Evening arranged by Georges Chepfer. In the interval at 9.15, Press Review and News.

PITTSBURGH

WESTINGHOUSE ELECTRIC (KOKA), 306 metres; 25 kW. Relayed by W8XX on 48.86 metres and 25.27 metres.—9.0 p.m., Temple of Song from New York. 9.30, Vesper Services from Shady-side Presbyterian Church. 10.30, Pages of Romance, from New York. 11.0, Sealed Power, from New York. 11.30, Time Signal. 11.31, Weather Report. 11.32, Teaberry Sport Review. 11.37, Press News Reeler. 11.42, Struggle Facts. 11.44, Temperature Report. 11.45, Programme to be announced. 12 Midnight, Time Signal and Westinghouse Concert. 12.30 to 3.45 a.m. (Monday), New York Relay. 12.30, Great Moments in History. 1.0, Russian Gaities. 1.30, Mexican Symphonic Marimba Orchestra. 2.0, Twenty Thousand Years in Sing Sing. 2.30, Walter Winchell. 2.45, Jubilee—singer of the Lonsome Road. 3.0, D. W. Griffith's Hollywood. 3.15, Real Silk. 3.45, Programme to be announced. 4.0, Time Signal. 4.1, Teaberry Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.15, Press Last Minute News. 4.20, Alexander Roy (Tenor). 4.30, Jesse Crawford (Organist) from New York. 5.0, Time Signal and Goodnight.

PORSGRUND.—See Oslo.

PRAGUE

489.6 metres; 120 kW. 10.0 a.m., Concert by the Ondriek Quartet. 11.9, Chimes. 11.5, See Moravská - Ostrava. 12.30 p.m., Humorous Programme. 1.0, Agricultural Talk. 1.15 to 1.25, Talk. 3.0, See Bratislava. 4.30, Talk: The Island of Ceylon. 4.45, Variety Music on Gramophone Records. 5.0, German Transmission: Wagner Memorial Programme; Talk; Five songs by Lydia

Kindermann and Recitations. News in the interval. 6.0, Old Czech Dance Music. 7.0, Talk on the following Transmission. 7.5, Wagner Concert on the Fiftieth Anniversary of his Death, relayed from the Smetana Hall. The Czech Philharmonic Orchestra and the Hablot Choral Society, conducted by Alexander Zemlinsky; soloists: Mirta Krasova (Contralto), Otto Masak (Tenor), and Josef Schwarz (Baritone); Eine Faust Ouverture; Five Contralto Songs; Siegfried Idyll; Overture and Death of Isolda from Tristan and Isolda; Overture, The Master-singers; Baritone Solo; Hans Sachs' Monologue from The Master-singers; Finale for Baritone, Tenor and Choir from The Master-singers. In the interval at 8.0, Time signal. 9.0, Time Signal. 9.1, News Bulletin. 9.20, Jazz Music on Two Pianos by Ervin Schulhoff and Dr. Lettys. In the intervals and after the Programme, Variety Music on Gramophone Records. 10.0 (approx.), Close Down.

RADIO-SUISSE ROMANDE

SOTTENS, 403 metres, 25 kW.; LAUSANNE, 680 metres; and GENEVA, 760 metres.—8.55 a.m. (from Geneva), Chimes. 9.0 (from Geneva), Protestant Service. 10.0 (from Lausanne), Concert by Edmond Muser and his Orchestra. 11.0 (from Lausanne), Readings. 11.30, News and Weather. 11.40 (from Lausanne), Popular Music on Gramophone Records. 1.0 to 3.0, Interval. 3.0, Symphony Concert by the Orchestra of the Paris Conservatoire, relayed from Paris; Soloist, M. Francescatti (Violin); Symphony (Saint-Saëns); Concerto for Violin and Orchestra (Bethoven); Siegfried Idyll (Wagner); Overture, Euryanthe (Weber). 5.30 (from Lausanne), Protestant Address. 6.0 (from Lausanne), Pianoforte Recital. 6.15 (from Geneva), Sports Notes, News, and Announcements. 6.30, Negro Spirituals, relayed from New York. 7.0 (from Lausanne), Song and Pianoforte Recital. 7.50, Concert by the Station Orchestra. 9.0, News Bulletin and Weather Forecast. 9.15 (approx.), Close Down.

RJUKAN.—See Oslo.

ROME

Call 1R0, 441 metres; 50 kW. Relayed by Naples, 319 metres, and 2R0, 25.4 metres.—9.10 a.m., News, Sports Notes, and Amusement Guide. 9.30, Agricultural Report. 9.45, Bible Reading. 10.10, See Turin. 11.30 to 12.30 p.m., See Turin. In the interval at 12 Noon, Time and Announcements. 12.30 to 1.30, Orchestral Concert. 2.45 (Naples).

Programme for Children, followed by Weather and Sports Notes. 3.9, Football Report. 3.15 to 5.30, Orchestral and Vocal Concert. Sports Notes in the interval. 6.30, Football and Other Sports Notes. Announcements, and News. 7.3, Time and Announcements. 7.30, Sports Notes. 7.45, La donna perduta—Operetta in Three Acts (Pietro). In the intervals, Talk: Reading of Modern Italian Poetry. News after the Operetta.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY (WGY), 379.5 metres; 50 kW. Relayed at intervals by W2XAF on 31.48 metres, and by W2XAD on 19.56 metres.—7.0 p.m. to 2.30 a.m. (Monday), New York Relay. 7.0 p.m., Musical Programme. 7.15, Clyde Deerr's Saxophone Octet. 7.30, Moonshine and Honey-suckle. 8.0, Wayne King's Orchestra. 8.30, Hour of Worship. 12 Midnight, Harmonica Rascals. 12.15 a.m. (Monday), Wheatona Ville. 12.30, Pickens Sisters. 12.45, Smith Brothers Programme. 1.0, Chase and Sanborn Hour. 2.0, General Electric Sunday Circle Concerts. 2.30, American Album of Familiar Music and Programme Re-sumé.

SCHWEIZERISCHER

LANDESENDER



BEROMUNSTER, 459 metres; 60 kW.; BASEL, 244.1 metres; and BERNE, 245.9 metres.—8.45 a.m. (from Basle), Protestant Service. 9.35 (from Zurich), Wagner Concert, relayed by the Zurich Municipal Theatre. 11.0, Concert by the Radio Orchestra. 11.28, Time and Weather. 11.30, News Bulletin. 11.40, Concert by the Radio Orchestra. 12.30 p.m. (from Basle), Holmgart Musical Play, with Songs by the Langnau Yodeling Club. 1.30 to 2.30, Interval. 2.30 (from Basle), Talk: With the Microphone in the Steppes, in the Arctic, and in Mexico. 3.0, Relay from the Conservatoire, Paris; Soloist: François Scattii (Violin). 4.45 to 5.30, Interval. 5.30 (from Basle), Talk: The Work of French Missions—Catholic, Protestant, and Lay. 6.0, Time, Weather, and Sports Notes. 6.5 (from Basle), Talk: Miracles and Piety. 6.30, American Negro Music, relayed from New York. 7.0 (from Basle), Hermann Wetzer Song Recital by Erika Frauscher (Soprano), the Composer at the Pianoforte. 8.0 (from Basle), Recitations. 8.30, Weather and News. 8.40, Concert by the Radio Orchestra. 9.15, Sports Notes. 9.25 (approx.), Close Down.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SASA, 436 metres; 55 kW. Relayed by Boden, 1,229.5 metres; Göteborg, 522 metres;

FIT THIS USEFUL & HANDSOME ELECTRIC CLOCK TO YOUR SET!



NO MAINS REQUIRED. WORKS OFF A SMALL BATTERY which will last at least 12 months, or if desired can be plugged into the existing grid bias battery and will not affect the functioning of the set in any way. CURRENT CONSUMPTION PRACTICALLY NIL. KEEPS CORRECT TIME WITHOUT ATTENTION. Fits into a round hole 3 1/4" diam. and is secured by U-shaped bar and a single milled nut. (See illustration.) Can be fitted to any panel up to 1/4" thick. Depth of movement from back of bezel 3/8" only. Hands are set by small knob IN FRONT at side of dial. Swiss movement. Nickel plated bezel. A useful and attractive addition to any set.



This movement mounted in highly polished bakelite case of pleasing design makes an ideal clock for the house. Self-contained. No unsightly trailing wires. Complete with battery lasting 12 months.



COMPLETE WITH BATTERY Postage 6d. extra.

MODEL 333. Height 6 ins. Width 6 1/2-10 ins. RIVERSIDE MANUFACTURING Co. Ltd., Dept. 20, Riverside Wharf, Crisp Rd., HAMMERSMITH, London, W.6. Telephone: Riverside 6392. Telegrams: Rimco, Hammer, London.

THE MOST CONVENIENT AERIAL EVER DEvised!


LETTER No. 376. 21st January, 1933. Dear Sirs, I have now fixed the aerial round the down-stairs front room and up stairs to the attic using 60 ft. of Pix Invisible Aerial and I find that the set works quite as efficiently as it did when using the out-door aerial. Yours faithfully R. S.

READ THIS UNSOLICITED LETTER "BETTER THAN HIS OUTSIDE AERIAL"

NO NEED FOR UNSIGHTLY POLES—LOOSE WIRES, ETC.—NO DANGER FROM LIGHTNING Pix Invisible Aerial is in the form of a narrow self-adhesive metallized tape of remarkable efficiency as a pick up. It is practically invisible and only requires to be pressed into position. The 30 ft. Pix Aerial costs only 2/-. A longer length is supplied in 60 ft. rolls which can be run from the room into the hall and up the staircase only 3/6.

2/-. Double Length, 3/6. **PIX INVISIBLE AERIAL** British Pix Company, Ltd., Dept. 417, 118-26, Southwark Street, London, S.E.1. IDEAL FOR USE IN FLATS..

WARNING!




...time
to recharge!

It's annoying when your accumulator runs down without warning . . . and such a good programme, too!

NOTHING EXTRA TO PAY FOR THE AUTOMATIC DISCHARGE INDICATOR

The Lively 'O' Automatic Discharge Indicator has ended all guesswork . . . and disappointments. Go to your dealer and see the Lively 'O'—see the Automatic Discharge Indicator—the little window with the bead . . . that warns you when it's time to recharge.

That is only one of the many novel features which have made the Lively 'O' a worth-while proposition.



The
Lively 'O'
ACCUMULATOR

British made by Oldham & Son, Ltd., Denton, Manchester, and at London, Glasgow, Belfast and Dublin.

Makers of Dry Batteries & Accumulators. Established 1865.

MADE BY



0.25 (Green Label) 25 amp. hrs. (actual) for 2-valve Sets - - - 5/6

0.50 (Red Label) 50 amp. hrs. (actual) for 3-valve Sets - - - - - 9/6

0.75 (Blue Label) 75 amp. hrs. (actual) for 4-valve and Larger Sets - 12/6

Hörby, 257 metres; Motala, 1,348 metres; Ostersund, 770 metres; and Sundsvall, 542 metres.—10.0 a.m. Divine Service Relay. 11.45, Weather and Ice Report. 2.0 p.m. (from Göteborg), Talk in German: The Wagner Festival at Bayreuth. 2.50, Song and Piano-forte Recital, relayed from Örebro, 237.2 metres. 3.0, Programme for Children. 3.30, Popular Music on Gramophone Records. 4.30, Talk: Among Bandits in China. 5.0, Evensong. 6.15, Weather and News. 6.30, Song Quartet. Kerstin Lindberg-Folmud, Edit Widmark Lundblad, Sten Hornlin, and Pehr Danielsson. Songs (Haydn): (a) Die Beredsamkeit, (b) Der Augenblick; Shepherds' Chorus from Rosamund (Schubert); Ave maris stella (Klement); Songs (De Bussy): (a) Yver, vous n'êtes qu'un villain, (b) Dieu! qu'il la fait bien regarder; Madrigal (Fauré). 7.0, Selma Lagerlöf speaks to America. 7.15, Orchestral Concert. Soloist: Ivar Kåge (Recitations). 8.45, Weather and News. 9.0, Concert of Light Orchestral Music. 10.0 (approx.). Close Down.

STRASBOURG

345 metres; 11.5 kW. 9.30 a.m., Orchestral Concert, conducted by Maurice de Villers. 10.45, Protestant Service in German. 11.30, Catholic Service in French. 12 Noon, Gramophone Concert of Classical Music. 12.45, News. 1.0, Time. 1.1, Gramophone Concert of Light Music. 1.45, Agricultural Talk in French. 2.0, Report on Winter Sports from South France. 3.0, Concert by the Conservatoire Concert Society. 5.0, Jazz Music, conducted by M. Roskam. 6.0, Medical Talk in German. 6.15, Sports Notes. 6.30, Concert of Chamber Music. Soloist: Daniel Hermann (Violin). Quartet for Flute, Violin, Cello and Piano-forte (Teleman): Sonata for Two Violins and Piano-forte (Avison); Les regards (Mouret); Passepied, for Violin and Piano-forte (Destouches); Sextet for Two Violins, Two Violas and Two Cellos (Brahms). 7.30, Time, News and sports Notes. 7.45, Orchestral Concert, conducted by M. Roskam: March, Folies Bergère (Lapack); Waltz, Brune ou Blonde (Waldteufel); Overture, Les Cloches de Corneville (Planquette); Sérénade (Moszkow-sky); Selection from Les nouvellistes au Convent (Varney); March, Le défilé de la garde (Gillet). 8.25, Lottery Results. 8.30, Dramatic Programme in French. 10.30, Popular Music on Gramophone Records. 11.0, Quintet Concert, conducted by Jean Clergue, relayed from Radio Colonial (Paris), (25.63 metres). 12 Midnight (approx.). Close Down.

STUTTGART

MUHLACKER, 360.5 metres; 9 kW.; and FREIBURG, 570 metres.—10.30 a.m., See Leipzig. 12.5 p.m., See Vienna. 12.20, Gramophone Concert of Variety Music. 1.0, Third Automobile Races on the Titisee—Radio Report. 1.30, Talk on Handicraft. 2.0, See Vienna. 2.30, Talk on the German Tailoring Trade. 3.10, Programme from Berlin (Witzleben). 3.50, Talk on Richard Wagner. 4.20, Columbus—For Male Voice Choir, Soprano, Tenor, Baritone, and Full Orchestra (Heinrich Zöllner). 5.40, Sports Notes. 6.0, Programme of Alsatian Poems and Songs. 7.0, See Munich. 7.45, See Frankfurt. 9.0, Time, Weather, News, Programme Announcements, and Sports Notes. 9.30, Sérénade by the Dance Ensemble of the Stuttgart Philharmonic Orchestra. 11.0 (approx.). Close Down.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW.—12.15 p.m., News Bulletin. 12.30, Catholic Service. 1.0, Amusement Guide and Market Prices. 1.5, Orchestral Music. 1.15, Music from Sound Films. 1.30, Instrumental Solos. 1.40, Agricultural Report. 1.45, Protestant Service. 2.15, News Bulletin. 2.20, Orchestral Music. 2.45, Chansonnettes. 3.0, Accordion Music. 3.15, News and Horse Racing Results. 3.20, Viennese Orchestral Music. 3.45, Airs from Opera. 4.15, Horse Racing Results and News. 4.20, Extracts from Sound Films. 4.30, Dance Music. 5.0, Light Music. 5.15, News and Horse Racing Results. 5.20, Music by an Argentine Orchestra. 5.30, Orchestral Music. 5.45, Instrumental Solos: Saxophone: Liebeslied (Kreisler); Violin: Hindu Song (Rimsky-Korsakov); Nylophone: Galop de l'Épuyer (Oertel); Valse Viennoise (Cayla). 6.0, News. 6.15, Operetta Music. 6.30 to 7. Programme in English by the I.B.C.; Concert: Always in my heart; Mimi; Blue moon in the sky; Will you dance through life with me?; Ich liebe dich, my dear; Taboo, Taboo; A little street where old friends meet; I don't want to go to bed. 7.0, Bal musette. 7.15, Time, Horse Racing Results, Market Prices, and News. 7.25, Local News Bulletin. 7.30, Military Music. 7.45, Spanish Songs. 8.0, Opera Music: Selection from La Traviata (Verdi); Overture, Carmen (Bizet); Overture, Norma (Bellini); Air from Grisélidis (Massenet); Aria from La Juive (Halévy); Aria, softly awakes my heart, from Samson and Delilah (Saint-Saëns). 8.30, Viennese Music: Selection from The Bird Fancier (Zeller); Der Roscholzzeitung (Jessel); Viennese Waltz (Drdla); Wed-

ding of the Winds (Hall); Melody (Arezza); Ballgästler (Meyer-Helmsund). 9.0, Variety Music. 9.30, Orchestral Music: Marriage in Orient (Püchystal); Dönnroschens Brautfaß (Rhohe); Down South (Myddleton); Glow Worm Idyll (Lincke); Aubade printanière (Lacombe); Old Spanish Song (Auber). 10.0, Concert for Listeners in Morocco. 10.25, North African News. 10.30, Programme in English by the I.B.C.; Songs at the Piano; Songs I heard at Mother's Knee; You're the One I care for; Seven Veils; I want to sing about you; You brought a New Kind of Love to me; Adeline; Living in the Sunlight; Shake and let us be Friends. 11.27, Military Music: Old Swiss Marches; March, Colonel Bozey (Alford); Per Aspera ad Astra (Erbaeh). 11.45, Orchestral Music: Selection from The Golden Cockerel (Rimsky-Korsakov); Overture, Semiramis (Rossini). 12 Midnight, Weather. 12.5 a.m. (Monday), Choral Music. 12.15, Dance Music. 12.0 (approx.). Close Down.

TRIESTE

247.7 metres; 10 kW.—8.40 to 8.55 a.m., See Turin. 8.55, Mass, relayed from the Cathedral of San Giusto. 10.0 to 10.20, Agricultural Talk. 11.0 till Close Down. See Turin. TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relayd by Milan, 331.5 metres; Genoa, 312.8 metres; and Florence, 500.8 metres.—8.1 a.m., Giornale Radio. 8.15, Agricultural Report. 8.30, Religious Programme. 8.55, Mass, from the San Giusto Cathedral. 10.10, Running Commentary on the E.I.A.R. International Skiing Contest, relayed from Ortiser. In the interval, Alpine Songs by the S.O.S.A. Choir. 11.30, Orchestral Concert, conducted by Ego Tansini. In the interval at 12 (Noon), Time and Announcements. 12.0 to 1.30 p.m., Orchestral Concert. 1.30, Running Commentary on the International Football Match, Belgium v. Italy, relayed from Brussels. Sports Notes and Gramophone Records in the interval. 4.0, Concert, conducted by Dimitri Mitropoulos, relayed from the Augusto. In the interval and after the Concert, Giornale Radio, Football Results and other Sports Notes. 6.0, Dopolavoro Notes. 6.5, Light Music on Gramophone Records. 8.0, Relay of an Opera. In the intervals, Talks, Theatre Notes, and Giornale Radio.

VIENNA

517 metres; 15 kW. Relayd by Graz, 352.0 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 245.9 metres; and Salzburg, 218.5 metres.—10.45 a.m., Report on the International Ski-Jumping Championship in Innsbruck. 11.0, Wagner Concert from Leipzig. 12.5 p.m., Report on the International Ski-Jumping Championship (contd.). 12.20 to 1.0, Famous Light Orchestral Gramophone Concert. 1.55, Time and Announcements. 2.0, Military Band Concert, relayed from Innsbruck. In an interval, Final Report on the International Ski-Jumping Championship. 3.30, Review of Books—Under the Southern Cross. 4.0, Talk: A Painter in Southern France. 4.30, Séballettes—by A. Gleich-Russwurm. 5.0, Concert of Light Music by the Otto Römsee Orchestra. 6.30, Time, Programme Announcements, and Report on the International Football Match, Austria v. France. 6.4, Report on the International Skiing Championship in Innsbruck. 7.0, Genius dwells here—Wagner Commemoration Programme, relayed from Wahnfried, Wagner's House in Bayreuth; Memorial Poems by Hans Reisinger. 7.45, Der Tanzdämon—Radio Play of Two Parts (Ernst Dessey—Music by Euge Zador). 8.45, Gramophone Concert of Popular Music. 9.15, News Bulletin. 9.30, Carnival Entertainment by the Vienna State Opera House Choir, with Jazz Band and Soloists, relayed from the Hotel Münchenerhof.

WARSAW

1,411 metres; 120 kW. 10.58 a.m., Time Signal and Bugle Call from the Tower of St. Mary's Church, Cracow. 11.5, Programme Announcements. 11.10, Weather Forecast. 11.15, Concert by the Warsaw Philharmonic Orchestra, conducted by M. Mierzejewski. Soloist: Leon Borinski (Piano-forte). Overture, Figaro (Mozart); Piano-forte Concerto in D Minor (Mozart); Symphony No. VII (Beethoven); Piano-forte Solo: Toccata and Fugue in C (Bach). In the interval, Talk 1.0 p.m., Agricultural Talk. 1.20, Concert in the interval at 1.40, Agricultural Talk. 3.0, Programme for Children. 3.25, Light Music on Gramophone Records. 3.45, Talk: Chivalry in the Middle Ages, relayed from Cracow (312.8 metres). 4.0, Song and Violin Recital by Elvire Rowe Stalinska (Soprano and J. Kaminski (Violin)). 4.55, Programme Announcements. 5.0, Light Music from the Café Zeulianska. In the interval, News. 6.0, Miscellaneous Items. 6.25, Dramatic Programme. 7.0, Concert of Popular Music. 8.0, Sports Notes. 8.10, Concert of Opera Music. 9.35, Dance Music. 9.55, Aviation Weather Forecast and Police Notes. 10.0, Dance Music from the Café Gastronomica 11.2 (approx.). Close Down.

ZURICH.—See Schweizerischer Landessender.

ATHLONE

413 metres; 60 kW.; and **CORK**, 224.4 metres.—1.30 to 2.0 p.m., Time Signal, Weather Report, Stock Report and Light Music on Gramophone Records. 6.0, Popular Music on Gramophone Records. 6.15, Programme for Children. 7.0, Light Music on Gramophone Records. 7.20, News. 7.30, Time Signal. 7.31, Gaelic Talk. 7.45, Talk for Farmers: Insect Pests of Cereals and Root Crops. 8.0, The Station Orchestra. 8.30, The Pigeon-Play presented by Ian Priestly Mitchell and Company. 9.0, Tenor Solos by Gerard Crofts. 9.15, Accordion Solos by Terry Lane. 9.30, Songs by Nora Finn (Contraalto). 9.50, Irish Music by the Station Orchestra. 10.0, Traditional Trio Music. 10.30, Time Signal, News, Weather Report and Close Down.

BARCELONA

RADIO-BARCELONA, Call EAJ1, 348.8 metres; 8 kW.—6.0 p.m., Trio Concert. 7.0, Request Gramophone Concert. 7.30, Exchange Quotations and a Talk by Arthur Balot. 8.0, Popular Music on Gramophone Records and News. 9.0, Chimes from the Cathedral. Weather Forecast, Exchange Quotations and Market Prices. 9.5, Humorous Review of the Week in Verse. 9.15, Concert of Sardanas. 10.0, Chamber Music: Quartet No. 2 in F (Glazunov). 10.30, Concert by the Station Orchestra: Arabesque No. 2 (Debussy); Waltz Intermezzo (d'Ambrosio); Minuet from the Symphony in E Flat (Mozart); Carnival (Guiraud); Melody (Percy). 10.30, Dance Music, relayed from the Hollywood Bar. 11.0 (in an interval), News. 12 Midnight (approx.) Close Down.

BARI

269.8 metres; 20 kW.—7.0 p.m., Agricultural Notes, Tourist Talk and Dopelavorio Announcement. 7.20, Giornale Radio and Weather. 7.30, Time Signal and Announcements. 7.35 (approx.), Concert of Operetta Music and Songs. In the intervals: Book Review and Humorous Talk. 9.55, News Bulletin.

BASLE—See Schweizerischer Landessender

BELGRADE

BEOGRAD, 430.4 metres; 2.8 kW.—3.0 p.m., Concert by the Radio Orchestra: Overture, Phedre (Massenet); Selection from Fedora (Giordano); Suite from Les Erynnies (Massenet); Oriental Fantasia, Arabian Gold (Rust). 4.0, Dialogue in German. 5.55, Time and Programme Announcements. 6.10, Light Music on Gramophone Records. 6.50, Introductory Talk to the following Relay. 7.0, Part relay of The Mastersingers—Opera (Wagner) from the National Theatre, Zagreb. In an interval at 8.30 (approx.), News.

BERLIN

KONIGS WUSTERHAUSEN, 1,635 metres; 60 kW.—11.55 a.m., New Time Signal. 12.35 p.m., News Bulletin. 1.0, Gramophone Concert, relayed from Berlin (Witzleben). 2.0, Talk for Women on Handicrafts. 2.30, Weather and Exchange. 2.45, Review of books. 3.0, Talk: For which Ailments are Schools Closed? 3.30, Concert from Berlin (Witzleben). 4.10, Talk: The Indian Woman. 4.30, Chamber Music: Saxophone Quartets; Lyric Suite in Three Movements for Three Saxophones and Piano (Gerhard Pordes), with the Composer at the Piano; Quartet for Four Saxophones in Five Movements (Hermann Griseled). 5.0, Talk: Public Administration in Scandinavia. 5.30, Making Music with Invisible Partners. 5.55, Weather and Announcements. 6.0, English Lesson. 6.30, A Poem. 6.35, Talk on the following Transmission. 6.45, Second and Third Acts of Tristan and Isolde—Opera (Wagner), from Leipzig. 9.25, Weather, News and Sports Notes. 9.45, Weather Report for Shipping. 10.0, Serenade from Munich. 11.0 (approx.), Close Down.

BERLIN

WITZLEBEN, 419.5 metres; 1.5 kW.—3.30 p.m., Concert by the Munich Viol Quintet: Chanson (Sweetinck); Kyrie (Dufay); Canzone (Monteverdi); Canzone (Merulo); The Two First Fugues from The Art of the Fugue (Bach); Old English Dances; Three Pieces (Purcell): (a) Trumpet Air, (b) Air, (c) Hornpipe. 4.15, Old Music on Gramophone Records. 4.30, Talk: Gallantry in Everyday Life. 4.50, Talk on Skating. 5.10, Concert from the Café Berlin. 5.30, Hans Michael Ken reads from his own Works. 5.55, The Witzleben Station informs its Listeners. 6.0, Topical Talk for the Wagner Anniversary. 6.15, Ten Minutes for the Music Lover. 6.25, Concert from the Café Berlin (contd.). 7.0, Introductory Talk to the following Transmission. 7.5, The Flying Dutchman—Opera (Wagner), relayed from the Municipal Opera House, Charlottenburg. 9.15 (approx.), Weather, News, and Sports Notes. 9.30 (approx.), Dance Music from the Europa Pavilion. 11.0 (also relayed by Zessen on 31.38 metres), Wagner Memorial Programme, relayed from Wahnfried, Wagner's House in Bayreuth (Reproduction on Gramophone Records).

BERNE—See Schweizerischer Landessender.

BEROMUNSTER—See Schweizerischer Landessender.

BODEN—See Stockholm.

BODO—See Oslo.

MONDAY

FEBRUARY THE THIRTEENTH

PRINCIPAL EVENTS OF THE DAY:

AT HOME

- NATIONAL**—Orchestral concert. Organ music. Professor John Macmurray: "Some Makers of the Modern Spirit." Chamber concert. Jack Fayne with his Band.
- LONDON REGIONAL**—Recital of gramophone records. Band concert. An Irish Half-hour. Orchestral music. Orchestral concert.
- MIDLAND REGIONAL**—Organ music. Orchestral concert. Dance music.
- NORTH REGIONAL**—Mr. F. W. Brooks: "The End of the Old Village." The Yorkshire Mimmers' Concert Party. Organ recital. Orchestral concert.
- WEST REGIONAL**—Orchestral concert, from National Museum of Wales. Welsh interlude.
- SCOTTISH REGIONAL**—Orchestral concert. London Regional programme.
- BELFAST**—Recital of gramophone records. Dance music. Orchestral concert.

ABROAD

- STRASBOURG**—Song and pianoforte recital, by Charles and Madeleine Panzera.
- STOCKHOLM**—Acts 2 and 3 of "The Mastersingers."
- WARSAW**—Opera: "Tristan and Isolde" (Wagner), relayed from Dresden, and conducted by R. Strauss. Wagner commemoration concerts from Brussels (No. 2), Strasbourg, Copenhagen, Rome, Hilversum, Zurich, etc.

BORDEAUX-LAFAYETTE

304 metres; 13 kW.—7.30 p.m., News, Exchange, and Market Prices. 7.40, Talk: Bordeaux a Hundred Years Ago. 7.55, Lottery Results. 8.3, Programme for Children. 8.15, Charades. 8.20, News and Weather. 8.30, Instrumental Concert of Classical and Modern Music.

BRATISLAVA

279 metres; 14 kW.—3.10 p.m., Concert by the Station Orchestra, conducted by F. Dyk: Piece for Orchestra; Overture, Richard III (Humpries); Fantasia on Themes by Byorak (arr. Leopold). 4.10, Talk on Music. 4.25, Popular Music on Gramophone Records. 5.0, Three Sonatas for Violin and Piano (a) Sonata in G (Mozart), (b) Sonata in D Minor (Brahms), (c) Sonata (Janacek). 6.0, See Prague. 6.5, Literary Review. 6.20, See Prague. 6.40, A Play (Plesko). 7.30, Light Music on Gramophone Records. 7.40, See Prague. 9.15 (approx.), Close Down.

BREMEN—See Hamburg.

BRESLAU

325 metres; 60 kW.; and **GLEWITZ**, 253 metres.—12.5 p.m., Weather for Farmers. 12.10, Gramophone Concert: Overture, Raymond (Thomas); Concert Waltz (Glazunov); Fantasia on The Blue Danube Waltz (Strauss-Grothe); Selection from Zur goldenen Liebe (Benatzky); Waltz from Polenblut (Neubad); Selection from Boccaccio (Suppé). 12.45, Time, Weather, News, Exchange and Shipping Reports. 1.5, Wagner Concert on Gramophone Records: Homage March; Aria from Tannhäuser; Wotan's Farewell and Fire Magic from The Valkyries; Quintet from The Mastersingers; Dance of the Apprentices from The Mastersingers. 1.45, Sponsored Programme with Gramophone Records. 2.10, Agricultural Prices. 2.40, Book Review. 3.0, Talk: The Census. 3.20, Orchestral Concert: Argentine March, Bella vista (Morena); Academic Festival Overture (Brahms); Violin Solo: Kubelik Berenade (Drulla); Divertimento, Op. 2, No. 1, for Piano and Chamber Orchestra (Pillney); Selection from Die Puppenfee (Bayer); Klagen des Gedenken (Dvorák); Berceuse (Dvorák); Die Mär vom tapferen Schneiderlein (Zimmer); Selection from Die geschiedene Frau (Fall). 4.45, Agricultural Prices. 4.50, Talk: Telling the Time by the Sun—the Heavens in February. 5.10, Educational Notes. 5.35, I know Wagner—Dialogue between Wilhelm Kienzler and Heinrich Eduard Jacob. 6.0, Talk: Richard Wagner's Place in German Literature. 6.25, Weather for Farmers, followed by French Lesson. 6.45, Relay of Act II of Tristan and Isolde—Opera (Wagner), from Leipzig. 7.50, Announcements. 8.0, Concert of the Lesser-known Works of Wagner. Soloists: Ika Ballies (Soprano

and Gerhart Bertermann (Baritone). Overture, Christopher Columbus; Songs from Faust: (a) Unter der Linde, (b) Bräutigam-Lied, (c) Es war einmal ein König, (d) Meine Ruh' ist hin; Second Movement from the Symphony in C; Romance; Sanfte Wehmut will sich regen; Die beiden Grenadiere; Kaiser Marsch. 9.0, Time, Weather, News, Sports Notes, Colonial Market Prices and Programme Announcements. 9.20, Answers to Technical Wireless Questions. 9.30, Talk. 9.50 (approx.), Close Down.

BRNO

342 metres; 35 kW.—4.40 p.m., Microphone Report from a Tailor's Workshop. 5.3, Talk: Gymnastics and Sports. 5.15, See Prague. 5.25, German Transmission: News, Elementary French Lesson and Talk. 6.0, See Prague. 6.20, Review of New Books. 6.40, Brno Pastimes Fifty Years Ago—Radio Play (Indra). 7.40, See Prague. 9.15 (approx.), Close Down.

BRUSSELS (No. 1)

I.N.R., 509 metres; 15 kW.—12 Noon, Concert by the Small Station Orchestra, conducted by P. Leemans. 1.0 p.m., Le Journal Parlé. 1.10, Light Music on Gramophone Records. 2.0, Educational Programme. 5.0, Concert by the Radio Orchestra, conducted by Franz André: Wallon March (Enotte); Petite Suite (Daneau); Charles Irahon (Dejongker); Berceuse for Violin (Brenta); Petite Suite de Ballet (Kalkman); Humoresque (Demare); Popular Dances (Grétry). 6.0, Gramophone Concert: Overture, Le Chasse du Jeune Henri (Méhul); Three Airs from Richard Cœur de Lion (Grétry); Melody from Les Deux Azares (Grétry); Ballet Music from Céphale et Procris (Grétry). 6.30, Talk: The Carnival at Binche. 7.0, Monologue and Songs in Namur Dialect, by Jules Evard. 7.15, Talk: The Wallon Movement. 7.30, Theatre and Film Reviews. 8.0, Recital of Songs by Montois, by Fernand Dessart and the Cercle Royal Montois. 8.45, Talk: Brussels and the Language Question. 9.0, Concert by the Radio Orchestra, conducted by Franz André: March, Sortie militaire (Pauls); Potpourri of Popular Airs from Charleroi (Wangerme); Adagio pathétique for Violin (Marsiek); Melody for Trumpet (Poulenc); Petite Suite (Jongen); The Brontogaurus (Sikes); March (Sikes); Waltz (Kullerath); Cramignons. 10.0, Le Journal Parlé. 10.10, Light Music on Gramophone Records. 11.0 (approx.), Close Down.

BRUSSELS (No. 2)

I.N.R., 338.2 metres; 15 kW.—Programme in Flemish.—12 Noon, Gramophone Concert: Two Pieces (Ivory): (a) Marche de Neptune, (b) La maisonnette de pains d'épices; Arlequin (Lalo); Selection from Hansel and Gretel (Humperdinck); Le dernier Sommeil de la Vierge (Massenet); Waltz (Ganne); Minuet No. 1 (Paderewsky); Serenade

(Schubert); Air from La Bohème (Puccini); Andante religioso (Thomé); Gnomereigen (Liszt); Serenade (Moszkowsky); Pas des Châtaignes (Chaminade); Overture, Alessandro Stradella (Plotow). 1.0 p.m., Le Journal Parlé. 1.10, Concert by the Small Station Orchestra, conducted by P. Leemans. Soloist: M. Wigy. Parade March (Ratz); Suite of Viennese Waltzes (Gillon); Simple ayeu (Thomé); Air from Dinorah (Meyerbeer); Melody (Lohr); Spanish Dance No. 5 (Granados); Mazurka for Violin (Szarziyky); Four Dances (Robceht). 2.0, Educational Programme. 5.0, Concert by the Small Station Orchestra, conducted by P. Leemans. Overture, Preciosa (Weber); Petite suite miniature (Dubois); Berceuse, L'Arlequin (Dubois); Rubinstein Potpourri (Urbach); Algerian Song, Le ramier (Guillemin); Saltarella (Luigini). 5.45, Programme for Children. 6.30, Concert by the Small Station Orchestra, conducted by P. Leemans. Soloists: M. Derissen (Cello), and F. Gilman (Flute). Overture, Russian and Ludmilla (Glinka); Suite from Izyl (Bienne); Cello Solo: Träumerei (Schumann); Flute Solo: Hungarian Pastoral Fantasia (Doppler); The Flight of the Bumble Bee (Rimsky-Korsakov); Gopak (Mussorgsky); Le Nil (Leroux); Suite, Fêtes Romaines (Fourdrain). 7.15, Talk. 7.30, Programme by Pirreke Pirrewit. 8.0, Wagner Concert by the Radio Symphony Orchestra, conducted by Jean Kumps. Soloist: Jeanne Lauwers Vanhummertich (Songs), Faust Overture; Siegfried Idyll. Songs: (a) Träume, (b) Elsa's Aria from the Second Act of Lohengrin. 8.45, Talk. 9.0, Concert (contd.): Prelude to Lohengrin; Forest Murrurs; Songs: (a) Senta's Ballad from The Flying Dutchman, (b) Elizabeth's Prayer from Tannhäuser; The Ride of the Valkyries. 10.0, Le Journal Parlé. 10.10, Gramophone Concert of Dance Music. 11.0 (approx.), Close Down.

BUCHAREST

394 metres; 12 kW.—4.0 p.m., Concert by the Station Orchestra: Turkish March (Beethoven); Kaiser-Walzer (Joh. Strauss); Overture, Iphigenia in Aulis (Gluck); Selection from La Juive (Halévy); Memories of Grieg (Urbach). 5.0, News and Time Signal. 5.10, Talk. 5.25, Concert (contd.): Burlesque (Poot); Intermezzo (Jannone); Pudding Potpourri (Morena). 6.0, Talk Native Romanian Animals. 6.40, Light Music on Gramophone Records. 7.0, Time Signal. 7.2, Chamber Music: Quartet in C Minor, Op. 18, No. 4 (Beethoven). 7.45, Quartet in D (Szymanik). In the interval at 7.30, Talk. 8.15, Concert of Light Music and Romanian Music by the Dinco Orchestra, relayed from the Enecco Restaurant. 9.0, News Bulletin.

BUDAPEST

550 metres; 18.5 kW. Also relayed on 840 metres from 6.30 to 11.0 p.m.—4.30 p.m., Gypsy Music by Gyula Koeze and his Band. 5.30, German Lesson. 6.0, Reading. 6.40, Brahms Concert by the Philharmonic Orchestra, conducted by Ernst Dohnanyi, relayed from the Royal Hungarian Opera House: Soloist: Poldi Mildner (Piano); Tragic Overture; Pianoforte Concerto in D Minor; symphony in D. 9.0, News Bulletin. 9.15 (approx.), Dance Music by the Mandits Dance Band, relayed from the Café New York: Soloist: Karl Vajda (Songs). 10.15, Talk in English, followed by Gypsy Music from the Café Spolrich. 11.0 (approx.), Close Down.

CASSEL—See Frankfurt.

COPENHAGEN

291 metres; 0.75 kW.; and **KALUNDBORG**, 1,153 metres; 7.5 kW.—11.0 a.m., Time and Chimes from the Town Hall. 11.5, String Ensemble Concert, conducted by Max Skalka. 1.0 to 2.20 p.m., Interval. 2.20, Talk for the Home-wife. 2.50, Concert by the Radio Orchestra, conducted by Emil Reesen: Overture, Der Waffenschmid (Lortzing); Selection from La Boite à joujou (Debussy); Cancion and Danza from Acuarrelas Valencianas for Strings (Chayvarti); Waltz, España (Waldfteudt); Allegro di bravura and Tarantella from the Gipsy Suite (German); Reading: March from The Chocolate Soldier (O. Strauss); Selection from Johnny spielt auf (Krenek); Intermezzo from Tiedland (D'Alhert); Selection from Blade of Angels Billbog (Glass): (a) Blomstervals, (b) Trandafers; Alfordans from Weyland the Smith (E. Henriques); March from Sigurd Jorsalfar (Grieg). 4.40, Exchange and Fish Market Prices. 4.50, Talk. 5.20, English Lesson. 5.50, Weather Forecast. 6.0, News. 6.15, Time Signal. 6.30, Talk: Women in Communal Life. 7.0, Chimes from the Town Hall. 7.5, Wagner Concert on the Fiftieth Anniversary of the Composer's Death. The Station Orchestra, conducted by Launy Gröndahl. Soloists: Tenna Frederiksen Kraft and Marins Jacobsen (Songs). Overture, The Flying Dutchman; Talk: Forest Murrurs from Siegfried; Song: Elsa's Dream from Lohengrin; Prelude to Act Three of Lohengrin; The Story of the Grail from Lohengrin; Prelude to Tristan and Isolde. After the Concert: Richard Wagner's Last Evening—Sketch (Julius Clausen). 8.35, News. 8.50, Introductory Talk to the following Transmission. 9.0, Relay of the Third Act of The Mastersingers—Opera in Three Acts (Wagner), from the Royal Theatre. 10.45 (approx.), Close Down.

CORK—See Athlone.

CRACOW

312.8 metres; 1.5 kW.—4.30 p.m., News and Programme Announcements. 4.40, Talk on Wagner. 5.0, See Leipzig. In the intervals at 6.20, Miscellaneous Items and Announcements, at 6.40, Talk: An Analysis of Act II. of Tristan and Isolde, at 7.50, Announcements from Warsaw, and at 8.10, An Analysis of Act III of Tristan and Isolde. 9.30 till Close Down. See Warsaw. 11.0 (approx.). Close Down.

DANZIG.—See Heilsberg.

DRESDEN.—See Leipzig.

DUBLIN.—See Athlone.

FECAMP

223 metres; 10 kW.—6.0 to 7.0 p.m., Programme in English by the I.B.C. 6.0, Orchestral Concert for Hastings Listeners: Waltz, The Blue Danube (Joh. Strauss); Der Rosenkranz (Jessed); Bells across the Meadow (Kotzebey); In a Pierrette's Garden (Brookes); Serenade (Moszkowsky); Devotion (Kotzebey); Columbine (Garland); Moonlight on the Alster (Petras). 6.30, Concert for Eastbourne Listeners: Songs: The Future Mrs. Arkwin (Chevalier); Just a Dancing Sweetheart (Tobias); My Old Dutch (Chevalier); My Old Irish Mother (O'Donnell); Life (Saron); Lily of Laguna (Stuart); Poor Kid (Gilbert); Little Dolly Daydreams (Stuart). 10.0 till Close Down. Programme in English by the I.B.C. 10.0, Dance Music. 11.0, Orchestral Concert: Erster Walzer (Robrecht); Pompee valse (Poldini); The Rose Beetle goes a-wooing (Armandola); Demande et Réponse (Coleridge Taylor); On Wings of Song (Mendelssohn); Sicilian Serenata (Schmalstich); Poem (Fiebig). 11.30, Song Recital: Orchestra, What's next? (arr. Fiebig); Hoem (Richard); The Village Blacksmith (Weiss); I'm a roamer (Abundessohn); Leannin (Sten-dale Bennett); The Windmill (Nelson); The Company Sergeant-Major (Sanderson). 12 Midnight, Variety Music: Old Times (arr. Griffiths); Harmonica Duet; Polly (Zame-crick); Sketche; Corporal Hoskins; Song: Cooking Breakfast for the One I love; Hand-saw Solo Dear Old Pal of mine (Klobo); Song: When a Woman loves a Man. 12.30 a.m. (Tuesday), Light Songs: I'm walking in the Sun; Lovin' you the way I do; Over-night: More than you know; They'll all be there but me; Back to Gay Paree; You'll be mine in Apple Blossom Time; We're uncomfortable. 1.0, Organ Recital: The Match Parade (Wehler); Home (Steeden); The White Dove (Grey-Lehar); Trees (Rasbach); On Wings of Song (Mendelssohn); There's nothing new in love (Maclean); Rose of Picardy (Haydn Wood); The Butterfly Waltz Song (Rallon). 1.30, Light Songs: Could I be happy? (Donaldson); Got the Bench, got the Park (Donaldson); If the World belonged to me; You didn't have to tell me (Donaldson); Fanny the Fairy Queen (Hamilton); Please don't talk about me; You forgot your Gloves (Hamilton); Walking my Baby back Home. 2.0, Dance Music. 2.57, I.B.C. Good-night Melody. 3.0 (approx.). Close Down.

FLENSBURG.—See Hamburg.

FLORENCE.—See Turin.

FRANKFURT

259 metres; 17 kW.; and CASSEL, 245.0 metres.—4.0 p.m., See Langenberg. 5.15, Exchange Quotations. 5.25, Talk: Germany's Dark Days ten Years ago. 5.50, Time, Programme Announcements and Weather. 6.0, English Lesson. 6.25, Helden und Welt—a Dialogue (Heinrich von Stein) with Introduction by Richard Wagner. 7.5, See Stuttgart. 9.0, Time, News, Weather and Sports Notes. 9.30, Dialogue; Educational Pictures of Life at the Zoo. 9.45, See Munich. 11.0 (approx.). Close Down.

FREDRIKSSTAD.—See Oslo.

FREIBURG.—See Stuttgart.

GENEVA.—See Radio-Suisse Romande.

GENOA.—See Turin.

GLEIWITZ.—See Breslau.

GOTEBORG.—See Stockholm.

GRAZ.—See Vienna.

HAMAR.—See Oslo.

HAMBURG

Call ha (in Morse), 372 metres; 1.5 kW. Relayed by Bremen, 269.8 metres; Flensburg, 227.4 metres; Hanover, 566 metres; and Kiel, 232.2 metres.—6.5 p.m., Review of Books. 6.25, Weather Report. 6.30, Poems for Town Dwellers (Walter Bauer). 6.45, See Leipzig. 7.50, First General News. 8.0 (from Hanover), To the Rhythm of Machines—Radio Poem in Four Scenes (Werner Schumann). 9.0, News Bulletin 9.10, Topical Talk. 9.20, Concert from the Osterman Restaurant. In an interval at 9.50, Ice Report. 10.15, Dance Music from the Atlantic Hotel, Bremen.

HANOVER.—See Hamburg.

HEILSBURG

276.5 metres; 60 kW.; and DANZIG, 453.2 metres.—12.5 p.m., Wagner Concert, on Gramophone Records, of The Berlin Opera House Orchestra, conducted by Karl Mues. Soloist: Friedrich Schorr (Songs). Overture, The Flying Dutchman; Aria from the Flying Dutchman; Siegfried Idyll; Air from

FEB. 13th

MONDAY

continued

The Mastersingers; Prelude to Parsifal; Overture, Tannhäuser; March from The Twilight of the Gods. In the interval at 12.20 p.m., News. 1.30 to 2.0, Interval. 2.0, Agricultural Prices and Exchange Rates. 2.30, Programme for Children. 3.0, Concert by the Small Station Orchestra, conducted by Eugen Wileken: Fasching-Ouverture (Leuschner); Melody from Les Millions d'Arlequin (Drigo); Waltz, Fäschingskinder (Zihrer); Karneval-Miniaturen (Kaskel); Melody (Muzilli); Melody; Rhapsody, Pester Carneval (Liszt); Overture, Der Karneval in Rom (Joh. Strauss). In the interval at 3.45 (approx.). Memorial Days of the Week. 4.30, German Lesson. 4.45, Book Review. 5.15, Agricultural Prices. 5.20, Ice Report. 5.30, Recital of Folk Songs by Tony Jaekel (Soprano and Lute). Kees Veening (Baritone) and Gerhard Rühl (Violin). 6.0, Technical Talk. 6.15, Weather Report. 6.20, Relay from Leipzig of the Second and Third Acts of Tristan and Isolde, preceded by Talk. 9.25, Weather, News and Sports Notes.

HILVERSUM

Announced HILVERSUM; 296.1 metres; 20 kW. (7 kW. up to 4.40 p.m.).—Programme of the Christian Radio Society (N.C.R.V.). 11.10 a.m., Gramophone Records of Variety Music. 11.40, Police Notes. 11.55, Symphonic Poem, Les Préludes (Liszt) on Gramophone Records. 12.10 p.m., Organ Recital from Amsterdam. 1.40, Talk for Schools: Chinese Children in India. 2.15, Gramophone Records of Dutch Music. 2.25, Talk on Fish Recipes. 2.55, Dressmaking Lessons. 3.25, Programme to be announced. 3.40, Bible Reading and Sacred Songs. 4.40, Gramophone Records of Mendelssohn Music. 4.55, Recital of Sacred Songs. 5.55, Passacaglia in C Minor (Bach) on Gramophone Records. 6.10, Questions Time. 7.10, Police Notes. 7.25, News Bulletin. 7.40, Programme arranged by the Free University, relayed from a Church in Amsterdam; Speeches and Choral and Organ Music. 9.55, News Bulletin. 10.5, Gramophone Concert, Part I: Wagner Music: Overture, Rienzi; Soprano Solo with Choir: The Pilgrims Chorus from Tannhäuser; Aria from Tannhäuser; Prelude to the Third Act of Tristan and Isolde; Four Arias from The Valkyries; Siegfried Idyll; Good Friday Music from Parsifal (Part II); Organ Solos: (a) Le Cygne, (b) Prélude Op. 99 (Saint-Saëns); Songs with Organ, Cello and Harp Accompaniment: (a) Carmina ben (Giordano), (b) Largo (Handel); Psalm 33 and 89; Choir: Two Sacred Pieces. 11.40 (approx.). Close Down.

HORBY.—See Stockholm.

HUIZEN

Announced HILVERSUM, 1,875 metres; 8.5 kW.—Programme of the Algemeene Vereeniging Radio Omroep (A.V.R.O.).—11.40 a.m., Time Signal. 11.41, Concert by the Small Wireless Orchestra, conducted by Nico Treep: Blue Devils March (Williams); Overture, The Well of Love (Balter); Three Plantation Songs (Clusant); Spring awakes (E. Bach); Krakowisk (Leopold); Czech Polka (Balling); Waltz, Over the Waves (Rosas). Interlude: Gramophone Records, Selection from Mignon (Thomas); Chant sans paroles (Tchaikovsky); Violin Solo, Dream of Love (Beccer); The Little Pflücker (Kockert); Revue Stars (Kockert). Interlude: Gramophone Records, Second Waltz Potpourri (Robrecht); Selection from Viktoria and her Hussar (Abraham); March, Sempere avanti (Fiebig). 1.55 to 2.10 p.m., Interval. 2.10, Concert by the Wireless Chamber Orchestra, conducted by Nico Berbarz: Overture, L'île de Tulipatan (Offenbach); Suite of Nursery Songs (Blech); Moonbeams and Shadows (Squire); Florentine Intermzzo (Waghalter); Old Minnet (Sgambati-Artok) Selection from Le petit duc (Lecocq). Interlude: Gramophone Records, Waltz, Dreams on the Ocean (Gungl); Tango, We say "Good-bye" (Moretti); Tango, Promises (Pizaro); Strauss Potpourri (Weber). 3.40, Pianoforte Recital of Russian Music by Victor Babin: Tragic Poem (Scribin); Waltz (Scriabin); Ais (Prokofiev); (a) Suggestion diabolique, (b) March, (c) Toccata, Suite from Petruska (Stravinsky). 4.10, Talk on Music, with Gramophone Illustrations. 5.10, Concert of Light Music by the Kovacs Lajos Orchestra. Bob Schulte (Songs). 6.10, Book Review. 6.40, Orchestral Concert (cont'd.). 7.10, Talk. 7.30, Light Music on Gramophone Records. 7.40, Time. 7.41, News. 7.45, Concert by the Wireless Orchestra, conducted by Nico Treep. Soloist: Lia Fuldauer (Soprano). Marche solennelle (Tchaikovsky); Three Pieces from the Ivoria Suite (Ippolitoff-Ivanov); Arias from: (a) The Merry Wives of Windsor (Nicolaï), (b) Les Huguenots (Meyerbeer); Waltz, Neu Wien (Joh. Strauss); selection from Madame Butterfly (Puccini); Arias from: (a) Mignon (Thomas), (b) The Golden Cross (Brüll); Forget-me-not (Marbeth); Melody (Morel); Chromatic Gallop (Liszt). 9.10, Concert of Light Music by Edith Louand's Chamber Orchestra. 10.10, Popular Music on Gramophone Records. 10.40, News. 10.45, Dance Music by the Ramblers, relayed from the Zuid Restaurant, the Hague. Conductor:

Theo Eden Masman. 11.20 (approx.), Close Down.

INNSBRUCK.—See Vienna.

JUAN LES PINS

NICE, 249 metres; 0.5 kW.—8.0 p.m., Amusement Guide, News, Financial Report, Exchange and Racing Results. 8.15 (approx.), Sports Talk. 8.30, Concert. 9.0, Weather and News. 9.15, Dramatic Programme.

KALUNDBORG.—See Copenhagen.

KATOWICE

408 metres; 16 kW.—3.25, See Warsaw. 6.20, Talk: Young Poles Abroad. 6.35, Announcements and Popular Music on Gramophone Records. 6.40, Talk on Act III of Tristan and Isolde, relayed from Cracow (312.8 metres). 6.45, Acts II and III of Tristan and Isolde, relayed from Leipzig. In the interval at 7.50, See Warsaw. 9.30, Reading. 9.45, See Warsaw. 10.30 (approx.), Close Down.

KAUNAS

1,935 metres; 7 kW.—7.10 p.m., Chamber Music Concert. 7.40, Talk on Ornithology. 8.0, Lithuanian and Ukrainian Report. 8.30, Sports Notes. 8.40, Evening Concert. 9.30 (approx.), Close Down.

KIEL.—See Hamburg.

KLAGENFURT.—See Vienna.

KOSICE.—See Prague.

LAHTI

1,796 metres; 40 kW.; and HELSINKI, 368.1 metres.—5.50 p.m., Violin Recital by Irma Salmele: Larghetto (Handel); Prelude and Gavotte (Bach); Piece (Mendelssohn-Viel-ton). 6.15, Talk. 6.40, Wagner Concert on the Fiftieth Anniversary of his Death: The Radio Orchestra, conducted by Erkki Liiho; Soloist: Erik Cronvall (Cello); Overture, Lohengrin; Talk: Overture, The Flying Dutchman; Air from Tannhäuser; Cello Solo: Träume; Overture, The Mastersingers. 7.45, News in Finnish. 8.0, News in Swedish.

LANGENBERG

473 metres; 60 kW.—12 Noon, Concert conducted by Eysoldt: March, Mein Guss an Schwelm (Borsché); Overture, Die Landstreichler (Zielfer); Selection from Der Freischütz (Weber); Duet from As You Like It (Wetzler); Walther's Prize Song from The Mastersingers (Wagner); Waltz, Herbststimmung (Luecke); First Suite from Impressionist orientals (Amadei); Selection from Der Obersteiger (Zeller); Burlesque (Södermann); Torador et Andalouse (Rubinstein). 1.0 p.m. (in an interval), News Bulletin. 1.30, Meat Market Prices. 2.30, Exchange and Time. 2.50, Programme for Children. 3.20, Programme for Young People: Reading of Poems and Stories and Recital of Songs. 4.0, Concert, conducted by Wolf. Soloist: Hermann Munk (Songs to the Lute). Overture, Meeresstille und glückliche Fahrt (Mendelssohn); Ballet Music from Rosamunde (Schubert); Weber's Guitar Songs (a) Die Zeit, (b) Erinnerung, (c) Der arme Mühsänger, (d) Romance from Diana von Poell, (e) Alte Weiber; First Little Suite (de Michel); Waltz, Morgenblätter (Strauss). 5.0, Review of New German Novels and Short Stories. 5.20, Talk for Parents: Shall our Child go to a Secondary School? 5.45, Weather, Time, Exchange, and Sports Notes. 6.0, Talk for Women. 6.20, Reading of Poems by Bernhard Rang. 6.30, Talk: Problems of Handicrafts. 6.55, First General News. 7.0, See Stuttgart. 9.5, News and Sports Notes. 9.25, Serenade on Gramophone Records. 9.45, See Munich. 11.0 (approx.). Close Down.

LAUSANNE.—See Radio-Suisse Romande.

LEIPZIG

389.6 metres; 120 kW.; and DRESDEN, 319 metres.—11.5 a.m., Gramophone Concert: Andante and Minuet from the Sixth Symphony (Haydn); Fourth Movement from the Jupiter Symphony (Mozart); Largo from the Concerto in D Minor for Two Violins (Bach); Alleluia Chorus from The Messiah (Handel); Fantasia in C (Schubert); Aria from Il pastore (Mozart); Allegretto scherzando from Symphony No. 8 in F. Op. 93; Overture, Iphigenia in Aulis (Glück). 12 Noon, News, Weather, Snow Report and Time. 12.15 p.m., Gramophone Concert: Overture, Der Freischütz (Weber); Hunter's Chorus, from Der Freischütz (Weber); Two Songs (Schumann); (a) Du bist wie eine Blume, (b) Widmung; Scherzo from the Quartet in A Minor (Schumann); Rhapsody in G minor (Brahms); Aria from Hans Heiling (Marschner); Overture to the Fairy Opera, Christel-flein (Hans Fitzner). 2.35, Exchange and Market Prices. 3.0, Concert by the Dresden Philharmonic Orchestra, conducted by Josef Gustav Mrazek: Overture, Undine (Lortzing); German Rocco Suite (Günther); Melodies from Die drei Pintos (Weber); Serenade Op. 49 (Draesecke); Nocturne Op. 13 (Trapp). 4.45, Talk on Bayreuth. 5.0, Tristan and Isolde—Opera in Three Acts (Wagner). In the first interval at 6.20 (approx.), Talk: Tristan and Isolde as Literature. In the second interval at 7.50, Talk: Tristan and Isolde as an Emotional Experi-

ence. 9.25, News Bulletin, followed by Silent Night.

LINZ.—See Vienna.

LJUBLJANA

574.7 metres; 2.5 kW.—5.30 p.m., Esperanto Lesson. 6.0, Serbo-Croatian Lesson. 6.30, Talk on Hygiene. 7.0, Programme relayed from Zagreb, 307 metres. 9.0, Time, News and Light Music on Gramophone Records.

LWOW

381 metres; 16 kW.—6.20 p.m., Miscellaneous Items. 6.40, Programme relayed from Cracow (312.8 metres). 6.45, Acts II and III of Tristan and Isolde—Opera (Wagner), relayed from Leipzig. In the interval at 7.50, See Warsaw. 9.30, Reading. 9.45, See Warsaw. 10.30 (approx.), Close Down.

LYONS

LA DOUA, 465.8 metres; 1.5 kW.—7.30 p.m., Radio Gazette for Lyons and the South East. 8.30, Popular Music on Gramophone Records. 8.50, Concert of French Music relayed from the Salle du Conservatoire After the Concert, News Bulletin.

MADRID

ARANJUEZ (EAQ), 30.43 metres; 20 kW.—10.30 p.m., Popular Concert. 10.45, Radio Chronicle. 11.0, Popular Concert (cont'd.). 11.35, Sports and Bull-fighting Notes. 11.50, Light Music. 12 Midnight (approx.), Close Down.

MADRID

UNION RADIO, Call EAJ7, 424.3 metres; 2 kW.—7.0 p.m., Chinese, Exchange Quotations and Request Gramophone Concert. 8.15, News Bulletin. 8.30 (approx.), Close Down.

MALMO.—See Stockholm.

MILAN.—See Turin.

MORAVSKA-OSTRAVA

263.8 metres; 11 kW.—5.30 p.m., German Transmission: Talks: (a) Motor Touring in France, Corsica, and Italy, (b) Crises, Past and Present. 6.0, See Prague. 6.40, Concert by a Peasant Orchestra, relayed from Radvanice. 7.40, See Prague. 9.15 (approx.), Close Down.

MOSCOW

TRADES UNION, 1,304 metres; 100 kW.—4.0 p.m., News. 4.10, Announcements. 4.30, Concert. 5.30, Relay from a Foreign Station. 8.0, Talk in English: The Doctrine of Marx and Lenin. 8.55, Time. 9.5, Press Review.

MOTALA.—See Stockholm.

MUHLACKER.—See Stuttgart.

MUNICH

533 metres; 60 kW. Relayed by Augsburg and Kaiserslautern, 560 metres, and Nürnberg, 239 metres.—3.20 p.m., Recital of Oper Arias by Luise Wirtensohn (Soprano), Edl. Liesl Nener (Contralto), and Max Petz (Bass): Two Songs for Soprano (Puccini); (a) Aria from Suor Angelica, (b) Aria from Gianni Schicchi; Contralto Solo: Magdalena Song from Der Evangelinmann (Kienzl); Bass Solo: Falstaff's Drinking Song from The Merry Wives of Windsor (Nicolaï). 3.40, Conversations Overheard a Week-End among Skiers. 4.0, See Langenberg. 5.15, The Death Vigil in Bayreuth—a Description based on Contemporary Documents (Meier Gesees). 5.35, Talk: The Mystics. 5.50, Time, Weather and Agricultural Notes. 6.0, Talk: A Tragic Friendship—Wagner an Nietzsche (Eugen Gürster). 6.25 (from Nürnberg), Concert by the Nürnberg-Fürth Police Band, conducted by Franz Jarosel. 7.40, Talk. 8.0, Act III of Tristan and Isolde—Opera (Wagner). 9.20, Time, Weather, News and Sports Notes. 9.45, Serenade, conducted by Erich Kloss. 11.0 (approx.). Close Down.

NAPLES.—See Rome.

NOTODDEN.—See Oslo.

OSLO

1,083 metres; 60 kW. Relayed by Fredrikstad, 365.8 metres; Hamar, 574.7 metres; Notodden, 447.1 metres; Porsgründ, 453.2 metres; and Rjukan, 447.1 metres.—4.15 p.m., Accordion Music. 5.0, German Lesson. 5.30, Pia oforte Recital by Mlle. J. Mikkelson and M. Witkovsky, relayed from Trondheim (405.8 metres); Andante con Variazioni in B (Schumann); Sonetto del Petrarca in E (Liszt); Etude in C Sharp Minor, Op. 10, (Scriabin); Prelude in A Minor (Arensky); Etude in C (Glazounov). 6.0, Announcements, Weather, and News. 6.30, Political Review. 7.0, Time Signal. 7.1, Introduction Talk on the Following Transmission. 7.30, See Stockholm. In the intervals at 8.25, Topical Talk. 8.35, Weather and News. 10.20 (approx.), Close Down.

OSTERSUND.—See Stockholm.

PALERMO

537.6 metres; 3 kW.—7.0 p.m., Popular Songs. Tourist Talk, Agricultural Notes Report of the Royal Geographical Society and Giornale Radio. 7.20, Light Music on Gramophone Records. 7.30, Time and Announcements. 7.45, Chamber Music Concert (Puccini). Iella Helt Di Gregorio (Soprano)

FEB. 13th

MONDAY

continued

and Cimmo (Baritone); Pianoforte Solo: Faschings-schwank aus Wien (Schumann); Suite for Flute (Ronsse); Soprano Solos: (a) Serenade (Brahms), (b) Shadow Dance from Dinorah (Meyerbeer); Baritone Solos: (a) Liebestied (Brahms), (b) Per ni giunto from Don Carlos (Verdi); Variations for Flute and Pianoforte, Profili musicali (La Rosa Parodi), the Composer at the Pianoforte; Soprano Solos: (a) Fuena la neve (Cimara), (b) Serenata d'Inverno (Bettinelli); Baritone Solos: (a) Ferrito prigionier from Germania (Franchetti), (b) Fleeting Vision from Hérodiade (Massenet); Pianoforte Solos: (a) Miller's Dance from The Three-Cornered Hat (Falla), (b) Concert Allegro (Granados). After the Concert, Light Music on Gramophone Records. 9.55, News Bulletin.

PARIS

EFFEL TOWER, Call FLE, 1,445.7 metres; 13 kW. Time Signals (on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and 6-dot Signals).—5.45 p.m., Le Journal Parlé. 7.20, Weather Report. 7.30, Audran Operetta Concert: Selection from Le Grand Mogol, La Poupée, and Miss Decima. 8.30, Popular Programme with the Collaboration of Sim-Viva and Dalio. 9.0 (approx.), Close Down.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW.—6.45 p.m., Journal Parlé. 7.0, Hot Jazz on Gramophone Records. 7.30, Sponsored Concert. 8.0, Talk by Dr. Ombredane. 8.5, Motoring Notes. 8.15, Interval. 8.30, Sponsored Concerts. 10.40, News.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW.—6.45 a.m., Physical Culture. 7.30, Weather and Physical Culture (contd.). 7.45, Probable Relay of the Test Match from Australia. 8.0, Press Review and Weather. 8.30, Test Match Relay (contd.). 12 Noon, Concert by the Radio Paris Orchestra: Overture, Norma (Bellini); Selection from Les Troyens à Carthage (Berlioz); Overture, A Life for the Czar (Glinka); Selection from Salammbô (Reyer). 12.30 to 1.0, Interval. 1.0, Exchange, News, and Weather. 1.5, Song Recital by Mme. Gerô. 1.30, Exchange. 1.35, Orchestral Concert (contd.): Selection from A Midsummer Night's Dream (Mendelssohn). Selection from La Korrigane (Widor). 2.0, Exchange and Announcements. 3.45, Exchange and Market Prices. 6.10, Agricultural Talk. 6.30, Elementary English Lesson. 6.50, Film Review. 7.0, Review of New Books. 7.20, Concert by the Radio Paris Orchestra: Gavotte (Czibulka); Selection from Polyphème (Crus); Soir d'été (Delmas); Waltz (Dvorák). 7.45, Commercial Prices and News. 7.50, Gardening Talk. 8.0, Surcouf—Operetta (Planquette). In the intervals at 8.30, News, Sports Notes, and Weather. At 8.40, Review by Paul Reboux; and at 9.15, Press Review and News.

PITTSBURGH

WESTINGHOUSE ELECTRIC (KDKA), 306 metres; 25 kW. Relayed by W8XK on 48.86 metres and 25.27 metres.—9.0 p.m., Work-a-day Thoughts. 9.5, Business News. 9.15, Programme to be announced. 9.30, Weather Report. 9.32, Market Report. 9.45, Pianoforte Interlude. 9.50, David Lawrence Dispatch. 9.55, KDKA Artist Bulletin. 9.57, Programme Announcements. 10.0, Programme to be announced. 10.30, The Singing Lady, from New York. 10.45, Little Orphan Annie. 11.0, Our Daily Food—Maude and Cousin Bill, from New York. 11.15, Time Signal. 11.16, Temperature Report. 11.17, Teaberry Sport Review. 11.22, Press News Reeler. 11.27, Strange Facts. 11.29, Weather Report. 11.30, Westinghouse Watchmen. 11.45 to 3.15 a.m. (Tuesday), New York Relay. 11.45, To-day's News by Lowell Thomas. 12.0 Midnight, Popsident Amos 'n' Andy. 12.15 a.m., Tastyest Jesters. 12.30, Five Star Theatre by the Marx Brothers. 1.0, Clifton Club Eskimos. 1.30, Time Signal and Don Carney—a Talk for Dog Lovers. 1.45, Phillips Lord in The Country Doctor. 2.0, Sinclair Minstrels. 2.30, Jack Frost Melody Moments. 3.0, Alice Joy. 3.15, Bridge School of the Air by E. Hall Downes. 3.30, Samuel Di Primo (Tenor). 3.45, Bradley Kincaid. 4.0, Time Signal. 4.1, Teaberry Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.13, KDKA Artist Bulletin. 4.15, Press Last Minute News. 4.20, Henry Halstead and his Californians. 5.0, Hotel Bismarck Orchestra, from New York. 5.30, Time Signal and Good-night.

PORSGRUND.—See Oslo.

POZNAN

335 metres; 1.9 kW.—4.40 p.m., See Cracow. 5.0, See Warsaw. 6.20, Miscellaneous Items and News. 6.40, Talk from Cracow. 6.45, Opera Relay from Warsaw. In the interval at 9.30, Time, Sports Notes and Police Announcements. 9.50 (approx.), Close Down.

PRAGUE

488.6 metres; 120 kW.—3.10 p.m., See Bratislava. 4.10, Talk: Organised Attacks against Wireless Interference. 4.20, Talk on Books. 4.30, Programme for Children. 4.50, Popular Music on Gramophone Records. 5.5, Agricultural Report. 5.15, Talk for

Workers. 5.25, News in German. 5.30, German Transmission: Two Talks: (a) Richard Wagner at Marienbad, (b) German Gymnastic Societies. 6.0, News. 6.5, Elementary English Lesson. 6.20, Shorthand Lesson. 6.40, See Brno. 7.40, Talk: Richard Wagner. 8.0, Time Signal. 8.1, Wagner Memorial Concert on the Fiftieth Anniversary of his Death. The Station Orchestra, conducted by Otakar Jeremias. Overture, Das Liebesverbot; Symphony in C. 9.0, Time Signal. 9.1, News Bulletin. 9.15 (approx.), Close Down.

RADIO-SUISSE ROMANDE

SOTTENS, 403 metres; 25 kW.; LAUSANNE, 680 metres; and GENEVA, 760 metres.—5.30 p.m. (from Lausanne). German Lesson. 6.0 (from Lausanne). Weather, News, and Announcements. 6.30 (from Lausanne). Talk for Apprentices: Wood-cutting Machines. 7.0 (from Geneva). French Song Recital by Mme. Betty Primor. 7.20, Concert by the Station Orchestra. 8.0 (from Lausanne). The Joys of Housework—Musical Sketch. 9.0, News Bulletin and Weather Forecast. 9.10 (from Geneva). Talk: The Work of the League of Nations. 9.25 (approx.), Close Down.

RIGA

525 metres; 15 kW.—6.5 p.m., Wagner Memorial Concert, relayed from the National Opera. Conductor: Albert Coates. Overture, Die Feen; Selection from The Valkyries; Prelude to Act II, Dance of the Apprentices and Trial Scene from The Mastersingers; Prelude to Parsifal; Siegfried's Idyll; Siegfried's Journey; Funeral March from Götterdämmerung (The Twilight of the Gods). In the interval at 7.0, and after the Concert, News. 8.0, Weather Forecast followed by Light Music. 9.30 (approx.), Close Down.

RJKUKAN.—See Oslo.

ROME

Call IRO, 441 metres; 50 kW. Relayed by Naples, 319 metres, and 2RO, 25.4 metres.—7.0 a.m., Gymnastics. 7.15 to 7.30 a.m., Giornale Radio and Announcements. 11.30, Weather and Light Music on Gramophone Records. 12 Noon, Time and Announcements. 12.2 to 1.15 p.m., Orchestral Concert. In the interval from 12.30 to 12.45, Giornale Radio and Exchange. 3.45, Children's Radio Review. 4.10, Announcements. 4.15, Exchange and Giornale Radio. 4.30, Pianoforte Recital by Jean Wiener and Clement Donet, relayed from the Royal Philharmonic Academy. 5.0, Giornale Radio. 6.10 (Naples), Shipping and Sports Notes. 6.15, Agricultural Report and Announcements. 7.0, Time, Announcements and Light Music on Gramophone Records. 7.30 Sports Notes and Tourist Report. 7.45 Symphony Concert in commemoration of the Fiftieth Anniversary of the Death of Wagner. Conductor: Rito Selvaggi. Concert Overture in D; Symphony in C; Faust Overture; Festival March; Talk: Tales of Yesterday and To-day—Wagner and d'Annunzio at Venice; Symphonic Poem, Polonia (Wagner); Forest Murmurs from Siegfried; Prelude to and Finale from Tristan and Isolde; Overture, Tannhäuser. News after the Concert.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY (WGY), 379.5 metres; 50 kW. Relayed at intervals by W2XAF on 31.48 metres, and by W2XAD on 19.56 metres.—7.30 p.m., The Revolving Stage, from New York. 8.0, Talk, from New York. 8.15, Antionette Halstead (Contralto). 12 Midnight, Jane Froman and her Band, from New York. 12.15 a.m. (Tuesday), Stock Reports. 12.30 till Close Down, New York Relay. 12.30, Melody Keepsakes. 12.45, The Goldbergs. 1.0, Soapynald Sketch. 1.30, Voice of Firestone. 2.0, A and P Gipsies. 2.30, Buick Programme and Programme Resumé.

SCHWEIZERISCHER

LANDESENDER

BEROMUNSTER, 459 metres; 60 kW.; BASEL, 244.1 metres, and BERNE, 245.9 metres.—11.28 a.m., Time Signal from Neuchâtel Observatory. 11.30, Weather and News. 11.40, Wind Instrument Music on Gramophone Records. 12.35 p.m., Weather and Exchange. 12.45 to 2.30, Interval. 2.30, Concert by the Radio Orchestra. 3.0, Light Music on Gramophone Records. 3.30, Cello Music on Gramophone Records. 4.0, Handled Concert on Gramophone Records. 4.30, Weather. 4.35 to 5.30, Interval. 5.30 (from Zürich). Talk: The Swiss Dialect Theatre. 6.0, Time and Weather. 6.15 (from Zürich), English Lesson. 6.45 (from Zürich), Wagner Concert on the Fiftieth Anniversary of his Death. The Augmented Radio Orchestra, conducted by H. Hofmann. 7.55 (from Zürich), Tenor Song Recital by Luis van Tulder, accompanied by the Radio Orchestra, conducted by H. Hofmann and O. Straus (Pianoforte). 8.30, Weather and News. 8.40, Dance Music, Old and New by the Radio Orchestra. 9.15 (approx.), Close Down.

SEVILLE

368.1 metres; 1.5 kW.—2.0 p.m., Concert by the Station Orchestra: Pasodoble, Arriba, Maño! (Rubio); Romance for Violin and Pianoforte (Calvo); Titin (Seney); Selection from Los Calabreses (Laula). 9.0, Concert. Part I—Orchestral Music: Prelude, El Caserio (Guridi); Vocaïse (Rachmaninov); Waltz from Faust (Gounod); Peer Gynt Suite (Grieg); No. 1 (a) Morning, (b) Death of Asa, (c) Anitra's Dance, (d) In the Hall of the Mountain King; Goyescas (Granados); Turkish March (Mozart). Part II—Spanish Songs: Borrachita (Nacho); Amapola (Lacalle); Marion Delorme (Comer-Froissas); Tango (Tupy-namba); El pañuelo de lunares (Quintero-Alonso); Concierto (Mexican Song); Juramento (Grever); Jota aragonesa (Capdevila). Part III—Spanish Dances.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SASA, 436 metres; 55 kW. Relayed by Boden, 1,229.5 metres; Göteborg, 322 metres; Hörby, 257 metres; Motala, 1,348 metres; Östersund, 770 metres; and Sundsvall, 542 metres.—4.5 p.m., Folk Music. 4.30, Reading. 5.0, Light Music on Gramophone Records. 5.55, Parliamentary Report. 6.15, Weather and News. 6.30, Popular Songs. 7.0, Talk. 7.30, Acts II and III of The Mastersingers—Opera (Wagner), relayed from the Opera House. In the interval at 8.30, Weather and News. 10.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW.—11.30 a.m., Variety Music on Gramophone Records. 12.45 p.m., News. 1.0, Time and Exchange. 1.5, Variety Music on Gramophone Records. 2.0 to 4.45, Interval. 4.45, French Lesson. 5.0, Orchestral Concert, conducted by M. Roskam; March, Toledo (Kalkman); Waltz, Faschingsboten (Fetras); Cello Solo, Overture. The Italian Girl in Algiers (Rossini); Selection from Martha (Flotow); Rose Mousse (Bose); Badinage (Foucault); Suite, At the Circus (Armandola). 6.0, Film Review in French. 6.15, Talk in German: The History of Alsace in the Eighteenth Century. 6.30, Orchestral Concert of Italian Music, conducted by Maurice de Villers; Overture, William Tell (Rossini); Selection from La Traviata (Verdi); Prelude and Intermezzo from Cavalleria Rusticana (Mascagni); Selection from Manon Lescaut (Puccini); Dance of the Hours from La Gioconda (Pouchielli). 7.30, Time and News. 7.45, Jazz Music, conducted by M. Roskam. 8.25, Lottery Results. 8.30, Song and Pianoforte Recital by Charles and Madeleine Panzera, relayed from Metz: Three Arias (Mozart), (a) Aria from Figaro, (b) Serenade and Champagne Aria from Don Giovanni; Pianoforte Solos. (a) Prelude in E Minor (Mendelssohn), (b) Polonaise in E Flat (Chopin); Songs, (c) La ravane (Chausson), (d) La mer (Ropartz), (e) En Sourdine (Faure), (d) La Vie Intérieure (Duparc); Pianoforte Solos. (a) Jenu d'ean (Ravel), (b) Cordoba (Albeniz), (c) Seguedillas (Albeniz); Arias from The Damnation of Faust (Berlioz): (a) Recitative and Mephistopheles' Song of the Flea, (b) Prelude to Act II and Flower Song, (c) Recitative and Serenade of Mephistopheles. 10.30 (approx.), Close Down.

STUTTGART

MUHLACKER, 360.5 metres; 60 kW.; and FREIOURG, 570 metres.—11.0 a.m., Concert of Music by Wagner's Contemporaries on Gramophone Records. 12.15 p.m., Time, News, Weather, and Programme Announcements. 12.30, Concert from Langenberg. 1.0 to 1.15, Sponsored Gramophone Music. 1.30, Spanish Lesson. 2.0 to 2.30, Elementary English Lesson. 4.0, See Langenberg. 4.50, Time, Weather, and Market Prices. 5.0, Talk: The Industrial Life of Germany—The Manufacture of Tools and Machines. 5.25, Time and News. 5.35, See Breslau. 6.0, See Frankfurt. 6.25, Radio Report on the International Skiing Championship in Innsbruck. 6.40, Talk: Future Problems of Aviation. 7.5, Wagner Concert on the Fiftieth Anniversary of the Composer's Death, relayed from Ulm; The Stuttgart Philharmonic Orchestra, conducted by Emil Kahn; Soloists: Felicie Hüni-Mihasek (Soprano), Julius Pölzer (Tenor), and Paul Reider (Baritone); A Festival Overture, Monologue from The Mastersingers; Siegfried forges the Broken Sword from Siegfried; Ballad from The Flying Dutchman (Wagner); Entry of the Guests into the Wartburg from Tannhäuser; Siegfried Idyll; Duet from The Valkyries; Wotan's Farewell and Fire Magic from The Valkyries. 9.0, Time, News, Weather, and Programme Announcements. 9.20, Talk on Chess. 9.45, See Munich. 11.0 (approx.), Close Down.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW.—5.30 p.m., Dance Music. 6.0, News. 6.15, Operetta Music. 6.30, Suite, Scènes alsaciennes (Massenet). 6.45, Light Music.

7.0, Tourist Report. 7.15, Horse Racing Results, Market Prices and News. 7.25, Local News Bulletin. 7.30, Operetta Music: Selection from The Geisha (Jones); Air from Kadubee (Yvain); Selection from Choulette (Ishai). 7.45, Opera Music: Song at the Forge from Siegfried (Wagner); Si la rigueur et la vengeance, from La Juive (Halévy); Aria from The Valkyries (Wagner). 8.0, Military Music. 8.15, Extracts from Sound Films. 8.30, A Cabaret Concert of Former Days. 9.0, Chansonnettes. 9.15, Argentine Music. 9.20, Viennese Music. 10.0, Opera Music: Aria from Manon (Massenet); Alfio's Aria from Cavalleria Rusticana (Mascagni); Aria from Rigoletto (Verdi). 10.15, North African News. 10.30, Concert for Listeners in Morocco: Waltz, The Blue Danube (Joh. Strauss); Aria, The Swallows, from Mignon (Thomas); Violin Solo, Allegretto (Bocherini); Le sang du Midi (Roder); Voilà le printemps (Marcan). 11.0, Request Concert. 11.30, Programme in English by the I.B.C. Variety Concert: The Wink of the Glad Old Eye; Will Anybody here have a Drink?; Murder in the Air; A Little of what you fancy; One of the Ruins; Daisy Bell; Are we to part like this. 12 Midnight, Weather and Announcements. 12.5 a.m. (Tuesday), Orchestral Music: Selection from The Three Bears (Coates); Petite Suite de Concert (Coleridge-Taylor); Dances from Henry VIII (German). 12.30 (approx.), Close Down.

TRIESTE

247.7 metres; 10 kW.—4.30 p.m. till Close Down. See Turin.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relayed by Milan, 331.5 metres; Genoa, 312.8 metres; and Florence, 500.8 metres.—4.30 p.m., See Rome. 5.35, Giornale Radio, Agricultural Report, and Dopplavoro Notes. 6.0, Popular Music on Gramophone Records. 6.20, Giornale Radio. 6.30, Time Signal, Announcements, and Tourist Talk. 6.35, Orchestral Concert, relayed from the Café Dante. 7.0, Giornale Radio and Weather Forecast, followed by Gramophone Records. 7.45, Wagner Commemoration. 8.30, A Comedy. 9.0, Orchestral Concert, conducted by Ugo Tansini; Overture, Iphigenia in Aulis (Glück); Pastoral Symphony (Tartini); Pensée poétique (Scassola); Minuet for Strings (Fino); Prelude to Act III of Santa poesia (Cortopassi); Tarantella capriccio Castellammare (Brunetti). 10.0, Giornale Radio.

VATICAN CITY

19.84 metre (Morning) and 50.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Information in Italian. 7.0 to 7.15 p.m., Religious Information in Italian.

VIENNA

517 metres; 15 kW. Relayed by Graz, 352.1 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 245.9 metres; and Salzburg, 218.5 metres.—3.35 p.m., Concert by the Bernhard Wolfsthal Orchestra: Overture, Light Cavalry (Suppé); Waltz, Golden Rain (Waldteufel); Potpourri, Boccaccio's Galanterien (Weinger); Potpourri, Was wir lieben (Ganglbauer). 4.25, Talk: Wagner in Dresden. 4.50, Time, Weather and Programme Announcements. 5.0, See Leipzig. In an interval at 6.25, Report on the International Skiing Championship at Innsbruck. 9.25, Announcements. 9.30, See Berlin (Witzleben).

WARSAW

1,411 metres; 120 kW.—10.58 a.m., Time Signal and Bagle Call from the Tower of St. Mary's Church, Cracow. 11.5, Programme Announcements. 11.10, Popular Music on Gramophone Records. 12.20 p.m., Weather Forecast. 12.25 to 2.10, Interval. 2.10, Announcements. 2.15, Economic Notes. 2.25, Traffic Report. 2.35, Answers to Correspondents. 2.50, Light Music on Gramophone Records. 3.25, Elementary French Lesson. 3.40, Talk on Economics. 4.0, Light Music from the Italin Café. 4.30, Topical Notes. 4.35, Programme Announcements. 4.40, Talk on Wagner relayed from Cracow (312.8 metres). 5.0, Tristan and Isolde—Opera (Wagner), relayed from the Opera House, Dresden. Conductor, Richard Strauss. In the intervals, Miscellaneous Items, Topical Talk, and Radio Journal. 9.30, Answers to Technical Correspondence. 9.45, Radio Journal. 9.55, Sports Notes. 10.0, Aviation Weather Report and Police Notes. 10.5, Dance Music.

WILNO

563 metres; 16 kW.—4.40 p.m., Talk on Wagner, relayed from Cracow. 5.0, See Leipzig. In the interval at 6.35 p.m., Miscellaneous Notes. 11.0 (approx.), Close Down.

ZAGREB

307 metres; 0.75 kW.—4.50 p.m., News Bulletin. 5.5, Educational Talk. 5.30, Introductory Talk to the following Transmission. 6.0, The Mastersingers—Opera in Three Acts (Wagner), relayed from the National Theatre. In the intervals, News, Weather Forecast and Snow Report. 10.0 (approx.), Close Down.

ZÜRICH.—See Schweizerischer Landessender.

TUESDAY

FEBRUARY THE FOURTEENTH

PRINCIPAL EVENTS OF THE DAY:

AT HOME

NATIONAL	Orchestral programme. Military Band concert. "Merry-go-Round," feature programme by C. Denis Freeman. Pianoforte recital.
LONDON REGIONAL	Concert from Houldsworth Hall, Manchester. Vaudeville programme. Orchestral concert.
MIDLAND REGIONAL	Orchestral concert. Choral concert. Military Band programme.
NORTH REGIONAL	Concert from Houldsworth Hall, Manchester. Orchestral and choral concert. Viola and pianoforte recital.
WEST REGIONAL	"Sea Sheen," orchestral programme. National programme.
SCOTTISH REGIONAL	Orchestral concert. "Foundations of Scottish Song." A talk by Mr. Thomas Henderson, with musical illustrations.
BELFAST	Light programme of gramophone records. Light Orchestral concert. Vaudeville programme.
ABROAD	
BRUSSELS (No. 2)	The Radio Orchestra, conducted by C. Walpot.
HAMBURG	The Philharmonic Orchestra, conducted by Adolf Secker.
HUIZEN	Concert by Edith Lorand's Orchestra.
LANGENBERG	The Münster Orchestra, conducted by Werner Göhre.
LEIPZIG	The Dresden Philharmonic Orchestra.

ATHLONE

413 metres; 60 kW.; and **CORK**, 224.4 metres.—1.30 to 2.0 p.m., Time Signal, Weather Report, Stock Report and Popular Music on Gramophone Records. 6.0, Light Music on Gramophone Records. 6.15, Programme for Children. 7.0, Popular Music on Gramophone Records. 7.15, News and British Market Report. 7.30, Time Signal. 7.31, Gaelic Talk. 7.45, Talk: Careers for Girls. 8.0, Concert by the Station Orchestra. 8.30, Pianoforte Recital by Mai Johnson. 8.45, Violin Duets by Mrs. Larchet and Mrs. Lange. 9.15, The Station Orchestra. 9.45, Soprano Solos by Josephine Curran. 10.0, Orchestral Music. 10.30, Time Signal, News, Weather Report and Close Down.

BARCELONA

RADIO-BARCELONA, Call EAJ1, 348.8 metres; 8 kW.—6.9 p.m., Trio Concert. 7.0, Request Gramophone Records. 7.30, Exchange Quotations followed by Talk on Art. 8.0, Popular Music on Gramophone Records. 8.15, Football Notes, followed by Gramophone Records and News. 9.0, Chimes from the Cathedral. Weather Forecast. Messages to Seamen. Exchange Quotations and Market Prices. 9.10, An Opera relayed from the Gran Teatro del Liceo. 11.0 (in the interval), News. 12.0 Midnight (approx.), Close Down.

BASLE.—See Schweizerischer Landessender.

BELGRADE

420.4 metres; 2.8 kW.—3.0 p.m., Concert by the Radio Orchestra: Peasant Dance, No. 1 (Golemovic); Polpourri (Sedlacek); Suite, In der Walpurgisnacht (Lüling); Waltz Intermezzo, Nur wer die Sehnsucht kennt (Translator); Selection from Mignon (Thomas). 4.0, Popular Music on Gramophone Records. 5.55, Time and Programme Announcements. 6.0, Variety Music on Gramophone Records. 6.30, Talk. 7.0, Part Relay of Macbeth—Drama (Shakespeare) from Zagreb (307 metres). 9.0, News, followed by Concert of Light Music from the Ratnicki Dom.

BERLIN

KONIGS WUSTERHAUSEN, 1,635 metres; 60 kW.—11.55 a.m., Nauen Time Signal. 12.35 p.m., News Bulletin. 1.0, Gramophone Concert from Berlin (Witzleben). 2.0, Programme for Children. 2.30, Weather and Exchange. 2.45, Reading (Maxim Ziese). 3.0, Talk for Women. 3.30, See Leipzig. 4.10, Topical Talk. 4.30, Kreisleriana—Fantasia, Op. 16 (Schumann). 5.0, Talk on Settlements. 5.30, Dialogue: An Introduction to Beethoven's Eroica Symphony. 5.55, Weather and Announcements. 6.0, Talk: Greek Drama and the People of To-day—Sophocles' Electra. 6.30, A Poem. 6.35, Political Press Review. 7.0, Concert from Leipzig. 8.0, Talk: Soul and Intellect. 8.40, Songs by Ludwig Spohr, for Voice, Clarinet, and two Pianofortes. 9.0, Weather, News, and Sports Notes. 9.45, Weather Report for Shipping. 10.0, Concert from Hamburg. 11.0 (approx.), Close Down.

BERLIN

WITZLEBEN, 419.5 metres; 1.5 kW.—6.0 p.m., Topical Talk. 6.10, Talk: Relief for the Unemployed. 6.40, Die Hochzeit (The Wedding)—A Fragment of an Opera (Wagner), relayed from the Academy of Music, with Introductory Talk, followed by Concert from the Eden Pavillon. 7.50, Topical Talk. 8.0, How to become a Racing Motorist—a Humorous Radio Play (Manfred von Bräunlich), with Music by Walter Gronostay. 9.0, Weather, News, and Sports Notes. 9.30, See Hamburg. 11.0 (approx.), Close Down.

BERNE.—See Schweizerischer Landessender.

BEROMUNSTER.—See Schweizerischer Landessender.

BODEN.—See Stockholm.

BODO.—See Oslo.

BORDEAUX-LAFAYETTE

304 metres; 13 kW.—7.30 p.m., News and Exchange. 7.40, Programme for Women. 7.55, Lottery Results. 8.0, Topical Talk. 8.15, News and Weather. 8.30, See Paris (Eiffel Tower).

BRATISLAVA

279 metres; 14 kW.—4.20 p.m., Light Music on Gramophone Records. 5.5, Cello Recital by G. Hahnova Minuet (Debussy); Romance, Op. 24 (Kamrath); Sonata in F, Op. 6 (Richard Strauss). 5.45, Slovak Spelling Lesson. 5.55, See Prague. 9.15, Dance Music, relayed from the Carlton Café. 10.0 (approx.), Close Down.

BREMEN.—See Hamburg.

BRESLAU

325 metres; 60 kW.; and **GLEIWITZ**, 253 metres.—12.5 p.m., Weather for Farmers. 12.10, Gramophone Concert: Overture, Meeresstille und glückliche Fahrt (Mendelssohn); Andante cantabile (Tchaikovsky); Aria from The Valkyries (Wagner); Aria from La bohème (Wagner); Selection from La boutique fantasque (Rossini-Respighi); Salut d'amour (Elgar). 12.45, Time, Weather, News, and Exchange. 1.5, Gramophone Concert: Overture, William Tell

(Rossini); Selection from La vie Parisienne (Offenbach); So verliebt kann nur ein Ungar sein, from Der Teufelsreiter (Kálmán); Selection from The Circus Princess (Kálmán). 1.45, Sponsored Programme with Gramophone Records. 2.10, Programme for Children. 3.10, Vocal and Instrumental Concert: Kert Reich (Bass), Herta Matzke-Schreiber (Violin), and Hanna Xoru (Pianoforte); Fantasia in D Minor (Mozart); Songs (Schubert): (a) Der Tod und das Mädchen, (b) Sei mir gegrüsst, (c) Auf dem Wasser zu singen; Romance, Op. 67, No. 2 (Chopin-Wilhelm); Rondo in D (Mozart); Two Pieces (Rachmaninov); Elégie (Massenet); Spanish Dance, No. 1 (Sarasate); Gipsy Dances, Op. 14, No. 2 (Nachev); Intermezzi, Nos. 1 and 2 (Brahms). 4.10, Book Review. 4.30, Agricultural Prices, followed by Reading. 5.0, Programme to be announced. 5.40, Talk: Gobineau's Influence on Wagner's Philosophy. 6.10, Wireless Notes. 6.20, Light Music on Gramophone Records. In the interval at 6.35, Weather for Farmers. 7.0, The Circus—Arabesque (Marianne Bruns), Music by Hermann Zanke and Günther Krausneck. 7.40, Wagner in the Judgment of his followers—Readings from Contemporary Documents. 8.0, Variety Programme from Munich. 9.0, Time, Weather, News, Sports Notes, and Programme Announcements. 9.30, Political Newspaper Review. 9.55, Theatre Talk. 10.10, Waltzes on Gramophone Records. 10.30, Dance Music, relayed from London. 12 Midnight, Close Down.

BRNO

342 metres; 35 kW.—4.50 p.m., Esperanto Lesson. 5.0, Talk on Music. 5.15, Talk for Workers. 5.25, German Transmission: News, Educational Talk and Agricultural Report. 5.55, See Prague. 10.0 (approx.), Close Down.

BRUSSELS (No. 1)

I.N.R.; 509 metres; 15 kW.—12 Noon, Concert by the Small Station Orchestra, conducted by P. Leemans. Part One—Viennese Music: Selection from (a) The Dance of the Dragonflies (Lehar), (b) The Merry Peasant (Fall), (c) Katja the Dancer (Gilbert), and (d) The Chocolate Soldier (O. Strauss). Part Two—Music by G. Brenta: Nocturne; Berceuse for Violin and Pianoforte; Improvvisi in B Flat; Concert Etude; Chevalerie fantastique. 1.0 p.m., Le Journal Parlé. 1.10, Four German Dances (Mozart) on Gramophone Records. 1.20, Pianoforte Recital by Mrs. Siromval: Soupir (Liszt); Prelude (Rachmaninov); General Lavine Eceentrie (Debussy). 1.40, Mozart's Minuets on Gramophone Records; Minuet; Minuet from the Symphony No. 40; Minuet from the Clarinet Quintet in A; Minuet from the Quartet in G; Minuetto allegretto from the Sixth Quartet. 5.0, Symphony No.

2 (Brahms) by the Symphony Orchestra, conducted by Jean Knips. 5.30, Programme for Children. 6.5, Literary Review. 6.15, German Dances (Schubert) on Gramophone Records. 6.30, Concert of Descriptive Music by the Small Station Orchestra, conducted by P. Leemans: The Butterfly Chase (Kéler-Béla); Violin Solo; Die Biene (Schubert); Musical Box and Pianola (Aufgig); Kitten on the keys (Conroy); Le concou (Daquin); Pianoforte Solo; La poule (Rameau); Flute Solo; Le treble blanc (Damaré); The Mill in the Black Forest (Eilenberg); Humorous Pieces (Leonard); The Clock and the Dresden Figures (Kotelyak). 7.15, Weekly Review, by M. Picard. 7.30, Talk for Women. 8.0, Concert by the Verviers Musical Club, relayed from Verviers. Soloist: Mlle. Cécile Viance (Songs). Part One—Walloon Music: Epithéme (Johin); La bannée du Timballier (Hondret); Aria, Minuet and Pastorale (Masseau). 8.45, Talk: The Belgian Colonies. 9.0, Concert (cont'd.) Part Two—Popular Music: Overture, La fête en Egypte (Berlioz); Songs: (a) Sur une tombe (Léken), (b) Myrtha (Radoux); Symphony No. 39 (Mozart). 10.0, Le Journal Parlé.

BRUSSELS (No. 2)

N.I.R.; 338.2 metres; 15 kW. Programme in Flemish.—12 Noon, Gramophone Concert of Music from Sound Films. 1.0 p.m., Le Journal Parlé. 1.10, Concert by the Small Station Orchestra, conducted by P. Leemans: March (Ross); Waltz, Die Schönen von Valencia (Morena); Moon of Love (Wood); Selection from Ciboulette (Hahn); Gramophone Records: Airs from Acts II and III of Turandot (Puccini); Fox-trot, Singapore (José); Tango, Du schwarzer Zigeuner (Vacek); Selection from Der Zigeunerprimas (Kalman). 5.0, Concert by the Radio Orchestra, conducted by Charles Walpot: Overture, The Bohemian Girl (Balfé); Selection from Lilac Time (Schubert-Berté); Waltz, Roses from the South (Joh. Strauss); Ballet Suite (Kalman). 5.45, Programme for Children. 6.30, Symphonic Suite, Scheherazade (Rimsky-Korsakov) on Gramophone Records. 7.15, Reading (Lode Zielens). 7.30, Tourist Report. 8.0, Concert by the Radio Orchestra, conducted by Charles Walpot. Soloists: Mrs. Krinkels (Songs), L. Durant (Trumpet), and Gason (Saxophone). Selection from Frederick (Lehar); Saxophone Solo; Waltz, Etourdrie (Haecour); Ode to my Saxophone (Hullebroeck); Three Songs; Trumpet Solo; Souvenirs de l'Anplétoire (Goyens); Fantasia on Negro spirituals (Fouids); Le jeu des pompées de Saroy (Lotte and Alex Wins). 9.10, Concert by the Symphony Orchestra, conducted by Jean Knips. Soloist: Mme. Krinkels (Songs). Overture, Ruy Blas (Mendelssohn); Flemish Rhapsody (Brusselmans); Songs: (a) Aria from The Golden Cockerel (Rimsky-Korsakov), (b) Berceuse (Gret-

chaninov); Scènes Breugholiennes (Brusselmans); Selection from Phédre (Massenet). 10.0, Journal Parlé. 10.10, Gramophone Concert: Selection from The Gipsy Princess (Kalman); Im Traum hast du mir alles erlaubt (Heymann); Air (Heymann); Tango, Rio de Janeiro (May); Selection from The Dollar Princess (Fall); Selection from Frau Luna (Lincke); Waltz, I'll believe in Love (Katscher); Tango, Tell me I'm forgiven (Katscher); Waltz, Gold and Silver (Lehar); Waltz, The Blue Danube (Joh. Strauss); Tango, O Fräulein Grete (Llossas); Schenk mir eine Tafel Schokolade (Schwartz); Selection from Die Fledermaus (Joh. Strauss). 11.0 (approx.), Close Down.

BUCHAREST

394 metres; 12 kW.—4.0 p.m., Concert of Light Music and Romanian Music by the Motzoi Orchestra. 5.0, News and Time Signal. 5.10, Talk. 5.25, Concert by the Motzoi Orchestra (cont'd.). 6.0, Talk in Romanian. 6.40, Light Music on Gramophone Records. 7.0, Wagner Concert by the Radio Orchestra, conducted by Michael Jora: Prelude to Lohengrin; Elizabeth's Aria from Tannhäuser (Wagner); Prelude to The Third Act of The Mastersingers; Wotan's Farewell and Fire Magic from the Valkyries. 8.0, Talk. 8.15, Concert (cont'd.); Siegfried Idyl; Overture, Rienzi. 8.45, News Bulletin.

BUDAPEST

550 metres; 18.5 kW. Also relayed on 800 metres from 6.25 to 11.0 p.m.—4.0 p.m., Concert by the Budapest Concert Orchestra, conducted by T. Polgár. Humoresque, Fäsching (Weiner); Suite, The Arabian Nights (Bolkiewicz); Humoresque (Erdögh); Song (Siklos); Hungarian Folk Songs (Országh). 5.0, French Lesson. 5.30, Gramophone Records of Jack Hylton and his Band: Same old Moon; A Bungalow, a Piccolo, and You; Merry Me; Say it isn't so; Paradise; They all start whistling Mary; And then we'll have some more; Just Friends; Song; Marching along together. 6.0, Talk. 6.30, Lohengrin—Opera (Wagner), relayed from the Royal Hungarian Opera House. News in the intervals. 9.30, Cigany Music by Imre Magyari and his Band from the Hotel Hungaria. 11.0 (approx.), Close Down.

CASSEL.—See Frankfurt.

COPENHAGEN

281 metres; 0.75 kW.; and **KALUNDBOR**, 1,153 metres; 7.5 kW.—11.0 a.m., Time and Chimes from the Town Hall. 11.5, String Ensemble Concert, conducted by Harald Andersen, relayed from the Bellevue Strathotel. 1.0 to 2.0 p.m., Interval. 2.0, Concert by the Radio Orchestra, conducted by Launy Gröndahl: Soloist, Elsa Sigfus (Songs); Overture, Gillette de Narbonne (Audran); Waltz (Gungl); Fantasia on Venetian Folk Songs (Reesen); Selection from Iolanthe (Tchaikovsky); Oriental March from Aladdin (Agerstap); Songs: Overture, The Maid of Orleans (Söderman); Waltz, Hofballtänze (Joh. Strauss, Sr.); Ballet Music from William Tell (Rossini); Chant du Soir (Hansen); Fantasia on Beethoven's Music (Ramsay); March (Dupuy). 4.0, Programme for Children. 4.40, Exchange and Fish Market Prices. 4.50, Agricultural Talk. 5.20, German Lesson. 5.50, Weather Forecast. 6.0, News. 6.15, Time Signal. 6.30, Concert relayed from the Odd Fellow Hall: The Philharmonic Orchestra, conducted by Georg Hoebreg, and a Mixed Choir: Nordisk Festprogrämm for Orchestra and Mixed Choir (Hoebreg); Reading; Five Scandinavian Songs (arr. Axel Jued). 8.15, Talk on Danish Art. 8.45, News. 9.0, Concert of Operetta Music by the Radio Orchestra, conducted by Emil Reesen: Overture (Offenbach-Binder); Selection from Camille (Millechère); Waltz from Camille (Millechère); Dance from The Student Duchess (Fall); Selection from Phi-Phi (Christine); Overture, Gipsy Love (Lehar). 9.45, Dance Music from Nimb's Restaurant. In the interval at 11.0, Time and Chimes from the Town Hall. 11.30 (approx.), Close Down.

CORK.—See Dublin.

DANZIG.—See Heilsberg.

DRESDEN.—See Leipzig.

DUBLIN.—See Athlone.

FECAMP

223 metres; 10 kW.—6.0 to 7.0 p.m., Programme in English by the I.B.C., C. Danvers, Walker announcing.—6.0, Concert for Worthing Listeners: Songs and Instrumental Trios: Old Time Jigs and Reels; Songs: (a) Calme Darling, (b) Home, (c) Only a Rose (Friml); Turkey in the Straw; Songs: (a) Marta, (b) Save the Last Dance for me (c) Song of the Vagabonds (Friml). 6.30, Concert for Bognor Listeners: Pianoforte Recital: Rhythmic Selection; A Bench in the Park; You, just wonderful you; Selection from Words and Music (Noel Coward); Just hummin' along; Some more Rhythmic Swingin' in a Hammock. 7.10, Programme to be announced. 10.0 till Close Down: Programme in English by the I.B.C. 10.0, Dance Music. 11.0, Military Band Concert: Overture, Rienzi (Wagner); El Abanie (Javaloves); La Grive (Cole); Light of Foot (Latann); Pomp and Circumstance (Elgar); A Frangosa (Costa); Here, there and everywhere (Bosc). 11.30, Opera Music

FEB. 14th

TUESDAY

continued

Selection from La Traviata (Verdi); Songs: (a) Qui sedigno non s'accende, from The Magic Flute (Mozart), (b) Largo al factotum, from The Barber of Seville (Rossini); Selection from Rigoletto (Verdi); Songs: (a) Mon piu Andria from Figaro (Mozart), (b) Vulcan's Song from Philémon et Baucis (Gounod). **12 Midnight**, Variety Programme: Song: Rhapsody in Love (Williams); I'd rather not (Gallagher); Accordion Solo: March joyeuse (Auvclair); Song: I am the Words (de Sylva); Accordion Solo: Annette (Phillyse); Silly Dick; Song: Little White Lies (Donaldson); Whistling Solo: Il Bacio. **12.30 a.m. (Wednesday)**, American Songs: I don't work for a living; I'm gonna yodel my way to Heaven; Fortunes galore; Can't we talk it over; Hallelujah, I'm a Bum; They cut down the Old Pine Tree; The Railroad Boomer; Dinah. **1.0**, Music by an Accordion Band: Javanette (Bozi); Marche Volante (Alexander); The Waltz that made you mine; Sonorita (Alexander); Lullaby of the Leaves (Young); Bertina Waltz; Leven Ponds of Heaven (Malneck). **1.30**, Light Music Only for you (Wieberg); A Banjo Song (Homer); My Song of the Hill (Meyer); Wid de Moon, Moon, Moon; Mammy is gone (Henderson) since you went away (Johnson); Just keepin' on (Carter); Lonesome Moonlight (Strickland). **2.0**, Dance Music. **2.57**, I.B.C. Good-night Melody. **3.0** (approx.), Close Down.

FLENSBURG.—See Hamburg.

FLORENCE.—See Turin.

FRANKFURT

259 metres; 17 kW.; and **CASSEL**, **245.9 metres.**—**4.0 p.m.**, See Langenberg. **5.15**, Exchange Quotations. **5.25**, Talk, Wholesale and Retail Trade. **5.50**, Talk: Wages in other Countries. **6.15**, Time, Programme Announcements, Weather and Exchange. **6.30**, Concert by the Worms Chamber Music Society, relayed from Worms: Sonata in G Minor for Oboe, Bassoon and Harpsichord (Telemann); Conversation galante et amusante for Flute, Violin, Cello and Basso continuo (Gluck). **7.0**, The Death of Richard Wagner—A Radio Picture (Johann Peter Konrad). **8.0**, Die Winterreise—Song Cycle (Schubert), by Hermann Scherz. **9.15**, Time, News, Weather and Sports Notes. **9.30**, Concert from Hamburg.

FREDRIKSTAD.—See Oslo.

FREIBURG.—See Stuttgart.

GENEVA.—See Radio-Suisse Romande.

GENOA.—See Turin.

GLEIWITZ.—See Breslau.

GOTEBORG.—See Stockholm.

GRAZ.—See Vienna.

HAMAR.—See Oslo.

HAMBURG

Call ha (in Morse), **372 metres**; 1.5 kW. Relayed by Bremen, **269.8 metres**; Flensburg, **227.4 metres**; Hanover, **566 metres**; and Kiel, **232.2 metres.**—**4.55 p.m.**, Unknown Ensland—Literary and Musical Programme in Dialect. **5.55**, Exchange and Market Prices. **6.0**, Talk: The Fruit and Vegetable Industry. **6.25**, Weather Forecast. **6.30**, Piano-forte Recital by Willy Graey: Three Pieces (Brahms), (a) Rhapsody in G Minor, (b) Intermezzo in F, (c) Caprice in B Minor; Two Studies (Chopin), (a) in G Flat, (b) in C Minor; Tarantella in G Minor (Liszt). **7.0** (from Bremen), Symphony Concert by the Bremen Concert Society, relayed from the Glocke; Soloist, Paul Gümmer (Harrison); Symphony No. 104 in D (Haydn); Cantata for Baritone and Chamber Orchestra. Es ist mir kein dich, mein Bruder Jonathan (Höffer). **8.0**, See Munich. **9.0**, Time, Weather, Announcements, Sports Notes, and Police Report. **9.20**, Topical Talk. **9.30**, Concert by the Hamburg Philharmonic Orchestra, conducted by Adolf Secker: Italian Caprice (Tchaikovsky); Irish Rhapsody (Stanford); Elegy (Massenet); Two Symphonic Poems (Schultz-Bisantz), (a) Der Glückritter, (b) Komischer Trauermarsch; Tetanus, a Ride in the Desert, from the Moorish Rhapsody (Humperdinck); Three Pieces for String Orchestra (Puccini); Polka (Reesen); Entry March of the Boyards (Halvorsen); Waltz, Wiener Blut (Joh. Strauss). In the interval at **10.20**, Ice Report.

HANOVER.—See Hamburg.

HEILSBURG

276.5 metres; 60 kW.; and **DANZIG**, **453.2 metres.**—**12.5 p.m.**, Gramophone Concert of German Opera Music: Overture, Oberon (Weber); Alles teil' unser Glück, from Stradella (Flotow); Overture, The Barber of Bagdad (Cornelius); Prelude to Lohengrin (Wagner); Duet, Das süsse Lied verhallt; Selection from Czar and Carpenter (Lortzing); Overture, The Magic Flute (Mozart); Soprano and Baritone Duet, Bei Männern, welche Liebe fühlen; Song from Martha; Overture, Der Waffenschmied (Lortzing); Song, Auch ich war ein Jüngling mit lockigem Haar; Overture, Fidelio (Beethoven). In the interval at **12.20**, News. **1.30**, Sponsored Programme with Gramophone Records. **2.0**, Agricultural Prices and Exchange Rates. **2.30**, Musical Programme for Children. **3.0**, Concert by the Small Station Orchestra, conducted by Eugen Wilcken: Soloists, Eugen Wilcken (Violin);

Prelude to the Third Act of The Cricket on the Hearth (Goldmark); Intermezzo (R. Strauss); Maria Wiegandell (Röger); Selection from Little Ida's Flowers (Klenau); Violin Solos, (a) Nocturne (Mrazek), (b) Valse joyeuse (Proczak); Selection from André Chénier (Giordano); Overture, Poet and Peasant (Suppé); Selection from Lilac Time (Schubert-Berté); Overture, Eine Nacht in Venedig (Joh. Strauss). **4.45**, Book Review. **5.15**, Agricultural Prices. **5.20**, Ice Report. **5.30**, Talk for Workers. **5.55**, Shorthand Dictation. **6.20**, Chamber Music by Gerhard Rühel (Violin), Margarete Sehmehmann (Harpsichord and Piano-forte): Sonata in C Minor (Telemann); Sonata in B Minor, Op. 3, No. 4 (Corelli); Sonata in G (Haydn). **6.50**, Weather and News. **7.0** (from Danzig), Variety Programme. **8.15**, Richard Wagner in Court—Radio Play (Adolf Raskin). **9.15**, Weather, News, and Sports Notes.

HILVERSUM

Announced **HUIZEN**; **296.1 metres**; 20 kW. (7 kW. up to **4.40 p.m.**). Programme of the Catholic Radio Society (K.R.O.).—**11.55 a.m.**, Concert by the K.R.O. Sextet: Unter Freiheitsstern (Blankenburg); Song (Löhr); Künstlerleben (Joh. Strauss); Aubade printière (Lacôme); Selection from Rigoletto (Verdi); Sérénade diabolica (Cerrri). **12.40 p.m.**, Popular Music on Gramophone Records. **12.55**, Sextet Concert (contd.): Potpourri—from Heidelberg to Barcelona (Borchert); Goldin Shadows (Rayners); Liebeswäzler (Moszkowski); Murneides Lüftchen (Jansen); Finale. **1.25 to 1.40**, Interview. **1.40**, Educational Programme. **2.15**, Talk for Women. **3.10**, Dressmaking Lesson. **3.40**, Millinery Lesson. **4.10**, Concert by the K.R.O. Orchestra, conducted by J. Gerritsen: Festspiel (Blankenburg); Selection from Casanova (Lincke); Modern Ballet Suite (Armandola); Liebeswäzler (Moszkowski); Selection from Countess Maritza (Kálmán); Frühlings am Mühlbach (Zimmer); Gipsy March (Star). **5.10**, Quartet Concert. N. Jameson (Violin), B. Volmer (Violin), G. Berlage (Viola) and H. Jamieson (Cello); Quartet in B Flat, Op. 76, No. 4 (Haydn); Quartet in C (Haydn). **6.30**, Light Music on Gramophone Records. **6.50**, Talk. **7.10**, Police Notes. **7.25**, Talk. **7.40**, Concert by the Sursum Corda Orchestra and the Orpheus Male Voice Choir: Hoch Heidecksburg (Bienen); Overture, Heimkehr aus der Fremde (Mendelssohn); Hymn (Faupé); Selection from Aida (Verdi-Bielen); Choir: (a) Vale Carissima (Kann), (b) Ave Maria (Van de Putten), (c) De Ruïne; Brandts Buys. **8.40**, News Bulletin. **8.45**, Dramatic Programme by the Vereenigde Haagse Spelers. **9.5**, Concert (contd.): Aufzug der Stadtwaache (Bielen); Overture, Orpheus in the Underworld (Offenbach-Bielen); Ein Melodienraum (Bielen); Choir: Osson (Bechmi); Fuhrmannslied (Möhlenauer); Choir and Orchestra: Waltz from Thérèse (Faust). **10.5**, Dramatic Programme. **10.25**, Popular Music on Gramophone Records. **10.40**, News. **10.45**, Light Music on Gramophone Records. **11.40** (approx.), Close Down.

HORBY.—See Stockholm.

HUIZEN

Announced **HILVERSUM**, **1875 metres**; 8.5 kW. Programme of the Algemeene Vereeniging Radio Orup (A.V.R.O.).—**11.40 a.m.**, Time Signal. **11.41**, Concert by the Wireless Orchestra, conducted by Nico Treep: Overture, The Barber of Seville (Rossini); Ballet Music from Faust (Gounod); Waltz, Nachtschwärmer (Zielner); Interlude, Gramophone Records; Selection from Manon Lescaut (Puccini); Lolita (Bucci-Peccia); Adoration (Filipucci); Puppenstücke (Lederer); Interlude; Gramophone Records; A Fête in Aranjuez (Demis-seman); Amoureuse (Berger); Blumenkosen (Siede); Pour un baiser (Tosti); March (Grieg). **1.55 to 2.10**, Interval. **2.10**, Orchestral Concert (contd.): Major and Minor (Schreiner); Selection from Gri-Gri (Lincke). **2.40**, Talk. **3.40**, Light Music on Gramophone Records. **4.10**, Concert by a Children's Choir, conducted by Jacob Hamel. **4.40**, Programme for Children. **5.10**, Talk. **5.40**, Concert by the Wireless Orchestra, conducted by Nico Treep: March, Hoch Heidecksburg (Herzer); Overture, Das Nachtlager in Granada (Kreuzer); Selection from Sireurf (Phaquette-Hubans); Leichtes Blut (Joh. Strauss). **6.10**, Talk. **6.40**, Concert (contd.), Donationsagen (Puccini); Good Night Vienna (Postford-Finek); Melody (Percy); Oh, Desdemona (Percy); Blaze of Glory (Holzmann). **7.10**, English Lesson. **7.40**, Time Signal. **7.41**, News. **7.45**, Light Music on Gramophone Records. **7.55**, Concert by Edith Lorand's Orchestra: Marche militaire No. 1 (Schubert-Mikolicz); Rondo from the Halfner Sérénade (Mozart); Waltz, Op. 64, No. 2 (Chopin); Minuet (Beethoven); Zigeunerweisen (Sarasate); Scherzo from A Midsummer Night's Dream (Mendelssohn); Polovtsian Dances from Prince Igor (Borodin); Gopak (Musorgski); Chablotos (Valverde); Polka from Schwanda the Piper (Weinberger). **8.55**, Light Music on Gramophone Records. **9.10**, Variety Programme: Kovacs Lajos' Orchestra, Bob Scholte, A.V.R.O. Girls and Soloists. **10.10**, Concert of Light Music by the Kovacs

Jajos' Orchestra. **10.40**, News. **10.45**, Light Music on Gramophone Records. **11.40** (approx.), Close Down.

INNSBRUCK.—See Vienna.

KALUNDBORG.—See Copenhagen.

KATOWICE

408 metres; 16 kW.—**3.5 p.m.**, Popular Music on Gramophone Records. **3.25**, See Warsaw. **6.0**, Recitations (Galinszka). **6.10**, Announcements and Popular Music on Gramophone Records. **6.25**, Sports Notes. **6.30**, See Warsaw. **10.0**, Dance Music.

KIEL.—See Hamburg.

KLAGENFURT.—See Vienna.

KOSICE.—See Prague.

LAHTI

1,796 metres; 40 kW.; and **HELSINKI**, **368.1 metres.**—**6.5 p.m.**, Concert by the Radio Orchestra, conducted by Toivo Haapamen, relayed from the Conservatoire. Soloist, Kerttu Bernhard (Piano-forte). Concerto for Strings (Lully-Weingartner); Concerto for Piano-forte in D Minor (Mozart); Little Symphony (Ranta); Variations on the Lahti Interval Signal (Pingoud). **7.45**, News in Finnish. **8.0**, News in Swedish.

LANGENBERG

473 metres; 60 kW.—**12 Noon**, Orchestral Concert, conducted by Eysoldt. Overture, Sophonisba (Paër); Ballet Suite (Fresco); Souvenir (Renée); Andalusian Romance (Sarasate); Selection from The Daughter of the Regiment (Donizetti); Rosza Czardas (Hubay); Waltz, In lauslicher Nacht (Zielner); Potpourri, Servus Wien (Dostal); March, Unter Brier und Siegel (Becker). **1.0 p.m.** (in an interval), News. **1.30**, Sponsored Programme with Gramophone Records. **2.30**, Exchange and Time Signal. **2.50**, Programme for Children. **3.20**, Notes on the Broadcasts for Schools. **3.30**, Talk: The Teaching of Geography. **4.0**, Orchestral Concert of Italian Opera Music, conducted by Kühn. Soloist: Margherita Cossa (Soprano). Overture, Semiramis (Rossini); Songs; Ballet Music from Macbeth (Verdi); Songs; Prelude to Aida (Verdi); Songs; Overture, Sicilian Vespers (Verdi). **5.15**, Italian Lesson. **5.45**, Weather, Time, Exchange, and Sports Notes. **6.0**, Agricultural Talk. **6.20**, Talk: The Plant World—Banana Trees. **6.35**, Talk: The Evolution of West-Central Europe. **6.55**, First General News. **7.0**, Programme to be announced. **7.30**, German Baroque Music—Concert by the Münster Orchestra, conducted by Werner Gähre. Soloists: Hilde Gähre (Harpsichord) and Ewald Kaldeweller (Bass); Alpine Overture for String Orchestra and Oboe (Handel); Concerto for Harpsichord and String Orchestra after the Organ Concerto in B flat, arranged by Werner Gähre (Händel); Three Songs with Harpsichord and String Quartet accompaniment: (a) Abendlied, (b) Junggesellenstanz, (c) Rheinlied; Poem by Andreas Gryphius, Paul Flemming, Hofmann von Hofmannswaldau, and Joh. C. Günther; Tafelmusik—Suite for Chamber Orchestra (Telemann); Three Songs with Harpsichord and String Instrument Accompaniment (Frelauch): (a) Des Prählers Worte, (b) Durch die Demut wird erhöht, (c) In Lieben nicht so laur besonnen; The Brandenburg Concerto in D, No. 5, for Harpsichord, Flute, Violin, and String Orchestra (Bach). **9.5**, News, Sports Notes, and Silent Night.

LAUSANNE.—See Radio-Suisse Romande.

LEIPZIG

389.6 metres, 120 kW.; and **DRESDEN**, **319 metres.**—**12.15 p.m.**, Gramophone Concert: Polonaise in A (Chopin); Bustle of Spring (Sinding); Waltz in A (Brahms); Saxophonia (Wiedorf); Baritone Solo, Prinz Eugen (Loewe); Cello Solo, Jagdstück (Popper); Trumpet Solo from Bocaccio (Suppé); Liebersträume (Liszt); Bravour-Variations (Mozart-Adam); Fugue in A (Tartini-Kreissler); Balalaika Solo, Valse Caprice (Pogorelov); Xylophone Solo, The Skaters (Waldfuehl); Harp Solo, Am Springbrunnen (Klenzel). **4.30**, Weather and Time. **4.50**, Exchange Quotations. **5.5**, Talk for Women: The Life of a Welfare Worker. **5.30**, French Lesson. **5.50**, Introductory Talk on the Gewandhaus Concert of the 16th February. **6.0**, Dialogue on Village Life. **6.30**, Military Band Concert, conducted by Ferdinand Bier; March, Wir stehen fest und tren (Flath); Overture, Des Wanderers Ziel (Suppé); Regimental March; Song Cycle, Das treue deutsche Herz (Weninger); Three Regimental Marches; Potpourri of Soldier Songs (Hanneman); Three Regimental Marches;

Parade March (Rühlmann); Marching Song from Antolienchen (Gilbert); Glow-worm Idyl from Lysistrata (Lincke); Der Jungste Jahrgang (Morena). **8.0**, Economic Questions of the Day. **8.10**, Folk Songs of Alsace (collected by Goethe). **9.5**, News Bulletin. **9.15** (approx.), Concert by the Dresden Philharmonic Orchestra, conducted by Edvard Fendler; Water Overture (Telemann, arr. Fendler); Symphony in F (Benda-Fendler); Divertimento in C (Ritt); Sinfonie Imperiale (Haydn); Overture, Die Abenteuer (Kraus, arr. Fendler); Symphony in G Minor (Kunzen). **11.0** (approx.), Close Down.

LINZ.—See Vienna.

LJUBLJANA

574.7 metres; 2.5 kW.—**5.30 p.m.**, German Lesson. **6.0**, Country Sketches. **6.30**, Talk: Contemporary Heroes. **7.0**, Concert by the Grafika Orchestra. **8.0**, Concert from the Café Zvezda. **9.0**, Time, News, and Light Music on Gramophone Records.

LWOW

381 metres; 16 kW.—**6.5 p.m.**, Miscellaneous Items. **6.20**, Light Music on Gramophone Records. **6.30**, See Warsaw. **9.25**, Programme relayed from Cracow (**312.8 metres**). **9.55**, See Warsaw. **10.30** (approx.), Close Down.

LYONS

LA DOUA, **465.8 metres**; 1.5 kW.—**7.30 p.m.**, Radio Gazette for Lyons and the South-East. **8.30**, Concert. After the Concert, News Bulletin.

MADRID

ARANJUEZ (EAQ), **30.43 metres**; 20 kW.—**10.30 p.m.**, Variety Concert. **10.45**, Radio Chronicle. **11.0**, Variety Concert (contd.). **11.35**, Talk. **11.40**, Light Music. **12 Midnight** (approx.), Close Down.

MADRID

UNION RADIO, Call EA7J, **424.3 metres**; 2 kW.—**7.0 p.m.**, Chimes, Exchange Quotations and Request Gramophone Concert. **7.15**, Medical Talk: The Prevention of Infectious Diseases in Children. **7.30**, Talk by Joaquin Espana Cantos, followed by Request Gramophone Records (contd.). **8.25**, News Bulletin. **8.30 to 9.0**, Linguaphone English Lesson. **9.30**, Chimes and Time Signal. **9.35** (approx.), La Bohème—Opera (Puccini) on Gramophone Records. **11.45**, News Bulletin. **12.0 Midnight**, Chimes and Close Down.

MALMO.—See Stockholm.

MILAN.—See Turin.

MORAVSKA-OSTRAVA

263.8 metres; 11 kW.—**3.10 p.m.**, Concert by the Station Orchestra, conducted by J. Plichta. **4.10**, See Prague. **4.30**, See Brno. **5.0**, Light Music on Gramophone Records. **5.15**, See Prague. **5.25**, See Brno. **5.55**, See Prague. **10.0** (approx.), Close Down.

MOSCOW

TRADES UNION, **1,304 metres**; 100 kW.—**4.0 p.m.**, News. **4.10**, Announcements. **4.30**, Concert. **5.30**, Concert of Light Music, relayed from the Radio Theatre. **8.0**, Dialogue in French. **8.55**, Time. **9.5**, Press Review.

MOTALA.—See Stockholm.

MUHLACKER.—See Stuttgart.

MUNICH

533 metres; 60 kW. Relayed by Augsburg and Kaiserslautern, **560 metres**; and Nürnberg, **239 metres.**—**3.45 p.m.**, Concert by Theo Freitag and his Orchestra: Overture, Salvador Rosa (Gomez); Carnival Suite (Gabriel-Marie); Selection from Faust (Gounod); Intermezzo, Die Mühle im Tal (Rhode); Fantasia on Themes by Weber (Friebel); Waltz, Printemps (Waldfuehl). **4.45** (from Nürnberg), Talk on Commercial Aviation. **5.15**, Talk on Common Law. **5.35**, Talk for Workers. **5.55**, Time, Weather and Agricultural Notes. **6.5**, Dances of the Nation—Recital by Richard Staab (Piano-forte). **6.40**, Talk: Rational Dwellings. **7.0**, Bunter Abend—Carnival Concert by the Emil Roesz Band, the Little Station Orchestra, Six Saxophonists and Fifty Radio Girls, with The Isle of the Blessed—Radio Report from the Carnival of the Harmony Club. **9.0**, An Interview with the Hungarian Statesman Count Bethlen. **9.20**, Time, Weather, News and Sports Notes.

NAPLES.—See Rome.

NOTODDEN.—See Oslo.

OSLO

1,093 metres; 60 kW. Relayed by Fredriksstad, **365.8 metres**; Hamar, **574.7 metres**; Notodden, **447.1 metres**; Porsgrund, **453.2 metres**; and Rjukan, **447.1 metres.**—**4.0 p.m.**, Concert of Chamber Music by the Radio Ensemble. **5.15 p.m.**, Talk for Housewives. **5.45**, Accordion Music. **6.0**, Announcements, Weather, and News. **6.30**, English Lesson. **7.0**, Time Signal. **7.1**, Japanese Song Recital by Mme. Condou Keudijk, relayed from the University Concert Hall. **8.10**, Literary Talk. **8.40**, Weather and News. **9.0**, Topical Talk. **9.15**, Concert by the Station Orchestra, con-

FEB. 14th

TUESDAY

continued

ducted by Hugo Kramin: Overture, Til saeters (Reissiger); Norwegian Lyric Suite (Palmgren); Midsommervaka (Alfven); Oriental March (Nielsen); Norwegian Rhapsody, No. 3 (Svendens). 10.15 (approx.), Close Down.

OSTERSUND.—See Stockholm.

PALERMO

537.6 metres; 3 kW.—7.0 p.m., Dopplavorto Notes, Tourist Talk, Agricultural Report, and Giornale Radio. 7.20, Orchestral Music. In the interval at 7.30, Time and Announcements. 7.45, Tosca—Opera in Three Acts (Puccini) on Gramophone Records. In the intervals, Talk and Art Notes. 9.55, News Bulletin.

PARIS

EIFFEL TOWER, Call FLE, 1,445.7 metres; 13 kW. Time Signals (on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and 6-dot Signals.)—5.45 p.m., Le Journal Parle. 7.20, Weather Report. 7.30, Concert by the Jean Hoss Quintet: Eine kleine Nachtmusik (Mozart); Cordoba (Albeniz); Selection from Dardanus (Rameau); Waltz (Strauss); Chanson revee (Lefant); Czardas, from Countess Maritza (Kalman); Military March (Schumann). 8.30, Two Plays: (a) Le Garcon du Saint-Sacrement, One-Act Play (Merimee), (b) Le Testament du Pere Lelu —Peasant Fare (R. Martin du Gard).

PARIS

POSTE PARISIEN, 328.2 metres; 40 kW.—6.45 p.m., Le Journal Parle. 7.0, Sponsored Concert with Gramophone Records. 8.0, Film Review. 8.5, Talk: The Music Hall and the Circus. 8.15, Interval. 8.30, Sponsored Concert. 8.45, Interval. 9.0, Jules Massenet Concert by the Symphony Orchestra: Overture, Phedre; Meditation from Thaïs; Scènes alsaciennes; Overture, Brumaire; Prelude and Clair de lune from Werther; Nocturne, March and Stretto. 10.30, News.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW.—6.45 a.m., Physical Culture. 7.30, Weather and Physical Culture (contd.). 7.45, Probable Relay of the Test Match from Australia. 8.0, Press Review and Weather. 8.30, Test Match Relay (contd.). 12 Noon, Concert by the Kretzky Orchestra: Overture, Le Cheval de Bronze (Auber); Selection from Les Dragons de Villars (Maillart); Overture, Giralda (Adam); Selection from Mignon (Thomas); Two Songs from The Barber of Seville (Rossini); Two Songs from Les Noces de Jeannette (Massé); Invocation à la nuit from Julien (Charpentier); Selection from La Lépreuse (Lazzari); Suite for Strings (Konguelt); Norwegian Rhapsody (Svendens); Dance (Turina); First Spanish Dance (Fallá). In the intervals at 1.0, Exchange, News, and Weather, and at 1.36, Exchange. 2.0, Exchange, and Announcements. 3.45, Exchange and Market Prices. 4.30, Elementary English Lesson. 6.10, Agricultural Talk. 6.30, Advanced Book-keeping Lesson. 6.50, Theatre Review. 7.5, Talk: The French in the Argentine. 7.20, Concert by the Kretzky Orchestra: Gavotte (Steck); Cello Solo: Chant du Crépescule (Fauchet); Zorriga (Bousquet); Suite miniature (Coppola). 7.45, English Press Review, Commercial Prices, and News. 8.0, Monsieur Scapin—Comedy (Richepin). In the intervals at 8.30, News and Weather, at 8.40, Review by Pierre Seize, and at 9.15, Press Review and News.

PITTSBURGH

WESTINGHOUSE ELECTRIC (KDKA), 308 metres; 25 kW. Relayed by W8XK on 48.85 metres and 25.27 metres.—9.0 p.m., Work-a-day Thoughts. 9.5, Business News. 9.15, Programme to be announced. 9.30, Weather Report. 9.31, Johnny Muskrat. 9.32, Market Reports. 9.45, Pianoforte Interlude. 9.50, David Lawrence Dispatch. 9.55, KDKA Artist Bulletin. 9.58, Programme Announcements. 10.0, Programme to be announced. 10.15 to 11.15, New York Relay. 10.15, Adventures of Dr. Dolittle. 10.30, The Singing Lady. 10.45, Little Orphan Annie. 11.0, Our Daily Food by Maude and Cousin Bill. 11.15, Time Signal. 11.16, Weather Report. 11.17, Teaberry Sport Review. 11.22, Press News Reeler. 11.27, Strange Facts. 11.29, Temperature Report. 11.30, KDKA Orchestra. 11.45 to 12.45 a.m. (Wednesday), New York Relay. 11.45, To-day's News by Lowell Thomas. 12 Midnight, Popsodent Ames 'n' Andy. 12.15 a.m., National Advisory Council on Radio in Education—Congressional Procedure by Prof. Frederic A. Ogg, University of Wisconsin and Rep. Robert Luce, 18th Massachusetts District. 12.45, Fireflies. 1.0 to 3.15, New York Relay. 1.0, Eno Crime Club. 1.30, Time Signal and Adventures in Health. 1.45, Phillips Lord in The Country Doctor. 2.0, Household Musical Memories. 2.30, Willard Robinson's Deep River Orchestra. 3.0, The Time Detective. 3.15, Westinghouse Pioneers. 3.30, Ho May Bailey and Orchestra, from New York. 3.45, Bradley Kincaid. 4.0, Time Signal. 4.1, Teaberry Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.13, KDKA Artist Bulletin. 4.15, Press Last Minute News Flash. 4.20, Henry Halstead and his Californians. 5.0, Cotton Club Orchestra, from New York. 5.30, Time Signal and Good-night.

PORSGRUND.—See Oslo.

PRAGUE

488.6 me.res; 120 kW.—3.10 p.m., See Moravská-Ustrava. 4.10, Talk on Economics. 4.20, Czech Lesson for Germans and German Lesson for Czechs. 4.50, Light Music on Gramophone Records. 5.5, Agricultural Market Prices. 5.15, Topical Talk for Workers. 5.25, News in German. 5.30, German Transmission. Pianoforte Recital by Professor R. Glaser. 5.55, Talk on the following Transmission. 6.0, An Opera relayed from the National Theatre. In the interval at 8.0, Time Signal. 9.0, Time Signal. 9.1, News Bulletin. 9.15, Variety Music on Gramophone Records. 10.0 (approx.), Close Down.

RADIO-SUISSE ROMANDE

SOTTENS, 403 metres; 25 kW.; LAUSANNE, 680 metres; and GENEVA, 760 metres.—5.30 p.m. (from Geneva), English Lesson. 6.0 (from Geneva), Weather, News, and Announcements. 6.20 (from Geneva), Answers to Correspondence. 6.30 (from Geneva), Concert of New Gramophone Records. 7.0 (from Geneva), Talk: The Work of the League of Nations. 7.15 (from Geneva), The Midnight Sun—Radio Play (Theo Fleischmann). 8.15 (from Lausanne), Variety Programme. 9.0, News Bulletin and Weather Forecast. 9.15 (approx.), Close Down.

RIGA

525 metres; 15 kW.—6.0 p.m., Weather. 6.5, Orchestral Concert, conducted by J. Medins. 7.0, News Bulletin. 7.20, Song Recital by Nathalie Ulands-Sules. 7.40, Orchestral Concert, conducted by J. Medins: Humoresque (Dvorak); Suite, A Pête in Aranjuez (Bohemian); Salut d'amour (Elgar); Suite, Agnes, dame galante (Fevrier). 8.0, Weather and News. 8.30, Dance Music. 10.0 (approx.), Close Down.

RJUKAN.—See Oslo.

ROME

Call 1R0, 441 metres; 50 kW. Relayed by Naples, 319 metres, and 2R0, 25.4 metres.—7.0 a.m., Gymnastics. 7.15 to 7.30, Giornale Radio and Announcements. 11.30, Weather and Light Music on Gramophone Records. 12.0 Noon, Time and Announcements. 12.2 to 1.15, Orchestral Concert. In the interval from 12.30 to 12.45, Giornale Radio and Exchange. 3.45, Children's Radio Review. 4.10, Weather, Exchange, and Giornale Radio. 4.30 to 5.15, Concert from Milan. 6.0, Giornale Radio. 6.10 (from Naples), Shipping and Sports Notes. 6.15, Atmospheric Signals, Agricultural Notes and Dopplavorto Announcements. 7.0, Time and Announcements. 7.2, Talk on Mars. 7.15, Light Music on Gramophone Records. 7.30, Sports Notes and Tourist Report. 7.45, La donna perduta—Operetta in Three Acts (Pietro). In the intervals, Humorous Talk and Scientific Notes. After the Operetta, News.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY (WGY), 379.5 metres; 50 kW. Relayed at intervals by W2XAF on 31.48 metres, and by W2XAD on 19.56 metres.—12 Midnight, General Electric Programme. 12.15 a.m. (Wednesday), Stock Reports. 12.30 till Close Down, New York Relay. 12.30, Soloist. 12.45, The Goldbergs. 1.0, Blackstone Plantation. 1.30, Wayne King's Orchestra. 2.0, Ben Bernie's Orchestra. 2.30, Ed. Wynn and the Fire Chief Band. 3.0, Lucky Strike Hour.

SCHWEIZERISCHER LANDESENDER

BEROMUNSTER, 459 metres; 60 kW.; BASEL, 244.1 metres; and BERNE, 245.9 metres.—9.20 a.m., Broadcast for Schools. 9.50 to 11.28, Interval. 11.28, Time Signal from Neuchâtel Observatory. 11.30, Weather and News. 11.40, Concert by the Radio Orchestra. 12.35 p.m., Weather and Exchange. 12.45 to 2.30, Interval. 2.30, Cinema Organ Music on Gramophone Records. 3.0, Songs on Gramophone Records. 3.30, Concert by the Radio Orchestra. 4.0, Variety Music on Gramophone Records. 4.30, Weather Report. 4.35 to 5.30, Interval. 5.30 (from Berne), A Film Interview—Werner Dilly meets Vera Liessm. 6.0, Time and Weather. 6.1, Notes on the Broadcasts for Schools. 6.15 (from Berne), Talk: Swiss Export Trade, last Year and Now. 6.45 (from Zürich), Talk on the following Transmission. 7.0 (from Zürich), Grande Messe des Morts (Berlioz), by the Zürich Male Voice Choir, Women's Choir and Orchestra, conducted by Herman Hofmann, relayed from the Tonhalle, Soloist: Luis van Tulder (Tenor). 8.30, Weather and News. 8.40, Concert by the Radio Orchestra. 9.15 (approx.), Close Down.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SASA, 436 metres; 55 kW. Relayed by Boden, 1,229.5 metres; Göteborg, 322 metres; Hörby, 257 metres; Motala, 1,348 metres;

Ostersund, 770 metres; and Sundsvall, 542 metres.—4.5 p.m., Programme for Children. 4.45, Concert of Light Music, March (Rydberg); Potpourri (Meissner); Waltz, Estudiantina (Waldteufel); Serenade (Schubert); Schottische (Willner); For You (Holtz); March, Graf Zeppelin (Teike). 5.25, Song Recital by Wilhelm Julinder. 5.45, French Lesson, relayed from Malmö. 231 metres. 6.15, Weather and News. 6.30, Talk. 7.0, Orchestral Concert of Operetta and Sound Film Music. 8.15 (from Göteborg), Literary Review. 8.45, Weather and News. 9.0, Popular Music on Gramophone Records. 10.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW.—11.30 a.m., Gramophone Concert of Classical Music. 12.45 p.m., News. 1.0, Time and Exchange. 1.5, Gramophone Concert of Light Music. 2.0 to 4.45, Interval. 4.45, Talk in French: Normandie. 5.0, Dance Music by a Jazz Band, conducted by M. Roskam: March, Un, deux, trois, quatre, cinq (Reisfeld and Marbot); Foxtrot (Cazaux); Foxtrot, Lullaby of the Leaves (Young-Peterson); Boston Waltz, White we danced at the Mardi Gras (Mercer and Apler); Foxtrot, My Silent Love (Dana Suesse); Foxtrot, Pompos Jerry (Alouche); Tango, Siete Diaz (Lucchesi); Foxtrot, C'est un petit village (Reisfeld-Kimmich-Marbot); Foxtrot, Dreamy and Blue (Alouche); Waltz, Verschmühte Liebe (Lincke); Foxtrot, Sugar of mine (Paradis); Foxtrot, I've found a wonderful girl (Knight); Tango, Petite Madame (Weitzel-José); Totor, Cas tort (Merle); Rumba, Campesina (Lucchesi); Foxtrot, This is the Day of Days (Woods-Dixon); March, Voilà l'Étravail (Heymann). 6.0, Talk in German: How France became a United Nation. 6.15, Topical Talk in French. 6.30, Orchestral Concert, conducted by Maurice de Villers: Russian March (Ganne); Overture, Maritima (Wallace); Divertissement on Russian Songs (Rabaud); Selection from Tiefland (d'Albert); Serenade in A (Widor); Algerian Suite (Saint-Saëns). 7.30, Time and News. 7.45, Extracts from La Mascotte—Operetta (Audran), on Gramophone Records. 8.25, Lottery Results. 8.30, Gala Programme, relayed from Paris. 10.30 (approx.), Close Down.

STUTTGART

MUHLACKER, 350.5 metres; 60 kW.; and FREIBURG, 570 metres.—12.30 p.m., Concert No. 1 in D (Mozart) on Gramophone Records. 1.0, Sponsored Gramophone Records. 1.30 to 2.0, Advanced English Lesson. 3.0, Talk: Flowers. 3.30 (from Freiburg), Talk for Women. 4.0, See Langenberg. 4.45, Time, Weather and Market Prices. 4.55, A Tale about Skiing (Carl Elbert). 5.20, A Discussion on Aviation in Bad Weather. 5.45, Time and News. 6.0, Concert by the Schuller-Balalaika Orchestra: Sorrow and Joy—Russian Love and Dance Melodies (arr. Schuller); Barcarolle (Tchaikovsky); Im Walde—Folk Song with Variations; Dance Melodies, (a) Romanian, (b) Polish, (c) Ukrainian, (d) Russian. 6.30, Song Recital by Carl Reiffoss (Baritone): Die Zehn Gebote—from an Oratorio (Geiger-Kullmann); An die ferne Geliebte (Beethoven). 7.0, See Frankfurt. 8.0, Programme for Munich. 9.0, Time, News, Weather and Programme Announcements. 9.15, Sonatas for Violin and Piano-forte (Brahms): Sonata No. 1 in G, Op. 78, Sonata No. 2 in A, Op. 100.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW.—6.0 p.m., News. 6.15, Military Music. 6.30, Sound Film Music. 6.45, Ballet Music from Coppélia (Delibes). 7.0, Airs from: (a) Figaro (Mozart), (b) Mireille (Gounod), and (c) Cavalleria rusticana (Mascagni). 7.15, News, Horse Racing Results and Market Prices. 7.25, Commercial Report. 7.30, Programme by an Argentine Orchestra. 7.45, Programme by a Viennese Orchestra. 8.15, Light Music. 8.30, Extracts from The Damnation of Faust (Berlioz). 9.0, Popular Music: Melody (Zeller); Offenbach Operetta Potpourri; Aux Côtes (Dupare); The Turkish Patrol (Michaëlis); Minuet, from Bernice (Handel); Minuet in G (Paderewsky). 9.30, Concert: Romanes des enfants, from Rip van Winkle (Planquette); Pardon, mon papa, from Le Roi Pansole (Honegger); Je n'oserai plus faire en from Endevzouder (Gabaroud); Que ne puis-je la renouider from Mlle-Debra (Andran); Accordion Solos. 10.0, Three Songs for Choir. 10.15, North African News. 10.30, Concert for Listeners in Morocco: March (Kaiser); Potpourri; Selection from Lakmé (Delibes); (a) Duet, Mais je ne sais, (b) Song, Je donne epais; Dans ma pèche (Boulcher); Quand on revait la tour Eiffel (de-moulin); En diligence sous bois (Schaefer). 11.0, Light Music. 11.15, Chansonnets. 11.30, Programme in English by the I.B.C. Concert of French Music: Variations for Pianoforte (Saint-Saëns);

Flute Solo: Idyll (Godard); Pianoforte Solo: La Cathédrale (Debussy); Xylophone Solos: (a) Galop (Oertel), (b) March (Lehar); Drops of Water (Piston). 12.0 Midnight, Weather and Announcements. 12.30 a.m. (Wednesday), Symphony No. 6 in C Minor (Beethoven).

TRIESTE

247.7 metres; 10 kW.—4.0 to 5.0 p.m., Concert of Chamber Music: Concerto in D Minor for Two Violins and Pianoforte (Bach); Soprano Solos: (a) To Sylvia (Schubert), (b) Or chio non sogno più (Rontani), (c) M'ha preso alla sua ragna (Paradis); Concerto in A Minor for Two Violins and Pianoforte (Vivaldi-Nachez); Soprano Solo: In questo semplice modo asil (Donizetti-Betty). 5.35 till Close Down, See Turin.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relayed by Milan, 331.5 metres; Genoa, 312.8 metres; and Florence, 560.8 metres.—4.30 p.m., Orchestral Concert, conducted by Ugo Tansini: Esquisses Flamandes (Brusselsmats); Selection from I Pagliacci (Leoncavallo); L'ora della preghiera (Pesse); Overture, Bruschini (Rossini). 5.15 to 5.35, Interval. 5.30, Giornale Radio, Agricultural Report, and Dopplavorto Notes. 6.0, Songs and Light Music on Gramophone Records. In the intervals at 6.20, Giornale Radio; at 6.30, Time Signal, Announcements, and Report of the Royal Geographical Society; and at 7.0, Giornale Radio and Weather Forecast. 7.30, An Operetta in Three Acts. In the intervals, Talk and Art Notes. After the Operetta, Giornale Radio.

VATICAN CITY

19.84 metres (Morning), and 50.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Information in Spanish. 7.0 to 7.1 p.m., Religious Information in Italian.

VIENNA


517 metres; 15 kW. Relayed by Graz, 552.2 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 245.9 metres; and Salzburg, 218.5 metres.—3.45 p.m., Concert by the Vienna Women's Symphony Orchestra: Conductor: Julius Lehnert. Soloists: Marta Kupka (Violin). Divertimento in E Flat (Haydn). Violin Solo: Romance in G (Beethoven). Violin Solo: Sarabande and Tambourin (Leclair); Serenade in C for String Orchestra (Tchaikovsky). 4.55, Talk on Fruit Trees. 5.20, Discussion between Dr. Max Eisler and Art Students. 5.45, French Lesson. 6.10, Time, Weather, and Programme Announcements. 6.20, Talk by Dr. Leo Ferbenius: My latest Expedition to Africa. 6.50, Concert by the Vienna Symphony Orchestra, conducted by Max Schönlherr. Soloist: Erieh Zimmermann (Tenor). Overture, Der Hoven spiegel (Eysler); Serenade for String Orchestra (O. Strauss); Four Songs (Weinberger): (a) Verklungen, (b) Kahnfahrt, (c) Aber was, kleines Mädchen, (d) Abendriede, Scherzo caprice (Niedbal); Prelude to Tatjana (Lehar); Aria from Paroli (Fall); Frühlingsnotturmo (Heymann); Suite from The Merchant of Venice (Sullivan). 8.5, Nürnberg—A Radio Sequence. 9.5, News, Weather, and Announcements. 9.20, Music from Paper. 9.50, Dance Music by the Charly Chapp Jazz Band, relayed from the Westminster Café.

WARSAW

1,411 metres; 120 kW.—10.58 a.m., Time Signal and Bugle Call from the Tower of St. Mary's Church, Cracow. 11.5, Programme Announcements. 11.10, Light Music on Gramophone Records. 12.20 p.m., Weather Forecast. 12.25 to 2.10, No Transmission. 2.10, Announcements. 2.15, Economic Notes. 2.25, Aviation and Anti-Gas Drill. 2.30, Announcements. 2.35, Book Review. 2.50, Popular Music on Gramophone Records. 3.25, Talk on Education. 3.40, Talk on Books, relayed from Wilno (360 metres). 4.0, Concert by the Warsaw Philharmonic Orchestra, conducted by Fildberg: Soloist: Mme. E. Feinstein (Pianoforte); Overture, Oberon (Weber); Hungarian Fantasia for Pianoforte and Orchestra (Liszt); Siegfried Idyll (Wagner); Overture, Rienzi (Wagner). In the interval, Announcements. 4.55, Programme Announcements. 5.0, Light Music from the Gastronomica Café. In the interval, News. 6.30, Talk on Music. 6.45, Radio Journal. 7.0, Concert by the Station Orchestra, conducted by Oziminski: Soloist: A. Jmowicz (Flute); Second Suite from Peer Gynt (Grieg); Serenade (Pierné); Symphonic Poem, Danse macabre (Saint-Saëns); Moorish Rhapsody from the Algerian Suite (Saint-Saëns); Italian Concerto for Flute and Orchestra (Demessena); Ballet Music from Feramos (Rubinstein); Toreador et Andalous (Rubinstein); Sérénade espagnole (Bizet); Hungarian Rhapsody No. 2 (Liszt). In the interval, Sports Notes and Radio Journal. 8.20, Pianoforte Recital by Pantecho Wladigierow. 9.0, Literary Talk. 9.15, Light Music from the Finkler Restaurant. 9.55, Aviation Weather Report and Police Notes. 10.0, Dance Music, relayed from Katowice (408 metres).

ZURICH.—See Schweizerischer Landessender.

TELSEN SUPERHET COILS



TELSEN
SUPERHET COILS
TYPE No. S.330
PRICE

25'6


have been exclusively specified for the W. W.

ALL WAVE

*Monodial
Super*

BATTERY RECEIVER !

THE incomparable efficiency and exceptionally low loss of Telsen Superhet Coils makes them the first choice for every superhet. The designer of the famous MONODIAL SUPER Battery Receiver acknowledged their pre-eminence by specifying Telsen Superhet Coils to the exclusion of all others. It will pay you to follow his lead—to *insist* on Telsen wherever Superhet Band-Pass or ordinary Screened Coils are concerned.



Showing the position occupied by Telsen Superhet Coils, Type No. S.330, in the built up MONODIAL SUPER Battery Receiver.

TELSEN

RADIO COMPONENTS FOR LASTING EFFICIENCY

ANNOUNCEMENT OF THE TELSEN ELECTRIC CO. LTD., ASTON, BIRMINGHAM



The Dubilier Type B.B. Paper Condenser is tested to 500 Volts D.C. and is suitable for 200 Volts D.C. working. Capacities from .09 to 4.0 mF. Prices from 1/9.



Every **DUBILIER** Condenser before being offered for sale is **3 times** treble tested

That's why

manufacturers & constructors FIND **DUBILIER** CONDENSERS so exceptionally reliable

DUBILIER CONDENSER CO. (1925) LTD.
Ducon Works, Victoria Road, North Acton, London, W.3



increases the need for **TWO WAY TONE-CONTROL**

Whether you build the QPP2 or convert your existing set, you want

- PUCO 1-8** The Tone-control centre-tapped input transformer. Pr. inductance 45 henries. **17'6**
- OR Graded controlling potentiometer - **3/6**
- PU 1-8** Similar to PUCO but without tone-control **15/-**
- AND For matching the speaker, giving 3 ratios.
- PUCOKE** Plate to plate resistance 150 ohms **9'6**

TONE-CONTROL TRANSFORMERS FOR STRAIGHT CIRCUITS.

- TOCO 1-4** Ensure good reproduction in all working **17'6**
- TOCO 1-3** conditions - - - - -

• New fully descriptive *Multitone Handbook (D)* sent free on application. •

MULTITONE
TONE CONTROL L.F. TRANSFORMER
MULTITONE ELECTRIC CO., LTD., 95/98, White Lion Street, Islington, N.1

Wireless World Independent Investigation, reports that—



Transformers "...are well above the average."

(Vide "Wireless World," Nov. 11, 1932)



The "Wireless World" Laboratory has tested DAVENSET Transformers and finds them "well above the average in performance and exceptionally well made." Such unbiased judgment is the best guarantee to home set constructors, and others, that DAVENSET Transformers will make a material contribution to the success of their sets.

Davenset Transformers are manufactured to your own individual requirements, whilst our Technical Department is at your service to advise and suggest the simplest and yet most practical schemes for overcoming your Transformer or Rectification problem.

Illustration shows the DAVENSET Shell-Type Transformer
WRITE FOR a copy of "Mains Transformers and Power Smoothing Chokes for Radio and Industrial Purposes."

SEE OUR EXHIBIT STAND B.I.F. HALL 53 B.I.F. OF OLYMPIA RADIO

PARTRIDGE, WILSON & CO.
Dept. 29, Davenset Works, Leicester.
Scottish Branch: 200, St. Vincent Street, Glasgow, C.2.

**THE BATTERY
THAT POWERS THE SET
CONTROLS THE TONE**



EVER READY
WIRELESS BATTERIES FOR LONG LIFE & PURE TONE

LOOK FOR THE EVER READY TRADE MARK

THE EVER READY CO. (GREAT BRITAIN) LTD., HERCULES PLACE, HOLLOWAY, LONDON, N.7

Advertisements for "The Wireless World" are only accepted from firms we believe to be thoroughly reliable.



Patentees of
Electric Lamps
By Appointment



Manufacturers
and Patentees
of Electric Lamps
By Appointment

EDISWAN

The name that means 'EXCELLENCE'



**"RADIO
AS IT SHOULD
BE"**

means a good set and

"R.K."

Senior A.C.
Unit for
mains operation
Price - £7.15.0



Minor R.K. Permanent
Magnet Model. Prices :-
Fumed Oak "ARUNDEL" model - £2.17.6
Walnut "ARUNDEL" model - £3.3.0



Senior R.K. Permanent
Magnet Model. Prices :-
"WARWICK" model in
Oak - £8.10.0
"WARWICK" model in
Walnut - £8.17.6



Senior R.K. Permanent
Magnet Model. Prices :-
"WINDSOR" model in
Oak - £8.10.0
The above-mentioned speakers
are supplied complete with
multi-ratio transformer.

B.T.H.



**MOVING COIL
REPRODUCERS
1933 MODELS**

The Edison Swan Electric Co. Ltd.  155 Charing Cross Road, W.C.2

GOOD RADIO DEALERS RECOMMEND EDISWAN

W.193



**You may use this Varley
Superhet in any room
without external aerial . . .**

*"The sensitivity reaches a very high level . . .
For the reception of even the less powerful
of continental transmissions, a few feet of
wire hung on the picture rail will provide
sufficient pick-up of signals."*

(*"Wireless World," Dec. 30th, 1932.*)

TABLE MODEL.

Sockets for Pick-up. Provision for using an external speaker. Control of handle for easy carrying.

List No. AP38. Undistorted output - 1.000 Milliwatts. Price 26 guineas (25 cycle Model, 1 guinea extra). Available on H.P. terms.

Overall dimensions: 16 1/2" high - 12" deep - 13" wide.

CONSOLE MODEL.

Sockets for Pick-up. Provision for using an external speaker. No external controls on front or sides. Moving-coil speaker of extra powerful type.

List No. AP44. Undistorted output - 2.250 Milliwatts. Price 35 guineas (25 cycle Model, 1 guinea extra). Available on H.P. terms.

Overall dimensions: 35" high - 15" deep - 20" wide. Both Models are for A.C. Mains only. 100/120 or 200/250 v., 50/100 cycles.

Knife-edge selectivity, fine quality and single knob control. Station after station clearly heard on the built-in moving-coil speaker. Radio in every room! Just connect the set to any lighting socket and plug in the handy little "portable" aerial supplied. For maximum range an external aerial should be used. Write for FREE art booklet and address of nearest dealer. He will gladly demonstrate Varley.

Varley

(Proprietors - Oliver Pell Control Ltd)

Agents of Oliver Pell Control Ltd., 103, Kingsway, London, W.C.2. Phone: Holborn 5303.



5 New FERRANTI Transformers for

QUIESCENT PUSH-PULL

This system enables much greater power to be obtained from Battery Operated receivers and amplifiers for a given expenditure of High Tension Current than has hitherto been possible. In fact, by its use, Power Output and Volume, comparable to that given by the average Mains set are obtainable, even when employing the small H.T. Batteries in common use.

Ferranti Ltd. have produced these five transformers to enable the experimenter to obtain the best possible results from Quiescent Push-Pull at reasonable cost. It will be noted that the inductances and ratios of these new Ferranti Transformers are unusually high.

- 1 **Type AF11c.** Ratio 1/10. Inductance 50/25 henrys, 0/10 m/a. Good amplification curve, giving approximately double the amplification at 50 cycles hitherto obtainable. **34/-**
Price including Push-Pull Royalty
- 2 **Type AF12c.** Ratio 1/9. Inductance 30/15 henrys, 0/6 m/a. A lower priced transformer which yet has a good performance and a higher step-up than others in this price class. **15/-**
Price including Push-Pull Royalty
- 3 **Type OPM 11c.** Push-Pull Output Transformer. Ratio 35/1, 56/1 and 100/1. Specially suitable for use with the AF11c; will carry a current, if necessary, up to a maximum of 100 m/a in Quiescent Push Pull (200 m/a in ordinary Push-Pull). For operating low resistance Moving Coil Speakers. Primary Resistance approximately 230 ohms. **26/6**
Price including Push-Pull Royalty
- 4 **Type OPM 12c.** Ratios 1.7/1 and 40/1. To correspond in quality with the AF12c. Carries O.C. Primary current up to 75 m/a in Quiescent Push-Pull (150 m/a in ordinary Push-Pull). For use with high resistance Speakers, or low resistance Moving Coil types with or without built-in Output Transformers. Primary Resistance approximately 210 ohms. **15/-**
Price including Push-Pull Royalty
- 5 **Type OPM 13c.** Ratio 1.7/1, 2.7/1 and 4.5/1. Also specially suitable for use with the AF11c, but for operating High Resistance Speakers of any kind, including Moving Coil Speakers with built-in Output Transformers. Maximum D.C. Primary Current 100 m/a, in Quiescent Push-Pull (200 m/a in ordinary Push-Pull). Primary Resistance approximately 230 ohms. **26/6**
Price including Push-Pull Royalty

NOTE.—Either of these Quiescent Push-Pull A.F. Transformers may be used with any of the three Output Transformers mentioned above. Both the AF11c and AF12c types may be used in ordinary Push-Pull circuits, or as straight A.F. Transformers.


FERRANTI TRANSFORMERS

FERRANTI LTD. HOLLINWOOD, LANCASHIRE
LONDON: BUSH HOUSE, ALDWYCH, W.C.2.

REETONE

-Two Speakers as one

For the very first time



sound reproduced Naturally

The new Celestion Range of Reetone Dual and Matched Speakers is a definite advance in sound reproduction. In introducing these, Celestion are confident that nothing finer has yet been offered to the discriminating listeners. Immediately you have heard one of these new Speakers you will appreciate its remarkable tonal quality and sensitivity, for with no other Speaker is the bass and treble reproduced as naturally and free from distortion. Whatever your previous Speaker experiences you will undoubtedly agree that never before have you heard such vivid realism of mechanically reproduced sound. Use the coupon below for illustrated folder and hear it demonstrated at your local dealer.

The Celestion Dual Speaker illustrated consists of two units so coupled that the treble is accepted by the treble unit, and the bass accepted by the bass unit. The performance of the combination must be heard to be appreciated.

The illustration shows Model S.29.
Price - - £6 - 6 - 0
 Other models available.



FOREMOST NAME IN SOUND REPRODUCTION

TO CELESTION LTD.,
 London Rd., Kingston-on-Thames

Please send me illustrated folder giving full details of "Reetone" Speakers, together with constructional details and data.

Name

Address


W.W.2

ELECTRADIX

NO STORE in LONDON has so comprehensive a stock of Scientific Apparatus at such low BARGAIN PRICES as ELECTRADIX RADIOS for:

- | | | |
|---------------|--------------|-------------|
| Aerials | Microphones | Engines |
| Buzzers | Meters | Instruments |
| Bells | Transmitters | Lamps |
| Batteries | Testers | Neons |
| Condensers | Coils | Wire |
| Cable | Chargers | Receivers |
| Cases | Dynamos | Spark Sets |
| Chokes | Motors | Valves |
| Cell Chargers | Wavemeters | Superseders |

at 218, Upper Thames Street



The Electric 4, all mains, A.C., £7. M.C. Speakers, 12 & 100 W. Motors, 15-. Pedestal Mikes, 18 6. Stampings, 50 off. Prism Monoculars 17 6. Headphones, 2. Superseders 37 6. Bakelite 8-in. Frets, 1-. Photo cells 15-. 2-Gang Condensers, 12 6. Formo .0005 mfd., 2-. Tokade, 1 3. Fixed T.C.C. 8 mfd., 460 v., 5 6. 2 mfd 1 6. New Portable Cases, 8 6. Microphones and Public Address Outfits.

COILS. H.M.V. Coils, bandpass, L. & S. 1- (as illus.). Cossor 3-pin medium, 1- each. Aerial reaction, long short and multiple tuning Coils, 2 3/4 in. by 3 in., 1-. Ribbed Former, only 9d. H.M.V. Tuning, long and short wave Aerial Bandpass, 8-in. Coils, 1-. 2-pin Coils, B.B.C. or short-wave, 6d. Aerial fine Tuning Coils on Ebonite Former 12 tapping with Rotary Switch Arm and Studs, 1-. Tapped Inductances, 1 1/2 in. by 4 1/2 in., 4 taps, 3 6. Tapped Inductances, 9 in. by 7 in., with 7-stud Rotary Switch, 5-. 1,000 Ebonite 6-ribbed small 1 1/2 in. dia., 1 in. long, 2d. Star Reaction Tuner, broadcast band, new, 9d. each. Igranite Unitone Couplers, usually 2 6. Major and Minor, 9d. each. Fellows 5-pin Aerial Coils 200 500. Listed 5 6. Sale, 3 9 each. Large stock of various makes of 6-pin coils at half-price, 6-pin bases, 8. Igranite Gimbal Coils, 1-. Holders, 2-. Igranite Twin Unitone Couplers, 1-. Vario-couplers, 4-. 2-pin Coils, 6d. Coil holders, 2-way, 1 6. 3-way, 2 6. 1 1/2 in. Spar Coils, £8. Medical Coil Sets, 6 6, 10 6, 15 - and 21 -. True view camerascopes, 2- each.

THE DIX-ONEMETER

It has Two Clear Scales with Mirror for Accurate Readings, only 6 Terminals, but 50 Ranges.

ONLY
60/-

A remarkably low price for a meter worth £10. For Novice or Expert. Test Booklet Free.




The High-grade Radio Tester. Low Price. High Value.

INSTRUMENT IN CASE, 60/- MULTIPLIERS, EACH, 6 6. COMPLETE RADIO OUTFIT £4:19:6

PARCELS of useful oddments for the junk-box. Coils, Magnets, Wire, Chokes, Condensers, Switches, etc., worth a lot more than 10 lb. 7/-, or 7 lb. for 5/-, post free. British Isles only.

1,000 other Bargains in our new Sale List W.W. Send addressed envelope for this money saver.

ELECTRADIX RADIOS
 218, Upper Thames Street, E.C.4



If it has a

Darwin


COBALT STEEL PERMANENT MAGNET

It is a High-class Speaker!

SO decided is the superiority of DARWIN Magnets, that one out of every two speakers on the market is so fitted. This is a striking tribute to the efforts of our Research and Manufacturing Departments in their increasing endeavours to produce the perfect magnet. Definitely, you have a speaker of the highest class if it is fitted with a Darwin Magnet.

Darwins Ltd
CORRECT MAGNET DESIGN

Head Office: Fitzwilliam Works, SHEFFIELD.
London office: 29/31, Regent St., S.W.1.



**Abolish batteries
RUN YOUR SET
FROM THE MAINS
FOR LESS THAN
ONE SHILLING
A YEAR**



WHY spend 50 shillings a year on quickly exhausted batteries? An "ATLAS" Unit will run your receiver from the electric light for less than 1/- a year! "ATLAS" Units, the experts' choice, are as simple to fit as a battery, need no alterations to set or valves and last for ever. Ask your dealer for a demonstration to-day and insist on "ATLAS," the units which won the Olympia Ballots against all competitors. No other can give the same reserve of silent, steady power. Models for every set from 39/6. Guaranteed 12 months Westinghouse Rectifiers.

CLARKE'S "ATLAS" MAINS UNITS

Messrs. H. CLARKE & Co. (M/cr) Ltd.
George Street, Patricroft, Manchester.

Please send me folder describing the complete range of "ATLAS" Mains Units and Components.

Name.....
(In capitals)

Address.....

31/13

POST NOW

H. CLARKE & CO. (M/CR) LTD., PATRICROFT, MANCHESTER.
London: Bush House, W.C.2. Glasgow: G.E.S. Co. Ltd., 38, Oswald St.

Over 3,000,000 Atwater Kent Receivers Sold

Why have over 3,000,000 Atwater Kent Receivers been sold to the discriminating Radio-loving public?

Why have several Crowned Heads preferred Atwater Kent Receivers to all others? And many of the world's most eminent musicians?

There is only one reason *Atwater Kent Receivers are positively without equal.* Their purity of tone is a revelation, their power phenomenal, their selectivity something at which to marvel.

ATWATER KENT

Most of you who read "The Wireless World" are, to some extent, technical. Here is an Atwater Kent model the chassis of which will be a constant delight to you.

The majority of you love to "roam

around the world." This set will satisfy your searching instinct as few sets can.

All of you demand superlative Radio. Here is the Receiver which for years to come will be a source of joy to you.

SEE and HEAR THIS MARVELLOUS MODEL

See the Atwater Kent. Hear it. Your Dealer will arrange a demonstration for you. Or, if you wish, call at our London Salons.

Sole Distributors of Atwater Kent Precision Radios and the world famous Arcaturns Blue Valves.

G. A. BRITAIN Ltd., 5, Hanover Square, London, W. 1

Telephone: Mayfair 34967.

Telegrams: Atwater Kent, London.

Also Sol: Distributors for Irish Free State. Dublin Depo: 40, Dawson St.




MODEL 137.

7 Valve Super-Het, 200 to 2,000 metres.
Automatic Volume Control.
Three point Tone Switch.
Large Mains Energised M/C Loud Speaker.
Gramophone Pick-up Switch.

25 Gns.

This price does not apply in Irish Free State.

★ GANGED CONDENSERS ★



We are glad to read of the improvements in ganged condensers recently announced. We have argued that two condensers on a common spindle are not necessarily ganged condensers. We are glad that our point of view is gaining ground.

And for the sake of the radio industry generally we hope that the production of ganged condensers guaranteed to a permanent maximum error standard will become general practice.

In the meantime both set maker and wireless amateur can buy Utility condensers with the assurance that they have the closest possible matching which will remain permanently so.

Full details of the complete range sent as required.

**WILKINS & WRIGHT LTD.,
UTILITY WORKS, HOLYHEAD ROAD,
BIRMINGHAM.**

London Agent:

E. R. MORTON, LTD., 22, Bartlett's Buildings, Holborn Circus, E.C.4

Utility

Belmont

Mention of "The Wireless World," when writing to advertisers, will ensure prompt attention.

The Wireless World

THE
PRACTICAL RADIO
JOURNAL
22nd Year of Publication

No. 702.

FRIDAY, FEBRUARY 10TH, 1933.

VOL. XXXII. No. 6.

Proprietors: ILIFFE & SCNS LTD.

Editor:

HUGH S. POCKOCK.

Editorial Offices:

116-117, FLEET STREET, LONDON, E.C.4.
Editorial Telephone: City 9472 (5 lines).

Advertising and Publishing Offices:
DORSET HOUSE, TUDOR STREET,
LONDON, E.C.4.

Telephone: City 2816 (17 lines).
Telegrams: "Ethaworld, Fleet, London."

COVENTRY: Hertford Street.

Telegrams: "Cyclst, Coventry." Telephone: 5210 Coventry.

BIRMINGHAM:

Guildhall Buildings, Navigation Street, 2.

Telegrams: "Autopress, Birmingham." Telephone: 2070 Midland (3 lines).

MANCHESTER: 260, Deansgate, 3.

Telegrams: "Iliffe, Manchester." Telephone: Blackfriars 4112 (4 lines).

GLASGOW: 26B, Renfield Street, C.2.

Telegrams: "Elite, Glasgow." Telephone: Central 4857.

PUBLISHED WEEKLY. ENTERED AS SECOND CLASS MATTER AT NEW YORK, N.Y.

Subscription Rates:

Home, £1 1s. 8d.; Canada, £1 1s. 8d.; other countries abroad, £1 3s. 10d. per annum.

As many of the circuits and apparatus described in these pages are covered by patents, readers are advised, before making use of them, to satisfy themselves that they would not be infringing patents.

CONTENTS

	Pag
PROGRAMMES FROM ABROAD, pp. 1—XXIV	
Editorial Comment	105
The Story of the Small L.F. Trans-jormer	106
The All-wave Monodial Super	109
News of the Week	113
Unbiased	114
Simple Tone Controlled 12-watt Amplifier	115
More About the Quiescent Push-pull Two	116
Ekco Superheterodyne Reviewed	118
Practical Hints and Tips	120
Broadcast Brevities	122
Letters to the Editor	123
Readers' Problems	126

EDITORIAL COMMENT

Nation Shall Speak Peace Unto Nation

Justify the B.B.C.'s Motto

WE may be excused if from time to time we have wondered what prompted the British Broadcasting Corporation to adopt as its motto "Nation Shall Speak Peace unto Nation," since, although the Corporation has been in existence for more than ten years, we can recollect no instance when broadcasting has been used for communication between one nation and another, except on certain rare occasions when there has been a re-broadcast of some individual programme originating in another country.

There would seem to be ample scope for the B.B.C. to make their motto effective. The difficulty in international broadcast communication in Europe centres around the language problem. Music is internationally understood, but the language differences make national programmes, insofar as talkies are concerned, appreciated abroad only by those very few listeners who have a sufficient knowledge of the language used to understand them.

Why should not the co-operation of European broadcasting authorities be arranged in a scheme whereby talks would be broadcast in languages other than those of the country from which the broadcast originated? These talks would have to be arranged on the understanding that they would not be in the nature of propaganda. The motto, "Nation Shall Speak Peace unto Nation," would guide the choice of subject matter. There should be nothing in the talks calculated to give offence to the country in whose language these broadcasts were conducted. As a commencement, we would suggest talks written by political heads

and leaders of public thought in each country, which would express national viewpoints on important questions of the day; other talks would deal with domestic life, education, recreations, etc. These talks would, in the case of this country, be translated into the various languages of the Continent and given as a series from the national transmitters. Similarly, we would like to hear corresponding views in English talks from the capitals of Europe.

We cannot but believe that talks of this nature would have an influence not only educational, but social, and would help to bring about a better understanding between nations than it is ordinarily possible to achieve through the existing channels of intercommunication. We commend this proposal to the B.B.C. and would urge them to consider whether, on some such lines as we have briefly outlined, they could not set the example and invite other broadcasting authorities to help to stimulate interest between European nationals and so justify the Corporation's motto, "Nation Shall Speak Peace unto Nation."

Foreign Stations

Readers' Views

READERS have shown very great interest in the subject of foreign and local listening discussed in our issue of January 27th. In this issue we publish a representative selection of letters received.

In forming opinions on this question let us be careful to remember that fading can now be practically overcome with automatic volume control and that there is every likelihood of legislation controlling electrical interference in the near future. Manufacturers, in deciding upon their future policy, must take these factors into consideration.



The Story of the Small L.F. Transformer

The Advantages of Alloy Cores

By L. S. CRUTCH, B.Sc.

JUST what artifice on the part of the maker of L.F. transformers has enabled a shrinkage in dimensions to be brought about during the last two years may not be quite clear, although reference is usually made to the special properties of some particular core on which the transformer is wound. It is hoped in this account to give some idea of what lies behind this large reduction in size, and how these midgets compare with their larger predecessors. We shall also see how circuits need slight modification from former arrangements if we are to use this new piece of apparatus to its fullest advantage.

What is Permeability?

We use a transformer as a means of coupling one valve to the next in an amplifier, and as such it is expected to hand on to the next valve the voltage presented to it by the first, at the same time further justifying its existence by magnifying this voltage several times before handing it on. To do either of these things it must have inductance; and inductance, as is well known, is obtained by winding turns of wire over a core which is usually iron. True, the winding would have inductance if the iron were not present, but its value would be very much less than when it is present. The property of iron in causing an increase in the inductance of winding when situated in its magnetic field is called its permeability, and it has this property by virtue of the fact that, being a magnetic material, it has a much lower "magnetic resistance" than the air or other material which would otherwise be in the field of the winding.

This permeability, as we shall see, is a very variable quantity, and depends not only on the material itself, but also on the conditions under which the material is used. The permeability of any non-magnetic material is unity, and it is a property of any magnetic material that it has a permeability greater than unity, or, in other words, that it has the property of increasing the magnetic effect of a coil

of wire carrying a current. We want to be quite clear that inductance is a property associated with a changing magnetic field, it has no being when the field is steady and unchanging.

In any amplifier using valves there must be an impedance in the anode circuit if the voltage amplification from the valve is to be usefully employed. Furthermore, if the amplifier is to work over a range of different frequencies and is to give substantially equal amplification at all frequencies, this impedance must be large in comparison with the internal resistance of the valve which precedes it. In the case of an intervalve transformer this impedance is made up of the resistance

merely in a blocking sense, in that it involves no dissipation of energy as occurs with what is more strictly termed an "ohmic resistance."

The value of the reactance is given by the product of the frequency in question, a factor which happens to be 6.28 and the inductance; which brings us back to this inductance question in the transformer. It is evident that it is needed, and the question to be considered is how it is obtained. If we relied entirely on the air we should require something quite unwieldy and useless as an economic proposition. Ordinary iron bars would be an improvement, but thin sheets of soft iron provide a much better solution, having an effective permeability, under the conditions in an amplifier, of between three and four hundred. The amount of iron needed to produce a given value of inductance will depend upon the number of turns in the winding, so that for more turns less iron will be needed. As in the design of almost any piece of electrical apparatus, different quantities of two things will all produce about the same result, but certain carefully determined amounts will produce the best result at the lowest cost of production. Thus it is not possible to use very little iron and a great deal of wire or very little wire and a large quantity of iron. Intervalve transformers of good quality using ordinary soft-iron cores are necessarily bulky, and it used to be possible to estimate the goodness of a transformer by its size. Even then it was a bit risky, but now it is definitely out of the question.

New Alloys

Some ten years ago, when research work was being carried out on core materials in connection with loading coils used for long-distance telephony, it was discovered that the alloying, or intimate mixing, of quantities of other materials with the soft iron had the effect of very considerably increasing the magnetic permeability. Nickel was the principal constituent added, although traces of copper, chromium, and molybdenum were also

THE introduction of the high-permeability core has been responsible for the appearance during the last two years of a considerable number of L.F. transformers of quite Lilliputian dimensions. When using these components not only is there much saving of space but there are electrical advantages which are explained in this article in terms easily understood by the less advanced student of wireless.




Fig. 1.—The enormous increase of permeability when certain metals are alloyed with iron can be seen from these curves.

and reactance of the windings. This resistance is the effective copper resistance of the winding, with an additional amount due to energy losses in the iron circuit. In any case this is usually small in comparison with the reactance of the windings. This reactance is the "resistance" offered to an alternating current, but

The Story of the Small L.F. Transformer—

found to be beneficial in certain circumstances. The results obtained in terms of this property "permeability" were quite astonishing, and are best realised by looking at the curves in Fig. 1, which give a comparison between ordinary soft iron and two alloys of iron containing nickel and small quantities of other metals. A first inspection probably gives the impression that these alloys are enormously superior to the ordinary iron, but, before jumping to any conclusions, we have to consider a number of other factors, with the result that, although the alloys are definitely superior, the relative usefulness is rather more favourable to the iron than the graph would indicate.

This type of graph, taken under laboratory conditions, does not tell all the story, and some of the results shown there cannot in most cases be realised in ordinary use. A great deal of research work has been done since the original discovery, and is still in progress, on ways of using these alloys under practical conditions so as to get the advantages of the high permeability without having to be extremely careful of the way in which the material is used. The results, as exemplified by the modern nickel-iron transformer now obtainable, have been largely successful.

It will thus be seen that with a material now available having a permeability many times greater than that of iron the same inductance as before can be obtained with a much smaller number of turns. Actually, as explained before, a compromise is adopted and both the size of the core and the amount of wire is reduced, with the result that the overall dimensions of the transformer are considerably reduced. The cost can also be reduced, but not at the same rate as the size, because, although less wire is used, these special alloy cores are more costly than soft iron.

Leakage Between Windings

Let us now consider what changes, good or otherwise, have been made in the performance of the transformer. We are accustomed to see published curves of transformer amplification at different frequencies and to regard a long, horizontal straight line over most of the scale as the sign of a good transformer. Fig. 2 shows some such curves, which are straight over a large proportion of the frequency range but fall away at the extremities. Sometimes there is an upward bulge near the upper end, as shown by the dotted line. Curve A in Fig. 2 is for a poor transformer, while curve B is for a good modern example. The falling off at low frequencies in A is due to insufficient inductance so that the impedance of the circuit at low frequencies becomes comparable with the valve internal resistance; and, to a smaller extent, by copper and iron losses in the transformer itself. The falling away at the upper frequencies is due to the self-capacity of

the transformer secondary winding and to leakage between the windings.

The leakage between windings refers to the amount of magnetic flux produced by the primary which is not absorbed in the secondary winding in giving a step-up in voltage. By careful design of the shape and size of the core and windings, and by the relation of the primary and secondary windings to one another, this leakage can be made quite small. It will usually be less than one per cent. in a good transformer provided that the ratio of secondary and primary turns is not too great, as when it becomes large it is very difficult to arrange the two windings so that there is little leakage. Furthermore, if the amount of wire on the transformer can be reduced both the self-capacity and the amount of leakage can both be reduced at the same time. When speaking of leakage and self-capacity, we may refer to the hump C on the curve B, which is a direct manifestation of the presence of both these undesirable features.

The leakage inductance referred to has been shown to behave as a small inductance joined in series with the secondary winding, and the self-capacity can be regarded as a fixed condenser joined across the secondary winding, together with the effective input capacity to the valve, a point which should not

improved characteristic, combined with a very useful reduction in size and weight.

Diverting the D.C.

With regard to the performance characteristics which we have just discussed, so far so good, but we only get these improvements if we use the transformer in the right way, and that is where the main snag arises. If we look again at the curves of Fig. 1 we see that the quantity along the horizontal axis is marked "magnetising force," and that the permeability, and therefore the inductance, varies with this magnetising force. The size of this force is determined by the current in the transformer and the number of turns of the winding. It is usually expressed in units named after Gauss, a pioneer worker in magnetism, and is given by $\frac{4\pi}{10} \times$ ampere turns in the winding.

Then, for a transformer having a given number of turns the inductance will vary with the current flowing through it. Furthermore, in an amplifier there is the steady plate current flowing through the windings on which the voice-frequency alternating currents are superposed. This steady plate current flowing through the primary winding will produce such a large magnetising force that the value of the

permeability will fall to something very much lower than would have otherwise been the case, and may, in fact, be lower than that if ordinary soft iron were used.

The graph of Fig. 1 only shows the value when this magnetising force is quite small, but even at the greatest value shown there (i.e., 0.5) it is evident that the permeability of the alloys is falling fast, while that for iron is going up steadily. If we had 5 milliamps.

flowing through a 2,500-turn primary there would be a magnetising force of 10 units, at which value we should find that the iron alone was definitely superior to the alloys. It is, therefore, very evident that if these alloy-cored transformers are to be used with any success in the plate circuits of valves, some means of diverting the steady plate current from the transformer windings must be found. Fortunately, this is not difficult, and the circuit of Fig. 3 gives the solution. Here we have virtually a resistance-capacity coupling with a transformer to step up the voltage at the point where it is normally applied to a high leak resistance between the grid and filament of the ensuing valve.

This circuit will be quite familiar to most readers, although the reasons lying behind its adoption may not have been so obvious. We will not discuss the choice of values of R and C, as this has been




Fig. 2.—Amplification-frequency curves of two modern transformers. The drop at low frequencies is due to insufficient inductance, whilst the rise at C is accounted for by leakage inductance.

be forgotten. We thus have a parallel resonant circuit with small damping which, with the values usually occurring, resonates somewhere in the neighbourhood of 5,000 cycles; so that just as the amplification is dropping off this resonant circuit comes into the picture and raises it to something greater than it was previously. If it merely corrected for the fall so much the better, but usually it produces a pronounced effect over a narrow band of frequencies, and then the amplification falls off more rapidly than before. Considering these effects in the case of the transformer with the nickel-iron core, it is possible to obtain the necessary inductance to keep the amplification up at low frequencies by using much less wire than formerly, so that we therefore have less self-capacity than before and can more easily arrange that there is less leakage.

Thus, in one fell swoop several difficulties are solved, and we have a much-

The Story of the Small L.F. Transformer—

fully dealt with in previous articles (see article by Aughtie and Cope, *The Wireless World*, December 11th, 1929), and results are given enabling one to select the appropriate values for any given combination of valve impedances, primary inductance, and the lowest frequency to be fully amplified. There is, however, one point about the circuit which is new, and that is the resistance R_1 connected across the coupling condenser. This is not a short-circuit on the H.T. battery, as might be supposed, as its value is high, of the order of a megohm. The reason for its use lies in the shape of the curve connecting permeability with magnetising force. Fig. 1 shows that when the magnetising force is nothing, or very small, the permeability is less than it is for slightly greater values of the magnetising force. Also the permeability is not proportional to the current in a simple way, that is to say, the graph connecting them is not a straight line.

By passing a very small direct current from the H.T. battery through the winding it will be possible to shift the point at which the transformer operates on to that part of the graph where it is straight and at the same time take advantage of the increased value of permeability at that point. No definite value can be assigned to R_1 as it depends upon the value of H.T. and the core. About 1 to 2 megohms should be suitable in a large number of cases.

In order to show further what serious effects the presence of direct current may have on these alloy-cored transformers Fig. 4 shows some primary-inductance measurements made on both types when direct current was passing through the windings. It will be seen that in the case of soft iron there is actually a small improvement up to a certain value of current, after which the inductance falls slowly at first and later more rapidly.

The Resonance Effect

It may be remarked in passing, and the argument will be obvious from the graph, that little or no improvement in quality will be obtained by using resistance-capacity coupling with an iron-cored transformer. If any improvement in bass response is obtained it will be due to a resonance effect between the primary inductance and the coupling condenser. If such an effect is desired the value of the coupling condenser should be chosen to resonate the windings somewhat lower than the lowest frequency which it is

desired to produce. Furthermore, it is possible that in powerful amplifiers this method will lead to distortion in the form of harmonic frequencies produced, because the relation between the inductance and the magnetising force is not linear, but this is a point to be discussed later. Returning to the curves on Fig. 4, it will be seen




Fig. 3.—(Above) How to divert the steady anode current from the primary winding of a high-permeability transformer by the use of a parallel-fed circuit.

Fig. 4.—The effect on inductance of passing D.C. through the primary winding.

that in the case of the alloys the inductance falls very rapidly indeed as the current exceeds a value lying somewhere between zero and two milliamps. As detecting and amplifying valves seldom operate with plate currents as low as this, it will be necessary in almost every case to send the plate circuit by some different path. If this were not done the advantage of the special core would soon be lost, and might easily become a disadvantage, as the curves show.

In most cases the passing of too much direct current through the windings does no permanent harm to the core, although it is not to be recommended. However, it will be found that any slight changes brought about by an excess of such treatment can be nullified by demagnetisation. This is not an erudite laboratory process, but merely consists in passing a few milliamps. of alternating current from the 50-cycle mains through the transformer windings for a few moments. If the primary inductance is high a connection across the 200-volt mains will usually give about the right current. It is preferable to include a safety lamp in series in case of accidents.

The overloading of intervalve transformers is not a question that is often referred to, but it must be remembered that it can take place and may spoil the

reproduction of very high-quality apparatus. When the plate current varies in sympathy with the voice-frequency grid-voltage variations the magnetism in the transformer varies in the same way in order to produce a corresponding copy in the voltage on the secondary winding. These variations take place over a characteristic shaped rather like that of an ordinary triode, and the slope of this characteristic is the permeability which has been the main consideration in the properties of these transformers. Thus, if the current variations are too large they will extend beyond the straight part of the characteristic and distortion will be produced.

Fortunately, unless the overloading is very excessive the results are not serious, not, in any case, as serious as similar occurrences in valves. It is, however, a point to be borne in mind in amplifiers handling very considerable power, where the voltage in the plate circuit of the valve preceding the output stage may be considerable. This effect is not confined to nickel-iron cores; it can equally well occur in a soft-iron-cored transformer, particularly if this is rather heavily loaded with direct current, which will tend to bias the working point away from the centre of the characteristic towards one of the curved extremities.

The nickel-iron-alloy-cored transformer is a definite advance in the design of compact and popular-priced apparatus, and is already extensively used. The properties of high-permeability and low losses which have been discussed give an ideal solution to the problem of uniform performance and are finding application in very many branches of the communication field. At present, while valves have to pass a direct current which is many times greater than the signal variation in the current, it will be necessary to adopt the special measures in order to get the best results.

BOOKS RECEIVED

Photograms of the Year 1932. Edited by F. J. Mortimer, Hon. F.R.P.S.—The 38th issue of this popular annual contains nearly one hundred beautiful reproductions of pictorial photographic work from all parts of the world, with critical notes on many of the pictures. The editorial article deals fully with the year's work in photography, and there is, as in previous issues, an up-to-date Directory of Photographic Societies. Published by Hiffe and Sons Ltd. Price 5s. in paper covers, 7s. 6d. cloth bound, or 10s. 6d. half-bound leather, postage 6d. extra.

Photography Made Easy (3rd edition), by R. Child Bayley.—A book intended primarily for photographic beginners which starts with the assumption that the reader has no previous knowledge of the subject and gives in plain language a mass of useful instruction on apparatus and materials, choice and arrangement of subject, copying, enlarging, making lantern slides, etc., with advice to the novice on what to avoid. Pp. 251+viii. Published by Hiffe and Sons Ltd., London. Price 2s.

Théorie et Pratique de la Télévision. by E. Aisberg and R. Aschen.—Comprising the theory and progress of television with brief descriptions of the various systems and practical instruction to amateurs wishing to construct their own televisions. Pp. 236 with 216 diagrams and illustrations. Published by Etienne Chiron, Paris. Price 30 francs.

The ALL-WAVE MONODIAL SUPER



The Battery All-wave Monodial showing the short-wave equipment

THE popularity of the Monodial series of receivers has become so great that, in presenting the first battery model, it has been thought advisable to extend its utility by including the short wavelengths within the tuning range. In the issue dated January 27th appeared a discussion of the theoretical circuit, and the constructional details and operating notes are given in the present article.

Constructional Details of the New Battery Superheterodyne Tuning from 12.26 to 2,000 Metres

By W. T. COCKING

(Concluded from page 63, January 27th issue)

IN spite of the apparent complexity of the circuit diagram, reproduced in the earlier instalment, the receiver is essentially simple, and its construction is little more complicated than that of any normal type of superheterodyne. The apparatus is all assembled on a metal-covered chassis measuring 16in. by 12in., and supported on battens 3in. deep. This chassis may be obtained ready drilled, but if plain material be employed it will be necessary to drill eight one-inch diameter holes for the valve-holders and coil socket. As the aluminium covering to the plywood is quite thin, an ordinary centre-bit is satisfactory for this work.

The short-wave switches are obtainable as a ganged assembly, and can be screwed directly on to the under-side of the baseboard. As the terminals are not all readily accessible when it is in position, however, it is advisable in certain cases to attach the connecting wires before mounting it. The normal waveband coils, it should be noted, are supplied with shallow trays for spacing the screens from the baseboard. These trays should be inverted so that the bottoms of the coil cans are raised sufficiently to bring the switch spindle level with the on-off switch.

The compression condenser C4 in the oscillator circuit is raised about 1/4in. above the baseboard by means of washers inserted under the fixing screws. It is important not to omit this precaution, as correct ganging will be impossible if the condenser be screwed directly on the base-

board owing to the high stray capacity which would be thrown on the oscillator circuit. The spindle of the

S.W. condenser should be lined up with that of the gang condenser as accurately as possible, in order to reduce the strain on the flexible coupling unit.

The wiring is carried out with No. 22 tinned copper wire run in insulating sleeving, except in a few cases where screened leads are employed. The screened wire should not be of the heavily rubber-covered type, but should rather consist of large diameter sleeving with a braided metal covering, through which a length of


No. 22 wire can be inserted. The covering, of course, must be earthed at the points indicated in the diagrams, and care should be taken to see that the ends of the braiding do not fray and come into contact with the inner wire.

Checking the Voltages

It is recommended that the accumulator for the L.T. supply should have a capacity of 30 a.h. or more, since there is a drain of 1.15 amperes on it, and the 100 volts H.T. battery should be of the type rated for discharge at 16 mA. in order that economical working may be obtained. No

deviations from the specified valves should be made other than to the alternatives given in the list of parts.


In order to check the operation it is wise to make sure that the various currents and voltages are in approximate agreement with the figures given in the table. It should be noted that these were taken with the volume control so set that the receiver was just not oscillating. Consequently, it is to be expected that the currents of the H.F. and first I.F.



Calibration curves for 10 to 19 and 19 to 24 megacycles.

The All-wave Monodial Super—

valves may differ somewhat in different sets. The first step in adjusting the receiver is to set the coils in each I.F. transformer at nearly their maximum distance apart,



The ranges from 3 to 6½, and 6 to 11½ megacycles, are given in this figure.

and to replace the screening covers. A signal should then be tuned in, and the trimmers on each transformer adjusted for the maximum response. While doing this care should be taken to keep the signal very weak, by turning down the volume control, so that false results are not obtained through detector overloading.


The ganging on the medium waveband

comes next, and the switch in the screened coil assembly should be set for this range, and the S.W. switch set for reception on the normal wavebands; the local-distance switch should be set to Distance. A S.W. coil must be in its socket, of course, otherwise the anode circuit of the first detector would not be complete. The two trimmers on the pre-selector circuits, C1 and C2, should be practically fully unscrewed, and the oscillator trimmer unscrewed by about two complete turns. A station on as low a wavelength as possible must then be tuned in, and the two pre-selector trimmers adjusted for maximum response.

Should it be found that either trimmer has to be fully screwed home the oscillator capacity is too great, and the trimmer on this circuit must be unscrewed further. On the other hand, if it be found that the intervalve circuit trimmer C2 is fully unscrewed then the oscillator trimmer should be screwed up a little more tightly, and the ganging process repeated. The final result should be such that neither C1

nor C2 is fully screwed home nor fully unscrewed, but it should be noted that C2 will usually be very nearly at its minimum capacity.

Should it be found that the aerial circuit trimmer C1 has to be fully unscrewed, the cause is an aerial of high capacity. This does not necessarily mean a large aerial, for indoor aerials have often a higher



These curves show the dial settings for the 550 to 1,500 and 150 to 430 kilocycles ranges.


capacity than efficient outdoor types. In these circumstances the size of the aerial can be reduced, or, more simply, a suitable value fixed condenser can be inserted in series with it. The best value of condenser should be found by trial, but some 0.0005 mfd. to 0.0002 mfd. will usually be the best; at very short distances from a local station, however, a somewhat smaller capacity may be found preferable.

The Long Waveband

Having settled points of this nature, and obtained correct ganging at the lower end of the medium waveband, the next step is to tune in a station on about 500 metres, and to adjust the oscillator trimmer while rocking the tuning dial backwards and forwards over a few degrees, until the optimum combination of settings be found. It is then necessary to return to the lower wavelength station, and to readjust the two pre-selector trimmers.

The long waveband is then due to receive attention, and an attempt should be made to tune in a station such as Huizen or Radio-Paris with the padding condenser C4 adjusted to about one-half of its capacity. Having found a station, C4 must be adjusted while rocking the tuning dial backwards and forwards until the optimum combination of settings is found.

The couplings of the coils in the I.F. transformers must now be adjusted to give the best compromise between selectivity and quality. In general, the coils in the third transformer can be set to a point slightly closer than that giving optimum



Under-baseboard view of the receiver, showing the short-wave change-over switch.

The All-wave Monodial Super—

be reduced until the amplifier stops oscillating.

Too much should not be expected at first on these wavebands, for atmospheric conditions are very variable, and change so rapidly and to such a great extent that periods when little can be received are by no means uncommon. Good reception in this country of the new British S.W. stations is hardly to be expected, and the band around 30 metres (10 megacycles) is probably the best to try at first, for it contains a number of strong morse stations.

It will be found that conditions vary throughout the wavebands at different times of the day, and it has been the writer's experience that wavelengths below 25 metres (12 megacycles) are of little use

For the convenience of readers constructing this receiver, full-size blue prints are available from the publishers at 1/6 post free.

after dark. Daylight usually gives the best conditions below 20 metres (15 megacycles), but sunset seems to be the best time for wavelengths just around 20 metres. The higher wavelengths are much less affected, and it is common to find that on the 50 metre-band results are equally good day and night.

When operating this set on the short waves, it will be found that every station can be tuned in at two distinct settings of the dial. This is due to the use of an autodyne type frequency changer without signal frequency tuned circuits, and it does not lead to interference owing to the small number of stations operating on these wavelengths. Should second channel interference be found at any time, however, it can be avoided by changing to the other dial setting.

One other point in connection with the S.W. performance is worthy of mention.

TABLE.

Valve.	Anode Volts.	Screen Volts.	Bias Volts.	Anode and Screen Currents (Total).
Output :				m.A.
Pen. 220 A	100	100	-9.4	4.5
2nd Det.				
210 HF	—	—	—	1
2nd I.F.				
220 VSG	100	45	-4.6	0.65
1st I.F.				
220 VSG	100	45	—	1.2
Osc. 210 HF and 1st Det.				
215 SG	—	—	-1.5	3.5
H.F.				
220 VSG	100	45	—	1.8
Total Current				12.65

Voltages left blank above are not accurately measurable with ordinary instruments.

When receiving a strong station, it may be found that there is a tendency for a low-frequency howl to develop. This is a common occurrence in S.W. sets, and is due to acoustic reaction from the loud

speaker to the set. The valves may be partly responsible, but little difference has been observed between different types, and there is no doubt that it is chiefly due to the plates of the variable condenser vibrating in sympathy with the sound output of the loud speaker. The remedy is to mount the chassis on blocks of sponge rubber, so that it floats freely.

The receiver has been tested at about nine miles from Brookmans Park, and under these conditions it was found desirable to restrict the signal input somewhat by using a fairly small aerial. Owing to the high sensitivity, however, this did not reduce the number of stations obtainable, and all stations separated by 9 kc. or more from their neighbours were obtainable free from interference. The two usual points of second channel interference from the two London stations were found, but in spite of the close proximity to the locals, no undesired responses were found on the short wavebands. Tuning on all ranges is easy and definite; the shorter the wavelength, however, the sharper it appears,

due to the increased frequency range covered by a given movement of the condenser dial.

On all ranges the quality reaches an equally high standard, provided that the volume is kept below the overloading point. The volume obtainable is naturally limited by the output valve, but is surprisingly large for the power consumed from the H.T. battery. In cases where current consumption is of little importance, as when H.T. accumulators are used, the anode voltage of the second detector and the pentode may be raised to 150 volts with advantage, but no more than 100 volts should be applied to the earlier valves. The calibration curves which accompany this article will be found of great help in locating stations, particularly on the short wave ranges, but it must not be expected that the settings for any particular receiver will exactly correspond.

A specimen receiver built to this design is available for inspection at 116-117, Fleet Street, London, E.C.4.

DISTANT RECEPTION NOTES

A GOOD many of those who indulge in the fascinating pastime of sitting up for America find little difficulty in identifying stations with certainty. Though by law the call-sign must be given every quarter of an hour (except when the continuity of an item would be ruined by so doing), it happens more often than not if there is any fading about a minimum period coincides with the opening of the announcer's lips.

Identification is made very much easier if the classification of stations likely to be heard in this country is known. American stations fall into three main groups: the National Broadcasting Corporation's (N.B.C.), the Columbia chains, and the Independent stations.

Here are some of the best heard stations arranged in their groups:—

N.B.C.	Columbia.	Independent.
WGY	KMOX	WKAQ
WENR	WPG	WJSV
KDKA	WJJD	
WBZ	WCAU	
WTIC	KFJF	
WTAM		
WHAM		
WIOD		

Once you have identified any station in either of the two big groups and made a note of its settings, identification of other stations giving the same programme becomes much easier. Again, stations not sending one or other of the S.B. programmes can often be identified, if the approximate wavelength to which the set is tuned is known, by the very fact that they are Independent.

Long-distance enthusiasts may have noticed a considerable increase in the strength of Ljubljana (generally known as Dubblejana), the Yugoslavian station on 574.7 metres. For some little time now this station has been giving more than double the output power shown against its name in the lists.

Some of those who ardently desire to add the Vienna Experimental Station (1,250

metres) to their logs have searched for it in vain and wonder whether it really is at work. It is nearly always in operation on Monday and Saturday evenings, and not infrequently on Wednesdays. The only real difficulty about receiving the station is that it is apt to be heterodyned by Boden on the one side and Baku on the other.

The new Madona station in Latvia has been in operation for some time now, but it is exceedingly difficult to log owing to the fact that it is working on the well-occupied common-wave of 453.2 metres. Madona is a 70-kilowatt station, and the best chance of hearing it comparatively free from interference is to make a search just at dusk when the smaller fry which share the wavelength are not so much in evidence.

The 2.5-kilowatt Belgrade on 430.4 metres was fairly well heard during the autumn of 1932, but just now it is only occasionally that good reception is possible. We should, though, hear Belgrade well before the end of this year, for a new station rated at 50 kilowatts is being constructed.

Long-distance conditions are very good just now, especially when the glass is steady. If it is rising or falling rapidly atmospheric, though luckily not of the more violent kind, are sometimes experienced. Huizen on the long waves is in magnificent form, being almost as strong as Radio-Paris. Zeesen is well heard, and Motala has quite returned to strength. Kalundborg, curiously enough, is received best on days and nights when conditions are not too good. When they are good this station is apt to suffer from a heterodyne from the far-away Tashkent. The latter station is geographically more than 2,000 miles from the former, but the frequency separation is only 3.6 kcs.

Of the medium-wave stations Stockholm and Katowice continue to be first-rate, and others which seldom fail to give splendid reception are Prague, Florence, Budapest, Vienna, Munich, Brussels No. 1 and No. 2, Langenberg, Rome, Leipzig, Strasbourg, Poste Parisien, Göteborg, Turin, and Trieste.

D. EXER.

NEWS of the WEEK

No Listening "On Tick"

THE Postmaster-General has decided that he cannot allow wireless licence fees to be paid by instalments or by any easy payment system.

Exit the Coach Horn

FRENCH listeners are already growing tired of the new coach horn interval signal of *Poste Parisien*, and the station may shortly abandon it in favour of a few bars of patriotic music.

Flying Commentaries

THE Soviet broadcasting authorities have secured six 'planes equipped with short-wave transmitters to enable running commentators to give the listening millions aerial accounts of exciting land, sea and air happenings.

A Terpsichorean Technician

MADEMOISELLE TIMIS-CHOVA, a young Rumanian dancer, has been studying the electron theory, and, according to a correspondent, has recorded her impressions in a booklet entitled "Problems of the Ectogeny and Endogeny of the Rhythms of Matter."

The Eye of the Law

WHILE American amateurs are rejoicing in their new-found freedom, their cousins in France are watching apprehensively a new official Order which places all transmitting activities under the control of the Home Office Detective Department, which, incidentally, directs the new national radio police force.

Air Ministry Non-Stop Flight to the Cape

AS we go to press we learn of the departure from Cranwell of the long-range aircraft GEZAA on the Air Ministry non-stop flight to the Cape. The 'plane transmits every two hours at even hours on a wavelength of 33.71 metres, using the call sign GEZAA. Any amateur who happens to pick up a distress call from the 'plane is requested to communicate with the Air Ministry immediately either by telephone (Holborn 3434. Extension 383 or 370) or by telegram.

Broadcasting Electrical Music

THE evening of February 16th will be a great occasion in the history of "electrical music." A number of German stations, together with those at Warsaw, Vienna, Turin and Milan, Paris and Brussels, Oslo, Stockholm, and Helsingfors, will relay a concert from Berlin provided solely by electrical instruments. These will comprise two Neo-Bechstein pianos, three Trautoniums, one electrically played 'cello, and a similar type of violin, together with two Theremin instruments, an "electrochord" (a modification of the Neo-Bechstein) and a vibraphone.

Current Events in Brief Review

Japanese Radio Ban

AN order has been issued by the Tokio Government forbidding Japanese subjects to listen to wireless programmes other than those from Government stations. The step has been taken, it is understood, to neutralise alleged propaganda broadcast by the Soviet.

Automatic Gramophones

IN the article on the "Evolution of the Gramophone" which appeared in *The Wireless World* last week, the author, owing to the similarity between the names of two members of the staff of the H.M.V. Research Laboratories,

When Doctors Differ

WHETHER or not radio echoes are reflected from beyond the moon was debated recently by Professor Störmer and Dr. Van der Pol during a special visit of the former to the Philips Radio Works at Eindhoven, Holland. Prof. Störmer's theory is that radio signals travel far beyond the moon before being reflected to earth as echoes. On the other hand, Dr. Van der Pol explains the echo lag by the low signal velocity which he considers may occur in the electrified parts of the earth's atmosphere while the signals travel between the earth and the Heavenside Layer.

Leicestershire Radio Week


A LEICESTERSHIRE Radio Week begins on February 27th. During the "week" industrial activities of the country will be prominently featured in the B.B.C. programmes. A number of interesting outside broadcasts have been arranged.

From D.C. to A.C.


THE battle which has been raging for more than a year between the Fleetwood Council and the local ratepayers' association has reached another stage with the receipt by the association of an encouraging letter from the Electricity Commissioners. The Fleetwood Council had declined to contribute to the cost of changes necessary in wireless receivers consequent upon the change-over in the supply from D.C. to A.C.

The Electricity Commissioners state that they "are advised that under the terms and conditions of their consent to the alteration in pressure and supply the undertakers (in this case the Fleetwood Council) cannot, speaking generally, disclaim all responsibility for the alteration or replacement of wireless apparatus."

Should the Fleetwood Council



NATIONAL POLICE RADIO. In these photographs, which were taken at the Paris headquarters of the French Police radio system, are seen (above) an operator receiving a message from a mobile transmitter and (right) the new apparatus for the transmission of photographs and thumbprints.



Wireless for the Unemployed

THE secretary of the Halifax Wireless Society sends an interesting account of a scheme which has been successfully launched in that town for providing unemployed men with wireless facilities.

"After a certain amount of publicity," he writes, "meetings of unemployed men were held and about eighty were enrolled. We begged old parts and old sets, certain kindly disposed people gave us a little money. . . . The men are now able to enjoy wireless programmes round a good fire.

"They are also working in teams on the construction of simple two- and three-valve receiving sets. All the men being novices, their efforts are, of course, somewhat crude, but the sets will work."

Other towns might copy Halifax and bring comparative contentment to the unemployed at low cost.

refuse to change its attitude the ratepayers may go to the Courts.

Southend Radio Show

AN amateur-built seven-valve receiver, comprising variable-mu high frequency, diode detector and paraphase resistance-coupled low frequency, won for Mr. A. H. Gregson the silver championship cup for the outstanding constructional exhibit at the Southend Radio Society's Exhibition on Saturday, January 28th. The exhibition, which worthily upheld the traditions of its eight predecessors, was attended by large crowds, who besieged both the trade and amateur sections. In the latter two transmitters—one of the ultra short-wave type—were included, as well as a number of up-to-date receivers and amplifiers. Music was supplied to all the stands in the trade hall by an amplifier built by the Society's chairman, Mr. H. H. Burrows, and giving an output of 18 watts.

UNBIASED

Thawing by Short Wave

DURING the recent cold snap a respectable newspaper came out with a long tale of a wonderful short-wave transmitter invented by a well-known wireless amateur whereby he was not only able to thaw out his own water pipes, but had done a like service for his unfortunate neighbours. Sensational headlines such as "Short waves cause ice to boil" appeared.

It is only right, I think, to point out that I, together with many others, have used for a number of years a very simple



An effective remedy.

short-wave transmitter to thaw our pipes; the wavelength we invariably employ is round about 1/10,000,000 metres.

Phonographic Pick-up, Please

MOST people would expect to find that at a hospital devoted to the alleviation of nervous diseases there existed radio and other musical apparatus of the very latest type to sooth the jangled nerves of the occupants. I had occasion to visit one of these establishments a short time ago and was considerably astonished to see a wireless set and loud speaker which dated back to 1922. Actually the installation had been put in early in 1923.

In reply to my suggestion that the appalling travesty of music churned out by such a collection of junk would tend to retard rather than hasten the recovery of the patients, the matron pointed out that more often than not the installation was left standing idle at the special request of the patients. This, at any rate, showed a healthy state of mind among the patients and augured well for their recovery.

While the matron showed very little interest in modern radio reproduction, she brightened up considerably when I talked about gramophone records and asked if I could get her one of those "new-fangled" electrical pick-ups so that canned music could be distributed to the patients' headphones from a "talking machine" (*sic*) which an old patient had left to the hospital as a legacy.

By

FREE GRID

Having readily promised to do so, I was greatly disconcerted to discover that it was a cylinder machine dating back to the early years of the century. I appealed to her to persuade the hospital governors to start a radio-gramophone fund, but all in vain; thus I am left to redeem my rash promise. If, therefore, any kind-hearted reader can tell me where to obtain a pick-up suitable for a cylinder machine with the usual "hill and dale" recording I shall be infernally grateful.


Of the Earth, Earthy

NUMBERS of readers have from time to time written to voice a strong protest, with which I completely associate myself, at the superior attitude adopted by amateur transmitters and experimenters towards those "worms-of-earth," their less technical brethren. In particular, I wish to take exception to the term B.C.L. (broadcast listener) which they apply to all outside their immediate circle. It is really not the expression itself which gets my goat, but the way in which they use it. The expression may be a perfectly proper one, but if you have ever heard it used by a member of "the fraternity" you would, I think, understand my objection to it.



A superior attitude.

As one of the earliest transmitters myself, I feel that it is befitting that this gentle protest should come from me. At the same time, I fully realise that the pukka amateur has a perfectly legitimate right to puff out his chest somewhat, especially as much kudos which should by right accrue to him has been appropriated by radio manufacturers and official departments. Perhaps it is because of indignities suffered at the hands of these others that transmitters are led to adopt such a condescending air towards their so-called humbler brethren.



Well-merited self-abuse.

The Voice Off

HAVING been brought up very strictly in my youth and, in consequence, being somewhat of a stickler for the truth, I have little use for politicians. Usually I have found them, like certain "engineers" on duty at Olympia, full of gas, but incapable of answering any reasonable technical question.

I am not in the least sorry, therefore, at a misfortune which befell one of them recently at an election meeting in a neighbouring friendly State.

According to my informant, the meeting was held in a large marquee, and, as it was virtually impossible for any but those in the first two or three rows to hear the orator, loud speakers were provided. Not even the orator's bitterest enemy, however, could have anticipated the volley of well-merited self-abuse which issued from the loud speakers as soon as he had started to address the microphone. Those at the rear of the hall were not slow in responding to his invitation to pelt him with the flora and fauna that is customary on these occasions. In a twinkling of the eye the whole place was in an uproar, but not before my friend, who is an expert lip reader, had noticed that the words emanating from the loud speaker were not those being used by the candidate.

Eventually, after the meeting had been successfully broken up, it was revealed that the trouble was caused by a member of the opposition camp, who had hidden himself beneath the platform among the amplifiers and batteries and had merely disconnected the speaker's microphone and plugged in his own.

For His Country's Good

I AM compelled for business reasons to desert you all for a week or so in order to make a journey to an Eastern land. Indeed, when you read these words I shall already be gone, and you can, in the words of the poet, think of me "far across the Eastern seas."

I have as a matter of fact been entrusted with an extremely delicate mission about which I hope, with the Editor's permission, to have something to say on my return. But I must desist, for even as I write, the car is waiting to take me to Croydon.

"Banzai!" as they say in Salford.

SIMPLE TONE CONTROLLED 12-watt AMPLIFIER

A Reader's Design for an A.C. Operated Equipment


THE amplifier briefly described in this note having proved most successful for public-address use and for providing dance music, a few details might prove of interest to readers of *The Wireless World* who have a number of components available that could be used or modified for the purpose.

With the help of *The Wireless World* "Radio Data Charts" several additional

themselves these charts are a most valuable asset.

The unit embodies two amplifying stages; in the first an MS/Pen.A valve is employed, and this is coupled by a parallel-fed transformer to two PP5/400 valves working in push-pull. By employing separate filament windings for each output valve, and carefully adjusting the grid-bias resistances, a perfect balance is


WHEN it is required to provide music for dance halls and clubs, an A.C. amplifier such as that described by a reader in these notes will be found very satisfactory. The push-pull output stage with provision for careful balancing should ensure high quality of reproduction.



Showing the panel with the various controls, including an adjustment for tone.

Since the valves dissipate a considerable amount of heat, a well-ventilated light steel case, having a hinged lid, was constructed to house the amplifier.

An amplifier of this type is capable of giving high-quality reproduction at great volume, and can be especially recommended for public-address work and the like. The output stage delivers between ten and twelve watts of undistorted power, which, when fed to a good moving-coil loud speaker, provides ample volume to fill a large dance hall accommodating between three and four hundred people.




Circuit diagram of the tone-controlled amplifier.

filament windings were added to a mains transformer which on test were found to give the correct voltages. For experimenters who take an interest in working out problems of this nature for

achieved, so that the maximum efficiency is derived from this stage.

The rising characteristic of the H.F. pentode used in conjunction with the tone control—which takes the form of a variable condenser connected across the secondary of the intervalve transformer—is very helpful when matching the output to various acoustic surroundings and for correcting gramophone recordings.

The components are mounted on a channel-section aluminium chassis with some of the smaller parts and the whole of the wiring carried underneath.



Plan view of the amplifier with lid removed.

CLUB NEWS

Loud Speaker Thrills

THE famous steam-pipe speaker manufactured for G.S. by a member of the Croydon Radio Society distinguished itself at the last meeting when, in competition with several of the latest makes, it proclaimed its supremacy in overall response, despite a slight resonance at 2,500 cycles. The evening had been devoted to comparative tests of fourteen loud speakers, all reproducing the same cinema organ record. A celebrated dual loud speaker all but secured first place, but it failed through being rather weak on top notes.

Hon. Secretary: Mr. E. L. Cumbers, 14, Campden Road, South Croydon.

Varnishing Laminations

READERS of *The Wireless World* are invited to the next meeting of the Institute of the Plastics Industry, on Monday, February 13th, at the Windsor Castle Hotel, Victoria, London, S.W., at which Dr. E. G. Haefely will read a paper on "Varnishes and Laminated Materials."

Hon. Secretary (London and District Section): Mr. J. Taylor, 6, Barn Way, Barn Hill, Wembley, Middlesex.

Tone Control

DR. HUGHES, of the Multitone Electric Company, gave a lantern lecture on the Multitone System of Tone Control at a recent meeting of the Southall Radio Society. The lecturer compared different methods of sound reproduction and showed how defects could be obviated by the Multitone transformer, designed to abolish to a great extent audio frequency attenuation.

Hon. Secretary: Mr. H. Rayner, 11, North Road, Southall.

The Superhet in the Factory

HOW a Murphy Superheterodyne A.8 receiver is tested piece by piece in the factory was entertainingly described in a lantern lecture by Mr. P. K. Turner at a recent meeting of the Catford and District Radio and Television Society. A practical demonstration of the instrument revealed impressive quality and selectivity.


Hon. Secretary: Mr. H. W. Floyd, 38, Como Road, Forest Hill, London, S.E.23.

More About The QUIESCENT PUSH-PULL TWO

Further Notes on Operation

Review of Components Submitted for Test

By W. I. G. PAGE, B.Sc.



SINCE the first constructional receiver¹ embodying quiescent push-pull was described in this journal, a large number of intervalve and loud speaker transformers with characteristics suitable for this type of amplification have made their appearance on the market. From the wide variety of components available it is possible to make a choice to suit any Q.P.P. amplifier design with the knowledge that compromise can be avoided and that the circuit requirements will be fulfilled.

There are, for instance, a number of input transformers of different primary inductance and having ratios varying between 7 and 10 to 1, with the result that it is possible to apply the correct load to the detector valve in use and to ensure that the step-up ratio in the intervalve coupling is sufficient on full modulation to load two output valves in Q.P.P. Considerable attention has been given to the difficult task of matching the speaker to the Q.P.P. system, and manufacturers' efforts have now been well rewarded. The constructor will find on the market a series of output transformers with which it is possible to obtain powerful signals of good quality from almost any loud speaker with a speech coil impedance varying between the wide limits of 2 and 2,000 ohms.

Matching the Pentodes

Experiments with the Quiescent Push-Pull Two reveal that whereas the permanent-magnet moving-coil loud speaker is undoubtedly the best reproducer for Q.P.P. circuits, really very pleasing results can be obtained with moving-iron instruments, provided that an output transformer of correct ratio be chosen. A special intervalve transformer embodying a continuously variable tone control is being manufactured, and will be found of great assistance in correcting the attenuation of high notes caused by side-band cutting which occurs in the less ambitious type of set when reaction is

pressed to the limit. Furthermore, it is generally found that at high volume levels speech is made much more natural if the tone is raised above that which is found the most pleasing with music.


Some twenty components and accessories for the Quiescent Push-Pull Two have been sent in for review, but before describing their performance a few further hints on the initial adjustments of the receiver may not be out of place, especially as the process of matching the Pen. 220A valves was dismissed rather briefly in the original article.

First of all it should be made clear that the anode currents of the two pentodes must be matched by adjusting their individual auxiliary grid voltages, using the 1½-voltappings provided in the special Q.P.P. high-tension battery, care being taken to switch off the set while making alterations. The common anode lead is taken to the maximum H.T. voltage tapping on the battery (130½ volts) and is left there permanently. Of the 16½ volts of the bias battery only 14 to 15 volts are required, and as a potentiometer control is provided, voltmeter readings of the actual bias applied are liable to be misleading. It is therefore

random in the 1½-voltappings near the maximum positive end of the battery, remove one pentode from its valve holder and take a reading on the milliammeter of the anode current of the remaining pentode. By adjusting the appropriate auxiliary grid tapping (the coloured leads in the multiple cable facilitate the tracing of wires) and by a very slight movement of the bias potentiometer, the correct current of 2 mA. can be made to flow.


Next replace the idle pentode in its holder and remove the brother valve, again changing the auxiliary grid voltage tapping until about 2 mA. flows, but this time the bias control must not be touched. As a final check the meter should show 4 mA. for the total quiescent anode current of the output stage.

The constant resistance shunted across the bias battery causes it to discharge at such a rate that the voltage drops in sympathy with the H.T. battery. It would be advisable after a month or six weeks to check the matching of the valves and to see that the total anode current is 3½ to 4 mA. Although the meter must be short-circuited to prevent distortion while the set is working, it will be found to be of considerable value as an indicator of resonance when a note of constant modulation such as a tuning note



Q.P.P. intervalve and output components manufactured by Varley.

High or low resistance speakers can be matched.



The Ferranti series of transformers, five of which have been specially designed for quiescent push-pull. The ratio of the output components ranges from 1.7 to 100 to 1.

necessary to judge the correct position of the slider by rotating its controlling knob to the extreme anti-clockwise position and then turning it back again about an eighth of its total travel—or about five minutes if the arrow on the knob is regarded as the minute hand of a clock.

Having set the potentiometer and inserted the auxiliary grid wander plugs at

from a local transmitter is being sent out.


At about thirty miles from Brookmans Park the tuning note can be made to increase the standing current from 4 to 9 mA. before oscillation occurs. Those living nearer to this transmitter could probably obtain an increase up to 12 mA.

Of special interest to the constructor are the Q.P.P. components introduced by

¹ See *The Wireless World*, January 20th, 1933.

More About the Quiescent Push-Pull Two —

R.I., Ltd. This firm has been investigating the merits of this latest development in battery-economy circuits for some months, and the intervalve transformer designated the "Q" type, selling at 16s. 6d., including royalty, was found to load the output stage adequately. The ratio is 1 to 8, and, although a nickel-iron alloy is used for the core, up to 3 mA. may be passed through the



Multitone transformers and output choke. Tone control is available.

primary. The inductance of the latter is 30 henrys with no D.C. and 16 henrys with 2 mA. The output choke of this series provides four ratios, namely: 1 to 1, 1.4 to 1, 2 to 1, and 2.8 to 1, and enables almost any high-impedance speaker to be matched correctly. Each half-primary inductance is 70 henrys. This component is styled DY35, and sells at 12s. 6d.

Q.P.P. Chokes


The Varley range of Q.P.P. components include one input transformer and three output "Transchokes," the latter providing every conceivable ratio for matching both high- and low-resistance loud speakers. On test the intervalve transformer gave an extremely good account of itself, and the high ratio of 9 to 1 ensures that the output stage just runs into grid current when the detector is giving its maximum output. This was easily proved by interposing a microammeter in the common grid circuit. The primary inductance is 27 henrys with 2 mA. D.C. passing. The transformer is called the D.P.36, and sells at 17s. 6d., including royalty.

Of the output devices marketed by this firm mention should be made of the D.P.37 Transchoke, giving ratios of 3 to 1 and 42 to 1—the former for high-resistance speakers (or low-resistance speakers with built-in transformer) and the latter for the low-resistance type in which the speech-coil impedance is 10 ohms. The inductance of each half-primary is 13 henrys when D.C. peak currents of 26 mA. are passing. The price, including royalty, is 18s. 6d. Other Transchokes provide ratios of 3 to 1, 50 to 1, and 75 to 1.

There are a number of Multitone transformers for Q.P.P. available, and one of which is particularly interesting is styled PUCO 1/8, selling at 17s. 6d. By means of a special potentiometer connected across the centre tappings a continuously variable tone control can be obtained, which is a valuable asset, for instance, with gramophone reproduction, where

needle scratch and excess of "Top" can be successfully reduced. There are many other uses for this control, and it was found that when the transformer was used in the Quiescent Push-Pull Two reaction could be pressed considerably farther than hitherto, as the attenuation of high notes due to sideband cutting could be compensated. The primary inductance is 30 henrys with 2 mA. D.C. passing. Other transformers in this range are the PU 1/8, selling at 15s., and a high-quality transformer styled D4, with a ratio of 1 to 9 with the remarkably high inductance of 40 henrys with 2 mA. D.C. The price is 17s. 6d. The "Puchoke" output-matching device provides ratios of 3 to 1, 1.5 to 1, and 1 to 1, and is intended for high-resistance speakers or for use in conjunction with speakers having a transformer already built in. Tested with a Blue Spot 66K high-resistance unit (moving iron), using the intermediate ratio, the output level was high and the quality of reproduction quite satisfactory.

Ferranti have just entered the market with a range of five Q.P.P. transformers, of which illustrations appear herewith. Unfortunately, they arrived just before going to press and there has not been sufficient time for a complete test, but from the enviable reputation gained by this firm for the designing of push-pull transformers it can safely be assumed that the performance will be entirely satisfactory. Model AF11C is an intervalve transformer with a ratio of 1 to 10, and an inductance of 50/27 henrys when the primary current is 0 to 10 mA. The price is 34s., including royalty. There is an inexpensive input transformer known as the AF12C, with a ratio of 1 to 9, selling at 15s. In the output transformers type O.P.M.13C is interesting, as ratios of 1.7, 2.7, and 4.5 to 1 are available, making the component suitable for use with high-resistance speakers or with the low-resistance type having a built-in transformer. The price is 26s. 6d., including royalty. Another type—O.P.M.11C—in this range caters for low-resistance speakers, and provides ratios of 35, 56, and 100 to 1.




R.I. output (left) and intervalve (right) components for Q.P.P.

Four permanent-magnet moving-coil loud speakers with special Q.P.P. transformers built-in have been received for review. In each example the speaker-transformer combination has been designed to impose a load of about 18,000 ohms at approximately 256 cycles. In the case of the B.T.H. R.K. Minor speaker the transformer has a very liberal core, ensuring high efficiency. The volume was rather greater than with any other speaker tested, and the tone was distinctly pleasing. Slight predominance of upper frequencies existed, but this was at once

rectified by increasing the value of the condenser in the compensator circuit across the transformer primary. It is called the Q.P.P., and the price is 57s. 6d.

New Speakers

The Amplion speaker in this range (type Q.P.P.) gave an entirely satisfactory performance and was especially pleasing with music, the bass notes being well reproduced. The pentode compensator circuit with the original values unchanged should be used in this case. The price of the speaker is 39s. 6d. A Rola speaker, type "Q," selling at 52s., is available. On test the response was found to be substantially uniform over the



Four permanent-magnet moving-coil speakers with special Q.P.P. transformers built in. (A) B. T. H. R.K. Minor. (B) Amplion Q.P.P. (C) Rola Type Q. (D) Earl Type Q.P.P.220A.

musical range, and the standard compensator was used.

Electriclocks and Radio, Ltd., are marketing the "Earl" Q.P.P.220A speaker embodying a transformer with nickel-alloy core. The reproduction is brilliant, and speech is exceptionally natural, but with musical items it was found that the value of the capacity in the compensator circuit should be increased from 0.005 mfd. to 0.01 mfd. At 35s. this speaker represents good value for money. A new Q.P.P. high-tension battery—the Ever Ready Type W.1198—has just made its appearance, and is tapped at the appropriate 1½-volt intervals. The price is 12s. 6d.

It is interesting to note that this specialised type of push-pull output is finding its way into commercial receivers, and among the pioneers who have adopted this design may be mentioned the Consolidated Radio Co., Ltd.

It is hoped to deal shortly with the advantages of triodes in Q.P.P.



EKCO SH25 SUPERHETERODYNE

A Self-contained Station-calibrated A.C. Receiver

THE popularity of the superheterodyne has now established itself as firmly in the small, self-contained receiver as in the more ambitious instrument of the radio-gramophone class. In spite of its apparent complexity when compared with a straight receiver, it is actually easier to build a superheterodyne of good performance than a straight set within the confined space of the usual cabinet, for it is far less prone to instability, and it does not suffer in the same way by having its components placed in close juxtaposition. Thus, while the performance obtainable from this type of set is particularly pleasing to the user, the latitude which is permissible in the layout commends it to the designer, so that it is small wonder that the straight set now appears to be slowly dying.

Five valves are employed in the Ekco superheterodyne, and it may be said at once that a very satisfying performance has been obtained. The quality of reproduction is definitely good, and the high notes are very well reproduced. The bass is present, but appears at a somewhat lower level, owing to the small baffle area provided by the containing cabinet. It is good to see a design, however, in which the temptation to include a false bass by speaker and cabinet resonance has been resisted, and the net result is very pleasing quality with no trace of boominess.

Background Noise Absent

The selectivity is well up to the standard of the average small superheterodyne, and stations up to about 18 kc. from the local can be received without interference. Since stations closer to the local than this are always apt to be spoilt by sideband heterodyning, the selectivity may be said to be sufficient for most practical purposes.

The sensitivity, too, is entirely adequate, and, in fact, during the tests the volume control never had to be set to maximum for even the weakest signal. Background noise is low, and whistles—the chief defect of many superheterodynes—are almost entirely absent. The two usual points of second channel interference are found for the two locals, of course, but other whistles are very few in number indeed. The

volume control, in conjunction with the Local-Distance switch, offers a smooth, continuous, and distortionless variation of volume from maximum to silence on all stations, including the locals, and, in fact, the range of control is unusually wide.

Mechanically, the receiver is very well constructed indeed, and the steel chassis is exceptionally rigid, while the layout of

components and the general design bear witness to considerable thought on the part of the designers. The cabinet is of bakelite, and the well-known Ekco tuning scale is fitted around the speaker fret. This, of course, takes the form of a circular strip on the outside of the speaker cone, over which a chain-driven pointer travels to indicate, by wavelength and by name, the station to which the set is tuned.

The accuracy is reasonably good, and no difficulty was found in identifying stations by the dial reading, even although the pointer did not always happen to coincide exactly with its marking.

Electrically, the circuit is arranged as a variable- μ first detector, preceded by a two-stage inductively coupled band-pass filter for the pre-selector. Individually screened coils are not used in this filter, and the coupling is by mutual inductance, for the primary and secondary are actually wound end to end on the same former—a very simple and effective arrangement. A separate triode oscillator valve with a tuned anode circuit is used, and the coupling to the first detector is arranged by including the oscillator grid coil in its cathode circuit. The oscillator coils are completely screened, and, moreover, a screen is fitted to the oscillator valve itself.

A single variable- μ H.F. stage is used, and the two I.F. couplings are each of the band-pass type, there is thus a total of four tuned I.F. circuits, and it is these which provide chiefly the adjacent channel selectivity. Here, again, complete screening of the circuits is provided, both for the purpose of ensuring complete stability and of preventing the direct pick-up of morse working on the wavelength to which the

I.F. amplifier is tuned. Indeed, so important has this latter feature been deemed that a special tuned rejector circuit has been included in the aerial circuit to prevent such signals from forcing an entry by this path.

The second detector is another triode acting on the power grid principle, and it is resistance-transformer coupled to the

pentode output valve, which in turn feeds the moving-coil loud speaker in the usual way through a transformer. The speaker field is energised from the mains equipment, where it also serves as a smoothing choke. The speaker field alone, however, is not relied upon for smoothing, and an additional choke is included, together with large-capacity electrolytic con-

densers, and the net result is an exceptionally low level of hum in the output. A metal rectifier is used to provide the H.T. supply.

Sockets are fitted to the rear of the chassis for the connection of an additional external loud speaker and also for a gramophone pick-up, while a plug permits a mains aerial to be employed. There are two main controls on the front of the cabinet—the tuning control and the volume control—and these are provided with large-diameter knobs. Concentric with these knobs are two smaller controls, one operating the Local-Distance switch, and the other the combined wavechange and radio-gramophone switch. The mains on-off switch is fitted to the rear right-hand side of the chassis and is readily accessible. There is in addition a tone control switch, which connects a filter circuit to the second detector valve and permits the higher musical frequencies to be severely attenuated when heterodyne whistles and atmospherics render such a course advisable.

The appearance of the receiver, with its moulded bakelite cabinet and its unobtrusive tuning scale, is particularly pleasing, and is calculated to satisfy the tastes of the majority as is also the oxydised metal speaker grille.

FEATURES

General.—Five-valve A.C. superheterodyne with built-in moving-coil loud speaker. Special station indicating and wavelength calibrated tuning scale. Provision for the use of an external speaker and for the connection of a gramophone pick-up. A mains aerial is provided.


Circuit.—Variable- μ first detector and I.F. stages, with a separate triode oscillator and a triode second detector; pentode output. The pre-selector is coupled by mutual inductance, and a special rejector is included to prevent I.F. interference.

Controls.—(1) Tuning control. (2) Volume control. (3) Local-distance switch. (4) Combined wavechange and radio-gramophone switch. (5) Tone control switch. (6) Mains on-off switch.


Price.—21 guineas.

Makers.—E. K. Cole, Ltd., Ekco Works, Southend-on-Sea.

Modern Superheterodyne Practice



Complete circuit diagram. Points of interest are a variable-mu first detector, a rejector to prevent I.F. interference, and a two-valve frequency changer.



Two views of the chassis, which is of robust all-metal construction.

Practical HINTS AND TIPS

AIDS TO BETTER RECEPTION

IT is not usually recommended that variable condensers should be dismantled or in any way tampered with; this is distinctly a specialist's job, and many of us who rather fancy our skill in making critical adjustments to wireless apparatus have come badly to grief when attempting this sort of work.

Kill or Cure

If one is unfortunate enough to have an out-of-date ganged condenser with inaccurately matched sections the most certain and obvious cure is to replace it by a modern component,




Fig. 1.—Correcting errors of alignment in ganged condensers by displacing the end vanes.

of which all the sections can be depended upon to have the same capacity at corresponding angular settings of the rotors. But, before scrapping a fairly expensive piece of apparatus there is a natural temptation to try to improve matters; there is no harm in making the attempt if it is realised that it will very possibly fail, and so, after all, a new condenser will be required. A set with a tuning system that is badly out of alignment is always a source of dissatisfaction to its owner.

This note relates to condensers with solid plates, and not to the more modern type with segmented end vanes, which are accurately matched at various angular settings by the makers. For example, it may be found that one of a series of cascade ganged circuits runs out of tune with the others as wavelength is progressively increased, and requires less trimming capacity at the higher wavelengths to maintain resonance. In these circumstances it is by no means impossible to effect a great improvement by reducing the rate of capacity increase of the condenser section which controls that particular circuit. If one of the rotor end vanes overhangs the stator bank this vane may be bent outwards, as shown in

Fig. 1A, so that, instead of being parallel with the rest of the vanes, it makes a more or less acute angle with them. To arrange matters so that the rate of capacity increase be *reduced*, a little thought will show that it is the "tail end" of the rotor plate which must be bent outwards.

It is equally possible that the defect in ganging may manifest itself in a different way, *more* trimming capacity being required for the mis-aligned circuit as wavelength is increased. If so, the tail end of the rotor plate may be bent inwards as far as is consistent with the avoidance of a short-circuit, and at the same time the tip or entering edge is bent outwards, as shown in sketch B.

When neither of the rotor end vanes overhang the stator it is just possible to make a similar adjustment by bending one of the stator vanes. To do this the vane to be adjusted must be cut through with a small saw or file at one of its points of attachment.

With a little skill and patience—and perhaps, one should add, with a little luck as well—it is possible to make a remarkable improvement in matching.

IT has lately been found that the type of filter circuit shown in Fig. 2 (a) is especially likely to aggravate the effects of induced electrical interference in the aerial-earth circuit. Careful consideration will show that the decoupling resistance R is effectively in series with this circuit, and that any voltage built up across the resistance will be transferred to the grid of the first valve. The coupling condenser C , though in parallel with the resistance, will usually have such a low capacity that it will not act as an effective by-pass to impulses of low frequency.

In one case, where electrical interference was particularly annoying, it was found that matters could be greatly improved by isolating the aerial circuit by providing a separate winding, as in Fig. 2 (b). The use of a separate aerial winding is also to be advocated from other points of view, and for the particular trouble under consideration affords the most effective cure. But, as an alternative, the expedient of reducing the

value of the resistance R may be tried; a resistance of a few hundred ohms, or even 1,000 ohms, in place of the higher value usually specified, may be quite effective, and is certain to reduce interference brought about by induction.

IN many devices for tone correction and the suppression of heterodyne interference air-cored inductances of half a henry or so are often required. The constructional details of these components have from time to time been described; in order that the finished choke may be of reasonable size it is usual to specify enamelled wire.

Winding Air-cored Chokes

It is worth while to point out that the effect of even two or three short-circuited turns will be serious, and so the greatest care should be taken to avoid damage to the covering of the wire. If a joint is necessary it should be carefully soldered, and then the exposed metal should be covered with Empire cloth or some other suitable form of insulation.

IT has been found that almost any modern three-electrode valve works well as a diode detector, and that there is surprisingly little difference in the performance of the various types. For a given load (or coupling resistance), however, low-impedance valves are rather more efficient, but the difference is seldom enough to be audible.

Certain valves of very low impedance have an exceptionally high inter-electrode capacity, and so may appear to be more effective diode detectors, because, in effect, the capacity of the valve is additive to that of the by-pass condenser




Fig. 2.—A separate aerial winding (diagram (b)) is generally preferable to a tapped connection. The arrangement shown in diagram (a) is likely to intensify certain forms of electrical interference.


already provided. There is a risk that any gain in sensitivity obtained by using one of these valves will be off-set by a slight loss of high notes.

Practical Hints and Tips—

DURING the last two or three years so-called thimble connectors have been widely used in electrical wiring. These devices, which are shown at approximately their full size in an accompanying sketch, are made of porcelain; the internal taper of the cone is threaded, the edges of the threads being sufficiently hard and sharp to cut into any soft metal like copper.

Thimble Connectors

At first sight these devices would not appear to have any application to the construction of wireless sets, but a trial shows that they are surprisingly useful and effective for making alterations to internal wiring. Two or more wires to be joined together are merely inserted in



Porcelain thimble connectors, though primarily intended for ordinary electrical wiring, are particularly useful for making semi-permanent alterations to the internal connections of a receiver.

the cone, which is then given a few turns in a clockwise direction; by this action the wires are twisted closely together.

In addition to providing a good electrical connection, the porcelain cone also acts as an insulator, provided that the bared ends of the wires to be joined together do not protrude beyond the base.

This method of connection probably shows to best advantage when space is limited; any of the classes of wire customarily used for internal connections can be joined together, and, for example, it is possible to connect flexible stranded leads to each other or to solid wires. Even when soldered connections can be made, the addition of a thimble provides at least as good insulation as a wrapping of insulating tape, and is easier to put on.

WHEN the subject of Q.P.P. amplification with output pentodes has been discussed in the pages of this journal it has been emphasised that the primary of the L.F. coupling transformer should be shunted with a resistance of about

75,000 ohms in order to avoid risk of damage due to voltage surges. Those who intend to use this

Quiescent Push-pull

system, but propose to employ a resistance-fed intervalve transformer, will be interested to know that with this system the shunt resistance will no longer be necessary. The presence of the normal anode-coupling resistance, which is effectively in parallel with the transformer primary, will prevent the development of unduly high voltages, even though the circuit be interrupted by withdrawing the detector valve from its holder while the set is in operation.

IT will sometimes be found that more clearly defined absorption (or reduction of the strength of incoming signals) is obtainable when the aerial connections to *The Wireless World* Station Finder (January 13th) are reversed. This reversal

A Station Finder Hint

is effected by joining the aerial lead-in to socket R, and the receiver aerial terminal to socket A1 or A2, depending on coupling requirements. It has also been observed that the calibration of this device may tend to alter slightly after the first two or three days'

use. The variation will usually not be serious enough to cause ambiguity between stations, and is probably due to "bedding-down" of the condenser bearings, and to the fact that the sweep of the moving vanes is slightly increased in use. If this effect is noticed it is as well to re-set the zero adjustment in the manner described in the original article; this will only take a few minutes. At the same time, the condenser dial should be re-set if necessary, so that the zero mark on the dial corresponds accurately with the datum line when the moving vanes are completely disengaged from the stator.

NEW USE FOR PHOTOCELL


Averting Damage to Printing Machinery

ONCE more the photo-electric cell has been called upon to replace the fickle "human element"—this time in the service of printing. In co-operation with the General Electric Co., the Cornwall Press Limited, printers of *The Wireless World*, have now introduced the photo-electric cell as a "watcher" to prevent the damage so often caused to printing machines by paper breakage.

A photocell is utilised on each web and the main amplifier with its relay is fitted at a convenient point away from the machine.

In a recent demonstration given to show the effective action of the photo-electric control, the whole machine came to rest completely in about two seconds after the fracture of the paper.

Without any such device a breakage



A picture demonstrating at a glance how the photo-electric control operates in a modern printing machine. So long as the paper intercepts the beam of light the machine continues to operate. If the paper breaks, the beam is thrown on the photocell, which actuates a valve relay and the machine is stopped.

In this particular installation a small lamp is fitted to illuminate one side of the sheet of paper as it passes through the machine; the photocell is in a specially designed housing on the opposite side of the sheet. Normally, the paper obstructs the passage of the light and the photocell is kept dark, but immediately a fracture occurs, light reaches the cell, the valve relay contacts close and bring into operation the mechanism which stops the machine.

will, if unobserved, often cause the loose web to wind itself round the cylinders so that the printing plates may become damaged, for, unfortunately, it is impossible to be certain that a breakage will be detected in time by the operators. In addition to the cost of the actual material damage the waste of time involved in removing and replacing any damaged parts is very expensive. The photocell averts the danger in the most practical and convincing manner possible.

BROADCAST BREVITIES

New Blood in Vaudeville

MR. LANCE SIEVEKING, who last September took over the direction of broadcast vaudeville in order to devise new ways of putting us in a good humour, will relinquish the task next month. Everyone at Broadcasting House is asking who will succeed him.

Advice on Variety

At first it was believed that Eric Maschwitz would desert his editorial chair and take full command of vaudeville, but I understand that a compromise is likely to be effected, with Maschwitz as vaudeville consultant, adviser, or what you will, and that trusty servant of the public, John Sharman, in actual charge.

John Sharman

Sharman's name is little known to the listening public, but the truth remains that he has been responsible for more successful vaudeville and variety shows in the last few months than anyone else. On several occasions the Governors themselves have registered satisfaction at a particular vaudeville show, and in each case it has subsequently been discovered that Sharman was the originator.

Vaudeville v. Opera

Broadcast vaudeville has certainly taken up the challenge recently thrown out by studio opera, with which Gordon McConnell is hoping to make Britain "opera-conscious," at the expense (one supposes) of vaudeville.

I understand that within the next few weeks vaudeville devotees may be entertained by a famous Irish tenor whose name is a household word all over Europe and America.

A Dismal Audition

A friend of mine gave moral support the other day to an unfortunate member of the B.B.C. staff whose job it is to hold preliminary auditions of candidates for the vaudeville microphone. There is a wealth of tragedy in that word "preliminary," for auditions such as these are intended to meet the first onslaught of aspirants and decimate their ranks, leaving a few lucky ones to meet the gods on Olympus.

During the audition in question all thirteen "turns" were turned down. This sort of thing goes on from day to day.

Dr. Boult to Conduct Vienna Broadcast

A SYMPHONY Concert will be relayed to London Regional listeners on March 2nd, from Vienna, in co-operation with the Austrian Broadcasting Company. Dr. Adrian Boult, Music Director of the B.B.C., will conduct the Vienna Philharmonic Orchestra, the programme consisting of works by Mozart and Brahms, as well as some English works, the composers represented being Elgar and Holst. Dr. Boult was invited to direct this concert as guest conductor in the Viennese Orchestra's big winter series.

By Our Special Correspondent

A Harry Tate Station

DAVENTRY 5XX is the old crock among European broadcasting transmitters, and breakdowns are now so frequent that the station has quite a Harry Tate atmosphere.

Naturally, the B.B.C. is unwilling to purchase new components for a station whose days are numbered, so I am afraid that 5XX listeners will have to possess themselves in patience until Droitwich relieves the strain.

Not What it Seemed

A photograph reached me last week showing what appeared at first glance to be an early Victorian broadcasting station with a heavy timber lattice mast and a hutlike transmitting room at the base. Closer inspection revealed that the contraption was a primitive boring machine which is tapping the ground below the Droitwich site to discover whether mineral salt deposits are likely to interfere with the construction of the new B.B.C. station.

The station, by the way, is not expected to start transmission before the autumn of next year.

Empire Broadcasting: The Programmes

IT is to be hoped that the programme side of Empire broadcasting will justify the technical success of the venture. Judging from the comments of a New Zealand correspondent, I imagine that people in the Antipodes are by no means satisfied with what has already been issued to them.

"Too many talks and gramophone records are not wanted," writes the New Zealander. "Our stations have as good a selection of gramophone records as the B.B.C. Relays of special events will be welcome, and we should like to listen to speakers of distinction who otherwise could not be heard out here."

Royal Interest

This last wish should have been amply realised yesterday (Thursday) for the Prince of Wales (according to my information at the time of writing) arranged to go to Broadcasting House specially to broadcast to the Australian Zone the speech which His Royal Highness had made the evening before at the New Zealand Day Dinner at the Savoy Hotel.


Unfortunately for Australia and New Zealand, broadcasts of such importance as this will be rare.

No More Mike Tests?

AFTER many experiments with condenser and other microphones, the B.B.C. engineers seem to have gone back to their early love, the Marconi-Reisz. Whereas two or three months ago the visitor to Broadcasting House never knew what sort of mike he would find in any particular studio, in the majority of cases the Reisz has been reinstated.

In the Reign of George III.

AN unusually promising programme of the "reminiscences" type is to be heard by National listeners on February 18. Mr. Leslie Baily, the producer, will go back one hundred and fifty years and give listeners a concert at Vauxhall Gardens, "Rosina, or Love in a Cottage," as played at the New Theatre Royal, Covent Garden, in the reign



PREPARING FOR DRAMA. A B.B.C. engineer making adjustments at the rear of the Dramatic Control Panel at Broadcasting House. By the use of this panel a radio play producer can control the outputs of a dozen studios.

of George III, a discourse by Sir Horace Walpole from "To-night's Debate in the House," and a word from Dr. Samuel Johnson.

"Chu Chin Chow"

AN important dramatic broadcast is being arranged for April next. This will be "Chu Chin Chow," the wartime play which ran at His Majesty's Theatre, London, from 1916 right through to the end of the war.

"Chin"

Mention of "Chu Chin Chow" reminds me of a note received from a Japanese correspondent who tells me that a new censorship has been instituted because a well-known medical professor broadcasting from JOAK, Tokio, used the Japanese pronoun, "Chin," meaning "we," in an idiomatic form reserved exclusively for the Emperor.

The Chief of the Social Education Bureau happened to be listening.



Correspondence

The Editor does not hold himself responsible for the opinions of his correspondents
Correspondence should be addressed to the Editor, "The Wireless World," Dorset House, Tudor
Street, E.C.4, and must be accompanied by the writer's name and address

What Does the Public Want?

IT is a pleasure to read the letter from "Diagnostic," to read the comments of someone courageous enough to stand up to that bogey called Selectivity. And "bogey" is the only word for it. I have in mind a well-known receiver, for which the chief selling appeal is selectivity, which will receive anything between 20 and 30 stations under fair conditions, and yet in the London area cannot separate London National from London Regional!

Twelve months ago, one manufacturer was courageous enough to spend hard money in trying to establish whether selectivity was justified, and although in these columns I cannot deal with the means used to establish the point the evidence was such as to determine the manufacturer to drop a high power "selective" set he had in mind and concentrate on a cheaper model "for the locals." But I can say this, that the sum total of the investigation proved that about 95 per cent. of several hundred listeners quite obviously did not listen to foreign stations. By "listening" I mean receiving a foreign station for a total time of half an hour a week.

Your correspondent finishes his letter with the sentence, "... perplexities of technical design are as nothing compared with the perplexities of estimating what the public wants." That is perfectly true, but just as research will solve the problem of technical design so, too, will research solve the problem of determining what the public want. The average manufacturer's guide is purely and simply the fashion of the moment. Half a dozen instances in support of this at once leap to mind, but as each in turn would probably start a controversy of the same nature as the present one, it is perhaps better to leave them unsaid.

ADVERTISING AGENT.

Gordon Square, W.C.1.

I HAVE read with interest the letter by "Diagnostic" in your correspondence space on the relative advantages of home and foreign listening, and would like to make the following observations in reply.

"Diagnostic" states that in his own experience, he has yet to meet a listener who consistently relies on foreign broadcasts for real entertainment. Speaking for myself, I rarely listen to anything else.

I make no claims to obtaining satisfactory results for any length of time from stations broadcasting between 200 and 450 metres, but there are several stations radiating above 450 metres, which I find can be thoroughly relied upon, both for quality of reception and good entertainment value.

I refer in particular to Beromünster, Langenberg, Prague, Munich and Budapest. Naturally I do not receive these stations with the same degree of clarity and strength as that of the West Regional transmitter, twelve miles away, but they are all considerably superior to the Northern, Midland, and London Regionals, which offer poor reception in South Wales.

Additionally, if intelligent use is made of the foreign programme section of *The Wireless World* it is almost always possible to obtain a pleasing programme from one or the other of the above stations, at any time after dusk, a godsend when one is more or less tied to the National programme for home amusement.

My receiver is no better than the average, being an all-electric set incorporating two screen grid stages, but I still maintain that good entertainment can be had regularly from abroad on the wave lengths mentioned, and when I change my set, selectivity and ability to obtain a fair range of programmes, will be my first consideration.

"EUROPEAN LISTENER."

Newport, Mon.

IT would be interesting to listeners here in South-west Cornwall if your correspondent "Diagnostic" would inform us which station is our local.

All the Regionals fade too badly for us to hear a satisfactory programme.

Poor old 5XX does its best, but it is not uncommon, especially during autumn and spring, for it to fade and distort so badly that we cannot even hear the News Bulletin from beginning to end.

We have always been dependent on the Continental stations for our entertainment, but since the arrival of the new high-power stations, which fade very little, listening is much more of a pleasure than it was formerly, and I would add that your weekly programme, with its full list of items, is a great boon.

We want all the sensitivity and all the selectivity that can be put into our sets, and the supplying of these by the makers is in the right direction.

Your correspondent is welcome to his local set; it would be of no use here.

Cornwall.

GEO. EUSTACE,

Eng.-Lt.-Commander, R.N.
(retired).

MAY I through the medium of *The Wireless World* have the pleasure of making the acquaintance of your correspondent "Diagnostic," so that he may at least come across one person who makes a practice of listening continuously to foreign programmes?

Of course, the word continuously may be construed in many ways. If he means it in its dictionary sense of "without interruption" I plead not guilty and withdraw, but if he means one who, dissatisfied with the everlasting organ recitals, dance music, same old orchestras on the same days of each week as the B.B.C. puts out, turns to something fresh, then I am one of the men he wishes to know of.

Retired from business, with gardening and wireless as my two prime interests, I turn each morning, afternoon and evening to the Continent, taking only the news and talks in which I may be interested from London, finding many Continental stations whose programmes can be received equally as well as those of the B.B.C.

If, in receiving a programme, fading or

merse sending intervenes, one can usually find a relay station free from interruption and so continue the listening.

So I say to the manufacturers, go ahead on the lines upon which you are working. Give us still better distant reception, for the number dissatisfied with the present programmes of the B.B.C. is growing every week. You are indeed catering for a real demand.

Middlesex.

Wm. H. R. BRUCE.

I READ with interest the letter from "Diagnostic" in Jan. 27th issue of *The Wireless World*, and think that he must indeed have "struck an exceptional patch of the genus listener" to arrive at the conclusions expressed therein.

Take my own case. My main interest lies in opera, and if I had to depend on the B.B.C. for operatic relays I should fare very badly indeed.

The occasional act from an opera relayed by the B.B.C. is no good to anyone. It has no value to those uninterested and is very unsatisfying to opera-lovers, and in this respect "the B.B.C. programmes are inferior to foreign ones."

It may surprise "Diagnostic" to learn that this past week I have heard five operas from abroad, including a performance of "La Gioconda" with Gigli and Formicelli in the cast—names which I think prove the point doubted by him, "that the somewhat lower standard of reliability and quality of reproduction is far outweighed by the brilliance of the foreign programmes."

As a matter of fact the opera mentioned was relayed by Rome and the reception was of a very high standard, and during the four hours' relay fading did not occur once, which I think shows that (2) "foreign programmes can be heard satisfactorily."

I personally know many people who spend several hours every week listening to foreigners, and I am looking forward to the time when I possess a set such as the A.C. Monodial when I shall have even more stations at my service.

Canonbury, N.1.

J. C. SANSOM.

I THINK "Diagnostic" is about right. Manufacturers are continually worrying the public to buy something which the public does not want, but which the manufacturers think the public should have, and can be persuaded to buy. The more foreign stations held out as bait the more components does the listener require. Out-of-date sets must be scrapped and new ones bought to furnish the requisite selectivity.

Personally, I do not listen to foreigners, as I prefer quality to the nuisance of fading, atmospheric, and other interferences, and, anyhow, a record of "How Deep is the Ocean" is no better because it comes from abroad than it is when it comes from London—not so good, in fact.

When I visit my "foreign-listening" friends they usually run me round the foreigners, stopping about ten seconds at each one, to show what the set will do, but when they settle down to listen, I notice, it is the local station which is relied upon to provide the entertainment.

Correspondence—

Advertising will sell nearly anything, and if the manufacturers can make us buy they don't mind if our purchases become "white elephants."
R. S. WALLIS.

Potters Bar, Middlesex.

THE mush, fading, etc., that usually come in with the remoter stations, are so annoying, when compared with the results that the local stations give, that even those who have powerful sets soon tire of "touring."

The fact that retailers stick to the B.B.C. and records proves that the interest in Continental reception is not general.

JOHN D. WINDLE.

Southall, Middlesex.

THE letter from your correspondent "Diagnostic" calls for a protest from one foreign listener. Personally, and I can also vouch for others, the bulk of my reception comes from abroad and from non-sponsored programmes. I have no experience of commercial receivers, but here is what the W.W. A.C. Monodial Super has done as regards reception in this district during the last eight months:—

(1) Quality.—Tested by the recent B.B.C. broadcast of pure musical notes gave perfect reproduction from 50 to 5,500 cycles, with a slight fall then to 6,000 cycles.

(2) Sensitivity and selectivity.—Gives for the whole evening, free from any background noise, mush, or heterodynes, reproduction equal to London from Rome, Milan, Heilsberg, Muhlacker, Leipzig, Bero-munster, Langenburg, Trieste, Munich, Brussels I, Hilversum, Prague, and Brno. Dozens of others on which fading occasionally happens, but also here London National fades.

On this set one can listen for three to four hours at volume sufficient, if necessary, for a small hall to complete operas or orchestras. As everyone knows, the cast of the La Scala at Milan is the finest in Europe, and the A.C. Super enables one to listen to something which we can never get from the B.B.C., viz., a complete opera with the best artistes in Europe, the Berlin, Amsterdam, Stuttgart, Czech, and other Philharmonic Orchestras relayed and picked up direct, which is quite a different thing from hearing them in parts over hundreds of miles of even high-frequency cables.

A point not touched on by "Diagnostic," but in which I think the B.B.C. lags behind its foreign confrères, is this: A foreign station giving an international transmission gives the announcements in all the languages of the countries taking the transmission. Very seldom is this done by the B.B.C. when the Continent is taking our transmissions. It would be only courteous for us to do likewise.

Upminster.

F. CHANDLER.

AS a fairly constant listener to foreign transmissions, I should like to make a few comments. I cannot speak for persons who buy 2 H.F. sets and do not use them, but I have a set and do, and I read a German radio paper. No doubt many potential

listeners have not a separate room and set where they are able to indulge their fancy. Again, foreign interest is increased where one has travelled and understands a number of languages (the announcements, at any rate). Still, there is plenty to hear without speech. Just before reading "Diagnostic's" letter I had been listening to a lecture from Heilsberg on Hayden's musical clocks. Amusingly, the lecturer kept on playing records of which not a sound was audible, and then coming back to the "mike" and referring to them! As I am writing Warsaw has been playing Chopin's works, and has gone into a jolly interval signal. We do not listen to foreigners because they are "better" but because they are different. I never listen to B.B.C. plays, vaudeville, sport, rarely dance music, rarely debates, so I have plenty of spare time. I have just bought a record of the Comedian Harmonists played recently by Revkjavik, and am looking out for a peculiar "mocking" one played this week by Stockholm.

Certainly there is an exasperating amount of Morse interference and fading, but one just has to bear it as one of the ills. The continuous whistle nuisance can be lessened by moving the head slightly into a nodal or silent point.

H. E. ADSHEAD.

Great Bardfield, Braintree.

I WAS most interested to read "Diagnostic's" letter under the heading of "What Does the Public Want?" in your issue of January 27th. While I do not pretend to speak for the ordinary wireless enthusiast, whether technical or otherwise, I certainly consider "Diagnostic's" comment on what is usually considered the most important function of a receiver, namely, the recep-

stitute for the real thing. I use the word "can," since good reproduction is the characteristic only of expensive instruments. On the other hand, to listen-in to foreign stations with the exception of perhaps one or two is still hardly worth the while of musicians, for, in the first place, apart from interferences, the reception is of a very definitely low standard, and, in the second, foreign programmes do not offer us, outside special occasions, programmes that are any better than those provided by the B.B.C.

It must be remembered that the musician will only turn to a foreign station (1) because he wants to hear some work, either new or old, that is rarely or never performed in this country; (2) he is anxious to hear one of the great foreign orchestras, such as the Berlin Philharmonic, to compare technically with our own orchestras, such as the B.B.C. and the London Philharmonic. It goes without saying, therefore, that, unless the reproduction is first-rate, he will only get a distorted and untrue idea of what he wants to listen to, with the result that he has merely wasted valuable time.

I know many musicians who have refused to purchase a wireless set as they are unable to find anything at a figure which they are able to afford and which at the same time will give a colourable imitation of the real thing.

In short, an instrument that will not reproduce a faithful representation is useless for any programme, from a musician's point of view. I know that it can be done. Therefore surely commercial sets could be manufactured to produce real music at a cheaper figure by the sacrifice of some of their distance-getting properties. I, as a musician, know that were this possible a very ready sale would ensue.

RALPH HILL, Editor.

The Musical Mirror and Fanfare.



A CRITICAL MOMENT A scene in the Leipzig studio, where the lady announcer awaits the striking of the gong, which is actuated by a clock.

tion of foreign stations, is very definitely called for so far as musicians and technically educated music lovers are concerned. It is only within the last two or three years that we musicians have seriously considered the importance of radio as a means by which we can indulge in listening to, and studying, our art.

The trouble was that, up to that time, reproduction was so poor from a musical point of view that what was not actually lost in transmission was distorted to a degree that made it impossible for a musician to listen without being decidedly repulsed. However, now the story is very different, and the reproduction of the B.B.C. Symphony Concerts, chamber music, etc., can surpass even that of the gramophone, and thus we are able to listen to performances which can be a very excellent sub-

SURELY your correspondent, "Diagnostic," overrates the difficulties of the set designer in his letter in the issue of January 27th? It is not really a question of listeners who want only local stations and quality, or another group who must have foreign stations all the time. The real standard for a set is, will it provide, at almost any time, a suitable alternative programme, British or Continental? If one wishes to hear opera and the B.B.C. is not providing it at that time, the loss of some quality matters little. The real demand is for the type of transmission one prefers, at the right moment.

The "distance fiend" can look after himself. The Wireless World has given him ample choice of circuits he can assemble, and I think he is usually independent of the set manufacturer.

Anyhow, the problem is no more difficult than that of the manufacturer of motor cars, yet he does not try to pin all his clients down to comfortable "tourers."

In conclusion, may I say how I appreciate the way your magazine has developed, still ahead with design but much easier to understand than it used to be.

I particularly like the lucid articles by Mr. Scroggie. Could he give us more information on the control of bass resonance in parallel-fed L.F. couplings, another article on accurate matching of set and speaker, and possibly some one to deal with the use of quiescent push-pull and small H.T. units?

"INTERESTED."

Newcastle-on-Tyne.

Correspondence—

YOUR correspondent "Diagnostic" has spoken nothing but the truth, though he has probably put the cat among the pigeons so far as your readers are concerned. But then your readers are not typical of the great bulk of wireless listeners to whom everything "inside the box" is a sealed book. I do not number among my many friends more than one regular listener to foreign stations. The rest of us agree with "Diagnostic." On the odd occasions when the B.B.C. has an off night we usually switch off altogether. We simply cannot tolerate fading, atmospheric, interference of any kind or the ghastly hiss of the powerful de luxe receiver when reaching out. We do not even listen to Daventry because the quality is so poor, nor do we listen to a land-line programme if there is an equally attractive one from the local studio.

A high-class two-station receiver would only deprive us of Radio Paris on Sunday afternoons and during Test matches—probably it "never would be missed." I feel sure that if some enterprising manufacturer would put on the market a range of two-station receivers he would have an immediate success.

Manchester. "TWO-WAY SWITCH."

The B.B.C. Organ

AS the builders of the new B.B.C. organ, may we be allowed to comment on the remarks made in "Broadcast Brevities" in your issue dated January 27th?

We are anxious for your readers to know that the organ will contain absolutely nothing "which would make an ordinary (or extraordinary) organ enthusiast go queasy"! There will definitely be no "effects" such as drums, glockenspiel, and the like—nothing but pure organ tone of the best kind human hands can produce. This will be a large concert organ, capable of playing anything written for the organ or transcribed for it from orchestral scores.

We are not ashamed of our cinema organs—in fact, we are proud to have contributed largely to the popularity of this type of instrument by installing such a large number. The tremulant, the vox humana, the swell pedals, and all the special effects have their uses and can equally well be abused, like all good things. But the Broadcasting House concert hall is no place for a theatre organ, and any "performer who wishes to beat the cinema organ at its own game" on our organ there will have a bitter disappointment.

We are sure your readers will sympathise with us in trying to live down the huge success of our cinema organs in an attempt to maintain our reputation as builders of cathedral, church, and concert organs.

Willesden, N.W.10. J. I. TAYLOR,
Director, The John Compton
Organ Co., Ltd.

Quiescent Push-pull

I WISH to congratulate you on bringing to light the valuable properties of quiescent push-pull, at a time when concentration on mains-drive tends to leave the battery user in neglect.

As announcements of manufacturers have described it as a "new principle," I would draw attention to the fact that a quiescent push-pull receiver of my design, with an output of 1,500 milliwatts and an initial anode current of 8 mA., was put on the market as the Burndeft Universal Five (battery model) three years ago.

London, S.E.19. M. G. SCROGGIE.

In Next Week's Issue:—

The MODERN A.C. QUALITY AMPLIFIER

A Self-contained Gramophone Equipment with Electric Motor, Pick-up and Amplifier giving 5 to 6 watts Undistorted Output

FEW sounds are more distressing than those emanating from an over-worked loud speaker or amplifier, yet the phenomenon is not a rare one. Too often an equipment entirely suitable for domestic use is pressed into service at a party or similar function and is expected to entertain some hundreds of people just as successfully as it would a few friends at the fireside.



The amplifier shown separate from the cabinet. The synchronous electric motor, pick-up and the two controls are attached to the motor board.

LIST OF PARTS REQUIRED

After the particular make of component used in the original model, suitable alternative products are given in some instances

- 1 Mains transformer, 400-0-400 v. Savage type M.G.A. 4 volts 3 amps, centre tapped; 4 volts 2 amps; 4 volts 1 amp., centre tapped. (R.L. Sound Sales, Varley)
- 1 Output chokes Savage "Massicore" type L.34 (R.L. Sound Sales, Varley)
- 1 L.F. choke, 28, 14 henrys R.I. type DY.11 (Varley)
- 1 L.F. transformer, 4:1 Multitone "Toco"
- 1 Graded potentiometer for above Multitone
- 1 Combined potentiometer, 100,000 ohms and mains "on-off" switch British Radiophone type 4b4 (Bulgin, Claude Lyons, Rotorolm, Lewcos, Watmel, Wearite)
- 1 Power resistance, 3,000 ohms, 10 watts and holder Varley C.P.39
- 1 Resistance, 100 ohms, 1 watt Claude Lyons
- 1 Resistance, 500 ohms, 1 watt Claude Lyons
- 1 Resistance, 1,000 ohms, 1 watt Claude Lyons
- 1 Resistance, 5,000 ohms, 1 watt Claude Lyons
- 1 Resistance, 10,000 ohms, 1 watt Claude Lyons
- 1 Resistance, 50,000 ohms, 2 watts Claude Lyons
- 1 Resistance, 500 ohms, 3 watts Claude Lyons (Dubilier, Eric)
- 1 Potentiometer, 30 ohms Claude Lyons "Humdinger"
- 4 Valve holders, 5-pin Clix chassis mounting type (Bulgin, Eddy-stone, W.B.)
- 2 Fixed condensers, 1 mfd., 250 volts D.C. working Dubilier type B.S.
- 1 Fixed condenser, 2 mfd., 250 volts D.C. working Dubilier type B.S.
- 1 Fixed condenser, 4 mfd., 350 volts D.C. working (Peak, T.C.C.) Dubilier type L.S.B.
- 3 Fixed condensers, 4 mfd., 500 volts D.C. working T.C.C. type 95
- 1 Fixed condenser, 0.1 mfd., 350 volts D.C. working (Dubilier, Peak) T.C.C. type 84
- 1 Combined twin fuse holder and Mains Connector, complete with two lamp fuses Bulgin type F.15
- 9 Ebonite shrouded terminals, Earth, 3 L.S., 3 L.S., 2 Pick-up Belling-Lee type "B" (Bulgin, Clix, Ecelex, Igranite)
- 1 Plymax baseboard, 18x9x3/16 in. Peto-Scott
- 2 Batters, drilled, 18x13/16 in. Peto-Scott
- 2 Batters, 8 1/2 x 1 1/2 in. Peto-Scott
- 1 Metal cowl Peto-Scott
- 1 Gramophone motor unit B.T.H. "Tusped."
- 1 Pick-up Marconiphone K17
- Cabinet, 19x15x14 1/2 in. Peto-Scott
- 2 lengths Screened sleeving (Habros, Lewcos) Goltone
- 8 lengths Systoflex, flex, etc.
- 1 Vacuum thermal delay switch Ediswan D.L.S.1
- Screws: 22 1/2 in. No. 4 R/hd.; 22 1/2 in. No. 6 R/hd.; 8 1/2 in. No. 6 R/hd.; 6 1/2 in. No. 4 R/hd.; 2 1/2 in. No. 6 B.A.
- Valves: 1 Marconi or Osram MHL4 metallised, or Mazda AC 11L, 1 Marconi or Osram PX25 or Mazda PP5/400, 1 Marconi or Osram U.14 or Mazda U.120/500.

BLUE PRINTS

As mentioned elsewhere in this issue, blue prints for "The Wireless World" All-Wave Monodial Super (Battery) are obtainable, price 1s. 6d. post free. In addition, blue prints are available for the following:—


- Autotone. (February 24th, March 2nd and 9th, 1932.)
- Monodial A.C. Super. (Booklet, price 1s. 6d. post free.)
- Modern Straight Frve. (June 22nd and 29th, 1932.)
- Baby Superhet, A.C. (August 19th and September 2nd, 1932.)
- Baby Superhet, Battery. (October 7th, 1932.)
- Short Wave Two. (November 4th and December 23rd, 1932.)
- Monodial D.C. Super. (December 2nd and 11th, 1932.)
- Straight Three. (December 16th, 1932.)
- Modern O.C. Three. (December 30th, 1932, and January 6th, 1933.)

These can be obtained, price 1s. 6d., from the Publishers, Hiff & Sons, Ltd., Dorset House, Tudor Street, London, E.C.4.

Undoubtedly there does exist to-day a large demand for an ambitious gramophone equipment capable of delivering up to 6 watts speech. This demand is fulfilled by the "Modern A.C. Quality Amplifier" which consists of two L.F. stages, the intervalve coupling being a transformer with variable tone control. To safeguard condensers and other equipment from high initial voltages a vacuum thermal delay switch is incorporated and each stage is thoroughly decoupled.

There is provision in the smoothing circuit for energising two loud speaker fields so that dual-compensated units can be used within any reasonable distance from the amplifier.

READERS' PROBLEMS



A Universal Station Finder

WE are asked to say whether *The Wireless World* Station Finder could be modified to give identification both by the absorption principle (as in the original instrument) and also by the addition of a buzzer, as a radiating wavemeter. Our querist has made up the device as described, and now wishes to extend its usefulness by converting it into a generator of signals of known wavelength as an aid to fault-finding, ganging, and general receiver adjustments.

This is quite a practical plan, and the cost of having a buzzer—which will only amount to a few shillings—is well justified if the Station Finder is required to do anything more than perform the functions for which it was originally designed. Full information regarding the addition of a buzzer was given last week, but in order that the instrument may be made to serve either as an absorption or a radiating meter




Fig. 1.—Indication by absorption or radiation at will: a de luxe version of the station finder.

at will, we suggest that it should be wired as shown in Fig. 1. With the double-pole single-throw switch in the "open" position, the meter may be connected in the aerial circuit in the usual manner. By closing the switch the buzzer is put into operation, but before doing this the instrument should be entirely disconnected from the receiver.

When the instrument is used as an aid to making critical adjustments, it is worth while taking a little extra trouble in adjusting the buzzer, so that the amplitude of the oscillations which it produces in the tuned circuit may remain sensibly constant.

Potentiometer Resistance Values

WHEN a potentiometer is used to control the grid voltage of a battery-fed variable- μ H.F. valve, it is normally connected across the grid bias battery, and so will draw current from it. The actual value of the potentiometer is seldom a matter of any great importance, the main requirement being that its ohmic resistance will be sufficiently high to prevent an undue wastage of current.

A potentiometer of about 25,000 ohms is very often specified. This happens to be a standard value obtainable almost every-

THESE columns are reserved for the publication of matter of general interest arising out of problems submitted by our readers. Readers requiring an individual reply to their technical questions by post are referred to "The Wireless World" Information Bureau, of which brief particulars, with the fee charged, are to be found at the foot of this page.

where, and is perhaps rather more dependable than a component of higher resistance. Connected across a 9-volt battery, for example, the current consumed by a potentiometer of this resistance will amount to only about a third of a milliampere, and so the life of the battery will not be greatly less than if it were working under "no load" conditions. Of course, measures are always taken to interrupt the battery circuit when the set is out of use.

To those correspondents who have written to us on the subject, we would say that when it suits them to do so, there is little reason why they should not use potentiometers of, say, half or twice the value specified. But if there happens to be a bias-limiting resistance in series with the potentiometer, the value of this resistance should be increased or reduced proportionally. For instance, if a 25,000-ohm potentiometer is recommended in a certain design, together with a limiting resistance of 2,000 ohms, a change in potentiometer resistance to 50,000 ohms would imply the use of a "limiter" of 4,000 ohms. The nearest standard value of 5,000 ohms would be satisfactory.

25-cycle A.C. Mains

WE have recently received several requests for advice on the subject of operating recently described *Wireless World* receivers on 25-cycle A.C. mains.

The position may be briefly summed up by saying that almost any A.C. set may be made to work satisfactorily with a supply system of that low periodicity, but, of course, a specially designed power transformer must always be used. Incidentally, the transformer is bound to be larger than one intended for standard 50-cycle supplies, and so slight modifications in the original layout may become necessary. It may also be necessary to change the relative positions of the power transformer and L.F. transformer in order to minimise hum.

The Wireless World

INFORMATION BUREAU

THE service is intended primarily for readers meeting with difficulties in the construction, adjustment, operation, or maintenance of wireless receivers described in *The Wireless World*, or those of commercial design which from time to time are reviewed in the pages of *The Wireless World*. Every endeavour will be made to deal with queries on all wireless matters, provided that they are of such a nature that they can be dealt with satisfactorily in a letter.

Communications should be addressed to *The Wireless World* Information Bureau, Dorset House, Tudor Street, E.C.4, and must be accompanied by a remittance of 5s. to cover the cost of the service. The enquirer's name and address should be written in block letters at the top of all communications.

There is also the question of smoothing. Theoretically, a considerably more generous smoothing system will be required, but in practice the ordinary smoothing circuit may be quite effective; this is because both the loud speaker and the human ear are less sensitive to the lower hum frequencies of the 25-cycle supply. It is therefore recommended that additional smoothing condensers—and possibly an extra choke—should not be added until they are found to be necessary.

Measuring "Free" Bias

WITH an ordinary voltmeter it is practically impossible to make an accurate measurement of the voltage applied from an automatic grid-bias system. The degree of error depends on such factors as the resistance of the meter and the value of the bias resistor.

With a valve voltmeter it is possible to make a direct and accurate measurement, but very few amateurs have access to this piece of apparatus. As a rule, one must be satisfied with an indirect estimation of voltage, which is obtained by measuring the current flowing through the bias resistor and then calculating the voltage that will be developed across it.





Fig. 2.—Measuring "automatic" grid bias voltage by the temporary substitution of a battery.

In the absence of special appliances, a measurement of bias voltage can only be made by a method of substitution, and this is the plan that we recommend to a reader, who has a multi-range milliammeter and a voltmeter. Briefly, what we recommend him to do is to insert the milliammeter in series with the anode of the valve (in this case the output valve) and to substitute temporarily a bias battery for the original automatic system. The voltage of this battery will then be varied until the same anode current flows as under normal automatic bias conditions. The voltage of the bias battery, as measured by a good voltmeter, will then be equal to that originally applied.

Connections will be as shown in Fig. 2; the original grid return lead must be interrupted at the point X, and the positive side of the bias battery must be joined directly to the cathode of the valve.



RADIO




The Radio Chassis & Amplifier

has set a new standard in Radio and Gramophone reproduction—see letter below

Extract from letter received from a Windsor customer, states: "I should like to say that I am absolutely amazed at the results produced by this set. I had no idea—and I have handled a number of the big modern "Commercial" sets—that such superb quality could possibly be obtained on long distance reception. Selectivity seems to me to be more than "adequate" (which you suggest in your letter) and I may say I am using a 100ft. aerial (an old one) which doesn't usually make for selectivity. Meanwhile on local work, the "Volume Controls" are so smooth and create so little change of tone that I obtain *real perfection* at quite low volume—though I observe that this is only obtainable if the ganging is correct. I cannot imagine a set that would be capable of better results as it seems to fulfil *all the conditions needed for a perfect receiver.*"

AMPLIFIER



A Super-quality Radio-Gram can readily be built with these Two Units.

The B.S.R. Radio Chassis and Power Amplifier together provide radio reception and reproduction of the highest order, permitting British and continental stations to be tuned in without interference, and providing a quality and volume that is not surpassed by any commercial receiver, irrespective of price.

For Gramo Pick-up the Power Amplifier leaves nothing to be desired. *May we send our Representative to demonstrate in your own home? No obligation on your part.*

The 'B.S.R.' Radio Chassis

The B.S.R. Radio chassis employs 2 Variable Mu H.F. Valves, and Band Pass Tuning, thus ensuring a wonderful degree of selectivity and sensitivity. It is fitted with plugs for H.T. and I.T.A.C. supply for connection to Power amplifier. An oxidised bronze panel can be supplied ready for fixing chassis in a cabinet.

Chassis dimensions 11 1/2" x 13 1/2" x 8".

The 'B.S.R.' Power Amplifier

The B.S.R. Power Amplifier is complete in every detail. It incorporates a 3 ratio Output Transformer and Volume Control. The frequency response is practically flat from 50 to 8,000 cycles and the quality of reproduction is unsurpassed. Two models are available to give an output of either 5 or 10 watts undistorted A.C.

<p>RADIO CHASSIS complete with Variable Mu Valves £12 - 8 - 0</p>	<p>25-WATT POWER AMPLIFIER 5.9 Watts undistorted A.C. complete with Valves £16 - 10 - 0</p>	<p>50-WATT POWER AMPLIFIER 11.8 Watts undistorted A.C. complete with Valves £24 - 8 - 0</p>
---	---	---

FULLEST PARTICULARS ARE GIVEN IN NEW LEAFLET A132 FREE AND POST FREE.
BIRMINGHAM SOUND REPRODUCERS LTD., CLAREMONT WORKS, OLD HILL, STAFFS
 Telephone: Cradley Heath 6370. Telegrams: Electronic, Old Hill.
N.B.—U.K. Trunk Calls (up to 6 minutes) refunded on order being placed.



POLAR

specified for the ALL-WAVE MONODIAL SUPER

POLAR STAR "SUPERHETERODYNE" CONDENSER

TRIMMERS. Conveniently operated from the top. Cannot go out of adjustment.

VANES. Accurate spacing obtained by precision machine assembly, thereby eliminating possibility of error.

BEARINGS. Strong spring journal bearings give absolute freedom from shake or rind play.

MATCHING. This is accurate to within 1% of 1 per cent plus or minus 1 m.m.f.d.

FRAME. All-steel and of rigid construction. Accuracy will never vary.

Two Sections .0025 with one Tracking Section.

PRICE 27'6


—a "star" set demands "star" condensers—condensers which can be relied upon to give continuously efficient service.

The unique features—the sound design and construction of Polar again determine their choice for a "star" receiver. Don't jeopardise the performance of your "Monodial"—follow the specification.

POLAR "PRESET"

A reliable and efficient condenser, built in brown moulded case fitted with nickel plated terminals

.002 - - - PRICE 2/-




POLAR



CONDENSERS

WINGROVE & ROGERS LTD.,
 188-9, STRAND, LONDON, W.C.2. Polar Works: Old Swan, Liverpool.
 London Telephone: Temple Bar 2244-5-6.

Take a leaf—



out of the HEAYBERD HANDBOOK!

Do you want to know how to build a Mains Unit, a Battery Charger or a Unit for energising the field of a moving-coil speaker? Full details are given in the Heayberd Handbook. Seventeen different circuits and other diagrams. Hints and tips on servicing. And . . . details of the many complete Mains Units, Transformers, Chokes, Condensers etc., available. Whatever your need in mains working—Heayberd the mains specialists can assist you. Write to-day!



10 FINSBURY STREET, LONDON E.C.2.
Mingle near Monarch Underground Station.

Olympia Stand 40
British Industries Fair

February 20th to Mar. 4th

POST COUPON

To F. C. HEAYBERD & CO.
Mains Apparatus Manufacturers
I enclose 3d. stamps for 36-page Handbook "Mains Power for Radio." Containing many useful hints and technical tips on Mains Working.

Mr. _____
Address _____

W.W.10.

ASTONISHING FIDELITY

MARK III 30/-



or WITH BUILT-IN VOLUME CONTROL

The astonishing fidelity of reproduction which the Bowyer-Lowe Mark III Pick-up gives has made thousands of enthusiasts for it since its introduction.

35/-

Send for **BOWYER-LOWE & A.E.D. LTD.**
Catalogue. **DIAMOND WORKS, BRIGHTON.**

QUIESCENT PUSH-PULL


REVOLUTIONISE YOUR PRESENT BATTERY RECEIVER by replacing existing output stage with Quiescent Push Pull.

Conversion Kit.

2 MAZDA P.E.N. 220a Valves. 2 BRYCE PUSH-PULL Transformers (5 years' guarantee) specially matched to any M.C. speaker specified by client. 1 POTENTIOMETER. 4 METALLIZED RESISTANCES, 1 watt type. 2 5-PIN VALVE HOLDERS. 1 MILLIAMMETER moving iron. 2 FIXED CONDENSERS. 1 SWITCH. WIRING DIAGRAMS and Notes on Operation. £3-9-0 post free. Plus price of Speaker specified (no extra charge for matching transformers).

Send for complete lists.

WOODS RADIO—Holcombe Brook, Nr. Bury, Lancs




Are you building "The Wireless World" Station Finder?

This handy accessory, which positively identifies Stations, was described for constructors in "The Wireless World" of January 13th.

The Complete Station Finder showing the Ivorine Dial.

FOR the benefit of constructors wishing to add to the efficiency, the appearance, and the durability of the "Station Finder," an attractive Ivorine Dial (shown in a reduced size in the illustration on the right) has been manufactured for the Proprietors of "The Wireless World." This Dial is obtainable direct from the Publishers of "The Wireless World," Dorset House, Tudor Street, London, E.C.4.



Mention of "The Wireless World," when writing to advertisers, will ensure prompt attention.

MISCELLANEOUS ADVERTISEMENTS

NOTICES.

THE CHARGE FOR ADVERTISEMENTS in these columns is

12 words or less, 3- and 3d. for every additional word.

Each paragraph is charged separately and name and address must be counted.

SERIES DISCOUNTS are allowed to Trade Advertisers as follows on orders for consecutive insertions, provided a contract is placed in advance, and in the absence of fresh instructions the entire "copy" is repeated from the previous issue: 13 consecutive insertions 5%; 26 consecutive, 10%; 52 consecutive, 15%.

ADVERTISEMENTS for these columns are accepted up to **FIRST POST** on **MONDAY MORNING** (previous to date of issue) at the Head Offices of "The Wireless World," Dorset House, Tudor Street, London, E.C.4, or on **SATURDAY MORNING** at the Branch Offices, 19, Hertford Street, Coventry; Guildhall Buildings, Navigation Street, Birmingham, 2; 260, Deansgate, Manchester, 3; 26n, Renfield Street, Glasgow, C.2.

Advertisements that arrive too late for a particular issue will automatically be inserted in the following issue unless accompanied by instructions to the contrary. All advertisements in this section must be strictly prepaid.

The proprietors retain the right to refuse or withdraw advertisements at their discretion.

Postal Orders and Cheques sent in payment for advertisements should be made payable to **LIFFE & SONS Ltd.**, and crossed **& Co.** Notes being untraceable if lost in transit should not be sent as remittances.

All letters relating to advertisements should quote the number which is printed at the end of each advertisement and the date of the issue in which it appeared.

The proprietors are not responsible for clerical or printers' errors, although every care is taken to avoid mistakes.

NUMBERED ADDRESSES.

For the convenience of private advertisers, letters may be addressed to numbers at "The Wireless World" Office. When this is desired, the sum of 6d. to defray the cost of registration and to cover postage on replies must be added to the advertisement charge, which must include the words *Box 000, etc.* "The Wireless World." All replies should be addressed to the Box number shown in the advertisement, *etc.* "The Wireless World," Dorset House, Tudor Street, London, E.C.4. Readers who reply to Box No. advertisements are warned against sending remittance through the post except in registered envelopes: in all such cases the use of the Deposit System is recommended, and the envelope should be clearly marked "Deposit Department."

DEPOSIT SYSTEM.

Readers who hesitate to send money to unknown persons may deal in perfect safety by availing themselves of our Deposit System. If the money be deposited with "The Wireless World," both parties are advised of its receipt.

The time allowed for decision is three days, counting from receipt of goods, after which period, if buyer decides not to retain goods, they must be returned to sender. If a sale is effected, buyer instructs us to remit amount to seller, but if not, seller instructs us to return amount to depositor. Carriage is paid by the buyer, but in the event of no sale, and subject to there being no different arrangement between buyer and seller, each pays carriage one way. The seller takes the risk of loss or damage in transit, for which we take no responsibility. For all transactions up to £10, a deposit fee of 1/- is charged; on transactions over £10 and under £50, the fee is 2/6; over £50, 5/-. All deposit matters are dealt with at Dorset House, Tudor Street, London, E.C.4, and cheques and money orders should be made payable to Liffe & Sons Limited.

SPECIAL NOTE.—Readers who reply to advertisements and receive no answer to their enquiries are requested to regard the silence as an indication that the goods advertised have already been disposed of. Advertisers often receive so many enquiries that it is quite impossible to reply to each one by post. When sending remittances direct to an advertiser, stamp for return should also be included for use in the event of the application proving unsuccessful.

for
"SOUND"
EQUIPMENT
● Special P.A. Speakers suitable for all outputs.
● Power Amplifiers suitable for DANCE HALLS, SPORTS MEETINGS, FETES, ETC.
● The most up-to-date apparatus for outdoor or indoor sound reproduction and Radio reception.

TANNOY
PRODUCTS
DALTON ST., WEST NORWOOD, S.E.27
Manchester Branch:—
2, Whitworth Street West, Deansgate, Manchester
Scottish Agents:—
Messrs. Spensers (Scotland) Ltd. 119, George Street, Edinburgh

RECEIVERS FOR SALE.

HIRE a McMichael Duplex Portable; 15/- weekly, £2/12/6 monthly; amplifiers for dances, etc., on hire. Alexander Black, Wireless Consultant, 55, Ebury St., S.W.1. Sloane 1655. [10328]

"**WIRELESS** World" Single Dial Superhet. battery, complete Radiophone condenser, P.220A; £6.-11, Treedale Rd., Harrogate. [1755]

OSTAR-GANZ Combined A.C. and D.C. Receiver, in modern walnut cabinet, with Rola M.C. Loud-speaker, unboxed, list price £12.12, our price £5; 3 valves £6.10; e.o.d., carriage paid; state voltage. Kay, 167, City Rd., Finsbury, E.C.1. [1632]

BARGAINS.—Marconi model 66 portable, new, guaranteed, £8.10; 1933 Clarion 5 A.C., 2 Multi-Mu, S.C., detector, Pentode, rectifier, M.C. speaker, tone control, beam station selector 200-2,000 metres, connections for pickup, extra speaker, mains aerial, 2 1/2 watts output, new, £13/10; 1933 3-valve A.C. 100-250, S.C., det., Pen., M.C. speaker, mains aerial, gramophone connections, walnut cabinet, £9.17.6, equal 16-guinea set.—Write particulars, Sanders, 12, Eastbourne Rd., Chiswick, W.4. [1762]

ATOTONE, new, author's specification, with valves and cabinet; nearest £6. Smethurst, Watton, Cleby, Lincs. [1774]

HAYNES Quality Radiogram, company built, Magnavox dual speakers, walnut cabinet; £29. 38, Theackeray St., Battersea, S.W.8. [1758]

ORAM Four, including A.C. 240-volt rectifier, also Blue Spot speaker 6B1; £7.-107, Sudbury Heights Av., Greenford. [1771]

CLEARANCE of 1932 Shop Soiled Receivers, brand new: 4 only, Ekeo model 313, A.C., £6 each; 2 only, Ekeo model 312, A.C., £3; 3 only, Marconi model 42, A.C., £8; one only, Amplion 6, A.C., £10; one only, Philips model 2636, D.C., £10; 2 only, Columbia portables, model 305, £7.10; one only, Philips 930A, A.C., £5.—Gardiner's Radio, West Southbourne, Bournemouth. [1761]

1933 Kilodyne Four, new, complete valves; £6.—Stokes, 44, Ridgale St., E.3. [1763]

H.M.V. Radiogram Model 521a.e., perfect condition; 24 guineas. Box 6023, *etc.* The Wireless World. [1614]

MARCONI-HONE Model 42 Receiver, A.C., used few weeks only as new, owner leaving district; £12.—Wilkens, 45, Washington St., Workington. [1795]

5-VALVE Portable Marconi, valves, batteries; cost £18/18 last year, wonderful tone; £3.17.6.

4-VALVE Screen Grid Portable, Mullard valves, Exide batteries, 1933 model, leather case; cost £14/14, £3/18/6.

CELESTION Manufacturers' C24 Chassis, wonderful tone, handles terrific volume; cost £12.12.15/-.

PERMANENT Magnet Moving Coil, in beautiful mahogany case, 3 ratio output transformer, 1923 model; cost £6.6, £2/5.—"Wireless," 40, Wood Vale, London, N.10. [1802]

BRAND New £16.16 Lotus 3-valve A.C. Receiver; £12/12; owner now on D.C. Box 6018, *The Wireless World*. [1811]

7-VALVE Short Wave Superhet., 16-85 metres, Kilomag Four, both with valves; what offers?—Lindsay, Lochiel, Dumfries. [1804]

COLUMBIA Radio-Gram, model 302, cost 80 guineas, A.C., 200-250, perfect condition; £30.—J. C., 11, Gerriek Close, Walton-on-Thames. [1805]

CHARGERS AND ELIMINATORS.

TANTALUM for A.C. Chargers, H.T. and L.T.—Blackwell's Metallurgical Works, Ltd., Garston, Liverpool. [9346]

AITKEN BROS. and Co., 7, Gallowgate, Newcastle-on-Tyne. Makers of really good transformers and chokes. Finest Materials. Experienced Craftsmen. Guaranteed for two years. Quotation for one of any type or specification on application. Satisfaction guaranteed. Enquiries invited. [1691]

A.C. Charging Boards (bankrupt stock), output 40v. 6a., A.C. voltage regulation; cost £25, £35, £5. Jersey, Connor Hill, Oxford. [1715]

CHARGING Plant, in perfect order; £10, view.—16, Grant Rd., Addiscombe, Croydon. [1749]

BARGAIN.—240v. Adco eliminator and charger, 180v. 40 amp., two variables, 1.3 amps. L.W., cost 10 guineas; price £3.3 guineas.—Phillips, 19, Hadley Rd., Enfield. [1753]

REGENTONE A.C. Eliminator, 2 variable, 1 fixed, 1 power, 180-220 volts, 60 or 100 milliamps, 4 volts 4 amps., month old; cost £10, £5/10, or near offer.—Britt, Carnswood, Billingham, Plymouth. [1766]

SERADEX All-British Radio Saves You Money.

D.C. Gramo amplifier, uses the following: 1 R.B.2 mains resistance, 3/6; 5 type B 1 mfd., 1/6 each; 3 type B 2 mfd., 2/3 each; 1 type B 4 mfd., 4/5; 2 M150 100 ohm resistors, 2 ditto 250 ohms, 1 ditto 1,000, 1 ditto 5,000, 1 ditto 50,000, 1 ditto 100,000, 8d. each (if wireless are preferred, use type G125); 2 type C.A. chokes, 12/5 each; price for complete kit, carriage paid, £2.10.

Q.P.P. Amplifier, uses 4 M150 resistances, at 8d., and 1 B 2 mfd., at 2/3.

SERADEX Glass-wound Resistors, type G125 (1/4 watt rating), 25 to 1,500 ohms. 9d.; 5,000 ohms, 1/3; 10,000 ohms, 1/5.

SERADEX Battery Chargers, all models, suitable for mains, 200 to 250v. A.C.

SERADEX M.R.1510, Westinghouse rectified, output 15 volts, 1 amp., complete in case, with variable output, clear scale meter incorporated; £3/12/6.

SERADEX M.R.6030 Battery Charger, output 60 volts 5 amp., Westinghouse rectified, complete with meter, in metal case; £14/10; split outputs arranged if desired; many other models available between the above two; lists for stamp.

SERADEX Filter Condensers, "Practical Wireless" states: "A first-class component... rating very accurate"; now illustrated list now ready.

SERADEX Type B Condensers, 400v. working, 1 mfd., 1/6; 2 mfd., 2/3; 4 mfd., 4/5; 4+4 mfd., 7/3; 8+8 mfd., 14/6.

SERADEX Resistors.—"Practical Wireless" reports: "A thoroughly reliable article"; new illustrated list now ready.

CARRIAGE PAID on all Retail Orders over £2.

TREVOR PEPPER, Wake Green Rd., Moseley, Birmingham, 13. [1781]

FOLLOW THE LEAD OF "WIRELESS WORLD" READERS WHO GO TO

SCOTT SESSIONS

for their new sets or overhauls. The following unsolicited letter is typical of many we receive from readers:—

Ref. 12/12/32. Lt. Col. G. D.S.O., J.P., writes:

"Thank you for all the care and trouble you have taken with the construction of the set. It is a beautiful one with excellent components and very well put together. I am more than satisfied with your work and to me, and shall have much pleasure in showing it to my friends, and recommending that they get one."

FOR D.C. MAINS USERS W.W. MONODIAL (D.C.) £30.0.0

(Exclusive of Cabinet and Speaker which will be supplied extra if required).

W.W. Monodial (A.C.) £29.10.0

W.W. Straight '5' £28.15.0

Monodial Receiver Chassis with Straight '5' 6-Watt (A.C.)

undistorted output £34.0.0

(Including Valves, Royalties and complete assembly).

These sets may be obtained if required for a first payment of 12 1/2%.

TRADE ENQUIRIES INVITED.

SCOTT SESSIONS & CO.

RADIO ENGINEERS,
MUSWELL HILL, LONDON, N.10

Telephone No.: Tudor 5326.

Contractors to H.M. Government Departments, Crown Agents for the Colonies, Electricity Corporations, etc.



Chargers and Eliminators.—Contd.

BROWN and SALTER, Vortexion, Wimbleson, for the finest transformers made regardless of price; all models guaranteed 12 months, tested on full load and 2,000 volts between windings before dispatch; all finished in cast aluminium frames or shroudings.

VORTEXION, W5, 6 or 7 for Westinghouse H.T.5, 6, or 7, with 4v., 1.4a., C.T.; 11 6.

VORTEXION, W8, 9 or 10 for Westinghouse H.T.8, 9, or 10, with 4v. 1.2a., C.T., 4v. 2.5a., tagged leads, shrouded; 16 6.

VORTEXION,—W11 for Westinghouse H.T.11, with 4v. 1.2, 4v. 1.6a., all C.T., shrouded; 40 -

VORTEXION,—250-0-250, 60 m.a., 4v. 1.2, 4v. 2.4a., all C.T., open type, tagged leads; 11 6.

VORTEXION,—350-0-350, 75 m.a., 4v. 1.2, 4v. 2.4a., all C.T., open type, tagged leads; 13 6.

VORTEXION,—350-0-350, 120 m.a., 4v. 2.5, 4v. 1.5, 4v. 2.4, all C.T., shrouded type, tagged leads; 16 6.

VORTEXION,—400-0-400 or 450 or 500-0-500, 120 m.a., open types, 4v. 2.4a., 4v. 2.5a., 4v. 2.5a., all C.T.; 19 -; tagged leads.

VORTEXION,—500-0-500, 150 m.a., or 450-0-450, 160 m.a., or 400-0-400, 190 m.a., 4v. 2.5a., 4v. 4a., 4v. 2a., 4v. 2a., all centre tapped, any output, 50 C., beautifully shrouded, cone size, 2 1/2" x 3", screened primary and strips, a 45 model, 35/-

VORTEXION Only Use Sankey Laminations, British Insulated Cables wire, and non-hygroscopic paper interleaving for 100% reliability and excellent regulation.

VORTEXION,—30h, 50 m.a. chokes, 5 6; 20h, 120 m.a., 8/6; 15h 350 m.a., excellent for rough D.C., shrouded, 15 -.

VORTEXION for Helby Condensers, 750 D.C. working, 6 mid.; 6 6, list price 21 6.

VORTEXION,—Transformers made to your specification.

VORTEXION,—Brown and Salter, 182, The Broadway, Wimbleson, Tel.: Liberty 2814. (1912)

CABINETS.

RADIO-GRAM Cabinets: fully illustrated list free; remarkable values.—Gilbert, Cabinet Maker, av. 2/6m. (1636)

RADIO Cabinets Made to Your Own Design: cabinets free. Cabtree, Thistle Hill, Kirkcubbin, Huddersfield. (1769)

CLEARANCE Lines in Cabinets for Radiograms, mains or battery sets, loud-speakers, gramophones, etc. endless variety, lowest prices (see catalogue).

H. L. SMITH and Co., Ltd., 287 1/2, Elmore Rd., W., or at associated shops: (Chitels and Co., 27, Levensham High Rd.; Burt and Co., 40, Bowdway, Deptford; Wright and Co., 367, High St., Scatchell; G. E. Smith, 25, Queen's Rd., Watford. (1773)

We Can Supply Brand New Complete Gramophones. London made cabinets, at less than the cost of cabinets; ideal for converting to subgram; 24 models to choose from; 52/6 to £10; illustrated list free. Huddell's, Ltd., Canal Rd., Bradford. (1736)

DYNAMOS, ETC.

M.L. Motor Generator, input 150-250v. D.C., output 470-600v. D.C., 100 m.a., with resistance and speed control, all in metal case, perfect; £5.—G2YN, 7, Epsom Rd., Whitehaven. (1754)

CRYPTO Converter, 220 D.C. to 200 A.C., 4 amp.—Henshall, 393, Park Road, Oldham. (1735)

GRAMOPHONES, PICK-UPS, ETC.

NOVOTONE, Type J, with special volume control and tone controls, perfect; 35 -.—Duplex, "Cotton," Jara Rd., Harpenden. (1752)

MARCONIPHONE, latest model, unused, perfect; 35/-.—Wilson, 62, Pellerin Rd., N.15. (1733)

B.T.H. Gramophone Motors, universal A.C. and D.C., complete all fittings, including automatic stop, box 1 as new; original price £6/6, at 52/-, carriage paid; all enquiries invited.—W. Burn and Co., 247, City Rd., London. (1739)

NOVOTONE, 30/-; Garrard super, £2 12; Marconiphone pick-up, £1; cabinet, with five pick-up records, Western Electric 555v. moving coil and tone plate; 9ft. logarithmic horn, designed by C. Deussen.—Temple, Knockdolian, Connie, Parkgate. (1107)

LOUD-SPEAKERS.

B.T.H. R.K. Moving Coil Speakers, guaranteed low, unused, manufacturers' surplus, original price 6 guineas.

HIGHLY Sensitive and Wonderful Tone Best set: will handle up to 10 watts output; available for £v., 100v., 200v., 30v.; also A.C. models, £2 10.

CARRIAGE Paid, cash, or cash with order; send for list of other unused bargains.—Seekamp, 46, Farringdon St., London, E.C.4. (1725)

EPOCH P.M.66 Pentode Winding; £3.—Rose, 112, Wandstead Park Av., E.12. (1759)

CELESTION, D.12, list £5/7 6, for 30 -; wavemeter, 100 to 3,200 metres, second hand, list £3 10, for 35/-.—H., 50, Silkhill Hall Rd., Solihull, Birmingham. (1757)

ORMOND 65/- Moving Coil; 30/-.—Burt, 10, Station Rd., Hampton Wick, Middlesex. (1772)

ROLA, Dual, FG, P.7, 6.50 ohms, 200-250 D.C., as new; 55/-.—Spencer, 88, Mount Rd., West Bridgford, Nottingham. (1762)


W.B. P.M. Speaker, nearly new, No. 3; 35/-.—Lewitt, 22, Park Av., Worthing. (1773)

SENIOR R.K. Moving Coil Speaker, complete with super type amplifier, 100-250 volts, 25-100 cycles A.C., on original chassis, perfect in every respect; cost £45; offers wanted.—Penrhos Mount, Birchfield Rd., Redditch. (1775)

30/-—B.T.H. R.K. moving coil speakers, 6in. cone, new and unused, guaranteed; these speakers are type as used in cinema sound equipment; weight 30lb., and are vastly superior to cheap speakers now on the market, 100 volts, 150 volts, and 260 volts D.C.

27/6—6v. D.C. speaker, as above; £2 7/6, speaker as above, for 100-250 A.C.

17/6—British Radiophone 3-gang condenser, unused; carriage paid, cash with order, or cash.—Ward, 12, Trodegar Rd., Bow, E.3. (1735)




TRUST SAVAGE to make you a really good job

When you want a mains transformer you can't do better than come to Savage. Generous design, accurate, wax-interleaved layer windings and the best of everything go into every "Massicori" instrument. A triple over voltage test ensures complete dependability. You are always certain of a really sound job.

Write for Price and Specification List No. W.W.18.

SAVAGE
GUARANTEED MAINS EQUIPMENT
W. BRYAN SAVAGE
56/58, Clerkenwell Road, London, E.C.1
Phone: Clerkenwell 3068/9.

ENJOY Short Wave RECEPTION—with



the latest **MAGNUM Short Wave Adaptor**

FOR A.C. MAINS AND BATTERY SETS.

Model T. For sets using British Valves.
Model T.A. For sets using American Valves.
Model T.S.G. For sets using British S.G. Valve as detector.
Model T.A.S.G. For sets using American S.G. Valve as detector.

Price, including coil 40/80 metres Cord and Plug..... **39/6**
Extra if Coil required 18/10 metres..... **3/-**

SUPERHET ADAPTOR MODEL T.S.H.

For all British and American A.C. Mains and Battery sets employing a tuned high-frequency stage.

Price: Adaptor only, including 2 coils 18/10 and 40/80 metres..... **45/-**
Complete with special valve, H.T. and L.T. Batteries..... **63/-**

Send at once for full particulars with list of Short Wave Stations and free trial offer.

BURNE-JONES & Co., Ltd.
"Magnum" House, 296, Borough High Street, London, S.E.1.
Telephone: Holb. 6257 & 6258.
Scottish Agent: Mr. Ross Wallace, 54, Gordon St., Glasgow, C.1

Loud-Speakers.—Contd.

R. & A. VICTOR Speaker, new, 45/-; Turner P.M.M.C. speaker, perfect, 20/-.—Hall, Meadowlands, Huddersley, Telecastershire. (1990)

MAGNAVON Dual Compensated Speakers, 2,500 ohm (high), Triple transformer, cost, £3/10, guaranteed music: 42/-, Mid., 24, Adamson Rd., N.W.3. (1106)

01111—Magnavox D.C.144, standard model (English), 3 1/2 in. cone, state whether power or pentode is used, and 2,500 - 7,500 field required; 22 -.

01111—Ditto, with 8 1/2 in. cone (model D.C.142), same particulars; 29 6; will take 5 watts undistorted output.

01111—Ditto, Magna model, one only, 2,500 field, transformer and 7in. cone, extraordinarily sensitive; 31 6.

01111—Ditto, Magna type one only, 2,500 field, transformer, with 9in. cone; remarkable bargain, 41 6.

01111—Any of the above fitted Westinghouse rectifying equipment, for 200-250 A.C. energisation, humless; 17 6 extra, if required.

01111—Esquire dual energised types; walnut radio gram cabinet, new, particulars free, 59 6; genuine customer can't do; no time wasters.

01111—Marconiphone pick-up, K.17, new, 29/6; Garrard double spring motor, with turntable and all fittings, recently reconditioned; 13 6.

01111—Linnit soundbox and tonearm, almost new; 7 6.

01111—R. A. Arnold, 8, Fishponds Rd., Upper Tooting, S.W.17, Streatham 8209. (1325)

PICTURE RECEIVER APPARATUS.

TELEVISION—All necessary components supplied; list free; handbook on television free with all complete lists.—John Salter, Member Television Society, Featherstone Building, Holborn, W.C. (1776)

TRANSMITTERS.

AMATEUR Giving Up, Special 70ft. steel lattice mast, dismantled and complete with all fittings and hanging list; cost £50, any reasonable offer.—Davis, Hill 24, Col Chem. Works, Caterham 250. (1333)

VALVES.

GUARANTEED Valves, as new, emissions and characteristics perfect, all latest types; unsolicited testimonials.

CONSOR—210H.L.S., 210H.F.S., 210L.F.S., 3/9; 215P.L., 220P.S., 4/9; 41M.H.L.S., 41M.H.F.S., 6/9; 41M.P.L., 7/6; M.S.G./H.A.S., 8/-; P.T.41S., 12/-; M.V.S.G.S., 12/-; M.L.Pens., 14/-; 442B.U.S., 120 m.a. rectifiers, 8/9; 620T.S., 15/-.

OSRAM—H.1.210s, H.210s, D.E.H.210s, L.210s, 3/9; L.P.2s, P.215s, 4/9; M.H.4s, D.H.4s, 7/6; M.L.4, 7/6; M.S.1B.s, 9/6; P.T.4s, 12/-.

MULLARD, P.M.H.F.S., P.M.2D.N.s, P.M.H.F.S., 3/9; P.M.2s, P.M.2A.s, 4/9; S.4V.A.s, S.4V.B.s, 8/9; 354V.S., 7/-; P.M.S., 3/9.

MAZDA—H.L.210s, H.210s, 3/9; P.220s, 4/9; A.C. H.L.S., A.C.2H.L.S., 7/-; A.C.S.G.S., 9/6; A.C.P., 7/6; D.C.3H.L.S., 7/-.—R. Newman (First Floor), 30, Roman Rd., E.3. (165)

GUARANTEED Emission.—Latest type, as new, post free. Mains: M.S.4s, 7/-; M.L.4s, M.H.L.4s, 5/-; P.N.4, 7/6; American Clarion C.L.45s, C.L.44s, C.L.80s, 2 6; Roberts, 24, Southborne Av., N.W.3. (174)

THE Following Valves are Guaranteed as New, and are of a type differing from the makers' characteristics with the exception of all latest types.

A.C. Pens., A.C.S.I. V.M.S., M.P.T.4s, D.C.2 P.N.s, D.C.2 S.G. V.M.S., 11/-; M.S.4s, M.S.4B.s, A.C.S.G.S., S.4V.A.s, D.S.B.s, A.C.S.2s, D.C.2 S.G.S., 9 6.

M.L.4s, A.C.P.s, 41M.P.s, P.M.2H.s, 8/-; A.C.H.L.S., A.C.2 H.L.S., 354V.S., 41M.H.L.S., U.10s, U.U.60, 25s, M.H.4s, 7 6; P.T.2s, V.S.2s, 215S.G.S., 9/-; P.C.3H.L.S., 8/-.

A.D. Types of Brand new American Valves in Stock: A.24s, 235s, 224s, 236s, 237s, 12 -; 227s, 226s, 280s, 245s, 232s, 10 6.

U.X.25s, 7 watts output, 16 -; 282M, mercury vapour pentodes, 11 -; carriage paid, cash with order or cash.

FOR Q.O.184 Delivery Send Telegraph Money Order.—Ward, 12, Trodegar Rd., Bow, E.3. (1798)

VALVES, as new, guaranteed emission: Mazda A.C.7 Pen. 12 -; A.C. S.G., 9 6; A.C. P.I., 9 -; A.C. H.L.S., 8 -; A.C.2 H.L.S., 8 -; Mullard D.O. 25, 15 -; 24V., 8 -; P.M.12, 9 -; P.M., 22A., 9 -; Consor 220 S.G., 215 S.G., 5s, J. F. Anderson, 75, Landsdown Rd., Walthamstow, E.17. (1796)

COMPONENTS, ETC., FOR SALE.

WESTON Moving Coil Milliammeters (3011, 0.15 up to 200, 22 6; Turner ditto, 17 6; Turner thermocouple ammeter, 0-1.5, 25/-; 3-range moving coil meters, 0.3 m.a., 6 and 120 volts, 22/6; electrostatic and moving coil voltmeters, 0.2,000, 32 6; moving coil milliammeters, 0-10 upwards, 10 6; alterations and repairs of every description.—The Vieta Electrical Co., 47, High St., Battersea, S.W.11. (10355)

CONDENSER Blocks: 6d per mfd., 650-volt test, in blocks of 6 mfd. upwards, wired in 2 mfd. units; 2 years' guarantee; send by return of post on 7 days' approval; cash with order.—Butlers Radio, Ltd., 191, Forest Rd., Walthamstow, E.17. Phone: 3134. (10396)

OFFERS Wanted.—Valves, Mazda Pen. 220 and Pen. 220A, Osram D.G.2, P.M. moving coil chassis, Ormond C2, 6v. battery, 6v. battery superhet chassis; details per 5s. Express Av., Woodford Green. (1764)

L. K. Varley ganged coil assembly, B.P.9, 10, 11, 11, 27 6; Colver K.G.C., 4 -; P.W. dual, 3/-; O.T.2, 4 -; G.P.F., 4 6; Cydon Synchronizer, 7/6 (wired); P.C.C. 1 mfd. paper, 9/-; Tolson 1 mfd., 9/-; 66R unit, 15/-; B1 (ch. 8), 8 6; Pentonite, 7 6; A.P.6, 15/-; A.F.3, 7/6; A.P.5, 13 -; Nickel, 3 6; Igramic E., 2/6; O.P.M.1, 7/6; Ikon D.C. 15 25, 19 6; Minor pick-up, 14/-; Senior, 17 6; 50,000 Colverstat, 2 -; Ferranti W.V. resistors, 2 -; and 2 6; lots more; send wants.—Lupin Radio, 49, Clifton Rd., Liverpool, E. (1751)

CONDENSERS, 0.001, manufacturers' type, 6d, each, 4 -; 0.0025 Edison, 0.002 T.C.C., Balcon balancing, 4d, each; wanted, Westinghouse H.T.L.—Rogers, St. Vallery, Frauchley Rd., Redhill. (1765)

FOR EVERY SET—there's a
PILOT
AUTHOR KIT
CASH—C.O.D.—or H.P.

Q.P.P. BATTERY
GRAMOPHONE AMPLIFIER

KIT "A" Author's Kit of specified parts, including **Ready Drilled and Assembled Ply-wood Chassis**, but excluding Valves and Cabinet.
CASH or C.O.D. Carriage Paid
£3-6-6
 or 12 monthly payments of 6/-
Set of Specified Values £2 - 2 - 0

D.C. GRAMOPHONE AMPLIFIER

KIT "A" Author's Kit of specified parts, including **Ready Drilled and Assembled Ply-wood Chassis**, but excluding Valves and Cabinet.
CASH or C.O.D. Carriage Paid
£5-13-0
 or 12 monthly payments of 10/3
Set of Specified Values £2 - 13 - 6

QUIESCENT PUSH PULL TWO

KIT "A" Author's Kit of specified parts, including **Ready Drilled Panel and Assembled Baseboard**, but less Valves, Cabinet, Meter and Speaker.
CASH or C.O.D. Carriage Paid
£3-9-0
 or 12 monthly payments of 6/4

ACCESSORIES.
 1 Sifam Moving Iron Milliammeter, E.60 10 0
 1 Celestion Q.P.T. 19A Loudspeaker with Trans-former £2 10 0
 Specify if Panel is required drilled to take Meter when ordering.

KIT "B" As Kit "A," but with Valves, less Cabinet, Meter and Speaker.
CASH or C.O.D. Carriage Paid.
£5-11-0
 or 12 monthly payments of 10/3

KIT "C" As Kit "A," but complete with Valves and Cabinet (less Speaker and Meter). **CASH or C.O.D. Carriage Paid.**
£6-3-6
 or 12 monthly payments of 11/4

If Sifam Meter is required add 10/- to Cash Prices or 11d. to each monthly payment.

ALL-WAVE MONODIAL

KIT "A" Author's Kit of specified components including **Ready Drilled polished Oak Ply Panel, and ready drilled and assembled baseboard**, but less Valves and Cabinet.
CASH or C.O.D. Carriage Paid.
£12-1-0
 or deposit £2-1-0 and 11 monthly payments of £1-0-0

KIT "B" As Kit "A," but with valves. **CASH or C.O.D. Carriage Paid.**
£16-18-6
 or £2 18 6 deposit and 11 monthly payments of £1 8 0

DIRECT READING
STATION FINDER

Complete Kit including all components as specified by the designers, LESS "Knock-down" Plywood Cabinet. **CASH or C.O.D. only** **20/-**
 As above but with "Knock-down" Plywood Cabinet. **CASH or C.O.D. only** **27/6**

To **PETO-SCOTT CO. LTD. 77 City Road, E.C.1.**
 Dear Sirs: Please send me by return **CASH, C.O.D., H.P.**

or which I enclose £ d.

Name

Address

W.W. 10 2 31.

West End Showrooms: 62, High Holborn, W.C.1.

Components, etc., for Sale.—Contd.

R.
SELECTED Parts for Sale, as new; any c.o.d., or "Wireless World" deposit system, which we recommend it in doubt as to the splendid value offered; we take all risk of damage in transit to our customers; all goods tested for callers and guaranteed however low price. Notice.—Payment by cheque; no goods despatched until these are cleared.

T.C.C. 1 mfd., type 65, 1/3; T.C.C. type 85, 1 mfd., 375v. working, 1/6; T.C.C. 2 mfd., 250v., type 65, 1/6; T.C.C. 2 mfd., 375v. working, 1/9.

METERS, moving iron and moving coil, all new instruments specially made for Ryall's Radio, all guaranteed for one year, moving coil meters to B.E.S. first grade specification, all panel flush type bakelite case.

MOVING COIL, 0-1 m.a., 25/-; 0-10 m.a., 0-50 m.a., 0-25 m.a., 0-5 m.a., 21/-; 0-250v., 1,000 ohm per volt, 31/-; 0-300v. ditto, 32/6; all with zero adjustment, size 3 3/4 in. diameter, 2 1/2 in. dial face.

MOVING IRON METERS, first grade air damped, with zero adjustment, A.C. meters, 0-250v., 18/-; A.C. and D.C., 0-50 m.a., 15/-, size as above.

MOVING IRON METERS, in cases, as above, A.C. meters, 0-12v., 10/-; 0-250v., 12/-; 0-6 amp., 10/-; A.C. and D.C. 0-20 m.a., 10/-; 0-50 m.a., 10/-; 0-10 m.a., 10/6; also flush type back terminals, nickel case, 2 1/2 in. diameter, D.C. only, 0-10 m.a., 7/-.

RYALL'S RADIO Offer Reliable Resistances, 1 watt, suitable for all "Wireless World" sets where a 1 watt resistance is specified, in values 100, 1,000, 2,000, 5,000, 6,000, 10,000, 25,000, 30,000, 75,000, 150,000, 250,000, 20,000, all values stated in ohms, 6d. each, guaranteed one year, wire ends, new goods.

RYALL'S RADIO Own Mains Condensers, offered with confidence, selected with care, all with terminals, 1 mfd. 250v. working, 400v. peak, 3/6; 4 mfd. 400v. working, 600v. peak, 4/6; 4 mfd. 750v. working, 1,000v. peak, 7/6; 2mfd. 750v. working, 4/6; new goods.

RYALL'S RADIO Mains Transformers, new goods, 250v., 60 m.a., 4v. 1 amp., 4v. 3 amp., 10/6; ditto, super type, with 4v. 5 amp., 17/6; 350v., 60 m.a., 4v. 2 amp., 4v. 4 amp., 12/9; step up or down transformer, 110v. to 220v., 10/6; transformer for H.T.B. with 4v. 4 amp., 12/9; H.T.7, 10/9; filament, 4v. 5 amp., 8/6.

RYALL'S RADIO Chokes, 20H 120 m.a. resistance, 260 ohm, 8/9; 25H at 60 m.a., res. 260 ohm, 6/9; 40H 100 m.a. resistance, 600 ohm, 10/6, constant inductance chokes.

T.C.C. 2,000 m.f. electrolytic, 12v. working, 9/-; Polar Star 3-gang condensers, new, 16/-; with drive, 18/6; H.T.B. with transformers, including 4v. 4 amp., 27/6; new; Radiophone 2-gang 0.0005, with cover and disc drive, new, 16/6.

R.I. Adjustable I.F. Chokes, 15 40h. at 200 m.a., 25/-; list 45/-; Marconi 6-1 transformers, ideal type, 5/-; Igranite screened potential dividers, 4/6; Waxmaster S.M. 0.0005 extender, 6/6; Cylcon 0.0005 extender, 7/6; Cylcon 2-gang 0.0005 extender, 15/-.

T.C.C. 1 mfd., 400v. working, 2/-; write for copy of our free list, now ready; Colvern T.G.B. coils, to clear, as formers, at 2/6 each; Colvern T.G.S.C. coils, 5/-.

SPEAKERS—D.C. Amplifier, 2,500 power of pentode, 14/6; new, 20/-; Kolster Bramble, new, 4v., L.R., 9/6.

SUITCASE Cabinets in Best Crocodile Leather, 14/-; 14-8, ample room for 12in. turntable and pick-up; 15/-; new.

WEARITE Lever and Rotary Switches, 4-5 poles, D.T., new, 2/6, or 10/6 dozen; Mullard fixed condensers, boxed, new, 0.001-6, 0.0005, etc., 3/- dozen.

EDISON BELL, 10,000, Eureka wire wound, with E holders, 1/-; Edison Bell 0.0005 universal leg all metal condensers, 1/6, new.

RYALL'S RADIO, 33, Chancery Lane, London, W.C.2 (Nearest Tube, Chancery Lane; bus 67 passes door, or train to Savoy St.), Holborn 3529. Open Saturday afternoon, Close 7 p.m., Thursdays 1 o'clock, Saturday 6 p.m.

R. [1760]

HOYNE'S Transformers and Chokes.

250—0-250v. 60 m.a., 4v. 1-2a., C.T., 4v. 3-4a., C.T.; 10/-, post 9d.

350—0-350v. 70 m.a., 4v. 2-3a., C.T., 4v. 3-4a., C.T.; 12/6, post 1/-.

350—0-350v. 120 m.a., 4v. 2a., C.T., 4v. 4-6a., C.T., 4v. 2a., C.T.; 16/-, post 1/-.

450—0-450v. 150 m.a., 4v. 2-4a., C.T., 4v. 2-6a., C.T., 4v. 2a., C.T., 4v. 2a., C.T.; 25/-, post 1/3.

500—0-500v. 140 m.a., 4v. 2-4a., C.T., 4v. 2-6a., C.T., 4v. 2a., C.T., 4v. 2a., C.T., or 6v. windings if preferred; 27/6, post 1/3.

WESTINGHOUSE Model 150, 260, 240v., 300 m.a., 4v. 2a., C.T., 4v. 2-6a., C.T., suitable for H.T.8, H.T.9, or H.T.10; 15/-, post 1/3.

LINE Transformers (auto wound), 0-100, 110, 200, 220, 240v., 60 watt, 7/9, post 1/-; 120 watt, 11/-, post 1/-; 180 watt 15/-, post 1/3.

CHOKES, 30h. 150 m.a., 12/-, post 1/-; 20h. 120 m.a., 8/6, post 9d.; 30h. 60 m.a., 6/-, post 6d.; 30h. 30 m.a., 3/6, post 6d.

HOYNE'S Transformers are Guaranteed for One Year; every model is made from British material of best quality.

HOYNE'S Transformers.—All primaries are tapped and screened, damped in aluminium frames, and fitted with clearly marked terminal strips.

HOYNE'S Transformers for Reliability.

HOYNE'S for Best Condensers and Resistances.

HOYNE'S Stock M.C. Speakers.

M. J. HOYNE, Offices and Works, 8a, Glastene Rd., Wimbledon, S.W.19. Phone: Liberty 3303.


"GOLTONE"

COMPONENTS
FOR YOUR
"W.W. ALL WAVE
MONODIAL
BATTERY
RECEIVER"



"GOLTONE" SUPER
H.F. CHOKE.

Praised by the "Wireless World" (See page 132, Nov. 1932 Issue)
 Recommended for the "W.W. ALL-WAVE MONODIAL BATTERY RECEIVER" (Ch.1).
 For S.G. and Super Het. Circuits Covering Wavelengths from 10 to 2750 meters. Inductance 350,000 microhenries, D.C. Resistance 225 ohms. Self-capacity 5 MMFD. R3 1/2. Price **4/6** each. **SCREENED H.F. CHOKE** (Ch.2). Price **4/-** each.



"GOLTONE" COMPRESSION TYPE CONDENSER

Panel or Baseboard Mounting. AS SPECIFIED FOR THE "W.W. ALL-WAVE MONODIAL BATTERY RECEIVER" A unique feature is that this Condenser can be mounted on the panel and adjusted from outside the set as with the ordinary controls. **Type "H"** (4 in Set) **1/3**

"GOLTONE" AIR-SPACED FLEXIBLE METALLIC SCREENED TUBING.

As used in the "W.W. ALL-WAVE MONODIAL BATTERY RECEIVER".
Prevents self-oscillation. Low self-capacity. Minimum dielectric loss.
 Size of Tubing 2m/m Bore to take all Standard Single Panel connecting wires. Supplied in one yard lengths. R43/91 (per yard) 9d. R43/92 3m/m (per yard) 101d.

FREE
1933 48 PAGE FULLY ILLUSTRATED RADIO CATALOGUE NOW ISSUED.
 "GOLTONE" Components are obtainable from all First-Class Radio Stores. Refer substitutes—if any difficulty write direct.

Ward & Goldstone
 PENDLETON MANCHESTER

A set is as good as its components

When you incorporate a BURTON TRANSFORMER in your set you are using a component of the highest efficiency, which will reveal itself in the tonal purity and volume of your set.



Ask your dealer for BURTON.

Wound in ratios of 3-1 and 5-1.

PRICE 5/9

Made by

C. F. & H. BURTON, Walsall.

BUILD A BETTER SET WITH

BURTON COMPONENTS

EPOCH

MOVING COIL SPEAKERS

The Finest in The World in Each of Their Price-classes.

Ask your dealer or call for a demonstration at Exmouth House.

Send for New Booklet W.S. 5a. It is free.

EPOCH RADIO MANUFACTURING Co. Ltd.

Exmouth House, Exmouth St., London, E.C.1

A the junction of Roper's Lane and Farringdon Road. Phone: Clerkenwell 6009 (4 lines).

engineers

PUT US TO THE TEST

All we ask is the chance to prove that you can earn £300, £400, £500 per year and more. Other men are doing it and you can do the same.

The first thing to do is to send for our FREE Handbook "ENGINEERING OPPORTUNITIES." This 25-page book contains details of B.Sc., A.M.I.C.E., A.M.I.Mech.E., I.E.E., A.M.I.A.E., M.I.M.T., G.P.O., etc. Exams, outlines Home-Study Courses in all branches of Civil, Mech., Elec., Motor, Aero, Wireless and Talking-Picture Engineering, and explains the advantages of our unique Employment Dept. We urge you not to neglect our offer. Send for your copy of our Handbook to-day. FREE of charge.

British Institute of Engineering Technology, 387, Shakespeare House, 29/31, Oxford Street, London.

GRESSALL RESISTANCES

"Cressall" Asbestos-Wire Woven Resistance Nets for voltage absorbing on D.C. Mains. Receivers. Mica - Wound Resistance Units. Sliding Resistances. Resistance Wires.

Please write for Lists.

GRESSALL MANUFACTURING COMPANY, 31-32, TOWER STREET, BIRMINGHAM.

GRIPSO

PATENT PUSH-ON EARTHING CLIP TO FIT 1/2" PIPE

THE GRIPSO COY

28 VICTORIA ST LONDON, E.W.1

EACH

SIFAM "QUIESCENT" CIRCUIT METER

Exclusively Specified for "W.W." "QUIESCENT" P.P.

ALL BRITISH

Type E.66. 10 M/A Scale, 10/-

Flush fitting, black moulded case. Immediate delivery. From all dealers if any difficulty, send P.O. for 10/-

SIFAM E.I. Co. Ltd., YORK WORKS, BROWNING ST., S.E.17

Components, etc., for Sale.—Contd.

BIRMINGHAM RADIO MART'S Weekly Selection Manufacturers' Surplus Stocks; new unless otherwise stated.

RESISTANCES, Eric. I.I.M.V., etc.; our selection, 5,000 to 100,000 ohms, 3 dozen; Dubilier and T.C.C. mica condensers, 3" dia.; D.M.V. hum stoppers, C.T., 91; amide oscillation stoppers, 3d.

MEASURES—British flush 25-in. nickel any range above 20 m.a.; 5/9; few Sifam M.C. 15; 2 m.a., 17/6.

COLUMBIA 2-valve Chassis, complete, disc, dials, L.A.S., etc.; 15/- no valves.

CONDENSERS, T.C.C. 1,700v. working, brand new, 4 1/4 mfd., with heavy stand-off insulators; 25/- for 6 stocks of Hydra and T.C.C.

GOLTONS Cosmic Coils, comprising one dual range coil and one short wave ditto on air-spiced formers; the pair 2/9.

MARCONI M.C. Output Transformer, 13 to 1, can be tapped for universal from 54 to 4 1/2 to 1; see our page 5.

2-GANG 0.0005 Diecast Frame 1-in. Spindle Trimmers, with 17/6. finest quality, made largest firm in industry, 6/6.

NEW Boxed Lewins Short Wave 6-pin Coils, 20 45 and 40 90 metres; 1/6, or 3/- pair, just free.

PLEASE Note, Radio Mart's adjacent sale commences February 6th; hundreds of snips for callers; 19, John Bright St., Birmingham. Phone: 6741.

ATLAS Tapped Output Choke, shrouded, 10"; Ferranti 4 mfd. condensers, 500v., V.A.C. test, 3/9.

HEAVYBERD H.P. Eliminator, type (120. 35); Ferranti mains transformer for Westinghouse H.P.L. 17; O.P.M. 6, 13 3; A.F. 3, 12 6; A.P. 6, 15 4; O.P. 3C, 12 3; B5 choke, 6/9.

SONOCORDE Standard P.M. Speaker, 1st 32 5, unused, 4/-.

J.B. Tintune 2-gang Condenser, with disc drive, fully screened; 10 6; unused.

WESTINGHOUSE Metal Rectifier, 300v. at 60 ma., 15 6; 350v. at 65 ma., 15/.

ALL Above Goods are Guaranteed Perfect; sent on 7 days' approval against cash or credit; we will allow 5% off the list price on your surplus radio gear in part exchange for new—W. B. Mackie, 61, Dartmouth Rd., Forest Hill, S.E.23. Phone: Syd. 6741.

WANTED for Cash, highest prices paid, up to one-third of list price, for:

MODERN High Grade P.M. and Energised M.C. Coil Units and Balanced Pairs, etc., Ferranti and West a M.C. meters in useful ranges.

HIGH Grade L.F. and P.P. Input and Output Transformers, Ferranti, Varley, etc., high grade electric gramophone motors and pickups and arms.

ALL Types of Standard A.C. Mains, rectifiers, and 2-volt battery valves, if late type and full emission.

LATE Model Westinghouse Rectifiers, high grade mains transformers for same, or high voltage mains transformers for 4v. rectifying valves, high grade L.F. chokes, Ferranti, Varley, etc., and electrolytic or fully screened ganged condensers.

GOODS Bought for Cash from Callers; only goods of G types enumerated considered; parcels by post or carrier by arrangement; enquiries 1/6d. stamp please!

APPELBY'S, Buying Office, 46, Bloomsbury St., New Oxford St., London, W.C.1. Museum 8195. 11738

EXPERIMENTERS' Guaranteed Components, Ferranti H.F. kit, 10/-; amide lead unit, with resistances, 5/-; C.I. condensers, 2 6; B.1 chokes, 15 6; O.P. 9C, 10/-; O.P.M.C. 16 6; A.P.C. 17/-; A.P. 10, 3/-; S.V. 4 unused mains, 13/-; safety box, 12 6; Marconi Universal transformer, 3 6; Ideal chokes, 10/-; pick-up, 35/-; T.C.C. coils, 1 6; 4 mfd., 6 2 6 mfd., 8 6; Mansbridge, 0.25, 1 4; R.I. 25,000 ohm potentiometer, 3/-; Hero 400 ohm potentiometer, 1 6; Euder double potentiometer, 5 3; Cinnox H.F. chokes, 1 6; Pvc differential condensers, 1 6; Chasmount 3-gang, 10/-; Ormond dial, 1 6; A.C./H.L. 7/-; A.C. P., 7 6; A.C. S.G., 9 6; P.T.H. Universal 55 v. gramophone motor, 55/-; Brown midget speaker, 52/-; Harvey, Queen St., West Bromwich. 11228

WEST END RADIO STORES—Genuine liquidators' stock for disposal; a few special bargains:

T.C.C. Electrolytic Condensers, 2,000; 2,000 mfd., 12v. pack, 4 9; T.C.C. wet electrolytic condensers, 8 mfd., 400v. working, 6 6; ditto, 4 mfd., 5 v; P.C.C., 1 mfd., 500v. test, 1 5; T.C.C., 6.5 mfd., 500v., tapped, 5 6; T.C.C., 0.01 94, 0.25, 1 4.

CHASSIS, wired, complete, 2 valve A.C., S.G., 37/6; 2 valve A.C., C3; 2 valve D.C., 28 6.

STEPS, Brook Radio 2-valve D.C., 45; 2-valve A.C., 45 10; 3 valve A.C., S.G., 47 10; all with portable output and moving coil speakers, complete.

HEAVYBERD Mains Transformers, 250 0.250v., 4v. J.A., 4/-; 2nd, 10/-; list 35/-; Wearrite ditto, same output, 13 9.

EKCO Pick-ups, complete with volume control, etc., 14 6; heads only, 5 6; Dux L.F. transformers, 3 11; Dux L.F. chokes, 4 11.

PYE L.F. Chokes, 32 and 20 henries, 4/-; twin-gang Utility condensers, 0.0005, screened, 12 6; S.M.

IGRANIC Rotary Changeover 2-way Switches 1 6, 3-way 1 9, 4-way 2/-; Lewins wire-wound volume controls, 10,000 and 50,000 ohms, 2 3.

ERBE 1-way Resistors, all sizes, 8d.; Polar 0.0005, disc drive, 0.0005, S.M., 3/11; Polar twin-gang 0.0005 S.M. drive screened condensers, 9/6.

SONOCORDE M.C. Speakers, 2,500 ohm, and 6,500 ohm 18 6; N. and K. Ferranti inductor speakers, 35/-.

D.C. Mains Resistances for 5 valves, 200 250v. input, 4 6; 5-pin sub-baseboard valve holders, 4/-; Bulgin 1 1/2 toggle switches, 1 2.

LOTUS 0.0005 Slow Motion Condensers, 3 6; Lotus 5-pin valve holders, 6d.; Utility 0.0005 drum S.M. condensers, 3 6.

COLLARD A.C. Induction Gramophone Motors, 43 C model, with automatic stop; 37 6, boxed.

ALL Goods Guaranteed as New; see our windows for hundreds of bargains in set, speaker and radiogram cabinets, A.C. and D.C. valves, moving coil speakers, and every component you may require, at real knock-out prices.

WEST END RADIO STORES, 14, Lisle St., Leicester Sq., W.C.2 (Gerard 7341); and at 392, Coldharbour Lane, S.W.8. Postage extra on all orders. 11900

BELLING-LEE

FUSES and FUSE-HOLDERS

An exceptionally neat and compact Fuse-holder to take 1 1/2 in. fuses. Heavy gauge phosphor bronze clips, soldering tags and terminals. Complete with 1 amp. fuse.

No. 1031
Price 9d. each

Spare Fuses, all ratings and sizes, 6d. each.

Write for complete list.

BELLING-LEE

FOR EVERY RADIO CONNECTION

Agents of Belling & Lee Ltd., Cambridge Arterial Rd., Enfield, M.I.

Quiescent Push Pull

with **H.F.** stages !!

de Luxe Table Model, Band Pass, 1 H.F. and 5 gns. Speaker - - - 21 Gns.

Super Het Types to order.

F. E. GODFREY (Radio) LTD. MUS. 9134
63-5-7, Chonies Mews, Francis St., W.C.1.

PARIMA SELENIUM CELLS

FOR ALL PURPOSES.

Parima Light-Sensitive Resistances are constant mechanically strong, moisture proof and exceedingly sensitive. Fully guaranteed for 12 months.

Prices from 5/-

PARIMA MANUFACTURING CO.,
21, BROMLEY ROAD, S.E.8. (Hither Green 3029).

RYALLS RADIO,

33, CHANCERY LANE, LONDON, W.C.2,

accept used radio parts, or sets, in part or full payment for brand new, at list prices. Only good quality components accepted, accumulators and very small items cannot be taken. Goods bought for cash from callers, up to one third of list price paid, parcels by post by arrangement only.

EVERY PART FOR EVERY CIRCUIT

LEONARD HEYS

NOTICE TO TRADERS

Your Quiescent Push-Pull, Monodial, Station Finder, S.T.400, New Century Super, Melody Ranger and all other radios. Requirements can be obtained QUICKLY from

LEONARD HEYS WHOLESALE ONLY
Faraday House, Henry St., Blackpool, Lancs.

Write for details of our Trade Service including trade card.

Hear PERFECT radio

through a **PERMAG**

CHASSIS ONLY 38/6
CABINET MODEL 49/6

REPRODUCER

Ask your dealer or write to:
BAKER'S SELHURST RADIO
75 & 77, Sussex Road, Croydon.
Phone: Croydon 3441/2.

FOR VOLUME & TONE

IGRANIC

ALONE

Mention of "The Wireless World," when writing to advertisers, will ensure prompt attention.

Components, etc., for Sale.—Contd.

PREMIER SUPPLY STORES offer the following brand new goods at a fraction of the original price; all goods guaranteed perfect; carriage paid over 5/-, under 5/- postage 6d extra. (Inland carriage forward.)

PREMIER—Mains transformers, all guaranteed, terminal connections, 200/250 input, 40/100 cycles, output 135 volts at 80 m.a., for voltage doubling, 8/6; 4 volts 4 amps, C.T.; low tension, 2/- extra; Westinghouse rectifier for above, 8/6.

MAINS Transformers, primary 200-240 volts, secondary 350-350 volts at 90 milliamps., 4 volts at 3 amps. (C.T.), 4 volts at 2 amps (C.T.), 12/6.

AMPLION Transformers, input 100-250 volts, output 350/350 volts, 120 milliamps., 4 volts at 5 amps., 4 volts at 2 amps., 6 volts at 1 amp., all centre tapped; 17/6.

MAINS Transformers, 12 volts 1 amp., 7/6; 9 volts 1 amp., 7/6; 4 volts 4 amps. and 4 volts 2 amps., 8/6; 14 volts 4 amps., 12/6; 4 volts 3 amps., 7/6; 4 volts 5 amps., 8/6; 6 volts 2 amps., 7/6; 7½ volts 2½ amps., 7/6; 10 volts 3 amps., 10/6.

H.T.9 Transformer, 230 volts 200 milliamps., with 4 volts 4 amps. (C.T.) winding; 17/6 (with screened primary).

H.T.8 Transformer, 10/-; with 4 volts 3½ amps. low tension C.T., 15/-; complete with Westinghouse H.T.8 rectifier and L.T. winding, 27/6 (with screened primary).

MAINS Transformers, output 250-0-250 volts at 60 milliamps., 4 volts at 1 amp., 4 volts at 2 amps., 4 volts 3-4 amps., all centre tapped; 15/- (with screened primary).

MULTIRATIO Output Transformers, 15 different ratios; 7/6.

PREMIER Chokes 40 milliamps. 25 henries, 4/-; 65 milliamps. 50 henries, 6/-; 150 milliamps. 30 henries, 10/6; Pentode output chokes, tapped, 7/6.

DYE Chokes 110 henries, 4/-; 20 and 32 henries, 4/6.

SMOOTHING Chokes for Series Connected Filaments from D.C. mains, carry 1 amp.; 7/6.

KOLSTER-BRANDEN 80 milliamps. 50-henry Chokes, tapped, 1/3 and 2/3, 7/6.

T.C.C. Condenser, 2 mfd. 750 volts working, 4/-; 4 mfd. 750 volts working, 6/-; 4 mfd. 400 volts working, 4/-; 4 mfd. Electrolytic, 440 volts working, 4/-; 8 mfd. 4/6.

T.C.C. Block Condensers, 250 volts working, 8/12; 2+1 4 mfd., 5/6; 375 volts working, 1+1; 0.110.1.0.1 40.14.0.110.1 mfd., 2/-; 375 volts working, 6/14; 2+2+2 2 mfd., 10/-; 250 volts working, 2+2+2; 2+1 mfd., 5/6.

WESTERN ELECTRIC, 0.01-0.01 mfd., 400 vds working, 1/-; blocks 4+2+2; 1+0.09 mfd., 400 volts working, 6/-; 10 mfd., 400 volts working, 5/-.

FERRANTI Condenser Blocks, 300 volts working, 4+4+2+2 mfd., 10/-; T.C.C. 0.1 mfd. non-inductive condensers, 9d.

VARIABLE Condensers, Polar, 3-gang tub. type, fully screened, split end vanes and disc drive, 0.0065, 12/6.

ORMOND All-brass 2-gang Condensers, semi shielded, 0.0065, 5/-; Ormond all-brass 0.0065 slow motion condensers, with knob and dial, 3/6; Polar 0.0065 and 0.0025 Bakelite Dielectric condensers, with knob, 1/-.

PREMIER Eliminators, input 200-250 A.C., 40/100 cycles, output 250 volts at 60 milliamps., 80 volt and 120-volt taps, incorporating Westinghouse rectifier, 42/6; with 4 volts 4 amps., L.T., 7/6 extra.

PREMIER Eliminators, input 200-250 A.C. Output 80, 100, and 120 volts at 20 milliamps., incorporating Westinghouse rectifier, 27/6; with L.T. charger incorporated, 35/-.

D.C. Eliminators, output 60, 90 and 170 volts, at 120 milliamps., 15/-; larger model, output 80, 120 and 200 volts at 50 milliamps., 25/-.

ACCUMULATOR Chargers for A.C. Mains, input 100-250 volts, 1-2 amp., 17/6; 1 amp., 22/6.

PREMIER Eliminators, input 200-250 A.C., output 150 volts at 30 milliamps., 2 lower taps, incorporating Westinghouse rectifier, 37/6; with 4 volt 3-4 amp. L.T.

AMPLION Moving Coil Speakers, type E.M. 644, dual fields, 2,500 and 5,000 ohms (100 or 200 volts), with multi-ratio output transformers; 15/-.

B.T.H., R.K. Minor, moving coil speaker, 2,500 ohm field; 15/-, with multi-ratio transformer.

K.B. Auditorium Speaker, 6 volt model, 25/-; A.C. model 42, with output transformers.

S.G. BROWN Permanent Magnet Speakers, giant S. model, 12in. core, high resistance speech coil; listed 48, our price 42.

AMPLION Permanent Magnet Moving Coil Speakers, type M.C.22, complete with multi-ratio transformer; 30/-.

15,000 Ohm Wire Wound Potentiometers, 1/6; Centralab potentiometer volume controls, 50,000 ohms, 2/-; Colver-tats, logarithmically wound, potentiometers, 6,600 ohms, 1/9.

WIRE Wound Resistances, any value, carry 20 m.a., 2/-; 40 m.a., 3/-; 60 m.a., 4/-; 120 m.a., 5/6.

WIRE Wound 5-watt Resistances, 3,500, 4,000, 7,500, 8,500, 9,000, and 10,000 ohms; 1/- each.

EDISON BELL Wire Wound Clip-in Resistances, 10,000, 60,000, 70,000, 80,000, and 90,000 ohms; 1/3 each.

HEAVY Duty Variable Resistances (slider type), wound on porcelain, 200 ohms, 1 amp., 2/6; 350 ohms 1 amp., 2/6; 2,000 ohms ½ amp., 5/-; 500 ohms ½ amp., 5/-; 50 ohms 2 amps., 2/6; B.T.H. electric gramophone motors, induction type, 100-250 volts, A.C., 30/- complete; double spring gramophone motors, complete 15/-; single spring 9/-; B.T.H. A.C. and D.C. motors, 55/-.

S.G. BROWN'S Microphone Amplifiers (Microbox); S. listed 45/5, our price 7/6.

CROYDON Rotary Converters, input 220 D.C., output 220 A.C., 160 v.a.; 44/10.

WESTERN ELECTRIC Public Address Speaker Horns, weatherproof, exponential, 7in. long, bell 22x14, fit practically any unit, constructed of solid timber, weight 10lb.; 25/-, carriage forward.

(This advertisement continued in third column.)

Components, etc., for Sale.—Contd.

(This advertisement continued from first column.)

ERKO Microphones, complete with transformer, a really fine job; 18/6.

S.G. BROWN'S Power Units, consisting of tapped mains transformer, Westinghouse rectifier, and T.C.C. electrolytic condenser, output 6v. 1 amp., for charging and energising; 21/-, listed 25/15.

WESTINGHOUSE Rectifiers, 120 volts at 20 m.a., 6/6; 180 volts at 20 m.a., 8/6; 8 volts at 0.5 amp., 6/6.

AMPLION Pick-up with arm and volume control; 12/6; Cleverest wirewound potentiometer, 50,000 ohms, 2/6.

All the following Lines 6d. Each, or 5/- dozen Assorted Tuning condensers: Mullard half watt resistances, 60,000 and 16,000 ohms; vacuum resistances, 10,000 and 10,000 ohms; shielded S.G. or Pentode loads; Mullard 0.01 condensers; 2 mfd., 1 mfd., ½ mfd., metalised resistances; 2in. lengths of screened wire; 5 pin. valve holders; 4-pin valve holders; any size grid bars and condensers; fuse bulb with holder; Crabtree tank 5 amp. switches.

FOR C.B.R. Only. The following valves, guaranteed as new, at 60/- off list price: M.P. Pen; U.U.60 250; P.T.25; M.S.G.; A.C. Pen; V.D.S.; U.U.120-350; D.H.A.C.P.; D.P.T.; S.A.V.A.; M.S.4B; A.C. S.G.; A.C. 10; A.C.P.1; 904V.

All Orders to 20-32-24, High St. Clapham, S.W.4. Callers to High St., Clapham (Manly 2188). Closed 1 o'clock Wednesday. Open till 9 o'clock Saturday. Nearest Station Clapham North Underground. (1674)

EVERYTHING for Movies and Talkies.—Phone, write or, better still, call and inspect immense stock of bargains.

ILLUSTRATED ENTERPRISES, 159, Wardour St., London, W.1. Tel.: 6889 Gerrard (1621)

NEW Offer. Brand new, guaranteed, set manufacturers' surplus: Mains transformers, tapped and screened primary, L.T. windings, C.T., 500-0-500 at 120 m.a., 22/-; 450-0-450 at 120 m.a., 21/-; 350-0-350 at 170 m.a., 20/-; above have following windings: 4 volts 2½ amps., 4 volts 5 amps., 4 volt-2 amps.; 325-0-325 at 80 m.a., 4 volts 2½ amps., 4 volts 4 amps., 12/-; 350-0-350 at 60 m.a., 4 volts 2½ amps., 4 volts 5 amps., 12/-; 250-0-250 at 60 m.a., 4 volts 1 amp., 4 volt-1 amp., 4 volts 3 amps., 12/6; special jobs for "A.W.V." Straight 5, 25/-; "A.W.V." Monodul, 21/-; "A.W.V." Baby Super H.P. 16/-; for Westinghouse metal rectifiers, H.T.8, 12/6, H.T.9, 16/-; smoothing chokes, 20 henries, 120 m.a. (400 ohms), 9/-; 50 henries, 60 m.a. (600 ohms), 30 henries, 60 m.a. (500 ohm-), 6/6; 20 henries, 30 m.a. (500 ohm-), 5/6; condensers, G.E.C., 375 D.C., or 250 A.C. working, 1 mfd., 1 1/2 mfd., 1 9/4 mfd., 1 5/8; 1,500 test, 1 1/8, 2 mfd., 2 3/4, 4 mfd., 4/-; multiple blocks, 1,500 test, 20 mfd., 4/14; 2+2+2, 2+1 1/2, 11/-; 11 mfd., 4+2+2+2+1, 6/6; R.L. Potated transformers, 6/-; variable condensers (H.M.V.), 2 gang, semi screened, with trimmers, 11/-, 25/-; at 6/-; H.M.V. screened chokes, 1/-; constructors' kits, Mullard Radio for Million A.C.3, sealed cartons, with valve, 1354V., 8.4V., Pen.4V., list 46/10, 72/6; battery model, list 45/10, 70/-; Ready Radio 303, 3-valve battery kit, with Mullard valves, list 43/10, 42/-; moving coil speakers, U.S.A. manufacturers' type Rola, complete with multi-ratio transformers, 6 volts (18 ohms), 110-175 volts (2,000 ohms), 90-130 volts (2,500 ohms), 200-240 volts (6,500 ohms), all 17/- each; A.C. models, 30/-; Magnavox X. series, list 6/6, 45/10 models 16 volt units only, with transformer, 22/- All carriage paid, cash, or call Newell's Mustard Radio, 51, George St., Hanover Sq., London, W.1. (1717)

SOUTH RADIOS Guaranteed Wireless Parlours.—Mains transformers, fully tapped primary, 200/250v., 50 cycle centre tapped, L.T., 250-0-250, 60 m.a., 4 volts 1 amp., 4 volts 3 amps., 11/- each; 350-0-350, 60 m.a., 4 volts 2 amps., 4 volts 4 amps., 13/- each; 350-0-350, 120 m.a., 4 volts 1 amp., 4 volts 2 amps., 4 volts 4 amps., 18/- each; 450-0-450, 120 m.a., 4 volts 2½ amps., 4 volts 4 amps., 4 volts 2 amps., 19/6 each; 500-0-500, 120 m.a., 4 volts 2½ amps., 4 volts 5 amps., 21/- each.

TRANSFORMERS for Eta, Lissen and Lowe rectifiers, H.P.4, 5, 6, or 7, 12/6; for Westinghouse H.T.8 or 9, 14/6 each.

SMOOTHING Chokes, 40 henries 40 m.a., 700 ohms, 6/6 each; 20 henries 60 m.a., 480 ohms, 7/9 each; 15 henries 100 m.a., 350 ohms, 8/9 each; 20 henries 120 m.a., 270 ohms, 9/3 each; pentode output choke, tapped, 1/2, 2, and 3 to 1 ratios, 50 henries 30 m.a., 7/9 each.

All Transformers and Chokes Guaranteed for 12 months; special capacities quoted for and delivery given within 3 days from receipt of order.

SET Manufacturers New Surplus. Mullard radio for million, A.C. 3-valve kits, in sealed cartons, including 3 Mullard A.C. valves (Pen. 4v. 354v. 84V.), 43.12/6 (list 46/10); battery kits, same make, with 3 Mullard valves, 43/10; Ready Radio 303 3-valve battery kits, 22/6 (list valves, 40/-) with 3 Mullard valves (list 45/10); dual gang variable condensers (H.M.V.), 0.0005 shielded and trimmers, 6/- each (list 29/6); screened chokes (H.M.V.), 1/- each, 9/- dozen; condensers, 4 mfd., 2/6; 2 mfd., 1/9; 1 mfd., 1/1; all 750 volt test; Rola speakers permanent magnet, 22/6 each (list 32/6); H.C. speakers, all voltages, 18/6 each; all goods guaranteed and carriage paid. Southern Radio, 325, Euston Rd. (near Warren St. Tube), London, N.W.1. Phone: Museum 6324. (1725)

A.P.E.S., 22/6; Varley Rectatone, 9/-; Challis H.T.9, 4v. 5v. 3 separate 4v. 1a., screened primary, 21/-; H.T.6, 9 v. Cleod, Opticon, Raynes Park. (1759)


A.P.E.S., 10/-; A.P.F.e. 17/6; A.F.3, 9/6; Celestion A.5, 13/6; Hurtle pick-up, complete, 14/-; U10, 6/-; M.S.4, M.S.4B, D.C. Pen., 9/6 each; H.L., H.L., I.X.4, 7/- each, all as new.—24, Pargeter Rd., Warley, Birmingham (1767)

G.E.C., 0.0065, 0.0063, 0.0062 slow motion condensers, 1/6; new; 6/6.—Marshall, 41, Kelviniston Gardens, Glasgow. (1768)

BLUE Spot, 100U inductors, listed 39/6, brand new; 41, post free.—Aldridge, 29, Chatterton Rd., Finsbury Park, N.4. (1777)

AMPLION Trickle Charger, 20/-; Weston multi-range voltmeter, model 280, listed 49, accept 60/-.—Hunt, 29, Stratley Rd., Kilburn. (1779)

SPECIALLY DESIGNED for QUIESCENT PUSH-PULL CIRCUITS



AMPLION Q.P.P. SPEAKER PERM-MAG MOVING COIL

The Quiescent Push-Pull circuit is a revolutionary development in Battery set design, by using the very best permanent magnet speaker you can obtain life-like reproduction and volume which is equivalent to an all-mains set. We have designed the Amplion M.C.22 Model Q.P.P. speaker with a special transformer which conforms with the requirements of the set designer. Fit the Amplion and ensure the complete success of your Push-Pull battery circuit. The speaker to ask for is The Amplion M.C.22, Model Q.P.P.

PRICE 39/6

RECOMMENDED BY SET DESIGNERS

AMPLION

AMPLION (1932) LTD., 82-84 ROSOMAN STREET, LONDON, E.C.1. CLERKENWELL 5440.

Components, etc., for Sale.—Contd.

PEPPER Draw Your Attention to the Bargains Offered in this column of last week's issue.
A.C. Eliminators—Regentone W.C., £1 12 6; Ekeo (2a) all mains, £2 11 6; Regentone W.S.G., £2 10 6; G.L.C. £9 10 model, perfect order, £1 15 6.
MAINS Transformers, stripped type, with leads, input 200-230-250, screened primary, output 350-0-350V, 60 ma., 2-0-2v, 2a., 2-0-2v, 5a., brand new, manufacturers' surplus, made to sell at 52 6; few only at 17 6, carriage 1.
LOUD-SPEAKERS—Celestion P.P.M., £1 5 6; Belmont chassis (best 70-), £1 5; Wufa unit, with chassis, 19/11; 66K cabinet, 18 6.
PICK-UPS—Marconi K7, as new, £1 3 6; Blue Spot, latest, with arm, etc., 29/6; R.P.H. latest Senior, £1 4/6.
QUANTITY Seradex V1 Chargers, output to charge 6-8 cells at 1.3 amps., £1 9 6; valve if required, 17 6 extra.
All Goods Sold under Money-back Guarantee.

TREVOR PEPPER, 48, Wake Green Rd., Moseley, Birmingham, 15. [1789]

YOUR Chance for that Extra Speaker.

ROLA P.M. Speaker (49 6), in walnut veneered front radio table cabinet, drilled for chassis, complete, shop soiled, as new; 36 6.

RADIOPHONE 4 gang condensers, 0.0005, as new; 12/6.

ABOVE Supplied Cash With Order, and on 7 days' approval.

J. DORSDELL, 24, Legrams Av., Bradford, Yorks. [1810]

MILDMAY RADIO EXCHANGE Offers the Following, all guaranteed in sound condition:

MULLARD Valves: 84V.B. metallised, 8/6; 84V.A. 3/-; 84V. 7 6; P.M.24, 8/-; A.C.064, 8 9; 154, 354, 164, 104, 7/- each; P.M.26, 8 9; Osram: P625A, P625, 7/- each; M.S.4V, 12/-; M.H.L., M.L.4, 7 6 each; M.S.4, 8/-; P.T.4, 10/-; Philips: E442, 8/-; E415, 8/-; 2506, 10 4; 506, 8/9; Mazda: A.C. H.L., 7/-; A.C./H.L. metallised, 7/6; A.C./Pen, 12/-; A.C. S.G., 8/-; A.C.2 H.L., 8/-; Cossor: 41M.H.L., 41M.H.F., 7/- each; M.U.S.G., 12/-; M.S.G./H.A., 7 6.
WESTON Meters: 0-10 volt, 0-20 amps., 10/- each; 0-300 ma., 12 6 each; Marconi pick-up, 27 6; Celestion W5, 25/-; B.T.H. Senior, gold finish, 17 6; Mel-trope, 21/-; Colvern coils, pair K.B.L.C.s and K.G.R., 19/- set; T.D. coils, 5 6 each; Ferranti 1933 band pass A.C. kit, complete, 45/-; Six Sixty A.C. mains kit, with valves, 65/-; Colvern K21, K22, K23, 20/- set; Magnum fader, 4/6; Hypercore chokes, 8/- each; Ferranti A.F.7, A.P.6, 16/6 each.—24, Mildmay Grove, London, N.1. [1815]

MISCELLANEOUS.

EASY Payments.—We supply, by easy payments, components, accessories, and sets, any make; 10% down, balance spread over 11 months.—Send list of requirements to London Radio Supply Co., 11, Oat Lane, London, E.C.2. [0337]

ALEXANDER BLACK.

WIRELESS Consultant (established 8 years).—Trouble-some sets visited (London and Home Counties); no cure, no charge; all types of sets supplied, overhauled, repaired, rebuilt; bring or send your set for free quotation and suggestions; sets and amplifiers for dances, etc., on hire.—55, Ebury St., S.W.1. Sloane 1655. [0277]

ENGINEERS and Technical Workers of All Kinds.—A proper training by post in your spare time will take you through your right examination, then employment is waiting. Our advice on all careers free. Dept. 92, The Bennett College, Ltd., Sheffield. [0395]

AMBITIOUS Men.—Qualify for a well-paid post by studying at home with The T.I.G.B. Write to-day for "The Engineer's Guide to Success," 144 pages, free, which contains the widest selection of engineering and wireless courses in the world, and shows you how to become A.M.I.E.E., A.M.I.Mech.E., A.Rad.A., etc. State branch, post or qualification that interests you. The Technological Institute of Great Britain, 82, Temple Bar House, London, E.C.4. (Founded 1917, 19,000 Successes.) [1750]

LIGHTS of Seradex Filter Condensers, resistances, and battery chargers for stamp.—Trevor Pepper, Wake Green Rd., Birmingham, 15. [1782]

PATENT AGENTS.

PATENTS and Trade Marks, British and foreign.—Gee and Co. (H. T. P. Gee, Member R.S.G.B. and A.M.I.R.E.), 51-52, Chancery Lane, London, W.C.2. Phone: Holborn 1525. [1001]

KING'S PATENT AGENCY, Ltd., 146a, Queen Victoria St., London, E.C.4. Phone: Central 0682. 45 years' experience. Advice handbook free. [0381]

REPAIRS.

CONSULT Alexander Black about Set Repairs.—55, Ebury St., S.W.1. See advertisement Miscellaneous column. [0385]

REPAIRS to Loud-speakers, transformers and headphones, 4/- each; Blue Spots or Wufa's, 5/-; mains eliminators, etc., quoted for; prompt service; satisfaction guaranteed; terms to trade.—Loud Speaker Repair Works, 2, Shipka Rd., Balham, London, Streatham 6618. [0394]

COSMIC RADIO SERVICE, 23, Water St., Liverpool, specialise in repairs of all kinds; transformers and speakers rewound. [1705]

MAINS Transformers Rewound, promptly and efficiently; satisfaction guaranteed; keenest terms.—The Sturdy Electric Co., Derwent View, Dipton, Newcastle-on-Tyne. [1742]

ANY Loud-speaker or Radio Receiver (American receivers particularly) Repaired or Reconditioned.—Radio Service Laboratories, 41, Southampton Rd., London, N.W.5. Gulliver 3669. [1071]

SIFAM MULTI-RANGE TEST SET

(8 Scales)
Chosen by the MOUNT EVEREST EXPEDITION



Price £3.15.0 SIFAM E. I. CO., LTD. YORK WORKS, BROWNING ST., S.E.17

FOR RELIABILITY AND ACCURACY
 An Invaluable Instrument
 This accurate and compact instrument enables you to carry out any D.C. test. The Tradesman says: "the degree of accuracy obtainable is very high indeed."
 FREE! (for a limited period only) to every purchaser—one new Sifam Testing Prod.

The scales are:
 Volts 10, 100, 250, 500.
 Amps 1 Milli-amp, 2.5, 25, 100, 250. Black Bakelite Panel fitted in Solid Oak Case.
 Write for Complete List.

BURTON FOUR POSITION ROTARY SWITCH

(Patents pending.)
 A component which meets most switching requirements of modern Receivers. Will short three coils for long or short waves, operate grammo pick-up, and 'On' and 'Off' at mains voltage. Maintains firm uniform pressure between surfaces. Ask your dealer for it.



6/- EACH C. F. & H. BURTON PROGRESS WORKS, WALSALL, ENG.

SHORT WAVE BARGAIN

SHORT WAVE PLUG-IN COILS, Nos. 2 to 9 Turns; AIR DIELECTRIC.
 STANDARD SIZE 8D. Each Usual Price 1/6
 1 for 2, 8 for 4 6, all Post Paid. No. 12 for 80 m. band 1/- Base Board Coil Holders 6d.
SCIENTIFIC SUPPLY STORES (WIRELESS), LTD.
 Dept. W., 126, Newington Causeway, Elephant and Castle, Southwark, London. Hop 4177

IRISH FREE STATE W.W. "QUIESCENT PUSH PULL TWO."

Complete Kits of parts as specified.
W. B. KAY, 11, St. Andrew St., Dublin.
 (Entrance through Tobacconists.)

SERADIX RESISTANCES
 New list now ready.

Send Stamp to:—
TREVOR PEPPER
 WAKEGREEN ROAD, BIRMINGHAM

The Autocar EVERY FRIDAY FOURPENCE

Repairs.—Contd.

GUARANTEED Repairs by Experts; specialists for repairs to S.G. Brown and Amplion radio apparatus, also loud-speakers, headphones, pick-ups, Blue Spots, any type re-wound, remagnetised and adjusted; 4/-; no fee; mains transformer repairs; terms to trade.—Howell, 91, Morley Hill, Enfield, Middlesex. [971]

REPAIRS, with 12 months' written guarantee, a 24-hour service, and one fixed price of 3/- for all types L.F. transformers, loud-speakers, pick-ups, headphones; postage extra; mains transformers, M.C.s, and inductors quotation Terms to trade.—Repairs, 208, High St., Tooting, London S.W.17. [1709]

ANY Make of Loud-speaker, cone unit or pick-up repaired and magnetised, 3/9; B.N., 4/-; special quotations for moving-coil mains transformers and eliminator repairs; all work guaranteed. F. H. Marshall, 9a, Burton St., Nottingham. Est. 1917. [1794]

TUITION.

WIRELESS as a Career.—Whether you are engaged in the radio industry and wish to improve yourself, or if you wish to obtain employment in this profession, we can help you. Our students are engaged in responsible positions in the majority of the large wireless firms in England. Booklet, describing Home Study Course, post free.—Northern Counties Wireless School, Preston. [0373]

WESTMINSTER CORRESPONDENCE SCHOOL OF ENGINEERING.—Wireless engineering offers splendid opportunities to trained men; take our interesting and practical course and fit yourself for a good position; fee £3/10 inclusive, or by instalments.—Write for free lesson and full particulars to 84, Chandos House, Palmer St., Victoria St., S.W.1. [1609]

EXCHANGE.

COSMIC RADIO SERVICE, 23, Water St., Liverpool, accept your old receiver or components in part exchange for new [1704]

RADIO Exchange Specialist, write here first.—Charles W. Sargent, 44, High St., Sheehyngess. [1801]

WANTED.

NEW or Second-hand Wireless Parts Wanted for Cash, any amount, any condition; send yours, stating reasonable price; cash by return; top prices paid for 1932 parts; also meters, etc.; will call London districts.—Mildmay Radio Exchange, 24, Mildmay Grove, London, N.1. [1637]

VALVES Wanted, highest prices paid.—Send your valves to Newmans, the largest valve buyers for cash. See advert under Valves. [1660]

MANUFACTURERS', dealers' and amateurs' surplus purchased for cash. Cosmic Radio Service, 23, Water St., Liverpool. [1703]

CONVERTER, 220 D.C. to 220 A.C., 150-200-watt, filter unit, silencing cabinet, good condition; state make and price.—Box 5977, c/o The Wireless World. [1738]

WANTED for Cash, highest prices paid, up to one-third of list price, for:—

MODERN High Grade P.M. and Energised M. Coil Units and Balanced Pairs, etc., Ferranti and Weston M.C. meters in useful ranges

HIGH Grade L.F. and P.P. Input and Output Transformers, Ferranti, Varley, etc., high grade electric gramophone motors and pick-ups and arms

ALL Types of Standard A.C. Mains, rectifiers, and 2-volt battery valves, if late type and full emission.

LATE Model Westinghouse Rectifiers, high grade mains transformers for 4v. rectifying valves, high grade L.F. chokes, Ferranti, Varley, etc., and electrolytic or fully screened ganged condensers.

GOODS Bought for Cash from Callers; only goods of G types enumerated considered; parcels by post or carrier by arrangement; enquiries 12d. stamp please!

APPLEBY'S, Buying Office, 46, Bloomsbury St., New Oxford St., London, W.C.1. Museum 8195. [1787]

ONE Copy "W.W.", September 30th, 1931, required, describing "W.W." A.C.S.—8, Tyle Hurst Gardens, Ilford, E.ssex. [1797]

SITUATIONS VACANT.

IF You Wish to Enter the Wireless Profession with a Thorough Training, or if you wish to improve your present position, you will need the certificate issued by Britain's leading wireless college. This is not a correspondence college. Apparatus of all leading makes installed for instructional purposes. Boarders accepted. Training fee can be paid after appointment. Prospectus free.—Wireless College, Colwyn Bay. [0388]

WANTED, glass-blower, with experience of cathode ray tubes preferred.—Write Box W.21, c/o Knights, 55, Chancery Lane, W.C.2. [1707]

WANTED, high vacuum technician, accustomed to radio valve manufacture, with experience of cathode ray tubes preferred.—Write Box W.20, c/o Knights, 55, Chancery Lane, W.C.2. [1706]

EXPERIENCED, keen radio engineer-salesman, thorough knowledge battery charging, experience, qualifications, wage, age.—Hodges, Walsden, Yeovil. [1778]

GOOD Salesman, with tact, able to test and repair modern sets, good address, education, trustworthy, state fully experience, salary required, age, and references.—Electric Shop, 134, Victoria St., Grimsby. [1813]

SITUATIONS WANTED.

DO You Want Skilled, Certified Service Engineers and Salesmen? Then consult the Principal, The Wireless College, Colwyn Bay. Phone: 2407. [0392]

PRACTICAL ELECTRICIAN'S POCKET BOOK

1933

The Practical Electrician's Pocket Book is an encyclopaedia of information. Every page is practical, authoritative. It includes many useful tables and diagrams in addition to the out-standing articles which cover such a wide range of usefulness.

IMPORTANT NEW FEATURES ARE:-

ELECTRIC CLOCKS. By Paul D. Tyers.

MERCURY ARC RECTIFIERS. By C. W. Stubbings, B.Sc. Lond., F.Inst. P. A.M.I.E.E.

THE GRID SCHEME.

In addition the following sections have been completely re-written.

ELECTRIC COOKING, WIRING ACCESSORIES, RADIO VOLTAGE DATA REVISED AND BROUGHT UP-TO-DATE.


In this amazingly comprehensive book are thousands of facts indexed and instantly found. It is an indispensable work of reference for every electrician - do not be without a copy. **BUY IT NOW.**

Price **2/6** or by post **2/10** from "Electrical Trading," Dept. W.W., 85, Long Acre, London, W.C.2.

Cheques, P.O.'s, crossed & Co. and payable to "Electrical Trading."

2/6

600 PAGES OF VALUABLE INFORMATION. NEW FEATURES. IMPORTANT UP-TO-THE-MINUTE DATA.



TECHNICAL TOPICS No. 4



SPEECH COIL DESIGN.

THE design of the speech coil is a very complex problem. As it is a moving unit it must be as light as possible, but at the same time the copper content of the wire used must be sufficient to take full advantage of the flux at the gap. Absolute rigidity of the speech-coil on its mounting is also imperative

otherwise the full movement is not imparted to the diaphragm. Slackness of the coil will lead to loss of volume, extraneous noises, and finally, to the destruction of the coil and its mounting. To fix the coil in position, a special adhesive has to be used. It must not attack the copper nor be affected by temperature differences induced in the coil under working conditions. Moreover, the adhesive must not perish with time. All these very important points are observed in the making of the speech-coil for a Goodman speaker. The accompanying illustration proves the rigidity of the coil itself, in spite of its lightness, and so securely it is mounted, that once assembled it cannot be detached from the neck of the cone without completely destroying the coil.

- P.M. TYPES.**
- "DREADNOUGHT" Chassis Model (Completes with auxiliary baffle)..... **39/6**
 - "DREADNOUGHT" Cabinet Speaker (Real walnut cabinet)..... **59/6**
 - "RENOWN" Chassis Model..... **27/6**
 - "RENOWN" Cabinet Speaker (Real walnut cabinet)..... **42/-**

Illustrated Literature free on request.



Scientific Speakers

69, St. John Street, London, E.C.1
Clerkenwell 3838-9

MAKE SURE OF YOUR COPY OF

The Wireless World DIARY for 1933

—the only diary published which is compiled by the Staff of *The Wireless World*. It contains 78 pages of facts, figures and explanations to which wireless amateurs make frequent reference.

Size 3½ x 4½ inches, 192 pages. Bound leather cloth, backloop with pencil, round corners and gilt edges.

PRICE 1/6 By Post 1/7

From all Booksellers, Stationers and Bookstalls or direct from the Publishers

ILIFFE & SONS LTD. DORSET HOUSE TUDOR STREET LONDON E.C.4

W.W. 66

FOR BEST RESULTS-USE THE

BEST WANDER PLUG

A wander plug may be a small thing, but a bad one can cause a deal of trouble and annoyance. The Lisenin Positive Grip Wander Plug ensures perfect contact and therefore perfect reception. It has a two-point contact which grips firmly in any battery socket no matter what the variation in size. **Wobble, jumping, loss of current are gone for ever.** The famous cone grip also ensures permanent connections to the leads. Supplied in Red, Black, Blue, Green, Yellow, White Mahogany.

RETAIL PRICE 2d. EACH.



LISENIN


WIRELESS COMPANY
66, Newman Street, London, W.1.

Get them from your Dealer - If any difficulty write to us.


INDEX TO ADVERTISEMENTS.

	PAGE		PAGE		PAGE
Alton Battery Co., Ltd.	15	Ferranti, Ltd.	5	"Practical Electrician's Pocket Book"	17
Amplion (1932), Ltd.	15	Gilbert, J. C.	14	Pitch Manufacturing Co., Ltd.	17
Baker's Self-hunt Radio	14	Goldfrey, F. E. (Radio), Ltd.	14	Radio Training Institute of Great Britain	Front Cover
Belling & Lee, Ltd.	14	Goodmans	17	Reproducers & Amplifiers, Ltd.	Front Cover
Birmingham Sound Reproducers, Ltd.	9	Gripco Co., Ltd.	14	Riverside Manufacturing Co., Ltd.	v.
Boxer-Lowe & A.E.D., Ltd.	10	Haynes Radio	10	Ryalls Radio	14
British Inst. of Eng. Technology	14	Hayward, F. G., & Co.	14	Savage, W. Bryan	12
British Pix Co., Ltd.	v.	Hees, Leonard	14	Scientific Supply Stores (Wireless), Ltd.	16
British Radio Co., Ltd.	v.	Igranite Electric Co., Ltd.	14	Scott, S. S. & Co.	11
Brittain, G. A., Ltd.	8	Jackson Bros.	16	Sofani Electrical Inst. Co.	14, 16
Bulgin, A. F., & Co., Ltd.	12	Kay, W. B.	16	Tannoy Products	11
Burne-Jones & Co., Ltd. (Magnum)	12	Lectro Link, Ltd.	17	Telegraph Condenser Co., Ltd.	11
Burton, C. F. & H.	14, 16	Lisenin Wireless Co.	17	Telsen Electric Co., Ltd.	Front Cover & 1
Celestion, Ltd.	6	London Elec. Wire Co. & Smiths, Ltd.	17	Thompson, T. W. & Co.	11
Clarke & Co. (M.C.), Ltd.	7	Lynn, Claude, Ltd.	17	Varley (Oliver Bell Control), Ltd.	4
Cole, E. K., Ltd.	18	Magnaphone Co., Ltd.	17	Vinco's Dry Batteries, Ltd.	11
Cosser, A. C., Ltd.	18	Multitone Electric Co., Ltd.	2	Ward & Goldstone, Ltd.	13
Cressall Manfg. Co.	14	Murphy Radio, Ltd.	2	Wates Radio, Ltd.	13
Darwins, Ltd.	7	Obdham & Son, Ltd.	vi.	Westinghouse Brake and Saxby Signal Co., Ltd.	13
Dubilier Condenser Co. (1925), Ltd.	2	Parina Manfg. Co.	14		Inside Back Cover
Eastick, J. J. & Sons	2	Pertrider, Wilson & Co.	2		
Edison Swan Electric Co., Ltd.	4 & Inside Back Cover	Pepper, Trevor (Seradex)	16		
Electradix Radios	6	Peto-Sent Co., Ltd.	13		
Electro Dynamic Construction Co., Ltd.	14	Players	13		
Epoch Radio Manfg. Co., Ltd.	14				
Ever Ready Co. (Great Britain), Ltd.	3				

The Mains Valves with ABSOLUTE UNIFORMITY OF CHARACTERISTICS & PERFORMANCE



Above is an enlarged section of a Cossor A.C. Mains triode—the 41 M.H.L. The use of two Mica Bridges ensures life-long alignment of the electrodes. Note the "cut-away" view of the cathode, showing the heater wire in position.



KINGS
OF THE
AIR

In selecting A.C. Mains Valves it is essential that you should be able to rely upon their published characteristics. For, if the actual characteristics vary, the valves may well prove unsuitable for your purpose.

By means of the famous Mica Bridge principle, the characteristics of Cossor A.C. Mains Valves are maintained with exceptional accuracy. With Cossor A.C. Mains Valves you can rest assured that their performance will be strictly in accordance with the published figures. Uniformity is definitely ensured by the Mica Bridge.

COSSOR A.C. MAINS VALVES

Send for a free copy of the 40-page Cossor Valve and Wireless Book which contains a wealth of interesting and useful information including Radio Definitions—Useful Circuits—List of Stations, etc., etc. Please use the Coupon.

To
A. C. COSSOR LTD.,
Melody Department,
Highbury Grove,
London, N.5.

Please send me, free of charge, a copy of the 40-page Cossor Valve and Wireless Book B.17.

Name

Address

W.W. 10/2/33

♥ 2323

WEDNESDAY

FEBRUARY THE FIFTEENTH

PRINCIPAL EVENTS OF THE DAY:

AT HOME

- NATIONAL** —Orchestral concert from Bournemouth. Professor H. J. Laski: "What is the State?" Symphony concert from Queen's Hall. Strange Music.
- LONDON REGIONAL** —Ballad concert. Organ recital. "Merry-go-Round," feature programme by C. Denis Freeman. Instrumental concert.
- MIDLAND REGIONAL** —Gramophone recital. Song and instrumental recital. An orchestral-ballad concert.
- NORTH REGIONAL** —"Backside Chronicles," by Zachariah Briggs. "Don Giovanni," Mozart. Act I, from the Alhambra Theatre, Bradford. Lady (Ernest) Simson: "Individual Happiness in an Industrial World." Orchestral concert.
- WEST REGIONAL** —Orchestral concert from National Museum of Wales. Mr. Emrys Pride: "The Social Question."
- SCOTTISH REGIONAL** —Ballad concert. London Regional programme.
- BELFAST** —Orchestral concert from Strammillis.

ABROAD

- LANGENBERG** —Dances of the Bees, by the Station Orchestra.
- PRAGUE** —The Czech Philharmonic Orchestra, conducted by F. Stupka.
- RADIO PARIS** —The Lamoureux Concert Society, conducted by A. Wolff.
- STRASBURG** —Concert by the Besançon Concert Society.
- WARSAW** —Pianoforte recital by A. Borovski.

ATHLONE
413 metres; 60 kW.; and **CORK**, 224.4 metres.—1.30 to 2.0 p.m., Time Signal, Weather Report, Stock Report, and Light Music on Gramophone Records. 6.0, Popular Music on Gramophone Records. 6.15, Programme for Children. 7.0 Light Music on Gramophone Records. 7.20, News Bulletin. 7.30, Time Signal. 7.31, Gaelic Talk. 7.45, German Lesson. 8.0, Military Band Concert. 9.0, Contralto Solos by Sydney Jameson. 9.15, Variety Programme with Sketches by Fay Sargent and Company. 9.45, Baritone Solos by Jascha Maccabi. 10.0, The Station Orchestra. 10.30, Time Signal, News, Weather Report, and Close Down.

BARCELONA
RADIO - BARCELONA, Call EAJ1, 348.8 metres; 8 kW.—6.0 p.m., Trio Concert. 7.0, Request Gramophone Records. 7.30, Exchange Quotations and Probable Relay from the Ayuntamiento. 8.0, Popular Music on Gramophone Records, followed by News. 9.0, Chimes from the Cathedral, Weather, Exchange Quotations, and Market Prices. 9.5, Concert by the Station Orchestra: March, The League of Nations (Lüncke); Selection from La Cautiva (Guridi); Waltz (Percy); Dance from Henry VIII (German); Cançerle (Cui); March from Cydalise et le Chevrepiet (Pierné). 10.0, Recitations. 10.15, Violin and Pianoforte Recital: Berceuse (Faure); Mazurka in A Minor (Chopin-Kreisler); Gavotte (Bach-Kreisler); Rondo (Sehnert-Friedberg). 10.14, Concert by the Station Orchestra: Overture, Oberon (Weber); Selection from Der Rosenkavalier (R. Strauss); Allegro-Allegretto alla Marcia (Rimsky-Korsakov). In the interval at 11.0, Press Review. 11.15, Popular Music on Gramophone Records. 12 Midnight (approx.). Close Down.

BARI
269.8 metres; 20 kW.—7.0 p.m., Agricultural Notes, Tourist Talk, and Dopolavoro Announcements. 7.20, Giornale Radio and Weather. 7.30, Time Signal and Announcements. 7.35, Concert of Chamber Music: Soloists: Franco Ruggiero (Pianoforte); Milena Barberio (Soprano), and Nilda Pignatelli (Violin); Overture, Martha (Plow); Pianoforte Solo: Suite in Old style (Cilea); Soprano Solos: (a) Stornelli (Giurino), (b) Ninna nanna (Castelnuovo Tedesco); Violin Solo Rondo (Mozart-Kreisler); Soprano Solo: Stornellatrice (Respighi); Violin Solos: (a) Ninna nanna (Novikov), (b) Fioraliso (Catalica); Pianoforte Solos: (a) Nocturne (Respighi), (b) Papillons (Ole Olsen); Soprano Solo: Chanson d'automne (Napoli-tano); Pianoforte Solos: (a) Andanza (Palla), (b) La Cathédrale engloutie (Debussy); Soprano Solo: Con gli angeli (Savasta); Violin Solo: Concerto in E (Mendelssohn); Pianoforte Solo: Caprice in A Minor, Op. 33 (Mendelssohn). In the interval, Literary Notes. 9.55, News Bulletin.

BASLE.—See Schweizerischer Landessender.

BERLIN
KONIGS WUSTERHAUSEN, 1,635 metres; 60 kW.—11.55 a.m., Nansen Time Signal. 12.35 p.m., News Bulletin. 1.0, Gramophone Concert from Berlin (Witzleben). 1.45, Programme for Young People—Two Carnival Plays (Hans Sachs). 2.30, Weather and Exchange. 2.45, Reading of Friedrich Schneck). 3.0, Talk: Sports Education. 3.30, See Hamburg. 4.10, Legal Talk. 4.30, Talk: God and the World in Medieval Literature. 5.0, Harmonium Recital, by Ernst Schauss; Festliches Präludium; Romance (Reger); Caprice (Bizet); Le Sommeil (Bizet); Air (Gluck); Vesper (Bortniansky); Gigue (Rameau). 5.30, Advanced Shorthand Lesson and Dictation. 5.55, Weather and Announcements. 6.0, French Lesson. 6.30, A Poem. 6.35, Part Relay of the First Meeting of the International Congress of the Motor Trade (on Gramophone Records). 7.0, Concert from Breslau. 8.0, Aphorisms on Worldly Wisdom. 8.15, Recital of Old Italian Music for Strings by the Chamber Orchestra, conducted by Schulz-Dornburg; Soloists: Stefan Frenkel (Violin) and V. Ernst Wolff (Harp-sichord); Sonata for Flute and Strings (Sca-rlati); Concerto for Four Strings and Harp-sichord, Op. 6, No. 10 (G. Torelli); Violin Concerto in B Flat, Op. 4, No. 1 (Vivaldi); Concerto grosso in D for Strings, Op. 6, No. 1 (A. Corelli); Die Torgauer Gagliarde and Fourteen Dances (Carlo Farina). 9.15, Weather, News, and Sports Notes. 9.45, Weather Report for Shipping. 10.0, Dance Music from Berlin (Witzleben). 11.0 (approx.), Close Down.

BERLIN
WITZLEBEN, 419.5 metres; 1.5 kW.—5.5 p.m., Song Recital by Cilda Lau (Soprano); Songs (H. Wolf): (a) Feber Nacht, (b) In dem Schatten meiner Locken, (c) Verborgenhelt, (d) Die Spröde; Songs (R. Strauss): (a) Eimerlei, (b) Ich schwebte, (c) Schlechtes Wetter, (d) Ständchen. 5.30, Günter Eich reads from his own works. 5.55, The Witzleben Station informs its listeners. . . . 6.0, Topical Talk. 6.10, Talk: The Evening's Musical Programme. 6.20, Variety Programme with Music. 7.20, Concert relayed from the Philharmonic, The Station Orchestra, conducted by Eugen Jochem. Soloist: Erica Morini (Violin). Violin Concerto in D (Mozart); The Ninth

Symphony in D Minor (Anton Bruckner). In the interval at 7.50, News and Sports Notes. 9.10, Weather, News and Sports Notes. 9.30 (approx.), Dance Music from the Café Berlin. 11.0 (approx.), Close Down.

BERNE.—See Schweizerischer Landessender.
BEROMUNSTER. — See Schweizerischer Landessender.
BODEN.—See Stockholm.
BODO.—See Oslo.

BORDEAUX-LAFAYETTE
304 metres; 13 kW.—7.30 p.m., News and Market Prices. 7.40, Tourist Talk. 7.55, Lottery Results. 8.0, Agricultural Talk. 8.15, News and Weather. 8.30, Concert of Light Music.

BRATISLAVA
279 metres; 14 kW.—4.0 p.m., Mozart Song Recital: Two Songs; Un moto di gioia; Alle-luia; Bella mia fiamma; C'ho in scordi di te? Aria from Il re pastore with Violin obbligato. 4.30, Talk for Children. 4.40, Popular Music on Gramophone Records. 4.45, Polish Lesson. 5.0, Hungarian Transmission: Literary Talk and Pianoforte Solos by Gitta Hornova; Nocturne (Chopin); Mazurka (Chopin). 6.0, See Prague. 6.20, See Brno. 7.0, See Prague. 9.15 (approx.), Close Down.

BREMEN.—See Hamburg.

BRESLAU
325 metres; 60 kW.; and **GLEIWITZ**; 253 metres.—12.5 p.m., Weather for Farmers. 12.10, Gramophone Concert: Coronation March from Die Folkinger (Kretschmer); Suite from Carmen (Bizet); Serenade (d'Ambrósio); Guitarre (Mozzkovsky), Komm in die Gampol, from Eine Nacht in Venedig (Joh. Strauss); Waltz, Wiener Bou-lous (Joh. Strauss); Overture, Gipsy Love (Lohar); Vivat Hungaria from Der Teufels-reiter (Kálmán). 12.45, Time, Weather, News, and Exchange Quotations. 1.5, Gramophone Concert, (cont.): Overture, Opheus in the Underworld (Offenbach); Ballet Intermezzo from The Black Forest (Jessel); Waltz, Tramiadele (Froek); Tango, Abschied (Blech); Fox-trot, Rhythmic (Robrecht); Oberländer (Gungel); Pol-pourri, Johann Strauss spielt auf (Morena). 1.45, Sponsored Programme with Gramophone Records. 2.10, Agricultural Prices. 3.0, Two Talks for Parents: (a) School Reform, (b) The Technical School. 3.30, Pianoforte Recital by Genta Maucher: Thirty-two Variations in C Minor (Beethoven); Ballade in G Minor (Chopin). 4.0, Talk: Village Life in Leobschütz. 4.20, Agricultural Prices. 4.25, Reading from an Upper Silesian Political Newspaper. 4.40, Humorous Talk on Winter Sports. 5.0, Concert of Light

Music: Waltz, Lustiges Wien (Meisel); Fox-trot on The Parade of the Tin Soldiers (Jessel-Löhr); My Golden Baby, from The Flower of Hawaii (Abraham); Wenn du gehst, dann ist mir so zum Weinen, from Morgen geht's uns gut (Bonatzky); Russian Fantasia (Grothe-Kirchstein); Song, Pot-pourri, Servus Wien (Dostal); Zum Tanz (Kornbach). 6.5, Talk: Friedrich List and Colonial Expansion. 6.30, Weather for Farmers. 6.35, Concert by the Silesian Phil-harmonic Orchestra, conducted by Ernst Prade; Suite, Der Karneval (Hittersdorf); Comedy Overture (Roznieck); Waltz from Der arme Reinhold (Gross); Spanish Caprice (Rimsky-Korsakov); Overture, Der Waldmeister (Joh. Strauss); Dehrienwalzer (Jos. Strauss). 8.0, News. 8.10, Gustav Freytag Programme. 9.0, Time, Weather, News, Sports Notes, and Programme An-nouncements. 9.30 (from Gleiwitz), Dance Music, relayed from the Upper Silesian Radio Ball in Aid of the Winter Relief Fund. 11.0 (approx.), Close Down.

BRNO
342 metres; 35 kW.—5.25 p.m., German Trans-mission News and Talk: Women in the Pro-fessions, and Talk for Workers. 6.0, See Prague. 6.5, Talk: The Musical Programmes of Brno. 6.20, Popular Concert. 7.0, See Prague. 9.15 (approx.), Close Down.

BRUSSELS (No. 1)
1.1.N.R., 509 metres; 15 kW.—12 Noon, Con-cert, conducted by André Felleman, relayed from the Grand Hotel, Antwerp: March (Gilbert); Suite, Caucasian Sketches (Ippol-itov-Ivanov); Songs by Edmond Tolkovsky: (a) Là-baut sur le Glacier (Doret), (b) Figaro's Song from The Barber of Seville (Rossini); Fox-trot, Madeline (Brown); Ec-centric Love (Rosetti); Saxophone Solo by Jules Lewis; The Phantom Melody (Ketele-ber); Selection from One Hour with You (Heymann). 1.0 p.m., Le Journal Parlé. 1.10, Light Music on Gramophone Records. 5.0, Quintet, Op. 114, Die Forelle (Schubert). 5.40, Gramophone Records: Peer Gynt Suite (Grieg); Ronda argonesa (Granados). 6.0, Talk. 6.15, Fantastic Dances (Turina), on Gramophone Records. 6.30, Melodies per-vasanes (Saint-Saëns), by Mme. Van Dronne (Vocalist), with Commentary by M. Kuban-ek. 7.5, Bulgarian Rhapsody, Vardar (Vladi-gerov), on Gramophone Records. 7.15, Talk: A Journey to Lithuania. 7.30, Talk on Hygiene. 8.0, Gala Concert by the Radio Orchestra, conducted by Franz André, on the occasion of the Congress in Brussels of the Union Internationale de Radio-diffusion: Soloist: Maurice De Groote (Bass); Fan-tasia on Spanish Themes (Gaveaut); Songs: (a) Ley'n plorer (Defraichen), (b) Mijn Moederspraak (Benoit); Concerto in F for Pianoforte and Orchestra (Gershwin); Selec-tion from Victoria and her Hussar (Abra-ham); Catalan Caprice (Albeniz); Song:

Old Man River (Kern); Anglo-American Jazz Potpourri (André and Candrix); Negro Spirituals (arr. Lawrence Brown): (a) Didn't my Lord deliver Daniel, (b) Who's been here? (c) Hear the Lam's a-cryin', (d) Goin' to ride up in the Chariot; Symphonic Suite (Ibert). In the interval, Talk and Readings: The Belgian Writer, Maurice Sabbe. 10.0, Le Journal Parlé. 10.10, Hot Jazz, with Commentary. 10.40, Light Music on Gramophone Records. 11.0 (approx.), Close Down.

BRUSSELS (No. 2)
1.1.N.R., 338.2 metres; 15 kW.—Programme in Flemish. 12 Noon, Popular Music on Gramo-phone Records. 1.0 p.m., Le Journal Parlé. 1.10, Concert, conducted by André Felleman, relayed from the Grand Hotel, Antwerp: Selection from Wild Violets (Stolz); Songs by Edmond Tolkovsky: (a) Kündje wat ben je toch zacht (Mortelmans), (b) Vlaanderen (Veremans); Potpourri, From Pontine to Pilate (Morena); Rubensmarche (Benoit). 6.0, Dance Music from the St. Sauveur Palais de Danse. 6.0, Louis Mortelmans' Song Recital, by Mme. Maelfeyt-Rovius. 6.15, Read-ing. 6.30, Light Music on Gramophone Re-cords. 7.15, Talk: The Theatre and Films. 7.30, Review of International Events. 8.0, Mendelssohn Music on Gramophone Records: Overture, Fingal's Cave; Spinning Song (arr. Rachmaninov); Two Songs without Words; Rondo capriccioso; Scherzo and Wedding March from A Midsummer Night's Dream. 8.30, Recitations. 8.45, Orchestral Concert: Soloists: Charles Scharris (Pianoforte) and F. Wangermue (Trumpet); Symphony (Gluck); Concerto in D Minor for Pianoforte (Mozart); Three Fantasias (Gibbons). 9.35, In diesem Wetter, from the Kinder-totenlieder (Mahler) on Gramophone Re-cords. 9.45, Concert (continued): Symphony (Gossec); Pianoforte Solos; Concerto for Trumpet and Orchestra (Haydn). 10.30, Le Journal Parlé. 10.40, Light Music on Gramo-phone Records. 11.0 (approx.), Close Down.

BUCHAREST
394 metres; 12 kW.—6.40 p.m., Gramophone Records of Light Music. 7.0, Violin Recital. 7.20, Song Recital. 7.40, Talk. 7.55, Piano-forte Recital. 8.20, Cello Solos. 8.45, News Bulletin.

BUDAPEST
550 metres; 18.5 kW.—Also relayed on 840 metres from 5.30 to 11.0 p.m. 4.0 p.m., Schubert Concert by the Opera House Orchestra, conducted by F. Friedl; Symphony No. 3 in D; Ballet Music from Rosamund; Sym-phony in B Minor—the Unfinished Symphony. 5.10, Italian Lesson. 5.30, Hungarian Folk Songs on Two Pianofortes. 6.20, Programme by Koloman Porzolt. 6.45, Concert by the Budapest Concert Orchestra, relayed from the Academy of Music; Conductor, Hans Knappertbusch; Soloist, Jeanne Marie Daré (Pianoforte); Overture, Oberon (Weber); Pianoforte Concerto in A (Liszt); Scherzo (Berlioz); Symphony No. 5 (Tchaik-ovsky). 8.45 (approx.), News, Weather, and Popular Music on Gramophone Records. In an interval at 9.45, Boy Scouts Report. 11.0 (approx.), Close Down.

CASSEL.—See Frankfurt.

COPENHAGEN
281 metres; 0.75 kW.; and **KALUNDBORG**, 1,153 metres; 7.5 kW.—11.0 a.m., Time and Chimes from the Town Hall. 11.5, String Ensemble Concert, relayed from the Wivex Restaurant. 1.0 to 2.0 p.m., Interval. 2.0, Concert by Louis Prill's Instrumental En-semble. In the interval at 2.45 (approx.), Talk for Women. 4.0, Gramophone Concert; Ede Norena; To Spring (Grieg); Pierre Fouchy Song from The Third Act of Le Roi d'Ys (Lalo); Alfred Piecaver; Mamsula (Dermont); Pablo Casals and Alfred Cortot: Seven Variations on a Song from Mozart's Magic Flute (Beethoven); Torkel Magnusdal; Sangen til Mor (Haugen); Dan Donovan: It was so beautiful (Fred and Barris); The Boswell Sisters: Down among the Shelling Palms (Brockmann and Olman); The Three Ginx; Millie (I. Brown). 4.40, Exchange and Fish Market Prices. 4.50, Talk: Psychic Research. 5.20, French Lesson for Beginners. 5.50, Weather Forecast. 6.0, News and An-nouncements. 6.15, Time Signal. 6.30, Agri-cultural Talk. 7.0, Chimes from the Town Hall. 7.5, Concert of Popular Danish Music: The Radio Orchestra, conducted by Launy Gröndahl; Soloist: Immanuel Francken (Sung); Prelude to Act Two of Et Folkensign (J. P. E. Hartmann); Jagten (Gade); Elvergyrernes Dans (Gade); Melody from Summer Life (Louis Glass); Songs: (a) Vil du være staor og fri (Weyse), (b) Det var Ridder Herr Aage (Weyse), (c) Ingen Bløst i Verdens Lande (Heise), (d) Der var en Svend med sin Pigell (Heise); Overture, Youth and Madness (Dupuy); Tarantelle from En Karnevalsfest (Hartmann); Prelude to Frode (Reehgaard); Gallop, Sânt for August Bonnyville (Lumbye). 8.0, Sudlag On-laught—Sketch (Röslér). 8.15, Topical Talk. 8.45, News. 9.0, Chamber Music by Holger Jespersen (Flute), Torben Svendsen (Cello), and Folmer Jensen (Pianoforte): Trio in G Minor, Op. 63 (Weber); Chamber Sonata in C, Op. 48 (Pierné). 9.35, Dance Music from the Ritz Restaurant. In the in-

tional at 11.0. Time and Chimes from the Town Hall. 11.30 (approx.), Close Down.

CORK.—See Athlone.

DANZIG.—See Heilsberg.

DRESDEN.—See Leipzig.

DUBLIN.—See Athlone.

FECAMP

223 metres; 10 kW.—6.0 to 7.0 p.m., Programme in English by the I.B.C. Announcers: C. Danvers Walker, R. Chene, and B. McNab. 6.0, Vocal and Orchestral Concert for Portsmouth Listeners: Stephanie Gavotte (Czibulka); Songs: (a) Captain Mac (Sanderson), (b) The Driver of the 8.15 (Longstaff); Selection from The Beggar's Opera (Gay); Songs: (a) The Wheel-tapper's Song (Charles), (b) I travel the Road (Parsons); Serenade (Heykens). 6.30, Concert for South-sea and Isle of Wight Listeners: Xylophone Solos. Jovial Jasper (Green); Aerophone Polka (Gaston); Alice in Wonderland (Dubin); Xylophonia (Green); Dance of the Marionettes (Gaston); Puttin' on the Ritz (Dubin); Orchestra: Crazy Pionette (Frisk). 7.10, Programme to be announced. 10.0 till Close Down. Programme in English by the I.B.C. 10.0, Dance Music. 11.0, Spanish Music: Orchestra: Old Spanish Song (Aubert); Accordion Band: Selection from Carmen (Bizet); Orchestra: Serenata (Moszkovsky); Handbell Song: In Sunny Seville (Whitlock); Accordion Solo: Waltz. Muella (Chambrier); Song: The Torador Song from Carmen (Bizet); Xylophone Solo: Spanish Dance (Moszkovsky). 11.30, Song Recital: Annie Laurie (Traditional); The Drum Major (Newton); Loch Lomond (Traditional); The Gay Highway (Drummond); Maire my Girl (Aitken); Stoneracker John (Couters); Vale (Kennedy Russell); The Wheel-tapper's Song (Charles). 12 Midnight, Variety Concert: Song: You used to be my Sweetheart (Towers); Duet: Laughs, or lave à la mode; Glockenspiel Solo: The Black Forest Chiming Clock (Doppler); Song: They all make love but me (Dumareil); Laughing Gigolo; Sketch, Paradise Alley; Song, Hooch, but she was a Bonny Wee Lass. 12.30 a.m. (Thursday), Light Music Selection from Lilac Time (Schubert); St. Patrick's Day; March (Brace); Vocal Quartet, Way Down in Georgia (Traditional); Piano-forte Solo, Just hummin' along; Vocal Duet, Old King Cole; Song, Mother Machree (Ball); Me and the Man in the Moon (Monaco). 10.0, Concertina Solos: Bonnie Lass o' bon accord (Skinner); Hornpipe Medley (arr. Dale); The Road to the Isles (Fraser); Orange and Blue (Dale); Irish Medley (arr. Dale); Lopeziana (Alter); Scottish Reels (arr. Dale); Marilyn (Alter). 1.30, Songs: Airman, Airman (Hargreaves); Girl Friend of a Boy Friend of mine (Donaldson); Singin' in the Bathub (Maxidson); My baby just cares for me (Donaldson); I still believe in you (Akt); I took Jane for a Walk in the Rain (Hargreaves); I've never seen a Smile like yours (Johnson); We must all pull together (Weston). 2.0, Dance Music 2.57, I.B.C. Goodnight Melody. 3.0 (approx.), Close Down.

FLENSBURG.—See Hamburg.

FLORENCE.—See Turin.

FRANKFURT

259 metres; 17 kW.; and CASSEL, 245.9 metres.—4.0 p.m., See Stuttgart. 5.15, Exchange Quotations. 5.25, Talk: Suburban Housing Estates. 5.50, Talk by Felix Timmermann, followed by Reading from Palliere (Timmermann). 6.15, Time, Programme Announcements, Weather, and Exchange Quotations. 6.30 to 8.0, See Stuttgart. 8.0, Waltz-Potpourri Concert by the Radio Orchestra, conducted by Hans Rosbaud. 8.50, The Return of Herr Mathias and other Stories, by Paul Laven. 9.20, Time, News, Weather, and Sports Notes. 9.45, See Munich. 11.0 (approx.), Close Down.

FREDRIKSSTAD.—See Oslo.

FREIBURG.—See Stuttgart.

GENEVA.—See Radio-Suisse Romande.

GENOA.—See Turin.

GLEIWITZ.—See Breslau.

GOTEBORG.—See Stockholm.

GRAZ.—See Vienna.

HAMAR.—See Oslo.

HAMBURG

Call ha (in Morse), 372 metres; 1.5 kW. Relayed by Bremen, 269.8 metres; Flensburg, 227.4 metres; Hanover, 566 metres; and Kiel, 232.2 metres.—3.30 p.m., Concert by the Hamburg Philharmonic Orchestra, conducted by Horst Platon: Beiteres Vorspiel (Wartisch); Suite, Op. 25 (Müller-Hartmann); Prelude and Serenade from Der Musikant (Bittner); Air (Bach); Leonore Overture, No. 3 (Beethoven). 4.30, Talk in North German Dialect. 4.55, Concert of Music by Ernst v. Clarmann by the Norag Chamber Orchestra, conducted by the Composer; Soloists: Erna Kroll-Lange, Herbert Ernst Groh, Erwin Bolt, Bernhard Jakschat, and the Norag Choir; Foxtrox; Two Songs for Mixed Choir and Orchestra: (a) Nachts, (b) Nun bin ich wieder weit von Dir; Duet, Wie ein Märchen from Liebe im Fasching; Two Songs: (a) Mein Städtchen liegt so ferne, (b) Leber'n Garten durch die Lüfte; Himmelbett-Eisen-

FEB. 15th

WEDNESDAY

continued

ble from Haremsnächte; Liebschen Komm' zum blauen Nil for Orchestra; Duet from Die beiden Liesel; Songs: (a) Wiener Lied, (b) Frau'n ihr kleinen Frau'n; Finale from Haremsnächte; Selection from Ali-Ben-Bäbi (Marschner-v. Clarmann: (a) Drinking Song, (b) Duet, Komm' an mein Herz, (c) Duet, Neige Maria, zu mir dich nieder. 5.50, Frankfurt Exchange and Market Prices. 6.0 (from Bremen). Talk: The Centenary of the Oldenburg Theatre. 6.25, Weather Report. 6.30, Recital of North German Folk Songs, with Introductory Talk. 7.0, A German Carnival Ball. Part One: The German Rocooco Period. Part Two: The Biedermaier Period. Part Three: A Carnival in Munich. Part Four: 1933. 9.0, Time and News. 9.20, Topical Talk. 9.30 (from Bremen), Concert of Chamber Music: Concerto in D Minor (Bach); Chamber Symphony (K. Wolf-Ferrari). 10.25, Concert, relayed from the Astoria, Bremen.

HANOVER.—See Hamburg.

HEILSBURG

276.5 metres; 60 kW.; and DANZIG, 453.2 metres.—12 Noon, Concert by the Small Station Orchestra, conducted by Eugen Wilken; Selection from Where the Lark Sings (Lehar); Waltz from Countess Maritza (Kálmán); Tango, Jealousy (Gale); An der Wiege (Richter); Selection from La Gioconda (Ponchielli); Suite orientale (Popy); Addio a Napoli (Murzilli); Vor einer alten Spieluhr (Müller-Melhorn); Overture, Nakiris Hochzeit (Lübeck). In the interval at 12.20 p.m., News. 1.30, Sponsored Programme with Gramophone Records. 2.0, Agricultural Prices and Exchange Rates. 2.20, Practical Hints. 2.30, Programme for Children. 3.0, Talk for Parents: Education in England. 3.30, See Hamburg. 4.35, A Discussion on Cattle Rearing, relayed from Freudenwalde. 5.15, Agricultural Prices. 5.20, Ice Report. 5.30, Otto Siegl Song Recital by Henry Wolff. 6.0, Bridge Lesson. 6.25, Dance Music by the Small Station Orchestra, conducted by Eugen Wilken, and the Edhur Runde Orchestra. In the interval at 7.0 (approx.), Weather and News. 8.10 (from Danzig), Danzig in Song and Verse—a Mosaic of the Past and the Present (Carl Lange). 8.45, Song Recital by Tony Jaecel (Soprano and Lute) and Gerhard Riechel (Violin). 9.15, Weather, News and Sports Notes. 9.30 (approx.), Light Music on Gramophone Records. 11.0 (approx.), Close Down.

HILVERSUM

Announced HUIZEN, 296.1 metres; 20 kW. (7 kW. up to 4.40 p.m.).—Programme of the Christian Radio Society (N.C.R.V.). 11.40 a.m., Police Notes. 11.55, Quintet Concert: Overture, Si j'étais roi (Adam); Selection from The Sleeping Beauty (Tchaikovsky); Selection from Die Fledermaus (Joh. Strauss); March, Prinz Eitel Friedrich (Blaukenburg); Interlude: Two Choral Pieces on Gramophone Records; Selection from Mari-tana (Wallace); Selection from Norma (Bellini); Habanera (Bizet); Selection from La Traviata (Verdi). 1.40 p.m., Mon Lac (Witkowski), on Gramophone Records. 2.10, Vocal and Instrumental Concert: Four Dutch Songs for Contralto; Sonata in B flat for Violin and Piano-forte. (Mozart); Allegro moderato from the Unfinished Symphony (Schubert), on Gramophone Records; Contralto Solos: (a) Trauer und Trost (Cornelius), (b) Reiselied (Mendelssohn), (c) Der Jäger (Brahms), (d) Ständchen (Brahms); Pieces for Violin and Piano-forte: (a) Adagio from the Concerto in G Minor (Max Bruch), (b) Cradle Song (Cui), (c) Poeme (Frich); Suite, Moldavia (Smetana), on Gramophone Records; Four Dutch Songs; Five Pieces for Piano-forte (Sem Dresden); Gavotte (Loots), Mimed for Violin and Piano-forte. 4.10, Programme to be announced. 4.40, Programme for Children. 5.40, Talk arranged by the Salvation Army. 6.10, Elementary English Lesson. 6.40, Programme arranged by the Department of Buildings and Roads. 7.10, Police Notes. 7.25, News Bulletin. 7.40, Organ Recital with interludes by a Ladies' Choir. In the interval at 8.10, Talk. 8.50, Talk on the N.C.R.V. 9.10, Quartet Concert. In the interval at 9.25, News. 10.10, Gramophone Records of Classical Music. 11.10 (approx.), Close Down.

HORBY.—See Stockholm.

HUIZEN

Announced HILVERSUM, 1,875 metres, 8.5 kW. Programme of the Workers' Radio Society (V.A.R.A.).—11.40 a.m., Concert by De Notenkrakers, conducted by D. Wins. 1.25 to 1.40 p.m., Interval. 1.40, Programme for Women. 2.40, Programme for Children. 5.10, Concert by De Notenkrakers: Potpourri (Wilke); Chanson triste (Tchaikovsky); Russian Dance (Bortkiewicz); Slav Dance (Dvorak); Stenka rasin (Rubat); Gramophone Records: Gipsy Idyll (Ferraris); Sonja (Partos); Russian Dance (Tchaikovsky); Gramophone Records; Waltz (Berger); Causerie (Gillet); Siempre (Bianco); Lehar Potpourri (Hubay); La Cinquantaine (Marie); Mclancolia (de Micheli); March (Rosey). 6.40, Topical Talk. 6.56, Light Music on Gramophone Records.

7.0, Organ Recital by C. Steyn. 7.30, S.O.S. Messages. 7.35, Talk. 7.55, Concert by the Amsterdam Chamber Orchestra, conducted by J. Feltkamp, and the Waleston String Quartet: Octandre (Varese); Quartet, Op. 23 (Hanson). 8.30, Waar liefde woont—Play in One Act (Sterkenburg), by the V.A.R.A. Toned. 9.0, Talk. 9.5, Concert (contd.); Divertissement (Ricger); Symphonietta (Cowell). 9.50, News Bulletin. 10.0, Concert by De Fliedruiters, conducted by H. de Groot: Soloist: Mlle. Esther Philippe (Songs); Das ist die Sonne von Arkadien (Stolz); Orientzauber (Dicke); Das schönste Gedanke (Abraham); Bed-time Story (Nicholls); Utanon-Bomben (Borchert); Light Music on Gramophone Records; Bells of Barcelona (Conely); Song (Abraham); Tiger Rag (Rocooco-Konst); Eine Walzer-Redoute (Hildebrandt); Love Me To-night (Young); Melody (Donaldson); Waltz (Durand); Popular Music on Gramophone Records; Melody (Woods); Melody (Gray); In Old Seville (Rosen); De Lante paudentram (Raasch); Ach Willy (Majos); Solera (Demon); Melody (Alex). 11.40 (approx.), Close Down.

INNSBRUCK.—See Vienna.

KALUNDBROG.—See Copenhagen.

KIEL.—See Hamburg.

KLAGENFURT.—See Vienna.

KOSICE.—See Prague.

LANGENBERG

473 metres; 60 kW.—12 Noon, Concert, conducted by Eysoldt. A Fête in Aranjuez (Demerssemann); Cradle Song and Serenade (Dvorak); Overture, The Barber of Seville (Rossini); Waltz, Neu-Wien (Strauss); Florentine Intermezzo (Waghalter); Rocooco Gavotte (Translatour); Ballet Music from La Juive (Halévy); Potpourri, Musikalisches Kunterbunt (Schmalstich); Grenadier-marsch (Wiedemann). 1.0 p.m. (in an interval), News. 1.30, Sponsored Programme with Gramophone Records. 2.30, Exchange and Time Signal. 2.50, Programme for Children. 3.30, Programme to be announced. 4.0, Concert. 5.15, Talk: Legend and History in the Rhineland and Westphalia—The Legend of St. Ursula. 5.35, Poems. 5.45, Weather, Time, Exchange and Sports Notes. 6.0, Talk: Penal Law as it affects Young People. 6.20, Talk: Health before Everything. 6.35, The World on Gramophone Records—the Mask, the Dance, and the Drama among Primitive Peoples. 7.0, How the Old Folks sang—by Kläre Hansen, Martha Walter, Leonardo Aramesco, Wilhelm Strienz, Hans Salomon, and the Station Chamber Orchestra, conducted by Spitz. 8.0, The Dance of the Bees—Concert by the Station Orchestra, conducted by Buschkötter, with Rieth (Recitations); Recitation: Prologue (Billinger); Flight of the Bumble Bee (Rinsky-Korsakov); Recitation: Pollen Dance (Rendi); Dance of the Bees from The Queen of Sheba (Goldmark); Recitation: Honey Dance (Rendi); In the Beehive (Ebert); Recitation: Bridal Dance (Rendi); Fantastic Sketch, Dance of the Bees (Stravinsky). 9.5, News and Sports Notes. 9.30, Serenade, conducted by Wolf. 11.0 (approx.), Close Down.

LAUSANNE.—See Radio-Suisse Romande.

LEIPZIG

389.6 metres; 120 kW.; and DRESDEN, 319 metres.—11.5 a.m., Concert by the Emdé Orchestra: Overture, La Sirène (Anber); Waltz, Pariser Strassensänger (Ohlsen); Paraphrase on Horch, die alten Eichen rauschen (Rhode); Modern Dance Music; Potpourri, Sänger heraus (Ostermann); Intermezzo (Wetzel); Modern Dances; Grossmütterchen (Langer); The Mill in the Black Forest (Eilenberg); Modern Dances. In the interval at 12.0 Noon, News. After the Concert, Exchange Quotations. 1.0 p.m., How to Build a Wireless Receiver. 2.0, Talk. 2.35, Market Prices. 3.0, Programme for Young People. Part I—Folk and Chamber Music by a School Choir and Orchestra. Part II—Students work for Students—Radio Picture from Leipzig University. 4.50, Exchange Quotations, Weather and Time. 5.10, Book Review. 5.35, Italian Lesson. 5.50, Report on the Berlin Motor Exhibition. 6.0, Concert of Chamber Music. Mandoline Pieces: (a) Falling Leaves (Huber). (b) Dream Pictures (Redlinger). (c) Twilight (Fantuzzi); Zither Pieces: (a) Serenade from the Florentine Quintet (Haydn); (b) Minuet, Aschenbrödel, Brauttrau (Kollmanek); Fantasia on Johann Strauss Waltz Themes (Kollmanek); Violin and Guitar Music: (a) Corrente (Handel), (b) Minuet (Scarlati), (c) Gliedler (Durante), (d) Allegro and Rondo (Scheidler), (e) Fantasia, Minuet and Tarantella (Steinwender). 7.0, Talk: The Role of Agriculture in the Economic Reconstruction of Germany. 7.30, Humorous Dialogue. 8.10, News Bulletin. 8.20, Topical Talk. 8.30, Hugo Wolf Song Recital by Emmy Neendorff (Contralto); Schon streckt ich aus im Bett die müden Glieder; Ein Ständchen Euch zu bringen; Mein Liebster singt an Haas im Mondschein; Heh' auf dein blondes Haupt und schlafe nicht; Wenn du mich mit den Augen streifst und lachst. Was soll der

Zorn, mein Schatz; Nun lass uns Frieden schliessen; Der Mond hat eine schwere Klag' erhoben; Gesegnet sei das Grün und der es trägt; Benedeit die selige Mutter; Und willst du deinen Liebsten sterben seh'n; Ich esse nun mein Brot nicht trocken; Ihr jungen Leute, die Ihr zieht ins Feld; Mein Liebster ist so klein; Mein Liebster hat mich zu Tisch geladen; Ich hab in Penta einen Liebsten wohnen. 9.5, News Bulletin. 9.15 (approx.), Concert. 11.0 (approx.), Close Down.

LINZ.—See Vienna.

LJUBLJANA

574.7 metres; 2.5 kW.—5.0 p.m., Programme in English by the I.B.C. Orchestral Concert: Blaze Away; Trees; Maybe it's the Moon; Titania; Out of the Blue; An old Vision; Pardon me pretty baby; My heart sings a broken melody. 5.30, Phonetics Lesson. 5.5, Russian Lesson. 6.30, Literary Programme. 7.0, Wagner Memorial Programme. 9.0, Time, News, and Popular Music on Gramophone Records.

LWOW

381 metres; 16 kW.—6.10 p.m., Miscellaneous Items. 6.30, See Warsaw. 7.0, Choral Concert by the Esben Revellers. 7.50, See Warsaw. 8.55, Recital by Eliska Reisinger-Zimalova, relayed from Katowice (408 metres). 9.25, Dance Music, relayed from Warsaw. 9.40, Talk in English: Majdan Smoluchowski, the Famous Polish Physician. 9.55, See Warsaw. 10.0, Relay of Foreign Stations. 11.0 (approx.), Close Down.

MADRID

ARANJUEZ; EAQ; 30.43 metres; 20 kW.—10.30 p.m., Popular Concert. 10.45, Radio Chronicle. 11.0, Popular Concert (contd.). 11.35, Talk. 11.40, Light Music. 12 Midnight (approx.), Close Down.

MADRID

UNION RADIO; Call EAJ7; 424.3 metres; 2 kW.—7.0 p.m., Chimes, Exchange Quotations, Literary Talk: Larra; and Request Gramophone Records. 7.30, Agricultural Talk and Request Gramophone Records (contd.). 8.25, News Bulletin. 8.30 to 9.30, Interval. 9.30, Chimes, Time Signal and a Play submitted in connection with the Radio Play Competition. 11.45, News Bulletin. 12 Midnight, Chimes and Close Down.

MALMO.—See Stockholm.

MILAN.—See Turin.

MORAVSKA-OSTRAVA

263.8 metres; 11 kW.—5.25 p.m., Concert by the Silesian Teachers' Vocal Society, conducted by Pavel Sigmund. 6.0, See Prague. 6.20, See Brno. 7.0, Jawoll (Oh, Yes)—One Act Comedy (Havelka). 7.45, Concert by the Station Orchestra, conducted by B. Tyrdy. 9.0, See Prague. 9.15 (approx.), Close Down.

MOSCOW

TRADES UNION, 1,304 metres; 100 kW.—4.0 p.m., News. 4.10, Announcements. 4.25, Ballet Music from The Bayadere (Minkis), followed by Relay of a Foreign Station. 5.30, Concert of Light Music from the Radio Theatre. 8.0, Dialogue in English: A Meeting between two of the former Upper Ten. 8.55, Time. 9.5, Press Review.

MOTALA.—See Stockholm.

MUHLACKER.—See Stuttgart.

MUNICH

533 metres; 60 kW. Relayed by Augsburg and Kaiserslautern, 560 metres; and Nürnberg, 239 metres.—4.0 p.m., Concert from Stuttgart. 5.15, English Lesson. 5.55, Talk: The Mystics. 5.55, Time, Weather, and Agricultural Notes. 6.5, Talk: How to be Healthy and to remain so. 6.25, Orchestral Concert, conducted by Erich Kloss; Soloist: Gerty Stoerk (Soprano); Overture, The Caliph of Bagdad (Boieldieu); Ballet Music from Undine (Lortzing); Shadow Dance from Dinorah (Meyerbeer); Dance Bohémienne (Debussy-Artok); Mein Herr Marquis, from Die Fledermaus (Joh. Strauss); Oriental Procession (Lemans); Waltz from Schon ist die Welt (Lehar); Ein Bissenchen Liebe für dich (Abraham); Harlekin und Columbine (Kaskel). 7.15 (from Nürnberg), Snowflakes in February—Variety Concert by a Double Vocal Quartet, Emmy Schwab (Soprano), Franz Borg (Bass), and Roberto (the Musical Miracle Man). 8.0, Symphony (Concert by the Station Orchestra, conducted by Hans Winter; Soloist: Paul Hindemith (Violin); Suite in Four Movements, Serenade (Frankenstein); Concert Music for Viola and Chamber Orchestra (Paul Hindemith); Symphony in B flat (Haydn). 9.20, Time, Weather, News, and Sports Notes. 9.5, Serenade by Ludwig Würtlmüller and his Band. 11.0 (approx.), Close Down.

NAPLES.—See Rome.

NOTODDEN.—See Oslo.

OSLO

1,083 metres; 60 kW. Relayed by Fredrikstad, 365.8 metres; Hamar, 574.7 metres; Notodden, 447.1 metres; Porsgrund, 452.2 metres; and Rjukan, 447.1 metres.—4.0 p.m., Light Music on Gramophone Records. 5.0, German Lesson. 5.30, Programme for Girls.

FEB. 15th

WEDNESDAY

continued

6.0, Announcements, Weather and News, 6.30, Educational Talk, relayed from the University, 7.0, Time Signal, 7.1, Wagner Concert by the Station Orchestra, conducted by Hugo Kramm: Overture, and Death of Isolde from Tristan and Isolde; Overture, Tannhäuser; Act III of Tannhäuser. 8.30, Agricultural Report, 8.40, Weather and News, 9.0, Topical Talk, 9.15, Helge Krogh Reads his own Works, 9.45, Dance Music on Gramophone Records, 11.0 (approx.), Close Down.

OSTERSUND.—See Stockholm.

PALERMO

537.6 metres; 3 kW.—7.0 p.m., Dopolavoro Notes, Tourist Talk, Agricultural Report, and Giornale Radio, 7.20, Variety Music on Gramophone Records. In the interval at 7.30, Time and Announcements, 7.45, Concert, Part One.—Classical Music: Sarrabande, Gigue and Badinerie (Corelli); Quintet (Schumann); Scènes pittoresques (Massenet); Talk; Quartet for Oboe, Violin, Viola, and Cello (Mozart); Ballet Music from Rossamund (Schubert). Part Two.—Songs: Soprano Solo, Minore (Abel); Tenor Solo, Adone Vamos (Blanco); Sotto il cielo dell'Avana (Rucione); Humorous Item; Era nata a Chicago (Firpo); Soprano Solo, Niente (Masccheroni); Tenor Solo, Amor di re (Petri); Song (Abraham); Humorous Item, Cecco Ciccio (Rebelli), 9.55, News Bulletin.

PARIS

EIFFEL TOWER, Call FLE, 1,445.7 metres; 13 kW.—Time Signals (on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and 6-dot Signals), 5.45 p.m., Le Journal Parlé, 7.20, Weather Report, 7.30, Recitations, 7.45, Programme for Young People, 8.15, News Bulletin, 8.20, Concert, conducted by Edouard Flament: Dans les champs (Brussels); Chanson d'amour (de Bréville); Overture, Kosiki (Lecocq); Violin Solo, Le Gai Postillon (Flament); Selection from White Horse Inn (Benatzky-Stolz); Overture, The Bohemian Girl (Balfe), 9.0 (approx.), Close Down.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW.—6.45 p.m., Journal Parlé, 7.0, Gramophone Concert of Popular Music, 8.0, Tourist Report, 8.15, Interval, 8.30, Sponsored Concert, 9.0, Interval, 9.10, Instrumental and Vocal Concert, 10.10, Dance Music by the Lido Orchestra, 11.0, News.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW. 6.45 a.m., Physical Culture, 7.30, Weather and Physical Culture (contd.), 7.45, Probable Relay of the Test Match from Australia, 8.0, Press Review and Weather, 8.30, Test Match Relay (contd.), 12 Noon, Talk: Modern Education and Physical Culture, 12.15 p.m., Concert by the Radio Paris Orchestra: Selection from La Jolie Persane (Lecocq), 12.30, Organ Recital by G. Desserre, relayed from the Gaumont Palace; Overture, Martha (Flotow); I beg your pardon, Mademoiselle (Hoffmann); Selection from Mirella (Gounod); Waltz (Siede), 1.0, Exchange, News, and Weather, 1.5, Orchestral Concert (contd.): Selection from The Arcadians (Monckton-Talbot); Selection from Gladys (Pugot); Selection from Die geschiedene Frau (Fall); Selection from the Gramophone Princess (Nelson); Selection from Blue Beard (Offenbach). In the interval at 1.30, Exchange, 2.0, Exchange, 3.45, Exchange and Market Prices, 6.10, Agricultural Talk, 6.30, Market Prices, Weather, Agricultural Report, and Exchange, 6.40, German Lesson, 7.0, Medical Talk, 7.20, Concert by the Radio Paris Orchestra: Selection from L'ivrogne corrigé (Gluck-Chouvel); Selection from La Reine Fiammette (Berou-Moreau); Selection from Judith (Bantock), 7.45, Commercial Prices and News, 8.0, Literary Readings, 8.30, News and Weather, 8.40, Fashion Review, 9.0, Concert by the Lamoureux Concert Society, conducted by Albert Wolff, relayed from the Salle Gaveau: Fifth Symphony in C Minor (Beethoven); Beria (Debussy); Partita for Piano and Orchestra (Casella); Symphonic Suite from La Donna serpente (Casella). In the interval at 9.15, Press Review and News.

PITTSBURGH

WESTINGHOUSE ELECTRIC (KDKA), 306 metres; 25 kW. Relayed by W3XK on 48.86 metres and 25.27 metres.—9.0 p.m., Work-day Thoughts, 9.5, Business News, 9.15, Programme to be announced, 9.30, Weather Report, 9.32, Market Reports, 9.45, Piano-forte Interlude, 9.50, David Lawrence Dispatch, 9.55, KDKA Artist Bulletin, 9.58, Programme Announcements, 10.0, Westinghouse Chef, 10.15, Programme to be announced, 10.30, The Singing Lady, 10.45, Little Orphan Annie, from New York, 11.0, Our Daily Food by Maude and Cousin Bill, from New York, 11.15, Time Signal, 11.16, Weather Report, 11.17, Teaberry Sport Review, 11.22, Press News Reeler, 11.27, Strange Facts, 11.29, Temperature Report, 11.30, Sheer Romance, 11.45 to 3.15 a.m. (Thursday), New York Relay, 11.45, Today's News by Lowell Thomas, 12 Midnight, Amos n' Andy, 12.15 a.m., Carlson Robison and his Barbusol Buckaroos, 12.30,

Five Star Theatre—Dramatisation of Short Stories, 1.0, Eno Crime Club, 1.30, Time Signal and Harriett Lee and her Leaders, 1.45, The Country Doctor, 2.0, Adventures of Sherlock Holmes, 2.30, Woodbury Programme with Morton Downey and Donald Novis, 3.0, D. W. Griffith's Hollywood, 3.15, Bridge School of the Air by E. Hall Downes, 3.30, Around the Cracker Barrel, 3.45, Bradley Kincaid, 4.0, Time Signal, 4.1, Teaberry Sport Review, 4.11, Temperature Report, 4.12, Weather Report, 4.13, KDKA Artist, 4.15, Press Last Minute News Flashes, 4.20, Henry Hadstead and his Californians, 5.0, College Inn Orchestra, from New York, 5.30, Time Signal and Good-night.

PORSGRUND.—See Oslo.

PRAGUE

488.6 metres; 120 kW.—3.10 p.m., Concert by the Station Orchestra, conducted by Isa Krejci: Overture, Iphigenia in Aulis (Gluck); Symphony in E flat (Mozart); Selection from La Boutique fantasque (Rossini-Respighi), 4.0, Talk, 4.10, Marionette Play, 5.5, Agricultural Report, 5.15, Talk for Workers, 5.25, News in German, 5.30, German Transmission: Reading and Talk for Workers, 6.0, News, 6.5, Talk: Dr. Alois Rasin, 6.20, See Brno, 7.0, Talk on the following Transmission, 7.5, Concert by the Czech Philharmonic Orchestra, conducted by Professor F. Stupka. Soloist: Julie Nessy-Bacherova (Songs); Symphony in E Flat, Op. 18, No. 1 (Bach); Song, Ma che vi fece o stello (Mozart); Poem, Op. 4 (Schönberg); Song Cycle (Foerster); Summer Concerto (Pizzetti). In the interval at 8.0, Time Signal, 9.0, Time Signal, 9.1, News Bulletin, 9.15 (approx.), Close Down.

RADIO-SUISSE ROMANDE

507 metres, 403 metres, 25 kW.; LANSMANNE, 680 metres; and GENEVA, 760 metres.—5.0 p.m. (from Geneva), Programme for Children, 6.0 (from Lausanne), Weather, News, and Announcements, 6.30 (from Lausanne), Agricultural Talk, 7.0 (from Lausanne), Orchestral Concert, relayed from the Métropole Bel-Air, 7.30 (from Lausanne), An Evening in the Village—Concert by a Mixed Choir and a Village Orchestra; Soloist, Marcel Crôt (Baritone), 9.0, News Bulletin and Weather Forecast, 9.10 (from Geneva), Talk: The Work of the League of Nations, 9.20 (from Lausanne), Dance Music, relayed from the Bel-Air Métropole, 10.0 (approx.), Close Down.

RJUKAN.—See Oslo.

ROME

Call 1R0, 441 metres; 50 kW. Relayed by Naples, 319 metres; and 2R0, 25.4 metres.—7.0 a.m., Gymnastics, 7.15 to 7.30, Giornale Radio and Announcements, 11.30, Weather and Light Music on Gramophone Records, 12 Noon, Time and Announcements, 12.2 to 1.15, Orchestral Concert of Light Music. In the interval from 12.30 to 12.45, Giornale Radio and Exchange, 3.45, Children's Radio Review, 4.10, Announcements, 4.15, Exchange and Giornale Radio, 4.30, Vocal and Instrumental Concert: Ginevra Bruno (Harp) and Maria Senes (Soprano); Harp Solos: (a) Villanella, from the Old Airs, for Lute (Respighi), (b) Waltz (Brahms); Songs: (a) A orilla de un palmar (Ponce), (b) Elegy (Granados), (c) Aria from Lodeletta (Mascagni); Harp Solos: (a) Melody (Grieg), (b) Malagucna (Albeniz); Cavatina, from Anne Boleyn (Donizetti), 5.15 to 7.45, Interval, 7.45, Relay of an Opera. In the intervals, Talk, Announcements, and News.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY, WGY, 379.5 metres; 50 kW. Relayed at intervals by W2XAF on 31.48 metres and by W2XAD on 19.56 metres.—7.30 p.m. to 12.15 a.m. (Thursday), New York relay, 7.30, Westminster Choir, 8.0, Two Seats in the Balcony, 12 Midnight, Jane Froman and her Orchestra, 12.15 a.m., Stock Reports, 12.30 to 2.0, New York relay, 12.30, Ralph Kirby (Baritone), 12.45, The Goldbergs, 1.0, The Royal Vagabonds, 1.30, The Shadow, 2.0, Musical Programme, 2.15, Three Shades of Blue (Male Trio), 2.30, Supper Club Orchestra and Programme Resumé.

SCHWEIZERISCHER

LANDESENDER

BEROMUNSTER, 459 metres; 60 kW.; and **BASLE, 244.1 metres;** and **BERNE, 245.9 metres.**—11.28 a.m., Time Signal from Neuchâtel Observatory, 11.30, Weather and News, 11.40, Le Carnaval des Animaux—Suite (Saint-Saëns), on Gramophone Records, 12.15 p.m., Caruso Songs on Gramophone Records, 12.30, Intermezzo from L'Amico Fritz (Mascagni), on Gramophone Records, 12.35, Weather and Exchange, 12.45 to 2.30, Interval, 2.30, Chamber Music on Gramophone Records, 3.0, Viennese Waltzes on Gramophone Records, 3.30 (from Berne), Programme for Children, 4.0, Spring

Music on Gramophone Records, 4.30, Weather, 4.35 to 5.30, Interval, 5.30 (from Zürich), Hans von Bülowen reads from his Novel, Ein Haus der Dämonen, 6.0, Time, Weather, and Market Prices, 6.15 (from Zürich), English Lesson, 6.45, Concert by the Radio Orchestra, 7.0 (from Berne), Songs from Thieck's Magelone (Brahms); Lucia Corridori (Soprano), Karl Theo Wagner (Baritone), Cecile Farcy (Recitation), Maria Peyer at the Pianoforte, 8.15, Orchestral Music, 8.30, Weather and News, 8.40 (from Berne), Folk Music of Ticino by Mandoline; Orchestra and Choir, 9.15 (approx.), Close Down.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SASA, 436 metres; 55 kW. Relayed by Boden, 1,229.5 metres; Göteborg, 322 metres; Hörby, 257 metres; Motala, 1,348 metres; Östersund, 770 metres; and Sundsvall, 542 metres.—4.5 p.m., Organ Recital; Elegy (Sibelius); Moment Musical (Schubert); Melody (Hetzau); Tango, Francesca (Velazco); Bells across the Meadow (Ketilbey); Fox-trot, Ticking the Tibias (Velazco); Fox-trot, Pardon me, pretty Baby (Rose), 4.30 (from Boden), Talk on Wolf and Bear Hunting, 5.0, Light Music on Gramophone Records, 6.0, The Inquisitive Microphone, 6.15, Weather and News, 6.30, The Ghost Story—One-Act Comedy (Booth Tarkington), 7.0, Cabaret Programme, 7.30, Talk, 8.0 (from Göteborg), Symphony No. 2 in D (Brahms), 8.45, Weather and News, 9.0, Dance Music by the Enders Orchestra, relayed from the Bern Hall, 10.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW.—11.30 a.m., Gramophone Concert of Light Music, 12.45 p.m., News, 1.0, Time and Exchange, 1.5, Orchestral Concert, conducted by Maurice de Villers: Overture, Rienzi (Wagner); Three Ficcies (Pierné); Ballet Suite, La Féria (Lacôme); Selection from La Bohème (Puccini); Polovisian March (Borodin), 2.0 to 4.45, Interval, 4.45, Talk in French on Electricity, 5.0, Orchestral Concert, conducted by M. Roskam: Overture, Fra Diavolo (Auber); Waltz, Pourquoi ne puis-je aimer (Barbinelli); Minuet (Bocherini); Selection from Faust (Gounod); Czardas (Ackermans); Dance Suite (Pierné); Sérénade à l'Amour (Fauchey); Selection from Flup (Szulc), 6.0, Variety Concert by the Station Trio, relayed from Lille (265.4 metres), 7.0, Variety Music on Gramophone Records, 7.15, Legal Talk in French, 7.30, Time and News, 7.45, See Paris (Eiffel Tower), 8.15, Lottery Results, 8.30, Concert by the Besançon Symphony Concert Society, relayed from Besançon; Conductor: Gaston Poulet; Soloist: Vnoshat (Pianoforte), 11.0, Concert, relayed from **Radio Colomale (Paris) (25.63 metres);** Conductor: Henri Tomasi; Soloists: Roger Bourdin (Songs) and M. Vullermoz (Horn); Suite Tossinoise (Doret); Suite, Promenade des amants (Debussy); Mandoline (Faure); Song; Pavane pour une infante défunte (Ravel); Horn Solo; Trois chansons des trains et des gares (Fraggi); Bourrée fantasque (Chabrier), 12 Midnight (approx.), Close Down.

STUTTGART

MUHLACKER, 360.5 metres; 60 kW.; and **FREIBURG, 570 metres.**—12.30 p.m., Concert from Munich, 1.0 to 1.15, Sponsored Gramophone Records, 3.0, Programme for Children, 4.0, Concert by the Stuttgart Philharmonic Orchestra, conducted by Gustav Gölich: Overture, Die Matrosen (Flotow); Selection from The Queen of Spades (Tchaikovsky); Waltz, Wine, Woman and Song (Joh. Strauss); Potpourri of Lehar Operetta Music (Hruha); Carnival Suite (Siede); March, Bis früh um fünf (Lincke), 6.15, Time, Weather and Agricultural Notes, 5.25, Legal Talk: The Apprentice, 5.50, Talk: A Trip of Exploration to the Kurile Islands, 6.15, Time and News, 6.20, Cello Recital, Beethoven Variations on the Mozart Theme, Bei Mäthern, welche Liebe fühlen; Scherzo (Hittendorff); Adagio (Bach); Sérénade (Casadeo); Malagucna (Albeniz), 7.0, Cotton No. 3 of a Radio Sequence on Industrial Sources (Josef Eberle and Karl Köstlin), 8.0, See Frankfurt, 8.50, The Latest Gramophone Records with Commentary, 9.5, Time, News, Weather and Programme Announcements, 9.45, See Munich, 11.0 (approx.), Close Down.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW.—6.0 p.m., News, 6.15, La Valse (Ravel), 6.30, Songs from Sound Films, 6.45, Operetta Music: Selection from: (a) The Dollar Princess (Fall), (b) Countess Maritza (Kálmán), 7.0, Musical Programme: Ideale (Fosti), Sérénade (Braga). In the interval, Talk, 7.15, Racing Results, Market Prices, and News, 7.25, Local News Bulletin, 7.30, Accordion Music, 7.45, Concert by a Viennese Orchestra, 8.15, Concert: Part I: M. Jancol in a Programme of his own composition; Part II: Orchestral Music, 8.30,

Violin Recital: Chanson triste (Tchaikovsky), Pièce en forme de Habanera (Ravel), Humoresque (Dvorak), 8.45, Operetta Music: Airs from: (a) La Perichole (Offenbach), (b) Les Cloches de Corneville (Planquette), (c) La Poupée (Andran), 9.0, Concert by the Society Les Freres Maillol's, conducted by M. Cazaux. In the interval, Light Music, 10.15, North African News, 10.30, Concert for Listeners in Morocco: Overture, The Caliph of Bagdad (Boleldieu); Air from Les Noces de Jeanette (Massé); Li-z-t Potpourri (Morena); Pour être fort (Chantrier); Estudiantina (Waldteufel), 11.0, Music by a Symphony Orchestra, 11.15, Programme of Tangos, 11.30, Programme in English by the I.B.C.: Dance Music: What a Perfect Night for Love; O Donna Clara; Roaming through the Roses; Sunny; Cheerful little Earful; All through the Night; Them there Eyes; Sous les Toits de Paris, 12 Midnight, Weather Forecast and Announcements, 12.5 a.m. (Thursday), Military Music, 12.15, Dance Music, 12.30 (approx.), Close Down.

TRIESTE

247.7 metres; 10 kW.—4.0 to 6.30 p.m., See Turin, 6.30, Orchestral Concert, relayed from the Caffè Dante, 7.0 till Close Down, See Turin.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relayed by Milan, 331.5 metres; Genoa, 312.8 metres; and Florence, 500.8 metres.—4.0 to 5.0 p.m., Concert of Chamber Music: Sonata in D Minor, Op. 108, for Violin and Pianoforte (Brahms); Violin Solos: (a) Sonata in G Minor (Tartini), (b) Improvisations (Bloch), (c) La capricieuse (Elgar), 5.35, Giornale radio, Agricultural Report, and Dopolavoro Notes, 6.0, Popular Music on Gramophone Records, 6.20, Giornale Radio, 6.30, Time Signal, Announcements, Tourist Talk, and Gramophone Records (contd.), 6.35 to 7.0, Interval, 7.0, Giornale Radio and Weather Forecast, 7.15, Medical Talk, 7.30, A Comedy in Three Acts, After the Programm, Concert by the Station Orchestra, 10.0, Giornale Radio.

VATICAN CITY

19.64 metres (Morning) and 50.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Information in Spanish, 7.0 to 7.15 p.m., Religious Information in Italian.

VIENNA

517 metres; 15 kW. Relayed by Graz, 352.1 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 245.9 metres; and Salzburg, 218.5 metres.—3.55 p.m., Concert by the Weissgäbner-Mayr Quartet; Soloists: Berta Jalm-Beer (Pianoforte) and Max Klein (Songs); Pianoforte Solo: Praeludium, Passacaglia, and Fugues (Kradik); Der tote Arbeiter (Zeisl); Schrei (Zeisl); Die Brücke (Pechinig); Song, Reveille, from Des Knaben Wunderhorn (Kienzl); Pianoforte Solos: Two Dances, Op. 42 (Wellesz); Rhapsody for Bass; String Quartet and Pianoforte; Die Heideschenke (Leukauf), the Composer at the Pianoforte; String Quartet, Op. 35 (Kraal), 5.10, Talk: Illness caused by Over Exertion at Sport, 5.35, Talk for Workers, 6.0, Reading, 6.25, Time, Weather, and Programme Announcements, 6.35, Die Fledermaus—Operetta in Three Acts (Joh. Strauss), relayed from the Academy Theatre, 7.25, Quintet in A, Op. 114—the Trout, for Pianoforte, Violin, Viola, Cello, and Double Bass, 8.5, News, Weather, and Announcements, 8.20, Talk on the Austrian Musical Festival, 8.30, Dance Music by the Karl Machek Jazz Band, relayed from the Café Splendide.

WARSAW

1,411 metres; 120 kW.—10.58 a.m., Time Signal and Bugle Call from the Tower of St. Mary's Church, Cracow, 11.5, Programme Announcements, 11.10, Gramophone Records of Popular Music, 12.20 p.m., Weather Forecast, 12.25 to 2.10, Interval, 2.10, Announcements, 2.15, Economic Notes, 2.30, Boy Scouts Report, 2.35, Programme for Children, 3.0, Light Music on Gramophone Records, 3.40, Military Talk, 4.0, Talk for Music Teachers, 4.15, Announcements, 4.20, Popular Music on Gramophone Records, 4.40, Talk: Old Age Pensions for the Middle Classes, 4.55, Programme Announcements, 5.0, Dance Music from the Adria Dance Hall. In the interval, News, 6.0, Miscellaneous Items, 6.20, Answers to Agricultural Correspondence, 6.30, Talk: Literary Criticism, 6.45, Radio Journal, 7.0, Light Music, relayed from Lwow (381 metres), 7.50, Sports Notes, 7.55, Radio Journal, 8.0, Pianoforte Recital by Alexander Borovyski: Prelude and Fugue in C Minor (Bach); Prelude and Fugue in B Flat Minor (Bach); Prelude and Fugue in C Sharp (Bach); Rondo Capriccioso (Mendelssohn); Variations on a Theme by Paganini (Brahms); Larghetto (Prokofiev); The Flight of the Bumble Bee (Rimsky-Korsakov); Preludes in G and in D Minor (Rachmaninov); Chasse-neige (Liszt); Polonaise in E (Liszt), 8.55, Song Recital from Katowice (408 metres), 9.20, Dance Music from the Italia Café, 9.40, Talk in English: Smoluchowski, the Polish Physicist, 9.55, Aviation Weather Report and Police Notes, 10.0, Dance Music from the Bodget Dance Hall.

ZURICH.—See Schweizerischer Landessender.

ATHLONE

413 metres; 60 kW.; and **CORK**, 224.4 metres.—1.30 to 2.0 p.m., Time Signal, Weather Report, Stock Report and Light Music on Gramophone Records. 6.0, Popular Music on Gramophone Records. 6.15, Programme for Children. 7.0, Light Music on Gramophone Records. 7.10, Dublin Cattle Market Report. 7.20, News Bulletin. 7.30, Time Signal. 7.31, French Lesson. 7.45, Literary and Dramatic Talk. 8.0, Concert of Light Opera Music by the Station Orchestra. 8.20, Variety Programme by Tom Madden and Company. 8.50, Pianoforte Recital by Victor Love. 9.10, Songs by Jean Thompson. 9.20, Violin Solos by Daphne Garratt. 9.35, The Station Orchestra. 10.0, Dance Music on Gramophone Records. 10.30, Time Signal, News, Weather Report and Close Down.

BARCELONA

RADIO-BARCELONA, Call EAJ1, 348.8 metres; 8 kW.—6.0 p.m., Trio Concert with Literary Interlude. 7.0, Request Concert on Gramophone Records, and Fortnightly Report of the Institute of Hygiene. 7.30, Exchange Quotations, Gramophone Concert (contd.), and Talk in Catalan. 8.0, Light Music on Gramophone Records, followed by Press Review. 8.0, Chimes, Weather, Market Prices and Exchange Quotations. 9.5, An Opera, relayed from the Gran Teatro del Liceo. In the interval at 11.0, News. 12 Midnight (approx.), Close Down.

BARI

269.8 metres; 20 kW.—7.0 p.m., Agricultural Notes, Tourist Talk and Dopolavero Announcements. 7.20, Giornale Radio and Weather. 7.30, Time Signal and Announcements. 7.35, Popular Music on Gramophone Records. 7.45, An Opera, relayed from the Teatro Petruzzelli. In the intervals: Art Notes and Theatre Talk. After the Opera, News Bulletin.

BASLE.—See *Schweizerischer Landessender*.

BELGRADE

430.4 metres; 2.8 kW.—3.30 p.m., Recital of Yugoslav Songs. 4.0, Talk. 5.25, Time and Programme Announcements. 5.30, A French Dialogue. 6.0, Concert by the Radio Orchestra. Serbian Potpourri (Petrovic); Melodies from Serbia and Macedonia (Mokranjac); Bosnian Melody (Koch); Czech Suite (Moor); Two Dances (Friml); Waltz, A toi (Waldteufel). 7.0, See **Berlin (Witzleben)**. 9.0, News, followed by Cigány Music from the Rudnicain Restaurant.

BERLIN

KONIGS WUSTERHAUSEN; 1.635 metres; 60 kW.—11.55 a.m., Nauen Time Signal. 12.35 p.m., News Bulletin. 1.0, Gramophone Concert of Russian Music, relayed from **Berlin (Witzleben)**. 2.0, Musical Programme for Children. 2.30, Weather and Exchange. 2.45, Reading (Meta Schiele). 3.0, Dialogue for Women. 3.30, See **Berlin (Witzleben)**. 4.10, Talk on Wireless Technique. 4.30, Chamber Music: Two Songs for Contralto, Viola and Pianoforte (Brahms); (a) Gesillte Sehnsucht, (b) Geistliches Wiegenlied. 5.0, Talk: Education with a View to Safeguarding Nationality. 5.30, Music (E. T. A. Hoffmann on Gramophone Records) and Recitations. 6.0, German Lesson for Germans. 6.30, A Poem. 6.35, Agricultural Talk. 6.55, See **Hamburg**. 7.40, Concert of Light Music from the Café Berlin. 8.0, See **Frankfurt**. 9.0, Weather, News and Sports Notes. 9.45, Weather Report for Shipping. 10.0, Dance Music from **Berlin (Witzleben)**. 11.0 (approx.), Close Down.

BERLIN

WITZLEBEN, 415.9 metres; 1.5 kW.—2.35 p.m., Sonata in A Flat, Op. 39, for Pianoforte (Weber). 2.55, Schubert Song Recital by Hilde Sylvär (Soprano): Du bist die Ruh!; Lachen und Weinen; An die Nachtligal; An die Sonne; Mio ben ricordati; La Pastorella. 3.15, From the Diary of a Doctor. 3.30, Pianoforte Trios: Trio in E Minor, Op. 119 (Spohr); Trio in B Minor, Op. 5 (Volkmann). 4.30, Talk: What is happening in China? 4.50, Tales by Dr. Ueberall. 5.10, Orchestral Concert from the Hotel Bristol. 5.30, Herbert Eulenburg reads from his own works. 5.55, The Witzleben Station informs its Listeners . . . 6.0, Topical Talk. 6.10, Ernst Wiechert speaks with Two Authors. 6.35, Musical Writing—an Experimental Talk with Gramophone Records. 7.0, Concert by the Berlin Concert Society, conducted by Clemens Schmalstich: Overture, The Cricket on the Hearth (Goldmark); Gondoliera (Ries); Intermezzo from Amor medico (Wolf-Ferrari); Waltz, Die Werber (Lanner); Carnival Suite (Schmalstich); Overture, Der Opernball (Heuberger). 8.0, An Excursion with the Microphone—Variety Programme. 9.30, Weather, News, and Sports Notes. 9.40 (approx.), Dance Music. 11.0 (also relayed by **Zeesen** on 31.38 metres), Behind the Scenes—at the Opera, the Winter Garden, the Cinema, and an Exhibition (Reproduction on Gramophone Records).

BERNE.—See *Schweizerischer Landessender*.

BEROMUNSTER. — See *Schweizerischer Landessender*.

BODEN.—See *Stockholm*.

BODO.—See *Oslo*.

THURSDAY

FEBRUARY THE SIXTEENTH

PRINCIPAL EVENTS OF THE DAY:

AT HOME

- NATIONAL** Orchestral concert. Mr. Desmond MacCarthy: "Drama: Elizabethan and Eighteenth-Century." Vaudeville programme. Song and violoncello recital.
- LONDON REGIONAL** Concert from the University, Leeds. Zigeuner orchestral concert. Concert of Light French Music. "The Point of View" and "The Carrier Pigeon," two plays by Eden Phillpotts.
- MIDLAND REGIONAL** Orchestral concert, from the Town Hall, Birmingham.
- NORTH REGIONAL** Concert from the University, Leeds. Hallé Concert, relayed from the Free Trade Hall, Manchester.
- WEST REGIONAL** Light music. The Annual Celebrity Concert of the Cinderford Miners' Welfare Association.
- SCOTTISH REGIONAL** Orchestral concert. "Putting Scotland's House in Order." Mr. C. A. Oakley: "The Industrial Worker."
- BELFAST** Light orchestral concert. Organ recital. An Irish programme. String orchestral concert.
- ABROAD**
- COPENHAGEN** Concert by the Radio Symphony Orchestra, relayed from Odense.
- HEILSBURG** Great composers of the Renaissance Period.
- LEIPZIG** The Symphony Orchestra, conducted by H. Weber.
- TOULOUSE** I.B.C. concert of Italian operatic and light music.

BORDEAUX-LAFAYETTE

304 metres; 13 kW.—7.0 p.m., See **Berlin (Witzleben)**. 8.0, Talk on Wine. 8.15, News, Weather, Exchange, and Lottery, and Charades Results. 8.30, Denis—Comedy in Three Acts (Alexandra Dumas, Film).

BRATISLAVA

279 metres; 11 kW.—4.50 p.m., Balalaika Recital. Concert Mazurka (Wieniawski); Song of the Volga Boatmen (arr. Chaliapine and Koenenmann); Two Russian Folk Songs; Humoresque (Dvorák); Melody (Artie-movskii). 5.20, Talk for Boy Scouts. 5.35, Popular Music on Gramophone Records. 6.0, See **Prague**. 6.5, Literary Review. 6.25 till Close Down, See **Prague**. 10.0 (approx.), Close Down.

BREMEN.—See *Hamburg*.

BRESLAU

325 metres; 60 kW.; and **GLEIWITZ**, 253 metres.—12.10 p.m., Weather for Farmers. 12.15, Concert by the Silesian Philharmonic Orchestra, conducted by Hermann Behr: Overture, Das Nachtlager von Granada (Kreutzer); Waltz, Donauweibchen (Joh. Strauss); Selection from Boccaccio (Suppé); Gallop, Grostättisch (Ziehrer). 12.45, Time, Weather, News, and Exchange Quotations. 1.5, Gramophone Concert: Overture, Light Cavalry (Suppé); Polka-Mazurka, Die schöne Polin (Müllacker); Song from Paganini (Lehár); Waltz from A Waltz Dream (O. Straus); Selection from The Count of Luxembourg (Lehár); Trara, die Gardo ist da (O. Straus); Potpourri, Sie hören jetzt (Dostal). 1.45, Sponsored Programme, with Gramophone Records. 2.10, Agricultural Prices. 2.40, Talk: The Week-end. 2.50, Book Review. 3.10, Chamber Music for Viola and Pianoforte: Concert Sonata (Varciani); Sonata (Nardini). 3.40, Light Music on Gramophone Records. 4.0, The Dances from the Haus Oberschlesien Gleiwitz. 4.50, Agricultural Prices and Topical Report for Children. 5.0, Talk: Science and a Sense of Value. 5.20, Topical Report. 5.35, Talk for Workers. 6.0, Talk: Richard Wagner and Women. 6.30, Weather for Farmers. 6.32, Concert from **Leipzig**. 7.0, Die Mädchenballade—Lyric Play (Anton Schmaek), with Music by Edmund Nick, the Composer conducting. 7.45, News. 7.55, Concert of Request Music by the Station Orchestra, conducted by Franz Marszalek, Soloist, Bruno Jagielski (Tenor). 9.10, Time, Weather, News, Sports Notes and Programme Announcements. 9.30, Talk in Esperanto. 9.40, Talk: The Norwegian Fjords. 10.0 (approx.), Close Down.

BRNO

342 metres; 35 kW.—3.10 p.m., Concert by the Station Orchestra, conducted by Janeta, Overture, Wanda (Dvorák); Suite, Children's Corner (Debussy); Serenade for Strings

(Tchaikovsky). 4.10, News for Young People. 4.20, See **Prague**. 4.50, Talk: Sports. 5.0, Literary Talk. 5.15, See **Prague**. 5.25, German Transmission: News, Social Talk, and Talk: Nobel Prize Winners of 1933. 6.0, See **Prague**. 10.0 (approx.), Close Down.

BRUSSELS (No. 1)

I.N.R.; 509 metres; 15 kW.—12 Noon, Orchestral Concert, conducted by M. Lecmans: Festival Overture (Leutner); Meditation (Glazunov); Dance (Debussy); Selection from Thais (Massenet); Allegro for Violin (Fiocco); Serenata (Malats); Procession of the Derwishes (Siede); Waltz, A Little Spanish Villa by the Sea (Rose-Conrad); Selection from The Student Prince (Romberg). 1.0 p.m., Le Journal Parlé. 1.30, Gramophone Concert: Entr'acte from The Third Act of Lakmé (Debibes); Rondo (Boecherini-Bazelaire); Aria from The Fair Maid of Perth (Bizet); Selection from Aida (Verdi); Ma Normandie (Béart); Le Cygne (Saint-Saëns); Selection from The Tales of Hoffmann (Offenbach); Tango, Ternuras (Aguilá); Blues, Saxophone Marmalade; Tango, Engripido (Fagnoni); Pasodoble, Gloria de España (Perrette). 5.0, Concert of Kotelbey Music by the Radio Orchestra, conducted by M. Charles Walpot: Overture, Chal Romano; The Sacred Hour; The Naisids; The Phantom Melody; In a Fairy Realm. 5.30, Programme for Children. 6.0, Talk on Cookery. 6.15, Gramophone Concert: Wallenstein's Camp (d'Indy), conducted by the Composer; Concert Waltz (Glazunov); Duet from Le Châlet (Adam); "Cello Solo, Spanish Serenade (Glazunov); Romance from Les Noces de Jeanette (Masse); Melody from Le Grand Mogol (Audran); Souvenir (Drdla); Accordion Music and Sketches. 7.15, Review for Workers. 7.30, Wireless Review. 8.0, Grieg Concert by the Symphony Orchestra, conducted by M. Meulemans. Soloist, Mme. Broquet (Pianoforte). Norwegian Dances; Concerto for Pianoforte and Orchestra; Symphonic Dances. 8.45, Talk. 9.0, Concert by the Radio Orchestra, conducted by M. Charles Walpot: Foxtrot, Carmen (Nico Dostal); Wellenspiele (Robrecht); Badinage (d'Agüives); Russian Dance, Gopak (Buller); Selection from Miss Decima (Audran); Rendez-vous (Fischer); The Phantom Patrol (Ackermans); Scherzetto (Demaret); Chanson de Mai (Dupuis); The Forge in the Forest (Eilenberg); Marche bohémienne (Filippucci). 10.0, Le Journal Parlé. 10.10, Gramophone Concert. Part I, Dances: Quadrille from Orpheus in the Underworld (Offenbach); Hofballtänze (Lanner); Tango (Stolz); Pasodoble (Holländer). Part II: The Fire Bird—Ballet (Stravinsky), conducted by the Composer. 11.0 (approx.), Close Down.

BRUSSELS (No. 2)

I.N.R.; 338.2 metres; 15 kW. Programme in Flemish.—12 Noon, Popular Music on

Gramophone Records. 1.0 p.m., Le Journal Parlé. 1.10, Concert by the Small Station Orchestra, conducted by Pierre Lecmans: Pasodoble, Ti voglio bene (Mariotti); Introduction and Humoresque for Violin (d'Am-brosio); Romance (Löhrl); Selection from The (Zarevitch (Lehár); Capriccio for Piano-forte (Benoit); Sérénade à Grazziella (Desprez); Tango, L'Edera (Mendes-Schön); Selection from Die Puppenfee (Bayer). 5.0, Concert by the Symphony Orchestra, conducted by M. Meulemans: Overture, The Barber of Seville (Rossini); Carnaval (Lugini); Selection from Joli Gilles (Poe-sie); (a) Overture, (b) Entr'acte, and (c) Pas des Pierrots et Pierrettes; Spanish Serenade (Glazunov); Ballet Music from Salvia (Debibes); Waltz, Unter den Linden (Joh. Strauss). 6.0, Light Music on Gramophone Records. 7.15, Talk: Oysters and Mussels. 7.30, Talk for Women. 8.0, Concert, relayed from **Berlin (Witzleben)**. In the interval, Reading. 9.15, Part Relay of The Twilight of the Gods—Opera (Wagner), from the Royal Flemish Opera House, Antwerp, followed by Le Journal Parlé, and Light Music on Gramophone Records. 11.0 (approx.), Close Down.

BUCHAREST

394 metres; 12 kW.—4.0 p.m., Orchestral Concert. 5.0, News and Time. 5.10, Talk. 5.25, Orchestral Concert. 6.0, Talk on Romania. 6.30, Relay of an Opera. In the intervals, News.

BUDAPEST

550 metres; 18.5 kW. Also relayed on 840 metres from 5.30 to 11 p.m.—4.30 p.m., Popular Music on Gramophone Records. 5.0, Programme by Jenő Cholnoky. 5.30, Concert by a Cigány Band. 6.30, Report from a Film Studio. 7.0, See **Berlin (Witzleben)**. 9.0, News, Time and Weather. 9.15, Concert by the Opera House Orchestra, conducted by Ernst Dohnányi. Soloist: Andeas Gertler (Violin). Overture, The Italian Girl in Algiers (Rossini); Violin Concerto (Lalo); Overture, Scherzo, Nocturne and Wedding March from A Midsummer Night's Dream (Mendelssohn). 10.30, Dance Music from the Hotel Bellevue. 11.0 (approx.), Close Down.

CASSEL.—See *Frankfurt*.

COPENHAGEN

281 metres; 0.75 kW.; and **KALUNDBERG**, 1.153 metres; 7.5 kW.—11.0 a.m., Time Signal and Chimes from the Town Hall. 11.2, Concert by the Max Skalka String Ensemble, relayed from the Hotel d'Angleterre. 1.0 to 1.40, Interval. 1.40, Concert by the Radio Wind Instrument Orchestra, conducted by Laury Gröndahl. Soloist: Inge Rützau (Pianoforte). March (Allin); Overture, Flotte Børse (Suppé); Waltz, Verschmähte Liebe (Lincke); Aria from Macbeth (Weyse); Amalie Polka (Jensen); Selection from Rigoletto (Verdi); Pianoforte Solos: (a) Intermezzo in B Flat Minor (Brahms); (b) Nocturne in E (Chopin); (c) Liebestraum No. 3 in A Flat (Liszt); (d) Clair de lune (Debussy); March-Suite, March of the Pan-Americans (arr. Sousa); Festival Overture (Holm); Norwegian Mazurka (Johns. Nielsen); Evensong (Stockarr); Lullaby on Danish Sailors' Songs; Copenhagen March (Poulsen). 3.40, Programme for Boys. 4.40, Exchange and Fish Market Prices. 4.50, Talk: Sick Nursing at Home. 5.20, English Lesson. 5.50, Weather. 6.0, News. 6.15, Time. 6.45, Danish Lesson. 7.0, Time Signal from the Town Hall. 7.5, Concert by the Radio Symphony Orchestra, relayed from Odense. Conductor: Egisto Tango. Soloists: Viorica Taugo and Enzo de Muro Lomanto (Songs); Overture, Sicilian Vespers (Verdi); Aria, Una furtiva lagrima from L'elisir d'amore (Donizetti); Ballet Suite for Orchestra (Lully-Mottl); Ave Maria from Othello (Verdi); Aria from L'amico Fritz (Mascagni); Overture, The Barber of Seville (Rossini); Aria from Manon (Massenet); Leonora's Aria from Il Trovatore (Verdi); Andante (Gemiani); Recitative and Aria from Faust (Gounod); Aria, La donna è mobile, from Rigoletto (Verdi); Hymn to the Sun from Iris (Mascagni). 9.10, News. 9.25, Reading. 9.45, Dance Music by the Teddy Petersen Band, relayed from the Wivex Restaurant. In the interval at 11.0, Time and Chimes from the Town Hall. 11.30 (approx.), Close Down.

CORK.—See *Athlone*.

CRACOW

312.8 metres; 1.5 kW.—3.25 p.m., See **Warsaw**. 4.0, Popular Music on Gramophone Records. 4.40, See **Warsaw**. 5.0, Answers to Correspondents. 6.15, Miscellaneous Items and Announcements. 6.30 to 6.30, See **Warsaw**. 8.30, A Radio Play, after Birabeau's Comedy Orange Blossom. 9.15, See **Lwów**. 9.55, See **Warsaw**. 10.0, Light Music and Dance Music from the Pavilion Restaurant. 11.0, Bugle Call from the Tower of St. Mary's Church.

DANZIG.—See *Heilsberg*.

DRESDEN.—See *Leipzig*.

DUBLIN.—See *Athlone*.

FECAMP

223 metres; 10 kW.—6.0 to 7.0 p.m., Programme in English by the I.B.C. Announcers: C. Danvers Walker, R. Chene and B. McNab. 6.0, Military Band Concert for

FEB. 16th

THURSDAY

continued

Brighton Listeners: Carry On (Dundas); Cupid's Army (Silvler); The Mad Major (Alford); The Elephant March (Ord Hume); Way Down South (Myddleton); The Whistler and his Dog (Pryor); In the Sudan (Sebek); The Middy March (Alford). 5.30, Concert for Love Listeners: Song and Pianoforte Recital. Pianoforte Solo: Whoppee Medley (Kalin); Songs: (a) When I met Sally at the Seaside (Tilsy); (b) I miss a little Missy (Coote); (c) You used to be my Sweet-heart (Towers); (d) Gone, gone, gone (Evans); (e) They all make love but me (Damarrell); (f) You don't have to tell me (Donaldson); Pianoforte Solo: Monte Carlo Medley (Robin). 8.10, Programme to be announced. 10.0 till Close Down. Programme in English by the I.B.C. 10.0, Dance Music. 11.0, Orchestral Music: Maurice Chevalier Medley; Sons les toits de Paris (Moretti); When the Lilac blooms again (Rotter); In the Night (Fate); My Sunshine is you (Stolz); Happy days and lonely Nights (Fisher); Good-night Sweet-heart (Noble). 11.30, Plantation Songs: Bye and Bye; I got a Robe; O dem Golden Shippers (Bland); Go down Moses; Deep River; Poor Old Joe (Foster); Nobody knows de Trouble I've seen; Every time I feel de Spirit; River stay 'way from my Door (Woods). 12 midnight, Music Hall Sketches: The Plumber's Mate; Diner, Getting a Job; Doom the Watter; Duet, Getting the Sack; Days of the Dugouts. 12.30 a.m. (Friday), Songs: Ain't it great to be home again (Gilbert); Cheer up and smile (Conrad); Silvery Moon (de Frank); Here comes Emily Brown (Conrad); I'm feathering a Nest (Milton); Every little Girl he sees (Aks); This is Heaven (Aks); Nobody cares if I'm Blue (Clarke). 1.0, Organ Solos: The Kiss Waltz (Dubin); It happened in Monterey (Wayne); Stein Song (Vallet); Moonlight reminds me of you (Kalin); Roses of Yesterday (Berlin); Ah, Sweet Mystery of Life (Herbert); Rhapsody in Blue (Gershwin). 1.30, Songs: I'm in the Seventh Heaven (de Sylva); Wishing and waiting for love (Clarke); Little Pal (Henderson); Am I blue? (Aks); Just Plain Folk (Gilbert); Sleep, Baby, sleep (Tucker); The Heart of the Sunset (Nicholls); Take your to-morrow (Rozag). 2.0, Dance Music. 2.57, I.B.C. Good-night Melody. 3.0 (approx.), Close Down.

FLENSBURG.—See Hamburg. FLORENCE.—See Turin. FRANKFURT 259 metres; 17 kW.; and CASSEL, 245.9 metres.—2.30 p.m., Programme for Children. 3.30 to 3.50, Interval. 3.50, Economic Notes. 4.0, See Stuttgart. 5.15, Economic Notes. 5.25, Topical Talk. 5.50, A Discussion on Indian Trade. 6.15, Time, Programme Announcements, Weather, and Economic Notes. 6.20, Talk: News from Other Lands. 6.30, Orchestral Concert, conducted by Reinhold Morten. Soloist, Margarete Cossa (Soprano). Overture, I Capuletii ed i Montecchi (Bellini); Ma la sola ahimè son io, from Beatrice di Tenda (Bellini); Overture, Don Pasquale (Donizetti); Havi un Dio, from Maria di Rohan (Danizetti); Overture, The Siege of Corinth (Rossini); Selva opaca, from William Tell (Rossini); Overture, The Tsar's Bride (Rimsky-Korsakov); Senza mamma o bimbo, from Suor Angelica (Puccini); Overture, Djanielli (Bizet); La mamma morta, from André Chénier (Giordano); Preludes to the Second and Third Acts of Louise (Charpentier); Song from Herodiade (Massenet); Overture, La Masctiere (Mascagni). 8.0, Programme dedicated to Marburg. 9.0, Suite, Op. 29, for Clarinets, Violin, Viola, 'Cello, and Pianoforte (Schönberg). 9.30, Time, News, Weather, and Sports Notes. FREDRIKSTAD.—See Oslo. FREIBURG.—See Stuttgart. GENEVA.—See Radio-Suisse Romande. GENÈVE.—See Turin. GLEADOW.—See Breslau. GÖTEBORG.—See Stockholm. GRAZ.—See Vienna. HAMAR.—See Oslo.

HAMBURG Call ha (in Morse), 372 metres; 1.5 kW. Relayed by Bremen, 269.8 metres; Flensburg, 227.4 metres; Hanover, 566 metres, and Kiel, 232.2 metres.—5.0 p.m., Medical Talk: Whooping-Cough. 6.25, Weather Report. 6.30, Talk: The Theatre and the Critic. 6.55, Friedrich Wöhler—Play in Three Scenes (Hans Schimank). 7.40, Tchaikovsky Concert: The Hamburg Philharmonic Orchestra, conducted by José Eibenschütz. Soloist; Marianna Krastmann (Pianoforte). Symphony No. 6, Op. 74 (The Pathetic); Concerto in B flat Minor, Op. 23, for Pianoforte and Orchestra. 9.10, Time and News. 9.30, Topical Talk. 9.40, Dance Music. In the interval at 10.20, Ice Report. HANOVER.—See Hamburg. HEILSBURG 276.5 metres; 60 kW.; and DANZIG, 453.2 metres.—12.5 to 1.30 p.m., Gramophone Concert of Popular Music. In the interval at 12.20, News. 2.0, Exchange and Market Prices. 3.0, Talk for Young People. 3.30

(from Danzig). Concert by the Danzig Municipal Theatre Orchestra, conducted by Otto Selberg: Overture, The Kiss (Smetana); Concert Fantasia, Mozartiana (Kling); Rustle of Spring (Schilling); Overture, Phédre (Massenet); Prelude and Waltz, Op. 7 (Chopin); Potpourri, Wiener Volksmusik (Komzak); Entry March from The Gipsy Baron (Joh. Strauss). 4.55, Review of Books. 5.15, Market Prices. 5.20, Ice Report. 5.30, Agricultural Talk. 6.0, Songs of Soldiers, Waggoners and Mercenaries, for Baritone, with Lute and Violin. 6.30, Elementary English Lesson. 6.55, Weather and News. 7.0, See Breslau. 7.45, Great Composers of the Renaissance Period—Concert by the Wireless Radio, conducted by Ludwig Leschetizky. Soloist; Margarethe Schuchmann (Harpichord). Ave Maria—for Five Part a-Cappella Choir (Joachim de Prés); Tocata for Harpsichord (Girlando Frescobaldi); Madrigal and Canzonetta for Women's Choir (Giovanni Pierluigi Palestrina); Ascendit Deus—for Five Part Choir (Clemens non Papa); Canzone for Harpsichord (G. Gabrieli); Humorous Piece for a Cappella Choir (Clement Jaumequin-Claude le Jeune). 8.30, Talk on Victor von Scheffel, on the One Hundred and Seventh Anniversary of his Birth. 9.10 (approx.). Weather, News and Sports Notes.

HILVERSUM (Announced HUIZEN), 296.1 metres; 20 kW. (7 kW. up to 4.40 p.m.).—11.55 a.m. to 1.40 p.m., Programme of the Catholic Radio Society (K.R.O.). Concert by the K.R.O. Orchestra, conducted by J. Gerritsen. 1.40 till Close Down, Programme of the Christian Radio Society (N.C.R.V.). 1.40, Handicrafts Lesson. 2.40, Programme for Women. 3.10 to 3.40, Interval. 3.40, Bible Reading and Sacred Music for Organ and Soprano. 4.40, Violin Recital by H. v. Vegt: Sonata in G Minor (Tartini); Chanson Louis XVI and Pavana (Cuperin-Kreisler); Scherzo (Dittersdorf-Kreisler); Sicilienne and Rigaudon (Francoeur-Kreisler); Gramophone Records; La Gitana (Kreisler); Caprice viennois (Kreisler); Slav Dance in G Minor (Dvorák-Kreisler); Slav Dance in G Minor (Dvorák). 5.25, Handwork Lesson for Children. 5.55, Talk. 6.25, Dress-making Lesson. 6.40, Weekly Review. 7.10, Police Notes. 7.25, Religious Report. 7.40, Concert by the Excelsior Mixed Choir, conducted by W. Mizze, relayed from Leimuiden. 8.40, Talk for Parents. 9.10, Organ Recital by H. Bos: Prelude in E Minor (Bach); Pastoral in F (Bach); Andante from the Concerto in F, Op. 4, No. 4 (Handel); Schmücke dich, o liebe Seele (Brahms); O Welt ich muss dich lassen (Brahms); Invocation, Op. 18, No. 3 (Guilmant); Grand Choral, Op. 18, No. 1 (Guilmant); Gothic Suite, Op. 25 (Boellmann). 10.10, News. 10.20, Popular Music on Gramophone Records. 11.10 (approx.), Close Down. HORBY.—See Stockholm.

HUIZEN Announced HILVERSUM, 1,875 metres; 8.5 kW.—Programme of the Allgemeine Vereinigende Radio Omroep (A.V.R.O.). 11.10 a.m., Concert by the Small Wireless Orchestra, conducted by Nico Troop: Festival Overture (Kalliwoda); From Glück to Wagner (Schreiner); Waltz, Strauss-Federn (Mörena); Waltz, Dolores (Waldteufel); In a Monastery Garden (Kettelby); Champagne Galop (Lumbey). 11.35, Light Music on Gramophone Records. 12.10, Concert (cont'd.). Minuet-pièce (Fétras); La Czarine (Ganne); Sabit d'amour (Elgar); Ein Rosenhochzeit-zug (Glessel); Mit Standarten (v. Blom). 12.40, Popular Music on Gramophone Records. 12.55 p.m., Concert (cont'd.). Selection from Die Fledermaus (Joh. Strauss); Der alte Brunnbräu (Fueki); Canzonetta and Minuet (Bocherini); The Marriage of the Winds (Hall); Im Prater blühen wieder die Ränne (Stolz); March 'Hallo Europe' (Reed). 1.40, Talk for Women. 2.10, Interval. 2.25, Popular Music on Gramophone Records. 2.40, Talk. 3.25, Light Music on Gramophone Records. 3.40, Talk. 4.10, Concert by the Wireless Chamber Orchestra, conducted by Nico Gerhard: Drachensmarsch (Fueki); Overture, Chal Romano (Kettelby); Orientzucker (Dieker); Selection from The Three Musketeers (Friml-Jones). 4.40, Programme for Children. 5.10, Orchestral Concert (cont'd.); March of the Giants (Fueki); Overture, Im Reiche der Indra (Brotow); Hungarian Dances Nos. 2 and 4 (Brahms); Melody (Fueki); Glow-worm Idyll (Lincke); Adina (Lincke); The Caravan (Ray); Selection from The Count of Luxembourg (Lehar). 6.10, Sports Notes. 6.40, Orchestral Concert (cont'd.); Eternal Spring (Poppy); La Lettre de Manon (Gillet); Le Repetive de Madame Angot (Selection from La Belle de Madame Angot (Leclair); Return to France (Ganne). 7.10, English Lesson. 7.40, Time. 7.41, News. 7.45, Light Music on Gramophone Records. 7.55, Wagner Concert, relayed from the Concertgebouw, Amsterdam. Conductor; Erich Kleiweg. Soloist; Alexander Kipnis (Songs). Prelude and Death of Isolda from Tristan and Isolda; Forest Murmurs from Siegfried; Farewell from The Valkyries; Selection from The Mastersingers. In the interval, Radio

Play. 9.55, Radio Play. 10.10, Concert of Light Music by the Kovacs Lajos Orchestra. Soloists; Hilde Jager and Bob Schulte (Songs). 10.40, News. 10.45, Light Music on Gramophone Records. 10.55, Concert of Light Music (cont'd.). 11.40 (approx.), Close Down. INNSBRUCK.—See Vienna. KALUNDBORG.—See Copenhagen. KATOWICE 408 metres; 16 kW.—2.50 p.m., Popular Music on Gramophone Records. 3.25, See Warsaw. 4.0, Orchestral Concert of Popular Music. 4.40, See Warsaw. 6.0, Sports Talk. 6.15, Announcements and Light Music on Gramophone Records. 6.25, Report for Boy Scouts. 6.30 till Close Down. See Warsaw. KAUNAS 1,935 metres; 7 kW.—Programme in Celebration of the Fifteenth Anniversary of the Establishment of the Lithuanian Republic. 5.20 p.m., Lithuanian Concert by the Radio Orchestra. 6.0, Address. 6.30, Grazina—Opera (Karnavicius). In the intervals, Talks in German, French, English, Polish and Esperanto. KIEL.—See Hamburg. KLAGENFURT.—See Vienna. KOSICE.—See Prague. LAHTI 1,796 metres; 10 kW. and HELSINKI, 368.1 metres. 5.40 p.m., Song Recital by Hannes Kettunen. 6.5, Talk. 6.30, News in Finnish and Swedish. 6.45, Talk: Electric Musical Instruments. 7.0, See Berlin (Witzleben). 10.0 (approx.), Close Down. LANGENBERG 473 metres; 60 kW.—12 Noon, Concert by the Station Orchestra, conducted by Kühn. Soloist; Josef Schömmner (Tenor); Overture, Die Abreise (d'Albert); Melody from Tiedland (d'Albert); Ballet Music from The Merry Wives of Windsor (Nicolai); Symphonic Poem, The Moldau (Smetana); Morgen (R. Strauss); Das Rosenband (R. Strauss); Waltz from Der Rosenkavalier (R. Strauss). In the interval at 1.0 p.m., News. 1.30, Sponsored Programme with Gramophone Records. 2.30, Economic Notes and Time. 2.50, Programme for Children. 3.20, Notes on the Broadcasts for Schools. 3.30, Educational Talk. 4.0, Concert of Viennese Operetta Music conducted by Eysoldt. Der Zauber der Montur from Die Landstreicher (Zieher); Overture, Wiener Frauen (Lehar); Und der Himmel hängt voller Geigen from Der liebe Augustin (Fall); Piccolo from A Waltz Dream (O. Straus); Süsse Müd'ln from Das süsse Mädel (Reinhardt); Fantasia on Jos. Strauss' Frühlingsluft (Reiterer); Du sollst der Kaiser meiner Seele sein from Der Favorit (Stolz); Vilja's Song from The Merry Widow (Lehar); Selection from Der Bettelstudent (Millicker). 5.20, French Conversation. 5.45, Weather, Time, Economic Notes, and Sports Results. 6.0, Talk: The History of the German Language. 6.20, Topical Talk. 6.30, Talk: Mining in the Ruhr District. 6.55, News. 7.0, German Mass, Op. 43 (Georg Nellys), relayed from the Volkshalle, Neheim, by the Neheim Choral Society, conducted by Georg Nellys. 7.40 (from Neheim), Concert of Folk Music. The Klempt Vocal Trio, the Neheim Choral Society, conducted by G. Nellys, the Westphalian Peasant Choir and Orchestra, the Small Orchestra, conducted by Arthur Wolf, and Paul Schröder (songs to the Lute); Austrian Peasant Dances (Pachernegg); Rhinisch Folk Songs for Male Voice Choir: (a) Zu Strasburg auf der langen Brücke (arr. Hummel); (b) Mädchen mit den blauen Haaren (arr. Becker); Die Musik kommt (Zimmer); Songs to the Lute: (a) De Besswesser; (b) Altes Tanzlied; (c) Grossmutter will tanzen; (d) Bavarian Intermezzo (Zieher); Polka, Im Dorfkrügel (Nieder); Songs for Male Voice Choir (Nellys): (a) Mein Dorf; (b) Spinn, Mätkchen, spinn; (c) O Hannes wat'n Haut; Westphalian Folk Dances and Songs to the Lute: (a) Königsguadrille; (b) Krupphöckchen (Schröder); (c) Schlutz; (d) Fine Lüd (Schröder); (e) Alter Drubbel; (f) Pumpernickellied (Holberg); Spanish Folk Song; Polish Folk Song; Song Potpourri, From the Rhine to the Danube (Rhode). 9.5, News and Sports Results. 9.30, Serenade and Dance Music. 11.0 (approx.), Close Down. LAUSANNE.—See Radio-Suisse Romande. LEIPZIG 389.6 metres; 120 kW.; and DRESDEN, 319 metres.—12 Noon, News, Weather, Snow Report, and Time. 12.15 p.m., Folk songs on Gramophone Records, followed by Exchange Quotations. 1.0, Film Report. 1.30, Talk: Unemployment and Young People. 2.0, Handwork for Children. 2.35, Economic Notes. 3.0, Orchestral Concert, conducted by Ernst Schwassmann: Overture, Ali Baba (Cherubini); Ländliches Fest (Scharwenka); Selection from The Bartered Bride (Smetana); Military March in E Flat (Schubert);

Lyric Suite (Grieg); Selection from Der Vagabund (Zeller); Rhapsody in B Minor, Op. 25 (Hartung); Waltz from Countess Maritza (Kálmán); Grass und Weissenfels (Walter). 4.30, Weather and Time. 4.50, Economic Notes. 5.0, Talk on Hygiene. 5.15, Talk on Taxation. 5.30, Spanish Lesson. 5.50, Programme to be announced. 6.0, Talk: Relations between the Balkans and Bagdad. 6.30, Concert by the Leipzig Symphony Orchestra, conducted by Hilmar Weber: Overture, Der Hadescharit (Franz von Holstein); Selection from Tiedland (d'Albert); Czardas No. 9 (Michiels); Die Solisten (Schreiner); Melody in F (Rubinstein); Selection from Faust (Gomody); Schatz-Walzer (Joh. Strauss); Selection from Hobeit tangt Walzer (Ascher). 8.0, News. 8.10, Der Schwarzkünstler (The Magician)—Comedy (Emil Gott). 9.20, Dance Music. 11.0 (approx.), Close Down. LINZ.—See Vienna. LWOW 381 metres; 16 kW.—5.5 p.m., Miscellaneous Items. 6.20, See Warsaw. 7.0, See Berlin (Witzleben). 8.30, Programme relayed from Cracow (312.8 metres). 9.15, Dance Music relayed from the Bagtca Variety Theatre 9.55, See Warsaw. 10.30 (approx.), Close Down. MADRID ARANJUEZ (EAQ), 30.43 metres; 20 kW.—10.20 p.m., Variety Concert. 10.45, Radio Chronicle. 11.0, Variety Concert (cont'd.). 11.35, Talk. 11.40, Light Music. 12 Midnight (approx.), Close Down. MADRID UNION RADIO, Call EAJ7, 424.3 metres; 2 kW.—7.0 p.m., Chimes, Exchange Quotations, Programme for Children and Request Gramophone Concert. 8.15, News Bulletin. 8.30 to 9.0, Interval. 9.0, Linguaphone English Lesson. 9.30, Chimes, Time Signal, Talk on the Province of Madrid and Band Concert, relayed from the Hotel Nacional. 11.45, News Bulletin. 12 Midnight, Chimes and Close Down. MALMO.—See Stockholm. MILAN.—See Turin. MORAVSKA-OSTRAVA 263.8 metres; 11 kW.—5.30 p.m., German Transmission: Reading (Volker). 6.0, See Prague. 10.0 (approx.), Close Down. MOSCOW TRADES UNION, 1,304 metres; 100 kW.—4.0 p.m., News. 4.10, Announcements. 4.30, Concert. 5.30, Concert of Light Music from the Radio Theatre. 8.0, Review of the Week and Answers to Correspondents in French. 8.55, Time. 9.5, Press Review. MOTALA.—See Stockholm. MUHLACKER.—See Stuttgart. MUNICH 533 metres; 60 kW. Relayed by Augsburg and Kaiserslautern, 560 metres; and Nürnberg, 239 metres.—3.0 p.m. (from Nürnberg), Vocal and Instrumental Concert: Fantasia-stücke for Clarinet and Pianoforte (Schumann); Three Songs for Baritone (Grieg); (a) Ein Schwan, (b) Im Kahne, (c) Zur Johannnacht; Tarantella for 'Cello (Popper); Three Tenor Solos (Schumann); (a) In der Fremde, (b) Zwielicht, (c) Mit Myrten und Rosen; Scherzo for 'Cello (D. van Goens). 3.40, Talk: Old Tinkers' Dances. 4.0, Concert by the Eckl-Pollstein Orchestra: Overture, Fräulein Louey (Lincke); Selection from Fédora (Giordano); Children's Dance and Lyric Intermezzo from the Miniature Suite (Contes); Waltz, Pesche Geister (Joh. Strauss); Diavoleta (Lindemann); Potpourri of Soldiers' Songs (Hannemann). 5.15, Talk: Problems of Town Planning. 5.35, Agricultural Talk. 5.55, Time, Weather, and Agricultural Notes. 6.5, Talk: P. X. Schädlér, a Bavarian Politician of the Bismarck Period. 6.25, Musical Pathwork (Bruno Anlich). 7.20, The Forest Primeval—a Radio Play of the Tropics (Fred von Boerschemann). 8.30, Concert of Chamber Music by the Neustadt Trio: Sonata in A camera in A (Richter); Sonata No. 8 in D for Violin, 'Cello, and Pianoforte (Leclair); Trio No. 19 in D Minor for Violin, 'Cello, and Pianoforte (Haydn). 9.20, Time, Weather, News, and Sports Notes. NAPLES.—See Rome. NOTODDEN.—See Oslo. OSLO 1,083 metres; 60 kW. Relayed by Fredrikstad, 365.8 metres; Hamar, 574.7 metres; Notodden, 447.1 metres; Porsgrund, 453.2 metres, and Rjukan, 447.1 metres.—4.0 p.m., Concert, relayed from the Grand Hotel: Overture, Le Roi d'Ys (Lalo); Waltz, Die Schilfmarner (Lammer); Bizet Potpourri (arr. Urbach); Une larme (Missorsky); Slav Rhapsody (Friedmann). 5.0, German Lesson. 5.30, Divine Service. 6.0, Announcements, Weather and News. 6.30, Agricultural Press Review. 7.0, Time Signal. 7.1, Talk: Our Throughfares and Traffic Regulations. 7.30, See Berlin (Witzleben). 8.40, Weather and News. 9.0, Topical Talk. 9.15, Relay of European Stations. 11.0 (approx.), Close Down. OSTERSUND.—See Stockholm.

PALERMO

537.6 metres; 3 kW.—7.0 p.m., Announcements, Agricultural Notes, and Giornale radio. 7.20, Popular Music on Gramophone Records. In the interval at 7.30, Time and News. 7.45, Concert of Operetta Music: Selection from (a) Der Tanz ins Glück (Stolz), (b) Ave Maria (Bottinelli), (c) Fascino azzurro (Bellini), (d) I pizzi di Venezia (Ranzato), (e) Madama di Tebe (Lombardo), and (f) Countess Maritza (Kálmán). In the interval, Mamma—Comedy in One Act (Ettore Mosehino). 9.55, News.

PARIS

EIFFEL TOWER, Call FLE, 1,445.7 metres; 13 kW. Time Signal (on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and 6-dot Signals).—5.45 p.m., Le Journal Parlé. 7.20, Weather Report. 7.30, Gramophone Concert. Part I: Schubert Programme: Overture, Rosamund; Ständchen; Wohin?; The Unfinished Symphony. Part II: Variety Music. 9.0 (approx.), Close Down.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW.—6.45 p.m., Journal Parlé. 7.0, Programme for Children. 7.30, Popular Music on Gramophone Records. 8.0, Agricultural Talk. 8.5, Interval. 8.15, Le Capitul—Play (Tristan Bernard). 8.45, Sponsored Programme. 9.45, Popular Music on Gramophone Records. 10.30, News.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW.—6.45 a.m., Physical Culture. 7.30, Weather and Physical Culture (cont'd). 7.45, Scherzo, Nocturne, and Wedding March from A Midsummer Night's Dream (Mendelssohn) on Gramophone Records. 8.0, Press Review and Weather. 12 Noon, Protestant Address. 12.30 p.m., Orchestral Concert: Selection from Carmen (Bizet); Songs: (a) O Paradis, from L'Africaine (Meyerbeer), (b) Dieu que ma voix trouble, from La Juive (Halévy); Aria from Tannhäuser (Wagner); Song at the Forge from Siegfried (Wagner). 1.0, Exchange, News, and Weather. 1.5, Chamber Music Concert. 1.30, Exchange. 1.35, Orchestral Concert (cont'd): Songs (Schumann): (a) Widmung, (b) Der Nussbaum, (c) In der Ferne, (d) Der Lotus blüht; Selection from The Count of Luxembourg (Lehar); Strauss Waltz Potpourri. 2.0, Exchange. 3.45, Exchange and Market Prices. 6.10, Agricultural Talk. 6.30, Gramophone Records of Light Music. 6.45, Legal Talk. 7.0, See Berlin (Witzleben). 7.45, Commercial Prices and News. 8.0, A Play from the Repertoire of the Comédie Française by Artists of the Comédie Française. In the intervals at 8.30, News, Sports Notes, and Weather, at 8.40, Review by Christophe, and at 3.15, Press Review and News.

PITTSBURGH

WESTINGHOUSE ELECTRIC (KDKA); 506 metres; 25 kW. Relayed by W2XK on 48.95 metres and 25.27 metres.—9.0 p.m., Work-a-day Thoughts. 9.5, Business News. 9.15, Programme to be announced. 9.30, Weather Report. 9.32, Market Reports. 9.45, Piano-forte Interlude. 9.50, David Lawrence Dispatch. 9.55, KDKA Artist Bulletin. 9.58, Programme Announcements. 10.0, Programme to be announced. 10.15 to 11.15, New York Relay. 10.15, The Adventures of Dr. Doolittle. 10.30, Singing Lady. 10.45, Little Orphan Annie. 11.0, Our Daily Food: George Reitor's Cooking School. 11.15, Time Signal. 11.16, Weather Report. 11.17, Teaberry Sport Review. 11.22, Press News Reeler. 11.27, Strange Facts. 11.29, Temperature Report. 11.30, KDKA Orchestra. 11.45 to 12.30 a.m. (Friday), New York Relay. 11.45, Today's News by Lowell Thomas. 12 Midnight, Pepsodent Amos 'n' Andy. 12.15 a.m., Carson Robinson and his Barbared Buckaroos. 12.30, Westinghouse Parade. 1.0 to 3.15, New York Relay. 1.0, Cape Diamond Lights. 1.30, Time Signal and Rin Tin Tin Thrillers. 1.45, Thurston, the Magician. 2.0, Death Valley Days. 2.30, Len Joy's Dancing Strings. 3.0, Wilfred Glenn (Basso). 3.15, Programme to be announced. 3.50, Ho May Bailey and Orchestra, from New York. 3.45, Bradley Kincaid, from New York. 4.1, Teaberry Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.13, KDKA Artist Bulletin. 4.15, Press Last Minute News Flash. 4.20, Heard Songs by Louise Frayne. 4.30, Henry Hallstead and his Californians. 5.0, Hotel MeAlpin Orchestra, from New York. 5.33, Time Signal and Good-night.

PÜRSGRUND.—See Oslo.

POZNAN

335 metres; 1.9 kW.—6.28 p.m., Time Signal. 6.30, See Warsaw. 7.0, See Berlin (Witzleben). In the intervals, News and Announcements. 8.30, See Cracow. 9.15, Topical Talk. 9.30, Time, Sports Notes and Police Announcements. 9.45 (approx.), Close Down.

PRAGUE

488.6 metres; 120 kW.—3.10 p.m., See Brno. 4.10, Talk on Economics. 4.20, Programme for Children. 4.50, Light Music on Gramophone Records. 5.5, Agricultural Talk. 5.15, Talk for Workers. 5.25, News in German. 5.30, German Transmission: Agricultural Report and Popular Music on Gramophone

FEB. 16th

THURSDAY

continued

Records. 6.0, News. 6.5, Talk: Modern Homes for Families. 6.25, Awakening—Play in Four Acts (Vrehlieky). In the interval at 8.3, Time Signal. 8.20, Talk: Dr. Alois Rasin. 8.35, Concert in Honour of the Latvian National Festival. 9.0, Time Signal. 9.1, News Bulletin. 9.15, Dance Music from the Alton Hotel. 10.3 (approx.), Close Down.

RADIO-SUISSE ROMANDE

SÖTTENS, 403 metres; 25 kW.; LAUSANNE, 639 metres; and GENEVA, 760 metres.—5.20 p.m. (from Geneva), Esperanto Lesson. 5.35 (from Lausanne), Italian Lesson. 6.0 (from Geneva), Weather, News, and Announcements. 6.15 (from Lausanne), Answers to Correspondence. 6.30 (from Geneva), Theatre Notes. 7.0, See Berlin (Witzleben). 8.0 (from Geneva), Concert by the Station Quintet. 9.0, News and Weather Forecast. 9.10, Talk: The Work of the League of Nations. 9.25 (approx.), Close Down.

RIGA

525 metres; 15 kW.—6.15 p.m., Lithuanian National Festival. Concert with Addresses, relayed from the Maison des Totes Noires. In the interval: News. After the Concert: Weather and News. 8.30, Chamber Music. 9.50, Orchestral Concert of Popular Music, conducted by J. Modins.

RJUKAN.—See Oslo.

ROME

Call 1R0, 441 metres; 50 kW. Relayed by Naples, 319 metres; and 2R0, 25.4 metres.—7.0 a.m., Gymnastics. 7.15 to 7.50, Giornale Radio and Announcements. 11.30, Weather and Light Music on Gramophone Records. 12 Noon, Time and Announcements. 12.2 to 1.15 p.m., Concert by the Station Orchestra. In the interval from 12.30 to 12.45, Giornale Radio and Exchange. 3.45, Children's Radio Review. 4.10, Announcements. 4.15, Exchange and Giornale Radio. 4.30, Concert by the Station Orchestra: Overture. The Magic Flute (Mozart); Edra (Garducci); Selection from The Girl of the Golden West (Puccini); Melody (Di Piramo); Oriental Dance (Grieco); Melody (Erwin); Selection from The Merry Widow (Lehar); Ah! Willi! (Hains). 5.15 to 6.0, Interval. 6.0, Giornale Radio. 6.10 (from Naples), Shipping and Sports Notes. 6.15, Agricultural Notes and Announcements. 7.0, Time and Announcements. 7.2, Talk. 7.15, Light Music on Gramophone Records. 7.20, Talk for the Housewife. 7.30, Sports Notes and Tourist Report. 7.45, Symphony Concert, conducted by Willy Ferrero. In the intervals, Film Notes, Talk on Literature and Art and News.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY, WGY; 379.5 metres; 50 kW. Relayed at intervals by W2XAF on 31.38 metres and by W2XAD on 19.56 metres.—12 Midnight, Jane Frazan and her Orchestra, from New York. 12.15 a.m. (Friday), Stock Reports. 12.30 to 3.0, New York Relay. 12.30, Regimentalists. 12.45, The Goldbergs. 1.0, Fleischmann Hour. 2.3, Captain Henry's Show Boat. 3.0, Lucky Strike Hour and Programme Résumé.

SCHWEIZERISCHER LANDESENDER

BEROMÜNSTER, 450 metres; 60 kW.; BASLE, 244.1 metres; and BERNE, 245.9 metres.—11.28 a.m., Time Signal from Nonchâtel Observatory. 11.30, Weather and News. 11.40, Swiss Music on Gramophone Records. 12.35 p.m., Weather and Exchange. 12.45 to 2.30, Interval. 2.30 (from Basle), Talk for Women: Helene Lange. 3.0, Concert by the Radio Orchestra. 4.0, Variety Music on Gramophone Records. 4.30, Weather. 4.35 to 5.30, Interval. 5.30 (from Basle), Reading from Amor Dei (Kolbenheyer). 6.0, Time, Weather and Traffic Report. 6.15 (from Basle), Italian Lesson. 7.0, See Berlin (Witzleben). 8.0 (from Basle), The Obliging Saleswoman—Sketch (Hamik). 8.30, Weather and News. 8.40, Concert by the Radio Orchestra. 9.15 (approx.), Close Down.

SEVILLE

328.1 metres; 1.5 kW.—2.3 p.m., Concert by the Station Orchestra. 9.0, Concert. Part I: Piano-forte Recital: Waltz in A flat (Chopin); Symphonic Studies (Schumann); Adagio (Poulenc); Dance from Petroushka (Stravinsky). Part II: Song Recital: Elegy (Massenet); Song (Roncato Borella); Habanera and Scene from Carmen (Bizet); Seven Popular Spanish Songs (Falck). Part III: Flamenco Songs. In an interval, News, Exchange, Market Prices and Weather.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SASA; 436 metres; 55 kW. Relayed by Boden, 1,229.5 metres; Göteborg, 322 metres; Hörby, 257 metres; Motala, 1,248 metres; Östersund, 770 metres; and Sundsvall, 542

metres.—4.5 p.m. (from Göteborg), Studio Service. 4.50, Programme for Children. 4.45, Light Music on Gramophone Records. 5.45, Talk. 5.55, Talk in English by C. S. Allwood, relayed from Jönköping (201.3 metres). 6.15, Weather and News. 6.30, Talk. 6.55, Concert from Berlin (Witzleben). 8.0 (from Göteborg), Talk by Ludvig Hagwald: Winter Birds and how I snapped them with my Camera. 8.25, Brahms Song Recital by Else Brems, relayed from Malmö (231 metres): Liebestreu; Auf der Nacht in der Spinnstube; München; Sapphische Ode; Der Schmidt Meine Liebe ist grün. 8.45, Weather and News. 9.0, Orchestral Concert: Eine kleine Nachtmusik (Mozart); Minuet (Schubert); Airs (Kreisler); (a) Liebesfreund, (b) Liebeslied, (c) Schön Rosmarin; Waltz, Neu Wien (Joh. Strauss); Potpourri, Wien bei Nacht (Komzak). 10.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW.—11.30 a.m., Gramophone Concert of Classical Music. 12.45 p.m., News. 1.0, Time and Exchange. 1.5, Popular Music on Gramophone Records. 2.0 to 4.15, Interval. 4.15, French Education Lesson. 4.30, Programme for Children, relayed from Bordeaux-Lafayette. 6.0, Historical Talk in French. 6.15, Programme for Women in French. 6.30, Variety Music on Gramophone Records. 7.30, Time and News. 7.45, Lottery Results. 8.0, Gala Concert by the Station Orchestra and Soloists. Conductor: Maurice de Villers. Symphonic Fragments from La Gleanche (Fauré); La légende du point d'Argent—One-Act Musical Play (Fauré); Duet and Fable of the Nightingale from La petite mariée (Leocq); Pomme d'Api—One-Act Operetta (Offenbach). 10.30 (approx.), Close Down.

STUTTGART

360.5 metres; 60 kW.; and FREIBURG, 570 metres.—4.0 p.m., Concert by the Stuttgart Philharmonic Orchestra, conducted by Gustav Görlich; Soloists, Anita Oberländer (Soprano) and Isidore Dobrowolny (Piano-forte): Overture to the Lyric Tragedy, Thésée (Lully); Concerto in G for Piano-forte and String Orchestra (Rameau-Rehberg); Minuet from Verwandlung Aetateos in einen Hirsch (Dittersdorf); Concerto in B flat for Piano-forte and Orchestra (Mozart); Five Poems by Mathilde Wesendonck set to Music by R. Wagner: (a) Der Engel, (b) Traum, (c) Schmeicheln, (d) Stehe still, (e) Im Treibhaus. 5.15, Time, Weather and Agricultural Notes. 5.25 (from Mannheim), Talk: Amusing Aids to Ready-Reckoning. 5.50 (from Karlsruhe), Talk: Tobacco Growing in German Colonisation. 6.15, Time Signal and News Bulletin. 6.30, Concert from Frankfurt. 7.0, See Berlin (Witzleben). 9.0, Time, Weather, News and Programme Announcements.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW.—6.0 p.m., News Bulletin. 6.15, Opera Music: Melodias from: (a) Rigoletto (Verdi), (b) The Pearl Fishers (Bizet), (c) Werther (Massenet). 6.30, Programme for Children. 7.0, Music by an Argentine Orchestra. 7.15, Racing Results, Market Prices and News. 7.25, Local News. 7.30, Chansonnètes. 7.45, 1812 Overture (Tchaikovsky). 8.0, Operetta Music: Airs from: (a) La Basoche (Messager), (b) Veronique (Messager), (c) Encore cinquante cantines (Yvain). 8.15, Concert by a Viennese Orchestra. 8.45, Extracts from Countess Maritza—Operetta (Kálmán). 9.15, Accordion Music. 9.30, Songs from Sound Films. 9.45, Orchestral Concert of Operetta Music with Violin Solos; Waltz from The Gipsy Princess (Kálmán); Selection from Rose Marie (Friml); Violin Solos: (a) The Flight of the Bumblebee (Rimsky-Korsakov), (b) Estrellita (Ponce), (c) Waltz in A (Brahms). 10.15, North African News. 10.30, Concert for Listeners in Morocco: Concerto in B Minor (Saint Saëns); Two Airs from Les Saltimbanques (Ganne); Burlesque (Nadami); Les années sont courtes (Dorin); Ça, c'est Paris (Padilla). 11.0, Programme in English by the I.B.C.: Concert of Italian Opera Music and Light Music: Extracts from: (a) Rigoletto (Verdi), (b) Il Trovatore (Verdi), (c) I Pagliacci (Leoncavallo), (d) Cavalleria Rusticana (Mascagni); Rallye lorraine (Sombrun); Souvenir de Rouen (Sombrun); Souvenir des bois d'Avron; Marche des cors. 12.15 a.m. (Friday), Military Music. 12.30 (approx.), Close Down.

TRIESTE

247.7 metres; 19 kW.—4.10 p.m. till Close Down, See Turin.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relayed by Milan, 331.5 metres; Genoa, 312.8 metres; and Florence, 500.8 metres.—4.10 to 5.0 p.m., Concert by the Station Orchestra: Selection

from Titus (Mozart); Rickette (Celani); Petite Suite de concert (Coloridge-Taylor); To Spring (Grieg); Scherzo (Lato); Russian Suite (Leopold). 5.45, Giornale Radio and Agricultural and Dopulavoro Notes. 6.0, Popular Music on Gramophone Records. In the intervals at 6.20, Giornale Radio; at 6.30, Time Signal, Announcements, and Tourist Talk; and at 7.0, Giornale Radio and Weather Forecast. 7.20, Talk for Housewives, followed by Gramophone Records of Popular Music. 8.0, Relay of an Opera. In the intervals, Talk, Literary Note, and Giornale Radio.

VATICAN CITY

19.84 metres (Morning) and 50.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Information in French. 7.0 to 7.15 p.m., Religious Information in Italian.

VIENNA

517 metres; 15 kW. Relayed by Graz, 352.1 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 246 metres; and Salzburg, 218.8 metres.—3.25 p.m., Concert by Ed Seidl and his Orchestra: Overture, Carnival in Nice (Dietrich); Waltz, Schwert und Leier (Jos. Strauss); Fantasia on The Trees of Hoffmann (Schreiner); In the Mystic Land of Egypt (Kotzebey); Ein Jahrmarkt in Dorthe (Hrubý); Second Small Suite (die Micheli); Violin Solos: (a) J'y pense (Fiala), (b) Rosa-Casarda (Hrubý); Selection from Der Lehmann (Grünfeld); Two Pieces (Kreisler): (a) Ich wär' so gern einmal verliebt, (b) Ein stilles Glück; The Balls of Prague (Fialka); March, En Garde! (Le Cerda). 5.5, Talk: Some Curious Things about Wagner. 5.30, Talk: Income Tax Assessment Forms. 5.55, Talk: Peace of Spirit. 6.20, Theatre Talk. 6.25, Time, Weather, and Programme Announcements. 6.35, Talk: Twenty-five Years of Classical Viennese Dancing. 7.0, Popular Concert by Oscar Jascha and his Orchestra: Overture, Der Opernball (Heuberger); Dream Waltz (Müllacker); Serenade (Moszkovsky); Rumba, Schön sind lachende Fräulein (Lehar); Selection from The Rose of Stamboul (Fäl); Overture, Wiener Jugendlied (Helmberger-Jascha); Waltz, Jugendlied (Lehar); Slow Foxtrot, Nur die älteren Herren (Loewe-Jascha); Intermezzo from Nalla (Delibes); March Potpourri (Komzak). 8.15, Mass in E flat (Hummel) by the Hofmusikkapelle. 9.15, News, Weather, and Announcements. 9.30, Snow Report. 9.45, Dance Music by Chirley Auditor and his Jazz Band, with Song Relays by Leo Greiner.

WARSAW

1,411 metres; 120 kW.—10.58 a.m., Time Signal and Bugle Call from the Tower of St. Mary's Church, Cracow. 11.5, Programme Announcements. 11.10, Popular Music on Gramophone Records. 11.30, Weather Forecast. 11.35, Sixteenth Concert for Schools. The Philharmonic Orchestra, conducted by Ozimanski. Soloists: L. Szczepanska (Soprano) and W. Kochanski (Violin). Introductory Talk by T. Mayzner. Academic Festival Overture (Brahms); Ballet Music from Rosamund (Schubert); Violin Solos: (a) Ave Maria (Schubert-Wilhelmy), (b) Moment musical (Schubert-Auer), (c) Allegretto (Schumann-Joachim), (d) Waltz in A (Brahms-Hochstein), (e) Two Hungarian Dances (Brahms-Hochstein); Overture, Die Fledermas (Joh. Strauss); Songs: (a) The Blue Danube (Joh. Strauss), (b) Air from Die Fledermas (Joh. Strauss); Melodias (Strauss); Gallop, Tik-Tak, Waltz, Lullige Wien, Persian March. 1.0 to 2.10 p.m., Interval. 2.10, Announcements. 2.15, Economic Notes. 2.25, Light Music on Gramophone Records. 2.35, Talk. 2.50, Gramophone Records (cont'd). 3.25, French Lesson. 3.40, Talk. 4.0, Quartet in C Major, Op. 18, No. 1 (Beethoven), on Gramophone Records. In the interval, Announcements. 4.40, Topical Talk. 4.55, Programme Announcements. 5.0, Light Music from the Cristal Restaurant. In the interval, News. 6.0, Miscellaneous Items. 6.20, Agricultural Notes. 6.30, Literary Programme. 6.45, Radio Journal. 7.0, See Berlin (Witzleben). 8.50, Dramatic Programme from Cracow (312.8 metres). 9.15, Dance Music relayed from Lwow (381 metres). 9.55, Aviation Weather Report and Police Notes. 10.0, Dance Music from the Café Gastronomica. 11.0 (approx.), Close Down.

WILNO

563 metres; 16 kW.—4.0 p.m., Popular Music on Gramophone Records. 4.40, See Warsaw. 4.55, Programme Announcements. 5.0, See Warsaw. 5.40, Lithuanian Report. 5.45, Miscellaneous Announcements. 6.0, Talk. 6.40, The Letter Box. 6.30, Reading. 6.45, See Warsaw. 10.0, Relay of Foreign Stations. 11.0 (approx.), Close Down.

ZAGREB

207 metres; 0.75 kW.—6.5 p.m., Announcements and News Bulletin. 6.25, Talk on Memory. 6.50, Introductory Talk to the Following Relay. 7.0, See Berlin (Witzleben). 9.0, News Bulletin and Weather Forecast, followed by Winter Sports Notes. 9.10, Dance Music by the Sever Dance Band, relayed from the Grill Room. 10.0 (approx.), Close Down.

ZÜRICH.—See Schweizerischer Landessender.

FRIDAY

FEBRUARY THE SEVENTEENTH

PRINCIPAL EVENTS OF THE DAY:

AT HOME

NATIONAL

Light classical concert. Orchestral concert. Mr. S. F. B. Mais: "S.O.S." "The Point of View" and "The Carrier Pigeon," two plays by Eden Phillips. Violin recital.

LONDON REGIONAL

Instrumental concert. "150 Years Ago," feature programme, by L. W. A. Baily. B.B.C. Concert of Contemporary Music.

MIDLAND REGIONAL

A recital of Spanish music. Gloucester Orpheus Society's concert. A concert from the Beaufort Cinema, Birmingham. "The Fairy Folk," orchestral programme.

NORTH REGIONAL

Orchestral concert. A relay from the Empire Theatre, York.

WEST REGIONAL

A Welsh programme. National programme.

SCOTTISH REGIONAL

Orchestral concert. Band concert. Dance music.

BELFAST

Belfast Philharmonic Society concert, relayed from the Ulster Hall.

ABROAD

BRUSSELS

The Radio Symphony Orchestra, conducted by J. Kumps.

LAHTI

The Radio Orchestra, conducted by Erkki Linko.

PRAGUE

The Station Orchestra, conducted by O. Jeremias.

RADIO PARIS

Symphony concert, conducted by E. Bigot.

ROME

Vocal and instrumental concert.

STRASBOURG

Schubert concert, conducted by M. de Villers.

STUTTGART

The Philharmonic Orchestra, conducted by E. Kuhn.

String Quartets: Quartet in G, Op. 77, No. 1 (Haydn); Quartet in B flat, Op. 18, No. 6 (Beethoven). 9.10, Weather, News, and Sports Notes, followed by Gramophone Dance Music. 11.0 (approx.). Close Down.

Time, Weather, News, Sports Notes and Programme Announcements. 10.0, Music from Langenberg. 11.0 (approx.). Close Down.

BRNO

342 metres 35 kW.—3.10 p.m., Concert by the Station Orchestra, conducted by Stanislav Stanek-Dombavsky. 3.55, Theatre Review. 4.5, Ser Prague. 5.5, Talk on Art. 5.15, Talk for Workers. 5.25, German Transmission: News, Sports Notes, and Talk on Books. 5.50, Ser Prague. 6.30, Rhapsody Recital by Jan Matasek. 7.0, Ser Prague. 9.15 (approx.). Close Down.

BRUSSELS (No. 1)

I.N.R., 509 metres; 15 kW.—12 Noon, Extracts from the Second and Third Acts of La Gioconda (Ponchielli), on Gramophone Records. 1.0 p.m., Le Journal Parlé. 1.10, Concert by the Little Radio Orchestra, conducted by M. Leemans: Overture, Die Fledermaus (Joh. Strauss); Waltz, Hoffballtänze (Lanner); Selection from Liliac Time (Schubert-Berté); Violin Solos (Kreisler): (a) Liebesleid, (b) Liebesfreud; Potpourri, Rendezvous bei Lehár (Hrubý). 2.0, Educational Programme. 5.0, Gramophone Concert: Trio No. 2 in C (Mendelssohn); Waltz in B (Mozart); Waltz in F (Mozart); Variations on Ah! vous dirai-je mamuz (Mozart-Adam); Polonaise (Bach); Symphonic Poem, Mazepa (Liszt). 6.0, Dental Talk. 6.15, Une épreuve décisive—Sketch (Strangers-Hovine). 6.35, Gramophone Concert: March of the Twelfth Regiment of the Line (Dau-denard); La Villanelle (Dell'Aquila); Rondino (Beethoven-Kreisler); Aria from Sanson and Delilah (Saint-Saëns); Iberia (Albeniz); Schöön Rosmarin (Kreisler); March of the Caucasian Chief (Appolotov-Ivanov). 7.15, Talk arranged by the Conc Institute. 7.30, Literary Review. 8.0, Concert by the Radio Symphony Orchestra, conducted by M. Jean Kumps; Waldost Rhapsody (Esaye); Songs: (a) Bal de fleurs (Jonson), (b) Mimi's Aria from La Bohème (Puccini), (c) La maison grise (Messager); Walloon Rhapsody (Brunagne). 8.45, Talk by Mme. Louis Coens. 9.0, Concert (cont'd.), Les genres du soumeil (Narbier); Songs: (a) Aria from La Traviata (Verdi), (b) Aria from Sappho (Massenet), (c) Aime-moi (Benberg); Humoresque (Schoemaker); Jazz Music (Pati). 10.0, Le Journal Parlé. 10.10, Request Gramophone Records: Kol Nidrei (Max Bruch); Adagio cantabile from the Pathetic Sonata (Beethoven); The Fourth Symphony (Tchaikovsky). 11.0 (approx.). Close Down.

BRUSSELS (No. 2)

N.I.R., 338.2 metres; 15 kW. Programme in Flemish.—12 Noon, Concert by the Small Station Orchestra, conducted by P. Leemans: Humorous Overture, Tartuffe (La Gye); Charles Stratton (Dejoncker); Waltz, Fin de siècle (Waldteufel); Selection from

I. Pagliacci (Leoncavallo); Serenade for Violin (Bass); Dance Fantasia, Wellen-Spiele (Moyrecht); Reconnu (Hurdlet); Waltz, My Heart is yours (de Hervey); Fox-trot, Weiss du was, lieber Franz (Loubé). 1.0 p.m., Le Journal Parlé. 1.10, Gramophone Concert: Overture, Le roi d'Ys (Lalo); Scherzo Caprice (Kreisler); Serenade (Mendelssohn); Elegiac Melody (Grieg); Overture, Rose Marie (Friml); Chanson intime (de la Presle); Selection from The Girl in the Taxi (Gilbert); Melody from Princes de la Cravache (Alix); March of the Grenadiers from The Love Parade (Schertzinger). 2.0, Educational Programme. 5.0, Concert by Mickey's Club Jazz Attraction, conducted by Ludu Langlois. 6.0, Gramophone Concert: Nocturne (Tom Sully-Korsakov); Bohemian Dance (Smetana); Overture, H Guarany (Gonçez). 6.15, Talk: Is Mechanical Progress a Calamity or a Benefit to Mankind? 6.30, Pianoforte Recital by Jeanne Jaspard. 7.0, Gramophone Concert: Toccata and Fugue in D Minor (Bach-Hillier); Pastorale and Capriccio (Scriabati); Liebestraum (Liszt); Mouvements perpétuels (Poulenc); Prélude in D Flat (Chopin); Etude and Mazurka in F Minor (Chopin); Grande valse in A Flat (Chopin). 7.0, Escapes (Debussy), on Gramophone Records. 7.15, Book Review. 7.30, Wireless Review. 8.0, Choral Concert by the Lassalle Club, relayed from Antwerp; Conductor: Karel Candael. 8.15, Reitenieru—Radio Play (Horemans). 8.45, Choral Concert (cont'd.). 9.0, Concert by P. Leemans: Soloists, F. Gilman (Flute) and M. Derissen (Cello); Overture in Italian Style (Schubert); Suite, Les beaux diables (Fauchey); Elegue (Rabaud); Selection from Gwendoline (Chabrier); Andante for Flute (Mozart); Allegretto for Cello (Bocherini); Suite from The Fair Maid of Perth (Bizet). 10.10, Gramophone Concert: Overture, Die Fledermaus (Joh. Strauss); Selection from Viktoria and her Hussars (Abraham); Hopjes et hopjes (Lauweryns); Melody (Bouix); Selection from Barbe Bleue (Offenbach); Czardas (Mondt); Waltz, Brune ou Blonde (Waldteufel); Glow-Worm Idyll (Lincke); Selection from Cigarette (Hahn); Frolic Sax (Viard); Spanish March, Granada (Garcia). 11.0 (approx.). Close Down.

BUCHAREST

394 metres; 12 kW.—4.0 p.m., Orchestral Concert. 5.0, News and Time. 5.10, Talk. 5.25, Orchestral Concert. 6.0, Talk on Romania. 6.40, Talk on the following Symphony Concert. 7.0, Time. 7.2, symphony Concert: Overture, Oberon (Weber); Concerto in D Minor for Pianoforte and Orchestra (Brahms); Divertissement rustique (Dragoy); Le poème de l'extase (Seraphin). In the interval at 8.0, Recitations. 9.0, News.

BUDAPEST

550 metres; 18.5 kW. Also relayed on 840 metres from 6.25 to 11.0 p.m. 4.0 p.m., Concert by a Gypsy Band. 4.50, Talk. 5.15, Concert of Music by Jenő Budai and Bela Remeny. 6.10, Review of Foreign Politics. 6.30, Relay from the Opera House. In the intervals, News. After the Relay, Gypsy Music from the Hotel Metropole. 11.0 (approx.). Close Down.

CASSEL.—See Frankfurt.

COPENHAGEN

281 metres, 0.75 kW.; and KALUNDBORG, 1.153 metres, 7.5 kW. 11.0 a.m., Time Signal and Chimes from the Town Hall. 11.2, String Ensemble Concert, conducted by Harald Andersen, relayed from the Bellevue Strand-hotel. 12.15 p.m., Programme for Schools. 12.45 to 2.0, Interval. 2.0, Song Recital by Otto Hånschell, Cavatina from La Juive (Halévy); Aria from Eugene Onegin (Tchaikovsky); Venezia (Kjellratt); Winter (Rang-Keller); Princesse Gloriaut (Gade). 2.20, Concert by the Teddy Petersen Orchestra, relayed from the Wivox-Restaurant. 4.0, Programme for Children. 4.40, Exchange and Fish Market Prices. 4.50, Talk: Good and Evil in the World. 5.20, German Lesson. 5.50, Weather. 6.0, News. 6.15, Time Signal. 6.30, Review of Politics for the Past Month. 7.0, Time Signal from the Town Hall. 7.1, Programme by Per Kuntzon. 7.10, Organ Recital by Oscar Ringberg, relayed from Mariho Cathedral; Pièce héroïque (Franck); Second Choral in B Minor (Franck). 7.40, Progress—One-Act Play (St. John Ervine), translated by Alfred Wilken. 8.10, Duets by Anna Hagen and Edith Schmidt. 8.30, Illustrated Talk: How a Sound Film is made. 9.0, News. 9.15, Mandoline Concert: Spanish March (Albert); Overture (Umarosa); Extract Music (Bohlmann); Barcarolle (Cotogni); Valse graziosa (Henriques); Intermezzo, Frauenther Porzellan-Pippchen (Lincke); Waltz, Traum-ideale (Fricik). 10.0 (approx.). Close Down.

CORK.—See Dublin.

DANZIG.—See Heilsberg.

DRESDEN.—See Leipzig.

DUBLIN.—See Athlone.

FECAMP

223 metres; 10 kW.—6.0 to 7.0 p.m., Programme in English by the I.B.C. Announcers: R. Ebene and B. McNab. 6.0,

ATHLONE

413 metres; 60 kW.; and CORK, 224.4 metres.—1.30 to 2.0 p.m., Time Signal, Weather Report, Stage Report and Light Music on Gramophone Records. 6.0, Popular Music on Gramophone Records. 6.15, Programme for Children. 7.0, Light Music on Gramophone Records. 7.20, News Bulletin. 7.30, Time Signal. 7.31, Talk on Gardening. 7.45, Monologues by Violet M. Powell. 8.0, Violin and Pianoforte Duets by Alice Brough and Miss McDonnell. 8.25, Vocal Duets by M. Sheppard and M. Cullen. 8.45, Oranges and Lemons—Play presented by the Dublin Repertory Company. 9.45, Songs by Florence Howley (Contralto). 10.0, Orchestral Music. 10.30, Time Signal, News, Weather Report, and Close Down.

BARCELONA

RADIO-BARCELONA, Call EAJ1, 348.8 metres; 8 kW. 6.0 p.m., Trio Concert: Selection from Hamlet (Thomas); Pastoral Rondo on a Theme by Beethoven (Tavan); Selection from Le Roi de Lahore (Massenet); Extase (Ganne); Minuet from Le Bourgeois Gentilhomme (Lully); Duets of Dimitri and Marcia from Boris Godunov (Mussorgsky). 7.0, Request Gramophone Concert. 7.30, Exchange Quotations. 8.0, Gramophone Records of Light Music, and News. 9.0, Chimes, Weather, Programme for Seamen, Market Prices, and Exchange Quotations. 9.10, Concert by the Station Orchestra: Pasodoble, Ecos españoles (Marquina); Selection from La Rosa del azafran (Guerrero); Waltz, Visions (Waldteufel); Air de Ballet (de Tane); Intermezzo (Schmalstieg); Hungarian March (Berlioz). 10.0, Recitations. 10.15, Concert relayed from the Café Español. 11.0 (in the interval), News. 12 Midnight (approx.), Close Down.

BARI

269.8 metres; 20 kW.—7.0 p.m., Agricultural Notes, Tourist Talk, and Popolavoro Announcements. 7.20, Giornale Radio and Weather. 7.30, Time Signal and Announcements. 7.35 (approx.), Concert of Opera Music: Overture, The Bohemian Girl (Balle); Baritone Solos: Songs from (a) Don Pasquale (Donizetti), (b) Fedora (Giordano); Selection from The Huguenots (Meyerbeer); Soprano Solos: Arias from (a) Loreley (Catalani), (b) Carmen (Bizet); Selection from La Favorita (Donizetti); Overture, The Force of Destiny (Verdi); Baritone Solo from Hérodiade (Massenet); Soprano Solo: Song from A Masked Ball (Verdi); Selection from La Juive (Halévy); Soprano Solo from Mephistophiles (Boito). In the interval, Sports Talk. 9.55, News Bulletin.

BASLE.—See Schweizerischer Landessender.

BELGRADE

430.4 metres; 2.8 kW.—3.0 p.m., Concert by the Radio Orchestra. Overture, Dorodska posla (Kistice); Potpourri of Yugoslav Melodies (Svoboda); Serbian Dance (Frate); Petite Suite No. 1 (Michele); Violin Solo: Canzone della sera (Armandola); Czech Polka (Balling); Moravian Melody (Balling); Gallop, Uhlanen attacke (Bohm). 4.0, Popular Music on Gramophone Records. 5.55, Time and Programme Announcements. 6.0, Popular Music on Gramophone Records. 6.30, Talk. 7.5, See Vienna. 9.0, News.

BERLIN

KONIGS WUSTERHAUSEN, 1.635 metres; 60 kW.—11.55 a.m., Nauen Time Signal. 12.35, p.m., News Bulletin. 1.0, Gramophone Concert of Operatic and Light Music, relayed from Berlin (Witzleben). 2.0, Talk for Girls. 2.30, Weather and Exchange. 2.45, Review of Periodicals. 3.0, Review of Books—Modern German Youth. 3.30, See Leipzig. 4.10, Talk on Health: Röntgen and Röntgen Rays. 4.30, Talk: East Asiatic Battleships. 5.0, Pianoforte Recital by Franz Osborn: Five Preludes (Debussy): (a) La Fille aux cheveux de Lin, (b) Ce qu'a vu le vent d'Ouest, (c) La Cathédrale engloutie, (d) Minstrels, (e) La Sérénade interrompue. 5.30, Talk for Workers. 5.55, Weather and Announcements. 6.0, Talk: Modern Science and the Intellectual Outlook of the Age. 6.30, A Poem. 6.35, Concert of Light Music from the Eden Pavilion. 7.0, Talk by Kurt G. Sell: What they are talking about in America, relayed from America (on Gramophone Records). 7.15, See Langenberg. 9.15, Weather, News and Sports Notes. 9.46, Weather Report for Shipping. 10.0, Programme from Langenberg. 11.0 (approx.), Close Down.

BERLIN

WITZLEBEN, 419.5 metres; 1.5 kW.—5.20 p.m., Gramophone Concert of Operetta Music: Soprano Solo from Der Obersteiger (Zeller); Tenor Solos: (a) Song from Barbe Bleue (Offenbach), (b) Song from Gasparone (Milkowicz); Two Duets from The Land of Smiles (Lehar). 5.40, One of Eighty Million. 5.55, The Witzleben Station informs its Listeners. 6.0, Topical Talk. 6.10, Pictures of Everyday Life in the City. 7.10, Concert by the Berlin Wireless Orchestra, conducted by Eugen Jochum. Soloist: Erna Berger (Soprano). Overture, The Merry Wives of Windsor (Nicolaï); Aria from The Merry Wives of Windsor (Nicolaï); Dorf-musikanten—Sextet in F (Mozart); Früh-lingsstimmen-Walzer (Joh. Strauss); Kaiser-walzer (Joh. Strauss). 8.10, News and Sports Notes. 8.26, Concert of Classical

BERNE.—See Schweizerischer Landessender.

BEROMUNSTER.—See Schweizerischer Landessender.

BODEN.—See Stockholm.

BODO.—See Oslo.

BORDEAUX-LAFAYETTE

304 metres; 13 kW.—7.30 p.m., News Bulletin. 7.40, Light Music on Gramophone Records. 7.55, Lottery Results. 8.0, Spanish Lesson. 8.15, News and Weather. 8.30, Wagner Concert on the Fiftieth Anniversary of the Composer's Death: Spinning Chorus from The Flying Dutchman; Selections from Tristan and Isolde; Forest Murmurs and Siegfried Idyll from Siegfried; Overture, The Mastersingers. After the Concert, Relay from Toulouse-Pyrénées (255 metres).

BRATISLAVA

279 metres; 14 kW.—5.25 p.m., Pianoforte Recital by V. Pistelák: Chromatic Fantasia and Fugue (Bach-Busoni); Toccata, Op. 72 (Saint-Saëns). 5.50, See Prague. 6.30, Josef Svare Concert by the Station Orchestra, conducted by J. Odehazel. 7.0 till Close Down. See Prague. 9.15 (approx.). Close Down.

BREMEN.—See Hamburg.

BRESLAU

325 metres; 60 kW.; and GLEIWITZ, 253 metres.—12.5 p.m., Weather for Farmers. 12.7, Gramophone Concert: Overture, Oberon (Weber); Old English Dances of Shakespeare's Time; Song from The Magic Flute (Mozart); Prelude and Nocturne in E Flat (Chopin-Sievicki); Wiegandell (Mozart); Es schaukeln die Winde (Humperdinck); Overture, The Merry Wives of Windsor (Nicolaï). 12.45, Time, Weather, News and Exchange Quotations. 1.5, Gramophone Concert (cont'd.): Overture, Fra Diavolo (Auber); Mazurka (Godard); Pierrot and Pierrette (Husch); Rocooco Minuet (Leisz); Potpourri of Old Operetta Music; Waltz from Eva (Lehar); March, Potpourri, Friedericiana (Friederick the Great). 1.15, Sponsored Programme with Gramophone Records. 2.10, Agricultural Prices. 2.40, Talk: With the Zepplin to South America. 3.10, Talk: The German Post Office. 3.30, See Leipzig. 4.30, Weather for Farmers. 4.32, Talk: Wagner and Friedrich Nietzsche. 5.0, Talk and Reading: Heinrich Zilllich, the Transylvanian Poet. 5.30, Topical for Farmers. 7.2, Talk: 7.0, Weather for Farmers. 7.30, Sonata in F Richard Wagner's Music. 7.30, Sonata in F Minor, Op. 5 (Brahms). 8.10, News. 8.20, Week-end—Comedy (Noel Coward). 9.40,

FEB. 17th

FRIDAY

continued

Concert for Torquay Listeners: Violin and Orchestral Music; Orchestra: Selection from Veronique (Messager); Violin Solos: (a) Kashmir Love Song (Woodford-Finden); (b) Because (Hardelot); (c) Hindu Song (Rinsky-Korsakov); (d) The Song of the Winds (Moya); Orchestra: Wedding of the Winds (Hall). 6.30, Concert for Weymouth Listeners: Orchestral and Vocal Concert; Orchestra: Brit-Badia Selection (Humphries); Songs: (a) Devonshire Croon and Cider (Sanderson); (b) A Rovin' (Terry); (c) Up from Somerset (Sanderson); (d) Glorious Devon (German); (e) Rio Grande (Harris); (f) The Sea Road (Haydn Wood). 10.0 till Close Down. Programme in English by the I.B.C. 10.0, Dance Music. 11.0, Music by a Symphony Orchestra: Dance of the Hours (Ponchielli); Christmas Tree Waltz (Rebikow); Moment Musical (Schubert); Liebestraum (Liszt); Overture, Hansel and Gretel (Humperdinck); Carnival of the Animals (Saint-Saens); Orientale (Cui); Song without Words (Tchaikovsky). 11.30, Sea Shanties: Al Santa Barbara (Kennedy Russell); Arovin' (Terry); The Drunken Sailor (Terry); Rio Grande (Harris); Four Jolly Sailormen (German); Shenandoah (Terry); Orchestra: Brit-Edia Medley (Humphries). 12 Midnight, Variety Concert: Mandoline Band: Waltz, The Blue Danube (Strauss); Song: The Hiker's Song (Longstaffe); Cornet Solo: The Rosary (Nevin); Song: The Old Tins of England (La Touche); Pianoforte Solo: Favourite Tunes of the Moment (Merryll); Mandoline Band: Tesoro Mio (Benacci). 12.30 a.m. (Saturday), Vocal Duets and Mandoline Solos: Mandoline Solo: Czardas (Monti); Vocal Duets: (a) In an Old World Garden (Pepper); (b) I ain't gonna tell (Strahan); (c) When you've gone (Werner); Looking for love (McHugh); Mandoline Solo: Mandolinata (de Pietro); Vocal Duets: (a) She can't make up her mind (Castling); (b) Now I'm in love (Shapiro). 1.0, Music by a Hawaiian Band: Bye-bye Blues; Somewhere in old Wyoming (Blues); Old New England Moon; My Bluebird was caught in the Rain (Creamer); Nobody cares if I'm blue; Go home and tell your Mother (McHugh); Donna Clara (Petershursky); With my Guitar and you (Snyder). 1.30, Songs: The Thrill is gone; The Dancing Lesson; Sweet and lovely; Blue Moon in the Sky; My Sweet-tooth say I wanna; You're blasé; I don't know who; Today I feel so happy. 2.0, Dance Music. 2.57, I.B.C. Goodnight Melody. 3.0 (approx.). Close Down.

FLensburg.—See Hamburg.

FLORENCE.—See Turin.

FRANKFURT

259 metres; 17 kW; and CASSEL, 245.9 metres. 6.10 p.m., Time, Programme Announcements, Weather and Economic Notes. 6.15, See Stuttgart. 6.40, A Parish Council Meeting in the Odenwald. 7.0, See Stuttgart. 8.20, Concert by the Station Orchestra, conducted by Reinhold Merten. Soloists: Erich Kraack (Viola), Justus Gellius (Flute), and Erich Kahn (Pianoforte); Overture, Ribezahl (Weber); Andante tranquillo and Allegro from Undine, Op. 167, for Flute and Pianoforte (Reinecke); Märchenbilder, Op. 113, for Viola and Pianoforte (Schumann); Overture, To the Story of the Lovely Melusina (Mendelssohn). 9.0, Time, News, Weather and Sports Results. 9.20 till Close Down, See Stuttgart. 11.0 (approx.). Close Down.

FREDRIKSTAD.—See Oslo.

FREIBURG.—See Stuttgart.

GENEVA.—See Radio-Suisse Romande.

GENOA.—See Turin.

GLEIWITZ.—See Breslau.

GOTEBORG.—See Stockholm.

GRAZ.—See Vienna.

HAMAR.—See Oslo.

HAMBURG

Call ha (in Morse), 372 metres; 1.5 kW. Relayed by Bremen, 269.8 metres; Flensburg, 227.4 metres; Hanover, 566 metres; and Kiel, 232.2 metres.—4.30 p.m., Talk: Trade Possibilities in Abyssinia. 5.5, Contralto and Viola da Gamba Recital by Ise Thime and Ludwig Passbaender: Compositions of Ludwig Passbaender: Cycle of Sea Shanties for Viola da Gamba and Contralto Voice; Giocosa in G Minor from Suite No. 6; Songs for Contralto and Viola da Gamba: (a) Sehne, (b) Der Tanz der Götter, (c) Sonnenuntergang, (d) Die junge Mutter; Viola da Gamba Solos: (a) Dance in D, (b) Allegro vivace in B Minor; Songs for Contralto and Viola da Gamba: (a) Der Mey ist do, (b) Er lauscht einem Voegelzün. 5.50, Exchange and Market Prices. 6.0, Talk: Co-operation between Employer and Employee in the Crisis. 6.25, Weather Forecast. 6.30, Paul Alyvets reads from his own works. 7.0, Miniatures in Saxon Dialect—VI. Rudi Bach (Re-itations) and Paul Gümmer (Songs); Im Tal der Freude (Otto Erich Hartleben); Am Bett des Kindes (B. von Münnchhausen); Weisser Flieder (B. von Münnchhausen); Der alte Herr (Paul Gräner); Grüne Zeit (Lulu v. Strauss u. Tornay); Harz (Riccarda Huch); Königin (Hermann Löns); Der Knecht (Paul Gräner); Ein herbstlich Lied zu zweien (Gerit Engelke); Das hat uns der Südwest getan (Gorch Fock); Lied der Tag (Georg v. d. Wring); Dornrösch (Christoph Plaskamp);

Two Songs from the Cycle, Die Kritik des Hetzens (Albert Barkhausen). 8.0, The other Kleist—Radio Sequence (Alfred Müller). 9.0, Time, Weather, Announcements, Sports Notes, and Police Report. 9.20, See Berlin (Witzleben). 9.35, Concert from the Alster Pavilion.

HANOVER.—See Hamburg.

HEILSBURG

276.5 metres; 60 kW; and DANZIG, 453.2 metres.—12.5 p.m., Gramophone Concert of Popular Music. In the interval at 12.20, Announcements. 1.30, Sponsored Programme with Gramophone Records. 2.0, Exchange and Market Prices. 2.30, Programme for Children. 3.0, Talk for Women: Woman as an Artist. 3.30, Concert by the Little Orag Orchestra, conducted by Eugen Wilken; Overture, Imbomene (Mozart); Rhapsody, Op. 23 (Elkhart); Miniature Ballet, Papillote (Eving); Extase and Berceuse (Bizet); Selection from Lucia di Lammermoor (Donizetti); Gipsy Idyll (Percy); Overture, La Belle Helene (Offenbach). 4.45, Talk: The Country Continuation Schools. 5.15, Market Prices. 5.20, Ice Report. 5.30, Chamber Music: Folk Songs of Neighbouring Lands for Soprano, Baritone, Lute, Violin and Flute. 6.0, Programme of East Prussian Folk Songs, Recitations and Songs to the Lute, by the Station Choir and Orchestra, and Soloists: Hermann Kowski, Max Weber, Kurt Wernick. 6.55, Weather and News. 7.0, Talk by Kurt Sell: What they are talking about in America, relayed from America. 7.15, Dialogue: How to listen to Orchestral Music, with Illustrations from the Eroica Symphony (Beethoven) by the Königsberg Opera House Orchestra, conducted by Erich Seidler. 8.25 (from Danzig), Detachment Korles—Radio Play of the Napoleonic Wars (Georg von der Vring). 9.25, Weather, News and Sports Notes.

HILVERSUM

Announced HUIZEN, 296.1 metres; 20 kW (7 kW up to 4.40 p.m.).—Programme of the Christian Radio Society (N.C.R.V.). 10.40 a.m., Trio Concert: Overture, The Italian Girl in Algiers (Rossini); Waltz, Pluie de Diamants (Waldteufel); Musikalische Seifenblasen (Ullrich); Potpourri of Offenbach Music (Urbach) on Gramophone Records; Selection from Mirella (Gounod); Pas des Fleurs (Delibes); Babillage (Gillet). 11.40, Police Notes. 11.55, Melodious Memories (arr. Hermann Fieck) on Gramophone Records. 12.10, Organ Recital. 12.55, Trio Concert (cont'd); Overture, Raynald (Thomas); Slav Idyll (Ackermann); Fantasia on Keler-Bel Music (Moenka); Selection from La Boheme (Puccini). 1.40, Programme to be announced. 2.10, Reading. 2.40, Talk for the Housewife. 3.10, Concert. 4.40, Talk on Holana. 5.10, Talk for the Amateur Photographer. 5.40, Agricultural Talk. 6.10, Talk on Gardening. 6.30, Literary Programme. 7.10, Police Notes. 7.25, Talk. 7.40, Concert by the Amsterdam Symphony Orchestra, conducted by M. de Haas. Prince Eitel Friedrich March (Frankenberg); Selection from The Gipsy Princess (Kahn); Overture, Im Reiche der Indra (Lincke); Liebeslied (Wingarten). 8.10, Accordion Duets: March Song, Musik mit-sein (May); Er was eens een musicien (Swaz); March Potpourri (Cere). 9.25, Concert (cont'd); Selection from Manon Lescaut (Puccini-Tavau). 8.40, Talk. 9.10, Concert (cont'd); Waltz, Frühlingssinnchen (Joh. Strauss); Mattinata (Leonavallo). 9.25, Accordion Duets: Overture, Orpheus in the Underworld (Offenbach); Streichholz-Wachtwaren (Karl Wehle); Wien bleibt Wien (Schrammel). 9.40, News. 9.50, Concert (cont'd); Selection from The Gipsy (Jones); A Wedding Day in Lilliput (Translatour). 10.10, Variety Music on Gramophone Records. 11.10 (approx.). Close Down.

HORBY.—See Stockholm.

HUIZEN

Announced HILVERSUM, 1,875 metres; 8.5 kW.—11.40 a.m. to 3.40 p.m., Programme of the Allgemeine Vereinigung Radio Omroep (A.V.R.O.). 11.40 a.m., Time Signal. 11.41, Concert by the Wireless Chamber Orchestra, conducted by Nico Gerharz. 1.40 p.m., Talk. 2.10, Concert by the Wireless Orchestra, conducted by Nico Troep, with Gramophone Interludes. 3.40 to 7.40, Programme of the Workers' Radio Society (V.A.R.A.). 3.40, Concert by De Fierelinters, conducted by Hugo de Groot. 4.30, Programme for Children. 5.10, Concert by De Notenkrakers, conducted by D. Wins; Selection from The Arabian Nights (Joh. Strauss); Czardas, Mariska (Lohár); Two Songs (Komzák); Selection from A Kiss in Spring (Kölgmünd); Mon Napoli (Volpatti); Adieu (Tosti); Song (Reinhardt); March, Wien bleibt Wien (Schrammel). 5.50, A Gramophone Record. 5.55, Organ Recital by C. Steyn. 6.20, Talk on Russia. 6.40, Concert by De Fierelinters, conducted by Hugo de Groot. Soloist: L. Fild (Songs). Immer so weiter (Borchmann); The Old Kitchen Kettle (Woods); Im Gasthaus, Zum Goldenen Sterne (Rötter); Wo schön ist ein Feiertag (Stolz); Pagan Moon (Burke); Tantz du auch so getu wie ich (Rosen); Hungarian

Medley (Dehroy Somers); Gramophone Records: Yo Yo (Nelson); In Hebelberg hab' ich mein Glück gefunden (Krauss); I'll never have to dream again (Newman); All for the Love of a Lady (Gax); Tanz mit im Walzer-schritte (Weber); Dehroy's (Gershwyn); Melody (May). 7.40 to 10.40, Programme of the Liberal Protestant Radio Society (V.P.R.O.). 7.40, Religious Address. 8.10, Organ Recital by E. A. Vos; Variations on Mein Junges Leben hat ein Eul (Sweelinck); Ciaconna in D Minor (Pachelbel); Jesu meine Freude (Walther); Fandasia and Fugue in C Minor (Bach); Prelude and Fugue in E Minor (Bach); Adagio (Bach); Concerto in G (Vivaldi-Bach). In the interval at 8.40, Talk. 9.40, Religious Report. 9.45, News Bulletin. 9.55, Recitations. 10.25, Gramophone Records. 10.40, V.A.R.A. Programme: Popular Music on Gramophone Records. 11.40 (approx.). Close Down.

INNSBRUCK.—See Vienna.

KALUNDBORG.—See Copenhagen.

KATOWICE

408 metres; 16 kW.—3.5 p.m., Popular Music on Gramophone Records. 3.25, See Warsaw. 6.0, Talk. 6.15, Announcements and Light Music on Gramophone Records. 6.25, Sports Notes. 6.30, See Warsaw. 10.0, The Letter Box in French.

KIEL.—See Hamburg.

KLAGENFURT.—See Vienna.

KOSICE.—See Prague.

LAHTI

1,796 metres; 49 kW; and HELSINKI, 368.1 metres.—6.0 p.m., Concert by the Radio Orchestra, conducted by Erkki Linko, relayed from Helsinki. Soloist: Hans Gruska (Flute); Fingal's Cave (Mendelssohn); Minuet from the Symphony in E Sharp (Mozart); Ballet Music from Rosamund (Schubert); Flute Solo; Scène de Ballet (Sibelius); Three Sacred Pieces (Ranta); Finnish Melodies (Kangas). 7.0, Recitations. 7.20, Variety Music on Gramophone Records, relayed from Helsinki. 7.45, News in Finnish. 8.0, News in Swedish.

LANGENBERG

473 metres; 60 kW.—12 Noon, Concert conducted by Eysoldt: March, Ungarisch-Porte (Morena); Overture, Luhring (Wallberg); Selection from Lohengrin (Wagner); Slav Dances Nos. 2 and 5 (Dvorák); Intermezzo from Nalla (Delibes-Popper); Black Eyes (Ferraris); Finnish Sketches (Brus-selman); Waltz, Secrets of the Adige (Carona); Selection from The Maid of the Black Forest (Gesselt). In the interval at 1.0 p.m., News. 1.30, Sponsored Programme with Gramophone Records. 2.30, Economic Notes and Time. 2.50, Handwork for Children. 3.20, Talks for Young People: (a) Travelling as a Cabin Boy to the Campos of Chile; (b) I learn Chinese. 4.0, See Munich. 5.20, English Conversation. 5.45, Weather, Time, Economic Notes and Sports Results. 6.0, Discussion: Employees' Insurance. 6.50, News. 7.0, Talk by Kurt G. Sell: What People are talking about in America, relayed from America. 7.15, Max and Moritz (Marok); Symphonie Suite, Max and Moritz (Marok), by the Station Orchestra, conducted by Busch-Kitter; Scenes and Prose from the Works of Eulenberg, Wilhelm Busch, Mark Twain, Karl Bretlinger, Erich Kästner, Ludwig Thoma, Franz Molnar, Hasse-Zetterstrom, Josef Winkler, and others. 9.10, News and Sports Notes. 9.30, Screenplay and Dance Music, conducted by Eysoldt. 11.0 (approx.). Close Down.

LAUSANNE.—See Radio-Suisse Romande.

LEIPZIG

389.6 metres; 120 kW; and DRESDEN, 319 metres.—11.0 a.m., Orchestral Concert. In the interval at 12 Noon, News, Weather, Snow Report and Time. 1.0 p.m., Exchange Rates. 1.30, Art Report. 2.15, Talk for the Country Woman. 2.35, Economic Notes. 3.0 to 3.15, Natural History Talk. 3.30, Concert by the Dresden Philharmonic Orchestra. Soloist: Edeltraut Eiben (Pianoforte). Overture, Meeres estille und schlüchtrig Fahr (Mendelssohn); Concerto for Pianoforte and Orchestra (Hollstein); Frühlingsergen (Schjeldrup). 4.30, Book Review. 4.50, Economic Notes, Weather and Time. 5.0, Radio Report from a Carnival Novelty Industry. 5.25, English Lesson. 5.50, Programme to be announced. 6.0, Dance Music. 7.0, Readings from Two German Folk Books. 7.45, Symphony No. 4 in E Flat (Bruckner), by the Dresden Municipal Orchestra, conducted by Fritz Busch. 8.50, Talk by Kurt G. Sell: What People are talking about in America (on Gramophone Records). 9.5, News. 9.15 (approx.). Popular Music on Gramophone Records. 11.0 (approx.). Close Down.

LINZ.—See Vienna.

LJUBLJANA

574.7 metres; 2.5 kW.—6.0 p.m., French Lesson. 6.30, Topical Talk. 7.0, See Vienna. 9.0, Time, News and Light Music on Gramophone Records.

LWOW

381 metres; 16 kW.—6.0 p.m., Talk. 6.15, Miscellaneous Items. 6.30, See Warsaw. 10.0, Everybody Dances—a Musical Programme by Celina Nahlik. 11.0 (approx.). Close Down.

LYONS

LA DOUA, 465.8 metres; 1.5 kW. 7.30 p.m., Radio Gazette for Lyons and the South East. 8.30, Popular Vocal and Instrumental Concert After the Concert, News Bulletin.

MADRID

ARANJUEZ (EAQ), 30.43 metres; 20 W.—11.30 p.m., Variety Concert. 10.45, Radio Chronicle. 11.0, Variety Concert (cont'd). 11.35, Answers to Correspondence. 11.40, Spanish-American Talk. 11.45, Light Music. 12 Midnight (approx.). Close Down.

MADRID

UNION RADIO, Call EAJ7, 424.3 metres; 2 kW.—7.0 p.m., Chimes, Exchange Quotations and Programme of Musical Novelties. 7.15, Medical Talk, followed by Programme by Ramon Gomez de la Serna. 8.15, News Bulletin. 8.30 to 9.30, Interval. 9.30, Chime and Time Signal and Humorous Talk. 9.45 (approx.), Concert by the Station Symphony Orchestra, conducted by Felipe Bienes; Arlesienne Suite No. 1 (Bizet); Symphony in F, No. 8 (Beethoven); Dance from Idyll (Briones); Pavane (Faure); In the Steps of Central Asia (Borodin); Military March (Schubert). 11.45, News Bulletin and Programme Announcements for Listeners Abroad. 12 Midnight, Chimes and Close Down.

MALMO.—See Stockholm.

MILAN.—See Turin.

MORAVSKA-OSTRAVA

263.8 metres; 11 kW.—5.15 p.m., See Prague. 6.30, See Bratislava. 7.0, See Prague. 9.15 (approx.). Close Down.

MOSCOW

TRADES UNION, 1,304 metres; 100 kW.—4.0 p.m., News. 4.10, Announcements. 4.30, Concert. 5.30, Symphony Concert, relayed from the Large Hall of the Conservatoire, or a Pianoforte Recital relayed from the Small Hall of the Conservatoire. 8.0, Review of the Week and Answers to Correspondents in English. 8.55, Time. 9.5, Press Review.

MOTALA.—See Stockholm.

MUHLACKER.—See Stuttgart.

MUNICH

533 metres; 60 kW. Relayed by Augsburg and Kaiserslautern, 560 metres; and Nürnberg, 239 metres.—3.0 p.m., Concert of Chamber Music of the Italian Baroque Period with Introductory Talk by Dr. Ludwig Gerber, See, Church Sonata in G for Violin, Cello and Harpsichord (Joh. Albin); Sonata for Harpsichord (Seppelt); Recitative and Aria for Soprano, Cello and Bass continuo (Galli); Aria for Soprano, Violin and Continuo (Scarlatti); Church Sonata in B Minor, Op. 5, No. 4, for Two Violins, Cello and Harpsichord (Corelli). 3.35, Talk: The Education of Girls. 4.0, Orchestral Concert, conducted by Erich Kloss. Overture, Russian and Andmilla (Glinka); Suite from As you like it (Weitzel); Abenid (Armandola); Pope and Kolobd (Armandola); Scenes from Madame Butterfly (Puccini); Waltz (Waldteufel); Melody (Moszkowsky); Waltz (Moszkowsky); Zingareska (Monti); Hungarian Ballet, Etelka (Ailbott). 5.15, Economic Report. 5.35, Talk: The Mystics. 5.55, Time, Weather, Agricultural Notes and Snow Report. 6.5, Ports and the Poor Talk with Recitations by Dr. Fritz Gerathewald. 7.25, Soprano and Baritone Recital of Mozart Music; Duet from The Magic Flute; Aria from Don Giovanni; Duet from Figaro. 8.45, Talk on Photography. 7.5, Popular Symphony Concert by the Munich Philharmonic Orchestra, conducted by Adolf Memmich, relayed from the Tonhalle; Overture, Le Carnaval romain (Berlioz); Till Eulenspiegel's Merry Pranks, Op. 28 (Richard Strauss); Intermezzo from The Arabian Nights (Joh. Strauss); Perpetuum mobile (Joh. Strauss); Waltz, Tales from the Vienna Woods (Joh. Strauss); Overture, Orpheus in the Underworld (Offenbach). 8.35, Reading: The Major's Story (G. K. Chesterton). 9.5, Pan-Canadian Suite, for Tenor Solo, Mixed Choir and Small Orchestra (Karl Schaefer), by the Station Chamber Orchestra, the Station Choir and Otto Hiedl (Tenor). 9.20, Time, Weather, News, Sports Notes, Snow and Road Report.

NAPLES.—See Rome.

NOTODDEN.—See Oslo.

OSLO

1,083 metres; 60 kW. Relayed by Fredrikstad, 365.8 metres; Hamar, 574.7 metres; Notodden, 447.1 metres; Porsgrund, 443.2 metres; and Rjukan, 447.1 metres.—4.0 p.m., Variety Music on Gramophone Records. 4.40, Programme for Schools. 5.0, French Lesson. 5.30, Agricultural Report. 6.0, Announcements, Weather and News. 7.0, Time Signal. 7.1, Symphony Concert by the Philharmonic Orchestra, relayed from the Løren Hall. Conductor: Odd Grøner Hegre. Symphony, No. 2 (Sibelius); Overture, The Flying Dutchman (Wagner); Selection from

FEB. 17th

FRIDAY

continued

The Dusk of the Gods (Wagner); Entry of the Gods into Valhalla, from The Rhinegold (Wagner). 8.40, Weather and News. 9.0, Topical Talk. 9.15, Talk. 9.45 (approx.). Close Down.

OSTERSUND.—See Stockholm.

PALERMO

537.6 metres; 3 kW. 7.0 p.m., Announcements, Tourist Report, Agricultural Notes, Report of the Royal Geographical Society, and Giornale Radio. 7.20, Orchestral Music. In the interval at 7.30, Time and News. 7.45, Carmen—Opera in Four Acts (Bizet) on Gramophone Records. In the intervals, Talk on Venice and Literary Notes. 9.55, News.

PARIS

EIFFEL TOWER, Call FLE, 1,445.8 metres; 13 kW. Time Signals (on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and 6-dot signals).—5.45 p.m., Le Journal Parle. 7.20, Weather Report. 7.30, Wagner Concert by the Radio Orchestra, conducted by Edouard Flament; Soloist: M. Bruniau (Clarinet); Overture, Die Feen; Adagio for Clarinet; Selection from Das Liebesverbot; Alldandl; Forest Murmurs from Siegfried; Träume. 8.15, Musical and Literary Programme for Young People. 9.0 (approx.). Close Down.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW.—6.45 p.m., Journal Parle. 7.0, Gramophone Concert of Popular Music. 7.45, Topical Talk. 8.0, Talk on Music. 8.15, Interval. 8.30, Concert by the Station Symphony Orchestra; Overture, La Princesse jaune (Saint-Saëns); Divertissement, Zorica (Bousquet); Scenes antiques (Larrieu); Symphonie Interieure, Printemps; Trot de cavalerie (Rubinstein); Sicilian Rhapsody (Silver); Bourree fantasque (Chabrier); Three Dances (Février-Longeray); March bohémienne (Filipucci). 10.30, News.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW.—6.45 a.m., Physical Culture. 7.30, Weather and Physical Culture (contd.). 7.45, Gramophone Records; Zizanie (Ravel); Humorous Scenes (Leonard). 8.0, Press Review and Weather. 12 Noon, Jewish Address. 12.30 p.m., Concert by the Kretzky Orchestra; Andante and Finale from Symphony La Reine (Haydn); Serenade from L'Amant jaloux (Grieg); Overture, Egmont (Beethoven); Aria from Figaro (Mozart); Invitation to the Waltz (Weber-Berlioz); Cello Solo: Sur le lac (Godard); Träume (Wagner); Poem (Liszt); La Boite à joujou (Debussy); Selection from Les Erynnies (Massenet). In the intervals at 1.0, Exchange, News and Weather, and at 1.30, Exchange. 2.0, Exchange and Announcements. 3.45, Exchange and Market Prices. 4.30, Elementary English Lesson. 6.10, Agricultural Talk. 6.30, Review of New Books. 6.50, Talk on Social Insurance. 7.0, Talk: The Financial Programme of the Forthcoming International Conference. 7.20, Concert by the Kretzky Orchestra; Invocation à Enteepe (Dyck); Je l'aime (Waldteufel); Buda-Pest (Léoni); Jagatelle (Danbé); Entr'acte Printanier (Maurice); Marche Bohémienne (Filipucci). 7.45, Commercial Prices and News. 8.0, Readings from the Works of Rabelais. 8.30, News and Weather. 8.40, Gastronomic Review. 8.45, Symphony Concert, conducted by Eugene Bigot. Soloist: Roger Boumé (Cello). Fourth Symphony (Beethoven); Concerto for Cello and Orchestra (Schumann); Suite in D (L'Indy); Popular Russian Songs (arr. Liador); Spanish Overture (Widor). In the interval at 9.15, Press Review and News.

PITTSBURGH

WESTINGHOUSE ELECTRIC (KDKA), 306 metres; 25 kW. Relayed by W2XK on 45.86 metres and 25.27 metres.—9.0 p.m., Talk by Dr. Emlyn Jones. 9.10, Business News. 9.15, S.A.I. Musicales—Carnegie Tech Chapter. 9.30, Weather Report. 9.32, Market Reports. 9.45, Piano-forte Interlude. 9.50, David Lawrence Dispatch. 9.55, KDKA Artist Bulletin. 9.58, Programme Announcements. 10.0, Muskingum College Music Clubs. 10.15, Programme to be announced. 10.30 to 11.15, New York Relay. 10.30, The Singing Lady. 10.45, Little Orphan Annie. 11.0, Our Daily Food by George Reator and Judge Gordon. 11.15, Time Signal. 11.16, Weather Report. 11.17, Teaberry Sport Review. 11.22, Press News Reeler. 11.27, Strange Facts. 11.29, Temperature Report. 11.30, KDKA Orchestra. 11.45 to 3.15 a.m. (Saturday), New York Relay. 11.45, Today's News by Lowell Thomas. 12 Midnight, Popsodent Amos 'n' Andy. 12.15 a.m., Hilda Burke (Soprano). 12.30, Five Star Theatre by Charlie Chan. 1.0, Nestlé's Programme. 1.30, Time Signal and Adventures in Health. 1.45, Howard Thurston, the Magician. 2.0, The First Nighter. 2.30, Armour Programme. 3.0, Alice Joy. 3.15, Westinghouse Pioneers. 3.30, Bridge School of the Air by E. Hall Downes. 3.45, Bradley Kincaid. 4.0, Time Signal. 4.1, Teaberry Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.13, KDKA Artist Bulletin. 4.15, Press Last Minute News Flash. 4.20, Cora Williams Hines (Contralto). 4.30, Henry Hallstead and his Californians. 5.0, Cotton Club Orchestra, from New York. 5.30, Time Signal and Good-night.

PORSGRUND.—See Oslo.

PRAGUE

488.6 metres; 120 kW.—3.10 p.m., See Brno. 3.55, Talk: Famous Religious Figures in Czech History. 4.5, Chamber Music by the Ondrick Quartet; Divertissement for Violin, Viola, and Cello, Op. 28 (Jirak); Trio in E Flat for Violin, Viola, and Cello, Op. 3 (Beethoven). 5.5, Agricultural Market Prices. 5.15, Talk for Workers. 5.25, German Transmission: News, Legal Talk, and Talk on Sports. 5.50, Relay from the National Theatre. 6.30, See Bratislava. 7.0, Concert by the Smetana Vocal Society. 8.0, Time Signal. 8.1, Concert by the Station Orchestra, conducted by Otakar Jeremias; Soloist: P. Vlodigero (Pianoforte); Overture, Rinaldo (Handel); Second Piano-forte Concerto, Op. 22 (Vlodigero). 9.0, Time Signal. 9.1, News Bulletin. 9.15 (approx.). Close Down.

RADIO-SUISSE ROMANDE

SOTTENS, 403 metres; 25 kW.; LAUSANNE, 680 metres; and GENEVA, 760 metres.—5.30 (from Geneva), Talk: The Brain-worker and the Crisis. 6.0 (from Lausanne), Weather, News, and Announcements. 6.30 (from Lausanne), Talk for Apprentices: Professional Book-keeping. 7.0 (from Geneva), Variety Programme by the Broadcasting Serenaders. 8.0 (from Lausanne), Quartet Concert; Milly Berber (Violin), Erich Schaeffe (Violin), Carl Weymar (Viola), and Hermann Hoenes (Cello); Quartet in C (Mozart); Quartet in A, Op. 18, No. 5 (Beethoven). 9.0, News Bulletin and Weather Forecast. 9.10 (from Geneva), Talk: The Work of the League of Nations. 9.25 (approx.). Close Down.

RIGA

525 metres; 15 kW.—6.15 p.m., Symphony Concert, conducted by J. Medins; Overture, In Autumn (Grieg); Symphony No. 6 in C (Atterberg). 7.0, News. 7.20, Symphony Concert (contd.): Violin and Viola Concerto (Mozart); Suite No. 3 (Medins). In an interval at 8.0, Weather and News. 8.30, Light Music. 9.30 (approx.). Close Down.

RJUKAN.—See Oslo.

ROME

Call IRO, 441 metres; 50 kW. Relayed by Naples, 319 metres; and BRO, 25.4 metres.—7.0 a.m., Gymnastics. 7.15 to 7.30, Giornale Radio and Announcements. 11.30, Weather and Light Music on Gramophone Records. 12 Noon, Time and Announcements. 12.2 to 1.15 p.m., Orchestral Concert. In the interval from 12.30 to 12.45, Giornale Radio and Exchange. 3.0, Piano-forte Recital by Arthur Rubin-stein. 6.0, Giornale Radio. 6.10 (from Naples), Shipping and Sports Notes. 6.15, Agricultural Notes, Announcements and Light Music on Gramophone Records. 7.0, Time and Announcements. 7.5, Report of the International Institute of Agriculture (in Italian, French, English, German and Spanish). 7.30, Talk, Sports Notes and Tourist Report. 7.45, Variety Concert. Soloists: Ofelia Parisini (Soprano), Alfredo Sericoli (Tenor), Guglielmo Castello (Baritone), and Ugo Aiello (Cello). Extracts from Le maschere—Opera (Mascagni); Dance from Prince Igor (Borodin); Return to the Past—One-Act Comedy (Ilhugues Delorme); Cello Solos: (a) Adagio cantabile (Tartini), (b) Minuet (Becker), (c) Serenade (Cassado), (d) Tarantella (Forino); Extracts from Francesca da Rimini—Opera (Zandonai); After the Concert, Dance Music and News.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY, WGY, 379.5 metres; 50 kW. Relayed at intervals by W2XAF on 31.48 metres, and by W2XAD on 19.56 metres.—7.30 p.m. to 12.15 a.m. (Saturday), New York Relay. 7.30, Three Shades of Blue—Male Trio. 7.45, Muted Strings. 8.0, Echoes of Erin. 8.15, Famous Lives. 12 Midnight, Donald Novis (Tenor). 12.15 a.m., Stock Reports. 12.30 to 1.30, New York Relay. 12.30, Three Keys. 12.45, The Goldbergs. 1.0, Cities Service Concert. 1.30, WGY Farm Forum. 2.0, Musical Programme from New York. 2.30, Pond's Programme and Programme Resumé, from New York.

SCHWEIZERISCHER LANDESENDER

BEROMUNSTER, 459 metres; 60 kW.; BASEL, 244.1 metres; and BERNE, 245.9 metres.—9.20 a.m., Musical Programme for Schools. 9.50 to 11.28, Interval. 11.28, Time Signal from Neuchâtel Observatory. 11.30, Weather and News. 11.40, Concert by the Little Radio Orchestra. 12.35 p.m., Weather and Exchange. 12.35 to 2.30, Interval. 2.30 (from Basle), Concert by the Radio Quartet. 3.30 (from Basle), Hallo, Hallo, Radio-Basle!—Programme for Children. 4.0, Gramophone Concert for Young People. 4.30 to 5.30, Interval. 5.30 (from Berne), An Interview with Count Westarp, the German Politician. 6.0, Time, Weather, Market Prices, Tourist Report and Winter Sports Notes. 6.20 (from Berne), Josef Reinhart reads from his book, Heiden und Hölzer. 6.45, Concert by the

Radio Orchestra. 7.15 (from Zürich), Recital by Stefy Geier (Violinist), relayed from the Limmathaus. Peter Speiser at the Piano-forte. 8.0, Concert by the Radio Orchestra. 8.30, Weather and News. 8.40 (from Zürich), Concert by Marek Weber and his Orchestra, relayed from the Café Sihlporte. 9.15 (approx.). Close Down.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SASA, 436 metres; 55 kW. Relayed by Boden, 1,229.5 metres; Göteborg, 322 metres; Hörby, 257 metres; Motala, 1,348 metres; Östersund, 770 metres; and Sundsvall, 542 metres.—4.5 p.m., Concert by a Concertina Quartet. 4.30, The Practical Corner. 4.45, Light Music on Gramophone Records. 5.45, Talk. 6.15, Weather and News. 6.30, Radio Play (Eyvind Johnson). 7.40, Harpsichord Recital by Margit Ahlén-Theorell; Three Inventions in E, B Flat, and B Minor (Bach); Sonata in A (Paradisi); Gavotte (Martini); Musette and Tambourin (Dantini). 8.0, Sonata in F, Op. 6, for Cello and Piano-forte (R. Strauss), by Roman Dukstulsky and Märta Ohlson. 8.25, Talk on Foreign Politics. 8.45, Weather and News. 9.0, Orchestral Concert; Soloist: Martin Blomquist (Sings). 10.0 (approx.). Close Down.

STRASBOURG

345 metres; 11.5 kW.—11.30 a.m., Gramophone Concert of Light Music. 12.45 p.m., News. 1.0, Time and Exchange. 1.5, Gramophone Records of Light Music. 2.0 to 5.0, Interval. 5.0, Orchestral Concert, conducted by M. Roskam. Soloists: M. Roskam (Cello), and M. Grégoire (Violin). Marche, Sambre et Meuse (Planquette); La valse bleue (Margis); Serenade (Toselli); Grossmütterchen (Langer); The Phantom Brigade (Myddleton Parlez-moi d'amour (Lenoir); Cello Solo: Berceuse de Joachim (Godard); Violin Solo: Le canari (Poliakini); La Paloma (Yradier); Waltz, The Blue Danube (Joh. Strauss); Serenade from Les Millions d'Arlequin (Drigo); Overture, Poet and Peasant (Suppé). 6.0, Concert of Chamber Music by the Station Trio, relayed from Lille (265.4 metres). 7.0, Topical Talk in German. 7.15, Talk in French: The Rhine—an International River. 7.30, Time and News. 7.45, Lottery Results. 8.0, Schubert Concert, conducted by Maurice de Villers. Soloist: Alfred Haas (Bauitone). Overture, Rosamund; Winterreise; Andante from the Fifth Symphony; Military March. 9.0, Concert relayed from the Conservatoire, Toulouse. Conductor: M. Aymé Kune. Soloists: Mlle. Aline van Baretzen (Pianoforte), and M. Henri Barouk (Cello). 11.0 (approx.). Close Down.

STUTTGART

MUHLACKER, 360.5 metres; 60 kW.; and FREIBURG, 570 metres.—11.0 a.m., Orchestral Concert on Gramophone Records: The Nutcracker Suite (Tchaikovsky); Nocturne No. 2 (Debussy); The Fire Bird (Stravinsky); Entr'acte Music from Khovanschina (Musorgsky); Two Pieces from Carmen (Bizet). 11.45, Gertrud Bänderagel Song Recital on Gramophone Records; Aria from Oberon (Weber); Death of Isolde, from Tristan and Isolde (Wagner). In an interval, Symphonic Dances (Grieg). 12.15 p.m., Time, Weather, News and Programme Announcements. 12.30, Concert from Langenberg. 1.0, Sponsored Programme. 1.30, English Lesson. 3.35, Talk: Life in the Sahara. 4.0, See Munich. 4.45, Time, Weather and Agricultural Notes. 4.55 (from Mannheim), Talk: The Spelling Primer throughout the Ages. 5.20, Talk: The Place of Eugenics in Welfare Work. 5.45, Talk: My Sunday Walking Tour. 6.0, Time and News. 6.15 (from Freiburg), Choral Recital of Folk Songs with Lute Accompaniment. 6.45, Talk: What People are talking about in America, relayed from America. 7.0, Nathan the Wise—Lyric Drama (Lessing). 8.20, Concert by the Stuttgart Philharmonic Orchestra, conducted by Emil Kalu; Suite mignonne, for Two Flutes and Small Orchestra (Sibelius); Andante from the Second Symphony (Gustav Mahler); Styrian Dances, Op. 35 (Pacherweg). 9.0, Time, Weather, News and Programme Announcements. 9.20, General Report on the International Ski-Championships. 9.50, Concert of Dance Music by the Stuttgart Philharmonic Orchestra, conducted by Harry Risch, with Song Refrains by Hermann Schmid (Tenor). In an interval at 10.30, Report of the Sixth Stuttgart Six Day Races. 11.0 (approx.). Close Down.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIO-PHONIE DU MIDI, 385 metres; 8 kW.—6.0 p.m., News Bulletin. 6.15, Opera Music. Selection from (a) Faust (Gounod), (b) Mephistopheles (Boito), (c) Aida (Verdi). 6.30, Ballet Music from Sylvia (Delibes). 6.45, Accordion Music. 7.0, Tourist Talk. 7.15, Racing Results, Market Prices and News. 7.25, Local News Bulletin. 7.30, Light Music. 7.45, Military Music. 8.0, Songs from Sound Films. 8.15, Operetta Music: Melodies from (a) La belle Hélène (Offenbach), and (b) Bauditenstreichle (Suppé). 8.30, Quintet in A, Die Forlle (Schubert). 9.0, Concert by a Viennese Orchestra. 10.0,

Operetta Music: Waltz from The Land of Smiles (Lehár); Melody from La Basoche (Messager); Air from The Merry Willow (Lehár). 10.15, North African News. 10.30, Concert for Listeners in Morocco. Selection from El amor brujo (Falla); Mendiant d'amour (Goublier); Liebestrudl (Kreisler); Air from The Huguenots (Meyerbeer); Violin Solo; Spanish Symphony (Lalo); March from Moise (Rossini). 11.0, Dance Music. 11.15, Spanish Song Recital. 11.30, Programme in English by the I.R.C. French Accordion Concert. Polka (Marceau); La Java (Vacher); Night at Panama (Oberfeld); Tomorrow en fête (Clairon); If I have cried for you (Buxeuil); The Waltz, The Bathur (Cayla); If I knew how to love you (Raiter). 12 Midnight, Weather Forecast and Announcements. 12.15 a.m. (Saturday), Orchestral Music. 12.30 (approx.). Close Down.

TRIESTE

247.7 metres; 10 kW.—3.0 to 6.30 p.m., See Turin. 6.30, Orchestral Concert relayed from the Caffè Dante. 7.0 till Close Down, See Turin.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relayed by Milan, 331.5 metres; Genoa, 312.8 metres; and Florence, 500.8 metres.—3.0 p.m., See Rome. 5.35, Giornale Radio and Agricultural and Dopolavoro Notes. 6.0, Variety Music on Gramophone Records. In the intervals at 6.20, Giornale Radio, and at 6.30, Time Signal, Announcements and Report of the Royal Geographical Society. 7.0, Giornale Radio and Weather Forecast, followed by Light Music on Gramophone Records. In an interval at 7.30, Sports Talk. 8.0, Stravinsky Concert, conducted by the Composer, with the Station Choir. Suite from Petruska; Symphony of Psalms; Fireworks; Suite from The Firebird. 10.0, Giornale Radio.

VATICAN CITY

12.84 metres (Morning) and 0.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Information in German. 7.0 to 7.15 p.m., Religious Information in Italian.

VIENNA

517 metres; 15 kW. Relayed by Graz, 352.1 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 246 metres; and Salzburg, 218 metres.—3.45 p.m., Sound Film Music on Gramophone Records. 4.45, Programme to be announced. 5.0, Tourist Report. 5.15, Talk: Winter Sports First-aid Service in the Viennese Alps. 5.30, Sports Report. 5.40, Talk: Charles the Great and the Development of Europe. 6.5, Time, Weather, and Programme Announcements. 6.15, Carnival Memories—Concert by the Tantenbain Quartet; Polonaise from Wiener Walzer (Bayer); Waltz, Fasnachtskinder (Ziehrer); Polka Mazurka, Postscriptum (Müllbacher); Bluebeard Quadrille (Offenbach-Jos. Strauss); Hesperus Ländler (Jos. Strauss); Clog Polka (Drescher); Waltz, Accelerationen (Joh. Strauss); Storm Gallop (Komzak). 7.5, Seventh Orchestral Concert of the Gesellschaft der Musikfreunde, conducted by Dr. Hermann Scherchen; The Viennese Symphony Orchestra, the Small Choir of the Vienna State Opera House, and Soloists; Russian Dance Suite with Song Refrains; Les Noces villageoises (Stravinsky); Wandlungen—Chamber Oratorio to Verse by Hölderlin (Hauer); Symphonic Poem, Pellens and Melisande, Op. 5 (Schönberg). In an interval at 8.5 (approx.), News, Weather, and Announcements. 9.15, Roads Report. 9.25, Dance Music by Jean Litwins and his Synopators and the Los Pamperos Tango Band from the Café de Paris.

WARSAW

1,411 metres; 120 kW.—10.58 a.m., Time Signal and Bugle Call from the Tower of St. Mary's Church, Cracow. 11.5, Programme Announcements. 11.10, Light Music on Gramophone Records. 12.20, p.m., Weather Forecast. 12.25 to 2.10, Interval. 2.10, Announcements. 2.25, Aviation and Antigua Drill. 2.30, Naval and Colonial Report. 2.35, Talk. 2.50, Popular Music on Gramophone Records. 3.25, Review of Periodicals. 3.40, Biological Talk. 4.0, Concert by a Police Band; Overture, La Dame Blanche (Boieldieu); Intermzzo, Flirtation (Sterck); Selection from Faust (Gounod); Gavotte-Pizzicato (Drigo); Entr'acte from Carmen (Bizet); Oberek, Classe-Neige (Lewandowski); March (Rupprecht). In the interval, Announcements. 4.55, Programme Announcements. 5.0, Light Music, relayed from the Caffè Ziemianska. In the interval, Topical News. 5.50, Skiing Report from Cracow (312.8 metres). 6.0, Miscellaneous Items. 6.20, Agricultural Press Review, relayed from Wilno (563 metres). 6.30, Talk: Chicago in 1833. 6.45, Radio Journal. 7.0, Talk on Music. 7.15, Concert by the Warsaw Philharmonic Orchestra, conducted by J. Ehrlich. Soloist: Carlo Zecchi (Pianoforte). Symphony No. 9 in C Minor (Haydn); Piano-forte Concerto No. 21, Op. 467; Two Eludes (Vogel); Ballet Suite from The Golden Age (Szostak ewicz). In the interval, Literary Talk. 9.40, Sports Notes. 9.45, Radio Journal. 9.55, Aviation Weather Report and Police Notes. 10.0, Dance Music from the Giza Dance Hall. 11.0 (approx.). Close Down.

ZURICH.—See Schweizerischer Landessender.

SATURDAY

FEBRUARY THE EIGHTEENTH

PRINCIPAL EVENTS OF THE DAY:

AT HOME

NATIONAL Instrumental concert. Welsh interlude. Pianoforte recital. "150 Years Ago." feature programme by L. W. A. Baily. Orchestral concert.

LONDON REGIONAL Mr. S. L. B. Mais: "The Week-end." Instrumental concert. Military Band concert. "Princess of Kensington." light opera programme.

MIDLAND REGIONAL Orchestral programme. Light music. "Etc., Etc.," One Inconsequential Thing After Another.

NORTH REGIONAL Running commentary on the Rugby League Football Match, Leeds v. Salford. "A Frivolous Hour." Wit and Nonsense in Music and Literature. The Leeds Symphony Concert. A recital of songs from Nyasaland.

WEST REGIONAL Mr. Herbert M. Vaughan: "Little England Beyond Wales." Orchestral concert from National Museum of Wales. Light music. Welsh interlude.

SCOTTISH REGIONAL Eye-witness account of the Third Round Tie in the Scottish Cup. "Glasgow. A Day in the Life of the Second City." by Robins Millar. Mr. George Blake: "The Week in Scotland."

BELFAST Flute Band concert. Alexander Riddell: "Ulster Regiments." Orchestral concert relayed from the Wellington Hall. Vaudeville programme.

ABROAD

BRUSSELS (No. 2) The Symphony Orchestra, conducted by J. Kumps.

STRASBOURG Orchestral concert, relayed from Mullhouse-Wittenheim.

ATHLONE
413 metres; 60 kW.; and **CORK**, 224.4 metres.—1.30 to 2.0 p.m., Time Signal, Weather Report, Stock Report, and Light Music on Gramophone Records. 7.20, News Bulletin. 7.30, Time Signal. 7.31, Talk on Dogs. 7.45, Gaelic Talk. 8.0, Concert by the Station Orchestra, conducted by Philip Martin. 8.30, Uilleann Pipe Music. 8.45, Song Recital. 9.0, The Station Orchestra. 9.30, Harp Solos by Annie Eagan. 9.50, Songs by Mary Crowley (Mezzo-Soprano). 10.0, The Station Orchestra. 10.30, Time Signal, News, Weather Report, and Close Down.

BARCELONA

RADIO-BARCELONA, Call EAJ1, 348.8 metres; 8 kW. 6.0 p.m., Programme for Children. 7.0, Request Gramophone Records. 7.30, Exchange Quotations, and Catalan Grammar Lesson. 8.0, Light Music on Gramophone Records and News. 9.0, Chimes, Weather, Market Prices and Exchange Quotations. 9.5, Concert by the Station Orchestra. Bohemian March (Filipucci); Selection from El Solo de Trompo (Serrano); Waltz, Pomona (Waldteufel); Andalusian Serenade Rodriguez (Roses); Interlude (Chausson); Overture, Le Roi Fa dit (Debussy). 10.0, Talk in Catalan. 10.15, Guitar Solos: Courante (Bach); Etude (Gor); Romance (Schumann); Dance (Granados); Sevilla (Albeniz). 10.40, Concert by the Station Orchestra: Scènes pittoresques (Massenet); La Troyenne (Massenet); Dance (Copland). 11.0 (in the interval), News. 11.30, Gramophone Records of Popular Music. 12 Midnight (approx.), Close Down.

BARI

259.8 metres; 20 kW.—7.0 p.m., Agricultural Notes, Tourist Talk, Dopolavoro Announcements and Sports Notes. 7.20, Giornale Radio and Weather. 7.30, Time Signal and Announcements. 7.35, Military Band Concert, conducted by M. Salvatore Rubino. Symphony No. 3 (Beethoven); Selection from Rigoletto (Verdi); Descriptive Piece (Westerhout); Spanish Suite in Three Movements. La Feria (Lacôme); Waltz, Idillio (Valentini). In the intervals: Two Talks. 9.30, Popular Music on Gramophone Records. 9.55, News Bulletin.

BASLE.—See Schweizerischer Landessender.

BELGRADE

430.4 metres; 2.8 kW. 3.30 p.m., Concert by the Radio Orchestra: Overture, Czar and Carpenter (Lortzing); Selection from Rigoletto (Verdi); Suite, Ein Sommer-nachtsfest (Siede); Waltz, Moonlight on the Altar (Fetras). 5.55, Time and Programme Announcements. 6.0, Popular Music on Gramophone Records. 6.30, Talk. 7.0, Cello and Pianoforte Recital: Sonata Op. 6 in F (K. Strauss); Elegiac Song, Op. 18, No. 3 (Sieg); Du bist die Ruh (Schubert); Gipsy Dance (Jeral). 7.40, Concert by the Serbian-Hebrew Choral Society. 8.25, Pianoforte Recital by Prof. Petar Dunicic: Prelude, Cordoba and Seguidillas (Albeniz); Petite danse (Turina); Allegretto and Epilogue from Esenias romanticas (Granados); Spanish Dance, No. 5 (Granados); Fire Dance (Falla). 9.0, Recital of Yugoslav Songs by Mile Milutinovic. 9.30, News, followed by Cigany Music from the Pot-osacka Zadruga Restaurant.

BERLIN

KONIGS WUSTERHAUSEN, 1.635 metres; 60 kW.—10.55 a.m., Weather for Farmers. 10.57 (from Leipzig), Programme in Commemoration of the Death of Luther, relayed from the Municipal Church, Wittenberg; Choral: Mitten wir im Leben sind; Choral: Ait Fried' und Freud' fahr ich dahin; Choral: Das Silber durchs Feuer siegenmal bewahrt from Aeh Gott vom Himmel sieh dahin; Choral: Es war ein wunderlicher Krieg, from Christ lag in Todesbanden. 11.55, Nauen Time Signal. 12.35 p.m., News Bulletin. 1.0, Gramophone Concert of Popular Music, relayed from Berlin (Witzleben). 2.0, Programme for Children. 2.30, Weather and Exchange. 2.45, Talk on Friedrich Griese and Hans Christoph Kaerzel. 3.0, Talk: The Indo-Germanic Peoples. 3.30, See Hamburg. 4.10, Topical Review. 5.0, Song Recital by Fred Dribsen (Bass-Baritone); Schubert: Liebesbotschaft, Kriegers. Ahnung, Frühlingssehnsucht, Ständchen, Autenthalt, Abschied. 5.30, Talk: Famous German Painters—Wilhelm Leibl. 5.55, Weather and Announcements. 6.0, Talk: Religion and Life. 6.30, A Poem. 6.35, String Quartet in E Flat for two Violins, Viola, and Cello (Dittersdorf). 7.0, Parodies in Word and Music by Hans Reimann and Others. 7.45, Concert of Old and New Dances by the Chamber Orchestra, conducted by Otto Graek. 9.15, Weather, News, and Sports Notes. 9.45, Weather for Shipping, followed by Dance Music from Berlin (Witzleben). 11.30 (approx.), Close Down.

BERLIN

WITZLBBEN, 419.5 metres; 1.5 kW.—3.0 p.m., Concert by the Berlin Wireless Orchestra, conducted by Bruno Seidler-Winkler; Overture, Der Templer und die Jidin (Marschner, arr. Hans Pfitzner); Concert Piece in F Minor, Op. 79, for Pianoforte and Orch. str. (Weber); Serenade in D, Op. 49 (Felix Draesecker); Trauspiel-Suite (von Reznicek). 4.0, Sports Notes. 4.10, Concert (cont'd.). Contrast for Orchestra, Op. 21, Bianco e Nero (Bossi); Pianoforte Concerto

BERLIN

in A, No. 2 (Liszt); Symphonic Poem, Goro and Juliet (Tchaikovsky). 5.0, Talk with Three Young Missionaries. 5.30, Reading of Prose. 5.55, The Witzleben Station informs its Listeners. 6.0, Topical Talk. 6.10, A Visit to the Berlin Voluntary Social Service-Depôt. 6.30, Recital of Folk Song. 6.45, A Programme arranged by Renée Christian. 8.0, The State Opera House Ball, relayed from the Kroll-Fest-salen, with a Gala Performance in the Theatre Hall; The Conductors, Soloists, Choir, and Orchestra of the State Opera House. 9.30, Weather, News, and Sports Notes, followed by Dance Music from the Advertising Ball in the Marmosaal Zoo. 10.30, State Opera House Ball (cont'd.); Concert, conducted by Leo Blech, Erich Kleiber, and Otto Klemperer, relayed from the Festival. After the Concert: Ballet under the direction of Laban, with Dance Music in the intervals. 12 Midnight, Close Down.

BERNE.—See Schweizerischer Landessender.

BEROMUNSTER.—See Schweizerischer Landessender.

BODEN.—See Stockholm.

BODD.—See Oslo.

BORDEAUX-LAFAYETTE

304 metres; 13 kW.—7.30, Radio Journal. 7.40, Sport Notes. 7.45, Request Gramophone Records. 8.0, News, Market Prices, and Lottery Results. 8.5, English Lesson. 8.20, News and Weather. 8.30, Gramophone Concert of Light Music. 9.0, La Menace—Comedy in Four Acts (P. Froidaie).

BRTSLAVA

279 metres; 14 kW.—3.10 p.m., Concert of Light Music by the Station Orchestra, conducted by J. Odcházal. 4.10, Talk on Bavaria. 4.25, Popular Music on Gramophone Records. 4.45, Mariouette Play. 5.45, Talk for Housewives. 6.0, See Prague. 9.15, See Moravska-Ostrava. 10.30 (approx.), Close Down.

BREMEN.—See Hamburg.

BRESLAU

325 metres; 60 kW.; and **GLEWITZ**, 253 metres.—12.5 p.m., Weather Forecast. 12.7, Popular Music on Gramophone Records. 12.45, Time, Weather, News, and Exchange Quotations. 1.5, Popular Music on Gramophone Records. 1.45, Sponsored Programme with Gramophone Records. 2.10, Agricultural Prices. 2.40, Weekly Film Review. 3.0, Talk: What sort of Houses shall we live in? 3.20, Review of New Books on Music. 3.35, Concert from Hamburg. 4.30, Anecdotes about Wagner. 4.55, Review of the Week's Talks and Reference Literature. 5.25, Light Music on Gramophone Records. 6.30, Weather for Farmers, followed by Topical Report. 7.5, See Frankfurt. 9.30, Time, Weather, News, Sports Notes, and Pro-

gramme Announcements. 10.0, Dance Music relayed from Berlin (Witzleben). 12 Midnight, Close Down.

BRNO

342 metres; 35 kW.—5.25 p.m., German Transmission: News and Songs from Operettas and Gramophone Records of Light Music. 6.0, See Prague. 9.15, See Moravska-Ostrava. 10.30 (approx.), Close Down.

BRUSSELS (No. 1)

I.N.R., 509 metres; 15 kW.—12 Noon, Concert by the Little Radio Orchestra, conducted by M. Lecmans: Overture, Amarcion (Cherubini); Melody from Amica (Mascagni); Asturias (Albeniz); Selection from La Bohème (Puccini); Violin Solo: Ronde des lutins (Bazzini); The Kiss Waltz (Burke); Frotrot-Boloro, Speakeasy (Gendler); Selection from Pas sur la Bouche (Yvain). 1.0 p.m., Le Journal Parlé. 1.10, Concert, relayed from the Grand Hotel, Antwerp: Petite Suite, Jony d'antans (Bizet); Violin Solo: Légende (Deleroy); A Potpourri of Old French Airs—Au bon vieux temps (Monron); Tango, Plegaria (Blanc); 1933 Potpourri (Dostal). 5.0, Concert by the Radio Orchestra, conducted by M. Franz André: Burlesque (Fischer); Carnival Overture (Louschner); Three Dances (Pacherneger); Selection from Gretta Green (Gouand); Potpourri of Walloon Airs (Wangerme); Divertissement on Russian Melodies (Raband). 6.0, Talk: The Cinema and the Theatre. 7.15, Song Recital by Mme. Tomovetz: Ungeduld (Schubert); Liebesbotschaft (Schubert); Three Songs (Schumann); Mainacht (Brahms); Ständchen (Brahms); Soir (Fauré); Clair de lune (Fauré); Chanson triste (Dupare); Fantoche (Debussy). 6.45, Pictures from an Exhibition (Mussozsky-Ravel) on Gramophone Records. 7.15, Talk: Politics in the Belgian Congo. 7.30, Review of International Affairs. 8.0, Orchestral Concert, conducted by M. Franz André: Hungarian March (Berlioz); The Fourteenth Rhapsody (Liszt); Humorous Scenes (Leonard). 8.30, Talk on George Virres, the Belgian Author. 8.45, Concert (cont'd.): A Zepelin Tour round the World (Manecke); Wine, Woman and Song (Strauss). 9.0, To let Furnished—Comedy in One Act (d'Hervilliez). 9.25, Concert (cont'd.): Negro Rhapsody (Foutene); Potpourri of Popular Russian Melodies; Popular Greek Songs; Latest Musical Successes. 10.0, Le Journal Parlé. 10.10, Concert, relayed from the Ancienne Belgique.

BRUSSELS (No. 2)

I.N.R., 338.2 metres; 15 kW.—Programme in Flemish. 12 Noon, Concert, relayed from the Grand Hotel, Antwerp. Conductor: André Felleman. Soloists: Louis Gebruers (Flute) and Carlo Franck (Songs). Jazz March (De Smetsky); Potpourri (Golwyn); Zigeuner, du hast mein Herz gestohlen (Grothe); Ein Sänzerfahrt nach Wien (Silving); Melancholia for Flute (Benoit); Fox-

trot, Chopin-Liszt-Mendelssohn (Coratio Nicholls). 1.0 p.m., Journal Parlé. 1.10, Concert by the Small Station Orchestra, conducted by Pierre Lecmans. Soloist: M. Wily (Violin). 5.0, Gramophone Records, with Commentary: In the Steppes of Central Asia (Borodin); Scheherazade (Rimsky-Korsakov). 6.0, Gramophone Records: Airs d'Anvergne (Debrous); Chromatic March (Courtade). 6.15, Talk: Haphazard Wanderings with a Rucksack through Romantic Western Germany. 6.30, Concert by the Small Station Orchestra, conducted by P. Lecmans. Soloist: M. Doufiez (Pianoforte). La caravane passe (Lelercy); Legend No. 10 (Dvorak); A Mediterranean Cruise (Jaloviz); Habanera (Turina); English Fantasia, Brilodina (Humphries); Three Waltzes for Pianoforte (Van Hoof); March funible d'un hamton (Dubois). 7.15, Talk: An Analogy between the Flemish and Walloon Dialects. 7.30, Film Notes. 8.0, Concert by the Symphony Orchestra, conducted by Jean Kumps. Soloist: Maurice Dambosi (Cello); Ballet, Daphnis et Chloé (Ravel); Cello Concerto (Haydn). 8.45, H. Simons reads from his own Works. 9.0, Orchestral Concert (cont'd.): Spanish Caprice (Rimsky-Korsakov); Songs; In Memoriam (DeVeyse); Songs; Rhapsody on Two Flemish Songs (de Boeck). 10.0, Journal Parlé. 10.10, Gramophone Concert: Selection from Die Bagdader (Kulman); Concert Paraphrase on Rigoletto (Verdi-Liszt); Slav Rhapsody (Friedmann). 10.30, Concert, relayed from the Moline Hall, Antwerp. Conductor: Paul Meaux. 12 Midnight (approx.), Close Down.

BUCHAREST

394 metres; 12 kW.—4.0 p.m., Orchestral Concert. 5.0, News and Time. 5.10, Talk. 5.25, Orchestral Concert. 6.0, Talk on Romania. 6.40, Light Music on Gramophone Records. 7.0, Orchestral Concert: March (Ketebey); Selection from Tip Toos (Gershwin); Serenade (Boeck). 7.30, Talk. 7.45, Pianoforte Recital. 8.15, Orchestral Concert (cont'd.): Lullaby (Fueik); Romanian Potpourri (Iron). 8.45, News.

BUDAPEST

550 metres; 18.5 kW. Also relayed on 840 metres from 5.45 (approx.) till Close Down.—4.0 p.m., Concert of Operetta Music by the Opera House Orchestra, conducted by Bela Nagypal: Overture, Prince Boh (Haska); Waltz (Andran); Selection from Les Chênes de Corneville (Planquette); Waltz (Zietter); Song (Lüneke); Song (Vinezy); Melody from Eva (Lohár). 5.15, Answers to Correspondence. 5.45, Choral Concert. 6.30, Programme by Michael Földi. 7.0, Dramatic Programme, followed by Cigany Music from the Café Encke. 10.45, Dance Music from the Hotel Royal. 12 Midnight (approx.), Close Down.

CASSEL.—See Frankfurt.

COPENHAGEN

281 metres; 6.75 kW.; and **KALUNDBERG**, 1,153 metres; 7.5 kW. 11.0 a.m., Time Signal and Chimes from the Town Hall. 11.2, String Ensemble Concert, conducted by A. Bendix, relayed from the Wixen Restaurant. 1.0 to 1.30, Interval. 1.30, Gramophone Concert: Maria Olzowska; Nur wer die Sehnsucht kennt (Bach); Heinrich Schubert; Am Rhein (Humperdinck); Brico Caruso; Tarantella (de Crescenzo); Yenni Meinheim; La capriciosa (Ries); Jussi Björling; slut dina ögon (Amundt); Marta Eggerth and Max Mensin; Ich kante jetzt zu Ihnen sagen, I love you (Abramson); Manrico Elwin; Sweethearts for Ever (Friend and Cesar); Arthur Lady; Round the Marble Arch (Gay and Butler); Trio (Ela); Om du var mit (Axelsson). 2.0, Programme for Children. 2.30, Concert by the Station Orchestra, conducted by Emil Reesen: Overture, Halka (Mousszsko); Waltz, The Summer (Lammer); Selection from Die Götter Augen (d'Albert); Selection from Coppelia (Lelibes); Overture, Der Opernhall (Heuberger); selection from Die geschiedene Frau (Feld); Schön Rosmarin (Kreisl); After Refrain (Kreisl); Præhodium (Järnfeld); Cæcovenne fantastique (Paderevski). In the interval at 3.15 (approx.), Reading. 4.0, Exchange and Fish Markets. 4.50, Talk in English: A Visit to a Kaffir Kraal. 5.20, Elementary French Lesson. 5.50, Weather. 6.0, News. 6.15, Time Signal. 6.30, Discussion on Discipline in Schools. 7.0, Time Signal from the Town Hall. 7.1, Dance Music by the Station Orchestra, conducted by Laury Gröndahl: March, Alte Kameraden (Teike); Waltz (Ivanovic); Pepita Puka (Lumbye); Mazurka, Liebeszauber (E. Strauss); Waltz, La resignation (Lumbye); Quadrille (Lumbye); Schottische, La petite Tonkinoise (Schott); Waltz, La plus belle (Waldteufel); Galop, Baller man los (Jensen). 8.0, Reading in Finnish. 8.20, Sonata in C Minor, Op. 30, No. 2, for Violin and Pianoforte (Beethoven). 8.50, Dellina's Songs to the Lute by Alf Gildsig. 9.0, News. 9.20, Pianoforte Recital by Viktor Fischer, followed by Dance Music by the Tommy Boston Orchestra, relayed from the Lodberg Restaurant. In the interval at 11.0, Time and Chimes from the Town Hall. 11.15 (approx.), Close Down.

CORK.—See Athlone.

CRACOW

312.8 metres; 1.5 kW.—6.15 p.m., Review of Foreign Politics. 6.30 to 10.0, See Warsaw. 10.0, Orchestral Concert of Light Music, relayed from the Pavilion Restaurant. In the interval at 10.30, News for Members of the

Polish Polar Expedition. 11.0, Chimes from the Tower of St. Mary's Church.

DANZIG.—See Heilsberg.

DRESDEN.—See Leipzig.

DUBLIN.—See Athlone.

FECCAMP

223 metres; 10 kW.—6.0 to 7.0 p.m., Programme in English by the I.B.C.; C. Danvers Walker, R. Cohen, and B. McNab announcing. 6.0, Concert for Thruet Listeners: I've got one Arm around Mary; Sweet Caroline; Sally; You've got to laugh at Care; Fall in and follow the Band; The Coster's Wedding; The Kid next door; The Wink of the Old Glad Eye. 6.30, Concert for Folkestone Listeners: Organ Solos: Sylvan Scenes (Fletcher); The Sacred Hour (Kettelbey); Glow Worm Idyll (Lincke); If you were the only Girl in the World; In a Japanese Garden (Higgs); Il Bacio (Arditi); Popular Melodies. 11.0 till Close Down, Programme in English by the I.B.C. 11.0, International Broadcasting Club Concert: Sweet Muchacha; What would happen to me; Let's all sing like the Birds; I don't want to go to bed. 11.30, Concert of Light Music: March, General Mulcahy (Brace); Piano Selection, The Cat and the Fiddle (Kern); Song, I give my Heart, from The Dubarry (Mifficker); Accordion Duet, Irish Jigs; Song, Everybody does it in Hawaii; Sam, pick up that Musket; Orchestral Selection from The Gondoliers (Sullivan). 12 Midnight, Variety; Duet, Crystal gazing; Song, It's a great big Shame; O Zuyder Zee; Sketch, The Schoolmaster; The Laughing Lover; Duet, Moonshine; Song, A Pint of Ale. 12.30 a.m. (Sunday), Songs: Body and Soul; If I had a Talking Picture of You; Sometimes I'm Happy; I'm a Dreamer; Selection from The Desert Song (Romberg); Nobody but you; the alone, from The Desert Song (Romberg); Your Mother and Mine (Edwards). 1.0, Instrumental Duets: Organ and Violin, Because (d'Harlelot); Organ and Xylophone, Way Down South (Myddleton); Organ and Violin, A Perfect Day (Jacobs bond); Piano and Organ, Marigold (Mayer); Organ and Xylophone, The Whistler and his Dog (Pryor); Organ and Violin, I'll Sing thee Songs of Araby (Clay); Piano and Organ, Clockwork (Mayer); Organ and Violin, Drink to me only with thine Eyes (Calotti). 1.30, Popular Music: Pianoforte Solo, Magic Notes; Exactly like you; I like to do Things for you; My Love; More than you know; Swingin' in a Hammock; On the Sunny Side of the Street; Piano Duet, When the Circus comes to Town. 2.0, Dance Music. 2.57, I.B.C. Good-night Melody. 3.0 (approx.), Close Down.

FLENSBURG.—See Hamburg.

FLORENCE.—See Turin.

FRANKFURT

259 metres; 17 kW.; and CASSEL, 245.9 metres.—6.15 p.m., Time, Programme Announcements, Weather, and Economic Notes. 6.30, Reading: Selme (Thomas Mann). 7.5, Concert, relayed from the Town Hall, Coblenz; The Station Orchestra, conducted by Hans Rosband and Reinhold Merten; Soloists: Elice Ilbard (Soprano), Willy Domgraf-Fasshaender (Baritone), Ernst Arnold (Tenor), Helmut Krüger, Hermann Scharfuss, and others. 9.30, Time, News, Weather, and Sports Notes. 9.45, See Stuttgart. 10.30, Dance Music, relayed from London. 12 Midnight, Close Down.

FREDRIKSSTAD.—See Oslo.

FREIBURG.—See Stuttgart.

GENEVA.—See Radio-Suisse Romande.

GENOA.—See Turin.

GLEIWITZ.—See Breslau.

GOTEBORG.—See Stockholm.

GRAZ.—See Vienna.

HAMAR.—See Oslo.

HAMBURG

Call ha (in Morse), 372 metres; 1.5 kW. Relayed by Bremen, 269.8 metres; Flensburg 227.4 metres; Hanover, 566 metres; and Kiel, 232.2 metres.—3.30 p.m., Concert by the Hamburg Philharmonic Orchestra, conducted by José Eibenschütz; Overture, Phidre (Mascagni); Berceuse (Jännefeldt); Heiteres Spiel (Plümer); Intermezzo (Thiessen); Rhapsody (Lalo); Waltz Barcarolle, Wellenträume (Kripp); Overture, Morning, Noon and Night (Suppé). 4.30, Talk: The Commercial Library in Hamburg, the oldest in Europe. 4.55, True Sea Story of the Week. 5.5, Variety Programme. 6.0, Talk: Australia's Irrigation Problem. 6.25, Weather Forecast. 6.30, Henningstedt Historical Radio Drama in Dialect (Albert Mühl), with Music by Walter Bullerdick. The Station Chamber Orchestra and Male Voice Choir. 7.15, Concert relayed from Frankfurt. 9.0, Time, Weather, Announcements, Sports Notes and Police Report. 9.20, Topical Talk. 9.30, Dance Music from Berlin (Witzleben). In an interval at 10.20, Ice Report.

HANOVER.—See Hamburg.

HEILSBURG

276.5 metres; 60 kW.; and DANZIG, 453.2 metres.—12.5 p.m., Gramophone Concert: March, Admiral Hölzendorff (Plessburg); The Week-end Cottage (Lewis) Ich such per sofort (Rust); Glückliche Reise (Künneke);

FEB. 18th

SATURDAY

continued

Bitte, bitte, sei so nett (Künneke); Willst du mich begleiten (Nelson); Schenk mir dein Herz (Jessel); Schlässer, die im Monde liegen (Lincke); Küss mich (Kahman); Willst du nicht was Liebes mir sagen (Kahman); Freiheit (Laukien); Sag Kamerad zu mir (Rust); Melody (Brown); Die verbliebene Rose (Dalhoff); Mein schönes Kind am Rhein (Eberle); So lang es schöne Mädchen gibt (Eberle); Achtung! Sie hören jetzt die Melody Gents (Giehr); Mir sein die Kaiserjäger (Mühlberger); Steinmetzmarsch (Bratfisch). In the interval at 12.20, Announcements. 1.30, Sponsored Programme on Gramophone Records. 2.0, Exchange and Market Prices. 2.30 (from Danzig), Programme for Children. 3.0, Concert from Berlin (Witzleben). 4.30, Reading: Elka and ihr Gefährte Elks (Ungern-Sternberg). 5.0, Programme Intelligence for the Coming Week. 5.10, Programme Notes in Esperanto. 5.15, Market Prices. 5.20, Ice Report. 5.30, International Market Report. 6.20, Recital of Familiar Folk Songs for Soprano, Baritone and Lute. 6.55, Weather and News. 7.5, See Frankfurt. After the Programme: Weather, News and Sports Notes, followed by Dance Music from Berlin (Witzleben). 10.30, Dance Music from London. 12 Midnight, Close Down.

HILVERSUM

Announced HUIZEN; 296.1 metres; 20 kW. (7 kW. up to 4.40 p.m.). Programme of the Catholic Radio Society (K.R.O.). 11.55 a.m., Concert by the K.R.O. Orchestra, conducted by J. Gerritsen: March (Blauw); Overture, The Nunsberg Doll (Adam); The Kiss Waltz (Strauss); Selection from Fedora (Giordano); Polish National Dance (Scharwenka); Chinesische Märchenzähler (Dreyer); Gramophone Records: Potpourri, From A to Z (Geiger); Waltz Potpourri (Southout); Serenade (Drilla); March Medley (Blankenburg). 1.25 to 1.40, Interval. 1.40, Programme for Young People. 2.10, Programme for Children. 3.40, Light Music on Gramophone Records. 4.10, Concert by the Bel Canto Male Voice Double Quartet. 4.30, Concert by the K.R.O. Boys, conducted by P. Lutenhouwer. Soloist: J. Mossel (Songs). 4.55, Sports Talk. 5.10, Choral Concert (contd.). 5.30, Concert by the K.R.O. Boys (contd.). 6.0, Press Review. 6.20, Concert by the K.R.O. Boys (contd.). 6.50, Legal Talk. 7.10, Police Notes. 7.25, Sports Talk. 7.40, Concert by the K.R.O. Orchestra, conducted by M. van 't Woud. Soloist: J. Janssens (Songs). Overture, Frau Luna (Lincke); Selection from The Love Parade (Schertzinger); Selection from Vendetta (Ennen); Air from Rose Marie (Friml); Passione (Ranzato); Moonlight in Rio de Janeiro (Wertheim). 8.25, News Bulletin. 8.30, Concert (contd.): Overture, The Gipsy Baron (Joh. Strauss); Selection from Rose Marie (Friml). 8.55, Organ Recital by A. Dreissen; Selection from Kamillid (Kystler); Waltz in C Sharp Minor (Chopin); Waltz in D Flat (Chopin); Plantation Memories (Becker); Synopation for the Organ (Pohl); Melody (Barness); Serenade (Rachmaninov); Gipsy Moon (Borganov); Scherzo. 9.25, Talk. 9.40, Concert by the Station Orchestra, conducted by M. van 't Woud. Soloist: J. Janssens (Songs). Potpourri (Dostal); Songs: (a) Song from Lilac Time (Schubert), (b) Song from Vendetta (Ennen), (c) Waltz from Les Saltimbanques (Ganne), (d) Romance from La Cigale et La Fourmi (Andran), (e) The Last Waltz (O. Strans); Sailors' Dance (Ebonet); Song Medley (Sluiter-Hoogboom); Uncle Sam (Holzmann). 10.40, News Bulletin. 10.45, Popular Music on Gramophone Records. 11.40 (approx.), Close Down.

HORBY.—See Stockholm.

HUIZEN

Announced HILVERSUM; 1,875 metres; 8.5 kW.—11.40 a.m. till Close Down, Programme of the Workers' Radio Society (V.A.R.A.). 11.40, Concert by De Notenkrakers, conducted by D. Wins. 1.55, Variety Music on Gramophone Records. 2.30, Sports Talk. 2.50, Concert by a Balalaika Orchestra, conducted by I. Powarjey: Rocozy March; Fialka (Tochakov). 3.0, Song Recital by J. Smith. 3.10, Variety Music on Gramophone Records. 3.20, Balalaika Concert (contd.); Czardas No. 2 (Michels); Andante cantabile (Tchaikovsky). 3.30, Song Recital by J. Smith (contd.). 3.40, Variety Music on Gramophone Records. 3.50, Balalaika Concert (contd.); Russian Fantasia (Powarjey). 4.0, Song Recital by J. Smith (contd.). 4.10, Light Music on Gramophone Records. 4.20, Talk. 4.40, Concert by De Notenkrakers, conducted by D. Wins. 5.40, Concert by De Wielewaal Choir, conducted by P. Tiggers. 6.10, Organ Recital by C. Steyn; Ich will nicht wissen, wer du bist (Abraham); Dancing in the Dark (Schwartz); Was wir ich ohne dich (Lehar); Chanson (Bos); Dir sing ich mein Lied (Lehar); That Night when Love was born (Bear). 6.40, Programme to be announced. 7.10, Violin Recital by Carla Rosen; Andante (Lalo); Malaguena (Sarasate); Chanson (Godard). 7.25, S.O.S. Messages. 7.30, Violin Recital (contd.); Melody (Tchaikovsky); Tango (Albéniz-
Kreisler); Variations on a Theme by Corelli (Tartini-Kreisler). 7.40, The Village Barber. 7.55, Concert by De Fliedruiters, conducted by Hugo de Groot. 8.25, Address. 8.35, Report of the Liberal Protestant Radio Society (V.P.R.O.). 8.40, Variety Programme by De Fliedruiters, conducted by Hugo de Groot; A. de Booy (Songs). The Four Serenaders, D. Wins (Pianoforte) and Gramophone Records. 10.40, News Bulletin. 10.50, Variety Music on Gramophone Records. 11.40 (approx.), Close Down.

INNSBRUCK.—See Vienna.

KALUNDBORG.—See Copenhagen.

KAUNAS

1,935 metres; 7 kW.—6.30 p.m., Popular Concert. 7.10, Talk. 7.30, Dance Music. 8.30, Sports Notes. 8.40, Evening Concert. 9.30 (approx.), Close Down.

KIEL.—See Hamburg.

KLAGENFURT.—See Vienna.

KOSICE.—See Prague.

LAHTI

1,796 metres; 40 kW.; and HELSINKI, 368.1 metres.—6.15 p.m., Concert by the Tampere Metropolitan Church Choir, conducted by Heikki Kuusimäki, relayed from Tampere (560 metres). 7.15, Concert by the Radio Orchestra. 7.45, News in Finnish. 8.0, News in Swedish. 8.15, Dance Music from the Kämp Restaurant. 10.0 (approx.), Close Down.

LANGENBERG

473 metres; 60 kW.—12 Noon, Concert, conducted by Wolf; Overture, Fra Diavolo (Anber); Two Slav Dances (Dvorák); Selection from The Barber of Seville (Rossini); Ballet Suite from Grosse-Girofla (Lecocq); Dolorosa (Lindmann); Pierrot and Pierrettes Liebestud (Lindemann); Waltz, Wine, Woman and Song (Joh. Strauss); Overture, Der Göttergatte (Lehár); Potpourri, Noten-Regen (Urbach); March Potpourri, Hurra, die Musik kommt (Zimmer). In the interval at 1.0 p.m., News. 1.35, Popular Music on Gramophone Records. 2.30, Economic Notes and Time. 2.50, Programme for Children. 3.10, Talk on Regensburg. 3.30, English Reading. 4.0, A Musical Journey—Concerts. 5.20, Talk for Women. 5.45, Weather, Time, Economic Notes, and Sports Results. 6.0, Talk: With German Settlers in South-West Africa. 6.20, Topical Talk. 6.30, Talk: German Landscape and German Art. 6.55, News. 7.0 to 9.20, Variety Programme. 7.0, Dance Music by the Small Station Orchestra, conducted by Eysoldt. 7.30, Konzilbote Dr. Müller-Radio Play (Theo Rausch). 7.45, Jazz on Gramophone Records. 8.0, Songs and Verse. 8.20, Love and Crime or All's Well that ends Well—Radio Play (Paul Schaad). 8.55, Concert of Light Music by the Station Orchestra, conducted by Eysoldt. 9.20, News and Sports Notes. 9.50, See Stuttgart. 11.0, Jazz Music. 12 Midnight, Close Down.

LAUSANNE.—See Radio-Suisse Romande.

LEIPZIG

389.6 metres; 120 kW.; and DRESDEN, 319 metres.—12.15 p.m., Waltzes on Gramophone Records. The Vienna Philharmonic Orchestra, conducted by Erich Kleiber; Waltz, Du und Du, from Die Fledermas (Joh. Strauss); The Vienna Schrammel Quartet; Moonlight on the Alster (Fetras); Gitta Alpar; Dorfswalben aus Oesterreich (Jos. Strauss); Bajos Bela and his Orchestra; Wiener Bürger (Ziehler); Beim Oelweinst (Pokorny); Mon rêve (Waldenfeld); Am Wörte-see (Koschätz); Sohra las olas (Ross); Zigeunerliebe (Translater); The Berlin Philharmonic Orchestra, conducted by Wilhelm Grosz; Hofballnäse (Lammer); The Vienna Philharmonic Orchestra, conducted by Clemens Krauss; Waltz from The Arabian Nights (Joh. Strauss). Exchange Rates after the Concert. 1.0, Wireless Notes. 1.30, Programme for Children. 2.15, Review of Periodicals. 2.45, Economic Notes. 3.0 to 3.15, Talk on Music. 3.30, Concert from Berlin (Witzleben). 5.0, Talk: Young People and Romance. 5.30, German for Germans. 5.50, Topical Talk. 6.0, Reading of Luther's Letter to Pope Leo X. 6.30, Spanisches Lieder-spiel, Op. 74 (Schumann). Irngard Genzel-Rochling (Soprano), Henriette Lehne (Contralto), Wilhelm Uebrecht (Tenor), and Philipp Göppel (Bass). 7.5, See Frankfurt. 9.5, News. 9.15 (approx.), Dance Music. 11.0 (approx.), Close Down.

LINZ.—See Vienna.

LJUBLJANA

574.7 metres; 2.5 kW.—6.0 p.m., Talk on Sociology. 6.30, Talk on the History of Philosophy. 7.0, Tamhäuser—Opera (Wagner), on Gramophone Records. 9.0, Time, News and Concert of Light Music.

LWOW

381 metres; 16 kW.—6.10 p.m., Miscellaneous Items. 6.30 till Close Down, See Warsaw. 11.0 (approx.), Close Down.

LYONS

LA DOUA, 465.8 metres; 1.5 kW.—7.30 p.m., Radio Gazette for Lyons and the South-East. 8.30, Surcouf—Opereita (Planquette), relayed from Paris (Ecole Supérieure) (447.1 metres). After the Opereita, News Bulletin.

MADRID

ARANJUEZ, EAQ, 30.43 metres; 20 kW. Programme for Listeners in Europe, The Canary Islands, Guinea, and America. 6.0 p.m., Concert of Popular Music. 7.15, Talk. 7.30, Dance Music. 8.0 to 10.30, Interval. 10.30, Variety Concert. 10.45, Radio Chronicle. 11.0, Variety Concert (contd.). 11.30, Talk, followed by Popular Music. 11.40, Light Music. 12 Midnight (approx.), Close Down.

MALMO

UNION RADIO, Call EAJ7, 424.3 metres; 2 kW.—7.0 p.m., Chimes, Exchange Quotations and Request Gramophone Records. 7.30, Talk on Co-operative Societies and Request Gramophone Records (contd.). 8.15, News Bulletin. 8.30 to 9.0, Interval. 9.0, Linguaphone English Lesson. 9.30, Chimes and Time Signal. 9.40 (approx.), A Musical Comedy. 11.45, News Bulletin. 12 Midnight, Chimes and Close Down.

MALMO.—See Stockholm.

MILAN.—See Turin.

MORAVSKA-OSTRAVA

263.8 metres; 11 kW.—5.25 p.m., Concert by a Sokol Orchestra. 6.0, See Prague. 9.15, Concert of Light Music by the Station Orchestra, conducted by J. Pletta. 10.30 (approx.), Close Down.

MOSCOW

TRADES UNION, 1,304 metres; 100 kW.—4.0 p.m., News. 4.10, Announcements. 4.30, Concert. 5.30, Concert of Light Music from the Radio Theatre. 8.0, Talk in French: The Influence of the Press. 8.55, Time. 9.5, Press Review.

MOTALA.—See Stockholm.

MUHLACKER.—See Stuttgart.

MUNICH

533 metres; 60 kW. Relayed by Augsburg and Kaiserslautern, 560 metres; and Nurnberg, 239 metres.—4.0 p.m., Orchestral Concert, conducted by Erich Kloss; Overture, Ten Maids and No Man (Suppé); Festival Music from Litumlei (Potgiesser); Seven Pieces, Marionettes (Poldini); Waltz from The Carnival Fairy (Kälman); Potpourri, Klänge aus Rumänien (Dauber); Amoretten-reigen (Fuerk); Serenata amorosa (Beccia); A Box of Tin Soldiers (Siede). 5.15, Vocational Talks for Girls. 5.45, From the Old Chanson to the Song of Today—a Journey through the Centuries (Rolf Ghatberg). 6.30, Wireless Technical Hints. 7.0, The Mikado—Opereita in Two Acts (Gilbert and Sullivan). After the Opereita, Dance Music by Max Textor and his Band. 9.20, Time, Weather, News, and Sports Notes. 9.45, Dance Music from Stuttgart. 11.0 (approx.), Close Down.

NAPLES.—See Rome.

NOTODDEN.—See Oslo.

OSLO

1,083 metres; 60 kW. Relayed by Fredriksstad, 365.8 metres; Hamar, 574.7 metres; Notodden, 447.1 metres; Porsgrund, 453.2 metres; and Rjukan, 447.1 metres.—3.15 p.m., Concert of Light Music, relayed from the Continental Hotel. 4.15, Programme for Children. 5.15, Song and Hardanger Fiddle Recital of Folk Music. 5.45, Economic Talk. 6.0, Announcements, Weather and News. 6.30, Talk. 7.0, Time Signal. 7.1, Concert of Old and New Dances by the Station Orchestra, conducted by M. Hugo Kraum. 8.40, Weather and News. 9.0, Topical Talk. 9.15, Readings. 9.45, Dance Music by the Station Dance Orchestra, conducted by M. Schubert. 11.0 (approx.), Close Down.

OSTERSUND.—See Stockholm.

PALERMO

537.6 metres; 3 kW.—7.0 p.m., Announcements, Tourist Report, Agricultural Notes and Giornale Radio. 7.20, Popular Music on Gramophone Records. In the interval at 7.30, Time and News. 7.45, The Merry Widow—Opereita (Lehar). In the intervals, Book Review and Announcements. 9.55, News.

PARIS

EFFEL TOWER. Call FLE, 1,445.7 metres; 13 kW. Time Signals (on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and 6-dot signals).—5.45 p.m., Le Journal Parlé. 7.30, Le chapeau de paille d'Italie—Vaudeville Comedy, with Songs by Eugène Labiche and Marc Michel. 9.0 (approx.), Close Down.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW.—6.45 p.m., Journal Parlé. 7.0, Concert. 8.0, Talk: The Event of the Week. 8.5, Theatre Review. 8.15, Interval. 8.30, Chamber Music Concert. Soloist: Mme. Rouzaud. 9.10, Dance Music by the Sonora Orchestra, conducted by Fred Hoffmann. 11.0, News. 11.5, Dance Music on Gramophone Records.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW.—6.45 a.m., Physical Culture. 7.30, Weather and Physical Culture (contd.).

FEB. 18th

SATURDAY

continued

7.45, Light Music on Gramophone Records. 8.0, Press Review and Weather. 9.0, Concert by the Conservatoire Concert Society, relayed from the Old Conservatoire. 12 Noon, Concert by the Radio Paris Orchestra: Scottish Memories (Godfrey Moore); Scènes alsaciennes (Massenet); Gliederias (Infinite); Musiques foraines (Schmitt); The Nutteracker Suite (Tchaikovsky); Piece (Fourdrain). In the intervals at 1.0, Exchange, News and Weather, and at 1.30, Exchange. 2.0, Exchange. 3.0, Programme for Children. 3.45, Exchange and Market Prices. 3.50, Concert by the Radio Paris Orchestra: Olona (Mina); Primavera (Gabié); Choro Nero (Sudley-Benson-Pearly); Susita (Mina); Melody (Young-Fain and Pearly); Alma madrilenia (Mina); Eternelle lyresse (Ganne); Melody (Friend-Oscar Pearly); Kleine Madona (Wetzell-Jose); Taratata (O. Straus-Erwin); Siete Dias (Luchesi); Brillante (Fray); Les Violettes (Waldteufel); Having Breakfast with the one I love (O. Straus-Magon). 6.30, Market Prices, Weather, Agricultural Report and Exchange. 7.0, Talk. 7.20, Agricultural Talk. 7.45, Commercial Prices, News and Review of the Latin Press. 8.0, Montmartre—Programme arranged by René Dorin. 8.30, Popular Music on Gramophone Records. 9.0, The Land of Smiles—Operetta in Three Acts (Lehar), relayed from the Gaité-Lyrique.

PITTSBURGH

WESTINGHOUSE ELECTRIC (KOKA), 366 metres; 25 kW. Relayed by W8KK on 48.86 metres and 25.27 metres.—9.0 p.m., Dance Masters, from New York. 9.30, Concert Favorites, from New York. 10.0, KDKA Orchestra. 10.30, Weather Report. 10.32, Behind the Law—Tales of the Pennsylvania State Police. 10.45, Little Orphan Annie, from New York. 11.0, Little German Band. 11.30, Time Signal. 11.31, Temperature Report. 11.32, Telemeter Sport Review. 11.37, Press News Reader. 11.42, Strange Facts. 11.44, Weather Report. 11.45, Iraak Walton League. 12 Midnight, Time Signal, followed by A Recer by Bill and Alex of the Downtown Y.M.C.A. 12.15 a.m. (Sunday), Atkinson String Ensemble. 12.30, KDKA Players. 1.0 to 4.0, New York Relay. 1.0, American Taxpayers League. 1.15, The Boston Symphony Orchestra. 3.15, Salon Singers. 3.30, Cuekos. 4.0, Time Signal. 4.1, Telemeter Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.13, KDKA Artist Bulletin. 4.15, Press Last Minute News. 4.20, Presbyterian Missionaries. 5.20, Messages to Dwellers in the Far North.

PORSGRUND.—See Oslo.

PRAGUE

468.6 metres; 120 kW. 3.10 p.m., See Bratislava. 4.10, Talk on Economics. 4.20, Czech Lesson for Germans and German Lesson for Czechs. 4.50, Variety Music on Gramophone Records. 5.5, Agricultural Report. 5.15, Talk for Workers. 5.25, News in German. 5.30, German Transmission; Talk, with Illustrations; Carnival Customs in Bohemia. 6.0, News. 6.5, Talk: Dr. Alois Rasin. 6.20, Popular Concert. 7.20, Around the World on Gramophone Records. 7.30, Veni, vni, vici—Musical Comedy (Ruzicka). In the interval at 8.0, Time Signal. 9.0, Time signal. 9.1, News Bulletin. 9.15, See Moravska-Ostrava. 10.30 (approx.), Close Down.

RADIO-SUISSE ROMANDE

SOTTENS, 403 metres, 25 kW.; LAUSANNE, 680 metres; and GENEVA, 760 metres.—5.30 p.m. (from Geneva), Book Review. 6.0 (from Geneva), Weather, News and Announcements. 6.30 (from Geneva), Film Notes. 7.0 (from Geneva), Humorous Recital by M. Alfred Poulain (Pianoforte). 7.15 (from Geneva), Review of the Week. 7.25 (from Geneva), Popular Concert. 9.0, News Bulletin and Weather Forecast. 9.10 (from Geneva), Talk: The Work of the League of Nations. 9.25 (from Geneva), Dance Music. 10.30 (approx.), Close Down.

RIGA

525 metres; 15 kW.—5.5 p.m., Intradic Play in Four Acts (Rudolfs Blamundis). In the intervals: News. 8.0, Weather. 8.30, Dance Music. 10.0 (approx.), Close Down.

RJUKAN.—See Oslo.

ROME

Call 1R0, 441 metres; 50 kW. Relayed by Naples, 319 metres, and 2R0, 25.4 metres.—7.0 a.m., Gymnastics. 7.15 to 7.30, Giornale Radio and Announcements. 11.30, Weather and Light Music on Gramophone Records. 12 Noon, Time and Announcements. 12.2 to 1.15 p.m., Orchestral Concert: Pitter-Pitter (Lohr); Mamma (Carducci); Selection from Tip Tees (Gershwin); Pianoforte Solo: Selection from The King of Jazz (Youmans); Intermezzo from I quattro rusteghi (Wolf-Ferrari); Pianoforte Solo: Foxtrot (Comie); Melody (Nielsols); Pianoforte Solo: Loving You (Comie); Rio de Janeiro (Bixio). In the interval from 12.30 to 12.45, Giornale Radio and Exchange. 3.45, Children's Radio Review. 4.0, Exchange, Announcements, Report of the

Royal Geographical Society and Giornale Radio. 4.15, Reading. 4.30 to 5.15, Orchestral Concert: La Smerca e la mora (Sassano); Odette (Fraucsch); Selection from La Wally (Catalani); Five o'clock (Escolbar); Carnival (Armandolo); Entr'acte from Suor Angelica (Puccini); Monte Carlo (Eymann); Be my Greta Garbo. 6.5, Giornale Radio. 6.10 (from Naples), Shipping and Sports Notes. 6.15, Atmospheric Signals and Agricultural Notes. 7.0, Time, Announcements, and Light Music on Gramophone Records. 7.30, Sports Notes, Tourist Report, and Announcements. 7.45, Relay from a Theatre. In the intervals, Book Review, Theatre Notes and News.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY, WGY, 379.5 metres; 50 kW. Relayed at intervals by W2XAF on 31.38 metres, and by W2XAD on 19.56 metres.—12 Midnight, Soloist, from New York. 12.15 a.m. (Sunday), Stock Reports. 12.20, Hotel New Yorker Orchestra. 12.45, The World Today. 1.0, Lady Fingers (Pianists). 1.15, Bernard Silberg (Cellist). 1.30 till Close Down, New York Relay. 1.30, The Economic World Today. 2.0, The Golden Thread. 2.30, Oldsmobile Programme Olsen's Orchestra. 3.0, Lucky Strike Hour and Programme Resume.

SCHWEIZERISCHER

LANDESENDER

BEROMUNSTER, 459 metres, 60 kW.; BASLE, 244.1 metres; and BERNE, 245.9 metres. 11.28 a.m., Time Signal from Neuchâtel Observatory. 11.30, Weather and News. 11.40, Winter Sports Notes. 11.45, Popular Music on Gramophone Records. 12.35 p.m., Weather and Exchange. 12.45 (from Zürich), Answers to Correspondence. 1.0 (from Zürich), Book Review. 1.30, Light Music on Gramophone Records. 2.0 (from Zürich), Talk for Stamp Collectors. 2.30 (from Zürich), Reading. 3.0 (from Zürich), Accordion Music. 3.40 (from Zürich), Chess Lesson. 4.0, Weather. 4.5 to 5.30, Interval. 5.30 (from Basle), Talk: Bronchial Asthma. 6.0 (from Zürich), Chimes from the Zürich Churches. 6.10, Time, Weather, and Market Prices. 6.15 (from Basle), Talk: The Swiss Bird Sanctuary. 6.45 (from Berne), Das Schwarzmaedel (The Maid of the Black Forest)—Operetta in Three Acts (Jessel). In the interval at 8.20, Weather and News. 9.15 (approx.), Gramophone Dance Music. 10.0 (approx.), Close Down.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SASA, 436 metres; 55 kW. Relayed by Liden, 1,229.5 metres; Göteborg, 322 metres; Harby, 257 metres; Motala, 1,348 metres; Osterund 770 metres; and Sundsvall, 542 metres.—3.0 p.m. (from Göteborg), Concert by A.T.S. Orchestra: March, Hail to the Spirit of Liberty (Sonja); Waltz from The Merry Peasant (Edin); Overture, Phedra (Massenet); Sonata d'Amore (Beccol); Selection from A Waltz Dream (O. Straus); Tango, Wenn man sein Herz verliert (Stravinsky). 4.5, Programme for Children. 5.30, Popular Music on Gramophone Records. 5.30, Variety Programme. 6.15, Weather and News. 6.30, Old Dance Music. 7.15, Talk: Our Newspapers in the Past and Now, relayed from Malmö (231 metres). 7.45, Orchestral Concert of Popular Music. 8.45, Weather and News. 9.0, Dance Music by Greta Jonsson's Band, relayed from the Kr-Tall Hall. 10.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW.—11.30 a.m., Orchestral Concert, conducted by Maurice de Villers: Nutteracker Suite (Tchaikovsky); Symphonic Poem, La Jeunesse d'Hercule (Saint-Saëns); Selection from Arlequin and Naxos (R. Straus); Norwegian Rhapsody (Svendse); Humoresque (Reyer); Orchestral Suite, No. 6—Gassen (Larôme). 12.45 p.m., News. 1.0, Time and Exchange. 1.5, Light Music on Gramophone Records. 2.0, Dance Music on Gramophone Records. 3.0 to 3.45, Interval. 3.45, Talk: Chopin and Georges Sand. 4.0, Light Music on Gramophone Records. 4.45, Legal Talk in German. 5.0, Pasdelpop Symphony Concert, relayed from the Théâtre des Champs-Élysées, Paris. 7.0, Gardening Talk in French. 7.15, Popular Music on Gramophone Records. 7.30, Time and News. 7.45, Light Music on Gramophone Records. 8.20, Lottery Results. 8.30, Orchestral Concert, relayed from Mulhouse-Wittenheim: March from Athalia (Mendelssohn); Ballet Music from La Statue (Reyer); Selection from Sanson and Delilah (Saint-Saëns); Lento-Allegro from the Symphony in D Minor (Franck); Clarinet Ensemble; Concerto (Wettge); Overture, Tannhäuser (Wagner); Ballet Scene from Le roi s'amuse (Delibes); Six Dance Airs in Old Style; (a) Gaillarde, (b) Pavane, (c) Scène du Bouquet, (d) Lesquerade, (e)

Madrigal, (f) Passetip and Finale Intermezzo from Cavalleria Rusticana (Mascagni); March from Act IV of Indira (Franck). 10.30, Dance Music from the Savoy. 12 Midnight (approx.), Close Down.

STUTIGART

MUHLACKER, 360.5 metres, 60 kW.; and FREIBURG, 570 metres.—11.20 a.m., Schöner Song Recital, by Fritz Lüßler (Baritone); Wolke; Du Neugierige; Engeldiel; Morgengruss; Des Müller's Blumen; Pause; Mit dem grünen Lautenbunde. 11.45, Wind Instrument Music on Gramophone Records: March, Soldatenklänge (Buchholz); Aus der Jugendzeit (Radtke); Ich sende diese Blumen dir (Wagner); Gipsy Quadrille (Joh. Straus); March, Waldmannshof (Reckling). 12.19 p.m., Contralto Song Recital, by Maria Birnbam. 12.30, Concert by the Station Orchestra, conducted by Gustav Göddel. Soloist: Karl Haas (Vibraphone). Overture, A Night in Venice (Joh. Straus); Two Pieces for Strings (Muth); (a) Morgenstimmung im Wald, (b) Zug der Wandervogel; Romance for Vibraphone and Orchestra (Lohr); Music for Vibraphone (König); Waltz, Ballerinen (Lehar); Dolce notte (Leonavallo); March Polopouri (Kozzack). 1.30, Time, News, Weather and Programme Announcements. 1.45, Concert by Fred Hett and his band, from the Königslig Restaurant. 2.30, Programme for Children. 3.50, Report on the Stuttgart Six-day Races. 3.40 (from Karlsruhe), Soprano and Pianoforte Recital, by Mary Esselgroth and Tina Koch; Aria from La flûte à Pan (Mozart); Concert Aria, Ach, wie leicht meine Hoffnung (Mozart); Zerbintar's Aria from Ariadne auf Naxos (Richard Straus). 4.10, Choral Concert, Part I, Minnelied, All meine Gedanken (arr. Kieslich); Fahr wohl, du goldne Sonne (Hechtovon); Die Nacht (Schindler); Ich hab' ein Stelchen rauschen (18th Century Folk Song, arr. Hehrich); Folk Song, Ich hab' ein Vögelchen (arr. Schauss); selbner Augen schöne Strahlen (Brahms); Sommernacht (Beeger). Part II (from Schramberg): Tröstung (Händel); Die Altnacht (Lachner); In Epiphania Domini (Nemmann); Es wollt ein Jäger jagen (Heinrichs); Trinklöl (Kreutzer); Heimfahrt vom Heiligen (Sehlfen); Ehermut (arr. Wohlgemuth). 5.25, Time Signal and Sports Notes. 5.35, Talk: Honoré Daumier. 6.0, Talk: The Philippine Islanders light for their Freedom. 6.25, Time, News, Weather and Snow Report. 6.35, Report of the International Ski Jumping Champions-Lips in Freudenstadt. 7.5, see Frankfurt. 8.25, Time, Weather, News and Programme Announcements. 9.45, Dance Music by the Stuttgart Philharmonic Orchestra, with Song Refrains by Käthe Mann (Soprano). 10.0 Report on the Stuttgart Six-day Races. 10.30, Dance Music from London. 12 midnight (approx.), Close Down.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW. 5.45 p.m., Operetta Music. 6.0, News. 6.15, Suite, Scènes pittoresques (Massenet). 6.30, Cello Recital: Air from Don Quixote (Massenet); Melody (Rubinstein); Dédicace (Salski); Walter's Prize Song from The Master-Singers (Wagner). 6.45, Light Music. 7.0, Orchestra Music of the Argentine. 7.15, Horse Racing Results, Market Prices, and News. 7.30, Military Music. 8.0, Accordion Music. 8.15, Opera Music: Airs from (a) Si j'étais roi (Adam), (b) L'Etiquette du moulin (Brennan), (c) The Fair Maid of Perth (Bizet). 8.30, Concert by a Viennese Orchestra. 9.0, Extracts from William Tell Opera in Four Acts (Rossini). 10.0, Humorous Items. 10.15, North African News. 10.30, Concert for Listeners in Morocco: Overture, Si j'étais roi (Adam); Je ne sais pas si je vous aime (Bizet); Violin Solo: Berenice (Roskann); Air from Les dragons de Villars (Maillard); C'est Rosalie (Sade). 11.0, Request Concert: Air from Congress Dances (Heymann); Baller Music from Les deux pigeons (Messager); Duet from Manon (Massenet); A Exposition (Raifer). 11.30, Programme in English by the I.B.C. Song Recital: Little Dolly Day Dream (Stewart); Lily of Laguna (Stewart); My old Dutch (Chevalier); The Future Mrs. 'Awkins (Chevalier); Kathleen Mayvournee (Crawford); Killarney (Baldé); The Macgregors' Gathering (Lee); The Last Rose of Summer (Moore). 12 Midnight, Weather and Announcements. 12.5 a.m. (Sunday), Hawaiian Guitar Music. 12.15, Orchestral Music: In a Monastery Garden (Ketelbey); Overture, Morning, Noon and Night (Suppé). 12.30 (approx.), Close Down.

TRIESTE

247.7 metres; 10 kW. 4.10 to 6.35 p.m., See Turin. 6.35, Concert of Music by Bodansky Martini: Nocturnes for Cello with Piano-

forte accompaniment: (a) Andantino Moderato, (b) Lento, (c) Moderato, (d) Allegretto moderato. 7.0 till Close Down, See Turin. TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relayed by Milan, 331.5 metres; Canoa, 312.3 metres; and Florence, 500.8 metres.—4.10 to 5.0 p.m., Dance Music, relayed from the Savoy Concert Hall. 5.35, Giornale Radio, Lottery Results, Agricultural Report and Dopplavoro Notes. 6.0, Popular Music on Gramophone Records. 6.20, Giornale Radio. 6.50, Time Signal, Announcements, Tourist Talk, and Gramophone Records (cont'd). 7.0, Giornale Radio and Weather Forecast, followed by Light Music on Gramophone Records. 7.30, Talk: Events and Problems. 7.45, Variety Programme. 8.45, Review of New Books. 9.0, Dance Music by the Station Orchestra. 10.0, Giornale Radio.

VATICAN CITY

19.84 metres (Morning) and 50.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Announcements in Different Languages. 7.0 to 7.15 p.m., Religious Information in Italian.

VIENNA

517 metres, 15 kW. Relayed by GRAZ, 452.1 metres; INNSBRUCK, 283 metres; KLACENFURT, 453.2 metres; LINZ, 236 metres; and SALZBURG, 218 metres.—4.45 p.m., The East in Western Music, Concert by the Volkoper Orchestra, conducted by Dr. Rudolf Weirich: Overture, Timpanos (Weber); Indian March from L'Éclaircie (Meyerbeer); Intermezzo from Madame Butterfly (Puccini); Dance of the Moths—Slaves from Aida (Verdi); A Festival in Bagdad, from Scheherazade (Pjotrkorsakov); Arab Dance from the Peer Gynt Suite (Grieg); Waltz, Mädchen aus dem Orient (Joh. Straus); Overture, The Land of Smiles (Lehar). 5.50, Review of International Affairs. 6.20, Time, Weather, Sports Notes and Programme Announcements. 6.30, Recital of songs and Ballads by Rudolf Bandler: Hochzeitslied (Lowe); Prinz Eugen (Lowe); Ein Mädchen vor der Flasche (Pabst); Motten (Weirich); Two Songs (Hermann); (a) Der alte Herr, (b) Einst und jetzt; Three Songs (Luis Rech); (a) Jodan von Nepomuk, (b) Schneidergewicht, (c) Der alte Kabaun; Nachtwandler (Steiner-Welch); So oder so (Rebay); Song of the Flea (Missourky). 7.0, Trio-Rario Comedy (Leo Lenz). 9.0, News, Weather and Announcements. 9.15, Concert of Dance Music by David Mathe and his Jazz Band, with Song Refrains by Wolfgang Ernst.

WARSAW

1,411 metres; 120 kW.—10.40 a.m., Press Review. 10.50, Weather Report for Aviation. 10.58, Time Signal and Bight Call from the Tower of St. Mary's Church, Cracow. 11.5, Programme Announcements. 11.10, Light Music on Gramophone Records. 12.10 p.m., Weather Forecast. 12.15, Broadcast for Schools, relayed from Lwów (381 metres). 12.35 to 2.10, Interval. 2.10, Announcements. 2.15, Economic Notes. 2.25, News and Answers to Correspondents on Military Matters. 2.35, Programme for Children, relayed from Cracow (312.8 metres). 3.5, Light Music on Gramophone Records. 3.37, Announcements. 3.40, Talk. 4.0, The Radiotele Symphony (Tchaikovsky) on Gramophone Records. 4.40, Topical Talk. 4.55, Programme Announcements. 5.0, Light Music from the Café Adria, News in the interval. 6.0, Miscellaneous Items. 6.20, Agricultural Talk. 6.30, Topical Talk. 6.45, Radio Journal. 7.0, Concert of Operetta and Sound Film Music by the Station Orchestra, conducted by S. Nawrot. Soloists: S. Dobrowolska-Pawlovska (Soprano) and S. Wilas (Tenor). Overture, Gipsy Love (Lehar); Dances and Song of Old Vienna (Pacherneg); Spanish Gipsy Dance (Marquina); Boston from the Sound Film Chan (Maklakiewicz); Foxtrot Song (Barri); Foxtrot-Intermezzo, The Melch Parade (Wehle); Mazurka (Cabella); Japanese Song from The Land of Smiles (Lehar); Song from The Merry Widow (Lehar); Waltz Polopouri (Henry Weber); Song from The Tonight (Spoliansky-Henar); Andulian Serenade, The Blue Pavilion (Armandolo); Russian Dance (Bullerian); Song Boston (Michaelov); Polka (Dworakowsky); Czardas from Der Geist des Wojewoden (Grosman); Melody from Les Cloches de Cornette (Planchette); Song from Gasparone (Milkicker); Mazurka (Namy-lowsky); Gopak, Durchs Ziel (Translatour). In an interval, Sports Notes and Radio Journal. 9.5, Chopin Pianoforte Recital by B. Kolin; Twelve Etudes, Op. 10. 9.40, Reading (Lipina). 9.55, Weather Report and Police Notes. 10.0, Dance Music from the Bodega. In an interval at 10.30, News Bulletin for Members of The Polish Polar Expedition. 11.0 (approx.), Close Down.

ZURICH.—See Schweizerischer Landessender.



EDISWAN


The name that means 'EXCELLENCE'

TO MAKE
ASSURANCE DOUBLY
SURE

**THESE BATTERIES
ARE GUARANTEED!**

Guarantee

The Edison Swan Electric Co. Ltd. guarantees that Ediswan Batteries are of full voltage and capacity. Should any Ediswan Battery fail to give satisfactory service, we undertake to deal with customer's complaint within 24 hours of receipt of the defective battery.



Owing to their guaranteed capacity of 10 milliamperes, Ediswan Standard Capacity Batteries definitely last longer when used with the new QUIESCENT PUSH-PULL circuits. Make certain then, that you get the greatest possible H.T. value for money by insisting on Ediswan Guaranteed H.T. Batteries.

60 volts
Standard capacity

6/9

120 volts
Standard capacity

13/=

EDISWAN

THE IDEAL BATTERY
FOR
QUIESCENT PUSH-PULL




THE EDISON SWAN ELECTRIC CO. LTD.
PONDERS END, MIDDLESEX


EDISWAN-the Better Service Batteries

B217

DON'T TRUST TO LUCK



TRUST TO WESTINGHOUSE



When buying your new A.C. Mains Receivers, specify a Westinghouse Metal Rectifier, and cut out all risk of breakdown of the high tension supply. A Westinghouse Metal Rectifier is the *only* rectifier of a permanent character, and will give you a constant and unceasing high tension supply as long as the set itself is in use.

Westinghouse metal rectifiers

The Westinghouse Brake & Saxby Signal Co., Ltd.
82, York Road, King's Cross, London, N.1.
Telephone: NORTH 2415.

FREE! 6 BRILLIANT CIRCUITS for the HOME CONSTRUCTOR

Designed by experts, these circuits are for amateur constructors requiring a really modern selective set which can easily be made at home.

The Lewcos Components recommended for use in the circuits assure an unparalleled degree of success both in reception and reproduction.

If not obtainable from your dealer, write to-day for your FREE copy to Radio Publicity, Section B.

Published by
Lewcos
REGD

MANUFACTURERS OF
MODERN RADIO COMPONENTS



LEWCOS RADIO PRODUCTS FOR BETTER RECEPTION

THE LONDON ELECTRIC WIRE COMPANY AND SMITHS LIMITED, CHURCH ROAD, LEYTON, LONDON, E.10

4^D

The Wireless World

THE PRACTICAL RADIO JOURNAL

with Complete Foreign Programmes

Friday, February 17th, 1933.

**HIGH TENSION
FOR
NEXT TO
NOTHING**


Ask your dealer for BURTON All-Mains Units, or write for List to the makers—
C. F. & H. BURTON,
Programs Works,
WALSALL.



**BURTON ALL-MAINS
UNITS**

Why spend money on H.T. Batteries when you can run your set through a BURTON ALL-MAINS Unit with practically no increase in your Electric Supply account. No mains 'Hum' and your set permanently at peak of perfection. A.C. Models from £2-12-6. D.C. Models from £1-8-6. Trickle Charge £1-18-0.

**TELSEN SCREENED
TUNING COILS**



Supplied complete with bakelite knob, excitation plate finished in oxidised silver and full instructions for mounting.

SUITABLE as aerial coils, or as anode coils, following a S.G. valve, giving selectivity comparable with a well-designed band-pass filter.
Single Screened 8/6
Coil
Twin Matched Coils..... 17-
Triple Matched Coils..... 25/6

**TELSEN
RADIO COMPONENTS**

TELSEN RADIO COMPONENTS ARE 100% BRITISH

Announcement of the TELSEN ELECTRIC Co. Ltd., Aston, BIRMINGHAM


**Determine
THE TRUTH**

The AvoDapter enables all valves and valve circuits to be tested externally, and dispenses once and for all of the difficulty of making tests inside the set. The patent convertible 4 and 5-pin plug is inserted in the valve holder and the valve under test is plugged into the AvoDapter base. A switch enables all required readings to be taken without change of connections. Fully descriptive pamphlet free on request.
AUTOMATIC COIL WINDER & ELECTRICAL EQUIPMENT CO., LTD., Winder House, Douglas Street, London, S.W.1

Price Complete **25/-**

9th easy with **7/6**

The **AVODAPTER**



THE **COLVERDYNE**

PRICE 12/6


Band Pass Intermediate Frequency Transformer for Super Heterodynes.

Write for Colvern Booklet Radio List No. 10.

COLVERN LIMITED

Advt. Colvern Limited, Mawneys Road, Romford.





A8 SUPER-HETERODYNE RECEIVER

Nine valves, including mains rectifying valve. Automatic volume control, using double diode valve. This eliminates to a great extent fading on distant stations, and forms a necessary control of volume when receiving the local stations. Manual volume control also fitted. This controls both radio and gramophone record reproduction. Single dial tuning. Scale illuminated and calibrated in wavelengths.

One main switch used for switching on set, changing from medium to long waves and putting gramophone jack in circuit. Moving Coil Speaker; undistorted power output approximately 2 watts. Walnut Cabinet. **£24**

Send a postcard for leaflet giving full particulars of Murphy sets.

- 4-VALVE BATTERY OPERATED £12 - 10
- 3-VALVE ALL ELECTRIC, with Pedestal £15 - 5
- 3-VALVE ALL ELECTRIC, without Pedestal £13 - 10

★ All Murphy sets are obtainable on Hire Purchase Terms.

The section on Selectivity in the A8 Booklet commences :-

SELECTIVITY

There are three forms in which an adjacent station can interfere with the wanted programme. They are

(1) A continuous heterodyne note of 9 kc. due to the carrier frequencies of the wanted and unwanted stations beating with each other.

(A simple illustration of how two frequencies beat can be appreciated by playing two adjacent low notes on a piano, when a slow rhythmic beat note will be heard. The frequency of the beat is equal to the difference in the frequencies of the two notes played.)

(2) Audible modulation interference—that is, the unwanted programme is intelligible and heard as a background to the wanted programme.

(3) Side band interference. The band of frequencies which are transmitted when broadcasting, and convey the audio frequencies produced in the studio, are known as side band frequencies. Those which are higher than the carrier frequency being called the upper side band and those which are lower in frequency the lower side band.

The side band frequencies of an unwanted station can beat with the carrier of the wanted station, the frequency of the beat note produced depending on how far away in the frequency scale the side band is from the wanted carrier.

This kind of interference sounds like “splashing” and is colloquially called, side-band splashing.

In considering selectivity, the following factors must be considered :-


- (1) What is the frequency separation of the stations concerned?
- (2) What is their relative field strength at your receiving aerial?
- (3) What extent of audio frequency response is demanded?
- (4) At what maximum volume level will the speaker be operated?

These points are fully dealt with in the booklet, and if you would like a free copy, any Murphy dealer will be pleased to give you one.

Frank Murphy

MURPHY RADIO

MURPHY RADIO LTD., WELWYN GARDEN CITY, HERTS. Telephone: WELWYN GARDEN 800.



**BROADCASTING STATIONS
ARRANGED IN ORDER
OF WAVELENGTH**

**TIMES AND DETAILS OF
FULL WEEK'S FOREIGN
TRANSMISSIONS**

Metres.	Kc.	kW.	Station.	Tuning Positions.	Metres.	Kc.	kW.	Station.	Tuning Positions.
1935	155	7	Kaunas (Kovno) (Lithuania)		453.2	662	10	Odessa, RV13 (Russia)	
1875	160	8.5	Hilversum (Holland)		447.1	671		Paris, Ecole Supérieure, PTT (7.0 kW.); Rjukan (0.15 kW.), Notodden (0.08 kW.) (Norway) (relays Oslo).	
1796	167	40	Lahti (Finland)		441.2	680	50	Rome, IRO. (S.-W. Station, 2RO on 25.4 m.)	
1725	174	75	Radio Paris, C.F.R.		435.4	689	55	Stockholm, SASA (Sweden)	
1635	183.5	60	Zeesen (Königswusterhausen) (Germany). (S.-W. Stn. DJA on 31.38 m.)		430	698	2.5	Belgrade (Yugoslavia)	
1554.4	193	30	Daventry National		424.3	707	2	Madrid, EAJ7 (Union Radio). (After 7.0 p.m.)	
1538	195	7	Ankara (Angora) (Turkey)		424.3	707	100	Moscow, Imini Stalina (Russia)	
1481	202.5	100	Moscow, RV1 (Old Komintern) (Russia)		419.5	715	1.5	Berlin, No. 1, Witzleben (Germany)	
1446	207.5	13	Eiffel Tower, P.L. Paris		416.4	720.5	5	Rabat (Morocco)	
1412	212.5	120	Warsaw 1 (Poland)		413	725	80	Athlone (Irish Free State)	
1380	217.5	100	Novosibirsk, RV6 (Russia)		408.7	734	16	Katowitz (Poland)	
1348	222.5	30	Motala (Sweden). (Relays Stockholm)		403.8	743	25	Sottens (Radio Suisse Romande) (Switzerland)	
1304	230	100	Moscow, WZSPS (Trade Union) (Russia)		398.9	752	25	Midland Regional	
1275	235	0.5	Tunis-Kasbah (Tunisia)		394.2	761	12	Bucharest (Roumania)	
1230	244	0.6	Boden (Sweden). (Relays Stockholm)		389.6	770	120	Leipzig (Germany)	
1200	250	5	Stamboul (Turkey)		389.6	770	10	Archangel, RV36 (Russia)	
1200	250	21	Reykjavik (Iceland)		385.1	779	8	Toulouse (Radiophonie du Midi) (France)	
1170	256	25	Tashkent, RV11 (Russia)		385.1	779	10	Stalino, RV26 (Russia)	
1154	260	7.5	Kalundborg (Denmark). (Relays Copenhagen)		381	788	16	Lwow (Lemberg) (Poland)	
1117	268.5	40	Moscow, Popoff RV58 (Russia)		376.4	797	50	Scottish Regional (Falkirk)	
1083	277	60	Oslo (Norway)		372.2	806	1.5	Hamburg (Germany)	
1071	280	35	Tiflis, RV7 (Russia)		370.1	810.5	0.8	Radio, LL, Paris	
1035	290	36	Kiev, RV9 (Russia)		368.1	815		Seville, EAJ5 (Union Radio) (1.0 kW.) (Spain); Bolzano (1.0 kW.) (Italy); Hel- sinki (10 kW.) (Finland) (relays Lahti); Eharkov, RV29 (10 kW.) (Russia).	
1000	300	100	Moscow (Russia)		365.8	821	0.7	Fredriksstad (Norway). (Relays Oslo)	
938	320	20	Kharkov, RV4 (Russia)		364.1	824	1	Bergen (Norway)	
857	350	100	Leningrad (Russia)		363.6	825	13	Algiers (Algeria)	
840	357	18.5	Budapest (Hungary)		360.6	832	60	Mühlacker (Stuttgart) (Germany)	
825	363.6	50	Sverdlovsk, RV5 (Russia)		355.9	843	50	London Regional (Brookmans Park)	
770	389	0.6	Ostersund (Sweden). (Relays Stockholm)		352.1	852	7	Graz (Austria). (Relays Vienna)	
760	395	1.3	Geneva (Switzerland). (Relays Sollens)		348.8	860	7.6	Barcelona, EAJ4 (Spain)	
720	416.6	20	Moscow, RV2 (Experimental) (Russia)		348.8	860	10	Leningrad, RV70 (Russia)	
690	434.6	1.5	Oulu (Uleaborg) (Finland)		345.2	869	11.5	Strasbourg, PTT (France)	
680	441.2	0.6	Lausanne (Switzerland). (Relays Sollens)		341.7	878	35	Brno (Brunn) (Czechoslovakia)	
574.7	522	0.7	Hamar (Norway). (Relays Oslo)		338.2	887	15	Brussels II, Velthem (Belgium). (In Flemish)	
574.7	522	2.5	Ljubljana (Yugoslavia)		335	896	5	Cadiz (Spain)	
569	527	0.25	Freiburg-im-Breisgau (Germany). (Relay Stn.)		334.4	897	1.9	Poznan (Poland)	
568.1	528	2	Grenoble (France)		331.5	905	50	Milan (Italy). (Relays Turin)	
566	530	0.25	Hanover (Germany). (Relays Hamburg)		328.2	914	60	Poste Parisien (France)	
563	533	16	Wilno (Poland). (Relay Station)		325	923	60	Breslau (Germany)	
560	536	0.25	Augsburg (Germany). (Relays Munich)		321.9	932	10	Göteborg (Sweden). (Relays Stockholm)	
560	536	1.5	Kaiserslauten (Germany). (Relays Munich)		318.8	941	0.25	Dresden (Germany). (Relays Leipzig)	
558.6	537	1	Tampere (Finland). (Relays Helsinki)		318.8	941	1.5	Naples, INA (Italy). (Relays Rome)	
550	545	18.5	Budapest No. 1 Lakihegy (Hungary)		315.8	950	1.6	Marseilles, PTT (France)	
542	554	10	Sundsvall (Sweden). (Relays Stockholm)		312.8	959	1.7	Cracow (Poland)	
537.6	558	3	Palermo (Italy)		312.8	959	10	Genoa, IGE (Italy). (Relays Turin)	
533	563	60	Munich (Germany)		309.9	968	1	Cardiff	
525	571	15	Riga (Latvia)		307	977	0.7	Radio Vitus (Paris). (S.-W. Stn. on 43.75 m.)	
517	580	15	Vienna (Rosenhügel) (Austria)		304	986	13	Bordeaux Lafayette, PTT (France)	
509	589	15	Brussels No. 1, Velthem (Belgium). (In French)		301.5	995	50	North National (Manchester)	
500.8	599	20	Florence, IFI (Italy). (Relays Turin)		298.8	1004	11	Tallinn (Esthonia)	
495.8	605	1.2	Trondheim (Norway)		296.1	1013	20	Huizen (Holland). (After 4.40 p.m.) (Exchanges wavelengths with Hilversum every three months.)	
488.6	614	120	Prague, No. 1 (Czechoslovakia)		293.5	1022	0.7	Limoges, PTT (France)	
480	625	50	North Regional (Manchester)		293.5	1022	2.6	Kosice (Czechoslovakia)	
472.4	635	60	Langenberg (Germany)		291	1031	10	Viipuri (Viborg) (Finland). (Relays Helsinki)	
467	642	0.4	Aalesund (Norway)		288.3	1040	50	Scottish National (Falkirk)	
465.8	644	1.5	Lyons la Doua, PTT (France)		288.3	1040	—	British Relays (Bournemouth, Plymouth)	
459.4	653	60	Beromünster (Schweizerischer Landessender) (Switzerland)		286	1049	0.8	Montpellier (France)	
453.2	662		San Sebastian, EAJ8 (0.6 kW.); Pori (1.0 kW.) (Finland); Danzig (0.5 kW.) (relays Heilsberg); Klagenfurt (0.5 kW.) (Austria) (relays Vienna); Iorsgrund (0.7 kW.) (relays Oslo); Tromsø (0.1 kW.), Bodø (0.5 kW.) (Norway); Upsala (0.15 kW.) (Sweden) (relays Stockholm).		285.1	1052	0.7	Lyons (Radio-Lyon) (France)	

BROADCASTING STATIONS ABROAD (In Order of Wavelength).

Metres.	Kc.	kW.	Station.	Tuning Positions.	Metres.	Kc.	kW.	Station.	Tuning Positions.
283.6	1058	0.5	German Relays (Berlin, Magdeburg, Stettin)		240.6	1247	0.5	Stavanger (Norway)	
283.6	1058	0.5	Innsbruck (Austria). (Relays Vienna)		238.9	1256	2	Nürnberg (Germany). (Relays Munich)	
282.2	1063	2	Lisbon CT 1AA (Portugal). (Short-wave Station on 31.25 m.)		238	1260	1	Nimes (France)	
281.2	1067	0.75	Copenhagen (Denmark)		237.2	1265	3	Bordeaux, Sud-Ouest (France)	
278.8	1076	13.5	Bratislava (Czechoslovakia)		235.5	1274	0.5	Kristiansand (Norway)	
276.5	1085	60	Hcilsberg (Germany)		235	1283	1.65	Łódź (Poland). (Relay Station)	
273.7	1096	7	Turin (Italy)		232.2	1292	0.25	Kiel (Germany). (Relays Hamburg)	
271.5	1105	1.3	Rennes, PTT (France)		230.6	1301	—	Swedish Relay Stations. (Malmö, Norrköping, Karlstad and Trollhättan).	
269.8	1112	20	Bari (Italy)		229	1310	0.5	Umea (Sweden)	
269.8	1112	0.25	Bremen (Germany). (Relays Hamburg)		227.4	1319	0.5	Flensburg (Germany). (Relays Hamburg)	
267.6	1121	1.5	Valencia (Spain)		224.4	1337	1	Cork (Irish Free State)	
265.8	1128.5	1.3	Lille, PTT (France)		223	1345	10	Fécamp, Radio-Normandie (France)	
263.8	1137	11.2	Moravska Ostrava (Czechoslovakia)		222.9	1346	0.15	Hüdiksvall (Sweden)	
261.5	1147	50	London National (Brookmans Park)		219.9	1365	1.5	Béziers (France)	
259.3	1157	17	Frankfurt-a.M. (Germany)		218.5	1373	0.2	Plymouth	
257.1	1167	10	Hörby (Sweden). (Relays Stockholm)		218.5	1373	0.5	Salzburg (Austria). (Relays Vienna)	
255.1	1176	0.7	Toulouse, PTT (France)		217	1382	0.5	Königsburg (East Prussia) (Germany)	
253.1	1185	5	Gleiwitz (Germany). (Relays Breslau)		217	1382	0.25	Karlstad (Sweden)	
252	1193	1	Barcelona, EAD15 (Assoc. Nat.) (Spain)		215.6	1391	0.1	Brussels, Radio-Chatelaineau (Belgium)	
249.6	1202	0.8	Juan-les-Eins, Nice (France)		215.6	1391	0.2	Halmstad (Sweden)	
247.7	1211	10	Trieste (Italy)		214.3	1400	1	Aberdeen	
245.9	1220	0.12	Swansea		214.3	1400	10	Warsaw, No. 2 (Poland)	
245.9	1220	0.12	Berne (0.5 kW.) (Switzerland) (relays Beromünster); Eskilstuna (0.2 kW.); Säfte (0.4 kW.) (Sweden) (relays Stockholm); Cassel (0.25 kW.) (Germany) (relays Frankfurt); Linz (0.5 kW.) (Austria) (relays Vienna); Pietarsaari (0.5 kW.); Turku (Abo) (0.5 kW.) (Finland) (relays Helsinki); Schaerbeck (0.1 kW.) (Belgium)		211.3	1420	1	Newcastle	
244.1	1229	0.5	Basle (Switzerland). (Relays Beromünster)		209	1430	0.8	Magyarovar and Miskolcz (Hungary)	
242.3	1238	1	Belfast (N. Ireland)		207	1450	0.15	Boras (Sweden)	
					206	1460	0.2	Ornsköldsvisk (Sweden)	
					204.1	1470	0.2	Gävle (Sweden)	
					202.7	1480	0.25	Kristinehamn (Sweden)	
					201.3	1490	0.25	Hälsingborg (Sweden)	
					195	1530	0.2	Karlskrona (Sweden)	

PRINCIPAL SHORT-WAVE STATIONS.

(N.B.—Times of Transmission, given in parentheses, are approximate only and represent G.M.T.)

Metres.	Kc.	Call Sign.	Station.	Tuning Positions.	Metres.	Kc.	Call Sign.	Station.	Tuning Positions.
80.0	3,750	2RO	Rome		39.7	7,556	HKF	Bogota (Colombia). (Westinghouse Labs.)	
70.2	4,273	RW15	Khabarovsk (Russia). (Daily 09.00-12.00)		39.4	7,612	X26A	Nuevo Laredo (Mexico). (Thurs. 16.00)	
62.56	4,795	VE9BY	London, Ont. (Canada). (Sun. 06.00)		38.7	7,797	IBL	Radio Nations, Prangins (Switzerland). (Sun. 22.00-22.15)	
62.5	4,800	W2XV	Long Island, N.Y. (U.S.A.). (Fri. 24.00)		36.92	8,125	PLV	Bandoeng (Java). (Daily 10.00-14.00)	
58.3	5,146	PMY	Bandoeng (Java). (Daily 12.20 and 07.00)		34.68	8,650	W2XV	Long Island, N.Y. (U.S.A.). (Fri. 23.00)	
58.0	5,172	OK1MPT	Prague (Czechoslovakia). (Tues. and Fri. 19.30)		33.50	8,928	VGX	Guatemala City (S. America)	
54.52	5,502	W2XBH	Brooklyn, N.Y. (U.S.A.). (Relays WCGU)		32.26	9,300	—	Rabat (Morocco). (Sun. 21.00)	
52.7	5,690	PIUI	Tananarive, P.T.T. (Madagascar)		31.58	9,500	PRBA	Itio de Janeiro (Brazil). (Daily 21.30)	
52.5	5,714	HCJB	Quito (Ecuador). (Daily 12.30)		31.55	9,510	VK3ME	Melbourne (Australia). (Wed. and Sat. 10.00)	
51.22	5,857	XDA	Chapultepec (Mexico)		31.54	9,510	GSB	Empire Broadcasting, Zones 2, 4, 5	
50.6	5,930	HKO	Medellin (Colombia)		31.51	9,520	OXY	Skamlebaek (Denmark). (Relays Copenhagen.)	
50.26	5,970	IIVJ	Vatican State, Rome. (Daily 19.00)		31.48	9,530	W2XAF	Schenectady, N.Y. (U.S.A.). (Relays WGY)	
50.0	6,000	ZL3ZO	Christchurch (New Zealand). (Wed. 03.00, Sat. 07.30)		31.38	9,560	DJA	Zeesen (Germany). (Daily 13.00)	
50.0	6,000	RW59	Bucharest (Roumania)		31.35	9,570	SI1	Poseu (Poland). (Tues. and Thurs. 17.30)	
49.96	6,005	EA125	Barcelona, Radio Club (Spain). (Sat. 20.00)		31.35	9,570	W1XAZ	East Springfield, Mass. (U.S.A.). (Relays WBZ)	
49.96	6,005	VE9DR	Drummondville (Canada). (Relays CFCF, 01.00-05.00)		31.3	9,582	W3XAU	Philadelphia, Pa. (U.S.A.). (Daily ex. Thurs. and Fri. 21.00)	
49.83	6,020	H1RB	Tegucigalpa (Honduras). (Daily ex. Sun. 00.00-05.00)		31.3	9,580	HBL	Radio Nations, Prangins (Switzerland). (Sun. 22.00-22.45)	
49.83	6,020	W3XF	Chicago, Ill. (U.S.A.). (Relays WENR)		31.29	9,585	GSC	Empire Broadcasting, Zone 3	
49.8	6,023	KEW	Mexico City (Mexico). (Daily 01.00)		31.28	9,590	VK2ME	Sydney (Australia). (Sun. 10.00)	
49.87	6,042	W2XAL	Coytesville, N.J. (U.S.A.). (Relays WRNY)		31.25	9,598	CT1AA	Lisbon (Portugal). (Tues. and Fri. 22.00-24.00)	
49.59	6,050	VE911X	Halifax (Nova Scotia). (Relays CHNS)		31.10	9,640	HS2PJ	Bangkok (Siam). (Mon. 02.00-05.00)	
49.58	6,050	GSA	Empire Broadcasting, Zones 4-5		30.43	9,869	EAQ	Aranjuez (Spain). (Daily 23.30, Sat. 18.00)	
49.5	6,060	VQ7LO	Nairobi (Kenya Colony). (Daily 16.30)		30.0	10,000	—	Belgrade (Yugoslavia). (Mon. 19.00)	
49.5	6,060	W8XAL	Mason, Ohio (U.S.A.). (Relays WLW)		29.3	10,238	T14NRII	Heredia (Costa Rica). (Daily 22.00 and 02.00)	
49.5	6,060	W3XAU	Philadelphia, Pa. (U.S.A.). (Relays WCAU)		28.98	10,350	LSX	Buenos Aires (Argentina). (Daily 20.30)	
49.43	6,069	VE9CS	Vancouver, B.C. (Canada)		28.83	11,180	CT3AQ	Funchal (Madeira). (Tues. and Thurs. 10.30-12.30)	
49.4	6,072	UOR2	Vienna. (Tues. 13.00, Thurs. 15.00, Sat. 23.00)		25.63	11,700	FYA	Pontoise (France). (Colonial Stn. E-W, daily 20.00)	
49.34	6,080	W2XCC	Kearny, N.J. (U.S.A.). (Relays WOR)		25.6	11,720	VE9JR	Winnipeg (Canada). (Daily ex. Sat. and Sun. 17.45)	
49.34	6,080	W9XAA	Chicago, Ill. (U.S.A.). (Relays WCFL)		25.53	11,730	GSD	Empire Broadcasting, Zones 1 & 4	
49.22	6,095	VE9GW	Bowmanville, Ont. (Canada). (Daily 20.00)		25.5	11,760	XDA	Chapultepec (Mexico). (Daily 20.00)	
49.2	6,098	ZTJ	Johannesburg (S. Africa). (Weekdays 09.00, 14.00, Sat. 14.30 and 17.00, Sun. 13.00 and 17.30)		25.4	11,810	VE9GW	Bowmanville (Canada). (Daily 18.00)	
49.18	6,100	W3XAL	Bound Brook, N.Y. (Relays WJZ)		25.4	11,810	2RO	Prato Smeraldo, Rome. (16.00 and 19.30)	
49.1	6,110	VUC	Calcutta, India. (Daily 13.00)		25.34	11,840	W9XAA	Chicago, Ill. (U.S.A.). (Relays WCFL)	
49.02	6,120	W2XE	Long Island, N.Y. (U.S.A.). (Relays WABC)		25.28	11,865	GSB	Empire Broadcasting, Zone 2	
48.86	6,140	W8XK	East Pittsburg, Pa. (U.S.A.). (Relays KDKA)		25.27	11,870	W8XK	East Pittsburg, Pa. (U.S.A.). (Relays KDKA)	
48.8	6,147	VE9CL	Winnipeg (Canada). (Daily ex. Sun. 00.30)		25.2	11,905	FYA	Pontoise (France). (Colonial Stn. N-S)	
48.65	6,167	X1F	Mexico City (Mexico)		23.38	12,830	—	Rabat (Morocco). (Sun. 11.30)	
48.35	6,205	HKO	Bogota (Colombia). (Daily 15.00)		20.5	14,630	XDA	Chapultepec (Mexico). (Daily 19.30)	
48.2	6,220	2RO	Roma (Italy)		19.9	15,075	T14NRII	Heredia (Costa Rica). (Sat., Sun., Mon. 16.00 and 21.00)	
48.05	6,243	HKD	Barranquilla (Colombia). (Weekdays 23.45)		19.84	15,120	IIVJ	Vatican State, Rome. (Daily 10.00)	
48.0	6,250	CN8MC	Casablanca (Morocco). (Relays Rabat)		19.81	15,140	GSF	Empire Broadcasting, Zone 5	
47.0	6,382	HC1DR	Quito, Ecuador. (Daily 01.00)		19.73	15,200	DJB	Zeesen (Germany). (Daily 13.00-17.00)	
46.69	6,425	W3XL	Bound Brook, N.J. (U.S.A.). (Relays WJZ irregular)		19.72	15,210	W8XK	East Pittsburg, Pa. (U.S.A.). (Relays KDKA)	
46.67	6,426	VE9BY	London, Ont. (Canada). (Sat. 01.00 Sun. 02.00)		19.68	15,244	FYA	Pontoise (France). (Colonial Stn. E-W)	
45.38	6,611	REN	Moscow (Relays Trade Union Stn.)		19.56	15,340	W2XAD	South Schenectady, N.Y. (U.S.A.) (Daily 18.00)	
45.0	6,667	FM8KR	Constantine (Algeria). (Mon. and Fri. 23.00)		18.9	17,750	HSP	Bangkok (Siam). (Sun. and Tues. 21.00)	
45.0	6,667	TGW	Guatemala City (Central America). (Daily 03.00)		18.88	17,770	GSF	Empire Broadcasting, Zone 2	
43.75	6,860	—	Radio Vitus, Paris. (Daily 20.30)		18.87	17,780	W3XAL	Bound Brook, N.J. (Weekdays 13.00)	
43.0	6,970	EAR110	Madrid. (Tues. and Sat. 22.30)		18.57	18,105	W9XAA	Chicago, Ill. (U.S.A.). (Relays WCFL)	
41.7	7,195	VS1AB	Singapore (Malay States). (Sun. and Wed. 15.30)		14.47	20,730	LSY	Buenos Aires (Argentina). (Sun. 21.00)	
41.6	7,211	EAR58	Teneriffe (Radio Club) (Canary Islands)		13.97	21,470	GSH	Empire Broadcasting, Zone 3 (Daylight working)	
41.5	7,230	HB9D	Zurich (Radio Club) (Switzerland). (1st and 3rd Sun.)		13.92	21,540	W8XK	East Pittsburg (Relays KDKA)	
41.0	7,320	HSP2	Bangkok (Siam). (Mon. 14.00)						
40.3	7,443	HBQ	Radio Nations, Prangins (Switzerland). (Sun. 22.00-22.45)						

FOREIGN SUNDAY PROGRAMMES

FEBRUARY THE NINETEENTH

PRINCIPAL EVENTS OF THE DAY:

AT HOME

NATIONAL

Stokowski programme (gramophone records). Rev. Canon C. S. Carpenter: "The Future Life." Violoncello recital. "Why Man Believes in God," by the Very Rev. Dean of Exeter. Orchestral concert from Eastbourne.

LONDON REGIONAL

Military Band concert and Glee Singing. "The Slaying of the Suitors" (Homer's Odyssey), read by Ronald Watkins. Service from the Bow Hall Wesleyan Mission, with address by Rev. Harry Williams. Sunday orchestral concert.

MIDLAND REGIONAL

Vocal and instrumental concert. Service conducted by Rev. G. H. Taylor, relayed from Central Hall, Birmingham.

NORTH REGIONAL

Service relayed from St. Mary's Roman Catholic Church, St. Helens, with address by Father Reginald Riley, S.J.

WEST REGIONAL

Cardiff Musical Society concert, relayed from the Park Hall, Cardiff.

SCOTTISH REGIONAL

National and London Regional programmes. Roman Catholic service in Gaelic.

BELFAST

Service from Fisherwick Presbyterian Church, Belfast.

ABROAD

BRUSSELS

The Radio Orchestra, conducted by C. Walpot.

COPENHAGEN HAMBURG

Concert of Czech music, by the Station Orchestra. Gala concert, from Bremen, conducted by Prof. Abendroth.

HILVERSUM

Jack Payne and his Band.

LANGENBERG

The Station Orchestra, conducted by Büschkötter.

ROME

Orchestral concert, conducted by R. Santarelli.

STOCKHOLM

Concert of opera music, by the Station Orchestra.

Relay of the Skiing Championship from Krennien. 2.30, See Prague. 3.30, See Moravska-Ostrava. 4.30, Talk on Slovak Poets. 4.40, Concert by Station Orchestra. 6.0, See Prague. 8.30, Concert of Light Music by the Station Band, conducted by K. Nagl. 9.0, See Prague. 10.0 (approx.), Close Down.

BREMEN.—See Hamburg.

BRESLAU

325 metres, 60 kW.—10.30 a.m., See Leipzig. 11.0, Concert by the Silesian Philharmonic Orchestra; Overture, Die Mederms (Joh. Strauss); Introduction, Chorus and Dance from Das Modell (Suppé); Suite from Coppelia (Dolibes); Waltz, Gold and Silver (Lehar); Overture, A Waltz Dream (O. Strauss); Selection from Die Kaiserin (Fall); Polka, Fenerfest (Jos. Strauss); Selection from Lieselott (Künneke). 1.0, Announcements. 1.10, Agricultural Talk. 1.25, Talk: Common Expressions in Political Economy. 1.40, Talk: The Origin and Meaning of Carnival Customs. 2.0, Radio Report of the 1933 German International Skating Championships. 2.30, Programme for Children. 3.0, Concert by the Station Orchestra, conducted by Franz Marszalek. Soloist: Hellmut Halendorf (Tenor). Selection from Gaudeamus (Humperdinck); Ballet Music from Undine (Lortzing); Gondoliere (Lies); Slovak Dances (Folber); Waltz, Der Rosenkönigin (Schicke); Offenbach Potpourri (Urbach). 4.50, Talk by Dr. Paul Rohrbach: What I heard about Germany on my World Tour. 5.15 (approx.). See Frankfurt. 6.0, Hans Francke reads from his own Works. 6.30, Weather for Farmers, followed by Report of the Silesian Winter Relief Committee. 6.40, Military Band Concert. 7.45, Sports News. 8.15, Violin Recital by Alfred Wittenberg: Romance in G (Beethoven); Two Hungarian Dances (Brahms-Jochim); Le cygne (Saint-Saens); Gartenmelodie (Schumann); An Springbrunnen (Schumann); Waltz (Feld-Burmeister); Mazurka, Oberliss (Wieniawski). 8.45, Mandoline and Guitar Concert. 9.35, Time, Weather, News, Sports Notes and Programme Announcements. 10.0, Orchestral Concert, relayed from Vienna. 11.0 (approx.), Close Down.

BRNO

342 metres; 35 kW.—11.5 a.m., Military Band Concert, conducted by Josef Hanel. March, The Soldier (Fucik); Overture, Lysistrata (Lincke); Selection from I Pagliacci (Leoncavallo); Melody (Potuznik); Waltz (Oberthor); Prague National Songs (Leopold); March (Hanel). 12.30 to 1.15 p.m., See Prague. 2.30, See Prague. 3.30, See Moravska-Ostrava. 4.30, Pianoforte recital by Anna Skalicka. Three Dances

(Smetana); Tarantella, Venice and Naples (Liszt). 5.0, German Transmission; News, followed by E. T. A. Hoffmann Concert with an Introductory Talk by Erwin Felber, Songs by Otto Ruopp and Pianoforte Solos by Fritz Arndt. 5.45, Talk on Dampung. 6.0, See Prague. 8.30, See Bratislava. 9.0, See Prague. 10.0 (approx.), Close Down.

BRUSSELS (No. 1)

I.N.R., 509 metres; 15 kW.—10.0 a.m., Concert by the Small Station Orchestra. 11.0, Gramophone Records: Jubel-Ouverture (Weber); Symphony No. 40 (Mozart); Concerto in A Minor for Pianoforte (Grieg). 12 Noon, Concert by Mickey's Club Jazz Attraction. 1.0 p.m., Le Journal Parlé. 1.10, Concert, relayed from the Grand Hotel, Antwerp. 1.30, The Fables of La Fontaine on Gramophone Records. 1.40, Concert (cont'd.). 5.0, Concert by the Radio Orchestra, conducted by Charles Walpot. In the interval at 5.30 (approx.), Football Results. 6.0, Harp and Violin Recital by Mme. Flour and M. G. Béthune. 6.30, Organ Recital by Louis Joos, relayed from the Carmelite Church, with Songs by Th. Mercier. 7.15, Religions Address. 7.30, Wireless Net's and Music Review. 8.0, Concert by the Radio Orchestra. 8.45, The Night of Friday the Thirteenth—Sketch (Desire Grovesse). 9.0, Concert (cont'd.). 10.0, Le Journal Parlé. 10.10, Hot Jazz, with Commentary. 10.40, Orchestral Concert, relayed from the Ancienne Belgique. 12 Midnight, Close Down.

BRUSSELS (No. 2)

N.I.R., 338.2 metres; 15 kW.—Programme in Flemish. 10.0 a.m., Classical Music on Gramophone Records. 11.0, Concert by the Small Station Orchestra, conducted by P. Leeman. 12 Noon, Concert, relayed from the Grand Hotel, Antwerp. 1.0 p.m., Le Journal Parlé. 1.10, Concert by Mickey's Club Jazz Attraction. 5.0, Dance Music from the St. Sauveur Palais de Danse. In the interval at 5.15, Sports Results. 6.30, Pianoforte Recital by Yvonne Bartholeyn. 7.0, Gramophone Records: Suite, Pelléas et Mélisande (Fauré); Pavane pour une Infante défunte (Ravel). 7.15, Religious Address. 7.30, Music Review. 8.0, Concert by the Brussels Wind Instrument Society: Sextet, Op. 6 (Tunille); Two Pieces for Flute, Oboe, Clarinet, Horn, and Bassoon (Ropartz); Suite for Flute, Oboe, Clarinet, Bassoon, and Pianoforte (Huybrechts). 8.45, A. Thyry reads from his own Works. 9.0, Concert by La Napolitaine, relayed from Antwerp. 10.0, Le Journal Parlé. 10.10, Popular Music on Gramophone Records. 11.0, Concert by the Penguin Club. 12 Midnight, Close Down.

BUCHAREST

234 metres; 12 kW.—9.15 a.m., Programme for Children. 9.30, Bible Reading. 9.45, Sacred Music. 10.0, Concert by the Ionescu Orchestra. 11.0, Popular Music on Gramophone Records. 11.45, News and Time Signal. 12 Noon, Light Music on Gramophone Records. 3.0, Programme for Peasants. 4.0, Concert of Light Music and Romanian Music by the Marco Orchestra. 5.0, News and Time Signal. 5.10, Talk. 5.25, Concert by the Marco Orchestra (cont'd.). 6.0, Talk on Romania: Her Pasture Lands. 6.30, Popular Music on Gramophone Records. 7.0, Time Signal. 7.2, An Operetta in Three Acts (Hechtmaacher). In the intervals: News.

BUDAPEST

550 metres; 18.5 kW.—Programme also relayed on 840 metres from 6.15 to 11.0 p.m.—8.0 a.m., News and Beauty Hints. 9.0, Divine Service Relay. 10.0, Catholic Service from the Church of the Sacred Heart, followed by Time, Weather, Announcements and Orchestral Concert. In the interval, Wireless Review. 1.0 p.m., Popular Music on Gramophone Records. 2.0, Agricultural Talk. 2.45, Educational Talk. 3.30, News. 3.40 (approx.), Military Band Concert. 4.30, Reading. 5.0, Concert, relayed from Miskolc. 6.15, Programme by F. Karinthi. 6.45, Recital of Hungarian Folk Songs by the Gyula Csorby Gypsy Orchestra. M. Bodan and Josef Cselenyi. 8.0, News. 8.15, Concert, relayed from the Café Ostende. 10.0, Concert by the Kernler Trio: Concerto No. 1, for Pianoforte, Violin and Cello (Rameau); Ballad and Dance (Molnar); Nocturne in E Flat, Op. 148, for Pianoforte, Violin and Cello (Schubert); Trio, Op. 101, in C Minor for Pianoforte, Violin and Cello (Brahms).

CASSEL.—See Frankfurt.

COPENHAGEN

281 metres; 0.75 kW.—and KALUNDBORG, 1,153 metres; 7.5 kW.—9.0 a.m., Divine Service from the Garrison Church. 10.30, Weather Forecast. 10.40, News. 11.0, Time and Chimes from the Town Hall. 11.5, Concert by Mogens Hansen's Instrumental Ensemble. 12 Noon, Talk in English: The Quakers. 12.20 p.m., Talk in German: Gustav Frenssen. 12.40, Talk in French: Old French Types. 1.0 to 1.25, Interval. 1.25, Light Music on Gramophone Records. 1.55, Programme for Children. 2.25, Concert, relayed from the Axelborg Studio. 4.0 (also relayed by Skamlebaek on 31.51 metres), Divine Service, relayed from the Castle Church, Christiansburg. 5.20, Talk: The Peasant in Danish Literature. Henrik Pontoppidan. 5.50, Weather Forecast. 6.0, News. 6.15, Time Signal. 6.17, Sports Notes. 6.30, Talk: Trade Schools and National Schools. 7.0, Chimes from the Town Hall. 7.5, Concert of Czech Music. 8.10, Talk and Trio Concert. 8.55, Light Music on Gramophone Records. 9.10, News. 9.20, Talk: Anecdotes about great Musicians. 9.40, Pianoforte Duets by Folmer Jensen and Ove Peters; Sonatina in C, Op. 66, No. 2 (Kublan); Characteristic March (Schubert). 10.0, Dance Music from the Wivex Restaurant. In the interval at 11.0, Time and Chimes from the Town Hall. 11.30 (approx.), Close Down.

CORK.—See Athlone.

DANZIG.—See Heilsberg.

DRESDEN.—See Leipzig.

DUBLIN.—See Athlone.

FECAMP

223 metres; 10 kW.—12 Noon, Radio Gazette. 12.30 p.m., News Bulletin. 12.40, Concert for Invalids. 4.0 to 8.0, Programme in English by the I.B.C. 4.0, Programme for Children. 4.30, Children's Club Concert. 5.0, International Broadcasting Club Concert for Manchester Listeners. Blaze Away (Holman); Overture, Morning, Noon and Night (suppé); O Maiden, my Maiden, from Frederika (Lehar); Overture, Zampa (Berlioz); Songs from The Belle of New York (Kerker); Colonel Bogy (Alford); Land of Hope and Glory (Elgar); For Valour; Selection from The Desert Song (Romberg); Why did you kiss my Heart awake, from Frederika (Lehar); Jolly fellow; El Felicario; Speak to me of love; The Manchester. 6.0, Organ Recital; Potpourri of Popular Melodies; Song without Words (Cheriatkovsky); Longing (Haydn Wood); Ca' est Madrid (O'Henry); Broken Dreams (Spitalny); Berceuse de Jocelyn (Godard); In the F (Rubenstein); Waltz Potpourri. 6.30, Russian Folk Music; Russian Folk Song and Dance (Traditional); The Red Sarafan (arr. Leontiev); Moonlight; Choir; The Twelve Robbers; In a Pine Forest (Traditional); Caucasian Gypsy Song; Choir; The Cossack Prisoners; Lovely Night (arr. Leontiev). 7.0, Orchestral Concert. Overture, Tamerced (Rossini); Prelude to Carmen (Bizet); Country Dance and the Merry-makers' Dance from the Nell Gwynn Suite (German); Overture, Stradella (Plotow); Ballet Music from Sylvia (Dolibes). 7.30, Orchestral and Vocal Concert. Selection

ATHLONE

413 metres; 60 kW.; and CORK, 224.4 metres.—8.30 p.m., Time Signal. 8.31, Vocal and Instrumental Concert. 11.0, Time Signal, News, Weather Report and Close Down.

BARCELONA

RADIO-BARCELONA, Call EAJI, 348.8 metres; 8 kW.—11.0 a.m., Chimes from the Cathedral and Weather Forecast. 1.0 p.m., Light Music on Gramophone Records. 1.30 (in an interval), Theatre Notes. 2.0, Film Review, followed by Concert by the Station Sextet. 3.0, Programme for Hospitals and other Benevolent Institutions with Gramophone Records. 4.0 to 5.30, Interval. 5.30, An Opera, relayed from the Gran Teatro del Liceo. In the interval: Agricultural Talk. 7.0, A Musical Comedy on Gramophone Records. 10.45, Chess Lesson. 11.0 (approx.), Close Down.

BARI

269.8 metres; 20 kW.—9.45 a.m., Agricultural Report. 10.5, Sacred Music. 10.20, Bible Reading. 12.0 Noon, Giornale Radio. 12.10 p.m., Quintet Concert. In the interval at 12.55, Weather Forecast, and at 1.0, Time Signal and Announcements. 4.30, Light Music on Gramophone Records. Sports Notes in the interval. 7.0, Sports Results and Giornale Radio. 7.30, Time Signal and Announcements. 7.35, Concert. In the interval, Announcements. 9.55, News Bulletin. BASLE.—See Schweizerischer Landessender.

BELGRADE

430.4 metres; 2.8 kW.—6.0 p.m., Yugoslav Folk Song Recital by Frau Petkovic-Milivojevic. 6.40, Wireless Talk. 7.10, Violin Recital by Professor Milan Dimitrijevic. 7.40, A Radio Play. 8.10, Concert by the Radio Orchestra. 9.10, News and Dance Music from the Pique Palais de Danse.

BERLIN

KONIGS WUSTERHAUSEN, 1,635 metres, 60 kW.—10.30 a.m., See Leipzig. 11.0 a.m., Concert from Berlin (Witzleben). 11.55 (in an interval), Nauen Time Signal. 1.0 p.m., Talk for Parents. 1.30, Gramophone Records for Children. 2.15, Talk for Young People. 2.40, Lyrics by Rudolf Paulsen. 2.55, Songs by Schubert: In der Ferne; Der Atlas; Ihr Bild; Das Fischermädchen; Am Meer; Der Doppelgänger; Die Taubenpost. 3.25, Talk: Art in Handicraft: German Wood and German Furniture. 3.55, Concert by the Colne Orpheus Glee Union and the Wireless Military Band, relayed from London. 5.0, Talk: The Plight of the Children and Relief in Thuringia. 5.30, Radio Report from Frankfurt. 7.0, See Vienna. 8.20, Concert of Modern Chamber Music: Suite for String Orchestra (Janacek); Three Anecdotes for Radio (Paul Hindemith); Prelude and Scherzo for String Octet, Op. 11 (Schostakowitsch); Italian Serenade for String Orchestra (Hugo Wolf). 9.20, Weather, News and Sports Notes. 9.45, Weather Report for Shipping. 10.0, Concert from Vienna. 11.0 (approx.), Close Down.

BERLIN

WITZLEBEN, 419.5 metres; 1.5 kW.—10.30 a.m., See Leipzig. 11.0, Wireless Matinee, relayed from the Winter Garden; The Berlin Wireless Orchestra, conducted by Bruno Seidler-Winkler; Soloists: Marguerite Petras and Joseph Schmidt. 1.0 p.m., Notes on the Week's Programme. 1.5, Talk: Is it worth while to train for a Career? 1.30 to 2.0, Programme for Children. 2.30, Orchestral Concert, conducted by Berthold Goldschmidt. 3.0, Talk with three boys at the school-leaving age. 5.0, See Stuttgart. 5.30, Radio Report from Frankfurt. 7.0 to 11.0, See Vienna. In an interval at 9.0, Weather, News, and Sports Notes. 11.0 (approx.), Close Down.

BERNE.—See Schweizerischer Landessender.

BEROMUNSTER.—See Schweizerischer Landessender.

BODEN.—See Stockholm.

BODOL.—See Oslo.

BORDEAUX-LAFAYETTE

304 metres; 13 kW.—8.0 a.m., Review of the Paris Morning Press and News relayed from Paris (Ecole Supérieure), 447.1 metres. 11.0, Running Commentary on the International Skiing Championship, relayed from Grenoble, 566 metres. 12 Noon, Concert, relayed from Paris (Ecole Supérieure). 2.0, Relay from Paris or Relay of a Local Festival. 2.30, Symphony Concert, relayed from Paris (Ecole Supérieure). 4.0, A Radio Report from Nice. 7.30 (approx.), Radio Journal. 7.45, Sports Talk. 8.0, Talk for Ex-Servicemen. 8.15, Lottery Results. 8.30, Light Music on Gramophone Records. 9.0, Dance Music with Gramophone Records in the intervals.

BRATISLAVA

279 metres; 14 kW.—11.5 a.m., See Brno. 12.30 p.m., See Prague. 12.45, Agricultural Report. 1.0, Hydrographic Report. 1.5 to 2.0,

FEB. 19th

SUNDAY

continued

from Les Millions d'Harlequin (Drigo); Songs: (a) The Lass with the Delicate Air, (b) When the House is asleep, (c) Come back to Sorrento, (d) I hear you calling me, (e) Little Brown Owl, (f) One Morning very early; Old Spanish Song (Aubert). 8.0, Concert of Opera and Operetta Music. 9.0 till Close Down, Programme in English by the I.B.C. 9.0, Military Band Concert. Selection from Floradora; Páree (Padilla); Jungle Drums (Kettelbey); Valencia (Padilla); The Battle of Waterloo (Eckersberg); March, King Cotton (Souza); Medley of British Songs. 9.30, Concert of Light Music. Selection from La Traviata (Verdi); Tenor Solo: Sigh no more Ladies (Stevens); Song: Bonnie Mary of Argyll (Traditional); Octet: Goliwog's Cakewalk (Debussy); Negro Spiritual: Sometimes I feel like a motherless child (arr. Lawrence Brown); Baritone Solo: Drake's Drum (Stanford); Waltz Song from La Bohème (Puccini). 10.0, Light Orchestral and Vocal Concert. Over the Waves (Rosas); Songs (a) Bright Eyes (Reeves), (b) A Bachelor Gay (Tate); Waldteufel Memories (arr. Finck); Songs: (a) Marika (Collins), (b) If I were King (Coslow); Soldatenlieder (Gungl). 10.30, Concert of Light Music: Just a little home for the Old Folks; I'm sure of Everything but you; What more can I ask; Brighter than the Sun; Night after Night; Wheezy Anna; I can't believe it's true; Please handle with care; In a shanty in old Shanty Town. 11.0, Orchestral Concert: Selection from The Beggar's Opera (Gay); In the Sudan (Sebek); Suite, Americana (Thurban); Black Eyes (Ferraris); Fairy on the Clock (Myers); The Wedding of the Rose (Jessell). 11.30, Music by an Accordion Band: Selection from Carmen (Bizet); C'est un petit nid (Eblinger); J'aime la musique (Parsons); Mona Lisa (Carter); Selection from Faust (Gounod); La Javanette (Bozi); Les bas a pointes (Lefebvre); Whistling Waltz (Reeves). 12.0 **MIDNIGHT**, International Broadcasting Club Concert for Manchester Listeners: Blaze Away (Holman); Overture, Morning, Noon and Night (Suppé); O Maiden, my Maiden, from Frederika (Lehár); Overture, Zampa (Herold); Songs from The Belle of New York (Kerker); Colonel Bogey (Alford); Land of Hope and Glory (Elgar); For Valour; Selection from The Desert Song (Romberg); Why did you kiss my heart awake, from Frederika (Lehár); Jolly Fellow; El Rileario; Speak to me love; The Manchester. 1.0 a.m. (Monday), Pianoforte Recital: Ravourite Tunes; I found you (Noble); One Night alone with you (Jeffreys); Let love take care of you (van Phillips); Hot Scotch (Peterson); Selection from The Big Pond; Squirrel Dance (Elliott Smith); More Favourite Tunes. 1.30, Popular Songs: I don't wanna go home (Gilbert); Never swat a Fly (de Sylva); Eleanor (Hanley); Concertina Solo: Lopeziana (Alter); I've got a feeling (Nicholls); Sittin' on a Five Bar Gate (Hargreaves); I'm in the Market for you (McCarthy); Concertina Solo: Marilyn (Alter). 2.0, Dance Music. 2.57, I.B.C. Good-night Melody. 3.0 (approx.), Close Down.

FLÉNSBURG.—See Hamburg.
FLORENCE.—See Turin.
FRANKFURT
259 metres; 17 kW.; and CASSEL, 245.9 metres.—10.30 a.m., See Leipzig. 11.0, See Stuttgart. 11.15, Concert. 12.5 p.m. (approx.), Concert from Langenberg. 1.20, Rural Programme—Three Talks. 2.30, Programme for Young People. 3.30, Dialogue: Comradely Help. 3.55, Military Band and Choral Concert from London. 5.15, Part Relay of the Women's Session of the Mainz Carnival Society. from the Stadthalle, Mainz. 9.30, Time, News, Weather, and Sports Notes. 10.0, Concert from Munich. 11.0 (approx.), Close Down.
FREDRIKSSTAD.—See Oslo.
FREIBURG.—See Stuttgart.
GENEVA.—See Radio-Suisse Romande.
GENOA.—See Turin.
GLEIWITZ.—See Breslau.
GDTEBORG.—See Stockholm.
GRAZ.—See Vienna.
HAMAR.—See Oslo.

HAMBURG
Call ha (in Morse), 372 metres; 1.5 kW. Relayed by Bremen, 260.8 metres; Flensburg, 227.4 metres; Hanover, 566 metres; and Kiel, 232.2 metres.—10.30 a.m., See Leipzig. 11.0, Concert from the Deutsche Haus, Flensburg. 11.55 (in an interval), Time and Weather. 1.0 p.m., Love in Everyday Life—A Play (Alfred Merwick). 2.0, Programme for Children. 2.35, Reading of Modern Fairy Tales. 3.0, Schleswig-Holstein Programme by the Norag Quartet and Bernhard Jackschatt (Songs). 3.30 (from Bremen), Wind Instrument Concert from the Astoria, Oldenburg. 4.30 (from Kiel), Chinese Plays—Programme relayed from Kiel University Literary and Dramatic Institute. 5.30, Part Relay of the Women's Session of the Mainz Carnival Society from Frankfurt. 6.30, Norag Sound Service. Ju-Jitsu versus Boxing and Wrestling. 6.40, Sports Notes. 6.55, Weather Report. 7.0 (from Bremen), The Bi-Centenary of the Oldenburg Landestheatre—Gala Concert, conducted by Prof. Abendroth: Pre-

lude to The Mastersingers (Wagner); The Second Symphony in D (Brahms); Fifth Symphony in C Minor (Beethoven). News in the interval. 9.0, Time and Second News. 9.10, Topical Talk. 9.30, Carnival Programme—Dances in Costumes and Masks. The Norag Chamber Orchestra, the Scarpa Orchestra, and the Norag Artists.
HANOVER.—See Hamburg.

HEILSBURG
276.5 metres; 60 kW.; and DANZIG, 453.2 metres.—10.0 a.m., Concert of Request Music: Tony Jaekel (Soprano and Lute), Kees Veening (Baritone), and Gerhard Ruchel (Violin). 10.40, Reading: Hymns to Germany (Gertrud von Le Fort). 11.0, See Berlin (Witzleben). 1.0 p.m., Chess Lesson. 1.30 (from Danzig), Talk for Young People. 2.0, The Princess and Death—A Fairy Radio Play (Alexius Rothgangel). 2.40, Concert by the Small Station Orchestra, conducted by Eugen Wilken. In the interval at 3.30 (approx.), Racing Results. 4.30 (from Danzig), Erwin Dressel Song Recital by Bruno Korell (Tenor). 5.0, Musical Handwriting—An Interview with the Inventor, Rudolf Pfenniger. 5.30 (from Danzig), The Danzig Painter-Poet Robert Reinick—Memorial Programme. Talk: From the Life of Robert Reinick. Children's Songs by Gustl Heinrichsdorff. 6.0, East Prussia's Musical Past—In the Time of Duke Albert. Concert, relayed from Königsberg Castle. The University Musical Society. Members of the Small Station Orchestra and Soloists: Charlotte Bousa-Piratzky (Soprano), Dr. Erwin Ross (Bass) and Margarete Schuchmann (Spinet); In Gottes Namen fahren wir (Stoltzer); Es ist das Heil uns kommen her (Walther); Tischgebet (Kugelmann); Nun lob' mein Seel' den Herrn (Berselbe); Non moriar sed vivam (Senfl); Laudate Deum (Eckel); Deutsche Lieder (Isaac-Greitter-Finck); Maria zart (Schlick); Dein lieblich Bild (Schlick); Dances for Spinet; Two Folk Songs (Senfl); Trinklied (Dietrich); Dances for Wind Instruments; Das Lied von den Strassenrufen (Kugelmann); Tanzlied (Senfl). 7.0, Sports Notes. 7.15, Concert of Carnival Music. 9.0, News and Sports Results. 9.30 (approx.). Report on the East Prussian Ski-jumping competition, relayed from Lützen (on Gramophone Records). 9.20 (approx.), See Vienna. 11.0 (approx.), Close Down.

HILVERSUM
Announced HUIZEN, 296.1 metres; 20 kW (7 kW up to 4.40 p.m.)—11.55 a.m. to 4.40 p.m., Programme of the Catholic Radio Society (K.R.O.). 11.55, Concert by the K.R.O. Boys, conducted by P. Lutenhauer. Soloist: J. Mossel (Songs). 12.40 p.m., Political Talk. 1.0, Concert (cont'd.). 1.50, Review of New Books. 2.10, Concert by the K.R.O. Orchestra, conducted by M.v.t. Woud. 4.0, Programme for Invalids. 4.40 to 7.25, Programme of the Christian Radio Society (N.C.R.V.). 4.40, Sacred Music by a Mixed Vocal Quartet. 5.30, Divine Service from a Church in Amstelveen. 7.25 till Close Down, K.R.O. Programme. 7.25, Talk. 7.45, Football Results. 7.50, Concert by the K.R.O. Orchestra, conducted by Johan Gerritsen: Selection from The Bartered Bride (Smetana); Ein Märchen (Nicolé); Auf dem Lande (Nicolé); Donauwellen (Ivanovic). 8.10, Agricultural Talk. 8.40, News Bulletin. 8.45, Concert by the K.R.O. Orchestra, conducted by J. Gerritsen: Overture, Alfonso und Estrella (Schubert); Symphony in G, No. 6 (Haydn). 9.10, Gramophone Records. 9.20, Concert by the K.R.O. Orchestra. 10.30, Epilogue. 10.40 (approx.), Close Down.

HOBBY.—See Stockholm.
HUIZEN
Announced HILVERSUM, 1,875 metres; 8.5 kW.—11.40 a.m. to 4.40 p.m., Programme of the Algemeene Vereeniging Radio Omroep (A.V.R.O.). 11.40 a.m., Time Signal. 11.41, Concert of Light Music by Kovacs Lajos and his Orchestra, with Songs by Bob Scholte and a Girls' Choir. 1.40 p.m., Weekly Book Talk. 2.10, Wagner Concert by the Concertgebouw Orchestra, conducted by Erich Kleiber. Soloist: J. Urtus. Eine Faust-Ouvertüre; Selection from Lohengrin; Overture, The Flying Dutchman; Selection from Tannhäuser. 3.40, Talk. 4.10, Variety Music on Gramophone Records and Sports Notes. 4.40 to 7.40, Programme of the Workers' Radio Society (V.A.R.A.). 4.40, Programme for Children. 5.40, Concert by a V.A.R.A. Children's Choir, conducted by Hugo de Groot, Gramophone Records in the interval. 5.55, Concert by De Filereiniters, conducted by Hugo de Groot. Soloist: Esther Philipe (Songs). In the interval at 6.30, The Adventures of Messrs. Wakker and Tropicuit. 7.40 till Close Down, A.V.R.O. Programme. 7.40, Time Signal. 7.41, News Bulletin. 7.55, Concert by Jack Payne and his Band. 8.40, A Radio Play. 9.10, Concert by the Wireless Orchestra, conducted by Nico Treep. Soloists: Boris Lensky (Violin), Pierre Palla (Pianoforte), and Henk Viskil

(Song). 11.10, Light Music on Gramophone Records. 11.40 (approx.), Close Down.
INNSBRUCK.—See Vienna.
KALUNDBORG.—See Copenhagen.
KAUNAS
1,935 metres; 7 kW.—5.0 p.m., Time, Weather and Political Review. 5.20, Talk for Soldiers. 5.50, Variety Programme. 6.10, Talk on Gardening. 6.30, Popular Concert. 7.20, Archaeological Talk. 7.40, Variety Programme. 8.0, Talk. 8.20, Popular Concert. 9.30 (approx.), Close Down.
KIEL.—See Hamburg.
KLAGENFURT.—See Vienna.
KOSICE.—See Prague.

LANGENBERG
473 metres; 60 kW.—8.0 a.m., Catholic Service. 9.15, Programme for Invalids. 10.0, Talk: German Landscape and German Art. 10.30, See Leipzig. 11.0, Talk: The Effect of Fashion on the Silk-weaving Industry. 11.20, Talk: Musicians who died young—Norbert Burgmüller—IV. 11.45, Talk: The Week's Music. 12 Noon, Orchestral Concert. 1.30, p.m., Shorthand Practice. 2.0, See Stuttgart. 2.35, Chess Lesson. 2.55, Talk on Spitzweg on the 125th Anniversary of his Birth. 3.15, Poetry Reading: Friedrich Schuck. 3.30, See Stuttgart. 3.55, Wind Instrument Concert from London. 5.15, See Frankfurt. 6.0, The World on Gramophone Records: German Song in Brazil. 6.30, Talk: The Polish Corridor Problem in Foreign Literature. 6.50, Sports Report. 7.0 to 9.1, Variety Programme. 7.45, Concert by the Station Orchestra, conducted by Büschkötter. Soloists: Paul Eggert (Pianoforte) and Bronislaw Mittmann (Violin); Burlesque in D Minor (Strauss); La valse (Ravel); Bolero (Ravel); Violin Concerto in D (Tchaikovsky); In an Interval from 8.0 to 8.25, Reading: Die Hollandreise (Wilhelm Schäfer). 9.5, News and Sports Notes. 9.20 (approx.), Report on the Halle Swimming Championships, from Leipzig (on Gramophone Records). 9.45, See Munich. 11.0 (approx.), Close Down.

LAUSANNE.—See Radio-Suisse Romande.
LEIPZIG
389.6 metres; 120 kW.; and DRESDEN, 319 metres.—10.30 a.m., Leibesübende Flattirgergeister—Cantata (Bach), by the Municipal and Gewandhaus Orchestras, the Choir of St. Thomas, and Soloists. 11.0, Concert by the Orchestra of the Friedrichsheim, Dessau. 1.0 p.m., Weather and Time. 1.5, Programme Announcements. 1.25, Agricultural Hints. 1.35, Concert by a School Orchestra. 2.0, Johannes Weirich reads from his own works. 2.30, Trio for Pianoforte, Violin, and Cello, Op. 102 (Max Reger). 3.0, Das Mädchen aus der Fremde (The Girl from Abroad)—Comedy (Korff Holm). 4.0, Concert of Light Music by the Emdé Orchestra. 5.0, Talk, with Gramophone Illustrations: Haydn's Spieluhr. 5.35, Choral Concert. 6.5, Sports Reports: (a) Part Relay of the International Ski Championships from Stuttgart, (b) Part Relay of the Swimming Tournament in Halle, (c) Part Relay of the Czechoslovak Ski Championships from Breslau (on Gramophone Records). 7.0 to 8.45, See Vienna. 8.45, Topical Talk. 9.5, News Bulletin. 9.20 (approx.), Concert from Vienna. 11.0 (approx.), Close Down.

LINZ.—See Vienna.
MADRID
ARANJUEZ (EAQ), 30.43 metres; 20 kW.—10.30 p.m., Variety Concert. 10.45, Humorous Talk. 11.0, Variety Concert (cont'd.). 11.35, Talk. 11.40, Light Music. 12 **MIDNIGHT** (approx.), Close Down.

MADRID
UNION RADIO; Call EAJ7, 424.3 metres; 2 kW.—8.0 to 9.0 a.m., Topical Review. 2.0 p.m., Chimes, Time, Theatre Review and Concert by the Arty's Orchestra. 4.0 to 7.0, Interval. 7.0, Chimes and Dance Music, from the Hotel Ritz. 7.30 (in the interval), Agricultural Talk. 8.30 to 9.30, Interval. 9.30, Chimes, Time, Baritone Song Recital by Jose Angerri, Interlude by Ramon Gomez de la Serna and Violin Recital by Manuel Ferez Diaz. 12.0 **MIDNIGHT**, Chimes and Close Down.
MALMO.—See Stockholm.

MILAN.—See Turin.
MORAVSKA-OSTRAVA
263.8 metres; 11 kW.—11.5 a.m., See Brno. 12.30 to 1.15 p.m., See Prague. 2.30, See Prague. 3.30, Concert by the Station Orchestra, conducted by B. Tyrdy. Part I, Grieg Music. Part II, Dance Music. 4.30 to 5.45, See Prague. 6.0, See Prague. 8.30, See Bratislava. 9.0, See Prague. 10.0 (approx.), Close Down.

MOSCOW
TRADES UNION; 1,304 metres; 190 kW.—4.0 p.m., News. 4.10, Announcements. 4.30, Tales about Machines. 5.30, Variety Programme, relayed from the Conservatoire. 8.0, Talk in English: How the face of

Russia has been changed through the Revolution. 8.55, Time Signal. 9.5, Press Review.
MOTALA.—See Stockholm.
MUHLACKER.—See Stuttgart.
MUNICH
533 metres; 60 kW. Relayed by Augsburg and Kaiserslautern, 660 metres; and Nürnberg, 239 metres.—10.30 a.m., See Leipzig. 11.0, Running Commentary on the German International Skiing Championship at Baiersbrunn. 11.15, See Frankfurt. 12.5 p.m., Time, Weather and Programme Announcements. 12.15, Agricultural Talk. 12.35, Light Music on Gramophone Records. 1.25, Elementary Chess Lesson. 2.5, Programme for Children. 2.30, Championships of the German Winter Sports Union in Czechoslovakia, relayed from Röhmerstadt. 3.5, Upper Bavarian Philosophy—Literary and Musical Programme. 3.50, Orchestral Concert, conducted by Georg Ebner. 4.5, Talk: Fifty Years of Religious Freedom in Japan. 5.25, An Appeal for the Winter Relief Fund. 5.45, Hugo Wolf Song Recital for the Thirtieth Anniversary of his Death: Karl Erb (Tenor), Martha Marten (Soprano), Max Hartmann (Baritone), and Richard Staab (Pianoforte); Gesellenlied; Biterolf; An die Geliebte; Nixe Binseles; An den Schlaf; Der Musikant; Cophtisches Lied No. 2; Epiphany; St. Nepomuks Votabend; Der heilige Josef singt; Ach, im Mühen war's Herz verzagt nicht geschwin!; O, wir dein Haus; Gesehnt sei das Grün; Ich hab' in Peina einen Liebsten wohnt; Wohl denk ich oft; Alles endet, was entsteht. 6.35, Report on the German International Ski-Jumping Championship at Mittellal, followed by Weather and Sports Notes. 7.0, See Vienna. 8.20, Orchestral Concert, conducted by Karl List: Soloist, Anita Oberländer (Soprano); Carnival Overture (Reuter); Song, Wie nahte mir der Schlummer, from Der Freischütz (Weber); scherzo capriccioso (Dvorak); Aria from The Force of Destiny (Verdi); The Nutcracker Suite (Tchaikovsky). 9.20, Time, Weather, News and Sports Notes. 9.45, Serenade, conducted by Erich Klosz. 11.0 (approx.), Close Down.
NAPLES.—See Rome.
NOTODDEN.—See Oslo.
OSLO
1,083 metres; 60 kW. Relayed by Fredrikstad, 365.8 metres; Hamar, 574.7 metres; Notodden, 447.1 metres; Porsgrund, 451.2 metres; and Rjukan, 447.1 metres.—10.0 a.m., Divine Service. 4.0, Concert by the Station Orchestra. 5.0, Talk. 5.20, Jazz concert—Play (Sacha Guitry). 6.0, Jazz Music on Gramophone Records. 6.5, Weather and Press review. 6.30, Concert of Light Music. Soloist: Trygve Christensen (Violin). 7.0, Time Signal. 7.1, Recitations. 7.30, Choral Concert of Sacred Music, relayed from the Fagerberg Church. Soloists: Hans Tveten (Baritone) and Arid Sandvold (Organ). Herre hör' uns (Mendelssohn); Gott in der Natur (Schubert); Psalm (Ulfstrand); Hymn (Haarkoll); Alo Verum (Mozart); Der Herr ist König (Bühning); Pilgrims' Chorus from Tannhäuser (Wagner). 8.40, Weather and News. 9.0, Topical Talk. 9.15, Instrumental Concert of Popular Music. 10.15, Dance Music on Gramophone Records.
OSTERSUND.—See Stockholm.
PALERMO
542 metres; 3 kW.—9.25 a.m., Bible Reading. 9.40, Sacred Music. 10.5, Talk on the Corn and Olive-Growing Competitions. 11.5, Giornale Radio. 12 Noon to 1.0 p.m., Light Music, relayed from the Olympia Tea Rooms. 12.30 (in an interval), Time Signal, Announcements, and Weather Forecast. 4.30 to 5.0, Variety Concert by the Station Orchestra. 7.0, Dopolavoro Notes and Giornale Radio. 7.20, Sports Notes. 7.30, Time Signal and Announcements. 7.45, The Ninth Symphony in D Minor (Beethoven). 8.45, Popular Songs. 9.55, News Bulletin.
PARIS
EIFFEL TOWER; Call FLE; 1,445.7 metres; 13 kW. Time Signals (on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and dot Signals)—12.30 p.m., Programme relayed from Paris (Ecole Supérieure) (447.1 metres). 1.0 to 2.0, Concert by the Rex Orchestra. 5.45, Le Journal Parle. 6.45, Programme for Children. 7.20, Weather Report. 7.50, Gramophone Concert: Ballet Music from Sylvia (Delibes); Arioso (Delibes); Ballet Music from Nala (Delibes); Oti va la jeune Hindoue, from Lakme (Delibes); Selection from Mignon (Thomas); Waltz-Mazurka, La Freya (Thomas); Selection from Les Saltimbanques (Ganne); Laika Como (Galos); Selection from Il est charmant (Moretti); Dornroschens Brautfahe (Rhode); Heinzelmanschens Wachtparade (Noack); Xylophonia (Green); Valse amoureuse (Sylviano); Arrongancia andalusa (Brugnera); Selection from La Vie Parisienne (Offenbach). 9.0 (approx.), Close Down.
PARIS
POSTE PARISIEN, 328.2 metres; 60 kW.—9.45 a.m., Bible Reading. 10.0, News. 10.1, Sponsored Concert. 11.5, Sponsored Pr-

FEB. 19th

SUNDAY

continued

gramme, 11.40, Sponsored Gramophone Concert. 12.15 p.m., Sponsored Concert. 12.45, Half-an-Hour of Fantasy by Paul Weill. 1.15, Interval. 1.30, Sponsored Programme. 2.0, Sponsored Concert. 2.30, Interval. 6.45, Journal Parlé. 6.50, Sports Notes. 7.0, Catholic Review. 7.30, Orchestral Concert of Light Music. 8.30, Interval. 8.45, Sponsored Concert with Gramophone Records. 10.30, News.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW.—7.45 a.m., Light Music on Gramophone Records. 8.0, Press Review and Weather. 8.30, Physical Culture. 10.0, Elementary Book-keeping Lesson. 10.40, Spanish Lesson. 11.30 to 12 Noon, Programme in English by the I.B.C. Gramophone Concert: In a Monastery Garden, by the Commodore Grand Orchestra; Let's have a Party, by Leslie Holmes and his Smiling Voice; Slow Fox-trot, Just a Little Home for the Old Folks, by the Blue Mountaineers; Comedy Waltz, Puss! Puss! Puss!, by the Blue Mountaineers; Charlie makes whoopee, Part 1, by Charlie Higgins (Comedian), assisted by Bert Bray; Waltzland, Part 2, by Roma's Accordion Band, with Vocal Chorus; Horses carry Tails, by Monte Hunter, with Instrumental Accompaniment; Fox-trot, Please, from The Big Broadcast, by Jack Payne and his Band. 12 Noon, Religious Address by the Reverend Father Padé. 12.20 p.m., Sacred Music. 12.30, Bilboquet as a Second-hand Bookseller. 12.45, Press Review, News and Weather. 1.0, Orchestral Concert. 1.30 to 3.30, Programme in English by the I.B.C. 1.30, Gramophone Concert: Maria, Mari!, by Galla-Rini (the Wizard of the Accordion); I'm sure of everything but you, by Sam Browne; Just an Echo in the Valley, by Bing Crosby; This is no Dream, by Ed. Lloyd and his Orchestra; Rumba, The Voodoo, by Vincent Lopez and his Hotel St. Regis Orchestra; Till to-morrow, by Nick Lucas (The Crooning Troubadour); Dinah, by Bing Crosby and the Mills Brothers; Brighter than the Sun, by Maurice Winnick and his Orchestra. 2.0, Gramophone Concert: Rock-abye your Baby, by Al Jolson, with Guy Lombardo and his Royal Canadians; Di Te, by Alfred Piccaver (Tenor); Brother, can you spare a Dime?, by Bing Crosby; The Wise old Owl said "Hoo!", by Jenny Howard; Dear Love, my Love, by Alfredo Campoli and his Salon Orchestra; Wheezy Anna, by Bobby Brown and his Accordion Band; Sing, red Sun, by Emil Cruickshank (Contralto); Neapolitan Nights, by Paul Godwin and his Orchestra; First Hungarian Dance, by the Berlin Philharmonic Orchestra, conducted by Wilhelm

Furtwangler; Out of the Darkness, by The Street Singer; Here lies Love, by Harold Ramsey at the Wurlitzer Organ at the Granada Cinema. Tooting. 3.0, Concert. Fred Adison and his Band: One-step, Crazy People; Slow Fox-trot, Hummin' to myself; Selection from Countess Maritza (Kálmán); Songs by Alexandra Livejinska: (a) Say it isn't so, (b) Viens dans mes bras; Waltz, Wiener Blut (Joh. Strauss); One-step, I don't want to go to Bed. 3.30, Orchestral Concert. 4.0 to 6.0, Programme in English by the I.B.C. 4.0, Tea-Time Variety Hour, Mr. S. H. C. Williams announcing. 5.0, Variety Hour. Announcer: Mr. Glynne Williams. Foundation Member No. 20 of the International Broadcasting Club. 6.0, Variety Concert. 6.30 to 8.0, Programme in English by the I.B.C. 6.30, Concert of Light Music. 7.0, Film Fans' Hour, Mr. S. H. C. Williams announcing. 8.0, Music Hall Programme. The Orchestra, conducted by Maurice André. Soloists: Yvonne Regis and M. Reger (Songs). In the intervals at 8.0, News Sport Notes and Weather, and at 9.15, Press Review and News.

PITTSBURGH

WESTINGHOUSE ELECTRIC, KDKA, 306 metres; 25 kW. Relayed by W8XK on 48.86 metres and 25.27 metres—9.0 p.m., Temple of Song, from New York. 9.30, Vesper Services from Shadyside Presbyterian Church, Pittsburgh. 10.30, Pages of Romance, from New York. 11.0, Sealed Power, from New York. 11.30, Time Signal. 11.31, Weather Report. 11.32, Teaberry Sport Review. 11.37, Press News Reeler. 11.42, Strange Facts. 11.44, Temperature Report. 11.45, Programme to be announced. 12 Midnight, Time Signal and Westinghouse Concert. 12.30 to 3.45 a.m. (Monday), New York Relay. 12.30 a.m., Great Moments in History. 1.0, Russian Gaities. 1.30, Mexican Symphonic Marimba Orchestra. 2.0, Twenty Thousand Years in Sing Sing. 2.30, Walter Winchell. 2.45, Jubilo—Singer of the Lonesome Road. 3.0, D. W. Griffith's Hollywood. 3.15, Real Silk. 3.45, Jean Wald and her Vagabonds. 4.0, Time Signal. 4.1, Teaberry Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.15, Press Last Minute News. 4.20, Alexander Roy (Tenor). 4.30, Jesse Crawford (Organist) from New York. 5.0, Time Signal and Goodnight.

PORSGRUND.—See Oslo.

PRAGUE

488.6 metres; 120 kW.—9.25 a.m., Jaroslav Vrchlicky Memorial Programme on the Poe's Eightieth Birthday—Recitations, Talk and Music, relayed from the Town Hall. 10.25, Quartet Concert. 11.0, Chimes from the Church of St. Ludmila. 11.5, See Brno. 12.30 p.m., Agricultural Talk. 1.15 to 1.25, Talk: Pensions in Yugoslavia. 2.30, Running Commentary on the International Ice Hockey Championship from the Winter Stadium. 3.30, See Moravská-Ostrava. 4.30, Talk: The American Skyscrapers. 4.45, Popular Music on Gramophone Records. 5.0, German Transmission: Five One-Act Plays. 5.45 to 6.0, Interval. 6.0, Uncle Tom's Cabin—a Sound Film (Karel Seidl) in the Studio. 7.30, Running Commentary on the International Ice Hockey Championship (continued). In the interval at 8.0, Time. 8.30, See Bratislava. 9.0, Time Signal. 9.2, News and Sports Notes. 9.15, Running Commentary (cont'd). 10.0 (approx.), Close Down.

RADIO-SUISSE ROMANDE

SOTTENS, 403 metres; 25 kW.; LAUSANNE, 680 metres; and GENEVA, 760 metres.—8.55 a.m. (from Lausanne), Chimes. 9.0 (from Lausanne), Protestant Service. 10.0, Light Music on Gramophone Records. 11.0 (from Geneva), Literary Talk. 11.30, News and Weather Forecast 11.40 to 1.0 p.m. (from Geneva), Gramophone Records of Variety Music. 5.30 (from Geneva), Catholic Address. 6.0 (from Bulle), Talk: The Art Traditions of Fribourg and District. 6.20 (from Bulle), Popular Songs. 6.40 (from Lausanne), Sports Notes and News. 7.0 (from Bulle), Concert by the Bulle Municipal Orchestra, conducted by M. Radranx. 7.45, Concert by the Radio Orchestra. 9.0, News and Weather. 9.10 (from Geneva), Talk: The Work of the League of Nations. 9.25 (approx.), Close Down.

RJUKAN.—See Oslo.

ROME

Call IRO, 441 metres; 50 kW. Relayed by Naples, 319 metres; and 2RO, 25.4 metres.—9.10 a.m., Sports Notes and Amusement Guide. 9.30, Agricultural Report. 9.45, Bible Reading. 10.0 to 11.0, See Turin. 11.30, Orchestral Concert. In the interval at 12 Noon, Time and Announcements. 12.30 to 1.30 p.m., See Turin. 2.45 (Naples), Programme for Children, followed by Weather

and Sports Notes. 3.0, Football Results. 4.0, Concert conducted by Karl Elmendorf, relayed from the Politeama Fiorentino. Sports Notes in the interval. 6.30, Sports Notes and News. 7.0, Time and Announcements. 7.45, Orchestral Concert, conducted by Riccardo Santarelli, with Arrigo Serato (Violin); Concerto grosso in F Minor (Locatelli); Concerto in E for Violin and Orchestra (Bach); Talk: Across Rome; Concerto in D for Violin and Orchestra (Beethoven); Dances from William Tell (Rossini). News after the Programme.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY, WGY, 379.5 metres; 50 kW. Relayed at intervals by W2XAF on 31.48 metres and by W2XAD on 19.56 metres.—7.0 p.m. till Close Down. New York Relay. 7.5, Musical Programme. 10.25, Clyde Dorr and his Saxophone Octet. 7.50, Moonshine and Honysuckle. 8.0, Wayne King's Orchestra. 8.30, Hour of Worship. 12 Midnight, Harmonica Rascals. 12.15 a.m. (Monday), Wheatenaville. 12.36, Pickens Sisters—Harmony Trio. 12.45, Smith Brothers Programme. 1.0, Chase and Sanborn Hour. 2.0, General Electric Sunday Circle Concerts. 2.30, American Album of Familiar Music.

SCHWEIZERISCHER

LANDESENDER

BEROMUNSTER, 459 metres; 60 kW.; BASEL, 244.1 metres; and BERNE, 245.9 metres.—9.0 a.m. (from Berne), Catholic Address. 9.45 (from Lugano), Benedicamus Domino (Perosi) by the St. Cecilia Choir. 10.25 (from Berne), Dr. Hans Mühlstein reads from his book Jürg Jenatsch. 11.0, Concert by the Radio Orchestra. 11.28, Time and Weather. 11.30, News Bulletin. 11.40, Concert by the Radio Orchestra. 12.30 p.m. (from Berne), Concert of Marches. 1.0 (from Berne), Talk: The Production of Pure Milk. 1.30 to 2.30, Interval. 2.30, A-Cappella Songs on Gramophone Records. 3.0 (from Berne), Talk with Gramophone Illustrations: From the Minuet to the Rumba. 3.30, Gramophone Dance Music. 4.0, Weather. 4.5 to 5.30, Interval. 5.30 (from Berne), Talk in French: French Literature from 1820—1930—Symbolism, with Readings from the Works of Baudelaire, Verlaine, Mallarmé, de Régner, Verhaeren, Maeterlinck and Péguy. 6.0, Time, Weather and Sports Notes. 6.10 (from Berne), Rural Programme by the Edelweiss Yodelling Club and the Zwohler Peasant Orchestra, with Variety Items. 7.10 (from Berne), Talk: Angelica Kauffmann—the Friend of Herder

DONT HAVE RADIO TROUBLES

The DOCTOR OF RADIO will solve them for you



The PIFCO Radiometer is as essential to the radio owner as a stethoscope is to the doctor. It diagnoses instantly the cause of any trouble, however abstruse. This amazing instrument ensures a new standard of radio reception by locating trouble in all its stages. Ask to see it demonstrated at your radio dealer's or electrician's. If any difficulty, send P.O. direct to—

PIFCO LTD., High Street, MANCHESTER or 150 Charing Cross Road, London, W.C.2.

De Luxe Model for Electric Receivers, Mains Units and Battery Sets.

£2 : 2 : 0

Standard Model "All-in-One" Radiometer for Battery Sets only, as shown here.

PIFCO ALL IN ONE RADIOMETER

CUT OUT THE LOCAL AND GET HILVERSUM

CLEAR, LOUD, UNDISTORTED, AND OTHER FOREIGN STATIONS JUST FIX A PIX IN YOUR AERIAL

ENJOY foreign concerts while your local station is working or when foreign stations are preferred with a powerful PIX in your aerial.



2/6 WITH CLIP 2/9

PIX

PIX leads the way to better radio. Better than a standard antenna, PIX antenna equally well on a crystal, battery or a.c. set. Ask your local dealer or send postal order NOW.

THE BRITISH PIX Co. Ltd. (Incl. 487) Southwick Street, London, E.E.1.

118/28.

FEB. 19th

SUNDAY

continued



there will be a discussion between —

The quality of reproduction of the human voice is one of the acid tests of good reception—the piano is the other. With the ATONIC Supercharged Radio Battery, speech is vastly improved through the reserve of power which this Battery gives your set. It puts punch and power into every sound and syllable; a delicacy to every note.

ATONIC



THE SUPER-CHARGED RADIO BATTERY

is made by the same big battery Company that makes stationary batteries for B.B.C. Transmitting Stations. Could you have a greater guarantee of the wealth of experience and sound construction behind these unusually fine batteries? Give your set ATONIC and see how good it really is.

IF YOUR DEALER CANNOT SUPPLY
WRITE TO:—

THE
ALTON BATTERY COMPANY
LTD.

ALTON HANTS

Telephone: ALTON 67.

Telegrams: "BATTERY, ALTON."

and Goethe, 7.40 (from Berne), Unfamiliar Songs by Brahms, by Marianne Raschlaut (Soprano), Eva von Känel (Contralto), Erwin Tüller (Tenor) and Ernst Schlöfli (Baritone), with the Radio Orchestra, conducted by Kurt Joss, 8.30, Weather and News, 8.40, Concert of Operetta Music by the Radio Orchestra, 9.5 (from Berne), The Séance—an Experiment, 9.15, Sports Notes, 9.25 (approx.), Close Down.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SASA, 436 metres; 55 kW. Relayed by Boden, 1,229.5 metres; Göteborg, 322 metres; Hörby, 257 metres; Motala, 1,348 metres; Östersund, 770 metres; and Sundsvall, 542 metres.—10.0 a.m., Divine Service Relay, 11.45, Weather and Ice Report, 1.30, Symphony Concert, 3.0, Dialogue, 3.45, Popular Music on Gramophone Records, 4.5, Programme for Children, 4.30, Talk: Swedish People in Italy and France, 5.0 (from Sundsvall), Evensong, 6.15, Weather and News, 6.30, There's always Juliet—Comedy in Three Acts (John van Druten), 8.0, Concert of Opera Music by the Station Orchestra, 8.45, Weather and News, 9.0, Concert by the Station Orchestra, Soloists: Ernst Törnqvist (Violin) and Signad Rydberg (Oboe); Concerto in D Minor for Violin, Oboe and String Orchestra (Bach); German Dances (Schubert); The Moldau (Smetana); Invitation to the Dance (Weber); Hungarian Rhapsody No. 1 (Liszt), 10.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW.—9.0 a.m., Orchestral Concert of Classical Music, conducted by Maurice de Villers, 10.0, Protestant Service, 11.15, Popular Music on Gramophone Records, 11.30, Catholic Service in German, 12 Noon, Debussy Concert on Gramophone Records, 12.45 p.m., News, 1.0, Time, 1.1, Ballet Music on Gramophone Records, 2.0, Gardening Talk in French, 2.15, Interval, 2.30, Symphony Concert, conducted by Henri Tomasi, relayed from Paris, 4.30, Pasdouloup Symphony Concert, relayed from the Théâtre des Champs-Élysées, Paris, 6.45, Medical Talk, 7.0, Sports Notes, 7.15, Popular Music on Gramophone Records, 7.30, Time and News, 7.45, Lottery Results, 8.0, Athletic—Play in Five Acts (Racine—Music by Mendelssohn), 10.30, Popular Music on Gramophone Records, 11.0, Quintet Concert, conducted by Jean Clergue, relayed from Radio Coloniale, Paris (25.63 metres), 12 Midnight (approx.), Close Down.

STUTTGART

MUHLACKER; 350.5 metres; 60 kW.; and **FREIBURG,** 570 metres.—10.30 a.m., See Leipzig, 11.0, Radio Report from Baisersbrunn, Freudenstadt of the German International Ski Championship—Women's Ski Jumping, 11.15, Chamber Music: Sonata Didone, abandonata (Bartini, arr. Henri Marteau); Partita in C Minor, Op. 43, No. 3 for Flute and Viola (Henri Marteau); Sonata in D for Violin, Op. 91, No. 2 (Reger), 12 Noon, Reading, 12.15 p.m., Gramophone Concert of Light Music, 1.0, Agricultural Talk, 1.30, Radio Report of the German International Ski Championship, Ski Jumping at the Murgtalschanze in Mitteltal, 2.30, Talk: Adventurers, 3.0 (from Freiburg), Concert of Light Music by the Freiburg Concert Orchestra, conducted by Friedl, 3.55, Choral and Band Concert, relayed from London, 5.0, Radio Report of the German International Ski Championship, Announcement of the Winner, from the Market Square, Freudenstadt, 5.30, Sports Notes, 5.45, Radio Report from Mainz, 7.5, Concert by Edith Lorand and her Chamber Orchestra, relayed from the Liederhalle, Part I, Classical Music, Part II: National Dances, Part III: Viennese Dances, 9.0, Time, News, Weather, Programme Announcements and Sports Notes, 9.30, Concert from Vienna, 11.0 (approx.), Close Down.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW.—6.30 to 7.0, Programme arranged by the International Broadcasting Company of London, Concert of Light Music: Always in my Heart; Until to-morrow; Here lies Love; How are you?; How can you say no?; Bon voyage; If you would learn to live; Medley, Britetodia (Humphries), 7.0, Opera Music, 7.45, News, Horse Racing Results and Market Prices, 7.30, Military Music, 7.45, Light Music, 8.0, Opera and Operetta Music, 8.30, Waltzes, 9.0, Sound Film Music, 9.15, Balalaika Music and Russian Songs, 9.30, Popular Songs and Orchestral Music, 10.0, Concert for Listeners in Morocco, 10.15, North African News, 10.30 to 11.30, Programme in English by the I.B.C., 10.30, Waltz Programme: Frühlingstimmen (Joh. Strauss); The Blue Danube (Joh. Strauss); Waltz Favourites (Ancliffe); Vienna, Vienna (Ancliffe); The Skaters (Waldteufel); Tell me with a Love Song; The Kiss (Waltz); Selection from A Waltz Dream (O. Strauss), 11.0, Concert of Light Music; Black Eyes (Ferraris); Duet, To you it's only Ireland; Song, I want your heart (Woods); Song,

The Song of Songs (Moya); Organ Solo, Popular Irish Medley; Song, Bird Song; at Eventide (Coates); Song, Trees (Kashner); Love's Dream after the Ball (Czibulka), 12 Midnight, Weather and Announcements, 12.5 a.m. (Monday), Concerto in G for Piano (Mozart), 12.30 (approx.), Close Down.

TRIESTE

247.7 metres; 10 kW.—8.40 a.m., See Turin, 8.55, Mass from the Cathedral of San Giusto, 10.0 to 10.20, Agricultural Talk, 11.0 till Close Down, See Turin.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relayed by Milan, 331.5 metres; Genoa, 312.8 metres; and Florence, 500.8 metres.—8.40 to 8.55 a.m., Giornale Radio, 9.40, Agricultural Talk, 10.0, Mass from the Church of the Annunziata, Florence, 11.0 to 11.15, Bible Reading, 11.30 to 12.30 p.m., Orchestral Concert, conducted by Ugo Tansini. In the interval at 12.0 Noon, Time and Announcements, 1.30 to 1.30, Orchestral Concert, 2.30, Orchestral Concert, Sports Notes in the interval, 3.40, Light Music on Gramophone Records, Sports Notes in the interval, 4.0, See Rome, 5.0, Giornale Radio, Football Report and other Sports Notes, 5.10, Football Results, 6.0, Dopplavoro Notes, 6.5 to 7.0, Variety Concert on Gramophone Records, In the interval at 6.30, Time and Announcements, 7.0, Giornale Radio, Sports Notes and Light Music on Gramophone Records, 8.0, Relay of an Opera, In the intervals, Talk and Theatre Notes, Giornale Radio after the Programme.

VIENNA

517 metres; 15 kW. Relayed by Graz, 322.1 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 245.9 metres; and Salzburg, 218.5 metres.—10.30 a.m., Concert by the Vienna Symphony Orchestra, conducted by Anton Konrath; Soloist: Hedwig Rosenthal-Kanner (Pianoforte); Antiche danze ed arie (Respighi); Pianoforte Concerto in D Minor (Bach); Sixth Symphony in F, Op. 68 (the Pastoral) (Beethoven), 11.50, Orchestral Concert, conducted by Alois Dostal, 1.0 to 2.0 p.m., Interval, 2.0, Time and Programme Announcements, 2.5, Book Review, 2.30, Chamber Music: String Quartet in G Minor, Op. 26 (Korngold); String Quartet in F Minor, Op. 95 (Beethoven), 3.30, Talk: Europeans in China, 3.55, Military Band Concert, relayed from London, 4.55, German Tenors on Gramophone Records, 5.30, Talk: The First Crossing of the Alps by Skiers in 1908, 5.50, Serge Bortkiewicz in a Pianoforte Recital of his own Music: Prelude in C Sharp Minor, Op. 33, No. 1; Preludes, Op. 40: (a) No. 1 in F Sharp, (b) No. 6 in F Sharp Minor, and (c) No. 7 in E; Elegy, Op. 46; Idylle orientale, Op. 9, No. 3a; Etudes, Op. 5; (a) No. 9 in F Sharp Minor, and (b) No. 10 in E Minor; In Three-four Time, Op. 48, Nos. 1, 2, 5, and 6, 6.20, Konrad Paulis reads from his own Works, with Introductory Talk by Erwin Reiger, 6.50, Time, Sports, Notes, and Programme Announcements, 7.0, A Journey through Austria—the Tyrol, Vorarlberg, Salzburg, Upper Austria, Lower Austria, Vienna, Carinthia, Styria, and the Burgenland, 8.20, Concert of Light Music, 9.0, News, 9.20, Concert (contd.), 11.0 (approx.), Close Down.

WARSAW

1,411 metres; 120 kW.—11.15 a.m., Tchaikovsky Concert by the Warsaw Philharmonic Orchestra, conducted by C. Wilkominiski, Soloist: L. Berkwiec (Pianoforte), Overture, The Voyevode; Pianoforte Concerto in B flat minor; Symphony No. 6, the Pathétique, in the interval, Talk by General Rydz-Smigly, relayed from the Town Hall, 1.0 p.m., Agricultural Talk, 1.20, Concert by a Polish Band, conducted by Sielski, 1.40, Agricultural Talk, 2.0, Concert (contd.), 3.0, Programme for Young People, 3.25, Light Music on Gramophone Records, 3.45, Talk on the Polish Language, 4.0, Song and Announcements, 4.55, Programme Announcements, 5.0, Light Music from the Café Ziemińska, In the interval, Topical News, 6.0, Miscellaneous Items, 6.25, Dramatic Programme relayed from Lwow (381 metres), 7.0, Concert by the Lutnia Warszawska Mixed Choir, conducted by Maszynski and the Radio Orchestra, conducted by Oziminski; Overture, Rosamund (Schubert); German Dances for Choir (Schubert-Kreisler); Four Pieces (Joh. Strauss); (a) Persian March, (b) Selection from Eine Nacht in Venedig, (c) Perpetuum Mobile, (d) Overture, Der Karneval in Rom, Choir: Waltz, Roses from the South (Joh. Strauss), 8.20, Pianoforte Recital by Carlo Zecchi: Concerto in G (Vivaldi); Partita in B flat (Bach); Sonata in E flat, Op. 31, No. 3 (Beethoven); Six Moments musicaux (Schubert); Two Etudes (Liszt), In the interval, Sports Notes, 9.20, Dance Music, 9.55, Aviation Weather Report and Police Notes, 10.0, Dance Music from the Adria Café.

ZÜRICH.—See Schweizerischer Landessender.

ATHLONE

413 metres; 60 kW.; and **CORK**, 224.4 metres. 1.30 to 2.0 p.m., Time Signal, Weather Report, Stock Report and Light Music on Gramophone Records. 6.0, Popular Music on Gramophone Records. 6.15, Programme for Children. 7.0, Light Music on Gramophone Records. 7.20, News Bulletin. 7.30, Time Signal. 7.31, Gaelic Talk. 7.45, Poetry Reading. 8.0, Light Music by the Station Orchestra. 8.20, Variety Programme by the Non Brothers. 8.45, The Station Orchestra. 9.5, Contralto Solos by Joan Burke. 9.10, The Station String Orchestra. 9.25, Contralto Solos. 9.35, A Fateful Interview—Sketch, by Elizabeth Young and Company. 10.5, S. MacAonghusan and F. O'Higgins (Pipes and Fiddle). 10.30, Time Signal, News, Weather Report and Close Down.

BARCELONA

RADIO-BARCELONA; Call EAJ1; 348.8 metres; 8 kW.—6.0 p.m., Trio Concert. 7.0, Request Gramophone Records. 7.20, Sports Notes. 7.30, Exchange Quotations and a Talk by Artur Balot. 8.0, Popular Music on Gramophone Records, and News. 9.0, Chimes from the Cathedral, and Weather Forecast. 9.5, Humorous Review of the Week in Verse. 9.15, Concert of Sardanias. 10.0, Concert by the Station Orchestra: Entr'acte from La Habanera (Laparra); Romance from the Violin Concerto (Lalo); Overture, Figaro (Mozart). 10.30, Catalan Radio Gazette. 11.0, News Bulletin. 11.15, Concert (cont'd.). Suite No. 1, Aphrodite (Février). 11.30, Dance Music by the Melody Boys' Orchestra, relayed from the Excelsior Dance Hall. 11.0 (in an interval), News Bulletin. 12 Mid-night (approx.), Close Down.

BARI

269.8 metres; 20 kW.—7.0 p.m., Agricultural Notes, Tourist Talk and Popolavoro Notes. 7.20, Giornale Radio and Weather Forecast. 7.30, Time Signal and Announcements. 7.35, Concert of Operetta Music and Songs; Dance Music from Die Meistersinger von Berlin (Lincke); Trotto Cavillino (Bionavolonta); Soprano Solo: Jungla (Di Lazaro); Tenor Solo: Song (Strauss); Selection from La fiera dell'Ingrumeta (Allegria); Tenor Solo: La rumba che es'e? (Paolo); Soprano Solo: Io di amori ne ho tre (Mariotti); Tenor Solo: Chiacchiere (Gargo Marf); Soprano Solo: Love is like that (Raymond); Brazilian Rondo (Escobar); Potpourri, Napoli canta (de Curtis); Tenor Solo: Per me, per le (Rizza); Soprano Solo: Milonguita (Valdes); Selection from Malbruk (Leoncavallo); Soprano Solo: John (Mascheroni); Tenor Solo: Für dich (Broschky); Soprano Solo: Se prendiamo un buon caffè (Mioletti); Selection from I monelli horentini (Ranzato). In the interval, News. 9.30, Popular Music on Gramophone Records. 9.55, News Bulletin.

BASLE.—See *Schweizerischer Landessender*.

BELGRADE

430.4 metres; 2.8 kW. 4.0 p.m., German Dialogue. 5.55, Time and Programme Announcements. 6.0, Popular Music on Gramophone Records. 6.50, Talk on the following transmission. 7.0, Relay of an Opera from the National Theatre. In the interval at 8.30, News.

BERLIN

KÖNIGS WUSTERHAUSEN, 1,635 metres, 60 kW.—12.35 p.m., News Bulletin. 1.0, Gramophone Concert from Berlin (Witzleben). 2.0, Talk for Women: Arts and Crafts. 2.30, Weather and Exchange. 2.45, Review of Books. 3.0, Talk: Modern Methods in the Education of Girls. 3.30, Concert from Berlin (Witzleben). 4.10, Reading (Anni Quensel). 4.30, Old Chamber Music: Fantasias for Violin, Viola and Cello (Porell); Trio for two Violins and Cello, Op. 54 No. 2 (Becherini). 5.0, Talk: German Work in East Africa. 5.30, Making Music with Invisible Partners. 5.55, Weather and Announcements. 6.0, English Lesson. 6.30, A Poem. 6.35, Light Music from Breslau. 7.0, See Leipzig. 7.45, Topical Talk. 8.0, Programme to be announced. 9.0, Weather, News and Sports Notes. 9.45, Weather Report for Shipping. 10.0, Dance Music from Berlin (Witzleben). 11.0 (approx.), Close Down.

BERLIN

WITZLEBEN, 419.5 metres; 1.5 kW.—3.30 p.m., Concert of Light Music by Alois Pachernegg and his Orchestra: Overture, Handlens-Treiche (Suppe); Ein Walzer aus Wien (German); Suite, Deutsches Baroque (Pachernegg); Nocturne and Waltz from La Barta (Wegartner); Waltz Intermezzo (Lehár); Fahrend Volk (Leuschner); Eysler Potpourri (Hrubý). 4.30, Talk: Which Careers offer the best prospects for Women? 4.50, Talk for Young People. 5.20, Concert from the Golphotel at the Zoo. 5.55, The Witzleben Station informs its Listeners... 6.0, Talk on the Twentieth Anniversary of the Death of Robert von Liebens. 6.10, A Speech by Otto Flake: Tolerance. 6.30, German Dances (Mozart), on Gramophone Records. 6.50, Dialogue on Otto Flake's Speech: Is Flake right? 7.30, Talk on Music. 7.20, The Barber of Bagdad—Comic Opera in Two Acts (Cornelius). 8.15 (in an interval), News and Sports Notes. After the Opera:

MONDAY

FEBRUARY THE TWENTIETH

PRINCIPAL EVENTS OF THE DAY:

AT HOME

- NATIONAL** Sonata recital. Mr. Leonard Woolf: "Rousseau." B.B.C. chamber concert. A comic opera programme.
- LONDON REGIONAL** Orchestral concert. Vaudeville programme. Speeches relayed from the British Industries Fair Banquet, at the Mansion House.
- MIDLAND REGIONAL** Soloists in variety, a gramophone recital. Organ recital. Orchestral concert.
- NORTH REGIONAL** Orchestral concert. Lt.-Col. Sydney Goldschmidt: "Seventeenth and Eighteenth Century Furniture in the North of England."
- WEST REGIONAL** Orchestral concert from National Museum of Wales. Welsh interlude.
- SCOTTISH REGIONAL** National and London Regional programmes. Orchestral concert.
- BELFAST** The Music of Offenbach, orchestral programme. A relay from the Empire Theatre, Belfast.

ABROAD

- BARI** Operetta music and songs.
- BERO-MUNSTER** Werner Wehrli concert, by the Radio Orchestra, from Zurich.
- COPENHAGEN** Harpsichord and oboe recital of Handel's music.
- HAMBURG** Organ recital by Alfred Sittard.
- STRASBOURG** Concert by the Cercle Artistique de l'Est, relayed from Nancy.

Weather, News, Sports Notes, and Dance Music from the Eden Pavilion. 11.0 (Also for Zeesen, 31.38 metres), The Adventures of Two Rivers—The Origin, Landscape, and History of the Emseter and the Hamme.

BERNE.—See *Schweizerischer Landessender*.

BEROMUNSTER.—See *Schweizerischer Landessender*.

BODEN.—See *Stockholm*.

BODO.—See *Oslo*.

BORDEAUX-LAFAYETTE

304 metres; 13 kW.—7.30 p.m., News, Exchange, and Market Prices. 7.40, Talk: Bordeaux a Century Ago. 7.55, Lottery Results. 8.0, Talk on Hygiene. 8.15, Charades. 8.20, News Bulletin, Exchange, and Weather Forecast. 8.30, Concert of Classical and Modern Music.

BRATISLAVA

279 metres; 11 kW.—3.10 p.m., Concert by the Station Orchestra, conducted by F. Dyk. Soloist: R. Macudzinski (Pianoforte): Overture (Litolf); Symphony for String Quintet, Wind Quintet, and Pianoforte (Wolf-Ferrari). 4.10, See Prague. 4.50, Light Music on Gramophone Records. 5.0, Talk on Smyrna. 5.15, Concert by the Station Trio. 6.0, See Prague. 6.10, Technical Talk. 6.25, See Brno. 7.40, Esperanto Programme. 8.10, See Prague. 10.0 (approx.), Close Down.

BREMEN.—See *Hamburg*.

BRESLAU

325 metres, 60 kW.; and **GLEIWITZ**, 253 metres.—12.10 p.m., Gramophone Concert. 12.45, Time, Weather, News, Exchange and Shipping Report. 1.5, Gramophone Concert: Overture, Morning, Noon and Night (Suppe); Song from Le postillon de Longjumeau (Adam); Falstaff's Song from The Merry Wives of Windsor (Nicolaï); Overture, Gipsy Love (Lehar); Waltz, Dorfschwalben aus Oesterreich (Jos Strauss); Two Songs from Der liebe Augustin (Fall); Overture, Orpheus in the Underworld (Ollenbach). 1.45, Sponsored Programme with Gramophone Records. 2.10, Agricultural Prices. 2.40, Book Review. 3.0, Talk: Industries of Asia. 3.20, Concert by the Station Orchestra. Conductor, Franz Marszalek. Soloists: Hans W. Bachmann (Baritone), Overture, Rosamund (Schubert); Song, Der Wanderer (Schumann); Songs (Brahms): (a) Mainacht, (b) Feldensamkeit, (c) Sonntag; Selection from Czar and Carpenter (Lortzing); Songs: (a) Ich wollt ich wär' ein König (Bren), (b) Der Wagen rollt! (Fürst), (c) Sechse, sieben oder acht (Brüll); Ballet Music from Ritter Pasman (Joh. Strauss). 4.30, Agricultural Prices, followed by a Technical Review. 4.55, Educational Report. 5.15, English Lesson. 5.40, Programme to be announced. 6.0,

Talk: The Possibilities of Work for Silesian Artists. 6.30, Weather for Farmers. 6.35, Concert by the Station Orchestra, conducted by Franz Marszalek; Waltz from Frühlingsluft (Joh. Strauss-Reiterer); Onestep, España (Schicke); Tango from Tempo song (Futaky); Potpourri of New Popular Songs (Golwyn). 7.0, All about Gramophone Records—Literary Men relate their Experiences. 8.0, The Castle at Breslau—a History in the form of Legends, Documents and Radio Reports. 9.0, Time, Weather, News, Sports Notes, Colonial Market Report and Programme Announcements. 9.25, Answers to Technical Wireless Questions. 9.35, Talk: In the Land of the Olympic Games. 9.50, Talk: Winter Days in the Northern Districts of the Black Forest. 10.5 (approx.), Close Down.

BRNO

342 metres; 35 kW.—3.10 p.m., See Bratislava. 4.10, Programme for Children. 4.20, Review of Russian Literature. 4.40, Programme for Women. 5.0, The Week's Review of Gymnastics and Sport. 5.15, See Prague. 5.25, German Transmission: News, Elementary French Lesson, and Light Music on Gramophone Records. 6.0, See Prague. 6.25, Concert by the Station Orchestra, conducted by B. Bakala: Overture (Blassius); Waltz (Lincke); Czech Suite (Moor); March (Fucik); Selection from Eine Ball nacht (O. Straus). 7.25, Talk. 7.40, Concert by a Balalaika Orchestra and Choir. 8.10, See Prague. 10.0 (approx.), Close Down.

BRUSSELS (No. 1)

I.N.R.; 509 metres 15 kW.—12 Noon, Gramophone Concert of Light Music. 1.0 p.m., Le Journal Parlé. 1.10, Concert of Cigány Music by the Small Station Orchestra, conducted by P. Leemans. 2.0, Educational Programme. 5.0, Concert by the Symphony Orchestra, conducted by A. Meulemans: Overture, Rienzi (Wagner); Petite Suite (Debussy); Waltz from Der Rosenkavalier (R. Straus); Au pays du Lin (J. Van der Meulen); Travel Impressions (Albeniz); Slav Dance (Chabrier). 6.0, Talk: The Wallow Writer, Louis Lécou. 6.15, Song Recital by M. Harris; Caro mio ben (Giordano); Amarilli (Caccini); Stormclaire (Respighi); The Unforeseen (C. Scott); Thy Beaming Eyes (MacDowell); Pilgrim Song (Tchoukovsky). 6.30, Extracts from Show Bout (Kern) with Commentary, on Gramophone Records. 7.15, Educational Talk. 7.30, Theatre and Cinema Reviews. 8.0, Violin Recital by Remy Prince: Sonata in E (Pugnani); Dreaming (Guarnieri); Three Airs on Italian Folk Songs (Prince): (a) In the Woods of the Reno, (b) Campielo, (c) Popular Sicilian Songs. 8.30, Vœu n'est pas un conte—Play (Lud. Sticnon Du Pré) relayed from the Grand Hotel, Verviers. 9.20, Reading of Carnival Literature from the Works

of Th. Gautier, E. Verhaeren, Roger Milès, Isi Colin and Francis Carco. 9.35, Concert conducted by André Fellemans, relayed from the Grand Hotel, Antwerp: Potpourri (Morena); Fox Trot, Lullaby of the Leaves (Young); Fox Trot, Hatto Romania! (Michaelov). 10.0, Le Journal Parlé. 10.10, Concert (cont'd.): Potpourri of Dance and Sound Film Music (Golwyu); Polish Dance for Pianoforte (Scharwenka); Selection from The Prince of Arady (Stolz); Slow Fox Trot, Tell me To-night (Spoliansky); Love me to-night (Whiting); March, Stars and Stripes (Souza). 11.0 (approx.), Close Down.

BRUSSELS (No. 2)

N.I.R.; 338.2 metres; 15 kW. Programme in Flemish.—12 Noon, Concert of Flower and Bird Music by the Station Orchestra, conducted by Pierre Leemans. 1.0 p.m., Le Journal Parlé. 1.10, Gramophone Records. 2.0, Educational Programme. 5.0, Concert by the Radio Orchestra, conducted by Franz André; Overture, La petite marie (Lecora); Selection from Hans, the Flute Player (Ganne); Ballet Music from Veronique (Messager); Waltz (Waldteufel). 5.45, Programme for Children. 6.30, Concert of Romantic Music by the Station Orchestra, conducted by P. Leemans: Overture, Ruy Blas (Mendelssohn); Hungarian Divertissement (Schubert); Pianoforte Solo, Papillons (Schumann); Nocturne for Violin (Chopin-Sarasate); Album for the Young (Schumann); Piece (Mendelssohn). 7.15, Talk on Folklore. 7.20, Talk by Mme. Verhulst. 7.30, Le Journal Parlé. 8.0, Musical and Literary Programme on Gramophone Records. 8.45, Talk. 9.0, Concert by the Symphony Orchestra, conducted by Arthur Meulemans. Soloist: Yvonne Van Looy (Songs). Scheherazade (Rimsky-Korsakov); Two Songs; Orchestral Suite, Fleurs de mou jardin (Alpaerts); Minuet and Dance (Opomer); Three Songs; Norwegian Rhapsody (Lalo). 10.0, Le Journal Parlé. 10.10, Light Music on Gramophone Records. 11.0 (approx.), Close Down.

BUCHAREST

391 metres; 12 kW.—4.0 p.m., Concert of Romanian Music by the Luca Orchestra. 5.0, News and Time Signal. 5.10, Talk. 5.25, Concert by the Luca Orchestra (cont'd.). 6.0, Talk on Romania: Her Geological Composition. 6.40, Popular Music on Gramophone Records. 7.0, Time Signal. 7.15, Quartet, Op. 60 (Brahms). 7.30, Talk. 7.45, Song Recital by Mme. Nina Aureliana: Barcarolle (Fauré); Puisse l'autre grandit (Fauré); Mädelchen (Brahms); Spanish Song (Brahms); Two Romanian Airs. 8.5, Trio for Violin, Horn and Pianoforte (Mozart). 8.35, Dance Music, relayed from the Grand Hotel. 9.0, News Bulletin.

BUDAPEST

550 metres; 18.5 kW.—Programme also relayed on 840 metres from 6.0 to 11.0 p.m.—4.30 p.m., Gramophone Concert: Two Spanish Dances (Moszkovsky); Melody from Carmen (Bizet); Bravura Variations (Mozart-Adam); Selection from Iosamund (Schubert-Kreisler); Aria from La Juive (Halévy); Melody from Faust (Gounod); Prelude on Bach Theme (Liszt); Melody from Faust (Gounod); Melody from Aida (Verdi); The Old Song (Love); Kleiner Hansalt (Loewe); Vesper Song. 5.30, German Lesson. 6.0, Song Recital. 6.45, Elhak—Play (Koloman Harsanyi). 9.0, News. 9.15 (approx.), Musical Parodies by the Opera House Orchestra, conducted by Rudolf Kleincker. 10.30, Concert of Cigány Music, from the Kovacsseves Restaurant.

CASSEL.—See *Frankfurt*.

COPENHAGEN

281 metres; 0.75 kW.; and **KALUNDBORG**, 1,153 metres; 7.5 kW.—11.0 a.m., Time and Chimes from the Town Hall. 11.5, String Ensemble Concert, conducted by Max Skalka, relayed from the Hotel d'Angleterre. 1.0 to 2.20, Interval. 2.20, Talk for the Housewife. 2.30, Concert by Carl Rydahl's Instrumental Ensemble. 4.40, Exchange and Fish Market Prices. 4.50, Talk in French: The Modern French Film. 5.20, English Lesson. 5.50, Weather Forecast. 6.0, News. 6.15, Time Signal. 6.30, Talk on Bameses II. 7.0, Chimes from the Town Hall. 7.5, Relay of a Choral Concert. Talks in the intervals. 8.15, Saxophone and Pianoforte Recital by G. E. Tornqvist and Viktor Fischer; Saxophone Solo: I de lyse Naetter (Schrader); Pianoforte Solo: Pianophium (Aller); Saxophone Solos: (a) Quand l'amour meurt (Crémieux), (b) An der Weser (Pressel); Pianoforte Solo: Hungaria (Douce); Saxophone Solo: Ständchen (R. Straus). 8.35, Reading. 9.5, News. 9.20, Händel Music—Harpsichord and Oboe Recital by Folmer Jensen and Henry Munk; Suite No. 7 in G Minor for Harpsichord; Chamber Sonata in C Minor for Oboe and Harpsichord. 9.50, Dance Music from the National Scala. In the interval at 11.0, Time and Chimes from the Town Hall. 11.30 (approx.), Close Down.

CORK.—See *Athlone*.

DANZIG.—See *Hellsberg*.

DRESDEN.—See *Leipzig*.

DUBLIN.—See *Athlone*.

FECAMP

223 metres; 10 kW.—12.0 Noon, Light Music on Gramophone Records. 12.30, News Bulletin. 12.45, Variety Concert. 6.0 to 7.0, Programme in English by the I.B.C., C. Danvers Walker, R. Chenc, and B. McNab announcing. 6.0, Pianoforte Recital for Hastings Listeners: Selection from Rigoleto (Verdi); Rustle of Spring (Sinding); Alice where art thou? (Asher); The First Waltz (Durand); Wasps (Holbrook); Liebestraume (Liszt); Romanian (Holbrook); Prelude in C Sharp Minor (Rachmaninov). 6.30, Concert for Eastbourne Listeners: Suite, Americana (Thurhan); Kisses in the Dark (de Micheli); Gipsy Moon (Borganov-Eyton); Ke-suko; In the Sudan (Selek); Lazy Pete (Kernsten); Spanish Gipsy Dance. 7.0, Local News. 7.15, Popular Music on Gramophone Records. 7.30, Radio Gazette. 8.0, The Listeners' Half-hour and News. 8.30, Dramatic Programme. 10.0 till Close Down, Programme in English by the I.B.C. 10.0, Dance Music. 11.0, Military Band Concert Distant Greeting (Loring); Light of Foot (Lotann); The Thrush (Cole); Xylophone Solo: National Emblem (Bagley); The Thunderer (Sousa); El Abanico (Javaloyes); A Frangosa (Costa); Here, there and everywhere (Bose). 11.30, Songs: Will the Angels play their Harps for me?; Forget me not; Old Pat; Lay my head beneath a Rose; Little Boy Blue; I pitch my Lonely Caravan; That dear old Song; Somebody, Somewhere, Someday. 12.0 Midnight, Variety Music: Pianoforte Solo: Hot Scotch; On a Cold and Frosty Morning; I wanna be loved by you; The Zoo Keeper; All in favour; I don't know; Pianoforte Solo: Puttin' on the Ritz. 12.30 a.m. (Tuesday), Popular Songs: Handsome Gigolo; Let me sing and I'm happy; Rollin' down the River; When your Lover has gone; Violet Eyes and Cherry Lips; To my Mammy; Dancing with Tears in my Eyes; Little Sweetheart of the Prairie. 1.0, Organ Recital: Leslie Stuart Potpourri; Too late; Lily of Laguna; Maree; Live, love and laugh; An Evening in Caroline; By the Fireside; Good-night Vienna. 1.30, Popular Songs: Airman, Airman; I still believe in you (Aktel); Singin' in the Bathub (Magidson); I've never seen a Smile like yours (Johnson); I took Jane for a Walk in the Rain (Hargreaves); Put your Worries through the Mangle (Raymond); We must all pull together (Weston); You're gonna be young (Nicholls). 2.0, Dance Music. 2.57, I.B.C. Goodnight Melody. 3.0 (approx.), Close Down.

FLENSBURG.—See Hamburg.

FLORENCE.—See Turin.

FRANKFURT

259 metres, 17 kW.; and CASSEL, 245.9 metres.—5.50 p.m., English Language Lesson. 6.15, Time, Programme Announcements, Weather, and Exchange Rates. 6.25, Till Eulenspiegel's Merry Pranks (on Gramophone Records). 6.45, Greetings to Trier (R. G. Binding). 7.0, Germany's Oldest Town—a Radio Picture Sheet of Trier in Olden Days (Limbourg). 8.0, See Stuttgart. 9.0, Time, News, Weather, and Sports Notes. 9.45, Chamber Music: String Quartet in D (Mozart); String Quartet in C Minor, Op. 51, No. 1 (Brahms). 11.0, See Stuttgart. 11.30 (approx.), Close Down.

FREDRIKSTAD.—See Oslo.

FREIBURG.—See Stuttgart.

GENEVA.—See Radio-Suisse Romande.

GENOA.—See Turin.

GLEIWITZ.—See Breslau.

GOTEBORG.—See Stockholm.

GRAZ.—See Vienna.

HAMAR.—See Oslo.

HAMBURG

Call ha (in Morse), 372 metres; 1.5 kW. Relayed by Bremen, 264.8 metres; Flensburg, 227.4 metres; Hanover, 566 metres; and Kiel, 222.2 metres.—6.5 p.m., Talk: Did you know that?—Strange Facts about Animals. 6.25, Weather Report. 6.30, Walter von Molo reads from his own Works. 7.0, Revolt of Ideals—a Dream—A Musical Play for Radio (Ernst Johannsen). Music by Walter Girnatis. 7.50 (from Bremen), Russian Concert: Sinaias Lissitschikina (Songs), Stanislav Frydberg (Violin) and Reinhold Krug (Pianoforte). Violin Solo: Vocalise (Rachmaninov-Pres); Aria from Russian and Ludmila (Glinka); Violin Solo: Volga Song (Frydberg); Aria from The Czar's Bride (Rimsky-Korsakov); Violin Solo: (a) The Captive (Gretehaninov); (b) Romance from The Queen of Spades (Tchaikovsky); Songs: (a) Hindust Song (Rimsky-Korsakov); (b) Arioso from The Snow Maiden (Rimsky-Korsakov); Violin Solos: (a) Despair (Frydberg); (b) Russian National Anthem (Prince Lowow-Frydberg). 9.0, Time and News Bulletin. 9.20, Organ Recital by Alfred Sittard: Choral Partita on Nun laßt uns Gott dem Herrn Dank sagen und ihn chren (Vincent Lübeck); Fantasia and Fugue in G Minor (Bach); Three Organ Pieces (Reger): (a) Organ Choral, Wie schon leuchtet der Morgenstern, Op. 67; (b) Melodia, Op. 129; (c) Toccatina in D Minor, Op. 59. 9.50, Ice Report. 9.55, Topical Talk. 10.5, Concert from the Café Wallhof.

HANOVER.—See Hamburg.

FEB. 20th

MONDAY

continued

HEILSBURG

276.5 metres; 60 kW., and DANZIG, 453.2 metres.—12.5 p.m., Popular Music on Gramophone Records. In the Interval at 12.20, News. 1.30 to 2.0, Interval. 2.0, Agricultural Prices and Exchange Rates. 2.45, Concert by the Königsberg Male Voice Choral Society for the Blind. 3.15, Talk: On Skis across the Mountains of Silesia. 3.30, Concert from Breslau. 4.30, Talk: New Traffic Regulations. 4.55, Book Review. 5.15, Agricultural Prices. 5.20, Ice Report. 5.30 (from Danzig). The Danzig Programme—Wolfgang Federau reads from his own Works. 6.0, Talk: Memorable Days of the Week. 6.10, Josef Poerner sings Old Barrel Organ Songs. 6.30, English Lesson for Beginners. 6.55, Weather and News. 7.0, See Breslau. 8.0, Gubernator Coeli—a Radio Sequence for the 460th Anniversary of the Birth of Copernicus, the Founder of Modern Astronomy (Martin Bormann), with Introductory Talk. 9.0, Weather, News and Sports Notes. 9.15, Double Quartet in G Minor, Op. 186 (Spohr).

HILVERSUM

Announced HUIZEN, 296.1 metres; 20 kW. (7 kW. up to 4.40 p.m.—Programme of the Christian Radio Society (N.C.R.V.). 11.55 a.m., Light Music on Gramophone Records. 12.10 p.m., Organ Recital by Wm. Muddle. 1.40, Programme for Schools. 2.15, Gardening Talk. 2.55, Dress-making Lesson. 3.10, Lesson. 3.25, Interval. 3.40, Bible Reading and Sacred Music. 4.40, Choral and Orchestral Concert on Gramophone Records. 5.10 (approx.), Popular Music on the N.C.R.V. Organ. 6.10, Answers to Correspondents. 6.55, Time Signal. 7.10, Police Notes. 7.25, Religious Notes. 7.40, Orchestral and Choral Concert. Three Choral Pieces: Selection from Cantata No. 75, Die Elenden sollen essen (Bach); Three Choral Pieces: Concerto grosso (Händel); Selection from Lilac Time (Schubert-Berté); Torcedor et Andalouse (Rubinstein); Suite from The Bartered Bride (Smetana). In the intervals at 8.10 and 8.55, Religious Talk. 10.0, News Bulletin. 10.10 Concert (contd.): Concerto in G for Violin and Orchestra (Haydn); Selection from Les petits riens (Mozart). 10.40, Gramophone Concert: Water Music Suite (Händel), played by Dr. Bullock on the Westminster Abbey Organ; Lullaby of the Shepherds, from The Messiah (Händel), sung by Richard Tauber, with Organ Accompaniment; Two Pieces from The Messiah: (a) I know that my Redeemer liveth, (b) Come unto him, sung by Rachel Morton (Soprano), with Orchestral Accompaniment; Hymn (Vulpius); Vocal Quartet: (a) Dank an den Heer voor al Zijn zegeningen, (b) Gelooft zij God met diepst ontzag; Baritone Solo with Organ and Trumpet; Psalm 98. 11.10 (approx.), Close Down.

HORBY.—See Stockholm.

HUIZEN

Announced HILVERSUM; 1875 metres; 8.5 kW.—Programme of the Workers' Radio Society (V.A.R.A.). 11.40 a.m., Concert by the Small V.A.R.A. Orchestra, conducted by M. Duehant. 1.40 to 2.10 p.m., Interval. 2.10, Light Music on Gramophone Records. 2.40, Talk. 3.10, Popular Music on Gramophone Records. 4.20, Talk. 4.50, Variety Concert: Overture, Orpheus in the Underworld (Offenbach); Berceuse (Spendiarow); The Rosary (Nevin); Nola (Arndt); Spanish Dance (Fielitz); Cuban Serenade (Aletter); Overtas (Wieniawski); Melody (Bizet); Danse érole (Chaminade); Ah, Sweet Mystery of Life (Herbert); Entrée à Mars (Dicker); Bonita (Mezzacapo); Esquisses (Petre); Andante (Nardini); La Cathédrale engloutie (Debussy); Traume (Wagner); Bonclette (Thone); Jetzt bin ich noch im siebenten Himmel (Becco); Polish Song (Wieniawski); Selection from Rosamunde (Schubert); Waltz (Tchaikovsky); Serenade (Albeniz); Gavotte (Martini); Melody (Ailbott); Czardas (Monti); Presto (Anbert); April and August (Tchaikovsky); Humoresque (Rachmaninov); Adagio (Beethoven); Minuet (Beethoven). 6.40, Talk on Music, with Illustrations by the Loe Cohen Trio. 7.55, Orpheus and Eurydice—Opera (Gluck), by a Mixed Choir, the V.A.R.A. Orchestra, and Soloists. Conductor, S. Englander. 9.20 (in the interval), Talk. 10.10, News. 10.20, Organ Recital by M. Jong: Salut d'amour (Elgar); Pizzicato (Delibes); Potpourri (Jong). 10.40, Light Music on Gramophone Records. 11.40 (approx.), Close Down.

INNSBRUCK.—See Vienna.

KALUNDBORG.—See Copenhagen.

KATOWICE

408 metres; 16 kW.—5.50 p.m., Talk: Photography for Amateurs. 6.5, Announcements and Popular Music on Gramophone Records. 6.25, Announcements. 6.30 to 9.0, See Warsaw. 9.0, Answers to Technical Correspondents. 9.20, Dance Music from Warsaw.

KAUNAS

1,935 metres; 7 kW.—5.30 p.m., Variety Programme. 6.0, Time, Weather and News. 6.30, Variety Programme. 6.50, Talk: The Importance of Personality in Society. 7.10, Concert of Chamber Music. 7.40, Talk on the National Debt. 8.0, Variety Programme. 8.20, Sports Notes. 8.30, Concert. 9.0 (approx.), Close Down.

KIEL.—See Hamburg.

KLAGENFURT.—See Vienna.

KOSICE.—See Prague.

LANGENBERG

473 metres; 60 kW.—12 Noon, Orchestral Concert, conducted by Wolf. 1.30, Cattle Market Prices. 2.30, Economic Notes and Time. 2.50, Programme for Children. 3.20, Programme for Young People. 4.0, Concert by the Dortmund Municipal String Quartet and Rita Weise (Soprano); String Quartet, Op. 64, No. 5 (Haydn); Songs: (a) Ah ritorna (Gluck); (b) Erster Verlust (Zelter); (c) Schmelzt (Zelter); String Quartet, Op. 96 (Dvorak); Songs (Wolf): (a) Blumengruss, (b) Gleich und gleich, (c) Frühling übers Jahr. 5.20, Talk: Woman's Place in German Literature. 5.45, Time, Weather, Economic Notes, and Sports Report. 6.0, Talk: Westphalian Peasants in the Baltic Provinces. 6.20, Reading of Unpublished Poetry (Bernhard Rang). 6.30, Talk: West German and Austrian Industry. 6.55, News. 7.0, See Breslau. 8.0, Was tut Othegraven für Ina—Radio Play (Peter Dick). 8.40, Concert by the Small Station Orchestra, conducted by Eysoldt. 9.5, News and Sports Notes. 11.0 (approx.), Close Down.

LAUSANNE.—See Radio-Suisse Romande.

LEIPZIG

389.6 metres; 120 kW.; and DRESDEN, 319 metres.—11.5 a.m., Concert by the Seifert Orchestra, Halle. In an interval at 12 Noon, News, Weather, and Time. After the Programme, Exchange Quotations. 1.0 p.m., Art and Film Review. 1.30, Advice for the Unemployed. 1.45, The Journey to Memel—Sketch (M. M. Gehrke). 2.10, Dialogue on Poultry-keeping. 2.35, Exchange and Market Prices. 3.0, Gramophone Concert: Krolls Balklinge (Lumbye); Brune ou blonde (Waldeufel); Von Wien durch die Welt (Hrubý); Ich bin nur ein armer Wanderergesell (Künneke); Der Wagen rollt (Fürst); Overture, Romeo and Juliet (Tchaikovsky); Serenade (Titl); Gitarre (Moszkovsky); The Gingerbread House (Ivory); Trinkspruch (Schmalstich); Cavatina (Raff); Mei Vogtland ist doch wunersche; Silver Threads among the Gold (Danks); The Rosary (Nevin); Der seltene Beter (Loewe); Valse d'amour (Max Reger); Selection from Le bourgeois gentilhomme (Richard Strauss); Valse caprice (Werkmeister); Prelude in D Minor (Werkmeister); Two Songs: (a) Das Geheimnis, (b) Auf der Lüneburger Heide; Waltz from Zigeunerprimas (Kálmán); Overture, Light Cavalry (Suppé). 4.30, Weather and Time. 4.50, Exchange Quotations. 5.0, Talk: School Knowledge and Practical Life. 5.30, A Thousand Years of German Literature—the Carnival Plays. 5.50, Programme to be announced. 6.0, Recital of Folk Music on the Mouth-Organ and Accordion, with Commentary, by August Roth. 6.45, Reading of Modern German Lyrics. 7.0, Concert by the Leipzig Symphony Orchestra, conducted by Carl Schuricht: Concerto in B Minor for Four Violins, String Orchestra, and Harpsichord (Vivaldi); La Mer, Three Symphonic Sketches for Orchestra (Debussy); Concerto, Op. 75, for Violin and Orchestra (Herrmann); Suite from The Fire Bird (Stravinsky). 9.5, News Bulletin. 9.15 (approx.), Concert of Light Music by the Dresden Soloist Ensemble: Overture, Die vier Menschenalter (Lacluner); Selection from the Noveletten, Op. 29, for Pianoforte, Violin, and Cello (Gade); Nachmittagsstille (Jensen); Gitarre (Lalo); Violin Solos: (a) Canzonetta (Theodor Bluner); (b) Caprice viennois (Kreisler); The Musical Box (Liadov); The Vestal (Drigo); Waltz in Old Style (Burmester); Schummerlied (Schumann); Nocturne (Liszt); Pierrot and Pierrette (Lohar); Fantasia, Die wunderlichen Geschichten des Kapellmeisters Kreisler (Reznicek); Selection from The Bayadere (Kálmán). 11.0 (approx.), Close Down.

LINZ.—See Vienna.

LJUBLJANA

574.7 metres; 2.5 kW.—4.30 p.m., Quintet Concert. 5.30, Esperanto Lesson. 6.0, Lesson in Serbo-Croatian. 6.30, Talk on Hygiene. 7.0, Programme from Belgrade. 9.0, Time, News and Variety Music on Gramophone Records.

LWOW

381 metres; 16 kW.—6.15 p.m., Miscellaneous Items. 6.30, See Warsaw. 10.0, Relay of Foreign Stations. 10.30 (approx.), Close Down.

LYONS

LA DOUA; 465.8 metres; 1.5 kW.—6.30 p.m., See Strasbourg. 7.30, Radio Gazette. 8.20, Reading for Children. 8.30, Concert by the Radio Trio. Soloist: Alexander Braminoy (Baritone). News after the Concert.

MADRID

ARANJUEZ (EAQ), 30.43 metres; 20 kW.—10.30 p.m., Popular Concert. 10.45, Radio Chronicle. 11.0, Popular Concert (contd.). 11.35, Sports Report and Bull-fighting Notes. 11.40, Light Music. 12 Midnight (approx.), Close Down.

MADRID

UNION RADIO, Call EAJ7, 424.3 metres; 2 kW.—7.0 p.m., Chinese, Exchange, and Request Gramophone Records. 8.15, News Bulletin. 8.30 (approx.), Close Down.

MALMO.—See Stockholm.

MILAN.—See Turin.

MORAVSKA-OSTRAVA

263.8 metres; 11 kW.—3.10 p.m., See Bratislava. 4.10, See Prague. 4.50, Talk. 5.0, Literary Review. 5.15, Talk for Workers. 5.25, See Prague. 5.30, German Transmission: Two Talks. 6.0, See Prague. 6.2, See Brno. 8.30, Concert by a Country Band, relayed from Radvanice. 9.0, See Prague. 10.0 (approx.), Close Down.

MOSCOW

TRADES UNION, 1,304 metres; 100 kW.—4.0 p.m., News. 4.10, Announcements. 4.30, Mozart, Beethoven, and Schubert Concert. 5.0, Political Discussion. 8.0, Talk in English: The Doctrines of Marx and Lenin. 8.5, Time Signal. 9.5, Press Review.

MOTALA.—See Stockholm.

MUHLACKER.—See Stuttgart.

MUNICH

533 metres; 60 kW. Relayed by Augsburg and Kaiserslautern, 560 metres; and Nürnberg, 239 metres.—3.0 p.m., Song and Pianoforte Recital: Ina Delvid (Soprano), Margarete Simonsen-Patek (Mezzo-Soprano), and Margarete Arnold-Lawaceck (Pianoforte). 3.40, An Interview with the Leader of the German Himalaya Expedition. 4.0, Orchestral Concert, conducted by Ernst Hagedorn: Carnival Overture (Leuscher); Selection from Eva (Lehar); Waltz Potpourri, Sclagsalme (Kernbaeh); Waltz, Way Down South (Myddleton); Slow Foxtrot (Nicholls); Melody (Nicholls); March (Wagner). 5.1, Talk: Two Pioneers of Public Hygiene—Frank and Mai. 5.35, Talk for Workers. 5.55, Introduction to the following Transmission. 6.5, Fikaró—Opera in Four Acts (Mozart), relayed from the Residenztheater. In the interval at 7.35, Time, Weather and Agricultural Notes. 9.20, Time, Weather, News and Sports Notes. 9.45, Serenade by the Small Station Orchestra, conducted by Erich Kloss; Soloists, Ridi Grün and Walter Heibing (Songs). 11.0 (approx.), Close Down.

NAPLES.—See Rome.

NOTODDEN.—See Oslo.

OSLO

1,083 metres; 60 kW. Relayed by Fredrikstad, 365.8 metres; Hamar, 574.7 metres; Notodden, 447.1 metres; Porsgrund, 453.2 metres; and Rjukan, 447.1 metres.—3.45 p.m., Light Music by the Radio Ensemble. 4.45, Parliamentary Report. 5.0 German Lesson. 5.30, Agricultural Talk. 6.0, Announcements, Weather, and News. 6.30, Popular Airs and Dance Music by the Oscar Halvorsen Trio. 7.0, Time. 7.1, Political Review. 7.30, Concert of Chamber Music, relayed from the University Concert Hall. 8.40, Weather and News. 9.0, Topical Talk. 9.15, Recitations.

OSTERSUND.—See Stockholm.

PALERMO

542 metres; 3 kW.—7.0 p.m., Dopolavoro Notes, Tourist Talk, Agricultural Notes Report of the Royal Geographical Society and Giornale Radio. 7.20, Light Music on Gramophone Records. 7.30 (in an interval) Time Signal and Announcements. 7.45, Concert of Chamber Music. V. Mannino (Pianoforte), G. Gugliana (Cello), and Hella Hel Di Gregorio (Soprano). Pianoforte Solos: (a) Intermezzo (Brahms); (b) Danza bassa dello sparviero (Pizzetti); Cello Solos: (a) Valse triste (Sibelius); (b) Malagueña (Albeniz); Soprano Solos: Two Songs (Schumann); Sonata in A Minor for Piano forte and Cello (Grieg); Soprano Solos: Two Songs from The Queen of Sheba (Goldmark); Two Etudes and a Polonaise in C Sharp Minor (Chopin). After the Concert Light Music on Gramophone Records. 8.55, News Bulletin.

PARIS

EIFFEL TOWER, Call FE, 1,445.7 metres; 13 kW.—Time Signals (on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and 6-dot Signals).—5.45 p.m., Le Journal Parlé. 7.20, Weather Report. 7.30, Concert, arranged by the Music Composers' Society: String Quartet (Dequin); Songs (Roget) with the Composer at the Pianoforte: (a) Ariette, (b) Madrigal, (c) Epiphany, (d) Le Bonheur—Theme with Variations for Pianoforte (Staelenberg), played by the Composer; An

FEB. 20th

MONDAY

continued

dante and Scherzo for 'Cello and Pianoforte (Boulois), the Composer at the Pianoforte; Joueurs de flûte (Roussel); Songs (Trémols), accompanied by the Composer: (a) A un enfant, (b) Fontaine de Bandusia, (c) Le Voyage, (d) Madrigal, (e) Baclic Song; Theme with Variations for Violin and Pianoforte (Messiaen), the Composer at the Pianoforte. 9.0 (approx.), Close Down.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW.—6.45 p.m., Le Journal Parlé. 7.0, Hot Jazz on Gramophone Records. 7.30, Sponsored Concert. 8.0, Medical Talk. 8.5, Talk on Aviation. 8.15, Interval. 8.30, Sponsored Concerts. 10.40, News.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW.—6.45 a.m., Physical Culture. 7.30, Weather and Physical Culture (contd.). 7.45, Gramophone Records: Selection from The Merry Widow (Lehár); Selection from The Mikado (Sullivan). 8.0, Press Review and Weather. 12 Noon, Concert by the Radio Paris Orchestra: Overture, Fidelio (Beethoven); Arias and Chorus from Ernani (Verdi) on Gramophone Records; Selection from Mephistopheles (Boito); Cantilena and Sarabande from Cinq Mars (Gounod); Selection from Samson and Delilah (Saint-Saëns); Song from Esclarmonde (Massenet) on Gramophone Records; Two Arias from Hérodiade (Massenet) on Gramophone Records; Selection from Mouna Vanna (Février); Death of Isolde from Tristan and Isolde (Wagner) on Gramophone Records; Ballet Music from Alceste (Gluck); Alsatian Dances (Lévaillé). In the interval at 1.0 p.m., Exchange, News and Weather, and at 1.30, Exchange. 2.0, Exchange. 3.45, Exchange and Market Prices. 6.10, Agricultural Talk. 6.30, Elementary English Lesson. 6.50, Film Review. 7.0, Review of New Books. 7.20, Concert by the Radio Orchestra: Prelude to Axel (Georges); Interlude from Pepita Jimenez (Albeniz); Selection from Griseldis (Massenet); Saltarelle (Luigini). 7.45, Gardening Talk. 8.0, Le Pré aux Cleres—Opéra-Comique (Hérold). In the interval at 8.30, News, Weather and Sports Notes, and at 9.15, Press Review and News.

PITTSBURGH

WESTINGHOUSE ELECTRIC (KDKA), 306 metres; 25 kW. Relayed by W8XK on 48.86 metres and 25.27 metres.—9.0 p.m., Work-a-day Thoughts. 9.5, Business News. 9.15, Programme to be announced. 9.30, Weather Report. 9.32, Market Report. 9.45, Pianoforte Interlude. 9.50, David Lawrence Dispatch. 9.55, KDKA Artist Bulletin. 9.57, Programme Announcements. 10.0, Programme to be announced. 10.30, The Singing Lady, from New York. 10.45, Little Orphan Annie. 11.0, Our Daily Food, by Maude and Cousin Bill, from New York. 11.15, Time Signal. 11.16, Temperature Report. 11.17, Teaherry Sport Review. 11.22, Press News-Reeler. 11.27, Strange Facts. 11.29, Weather Report. 11.30, Westinghouse Watchmen. 11.45 to 3.15 a.m. (Tuesday), New York Relay. 11.45, To-day's News by Lowell Thomas. 12 Midnight, Pepsodent Amos 'n' Andy. 12.15 a.m., Tea-stay Jesters. 12.30, Five Star Theatre, by the Marx Brothers. 1.0, Cliquot Club Eskimos. 1.30, Time Signal and Don Carney—a Talk for Dog Lovers. 1.45, Phillips Lord in The Country Doctor. 2.0, Sinclair Minstrels. 2.30, Jack Frost Melody Moments. 3.0, Alice Joy. 3.15, Bridge School of the Air by E. Hall Downes. 3.30, Samuel Di Prinio (Tenor). 3.45, Bradley Kincaid. 4.0, Temperature Report. 4.1, Teaherry Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.13, KDKA Artist Bulletin. 4.15, Press Last Minute News. 4.20, Henry Halstead and his Californians. 5.0, Hotel Bismarck Orchestra, from New York. 5.30, Time Signal and Goodnight.

PORSGRUND.—See Oslo.

POZNAN

335 metres; 1.9 kW.—5.30 p.m., Linguaphone French Lesson. 5.45, Topical Talk. 7.0, See Warsaw. In the intervals, Amusement Guide. 9.0, Time Signal, Sports Notes and Police Report.

PRAGUE

488.6 metres; 120 kW.—3.10 p.m., See Bratislava. 4.10, Talk. 4.20, Talk. 4.30, Programme for Children. 4.50, Light Music on Gramophone Records. 5.5, Agricultural Talk. 5.15, Talk for Workers. 5.25, News in German. 5.30, German Transmission. Talk: The Evolution of Man and Animals. 6.0, Chimes from the Church of St. Loudmila. 6.5, News. 6.10, English Lesson for Beginners. 6.25, See Brno. 7.25, Talk: Political Crimes. 7.40, See Brno. 8.0 (in the interval), Time Signal. 8.10, Running Commentary on the International Ice Hockey Championship in the Winter Stadium. 8.30, Pianoforte Recital by Ludmila Földesy-Hermann. Melody (Cooperin); Variations in D on a Minuet by Dupont (Mozart); Etudes, Op. 25, in F Minor and E Minor (Chopin); Nocturne, Op. 27, in D Flat (Chopin); Jeux d'eau (Ravel). 9.0, Time Signal. 9.2, News and Sports Notes. 9.15, Running Commentary from the Winter Stadium (contd.). 10.0 (approx.), Close Down.

RADIO-SUISSE ROMANDE

SOTTENS, 403 metres, 25 kW.; LAUSANNE, 680 metres; and GENEVA, 760 metres.—7.0 p.m. (from Lausanne), Talk. 7.30 (from Lausanne), Concert by the Radio Orchestra, conducted by Felix Weingartner: Overture, Der Freischütz (Weber); Eighth Symphony in F (Beethoven); Fourth Symphony in E Flat (Bruckner). 8.20 (in the interval), News and Weather. 9.20 (approx.), Close Down.

REYKJAVIK

1,200 metres; 21 kW.—8.30 p.m., Weather Report. 8.40, Musical Programme and Announcements. 9.0, Chimes. 9.2, News Bulletin. 9.30, Reading. 10.0, Popular Concert by the Station Quartet, with Songs.

RJUKAN.—See Oslo.

ROME

Call 1R0, 441 metres; 50 kW. Relayed by Naples, 319 metres, and 2R0, 25.4 metres.—7.0 a.m., Gymnastics. 7.15 to 7.30, Giornale Radio and Announcements. 11.30, Weather and Light Music on Gramophone Records. 12 Noon, Time and Announcements. 12.2 to 1.15 p.m., Concert from Turin. 3.45, Programme for Children. 4.10, Announcements. 4.15, Exchange and Giornale Radio. 4.30, Concert by the Trio di Roma, from the Royal Philharmonic Academy. 6.10 (Naples), Shipping and Sports Notes. 6.15, Agricultural Report and Dopolavoro Notes. 6.20, Giornale Radio. 7.0, Time, Announcements, and Light Music on Gramophone Records. 7.30, Sports Notes and Tourist Report. 7.45, Concert of Light Music: Melody (Clarly); Songs: (a) Canzone 'e malavita (de Curtis), (b) Mani di velluto (Staffelli), (c) Io te vurria vasà (Di Capua); Duet (Valdes); Atlantis (Robrecht); Songs: (a) O surdato (de Crescenzo), (b) Canto siciliano (Favara), (c) Napule 'e na canzona (Mario), (d) Parlez-moi d'amour (Lenoir); Hawaiian Guitar Solo, Sogno hawajano (Restano); Fior d'Andalusia (Fiasconaro); Day by Day (Nicholis); Talk; Potpourri (Dostal); Songs: (a) Ombre di donne (Checucci), (b) Sevillanita (Valdes), (c) Sensi, signora (Simi), (d) La fiera di Mastro Andrea; Melody (Escobar); Duet: Quando? (Taghe Hara); Ninna nanna del Balilla (Del Pelo); Kiss for Kiss (Rose); Songs: (a) Canto siciliano (Favara), (b) Oh! Rumba, Rumba (Dax); Sarà, ma non ci credo (Franco). 9.55, News Bulletin.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY (WGY), 379.5 metres; 50 kW. Relayed at intervals by W2XAF on 31.48 metres; and by W2XAD on 19.56 metres.—7.30 p.m., The Revolving Stage, from New York. 8.0, Talk from New York. 8.15, Antoinette Halstead (Contralto). 12 Midnight, Jane Froman and her Band, from New York. 12.15 a.m. (Tuesday), Stock Reports. 12.30 to 2.30 a.m. (Tuesday), New York Relay. 12.30, Melody Keepsakes. 12.45, The Goldbergs. 1.0, Soconyland Sketches. 1.30, The Voice of Firestone. 2.0, A. and P. Gipsies. 2.30, Buick Programme—Paul Whiteman's Orchestra, followed by Programme Resumé.

SCHWEIZERISCHER LANDESENDER

BEROMUNSTER, 459 metres; 60 kW.; BASEL, 244.1 metres; and BERNE, 245.9 metres.—11.28 a.m., Time Signal from Neuchâtel Observatory. 11.30, Weather and News. 11.40, Popular Melodies from All Quarters of Switzerland. 12.35 to 12.45, Weather and Exchange. 2.30, Popular Music on Gramophone Records. 3.30, Concert by the Small Station Orchestra. 4.0, Popular Music on Gramophone Records. 4.30 to 5.30, Interval. 5.30 (from Zürich), Talk: Wireless Dangers and Risks. 6.0, Time and Weather. 6.15 (from Zürich), Legal Talk. 6.45 (from Zürich), Werner Wehrli (concert by the Radio Orchestra, conducted by Hermann Hofmann). Soloists: Alice Frey-Knecht (Soprano), Walter Frey (Pianoforte), Jakob Margoler (Cello), Otto Andina (Flute) and Otto Strauss (Pianoforte). 8.30, Weather and News. 8.40 (from Zürich), The Day's Wage—a Dramatic Story (Bühler). 9.15, Report on the Finals of the International Wrestling Competition, relayed from the Kiechlin Theatre. Basle. 10.0 (approx.), Close Down.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call S8SA, 436 metres; 55 kW. Relayed by Boden, 1,229.5 metres; Göteborg, 322 metres; Hørby, 257 metres; Motala, 1,348 metres; Östersund, 770 metres; and Sundsvall, 542 metres.—4.5 p.m., Orchestral Concert: Waltz, Habanera (Waldteufel); Folk Melodies (Ek); Suite (Amadei); Tango (Stravsky); Two Hungarian Dances (Brahms). 4.45, Reading. 5.15, Concert by the Salvation Army Band, with Talk by E. Malmström. 6.15, Weather and News. 6.30, Talk. 6.50, Pianoforte Recital by Judith Malmquist: Pastorale and Caprice (Scarlatti); Fantasia

in F Minor (Chopin); Jeux d'eau (Ravel). 7.15, Talk. 7.45, Concert by the Göteborg Chamber Orchestra. Conductor: Tor Mann: Suite, Divertimento elegiaco (Rangström); Första môtet, from Gurre (Halvorsen); Au den Frühling (Grieg); Romance in C, Op. 42 (Sibelius); Three Folk Tunes (Kallstenius); Serenade No. 1 in C, Op. 62 (Volkmann). 8.45, Weather and News. 9.0, Gramophone Cabaret. 10.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW.—11.30 a.m., Gramophone Concert of Classical Music. 12.45 p.m., News. 1.0, Time and Exchange. 1.5, Light Music on Gramophone Records. 2.0 to 4.45, Interval. 4.45, French Lesson. 5.0, Orchestral Concert. Conductor and Soloist: M. Roskam (Cello). March, Sempre avanti (Léopold); Slav Caprice (Bayer); Overture, Die schöne Galathée (Suppe); Waltz, Galanterie (Léopold); Selection from La Mascotte (Andran); Andante for 'Cello and Orchestra (Goltermann); The Eagle (MacDowell); Moon Pictures (MacDowell); Minuet from the Sonata in E Minor (Grieg); Piedmontese Dance No. 1 (Sinigaglia); Suite variée (Piermé). 6.0, Literary Review. 6.15, Talk in French: A Journey through Lorraine. 6.30, Orchestral Concert, conducted by Maurice de Villers. Overture, Mizoum (Thomas); Selection from Tiedland (Liszt); Hungarian Rhapsody No. 12 (Liszt); suite pittoresque (Pessard); Fête polonaise (Chabrier). 7.30, Time and News. 7.45, Concert of Jazz Music, conducted by M. Roskam. 8.25, Lottery Results. 8.30, Concert, arranged by the Cercle artistique de l'Est, relayed from Nancy. Suzanne Liéval (Songs); Andrie Leclere (Violin); Henriette Urban (Recitations); Marie-Rose Gerber (Pianoforte); Maurice Jacquet (Recitations); and René Vautrin (Songs). Pianoforte Solo: First Movement from the Second Concerto in G Minor (Saint-Saëns); Songs: (a) Solveig's Song from the Peer Gynt Suite (Grieg), (b) Theme and Variations (Proch); Violin Solo: Malaguena (Sarasate); Recitations: (a) A Nimon (de Musset), (b) Un vieux lapin (Richepin); Pianoforte Solos (Chopin); Preludes, Nos. 3, 7, 11, 14, and 16; Songs: (a) Aria from The Merry Wives of Windsor (Nicola), (b) Ophelia's Ballad from Hamlet (Thomas); Violin Solos (Saint-Saëns): Introduction and Rondo Capriccioso; Songs: (a) Aria from The Messiah (Händel), (b) Aria from Boris Godunov (Mussorgsky). In the interval, Talk. 10.15 (approx.), Close Down.

STUTTGART

MUHLACKER, 360.5 metres, 60 kW.; and FREIBURG, 570 metres.—12.30 p.m., Radio Report on the German International Ski Championship, relayed from Freudenstadt. 1.0, Sponsored Music. 1.15 (from Karlsruhe), Sponsored Music. 1.30, Spanish Lesson. 2.0 to 2.30, Elementary English Lesson. 3.35 (from Mannheim), Talk: Hugo Wolf's Travels through South Germany and the Palatinate. 4.0, Concert by the Radio Orchestra, conducted by Gustav Gölich; Soloists: Gerda Hansi (Soprano) and Eberhard Schrepff (Baritone); Overture to an Opera (Lortzing); Baritone Solo, Romance from Das Nachtlager in Granada (Kreutzer); Clog Dance from Czar and Carpenter (Lortzing); Soprano Solo, from Der Freischütz (Weber); Arietta and Duet from The Magic Flute (Mozart); Overture, The Nuremberg Doll (Adam); Baritone Solo: Valentine's Prayer from Faust (Gounod); Soprano Solo, Mimi's Aria from La Bohème (Puccini); Humorous Overture, Hokus Pokus (Leuschner); Waltz, Faschingskinder (Zährner). 5.10, Time, Weather, and Market Prices. 5.20, Talk: Engineering in Germany. 5.45, Time and News. 5.50, See Frankfurt. 6.15, Das Forsthaus im Murrhainker Wald-Winter Idyll (Hans Karl Abel). 7.0, Folk Songs from the East—Hungaria, Transylvania, Romania, Greece, Bulgaria, Russia, and Poland—A Recital by Brunhild Mücke (Soprano), Max von Wistinghausen (Baritone), Heinrich Bütsch (Clarinet), and Traute Zarges (Pianoforte). 7.35 (from Mannheim), Reading: The Devil builds a Church (Hermann Moos). 8.0, Concert by the Stuttgart Philharmonic Orchestra and the Station Choir, conducted by Emil Kahn: Overture, Agrippina (Handel); Laughing Chorus from L'Allegro (Handel); March in C (Mozart); Zögern! leise—Serenade for Women's Choir and Contralto (Schubert); Andante from the Third Symphony (Bruckner); Stabat Mater (Verdi). 9.0, Time, News, Weather, and Programme Announcements. 9.15, Chess Lesson. 9.40, Concert from Langenberg. 11.0, Report on the Sixth Stuttgart Six Days' Racing, relayed from the Stadthalle. 11.30 (approx.), Close Down.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW.—7.0, Tourist Report. 7.15, News, Horse Racing Results and Market Prices. 7.25, Local News. 7.30, Programme by a Viennese Orchestra. 8.0, Opéra-Comique Music. 8.15, Accordion Solos. 8.30, Light Music. 8.45, Violin Solos. 9.0, Music Hall Concert. 9.30, Concert. 10.0, Orchestral Music. 10.15, North African News. 10.30, Concert for Listeners in

Morocco. 11.0, Concert. 11.30, Programme in English by the I.B.C.: Marching along to Gopher; Mad about the Boy; She was only Somebody's Daughter; The Younger Generation; Marry me; Round the Bend of the Road; After to-night we say Good-bye; Love is the Sweetest Thing. 12 Midnight, Weather and Announcements. 12.5 a.m. (Tuesday), Music by an Argentine Orchestra. 12.15, Military Music. 12.30 (approx.), Close Down.

TRIESTE

247.7 metres; 10 kW.—4.10 to 6.35 p.m., See Turin. 6.35, Musical Programme from the Café Dante. 7.0 (ill) Close Down, see Turin.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relayed by Milan, 331.5 metres; Genoa, 312.8 metres; and Florence, 500.8 metres.—4.10 p.m., Light Music on Gramophone Records. 4.30, See Rome. 5.35, Agricultural Report and Dopolavoro Notes. 6.0 to 7.0, Variety Music on Gramophone Records. In the intervals at 6.20, Giornale Radio, and at 6.30, Time and Tourist Report. 7.0, Giornale Radio, Weather, and Variety Music on Gramophone Records. 7.30, Concert of Chamber Music: Margherita Cossa (Soprano) and Alfredo Tazzoli (Pianoforte); Piccola ballata (Sautoliquido); Songs: (a) Filli, Filli (Pasquini); (b) Aria from Demofonte (Cherubini); Sevilla (Albeniz); Aria from Beatrice di Tenda (Bellini); Fantasia in F Minor (Chopin); Songs: (a) Nocturne (Franck), (b) Cécile (Richard Strauss), (c) Serenata indiana (Castellonovo-Tedesco). 8.20, A Comedy in One Act. 9.0 (approx.), Orchestral Concert, conducted by Ugo Tansini: Overture, Iphigénie en Aulide (Gluck); Pastoral Symphony (Tartini); Pensiero poetico (Scassola); Minuet for Strings (Finó); Prelude to the Third Act of Santa poesia (Cortopassi); Tarantella-capriccio, Castellammare (Brunetti). 10.0, Giornale Radio.

VATICAN CITY

19.84 metres (Morning) and 50.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Information in Italian. 7.0 to 7.15 p.m., Religious Information in Italian.

VIENNA

517 metres; 15 kW. Relayed by Graz, 352.1 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 295.9 metres; and Salzburg, 218.5 metres.—4.0 p.m., Concert by the Karl Haupt Orchestra. 5.5, Talk: Mankind in the Making. 6.30, Recital of Ludwig Kaiser's Songs for the First Anniversary of his Death: Der Kranke im Garten, Meiner Mutter, Mutter und Kind, Ich bin dein Kind, Du weicher druck der warmen Hände, Frühling. 5.40, A Discussion with Art Students: The Painter and the Sculptor. 6.5, English Lesson. 6.25, Time, Weather, and Programme Announcements. 6.35, Der Corregidor—Opera in Three Acts (Hugo Wolf), in an interval at 8.5 (approx.), News, Weather, and Announcements. 9.5, Dance Music by the Astoria Band, relayed from the Sacher Café.

WARSAW

1,411 metres; 120 kW.—10.58 a.m., Time Signal and Bugle Call from the Tower of St. Mary's Church, Cracow. 11.5, Programme Announcements. 11.10, Light Music on Gramophone Records. 12.20 p.m., Weather Forecast. 12.25 to 2.10, Interval. 2.10, Announcements. 2.15, Economic Notes. 2.25, Traffic Report. 2.35, Answers to Correspondents. 2.50, Popular Music on Gramophone Records. 3.25, Elementary French Lesson. 3.40, Talk on Economics: Capital. 4.0, Violin and Pianoforte Recital by S. Ossendowska and E. Zaleska. Sonata in F Sharp Minor for Violin and Pianoforte (Rohozinski); Pianoforte Solos: (a) All'antico (Statkowski), (b) Cracovienne (Paderewski), (c) Liebestraum (Liszt), (d) Die Nacthigall (Liszt); Violin Solos: (a) Air antique (Rozycki), (b) Hungarian Poem (Lederer), (c) Midnight Bells (Kreisler), (d) Bolero (Hubay), (e) Lotus Land (Cyril Scott-Kreisler), (f) Dance of the Cannibals (Ossendowska). 4.55, Programme Announcements. 5.0, Concert of Light Music, relayed from the Café Italia. In the interval, Topical Notes. 5.50, Miscellaneous Items. 6.20, Answers to Agricultural Correspondence. 6.30, Topical Talk. 6.45, Radio Journal. 7.0, Concert by the Station Orchestra, conducted by Oziminski. Soloist: Niemczyk (Violin). Overture, Le Conte (Moniusko); Love Song and Gipsy Dance from Mauri (Paderewski); Violin Solos: (a) Lithuanian Song (Szeligowski), (b) Allegretto (Bocherini-Kreisler), (c) Prelude in E (Bach-Kreisler), (d) Berceuse (Fauré), (e) Waltz (Brahms), (f) Polish Dance (Paderewski); Suite, Le roman de la momie (Tcherepnin). 8.0, Sports Notes. 8.5, Radio Journal. 8.10, Concert (contd.): Overture, Die Weihe les Hauses (Beethoven); Minuet (Bocherini); Violin Concerto in A Minor (Vivaldi); Three Airs from Die Geschöpfe des Prometheus (Beethoven). 9.0, Answers to Technical Correspondence. 9.15, Dance Music. 9.55, Aviation Weather Report and Police Notes. 10.0, Dance Music from the Adria Café.

ZURICH.—See Schweizerischer Landessender.

TUESDAY

FEBRUARY THE TWENTY-FIRST

PRINCIPAL EVENTS OF THE DAY:

AT HOME

- NATIONAL** —Orchestral concert. Professor Cyril Burt: "The Psychology of Leisure." "The Captain of Kopenick," a play.
- LONDON REGIONAL** —Concert from Houldsworth Hall, Manchester. Trio and the Mandoliers. Military Band programme. Choral and instrumental concert.
- MIDLAND REGIONAL** —Orchestral music. Choral concert. Light music.
- NORTH REGIONAL** —Concert from Houldsworth Hall, Manchester. Mr. W. L. Andrews: "Fortnightly Review of Northern News." The Tyneside Mummies in Mirth and Melody.
- WEST REGIONAL** —A Welsh programme. National programme.
- SCOTTISH REGIONAL** —A discussion on Scottish agriculture between the Earl of Elgin, Sir Robert Greig, and Mr. Joseph F. Duncan. Orchestral concert. Lessons in Scottish country dancing, by Mr. J. M. Duthie.
- BELFAST** —Dance music. Orchestral concert. National programme.

ABROAD

- COPENHAGEN** —Concert of Viennese music.
- HAMBURG** —The Brunswick Theatre Orchestra.
- HILVERSUM** —Operatic music by the Wireless Orchestra.
- LEIPZIG** —The Dresden Chamber Orchestra, conducted by R. Fricke.
- STRASBOURG** —Orchestral and choral concert from the Conservatoire, Metz.

Selection from *La belle Hélène* (Offenbach); Gavotte from *Mignon* (Thomas); Was kommt dort von der Höh" (Suppé-Lochmann); Serenata Op. 15 No. 1 (Moszkowski); Waltz from *Der Rosenkavalier* (R. Strauss-Loeber); Hungarian Czardas No. 7, Zika (Michiels); *Lelutiana* (Gardner). 12.45, Time, Weather, News and Exchange. 1.5, Gramophone Concert: Overture, *The Flying Dutchman* (Wagner); *Elsa's Dream*, *Einsam in trübem Tosen* from *Lohengrin* (Wagner); Humoresque Op. 101, No. 7 (Dvorák); *Hunters' Chorus* from *Der Freischütz* (Weber); *Invitation to the Dance* (Weber); Waltz, *Tales from the Vienna Woods* (Joh. Strauss); *Mein Herr, was denken Sie von mir* (Joh. Strauss). 1.45, Sponsored Programme with Gramophone Records. 2.10, Agricultural Pines. 2.30, Talk: *The Dangers of Poisoning in Everyday Life*. 3.0, Concert: *Trude Behr* (Soprano); *Irene Weissenberg* (Pianoforte); *Reinhold Birke* (Oboe); *Carl Rau* (Saxophone); and *Gustav Siebert* (Bassoon). *Fantasia in F Minor* (Chopin); *Melodies* (Mozart): (a) *Rondo* from *Der Schauspielerdiener*, (b) *Die Zufriedenheit*, (c) *Die Verschweigung*, (d) *Aria* from *Cosi fan tutte*; *Spline* for Oboe, Tenor, Saxophone and Bassoon (Wagner); *Songs* (Brahms): (a) *Milchbühlchen*, (b) *Bei dir sind meine Gedanken*, (c) *Klage*, (d) *Vorschneller Schwur*. 4.0, Book Review. 4.15, Agricultural Market Prices and Topical Talk. 5.0, Programme for Children. 5.30, Kurt Heyncke reads from his own works. 6.0, Talk on Atmospheres. 6.10, Talk: *Forgotten Silesian Handicrafts*. 6.40, Weather for Farmers. 6.45, Toscanini conducting the New York Philharmonic Symphony Orchestra, on Gramophone Records: *First Movement from the Fourth Symphony in D—the Clock* (Haydn); *Overture, The Barber of Seville* (Rossini); *L'apprenti sorcier* (Dukas); *Prelude to Acts I and III of La Traviata* (Verdi); *Scherzo from A Midsummer Night's Dream* (Mendelssohn). 7.0, See **Langenberg**. 7.50, News. 8.0, Concert in aid of the Winter Relief Fund, relayed from the Hoffäger Brunswick. 9.0, Time, 9.30, Time, Weather, News, Sports Notes and Programme Announcements. 9.50, Political Press Review. 10.15, Theatre Notes. 10.30, Concert from Hamburg. 11.0 (approx.), Close Down.

BRUSSELS (No. 1)

I.N.R., 509 metres; 15 kW.—12 Noon, Chabrier Concert on Gramophone Records: Extracts from *Le Roi malgré lui*: (a) Overture, (b) *Le polonais est triste et grave*, (c) *Je suis du pays des gondoles*; *Scherzo-valse*; *Ronde villageoise*; *L'île heureuse*; *Fête polonoise* from *Le Roi malgré lui*; *Lied*; *España*. 12.40 p.m., Rachmaninov Pianoforte Recital by Malva Roudnev: *Polyehinelle*; *Prelude in G Minor*; *Piece*. 1.0, *Le Journal Parlé*. 1.10, Ballet Music by the Small Orchestra, conducted by P. Lecmans: *Ballets* from (a) *La Juive* (Halévy), (b) *Philémon et Baucis* (Gounod); *Ballet de Cour* (Pierrot); *Ballet* (Music from *The Two Widows* (Smetana)). 5.0, Concert by the Radio Orchestra, conducted by Franz André: *Overture, Si j'étais Roi* (Adam); *Ballet Music* from *Maton* (Massenet); *Overture, Gwendoline* (Chabrier); *Selection from The Daughter of the Regiment* (Donizetti). 5.30, Programme for Children. 6.5, Literary Review. 6.15, Bach Music on Gramophone Records: *The Brandenburg Concerto*; *Prelude in E*. 6.30, Concert of Sacred Music by the Rev. Father Plum. 7.15, Report of the Belgian Catholic Radio Society. 7.30, Talk for Women. 8.0, Concert by the Radio Orchestra, conducted by Franz André: *Girl* (Poot); *Pacific No. 231* (Honegger); *Symphonic Suite* (Debussy); *Selection from Le Train bleu* (Milhaud); *Elegy* (Tchaikovsky); *Trois petites pièces montées* (Satie); *Élévation* (De Breville); *Bereuse* (Ravel); *Pavane pour une Infante défunte* (Ravel). 8.45, Talk. 9.0, Schumann Concert by the Symphony Orchestra, conducted by Jean Kumps: *Soloist, M. Kuhner* (Cello): *Overture, Genoveva*; *Concerto in A Minor for Cello*; *Overture, Manfred*; *Overture, Scherzo and Finale* from Op. 52. 9.45, Poetic Transpositions for the Pianoforte. 10.0, *Le Journal Parlé*. 10.10, Request Gramophone Records; *La Saint-Cyprienne* (Housiaux); *Regimental March* (Houney); *Selection from The Dollar Princess* (Fall); *Judex* from *Mors et Vita* (Gounod); *Cigány Song*; *Was kommt dort von der Höh* (Suppé); *Chinese Dance* (Tchaikovsky); *Selection from Le Furie d'Arlecchino* (Luadi). 10.55, *Christus vincit* (Liszt). 11.0 (approx.), Close Down.

BRUSSELS (No. 2)

I.N.R., 338.2 metres; 15 kW. Programme in Flemish.—12 Noon, Concert by the Little Station Orchestra, conducted by P. Lecmans: *Parade of the Gnomes* (Tapp); *Russian Waltz Polpourri*, *Around the Volga* (Borchert); *Serenata* (Caccabli); *Selection from Samson and Delilah* (Saint-Saëns); *Violin Solo, Ronde des Lutins* (Bazzini); *Gramophone Record, Invocation* (Ganne); *Tango* (Niederberger); *Waltz, Wenn du liebst, dann scheint die Sonne* (Steffan); *Selection from Frühling im Wienerwald* (Ascher). 1.0 p.m., *Le Journal Parlé*. 1.10, Gramophone Records of Famous Singers and Well-known Overtures: *Overture, Carmen*

(Bizet); *La fleur que tu m'avais jetée* (Bizet), by G. Thill; *Plaisir d'amour* (Martini), by Panzera; *Overture, Le Roi malgré lui* (Chabrier); *Song* (Crescenzo), by Caruso; *Le Cor* (Félicier), by Narcon; *On Wings of Song* (Mendelssohn), by Lotte Lehmann; *La Partida* (Alvarez), by Tito Schipax; *Overture, The Italian Girl in Algiers* (Rossini); *Ay Ay Ay* (Perez-Freire), by Fleta; *Serenata* (Tosti), by Galli Curci; *Overture, Die Fledermaus* (Joh. Strauss). 5.0, Concert by the Symphony Orchestra, conducted by Jean Kumps: *Overture, William Tell* (Rossini); *In the Steppes of Central Asia* (Borodin); *Serenade* (Pierrot); *Ballet Music* from *Coppélia* (Delibes); *March* from *Tannhäuser* (Wagner). 5.45, Programme for Children. 6.30, Concert by the Little Station Orchestra, conducted by P. Lecmans: *Marche Ethio-pienne* (Filippucci); *Waltz, In Traumland* (Fneik); *Intermezzo* (Kalkman); *Suite, Scènes Brabanconnes* (Sarly); *Gramophone Record, Finale* from *Act III of Die Fledermaus* (Joh. Strauss); *Mazurka* for Pianoforte (d'Agrièves); *Arabesque* (Montague Phillips); *Foxtrot Fantasia*, *Flandria* (Novvo). 7.15, Talk. 7.30, *Le Journal Parlé*. 8.0, Concert for the Third Anniversary of the S.A.R.O.V., relayed from Deurne: *The De Vook Symphony Orchestra*, conducted by A. Rutten, and the Havana Dance Band, conducted by H. De Boey: *Soloists, Jeanne Wassenaar* (Pianoforte) and *Henry Marchand* (Songs); *Recitations* by Hendrik Bulters; *Wamba March* (Gilcourt); *In a Persian Market* (Ketelbey); *Recitations*; *Fourth Fantasia* for Pianoforte (Benoit); *Recitations with Pianoforte Accompaniment*; *Suite orientale* (Popy); *Talk*; *In the Seventh Heaven* (Petras); *Hungarian Rhapsody No. 12* (Liszt); *Four Songs*, *Selection from White Horse Inn* (Benatzky). 10.0, *Le Journal Parlé*. 10.10, Concert (cont.): *Pasodoble* (Erwin); *Foxtrot, Tiger Rag* (La Rocca); *One, two, three* (Reisfeld); *Four Songs*, *Marching along together* (Steiniger); *Foxtrot, Crazy People* (Leslie); *Foxtrot, The Night when Love was born* (Young); *Foxtrot, Tell me to-night* (Spoliensky); *Foxtrot, Goodnight* (Noble). 11.0 (approx.), Close Down.

BUCHAREST

394 metres; 12 kW.—4.0 p.m., Concert of Light Music and Romanian Music by the Motzoi Orchestra. 5.0, News and Time Signal. 5.10, Talk. 5.25, Concert by the Motzoi Orchestra (cont.). 6.0, Talk on Romania: *Herz Oil Springs*. 6.40, Light Music on Gramophone Records. 7.0, Symphony Concert by the Station Orchestra, conducted by M. Nottara: *Soloist, Mlle. Emilia Gutiano* (Songs); *Overture, La Preciosa* (Weber); *Andante cantabile and Allegretto* (Foerster); *Meditation on an Old Gipsy Song* (Suk); *Recital of Romanian Songs*; *Symphony No. 3* (Mendelssohn). In an interval at 8.0, Talk. 8.45, News Bulletin.

BUDAPEST

550 metres; 18.5 kW.—Programme also relayed on 840 metres from 6.25 to 11.0 p.m.—4.0 p.m., Pianoforte and Violin Recital by Stefan Szelenyi and Fran Szelenyi: *Organ Prelude and Fugue in A Minor* (Bach-Liszt); *Sonata in G Minor* (Tartini); *Märchen, Op. 26*, No. 3 (Medtner); *La fille aux cheveux de lin* (Debussy); *Melody* (Milhaud); *Romanian Folk Dances* (Bartok); *Lotusland* (C. Scott-Kreiser); *Le Cygne* (Saint-Saëns); *Le petit Berger* (Debussy); *Die Biene* (Schubert). 4.45, Recitations. 5.15, Concert of Cigány Music. 6.0, Talk. 6.30, *Le Chemineau*—Opera (Leroux), relayed from the Royal Hungarian Opera House, followed by Dance Music from the Café Bodo. 10.15, Concert by the Sador Farkas Cigány Band from the Café Bodo, with Gyula Szanthe (Hungarian Folk Songs).

CASSEL.—See Frankfurt.

COPENHAGEN

281 metres; 0.75 kW.; and KALUNDBORG, 1,153 metres; 7.5 kW.—11.0 a.m., Time and Chimes from the Town Hall. 11.5, String Ensemble Concert, conducted by Harald Andersen, relayed from the Bellevue Strandhotel. 1.0 to 2.0, Interval. 2.0, Orchestral Concert, conducted by Emil Reesen. Soloist: Else Breidahl-Hemmert (Pianoforte). *Overture, The Golden Cross* (Brüll); *Waltz* from *Cinderella* (Palmgren); *Love Scene* from *Scaramouche* (Sibelius); *Selection from Dio toten Augen* (d'Albert); *Suite, Caucasian Sketches* (Ippolitov-Ivanov); *Gallop, En Somnert på Alocus Klint* (Lumbye); *Pianoforte Solos*: (a) *Rondo capriccioso*, Op. 14 (Mendelssohn); (b) *Forarstøner* (Gade); (c) *Polonaise*, Op. 9, No. 6 (Paderewsky); *Overture, Giroflé-Girofla* (Lecocq); *Selection from Barbe-Bleue* (Offenbach); *Suite, Jeux d'enfants* (Bizet); *Russian Dance* (Tchaikovsky); *Tarantella* from *Masaniello* (Anber). 4.0, Programme for Children. 4.40, Exchange and Fish Market Prices. 4.50, Talk: *Polato Growing*. 5.20, German Lesson. 5.50, Weather Forecast. 6.0, News. 6.15, Time Signal. 6.30, Talk: *The Danish National Characters*. 7.0, Chimes from the Town Hall. 7.5, Recital of Swedish Songs by Adele Weine: *Varsang* (Eklöv); *Songs* (Peterson-Berger): (a) *Mitt tröllsott*, (b) *Sju rosor och sju edlar*, (c) *Semele*; *Villemo* (Ranzström); *Songs* (Sjögren): (a) *Ro, ro ögonsten*, (b) *I drömmen du är mig nära*; *Song: Sommaridolfer* (Alvén). 7.20, *The Father—*

ATHLONE

413 metres; 60 kW.; and CORK, 224.4 metres.—1.30 to 2.0 p.m., Time Signal, Weather Report, Stock Report, and Light Music on Gramophone Records. 6.0, Popular Music on Gramophone Records. 6.15, Programme for Children. 7.0, Light Music on Gramophone Records. 7.15, News Bulletin and British Market Report. 7.30, Time Signal. 7.31, Gaelic Talk. 7.45, Val Vonden (Entertainer). 8.0, Classical Concert by the Station Orchestra. 8.30, Sonata (Beethoven) by Sydney Green (Pianoforte). 8.50, Favourite Overtures by the Station Orchestra. 9.30, Dramatic Programme by The Mystics. 10.0, Irish Music by the Station Orchestra. 10.30, Time Signal, News, Weather Report, and Close Down.

BARCELONA

RADIO-BARCELONA, Call EAJ1, 348.8 metres; 8 kW.—6.0 p.m., Trio Concert. 7.0, Request Gramophone Concert. 7.30, Exchange Quotations and Talk on Art. 8.0, Popular Music on Gramophone Records and News Bulletin. 9.0, Chimes from the Cathedral, Weather Forecast, Messages to Seamen, Exchange Quotations, and Market Prices. 9.10, An Opera relayed from the Gran Teatro del Liceo. 11.0 (in an interval), News Bulletin.

BARI

269.8 metres; 20 kW.—7.0 p.m., Agricultural Notes, Tourist Talk and Dopolavoro Notes. 7.20, Giornale Radio and Weather Forecast. 7.30, Time Signal and Announcements. 7.35, Relay of an Opera from the Teatro Petruzzelli. In the intervals: Theatre Notes and Talk. News Bulletin, after the Opera.

BASEL.—See Schweizerischer Landessender.

BELGRADE

430.4 metres; 2.8 kW.—6.0 p.m., Concert by the Radio Orchestra: *Overture, Light Cavalry* (Suppé); *Scherzo in D Minor* (Krstic); *Serbian Dance* (Urban); *Ballet Music* from *The Legend of Thym* (Hartmann); *International Dance Suite* (Mannfred); *Gallop, Durehs Ziel* (Translatour). 7.0, Dora Pejacevic Concert, relayed from Zagreb. 307 metres. 9.0, Time and Dance Music from the Ratnicki Dom.

BERLIN

KONIGS WUSTERHAUSEN, 1,635 metres, 60 kW.—12.35 p.m., News Bulletin. 1.0, Gramophone Concert from Berlin (Witzleben). 2.0, Talk for Young People: Pictures of the Eventful Year 1918. 2.30, Weather and Exchange. 2.45, Reading, *Der Steinbruch* (Karl Martin). 3.0, Talk for Women. 3.30, See Leipzig. 4.10, Topical Talk. 4.30, Chamber Music: *Cello Recital* by Hermann Weil; *Song of the Troubadour* (Glazunov); *Minuet* (Joseph Marx); *Hymns* (Paul Dessau); *Scandinavian Romance* (Heinz Tieszen); *Scherzo* (Max Reger). 5.0, Talk: Aspects of German Trade—East Germany—Silesia, the Mark and East Prussia. 5.30, Dialogue on the Introduction to the *Eroica* Symphony (Beethoven). 5.55, Weather and Announcements. 6.3, Talk: Study or Practical Instruction? 6.30, A Poem. 6.35, Political Press Review. 7.0, Fateful Hours in Count Yorck's History A Play in Five Acts (Hans Kyser, arranged for Radio). 8.35, Concert from Berlin (Witzleben). 9.15, Weather, News and Sports Notes. 9.45, Weather Report for Shipping. 10.0, Concert from Hamburg. 11.0 (approx.), Close Down.

BERLIN

WITZLEBEN, 419.5 metres; 1.5 kW.—6.0 p.m., Topical Talk. 6.10, Concert of Light Music from the Eden Pavillion. 6.45, A Game with the Globe—Programme arranged by Oda Weitzbrecht. 7.45, Beethoven Recital by Artur Schnabel, relayed from the Philharmonie; *Sonata in F Minor*, Op. 57. 8.10, Folk Songs. 8.35, Beethoven Sonata Recital (cont.); *Sonata in E Minor*, Op. 90; *Sonata in B Flat*, Op. 22. 9.15, Weather, News and Sports Notes. 9.50 (approx.), Concert from Hamburg. 11.0 (approx.), Close Down.

BERNE.—See Schweizerischer Landessender.

BEROMUNSTER.—See Schweizerischer Landessender.

BODEN.—See Stockholm.

BODO.—See Oslo.

BORDEAUX-LAFAYETTE

304 metres; 13 kW.—7.30 p.m., Announcements and Exchange Quotations. 7.40, Popular Music on Gramophone Records. 7.65, Lottery Results. 8.0, Talk on Photography. 8.15, News Bulletin and Weather Forecast. 8.30, See Strasbourg.

BRATISLAVA

279 metres; 14 kW.—3.10 p.m., See Moravská-Ostrava. 4.10, See Prague. 4.20, Popular Music on Gramophone Records. 4.50, Talk. 5.5, See Prague. 5.25, Light Music on Gramophone Records. 5.45, Slovak Spelling Lesson. 6.0, See Prague. 6.25, A One-Act Comedy (Novak). 6.50 till Close Down, See Prague. 10.0 (approx.), Close Down.

BREMEN.—See Hamburg.

BRESLAU

125 metres, 60 kW.; and GLEIWITZ, 253 metres.—12.10 p.m., Gramophone Concert:

BRNO

342 metres; 35 kW.—3.10 p.m., See Moravská-Ostrava. 4.10, Story Reading. 4.20, See Prague. 4.50, Esperanto Lesson. 5.0, Music Review. 5.15, Talk for Workers: Bulgaria. 5.25, German Transmission: News, Agricultural Report and Two Talks. 6.0, See Prague. 6.10, Talk, relayed from the Huss House: *Modern Unrest*. 6.50, See Prague. 8.35, Review of New Gramophone Records. 9.0, See Prague. 10.0 (approx.), Close Down.

FEB. 21st

TUESDAY

continued

Tragedy in Three Acts (Strindberg). 8.50, News. 9.5, Concert of Viennese Music; The Station Orchestra, conducted by Fritz Mahler: Serenade No. 3 in D (Mozart); Melodies (Joh. Strauss, Sen.); (a) Waltz, Die Sorgenbrecher, (b) Annel-Polka; Overture, Indigo (Joh. Strauss). 9.50, Dance Music from Nimb's Restaurant. In the interval at 11.0, Time and Chimes from the Town Hall. 11.30 (approx.), Close Down.

CORK.—See Athlone.

CRACOW

312.8 metres; 1.5 kW.—6.0 p.m., Miscellaneous Items and Announcements. 6.15, Talk: Old Cracow. 6.30, Talk on Music. 6.45 till Close Down, See Warsaw. 11.0 (approx.), Close Down.

DANZIG.—See Heilsberg.

DRESDEN.—See Leipzig.

DUBLIN.—See Athlone.

FECAMP

223 metres; 10 kW.—12.0 Noon, Military Music. 12.30 p.m., News Bulletin. 12.45, Concert of Opera and Operetta Music. 6.0 to 7.0, Programme in English by the I.B.C., C Danvers Walker, R. Cheue, and B. McNab announcing. 6.0, Organ Recital for Worthing. Listeners: Turkish Patrol (Michaelis); A Perfect Day (Jacobs Bond); Selection from Cavalleria rusticana (Mascagni); On Wings of Song (Nodelssohn); Indian Love Call (Friml); Nola (Arnold); Roses of Picardy (Haydn Wood); American Patrol (Meacham). 6.30, Nylophone Recital; for Rognor Listeners: Overture, Raymond (Thomas); Schön Rosmarin (Kreisler); The Skaters' Waltz (Waldfenfel); Parade of the Minutes; Looping the Loop; Carnival of Venice (arr. Gaston); Marionette (Gastony); Tarantelle (Byng). 7.0, Local News. 7.15, Light Music on Gramophone Records. 7.30, Radio Gazette. 8.0, The Listeners' Quarter of an Hour. 8.15, Talk. 8.30, Concert, relayed from Le Havre. 10.0 p.m. till Close Down, Programme in English by the I.B.C. 10.0, Dance Music. 11.0, Kettelby Concert: In the Camp of the Ancient Britons; The Clock and the Dresden Figures; In a Chinese Temple Garden; Wedgwood Blue; The Sacred Hour; In the Mystic Land of Egypt. 11.30, Popular Songs: Down Sunnyside Lane; For you; There's something in your Eyes; Many Happy Returns of the Day; Heartaches; Just one more Chance; When you wore a Gingham Gown; Whistling in the Dark. 12.0 Midnight, Variety Music: Selection from Splinters (Gilbons); Song: Body and Soul (Green); The Sport of Kings; Song: I'm a Dreamer; Accordion Solo; Medley of English Airs; Oi; Sometimes I'm happy (Youmans). 12.30 a.m. (Wednesday), Popular Songs; Banjo Solo: The Buffoon (Curzon); Gipsy Melody; Little Old Church in the Valley; One Hour with you; Say a little Prayer for me; Wabash Moon; Paradise; Bath Solo: Fashionette. 1.0, Music by a Hawaiian Band: Ay ay ay (Freire); Maria (di Capua); Olaha Oe (Lilino-kalan); O Sole Mio (di Capua); Hawaiian Hotel (Traditional); La Paloma (Yradier); Kilima (Traditional); My Waikiki Mermaid (Traditional). 1.30, Light orchestral and Vocal Concert: That Tiny Teashop (Raymond); Songs: (a) Around the Corner, (b) Granny's Old Armchair; Argentina Amor (Blum); Songs: (a) Down the Railroad Track, (b) Little Brown Jug, (c) I'm betting the Roll on Roamer; Crazy Piquette (Frisk). 2.0, Dance Music. 2.57, I.B.C. Goodnight Melody. 3.0 (approx.), Close Down.

FLENSBURG.—See Hamburg.

FLORENCE.—See Turin.

FRANKFURT

259 metres; 17 kW.; and CASSEL, 245.9 metres.—6.0 p.m., Talk on Trier, relayed from Trier. 6.30 (approx.), The Bells of Trier—a Radio Sequence. 7.30, Concert by the Station Orchestra, conducted by Hans Rosband. Soloist: Helge Roswaenge (Tenor): Overture, Figaro (Mozart); Song from The Magic Flute (Mozart); Overture and Suite from Die Geschöpfe des Prometheus (Beethoven); Overture, Die Zwillingbrüder (Schubert); Two Songs from Oberon (Weber); Overture, Oberon (Weber); Entr'acte from Die drei Pintos (Weber); Song from The Huguenots (Meyerbeer); Gipsy Scene from The Fair Maid of Perth (Bizet); Song from Sicilian Vespers (Verdi); Intermezzo from A basso porto (Spinelli); Intermezzo from William Ratcliff (Mascagni); Intermezzo from L'Anicò Fritz (Mascagni); Two Songs from Turandot (Puccini); Overture, En Carnaval romain (Berlioz). 9.20, Time, News, Weather and Sports Notes. 9.45, See Stuttgart. 11.0 (approx.), Close Down.

FREDRIKSSTAD.—See Oslo.

FREIBURG.—See Stuttgart.

GENEVA.—See Radio-Suisse Romande.

GENOA.—See Turin.

GLEIWITZ.—See Breslau.

GOTEBORG.—See Stockholm.

GRAZ.—See Vienna.

HAMAR.—See Oslo.

HAMBURG

Call ha (in Morse), 372 metres; 1.5 kW. Relayed by Bremen, 269.8 metres; Flensburg, 227.4 metres; Hanover, 566 metres; and Kiel, 232.2 metres.—6.0 p.m., Agricultural Talk. 6.25, Weather Report. 6.30 (from Bremen), Reading from the Works of Four North German Poets—Johann Brütt, Carl Bradt, Marie Lüdeke, and Robert Drasdo. 7.0 (from Hanover), Winter Relief Programme from the Hofjäger. Part I: The Brunswick Theatre Orchestra, conducted by José Eibenschütz and Klaus Nettsträter; Soloists: Erna Kroll-Lange (Soprano) and Bernhard Jackschüt (Bass-Baritone); Academic Festival Overture (Brüllms); Hochzeitslied (Loewe, arr. Robert Müller-Hartmann); Overture, Fingal's Cave (Mendelssohn); Soprano and Orchestra: Liebesfeier (Weingartner); Spanish Rhapsody (Chabrier); Song, Königin (Graener); Coronation March (Svendsen). Part II: Conductors: Adolf Secker and Otto Ebel von Sosen; Soloists: Erna Kroll-Lange, Herbert Ernst Groh, Erwin Bolt, and Bernhard Jackschüt (Songs); Pianoforte Solo: Fasching (Weiner); Song from The Song of Love (Strauss-Korngold); Serenade from Les Millions d'Arlequin (Drigo); Drinking Song from Der lachende Ehemann (Eysler); Overture, Wiener Frauen (Lehar); Duet from The Maid of the Black Forest (Jessel); Waltz from Die Faschingsfee (Kalmán); Duet from Paganini (Lehar); Gallop from Orpheus in the Underworld (Offenbach); Norag Marsch (Horst Platen). 9.30, Time and News Bulletin. 9.50, Concert by the Norag Orchestra, conducted by Horst Platen; Soloist: Gerhard Gregor (Organ); Ballet Music from The Birds (Braniffels); Magische Ballade (Lukas Böttcher); Waltz Scene from Intermezzo (R. Strauss); Suite from L'Arlesienne (Bizet); Organ Solos: (a) Pastorale (Frank), (b) Tempo di Minuetto (Guilmant); Waltz, Dynamiden (Jos. Strauss); Persian March (Joh. Strauss). 10.20 (in an interval), Ice Report.

HANOVER.—See Hamburg.

HEILSBURG

276.5 metres; 60 kW.; and DANZIG, 453.2 metres.—12.5 p.m., Popular Music on Gramophone Records. In the interval at 12.20, News. 1.30, Sponsored Programme with Gramophone Records. 2.0, Agricultural Prices and Exchange Rates. 2.30, Musical Improvisations for Children. 3.0, Concert by the Small Station Orchestra, conducted by Eugen Wilken: Part I: Lincke Programme: Overture, Casanova; Waltz, Deutsche Grüsse; Amina; Lawn-Tennis-Spiele; Selection from Lysistrata. Part II: Leuschner Programme: Overture, Hokuspokos; Vom Frühling und Frau Minne; Chinesisches Märchen, Fantasia on Wolgagaister; Comedy Overture, Mamsell Unnütz. In the interval, Humorous Topical Review. 4.45, Wireless Technical Talk. 5.15, Agricultural Prices. 5.20, Ice Report. 5.30, Talk on the Building Industry—the Bricklayer and the Carpenter. 6.0, Shorthand Dictation. 6.15, Roda Roda reads from his own Works. 6.50, Talk: University Week in Allenstein. 7.0, Weather and News. 7.5, A Journey in the Snow—Radio Film (Rolf Herbert Kunze). 7.45, Talk: Duke Albert of Prussia and the Beginning of a New Age. 8.10, Military Band and Choral Concert, relayed from the Town Hall. Tisit: Overture, 1813 (Weber); Songs at the Camp-Fire: (a) Die bange Nacht ist nun herim (Lyra), (b) Drüben am Wiesenberg (Krause), (c) Wohl auf, Kameraden aufs Pferd (Zahn); Choir and Band: (a) Des Grossen Kurfürsten Reitermarsch (Moltke), (b) Kilrassier-Marsch (Simon), (c) Mercenaries' Song, (d) Swedish Cavalry March, (e) Old Hessian Cavalry March, (f) Cavalry Song, Drei Lilien, (g) Army March (Krause), (h) Regimental March, (i) Cavalry Song, Deine Solim, Land im Osten, (j) Hanoverian Guards' March, (k) March of the Hanoverian Dragoons; Der Preussenmarsch (Golde). 9.10, Weather, News and Sports Notes.

HILVERSUM

Announced HUIZEN, 296.1 metres; 20 kW. (7 kW. up to 4.40 p.m.)—11.55 a.m. till Close Down, Programme of the Catholic Radio Society (K.R.O.). 11.55, Concert by the K.R.O. Sextet. 1.40, Talk. 2.15, Programme for Women. 2.40, Dressmaking Lesson. 3.40, H.I.R.O. Programme. 4.50, Violin and Pianoforte Recital by L. Wijngaarden and J. Ligtelijna: Sonata (Leken); Gramophone Records; Sonata in B Flat (Respighi). 6.10, Esperanto Lesson. 6.30, Light Music on Gramophone Records. 6.50, Educational Talk. 7.10, Police Notes. 7.25 to 7.40, Interval. 7.40, Concert by the K.R.O. Orchestra, conducted by M. Gerritsen: Overture, Friedensfeier (Reinecke); Selection from Die ländliche Hochzeit (Goldmark); Selection from Rosamund (Schubert). 8.10, News. 8.15, Brahms Pianoforte Recital by M. Andriessen: Intermezzo in A Minor, Op. 118, No. 1; Intermezzo in E Minor, Op. 119, No. 2; Intermezzo in C, Op. 119, No. 3; Caprice in G Minor, Op. 116, No. 8; Six Waltzes, Op. 39. 8.40, Light Music on

Gramophone Records. 8.55, Concert by the K.R.O. Orchestra and M. Andriessen (Pianoforte): Overture, Titus (Mozart); Pianoforte Concerto in B (Mozart). 9.40, Popular Music on Gramophone Records. 9.55, Concert (cont'd.): Nos garçons (van Leeuwen); Overture, Suradella (Flotow); Selection from La fille de Madame Angot (Lecocq); Kirmes am Rhein (Dreissen); Potpourri, Musical Soap Bubbles (Urbach). 10.40, News. 10.55, Light Music on Gramophone Records. 11.40 (approx.), Close Down.

HORBY.—See Stockholm.

HUIZEN

Announced HILVERSUM, 1,875 metres; 8.5 kW.—10.10 a.m. till Close Down, Programme of the Algemeene Vereeniging Radio Omroep (A.V.R.O.). 10.10 a.m., Organ Recital by Frans Hasselaar, with Violin Solos by Willy Kater. 10.40 (in the interval), Talk. 11.40, Time Signal. 11.41, Concert of Light Music and Songs. 2.10, Variety Music on Gramophone Records. 2.40, Talk. 3.40, Pianoforte Recital by Ric Beute. Gavotte and Gigue (Bach); Impromptu in A Flat Minor (Schubert); Allegro moderato from the Sonata, Op. 58 (Chopin); Prelude in G Minor (Rachmaninov); Liebesfreund (Kreisler-Rachmaninov); Dance (Piek-Mangiagalli). 4.10, Concert by a Children's Choir, conducted by Jacob Hamel. 4.40, Tales for Children. 5.10, Talk. 5.40, Light Music on Gramophone Records. 6.10, Talk. 6.40, Cello and Pianoforte Recital by Raphael Lanes and Egbert Veen. 7.10, English Lesson. 7.40, Time Signal. 7.41, News Bulletin. 7.45, Concert of Opera Music by the Wireless Orchestra, conducted by Vincenzo Marini. Soloists: Sara Scuderi (Soprano), Rieca Toniolo (Mezzo-Soprano), Pietro Mariotti (Tenor), Antenor Reali (Baritone), and Dario Caselli (Bass). 8.35, Recitations. 8.55, Concert (cont'd.). 9.55, Concert of Light Music by Kovacs Lajos and his Orchestra, with songs by Bob Scholte. 10.40, News Bulletin. 10.50, Concert of Light Music (cont'd.). 11.40 (approx.), Close Down.

INNSBRUCK.—See Vienna.

KALUNDBORG.—See Copenhagen.

KIEL.—See Hamburg.

KLAGENFURT.—See Vienna.

KOSICE.—See Prague.

LANGENBERG

473 metres; 60 kW.—12 Noon, Orchestral Concert, conducted by Eysoldt. Reichswehr March (Eitinger); Overture, Oberon (Weber); Lyric Suite (Grieg); Catalan Caprice (Albéniz); Dance Scene, Scheherazade (Schmalstieg); Selection from La Traviata (Verdi); Waltz, Summer Evening on the Rhine (Zimmer); Jacquelin (Krome); Bell Serenade (Kockert); March Potpourri, Woven man spricht (Bernards). In an interval at 1.0 p.m. (approx.), News. 1.30, Sponsored Programme with Gramophone Records. 2.30, Economic Notes and Time. 2.50, Fairy Tales for Children. 3.20, Notes on the Broadcasts for Schools. 3.30, Talk: Geography made pleasant by Poetic Description: Talk with Examples. 4.0, Concert by the Berber Quartet. Soloist: Gertrud Baumann (Soprano); String Quartet in C, Op. 20, No. 2 (Haydn); Four Songs (Marx): (a) Marienlied, (b) Japanisches Regenlied, (c) Hat dich die liebe berührt, (d) Und gestern hat er mir Rosen gebracht; Two Songs (Haas): (a) Die stille lieblich, (b) Wolken String Quartet in A Minor, Op. 29 (Schubert). 5.15, Italian Lesson. 5.45, Time, Weather, Economic Notes and Sports Report. 6.0, Talk on Poultry-Keeping. 6.30, Reading (Friedrich Griese). 6.55, News. 7.0, Variety Programme. 7.50, Modern Ballad Recital. 8.15, The God and the Bayadère—a Choral (Hermann Unger). 8.30, Pianoforte Concerto, Op. 26 (Max Trapp) by the Station Orchestra, the Composer at the Pianoforte. 9.5, News and Sports Notes, followed by Silent Night.

LAUSANNE.—See Radio-Suisse Romande.

LEIPZIG

389.6 metres; 120 kW.; and DRESDEN, 319 metres.—12.0 Noon, News, Weather and Time. 12.15 p.m., Gramophone Concert of Classical Music. After the Concert, Exchange Quotations. 1.0, Talk: An Unemployed Man takes to the Road. 2.0, Dramatic Programme for Children by Children. 2.35, Exchange and Market Prices. 3.0, Legal Talk for Workers. 3.30, Concert by the Orchestra of the Friedrichtheater, Dessau, conducted by Gustav Mannebeck. Overture to the Fairy Play, Aladdin, Op. 7 (Reinecke); Selection from Hansel and Gretel (Humperdinck); Entr'acte from Der Amtmann von Giebichenstein (Frey); Levantine Rondo (Unger); Lagoon Waltz from a Night in Venice (Joh. Strauss). 4.30, Weather and Time. 4.50, Exchange Quotations. 5.0, Dialogue for Parents. 5.30, French Lesson. 5.50, Introductory Talk to the Gewandhaus Concert on February 23rd. 6.0, Talk: The Ape-Man—Recent Anthropological Research. 6.15, What People are

talking about in America, relayed from America (on Gramophone Records). 6.30, See Frankfurt. 7.30, Concert of Light Music by the Emdé Orchestra. Overture, Princess Rosina (Lincke); Waltz, Transaktionen (Jos. Strauss); Paraphrase on the Song, Ich hatte einst ein schönes Vaterland (Heyer); Intermezzo, Schmetterling (Schlenk); Potpourri, Was wir lieben (Gangelberger); Waltz, Moss Rose (Bosc); Intermezzo, The Clock is playing (Blaauw); March, Der eiserne Grenadier (Richter). 8.45, Somersaults of the Age—a Humorous Satirical Radio Sequence, with Readings from Morgenstern, Wedekind, Peter Seher, Giusta Törnquist, and Others. 9.15, News Bulletin. 9.30, Concert by the Dresden Chamber Orchestra, conducted by Richard Fricke. Overture, Eristeo (Hasse); Symphony in D Minor and D Major for Strings, Two Oboes, Two Horns, and a Harpsichord (Haydn); Ländliche Serenade for String Orchestra (Gustav Jensen); Romance for Violin and String Orchestra (Henriques); Second Suite in G Minor for Strings and Harpsichord (Telemann); Russian Suite for Violin and String Orchestra (Wüst). 11.0 (approx.), Close Down.

LINZ.—See Vienna.

LWOW

381 metres; 16 kW.—6.5 p.m., Miscellaneous Items. 6.20, Light Music on Gramophone Records. 6.30, See Warsaw. 7.0, Reading. 7.15, Concert of Operetta Music, relayed from Warsaw. 9.0, See Warsaw. 10.20, Light Music on Gramophone Records. 10.30 (approx.), Close Down.

LYONS

LA DOUA, 465.8 metres; 1.5 kW.—6.30 p.m., See Strasbourg. 7.30, Radio Gazette for Lyons and the South-East. 8.30, See Strasbourg. News after the Relay.

MADRID

ARANJUEZ (EAQ), 30.43 metres; 20 kW.—10.30 p.m., Concert of Popular Music. 10.45, Radio Chronicle. 11.0, Concert (cont'd.). 11.35, Answers to Correspondence. 11.40, Light Music. 12 Midnight (approx.), Close Down.

MADRID

UNION RADIO, Call EAJ7, 424.3 metres; 2 kW.—7.0 p.m., Chimes, Exchange, and Request Gramophone Records. 7.15, Medical Talk. 7.30, Talk, followed by Request Gramophone Records. 8.15, News Bulletin and Political Review. 8.30 to 9.0, Interval. 9.0, English Lesson by the Linguaphone Method. 9.30, Chimes, Time, Political Review, and Extracts from: Werther—Opera (Massenet) on Gramophone Records. 11.45, News Bulletin. 12 Midnight, Chimes and Close Down.

MALMO.—See Stockholm.

MILAN.—See Turin.

MORAVSKA-OSTRAVA

263.8 metres; 11 kW.—3.10 p.m., Concert by the Station Orchestra, conducted by J. Plichta. 4.10, See Prague. 4.50, See Brno. 5.0, Talk. 5.15, See Prague. 5.25, See Brno. 6.0, See Prague. 8.35, Zither Solos. 9.0, See Prague. 10.0 (approx.), Close Down.

MOSCOW

TRADES UNION, 1,304 metres; 100 kW.—4.0 p.m., News. 4.10, Announcements. 4.25, Madame Butterfly—Opera in Two Acts (Puccini), relayed from the Branch of the Grand Theatre. 8.0, Talk in French: How the Face of Russia has been changed through the Revolution. 8.55, Time. 9.5, Press Review.

MOTALA.—See Stockholm.

MUHLACKER.—See Stuttgart.

MUNICH

533 metres; 60 kW. Relayed by Augsburg and Kaiserlautern, 560 metres; and Nürnberg, 299 metres.—4.0 p.m., Concert by the Anty Rosenberg Chamber Quartet; Soloist, Elisabeth van Wien (Folk Songs to the Lute). 5.15 (from Nürnberg), Talk on Wilhelm Löhe. 5.35, Talk: The Carolingian Empire.—I. 5.55, Time, Weather, and Agricultural Notes. 6.5, Talk: German History in the Making. 6.25, Concert by a Male Voice Choir. 6.55, Humorous Tales. 7.10, The Valves—a Humorous Radio Potpourri. 8.10, Talk: Handwriting as a Plastic Exercise. 8.30, Orchestral Concert, conducted by Erich Kloss: Soloists, Dinah Grolmann (Soprano) and Onaviva Causi (Tenor); Prelude to La Traviata (Verdi); Aria from Aida (Verdi); Ballet Music from Faust (Gounod); Soprano Solos: (a) Aria from Madame Butterfly (Puccini), (b) Aria from Turandot; Waltz from Nalla (Delibes); Tenor Solos: (a) Serenata (Mascagni), (b) La Grometta (Siebella), (c) La Pirehella (Tosti); Music from A Midsummer Night's Dream (Mendelssohn). 9.20, Time, Weather, News and Sports Notes.

NAPLES.—See Rome.

NOTODDEN.—See Oslo.

OSLO

1,083 metres; 60 kW. Relayed by Fredrikstad, 365.8 metres; Hamar, 574.7 metres; Notodden, 447.1 metres; Porsgrund, 453.2 metres; and Rjukan, 447.1 metres.—4.0 p.m.,

FEB. 21st

TUESDAY

continued

Concert by the Grand Hotel Orchestra: Overture, Peter Schmolli (Weber); Waltz, Die ersten Gedanken (Lanner); Selection from The Merry Widow (Lehar); Canto amoroso (Sammartini); Prelude (Svendson); Czardas, Katinka (Caillet). 5.0, Talk for Housewives. 5.45, Songs and Ukulele Music by the Two Jazz Troubadours. 6.0, Announcements. 6.15, Weather and News. 6.30, English Lesson. 7.0, Time. 7.1, Talk on the Industrial Revolution. 7.30, Concert by the Station Orchestra. 8.40, Weather and News. 9.0, Topical Talk. 9.15, Dance Music and Popular Melodies by a Cornet Quartet.

OSTERSUND.—See Stockholm.

PALERMO

542 metres; 3 kW.—7.0 p.m., Dopplavoro Notes, Tourist Talk, Agricultural Report, and Giornale Radio. 7.20, Variety Music. In an interval at 7.30, Time Signal and Announcements. 7.45, Mephistopheles—Opera (Boito) on Gramophone Records. In the intervals, Talk and Art Notes. 9.55, News Bulletin.

PARIS

EIFFEL TOWER, Call FLE, 1,445.7 metres; 13 kW.—Time Signals (on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and 6-dot signals). 5.45 p.m., Le Journal Parlé. 7.20, Weather Report. 7.30, Pianoforte Recital by Marie Antoinette Pradier: Rondos by Marais, Haydn, Mozart, Mendelssohn and Chopin, with Commentary by André Delacour. 8.0, Concert by the Firmin Touche Quartet; Quartet in B Flat, No. 13 (Beethoven); Elegy for Strings (Glazunov). 9.0 (approx.), Close Down.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW.—6.45 p.m., Journal Parlé. 7.0, Sponsored Concert with Gramophone Records. 8.0, Film Notes. 8.5, Legal Talk. 8.15, Interval. 8.30, Concert of Spanish Music by the Station Symphony Orchestra: Part I (Granados): Prelude; Spanish Dance; Characteristic Dance; Escenas Poéticas; Spanish Caprice; Spanish Piece; Libro de horas; La Maga Dolores; El Mago discreto; Selection from El Tralala y el Punteado, Part II (Albeniz); Malocera; Granada; Zambra; Granada; Piezas características; Songs of Spain. Part III (Fallá); Pana Moruno; Lullaby; Selection from Asturias; Two Spanish Dances from La vida breve. Part IV (Turina); Symphonic Picture. La procesion del Rocío; Danzas fantásticas; Cuentos de España; El polo; El tomba; Midnight on Maundy Thursday; Under the Orange Tree. 10.30, News.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW.—6.45 a.m., Physical Culture. 7.30, Weather and Physical Culture (contd.). 7.45, Light Music on Gramophone Records. 8.0, Press Review and Weather. 12 Noon, Concert by the Kretzky Orchestra: Overture, Le Voyage en Chine (Bazin); Ballet Music from Philémon et Baucis (Gommod); Overture, Le Roi d'Yvetot (Adam); Selection from Cavalieria Rusticana (Mascagni); Javotte (Saint-Saëns); Selection from Marouf (Rabaud); Selection from Le Bon Roi Dagobert (Roussseau); Ballet Music from Sylvia (Delibes); Persian Dance (Guiraud); Ballet Music from Parysatis (Saint-Saëns); Ballet Music from Les deux Pigeons (Messager). In the interval at 1.0, Exchange and Weather, and at 1.30, Exchange. 2.0, Exchange. 3.45, Exchange and Market Prices. 4.30, Elementary English Lesson. 6.10, Agricultural Talk. 6.30, Advanced English Lesson. 6.50, Theatre Review. 7.5, Talk on Art. 7.20, Concert by the Kretzky Orchestra: Overture, Pique Dame (Suppé); Les Violettes de la Malmaison (Cools); La Plus Belle (Waldteufel); Marche Lillose (Ladue). 7.45, Commercial Prices, News, and Review of the British Press. 8.0, Les Hameçons—Play (Brixy). In the interval at 8.30, News and Weather, and at 8.40, Review by Pierre Seize. 9.15, Press Review and News. 9.30, Gramophone Records; Jungle Dramas (Ketelbey); Song (Spofiansky); Rhythmic Paraphrase on Il Trovatore (Verdi); Lullaby of the Leaves (Young); Melody (Jekyll); Rumba, Jutamento (Matamoros); Waltz from Faust (Gommod); Two Songs (Dalcroze); Potpourri; Selection from Le Jour et la Nuit (Lecoq); Melody (Ray); La Poupée d'Arlequin (Darcy).

PITTSBURGH

WESTINGHOUSE ELECTRIC (KDKA), 306 metres; 25 kW. Relayed by W2XK on 48.86 metres and 25.27 metres.—9.0 p.m., Work-a-day Thoughts. 9.5, Business News. 9.15, Programme to be announced. 9.30, Weather Report. 9.31, Johnny Muskrat. 9.32, Market Reports. 9.45, Pianoforte Interlude. 9.50, David Lawrence Dispatch. 9.55, KDKA Artist Bulletin. 9.58, Programme Announcements. 10.0, Programme to be announced. 10.15 to 11.15, New York Relay. 10.15, Adventures of Dr. Dolittle. 10.30, The Singing Lady. 10.45, Little Orphan Annie. 11.0, Our Daily Food, by Maude and Cousin Bill. 11.15, Time Signal. 11.16, Weather Report. 11.17, Teaberry Sport Review. 11.22, Press News Reeler. 11.27, Strange Facts. 11.29, Temperature Report. 11.30, KDKA Orchestra. 11.45 to 3.0 a.m. (Wed-

nesday), New York Relay. 11.45, To-day's News, by Lowell Thomas. 12 Midnight, Peppesent Amos 'n' Andy. 12.15 a.m., National Advisory Council on Radio in Education—Armaments, by Admiral William Ledyard Rodgers, and Roland S. Morris, former Ambassador to Japan. 12.45, Westinghouse Programme. 1.0, Eno Crime Club. 1.30, Time Signal and Adventures in Health. 1.45, Phillips Lord in The Country Doctor. 2.0, Household Musical Memories. 2.30, Willard Robinson's Deep River Orchestra. 3.0, The Tune Detective. 3.15, Westinghouse Pioneers. 3.30, Ho May Bailey and Orchestra, from New York. 3.45, Bradley Kincaid. 4.0, Time Signal. 4.1, Teaberry Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.13, KDKA Artist Bulletin. 4.15, Press Last Minute News Flashes. 4.20, Henry Halstead and his Californians. 5.0, Cotton Club Orchestra, from New York. 5.30, Time Signal and Goodnight.

PURSGRUND.—See Oslo.

PRAGUE

488.6 metres; 120 kW.—3.10 p.m., See Měrovská-Ostrava. 4.10, Talk on Industry. 4.20, Czech Lesson for Germans, and German Lesson for Czechs. 4.50, Light Music on Gramophone Records. 5.5, Agricultural Report. 5.15, Talk for Workers. 5.25, News in German. 5.30, German Transmission: Talk by Hedwig Schulhoff. 6.0, Chimes from the Church of St. Ludmila. 6.5, News. 6.10, Talk in Russian: Turgeniev. 6.25, Ivan Olbracht Programme, with Introductory Talk. 6.50, Orchestral Concert, conducted by Prof. Pavel Bedeck: Overture, Euryanthe (Weber); Suite from A Midsummer Night's Dream (Mendelssohn); Rhapsody in D, Op. 45 (Dvorak); Fantastic Scherzo in G Minor, Op. 25 (Suk). 7.45, Wireless Talk. 8.0, Time Signal. 8.2, Running Commentary on the International Ice Hockey Championship in the Winter Stadium. 8.35, Sonata for Violin and Pianoforte (Axman) by Ervina Brokessova and Prof. E. Schulhoff. 9.0, Time Signal. 9.2, News and Sports Notes. 9.15, Running Commentary (contd.). 10.0 (approx.), Close Down.

RADIO-SUISSE ROMANDE

SOTTENS, 403 metres; 25 kW.; LAUSANNE, 680 metres; and GENEVA, 760 metres.—6.30 p.m. (from Geneva), Concert of Newly Released Gramophone Records. 7.0 (from Geneva), Talk: The Work of the League of Nations. 7.15 (from Geneva), Recital of Mozart and Haydn Trios by the Society for Old Music. 8.0 (from Geneva), Madame Sans-Gêne—Comedy in Three Acts (Sardou and Moreau). 9.0, News and Weather. 9.15 (approx.), Close Down.

RUJUKAN.—See Oslo.

ROME

Call IRO, 441 metres; 50 kW. Relayed by Naples, 319 metres, and 2RO, 25.4 metres.—7.0 a.m., Gymnastics. 7.15 to 7.30, Giornale Radio and Announcements. 11.30, Weather and Light Music on Gramophone Records. 12 Noon, Time and Announcements. 12.2 to 1.15 p.m., Concert from Turin. In the interval from 12.30 to 12.45, Giornale Radio and Exchange. 3.45, Children's Radio Review. 4.10, Announcements. 4.15, Exchange and Giornale Radio. 4.30 to 5.15, See Turin. 6.0 (Naples), Shipping and Sports Notes. 6.10, Atmospheric Signals Lesson in Morse. 6.20, Giornale Radio, Agricultural and Dopplavoro Notes. 7.0, Time and Announcements. 7.2, Talk. 7.15, Light Music on Gramophone Records. 7.30, Sports Notes and Tourist Report. 7.45, La città rosa—Opera in Three Acts (Lombardo and Ranzato). In the intervals: Theatre Talk and Announcements. News after the Opera.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY (WGY), 379.5 metres; 50 kW. Relayed at intervals by W2XAF on 31.48 metres and by W2XAD on 19.56 metres.—12 Midnight, General Electric Programme. 7.15 a.m. (Wednesday), Stock Report. 12.30 to 3.0, New York Relay. 12.30, Soloist. 12.45, The Goldbergs. 1.0, Blackstone Plantation. 1.30, Wayne King's Orchestra. 2.0, Ben Bernie's Blue Ribbon Orchestra. 2.30, Ed Wynn and the Fire Chief Band. 3.0, Lucky Strike Hour, from New York, followed by Programme Resumé.

SCHWEIZERISCHER LANDESENDER

BEROMUNSTER; 459 metres; 60 kW.; BASEL, 244.1 metres; and BERNE, 245.9 metres.—11.28 a.m., Time Signal from Neuchâtel Observatory. 11.30, Weather and News. 11.40, Concert by the Radio Orchestra. 12.35 to 12.45 p.m., Weather and Exchange. 2.30, Concert by the Little Radio Orchestra. 3.0, Gramophone Concert. Part I—Wagner Programme; Part II—Favourite Overtures. 4.30, Weather. 4.35 to 5.20,

Interval. 5.30 (from Berne), Programme for Young People. 6.0, Time and Weather. 6.2 (from Berne), Notes on the Broadcasts for Schools. 6.15 (from Berne), Talk: The Nervous System. 6.45, Concert by the Radio Orchestra. 7.0 (from Berne), Wagner Song Recital by Amy Weber-Brügger (Soprano). 7.15, Concert by the Radio Orchestra. 7.45 (from Berne), Cello Recital by Lorenz Lehr; Music by Beethoven, Haydn and Tartini. 8.30, Weather and News. 8.40, Franz Schubert Concert by the Radio Orchestra. Soloist: Amy Weber-Brügger (Soprano). 9.15 (approx.), Close Down.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SASA, 435 metres; 55 kW. Relayed by Boden, 1,229.5 metres; Göteborg, 322 metres; Hörby, 257 metres; Motala, 1,348 metres; Östersund, 770 metres; and Sundsvall, 542 metres.—4.5 p.m., Accordion Music and Reading, relayed from Malmö, 231 metres. 4.45, Popular Music on Gramophone Records. 5.45, French Lesson. 6.15, Weather and News. 6.30, Talk: What is the League of Nations? 7.0, Concert by the Station Orchestra: Soloist: Sulo Hurstinen (Violin); Suite, Karelia (Sibelius); Concerto for Violin and Chamber Orchestra (Merikanto); Andante cantabile from the Fifth Symphony (Tchaikovsky); Cradle Song (Iljinsky); Barcarolle (Arensky); Spanish Caprice (Rimsky-Korsakov). 8.15, Talk on Greek Epitaphs. 8.45, Weather and News. 9.0, Orchestral Concert: Overture, Princess Kosine (Lincke); Ballad and Polonaise (Vienxtemp); Aquarellen-Walzer (Jos. Strauss); Selection from Carmen (Bizet); Serenade, Invano (Amadei); Melody (Kaper and German); Selection from La belle Hélène (Offenbach). 10.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW.—11.30 a.m., Gramophone Concert of Light Music. 12.45 p.m., News. 1.0, Time and Exchange. 1.5, Gramophone Records of Gabriel Pierné as conductor: First Peer Gynt Suite (Grieg); A Midsummer Night's Dream (Mendelssohn); Spanish Rhapsody (Ravel); Bachelina from Sanson and Delilah (Saint-Saëns). 2.0 to 4.45, Interval. 4.45, Talk in French: Agriculture and Industry in Madagascar. 5.0, Orchestral Concert. Conductor and Soloist: M. Rokkam (Cello). March, Abd-el-Kader (Erward); Waltz from The Chocolate Soldier (O. Straus); Cello Solo: Berceuse (Roskam); Overture, Jean de Paris (Boieldieu); Intermezzo, Parade im Mirehenwald (Noack); Selection from Un bon garçon (Yvain); Wedding of the Marionettes (Koekert); Waltz Intermezzo (Percy); Marche printanière (Filippecchi). 5.0, Talk in German. 6.15, Topical Talk. 6.30, Orchestral Concert, conducted by Maurice de Villers: Overture, Stradella (Flotow); Selection from La Favorita (Donizetti); Selection, Philémon et Baucis (Gommod); Scènes alsaciennes (Masseuet); Marche héroïque (Saint-Saëns). 7.30, Time and News. 7.45, Orchestral Concert (contd.); Torcedor and Andalous (Rubinstein); Melody (Rubinstein); Orchestral Suite, Mascarede (Lacôme); Selection from The Girl in the Taxi (Gilbert); Czardas (Grossman). 8.25, Lottery Results. 8.30, Orchestral and Choral Concert, relayed from the Conservatoire, Metz. Conductor: René Delamay. Soloist: Jean Meyer (Violin). Overture, Carnival of Venice (Thomas); The Nymphs' Chorus from Psyche (Thomas); Concerto in E Flat for Violin (Mozart); Variations joyeuses (Debussy); Etudes on The Haunted Palace (Florent Schmitt); Selection from Ramintho (Pierné); Violin Solos: (a) Piece for Violin (Thieriot), (b) Berceuse (Fauré), (c) Gavotte and Gigue from the Sixth Sonata (Bach); Mixed Chorus and Orchestra: Burgundian Songs (Maurice Emmanuel); (a) Chez Jean Nivet, (b) M'y allant promener, (c) La Perdiote. 10.30 (approx.), Close Down.

STUTT GART

MUHLACKER, 360.5 metres; 60 kW.; and FREIBURG, 570 metres.—12.30 p.m., Concert from Langenberg. 1.0, Sponsored Concert. 1.30 to 2.0, Advanced English Lesson. 3.0, Talk: Flowers. 3.30, Talk for Women. 4.0, See Langenberg. 5.15, Time, Weather, and Market Prices. 5.25, Talk on Wallenstein. 5.50, Talk: The Württemberg and Baden Trade Schools. 6.15, Time and News. 6.30 to 9.20, See Frankfurt. 9.20, Time, News, Weather, Snow Report, and Programme Announcements. 9.45, Dance Music by the Stuttgart Philharmonic Dance Band. 11.0 (approx.), Close Down.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW.—7.0, Music by an Argentine Orchestra. 7.15, News and Exchange. 7.25, Local News. 7.30, Operatic Melodies. 7.45, Orchestral Music. 8.0, Sound Film Melodies. 8.15, Instrumental Solos. 8.30, Extract from Les Brigands (Offenbach). 9.0, Orchestral Concert. 9.30, Opera Melodies. 9.45, Instrumental Music. 10.0, Popular Songs. 10.15,

North African News. 10.30, Concert for Lit-tears in Morocco. 11.0, Operetta Music. 11.15, Tangos. 11.30, Programme in English by the I.B.C. Mr. H. K. Hitchcock announcing Film Chorus; Song of the Dawn; Song of the Drum; Ol' Man River; Song of the Flame; Song of the Vagabonds; The Ranger's Song; You will remember Vienna; March of the Grenadiers. 12 Midnight, Weather and Announcements. 12.2 a.m. (Wednesday), Military Music. 12.15 Hawaiian Guitar Music. 12.30 (approx.) Close Down.

TRIESTE

247.7 metres; 10 kW.—4.0 p.m. till Close Down, See Turin.

TRUNDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relayed by Milan, 331.4 metres; Genoa, 312.8 metres; and Florence, 530.8 metres.—4.0 p.m., Light Music on Gramophone Records. 4.15, Talk on the History of Art: Decoration of the Baroque Period. 4.30 to 5.15, Orchestral Concert, conducted by Ugo Tansini: Kermesse flamande (Brussels); Selection from I Pagliacci (Leoncavallo); The Hour of Prayer (Pesse); Overture, Il signor Bruschino (Rossini). 5.35, Giornale Radio, Agricultural and Dopplavoro Notes. 6.0, Variety Music on Gramophone Records. In the intervals at 6.20, Giornale Radio, and at 6.30, Time, Announcements, and Report of the Royal Geographical Society. 7.0, Giornale Radio, Weather, and Gramophone Records of Light Music. 7.30, An Operetta in Three Acts (to be announced). In the intervals, Talk, and Notes on Art. Giornale Radio after the Operetta.

VATICAN CITY

19.84 metres (Morning), and 50.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Information in Spanish. 7.0 to 7.15 p.m., Religious Information in Italian.


VIENNA

517 metres; 15 kW. Relayed by Graz, 352.1 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 245.9 metres; and Salzburg, 218.5 metres.—4.0 p.m., Concert by Charly Gandriot and his Jazz Band, with Song Refrains by Leo Greiner, relayed from the Park Hotel Schönbrunn. 5.15, Agricultural Talk. 5.40, Talk: Otto the Great and the Foundation of the German Empire of the Middle Ages. 6.5, French Lesson. 6.25, Time, Weather and Programme Announcements. 6.35, Concert by the Vienna Symphony Orchestra, conducted by Rudolf Nilius. Soloist: Walter Kleinecke (Cello). Symphonic Fantasia, Op. 16, Aus Italien (Richard Strauss); Rococo Variations (Tchaikovsky); Overture, The Thieving Magpie (Rossini). 7.55, South of the Danube—Variety Programme. Part I: Cupolas and Minarets (Erwin Rieger, arr. Dora Miklosich). Part II: Der Gespan von Semberia—One-Act Drama (Roda-Roda), after the Book by Nuschitch. 8.55, Time, Weather and Announcements. 9.10, Variety Concert, relayed from the Oase Restaurant.

WARSAW

1,411 metres; 120 kW.—10.58 a.m., Time Signal and Bugle Call from the Tower of St. Mary's Church, Cracow. 11.5, Programme Announcements. 11.10, Light Music on Gramophone Records. 12.20 p.m., Weather Forecast. 12.25 to 2.10, Interval. 2.10, Announcements. 2.15, Economic Notes. 2.25, Anti-Gas and Aireraft Drill. 2.30, Announcements. 2.35, Book Review. 2.50, Light Music on Gramophone Records. 3.25, Educational Talk. 3.40, Talk, relayed from Cracow (312.8 metres). 4.0, Concert by the Warsaw Philharmonic Orchestra, conducted by Fiteberg. Suite of Polish Dances (Zarebski-Maklakiewicz); Symphonic Fragment (Brzozowski); Symphonic Triptych (Labunski). In the Interval, Announcements. 4.55, Programme Announcements. 5.0, Talk on History: Great Monarchs of the East, relayed from Wilno (563 metres). 5.20, Topical News. 5.25, Light Music, relayed from the Café Gastronomica. 6.0, Miscellaneous Items. 6.20, Agricultural Notes. 6.30, Talk on Music, relayed from Cracow. 6.45, Radio Journal. 7.0, Orchestral Concert of Operetta Music. Conductor: S. Naxrot. Soloists: Lozinska (Soprano), and Poplawski (Tenor). Overture (Rupaeki); Soprano Solos: Two Airts from Frasquita (Lehar); Czardas from Countess Maritza (Kálmán); Tenor Solo: Air from The Circus Princess (Kálmán); Overture, Gri-Gri (Lincke); Duet, Essai d'amour (Rupaeki); Overture, Pique Dame (Suppé); Selection from The Geisha (Jones); Selection from Schön ist die Welt (Lehar); Waltz from The Dollar Princess (Fall); Duet from The Circus Princess (Kálmán); Soprano Aria from The Czarevitch (Lehar); Tenor Aria from The Merry Widow (Lehar); March from Der Teufelsreiter (Kálmán). In the interval, Sports Notes and Police Report. 9.0, Reading. 9.15, Dance Music from the Café Italia. 9.55, Aviation Weather Report and Police Notes. 10.0, Dance Music from the Bodega Dance Hall.

ZURICH.—See Schweizerischer Landessender.



A PERFECT COMBINATION

RADIO COMPONENTS

Lewcos

REGD

BRAIDED AERIAL WIRE

Intensive scientific research and long experience as wire-manufacturers are two of the factors that combine to make Lewcos Braided Wire the most efficient Aerial obtainable for inside or outside use. This Aerial is sold in 50ft., 75ft., and 100ft. lengths (Prices 1/6, 2/2 and 2/9), and, because the braid is moisture-resisting, it does not discolour wallpaper, woodwork, etc., when used indoors.

Tests have proved that brilliant reception and reproduction result when the Lewcos Aerial Wire is used in conjunction with sets constructed with the World-famous Lewcos Radio Products.

Write to Radio Publicity Dept. B for descriptive leaflets.



THE LONDON ELECTRIC WIRE COMPANY AND SMITHS, LIMITED, CHURCH ROAD, LEYTON, LONDON, E.10.

T. W. THOMPSON & Co.

SURPLUS CLEARANCE DEPOT,

14/17, STRUTTON GROUND, WESTMINSTER, S.W.1

Nearest Station. St. James Park (Underground).

Telephone: Franklin 6355. Open every day until 7.30 p.m. (Sundays excepted).

ALL GOODS ON THREE DAYS APPROVAL AGAINST CASH OR C.O.D (I.F.S. excepted).

AMAZING OFFER OF ECKO RECORDING GRAMOPHONE TONE ARMS.—Complete with geared tracking gear for cutting home records. The complete article with pick up were listed at 5 Gns. We are offering the instrument as above at the low price of 1/6, post 6d. In original Ecko box. Useful to all experimenters.

VARIABLE AND GANG CONDENSERS.—British Radiophone 4 Gang .0005 complete with trimmers and illuminated disc drive suitable for 2 S.G. and super Het. circuits. Listed at 37/-, brand new, 12/6, post 9d. **CYLDON** 3 Gang .0005 with trimmers, fully screened, brand new, 8/-, post 9d. **DUR** **AMSCO** Twin gang die cast aluminium chassis, .0005 with trimmers, brand new, 6/- each, post 6d.

AUTOMATIC RECORD CHANGERS.—Complete unit with Webster pick-up and green Elier Induction Motor, plays 9 records. Listed at £15 15s., all voltages. To clear, brand new, £5 each, carriage 2s.

BROWNS PUBLIC ADDRESS MOVING COIL

SPEAKERS.—Capable of 20 watts output, complete with 1ft. aluminium resonator for 100/250 volts D.C. Price £3. For A.C. 100/250 volts complete with mains transformer, Westinghouse rectifier smoothing unit and output transformer, £5. Weight approx. 60 lbs. Listed £30.

BARGAIN OFFER.—Moving coil speakers, all 200/250 volt, wonderful offer of the famous latest type Holsa moving coil, all brand new, listed D.C. model 12/6, clearing at 22/-, post 1/-, A.C. model, fitted with Westinghouse metal rectifier, 37/6, post 1/-. The latest show model Rothermel Moving coil speaker, A.C. model, fitted Westinghouse rectifier, 42/6, post 1/-. Magnavox moving coil A.C. with Westinghouse rectifier, 42/6. Any of the above speakers mounted on the beautiful Magnavox Solid Walnut fireproof baffle as illustrated, 20/- extra, carriage 1/6. Browns Permanent Magnet moving coil speakers in oak cabinet listed £1 19s. 6d., to clear, 45/-, Browns Cubist 100/250 volt D.C. moving coil speakers mounted in 20in. solid oak cabinet listed at 19 Gns. Bargain offer £3 Approx. weight 40 lbs. Amplion Moving Coil, 17/6, post 1s. All speakers are complete with matching transformers.



OSTAR GANG COMBINED A.C. AND D.C. ALL-MAINS RECEIVERS.—In modern Walnut case with Holsa M.C. loudspeaker complete with 3 valves. Brand new, listed £10 15s. To clear 54/19/6.

EDISWAN 3 VALVE D.C. SETS.—S.G., Det. and Pentode, complete all mains set without valves, in original packing, unused, were listed at 19 Gns. to sacrifice, 57/6.

CINEMA SOUND HEAD.—For Home Talkies, consisting of Photo Electric Cell circuit, followed by one stage of amplification in fully screened metal case, maker Browns, complete with condenser, transformer, etc., 25/-, post 1/-.

CONDENSERS.—Variable, .0003 and .0005, latest type, 2/- each, post 1d. Fixed condensers, Bakelite moulded cases, 2 m.f. 700 volt test, 1/10, 1 m.f., 1/6. P.C.C. metal cases, 2.6 m.f. 700 volt test, tapped 1 x 1 plus six, 1 m.f., 2/6 each, 2 m.f. 1,000 volt test A.C. 2/-, 500 volt test A.C., 1/9. 4 m.f. 1,000 volt test, 4/-, 500 volt test, 3/-, 1 m.f. 1,000 volt test, 1/6, 500 volt test, 1/4. Electrolytic 2,000 and 2,000 m.f. max. working voltage 12, price 6/- each. Wego 1 m.f. fixed condensers 500 volt test 6d. each, post 2d.

WEGO.—10 m.f. Condenser Banks with tappings, price 8/-.

ELECTRIC LIGHT CHECK METERS.—200/250 volt 50 periods, A.C., highly suitable for checking other consumers use of current, etc., Cost £9. To clear, 5/- each post 1/3.

COLLARO ELECTRIC GRAMOPHONE MOTORS.—200/250 volts A.C., complete with table and automatic stop. Brand new, 37/6, post 1/3.

THE LAST OF THE TUNGAR CHARGERS.—The famous B.T.H. brand new and complete with valve (please state mains voltage with order), charging 2, 1 and 6 volt accumulators at 3 amp. Price 12/6, post 1/-.

D.C. ELIMINATORS.—2 pos. tappings, one variable, 200/250 volt input, output 0 to 180 volts at 30/10 milliamps, all guaranteed, 15/-, post 9d.

A.C. ELIMINATORS.—200/250 volt, output 180 volts variable 25 m.a. All the highest grade components Kolster Brandes mains transformers, Westinghouse modification, two pos. tappings and one variable. All new and guaranteed Price 28/6, post 1/3.

CENTRALAB VOLUME CONTROLS.—Suitable for radio-grams, etc. List 9/-, to clear, brand new, 1/9, post 3d.

REGENSTAT VARIABLE CONTROLS.—2 meg for eliminator voltage control, etc. Listed 6/6, to clear 1/3 each, post 3d.

RADIO-GRAM. CABINETS.—Solid oak or mahogany polished, 3ft. high by 20in., 20in., with cut baffle, 55/- each. Worth double.

TELSEN INTERVAL TRANSFORMERS.—All new, 3/6, post 6d.

PANEL MOUNTING SWITCHES.—On and off, 6d. each.

AERIAL WIRE, 7-STRAND.—Copper, 1/6 per 100 ft.

BROWNS METAL ELIMINATOR CASES.—Size 10in., 6in., 5in., 9d. each, post 6d. (See Classified Advertisement on page 19).

PREH POTENTIOMETERS MEET EVERY KNOWN NEED

The new range of variable resistances have been designed to meet the demand for a component with a particularly silent and smooth movement. The curve of the potentiometer is arranged "straight line," which gives a straight line ratio between angular movement and resistance variation. The resistance can be supplied with "straight line" or logarithmic curves according to requirements.

In resistances of a value more than 50,000 ohms, the guaranteed tolerances are -15 per cent and +30 per cent of the rated values. In the case of low value resistances, the corresponding guaranteed tolerances are + or -10 per cent.

These components are also supplied with a combined switch, making an extremely neat and robust unit. The switch has a quick make and break movement, and will handle 1.2 amperes at 250 volts without arcing.

Prices for your special requirements on application

Preh


POTENTIOMETERS
AND RHEOSTATS

PREH MANUFACTURING CO., LTD.

Broadwater Road,
Welwyn Garden City.

Manufacturers and wholesalers only supplied.

Sole Sales Organization: Harwell Ltd., The Sessions House, Clerkenwell Green, E.C.1. Phone: Clerkenwell 6905-6.



TRUE TONE CONTROL

gives continuous variation from all bass to all treble, resulting in the best reproduction in any working conditions.

That is why no amplifier, from the

MODERN A.C. QUALITY AMPLIFIER

down to the smallest 2-valve receiver, is complete without a


MULTITONE TRUE TONE CONTROL L.F. TRANSFORMER

Tone control models
available for Q.P.P.

New fully descriptive Multitone handbook "D"
sent post free on application.


MULTITONE
TONE CONTROL L.F. TRANSFORMER

THE MULTITONE ELECTRIC CO., LTD.,
55-58, White Lion Street, London, N.1. Phone: North 5063.



Thousands are saying "Oh, for wireless with tone that's really clear—without buzzing and crackling." Here's the one sure way to get it

It is a fact accepted by every wireless engineer that no source of H.T. gives such constant clear tone and freedom from "background" as H.T. accumulators. That's why the B.B.C. uses them. True they cost more at first, but Exide H.T. Accumulators can be bought 10 volts at a time and in the end you've spent no more for you do not scrap them when they're exhausted. They can be recharged again and again. You will be surprised at the all-round improvement in reception with Exide H.T. Accumulators.



● Prices for 10-volt unit: Type WJ 2,500 milliampere hours 5/- Type WH 5,000 milliampere hours 6/3 Type WT 10,000 milliampere hours 12/- Also complete batteries in crates. (These prices do not apply in the Irish Free State.) From Exide Service Stations or any reputable dealer. Exide Service Stations give service on every make of battery

Exide Batteries, Exide Works, Clifton Junction, nr. Manchester. Branches: London Manchester, Birmingham, Bristol, Glasgow, Dublin, Belfast.



P42

H.T. WIRELESS ACCUMULATORS

THERE IS A "GOLTONE"
COMPONENT FOR EVERY
"WIRELESS WORLD"
RECEIVER.

**"GOLTONE"
SCREENED
DUAL-RANGE
COILS.**

For modern receiver designs, these "Goltone" matched Dual-Range units will meet all requirements.
Type GGR—Tuned grid with separate reaction and aerial tap.
Type GGO—Tuned grid with reaction and alternative aerial taps.
Type GGC—Special Aerial coil with three tapings. No reaction.
Type GBA—Band-pass aerial coil with coupling winding.
Type GBS—Band-pass secondary coil with separate coupling winding.
Obtainable from all First-class Radio Stores. Refuse substitutes—If any difficulty, write direct.

**"GOLTONE" COMPONENTS
SUITABLE FOR THE
MODERN A.C. QUALITY AMPLIFIER.**
Metallic Screened Tubing (as used in the "MODERN A.C. AMPLIFIER"). 2 m/m Bore, R1091, per yd. 9d. 3 m/m Bore, R4392, per yd. 10½. each
1 Mfd. Fixed Condenser (250 V., D.C. working) 2/3
2 Mfd. Fixed Condenser " " 3/-
4 Mfd. Fixed Condenser " " 4/9
Single Fuse Holder R28/412 " " 4½d.
Fuses 1 amp. R28/801 " " 6d.
Mains Connector, 15/31 Flat Bakelite Connector and MC/9 2-Pin Plug Projector, 1/- complete




Price for ALL TYPES
5/9
EACH.

FREE
Send for Large 1933 Radio Catalogue, and four-page folder, with numerous excellent descriptions of the various "Goltone" Screened Dual-Range Coils.



GET BETTER MUSIC IN THE HOME
BY FITTING THE BEST.



'TRUSPEED'
MODEL
50 Cycle A.C.
100-250 Volts.



**"Truspeed"
Electric Gramophone
MOTOR**

YOUR
LOCAL
DEALER
STOCKS
THEM

RECOMMENDED FOR "WIRELESS WORLD"
MODERN A.C. QUALITY AMPLIFIER
The "Truspeed" is giving complete satisfaction to thousands of users. Fit one to your instrument and enjoy the many distinct advantages of electric drive.
FOUR MODELS TO CHOOSE FROM
WRITE FOR FREE FOLDER.

The British Thomson-Houston Company Ltd.
Head Office & Works . . . Rugby, England

A1390N

PARFAIT
BRITISH MADE
THE PERFECT
EBONITE PANEL
ONE QUALITY ONLY
THE BEST

SUPPLIED IN SIX FINISHES | Matt Semi-Polished Mahogany Highly-Polished Black
Cube Surface Highly-Polished Mahogany Semi-Polished Black
Stocked by most Wireless dealers. If any difficulty in obtaining locally write for name of nearest stockist to:
CLAYTON (Rubber Sales) Ltd.
Progress Works, Croft Street,
CLAYTON, MANCHESTER.
Phone: East 6788. Grams: "Crepehousc."

Supplied in Red, Yellow, Blue, Green and Black. Sizes from 1 m/m to 20 m/m.
WHOLESALE ONLY. Your enquiries solicited.

FAIRE BROS. & CO. LTD. LEICESTER

**OSBORN'S NEW RADIO-GRAM
CABINET FOR ONLY**



Model No. 201. A Radio-Gram Cabinet by Osborn for 35/- in Figured Oak, 3' 2" high, 1' 10" wide, 1' 4" deep. Height between motor board and baseboard 12½". Height for pick-up 4". Accommodates a baseboard 18" x 14" or smaller. Ample room for any type of speaker and batteries. Morticed and tenoned throughout. Silk fabric, baffle board and baseboard are included. The panel above fret will be cut to your specification.

35/-

PRICES:
Machined Ready to Assemble £1 15 0
Assembled Ready to Polish £2 10 0
Assembled and Polished . . . £3 5 0
All Models Carriage Paid.

Osborn Super Acoustic Baffle Board. Prevents 90 per cent. speaker worry. Any size hole cut FREE. Guaranteed no vibration. 18 in. by 18 in., 3/-; 24 in. by 24 in., 5/-; 30 in. by 30 in., 8/-; 36 in. by 36 in., 11/3.
Carriage paid U.K. Send for Free Sample.

WRITE FOR FREE CATALOGUE.
CHAS. A. OSBORN,

Dept. W.W. REGENT WORKS, ARLINGTON ST., LONDON, N.1. Tel.: Clerkenwell 5095. Showrooms: 21, Essex Road, Islington, N.1. Tel.: Clerkenwell 5634.

SERVICE
CONSTRUCTION
EXPERT ADVICE
THORNBER ENGINEERS
RADIO **RICHARDSON**

Green Lane, ROMILEY, Stockport, and 10, Chidlow Avenue, WITHINGTON, Manchester.
SERVICE A guarantee to correct the fault in any set in three days from receipt. We specialise in tuning up and adjusting all wireless equipment.
CONSTRUCTION We undertake to build any "Wireless World" or other specified chassis or complete set and deliver instrument and serial tested, inside fourteen days, with a guarantee of satisfaction to the most discriminating listener.
PHONE (DIDSBURY 1801) (WOODLEY 2481)
All parts supplied for any specified set by return.

Mention of "The Wireless World," when writing to advertisers, will ensure prompt attention.



EDISWAN



The name that means 'EXCELLENCE'

“QUIESCENT PUSH-PULL”



—the new principle developed in the Mazda valve laboratories and used for the following “Wireless World” receivers—

“QUIESCENT PUSH-PULL 2” and “Q.P.P. BATTERY GRAMOPHONE AMPLIFIER”

The problem of economically providing a battery operated set with sufficient power to operate a moving coil speaker efficiently has hitherto proved a serious difficulty. The new principle of Quiescent Push-Pull, developed in the Mazda Valve Laboratories, has solved this problem as, by the use of two Mazda Pen 220A's, a power output of as much as 1.3 watts can be obtained with a total H.T. consumption of only 6 m/A at 120 volts.

The new principle is used to great advantage in this new “Wireless World” circuit, which has been designed to work with Mazda valves.

For full report on Quiescent Push - Pull see article by E. YEOMAN ROBINSON, CHIEF ENGINEER, THE MAZDA VALVE LABORATORIES, in “Wireless World” for January 6th, 1933.

TWO “WIRELESS WORLD” SPECIFICATIONS:

QUIESCENT
PUSH-PULL 2

2—MAZDA PEN 220A
17/6 each
1—MAZDA H.L.2 7/-

Q.P.P. BATTERY
GRAMOPHONE
AMPLIFIER

2—MAZDA PEN 220A
17/6 each
1—MAZDA H.L.210 7/-

MAZDA

THE
BRITISH
VALVES

THE EDISON SWAN ELECTRIC CO. LTD.



155 CHARING CROSS RD., LONDON, W.C.2

Mazda Radio Valves are manufactured in Great Britain for The British Thomson-Houston Co. Ltd., London and English

GOOD RADIO DEALERS RECOMMEND EDISWAN

V.187

ENTHUSIASTICALLY ENDORSED by the "WIRELESS WORLD"

A REMARKABLE Allwave Receiver that gives an amazing performance. 15 to 2,000 metres on one dial without changing any coils. Think what this means. No other set can satisfy so completely your demands for distant foreign reception. Over 150 programmes brought in loud and clear—and only one control. Read what "Wireless World" says about this epoch making design—a free copy of this test report will be sent on request together with full details.

150 STATIONS ON THE FARADAY ALLWAVE

Stations all over the World can be heard with this Allwave Super-Het-Receiver, *America, Australia, Africa, Russia, Italy, Sweden, Spain, South America*—distance is conquered with the Faraday.

FEATURES.

GENERAL. A self-contained five/six-valve superheterodyne with built-in moving-coil loudspeaker of the energised type. For operation on A.C. mains with external or mains aerial; D.C. model also available. Four wave-ranges: short, 15-30 metres; long-short, 30-60 metres; medium, 275-500 metres; long, 950-2000 metres. Seven tuned circuits with one-knob control, compensating tone control, provision for mains aerial and gramophone pickup. Additional loudspeaker or headphones if desired for extra-charge.

CIRCUIT. Signal frequency H.F. stage; combined oscillating frequency changer, one I.F. stage, anode-bend second detector, resistance coupled to output pentode. Full-wave power rectifying valve. In all, four screened grid valves, power pentode, and rectifier.

CONTROLS. (1) Single-knob tuning. (2) 4-position wave-range switch. (3) Combined volume control and on-off switch. (4) Tone-control switch.


The Faraday Super-Het is not a mass production set, it is a Receiver built by specialised technicians, and therefore this Allwave Superhet is guaranteed by us to substantiate the claims made for it.

VISIT OUR STAND NO. 54A AT THE BRITISH INDUSTRIES FAIR!

PRICE ● ● ● ● ●
27 GNS. (inclusive of Royalties). Table stand 30/- extra. Chassis, complete with speaker and valves: £25:13:0 including Royalties. Special model for Overseas available, £30 in walnut cabinet or £32 in teak cabinet.

FARADAY ALLWAVE WIRELESS LTD.,
1, Salcott Road, S.W.11.
Tel.: Battersea 2085.

CONSTANT H.T. VITAL FOR Q.P.P.



NEW SOVEREIGN ELIMINATOR IDEAL FOR LATEST RADIO DEVELOPMENT

32'6

Complete in carton or 5/- deposit and monthly payments of 5/- In cases of Difficulty send direct.

At the same time that it reduces H.T. Consumption and increases volume from battery-driven sets, Quiescent Push-Pull emphasizes the necessity for CONSTANT H.T. to ensure permanent balance between the output valves. Without it, performance is jeopardised. You can overcome all risk of this by replacing your H.T. Battery (which is bound to run down) with the new Sovereign D.C. Eliminator—designed by people who understand Modern Radio Development. This excellent Unit is made to meet present-day requirements, and should be used (on D.C. Mains) to keep any set permanently supplied with High Tension. In heavy crystalline finished case complete with flex. SOVEREIGN IS ITS GUARANTEE. (A.C. Model available shortly.)

25 m/a or 15 m/a output adjustable to choice. Tapped 60,90v. or 50,80v. S.G. 80/100 variable. 120,150v. maximum. For operation on D.C. Mains of 200,250v. Instructions included with every model.



SOVEREIGN PRODUCTS LTD.,
Sovereign House, Rosebery Avenue, E.C.1

- Sovereign Components include**
- Universal Screened-Coils
 - Volume Controls
 - Resistances (all types—fixed and variable)
 - Dual-Range and short-wave Coils
 - 2 point and 3 point Switches
 - 3 point Miniature Toggle Switches
 - Variochokes
 - H.F. Chokes
 - L.F. Chokes
 - L.F. Transformers
 - Fixed and Semi-fixed Condensers
 - Mansbridge Type Condensers
 - Etc., Etc.
- If you are not acquainted with SOVEREIGN COMPONENTS (proved for Reliability and Economy) send for the Sovereign Catalogue (Dept. W.27)—it's FREE.*


Take a leaf—

out of the HEYBERD HANDBOOK!

Do you want to know how to build a Mains Unit, a Battery Charger or a Unit for energising the field of a moving-coil speaker? Full details are given in the Heyberd Handbook. Seventeen different circuits and other diagrams. Hints and tips on servicing. And... details of the many complete Mains Units, Transformers, Chokes, Condensers etc., available. Whatever your need in mains working—Heyberd the mains specialists can assist you. Write to-day!



10 FINSBURY STREET, LONDON E.C.2.
Minute from Moorgate Underground Station.



Olympia Stand 40
British Industries Fair
February 20th to Mar. 4th

POST COUPON

To F. C. HEYBERD & CO.
Mains Apparatus Manufacturers

I enclose 3d. stamps for 36-page Handbook "Mains Power for Radio." Containing many useful hints and technical tips on Mains Working.

Mr.

Address

..... W.W.17.


ROLA

the World's Finest Reproducers


The Designer of
"THE WIRELESS WORLD"
Modern **A.C. QUALITY** Amplifier
Recommends a
ROLA Dual Balanced Pair consisting of
One F6-2500 and One F7-2500 Speaker
with **Special Class 00B Transformer**

- "The Wireless World" also recommend Rola Speakers for the following Sets:—
- A.C. MONODIAL SUPER Type F6-2500 35/- or Dual Balanced Pair F6-2500 and F7-P.M. with Class 00B Transformer - £4 12 6
 - MODERN STRAIGHT FIVE AMPLIFIER—Same as A.C. Monodial Super.
 - BABY SUPER—Type F6-P2500 - 35/-
 - ROLA SPECIAL MODEL, F6-S.T. 400 is solely used and specified for the WIRELESS CONSTRUCTOR S.T. 400 RECEIVER. 35/-
- (PRICE **£4:5:0** List) for this set.
- All eminent "Constructor" designers and the large majority of British Radio Manufacturers use Rola Speakers.

ROLA SPEAKERS
for better
Radio Reception



THE BRITISH ROLA CO., LTD.,
Brondesbury Works,
179, High Rd., Kilburn, N.W.8
Telephone: Maida Vale, 5017-8-9.



A RIGID CHASSIS THAT IS ALL ONE PIECE

Matched to within $\frac{1}{2}$ of 1 per cent \pm half a mm/d.

● so strong that there can never be the slightest distortion in use. NUGANG TYPE "A" is similar to the standard Nugang Model, but with the addition of a powerful Disc Drive. Easily fitted—only round holes to cut in the receiver panel.

Trimmers to each stage operated by external starwheels. Vanes wide spaced and of heavy gauge. Special rotor bearings ensure permanent accuracy and give remarkably free movement. Capacity, .0005 mfd.


Write for new catalogue.



NUGANG TYPE "A"			
Complete with Disc Drive.			
Fully screened.		Semi-screened (without lid).	
18/6	2-gang	16/6	
27/-	3-gang	24/6	
34/6	4-gang	31/6	

PRECISION INSTRUMENTS

Advertisement of Jackson Brothers (London), Ltd., 72, St. Thomas' Str., London, S.E.1. Telephone: H05 1837



The **"VICTOR"** re-creates the original performance

Includes 6 ratio Ferranti Transformer

70/-

The Instrument for the Connoisseur

When one hears speech and music re-created by the R. & A. "VICTOR," one is conscious only of the actual performance.

There is neither over-emphasis of certain passages due to cone resonance, nor preponderance of bass, and the distribution of output energy is constant throughout the whole orchestral range.

The result is RE-CREATION, which is more than mere reproduction; the illusion that one is listening to the actual performers.

This is no mean achievement. It is, however, characteristic of every R. & A. "VICTOR," and is the reason why it is acclaimed the "Instrument for the Connoisseur."

ASK YOUR DEALER TO DEMONSTRATE THIS REMARKABLE REPRODUCER.

R. & A. Reproducers range in price from **15/- to 70/-**

The **R & A "VICTOR"**

PERMANENT MAGNET MOVING COIL REPRODUCER DE-LUXE

REPRODUCERS & AMPLIFIERS LTD.


WOLVERHAMPTON.

Holdens

345

SONOCHORDE

DUAL
MATCHED
SENIOR UNITS



Recommended for
The

Wireless World

"MODERN A.C. QUALITY AMPLIFIER"

In their issue of January 20th, the "Wireless World" after making exhaustive tests of the Sonochorde Senior model moving coil speaker, published the following report:—

"From the point of view of efficiency and sensitivity the Senior D.C. Model is equal to anything we have so far tested."

NOW...

the "Wireless World" have lent emphasis to this report by choosing a pair of Sonochorde Senior D.C. Units for their new

"MODERN A.C. QUALITY AMPLIFIER"

a set designed for use by musicians who require the very best results.

Sonochorde Speakers utilise the revolutionary concentric disc suspension which ensures permanent alignment of the speech coil and provides added sensitivity and a better over-all frequency response. Remember — Sonochorde Senior Units are equipped with 11 in one-piece moulded cones.

The special pair of speakers designed for the "Wireless World" Modern Quality Amplifier are supplied complete with tapped transformer mounted on baffle ready for mounting in cabinet or to existing baffle.

TYPE S.N.R. 2500
PRICE COMPLETE .£4.10

Write to-day for Sonochorde Speaker booklet.

SONOCHORDE REPRODUCERS Ltd.
1 Willesden Lane, London, N.W.6

'Phone: Maida Vale 6066 (5 lines)


FORTIFY your Sets with—
REDFERN'S Ebonart
REG. NO. 469456
RADIO PANELS
AVAILABLE IN BLACK & MAHOGANY COLOURS
Polished one side, also Moire Surface Design.

AND USE ALSO REDFERNS EBONITE LOW LOSS COIL FORMERS
Supplied in 20 Sizes.

MANUFACTURED BY
REDFERN'S RUBBER WORKS Ltd., HYDE, Cheshire.

BRITISH GENERAL

OUTPUT TRANSFORMER



Enables the speaker to be correctly matched to the valve, giving increased volume and better tonal balance. Prevents damage to the loud-speaker due to sudden switching on and off of large currents.

Price **9/6** Multi Ratio.

From all dealers or direct

British General Manufacturing Co., Ltd., Brockley Works :: London :: S.E.4.


THE TECHNICAL PRESS & THE TRADE acclaim—

Plastape
SELF-MOULDING RIBBON WIRE


"THE MOST EFFICIENT INDOOR AERIAL EVER PRODUCED!"

Lies flat against walls—round door jambs—under lino and carpets. Makes a wonderfully neat and highly efficient job of all interior radio wiring. In a range of colours (Red, Buff and Grey) to tone with your room. From dealers. 30 ft. 3/6. 20 ft. 2/6, 15 ft. 2/-, or send P.O. to **KENDEN MANUFACTURING CO., 16, Took's Court, Cursitor Street, E.C.4.** 10 STRAND Triple Insulated "GRIDWOUND" AERIAL (indoor). 8 STRAND Speaker Extension Wire. 4 STRAND Earth Wire. AND—interesting (fully illustrated) description of entirely new method of wiring and making joints of wonderful efficiency and invisibly neat.

Only 1" wide, almost as thin as a visiting card. 10 28 S.W.G. copper wires. (300 ft. in 30 ft. length!) Mechanically sealed at sides. Very attractive finish.



SEND FOR FREE SAMPLE LENGTHS



The LATEST "STENODE" RADIO-GRAMPHONE

Remarkable selectivity and tonal fidelity. Specification includes Marconi-phone Pick-up, R.K. Senior Energised Speaker, G.E.C. Gramophone Motor. Massive Walnut Cabinet. Unbeatable Value at **45** complete (A.C.)

Send for Details to—

WEST END ELECTRICAL CO.,
25, Banner Cross Road, Ecclesall, SHEFFIELD.



The Dubilier type 670 is designed expressly to fill the need for a high quality, low priced Condenser. Tested 500 volts A.C. Suitable for 250 volts D.C. Working Capacities .0001 mfd to .01 Prices from 1/-

... Good performance depends on good condensers

... see the name

DUBILIER

on every condenser in your set




DUBILIER CONDENSER CO. (1925) LTD.
Ducon Works, Victoria Road, North Acton, W.3

M4

A Thoroughly Efficient COMBINED VOLUME CONTROL & SWITCH

Specified for **W.W. MODERN A.C. QUALITY AMPLIFIER**




BRITISH Radiophone Combined Volume Controls and Switches are renowned for their masterly simplicity of construction and the easy functioning that comes from perfect design and production. The resistance elements of these components are very accurately wound with wire of uniform gauge. The type specified for the Wireless World Quality Amplifier is No. 484. The switch is used in conjunction with the larger of the two metal cased volume controls. Dimensions: Outside diameter of case 1½"; Depth of case 1¼"; Spindle projection 1½"; Resistance 100,000 ohms, as specified for the Modern A.C. Quality Amplifier. PRICE 10/6

A leaflet giving full particulars of all types of Volume Controls, Potentiometers and Switches will be sent post free on application.


BRITISH RADIOPHONE LTD.

Aldwych House, Aldwych, London, W.C.2

"BLIND-MAN'S-BUFF" RADIO IS OUT OF DATE



The new EKCO Super-Het. gives you Stations by NAME



Fast coupon for full details

Super-Selectivity; Superb Reproduction

Every radio station has a name. You select your programmes by name. Then obviously it is more convenient, more sensible and quicker to tune in by name. The new EKCO Super-Het makes this possible. Its amazing sensitivity gives you all the programmes worth hearing. The remarkable selectivity of its seven tuned circuits enables us to show the names of all the principal home and continental stations on the large dial so that all you have to do is to turn a single knob until the pointer moves to the name of the station you want.

Ask your radio dealer for a demonstration of the EKCO Super-Het in your home.

For A.C. and D.C. Mains

Model S. H. 25 Price 24 gns.
Or 12 monthly payments of £2 6 3

Special Features: 1. Patented 5-valve Super-Heterodyne Circuit embodying seven tuned circuits and with single knob control. 2. Latest type moving-coil speaker giving superb reproduction. 3. Westinghouse Permanent Metal Rectification. 4. Can be used without aerial or earth if desired. 5. Connections for gramophone Pick-Up and additional speaker. 6. Bakelite cabinet of handsome appearance and extreme durability.



ALL-ELECTRIC RADIO

To E. K. Cole Ltd.
(Dept. W.I.)
Ekco Works,
Southend-on-Sea.

Name

Address

Please send me
FREE illustrated
literature of Ekco
All-Electric Radio.

Mention of "The Wireless World," when writing to advertisers, will ensure prompt attention.

The Wireless World

THE
PRACTICAL RADIO
JOURNAL
22nd Year of Publication

No. 703.

FRIDAY, FEBRUARY 17TH, 1933.

VOL. XXXII. No. 7.

Proprietors: ILIFFE & SONS LTD.

Editor:
HUGH S. POCOCK.

Editorial Offices:
116-117, FLEET STREET, LONDON, E.C.4.
Editorial Telephone: City 9472 (5 lines).

Advertising and Publishing Offices:
DORSET HOUSE, TUDOR STREET,
LONDON, E.C.4.

Telephone: City 2816 (17 lines).
Telegrams: "Ethaworld, Fleet, London."

COVENTRY: Hertford Street.
Telegrams: "Cyclist, Coventry." Telephone: 5210 Coventry.

BIRMINGHAM:
Guildhall Buildings, Navigation Street, 2.
Telegrams: "Autopress, Birmingham." Telephone: 2970 Midland (3 lines).

MANCHESTER: 260, Deansgate, 3.
Telegrams: "Iliffe, Manchester." Telephone: Blackfriars 4112 (1 line).

GLASGOW: 26B, Renfield Street, C.2.
Telegrams: "Iliffe, Glasgow." Telephone: Central 4857.

PUBLISHED WEEKLY. ENTERED AS SECOND CLASS MATTER AT NEW YORK, N.Y.

Subscription Rates:
Home, £1 1s. 8d.; Canada, £1 1s. 8d.; other countries abroad, £1 3s. 10d. per annum.

As many of the circuits and apparatus described in these pages are covered by patents, readers are advised, before making use of them, to satisfy themselves that they would not be infringing patents.

CONTENTS

	Page
PROGRAMMES FROM	
ABROAD, pp. 1-XXIV	
Editorial Comment	127
The Modern A.C. Quality Amplifier	128
Practical Hints and Tips	132
News of the Week	133
Automatic Volume Control	134
Parallel-Feed Precautions	137
Broadcast Brevities	139
Majestic Earlswood Receiver	140
Letters to the Editor	142
New Apparatus Reviewed	143
Readers' Problems	144

EDITORIAL COMMENT

Headlines for the B.B.C.

Wake Up the Announcers!

IF we opened our daily paper one morning and found no headlines to any article and the same size type throughout, we should undoubtedly regard it as dull in appearance and be annoyed at the difficulty we should experience in sorting out news or items of importance from what was trivial in character.

In the case of broadcasting, it is upon the announcers that the responsibility devolves for presenting the news or prefacing the various features of the programme, and whilst we should not like the announcements to be exaggerated in character, yet we heartily deplore the present monotonous manner in which both news and announcements are given out. If the announcer is so overworked that he is too tired to put any enthusiasm into his introductions, then, naturally, he must have our sympathy, but we suspect that it is not the fault of announcers individually but a part of their training that they should make their announcements in this mechanical fashion. Last week when in the news we were informed of the magnificent achievement of the R.A.F. flyers in breaking the distance record in their flight to the Cape, the announcer's delivery was so sad and monotonous that we could be excused for fearing, at first, that the flyers had met with disaster instead of success. Surely it was an occasion when the B.B.C. could have put a headline into the news and the announcer have let himself go with a little enthusiasm over so magnificent an achievement.

This general monotony in announcements pervades the whole of the programmes of the B.B.C., and we feel strongly that however desirable the B.B.C. may feel it to be to take pre-

cautions to suppress irresponsibility on the part of announcers, yet something should be done to eliminate the "weariness" from the announcers' tones and an effort made to put headlines of bold type in their proper perspective in the prefaces to the news and programme items.

Inter-Nation Broadcasts

Success of an Initial Effort

WE congratulate the B.B.C. and the N.B.C. of America on the enterprise shown in organising the successful debate last Saturday between Yale and Cambridge on the subject of War Debts and Reparations.

The idea of this debate fits in admirably with the suggestions put forward by us in a Leader included in our issue of February 10th. In the case, however, of this debate a common language was employed. Our suggestions included talks in English from Continental stations and from the British stations in Continental languages.

Those who may have listened last week to the broadcast of a speech by Herr Hitler must have been impressed with the interest that this speech would have aroused amongst English listeners if it had been more generally understood.

What is needed in Europe to-day is for nations to understand each other's peculiar aspirations and ideals and to have some appreciation of individual national problems, in order to be sympathetic and understanding when these problems are discussed. We do not believe that the ordinary channels of communication can be as effective in achieving this result as broadcast talks, and it is for this reason that we hope the interest in the debate on war debts will encourage the B.B.C. to further efforts.

The MODERN A.C. QUALITY AMPLIFIER

A Self-contained
Gramophone
Equipment giving
5 to 6 watts
Undistorted
Output

By W. I. G. PAGE, B.Sc.



FEATURES:

The equipment comprises a two-stage amplifier housed in a cabinet containing a synchronous gramophone motor, turntable and pick-up. The L.F. intervalve coupling consists of a transformer with continuously variable tone control. To safeguard condensers and to economise in equipment a vacuum thermal delay switch is incorporated and instability is guarded against by thorough decoupling. There is provision in the smoothing circuit for energising two loud speaker fields so that dual compensated units can be used. If desired, a record changer can take the place of the synchronous motor.

TO people who have grown up with the gramophone and have heard it through the vicissitudes and paroxysms of earlier years, it may be difficult to realise how nearly perfection has been reached in the modern electric reproduction. To the advantages of electrical recording are added those of the modern electric amplifier, an example of which it is the purpose of this article to describe. It can be seriously argued that the time has now come when a good gramophone amplifier with generous power output can be more satisfying than a small amateur orchestra.

In the Modern A.C. Quality Amplifier no pains have been spared to secure a faithful rendering of the original, and a flexibility of control has been arranged to suit the different character of the records played and the varying tastes of a large audience.


It is through the introduction of the 25-watt output valve, giving 5 to 6 watts

speech, that the construction of an ambitious amplifier delivering "Public address" volume comes within the scope of the amateur. Little deviation from the conventional layout used for much smaller amplifiers need be made. There is, however, the question of ventilation, as the heat developed by the large output and rectifying valves is liable in a self-contained gramophone equipment to dry the bearings of the electric motor and to cause

the woodwork to warp. Free circulation of air round the valves is assured in the amplifier being described by a curved metal cowl from which convection currents are diverted through the metal grille at the back of the cabinet; furthermore, the base of the cabinet and the baseboard and battens of the chassis have a number of large holes drilled in them.

The amplifier equipment, which is transportable, will, when working at full volume level, be capable of entertaining quite 300 people in a concert hall or of providing music for 200 people dancing; on the other hand, it can be tamed to give less than 1 watt (A.C.) if an occasion arises to use it in an ordinary living room.


The amplifier is built on a metal-covered baseboard measuring 18 ins. by



The complete circuit diagram. The potentiometers R1 and R6, controlling respectively volume and tone, are mounted on the front of the motor board to the right and left of the turntable. The switch S1 is integral with the potentiometer R1.

The Modern A.C. Quality Amplifier—

9 ins. by $\frac{3}{8}$ ins. standing on four battens each $1\frac{3}{4}$ ins. deep. The chassis is housed in the base of a large cabinet, the upper compartment of which forms the motor board, and to this is attached the B.T.-H. "Truspeed" synchronous motor, the



The mains smoothing equipment at the back of the chassis. Note the screened slider lead to the tone control potentiometer.

Marconiphone pick-up, and the two control potentiometers. A lid of substantial proportions is provided so that, when closed, needle chatter cannot be heard during the playing of a record. Looking at the front of the unit the left-hand potentiometer controls the tone—the interval coupling being effected by a Multitone transformer with centre-tapped windings, while the right-hand control shunted across the pick-up adjusts volume, and when rotated to its extreme anti-clockwise position, open-circuits the mains input, cutting off both the amplifier and the motor.


Dual Speakers

It is felt that with an amplifier having such a large output the speaker or speakers (if two be employed) should not be built-in to the cabinet, and their location should be left to the discretion of the constructor. It is often an advantage to have baffles mounted in the corner of a hall near the ceiling; especially is this the case when music is required for dancing. There are undoubted advantages in using dual speakers, where the output is over, say, 3 or 4 watts, for not only is the volume level increased, but a better frequency response is obtained and the bass is especially well rendered. Bearing this in mind, the smoothing equipment of the amplifier has been designed to include two loud speaker field windings in series, each of 2,500 ohms D.C. resistance, and as the voltage distribution scheme allows 50 mA. to flow through them—an adequate dissipation of 6.25 watts is obtained in each.

Dual speakers, which must be mounted close together on a baffle of reasonably large area, are generally fed from one output transformer mounted on the baffle or on one of the speakers; it is therefore necessary to take only a single pair of

leads for speech currents, but each field requires a pair of leads, accounting for a total of six wires between amplifier and speaker unit. No instability or hum was produced when these leads, as twisted pairs, were run a few inches apart for a distance of 25 to 30 feet.

From the circuit diagram it will be seen that there is applied to the output valve a



The amplifier chassis with metal cowl attached. On the right of the rectifying valve is the vacuum thermal delay switch. A small disc of metal must be cut away from the baseboard where the Humdinger is brought through.

little less than 400 volts, although the first valve does not really need much over 120 volts H.T. to accommodate the output of the Marconiphone pick-up. Unless certain expedients are resorted to, this dis-

parity of voltage requirements will force the designer to include high-voltage condensers in that part of the set associated with the first valve. These condensers will have to carry with safety the high voltage applied during the 25 seconds while the heater of the indirectly heated valve is warming up.

Quite a large number of condensers are involved, and to avoid heavy cost, and, incidentally, considerable extra baseboard space, either a separate low-voltage rectifier must be used for the first valve or a thermal-delay switch interposed in the main positive H.T. lead. The second of these has been considered the most practicable, and the Edison vacuum switch—type D.L.S.I.—has been chosen. This component resembles a valve and consists of a bi-metal contact strip assembly mounted in a glass bulb with a 4-pin base, and connections must be made so that the input is joined to the grid pin and the output to the anode pin. The time delay can be varied by change of heater temperature, but with four volts, contact is made after 30 seconds, which is entirely satisfactory. The heater consumption under these conditions is 0.5 ampere.

Voltage Distribution

The general circuit is quite straightforward and components having a large margin of safety have been chosen. The mains are led to an adaptor unit screwed to the inside wall of the cabinet. Two 1-ampere fuses are included here, and connection is then made via the switch S.1 (integral with R1) to the motor and the primary of the mains transformer. The latter has an incremental tapping of 10 volts so that all voltages between 200 and 250 can be accommodated. The general D.C. voltage and current distribu-

tion is shown on the circuit diagram. With a load of 60 mA. for the output valve and 50 mA. for the speaker fields together with R5, an initial unsmoothed voltage of 420 is found across C8. The main smoothing choke drops about 20

The Modern A.C. Quality Amplifier—

volts, leaving 400 volts to feed the anode circuit of the PX25 and the two speaker fields. Each field causes a drop of 125 volts, so 150 volts is left to be absorbed in the resistance R5. No account has been taken of the small current passed by the MHL4 valve as this forms a negligible part of the total.

Separate heater windings for the two valves have been arranged on the mains transformer so as to facilitate automatic bias. To the grid and anode terminals of the output valve holder are connected anti-parasitic oscillation resistances R7 and R10, which prevent unwanted high-

BLUE PRINTS


For the convenience of readers constructing this Amplifier, full-sized blue prints of the complete layout and wiring diagram are available from the publishers at 1s. 6d. post free.

frequency disturbances. The grid circuit is decoupled by R8 C5 and automatic bias is provided by the 3-watt resistance R9. An intervalve transformer with a continuously variable tone control potentiometer (R6) has been chosen, as it is found that by its use the output can be adjusted to suit various acoustic surroundings. Sometimes speech is more

natural if the tone is raised above the level found best for music, and there are some records with which it is a great advantage to bring up the bass register. The curves reproduced show the response (1) when the potentiometer is turned to the extreme bass position; (2) the midway position, and (3) full treble response. The voltage amplification on the vertical scale is that given by an MHL4 valve working into a load of 50,000 ohms. Although parallel-fed, the transformer is not auto-coupled, thus grid decoupling of the succeeding valve is fully effective.

Little need be said of the input circuit and valve. Anode decoupling is given by

PRACTICAL WIRING PLAN AND DIMENSIONAL DATA



The volume control and mains on-off switch are mounted on the motor board and are not shown.

The Modern A.C. Quality Amplifier—


R4 C2, and adequate protection from electrostatic pick-up is afforded by earthing the motor and using earthed screened leads for the sliders of R6 and R1, the metal braiding of the lead in the latter case being used for the pick-up return circuit. The connections for the pick-up terminals mounted on the baseboard of the amplifier should be clear from the circuit diagram. The bias resistance R2 of 500 ohms will generally be found of sufficiently high value, but with pick-ups having an exceptionally large peak output, a value of 1,000 ohms may be necessary.

The gramophone motor chosen is of the synchronous type and is self-starting, and the correct speed is maintained exactly if the mains are frequency-controlled. An adjustable automatic stop is provided, which is found to give consistent and positive operation with the different types of run-off groove. The distance between the lid of the cabinet and the motor board, also the clearance above the cowl in the amplifier, have been made large enough to accommodate a Garrard record changer which has a permanent pick-up.

LIST OF PARTS REQUIRED

After the particular make of component used in the original model, suitable alternative products are given in some instances

- 1 Mains transformer, 400-0-400 v. Savage type M.G.A. 4 volts 3 amps, centre tapped; 4 volts 2 amps; 4 volts 1 amp., centre tapped. (R.L., Sound Sales, Varley, Vortexion, Trix)
- 1 Output choke, LFC1 Savage "Massicore" type L.34 (R.L., Sound Sales, Varley, Trix)
- 1 L.F. choke, 28/14 henrys, LFC2 R.L. type DY.11 (Varley, Trix)
- 1 L.F. transformer, 4:1, LFT Multitone "Toco"
- 1 Graded potentiometer for above, R6 Multitone
- 1 Combined potentiometer, 100,000 ohms and mains "on-off" switch, R1, S1 British Radiophone type 484 (Bulgin, Claude Lyons, Rotorohm, Lewcos, Watmel, Wearite)
- 1 Power resistance, 3,000 ohms, 10 watts, R5 and holder Varley C.P.39
- 1 Resistance, 100 ohms, 1 watt, R10 Claude Lyons
- 1 Resistance, 500 ohms, 1 watt, R2 Claude Lyons
- 1 Resistance, 5,000 ohms, 1 watt, R7 Claude Lyons
- 1 Resistance, 10,000 ohms, 1 watt, R.4 Claude Lyons
- 1 Resistance, 50,000 ohms, 2 watts, R3 Claude Lyons
- 1 Resistance, 500 ohms, 3 watts, R9 Claude Lyons (Dubilier, Erie)
- 1 Potentiometer, 30 ohms, R11 Claude Lyons "Humdinger"
- 4 Valve holders, 5-pin CNX chassis mounting type (Bulgin, Eddystone, W.B.)
- 2 Fixed condensers, 1 mfd., 250 volts D.C. working, C1, C5 Dubilier type B.S.
- 1 Fixed condenser, 2 mfd., 250 volts D.C. working, C2 Dubilier type B.S.
- 1 Fixed condenser, 4 mfd., 350 volts D.C. working, C4 (Peak, T.C.C.) Dubilier type L.S.B.
- 3 Fixed condensers, 4 mfd., 500 volts D.C. working, C6, C7, C8 T.C.C. type 95
- 1 Fixed condenser, 0.1 mfd., 350 volts D.C. working, C3 (Dubilier, Peak) T.C.C. type 84
- 1 Combined twin fuse holder and Mains Connector, complete with two 1-amp. fuses Bulgin type F.15
- 9 Ebonite shrouded terminals, Earth, 3 L.S.+ , 3 L.S.- , 2 Pick-up Belling-Lee type "B"
- 1 Plymax baseboard, 18x9x1/2in. Peto-Scott
- 2 Batters, drilled, 18x1 1/2in. Peto-Scott
- 2 Batters, 8 1/2x1 1/2in. Peto-Scott
- 1 Metal cowl Peto-Scott
- 1 Gramophone motor unit B.T.H. "Truspeed"
- 1 Pick-up Marconiphons K17
- Cabinet, 19x15x14 1/2in. Peto-Scott
- 2 lengths Screened sleeving (Harbros, Lewcos) Goltone
- 8 lengths Systoflex, flex, etc.
- 1 Vacuum thermal delay switch Ediswan D.L.S.1
- Screws: 22 1/2in. No. 4 R/hd.; 22 1/2in. No. 6 R/hd.; 8 1/2in. No. 6 R/hd.; 6 1/2in. No. 4 R/hd.; 2 1/2in. No. 6B.A.
- Valves: 1 Marconi or Osram MHL4 metallised, or Mazda AC/HL or Cosor 41MHL, 1 Marconi or Osram PX25 or Mazda PP5/400, 1 Marconi or Osram U.14 or Mazda UU.120/500 or Cosor 460BU.



Frequency response curves of the Multitone 1 to 4 L.F. transformer. When the tone control potentiometer is turned to either extreme treble or bass, the response is given by curves 3 and 1 and an intermediate position is represented by curve 2.

The Marconiphone pick-up must be properly tracked, and the arc formed by the needle point when the tone arm is swung over the record should cut the centre of the turntable spindle.

When dual speakers are used it is important to "phase" them correctly—that is, each speech coil should be pushing and pulling simultaneously. If a wrong connection is suspected—and it will be accompanied by loss of bass and the existence of "dead" spots some yards from the

speakers—it is only necessary to reverse the leads to one speech coil. If only one speaker is used the terminals for the second field (next to R5) should be bridged by a 10-watt resistance of 2,500 ohms. Suitable dual speakers to handle up to 6 watts speech are the Sonochorde Senior Dual SR.2500; Rola Type F7M.2500 plus F62500, with OOB transformer; Magnavox type Magna DC142/144, 2500 fields plus 20500 transformer; Baker Elomag Dual (2500) and Celestion DS.28 or 88.

If reference is made to the drawings and photographs no difficulty in construction should present itself. It cannot be emphasised too strongly how important are the various earth connections to the metal covering of the baseboard. Aluminium oxidises very quickly, and unless a really tight joint is made there may be intermittent contact. It is as well to earth the amplifier, using the terminal provided.

When the building of the equipment has been completed, and the various speaker connections arranged, the only adjustments to be made (apart from the controls of tone and volume) are the "Humdinger" (R11), the automatic motor stop, the phasing of the speakers, and the correct connections on the primary of the mains-transformer, remembering the 10-volt tapping if the supply is 210, 230, or 250 volts.

A gramophone equipment built to this design is available for inspection at 116/117, Fleet Street, London, E.C.4

DISTANT RECEPTION NOTES

READERS have possibly discovered for themselves that at long last the new Athlone transmitter is regularly at work. On the first night of the station's official career the quality did not appear to be too good, but this will no doubt be improved later. Trouble, though, may be experienced from Rabat, whose separation from Athlone is only 3.4 kilocycles. The Moroccan station is now using a power of 5 kilowatts, and comes through very strongly at times when Dublin is silent.

Marseilles appears to have been testing recently with greatly increased power. This station is credited officially with 1.6 kilowatts, but on several occasions lately it has been as strongly received as the 13-kilowatt Bordeaux. The French regional scheme worked out by General Ferrié is still hanging fire, for since there have been twenty-seven French Governments in the last few years, it has been impossible to find time to pass the necessary Bill. When the scheme is complete there will be a chain of some fourteen Government stations, most of them rated at 60 kilowatts. No place in France will be outside the service area of one or more of these stations.

It was announced a short time ago that a decree had been issued providing for the Government control of all transmitting stations, including those operated by private concerns and by amateurs. It is to be hoped that this marks the beginning of a new era in which some stations, such as Radio LL will cease to cause chaos by thrusting in upon unauthorised wavelengths (Radio LL is separated by only 4.5 kilocycles from Hainburg, on the one side, and Seville Union Radio, on the other), whilst others in the

lower part of the medium waveband will no longer wander with equally disastrous results from wavelength to wavelength as inclination takes them.

As the programme pages of *The Wireless World* show, the two Brussels stations are now giving us a welcome extension of programme hours at the week-ends. On Sundays both come into action at 10 a.m. instead of 12 noon, and both on Saturdays and Sundays the evening programme continues until midnight. It is understood that the lengthening of the programme hours is made possible by increased receipts from licence fees. These stations are so well received in this country, both in daylight and after dark, that we may almost count ourselves as being within their service area.

Reception of European stations continues to be remarkably good. On the long waves Huizen has shown occasional weakness, but as a rule this station can be heard well at any time when it is in operation. Warsaw's transmissions come through with immense strength. Kalundborg can be received with good volume and quality on most days, but occasionally there is interference from Morse signals.

Amongst the medium-wave stations heterodyne interference is rather more troublesome than it was a week or two ago, many stations suffering from it at times. Those which have been worst affected are Vienna, Beromünster, Paris Ecole Supérieure, Milan, Heilsberg, Turin, and Fécamp. Outstanding medium-wave stations at present are Hilversum, Bordeaux Lafayette, Breslau, Strasbourg, Lwow, Toulouse Midi, Leipzig, Katowice, Rome, Langenberg, Prague, and Budapest. D. EXER.

Practical HINTS AND TIPS

AIDS TO BETTER RECEPTION

BY the exercise of a little ingenuity the amateur will often find it possible to make use of components which are not precisely in accordance with the specification laid down for the particular circuit on which he is working. A case in point

Condensers in Series

is the use of fixed condensers in positions where the D.C. potential which they will be called upon to withstand is higher than the maker's rated working voltage.

By wiring two low-voltage condensers in series, the voltage existing across the circuit can be divided between them, and so they may be usable with safety. But, since the total effective capacity of two condensers in series cannot be as high as the actual value of the smaller, it will not as a rule be economical to use them in this way unless both are of equal capacity; the resultant value will then be half that of either condenser.

It is the purpose of this note to draw attention to a point of considerable importance, which may easily be overlooked when putting this scheme into operation.




Fig. 1.—A practical case where low-voltage condensers in series may be used in a high-voltage circuit. Protective resistances, shown in dotted lines, ensure that the applied voltage shall be equally distributed.

Although the two condensers in a series combination may be of equal capacity, and have the same rated working voltage, there is no guarantee that their insulation resistance will be similar. Now the proportion of the total voltage developed across each condenser will depend upon the relative values of their insulation resistance. In fact, the two condensers form a potential divider, along which the leakage current creates voltages in proportion to the resistance.

It is a fact that the insulation resistance of nominally similar condensers can differ very considerably indeed. In order to equalise the voltages across series-connected condensers it is necessary to establish a stable potential at the junction between them, which shall be independent of the leakage current. This can be done by connecting two resistances of the same value, one in parallel with each of the condensers. It is necessary that these resistances should pass sufficient current to swamp the leakage current of the con-

densers without imposing too much additional load on the power supply system. In normal cases resistances of 1 megohm will be found suitable.

OF all the modern refinements that may be added to a long-range receiver of the more ambitious type there is surely nothing more desirable than an automatic volume control system. Various methods whereby a sensibly constant volume may be maintained, more or less independently of the strength of incoming signals, have recently

Step by Step

been described in this journal.

Many readers who are planning new sets will probably consider it essential to include automatic volume control as an integral part of the design. At the present stage of development it would perhaps be better to make provision for this addition, but to wire and test the set without it. Then, when all initial adjustments have been made and everything is working properly, the extra apparatus may be fitted and wired.

Those without previous experience of automatic volume control may excusably be puzzled by some of the effects that it introduces. In the event of a fault existing in the receiver these effects will complicate matters, and render difficult the tracing of even a minor defect. When it can be assumed that the set itself is beyond suspicion the fitting and adjusting of the control system is relatively simple.

IN many receiver designs it is usual to depend on the mounting of the ganged tuning condenser as an electrical connection for the various circuits which are controlled by the condenser. For instance, this applies to the "A.C. Monodial Superhet.," and it has been found that even a slightly imperfect connection at this point has serious results.

Chassis Connections

Among other manifestations, it introduces instability, because the resistance of the bad connection is common to several circuits.

Accordingly, care should be taken with the routing, both from the mechanical and electrical point of view. When an aluminium chassis is employed it should be remembered that a film of insulating oxide tends to form on this metal, and so especial pains should be taken to see that any electrical connection is firmly made. In cases of doubt it is wise to supplement the mechanical mounting by an extra electrical connection made to any convenient earthed point from the condenser frame.


IT is worth while to point out that no system has ever been devised whereby the ganged tuning system of a receiver may be maintained in perfect alignment, irrespective of the capacity of the aerial with which the set is used. This is perhaps rather an academic than a practical point, as with most present-day designs imperfections in input circuit tuning, introduced by quite considerable changes in aerial capacity, are difficult to detect.

Aerial Capacity

Still, it should be borne in mind, especially when the aerial is of non-standard dimensions, or when it appears that for any reason it may have a larger or smaller capacity than usual, that the ganging of a factory-built receiver may be out of alignment. Accordingly, the trimmer of the input circuit (that which controls the tuned circuit in direct association with the aerial) may possibly be adjusted with advantage.

Wearite Whistle Suppressors

WEARITE Heterodyne Filters, specimens of which have been submitted for test, are intended primarily for connection across a loud speaker; two types are available, one removing all frequencies over 3,500 cycles, and the second over 5,000 cycles. The first is more obviously effective in suppressing the great majority of interfering whistles, but it cuts rather too deeply into the musical scale for some tastes. The second filter is especially recommended for high-quality sets, but in any case the great advantage of these units is that they may



Compact but effective: a Wearite filter unit.

be easily disconnected when interference is not present.

Both models cost 10s. 6d. each; they were found to perform the function for which they are designed in an unexceptionable manner, especially with a high-impedance pentode output circuit. The makers are Wright and Weaire, Ltd., 740, High Road, Tottenham, London, N.17.

NEW! An All-Electric RADIO-GRAM by ATWATER KENT for 45 Gns.

Hitherto it has been generally accepted that a first-class Radio-Gram housed in a really first-rate cabinet costs from 75 Gns. upwards. But Atwater Kent have produced one for 45 Gns. Yes, forty-five guineas. And *what* a Radio-Gram! And *what* cabinet work!

ATWATER KENT

You who read "The Wireless World" need no introduction to Atwater Kent Radio. You already know—or many of you do—that for range . . . purity of tone . . . selectivity . . . and power, Atwater Kent Receivers are without equal.

Now you must learn something of the new Atwater Kent Radio-Gram. You must *hear* it. And you must *see* it. You must look carefully at its magnificent cabinet-work. *Compare* it. Put it against instruments at 70 or 80 or even 90 Gns. You will be amazed at its value.

Don't accept our word for this. Ask your Dealer to arrange a demonstration for you. We will gladly co-operate with him. Or call at our Salons. But do please see and hear this magnificent instrument that is causing a furore in the Radio world.

Sole Distributors of Atwater Kent Precision Italia and the World-Famous Arcturus Blue Valves:
G. A. BRITAIN Ltd., 5, Hanover Square, London, W.1
 Telephone: Mayfair 34657. Telegrams: Atwaterkent, Wesolo, London.
 Also Sole Distributors for Irish Free State. Dublin Depot: 40, Dawson Street.



Model 137 R.G.

7-Valve super-het., 200 to 2,000 metres. Automatic Volume Control. Three-point Tone-Switch. Large mains Energised M/C Loud Speaker. Latest type pure induction motor with fully automatic stop. B.T.H. Senior Pick-up giving compensated response from 50 to 5,000 cycles. Figured Walnut cabinet made in London to the design of a leading English Artist by cabinet makers of the highest rank. **45 Gns.**
 Also Model 137 R.G.A. similar to above but fitted with latest type Garrard Automatic Record-changing mechanism. **52 Gns.** These prices do not apply in Irish Free State.

EIGHT LYONS' "B.A.T." RESISTANCES—THE AUTHOR'S FIRST CHOICE FOR THE "MODERN A.C. QUALITY AMPLIFIER"

ALL-BRITISH
PERMANENT
STURDY
QUIET
MOISTURE-PROOF

FIXED RESISTORS

● THESE RESISTANCES WILL EASILY DISSIPATE TWICE THEIR NOMINAL POWER RATINGS.
 ● TO PAY MORE IS UNNECESSARY — TO PAY LESS IS INVITING DISAPPOINTMENT.

PRICES:
 (Plus or Minus 10%).
 1-Watt - 10½d.
 2-Watts - 1/9
 3-Watts - 2/9
 5-Watts - 4/0
 or PLUS or MINUS 5%, 1/-, 2/-, 3/- and 4/3 EACH.

● ANY RESISTANCE VALUE FROM 100w. TO 20,000,000w.

● PROMPT DELIVERY FROM ANY GOOD DEALER.

● Surely sufficient proof of the supremacy of "B.A.T.", the resistances that are renowned for consistent performance and utter dependability.

The very exacting tests, to which all LYONS' "B.A.T." (Best-After-Test) 100% BRITISH-MADE RESISTANCES are subjected, ensure a reliability that has spread their fame far and wide throughout the world. Not only are they regularly specified by all the leading technical authors, but also they enjoy the widest popularity amongst well-informed Home-Constructors and the leading Set Manufacturers.


Make your choice LYONS' "B.A.T." (Best-After-Test), and you will then be certain of enjoying "Designer's" results with your "W.W." "Modern A.C. Quality Amplifier." The resistances specified are:—

100 Ohms, 1-Watt	10½d.
500 Ohms, 1-Watt	10½d.
1,000 Ohms, 1-Watt	10½d.
5,000 Ohms, 1-Watt	10½d.
10,000 Ohms, 1-Watt	10½d.
50,000 Ohms, 2-Watt	1/9
500 Ohms, 3-Watt	2/9
1" HUNDINGER, 30 Ohms	2/6

● SEND TO-DAY FOR FREE AND POST-FREE 48-PAGE ART CATALOGUE DESCRIBING OUR RESISTANCES, SWITCHES, CONDENSERS, VOLUME AND VOLTAGE CONTROLS, PICKUPS, MOTORS, TRANSFORMERS, CHOKES, AND NUMEROUS OTHER FIRST-CLASS PRODUCTS.

In cases of difficulty write:

CLAUDE LYONS LTD.
 76, Oldhall St., Liverpool. 40, Buckingham Gate, S.W.1.



YOUR CONDENSERS MUST STAND UP TO THESE HIGH SURGE VOLTAGES

The above graph, an actual example, shows what happens when an A.C. Set is switched on—an immediate rise to 595 volts, then 30 seconds before normal conditions are reached. For half a minute smoothing condensers are subjected to this overload! Again to the fore in condenser practice, T.C.C. have produced a new condenser—the type 87—definitely built to withstand these dangerous surges—up to 650 volts. Play for safety! Ask for the *surge voltage* figure of your condensers, be sure they are T.C.C.—the condensers in the green case.

Capacity Mfds.	Height	Width	Thickness	Price s. d.
0.1	1 1/2"	1 3/4"	1/8"	2 3
0.25	2 1/4"	1 1/2"	1/8"	2 6
0.5	2 1/2"	1 1/2"	1/8"	2 10
1.0	2 1/2"	2"	1/8"	3 8
2.0	2 1/2"	2"	1/8"	4 9
4.0	2 1/2"	2"	2 1/4"	8 0




THE TYPE 87
Tested to 1,500 v.
D.C. Normal
working voltage 450.
To withstand surges
of 650 volts.

T.C.C.

TYPE 87
ALL-BRITISH
CONDENSERS

THE TELEGRAPH CONDENSER CO. LTD., WALES FARM ROAD, N. ACTON, LONDON, W.3



Specified and Recommended for the
ALL-WAVE MONODIAL

GET A COPY OF THIS BOOKLET — S.30 — FIRST!
A good start is half the battle. With a copy of the S.30 by you you have available full details of a range of components with a reputation second to none. Chokes, Resistances, Transformers, Volume Controls, etc. etc. are fully described, get your copy now!

★ YOUR SHOPPING LIST INCLUDES
THE WEARITE SCREENED H.F. CHOKE
Type H.F.P.
An efficiently designed choke suitable for operation on 15 to 3,500 metres. Resistance 300 ohms. Inductance 255,000 M.H. **Price 3/6**

THREE WEARITE I.F. TRANSFORMERS
Designed to "peak" at 110 K.C. Primary and secondary can be separately tuned and coupling adjusted to vary selectivity. Type W.W.I.F. **Price 12/6 each**

SPECIAL WEARITE SWITCH ASSEMBLY
Specified exclusively for this Receiver and consists of two 1.32's and one 1.31 mounted on special bracket ... **Price 10/6**

YET again Wearite's reputation as the leading switch designers is productive of another "specialised job." The designer of this modern set specifies Wearite for a switch combination having a special function. A reliable H.F. choke was demanded—and Wearite was recommended. Again, for those important components—the I.F. transformers—the Wearite W.W.I.F. Type are found to conform to designer's specification, and recommended. Insist on components with a backing—insist on Wearite!

Registered Trade Mark
WEARITE
WRIGHT & WEAIRE LTD.
740, HIGH ROAD, TOTTENHAM, N.17.
Tel.: Tottenham 3847/8/9.

NEWS of the WEEK

Current Events in Brief Review

Radio at the B.I.F.

NO fewer than thirty-five wireless firms are exhibiting in the Hall of Music and Radio, which forms a prominent section of the British Industries Fair, opening on Monday next, February 20th, at Olympia.

No Wireless for Workless

THE Schoonhoven (Holland) Municipal Council has decided that no unemployed person may subscribe to a radio relay service or acquire a wireless set without incurring the loss of his unemployment pay.

Cause and Effect

BAVARIAN listening licences increased rapidly in number after the opening of the high-power transmitter at Leipzig on December 3rd, and the total is now 331,131. The January increase of 9,326 was approximately a third of the total increase during 1932.

Mansion as Radio Palace

BRICK by brick, each one numbered, the façade of a patrician's mansion in Amsterdam is being removed in order that the building can be transformed into a radio palace worthy of forming the headquarters of Avro, the great Dutch broadcasting association.

When the wireless apparatus has been installed in the basement, and the large rooms have been reconstructed as studios and offices, the façade will be replaced, and, externally, the building will be as venerable as ever.

German Amateur's Triumph

THE novel Accuracy Contest, organised by the society of leading European amateur transmitters known as the Ragchewing Club, drew participants from regions as wide apart as Finland and the Sahara, and in a keenly fought contest the German station, D₄UAN, captured first place.

The object of this contest, as announced in *The Wireless World* a few weeks ago, was to promote efficient operating by encouraging participants to relay messages from country to country in the language of the originating country, and not in the ubiquitous English generally employed among "hams."

D₄UAN, admirably located "right in the centre of things" at Nuremberg, amassed the enormous total of 933 points, by handling no fewer than 206 messages. The runner-up, PAOQQ, of Eindhoven, obtained 428 points with ninety messages. Among the British competitors, station G2ZQ, operated by Mr. J. Hunter, of Blackheath, secured first place among the ten "G" participants, all work being carried out on the 7,000 k.c. (42-metre) amateur band.

"Electrical Music" Postponed

THE European broadcast of "electrical music" arranged for February 16th and referred to in our last issue, was postponed at short notice. News of the revised date of this interesting concert will be eagerly awaited.

Licences for Norwegian Listeners

ON July 1st next the Norwegian State will take over control of all broadcasting stations from the private companies now owning them. Thenceforth all wireless sets must be licensed at a fee of 10 crowns (approximately 18 shillings) per annum.

Amateur Transmitter for Everest Attempt

THE British expedition which will shortly leave England to conquer Mount Everest, under the leadership of Mr. Hugh Ruttledge, is relying largely upon radio to enable the advanced exploring party to keep in touch with the base camp, where a powerful commercial-type transmitter will be erected. But at the advanced radio station at camp No. 3, at an altitude of approximately 21,000 feet, a special portable transmitter will be used which has been constructed by two members of the Radio Society of Great Britain, G6RL and G6US.

Wireless Parts for Unemployed

AN appeal for unwanted wireless components is issued by the Peel Institute, 65, St. John Street, London, E.C.1, in connection with work which has been organised for unemployed men in the district. All sets built at the Institute are used by the men themselves. Enquiries will be gladly answered by Mr. A. R. Kelly at the Institute.

Three-hour Funeral Broadcast

ACCORDING to a Berlin correspondent, a singularly depressing broadcast took place on Sunday, February 5th. All German stations except Königswusterhausen, Stuttgart, and Munich broadcast an electrical recording of the complete funeral service of a young Nazi who was shot on January 30th, and the item lasted three hours!


What's Wanted

THIS is the title of an interesting booklet issued by the Institute of Patentees, giving a list of 895 "needed inventions." The wireless section includes the following:—

Coils which have square-topped selectivity curves to a greater degree than those at present in use.

A really satisfactory interference eliminator.

Cheap device for automatically switching a set off when the station goes off.



MASTS AT MOYDRUM. The aerial system of the new high-power broadcasting station of the Irish Free State. The transmitter has a power of 60kW. and was built by the Marconi Company.

Lions in their Lairs

WHERE and how Michael Faraday, Guglielmo Marconi, and other scientists made their revolutionary discoveries will be vividly demonstrated in the "Rooms of the Scientists" at the *Daily Mail* Ideal Home Exhibition, which opens at Olympia, London, W., on Wednesday, March 29th.


Ladies Welcomed

THERE are 232 licensed feminine radio amateurs in the world, according to the American Radio Relay League, which adds that 190 of the ladies are in the United States.

"Amateur radio has welcomed these modern Dianas of the magic telegraph key and microphone" is the League's gallant comment.

Directional Broadcasting from Vienna

THE great Austrian broadcasting station at Bisamberg, near Vienna, is already taking shape. Among its interesting features is the steel mast aerial (similar to that at Hilversum) working in conjunction with a second reflector aerial 150 yards away, which should have the effect of strengthening the radiations in a westerly direction. Vienna being in the eastern part of the country, this arrangement should produce better reception conditions in Austria and give listeners here a better chance.



RADIO ROUTINE. One of the daily tasks of this shunter on the Hungarian State Railways is to join up the wireless reception cables when connecting the radio car to other coaches.

The portable transmitter is a redesigned ex-W.D. trench set rebuilt to form a self-excited continuous-wave transmitter, operating on wavelengths between 60 and 120 metres. Two P.M.4 valves, supplied by the courtesy of the Mullard Wireless Service Co., are used in the transmitter; the maximum input is 15 watts; H.T. is supplied by an ex-W.D. hand generator and L.T. is taken from Siemens inert cells.

The whole installation is extremely compact and light, and can be carried by one man.

H.F. inductance coils stamped out of sheet metal in a flat spiral.

An efficient loud speaker (the present efficiency is only one or two per cent.).

A Q.P.P. Set

IMPRESSIVE results were obtained on a moving-coil loud speaker actuated by 1½ watts output when the "Aerodyne-Hawk" battery-operated receiver of Messrs. Hustler, Simpson and Webb, Ltd., was demonstrated last week. This new set incorporates quiescent push-pull.

Automatic Volume Control

The Use of the Double-Diode Triode Valve for Quiet, Amplified and Delayed A.V.C.

By C. N. SMYTH, B.Sc.

(Technical Staff, The General Electric Co., Ltd.)

A NUMBER of articles have recently appeared in this journal on automatic volume control,¹ and some apology might be thought necessary for adding another to the number. Actually, however, very rapid strides have been made during the last few months in the development of more elaborate circuits for obtaining quiet and delayed automatic volume control. Another modification has just been developed in America, that of amplified automatic volume control, which, by reason of its advantages, is bound to have a considerable effect on the design of A.V.C. circuits.

A study of Fig. 1 in conjunction with the following brief explanation will show




Fig. 1.—Input-output curves for circuits with different types of volume control. Curve 1 is the case where A.V.C. is not included. Curve two is for simple A.V.C., while curve 3 represents delayed A.V.C. Curve 4 which follows curve 3 is for Q.A.V.C.

at once the respective behaviour of circuits having various types of volume control. Curve 1 shows the input-output graph for a receiver having no A.V.C. system at all. Note the effects of overloading on large signals; this curve was obtained with the manual volume control at maximum setting. Curve 2 shows the effect of a simple A.V.C. circuit. The action commences immediately, and, although overloading is effectively prevented, even the weakest signals are attenuated. Curve 3 represents delayed A.V.C., a more satisfactory system, which does not come into play until the detector is nearly overloaded, after which it prevents any further increase of voltage. Curve 4, which follows curve 3 except at the bottom end, is for the same circuit as 3, only the Q.A.V.C. (Quiet Auto-

matic Volume Control) action prevents any signal being amplified which is not above a certain predetermined value; in this case 5 microvolts. This value is adjusted in practice to exceed slightly the noise level at the place of reception, thus preventing the set responding to all the mush and noise that is so noticeable between tuning positions on A.V.C. sets.

It is desirable to describe the double-diode triode valve before we proceed to the actual circuits. This valve has been developed especially for use in A.V.C. circuits, and is a three-electrode valve, having two small auxiliary anodes

A1 and A2, as shown in Fig. 2. A screen connected to the cathode is incorporated within the valve in order to reduce the capacity between the main and auxiliary anodes. If this capacity is not very small the high audio-frequency notes will be transferred to the anode and amplified by the output valve, spoiling the quality for low settings of the manual volume control and preventing it reducing the set to silence.

A large number of circuits have been developed employing double-diode triodes, and it would be impossible to give them all here. In general, the schemes fall under the four following headings:—

(1) Use of the valve as a full-wave rectifier and for providing simple automatic volume control.

(2) Use of one diode for normal single diode rectification and the other to produce delayed A.V.C.

(3) Use of one diode for half-wave rectification and simple A.V.C., and the other for the Q.A.V.C. action.

(4) Use of one diode for half-wave rectification and for A.V.C. in conjunction with the triode as amplifier, while the other diode provides the required delay action.

The remainder of this article will be

devoted to the detailed description of four circuits, which are described for a super-heterodyne receiver, but they will apply equally well to a straight set.

CIRCUIT 1. A simple circuit giving full-wave rectification is shown in Fig. 3. The two auxiliary anodes provide full-

It is not until a set equipped with automatic volume control is handled that the tremendous advantages of the system are appreciated. The bugbear of fading almost disappears, and the constant volume level for different stations renders the process of tuning much more satisfactory. In this article the use of the new double-diode triode valve for delayed, quiet and amplified automatic volume control is explained.

wave rectification in conjunction with the cathode. The rectified voltage is developed across the load resistance R1. This voltage may be divided into a D.C. and an A.C. component. The D.C. component is led off through a resistance R3 to provide the A.V.C. voltage, and the A.C. component is

passed through the condenser C on to the grid of the triode. Automatic grid bias is provided by the anode current flowing through R4. R2 is a decoupling resistance, and R1 is usually a potentiometer employed as a manual level control.

CIRCUIT 2. In Fig. 4 is shown the second method of using a double-diode

triode, in this case to produce delayed A.V.C. The diode A1 serves as a normal half-wave rectifier, and the audio-frequency voltage is passed on to the grid of the triode in the same way as for circuit 1. The diode A2 is fed from the tuned circuit through the small blocking condenser C2 and a D.C. bias applied to A2 through a high resistance R5. In consequence of this no rectification takes place in the A.V.C. circuit until the peak value of the signal exceeds the bias v , tapped off from the potentiometer R4. The set gives its maximum amplifi-




Fig. 2.—The electrode arrangement in the double-diode triode valve specially designed for A.V.C.

cation until this point is reached, when the A.V.C. is called into action and prevents any further increase in output; for obvious reasons, v is adjusted so that the detector is just prevented from overloading, and the full output obtained without distortion.

¹ See Issues dated Aug. 12th, Sept. 23rd and 30th, 1932, also Jan. 6th and 13th, 1933.

Automatic Volume Control—

CIRCUIT 3. We come now to a more elaborate circuit for producing both quiet and delayed A.V.C. The circuit incorporates two valves, and is really a further development of circuit 2, the half-wave rectification and the delayed A.V.C. action being exactly the same, except for the way in which the grid bias is produced for the triode V1. A study of the circuit in Fig. 5 shows that this bias is produced from two sources, a small automatic bias due to the valves' own anode current flowing through R4 and a large additional bias when anode current flows through the high resistance R5.




Fig. 3.—Here the double-diode triode is used as a full-wave rectifier and also provides A.V.C.

When no signal is being received, or when the set is not correctly tuned (say, $\pm 2\text{KC}$) no voltage is developed across the tuned circuit L2C2, and as a result there is no bias on the grid of the second valve V2, which takes anode current and puts a large blocking bias on the grid of V1, thus preventing any signal reaching the output valve.

Directly a signal is received whose peak value exceeds the delay voltage single-diode rectification in V2 takes place, and the negative D.C. voltage developed across R8 is applied to the grid of V2, preventing the flow of anode current and releasing the blocking bias on V1. The potentiometers R7 and R4 are adjusted to give the required delay to the Q.A.V.C. action and A.V.C. respectively.

Amplified A.V.C.

Before proceeding to the next circuit it will be advantageous to consider briefly what is meant by amplified automatic volume control, and the advantages which are claimed for it. One of the difficulties met with in A.V.C. systems employing diode or leaky-grid detectors is the need for a large signal on the grid of the detector, to produce the required bias. For example, in order to produce a bias of 30 volts with single-diode detection, $30/\sqrt{2}=21$ volts R.M.S. output are required from the I.F. amplifier; or 42 volts if full-wave rectification is employed. This large voltage requires a specially designed I.F. amplifier containing a stage additional to the number normally required or else employing pentode valves. Also, it is not possible to control the last valve of the I.F. ampli-




Fig. 4.—A delayed A.V.C. system where one diode is used as a half-wave rectifier.

fier by the A.V.C. due to the difficulty of then obtaining sufficient output.

Amplified automatic volume control does away with all these troubles simultaneously by operating, and so giving sufficient bias, from a small signal. In point of fact the output from the detector may be divided by the amplification factor of the triode. If this is 6, then to get a bias of 30 volts with single-diode rectification only 3.5 volts output will be required from the I.F. amplifier. For this small voltage there is no objection to putting the A.V.C. on to the output valve of the I.F. amplifier, giving at once a greater range of control and a more level response to the A.V.C. action.

Fig. 6 shows the broad principles of this circuit. Rectification takes place in the normal manner, and a voltage is developed across the load potentiometer R1 which also acts as a manual volume control, the audio-frequency voltage being transferred to the grid of the triode by means of the large blocking condenser C2. Additionally, the D.C. voltage which is

voltage causes a corresponding change in the steady current through the valve. The load resistance R3 is placed in the cathode lead of the valve instead of, as is usual, in the anode circuit. The audio-frequency output is then developed between the cathode and earth.

The A.V.C. voltage is led off from the cathode through a suitable smoothing circuit C5 R5. The point E on the potentiometer AB is earthed directly, and the A.V.C. voltage is negative with respect to earth by an amount equal to the difference in the voltage across EB and the voltage dropped in R3. The voltage across EB is usually between 30 and 40




Fig. 6.—Simplified circuit showing action of amplified automatic volume control.

volts and represents the maximum bias which can be applied to the controlled valves. The voltage dropped in R3 is controlled by the anode current of the valve, which, in its turn, depends on the received signal. Thus for small signals the anode current is large and the cathode is only slightly below earth potential, while for increasing signals the anode current diminishes and the A.V.C. voltage becomes more and more negative.




Fig. 5.—An elaborate circuit using two double-diode triodes for delayed and Q.A.V.C.

developed across R1, and which is normally employed to give the A.V.C. voltage directly, is also applied to the grid of the triode through the decoupling resistance R2. The triode then acts simultaneously as a D.C. and an A.C. amplifier. The A.C. is amplified in the normal way, and any change in the D.C.

CIRCUIT 4. The fourth circuit which gives delayed amplified A.V.C. with a single double-diode triode is shown in Fig. 7, where it is arranged for coupling into a push-pull output stage. The action should be clear from the preceding explanation, but one or two points are worthy of special note. First, in order

Automatic Volume Control—

to obtain two equal outputs to drive the push-pull stage the load is placed partly in the cathode and partly in the anode circuit, R₃ and R₄ being the two load resistances respectively, the values of which are adjusted in order to equalise the outputs from the points P and Q. C₁ and C₂ are blocking condensers which must be used to prevent D.C. voltages from reaching the grids of the push-pull output stage.

In order to obtain the delay action the A.V.C. voltage is not taken directly from the cathode circuit, but tapped off from the second diode A₂, through a suitable smoothing circuit R₆ C₆. This second diode is normally biased from the potentiometer R₇, the slider S of which

is set so as to give the minimum bias required by the controlled valves. With no signal the cathode is positive with respect to S by a voltage equal to the delay voltage, and until this delay voltage is exceeded the diode A₂ does not rectify and the grids of the controlled tubes remain at the same D.C. potential as S. As, however, the signal increases the cathode becomes more negative, and eventually assumes the same potential as A₂, which then takes circuit. Due to the low impedance of the diode compared to the resistance R₅, A₂ thereafter remains at approximately the same potential as the cathode, the A.V.C. then taking its normal effect just as it would if connected directly to the cathode.

Due to the lower amplification required with this type of automatic volume control, an inter-carrier noise-suppressing device is not so necessary, and it is usually sufficient to make the threshold sensitivity of the set slightly above the prevailing noise level.

It is hoped to follow this article with another describing a commercial development of the double-diode triode valve.





Fig. 7.—Delayed and amplified A.V.C. arranged for coupling into a push-pull output stage.


WIRELESS ON THE EVEREST EXPEDITION



Rapid communication with the base camps should be of the greatest assistance to the party which will shortly attempt to scale the world's highest mountain under the leadership of Mr. Hugh Rutledge. The photograph shows (left) Mr. Smythe, the second in command, examining the McMichael short-wave receivers which will be used as far as base camp No. 3, half-way towards the summit. On the right is Mr. David Richards, another member of the expedition, who has been responsible for the wireless organisation.

**“ULTRA-SHORTS”
IN PORTSMOUTH**

ULTRA-SHORT-WAVE tests with amateur-built apparatus are yielding some interesting results in the Portsmouth district, where Mr. Albert Parsons lecturer at the Municipal College, has been transmitting over the city roofs on wave-lengths of the order of 150 centimetres.



Mr. Albert Parsons with his ultra-short-wave transmitter on the roof of the Technical Institute, Portsmouth.

Excellent speech has been transmitted on 150-200 centimetres without noticeable deflection by intervening objects although some deviation has been observed when using an impromptu harmonic wave reflector system.

It is interesting to note that interference by electrical machinery was practically nil on the 200-centimetre wave despite the near proximity of a mercury arc rectifier used for the town supply.

We understand that Mr. Parsons will shortly attempt ultra-short-wave tests between Southsea and the Isle of Wight.

o o o o

BOOKS RECEIVED

Wireless: Its Principles and Practice, by R. W. Hutchinson, M.Sc. Written for wireless amateurs, experimenters and students, and comprising the theory of wireless telegraphy and telephony and its practical working, expressed in a simple, rational and scientific way. Pp. 271+xii., with frontispiece and 220 diagrams and illustrations. Published by the University Tutorial Press, Ltd., London. Price 3s. 6d.

Wie helfe ich mir Wenn mein Rundfunk-Empfänger Versagt, by Hans Coler and Karl Roessger. 2nd edition, revised. A short and instructive book on tracing and repairing faults in wireless receivers. Pp. 38, with 27 illustrations and diagrams. Published by Rothgesser und Diesing A.G., Berlin. Price R.M.2.

Physics in Meteorology, by G. C. Simpson, C.B., C.B.E., D.Sc., LL.D., F.Inst.P., F.R.S., Director of the Meteorological Office, London. A reprint of a lecture given before the Institute of Physics in November, 1932, showing the application of sound, light, heat, magnetism and electricity, to the solution of problems of meteorology. Pp. 22, with 5 diagrams. Issued by the Institute of Physics, London.

Hints and Tips for Motor Cyclists (11th Edition), compiled by the staff of *The Motor Cycle* and containing 721 useful hints and instruction on all subjects connected with equipment, repair and upkeep of motor cycles. Pp. 204+xiv. Published by Iliffe & Sons Ltd., London. Price 2s.

Parallel-Feed Precautions

The Limitations of Decoupling

By M. G. SCROGGIE, B.Sc., A.M.I.E.E.

SOMETIMES in changing over from one system to another which is better—or more fashionable—the anticipated improvement fails to materialise. The resulting disappointment may slightly cloud our normal judgment and cause us to lay the blame on the new system. Nevertheless, the case against it is not necessarily proved, for there is a possibility that certain other effects have been brought into operation that were not there before and that are no essential part of the new arrangement.

The now popular parallel-feed transformer coupling is a case in point. In adopting it there is a risk of running into at least one danger that is not obvious. The fact that no undesirable effects due to this cause exist when a directly fed transformer is in use tends still further to conceal the trap from the unwary.

To avoid creating needless alarm it should be pointed out at this stage that users of battery-driven sets, or, at least, those with grid-bias batteries, need read no further. On the other hand, readers addicted to resistance or choke coupling should, for the purposes of this article, consider themselves, however reluctantly, to be included among the followers of the parallel-feed transformer coupling, for the matter applies, in lesser degree, to them.

It should also be mentioned that the parallel-feed system includes more than one circuit arrangement. The one dealt with here is that which seeks to gain extra amplification by applying both primary and secondary voltages to the grid of the succeeding valve, or occasionally to give the effect of a lower-ratio transformer by connecting in similar fashion, but with one of the windings reversed. This is often described as the auto-transformer connection, and requires that the two windings of the transformer be connected together at one point.

It is shown in Fig. 1. The items enclosed within a dotted line can be purchased as one unit. R1 is the resistance for feeding the first valve with current and at the same time diverting "signals" through the trans-

former primary winding P by way of the condenser C1. The circuit to the cathode of the following valve is completed by C2, another fairly large capacity. A signal voltage is therefore set up between the cathode X and the point Y (which, as C1 is supposed to be large enough in capacity to offer negligible impedance, is practically the same thing as the anode of the previous valve). Owing to the action of the transformer, another voltage three or four times greater—according to the step-up ratio—is generated by the secondary winding between Y and Z (the grid of the second valve).

If the transformer windings have been connected up the right way the total voltage applied to the valve between X and Z is the original voltage plus the multiplied voltage. So far everything goes according to plan.

Now we turn attention to the little group of components in the corner—R2, R3, and C2. This is the usual recommended system for providing the second valve with grid bias. R2 carries the valve current, and its resistance is so chosen as to drop the correct number of volts for biasing purposes. The resistance generally lies between 300 and 1,500 ohms, the actual figure depending on the type of valve.

The current carried by R2 consists not only of the unvarying feed to the valve, but also of the signal currents created in the second valve by the action of the transformer coupling. Now, it is only the voltage dropped by the former that we wish to apply as negative bias to the grid—or, what is exactly the same thing, positive bias to the cathode. If the signal voltages also are fed back between cathode and grid they conflict with those arriving lawfully via the transformer, and

the result is a loss of amplification that may amount to more than 80 per cent. in power.

To overcome this difficulty the signal currents may be provided with an easy short-circuit path in lieu of R2 by shunting it with a condenser. The effectiveness of such a condenser depends on frequency; if it is 1 mfd., for example, at 5,000 cycles it is 30 ohms; at 500 cycles, 300 ohms; and at 50 cycles 3,000 ohms. So that while it provides an effective by-pass for


the high notes, at 50 cycles it might almost as well not be there. While the high notes are up to full strength the low are brought down to perhaps one-fifth power, and the last state is worse than the first.

Shunting the Decoupling

But by interposing R3, of about 100,000 ohms, even the 3,000 ohms of C2 at 50 cycles is virtually a short-circuit, and the signal voltage across R2 is prevented from doing anything between X and Z, which are the points between which the input to the valve is reckoned.

If the foregoing explanation has been followed it will be understood that the condenser C2 has been rendered effective only by the contrast between its 3,000 ohms or less and the 100,000 ohms of R3. If R3 were reduced to 3,000 ohms the arrangement would be much less effective—only about half as good. For example, if a comparatively low resistance were to be connected in parallel with R3, the decoupling or filtering effect of the whole arrangement would depend

Is the extra amplification obtained by auto-coupling an L.F. transformer worth while? The author points out the difficulties which arise in decoupling this circuit and shows that in a mains set it is preferable to use the more conventional transformer coupling in which the primary and secondary are not directly connected.



Typical example of a parallel-feed transformer with its associated components in a Wireless World receiver.




Fig. 1.—Parallel-feed and auto-coupled L.F. transformer. The decoupling resistance R3 is shunted by the circuit shown in heavy lines and so becomes partially ineffective.

Parallel-feed Precautions—

almost entirely on the low resistance, and no increase of R₃ would avail to put things right.

Of course, nobody would dream of connecting such a low resistance intentionally. And yet one has been connected in the circuit diagram, just as surely as if it had been labelled R₄. No award is offered for finding it, for it has been marked in heavy lines. It is true that it comprises several assorted items, to wit, one valve, one condenser, and one transformer primary winding. The resistance of an A.C. valve in the position shown is generally about 10,000 ohms. The condenser has quite a low impedance if it is doing its job properly. The only high impedance is P.




Fig. 2.—The automatic bias resistance R₂ may be shunted by an electrolytic condenser of 50 to 100 mfd., thus preventing the disability of the circuit of Fig. 1.

This takes to itself practically the whole of the signal voltage across R₂, in other words, just the voltage we are anxious to exclude from the valve input. But much worse than that; the transformer steps it up and applies the multiplied signal, plus the original, between X and Z.

This makes the position very serious indeed. It is bad enough to have the voltage drop across the bias resistor fed back, but if it is multiplied by four or five en route more than four-fifths of the amplification may disappear, while if the secondary is reversed it is usually capable of setting up continuous "motor boating," which none of the usual decoupling devices avails to cure.

Battery bias is not a remedy to appeal strongly to the owner of an "all-electric" set. One alternative is a very large condenser C across to R₂ (Fig. 2). Nothing less than 50 or 100 mfd. is advised, and, fortunately, such a large capacity is obtainable at reasonable cost, since the development of electrolytic condensers. Another cure is to connect the cathode of the first valve so that the

offending voltage is not included (Fig. 3). An ordinary condenser of 1 mfd. or thereabouts is then suitable for C₂, and




Fig. 4.—Although the extra amplification of auto-coupling is lost by this method of connection, decoupling becomes straightforward.

R₃ is the usual 100,000 ohms. It is very important to see that the grid of the first valve is preserved from defilement by the objectionable feed-back. Generally it is a detector, with a grid leak taken straight to its cathode. Then all is well.

Alternative Circuits

A disadvantage of the Fig. 3 system is that the current to both valves passes through the same biasing resistor R₂, which consequently must be lower in resistance.

Still another remedy is to connect the transformer as in Fig. 4. This is the method adopted in certain parallel-feed units. The two valves are then inductively coupled, and the primary winding is returned to a point where it does not complete the feed-back path. The




Fig. 3.—Another cure is to connect the cathode of the first valve as shown above.

extra amplification that is possible with a parallel-fed auto-transformer is thereby sacrificed, but it is better to do this voluntarily than to have a much larger slice of amplification forcibly taken away.

Unless these matters are in order the parallel-feed coupling certainly cannot give of its best. The bias system of Fig. 1 breaks down also for resistance or choke coupling, but the effects are not so dire, because of the absence of step-up. Nevertheless, there is no point in using methods that don't work properly, and may give rise to distinctly poor quality of reproduction.

CLUB NEWS

Automatic Telephones

SLADE Radio deserted wireless topics at a recent meeting, when Mr. R. G. St. George lectured on "Automatic Telephones." With the aid of lantern slides members were given a very clear understanding of the principles of the dialing, ringing and receiver circuits. A diagram of a 25-line private exchange was of the utmost interest.

The Society still has vacancies for new members, and enquiries will be welcomed by the Hon. Secretary at 110, Hillaries Road, Gravel Hill, Birmingham.

Practical Direction Finding

PRACTICAL hints on direction finding in field days were given by Mr. Alexander Black at a recent meeting of the North Middlesex Radio Society, members of which have long been fascinated by this particular branch of radio. Mr. Black brought with him a D.F. set constructed on new lines. He considered that in the absence of exceptional precautions screening of the frame was a waste of time, and reminded his hearers of the success of Mr. Maurice Child's scheme last summer when using an open aerial and adjustable coupling coil for neutralising the vertical component of the signal—the cause of the majority of errors.

Hon. Secretary: Mr. E. H. Laister, Windflowers, Church Hill, London, N. 21.

Electric Clocks

ELECTRIC clocks provided an interesting theme of discussion at the meeting of the Croydon Wireless and Physical Society on January 23rd, when Mr. A. J. Webb, M.A., B.Sc., A.M.I.Mech.E., gave an outline of the various applications of electricity to horology. Several modern electric clocks were demonstrated, including the modern Bulle self-driven clock, the synchronous motor clock driven from the 50 cycle A.C. mains supply, and a Hope Jones synchronous master pendulum made by the lecturer.

Hon. Secretary: Mr. H. T. P. Gee, 51-52 Chancery Lane, London, W.C.2.

For Short-wave Enthusiasts

A NEW Short-wave Listening League is willing to collaborate with any organisation in the exchange of reception reports and general research on the high frequencies. The members send notification of transmissions heard to headquarters each month.

All communications should be addressed to Mr. B. Dys, 213, Green Lane, Rawmarsh, Rotherham, Yorks.

Ratepayers' Radio

SOME interesting tests on the detection of distortion were carried out by Mr. Valentine of Messrs. The Mullard Wireless Co., Ltd., at the last meeting of the Radio Section of the New Eltham Ratepayers' Association. Two amplifiers were used, connected to a single pick-up and speaker; by means of switches each amplifier was brought into use in turn. Listeners could detect at once the effect of changing valves and grid bias and could observe the baneful effects of overloading.

Hon. Secretary: Mr. A. E. Gillborn, 87, Montbelle Road, New Eltham, London, S.E.9.

Photo Cells Explained

"PHOTO-ELECTRIC Cells and Gas-filled Relays" was the title of a lecture given by Mr. Inchley, of the General Electric Co., Ltd., at a recent meeting of the Smethwick Wireless Society. The lecturer dealt with the difficulties of manufacturing caesium cells and by working models demonstrated their practical applications. Describing the construction and action of the gas-filled relay, the lecturer demonstrated the various effects produced by the combination of photo-electric cell and relay using D.C. and A.C. He showed that the filament emission of the relay was sufficient to light a 15-watt lamp.

Hon. Secretary: Mr. E. Fisher, M.A., 33, Freeth Street, Oldbury, near Birmingham.

BROADCAST

By Our Special Correspondent

The Placid B.B.C.

PARLIAMENT can scarcely be flattered by the sublime nonchalance with which everyone at Broadcasting House is contemplating the House of Commons debate on broadcasting on Wednesday next, February 22nd. Even the existence of two special Parliamentary Committees—one of them self-appointed—to enquire into the activities of the Corporation fails to ruffle the beatific calm on the faces of those in authority at Portland Place.

Let 'Em All Come

It is being whispered, indeed, that Sir John Reith would welcome many more Parliamentary Committees with the same objects in view, for, although "in a multitude of counsellors there is wisdom," it is no less true that "too many cooks spoil the broth." If, as could easily happen, the Committees begin quarrelling among themselves. . . .

A Great Night at Westminster

Whatever happens, the debate on February 22nd is certain to be entertaining, and I wish the B.B.C. could arrange to broadcast it. If the truth were known, nearly everybody on both sides of the House is a broadcast listener and, as such, is anxious to assert his or her own viewpoint.

What a night!

Pleasant Sunday Evenings

MANY listeners to the foreign programmes will be relieved to know that the B.B.C. definitely state that no attempt is to be made to fill the 6 to 8 p.m. interval on Sundays with programme material of any description. This categorical denial of a rumour is reassuring, and makes one wonder why such rumours are not strangled at birth.

An Australian Enquirer

AFTER several months' stay in this country, during which he has conducted a thorough investigation of B.B.C. methods, Dr. R. S. Wallace, Vice-Chancellor of Sydney University and a member of the Australian Broadcasting Commission, left last week for a month in America, after which he will return to Australia *via* London.

Something to Learn

When I saw him, Dr. Wallace was full of enthusiasm over his reception at Broadcasting House, where every facility and enough literature to stock a library were placed at his disposal.

"I go away," he said, "with a good working knowledge of B.B.C. methods. We in Australia have a lot to learn from the B.B.C., but I hope that my Commission may be able to show the B.B.C. some day that it has something to learn from us."

Empire Emissaries

Dr. Wallace's latter remark was probably based on the suggestion that sooner or later the B.B.C. will send emissaries to Australia and other parts of the Empire to enable them to get not only broadcasting ideas, but first-hand information on what Empire

BREVITIES

listeners want from the B.B.C. in the way of programme material.

Such visits, however, are not likely to take place until the Empire transmissions are put on a more stable footing.

Contributions from the Empire?

It is now openly stated at Broadcasting House that a permanent Empire service may involve a contribution from different parts of the Empire.

Entertainment Department

AN Entertainment Department to take charge of vaudeville and similar broadcasts is to be established with Mr. Eric Maschwitz, now Editor of *The Radio Times*, as Director.

Mr. Maschwitz is expected to take over his new duties in May next.

The New Director

Anyone who has spent even a minute or two in the company of Mr. Maschwitz, or "Holt Marvell," will recognise that he is an Entertainment Department by himself. What will happen when he imbues a staff with his own irrepressible spirits I tremble to think.

Aspirants for Editorial Chair

Several B.B.C. aspirants for the editorship which Mr. Maschwitz is resigning have already made their applications, but I hear that the chances are not entirely in favour of a staff man. Certain people with journalistic attainments outside Broadcasting House are also being considered.

Mr. Sieveking

Mr. Lance Sieveking, who has been handling some of the vaudeville programmes, will probably find a berth in the Talks Branch.

An Unhappy Thriller

Edgar Allan Poe's thriller, "The Fall of the House of Usher," the broadcasting of which was postponed some months ago owing to the illness of the B.B.C. producer, Peter Creswell, has been restored to the National programme for March 9th, and will be given Regionally on March 10th. The microphone version is by Peter Creswell and Barbara Buruham. Mr. Creswell will be responsible for the production.

Dr. Bredow's Resignation

THE resignation of Dr. Hans Bredow from the post of German Radio Commissioner means the departure of one of the big figures in European broadcasting. It was Dr. Bredow who presented Sir John Reith with the stained-glass window, showing St. Cecilia, which now adorns the "D. G.'s" room at Broadcasting House.

The retiring Commissioner was responsible for the first German broadcasting organisation ten years ago.


Sir John Reith's Unique Post

At no time, however, could it be said that Dr. Bredow wielded so much power as Sir John Reith, who seems to stand alone as a broadcasting "dictator," answerable only to a Board of visiting Governors.

M. Van Soust, who is Sir John's "opposite number" in Belgium, can perhaps claim similar authority. Messrs. Aylesworth and Paley, who are Presidents of the National and Columbia broadcasting systems respectively, are much in the same category as Managing Directors of limited liability companies.

A Hard-working Chief

In Italy the Managing Director of the Broadcasting Company—Signor Chiodelly—is also the Chief Engineer, so I imagine he has his hands full.



ANOTHER BIG VOICE. The transmitting hall of the new Marconi 60 kW. broadcasting station at Athlone, Irish Free State. The transmissions, which are heard at considerable strength throughout Great Britain, were inaugurated by Mr. De Valera on February 6th.



Majestic Superheterodyne

EARLSWOOD MODEL. TYPE 261B

A Seven-valve Receiver with
Automatic Volume Control

A CONSIDERABLE amount of work has been done recently on both sides of the Atlantic in solving the special problems arising from the exceptional range and selectivity of superheterodyne receivers, and the Majestic range of receivers is illustrative of the advance that has been made in the matter of ease of control and reduction of heterodyne whistles.

The aerial circuit is somewhat unusual, and is designed to give uniform coupling over the long- and short-wave bands, and also to eliminate second-channel interference. The first object is achieved by a combination of inductive and capacity coupling (L1 and C1), and the second by feeding back a part of the amplified signal from the cathode return lead of the first H.F. valve through the coupling coil L2. The circuit constants are adjusted so that the feed-back tends to neutralise all incoming signals other than those to which the set is tuned.

Constancy of amplification over the tuning range is maintained in the coupling between the H.F. amplifier and the first detector by a combination of magnetic and capacitive coupling which takes the form of a few "dead-end" turns on the high-potential end of the transformer primary. These two stages, and also the I.F. amplifier, make use of the latest variable-mu screen-grid pentode valves, which are capable of a wide range of power-handling capacity without distortion.

The detector valve comprises a full-wave diode rectifier and a three-electrode amplifier in the same glass envelope. An adequate grid swing for the pentode output valve is thereby assured, with resistance-capacity coupling between the two stages.

Chassis Design

From the production and servicing point of view the chassis is a model design. The base is a one-piece pressing of exceptional rigidity, and can be lifted out of the cabinet after withdrawing the loud-speaker plug and detaching the control knobs without any fear of straining the wiring through warping of the chassis under the weight of the components. Special attention has been given to the question of con-

stancy of performance under severe changes of climatic conditions. All coils, by-pass condensers, etc., are impregnated in special wax, and tests have shown that the set functions satisfactorily at a temperature of 115 deg. F. in an atmosphere of 90 per cent. humidity.

The handling of the controls should present not the least difficulty to a non-technical listener, provided that the importance of accurate tuning is realised at the outset. The quality of reproduction is the best indication of whether the set is exactly in tune with the station required, for the effect of the automatic volume control circuit is to cause a marked rise in pitch if the station is off tune by so much as the thickness of the shadow line on the indirectly illuminated scale. Actually the thickness of the shadow is about 10 k.c. on the scale, and as the latter is calibrated in kilocycles it represents approximately the band occupied by adjacent stations.

Of the range and sensitivity of the set there can be no question. During the course of an hour, on a 50ft. aerial five miles from Brookmans Park, no fewer than sixty-six stations were identified on the medium-wave range. In logging these stations none was recorded which suffered from serious heterodyne interference, and more than forty required generous use of the manual volume control to bring them down to a reasonable level for a living room. Heterodyning between stations is, of course, beyond the powers of the receiver to suppress, but heterodyne whistles generated within the set were found to be much fewer than in many superheterodyne receivers we have tested. For this happy result the ingenuity shown in the design of the aerial circuit is largely responsible.

Reception at a distance of five miles from Brookmans Park is a severe test of selectivity, even for a superheterodyne. With the Majestic, however, only one channel was lost on each side of the National and Regional transmitters. At a slightly greater distance from the high-powered stations 10 kc. selectivity could be

confidently predicted at all parts of the tuning dial. Incidentally, the uniform sensitivity over both wave-ranges deserves special comment.

The action of the automatic volume control is flawless. But for slight differences in the level of background noise it would be difficult to estimate the relative powers of distant stations or to detect the presence of fading; and this clue is

only available on very weak stations, for with the average Continental transmission the signal strength is sufficient to reduce background noise to the vanishing point. According to the makers, a 100:1 change in signal strength produces a change in volume of only 2:1. As a matter of interest, the effect was tried of tuning-in a station on a 3ft. length of wire attached to

the aerial socket and then adding a 75ft. outdoor aerial. The change in volume was just noticeable, and was estimated at about 5 decibels.

Quality of Reproduction

There is an ample reserve of volume and the predominating quality of reproduction is a full and round tone without any undue tendency towards an objectionable bass resonance. With the tone control in the "high" position there is just the required response in the treble to give good balance, and it should be necessary to make use of this control only in the few circumstances where low-pitched heterodyne whistles or background noises may make their presence felt.

Mains hum is rather high on first switching on the set, but soon subsides to an unobtrusive level when the valve heaters reach their normal temperature.

The proportions of the cabinet are dignified, and the polished walnut finish is in keeping with the general design.

The chassis illustrated is also available as the "Knightswood" table model in a cheaper cabinet at 24 guineas, while the 260-B chassis, with twin moving-coil loud speakers, is incorporated in the "Princewood" console receiver and the "Kingswood" radio-gramophone.

General.—Table model seven-valve superheterodyne. Moving-coil loud speaker. Automatic volume control. New variable-mu screen grid pentode valves and diode-triode detector.


Circuit.—H.F. amplifier—1st det.—Oscillator—I.F. amplifier—2nd det.—Pentode—Power rectifier. Provision for pick-up and external loud speaker. Universal mains transformer 105 to 250 volts, 25 to 133 cycles.

Controls.—(1) Main tuning, calibrated in kilocycles. (2) Manual volume control (radio and gramophone), and on-off switch. (3) Wave-range and gramophone switch. (4) Tone control


Price.—26 guineas.

Makers.—The Majestic Electric Co., Ltd.,
Tariff Road, Tottenham, London, N.17.

Screen-grid Pentode and Diode-triode Valves



The circuit diagram. The second detector stage couples the duties of a full-wave diode rectifier and a three-electrode amplifier in its function as an automatic control valve.



The Wireless World
COPYRIGHT

HIND

Mechanical rigidity and accessibility for adjustment and servicing have received special attention in designing the layout of the Majestic 260-A chassis.



Correspondence

The Editor does not hold himself responsible for the opinions of his correspondents

Correspondence should be addressed to the Editor, "The Wireless World," Dorset House, Tudor Street, E.C.4, and must be accompanied by the writer's name and address

What Does the Public Want?

THOSE of your readers who support "Diagnostic's" views appear to be themselves the principal victims of the "huge misunderstanding" to which "Diagnostic" refers.

If these readers have no interest outside their local receivers, then they have surely wasted their time and money on wireless sets, and deserve to be condemned to listen only through the medium of a relay service with no further choice of programmes for the future. Surely, too, it is a "huge misunderstanding" for these readers to be interested in any wireless paper, and one wonders how they came to see the letter by "Diagnostic" in *The Wireless World*.

The discussion resulting from "Diagnostic's" letter seems to me to resolve itself into the simple conclusion that, if "Diagnostic" is right, then the sooner broadcasting through the ether is abandoned as a huge mistake the better, and programmes communicated, instead, through the medium of the wired relay.

In conclusion, I would like to remind "Diagnostic" and his supporters that in the early days of broadcasting in this country, reception, even of the local home station, was generally vastly inferior to what is now obtainable from the majority of the Continental stations. Progress in transmitter efficiency and improvements in receivers, including automatic volume control, would seem to promise us a wonderful choice of programmes in the near future. If British manufacturers prefer to pay attention to "Diagnostic," there is no doubt that, between relay services and American receivers, the British public will still get what it wants. **PROGNOSTIC.**

London, W.9.

YOUR correspondent, "Diagnostic," has the B.B.C. complex. He assumes the right to judge for the majority, and accepts the view of a small minority as the basis of his judgment.

I have been the proud (sic) owner of a wireless receiver for just one month. It is sold by the maker as "a set for the man who wants essentially home stations." Fortunately, the maker is honest to modesty. The set brings in some eighty foreign stations. It is well it does, for had I to rely upon home-station programmes for the last month that set would now be permanently inoperative.

The question of quality of programme is for the individual and not for "Diagnostic." Some people may see humour in the performance of the Yorkshire mummies.

Some people may like their politics doled out by the Government-controlled B.B.C. in the Professor Laski fashion.

Some may care for the personal expressions of opinion given out under the heading of news, and some may even consider the nerve-wracking, horrible specimens of dance music on drum and saxophone to be satisfactory.

But to me, even with such short experience of listening in, it's a blessing to be able to tick off my own programme in *The Wireless World*, and listen to what I want—or at least to be able to shut out what I don't want—without having to shut down.

As to quality of reproduction, well, it may be better from North Regional or Daventry than from, say, Rome or Budapest. One would expect it to be.

But good-quality reproduction is merely an aggravation of bad music, and the majority of the relays from hotels and cinemas of jazz fall well within that category.

In my opinion, that is—and that's all that counts to me—or to anyone else.

Leeds.

TENTATIVE.

THE letter of "Diagnostic" in your issue of January 27th seems to me to come as near to the truth as it is possible when a case is stated with the necessary vehemence to produce sparks from the contact of controversial hammer and anvil.

This letter is of peculiar interest to me, because just about a year ago I made my own similar views on distant reception the subject of an article in *The Observer*. The result was a correspondence in which there were two dissents and one agreement with my views.

I am assured by observers on the Continent that the position there is much as it is here. There is a kind of sub-opinion that local programmes are inferior to those from a distance; but most listening time is actually occupied by the local stations. With regard to British listeners any real knowledge of the amount of time devoted to distant listening is almost impossible to obtain, at any rate without an enormous referendum.

As one who is closely in touch with public opinion, I would say that your correspondent is wide of the mark in some particulars. There is, as he admits, a considerable interest in the foreign stations of the knob-twiddling kind; but there is also a considerable public which does take an intelligent interest in foreign programmes.

When your correspondent suggests that those with true musical appreciation cannot long be satisfied with reception from distant stations I absolutely agree with him, and my opinion is based on experience of a substantial kind with all sorts of receivers, commercial and otherwise, and ranging in initial cost from £10 to £100. The fact is that the public capable of appreciating real quality is a very small one. Service engineers of the big companies tell me that in the majority of cases where a tone control is supplied, it is set to give as thick and as treacly a quality as is possible. There is, however, a very large public which is what may be called semi-educated musically, and though the reproduction they hear disgusts the musician they get very real enjoyment, and because they are not musically educated the "something

less" they get from distant stations is not distressing to them. Also, there is a very large public which is only satisfied with the most trivial, and that this public is powerful is evidenced by the Continental sponsored programmes which have a very large following in this country, particularly on Sundays.

To sum up; the B.B.C. programmes, particularly those which do not make use of long land-lines, are technically as good as any in the world; musically and educationally they are of a very high order. Reproduction approaching very nearly the original can be had from a local station only. This nearly natural reproduction presupposes very careful design in the reproducing instrument. The majority of commercial receivers give very good results; but in hardly any case do they give the best possible.

Apart from the large army of knob-twiddlers, there is a very real interest in foreign programmes which may be due to any one of a number of points of view. It is now too late to attempt the real musical education of the listening public. The B.B.C. has stultified its original educational endeavours by its insistence on the amusement to be had from distant listening, and our only hope lies in the gradual elimination of the electrical difficulties in distant listening which your correspondent so ably sets forth, and which *The Wireless World* has always acknowledged and done much to remove. **ERNEST H. ROBINSON.**

Woking.

AFTER ten years' listening to home and foreign stations, long, medium and short-wave, I most heartily agree with your correspondent that listening to home stations is the only real entertainment of an amusing and instructional character worth keeping the set on for.

Being in the trade also, I agree that sets must be capable of receiving the "foreigners" in order to appeal to those people who get a little thrill out of listening to some language that they cannot in the least understand, and also to be a bit above the people next door, who can only get twenty stations, and who do not wish to compete in the style of the anglers who can "tell a few."

From your local stations you expect to get, and do get, programmes of good quality and at steady strength, and, moreover, 100 per cent. understandable. That is good wireless entertainment.

From the foreign stations, if they are not giving the usual long-winded jabber, you get a very poor alternative to the home stations when it comes to musical entertainment. This, of course, is speaking generally, and I agree that occasionally you find a foreign station worth listening to, but for a comparatively short time only.


That is why I prefer now to stick to the locals—in other words: "Support Home Stations, and keep out the Foreigners."

Shrewsbury.

V. E. MORRIS.

LABORATORY TESTS

New Radio Products Reviewed




GOLTONE SCREENED COILS

THE new screened dual-range coils made by Ward and Goldstone, Ltd., Frederick Road, Pendleton, Manchester, are wound on 1 1/4 in. formers and enclosed in aluminium cases measuring 3 1/2 in. in length and 2 3/4 in. in diameter. In all there are five different types, and the windings have been chosen to suit the particular functions each coil is most suited to perform. No matter what the requirements may be there is a Goltone coil having well-proportioned windings and a suitable number of tappings for the purpose. Wave-change switches are not included, and these must be regarded as a separate item.

On test Goltone coils were found to compare very favourably with other coils of equivalent size and style; they are very efficient, and on the whole well above the average in performance.

The medium-wave winding has a measured inductance of 170 μ H., so that when tuned with a 0.0005 mfd. condenser the waveband covered will be approximately 200 to 590 metres. The inductance of the long-wave section is 2,080 μ H., which will give an effective wave-range of from 760 metres to just under 2,000 metres.

The price of these coils, including a small base screening plate, is 5s. 9d. each.



Goltone screened dual-range coil.

LOUD SPEAKER GRILLE FABRIC


A NEW style of fabric developed especially for covering the loud speaker fret has been placed on the market by the Pioneer Manufacturing Co., Cromwell House, Fulwood Place (High Holborn), London, W.C.1. Known as the Pioneer New Process Speaker Fabric, this material is so woven

that it imposes the minimum impedance to the passage of sound waves, as the weave is of an exceedingly open nature. The standard colour is a light gold, but a darker shade is available if preferred. Despite the "openness" of the weave the fabric effectively obscures the loud speaker and the inside of the cabinet.

It is sold in cartons with the material rolled to prevent creasing, and a piece twelve inches square costs 1s. A 15 in. x 15 in. size is priced at 2s., and each carton contains a small tube of glue.

M.K. FUSE PLUG

THIS fuse plug has been designed to afford adequate protection to a mains-operated receiver, and is fitted to the end of the lead in place of the standard two-pin mains connector. The plug pins are the British Standard 5-amp. gauge, and therefore fit the normal type of wall socket installed for light electrical apparatus.



M.K. fuse plug fitted with two one-amp. fuses.

To avoid confusion with the ordinary mains plug the M.K. models are distinctive in shape, being rectangular in form and having the pins offset from the centre. Each model contains two small cartridge-type fuses—one in each supply lead—rated to "blow" at one amp. Fuses to give protection on two amp. and five-amp. circuits are available also.

The makers are M.K. Electric, Ltd., Wakefield Street, Edmonton, London, N.18, and the price is 2s. in each case.

CORDO SCREENED H.F. CHOKES

SCREENED H.F. chokes particularly well suited for chassis mounting are now obtainable from Cordo Electrical Products, Ltd., 68, Victoria Street, Westminster, London, S.W.1. Two models are available known respectively as the Cordo Major and the Cordo Minor, the first mentioned having an inductance of 250,000 microhenrys. The inductance of the Minor is 150,000 microhenrys.

Samples of each type have been tested and found to be entirely satisfactory; their measured inductances are in close agreement with the makers' values, and, furthermore,

the self-capacity is reasonably low in each case.

The two connections, which take the form of soldering tags, are located at opposite ends of the cylindrical container, so that one is well placed for above-deck wiring, while the other, passing through a clearance hole in the chassis, can be included in the under-deck wiring by a very short lead.

The Minor model costs 2s. 6d., and the price of the Major is 5s.




Cordo Major and Minor screened H.F. chokes.

MAINS H.F. CHOKES

A PAIR of H.F. chokes for inclusion in the mains leads of D.C. sets has been submitted for test by Messrs. Sound Sales, Ltd., of Tremlett Grove Works, Junction Road, Highgate, London, N.19. The chokes are wound to the specification given for the components employed in *The Wireless World* Monodial D.C. Super, and they function in an entirely satisfactory manner.

Each choke consists of a single-layer winding of cotton-covered wire on a cylindrical former, and the winding is impregnated to render it impervious to moisture. A good point is the inclusion of ventilation holes in the base of the former, so that there is free



Sound Sales H.F. chokes for D.C. sets.

circulation of air. Mounting brackets are fitted, and the price is 3s. 6d. a pair.

o o o o

Catalogue Received.

Manufacturers Accessories Co. (1928), Ltd., 85, Great Eastern Street, London, E.C.2.—Ninety-six-page catalogue illustrating and describing the proprietary range of receivers, accessories and components handled by this well-known wholesale house.

READERS' PROBLEMS

Reducing Transferred Capacity

BEFORE single-knob tuning became general, stray capacity in parallel with the tuned circuits of a receiver seldom gave us cause for anxiety. But nowadays this subject has assumed some importance, and it is not always easy to cover the full medium-waveband with a ganged tuning condenser having the usual 0.0005mfd. sections.

A case in point is brought up by a reader, who submits for our examination a circuit diagram of a straightforward H.F.-det.-L.F. three-valve set. His complaint is that the trimming condenser across the tuned H.F. coupling circuit has to be set at minimum capacity, while both the other corresponding trimmers are practically "all in." It is realised that this state of affairs is brought about by excessive strays in the coupling circuit, and our advice is sought as to how they may be reduced in value.

The part of the circuit in question is reproduced in simplified form in Fig 1 (a). Tuned grid coupling is employed, the plate of the H.F. valve being connected through a feed condenser C₃ directly to the high-potential end of the coupling inductance L.

Now the stray capacities across this circuit are bound to be fairly high; they will




Fig. 1.—In diagram (a), stray capacities represented by C₁ and C₂ are transferred practically *in toto* to the tuned-grid coupling circuit. The proportion of transferred capacity is greatly reduced by adopting a tapped-down anode connection (diagram (b)).

include, for instance, the self-capacity of the H.F. choke, represented by C₁, and also the anode-cathode capacity of the screened grid valve (C₂). To the sum of these capacities must also be added that of the wiring, which may well be quite considerable if a screened lead is employed for the H.F. anode connection.

As the aggregate value of all these capacities cannot be reduced beyond a certain value, the obvious thing to do is to try to avoid transferring them in their entirety,

THESE columns are reserved for the publication of matter of general interest arising out of problems submitted by our readers. Readers requiring an individual reply to their technical questions by post are referred to "The Wireless World" Information Bureau, of which brief particulars, with the fee charged, are to be found at the foot of this page.

to the tuned circuit, and in practice the simplest way of doing this is to "tap down" the anode connections to the tuning coil, as in Fig 1 (b). If we make a connection to the centre point of the coil, only one-quarter—and not one-half, as might be imagined—of the total capacities will be transferred. This plan is not likely to bring about any serious loss in magnification, and it will almost certainly confer an appreciable gain in selectivity.

It will be observed that, so far as long-wave reception is concerned, the anode connection to the tuned circuit is not "tapped down." To do this, it would be necessary to have a change-over switch in addition to the normal wave-range switch associated with the coil assembly. The absence of this refinement may not have any serious effect; stray capacities are seldom serious in their effects on the long waves, but the maintenance of accurate ganging may be doubtful unless it is added.

The Simplest All-mains Set

ALTHOUGH A.C. mains have advantages over D.C. when the design of a fairly ambitious receiver is in question, it is a fact that the D.C. user scores heavily if his requirements are confined to the simplest form of set. Due to the fact that a rectifier is not needed, the main source of complexity and expense at once disappears.

It is easy to dispose of a question raised by a reader who wishes to construct the simplest possible all-mains D.C. set for temporary use at short range with headphones. We can refer him to a complete design for a single-valve set of this type, which appeared in our issue of March 11th, 1931. The circuit diagram of this set is reproduced in Fig. 2; a "mains aerial connection" is shown in dotted lines, but where more sensitivity is needed an external aerial could be added.

Without attempting to discuss the circuit in detail, it may be stated that it is intended for operation on supplies of between 200 and 250 volts; the single valve is of the

general-purpose type designed primarily for battery feed, with a filament consuming 0.1 amp at 2 volts, and an ordinary electric lamp is employed to absorb the surplus mains voltage. For supplies between 200 and 220 volts, a 20-watt lamp will do, while for higher voltages of between 230 and 250 volts a 25-watt lamp should be substituted.




Fig. 2.—Power for nothing; the simplest possible all-mains set, with a voltage-reducing lamp which also provides illumination.

In order to combine safety with economy, the phones are fed through a resistance-capacity filter; another resistance-capacity arrangement is used for smoothing purposes, and will afford a sufficiently silent background on most mains supplies. Flash-lamp bulbs may be employed as safety fuses.

Microscopic Capacities

THE "top-end capacity" method of coupling a two-circuit tuner or band-pass filter is highly satisfactory, and, from the amateur point of view, has the special advantages of flexibility and cheapness. With this system the component circuits of the filter are linked together by a very small condenser joined between their high-potential ends. In order that the best coupling may be determined experimentally, it is usual for this condenser to be of the variable or semi-variable type.

It would appear to be necessary to stress the fact that the coupling condenser should be really small, and, most important of all, should have a low minimum capacity—not more than some 2 or 3 micro-microfarads. A maximum capacity in excess of 10 or 12 micro-microfarads is seldom needed. Further, it is a matter of some importance that the condenser should be wired in such a way that its connecting leads do not add appreciably to its minimum capacity; for instance, these leads should not be run close together and parallel to each other.

When correspondents who are using top-end coupling complain of broad and indefinite tuning, we always suspect that too much coupling capacity is being employed. This is almost certainly responsible for the troubles of a querist, who tells us that stations may be tuned in at two distinct settings, spaced by several degrees on the condenser dial. He is using a type of coupling condenser which we know to be suitable, and so we can only assume that the connecting leads are incorrectly arranged.

The Wireless World

INFORMATION BUREAU


THE service is intended primarily for readers meeting with difficulties in the construction, adjustment, operation, or maintenance of wireless receivers described in *The Wireless World*, or those of commercial design which from time to time are reviewed in the pages of *The Wireless World*. Every endeavour will be made to deal with queries on all wireless matters, provided that they are of such a nature that they can be dealt with satisfactorily in a letter.

Communications should be addressed to *The Wireless World* Information Bureau, Dorset House, Tudor Street, E.C.4, and must be accompanied by a remittance of 5s. to cover the cost of the service. The enquirer's name and address should be written in block letters at the top of all communications.

Get Original Tone

Tone means almost everything in your new set! You'll be hearing it every day for years, be sure at the start. Get the full benefit of Columbia's latest development in radio—ORIGINAL tone! We invite you to compare this wonderful new radiogram with any other. It will tell its own story. Try it at home. Its reception qualities will be fully demonstrated. Hear the greater beauty of your records. Note the floor cabinet of pleasant modern design in dark polished walnut. Let us send you complete particulars.

Columbia Radiograph Four
32 gns. cash. A.C. or D.C.
or delivered on first payment of
£3. 7s.



Columbia RADIO- GRAPHOPHONES

CUT OUT AND POST TO-DAY!

Please send me fullest particulars of Columbia Model 620.
(write in block capitals).

NAME

ADDRESS

.....W.Wid. 18/2/33.

Cut this out and post in an unsealed envelope bearing
½d. stamp to:—Columbia Graphophone Co., Ltd.,
98, Clerkenwell Road, E.C.1.

Use the COLUMBIA DEALER SERVICE
Expert advice on local radio conditions and
service after sales.

MISCELLANEOUS ADVERTISEMENTS

NOTICES.

THE CHARGE FOR ADVERTISEMENTS in these columns is

12 words or less, 3d. and 3d. for every additional word.

Each paragraph is charged separately and name and address must be counted.

SERIES DISCOUNTS are allowed to Trade Advertisers as follows on orders for consecutive insertions, provided a contract is placed in advance, and in the absence of fresh instructions the entire "copy" is repeated from the previous issue: 13 consecutive insertions 5%; 26 consecutive, 10%; 52 consecutive, 15%.

ADVERTISEMENTS for these columns are accepted up to **FIRST POST** on **MONDAY MORNING** (previous to date of issue) at the Head Offices of "The Wireless World," Dorset House, Tudor Street, London, E.C.4, or on **SATURDAY MORNING** at the Branch Offices, 19, Hertford Street, Coventry; Guildhall Buildings, Navigation Street, Birmingham, 2; 260, Deansgate, Manchester, 3; 26a, Renfield Street, Glasgow, C.2.

Advertisements that arrive too late for a particular issue will automatically be inserted in the following issue unless accompanied by instructions to the contrary. All advertisements in this section must be strictly prepaid.

The proprietors retain the right to refuse or withdraw advertisements at their discretion.

Postal Orders and Cheques sent in payment for advertisements should be made payable to **LIFFE & SONS Ltd.**, and crossed & Co. Notes being untraceable if lost in transit should not be sent as remittances.

All letters relating to advertisements should quote the number which is printed at the end of each advertisement and the date of the issue in which it appeared.

The proprietors are not responsible for clerical or printers' errors, although every care is taken to avoid mistakes.

RECEIVERS FOR SALE.

HIRE a McMichael Duplex Portable; 15/- weekly, £2/12/6 monthly; amplifiers for dances, etc., on hire.—Alexander Black, Wireless Consultant, 55, Ebury St., S.W.1, Sloane 1655 [0328]

COLUMBIA Radio-Gram, model 302, cost 80 guineas, A.C. 200/250, perfect condition; £30.—J. C., 11, Gerrick Close, Walton-on-Thames [1805]

PYE M.M., perfect order, little used; 8 guineas.—Stanley, Highcliffe, Hants. [1819]

BURNDIPT Universal, 8.G.5 valve, A.C. model, also Garrard electric motor, Burndipt pickup in mahogany cabinet; £14; Dulwich.—Box 6048 to *The Wireless World*. [1816]

AS New, £42 McMichael Twin Speaker, 3-valve A.C. Radio-Gram, 200/250 volts; £35, or nearest offer.—View Brabner, 100, Cheviot Rd., West Norwood, S.12.27. Phone: Streatham 4080. [1824]

W.M. Super Senior Chassis, P. Pull, all valves and eliminator; £7/10.—E. H., 8, Hatherley Gardens, East Ham, E.6. [1827]

OSTARGANZ Combined A.C. and D.C. Receiver, in modern walnut cabinet, with R.M.C. loud-speaker, unboxed, list price £12/12, our price £5; 3 valves £6/10; c.o.d., carriage paid; state voltage.—Kay, 167, City Rd., Finsbury, E.C.1. [1632]

W.W. Band-Pass 3, battery model, with valves, £2/10; Celestion model £29 dual speaker, £3 10 (list £6).—Write, or call after 7.0 p.m., Roberts, 39, Homecroft Rd., S.E.26. [1844]

OSRAM 4-valve Music Magnet, 1932, £5/10; Lissen Skyscraper, £2/10; Baker, Permag moving-coil speaker, £1/10; all working well.—Burgess, 26, Woodstock Rd., Oxford. [1835]

APPLEBY'S, Central London Office, 45, Bloomsbury St., New Oxford St., London, W.C.1. Museum 8195. [1833]

PURLEY RADIO Offers Haynes Quality Receiver, chassis complete with Hartley-Turner speaker, giving remarkable quality, 21 guineas; Experimental Quality Four, 7 watts, undistorted output, 16 guineas; hotbed-up Osram Music Magnet Four, 1 watt output, 5 guineas; Pye battery, twin-triple, as new, 8 guineas; Baird television, 5 guineas; also various H.T. eliminators and sets in good condition.—Purley Radio, Ltd., 18, Tudor Court, Purley. Phone: 1994. [1873]

BRAND New Faraday All-wave Wireless, as advertised, 16-2,000 metres, customer unable to take delivery; list 27 guineas, sell £20.—Mayfair Radio, 31, George St., Hanover Sq., London, W.1. [1858]

BRAND New Pye A.C. Model S, 6 valve Super H.L., in makers' carton; cost 27 guineas, accept 20 guineas; owner bought Radiogram—1, Nevill Crescent, Llandudno, [1884]

PYE Twin-triple A.C. Mains Transportables, new, boxed, carrying manufacturers' full guarantee; listed £29/8, price £14, cash, or c.o.d.—Forest Battery Service, Lydney, Glos. [1885]

CHARGERS AND ELIMINATORS.

TANTALUM for A.C. Chargers, H.T. and L.T.—Blackwell's Metallurgical Works, Ltd., Garston, Liverpool. [9346]

A.C. Charging Boards (bankrupt stock), output 40v. 6a., valve rectification; cost £25, £8/5.—Jersey, Cumnor Hill, Oxford. [1715]



CONVERSION KIT

By means of the **PILOT Q.P.P. CONVERSION KIT** you can readily and easily incorporate this revolutionary advance into your present battery set. Complete with full constructional details, copious notes on operation and **FULL SIZE WORKING DIAGRAMS.**

Cash or C.O.D. Carriage Paid.

42/6

or 8 monthly payments of 6/-
Motor, if required, 10/- extra.

Obtainable only direct from:—

PETO-SCOTT CO. LTD. 77, CITY RD. LONDON, E.C.1

Trade Charging

with our **CHARGERS** brings **BIG PROFITS**



We can offer 10 sizes and six Types to suit all requirements from the small man just starting to the big depot handling hundreds of cells at once. Send us particulars of your supply and requirements and we will make you a most tempting offer.

LESLIE DIXON SWITCHGEAR Co.
218, UPPER THAMES ST., E.C.4.

SCOTT SESSIONS and the "WIRELESS WORLD" MODERN "A.C." QUALITY AMPLIFIER

(Described in this issue).

A big demand is anticipated for this very excellent A.C. Amplifier. Scott Sessions have arranged to supply these completely assembled with finest workmanship throughout for

£22.0.0

(Inclusive of Royalty, fully tested with Valves, Scott Sessions Guaranteed Mains Transformer and Chokes, Motor, Pick-Up, etc., but excluding Cabinet and Speaker, which will be quoted extra to customer's exact requirements).

Please state voltage and periodicity when ordering, as with the previous "Wireless World" A.C. Amplifier designs many orders are expected from the Colonies, etc., and special arrangements have been made for Export Packings to ensure these instruments arriving in perfect condition.

FOR OVERSEAS ORDERS.

One third to one half value may be sent with order and balance (including freightage) will be collected on delivery.

Insurance effected if required.

Repairs and overhauls made to all "Wireless World" Sets. "Wireless World" and special sets constructed with finest workmanship. Send us your requirements now.

SCOTT SESSIONS & CO.

RADIO ENGINEERS,
MUSWELL HILL, LONDON, N.10
Telephone No.: Tudor 5326.

Contractors to H.M. Government Departments, Crown Agents for the Colonies, Electricity Corporations, etc.

NUMBERED ADDRESSES.

For the convenience of private advertisers, letters may be addressed to numbers at "The Wireless World" Office. When this is desired, the sum of 6d. to defray the cost of registration and to cover postage on replies must be added to the advertisement charge, which must include the words Box 000, c/o "The Wireless World." All replies should be addressed to the Box number shown in the advertisement, c/o "The Wireless World," Dorset House, Tudor Street, London, E.C.4. Readers who reply to Box No. advertisements are warned against sending remittance through the post except in registered envelopes: in all such cases the use of the Deposit System is recommended, and the envelope should be clearly marked "Deposit Department."

DEPOSIT SYSTEM.

Readers who hesitate to send money to unknown persons may deal in perfect safety by availing themselves of our Deposit System. If the money be deposited with "The Wireless World," both parties are advised of its receipt.

The time allowed for decision is three days, counting from receipt of goods, after which period, if buyer decides not to retain goods, they must be returned to sender. If a sale is effected, buyer instructs us to remit amount to seller, but if not, seller instructs us to return amount to depositor. Carriage is paid by the buyer, but in the event of no sale, and subject to there being no different arrangement between buyer and seller, each pays carriage one way. The seller takes the risk of loss or damage in transit, for which we take no responsibility. For all transactions up to £10, a deposit fee of 1/- is charged; on transactions over £10 and under £50, the fee is 2/6; over £50, 5/-. All deposit matters are dealt with at Dorset House, Tudor Street, London, E.C.4, and cheques and money orders should be made payable to Liffe & Sons Limited.

SPECIAL NOTE.—Readers who reply to advertisements and receive no answer to their enquiries are requested to regard the silence as an indication that the goods advertised have already been disposed of. Advertisers often receive so many enquiries that it is quite impossible to reply to each one by post. When sending remittances direct to an advertiser, stamp for return should also be included for use in the event of the application proving unsuccessful.

Chargers and Eliminators.—Contd.

AITKEN BROS. and Co., 7, Gallowgate, Newcastle-on-Tyne. Makers of really good transformers and chokes. Finest Materials. Experienced Craftsmen. Guaranteed for two years. Quotation for one of any type or specification on application. Satisfaction guaranteed. Enquiries invited. [1691]

CLIMAX A.C. Eliminator, 200v. 40 m.a., nearly new; 2 guineas.—Wilmot, "Westholme," Breaston, Derbys. [1820]

TRICKLE Chargers, 1/2 amp., with Westinghouse Rectifiers, complete, 11/9; 1 1/2 amp., 19/11; eliminators, 20 m.a., 34/6; particulars free.—Arden Agency, Wollaston, Wellingborough. [1818]

N.P. for Battery Chargers from A.C. Mains; trade lists and photographs; stamp.

N.P.—Senior One will charge 1 to 11x2 volt cells up to 2 amps., variable resistance and ammeter; 75/-.

N.P.—Chargers, fitted with Westinghouse metal rectifiers, 2 and 3 circuits, for A.C. mains; from £6/12/6; trade.

N.P.—Valve charger for A.C. mains, 65/-; will do up to 11x2 volt cells variable to 1.3 amps.

N.P. for D.C. Battery Charging Boards; from 25/-; let us have your requirements; we will give you a keen price.

N.P. for H.T. and L.T. Battery Chargers for A.C. Mains; state what you require to get a keen price to do your charging; stamp.

N.P.—Send trade lists and photographs for 1933; stamp.—Nash Products, Ltd., Stechford, Birmingham. [1826]

BROWN and **SALTER**, Vortexion, Wimbledon, for the finest transformers made regardless of price; all models guaranteed 12 months, tested on full load and 2,000 volts between windings before despatch; all finished in cast aluminium frames or shroudings.

VORTEXION Model Specified for the Modern A.C. Quality Amplifier. 400-0-400, 110 milliamperes, 4v. 3a. C.T., 4v. 2a., 4v. 1a. C.T., any input, 50c., insulated terminal type, 2s.

VORTEXION—W8, 6 or 7 for Westinghouse H.T.5, 6, or 7, with 4v. 1.4a., C.T.; 11/6.

VORTEXION—W8, 9 or 10 for Westinghouse H.T.8, 9, or 10, with 4v. 1.2a., C.T., 4v. 2.5a., tagged leads, shrouded; 16/6.

VORTEXION—W11 for Westinghouse H.T.11, with 4v. 1.2, 4v. 1.6a., all C.T., shrouded; 40/-.

VORTEXION—250-0-250, 60 m.a., 4v. 1-2, 4v. 2-4a., all C.T., open type tagged leads; 11/6.

VORTEXION—350-0-350, 75 m.a., 4v. 1-2, 4v. 2-4a., all C.T., open type tagged leads; 13/6.

VORTEXION—350-0-350, 120 m.a., 4v. 2-5, 4v. 1-5, 4v. 2-4, all C.T., shrouded type, tagged leads; 16/6.

VORTEXION—400-0-400 or 450 or 500-0-500, 120 m.a., open types, 4v. 2-4a., 4v. 2-5a., 4v. 2-5a., all C.T.; 19/-; tagged leads.

VORTEXION—500-0-500, 150 m.a., or 450-0-450, 150 m.a., or 400-0-400, 190 m.a., 4v. 2-5a., 4v. 4a., 4v. 2a., 4v. 2a., 4v. 2a., all centre tipped, any input, 50 C., beautifully shrouded, core size, 2 1/4 x 3 1/4, screened primary and strips, a £5 model, 35/-.

VORTEXION—30h, 50 m.a. chokes, 5/6; 20h, 120 m.a., shrouded, 15/-.

VORTEXION for Helys Condensers, 750 D.C. working, 6 mfd.; 6/6, list price 21/6.

VORTEXION—Transformers made to your specification. **VORTEXION**—Brown and Salter, 182, The Broadway, Wimbledon. Tel.: Liberty 2814. [1812]

Chargers and Eliminators.—Contd.

MAINS Transformers, by well known manufacturer, guaranteed brand new and tested on full load before despatch, finish in cast aluminium frames, connections to terminals or tags; 250-0-250v. 75 m.a., 4v. 4a. C.T., 4v. 4a. C.T., 15/-; 350-0-350 75 m.a., 4v. 4a. C.T., 4v. 2a. C.T., 20/-; 350-0-350 100 m.a., 4v. 8a. C.T., 4v. 4a. C.T., 19/6; any transformer made to your specification.—Cabaret Electric Co., 182, Vauxhall Bridge Rd., Westminster, S.W.1. [1823]

SOUTHERN RADIO Beg to Announce that Owing to a Considerable Increase in Sales of Mains Transformers and Chokes, they are able to reduce all prices, as production cost is appreciably reduced by increased turnover. All transformers and chokes are guaranteed for 12 months.

MAINS Transformers, fully tapped, primary 200-250v. 50 cycles, centre tapped L.T., 250-0-250, 60 m.a., 4 volts 1 amp., 4 volts 3 amps., 10/3, carriage paid; 350-0-350, 60 m.a., 4 volts 2 amps., 4 volts 4 amps., 12/3, carriage paid; 350-0-350, 120 m.a., 4 volts 1 amp., 4 volts 2 amps., 4 volts 4 amps., 16/9, carriage paid; 450-0-450, 120 m.a., 4 volts 2.5 amps., 4 volts 4 amps., 4 volts 5 amps., 18/9, carriage paid; 500-0-500, 120 m.a., 4 volts 2 amps., 20/-, carriage paid.

TRANSFORMERS for Westinghouse Rectifiers, H.T.4, 5, 6 or 7, 12/-, carriage paid; H.T.8 or 9, 13/9, carriage paid.

SMOOTHING Chokes, 40 henries 40 m.a., 700 ohms, 6/-, carriage paid; 20 henries 60 m.a., 480 ohms, 7/-, carriage paid; 15 henries 100 m.a., 330 ohms, 8/-, carriage paid; 20 henries, 120 m.a., 270 ohms, 8/6, carriage paid; special transformers and chokes quoted for and delivery given within 3 days from receipt of order; all guaranteed for 12 months, and carriage paid.—Southern Radio, 323, Euston Rd., London, N.W.1 (near Warren St. Tube). Phone: Museum 6324. [1861]

REWARD!!!—Better quality if you use my eliminators, because outputs are to your exact requirements, smooth and humless; all work guaranteed 2 years; example:—

O!!!—Tapped inputs, outputs 350v. (smoothed), 80 m.a., 4v. 3-6 amps., c.t., battleship built chassis job, valvular rectification, all finest material, with big safety factor; 47/6.

O!!!—Ditto, 500v. 100 m.a., and 4v. 3-5 amps., 4v. 2 amps., c.t.; 67/6; phone, write, or call; I shall be interested to discuss your peculiar requirements.

O!!!—Built by Englishman who knows his job.—R. A. Arnell, address under Speakers classification. [1878]

SERADIX All-British Radio.

MODERN A.C. Quality Amplifier, for best results use the following Seradix equipment.

SERADIX Mains Transformer, as specified, screened primary, terminal type, £2/5; stripped type, £1/19/6.

SERADIX Output Choke, type C.A., 20h., 100 m.a. constant; 12/6; 2 needed.

SERADIX 10-watt Resistances, 3,000 ohms; 2/6; other values on application.

SET 5 1/2-watt Resistor, values as specified, 3/4; 5-watt 500 ohms. 1/3.

SERADIX Filter Condensers, type R, 400v. D.C. working, non-inductive, 1 mfd., 1/6; 2 mfd., 2/3; 4 mfd., 4/5; 4x4 mfd., 7/3; 8x8 mfd., 14/6; 1 mfd. tubular, 400v. working, 8d. each; illustrated lists for stamp.

SERADIX Battery Chargers and Rectifying Units; lists now ready.

SERADIX Meters for your Q.P.P. Outfit; see advert. on page 20; lists for stamp.

TREVOR PEPPER, Wake Green Rd., Birmingham, 13. [1836]

CABINETS.

RADIO-GRAM Cabinets; fully illustrated list free; remarkable values.—Gilbert, Cabinet Maker, Swindon. [1686]

RADIO Cabinets Made to Your Own Design; estimates free.—Crabtree, Thistle Hill, Kirkheaton, Huddersfield. [1769]

CLEARANCE Lines in Cabinets for Radiograms, mains or battery sets, loud-speakers, gramophones, etc., endless variety, lowest prices (no catalogues).

H. L. SMITH and Co., Ltd., 287-9, Edgware Rd., W., or at associated shops: Charles and Co., 27, Lewisham High Rd.; Burt and Co., 49, Broadway, Deptford; Wright and Co., 367, High St., Stratford; G. E. Smith, 25, Queen's Rd., Watford. [1773]

WE Can Supply Brand New Complete Gramophones, London made cabinets, at less than the cost of cabinets; ideal for converting to radiograms; 28 models to choose from; 52/6 to £10; illustrated list free.—Radley's, Ltd., Canal Rd., Bradford. [1786]

RADIO Surplus and Bankrupt Stock; long list for stamp; save you pounds; for example, Westinghouse rectified eliminator, 200v. 30 m.a. (in case), with 3 lower tapings, unused, £1/18/6; or with L.T., £2/2.—All goods fully guaranteed by Trevor Pepper, Wake Green Rd., Birmingham. [1838]

BRAND New Massive Walnut Cabinet, fitted with Gardiner record changer (1933), take chassis 36x18, cost £31, sell £17; R.G. cabinet, lime oak, cost £10, sell £3/10.—Majlar Radio, 31, George St., Hanover Sq., London, W.1. [1859]

DYNAMOS, ETC.

1933 M.L. Rotatory Converter, input 220 D.C., output 230 A.C., 85 watts.—Particulars, demonstration, 333, Green Lanes, Haringey. [1849]

CANNINGS 6v. 50 amp. Charging or Plating Dynamo; bargain, £5; exchange good components.—Pearson, 29, Midland Rd., Winton, Bourne-mouth. [1874]

GRAMOPHONES, PICK-UPS, ETC.

PICK-UP, B.T.H. Minor, 19/6; Paillard A.C. motor, 29/6.—Murray, 53, Lauderdale Gardens, Hyndland, Glasgow. [1881]

MARCONIPHONE Latest Pick-up, 33/-; B.T.H. (with V.C.), 32/-; both brand new.—Aldridge, 29, Chatterton Rd., Finsbury Park, N.4. [1888]

A-D-A-GRAM (see "Wireless World," February 3rd, page 87), A.C. model, unboxed, cost £5/19/6, must sell; £3/19/6.—Taylor, 117, North End Rd., West Kensington, London. [1886]

FOR EVERY SET—there's a

PILOT AUTHOR KIT

CASH—C.O.D.—or H.P.

MODERN A.C. QUALITY AMPLIFIER

KIT "A" Kit of specified parts including Plymax Chassis Ready Drilled and Assembled, and PETO-SCOTT Metal Cowl, but less Valves, Cabinet, Gramophone Motor and Pick-up. Set of specified Valves ... £2-18-6

CASH or C.O.D. Carriage Paid £10-14-0 or 12 monthly payments of 19/7

KIT-BITS Selected C.O.D. Items. You pay the postman, we pay post charges on orders value over 10/-

- 1 Savage Mains Transformer, Type M.G.A. ... £2-0-0
1 Savage "Massicore" Output Choke, Type L.34... 15-0
1 Multitone "Toco" L.F. Transformer, 4:1, with grad'd Potentiometer ... £1-1-0
1 British Radiophone combined 100,000 ohms Potentiometer and Mains Switch, Type 484... 10-6
1 Ediswan D.L.S. Thermal Delay Switch ... 7-6
1 Marconiophone Pick-up ... £2-2-0
1 B.T.H. Truspeed Gramophone Motor ... £2-8-6

Exclusively Specified PETO-SCOTT MODERN A.C. QUALITY AMPLIFIER CABINET

Constructed of Solid Oak, hand French polished and beautifully finished, ready to take this latest "Wireless World" Amplifier. EXCLUSIVELY SPECIFIED BY THE DESIGNERS. 59/6 CASH or C.O.D. Carriage Paid Peto-Scott Plymax Baseboard 18"x9"x1" ... 9/6 Peto-Scott Metal Cowl. As specified ... 7/9

QUIESCENT PUSH-PULL TWO

KIT "A" Author's Kit of specified parts, including Ready Drilled Panel and Assembled Baseboard, but less Valves, Cabinet, Meter and Speaker. CASH or C.O.D. Carriage Paid £3-9-0 or 12 monthly payments of 6/4

ACCESSORIES.

- 1 Sifam Moving Iron Milliammeter, E.66 ... 10-0
1 Coleston Q.P.T. 19A Loudspeaker with Transformer ... £2-10-0
Specify if Panel is required drilled to take Meter when ordering.

KIT "B" As Kit "A," but with Valves less Cabinet, Meter and Speaker. CASH or C.O.D. Carriage Paid. £5-11-0 or 12 monthly payments of 10/3

KIT "C" As Kit "A," but complete with Valves and Cabinet (less Speaker and Meter). CASH or C.O.D. Carriage Paid. £6-3-6 or 12 monthly payments of 11/4

If Sifam Meter is required add 10/- to Cash Prices or 11d. to each monthly payment.

ALL-WAVE MONODIAL

KIT "A" Author's Kit of specified components including Ready Drilled polished Oak Ply Panel, and ready drilled and assembled baseboard, but less Valves and Cabinet. CASH or C.O.D. Carriage Paid. £12-1-0 or deposit £2-1-0 and 11 monthly payments of £1-0-0

KIT "B" As Kit "A," but with Valves. Cash or C.O.D. Carriage Paid ... £16-18-6 or £2-18-6 deposit and 11 monthly payments of £1-8-0

QUIESCENT PUSH-PULL PARTS

- FERRANTI Type AF12C Push-Pull Input Transformer 15/-
FERRANTI Type OPM12C Push-Pull Output Transformer ... 15/-
R.I. Quiescent Push-Pull Input Transformer ... 16/6
R.I. Quiescent Push-Pull Output Choke ... 12/6
SOUND SALES Push-Pull Input Transformer ... 16/6
SOUND SALES Push-Pull Output Choke ... 15/-
VARLEY Type DP36 Push-Pull Input Transformer ... 17/6
VARLEY Type DP37 Push-Pull Output Transchoke ... 18/6
*Above Prices include 1/4 Royalty.

PETO-SCOTT CO. LTD. 77, CITY RD. LONDON, E.C.1

LOUD-SPEAKERS.

B.T.H. R.K. Moving Coil Speakers, guaranteed new, unused, manufacturers' surplus, original price 6 guineas.

HIGHLY Sensitive and Wonderful Tone Response; will handle up to 10 watts output; available for 6v., 100v., 200v., 30/-; also A.C. models, £2/10.

CARRIAGE Paid, c.o.d., or cash with order; send for list of other unused bargains.—Seekamp, 46, Farringdon St., London, E.C.4. [1425]

EPOCH 99 De Luxe P.M. perfect; £4, or nearest offer.—Clucas, 254, Trinity Rd., S.W.19. [1834]

O!!!—Magnavox speaker, one only, Magna model (English), 7in. cone, 2,500 field, transformer, etc., slightly soiled; 31/6.

O!!!—Ditto, Magna type, 9in. cone, 2,500 field, transformer, etc., remarkable bargain, 41/6; dual compensated pair, 42/6; enquires.

O!!!—Also a W.B. and a Lamplugh, energised, both 2,500, with transformers, at 14/6 each; used for comparison tests.

O!!!—See eliminator advert.—R. A. Arnell, 8, Fishponds Rd., Upper Tooting, S.W.17. Streatham 8209. See last advert. for other types. [1877]

RADIO Surplus and Bankrupt Stock; long list for stamp; save you pounds; for example, Westinghouse rectified eliminator, 200v. 30 m.a. (in case), with 3 lower tapings, unused, £1/18/6; or with L.T., £2/2. All goods fully guaranteed by Trevor Pepper, Wake Green Rd., Birmingham. [1839]

30/-—B.T.H. R.K. moving coil speakers, 6in. cone, new and unused, guaranteed; these speakers are type as used in cinema sound equipment; weight 30lb., and are vastly superior to cheap speakers now on the market 100 volts, 150 volts, and 200 volts D.C.

27/6—6v. D.C. speaker, as above; £2/7/6, speaker as above, for 100-250 A.C.

17/6—British Radiophone 3-gang condensers, unused; carriage paid, cash with order, or c.o.d.—Ward, 12, Tredegar Rd., Bow, E.3. [1872]

EARL 6,500 ohm Field (200-240v.) Pentode Transformer, 15/-; Earl Dual, as above, other field, P.M., 37/-; use test only.—55, Teddington Park Rd., Teddington, Middlesex. [1863]

PICTURE RECEIVER APPARATUS.

TELEVISION.—All necessary components supplied; lists free; handbook on television free with all complete kits.—John Sailer, Member Television Society, Featherstone Buildings, Hcborn, W.C. [1736]

BAIRD Flat Plate Neon, unused; 15/-.—Button, Richmond Av., Breaston, Derby. [1868]

VALVES.

TRANSMITTING or Amplifying Valves, 50-watt 1,000-volt Western Electric; £1; carriage paid.—Hooke, G5XH, 104, North End, Croydon, Surrey. [1852]

VALVES, as new, emission guaranteed.—Mazda, A.C./P.E.N., 12/-; A.C./S.G., 9/-; A.C./P1, 9/-; A.C./H.E., A.C. 2H.L., 8/-; U65 500, 7/-; Osram P.D.T., 12/-; D.S.B., V.S., V.D.S., 10/6; P.T.2, 9/-; H210, H.L.210, 4/9; Mullard P.M.12, 9/-; P.M.22A, 9/-; P.M.2A, 5/6; Cosor 215S.G., 220S.G., 9/-; pair dual matched speakers, Rola, with multi ratio transformer, as new, 43/7.—J. P. Anderson, 35, Loundsdowne Rd., Walthamstow, E.17. [1845]

RADIO Surplus and Bankrupt Stock; long list for stamp; save you pounds; for example, Westinghouse rectified eliminator, 200v. 30 m.a. (in case), with 3 lower tapings, unused, £1/18/6; or with L.T., £2/2.—All goods fully guaranteed by Trevor Pepper, Wake Green Rd., Birmingham. [1837]

NEW Large Purchase of a Set Manufacturer's Stock of Valves, guaranteed as new, all latest types, and any valve differing from the maker's characteristic exchanged free.

210H.L.s., 210H.F.s., 210L.F.s., P.M.11H.F.s., P.M.11L.F.s., H.L.210s., H.210s., D.E.H.210s., L210s., 3/9; 215P.s., 220P.s., L.P.2s., P.215s., D.E.P.215s., P.M.2s., P.220s., special, matched P.M.2s., for Quiescent, push-pull, 12/- per pair; D.H.s., 41M.H.L.s., 41M.H.s., M.H.4s., A.C./H.L.s., A.C./H.L.s., 41M.P.s., P.T.4, P.T.41, P.E.N.4V., M.P./P.E.N.s., 12/-; latest metallised S.4V.s., M.S.4B.s., M.S.G./H.A., A.C./S.G.s., 9/-; Cosor: M.V.S.G., 12/-; 442B.V., 1807s., 7/9; 1821s., 7/-; 620T., 15/-.

2,000 Valves are Always in Stock for Immediate Dispatch, prompt attention, for cash or c.o.d.—Newman, 309, Roman Rd., E.3. [1659]

THE Following Valves are Guaranteed as New, and any valve differing from the maker's characteristics will be exchanged; all latest types. A.C./Pen.s., A.C.S1/V.M.s., M.P.T.4s., D.C.2/Pen.s., D.C.2S.G./V.M.s., 11/-; MS4s., M.S.4B.s., A.C.S.G.s., S.4V.s., D.S.B.s., A.C.S./2s., D.C.2/S.G.s., 9/6. M.L.4s., A.C.P.s., 41M.P.s., P.M.24s., 8/-; A.C.H.L.s., A.C.C.2/H.L.s., 354V.s., 41M.H.L.s., U.10s., U.U.60/25Cs., M.H.4s., 7/6; P.T.2s., V.S.2s., 215S.G.s., 9/-; D.C.311.L.s., 8/-.

ALL Types of Brand new American Valves in Stock; 247s., 235s., 224s., 236s., 237s., 12/-; 227s., 226s., 280s., 245s., 232s., 10/6.

U.X.250s., 7 watts output, 16/-; 282M. mercury vapour rectifiers, 11/-; carriage paid, cash with order or c.o.d.

FOR Quickest Delivery Send Telegraph Money Order.—Ward, 12, Tredegar Rd., Bow, E.3. [1871]

WIRE.

ODD Weight Reels New Wire, clearance price; ebomite tube, odd lengths, cheap.

SPECIAL Offer!—No. 4 stampings, 4/6 gross; bobbins, 1/-.—Frost Radio, 21, Red Lion St., E.C.1. [1870]

COMPONENTS, ETC., FOR SALE.

WESTON Moving Coil Milliammeters (301), 0.15 upwards, 22/6; Turner ditto, 17/6; Turner thermo couple ammeters, 0.15, 25/-; 3-range moving coil meter, 0.3 m.a., 6 and 120 volts, 22/6; electrostatic and moving coil voltmeters, 0.2, 0.002, 32/6; moving coil milliammeters, 0.10 upwards, 10/6; alterations and repairs of every description.—The Victoria Electrical Co., 47, High St., Battersea, S.W.11. [10355]

SHORT Wave Condensers, Utility, 0.0002, micro-dials; cheap.—25, Stainton Rd., Sheffield. [1822]

Components, etc., for Sale.—Contd.

PREMIER SUPPLY STORES Offer the Following Brand New Goods at a Fraction of the Original Price; all goods guaranteed perfect; carriage paid over 5/-, under 5/- postage 6d. extra. (Ireland carriage forward.)

PREMIER—Mains transformers, all guaranteed, terminal connections, 200-250 input, 40-100 cycles, output 135 volts at 80 m.a. for voltage doubling, 8/6; 4 volts 4 amps, C.T. low tension, 2/- extra; Westinghouse rectifier for above, 180v. 30 m.a., 8/5.

MAINS Transformers, primary 200-240 volts, secondary 350-0-350 volts at 90 milliamps., 4 volts at 3 amps. (C.T.), 4 volts at 2 amps (C.T.), 12/6.

AMPLION Transformers, input 100-250 volts, output 350-0-350 volts, 120 milliamps., 4 volts at 5 amps., 4 volts at 2 amps., 6 volts at 1 amp., all centre tapped; 17/6.

MAINS Transformers, 12 volts 1 amp., 7/6; 9 volts 1 amp., 7/6; 4 volts 4 amps. and 4 volts 2 amps., 8/6; 14 volts 4 amps., 12/6; 4 volts 3 amps., 7/6; 4 volts 5 amps., 8/6; 6 volts 2 amps., 7/6; 10 volts 3 amps., 10/-; 22v. 1a., 10/-.

H.T.9 Transformer, 230 volts 200 milliamps., with 4 volts 4 amps. (C.T.) winding; 15/- (with screened primary).

H.T.8 Transformer, with 4 volts 3-5 amps. low tension C.T., 15/-; with Westinghouse H.T.8 rectifier, 27/5 (with screened primary).

MAINS Transformers, output 250-0-250 volts at 60 milliamps., 4 volts at 1 amp., 4 volts at 2 amps., 4 volts 3-4 amps., all centre tapped; 15/- (with screened primary).

MULTI-RATIO Output Transformers, 15 different ratios, 7/6; Pye Chokes, 20 or 32 henrys, 4/-.

PREMIER Chokes 40 milliamps., 25 henrys, 4/-; 65 milliamps., 30 henrys, 6/-; 150 milliamps 30 henrys, 10/6; Pentode output chokes, tapped, 7/6.

SMOOTHING Chokes for Series Connected Filaments from D.C. mains, carry 1 amp.; 7/6.

KOLSTER-BRANDS 80 milliamp. 30-henry Chokes, tapped 1/3 and 2/3, 7/6.

T.C.C. Condenser, 2 mfd., 750 volts working, 4/-; 4 mfd. 750 volts working, 6/-; 4 mfd. 400 volts working, 4/-; 4 mfd. Electrolytic, 440 volts working, 4/-; 8 mfd., 4/6.

T.C.C. Block Condensers, 250 volts working, 8+2+2+1 +1 mfd., 5/6; 375 volts working, 1+1+0.1+0.1+0.1 +0.1+0.1+0.1 mfd., 2/-; 375 volts working, 6+4+2+2+2 mfd., 10/-; 250 volts working, 2+2+2+2+1 mfd., 5/6.

WESTERN ELECTRIC, 0.01+0.01 mfd., 400 volts working, 1/-; blocks 4+2+2+2+1+0.09 mfd., 400 volts working, 6/-.

FERRANTI Condenser Blocks, 300 volts working, 4+4+2+2 mfd., 10/-; all entirely separate.

VARIABLE Condensers, Polar, 3-gang tube type, fully screened, split end vanes and disc drive, 0.0005, 12/6.

ORMOND All-brass 2-gang Condensers, semi shielded, 0.0005, 5/-; Ormond all-brass 0.0005 slow-motion condensers, with knob and dial, 3/6; Polar 0.0005 and 0.00035, Bakelite Dielectric condensers, with knob, 1/-.

PREMIER Eliminators, input 200-250 A.C. 40-100 cycles, output 250 volts at 60 milliamps., 80 volt and 120-volt taps, incorporating Westinghouse rectifier, 42/6; with 4 volts 4 amps. L.T., 7/6 extra.

PREMIER Eliminators, input 200-250 A.C. output 80, 100, and 120 volts at 20 milliamps., incorporating Westinghouse rectifier, 27/6; with L.T. charger incorporated, 35/-.

D.C. Eliminators, output 60, 90, and 120 volts, at 120 milliamps., 15/-; larger model, output 80, 120, and 200 volts at 50 milliamps., 25/-.

ACCUMULATOR Chargers for A.C. Mains, input 100-250 volts, 1-2 amp., 17/6; 1 amp., 22/6.

PREMIER Eliminators, input 200-250 A.C. output 150 volts at 30 milliamps., 2 lower taps, incorporating Westinghouse rectifier, 37/6, with 4-volt 3-4 amp. L.T.

AMPLION Moving Coil Speakers, type E.M. 644, dual fields, 2,500 and 5,000 ohms (100 or 200 volts), with multi-ratio output transformers; 15/-.

B.T.H. R.K. Minor, moving coil speaker, 2,500 ohm field; 15/-, with multi-ratio transformer.

AMPLION Permanent Magnet Moving Coil Speakers, A type M.C.22, complete with multi-ratio transformer; 30/-.

15,000 Ohm Wire Wound Potentiometers, 1/6; Centralab potentiometer volume controls, 50,000 ohms, 2/-; Calverstas, logarithmically wound, potentiometers, 6,000 ohms, 1/9.

HEAVY Duty Variable Resistances (slider type), wound on porcelain; 350 ohms 1 amp., 2/6; 2,000 ohms 1/2 amp., 5/-; 500 ohms 1/2 amp., 5/-; B.T.H. electric gramophone motors, induction type, 100-250 volts, A.C., 30/- complete; double spring gramophone motors, complete 15/-, single spring 9/-; B.T.H. A.C. and D.C. motors, 55/-.

WESTERN ELECTRIC Public Address Speaker Horns, weatherproof, exponential, 7ft. long, bell 22x14, fit practically any unit, constructed of solid timber, weight 100lb.; 25/-, carriage forward.

SPECIAL Offer of Kolster Brandes Gramophone Motors (electric), all complete with turntables, list price £5; No. 1, super A.C. 100-250v., induction type, 35/-; No. 2, super universal 100-250 A.C. and D.C., £2; No. 3, clockwork motor, electrically wound, £2/5.

WIRE-WOUND Resistances, any value up to 10,000 ohms, carry 3 watts, 1/- each, listed 3/-; 6 watts 2/-; 12 watts 4/-.

CONDENSER Blocks, 3 separate 4 mfd. condensers, 400v. working, 8/6; with 2 separate 1 mfd. condensers, 2/- extra.

WESTERN ELECTRIC 60 watt and 250 watt Output Valves in Stock at Low Prices.

T.C.C. Condenser Blocks, 3+2+0.5+0.5 mfd., 250 volts, working, 3/6.

WESTERN ELECTRIC Condensers, 250v. working, 1 mfd. 6d., 2 mfd. 1/-; 400v. working, 1 mfd. 1/-; 2 mfd. 2/-.


T.C.C. Electrolytic Condensers, 2,000+2,000 mfd. 10/-; T.C.C. 1 mfd., 2,000v. working, 5/-.

AMPLION High Inductance Chokes Resistance, 2,500 ohms, 80 henrys, 60 milliamps., 5/6.

(This advertisement continued in third column.)

EASY TERMS PROMPT DELIVERY
WE RECOMMEND THE CELESTION

"REETONE" SPEAKERS



MATCHED SPEAKERS

Type 99. Two Permanent Magnets ... £4 5 0
Type 98. Two Energised ... £4 5 0
Type 98. One Permanent Magnet & one Energised ... £4 5 0

Cash, carriage paid.
Or 7/10 with order and eleven payments of 7/10.

DUAL SPEAKERS

Type 829. Two Permanent Magnets ... £6 0 0
Cash, carriage paid.
Or 12/6 with order and twelve payments of 10/-.

COSSOR KITS AND VALVES

Melody Maker Battery Model 334, complete with valves and cabinet. Cash Price, carriage paid ... £5 15 0
Or 15/- deposit and nine monthly payments of 12/6.

All Electric Model 336, complete with valves and cabinet. Cash Price, carriage paid ... £9 15 0
Or 19/6 deposit and ten monthly payments of 19/6.

Set of Three Cossor Valves. S.G. Det. and Power. Cash Price, carriage paid ... £1 12 3
Or 5/- with order and six monthly payments of 5/3.

Any Amplion, Blue Spot, Baker, Celestion, Epoch, Goodman, Igranic, Lanchester, Ormond, R. & A., Rola, Sonochorde, or W.B. Moving Coil Speaker supplied promptly.

Send 5/- only and pay the balance by monthly instalments. No references. Entirely private and confidential. Write for Catalogue and details to:

TURNADGE & PARTNERS, LTD.,
111, Fleet Street, London, E.C.4.
Telephone: Central 1903.

SCRAP THAT DUD

That cheap pocket "any ohms per volt" iron meter, taking 30 m/a to give a reading, that has ruined your H.T. battery.

GET A DIX-ONEMETER

The ideal of multi-range moving coil meters. Microamps to 20 amps, milli volts to 1,000 volts. 50 ranges on one meter. Two clear scales with mirror and knife edge pointer.

ONLY 60/-

A remarkably low price for a meter worth £10. For novice or expert. Test Booklet Free.



The High-grade Radio Tester. Low Price. High Value.

INSTRUMENT IN CASE, 60/- MULTIPLIERS, EACH, 6/6. COMPLETE RADIO OUTFIT £4:19:6

NO STORE in LONDON has so comprehensive a stock of Scientific Apparatus at such low BARGAIN PRICES.

- Aerials
- Buzzers
- Bells
- Batteries
- Condensers
- Cable
- Cases
- Chokes
- Microphones
- Meters
- Transmitters
- Testers
- Coils
- Chargers
- Dynamos
- Motors
- Wavemeters, etc.
- Engines
- Instruments
- Lamps
- Neons
- Wire
- Receivers
- Spark Sets
- Valves

at **ELECTRADIX HOUSE**

1,000 other Bargains in our new Sole List W.W. Send addressed envelope for this money saver.

ELECTRADIX RADIOS

218, Upper Thames Street, E.C.4

Components, etc., for Sale.—Contd.

(This advertisement continued from first column.)

SPECIAL Offer of Mains Transformers, manufacturers type, any input, 250+250v. 60 m.a., 4v. 1a. C.T., 4v. 3a., C.T., 8/6; H.T.8 with 4v. 3-4 amps., 8/6; 180v. 40 m.a., 4v. 1a., 4v. 2a. 5/6; 175v. 50 m.a., 4v. 4a., 4v. 1a., 5/6.

PREMIER Transformer for "Wireless World Modern A.C. Quality Amplifier" (see this issue), 20/-; output and L.F. chokes for same, 10/6 each.

EKKO Microphones, complete with transformer, a really fine job, 18/6; wire-wound potentiometer, 50,000, 2/6.

S. G. BROWN'S Power Units, consisting of tapped mains transformer, Westinghouse rectifier, and T.C.C. electrolytic condenser, output 6v. 1 amp., for charging and energising; 21/-, listed £3/15.

WESTINGHOUSE Rectifiers, 120 volts at 20 m.a., 6/6; 180 volts at 30 m.a., 8/6; 8 volts at 0.5 amp., 6/6; 6 volts 1 amp., 9/6.

AMPLION Pick-up, with arm and volume control; 18/6.

ALL the Following Lines 6d. Each, or 5/- dozen assorted; Trimming condensers; shielded S.G. or Pentode leads; Dubilier 0.01 condensers; 2ft. lengths of screened wire; 5-pin valve holders; fuse bulb with holder; Crabtree sunk 5-amp. switches.

FOR Callers Only.—The following valves, guaranteed as new, half list price: M.P.Pen.; U.U.60/250; M.V.S.G.; A.C.Pen.; V.D.S.; D.P.T.; A.C./S.G.; A.C./H.L.

ALL Orders to 20-22-24, High St., Clapham, S.W.4. Callers to High St., Clapham (Macaulay 2188). Closed 1 o'clock Wednesday. Open till 9 o'clock Saturday. Nearest Station Clapham North Underground. [1883]

BIRMINGHAM RADIO MART'S Weekly Selection Manufacturers' Surplus Stocks; new unless otherwise stated.

RESISTANCES, Eric, H.M.V., etc.; our selection, 5,000 to 100,000 ohms, 3/- dozen; Dubilier and T.C.C. mica condensers, 3/- dozen; H.M.V. hum stoppers, C.T., 9d.; anode oscillation stoppers, 3d.

METERS—British flush 2 1/2 in. nickel, any range above 20 m.a., 5/9; few Sifant M.C., 15/-; 2 m.a., 17/6.

COLUMBIA 2-valve chassis, complete, disc, dials, leads, etc.; 15/-; no valves.

CONDENSERS—T.C.C., 1,700v. working, brand new, 4-4 mfd., with heavy stand-off insulators; 25/-; large stocks of Hydra and T.C.C.

GOLDFINE Cosmic Chokes, comprising one dual range coil and one short wave ditto on air spaced formers; the pair, 2/6.

MARCONI M.C. Output Transformer, 18 to 1, can be tapped for universal from 54 to 4 1/2 to 1; our price 5/-.

2-GANG 0.0005 Die-cast Frame 1/2 in. Spindle Trimmers, worth 17/6, finest quality; similar radiophone, 6/6.

NEW Boxed Lewros Short Wave 6-pin Coils, 20-45 and 40-90 metres; 1/6, or 3/- pair, post free; series gap all-brass S.W. condensers, 2/6 each.

REXTONE Power Packs, containing mains transformer and Westinghouse rectifier, giving 150v. 25 m.a. and 4v. 4a. 25/-; filter packs for above, 7/6.

RADIO MART'S Obliment Sale, now in full swing; hundreds of snips for callers.—19, John Bright St., Birmingham. [1842]

RADIOPHONE Radiopak, 50/-; Ferranti push-pull input, 12/6; quantity condensers, resistances, 5.—Bryant, 2, South Ridgway Place, Wimbledon. [1831]

NEWTNS Offer Brand New Set Manufacturers' Surplus Mains Transformers, tapped and screened primary, L.T. windings, C.T., 500-0-500 at 120, 22/-; 450-0-450 at 120 m.a., 21/-; 350-0-350 at 120 m.a., 20/-; above have following L.T. windings, 4 volts 2.5 amps., 4 volts 5 amps., 4 volts 2 amps., 27/-; "W.W." Straight 5 specification, 400-0-400 at 120 m.a., 4 volts 6 amps., 4 volts 3.5 amps., 4 volts 2 amps., 27/-; "W.W." specification (described this week), quality amplifier, 400-0-400 at 120 m.a., 4 volts 3 amp. (C.T.), 4 volts 2 amp., 4 volts 1 amp., 24/-; 350-0-350 at 60 m.a., 4 volts 2.5 amps., 4 volts 3 amps., 12/-; 325-0-325 at 80 m.a., 4 volts 2.5 amps., 4 volts 4 amps., 12/-; 250-0-250 at 60 m.a., 4 volts 1 amp., 4 volts 3 amps., 4 volts 1 amp., 12/6; for Westinghouse rectifiers, H.T.8 200 volts 200 m.a., 4 volts 3 amps., 12/6; for H.T.9 240 volts 200 m.a., 4 volts 4 amps., (designed for "W.W." Baby Superhet). Chokes: 60 m.a. 20-henry 120 m.a. (400 ohms) 9/6; 30-henry 60 m.a. (500 ohms) 6/6; 50-henry 60 m.a. (550 ohms) 3/6; 20-henry 30 m.a. (500 ohms) 5/6. Condensers: 750 test, 1 mfd., 1/1; 2 mfd., 1/9; 4 mfd., 2/6; 1,500 test, 1 mfd., 1/8; 2 mfd., 2/4; 4 mfd., 4/-; multiple blocks, 1,500 test, 20 mfd., 4+4+2+2+2+2+2+1+1+1. 11/-; 11 mfd., 4+2+2+2+1. 6/9; R.T. Parafed transformers, 6/-; variable condensers, H.M.V. 2-gang semi screened, with trimmers, 6/6; resistances and grid leaks, H.M.V. (1) 10,000, (2) 100,000, (2) 0.25 meg., (1) 1 meg., (1) 2 meg., 2/- packet; pick-ups, 50/-; Ekko, with potentiometer, 15/-; constructors' kits, sealed cartons, Mullard Radio for the Million (A.C.3), with valves (84v., 354v. Pen4v.) list £6/10, 72/6; cabinets, 6/-; moving coil speakers, Magnavox X-Gate Gold, manufacturers' type, 9C/130 D.C., resistance 2,500, 60 m.a., with transformer, list £5/10, 24/-; Rola's S type U.S.A., with multi-ratio transformer, 6 volts (8 ohms), 110-175 volts (2,000 ohms), 90-130 volts (2,500 ohms), 150-250 volts (3,700 ohms), 200-250 volts (6,500 ohms), 17/- each; P.M.s. 9% cobalt steel, 25/-; A.C. 200-250, 30/-; dual compensated, any two energised, 36/-; any energised to 1 P.M., 40/-; valves, last few, I.U.120/550, B.U.442, 9/-; H.F. chokes, H.M.V. screened, 50 m.a., 100,000 microhenrys, 1/-; 11/- dozen; carriage paid, c.o.d., or call.—Newth's Mayfair Radio, 31, George St., Hanover Sq., London, W.1. [1860]

RADIO Surplus and Bankrupt Stock; long list for stamp; save you pounds; for example, Westinghouse rectified eliminator, 200v. 30 m.a. (in case), with 3 lower tapplings, unused, £1/18/6; or with L.T., £2/2.—All goods fully guaranteed by Trevor Pepper, Wake Green Rd., Birmingham. [1940]

VARIABLE Filament Transformer, 13/6; Nicore I, 12/-; Ferranti O.P.M.1, 13/6.—Kay, 45, Crescent Rd., Middlesbrough. [1825]

AMERICA Nightly! All-wave tuner, 20-2,000 metres, reaction incorporated; 6/-.—Evans, 77, Jermyn St., London, S.W.1. [1847]

SUPER Senior, on baseboard, unwired, no reasonable offer refused.—Brooks, Craigieglenn, Layton Rd., Hounslow, Middlesex. [1856]

BUY WATMEL THIS YEAR WATMEL POTENTIOMETER (TYPE 2)

This Potentiometer is suitable for all purposes of voltage regulation, H.T. Supply, volume control, etc. A particular feature is that owing to its high inductance value, the high note response is preserved and a smooth silent control is obtained. These points are worth consideration:—



NOTE THE POINTS:

1. Polished pointer knob.
2. Wire-wound former.
N.B.—The resistance is WIRE not compound with wire contacts.
3. Large contact plate.
4. Positive stop.
5. Contact finger. Phosphor bronze.
6. One-hole fixing—brass bearing bush resulting in perfect bearing.
7. Bakelite case—protects winding.
8. Back self-cleaning contact.
9. Insulating bush to insulate spindle from panel.
10. Stops at end of winding.

Any resistance up to 50,000 ohms... **5/6**



If you cannot get this component from your local dealer write to us and we will send what you require within 24 hours.

Write for Catalogue.

We are at the **B.I.F. STAND 61, "Hall of Music."**

WATMEL WIRELESS CO. LTD.
Imperial Works, High Street, Edgware.
Telephone: Edgware 0323.

M.C.83

Components, etc., for Sale.—Contd.

R. SELECTED Parts for Sale, as new; any c.o.d., or "Wireless World" deposit system, which we recommend if in doubt as to the splendid value offered; we take all risk of damage in transit to our customers; all goods tested for callers and guaranteed, however low price. Notice: Payment by cheque; no goods despatched until these are cleared.

T.C.C. 1 mfd. type 65, 1/3; T.C.C. type 85, 1 mfd., 375v. working, 1/6; T.C.C. 2 mfd., 250v., type 65, 1/6; T.C.C. 2 mfd., 375v. working, 1/9.

METERS, moving iron and moving coil, all new instruments specially made for Ryall's Radio, all guaranteed for one year, moving coil meters to B.E.S. first grade specification, all panel flush type bakelite case.

MOVING Coil, 0.1 ma., 25/-; 0.10 ma., 0.50 ma., 0.25 ma., 0.5 ma., 21/-; 0.250v., 1,000 ohm per volt, 3/-; 0.500v. ditto, 3/6; all with zero adjustment, size 3 1/2 in. diameter, 2 1/2 in. dial face.

MOVING Iron Meters, first grade air damped, with zero adjustment, A.C. meters, 0.250v., 18/-; A.C. and D.C., 0.50 ma., 15/-, size as above.

MOVING Iron Meters, in cases, as above, A.C. meters, 0.12v., 10/-; 0.250v., 12/-; 0.6 amp., 10/-; A.C. and D.C., 0.20 ma., 10/-; 0.50 ma., 10/-; 0.10 ma., 10/6; also flush type back terminals, nickel case, 2 1/2 in. diameter, D.C. only, 0.10 ma., 7/-.

RYALL'S RADIO Offer Reliable Resistances, 1 watt, suitable for all "Wireless World" sets where 1 watt resistance if specified, in values, 100, 1,000, 2,000, 5,000, 6,000, 10,000, 25,000, 30,000, 75,000, 150,000, 250,000, 20,000, all values stated in ohms, 6d. each, guaranteed one year, wire ends, new goods.

RYALL'S RADIO Own Mains Condensers, offered with confidence, all with terminals, 4 mf. 250v. working, 400v. peak, 3/6; 4 mf. 400v. working, 600v. peak, 4/6; 3 mf. 750v. working, 1,000v. peak, 7/6; 2mf. 750v. working, 4/6; new goods.

RYALL'S RADIO Mains Transformers, new goods, 250v. 60 ma., 4v. 1 amp., 4v. 3 amp., 10/6; ditto super type, with 4v. 5 amp., 17/6; 350v. 60 ma., 4v. 2 amp., 4v. 3 amp., 12/9; step up or down transformer, 110v. to 220v., 10/6; transformer for H.T.8 with 4v. 4 amp., 12/9; H.T.7, 10/9; filament, 4v. 5 amp., 8/6.

RYALL'S RADIO Chokes, 20H 120 ma. resistance, 260 ohm, 8/9; 25H at 60 ma., res. 260 ohm, 6/9; 40H 100 ma. resistance, 600 ohm, 10/6, constant inductance chokes.

RYALL'S RADIO Mains Transformers, 110/250v. input, 250v. 75 ma., 4v. 1 amp., 12/-; 460v. 120 ma., 7.5, 8v., 15/-; to clear at 17/6.

MAGNAVOX D.C. 144, with transformer, 2,500 ohms, 22/-; Rola D.C., 2,500 ohm, with pentode transformer, 22/-; 6,500 ohm, ditto; post free.

SET Cabinets for 3v. A.C. Sets, room for speaker, suit "W.W." A.C.3, etc., brand new, fitted escutcheon, 20/-; used, 16/-.

SPECIAL Offer of Pye 20h. Chokes, 40 ma., 130 ma. maximum, D.C. resistance 300 ohms, in brown crystalline finish, new, unused, Pye 32h. chokes, D.C. resistance 750 ohms, 50 ma., 80 ma. maximum, ditto, 6/3 each, post free.

VALVES, used, many as new, 244v. I.F., 484, 41M.I.F., Marconi P2B super 2v., new, 7/6 each; 84V.A., A.C. S.G., M.S.4, 7/6; 84V.B., 8/-; to callers only, the following, U.5, 8/-; U.8, 10/-; L.S.6A, 12/-; Mazda U.C.60 550, 9/-.

METERS—Weston 506 0.500 ma., 20/-; Weston 301 2v. projecting 0.15a., 20/-; Weston 506 150v. 20/-, 200v. 20/-; Ferranti 0.7v., 20/-.

TRANSFORMERS—Ferranti O.P.M.1C, 16/6; O.P.M.2C, 14/6; O.P.M.4, 14/6; Nicore 1, 9/-; Perinacore, 9/-; Ferranti B1 choke, new, 14/6; used, 13/6; Edison Bell, new 50h. choke, 100 ma., massive job, 12/-.

RYALL'S RADIO 33, Chancery Lane, London, W.C.2 (nearest Tube, Chancery Lane; bus 67 passes door, or from to Savoy St.), Holborn 3529. Open Saturday afternoon, Close 7 p.m., Thursdays 1 o'clock, Saturday 6 p.m.

R. [1857]

CONDENSER Blocks: 6t per mfd., 650-volt test, in blocks of 6 mfd. upwards, wired in 2 mfd. units; 2 years' guarantee; sent by return of post on 7 days' approval; cash with order—Butlers—Radio, Ltd., 191, Forest Rd., Walthamstow, E.17. Phone: 5134. [0396]

LIMITED Number ex Government Heterodyne Receivers, disposal, wonderful chance experimenter, home constructor, original cost these sets about £20, excellent condition, mahogany cases, also number ex Naval 5-valve I.F. amplifiers, fitted 4-Erison I.F. transformers, excellent condition, mahogany cabinet, quick sale price, receivers 17/6, amplifiers 12/6, carriage forward; Army surplus, Army Band sounding buzzers, new, 4/6, post paid, worth five times this price; Marconi Co.'s multiple valve high frequency amplifiers, fitted in metal screening boxes, wave-lengths 300 to 1,300 metres, good condition, 12/6, carriage forward, J. B. Humphreys and Co., 23, College Hill, Cannon St., London, E.C.4. [1693]

SOUTHERN RADIO'S Set Manufacturers' Guaranteed New Surplus.

READY RADIO Meteor 3-valve Screen Grid Battery Kits, new, in sealed cartons, 27/6; less valves; with 3 Mullard valves (P.M.12, P.M.21X, P.M.2), £2/10/6 (listed £5/7/6); Ready Radio 303 3-valve battery kits, new, in sealed cartons, 21/-, less valves; with 3 Mullard valves (P.M.21X, P.M.2, P.M.11.F.), 39/- (listed £3/10); Mullard Radio for Million A.C. 3-valve kits, in sealed cartons, including 3 Mullard valves (P.L. N.4V., 354V., 8.4V.), £3/12/6 (listed £6/10); Dual Gang variable condensers (H.M.V.), 0.0005, shrouded, and trimmers, 6/-; screened chokes (H.M.V.), 1/- each, 9/- dozen; condensers, all 750 volt test, 4 mfd., 2/6, 2 mfd., 1/9, 1 mfd., 1/1; blocks, 10 mfd., (2-2+2+2+1+1), 1,500 volt test, 6/9 each; all goods guaranteed and post paid.—Southern Radio, 323, Euston Rd., London, N.W. (near Warren St. Tube), Phone: Museum 6324. [1862]

PROSPERITY, 3 coils, 19/-; Bulgin type B, D.C. mains resistance, 12/-; Clark Atlas multi Pentode choke, C.P.S., 13/-; 0.0005 3-gang condenser, 5/9; all new goods, —8, Hatherley Gardens, East Ham, E.6. [1828]

WEST END RADIO STORES, 14, Lisle St., Leicester Sq., W.C.2, and 382, Colindale Ave., Hendon, S.W.9, liquidator's stock of all mains sets, chassis, components, etc., as advertised in *The Wireless World*, February 10th. [1876]

RADIOPHONE 3-gang, 17/6; A.C. Pen., 10/6; Amplion P.E.M.644, 12/6, unused, perfect.—Bruce, 140, St. Ann's Rd., Rotherham. [1850]

CHASSIS and Screen Panels, constructed to any design, aluminium sheet supplied; estimates free.—Minus, 19, Woodthorpe Rd., King's Heath, Birmingham. [1848]

The "WIRELESS WORLD"

SPECIFIES A SAVAGE

TRANSFORMER and CHOKE

FOR THE

"MODERN A.C.

QUALITY AMPLIFIER"

BECAUSE

★ 300% over voltage and interwinding tests are carried out on every instrument.

★ They are generously designed thus ensuring cool running and good regulation.

★ Scrupulous care is taken to secure perfect insulation. Accurate layer winding, wax paper interleaved is standardised.

★ Massive ferro silicon cores are positively clamped.

★ Every Savage instrument is guaranteed.

For the "Modern A.C. Quality Amplifier":
Mains Transformer, type MGA.

Standard Model	...	Price 40/-
Manufacturers' type	...	Price 34/-
Choke Type L34.		

Standard Model	...	Price 15/-
Manufacturers' type	...	Price 13/-

Prompt deliveries of these and other Savage instruments can be made. Send to-day for complete price and specification list No. WW19.

SAVAGE

GUARANTEED MAINS EQUIPMENT

W. BRYAN SAVAGE
56/58, CLERKENWELL ROAD, E.C.1.
Phone: Clerkenwell 3068/9.

RICH & BUNDY MAINS TRANSFORMER

(MODEL 44)

Recommended for the

'MODERN STRAIGHT FIVE'

POWER UNIT

PRIMARY UNIVERSAL
VOLTAGE.

200-250 V. 40-100 cycles.

Other Voltages to Order.

SECONDARIES 400-0-40

120 m.a.

4V. C.T. 3; amps

4V. C.T. 6 "

4V. C.T. 2 "

Earthed Copper Electro-

static Screen over Primary

All RICH & BUNDY Mains Transformers for Radio are

fitted with Screened Primary.

Manufactured by

RICH & BUNDY Ltd., Transformer Manufacturers,

NEW ROAD, PONDERS END, MIDDX. Phone: Enfield 0777

Sole Distributors I.F.S.—

KELLY & SHIEL Ltd., 47, Fleet St., Dublin, C.4.

PRICE
62/6

Carriage Paid.

For the
best reproduction from

"THE MODERN A.C. QUALITY AMPLIFIER"

use a

BAKER SPEAKER.

BEST BY TEST.

GRESSALL RESISTANCES

"Cressall" Asbestos-Wire Woven Resistance
Nets for voltage absorbing on D.C. Mains.
Receivers. Mica - Wound Resistance Units.
Sliding Resistances. Resistance Wires.

Please write for Lists.

GRESSALL MANUFACTURING COMPANY,
31-32, TOWER STREET, BIRMINGHAM.



GRIPSO
PATENT SHIELDED
PLUG & SOCKET
SUPERIOR AND MORE
CONVENIENT THAN TERMINALS
4 1/2 D.
COMPLETE THE GRIPSO COY.
28, VICTORIA ST. LONDON, S.W.1.

GODFREY RADIO LTD.

for De Luxe

SHORT WAVE APPARATUS

COMPONENTS—SETS—CONVERTERS

63-5-7, Chancery News, London, W.C.1. Museum 8134.

JUNIT SYNCHRONOUS ELECTRIC CLOCKS

Write for the new
Complete Catalogue
including models to
match Pye, Ultra,
etc., radio receivers.

Junit Mfg. Co., Ltd.,
Junit Works, Steele Rd.,
Chiswick, London, W.4



Famous Maker's Offer!
PIANO-TONE!
CABINETS.
7 DAYS' FREE TRIAL
(OR 10/- MONTHLY).
Piano built (Pat. 6123), the accurate
tone brings a fine thrill (Piano Oak).
(Radio Press, B.B.C., 3.000 clients).
A: Maker's Prices, 35/- to £15.
LIST FREE.
Send for photographs, detail drawings.
Picketts Piano-Tone Cabinets, Albion
Rd., W.W. Rexleyheath, Kent.

Components, etc., for Sale.—Contd.

HOYNE'S Transformers and Chokes.

250 0-250v. 60 m.a., 4v. 1-2a., C.T., 4v. 3-4a., C.T.;

10/-; post 9d.

350 0-350v. 70 m.a., 4v. 2-3a., C.T., 4v. 3-4a., C.T.;

12/6; post 1/-.

350 0-350v. 120 m.a., 4v. 2a., C.T., 4v. 4-6a., C.T.;

4v. 2a., C.T.; 16/-; post 1/-.

450 0-450v., 150 m.a., 4v. 2-4a., C.T., 4v. 2-6a., C.T.;

4v. 2a., C.T., 4v. 2a., C.T.; 25/-; post 1/3.

500 0-500v. 140 m.a., 4v. 2-4a., C.T., 4v. 2-6a., C.T.;

4v. 2a., C.T., 4v. 2a., C.T., or 6v. windings if

preferred; 27/6; post 1/3.

WESTINGHOUSE Model 150, 200, 240v., 300 m.a., 4v.

2a., C.T., 4v. 2-6a., C.T., suitable for H.T.P. H.T.9,

or H.T.10; 15/-; post 1/3.

LINE Transformers (auto wound), 0-100, 110, 200, 220,

240v., 60 watt, 7/9; post 1/-; 120 watt, 11/-; post

1/-; 180 watt 15/-; post 1/3.

CHOKES, 30h, 150 m.a., 12/-; post 1/-; 20h, 120 m.a.,

8/6; post 9d.; 30h, 60 m.a., 6/-; post 6d.; 3Ch, 30

m.a., 3/6; post 6d.

HOYNE'S Transformers are Guaranteed for One Year;

every model is made from British material of best

quality.

HOYNE'S Transformers.—All primaries are tapped and

screened, clamped in aluminium frames, and fitted

with clearly marked terminal strips.

HOYNE'S Transformers for Reliability.

HOYNE'S for Best Condensers and Resistances.

HOYNE'S Stock M.C. Speakers.

M. J. HOYNE, Offices and Works, 8a, Glastone Rd.,

Wimbledon, S.W.19. Phone: Liberty 3303.

EVERYTHING for Movies and Talkies.—Phone, write

or, better still, call and inspect immense stock of

bargains.

ILLUSTRATED ENTERPRISES, 159, Wardour St., London,

W.1. Tel.: 6889 Gerrard [1621

THE LONDON RADIO SUPPLY Co. has for Disposal the

Following Equipment; first figure represents list

price, second, sale price.

3 Mullard D.O.60 Valves at £5/10, £2/10 each; 2

Mullard D.O.25 valves, £1/10, £1 each.

1 Ferranti Pent. Milliammeter 0-15 m.a., 2 0-150 m.a. at

£1/15, £1/5 each; 1 Ferranti output transformer,

O.P.M.1, £12/6, 16/6; 1 Ferranti push pull transformer,

A.F.5C., £1/14, £1/5.

2 Public Address Microphones, with transformers and

volume controls; £2/5, £1/5 each.

1 Rich and Bundy Output Transformer, 25:1 for 2

D.O.60 or 2 D.O.25, in push pull, weight 7 lb.,

£2/15, £1/12/6; ditto, for 2 D.O.25 valves in push pull,

£1/10, £1/7.

1 Baker Cinema M.C. Unit, 6-volt field, £10/10, £5/10;

1 Epoch cinema M.C. 4-volt field, £14, £7/15;

1 genuine Wright de Costa public address M.C. unit,

6 volt field, £15, £7/10; the above M.C. units will give

magnificent reproduction even on small receivers; 2

Lampugh M.C. units with transformers, £2/2, £1 each.

1 Brownie 2-valve A.C. Receiver, with Celestion M.C.

built-in speaker, £9/9, £4/10; 1 "Wireless World"

super selective superhet chassis, £8, £3/10.

1 Ferranti Condenser Block, type 1 (total 20 mfd.), 30/-

£1/1; 12 Exide C.Z.6 accumulators (2v. 60 actual,

17/-, 12/- each.

ALL Above only Slightly Used, and in perfect condition,

and may be examined at any time.

LONDON RADIO SUPPLY COMPANY, 11, Oat Lane,

London, E.C.2. Phone: National 1977. [1854

SPECIAL Mains Radio Offer Guaranteed Set Manufac-

turers' Surplus.—Magnum screened ganged coils,

H.F., 13/6; 3-gang (aerial, second band pass, H.F.),

10/6; 2-gang (aerial, H.F.), 7/3; valves, guaranteed as

new, V.D.S. (metallised), 9/9; V.M.S.4 (metallised), 9/9;

M.M.4V. (metallised), 10/-; M.H.4, 7/-; D.H., 6/3; all

carriage paid.—Mains Radio Development Co., 4, Muswell

Hill Rd., N.10. [1851

CHAL-ELECTRIC Special Offers of Brand New Surplus

Goods, carriage paid, cash with order, or c.o.d.,

moving coil speakers, Rola's (U.S.A.) manufacturers' type

power pentode transformer, 7 1/2 cone, 90-120 volts, 2.500

ohms; 200-250 volts res., 6,500 ohms, 16/9 each; A.C.

models, 29/6.

CONDENSER Banks, 1,500 D.C. test, 20 mfd., 4-4+2+2

2+2+2+2+1+1, 10/9; 11 mfd. blocks, 4+2+2+2+1,

6/4; smoothing chokes, 20 henry, 120 m.a. (400 ohms),

9/3; 50 henry, 60 m.a. (500 ohms), 8/3; 30 h.nrv. 60

m.a. (550 ohms), 7/9; 40 henry, 40 m.a. (650 ohms),

6/6; 20 henry, 39 m.a. (450 ohms), 5/9.

MAINS Transformers, screened primary, 12 months'

guarantee, 500-0-500, 21/9; 450-0-450, 20/9; 350-0-

350, 19/9; all above range 120 m.a., having L.T. windings

C.T.: 4v. 2.5a.; 4v. 5a.; 4v. 2a.; 250-0-250 at 60 m.a.,

4v. 1a., 4v. 4a., 12/6.

ASK for Special Quotations to Any Specification.—Chal-

Electric, 6, Conduit Street, London, W.1. [1863

W.B. Speaker, P.M.3, velvet edged cone, 37/6; Weston

M.C. 0-100 milliamps, 17/6; scratch filter, new,

4/-; Ferranti, O.P.3C., 12/-; A.F.5, 10/-; A.F.5C., 12/-;

A.F.5, 4/-; Pen 220A., 10/-; perfect.—"Malford," Luttrell-

worth Rd., Nuneaton. [1892

EPOCH B4 M.C. Speaker, 35/-; Magnavox M.C. speaker,

D.C. 144, 25/-.

T.H. Pick-up and Tone Arm, 15/-; Sonochorde P.M.

speaker, with universal transformer; list 32/6; un-

used, £1.

J.B. UNTUNE, with disc drive, fully screened; unused,

10/5.

WESTINGHOUSE Metal Rectifier, 300v. at 60 m.a.,

13/6; 350v. at 65 m.a., 15/-.

ALL Above Goods Guaranteed Perfect, sent on 7 days'

approval against cash, or c.o.d.; we will allow 50%

of the list price on your surplus parts in exchange for

new.—W. B. Mackie, 61, Dartmouth Rd., Forest Hill,

S.E.23. Phone: Sydenham 6741. [1855

51/6.—Manufacturers' surplus; 1933 3-valve receiver

chassis (listed £7/15/6), V.M. screened grid

detector, pentode, ganged condensers, screened coils, H.F.

and T.C.C. components (with valves, £3/9/6); also 3-valve

walnut transportables, containing set, speaker, valves, H.T.

and L.T. batteries, 55/-.—Bale, 154, High St., Ilfracombe,

[1846

NOW ON SALE

Complete Constructional Details of

The Wireless World

THE
PRACTICAL RADIO
JOURNAL

MONODIAL A.C. SUPER

A seven-valve Superheterodyne
Receiver of Outstanding Performance

By W. T. COCKING

This booklet contains in a compact
form the original articles which
appeared in "The Wireless
World" some months ago.

It describes at length with full ex-
planations and illustrations a
superheterodyne receiver for A.C.
Mains which is still unchallenged
for faithful reproduction and ex-
clusive selectivity. Full details
of the constructional work of build-
ing this modern, ultra selective
receiver are given.

Since the Monodial A.C. Super was
first described, many thousands
have been built, and no single
instance of failure or disappoint-
ment with the performance has
come to light. The Receiver is
an ambitious one, but the design
is straightforward, and a simplified
method of construction has been
adopted.

For quality, range and selectivity,
the performance is unsurpassed by
any known receiver.

Crown 4to, 24pp. in attractive
paper cover

PRICE 1/6 net

By post 1/8

From all booksellers or
direct from the Publishers


ILIFFE & SONS LIMITED
Dorset House, Tudor Street, E.C.4

BURTON

FOUR POSITION ROTARY SWITCH

(Patents pending.)

A component which meets most switching requirements of modern Receivers. Will short three coils for long or short waves, operate gramophone pick-up, and 'On' and 'Off' at mains voltage. Maintains firm uniform pressure between surfaces. Ask your dealer for it.



6/- EACH

C. F. & H. BURTON
PROGRESS WORKS, WALSALL, ENG.

Grippleshell

Aerial Brackets



are simple and economical to install and avoid unsightly poles. Write for leaflet to:—

PARTRIDGE WILSON & CO.,
Dept. 29, Davenant Works, Leicester.

PARIMA SELENIUM CELLS

FOR ALL PURPOSES.

Parima Light-Sensitive Resistances are constant mechanically strong, moisture proof and exceedingly sensitive. Fully guaranteed for 12 months.

Prices from 5/-

PARIMA MANUFACTURING CO.,
21, BROMLEY ROAD, S.E. 4. *Ilford Green 3029.*

RYALLS RADIO,

33, CHANCERY LANE, LONDON, W.C.2, accept used radio parts, or sets, in part or full payment for brand new, at list prices. Only good quality components accepted, accumulators and very small items cannot be taken. Goods bought for cash from callers, up to one third of list price paid, parcels by post by arrangement only.

BOOKS on WIRELESS

Write for complete list to
ILIFFE & SONS LTD.,
Dorset House, Tudor St., London, E.C.4. w.w.1

EXCHANGE.

COSMIC RADIO SERVICE, 23, Water St., Liverpool. accept your old receiver or components in part exchange for new. [1704]

RADIO Exchange Specialist, write here first.—Charles W. Sargent, 44, High St., Shoeburyness. [1801]

WANTED.

NEW or Second-hand Wireless Parts Wanted for Cash, any amount, any condition; send yours, stating reasonable price; cash by return; top prices paid for 1932 parts; also meters, etc.; will call London districts.—**Mildmay Radio Exchange, 24, Mildmay Grove, Loudou, N.1.** [1637]

MANUFACTURERS', dealers' and amateurs' surplus purchased for cash.—**Cosmic Radio Service, 23, Water St., Liverpool.** [1703]

A MATEURS' and Experimenters' Surplus Components Bought for Cash; best prices paid.—**24a, Newport Court, Charing Cross Rd., W.C.2.** [1865]

SETS, accessories, bought; exchanges (anything taken).—**International Dealers, 37, High Rd., Chiswick.** [1853]

D.C. to A.C. Converter, 220 in and 220 out, 100 watts, complete with filter unit and silence cabinet; must be in good condition.—**Colebourn and Kermode, Ridgeway St., Douglas, Isle of Man.** [1843]

WANTED, Ferranti 1933 Bandpass A.C. kit—14, Norton Rd. Wembley. [1887]

AGENCIES.

MANUFACTURER of Interference Filters and Associated Products Requires First Class Agents; excellent commission.—**Box 6081, c/o The Wireless World.** [1664]

SITUATIONS VACANT.

IF You Wish to Enter the Wireless Profession with a Thorough Training, or if you wish to improve your present position, you will need the certificate issued by Britain's leading wireless college. This is not a correspondence college. Apparatus of all leading makes installed for instructional purposes. Boarders accepted. Training fee can be paid after appointment. Prospectus free.—**Wireless College, Colwyn Bay.** [0388]

WANTED, glass-blower, with experience of cathode ray tubes preferred.—**Write Box W.21, c/o Knights, 55, Chancery Lane, W.C.2** [1707]

WANTED, high vacuum technician, accustomed to radio valve manufacture, with experience of cathode ray tubes preferred.—**Write Box W.20, c/o Knights, 55, Chancery Lane, W.C.2.** [1706]

CIVIL SERVICE COMMISSION.—Forthcoming Examination: Male Assistant Superintendent of Traffic (Class H) in the London Telephone Service and Male Assistant Traffic Superintendent in the Provinces, General Post Office (18-23, with extension for service in H.M. Forces).

REGULATIONS and Particulars, together with the forms on which applications must be made, will be sent in response to requests (preferably by postcard) addressed to the Secretary, Civil Service Commission, Burlington Gardens, London, W.1, giving the title of the situation. The latest date for the receipt of application forms is 2nd March. [1817]

MURPHY Radio Require First-class Mechanical De- signers; must be capable of designing piece parts and/or layout; high wages will be paid.—Apply by letter only, Chief Engineer, Murphy Radio, Ltd., Welwyn Garden City. [1866]

ASSISTANT Draughtsman, works and drawing office, a organisation experience essential.—**Write, stating age, experience, and salary, to Celestion, Ltd., London Rd., Kingston-on-Thames.** [1880]

SITUATIONS WANTED.

DO You Want Skilled, Certified Service Engineers and Salesmen? Then consult the Principal, The Wireless College, Colwyn Bay. Phone: 2407. [0392]

RADIO Engineer (I.C.G.I.), experienced in design and research, desires post with manufacturer or consultant.—**Box 6074, c/o The Wireless World.** [1830]

GRADUATE Seeks Post in Radio Factory or Business. —**Box 6088, c/o The Wireless World.** [1879]

BOOKS, INSTRUCTIONS, ETC.

SALE, "Wireless Worlds," 399 to 696.—Offers to Ains- worth, 9, Park Rd., Bonnyrigg, Midlothian. [1821]



SERVICE CHARGERS

TYPE VR/28

Output 28 Volts, 1.3 Amps.

Complete with Variable Resistance and Meter

55/-

Numerous other types available.

Write now for list to:—

F. C. HILL & CO., LTD.,

17, Bilston St., Wolverhampton.

SERADEX MILLIAMETERS

for Q.P.P. Circuits, 0-10Ma.

Type N.F.1	5/11
Type N.F.2	7/11

(having larger scale).
Flush Fitting. Nickel Plated.
TREVOR PEPPER, Wake Green Rd., BIRMINGHAM

2/9 VALVES 3/6

Each	BRITISH MADE—POST FREE	Each
210 H.F.	Simply tell us your Set and we will	230 Super
210 L.F.	supply the correct B.H. Valve. All	Power
210 Det.	our valves are fully tested.	And also
220 P.		the famous
		230 S.G.
		at 4/- each.

MONEY RETURNED IF NOT SATISFIED.
Send to-day to: **The B.H. Valve Co., 8, Station Rd., Finsbury Park, London, N.4.** Phone: Archway 3119 Trade Enquiries Invited.

SITUATION VACANT

RADIO Set manufacturers, N. Acton, have a vacancy for **Radio Engineer** who has had experience in matching H.F. coils, ganged condensers, circuits matched within 1%.
Applications useless unless thoroughly experienced and skilled. Full particulars Box 6064 c/o the W.W.



WHOLESALE DEPOT

For all standard makes of COMPONENTS, KITS of PARTS etc., as advertised in this JOURNAL and elsewhere. All usual Sundries. Personal Attention to All Orders.
SPEEDY & PAINT-MAKING SERVICE. Write for Cat. enclosing trade card (Bonnifide Traders only).

LEONARD HEYS: FARADAY HOUSE

HENRY STREET, BLACKPOOL.
ELEVEN YEARS EXPERIENCE IN THE WIRELESS TRADE

FOR VOLUME & TONE

IGRANIC

ALONE

AMAZING OFFER!

ROLA P.M. M.C. SPEAKER

ONLY 2/6 DOWN

YOU CAN HAVE ONE FOR 7 DAYS' TRIAL



The large majority of British radio manufacturers and designers of the finest "home constructor" sets use and specify British ROLA Speakers. We offer Model FG-P.M. on extremely easy terms. This Permanent Magnet Moving Coil Speaker employs a high-grade Cobalt steel magnet of special design and incorporates a universal tapped transformer for either pentode or power valves. The brilliance of tone and unrivalled fidelity of reproduction it gives will amaze and delight you. SEND ONLY 2/6 for SEVEN DAYS' TRIAL, if satisfied pay further 2/6 at once, then 10 monthly payments of 5/- (Cash in 7 days, 49/6). All other Rola Speakers on similar easy terms, leaflet post free.

SWITCH OFF YOUR SET FROM ANY ROOM with the WATES DISTANCE SWITCH. For Battery or Mains set, send only 1/- for 7 days' trial, balance by 4 monthly payments of 2/6. (Cash 9/6.) For H.T. Eliminator set, send 1/6 for 7 days' trial, balance by 5 monthly payments of 2/6. (Cash 12/6.) Easily installed and a real boon.

E. J. HERAUD, Ltd., Dept. W.W.11, NUMBER ONE, EDMONTON, LONDON, N.18
Branches: 78/82, Fore Street, Edmonton; 77, West Green Road, Tottenham; 34, St. James Street, Walkhamslow; and 130, Hertford Road, Enfield Wash.

MAKE SURE OF YOUR COPY OF

The

Wireless World

DIARY for 1933

—the only diary published which is compiled by the Staff of *The Wireless World*. It contains 78 pages of facts, figures and explanations to which wireless amateurs make frequent reference.

Size 3 1/4 x 4 1/2 inches, 192 pages. Bound leather cloth, backloop with pencil, round corners and gilt edges.


PRICE 1/6 By Post 1/7

From all Booksellers, Stationers and Bookstalls or direct from the Publishers

ILIFFE & SONS LTD, DORSET HOUSE TUDOR STREET LONDON E.C.4

W.W.66

Mention of "The Wireless World," when writing to advertisers, will ensure prompt attention.



PEAK NON-INDUCTIVE CONDENSERS

TYPE 1500		TYPE 800	
Tested 1,500 V.D.C. Working Voltage 500 V.D.C. Maximum Peak Voltage 700.		Tested 2,400 V.D.C. Working Voltage 800 V.D.C. Maximum Peak Voltage 1,350.	
.1 mfd.	2/2	1 mfd.	4/6
.25 "	2/4	2 "	7/3
.5 "	2/6	3 "	10/-
1 "	2/8	4 "	12/6
2 "	3/9	6 "	19/6
4 "	6/9		

SPECIFIED for the MODERN A.C. QUALITY AMPLIFIER

2	1 mfd. Type 250	@	2/6
1	2 mfd. " "	@	3/3
4	4 mfd. " 1500	@	6/9
1	1 mfd. " "	@	2/2

Complete with screw terminals. Immediate deliveries from stock. Full details and particulars of the complete Peak range to be found in descriptive leaflet sent on request.

23, BRIDE LANE, LUDGATE CIRCUS — LONDON, E.C.4. Phone - - - CENTRAL 6994



SPECIAL BUFFER TYPE 2000
Non-Inductive, .01 + .01 mfd. 750 V.A.C. working. Terminals 3/3. Tags 2/9. For reducing hum and electrical interferences.

WILBURN & COMPANY
Northern Distributors : W. Andrew Bryce & Co., Bury, Lancs.



TECHNICAL TOPICS No. 5 CHASSIS DESIGN.

THE vibration of the speaker diaphragm under working conditions sets up varying air pressures in front of, and behind, the cone. These pressures tend to damp the diaphragm movement, restrict its amplitude, and reduce the output of sound. At low frequencies (i.e. high amplitudes) this tendency is most marked: for instance, a moderate input at 50 cycles will produce a current of air in the chassis so strong as to extinguish a lighted match.

From the above, the need for rapid and free dispersion of these air pressures from the back of the diaphragm will be obvious. Thus, open construction is a very important feature of chassis design. But open construction also calls for mechanical sturdiness, otherwise the chassis will be so weakened as to produce resonances of its own.

Many manufacturers, to minimise their chassis costs, use thin metal with few cut-outs. This leads to loss of the lower register and to buzzing noises due to mechanical faults. In the Goodman chassis, however, no sacrifice is made to economy. Exceptionally heavy gauge metal is used and fully adequate ventilation is provided by circular cut-outs. The result is a chassis of immense strength and thorough efficiency.

THIS talk is the fifth of a series on speaker technicalities and you are advised to cut each one out as it appears.

P.M. TYPES.
"DREADNOUGHT" Chassis Model (Complete with auxiliary baffle)..... **39/6**
"DREADNOUGHT" Cabinet Speaker (Real walnut cabinet)..... **59/6**
"RENOWN" Chassis Model..... **27/6**
"RENOWN" Cabinet Speaker (Real walnut cabinet)... **42/-**

Send now for fully illustrated leaflet. It is free.

GOODMANS

Scientific Speakers
69, St. John Street, London, E.C.1
Clerkenwell 3838-9

engineers

LET'S GO INTO THIS TOGETHER

YOU MAY HAVE THIS 250 PAGE BOOK ABSOLUTELY FREE!

All we ask is the chance to prove to you that you can earn £300, £400, £500 per year and more. Other men are doing it and you can do the same.

The first thing to do is to send for our FREE Handbook "ENGINEERING OPPORTUNITIES." This 250-Page book contains details of B.Sc., A.M.I.C.E., A.M.I.Mech.E., I.E.E., A.M.I.A.E., M.I.M.T., G.P.O., etc. Exams., outlines Home-Study Courses in all branches of Civil, Mech., Elec., Motor, Aero., Wireless and "Talking-Picture" Engineering, and explains the advantages of our unique Employment Dept. We urge you not to neglect our offer. Send for your copy of our Handbook to-day, Free of any charge.

BRITISH INSTITUTE OF ENGINEERING TECHNOLOGY,
387, SHAKESPEARE HOUSE, 29/31, OXFORD STREET, LONDON

FIT THIS ELECTRIC CLOCK TO YOUR SET!

NO MAINS NEEDED!
KEEPS CORRECT TIME!
NO WINDING!

Works off small battery lasting 12 months, or can be plugged into G.B. Battery without affecting reception. Uses practically no current. Fits into hole 3 1/2" dia. in any panel up to 1/2" thick. Easy to fix—no screws required. Only 1" from front of panel to back of case. Swiss movement. Hands set from front. Nickel plated bezel. Useful addition to any set.

RIVERSIDE MFG. CO., LTD.,
Dept. 20, Crisp Rd., Hammermith, W.6.
Telephone: Riverside 6392.

COMPLETE WITH BATTERY
POSTAGE 6D

EPOCH

MOVING COIL SPEAKERS

The Finest in The World in Each of Their Price-classes.

Ask your dealer or call for a demonstration at Exmouth House.

Send for New Booklet W.S.5a. It is free.

EPOCH RADIO MANUFACTURING Co. Ltd.
Exmouth House, Exmouth St., London, E.C.1
A. the Junction of Goswell Avenue and Farringdon Road.
Phone: Clerkenwell 8666 (4 lines).

OSTAR-GANZ

HIGH VOLTAGE MAINS VALVES & RECTIFIERS

Incorporating the most recent development in valve design—full mains voltage indirectly heated filament. These valves work direct on either A.C. or D.C. supply. No tuning transformers or breakdown resistances required. Considerably lower current consumption than any other mains valves. Remarkably free from mains hum. A520 (G.P.), W310 (E.C.), U920 (L.F.): 17/6; L1225 (Power), 18/-; Rectifying Valves: EG 50, 50 ma., 14/6. EG100, 125 ma., 15/6.

EUGEN FORBAT (Sole Rep. for G.B.), c/o Nivalight Ltd., 1, Rosebery Av., E.C.1. Tel. Clerk. 1227.

UNIVERSAL RECEIVER AND AMPLIFIER KITS

With British components. All instructions. Complete ready for assembly. Highly efficient yet cheap, because the Ostar-Universal High Voltage Valves cut out cost of transformers and breakdown resistances. Work on either A.C. or D.C. without alteration.

- 2-Valve Receiver with Rectifier..... **88.10.0.**
- 3-Valve Receiver with Rectifier..... **89.9.0.**
- 3-Valve Amplifier with Rectifier..... **84.4.0.**
- 3-Valve Amplifier with Rectifier..... **85.5.0.**

Mains energized loudspeaker kit with Ostar-Universal Valves **22.5.0.**

See "The Wireless World," Jan. 27 issue, page 70, for interesting test report on "Universal" Receiver.

INDEX TO ADVERTISEMENTS:


Alton Battery Co., Ltd.	vi.	Exide Batteries	3	Peto-Scott Co., Ltd.	14 & 15
Automatic Coil Winder & Elec. Equipment Co., Ltd.	Front Cover	Faire Bros. & Co., Ltd.	4	Pickets	18
Baker's "Selhurst" Radio	18	Faraday All-wave Wireless, Ltd.	5	Pifco, Ltd.	v.
B.H. Valve Co., Ltd.	20	General Electric Co., Ltd.	6	Presh Manf. Co., Ltd.	2
British General Mfg. Co.	8	Godfrey Radio, Ltd.	18	Radio-Grant's Home Development Co.	22
British Institute of Eng. Technology	21	Goodmans	21	Reiffers's Rubber Works, Ltd.	22
British Pix Co., Ltd.	v.	Gripco Co.	18	Reproducers & Amplifiers, Ltd.	7
British Radiophone, Ltd.	9	Hayberd, F. C. & Co.	6	Rich & Bundy, Ltd.	18
British Rola Co., Ltd.	6	Heraud, E. J., Ltd.	20	Riverside Manufacturing Co., Ltd.	21
British Thomson-Houston Co., Ltd.	4	Heys, Leonard	20	Ryalls Radio	20
Britain, G. A., Ltd.	11	Hill, F. C. & Co., Ltd.	20	Savage, W. Bryan	17
Bulgin, A. F. & Co., Ltd.	19	Iranic Electric Co., Ltd.	20	Scott Sessions & Co.	14
Burton, C. F. & H.	19	Jackson Bros.	7	Sonochorde Reproducers, Ltd.	8
Cine & Electrical Supplies Co.	19	Junit Manf. Co., Ltd.	18	Sovereign Products, Ltd.	6
Clayton (Rubber Sales), Ltd.	4	Kendon Mfg. Co.	8	Telegraph Condenser Co., Ltd.	12
Cole, E. K., Ltd.	10	Leclro Link	19	Telsen Electric Co., Ltd.	Front Cover
Columbia Graphophone Co., Ltd.	13	London Electric Wire Co. & Smiths, Ltd.	1	Thomson, T. W. & Co.	2
Colvern, Ltd.	Front Cover	Lyons, Claude, Ltd.	11	Thornley-Richardson	4
Cressall Manf. Co.	18	Multitone Electric Co., Ltd.	2	Turnadge & Partners, Ltd.	16
Dixon, Leslie Switchgear Co.	14	Murphy Radio, Ltd.	Inside Front Cover	Ward & Goldstone, Ltd.	4
Dubillier Condenser Co. (1925), Ltd.	9	Osborn, Chas. A.	4	Watmel Wireless Co., Ltd.	17
Edison Swan Electric Co., Ltd.	5	Ostar-Ganz (Eugen Forbat)	21	West End Electrical Co.	8
Electradix Radios	16	Parina Manf. Co.	20	Westinghouse Brake & Saxby Signal Co., Ltd.	8
Electrical Trading Association	22	Partridge & Nec, Ltd.	22		Inside Back Cover
Epoch Radio Manf. Co., Ltd.	21	Partridge, W.-son and Co.	20	Wright & Weaire, Ltd.	21
		Pepper, Trevor (Seradex)	20		12

Elementary Principles of Wireless Telegraphy and Telephony. (Third Edition.) By post, 8/-

THE NEW "PARMEKO"

PUBLIC ADDRESS CONSOLE

- Complete Instruments for the
- Reproduction of Speech & Music



Of excellent design and construction—the result of wide experience in Public Address and Amplifier work.

GENERAL DESCRIPTION.—180 watt Four stage All Mains Driven—Switch for changing over from Microphone to Records—Twin Gramophone Turn-Tables with mixer—Volume Control—Tone Control Output matching by means of switching—Three plate circuit Milliammeters last stage Valves—also one for first stage, and one to show Microphone current—very accessible and yet can be locked up—mounted on wheels for mobility.

Suitable for operating a large number of Speakers, for Exhibitions, Hotels, Public Buildings, Sports Grounds and Race Tracks, Ships and General Public Address Work.

Please write for further details and catalogue "B," which gives particulars of other Public Address Equipment, including Loud Speakers.


PARTRIDGE & MEE LTD.

PARMEKO WORKS, LEICESTER.

Aylestone 487.

74, NEW OXFORD ST., LONDON, W.C.1.

Museum 5070.



THE SUPREME INSTRUMENT

for radio reception and gramophone reproduction

The Model 901 R.G.D. Radio Gramophone illustrated is a 9-valve Supersonic having 9 tuned circuits, and tuning is by a single illuminated dial. Band pass, aerial and oscillator are ganged to tuning control and six tuned circuits on the Band Pass intermediate frequency transformers. Band passing at all points in the intermediate Radio Frequency channel ensures retention of the higher frequencies, whilst maintaining the required selectivity. The first detector is an S.G. valve giving adequate amplification before changing the frequency, which is done by means of separate oscillator valve. Second channel interference is eliminated by Band pass aerial tuning. The intermediate frequency is amplified by two variable Mu. followed by power grid detector. A 10 watt push-pull output feeds two balanced loudspeakers. Write for fully descriptive literature of Models 901 and 701 SENT POST FREE.

RADIO GRAMPHONE DEVELOPMENT CO., LTD., 17 20, Frederick St., Birmingham
 MANCHESTER—17, Bridge Street. LONDON—40, Doughty Street, W.C.

R.G.D.
 The Hall Mark of Perfect Reproduction

Holdens

No! Not a New Set-NEW VALVES-ETA VALVES

You may pay more but you won't get better. ETA valves are equal to the best—or even better. Why pay more?

FREE Ask for the ETA "Comparative Table" No. 11, showing which ETA valves to use in place of your old ones. Technical advice gladly given. Write to:

THE ELECTRICAL TRADING ASSOCIATION,
 Aldwych House, Aldwych, W.C.2.
 SCOTTISH AGENTS: RADIOVISION LTD., 233, St. Vincent Street, GLASGOW, C.2.

PRICES FROM

5'6

AMERICAN SETS
 There are ETA valves for all types of American Sets.



As low in price as a really good valve can be

Mention of "The Wireless World," when writing to advertisers, will ensure prompt attention.

WEDNESDAY

FEBRUARY THE TWENTY-SECOND

PRINCIPAL EVENTS OF THE DAY:

AT HOME

- NATIONAL** Recital of new gramophone records. Symphony concert from Bournemouth. Professor H. J. Laski: "What is the State?" Symphony concert, relayed from Queen's Hall. Strange Music.
- LONDON REGIONAL** Ballad concert. Orchestral concert. Tango orchestral programme. Organ recital. "The Captain of Kopenick," a play.
- MIDLAND REGIONAL** Orchestral concert. "Rhythm," a gramophone recital.
- NORTH REGIONAL** Concert by Manchester Vocal Society. Professor T. H. Pear: "Individual Happiness in an Industrial World." Musical comedy programme.
- WEST REGIONAL** Orchestral concert from National Museum of Wales. Mr. W. W. Jervis: "Ancient Miners on Mendip."
- SCOTTISH REGIONAL** A programme of Gaelic song and speech in memory of the Highland Bard, Calum Macpharlain.
- BELFAST** Orchestral concert from Stranmillis. National programme.

ABROAD

- COPENHAGEN HAMBURG** Concert of French music, by the Station Orchestra. "The Flying Dutchman," by Wagner, relayed from the Schiller Theatre.
- HILVERSUM** Carillon recital from Nijkerk.
- PRAGUE** Missa Solemnis in D, by Beethoven.
- RADIO PARIS** The Lamoureux Concert Society, conducted by F. Hupka.

BERNE.—See Schweizerischer Landessender.

BEROMUNSTER. — See Schweizerischer Landessender.

BODEN.—See Stockholm.

BODO.—See Oslo.

BORDEAUX-LAFAYETTE

304 metres; 13 kW.—7.30 p.m., News and Market Prices. 7.40, Dramatic Criticisms. 7.55, Lottery Results. 8.0, Agricultural Report. 8.15, News and Weather Forecast. 8.30, Light Music on Gramophone Records. 9.0, Orchestral Concert. Soloists: Mme. Lucile Joel and M. Jourdan-Bedey (Songs).

BRATISLAVA

279 metres; 14 kW.—4.0 p.m., Programme for Children. 4.45, Polish Lesson. 5.0, Hungarian Programme: Talk, followed by Readings and Songs by M. Bartu (Baritone). 6.0 till Close Down, See Prague. 10.0 (approx.), Close Down.

BREMEN.—See Hamburg.

BRESLAU

325 metres; 60 kW.; and **GLEIWITZ**, 253 metres.—12.10 p.m., Gramophone Concert: Overture, Oberon (Weber); Hungarian Dances, Nos. 1 and 3 (Brahms); Imstueck, ich muss dich lassen (Isaac); Spinning Chorus from The Flying Dutchman (Wagner); Minuet from Don Giovanni (Mozart); Le tambourin (Rameau); Ronde, Le Concerto (Daquin); Frühlingsstimmen (Joh. Strauss). 12.45, Time, Weather, News and Exchange. 1.5, Gramophone Concert: Overture, Gipsy Love (Lehar); Vivat Hungaria! from Der Teufelsreiter (Kalman); Serenade (d'Ambrósio); Guitar, Op. 45, No. 2 (Moszkowski); Heilige Aufforderung (R. Strauss); Morgen (R. Strauss); Lese zieht durch mein Gemüt (Mendelssohn); Songs (Brahms): (a) Der Schmied, (b) Sandmännchen; Overture, Martha (Flotow). 1.45, Sponsored Programme with Gramophone Records. 2.10, Agricultural Prices. 3.0, Educational Talk. 3.30, Coloratura Aria Recital by Irmgard Armgart: Arias from (a) A Masked Ball (Verdi), (b) Rigoletto (Verdi), (c) Mignon (Thomas). (d) La Bohème (Puccini). 4.0, Book Review. 4.15, Agricultural Prices, followed by Reading. 4.30, Chamber Music Concert, Wilhelm Schetke (Cor Anglais) and Viktor Plewig (Clarinet); Little Suite Op. 87 for Cor Anglais and Piano (Weber). 5.5, Talk: The Reichswehr from a Legal Point of View. 5.30, Talk for the Ninetieth Anniversary of the Death of Friedrich von Sallet. 5.45, Talk: Intellectual Developments in the Peasantry To-day. 6.10, Instrumental Concert of Light Music. In an interval at 6.35, Weather for Farmers. 7.5, Talk: Upper Silesian Fortresses and Castles of the Re-

naissance Period. 7.30, Hugo Wolf Concert for the Thirtieth Anniversary of the Composer's Death. The Silesian Philharmonic Orchestra and the Station Choir. Soloists: Ilka Ballies (Soprano), Herbert Heidrich (Tenor), and Gerhard Bortermann (Bass). Mixed Choir: Ergebung; Gebet; Fussreise; Der Feuerreiter; Verschwiegene Liebe; Der Soldat; Women's Choir and Orchestra: song of the Elves, from A Midsummer Night's Dream; Anakreons Grab; Der Rattenfänger; Songs from the Spanisches Liederbuch: (a) Herr, was trägt der Boden hier, (b) Herz, verzage nicht geschwind; Airs from the Italienisches Liederbuch: (a) Italienische Serenade for Orchestra, (b) Geseget sei, durch den die Welt entstunt, (c) Ich hab' in Ponna einen Liebsten Wöhnen; Prelude and Entr'acte from Der Corregidor; Wie glänzt der helle Mond so kalt und fern; Wohl denk' ich oft an mein vergangenes Leben; Spring Chorus from Manuel Venegas. 9.25, Time, Weather, News, Sports Notes and Programme Announcements. 9.50, Gramophone Cabaret. 10.30, Dance Music, relayed from the Kit Cat, London. 12 Midnight (approx.), Close Down.

BUCHAREST

394 metres; 12 kW.—4.0 p.m., Concert by the Station Orchestra: Turkish March (Mozart); Waltz, Acceleration (Jos. Strauss); Overture, Frau Luna (Lincke); Selection from Falstaff (Verdi); Weber Potpourri (Urbach). 5.0, News and Time Signal. 5.10, Talk. 5.25, Concert by the Station Orchestra (cont'd.): Bourrée in A Minor (Bach); Adagio from Kol Nidrei (Bruch); Algerian Melody (Ketelbey); Donauwellen (Janovici). 6.0, Talk on Romania: Her Methane Deposits. 6.40, Popular Music on Gramophone Records. 7.0, Time Signal. 7.2, Dramatic Programme. 7.30, Song Recital by M. Stefanovici (Tenor). 7.50, Violin Recital: Sonata in A (Brahms); Berceuse (Ravel); Die Beine (Schubert). 8.20, Piano Recital: Papillons (Schumann); Steilienne (Nottara); Arabesques on Themes by Strauss (Schulz-Evler). 8.50, News Bulletin.

BUDAPEST

550 metres; 18.5 kW.—Programme also relayed on 840 metres from 7.0 to 11.0 p.m.—4.0 p.m., Concert by the Budapest Concert Orchestra, conducted by Otto Berg. Selection from: (a) Martha (Flotow), (b) The Pearl Fishers (Bizet), and (c) Samson and Delilah (Saint-Saëns); Kaiserwalzer (Joh. Strauss); Kálmán Potpourri, Fortissimo (Feigel). 5.15, Italian Lesson. 5.45, Concert of Cigány Music. 6.30, Programme by Franz Papp. 7.0, See Vienna. 9.15, Piano Recital by Béla Bartók: Grabaufschrift (Kodaly); Allegretto in C, Op. 3, Capriccio in C Sharp Minor (Brahms); Intermezzi in D and D Minor (Brahms); Capriccio in D Minor (Brahms); Sonata in E Flat, Op. 31, No. 3 (Beethoven). 10.0, Cigány Music from the Hotel Metropole.

CASSEL.—See Frankfurt.

COPENHAGEN

281 metres; 0.75 kW.; and **KALUNDBORG**, 1,153 metres; 7.5 kW.—11.0 a.m., Time and Chimes from the Town Hall. 11.5, String Ensemble Concert, conducted by A. Bendix, relayed from the Wivex Restaurant. 12.15 p.m., Talk: The Baroque Period in Sculpture. 2.30, Orchestral Concert from the Wivex Restaurant. 4.0, Gramophone Concert. 4.40, Exchange and Fish Market Prices. 4.50, Agricultural Talk. 5.20, French Lesson for Beginners. 5.50, Weather Forecast. 6.0, News. 6.15, Time Signal. 6.30, Talk. 7.0, Chimes from the Town Hall. 7.5, Orchestral Concert of Operetta Music, conducted by Emil Reesen: Selection from Victoria and her Hussar (Abraham); Volga Song from The Czarevitch (Lehar); Viennese Music from The Duchess of Chicago (Kálmán); Selection from Oh, Kay! (Gershwin); March from Das Puppenmädchen (Fall) 7.45, Danish Song Recital by Christian Gottschalk. 8.25, Topical Talk. 8.55, News. 9.10, Concert of French Music: The Station Orchestra, conducted by Emil Reesen: Overture, La Princesse Jaune (Saint-Saëns); Prelude to Le Déjeuner (Saint-Saëns); Serenade and Fête foraine from Namouna (Lalo); Easter Sunday before the Church at Pont-Aven (Rhené-Baton); Prelude to Act Three of Hérodiade (Massenet); Minuet and Rigaudon from Le tombeau de Couperin (Ravel). 9.50, Dance Music from the Lodberg Restaurant. In the interval at 11.0, Time and Chimes from the Town Hall. 11.20 (approx.), Close Down.

CORK.—See Athlone.

ATHLONE

413 metres; 60 kW., and **CORK**, 224.4 metres.—1.30 to 2.0 p.m., Time Signal, Weather Report, Stock Report and Light Music on Gramophone Records. 6.0, Popular Music on Gramophone Records. 6.15, Programme for Children. 7.0, Light Music on Gramophone Records. 7.20, News Bulletin. 7.30, Time Signal. 7.31, Gaelic Talk. 7.45, German Lesson. 8.0, Programme to be announced. 8.15, Symphony Concert, conducted by Sir Henry Wood, relayed from the Queen's Hall, London. 9.15, Soprano Solos by Mollie Phillips. 9.30, A Revue—by Dorothy Day and Company. 10.30, Time Signal, News, Weather Report and Close Down.

BARCELONA

RADIO-BARCELONA, Call EAJ1, 348.8 metres; 8 kW.—6.0 p.m., Trio Concert. 7.0, Request Gramophone Concert. 7.30, Exchange Quotations. 8.0, Light Music on Gramophone Records and News Bulletin. 9.0, Chimes from the Cathedral, Exchange Quotations, and Market Prices. 9.5, Concert by the Station Orchestra: March (Kostal); Selection from El domno azul (Arieta); Waltz, Estudiantina (Waldteufel); Entr'acte from Gismonde (Périer); Nocturne (Field); Hungarian Dance No. 3 (Brahms). 10.0, La Creu de la Masia—Catalan Play in Three Acts (Federico Soler). 11.0 (in an interval), News Bulletin. 12 Midnight (approx.), Close Down.

BARI

269.8 metres; 20 kW.—7.0 p.m., Agricultural Notes, Tourist Talk, and Dopolavoro Notes. 7.20, Giornale Radio and Weather Forecast. 7.30, Time Signal and Announcements. 7.35, Concert of Chamber Music: Nilde Pignatelli (Violin), Maria de Santis Bruno (Soprano), and Donato Marrone (Pianoforte); Overture to a Ballet (Lincke); Violin Solos: (a) Chemin du cœur (Seelsi), (b) Cascade (Vesey); Soprano Solos: (a) Tormento (Tosti), (b) M'amà, non m'ama (Mascagni); Gavotte (Bolzoni); Pianoforte Solos: (a) Berceuse (Albéniz), (b) Scuidilla (Albéniz); Violin Solo: First and Second Movements from the Sonata in E (Veracini); Soprano Solo: Medieval Ballad (De Lucia); Pianoforte Solo: Scherzo, Op. 39 (Chopin); Overture (Silvery); Violin Solos: (a) Minuet (Mozart-Burmester), (b) Piece (Ries); Soprano Solo: Nuit d'Espagne (Massenet); Pianoforte Solos: (a) Réverie (Debussy), (b) Cocodé (Agostini); Adagio from the Sonata for Violin and Pianoforte (Zuelli); Soprano Solo: La preghiera del luncino (Casavola); Pianoforte Solo: Carnavale Scene (Grieg). In the interval: Literary Notes. 9.30, Concert relayed from the Gran Caffè del Levante. 9.55, News.

BASEL.—See Schweizerischer Landessender.

BELGRADE

430.4 metres; 2.8 kW.—6.30 p.m., Variety Music on Gramophone Records. 7.5, Programme to be announced. 9.0, News and Cigány Music Relay.

BERLIN

KONIGS WUSTERHAUSEN, 1,635 metres, 60 kW.—12.35 p.m., News Bulletin. 1.0, Gramophone Concert from Berlin (Witzleben). 2.0, Programme for Children. 2.30, Weather and Exchange. 2.45, Reading (K. H. Wiggler). 3.0, Talk on Sports Training. 3.30, See Hamburg. 4.10, Legal Talk. 4.30, Talk: Forms of Life. 5.0, Chamber Music—Old Italian Pianoforte Music: Studio (Francesco Durante); Sonate in D (Baldassarro Galuppi); Sonatas in A (Pietro Domenico Paradisi); Sonatas in F, D Minor and C (Scarlatti). 5.25, Topical Talk. 5.40, Wireless Technical Talk. 5.55, Weather and Announcements. 6.0, French Lesson. 6.30, A Poem. 6.35, Concert from Stuttgart. 7.15, Programme by Hermaua Eaus Schaufuss and others. 8.0, Topical Talk. 8.20, Concert of Light Music by the Ludwig Riith Orchestra: On the Waters of Minnetonka; Hindon Song (Rimsky-Korsakov); Symphonette Spirituelle (Lange); Tango (Kathaus); Dreissig Jahre Berlin (Mackeben); Valse caractéristique for Saxophone and Orchestra (Carste); Egeon (Ford); Blau Schatten (Grofe); Indian Love Call (Friml); Ifow am I to know? (King). 9.15, Weather, News and Sports Notes. 9.45, Weather Report for Shipping. 10.0, Dance Music from Frankfurt. 11.0 (approx.), Close Down.

BERLIN

WITZLEBEN, 419.5 metres; 1.5 kW.—6.0 p.m., Topical Talk. 6.10, Talk: Politics as a Career. 6.25, Life in Shops—Dialogue with Shop People on Prospects in the Retail Trade. 6.50, Concert by the Berlin Wireless Orchestra, conducted by Maximilian Albrecht: Carnival Overture (Braunfels); Dance Suite, Op. 36 (von Franckenstein); Ballet Suite, Der gute Hans (Nedbal). 7.50, Hugo Wolf Song Recital, by Karl Erb: Zum neuen Jahr; Der heilige Joseph singt; Epiphania; Blumengruss; Gleich und Gleich; Ah, im Maien war's; Der Musikant; An die Geliebte. 8.10, Hugo Wolf—a Radio Picture (Dr. Erich Fortner). 9.10, Weather, News and Sports Notes, followed by Dance Music from the Roof Garden of the Cafe Berlin.

SUN. MON. & TUES. PROGRAMMES

CRACOW

312.8 metres; 1.5 kW.—5.45 p.m., Talk and Announcements. 6.15, Talk. 6.30 till Close Down, See Warsaw. 10.0 (approx.), Close Down.

DANZIG.—See Heilsberg.

DRESDEN.—See Leipzig.

DUBLIN.—See Athlone.

FECAMP

223 metres; 10 kW.—12.0 Noon, Light Music on Gramophone Records. 12.30 p.m., News Bulletin. 12.45, Chansonnettes. 6.0 to 7.0, Programme in English by the I.B.C., C. Danvers Walker, R. Chene and B. McNab announcing. 6.0, Concert for Portsmouth and Southsea Listeners: Nautical Moments (arr. Winter); Cornet Solo: The Lost Chord; Over the Waves (Rossas); Snacks in Bars (Egerer); Waltz, Gold and Silver (Lehar); Cornet Solo: I hear you calling me (Marshall); More Nautical Moments (arr. Winter). 6.30, Song Recital for Isle of Wight Listeners: Mattinata—Morning Song; To Mary; Maime my Girl; Heather Moon; Down Vauxhall Way; Beauty's Eyes; On a dreaming Summer Night; Serenata. 7.0, Local News. 7.15, Popular Music on Gramophone Records. 7.30, Radio Gazette. 8.0, Talk. 8.15, The Listeners: Quartet of an Hour. 8.30, Concert. 9.0, Sacred Concert, relayed from a Church in Argoules. 10.0 till Close Down, Programme in English by the I.B.C. 10.0, Dance Music. 11.0, Orchestral and Vocal Concert: Grand March from Tannhäuser (Wagner); Songs: (a) La Donna e mobile from Rigoletto (Verdi), (b) Flower Song from Carmen (Bizet); The Soldiers' Chorus from Faust (Gounod); Songs: (a) E lucevan le stelle from Tosca (Puccini), (b) Walther's Song from The Mastersingers (Wagner); Selection from Rigoletto (Verdi). 11.30, Light Orchestral Concert: Fleurette (Percy Fletcher); Violin Solo: Because (d'Hardelot); The Wedding of the Rose (Jessel); Glowing Embers (Marsden); Violin Solo: Song of Songs (Moya); Moonlight on the Alster (Petras); In a Pierrette's Garden (Brookes); The Frog King's Parade (Kronberger). 12.0 Midnight, Variety Concert. Accordion Band: Medley of Swedish Airs; Song: I kiss your little Hand, Madame; Trio: Bubbling over with Love; My Beauty Waltz; The Rose in the Heather; Song: A Thousand Maidens fair; Trio: Laughing at the Rain; Accordion Band: Festival March. 12.30 a.m. (Thursday), Concert of Light Music: Hungarian Medley (arr. Leggett); Song: Aenshla Maehree; Hungarian Dance, No. 6 (Brahms); Duets: (a) Come to Arcadie, from Merrie England (German), (b) Come to the Fair (Eusthopye Martin); Song: Rose of Killarney; Vocal Quartet: John Peel; Anita's Dance from Peer Gynt (Grieg). 1.0, Banjo Solos: Overture, Poet and Peasant (Suppé); Desert Breeze; The Buffoon; Finger Tricks; Selection from Faust (Gounod); Viva la liberta; Banjo Vamp; Medley of Popular Airs. 1.30, Light Songs: Excuse me Lady; I remember you from Somewhere; My Song of the Nile; Orchestra: Song of the Islands (King); I'm just a Vagabond Lover; West Wind; Go to bed; Orchestra: That Ludy Hop. 2.0 a.m., Dance Music. 2.57, I.B.C. Good-night Melody. 3.0 (approx.), Close Down.

FLensburg.—See Hamburg.

Florence.—See Turin.

FRANKFURT

259 metres; 17 kW.; and CASSEL, 245.9 metres.—6.15 p.m., Time, Programme Announcements, Weather and Economic Notes. 6.30, Trier Authors and their Work—a Review. 7.15, Deutsches Volkliederspiel, Op. 32 (Zichler); by Margret Zieher-Kiesekamp (Soprano), Maria Gross-Nauro (Contralto), Siegfried Leclier (Tenor), Georg Wulberer (Bass), and Hermann Zieher (Pianoforte). 8.0, See Stuttgart. 9.20, Time, News, Weather and Sports Notes. 9.45, See Munich. 11.0 (approx.), Close Down.

FREDRIKSSTAD.—See Oslo.

Freiburg.—See Stuttgart.

Geneva.—See Radio-Suisse Romande.

Genoa.—See Turin.

Gleiwitz.—See Breslau.

Goteborg.—See Stockholm.

Graz.—See Vienna.

Hamar.—See Oslo.

HAMBURG

Call ha (in Morse), 372 metres; 1.5 kW. Relayed by Bremen, 269. 8 metres; Flensburg, 227.4 metres; Hanover, 566 metres, and Kiel, 232.2 metres.—3.30 p.m., Concert by the Station Orchestra, conducted by Morst Platen. Soloist: Bernhard Hamann (Violin). Overture, Lord Spleen (Lothar); From the Fields and Groves of Bohemia (Smetana); Poeme for Violin (Chausson); Melody from the Symphonie fantastique (Berlioz); Fröhliches Wandern (Kaun); Overture, Hamlet (Woyrsel). 4.30, Talk: The Life of the Middle Classes in North Germany. 4.55, Religion and Fable in North Germany—The Devil—Radio Sequence (Hermann Quistorf and Thomas Westerlich). The Station Chamber Orchestra and Choir and Soloists. 5.50, Frankfurt Exchange, and Market Prices. 6.0, Talk: The Bavarian East Mark. 6.25, Weather Report. 6.30, Börries von Münchhausen reads from his

FEB. 22nd

WEDNESDAY

continued

own Ballads. 6.55, The Flying Dutchman—Opera in Three Acts (Wagner), relayed from the Schiller Theatre. 9.30, Time and News. 9.50, Topical Talk. 10.0, Dance Music from the Hans Siegler. In the interval at 10.20, Ice Report.

HANOVER.—See Hamburg.

HEILSBURG

276.5 metres; 60 kW.; and DANZIG, 453.2 metres.—12.5 p.m., Popular Music on Gramophone Records. In the interval at 12.20 p.m., News. 1.30, Sponsored Programme with Gramophone Records. 2.0, Agricultural Prices and Exchange Rates. 2.20, Hints for the Housewife. 2.30, Programme for Children. 3.0 (from Danzig), Talk for Parents. 3.30, Concert by the Small Station Orchestra, conducted by Eugen Wilken: Overture, The Hebrides (Mendelssohn); The Fables of La Fontaine (Monton); Waltz, Nachtfalter (Joh. Strauss); Selection from The Prophet (Mayerbeer); Ein Liebestriebe in G Flat (Königsberger); Violin Solo, Serenade (Berté); Festival Overture (Lortzing); In the interval, Humorous Topical Review. 4.50, Health Talk. 5.15, Agricultural Prices. 5.20, Ice Report. 5.30, Talk on Taxation. 5.55 (from Danzig), Music of the Nations: Lizzi Benzinger (Scandinavian Songs); Adele Meyder and Rudolf Döblin (Cello); Cello Selections: (a) Hamabdl (Bantock), (b) Pibroch (Bantock); Lizzi Benzinger: (a) Lykken (Lange-Müller); (b) Serenade (Lange-Müller), (c) Die heiligen drei Könige (Lange-Müller), (d) Min Moder (Hannikainen), (e) The Anemone (Sibelius); Adele Meyder and Rudolf Döblin: Melody (Charpentier); Lizzi Benzinger: (a) Jungfrau underlind, (b) Visa i svensk folkton (Peterson-Berger), (c) Danish Folk Song (arr. Hägg), (d) Spring, spring ud, min Brombeerranke (Reesen); Adele Meyder and Rudolf Döblin: Serenade (Leonevallo). 6.30, Dance Music by the Small Station Orchestra and the Edmr Runde Band. In the interval, Weather and News. 8.30, German Emigrants in Continents—Radio Sequence (Friedrich Carl Westphal). 9.30, Weather, News, and Sports Notes. 9.45, English and American Music on Gramophone Records. 11.0 (approx.), Close Down.

HILVERSUM

Announced HUIZEN, 296.1 metres; 20 kW. (7 kW. up to 4.40 p.m.).—Programme of the Christian Radio Society (N.C.R.V.). 10.40 a.m., Trio Concert with Songs. 11.40, Police Notes. 11.55, Pianoforte Recital: Sonata in A. Op. 26 (Beethoven); Two Pieces (Schumann): (a) Intermzzo No. 4, Op. 26, (b) Aufschwung No. 2, Op. 12, Variations and Fugue, Op. 11, on an Original Theme (Paderewsky); Waltz in A. Op. 42 (Chopin). 12.40 p.m., Choral Music (on Gramophone Records). 12.55, Trio Concert with Songs: Theme with Fourteen Variations, Op. 44 (Beethoven); Lied des Bauers (Grieg); Love Song (Stojovsky); Five Songs (Hugo Wolf): (a) Der Schläfer, (b) Blumengruss, (c) Hochbeglückt in deiner Liebe, (d) Verborgeneheit, (e) Ueber Nacht; Andante con moto and Allegretto from the Trio Op. 62 (Saint-Saëns). 1.40, Agricultural Talk. 2.25, Interval. 2.40, Reading. 3.10, Trio Concert: Trio in B Flat, No. 4, for Violin, Cello, and Pianoforte (Beethoven); Trio in E Flat (Brahms); Trio in D Minor (Gade). 4.40, Programme for Children. 5.40, Gramophone Records of Sacred Music. 5.55, Talk by Heer Amelink. 6.10, Elementary English Lesson. 6.40, Programme arranged by the Department of Buildings and Roads. 7.10, Police Notes. 7.25, News Bulletin. 7.40, Carillon Recital from Nijkerk, with Introductory Talk. 8.40, Talk. 9.10, News. 9.25, Concert by the Tiel Male Voice Choir and Symphony Orchestra. 10.25, Gramophone Records of Variety Music. 11.10 (approx.), Close Down.

HORBY.—See Stockholm.

HUIZEN

Announced HILVERSUM, 1875 metres 8.5 kW.—11.40 a.m. till Close Down, Programme of the Workers' Radio Society (V.A.R.A.). 11.40, Concert by the Small V.A.R.A. Orchestra, conducted by M. Ducliant. Dawn (Nobel); Grieg Potpourri (Urbach); In a Japanese Garden (Higgs); Nachtigall im Fliederbusch (Krome); Der Matador (Siede); Gramophone Records; Merry Dance (Haines); Selection from The Maid of the Black Forest (Jessel); Kleiner Wiener Marsch (Kreisler); Gramophone Records; Spiegelavotte (Lincke); Swabian Dances (Krome); Selection from Gasparone (Müllöcker). 1.25 to 1.40, Interval. 1.40, Programme for Women. 2.40, Programme for Children. 5.10, Organ Recital by J. Jong with Songs by Mlle. de Haas. Minuet (Mozart); Songs with Organ accompaniment: (a) Aria from Rinaldo (Händel), (b) Er weidet seine Herde (Händel); A Movement from Eine kleine Nachtmusik (Mozart); Singt den göttlichen Profeten (Graum); Chaconne (Durand); Liebestreu (Brahms); Wiegenlied (Brahms); Valse triste (Sibelius); Melody (Saint-Saëns); Oh, si les fleurs avaient des yeux (Massenet). 6.10, Talk. 6.40, Talk. 7.0, Violin and Pianoforte Recital by Mlle. Wijngaarden (Violin) and M. Ligteijn (Pianoforte); Sarabande et tambourin (Leclair); Sicilienne (Paradis); Gavotte

(Gossec); Minuet (Beethoven); Hungarian Dance, No. 2 (Brahms); Mazurka (Wieniawski); Slav Dance in E Minor (Dvorak); Romanian Dances (Bartok); Dance from La vida breve (Falck). 7.35, S.O.S. Messages. 7.40, Talk. 8.0, Concert of Light Music by De Pliedruiters, conducted by H. de Groot. 8.50, Light Music on Gramophone Records. 8.55, Dramatic Programme by the V.A.R.A. Tooneel. 10.40, News. 10.50, Light Music on Gramophone Records. 11.40 (approx.), Close Down.

INNSBRUCK.—See Vienna.

KALUNDBORG.—See Copenhagen.

KATOWICE

408 metres; 16 kW.—6.0 p.m., Talk on Canada. 6.15, Announcements and Popular Music on Gramophone Records. 6.30 to 9.40, See Warsaw. 9.40, Variety Music on Gramophone Records. 10.0, Answers to Correspondents in French.

KIEL.—See Hamburg.

KLAGENFURT.—See Vienna.

KOSICE.—See Prague.

LANGENBERG

473 metres; 60 kW.—12 Noon, Concert conducted by Wolf: March, Triumph and Sieg (Müller-Hagen); Waltz, Die Königsmaid (Petras); Overture, Paragraf 3 (Suppé); Selection from Carmen (Bizet); Zamberlied (Meyer-Helmund); Ballgeflüster (Meyer-Helmund); Klänge aus Rumänien (Dauler); Caprice (Moszkovsky); Dance of the Insects (Svendson); Selection from Frederica (Lehar). In the interval at 1.0 p.m., News. 1.30, Sponsored Programme with Gramophone Records. 2.30, Economic Notes and Time. 2.50, Programme for Children. 3.20, Reading. 3.40, Talk: The Organisation of a Child's Leisure Time. 4.0, Hugo Wolf Concert for the Thirtieth Anniversary of his Death. The Station Orchestra, conducted by Küln. Soloists: Klare Hansen (Soprano) and Helene Guermanova (Contralto). Commentary by Paul Gehly. Prelude and Entracte from Der Korridor; Contralto Solos: (a) Mignon, (b) Anakreons Grab; Italian Serenade; Soprano Solo: Der Feuerreiter; Symphonic Poem, Penthesilea. 5.15, Talk, arranged by the Post Office. 5.20, Book Review. 5.45, Weather, Time, Economic Notes and Sports Results. 6.0, Talk on Social Questions. 6.20, Health Talk. 6.35, The World on Gramophone Records: The Mask, the Dance, and the Drama among Primitive Peoples. 6.55, News. 7.0, Carnival—a Variety Programme relayed from the Messehalle, Köln-Deutz. 10.0, News and Sports Results. 10.30, Serenade, conducted by Wolf. 11.0 (approx.), Close Down.

LAUSANNE.—See Radio-Suisse Romande.

LEIPZIG

389.6 metres; 120 kW.; and DRESDEN, 319 metres.—11.0 a.m., Concert by the Leipzig Symphony Orchestra, conducted by Hilmar Weber. In the interval at 12 Noon, News, Weather, Snow Report and Time. After the Concert, Exchange Quotations. 1.0, Wireless Technical Talk. 1.30 to 2.35, Interval. 2.35, Economic Notes. 3.0, Programme for Young People. 4.50, Economic Notes, Weather and Time. 5.10, Book Review. 5.35, Italian Lesson. 5.55, Programme to be announced. 6.5, Talk: The Remedies for Black-legging. 6.30, Concert of Old and New Dances by the Endé Orchestra: Quadrille, Freut euch des Lebens (Küchenmeister); Der lustige Ehemann (O. Strauss); Polka from The Gipsy Baron (Joh. Strauss); New Dances; Mazurka, Bussler (Zieher); Waltz, Sektgeister (Urbach); Gallop, Auf der Rodelbahn (Paepke); New Dances; Polka, Im Kahlenbergertüfel (Fahrbach); Ist das nicht chic? (Heuberger); Gallop, Durchs Ziel (Traducteur); New Dances; Polka, Schneestehen (E. Strauss); Waltz, Mein Lebenslauf ist Lieb und Lust (Joh. Strauss); Stettiner Kreuzpolka (Schlichting). 8.0, Topical Talk. 8.10, News. 8.20, The Great Magician Tartüffel—Drama in Three Acts with Song and Dance. 9.20, News. 9.30 (approx.), Hugo Wolf Concert for the Thirtieth Anniversary of his Death; The Dresden String Quartet and Soloists: Elena Gerhardt and Albert Fischer (Songs). Albert Fischer: (a) Wer sich der Einsamkeit ergibt, (b) An die Türen will ich schleichen, (c) Wer nie sein Brot mit Tränen ass; Elena Gerhardt: (a) Heimweh, (b) Begegnung, (c) Anakreons Grab, (d) Gestang Weylas; Italian Serenade; Albert Fischer: (a) Der Tambour, (b) Ge-sellenlied, (c) Storchenhotschaft; Elena Gerhardt: (a) Herr, was trägt der Boden hier, (b) Ach, des Knaben Augen, (c) Wenn du zu den Blumen gehst, (d) Nein junger Herr, (e) Auf dem grünen Balkon. 10.30 (approx.), Close Down.

LINZ.—See Vienna.

LJUBLJANA

574.7 metres; 2.5 kW.—4.30 p.m., Reading of Stories. 5.0, Programme in English by the I.B.C. International Broadcasting Club Concert. Selection from White Horses

Inn (Benatzky); Songs: (a) Stoncerucker John, (b) The Wolf; Selection from Countess Maritza (Kálmán); Songs: (a) The Sergeant of the Line, (b) Rocked in the Cradle of the Deep; You are my Heart's delight (Lehar). 6.0, Russian Lesson. 6.30, Literary Programme. 7.0, Programme from Vienna. 9.0, Time, News and Light Music on Gramophone Records.

LWOW

381 metres; 16 kW.—6.10 p.m., Miscellaneous Items. 6.30, See Warsaw. 9.40, Reading. 9.55, See Warsaw. 10.30 (approx.), Close Down.

LYONS

LA DOUA, 465.8 metres; 1.5 kW.—7.0 p.m., Concert. O Donna Clara (Von Bera-burski); Chanson bohémienne (Boldi); Los Banderillos (Volpatti); El cant del noble (Clavé); Serenade from Don Giovanni (Mozart); Plaisir d'amour (Martini). An Evening in Sorrento (Waldmann). 7.30, Radio Gazette for Lyons and the South-East. 8.30, Les Voitures versées—opéra Comique (Boieldieu). News after the Opera.

MADRID

ARANJUEZ (EAQ), 30.43 metres; 20 kW.—10.30 p.m., Variety Concert. 10.45, Radio Chronicle. 11.0, Variety Concert (contd.). 11.35, Talk. 11.40, Light Music. 12 Midnight (approx.), Close Down.

MADRID

UNION RADIO, Call EAJ7, 424.3 metres; 2 kW.—7.0 p.m., Chimes, Exchange, Literary Talk, and Request Gramophone Records. 7.30 (in the interval), Agricultural Talk. 8.15, News Bulletin and Political Review. 8.30 to 9.30, Interval. 9.30, Chimes, Time, Political Review, Talk, and Concert by the Orfeon Donostiarra conducted by Gordostidi and the Symphony Orchestra conducted by Iarrocba, relayed from San Sebastian, 453.2 metres. 11.45, News Bulletin. 12 Midnight, Chimes and Close Down.

MALMO.—See Stockholm.

MILAN.—See Turin.

MORAVSKA-OSTRAVA

263.8 metres; 11 kW.—4.10 p.m., Mariette Play. 5.5, Light Music on Gramophone Records. 6.15, Talk for Workers. 6.25, Brass Band Concert, conducted by F. Vitek. 6.0, See Prague. 6.15, Relay from the Municipal Museum. 6.50 till Close Down. See Prague. 10.0 (approx.), Close Down.

MOSCOW

TRADES UNION, 1,304 metres; 100 kW.—4.0 p.m., News. 4.10, Announcements. 4.30, Concert of Music by Bizet, Liszt, and Massenet. 5.30, Symphony Concert from the Conservatoire. 8.0, Talk in English: The Red Army. 8.55, Time. 9.5, Press Review.

MOTALA.—See Stockholm.

MUHLACKER.—See Stuttgart.

MUNICH

533 metres; 60 kW. Relayed by Augsburg and Kaiserslautern, 560 metres; and Nürnberg, 239 metres.—4.0 p.m., Concert conducted by Erich Kloss: Overture, Le roi Pa dit (Delibes); Ein Märchen (Suk); Selection from The Valkyries (Wagner); Wedding Music (Jensen); Waldteufeleien—Potpourri of Waltzes (Weininger); Suite, Carnival Miniatures (Kaskel); Cradle Song (Ippolito-Ivanov); Mareh (Poldini). 5.15, French Lesson. 6.35, Talk on Hugo Wolf. 5.55, Time, Weather and Market Prices. 6.5, Talk. 6.25, A Musical Patchwork (Bruno Aulic). 7.15, Pianoforte Trio in B. Op. 8 (Brahms). 8.0, Poems by Alexander Lernet-Holzman. 8.20, Die lustigen Musikanten—Opera in Two Acts (Siegfried Kallenberg), arranged for the Radio by the Composer. 9.20, Time, Weather, News and Sports Notes. 9.45, Concert, conducted by Erich Kloss. 11.0 (approx.), Close Down.

NAPLES.—See Rome.

NOTODDEN.—See Oslo.

OSLO

1,083 metres; 60 kW. Relayed by Fredriksstad, 365.8 metres; Hamar, 574.7 metres; Notodden, 447.1 metres; Porsgrund, 453.2 metres; and Rjukan, 447.1 metres.—4.0 p.m., Chamber Music by the Bentz Quartet, Quartet in F (Schumann); Quartet in E (Dvorak). 5.0, French Lesson. 5.30, Programme for Boys. 6.0, Announcements, Weather, and News. 6.30, Talk: Norwegian Art since 1900. 7.0, Time Signal. 7.1, Concert by the Station Orchestra, conducted by Hugo Kramm; Soloist: Gunnar Knutsen (Violin). Academic Festival Overture (Brahms); Concerto for Violin and Orchestra (Saint-Saëns); Norwegian Rhapsody (Lova); Andante from the Italian Symphony (Mendelssohn); Hungarian Melody (Dohnányi); Selection from Cinderella (Coates); Marche Lyrique (Chabrier). 8.0, Literary Review. 8.30, Agricultural Notes, Weather, News, and Topical Talk. 8.45, Talk on Bridge, relayed from Aulesund (47.4 metres). 9.45, Dance Music by the Station Orchestra, conducted by W. Schubert. 11.0 (approx.), Close Down.

OSTERSUND.—See Stockholm.

PALERMO

542 metres; 3 kW.—7.0 p.m., Dopolavoro Notes, Tourist Talk, Agricultural Report, and Giornale Radio. 7.20, Light Music on Gramophone Records. 7.30 (in an interval), Time and Announcements. 7.45, Variety Concert. First Movement from the Symphony in G Minor (Mozart); Tenor Solos: (a) Gia il sole del Ganze (Scarlatti), (b) Russian Song (Tronchi); Air gai (Rameau); First Suite, Antiche danze ed arie (Respighi); Three Songs for Soprano and String Quartet (Pizzetti); Adagio and Finale from a Nonet (Spohr); Tenor Solos: (a) Romance from Act III of A Masked Ball (Verdi), (b) L'attesa (Bettinelli); Turkish March (Mussorgsky). In the interval, Talk. 9.0 (approx.), Programme of Songs. 9.55, News Bulletin.

PARIS

BIFFEL TOWER, Call FLE, 1,445.7 metres; 13 kW. Time Signals (on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and 6-dot Signals).—5.45 p.m., Le Journal Parle. 7.20, Weather Report. 7.30, Programme for Young People. 8.0, Scientific Talk. 8.15, News Bulletin. 8.20, Orchestral Concert, conducted by Edouard Flament; Soloists: M. Marchesini (Cello) and M. Cantrelle (Violin); Selection from La Légende du point d'Argentan (Pourdtrain); Cello Solo: Selection from Lilac Time (Schubert); Violin Solo: Selection from Madame Chrysanthème (Messager). 9.0 (approx.), Close Down.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW.—6.45 p.m., Journal Parle. 7.0, Concert of Popular Music on Gramophone Records. 7.30, Organ Recital. 8.0, Tourist Report. 8.15, Interval. 8.30, Sponsored Concert. 9.0, Interval. 9.10, Sponsored Concert. 10.10, Dance Music by the Lido Orchestra. 11.0, News.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 73 kW.—6.45 a.m., Physical Culture. 7.30, Weather and Physical Culture (contd.). 7.45, Gramophone Records: Selection from Lilac Time (Schubert-Berté); Selection from Yvonique (Messager). 8.0, Press Review and Weather. 12 Noon, Educational Talk. 12.15 p.m., Concert by the Station Orchestra: Selection from Les Cloches de Corneville (Planquette). 12.30, Organ Recital from the Gammou Palace: Overture, The Italian Girl in Algiers (Rossini); Whistling in the Dark (Sussel); Selection from Lakmé (Delibes); Waltz, Masquerade (Webster). 1.0, Exchange. 1.5, Orchestral Concert (contd.); Suite, The Three Bears (Coates); Selection from La Princesse de Trébizonde (Offenbach); Selection from Boccaccio (Suppé); Selection from Il ragno azzurro (Raudenber); Selection from Le Sire de Vergy (Terrasse). In the interval at 1.30, Exchange. 2.0, Exchange. 3.45, Exchange and Market Prices. 6.10, Agricultural Talk. 6.40, German Lesson. 7.0, Medical Talk. 7.20, Concert by the Radio Paris Orchestra: Bucoliques (Dulaurans); French Suite (Casadesu); Piece (Lähr). 7.45, Commercial Prices and News. 8.0, Literary Talk. 8.30, News and Weather. 8.40, Fashion Review by Mlle José. 8.45, Variety Music on Gramophone Records. 9.0, Concert by the Lamoureux Concert Society, conducted by Félix Hupka, relayed from the Salle Gaveau. Soloists: Alfred Picaver (Tenor). First Symphony (Brahms); Songs: (a) Cielo e mare, from La Gioconda (Ponchielli), (b) Legend of the Grail, from Lohengrin (Wagner); Selection from Don Juan (R. Strauss); Three Songs (Strauss); Leonora, Overture No. 3 (Beethoven).

PITTSBURGH

WESTINGHOUSE ELECTRIC (KDKA), 306 metres; 25 kW. Relay by W8XK on 48.86 metres and 25.27 metres.—9.0 p.m., Work-a-day Thoughts. 9.5, Business News. 9.15, Programme to be announced. 9.30, Weather Report. 9.32, Market Reports. 9.45, Piano-forte Interlude. 9.50, David Lawrence Dispatch. 9.55, KDKA Artist Bulletin. 9.58, Programme Announcements. 10.0, Westinghouse Chief. 10.15, Programme to be announced. 10.30, The Singing Lady. 10.45, Little Orphan Annie, from New York. 11.0, Our Daily Food by Maude and Cousin Bill, from New York. 11.15, Time Signal. 11.16, Weather Report. 11.17, Teaherry Sport Review. 11.22, Press News-Reeler. 11.27, Strange Facts. 11.29, Temperature Report. 11.30, Sheer Romance. 11.45 to 3.15 a.m. (Thursday), New York Relay. 11.45, Today's News by Lowell Thomas. 12 Midnight, Amos 'n' Andy. 12.15 a.m., Carlson Robinson and his Barbarol Buckaroos. 12.30, Five Star Theatre: Dramatisation of Short Stories. 1.0, Emo Crime Club. 1.30, Time Signal and Harriet Lee and her Leaders. 1.45, Country Doctor. 2.0, Adventures of Sherlock Holmes. 2.30, Woodbury Programme with Morton Downey and Donald Novis. 3.0, D. W. Griffith's Hollywood. 3.15, Bridge School of the Air, by E. Hall Downes. 3.30, Around the Cracker Barrel. 3.45, Bradley Kinaid. 4.0, Time Signal. 4.1, Teaherry Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.13, KDKA Artist Bulletin. 4.15, Press. Last-minute News Flash. 4.20, Henry Halstead and his Californians. 5.0, College Inn Orchestra, from New York. 5.30, Time Signal and Good-night.

PORSGRUND.—See Oslo.

FEB. 22nd

WEDNESDAY

continued

PRAGUE

488.6 metres; 120 kW.—3.10 p.m., Concert by the Station Orchestra, conducted by Karel Ancerl. Overture, Wanda (Dvorák); Extracts from the Slovak Suite, Op. 32 (Novak); Waltz from Eva (Foerster); Ballet Music from Rosamund (Schubert); Waltz, Tales from the Vienna Woods (Joh. Strauss). 4.0, Medical Talk. 4.10, See Moravská-Ústava. 5.5, Agricultural Report. 5.15, Talk for Workers. 5.25, News in German. 5.30, German Transmission: Review of New Books and Talk on Income Tax. 6.0, Uncle Kropal celebrates his Birthday.—Peasant Farce. 6.50, News Bulletin. 7.0, Talk on the following Transmission. 7.10, Missa Solemnis in D, Op. 123 (Beethoven) for Four Solo Voices, Mixed Choir and Orchestra, relayed from the Lucerna Concert Hall. In the interval at 8.0, Time Signal. 9.0, Time Signal. 9.1, News and Sports Notes. 9.15, Running Commentary on the International Ice Hockey Championship, relayed from the Winter Stadium. 10.0 (approx.), Close Down.

RADIO-SUISSE ROMANDE

SOTTENS, 403 metres; 25 kW.: LAUSANNE, 680 metres; and GENEVA, 760 metres.—7.0 p.m. (from Geneva). Talk: The Work of the League of Nations. 7.20 (from Geneva), Topical Talk. 7.30 (from Geneva), Choral and Orchestral Concert, conducted by E. Ansermet, relayed from the Victoria Hall. Soloists: Henri Benoit (Tenor) and Nelly Ansermet (Violin). Third Suite in D (Bach); Concerto in A for Violin and Orchestra (Mozart); Symphonie Poem, Le Rhône (Vaatz), conducted by the Composer; Suite, L'Arlesienne (Bizet).

REYKJAVIK

1,200 metres; 21 kW.—8.30 p.m., Weather Report. 8.40, Musical Programme and Announcements. 9.0, Chimes. 9.2, News Bulletin. 9.30, Reading. 10.0, Violin Solos by Thorarinn Guðmundsson, followed by Arias and The Nutcracker Suite (Tchaikovsky), on Gramophone Records.

RJUKAN.—See Oslo.

ROME

Call IRO, 441 metres; 50 kW. Relay by Naples, 319 metres; and TRIO, 25.4 metres.—7.0 a.m., Gymnastics. 7.15 to 7.30 a.m., Giornale Radio and Announcements. 11.30, Weather and Light Music on Gramophone Records. 12 Noon, Time and Announcements. 12.2 to 1.15 p.m., Orchestral Concert. Matador (Lovero); Song (Nicholls); Potpourri, Zepelin (Manecke); Puppazetti giapponesi (Ranzato); Saxophone Solo (Escobar); Interlude from Adriana Lecouvreur (Cilea); Foxtrot, Carmen (Dostal); Organ Solo (Ganglbauer); Moonlight (Gauwin); Kiss for Kiss (Rose). In the interval at 12.30, Giornale Radio and Exchange. 3.45, Programme for Children. 4.10, Announcements. 4.15, Exchange and Giornale Radio. 4.30 to 5.30, Vocal and Instrumental Concert; Piano-forte Solos: (a) Gavotte (Sgambati); Soprano Solos: (a) Elsa's Dream, from Lohengrin (Wagner); (b) Arioso, from the First Act of Loreley (Catalani); Piano-forte Solos: (a) Etude (Chopin); (b) Danza di Olaf (Pek-Mangri-galli); Soprano Solos: (a) Aria from Adriana Lecouvreur (Cilea); (b) Ave Maria, from Othello (Verdi); Piano-forte Solo: Scherzo (Bajardi). 6.10 (Naples) Shipping and Sports Notes. 6.15, Agricultural Report and Dopolavoro Notes. 6.20, Giornale Radio. 7.0, Time, Announcements and Light Music on Gramophone Records. 7.15, Medical Talk. 7.30, Sports Notes and Tourist Report. 7.45, Relay of an Opera. In the interval: Reading of Poems, Talk on Science and News.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY (WGY), 379.5 metres; 50 kW. Relay at intervals by W2XAF on 31.48 metres, and by W2XAD on 19.56 metres.—7.30 p.m. to 12.15 a.m. (Thursday), New York Relay. 7.30, Westminster Choir. 8.0, Two Seats in the Balcony. 12 Midnight, Soloist. 12.15 a.m., Stock Reports. 12.30 to 2.0, New York Relay. 12.30, Three Keys, Harmony Trio. 12.45, The Goldbergs. 1.0, The Royal Vagabonds with Ken Murray. 1.30, The Shadow, Mystery Drama. 2.0, Musical Programme. 2.15, Three Shades of Blue—Male Trio. 2.30, Supper Club Orchestra. 3.0, Programme Resumé.

SCHWEIZERISCHER

LANDESSENDER

BEROMUNSTER, 459 metres; 60 kW.; BASLE, 244.1 metres, and BERNE, 245.9 metres.—9.20 a.m., Broadcast for Schools: En regard à la maison—a French Instructive Sketch (Schenk). 9.50 to 11.28, Interval. 11.28, Time Signal from Neuchâtel Observatory. 11.30, Weather and News. 11.40, Extracts from Il Trovatore—Opera (Verdi), on Gramophone Records. 12.10 p.m., Italian Folk Music and Songs on Gramophone Re-

cords. 12.35 to 12.45, Weather and Exchange. 2.30, Marches, Waltzes and Descriptive Music, on Gramophone Records. 3.30 (from Basle), Programme for Children. 4.0, Cinema Organ Solos on Gramophone Records. 4.30 to 4.45, Weather. 5.30 (from Zürich), Talk: The Cultural Significance of the Trades Union Movement. 6.0, Time, Weather and Market Prices. 6.15 (from Zürich), English Lesson. 6.45 (from Zürich), Concert for Swiss People Abroad: The Radio Orchestra, the Freundschaft Song and Yodel Club and Soloists. 8.30, Weather and News. 8.40, Concert by the Radio Orchestra. 9.15 (approx.), Close Down.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SASA, 436 metres; 55 kW. Relay by Boden, 1,229.5 metres; Göteborg, 322 metres; Hörby, 257 metres; Motala, 1,348 metres; Östersund, 770 metres; and Sundsvall, 542 metres.—4.5 p.m., Orchestral Concert: Valse caprice (Rubinstein); Hungarian Melodies and Dances (arr. Garaguly); Melody (Wess-länder); Tango, Kleine Madonna (Wetzl-José); Potpourri, Servus Wien (Dostal). 4.45, Reading. 5.15, Om vinter kväll, for Soloists, Choir and Piano-forte (Lindblad). 5.55, Talk on Esperanto, relayed from Uppsala (453.2 metres). 6.15, Weather and News. 6.30, Talk. 7.0 (from Göteborg), Symphony Concert. Conductor: Tor Mann. Suite No. 1 in C for Two Oboes, Bassoon and Strings (Bach, arr. Weingartner); Concert Music for String Orchestra and Brass Instruments (Hindemith); Symphony No. 1 in E Minor, Op. 39 (Sibelius). 8.30, Reading. 8.45, Weather and News. 9.0, Dance Music by the Enders Orchestra, relayed from the Bern Hall. 10.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW.—11.30 a.m., Brahms Music on Gramophone Records. 12.45 p.m., News. 1.0, Time and Exchange. 1.5, Gramophone Concert of Light Music. 2.0 to 4.45, Interval. 4.45, Talk in German on Electricity. 5.0, Orchestral Concert, conducted by Roskain: Pasodoble, Copa de Montilla (Mordrez); Foxtrot, I'll do my best to make you happy (Noble); Foxtrot, Crazy People (Leslie and Monaco); Waltz, I'll never have to dream again (Newman and Jones); Foxtrot, What makes you so adorable? (Tobias and Rose); Foxtrot, Somebody loves you (Tobias and Rose); Tango, Dans mon rêve bleu (Bazant); Melody (Mackeben); Foxtrot, Waltz, Wine, Woman and Song (Joh. Strauss); Foxtrot, Green Song (Allouche); Foxtrot, by a rippling stream (Petkere); Air from Nina Rosa (Romberg); Foxtrot, My Sweet Virginia (Klages-Meskill-Rose); Foxtrot, Love is the sweetest thing (Noble); Pasodoble, Ayerbe (Coliner). 6.0, Trio Concert, relayed from Lille (265.4 metres). 7.0, Legal Talk in French. 7.15, Light Music on Gramophone Records. 7.30, Time and News. 7.45, Variety Music on Gramophone Records. 8.25, Lottery Results. 8.30, Concert by the Municipal Orchestra, relayed from the Palais des Fêtes; Conductor: Hermann Scherchen; Second Symphony (Beethoven); Concerto grosso (Kaminsky); Fourth Symphony—the Romantic (Bruckner). 10.30, Popular Music on Gramophone Records. 11.0, Quintet Concert, relayed from Radio Coloniale, Paris (25.63 metres); Conductor: Jean Clergue; Symphony (Mozart); Pastoral (Franck); Scherzo (Lalo); Valse des guitareros (Alesquita); Selection from Pas sur la bouche (Yvain). 12 Midnight (approx.), Close Down.

STUTTGART

MUHLACKER, 360.5 metres; 60 kW.; and FREIBURG, 670 metres.—12.30 p.m., Concert from Langenberg. 1.0, Sponsored Music. 1.15, Sponsored Music, relayed from Mannheim. 2.0, Radio Report on the International Skiing Championship on the Feldberg. 3.0, Programme for Children. 4.0, See Munich. 5.0, Time, Weather, and Agricultural Notes. 5.10, Talk on Wilhelm Konrad von Röntgen. 5.35 (from Freiburg), Talk by Dr. Aly. 6.0, Time and News. 6.15, Concert by the Philharmonic Orchestra; Conductor: Gustav Grösch; Soloists: Gretl Winkler (Soprano) and Hans Hauns (Tenor); Overture, Karnevalstriebe (Richter); Dresden Carnival 1745 from the Friedemann Bach Suite (Leuschner); Pizzicato Serenade, Pierrette (Brase); Conco (Tarelli); Two Duets from The Count of Luxembourg (Lehár); Polka from A Waltz Dream (O. Straus); Duet, Loreley, schöne Zaubermaid from Die Fächlingssee (Kálmán); Duet, Mädchen von Montmartre from Die Tzaikräfin (Stolz); March from The Girl in the Taxi (Gilbert); Two Duets from The Gipsy Princess (Kálmán). 7.15, See Frankfurt. 8.0, Recital of Hugo Wolf's Songs for the Thirtieth Anniversary of his Death. 8.30, Concert, relayed from the Sängerkreis; Symphony No. 2 (Beethoven); Concerto grosso (Kaminsky); Fourth Symphony (Bruckner). In the interval, Time, News, Weather, and Programme Announcements. 10.30, Report on the Six Days' Racing, from the Town Hall. 11.0 (approx.), Close Down.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW.—6.0 p.m., News Bulletin. 6.15, Operatic Melodies. 6.30, Impressions d'Italie—Orchestral Suite (Charpentier). 6.45, Accordion Solos. 7.0, Classical Music: Minuet in G (Beethoven); Selection from Idomeno (Mozart). Talk in the interval. 7.15, News and Exchange. 7.25, Local News. 7.30, Songs. 7.45, Music by a Viennese Orchestra. 8.15, Opéra-Comique Music. 8.30, Operatic Music. 8.45, Sound Film Music. 9.0, Concert of Variety Music. 10.15, North African News. 10.30, Concert for Listeners in Morocco. 11.0, Military Music. 11.15, Operatic Music. 11.30, Programme in English by the I.R.C. Announcer: H. K. Hitchcock. Song Recital: Take a Pair of Sparkling Eyes (Sullivan); By the Waters of Minnetonka (Licurance); O Sole Mio (di Capua); Honka (del Riego); My little Irish Cottage (Summers); Roses of Picardy (Haydu Wood); O dry those Tears (del Riego); O Lovely Night (Landon Ronald). 12 Midnight, Weather and Announcements. 12.5 a.m. (Thursday), Orchestral Music. 12.30 (approx.), Close Down.

TRIESTE

247.7 metres; 10 kW. 4.0 to 6.30 p.m., See Turin. 6.30, Concert from the Café Dante. 7.0 till Close Down, See Turin.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relay by Milan, 331.5 metres; Genoa, 312.8 metres; and Florence, 500.8 metres.—4.0 to 5.0 p.m., Tenor and Soprano Song Recital. 5.35, Giornale Radio, Agricultural and Dopolavoro Notes. 6.0, Variety Music on Gramophone Records. In the intervals at 6.20, Giornale Radio, Time, Announcements, and Tourist Report. 7.0, Giornale Radio and Weather. 7.15, Medical Talk. 7.30, A Comedy in Three Acts, followed by Orchestral Concert: Selection from Vecchia Milano (Vittadini); Two Pieces (Tosti); (a) Aprile, (b) Ideale; Selection from La Traviata (Verdi); Selection from Il Natale di Pierrot (Monti). 10.0, Giornale Radio.

VATICAN CITY

15.84 metres (Morning), and 50.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Information in Spanish. 7.0 to 7.15 p.m., Religious Information in Italian.

VIENNA

517 metres; 15 kW. Relay by Graz, 352.1 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 245.9 metres; and Salzburg, 218.5 metres.—3.15 p.m., Talk: The Science of Ski-ing. 3.25, Talk on Educational Methods. 3.55, Piano-forte Concerto (Gershwin), on Gramophone Records, followed by New Gramophone Records. 5.0, Talk: Illnesses caused by too strenuous sport. 5.25, Talk: In the Lead Mines. 5.50, Talk: Adventures Among Men and Animals in the Kurile Islands. 6.15, Time, Weather and Programme Announcements. 6.25, Hugo Wolf Song Recital by Berta Kirrma (Soprano) and Josef Maniwa (Bass). Two Goethe Songs: (a) Anakreons Grag, (b) Frühling übers Jahr; Pussreise; Begegnung; Nixe Binsenfuss; Der Schreckenberger; Verschwiegene Liebe; From the Spanish Song Book: (a) Nun wandere, Maria, (b) Klinge, klinge, mein Pandero; From the Italian Song Book: (a) Gesegnet sei, (b) Und willst du denen Liebsten sterben sehen; Wandl' ich in den Morgentau; Wohldeuk' ich oft; Biteroff. 7.15, Carnival—Radio Potpourri in a Prologue and Two Parts (Dr. Lothar Riedinger), by the Vienna Volkoper Chorus, Josef Holzer's Orchestra, Charly Gaudriots Jazz Band and Soloists. 9.0, News, Weather and Announcements. 9.15, Talk on the Austrian Musical Festival. 9.25, Concert from the Hotel Krantz-Ambassador.

WARSAW

1,411 metres; 120 kW.—10.40 p.m., Press Review. 10.50, Weather Report for Aviation. 10.58, Time Signal and Bugle Call from St. Mary's Church, Cracow. 11.5, Programme Announcements. 11.10, Light Music on Gramophone Records. 12.20 p.m., Weather Forecast. 12.25 to 2.10, Interval. 2.10, Announcements. 2.15, Economic Notes. 2.30, Boy Scouts' Report. 2.35, Programme for Children. 3.0, Popular Music on Gramophone Records. 3.20, Talk: The Development of Athenian Democracy, relayed from Wilno (553 metres). 3.40, Talk in Ukrainian. 4.0, Hindu Songs—Talk, with Illustrations on Gramophone Records. In an interval, Announcements. 4.40, Economic Talk. 4.55, Programme Announcements. 5.0, Literary Talk. 5.20, News. 5.25, Light Orchestral Music, relayed from the Adria. 6.0, Miscellaneous Items. 6.20, Agricultural Report. 6.30, Literary Talk. 6.45, Radio Journal. 7.0, Jim and Jill—Operetta (Ellis). 8.45, Sports Notes. 8.50, Radio Journal. 8.55, Chamber Music by the Station String Quartet; J. Kaminski (Violin), M. Tursch (Violin), J. Gornowski (Viola), and M. Neuteich (Cello); Quartet in D (Boccherini); Quartet in E Minor (Verdi). 9.40, Talk. 9.55, Aviation Weather Report and Police Notes. 10.0, Dance Music, relayed from the Adria.

ZURICH.—See Schweizerischer Landessender.

ATHLONE

413 metres; 60 kW.; and CORK, 224.4 metres. —1.30 to 2.0 p.m., Time Signal, Weather Report, Stock Report, and Light Music on Gramophone Records. 6.0, Popular Music on Gramophone Records. 6.15, Programme for Children. 7.0, Light Music on Gramophone Records. 7.10, Dublin Cattle Market Report. 7.20, News Bulletin. 7.30, Time Signal. 7.31, French Lesson. 7.45, Literary and Dramatic Talk. 8.0, Concert by the Station Orchestra. 8.20, Tenor Solos by R. Midgley. 8.30, Talk by the Rev. A. H. Macpherson; Lewis (Carroll). 8.50, Song Recital by Mr. and Mrs. P. J. Duffy. 9.20, Pianoforte Recital by Olive Williams. 9.35, The Station Orchestra. 10.0, Dance Music on Gramophone Records. 10.30, Time Signal, News, Weather Report, and Close Down.

BARCELONA

RADIO-BARCELONA, Call EAJ1, 348.8 metres; 8 kW.—6.0 p.m., Trio Concert: Selection from Los Flamencos (Vives); Granada (Albeniz); Melody (Ross); Selection from La infanta de los bucles de oro (Serrano); Lament and Dance from Impresiones liricas (Pacheco); Escena gitana (Perello). In the interval at 6.15, Talk. 7.0, Request Gramophone Records. 7.30, Exchange Quotations and Talk in Catalan. 8.0, Light Music on Gramophone Records, followed by News Bulletin. 9.0, Chimes from the Cathedral, Weather Forecast, Exchange Quotations, and Market Prices. 9.5, An Opera, relayed from the Gran Teatro del Liceo. 11.0 (in an interval), News Bulletin. 12 Midnight (approx.), Close Down.

BARI

269.8 metres; 20 kW.—7.0 p.m., Agricultural Report, Tourist Talk and Dopolavoro Notes. 7.20, Giornale Radio and Weather Forecast. 7.30, Time Signal and Announcements. 7.35, Light Music on Gramophone Records. 7.45, Relay of an Opera from the Teatro Petruzzelli. In the intervals: Art Notes and Reading. News Bulletin after the Opera.

BASLE.—See Schweizerischer Landessender.

BELGRADE

430.4 metres; 2.8 kW.—6.30 p.m., Quartet in A for Pianoforte, Violin, Viola and Cello (Chausson). 7.5, Talk on the following Relay. 7.15, See Warsaw. In the interval at 8.30, News Bulletin.

BERLIN

KONIGS WUSTERHAUSEN, 1,635 metres; 60 kW.—12.35 p.m., News Bulletin. 1.0, Gramophone Concert from Berlin (Witzleben). 2.0, Musical Programme for Children. 2.30, Weather and Exchange. 2.45, Das Buch vom Birgen (Kmil Bischoff), read by the Author. 3.0, Talk for Women: Women's Social Mission. 3.30, Concert from Berlin (Witzleben). 4.0, Talk on Philosophy. 4.30, Chamber Music—Recital of Eighteenth Century Songs by Lisa Steffens (Soprano): Five Songs (Telemann): (a) Pastorell, (b) Die Einsamkeit, (c) Glück, (d) Wind, (e) Das Frauenzimmer; Die Wasserrymphy (J. G. Neefe); Nonnenlied (Ph. E. Bach); Three Songs (J. P. A. Schulz); (a) Beim Teufel der Geliebten, (b) Wenzelied, (c) Heutige; Wanderers Nachtlied (J. F. Reichardt); Wo geht's Lichen? (Zelter). 5.0, Talk: Rogery in Olden Days. 5.30, Trio, Op. 47 (Paul Hindemith). 5.55, Weather and Announcements. 6.0, German Lesson for Germans. 6.30 A Poem. 6.35, Agricultural Talk. 7.0, Mozart—Father and Son—A Radio Sequence from Letters and Music. 8.0, Talk on Winter Relief. 8.15, Programme from Frankfurt. 9.10, Weather, News, and Sports Notes. 9.45, Weather Report for Shipping. 10.0, Dance Music from Berlin (Witzleben). 11.0 (approx.), Close Down.

BERLIN

WITZLEBEN, 419.5 metres; 1.5 kW.—3.30 p.m., Concert of Zither Music. 4.10, Concert of Choral Music by Berlin Composers: O chorul ave (Kurt Doebler); Erinnerung (von Leixner); Es ging ein Duft durch die Frühlingsnacht (Geneke); Probium (Georg Vollerthum); Frauenklage (Burggraf zu Regensburg); Landsknechts-Trinklied (Paul Hindemith). 4.30, Talk: Academic Barriers to the Professions. 4.50, Talk for Young People: Forgotten Cities—Babylon. 5.10, Brahms Recital by Prof. Walter Rehberg (Pianoforte): Pianoforte Pieces, Op. 118: (a) Intermezzo in A Minor and A, (b) Ballad in G Minor, (c) Intermezzo in F Minor, (d) Romance in F (e) Intermezzo in E Flat Minor, (f) Scherzo in E Flat Minor, Op. 4. 5.40, Hungarian Dances (Brahms), on Gramophone Records; Dances Nos. 1 and 3; Dances Nos. 5 and 6. 5.55, The Witzleben Station informs its Listeners. 6.0, Topical Talk. 6.10, Help for the Unemployed—Talk by D. Roland Brauweiler. 6.35, Concert of Light Music from the Traube Weinrestaurant. 8.10, The Eighth Symphony in C Minor (Bruckner), relayed from the Academy of Music. 9.15, Weather, News and Sports Notes, followed by Dance Music from the Rheinterrasse of the Haus Vaterland. 11.0 (also on Zeason, 31.38 metres), How to become a racing Motorist—A Radio Play (Manfred von Brausehltzsch). Music by Walter Gronostay.

BERNE.—See Schweizerischer Landessender. BEROMUNSTER. — See Schweizerischer Landessender.

BODEN.—See Stockholm.

BODO.—See Oslo.

THURSDAY

FEBRUARY THE TWENTY-THIRD

PRINCIPAL EVENTS OF THE DAY:

AT HOME

- NATIONAL** "Variety," a recital of gramophone records. Concert from the Town Hall, Birmingham. Mr. Desmond MacCarthy: "The Art of Reading." "March Hares," feature programme. Orchestral concert.
- LONDON REGIONAL** Chamber music. Organ music. Military Band concert. Royal Philharmonic Society's concert, relayed from Queen's Hall.
- MIDLAND REGIONAL** "Contrasts," orchestral concert. Choral concert.
- NORTH REGIONAL** A relay from Manchester Hippodrome. Hallé Society concert from Free Trade Hall, Manchester. Pianoforte recital.
- WEST REGIONAL** Organ music. Light music. A "Woodland" orchestral programme.
- SCOTTISH REGIONAL** Mr. John Stephen: "North Sea Fruit." "No More Illusions," a slightly cynical symposium by the Silver Citizens. Choral and orchestral concert, relayed from Edinburgh.
- BELFAST** Organ recital. Orchestral concert. Chamber music.
- ABROAD**
- BERO-MUNSTER** Act 2 of "Tristan and Isolde" (Wagner), relayed from the Municipal Theatre, Zürich.
- COPENHAGEN** The Station Symphony Orchestra, conducted by F. Busch.
- ROME** Symphony concert, conducted by Stravinsky.
- WARSAW** Opera: "The Barber of Seville" (Rossini), from the Grand Theatre.

BRATISLAVA

279 metres; 14 kW.—3.10 p.m., See Brno. 4.10, See Prague. 4.20, See Brno. 4.50, Popular Music on Gramophone Records. 5.5, Milan Lichard Programme on his Eightieth Birthday. 6.0, See Prague. 6.10, Economic Review. 6.25 till Close Down, See Prague. 10.0 (approx.), Close Down.

BREMEN.—See Hamburg.

BRESLAU

325 metres; 60 kW.; and GLEIWITZ, 253 metres.—10.50 a.m., Orchestral Concert, conducted by Hermann Behr: An den Frühling (Grieg); Norwegian Wedding Procession (Grieg); Selection from Lakmé (Delibes); Styrian Dances (Kienzl); Waltz, Die Werber (Lanner); Song from Das verwünschte Schloss (Müllöcker); Two Spanish Dances (Moszkovsky); Selection from Der arme Jonathan (Müllöcker); Overture, Fatinitza (Suppé); Selection from Casanova (Strauss-Bonatzky); Waltz, Freut Euch des Lebens (Strauss). In an interval at 12.10 p.m., Weather Forecast. 12.45, Time, Weather, News and Exchange. 1.5, Gramophone Concert: Overture, The Secret Marriage (Cimarosa); Selection from The Magic Flute (Mozart); Two Pieces (Rachmaninov): (a) Prelude in C Sharp, (b) Prelude in G Minor; Two Songs from The Dubarry (Müllöcker-Mackeben); Selection from Schön ist die Welt (Lehar). 1.45, Sponsored Programme with Gramophone Records. 2.10, Market Prices. 2.40, Talk: Lectures and Concerts for March in Breslau. 2.50, Book Review. 3.10, Pianoforte Duets: Sonata in F (Mozart); Variations on a Theme in C (Beethoven). 3.30, See Heilsberg. 4.30, Agricultural Market Prices and Programme for Children. 4.50, Talk with Gramophone Illustrations: Haydn's Spieluhr. 5.20, Programme to be announced. 5.35, Talk for Workers. 6.0, Variety Programme with Unusual Gramophone Records. 7.0, Talk: Provincial Silesian Museums. 7.30, Concert of Dance Music and Light Music by the Silesian Symphony Orchestra, conducted by Gerhard Ewald Rischka. 9.10, Time, Weather, News, Sports Notes and Programme Announcements. 9.30, Esperanto Lesson. 9.40, Talk: Young People in the Country—Rural Life and Customs. 10.0 (approx.), Close Down.

BRNO

342 metres; 35 kW.—3.10 p.m., Popular Concert, conducted by P. Novak. 4.10, Talk for Children. 4.20, Concert for Children. 4.50, Educational Talk. 5.0, Literary Review. 5.15, See Prague. 5.25, German Transmission: News, Sports Report, and Scientific Talk. 6.0 till Close Down, See Prague. 10.0 (approx.), Close Down.

BRUSSELS (No. 1)

1.N.R., 509 metres; 15 kW.—12 Noon, Gramophone Concert Overture, The Thieving Mag-

pie (Rossini); Symphonic Entr'acte from Messidor (Bruneau); Prelude No. 3 (Rachmaninov); Tarantella (Cui); Réverie for Horn (Glazunov); Scherzo-Valse (Chabrier); Slav Rhapsody (Friedemann); Hopak from The Fair at Sorochinsk (Mussorgsky); An Evening in Seville (Halslunde); Rheinländer; On the Mountains; Suite of Popular Russian Airs; Pomp and Circumstance (Elgar). 1.0 p.m., Journal Parlé. 1.10, Concert by the Small Station Orchestra, conducted by P. Leemans: Soloist: M. Wigy (Violin); Pasodoble (Alfonso); Waltz Potpourri (Weber); Minuet, Petit Trianon (d'Agreves); Selection from Hallelujah (Youmans); Violin Solo: Serenade (Drda); Oriental Suite (Popy); Tango, For you! (Rotter-Rubens); Foxtrot, Dizzy Fingers (Confrey). 5.0, Strauss Waltzes by the Symphony Orchestra, conducted by Jean Kumps: Tales from the Vienna Woods; The Blue Danube; Waltz from Wienerblut. 5.30, Programme for Children. 6.0, Talk. 6.15, Military Band Concert, relayed from Quaregnon: Second Symphonic Waltz (Gilsen); Ballet Music from Faust (Gounod); Selection from Samson and Delilah (Saint-Saëns); Interlude for Saxophone and Pianoforte. 7.15, Talk for Workers. 7.30, Sports Notes. 8.0, Military Band Concert, relayed from Quaregnon. 8.20, Concert by the Quaregnon Choral Society. 8.45, Talk, illustrated by Songs. 9.20, Accordion Music. 9.45, Military Band Concert (cont'd.). 10.0, Journal Parlé. 10.10, Gramophone Concert. Part I.—Dances, Old and New: Schottische, Perruche et Perroquet (Corbin); Polka, Sautez Bébes (Paradis); Waltz, La Gitana (Bucalossi); Tango (Bucino); Foxtrot, Phonomanie (Avignon); Tango, Néné (Polito). Part II.—Modern Symphony Music: Selection from Daphnis et Chloé (Ravel); Kolozog (Rabaud); Ronde burlesque (Schmitt). 11.0 (approx.), Close Down.

BRUSSELS (No. 2)

1.N.R., 338.2 metres; 15 kW. Programme in Flemish.—12 Noon, Concert by the Small Station Orchestra, conducted by P. Leemans: Soloist: Berthe Briffaux (Songs); Overture, Il Seraglio (Mozart); Valse-Scherzo (Tchaikovsky); Violin Solo Tambourin chinois (Kreisler); Songs (Grieg); (a) Morning, (b) Solweig's Song, (c) To Spring; Four Songs; Flemish Procession (Leemans); Polonaise for Pianoforte (Chopin); Overture, Masaniello (Auber). 1.0 p.m., Journal Parlé. 1.10, Light Music on Gramophone Records. 5.0, Concert by the Radio Orchestra, conducted by Charles Walpot, K.V.R.O.: Stridjied (Autenans); Rhapsodie Delonmaëne (De Boeck); Andante and Allegro (Händel); Ballet Music from Les deux pigeons (Messager); Ballet Music from Gretna Green (Gulraud). 5.45, Programme for Children. 6.30, Programme by the J.V.K.A. 7.15, Talk. 7.30, Talk for Women. 8.0, Gramophone Concert: Loin du bal (Gillet); The Mill in the Black Forest (Eilen-

berg); 'Way down South (Myddleton); Pot-pourri, Das Beste vom Besten (Hostal). 8.30, Concert by the K.V.R.V. 8.55, Talk on Bruges. 9.10, Carillon Recital: Vogelennedje (Vermeulen); Serenade from Milenka (Block); Ave Maria (Schubert); Heeft her noosje milde geuren (Benoit). 9.25, K.V.R.V. Concert (cont'd.). 9.55, Evening Prayer. 10.0, Journal Parlé. 10.10, K.V.R.O. Concert (cont'd.). 11.0 (approx.), Close Down.

BUCHAREST

394 metres; 12 kW.—4.0 p.m., Concert of Light Music and Romanian Music by the Dinco Orchestra. 5.0, News and Time Signal. 5.10, Talk. 5.25, Concert by the Dinco Orchestra (cont'd.). 6.0, Talk on Romania. 6.30, Relay from the Opera House. In the intervals, News.

BUDAPEST

550 metres; 18.5 kW.—Programme also relayed on 840 metres from 7.0 to 11.0 p.m. 4.45 p.m., Concert of Operetta Melodies on Gramophone Records. 5.30, Reading. 6.20 (approx.), Dance Music from the Café New York. 6.45, Talk for Workers. 7.0, A Comedy (Koloman Csatho). 9.0, News Bulletin. 9.15 (approx.), Concert by the Budapest Concert Orchestra, conducted by Wilhelm Komor: Selection from The Queen's Kerchief (Joh. Strauss); Selection from Die Moderne Eva (Gilbert); Variations on a German Folk Song in the Style of Various Masters (Ochs); Gavotte and Dance Intermezzo; Waltz (Ziehrer); Selection from Frau Luna (Dencke); Selection from Zigeunerprimas (Kalmán); Genrebild (Wieschendorf); The Figger's Dream (Myddleton); Polka (Strauss). 10.30, Concert of Cigány Music from the Café Spolarih.

CASSEL.—See Frankfurt.

COPENHAGEN

281 metres; 0.75 kW.; and KALUNDBORG, 1,153 metres; 7.5 kW.—11.0 a.m., Time and Chimes from the Town Hall. 11.5, String Ensemble Concert, conducted by Max Skalka, relayed from the Hotel d'Angleterre. 1.0 p.m. to 2.0, Interval. 2.0, Orchestral Concert, conducted by Lanny Grundahl: Soloist, Sophie Finn Hoffmann (Songs); March (v. Blon); Waltz, Kaufmanns Kasino-Tänze (Gungl); Fantasia napoletana (Boccalari); Rhapsody, España (Chabrier); Polka, Mester Erik (Lumbye); Triumphant March (Meyerbeer); Four Songs; Ballet Music and March from William Tell (Rossini); On the Wings of Song (Mendelssohn); Fantasia on Scottish Songs and Dances (Bodewalt-Lampe); Simple avenu (Tomé); Waltz, Estudiantina (Waldteufel); Mærel (Latanu). 4.0, Programme for Boys: Exchange and Fish Market Prices. 4.50, Talk on Folk Songs. 5.20, English Lesson. 5.50, Weather Forecast. 6.0, News. 6.15, Time Signal. 6.16, Talk, Religious life in other Countries—the English Church (Danish Lesson. 7.10, Concert relayed from the State Broadcasting Building. The Station Symphony Orchestra, conducted by Fritz Busch: Soloist, Rudolf Serkin (Pianoforte); Symphony No. 7 in C (Schubert). Ten Minutes Interval. Pianoforte Concerto in G, No. 4, Op. 58 (Beethoven); Overture, Oberon (Weber). 9.15, News. 9.30, Readings (Guy de Maupassant). 9.50, Dance Music from the Lodberg Restaurant. In the interval at 11.0, Time and Chimes from the Town Hall. 11.30 (approx.), Close Down.

CORK.—See Athlone.

DANZIG.—See Heilsberg.

DRESDEN.—See Leipzig.

DUBLIN.—See Athlone.

FECAMP

223 metres; 10 kW.—12 Noon, Light Music on Gramophone Records. 12.30 p.m., News Bulletin. 12.45, Programme for Children. 6.0 to 7.0, Programme in English by the I.B.C. C. Danvers Walker, R. Chon and R. McNab Announcing. 6.0, Violin Recital for Brighton Listeners. Spanish Dance (Falla); Cavatina (Raff); Caprice Viennois (Kreisler); Orchestra: Serenade (Perné); Tambourin Chinois (Kreisler); Meditation from Thalys (Massenet); Serenade to Nicolette; Salut d'amour (Elgar). 6.30, Concert for Home Listeners. The Cuckoo Waltz (Jonasson); Songs: (a) Blackbird's Song (Scott), (b) A Brown Bird singing (Haydn Wood), (c) The Last Rose of Summer (Mourel), (d) Down in the Forest (London Round), (e) I think of you my Sweet (Haydn Wood); Pipes of Pan (Monte-ton); The Toymaker's Dream (Golden). 7.0, Local News. 7.15, Light Music on Gramophone Records. 7.30, Radio Gazette. 8.0, The Listeners' Half-Hour and News. 8.50, Concert, relayed from the Town Hall, Rouen. 10.0 till Close Down, Programme in English by the I.B.C. 10.0, Dance Music. 11.0, Music from Sound Films. Selection from Love me To-night; Song, I'll stay with you, from There goes the Bride; Song, I want to cling to Ivy from Jack's the Boy; Please, from The Big Broadcast; Song: (a) He's dead but he won't lie down, from Looking on the bright Side, (b) The Flies

FEB. 23rd

THURSDAY

continued

crawled up the Window, from Jack's the Boy, (c) To-day I feel so happy, from Sunshine Susie; Selection from The Crooner. 11.30, Organ and Violin Recital. Organ Solos: (a) Selection of Waltzes (arr. Stolden), (b) Chanson (Friml), (c) Schön Rosmarin (Kreisler); Violin and Organ: Because (d'Hardelet); Love's Garden of Roses (Haydn Wood); Violin and Organ: A Perfect Day (Jacobs-Bond); A Brown Bird singing (Haydn Wood). 12 **Midnight**, Variety Programme. Accordion Solo: Medley of Irish Jigs (arr. Hannah); (c) Jelly Sailor (Carter); Yodelling Mad; Accordion Solo: Ragtime Melody (arr. Charles); The Lost Mountaineer; Here comes Annie Lee; Accordion Solos: (a) More Ragtime Memories (arr. Charles), (b) Medley of Scottish Reels (arr. Hannah). 12.30 a.m. (Friday), Vocal and Orchestral Concert. Good Old-Time Songs (arr. Pecorini); Songs: (a) I am the Words (de Sylva), (b) Little Things in Life (Berlin), (c) Just one for all Time (Leigh), (d) Little white Lies (Donaldson), (e) Reaching for the Moon (Berlin), (f) Live, love and laugh (Heymann); Orchestra: Old Time Songs (arr. Pecorini). 1.0, Violin Recital. Quartet: Union Reel (Traditional); Solos: (a) Tell her I am, (b) Boys at the Lough, (c) Tom Clarke's Reel, (d) March of the Cameron Men, (e) The Morning Dew, (f) Donegal Hornpipe, (g) Cliff Hornpipe, (h) John Anderson; Quartet: Unlucky Blues (Lewis). 1.30, Vocal and Orchestral Concert. Ashore; Off in the stillly Night; Drink to me only with thine Eyes; Orchestra: When the Lilac blooms again (Rotter); The Rosary (Nevin); Tom Bowling; Once again; Orchestra: Vienna, Vienna (Foss). 2.0, Dance Music. 2.57, I.B.C. Good-night melody. 3.0, Close Down.

FLENSBURG.—See Hamburg.

FLORENCE.—See Turin.

FRANKFURT

259 metres; 17 kW.; and CASSEL, 245.9 metres.—5.15 p.m., Time, Programme Announcements, Weather and Exchange. 6.20, Dialogue on Motor Roads. 6.30, Symphony in C (Wagner), by the Station Orchestra, conducted by Hans Rosshand. 7.15, Down the Moselle—a Radio Sequence (Rschl). 8.0, Variety Music by the Station Orchestra, with Hedi Kettner (Soprano) and Others. 9.10, Time, News, Weather and Sports Notes. 9.30, See Stuttgart. 11.5 (approx.), Close Down.

FREDRIKSSTAD.—See Oslo.

FREIBURG.—See Stuttgart.

GENEVA.—See Radio-Suisse Romande.

GENOA.—See Turin.

GLEIWITZ.—See Breslau.

GOTEBORG.—See Stockholm.

GRAZ.—See Vienna.

HAMAR.—See Oslo.

HAMBURG

Call ha (in Morse), 372 metres; 1.5 kW.. Relayed by Bremen, 269.8 metres; Flensburg, 227.4 metres; Hanover, 566 metres; and Kiel, 232.2 metres.—4.55 p.m., Concert of Chamber Music by Erna Kroll-Lange (Soprano), Gertrud Schmitzer (Soprano), Bernhard Jakschkat (Bass-Baritone), Hans Rosenlöcher (Violin), Heinrich Ritter (Cello), Gerhard Maass (Viola and Pianoforte), and Gerhard Gregor (Pianoforte and Lute). Prelude in C from Das wohltemperierte klavier (Bach); Trio for Two Sopranos and Bass, Glaubt ihr, Beständigkeit (Mozart); Letter Duet from Figaro (Mozart); Allegretto and Andante from the Sieben Bagatellen, Op. 33, Nos. 3 and 4 (Beethoven); Two Songs for Bass-Baritone from Die schöne Müllerin (Schubert): (a) Wohin!, (b) Der Neugierige; German Dances, Op. 33 (Schubert); Andante for Pianoforte, Violin, and Cello, from the Trio, Op. 101 (Brahms); Two Venetian Gondola Songs from Songs without Words, Op. 19, No. 6 and Op. 30, No. 12 (Mendelssohn); Märchenbilder, Op. 113, No. 3, for Violin and Pianoforte (Schumann); Children's Songs and Songs to the Lute (Knab); Two Pieces for Pianoforte from Jugendzeit, Op. 17 (Max Reger); Movement from the Sonata for Viola and Pianoforte, Op. 11, No. 4 (Hindemith). 5.55, Exchange. 6.0, Health Talk. 6.25, Weather. 6.30, Song Recital by Wilhelm Rabot: Two Songs (Robert Franz): (a) Auf dem Meere, (b) Denk ich dein; Es muss ein Wunderbares sein (Liszt); Ueber allen Gipfeln (Liszt); Two Songs (Trunk): (a) Vor Aikon, (b) Laudsknechtlied; Two Songs (Fritz Jürgens): (a) Das treue Paar, (b) Elisabeth. Two Songs (Schmalstieg): (a) Dämmerung, (b) Tinkspruch. 7.0, A Visit to Mark Twain in Heaven—Radio Sequence (Rudolf Arnhelm). 8.0, Orchestral and Choral Concert, conducted by Adolf Secker. The Adolphina Male Voice Choir and the Station Chamber Orchestra. Soloists: Wilma Deyke (Soprano) and Hans Rosenlöcher (Violin). Overture, Jessonda (Spohr); Sanctus, from the German Mass A—Capella (Schubert); Die Allmacht, for Soprano, Choir, and Pianoforte (Schubert, arr. Liszt); Rondo in A for Violin and Strings (Schubert); Moment musical (Schubert); Der Gondelfahrer (Schubert); Military March No. 1, Das Dörfchen (Schubert); Der Lindenbaum (Schubert); German Dances (Beet-

hoven); Overture, Ruy Blas (Mendelssohn). 9.10, Time, Weather, News, Sports Notes, and Police Report. 9.30, Topical Talk. 9.40, Concert of Dances by the Station Chamber Orchestra, conducted by Gerhard Maass. In an interval at 10.20, Ice Report. 10.25, Concert by the Gesterkamp Quartet: Variations on Death and the Maiden, from the Quartet in D Minor (Schubert); Andante and Moderato from the Quartet in A Minor (Brahms); Canzonetta (Mendelssohn).

HANOVER.—See Hamburg.

HEILSBURG

276.5 metres; 60 kW.; and DANZIG, 453.2 metres.—12.5 to 1.30 p.m., Gramophone Concert: Selection from Rusalka (Dvorák); Pianoforte Solo, Etude and Mazurka in C (Chopin); Violin Solo, Zigeunerweisen (Sarasate); Tenor Solos: (a) Strandlegende (Ehrke), (b) Blumenlied (Meyer-Helmund); Destiny (Baynes); Dream Waltz (Joyce); Selection from Gasparone (Müllöcker); Polka, Feiertag (Joh. Strauss); Gallop, Balm frei (E. Strauss); Im Köpfe zwei Aengle (Müllöcker); Kaiserwalzer (Joh. Strauss); Prince Eugen Marell (Joh. Strauss); Grossherzog-Friedrich-Marsch (Böttge). In the interval at 12.20, News. 2.0, Exchange Rates and Market Prices. 3.0, Programme for Young People. 3.30, Concert by the Little Orag Orchestra, conducted by Eugen Wilcken: Overture, Yelva (Reissiger); Aria (Tenaglia-Ries); Selection from Lohengrin (Wagner); Waltz, Transaktionen (Jos. Strauss); Rhapsody No. 13 (Liszt); Overture, Undine (Lortzing). 4.50, Review of Periodicals. 5.15, Market Prices. 5.20, Ice Report. 5.30, Agricultural Talk: Plant Diseases. 5.55, Talk on Biology. 6.30, Elementary English Lesson. 6.55, Weather and News. 7.5 (from Danzig), Problems of Contemporary Literature—School and Life. 8.5, Choral Concert of Wagner Music: The Choir and Orchestra of the Königsberg Opera House, conducted by Ludwig Leschetizky: Prelude to the Second Act and Chorus from Rienzi; Sailors' Chorus; Prelude to the Second Act and Spinning Girls' Chorus from The Flying Dutchman; Bacchanal, Prelude to the Third Act, Pilgrims' Chorus, and Finale from Tannhäuser; Chorus and Hymn from Parsifal. 9.30, Weather, News, and Sports Notes.

HILVERSUM

Announced HUIZEN, 296.1 metres; 20 kW. (7 kW. up to 4.40 p.m.).—11.55 to 1.40 p.m., Programme of the Catholic Radio Society (K.R.O.). 11.55 a.m., Concert by the K.R.O. Orchestra, conducted by J. Gerritsen: Egyptian March (Joh. Strauss); Overture, The Bohemian Girl (Balle); Donarsagen (Fucik); Selection from Lakmé (Delibes); Le plus joli rêve (Arezzo); Selection from The Bayadere (Kálmán); Gramophone Records: Sonnettes (de Tave); Selection from The Magic Flute (Mozart); Selection from Mignon (Thomas); Offenbachiana (Conradi); Die schönen von Valencia (Morcna); Brüder vom Rhein (Blankenburg). 1.40 till Close Down. Programme of the Christian Radio Society (N.C.R.V.). 1.40, Lesson in Handicrafts. 2.40, Programme for Women. 3.10 to 3.40, Interval. 3.40, Bible Reading, Organ Solos and Songs. 4.40, Song Recital by Mme. Henricette van der Kamp (Contralto). 5.25, Handwork for Young People. 5.55, Talk. 6.25, Dressmaking Lesson. 6.40, Press Report. 7.10, Police Notes. 7.25, Religious Review. 7.40, Organ Recital by Jan Zwart. 8.40, Talk. 9.10, Oboe, Cello and Pianoforte Recital by Jaap Stofijn (Oboe), J. Blazer (Cello), and C. Severens (Pianoforte): Trio Sonata (Loelliet); Sonata (de Fesch); Rhapsody (Peterkin); March of the Highlanders (Godard); Suite (Blazer); Trio (Poulenc). 10.10, News Bulletin. 10.20, Variety Music on Gramophone Records. 11.10 (approx.), Close Down.

HORBY.—See Stockholm.

HUIZEN

Announced HILVERSUM, 1,875 metres; 8.5 kW.—11.41 a.m. till Close Down, Programme of the Algemeene Vereeniging Radio Omroep (A.V.R.O.). 11.41, Concert by the Wireless Orchestra, conducted by Nieu Treep. 1.40 p.m., Talk. 2.25, Variety Music on Gramophone Records. 2.40, Talk. 3.25, Popular Music on Gramophone Records. 3.40, Talk and Musical Programme. 4.10, Concert of Light Music by Kovacs Lajos and his Orchestra. Soloist: Bob Scholte (Song). 4.40, Programme for Children. 5.10, Concert of Light Music (contd.). 6.10, Talk on Sports. 6.40, Concert of Light Music (contd.). 7.10, English Lesson. 7.40, Time Signal. 7.41, News Bulletin. 7.45, Popular Music on Gramophone Records. 7.55, Concert by the Little Concertgebouw Orchestra, relayed from the Concertgebouw, Amsterdam. Conductor: Pierre Montoux. Soloists: Wanda Landowska (Harpisichord) and Leeuwen-Boomkamp (Viola da Famba): Concerto for Harpsichord (Händel); Concerto for Viola da Gamba (Tartini). 8.55, Light Music on Gramophone Records. 9.10, Concert by the Wireless Orchestra, conducted

by Nieu Treep. Soloist: Adelheid Armhold (Songs): Overture, Czar and Carpenter (Lortzing); Aria from Der Freischütz (Weber); Aria from Euryanthe (Weber); Concert Waltz (Glazunov); Wiegeliend (R. Strauss); Ständchen (R. Strauss); Selection from Lohengrin (Wagner); Waltz, Faria (Arditi); Selection from The Land of Smiles (Lahár); San Lorenzo (Silva). 10.40, News. 10.50, Popular Music on Gramophone Records. 11.40 (approx.), Close Down.

INNSBRUCK.—See Vienna.

KALUNDBORG.—See Copenhagen.

KAUNAS

1,935 metres; 7 kW.—5.10 p.m., Talk: Handwork in Schools. 5.30, Variety Programme. 6.0, Time, Weather, and News. 6.30, Concert of Light Music. 7.10, Talk on Copper. 7.30, Concert. 8.0, Talk in Esperanto: Lithuanian Literature. 8.20, Concert. 9.30 (approx.), Close Down.

KIEL.—See Hamburg.

KLAGENFURT.—See Vienna.

KOSICE.—See Prague.

LAHTI

1,796 metres, 40 kW.; and HELSINKI, 368.1 metres.—6.0 p.m., Quartet for Strings (Melartin), relayed from the Conservatoire, Helsinki. 6.40, Märttä Leijonhufud—Play (Martti Vuori). 7.15, Popular Music on Gramophone Records. 7.45, News in Finnish and Swedish, and Close Down.

LANGENBERG

473 metres; 60 kW.—12 Noon, Concert, conducted by Eysoldt. Comedy Overture (Thomas); Selection from Marion Lescaut (Puccini); Barcarolle, Mondnacht in Venedig (Brasse); Serenade from Les Millions d'Arlequin (Drigo); Miniature Suite (E. Coates); Waltz, Auf Flügeln der Nacht (Faust); A.B.C. Poppourri (Komzak); Italian Serenade (Micheli); March, Der deutsche Ozeanflieger (Becher). In the interval at 1.0 p.m., News. 1.30, Sponsored Programme with Gramophone Records. 2.30, Economic Notes and Time. 2.50, Programme for Children. 3.20, Notes on the Broadcasts for Schools. 3.30, Educational Talk. 4.0, See Frankfurt. 5.0, Talk: The History of the German Language. 5.20, Talk: Human and Animal Intelligence. 5.45, Weather, Time, Economic Notes, and Sports Results. 6.0, Talk for Workers. 6.20, Talk on the Feminist Movement. 6.30, Talk: Social Work among the Miners in the Ruhr District. 6.55, News. 7.0, Masters of their Craft—Gramophone Concert. 7.35, Des Knaben Wunderhorn—Concert by the Station Chamber Choir, conducted by Zimmermann, with Commentary by Paul Gehly. 8.0, Confetti—A Carnival Radio Fantasy (Ernst Drawe), with Music by Peter Holberg. 9.10, News and Sports Notes. 9.30, Serenade, conducted by Wolf. 10.45, See Stuttgart. 11.10 (approx.), Close Down.

LAUSANNE.—See Radio-Suisse Romande.

LEIPZIG

389.6 metres; 120 kW.; and DRESDEN, 319 metres.—12.15 p.m., Stolz Concert on Gramophone Records: Du sollst der Kaiser melerer Seele sein; In Wien von der Wein und der Walzer blüht; Von Rüdesheim bis Heidelberg; Mir sagt dein Blumenstrauß; Im Prater blüht wieder die Bäume; Wien wird bei Nacht erst schön; Mein Liebeslied muss ein Walzer sein; Leutnant warst du einst bei den Husaren; Grüß mir mein Heimatland; Wenn die kleinen Vögelchen blühen; Du, du, du schliesst deine Augen zu; Frag nicht, warum ich gehe; Ich wünsche mir ein Töchterlein; followed by Exchange Quotations. 1.0, Film Report. 1.30, A Discussion between a Mayor and an Unemployed Man: Suburban Settlements. 2.35, Economic Notes. 3.0, Orchestral Concert, conducted by Ernst Herrmann: Comedy Overture, Op. 74 (Kéler-Béla); Selection from The Czarevitch (Lehar); Boston-Intermezzo (Nick); Folk Song (Kunla); Scherzo, Irrlichter und Koblode (Hofmann); Masquerade from The Merchant of Venice (Sullivan); March (Itzel); Sturmgalopp (Komzak). 4.30, Weather and Time. 4.35 to 4.50, Interval. 4.50, Economic Notes. 5.0, Dramatic Programme. 5.30, Spanish Lesson. 5.50, Talk on Taxation. 6.0, Violin Sonata in A (C. Franck) by Gustav Fritzsche (Violin) and Theodor Blumer (Pianoforte). 6.30, A Discussion on Sickness Benefit. 7.0, Sceme—Oratorio in Three Acts (Händel) for the Centenary of the Foundation of the Robert Franz Musical Academy in Halle. 9.15, News and Close Down.

LINZ.—See Vienna.

MADRID

ARANJUEZ, EAQ, 30.43 metres; 20 kW.—10.30 p.m., Variety Music. 10.45, Radio Chronicle. 11.0, Variety Music (contd.). 11.35, Talk. 11.40, Light Music. 12 **Midnight** (approx.), Close Down.

MADRID

UNION RADIO, Call EA7J, 424.3 metres; 2 kW.—7.0 p.m., Chimes, Exchange, Programme for Children and Request Gramophone Records. 8.15, News Bulletin. 8.30 to 9.0, Interval. 9.0, English Lesson by the Linguaphone Method. 9.30, Chimes, Time, Political Review and Confessions before the Microphone by M. Sanchez de Palacios, with an Interlude by Eloisa Muro, Maria Bru and Isbert; followed by Concert, conducted by Martin Domingo, relayed from the Hotel Nacional. 11.45, News. 12 **Midnight**, Chimes and Close Down.

MALMO.—See Stockholm.

MILAN.—See Turin.

MORAVSKA-OSTRAVA

263.8 metres; 11 kW.—3.10 p.m., See Brno. 4.10, See Prague. 4.20, See Brno. 5.0, Talk on Art. 5.15, See Prague. 5.30, German Transmission: Relay from the Municipal Museum. 6.0, till Close Down, See Prague 10.0 (approx.), Close Down.

MOSCOW

TRADES UNION, 1,304 metres; 100 kW.—4.0 p.m., News. 4.10, Announcements. 4.30, Literary Programme. 5.30, Concert from the Grand Theatre. 8.0, Talk in French: The Red Army. 8.55, Time. 9.5, Press Review.

MOTALA.—See Stockholm.

MUHLACKER.—See Stuttgart.

MUNICH

533 metres; 60 kW. Relayed by Augsburg and Kaiserslautern, 560 metres; and Nürnberg, 239 metres.—4.0 p.m., Concert from Stuttgart. 5.15, A Report on Wireless Technical Problems. 5.35, Agricultural Talk. 5.55, Time, Weather and Market Prices. 6.5, Talk: The Carolingian Empire.—11. 6.30, Die Pfingstorgel—A Bavarian Play (Alois Johannes Lipp), with Music. 8.0, Dance Music on Gramophone Records. 8.40, Die Phrasenkantate—for Speaking Choir (Peter Paul Altbaus). 9.20, Time, Weather, News and Sports Notes.

NAPLES.—See Rome.

NOTODDEN.—See Oslo.

OSLO

1,083 metres; 60 kW. Relayed by Fredriksstad, 365.8 metres; Hamar, 574.7 metres; Notodden, 447.1 metres; Porsgrund, 453.2 metres, and Rjukan, 447.1 metres.—4.0 p.m., Concert by the Willy Johansen Orchestra, relayed from the Continental Hotel: Selection from The Pearl Fishers (Bizet); Waltz, Vive la danse (Waldteufel); Intermezzo and Barcarolle from The Tales of Hoffmann (Offenbach); Ilumoresque (Demaret); Hymn to the Sun (Rimsky-Korsakov); Serenata capricciosa (Rangate); Suite from Le Cid (Massenet). 5.0, German Lesson. 5.30, Studio Service. 6.0, Announcements and News. 6.30, Pianoforte Recital of Chopin Music by Rolf Brandt Rantzau. 7.0, Time. 7.1, Programme in memory of the First Transmission Ten Years ago on the Mountain of Tryvandshöide, the First Norwegian Studio Musical Programme and Talks. 7.30, Technical Talk. 7.45, Recitations. 8.10, Soprano and Cello Recital by Nancy Hille and Hans Balchen. 8.40, Weather and News. 9.0, Topical Talk. 9.15, Concert by the Station Orchestra, conducted by Hugo Kramm. Soloist: Theodor Andresen (Tenor); Ilonage-March (Grieg); Scherzo from the Symphony in D (Svendsen); Norwegian Songs; Norwegian Rhapsody No. 1 (Halvorsen). 10.15 (approx.), Close Down.

OSTERSUND.—See Stockholm.

PALERMO

542 metres; 3 kW.—7.0 p.m., Dopolavoro Notes, Agricultural Report, and Giornale Radio. 7.20, Popular Music on Gramophone Records. 7.30 (in an interval), Time Signal and Announcements. 7.45, Concert of Variety Music. 9.0, I nudisti i calanugna—Dialect Comedy in One Act (Girgenti). 9.30, Concert of Variety Music (contd.). 9.55 News Bulletin.

PARIS

EIFFEL TOWER, Call FLE, 1,445.7 metres; 13 kW.—Time Signals (on 2,550 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and 6-dot Signals).—5.45 p.m., Le Journal Parlé. 7.20, Weather Report. 7.30, Gramophone Concert: Overture, The Flying Dutchman (Wagner); Selection from Lohengrin (Wagner); Selection from Fra Diavolo (Auber); Wedding March of a Doll (Lecocq); Belis across the Meadow (Ketelbey); A Tea Garden in Ceylon (Yoshitomo); On the Garden Wall (Monteux); Piece (Gabieliolo); Variations for Two Cornets (Strobl); Le Ftit Quinquin (Desrousseau); Fête au Harem (Frichstyal); Festival of the Gnomes and Wedding Waltz (Lineke). 9.0 (approx.), Close Down.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW.—6.45 p.m., Journal Parlé. 7.0, Programme for Children. 7.30, Light Music on Gramophone Records. 8.0, Agricultural Notes. 8.5, Talk by the Vicomte Henry de France. 8.15, Interval. 8.30, Les Vignes du Seigneur—Play (de Fiers and Caillyvet). 10.30, News.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW.—6.45 a.m., Physical Culture. 7.30, Weather and Physical Culture (contd.). 7.45, Probable Relay of the Test Match from Australia. 8.0, Press Review and Weather. 8.30, Test Match Relay (contd.). 8.45 to 12.30, Interval. 12.30, Orchestral Concert: Selection from Lulu (Parés and van Parys); Two Airs (Heymann) on Gramophone Records; Two Airs from Violettes Impériales (Collet) on Gramophone Records; Selection from Arthur (Christiné); Melody (Freed and Brown) on Gramophone Records; Air from The Gay Adventure (Erwin) on Gramophone Records; Two Scenes from La Vie de Paris (Casadesu); Pages d'album (Nerini); Ballet des Parfums (Popy). In the intervals at 1.0 p.m., Exchange, News, and Weather, and at 1.30, Exchange. 2.0, Exchange. 3.45, Exchange and Market Prices. 6.10, Agricultural Talk. 6.30, Light Music on Gramophone Records. 6.45, Legal Talk. 7.0, A Dialogue between Frédéric Lefevre and André Maurais on History and Humanitarianism. 7.20, Orchestral Concert: Maroussa (Luigini); Faust Suite, No. 2 (Lazzari); Slav Dance (Dvorák). 7.45, Review of the Central European Press. 8.0, La Nouvelle Idole—Play (François de Curel). In the interval at 8.30, Weather, News, and Sports Notes, and at 8.40, Review by Christophe. 9.30, Gramophone Concert: Overture, Euryanthe (Weber); Two Airs from Der Freischütz (Weber); Selection, The Force of Destiny (Verdi); Four Extracts from Louise (Chaprentier); Three Songs from Mephistopheles (Boito); Air from Resurrection (Alfano); The Ride of the Valkyries from The Valkyries (Wagner).

PITTSBURGH

WESTINGHOUSE ELECTRIC, KDKA, 306 metres; 25 kW. Relayed by W8XK on 48.86 metres and 25.27 metres.—9.0 p.m., Work-a-day Thoughts. 9.5, Business News. 9.15, Programme to be Announced. 9.30, Weather Report. 9.32, Market Reports. 9.45, Pianoforte Interlude. 9.50, David Lawrence Dispatch. 9.55, KDKA Artist Bulletin. 9.58, Programme Announcements. 10.0, Programme to be Announced. 10.15 to 11.15, New York Relay. 10.15, The Adventures of Dr. Doolittle. 10.30, Singing Lady. 10.45, Little Orphan Annie. 11.0, Our Daily Food, by George Rector's Cooking School. 11.15, Time Signal. 11.16, Weather Report. 11.17, Teahery Sport Review. 11.22, Press News Reeler. 11.27, Strange Facts. 11.29, Temperature Report. 11.30, KDKA Orchestra. 11.45 to 12.30 a.m. (Friday), New York Relay. 11.45, Today's News by Lowell Thomas. 12 Midnight, Pep-sodent Amos 'n' Andy. 12.15 a.m., Carson Robison and his Barbasol Buckaroos. 12.30, Programme to be Announced. 12.45 to 3.15, New York Relay. 12.45, Westinghouse Programme. 1.0, Cape Diamond Lights. 1.30, Time Signal and Rin-Tin-Tin Thrillers. 1.45, Thurston the Magician. 2.0, Death Valley Days. 2.30, Len Joy's Dancing Strings. 3.0, Wilfred Glenn (Bass). 3.15, The 1933 Income Tax by Robert L. Wickline. 3.30, Homay Bailey and Orchestra, from New York. 3.45, Bradley Kincaid, from New York. 4.1, Teahery Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.13, KDKA Artist Bulletin. 4.15, Press Last Minute News Flashes. 4.20, Heart Songs by Louise Frayne. 4.30, Henry Halstead and his Californians. 5.0, Hotel McAlpin Orchestra, from New York. 5.30, Time Signal and Good-night.

PORSGRUND.—See Oslo.

PRAGUE

488.6 metres; 120 kW.—3.10 p.m., See Brno. 4.10, Talk on Economics. 4.20, See Brno. 4.50, Variety Music on Gramophone Records. 5.5, Talk for Bee-Keepers. 5.15, Talk for Workers. 5.25, News in German. 5.30, German Transmission: Two Talks on Agriculture. 6.0, Chimes from the Church of St. Loudmila, Královské Vinohrady. 6.0, News. 6.10, Elementary English Lesson. 6.25, Talk on Czech History. 6.40, Concert by Otakar Jeremias, Soloist: Stanislava Korwin-Szymanska (Songs); Overture, Halka (Moniuszko); Song, Phylide (Duparc); Two Japanese Songs (Maklakiewicz); Two Songs (Szymanowski); Aria from The Prodigal Son (Debussy); Gopak (Mussorgsky). 7.25, Different Forms of Orchestral Music—Concert with Introductory Talk. 8.0, Running Commentary on the International Ice Hockey Championship, relayed from the Winter Stadium. 8.30, Concert in Honour of the Estonian National Festival. 9.0, Time Signal. 9.1, News Bulletin. 9.15, Running Commentary on the International Ice Hockey Match, relayed from the Winter Stadium. 10.0 (approx.), Close Down.

RADIO-SUISSE ROMANDE

SOTTENS, 403 metres; 25 kW.; **LAUSANNE**, 680 metres; and **GENEVA**, 760 metres.—5.35 p.m. (from Lausanne), Italian Lesson. 6.0 (from Lausanne), Weather and News. 6.15 (from Lausanne), Answers to Correspondence. 6.30 (from Lausanne), Theatre Review. 7.0 (from Geneva), Dramatic Programme by

FEB. 23rd

THURSDAY

continued

Artists of the Théâtre de la Comédie. 7.30 (from Geneva), Cabaret Programme. 8.30 (from Geneva), Talk: The Work of the League of Nations. 9.0, News and Weather Forecast. 9.15 (approx.), Close Down.

RIGA

525 metres; 15 kW.—2.30 p.m., Concert of Puccini Opera Music: Airs from Tosca; Trio from Turandot; Melodies from Madame Butterfly. 3.30, Talk on Hygiene. 4.0, Mandoline Concert: Valse Melancolique (Darzins); Solveig's Song (Grieg); Stephanie Gavotte (Zibulka); Waltz, The Blue Danube (Joh. Strauss); At Eventide (Sinding); Andante cantabile (Tschakovsky); Ukrainian Melody (Prisovsky); Overture, Post and Peasant (Suppe). 5.0, Radio Review. 5.30, English Lesson. 6.0, Weather Report. 6.5, Concert by the Radio Orchestra, conducted by Leonids Vigners. Part I: Tchaikovsky Music: Overture, Romeo and Juliet; Selection from Iolanthe; Ballet Music from The Sleeping Beauty. 7.0, News Bulletin. 7.20, Wagner Song Recital by Adols Kaktins (Baritone): Aria from The Flying Dutchman (Wagner); Two Airs from Lohengrin. 7.40, Concert, Part II: Petite Suite (Debussy); Algerian Suite (Saint-Saëns). 8.0 (in an interval), Weather and News. 8.30, Dance Music. 9.30 (approx.), Close Down.

RJUKAN.—See Oslo.

ROME

Call 1RO, 441 metres; 50 kW. Relayed by Naples, 310 metres, and 2RO, 25.4 metres.—7.0 a.m., Gymnastics. 7.15, Giornale Radio and Announcements. 11.30, Weather, and Light Music on Gramophone Records. 12 Noon, Time and Announcements. 12.2 to 1.15 p.m., Orchestral Concert. In the interval at 12.30, Giornale Radio and Exchange. 3.45, Children's Radio Review. 4.10, Announcements. 4.15, Giornale Radio. 4.30 to 5.15, Orchestral Concert: Overture, Don Giovanni (Mozart); Parlami d'amore, Mariù (Bixio); Selection from I Pagliacci (Leoncavallo); Pianoforte Solo, Valse arabesque (Lak); Tango, Primavera (Carducci); Pianoforte Solo, Le Campanne di Montoro (Serra); Pianoforte Solo, Quel che dice la fonta (Napoli); March, Vocazione (Marlot). 6.10 (Naples), Shipping and Sports Notes. 6.15, Agricultural Report and Announcements. 6.20, Giornale Radio. 7.0, Time and Announcements. 7.15, Light Music on Gramophone Records. 7.20, Talk for the Housewife. 7.30, Sports Notes, Tourist Report, and Announcements. 7.45, Symphony Concert, conducted by Igor Stravinsky. In an interval, Talk on Literature and Art. 9.55, News Bulletin. After the concert, Dance Music. 11.0 (approx.), Close Down.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY, WGY, 379.5 metres; 50 kW. Relayed at intervals by W2XAF on 31.48 metres and by W2XAD on 19.56 metres.—12 Midnight, Russian Symphony Choir, from New York. 12.15 a.m. (Friday), Stock Reports. 12.30 to 3.0, New York Relay. 12.30, The Regimentalists—Male Choir. 12.45, The Goldbergs. 1.0, Fleischmann Hour—Rudy Vallee and his Orchestra. 2.0, Captain Henry's Show Boat. 3.0, Lucky Strike Hour, from New York, followed by Programme Re-nuè.

SCHWEIZERISCHER

LANDESENDER

BEROMUNSTER, 459 metres; 60 kW.; **BASLE**, 244.1 metres; and **BERNE**, 245.9 metres.—11.28 a.m., Time Signal from Neuchâtel Observatory. 11.30, Weather and News. 11.40, Operetta and Sound Film Music, on Gramophone Records. 12.35 p.m., Weather and Exchange. 12.45 to 2.30, Interval. 2.30 (from Berne), Talk for Housewives. 3.0, Concert of Swiss, Bavarian, and Austrian Folk Music. 4.0, Dance Music. 4.30, Weather. 4.35 to 5.30, Interval. 5.30 (from Basle), Hans Gfägen reads from his own Works. 6.0, Time, Weather and Traffic Report. 6.15 (from Basle), Elementary Italian Lesson. 7.0 (from Basle), Schubert Concert: Music for Flute, Guitar, Viola and Cello, Songs with Guitar Accompaniment. 7.45 (from Zürich), Act II of Tristan und Isolde—Opera (Wagner), relayed from the Municipal Theatre. In an interval at 8.50 (approx.), Weather and News. 9.50 (approx.), Close Down.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SASA, 436 metres; 55 kW. Relayed by Boden, 1,229.5 metres; Göteborg, 322 metres; Hörby, 257 metres; Motala, 1,348 metres; Östarsund, 770 metres; and Sundsvall, 542 metres.—4.5 p.m., Studio Service, relayed from Hudiksvall. 2.25 metres. 4.30, Programme for Children. 4.45, Popular Music on Gramophone Records. 5.45, Elementary English Lesson, relayed from Jönköping. 20.13 metres. 6.15, Weather and News. 6.30, Military Band Concert of Music from Many Lands. German Melodies (Teike): (a) Alte Kameraden, (b) Koburger-Marsch. Scot-

land Melody (Coldstream Guards); Highland Laddie (Scots Guards); Dumbarton Drums (Royal Scots); The Campbells are coming (Argyll and Sutherlands). France: (a) Le défilé de la Garde Républicaine (Wette); (b) Le Régiment de Sambre et Meuse (Plauquette). Belgium: (a) March of the First Regiment of Grenadiers (Bender), (b) Prince Léopold (Bury). Russia: March (Budjinné). America: (a) Semper Fidelis (Sousa), (b) The Stars and Stripes for Ever (Sousa). Sweden: Regimental March (Erierson). 7.30, Talk on Traffic Problems. 8.0, String Quintet in C, Op. 163 (Schubert). 8.45, Weather and News. 9.0, Concert, relayed from the Gustav Vasa Church. Soloist: Otto Olsson (Organ): Concerto No. 1 in G Minor, for Organ and Orchestra (Handel); Air from the Suite in D (Bach); Two Sonatas for Organ and Orchestra (Mozart); Allegretto from the Symphony in D Minor (Frank); Overture, St. Paul (Mendelssohn). 10.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW.—11.30 a.m., Gramophone Concert of Popular Music. 12.45 p.m., News. 1.0, Time and Exchange. 1.5, Tchaikovsky Concert on Gramophone Records. 2.0, Programme for Children. 3.0 to 4.15, Interval. 4.15, French Elocution Lesson. 4.30, Programme for Children, relayed from Bordeaux-Lafayette. 6.0, Talk in French: Beautiful French Gardens of the Past. 6.15, Talk for Women: Women and Civil Law. 6.30, Orchestral Concert, conducted by Roskam. Soloists: M. Grégoire (Violin), March, Apollo (Liseke); Waltz, Eternelle Ivresse (Ganne); Violin Solo: Italian Serenade (Caldel); Overture, Pique Dame (Suppe); Barcarolle (Tchaikovsky); Selection from Tosca (Puccini); Valse poudrée (Popy); Selection from La-Haut (Yvain). 7.30, Time and News. 7.45, Gramophone Concert: Babillage (Gillet); Valse triste (Veesev); Serenade to Kubelik; Souvenir (Drdla); Lortzing Potpourri (Meyrowitz); Elegy (Masseut); Selection from The Bird Fancier (Zeller). 8.25, Lottery Results. 8.30, Wagner Concert, conducted by Maurice de Villers. Soloists: Louise Mancini and Jean Hazart (Songs). Overture and Airs from The Flying Dutchman; Prelude to Parsifal; Good Friday Music from Parsifal; The Ride of the Valkyries. 10.30 (approx.), Close Down.

STUTTGART

MUHLACKER, 360.5 metres; 60 kW., and **FREIBURG**, 570 metres.—12.15 p.m., Time, News, Weather and Programme Announcements. 12.30, Concert from Langenberg. 1.0, Sponsored Concert. 1.30, Spanish Lesson. 2.0, Radio Report on the German International Skiing Championship on the Feldberg. 2.30, Programme for Children. 3.35, Talk: The Alsatian Dialect. 4.0 (from Freiburg), Old and New Serenades—Concert by the Freiburg Concert Orchestra, conducted by R. Fried. Soloists: Hans Zetter (Cello) and Hans Prandhoff (Baritone): Serenade (Haydn); Serenade from Don Giovanni (Mozart); Ständchen (Schubert); Serenade for Cello and Orchestra (Volkmann); Serenade from The Damnation of Faust (Berlioz); Nüchtliche Serenade (Kähler); Amerikanische Serenade (Zöllner). 5.15, Time, Weather and Agricultural Notes. 5.25, Talk by Captain Botsch: The Officer. 5.50, Talk: German Philosophy. 6.15, Time and News. 6.20 (approx.) (from Mannheim), South-West German Market Report. 6.30, See Frankfurt. 9.10, Time, News, Weather and Programme Announcements. 9.30, Dance Music by the Stuttgart Philharmonic Dance Band, conducted by Harry Risch. Soloist: Gretl Winkler. 10.45, Report on the Six Days' Ractag, relayed from the Town Hall. 11.5 (approx.), Close Down.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW.—5.45 p.m., Petite Suite (Debussy) by the Symphony Orchestra. 6.0, News Bulletin. 6.15, Tango Songs. 6.30, Programme for Children. 7.0, Popular Melodies. 7.15, News, Market Prices and Racing Results. 7.30, Operetta Music: Overture, Veronique (Messager); Waltz from Gipsy Love (Léhar); Waltz from A Waltz Dream (O. Straus). 7.45, Opera Music: Aria from Mignon (Thomas); Siciliana from Cavalleria rusticana (Mascagni); Aria from Manon (Massenet). 8.0, Military Music. 8.15, Extracts from Sound Films. 8.30, Extracts from Les Cloches de Corneville—Operetta (Plauquette). 9.0, Symphony Concert: Retreat and Prayer (Kreutzer); Pacific (Honegger); Selection from Cydalise et le Chevre-pied (Pierne); Hungarian March Berlioz); La Czarine (Ganne); Le dernier sommeil de la Vierge (Massenet). 9.30, Accordion Music. 9.45, Concert by a Viennese Orchestra. 10.15, North African News. 10.30, Concert for Listeners in Morocco: Overture, Barbe bleue (Offenbach); Waltz from Mirabella (Gounod); Violin Solo: Hungarian Poem (Hubay); Donauwellen (Ivanovici); Habañera (Saravate). 11.0, Programme in English by the I.B.C. 11.0, Concert of Light Music,

Orchestra: Waltz, Tales from the Vienna Woods (Joh. Strauss); Song, Mother Macree (Young); The Soldiers' Chorus from Faust (Gounod); Orchestra: Hungarian Dances (Brahms); The Anvil Chorus from Il Trovatore (Verdi); Song, Danny Boy (Weatherly); Orchestra: Selection from Waltzes from Vienna (Joh. Strauss). 11.30, The I.B.C. Half Hour. Always in my Heart; Wanderer; Here's hoping; Dreaming; Blue Moon in the Sky; Mimi; Roll on Kentucky Moon; Isn't it romantic? 12 Midnight, Weather Forecast and Announcements. 12.5 a.m. (Friday), Spanish Songs. 1.15, Hawaiian Guitar Music. 12.30 (approx.), Close Down.

TRIESTE

247.7 metres; 10 kW.—4.10 p.m. till Close Down, See Turin.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relayed by Milan, 331.5 metres; Genoa, 312.8 metres; and Florence, 500.8 metres.—4.10 to 5.0 p.m., Orchestral Concert: Overture, Luisa Miller (Verdi); Selection from L'uomo che ride (Pedrollo); Two Pieces from Piedmontese Scenes (de Nardis): (a) Racconto, (b) Ninna Nanna; Mistica (Tirindelli); Intermezzo from Romeo and Juliet (Zandonai). 5.35, Giornale Radio, Agricultural and Dopolavoro Notes. 6.0, Gramophone Records of Variety Music. In the intervals at 6.20, Giornale Radio, and at 6.30, Time, Announcements and Tourist Report. 7.0, Giornale Radio, Weather and Light Music on Gramophone Records. 7.15 (approx.), Relay of an Opera. In the intervals: Talk, Literary Notes and Giornale Radio.

VATICAN CITY

19.84 metres (Morning), and 50.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Information in French. 7.0 to 7.15 p.m., Religious Information in Italian.

VIENNA

517 metres; 15 kW. Relayed by Graz, 322.1 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 245.9 metres; and Salzburg, 218.5 metres.—3.25 p.m., Talk: Sorcery in Antiquity. 3.50, Topical Report in Esperanto. 4.5, Concert by Isy Geiger and his Orchestra. Selection from Tosca (Puccini); Humoresque (Dvorák); Prelude (Rachmaninov); Dance of the Dervishes (Bendix); A Street Scene (Xaver); Waltz Song (Flümming); Tango, Schlaf mein Herzchen (Alt-schuler); Song Ich war so gern einmal verliebt, from the Operetta, Sissy (Kreisl); Tango, Du schwarzer Zigeuner (Vacek); Song, Nur ein Lied und ein Mädel aus Wien (Schieder); Offenbach Potpourri (Comrad); Popular Songs (Geiger). 5.15, Talk: The Feminist Movement. 5.40, Talk: Commercial Documents from a Legal Point of View. 5.5, Talk: The Federal Theatre Week. 6.15, Time, Weather and Programme Announcements. 6.25, Relay from the Royal Opera House. In an interval, News, Weather and Announcements. 9.5, Snow Report. 9.20, Dance Music by Juan Llossas and his band, relayed from Hübner's Palais de danse.

WARSAW

1,411 metres; 120 kW.—10.58 a.m., Bude Call from St. Mary's Church, Cracow. 11.5, Programme Announcements. 11.10, Light Music on Gramophone Records. 11.20, Weather Forecast. 11.35, Seventeenth Concert for Schools by the Warsaw Philharmonic Orchestra, conducted by S. Nawot and Soloists: A. Dobosz (Tenor) and T. Zygadlo (Violin). 1.0 to 2.10, Interval. 2.10, Announcements. 2.15, Economic Notes. 2.25, Popular Music on Gramophone Records. 2.35, Review of Periodicals. 2.50, Light Music on Gramophone Records. 3.25, Intermediate French Lesson. 3.40, Talk on the Human Body. 4.0, Quintet in E Flat, Op. 16, for Wind Instruments (Beethoven), on Gramophone Records. In the interval, Announcements. 4.40, Topical Talk. 4.45, Programme Announcements. 5.0, Talk by the Polish Writer Jean Kochanowski. 5.20, News. 5.25, Light Orchestral Concert, relayed from the Cristal Restaurant. 6.0, Miscellaneous Items. 6.20, Agricultural Report. 6.30, Dialect Reading. 6.45, Radio Journal. 7.0, Talk: The Hundredth Anniversary of the Warsaw Grand Theatre. 7.5, The Barber of Seville—Opera (Rossini), relayed from the Grand Theatre. In the interval, Sports Notes and Radio Journal. 10.30, Dance Music, relayed from the Gastronomia Restaurant. 11.0 (approx.), Close Down.

WILNO

563 metres; 16 kW.—6.10 p.m., Answers to Correspondents. 6.30, Miscellaneous Announcements. 6.45 to 10.0, See Warsaw. 10.0, Relay of Foreign Stations. 11.0 (approx.), Close Down.

ZAGREB

307 metres; 0.75 kW.—4.0 p.m., Balalaika Concert. 5.30 to 6.20, Interval. 6.20, Announcements. 6.40, Talk. 7.5, Introductory Talk to the following Transmission. 7.5, See Warsaw. In the interval, News, Weather, and Snow Report. 10.30 (approx.), Close Down.

ZURICH.—See Schweizerischer Landessender.

FEB. 24th

FRIDAY

continued

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW.—6.15 p.m., Violin Music. 6.30, Opera Music: Aria from *The Fair Maid of Perth* (Bizet); Quartet from *La Bohème* (Puccini); Aria from *Mignon* (Thomas). 6.45, A Night on the Bare Mountain (Musorgsky), by a Symphony Orchestra. 7.0, Tourist Report. 7.15, News, Racing Results and Market Prices. 7.25, Local News and Market Prices. 7.30, Concert. Part I: Opera Music; Part II, Dance Music. 8.0, Concert by a Viennese Orchestra. 8.30, Chansonnettes. 8.45, Extracts from *L'Arlesienne* (Bizet). 9.15, Opera Music: *Finale* from the Second Act of *Carmen* (Bizet); Two Arias from *Roméo and Juliet* (Gounod); Aria from *Werther* (Massenet). 9.30, Military Music. 9.45, Extracts from Sound Films. 10.0, Instrumental Music. 10.15, North-African News. 10.30, Concert for Listeners in Morocco. 11.15, Humorous Pieces. 11.30 to 12 Midnight, Programme in English by the I.B.C. 11.30, Vocal and Orchestral Concert, Mr. H. K. Hitchcock announcing: *Souvenirs classiques* (arr. Chenil); Songs: (a) *The Jolly Young Waterman* (Didon); (b) *Where'er you walk* (Handel); Hungarian Dance (Brahms); *Dancing Doll* (Poldini); Songs: (a) *The Pipes of Pan* (Monckton); (b) *Down in the Forest* (Ronald); *Echoes* (arr. Chenil). 11.55, I.B.C. *Goodnight Melody*. 12 Midnight, Weather Forecast. 12.5 a.m. (Saturday), Accordion Music. 12.15, Dance Music. 12.30 (approx.), Close Down.

TRIESTE

247.7 metres; 10 kW.—3.0 to 6.35 p.m., See Turin. 6.35, Music from the Café Dante. 7.0 till Close Down. See Turin. TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relayed by Milan, 331.5 metres; Genoa, 312.8 metres; and Florence, 500.8 metres.—3.0 p.m., See Rome. 5.35, Giornale Radio, Agricultural and Dopolavoro Notes. 6.0, Variety Music on Gramophone Records. In the intervals at 6.20, Giornale Radio, and at 6.30, Time, Announcements and Report of the Royal Geographical Society. 7.0, Giornale Radio, Weather, and Light Music on Gramophone Records. 7.30, Talk on Sport, followed by Gramophone Records (cont'd). 8.0, Symphony Concert, conducted by Gino Marinuzzi. Talk in the interval. 10.0, Giornale Radio.

VATICAN CITY

19.84 metres (Morning), and 50.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Information in German. 7.0 to 7.15 p.m., Religious Information in Italian.

VIENNA

517 metres; 15 kW. Relayed by Graz, 352.1 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 245.9 metres; and Salzburg, 218.5 metres.—3.45 p.m., Concert of English Music by the Gottesmann Quartet. Soloists: Luise Hellesgruber (Soprano), Josef Berzé (Tenor), Jella Pessl (Harpisichord and Pianoforte), Franz Wangler (Flute) and Wilhelm Pawlik (Cor anglais). 5.0, Tourist Report. 5.15, Talk: *Ski-Jumping in Austria*. 5.40, Talk: *The Education of the Unemployed*. 5.55, Talk: *A Visit to the Lava Lake, Matawanni, in Samoa*. 6.20, Time, Weather and Programme Announcements. 6.30, Violin Duets by Christa Richter and Georg Steiner: *Sonata in E for Two Violins and Pianoforte* (Handel); *Canon and Fugue in Old Style* (Reger); *Vivace from Op. 39* (Spohr); *Small Suite in Old Style, Op. 9*, for Two Violins and Pianoforte (Krieka). 7.5, *Der Geist des gemordeten Markensteiner*—Play in Five Acts (Josefine Weiss). 8.55, News, Weather and Snow Report. 9.10, Traffic Report. 9.25, Music from Paper. 9.55, Dance Music by Fred Clement's Orchestra, relayed from the Grabencafé.

WARSAW

1,411 metres; 120 kW.—10.58, Time Signal and Bugle Call from St. Mary's Church, Cracow. 11.5, Programme Announcements. 11.10, Light Music on Gramophone Records. 12.20 p.m., Weather Forecast. 12.25 to 2.10, Interval. 2.10, Announcements. 2.15, Economic Notes. 2.25, Aviation Notes and Anti-gas Drill. 2.30, Talk on Maritime and Colonial Affairs. 2.35, Review of Periodicals. 2.50, Light Music on Gramophone Records. 3.20, Talk on Rome, relayed from Wilno (563 metres). 3.40, Biological Talk. 4.0, Estonian Programme. 4.50, Announcements. 4.55, Programme Announcements. 5.0, Talk on the Polish Writer, Pierre Skarga. 5.20, News. 5.25, Concert of Estonian Music by Hans Höpfe (Pianoforte). 5.50, Ski-ing Notes, relayed from Cracow (312.8 metres). 6.0, Miscellaneous Announcements. 6.20, Polish and Foreign Agricultural Reports, relayed from Wilno. 6.30, Talk on Commerce. 6.45, Radio Journal. 7.0, Talk on Music. 7.15, Symphony Concert by the Warsaw Philharmonic Orchestra, conducted by G. Fitelberg. Soloist: *Vasa Priboda* (Violin) Overture, Euryanthe (Weber); Violin Concerto in D (Brahms); *Sinfonia tecnica* (Zador); *Contes* (Wieniawsky). In the interval: Talk on Poetry with Illustrations. 9.40, Sports Notes. 9.45, Radio Journal. 9.55, Aviation Weather Report and Police Notes. 10.0, Dance Music from the Oaza. 11.0 (approx.), Close Down. ZURICH.—See Schweizerischer Landessender.

mul. 6.30, See Warsaw. 9.40, Time Signal, Sports Notes and Police Report. 9.45, See Warsaw. 9.50, Announcements. 10.0, Dance Music relayed from the Café Esplanade. 11.50 (approx.), Close Down.

PRAGUE

488.6 metres; 120 kW.—3.10 p.m., See Brno. 3.55, Talk: *Estonia—Fifteen Years a Republic*. 4.5, Concert by the Ondrick Quartet. Trio for Strings in E Flat (Mozart); Trio for Strings in D (Beethoven). 5.5, Agricultural Report. 5.15, Talk for Workers. 5.25, News in German. 5.30, Saxophone Solos by Vilem Fleischiants, Berceuse de Jocelyn (Godard); Concert Waltz, Fata Morgana (Pelikan); *Liebesleid* (Kreiser). 5.45, Military Band Concert: *March* (Uhlir); Overture, *La clemenza di Tito* (Mozart); *Fantastic Polonaise* (Suk); Selection from *The Huguenots* (Meyerbeer); Introduction to the Third Act of *The Devil and Kate* (Dvorák); *Fantasia on The Swan Lake* (Tchaikovsky-Uhlir); *Dance of the Pygmies* (Oberthor); Ballet Music from *The Bartered Bride* (Smetana). 6.45, News. 6.55, Talk on the following Transmission. 7.15, Act II of *Siegfried*—Opera (Wagner), relayed from the German Theatre. In the interval at 8.0, Time Signal. 8.30, News. 8.40, Running Commentary on the International Ice Hockey Championship, relayed from the Winter Stadium. 8.45, Talk on the following Transmission. 8.55, Act III of *Siegfried*, from the German Theatre. In the interval at 9.0, Time Signal. 10.5, Running Commentary on the International Ice Hockey Championship, relayed from the Winter Stadium. 10.15, Close Down.

RADIO-SUISSE ROMANDE

SOTTENS, 403 metres; 25 kW.; LAUSANNE, 680 metres; and GENEVA, 760 metres.—6.15 p.m. (from Geneva), Talk: *The Work of the League of Nations*. 6.33 (from Lausanne), Lesson for Young Composers. 7.0 (from Lausanne), Orchestral Concert, relayed from Le Métropole Bel-Air. 7.30 (from Lausanne), Extracts from *Henriette* (Morax and Dorot). 8.10 (from Lausanne), Reading (Peitrequin). 8.20 (from Lausanne), Concerto da Camera for Pianoforte and String Quartet (Stieflin-Vallon). Soloist: Yvonne Gamboni (Pianoforte). 9.0, News and Weather. 9.15 (approx.), Close Down.

RIGA

525 metres; 15 kW.—4.40 p.m., Wind Instrument Concert. 5.40, Latvian Lesson. 6.10, Weather Report. 6.15, Estonian National Festival Concert. Addresses by M. A. Alherings and Prof. A. Piips. Music by a Students' Choir. Soloists: Milvi Laid (Songs), Jutta Kipasts (Pianoforte), and Nikolajs Vaislievs (Tenor). In the interval at 7.0, News. After the concert, Programme of Variety Music. 9.30 (approx.), Close Down.

RJUKAN.—See Oslo.

ROME

Call 1RO, 441 metres; 50 kW. Relayed by Naples, 319 metres; and 2RO, 25.4 metres.—7.0 a.m., Gymnastics. 7.15 to 7.30, Giornale Radio and Announcements. 7.30, Weather and Light Music on Gramophone Records. 12.0 Noon, Time and Announcements. 12.2 to 1.15 p.m., Orchestral Concert. In the interval from 12.30 to 12.45, Giornale Radio and Exchange. 3.0, Concert by the Calvet Quartet, relayed from the Santa Cecilia Royal Academy. 6.10 (Naples), Shipping and Sports Notes. 6.15, Agricultural and Dopolavoro Notes. 6.20, Giornale Radio and Light Music on Gramophone Records. 7.0, Time and Announcements. 7.5, Report of the International Institute of Agriculture (in Italian, French, English, German and Spanish). 7.30, Talk on Sport, followed by Sports Notes and Tourist Report. 7.45, Concert of Italian Music. Soloists: Emilio Livi (Tenor), Guglielmo Castello (Baritone), Largo (Milè); *La bottega del caffè* (Malipiero); Tenor Solos: (a) *Aria from Anima allegra* (Vittadini), (b) *Visione veneziana* (Brogi), (c) *Aria from La Favorita* (Donizetti), (d) *Stormy capricciosi* (Carnevali); Baritone Solos: *Nocturne* and *Monologue* from Christopher Columbus (Franchetti). 8.30, *Pesca notturna*—Comedy in One Act (Eduardo Grelia). 9.0, Extracts from *Marcella* (Giordano). 9.30 (approx.), Dance Music. 9.55 (in an interval), News. 10.30 (approx.), Close Down.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY (WGY), 379.5 metres; 50 kW. Relayed at intervals by W2XAF on 31.48 metres and by W2XAD on 19.56 metres.—7.30 p.m. to 12.15 a.m. (Saturday), New York Relay. 7.30, Three Shades of Blue—Male Trio. 7.45, Muted Strings. 8.0, Spross and Rice Sonata Recital. 8.15, Famous Loves—Dramatic Programme. 12 Midnight, Donald Novis (Tenor). 12.15 a.m., Stock Reports. 12.30 to 1.30, New York Relay. 12.30, Three Keys—Harmony Trio. 12.45, The Goldbergs. 1.0, Cities Service Concert. 1.30, WGY Farm Forum. 2.0, K7 Secret Service Spy Stories. 2.30, Pond's Programme—Leo Reisman's Orchestra. 3.0, Programme Resumé.

SCHWEIZERISCHER

LANDESENDER

BEROMUNSTER, 459 metres; 60 kW.; BASEL, 244.1 metres; and BERNE, 245.9 metres.—11.28 a.m., Time Signal from Neuchâtel Observatory. 11.30, Weather and News. 11.40, Concert by the Small Station Orchestra. 12.35 p.m., Weather and Exchange. 12.45 to 2.30, Interval. 2.30, Concert of Light Music by the Station Orchestra. 3.30 (from Zürich), Programme for Children. 4.0, Popular Music on Gramophone Records. 4.30, Weather. 4.35 to 5.30, Interval. 5.30 (from Berne), Talk by Christian Lerch: *My Experiences as a Swiss Emigrant to Canada*. 6.0, Time, Weather, Market Prices, Tourist Talk and Sports Notes. 6.20 (from Berne), Popular Concert. 6.45 (from Zürich), Song Recital by Lucie Bredschneider (Soprano). 8.30, Weather and News. 8.40 (from Zürich), Concert by Marek Weber and his Orchestra, relayed from the Grand Café Sihlporte. 9.15 (approx.), Close Down.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SASA, 436 metres; 55 kW. Relayed by Boden, 1,229.5 metres; Göteborg, 322 metres; Hörby, 257 metres; Motala, 1,348 metres; Östersund, 770 metres; and Sundsvall, 542 metres.—4.5 p.m., Boy Scouts' Report. 4.25 (from Göteborg), Provincial Programme. 5.0, Popular Music on Gramophone Records. 5.55, Legal Talk. 6.15, Weather and News. 6.30, Talk. 6.45, Recital of Scandinavian Songs by Marianne Möner. 7.15, An American Tragedy—Play (Patrick Kearney, after the Novel by Theodore Dreiser). 8.45, Weather and News. 9.0, Orchestral Concert: *Petite suite de concert* (Coleridge-Taylor); *An den Frühling* (Grieg); *Waltz, I sommarnatt* (Söderström); *Two Old Dances* (Moszkowski); *Tango from The Three Musketeers*; *Söderman-Mosaik* (Rudolf); *Passadoble*, *Saragossa* (de Gredos). 10.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW.—11.30 a.m., Gramophone Concert of Popular Music. 12.45 p.m., News. 1.0, Time and Exchange. 1.5, Orchestral Concert, conducted by Maurice de Villers: *Suite Carnavalesque* (Fraeisch-Thomé); Overture, *Paraphrase III* (Suppé); *Waltz, La Barcarolle* (Waldteufel); Selection from *Paganini* (Lehar). 2.0 to 4.45, Interval. 4.45, Literary Talk in French. 5.0, Orchestral Concert of Jazz Music, conducted by Roskam: *One Step, Marching along together*; *Foxtrot, You're telling me*; *Foxtrot, Let's put out the Light*; *Waltz, Little Spanish Villa by the Sea*; *Foxtrot, Roses at Dawning*; *Foxtrot, Wherever you are*; *Sag' mir nicht Nein, sag' mir Veilicht*; *Foxtrot, Never sweat a Fly*; *Foxtrot, Waltz, Très jolie* (Waldteufel); *Foxtrot, Lost Lover*; *Foxtrot, How deep is the Ocean*; *Tango, Al mio villaggio* (Iaggia (Bochmann)); *Foxtrot, Madeline*; *Foxtrot, That babe is stuck on me*; *One Step, You're the one*. 6.0, Trio Concert, relayed from Lille (265.4 metres). 7.0, Topical Talk in German. 7.15, Talk in French: *The Modern House*. 7.30, Time and News. 7.45, Stravinsky Music on Gramophone Records: *Capriccio for Pianoforte and Orchestra*; Selection from *The Fire Bird*. 8.25, Lottery Results. 8.30, Ronsard-Verlaine Evening relayed from the Hector-Berlioz Hall. Soloist: Gabrielle Gills (Songs), with Maurice Franck at the Pianoforte and Jacques Copeau (Recitations). Part I—Ronsard: *Recitation of Sonnets and Songs*; 1.0 *Atribuns* (Poulenc). (b) *Le tombeau* (Poulenc). (c) *A son page* (Poulenc). (d) *Chanson* (Honegger). (e) *Doux fut le trait* (Caplet). (f) *Ronsard à son âme* (Ravel). Part II—Verlaine: *Airs* (Fauré); (a) *Spleen*, (b) *En sourdine*, (c) *Prison*, (d) *Mandoline*; *Recitation, Sagresse*; (Songs) (Debussy); (a) *Cher de lune*, (b) *L'échouement des haies*, (c) *Extase*, (d) *Mandoline*; *Recitations*. 10.30 (approx.), Close Down.

STUTTGART

MUHLACKER, 360.5 metres, 60 kW.; and FREIBURG, 570 metres.—12.30 p.m., Concert from Langenberg. 1.0, Sponsored Gramophone Concert. 1.30 to 2.0, Advanced English Lesson. 4.0, See Frankfurt. 4.50, Time, Weather and Market Prices. 5.0, Talk for the Amateur Photographer. 5.25, Medical Talk. 5.50 (from Karlsruhe), Talk on Sunday Rambling. 6.0, Time and News. 6.10, Ballads and Songs by Löwe and Hermann—a Recital by Karl Yeutsch. 6.30 Upper-Bavarian Humour. 6.50, Concert of Swabian Peasant Dances, by Members of the Station Orchestra, conducted by Gustav Görlich. 7.15 (from Mannheim), Dialogue: *People and their Callings*—The Press Stenographer. 7.30, *Fatinitza*—Comic Opera in Three Acts (Suppé). 9.10, Time, News, Weather, Snow Report. Programme Announcements and Sports Notes. 9.40, Dance Music on Gramophone Records. 10.0, Gustav Meyrink Programme, relayed from the Ufa Palast: *Angst*—from the Novel *Der Golem*, with Music by Wilhelm Locks; *Der Fluch der Kröte*—Melodrama (Music by Arnold Winternitz). 10.30 Dance Music on Gramophone Records. 11.0 (approx.), Close Down. SUNDSVALL.—See Stockholm.

Ingjeborg Gresvik (Pianoforte). Pianoforte Concerto No. 2 in C Minor (Rachmaninov); *Elegy and Musette* from King Christian (Sibelius); Spanish Caprice (Rimsky-Korsakov); Overture, 1812 (Tchaikovsky). 8.30, Agricultural Notes, Weather and News. 9.0, Topical Talk. 9.15, Recitations by Helge Ktoth. 9.45 (approx.), Close Down. ÖSTERSUND.—See Stockholm.

PALERMO

542 metres; 3 kW.—7.0 p.m., Dopolavoro Notes, Tourist Talk, Agricultural Report. Report of the Royal Geographical Society and Giornale Radio. 7.20, Variety Music. 7.30 (in an interval), Time Signal and Announcements. 7.45, Rigoketto—Opera in Four Acts (Verdi), on Gramophone Records. In the intervals, Talk and Literary News. 9.55, News Bulletin.

PARIS

EIFFEL TOWER. Call FLE, 1,445.7 metres; 13 kW. Time Signals (on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and 6-dot Signals). 5.45 p.m., Le Journal Parlé. 7.20, Weather Report. 7.30, Concert of Sea Music, conducted by Edouard Flametti; Overture, *Meerstücke und glückliche Fahr* (Mendelssohn); *Symphonic Poem, Sur la mer lointaine* (Moréau); *Sea Pieces* (MacDowell); *Piece* (Nerini); *Rafales sur l'Océan* (Flametti); *En yacht le soir* (Schmitt); *Un bruit de rames* (Février); *Chants de matelots* (de Sévécac). 8.15, News Bulletin. 8.30, Musical and Literary Programme for Young People. 9.0 (approx.), Close Down.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW.—6.45 p.m., Journal Parlé. 7.0, Gramophone Concert of Light Music. 8.0, Talk on Music. 8.15, Interval. 8.30, Operetta Music (Pianquette) by the Station Symphony Orchestra. 10.30, News.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW.—6.45 a.m., Physical Culture, 7.30, Weather and Physical Culture (cont'd). 7.45, Probable Relay of the Test Match from Australia. 8.0, Press Review and Weather. 8.30, Test Match Relay (cont'd). 8.45 to 12.0 Noon, Interval. 12.0, Jewish Address. 12.30 p.m., Concert by the Kretzly Orchestra: *Jupiter Symphony* (Mozart); *Jubel-Ouverture* (Weber); *Kinderszenen* (Schumann); *Violin Solo, Berceuse* (Brahms); *Pastorale* (Franck); *Allegro* from a Quintet (Schumann); *La torré bleue* (Aubert); *The Garden of Eden* (Silver); *L'entant et les sortilèges* (Ravel). In the interval at 1.0 p.m., Exchange, News, and Weather, and at 1.30, Exchange. 2.0, Exchange. 3.45, Exchange and Market Prices. 4.30, Advanced English Lesson. 4.50 to 6.10, Interval. 6.10, Agricultural Talk. 6.30, Market Prices, Weather and Agricultural Notes. 6.35, Suite, *Par tous Pays* (Lacôme). 6.50, Insurance Report. 7.0, Talk on Economics. 7.20, Concert by the Kretzly Orchestra: *Melody* (Caudiodo); *Lu Do, La Do* (Guejlo); *Musical Sketch* (Chevallier); *Four Pieces* (Steek); *Chasse joyeuse* (Dyck). 7.45, Commercial Prices and News. 8.0, Readings. 8.30, News and Weather. 8.40, Gastronomic Review. 8.45, Chamber Music: Soloists, Alys Lautemann (Harp) and Serge Tenenbaum (Violin); Quartet in C, No. 2 (Haydn); *Harp Solos* (Tourneur); (a) *La Volière magique*, (b) *Cloches sous la Leige*, (c) *La Danse du Monjlik*; *Violin Solos*: (a) *Grave* (Friedemann-Bach), (b) *Nina* (Falla), (c) *Jota* (Falla); *Quintet* (Novak). 9.15, Press Review and News.

PITTSBURGH

WESTINGHOUSE ELECTRIC (KDKA), 306 metres; 25 kW. Relayed by W8XK on 48.86 metres and 25.27 metres.—9.0 p.m., Work-a-Day Thoughts. 9.5, Business News. 9.15, S.A.I. Musicale (Carnegie Tech Chapter). 9.30, Weather Report. 9.32, Market Reports. 9.45, Pianoforte Interlude. 9.50, David Lawrence Dispatch. 9.55, KDKA Artist Bulletin. 9.58, Programme Announcements. 10.0, Muskingum College Music Clubs. 10.30 to 11.15, New York Relay. 10.30, The Singing Lady. 10.45, Little Orphan Annie. 11.0, Our Daily Food, by George Rector and Judge Gordon. 11.15, Time Signal. 11.16, Weather Report. 11.17, Teaberry Sport Review. 11.22, Press News Reeler. 11.27, Strange Facts. 11.29, Temperature Report. 11.30, KDKA Orchestra. 11.45 to 3.15 a.m. (Saturday), New York Relay. 11.45, To-day's News by Lowell Thomas. 12 Midnight, Pepsodent Amos 'n' Andy. 12.15 a.m., Hilda Burke (Soprano). 12.30, Five Star Theatre—Charlie Chan. 1.0, Nestlé's Programme. 1.30, Time Signal and Adventures in Health. 1.45, Howard Thurston, the Magician. 2.0, The First Nighter. 2.30, Armour Programme. 3.0, Alice Joy with Rollickers. 3.15, Westinghouse Pioneers. 3.30, Bridge School of the Air by E. Hall Downes. 3.45, Bradley Kincaid. 4.0, Time Signal. 4.1, Teaberry Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.13, KDKA Artist Bulletin. 4.15, Press Last Minute News Flashes. 4.20, Cora Williams Hines (Contralto). 4.30, Henry Halstead and his Californians. 5.0, Cotton Club Orchestra, from New York. 5.30, Time Signal and Good-night.

PORSGRUND.—See Oslo.

POZNAN

335 metres; 1.0 kW.—6.5 p.m., Miscellaneous Items and Announcements. 6.28, Time Sig-

ATHLONE

413 metres; 60 kW.; and CORK, 224.4 metres. 1.30 to 2.0 p.m., Time Signal, Weather Report, Stock Report, and Light Music on Gramophone Records. 2.45, Running Commentary on the International Rugby Match, Ireland v. Scotland, relayed from Lansdowne Road, Dublin. 4.30 (approx.) to 7.20, Interval. 7.20, News Bulletin. 7.30, Time Signal. 7.31, Talk by Thomas Shaw: Allotments. 7.45, Gaelic Talk. 8.0, The Arcadians—Operetta (Monckton and Talbot), by the Station Orchestra, the Station Opera Chorus, and Principals. Conductor, Dr. Vincent O'Brien. 10.30, Time Signal, News, Weather Report, and Close Down.

BARCELONA

RADIO BARCELONA, Call EA31, 348.8 metres; 8 kW.—6.0 p.m., Programme for Children. 7.0, Request Gramophone Concert. 7.30, Exchange Quotations and Catalan Grammar Lesson. 8.0, Light Music on Gramophone Records, followed by News Bulletin. 9.0, Chimes from the Cathedral, Weather Forecast, Exchange Quotations, and Market Prices. 9.5, Concert by the Station Orchestra: Military March (Dalcroze); Selection from El Barquillero (Chapi); Waltz, Was Blumen traumen (Translatour); Angelus (Debussy); Melody from Parsifal (Wagner); Song and Wedding March (Pahisa). 10.0 Astronomical Talk. 10.15, Concert by a Municipal Orchestra: Largo and Scherzo from Sonata No. 2 (Beethoven); Ochsenschmetz (Haydn); Selection from Tannhäuser (Wagner); Gavotte (Duran); Spanish Serenade (Espí); Orientale (Santos); Sardana, La Santa Espina (Aforera). 11.0, News Bulletin, followed by Sextet Concert, relayed from the Granja Royal. 12 Midnight (approx.), Close Down.

BARI

269.8 metres; 20 kW.—7.0 p.m., Agricultural Report, Tourist Talk and Dopolavoro Notes. 7.20, Giornale Radio and Weather Forecast. 7.30, Time Signal and Announcements. 7.35, Military Band Concert, conducted by Salvatore Rubino: Selection from Il Guarany (Gomez); Hymn to the Sun and Selection from Iris (Mascagni); Suite in Three Movements from Sigurd Jorsalfar (Grieg); Selection from Act I of William Tell (Rossini); Bolero for Clarinet (Bléniant); Marcia de Decennale (Marincola). In the interval: Talk. 9.30, Concert, relayed from the Gran Cañe del Levante. 9.55, News Bulletin.

BASLE.—See Schweizerischer Landessender.

BELGRADE

430.4 metres; 2.8 kW.—6.0 p.m., Wireless Notes. 6.30, Variety Music on Gramophone Records. 6.50, Talk on the following Transmission. 7.0, Relay from the Zagreb National Theatre. In the interval at 8.30, News. After the relay, Dance Music on Gramophone Records.

BERLIN

KONIGS WUSTERHAUSEN; 1,635 metres; 60 kW.—12.35 p.m., News Bulletin. 1.0, Gramophone Concert from Berlin (Witzleben). 2.0, Programme for Children—the Carnival Procession in Cologne. 2.30, Weather and Exchange. 2.45, Reading, Der Geistesblick (Otto Baron von Taube). 3.0, Talk by D. Seeliger. 3.30, See Hamburg. 4.10, Review of the Week. 5.0, Chamber Music. New Songs of Africa and America. Recital by Rolf Ghatberg. Three Songs (Kurt Fahlen): (a) Vor uns biegt Morgen, (b) Angst, (c) Auch ich bin Amerika. Three Songs (Béla Remitz): (a) Lied aus Island, (b) Weisser Bruder, was wirst du sagen? (c) Schatten über Harlem. Three Songs (Wilhelm Gross): (a) Lied der Baumwollpflucker, (b) Das neue Kabarettmüdel, (c) Schnaps-Mary. Two Songs (Rudolf Holzmann): (a) Nachtklub Harlem, (b) Meiner! 5.30, Dialogue, with Illustrations on Problems of the Art of Singing. 5.55, Weather and Announcements. 6.0, The Quiet Hour—North German Reflections. 6.30, A Poem 6.35, Violin Recital by Lisa Minghetti: La folia (Corelli); Melody (Glück-Kreiser); Allegro (Fiorco); Larghetto (Nardini); Theme, with Variations (Tartini-Kreiser). 7.0, See Langenberg. 9.0, Weather, News, and Sports Notes. 9.45, Weather Report for Shipping. 10.0, Dance Music from Berlin (Witzleben). 11.0 (approx.), Close Down.

BERLIN

WITZLEBEN, 419.5 metres; 1.5 kW.—3.0 p.m., Concert, arranged by the German Composers' Society, relayed from the Clou Konzerthaus; Conductor: Hermann Münnecker: Kyllhäuser—Marsch (Pfeuffer); Heitere Ouvertüre (Friedl-René); Suite, Von Felsen und Tal (Juel-Frederiksen); Romance (Fresco); Waltz Fantasia, Die drei vom Ballet (Köhler); Selection from The Lady of the Rose (Gilbert); Variété-Suite in Four Movements (Königsberger); Waltz, Dame in Braun (Rohrecht); Selection from Glückliche Reise (Künneke); In den Zelten (Raasch); Eine Kleinbahnfahrt (Rathke); Strassenlärm—Marsch (Bernards). 5.0, Talk: The Present Position of the Intellectual Worker. 5.25, Pianoforte Trio in C Minor, Op. 101 (Brahms), by Dr. Hanns Rühr (Pianoforte), Hedwig Fassbaender (Violin), and Ludwig Fassbaender (Cello). 5.55, The Witzleben Station informs its Listeners 6.0, Topical Talk. 6.10,

SATURDAY

FEBRUARY THE TWENTY-FIFTH

PRINCIPAL EVENTS OF THE DAY:

	AT HOME
NATIONAL	Ireland v. Scotland: A running commentary on the International Rugby Football Match, relayed from Dublin. Recital of gramophone records. Vaudeville programme. "Old Favourites," dance programme.
LONDON REGIONAL	Mr. S. P. B. Mais: "The Week-End." Royal Air Force Band concert. Orchestral concert. Chamber music.
MIDLAND REGIONAL	"Clebury Mortimer and Ludlow," by Catherine Constable. Dance music. Organ recital. Orchestral concert.
NORTH REGIONAL	"Beckside Chronicles," by Zachariah Briggs. Promenade concert from Philharmonic Hall, Liverpool.
WEST REGIONAL	Mr. Rhys Phillips: "A Visit to Glyn Nedd." Orchestral concert from National Museum of Wales. Choral concert, relayed from Colston Hall, Bristol. "A Stitch in Time," an appeal for co-operation.
SCOTTISH REGIONAL	Eye-witness account of Scottish League Match: Rangers v. Dundee. Orchestral concert. Mr. George Blake: "The Week in Scotland."
BELFAST	Ireland v. Scotland, a running commentary on the International Football Match. Light programme of gramophone records. Orchestral concert, relayed from Ulster Hall.
	ABROAD
ATHLONE BERO-MUNSTER	"The Arcadians" operetta, by Monckton and Talbot. The Basle Music Society, conducted by Felix Wein-gartner.

From Fair to Fair—Report on the Berlin Weekly Markets. 7.0, All about Carnival—a Variety Programme. 9.0, Weather, News, and Sports Notes. 9.15 (approx.), Dance Music, relayed from the Marmorsaal in the Zoo. 11.30 (approx.), Close Down.

BERNE.—See Schweizerischer Landessender.

BERGMUNSTER.—See Schweizerischer Landessender.

BODEN.—See Stockholm.

BODD.—See Oslo.

BORDEAUX-LAFAYETTE

304 metres; 13 kW.—7.40 p.m., Sports Notes. 7.45, Light Music on Gramophone Records. 8.0, News, Exchange Quotations, Market Prices, and Lottery Results. 8.5, English Lesson. 8.20, News Bulletin and Weather Forecast. 8.30, Popular Music on Gramophone Records. 9.0, Concert of Operetta Music, by a Symphony Orchestra and Soloists.

BRATISLAVA

279 metres; 11 kW.—3.10 p.m., Concert by the Station Orchestra, conducted by Josef Odchazel. 4.10, See Prague. 4.20, Light Music on Gramophone Records. 4.50, Talk. 5.5, See Prague. 5.25, Popular Music on Gramophone Records. 5.45, Talk for Housewives. 6.0, See Prague. 6.25, Light Orchestral Concert. 7.0, An Operetta in One Act (Rudolf Bial). 8.30, See Prague. 10.30 (approx.), Close Down.

BREMEN.—See Hamburg.

BRESLAU

325 metres; 60 kW.; and GLEIWITZ, 253 metres.—12.10 p.m., Gramophone Concert of Popular Music. 12.45, Time, Weather, News and Exchange. 1.5, Gramophone Concert. 1.45, Sponsored Programme on Gramophone Records. 2.10, Agricultural Prices. 2.40, Film Review of the Week. 3.0, Talk: Valerno. 3.30, See Hamburg. 4.30, Book Review. 4.50, Talk on Enrico Caruso, with Gramophone Illustrations. 5.20, Talk: The Public Monuments in Silesia. 5.50, From the Minuet to the Foxtrot—Dance Music on Gramophone Records. In an interval at 6.30 (approx.), Weather Forecast. 7.0, Topical Programme (to be announced). 7.30, Flucht ins Grüne—Radio Play (Wilhelm Kraemer) with Incidental Music by Karl Sezuka. 9.0, Time, Weather, News, Sports Notes and Programme Announcements. 9.30, Dance Music from Berlin (Witzleben). 11.0 (approx.), Close Down.

BRNO

342 metres; 25 kW.—3.10 p.m., See Bratislava. 4.10, Story Reading. 4.20, See Prague. 4.50, Esperanto Lesson. 5.0, Theatre and Film Review. 5.15, See Prague. 5.25, German Transmission: News, followed by Concert.

6.0, See Prague. 6.10, Reading. 6.25, See Bratislava. 8.30, See Prague. 10.30 (approx.), Close Down.

BRUSSELS (No. 1)

I.N.R., 509 metres; 15 kW.—12 Noon, Concert relayed from the Grand Hotel, Antwerp. Conductor: André Felleman. Soloist: Antoine Honemann (Cello). 1.0 p.m., Journal Parlé. 1.10, Concert by the Small Station Orchestra, conducted by P. Lecmans. Soloist: M. Douliez (Pianoforte). 5.0, Concert by the Radio Orchestra, conducted by Charles Walpot. Soloist: M. Demessemaeker (Clarinet). Unie-marche (Walpot); Waltz, Erinnerung an Josef Strauss (Fahrbach); Festival Overture (Leutner); Selection from Cavalleria rusticana (Mascagni); Campana a Sera (Billi); Concertino for Clarinet (Weber); Spanish Spite, La Feria (Lacôme). 6.0, Medical Talk. 6.15, Gramophone Concert: Symphonic Variations (Böhlmann); La source (Zabel); Carolina Moon (Davis). 6.30, Concert by the Small Station Orchestra, conducted by P. Lecmans. Soloists: M. Douliez (Pianoforte) and Mme. Mazo (Songs). Oriental March (Ross); Petite suite (Büsser); Etudes for Pianoforte (Dupuis); Erotica (Grieg); Ich liebe dich (Grieg); Songs: (a) Invitation au voyage (Dupare), (b) Song (Brahms), (c) The Soldier's Wife (Rachmaninov), (d) La nuit (Wranzel); Berceuse (Gretchaninov); Suite Albanian (Kostal). 7.15, Talk: Modern Architecture. 7.30, Review of International Events. 8.0, Nocturne from the Quartet in D Minor (Borodin) on Gramophone Records. 8.5, Crépuscule (Twilight)—Radio Play (Georges Fay). 8.35, Concert by the Band of the First Regiment of Guides, conducted by Captain A. Prévost. After the Concert, Journal Parlé, followed by Concert relayed from the Ancienne Belgique. Conductor: M. Alexys.

BRUSSELS (No. 2)

N.I.R., 338.2 metres; 15 kW.—12 Noon, Programme in French.—12 Noon, Concert by the Small Station Orchestra, conducted by P. Lecmans. Soloist: M. Wigy (Violin). 1.0 p.m., Journal Parlé. 1.10, Concert relayed from the Grand Hotel, Antwerp. Conductor: André Felleman. 5.0, Concert by the Symphony Orchestra: Overture, Der Freischütz (Weber); First Suite from l'Arlésienne (Bizet); Carnaval à Paris (Svendens); Spanish Dances (Fallá); Juegas (Turina); Chasse fantastique (Guiraud). 6.0, Song Recital by M. Jochem. 6.15, Talk: Mars, its Canals and Inhabitants. 6.30, Gramophone Concert: Extracts from Symphony No. 7 (Beethoven); Air with Variations on a Swiss Theme (Mozart); Hungarian Rhapsody No. 2 (Liszt). 7.15, Talk: Children and their Reading. 7.30, Agricultural and Gardening Notes. 8.0, Student Programme. 9.0, Concert by the Symphony Orchestra, conducted by A. Meulemans. Soloist, Den Boer (Horn). Concerto for Horn and Orchestra (Mozart); Maros-

zsker Tánze (Kodaly); Antar (Rimsky-Korsakov); Overture, Tannhäuser (Wagner). 10.0, Journal Parlé. 10.10, Dance Music on Gramophone Records. 10.30, Concert by the Paul Moreaux Orchestra, relayed from the Menline Hall, Antwerp. 12 Midnight (approx.), Close Down.

BUCHAREST

394 metres; 12 kW.—4.0 p.m., Concert of Light Music and Romanian Music by the Sibiccano Orchestra. 5.0, News and Time Signal. 5.10, Talk. 5.25, Light Music (contd.). 6.0, Talk on Romania: Her Iron Deposits. 6.40, Light Music on Gramophone Records. 7.0, Time Signal. 7.1, Concert by the Station Orchestra: Parade of the Lead Soldiers (Jessel); Waltz potpourri (Rohrecht). 7.30, Talk. 7.45, Dance Music by M. Sibiccano (Pianoforte). 8.15, Concert by the Station Orchestra (contd.): Oriental Tango (Leopold); Stolz Potpourri (Dostal). 8.45, News Bulletin.

BUDAPEST

550 metres; 18.5 kW.—Programme also relayed on 840 metres from 5.45 p.m. (approx.) till Close Down. 5.45 p.m., Concert arranged by the Hungarian Music Lovers' Society. 6.45, Talk on the Theatre and Art. 7.15, Guessing Competition. 8.0, Talk on Foreign Affairs. 8.45, News Bulletin. 9.0, Concert of (Gigany Music from the Hotel Dunapalota. 10.0, Dance Music from the Hotel Dunapalota.

CASSEL.—See Frankfurt.

COPENHAGEN

281 metres; 0.75 kW.; and KALUND BORG, 1,153 metres; 7.5 kW.—11.0 a.m., Time Signal and Chimes from the Town Hall. 11.2, Concert by the A. Bendix String Ensemble, relayed from the Wivex Restaurant. 1.0 to 1.30, Interval. 1.30, Gramophone Concert: Alessandro Palestrina, Aria from Act I of Turandot (Vucini); Lotte Lehmann and Choir: German Folk Song, Es waren zwei Königskinder. Einar Larson: Sunday (Järnefelt). Bronislaw Huberman: Waltz in A (Brahms). Lucienne Boyer: Ne pas toujour (Léonir). Ernst Schöy: Original Tanguanilla (Schacher and Bazant). Potpourri: Uns kennt jeder (Borchert). 2.0, Programme for Children. 2.30, Concert by Louis Preis's Instrumental Ensemble. Soloist: Dagny Möller (Songs). March (Holzmann); Waltz, Idyll, Märchen aus dem Wienerwald (Axt); Serenade, A la solita (Guillem); Selection from Jadore a Christmas (May); Donna vorrei morir (Tosti); Buhküpchens Verlobung (Dicker); Pas-doble, Seville (Alfonso); Six Danish Songs, Potpourri, Ulfon-Bomben (Borchert); Plaisir d'amour (Martini); Swabian Peasant Waltz (Krone); Ballad (Winfield); Hungarian (Black); In Rothenburg on the Tauber (May); Pianoforte Novety (Steele). 4.40, Exchange and Fish Market Prices. 4.50, Talk. 5.20, Elementary French Lesson. 5.50, Weather and News. 6.15, Time Signal. 6.30, Talk. 7.0, Time Signal from the Town Hall. 7.1, Works of Literature in other Lands—a Programme of Readings. 7.25 to 11.0, Radio Ball for the Older Generation, Dance Music by the Station Orchestra, conducted by Launy Gründahl. Soloists: Ayeo Wilmsen and Hilda Bidrielsen (Songs) and Viktor Fischer (Pianoforte). Exhibition March (Fahrbach); Hesperus Waltz (Lumbye); Mazurka, The Zarina (Ganne); Polka-Mazurka, Die schöne Polin (Millöcker); Waltz, Unauwellen (Janovic); Midnight Polka, Waldtenfel; Four Songs; Hussar March (Lumbye); Polka Mazurka, La Neva (Metra); The Lancers (Mikol); Mirella (Munch-Lassen); Rhineland Polka; Gallop (Dahl); Pianoforte Solo: Waltz, Die Kosenden (Lanner). Quadrille from The Gipsy Baron (Joh. Strauss); Melody, Sophus Polka (Jensen); Aarhus Tatol (Müller). 9.50, News. 10.5, Reading. 10.20, Dance Music (contd.). March, Andreas Hofer (Fétras); Waltz, Moonlight in the Ulster (Fétras); Polka Mazurka, Fräuleinherz (Jos. Strauss); Sextet, Spanish Mazurka; Dream Waltz (Millöcker); Prestissimo Gallop (Waldtenfel). 11.0, Time Signal and Chimes from the Town Hall.

CORK.—See Athlone.

DANZIG.—See Heilsberg.

DRESDEN.—See Leipzig.

DUBLIN.—See Athlone.

FECAMP

223 metres; 10 kW.—12.00 Noon, Light Music on Gramophone Records. 12.30 p.m., News Bulletin. 12.45, Variety Concert. 6.0 to 7.0, Programme in English by the I.B.C. Danvers Walker, R. Chene, and B. McNamee announcing. 6.0, Concert for Folkstone Listeners: Music by an Accordion Band; Selection from Carmen (Bizet); C'est un Petit Nid (Eblinger); J'aime la musique (Parson); Selection from Congress Dances (Heymann); La Javanette (Bozi); Les has a pointes (Lefebvre); Selection from Faust (Gounod). 6.30, Concert for Thonet Listeners: Old Music Hall Memories. Song: Captain Ganjah; Jean, Jean from Aber-Aberdon; The Man who broke the Bank at Monte Carlo; The Galloping Major; When Father opened the Parlour; Two Lovely Black Eyes; More Old Music Hall Memories. 7.0, Local News. 7.15, Popular Music on Gramophone Records. 7.30, Radio Gazette. 8.0, The Listeners' Half-hour. 8.30, News. 8.45, Violin and Pianoforte Recital by M. Hème and M. Palier.

FEB. 25th

SATURDAY

continued

Langenberg. 9.0, Weather, News and Sports Notes. 9.15, See **Langenberg.** 10.30 (from **Danzig**). Dance Music from the **Danzig Radio-Redoute.** 11.30 (approx.), Close Down.

HILVERSUM

Announced **HUIZEN**, 296.1 metres; 20 kW. (7 kW. up to 4.40 p.m.).—Programme of the Catholic Radio Society (K.R.O.). 11.55 a.m., Orchestral Concert, conducted by Woud. 1.25 p.m., Interval. 1.40, Programme for Young People. 2.10, Programme for Children. 3.40, Light Music on Gramophone Records. 4.55, News in Esperanto. 5.10, Concert by the K.R.O. Boys, with M. J. Mossel (Songs); *March, Macht Platz der Jugend (Leopoldi); Im Schwarzwald steht ein Mühlrad (Rust); Du schwarzer Zigeuner (Wacek); Hochzeitsreigen (Lincke); Potpourri, Notenregen (Urbach); Das war herrlich (Benatzky); A Bedtime Story (Nicholls); I don't want to go to bed (Lupino).* 6.0, Press Review. 6.20, Concert by the K.R.O. Boys (contd.); *Ins blaue Leben (Erwin); Einfach fabelhaft (Dostal); Blonde Natascha (Markusch); Georgia on my Mind (Gorell); March Fox-trot (Wilezysky).* 6.50, Talk. 7.10, Police Notes. 7.25, Sports Notes. 7.40, Concert by the De Geniemuziek Orchestra, the Marcato Children's Symphony Orchestra and a Saxophone Quartet; *March, Die Regiment-kinder (Fueck); Overture, Le Domino noir (Auber); Waltz, España (Waldteufel); Children's Symphony (Haydn); Ballet Scene (Blériot); Quartet: (a) Pontifical March (Gounod), (b) Minuet (Bolzano), (c) Londonderry Air (Briegleb), (d) Cathedral Echoes (Briegleb); Light Music on Gramophone Records; Orchestra: *Erratic Rhythm (Packay); (b) Just a Dancing Sweetheart (Rose-Solman); (c) Hungarian Dance (Hager); (d) Habanera (Chwal); Children's Orchestra: (a) Ständchen (Haydn); (b) March from Judas Macabaeus (Handel); (c) Selection from Der Freischütz (Weber); (d) The Skaters (Waldteufel); (e) March, Sambre et Meuse (Rau-sky); March (Epp).* In an interval at 8.20 (approx.). News. 10.10, Light Music on Gramophone Records. 10.40 (in an interval), News.*

HORBY.—See **Stockholm.**

HUIZEN

Announced **HILVERSUM**, 1,875 metres; 5.5 kW.—11.40 a.m. till Close Down, Programme of the Workers' Radio Society (V.A.R.A.). 11.40 a.m., Concert by the Little V.A.R.A. Orchestra, conducted by P. Duchant. 1.55, Light Music on Gramophone Records. 3.0, Concert by the V.A.R.A. Mandoline Orchestra, conducted by J. B. Kok. Polonaise (Pini); Two Pieces (Mendelssohn); Gramophone Records; *La Lettre de Manon (Gillet); Estudiantina (Waldteufel); Gramophone Records; The Isle of Golden Dreams (Blaufuss); Nobody's Sweetheart (Kahn); Fortuna (Siede).* 3.40, Talk. 4.0, Concert, conducted by P. Tiggers. 4.40, Concert by the V.A.R.A. Children's Choir, conducted by Mlle. Leida Hulscher. Gramophone Records in the intervals. 5.20, Literary Talk. 5.40, Frisian Programme. 6.40, Talk. 7.10, Darum lacht Mona Lisa—Operetta Miniature (Vries). 7.25, S.O.S. Messages. 7.30, Variety Programme by De Filiofilleters, conducted by Hugo de Groot; *The Village Barber, E. Philippe (Songs); A. de Booy (Songs); The Van Toorn Brothers (Accordion Trio); J. Jong (Organ); A. de Vries (Recitations); and L. Davids.* 10.40, News Bulletin. 10.50, Popular Music on Gramophone Records. 11.40 (approx.), Close Down.

INNSBRUCK.—See **Vienna.**

KALUNDBORG.—See **Copenhagen.**

KAUNAS

1,935 metres; 7 kW.—5.40 p.m., Variety Programme. 6.0, Time, Weather and News. 6.30, Concert. 7.10, Talk: South-Eastern Lithuania. 7.30, Dance Music. 8.30, Sports Notes. 8.40, Concert. 9.30 (approx.), Close Down.

KIEL.—See **Hamburg.**

KLAGENFURT.—See **Vienna.**

KOSICE.—See **Prague.**

LAHTI

1,796 metres; 40 kW.; and **HELSINKI**, 368.1 metres.—5.40 p.m., Orchestral Concert. 6.15, Talk. 6.40, Dance Music. 7.0, Song Recital by Oiva Taimi. 7.15, Dance Music (contd.). 7.45, News in Finnish and Swedish. 8.15, Dance Music relayed from the Grand Restaurant. 10.0 (approx.), Close Down.

LANGENBERG

473 metres; 60 kW.—12 Noon, Concert, conducted by Wolf; *Festival March from the Queen of Sheba (Gounod); Waltz, Les fleurs (Waldteufel); Overture, The Merry Wives of Windsor (Nicolaï); International Suite (Chlaikovsky); Weber Potpourri (Urbach); Old and New Waltzes (Robrecht); Selection from The Circus Princess (Kalmán); March, Deutschlands Heldensöhne (Dirksen).* In the interval at 1.0 p.m., News. 1.35, Popular

Music on Gramophone Records. 2.30, Economic Notes and Time. 2.50, The Sleeping Beauty—A Musical Fairy Play for Children. 3.10, Talk: Beasts and Birds of Prey in Winter. 3.30, English Reading. 4.0, Vienna and the Waltz—Concert by Kläre Hansen (Soprano), Leonarolo Aramesco (Tenor), and the West German Chamber Orchestra, conducted by Spitz. 5.20, Talk: Women who have mastered their Fate. 5.45, Weather, Time, Economic Notes, and Sports Report. 6.0, Talk: German Landscape and German Art. 6.20, Recitations. 6.30, Talk: Manual Workers in Factories. 6.55, News. 7.0, A Hundred and Eleven Years of Carnival—Concert by a Wind Instrument Orchestra, conducted by Hermann Schmidt, Prof. Willh. Schneider-Clauss, Willi Ostermann, Gerhard Ebel, August Batzmann, Alfred Heinen, Karl Küppers, Jean Schlösser, and Mathieu Rang. 9.0, News and Sports Results. 9.15, Relay of the Carnival Assembly of the Düsseldorf Carnival Society from the Tonhalle, Düsseldorf. 10.30, Dance Music relayed from London. 12 Midnight, Close Down.

LAUSANNE.—See **Radio-Suisse Romande.**

LEIPZIG

389.6 metres; 120 kW.; and **DRESDEN**, 319 metres.—12.15 p.m., Gramophone Concert, Edith Lorand and her Hungarian Orchestra; (a) Hungarian Song, Flowers for Whitsun (Kokay), (b) The Turtle Dove (Kondor), (c) Grüne Fenster im kleinen Haus; Irene Harlden and his Dance Band; (a) Waltz, Neapolitan Nights (Zamecnik), (b) Midnight Waltz (Anadiro); Idion Parade; Overture, Gipsy Love (Lehar); Edith Lorand and her Orchestra; *Vivat Hungaria (Kalmán); Four Airs from Marion das gehört sich nicht (Stranisky); The Krystal Orchestra: With Song and Wine (Armandola); Theo Braun (Xylophone); (a) The Match Parade (Wehle), (b) Song of Happiness (Nicholls); Frank Sandler's Orchestra: Vibraphone Waltz (Löhner), followed by Exchange Quotations. 1.0, Wireless Notes. 1.30, Programme for Children. 2.15, Chess Lesson. 2.45, Economic Notes. 3.0 to 3.15, Music Notes. 3.30, See **Berlin (Witzleben).** 5.0, Legal Talk. 5.30, German for Germans. 5.50, A Modern Dictionary. 6.0, Talk: The Centenary of Count von Schlieffen. 6.20, Brahms Recital by Prof. Walter Rehberg. Sonata in F Minor, Op. 5; Intermezzo in E Flat Minor, Op. 118; Ballade in G Minor, Op. 118. 7.0, Programme from **Langenberg**, followed by Dance Music. 11.0 (approx.), Close Down.*

LINZ.—See **Vienna.**

LJUBLJANA

574.7 metres; 2.5 kW.—4.30 p.m., Quintet Concert. 5.30, English Lesson. 6.0, Talk on Sociology. 6.30, Talk: The History of Philosophy. 7.0, Orchestral Concert. 8.0, Recital of Songs. 8.30, Quintet Concert. 9.0, Time, News, and Programme of Light Music.

LYONS

LA DOUA, 465.8 metres; 1.5 kW.—7.0 p.m., Concert; *Mon rêve (Waldteufel); Melody (Ziehrer); Tango della gelosia (Mascheroni); Canto vagabondo (Simonetti); Selection from The Tales of Hoffmann (Offenbach); La bonne Auberge (Jaboune).* 7.30, Radio gazette for Lyons and the South-East. 8.30, International Gala Concert, relayed from the Salle Rameau. News after the Programme.

MADRID

ARANJUEZ (EAQ); 30.43 metres; 20 kW.—6.0 to 8.0 p.m., Programme for Listeners in Europe, the Canary Islands, Guinea, and America. 6.0, Concert of Popular Music. 7.15, Talk. 7.30, Dance Music. 8.0 to 10.30, Interval. 10.30, Variety Concert. 10.45, Radio Chronicle. 11.0, Variety Concert (contd.). 11.35, Talk. 11.40, Light Music. 12 Midnight (approx.), Close Down.

MADRID

UNION RADIO, Call **EAJ7**, 424.3 metres; 2 kW.—7.0 p.m., Chimes, Exchange and Request Gramophone Records. 7.30 (in the interval), Talk on the Co-operative Movement. 8.15, News Bulletin. 8.30 to 9.0, Interval. 9.0, English Lesson by the Linguaphone Method. 9.30, Chimes, Time and Transmission of a Musical Comedy. 11.45, News Bulletin. 12 Midnight, Chimes and Close Down.

MALMO.—See **Stockholm.**

MILAN.—See **Turin.**

MORAVSKA-OSTRAVA

263.8 metres; 11 kW.—3.10 p.m., See **Bratislava.** 4.10, See **Prague.** 4.50, See **Brno.** 5.0, Talk. 5.15, See **Prague.** 5.25, Brass Band Concert by Unemployed Musicians; Conductor, V. Cerny. 6.0, See **Prague.** 6.25, See **Bratislava.** 8.30, See **Prague.** 10.30 (approx.), Close Down.

MOSCOW

TRADES UNION, 1,304 metres; 100 kW.—4.0 p.m., News. 4.10, Announcements. 4.30, Literary Programme. 5.30, Concert from

the Conservatoire. 8.0, Review of the Week and Answers to Correspondents in French. 8.55, Time. 9.5, Press Review.

MOTALA.—See **Stockholm.**

MUHLACKER.—See **Stuttgart.**

MUNICH

533 metres; 60 kW. Relayed by **Augsburg** and **Kaiserslautern**, 560 metres; and **Nürnberg**, 239 metres.—4.0 p.m., Orchestral Concert, conducted by Erich Kloss; *Overture, William Tell (Rossini); Twilight and Butterfly Waltz (Friml); Selection from Faust (Gounod); Gavotte Caprice (Bortkiewicz); Waltz, Weana Madln (Ziehrer); Forest Idylls (Mac Dowell); Ballet Suite (Popy).* 5.5, Programme for Young People. 5.50, Liebeslieder-Walzer, Op. 52 (Brahms), for Four Solo Voices and Pianoforte Duet. 6.25, Wireless Hints. 6.40, Talk on Wireless. 7.0, Bunter Abend from **Langenberg.** 9.20, Time, Weather, News, and Sports Notes. 9.45, Dance Music on Gramophone Records. 10.30, Concert from **London.** 12 Midnight (approx.), Close Down.

NAPLES.—See **Rome.**

NOTODDEN.—See **Oslo.**

OSLO

1,083 metres; 60 kW. Relayed by **Fredrikstad**, 365.8 metres; **Hamar**, 574.7 metres; **Notodden**, 447.1 metres; **Porsgrund**, 453.2 metres; and **Rjukan**, 447.1 metres.—3.30 p.m., Gramophone Concert of Light Music. 4.15, Programme for Children. 5.15, Norwegian Music—Songs and Hardanger Fiddle Solos. 5.45, Talk on Economics. 6.0, Announcements, Weather, and News. 6.30, Agricultural Talk, relayed from **Bodø** (453.2 metres). 7.0, Time, 7.1, Talk, Music, and Songs for Choir, relayed from **Skien.** 8.40, Weather and News. 9.0, Topical Talk. 9.15, Dance Music and Popular Airs by the Station Orchestra, conducted by H. Kramm. 10.0, Dance Music on Gramophone Records.

OSTERSUND.—See **Stockholm.**

PALERMO

542 metres; 3 kW.—7.0 p.m., Dopolavoro Notes, Tourist Talk, Agricultural Report, and Giornale Radio. 7.20, Sports Talk. 7.30, Time Signal and Announcements. 7.35, Popular Music on Gramophone Records. 7.45, Rossini—Operetta in Three Acts (Bellini). 9.55, News Bulletin.

PARIS

EIFFEL TOWER, Call **FE**, 1,445.7 metres; 13 kW.—Time Signals (on 2,650 metres) at 9.26 a.m. and 10.26 p.m., and 6-dot Signals. 5.45 p.m., Le Journal Parlé. 7.30, The Marriage of Figaro—Play (Beaumarchais), with Music by Mozart. 9.0 (approx.), Close Down.

PARIS

POSTE PARISIEN; 328.2 metres; 60 kW.—6.45 p.m., Le Journal Parlé. 7.0, Gramophone Concert of Light Music. 8.0, Talk: The Event of the Week. 8.5, Theatre Notes. 8.15, Interval. 8.30, Concert of Chamber Music. 9.0, Interval. 9.10, Concert of Dance Music by the Sonora Orchestra, conducted by Fred Hoffmann. 11.0, Dance Music on Gramophone Records. 12 Midnight (approx.), Close Down.

PARIS

RADIO PARIS; Call **CFR**; 1,725 metres; 75 kW.—6.45 a.m., Physical Culture. 7.30, Weather and Physical Culture (contd.). 7.45, Probable Relay of the Test Match from Australia. 8.0, Press Review and Weather Forecast. 8.30, Test Match Relay (contd.). 9.0, Concert by the Conservatoire Concert Society, relayed from the Old Conservatoire. 11.30 to 12 Noon, Interval. 12.0, Concert by the Radio Orchestra; *Suite, Merrie England (German); Scenes pyrénéesennes (Chauvet); Two South American Sketches (Bourguignon); Ombre sur le Nil (Schimelli); Dramatic Legend (Travaglia); Air from Un Dimanche Basque (Laparra-Grecourt); African Suite, Au Soleil (Lacôme); London Sketches (Casadesus); Tales from the Vienna Woods (Joh. Strauss); St. Granier Potpourri.* In the intervals at 1.0 p.m., Exchange, News, and Weather; and at 1.30, Exchange. 2.0, Exchange. 3.0, Programme for Children. 3.45, Exchange and Market Prices. 5.50, Concert by the Station Orchestra; *Nuits de Blida (Nelly and Berniaux); Ange d'amour (Waldteufel); Selection from Die Fledermaus (Strauss-Koelmann); Marlene (Michaelov); Vers Abbazia (Porges and Rollins); Tout Paris (Waldteufel); Alma Espagnola (Bardetas); This must be Love (Brown); Au Ciel d'Hawaii (Michaelov); Dance, Little Lady (Coward); Nostalgie d'amour (Antoli).* 6.30, Market Prices, Weather Report, and Agricultural Notes. 7.0, Talk on Science. 7.20, Agricultural Talk. 7.45, Latin Press Review. 8.0, Songs of Yesterday and Today. 8.30, News, Weather, and Sports Notes. 8.40, Review by Jean Rioux. 8.45, Poems of the Sea (collected by François Coppée); Readings from Victor Hugo, Verlaine, Gautier, and others. In the interval at 9.15, Press Review and News. 10.0, Gramophone Concert; *Suite, La Mer (Debussy); Three Airs (Hayet); (a) Les Pecheurs de Groix, (b) Valparaiso, (c) Le Port de Morlais.*

PITTSBURGH

WESTINGHOUSE ELECTRIC (KDKA); 308 metres; 25 kW. Relayed by **W2XK** on 48.36 metres and 25.27 metres.—9.0 p.m., Dance Masters from New York. 9.30, Concert Favourites, from New York. 10.0, Rhythmic Interlude. 10.30, Weather Report. 10.32, Behind the Law—Tales of the Pennsylvania State Police. 10.45, Little Orphan Annie, from New York. 11.0, Little German Band. 11.30, Time Signal. 11.31, Temperature Report. 11.32, Teaberry Sport Review. 11.37, Press News Reeler. 11.42, Strange Facts. 11.44, Weather Report. 11.45, A Recre—by Bill and Alex, of the Downtown Y.M.C.A. 12 Midnight, Time Signal, and Fields and Hall, from New York. 12.15 a.m. (Sunday), Atkinson String Ensemble. 12.30, Programme to be Announced. 12.45 to 4.0, New York Relay. 12.45, Westinghouse Programme. 1.0, American Taxpayers' League. 1.15, The Boston Symphony Orchestra. 3.15, Salon Singers. 3.30, Cuckoos. 4.0, Time Signal. 4.1, Teaberry Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.13, KDKA Artist Bulletin. 4.15, Press Last Minute News. 4.20, Messages to Methodist Missionaries. 5.20, Messages to Dwellers in the Far North.

PORSGRUND.—See Oslo.

PRAGUE

488.6 metres; 120 kW.—3.10 p.m., See Bratislava. 4.10, Talk on Economics. 4.20, Czech Lesson for Germans and German Lesson for Czechs. 4.50, Popular Music on Gramophone Records. 5.5, Agricultural Report. 5.15, Talk for Workers. 5.25, News in German. 5.30, German Transmission: Programme for Children. 6.0, Chimes from the Church of St. Loudmila, Kralovské-Vinohrady. 6.0, News. 6.25, See Bratislava. In the interval at 8.0, Time Signal. 8.30, Running Commentary on the International Ice Hockey Championships relayed from the Winter Stadium. 9.0, Time and News Bulletin. 9.15, Running Commentary from the Winter Stadium (contd.). 9.45, Popular Music on Gramophone Records. 10.30 (approx.), Close Down.

RABAT

416 metres; 6 kW.—12.30 to 2.0 p.m., Concert of Light Music. 3.30, Programme for Schools: Les Cigarettes (Puccini); Recitation: Le petit soldat de plomb (Klingsor); Songs; Physical Exercises; Selection from Les Salmiraques (Ganne). 4.0, Popular Music on Gramophone Records. 5.0 to 7.0, Interval. 7.0, Arab Transmission: News and Announcements. 7.45, Le Journal Parlé. Weather and News. 8.0, Concert: Selection from Die Fledermaus (Joh. Strauss-Tavan); Song, O Margarita (Greté); Selection from Tip Toes (Gershwin-Salabert); Song, Hawaiian Souvenir (Mauprey); Selection from La Roussotte (Lecocq-Tavan); Song, Je regardais en l'air from Les Cloches de Corneville (Planquette); Selection from Monsieur Beaucaire (Messager-Salabert). 9.0, Popular Music on Gramophone Records.

RADIO-SUISSE ROMANDE

SOTTENS, 403 metres; 25 kW.; LAUSANNE, 680 metres; and GENEVA, 760 metres.—6.0 p.m. (from Lausanne), Weather and News. 6.30, Talk on Films. 7.0 (from Lausanne), Tosca—Opera in Three Acts (Puccini) on Gramophone Records. 9.0, News and Weather. 9.10 (from Geneva), Talk: The Work of the League of Nations. 9.20 (from Geneva), Dance Music by the Broadcasting Serenaders. 10.30 (approx.), Close Down.

REYKJAVIK

1,200 metres; 21 kW.—8.30 p.m., Weather Report. 8.40, Musical Programme and Announcements. 9.0, Chimes. 9.2, News Bulletin. 9.30, Reading. 10.0, Concert by the Station Quartet, followed by Choral Music on Gramophone Records. After the Programme, Dance Music. 1.0 a.m. (Sunday) (approx.), Close Down.

RIGA

525 metres; 15 kW.—4.30 p.m., Organ Recital by Haralds Kreiburgs: Toccata No. 4 (Späht); Allegro (Guilmant); Sonata No. 6 (Mendelssohn); Choral. 5.0, Talk. 5.30, French Lesson. 5.58, Weather Report. 6.0, Light Music. 6.30, Dramatic Programme. 7.0, News. 7.20, Dramatic Programme (contd.). 8.0, Weather and News. 8.30, Dance Music. 10.0 (approx.), Close Down.

RJUKAN.—See Oslo.

ROME

Call 1R0, 441 metres; 50 kW. Relayed by Naples, 319 metres; and 2R0, 25.4 metres.—7.0 a.m., Gymnastics. 7.15 to 7.30 a.m., (Giornale Radio and Announcements. 11.30, Weather and Light Music on Gramophone Records. 12 Noon, Time and Announcements. 12.2 to 1.15 p.m., Orchestral Concert; Presentation (Escobar); Waltz (Carducci); Selection from Wonder Bar (Katscher); Hawaiian

FEB. 25th

SATURDAY

continued

Guitar (Restano); Atlantis (Rohrecht); Duet, Quérine serrano (Filliberto); Dance of the Waves from Loreley (Catalani); Tamburino arabo (Ranzato); Spanish Song (Valdez); Oh Granada (Ricciardi). 3.45, Children's Radio Review. Talk for Girls. 4.0, Exchange, Announcements, Report of the Royal Geographical Society and Giornale Radio. 4.15, Reading. 4.30 to 5.15, Orchestral Concert: Overture, Il Seraglio (Mozart); Potpourri of Dances, Rheinfeinden (Strasser); Selection from Gianni Schicchi (Puccini); Grotesque Waltz (Bortkiewicz); Melody (Lohr); Carillon (De Sena); Harlequin (Bartlett); Delilah (Dax). 6.0 (Naples), Shipping and Sports Notes. 6.10, Lesson in Morse. 6.20, (Giornale Radio and Agricultural Notes. 7.0, Time, Announcements, and Light Music on Gramophone Records. 7.30, Sports Notes, Tourist Report, and Announcements. 7.45, Relay of an Opera. In the intervals: Review of Books, Talk on Stockholm (The Venice of the North), and News Bulletin.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY (WGY); 379.5 metres; 50 kW. Relayed at intervals by **W2XAF** on 31.48 metres, and by **W2XAD** on 19.56 metres.—12 Midnight, Soloist, from New York. 12.15 a.m. (Sunday), Stock Reports. 12.30, Hotel New Yorker Orchestra, from New York. 12.45, James G. McDonald: The World To-day, from New York. 1.0, Lady Fingers (Pianists). 1.15, Bernard Silberg (Cellist). 1.30 to 3.0, New York Relay. 1.30, National Advisory Council. 2.0, The Golden Thread. 2.30, Oldsmobile Programme—George Olsen's Orchestra. 3.0, Lucky Strike Hour, from New York, followed by Programme Resume.

SCHWEIZERISCHER LANDESENDER

BEROMUNSTER, 459 metres; 60 kW.; BASEL, 244.1 metres; and BERNE, 245.9 metres.—9.20 a.m. (from Zürich), Programme for Schools. 9.50, Interval. 11.28, Time Signal from Neuchâtel Observatory. 11.30, Weather and News. 11.30, Variety Programme on Gramophone Records. 12.45 p.m. (from Basle), Wireless Hints. 1.0 (from Basle), Book Review. 1.30, Choral Concert on Gramophone Records. 2.0 (from Basle), Talk: The Civil Service in Switzerland. 2.30 (from Basle), Talk for Stamp Collectors: The New European Stamp Issues for 1932. 3.0 (from Basle), Concert by the Florenzina Mandoline Society. 3.40 (from Basle), Traffic Report. 4.0 (from Basle), Concert by a Drum and Fife Band. 4.30, Weather. 4.35, Interval. 5.30 (from Basle), Medical Talk. 6.0 (from Zürich), Chimes from Zürich Churches, Time, Weather and Market Prices. 6.15 (from Basle), Talk on the Far East. 6.45 (from Basle), Introduction to the following Relay. 7.0 (from Basle), Symphony Concert by the Basle Music Society, conducted by Dr. Felix Weingartner. Soloist: Maria Nemeth (Soprano). 9.0, Weather and News. 9.10, Dance Music on Gramophone Records. 10.0 (approx.), Close Down.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SASA, 436 metres; 55 kW. Relayed by Boden, 1,229.5 metres; Göteborg, 322 metres; Hørbj, 257 metres; Motala, 1,348 metres; Östersund, 770 metres; and Sundsvall, 542 metres.—3.0 p.m., Orchestral Concert: Overture, Maritana (Wallace); Waltz, Die Schönen von Valencia (Morena); Potpourri, From Near and Far (Löffgren); Tango, Kleine Elisabeth (Rosen); Selection from Clo-Clo (Lehar). 4.5, Reading. 4.30, Light Music on Gramophone Records. 5.30, Cabaret Programme. 6.15, Weather and News. 6.30, Talk: The Russian Empire. 7.0 (from Göteborg), Old Dance Music. 8.45, Weather and News. 9.0, Modern Dance Music. 11.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW.—11.30 a.m., Orchestral Concert, conducted by Maurice de Villers. Overture, Der Freischütz (Weber); Ballet Music from The Cid (Massenet); Three Norwegian Dances (Grieg); Selection from Carmen (Bizet); Jachanan from Samson and Delilah (Saint-Saëns); Small Orchestral Suite (Piercé); Greek March (Ganne). 12.45 p.m., News. 1.0, Time and Exchange. 1.5, Offenbach Concert on Gramophone Records. 2.0, Gramophone Concert of Dance Music. 3.0 to 3.45, Interval. 3.45, Talk on Chopin. 4.0, Light Music on Gramophone Records. 4.45, Answers to Lexal Questions in German. 5.45, Pasdeloup Symphony Concert, relayed from the Théâtre des Champs-Élysées, Paris. 7.0, Talk in German on Gardening. 7.15, Light Music on Gramophone Records. 7.30, Time

and News. 7.45, Lottery Results. 8.0, Concert of Music by Lucien Chevillier, M. Pogoda (Pianoforte), Jean Hazart (Songs), and M. Grégoire (Violin). Pianoforte Solo: Sonata gaie; Song, Incantation; First Sonata in D—L'enfant for Violin and Pianoforte; Songs: (a) Légende, (b) Noël; Violin and Pianoforte: Fox trot, Tango and Finale; Extracts from The Musical Sketch. 9.0, Planquette Programme: Le Chevalier Gaston—Opéra-Comique in One Act; Le Fiancé de Margot—One-Act Operetta. 10.30, Dance Music from the Savoy. 12 Midnight (approx.) Close Down.

STUTTGART

MUHLACKER, 360.5 metres; 60 kW.; and FREIBURG, 570 metres.—11.20 a.m., Song Recital by Else Silber. 11.50, Folk Music by the Stuttgart Trio. 12.30 p.m., Concert from Langenberg. 1.30, Time, Weather, News, and Programme Announcements. 1.45, Swabian Anecdotes. 2.0, Choral Concert, relayed from Schramberg: Folk Song, Kränzelkraut (arr. Othegraven); Dance Song, Mädel flink auf (Doebert); Der Kakadu (R. Trunk); Folk Song, Der Besenbinder (arr. Othegraven); Marching Song, Wenn die Garde marschieret (Raymond); Folk Song, Pappelmäulchen (Wohlgemuth); Die schöne Wirtin vom goldenen Stern (Krome); Schramberg Entry March and Fools' March; Chinese March (Decker). 2.30, See Frankfurt. 3.30, Dance Music on Gramophone Records. 4.0, See Munich. 5.15, Time and Sports Notes. 5.25 (from Karlsruhe), Engineering Talk: Motor Cars. 5.50, Talk on Bespoke Tailoring. 6.15, Time, News, Weather, and Snow Report. 6.30, Concert by the Melodians, relayed from Pforzheim: The Match Parade (Welle); Slow Fox trot, Traum' mein kleines Baby (Meis); Waltz, Nur um dich zu Heben (Stransky); Fox trot, Blüten in der Nacht (Stisse); Tango, Mach mir's nicht so schwer (Stransky); Baby, wo ist mein Baby? (Hollaender); Fox trot (Gay). 7.0, See Langenberg. 9.0, Time, Weather, News, and Programme Announcements. 9.15, Sports Report from the Town Hall (on Gramophone Records). 9.40, Carnival Assembly, relayed from Langenberg. 10.30, Dance Music by Ambrose and his Band, relayed from London. 12 Midnight (approx.), Close Down.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW.—6.15 p.m., Military Music. 6.30, Opera Music: Selection from Penelope (Puccini); Ma non (Massenet) and La Bohème (Puccini). 6.45, Concerto in C Minor for Harp and Orchestra (Reine). 7.0, Music by an Argentine Orchestra. 7.15, News and Horse Racing Results. 7.30, Light Music. 8.0, Concert: Sa voix tonne comme la foudre, from Hérodiade (Massenet); Melody from The Huguenots (Meyerbeer); Miserere from Il Trovatore (Verdi); Melody from Masaniello (Auber); Melody (Mauprey); Wedding Waltz (Lincke); Clair de lune (Kotzebey). 8.45, Accordion Solos. 9.0, Orchestral Selection from Mignon (Thomas), followed by Light Music. 10.0, Sound Film Music. 10.15, North African News. 10.30, Concert for Listeners in Morocco: Slav Fantasia in B Minor (Dvorák); Melody from Véronique (Messager); Rhapsody, España (Chabrier); Tout le pays l'a su (Borel Clerc); Melody from Viktoria and her Hussar (Abraham). 11.0, Light Music. 11.30 to 12.0 Midnight, Programme arranged by The International Broadcasting Company of London, Mr. H. K. Hitchcock announcing The I.B.C. Half Hour. Selection, Paramount on Parade; Mountain Refrain; Laughs and Yodels; Louisa from Pisa; The Voice in the old Village Choir; Apple Blossom Time; The Coster's Wedding; Selection, Say it with Songs. 11.57, I.B.C. Good-night Melody. 12 Midnight, Weather and Announcements. 12.5 a.m. (Sunday), Light Music. 12.15, Soloist Music. 12.30 (approx.), Close Down.

TRIESTE

247.7 metres; 10 kW.—4.0 to 6.35 p.m., See Turin. 6.35, Concert of Music by Vitezslav Novak, with Commentary. Twilight—Four Pieces, Op. 13: Winter Night Songs, Op. 30: (a) Song of a Moonlight Night, (b) Song of a Stormy Night, (c) Song of Christmas Eve, (d) Song of a Night of Carnival. 7.0 till Close Down, See Turin.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relayed by Milan, 331.5 metres; Genoa, 312.8 metres; and Florence, 500.8 metres.—6.0 p.m., Gramophone Records of Variety Music. 6.20, (Giornale Radio. 6.30, Time, Announcements, Tourist Report and

Gramophone Records (contd.). 7.0, Giornale Radio, Weather and Light Music on Gramophone Records. 7.30, Talk: Events and Problems. 7.45, Variety Programme. In the interval: Review of New Books. 10.0, Giornale Radio.

VATICAN CITY

19.84 metres (Morning), and 50.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Announcements in Different Languages. 7.0 to 7.15 p.m., Religious Information in Italian.

VIENNA

517 metres; 15 kW. Relayed by Graz, 352.1 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 245.9 metres; and Salzburg, 218.5 metres.—4.0 p.m., Talk: Carnival in Old Vienna. 4.30, Concert by the Julius Herrmann Orchestra and the Vienna Male Voice Quartet: Overture, Der Göttergatte (Lehár); Waltz, Sphärenklänge (Jos. Strauss); Treue (Keldorfer); Auf der Alm, Ca gib's ka Sünd' (Sompeck); Ist dein kleins Herzchen mir tren? (Eisele-Blinak); Quartet: Wir suchen eine Fran (Iljapak); Selection from The Geisha (Jones); Madame, Sie sind mir nicht chierlei (Golwy); My golden Baby (Abraham); Ein Lied, ein Kuss, ein Mädel (Stolz); Mei Deandl (Verner-Weiss); Es ist so wunderschön aufzustehen (Krausz); Selection from Der kochende Ehemann (Eysler); St. Louis March (Kanzak). 5.45, Talk: How to educate young People to become Useful Citizens. 6.10, A Maxim. 6.15, Time, Weather, Sports Notes, and Programme Announcements. 6.25, Song Recital by Curuso on Gramophone Records: The Flower Song from Carmen (Bizet); Arias from (a) Aida (Verdi), (b) The Pearl Fishers (Bizet); Nina (Pergolesi); La danza (Rossini); The campane di San Guisto (Arona); Vieni sul mar. 7.0, Reading from the Works of Heinrich Eduard Jakob. 7.30, Die tolle Therese—Operetta in Two Acts (Otto Römisch) on Themes by Joh. Strauss, Sen. In an interval at 8.30 (approx.) News, Weather, and Announcements. 9.30, Dance Music by Jean Litwin's Synchronizers and the Los Pamperos Tango Band, relayed from the Café de Paris.

WARSAW

1,411 metres; 120 kW.—11.10 a.m. Light Music on Gramophone Records. 12.0 p.m., Weather Forecast. 12.15, Educational Programme from Lwow (381 metres). 1.0, Programme for Soldiers. 1.40 to 2.10, Interval. 2.10, Announcements. 2.15, Economic Notes. 2.25, Military Information. 2.35, Programme for Children. 3.0, Light Music on Gramophone Records. 3.20, Talk on History: The Roman Empire, relayed from Wino (563 metres). 3.40, Talk on the Russo-Polish War—The Anniversary of the Battle of Grochov in 1831. 4.0, Programme for Hospitals, relayed from Lwow. 4.30, Announcements. 4.40, Topical Talk. 4.55, Programme Announcements. 5.0, Talk on Polish Literature. 5.20, Topical News. 5.25, Light Music from the Café Italia. 6.0, Miscellaneous Items. 6.20, Gardening Talk. 6.30, Topical Talk. 6.45, Radio Journal. 7.0, Carnival Concert of Dance Music. The Station Orchestra, conducted by S. Nawrot. Soloists: Aston (Song-), Zynski and Elen (Two Pianofortes), and Olesinski (Accordion). Polonaise (Oginski-Lefeld); Waltz, Night of Love (Karasinski); Fox trot, Mona Lisa (Sullivan); Tango, Two Windows (Dau); English Waltz (Wichler); Oberkis (Namysowski); Gavotte from Lysistrata (Lincke); Minne (Boccherini); Cracoviennes (Rajczak); Rumba, Tanganilla (Bazant); Slow Fox trot (Dau); Polka, Pasodoble (Alfonso); Cracoviennes (Zynski-Elen); Cossack Dance (Blerian); Quadrille from Die Fledermaus (Strauss); Waltz, The Blue Danube (Strauss); Blues from Der Orlov (Granichstein); Tarantella (Solazzi); Polka, Mazurka (Namysowski); Polish Radio March (Rajacki). In the intervals, Sports Notes and Radio Journal. 9.5, Chopin Pianoforte Recital by Imre Ungar. 9.40, Reading. 9.55, Aviation Weather Report and Police Notes. 10.0, Dance Music from the Bodega Dance Hall. In the interval, News for Members of the Polish Polar Expedition.

WILNO

563 metres; 16 kW.—6.10 p.m., Miscellaneous Items. 6.15, Talk: The Economic Crisis in France. 6.30, See Warsaw. 7.0, Request Gramophone Records. 8.0, Song Recital by Mme. Olga (Soprano). 8.30, Light Orchestral Concert, relayed from Warsaw 9.5, See Warsaw. 11.0 (approx.), Close Down.

ZAGREB


307 metres; 0.75 kW.—4.0 p.m., Orchestral Concert. 5.30 to 6.30, Interval. 6.30, Announcements. 6.50, Introductory Talk to the following Transmission. 7.0, Relay of an Opera from the National Theatre. In the interval, News, Weather and Snow Report. 10.0 (approx.), Close Down.

ZURICH.—See Schweizerischer Landessender.

Printed for the Publishers, ILLIFFE & SONS LTD., Dorset House, Tudor Street, London, E.C.4, by The Cornwall Press Ltd., Paris Garden, Stamford Street, London, S.E.1. Colonial and Foreign Agents:

UNITED STATES—The International News Co., 131, Varick Street, New York. FRANCE—W. H. Smith & Son, 248, Rue Rivoli, Paris; Hachette et Cie., Rue Réaumur, Paris. BELGIUM—W. H. Smith & Son, 71-75, Boulevard Adolphe Max, Brussels. INDIA—A. H. Wheeler & Co., Bombay, Allahabad and Calcutta. SOUTH AFRICA—Central News Agency Ltd., AUSTRALIA—Gordon & Gotch, Ltd., Melbourne (Victoria), Sydney (N.S.W.), Brisbane (Queensland), Adelaide (S.A.), Perth (W.A.), and Launceston (Tasmania). CANADA—The American News Co., Ltd., Toronto, Winnipeg, Vancouver, Montreal, Ottawa, St. John, Halifax, Hamilton; Gordon & Gotch, Ltd., Toronto; Imperial News Co., Toronto, Montreal, Winnipeg, Vancouver, Victoria. NEW ZEALAND—Gordon & Gotch, Ltd., Wellington, Auckland, Christchurch and Dunedin.

A point



to insist on when buying your new A.C. Mains Receiver

See that it is Westinghouse equipped, thus cutting out all risk of breakdown, and ensuring a constant and adequate high tension supply as long as the set itself is in use.

A Westinghouse Metal Rectifier is the only Rectifier of a permanent character, and its quality is indicated by the reputation and performance of the A.C. Mains Sets in which it is fitted as standard.



Westinghouse Metal Rectifiers

THE WESTINGHOUSE BRAKE & SAXBY SIGNAL CO. LTD., 82, York Road, King's Cross, London, N.1.

EVERYTHING **The G.E.C.** ELECTRICAL
your guarantee

**EFFICIENCY WITH
 ECONOMY IN
 QUIESCENT PUSH-
 -PULL CIRCUITS**



**TWO OSRAM
 L.P.2 VALVES**
 PRICE **17/6** Per Pair

CHARACTERISTICS	
Filament Volts ...	2.0 max.
Filament current ...	0.2 amps.
Amplification Factor ...	15
Impedance ...	3,900 ohms.
Mutual conductance ...	3.85 m.a. volt
Price 8/9 each	

OSRAM L.P.2

THE ECONOMY OUTPUT VALVE

- 1** The OSRAM L.P.2 is the ideal Triode for use in Q.P.P. circuits owing to its high amplification factor and high slope, which means sensitivity and large power output.
- 2** Using 150 volts H.T. Battery, the working characteristics give maximum efficiency with any standard type of Q.P.P. output transformer.
- 3** Very low quiescent H.T. current of only 2.0 m.a. per pair of valves ensures minimum running costs.
- 4** The Triode characteristics are ideal for moving coil or moving iron loud speakers.
- 5** Low valve costs mean saving in initial outlay.

Osram
 2 VOLT BATTERY
Valves

MADE IN ENGLAND
 SOLD BY ALL WIRELESS DEALERS

**EXTRA QUALITY
 WITHOUT EXTRA COST**

The Wireless World

4^D

THE PRACTICAL RADIO JOURNAL

with

Complete Foreign Programmes

Friday, February 24th, 1933.

THE COLVERDYNE

PRICE 12/6

Band Pass Intermediate Frequency Transformer for Super Heterodynes.

Write for Colvern Booklet Radio List No. 10.

COLVERN LIMITED

Advt. Colvern Limited, Mawneys Road, Romford.




buys a year's H.T.

EKCO
POWER SUPPLY UNITS

Write for full details to E. K. COLBY, LTD., Dept. W. 2, Ekco Works, Southend-on-Sea.

TELSEN SCREENED TUNING COILS



Supplied complete with bakelite knob, ebonite plate finished in oxidised silver and full instructions for mounting.

SUITABLE as aerial coils, or as anode coils, following a S.G. valve, giving selectivity comparable with a well-designed band-pass filter.

- Single Screened Coil 8/6
- Twin Matched Coils 17 -
- Triple Matched Coils 25 6

TELSEN
RADIO COMPONENTS

TELSEN RADIO COMPONENTS ARE 100% BRITISH

Announcement of the TELSEN ELECTRIC Co. Ltd., Aston, BIRMINGHAM



Use a T.C.C. ALL-BRITISH CONDENSER

A 2 mfd. T.C.C. Paper Condenser. This type is made in capacities from 0.1 to 2 mfd. Prices from 1/10 to 3/10.



Telegraph Condenser Co., Ltd., Wales Farm Rd., N. Acton, W.3.

2148

ATWATER KENT

have

SOLVED FADING

In "The Wireless World" dated Feb. 10th the following Editorial Comment on the subject of Fading appeared under the heading FOREIGN STATIONS:—

"In forming opinions on this question let us be careful to remember that fading can now be practically overcome with automatic volume control."

All Atwater Kent Receivers are fitted with this necessary feature, as we long ago realised that to receive Foreign Stations satisfactorily its use was essential.

Has your set Automatic Volume Control?

Can you receive Foreign Stations without fading?

If not; ask for a demonstration, see how it works for yourself. You will be amazed! "It is almost human".



The above, combined with more than adequate selectivity (9-10 k.c.) and a range which is only limited by atmospheric conditions, definitely puts Atwater Kent beyond comparison.



Sole Distributors of Atwater Kent Precision Radio and the world famous Arcorox Blue Valve.

G. A. BRITAIN Ltd., 5, Hanover Square, London, W.1

Telephone: Mayfair 3496, 7.

Telegrams: Atwaterkent, Wesdo, London.

Also Sole Distributors for Irish Free State. Dublin Depot: 40, Dawson St.



MODEL 137.

7 Valve Super-Het, 200 to 2,000 metres.
AUTOMATIC VOLUME CONTROL
Three point Tone Switch.
Large Mains Energised M.C Loud Speaker.
Gramophone Pick-up Switch.

25 Gns.

Console Model 32 Gns.

This price does not apply in Irish Free State.

PUT HORSEPOWER INTO YOUR SET

ATONIC

THE SUPERCHARGED RADIO BATTERY

is made by the Alton Battery Company—the big battery people—who have had the honour of installing many Stationary Batteries in B.B.C. Transmitting Stations. Behind every ATONIC Supercharged Battery is a wealth of vital experience and experiment. Quality that is sufficiently high to meet the discrimination of the greatest broadcasting authority in the world! Give your set ATONIC and put punch into your reception. Get to know how good your set really can be.



IF YOUR DEALER CANNOT SUPPLY WRITE TO:—


THE
ALTON BATTERY COMPANY
LTD.

ALTON HANTS

Telephone:
ALTON 67

Telegrams:
"BATTERY ALTON."

Mention of "The Wireless World," when writing to advertisers, will ensure prompt attention.



**BROADCASTING STATIONS
ARRANGED IN ORDER
OF WAVELENGTH**

**TIMES AND DETAILS OF
FULL WEEK'S FOREIGN
TRANSMISSIONS**

Metres.	Kc.	kW.	Station.	Tuning Positions.	Metres.	Kc.	kW.	Station.	Tuning Positions.
1935	155	7	Kaunas (Kovno) (Lithuania) ..		453.2	662	10	Odessa, RV13 (Russia) ..	
1875	160	8.5	Hilversum (Holland) ..		447.1	671		Paris, Ecole Supérieure, PTT (7.0 kW.); Rjukan (0.15 kW.), Notodden (0.08 kW.) (Norway) (relays Oslo).	
1796	167	40	Lahti (Finland) ..		441.2	680	50	Rome, IRO. (S.-W. Station, 2RO on 25.4 m.)	
1725	174	75	Radio Paris, C.F.R.		435.4	689	55	Stockholm, SASA (Sweden) ..	
1635	183.5	60	Zeesen (Königswusterhausen) (Germany). (S.-W. Stn. DJA on 31.38 m.)		430	698	2.5	Belgrade (Yugoslavia) ..	
1554.4	193	30	Davenport National ..		424.3	707	2	Madrid, EAJ7 (Union Radio). (After 7.0 p.m.)	
1538	195	7	Ankara (Angora) (Turkey) ..		424.3	707	100	Moscow, Imeni Stalina (Russia) ..	
1481	202.5	100	Moscow, RV1 (Old Komintern) (Russia)		419.5	715	1.5	Berlin, No. 1, Witzleben (Germany) ..	
1446	207.5	13	Eiffel Tower, P.L. Paris		416.4	720.5	5	Rabat (Morocco)	
1412	212.5	120	Warsaw 1 (Poland)		413	725	60	Athlone (Irish Free State) ..	
1380	217.5	100	Novosibirsk, RV6 (Russia)		408.7	734	18	Katowitz (Poland)	
1348	222.5	30	Motala (Sweden). (Relays Stockholm)		403.8	743	25	Sottens (Radio Suisse Romande) (Switzerland)	
1304	230	100	Moscow, WZSPS (Trade Union) (Russia)		398.9	752	25	Midland Regional	
1275	235	0.5	Tunis-Kasbah (Tunisia)		394.2	761	12	Bucharest (Roumania) ..	
1230	244	0.6	Boden (Sweden). (Relays Stockholm)		389.6	770	120	Leipzig (Germany)	
1200	250	5	Stamboul (Turkey) ..		389.6	770	10	Archangel, RV36 (Russia)	
1200	250	21	Reykjavik (Iceland) ..		385.1	779	8	Toulouse (Radiophonie du Midi) (France)	
1170	256	25	Tashkent, RV11 (Russia)		385.1	779	10	Stalino, RV26 (Russia) ..	
1154	260	7.5	Kalundborg (Denmark). (Relays Copenhagen)		381	788	16	Lwow (Lemberg) (Poland) ..	
1117	268.5	40	Moscow, Popoff RV58 (Russia)		376.4	797	50	Scottish Regional (Falkirk) ..	
1083	277	60	Oslo (Norway) ..		372.2	806	1.5	Hamburg (Germany) ..	
1071	280	35	Tiflis, RV7 (Russia) ..		370.1	810.5	0.8	Radio, I.L., Paris	
1035	290	36	Kiev, RV9 (Russia) ..		368.1	815		Seville, EA15 (Union Radio) (1.0 kW.) (Spain); Bolzano (1.0 kW.) (Italy); Hel- sinki (10 kW.) (Finland) (relays Lathi); Kharkov, RV20 (10 kW.) (Russia).	
1000	300	100	Moscow (Russia) ..		365.8	821	0.7	Fredrikstad (Norway). (Relays Oslo)	
938	320	20	Kharkov, RV4 (Russia) ..		364.1	824	1	Bergen (Norway) ..	
857	350	100	Leningrad (Russia) ..		363.6	825	13	Algiers (Algeria) ..	
840	357	18.5	Budapest (Hungary) ..		360.6	832	60	Mühlacker (Stuttgart) (Germany)	
825	363.6	50	Sverdlovsk, RV5 (Russia)		355.9	843	50	London Regional (Brookmans Park) ..	
770	389	0.6	Ostersund (Sweden). (Relays Stockholm)		352.1	852	7	Graz (Austria). (Relays Vienna)	
760	395	1.3	Geneva (Switzerland). (Relays Sottens)		348.8	860	7.6	Barcelona, EA11 (Spain) ..	
720	416.6	20	Moscow, RV2 (Experimental) (Russia)		348.8	860	10	Leningrad, RV70 (Russia) ..	
690	434.6	1.5	Oulu (Uleaborg) (Finland)		345.2	869	11.5	Strasbourg, PTT (France)	
680	441.2	0.6	Lausanne (Switzerland). (Relays Sottens)		341.7	878	35	Brno (Brunn) (Czechoslovakia)	
574.7	522	0.7	Hamar (Norway). (Relays Oslo) ..		338.2	887	15	Brussels II, Velthem (Belgium). (In Flemish)	
574.7	522	2.5	Ljubljana (Yugoslavia) ..		335	896	5	Cadiz (Spain) ..	
569	527	0.25	Freiburg-im-Breisgau (Germany). (Relay Stn.)		334.4	897	1.9	Poznan (Poland) ..	
568.1	528	2	Grenoble (France)		331.5	905	50	Milan (Italy). (Relays Turin)	
566	530	0.25	Hanover (Germany). (Relays Hamburg)		328.2	914	60	Poste Parisien (France) ..	
563	533	16	Wilno (Poland). (Relay Station) ..		325	923	60	Breslau (Germany) ..	
560	536	0.25	Augsburg (Germany). (Relays Munich)		321.9	932	10	Göteborg (Sweden). (Relays Stockholm)	
560	536	1.5	Kaiserslautern (Germany). (Relays Munich)		318.8	941	0.25	Dresden (Germany). (Relays Leipzig)	
558.6	537	1	Tampere (Finland). (Relays Helsinki)		318.8	941	1.5	Naples, INA (Italy). (Relays Rome)	
550	545	18.5	Budapest No. 1 Lakihegy (Hungary)		315.8	950	1.6	Marseilles, PTT (France) ..	
542	554	10	Sundsvall (Sweden). (Relays Stockholm)		312.8	959	1.7	Cracow (Poland) ..	
537.6	558	3	Palermo (Italy) ..		312.8	959	10	Genoa, IGE (Italy). (Relays Turin) ..	
533	563	60	Munich (Germany) ..		309.9	968	1	Cardiff	
525	571	15	Riga (Latvia) ..		307	977	0.7	Radio Vitus (Paris). (S.-W. Stn. on 43.75 m.)	
517	580	15	Vienna (Rosenhügel) (Austria)		304	986	13	Bordeaux Lafayette, PTT (France) ..	
509	589	15	Brussels No. 1, Velthem (Belgium). (In French)		301.5	995	50	North National (Manchester) ..	
500.8	599	20	Florence, IPI (Italy). (Relays Turin)		298.8	1004	11	Tallinn (Esthonia)	
495.8	605	1.2	Trondheim (Norway) ..		296.1	1013	20	Huizen (Holland). (After 4.40 p.m.) .. (Exchanges wavelengths with Hilversum every three months.)	
488.6	614	120	Prague, No. 1 (Czechoslovakia) ..		293.5	1022	0.7	Limoges, PTT (France) ..	
480	625	50	North Regional (Manchester) ..		293.5	1022	2.6	Kosice (Czechoslovakia) ..	
472.4	635	60	Langenberg (Germany) ..		291	1031	10	Viipuri (Viborg) (Finland). (Relays Helsinki)	
467	642	0.4	Aalesund (Norway) ..		288.3	1040	50	Scottish National (Falkirk) ..	
465.8	644	1.5	Lyons la Doua, PTT (France) ..		288.3	1040	—	British Relays (Bournemouth, Plymouth) ..	
459.4	653	60	Beromünster (Schweizerischer Landessender) (Switzerland).		286	1049	0.8	Montpellier (France) ..	
453.2	662		Sau Sebastian, EAJ8 (0.6 kW.); Pori (1.0 kW.) (Finland); Danzig (0.5 kW.) (relays Heilsberg); Klagenfurt (0.5 kW.) (Austria) (relays Vienna); Porsgrund (0.7 kW.) (relays Oslo); Tronishö (0.1 kW.) Bodö (0.5 kW.) (Norway); Upsala (0.15 kW.) (Sweden) (relays Stockholm).		285.1	1052	0.7	Lyons (Radio-Lyon) (France) ..	

BROADCASTING STATIONS ABROAD (In Order of Wavelength).

Table with columns: Metres, Kc., kW., Station, Tuning Positions. Lists various international broadcasting stations and their technical specifications.

PRINCIPAL SHORT-WAVE STATIONS.

(N.B.—Times of Transmission, given in parentheses, are approximate only and represent G.M.T.)

Large table with columns: Metres, Kc., Call Sign., Station, Tuning Positions. Lists principal short-wave stations with call signs and transmission times.

FOREIGN SUNDAY PROGRAMMES

FEBRUARY THE TWENTY-SIXTH

ATHLONE

413 metres; 60 kW.; and **CORK**, 224.4 metres. 8.30 p.m., Time Signal. 8.31, Orchestral Concert. Soloist, Ben Williams (Tenor). 9.0, The Adventures of Ellis Palmer—Play, presented by Ian P. Mitchell and Company. 9.45, Violin Recital by Edith Kelly Lange. 10.5, Soprano Solus by Mme. K. McCallery. 10.20, Orchestral Music. 10.35, Popular Music on Gramophone Records. 11.0, Time, News, Weather, and Close Down.

BARCELONA

RADIO-BARCELONA, Call **EAJI**, 349.9 metres; 8 kW.—11.0 a.m., Chimes from the Cathedral and Weather Forecast. 1.0 p.m., Popular Music on Gramophone Records. 1.30 (in an interval), Theatre Notes. 2.0, Film Review and Sextet Concert. 3.0, Programme for Hospitals and other Benevolent Institutions, with Gramophone Records. 4.0 to 5.30, Interval. 5.30, Agricultural Talk in Catalan, followed by an Opera relayed from the Gran Teatre del Liceu. 9.0, A Musical Comedy on Gramophone Records. 10.45, Chess Lesson. 11.0 (approx.), Close Down.

BARI

269.8 metres; 20 kW.—9.45 a.m., Agricultural Report. 10.5, Sacred Music. 10.30, Religious Programme. 12 Noon, Giornale Radio. 12.10 to 1.15 p.m., Quintet Concert. In the intervals at 12.25, Weather, and at 1.0, Time and Announcements. 4.50 to 5.30, Popular Music on Gramophone Records. 7.0, Sports Notes and Giornale Radio. 7.30, Time and Announcements. 7.35, Variety Concert. In the interval, Reading. 9.30, Music relayed from the Gran Caffè del Levante. 9.55, News.

BASLE. See *Schweizerischer Landessender*.

BERLIN

KONIGS WUSTERHAUSEN, 1,635 metres; 40 kW.—10.30 a.m., See **Leipzig**. 11.0, Concert from **Hamburg**. 11.55 (in an interval), Nansen Time Signal. 1.0 p.m., Talk for Parents. 1.30, Talk: The German Wireless Station in Chicago. 2.0, Richard Billinger reads from his own works. 2.30, Chamber Music. 3.15, Talk: Art Centres and Art Treasures of the Nations—Frederick the Great as an Architectural Patron. 3.40, Concert from **Munich**. 4.40, Deutschlandskamp im Preussen—An Historical Radio Sequence (Dr. Heinrich Bauer). 5.20, Recital of Unfamiliar Polishisms (Robert Schumann). 6.5, Talk on Winter Relief. 6.25, The Young Generation Speaks: Theatre or Cinema? 7.0, See **Leipzig**. 9.0, Weather, News and Sports Notes. 9.45, Weather Report for Shipping. 10.0, Dance Music and Sports Report from **Berlin (Witzleben)**. 11.0 (approx.), Close Down.

BERLIN

WITZLEBEN, 419.5 metres; 1.5 kW.—10.30 a.m., See **Leipzig**. 11.0, Concert from **Hamburg**. 1.0 p.m., Talk for Parents. 1.30, Programme for Young People. 2.30, Wind Instrument Concert. 3.15 (approx.), In the Camp of the Berlin Gliders—a Radio Report from Trebbin. 3.40, Concert (contd.). 4.40, Anecdotes for Smokers. 5.0, Talk: Comradeship in the Simple Life. 5.20, Clarinet Quintet in B Minor, Op. 115 (Brahms). 6.0, Carnival Programme. 6.50, Sports Notes. 6.55, The Watchword. 7.0, Concert by the Philharmonic Orchestra, conducted by Julius Prüwer, relayed from the Philharmonic. Carnival Overture (Dvorák); Serenade (Haydn); Forget-me-not (Machbeth); Suite for Clarinet and Piano (B. Alt.); (a) Ballad, (b) Berceuse, (c) Bagatelle, (d) Burlesque; Ballet Music from *Le Cid* (Massenet); Overture, *Si j'étais Roi* (Adam); Ballet Music from Faust (Gounod); First Suite from Carmen (Bizet); Waltz, The Skaters (Waldteufel); Overture, The Gipsy Baron (Joh. Strauss). 9.0, Weather, News and Sports Notes. 9.30 (approx.), Radio Report on the International Handball Tournament, relayed from the Sportplatz, followed by Dance Music by the Waldemar Bass Band. In an interval at 10.15 (approx.), Radio Report on the Final of the International Ice Hockey Championship in Prague (on Gramophone Records).

BERNE.—See *Schweizerischer Landessender*.

BEROMUNSTER.—See *Schweizerischer Landessender*.

BODEN.—See *Stockholm*.

BODO.—See *Oslo*.

BORDEAUX-LAFAYETTE

304 metres; 13 kW.—8.0 a.m., Review of the Paris Morning Press, relayed from **Paris (Ecole Supérieure)**, 447.1 metres. 12 Noon, Concert, relayed from **Paris (Ecole Supérieure)**. 2.0 p.m., Relay from **Paris** or Relay of a Local Festival. 3.0, Concert, relayed from **Paris (Ecole Supérieure)**. 5.30, Radio Journal. 7.45, Sports Talk. 8.0, Talk for Ex-Servicemen. 8.15, Lottery Results. 8.30, Popular Music on Gramophone Records. 9.0, *Le Panache*—Farce in Three Acts (Gonduet).

PRINCIPAL EVENTS OF THE DAY:

AT HOME

- NATIONAL** Orchestral concert, "The Future Life," by Miss Maude Royden. Instrumental concert. Song recital. A Welsh Service from West Regional. Religious Service from Dublinne Cathedral. Oratorio programme.
- LONDON REGIONAL** Military Band concert. Religious Service, from Eton Parish Church. Sunday orchestral concert.
- MIDLAND REGIONAL** Instrumental concert. Service conducted by Rev. H. V. Turner, from St. Mary's Church, Nottingham.
- NORTH REGIONAL** Service from Eastbrook Hall, Bradford. London Regional programme.
- WEST REGIONAL** Welsh Service from Capel Noddfa, Treorchy. Service from Horfield Baptist Church, Bristol.
- SCOTTISH REGIONAL** Religious service relayed from Dublinne Cathedral. Orchestral concert. Pianoforte recital.
- BELFAST** National and Scottish Regional programmes.

ABROAD

- BERO-MUNSTER** 4 p.m. Oratorio: "Joseph and his Brethren" (Handel), from Basle.
- BRUSSELS (No. 1)** 2.30 p.m. Beethoven Festival Concert.
- BRUSSELS (No. 2)** 7 p.m. Operetta: "The Land of Smiles" (Lehar), from Antwerp.
- HAMBURG** 7 p.m. Italian concert by the Philharmonic Orchestra.
- HEILSBURG** 7.10 p.m. Operetta: "Liebe in Schnee" (Benatzky).
- LANGENBERG** 7 p.m. Carnival programme.
- STRASBOURG** 3 p.m. Symphony concert from the Conservatoire, Paris.

BRATISLAVA

279 metres; 11 kW.—3.30 p.m., Concert by the Station Orchestra, conducted by F. Dik; Overture, *Maschke* (Amber); Selection from *Maertha* (Flotow); Waltz, *Donausagen* (Fucik); In a Monastery Garden (Katelbe); Selection from *White Horse Inn* (Benatzky); Melody (Sladek). 4.30, See **Prague**. 4.45, Recital of Moravian Songs. 5.10, Concert of Light Music relayed from the Carlton Hotel. 5.45, Talk from **Kosice** (293 metres). 6.0, See **Bрно**. 7.0 till Close Down. See **Prague**. 10.35 (approx.), Close Down.

BREMEN. See **Hamburg**.

BRISLAU

325 metres; 60 kW.; and **GLEIWITZ**, 253 metres—19.0 a.m., Concert and Addresses, relayed from **Ratibor**. 11.0, See **Hamburg**. 1.0 p.m., News. 1.5, Talk: Common Terms used in Political Economy. 1.20, Hints for Photographers. 1.35, Talk: August Marke, the Pioneer of German Expressionism. 1.50, Talk: In the Sunny Land of Dalmatia. 2.10, Radio Report on the Ski Championships of the Ex-German Winter Sports Union in Czechoslovakia, relayed from **Romerstadt**. 2.35, Warsaw Winter—Radio Play for Children (Lisa Tetzer). 3.5, Georg Langer reads from his book, *Richter Wielura*. 3.35, Concert by the Station Orchestra, conducted by Franz Marszalek; Soloist: Hellmut Hollenlofer (Tenor); Selection from *Der Orlov* (Granichstein); Vibraphone Solo; Elegy (Zwerner); Waltz, The Wedding of the Winds (Ball); Czardas (Gabriel Marie); Kiss Serenade (Michel); Overture, *Die geschiedene Frau* (Fall). 5.0, Sports Review. 5.30, *Bochloven* Pianoforte Recital by Georg Dohrn; Rondo in G, Op. 51, No. 2; Sonata in E Flat, Op. 51, No. 6, Talk: German Oratory. 6.25, Weather Forecast. 6.30, Humorous Programme by Adolf Gondrell. 7.0, See **Leipzig**. In an interval at 7.45 (approx.), News Bulletin. 9.0, Time, Weather, News, Sports Notes and Programme Announcements. 9.20, Dance Music and Sports Report from **Berlin (Witzleben)**. In an interval, Report of the European Ice Hockey Championship, relayed from **Prague**. 11.0 (approx.), Close Down.

BRNO

342 metres; 25 kW.—11.55 a.m., Military Band Concert. 12.30 p.m., Agricultural Report. 1.0 to 1.15, Agricultural Talk. 2.30, See **Prague**. 3.30, See **Bratislava**. 4.30, Light Music on Gramophone Records. 5.0, German Transmission; Concert by K. Jirka (Soprano), J. Lévyay (Baritone), Stefan Petrik (Violin), and Kurt Glas (Pianoforte). 6.0, Popular Concert. 7.0, See **Prague**. 10.35, (approx.), Close Down.

BRUSSELS (No. 1)

N.R., 509 metres; 15 kW.—10.9 a.m., Gramophone Concert. 11.0, Concert of Modern French Music by the Small Station Orchestra, conducted by P. Leemans; soloists: M. Borissen (Cello) and M. Wigy (Violin). 12 Noon, Concert relayed from the Grand Hotel, Antwerp. Conductor André Felleman. Soloist: Jules Lewis (Saxophone). 1.0 p.m., Journal Parlé. 1.10, Concert by the Mickey's Club Jazz Attraction, conducted by Ludo Langlois. 1.25, *Fantôme à la place*—Sketch (Jean Des-). 1.40, Concert by Mickey's Club Jazz Attraction (contd.). 2.30, Beethoven Concert by the Philharmonic Society, relayed from the Palais des Beaux Arts. Conductor: Erich Kleiber. First Symphony in C; Gramophone Record: Sonata, Op. 51; Second Symphony in D; Overture, Leonora, No. 3. 5.0, Dance Music relayed from the St. Sauveur Palais de Danse. 5.30 (in an interval), Football Results. 5.45, Sonata Recital: Sixteenth Sonata (Mozart); Sonata in G (Faure). 6.15, Gramophone Concert: *Airs d'Auvergne* (Debussy); *Chromatique March* (Courtaud); Italian Fantasy (Delmas); *Marguerite's Aria* from *Mephistopheles* (Boito); *Lang, lang, ist's her* (Dietrich); Egyptian March (Joh. Strauss). 6.50, Song Recital by Mme. Moulart-Mais. 7.15, Religious Address. 7.30, Talk on Music. 8.0, Concert by the Station Orchestra, conducted by Franz André. Soloists: Paul Collier (Pianoforte) and White Johnson and Durand (Songs). 8.40, *Cambriolage*—One-Act Play (George Delanare). 9.0, Orchestral Concert (contd.). 10.0, Journal Parlé. 10.10, Hot Jazz. 10.40, Light Music on Gramophone Records. 12 Midnight (approx.), Close Down.

BRUSSELS (No. 2)

N.I.R., 338.2 metres; 15 kW., Programme in Flemish. 10.0 a.m., Concert of Mozart and Beethoven Music by the Small Station Orchestra, conducted by P. Leemans. Soloists: M. Wigy (Violin) and M. Douliez (Pianoforte). 11.0, Gramophone Concert: Overture, *Patrie* (Bizet); Symphonic Poem, *Le chasseur mandé* (Franck); *Scherzo* (Lalo); Quartet, Op. 59, No. 2 (Beethoven). 12 Noon, Concert by Mickey's Club Jazz Attraction, conducted by Ludo Langlois. 1.0 p.m., Journal Parlé. 1.10, Concert of Sonnet Film Music, relayed from the Grand Hotel, Antwerp. Conductor: André Felleman. 2.25, Germany v. Belgium, Running Commentary on the Football Match, relayed from **Cologne**. 3.0, Concert by the Radio Orchestra, conducted by Franz André; March (Felix); Waltz (Celine); Selection from *Les cloches de Corneville* (Planquette); Hungarian Rhapsody, No. 2 (Liszt); Waltz, *Your Heart's Mine* (Healy); Selection from *The Merry Widow* (Lehar); *Pasodoble*, *Saville* (Bel-

tram). In the interval at 5.15 (approx.), Football Match Results. 6.0, Trio No. 2 in C (Mendelssohn), on Gramophone Records. 6.30, Introductory Talk to the 8.0 p.m. Relay. 7.0, *Mazepa* (Liszt) on Gramophone Records. 7.15, Religious Address: *The Idea of Eternity*. 7.30, Talk on Music. 8.0, *The Land of Smiles*—Operetta (Lehar), relayed from the Flemish Royal Theatre, Antwerp. In the intervals, Recitations and Journal Parlé. After the Concert, Dance Music on Gramophone Records. 12 Midnight (approx.), Close Down.

BUCHAREST

393 metres; 12 kW.—9.15 a.m., Programme for Children. 9.30, Bible Reading. 9.45, Choral Concert of Sacred Music. 10.0, Military Music. 11.0, Light Music on Gramophone Records. 11.45, News and Time Signal. 12 Noon, Popular Music on Gramophone Records. 3.0, Programme for Peasants. 4.0, Concert of Light Music and Romanian Music, by the Jean Marco Orchestra. 5.0, News and Time Signal. 5.10, Variety Programme. 5.25, Concert by the Jean Marco Orchestra (contd.). 6.0, Talk on Romania. 6.40, Popular Music on Gramophone Records. 7.0, Time Signal. 7.1, Two Operettas (Offenbach): (a) *Monsieur Choufleur*. (b) *The Betrothal* by Lanternlight. In the intervals: News.

BUDAPEST

550 metres; 18.5 kW., Also relayed on 840 metres from 6 p.m. till Close Down.—8.0 a.m., News and Beauty Hints. 9.0, Divine Service Relay. 10.15, Protestant Service, followed by Time, Weather and Orchestral Concert. 1.0 p.m., Gramophone Concert of Variety Music. 2.0, Agricultural Talk. 2.45, Educational Talk. 3.30, News. 3.35, Cigany Music by the Gyula Lakatos Band. 4.15, Strauss Concert, relayed from the Redoute; Conductor, L. D. Bor. Soloist, Ilona Ladanyi (Songs); Selection from *Eine Nacht in Venedig*; Waltz, *Wo die Zitronen blühen*; Polka, *Tingl tangl*; Selection from (a) *The Gipsy Baron*, (b) *Die Fledermas*; *The Emperor Waltz*; Overture, *Die Fledermas*; *Waltz*, *The Blue Danube*; *Mazurka*; *Pizzicato Polka*; *Frühlingstimmen* Polka; Polka, *Entweder oder*. 6.0, Skating Report. 6.30, *The Dollar Princess*—Operetta in Three Acts (Fall). 9.0, Announcements, followed by Cigany Music by the Imre Magyari Band, relayed from the Hungaria Hotel. 10.45, Jazz Music by the Mandits Band, relayed from the New York Cafe; Soloist, Karl Vajda (Songs). 12 Midnight (approx.), Close Down.

CASSEL.—See **Frankfurt**.

COPENHAGEN

281 metres; 0.75 kW., and **KALUNDBORG**, 1,153 metres; 7.5 kW.—9.0 a.m., Divine Service from the Cathedral. 10.30, Weather Forecast. 10.40, News. 11.0, Time and Chimes from the Town Hall. 11.5, Orchestral Concert from the Axelborg Studio. 12 Noon, Talk in English; English Universities. 12.20 p.m., Reading in German from the Works of Gustav Frønsaa. 12.40, Talk in French; Some Literary and Historical Chimes. 1.0 to 1.30, Interval. 1.30, Gramophone Concert of Light Music. 1.55, Programme for Children. 2.25, Concert relayed from the Axelborg Studio; The Radio Orchestra, conducted by Emil Reussen. Soloists: Holger Byrding and Einar Norby (Songs). 4.0 (also relayed by **Skamlebaek** on 31.51 metres), Divine Service from the Castle Church, Christi-Giansborg. 5.20, Talk on President Hoover. 5.50, Weather Forecast. 6.0, News. 6.15, Time Signal. 6.17, Sports Notes. 6.30, Talk for Workers. 7.0, Chimes from the Town Hall. 7.5, Modern Music by Louis Prell's Instrumental Ensemble. 7.40, The Face and the Mask Radio Play (Ingrid Norby). 8.35, *Faschingschwank* aus Wien for Pianoforte (Schumann), by Folmer Jensen. 8.50, Modern Music by Louis Prell's Instrumental Ensemble. 9.25, News. 9.35, Gramophone Records: *Rosa Ponselle*; Ernani, Ernani, from Ernani (Verdi); Friedrich Schorr; Sachs' Monologue from *The Mastersingers* (Wagner); *Lauritz Melchior*; Song from *L'Affaire* (Meyerbeer). 9.50, Modern Music by Louis Prell's Instrumental Ensemble. 10.15, Dance Music from the Wivex Restaurant. In the interval at 11.0, Time and Chimes from the Town Hall. 11.30 (approx.), Close Down.

CORK.—See **Athlone**.

DANZIG.—See **Heilsberg**.

DRESDEN.—See **Leipzig**.

FECAMP

225.3 metres; 10 kW.—12 Noon, Radio Gazette. 12.30 p.m., News. 12.45, Variety Concert. 2.30, Running Commentary on the Football Match—Lille Olympics v. Stade Matherbe Comuaix—relayed from Gen. 4.0 to 8 p.m., Programme in English by the L.B.C.; C. Dauvers-Walker, R. Chene, B. McNabb, and W. Crofton Announcing. 4.0 p.m., The Nursery Corner. 4.30, Children's Club Concert. 5.0, International Broadcasting Club Concert for Liverpool Listeners; War March of the Priests from *Athalie* (Mendelssohn); *Torea-*

FEB. 26th

SUNDAY

continued

for Song from Carmen (Bizet); Special message from Captain Leonard Pluggie, President and Founder of the Club. The Whistler and his dog (Pryor); Live, Love, and Laugh, from Congress Dances (Heymann); He's dead but he won't lie down; Oh! Star of Eve, from Tannhäuser (Wagner); Underneath the Arches; Waltz, The Blue Danube (Strauss); Sanctuary of the Heart (Ketelbey); How Deep is the Ocean; Singin' in the bathtub, from The Show of Shows; March of the Liverpool Regiment, 6.0, Quintet Concert of Light Music; Minuet from Berenice (Handel); Songs: (a) Passing by, (b) My dreams; Ma Curly-headed baby (Clusman); On Wings of Song (Mendelssohn); Songs: (a) Green Hills of Somerset, (b) At dawning (Cotman); Melody in F (Rubenstein), 6.30, Orchestral Concert; Southern Rhapsody (Hosmer); Selection from No, No, Nanette (Vonmans); Love sends a little gift of roses (Opernhaus); Chinatown, my Chinatown (Deppen); Anchors aweigh (Zimmermann); Selection from Princess Pat (Herbert); Valse Septembre (Godin), 7.0, Military Band Concert; Selection from Iolanthe (Sullivan); Wee McGregor Patrol (Amers); In a Monastery Garden (Ketelbey); Policeman's Holiday (Ewing); Nymphonic Solo: National Emblem (Bagley); The Ribbon Dance (Traditional); In a Persian Market (Ketelbey); Selection from The Pirates of Penzance (Sullivan), 7.30, Concert of Russian Folk Music; Russian Folk Song and Dance (Traditional); The Red Saraphan (arr. Leontiev); Moonlight; Choir: The Twelve Robbers; In a pine forest (Traditional); Caucasian Gipsy Songs; Choir: The Cossack Prisoners; Lovely Night (arr. Leontiev), 8.0, Concert of Opera and Operetta Music, 9.0 to 3.0 a.m. (Monday), Programme in English by the I.B.C. 9.0, Hospitals Trust Concert of Light Music; Orchestra: Dance Bagatelle (Bourdon); Song: Till tomorrow (Malneck); Orchestra: At the Temple Gates (Johnson); Song: Farewell my native Irish Home; Duet: You'll always be the same sweetheart (Tobias); Orchestra: Ginger Snaps (Bourdon), 9.30, Sunday Reference Concert of Light Music; Amoretten-tanze (Gungl); Violin Solo: Sicilienne and Rigaudon (Francoeur-Kreisler); Baritone Solo: King Charles (White); Selection from Lilac Time (Schubert); Baritone Solo: Drop not young love (Handel); Violin Solo: Valse, Op. 39 (Brahms); Rosenkavalier Waltz (Richard Strauss), 10.0, Vocal and Instrumental Concert; Orchestra: Say it with songs; Songs: (a) The Gay Highway (Drummond), (b) Phil the fluter's ball; Selection from White Horse Inn (Stoiz-Benatzky); Songs: (a) The Yeoman's Wedding (Poniatowsky), (b) The Smugglers' Song (Mortimer); Raspberries, 10.30, Heilys Concert of Dance Music; Little Nell; Bananas; Cinderella's Wedding Day; Business in Q; I'll never leave to dream again; Brother can you spare a dime; In the dim dim dawning; Musical Hall Memories, 11.0, Orchestral Concert The Rose beetle goes a-wooing (Armandola); Sanctuary of the Heart (Ketelbey); Violin Solo: (a) Caprice Basque (Sarasate), (b) Siciliana Serenata (Schmalstich); Wedgwood Blue (Ketelbey); Violin Solo: An old Viennese Dance (Vogel); Reconciliation (Drigo); Babes in Toyland (Herbert), 11.30, Banjo Solos; March, Rugby Parade; Heather Bloom; Quartet; Irish Washerwoman; Desert Breeze; Quartet; Miss Macleod's Reel; Banjo Vamp; Riverside, Tattoo March, 12 Midnight, International Broadcasting Club Concert for Liverpool Listeners, 1.0 a.m. (Monday), Variety Programme; Hunting Medley; The Barrers in the Walworth Road; Things we want are most hard to get; Jovial Jasper; In the Train; Alice in Wonderland; I love you, I hate you; You'll die if you worry, 1.30, Vocal and Orchestral Concert; Selection from Bow Bells; Duets: (a) Down the lane to Home Sweet Home, (b) I remember you from Somewhere, (c) My baby just cares for me; Selection from The Good Companions; Duets: (a) Say a little prayer for me, (b) Swingin' in a Hammock, (c) My heart belongs to the girl, 2.0, Let's all sing like the birds; Sing; Leave the pretty girls alone; Wanderer; Thompson's old grey mule; Try a little tenderness; The old man of the mountains; When the morning rolls around; Let's put out the lights; How do you do, Mr. Brown; So ashamed; Leave a little for me; Southern Serenade; Puleeze Mr. Hemmingway; My Romance; Everyone says I love you; Pal of my dreams, 2.57, I.B.C. Goodnight Melody, 3.0, Close Down.

FLensburg.—See Hamburg.

Florence.—See Turin.

FRANKFURT

259 metres; 17 kW.; CASSEL, 245.9 metres; and TRIER, 259.3 metres.—10.30 a.m., See Leipzig, 11.0, See Stuttgart, 12 Noon, See Langenberg, 1.0 p.m., Agricultural Hints, 1.10, Agricultural Talks, 2.0 to 3.55, See Stuttgart, 3.55, Military Band Concert from London, 5.0, Ballads of Old Vienna (Franz Karl Ginzkey), recited by the Author, 5.25, Talk: Community Life and Freedom of the Individual, 5.50, Watchword: Germany—A Joint Programme for East and West, 6.25, Sports Notes, 6.35, The Rape of the Sabine Women—a Humorous Radio Play (Franz and Paul von Schönthan), 7.50, Wet or Dry—Carnival Programme, 9.0, Time and Weather,

9.20, Carnival Programme, 11.0 (approx.), Close Down.

FREDRIKSSTAD.—See Oslo.

Freiburg.—See Stuttgart.

Geneva.—See Radio-Suisse Romande.

Genoa.—See Turin.

Gleiwitz.—See Breslau.

Goteborg.—See Stockholm.

Graz.—See Vienna.

Hamar.—See Oslo.

HAMBURG

Call ha (in Morse), 372 metres; 1.5 kW., relayed by Bremen, 269.8 metres; Flensburg, 227.4 metres; Hanover, 566 metres; and Kiel, 232.2 metres.—10.30 a.m., See Leipzig, 11.0, Concert from Flensburg, in an interval at 11.55, Time and Weather, 1.0 p.m., Programme for Children, 1.35, Fairy Tales, 2.0, Kasper hört hell—Puppet Play in Eight Scenes, 3.0 (from Hanover), Recital on Two Pianos, 3.30, Winter Joys—a Musical and Literary Sequence (arr. Hermann Quistorf and Thomas Westrich), 4.0, Wind Instrument Concert, relayed from Lubeck, 5.15, Mensch aus Erde gemacht—Drama in Five Scenes (Friedrich Griese), 6.30, Sports Talk: Good Empires and Referees, 6.40, Sports Report, 6.55, Weather, 7.0, Concert of Popular Italian Music by the Philharmonic Orchestra, conducted by Richard Richter, relayed from the Musikhalle, Soloist: Karl Günther (Songs); Overture, Tamer (Rossini); Aria from L'elisir d'amore (Donizetti); Ballet Music from William Tell (Rossini); Melodies from Cavalleria rusticana (Mascagni); Selection from Tosca (Puccini); Aria from I Pagliacci (Leoncavallo); Selection from The Barber of Seville (Rossini); Selection from La Traviata (Verdi); News in an interval, 9.0, Time, Weather, News, Sports Notes and Police Report, 9.10, Topical Talk, 9.40 (approx.), Dance Music from Berlin (Witzleben).

Hanover.—See Hamburg.

HEILSBURG

276.5 metres; 60 kW.; and DANZIG, 453.2 metres.—10.30 a.m., Organ Recital on the occasion of the Dedication of the New Kemper Organ in the Evangelical Lutheran Church at Borchersdorf, 11.0, Concert by the Königsberg Opera House Orchestra, conducted by Erich Seidler; Soloist: Eugenie Premyslav (Vello), 1.0 p.m., Talk on Chess, 1.30, Talk for Young People, 2.0 (from Danzig), Talk: Carnival Customs, 2.30, Songs to the Lute, 3.0, Concert of Light Music by the Little Orag Orchestra, conducted by Eugen Wileken, Sports Notes in the interval, 4.50, Talk on the work of Max Beckmann in connection with the Exhibition from February 26th—March 27th, 5.10, Reading from his own Works, by Hans Georg Buchholz, 5.30, Coloratura Song Recital by Elisabeth Hallstein; Concert Aria: Schön leucht der helle Frühling (Mozart); Concert Aria: Chi lo vuol secondi te (Bizet); Aria from The Merry Wives of Windsor (Nicolaï); Aria from The Tales of Hoffman (Offenbach), 6.0, Chamber Music by the Brunner Quartet, String Quartet in C (Mozart); String Quartet in B Flat (Pfitzner), 7.0, Sports Notes, 7.10, Love in the Snow—Operetta in Three Acts (Benatzky), 9.10, News and Sports Notes, 9.40 (approx.), Dance Music from Berlin (Witzleben), 11.0 (approx.), Close Down.

HILVERSUM

(Announced HUIZEN), 296.1 metres; 20 kW.; (7 kW up to 4.40 p.m.)—9.25 a.m. to 4.40 p.m., Programme of the Catholic Radio Society (K.R.O.), 9.25, Mass from the Church of the Holy Family at The Hague, 10.55, Concert by the K.R.O. Orchestra, conducted by Johan Gerritsen, in the interval at 11.40, Talk, 1.10 p.m., Talk: The Crisis, 1.40, Religious Lesson, 2.10, Concert by the Rostal string Quartet: String Quartet, Op. 127 (Beethoven); Death and the Maiden (Schubert), in the interval at 2.40, Talk, 4.10, Programme for Invalids, 4.40 to 7.25, Programme of the Christian Radio Society (N.C.R.V.), 4.40, Divine Service from a Church in Rotterdam, 6.25, Sacred Music by a Mixed Vocal Quartet, 7.25, till Close Down, K.R.O. Programme, 7.25, Talk, 7.45, Football Report, 7.50, Concert by the K.R.O. Boys, conducted by P. Lustenhouwer, 8.40, News Bulletin, 8.45, Concert by the K.R.O. Orchestra, conducted by Johan Gerritsen; Overture, Donna Diana (Rozmicki); Ballet Music from Idomenus (Mozart); Selection from The Bartered Bride (Smetana); Overture, Geneveva (Schumann); Albumblatt (Schumann); Overture, William Tell (Rossini); March (Dubois); Selection from The Arabian Nights (Joh. Strauss), in the interval at 9.55, News Bulletin, 10.20, Epilogue, 10.40 (approx.), Close Down.

Horby.—See Stockholm.

HUIZEN

Announced HILVERSUM, 1,875 metres; 8.5 kW.—11.40 a.m. to 4.40 p.m., Programme

of the Algemeene Vereeniging Radio Omroep (A.V.R.O.), 11.40, Time Signal, 11.41, Concert by the Royal Military Band, conducted by Captain G. J. Walther; Beer-March from Les Salmiquanes (Ganne); Norwegian Artists' Carnival (Sveinsson); Selection from Carmen (Bizet); Gramophone Records; Dance, macabre (Saint-Saens); Piece (Schmitt); Symphonic Poem, Moldavia (Smetana); Gramophone Records; Ballet Egyptian (Lugini); Selection from Lohengrin (Wagner), 1.40 p.m., Weekly Book Talk, 2.10, Concert by the Concertgebouw Orchestra, conducted by Pierre Monteux, relayed from the Concertgebouw, Amsterdam, Soloist: Francois Lang (Piano), 3.40, Talk: Shaw's Play, The Doctor's Dilemma, 4.10, Popular Music on Gramophone Records and Sports Notes, 4.40, Programme of the Workers' Radio Society (V.A.R.A.), Programme for Children, 5.40 to 7.40, Programme of the Liberal Protestant Radio Society (V.P.R.O.), 5.40, Literary Talk, 6.25, Divine Service, relayed from Weesp, 7.40 till Close Down, A.V.R.O. Programme, 7.40, Time, News and Sports Notes, 7.55, Concert of Viennese Music by the Wireless Orchestra, conducted by Nico Treep, 8.40, Recitations, 9.0, Who's Voice is that—a Guessing Competition, 9.40, Concert by the Wireless Orchestra, conducted by Nico Treep, 10.10, Concert by Cornelius Goddard and his Orchestra, relayed from the Carlton Hotel, Amsterdam, 10.40, Concert by Kovacs Lajos and his Dance Band, 11.40 (approx.), Close Down.

Innsbruck.—See Vienna.

Kalundborg.—See Copenhagen.

Kiel.—See Hamburg.

Klagenfurt.—See Vienna.

Kosice.—See Prague.

LANGENBERG

473 metres; 60 kW.—10.25 a.m., The World on Gramophone Records—People in Alsace, 11.0, Talk on Music, 11.25, Talk: The One Hundred and Twenty-fifth Anniversary of the Birth of Daumier, 11.45, Talk: The Music of the Week, 12 Noon, Concert, conducted by Eysoldt, 1.30 p.m., Shorthand Lesson, 1.50, A Tale in Cologne Dialect, 2.20, Talk: The Animal World—Sleep, 2.45, Talk: Famous Germans—Ernst Moritz Arndt, 3.5, Reading in Dialect, 3.25, Running Commentary on the International Football Match, Belgium v. West Germany, from the Cologne Stadium, 3.50, Concert, conducted by Wolf, 5.5, Talk: Town and Country—The Small Town Stripped of its Charm, 5.30, Talk: Musicians who died young—S. Kuhn, 6.0, An Entertainment, 6.45, Sports Notes, 7.0, A Carnival Programme, The Station Orchestra, conducted by Kuhn, the Little Radio Orchestra, conducted by Eysoldt, Soloists: Lisa Hettmann, Elsa Kiedmann (Soprano), and Leonardo Arantes and Josef Schommer (Tenor), in the interval from 7.45 to 8.20, Foods have not died out—Radio Play (Eduard Remacher, Music by Hans Elert), 9.5, News and Sports Notes, 9.20, Serenade on Gramophone Records, 9.45, Dance Music from Munich, 11.0 (approx.), Close Down.

Lausanne.—See Radio-Suisse Romande.

LEIPZIG

389.6 metres; 120 kW.; and DRESDEN, 319 metres.—10.30 a.m., Herr Jesu Christ, wahr' Mensch und Gott—Cantata (Bach) by the Municipal and Gewandhaus Orchestras, the Choir of St. Thomas, and Soloists, 11.10, Centenary Concert of the German Booksellers' Union, relayed from the Booksellers' House, Music by the Gewandhaus Quartet, 11.45, Concert from Hamburg, 1.0 p.m., Weather and Time, 1.5, Programme Announcements, 1.25, Agricultural Hints, 1.35, Esperanto Lesson, 2.0, Concert of Chamber Music, 2.30, Reading (Ludwig Finckh), 3.0, Concert of Light Music by the Emde Orchestra, 4.45, Flucht im Kreise—Radio Play (Hans Natonek), with Music by the Emde Orchestra, 6.15, Demonstration arranged by the Saxon Branch of the Union for Germans Abroad, relayed from the Town Hall, Dresden, followed by Report on the Ski Championships at Römstedt, 7.0, Concert of Weber and Lortzing Music, by the Leipzig Symphony Orchestra, conducted by Willy Stellan, Soloists: Irma Beilke (Soprano), Hans Fleischer (Tenor), and Kurt Böhm (Bass), Part I: Weber, Overture and Tenor Aria from Oberon; Bass and Soprano Arias from Der Freischütz; Soprano and Bass Duet and Overture from Furianthe, Part II: Lortzing, Overture, Ludwig; Soprano Solo from Der Waldschmied; Tenor and Bass Duet from Der Waldschmied; Overture, Casanova; Soprano Aria and Soprano and Tenor Duet from Der Waldschmied; Overture, Der Waldschmied, in an interval at 8.45, Topical Talk, 9.5, News Bulletin, 9.40 (approx.), Dance Music from Berlin (Witzleben), 11.0 (approx.), Close Down.

Linz.—See Vienna.

LJUBLJANA

574.7 metres; 2.5 kW.—4.0 p.m., Light Music, 7.0, Song Recital by Mme. Pavla Lovse, 7.45, Recitations, 8.15, Programme of Waltzes, 9.0, Time, News and Dance Music on Gramophone Records.

MADRID

ARANJUEZ (EAQ), 30.43 metres; 20 kW.—10.30 p.m., Variety Music, 10.45, Humorous Talk, 11.0, Variety Music (cont'd).

MADRID

UNION RADIO, Call EAJ7, 424.3 metres; 2 kW.—8.0 to 9.0 a.m., Topical Review, 2.0 p.m., Chimes, Time, Theatrical Notes and Concert by the Artsy Orchestra, 4.0 to 7.0 Interval, 7.0, Chimes and Dance Music from the Ritz Hotel, 7.30, Agricultural Talk, followed by Dance Music (cont'd), 8.30 to 9.30, Interval, 9.30, Chimes, Time and Harpsichord Recital by Manvicio Kastner, followed by Interlude by Ramon Gomez de la Serna and Tenor Song Recital by Woyno-Wischnewsky, 12 Midnight, Chimes and Close Down.

Malmo.—See Stockholm.

Milan.—See Turin.

MORAVSKA-OSTRAVA

263.8 metres; 11 kW.—6.0 p.m., See Brno, 7.0 till Close Down, See Prague, 10.35 (approx.), Close Down.

Motala.—See Stockholm.

Muhlacker.—See Stuttgart.

MUNICH

533 metres; 60 kW., relayed by Augsburg and Kaiserslautern, 560 metres; and Nürnberg, 239 metres.—9.0 a.m., Organ Recital, 9.45, Chimes from Our Lady's Church, 10.0, South German Literature, 10.30, See Leipzig, 11.0, Wind Instrument Concert, 12.5 p.m., Time, Weather and Programme Announcements, 12.15, Agricultural Talk, 12.35, Gramophone Concert of Popular Music (arr. G. Anders and H. Hunkel), 1.30, Chess Talk, 2.15, Orpheum 1800—a Bourgeois Ball, 3.10, A Marionette Play for Children, 3.30, Orchestral Concert, conducted by Erich Klass, with Violin Solos, 4.40 (from Nürnberg), Talk by Kilian Schiefer, 5.0, Der Drache vom Kuckelsee—Comedy in Three Acts (Richard Manz), 6.30, Weather and Sports Notes, 6.40, Talk: General von Schlieffen, 7.5, Concert by the Munich Philharmonic Orchestra and the Munich Choral Society, relayed from the Tonhalle; Don Quixote March (Rupprecht); Overture, La belle Helene (Offenbach); Selection from Die Fledermaus (Joh. Strauss); Potpourri of Viennese Songs (Morena); Overture, Barlitz-estreiche (Suppe); Waltz for Choir and Orchestra, The Blue Danube (Joh. Strauss); Mazurka for Male Voice Choir and Orchestra, Die Zwiesel Alm (Kretzner); Potpourri of Rheinisch Songs (Hammcken); Solinger (Blou), 9.0, Talk: Riding, Rope, Dancing and other Dangerous Arts, 9.20, Time, Weather, News and Sports Notes, 9.45, Dance Music by Ludwig Würthmüller and his Band, 11.0 (approx.), Close Down.

Naples.—See Rome.

Notodden.—See Oslo.

OSLO

1,083 metres; 60 kW., relayed by Fredrikstad, 365.8 metres; Hamar, 574.7 metres; Notodden, 447.1 metres; Porsgrund, 459.2 metres; and Rjukan, 447.1 metres.—9.30 a.m., Divine Service, relayed from the Cathedral, Trondheim (495.8 metres), 4.0 p.m., Instrumental Concert, relayed from the Continental Hotel, 4.45, Festival Programme of the Royal Norwegian Scientific Society, relayed from Trondheim, 6.0, Recitations, 6.15, Weather and News, 6.30, Parliamentary Review, 7.0, Time, 7.1, Concert by the Station Orchestra, conducted by Hugo Kramm; Soloist: Henri Tommiska (Violin); Serenade for Strings, Eine kleine Nachtmusik (Mozart); Concerto in E Minor for Violin and Orchestra (Mendelssohn); First Suite from L'Arlesienne (Bizet); Spanish Rhapsody (Chabrier), 8.10, Talk on Alcohol, 8.40, Weather and News, 9.0, Topical Talk, 9.15, Songs and the Week's Review by Lyktemann, 9.45, Dance Music on Gramophone Records, 11.0 (approx.), Close Down.

Ostersund.—See Stockholm.

PALERMO

542 metres; 3 kW.—9.25 a.m., Bible Reading, 9.40, Sacred Music, 10.5, Talk: The Fruit and Vegetable Exhibition in Palermo, 11.45, Giornale Radio, 12 Noon to 1.0 p.m., Light Music, relayed from the Olympia Tea Rooms, in an interval at 12.30, Time, Announcements and Weather, 4.30 to 5.30, Variety Concert, 7.0, Popolavoro Notes and Giornale Radio, 7.20, Sports Notes, 7.30, Time and Announcements, 7.45, Symphony Music on Gramophone Records, 9.0, Song Recital, in the interval, Talk, 9.55, News.

PARIS

EIFFEL TOWER, Call FLE, 1,445.7 metres; 13 kW.—Time Signals (on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and

FEB. 26th

SUNDAY

continued

dot Signals). 12.30 p.m., Concert, relayed from Paris (Ecole Supérieure) (447.1 metres). 1.0 to 2.0, Concert by the Rex Orchestra. 5.45, Le Journal Parlé. 6.45, Programme for Children. 7.20, Weather Report. 7.30, Gramophone Concert of Popular Music. 9.0 (approx.), Close Down.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW.—9.45 a.m., Bible Reading. 10.0, News. 10.5, Sponsored Concert. 11.5, Film Stars—Sponsored Programme. 11.40, Sponsored Gramophone Concerts. 12.15 p.m., Sound Film Music. 12.45, Half-an-Hour of Fantasy by Paul Weill. 1.15, Interval. 1.30, Sponsored Programme. 2.0, Sponsored Concert. 2.30 to 6.45, Interval. 6.45, Journal Parlé. 6.50, Sports Notes. 7.0, Catholic Review. 7.30, Popular Music on Gramophone Records. 8.0, Sponsored Concert. 8.30, Interval. 8.45, Sponsored Concert with Gramophone Records. 10.30, News.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW.—7.45 a.m., Light Music on Gramophone Records. 8.0, Press Review and Weather. 8.30, Physical Culture. 10.0, Elementary Book-keeping Lesson. 10.20, Advanced Book-keeping Lesson. 10.40, Spanish Lesson. 11.30 to 12 noon, Programme in English by the I.B.C. Gramophone Records: Paek Payne's Memories. Part II, by Jack Payne and his Band, with Vocal Chorus; Charlie makes Whoopee, Part II, by Charlie Higgins (Comedian), assisted by Bert Bray; In a Year—in a Day, by The Three Ginz (Vocal Trio); Some of these Days, by Red (Pepper) Sam; Sandy, the Goalkeeper, Part I, by Sandy Powell (Comedian); Big Hits of Big Hits, Part I, by Bob and Alf Pearson; Brother, can you spare a Dime? by Chick Bullock; In a Persian Market (Kotelbey), by the Commodore Grand Orchestra, under the direction of Joseph Muscant. 12 noon, Religious Address. 12.20 p.m., Sacred Music on Gramophone Records. 12.30, Bilbouquet as an Antiquarian. 12.45, Press Review, News and Weather. 1.0, Orchestral Concert. 1.30 to 3.30, Programme in English by the I.B.C. Gramophone Records: Pink Elephants, by Guy Lombardo and his Royal Canadians; Just a Little Home for the Old Folks, by Sam Brown; In the dim, dim Dawning, by Ozzie Nelson and his Orchestra; Somewhere the Sun is shining, by Norman Blair (Baritone); Brother, can you spare a Dime? by Ring Crosby; I may never pass your Way again, by James Melton (Tenor); Santa Lucia, by Galla-Rini (The Wizard of the

Accordion); Can't we meet again? by Jack Hylton and his Orchestra; What more can I ask? by Lew Stone and the Mouscigneur Band; Young and Healthy, by Guy Lombardo and his Royal Canadians, with Bing Crosby; Japanese Sandman, by Wayne King and his Orchestra; Torna a Surriento, by Alfred Piccaver (Tenor); Second Serenade, by Alfred Campoli and his Salon Orchestra; Trees, by Donald Novis (Tenor); Please, by Harold Ramsey on the Mighty Wurlitzer Organ at the Granada Cinema, Tooting; Wheezy Anna, by Roy Fox and his Band; April Showers, by Al Jolson; Her Name is "Mary," by Roy Henderson (Baritone); Arm in Arm, by the Street Singer; My Highland Rose, by Sanly MacFarlane; On with the Motley, by Sydney Kayner (Tenor); 'Twas only a Summer Night's Dream, by Elsie Carlisle; Sing Guitar, by Pilar Arco (Soprano); Sweethearts of Yesterday, Part I, by Jack Hylton and his Orchestra. 3.0, Variety Concert. 3.30, Orchestral Concert. 4.0 to 6.30, Programme in English by the I.B.C. 4.9, Tea-Time Variety Hour. Mr. S. H. C. Williams announcing. 5.0, Concert by Lud Gluskin and his Band; It's Hal-le-lujah Time; Just an Echo in the Valley; Here's hoping; Sweet Muchacha; A Little Street where old Friends meet; Hey, young Fellow. 5.0, Orchestral Concert. 5.30 to 6.30, Programme in English by the I.B.C. Variety Hour, Announcer: Mr. Glynn Williams, Foundation Member No. 20 of the International Broadcasting Club. 6.30, Orchestral Concert. 7.0 to 8.0, Programme in English by the I.B.C. Film Fans' Hour. Mr. S. H. C. Williams announcing. 8.0, Radio Paris Circus. 8.30, News, Sports Notes and Weather. 8.45, Music Hall Programme. In the interval at 9.15, Press Review and News.

PITTSBURGH

WESTINGHOUSE ELECTRIC (KDKA), 306 metres; 25 kW. Relayed by W8XK on 48.86 metres and 25.27 metres.—9.0 p.m., Orpheus Choir of Pittsburgh. 9.30, Vesper Services from Shadyside Presbyterian Church. 10.30, Pages of Romance, from New York. 11.0, Sealed Power, from New York. 11.30, Time Signal. 11.31, Weather Report. 11.32, Teaberry Sport Review. 11.37, Press News Relet. 11.42, Strange Facts. 11.44, Temperature Report. 11.45, Programme to be announced. 12 Midnight, Time Signal and Westinghouse Concert. 12.30 to 3.45

a.m. (Monday), New York Relay. 12.30 a.m., Great Moments in History. 1.0, L'Heure Exquise. 1.30, Mexican Symphonic Marimba Orchestra. 2.0, Twenty Thousand Years in Sing Sing. 2.30, Walter Winchell. 2.45, Jubilo—Singer of the Lonesome Road. 3.0, D. W. Griffith's Hollywood. 3.15, Real Silk. 3.45, Programme to be announced. 4.0, Time Signal. 4.1, Teaberry Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.15, Press Last Minute News. 4.20, Alexander Roy (Tenor). 4.30, Jesse Crawford (Organist), from New York. 5.0, Time Signal and Goodnight.

PORSGRUND.—See Oslo.

PRAGUE

488.6 metres; 120 kW.—10.0 a.m., Concert of Old Czech Music by the Station Orchestra, conducted by Otakar Jeremias. Soloist: Oldrich Kredba (Harpisichord). 11.0, Chimes from the Church of St. Ludmila, Krahovske-Vimohrady. 11.5, See Brno. 1.0, Agricultural Talk. 1.15, Talk: The Struggle against Infectious Diseases. 2.30, Running Commentary on the International Ice Hockey Championship, relayed from the Winter Stadium. 3.30, See Bratislava. 4.30, Talk: Carnival Time in Rio de Janeiro. 4.45, Light Music on Gramophone Records. 5.0, German Transmission: Folk Song Duets, arranged by Bruno Seidler-Winkler. 6.0, Chimes from the Church of St. Ludmila, Krahovske-Vimohrady. 6.1, See Brno. 7.0, Carnival Concert by the Conservatoire Students' Orchestra, conducted by Prof. Pavel Dedecek. Soloists: Julia Maximova, Anzka Slavicka and Karel Votapek (song-) and Oldrich Kredba (Harpisichord). 8.0, Time Signal. 8.1, Running Commentary on the International Ice Hockey Championship, relayed from the Winter Stadium. 8.30, Jazz on two Pianos by Erwin Schullhoff and O. Lettus. 9.0, Time Signal. 9.10, News Bulletin. 9.15, Running Commentary on the International Ice Hockey Championship, relayed from the Winter Stadium. 10.35 (approx.), Close Down.

RADIO-SUISSE ROMANDE

SOTTENS, 403 metres; 25 kW; LAUSANNE, 680 metres; and GENEVA, 760 metres.—9.0 a.m. (from Neuchâtel), Protestant Service. 10.0 (from Lausanne), Concert by Edouard Moser and his Orchestra. 11.0 (from Lausanne), Reading. 11.30, News and Weather.

11.40 (from Lausanne), Popular Music on Gramophone Records. 1.0 to 4.15, Interval. 4.15 (from Geneva), Pomme d'Api—Operetta (Offenbach). 5.0 to 5.30, Interval. 5.30 (from Geneva), Address: The Cares of this Life. 6.0 (from Geneva), Organ Recital by William Montillet, relayed from the Church of St. Joseph. 6.15 (from Geneva), Sports Notes and News. 7.0 (from Lausanne), Violin Recital by Madeleine Gousser. 7.30, Concert by the Radio Orchestra. 9.0, News and Weather Report. 9.15 (approx.), Close Down.

RJUKAN.—See Oslo.

ROME

Call 1R0; 441 metres; 50 kW. Relayed by Naples, 319 metres; and 2R0, 25.4 metres.—9.10 a.m., News, Sports Notes, and Amusement Guide. 9.30, Agricultural Report. 9.45, Bible Reading. 10.0 to 11.0, and 11.30 to 1.30 p.m., See Turin. In the interval at 12 Noon, Time and Announcements. 2.45 (Naples), Programme for Children, followed by Weather and Sports Notes. 3.0, Football Report. 4.0, See Turin. 6.30, Football and other Sports Results, Announcements, and News. 7.0, Time and Announcements. 7.30, Sports Notes. 7.45, Les Brigands—Operetta in Three Acts (Offenbach). In the intervals: Talk and Theatre Notes. News after the Operetta.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY (WGY), 379.5 metres; 50 kW. Relayed at intervals by W2XAF on 31.48 metres; and by W2XAD on 19.56 metres.—7.0 p.m. to 2.30 a.m. (Monday) New York Relay. 7.0, International Radio Forum. 7.15, Clyde Doerr and his Saxophone Octet. 7.30, Moonshine and Honey-suckle. 8.0, Wayne King's Orchestra. 8.30, Hour of Worship. 12 Midnight, Harmonica Rascals. 12.15 a.m., Wheatena Villa. 12.30, House Sense Philosophy. 12.45, Smith Brothers Programme. 1.0, Chase and Sarnhorn Hour. 2.0, General Electric Sunday Circle Concerts. 2.30, American Album of Familiar Music and Programme Résumé.

SCHWEIZERISCHER

LANDESENDER

BEROMUNSTER; 459 metres; 60 kW.; BASLE, 244.1 metres; and BERNE, 245.9 metres.—9.0 a.m. (from Zürich), Protestant Address. 9.45 (from Zürich), Chamber Music Concert. 10.30 (from Zürich), Ernst Zahn reads from his own Works. 11.0, Concert by

Wireless World Independent Investigation, reports that—

DAVENSET

Transformers "...are well above the average."

(Vide "Wireless World," Nov. 11, 1932)



The "Wireless World" Laboratory has tested DAVENSET Transformers and finds them "well above the average in performance and exceptionally well made." Such unbiased judgment is the best guarantee to home set constructors, and others, that DAVENSET Transformers will make a material contribution to the success of their sets.


Davenset Transformers are manufactured to your own individual requirements, whilst our Technical Department is at your service to advise and suggest the simplest and yet most practical schemes for overcoming your Transformer or Rectification problem.

WRITE FOR a copy of 'Mains Transformers and Power Smoothing Chokes for Radio and Industrial Purposes.'

SEE OUR EXHIBIT STAND B.I.F. HALL 53 B.I.F. OF OLYMPIA RADIO

PARTRIDGE, WILSON & CO. Dept. 29, Davenset Works, Leicester. Scottish Branch: 200, St. Vincent Street, Glasgow, C.2.

THE MOST CONVENIENT AERIAL EVER DEvised!




NO NEED FOR UNSIGHTLY POLES—LOOSE WIRES, ETC.—NO DANGER FROM LIGHTNING

Pix Invisible Aerial is in the form of a narrow self-adhesive metallized tape of remarkable efficiency as a pick up. It is practically invisible and only requires to be pressed into position. The 30 ft. Pix Aerial costs only 2/-. A longer length is supplied in 60 ft. rolls which can be run from the room into the hall and up the staircase to the attic, costs only 3/6.

READ THIS UNSOLICITED LETTER

"BETTER THAN HIS OUTSIDE AERIAL"



PIX INVISIBLE AERIAL

British Pix Company, Ltd., Dept. 447, 118-26, Southwark Street, London, S.E.1.


IDEAL FOR USE IN FLATS

FEB. 26th

SUNDAY

continued

32%



EVERY NOTE

IN THE REGISTER

COMES THROUGH

FAITHFULLY

VIVIDLY

AND TRUE

Efficient reproduction from the small output receiver as well as heavy volume without distortion. The Igranic D.9., thanks chiefly to the unique magnet construction, has earned the preference of the experts. In quality of reproduction and price it fears no rivals.



PERMANENT MAGNET
MOVING COIL
LOUD SPEAKER

Write for fully illustrated Catalogue No U.346 of Igranic Quality Components. Igranic Electric Co. Ltd., 149 Queen Victoria Street, E.C.4.

CVS-63

the Radio Orchestra. 11.28, Time and Weather. 11.30, News Bulletin. 11.40, Concert by the Radio Orchestra (cont'd.). 12.30 p.m. (from Zürich), Rural Programme; Concert by a Children's Choir, and Agricultural Talk. 1.30 to 2.30 p.m., Interval. 2.30 (from Zürich), Concert by the Kollbrunn Male Voice Choir, conducted by Jakob Dubs. 4.0 (from Basle), Joseph Oratorio (Händel), by the Basle Cathedral Choir, the Basle Orchestral Society, and Soloists. 6.0, Time, Weather, and Sports Notes. 6.15 (from Zürich), Talk: A Philosophy for Everyday. 6.45, Concert by the Radio Orchestra. 7.15 (from Zürich), Richard Wagner in Zürich—Radio Play (Wetti and Walthert). 7.45, Concert by the Radio Orchestra. 8.30, Weather and News. 8.40, Concert of Old and New Dance Music by the Radio Orchestra. 9.15, Sports Notes. 9.25 (approx.), Close Down.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SAsA, 436 metres; 55 kW. Relayed by Boden, 1,229.5 metres; Göteborg, 322 metres; Hörby, 257 metres; Motala, 1,348 metres; Östersund, 770 metres; and Sundsvall, 542 metres.—10.0 a.m., Divine Service Relay. 11.45, Weather and Ice Report. 12 Noon Sports Notes. 5.30 (from Sundsvall), Programme for Children. 4.5, Popular Music on Gramophone Records. 4.30, Introductory Talk to the 7.15 p.m. Transmission. 5.0, Evensong. 6.35 (from Göteborg), Piano-forte and Violin Recital by Carl Tillins and Bronislaw Gimpel. Piano-forte Solos: (a) Rhapsody in G Minor, Op. 79, No. 2 (Brahms). (b) Three Intermezzi, Op. 117 (Brahms); Violin Solo; Piano-forte Solo; Seherzo in E Flat Minor, Op. 4 (Brahms). 7.15, La nouvelle idole—Play in Three Acts (François de Cureil). 8.45, Weather and News. 9.0, Orchestral Concert; Overture, The Cunning Peasant (Dvorák); Waltz, Melistes, Höllebrunne (Strauss); Selection from The Tales of Hoffmann (Offenbach); Tango, La Paloma (Lasso-Valerio); Waltz, Corinne (Müller); Selection from The Desert Song (Romberg). 10.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW.—9.30 a.m., Protestant Service, relayed from St. Paul's Church. 10.45, Orchestral Concert, conducted by M. Grégoire. 11.30, Catholic Service in French. 12 Noon, Gramophone Concert of Popular Music. 12.45 p.m., News. 1.0, Time. 1.1, Gramophone Concert of Opera Music. 2.0, Agricultural Talk in German. 2.15, Talk in Dialect on Cycling. 2.30 to 3.0, Interval. 3.0, Symphony Concert, relayed from the Conservatoire, Paris. 5.15, Concert of Sacred Music and Address, relayed from St. Paul's Church. 6.15, Medical Talk in German. 6.30, Sports Notes. 6.45, Jazz Music by the Roskamm Band. 7.30, Time and News. 7.45, Orchestral Concert, conducted by M. Roskamm; Marche Quotidienne (Popy); Waltz, Carnival Visions (Petras); Der Roschlochitz-sing (Jessel); Comedy Overture (Köler-Bela); Guitare (Thomé); Selection from Dédé (Christine). 8.20, Lottery Results. 8.30, Alsatian Carnival Programme. 10.30, Dance Music, relayed from the Savoy. 12 Midnight (approx.), Close Down.

STUTTGART

MUHLACKER, 360.5 metres; 60 kW.; and FREIBURG, 570 metres.—10.30 a.m., See Leipzig. 11.0 (from Mannheim), Concert by the Mannheim Philharmonic Orchestra, conducted by Hans Leger. 12 Noon, Topical Talk. 12.15 p.m., Concert from Langenberg. 1.0, Report on the Ice Racing on the Titisee for Motor Cycles and Cars. 1.30, Popular Music on Gramophone Records. 2.0, Tempo-Tempo—Play for Children (Else Holle-Hellmund); Music by Gustav Gortlich. 3.0, Swabian Folk Music by the Station Choir and Soloists. 3.55, Military Band Concert, relayed from London. 5.0, Talk: Michel de Montaigne on the Four Hundredth Anniversary of his Birth. 5.25, Sports Notes. 5.40, Vocal Quartet Concert: Waltz, Roses from the South (Joh. Strauss); Ein Walzer-trauss von Strausswalzern (arr. Nagler). 6.10, Song Recital by Elly Nembeck. 6.30 till Close Down. See Frankfurt. In the interval at 9.0, Time, News, Weather, Programme Announcements, and Sports Notes. 11.0 (approx.), Close Down.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW.—12.15 p.m., News. 12.30, Catholic Service. 1.0, Orchestral Music. 1.15, Songs from Opera. 1.40, Agricultural Talk. 1.45, Protestant Service. 2.15, News. 2.20, Symphony Concert. 3.0, Chansonnettes. 3.15, News and Horse Racing Results. 3.20, Music by a Viennese Orchestra. 3.45, Operetta Music. 4.0, Orchestral Music. 4.15, Racing Results and News. 4.20, Bal Musette. 4.30, Dance Music. 5.0, Violin Solos. 5.15, News and Racing Results. 5.20, Opera

Music. 5.45, Popular Songs. 6.0, News. 6.15, Music by an Argentine Orchestra. 6.30 to 7.0, Programme in English by the I.B.C. Concert of Dance Music. Fit as a Fiddle; Just a little Love; I'll follow you; Song; Roamin' for Romance; As you desire me!; Try a little Tenderness; So ashamed; In the Shade of the Old Apple Tree. 7.0, Extracts from Sound Films. 7.15, News, Horse Racing Results and Market Prices. 7.25, Local News. 7.30, Orchestral Music. 8.0, Opera Music. 8.15, Military Music. 8.30, Lening Concert by a Viennese Orchestra. 9.0, Viennese Music. 9.30, Popular Melodies. 9.45, Accordion Music. 10.0, Concert for Listeners in Morocco. 10.15, North African News. 10.30 to 12.0 Midnight, Programme in English by the I.B.C. 10.30, Concert of Light Music: Old Vienna Moon (Lebedy); Duet, River stay away from my Door; Song, Killarney (Balfé); Choral Selection from H.M.S. Pinafore (Sullivan); Songs: (a) My old Irish Mother. (b) Roll on Mississippi, roll on; Selection from Congress Dances (Heymann). 11.0, Song and Piano-forte Recital: Song of Songs (Moya); I feel you near me; Sally (Haines); Piano-forte Solo: Selection from White Horse Inn (Benatzky); Vienna, City of my Dreams; A Pair of Blue Eyes; Put your loving Arms around me; Piano-forte Solo Selection from Wouster Bar (Katscher). 11.30, Popular Songs, Memories for the Fireside, Popular Melodies for Piano-forte; Plantation Songs; More Popular Melodies; More Memories for the Fireside. 11.57, I.B.C. Good-night Melody. 12.0 Midnight, Weather. 12.5 a.m. (Midnight), Dance Music. 12.15, Orchestral Music. 12.30 (approx.), Close Down.

TRIESTE

247.7 metres; 10 kW.—8.40 a.m., See Turin. 8.55, Mass from the Cathedral of San Giusto. 10.0 to 10.20, Agricultural Films. 11.0 till Close Down. See Turin.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relayed by Milan, 331.5 metres; Genoa, 312.8 metres; and Florence, 500.8 metres.—8.40 to 8.55 a.m., Giornale Radio. 9.40, Agricultural Talk. 10.0, Mass from the Church of the Annunciation, Florence. 11.0 to 11.15, Bible Reading. 11.30, Orchestral Concert, conducted by Ugo Tansini. In the interval at 11.0 Noon, Time and Announcements. 12.30 to 1.30 p.m., Orchestral Concert. 2.30, Gramophone Concert, conducted by W. Mengelberg. In the intervals, Giornale Radio, etc. 5.0, Dopolaro Notes. 6.5, Variety Music on Gramophone Records. In the interval at 6.20, Time and Announcements. 7.0, Giornale Radio, Sports Notes and Gramophone Records (cont'd.). 8.0, Variety Programme. 9.0, Talk. 9.15, Dance Music. 10.0, Giornale Radio.

VIENNA

517 metres; 15 kW. Relayed by Graz, 351.1 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 245.9 metres; and Salzburg, 218.5 metres.—10.30 a.m., Concert by the Vienna Symphony Orchestra, conducted by Theodor Christoph; Soloist: Josef Pechauer (Piano-forte). 11.40, Orchestral Concert. 1.0 to 2.0 p.m., Interval. 2.0, Time and Programme Announcements. 2.5, Book Review. 2.30, String Quartet in D Minor (H. Wolf). 3.15, Talk on Squirrels. 3.45, Orchestral Concert. Soloist: Ernst Arnold (Songs). 5.15, Talk, with Gramophone Records: The Fiji Islands. 5.45, Hans Süssmann reads from his own Works, with Introductory Talk by Erhard Buschbeck. 6.15, Time, Programme Announcements, and Sports Notes. 6.25, Max Oberleitner Song Recital by Georg Mail (Tenor). 7.0, Bunter Abend. 9.0, News Bulletin. 9.15, Report on the European Ice Hockey Championships, relayed from Prague. 9.30, Dance Music.

WARSAW

1,411 metres; 120 kW.—10.58 a.m., Time Signal and Bugle Call from the Tower of St. Mary's Church, Cracow. 11.5, Programme Announcements. 11.10, Weather Forecast. 11.15, Concert by the Philharmonic Orchestra, conducted by S. Latozewski; Soloist: F. Szabranska (Mezzo-Soprano). In the interval, Talk. 1.0 p.m., Agricultural Talk. 1.20, Concert from Katowice (408 metres). 1.40, Agricultural Talk. 2.0, Concert (cont'd.). 3.4, Programme for Young People. 3.25, Light Music on Gramophone Records. 3.45, Carnival Talk. 4.0, Piano-forte Recital by Olga Hiewiecka. In the interval, Announcements. 6.0, Miscellaneous Items. 6.25, Variety Programme from Lwow (381 metres). 7.0, Violin Recital by Vasa Pridoda; La Folia (Corelli); Sérénade mélancolique (Tchaikovsky); Sonatina (Paganini-Pridoda); Romanza andaluzá (Sarasate); Waltz (Volkman-Pridoda); Jota Navarra (Sarasate). 8.0, Pomeranian Programme. 9.0, Sport Notes. 9.10, Dance Music from the Café Italia. 9.55, Aviation Weather Report and Police Notes. 10.0, Dance Music from the Bodega Dance Hall.

ZURICH.—See Schweizerischer Landessender

MONDAY

FEBRUARY THE TWENTY-SEVENTH

PRINCIPAL EVENTS OF THE DAY:

AT HOME

- NATIONAL: Band concert, Organ music, Orchestral programme, Sonata recital... LONDON REGIONAL: Light Russian music for two pianofortes... MIDLAND REGIONAL: Midland Counties programme: Leicestershire... NORTH REGIONAL: Orchestral concert, Marches of the Northern Regiments... WEST REGIONAL: Orchestral concert from National Museum of Wales... SCOTTISH REGIONAL: Recital of gramophone records... BELFAST: Light orchestral concert... ABROAD: BUDAPEST: 7.10 p.m. Concert conducted by Bernardino Molinari... COPENHAGEN: 8.5 p.m. Opera: "Fra Diavolo"... RADIO-PARIS: 8 p.m. Symphony concert... SOTTENS: 7.30 p.m. Symphony concert... STRASBOURG: 8 p.m. Opera: "La Vainna"...

CORDS. 8.15, Britannicus—Tragedy in Five Acts (Racine). In the intervals, Gramophone Records: Melody (Lully); Gavotte (Lully); Pastorale and Capriccio (Sclarlatti); Gigue in C (Sclarlatti); La pantomime (Rameau); L'indiscret (Rameau). 10.40 (approx.), Journal Parle, followed by Request Gramophone Records: One-step, Felons le printemps (Mambour); Songs from One Hour with you (Whiting); (a) What would you do? (b) Oh! that Mizal. 11.0 (approx.), Close Down.

BRUSSELS (No. 2)

N.I.R., 338.2 metres; 15 kW.—12 Noon, Gramophone Concert of Light Music. 1.0 p.m., Journal Parle. 1.10, Concert by the Small Station Orchestra, conducted by P. Lecmans; Soloist: M. Donlez (Pianoforte); March (Lincke); Waltz, Un jour a Seville (Waldteufel); Marionettes on the Clock (Armandola); Potpourri, More Melodious Melodies (Finck); Tarantella for Pianoforte (Thom); Serenade (De Boeck); Potpourri of Popular Songs (Schneider). 2.0, Programme for Schools. 5.0, Gramophone Concert: Overture, Egmont (Beethoven); Four German Dances (Mozart); Navarra (Albeniz); Minuet (Mozart); Sierra Morena (Mozasterio); Selection from Tannhauser (Wagner); La Romanesca (arr. Achron); Offenbach Potpourri. 5.45, Programme for Children. 6.30, Concert by the Small Station Orchestra, conducted by P. Lecmans: Overture, La finta giardiniera (Mozart); Introduction and Humoresque (d'Ambrosio); Andantino for Cello (Martini); Allumblatt (Wagner); Minuet (Feltzer); Two Pieces (Albeniz); (a) Barcarolle, (b) Torra Bermeja; Zampognari (d'Indy); Dance Suite (Piemé). 7.15, Medical Talk: The Treatment and Prevention of Rheumatism. 7.30, Le Journal Parle. 8.0, Concert of Flemish Music by the Station Orchestra, conducted by A. Meulemans. 8.45, Talk for Stamp Collectors. 9.0, Orchestral Concert (cont'd.). 10.0, Journal Parle. 10.10, Gramophone Concert: Overture, Die Fledermaus (Joh. Straus); Waltz, Domasagen (Finck); Selection from A Kiss in Spring (Kalmán); Waltz, Spürenklänge (Jos. Straus); Gavotte, Stephane (Czibulka); Polka Mazurka from Der Bettelstudent (Müllbörker); Selection from The Czarevitch (Lehar); Waltz, Hofballhäuser (Lauer); Kleiner Wiener-Marsch (Kreisler). 11.0 (approx.), Close Down.

BUCHAREST

394 metres; 12 kW.—3.0 p.m., Concert by the Station Orchestra: March (Finck); Waltz, Dorfkind (Kalmán); Oriental Suite, On the Banks of the Nile (Platen); Violin Solo: Melodie enchanteresse (Ackermann); Oriental (Cui); Minuet in D (Brenetti); Boston Waltz from Roses from Florida (Fall). 5.0, News and Time Signal. 5.10, Talk. 5.25, Concert (cont'd.): Berceuse and Canzonetta (Finck); Concerto Adagio (Nardini); Potpourri, Von Wien durch die Welt (Hruby); Dream Waltz (Alver-Helmond); March, Zürich (Hüssler). 6.0, Talk on Romania: Her Metals. 6.40, Light Music on Gramophone Records. 7.0, Time Signal. 7.1, Chamber Music: Quartet in A (Schumann); Trio for Violin, Cello, and Pianoforte (Gretchaninov). In the interval at 7.30, Talk. 8.15, Orchestral Concert, relayed from the Eneaco Restaurant. 9.0, News.

BUDAPEST

550 metres; 18.5 kW.—4.0 p.m., Talk. 4.30, Jazz Music by the Gyula Megyeri Band, relayed from the Dunapalota-Ritz Hotel. 5.0, Talk. 5.20, Gypsy Music by the Arpad Toll Band. 6.30, Feuilleton. 7.10, Concert by the Philharmonic Orchestra, conducted by Bernardino Milnari, relayed from the Academy of Music: Concerto grosso (Corelli); Symphony in G (Haydn); Le pause del silenzio (Madierno); Symphonic Poem, Le fontaine di Roma (Respighi); Symphonic Poem, Don Juan (R. Strauss). 8.0, Announcements. 8.5, Gramophone Concert of Variety Music.

CASSEL. See Frankfurt.

COPENHAGEN

281 metres; 0.75 kW., and KALUNDBORG, 1.153 metres; 7.5 kW. 11.0 a.m., Time and Chimes from the Town Hall. 11.5, String Quintet Concert, conducted by Max Skalka, relayed from the Hotel d'Angleterre. 1.0 to 2.20, Interval. 2.20, Talk for the Housewife. 2.30, Concert by Carl Rydahl's Instrumental Ensemble. Soloist: Helge Ringwald (Songs). Overture, The Black Domino (Auber); Waltz, Künstlerleben (Joh. Straus); Selection from The Barber of Seville (Rossini); Minuet in E (Mozart); Aria (Gründahl); Klüsen ist keine Sünd from Bruder Strambinger (Eylert); Mazurka, La Carine (Gambler); Songs: (a) Song from Tannhäuser (Wagner), (b) An cimetière (Saint-Saëns), (c) Luengel (Toll); (d) I Krig (Toll); (e) Vaagn at din Slummer (Heise); Waltz, Anclie (Lunbye); Fantasia on Danish National Melodies (Lanzky); Serenade (Gade); Celtic Dance (Bullard); Foxtrot from Countess Mariza (Kalmán); Crépuscule (Schneider); Polonaise from Les Millions d'Arlequin (Drigo). 4.40, Exchange and Fish Market Prices. 4.50, Talk on Nils Collet Vogt. 5.20, English Lesson. 5.50, Weather Forecast. 6.0, News. 6.15, Time Signal. 6.30, Review of Politics for February. 7.0, Chimes from the Town Hall. 7.5, Carnival in Literature and Music. The Radio Orchestra, conducted by Emil Roesen. Overture, Le Carnaval romain (Berlioz); Humoresque, Carnival (Weber); Car-

ATHLONE 413 metres; 60 kW.; and CORK, 224.4 metres.—1.30 to 2.0 p.m., Time, Weather, Stock Report, and Popular Music on Gramophone Records. 6.0, Variety Music on Gramophone Records. 6.15, Programme for Children. 7.0, Popular Music on Gramophone Records. 7.20, News. 7.30, Time. 7.31, Gaelic Lesson. 7.45, Talk on the Fattening of Poultry. 8.0, Pianoforte Recital by Carl Hardebeck. 8.20, Baritone Solos by A. Flanagan. 8.30, John MacDonagh in Songs and Sketches. 9.30, Irish Music by the Station Orchestra. 9.45, Traditional Fiddle Music by P. O'Reilly. 10.0, Orchestral Music. 10.30, Time, News, Weather, and Close Down.

BARCELONA

RADIO-BARCELONA, Call EAJ1, 348.8 metres; 8 kW.—6.0 p.m., Trio Concert. 7.0, Request Gramophone Records. 7.20, Sports Notes. 7.30, Exchange Quotations and Talk by Artur Balot. 8.0, Light Music on Gramophone Records and News. 9.0, Chimes from the Cathedral, Weather Report, Exchange Quotations, and Market Prices. 9.5, Humorous Review of the Week in Verse. 9.15, Concert of Sardanas. 10.10, Pianoforte and Harmonium Duets: Prelude Fugue and Variations (César Franck); Wedding March (Widor); Scherzo Capriccioso (Gulmunt); 10.40, String Quartet in G (Gretchaninov). 11.10, Concert by the Station Orchestra: Overture, The Merry Wives of Windsor (Nicola); Polonaise (Dvorak). 11.30, Dance Music, relayed from the Excelsior Dance Hall. 12 Midnight (approx.), Close Down.

BARI

269.8 metres; 20 kW.—7.0 p.m., Agricultural Notes, Tourist Talk and Dopplavoro Notes. 7.20, Giornale Radio and Weather. 7.30, Time and Announcements. 7.45 (approx.), Concert by a Plucked String Quartet: Overture, Gli Drazzi e Curiazzi (Cimarosa); Fantasia, Omaggio a Trento (Sartori); Idyll, Fra Tombe della pineta (Salvetti); Mandoline and Guitar: Lamento di un'amante (Bracco); Selection from Ernani (Verdi); A Sunny Morning: One-act Comedy (Quintero); Overture, San Ginsto (Bottelli); Danza esotica (Mascagni); Selection from Lucia di Lammermoor (Donizetti); Gavotte (Alder). 9.55, News.

BASLE. See Schweizerischer Landessender.

BELGRADE

430.4 metres; 2.8 kW.—5.55 p.m., Time and Programme Announcements. 6.0, Light Music on Gramophone Records. 6.30, Pianoforte Recital by Ivanka Petrovic; Sonata pathétique (Beethoven); On Wings of Song (Mendelssohn); Une plaisanterie (Mussorgsky); Culiana (Fall). 7.0, Programme relayed from Zagreb (307 metres). 9.0, News, followed by Gypsy Music from the Petrosacka Zadruga Restaurant.

BERLIN

KONIGS WUSTERHAUSEN, 1,635 metres; 60 kW. 12.45 p.m., News Bulletin. 1.0, Gramophone Concert from Berlin (Witzleben). 2.0, Talk for Women: Making Cushions. 2.45, Review of Books on Modern Russia. 3.0, Educational Talk. 3.30, Concert from Berlin (Witzleben). 4.10, Talk: German Carnivals in Olden Times. 4.30, Pianoforte Recital, Variations in F Minor (Haydn); Romance in A Flat (Mozart); Sonata in G (Mozart). 5.0, Talk: Public Administration in Scandinavia. 5.30, Making Music with Invisibile Partners. 5.55, Weather and Announcements. 6.0, English Lesson. 6.30, Poetry Reading. 6.35, Concert from Stuttgart. 7.30, Two Comedies: (a) The Egg in the Market-Place (Franz Pöck), (b) The Cut-Throat (Lopez de Vega). 8.15, Carnival Programme from Stuttgart. 9.0, Weather, News and Sports Notes. 9.45, Weather Report for Shipping. 10.0, Dance Music from Berlin (Witzleben). 11.0 approx., Close Down.

BERLIN

WITZLEBEN, 419.5 metres; 1.5 kW.—3.30 p.m., Concert of Light Music by Paul Martens and his Orchestra. Comedy Overture (Artok); Selection from Cappella (Deibes); Concert, Waltz (Mozkovsky); Selection from Die geschiedene Frau (Fall); Capriccio (Dvorak); Volkstänke (Martens); Coronation March from Die Folkinger (Kieschmar). 4.30, Lotte Reimiger describes how she makes her silhouette Films. 4.50, Talk: Old Sports Champions. 5.10, Soprano Song Recital by Agnes Boukowsky. E se un giorno tornasse (Respighi); D del mio dolce ardor (Glück); Admiration (Hüer); Wiegendorf (Richard Strauss); Ständchen (Richard Strauss). 5.30, Richard Eringer reads from his own Works. 5.55, The Witzleben Station informs its Listeners. 6.0, Talk: Herr Seidler, Minister of State. 6.10, Carnival Programme on Gramophone Records. 6.55, The Watchword. 7.0, Reading: A History of Post-War Germany—Part II, Up to Stresemann's Death. 7.15, Wind Instrument Concert by Johannes Füllsel and his Band. 8.0, Werkverrat Radio Play (Eugen Orner). 9.30, Weather, News and Sports Notes, followed by Dance Music by Dol Dauber and his Band, relayed from the Delphi-Palast. 11.0 (also relayed by Zeelen on 31.38 metres), Concert of Light Music by the Station Orchestra. Soloist: Eina Berger (Soprano). Overture, The

Merry Wives of Windsor (Nicola); Aria from The Merry Wives of Windsor (Nicola); Sextet in E. Dorf, musikanten (Mozart); Waltz, Frühlingsstimmen (Johann Straus); Kaiser-Walzer (Johann Straus).

BERNE. See Schweizerischer Landessender.

BEROMUNSTER. — See Schweizerischer Landessender.

BODEN. See Stockholm.

BODO. See Oslo.

BORDEAUX-LAFAYETTE

504 metres; 12 kW.—7.30 p.m., News, Exchange, and Market Prices. 7.40, Talk: Bordeaux a Century Ago. 7.55, Lottery Results. 8.0, Talk: Adopted Children. 8.15, Chimes. 8.20, News and Weather Forecast. 8.30, Concert by the Station Symphony Orchestra. Soloists: M. Thomas, Alouise (Tenor) and Mlle. Bovy-Foxstier (Harp).

BRATISLAVA

279 metres; 14 kW.—3.10 p.m., Concert by the Station Orchestra, conducted by F. Dyk: Overture, Figaro (Mozart); Overture, Costi ran tette (Mozart); Waltz (Marsik); Valse triste (Baborski); March (Selbst). 4.10, See Prague. 4.50, Light Music on Gramophone Records. 5.2, Serenade, Op. 8 (Brothoven), by the Station String Trio. 6.0, See Prague. 6.10, Talk for Women. 6.25, See Prague. 7.0, Programme relayed from Zagreb, 307 metres. 7.40, See Brno. 8.30, See Prague. 10.15 (approx.), Close Down.

BREMEN. See Hamburg.

BRESLAU

325 metres; 60 kW.; and GLEIWITZ, 253 metres.—12 Noon, See Langenberg. 12.45, p.m., Time, Weather, News, Exchange and Shipping Report. 1.0, Radio Report from Langenberg. 2.0, Sponsored Programme with Gramophone Records. 2.15, Agricultural Prices. 2.40, Review of Books about Hitler. 3.0, Talk: Intellectual Achievements of Eastern Germany. 3.20, Orchestral Concert, conducted by Max Kaden; Kosakenritt (Bassely); Oxy-Uric. Part and Present (Suppe); Rondino and Minuet (Beethoven); Second Peer Gynt Suite (Grieg); Kiss Waltz from Der lustige Krieg (Joh. Straus); Concert Overture, My Home (Dvorak); Melody (Gillardi); Ballet suite in Four Movements (Péris); Alexander-Marsch (Leonhardt); Potpourri for Jazz Orchestra (Gollwitzer); Intermezzo, Im Fürstentümer Grund (Weiz); Dutch March Lousbier. 4.30, Agricultural Prices. 4.35, Talk: 1933, Breslau's Blackest Year. 4.55, Music Review. 5.15, French Lesson. 5.40, Programme to be Announced. 6.0, Talk Changes in Oratorical Style. 6.30, Weather Forecast. 6.35, Rose Monday Programme of Dance Music and Light Music by Sam Jackson and his Band. 7.30, News. 7.40, Six Carnival

Farces (Kurt Schwabach and Bruno Balz), with Music by the Station Orchestra, conducted by Franz Marszalek: (a) The Impertunate Customer, (b) The Dress, (c) Theo wants to go to the Carnival Ball alone, (d) Fräulein Mizzi has her Photograph taken, (e) Herr Bumke has to beat the Drum, (f) Cold Water or Aspirin? 8.40, Time, Weather and News. 8.50, Concert of Light Music and Dance Music by the Station Orchestra, conducted by Franz Marszalek, with Song Retraives by Robert Koppel. 10.0, Sports Notes, Market Prices, and Programme Announcements. 10.15, Answers to Correspondents on Technical Questions. 10.30, Dance Music relayed from the Dorchester Hotel, London. 12 Midnight (approx.), Close Down.

BRNO

342 metres; 25 kW.—4.40 p.m., Review of Books on Music. 5.3, Talk: Gymnastics and sports. 5.15, See Prague. 5.25, German Transmission: News, Elementary French Lesson, and Talk on Colonisation. 6.0, See Prague. 6.10, Talk. 7.0, Vltava-Lavian Programme relayed from Zagreb, 537 metres. 7.40, Concert by the Station Orchestra, conducted by Jan Janota: Overture, The Merry Wives of Windsor (Nicola); Scherzo from A Midsummer Night's Dream (Mendelssohn); Bacchanale from Tannhäuser (Wagner); Larghetto and Vivace from the Serenade for Strings (Dvorak); Polovstian Dances from Prince Igor (Borodin). 8.30, See Prague. 10.15 (approx.), Close Down.

BRUSSELS (No. 1)

I.N.R., 509 metres; 15 kW.—12 Noon, Concert by the Small Station Orchestra, conducted by Pierre Lecmans; Soloist: M. Witz (Violin). 1.0, Journal Parle. 1.10, Gramophone Concert: March Neptune (Ivory); The Gingerbread House (Ivory); Arlequin (Lalo); Selection from Hansel and Gretel (Humperdinck-Fried); Le dernier sommeil de la Vierge (Massenet); Minuet No. 1 (Paderwsky); Serenade (Schubert); Andante religioso (Thom); Gnomonigen (Liszt); Serenade (Mozzkowsky); Pas des Echarpes (Chaminade); Overture, Stradella (Flotow). 2.0, Educational Programme. 5.0, Concert by the Belgium Wind Instrument Quintet: Quintet, Op. 16 (Beethoven); Quintet, Op. 75 (Debussy). 6.0, Talk: Jean Gaspar, a Belgian Sculptor. 6.15, Debussy Pianoforte Recital by Oscar Delvigne: Arabesques in E and G; Mazurka; La plus que lente; Gollwitzer's Cak Walk; La cathédrale engloutie; General Lavine—Eccentric; Jarius sous la pluie. 6.45, Au bal masqué—Sketch (Lanville). 7.0, Gramophone Concert: Nocturne from Shylock (Faure); Hymn to the Sun (Rimsky-Korsakov); Bohemian Dance (Smetana); Overture, I Gracery (Gomez). 7.15, Talk on Flemish Literature. 7.30, Theatre Notes and Film Review. 8.0, Sonata for Flute and Strings (Sclarlatti-Taillyère), on Gramophone Re-

FEB. 27th

MONDAY

continued

nival Poems (Holm); Carnival Suite (Lacôme). 7.50, Introductory Talk to the following Transmission. 8.5, Acts Two and Three of Fra Diavolo (Auber), relayed from the Royal Theatre. 9.40, News. 9.56, Dance Music from the Louberg Restaurant. In the interval at 11.0, Time and Chimes from the Town Hall. 11.30 (approx.), Close Down.

CORK.—See Athlone.

DANZIG.—See Heilsberg.

DRESDEN.—See Leipzig.

FECAMP

225.9 metres; 10 kW.—12 Noon, Light Music on Gramophone Records. 12.30 p.m., News Bulletin. 12.45, Music from Sound Films. 6.0 to 7.0 p.m., Programme in English by the I.B.C., C. Danvers Walker, R. Chene, B. McNabb, and W. Crofton Announcing. 6.0, Orchestral Concert for Hearing Listeners: The Blue Danube (Strauss); The Wedding of the Rose (Jessel); Columbine (Garland); Down in the Forest (Landon Ronald); At the Convent Gate (Johnson); Ich liebe dich (Grieg); In Pierette's Garden (Brookes); Invitation to the Waltz. 6.30, Military Band Concert for Eastbourne Listeners: La Grive (Cole); Viscount Nelson (Zelke); Ball Memories (arr. Baynes); Pomp and Circumstance (Elgar); A Frangosa (Costa); New Colonial March (Hall); Selection from The Country Girl (Monckton); The Thunderer (Souza). 7.0, Local News and Light Music on Gramophone Records. 7.30, Radio Gazette. 8.0, The Listeners' Half-Hour and News. 8.30, Dramatic Programme. 10.0 till Close Down, Programme in English by the I.B.C. 10.0, Dance Music: For the love of Mike; Come and have a cuddle on the common; This is the day of days! On a cold and frosty morning; Honey-moon Love; Speedboat Bill; Just once for all time; The Pagan Serenade; Hold my hand, I'll on Mississippi; I've got a feeling; The Lights of Paris; Miracle Melodies Selection; The same as we used to do; Blaze away; Sittin' on a rainbow. 11.0, Musical Comedy Programme: Selection from The Maid of the Mountains (Fraser-Simson); Song, Live for today; Duet, Farewell; Songs: (a) My life is love, (b) A Bachelor girl, (c) Love will find a way; Duet, A Paradise for two. 11.30, Songs: Song of other days; River stay way from my door; Shoo the brood-hen away; The Empire Parade; Song Memories; There's happiness over the hill; Going Home; Around the corner. 12 Midnight, Variety Concert: Tan McCartney; The Polar Bear; A Yodelling Lullaby; Where rainbows rest; The Gondolier; The world snaps its fingers; Ball; Ha; Thinking of you; When baby cries for the moon. 12.30 a.m. (Tuesday), Songs: The first weekend in June; I'm in the market for you; Sweet temptation; Orchestral; My sunshine is you; I tell for you; Just like in a story book; Who cares? Goodnight Sweetheart. 1.0, Hawaiian Duets: Alma Mia; Bone Festa; Hawaiian Waltzes: O Sole Mio; Hawaiian Twilight; Sing something simple; Kamschamola; Three little words. 1.30, Songs: Whoopee Medley; Exactly like you; I like to do things for you; My lover; Monte Carlo Medley; More than you know; Swingin' in a hammock; On the sunnyside of the street. 2.0, Dance Music: Love is the sweetest thing; Good morning, Mr. Sun; I'll do my best to make you happy; The Voice in the old Village Choir; Smile and sing your cares away; The turning of the tide; Where the blue of the night meets the gold of the day; Day by day; Was that the human thing to do? Goodnight Vienna; She didn't say Yes; Five minutes to twelve; Snap your fingers, clap your hands; Somebody loves me; Snuggled on your shoulder; Majah-General Thing-a-me-hob. 2.57, I.B.C. Good-night Melody. 3.0, Close Down.

FLENSBURG.—See Hamburg.

FLORENCE.—See Turin.

FRANKFURT

259 metres; 17 kW.; and CASSEL, 245.9 metres; and TRIER, 259.3 metres.—4.0, See Munich. 5.15, Economic Notes. 5.25, Astronomical Talk. 5.50, English Lesson. 6.15, Time, Programme Announcements, Weather, and Exchange. 6.30 to 9.0, See Stuttgart. 9.0, Time, News, Weather, and Sports Notes. 9.45, See Stuttgart. 11.0, Dance Music from London. 12 Midnight (approx.), Close Down.

FREDRIKSSTAD.—See Oslo.

FREIBURG.—See Stuttgart.

GENEVA.—See Radio-Suisse Romande.

GENOA.—See Turin.

GLEIWITZ.—See Breslau.

GOTEBORG.—See Stockholm.

GRAZ.—See Vienna.

HAMAR.—See Oslo.

HAMBURG

Call ha (in Morse), 372 metres; 1.5 kW. Relay by Bremen, 264.8 metres; Flensburg, 227.4 metres; Hanover, 566 metres; and Kiel, 232.2 metres.—6.5 p.m., Franz Schauwecker reads from his own works: Weather. 6.30, Book Review. 7.0 (from Hanover), Concert by the Brunswick Landestheater Orchestra with Meta Hagendorf-Chevalley (Pianoforte); Bolero (Ravel); Pianoforte Concerto in D Minor (Brahms). 8.0, News Bulletin. 8.10, Jürgen Wullenwever;

a Hansatic Radio Play (Otto Anthes). 9.10, Time, Weather, News, Sports Notes and Police Report. 9.20, Topical Talk. 9.30, Gramophone Concert: Overture, Martha (Flotow); Two Arias from Alessandro Stradella (Flotow); Second Finale from Aida (Verdi); Serenade (d'Ambrósio); Selection from The Queen of Spades (Tchaikovsky); Hungarian Rhapsody No. 2 (Liszt); Gipsy Melody (Colombia); Potpourri, Von Wien durch die Welt (Hrubý); Gavotte (Thomas); Guitarrero (Drolla); Waltz: España (Waldteufel); March: Drahter und drüber (Freundorfer); Im Schwarzwald geht ein Mühlenrad (Rust); A Summer Day in the Alps (Charlie); Delibermarsch (Faust). In an interval at 9.50, Ice Report.

HANOVER.—See Hamburg.

HEILSBURG

276.5 metres, 60 kW.; and DANZIG, 453.2 metres.—12.5 to 1.30 p.m., Gramophone Concert: Overture, Egmont (Beethoven); Tenor Solos: (a) Aria from Il Trovatore (Verdi), (b) Song from Czar and Carpenter (Lortzing); Selection from Waltzes from Vienna (Strauss-Bittner-Kornegold); Selection from Viktoria and her Hussar (Abraham); Sons des Ponts de Paris (Scott); Annoncée (Berger); Selection from Lisette (Künnecke); Two Pieces: (a) Heut' hab' ich Glück, (b) Arnt (Knepler); Kleine Jeanne, Tenor Solos: (a) Rencontre from Jorelyu (Godard), (b) Extase (Ganne); Erinnerungen an Herkulesbad (Pazeller). In the interval at 12.20, News. 2.0, Exchange Quotations and Market Prices. 2.30, Programme for Children. 3.0 (from Danzig), Concert by the Police Band, conducted by Ernst Stiebertz: March, Jugend voran! (Translator); Selection from Mignon (Thomas); Serenade (Drigo); First Waltz Potpourri (Roderich); Selection from Orpheus in the Underworld (Offenbach); Overture, Das Modell (Suppé); Selection from The Mikado (Sullivan); Intermezzo, Nüchternliche Rinde (Urbach); National Songs in the Form of a Suite (Tchaikovsky); Waltz, Mein Lebenslauf ist Lieb und Lust (Jos. Strauss); Torch Dance of the Brides of Kashmir from Faramors (Rubinstein); Potpourri, Die Reise in die Welt (Contadi); March, Entry of the Gladiators (Fink). In the interval, Humorous Topical Review. 4.45, Review of Books on Skiing. 5.15, Market Prices. 5.20, Ice Report. 5.30 (from Danzig), The Art of Engraving in Danzig Now and in the Past—a Radio Report from the Studio of Otto Wersch. 5.55, Talk: Memorable Days of the Week. 6.5, Paul Mittmann Recital by Helene Thiel (Soprano), Walter Schütz (Flute), Richard Kauer (Clarinet), and Karl Ninke (Pianoforte); Rhapsody for Flute and Pianoforte. 6.30, Elementary English Lesson. 7.0, Weather and News. 7.10, The Life and Death of the Great Singer, Enrico Caruso—a Radio Play (Günther Eich and Martin Raschke. 8.10 (from Danzig), Pianoforte Recital: Twenty-four Preludes, Op. 28 (Chopin). 8.45, Talk on General von Schlieffen for the Centenary of his Birth. 9.10, Weather, News and Sports Notes.

HILVERSUM

Announced HILUZEN; 296.1 metres; 20 kW. (7kW. up to 4.40 p.m.)—Programme of the Christian Radio Society (N.C.R.V.). 11.10, Gramophone Concert of Popular Music. 11.40, Police Notes. 11.55, Gramophone Records of Variety Music. 12.10 p.m., Organ Recital from Amsterdam. 1.40, Talk for Schools. 2.15, Songs with Harmonium and 'Cello accompaniment (on Gramophone Records). 2.25, Talk on Cookery. 2.55, Dress-making Lesson. 3.25, Programme to be announced. 3.40, Religious Programme. 4.40 Trio Concert: Andante (Mozart); Overture, Il re pastore (Mozart); Nachruf an Mendelssohn (Schreiner); Rises from the South (Joh. Strauss); Potpourri, Schubertiana (Fink), on Gramophone Records; Potpourri of Tchaikovsky Music (Urbach) on Gramophone Records; Selection from Les Saltimbanques (Ganne); Potpourri, Von Glück bis Wagner (Schreiner); Selection from The Bird Fancier (Zeller); Souvenir de Camille (Bece); Overture, Im Reiche des Indra (Lincke). 6.10, Questions Time. 7.10, Police Notes. 7.25, News Bulletin. 7.40, Gramophone Concert: Tenor solo; Baritone Solo; Tenor Solo: All through the Night; Tenor Solos (St. Adams): (a) The Holy City, (b) The Star of Bethlehem; Choral Solo: With heden in troden; Contralto Solo: Largo (Handel); War March of the Priests, from Athalia (Mendelssohn); Selection from Aida (Verdi); Overture, Light Cavalry (Suppé); Graf Zeppelins Trip round the World (Münneke); Slav March (Tchaikovsky). 8.40, Talk: Art and Education. 9.10, Organ Recital. 10.10, News Bulletin. 10.20, Gramophone Concert of Brahms Music and Sacred Music. 11.10 (approx.), Close Down.

HORBY.—See Stockholm.

HUIZEN

Announced HILVERSUM, 1,875 metres; 8.5 kW. Programme of the Algemeene Vereeniging Radio Omroep (A.V.R.O.).—10.40 a.m., Organ and Song Recital by Valentin

Schoonderbeek and J. van Kempen (Tenor). Organ Solo: Prelude and Fugue in G (Buxtehude). Songs: (a) Recitative and Aria from The Pearl Fishers (Bizet), (b) Le secret (Faure), (c) Pensee d'automne (Massenet). Organ Solo: Gloria from the Organ Mass, Op. 59 (Reger). Songs: (a) Vespergesang (arr. Kämpf), (b) Stille Tränen (Zahn), (c) Daheim (Schumann); Fantasia in G (Bach). 11.40, Time and Light Music by the Rintmeester Ensemble. 1.55 p.m., Interval. 2.10, Talk. 2.40, Variety Music on Gramophone Records. 3.40, Talk on Saint-Saëns, illustrated with Gramophone Records. 4.40, Dance Music by the Kovacs Lajos Band. 6.40, Book Review. 7.10, Dance Music (cont'd). 7.40, Time, Weather and News. 7.45, Concert by the Wireless Orchestra, conducted by Albert van Raalte. Soloists: Yvonne Brothier (Songs) and André Gertler (Violin); Gli Ucelli (Respighi); Arias from (a) Le pré aux clercs (Hérold), (b) Le postillon de Longjumeau (Adam); Overture, Fra Diavolo (Auber); Aria from The Black Domino (Auber); Aria from Dinorah (Meyerbeer); Overture, Le nouveau Seigneur du Village (Boieldieu). 8.40, Talk by D. Hillen. 9.0, Orchestral Concert (cont'd): Concerto in G for Violin and Orchestra (Mozart); Gramophone Records: Overture, Le roi et dit (Delibes); Arias from (a) Philémon et Baucis (Gounod), (b) Le roi malade lui (Clabrier), (c) Isolme (Messager); Concert Waltz (Glazunov). 10.10, Variety Music on Gramophone Records. 10.40, Weather and News. 10.50, Concert by Jack and Mitchell's International Band from La Gaité Cabaret, Amsterdam. 11.40 (approx.), Close Down.

INNSBRUCK.—See Vienna.

KALUNDBORG.—See Copenhagen.

KATOWICE

408 metres; 16 kW.—6.15 p.m., Announcements and Popular Music on Gramophone Records. 6.30, See Warsaw. 9.0, The Letter Box. 9.20, Dance Music.

KIEL.—See Hamburg.

KLAGENFURT.—See Vienna.

KOSICE.—See Prague.

LAHTI

1,796 metres, 40 kW.; and HELSINKI, 368.1 metres.—4.0 p.m., Violin Recital by Sven Johansson: Meditation (Massenet); Lyndee Dance (Seibold); Hymn to the Sun (Rimsky-Korsakov-Kreiser); Waltz, No. 2 (Weber-Burmester); Melody (Suctana). 4.20, German Lesson. 5.15, Agricultural Talk. 5.25, Talk. 5.50, Carnival Programme arranged by Students. 7.45, News in Finnish. 8.0, News in Swedish.

LANGENBERG

473 metres; 60 kW.—12 Noon to 2.15 p.m., Relay of the Rose Monday Procession from Cologne. 12 Noon, Concert by the Düsseldorf Symphony Orchestra, relayed from the Boch-Saal, Düsseldorf. Conductor: Dr. Hans Paulig: Neuer rheinischer Büttnermarsch (Blankenburg); Lass' uns froh und munter sein—Potpourri of Rheinisch Carnival Melodies (Neuhäuser); Paso doble, Ins blaue Leben (Erwin); Selection from Wild Violets (Stolz); Foxtrot from End es leuchtet die Prszta (Buder); Tango, Wenn man sein Herz verliert (Strancky); Foxtrot from Bali im Savoy (Abraham). 12.45, A Report on the Rose Monday Procession. 2.20, Meat Market Prices. 2.30, Exchange and Time Signal. 2.50, Programme for Children. 3.20, The Nürnberg Cloth Workers' Carnival Play—a Radio Play for Young People. 4.0, See Munich. 5.20, Talk for Parents. 5.45, Weather, Time, Exchange, and Sports Notes. 6.0, Talk for Women. 6.20, Talk: Great Men of German History—Count Alfred von Schlieffen, on the Centenary of his Birth. 6.45, Reading from Unpublished Poems—The Works of Horse Lange. 6.55, First General News. 7.0, Rose Monday Concert by the Station Orchestra, conducted by Kühn. 9.5, News and Sports Notes. 9.30, Serenade and Dance Music, conducted by Eysoldt. 11.0 (approx.), Close Down.

LAUSANNE.—See Radio-Suisse Romande.

LEIPZIG

389.6 metres; 120 kW.; and DRESDEN, 319 metres.—12.15 p.m., Concert and relay of Carnival Procession from Langenberg, followed by Exchange. 2.20, Advice for the Unemployed. 2.35, Exchange and Market Prices. 3.0, Ohne Geld ein Fäseling-held (A Penniless Carnival Hero)—Monodrama (Anton Schmaek). 3.20, Art and Film Review. 3.30, Concert by the Dresden Philharmonic Orchestra. 4.45, Weather and Time. 4.50, Exchange Quotations. 5.0, Talk: Why still teach Greek and Latin in the Secondary Schools? 5.30, Talk: A Thousand Years of German Literature—the Birth of the Novel. 5.50, Programme to be announced. 6.0, Vogtland and Erzgebirge Folk Music on Two Zithers. 6.30, Talk: Richard Wagner in the Judgment of his Contemporaries. 7.0, Concert by the Leipzig Symphony Orchestra and the Riedel Choral Society, conducted by Carl Schüricht. Soloists: Hermann Schey (Baritone), Symphony in G, No. 88 (Haydn); Sea Drift (Debussy), for Baritone, Mixed Choir and

Orchestra. 8.10, News Bulletin. 8.20, Cabaret Programme by Robert Koppel. 8.45, News. 9.30, Carnival—Humoresques (Robert Storm Petersen). 10.0, Programme from Langenberg. 11.0 (approx.), Close Down.

LINZ.—See Vienna.

LJUBLJANA

574.7 metres; 2.5 kW.—6.0 p.m., Serbo-Croat Lesson. 6.30, Talk on Hygiene. 7.0, Programme relayed from Zagreb (307 metres). 9.0, Time, News, and Popular Music on Gramophone Records.

LYONS

LA DOUA, 465.8 metres; 1.5 kW.—7.30 p.m., Radio Gazette for Lyons and the South-East. 8.30, Concert, conducted by Charles Strouy. Soloists: M. Lavandier (Pianoforte), M. Gonzales (Violin), and Valentine Turcet (Song). After the Concert, News Bulletin.

MADRID

ARANJUEZ (EAQ), 30.43 metres; 20 kW.—Programme arranged by the Spanish-American Radio Society on the Anniversary of the Independence of the San Domingo Republic. 10.30, Popular Concert. 10.45, Radio Chronicle. 11.0, Popular Concert (cont'd). 11.5, Sports and Bull-fighting Notes. 11.40, Light Music. 12 Midnight (approx.), Close Down.

MADRID

UNION RADIO, Call EA7, 424.3 metres; 2 kW.—7.0 p.m., Chimes, Exchange and News; Gramophone Records. 8.15, News Bulletin. 8.30 (approx.), Close Down.

MALMO.—See Stockholm.

MILAN.—See Turin.

MORAVSKA-OSTRAVA

263.8 metres; 11 kW.—5.25 p.m., German Transmission: Talk on Gipsies and Technical Talk. 6.0, See Prague. 7.40, Military Band Concert, conducted by V. Karel. 8.30, See Prague. 10.15 (approx.), Close Down.

MOSCOW

TRADES UNION, 1,304 metres; 100 kW.—4.30 p.m., Literary Programme. 5.30, Concert from the Conservatoire. 8.0, Talk in English: The Doctrines of Marx and Lenin.

MOTALA.—See Stockholm.

MÜHLACKER.—See Stuttgart.

MUNICH

533 metres; 60 kW. Relay by Augsburg and Kaiserslautern, 560 metres; and Nürnberg, 239 metres. 4.0 p.m., Orchestral Concert, conducted by Erich Kloss: Jubelouverture (Flotow); Tanz der Spielmann und Zauberwälder from the Ballet Der Zauberberg (Grimm); Selection from La Bohème (Puccini); A la Gavotte (Schütz); Suite No. 2 (Mielich); Gipsy Song, Delceza (Meisel); Dance of the Chickens coming out of their Shells (Mussorgsky); In the Pony-Yard (Bortkiewicz). 5.15, Talk: Black Monday. 5.35, Talk for Workers. 5.5, Time, Weather and Agricultural Notes. 6.0, Carnival Acrobatics on Two Pianofortes, by Ludwig Schmidknecht, with René Maquis (Saxophone). 6.35, Talk: Voyages in a Sailing Vessel. 7.0, Countess Maritza—Operetta in Three Acts (Kálmán). 9.20, Time, Weather, News and Sports Notes. 9.4, Light Music on Gramophone Records. 10.3, Dance Music by Ambrose and His Band, relayed from London. 12 Midnight (approx.), Close Down.

NAPLES.—See Rome.

NOTODDEN.—See Oslo.

OSLO

1,083 metres; 60 kW. Relay by Fredrikstad, 365.8 metres; Hamar, 574.7 metres; Notodden, 447.1 metres; Porsgrund, 453.1 metres; and Rjukan, 447.1 metres.—4.0 p.m., Concert by the Radio Ensemble, conducted by Oscar Gustavson. 5.0, German Lesson. 5.30, Theatre Review. 6.0, Announcements, Weather and News. 6.30, Agricultural Talk. 7.0, Time. 7.1, A Childhood Friend—Play (Niels Collett Vogt). 8.10, Political Review. 8.40, Weather and News. 9.0, Topical Talk. 9.15, Violin Recital by Henri Temianke. 9.4 (approx.), Close Down.

OSTERSUND.—See Stockholm.

PALERMO

542 metres; 3 kW.—7.0 p.m., Dopplavomg Notes, Tourist Talk, Agricultural Notes and Giornale Radio. 7.20, Popular Music on Gramophone Records. In an interval at 7.30, Time and Announcements. 7.45, Concert of Chamber Music: Lea Malt (Pianoforte), Diamante (Flute), Galesi (Ob.), La Rosa Parodi (Pianoforte), and Sylvia De Lisi and S. Belli (Soprano); Pianoforte Sonata in G Minor (Schumann); Concerto in C Minor for Flute, Oboe, and Pianoforte (Bach). Soprano Solos: (a) Amarilli (Sacchini), (b) Vergiliches Ständchen (Brahms). Flute Solo: Pastorale (Searlatti). Oboe Solo: Allegro from Scottish Scenes (Godard). Soprano Solos: (a) Aria from Turandot (Puccini), (b) Maria's Romance from I compagnacci (Ricciotti). Pastorale and Harlequinade for Flute, Oboe, and Pianoforte (Goussens). Pianoforte Solo: Alborada del gracioso (Ravel). After the Concert, Light Music on Gramophone Records. 9.55, News.

FEB. 27th

MONDAY

continued

PARIS

EIFFEL TOWER, Call FLE, 1,445.7 metres; 13 kW. Time Signals (on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and six-dot signals).—5.45 p.m., Le Journal Parlé. 7.20, Weather Report. 7.30, Pianquette Operetta Programme: Songs from Les Cloches de Corneville and Rip van Winkle. 8.30, Variety Programme. 9.0 (approx.), Close Down.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW.—6.45 p.m., Le Journal Parlé. 7.0, Hot Jazz on Gramophone Records. 7.30, Variety Music on Gramophone Records. 8.0, Talk by Dr. Ombredane. 8.5, Talk on Motor Cars. 8.15, Interval. 8.30, Sponsored Concerts. 10.40, News.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW.—6.45 a.m., Physical Culture. 7.30, Weather and Physical Culture (contd.). 7.45, Probable Relay of the Test Match from Australia. 8.0, Press Review and Weather. 8.30, Test Match Relay (contd.). 12 Noon, Concert of Opera Music by the Radio Paris Orchestra: Overture, Der Freischütz (Weber); Selection from La Gioconda (Ponchielli); Gramophone Records: Two Arias from The Magic Flute (Mozart); Selection from Hilda (Franck); Ballet Music from Etienne Marcel (Saint-Saëns); Selection from Hamlet (Thomas); Selection from Bacchus (Masse- net); Gramophone Records: Two Arias from Le Cid (Masse-net); Ballet Music from Naïfa (Gaubert). In the intervals at 1.0, Exchange, News, and Weather, and at 1.30, Exchange. 2.0, Exchange and Announcements. 3.45, Exchange and Market Prices. 6.10, Agricultural Report. 6.30, Elementary English Lesson. 6.50, Film Review: The Music Hall on the Screen. 7.0, Review of New Books. 7.20, Concert by the Radio Paris Orchestra: Bourrée (Février); Two Symphonic Tableaux (Févet); Ronde des Lutins (Nerini); Marche des petits soldats de plomb (Pierlé). 7.45, Commercial Prices and News. 7.50, Gardening Talk. 8.0, Symphony Concert, conducted by Eugène Bigot: Soloist: Bernard Michelin (Cello); Overture pour un conte (Emanuel); Concerto for Cello and Orchestra (Haydn); Prelude to L'ouragan (Bruneau); Les Éolides (Franck); Second Symphony (Rabaud); Invitation to the Waltz (Weber). In the intervals at 8.30, News and Weather, at 8.40, Review by Reboux, and at 9.15, Press Review and News.

PITTSBURGH

WESTINGHOUSE ELECTRIC (KDKA), 306 metres; 25 kW. Relayed by W8XK on 48.86 metres and 25.27 metres.—9.0 p.m., Work-a-day Thoughts. 9.5, Business News. 9.15, Programme to be announced. 9.30, Weather Report. 9.32, Market Report. 9.45, Pianoforte Interlude. 9.50, David Lawrence Dispatch. 9.55, KDKA Artist Bulletin. 9.57, Programme Announcements. 10.0, Programme to be announced. 10.30, The Singing Lady from New York. 10.45, Little Orphan Annie. 11.0, Booth Tarkington's Maude and Cousin Bill, from New York. 11.15, Time Signal. 11.16, Temperature Report. 11.17, Teaberry Sport Review. 11.22, Press News Reeler. 11.27, Strange Facts. 11.29, Weather Report. 11.30, Westinghouse Watchmen. 11.45 to 3.15 a.m. (Tuesday), New York Relay. 11.45, Today's News by Lowell Thomas. 12 Midnight, Popesant Amos in Andy. 12.15 a.m., Tastyest Jesters. 12.30, Five Star Theatre: Marx Brothers. 1.0, Liquid Club Eskimos. 1.30, Time Signal and Don Carney: A Talk for Dog Lovers. 1.45, Phillips Lord in the Country Doctor. 2.0, Singsong Minstrels. 2.30, Jack Frost Melody Moments. 3.0, The Sizzlers. 3.15, Bridge School of the Air. By E. Hall Downes. 3.30, Samuel Di Primo (Tenor). 3.45, Bradley Kincaid. 4.0, Time Signal. 4.1, Teaberry Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.13, KDKA Artist Bulletin. 4.15, Press Last Minute News. 4.20, Smith Ballew and his Orchestra. 5.0, Hotel Bismarck Orchestra, from New York. 5.30, Time Signal and Goodnight.

PORSGRUND.—See Oslo.

PRAGUE

488.6 metres; 120 kW.—3.10 p.m., See Bratislava. 4.10, Talk: The Organisation of Armies Now and in the Past. 4.20, Talk. 4.30, Programme for Children. 4.50, Variety Music on Gramophone Records. 5.5, Agricultural Talk. 5.15, Talk for Workers. 5.25, News in German. 5.30, German Transmission: Literary Talk. 6.0, Chimes from the Church of St. Ludmila, Kralovsko-Vysohrady. 6.1, News. 6.10, Elementary English Lesson. 6.25, Talk on Economics. 6.40, Concert by a Chromatic Accordion Quartet. 7.0, Concert of Yugoslav Songs, relayed from Zagreb (307 metres). 7.40, See Brno. In the interval at 8.0, Time Signal. 8.30, String Quartet, Op. 21 (Skroup), by the Ondricek Quartet. 9.0, Time Signal. 9.1, News Bulletin. 9.15, Concert of Contemporary Music, conducted by Otakar Jeremias. Soloists: Václav Smetáček (Oboe) and Bohus Heran (Cello). 10.15 (approx.), Close Down.

RADIO-SUISSE ROMANDE

SOTTENS, 403 metres; 25 kW.: LAUSANNE, 680 metres; and GENEVA, 760 metres.—5.30 p.m. (from Lausanne), German Lesson. 6.0 (from Lausanne), Weather and News. 6.30, Lesson for Cabinet-makers. 7.0 (from Lausanne), Talk: Automobile Traffic. 7.15 (from Lausanne), Talk on the following Transmission. 7.30, Symphony Concert by the Radio Orchestra, conducted by E. Ansermet. Soloist: E. Appia (Violin). Suite in D, No. 3 (Bach); Divertissement for Violin (Mozart); Second Symphony in C (Schumann). In the interval at 8.20, News and Weather. 9.15 (from Geneva), Talk: The Work of the League of Nations. 9.30 (approx.), Close Down.

REYKJAVIK

1,200 metres; 21 kW.—8.30 p.m., Weather Report. 8.40, Musical Programme and Announcements. 9.0, Chimes. 9.2, News Bulletin. 9.30, Reading. 10.0, Popular Concert by the Station Quartet, with Songs.

RIGA

525 metres; 15 kW.—6.5 p.m., Concert by a String Orchestra. 7.0, News Bulletin. 7.20, Soprano Songs by Milda Brechmanis-Stengels. 7.40, Popular Concert conducted by J. Medins. 8.0, Weather and News. 8.30, Light Music. 9.30 (approx.), Close Down.

RJKAN.—See Oslo.

ROME

Call 1RO; 441 metres; 50 kW. Relayed by Naples, 319 metres; and 2RO, 25.4 metres.—7.0 a.m., Gymnastics. 7.15 to 7.30, Giornale Radio and Announcements. 11.30, Weather and Popular Music on Gramophone Records. 12 Noon, Time and Announcements. 12.2 to 1.15 p.m., Orchestral Concert from Turin. In the interval from 12.30 to 12.45, Giornale Radio and Exchange. 3.45, Children's Radio Review. 4.10, Announcements. 4.15, Exchange and Giornale Radio. 4.30, Violin Recital by Orlando Barera, relayed from the Royal Philharmonic Academy. 6.10 (Naples), Shipping and Sports Notes. 6.15, Agricultural Report and Announcements. 6.20, Giornale Radio. 7.0, Time, Announcements, and Light Music on Gramophone Records. 7.30, Sports Notes and Tourist Report. 7.45, Concert of Light Music. Part I: Two Pieces for Soloists and Chorus: (a) A' sirena (Valente), (b) Tarantelluccia (Falvo); Tenor Solos: (a) Tu ce non chagne (de Curtis), (b) Filinù (Ricciardi), (c) Nuttata e se sentimento (Capolongo); Tenor Solos, with Chorus: (a) E bersagliere (Di Capua), (b) Desiderio e te' (Ricciardi), (c) Luna nova (Costa); Era di maggio (Costa); Sotto l'ombrello (Di Capua); E spingole francese (De Loya); Scetate (Costa); Pecelie (Pennino); Nuttata a mare (Di Capua); Choral Pieces: (a) Carmela, (b) Curtis), (c) Pusilleo addiriso (Gambardella); Talk. Part II: Songs of the Moment. Orchestra: Lamore cos'è? (Raimondi); Song (Brodsky); Rose (d'Anzi); Canta Siviglia (Fiasconaro); Spanish Duet: Aromito (Picena); Orchestra: Henriette (Boetz); Amore di bambole (Ljald); Berrettino (Mascheroni); Kiss me (Fokringer); Shadows (Cassar); Orchestra: The Cuckoo (Benson). 9.55, News Bulletin. **SALZBURG.**—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY (WGY), 379.5 metres; 50 kW. Relayed at intervals by W2XAF on 31.48 metres, and by W2XAD on 19.56 metres.—7.30 p.m., Revolving Stage, from New York. 8.0, Olson Instrumental Trio. 8.15, Antoinette Halstead (Contralto). 12 Midnight, Gruen and Hall, from New York. 12.15 a.m. (Tuesday), Stock Reports. 12.30 to 2.30, New York Relay. 12.30, Van and Don. 12.45, The Goldbergs. 1.0, Sonoyland Sketches. 1.30, Voice of Firestone. 2.0, A. and P. Gipsies. 2.30, Buick Programme: Paul Whiteman's Orchestra, followed by Programme Resumé.

SCHWEIZERISCHER LANDESENDER

BEROMUNSTER; 459 metres; 60 kW.: BASLE, 244.1 metres; and BERNE, 245.9 metres.—9.20 a.m. (from Basle), Broadcast for Schools. 9.50 to 11.28, Interval. 11.28, Time Signal from Neuchâtel Observatory. 11.30, Weather and News. 11.40, Sound Film Music on Gramophone Records. 12.35 p.m., Weather and Exchange. 12.45 to 2.30, Interval. 2.30, Concert by the Radio Orchestra. 3.0, Hungarian Music by the Basle Radio Quartet. Soloist, Alexander Fenyvesy (Bari- tone). 4.0, Gramophone Dance Music. 4.30, Weather. 4.35 to 5.30, Interval. 5.30 (from Zürich), Talk: Everyday Philosophy. 6.0, Time and Weather. 6.15 (from Zürich), Elementary English Lesson. 6.45 (from Berne), Talk on the following Transmission. 7.0 (from Berne), Symphony Concert by the Berne Music Society, conducted by Dr. Fritz Brun. Soloists: Ria Gimster (Soprano) and Lorenz Lehr (Cello). 9.0 (approx.), Weather, News, and Close Down. **SOTTENS.**—See Radio-Suisse Romande.

STOCKHOLM

Call SASA, 436 metres; 55 kW. Relayed by Boden, 1,225.5 metres; Göteborg, 322 metres; Mörby, 257 metres; Motala, 1,348 metres; Östersund, 770 metres; and Sundsvall, 542 metres.—4.5 p.m., Variety Programme. 4.40, Reading. 5.0, Popular Music on Gramophone Records. 5.55, Programme from Copenhagen. 6.15, Weather and News. 6.30, Parliamentary Report. 6.50, Military Band Concert, conducted by Ivar Widner. 7.45, Talk. 8.15, Choral Concert, conducted by Hildor Lundvik. 9.0, Orchestral Concert: Festival Polonaise (Svendson); Suite No. 2 (de Michelé); Waltz, Dorfschwalben aus Oesterreich (Jos. Strauss); Mexican Serenade, My Little Star (Ponce-Heifetz); Tango from The Three Musketeers; Swedish National Melodies (Berlin); Pasodoble, Saragossa (de Gredos). 10.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW.—11.30 a.m., Gramophone Concert of Bizet's Music. 12.45 p.m., News. 1.0, Time and Exchange. 1.5, Gramophone Concert: Bacchanale from Tannhäuser (Wagner); Norwegian Rhapsody (Loh) Fêtes (Debussy); Selection from La Péri (Dukas); The Coronation from Boris Godunov (Mussorgsky). 5.0, Orchestral Concert, conducted by Roskam: March, Blaze away (Holzmann); Wedding Waltz (Lincke); Overture, Tutti in maschera (Pédrotti); Polospiel (Fétas); L'Amoureuse Sérénade (Filipucci); Selection from Rose Marie (Friedl); Chinesische Strassenserenade (Siede); Ballet Suite (Popy). 6.0, Film Notes. 6.15, Topical Talk in German. 6.30, Gramophone Concert: Turkish March (Mozart); Le coucou (Daquin); Jardin des amours (Casadesu); Coches de Fête (Fauchey); La Violinista (Mareoni); Cymbalum Czardas (Bereny); Improvisations (Bereny); Das Lied ist aus (Stolz); Adieu mein kleiner Garde-Offizier (Stolz). 7.30, Time and News. 7.45, Lottery Results. 8.0, La Yamma—Opera in Three Acts (Paul Bastide). 10.30 (approx.), Close Down.

STUTTGART

MUHLACKER, 360.5 metres; 60 kW.: and **FREIBURG, 570 metres.**—12.15 p.m., Time, News, Weather and Programme Announcements. 12.30 (from Mannheim), French Horn Quartet Concert: Jagdtafeln (Möh- ring); Sérénade, Ich grüsse dich (Härtle); Im Waldesdunkel (Dietz); Der Wunsch (Witt); Hezelied (Koschalt); Potpourri of Hunting Songs (Wiegand), followed by Sponsored Concert. 1.30, Spanish Lesson. 2.0, English Lesson for Beginners. 2.30 to 4.0, Interval. 4.0, See Munich. 5.15, Time, Weather and Agricultural Report. 5.25, Talk on Precious Metals. 5.50, See Frankfurt. 6.15, Time and News. 6.30, Carnival Concert by the Stuttgart Philharmonic Orchestra, conducted by Gustav Görlsch. Soloists: Gerda Hansi (Soprano) and Hans Hanns (Tenor). March, King Carnival (Rosey); Soprano Solo: Colombines Auftritt from Die Tanzgräfin (Stolz); Soprano and Tenor Duet: Legendwies ist mit mir heut los from Die Tanzgräfin (Stolz); Waltz, Freut euch des Lebens (Joh. Strauss); Soprano and Tenor Duet from Die Tanzgräfin (Stolz); Soprano and Tenor Duet: Nachtschwärmer-Walzer (Zielner); Soprano Solo: Ein Schwärmerl möcht' ich haben, from Rind und die Liebe (O. Strauss); Soprano and Tenor Duet: Song from The Merry Widow (Lehár). 7.30, Concert: A Carnival Sequence, by the Stuttgart Philharmonic Dance Orchestra and Soloists. 9.0, Time, News, Weather and Programme Announcements. 9.20, Chess Lesson. 9.45, Banner Music by the Stuttgart Philharmonic Dance Orchestra, conducted by Harry Risch. Soloist: Walter Maurer (Tenor). 11.0, Dance Music relayed from London. 12 Midnight, Close Down.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW.—5.30 p.m., Concert by a Viennese Orchestra. 6.0, News. 6.15, Opera Music: Aria from Fidelio (Beethoven); Chorus of the Priests and Finale from The Magic Flute (Mozart). 6.30, Extracts from The Three-cornered Hat (Palla) by the Symphony Orchestra. 6.45, Music by an Argentine Orchestra. 7.0, Tourist Report. 7.15, News, Horse Racing Results and Market Prices. 7.25, Local News Bulletin. 7.30, Popular Melodies. 7.45, Operetta Music: Selection from No. No. Nanette (Youmans); Aria, from Die geschiedene Frau (Fall); Selection from Le Grand Mogol (Audran). 8.0, Concert: Part I: Opera Music: Aria from Si j'étais roi (Adam); Selection from Mirella (Gounod); Aria from Werther (Masse-net); Part II: Instrumental Music: Cello Solo: Le Cygne (Saint-Saëns); Nylophone Solo: Liebeslied (Kreisler); Pianoforte Solo: Arabesque (Jeanjean). 8.30, Accordion Music. 8.45, Light Orchestral Music. 9.0, Extracts from Romeo and Juliet (Gounod). 9.30, Symphony Concert: Chinese Street Serenade (Siede); Hurra, die Musik kommt (Zimmer); Ethiopian Dance from Sylvia (Delibes); Wedding March (Mendelssohn); Lieder der Liebesnacht (Lincke); Très jolie

(Waldteufel). 10.0, Extracts from Sound Films. 10.15, North-African News. 10.30, Concert for Listeners in Morocco: Potpourri, Vom Rhein zur Donau (Rhode); Melody from Les Saltimbanques (Ganne); Entr'acte Music from Carmen (Bizet); Romance à l'Inconnue (Germain); Jungle Drums (Kettelbey). 11.0, Request Concert: Ballet Music from Faust (Gounod); Dream of Love after the Ball (Czibulka); Le petit Quinquin (Desroussaux). 11.30 to 12 Midnight, Programme in English by the I.B.C. Mr. H. K. Hitecock announcing. Variety: Please, Lazy Day, Out of Nowhere, Always in my Heart, Till Tomorrow, Mother's Smile, Ain't it great to be Home Again, Here Lies Love. 11.57, I.B.C. Goodnight Melody. 12 Midnight, Weather and Announcements. 12.5 a.m. (Tuesday), Musical Programme. 12.30 (approx.), Close Down.

TRIESTE

247.7 metres; 10 kW.—4.30 p.m., See Rome. After the Programme, Relay from Turin. 6.35, Orchestral Music from the Café Dante. 7.0 till Close Down. See Turin.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relayed by Milan, 331.5 metres; Genoa, 312.8 metres; and Florence, 500.8 metres.—4.30 p.m., See Rome. After the Relay, Giornale Radio, Agricultural and Dopolavoro Notes. 6.0, Gramophone Records of Popular Music. 6.20, Giornale Radio. 6.30, Time, Announcements, Tourist Report and Gramophone Records of Light Music. 7.0, Giornale Radio, Weather, and Gramophone Records (contd.). 7.30, Concert of Chamber Music: Arrigo Serato (Violin) and Sandro Fuga (Pianoforte). Sonata in A for Violin and Pianoforte (Bach); Pianoforte Solos; Sonata for Violin and Pianoforte (Franck). 8.20, A Comedy in One Act. 9.0, Orchestral Concert, conducted by Ugo Tansini. 10.0, Giornale Radio.

VATICAN CITY

1.84 metre (Morning), and 50.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Information in Italian. 7.0 to 7.15 p.m., Religious Information in Italian.

VIENNA

517 metres; 15 kW. Relayed by Graz, 352.1 metres; Innsbruck, 283 metres; Klagenfurt, 463.2 metres; Linz, 245.9 metres; and Salzburg, 218.5 metres.—4.0 p.m., Orchestral Concert, conducted by Karl Hawranek. Overture, Wiener Frauen (Lehár); Selection from La belle Hélène (Offenbach); Selection from La Traviata (Verdi); Waltz, Estudantina (Waldteufel); Potpourri, Für Instige Leut' (Kozzak). 5.5, Talk on the Art Exhibition in the Austrian Gallery: Still Life in Three Centuries of Austrian Painting. 5.25, Talk: Books of Reference in Connection with the Week's Talks. 5.30, Talk: Carnival in Aussee. 5.55, English Lesson. 6.20, Time, Weather and Programme Announcements. 6.40 (approx.), Concert of Yugoslav Songs by the Lisinski Choir, relayed from Zagreb (307 metres). 7.10, The Eternal Feminine—Radio Humoresque (Willi Kuepler). 8.20, News, Weather and Announcements. 8.35, Dance Music by the Karl Muehler Jazz Band, relayed from the Café Splendide.

WARSAW

1,411 metres; 120 kW.—10.58 a.m., Time Signal and Bugle Call from the Tower of St. Mary's Church, Cracow. 11.5, Programme Announcements. 11.10, Light Music on Gramophone Records. 12.20 p.m., Weather Forecast. 12.25 to 2.10, Interval. 2.10, Announcements. 2.15, Economic Notes. 2.25, Traffic Report. 2.35, Answers to Correspondence. 2.50, Light Music on Gramophone Records. 3.25, Elementary French Lesson. 3.40, Talk on Economics. 4.0, Pianoforte Recital by Mme. Berkwie: Sonata in C, Op. 53—the Waldstein (Beethoven); Barcarolle (Chopin); Variations on a Theme by Paganini (Liszt). 4.35, Recital of Italian Songs by Mme. Labia (Mezzo-Soprano) and B. Wilecka (Soprano); Duet (Pecini); Pianette (Cavalli); Nobile (Respighi); Canzone napoletana (Tagliaferri); Duet: Barcarolle (Bianchini); Sicilian Songs: Mimi's Aria from La Bohème (Puccini). In the Interval, Announcements. 5.35, Topical News. 5.40, Dance Music on Gramophone Records. 6.0, Miscellaneous Items. 6.20, Answers to Agricultural Correspondence. 6.30, Topical Talk. 6.45, Radio Journal. 7.0, Die Frau ohne Küss—Operetta in Three Acts (Kollo). In the intervals, Sports Notes and Radio Journal. 9.0, Answers to Technical Correspondence. 9.15, Dance Music, relayed from Lwow (381 metres). 9.55, Aviation Weather Report and Police Notes. 10.0, Dance Music from the Adria Dance Hall.

WILNO

563 metres; 16 kW.—4.55 p.m., Programme Announcements. 5.0, Italian Song Recital, relayed from Warsaw. 5.20, Request Gramophone Concert. 5.40, Talk in Lithuanian; Lithuanian Foreign Politics. 5.55, Miscellaneous Items. 6.0, Review. 6.18, Miscellaneous Announcements. 6.15, Sports Talk. 6.30, See Warsaw. 9.15, Dance Music, relayed from Lwow (381 metres). 9.55, See Warsaw. 11.0 (approx.), Close Down.

ZÜRICH.—See Schweizerischer Landessender.

TUESDAY

FEBRUARY THE TWENTY-EIGHTH

PRINCIPAL EVENTS OF THE DAY:

AT HOME

- NATIONAL** Orchestral concert. Dr. John Baker: "Biology in Everyday Life." "Tambhäuser and the Jockey Club," a play.
- LONDON REGIONAL** Organ recital. Vaudeville programme. Orchestral concert.
- MIDLAND REGIONAL** A recital by Leicestershire artists. "Folk Lore and Legends of Leicestershire," by Lieut.-Col. R. E. Martin. "Melody," a gramophone entertainment. "The Hosiey and Knitted Wear Trade," a talk by Mr. Herbert A. Buckler.
- NORTH REGIONAL** Orchestral and Male Voice Choral programme. Mr. Lawrence Howard: "The Month in Northern Art." Taunton Madrigal Society. Annual Ladies' Night Concert, relayed from the County Theatre, Taunton. "Burns as a Song Collector," a talk by Mr. Thomas Henderson, with musical illustrations. Dr. George Kitchen. "The Sense of Nonsense—Some Scottish Parodies."
- WEST REGIONAL** Light orchestral music. An operatic programme.
- SCOTTISH REGIONAL** Light orchestral music. An operatic programme.
- BELFAST** Light orchestral music. An operatic programme.
- HAMBURG** 6.30 p.m. Operetta: "The Stolen Warehouse" (E. Roters).
- LANGENBERG SOTTENS** 7 p.m. A Shrove Tuesday Ball. 7.35 p.m. Symphony concert, conducted by Ernest Ansermet.
- STRASBOURG** 8.30 p.m. Carnival programme from Paris.
- TURIN** 7.30 p.m. Operetta: "Die Landstreichler" (Zeibler).
- WARSAW** 4 p.m. The Philharmonic Orchestra, conducted by Fitelberg.

ABROAD

Music on Gramophone Records. 5.45, Slovak Spelling Lesson. 6.0, See Prague. 9.15, See Moravska-Ostrava. 11.0 (approx.). Close Down.

BREMEN. See Hamburg.

BRESLAU

325 metres; 60 kW.; and GLEIWITZ, 253 metres.—12.10 p.m., Concert of Dances and Marches from Opera on Gramophone Records: Gavotte, Sarabande, Minuet, and Gavotte-Lambourin from *Alcina* (Händel); Singsler's March and the Guards' Parade, from *Carmen* (Bizet); Gingerbread Waltz and Witch's Ride, from *Hansel and Gretel* (Humperdink); *Mimosa* Waltz from *The Gipsy King* (Jones); *Triumphal March* from *Aida* (Verdi); *Waltz from Der Rosenkavalier* (Richard Strauss). 12.45 p.m., Time, Weather, News, and Exchange. 1.5, Gramophone Concert of Carnival Music: Selection from *A Masked Ball* (Verdi); *Carnival Dance* (Opfer); *Waltz from the Operetta Ein rheinisches Mädchen* (Hilber); *Old Folk Song, Papi, Papi, du bist mein Spezi*; *Lincke Polonni* for Orchestra, Soloists, and Choir; *Foxtrot, Warum bin ich verliebt in dich* (Abraham); *Waltz from Ball im Savoy* (Abraham); *Song from Tell me Tonight* (Spodiansky); *Polonni, Fortissimo* (Kalmann). 1.45, Sponsored Programme with Gramophone Records. 2.10, Agricultural Prices. 2.40, Talk for Children: How to build a Model Aeroplane. 3.10, Violin and Piano Recital of Paul Pisk's Compositions, with the Composer at the Piano; *Rondo Suite* for Violin and Piano; *Dance Suite* for Piano; 3.35, Songs from *Siegfried*—Opera (Wagner), on Gramophone Records. 4.0, Review of Books on Photography. 4.20, Agricultural Prices. 4.25, Fritz Müller-Partenkirchen reads from his Humorous Works. 4.50, Political Speeches, with Introductory Talk by Dr. Hans Kraus. 5.20, Programme to be announced. 6.0, Talk: General von Schlieffen, on the Centenary of his Birth. 6.35, See Berlin (Königs Wusterhausen). 6.55, Weather Forecast. 7.0, See Langenberg. 9.5, Time, Weather, News, Sports Notes, and Programme Announcements. 9.20, Talk: Carnival in the Country. 9.45, See Munich. 11.0 (approx.). Close Down.

BRNO

242 metres; 35 kW.—4.50 p.m., Esperanto Lesson. 5.0, Talk on Music. 5.15, Talk for Workers. 5.25, German Transmission: News and Two Talks. 6.0, See Prague. 6.10, Saxophone Solos. 6.25, See Prague. 9.15, See Moravska-Ostrava. 11.0 (approx.). Close Down.

BRUSSELS (No. 1)

I.N.R., 509 metres; 15 kW.—12 Noon, Concert by the Small Station Orchestra, conducted by Pierre Leemans: *Carnival Overture* (Glazunov); *Suite, Mascarade* (Sullivan);

Selection from *A Masked Ball* (Verdi); *Bacchanale* for Piano (Chopin-Liszt); *Carnival* (Guiraud); *Waltz Hochblütze* (Lanner); *Overture, Tutti in maschera* (Poldowski). 1.0 p.m., Journal Parlé. 1.10, Gramophone Concert: *Overture, Le masque* (Mascagni); *Arlequin* (Popper); *Toto déguisé en suisse d'Église de Severac*; *Mimi se déguise en marquis de Severac*; *Masques* (Debussy); *Arlequin* (Lalor); *Solo de Carnaval* (Borel-Clerm); *Carnaval de Rome* (Thomas); *Les farces de Pierrot* (Bixio); *Mascarade* (Lanner). 5.0, *Symphony Concert*, conducted by M. Meulmans; *Carnaval à Paris* (Sveudsen); *Norwegian Artists' Carnival* (Sveudsen); *Carnaval romain* (Belioz); *Carnival from Le princess d'Amberg* (Blacky). 6.0, Report on the Carnival at Binche. 7.30, Talk for Women. 8.0, Concert by the Symphony Orchestra, conducted by A. Meulmans; M. Georges (Trombone); *Overture, The Black Domino* (Anber); *Carnaval turc* (Luizini); *Carnaval de Venise* for Trombone (D. Merseman); Selection from *Die Fledermaus* (Joh. Strauss); *Bal costume* (Rubinstein); *Marche joyeuse* (Chabrier). 8.45, Extracts from *Carnaval* (Schumann). 9.0, Concert by the Radio Orchestra, conducted by Franz André; Soloist: René Durand (Tenor); *Artémise* (Moretti); *Alcquin* (Cazeneuve); *Carnival Songs*; *Foxtrot, Bal masqué chez les oies* (May Schwabach); *Carnaval* (Ring); *La Feria* (Curina); *Carnaval* (Guiraud). 10.0, Journal Parlé. 10.10, Concert by the Max Melys Orchestra. 11.0 (approx.). Close Down.

BRUSSELS (No. 2)

N.I.R., 338.2 metres; 15 kW., Programme in Flemish. 12 Noon, Carnival Concert on Gramophone Records: *Carnival Overture* (Dvorák); *Overture, Le Carnaval romain* (Belioz); *Overture, Le Maschera* (Mascagni); *Carnival in Venice* (Benoist); *Carnival from Petruslika* (Stravinsky); Selection from *A Masked Ball* (Verdi); *Overture, The Black Domino* (Anber). 1.6 p.m., Le Journal Parlé. 1.10, Concert by the Little station Orchestra, conducted by P. Leemans: *Overture, Le Bal Masqué* (Anber); *Suite Mascarade* (Lanner); *Gramophone Records*; *Puppe und Hampelmann* (Siede); Selection from *La Danse en Ermine* (Caryll); *Caprice* on a Foxtrot Rhythm for Violin (Wigy), played by the Composer; *Suite, Carnival* (Ring); *Foxtrot, Punch and Judy* (Black). 5.0, Concert by the Radio Orchestra, conducted by Franz André; *Cortège carnavalesque* (Razigade); *March of the Marionettes* (Hullebroeck); *The Match Parade* (Webb); *The Marzipan Army* (Petek); *L'arrivée des masques* (Huschmann); *The Dance of the Tulips* (Van Oost); *Carnaval japonais* (De Basilio); *Hilppuppenparade* (Richter); *The Fairies and the Fawn* (Kark); *March, Carnaval à Paris* (Poppy). 5.45, Programme for Children. 6.15, Vaudeville by Gaston Martens. 6.30, Gramophone Re-

cords: *Suite Carnavalesque* (Thomé); *Carnaval des Animaux* (Saint-Saëns). 7.15, Reading from *Women of the Aftermath* (Helen Zeina Smith). 7.30, Tourist Talk. 8.0, Concert by the Radio Orchestra, conducted by Franz André; Soloist: Jo Hecker Van Bysden (Songs); *Carnival* (Siede); Selection from *Tutti in Maschera* (Poldotti); *Princesse Carnaval* (Blasius); *Three Mask Dances* (Wood); *Puppe und Kohold* from *The Tales of Hoffmann* (Offenbach); (b) Song from *The Gipsy Baron* (Joh. Strauss). (c) *Spielmannslied* (Nicolai); *Piece* (Flecher); *Waltz, Les amours de Paillasse* (Sylviano); *Polka, Coq et Poule* (Paradis); *Harlequin's Serenade* (Dreyer); *Funeral March of a Marionette* (Gonod), followed by the S.A.R.O.V. Monthly Mosaic. 9.10, Concert by the Station Orchestra, conducted by Arthur Meulmans; *Carnival from La Princesse d'Amberg* (Blacky); *Fantoches* (Debussy); *Songs*; Selection from *Underella* (Massenet); *Carnaval à Paris* (Sveudsen). 10.0, Le Journal Parlé. 10.10, Light Music on Gramophone Records. 11.0 (approx.). Close Down.

BUCHAREST

394 metres; 12 kW.—4.0 p.m., Concert of Light Music and Romanian Music by the Motoi Orchestra. 5.0, News and Time Signal. 5.10, Talk. 5.25, Concert (cont'd.). 6.0, Talk on Romania: Her Coal. 6.40, Light Music on Gramophone Records. 7.0, Time Signal. 7.1, *Symphony Concert* by the Station Orchestra, conducted by M. Jorac; *Chamber Concert* (Zador); *Concerto No. 1 in C for Piano* (Zador) and *Orchestra* (Beethoven); *Suite in Classical Style* (Ghiga); *Symphony in B Flat*, No. 1 (Schumann). In the interval at 8.0, Talk. 8.45, News.

BUDAPEST

550 metres; 18.5 kW., 7.0 till Close Down, also relayed on 840 metres.—4.0 p.m., Concert by the Royal Opera House Orchestra, conducted by F. Friedl; *Quo Vadis?* (Seussola); Selection from *Madame Butterfly* (Puccini); *Suite No. 2* (Guiraud); Selection from *Le roi Samuse* (Delibes); Selection from *Conte Rinaldo* (Szirmai). 5.15, French Lesson. 5.40, Gipsy Music by the Sandor Birra Band. 6.30, Talk. 7.0, Carnival a Hundred Years ago, Talk with Musical Illustrations. 8.0, Announcements. 8.15, Carnival Gala Programme.

CASSEL.—See Frankfurt.

COPENHAGEN

261 metres; 0.75 kW.; and KALUNDBORG, 1,153 metres; 7.5 kW.—11.0 a.m., Time, and Chimes from the Town Hall. 11.5, String Ensemble Concert, conducted by Harald Andersen, relayed from the Bellevue Strandhotel. 1.0 to 1.40 p.m., Interval. 1.40, Orchestral Concert. In the interval at 2.25 (approx.), Reading. 3.40, Programme for Children. 4.40, Exchange and Fish Market Prices. 4.50, Medical Talk. 5.20, German Lesson. 5.50, Weather Forecast. 6.0, News. 6.15, Time Signal. 6.30, Talk: Danish Painting a Rêsumé. 7.0, Chimes from the Town Hall. 7.5, J. P. E. Hartman Music—Organ and Song Recital by N. O. Raasted and Niels Hansen, relayed from the Cathedral; *Fantasia* for Organ, Op. 12; *Four Songs*: (a) *Blossom* (son en Rosengaard), (b) *Englen har Rede*, (c) *Kom Hjert*, *Tag dit Regnbyrædt*, (d) *Blossom kan vise*; *First Movement* from the *Sonata*, Op. 58. 7.35, Talk: Women and the House. 7.50, Modern Saxophone and Piano Music by Winthrop Olesen and Viktor Fischer; Saxophone Solos: (a) *Valse élégante* (Thomson). (b) *Pleasure* (Rainger); *Piano Music* Solos from Hamburg (Niemann); *Saxophone Solos*: (a) *Poem* (Fibeli), (b) *Valse joyeuse* (Proyaznik-Alstfeld). 8.15, The Hansen Family Sketch (Jens Locher). 8.30, Ballet Music by the Radio Orchestra, conducted by Lanny Gröndahl; *Prelude to Aschenbrödel* (Job. Strauss); *Waltz from Die Puppe* (Bayer); Selection from *Lazy John* (Nedbal); *Czardas* from *The Swan Lake* (Tchaikovsky). 8.55, News. 9.10, Iceland in Literature and Music; The Radio Orchestra, conducted by Lanny Gröndahl; Soloist: Martha Markan (Songs) and Anna Remner (Readings); *Iceland's National Anthem* (Sveinbjornsson); *Iceland Overture* (Leif); Reading of Icelandic Poems; *Funeral March* from *Leifet* (Leif); Six Songs. 10.10 (approx.). Close Down.

CORK.—See Athlone.

CRACOW

312.8 metres; 10 kW.—6.0 p.m., Miscellaneous Items and Announcements. 6.15, Talk: Old Cracow. 6.30, See Warsaw. 11.0 (approx.). Close Down.

DANZIG.—See Heilsberg.

DRESDEN.—See Leipzig.

FECAMP

225.9 metres; 10 kW., 12 Noon, Military Music. 12.30 p.m., News Bulletin. 12.45, Concert of Opera and Operetta Music. 6.0 to 7.0 p.m., Programme in English by the I.B.C. C. Danvers Walker. R. Chene, B. McNabb and W. Crofton announcing. 6.0, Concert of Light Music for Worthing Listeners. Selection of Waltzes (arr. Anclife). Songs: (a) *Love everlasting*, (b) *If I'm dreaming*; *Sous les toits de Paris* (Morctti)

ATHLONE
413 metres; 60 kW.; and CORK, 224.4 metres.—1.30 to 2.0 p.m., Time, Weather, Stock Report and Popular Music on Gramophone Records. 6.0, Variety Music on Gramophone Records. 6.15, Programme for Children. 7.0, Variety Music on Gramophone Records. 7.15, News and British Market Report. 7.30, Time. 7.31, Gaelic Talk. 7.45, Talk for Farmers. 8.0, Balle and Wallace Concert by the Station Orchestra; Soloist: Robert Irwin (Baritone). 9.0, Dance Music from the Mansion House. 10.30, Time, News, Weather, and Close Down.

BARCELONA

RADIO-BARCELONA. Call EAJI, 348.8 metres; 8 kW.—6.0 p.m., Trio Concert. 7.0, Request Gramophone Records. 7.30, Exchange Quotations and Talk on Art. 8.0, Light Music on Gramophone Records and News. 8.15, Football Results, followed by Gramophone Records (cont'd.). 9.0, Chimes from the Cathedral. Weather Forecast, Messages for Seamen, Exchange Quotations, and Market Prices. 9.10, An Opera relayed from the Gran Teatro del Liceo. 11.0 (in an interval), News Bulletin.

BARI

269.8 metres; 20 kW.—7.0 p.m., Agricultural Notes. 7.20, Giornale Radio and Weather. 7.30, Time and Announcements. 7.35, Il piccolo Marat—Opera (Mascagni), relayed from the Petruzzelli Theatre. In the intervals, Literary Notes and Talk. After the Opera, News.

BASLE.—See Schweizerischer Landessender.

BELGRADE

430.4 metres; 2.8 kW.—6.0 p.m., Talk on Wireless. 6.30, Violin and Piano Recital: *Sonata in A*; *Sonata in D*, Op. 12, No. 1. 7.10, Clarinet Recital; Second Movement from the Concerto for Clarinet, Op. 63 (Wolfer); *Oriental* (Cini); *Three Pieces* for Clarinet and Piano (Op. 74 (Schumann)); *Rövere* (Debussy). 7.40, Madame Butterfly—Opera (Puccini), on Gramophone Records. 9.0 (in an interval), Time Signal.

BERLIN

KÖNIGS WUSTERHAUSEN, 1,635 metres; 60 kW.—12.45 p.m., News Bulletin. 1.0, See Berlin (Witzleben). 2.0, Talk for Young People: Modern Problems of Technology. 2.30, Weather and Exchange. 3.0, Talk for Women. 3.30, See Leipzig. 4.10, Talk: The Centenary of the Birth of Comte Schlieffen. 4.30, Chamber Music—Old Cantatas and Arias; *Solo Cantata* from *Ariadne auf Naxos* (Haydn); *Cantata in G*; *Ihr Völker hört* (Telemann); *Sacred Songs* (Telemann). 5.0, Talk on Industry. 5.30, A Dialogue on Beethoven's *Eroica* Symphony. 5.55, Weather and Announcements. 6.0, Talk: Are we to have a new Morality in this Mechanical Age? 6.30, Poetry Reading. 6.35, Political Press Review. 7.6, See Langenberg. 8.0, See Munich. 9.20, Weather, News, and Sports Notes. 9.45, Weather Report for Shipping. 10.0, Carnival Ball from Berlin (Witzleben). 11.0 (approx.). Close Down.

BERLIN

WITZLEBEN, 419.5 metres; 1.5 kW.—1.0 p.m., Gramophone Concert of Opera Music: *Overture, Banditenstreiche* (Suppé); *Tenor Solo* from *Das süsse Mädel* (Reinhardt); Selection from *The Bird Fancier* (Zeller); *Tenor Solo* from *The Gipsy Princess* (Kálmán); Selection from *The Gipsy King* (Jones); *Two Duets* from *The Flower of Hawaii* (Abraham); Selection from *Die Glückliche Reise* (Künneke); *Two Airs* from *The Student Prince*; *Duet* from *Die Perlen der Kleopatra* (O. Straus); *Marching Song* from *Zehn Minuten Liebe* (Meisel-Schwenn-Schiffers). 1.55, Exchange and Market Prices. 2.20, The Good Old Times—a Fairy Tale. 2.35, Talk on Montaigne. 2.50, Carnival Songs, arranged from Folk Songs and Popular Melodies by Haydn, Zelter, Valentin Rätzger, Hainhofer von Walther Blachetta, and Hellmut Seidler. 3.15, Reading (Ernst Lange). 3.30, See Leipzig. 4.25, Reading: The Prototype. 4.45, Talk on the Younger Generation. 5.5, *Sonatas* for Viola: *Sonata*, Op. 82a, in One Movement (Paul Juon); *Molto vivace* and *adagio espressivo* from the *Sonata*, Op. 41 (Otto Siegl). 5.30, Review of Books. 5.55, The Witzleben Station informs its Listeners. . . . 6.0, Topical Talk. 6.10, The Berlin Carnival—a Radio Report. 6.55, The Watchword. 7.0, A History of Post-war Germany, Part III.—Hitler and his Path to Power. 7.15, Berlin Carnival Evening. In the interval at 9.0, Weather, News, and Sports Notes. 11.0 (approx.). Close Down.

BERNE.—See Schweizerischer Landessender.

BEROMÜNSTER. — See Schweizerischer Landessender.

BODEN.—See Stockholm.

BODD.—See Oslo.

BORDEAUX-LAFAYETTE

304 metres; 13 kW.—7.30 p.m., News and Exchange. 7.40, Talk for Women. 7.55, Lottery Results. 8.0, Topical Talk. 8.15, News Bulletin and Weather Forecast. 8.50, A Comedy.

BRATISLAVA

279 metres; 14 kW.—5.0 p.m., Flute Part: *Duet*, Op. 75, No. 1 (Mozart); *Duet*, Op. 2, No. 1 (Quantz). 5.25, Talk. 5.35, Light

FEB. 28th **TUESDAY** continued

Songs: (a) The Song of Songs (Moya), (b) I give my heart, (c) You are my heart's delight; In the night (Tate). 6.30, Piano-forte Recital for Bognor Listeners: Selection from Rigoletto (Verdi); Ronco Capriccioso (Mendelssohn); Wasps (Holbrook); Seguidillas (Albeniz); Presto Agitato from the Moonlight Sonata (Beethoven); Romanian (Holbrook); Malagena (Albeniz); Liebestraum (Liszt). 7.0, Local News and Light Music on Gramophone Records. 7.30, Radio Gazette. 8.0, The Listeners' Quarter of an Hour. 8.15, Talk. 8.30, Piano-forte Recital by Mlle. Pecquet. 9.0, A Naval Ball relayed from the Hotel Frascati; and Interviews with famous Film Stars. 12 Midnight till Close Down, Programme in English by the I.B.C. 12 Midnight, Variety Concert: Evening in a Village Inn; Mammy is gone; Cuban Love Song; Toothache; Sing Holly, Go whistle. Hey Hey; My Ohio Home; Honest, really, truly. 12.30 a.m. (Monday), Songs; Banjo Solo; Finger tricks; I kiss your hand, Madame; Just one of my dreams; That's my song of love; Banjo Solo, The Buffoon (Angon); Roses at Dawning; A Thousand Maidens Fair; Flapperette (Greer). 1.0, Organ Recital: In a Japanese Garden (Higgs); Falling in love again (Hollander); Sylvan Scenes (Fletcher); The Love Waltz (Heymann); I'm in the market for you (Hanley); Now I'm in love (Yellen); Eleanor (Hanley); The Sacred Hour (Kettelbey). 1.30, Songs, Wedding Bells are ringing for Sally; This is Heaven; When your hair has turned to silver; Little Pal; On top of the World; Blue hills of Pasadena; Louise; When You've gone. 2.0, Dance Music: We will always be sweethearts; Hummin' to myself; What would you do?; Long ago; Boeh Caroline; Maria; Sing Brothers; When the rest of the crowd goes home; Shadows on the window; Looking on the bright side; Let's all dance the polka; Please don't mention it; Just Hummin' along; Don't tell a soul; How are You?; Moonlight on the river. 2.57, I.B.C. Good-night Melody. 3.0, Close Down.

FLENSBURG.—See Hamburg.

FLORENCE.—See Turin.

FRANKFURT

259 metres; 17 kW.; and CASSEL, 245.9 metres; and TRIER, 259.3 metres.—5.50 p.m. (from Trier). Talk: The Weathering of Buildings and Monuments. 6.15, Time, Programme Announcements, Weather, and Exchange. 6.30, Clo-Clo-Operetta in Three Acts (Lehar). 8.30, Bunter Abend. 9.30 (in an interval). Time, News, Weather, and Sports Report. 11.0 (approx.). Close Down.

FREDRIKSSTAD.—See Oslo.

FREIBURG.—See Stuttgart.

GENEVA.—See Radio-Suisse Romande.

GENOA.—See Turin.

GLEIWITZ.—See Breslau.

GOTEBORG.—See Stockholm.

GRAZ.—See Vienna.

HAMAR.—See Oslo.

HAMBURG

Call ha (in Morse). 372 metres; 1.5 kW. Relayed by Bremen, 269.8 metres; Flensburg, 227.4 metres; Hannover, 566 metres; and Kiel, 232.2 metres.—6.0 p.m., Talk: General von Schlieffen. 6.25, Weather. 6.30, The Stolen Warehouse—Radio Operetta (Ernst Roters). 7.45, A Musical Masked Ball with Two Orchestras, Ten Soloists, a Choir and the Station Male Voice Quartet. In the intervals at 9.0, Time, Weather, News, Sports Notes and Police Report; at 9.20, Topical Talk; and at 10.20, Ice Report.

HANOVER.—See Hamburg.

HEILSBURG

276.5 metres, 60 kW.; and DANZIG, 453.2 metres.—12.5 p.m., Gramophone Concert of French Opera Music: Prelude to L'Africain (Meyerbeer); Caruso; O Paradis, from L'Africain (Meyerbeer); Suite from Carmen (Bizet); Smugglers' March from Carmen (Bizet); Marguerite-Teschmacher and Marcel Wittreich; Duet from Carmen (Bizet); Overture, Le Macon (Auber); Chaliapin; The Death of Don Quixote (Massenet); Introduction to La Juive (Halévy); Ezio Pinza (Bass); Aria from La Juive (Halévy); Geraldine Farrar and Caruso; Duet from Manon (Massenet); Overture, Faust (Gounod); Fernand Anseau (Tenor) and Marcel Journet (Bass); Duet from Faust (Gounod); Selection from Louise (Charpentier). In the interval at 12.20, News. 1.30, Sponsored Programme with Gramophone Records. 2.0, Exchange Quotations and Market Prices. 2.30, Musical Improvisations for Children. 3.3, Concert by the Königsberg Opera House Orchestra, conducted by Ludwig Leschetizky; Overture, Abu Hassan (Weber); Dance Suite No. 2 from Classical Airs arranged for Orchestra (Gluck-Gevaert); Suite from Der Rosenkavalier (R. Strauss); Concert Waltz (Glazunov); Romance, Dolce notte (Leonecavallo); Selection from Das Fürstentum (Lehar); Overture, The Gipsy Baron (Joh. Strauss). 4.30, Review of Periodicals. 5.0, Talk: Carnival in East Prussia. 5.15, Market Prices. 5.20, Ice Report. 5.30, Talk for Workers. 5.55, Short-hand Dictation. 6.25, Weather Report. 6.30,

Every Man is the Architect of his own Fortune—Folk Play for Radio (Otto Zoff). 7.50 News Bulletin. 8.0, Carnival—Concert by Walter Simlinger and the Little Orag Orchestra, conducted by Eugen Wilcken. 9.15, Weather, News and Sports Notes.

HILVERSUM

(announced HUIZEN) 296.1 metres; 20 kW. (7 kW. up to 4.40 p.m.)—11.55 a.m. (till Close Down), Programme of the Catholic Radio Society (K.R.O.). 11.55, Concert by the K.R.O. Sextet: Kleine Wiener-marsch (Kreisler); Tania a sorrento (Curtis); Man leit nur einmal (Strauss); Tränner (Sehmann); Selection from The Gipsy Princess (Kalmán); Melody (Ackermans). Light Music on Gramophone Records: Musikalische Telegramme (Uebach); Extase (Ganne); Cavalier Waltz (Nedbal); Aboumblätter (Grieg); Residentienmarsch (Schootemeyer). 1.25 to 1.40, Interval. 1.40, Talk. 2.15, Talk for Women. 3.10, Dress-making Lesson. 3.40, Millinery Lesson. 4.10, Concert by the K.R.O. Orchestra, conducted by J. Gerritsen: March, Deutschemeister (Strauss); Overture, Prince Carnival (Blasius); La Hussarde (Ganne); Selection from Eine Ballnacht (O. Strauss); Dance of the Merry Mascots (Kettelbey); Rossini Potpourri (Trbach); Hymn to the Sun (Rimsky-Korsakov); Marche joyeuse (Piery). 5.10, Violin and Piano-forte Recital by Mlle. Wijngaarden (Violin) and J. Ligcelijn (Piano-forte): Sonata, Op. 11 No. 1 (Hindemith); Sonate quasi una fantasia (Tansman); Sonata (Schulhoff). 6.10, Esperanto Lesson. 6.30, Concert by the K.R.O. Orchestra (cont'd.): The Merry-makers (Coates); In the Seventh Heaven (Fetras); Spanish Gipsy Dance (Marquina); Vive le toréador (Popy). 6.50, Educational Programme. 7.10, Police Notes. 7.25, Talk. 7.40, Variety Programme. In the intervals at 8.10 and 10.40, News Bulletin.

HORBY.—See Stockholm.

HUIZEN

Announced HILVERSUM; 1,875 metres; 8.5 kW.—Programme of the Algemeene Vereeniging Radio Quroep (A.V.R.O.). 11.41 a.m., Concert by the Wireless Orchestra and the Song Party Musica: Homonymon March (Rosey); Overture, Banditenstreich (Suppé); Lyric Suite (Grieg); Quand l'empour meurt (Crémieux); Song (Noack); Songs, Dance of the Derivishes (Bendix); Selection from I Pagliacci (Leonecavallo); Dances (Alterego); French Serenade (Grieg); Zwanzigste (Lehar); Song; Selection from Der Teufelsreiter (Kalmán); Parade des emboupointes (Aubert); Song (Benatzky); Rastlos vorwärts (Blankenburg). 1.55, Interval. 2.10, Variety Music on Gramophone Records. 2.40, Talk for Women. 3.40, Violin Recital by Boris Lensky. 4.10, Concert by a Children's Choir. 4.40, Programme for Children. 5.10, Talk. 5.40, Popular Music on Gramophone Records. 6.10, Talk. 6.40, Piano-forte Recital by Eglert Veer: Fantasia (Paper); Two Scottish Dances (MacCunn); Polichinelle (Rachmaninov); Waltz in C Flat Minor (Chopin); The Juggler (Tocci); Mummenschanz (Koringold). 7.10, Elementary English Lesson. 7.40, Time, Weather and News. 7.45, Concert by the Wireless Orchestra, conducted by Nico Treep: Overture, Orpheus in the Underworld (Offenbach); Idylle passionnelle (Razigade); Siamesische Wachtparade (Lincke); Interlude: Louis Noiret in Items from his Repertoire: Rokoko-Liedeslied (Meyer-Helmond); Serenade, Good Night (Grit); Czardas (Michelis). Interlude: Items by Louis Noiret; Scène de ballet (Langini); Porta Hungarica (Morena). 8.40, Act I of The Doctor's Dilemma—Play (Bernard Shaw). 9.30, Carnival Music by the Kovacs Lajos Dance Band. 10.40, Weather and News. 10.50, Dance Music (cont'd.). 11.40 (approx.). Close Down.

INNSBRUCK.—See Vienna.

KALUNDBORG.—See Copenhagen.

KATOWICE

408 metres; 16 kW.—6.15 p.m., Announcements and Light Music on Gramophone Records. 6.25, Sports Talk. 6.30, See Warsaw. 9.20, Light Music on Gramophone Records. 10.0, See Warsaw.

KAUNAS

1,935 metres; 7 kW.—4.50 p.m., 'Cello Solos. 5.0, A Report. 5.10, Lithuanian Lesson. 5.40, Variety Programme. 6.0, Time, Weather and News. 6.30, Concert. 7.40, Talk on France. 8.0, Concert. 8.30, Talk in Polish. 8.45, Concert. 9.30 (approx.). Close Down.

KIEL.—See Hamburg.

KLAGENFURT.—See Vienna.

KOSICE.—See Prague.

LAHTI

1,796 metres, 10 kW.; and HELSINKI, 368.1 metres.—4.0, Concert by a Naval Band conducted by K. Hellman: Overture, Poet and Peasant (Suppé); Waltz (Vollstedt); Pirun polska (Kuula); Waltz; Wine, Women and Song (Strauss); Finnish Polka

(Merikanto); Selection from The Bird Fancier (Zeller); March, Sapfer und treu (Dieker). 5.15 to 6.5, Talks. 6.5, Gala Carnival Programme relayed from the University. 7.45, News in Finnish. 8.0, News in Swedish.

LANGENBERG

473 metres; 60 kW.—12 Noon, Concert by the Schneider-Stoener Schrammel Trio: Overture, A Carnival in Rome (Strauss); Songs and Dances: (a) Wiener Heurigen-Brüdermarsch (Fueck), (b) Waltz, Der Weg zum Herzen, (c) In draussen in der Wachau—Viennese Song (Arnold); Carnival Suite (Siede); Songs and Dances (d) Hawaiian Girl (Schneider), (b) English Waltz from Purpur und Waschblau (Ascher), (c) Schade, dass Liebe ein Märchen ist, (d) Frotrot, Die marionetten; Potpourri of Marches (Morena); Carnival Overture (Leuschner); Waltz from The Gipsy Princess (Kalmán); Potpourri: Achtung! Köln singt (Olten). 1.0 p.m. (in an interval), News. 1.30, Sponsored Programme with Gramophone Records. 2.30, Exchange and Time Signal. 2.50, Musical Programme for Children. 3.20, Notes on the Broadcast for Schools. 3.30, Talk: Films and Schools. 3.45, Poems (Günther Eich). 4.0, Sextet in G, Op. 36, for two Violins, two Violas, and two Cellos (Brahms). 4.35, A Fool's Journey into 1933—A Cologne Carnival Committee a Hundred Years Ago—with Music, Song, and Dance (arr. Franz Wills). 5.15, Italian Lesson. 5.45, Weather, Time, Exchange, and Sports Notes. 5.55, Agricultural Talk. 6.20, Topical Talk. 6.30, Talk: Shrove Tuesday on the Lower Rhine. 6.55, First General News. 7.0, Kehraus—A Shrove Tuesday Ball. The Station Orchestra, directed by Spitz. Soloists: Kläre Hanse, Helly Boshan, Eise Schmitz (Soprano), Martha Walter, Leonardo Aramesco (Tenor), Hans Wocke (Baritone), Wilhelm Strienz (Bass), and Paul Appel. 9.5, News and Sports Notes, followed by Silent Night.

LAUSANNE.—See Radio-Suisse Romande.

LEIPZIG

389.6 metres; 120 kW.; and DRESDEN, 319 metres.—11.5 a.m., Carnival Programme on Gramophone Records. 12 Noon, News, Weather and Time. 12.15, Instrumental Music on Gramophone Records, followed by Exchange Quotations. 1.0 p.m., Advice for the Unemployed. 2.0, Review of Books on Indoor Games. 2.35, Market Prices. 3.0, Talk: A Journey through Walachia and Dobrudja. 3.30, Concert by the Altenburg Orchestra, conducted by Heinz Drewes: Overture, Le premier jour de bonheur (Aubert); Suite in Dance Form, Op. 210 (Kienzl); Icelandic Melodies (Rachel); Waltz (Püschel); Melodies from The Merry Wives of Windsor (Nicolaï); French Polka, Pastillon d'amour (Joh. Strauss). 4.30, Time and Weather. 4.50, Exchange Quotations. 5.5, Talk for Women: A Nomadic People. 5.25, French Lesson. 5.50, Introductory Talk to the Gewandhaus Concert on the Second of March. 6.0, Michel de Montaigne—A Memorial Programme for the Fourth Centenary of his Birth. 6.30, Recital of German Folk Songs. 7.0, Speech by Reichskanzler Adolf Hitler. 8.15, News. 8.25, Laugh and be Merry—Winter Relief Fund Concert, relayed from Halle: Two Songs; Song from The Bird-Fancier (Zeller); Melody from The Merry Widow (Lehar); Parodies by Curt von Wobowsky; Duet; Song from The Dubarry (Müllbacher Macheben); Song from Countess Maritza (Kalmán); Opera Duet. 9.30, News. 9.45, See Munich. 11.0 (approx.). Close Down.

LINZ.—See Vienna.

LJUBLJANA

574.7 metres; 2.5 kW.—6.0 p.m., Country Sketches. 6.30, Talk: Heroes of our Time. 7.0, Concert of Light Music. 8.0, Concert by a Vocal Quartet. 8.30, Popular Music on Gramophone Records. 9.0, Time and News. 9.15, Recitations. 9.45, Talk. 10.15, Light Music on Gramophone Records.

LWOW

381 metres; 16 kW.—6.0 p.m., Talk. 6.10, Miscellaneous Items. 6.30, See Warsaw. 11.0 (approx.). Close Down.

LYONS

LA DOUA, 465.8 metres; 1.5 kW.—7.30 p.m., Radio Gazette for Lyons and the south-East. 8.30, Carnival Programme, relayed from Paris. After the Concert, News Bulletin.

MADRID

ARANJEZ (EAQ), 30.43 metres; 20 kW. - 10.30 p.m., Variety Music. 10.45, Radio Chronicle. 11.0, Variety Music (cont'd.). 11.20, Tourist Talk: Toledo. 11.35, Answers to Correspondence. 11.40, Light Music. 12 Midnight (approx.). Close Down.

MADRID

UNION RADIO, Call EA7J, 424.3 metres; 2 kW.—7.0 p.m., Chimes, Exchange and Request Gramophone Records. 7.15, Medical Talk. 7.30, Hunting and Fishing Notes and Request Gramophone Records (cont'd.). 8.15,

News Bulletin and Political Review. 9.0, English Lesson by the Linguaphone Method. 9.30, Chimes, Time, Political Review and Extracts from Carmen—Opera (Bizet) on Gramophone Records. 11.45, News Bulletin. 12 Midnight, Chimes and Close Down.

MALMO.—See Stockholm.

MILAN.—See Turin.

MORAVSKA-OSTRAVA

263.8 metres; 11 kW.—3.10 p.m., Concert of Popular Music by the Station Orchestra, conducted by J. Plichta. 4.10 p.m., Historical Talk. 4.20, See Prague. 4.50, See Brno. 5.0, Talk: The Modern English Novel. 5.15, See Prague. 5.25, See Brno. 6.0, See Prague. 9.15, Cabaret Programme. 11.0 (approx.), Close Down.

MOSCOW

TRADES UNION, 1,304 metres; 100 kW.—4.30, Prince Igor—Opera (Borodin). 5.20, Symphony Concert of Music by Vivaldi. 8.0, Talk in French: Three Generations—Three Women's Destinies.

MOTALA.—See Stockholm.

MUHLACKER.—See Stuttgart.

MUNICH

533 metres; 60 kW. Relayed by Augsburg and Kaiserslautern, 560 metres; and Nürnberg, 239 metres.—3.45 p.m., Orchestral Concert: Overture, Anaerone (Cherubini); Waltz, Ein Wiener Liebesbrief (Naef); Potpourri, From Gluck to Wagner (Schreiner); Way Down South (Myddleton); March Potpourri (Roland). 4.50, Talk: A Mountain Railway and its Safety Devices. 5.15, Talk: Humour in Place Names. 5.35, Talk: German Ideas of Government—the House of Hohenstaufen. 5.55, Time, Weather and Agricultural Notes. 6.5, Carnival Programme of Old and Modern Songs and Dances, with Introductory Talk. 6.40, Talk in Dialect: Carnival in Swabia. 7.0, Carnival Nonsense—a Mock Radio Programme for the Day, including Music, Talks, and an Opera Burlesque. 8.0, Hundreds and Thousands—Humorous Programme on Gramophone Records. 9.0, The Isle of the Blest—a Radio Report from the Carnival Festival of the Harmony Club. 9.20, Time, Weather, News and Sports Notes. 9.45, Farewell to Prince Carnival—Programme by the Small Station Orchestra, conducted by Erich Kloss, Käthe Tellheim (Yodeller), Clemens Rapp and his Band, and Others.

NAPLES.—See Rome.

NOTODDEN.—See Oslo.

OSLO

1,083 metres; 60 kW. Relayed by Fredriksstad, 365.8 metres; Hamar, 574.7 metres; Notodden, 447.1 metres; Porsgrund, 453.2 metres; and Rjukan, 447.1 metres.—4.0 p.m., Gramophone Concert of Popular Music. 5.0, Programme for Housewives. 5.45, Accordion Music. 6.0, Announcements, Weather and News. 6.30, English Lesson. 7.0, Time. 7.1, Relay of the Fram Committee Meeting: Addresses and Concert by the Philharmonic Orchestra. 8.40, Weather and News. 9.0, Topical Talk. 9.15, Concert by the Station Orchestra, conducted by Hugo Kramm. 10.15 (approx.). Close Down.

OSTERSUND.—See Stockholm.

PALERMO

542 metres; 3 kW.—7.0 p.m., Doplavoro Notes, Tourist Report, Agricultural Notes and Giornale Radio. 7.20, Variety Music. In an interval at 7.30, Time and Announcements. 7.45, Concert of Light Music and Dance Music. In the intervals, a Monologue and Notes on Art; and at 9.55, News. 11.0 (approx.). Close Down.

PARIS

EIFFEL TOWER, Call FLE, 1,445.7 metres; 13 kW. Time Signals (on 2,650 metres) at 9.25 a.m. and 10.26 p.m. (Preliminary and 6-dot Signals). 5.45 p.m., Le Journal Parle. 7.20, Weather Forecast. 7.30, Chamber Music Concert: Marie Antoinette Pradier (Piano-forte), Roland Lamorette (Oboe), and Germaine Cernay and Bernadette Delprat (Duets); Sonata for Oboe and Piano-forte (de Bréville); Melody from Rodolinda (Handel); Duet from Figaro (Mozart); Passacaglia (Handel); Theme with Variations for Piano-forte (Mozart); Wiegenlied (Brahms); Hymn to Venus (de Bréville); Song from Le Roi d'Ys (Lalo); Sonata for Oboe and Piano-forte (Saint-Saëns). 8.30, Le Roi Dagobert (Rivoliere), with Music by Raymond Charpentier.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW.—6.45 p.m., Journal Parle. 7.0, Sponsored Concert with Gramophone Records. 8.0, Film Notes. 8.5, Talk: The Circus. 8.15, Interval. 8.30, Sponsored Concert. 8.45, Interval. 9.0, Variety Concert. 10.30, News.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW. 6.45 a.m., Physical Culture. 7.30, Weather and Physical Culture (cont'd.). 7.45, Probable Relay of the Test Match from Australia. 8.0, Press Review and Weather. 8.30, Test Match Relay (cont'd.). 12 Noon, Concert by the Kretzky Orchestra. Part 1: Opera-Comique Music: Selection from Das Nachts-

FEB. 28th

TUESDAY

continued

Iager in Granada (Kreutzer); Overture, The Thieving Magpie (Rossini); Sextet from Lucia di Lammermoor (Donizetti); Selection from Mirella (Gounod); Entr'acte from The Tales of Hoffmann (Offenbach); Selection from Grisélidis (Blasennet); Selection from Madame Chrysanthème (Messager). Part II: Ballet Music: Ballet des Saisons (Massé); Jota (Laparra); Zamba (Laparra); Pavane d'Angelo (Irala); Fourth Mazurka (Godard); Airs de Ballet (Dubois); Russian Dance (Moszkowski). In the intervals at 1.0 p.m., Exchange, News, and Weather, and at 1.30, Exchange, 2.0, Exchange and Announcements, 3.45, Exchange and Market Prices, 6.10, Agricultural Talk, 6.30, Gramophone Records; Waltz, The Banjo (Baer); Tango, Quand l'amour est traité (Pujol); Tango, Illusion (Melli-Bianco); Polka, The Canary and the Frog; Foxtrot (Oberfeld); Amoureuse (Berger-de-Foand). 6.50, Theatre Review, 7.5, Talk on Art; Debucroix and the East, 7.20, Concert by the Krotty Orchestra; Chanson de la Grand-Maman (Piercé); Marche des petits Soldats de Plomb (Piercé); Old Spanish Song (Aubert); Segovia (Roussel); Romance sans Paroles (Faure); Sicilienne (Gaubert). 7.55, Commercial Prices, News, and Review of the British Press, 8.0, Dramatic Programme; A Play from the Repertoire of the Comédie Française by Artists of the Comédie Française. In the intervals at 8.50, News and Weather, and at 8.40, Review by Pierre Seize, 9.15, Press Review and News.

PITTSBURGH

WESTINGHOUSE ELECTRIC (KDKA), 306 metres; 25 kW. Relayed by W8XK on 48.86 metres and 25.27 metres.—9.0 p.m., Work-a-day Thoughts, 9.5, Business News, 9.15, Programme to be announced, 9.30, Weather Report, 9.31, Johnny Muskrat, 9.32, Market Reports, 9.45, Pianoforte Interlude, 9.50, David Lawrence Dispatch, 9.55, KDKA Artist Bulletin, 9.58, Programme Announcements, 10.0, Programme to be announced, 10.15 to 11.15, New York Relay, 10.15, Adventures of Dr. Dolittle, 10.30, The Singing Lady, 10.45, Little Orphan Annie, 11.0, Booth Tarkington's Maude and Cousin Bill, 11.15, Time Signal, 11.16, Weather Report, 11.17, Teaberry Sport Review, 11.22, Press News Reeler, 11.27, Strange Facts, 11.29, Temperature Report, 11.30, KDKA Orchestra, 11.45 to 3.0 a.m. (Wednesday), New York Relay, 11.45, Today's News by Lowell Thomas, 12 Midnight, Peppermint Amos 'n' Andy, 12.15 a.m., National Advisory Council on Radio in Education—Philippine Independence, by Prof. J. R. Hayden, Mammal Boxes and Rep. Butler B. Harv, 12.45, The Townshend Murder Mystery, 1.0, Eno Time Club, 1.30, Time Signal and Adventures in Health, 1.45, Phillips Lord in The Country Doctor, 2.0, Household Musical Memories, 2.30, Willard Robinson's Deep River Orchestra, 3.0, The Time Detective, 3.15, Westinghouse Pioneers, 3.30, Ho May Bailey and Orchestra, from New York, 3.45, Bradley Kincaid, 4.0, Time Signal, 4.1, Teaberry Sport Review, 4.11, Temperature Report, 4.12, Weather Report, 4.13, KDKA Artist Bulletin, 4.15, Press Last Minute News Flashes, 4.20, Smith Ballou and his Orchestra, 5.0, Cotton Club Orchestra, from New York, 5.30, Time Signal and Good-night.

PORSGRUND.—See Oslo.

POZNAN

335 metres; 1.9 kW. Programme also relayed on 31.35 metres from 7.0 to 9.0 p.m.—5.50, Miscellaneous Items and News, 6.10, Book Review, 6.28, Time Signal, 6.30, See Warsaw, 7.0, Military Band Concert: March (Herzer); Waltz, Moonlight on the Alster (Petras); Soprano Solos by Irena Felicka-Smielecka; Overture, Si j'Étais Roi (Adam); Intermezzo (Noack); Soprano Solos by Irena Felicka-Smielecka; Selection from Orpheus in the Underworld (Offenbach); Mazurka (Namyslovsky). 8.10, Song Recital by Karol Urbanowicz (Bass); Songs from (a) Faust (Gounod), (b) Lakmé (Delibes), (c) La Bohème (Puccini), and (d) The Barber of Seville (Rossini); Songs (Rachmaninov). 8.30, Pianoforte Recital by Gertruda Komatkowska. In the intervals, News, Theatre Notes and Programme Announcements, 9.0, Time, Sports Notes and Police Announcements, 9.15, See Warsaw, 9.30, Dance Music from the Café Esplanade, 10.50 (approx.), Close Down.

PRAGUE

488.6 metres; 120 kW. 3.10 p.m., See Moravská-Ostrava, 4.10, Talk on Economics, 4.20, Czech Lesson for Germans and German Lesson for Czechs, 4.50, Popular Music on Gramophone Records, 5.5, Agricultural Market Prices, 5.15, Talk for Workers, 5.25, News in German, 5.20, German Transmission; Two Carnival Scenes (Hans Sachs), 6.0, Chimes from the Church of St. Ludmila, Kralovské-Vimohrady, 6.1, News, 6.10, Talk; Housing Problems, 6.25, A Play, In the interval at 8.0, Time Signal, 9.0, Time Signal, 9.1, News Bulletin, 9.15, See Moravská-Ostrava, 11.0 (approx.), Close Down.

RADIO-SUISSE ROMANDE

SOTTENS; 403 metres; 25 kW.; LAUSANNE, 680 metres; and GENEVA, 760 metres.—6.0 p.m. (from Geneva), Weather, News and Announcements, 6.20 (from Geneva),

Answers to Correspondence, 6.30 (from Geneva), New Gramophone Records, 7.0 (from Geneva), Concert by the Kedroff Quartet, 7.30 (from Geneva), Introductory Talk to the following Transmission, 7.35 (from Geneva), Symphony Concert by the Station Orchestra, relayed from the Reformation Hall, Conductor: Ernest Ansermet, Soloist: M. Hirt (Pianoforte), 8.20 (in the interval), News and Weather, 9.15 (from Geneva), Talk: The Work of the League of Nations, 9.30 (approx.), Close Down.

REYKJAVIK

1,200 metres; 21 kW.—8.30 p.m., Weather Report, 8.40, Musical Programme and Announcements, 9.0, Chimes, 9.2, News Bulletin, 9.30, Reading, 10.0, Pianoforte Recital by Emil Thoroddson, 10.15, Recitations, 10.35, Gramophone Concert: Melodies (Sarastate); (a) Introduction and Tarantella, (b) Spanish Dance, (c) Zigeunerweisen, Op. 29, Nos. 1 and 2.

RIGA

525 metres; 15 kW.—4.30 p.m., Saxophone Solos: Sérénade Badine (Gabriel Marie); Impressions (Aehron); Waltz, Pamela (Wiedorf); Amore Canta (Tagliarini); Mazurka (Gurevitch), 5.0, Talk: Contemporary Philosophy, 6.0, Weather Report, 6.5, Orchestral Concert, conducted by J. Medins; Suite from Manfred (Schumann); Orchestral Suite (Wedig); Scherzo, capriccioso (Dvorak); Minuet from the Dance Suite Op. 19 (Klaus), 7.0, News Bulletin, 7.20, Songs and Airs, 7.40, Concert by the Station Orchestra, conducted by J. Medins; Potpourri, Flämmerkiste (Kolloy); In the Mystic Land of Egypt (Ketzlberg); Ballet Suite from Namouna (Lalo), 8.0, Weather and News, 8.30, Dance Music, 9.0 (approx.), Close Down.

RJUKAN.—See Oslo.

ROME

Call 1R0, 441 metres; 50 kW. Relayed by Naples, 319 metres; and 2R0, 25.4 metres.—7.0 a.m., Gymnastics, 7.15 to 7.30, Giomale Radio and Announcements, 11.30, Weather and Light Music on Gramophone Records, 12 Noon, Time and Announcements, 12.2 to 1.15 p.m., Concert from Turin. In the interval from 12.30 to 12.45, Giomale Radio and Exchange, 3.45, Children's Radio Review, 4.10, Announcements, 4.15, Exchange and Giomale Radio, 4.30 to 5.15, See Turin, 6.0 (Naples), Shipping and Sports Notes, 6.10, Lesson in Morse, 6.20, Giomale Radio, Agricultural Report and Dopolavoro Notes, 7.0, Time and Announcements, 7.2, Talk: The Sky in March, 7.15, Light Music on Gramophone Records, 7.30, Sports Notes and Tourist Report, 7.45, L'Arlesienne, Drama in Three Acts (Daudet) with Music by Bizet, 10.0 (approx.), News.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY, WGY, 379.5 metres; 50 kW. Relayed at intervals by W2XAF on 31.48 metres and by W2KAD on 19.56 metres.—12 Midnight, General Electric Programme, 12.15 a.m. (Wednesday), Stock Reports, 12.30 to 3.0, New York Relay, 12.30, Soloist, 12.45, The Goldbergs, Comedy Sketch, 1.0, Blackstone Plantation, 1.30, Wayne King's Orchestra, 2.0, Ben Bernie's Blue Ribbon Orchestra, 2.30, Ed Wynn and the Fire Chief Band, 3.0, Lucky Strike Hour and Programme Résumé.

SCHWEIZERISCHER LANDESENDER

BEROMUNSTER, 459 metres; 60 kW.; BASLE, 244.1 metres; and BERNE, 245.9 metres.—11.28 a.m., Time Signal from Neuchâtel Observatory, 11.30, Weather and News, 11.40, Concert by the Radio Orchestra, 12.35 p.m., Weather and Exchange, 12.45 to 2.30, Interval, 2.30, Concert by the Little Radio Orchestra, 3.0, Schubert and Mozart Lieder for Pianoforte, on Gramophone Records, 3.30, Popular Concert on Gramophone Records, 4.30, Weather, 4.35 to 5.30, Interval, 5.30 (from Berne), Talk: The Friendship between Wagner and Nietzsche, 6.0, Time and Weather, 6.2 (from Berne), Notes on the Broadcasts for Schools, 6.15 (from Berne), Talk: Avalanches, 6.45 (from Berne), Dance Music, 7.20 (from Berne), Variety Programme, 8.30, Weather and News, 8.40, Concert by the Radio Orchestra, 9.15 (approx.), Close Down.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SASA, 436 metres; 55 kW. Relayed by Boden, 1,229.5 metres; Göteborg, 322 metres; Hörby, 257 metres; Motala, 1,348 metres; Östersund, 270 metres; and Sundsvall, 542 metres.—4.5 p.m. (from Sundsvall), Accordion Music, 4.30, Health Talk, 4.45, Popular Music on Gramophone Records, 5.45, Elementary French Lesson, relayed from Malmö (231 metres), 6.15, Weather and News, 6.30, Talk: The International Organisation of Labour, 7.0, Orchestral Concert.

Soloist: Eva John-Fehrmann (Songs), Overture, Amarcord (Chicchini), Songs: (a) Aria from Aida (Verdi), (b) Prayer from Tosca (Puccini); Nocturne (Trapp); Fantasia on Two Angevin Airs (Lakon), Songs: (a) Aria from Cavalleria rusticana (Mascagni), (b) Aria from The Force of Destiny (Verdi); Kaiser Marsch (Wagner), 8.15, Literary Review, 8.45, Weather and News, 9.0, Orchestral Concert: Soderman-Mosaik (Rindoff); Waltz, Mondnacht and den Alster (Petras); Molly on the Shore (Grainger); Waltz and Foxtrot from Viennese Nights (Abraham); Swedish Dances (Aulin); Kalm Potpourri (arr. Feigl), 10.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW. 11.50 a.m., Variety Music on Gramophone Records, 12.45 p.m., News, 1.0, Time and Exchange, 1.5, Causo on Gramophone Records: Quartet from Rigolotto (Verdi); Arias (Verdi) from (a) Aida, (b) The Force of Destiny; A la luz de la luna (Anton); A Granada (Alvariz); Pompinella (Vrhakovsky); Arias from (a) L'Africain (Ayerber), (b) Carmen (Bizet), and (c) I Padellani (Lecocavallo); Duet and Miserere from Il Trovatore (Verdi), 2.0 to 4.45, Interval, 4.45, Talk on Lyons, 5.0, Concert of Jazz Music, conducted by Roskam, 6.0, Talk in German; French Sacred and Secular Motets in the Thirteenth and Fourteenth Centuries, 6.15, Topical Talk, 6.30, Orchestral Concert, conducted by Maurice de Villers; March, King Carnival (Rusca); Overture, The Black Domino (Auber); Two Arabian Dances (Merklind); Selection from Boccaccio (Suppé); Sérénade from Les millions d'Arlequin (Drigo); Funeral March of a Marionette (Gounod); Fousuite amoureuse (Kalkman); Lagunenwälder (Joh. Strauss); March, Tout Strasbourg (Schneider), 7.20, Time and News, 7.45, Gramophone Concert of Light Music, 8.20, Lottery Results, 8.30, Carnival Programme, relayed from Paris, 10.50 (approx.), Close Down.

STUTT GART

MUHLACKER; 360.5 metres; 40 kW.; and FREIBURG, 570 metres.—12.30 p.m., Concert relayed from Langenberg, 1.0, Sponsored Concert, 1.30, Advanced English Lesson, 2.0 to 3.0, Interval, 3.0, Talk on Flowers, 3.30, Talk for Women; Shrovetide, 4.0, See Langenberg, 5.15, Time, Weather, and Agricultural Prices, 5.25, Talk on Count Schlieffen on the Centenary of his Birth, 5.50, Talk by Karl Hans, relayed from Mannheim, 6.15, Time and News, 6.30 to 9.30, See Frankfurt, 9.30, Time, News, Weather and Programme Announcements, 9.45, See Frankfurt, 11.0 (approx.), Close Down.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW. 5.45 p.m., Popular Melodies, 6.0, News, 6.15, Music by an Argentine Orchestra, 6.30, Opera Music; Two Arias from Thaïs (Massenet); Selection from Werther (Massenet), 6.45, Extracts from Les Ballets des deux Pigeons (Messager), 7.0, Accordion Music, 7.15, News, Horse-racing Results, and Market Prices, 7.25, Local News Bulletin, 7.30, Opera Music; Aria from Siegfried (Wagner); Hymn to Venus, from Tannhäuser (Wagner); Aria from Don Giovanni (Mozart), 7.45, Music by a Viennese Orchestra; The Tin Soldiers (Kyeckoff); L'Éclair-positif (Wahlstedt); Drink, Brothers, Drink (Benda); O Frühling, wie bist du so schön (Lincke); Il mio di il tuo (Boccherini); Selection from Der Rosenkavalier (Richard Strauss), 8.0, Extracts from Sound Effects, 8.15, Opera Music; Melody from Fu Ion Geyon (Xyann); Selection from Paganini (Lehar); Melody from The Bayadère (Kálmán), 8.30, Carnival Concert, 9.0, Concert by a Symphony Orchestra, Der rote Mohl (Siede); Rhine March (Kreutzer); Danse macabre (Saint-Saëns); Angels (Mielchi); Potpourri of Sappé; Overtures, 9.30, Popular Melodies, 9.45, Cello Solos, Men cour soupir (Mozart); La chaise à Porteurs (Chamade); Have pity on me (Bakalovkov), 10.0, Bid Musette, 10.15, North African News, 10.30, Concert for Listeners in Morocco, Melody (Manfred); Enchantment (Massenet); Bolero (Ravel); Selection from La petite marie (Lecocq); Les papillons (Steinbo); Pasodoble, Paris qui brille (Mahnou), 11.0, Military Music, 11.15, Chansonnettes, 11.30 to 12 Midnight, Programme in English by the I.B.C., The I.B.C. Half-Hour, H. K. Hitchcock announcing, Mimi; Moon; Isn't It Romantic; How'm I doing?; Just an Echo in the Valley; Wanderer; A Little Street; Dreaming, 11.57, I.B.C., Good night Melody, 12 Midnight, Weather and Announcements, 12.5 a.m. (Wednesday), Musical Programme, 12.30 (approx.), Close Down.

TRIESTE

247.7 metres; 10 kW. 4.30 p.m. till Close Down, See Turin.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relayed by Milan, 331.5 metres; Genoa, 312.8 metres; and Florence, 500.8 metres.—4.30 to 5.15, Orchestral Concert, conducted by Ugo Tansini, 5.35, Giomale Radio, Agricultural and Dopolavoro Notes, 6.0, Gramophone Records of Light Music. In the intervals at 6.20, Giomale Radio, and at 6.30, Time, Announcements and Report of the Royal Geographical Society, 7.0, Giomale Radio, Weather and Gramophone Records (cont'd), 7.30, Die Landstreicher—Operetta in Three Acts (Ziehrer). In the intervals, Talk and Notes on Art. After the Operetta, Giomale Radio and Dance Music, 11.0 (approx.), Close Down.

VATICAN CITY

10.84 metres (Morning) and 50.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Information in Spanish, 7.0 to 7.15 p.m., Religious Information in Italian.

VIENNA

517 metres; 15 kW. Relayed by Graz, 352.1 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 245.9 metres; and Salzburg, 218.5 metres.—2.20 p.m., Concert of Italian Opera Music; Calliope de Castan (Soprano) and Ernst Urbach (Baritone); Aria, Vien Leonora, a piedi nudi from La Favorita (Donizetti); Arias from (a) Ernani (Verdi), (b) Resurrection (Alfano); Aria, Suedio from La Gioconda (Ponchielli); Arias (Puccini); from (a) Manon Lescaut, (b) Turandot; Aria, Ciel! mio padre from Aida (Verdi), 2.55, Talk: The Psychology of the Mask, 3.20, Handwork Lesson, 3.55, Jazz Music by the Astoria Band, relayed from the Westminster Café, 5.15, Talk on The French Author, Michel de Montaigne, 5.40, Agricultural Talk, 5.55, Italian Lesson, 6.20, Time, Weather, and Programme Announcements, 6.30, What if... a Humorous Carnival Query (Artur Kaps), with Music by the Karl Eisele Orchestra and Soloists, 7.45, Dances and Marches by Famous Composers; Concert by the Vienna Symphony Orchestra, conducted by Carl Alwin; Grosser Marsch (Haydn); German Dances (Haydn); March from the Hafner Sérénade (Mozart); Six German Dances (Mozart); March in D (Beethoven); German Dances (Beethoven); Five German Dances with Cello and Seven Trios (Schubert); March from Des Teufels Luftschloss (Schubert), 9.0, News, Weather, and Announcements, 9.15, Dance Music by the David Mathé Jazz Band.

WARSAW

1,411 metres; 120 kW.—10.58 a.m., Time Signal and Bugle Call from the Tower of St. Mary's Church, Cracow, 11.5, Programme Announcements, 11.10, Light Music on Gramophone Records, 12.20 p.m., Weather Forecast, 12.25 to 2.10, Interval, 2.10, Announcements, 2.15, Economic Notes, 2.25, Aviation Notes and Anti-Gas Drill, 2.30, Announcements, 2.35, Talk on Economics, 2.50, Popular Music on Gramophone Records, 3.20, Talk: Greek and Roman Art, relayed from Wilno (563 metres), 3.40, Talk on the Polish Painter, Jean Stanislawski, relayed from Cracow (312.8 metres), 4.0, Concert by the Philharmonic Orchestra, conducted by Fitebel; Polonaise in E (Liszt); Romanian Dances (Béla-Bartok); Gayotte from the Suite, Aus Holbergs Zeit (Grieg); Romanian Dances (Béla-Bartok); Gayotte from the Suite, Aus Holbergs Zeit (Grieg); Minuet (Bolzano); Dance of the Sylphs from The Damnation of Faust (Berlioz); Mephisto-Walzer (Liszt); Mazurka (Maszynski). In the interval, Announcements, 4.55, Programme Announcements, 5.0, Talk on Polish Literature; Mickiewicz, 5.20, Topical News, 5.25, Light Music from the Italia Café, 6.0, Miscellaneous Items, 6.20, Agricultural Notes, 6.30, Talk, 6.45, Radio Journal, 7.0, Concert of Light Music, 7.55, Sports Notes, 8.0, Radio Journal, 8.5, Concert by the Radio Orchestra, conducted by Noyrot; Soloist, H. Dudiez (Soprano); Spanish Overture (Kéler-Béla); Cracovienne fantastique (Paderewski); Songs: (a) Waltz (Spoliansky), (b) Song from The Tales of Hoffmann (Offenbach); Waltz, Ange d'amour (Wahlstedt); Gallop, Lustig voran (Strauss); Songs: (a) Czardas from Die Fledermaus (Strauss), (b) The Blue Danube (Strauss); Oberek fantastique (Sommerfeld); Czardas (Gabriel Marie); Popular Dances (Pacher-negg); Schatz-Walzer (Strauss); Mazurka (Namyslovski), 9.0, Literary Programme, 9.15, Popular Music on Gramophone Records, 9.55, Aviation Weather Report and Police Notes, 10.0, Dance Music from the Oaza Dance Hall.

WILNO

563 metres; 16 kW.—5.25 p.m., Request Gramophone Records, 5.40, Talk in Lithuanian; Germany, Poland and the Baltic, 5.55, Miscellaneous Items, 6.0, Review, 6.15, Talk; Events in Wilno, 6.30, Talk on Crystal, 6.40, Miscellaneous Items, 6.45, See Warsaw, 6.45, Reading, 9.45, Programme from Warsaw, 10.0, French Operetta Music on Gramophone Records, 11.0 (approx.), Close Down.

ZURICH.—See Schweizerischer Landessender.

A SOLID FOUNDATION FOR A.C. MAINS RECEIVERS

"See that your A.C. Mains Receiver incorporates a Westinghouse Metal Rectifier" is a good maxim. Whether you buy or build your sets, their efficiency and performance will be improved by the inclusion of this component; for it is the only rectifier that can deliver a constant and lasting high tension supply without replacement or renewal. No other rectifier can approach in even the smallest way the record of the equivalent of 21 years' life, with full output, set up by Westinghouse.

Send 3d. in stamps for "The All Metal Way, 1933," containing circuit and full particulars of



WESTINGHOUSE METAL RECTIFIERS

THE WESTINGHOUSE BRAKE & SAXBY SIGNAL CO., LTD.,
82, YORK ROAD, KING'S CROSS, LONDON, N.1.

Fit Westinghouse—and cut out all rectifier renewals.

THE PERFECT PAIR

Now, with the perfect pair you get perfect tuning. Everyone knows Utility condensers, test them how you will there are no better condensers made. With the condenser comes a Utility Straight Line Dial, a device that gives you common-sense tuning. The essential feature is a *moving* pointer traversing a *stationary* and illuminated scale with the scale always in view; when you have once tried this method nothing else will satisfy you. And the price of the .0005 condenser with Straight Line Dial is within everyone's reach.

PRICE

9'6

*complete as
illustrated*


FROM YOUR DEALER OR POST
FREE FROM THE MAKERS.

WILKINS & WRIGHT LTD.

UTILITY WORKS, HOLYHEAD RD., BIRMINGHAM

London Agents:

E. R. Morton, Ltd., 22, Bartlett's Buildings, Holborn Circus,
E.C.4.



Belmont



EARLSWOOD

"A Model design"
"A.V.C. action flawless!"

"The Wireless World" Radio experts, in the article appearing in last week's issue, were unstinted in their praise of the Majestic "Earlswood" 7 valve dual-wave Superhet receiver, as the above brief extracts prove. If you did not study the article carefully, it will pay you to do so. You will then realise the truth of our claim that "You cannot buy a better set than Majestic at any price."

AND NOW

ANOTHER "MODEL DESIGN"!

The Majestic

PERMANENT MAGNET
 MOVING-COIL
 CABINET LOUD SPEAKER

Here is the latest Majestic contribution to perfect radio enjoyment—a permanent magnet Moving-Coil Loud Speaker of truly Majestic appearance and performance, and a worthy addition to the Majestic family. Designed primarily for Majestic owners who desire to use an extra speaker or speakers with their receiver, its use, however, is definitely not limited to Majestic owners, but all wireless enthusiasts requiring a well-balanced and perfect-toned speaker will find in the Majestic an eminently satisfactory unit for universal home use.

Equipped with volume control enabling tone to be adjusted at will, and "on-off" switch enabling the speaker to be cut off from the main set.



*Send for particulars to-day
 or visit your nearest Stockist*

THE MAJESTIC ELECTRIC CO., LTD.,
 MAJESTIC WORKS, LONDON TOTTENHAM, N.17.
 MANCHESTER, BIRMINGHAM, NEWCASTLE, GLASGOW & DUBLIN.

Mention of "The Wireless World," when writing to advertisers, will ensure prompt attention.

The Wireless World

THE
PRACTICAL RADIO
JOURNAL
22nd Year of Publication

No. 704.

FRIDAY, FEBRUARY 24TH, 1933.

VOL. XXXII. No. 8.

Proprietors: ILIFFE & SONS LTD.

Editor:
HUGH S. POCOCK.

Editorial Offices:
116-117, FLEET STREET, LONDON, E.C.4.
Editorial Telephone: City 9472 (5 lines).

Advertising and Publishing Offices:
DORSET HOUSE, TUDOR STREET,
LONDON, E.C.4.

Telephone: City 2816 (17 lines).
Telegrams: "Ethaworld, Fleet, London."

COVENTRY: Hertford Street.
Telegrams: "Cyclist, Coventry."
Telephone: 5210 Coventry.

BIRMINGHAM:
Guildhall Buildings, Navigation Street, 2.
Telegrams: "Autopress, Birmingham."
Telephone: 2970 Midland (3 lines).

MANCHESTER: 260, Deansgate, 3.
Telegrams: "Iliffe, Manchester."
Telephone: Blackfriars 4112 (4 lines).

GLASGOW: 26B, Renfield Street, C.2.
Telegrams: "Iliffe, Glasgow."
Telephone: Central 4857.

PUBLISHED WEEKLY. ENTERED AS SECOND
CLASS MATTER AT NEW YORK, N.Y.

Subscription Rates:

Home, £1 1s. 8d.; Canada, £1 1s. 8d.; other
countries abroad, £1 3s. 10d. per annum.

*As many of the circuits and apparatus described in these
pages are covered by patents, readers are advised, before
making use of them, to satisfy themselves that they would
not be infringing patents.*

CONTENTS

	Page
PROGRAMMES FROM ABROAD, pp. 1-XXIV	
Editorial Comment	115
The Ferrocart III	116
Listening as an Art	149
Practical Hints and Tips	151
Q.P.P. With Triodes	152
News of the Week	154
Mutual Induction.. ..	155
New Automatic Bias Scheme	157
Lotus Four-valve A.C. Receiver	158
Laboratory Tests	160
Broadcast Brevities	161
Readers' Problems	162

EDITORIAL COMMENT

Ferrocart

Importance of the New Coils

IN September, 1932, a stir was created in wireless circles by the publication in *The Wireless World* of the first information regarding a new type of radio frequency coil having an iron-content core given the name "Ferrocart," which had been developed by Hans Vogt, in Germany. We delayed to publish details of the new coils until we had made careful measurements ourselves to see if the claims made for them could be substantiated. The results obtained from our tests established beyond doubt the importance of the new principle, and the publication of the results of our measurements completely converted those who had, at first, been sceptical.

There has been little more that could be said on the subject until Ferrocart coils became available in this country. Some time has necessarily elapsed since our first announcement in September last year, before the task of the manufacturer of designing complete coils, with switching suitable for requirements in this country, could be completed. Coils have now been produced and are being put on the market, so that we are in a position to deal at once with this new coil principle in its practical application to the design of a complete receiver. Elsewhere in this issue a preliminary article on such a set, *The Wireless World* Ferrocart III, is included, and complete constructional details for building it will appear next week.

At this stage all we need say is that, even though we were prepared for exceptional results, the performance of this receiver has exceeded our own expectations. We believe we can say, with complete confidence, that in the matter of selectivity alone, quite apart

from other considerations, the Ferrocart III excels in performance any other known three-valve receiver. The coils themselves are almost unbelievably small, and are wound on bobbins little larger than the bobbins used for telephone ear-pieces. The saving of space with coils of this type is, in itself, important in certain applications, but the outstanding advantage of Ferrocart coils as applied to broadcast receivers is mainly centred around the very great increase in selectivity. So substantial is the progress made in this direction that one is inclined to wonder whether the straight set with Ferrocart coils has not been lifted on to the same plane as the superheterodyne, although we must not overlook the fact that Ferrocart coils also have their applications to enhancing the performance of the superhet—but this is another story.

Q.P.P. with Triodes

Matching Not Necessary

FROM the volume of correspondence which we have received, it would appear that a large number of readers are contemplating the conversion of the output stage of their existing battery sets to Q.P.P. By this means a very large increase of output can be expected as well as a reduced battery consumption. But there must be cases where the battery set user does not require "mains output," but feels the need for more than is obtainable from a single valve.

The smaller triodes in Q.P.P. give very pleasing reproduction in such cases, and the cost of conversion compared with that of pentodes is much lower, especially as matching is not essential.


An article dealing with this subject for the first time appears in this issue.

Announcing an Outstanding Receiver

THE

FERROCART III

Record Selectivity with the New Iron-cored Tuning Coils



The New Receiver.

AS early as 1926 it was recognised by *The Wireless World* that efficiency in tuning coils was of fundamental importance to the practical realisation of high sensitivity and selectivity in a broadcast receiver. Large-diameter Litz-wound coils were developed, therefore, and they permitted for the first time a high degree of stable amplification to be obtained from a neutralised triode valve; they marked, in fact, the commencement of the era of effective high-frequency amplification.

The introduction of the screen-grid valve, however, made it possible to obtain the same amplification with coils of lower efficiency, and as selectivity was then of secondary importance, the large coils began to fall into disuse. Their abandonment was made complete by the necessity for complete screening in receivers, since their efficiency fell enormously when enclosed in a metal box of any reasonable dimensions, and they then proved little better than quite small solid wire coils.

The development of ganged tuning and built-in coil switching hastened this process, until coil design reached its present standardised form. These modern coils are much less efficient than their predecessors of seven years ago, but the exigencies of space prohibit the use of the latter, since no one would contemplate using three or four coils, each contained in a screening box measuring some ten-in. cube—dimensions which would be necessary to retain the full efficiency.

Reduced Coil Losses

The selectivity obtainable with the modern screened coil, however, has of late been becoming inadequate to deal with a congested ether, and the position appeared to be one of stalemate. Although an increase in coil efficiency was necessary to obtain the requisite selectivity, such an increase could not be obtained without making large increases in the coil dimensions, and this was prevented by limitations in the physical size of a receiver.

At this juncture, a new development made its appearance. It was discovered by Hans Vogt that if a coil were wound on a core consisting of very finely divided particles of iron, insulated from one another, the efficiency was increased to a remarkable extent. The introduc-

tion of the iron, of course, increased the losses due to the core, but so greatly increased the inductance that a much smaller quantity of copper wire was needed to maintain a normal inductance value. As a result, the copper losses were reduced to a greater extent than core losses were increased, and, on balance, the total resistance for a given inductance was reduced considerably. Not only this, it was found also that the physical dimensions could be reduced while still maintaining high efficiency.

A description of the new iron-core coils appeared in *The Wireless World* for September 16th, 1932, and in subsequent issues¹ the results of a series of measurements on them were published. These measurements fully confirmed the original claims, and it was shown that the efficiency of coils, smaller even than current practice dictated as the minimum, closely approached that of the early unscreened large-diameter Litz-wound inductances. It was at once evident that a very important advance had taken place.

At that time, however, nothing could be done to employ them in a receiver, for they were by no means fully developed and various manufacturing difficulties had to be overcome, and circuits designed to suit their characteristics. This initial work has now been brought to a satisfactory conclusion, and the new coils will now be available. The design of a suit-

THE introduction of ultra-efficient iron-cored tuning coils has at last made it possible to obtain from a simple straight set a degree of selectivity which bids fair to rival that of the super-heterodyne. To those accustomed to ordinary sets the selectivity given by the new coils is a revelation, and the principle undoubtedly opens out a new era in radio reception and will give a new lease of life to the straight set. In this article the theoretical considerations involved in the application of the coils to a receiver are discussed, and the complete constructional details of a three-valve A.C. set will appear in next week's issue.


able receiver has been proceeded with, therefore, and it may be said at once that phenomenal results have been obtained.

The mechanical form of the new Ferrocart coils can be seen from the drawing, and it closely resembles a miniature mains transformer. The coil for the medium waveband, the larger assembly, has a core built from "E" and "I" mouldings of Ferrocart, the windings are sectionalised, and Litz wire is used. The smaller long wave coil core is built from a pair of "L" shaped mouldings, and although the windings are still sectionalised, solid wire is employed. A small air gap is left at the joins in the mouldings of the core, and it is by the precise adjustment of this that matching is effected. The moulded bakelite base contains the waveband switching, and the coupling coils for a band-pass filter.

It will be seen, therefore, that we have now available coils of rather smaller dimensions than the accepted modern type, but which have an efficiency approaching that of large unscreened Litz-

wound air-core coils. It is only to be expected, therefore, that their application would raise a host of new problems.

The increased efficiency may be employed in two ways: it may be used to obtain improved selectivity, or to give increased amplification. Now it is evident that increased amplification is but rarely required, for experience shows that the sensitivity of the average present-day three-valve set is adequate for most



The construction of the new coils can clearly be seen in this illustration. The waveband switching and filter coupling coils are contained within the bakelite base.

¹ *The Wireless World*, September 30th and October 14th, 1932.

The Ferrocart III—

requirements. Where such a receiver usually fails is on the score of selectivity. It is obvious, therefore, that the new coils should be used to remove the chief defect of existing sets, and that no improvement in amplification is justified if, as it must do, it involves any decrease in selectivity.


The aim in the receiver design, therefore, has been to obtain a maximum of selectivity while keeping the amplification at the normal figure obtainable with ordinary screened air-core coils. In order to do this, it is essential that all losses introduced by the circuit be kept at a minimum, and the choice of suitable components becomes quite limited. In addition, the sharper tuning renders ganging more critical, and necessitates the choice of a gang condenser with very accurately matched sections.

The choice of a circuit is also a matter requiring very careful attention, and that finally adopted is shown in Fig. 1. Fundamentally, it is in no way unusual, and it is only in the details that differences will be found. It must be realised that there is little object in producing a coil of abnormal efficiency if that efficiency is to be entirely destroyed by the circuit to which it is connected. The connection of a coil to any circuit, however, must inevitably introduce losses, and the problem becomes one of so arranging matters that these losses are kept to an absolute minimum.

This is primarily a matter of choosing all the components for their efficiency, but even when this is done, they must not be connected directly across the tuned circuits if losses are not to be prohibitive. It is necessary, in nearly every case, that the equivalent of a transformer coupling to the tuned circuit be adopted, for the losses

are then reduced by the square of the ratio used, and a very great gain is possible. In most cases an actual transformer connection is not used, but the equivalent, a tapping on the coil, is employed instead, since it is simpler.

The intervalve circuit, as may be seen from Fig. 1, is neither a simple tuned anode nor tuned grid circuit, but is of the type sometimes known as the tapped tuned grid circuit. Actually, in this case,



This view of the receiver chassis clearly shows the screened Ferrocart coils at the side of the gang condenser.

the connections to both the anode of the H.F. valve and the grid of the detector are tapped down, and as it has been found possible to use the same ratio for each, a single tapping serves the purpose. The action is thus that of a step-up transformer between the H.F. valve and the tuned

circuit, and a step-down transformer between the tuned circuit and the detector.

If ganging is to be accurately maintained, it is essential that the effective stray capacities remain the same on both wavebands; the turns ratio between the tapping and the whole coil must thus be the same on both wavebands, and switching is obviously called for. A single pole double-throw switch, therefore, changes over the tapping connection, while a make and break switch throws the long wave coil in and out of circuit as required.

In spite of the high ratios adopted in this tapping down, the damping on this intervalve circuit remains higher than is desirable, and a trace of reaction must be employed to remove this. To be successful, however, reaction must affect the tuning to a negligible extent, and it should remain fairly constant over the tuning range of the set. The anode circuit of the detector, therefore, is by no means unimportant, and the results obtainable from the H.F. side of the receiver are considerably affected by what is often considered to be a purely L.F. circuit. It is not, of course, for the detector handles both H.F. and L.F. currents.

It is important, therefore, to employ a suitable type of H.F. choke and the correct value of anode-cathode by-pass condenser. Moreover, it is necessary to insert a 500 ohms resistance in series with the reaction condenser and coil to prevent the possibility of the formation of parasitic oscillations on the long waveband, to obtain a smooth control, and to give a fairly constant setting to the control over the waveband.

It goes without saying that in these days the input circuit would take the form of




Fig. 1.—The circuit of the receiver with Ferrocart coils is fundamentally the same as that of an ordinary set, and the differences lie chiefly in preventing damping of the coils. A high-resistance smoothing choke is used, so that it may be replaced by a speaker field.

The Ferrocart III—

a band-pass filter. The precise arrangement of this, however, is rather different from usual, for common inductance coupling has been adopted. In order that the overall selectivity should remain more or less constant through the wave range, it is desirable that the filter should have a single peaked resonance curve for wavelengths up to about 300 metres, after which the familiar double-humped curve should make its appearance, and the peak separation remains sensibly constant at all higher wavelengths. With ordinary coils, a mixed filter is necessary to obtain this result, but with Ferrocart it can be ob-

LIST OF PARTS

After the particular make of component used in the original model, suitable alternative products are given in some instances.

FERROCART III

- 1 3-gang condenser, 0.0005 mfd., with right-hand trimmers British Radiophone
- 1 Dial and dial light assembly British Radiophone
- 1 Reaction condenser, differential or straight, 0.00015 mfd., C9 Formo 25c
- 1 Set of Ferrocart coils Colvern
- 2 H.F. chokes, Ch1, Ch2 McMichael "Binocular Junior"
- 4 5-pin Valveholders (Eddystone) Clix chassis-mounting type
- 1 Volume control, 10,000 ohms, R4 Colvern ST5
(British Radiophone, Igranite, Watmel)
- 1 Electrolytic condenser, 4 mfd., C17 T.C.C. type 802
- 1 Electrolytic condenser, 8 mfd., C18 T.C.C. type 802
- 2 Fixed condensers, 2 mfd., 250 v. D.C. working, C12, C16 T.C.C. type 65
- 1 Fixed condenser, 1 mfd., 250 v. D.C. working, C14 T.C.C. type 65
- 2 Fixed condensers, 0.1 mfd., non-inductive, 400 v. D.C. test, C4, C5 T.C.C. type 50
- 3 Fixed condensers, 1 mfd., non-inductive, 400 v. D.C. test, C6, C11, C13 T.C.C. type 50
- 1 Fixed condenser, 0.0005 mfd., C7 T.C.C. type 34
- 1 Fixed condenser, 0.0001 mfd., C8 T.C.C. type 34
- 1 Fixed condenser, 0.0002 mfd., C10 T.C.C. type 34
- 1 Fixed condenser, 0.01 mfd., C15 T.C.C. type 34
- 1 Fixed condenser, 0.001 mfd., mica, 1,000 v. D.C. test, C19 T.C.C.
(Dubilier)
- 2 Q.M.B. make-and-break switches, S1, S3 Bulgin S80
- 1 Q.M.B. change-over switch, S2 Bulgin S81
(British Radiophone, Claude Lyons)
- 1 Pentode output choke, Ch3 Telsen power type W172
- 1 2,500 ohms speaker field replacement choke, Ch4 Sound Sales
(Scott Sessions)
- 1 Mains transformer, screened primary, 350-0-350 v. 60 mA, 4 v. 2.5 amp. C.T., 4 v. 3.5 amp. C.T. Bryce
(Challis, Parmeko)
- 1 L.F. transformer Lewcos type L.F.T.4
(Varley)
- 1 Resistance, 100 ohms, R1 Graham Farish "Ohmite"
- 1 Resistance, 250 ohms, R2 Graham Farish "Ohmite"
- 1 Resistance, 300 ohms, R13 Graham Farish "Ohmite"
- 1 Resistance, 500 ohms, R8 Graham Farish "Ohmite"
- 1 Resistance, 1,000 ohms, R9 Graham Farish "Ohmite"
- 1 Resistance, 6,000 ohms, R6 Graham Farish "Ohmite"
- 1 Resistance, 10,000 ohms, R14 Graham Farish "Ohmite"
- 2 Resistances, 20,000 ohms, R3, R10 Graham Farish "Ohmite"
- 1 Resistance, 30,000 ohms, R11 Graham Farish "Ohmite"
- 2 Resistances, 50,000 ohms, R5, R12 Graham Farish "Ohmite"
- 1 Resistance, 250,000 ohms, R7 Graham Farish "Ohmite"
- 1 Resistance, 25,000 ohms, 3 watts, R15 Graham Farish "Ohmite"
Power type "HD"
(Dubilier, Erie, Claude Lyons)
- 1 5-way Connector Wilburn
- 6 Terminals, aerial, earth, L.S.+, L.S.-, 2 pick-up (Belling-Lee, Eclax, Igranite) Clix type "B"
- 1 Plymax baseboard, 14in. x 12in. x 1/2in. Peto-Scott
(Prepared Metal Base Plate, bent and drilled Colvern)
- Panel, oak-faced ply, 9in. x 14in. Peto-Scott
- 2 Lengths screened sleeving Harbros
(Goltone, Lewcos)
- 2 ozs. 20 tinned copper wire, wood, 6 lengths sistoflex, etc.
- Screws: 14 1/2in. No. 4 R/hd.; 4 1/2in. No. 6 R/hd.; 20 1/2in. No. 4 R/hd.; 4 1/2in. No. 4 R/hd.; 12 1/2in. No. 4 R/hd.
- Valves: 1 MVSG, 1 41MHL, 1MP/PEN, 1 42BU Cossor

tained with a simple inductance coupling owing to the different law of variation of H.F. resistance with frequency.

It is further necessary that the aerial coupling to the first circuit be effected in such a manner that the coupling is truly to the first circuit only, and not to the secondary also. On the medium waveband, little is necessary in the way of precaution when a loose aerial coupling is used to provide selectivity, since the effects of a moderate degree of secondary circuit coupling are swamped by the remaining coil resistance. This is not the case on the long waveband, however, and if the resonance curve is to approach symmetry, it is essential to employ a separate aerial coupling coil. On both wavebands, the coupling is so adjusted that the aerial load on the secondary remains the same and is as small as possible, so that ganging remains accurate; it is actually affected by the aerial to an unusually small degree.

When these circuits are correctly designed, the remainder of the receiver can follow standard practice, and in the set to be described a variable-mu H.F. valve has been used with a power grid detector and a compensated pentode output valve. The mains equipment has a larger output than usual so that it is readily possible to energise a moving-coil loud speaker if desired and a high degree of smoothing is incorporated.

The improvement in performance which this receiver shows over a similar type fitted with ordinary coils is so great that it can be realised only by actually handling the set, and in words alone it is difficult to convey an adequate impression. In sensitivity and quality of reproduction the receiver is well up to standard, and it

is in selectivity that the performance is so outstanding. It is no exaggeration to say that the selectivity is considerably greater than that given by the average two-H.F. set with four tuned circuits, and among commonly employed receivers it is exceeded only by that of the superheterodyne.

The fact that within nine miles of Brookmans Park, with a good outdoor aerial and while the two locals were working, some seventy medium wave distant stations were received, speaks volumes for the performance. Algiers, separated from the London Regional by only 18 kc., could be received with only moderate interference, and Hamburg, some 26 kc. away, was obtained with no audible interference.

When it is remembered that under the same conditions of test an ordinary three-valve set will not permit any station between the Midland and the London Regionals to be received properly, some idea of the magnitude of the improvement can be obtained. The selectivity of all straight sets falls off somewhat at the lower wavelengths, but this is much less than usual with Ferrocart coils, and it is particularly striking to find that Turin, on 1,096 kc., and Trieste, on 1,211 kc., are both quite clear of the London National on 1,147 kc. The average spread of this station is thus about six channels on either side. Stations closer to London than this can be well received, but there is some liability to interference during quiet passages in the desired programme.

A list of the parts required for the new receiver is given herewith, and full constructional details of the set itself will appear next week.

THE BRUSSELS NOTEBOOK

Wavelength Variations During January

THE first report on the wavelength vagaries of Empire stations issued in 1933 by the Brussels checking station recalls the time before the Prague Plan scheme came into force. Stations seem to be piled on top of each other, and a surprising feature is that some of the offenders who have transgressed by 7 or 8 kilocycles have formerly been notable for their stability.

Conditions on the long waveband are unchanged except for one new station working on the same wave as Kaunas. The newcomer is the Roumanian station, Craciunelu. Telegraphy stations are causing more trouble. Daventry 5XX is behaving very badly, as it has now developed a second harmonic on 385.6 kc., next to its third on Vienna and its seventh among the Scandinavian relays. Moscow and Leningrad's harmonics continue as lustily as ever.

Medium Wave Offenders

Trouble is most rife on the medium waveband. Tartu, the Finn, has encroached into forbidden ground and was last heard on 510 kc., perilously close to the SOS wave, 500 kc. Even sorely tried Ljubljana avoids the danger wave by at least 20 kc. Tampere used Budapest's wave-

length for two days, and Riga interfered for two days with Munich, so that that station, which is permanently heterodyned by Palermo, was nearly wiped out. Between 644 kc. and 671 kc. no fewer than sixteen stations were working, including, of course, those on the international common wave of 662 kc.

New Wave Plan Tests?

Madona, the Latvian play, was to be found on 662 kc., and also Agen, the French station, which has been rebuilt after destruction by floods. Leipzig was free from Archangelsk for a week or so while the latter was experimenting with the wavelength shared by Toulouse and Stalino, but towards the end of the month the station showed a preference for Leipzig's wave. Posen, hitherto a steady station, trespassed on Milan's wavelength for two days, and Hilversum likewise offended by interfering with Limoges-Kosice. Frankfurt jostled Hörby for one day. It is believed that these inexplicable changes are in connection with tests for a new wave plan upon which the council of the International Broadcasting Union are busy preparing for submission to the postal administrations.

Listening as an Art

Do we Make the Most of What we Hear?

By A LISTENER

LISTENERS vary considerably in "quality"; in other words, different people, possibly of equal acuity of hearing, differ in their respective abilities to follow reproduced sounds, especially speech. The differences are, perhaps, more noticeable in the case of speech, since the spoken word is the normal and standardised vehicle of human communication. It is hardly possible to assess or standardise the impression conveyed by music. Domestic listening with several people often provides examples of the difference of quality between listeners; so, also, do the talkies. To a considerable extent, of course, this difference may be a matter of custom in listening to reproduced sounds, so that a certain added facility of listening is acquired. On the other hand, broadcast listening is now of so many years' standing that one would have thought that most people—certainly most listeners—would have acquired an art of listening.

The efforts of broadcasting technicians—production and engineering alike—are devoted chiefly to getting the greatest naturalness into their broadcast matter. At the listener's end the greatest appreciation of the broadcast efforts is, to a large extent, within the listener's own control—that is, assuming a good set and loud speaker, which are essential before

SO much time is spent in discussing the art of broadcasting—such questions as the correct use of the microphone and the right studio acoustics—that we are in danger of forgetting the listener's share in the proceedings. The finest broadcast fails if it falls on inattentive ears or ears which, for a variety of reasons, are unable to do justice to what is offered them.

influenced as it is by factors both physiological and psychological. For these advances the development and popularity of broadcasting have undoubtedly been largely responsible.

Not long ago there appeared in an American magazine of the "popular technical" class a short series of rules for broadcast listening. They are well worth quoting: (1) The room should be of fair size with plenty of rugs, curtains, books, etc., and with few unbroken wall-spaces; (2) listeners should sit directly in front of the loud speaker, usually at a distance of five to ten feet; (3) the receiver should be adjusted to moderate volume; if the announcer's words are intelligible in the far corners of the room the volume is usually about right; (4) avoid interruptions and discontinuities—once the volume and tuning controls are adjusted they should be left alone during the programme; (5) keep quiet—shut windows on noisy streets, etc., and avoid conversation; (6) the room should be dimly lit, with no actual lamp—not even the pilot lamp of the receiver—visible to any listener; (7) choose a comfortable chair and wear comfortable clothes.

These rules are possibly idealised, but there is a good deal of reason in them all.

The first is based on acoustic principles. Flat unbroken surfaces reflect the sound waves and cause echoes and reverberations; soft hangings, carpets, chairs, and even books all tend to absorb them and give less echo.¹ Clothes and the bodies of

¹ This subject was dealt with at length by W. H. O. Sweeny in *The Wireless World* of January 20th, 1933.



Listeners vary considerably in "quality."

listeners have the same effect. For example, it has been estimated that an audience in an auditorium has about the same effect as would a series of feather beds spread over the seats. Too complete absorption gives a "dead" effect, but too much echo is the more likely and therefore the more to be watched.


The second rule is based on the fact that loud speakers mostly send out their waves in a beam or cone, which, incidentally, may vary for different frequencies. As regards the third rule, moderate volume obviously avoids distortion in set or speaker. The suggested criterion should have the general effect that peaks of loudest sounds are not such as to give detectable distortion.

The fourth rule, about interruptions, is merely the common sense of any sort of listening, and applies to broadcast just as it does to theatre or concert. Undue meddling with the controls is a common complaint of many domestic "experts," and is irritating and distracting to the rest of the household. The same general common sense applies also to the fifth rule, since any form of extraneous noise is naturally detrimental to the hearing of the programme. This, of course, assumes that the programme is worth listening to!

Talking and Listening

Here it may be interpolated that many people keep their sets switched on when they are not listening. We read from time to time of "wireless nerves." No doubt they are quite real, but are mostly due, not to obscure or magic effects of ether waves upon our systems, but to the irritation to which many people willingly expose themselves by listening to wireless and to other things at the same time. You must all know some friend—or fiend—who keeps the wireless on, usually at full volume, during conversation when nobody is listening to it, getting everybody, including, one hopes, himself, worked up into a state of nerves.

But this is aside. Certainly, for serious listening to a programme, the fifth rule is absolutely sound.



Interruptions should be avoided.

any reproduced matter can really be appreciated. The enjoyment of broadcast programmes is largely an æsthetic matter, but so many technical conditions govern the possibility of æsthetic appreciation that the subject comes reasonably within the scope of a technical journal.

Considerable advances have been made in the past few years in the general science of acoustics and in linking up the physical side of the subject with the human side,

Listening as an Art—

This (fifth) rule about silence also borders on to matters jointly physiological and psychological, both of which enter prominently into the last two rules. For example, the sixth rule about dim lighting is based on what appears to be a proved psychological fact, described, broadly, as "mixture of the senses." It is generally known and agreed that the final appreciation of the various senses lies, not in the particular sensory organ concerned, but in the brain. As a result, it appears that if the brain is busy with one sense it is less able to be stimulated by another.



Friend or fiend?

Examples are found in underground railways. Measurement of the absolute intensity of sound have revealed that, although the noise-level in a dim subway was actually less than in the open street, most ears found it greater. This is explained by the suggestion that in the dim light of the subway the eye is less strongly stimulated than in the daylight of the street, and that the ear—or, rather, the brain through the ear—is more actively affected by sounds of less strength. Similarly, the sense of touch can be measured by an appropriate instrument, and it has been found that subjects have shown decreased delicacy of touch when listening intently to a sound or when in a brightly lit room. This no doubt explains the apparent enhancement of the other senses manifested by blind people.

An application of this fact is found in the sixth rule (about lighting). It is certainly a fairly normal experience that for best and most intent "listening" the room should be dimly lit—even dark. Have you ever tried closing the eyes when engaged in a trying long-distance trunk call?

Another fact in connection with lighting, also, is that dim illumination undoubtedly helps the listener to create his own imaginative background to the "heard" broadcast. The double broadcast of "Rope," for example, gave an excellent opportunity of trying the experiment of two degrees of lighting, and the effect was quite convincing. On that memorable Armistice night when "Journey's End" was broadcast a dim fire-glow permitted the conjuring up of a setting that differed but little from that of the stage presentation seen a few weeks later. Numerous other examples will readily occur to any listeners who have tried a like experiment. When the B.B.C.

advises a dim background it is worth while to try their advice, also to do the same on many occasions when they do not.

The same reasoning of the "mixture of the senses" is the basis of the last rule, about comfort. It is beyond doubt that definite distraction occurs with positive bodily discomfort, to say nothing of actual pain. But an exaggeration of skin sensations, even if they do not amount to conscious discomfort, may have an effect on the brain similar to that of strong light or any other sensory stimulus, and thereby render it less active to the auditory sense. Whether or not this is of sufficient importance to justify the development of special "broadcast wear" must lie with the listener and his own sense of comfort, or his ability to indulge it. Various accessory aids to comfort can readily be imagined!

Whether or not the whole of these rules are worth regarding must obviously depend on the listener's earnestness and desire to follow the particular programme. For certain types of programme, just as for certain types of listening community, they are obviously extravagant. For other types they are equally obviously of definite advantage.

How Imagination Helps

In the present stage of broadcasting we are dependent on the one sense, that of hearing, and on obtaining from it the maximum reality that we can. This despite the developing technique of television. To put it in another way,



Special "broadcast wear"

with a good modern set and speaker it is not difficult to obtain in a room (or, at any rate, at our ears) a degree of sound comparable to that which we might have in the studio or hall. Television is still a long way off from giving us, on a domestic scale, a size of visible image commensurate with that which is so easily obtained aurally.

From many generations of acquaintance with the printed word we, or at least some of us, have developed the faculty of imaginative reading, or of conjuring up an imaginative background which is at least highly satisfactory to ourselves. Have we yet carried that imagination as far towards the art of listening?

DISTANT RECEPTION NOTES.

YOU may have noticed that Leipzig's strength is not quite what it was. The reason is quite simply that the station is now using only about 80 instead of its full 120 kilowatts. I have seen it stated that the reduction was made on account of the swamping caused to those on neighbouring wavelengths, but this, I believe, is not correct. What actually happened was that with the full power in use it was found that the quality was none too good. After a series of experiments it was discovered that the station's service area could be amply covered and the quality vastly improved by reducing power.

That the quality of the transmissions is definitely very much better with the smaller power output there is no doubt. The difficulty probably arises in connection with the amplifiers between the low-power modulator and the output stage.

Speaking of high-powered stations reminds me that I have just received direct from the head of the Cincinnati, Ohio, station WLW, the astonishing information that by the end of the present summer a new 500-kilowatt transmitter will probably be at work. The Federal Radio Board's sanction has been received, all contracts have been completed and constructional work has already begun. The new transmitter will use the present WLW wavelength of 428.3 metres, a particularly favourable one for long ranges since it is not prone to fading.

Will U.S. Heterodyne Us?

One of the most interesting features about the new station will be the "vertical radiator." This is to have a height of 840 feet, and it is calculated that its use alone will increase the service area radius of a station by twenty-five per cent. With 500 kilowatts at their command and the vertical radiator the engineers of WLW are expecting a service area with a radius of 2,500 miles.

One rather dreadful thought is that if the American station does prove to have considerable field strength in this country it may cause trouble by heterodyning both Madrid Union Radio and Belgrade, both of which will be in the high-powered class before next autumn.

I do not know whether Trieste uses occasionally more than the 10 kilowatts with which it is officially credited, but on several occasions recently this station has been received at phenomenal strength. I have had it as early as four o'clock in the afternoon with volume not very much less than that of the local. Another wonderful station at the moment is Breslau.

For some reason or other Huizen (Hilversum programmes) is very much under the weather just now. This is surprising since other long-wave stations are in excellent form.

Of the medium-wave stations the best are Brussels Nos. 1 and 2, Munich, Florence, Prague, Langenberg, Rome, Katowice, Leipzig, Toulouse, Strasbourg, Milan, Breslau, Hilversum (Huizen programmes), Turin, Trieste, and Fécamp.

Hamburg shows a wonderful improvement, and Berlin Witzleben is nearly always worth attention. Lyons Doua is good on most nights, despite its official rating of 1.5 kilowatts only, and Genoa is now much better heard. **D. EXER.**


Practical HINTS AND TIPS

AIDS TO BETTER RECEPTION

IT is often convenient to be able to adjust a semi-variable condenser of the compression type without the need for delving into the interior of the set. At least one make of condenser (the Cyldon) may be mounted so that the regulating-screw head registers with a hole previously drilled through the floor or side of the cabinet in such a way

Inverted Condensers

that access for adjustment is obtained through this hole.



A semi-variable condenser, mounted so that adjustments may be made externally.

Without any very great difficulty, other types of condenser may be mounted so that adjustments may be made in this way, and a suggested method of mounting is shown in the accompanying illustration. Short lengths of 4 B.A. threaded rod act as supports to the condenser; the hole through which adjustment is made should be just large enough to afford clearance for the knob, which, of course, must be slotted to take a screw-driver.

IT is a fact that the great majority of modern receivers of the type designed for battery feed will work satisfactorily when fed with anode current from an eliminator. This holds good even if "free" grid bias is included in the receiver; although anode voltages will generally be higher than when batteries are used, the bias system will be sufficiently self-compensating to make good any discrepancies that are likely to occur.

Disturbing Free Bias

But care should be taken to see that nothing is done to frustrate the intentions of the designer with regard to the various currents that will flow through the bias resistor. In battery sets it is usual to feed the screening grid of an H.F. valve from an extra tap on the H.T. battery; with an eliminator, a regulating potentiometer, either of the fixed or variable type, is generally necessary for this circuit. If the screening grid potentiometer be included in the receiver, the extra current that it consumes will pass through the bias resistor, and so any valves which are biased by the voltage drop across this resistor will be working under more or less incorrect conditions.

This state of affairs may be avoided by installing the feed potentiometer as part of the eliminator and not as part of the set. The extra current which it consumes will not pass through the bias resistor if this plan be adopted. Of course, many eliminators already include provision for critical control of screening-grid voltage, and so no special precautions are necessary.

THE adjusting screw of a trimming condenser (built into a ganged tuning condenser) is invariably in electrical connection with the "earthy" side of the circuit, and, in consequence, there should be, theoretically, no risk of disturbing tuning by body-capacity effects while these trimmers are being adjusted.

A Trimming Tool

But occasionally it will be found that, in order to make the adjustment, the metal shank of a screw-driver may come into sufficiently close proximity with high-potential connections or components to introduce a change in the tuning of the associated circuits. In this way misleading effects may be encountered, and it is not a bad plan to make a special trimming tool. This device is nothing more than a screw-driver with the shortest possible metal blade, and a fairly long handle of insulating material—wood is quite good enough for this purpose.

As trimmer adjusting screws generally turn quite freely, it may be quite permissible to avoid the use of metal altogether, and to make a special screw-driver with some such insulating material as a strip or rod of bakelite, paxolin, or ebonite.



A simple form of insulated screwdriver, for adjusting trimming condensers. It is supplied with certain H.M.V. radio-gramophones.

When dealing with circuits where adjustments are exceptionally critical, it is perhaps worth while to take some pains to see that the screw-driver blade shall be an exact fit in the slot of the adjust-

ing screw. If this is done all backlash is avoided, and it will be found that adjustments can be made more accurately, and certainly much more easily, than when the width of the slot is considerably greater than the width of the blade. This is a point worth while remembering when making initial adjustments to the Station Finder.

THERE must be many sets using manufactured coils of the standard type (tuning coil, with tapping or separate primary winding for aerial, and also a reaction winding) as the tuned-anode coil of an H.F. valve, reaction being applied from the detector anode circuit.

A Simple Selectivity Device

Here, ready to hand, is a means of increasing selectivity with these coils. Instead of using the whole coil in the anode circuit, connect




Fig. 1.—By joining the preceding anode to the "aerial" terminal of a standard coil, selectivity is improved.

the anode of the H.F. valve to the terminal marked "Aerial" of the coil (as in Fig. 1). The method thus applied is identical to that universally used to obtain selectivity between the aerial and input tuning circuit. The result will be an enormous increase in selectivity, accompanied by a relatively small drop in signal strength.

What happens is briefly this: The anode circuit impedance is reduced considerably, giving a lessened oscillatory p.d. across its portion of the coil. The tuned circuit is more or less loosely coupled to this coil. The fact of loose coupling has, however, reduced the damping effect of the preceding valve in proportion to the turns ratio. Thus the reduction in applied volts is to some extent compensated for by an increase in current, since current in a resonant circuit depends on the damping present. On the other hand, selectivity is gained, both due to the reduction in damping of the tuned circuit and to the loose coupling.

Q.P.P. with Triodes

Further Battery-economy Circuits

NOW that the great benefits conferred by quiescent push-pull are becoming appreciated, there must be many constructors who contemplate building a Q.P.P. receiver, or who propose to modify the output stage of their existing battery set. The desire to share with the mains user the undoubted advantages of a moving-coil loud speaker is natural enough, as is also the demand for more and more undistorted energy from the output stage.

True, the valve manufacturers not long ago gave us an excellent series of two-volt power valves capable of handling a few hundred milliwatts, but until the advent of Q.P.P., a wide gulf has separated mains output from that given by the battery set.

Q.P.P. and Mains Sets

Many queries have arisen as a result of the publication in this journal of the theory¹ and practice² of pentodes in Q.P.P., and it is proposed to deal with a few of them. First, it is asked whether automatic grid bias can be arranged; the answer is in the negative, because a fixed bias point for each valve is essential, and as the mean anode current during modulation varies between wide limits, large changes in grid potential would take place. Can Q.P.P. output be included in a set with which an H.T. eliminator is used? The answer must be in most cases "No," because the H.T. volts delivered by the eliminator vary in sympathy with the current taken, and a steady anode voltage—a desirable condition—would be

¹ See "Outstanding Battery Set Development," January 6th, 1933.


² "The Quiescent Push-pull Two," January 20th, 1933.

By
W. I. G. PAGE, B.Sc.

denied to the valves. In eliminators where the regulation is especially good it would be worth a trial.

Can Q.P.P. find application in a mains set? The answer to this is governed by the answers to the two previous questions. It would be possible only with battery bias or with a small separate rectifier for grid potential and an H.T. supply system such as a mercury rectifier, with which regulation can be beyond reproach. There are two other important questions, but happily the answers are less gloomy. Can matching of valves in Q.P.P. be dispensed with? Are triodes in Q.P.P. satisfactory? The rest of the article will be devoted to discussing these problems.

Considerable research has been carried out by the General Electric Co. into the possibility of using triodes in Q.P.P., and the writer is indebted to this company for certain data in respect of these valves which is given later. Any Q.P.P. system benefits if matched valves are employed, and the circuit of the "Quiescent Push-pull Two" receiver recently described probably represents the most efficient arrangement, but unless the very utmost



UP to the present the principles of quiescent push-pull have been applied to pentode valves, and outputs of over one watt have been obtained for an exceedingly small H.T. battery consumption. Where, however, the major consideration is valve cost rather than power output, triodes in Q.P.P. will probably find wide application, especially as matching is not essential and moving-iron speakers can be used satisfactorily.

is to be squeezed out of each valve, liberties can be taken. In fact, it is found that with triodes and the smaller pentodes, valves bought at random and representing the extremes of manufacturing tolerances may be pressed into service with the knowledge that the results will be entirely satisfactory, and a milliammeter, although most helpful, is not essential.

Experiments with Two Receivers

Two receivers have been constructed, one with two Osram L.P.2 valves in Q.P.P., and the other with two P.2 valves. From the results obtained it can be stated with confidence that the volume and quality of reproduction will satisfy the most critical. Unmatched triodes are essentially for use where the major consideration of valve cost outweighs power output. In a room measuring, say, 15ft. by 15ft., a watt of speech energy is unnecessary, and 350 to 400 milliwatts provides good entertainment. The two L.P.2 valves at 150 volts H.T. will give this output for the ridiculously small consumption of 1 mA. standing current per valve. The detector will feed the output stage without an intermediate valve, use being made of one of the high-ratio intervalve transformers developed for Q.P.P. Although the best results will be obtained with a moving-coil speaker, the use of a moving-iron instrument is not ruled out.

The load per valve is 5,000 ohms, so that the output transformer ratio is almost the same as that for two Pen.220A valves, for which so many speakers and output devices are already available. There is a very slight tendency for high notes to be accentuated, but this is cured by the ordinary compensator circuit consisting of an 0.005 mfd. condenser and a 20,000-ohm resistance in series, the whole being shunted across the output transformer




Fig. 1.—The detector-L.F. portion of a receiver with two P2 valves in Q.P.P. In this case an intermediate L.F. stage is necessary and the intervalve transformer ratio should be about 4 or 5 to 1.

Q.P.P. with Triodes—

primary. The 150,000-ohm anti-parasitic resistance in the common bias lead must be retained and a potentiometer across the

details of the set will be unnecessary, but emphasis should be laid on the tremendous saving in H.T. current effected by the Q.P.P. stage. It would require over 40

TABLE A.
QUIESCENT PUSH-PULL DATA.

Milliwatts Output.	Two Valves in Q.P.P. (For Type see Table B.)	H.T. Volts.	Bias.	Total Quiescent H.T. Current* (mA.).	Total Working H.T. Current* (mA.).	Output Transformer (or Choke) Step-down Ratio for Speaker of following Impedance (Ohms) :—					
						2	3	5	10	15	2,000
200	T1	110	6	2.0	3.5	100	82	64	44	36	3.0
300	T1	130	7½	2.0	3.5	100	82	64	44	36	3.0
400	T1	150	9	2.0	4.0	100	82	64	44	36	3.0
500	T2	120	18	3.0	5.0	70	58	45	32	26	2.5
800	P1	110	6	3.0	5.5	100	100	80	56	46	4.0
	T2	150	21	4.0	7.0	70	58	45	32	26	2.5
1,000	P1	130	7½	3.5	6.0	100	92	72	51	42	3.6
	P2	150	9	4.5	7.5	100	99	70	49	40	3.5
1,300	P2	110	13½	4.0	6.0	95	77	60	42	35	3.0
	P2	120	15	4.5	6.5	95	77	60	42	35	3.0
2,000	P2	150	21	5.0	8.0	92	75	58	41	34	2.9

* Includes total auxiliary grid current in the case of pentodes. The column for the 2,000 ohms speaker impedance refers to a moving-iron instrument of that value or to a moving-coil speaker with a built-in matching transformer giving the same value.

grid battery (9 to 10½ volts in this case) is a refinement which is well worth while.

In all cases where a meter is not embodied in the set it is as well to move the bias potentiometer slider to a position of over-bias, thus giving serious distortion, and then to reduce the negative grid potential slowly until distortion on loud passages is absent. This will automatically give the correct quiescent or standing current, and the valves will be working under optimum conditions. It will be unnecessary in the circumstances to have an H.T. battery tapped at intervals of 1½ volts at the positive end.

The circuit diagram showing the detector-L.F. portion of the set with two unmatched Osram P.2 valves (triodes) in Q.P.P. is given in Fig. 1, and as the grid swing of the output system in this case is about 21 volts the detector must be followed by an intermediate low-gain resistance-coupled stage. Fortunately, this is an economical addition, incurring about 11s. in cost of materials and augmenting the anode current by only 1 mA. The output from the set amounts to about 800 milliwatts, which represents ample volume for a room measuring about 14ft. by 25ft., and again the quality of reproduction is very pleasing.

As all values are given in Fig. 1, further

TABLE B.
KEY TO VALVE TYPES.

T.1.					
Cossor	220 PA
Osram and Marconi	LP2
Mazda	P.220
Mullard	PM2A
T.2.					
Osram and Marconi	P2
Mazda	P.220A
Mullard	PM.202
P.1.					
Cossor	220 HPT
Osram and Marconi	PT2
Mazda	Pen. 220
Mullard	PM22A
P.2.					
Cossor	220 PT
Mazda	Pen. 220A
Mullard	PM22

mA. from the H.T. source if two P.2 valves were used in ordinary push-pull to give the same output. Actually, in the set under discussion, the standard current per valve is 2 mA, and the working current—which is the deciding factor in choosing the capacity of the H.T. battery—only 7 mA. total for the two valves.

To facilitate the choice of a suitable valve for a given output, Table A has been



Valves suitable for Q.P.P. output. From left to right: Cossor 220 PA, Mullard PM2A, Osram P2, Mazda Pen. 220A and Osram PT2.

compiled, which includes the majority of British battery valves which can satisfactorily be used in Q.P.P. T1 and T2 represent triodes and P1 and P2 pentodes, the key to the types of different makes being given in Table B.

The H.T. battery should have an initial potential of about 10 volts higher than the figure given in the third column, so that it will settle down after short use to the required value. If the bias necessary (4th column) is above about 15 an intermediate R.C.C. stage will be required before the output valves, and it can well conform to the circuit of Fig. 1. The total quiescent current is given in the next column, and includes in the case of pentodes the two auxiliary grid currents. It is interesting to note that the average working current seldom reaches twice the value of the quiescent current, although peak currents on deep modulation may reach five times this value.

The reader may be somewhat surprised at the low average H.T. consumption, but when it is realised that appreciable current is taken only when a signal is being received, the reason will be clearer, especially if the composition of a typical five-hour broadcast programme be examined. The following is part of a continuous evening's programme during which Q.P.P. current measurements were made.³ Speech and intervals account for 125 minutes, during which little current is used.

	Minutes.
News and Talks	80
Pianoforte	20
Talks with musical illustrations	30
Orchestral concert	95
Dance music	60
Intervals	15

300=5 hours

The remaining columns of Table A are devoted to the step-down ratio which must be used in the output transformer with speakers of different impedance. With 2-ohm speech coils, which are popular

to-day, the theoretical ratio in a few instances is more than 100 to 1, but as such transformers are not made no ratio exceeding this value is shown. To exemplify the use of the tables, let us suppose that an output of 400 milliwatts is required from a moving-coil loud speaker of 10-ohms

impedance (we will assume that the built-in transformer—if the speaker has one—is disconnected). A valve of Class T1 would be chosen, the H.T. voltage must be initially about 160, the bias 9 volts, and no intermediate L.F. stage is necessary. The transformer ratio should be 44 to 1—the nearest standard ratio of 42 to 1 being quite satisfactory. With a moving-iron speaker of high resistance (say 2,000 ohms) the ratio would have to be 3 to 1.

Fortunately the ear does not notice slight mismatching of the output stage, and where ratios between, say, 68 or 82 to 1 are indicated, a transformer of 75 to 1 would be perfectly satisfactory. Many output devices with ratios between 1 to 1 and 100 to 1 were reviewed in an article entitled "More About the Quiescent Push-pull Two," and there should be little difficulty in selecting suitable components.

³ Data supplied by the General Electric Co., Ltd.

NEWS of the WEEK

Bravo, Barrow!

IN response to complaints the Barrow (Leicester) Rural Council is equipping the local pumping station with apparatus to prevent interference with radio reception.

How the Money Goes

POST Office accounts for 1931-32 show that cash receipts from wireless licences amounted to £2,295,060, of which £1,225,799 was paid to the B.B.C.

Bredow off to Spain

SPAIN now has the opportunity to become one of the leading European nations in broadcasting affairs. We learn that Dr. Hans Bredow, the founder and late Commissioner of German broadcasting, is proceeding to Spain to reorganise the broadcasting service.

Better German Broadcasting

THAT German broadcasting has taken an encouraging turn towards greater prosperity is indicated by the licence figures just published, which show that the number of listeners increased by 120,000 during January. It is believed that the broadcasting of political speeches and improved programmes are the responsible factors.

At the moment German broadcasting is under the control of the Secretary of State, the Commissioners both having resigned.

Sir Robert Donald

SIR ROBERT DONALD, who died last week at the age of seventy-two, will be remembered for his work in connection with the Imperial Wireless Telegraphy Committee of 1924, of which he was chairman. He was a keen advocate of Empire broadcasting.

America in Berlin

EMBOLDENED by reports in *The Wireless World* of good reception of American stations in London, a Berlin correspondent carried out nocturnal tests with interesting results. "Tests were carried out on two consecutive nights," he writes, "reception being good from 2 to 3 a.m., C.E.T. A superhet was no good as it had no high-frequency amplification ahead of the first detector. A straight H.F.-det.-L.F. did the trick, using reaction. Static was pretty bad, but I roped in three stations at good strength and many more which were unintelligible. I live in the centre of the town, and on the second floor of a five-story building. I was using a small indoor aerial.

Stabilising H.F. Amplifiers

THREE research workers, Mr. W. Ure, B.Sc., Mr. E. J. Grainger, M.Sc., and Mr. H. R. Cantelo, M.Sc., are responsible for a paper to be read before the Wireless Section of the Institution of Electrical Engineers on Wednesday next, March 1st. The paper will deal with "The Balancing and Stabilising of High Frequency Amplifiers, with special reference to Power Amplifiers for Radio Transmitters."

Current Events in Brief Review

Congratulating the President


AMONG the first congratulatory messages destined to be received by Franklin D. Roosevelt after his inauguration as President on March 4th will be despatches transmitted via amateur radio from the Governors of the forty-eight States and the territorial possessions. Arrangements now being worked out by the American Radio Relay League, in cooperation with the Washington

New U.S. Network?

PLANS for a new American broadcast network, to supplement those of the National Broadcasting Company and the Columbia System are stated to have reached an advanced stage. According to our Washington correspondent the organiser of the new undertaking is Mr. E. I. Wynn, who skyrocketed to radio fame as a radio-impresario with the Amalgamated Broadcasting System, Inc., of New York, formed to pro-

CAR RADIO ON THE CONTINENT.

The new Telefunken car set displayed at the Berlin International Automobile Show is a 6-valve superhet accommodated under the driver's seat and controlled from the dashboard. The loud speaker is housed in a canvas cover in the rear compartment.



vide a new range of programme material for the existing networks.

Certain "Detroit millionaires," stated to be at the back of the enterprise, are described as being "very close to the Ford Motor Co., Burroughs Adding Machine Co., Briggs Body Co., Kelvinator Co., and Frederick Stearns Co., all of whom have expressed themselves as being ready to go on the air when the network functions properly."

Since the formation of NBC in 1926 and of CBS the following year, a number of attempts have been made to create new networks, but all of them either failed to develop or faded from the picture after getting started because they were unable to stand the financial strain or meet competition. Various small regional chains have been created.

Successful Television

HOW to obtain successful reception of television images will be the main theme of a lecture entitled "Some Aspects of Television Reception," to be delivered before the Television Society by Mr. T. H. Bridgewater, Grad. I.E.E., at University College, Gower Street, London, W.C.1, at 7.0 p.m. on Wednesday, March 8th. Cards of invitation can be obtained on application to Mr. J. J. Denton, A.M.I.E.E., 25, Lisburne Road, Hampstead, N.W.3.

A Simple Request

SMALL BOY: Father says please can you lend us your wireless set this evening?

Neighbour: With pleasure! Are you giving a party?

S.B.: No, we want to sleep.

Radio Service on Wheels

MESSRS. E. K. COLE, LTD., the radio manufacturers, have organised a body of specially trained engineers, provided with fully equipped motor cars, who will tour the country so that owners of EKCO instruments can command service at a moment's notice. A postcard to the makers, a few formalities, and an expert is on the set owner's doorstep.

Each engineer's squad, who will travel in a green and gold car, is provided with enough spare parts to make a number of complete wireless sets.

Choosing an Announcer

THREE hundred applicants—five of them women—competed for the post of announcer at Radio-Vitus, Paris. Among those applying was a winner of the French Prix de Rome (architecture), several doctors of laws, and more than one licentiate of literature. No fewer than 270 competitors were eliminated in the "first round." A third test whittled down the remainder to a dozen, from which a special jury will choose six to stand public examination at the microphone.

The final decision is to be arrived at by listeners' vote.

The Four Millionth

MISS GRACIE FIELDS received telegrams of congratulation from all corners of the globe on Tuesday of last week, when the celebrated comedienne personally pressed her four millionth record at the "His Master's Voice" factories, Hayes, Middlesex. The production of Gracie Fields' records alone has given employment to over 120 people for 4½ years.

If the recording track of her voice were unfolded it would reach over 800,000 miles, and statisticians further declare that, if all the records were played consecutively, it would take twenty-eight years.

Luxembourg

NEWs concerning the Luxembourg 200-kilowatt station is remarkably sparse, but, if reports via America are to be believed, the new transmitter will soon produce a real "shake-up" in the European ether.

"A typical bit of America," enthuses a Washington writer, "will be transplanted to the Old World when this first 'international radio station' soon begins operation."

A report just received by the U.S. Department of Commerce from its Attaché at the Hague states that "commercial interests under the auspices of a Franco-German combine, plan to use the station from 3 a.m. to 2 p.m. daily as an advertising outlet, operating on the long wave length of 252 kilocycles.

Radio Club, provide for sending the gubernatorial congratulations via "ham" radio stations.


French Radio Difficulties

THE rapid changes in French Governments leave radio legislation in a parlous state. Our Paris correspondent, remarking that M. Laurent-Eynac is back again as Postmaster-General and Grand Master of the Wireless Waves, says bitterly: "If he goes out of office before this paragraph reaches you he may probably be in again before it is printed."

Mutual Induction

The Theory of Coil Coupling Explained

By S. O. PEARSON, B.Sc., A.M.I.E.E.



WITHOUT a knowledge of the fundamental principles of mutual induction it is difficult to understand the theory of coil coupling. Mutual induction can be defined as that electro-magnetic property of two circuits (or two parts of a single circuit) by virtue of which a changing current in one causes an electromotive force to be induced in the other.

MUTUAL induction is an electro-magnetic property of two circuits so situated with respect to each other that a current in one sets up a magnetic field which is linked with both, that is to say, a property of two circuits which are magnetically coupled together. It is a fundamental principle that when the magnetic flux linked with a circuit is changing, an electromotive force is induced in the circuit, its magnitude being proportional to the rate of change. When the magnetic flux linked with a circuit is produced by a current in the circuit itself, then, if the current is varied, the flux will vary also and an E.M.F. is induced in the circuit proportional to the *rate of change* of current. This property of a single circuit is called self-induction. If, however, there are two circuits magnetically coupled together, as explained above, a variation of current in the one will cause a variation of the magnetic flux threading through the turns of the other and an E.M.F. proportional to the *rate of change* of current in the first will cause an E.M.F. to be generated in the other. This property is referred to as mutual induction.

A Definition

The first circuit, in which the current is varied, is called the *primary*, and the second, in which the induced E.M.F. is considered, is called the *secondary* circuit. As in the case of self-induction, the practical unit in which mutual induction is expressed numerically is the *henry*. The mutual inductance, or coefficient of mutual induction, between two circuits is said to be one henry if one volt is induced in the secondary circuit when the current in the primary is changing at the rate of one ampere per second. The mutual inductance in henrys is usually denoted by the symbol M and the induced E.M.F. in volts in one circuit is equal to the product of M and the rate of change of current in amperes per second in the other. The mutual inductance M is the same which-

ever of the two circuits is taken as the primary.

Degree of Coupling

As an example, consider two coils whose self-inductances are L_1 and L_2 henrys respectively placed in close proximity to each other as shown in Fig. 1. When a current is passed through L_1 a magnetic field is established and some of the magnetic loops are linked with the second coil L_2 . Let M be the mutual inductance in henrys between the coils. Now if the current in L_1 is varied by changing the value of the resistance R , the flux linked with L_2 will be varied in proportion, and an E.M.F. will be induced in L_2 ; the value of this secondary induced E.M.F. is equal to Mx (rate of change of primary current). The degree of magnetic coupling obviously depends on the proximity and relative positions of the two coils and is expressed numerically as the ratio of the mutual inductance to the square root of the product of the individual self-inductances. This is called the *coefficient of coupling*, and is given by $k = \frac{M}{\sqrt{L_1 L_2}}$, a number which cannot exceed unity, and which in practice never reaches unity. Coils are said to be tightly coupled when they are brought close together to give a relatively high value of M and k , and vice versa. The tightest coupling is obtained when the two coils are wound on the same

former with the wires wound on side by side, but even in this case the coefficient of coupling is less than unity. The coefficient of coupling would be unity, or 100 per cent., if the whole of the magnetic flux produced by a current in one of the windings were completely linked with both windings, a condition which cannot be fully realised in practice, even when the coils are wound on an iron core.

Transformer Principle Based on Mutual Induction

The A.C. transformer represents the commonest example of the practical use of mutual induction. A transformer consists essentially of two coils magnetically coupled together, their relative positions being fixed. In the case of low-frequency and power transformers, the primary and secondary windings are wound on a common iron core, so that the coefficient of coupling approaches 100 per cent., but for H.F. transformers the windings are usually carried on a non-magnetic former and are said to be "air-cored."

When an alternating current is sent through the primary winding of a transformer it sets up an alternating magnetic flux which, acting on the secondary winding, generates an alternating E.M.F. in the latter. The value of this E.M.F. can be found in terms of the mutual inductance, the frequency and the primary current, in the same way that the induced E.M.F. of self-induction can be found for a single coil. For instance, when an alternating current of I amperes is passed through a coil of inductance L henrys, the induced or back E.M.F. set up is equal to the product of this current and the reactance of the coil, namely, $I \times 2\pi f L$ volts, where f is the frequency and $\pi = 3.1416$. In the same way, if M is the mutual inductance in henrys between the two windings and I_1 is the primary current, the induced E.M.F. in the secondary winding, with the latter on open circuit, is $I_1 \times 2\pi f M$ volts.

In the case of an iron-cored transformer, where practically every line or loop of magnetic flux is completely linked with every turn of both windings, it is obvious




Fig. 1.—Magnetically coupled coils.

Mutual Induction —

that, when the flux is alternating, the same E.M.F. will be generated in each and every turn of both windings, and from this it follows that the total E.M.F. in each winding will be directly proportional to the number of turns comprising each. So if N_1 and N_2 are the numbers of turns in the primary and secondary windings respectively, and if a voltage E_1 is applied to the ends of the primary winding, the secondary voltage is given by the simple relationship

$$E_2 = E_1 \times \frac{N_2}{N_1}$$




Fig. 2. — Circuit diagram of a transformer with the secondary loaded.

Secondary Winding Loaded

When a load impedance Z of some form is connected across the secondary terminals of a transformer, as in Fig. 2, a current flows in the secondary winding, and this in turn reacts back on to the primary winding

through the medium of the mutual induction. And so the current taken by the primary winding will depend, not only on the impedance of the primary winding itself, but also on the amount of current flowing in the secondary, although there is no direct electrical connection between the windings. The extra current taken by the primary winding of a transformer when a current is allowed to flow in the secondary is exactly proportional to the secondary current, and these two currents have equal and opposite magnetic effects on the core, the extra primary ampere-turns just opposing the secondary ampere-turns, so that, apart from the initial magnetising current, $I_1 N_1 = I_2 N_2$, or $I_1 = I_2 \frac{N_2}{N_1}$. This is just the reverse compared

with the relationship for the E.M.F.s. So a transformer which steps the voltage up in a given ratio will step the current down in the same ratio, and vice versa. Consequently, the product of primary amps and volts is approximately equal to the product of secondary amps and volts for an ordinary iron-cored transformer, but

these conditions do not hold for H.F. transformers where the coupling coefficient is considerably less than unity.

BOOKS RECEIVED

The Principles of Electromagnetism, by G. B. Moullin. A text-book for advanced students, comprising the elements of magnetism, the second law of Electrodynamics, Iron in a magnetic field. Equations and Special Problems. Pp. 279 + viii, with 152 diagrams and illustrations. Published by the Oxford University Press, London. Price 17s. 6d.

Casque's Sketch Book, by S. C. H. Davis, the well-known racing motorist, who gives us in a collection of drawings an idea of racing as it might be and as, so often, it really is. Pp. 60. Published by Iliffe and Sons Ltd. Price 2s.

A Technical Description of Broadcasting House. Outlining some of the problems encountered in the design and construction of the building and the plant installed therein, with a general account and description of the architectural features, the acoustic treatment of the studios, power supply, studio and control room equipment, etc. Pp. 165 + xii., with 72 illustrations, plans, and diagrams, and five plates. Published by the British Broadcasting Corporation. Price 5s.

ON THE SPOT

VISITS TO FOREIGN BROADCAST STATIONS

VI.—Radio Berlin No. 1 (Witzleben), 716 kc., 419 m., 1.5kW.

ALL Europe has heard of the great "Haus des Rundfunks" in Berlin. No fewer than three broadcasting organisations have their offices here, and two have studios. There is the Reichs-Rundfunk-Gesellschaft, which holds shares in all the other German regional companies, except the Bavarian; there is also the Funk-Stunde A-G, Berlin, controlling the local broadcasting, and the



An unusual view of the short wave aerial at Königswusterhausen.

Deutschlandsender Company, responsible for the educational transmissions of Königswusterhausen.

My theme is the Funk-Stunde, which operates Radio Berlin (Witzleben). The programmes to some extent reflect the trend of the times; economy is the watchword, for since April last two hundred thousand fewer listeners have paid licence fees. Even the cost of an O.B. line is a consideration, but the programme director continues very creditably with the limited resources at his disposal.


It is half an hour's journey on the underground from the centre of the city to Berlin's "Broadcasting House." The Witzleben transmitter is quite near to the studio, standing in the grounds of the radio exhibition. Strangely enough, although the Funk-Stunde is really a local concern, serving only the Berlin area, the organisation savours much more of red tape than does the Reichs Rundfunk-Gesellschaft, covering almost the whole of Germany! Until recently Funk-Stunde lacked the personal note, but happily the new director of programmes, although a busy man, can always spare the time to see an interested visitor.

The personal touch means much in broadcasting; in fact, it can in large measure atone for lack of funds. Under the new régime Berlin looks for an enlarged clientele in the near future.

WANDERING WAVE.



The Witzleben aerial, supported at one end by the famous Radio Tower.



Part of the entrance hall of Berlin's "Broadcasting House."

Photo by courtesy of R.R.G., Berlin

New Automatic Bias Scheme

Self-bias for the Battery Variable-mu Valve

By E. G. BOWEN, M.Sc.

IT has now become usual to provide automatic bias for battery sets, and, as a natural corollary, controllable bias for a variable-mu H.F. stage is obtained in the same way. A method which has been described several times in this journal is illustrated in Fig. 1. A potentiometer is shunted across the main bias resistor and the H.F. grid circuit is returned to the slider of this potentiometer. In this way any desired proportion of the total bias voltage provided may be applied for purposes of controlling sensitivity.

This arrangement works satisfactorily in practice, but is open to criticism on the grounds that the H.F. valve may require a higher bias than the output valve, and that as the bias of the variable-mu is changed, so also is the total anode current. This has the effect of changing slightly the bias voltage on the output valve, which should, of course, remain constant.

By a simple rearrangement of the biasing resistances the deficiencies of the original circuit may be eliminated. The modified circuit is shown in Fig. 2, and the resistances have been chosen for a typical three-valve receiver.

Now, when maximum bias is applied to the variable-mu valve, the potentiometer slider is at A, the total anode current is, say, 9 mA., and the biasing resistance in circuit just 666 ohms (the fixed resistance of 2,000 ohms being shorted out)—giving a negative bias of $\frac{9 \times 666}{1,000} = 6$ volts on both output and high-frequency valves. When zero bias is applied to the first valve the potentiometer slider is at B, the total anode

range 0 to 6 volts, as shown graphically in Fig. 2.

A variable resistance of 666 ohms is not a standard product, but any two resistances, one fixed and one variable, when arranged in parallel and equivalent to a single variable resistance of 666 ohms will do. The final circuit is shown in Fig. 3.

THERE is a definite tendency among constructors of battery sets to follow mains practice and provide automatic bias for both H.F. and L.F. valves. A new bias scheme is described in this article which overcomes the difficulties hitherto associated with battery variable-mu valves.

It is quite simple and cheap to construct and has very definite advantages over that of Fig. 1.

With the improvement in the efficiency of output valves there has been a gradual decrease in the amount of bias applied to them. A modern small pentode may need only from 3 to 4.5 volts negative bias so that cases will arise in which it is necessary to apply a greater bias to the high-frequency valve than to the output valve.

Consider a receiver whose total anode current may vary from 7 to 10 mA. and whose output valve requires a bias of -4 volts. If a maximum negative bias of 10 volts is required on the high-frequency valve the circuit shown in Fig. 4 may be used.

A potential of 10 volts must be maintained between A and B, so that when the slider of the potentiometer is at A a maximum bias is applied to the variable-mu valve and the total anode current of 7 mA. flows. This requires a bias resistance of

$$\frac{10 \times 1,000}{7} = 1,430 \text{ ohms, which may conveniently be made up of a 2,000 ohm potentiometer AB with a resistance of 5,000 ohms in parallel. This, in turn, should be split into resistances of 2,000 and 3,000 ohms as shown, giving a tapping point from which the fixed bias of 4 volts negative is led off to the output valve.}$$

When the potentiometer slider is at B minimum bias is applied to the high-frequency valve, a total anode current of 10 mA. flows and the total biasing resistance is $\frac{1,430 \times 3,000}{1,430 + 3,000} = 993$ ohms, across which practically a full 10 volts is developed. The result is shown graphically in Fig. 4, and it will be seen that the bias on the high-frequency valve may be varied over a range of 10 volts, while the output valve receives a negative bias which remains practically constant at 4 volts.

This curve is perhaps the ideal for a battery receiver employing a variable-mu valve. The bias on the output valve remains fixed, and the bias on the first valve may be varied at will from zero to a negative potential greater than that applied to the output valve. Although no decoupling resistances and condensers are shown in the diagrams given above, in practice they should always be included to prevent un-




Fig. 1.—A simple circuit giving variable automatic bias for a variable-mu valve. The curve shows that there is, in theory, a fall of negative bias on the output valve as the bias on the high-frequency valve increases. In practice the change of bias on the output valve is often very small.

current is, say, 12 mA., and the bias resistance is $\frac{666 \times 2,000}{666 + 2,000} = 500$ ohms—giving again a bias of $\frac{12 \times 500}{1,000} = 6$ volts on the output valve. Using this circuit, the grid bias on the output valve remains constant at 6 volts, and the bias on the high-frequency valve may be varied over the full




Fig. 2.—A modified scheme which keeps constant the bias on the output valve. Although not shown here, in an actual receiver decoupling resistances and condensers should be included in each bias lead.

on the first valve may be varied at will from zero to a negative potential greater than that applied to the output valve. Although no decoupling resistances and condensers are shown in the diagrams given above, in practice they should always be included to prevent un-




Fig. 4.—A further refinement giving a fixed bias for the output valve and a maximum bias for the variable-mu valve which is greater than that on the output valve.




Fig. 3.—The final form of Fig. 2, using resistances of standard value.

desirable coupling between the stages. As far as possible the conditions chosen for these examples are those likely to be met with in practice. But the values of the resistances given above can easily be modified to suit practically any combination of valves in a battery receiver, even if two variable-mu types are used.



Lotus Receiver

FOUR-VALVE A.C.

An Inexpensive Set with Two H.F. Stages

IN the Lotus "2-H.F." model we have an example of a type of set which competes quite successfully with the more popular type of H.F.-det.-L.F. three-valve receiver. It is rather more ambitious, but includes only the three tuned circuits which have become almost standardised for general-purpose use. The cost of a receiver is largely determined by the number of these tuned circuits, and there are sound technical grounds for saying that by using two of them as intervalve couplings, rather than as elements of a band-pass filter, it is easy to obtain rather better selectivity and sensitivity without incurring much extra cost in other directions. The introduction of variable-mu valves has almost entirely removed the objections that were once urged against the simpler type of "2-H.F." receiver.

Starting at the input end of the Lotus set there is a special form of H.F. choke which is intended to prevent "break-through" of local medium-wave signals at the lower end of the long band. Double-wound transformers are used throughout for aerial-grid and intervalve coupling, and an external trimmer has

been fitted for the input circuit in order to compensate for variations in aerial capacity.

It is worth while noting that the two H.F. valves are of different types, that in the second position having a somewhat higher mutual conductance than the input valve.

The H.F. amplifier output is passed to another screen-grid valve acting as an anode-bend detector; this valve is self-biased by means of a cathode resistor, and a simple resistance-capacity filter is inserted next to its anode to dispose of H.F. energy in this circuit.

Coupling between the detector and the output pentode is effected by another resistance-capacity combination of fairly conventional design. Anti-reaction feedback of L.F. energy in this circuit is prevented by shunting the output bias resistor with a 50-mfd. dry electrolytic condenser.

In the anode circuit of the pentode there is the usual tone corrector, consisting of a resistance and condenser in series. But the resistance, instead of being fixed, is variable, and in this way a very simple but effective form of tone control has been provided. Although this refinement may

not be strictly necessary, it is certainly of great assistance in avoiding certain forms of interference; not only will it enable many heterodyne whistles to be avoided, but certain forms of electrical interference can be reduced in intensity by judicious operation of the control.

In the H.T. supply circuit another electrolytic condenser—this time of the "wet" type—is employed in conjunction with the loud speaker field for smoothing the output of a Westinghouse rectifier connected in a voltage-doubling circuit. Power

supply is quite generous; after allowing for the loss in energising the loud speaker field, some 240 volts are left for the valve anodes, screens, and the regulating potentiometer, which together consume about 60 milliamperes.

Due to the inclusion of the anti-break-through choke already mentioned, and also because precautions

are taken to prevent another form of break-through when a gramophone pick-up is employed, the switching system is necessarily somewhat complicated. Apart from having to perform these and the other usual functions, it controls a pair of indicating pilot lamps which illuminate the

FEATURES


General.—A self-contained four-valve receiver for A.C. mains supply and for operation with either external aerial-earth system or with an internal or mains aerial. Energised moving-coil loud speaker. Provision for gramophone pick-up.

Circuit.—Single-tuned input circuit, two H.F. stages, anode-bend S.G. detector, resistance-coupled to output pentode. Transformer feed to loud speaker. Westinghouse metal rectifier.

Controls.—(1) Ganged tuning. (2) Combined on-off, wave-range, and radio-gramophone switch. (3) Input volume control. (4) Tone control.

Price.—15 guineas complete.

Makers.—Lotus Radio, Limited, Lotus Works, Mill Lane, Liverpool.



The complete circuit diagram. Internal and "mains" aerial connections are shown in dotted lines. All change-over switches are mechanically linked, and for gramophone reproduction the various circuits are automatically switched to different wavebands to prevent radio interference.


Lotus Receiver —

appropriate section of the wavelength-calibrated tuning dial. It is therefore reassuring to find that the switch mechanism is soundly designed, and, in spite of the multiplicity of contact points, it looks as

tuned circuits, it would be injudicious to make any attempt to extract the maximum possible amplification from each of the H.F. stages. As a result of an extended test, the conclusion is reached that a particularly happy compromise between con-

ment of the volume control knob.

During our tests, interference of the avoidable sort hardly ever gave trouble, and one could not reasonably expect better selectivity from any set at a comparable price. Where necessary, tuning



The receiver chassis, which is fitted in the cabinet on shock-absorbing rubber mountings.

if it were capable of standing up to its work indefinitely.

Constructionally, the Lotus set is interesting on account of the unusually extensive precautions taken to prevent the transmission of vibration from the loud speaker to other components. Not only is the loud speaker itself mounted by means of shock-absorbing rubber bushes, but the entire chassis is mechanically insulated from the cabinet in a similar way. Further, rubber insulation is provided for the ganged variable condenser.

The general arrangement of the set is somewhat unusual. To the backing board on which the loud speaker is mounted are secured all the components associated with the power supply equipment—transformer, rectifier, etc. Interconnection between this unit and the receiver proper is made by a multiple cable and an irreversible terminal strip. For purposes of test or repair, the two units may be divided up by removing screws, without the need for unsoldering connections. This is a good point, and should tend to facilitate testing and repairs. Similarly, the loud speaker and power unit are readily removable as a whole.

An internal aerial is provided in the form of a long lead, which, if desired, may be connected through a built-in condenser to the mains supply if it is found more satisfactory to use a "mains aerial."

In a set of this type, with a total of three

flicting requirements has been effected; although sensitivity could have been made greater, range is considerably better than that of the average H.F.-det.-L.F. three-valve set, and selectivity is also superior. This means that the set is definitely in the long-range class, and it proves itself capable of supplying a wide choice of programmes even when receiving conditions are not of the best.

In comparing a three-circuit "2-H.F." set with a 1-v-1 having the same number of circuits, one must not forget that the former yields its results in a comparatively effortless manner; the absence of a reaction control, which always needs more or less critical adjustment, is an important factor in favour of the Lotus set. Practically no skill or special ability is needed to obtain the utmost performance of which it is capable. Except for a slight tendency towards self-oscillation at maximum volume settings near the lower end of the longer waveband, the veriest beginner will encounter nothing that is likely to disturb or puzzle him. Even this tendency is easily checked by a slight adjust-


may be sharpened (but at the expense of signal strength) by making use of the "A2" aerial socket, but it was seldom that this adventitious aid to selectivity had to be brought into use.

The most striking fact about the quality of reproduction is the exceptional response towards the top end of the upper register. Brass instruments are reproduced with a degree of realism that, to say the least, is unusual. The behaviour of the set in this respect came rather as a surprise, as there is nothing in the general circuit arrangement that would lead one to anticipate an exceptional response in the upper register.

With regard to the lower and middle register, reproduction is also satisfactory; a bass resonance becomes audible at maximum volume, but disappears at "ordinary room" level; indeed, an attractive feature of the set is the pleasing and realistic quality that is obtainable at low volume—

under conditions where the average receiver begins to show a distinct falling-off. Generally speaking, there is a commendable absence of roughness and harmonic distortion.

The constructional booklet supplied with the set contains a complete circuit diagram containing a great deal of useful information; in this respect it is well ahead of the average publication of its class. All too often, essential technical information is lacking.




Loud speaker and power supply equipment are assembled on the baffle board, and may be removed en bloc as a unit.

LABORATORY TESTS

NEW ORMOND DRUM DRIVE

THE new condenser drive recently introduced by the Ormond Engineering Co., Ltd., Ormond House, Rosebery Avenue, London, E.C.1, is fitted with a drum of sufficient width to accommodate the names of stations on each side of the 0 to 180 division scale. The drum is 4in. in diameter, and carries a scale nearly 6½in. long, so that ample space is available for logging the principal European broadcast stations.

The dial is exceptionally robust, and will drive a chain of condensers without the slightest trace of slip or backlash. These can be mounted on either side, thus permitting the dial to occupy a central position on the



Ormond logging drum dial fitted with engraved scale and space for station names.


panel with the condensers conveniently placed and adjacent to their respective coils. It is driven through a reduction gear of 5.5 to 1 approximately, and is known as the Ormond Logging Drum Dial.

A cleanly moulded bakelite escutcheon plate is provided, also a lampholder for illuminating the scale, and the price is 7s. 6d.

SMITH'S ANODEX BATTERY

HAVING now completed our tests with the Smith's Anodex battery, mention of which was made in our issue dated December 9th last, we are able to reproduce here a most satisfactory performance curve. If we accept the arbitrary value of 60 volts as being the termination of the useful life of a 120-volt battery, then the Anodex model will provide some 375 working hours, or fifteen weeks of normal use.

It can be seen from the discharge curve that this does not coincide with the natural cut-off point which is quite well defined at the 500-hour mark. During the subsequent 125 hours the voltage is maintained at only a very slightly lower level than the theoretical end-point value. In view of the well-maintained output from the 200-hour mark to the natural



Discharge curve of Smith's Anodex 120-volt dry cell H.T. battery.

NEW RADIO PRODUCTS REVIEWED

end-point of the battery it might well be worth while to consider the purchase of a small boosting battery after the unit has been in use for about two months—a 60-volt size will suffice. With the help of this the H.T. supply could be maintained at a fairly constant value of about 100 volts for a further period of approximately four months at a very small extra cost.

Few batteries tested have maintained their voltage at such a high level for so long as this Anodex model, or exhibited such a long useful life, more especially as it does not fall in the expensive category, for the price of the 120-volt size is but 11s.

The makers are S. Smith and Sons (Motor Accessories), Ltd., Cricklewood Works, Cricklewood, London, N.W.2.

RECTIFIERS H.T. UNITS

AN H.T. battery eliminator, described as the "Q" 20 model, for use on A.C. mains, and giving a total output of 20 mA., is now obtainable from the makers, Rectifiers, Ltd., Brierley Street, Leicester. It provides three separate output voltages, namely, 60 volts at 3 mA. for the detector, 80 volts at 1 mA. for screen potential of S.G. valves, and 135 volts at 16 mA. for the power stage. These are not just nominal values, but as near as no matter the actual voltages that will be obtained under working conditions, as we have verified by tests made with a specimen unit.

The 20-mA. model suffices for the majority of receivers hitherto battery operated, and is in every respect a satisfactory substitute. There is very little mains hum, and since separate resistances are used to drop the volts at the intermediate tapplings, additional anode decoupling is not likely to be required.

The makers list also another unit, rated to give 30 mA. output and designated the "Q" 30 model. The price is 50s. Both units embody Westinghouse metal rectifiers.




Rectifiers "Q" 20 model H.T. battery eliminator giving a maximum output of 20 mA. at 135 volts.

T.C.C. DRY ELECTROLYTIC CONDENSER

AN 8-mfd. size high-voltage dry electrolytic condenser is now obtainable from the Telegraph Condenser Co., Ltd., Wales Farm Road, North Acton, London, W.3. It is mounted in a tubular aluminium container with the connections so arranged that when assembled on a metal chassis the polarity of the condenser is correct, the case being the negative connection. The positive contact is brought out through an insulated bush which serves also to carry the large fixing nut.

T.C.C. 8 mfd. dry-electrolytic condenser rated at 500-volt D.C. working.



The working potential of this model is 500 volts D.C., and the leakage current is stated by the makers to be less than 0.35 mA. On test we found the initial leakage to be about 2 mA., but it fell within a few minutes to half this value, and thence much more slowly until finally only a fraction of a milliamp. was passing. The price is 9s.

Trade Notes

W. Bryan Savage, 292, Bishopsgate, London, E.C., has now moved into a new model factory at 56-58, Clerkenwell Road, London, E.C.1. The goods entrance is at 25-27, Great Sutton Street.

Additional showroom premises on the ground and first floors of 4, Surrey Street, Strand, have now been taken over by the City Accumulator Co., the offices and works remaining as hitherto at 7, Angel Court, Strand, London W.C.2.

BROADCAST BREVITIES

By Our Special Correspondent.

Another Wave for Britain?

ALTHOUGH all doors were sealed at the special meeting at Brussels of the technical committee of the International Broadcasting Union, concluded on Saturday last, I understand that Mr. Noel Ashbridge and Mr. Hayes, representing the B.B.C. and the interests of British listeners, fought a brave battle to secure an extra medium wavelength for this country.

As all the world is supposed to know, but doesn't, the committee was planning proposals, to be submitted before the European postal administrations in May next, for a more or less thorough revision of the Prague Plan.

Not at Inverness

If, as seems likely, Britain secures another wavelength, the B.B.C. will probably build an additional station, though I am less sure than are certain Scottish advocates, that its locality will be Inverness. I should be the first to agree that the North of Scotland has been poorly served by the B.B.C. in the past but, considering the smallness of the population north of the Caledonian Canal, I feel it would be a waste of a good wavelength to set up a main station in a locality which could quite reasonably manage with a relay.

"Scrap the Nationals"

On the other hand, no one would grudge Inverness a wavelength of its own if the new "scrap the Nationals" campaign were successful. The idea is that with 100 kilowatts being radiated from the Droitwich station, the medium-wave National transmitters at Brookmans Park, Moorside Edge and elsewhere would be superfluous, and should therefore be scrapped.

Pros and Cons

Mr. Ashbridge, I understand, is not the sponsor of such a scheme, though it has certain arguments in its favour, not the least important being the opportunity it would give to use the released wavelengths in remote parts of the country which otherwise would still be inadequately served.

But I cannot imagine London taking its National programme from far-away Droitwich, and sitting content.

Sir Henry Wood

NO human activity seems to gather unto itself more rumours and counter-rumours than broadcasting, and I could probably fill a page each week with refutations alone. Take this story of Sir Henry Wood and the move to displace the *Maestro* at the "Prom" concerts in favour of one of the B.B.C.'s own conductors.

At Headquarters I am solemnly advised that the tale contains no truth whatever. For the sake of getting such an assurance I am almost glad that the false rumour appeared.

The Assistant-Controller

ADMIRAL CARPENDALE, Assistant-Controller of the B.B.C., has spent part of his "summer holiday" in Switzerland before proceeding to the U.I.R. technical meeting in Brussels.

The Empire Response

DISCONTENT with the Empire news bulletins is strongly evinced in many of the letters which the B.B.C.'s new circle of listeners are sending to Broadcasting House. In a batch which I inspected last week there was the repeated request for news about British weather. "Tell us what sort of a day you have had in London" is the refrain sounded from places as far apart as Cape Province and Ontario.

Technical Triumph

But, despite some dissatisfaction with the present programme scheme, Empire listeners are almost unanimous on the technical success of the service.

"Almost perfectly received" writes a New Zealander. "Thoroughly satisfactory" exclaims a Beersheba (Palestine) resident, who, incidentally, is outside any particular zone, and can pick up three Daventry transmissions without difficulty!

Even Canada has been more satisfied of late.



SOMETHING WRONG? Criticism of the B.B.C. News Bulletins is not confined to this country. Recent letters from the Empire indicate that the B.B.C. bulletins lack verve and are unsuited to listeners' needs. The photograph was taken in a news studio at Broadcasting House.

Bombardier Wells To-morrow

THE sports talk to be broadcast to-morrow (Saturday) will be given by Bombardier Billy Wells, and will be entitled "Boxing: Giants of Yesterday and Today." Billy Wells was heavyweight boxing champion of Great Britain, 1911-1919.

Chance for Spring Poets

NEARLY two hundred poems addressed to the Prince of Wales have been received at Broadcasting House. They are part of listeners' contribution of a total of more than 2,000 poems submitted in response to the B.B.C.'s enquiry for original works for broadcasting as late evening readings. Poems have come from many parts of the world, and the topic chosen by the largest number of aspirants to broadcasting fame is LOVE.

Safer Course?

And why does the B.B.C. want your poems? I will tell you. The Corporation, being anxious to broadcast poetry late at night, would like to send out listeners' own compositions, though I understand that there is no intention to evade responsibility in the matter.

Five Days More

Listeners are accordingly invited to submit poems for consideration, and this invitation extends until February 28: poems received after this date cannot be considered. Poems must be original and hitherto unpublished compositions; there is no restriction of subject, but no poem should be sent in which cannot be read within the space of five minutes, and not more than three poems should be sent in by any one listener.

Envelopes should be marked "Poetry."

Stretcher-bearers!

I USED to think that the uniformed nurse so often to be seen flitting about Broadcasting House was there to administer to minor aches and pains. The duties are sterner, however, and include the treatment of broken limbs and possibly necks, for the casualty list is high. Slippery stairs and sharp, unexpected corners have brought about the downfall of many athletic young persons on the B.B.C. staff, and no one knows whose turn will come next.

Miniature Opera

TWO miniature operas by Mozart are to be produced by Gordon McConnel in the National programme on March 17th (Regional, March 18th). They are the lyric pastorelle, "Bastien and Bastienne," and the comedy opera, "The Impresario," the English adaptation being by Eric Blom. Dr. Adrian Boult will conduct the B.B.C. Orchestra, Section C (thirty-eight players).

Mr. Malcolm Frost

I AM sorry to hear that Mr. Malcolm Frost, the B.B.C. Empire "Ambassador," has not thoroughly recovered from his attack of malaria at Capetown. The world tour is being cancelled, at any rate for the present.

Leave Mr. Gill Alone!

THE hundred per cent. efficient persons are beginning to rail at Mr. Eric Gill for spending so long on the statuery over the porch of Broadcasting House. Apparently it "isn't business," even if you happen to be one of the finest sculptors in Europe, to take too long over one job.

I am glad Mr. Gill refuses to be rushed.

Long-lived Statuery

Mr. Gill knows that Broadcasting House has been built to outlast the century; he wishes his statuery to do the same, so why should he hurry himself?

By the way, I have talked to more than one man who, from wincing at the small bas-reliefs by Gill on the sides of Broadcasting House, now gazes at them with growing pleasure.

READERS' PROBLEMS

THESE columns are reserved for the publication of matter of general interest arising out of problems submitted by our readers. Readers requiring an individual reply to their technical questions by post are referred to "The Wireless World" Information Bureau, of which brief particulars, with the fee charged, are to be found at the foot of this page.

Reaction Circuit Connections

THERE need be no hesitation in mounting a reaction condenser in the most convenient operating position. Even though this procedure may necessitate long connecting leads, all risk of instability may be avoided by shielding these wires.

Similarly, when there is any suspicion that instability is due to long reaction leads, the experiment of shielding these leads may be tried with confidence; the effect of doing so is most unlikely to be in any way prejudicial to the operation of the set.




Fig. 1.—The use of a screened lead for the reaction circuit connection has no other effect than the addition of a small capacity (C) between detector anode and earth.

This is in answer to a correspondent who finds that his "2 H.F." set can be stabilised by disconnecting the reaction control circuit; he has satisfied himself that the trouble is not due to the use of a reaction condenser with an excessively high minimum capacity.

This correspondent goes on to ask whether the use of a screened lead to the reaction coil and condenser is likely to have any untoward effects; he is particularly anxious to know whether the extra capacity of the shielded connection is likely further to restrict the tuning range of the receiver.

We would certainly recommend him to try the effect of shielded connections. He can rest assured that the tuning range of the set will not be restricted; in effect, the capacity of a shielded lead from the detector anode will be additive to that already existing between the anode of the detector valve and earth. In this position, a capacity in the neighbourhood of 0.0003 mfd.—much more than that of a shielded lead—is likely to be actually beneficial.

The use of a shielded lead between the reaction coil and the "live" side of the reaction condenser will increase slightly the minimum capacity of the condenser; this is most unlikely to prove an unsurmountable drawback.

Erratic Volume Control

DESCRIBING the operation of his volume control, a correspondent tells us that loudness of reproduction is increased progressively until the potentiometer slider reaches a point a few degrees from the end of its travel. After this point there is a slight, but clearly perceptible, falling-off in volume.

A variable- μ valve is used in the receiver, and, according to a circuit diagram submitted by our querist, volume control is effected in a fairly conventional way by variation of the bias applied to this valve. But the usual limiting resistance has been omitted, with the result that when the potentiometer slider is at the "maximum" position, the grid is at zero potential, or at the same potential as the cathode.

This explains the effect described, and we think there can be no doubt that the falling-off in sensitivity is due to the flow of grid current, which imposes a certain amount of damping on the input circuit. As a general rule, maximum sensitivity will be obtained when the grid of the H.F. valve is made just sufficiently negative to prevent the flow of grid current.

"Monodial" Heater Voltage

IN the "A.C. Monodial," current for the indirectly heated valves in the receiver unit is fed through fairly long leads from the power supply unit; it is therefore a matter of some importance that the ohmic resistance of these leads should be low, and, accordingly, in order to prevent undue loss of voltage, two pairs of parallel interconnecting wires were employed. The resistance of these leads is so small that the drop in voltage should amount to very little more than a tenth of a volt, which is negligible.

A reader tells us that he has borrowed a dependable A.C. voltmeter, and finds that the voltage existing across the heaters of his own "Monodial" amounts to very little more than 3.6 volts; he goes on to say that the L.T. voltage measured directly across the transformer terminals is rather over than under 4 volts. He asks whether this indicates an excessive loss of voltage.

We are afraid that it does, and we advise him to lose no time in replacing the inter-unit L.T. leads by others of considerably greater cross-sectional area.

Paralleled Transformer Windings

IT is hardly to be advised that two or more of the separate L.T. windings of a power transformer should be connected in parallel. If the "sense" of the two interconnected windings be incorrect, they would act more

The Wireless World

INFORMATION BUREAU

THE service is intended primarily for readers meeting with difficulties in the construction, adjustment, operation, or maintenance of wireless receivers described in *The Wireless World*, or those of commercial design which from time to time are reviewed in the pages of *The Wireless World*. Every endeavour will be made to deal with queries on all wireless matters, provided that they are of such a nature that they can be dealt with satisfactorily in a letter.

Communications should be addressed to *The Wireless World* Information Bureau, Dorset House, Tudor Street, E.C.4, and must be accompanied by a remittance of 5s. to cover the cost of the service. The enquirer's name and address should be written in block letters at the top of all communications.

or less as a short-circuit, and there is a grave risk that the transformer would be burnt out.

Information on this subject is asked for by a reader who wishes to feed six indirectly heated A.C. valves from an existing transformer which has one L.T. winding rated at 4 volts 4 amps., and another at 4 volts 2½ amps. His proposal is to connect all the heating elements of the valves across these two windings after they have been joined in parallel.

Rather than run the risk of damaging his transformer, we suggest that four of the valves should be fed from the 4-amp. winding, and the remaining two from the other. The centre taps of both windings will, of course, be joined to the common earth line in the usual way.

Coupling Condenser Capacity

JUDGING from letters that have recently been received, there appears to be some uncertainty as to the precise effect of using, in a resistance-capacity amplifier, a coupling condenser of smaller capacity than is usually specified. The condenser in question is that marked C in Fig. 2.




Fig. 2.—A resistance-coupled stage, and (diagram b) the equivalent circuit to show the effect of the coupling condenser.

Used in this position, too small a condenser will have the effect of attenuating proportionately the lower register in relation to the higher audible frequencies.

This is easy to understand if one regards the coupling condenser and its associated grid leak (R in the diagram) as a potential divider connected across the source of input voltage—in this case the anode circuit of the preceding valve. The equivalent circuit, so far as these components are concerned, has been redrawn in Fig. 2 (b). Voltages developed across the condenser are wasted, and only those developed across the grid leak are passed on to the succeeding valve to do useful work.

Now the reactance of a condenser varies with frequency, and the proportion of signal voltage dissipated (and wasted) across the condenser limb of the potentiometer is much greater for low notes than for high; frequency distortion is in this way introduced unless the condenser has a sufficiently high capacity in relation to the grid-leak resistance.

MISCELLANEOUS ADVERTISEMENTS

NOTICES.

THE CHARGE FOR ADVERTISEMENTS in these columns is

12 words or less, 3/- and 3d. for every additional word.

Each paragraph is charged separately and name and address must be counted.

SERIES DISCOUNTS are allowed to Trade Advertisers as follows on orders for consecutive insertions, provided a contract is placed in advance, and in the absence of fresh instructions the entire "copy" is repeated from the previous issue: 13 consecutive insertions 5%; 26 consecutive, 10%; 52 consecutive, 15%.

ADVERTISEMENTS for these columns are accepted up to **FIRST POST** on **MONDAY MORNING** (previous to date of issue) at the **Head Office** of "The Wireless World," Dorset House, Tudor Street, London, E.C.4, or on **SATURDAY MORNING** at the **Branch Offices**, 18, Hertford Street, Coventry; Guildhall Buildings, Navigation Street, Birmingham, 2; 280, Deansgate, Manchester, 3; 26n, Renfield Street, Glasgow, C.2.

Advertisements that arrive too late for a particular issue will automatically be inserted in the following issue unless accompanied by instructions to the contrary. All advertisements in this section must be strictly prepaid.

The proprietors retain the right to refuse or withdraw advertisements at their discretion.

Postal Orders and Cheques sent in payment for advertisements should be made & Co. payable to ILLIFE & SONS Ltd., and crossed. Notes being untraceable if lost in transit should not be sent as remittances.

All letters relating to advertisements should quote the number which is printed at the end of each advertisement and the date of the issue in which it appeared.

The proprietors are not responsible for clerical or printers' errors, although every care is taken to avoid mistakes.

NUMBERED ADDRESSES.

For the convenience of private advertisers, letters may be addressed to numbers at "The Wireless World" Office. When this is desired, the sum of od. to defray the cost of registration and to cover postage on replies must be added to the advertisement charge, which must include the words "Box No." "The Wireless World." All replies should be addressed to the Box number shown in the advertisement, c/o "The Wireless World," Dorset House, Tudor Street, London, E.C.4. Readers who reply to Box No. advertisements are warned against sending remittance through the post except in registered envelopes; in all such cases the use of the Deposit System is recommended, and the envelope should be clearly marked "Deposit Department."

DEPOSIT SYSTEM.

Readers who hesitate to send money to unknown persons may deal in perfect safety by availing themselves of our Deposit System. If the money be deposited with "The Wireless World," both parties are advised of its receipt.

The time allowed for decision is three days, counting from receipt of goods, after which period, if buyer decides not to retain goods, they must be returned to sender. If a sale is effected, buyer instructs us to remit amount to seller, but if not, seller instructs us to return amount to depositor. Carriage is paid by the buyer, but in the event of no sale, and subject to there being no different arrangement between buyer and seller, each pays carriage one way. The seller takes the risk of loss or damage in transit, for which we take no responsibility. For all transactions up to £10, a deposit fee of 1/- is charged; on transactions over £10 and under £50, the fee is 2/6; over £50, 5/-. All deposit matters are dealt with at Dorset House, Tudor Street, London, E.C.4, and cheques and money orders should be made payable to Illife & Sons Limited.

SPECIAL NOTE.—Readers who reply to advertisements and receive no answer to their enquiries are requested to regard the silence as an indication that the goods advertised have already been disposed of. Advertisers often receive so many enquiries that it is quite impossible to reply to each one by post. When sending remittances direct to an advertiser, stamp for return should also be included for use in the event of the application proving unsuccessful.

for "SOUND" EQUIPMENT

Special P.A. Speakers suitable for all outputs.

Power Amplifiers suitable for DANCE HALLS, SPORTS MEETINGS, FETES, ETC.

The most up-to-date apparatus for outdoor or indoor sound reproduction and Radio reception.

TANNOY

PRODUCTS

DALTON ST., WEST NORWOOD, S.E.27

Manchester Branch—

2, Whitworth Street West, Deansgate, Manchester

Scottish Agents—

Messrs. Spensers (Scotland) Ltd. 119, George Street, Edinburgh

RECEIVERS FOR SALE.

HIRE a McMichael Duplex Portable; 15/- weekly, £2/12/6 monthly; amplifiers for dances, etc., on hire—Alexander Black, Wireless Consultant, 55, Flury St., S.W.1, Sloane 1655. [0328

EXPERIMENTERS' Surplus, all perfect condition.—H.M.V. 551B electric reproducer, cost £105; "W.W." straight 5 receiver chassis only, fitted tone control stage, amplifier for same; Garrard automatic record unit, latest, new, cost £10; cabinet as specified, walnut, fitted complete, perfect; Colvern coils, superhet, K.B.L.C., Colverdynes, K.G.R., etc.; Haynes single dial superhet, receiver chassis, latest; quantity mains sundries; all above as new; best cash offers wanted; with or without valves; no approval, but any test welcomed here. Hill, Dentist, Ash-ton-in-Makerfield. Phone: 178. [1894

STAR-GANZ Combined A.C. and D.C. Receiver, in modern walnut cabinet, with Rola M.C. loud-speaker, unboxed, list price £12/12, our price 2 valves £5; 3 valves £6/10; c.o.d., carriage paid; state voltage.—Kay, 167, City Rd., Finsbury, E.C.1. [1032

APPLEBY'S, Central London Office, 46, Bloomsbury St., New Oxford St., London, W.C.1. Museum 8195. [1833

PYE M.M., slightly used, perfect order, 200-250v. A.C.; sacrifice, £8/10.—Box 6156, c/o The Wireless World. [1934

TELSEN Macnamara, nearly new, A.C. 200-250v., perfect order, guaranteed; £7/15.—Box 6157, c/o The Wireless World. [1935

£16/10.—8-valve A.C. electric radio, long, short wave, M.C. speaker, hand-some walnut cabinet, as brand new, cost £47/10.

£5.—5-valve A.C. electric gramophone amplifier complete, suit radio shop, as brand new.—57, Clarissa St., Haggerston. [1921

1933 McMichael Super-nic Short Wave Receiver; cost £15, sacrifice £10.—Crowler, 15, King's Parade, Brighton. [1918

MARCONI Power Amplifier, 4/10 valves, input, radio, gramophone and microphone, 22in. public address speakers, D.C. mains unit, suitable for cafe, dance hall, or public address; nearest offer £50.—Oaksford, Alfreton Rd., Sutton-in-Ashfield. [1906

JUNIOR Tannoy All-electric 3-valve Console; cost 30 guineas, take 11 guineas.—Box 6142, c/o The Wireless World. [1900

S.T.400 Constructed Pilot Author Kit, tested by Peto Scott, perfect order, with valves, no cabinet; £6/17/6.—Box 6140, c/o The Wireless World. [1898

TANNOY Radiogram; cost 55 guineas, take £30.—Box 6141, c/o The Wireless World. [1899

QUINCENT Push-pull Conversion Kit, including 2 Mazda P.E.N. 220A, Bryce specially matched transformers (5 years' guarantee), milliammeter, Leavos potentiometer, Eric resistors, Peak condensers, complete equipment for conversion with wiring diagrams; £3/9; lists and diagrams free.—Woods Radio, Holcombe Brook, near Bury. [1896

A.C. Decca Radiograms, original cost £95, incorporating L.S.6a output (approximately 6 watt), wonderful tone and power, solid oak cabinet, but requiring slight adjustment, parts, etc.; at clearance price £6/10 each; callers only.—W. Burns and Co., 287, City Rd., E.C.1. [1958

HAYNES Brand New Single Dial, superhet, battery; £6/10.—Brown, 14, Haldon Rd., Exeter. [1964

Receivers for Sale.—Contd.

A.C. 3-stage Amplifiers, using I.S.6a or 2L.S.5a, in heavy cast case with Baker Selhurst Senior speaker, Collaro motor and pick-up, mounted in solid oak cabinet, complete with valves; £12 each; output approximately 6-8 watts.—W. Burns and Co., 287, City Rd., E.C.1. [1959

AERODYNE S.G.3 Receiver, absolutely complete, brand new, guaranteed perfect; listed £9/9, £7/7; demonstration by appointment.—Prince, 30, Harborton Rd., Highgate, N.19. [1950

AMPLION Six A.C. Receiver, perfect order; demonstration by appointment; 9 guineas.—Mitchell, 12, Woodlands, S.W.20. [1947

ACCUMULATORS—BATTERIES.

NEW Block Accumulators, 7/6; everything bought, sold, exchanged.—87, High Rd., Chiswick. [1943

CHARGERS AND ELIMINATORS.

TANTALUM for A.C. Chargers, H.T. and L.T.—Blackwell's Metallurgical Works, Ltd., Garston, Liverpool. [9346

TRICKLE Chargers, ½ amp., with Westinghouse Rectifiers, complete, 11/9; 1¼ amp., 19/11; eliminators, 20 m.a., 34/6; particulars free.—Arden Agency, Wollaston, Wellingborough. [1818

BROWN and **SALTER**, Vortexion, Wimbledon, for the finest transformers made regardless of price; all models guaranteed 12 months, tested on full load and 2,000 volts between windings before despatch; all finished in cast aluminium frames or shroudings.

VORTEXION Model Special for the Modern A.C. Quality Amplifier, 400-0-400, 110 milliamperes, 4v. 5a. C.T., 4v. 2a., 4v. 1a. C.T., any input, 50c., insulated terminal type; 24/-. [1934

VORTEXION—W5, 6, or 7 for Westinghouse H.T.5, 6, or 7, with 4v. 1-4a., C.T.; 1/6.

VORTEXION—W8, 9, or 10 for Westinghouse H.T.8, 9, or 10, with 4v. 1-2a., C.T., 4v. 2-5a., tagged leads, shrouded; 16/6.

VORTEXION—W11 for Westinghouse H.T.11, with 4v. 1-2, 4v. 1-6a., all C.T., shrouded; 40/-. [1934

VORTEXION—250-0-250, 60 m.a., 4v. 1-2, 4v. 2-4a., all C.T., open type tagged leads; 11/6.

VORTEXION—350-0-350, 75 m.a., 4v. 1-2, 4v. 2-4a., all C.T., open type tagged leads; 13/6.

VORTEXION—350-0-350, 120 m.a., 4v. 2-5, 4v. 1-5, 4v. 2-4, all C.T., shrouded type tagged leads; 16/6.

VORTEXION—400-0-400 or 450 or 500-0-500, 120 m.a., open types, 4v. 2-4a., 4v. 2-5a., 4v. 2-5a., all C.T.; 19/-. tagged leads.

VORTEXION—500-0-500, 150 m.a., or 450-0-450, 160 m.a., or 400-0-400, 190 m.a., 4v. 2-5a., 4v. 4a., 4v. 2a., 4v. 2a., 4v. 2a., all centre tapped, any input, 50 C., beautifully shrouded, core size, 2¼x3¼, screened primary, and strips, at 45 model, 35/-. [1934

VORTEXION—30h, 50 m.a. chokes, 5/6; 20h, 120 m.a., 8/6; 15h, 350 m.a., excellent for rough D.C., shrouded; 15/-. [1934

VORTEXION for Helchy Condensers, 750 D.C. working, 6 m.f.; 6/6, list price 21/6.

VORTEXION—Transformers made to your specification.

VORTEXION—Brown and Salter, 182, The Broadway, Wimbledon. Tel.: Liberty 2814. [1812

SCOTT SESSIONS for "W.W." SETS

A.C. MONODIAL - £29.10.0

D.C. MONODIAL - £30. 0.0

All-Wave Battery

Model - - - - - **£23. 8.6**

Straight Five Receiver **£28.15.0**

Specialty recommended—

A.C. MONODIAL

with Straight 5

Output - - - - - **£34. 0.0**

Modern Quality

Amplifier - - - - - **£22. 0.0**

All prices inclusive of valves, royalty and complete assembly—but excluding speakers and cabinets, which will be supplied to individual requirements.

SCOTT SESSIONS for MODERNISATION

Old Type Sets reconstructed, remodelled and brought up to date with hand-pass Tuning and Q.P.P. for Battery Receivers, etc.

SCOTT SESSIONS for SPECIAL SETS

All kinds of special sets built to individual requirements. For over 7 years we have been building sets with first-class workmanship. Parts supplied. All orders above £5 executed on easy payments if required.

SCOTT SESSIONS & CO. RADIO ENGINEERS, MUSWELL HILL, LONDON, N.10



Telephone No.: Tudor 5326.

Contractors to H.M. Government Departments, Crown Agents for the Colonies, Electricity Corporations, etc.



HEYBERD MAINS TRANSFORMERS

LOW TENSION TRANSFORMER. New Model 723. Secondary Output: 2+2v. 3 amps. Suitable for one to three 4v. type A.C. valves. Although greatly improved in design and finish, the price remains the same ... 12/6



H.T. and L.T. TRANSFORMER Model W.33. For use with Westinghouse Rectifier H.T. 9. Secondary windings: 240 v. 200 ma. Rectified Output: 300 v. 60 m.a. L.T. 4 v. 5 amps. and 4 v. 1 amp. Price 35/-.

Above models are supplied in new type Heyberd metal castings which completely screen the windings, and are fitted with insulated terminals. Voltage regulation is very good. Negligible temperature rise. 12 months guarantee.

Full details of Heyberd Mains Transformers, Mains Units, Kits and components are given in the new Handbook.



Post Coupon
for Heyberd handbook on Mains Working

I enclose 3d. stamps for New Handbook of Mains Equipment. Packed with Technical Tips, Service Hints and diagrams

Mr. _____
Address _____

W.W.
F.C. HEYBERD & Co.,
10 FINSBURY STREET, LONDON, E.C.2
One minute from Moorgate Stn

CHOKES

SLAB TYPE, LOW D.C.
0.1 to 0.3H, 3 6;
0.5, 4 6; 1.0, 5 9;
2.0H, 6 9
(Tappings Extra)

HETERODYNE WHISTLE FILTERS

TYPE "B.1," Adjustable Choke Filter, 7/-
TYPE "B," Adjustable, 7/6; "A," 12/-

SCREENED H.F. CHOKES

FAMOUS STANDARD TYPE, 2/9 POST PAID
'MAJOR' TYPE for 'SUPERS', 5/6 EXTRA
SHORT WAVE, UNSCREENED, 2/3 ALL ITEMS
List on Request.

POSTLETHWAITE BROS.
KINVER, STOURBRIDGE

BOOKS ON WIRELESS

Write for complete list to
ILIFFE & SONS LTD.,
Dorset House, Tudor St., London, E.C.4. w.w.1

Chargers and Eliminators.—Contd.

SERADIX All British Radio; full lists for stamp.

QUIESCENT P.P. Output Choke (three-ratio), specially suitable for Q.P.P. 2, etc.; 10/-

SERADIX Milliammeters, 0.10 m.a., 5/11; or type M.F.2, having larger scale, 7/11.

SERADIX Tubular Condensers, non-inductive, 800v. test, 0.005, 0.01, 0.02, 0.03, 0.04, 0.05, and 0.1 mfd., 8s. each; 0.25 mfd., 9d.; 0.5 mfd., 1/1; 1 mfd., 1 5s; 2 mfd., 1 9s.

SERADIX Glass-wound Resistors, type G.125, accurately to 2%, colour coded, entirely wire wound, 25 to 1,500 ohms, 9d.; 5,000, 1/-; 10,000 ohms, 1 3s.

FULL Lists from Your Dealer, or Trevor Pepper, Wake Green Rd., Birmingham. [1925]

N.P. for All Battery Chargers from A.C. Mains; stamp for trade lists.

N.P.—Trade prices for Senior Two charger, 105/- delivered, output 15-17 volts, 1/2 to 3 amps, variable resistance, ammeter, etc., will charge up to 35x2v. batteries at once; also H.T. list.

N.P. Valve Charging Units: from 95/- to £27; one to four circuits.

N.P.—Specialists in A.C. mains chargers; also make D.C. boards from 25/-.

N.P. will start you in business of charging and sell you what you need; exchange your instrument when required.

N.P. have one or two Soiled Instruments; Stamp for list; bargains.

N.P. Send Trade Lists and Photographs for Stamp—Nash Products, Ltd., Stechford, Birmingham. [1916]

A.C. or D.C. Chargers for 2 to 200 cells at Low Prices; state requirements; dynamos and rotaries in stock, all sizes. Brown's Genometer battery superchargers for H.T. for 2v. or 6v. input, 37/6 and 52/6; television and sewing machine universal motors, 25/-; lists. Electric Radios, 218, Upper Thames St., E.C.4. [0393]

ERKCO A.C.H.T. Eliminators for 220 240v.; 3F.B.20 (Westinghouse) 30, 60, 120 v. 20 m.a., £2; 1V.A.20 (with valve), 0-120, 120 v. 20 m.a., £2; R.20 (with valve), 200 v. 20 m.a., 30/-; Atlas A.C. unit (with valve), output 250 v. 50 m.a., £2 5s; Ekco D.C. eliminators for 300 340 v. 2V60, two 0-120 var., 120 v. power, 60 m.a., £2 5s. 1V60, 0-120 var., 120 v. power, 60 m.a., £2; F.V.120, two 0-120 var., 200 v. 120 m.a., £3 5s; C.H. H.T. 0-120 power, L.T. 1.6 v. 0.6 amp., G.B. up to -21 v., £3 10s; guaranteed perfect condition. Woolley, 18, Uxendon Crescent, Pinner Rd., Wembley. [1929]

110-volt A.C. Bullphone, two variables; offers. Sergeant Bredeman, R.A.E.F., Ditch, Lincs. [1944]

CABINETS.

RADIOGRAM Cabinets; fully illustrated list free; remarkable values—Gilbert, Cabinet Maker, Swindon. [1925]

RADIO Cabinets Made to Your Own Design; estimates free. Cabtree, Thistle Hill, Kirkcubbin, Hobb'sfield. [1769]

WE Can Supply Brand New Complete Gramophone London made cabinets, at less than the cost of cabinets; ideal for converting to radiograms; 28 models to choose from; 52/6 to £10; illustrated list free—Radley's, Ltd., Canal Rd., Bradford. [1739]

W.W. Station Indicator, solid oak polish and lines, oak plywood panel, drilled and grooved inlay, by 8 6, carriage paid; complete with special components, 37/6. G. Wood, Wylfa House, Mold. [1902]

CLEARANCE Lines in Cabinets for Radiograms, mains or battery sets, loudspeakers, gramophones, etc., endless variety; lowest prices (no catalogue).

H. L. SMITH and Co., Ltd., 287-9, Edgware Rd., W. London, or at associated shops: Charles and Co., 27, Lewisham, High Rd.; Burt and Co., 49, Broadway, Deptford; Wright and Co., 367, High St., Stratford; G. E. Smith, 25, Queen's Rd., Watford. [1961]

DYNAMOS, ETC.

ROTARY Converter, nearly new, latest type G.E.C., 200-240 D.C. in, 200-240 A.C. out, 100 150 watts, complete with transformer, filter unit, and cut-out, etc., in metal soundproof cabinet; accept £8, cost nearly £30; seen working here.—Johnson Engineering, 86, Great Portland St., W.1. [1921]

CONVERTER for Sale, G.E.C., 200 watts 230 D.C., 167 A.C. 2 P.H., complete, new condition; cost 27 guineas, would accept £12/10. Apply Robert, 52, Heng Crescent, S.W.3. Kensington 4686. [1922]

WATTS Rotary Converter, model B, complete with charging and silencing box, 50 v. D.C. to 230 A.C.; cost £12 5s, nearly new, £5.—Cotman, Hobb's, Stratford, W.1. [1905]

GRAMOPHONES, PICK-UPS, ETC.

B.T.H. Senior Pick-up, 22/6; Trusquel model, 27/6; A.F.5c, 17 6s; O.P.3 (c), 7/6; Parmek, 500v. transformer, 27 6s; wanted, O.P.M.6 (c)—Mitchell, 12, Woodlands, S.W.20. [1943]

LOUD-SPEAKERS.

B.T.H. R.K. Moving Coil Speakers, guaranteed new, unusual manufacturers' surplus, original price 6 guineas.

HIGHLY Sensitive and Wonderful Tone Response; will handle up to 10 watts output; available for 100v., 200v., 300v. also A.C. models, £2 10s.

CARRIAGE Paid, cash, or cash with order; see list of other unusual bargains. Steckamp, 49, Edgware St., London, E.C.4. [1925]

BAKER'S 200-220 D.C. Super Power, perfect; 45/-—John Bunting, Fleetwood, Lancs. [1901]

1933, new, tested guaranteed P.M. moving coil speakers £1 (list 39 6s); cabinet model, 33/- (list 59 6s); Classic model, 25/- (list 53 6s); oak cabinet model, 37/6 (list 75 6s); 20 m.a. eliminators, D.C. 20 v. A.C. 30/-; electric items, 7/6; cash or order; carriage paid, cash refunded in full if not approved.—Collins, 9-11, Riversley Rd., Nuneaton, Warwick. [1955]

EPOCH

MOVING COIL SPEAKERS

The Finest in The World in Each of Their Price-classes.

Ask your dealer or call for a demonstration at Exmouth House.

Send for New Double W.S. 34. It is free.

EPOCH RADIO MANUFACTURING Co. Ltd.
Exmouth House, Exmouth St., London, E.C.1
*At the Junction of Bowery Avenue and Farringdon Road.
Phone: Clerkenwell 6666 (4 Lines)*

Write for Illustrated Catalogue of RADIO - GRAMPHONE CABINETS

of exclusive modern design, made by craftsmen, in highly figured Oak Walnut or Mahogany, post free

REMARKABLE VALUES.
Cabinets made to order a speciality.
Makes, under license, of the

HOWE BOX BAFFLE.
Recommended by the B.B.C. Full details on request.

GILBERT
Cabinet Maker - - SWINDON Est. 1886

RYALLS RADIO,
33, CHANCERY LANE, LONDON, W.C.2.

Offer range of new meters, A.C. and D.C., moving iron and moving coil, Mansbridge condensers up to 750v. working, Mains transformers and chokes, Moulded I watt resistances, Wire wound resistances 1 watt to 5 watt, all at very low prices. See our Classified advertisement under Components for details and prices. All new goods. Fully guaranteed.

For the best reproduction from

"THE MODERN A.C. QUALITY AMPLIFIER"

use a

BAKER SPEAKER.

BEST BY TEST.

EVERY PART FOR EVERY CIRCUIT

LEONARD HEYS FARADAY HOUSE
HENRY STREET, BLACKPOOL.
ELEVEN YEARS' EXPERIENCE IN THE WIRELESS TRADE

For all standard makes of COMPONENTS, KITS OF PARTS etc., as advertised in this JOURNAL and elsewhere. All usual Sundries. *Particular Attention to ALL Orders*
SPEEDY & PAINSTAKING SERVICE
Write for Catalogue (including trade card) (London: Traders only).

PRICE CORRECTION

THE CELESTION advertisement that appeared in "The Wireless World" dated Feb. 10th referred to the price of the CELESTION DUAL SPEAKER **£6.0.0** as **£6.6.0**. This should have read **£6.0.0**

SHORT WAVE BARGAIN

SHORT WAVE PLUG-IN COILS, Nos. 2 to 9 Turn; AIR DIELECTRIC.

8d. Each

For 2, 4, 8 and 4 6, all Post Paid. No. 12 to 80 m. and 15. Base-board coil holders 8d.

SCIENTIFIC SUPPLY STORES (WIRELESS), LTD.
Dept. W., 126 Newington Causeway, Elephant and Castle, Southwark, London. Hop 4177

Loud-Speakers.—Contd.

30/-!!—B.T.H. R.K. moving coil speakers, 6in. cone, new and unused, guaranteed; these speakers are type as used in cinema sound equipment; weight 30lb., and are vastly superior to cheap speakers now on the market 100 volts, 150 volts, and 200 volts D.C.
27/6!!—6v. D.C. speaker, as above; £2/7/6, speaker as above, for 100-250 A.C.
17/6—British Radiophone 3-gang condensers, unused; carriage paid, cash with order, or c.o.d.—Ward, 12, Tredegar Rd., Bow, E.3. [1941]

PICTURE RECEIVER APPARATUS.

TELEVISION Components.—Constructor's Guide, 1/10; cabinet Televisors complete, £6/10, as new.—Anred Television, 230, High St., Camden, N.W. [1892]
BAIRD Televisor; cost £18/18, sell £8/10; demonstration.—Hollier, 6, Bridgford St., S.W.18. [1953]

VALVES.

NEW Large Purchase of a Set Manufacturer's Stock of Valves, guaranteed as new, all latest types, and any valve differing from the maker's characteristic exchanged free.
210H.L.S., 210H.F.S., 210L.F.S., P.M.11H.F.S., P.M.11L.F.S., 210P.S., L.P.2S., P.215S., D.E.P.215S., P.M.2S., P.220S, special, matched P.M.2A, for Quiescent push-pull, 12/- pair; D.H.S., 41M.H.L.S., 41M.H.S., M.H.4S., A.C./H.L.S., A.C./2H.L.S., 354V.S., 304V.S., D.C./3H.L., 7/-; 41M.P.S., M.L.4S., A.C./P.S., 7/6; P.T.4., P.T.61., D.E.S.4V., M.P., P.E.N.S., 12/-; latest metallized S.4V.B.S., M.S.4B.S., M.S.G. H.A., A.C./S.G.S., 9/-; Cosmo M.V.S.G., 12/-; 442B.V., 1807S., 7/9; 1821S., 7/-; 620L., 15/-
2,000 Valves are Always in Stock for Immediate Dispatch, prompt attention, for cash or c.o.d.—Newman, 309, Roman Rd., E.3. [1659]

THE Following Valves are Guaranteed as New, and any valve differing from the makers' characteristics will be exchanged; all latest types.

A.C. Pens., A.C.S.1/V.M.S., M.P.T.4s., D.C.2 Pens., D.C.2S.G., V.M.S., 11/-; M.S.4S., M.S.4B.S., A.C.S.G.S., S.4V.A.S., D.S.B.S., A.C.S.2S., D.C.2 S.G.S., 9/6
M.L.4s., A.C.P.S., 41M.P.S., P.M.24s., 8/-; A.C.H.L.S., A.C.2/H.L.S., 354V.S., 41M.H.L.S., 0/10s., 1/10.60/250s., M.H.4S., 7/6; P.T.2S., V.S.2S., 215S.G.S., P.M.22A.S., 9/-; D.C.3H.L.S., 8/-

ALL Types of Brand New American Valves in Stock; 247S., 235S., 224S., 236S., 237S., 12/-; 227S., 226S., 280S., 245S., 232S., 10/6.

U.X.250-. 7 watts output, 16/-; 282M. mercury vapour rectifiers, 11/-; for quickest delivery send telegraph money order.

OVER 2,000 Valves are Always in Stock for Immediate Dispatch; carriage paid, cash with order or c.o.d.—Ward, 12, Tredegar Rd., Bow, E.3. [1940]

COMPONENTS, ETC., FOR SALE.

WESTON Moving Coil Milliammeters (301). 0.15 upwards 22/6; Turner ditto, 17/6; Turner thermo couple ammeters, 0.15, 25/-; 3-range moving coil meters, 0-3 m.a., 6 and 120 volts, 22/6; electrostatic and moving coil voltmeters, 0.2, 0,000, 32.6; moving coil milliammeters, 0-10 upwards, 10/6; alterations and repairs of every description.—The Victoria Electrical Co., 47, High St., Battersea, S.W.11. [0355]

CONDENSER Blocks 6d. per mfd., 650-volt test, in blocks of 6 mfd. upwards, wired in 2 mfd. units; 2 years' guarantee; send by return of post on 7 days' approval; cash with order.—Butlers Radio, Ltd., 191, Forest Rd., Walthamstow, E.17. Phone: 3134. [0396]

CHASSIS and Screen Panels, constructed to any design, aluminium sheet supplied; estimates free. Minns, 19, Woodthorpe Rd., King's Heath, Birmingham. [1848]

ROTARY Converter, input 6-12 volts D.C., output 25-35 volts 1 amp. A.C., complete as new, 15/-; rotary converter, 6-12 volts input, 400-500 volts 50 milliamps output, both D.C., 15/-—Below.

TELEPHONE Equipment, Table telephone complete, magneto ringing, 17/6; large ironclad magneto ringing telephone, new and complete, size 24in. x 10in. x 6in., 50/-; ironclad loud speaking telephone, fittings, microphone, and loud speaker only, 25/-; 5-line automatic telephone relay, 30/-; microphones, 4/6; transformers, 2/6; pedestal telephones, 7/6; automatic dials, with switching, 2/-; buzzers, 2/5; telephone magnets, 4/6.—Below.

D.C. Motors, 220v. 1/2hp., fitted 2 3/4 cylinders, with driving gear, believed for air suction work, 50/-; check meters for A.C. mains, 220v. 50 cycles, single phase, 6/6; 1/2hp. A.C. repulsion motor, 220v. 100 cycles, single phase, 50/-.

2-VALVE Transmitters, with valves, 15/-; 2-valve receivers, no valves, 10/-; new transformers, 100v. input, 10,000v. output, 25/-; ditto, second-hand, 12/6.—Below.

DYNAMOS for Accumulator Charging or Lighting, also meters, regulators, resistances, switches, cut-outs, etc.—Below.

A.C. Motor, 200 230v. 50 cycles, single phase, 1/2hp., centrifugal starter, reversible, ball bearing, double-ended shaft, 1,500 r.p.m., as new, maker Crypto, price £3/15; 1/2hp. A.C. motor, 220v. 50-1, induction, ring oiler bearings, £2.—Below.

GALPIN, 23, Tyrwhitt Rd., Brockley, London, S.E.4. Terms strictly cash with order or c.o.d. (charge extra); 3 days' approval from date of delivery; all goods guaranteed. Nearest station St. John's, Lewisham. [1895] free.

FERRANTI Eliminator, 200v., 100 m.a., £6/10; Primitivistic cabinet speaker, with Ferranti rapped choke, 27/-; P.P.5/400 valve, new, 16/-; Ekco 3-valve receiver, £8.—Angel, Tangball Lane, York. [1895]

COSMIC RADIO SERVICE, 23, Water St., Liverpool. Ferranti A.F.3, 13/6; A.F.4, 8/-; A.F.5, 17/-; A.F.5C, 18/-; O.P.3C, 14/-; B.I., B.7, 11/- each; B.5, 14/-; Varley Resonance and resistance, 12/-; Lotus 30h, 50 m.a. chokes, 8/-; R.I., Pentium, 12/6; Ready Radio low ratio Instamats, 17/-; Hydra 8 mfd, 500v. test, 7/-; British-made combined meters, 0-10v., 0-250v., 0-100 m.a., 10/-; R.I. chokes, 30-20h, 50 m.a., 7/-; Regen-tats, all valves, 6/-; postage extra. [1903]

FOR EVERY SET—there's a PILOT AUTHOR KIT CASH—C.O.D.—or H.P.

MODERN A.C. QUALITY AMPLIFIER

KIT "A" Kit of specified parts including Plymax Chassis Ready Drilled and Assembled, and PETO-SCOTT Metal Cowl, but less Valves, Cabinet, Gramophone Motor and Pick-up. CASH or C.O.D. Carriage Paid £10-14-0 or 12 monthly payments of 19/7

KIT-BITS Selected C.O.D. Items. You pay the postman, we pay post charges on orders value over 10/-
1 Savage Mains Transformer, Type M.G.A. £2-0-0
1 Savage "Massicore" Output Choke, Type L.34... 15-0
1 Multitone "Toco" L.F. Transformer, 4:1, with graded Potentiometer ... £1-1-0
1 British Radiophone combined 100,000 ohms Potentiometer and Mains Switch, Type 484... 10-6
1 Ediswan D.L.S. Thermal Delay Switch ... 7-6
1 Marconiphone Pick-up ... £2-2-0
1 B.T.H. Transpud Gramophone Motor ... £2-9-6
Set of specified Valves ... £2-18-6

*Exclusively Specified *PETO-SCOTT MODERN A.C. QUALITY AMPLIFIER CABINET Constructed of Solid Oak, hand French polished and beautifully finished, ready to take this latest "Wireless World" Amplifier. EXCLUSIVELY SPECIFIED BY THE DESIGNERS. 59/6 CASH or C.O.D. Carriage Paid
*Peto-Scott Plymax Baseboard 18" x 9" x 1 1/2" ... 9/6
*Peto-Scott Special Heat-deflecting Aluminium Cowl. As specified 7/9

QUIESCENT PUSH-PULL TWO KIT "A" Author's Kit of specified parts, including Ready Drilled Panel and Assembled Baseboard, but less Valves, Cabinet, Meter and Speaker. CASH or C.O.D. Carriage Paid £3-9-0 or 12 monthly payments of 6/4

ACCESSORIES. 1 Sifam Moving Iron Milliammeter, E.60 - - - 10-0
1 Celestion Q.P.T. 19A Loudspeaker with Transformer - - - £2-10-0
Specify if Panel is required drilled to take Meter when ordering.
If Sifam Meter is required add 10/- to Cash Prices or 11d. to each monthly payment.

ALL-WAVE MONODIAL KIT "A" Author's Kit of specified components including Ready Drilled polished Oak Ply Panel, and ready drilled and assembled baseboard, but less Valves and Cabinet. CASH or C.O.D. Carriage Paid. £12-1-0 or 12 monthly payments of £1-0-0
KIT "B" As Kit "A" but with Valves. Cash or C.O.D. Carriage Paid. £16-18-6 or £2-18-6 deposit and 11 monthly payments of £1-8-0

Q.P.P. PILOT CONVERSION KIT Cash or C.O.D. Carriage Paid. 42/6 Meter, if required, 10/- extra

QUIESCENT PUSH-PULL PARTS FERRANTI Type AF12C Push-Pull Input Transformer 15/-
FERRANTI Type OPM12C Push-Pull Output Transformer ... 15/-
R.I. Quiescent Push-Pull Input Transformer ... 12/6
R.I. Quiescent Push-Pull Output Choke... 12/6
SOUND SALES Push-Pull Input Transformer ... 16/6
SOUND SALES Push-Pull Output Choke ... 10/6
VARLEY Type DP36 Push-Pull Input Transformer ... 17/6
VARLEY Type DP37 Push-Pull Output Transchoke ... 18/6
*Above Prices include 1% Royalty.
Special Stockists for all "Wireless World" FIRST SPECIFIED COMPONENTS.
PETO-SCOTT CO. LTD. 77, CITY RD. LONDON, E.C.1

Components, etc., for Sale.—Contd. VARLEY Coils on Base B.P.9 and 10, and 2 11's; 19/6.
VARLEY L.F. Transformer, B.P.21; 5/-.
UTILITY 0.0005, 4-gang, fully screened, with disc drive; 17/6.
FERRANTI B.I. Choke; 10/6.
SONOCHORDE P.M. Standard Speaker, with universal transformer; £1; list price, 32/6. unused.
J.B. UNITONE 2-gang Condensers, fully screened, with disc drive; 10/6, unused.

ALL Above Goods Guaranteed Perfect, sent on 7 days' approval against cash, or c.o.d.; we will allow you 50% of the list price on your surplus parts in exchange for new.
W. R. MACKIE, 61, Dartmouth Rd., Forest Hill, S.E.23. Phone: Sydenham 6741. [1903]

PEPPER Offers the Following Under Usual Money Back Guarantee; cash, c.o.d., or deposit. Carriage paid over £2.
VALVES.—P.M.12, P.M.10G., S.G.215, etc., 8/6; P.M.16, 8/10; P.M.24, P.T.425, etc., 7/6; Tungram, 8407, S210, 6/6; P625, P625a, 5/11; 8625, 4/66; A.C.2/H.L., A.C. H.L., 104v., M.H.L.4., A.C.104., A.C.084., 7/11; A.C. P.I., Cosor 4X.P., P.X.4 (old type), 8/6; P.M.3, P.M.4, P.M.5N, P.M.5D, P.M.5h, D.E.5a, D.E.5b, D.E.5, P.M.256, P.M.6, etc., 2/3 each.

ALL Valves Tested Before Despatch, satisfaction assured, full emission guaranteed.
TRANSFORMERS.—A.F.5., A.F.6., 17/6; A.F.5c., 18/6; O.P.M.3c., 13/6; O.P.M.1., O.P.4c., R.I. Pentium, 9/11; Nictel, 4/3; Hypermatic, 6/6; Hypermu, 9/11; Telsen, R.I. 7 to 1, 5/9.

MAINS Transformers.—Phillips 4V.5a, L.T., 5/11; Bryce W.W.A.C.3, 13/6; special offer of transformers for H.T.B 200v. 200 m.a., with L.T., 15/- each.

VARIABLE Condensers.—Ormond single screened, 4/-; ditto, 2-gang, 7/11; Polar Tub ditto, 9/6; Chassis-mount, 3-gang, complete, 10/6.

COILS.—Wearite O.T.1, O.T.2, Lewcos I.F.T.P., I.F.T., 5/6; 0.2, O.S.C.44, 4/11; K.G.O., 5/-; Lewcos D.B.G., 2/11.

FULL Lists of Surplus New Ready.—Pepper, 48, Wake Green Rd., Moseley, Birmingham, 15. [1926]

COMPONENTS for 211F. 4-valve A.C. Receiver, with valves, including Colvern Band Pass coils, Cydon gang condenser, Varly 10-watt resistances, Savage mains equipment; £6.—Powell, 41, Merton Hall Gardens, Wimbledon, S.W.20. [1924]

POLAR 3-gang Condenser and set of Magnum Screened Ganged Coils, Band Pass and H.F.; 16/6 the lot, post free.—Radio, 25, St. David St., Edinbrough, S.E.1. [1919]

51/6—Manufacturers' surplus; 1933 3-valve battery receiver chassis (list £7 15), Vick screened grid detector, pentode, J.B. ganged condensers, screened coils, R.I. and T.C.C. components (with valves, £3/9/6).—Bale, 154, High St., Ilfracombe. [1917]

LOOK.—O.P.M.3C, O.P.M.4C, 14/- each; 20 hy., 100 m.a. Varley choke, 10/-; D.C. 15-25, 17/6; A.F.6, A.F.7, 15/-; potentiometers G.F. Megites, 50,000, 2/-; Varley power, 5,000, 30,000, 3/9; Sovereign 1 meg., 2/-; 2 Ormond fully screened 3-gang, 10/- each; coils, Goltone G.G.0 (new), 3/-; Telsen S.W., 2/-; Lissen Torex, Telsen Acc, 2/-; B.G. output transformer, 5/-; Telsen 20 hy. tapped choke, 4/-; R.I. Pentamite, 8/6; Pentium, 9/-; Sifam M.C. meter, 0-500v., 500 O.P.V., 22/6; 0-50 m.a., 10/-; following unused: H.T.B. 14, Lupin Radio, 49, Clifton Rd., Liverpool, 6. Post extra. [1915]

BIRMINGHAM RADIO MART'S Weekly Selection Manufacturers' Surplus Stocks, new unless otherwise stated.

RESISTANCES.—Eric, H.M.V., etc., our selection, 5,000 to 100,000 ohms, 3/- dozen; Dubilier and T.C.C. mica condensers, 3/- dozen; H.M.V. hum stoppers, C.P., 3d., anode oscillation stoppers, 3d.

METERS.—British flush, 2 1/2in. nickel, any range above 20 m.a., 5/9; few Sifam M.C., 15/-; 2 m.a., 17/6.

CENTRALAB Dual Volume Controls, ex H.M.V., 3/6; Logarithmic, 1,000 to 10,000 ohms wire wound variable resistances, 2/-.

FERRANTI, O.P.2, 8/-; O.P.M.2, 10/-; B3 chokes, 6/-; many others, as new.
GOLSTONE Cosmic Coils, comprising one dual range coil and one short wave, on air spaced formers; the pair, 2/6.

2-GANG 0.0005 Die Cast Frame, 1 1/2in. spindle trimmers, worth, 17/6, finest quality, similar Radiophone; 6/6.
NEW Bxed Lewcos Short Wave 6-pin Coils, 20-45, and 40-90 metres, 1/6, or 3/- pair, post free; series gap all-brass condensers, 2/6 each.

REGENPHONE Power Packs, containing mains transformer and Westinghouse rectifier, giving 150v., 25 m.a., and 4v. 4a., 25/-; filter packs for above, 7/6.

NON-RESONANT Insulated Baffles Prevent Cabinet Resonance; 3d., each to callers, ex Anphon.

LARGE Stocks of Valves, high voltage condensers, Rola, etc., M.C., as new, at clearance prices.

RADIO MART'S Oddment Sale Now in Full Swing; hundreds of snips for callers.—19, John Bright St., Birmingham. [1914]

MAGNAVOX Magna, D.C. 144, 200 250 volts D.C., Ferranti A.F.5c(S), A.F.S., O.P.M.1(C), O.P.M.6(C), Formo Band Pass unit; what offers?—124, Desborough Av., High Wycombe. [1897]

3-GANG J.B. Nu-gang Condensers, complete boxed, as new, fully screened, at 14/6; also splendid 2-gang, screened, complete with dial, drive, knobs, etc., at 10/6, boxed, as new; trade enquiries invited.—W. Burns and Co., 287, City Rd., E.C.1. [1960]

NEW Transformers, A.F.6, 18/6; mains for H.T.B/9, 2 and 6 amper, L.T., both O.T., 17/6.—83, Nora St., Barrowford, Lancs. [1957]

BAND Pass Radiopak, unused; 37/6.—Pickering, 75, Lenthall Rd., E.8. Letters only. [1946]
MARCOPHONE KIT, B.T.H. Senior, pick-ups, 31/6; Blue Spot 100L's, 18/9; all guaranteed new.—Aldridge, 29, Chatterton Rd., London, N.4. [1951]

Components, etc., for Sale.—Contd.

PREMIER SUPPLY STORES offer the following Brand New Goods at a Fraction of the Original Price; all goods guaranteed perfect; carriage paid over 5/-, under 5/- postage 6d extra. (Ireland carriage forward.)

PREMIER—Mains transformers, all guaranteed, terminal connections, 200 250 input 40-100 cycles, output 135 volts at 80 ma., for voltage doubling, 9/6; 4 volts 4 amps. C.T. low tension, 2/- extra; Westinghouse rectifier for above, 180v. 30 ma., 8/6.

MAINS Transformers, primary 230 240 volts, secondary 350-0-350 volts at 90 milliamps, 4 volts at 3 amps. (C.T.), 4 volts at 2 amps (C.T.), 12/6.

AMPLION Transformers, input 100 250 v., output 350 1350 volts, 120 milliamps, 4 volts at 5 amp., 6 volts at 2 amp., 6 volts at 1 amp., all centre tapped; 17/6.

MAINS Transformers, 12 volts 1 amp., 7/6; 9 volts 1 amp., 7/6; 4 volts 4 amp., and 3 volts 2 amp., 8/6; 14 volts 4 amp., 12/6; 4 volts 3 amp., 7/6; 4 volts 5 amp., 8/6; 6 volts 2 amp., 7/6; 10 volts 3 amp., 10/-; 22v. 1a., 10/-.

H.T.9 Transformer, 230 volts 200 milliamps, with 4 volts 4 amp. (C.T.) winding; 15/- (with screened primary).

H.T.8 Transformer, with 4 volts 5 amp. low tension C.T., 15/-; with Westinghouse H.T.8 rectifier, 27/6 (with screened primary).

MAINS Transformers, output 250-0-250 v.H. at 60 milliamps, 4 volts at 1 amp., 4 volts at 2 amp., 4 volts 3 amp., all centre tapped; 15/- (with screened primary).

MULTI-RATIO Output Transformer, 15 different ratios, 7/6; Pye Chokes, 20 or 32 henrys, 4/-.

PREMIER Chokes 40 milliamps, 25 henrys, 4/-; 65 milliamps, 30 henrys, 6/-; 150 milliamps 30 henrys, 10/6; Pentode output chokes, tapped, 7/6.

SMOOTHING Chokes for Series Connected Filaments from D.C. mains, carry 1 amp.; 7/6.

KOLSTER-BRANDS 80 milliamp. 30 henry Chokes, tapped 1/3 and 2/3, 7/6.

T.C.C. Condenser, 2 mid. 750 volts working, 4/-; 4 mid. 750 volts working, 6/-; 4 mid. 400 volts working, 4/-; 4 mid. Electrolytic, 440 volts working, 4/-; 8 mid., 4/6.

T.C.C. Block Condensers, 250 volts working, 8 x 2 2 1/2 +1 mfd., 5/6; 375 volts working, 1 x 1 0.1 0.1 +0.1 -0.1 10.1 0.1 mfd., 2/-; 375 volts working, 6 1/4 x 2 2 1/2 +2 mfd., 10/-; 250 volts working, 2 x 2 2 1/2 +1 mfd., 5/6.

WESTERN ELECTRIC, 0.01 0.01 mfd., 400 v.H. working, 1/-; blocks 4 1/2 x 2 1/2 +1 0.09 mfd., 400 v.H. working, 6/-.

FERRANTI Condenser Blocks, 300 volts working, 4 x 4 1/2 x 2 1/2 mfd., 10/-; all entirely separate.

VARIABLE Condensers, Polar, 3-gang tube type, fully screened, split end vanes and disc drive, 0.0005, 12/6.

ORMOND All-brass 2-gang Condensers, semi shielded, 0.0005, 5/-; Ormond all-brass 0.0005 slow-motion condensers, with knob and dial, 3/6; Polar 0.005 and 0.00035, Bakelite Dielectric condensers, with knob, 1/-.

PREMIER Eliminators, input 200 250 A.C., 40 100 cycles, output 250 volts at 60 milliamps, 80 volt and 120-volt taps, incorporating Westinghouse rectifier, 42/6; with 4 volts 4 amp. L.T., 7/6 extra.

PREMIER Eliminators, input 230 250 A.C., output 80, 100, and 120 volts at 20 milliamps, incorporating Westinghouse rectifier, 27/6; with L.T. charger incorporated, 35/-.

D.C. Eliminators, output 60, 90, and 120 volts at 120 milliamps, 15/-; larger model, output 80, 120, and 200 volts at 50 milliamps, 25/-.

ACCUMULATOR Chargers for A.C. Mains, input 100-250 volts, 12 amp., 17/6; 1 amp., 22/6.

PREMIER Eliminators, input 200 250 A.C., output 150 volts at 30 milliamps, 2 lower taps, incorporating Westinghouse rectifier, 37/6; with 4 volt 3 1/2 amp. L.T.,

AMPLION Moving Coil Speakers, type P.M. 644, dual fields, 2,500 and 5,000 ohms (100 or 200 volt-), with multi-ratio output transformers; 15/-.

B.T.H. R.K. Minor, moving coil speaker, 2,500 ohm field; 15/-, with multi-ratio transformer.

AMPLION Permanent Magnet Moving Coil Speakers, type M.C.22, complete with multi-ratio transformer, 30/-.

15,000 Ohm Wire Wound Potentiometer, 1/6; Centralab potentiometer volume control, 50,000 ohms, 2/-; Colsonstas, logarithmically wound, potentiometers, 6,000 ohms, 1/9.

HEAVY Duty Variable Resistances (Slider type), wound on porcelain; 350 ohms 1 amp., 2/6; 2,000 ohms 1/2 amp., 5/-; 500 ohms 1/2 amp., 5/-; B.T.H. electric gramophone motors, induction type, 109 250 volts, A.C., 30/- complete; double spring gramophone motors, complete 15/-, single spring 9/-; B.T.H. A.C. and D.C. motors, 55/-.

WESTERN ELECTRIC Public Address Speaker Horns weatherproof, exponential, 7ft. long, 14ft 2 1/2 dia. fit practically any unit, constructed of solid timber, weight 100lb.; 25/-, carriage forward.

SPECIAL Offer of Kolster Brands Gramophone Motors (electric), all complete with turntable, 1-1 price: £5; No. 1, super A.C. 100-250v., induction type, 35/-; No. 2, super universal 100-250 A.C. and D.C., £2; No. 3, clockwork motor, electrically wound, £2 5/-.

WIRE-WOUND Resistances, any value up to 10,000 ohms, carry 3 watts, 1/- each, listed 3/-; 6 watts 2/-; 12 watts 4/-.

CONDENSER Blocks, 3 separate 4 mfd. condensers, 400v working, 8/6; with 2 separate 1 mfd. condensers, 2/- extra.

WESTERN ELECTRIC 60 watt and 250 watt Output Values in Stock at Low Prices.

T.C.C. Condenser Blocks, 3 x 2 1/2 x 0.5 mfd., 250 volts, working, 3/6.

WESTERN ELECTRIC Condensers, 250v. working, 1 mfd 6d., 2 mid. 1/-; 400v. working, 1 mid 1/-; 2 mid. 2/-.

T.C.C. Electrolytic Condensers, 2,000+2,000 mfd. 10/-; T.C.C. 1 mfd., 2,000v. working, 5/-.

AMPLION High Inductance Chokes Resistance, 2,500 ohms, 80 henrys, 60 milliamps, 5/6.

(This advertisement continued in third column.)

A set is as good as its components



When you incorporate a BURTON TRANSFORMER in your set you are using a component of the highest efficiency, which will reveal itself in the final purity and volume of your set.

Ask your dealer for BURTON.

Wound in ratios of 3:1 and 5:1.

PRICE 5/9

Made by C. F. & H. BURTON, Walsall.

BUILD A BETTER SET WITH BURTON COMPONENTS

GRIP



NEW BOWSPRING WANDERPLUG

Strong spring and wide self-adjustment. Side entry with Belling-Lee patent grip for flex. 12 indications and 6 plain colours.

The "BOWSPRING" gives strong pressure over a far wider range of diameters than any plug we have so far tested.

Write for list of radio connections.

1/2

BELLING-LEE FOR EVERY RADIO CONNECTION

Cambridge, Arden Road, Enfield, Middlesex.



REPRODUCERS
for better reproduction

SERADEX FILTER CHOKES.

Constant inductance. Weight approx. 2 1/2 lbs.

C.A. 20H at 100Ma, 200 ohms.	Price
C.C. 40H at 50Ma, 560 ohms.	12 s. 6d.
C.D. 30H at 70Ma, 450 ohms.	each all types.
C.D. 10H at 150Ma, 100 ohms.	Postage 9d.

Fitted massive aluminium clamps. Also made in Pentode, Dual and Quiescent types.

From your dealer or
TREVOR PEPPER, Wake Green Road, Birmingham.

PARIMA SELENIUM CELLS

FOR ALL PURPOSES.

Parima Light-Sensitive Resistances are constant, mechanically strong, moisture proof and exceedingly sensitive. Fully guaranteed for 12 months.

Prices from **5/-**

PARIMA MANUFACTURING CO.,
21, BROMLEY ROAD, S.E.6. Hither Green 3623.

Components, etc., for Sale.—Contd.

(This advertisement continued from first column.)

SPECIAL Offer of Mains Transformers, manufacturers type, any input, 250-250v. 60 ma., 4v. 1a., C.T., 4v. 3a., C.T., 8/6; H.T.8 with 4v. 3 1/2 amp., 8/6; 180+180v. 40 ma., 4v. 1a., 4v. 2a., 5/6; 175v. 50 ma., 4v. 4a., 4v. 1a., 5/6.

PREMIER Transformer for "Wireless World Modern A.C. Quality Amplifier" (see this issue), 20/-; output and L.F. chokes for same, 10/6 each.

EKCO Microphones, complete with transformer, a really fine job, 18/6; wire-wound potentiometer, 50,000 2/6.

S. G. BROWN'S Power Units, consisting of tapped mains transformer, Westinghouse rectifier, and T.C.C. electrolytic condenser, output 6v. 1 amp., for charging and energising; 21/- listed £3 15.

WESTINGHOUSE Rectifiers, 120 volts at 20 m.a., 6/6; 180 volts at 30 m.a., 8/6; 3 volts at 0.5 amp., 6/6; 6 volts 1 amp., 9/6.

AMPLION Pick up, with arm and volume control; 18/6.

All the Following Lines 6d. Each, or 5/- dozen Packed in: Trimming condensers; shielded S.C. or screened wire; 5-pin valve holders; fuse bulb with holder; Crystalc sink 5-amp. switches.

FOR Callers Only.—The following valves, guaranteed as follows: Full list price: M.P. Pen., U.I. 60 250; M.A.S.G.; A.C. Pen.; V.D.S.; D.P.T.; A.C. S.G.; A.C. H.

All Orders to 20-22 24, High St., Clapham, S.W.4. Callers to High St., Clapham (Market) 2188. Closed 1 o'clock Wednesday, Open till 9 o'clock Saturday. Nearest Station Clapham North Underground. 11883

SOUTHERN RADIO Big to Announce that Owing to a Considerable Increase in Sales of Mains Transformers and Chokes, they are able to reduce all prices, as production cost is appreciably reduced by increased turnover. All transformers and chokes are guaranteed for 12 months.

MAINS Transformers, fully tapped, primary 200 250v. 4 v. 1 amp., centre tapped L.T., 250 0-250, 60 ma., 350 3 1/2, 60 ma., 4 volts 3 amp., 10/3, carriage paid; 350 3 1/2, 60 ma., 4 volts 2 amp., 4 volts 4 amp., 12/5, carriage paid; 350 0-500, 120 ma., 4 volts 1 amp., 4 volts 2 amp., 4 volts 4 amp., 18/9, carriage paid; 450 0-450, 120 ma., 4 volts 2-5 amp., 4 volts 4 amp., 4 volts 2 amp., 15/9, carriage paid; 500 0-500, 120 ma., 4 volts 5 amp., 20/9, carriage paid.

TRANSFORMERS for Westinghouse Rectifiers, H.T.4, 5, 6 or 7, 12 v. carriage paid; H.T.8 or 9, 13/9, carriage paid.

SMOOTHING Chokes, 40 henrys, 40 ma., 700 ohms, 6/- carriage paid; 20 henrys 60 ma., 480 ohms, 7/5 carriage paid; 15 henrys 100 ma., 330 ohms, 8/- carriage paid; 20 henrys, 120 ma., 270 ohms, 3/6, carriage paid; special transformers and chokes quoted for and delivery given within 3 days from receipt of order; all guaranteed for 12 months, and carriage paid—Southern Radio, 325, Euston Rd., London, N.W.1 (near Warren St. Tube). Phone: Museum 6324. 11911

SOUTHERN RADIO'S Set Manufacturers' Guaranteed New Supplies.

READY RADIO Meter 3-valve Screen Grid Battery Kits, new, in sealed cartons, 37/6; less valves; with 3 Mullard valves (P.M.12, P.M.2D, P.M.2), £2 10/6 (listed £5 7/6); Ready Radio 703 3-valve battery kits, new, in sealed cartons, 21/-, less valves; with 3 Mullard valves (P.M.2D.N., P.M.2, P.M.1L.F.), 39/- (listed £5 10/); Mullard Radio for Million A.C. 3-valve kits, in sealed cartons, including 3 Mullard valves (P.E.N.4V., 354V., S.4V.), £5 13/6 (listed £6 10/); Dual Gang variable condensers (H.M.V.), 0.0005, shrouded, and trimmers, 6/-; screened chokes (H.M.V.), 1/- each, 9/- dozen; condensers, all 750 v.H. test, 4 mfd. 2/6, 2 mid. 1/9, 1 mid. 1/1; blocks, 10 mfd. 2/2, 2 1/2 +1, 1,500 volt test, 6/9 each; all sealed guaranteed and post paid; Southern Radio, 325, Euston Rd., London, N.W.1 (near Warren St. Tube). Phone: Museum 6324. 11912

MULTIFONE "Beep" with potentiometer, 14/6; Pentodes, 9/6, cond. 9, Orchard Rd., Barnet. 11949

UNIVERSAL Avometer, new, £5 15; Avodapter, 15/-; Ferranti A.F.5, 18/6; Wearite super frame aerial, 25/-; pair 8-melode matched speakers, 30/-; B. Frame, 372, Cleithrum Rd., Grimsby. 11912

WEST END RADIO STORES—Further reductions during our stock clearing sale.

PYE L.F. Chokes, 32 and 20 henrys, 3/9; R.I. L.F. chokes, 25 henrys, 50 ma., 4/11.

HEYBERD Mains Transformers, 200 250v., output 350-0-350v. 60 ma., 4v. 1a., 4v. 2a., 5/6; Wearite 250 0-250v., 4v. 1a., 4v. 2a., 12/6.

BLUE Spot 100 V. Speakers, 17/9; Magnavox energised m.c. speakers, 2,500 ohms, 18/6.

T.C.C. Apcon Electrolytic Condensers, 8 mfd. 880v. test, 5/-; ditto, 4 mfd., 4/-; T.C.C. 2,000+2,000 electrolytic condensers, 12v. pack, 4/9.

UTILITY 2-gang screened 0.0005 S.M. Condensers, 12/6; Polar 2-gang screened 0.0005 S.M. condensers, 9/6.

ERTIE 1 watt Resistors, most sizes in stock, 8d. each; Bulbin mains of set toggle switches, 1/-.

D.C. 2-valve Chassis, kit, and pentode, 25/-; 2-valve A.C. chassis, wired complete, 35/-.

D.C. 2-valve S-8s, complete with M.C. speaker pentode, £4 10/-; A.C. 2-valve set, M.C. speaker, complete, £5/-; 5-valve A.C. £6 10/-.

COLLARD Induction Gramophone Motors, complete, C. 35-41, £3 model, 37/6; Lewins wire wound 10,000 ohm potentiometer, 1/11.

N. & K. Farnall Inductor Speakers, 70/- model, 35/-; A.C. and D.C. valves, Radiogram, and set cabinets; all above goods as new, and guaranteed; postage extra on all orders; special bargain for callers only.

WEST END RADIO STORES, 14, Lisle St., Leicester Sq., London, W.C.2; and 352, Colthorpe Lane, Brixton, S.W. 11967

A.J. 50, £1; R.J. Hypertone L.F. choke, 5/-; P.P. 3/425, 15/-; P.M.24A, 10/-; A.C. S.G., 12/6; R.I. mains transformer, primary tapped 200-240v. 50a., secondary 130 0-180v., 5/6; 3a., 4v. 1a., 15/6, perfect condition; Mergophone M.C. speaker, type 80, 6/10v. pot., 20/-; Walsley, 13, Exenden Crescent, Preston Rd., Wembley. 11930



LISTEN TO THE FOLKS DOWN UNDER TO-NIGHT!

Australia with your present set—long distance reception can be enjoyed by everyone who fits an Eelex Short-Wave Converter, you can receive over 70 extra stations with your present set.

A wonderful instrument that can be fitted in a moment; take one home to-night and you can receive short-wave stations radiating below 160 metres with your present set.

No previous experience necessary. You'll get hours of amusement tuning-in short-wave stations from Australia and other distant countries,

with an


EELEX SHORT-WAVE CONVERTOR
fitted to your set.

If you are interested in short-wave reception, send for a copy of the Eelex Short-Wave Booklet No. C40, which tells you all about short-wave reception and gives full particulars of the complete range of Eelex Short-Wave Convertors.

A post card will bring you a free copy.

J. J. EASTICK & SONS,
Eelex House, 118, Bunhill Row, LONDON, E.C.1.

Phone: Metropolitan 0314 (6 lines).



Components, etc., for Sale.—Contd.

R. SELECTED Parts for Sale, as new, any c.o.d. or "Wireless World" deposit system, which we recommend if in doubt as to the splendid value offered; we take all risk of damage in transit to customers; all goods tested for callers and guaranteed, however low priced. Notice—Payment by cheque, no goods despatched until these are cleared.

VARLEY Pentode Output Transformer, 11/6; Varley Impedance matching transformer, 11/6; pair Varley P.P. transformers, separate G.B., 30/-; H. and B. 1160 choke, 22/6; Ferranti A.F.5 18/6, A.F.3 10/6.

HEAYBERD 4v. 10 amp. Transformer, 13/6; Regentone 4v. 5 amp., 9/-; Philips 4v. 5 amp., 9/-; Wearite H.T.4 choke, 10/6; Lissen super transformer, 7/6; Lissen super 25-1 output transformer, 7/6.

VARLEY Nicore 2, 7/-; Brown Vee cone units, new, 9/-; H.I. mains transformer, 375v., 7.5v., 5.5v., 15/-; R. and B. mains transformer, 300-300, 4v. 2 amp., 4v. 3 amp., 5v., 15/-; Gylidon 4-gang, 15/-; H.T.7, with Varley transformer, 17/6; H.T.3, with Heyberd transformer, 13/-.

ORMOND 65/- Model P.M. Speaker, complete, £2; ditto Magnet only, 18/6; Epoch A1 P.M., with transformer, 17/-; Epoch 20c speaker, 22/-; Lumophone P.M., 18/6; Rola F.7, 6.550 ohm field, 27/6; Ferranti 2-1 P.P. transformer, 8/6.

R.I. Straight Line P.P. Transformer, 7/6; Ferranti B8 choke, 5/-; Atlas K26 eliminator, with trickle charger, latest type, 55/-; Ekco A.C.18, £2; Ekco 1V20 metal rectifier, 20 m.a., 150v., 27/6; Atlas valve rectifier, 150v. 15 m.a., 16/-; Regentone 860 eliminator, 200v., 30 m.a., 4v. 5 amp., £2; Six Sixty valve eliminator, 200v., 30 m.a., and G.B., 32/6.

WESTINGHOUSE H.T.11, 25/-; H.T.2 and transformer, 530v. 100 m.a., 50/-; B.F.H. D.C. speaker, with transformer, 18/-; Colvern Four K.B.L.C. K.G.C., 24/-; Lotus 4-gang condensers, new, shielded, and trimmers, 19/6; J.B. Nugang Four, 19/6; Ferranti trickle charger, 18/6.

LOTUS D.C. 3-valve Set, D.S.B., D.H., D.L., complete, £4 10; "Wireless World" Super Five, with 2v. tuning valves, perfect, £6 10; G.E.C. A.C. 4-valve set, without speaker, repolished, P.X.4 output, £8/5; Coscor A.C. 3-valve set without speaker, £4.5, all complete; Gram Music Magnet, £5/10.

RYALL'S S.T.400 Coils, 6/6; S.T.300, 6/6; Lewens and Wearite superhet. coils, 5/6 each; oscillators, 7/6.

VALVES, M.S.4, 7/6; M-4B, 9/-; A.C. S.G., 9/-; A.C./Pen., 12/-; A.C./P., 8/6; Marconi P.T.2, 8/6; D.S.B., 10/6; P.M.12, 7/6; A.C. 52, 11/6; A.C. 2 H.I., 8/6; P.650, 5/-; Mazda P.P.3, 425, 8/6. Coils: L.S.6 V., 10/-; U.S., 8/6.

RYALL'S Own Wire Wound Resistances, wound on vitreous tubes, wire ends, wattage rating doubled when well ventilated, accuracy plus or minus 2 per cent. in values: 250 1-watt, 300 1-watt, 350 1-watt, 500 1-watt, 510 3-watt, 540 3-watt, 715 1-watt, 750 2-watt, 800 1-watt, 1,200 1-watt, 4,000 2-watt, 5,000 5-watt; prices, 1-watt 1/-, 2-watt 1/3, 3-watt 1/6, 5-watt 1/9; guaranteed one year.

RYALL'S RADIO Offer Reliable Resistances, 1 watt, suitable for all "Wireless World" sets where a 1-watt resistance is specified in values 100, 1,000, 2,000, 5,000, 6,000, 10,000, 25,000, 50,000, 75,000, 150,000, 250,000, 20,000, all values stated in ohms, 6d. each, guaranteed one year, wire ends, new goods.

TCCC, 2,000 m.f. Electrolytic, 12v. working, 9/-; Polar Star 3-gang condensers, new, 16/-; with drive, 18/6; Radiophone 2-gang 0.0005, with cover and disc drive, new, 13/6.

R.I. Adjustable I.F. Chokes, 15 40h. at 200 m.a., 25/-; list 45/-; Marconi 6-1 transformers, ideal type, 5/-; Wavemaster S.M. 0.0005 extender, 6/6.

TCCC, 1 mfd., 400v. working, 1/9; Colvern T.C.S.C. coils, 5/-.

SPEAKERS, D.C.C. Amplion, 2,600 power or pentode, £14 6, new; Kolster-Brandes, new, 4v., I.R., 9/6.

SUITCASE Cabinets in Best Crossed Leather, 14x14x8, amble room for 12in. turntable and pick-up; 15/-, new.

EDISON BELL, 10,000, Eureka wire wound, with holders, 1/-; Edison Bell 0.0005 universal log all metal condensers, 1/6, new.

RYALL'S RADIO, 33, Chancery Lane, London, W.C.2 (nearest Tube Chancery Lane; bus 67 passes door, or tram to Savoy St.), Holborn 3529. Open Saturday afternoon. Close 7 p.m., Thursdays 1 o'clock.

R. [1937]

HOYNE'S Transformers and Chokes.

250 -0.250v. 60 m.a., 4v. 1.2a., C.T., 4v. 3-4a., C.T.; 10/-, post 9d.

350 -0.350v. 70 m.a., 4v. 2-3a., C.T., 4v. 3-4a., C.T.; 12/6, post 1/-.

350 -0.350v. 120 m.a., 4v. 2a., C.T., 4v. 4-6a., C.T., 4v. 2a., C.T.; 16/-, post 1/3.

450 -0.450v. 150 m.a., 4v. 2-4a., C.T., 4v. 2-6a., C.T., 4v. 2a., C.T.; 4v. 2a., C.T.; 25/-, post 1/3.

500 -0.500v. 140 m.a., 4v. 2-4a., C.T., 4v. 2-fa., C.T., 4v. 2a., C.T., 4v. 2a., C.T., or 6v. windings if preferred; 27/6, post 1/3.

WESTINGHOUSE Model 150, 200, 240v., 300 m.a., 4v. 2a., C.T., 4v. 2-6a., C.T., suitable for H.I.8, H.T.9, or H.T.10; 15/-, post 1/3.

LINE Transformers (auto wound), 0-100, 110, 200, 220, 240v., 60 watt, 7/9, post 1/-; 120 watt, 11/-, post 1/-; 180 watts 15/-, post 1/3.

CHOKES, 30h, 150 m.a., 12/-, post 1/-; 20h, 120 m.a., 8/6, post 9d.; 30h, 60 m.a., 6/-, post 6d.; 30h, 30 m.a., 3/6, post 6d.

HOYNE'S Transformers are Guaranteed for One Year; every model is made from British material of best quality.

HOYNE'S Transformers.—All primaries are tapped and screened, clamped in aluminium frames, and fitted with clearly marked terminal strips.

HOYNE'S Transformers for Reliability.

HOYNE'S for Best Condensers and Resistances.

HOYNE'S Stock M.C. Speakers.

M. J. HOYNE, Offices and Works, 8a, Gladstone Rd., Wimbledon, S.W.19. Phone: Liberty 3303. 1779

HEAYBERD Mains Transformer, 400-0 400, 7.5, £1; Rola F.E., 19/6.—Carpenter, 8, Seelton Rd., Wandstead, [1908]

PPM 29

Recognised the world over as the finest speaker in its class.



77/6 INCLUDING UNIVERSAL TRANSFORMER

The sensitivity of the P.P.M. 29 Speaker is greater than ever before attained. Its quality of reproduction and ability to handle tremendous volume are remarkable achievements. It employs an extra large Hyflex diaphragm and a massive magnet. Ask your local dealer to demonstrate. When you hear it you will appreciate the extraordinary life-like tonal quality and sensitivity of this Celestion Speaker.

Price including universal transformer - - 77/6

CELESTION
The Very Soul of Music

FOREMOST NAME IN SOUND REPRODUCTION

CELESTION Ltd., London Rd., Kingston-on-Thames
London Showrooms: 106, Victoria St., S.W.1

Components, etc., for Sale.—Contd.

NEWTN'S Offer Brand New Set Manufacturers' Surplus. Mains transformers, tapped and screened primary, I.T. windings, C.T., 500-0-500 at 120 m.a., 22/; 450-0-450 at 120 m.a., 21/; 350-0-350 at 120 m.a., 20/; above have I.T. windings, 4 volts 2.5 amps., 4 volts 5 amps., 4 volts 2 amps., W.W. Straight Five, 400-0-400 at 120 m.a., 4 volts 6 amps., 2 volts 3.5 amps., 4 volts 2 amps., 27/; W.W. Quality Amplifier, 400-0-400 at 120 m.a., 4 volts 3 amps., 4 volts 2 amps., 4 volts 1 amp., 24/; 350-0-350 at 60 m.a., 4 volts 2.5 amps., 4 volts 3 amps., 12/; 325-0-325 at 80 m.a., 4 volts 2.5 amps., 4 volts 4 amps., 12/; 250-0-250 at 60 m.a., 4 volts 1 amp., 4 volts 3 amps., 4 volts 1 amp., 12/; for Westinghouse rectifiers, H.T. 8, 200 volts at 200 m.a., 4 volts 3 amps., 12/6; another, with 4 volts 5 amps., 15/; for H.T. 9, 240 volts 200 m.a., 4 volts 4 amps., 14/; (designated for W.W. Baby Super) choke, 20 henry 120 m.a. (400 ohms), 9/6; 50 henry 60 m.a. (250 ohms), 8/6; 30 henry 60 m.a. (500 ohms), 6/6; 20 henry 30 m.a. (500 ohms), 5/6; condensers, 750 test, 1 mfd., 1 1/2 mfd., 1/9; 4 mfd., 2/6; 1,500 test, 1 mfd., 1/3; 2 mfd., 2/4; 4 mfd., 4/; multiple 1,500 ohms, 20 mfd., 4-4-2+2+2-2+1+1, 11/; 11 mfd., 4+2+2+2+1, 6/9; R.I. Paraflex transformers, 6/; these are not manufacturers' type, but retail shrouded model; Varley E.P.13 transformer, 250-0-250 at 60, 4 volts 1 amp., 9/; Philips I.T. transformer, 4 volts 5 amps., 10/; Atlas tapped pentode choke, 8/6; pick-up, B.T.H. latest, with volume control, 17/; variable condensers, H.M.V., 2-gang, 0.0005, semi screened, with trimmers, 6/6; J.B., 3-gang, fully screened, 0.0005, with trimmers drive, esutcheon plate, etc., 15/6; resistances and grid leaks, H.M.V. (1) 16,000, (2) 100,000, (2) 0.25 meg., (1) 1 meg., (1) 2 meg., sealed packets, 2/-; I.P.F. chokes, screened, 50/60 m.a., 100,000 microhenries, 1/- each, 11/- dozen; moving coil speakers (U.S.A.), manufacturers' type Rolas, 7/5, cone, 6 volts (8 ohms), 110-175 volts (2,000 ohms), 90-130 volts (2,500 ohms), 150-200 volts (4,700 ohms), 200-250 volts (5,500 ohms), 17/ each, complete with multi ratio transformer, P.M. 3, 3/2, cabinet steel, 25/-; A.C. 200-250, 50% dual compensated, any two curaised, 36/; any one curaised to I.P.M., 40/; valves, half-w. rectifiers, B.U.442 and U.12, 9/; M.P.P.4, 10/; P.K.N.4V., 10/; carriage pool on all articles over 5/-, c.o.d., or call—New's My-fair Radio, 31, George St., Hanover Sq., London, W.1. [1928]

MAINS RADIO Offer Guaranteed Set Manufacturers' Surplus, all carriage paid, or call. DUBBIER, 2mfd, 250 working, 1 6/; blocks, 8+2+2+2+4+1mfd, (1,000v. test), 6/6; 12mfd, electrolytic, 450v. working, 2/6. CLAUBER, LYONS, 0.0005, shrouded, 2-gang (with trimmers); 5/6.—Mains Radio Development Company, 4-6, Muswell Hill Rd., N.10. [1931]

MILDMAY RADIO EXCHANGE Offers the Following Sound and Perfect:— DIEMER, Aristocrat A.C. Induction Motors, complete, auto stop, listed £4/15, at 35/- each; Pallard A.C. induction motor, 45/.

WESTON Meters, 0-10 volt, 0-20 amps., 10/- type 566; 0-8 volt, 16/; 0-100 m.a., 22/6; type 301; Ferranti, 0-500 m.a., 17/; 0-100 m.a., 20/; 15-0-15 amps., 15/; 0-8 volt, 17/6; Jewel, 0-50 m.a., 20/; Heyheid, 0-150 m.a., 15/6; Hunts, 0-100 volts, 13/-.

FERRANTI A.P.6, 16/; A.P.5, 16/; O.P.M.1, 10/; O.P.M.2, 10/; O.P.M.2C, 12/6; A.F.3, 12/.

SIX-SIXTY A.C. Mains Chas-cikis, with valves, 65/-; Wireless World "Baby Super Hot, battery model, in special cabinet, with Bakers' P.M. speaker, £7 10/-; A.C. mains unit, 35/- extra.

CELESTION P.M. Speakers, type R.P.M.12B., listed at £11/11, 80/- each; Amplion A.B.18, Lin chassis, 35/-; ditto, A.B.14, 25/-; large selection B.A. speakers from 10/-.

MARCONI Latest Type Pick-ups, 27/6; old type, 25/- each; Celestion W.5, 25/-; Junior B.T.H., 14/- each. EKCO A.C.U. Mains Units, 60/- each; Radiophone 4 Gangs, with drive, 16/- each.

ALWAYS in Stock, largest selection A.C. mains sets and radiograms, also valves; write requirements.— 24, Mildmay Grove, London, N.1. [1935]

ROLA D.C. Speakers, model K, 2,500 ohm field, fitted with transformer for pentode valves, brand new and boxed, 16/; assorted valves, as new, for cellars only, at 3/- each, B.12, L.S.5, 227, 280, 281.

MULLARD P.M.24a, used for experimental purposes, 6/; utility 2-gang condensers, air spaced type, fitted with external trimmer for front section, brand new and boxed, 10/6.

UTILITY Mite Drum Dials, complete, with 0.0005 condenser, 2/6; mains transformer, 100-240 volts input, output 350-0-350 volts 100 m.a., 4 volts 4 amps., C.T., 4 volts 2-3 amps., 10/6; type No. 2, output 350-0-350 60 m.a., 4 volts 4 amps., C.T., 4 volts 2-3 amps., C.T., 10/-; both types brand new and unused; T.C.C. electrolytic condensers, 440 volts D.C. working, wet type, 8 mfd., 3/-, post 3d.

EPA American Base Mains Screened Grid Valves, type 62A, brand new and unused, 6/.

LEWIS Vacuum Grid Leaks and Condensers and Resistances, 3d. each, 2/- per dozen; 10,000, 15,000, and 25,000 ohms, 2 meg leaks, 0.0005 and 0.005 condensers.

CALL and See Our Numerous Selection of Bargains in Cabinets, job lines, and sets.—Satisfaction with every purchase at Modern Radio, 25, York Terrace, Clapham, S.W.4. [1966]

NEW Address.—Cine and Electrical Surplus Co., n.w. 288, New North Rd., N.1. [1928]

CHAL-ELECTRIC Special Offers of Brand New Surplus Goods, carriage paid, cash with order, or c.o.d., moving coil speakers, Rola's (U.S.A.) manufacturers' type power pentode transformer, 7/2 cone, 90-130 volts, 2,500 ohms; 200-250 volts res., 6,500 ohms, 16/9 each; A.C. models, 29/6.

CONDENSER Banks, 1,500 D.C. test, 20 mfd., 4+4+2+2+2+2+2+1+1, 10/9; 11 mfd., blocks, 4+2-2+2+1. 6/4; smoothing chokes, 20 henry, 120 m.a. (400 ohms), 9/3; 50 henry, 60 m.a. (500 ohms), 8/3; 30 henry, 60 m.a. (550 ohms), 7/9; 40 henry, 40 m.a. (650 ohms), 6/6; 20 henry, 30 m.a. (450 ohms), 5/9.

MAINS Transformers, screened primary, 12 months' guarantee, 500-0-500, 21/9; 450-0-450, 20/9; 350-0-350, 19/9; all above range 120 m.a., having I.T. windings C.T., 4v. 2.5a.; 4v. 5a.; 4v. 2a.; 250-0-250 at 60 m.a., 4v. 1a., 4v. 4a., 12/6.

ASK for Special Quotations to Any Specification.—Chal-Electric, 6, Conduit Street, London, W.1. [1863]

EVERYTHING for Movies and Talkies.—Phone, write or, better still, call and inspect immense stock of bargains.

L.LUSTRA ENTERPRISES, 159, Wardour St., London, W.1. Tel.: 6889 Gerrard. [1621]

SPECIFIED FOR THE "MODERN A.C. QUALITY AMPLIFIER"

Mains Transformer, type MGA. Standard Model ... Price 40/- Manufacturers' type ... Price 34/- Choke Type L34. Standard Model ... Price 15/- Manufacturers' type ... Price 13/- Prompt deliveries of these and other Savage instruments can be made. Send to-day for complete price and specification list No. WW20.

SAVAGE GUARANTEED MAINS EQUIPMENT W. BURNE SAVAGE 56 58, CLERKENWELL ROAD, E.C.1. Phone: Clerkenwell 3068 9.



BURNE-JONES "STENODE" These high quality instruments are now available as Radiogramophones and Radio Receivers. A fully descriptive brochure is now ready and free on application. BURNE-JONES & CO. LTD., "Magnum House," 296, BOROUGH HIGH ST., LONDON, S.E.1. Telephone:—Hop 6257 & 6258. Scottish Agent: Mr. ROSS WALLACE, 54, Gordon Street, Glasgow, C.1

Components, etc., for Sale.—Contd.

FERRANTI Transformers, A.F.5, A.F.5C, O.P.M.4(C); Patenco chokes, No. 3, No. 4, T.T.1, R.I. dual H.F. choke; Hydra condensers, 1mfd., T.C.C.S., 0.01ohms; Ferranti resistances and holders, wirewound, 60,000, 25,000, and 100,000 ohms; Varley power potentiometers, 100,000, 50,000 ohms; valve holders; 100ft. bank bronze wire; pair matched P.625 valves; above as new, not used; 50% list.

MULLARD P.M.13, P.M.4D.X. valves; several years "Wireless World"; offers—Box 6155, c/o The Wireless World. [1933]

MISCELLANEOUS.

EASY Payments.—We supply, by easy payments, components, accessories, and sets, any make; 10% down, balance spread over 11 months.—Send list of requirements to London Radio Supply Co., 11, Oat Lane, London, E.C.2. [0337]

ALEXANDER BLACK, WIRELESS Consultant (established 8 years)—Troublesome sets visited (London and Home Counties); no cure, no charge; all types of sets supplied, overhauled, repaired, rebuilt; bring or send your set for free quotation and suggestion; sets and amplifiers for dances, etc., on hire.—55, Ebury St., S.W.1. Sloane 1655. [0277]

ENGINEERS and Technical Workers of All Kinds.—A proper training by post in your spare time will take you through your right examination, then employment is waiting. Our advice on all careers free.—Dept. 92, The Bennett College, Ltd., Sheffield. [0595]

AMBITIOUS Men.—Quality for a well-paid post by studying at home with The T.I.G.B. Write to-day for "The Engineer's Guide to Success," 144 pages, free, which contains the widest selection of engineering and wireless courses in the world, and shows you how to become A.M.I.E.E., A.M.I.Mech.E., A.Rad.A., etc. State branch, post or qualification that interests you.—The Technological Institute of Great Britain, 82, Temple Bar House, London, E.C.4. (Founded 1917, 19,000 Successes.) [1750]

ADVERTISE with Handbill; 5,000 15/-; printing of every description; cartons and labels.—Hollier and Sons, Garratt Lane, S.W.18. [1952]

FINANCIAL PARTNERSHIPS.

PARTNERSHIP Offered.—Young man, with sound technical experience, capable designer, who can control small factory, by a manufacturer of high grade receivers; qualification £500.—Write, with full details of experience, Box 6119, c/o The Wireless World. [1890]

PATENT AGENTS.

PATENTS and Trade Marks, British and foreign.—Geo. and Co. (H. T. P. Gee, Member R.S.G.B. and A.M.I.E.E.), 51-52, Chancery Lane, London, W.C.2. Telephone: Holborn 1525. [0001]

KING'S PATENT AGENCY, Ltd., 146a, Queen Victoria St., London, E.C.4. Phone: Central 0682. 45 years' experience. Advice handbook free. [0381]

A. MATHISEN, B.Sc. (Elect. Eng.), specialist, patents for radio inventions, First Avenue House, High Holborn, London. [1832]

PATENTS.

THE Proprietor of Patent No. 383099, relating to concave permanent magnets for loud-speakers, is prepared to receive offers from manufacturers and others for exploitation of same on a royalty or part-licence basis.—Box 6162, c/o The Wireless World. [1922]

REPAIRS.

CONSULT Alexander Black about Set Repairs.—55, Ebury St., S.W.1. See advertisement Miscellaneous column. [0585]

REPAIRS to Loud-speakers, transformers and headphones, 4/- each; Blue Spots or Wulfa's, 5/-; head-eliminator, etc., quoted for; prompt service; satisfaction guaranteed; terms to trade.—Loud-Speaker Repair Works, 2, Shipka Rd., Balham London. Streatham 6613. [0394]

ANY Loud-speaker or Radio Receiver (American receivers particularly) Repaired or Reconditioned.—Radio Service Laboratories, 41, Southampton Rd., London, N.W.5. Gulliver 3669. [1071]

GUARANTEED Repairs by Experts; specialists for repairs to S.G. Brown and Amplion radio apparatus, also loud-speakers, headphones, pick-ups, Blue Spots, any type rewound, re-adjusted and adjusted, 4/-; post free; mains transformer repairs; terms to trade.—Howell, 91, Morley Hill, Enfield, Middlesex. [9716]

LOUD-SPEAKERS, headphones, any type, rewound and overhauled, 3/6; Blue Spots, 4/-; post free; 24 hours' service guaranteed; terms to trade.—Devon Radio and Loud-speaker Repair Dept., Salem St., Plymouth. [1910]

ANY Make of Loud-speaker, cone unit or pick-up, repaired and magnetised, 3/9; B.S., 4/-; special quotations for moving coil mains transformers and eliminator repairs; all work guaranteed.—F. H. Marshall, 9a, Burton St., Nottingham, Est. 1917. [1338]

HAVING Trouble with Your All Mains Set? Write, Hollier, 6, Bridford St., S.W.18. [1955]

EXCHANGE.

COSMIC RADIO SERVICE, 23, Water St., Liverpool, accept high class components and receivers for cash or in part exchange. No obsolete components, please. [1904]

WANTED.

NEW or Second-hand Wireless Parts Wanted for Cash, any amount, any condition; send yours, stating reasonable price; cash by return; top prices paid for 1932 parts; also meters, etc.; will call London districts.—Mildmay Radio Exchange, 24, Mildmay Grove, London, N.1. [1637]

SPOT Cash for Components, etc.—Economic Radio Co., 95-99, South Lambeth Rd., S.W.8. [1925]

PUBLIC Address Equipment, about 75 watt output, wanted; demonstration essential.—Fagin's, Ltd., 13, Union St., Alderhot. [1927]

WANTED, M.L. anode converter, 12 v. input, 250 v. 120 m.a. output; approval.—"Oikos," Mill Oak Rd., Portlady, Sussex. [1920]

Mention of "The Wireless World," when writing to advertisers, will ensure prompt attention.

NOW CONVERT YOUR SET TO A RADIOGRAM

YOUR SET FITS HERE



Convert your existing Set to a Radiogram. This beautiful WALNUT Cabinet comes to you with vignetted front as illustrated and motor board, ready to take your own Set, Gramophone Motor and Pick-up. Presents the professionally finished appearance of the most luxurious Radio-Gramophone money can buy. Takes panel 18" x 8". Baseboard, 14" Deep. Height, 54".

1933 WALNUT ADAPTAGRAM

Cash or C.O.D. **63/-** or 83 Deposits and 11 monthly payments of 5/-. Carriage Paid. Carriage and Packing 2/6 extra. Baffle Board 3/6 extra.

MODEL "A B"
With Garrard Double Spring Motor, B.T. H. Tone-Arm with Pick-up. Cash or C.O.D. **6 GNS.** or 12 monthly payments of 12/-. Carriage Paid.

MODEL "C"
With Gibson Electric Motor with Tone-Arm. Pick-up in one Unit. 12 in. Turntable. Cash or **7 GNS.** or 12 C.O.D. 12 monthly payments of 13/6. Carriage Paid.

GARRARD AUTOMATIC RECORD CHANGER MODEL

As illustrated, and fitted with Garrard Record Changer Unit, complete with Motor, Pick-up, Tone Arm, etc. Has a pack of eight 10" or 12" records. Cash or C.O.D. Carriage Paid **£13-13-0** or 25/- down and 11 monthly payments of 25/-. **25/-** DCWM

PETO-SCOTT CO. LTD. 77, City Road, London, E.C.1
Dear Sirs, Please send me CASH, C.O.D. or H.P.

1933 WALNUT ADAPTAGRAM

Model A 83/-
Model B 9 Guineas
Model C 7 Guineas
Model D 13 Guineas
Name
Address W.W.24/233

MADE IN OUR OWN FACTORY

"--- Like a fool, I bought dry batteries"

ANOTHER FRANK TESTIMONIAL TO RADIO'S GREATEST ECONOMY

Get the Free Booklet

"Like a fool, I bought dry batteries at 11/- each and had no less than three in six months. So I thought it was about time I got the old Standard Battery working."
B. W. H. (Gl. Yarmouth).

Straight from the shoulder comes this user's advice to you. Install the STANDARD PERMANENT H.T. BATTERY and you will save money. No man writes a testimonial like this without being sure. He knows that the STANDARD battery gives better current month after month, year after year, because it recharges itself when the set is shut down. A special adaption of the famous Leclanché principle, the STANDARD lasts indefinitely, because the eventual replacement is merely a matter of changing cartridges at 3/6 each. We sell direct and Guarantee your satisfaction. Write for our interesting Free Booklet. Write NOW and end once for all your wasteful H.T. expenses.

Model H.5

126 VOLT STANDARD BATTERY

No. 3 size. 84 cells, 12,500 milliamp capacity.

Cash Price **37/8** or delivered on 1st payment of **5/-**

STANDARD BATTERY CO., (Dept. W.W.),
184-188, Shaftesbury Avenue, London, W.C.2

Wanted.—Contd.

NEW Complete Kit for Modern Straight Five Eliminator, in exchange, new A.C. monodial eliminator and valves, completely wired, perfect, with cash difference, or sell £6.—Moyler, Queen St., Margate. [1945]

WANTED, all types of A.C., D.C., and battery valves; also A.C. and D.C. receivers, and any other components in quantities for spot cash.—Ward, 12, Tredegar Rd., Bow, E.3. [1939]

WANTED, various old valves, condition immaterial, for private collection.—Write C. F. Lagen, 16, Clements Rd., Ilford. [1965]

TUITION.

WIRELESS as a Career.—Whether you are engaged in the radio industry and wish to improve yourself, or if you wish to obtain employment in this profession, we can help you. Our students are engaged in responsible positions in the majority of the large wireless firms in England. Booklet describing Home Study Course, post free.—Northern Counties Wireless School, Preston. [372]

SITUATIONS VACANT.

If You Wish to Enter the Wireless Profession with a Thorough Training, or if you wish to improve your present position, you will need the certificate issued by Britain's leading wireless college. This is not a correspondence college. Apparatus of all leading makes installed for instructional purposes. Boarders accepted. Training fee can be paid after appointment. Prospectus free. Wireless College, Colwyn Bay. [3288]

AMBITIOUS Men should Apply for Free Particulars of Training or Appointments in Radio or Talkie Engineering; valuable introductions.—Radio Training Institute, St. John St., Newcastle-on-Tyne. [1907]

ADVERTISER with Charging Station capable of great development, wishes hear from young man with capital for investment and good position; must drive car; exp. wages and exp. available to North, c/o 35, Belmore Av., Hayes, Middlesex. [1913]

SITUATIONS WANTED.

DO You Want Skilled, Certified Service Engineers and Salesmen? Then consult the Principal, The Wireless College, Colwyn Bay. Phone: 2407. [3592]

RADIO Engineer, 30, 10 years' practical experience comprising laboratory, design, and departmental charge, previous comprehensive electrical, mechanical training, experienced modern superhets, requires post; conscientious and hard worker. Box 6154, c/o The Wireless World. [1932]

YOUNG Man, 21, first P.M.G., seeks post with service engineers; commence small wage.—Box 6161, c/o The Wireless World. [1966]

WANTED, employment by gentleman having extensive knowledge of accounts and secretarial work; good experience of radio trade. Box 6165, c/o The Wireless World. [1963]

A SET IS AS GOOD AS ITS COMPONENTS

You cannot hope to get best results unless your set is built with the most efficient and reliable components.

Ask for the BURTON Binocular H.F. Choke. Scientifically designed to avoid peaks and external magnetic field. Will cover a wave band of 50-3,000 metres. Sold by leading Radio Dealers. PRICE 5/-. Made by C. F. & H. BURTON, PROGRESS WORKS, WALSALL.

BUILD A BETTER SET WITH BURTON COMPONENTS

COLLARO

A complete self-contained unit comprising "32" model Induction Motor, suitable for 100-130 Volts and 200-250 Volts, 40-60 Cycles. (Can also be supplied for 25-40 and 60-100 Cycles.)

Automatic start and stop, combined with "Collaro" Pick-up; all that is required for the Gramophone side of a Radio-Gram.

The "Collaro" Pick-up can be used in conjunction with all receiving sets and amplifiers. The built-in wire wound Volume Control will show no signs of deterioration or crackling in use.

The Pick-up has a head and arm arid Bakelite mouldings and the general outline is designed to harmonise with the clean lines of the modern Radio-Gramophone.

Obtainable from all Radio Factors and Dealers.
COLLARO LIMITED.

Performance


B.S.R. guarantee excellence of workmanship and performance. Rigorously inspected and tested in every stage of manufacture, B.S.R. Products are without equal at any price.

WIRELESS WORLD states:—
"Design and Workmanship of Highest Standard..."

Insulation of an exceedingly high order... exceptionally good regulation."

Write for Lists and bear in mind that **NO BETTER TRANSFORMERS ARE MADE.**

BIRMINGHAM SOUND REPRODUCERS Ltd.
Claremont Works, Old Hill Sta'ts.
Phone: Cradley Heath 6370.
Grams: Electronic, Old Hill




CRESSALL RESISTANCES

"Cressall" Asbestos-Wire Woven Resistance Nets for voltage absorbing on D.C. Mains. Receivers. Mica-Wound Resistance Units. Sliding Resistances. Resistance Wires.

Please write for Lists.
CRESSALL MANUFACTURING COMPANY,
31-32, TOWER STREET, BIRMINGHAM.


FIRST-CLASS FIRMS dealing in RADIO and ELECTRICITY who are seeking representatives in Holland and her colonies for their products, are requested to write giving full particulars to Nr. 401, Adv. Bur. Belinfante en Co., de Perponcherstraat 100, The Hague, Holland.

COMBINED PICK-UP AND MOTOR UNIT



Starts automatically
Stops automatically
PRICE 76/-
WITH BUILT-IN VOLUME CONTROL **80/-**

THIS IS VITAL



TO THE SUCCESS OF Q.P.P.

Stress has been laid in this journal on the great importance of the special features of quiescent push-pull output. Among these vital features are the output transformer and speaker.

The heavy peak current produced when one valve is idle, with the resulting plate to plate load, demands a speaker the transformer of which is specially designed to meet this extra demand. In spite of this, the primary impedance must still be sufficiently high to make the fullest use of the receiver output.

The Goodman speaker for Q.P.P. worthily maintains the high reputation of the firm. The transformer design was only decided upon after exhaustive tests, and excellent results are being obtained in actual use.

Fit a Goodman Speaker and take full advantage of Q.P.P.


"REOWN" Chassis Model 32/6	General speaker literature (fully illustrated) FREE on request.	"DREADNOUGHT" Chassis Model (Complete with auxiliary baffle) 44/6	"DREADNOUGHT" Cabinet Speaker (Real walnut cabinet) 64/6
"REOWN" Cabinet Speaker (Real Walnut Cabinet) ... 47/-			

VISIT OUR STAND No. 53B at the B.I.F.

GOODMANS Scientific Speakers
69, St. John Street, London, E.C.1
Clerkenwell 3838-9

HIGHEST OUTPUT EFFICIENCY

—one of the many reasons for "Electro Dynamic" Supremacy!
Electro Dynamic ROTARY CONVERTERS



THE LEADING MACHINES ON THE MARKET

FREE FROM INTERFERENCE. SUBSTANTIALLY mounted in sound-proof cabinet and equipped with highly efficient filter unit, the Electro Dynamic Converter enables an A.C. Receiver or Radiogram to be run off D.C. with Guaranteed Reliable Service. WRITE for fully illustrated leaflets. **ELECTRO DYNAMIC CONSTRUCTION CO. LTD.** DEVONSHIRE GROVE, LONDON, S.E.15. Telephone: NEW Cross 4372 (4 lines.)

B.I.F. Stand No. 21L/4 Birm. Stand No. 54, London.

MAKE SURE OF YOUR COPY OF

The **Wireless World DIARY for 1933**

—the only diary published which is compiled by the Staff of *The Wireless World*. It contains 78 pages of facts, figures and explanations to which wireless amateurs make frequent reference.

Size 3 1/2 x 4 1/2 inches, 192 pages. Bound leather cloth, backloop with pencil, round corners and gilt edges.

PRICE 1/6 By Post 1/7

From all Booksellers, Stationers and Bookstalls or direct from the Publishers

LILFE & SONS LTD, DORSET HOUSE TUDOR STREET LONDON E.C.4

W.W.66

ENGINEERS

SIT DOWN AND THINK THIS OVER

THIS 200 PAGE BOOK ON SUCCESSFUL ENGINEERING CAREERS FREE

We believe that our 200-page handbook, "ENGINEERING OPPORTUNITIES," will show you the way to well-paid, permanent and progressive employment. In any case the handbook costs nothing, and it will at least show you various surprising possibilities about which at present you know nothing. Can you, can any man, who cares a hoot about his future, afford to allow this opportunity for a worth while job to pass unheeded? Think it over. Can you? We want you to read "ENGINEERING OPPORTUNITIES." Among other things it gives details of all recognised Examinations (A.M. Inst. C.E., A.M.I.Mech.E., I.E.E., G.P.O., etc.) outlines modern Home-study Courses in all branches of Civil, Mech., Elec., Motor, Radio, Aero and Tanks Engineering, and explains the unique advantages of our Employment Department. The book is quite free. Send a post-card for your copy NOW. We promise that it will be a moment of your time well spent. **BRITISH INSTITUTE OF ENGINEERING TECHNOLOGY**, 387, Shaftesbury House, 29-31, Oxford St., London, W.1.

SPECIFIED BY THE EXPERTS
First and Foremost for the **Wireless World Quiescent Push-Pull Two**

Ratio 9:1



Sound Sales has the honour of being specified in the First "Wireless World" circuit using a "Quiescent" Push-Pull Transformer. This intervalve transformer is multi-section wound, has special alloy core, high inductance and ample bass response. Full supplies are available. Price **15/-**


QUIESCENT PUSH-PULL OUTPUT CHOKES

Variable ratio, to enable you to use your existing moving-coil speaker with economy, and obtain the amazing results possible by means of this new development in L.F. amplification. Price **10/6**

Universal Transformers for the New "B" type amplification, now ready.

Write for full particulars of Sound Sales Range to:

SOUND SALES LTD. TREMLETTS GROVE WORKS. **12/6** COMPLETE WITH BATTERY POSTAGE 6D. **JUNCTION ROAD, N.19.** Telephone: Archway 1861-2.



FIT THIS ELECTRIC CLOCK TO YOUR SET!

NO MAINS NEEDED! KEEPS CORRECT TIME! NO WINDING!

Works off small battery lasting 12 months, or can be plugged into G.B. Battery without affecting reception. Uses practically no current. Fits into hole 3 1/2" dia. in any panel up to 1/2" thick. Easy to fix—no screws required. Only 1" from front of panel to back of case. Swiss movement. Hands set from front. Nickel plated bezel. Useful addition to any set. **RIVERSIDE MFG. CO., LTD.**, Dept. 20, Crisp Rd., Hammermith, W.6. Telephone: Riverside 6392. **12/6** COMPLETE WITH BATTERY POSTAGE 6D.

GODFREY RADIO LTD.

for De Luxe **SHORT WAVE APPARATUS COMPONENTS—SETS—CONVERTERS**
63-5-7, Chenies Mews, London, W.C.1. Museum 8134.

INDEX TO ADVERTISEMENTS.

Alton Battery Co., Ltd.	Inside Front Cover
Atwater Kent (Brittain, G. A., Ltd.)	Inside Front Cover
Baker's Selhurst Radio	4
Belling & Lee, Ltd.	6
Birmingham Sound Reproducers, Ltd.	9
British Institute of Eng. Technology	10
British Pix Co., Ltd.	v.
Bulgin, A. F., & Co., Ltd.	8
Burne-Jones & Co., Ltd. (Magnum)	8
Burton, C. F. & H.	6, 9
Celestion, Ltd.	4 & 7
Cole, E. K., Ltd.	Front Cover
Collaro, Ltd.	9
Colvern, Ltd.	Front Cover
Cossor, A. C., Ltd.	9
Cressall Manfg. Co.	9
Dubilier Condenser Co. (1925), Ltd.	Inside Back Cover

Eastick, J. J., & Sons	7
Edison Swan Electric Co., Ltd.	Inside Back Cover
Electradix Radios	10
Electro Dynamic Construction Co., Ltd.	10
Epoch Radio Manfg. Co., Ltd.	4
Gilbert, J. C.	4
Godfrey, F. E. (Radio), Ltd.	10
Goldmans	10
Gripso Co.	10
Heyherd, F. C., & Co.	4
Heys, Leonard	4
Igranite Electric Co., Ltd.	vi.
Majestic Electric Co., Ltd., The	2
Ormond Engineering Co., Ltd.	Back Cover
Parima Manfg. Co.	v.
Partridge, Wilson & Co.	v.

Pepper, Trevor (Seradex)	6
Peto-Scott Co., Ltd.	5 & 9
Postlethwaite Bros.	4
Reproducers & Amplifiers, Ltd.	6
Riverside Manufacturing Co., Ltd.	10
Ryalls Radio	4
Savage, W. Bryan	8
Scientific Supply Stores (Wireless), Ltd.	4
Scott Sessions & Co.	3
Sound Sales, Ltd.	10
Standard Battery Co.	9
Tannoy Products	3
Telegraph Condenser Co., Ltd.	Front Cover
Telsen Electric Co., Ltd.	Front Cover
Westinghouse Brake and Saxby Signal Co., Ltd.	1
Wilburn & Co.	1
Wilkins & Wright, Ltd.	1

Mention of "The Wireless World," when writing to advertisers, will ensure prompt attention.

ATHLONE

413 metres, 60 kW.; and CORK, 224.4 metres. —1.30 to 2.0 p.m., Time, Weather, Stock Report and Light Music on Gramophone Records. 6.0, Popular Music on Gramophone Records. 6.15, Programme for Children. 7.0, Variety Music on Gramophone Records. 7.20, News. 7.30, Time. 7.31, Gaelic Lesson. 7.45, German Lesson. 8.0, Concert by the No. 1 Army Band, conducted by Col. Fritz Brase. 9.0, Baritone Solos by John Lysnkey. 9.10, Sketch by Mary O'Lea and Company. 9.40, Baritone Solos by John Lysnkey. 9.50, Instrumental Solo. 10.5, Soprano Solos by Miss Cameron. 10.15, Instrumental Trio. 10.30, Time, News, Weather and Close Down.

BARCELONA

RADIO-BARCELONA, Call EAJI, 348.8 metres; 8 kW.—6.0 p.m., Trio Concert. 7.0, Request Gramophone Records. 7.30, Exchange Quotations, Talk on Hygiene, and Probable Relay from the Ayuntamiento. 8.0, Light Music on Gramophone Records and News. 9.0, Chimes from the Cathedral, Weather Forecast, Exchange Quotations, and Market Prices. 9.5, Concert by the Station Orchestra. 10.0, Reading of Poems. 10.15, Sextet Concert relayed from the Granja Royal. 11.0, News and Sextet Concert (cont'd.). 12.0 Midnight (approx.), Close Down.

BARI

269.8 metres; 20 kW.—7.0 p.m., Agricultural Notes, Tourist Talk, and Popolavoro Notes. 7.20, Giornale Radio and Weather. 7.30, Time Signal and Announcements. 7.35, Concert of Chamber Music, with Violin, Soprano, and Pianoforte Solos. In the interval, Reading. 9.30, Light Music on Gramophone Records. 9.55, News Bulletin.

BASLE.—See Schweizerischer Landessender.

BELGRADE

430.4 metres; 2.8 kW. 6.0 p.m., Talk. 6.30, Popular Music on Gramophone Records. 7.0, Quartet in D Minor for Two Violins, Viola, and Cello (Schubert). 7.40, A Radio Play. 8.10, Song Recital by Fran Lisa Popova, followed by Music by the Station Orchestra; Arias from La Boheme (Puccini); A Masked Ball (Verdi); Madame Butterfly (Puccini); Mignon (Thomas); and Zuluineer (Kistke); Overture, Der Freischütz (Weber); Overture, Der Preiselchitz (Mussorsky); Night on the Bare Mountain (Mussorsky); Baehonale from Samson and Delilah (Saint-Saëns). 9.10, News, followed by Gypsy Music from the Rudinca Restaurant.

BERLIN

KONIGS WUSTERHAUSEN, 1,635 metres; 60 kW. 12.45 p.m., News Bulletin. 1.0, Gramophone Concert of Classical Music from Berlin (Witzleben). 1.45, A Grimm's Fairy Tale for Young People. 2.30, Weather and Exchange. 2.45, Reading from Das Abenteuer (Karl Benno von Mechow). 3.0, Talk: The German Student Movement. 3.30, See Hamburg. 4.10, Talk: Modern Systems of Defence. 4.30, Talk: Reduction and Remission on Income Tax. 5.0, Violin Recital: Andalusian Romance and Jota Navarra (Sarasate); Scherzo Tarantella (Wieniawsky); Slav Dance (Dvorak); Danza delle Streghe (Paganini). 5.25, Topical Talk. 5.40, Technical Talk on Wireless. 5.55, Weather and Announcements. 6.0, French Lesson. 6.30, Poetry Reading. 6.35, Pictures from an Exhibition (Mussorsky), played by Claudio Arrau. 7.15, Schlegeler-Drama (Hans Johst). 8.45, Concert from Heilsberg. 9.15, Weather, News, and Sports Notes. 9.45, Weather Report for Shipping. 10.0, Serenade from Frankfurt. 11.0 (approx.), Close Down.

BERLIN

WITZLEBEN, 419.5 metres; 1.5 kW.—6.0 p.m., Talk: Eltz von Ribbenach, Minister of State. 6.10, Folk Songs. 6.40, Talk: The Nation and the Church. 7.10, Talk: Herr von Papen. 7.25, The Watchword. 7.30, Ash Wednesday.—Readings by Fried Kieling. 8.0, Ninth Symphony in D Minor (Anton Bruckner), by the Berlin Wireless Orchestra, conducted by Eugen Joachim. 9.5, Weather, News, and Sports Notes. 9.35, Wind Instrument Concert, relayed from London. 10.45 (approx.), Close Down.

BERNE.—See Schweizerischer Landessender.

BEROMUNSTER.—See Schweizerischer Landessender.

BODEN.—See Stockholm.

BODO.—See Oslo.

BORDEAUX-LAFAYETTE

364 metres; 13 kW.—7.55 p.m., Lottery Results. 8.0, Agricultural Talk. 8.15, News Bulletin and Weather Forecast. 8.50, Light Music on Gramophone Records. 9.0, Carnival Concert by the Station Symphony Orchestra. In the intervals: Popular Music on Gramophone Records.

BRATISLAVA

279 metres; 14 kW.—5.0 p.m., Hungarian Programme. Reading followed by a Smetana

WEDNESDAY

MARCH THE FIRST

PRINCIPAL EVENTS OF THE DAY:

AT HOME

- NATIONAL Recital of new gramophone records. Symphony concert from Bournemouth. St. David's day: A Welsh programme from West Regional, including Cyano-dorian speeches.
LONDON REGIONAL Ballad concert. Organ recital. Instrumental concert. Orchestral concert.
MIDLAND REGIONAL "Bellfounding": A talk by Mr. Denison Taylor, with a recital on the Loughborough War Memorial Carillon. Military Band programme. A Speech at the Annual Dinner of the British Electrical Development Association, from Queen's Hotel, Birmingham. A relay from the Theatre Royal, Roehdale. Rev. Leslie Weatherhead: "Individual Happiness in an Industrial World." Violin recital. Orchestral concert.
NORTH REGIONAL Orchestral concert from National Museum of Wales. St. David's Day programme. Speeches from the Annual Banquet of the London Welsh Celebration. Excerpts from the fifty-third Princess's Pantomime. Orchestral concert.
WEST REGIONAL Orchestral concert from Stranmillis.
SCOTTISH REGIONAL Orchestral concert.
BELFAST Orchestral concert from Stranmillis.
ABROAD
EIFFEL TOWER 8.20 p.m. Symphony concert, conducted by E. Flament.
HILVERSUM 7.55 p.m. Concert from Amsterdam.
PRAGUE 7.5 p.m. The Czech Philharmonic Orchestra.
RADIO PARIS 9 p.m. Lamoureux Concert from the Salle Gaveau.
STRASBOURG 8 p.m. Operetta: "Le Voyage en Chine" (F. Bazin).
WARSAW 7.15 p.m. Concert from the Conservatoire.

Concert: Czech Dances; Aria and Duet from The Barbered Bride. 6.0, See Prague. 9.15 (approx.), Close Down.

BREMEN.—See Hamburg.

BRESLAU

325 metres; 60 kW.; and GLEIWITZ, 253 metres.—12.10 p.m., Gramophone Concert. 12.45 p.m., Time, Weather, News, and Exchange. 1.5, Gramophone Concert. 1.45, Sponsored Programme with Gramophone Records. 2.10, Agricultural Prices. 3.0, Talk: Breslau History in her Street-Names. 3.30, Chopin Pianoforte Recital by Johannes Sammler: Etude in A Flat, Op. 25, No. 1; Nocturne in F Sharp, Op. 15, No. 2; Mazurka in F, Op. 7, No. 1; Prelude in B Flat, Op. 28, No. 21; Waltz in A Flat, Op. 42. 4.0, Reading of Animal Stories. 4.15, Talk: The Theft of Timber from Forests. 4.35, Market Prices. 4.40, Gesang des anselidchen Lebens Cantata for Pianoforte and Strings (Franz Kauf), by the Choir and Orchestra of the Gleiwitz Teachers' Choral Society, conducted by the Composer, with Introductory Talk by the Author of the Text. 5.25, Talk: Winter Sports in the Upper Silesian Mountains. 5.40, Talk: The Prevention of Gas-Poisoning in Mines. 6.5, Violin Recital by Willi Wunderlich: Concerto in F Sharp Minor (Ernst); Caprice and Romance (Kauf). 6.35, Weather Forecast. 6.40, Talk: Economic Depression and Vocational Training. 7.0, Speech by Reichskanzler Adolf Hitler, relayed from the Exhibition Grounds. 8.15, News. 8.25, Germany's Mystic Cathedrals an Educational Radio Play (Alfons Maria Hartel). 9.25, Time, Weather, News, Sports Notes and Programme Announcements. 9.45, Review of German Theatrical Events. 10.0, The Passion of Christ Recital by a Franciscan Choir; Passion Song (Greiter); Jesu Abschied von Maria; Schloffer aller Ding, König Christ; Quoniam die ac nocte (di Lasso); O vos omnes (da Vittoria); Geistlicher Maien. 10.30 (approx.), Close Down.

BRNO

342 metres; 35 kW.—5.25 p.m., German Transmission: News and Talks: (a) Films, (b) For Workers, (c) Modern School Administration. 6.0, See Prague. 9.15 (approx.), Close Down.

BRUSSELS (No. 1)

I.N.R., 509 metres; 15 kW.—12 Noon, Gramophone Concert. Selection from A Waltz Dream (O. Straus); Havanaise (Saint-Saëns); Cockney Suite (Keteley). 1.0 p.m., Journal Parlé. 1.10, Concert relayed from the Grand Hotel, Antwerp; Conductor, André Felleman. 5.0, Concert by the Radio Orchestra, conducted by Charles Walpot: March bohémienne (Philipp); Scene and Waltz from Gretra Green (Guiraud); Overture, Phédre (Massenet); Suite variée (Pierlé); Symphonic Poem, Le roset d'Om-

phale (Saint-Saëns); Extase (Ganne); Selection from Philémon et Baucis (Gonod). 6.0, Talk on Folk Lore. 6.15, Gramophone Concert: Quartet in F (Haydn); Extracts from Nuit persane (Saint-Saëns); Padoes (Debussy); Russian Airs (Wienawsky); Rhapsodie Limousine (Billant); Valse romantique (Debussy); Overture, La farce du enivier (Dupont); Scottish Pastoral, Op. 130, No. 2 (Sauger); Holy Week Procession from Sevilla (Tintina). 7.15, Protestant Address. 7.30, Medical Talk. 8.0, Concert by the Radio Orchestra, conducted by Charles Walpot: French Military March (Saint-Saëns); Waltz, Très jolie (Waldteufel); Overture, Maritima (Wallace); Song (Prings); Ballet Music from the Nut-Cracker Suite (Tchaikovsky). 8.45, Le mariage volutté-Sketch (Maurel Lefevre). 9.0, Orchestral Concert (cont'd.): Selection from Cavalleria Rusticana (Mascagni); Allegro from the Fourth Violin Concerto (Vieuxtemps); Oriental Suite (Popy); Polka for Two Trumpets, Merle et pinson (Raynaud); Selection from Dédé (Christine); Waltz, City of Love (Heymann); Foxrot with Vocal Chorus, Coughé dans le join (Mireille). 10.0, Journal Parlé. 10.10, Hot Jazz. 10.30, Gramophone Concert of Dance Music. 11.0 (approx.), Close Down.

BRUSSELS (No. 2)

N.I.R., 338.2 metres; 15 kW. Programme in Flemish.—12 Noon, Concert conducted by André Felleman, relayed from the Grand Hotel, Antwerp. 1.0 p.m., Le Journal Parlé. 1.10, Light Music on Gramophone Records. 5.0, Dance Music from the St. Saviour Palais de Danse. 6.15, Gaston Martens (radio from his own works. 6.30, Gramophone Concert: Entr'acte from Lakmé (Delibes); Alsatian Echoes (Rimsky); Rondo (Boccherini/Bazelaire); Quil volutté trascorere (Verdi); Selection from Aida (Verdi); Polonaise (Bach); Waltz in B (Mozart); Waltz in F (Mozart); Le Cygne (Saint-Saëns); Schön Rosmarin (Kreisler); Selection from The Tales of Hoffmann (Offenbach). 7.15, Religious Address. 7.30, Review of International Affairs. 8.0, Concert by the Station Symphony Orchestra, conducted by Desiré Defaux and a Mixed Vocal Quartet: Soloist, Rodolphe Suiron (Cello); Commemorative Overture (Vaa Roof); Poème pantastique (Hoedt); Rhapsodie Fantasia for Cello and Orchestra (Jongen); Symphonic Legend, Adma of Héval (Daneau); Waltzes for Vocal Quartet and Pianoforte Duet (Brahms); Symphonic classique (Prokofiev); Poème élégiaque for Cello and Orchestra (Schmitt); Triana (Albeniz). 9.45, The Ideal Night-Sketch (Seghers). 10.0, Le Journal Parlé. 10.10, Concert by Max Alexys and his Orchestra. 11.0 (approx.), Close Down.

BUCHAREST

394 metres; 12 kW.—4.0 p.m., Concert by the Station Orchestra: Liberty March (Bohmann); Overture, Le Maçon (Auber);

Selection from Lohengrin (Wagner); Glow-worm Idyll (Lincke). 5.0, News and Time Signal. 5.10, Talk. 5.25, Concert (cont'd.). Selection from Der Arlof (Graunhaedten); Romance (Schmalstich); Intermezzo, Bib and Bob (Démaret); The Bat (Kochmann). 6.0, Talk on Romania; Her Minerals. 6.40, Popular Music on Gramophone Records. 7.0, Time Signal. 7.1, 'Cello Recital by George Cocea. 7.30, Talk. 7.45, Pianoforte Recital by Mme. Ghita Selapira-Mendi: Sonata No. 9 in A (Mozart); Polonaise Fantasia, Op. 61 (Chopin). 8.15, Violin Recital by M. Filip: Sonata No. 2 (Ysaye); Chanson Louis XIII et Pavauc (Comperin-Kreisler); Andantino (Martini Kreisler); La Préience (Comperin-Kreisler); Prelude and Allegro (Pugnani-Kreisler). 8.45, News.

BUDAPEST

553 metres; 18.5 kW.—7.0 till Close Down programme also relayed on 840 metres.—4.0 p.m., Talk. 4.30, Song Recital by Clara Duhlen. 5.0, Dialogue. 5.30, Popular Music on Gramophone Records. 6.30, Talk. 7.0, Violin and Pianoforte Recital by Laszlo Szentgyörgyi and Anfor Földes; Sonata in E Minor, No. 17, for Pianoforte and Violin (Mozart); Sonata in C Sharp Minor, Op. 21, for Pianoforte and Violin (Dohnányi). 7.45, Announcements. 8.0, Concert by the Arpad Toll Gypsy Band. 9.10, Review of Foreign Politics. 9.25, Concert of Viennese Music by the Royal Opera House Orchestra.

CASSEL.—See Frankfurt.

COPENHAGEN

221 metres; 0.75 kW.; and KALUNDBORG, 1,153 metres; 7.5 kW.—11.45 a.m., Concert by the A. Bendix String Ensemble, relayed from the Wivex Restaurant. 1.0 to 2.0 p.m., Interval. 2.0, Gramophone Concert: Adele Kert; Aria from Don Giovanni (Mozart); Friedrich Schorr and Rudolf Laubenthal; Duet of Hans Sachs and Walter from The Mastersingers (Wagner); Chadiapi; Death and the Maiden (Schubert); Henri Marteau; Adagio pathétique (Godard-Martean); Sydney Rayner; Obstruction (Fontenailles); Gracie Fields; Looking on the Bright Side (Fynn); Harold Ramsay; The Voice in the Old Village Choir (Wood); The Three Ginx; My Baby just cares for me (Donaldson). 2.30, Concert of Danish Music by the Radio Orchestra, conducted by Lanny Grøndahl. March from Modern (Nielsen); Extracts from The Kiss (Enna); Two Danish Folk Melodies for Strings (arr. E. Reesen); Dina Polka (Lumbye); Prelude to Renaissance (Lange-Müller); Concert Polka for Two Violins (Lumbye); Andante for Strings (Glass); Bæpiper (L. Nielsen); Augusta Waltz (Hansen); Evensong for Strings and Harp (Hansen); Festival Polonaise (Nielsen). In the interval, Talk for Women. 4.40, Exchange and Fish Market Prices. 4.50, Talk. 5.20, French Lesson for Beginners. 5.50, Weather Forecast. 6.0, News. 6.15, Time Signal. 6.30, Agricultural Talk. 7.0, Chimes from the Town Hall. 7.0, Forhus or Baghus —Play in Four Acts (Schroder), after Hermann Sudermann. 9.0, News. 9.15, Concert of French Music, conducted by Emil Reesen. Overture, American (Cherubini); Allegretto Vivace and Allegro Vivacissimo from the Roma Suite (Bizet); Prelude and Chorus from Carmen (Bizet); Suite, Masques et Bergamasques (Fauré); French Military March from the Algerian Suite (Saint-Saëns). 10.0, Dance Music relayed from the Nimb Restaurant. In the interval at 11.0, Time and Chimes from the Town Hall. 11.30 (approx.), Close Down.

CORK.—See Athlone.

DANZIG.—See Heilsberg.

DRESDEN.—See Leipzig.

FECAMP

225.9 metres; 10 kW.—12 Noon, Light Music on Gramophone Records. 12.30 p.m., News Bulletin. 12.45, Variety Concert. 6.0 to 7.0, Programme in English by the I.B.C.; C. Hatters Walker, R. Chene, B. McNabb and W. Crofton Announcing. 6.0, Concert for Portsmouth and Southsea Listeners. Songs: (a) Onaway awake Beloved (Cowen), (b) Ho Jolly Jenkin (Sullivan), (c) Sinners and Saints (Geelid); Orchestra: Barcarolle from The Tales of Hoffmann (Offenbach); Songs: (a) Tick Tock, from The Toymaker of Nuremberg (Glass), (b) The Toymaker's Song, from The Toymaker of Nuremberg (Glass), (c) A Jovial Monk am I (Audran); Orchestra: The Wayside Shrine (Sherwood). 6.30, Concert for Isle of Wight Listeners: Old Timers (arr. Hall); Me and the Man in the Moon (Monaco); Amorette-tanze (Gungl); Russian Rhapsody (Nussbaum); Waltz from Der Rosenkavalier (R. Strauss); Musical Comedy Switch (arr. Hall). 7.0, Local News and Light Music on Gramophone Records. 7.50, Radio Gazette. 8.0, The Listeners' Half Hour and News. 8.30, Popular Concert. 9.0, Concert, relayed from Le Tréport. 10.0 till Close Down, Programme in English by the I.B.C. 10.0, Dance Music; Got a Date with an Angel; I'm happy when I'm hiking; Down Sunny-side Lane; Guilty; Hang out the Stars in Indiana; The Haunted House; Live, laugh and love; Belle of Barcelona; The Pied Piper of Hamelin; I'd rather be a Beggar with you; Say a little Prayer for me;

MARCH 1st

WEDNESDAY

continued

June time is Love time; A Selection of Miracle Melodies; Just Imagine; When it's sunset on the Nile; My Angel Mother. 11.0, Light Orchestral Music and Pianoforte Solos: The Cuckoo Waltz (Jonasson); Jubinnschka Potpourri (arr. Alexander); Pianoforte Solo: Whoopee Medley (Kahn); That Tiny Teaspoon (Raymond); The Toy-makers' Dream (Göhlen); Pianoforte Solos: (a) Monte Carlo Medley (Polun), (b) Magic Notes (Steininger); Argentina Amor (Blum). 11.30, Songs: Alone in the Train (Goulding); Eleanor (Hanley); Molly (Dougherty); Accordion Solo: Amette (Phillips); I don't wanna go home (Gilbert); Never swat a Fly (de Sylva); I've got a feeling (Nicholls); Accordion Solo: Marche joyeuse (Cuvellier). 12 Midnight, Variety Music: Corazon: My Baby just cares for me; Just a Crazy Song; Laughing Gas; Liza Lee; Keep a Song in your Soul; Todavia. 12.30 a.m. (Thursday), Songs: Take away the Moon; Wind in the Willows; You used to belong to me; On with the Show; Pretty Kitty Kelly; With a Song in my Heart; To-day, To-morrow, For ever. 1.0, Accordion Solos: Flor d'espagne (Vola); La Tourterelle (Damaré); Rosa (Vola); Restless Fingers (Cuvellier); Perdita (Cuvellier); Au revoir (Cuvellier); Tango de Pagnos (Cuvellier); Sobre las olas (Rosas). 1.30, Songs: Happy Days; Little Green Heaven; Inis Farrell; Happy Days and Lovely Nights; The Nautical March; A Mother's Kiss; By the Waters of Killarney; Considerin'. 2.0, Dance Music: Mad about the Boy; If you were only Mine; The Younger Generation; Bahama Mama; Moon; You're my Everything; Let's put out the Lights and go to sleep; Moonlight, the Danube and you; Sweet sixteen and never been kissed; Gettin' Sentimental; We just couldn't say goodbye; Sailing on the Robert E. Lee; Listen to the German Band; Too many Tears; A Great Big Bunch of you; We all wanna know why. 2.57, I.B.C. Good-night Melody. 3.0 (approx.), Close Down.

FLENSBURG.—See Hamburg.

FLORENCE.—See Turin.

FRANKFURT

259 metres, 17 kW.; and CASSEL, 245.9 metres; and TRIER, 259.3 metres.—5.25 p.m.—Talk: The Churches' Efforts towards Union. 5.50, Topical Talk. 6.15, Time, Programme Announcements. Weather and News. 6.20, Through Death to Life—an Ash Wednesday Meditation. Readings, Recitations and Organ Music. 7.0, Orchestral Concert. 8.0 to 9.10, See Stuttgart. 9.10, Time, News, Weather and Sports Notes. 9.35, Concert by the Station Orchestra, conducted by Reinhold Merten. Soloist: Fritz Griem (Pianoforte). Three Marches (Mozart); Pianoforte Concerto in B Flat (Beethoven); Overture No. 1 in D (Schubert); Orchestral Suite (Mendelssohn—arr. Andrae); Cornelius March, Op. 108 (Mendelssohn). 11.0 (approx.), Close Down.

FREDRIKSSTAD.—See Oslo.

FREIBURG.—See Stuttgart.

GENEVA.—See Radio-Suisse Romande.

GENOA.—See Turin.

GLEIWITZ.—See Breslau.

GOTEBORG.—See Stockholm.

GRAZ.—See Vienna.

HAMAR.—See Oslo.

HAMBURG

Call ha (in Morse). 372 metres; 1.5 kW. Relayed by Bremen, 269.8 metres; Flensburg, 227.4 metres; Hanover, 566 metres; and Kiel, 232.2 metres.—3.30 p.m. (from Flensburg), Concert by the Municipal Orchestra, conducted by Kurt Barth. Overture, Le Roi d'Yvetot (Adam); Scandinavian Suite, Op. 77 (Frederiksen); The Swan of Tuonela (Sibelius); Selection from Il Trovatore (Verdi); Hungarian Dances (Brahms). 4.30 (from Kiel), Talk: The Months of the Year in Folk Custom and Legend. 4.55, Variety Programme. 5.50, Exchange and Market Prices. 6.0, Dialogue between an Engineer and an Official of the Altona Chamber of Commerce. 6.25, Weather. 6.30, Recital of Weber's Songs to the Guitar. Hermann Munk (Songs) and Otto Ebel von Sosen (Pianoforte). Variations Op. 2. Songs: (a) Über die Berge mit Ungestirn, from Die Minnesänger. (b) sanftes Licht; Waltz dedicated to the Empress Marie Louise; Songs: (a) Lass mich schlummern, Herzlein schweige. (b) Liebeswund. (c) Abschied, Op. 4; Two Songs: (a) Liebeslied. (b) Abschied. 7.0, Ash Wednesday—a Fantastic Radio Sequence (Kurt Siemers). 8.0, News. 8.10, Die Johriade—Radio Play (Ehringer). 9.10, Time, Weather, News, Sports Notes, and Police Report. 9.20, Topical Talk. 9.30, Concert by the Station Chamber Orchestra, conducted by Gerhard Maass. Overture, Der Schauspielersleiter (Mozart); Scottish Dances (Beethoven); Hungarian March (Schubert); Intermezzo in F, No. 1 (Gál); Oriental Sketches (Mrazek); Prelude to Schirin und Gertraude (Graener); Three Pianoforte Pieces (Grieg): (a) Aus jungen Tagen. (b) Lied des Bauern. (c) Sommerabend; Polonaise (Dvorak); Serenade (Berg); Polka from The Bartered Bride (Smetana); Waltz from the Second Serenade (Volkman); Three Dances (Schulhoff); Duet and Polka from Rappel-

kopf (Blech); Waltz from As You Like It (Zieher); Bombardon-Marsch (Brüll). In an interval at 10.20, Ice Report.

HANOVER.—See Hamburg.

HEILSBURG

276.5 metres; 60 kW.; and DANZIG, 453.2 metres.—12.5 p.m., Concert by the Königsberg Opera House Orchestra, conducted by Ludwig Leschetzky. In the interval at 12.20 p.m., News. 1.30, Sponsored Programme with Gramophone Records. 2.0, Agricultural Prices and Exchange Rates. 2.20, Practical Hints. 2.30, Programme for Children. 3.0, Educational Talk. 3.30, Concert by the Small Station Orchestra, conducted by Eugen Wileken; Overture, Il Guarany (Comcz); The Rosary (Nevin); Narcissus (Nevin); Waltz, Nordseestürme (Döring); Suite Goliardica (Amadei); Selection from Madame Butterfly (Puccini); Canzonetta (Bocherini); Overture, Masaniello (Auber). 4.45, Psychological Talk: The Bringing-Up of Children. 5.15, Agricultural Prices. 5.20, Ice Report. 5.25, Concert by a Boy's Choir. 6.5, Bridge Lesson. 6.30, Dance Music by the Small Station Orchestra, conducted by Eugen Wileken and the Edmur Rande Band. In the interval at 7.0 (approx.), Weather and News. 8.15, Military Band Concert: Old and Modern German Marches, Richard Wagner Fanfare Overture, Fra Diavolo (Auber); Türkische Scharwache (Michaelis); Turkish March, Hareddin Barbarossa (Lange-Bey); Under the Star-Spangled Banner (Souza); Barataria March (Sullivan); Two Marches from German Sound Films: (a) Das ist die Liebe der Matrosen. (b) Wenn die Garde aufmarschiert; Husarenritt (Spindler); Two German Fanfare Marches: (a) Allezzeit marschbereit (Kirnse). (b) March of the Eighteenth Hussars; Potpourri of Old Prussian Marches, Amarsch der alten Wache. 9.15 (approx.), Weather, News and Sports Notes. 9.30, Opera Music on Gramophone Records. 11.0 (approx.), Close Down.

HILVERSUM

Announced HUIZEN; 296.1 metres; 20 kW. (7 kW. up to 4.40 p.m.).—Programme of the Christian Radio Society (N.C.R.V.). 10.40 a.m., Song Recital by Anne Marie Boezardt (Soprano). 11.40, Police Notes. 11.55, Instrumental Concert. Gramophone Records in the intervals. 1.40 p.m., Pianoforte Duets: Sonata in C (Mozart); Six Variations: Ich denke dein (Beethoven); Songs by Heinrich Schlianus (Baritone) on Gramophone Records: (a) Dank sei dir Herr (Händel). (b) Die Himmel rühmen (Beethoven); Four Ländler (Schubert); Marche caractéristique (Schubert); Movement from the Ninth Symphony (Beethoven), on Gramophone Records: Two Waltz Caprices, Op. 37 (Grieg). 2.40, Gramophone Concert: Part I, Marches: Wembley Military Tattoo; Martial Moments (arr. Winter); Florentine March (Frick). Part II, Variety Music: Lo! here the gentle Lark (Bi-hop-Godfrey); Selection from The Yeomen of the Guard (Sullivan); Gold and Silver (Lehár); España (Waldfenel); The Two Little Finches (Kling); Selection from The Huguenots (Meyerbeer). 3.40, Organ Recital. 4.25, Programme to be announced. 4.40, Programme for Children. 5.40, Talk. 6.10, Elementary English Lesson. 6.40, Talk arranged by the Department of Buildings and Roads. 7.10, Police Notes. 7.25, News. 7.40, Band Concert, conducted by Chr. Mengedahl: Homage March (Wagner); Spanish Dance from Boadill (Moszkowsky); Selection from Hamlet (Thomas); Male Voice Choir: (a) Tchuiz (Bonsel). (b) Abendfriede am Rhein (Neuman); African Suite (Lacôme); Andalusian Serenade (Ellenberg). 8.40, Talk: The Dutch Indies. 9.10, Concert (contd.): Overture, Das ist der Tag des Herrn (Lachner); Selection from Eugene Onegin (Tchaikovsky); Male Voice Choir: Die Almacht (Schubert); Overture, Alphons und Estrella (Schubert); Die Musik kommt (O. Strauss); Potpourri, Die Amazone (von Blon); March, Unter den Siegesbäumen (von Blon). 9.40 (in an interval), News Bulletin. 10.25, Gramophone Records of Classical Music. 11.10 (approx.), Close Down.

HORBY.—See Stockholm.

HUIZEN

Announced HILVERSUM, 1,875 metres; 8.5 kW.—Programme of the Workers' Radio Society (V.A.R.A.). 11.40 a.m., Concert by De Nofenkrakers, conducted by D. Wims; Selection from Gipsy Love (Lehár); Slav Dance (Dvorak); Czardas (Michiel); Hungarian Dance (Brahms); Polish Dance (Moszkowsky); Tango (Albeniz); Spanish Gipsy Dance (Marquina); Gramophone Records: Waltz, Dolores (Waldfenel); Melody (Ackermans); Gavotte (Gillet); The Student passes by (Hanez); Twilight (Bianco); Air (Berger); Gramophone Records: Waltz, Donauwellen (Dvanovici); Heinz-Hinrichs Wachtparade (Snoek); Czardas (Farré); In a Gipsy Camp (Oschelt). 1.25 p.m., Interval. 1.40, Programme for Women. 2.40, Programme for Children. 5.10, Concert of Variety Music.

7.0, Concert by the V.A.R.A. Balalaika Orchestra, conducted by J. Povariet; Potpourri (Povariet); Air (Bukline); Czardas (Povariet); March Komm, Zigeuner (Kalman); Russian Song. 7.30, Talk. 7.50, S.O.S. Messages. 7.55, Concert by a Mixed Choir and the Haarlem Orchestral Society, relayed from the Concertgebouw, Amsterdam; Conductor: A. Krelage, Jr.; Soloists: H. Nieland (Organ and Pianoforte), Mlle. Henrica (Soprano), M. Gobets (Tenor) and O. Cuperus (Bartitone); Cantata No. 140 (Bach); Cantata (Mozart); Fantasia for Choir, Op. 20 (Mozart). In the interval at 8.40, A Sketch (Pilar). 10.0, News. 10.10, Concert by the Little V.A.R.A. Orchestra, conducted by P. Duclant; Venice (Fabiani); Zingara (Chaminade); Spring Suite (Nevin); Waltz, Dorf-schwaben aus Oesterreich (Jos. Strauss); Serenade (Widor); Träume (Wagner); Polish Dance (Scherwenka). Lass mich einmal deine Carmen sein (Holländer); Gramophone Records: Selection from The Merry Widow (Lehár); Potpourri of Viennese Melodies (Leopold). 11.40 (approx.), Close Down.

INNSBRUCK.—See Vienna.

KALUNDBORG.—See Copenhagen.

KIEL.—See Hamburg.

KLAGENFURT.—See Vienna.

KOSICE.—See Prague.

LANGENBERG

473 metres; 60 kW.—12 Noon, Concert, conducted by Wolf. Mus-inan-Marsch (Garel); Waltz, Saint and Seide (Zieher); Overture, Des Wanders Ziel (Suppe); Little Spanish Suite; Selection from Lucia di Lammermoor (Donizetti); Furiant and Bohemian Polka from Schwanda the Piper (Weinberger); Waltz and Song from The Little Dutch Girl (Kalman); Potpourri, Lehariana (Geiger). 1.0 p.m. (in an interval), News. 1.30, Sponsored Programme with Gramophone Records. 2.30, Exchange and Time Signal. 2.50, Fairy Tales for Children. 3.20, Review of New English Novels and Narratives. 3.40, Talk: Wireless in the Schools of Today. 4.0, Concert from Stuttgart. 5.20, Talk: The Plant World—Have Plants Souls? 5.45, Weather, Time, Exchange, and Sports Notes. 6.0, Talk on Social Politics: Care of Disabled Soldiers. 6.20, Talk: Health before Everything—How can I keep healthy at work? 6.35, Talk: Zante, one of the Ionian Islands. 6.55, First General News. 7.0, Ash Wednesday Concert by the Station Orchestra, conducted by Ru-chkötter. Soloist: Adrian Aeschbacher (Pianoforte); Hamlet Overture (Woytsehl); Romantic Suite (Reger). 7.40, The Mariouette Theatre (Heinrich von Kleist). 8.5, Concert (contd.): Pianoforte Concerto in A Minor (Schumann); Tone Poem, Macbeth, Op. 24 (R. Strauss). 9.5, News and Sports Notes. 9.30, Sacred Concert for Ash Wednesday. The Münster Choir, directed by Werner. Soloist: Albert Rinken (Organ); Organ Improvisations: Dies irae for Four-Part Mixed Choir (Neke); Talk; Organ Solo: Tu aut, tu aut, o Sinderherz! (Weber); Choral Piece for Four-Part Mixed Choir: Hymn, De Sancta Maria Magdalena (Frick); Address by Father Hirsch; Choral Motet for Five-part mixed choir: Christ, Gottes and Marien Sohn (Meyerker); Organ Solo: Toccata (Schroeder); Kyrie from the Trinitatis-Missa (Rheinberger); Chimes. 10.30 (approx.), Concert from Frankfurt. 11.0 (approx.), Close Down.

LAUSANNE.—See Radio-Suisse Romande.

LEIPZIG

369.6 metres; 120 kW.; and DRESDEN, 319 metres.—11.5 a.m., Concert by the Dresden Philharmonic Orchestra, conducted by Walter Ambrust; Symphony Suite, Op. 17 (Nicodé); Pieces for Chamber Orchestra, Op. 63 (Theodor Blumner); Habanera in D (Chabrier); March from Der Fremdenreiser (Eysler); Selection from Der Opernball (Heuberger); Waltz on Themes from The Bird-Fancier (Zeller); Shadow Dance and Intermezzo from The Maid of the Black Forest (Gjessel); Selection from The Count of Luxembourg (Lehár); March from Der Gasconner (Suppe); Gallop, Auf der Rennbahn (Lücke). In the interval at 12 Noon, Time and News; Exchange Quotations after the Concert. 1.0 p.m., Advice for the Unemployed. 2.0, Three Fairy Tales, translated from the Japanese and Chinese. 2.35, Exchange and Market Prices. 3.0, Musical and Literary Programme for Children. 4.50, Exchange Quotations, Weather, and Time. 5.10, Review of English Novels. 5.35, Italian Lesson. 5.55, Programme to be announced. 6.5, Talk: Specialisation in Trades as a Foundation of Modern Industrial Conditions. 6.30, Humorous Readings (Georg von der Gabelentz). 7.0, The Gipsy Princess—Opera in Three Acts (Kalman), relayed from the New Theatre. In the interval at 8.0 (approx.), Topical Talk; at 8.10, News; and at 9.5 (approx.), Second News. 10.0, Dance Music and Popular Music on Gramophone Records. 11.0 (approx.), Close Down.

LINZ.—See Vienna.

LJUBLJANA

574.7 metres; 2.5 kW.—5.30 p.m., Programme in English by the I.B.C. Orchestral and Vocal Concert: Selection from Rigoletto (Verdi). Songs: (a) The Blue Danube (Johann Strauss), (b) Berceuse de Jocelyne (Gardar), (c) Il Bacio (Arditi), and (d) Ave Maria; Selection from The Gipsy Princess (Kalman). 5.30, Light Music on Gramophone Records. 6.0, Russian Lesson. 6.30, Literary Talk. 7.0, Benjamin Ipatiev (concert, with Introductory Talk. 8.15, Relay from the Caré Zvezda. 9.0, Time, News and Popular Music on Gramophone Records.

LYONS

LA DOUA, 465.8 metres; 1.5 kW.—7.30 p.m., Radio Gazette for Lyons and the South-East. 8.30, Educational Talk. 8.45, Terre inhumaine Play in Three Acts (François de Curel). After the Programme, News Bulletin.

MADRID

ARANJUEZ, EAQ, 30.43 metres; 20 kW.—10.30 p.m., Variety Concert. 10.45, Radio Chronicle. 11.0, Variety Concert (contd.). 11.35, Talk. 11.40, Light Music. 12 Midnight (approx.), Close Down.

MADRID

UNION RADIO, Cali EA47, 424.3 metres; 2 kW.—7.0 p.m., Chimes, Exchange, Literary Talk and Request Gramophone Records. In the interval at 7.30, Agricultural Talk. 8.15, News Bulletin and Political Review. 8.30 to 9.30, Interval. 9.30, Chimes, Time and Political Review. 9.45, Song Recital by Antonio Piatoste; Songs from Robert le Diable (Meyerbeer); Maruxa (Vives); Salvador Rosa (Gomes); La rosa del azafraán (Guerrero); and Simone Boccanegra (Verdi). 10.0, Play submitted in connection with the Radio Play Competition. 11.45, News Bulletin. 12 Midnight, Chimes and Close Down.

MALMO.—See Stockholm.

MILAN.—See Turin.

MORAVSKA-OSTRAVA

263.8 metres; 11 kW.—5.25 p.m., Zither Solos by F. Wagner. 6.0 till Close Down. See Prague. 9.15 (approx.), Close Down.

MOSCOW

TRADES UNION, 1,304 metres; 100 kW.—4.30 p.m., Literary Programme. 5.30, Concert from the Conservatoire. 8.0, Talk in English: Social Insurance.

MOTALA.—See Stockholm.

MUHLACKER.—See Stuttgart.

MUNICH

533 metres; 60 kW. Relayed by Augsburg and Kaiserslautern. 560 metres; and Nürnberg, 239 metres.—4.0 p.m., Concert from Stuttgart. 5.15, Italian Lesson. 5.35, A Talk with a Welfare Worker. 5.55, Time, Weather and Market Prices. 6.55, Richard Wagner as a Composer of Pianoforte Music; Illustrations by Otto Daube from the Sonata in B Flat, the Fantasia in F Sharp Minor, Sonata in A, and the Wesendonck-Album Sonata. 6.45, Talk: A Journey through Lower Bavaria. 7.5, Recital of Bavarian Church Cantatas. 8.5, Talk: What the Far East thinks of Germany. 8.25, Chamber Music by the Szanto Quartet; String Quartet in C for two Violins, Viola, and Cello, Op. 51, No. 2 (Haydn); String Quartet in B Flat, Op. 67 (Brahms). 9.20, Time, Weather, News and Sports Notes.

NAPLES.—See Rome.

NOTODDEN.—See Oslo.

OSLO

1,083 metres; 60 kW. Relayed by Fredriksstad, 365.8 metres; Hamar, 574.7 metres; Notodden, 447.1 metres; Porsgrund, 453.2 metres; and Rjukan, 447.1 metres.—4.0 p.m., Orchestral Concert, conducted by Hans Bache; Overture, Anaerion (Chernobin); Posther-Walzer (Lammer); Selection from Faust (Gounod); Kol Nidrei (Bruch); Serenade (Grünfeld); Russian Mazurka (Glinka). 5.0, French Lesson. 5.30, Programme for Girls. 6.0, Announcements, Weather and News. 6.30, Educational Talk. 7.0, Time. 7.1, Concert by the Station Orchestra, conducted by Hugo Kraum; Persian March (Joh. Strauss); Overture, Orpheus in the Underworld (Offenbach); Waltz, The Wedding of the Winds (Hall); Selection from The Merry Wives of Windsor (Nicolaï); Clog Dance from Czar and Carpenter (Lortzing); Ideale (Tosti); Czardas, Ilonka (Michaelis); Ballsirenen (Lehár); March Potpourri, Risi, Bisi (Morena). 8.10, Talk. 8.30, Agricultural Prices. 8.40, Weather and News. 9.0, Topical Talk. 9.15, Recitations. 9.45, Dance Music on Gramophone Records. 11.0 (approx.), Close Down.

OSTERSUND.—See Stockholm.

PALERMO

542 metres; 3 kW.—7.0 p.m., Dopolavoro Notes, Tourist Report, Agricultural Notes, and Giornale Radio. 7.20, Popular Music on Gramophone Records. In an interval at 7.30, Time and Announcements. 7.45, Orchestral Concert. Soloists: Salvatore Pollicino (Tenor) and S. De Lisi (Soprano). Overture

MARCH 1st

WEDNESDAY

continued

(Ruman). Tenor Solos: (a) Aria from Act III of A Masked Ball (Verdi). (b) Song, L'attesa (Bettinelli); Ballet (Debussy); Three Songs for Soprano and String Quartet (Pizzetti); Nocturne (Maurice); Tenor Solos: (c) Gia il sole del Gange (Scazzati), (d) Russian Song, Sonia (Tronchi); I piccoli solisti (Piek-Mangiagalli). In the interval, Confessions before the Microphone by M. Toccanti. 9.0, Song Recital. 9.55, News.

PARIS

EIFFEL TOWER; Call FLE; 1,445.7 metres; 13 kW. Time Signals (on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and 6-dot Signals). 5.45 p.m., Le Journal Parle. 7.0, Weather Report. 7.30, Programme for Young People. 8.0, Talk on Science. 8.15, News Bulletin. 8.20, Concert, conducted by Edouard Flament: Selection from Die Teresina (O. Strauss); Berceuse fantastique (Cellier); Violin Solo from Pagani (Lohrer); Waltz, Frühlingstimmen (Joh. Strauss). 9.0 (approx.), Close Down.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW. 6.45, Journal Parle. 7.0, Gramophone Concert of Light Music. 8.0, Tourist Talk. 8.15, Interval. 8.30, Dramatic Programme. 10.30, News.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW. 6.45 a.m., Physical Culture. 7.30, Weather and Physical Culture (contd.). 7.45, Le Festin de Faragunde (Roussel), on Gramophone Records. 8.0, Press Review and Weather. 12 Noon, Talk: Education and Sport. 12.15 p.m., Concert by the Radio Paris Orchestra: Selection from La Belle Helene (Offenbach). 12.30, Organ Recital from the Gammont Palace. 1.50, Exchange, News and Weather. 1.55, Orchestral Concert (contd.): Selection from The Girl in the Taxi (Gilbert); Selection from Le Petit Faust (Hervé); Selection from The Grenadiers (Valente); Selection from Pepita Jimenez (Albéniz); Selection from Francos los Bas Blancs (Bernard-Messager). In the interval, at 1.30, Exchange. 2.0, Exchange. 6.10, Agricultural Talk. 6.30, Market Prices, Weather, Agricultural Report, and Exchange. 6.40, German Lesson. 7.0, Medical Talk. 7.20, Concert: Intramuzo-Gavotte (Helmholtz); Joyous Ronde (Coates); Un autre baiser (Rinaldi); Gavotte (Lincke). 7.50, Commercial Prices and News. 8.0, Literary Readings: Histories naturelles (Jules Renard). 8.30, News and Weather. 8.40, Fashion Review by Mlle. José. 8.45, Gramophone Records: Cello Solos, (a) Epique (Beethoven), (b) Die Biene (Schubert); Songs (Hahn); (c) Infidélité, (d) D'une Prison. 9.0, Concert by the Lamoureux Concert Society, conducted by Albert Wolff, relayed from the Salle Gaveau: Solists, Rosette Anday and M. Hazart (Songs), and Nicole Rollet and Yvonne Saint (Piano forte); Overture, Tannhäuser (Wagner); Songs (Wagner). (a) Aria from The Ringelied, (b) Scherzen, (c) Träume; Concerto for Two Piano-fortes (Mozart); Songs (Wagner). (a) Aria from The Twilight of the Gods, (b) Adriano's Aria from Ruzki; Selection from Promethée (Faure); Requiem (Faure), by the Paris Teachers' Choral Society, conducted by Roger Ducasse.

PITTSBURGH

WESTINGHOUSE ELECTRIC, KDKA, 306 metres; 25 kW. Relayed by W8XK on 48.86 metres and 25.27 metres.—9.0 p.m., Work-a-day Thoughts. 9.5, Business News. 9.15, Programme to be announced. 9.30, Weather Report. 9.32, Market Reports. 9.45, Piano-forte Interlude. 9.50, David Lawrence Dispatch. 9.55, KDKA Artist Bulletin. 9.58, Programme Announcements. 10.0, Westinghouse Chef. 10.15, Programme to be announced. 10.30, The Singing Lady. 10.45, Little Orphan Annie, from New York. 11.0, Booth Tarkington's Maude and Cousin Bill, from New York. 11.15, Time Signal. 11.16, Weather Report. 11.17, Teaberry Sport Review. 11.22, Press News Reel. 11.27, Strange Facts. 11.29, Temperature Report. 11.30, Short Romance. 11.45, Today's News by Lowell Thomas, from New York. 12 Midnight, Amos 'n' Andy, from New York. 12.15 a.m. (Thursday), Programme to be announced. 12.30 to 3.15, New York Relay. 12.30, Five Star Theatre—Dramatisation of Short Stories. 1.0, Eno Crime Club. 1.30, Time Signal and Harriett Lee and her Leaders. 1.45, The Country Doctor. 2.0, Adventures of Sherlock Holmes. 2.30, Woodbury Programme with Morton Downey and Donald Novis. 3.0, D. W. Griffith's Hollywood. 3.15, Bridge School of the Air by E. Hall Downes. 3.30, Around the Cracker Barrel. 3.45, Bradley Kinead. 4.0, Time Signal. 4.1, Teaberry Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.13, KDKA Artist Bulletin. 4.15, Press Last Minute News Flash. 4.20, Smith Ballou and his Orchestra. 5.0, College Inn Orchestra, from New York. 5.30, Time Signal and Good-night.

PORSGRUND.—See Oslo.

PRAGUE

488.6 metres; 120 kW.—3.10 p.m., Concert by the Station Orchestra, conducted by Karel

Anceri: Overture, Vanda (Dvorák); Two Pieces from the Slovak Suite, Op. 32 (Novák); Waltz from Eva (Focorster); Ballet Music from Rosamund (Schubert); Waltz, Tales from The Vienna Woods (Joh. Strauss). 4.0, Talk. 4.10, Marionette Play. 5.5, Agricultural Report. 5.15, Talk for Workers. 5.25, News in German. 5.30, German Transmission: Programme for Children and Talk for Workers. 6.0, Chimes from the Church of St. Ludmila at Kralovske-Vimohrady. 6.1, News. 6.10, The Funeral of Baerbus Carnival Programme from an Old Prague Brewery, arranged by Jan Vrabsky. 6.55, Talk on the following Transmission. 7.5, Concert by the Czech Philharmonic Orchestra, conducted by Karel Nedbal, relayed from the Smetana Hall: Divertissement (Mozart); Prelude à l'opéra-musical d'un faune (Debussy); Symphony in C Minor, Op. 27, Astal (Suk). In the interval at 8.0, Time Signal. 9.0, Time Signal. 9.1, News. 9.15 (approx.), Close Down.

RADIO-SUISSE ROMANDE

SOTTENS; 403 metres; 25 kW.; LAUSANNE, 660 metres; and GENEVA, 760 metres.—6.0 p.m. (from Lausanne), Weather, News and Announcements. 6.30 (from Lausanne), Agricultural Talk. 7.0 (from Neuchâtel), Programme for the Anniversary of Neuchâtel's Independence. The Neuchâtel Choir and the Orpheon Small Choir, conducted by Joseph Bricola. Solists: Mlle. Madeleine Marthe (Soprano), Chanson du sol natal (Jacques-Dalcroze); Mixed Choir: Neuchâtel Anthem; Address by M. Ernest Bégin; Mixed Choir: (a) Air de la Diane (Lambert), (b) Souvenir lointain (Schneeberger), (c) Appel de la montagne (Beumer); Talk by Arthur Piaget; St. Guillaume, Patron Saint of Neuchâtel; Male Voice Choir: Ta mere (Bovet); Soprano Solo: Chanson du Jaseau de la reine Berthe (Lambert); Petite Sylvie for Mixed Choir and Soprano (Lambert). 8.0, Concert by a String Orchestra. 8.40 (from Geneva), Talk: The Work of the League of Nations. 9.0, News and Weather. 9.10 (from Geneva), Dance Music. 10.0 (approx.), Close Down.

RJUKAN.—See Oslo.

ROME

Call 1RO, 441 metres; 50 kW. Relayed by Naples, 319 metres; and 2RO, 25.4 metres.—7.0 a.m., Gymnastics. 7.15 to 7.30, Giornale Radio and Announcements. 11.30, Weather and Gramophone Records of Popular Music. 12 Noon, Time and Announcements. 12.2 to 1.15 p.m., Orchestral Concert: March (Rohrer); Song (Nicholls); Slav Dance (Dvorak); Song (Robin); Selection from Si (Mascagni); Piano-forte Solo: Sing you Sinners (Hartung); Angelus (de Micheli); Piano-forte Solo: Fextrot, Connie Loutano (Malatesta); With all my Love and Kisses (Noble); Barcellonita (d'Anzi). In the interval from 12.30 to 12.45, Giornale Radio and Exchange. 3.45, Children's Radio Review. 4.10, Announcements. 4.15, Exchange and Giornale Radio. 4.30 to 5.30, Vocal and Instrumental Concert. Solists: Cesarina Bonerba (Piano-forte), Maria Sans (Soprano), Anita Ribicova (Soprano). Four Parts for Piano-forte (Machowald): (a) The Eagle, (b) Moon Pictures, (c) Winter, (d) The Brook. Soprano Aria from Falstaff (Verdi). Duet from Lakmé (Delibes). Piano-forte Solo: (a) Tempo di minueto (Zanella), (b) Polchinese (Rachmaninov). Duet: (a) Duet from Figaro (Mozart), (b) Duet from Le Cid (Massenet). 6.10 (Naples), Slipping and sports Notes. 6.15, Agricultural Report and Dopolavoro Notes. 6.20, Giornale Radio. 7.0, Time, Announcements, and Light Music on Gramophone Records. 7.15, Medical Talk. 7.30, Sports Notes and Tourist Report. 7.45, Relay from a Theatre. In the intervals, Theatrical Talk, Reading of Poems, and News.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY (WGY), 379.5 metres; 50 kW. Relayed at intervals by W2XF on 31.48 metres, and by W2XAD on 19.56 metres.—7.30 p.m. to 12.15 a.m. (Thursday), New York Relay. 7.30, Westminster Choir. 8.0, Two Seats in the Balcony. 12.0 Midnight, Mische Weisbord (Violinist). 12.15 a.m., Stock Reports. 12.30 to 2.0, New York Relay. 12.30, Van and Don. 12.45, The Goldbergs, Comedy sketch. 1.0, Royal Yagabonds with Ken Murray. 1.30, The Shadow, Mystery Drama. 2.0, Uric Club Programme. 2.15, Three Shades of Blue, Male Trio. 2.30, Supper Club Orchestra and Programme Resumé.

SCHWEIZERISCHER LANDESENDER

BEROMUNSTER, 459 metres; 60 kW.; BASEL, 244.1 metres; and BERNE, 245.9 metres.—11.28 a.m., Time Signal from Neuchâtel Observatory. 11.30, Weather and News. 11.40, Russian Music on Gramophone Records. 12.35 p.m., Weather and Exchange. 12.45 to 2.30, Interval. 2.30, Concert by the

Little Radio Orchestra. 3.0 (from Zürich), Programme for Children. 4.15, Light Music on Gramophone Records. 4.30, Weather. 4.35 to 5.30, Interval. 5.30 (from Zürich), Talk: Ash Wednesday Customs in East Switzerland. 6.0, Time, Weather, and Market Prices. 6.15 (from Zürich), Elementary English Lesson. 6.45 (from Zürich), Austrian Concert by the Radio Orchestra, conducted by Hermann Hofmann. 8.30, Weather and News. 8.40, Concert by the Radio Orchestra. 9.15 (approx.), Close Down.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SASA, 436 metres; 35 kW. Relayed by Boden, 1,229.5 metres; Göteborg, 322 metres; Hörby, 257 metres; Motala, 1,348 metres; Östersund, 770 metres; and Sundsvall, 542 metres.—4.5 p.m., Folk Music. 4.30, Popular Music on Gramophone Records. 5.30, Microphone Report from an Iron Mine, relayed from Malmerget (436 metres). 6.15, Weather and News. 6.30, Song, Violin and Piano-forte Recital by Rut Bissmark, Ernst Tömmist, John Hydén and Algot Hagminius. 7.10, Wireless Technical Talk. 7.30, Talk: Anecdotes about Famous Musicians. 8.0 (from Göteborg), Concert by the Göteborg Orchestral Society, conducted by Johan Månén and Tor Mann: Overture, Abu Cassim's Slippers (Mousses); Spanish Dance (de Grieg); Symphony Poem after Calderon (Månén). 8.45, Weather and News. 9.0, Dance Music by the Enders Orchestra, relayed from the Bern Hall. 10.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW.—11.30 a.m., Gramophone Concert: Selection from Schwanda the Piper (Weinberger); Polka (Weinberger); Castille (Albéniz); Granada (Albéniz); Oil; Star of Eve, from Tannhäuser (Wagner); Spring Song (Mendelssohn); Minuet (Paderewski); Prelude in C Sharp Minor (Rachmaninov); Nocturne, Liebes-träum (Liszt); Verdi Potpourri; Chopin Potpourri; Selection from Stradella (Flotow). 12.45 p.m., News. 1.0, Time and Exchange. 1.5, Gramophone Concert of Light Music. 2.0 to 4.45, Interval. 4.45, Talk in French on Electricity. 5.0, Orchestral Concert, conducted by Roskam: March, The Belle of Chicago (Souza); Waltz, Fäseling-kinder (Zichner); Die Spühler des Pampadours (Noack); Romantic Overture (Kéler-Bébi); Serenade (Lalo); Selection from Mirilla (Gomoll); Romance (Dunna); Forest Murmurs (Zimmer); March, Le coquelicot (Popy). 6.0, Concert of Variety Music, relayed from Lille (265.4 metres). 7.0, Talk on Insurance. 7.15, Popular Music on Gramophone Records. 7.30, Time and News. 7.45, Lottery Results. 8.0, Le voyage en Chine, Opéra Comique in Three Acts (Bazin). 10.30, Dance Music on Gramophone Records. 11.0, Concert by the Jean Clergue Quintet, relayed from Radio Coloniale (Paris) (25.63 metres). 12 Midnight (approx.), Close Down.

STUTTGART

MUHLACKER; 360.5 metres; 60 kW.; and FREIBURG, 570 metres.—12.30 p.m., Concert from Langenberg. 1.0, Sponsored Concert. 1.15, Sponsored Concert, relayed from Mannheim. 3.0, Programme for Children. 4.0, Concert by the Station Orchestra. Conductor: Gustav Görlich. Solists: Hermann Lingor (Tenor). Overture, Athalia (Mendelssohn); Serenade from Stragella (Flotow); Ländlerische Suite (Amadei); Aria from Martha (Flotow); Tureh Dance of the Brides from Fecanors (Rubin-sten); Aria from The Hermit's Bell (Maillart); Two Pieces for String Quintet (Pittreich): (a) Allegretto, (b) Berceuse; Rakoczy Overture (Kéler-Bébi). 5.15, Time, Weather and Agricultural Report. 5.25 (from Freiburg), Talk on Welfare Work. 5.50, Talk: Africa and India. 6.15, Time and News. 6.20, See Frankfurt. 7.0, Orchestral Concert. 8.0, Authors we should know—a series of Discussions by Georg von der Brigg. 8.25, Brahms Chamber Music Concert, by the Wendling Quartet. Solists: Walter Reiberg (Piano-forte), Sonata in C for Piano-forte, Op. 1; String Quartet No. 2 in A Minor, Op. 51. 9.10, Time, News, Weather and Programme Announcements. 9.35, Military Band Concert, relayed from London. 10.45 (approx.), Close Down.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW.—6.0 p.m., News. 6.15, Opérette Music: Selection from (a) Ciboulette (Halau), (b) La Mascotte (André), (c) Les Mousquetaires au Couvent (Varny), (d) L'Élan à la Bouche (Paris and van Parys). 6.30, Variations on Russian Songs (Rabaud), by a Symphony Orchestra. 6.45, Popular Melodies. 7.1, Two Pieces: Lullaby (Stravinsky), Turkish March (Mozart). In an interval, Talk. 7.15, News, Horse-racing Results, and Market Prices. 7.25, Local News Bulletin. 7.30, Accordion Music. 7.45, Extracts from Sound Films. 8.0, Symphony Concert: Scherzo Waltz (Chabrier); Bells across the Meads (Kételhey); Mazurka in B Minor (Chopin);

The Turkish Patrol (Michaelis); Slav Rhapsody (Friedemann). 8.20, Opera Music: Aria from Werther (Massenet); Card Trio from Carmen (Bizet); Aria from Thaïs (Massenet). 8.45, Instrumental Solos. 9.0, Gala Concert by the La Toussaine Concert Society, conducted by M. Palette. Popular Melodies in the Interval. 10.15, North African News. 10.50, Concert for Listeners in Morocco; Melody (Strasser); Waldtänzel potpourri (Fueik); Tales from The Vienna Woods (Strauss); Opérette Potpourri (Fall). 11.30 to 12 Midnight, Programme in English by the I.B.C. The I.B.C. Half-Hour, Mr. H. K. Hitchcock announcing, Hawaiian Music; Wabash Moon; My Bluebird; Cuban Love Song; Moonlight on the Colorado; Duet, Pasadena Rose; Duet, Hawaiian Stars are gleaming; Somewhere in old Wyoming; Good-night, Sweetheart. 11.57, I.B.C. Good-night Melody. 12 Midnight, Weather and Announcements. 12.5 a.m. (Thursday), Musical Programme. 12.30 (approx.), Close Down.

TRIESTE

247.7 metres; 10 kW.—4.0 to 6.35 p.m., See Turin. 6.35, Orchestral Music from the Café Dante. 7.0 till Close Down. See Turin.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relayed by Milan, 331.5 metres; Genoa, 312.8 metres; and Florence, 500.5 metres.—4.0 to 5.0 p.m., Soprano and Tenor Song Recital. 5.35, Giornale Radio, Agricultural and Dopolavoro Notes. 6.0, Gramophone Records of Variety Music. In the intervals at 6.20, Giornale Radio, and at 6.30, Time, Announcements, and Tourist Report. 7.0, Giornale Radio and Weather. 7.15, Medical Talk. 7.30, A Comedy in Three Acts. After the Comedy, Orchestral Concert: Petite Suite de Concert (Coleridge-Taylor); Richette (Celani); Danza illirica (Eschobar); Au den Frühling (Grieg); Russian Suite (Lop-p-4). 10.0, Giornale Radio.

VATICAN CITY

19.34 metres (Morning), and 50.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Information in Spanish. 7.0 to 7.15 p.m., Religious Information in Italian.

VIENNA

517 metres; 15 kW. Relayed by Graz, 352.1 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 245.0 metres; and Salzburg, 218.5 metres.—4.0 p.m., Concert of Light Music by the Franz Eber Orchestra. 5.15, Talk: Hygiene and Medical Science in Ancient Rome. 5.40, Talk: The Way to secure Employment. 6.5, Talk: Great Men of History: Frederick II. 6.35, Time, Weather, and Programme Announcements. 6.45, Concert by the Vienna Symphony Orchestra, conducted by Robert Heger: Solists, Andreas von Rösler (Tenor); Old English Suite after Sixteenth Century Composers (Ettinger); Wer nur den lieben Gott lässt walten (Bach); Aria from Samson (Handel); Tragic Symphony in C Minor, No. 3 (Schubert); Epilogue to a Tragedy (Johanna Müller-Herrmann); Aria from Stabat Mater (Rossini); Danse macabre (Saint-Saëns). 8.5, The Return of the Prodigal Son Play (André Gide), translated by Rainer Maria Rilke. 8.45, Talk on the Austrian Musical Festival. 8.55, News, Weather, and Announcements. 9.10, Concert by the Emil Bauer Orchestra.

WARSAW

1,411 metres; 120 kW.—10.58 a.m., Time and Bugle Call from the Tower of St. Mary's Church, Cracow. 11.5, Programme Announcements. 11.10, Popular Music on Gramophone Records. 12.20 p.m., Weather Forecast. 12.25 to 2.10, Interval. 2.10, Announcements. 2.15, Economic Notes. 2.30, Boy Scouts Report. 2.35, Programme for Children. 3.0, Popular Music on Gramophone Records. 3.20, Talk: Mahomet and the Arabs. 3.40, Talk: Secret Organisations in China. 4.0, Programme for Music Teachers. 4.30, Announcements. 4.40, Talk. 4.55, Programme Announcements. 5.0, Talk on Polish Literature: Mickiewicz. 5.20, Topical Talk. 5.25, Light Music from the Gastronomica Café. 6.0, Miscellaneous Items. 6.20, Answers to Agricultural Correspondence. 6.30, Reading. 6.45, Radio Journal. 7.0, Programme to be Announced. 7.15, Concert arranged by the Society for Old Music, relayed from the Conservatoire. The Chamber Orchestra, conducted by Zaluski. Solists: W. Lozinska (Soprano) and B. Rutkowski (Organ). Introductory Talk. Parfide non graveria—Concerto on the Immaculate Conception for Soprano, Strings, and Organ (Szarzynski); Funeral Symphony for Strings and Organ (Locatelli); Suite, Don Quixote, for Strings and Organ (Telnemann); Concerto in F for Three Violins, String Orchestra, and Harpsichord (Vivaldi); Serenade, Eine kleine Nachtmusik (Mozart). In the interval, Sport Notes and Radio Journal. 9.0, Topical Talk. 9.15, Classical Music on Gramophone Records. 9.40, Talk in English: The Polish landscape in Winter, relayed from Cracow (312.8 metres). 9.55, Aviation Weather Report and Police Notes.

ZURICH.—See Schweizerischer Landessender.

ATHLONE

413 metres; 60 kW.; and **CORK**, 224.4 metres.—1.30 to 2.0 p.m., Time, Weather, Stock Report and Light Music on Gramophone Records. 6.0, Popular Music on Gramophone Records. 6.15, Programme for Children. 7.0, Variety Music on Gramophone Records. 7.10, Dublin Cattle Market Report. 7.20, News. 7.30, Time. 7.31, French Lesson. 7.45, Literary and Dramatic Talk. 8.0, The Station Orchestra. 8.30, Programme by the Emer Comedy Company. 9.0, The Station Orchestra. 9.30, The Caledonian Male Voice Choir. 10.0, Dance Music on Gramophone Records. 10.30, Time, News, Weather and Close Down.

BARCELONA

RADIO-BARCELONA, Call EAJ1, 348.8 metres; 8 kW.—6.0 p.m., Trio Concert. 6.15 (in an interval), Literary Programme. 7.0, Request Gramophone Concert. 7.30, Exchange Quotations and Talk in Catalan; Alfonso the Magnanimous, relayed from the University. 8.0, Popular Music on Gramophone Records, and News. 9.0, Chimes from the Cathedral, Weather Forecast, Exchange Quotations, and Market Prices. 9.5, Relay of an Opera from the Gran Teatro del Liceu. 11.0 (in an interval), News Bulletin.

BARI

269.8 metres; 20 kW.—7.0 p.m., Agricultural Notes, Tourist Talk, and Dopocavuro Announcements. 7.20, Giornale Radio and Weather Forecast. 7.30, Time Signal and Announcements. 7.35 (approx.), Military Band Concert, conducted by Salvatore Rubino; Uno a S. Irene (Mercadante); Overture and Selection from Norma (Bellini); Reminiscences of Apulia (Van Westerhout); Symphonic Poem, Feste romane (Respighi); Overture, La battaglia di Legnano (Verdi). In the interval, Talk. 9.30, Concert relayed from the Caffè del Levante. 9.55, News Bulletin.

BASLE.—See Schweizerischer Landessender.

BELGRADE

430.4 metres; 2.8 kW.—6.0 p.m., Gramophone Concert of Popular Music. 7.5, Programme from Vienna. 9.0, News, followed by Concert from the Ratnicki Dom Restaurant.

BERLIN

KONIGS WUSTERHAUSEN, 1,635 metres; 60 kW.—12.45 p.m., News Bulletin. 1.0, Gramophone Concert of Sound Film Music, relayed from Berlin (Witzleben). 2.0, Musical Programme for Children. 2.30, Weather and Exchange. 2.45, Reading (Heinrich Federer). 3.0, Talk: Are German Women interested in Politics? 3.30, Concert from Berlin (Witzleben). 4.10, Talk on Philosophy. 4.30, Hugo Wolf Song Recital by Joachim Andresen; Die Furstin Bitterolf; In der Frühe; Der Freund; Der Gärtner; Der Musikant; Verschwiegene Liebe; Heimweh. 5.0, Talk: How to equip a Provincial Museum. 5.30, Music for Blockflute and other Instruments; Solo Sonata for Recorder and Thorough Bass, Op. 1, No. 11 (Händel); Trio Sonata in C Minor for Recorder, Violin, and Thorough Bass, Op. 2, No. 1 (Händel). 5.55, Weather and Announcements. 6.0, German Lesson for Germans. 6.30, Poetry Reading. 6.35, Agricultural Talk. 7.0, Programme for All German Stations. Relay of the Demonstration from the Sportpalast. Speech by Adolf Hitler. 8.15, Programme from Frankfurt. 9.0, Weather, News, and Sports Notes. 9.45, Weather Report for Shipping. 10.0, Dance Music from Berlin (Witzleben). 11.0 (approx.), Close Down.

BERLIN

WITZLEBEN, 419.5 metres; 1.5 kW.—6.0 p.m., Talk: Count von Schwerin-Krosigk, Minister of State. 6.10, Talk: The Intellectual Break-up of the Age. 6.25, The Watchword. 6.30, Concert by the Orchestra and Choir of the Bayreuth Festspielhaus on Gramophone Records. 7.0, Transmission for All German Stations; Speech by Reichskanzler Adolf Hitler, relayed from the Sportpalast. 8.15, Max Trapp Concert by the Station Orchestra, conducted by the Composer; Symphonic Suite, Op. 30; Violin Concerto in A Minor, Op. 21. 9.15, Weather, News, and Sports Notes. 9.30, Dance Music. 11.0 (also relayed by Zeesen on 31.38 metres). Extracts from the Daily Life of a Big City.

BERNE.—See Schweizerischer Landessender.

BEROMUNSTER.—See Schweizerischer Landessender.

BODEN.—See Stockholm.

BODO.—See Oslo.

BORDEAUX-LAFAYETTE

304 metres; 13 kW.—7.30 p.m., News and Exchange. 7.40, Talk: The Teaching of Handicrafts in Secondary Schools. 7.55, Lottery and Charade Results. 8.0, Talk on Wines. 8.15, News Bulletin and Weather Forecast. 8.30, La nouvelle Idole—Play in Three Acts (François de Curel).

BRATISLAVA

279 metres; 14 kW.—5.35 p.m., Sonata for Pianoforte, Op. 31, No. 2 (Beethoven). 6.0, See Prague. 6.10, Literary Review. 6.25, See Brno. 6.40, See Prague. 7.5, One-Act Comedy (Cyprian Cecl). 7.45, Popular Music on Gramophone Records. 8.0, See

THURSDAY

MARCH THE SECOND

PRINCIPAL EVENTS OF THE DAY:

AT HOME

NATIONAL

"The Making of a Play": Mr. Geoffrey Whitworth. Song and pianoforte recital. "The Joy Ride." by A. J. Alan. Mr. Vernon Bartlett: "Leaders in Other Lands." "Music and Youth," a programme of music for (and partly by) school-children of all ages.

LONDON

Concert from the University, Leeds. Symphony concert from Vienna. "Songs from the Shows," feature programme by John Watt.

REGIONAL

Recital of Irish songs. London Regional programme.

MIDLAND REGIONAL

NORTH REGIONAL

Concert from the University, Leeds. Orchestral music. Organ music.

WEST REGIONAL

Light music. Chamber music concert, relayed from the National Museum of Wales.

SCOTTISH REGIONAL

"Putting Scotland's House in Order, Scotland and her Youth," by Mr. G. E. Troup.

BELFAST

Continental musical comedy and light opera. "The Volunteer," the work of the Royal Naval Volunteer Reserve, relayed from H.M.S. Caroline.

ABROAD

BUDAPEST

6.30 p.m. Opera: "La Tosca" (Puccini), from the Royal Hungarian Opera House.

HAMBURG

7 p.m. Mozart-Schubert concert.

HILVERSUM

7.55 p.m. Concert from Amsterdam. Solo cellist: G. Cassado.

TURIN

8 p.m. Opera: "Rigoletto" (Verdi), from the Scala, Milan.

Prague. 9.15, Light Music on Gramophone Records. 10.0 (approx.), Close Down.

BREMEN.—See Hamburg.

BRESLAU

325 metres; 1.5 kW.; and **GLEIWITZ**, 253 metres.—12.15 p.m., Concert by the Silesian Philharmonic Orchestra, conducted by Hermann Behr. 12.45, Time, Weather, News and Exchange. 1.5, Song Recital on Gramophone Records. Gesang Weylas, from Du bist Orplid mein Land (Wolf); Aria from The Flying Dutchman (Wagner); Aria, Allmücht'ge Jungfrau, from Tannhäuser (Wagner); Erlkönig (Schubert); Gretchen am Spinnrade (Schubert); Waltz from The Tales of Hoffmann (Offenbach); Waltz, Frühlingstimmen (Joh. Strauss). 1.45, Sponsored Programme, with Gramophone Records. 2.10, Agricultural Prices. 2.30, Talk: Week-ends in March. 2.40, Book Review. 3.10, Concert by the Station Orchestra. Selection from La Bohème (Puccini); Wedding Waltz from The Veil of Pierrette (Dohnányi); Violin Solo: Russian Song from the Concerto, Op. 29 (Lado); Hungarian Ballet, Et-ka (Ailbent). 3.45, Programme for Children. 4.15, Agricultural Prices. 4.20, Concert of Chamber Music. 4.45, Talk on Silesia. 5.5, Talk for Workers. 5.30, Scientific Speeches, with Introductory Talk. 6.0, Concert by the Station Orchestra, conducted by Franz Marszalek. Soloist: Hans W. Bachmann (Bartone). Florentine March (Fucik); Overture, The Ace of Hearts (Künneke); Selection from I Pagliacci (Leoncavallo); Waltz, Acceleration (Joh. Strauss); Humoresque (Dvořák); Hindu Song from Sadko (Rimsky-Korsakov); Königsgrenadier-Marsch (Teichert-Gerigk). In an interval at 6.30 (approx.), Weather for Farmers. 7.0, Transmission for All German Stations, relayed from Berlin (Witzleben). 8.15, Announcements. 8.25, Flight from Venice—Radio Play (Robert Walter). 9.35, Time, Weather, News, Sports Notes and Programme Announcements. 9.55, Reading in Esperanto from Silesian Literature. 10.5, Talk: The Frontier District of East Prussia as a Travel Objective. 10.20 (approx.), Close Down.

BRNO

342 metres; 35 kW.—3.10 p.m., Concert by the Station Orchestra, conducted by B. Bakala. 4.10, News for Young People. 4.20, See Prague. 4.50, Talk. 5.0, Literary Talk. 5.15, See Prague. 5.25, German Transmission: News and Two Talks. 6.0, See Prague. 6.25, Talk. 6.40, See Prague. 7.20, Reading of Czech Poetry. 7.50, Popular Music on Gramophone Records. 8.0, See Prague. 9.15, Popular Music on Gramophone Records. 10.0 (approx.), Close Down.

BRUSSELS (No. 1)

I.N.R., 509 metres; 15 kW.—12 Noon, Popular Music on Gramophone Records. 1.0 p.m.,

Le Journal Parlé. 1.10, Concert by the Small Station Orchestra, conducted by P. Leemans. Suite, Russian Scenes (Bantock); Old Spanish Song (Aubert); Humorous Dance (Palmgren); Second Suite from L'Arlesienne (Bizet); Serenade from Les Millions d'Arlequin (Drigo); Selection from Passionnément (Messager). 5.0, Concert by the Radio Orchestra, conducted by Franz André. Marche baroque (Goyens); Extravaganzen (Morena); Waltz Novelty for Trumpet (Siegrist); Jimmy (d'Agrèves); Dolly (d'Agrèves); Gavotte la Vallière (d'Agrèves); Horn Solo: Dans la Forêt (Frimolle) Dolores (Waldteufel); Hungarian March (Berlioz). 5.30, Programme for Children. 6.0, Talk: Interior Decoration. 6.15, Gramophone Concert: Minnet and Finale from the Divertimento (Haydn); Ragodon from Le Tombeau de Couperin (Ravel); Minnet and Variations from the Sonata (Stamitz); L'Emir d'amour (Knosp); Frühlingssnacht (Schumann-Liszt); Siegfried Idyll (Wagner); Les trois petits oiseaux (Phémé); Prelude (Prokofiev); Symphonic Poem, Tamara (Balakirev); Allegro Barbaro (Bartok). 7.15, Talk for Workers. 7.30, Wireless Review and Horticultural Hints for March. 8.0, Concert by the Symphony Orchestra, conducted by Jean Kumps: Carnaval à Paris (Svendsen); Petite Suite (Ducasse); Suite inambuleuse (Busser); Dramatic Interlude; Talk: Romance in F for Cello (Rihouste-d'Indy); Ballet Music from Le Cid (Massenet); Solvøig's Song (Grieg); Anita's Dance (Grieg); Polonaise in E (Liszt). 10.0, Le Journal Parlé. 10.10, Old and Modern Dances on Gramophone Records. 11.0 (approx.), Close Down.

BRUSSELS (No. 2)

I.N.R., 338.2 metres; 15 kW. Programme in Flemish.—12 Noon, Concert by the Small Station Orchestra, conducted by Pierre Leemans. Music composed by Members of this Orchestra. Cortège orientale (Leemans); Four Lyric Pieces (Douliez); (a) Au Printemps, (b) Scherzettino, (c) Intermezzo, (d) Une larme, Violin Solos (Wigy) by the Composer; (a) Capriccio on a Fox Trot Rhythm, (b) Berceuse, Ma poupée chérie (Macker); Suite for Pianoforte, Erofikon (Douliez) by the Composer; Russian Rhapsody, Moskova (Leemans); Petite Suite (Kalkman). 1.0 p.m., Le Journal Parlé. 1.10, Popular Music on Gramophone Records. 5.0, Concert by the Symphony Orchestra, conducted by Jean Kumps. Overture, Der Freischütz (Weber); Fantasia on Old Flemish Songs (De Greef); Interlude dans le mode antique (Glazunov); Fete polonaise (Chabrier); Marche joyeuse (Chabrier). 5.45, Programme for Children. 6.30, Concert by the Small Orchestra, conducted by P. Leemans. Overture, Il Trovatore (Verdi); Scherzo for Flute, Fanfalluca (Gilsen); The Canary (Poliakin); The Clock and the Dresden Figures (Kettelbey); Selection from Nina Rosa (Romberg). 7.15, Film and Book Review. 7.30, Talk for Women. 8.0, Concert by the Radio Orchestra. 8.45, Talk: The Catholic University at Louvain.

9.0, Choral and Orchestral Concert: March for Drums and Trumpets (Bury); Overture, Le Secret de Pierrot (Popy); Choir and Orchestra: In a Monastery Garden (Kettelbey); Choir: (a) O Domine (Palestrina), (b) Ecce quomodo (Händel); Selection from Mors et Vita (Gounod); Choir: (a) Rust in vrede (Haegen), (b) O Nacht (Platel); Polka concertante for Horn, Myrtho (Petit). 9.55, Evening Prayer. 10.0, Le Journal Parlé. 10.10, Concert (cont'd.): Turkish March (Mozart); Danche (Veremans); Selection from Hamlet (Thomas); A travers les neiges de Benoit (Benoit); Song, De Vlaening heeft geen taal (Roels); Vlaamse kermis (Hullebroeck); Vlaanderen (Veremans); Mijn Vlaanderen heb ik hartlijk lief (Antheunis); De Vlaamse Leeuw (Miry). 11.0 (approx.), Close Down.

BUCHAREST

394 metres; 12 kW.—4.0 p.m., Concert of Light Music and Romanian Music by the Dimico Orchestra. 5.0, News and Time Signal. 5.10, Talk. 5.25, Concert (cont'd.). 6.0, Talk on Romania; Her Mineral Waters. 6.40, Tristan und Isolde—Opera in Three Acts (Wagner) on Gramophone Records. In the intervals, News.

BUDAPEST

550 metres, 18.5 kW. Programme also relayed on 840 metres from 6.25 p.m. till Close Down.—4.0 a.m., Agricultural Talk. 4.30, Pianoforte Recital by Miklos Papp. 5.5, Cigány Music by the Josef Vidak Band. 6.0, English Lesson. 6.30, Tosca—Opera in Three Acts (Puccini), relayed from the Royal Opera House. 9.0, Announcements, followed by Concert by the Ostende Jazz Band and the Gyula Horvath Cigány Band, relayed from the Café Ostende. Paul Kalmar (Songs).

CASSEL.—See Frankfurt.

COPENHAGEN

281 metres; 0.75 kW.; and **KALUNDBORG**, 1,153 metres; 7.5 kW.—11.0 a.m., Time Signal and Chimes from the Town Hall. 11.2, Concert by the Max Skalka String Ensemble, relayed from the Hotel d'Angleterre. 1.0 to 2.0 p.m., Interval. 2.0, Concert by the Station Orchestra conducted by Emil Reesen. Soloist: Nora Elé (Songs); Overture, Der Waffenschmid (Lortzing); Selection from Romeo and Juliet (Gounod); Song and Dance from Acarelas Valencianas (Chavarril); Waltz, España (Waldteufel); Allegro di Bravura and Tarantella from the Gipsy Suite (German); Six Songs; March from The Chocolate Soldier (O. Strauss); Selection from Monsieur Beaucaire (Messager); Intermezzo from Tief und d'Albert); Air de ballet and Fête bohème from Scènes pittoresques (Massenet); Dance from Wayland the Smith (Henriques); Homage March from Sigurd Jorsalfar (Grieg). 4.0, Programme for Boys. 4.40, Exchange and Fish Market Prices. 4.50, Talk: A Visit to Afghanistan. 5.20, English Lesson. 5.50, Weather. 6.0, News. 6.15, Time. 6.16, Talk for Workers. 6.45, Danish Lesson. 7.10, Song Recital, with a Talk by Carl Langballe. 8.0, Concert of Danish Music by the Station Orchestra, conducted by Launy Gröndahl. Overture, Festen paa Kenilworth (Weyse); Jagten (Gade); Hildas Drøm (J. P. E. Hartmann); Elverpigernes Dane (Gade); Prelude to Act II of Et Folkesagn (Hartmann); Wedding Waltz (Gade); Overture, William Shakespeare (Kuhlau). 8.45, Talk: Denmark and Iceland as Allies. 9.15, News. 9.30, Trio in G Minor, Op. 15, for Pianoforte, Violin, and Cello (Smetana). 10.5, Concert of Dance Music, conducted by Kai Julian, relayed from the National Scala. In an interval at 11.0, Time Signal and Chimes from the Town Hall. 11.30 (approx.), Close Down.

CORK.—See Athlone.

CRACOW

312.8 metres; 10 kW.—6.0 p.m., The Letter Box. 6.15, Miscellaneous Items and Announcements. 6.30, See Warsaw. 9.15, Orchestral Concert of Light Music and Dance Music, relayed from the Pavilion Restaurant. 9.55, See Warsaw. 10.0, Relay of Foreign Stations. 11.0, Buzle from the Tower of St. Mary's Church.

DANZIG.—See Heilsberg.

DRESDEN.—See Leipzig.

FECAMP

225.9 metres; 10 kW.—12 Noon, Popular Music on Gramophone Records. 12.30 p.m., News Bulletin. 12.45, Programme for Children. 6.0 to 7.0, Programme in English by the I.B.C. C. Danvers Walker, R. Chene, B. McNabb, and W. Crofton Announcing. 6.0, Concert for Brighton Listeners; Orchestra: Souvenir de Capri (Beetz); Songs: (a) All through the Night (Traditional), (b) Beware of the Maiden (Craske); Orchestra: Liebesfreund (Kreiser); Songs: (a) The Arrow and the Song, (b) Good Old-fashioned Chorus (Anos), (c) Honour and Arms (Händel); Orchestra: Autumn Leaves (Pepper). 6.30, Concert for Hove Listeners; Selection from Frederica (Lehár); Song: I give my Heart, from The Dubarry (Millbaker Mackeben); Selection from Waltzes from Vienna (arr. Grillhöts); Song: The Dubarry (Millbaker-Mackeben); You are my Heart's Delight, from The Land of Smiles (Lehár); Selection

MARCH 2nd

THURSDAY

continued

from The New Moon (Romberg). 7.0, Local News and Light Music on Gramophone Records. 7.30, Radio Gazette. 8.0, The Listeners' Half Hour and News. 8.30, Concert relayed from the Town Hall, Rouen. 10.0 till Close Down, Programme in English by the I.E.C. 10.0, To-day's the Day; Round the Marble Arch; By the Bend of the River; Paradise; Goodnight, Vienna; Hurt; Just another Dream of you; Selection from On with the Show; When the Band goes marching by; I ain't no fault of mine; I wonder why; Lullaby of the Leaves; Five Minutes to Twelve; Bathing in the Sunshine; I love a Parade. 11.0, Songs of the Sea; Orchestra: Over the Waves (Rosses); Songs: (a) At Santa Barbara (Kennedy Russell). (b) The Drunken Sailor (Terry); Orchestra: Selection from Merrie England (German); Songs: (a) Four Jolly Sailors (German). (b) Shenandoah (Terry); Orchestra: Gold and Silver (Lehár). 11.30, Orchestral Concert: Musical Gems (Shaffner); Bazaar from The Tales of Hoffmann (Offenbach); Black Eyes (Ferraris); The Wayside Shrine (Sherwood); Love's Dream after the Ball (Czibulka); Around the Volga (Borchert). 12.0 Midnight, Wishing and waiting for love; Just Plain Folk (Gilbert); Am I blue? (Aks); The Heart of the Sunset (Nichols); Sleep Baby, Sleep (Tucker); I'll never ask for more (Ahfert); Take your Tomorrow (Razof); Hello Sunshine (Murray). 12.30 a.m. (Friday), Concertina Solo: Lopeziana (Alter); Irish Medley (arr. Dale); Marilyn (Alter); Scottish Reels (arr. Dale); Hornpipe Medley (arr. Dale); Bonnie Lass o' bon accord (Skinner); Orange and Blue (arr. Dale); The Road to the Isles (Traditional). 1.0, American Songs: Can't we talk it over?; Hallelujah, I'm a Bum; Dinah; I don't work for a living; Fortunes Galore; Minnie the Mocher; The Railroad Buzzer; Rhapsody in love. 1.30, Pianoforte and Song Recital. Pianoforte Solo: Selection from The Big Pond (Fain). Songs: (a) Absent-minded (Summers). (b) Memories of you (Blake). Pianoforte solo: One Night alone with you (Jeffrey). Songs: (a) Girl of a Million Dreams (Gay). (b) The Kid next Door (Leslie). (c) My kind of love (Alter). Pianoforte Solo: The Squirrel Dance (Elliot-Smith). 2.0, Dance Music: The Sun has got his hat on; Strangers; singing in the Moonlight; Paradise; Let that be a Lesson to you; When the Band goes marching by; let me be your Carmen for To-night; It's that Extra little something; Fagan Moon; I've gone and lost my little Yo Yo; Leave the Rest to Old Man Moon; The Gag Song; The Old Kitchen Kettle; Same Old Moon; At Eventide; Through that Open Window. 2.57, I.B.C. Good-night Melody. 3.0 (approx.), Close Down.

FLENSBURG.—See Hamburg.

FLORENCE.—See Turin.

FRANKFURT

259 metres; 17 kW.; CASSEL, 245.9 metres; and TRIER, 259.3 metres.—5.50 p.m., Talk; German Aviation in 1933. 6.15, Time, Programme Announcements, Weather and Exchange. 6.20, International Review. 6.35, Distress Everywhere—Stories of the Crisis. 7.0, Transmission for all German Stations, relayed from Berlin (Witzleben). 8.15 (also relayed on Zeesen (31.38 metres), Symphony No. 11 in E Flat, Op. 55—the Eroica (Beethoven), by the Station Orchestra, conducted by Hans Rosbald. 9.0, Time, News, Weather and Sports Notes. 9.15, Concert of Light Music by the Station Orchestra, conducted by Willy Naue. 10.0 (approx.), Close Down.

FREDRIKSSTAD.—See Oslo.

FREIBURG.—See Stuttgart.

GENEVA.—See Radio-Suisse Romande.

GENOA.—See Turin.

GLEIWITZ.—See Breslau.

GOTEBORG.—See Stockholm.

GRAZ.—See Vienna.

HAMAR.—See Oslo.

HAMBURG

Call ha (in Morse), 372 metres; 1.5 kW. Relayd by Bremen, 269.8 metres; Flensburg, 227.4 metres; Hanover, 566 metres; and Kiel, 232.2 metres.—5.0 p.m., Variety Programme. 5.55, Frankfurt Exchange. 6.0, Health Talk. 6.25, Weather Report. 6.30, Hermann Kesten reads from his own Works. 7.0, Mozart and Schubert Concert by the Hamburg Philharmonic Orchestra, conducted by José Eibenschütz; Symphony in E Flat (Mozart); Symphony in B Minor (the Unfinished) (Schubert). 8.0, News. 8.10, An Appeal for the Theatre by Guido Kolbenheyer, Eugen Kläpper, and F. C. Kobbé. 9.10, Time and News. 9.20, Topical Talk. 9.30, Dance Music. In the interval at 10.20, Ice Report.

HANOVER.—See Hamburg.

HEILSBURG

276.5 metres; 60 kW.; and DANZIG, 453.2 metres.—12.5 p.m., Popular Music on Gramophone Records. In the interval at 12.20, News. 1.30 to 2.0, Interval. 2.0, Agricultural Prices and Exchange Rates. 2.30, Programme for Young People. 3.0, Poems and Songs for Young People. 3.30, Concert

by the Small Station Orchestra, conducted by Eugen Wilekne. Overture, Le Roi Ja dit (Delibes); Selection from Le Cid (Masseenet); Selection from Der Wildschütz (Lortzing); Suite, Caucasian Sketches (Ippolitov-Ivanov); Overture, La Dame blanche (Boieldieu). 4.45, Book Review. 5.15, Agricultural Prices. 5.20, Ice Report. 5.30, Agricultural Talk. 6.0, Song Recital by Hans Eggert; Songs (Lundvai): (a) Abbitte, (b) Einsamkeit, (c) Das Bleibende im Wandel; Düncheld (Graener); Die Dünne (Ochls); Taufe auf der Nehrung (Ochls); Songs (Knab): (a) Die Quelle, (b) Der Abschied. 6.30, English Lesson for Beginners. 6.55, Weather and News. 7.0, Transmission for all German Stations. Speech by Reichskanzler Adolf Hitler. 8.15, Joy and Laughter—Games and Dancing. Concert of East Prussian Folk Songs, Recitations and Songs to the Lute. The Small Station Orchestra and Choir conducted by Karl Hrbetz and Soloists: Hermann Kowski, Max Weber and Kurt Wernick. 9.0, Weather, News and Sports Notes.

HILVERSUM

Announced HUIZEN, 296.1 metres; 20 kW (7 kW up to 4.40 p.m.).—11.55 a.m. to 1.40 p.m., Programme of the Catholic Radio Society (K.K.O.). Sextet Concert. 1.40 till Close Down, Programme of the Christian Radio Society (N.C.R.V.). 1.40, Handicrafts Lesson. 2.40, Programme for Women. 3.10 to 3.40, Interval. 3.40, Bible Reading and Sacred Music. 4.40, Organ Recital. 5.25, Handicrafts Lesson for Young People. 5.55, Talk. 6.25, Dress-making Lesson. 6.40, Press Review. 7.10, Police Notes. 7.25, Religious News. 7.40, Concert by the Het Lied Choir, conducted by M. Akkerman, relayed from Leerdam, with Gramophone Records in the intervals. 8.40, Talk for Parents. 9.10, Concert by the Little N.C.R.V. Orchestra, conducted by P. v. d. Hurk. Soloist: L. A. Selmerman (Organ). Suite (Purcell); Water Music (Handel); Concerto in F, No. 4, for Organ and Orchestra (Handel); Fantasia Sextet, Op. 7 (Goossens); Lyric Interlude (Bax); Jubel Overture (Weber); Potpourri (Rhubo); Selection from The Gipsy Baron (Joh. Strauss); Song, An der Weser (Pressel); Selection from The Bohemian Girl (Balle). In the interval at 9.40, News. 9.55, Light Music on Gramophone Records. 11.10 (approx.), Close Down.

HORBY.—See Stockholm.

HUIZEN

Announced HILVERSUM, 1,875 metres; 8.5 kW. Programme of the Algemeene Vereeniging Radio Omroep (A.V.R.O.).—11.41 a.m., Concert by the Small Wireless Orchestra, conducted by Nio Tremp; Overture, Berlin, wie es weint und lacht (Conrad); Aux bords du Nil (Platen); Waltz, Dorfschwalben aus Oesterreich (Jos. Strauss); Felix the Cat (Kark); Gramophone Records: Selection from Le tribut de Zamora (Gounod); Minuet (Bolzoni); Extracts from Undine (Lortzing); Folies bergère (Lincke); Gramophone Records: Selection from The Circus Princess (Kabman); Humorous Variations on Was kommt dort von der Höh (Suppé); March, Heil Europa (Blon). 1.40 p.m., Talk. 2.10, Interval. 2.25, Popular Music on Gramophone Records. 2.40, Talk. 3.25, Variety Music on Gramophone Records. 3.40, Talk. 4.10, Pianoforte Recital by Lotte Kramp; Gavotte and Variations in A Minor (Rameau); Fantasia in D Minor (Mozart); Legend, St. François d'Assise (Liszt). 4.40, Programme for Children. 5.10, Concert by the Wireless Chamber Orchestra, conducted by Nio Gerharz; Overture, die schöne Galathée (Suppé); Swedish Sketches (Torsten-Fetras); Verdi Potpourri (Weniger); A Musical Snuff-box (Nikolajewski); Air de Ballet (Gillet); Spleen (d'Ambrasio); Sous le ciel de Florence (Ackermann); Maria Mari (di Capua); Waltz, Amour et printemps (Waldteufel). 6.10, Talk. 6.40, Concert (contd.); March, Hoch meine Musika (Blaukensburg); Tanz der millionen (Fueik); Suppé Potpourri (Morena). 7.10, English Lesson. 7.40, Time and News. 7.45, Variety Music on Gramophone Records. 7.55, Orchestral Concert, relayed from the Concertgebouw, Amsterdam. Soloist: Gaspar Casalo (Cello). 10.10, Concert of Light Music by Kovacs Lajos and his Orchestra. Soloist: Bob Scholte (Songs). 10.40, News. 10.50, Orchestral Concert (contd.). 11.40 (approx.), Close Down.

INNSBRUCK.—See Vienna.

KALUNDBORG.—See Copenhagen.

KIEL.—See Hamburg.

KLAGENFURT.—See Vienna.

KOSICE.—See Prague.

LAHTI

1,796 metres, 40 kW.; and HELSINKI, 368.1 metres.—5.40 p.m., Song Recital by Tuomi Elmeren-Himonen. 6.5, Talk. 6.30, Cello Solos by Ossian Fohström. Elegy (Sibelius-schneevoigt); Herbststimmung (Knula); Prelude (Viinö Raitio); serenade (Ole Edgren); Melody (Schneevoigt). 6.55, Humorous Monologue. 7.10, Concert by the Station

Orchestra, conducted by Erkki Linko. 7.45, News in Finnish. 8.0, News in Swedish.

LANGENBERG

473 metres; 60 kW.—12 Noon, Concert, conducted by Eysoldt; Toreh Dance (Meyerbeer); Lyric Suite (Karganov); O Jugend, wie bist du so schön (Abt); An der Weser (Pressel); Selection from Coppélia (Delibes); Rhapsody in C (Dohnányi); Fascination (Marchetti); Dances of the Elves (Heykens); Potpourri, Deutsche Marscherlein (Blaukensburg). In the interval at 1.0 p.m., News. 1.30, Sponsored Programme with Gramophone Records. 2.30, Economic Notes and Time. 2.50, Programme for Children. 3.20, Notes on the Broadcasts for Schools. 3.30, Programme to be announced. 4.0, See Munich. 5.20, French Lesson. 5.45, Weather, Time, Economic Notes, and Sports Results. 6.0, Talk: The State and Economics. 6.20, Topical Talk. 6.30, Talk: The Industrial Development of North-Eastern Europe. 6.55, News. 7.0, See Berlin (Witzleben). 8.20 (approx.), Concert by the Small Station Orchestra, conducted by Eysoldt. 9.5, News and Sports Notes. 9.25, Songs and Verse. 9.50, Serenade and Dance Music, conducted by Eysoldt. 11.0 (approx.), Close Down.

LAUSANNE.—See Radio-Suisse Romande.

LEIPZIG

389.6 metres; 120 kW.; and DRESDEN, 319 metres.—11.5 a.m., Gramophone Concert of Italian Opera Music. 12 Noon, News, Weather and Time. 12.15 p.m., Wind Instrument Concert on Gramophone Records. After the Concert, Exchange Quotations. 1.0, Film Review. 1.30, Talk: Emergency Work for Young People. 2.0, Ready Rocking Lesson for Young People. 2.35, Market Prices. 3.0, Concert by the Small Station Orchestra, conducted by Willy Steffen; March, Mit Stauden (Blon); Overture, Girahin (Adam); Suite for Strings, Op. 6 (Bloch); Waltz, Trio and Duet from Der Rosenkavalier (Richard Strauss); Overture, The Thieving Magpie (Rossini); Berceuse in D (Bizet); A Wedding Day on Troldhaugen (Grieg); The Match of the Tin Soldiers (Jessel); Florentine March (Fueik). 4.30, Weather and Time. 4.50, Exchange Quotations. 5.0, Talk: Work for those leaving Secondary Schools. 5.20, Talk for Taxpayers. 5.30, Spanish Lesson. 5.50, Programme to be Announced. 6.0, Folk Songs of the Sudetic Alps—a Radio Sequence (Hans Christoph Kaerger), by the Choir of the Greater Dresden School Union. 7.0, Transmission for all German Stations relayed from Berlin (Witzleben). 8.20, The Second Symphony, in C minor (Bruckner) by the Orchestra of the Friedrichstheater, Dessau. 9.20, News, Bulletin, followed by Silent Night.

LINZ.—See Vienna.

LJUBLJANA

574.7 metres; 2.5 kW.—6.0 p.m., Talk on Economics. 6.30, The Letter Box. 7.0, Concert of Military Music. 9.0, Time, News and Light Music.

LYONS

LA DOUA; 465.8 metres; 1.5 kW.—7.30 p.m., Radio Gazette for Lyons and the South-East. 8.30, Concert by a Symphony Orchestra, conducted by Pierre Lorraine. Soloist, Mlle. Elaine Carrier (Songs). Overture, Joseph (Méhul); Song from Dardanus (Rameau); Andante for Flute (Mozart); Turkish March (Mozart); Songs from Figaro (Mozart); Walther's Prize Song from "The Mastersingers"; March in E flat (Gounod); Prelude to Thamar (Drouot); Song from Fortunio (Messager); Intermezzo for Horn and Orchestra (Pierne); Song; Nuit de Venise (Massenet); Norwegian Suite (Dougals). In the interval and after the Concert, Light Music by the Instrumental Ensemble. After the Programme, News.

MADRID

ARANJUEZ, EAQ, 30.43 metres; 20 kW.—10.30 p.m., Popular Music. 10.45, Radio Chronicle. 11.0, Talk on Popular Spanish Songs, with Illustrations. 12 Midnight (approx.), Close Down.

MADRID

UNION RADIO, Call EA47, 423.3 metres; 2 kW.—7.0 p.m., Chimes, Exchange, Programme for Children and Request Gramophone Records. 8.15, News Bulletin. 8.30 to 9.0, Interval. 9.0, English Lesson by the Linguaphone Method. 9.30, Chimes, Time, Political Review, Astronomical Talk and Concert conducted by Martin Domingo, relayed from the Hotel Nacional. 11.45, News Bulletin. 12 Midnight, Chimes and Close Down.

MALMO.—See Stockholm.

MILAN.—See Turin.

MORAVSKA-OSTRAVA

263.8 metres; 11 kW.—5.30 p.m., German Transmission: Two Talks. 6.0, See Prague. 6.25, See Brno. 6.40, See Prague. 7.20, Concert by the Station Orchestra, conducted by

B. Tvrý, Furiante from the Czech Suite (Dvorak); Hungarian Dance, No. 6 (Brahms); Krakowiak from Pan Swardowski (Rozycki); Cosacac Dance, Op. 43, No. 5 (Moszkowski); Russian Dance from The Nutcracker (Tchaikovsky); Caucasian Dance from The Demon (Rubinstein); Serbian Dance (Sistek); Rondalla Aragonesa (Granados); German Dance (Reger); Norwegian Dance, Op. 35, No. 2 (Grieg); Moravian Dance (Janacek). 8.0, See Prague. 9.15, Popular Music on Gramophone Records. 10.0 (approx.), Close Down.

MOSCOW

TRADES UNION; 1,304 metres; 100 kW.—4.25 p.m., Rigoletto—Opera in Three Acts (Verdi), relayed from the Branch of the Grand Theatre. 8.0, Review of the Week and Answers to Correspondents in French.

MOTALA.—See Stockholm.

MUHLACKER.—See Stuttgart.

MUNICH

533 metres; 60 kW. Relayd by Augsburg and Kaiserlautern, 560 metres, and Nürnberg, 239 metres.—4.0 p.m., Concert conducted by Erich Kloss. Overture, Ascanio in Alba (Mozart); Two Pieces (Wagner); (a) Träume, (b) Albulblatt, Brahms Fantasia; Cradle Song and serenade (R. Strauss); Bolero (Nicodé); Waltz from Lilac Time (Schubert-Berté); Russian Romance (Friml); Japanese Carnival (de Basque). 5.15, Talk: Gold, Silver and Platinum Mining. 5.35, Agricultural Talk. 5.55, Time, Weather and Market Prices. 6.5, Talk. 6.25, Gramophone Concert: Toscanini with the New York Philharmonic Orchestra; L'Apprenti Sorcier (Dukas); The Budapest String Quartet: Variations from the Quartet in A, Op. 18 (Beethoven); C. Lisner (Contralto): Aria from Tristan and Isoldo (Wagner); Cortot and the London Symphony Orchestra: Intermezzo from the Pianoforte Concerto in A Minor (Schumann); Heinrich Schellius: Two Songs (Schubert); (a) Der zürnende Barde, (b) Am See; Mengelberg and the Concertgebouw Orchestra: Overture, Ezmont (Beethoven); Caruso: Vieni sul mar (Tchaikovsky); Fritz Kreisler: slay Dance in G (Dvorak-Kreisler); F. v. Weingartner conducting the Children's Symphony (Haydn). 7.0, Programme to be announced. 8.15, The Seven Deadly Sins—Three One-Act Plays (Franz Kranewitter). 9.30, Time, Weather, News and Sports Notes.

NAPLES.—See Rome.

NOTODDEN.—See Oslo.

OSLO

1,083 metres; 60 kW. Relayd by Fredrikstad, 355.8 metres; Hamar, 574.7 metres; Notodden, 447.1 metres; Porsgrund, 453.2 metres; and RJUKAN, 447.1 metres.—4.0 p.m., Concert by the Station Orchestra, conducted by Hugo Kramm; Prelude (Järnefelt); Suppé Potpourri (Morena); Menuet Pompadour (Godard); Melody (Elling); Two Spanish Dances (Moszkowski); Ginetergutt (Grieg); Mazurka (Glinka); Suite from Carmen (Bizet); Waltz, Estudiantina (Waldteufel). 5.0, German Lesson. 5.30, Studio Service. 6.0, Announcements, Weather, and News. 6.30, Recitations. 7.0, Time. 7.1, Agricultural Talk. 7.30, Recital of his own Music by Halfdan Tvee. 8.0, Forecast of Talks for the Month of March. 8.30, Agricultural Notes, Weather, and News. 9.0, Topical Talk. 9.15, Choral Concert, relayed from Trondheim. 9.45 (approx.), Close Down.

OSTERSUND.—See Stockholm.

PALERMO

542 metres; 3 kW.—7.0 p.m., Announcements, Agricultural Notes, and Giornale Radio. 7.20, Popular Music on Gramophone Records. In an interval at 7.30, Time and Announcements. 7.45, The Tempest—Comedy in Three Acts (Shakespeare), modernised for Radio by Federico De Maria and Giacomo Armo. After the Comedy, Music from Sound Films. 9.55, News.

PARIS

EIFFEL TOWER, Call FLE, 1,415.7 metres; 13 kW.—Time Signals (on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and 6-dot Signals).—5.45 p.m., Le Journal Parlé. 7.20, Weather Report. 7.30, Gramophone Concert. Part I: Russian Music; Schcherazade (Rimsky-Korsakov); Death of Boris from Boris Godunov (Mussorgsky); Selection from The Fair at Sorochinsk (Mussorgsky); Little Russian Dance (Mussorgsky). Part II: Viennese Potpourri, Vindobona (Leopold); Selection from Les cent jvignes (Leococ); Chinese Serenade (Stiede); Japanese Lantern Dance (Yoshitomo); Melody (Myne); C'est moi qui fais tout (Gabauche); Selection from The Arabian Nights (Joh. Strauss); Wiener Burger (Zielirer); Intermezzo, The Acrobat (Rohrecht); Melody (Lohr); Marche des petits pierrots (Bose). 9.0 (approx.), Close Down.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW.—6.45 p.m., Journal Parlé. 7.0, Programme for Children. 7.30, Popular Music on Gramophone Records. 8.0, Agricultural Notes.

8.15, Interval. 8.30, Sponsored Concert. 9.0, Interval. 9.10, Sponsored Concert. 10.10, Dance Music by the Lido Band. 11.0, News.

MARCH 2nd

THURSDAY

continued

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW.—6.45 a.m., Physical Culture. 7.30, Weather and Physical Culture (cont.). 7.45, Gramophone Records: Introduction to The Fair at Sorochinsk (Mussorgsky); Second Suite for Small Orchestra (Stravinsky). 8.0, Press Review and Weather. 12 Noon, Prof. Paul Address. 12.30 p.m., Orchestral Concert: Scottish Symphony (Mendelssohn); Gramophone Record: Aria from Don Carlos (Verdi); Serenade (Braga); Gramophone Records: Two Songs (Duparc): (a) Phyllide and (b) La vie anterieure; Ballet Music from Isolde (Messager); Gramophone Records: (a) Les Lilas (Boelle), (b) Song (Howard); Selection from Enyevezmo (Gabaroch); Gramophone Records: (a) Ma petite Lilloise (Gardoni), (b) Mariquita (Borel-Clerc); In a Persian Market (Kotelbey); Gramophone Records (Bach and Laverne); (c) Chez le tailleur, (d) Les marins bretons; Hungarian March from The Damnation of Faust (Berlioz). In the intervals at 1.0, Exchange, News and Weather; and at 1.30, Exchange, 2.0, Exchange, 3.45, Exchange and Market Prices. 5.45, Agricultural Talk. 6.0, Religious Address by the Reverend Marc Boegner, relayed from the Reformed Church. 6.30, Market Prices, with Weather, Agriculture Report and Exchange. 7.0, Talk: French Poetry since 1870. 7.20, Orchestral Concert: Sogoviti (Roussel); Ukrainian Suite (Rubinstein); Serenade a Pierrette (Saulz); Jota (Cools). 7.45, Commercial Prices, News and Review of the German Press. 8.0, Dramatic Programme. Part I, L'Indigent—Play (Vildran). Part II, L'appoint de Ropiteux—Play (Dumamel). In the intervals at 8.30, News and Weather; at 8.40, Review by Romand, and at 9.15, Press Review and News.

PITTSBURGH

WESTINGHOUSE ELECTRIC, KDKA, 296 metres; 25 kW. Relayed by W8XK on 48.86 metres and 25.27 metres.—9.0 p.m., Workaday Thoughts. 9.5, Business News. 9.15, Programme to be announced. 9.30, Weather Report. 9.32, Market Reports. 9.45, Piano-forte Interlude. 9.50, David Lawrence Dispatch. 9.55, KDKA Artist Bulletin. 9.58, Programme announcements. 10.0, Programme to be announced. 10.15 to 11.15, New York Relay. 10.15, The Adventures of Dr. Doobittle. 10.30, The Singing Lady. 10.45, Little Orphan Annie. 11.0, Our Daily Food, by George Rector's Cooking School. 11.15, Time Signal. 11.16, Weather Report. 11.17, Teaberry Sport Review. 11.22, Press News Reeler. 11.27, Strange Facts. 11.29, Temperature Report. 11.30, KDKA Orchestra. 11.45, To-day's News, by Lowell Thomas, from New York. 12 Midnight, Populicent Amos in Andy, from New York. 12.15 a.m. (Friday), Programme to be announced. 12.45, The Townsband Murder Mystery. 1.0 to 3.15, New York Relay. 1.0, Cape Diamond Lights. 1.30, Time Signal and Rip Tin Tin Thrillers. 1.45, Thurston the Magician. 2.0, Death Valley Days. 2.30, Len Joy's Dancing Strings. 3.0, Wilfred Glenn (Basso). 3.15, The 1933 Income Tax, by Robert I. Wickline. 3.30, Honey Bailey and Orchestra, from New York. 3.45, Bradley Kincaid, from New York. 4.1, Teaberry Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.13, KDKA Artist Bulletin. 4.15, Press Last Minute News Flash. 4.20, Heart Songs by Louise Frayne. 4.30, Smith Ballow and his Orchestra. 5.0, Hotel McAlpin Orchestra, from New York. 5.30, Time Signal and Goodnight.

PORSGRUND.—See Oslo.

POZNAN

335 metres; 1.9 kW. Programme also relayed on 31.35 metres from 7.0 to 8.30 p.m.—4.55 p.m., Military Report for Young People. 5.5, Educational Talk. 5.20, French Lesson. 5.35, Agricultural Talk. 5.50, Miscellaneous Items and News. 6.10, Agricultural Correspondence. 6.28, Time Signal. 6.30, See Warsaw. 7.0, Soloist Concert by Mme. Linda Kamienska (Soprano), Prof. Stanislas Pawlak (Violin), and Prof. Franc. Lukaszewicz (Pianoforte). In the intervals, Theatre Notes and Letter Box, and News from Warsaw. 8.30, See Warsaw. 9.15, Talk. 9.30 (approx.). Close Down.

PRAGUE

438.6 metres; 120 kW.—4.10 p.m., Talk on Industry. 4.20, Programme for Children: Smetana Concert by the Station Orchestra, conducted by Jeremias and Soloists. 4.50, Gramophone Records of Variety Music. 5.5, Talk for Gardeners. 5.15, Talk for Workers. 5.25, News in German. 5.30, German Transmission: Agricultural Talk. 6.0, Chimes. 6.2, News Bulletin. 6.10, Elementary English Lesson. 6.25, See Brno. 6.40, Smetana Song Recital, by Otakar Marak. 7.5, Talk. 7.20, See Moravská-Ostrava. 8.0, Time Signal. 8.1, Smetana Concert by the Station Orchestra, conducted by Otakar Jeremias, the Station Chorus, and Theodor Schütz (Tenor); Shakespearean March; Air from Libusa; Scene from The Brandenburger in Bohemia; Introduction and Polonaise from The Prague Carnival. 9.0, Time, News and Sports Notes.

9.15, Gramophone Records of Variety Music. 10.0 (approx.), Close Down.

RADIO-SUISSE ROMANDE

SOTTENS, 403 metres; 25 kW.; LAUSANNE, 680 metres; and GENEVA, 760 metres.—6.0 p.m. (from Geneva), Weather, News, and Announcements. 6.15 (from Lausanne), Answers to Correspondence. 6.30 (from Geneva), Theatre Review. 7.0 (from Geneva), Concert by the Klein Quartet. 7.40 (from Geneva), Readings. 8.0 (from Geneva), Weekly Review. 8.10 (from Geneva), Variety Concert. 9.0, News and Weather. 9.10 (from Geneva), Talk: The Work of the League of Nations. 9.30 (approx.), Close Down.

RIGA

525 metres; 15 kW.—6.15 p.m., Symphony Concert, conducted by J. Melins. Symphony (Milyarsky); Scene (Kann); Concerto for Cello (Bocherini); Suite, Le Printemps (Debussy). In an interval at 8.0, Weather and News. 8.30, Dance Music. 9.30 (approx.), Close Down.

RJKUKAN.—See Oslo.

ROME

Call 1R0, 441 metres; 50 kW. Relayed by Naples, 319 metres, and 2R0, 25.4 metres.—7.0 a.m., Gymnastics. 7.15 to 7.30, Giornale Radio and Announcements. 11.30, Weather and Light Music on Gramophone Records. 12 Noon, Time and Announcements. 12.2 p.m., Humorous Talk. 12.5 to 1.15, Concert from Turin. In the interval from 12.30 to 12.45, Giornale Radio and Exchange. 3.45 (Naples), Children's Radio Review. 4.10, Announcements. 4.15, Exchange and Giornale Radio. 4.30 to 5.15, Orchestral Concert; Soloist, Colonese (Violin); Overture, The Caliph of Bagdad (Boieldien); Fourth Suite of Waltzes (Rohrcht); Violin Solo, Spanish Dance (Granados-Kreisler); Un sorriso (Bazzica); Selection from La Rondine (Puccini); Marionettes (Sassoli); An den Frühling (Greig); Sally (di Pivano). 6.10 (Naples), Shipping and Sports Notes. 6.15, Agricultural Notes and Dopolavoro Report. 6.20, Giornale Radio. 7.0, Time and Announcements. 7.15, Popular Music on Gramophone Records. 7.30, Sports Notes and Tourist Report. 7.45, Symphony Concert, conducted by Alfredo Casella; Soloist, Vera Goshli Belcredi (Pianoforte); Suite (Gretzy-Mottl); Concerto for Piano-forte and Orchestra (Ravel); Rhapsody, España (Chabrier); Talk on Literature and Art; Suite (Villa Lobos); Piano-forte Solo; Triana (Albeniz); Rhapsody (Mortari); March, Nocturne and Finale from the Serenade for Small Orchestra (Casella); Second Symphony Suite from La donna serpente (Casella). 9.55, News.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY (WGY), 379.5 metres; 50 kW. Relayed at intervals by W2XAF on 31.48 metres, and by W2XAD on 19.56 metres.—12 Midnight, Mr. Twister, from New York. 12.15 a.m. (Friday), Stock Reports. 12.30 to 3.0, New York Relay. 12.30, Van and Don. 12.45, The Goldbergs, Comedy Sketch. 1.0, Fleischmann Hour—Rudy Vallee's Orchestra. 2.0, Captain Henry's Show Boat. 3.0, Lucky Strike Hour and Programme Resume.

SCHWEIZERISCHER LANDESENDER

BEROMUNSTER, 459 metres; 60 kW.; BASLE, 244.1 metres; and BERNE, 245.9 metres.—9.20 a.m. (from Berne), Broadcast for Schools. 9.50 to 11.28, Interval. 11.28, Time Signal from Neuchâtel Observatory. 11.30, Weather and News. 11.40, Gramophone Guessing Competition; Part I: What Piece is that? Part II: What Instrument is that? 12.35 p.m., Weather and Exchange. 12.45 to 2.30, Interval. 2.30 (from Zürich), Programme for Women. 3.0, Concert by the Radio Orchestra. 4.0, Variety Music on Gramophone Records. 4.30, Weather. 4.35 to 5.30, Interval. 5.30 (from Basle), Talk: Famous Landscapes, Olympia, Delphi and Delos. 6.0, Time, Weather and Trade Report. 6.15 (from Basle), Elementary Italian Conversation Lesson. 7.0 (from Basle), Recital of Old Music for Flute and Harpsichord, by Claire Levy and Joseph Bopp. 7.45, Concert by the Radio Orchestra. 8.0 (from Basle), Le Venue Grapin—Comic Opera in One Act (Pitow). 8.45, Weather, News and Popular Concert by the Radio Orchestra. 9.15 (approx.), Close Down.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SASA, 436 metres; 55 kW. Relayed by Boden, 1,229.5 metres; Göteborg, 322 metres; Hörby, 257 metres; Motala, 1,348 metres; Östersund, 770 metres; and Sundsvall, 542 metres.—4.5 p.m., Studio Service, relayed from Uppsala (453.2 metres). 4.30 (from Boden), Sports Notes. 4.45, Popular Music on Gramophone Records. 5.45, English Lesson, relayed from Jönköping (201.3

metres). 6.30, Talk on Sweden's Commercial Policy. 7.0, String Quartet in D (Frauck), relayed from the Concert Hall. 7.40, Radio Play (Vilhelm Moberg). 8.45, Weather and News. 9.0, Orchestral Concert of Light Music. 10.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW.—11.30 a.m., Gramophone Concert: Mazepa (Liszt); Concerto in E Minor (Chopin); Les préludes (Liszt); The Moldau (Smetana); Slav Dance (Dvorak). 12.45 p.m., News. 1.0, Time and Exchange. 1.5, Gramophone Concert of Light Music. 2.0, Programme for Children. 3.0 to 4.15, Interval. 4.15, French Elocution Lesson. 4.30, Programme for Children, relayed from Bordeaux-Lafayette. 6.0, Historical Talk in French. 6.15, Talk for Women in French. 6.30, Orchestral Concert, conducted by Roskum, Overture, Morning, Noon and Night (Suppé); Waltz, Tout Paris (Waldteufel); Duet, Song without Words (Mendelssohn); Selection from Cavalleria Rusticana (Mascagni); Minnet (Paderewsky); Cello Solo: Chant-sussex (Lalo); Waltz, Hydrophatone (Gundel); March, Picaresque (Benoit). 7.30, Time and News. 7.45, Gramophone Concert. Selection from Der Bettelstudent (Milbicker); Selection from Frederick (Lehar); Air from Les chéches de Corneville (Planquette); Song from Miss Decima (Andran); Waltz from The Gipsy Princess (Kálmán); Two Airs from Countess Maritza (Kálmán). 8.20, Lottery Results. 8.30, Orchestral Concert, conducted by Maurice de Villers. Soloist: Max Pagoda (Pianoforte). Night on the Bare Mountain (Mussorgsky); Concerto for Piano-forte and Orchestra (Tchaikovsky); Scandinavian Symphony (Cusadensis); Ames d'antans (Cras); Suite Guegoue (Bazelaire); Rhapsody in Blue (Gershwin). 10.30 (approx.), Close Down.

STUTTGART

MUHLACKER, 360.5 metres; 60 kW.; and FREIBURG, 570 metres.—11.0 a.m., Concert by the Station Orchestra, conducted by Gustav Görlisch. Soloist: Max von Wistinghausen (Baritone). March from Alerste (Gluck); Aria from Rodolinde (Handel); March of the Finnish Cavalry; Lamented Songs for Solo with Orchestral Accompaniment; Overture, Tancred (Rossini); Aria from The Nuremberg Doll (Adam); Romantic Suite (Bullérian). 12.15 p.m., Time, Weather, News, and Programme Announcements. 12.30, The Hallner Symphony (Mozart). 1.0, Sponsored Programme. 1.30, Spanish Lesson. 2.0, English Lesson. 2.30, Programme from Frankfurt. 4.0, See Munich. 5.15, Time, Weather, and Agricultural Notes. 5.25, Talk: A Working Day with the Reichswehr. 5.50, Talk on China. 6.15, Time and News. 6.30, Karl Schoenhardt Centenary Programme; Recitations by Theodor Brandt and Songs by Hans Höfke. 7.0, Transmission for all German Stations relayed from Berlin (Konigs Wusterhausen). 8.15, Time, Weather, News and Programme Announcements. 8.25, Heideche Flucht (Heroic Flight)—Radio Play (Robert Walter). 9.35, News. 9.45, See Frankfurt. 10.0, Heiliges Leid—a Musical and Literary Fantasia on Friedrich Hölderlin, founded on a Study by Stefan Zweig, Contemporary Documents, and Poems and Letters of Hölderlin, set to Contemporary Music (arr. Wilhelm Lock). 10.30 (approx.), Close Down.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW. 6.0 p.m., News Bulletin. 6.15, Selection from Isolde (Messager), by a Symphony Orchestra. 6.30, Programme for Children. 7.0, Dance Music. 7.15, Racing Results, Market Prices and News. 7.25, Local News. 7.30, Light Music. 7.35, Concert of Viennese Music. 8.15, Accordion Music. 8.30, Operetta Music; Selection from: (a) Frederick (Lehar), (b) Rip van Winkle (Planquette), (c) François les bas bleus (Messager). 8.45, Extracts from Azor Opereita (Gabaroch), by a Symphony Orchestra. 9.15, Concert: Bedouin March (Oschel); Amia (Lüncke); Suite, No. 2 (Stravinsky); Melody (Kálmán); Kermesse villageoise (Filipovici). 9.45, Variety Concert: Song from Congress Dances (Heymann); Pas sur la bouche (Yvain); Song (Erwin); Violin Solos: (a) Die Biene (Schubert), (b) Czardas (Hibay), (c) Negro Melody and Dance. 10.15, North African News. 10.30, Concert for Listeners in Morocco. Selection from The Secret Marriage (Cimarosa); Song from The Barber of Seville (Rossini); Selection from La Mascotte (Andran); Melody (Laké). 11.0, Musical Programme. 11.30 to 12 midnight, Programme in English by the I.B.C. The I.B.C. Half-hour. Mr. H. K. Hitchcock announcing, Ich liebe dich, my Dear; Bon Voyage; Tabou, Tabou; I don't want to go to Bed; Yes, Mr. Brown; Leave a little for me; If you would learn to live; He's got a Wife and Family at Home; Will you dance through Life with me? 11.57, I.B.C. Good-night Melody. 12 midnight, Weather and Announcements. 12.5 a.m. (Friday), Musical Programme. 12.30 (approx.), Close Down.

TRIESTE

247.7 metres; 10 kW.—4.10 p.m. till Close Down, See Turin.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relayed by Milan, 331.5 metres; Genoa, 312.8 metres; and Florence, 500.8 metres.—4.10 p.m., Orchestral Concert: Italian Suite (Bocci); Rugziodora (Pomaja); L'amore del due Re (Bixio); Albano (Marinotti); Selection from Adriana Lecouvreur (Cilea). 5.35, Giornale Radio, Agricultural and Dopolavoro Notes. 6.0, Variety Music on Gramophone Records. In the intervals at 6.20, Giornale Radio, and at 6.30, Time, Announcements and Tourist Report. 7.0, Giornale Radio, Weather and Gramophone Records (cont.). 7.25, Reading from the Twenty-third Canto of the Inferno. 8.0, Rigoletto—Opera in Three Acts (Verdi), relayed from the Scala, Milan. In the intervals: Literary Report and Giornale Radio.

VATICAN CITY

10.84 metres (Morning) and 50.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Information in French. 7.0 to 7.15 p.m., Religious Information in Italian.

VIENNA

517 metres; 15 kW. Relayed by Graz, 352.1 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 245.9 metres; and Salzburg, 218.5 metres.—4.5 p.m., Concert of Light Music by the Gustav Mahler Orchestra. 5.15, Talk, arranged by the Chamber of Commerce. 5.40, Theatre Notes. 5.50, Talk. 6.20, Recital on Two Pianofortes by Maryan Rawicz and Walter Landauer; Hungarian Rhapsody No. 12 (Liszt); Waltz, Klänge aus Pola (Lehar); Jazz Potpourri (Rawicz-Landauer); Tambourin chinois (Kreischer); Jazz Potpourri (Rawicz-Landauer). 6.50, Time, Weather, and Programme Announcements. 7.5, Eighth Orchestral Concert, arranged by the Gesellschaft der Musikfreunde, relayed from the Musikvereinsmusik; The Rose Quartet and the Vienna Philharmonic Orchestra; Conductor: Dr. Adrian Boult; Symphony in G Minor (Mozart); Introduction and Allegro for String Quartet and String Orchestra (Elgar); Ballet Music from The Perfect Fool (Holst); Symphony in E Minor, Op. 68 (Brahms). In an interval at 8.5 (approx.), News, Weather, and Announcements. 9.10, Snow Report. 9.25, Dance Music by the Karl Haupt Band, relayed from the Café Sacher.

WARSAW

1,411 metres; 120 kW.—10.58 a.m., Time Signal and Bugle Call from the Tower of St. Mary's Church, Cracow. 11.5, Programme Announcements. 11.10, Light Music on Gramophone Records. 11.30, Weather Forecast. 11.35, Eighteenth Concert for Schools. The Warsaw Philharmonic Orchestra, conducted by J. Oziminski, Soloists: W. Lozinska (Soprano) and S. Rabczewicz (Pianoforte). Introductory Talk. Overture, Fidelio (Beethoven); Scherzo from Symphony No. 2 (Beethoven); Allegro from Eine kleine Nachtmusik (Mozart); Piano-forte Solos: (a) Variations in F minor (Haydn), (b) Erosaises (Beethoven-Busoni), (c) Marcia alla turca from the Sonata in A (Mozart); Songs: (a) Der Traum (Mozart), (b) Das Veilchen (Mozart), (c) Aria from The Whitsun Cantata (Bach), (d) Aria from The Messiah (Handel); Largo (Handel); Minuetto (Gluck-Mottl); Air (Barb); Choral and Fugue (Bach-Albert). 1.0 to 2.10 p.m., Interval. 2.10, Announcements. 2.15, Economic Notes. 2.25, Popular Music on Gramophone Records. 2.35, Talk. 2.50, Popular Music (cont.). 3.25, Intermediate French Lesson. 3.40, Talk: The Language of Animals. 4.0, Quintet in A, Op. 114 (Schubert), on Gramophone Records. 4.40, Topical Talk. 4.55, Programme Announcements. 5.0, Talk on Polish Literature: Mickiewicz. 5.20, Topical Talk. 5.25, Light Music from the Cristal Restaurant. 6.0, Miscellaneous Items. 6.20, Agricultural Notes. 6.30, Recitations. 6.45, Radio Journal. 7.0, Concert by the Radio Orchestra, conducted by Oziminski; Soloist, S. Adamska (Cello); Selection from La Traviata (Verdi); Variations for Cello (Boellmann); Ballet Music, The Gardens of Haroun-al-Raschid (Rogowski); Cello Solos: (a) Etude, Op. 25, No. 7 (Chopin-Glazunov), (b) Spanish Serenade (Glazunov), (c) Wiegiele (Schubert), (d) Mazurka (Szopwicz), (e) Tarantella (Popper); Hungarian Rhapsody, No. 14 (Liszt). In the interval at 7.45, Sports Notes and Radio Journal. 8.30, Dramatic Programme. 9.15, Light Music and Dance Music from Cracow (312.8 metres). 9.55, Aviation Weather Report and Poize Notes. 10.0, Dance Music from the Oza Dance Hall.

ZAGREB

307 metres; 0.75 kW.—4.0 p.m., Concert of Baladika Music. 6.5, Educational Notes. 6.25, Popular Science Talk. 6.50, Introduction to the following Relay. 7.5, See Vienna. 9.0, News, Weather and Snow Report. 9.10, Orchestral Concert by the Bingo Boys, relayed from the Esplanade Hotel.

ZURICH.—See Schweizerischer Landessender.

ATHLONE

413 metres; 1.2 kW; and **CORK**, 224.4 metres. 1.30 to 2.0 p.m., Time, Weather Forecast, Stock Report and Light Music on Gramophone Records. 6.0, Popular Music on Gramophone Records. 6.15, Programme for Children. 7.0, Gramophone Records of Variety Music. 7.20, News. 7.30, Gardening Talk. 7.45, Recitations by Peggie Wallace. 8.0, Concert by the Station Orchestra. 8.30, Pianoforte Recital by E. C. J. Swanton. 8.45, Concert (contd.). 9.15, Song Recital by Mrs. T. Mullen. 9.30, Violin Solos by Nora Richardson. 9.45, A Revue presented by Eva Brennan and Company. 10.30, Time, News, Weather Report and Close Down.

BARCELONA

RADIO-BARCELONA, Call **EAJ1**, 348.8 metres; 8 kW. 6.0 p.m., Trio Concert. 7.0, Request Gramophone Records. 7.30, Exchange Quotations. 8.0, Light Music on Gramophone Records and News. 9.0, Chimes from the Cathedral. Weather Forecast, Messages for Seamen, Exchange Quotations and Market Prices. 9.10, Concert by the Station Orchestra. 9.45, Harpsichord Recital, by Macario Kastner. 10.15, Orchestral Concert, relayed from the Café Español. 11.0 (in an interval), News. 12 Midnight (approx.). Close Down.

BARI

269.8 metres; 20 kW.—7.0 p.m., Agricultural Notes, Tourist Talk and Dopolavoro Announcements. 7.20, Giornale Radio and Weather Forecast. 7.30, Time Signal and Announcements. 7.35 (approx.), Concert of Opera Music: Overture, Il finto Stanislao (Verdi); Soprano Solo from La sonnambula (Bellini); Prelude to Loreley (Catalani); Baritone Solo from Ruy Blas (Marchetti); Air from Le villi (Puccini); Soprano Solo: Song from L'amico Fritz; Selection from Il Trovatore (Verdi); Overture, Oberto conte di S. Bonifacio (Verdi); Baritone Solo from To-sca (Puccini); Serenade from I Medici (Leoncavallo); Soprano Solos: Two Songs from Madame Butterfly (Puccini); Baritone Solo from Faust (Gounod); Selection from Anima allegria (Vittadini); Soprano Solo: The Jewel Song from Faust (Gounod). In the interval: Sports Talk. 9.30, Popular Music on Gramophone Records. 9.55, News Bulletin.

BASLE.—See *Schweizerischer Landessender*.

BELGRADE

430.4 metres; 2.8 kW.—6.0 p.m., Orchestral Concert of Light Music. 7.0, Sokol Talk. 7.30, European Concert, relayed from **Radio-Suisse Romande (Sottens)**. 9.30, News Bulletin.

BERLIN

KONIGS WUSTERHAUSEN, 1,635 metres; 60 kW.—12.45 p.m., News Bulletin. 1.0, Gramophone Concert of German Opera Music from **Berlin (Witzleben)**. 2.0, Talk for Girls. 2.30, Weather and Exchange. 2.45, Letters of a Royal Mother. 3.0, Educational Talk. 3.30, See **Leipzig**. 4.10, Talk: The Old Germanic Hero and his Belief in Destiny. 4.30, Talk: The Old Army as an Educational Factor. 5.0, Saxophone Quartets: Lyric Suite in Three Movements for Three Saxophones and Pianoforte (Gerhard Pordes); Quartet for Four Saxophones in Five Movements (Hermann Griselle). 5.30, An Unemployed Worker makes Poems. 5.55, Weather and Announcements. 6.0, Talk: Creative Culture. 6.30, Poetry Reading. 6.45, Talk by Kurt G. Sell: What they are talking about in America, relayed from **America** (on Gramophone Records). 7.0, Talk on Winter Relief. 7.5, Arthur Schnabel Pianoforte Recital, relayed from the Philharmonie: Sonata in A flat, Op. 26 (Beethoven). 7.30, European Concert from **Radio-Suisse Romande (Sottens)**. 8.30, Topical Talk. 9.0, Weather, News and Sports Notes. 9.45, Weather Report for Shipping. 10.0, Light Music from **Berlin (Witzleben)**. 11.0 (approx.), Close Down.

BERLIN

WITZLEBEN, 419.5 metres; 1.5 kW.—1.0 p.m., Gramophone Concert: Overture, The Merry Wives of Windsor (Nicolaï), by the Berlin Opera House Orchestra, conducted by Erich Kleiber; Three Songs from the Merry Wives of Windsor (Nicolaï), by Lotte Lehmann (Soprano), Ludwig Hofmann (Bass), and Koloman von Pataky (Tenor); Overture, Der Waffenschmied (Lortzing), by the Berlin Philharmonic Orchestra, conducted by Julius Priwer; Two Songs from Der Waffenschmied (Lortzing), by Herbert Janssen (Baritone), and Ludwig Hofmann (Bass); Two Songs from The Barber of Bagdad (Cornelius), by Marcel Wittrisch (Tenor) and Björn Talén (Tenor); Overture, The Barber of Bagdad (Cornelius), by the Berlin Philharmonic Orchestra. 1.55, Berlin Exchange and Market Prices. 2.20, Talk: Women in Modern Germany. 2.35, Talk: Josef Ruederer. 3.0, Musical Programme for Children. 3.30, See **Leipzig**. 4.30, Talk and Readings: Forgotten Works of Well-known Authors. 5.0, Musical Handwriting—a discussion between the inventor Rudolf Pfenninger and Max Lenz, with illustrations. 5.30, Introductory Talk to the Evening Concert. 5.40, Sports Talk: Fifty Years of German Rowing. 5.55, The Witzle-

FRIDAY

MARCH THE THIRD

PRINCIPAL EVENTS OF THE DAY:

AT HOME

- NATIONAL** Light classical concert. The Cinema, by Argus. All-Jewish vaudeville programme. Mr. S. P. B. Mais: "S.O.S. . . ." Choral and orchestral concert.
- LONDON REGIONAL** Spanish guitar music. "The Bonnie Earl o' Moray," a play by Edith E. McQueen. Military band programme. "The Joy Ride," by A. J. Alan.
- MIDLAND REGIONAL** Light music. A Leader recital. "Shoes": A talk by Mr. G. W. Hunt, from Leicester. Folk songs and dances, orchestral programme.
- NORTH REGIONAL** Orchestral concert. London Regional programme.
- WEST REGIONAL** "Famous Waltzes," orchestral concert.
- SCOTTISH REGIONAL** Orchestral concert. A band concert. "The Bonnie Earl o' Moray," a play by Edith E. McQueen.
- BELFAST** Organ recital. Dance music. Pianoforte recital.
- ABROAD**
- COPENHAGEN** 7.10 p.m. Concert from the State Broadcasting Building.
- HAMBURG** 7 p.m. Opera from Handel to Verdi.
- SOTTENS** 7.30 p.m. International Concert (relayed also from **Beromunster, Eiffel Tower, Lyons la Doua, Oslo, Prague, Stockholm, Strasbourg, Warsaw, etc.**).
- TOULOUSE** 8.45 p.m. Beethoven's Seventh Symphony.
- TURIN** 8 p.m. Symphony concert, conducted by Bernardino Molinari.

ben Station informs its Listeners. . . . 6.0, Talk on Herr Göring, Minister of State. 6.10, Talk: The Worker between the Nation and the World. 6.35, Mario Heil de Brentani reads from his own Works. 6.45, Talk: The Intellectual Break-up of the Age. 7.0, The Watchword. 7.5, Scenes from William Tell. 8.15, Beethoven Pianoforte Recital by Artur Schnabel, relayed from the Philharmonie: Sonata in C Minor, Op. 10, No. 9, Sonata in E flat, Op. 81a. 9.0 (approx.), Talk on Herr Hugenberg, Minister of State. 9.20, Weather, News and Sports Notes. 9.30 (approx.), Concert by the German Symphony Orchestra, conducted by Manfred Gurlitt: Concert Suite from Idomeneo (Mozart-Busoni); Overture, Hans Heiling (Marschner); Entr'acte from Die drei Pintos (Weber); Gingerbread Waltz from Hansel and Gretel (Humperdinck); Military March (Schubert); Four Preludes from Carmen (Bizet); Overture, Prinz Methusalem (Joh. Strauss); Perpetuum mobile (Joh. Strauss); Dorf-schwalben aus Oesterreich (Jos. Strauss). In the interval, Report on the Berlin Six Days' Racing. 11.0 (approx.), Close Down.

BERNE.—See *Schweizerischer Landessender*.

BEROMUNSTER.—See *Schweizerischer Landessender*.

BODEN.—See *Stockholm*.

BODO.—See *Oslo*.

BORDEAUX-LAFAYETTE

304 metres; 13 kW.—7.20 p.m., News Bulletin. 7.30, Light Music on Gramophone Records. 7.45, Lottery Results. 7.50, News and Weather Forecast. 8.0, European Concert, relayed from **Radio-Suisse Romande (Sottens)**. 10.0, Programme relayed from **Toulouse (PTT)** (255 metres).

BRATISLAVA

279 metres; 11 kW.—5.20 p.m., Song Recital by Z. Napravilova. 5.45, Slovak Spelling Lesson. 6.0, See **Prague**. 7.30, European Concert, relayed from **Radio-Suisse Romande (Sottens)**. 9.30, See **Prague**. 9.45 (approx.), Close Down.

BREMEN.—See *Hamburg*.

BRESLAU

325 metres; 1.5 kW.; and **GLEIWITZ**, 253 metres.—12.10 p.m., Gramophone Concert. Old Bavarian Grenadiers' March; Post-Horn Duet, A Hand voll Stoma; Mein Teddybär (Ganglberger); Böhmi' diel Gott, from Der Trompeter von Säckingen (Nessler); Finale from the Flute Concerto in C (Mozart); Finale from the Quintet for Flute, Oboe, Clarinet, Bassoon and Horn (Lendvai); Klarinetten-Ländler (Lustiger); Japanese Melody (Yoshitomo); Slow Foxtrot, Blürote Rosen (Hünemeyer); Parade March. 12.45, Time, Weather, News and Exchange. 1.5, Dance Music on Gramophone Records. 1.45, Sponsored Programme, with Gramo-

phone Records. 2.10, Agricultural Prices. 2.40, Talk for Young People. 3.10, Concert by the Station Orchestra, conducted by Franz Marszałek. Slav March (Tchaikovsky); Selection from Die toten Augen (d'Albert); Waltz, Hofballtänze (Lanner); Gavotte antique (Wolff); Selection from Die Fledermaus (Joh. Strauss); Waltz, España (Waldteufel); Overture, La belle Hélène (Offenbach). 4.45, Agricultural Prices. 4.50, Evangelical Sermons, with Introductory Talk. 6.15, Heinz Stegweil reads from his own Works. 5.45, Programme to be announced. 6.15, Weather for Farmers. 6.20, Catholic Sermons, with Introductory Talk. 6.45, Talk by Kurt G. Sell: What People are Talking about in America, relayed from **America**. 7.0, Idomeneo—Opera in Three Acts (Mozart)—Concert Version. 8.0, Announcements. 8.10, First Symphony in C Minor, Op. 68 (Brahms), by the Silesian Philharmonic Orchestra. 9.10, Time, Weather, News, Sports Notes and Programme Announcements. 9.25, Talk: Inventors before and after they have obtained Recognition. 9.40, Dance Music and Light Music by the Station Orchestra, conducted by Franz Marszałek. Soloist: Paul Richter (Baritone). 11.0 (approx.), Close Down.

BRNO

342 metres; 35 kW.—3.10 p.m., Concert by the Station Orchestra, conducted by Jan Janota. 3.55, Theatre Review. 4.5, See **Prague**. 5.5, Talk: Creative Art. 5.15, Talk for Workers. 5.25, German Transmission: News, Sports Notes, Gardening Talk and Talk on the German Language. 6.0, See **Prague**. 6.25, The Stolen Document—Detective Play in One Act (Rypar and Melichar). 6.55, See **Prague**. 7.30, See **Radio-Suisse Romande (Sottens)**. 9.30, See **Prague**. 9.45 (approx.), Close Down.

BRUSSELS (No. 1)

1.N.R., 509 metres; 15 kW.—12 Noon, Selection from Manon Lescaut (Puccini), on Gramophone Records. 1.0 p.m., Le Journal parlé. 1.10, Concert by the Small Station Orchestra, conducted by P. Leemans: Overture, Le Nouveau Seigneur de village (Boieldieu); Selection from Lakmé (Delibes); Cello Solo: Gavotte (Fopper); Fenilles d'allium (d'Ambrosio); Pianoforte Solo: Waltz (Chopin); Two Dances (Dvorak); Melody (Rubinstein); Italian Melodies (Lohr). 2.0, Educational Programme. 5.0, Concert by the Symphony Orchestra, conducted by A. Meulmans: Symphonie légendaire (Godard); Frühlingslied (Wagner); The Prize Song from The Master-singers (Wagner); Ukrainian Pictures (Akinenko); Valse triste (Sibelius); Valse des fleurs (Tchaikovsky). 6.0, Talk. 6.15, Gramophone Records: Song from La Trovata (Verdi); Cello Solo: Moment musical (Schubert); Selection from The Gipsy Princess (Kálmán); Selection from Piccolino (Guiraud); Overture, Lakmé (Delibes); Londonderry Air (Kreisler); Souvenir des bois

d'Avron-la-Chateauvert; Waltz, Quand l'amour meurt (Crémieux); Song from Werther (Massenet). 6.45, Haydu Pianoforte Recital by Osear Delvigne: Arietta, with Variations in E flat; Sonata No. 7 in D; Theme with Variations in C. 7.15, Talk on Public Opinion. 7.30, Literary Review and Talk on Cattle Rearing. 8.0, Concert by the Symphony Orchestra, conducted by A. Meulmans. Soloist: M. Lespagnard (Baritone): Overture, Die Fledermaus (Joh. Strauss); Selection from Les Erynnies (Massenet); Songs: (a) Song from L'Africain (Meyerbeer), (b), Aubade (Crotto), (c) Walloon Songs (Crotto); Selection from Les Deux Pigeons (Messager). 8.45, Talk on Music. 9.0, Concert (contd.). Soloist: Mme. Zinna Maso (Songs): Overture, Ali Baba (Cherubini); Esquisses symphoniques (De Tave); Songs: (a) Song from Samson and Delilah (Saint-Saëns), (b) Après un rêve (Faure), (c) Serenade (Brahms); Une fête à Aranjuez (Demersseman); Divertissement (Lalo). 10.0, Le Journal parlé. 10.10, Introduction and Allegro for Harp (Ravel). 10.25, Scheherazade (Rinsky-Korsakov), on Gramophone Records.

BRUSSELS (No. 2)

1.N.R., 338.2 metres; 15 kW.—Programme in Finnish.—12 Noon, Concert by the Small Station Orchestra, conducted by P. Leemans: Le carillonneur (Gauwin); La pendola armoniosa (Piek-Mangugalli); Campana a sera (Filli); The Clock and the Dresden Figures (Ketebej); Selection from Les Cloches de Corneville (Planquette); Pianoforte Solo: Prelude in E (Rachmaninov); Melody (Aucler-Melbin); Carillon (Elgar); Rubens-marsch (Benoit). 1.0 p.m., Le Journal parlé. 1.10, Light Music on Gramophone Records. 2.0, Educational Programme. 5.0, Concert by Mickey's Club Jazz Attraction. 6.15, Talk: Little People in a Large Town—Brussels. 6.30, Scandinavian Music by the Small Station Orchestra, conducted by P. Leemans: Finlandia (Sibelius); Symphonic Dances (Grieg); Rustle of Spring (Sinding); Romance for Violin (Svendsen). 6.45, Economic Notes. 7.30, European Concert, relayed from **Radio Suisse Romande**. 9.30, Recitations. 9.45, Gramophone Records: Foxtrot, Phonomanie (Avignon); Tango, Night in Cairo (Gilbert); Rumba, Mama Inez (Gilbert); Waltz, Beautiful Ohio (Earl); African Lament. 10.0, Le Journal parlé. 10.10, A Sketch (Renat Grassin), with Music by the Radio Orchestra, conducted by Charles Walpot.

BUCHAREST

394 metres; 12 kW.—4.0 p.m., Concert by the Station Orchestra: March (Blankenburg); Waltz (Jessel); Overture (de Tave); Humperdinck Potpourri (Fetras); Selection from Lulu (Pares-van Parys). 5.0, News and Time Signal. 5.10, Talk. 5.25, Concert (contd.): Pastorale (Dransmann); Cockney Suite (Ketebej). 6.0, Talk on Romania: Her Salt Mines. 6.40, Light Music on Gramophone Records. 7.0, Time Signal. 7.1, Symphony Concert by the Philharmonic Orchestra, conducted by George Georgesco. 9.0, News.

BUDAPEST

550 metres; 18.5 kW. Also relayed on 840 metres from 7 p.m. till Close Down.—4.0 p.m., Gypsy Music by the Simi Kirina Band. 4.50, Shortland Lesson. 5.10, Liszt Concert, with Introductory Talk: Soloists: Alexander Sved (Songs) and E. Hegyi (Pianoforte). Symphonie Poem, Les Préludes; Songs: Hungarian Fantasia for Pianoforte and Orchestra. 6.30, Talk. 7.0, Interval. 7.30, European Concert, relayed from **Radio-Suisse Romande**. 9.0, Announcements, followed by Gypsy Music by the Gyula Karolyi Band, relayed from the Café Spolarich. 10.0, Talk in Italian.

CASSEL.—See *Frankfurt*.

COPENHAGEN

281 metres; 0.75 kW.; and **KALUNDBORG**, 1,153 metres; 7.5 kW.—11.0 a.m., Time Signal and Chimes from the Town Hall. 11.2, Concert by the Harald Andersen String Ensemble, relayed from the Bellevue Strandhotel. 12.15 p.m., Talk for Schools on Music. 12.45 to 2.0, Interval. 2.0, Talk: Adventures on the High Road. 2.20, Orchestral Concert, conducted by Teddy Petersen, relayed from the Wivex Restaurant. 4.0, Programme for Children. 4.40, Exchange and Fish Market Prices. 4.50, Talk: Experiences of a Comic Artist. 5.20, German Lesson. 5.50, Weather. 6.0, News. 6.15, Time. 6.30, Talk: The Development of National Laws. 7.0, Time Signal from the Town Hall. 7.1, Programme by Per Knutzen. 7.10, Concert by the Radio Symphony Orchestra, relayed from the State Broadcasting Building. Conductor: Fritz Busch. Soloist: Helge Roswaenge (Songs). Symphony No. 2 in D, Op. 73 (Brahms); Aria from Così fan tutte (Mozart); Aria from Idomeneo (Mozart); Ten Minutes' Interval; Aria from Oberon (Weber); Variations at Fugue on a Theme by Mozart (Reger). 9.15, News. 9.30, Reading. 9.50, Dance Music by the Otto Lington Band, relayed from the Ritz Restaurant. In an interval at 11.0, Time Signal and Chimes from the Town Hall. 11.30 (approx.), Close Down.

CORK.—See *Athlone*.

CRACOW

312.8 metres; 10 kW.—6.0 p.m., Miscellaneous Items and Announcements. 6.15, Talk on Curiosities. 6.30, See *Warsaw*. 7.30, Euro-

MARCH 3rd

FRIDAY

continued

pean Concert, relayed from Radio Suisse Romande (Sottens). 9.55, See Warsaw. 10.15 (approx.). Close Down.

DANZIG.—See Heilsberg.

DRESDEN.—See Leipzig.

FECAMP

225.9 metres; 10 kW.—12 Noon, Variety Music on Gramophone Records. 12.30 p.m., News. 12.45, Songs. 6.0 to 7.0, Programme in English by the I.B.C. Announcers: C. Danvers, Walker, R. Chene, M. McNabb, and W. Crofton. 6.0, Concert for Torquay Listeners: Tiger Rag; Hot and Anxious; You Rascal you; Sweet Sue; How'm I doin'? Clarinet Marmalade; Try getting a Good Night's Sleep; I got Rhythm. 6.30, Organ Recital for Weymouth Listeners: Home (Steeden); On Wings of Song (Mendelssohn); Trees (Kilmer); Roses of Picardy (Haydn Wood); Less than the Dust (Woodforde-Finden); Temple Bells (Woodforde-Finden); There's Nothing new in Love (Maclean); The Butterfly Waltz (Kailton). 7.0, News and Light Music on Gramophone Records. 7.30, Radio Gazette. 8.0, Answers to Correspondents. 8.15, Agricultural Notes. 8.30, Concert, relayed from Havre. 10.0 till Close Down. Programme in English by the I.B.C. 10.0, Laughing at Life; Building a Home for you; A Little Love Song; Out of Nowhere; Hello beautiful; Just a Gigolo; Poor Kid; Mood Indigo; When I take my Sugar to Tea; You're the one I care for; Laughing at the Rain; Lady play your Mandoline; Mad about you; The Peanut Vendor; Two little, blue little Eyes; Farewell blues. 11.0, Song Recital: Boots (McCall); The Song of the Flea (Mussorgsky); The Smuggler's Song (Mortimer); Vulcan's Song (Gounod); The Gay Highway (Drummond); The Admiral's Broom (Bevan); The Yeoman's Wedding (Poniatowsky); In Cellar cool (Traditional). 11.30, Orchestral Concert: The Bumble Bee's Wedding (Clare); Selection from Die Fledermaus (Joh. Strauss); Columbine (Garland); Bells across the Meadow (Kotelbey); Waldteufel Memories (Arr. Fink); Devotion (Kotelbey). 12 Midnight, Songs: Exactly like you (Fields); I do like to do Things for you (Yellen); More than you know (Youmans); Cracker Jack; My Lover (Yellen); Swingin' in a Hammock (Scymour); On the Sunny Side of the Street; Flapperette (Greer). 12.30 a.m. (Saturday), Organ Recital: For the Sake of the Days gone by (Wallace); A Perfect Day (Jacobs-Bond); Who am I? (Clifford); Love's Old Sweet Song (Molloy); If you were the only Girl in the World; Potpourri of Song Hits. 1.0, Variety Programme: Sing Holly, go whistle, hey hey; Call me Darling; Topsy Turvey Talk; Marta; Bed; My Hiking Girl; The Scotch Italian Christening; Round the Marble Arch. 1.30, Hawaiian Duets: Hawaiian Waltzes; Almia Mia (Whidden); Sing Something Simple; Good Night, Sweetheart (Noble); Bone Festa (Traditional); Three Little Words (Check); O sole mio (di Capua); Hawaiian Medley. 2.0, You, just you; There's another Trumpet playing in the Sky; Don't say goodbye; And then we'll have some more; Bravo Jim; In a Shanty in old Shanty Town; When the Band goes marching by; We just couldn't say Goodbye; Yes, Mr. Brown; Silver Hair and Heart of Gold; Take a Spot of Happiness; Song of the Bells; Where is this Lady?; Goodbye Blues; Tell me Tonight; Same old Moon. 2.57, I.B.C. Good-Night Melody. 3.0, Close Down.

HANOVER.—See Hamburg.

HEILSBURG

270.5 metres; 10 kW.; and DANZIG, 453.2 metres.—12.5 p.m., Gramophone Concert: In the interval at 12.20 p.m., News. 1.30, Sponsored Programme with Gramophone Records. 2.0, Agricultural Prices and Exchange Rates. 2.30, Programme for Children. 3.0, Talk for Women: The Use of Herbs in Medicine and Cooking. 3.30, Concert by the Small Station Orchestra, conducted by Eugen Wilcken. Overture, Semiramis (Rossini); Waltz, Wine, Woman and Song (Joh. Strauss); Salut d'amour (Elgar); Rusticella (Cortopassi); Potpourri, Fortissimo (Veid); Romance (Rahmstorf); Florentine Serenade (Franchetti); Suite, On the Banks of the Nile (Platen). 4.45, Talk on Agricultural Workers. 5.15, Agricultural Prices, 5.20, See Report. 5.30, English Folk Music on Gramophone Records, with Introductory Talk and Commentary. 6.15, Talk on Johann Georg Hamann. 6.45, Talk by Kurt G. Sell: What People are talking about in America, relayed from America. 7.0, Weather and News. 7.5, A Discussion on the following Transmission: How to Listen to Orchestral Music. 7.50 (approx.). Fourth Symphony in E Flat—The Romantic (Bruckner), by the Königsberg Opera House Orchestra, conducted by Erich Seidler. 8.35 (from Danzig), Contemporary Problems in Modern Literature, (IV) School and Life—a Literary Sequence (Heinz Kindermann). 9.30, News, Sports Notes and Weather.

HILVERSUM

Announced HUIZEN, 296.1 metres; 20 kW. (7 kW. up to 4.40 p.m.).—Programme of the Christian Radio Society (N.C.R.V.). 10.40 a.m., Trio Concert. 11.40, Police Notes. 11.55, Song Recital by Johann Moyer (Bartone). 12.40 p.m., Trio Concert (cont'd.). 1.40, Programme to be announced. 2.10, Reading. 2.40, Talk for the Housewife. 3.10, Concert by the Dutch Harp Quartet: Meditation on the Sixth Prelude (Bach); Air from Orpheus (Gluck); Sonata in C Minor in Old Style, for Violin and Piano; Prelude and Fugue in C Minor for Organ (Bach); Harp Solos: (a) Air, (b) Chaconne (Handel); Promenade and Nocturne for Cello and Harp (Mareel Tournier); Songs; Pieces for Violin and Harp (Kreisler): (a) Old Folks at Home, (b) Aloha Oe; Adagio (Fesca); Interlude (Berghout); Elegie for Cello and Harp (Massenet); Organ Solo: Redemption (Bussi). 4.40, Talk for Young Stamp Collectors. 5.10, Talk for the Young Amateur Photographer. 5.40, Agricultural Talk. 6.10, Talk. 6.40, Literary Talk. 7.10, Police Notes. 7.25, Talk: The Wagner Year Plan. 7.40, Concert by the Arnhem Orchestral Society, conducted by Jaap Spaanderman. Soloist: Andries de Swarte (Cello). Suite in D (Bach); Symphony in G Minor (Mozart). 8.40, Talk. 9.10, Concert (cont'd.): Cello Concerto (d'Albert); Peer Gynt Suite, No. 1 (Grieg). 9.20 (in an interval), News. 10.10, Gramophone Concert of Sacred Music. 11.10 (approx.), Close Down.

HORBY.—See Stockholm.

HUIZEN

Announced HILVERSUM, 1,875 metres; 5.5 kW.—11.40 a.m. to 4.40 p.m., Programme of the Algemeene Vereeniging Radio Orroep (A.V.R.O.). 11.40, Time Signal. 11.41, Concert by the Wireless Orchestra, conducted by Nico Troop. Gramophone Records in the intervals. 1.40, Talk. 2.10, Concert by the Chamber Orchestra, conducted by Nico Gerbarz, with Gramophone Interludes. 3.40 to 7.40, Programme of the Workers' Radio Society (V.A.R.A.). 3.40, Concert by the Little V.A.R.A. Orchestra, conducted by P. Duhaant. 4.50, Programme for Children. 5.10, Concert (cont'd.). 5.40, Variety Music on Gramophone Records. 5.55, Organ Recital by Johan Jong; Radetzky March (Joh. Strauss); Du sollst der Kaiser meiner

Seele sein (Stolz); Selection from The Merry Wives of Windsor (Nicolaï); Einfach Iubellhaft (Dostad). 6.20, Talk on Russia. 6.40, Concert by the Little V.A.R.A. Orchestra, conducted by Duhaant: Hoppla, jetzt komm ich (Heymann); Valse des Poupées (Andran); Gavotte (Gillet); Liebesschmerz (Friedemann); Du bist das süßeste Mädchen der Welt (Heymann); Reich mir dein weisses Händchen (Benatzky); Stenka Razin (Kubak); Selection from The Mikado (Sullivan); Das ist die Liebe der Matrosen (Heymann); Selection from The Desert Song (Romberg). 7.40 to 10.30, Programme of the Liberal Protestant Radio Society (V.P.R.O.). 7.40, Bible Reading. 8.10, Vocal and Instrumental Concert: To v.d. Shyis (Soprano), Annie Wood (Contralto) and M. F. de Nohel (Pianoforte). Beato in ver che pio (Handel); Piece (Schubert); Lachen und weinen (Schubert); Geheimnis (Schubert); Auf dem See (Schubert); Moments musicaux, Op. 94, Nos. 2 and 3 (Schubert); La vierge à la crèche (Franck); Aux petits enfants (Franck); Les danses de Lotomou (Franck). 8.40, Talk on Industry. 9.10, Concert, Part II: Brahms Programme: Song; Unbewegte blaue Luft; Wenn du nur zuweilen lächelst; Von Waldhekränzler Höhe; Interlude, Op. 118, No. 2; Ballet, Op. 118, No. 3; Hüt du dich; Klosterlein; Am Strande; Die Schwistern. 9.40, Religious News. 9.45, News Bulletin. 9.55, Address by the Reverend J. Y. de Wolf. 10.25, Popular Music on Gramophone Records. 10.40, V.A.R.A. Programme: Variety Music on Gramophone Records. 11.40 (approx.), Close Down.

INNSBRUCK.—See Vienna.

KALUNDBORG.—See Copenhagen.

KIEL.—See Hamburg.

KLAGENFURT.—See Vienna.

KOSICE.—See Prague.

LAHTI

1,796 metres, 10 kW., and HELSINKI, 366.1 metres.—5.15 p.m., Dramatic Programme. 5.35, Talk. 6.0 (from Helsinki), Concert by the Station Orchestra, conducted by Erkki Linko. Soloist: Gustaf Svensson (Xylophone); Overture, La Profesa (Weber); Music for Children (Blech); Xylophone Solo: Roudino (Sibelius); Selection from Tiefland (d'Albert). 7.0, Dialogues. 7.25 (from Helsinki), Popular Music on Gramophone Records. 7.45, News in Finnish. 8.0, News in Swedish. 9.0, Part-Relay of the European Concert from Radio Suisse Romande (Sottens).

LANGENBERG

473 metres; 60 kW.—12 Noon, Concert, conducted by Wolf. Soloist: Grete Misse (Contralto). In the interval at 1.0 p.m., News. 1.30, Sponsored Programme with Gramophone Records. 2.30, Economic Notes and Time. 2.50, Programme for Children. 4.0, Concert by the Station Chamber Orchestra, conducted by Spitz. Soloists: Kläre Hansen, Marita Gründgens (Soprano), Leonardo Aramesco (Tenor), Hans Wocke (Baritone), and Wilhelm Strienz (Bass). 5.20, English Lesson. 5.45, Weather, Time, Economic Notes and Sports Results. 5.55, The World on Gramophone Records: The Nomadic Shepherds of Epirus. 6.20, Talk on Taxation. 6.40, News. 6.45, Talk by Kurt G. Sell: What People are talking about in America, relayed from America. 7.0, The Duchess of Chicago—Opera in Two Acts (Kálmán). 9.15, News and Sports Notes. 9.35, Report on the Riding and Driving Tournament from the Westphalian Hall, Dortmund. 10.0, Concert, conducted by Wolf. 11.0 (approx.), Close Down.

LAUSANNE.—See Radio-Suisse Romande.

LEIPZIG

389.6 metres; 120 kW.; and DRESDEN, 319 metres.—11.0 a.m., Orchestral Concert. In the interval at 12 Noon, News, Weather, Snow Report and Time. After the Concert, Exchange Quotations. 1.0 p.m., Art Report. 1.30, Hermann Noll reads from his own Works. 2.15, Talk for the Country Woman: The Use of Goat's Milk in the Household. 2.35, Economic Notes. 3.0 to 3.15, Astronomical Talk. 3.30, Concert by the Leipzig Symphony Orchestra, conducted by Theodor Blumer. Soloist: Gessler (Pianoforte). Symphony Prelude, Penthesilea (Draxsack); Capriccio in B Minor, Op. 22, for Pianoforte and Orchestra (Mendelssohn); Elegy and Waltz from the Serenade for Strings (Tchaikovsky); Waltz, Hofballtänze (Lammer). 4.30 to 4.35, Weather and Time. 4.50, Economic Notes. 5.0, Book Review. 5.25, English Lesson. 5.50, Programme to be Announced. 6.0, In a Spirit of Confidence—an Optimistic Sequence (Gert Randolf), with Extracts from Mörike, Goethe, Storm, Kleist, Carossa, Schell, and others. 6.45, Talk: What People are talking about in America, relayed from America. 7.0, Talk on Graphology. 7.30, European Concert, relayed from Radio-Suisse Romande. 9.30, News. 9.40 (approx.), Instrumental Concert. Introductory Talk by Dr. Wilhelm

Hitzig. Two Chamber Trios for Two Violins and Harpsichord (Neruda); Six Dances for Pianoforte; Der eheliche Zwist for Pianoforte, Two Violins, Viola and Double Bass (Vogler); German Dances for Pianoforte, Terpsichore (Breitkopf); Quintet for Flute, Violin, Two Violas and Cello (Mozart); Trio, Op. 0, for Pianoforte, Violin and Cello (de Sayve). 11.0 (approx.), Close Down.

LINZ.—See Vienna.

LWOW

381 metres; 16 kW.—6.0 p.m., Literary Talk. 6.15, Miscellaneous Items. 6.30 till Close Down, See Warsaw. 10.0 (approx.), Close Down.

LYONS

LA DOUA, 465.8 metres; 1.5 kW.—7.30 p.m., European Concert, relayed from Radio-Suisse Romande (Sotten). After the Relay, Programme from Paris (Ecole Supérieure) (447.1 metres), and News Bulletin. 11.0 (approx.), Close Down.

MADRID

ARANJUEZ, EAQ, 30.43 metres; 20 kW.—10.30 p.m., Popular Music. 10.45, Radio Chronicle. 11.0, Popular Music (cont'd.). 11.35, Answers to Correspondence. 11.40, Spanish-American Talk. 11.45, Light Music. 12 Midnight (approx.), Close Down.

MADRID

UNION RADIO, Call EAJ7, 424.3 metres; 2 kW.—7.0 p.m., Chimes, Exchange, Programme of Musical Novelties and Talk: Anti-tubercular Vaccination, followed by interlude by Ramon Gomez de la Serna. 8.15, News and Political Review. 8.30 to 9.30, Interval. 9.30, Chimes, Time, Political Review and Humorous Talk. 10.0 (approx.), Concert by the Symphony Orchestra, conducted by Salvador Bacarisse; Overture, Der Freischütz (Weber); Pastorale d'été (Honegger); Two Nocturnes (Debussy); (a) Images, (b) Fêtes; Symphony in C—the Júpiter (Mozart); Ballet Suite, Corrida de feria (Bacarisse). 11.45, News Bulletin and Programme Announcements for Listeners Abroad. 12 Midnight, Chimes and Close Down.

MALMO.—See Stockholm.

MILAN.—See Turin.

MORAVSKA-OSTRAVA

263.8 metres; 11 kW.—6.25 p.m., A Comedy in One Act. 6.55, See Prague. 7.30, See Radio Suisse Romande (Sotten). 9.30, See Prague. 9.45 (approx.), Close Down.

MOSCOW

TRADES UNION, 1,304 metres; 100 kW.—4.30 p.m., Reading from the Works of Flaubert. 5.30, Concert from the Radio Theatre. 8.0, Talk in English: Review of the Week and Answers to Correspondents.

MOTALA.—See Stockholm.

MUHLACKER.—See Stuttgart.

MUNICH

533 metres; 1.5 kW. Relayed by Augsburg, and Kaiserslautern, 500 metres, and Nürnberg, 239 metres.—4.0 p.m., Concert, conducted by Erich Kloss. Overture, Gialda (Adam); Clog Dance from Czar and Czarina (Lortzing); Suite, Dances of the Nations (Manfred); Slav Rhapsody No. 2 (Friedemann); Song and Czardas from Mariska (Lebár); Suite, In a Fairy Realm (Kotelbey); March, Feuer los! (Hilzmann). 5.15, Talk: Germany's Petroleum Treasures. 5.35, Talk: German Ideas of Government the House of Hohenstaufen. 5.55, Time, Weather, Market Prices and Snow Report. 6.5, Talk: Art and Advertising. 6.25, Morning, Noon and Night—Concert by the Small Station Orchestra, conducted by Erich Kloss. Soloists: Margarete Breckhardt-Rohr (Soprano), Adolf Lausmann (Tenor), Hugo Becker (Violin), and Herbert Frantz (Recitation). Morgenstimmung; Des Morgens wohl vor Tag; Frühmorgens, wenn die Hähne krähen; Fussreise; Abschied; Hymne an die Sonne; Mittag in der Grossstadt; Spielende Kinder; Aufbruch 22; Traum durch die Dämmerung; Der Mondaufgang; Mauseher; Nacht. 7.40, Short Stories about Aetors, Singers and Famous Conductors. 8.0, Symphony Concert by the Station Orchestra, conducted by Hans Winter, with the Station Choir. Symphony No. 5 in C Minor (Beethoven); Psalmus Hungaricus for Tenor, Choir and Orchestra (Kodaly). 9.20, Time, Weather, News, Sports Notes and Snow Report. 9.50, Talk by Kurt G. Sell: What People are talking about in America, relayed from America.

NAPLES.—See Rome.

NOTODDEN.—See Oslo.

OSLO

1,083 metres; 60 kW. Relayed by Fredrikstad, 365.8 metres; Hamar, 574.7 metres; Notodden, 447.1 metres; Porsgrund, 453.2 metres; and Rjukan, 447.1 metres.—4.0 p.m., Soprano Song Recital by Ragnhild Kjelstrup: Un grand sommeil noir (Laparra); Il neige (Berberg); To a Violet (Brahms); Serenade (Brahms); Das Mädchen spricht (Brahms);

FRANKFURT

259 metres; 17 kW.; and CASSEL, 245.0 metres; and TRIER, 259.3 metres; 2 kW.—6.20 p.m., Walter Bloem talks about his Biography of President Hindenburg. 6.30 to 7.30, See Stuttgart. 7.30, European Concert, relayed from Radio Suisse Romande (Sottens). 9.30, Time, News, Weather and Sports Report. 9.55 till Close Down, See Stuttgart. 11.0 (approx.), Close Down.

FREDRIKSTAD.—See Oslo.

FREIBURG.—See Stuttgart.

GENEVA.—See Radio-Suisse Romande.

GENOA.—See Turin.

GLEIWITZ.—See Breslau.

GOTEBORG.—See Stockholm.

GRAZ.—See Vienna.

HAMAR.—See Oslo.

HAMBURG

Call ha (in Morse), 372 metres; 1.5 kW. Relayed by Bremen, 269.8 metres; Flensburg, 227.4 metres; Hanover, 566 metres, and Kiel, 232.2 metres.—5.5 p.m., Variety Programme. 5.50, Frankfurt Exchange and Hamburg Market Prices. 6.0 (from Kiel), Talk: The Working Woman. 6.25, Weather Report. 6.30, Eugen d'Albert Memorial Concert (died March 3, 1932). The Station Orchestra, conducted by Jose Eibenschütz. Soloist: Otto Rehbett (Pianoforte). Overture, Der Improvisator; Pianoforte Concerto No. 2, Op. 12. 7.0, Opera Music from Handel to Verdi, 11; Haydn—Marschner—Cherubini—Rossini;

MARCH 3rd

FRIDAY

continued

PRAGUE

488.6 metres; 120 kW. 3.10 p.m., See Brno. 3.55, Talk: Town Planning. 4.5, Concert by the Ondricek Quartet: String Quartet in G, Op. 8 (Fibich); String Quartet No. 1 in E Minor, from out my Life (Smetana). 5.5, Agricultural Market Prices. 5.15, Talk for Workers. 5.25, News in German. 5.30, German Transmission: Talk: The History of the Town of Vredlahi during Four Hundred Years. 6.0, Chimes from the Church of St. Ludmila, Kralovske-Vimodrady. 6.1, News. 6.10, Talk: The Private Life of the Czech Kings. 6.25, Concert by the Holesovice Vocal Quintet. 6.55, Concert by the Benes Brass Band. 7.30, European Concert, relayed from Radio Suisse Romande. In the intervals at 8.0 and 9.0, Time Signals. 9.30, News. 9.45 (approx.), Close Down.

RADIO-SUISSE ROMANDE

SOTTENS, 403 metres; 25 kW.; LAUSANNE, 580 metres; and GENEVA, 760 metres.—6.0 p.m. (from Lausanne). Weather, News, and Announcements. 6.30 (from Lausanne). Lesson in Book-keeping. 7.0 (from Lausanne). Song Recital by Mme. Berthe de Vizier. 7.30, European Concert. Part One.—German-Swiss Programme: Old Swiss March; Two Old Songs by the Zurich Male Voice Choir; Festival Music. Part Two.—Italian-Swiss Programme: Songs by a Children's Choir and Soloists. Part Three.—French-Swiss Programme: Selection for Choir, Orchestra, and Soloist from (a) La Fete des vigneron (Doret), and (b) La Fete de Juin (Jacques-Dalerze). Part Four.—Swiss Tyrol Programme: Two Songs by the Zurich Male Voice Choir. Part Five.—Finale: Two Popular Songs by the Zurich Male Voice Choir; Potpourri of Swiss Songs by the Orchestra and Zurich Male Voice Choir; Le Cantique Suisse for Choir and Orchestra (Zwissig). 9.30, News and Weather. 9.45 (approx.), Close Down.

RIGA

525 metres; 15 kW.—4.0 p.m., Hawaiian Guitar Music: Serenade (Toselli); Good-bye Blues (Hoffmann-Nelson); Waltz, Southern Moon (Smetchnik); Twilight (Kraumann); Sonnets of Hawaii (Armandola). 4.30, Topical Talk. 5.0, Divine Service. 6.30, Talk. 7.0, News Bulletin. 7.15, Song Recital by Gabriele Viksne-Apinis. 8.0, Weather, News and Popular Music on Gramophone Records.

RJUKAN.—See Oslo.

ROME

Call 190, 441 metres; 50 kW. Relayd by Naples, 319 metres; and 290, 25.4 metres.—7.0 a.m., Gymnastics. 7.15 to 7.30, Weather and Announcements. 11.30, Weather, and Light Music on Gramophone Records. 12 Noon, Time and Announcements. 12.30 to 12.45, Giornale Radio and Exchange. 3.0, Cello Recital by Luigi Silva, relayed from the Royal Academy of Saint Cecilia. 6.0 (Naples), Shipping and Sports Notes. 6.15, Agricultural and Popolavoro Notes. 6.20, Giornale Radio and Gramophone Records of Popular Music. 7.0, Time, Announcements and Report of the International Institute of Agriculture (in Italian, French, English, German and Spanish). 7.30, Talk on Sport, Sports Notes and Tourist Report. 7.45, Variety Concert. Soloists: Margherita Costa (Soprano), Tito Rosati (Cello), Gualda Caputo and Perea Labia (Soprano), Alfredo Sernicoli (Tenor), and Guglielmo Castello (Baritone), and Bianca Bianchi and Luisa Castellazzi (Mezzo-Soprano). Quartet for two Violins, Viola and Cello (Grieg). 8.15, Fuggiamo—Comedy in One Act (Lucilla Antonelli). 9.0, Concert (cont'd.): Overture, The Secret Marriage (Cimarosa); Soprano Solos: (a) Ah perfido! (Beethoven), (b) Aria from Der Freischutz (Weber); Cello Solos: (a) Adagio (Tartini), (b) Kleines Ständchen (Grünfeld), (c) Gavotte (Grünfeld); The First Act of Cendrillon (Massenet). 9.55, News Bulletin.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY (WGY), 379.5 metres; 50 kW. Relayd at intervals by W2XAF on 31.48 metres and by W2XAD on 19.56 metres.—7.30 p.m. to 12.15 a.m. (Saturday), New York Relay. 7.30, Three Shades of Blue, Male Trio. 7.45, Muted Springs. 8.0, Sonata Recital. 8.15, Famous Loves—Dramatic Programme. 12 Midnight, Donald Novis (Tenor). 12.15, Stock Reports. 12.30 to 1.30, New York Relay. 12.30, Van and Don. 12.45, The Goldbergs—Comedy Sketch. 1.0, Cities Service Concert. 1.30, WGY Farm Forum. 2.0, K7 Secret Service Spy Stories. 2.30, Pond's Programme and Programme Resumé.

SCHWEIZERISCHER LANDESENDER

BEROMUNSTER, 459 metres; 60 kW.; BASLE, 244.1 metres; and BERNE, 245.9 metres.—11.28 a.m., Time Signal from

Nenchâtel Observatory. 11.30, Weather and News. 11.40, Concert by the Little Radio Orchestra. 12.35 p.m., Weather and Exchange. 12.45 to 2.30, Interval. 2.30, Light Music on Gramophone Records. 3.30, Programme for Children. 4.0, Beethoven Piano-forte Recital on Gramophone Records. 4.30, Weather. 4.35 to 5.30, Interval. 5.30 (from Berne). Talk: Swiss Dialects. 6.0, Time, Weather, Market Prices, Tourist Report and Winter Sports Notes. 6.20 (from Berne). Professor Plattensteiner reads from his own Works. 6.45 (from Berne). Piano-forte Recital by Claudio Arrau. 7.15, Variety Music on Gramophone Records. 7.30 (from Zurich). Programme of Swiss Music and Songs. 9.15 (approx.), Weather, News and Close Down.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SASA, 436 metres; 55 kW. Relayd by Boden, 1,229.5 metres; Göteborg, 322 metres; Hörby, 257 metres; Motala, 1,348 metres; Östersund, 770 metres, and Sundsvall, 542 metres.—4.5 p.m., Folk Music. 4.30, Reading. 5.0, Popular Music on Gramophone Records. 5.55 (from Göteborg), Talk on World Language Questions (V)—The West. 6.15, Weather and News. 6.30, Popular Music on Gramophone Records. 7.10, Talk on Foreign Politics. 7.30, Cello and Piano-forte Recital of Brahms Music by Otto Lützhöft and Walter Meyer-Randow, relayed from Malmö (231 metres); Sonata in E Minor, Op. 38, for Cello and Piano-forte; Piano-forte Solos: (a) Intermezzo in A, Op. 118, (b) Ballad in G Minor, Op. 118, (c) Waltzes, Op. 39. 8.15, Talk. 9.0, European Concert, relayed from Radio Suisse Romande. 9.30 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW. 11.30 a.m., Gramophone Concert: Extracts from the Symphonie fantastique (Berlioz); Extracts from Parsifal (Wagner); Polovstian Dances from Prince Igor (Borodin). 12.45 p.m., News. 1.0, Time and Exchange. 1.5, Gramophone Concert of Light Music. 2.0 to 4.45, Interval. 4.45, Literary Talk in French: Boileau. 5.0, Concert of Jazz Music, conducted by Roskam. 6.0, Trio Concert, relayed from Lille (265.4 metres). 7.0, Topical Talk in German. 7.15, Talk: The Alsatian Boatmen on the Rhine. 7.30, Time and News. 7.45, Lottery Results. 8.0, European Concert, relayed from Radio-Suisse Romande. 10.30 (approx.), Close Down.

STUTTGART

MUHLACKER, 360.5 metres; 60 kW.; and FREIBURG, 570 metres.—11.0 a.m., Concert from Frankfurt. 12.15 p.m., Time, Weather, News, and Programme Announcements. 12.30, Concert from Langenberg. 1.0, Sponsored Programme. 1.30, Advanced English Lesson. 4.0, See Langenberg. 5.15, Time, Weather, and Agricultural Notes. 5.25, Talk: Pens and Handwriting. 5.50, First-aid Lesson. 6.15, Talk: Ideas for a Sunday Ramble. 6.25, Time and News. 6.30, Recital of Unfamiliar Arias by Margaret Wetter (Soprano); Rusalka's Aria from Rusalka (Dvorak); Manon's Aria from Manon Lescaut (Puccini); Marietta's Song from Die tote Stadt (Korngold); Recitative from André Chénier (Giordano); Chimène's Aria from Le Cid (Massenet). 6.50, Werktag—a Picture of Swabian Peasant Life; Songs, Zither Music, and Recitations arranged by Martin Lang. 7.30, European Concert, relayed from Radio-Suisse Romande. 9.30, Time, Weather, News, Sports Notes, and Programme Announcements. 9.55, Talk: What People are talking about in America, relayed from America. 10.10, Dance Music by the Stuttgart Philharmonic Dance Band, conducted by Harry Risch. 11.0 (approx.), Close Down.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW.—6.0 p.m., News. 6.15, Mascarade (Lanoue), by a Symphony Orchestra. 6.30, Chansonnettes. 6.45, Popular Music. 7.0, Tourist Talk. 7.15, Racing Results, Market Prices, and News. 7.25, Local News Bulletin. 7.30, Orchestral Concert of Popular Music. 8.0, Opera Music. Selection from: (a) The Tales of Hoffmann (Offenbach), (b) Faust (Gounod), (c) Sigurd (Royer). 8.15, Music by a Viennese Orchestra. 8.45, Symphony, No. 7 (Beethoven), by a Symphony Orchestra. 9.15, Programme of Tunes. 9.30, Opera Music. Selection from: (a) William Tell (Rossini), (b) Don Giovanni (Mozart). 9.45, Songs from S-and Films. 10.0, Organ Music. 10.15, North African News. 10.30, Concert for Listeners in Morocco. March from The Valkyries (Wagner); Duet from Act IV of La peau de chagrin (Levadé); Overture, Poet and Peasant (Suppé); Léo, Léa, Elie (Gabarcho); Banjo Solo: La Soluzione (Accordi). 11.0, Military Music. Morning, Noon and Night (Suppé); The Glow Worm Idyll (Lincke); Geburtstagsständchen (Lincke). 11.15, Music by an Argentine Orchestra. 11.30 to 12 Midnight,

Programme in English by the I.B.C. The I.B.C. Half-Hour. Mr. H. K. Hitchcock announcing. Organ Music; Serenade; I'm just weeping my heart out; I wasn't ashamed of you, Mother; A Perfect Day; Indian Love Call from Rose Marie (Friml); Three little Words; Will they love me up in Heaven?; Londonderry Air. 11.57, I.B.C. Good-night Melody. 12 Midnight, Weather and Announcements. 12.5 a.m. (Saturday), Musical Programme. 12.30 (approx.), Close Down.

TRIESTE

247.7 metres; 10 kW.—3.0 p.m., See Rome. 5.35, See Turin. 6.0, Light Music on Gramophone Records. 6.20 to 6.35, See Turin. 6.35, Orchestral Music from the Café Dante. 7.0 till Close Down.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW. Relayd by Milan, 331.6 metres; Genoa, 312.8 metres; and Florence, 500.8 metres.—3.0 p.m., See Rome. 5.35, Giornale Radio, Agricultural and Popolavoro Notes. 6.0, Variety Music on Gramophone Records. In the intervals at 6.20, Giornale Radio; and at 6.30, Time, Announcements and Report of the Royal Geographical Society. 7.0, Giornale Radio, Weather and Gramophone Records (cont'd.). 7.30, Talk on Sport, followed by Gramophone Records of Light Music. 8.0, Symphony Concert, conducted by Bernardino Molinari. Overture, Nima (Pisiello); Fifth Symphony in C Minor (Beethoven); Symphony Poem, Don Juan (Richard Strauss); Scherzo from L'Apprenti Sorcier (Dukas). Talk in the interval. 10.0, Giornale Radio.

VATICAN CITY

19.84 metres (Morning) and 50.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Information in German. 7.0 to 7.15 p.m., Religious Information in Italian.

VIENNA

517 metres; 15 kW. Relayd by Graz, 352.1 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 245.9 metres; and Salzburg, 218.5 metres.—3.45 p.m., Instrumental Concert of German Music. 5.10, Tourist Report. 5.25, Sports Notes. 5.30, Talk on the Ski Championships at Innsbruck. 5.55, Talk on State Theatres. 6.10, A Discussion between Dr. Max Eiserl and Three Architectural Students. 6.35, Time, Weather and Programme Announcements. 6.45, Talk by Kurt G. Sell: What People are talking about in America, relayed from America. 7.0, Reading. 7.30, European Concert, relayed from Radio-Suisse Romande. In an interval, News, Weather and Announcements. 9.30, Traffic Report. 9.40, Gramophone Concert: Waltz, Die Schönbrunnner (Lanner); Foxtrot, How are You? (Steininger-Pola-Rillo); St. Louis Blues (Handy); Foxtrot, How's your Uncle (McHugh-Fields); Tango, Homa (Roman); Foxtrot, Sing Brothers (Weston-Lee); Foxtrot, Just Friends (Klener-Lewis); Tango, Es war einmal ein Musikus (Schwarz); Waltz, Paradise (Brown-Clifford); Foxtrot, The old Kitchen Kettle (Woods-Campbell-Connelly); Tango, Arreppimentino (Chiappo); Blues, Goodbye (McHugh-Fields-Johnson).

WARSAW

1,411 metres; 120 kW.—10.58 a.m., Time Signal and Bugle Call from the Tower of St. Mary's Church, Cracow. 11.5, Programme Announcements. 11.10, Popular Music on Gramophone Records. 12.20 p.m., Weather Forecast. 12.25 to 2.10, Interval. 2.10, Announcements. 2.15, Economic Notes. 2.25, Aviation Notes and Anti-Gas Drill. 2.30, Naval and Colonial Report. 2.35, Review of Periodicals. 2.50, Light Music on Gramophone Records. 3.20, Talk on History: Feudalism. 3.40, Talk. 4.0, Wind Instrument Concert; Conductor, André Bromberg; Polish (Larosse); Overture, Indra (Flotow); Waltz, Künstlerleben (Joh. Strauss); Scottish Caprice (Kling); Spanish Rhapsody (Lalo); Waltz-Intermezzo (Translator); March from Aida (Verdi). In the interval, Announcements. 4.55, Programme Announcements. 5.0, Talk on Polish Literature: Malczewski. 5.20, Topical News. 5.25, Light Music on Gramophone Records. 5.50, Skiing Report, relayed from Cracow (312.8 metres). 6.0, Miscellaneous Items. 6.20, Talk: Cotton and Wool. 6.30, Reading. 6.45, Radio Journal. 7.0, Talk: The Literary World. 7.15, Introductory Talk to the Following Relay. 7.30, European Concert, relayed from Radio Suisse Romande. 9.30, Sports Notes. 9.35, Radio Journal. 9.40, Light Music on Gramophone Records. 9.55, Aviation Weather Report and Police Notes.

ZAGREB

307 metres; 0.75 kW.—4.0 p.m., Trio Concert. 6.20, Sports Notes. 6.35, Educational Notes. 6.55, Popular Science Talk. 7.20, Introduction to the following Relay. 7.30, European Concert, relayed from Radio-Suisse Romande (Sottens). 9.30, News, Weather and Snow Report. 9.40 (approx.), Close Down.

ZURICH.—See Schweizerischer Landessender.

Aria (Puccini); The Cuckoo (Lehmann); Duigt kjorhelligt (Kjerulff); Zur Rosenzeit (Grieg); Im Kahne (Grieg). 4.30, Discussion between a Schoolmaster and his Pupil Ten Years Ago. 5.0, English Lesson. 5.30, Violin and Accordion Recital by Per Bolstad, Sen., and Alfred Wergeland, relayed from Bergen (364 metres). 6.0, Announcements, Weather, and News. 6.30, French Lesson. 7.0, Time. 7.1, Symphony Concert by the Philharmonic Orchestra, conducted by Odd Gramner Hegge. 8.30, Weather and News. 8.45, Part Relay of the European Concert from Radio-Suisse Romande. 9.30, Topical Talk. 9.45 (approx.), Close Down.

OSTERSUND.—See Stockholm.

PALERMO

542 metres; 2 kW.—7.0 p.m., Dopolavoro Notes, Tourist Report, Agricultural Notes, Report of the Royal Geographical Society and Giornale Radio. 7.20, Popular Music on Gramophone Records. In an interval at 7.30, Time and Announcements. 7.45, Tosca—Opera in Three Acts (Puccini), on Gramophone Records. In the intervals, Talk: The Sea at Palermo and Literary Notes. After the Opera, News.

PARIS

PARIS (EIFFEL TOWER), Call FLE, 1,445.7 metres; 13 kW. Time Signals (on 2,650 metres) at 9.26 a.m. and 10.26 p.m. (Preliminary and 6-dot Signals). 5.45 p.m., Le Journal Parlé. 7.20, Weather Report. 7.30, European Concert, relayed from Radio-Suisse Romande. 9.30 (approx.), Close Down.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW.—6.45 p.m., Journal Parlé. 7.0, Gramophone Concert of Light Music. 8.0, Talk on Music. 8.15, Interval. 8.30, Concert of Carnival Music by the Station Symphony Orchestra: Overture, Le carnaval roumain (Berlioz); Le roman d'Arlequin (Massenet); Symphonie Suite, Poème carnavalesque (C. Silver); Carnival Overture (Dvorak); Selection from Les trois Masques (Isidor de Lara); Carnival (Schumann); Carnival ture (Luigini); Selection from Le bal costumé (Rubinstein); Masques et Bergamasques (Faure); Suite bergamasque (Debussy); Selection from A Masked Ball (Verdi). 10.30, News.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW.—6.45 a.m., Physical Culture. 7.30, Weather and Physical Culture (cont'd.). 7.45, Gramophone Records: Wedding Cake (Saint-Saens); Sonata in G Minor (Handel). 8.0, Press Review and Weather. 12 Noon, Jewish Address. 12.30 p.m., Concert by the Kretzky Orchestra: La Voluptueuse (Couperin); Les Papillons (Couperin); First Concerto in C Minor for Two Violins (Bach); Overture, Heimkehr aus der Fremde (Mendelssohn); Trio Serenade in D (Beethoven); Adagio from the Septet (Beethoven); Albumblatt and Noveltete (Schumann); Selection from Jocelyn (Godard); Petite Suite (Bizet). In the interval at 1.0, Exchange, News and 8.45, Exchange and Market Prices. 4.30, Elementary English Lesson. 6.10, Agricultural Talk. 6.30, Review of New Books. 6.50, Talk on Social Insurance. 7.0, Talk: Great Days of the French Revolution—July 14th. 7.20, Light Music by the Kretzky Orchestra. 7.30, European Concert, relayed from Schweizerischer Landessender. In the intervals at 8.30, News and Weather; at 8.40, Gastronomic Review; and at 9.15, Press Review and News. 9.45, Literary Readings. 10.15, Gramophone Dance Music.

PITTSBURGH

WESTINGHOUSE ELECTRIC (KDKA), 306 metres; 25 kW. Relayd by W8XK on 48.86 metres and 25.27 metres. 9.0 p.m., Talk by Dr. Eulyn Jones. 9.10, Business News. 9.15, S.A.I. Musicale (Carnegie Tech Chapter). 9.30, Weather Report. 9.32, Market Reports. 9.45, Piano-forte Interlude. 9.50, David Lawrence Dispatch. 9.55, KDKA Artist Bulletin. 9.58, Programme Announcements. 10.0, Muskingum College Music Clubs. 10.15, Programme to be announced. 11.15, New York Relay. 10.30, The Singing Lady. 10.45, Little Orphan Annie. 11.0, Our Daily Food by George Rector and Judge Gordon. 11.15, Time Signal. 11.16, Weather Report. 11.17, Teaberry Sport Review. 11.22, Press News Reeler. 11.27, Strange Facts. 11.29, Temperature Report. 11.30, KDKA Orchestra. 11.45 to 3.15 a.m. (Saturday), New York Relay. 11.45, Today's News by Lowell Thomas. 12 Midnight, Reposent Amos in Aduy. 12.15 a.m., Hilda Burke (Soprano). 12.30, Five Star Theatre Charlie Chan. 1.0, Nestlé's Programme. 1.30, Time Signal and Adventures in Health. 1.45, Howard Thurston, the Magician. 2.0, The First Nighter. 2.30, Amour Programme. 3.0, Alice Joy with Rollickers. 3.15, Westinghouse Pioneers. 3.30, Bridge School of the Air by E. Hall Downes. 3.45, Bradley Kincaid. 4.0, Time Signal. 4.1, Teaberry Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.13, KDKA Artist Bulletin. 4.16, Press Last-Minute News Flashes. 4.20, Smith Ballou and his Orchestra. 4.30, Henry Hirst and his Californians. 5.0, Cotton Club Orchestra, from New York. 5.30, Time Signal and Good-night.

PORSGRUND.—See Oslo.

SATURDAY

MARCH THE FOURTH

PRINCIPAL EVENTS OF THE DAY:

AT HOME

NATIONAL Band music. Navy & Army: A running commentary on International Rugby Football Match, relayed from Twickenham. "Songs from the Shows," feature programme, by John Watt. A Quilter orchestral programme.

LONDON REGIONAL Mr. S. P. B. Mais: "The Week-end." Russian Balalaika orchestral programme. Instrumental concert. Leicester Brass Band festival. Chamber music. From the Musical Comedies, orchestral programme. "Granite Quarrying": A talk by Mr. C. H. Martin, Leicester Brass Band festival.

MIDLAND REGIONAL Mr. Ernest Dyer: "The City of Durham and the Wear." Orchestral concert. "Backside Chronicles," by Zachariah Briggs. "Billy Birkby." The Lancashire Mummies' Concert Party.

NORTH REGIONAL Mr. W. B. Henderson: "The Ancient Shrines of Wells and Glastonbury." Orchestral concert from National Museum of Wales. Welsh interlude. Eye-witness account of the fourth round tie in the Scottish Cup. Mr. George Blake: "The Week in Scotland."

WEST REGIONAL Mr. R. J. Welch: "Where to find Flint Arrow-heads." Amateur Flute Band concert. Orchestral concert from the Wellington Hall. Two plays: "Derrick Rummell," by P. L. McCann, and "Simon, the Awful," by P. L. McCann.

SCOTTISH REGIONAL

BELFAST

ABROAD

BRUSSELS (No. 1) 8 p.m. Gluck and Wagner concerts from the Théâtre Royal de la Monnaie.

PALERMO 7.45 p.m. Operetta: "A Waltz Dream" (Oscar Straus).

ATHLONE
413 metres; 60 kW.; and CORK, 224.4 metres. —1.30 to 2.0 p.m., Time, Weather Forecast, Stock Report, and Light Music on Gramophone Records. 5.20, Gramophone Concert of Popular Music. 7.20, News. 7.30, Time Signal. 7.31, Talk. 7.45, Gaelic Talk by Seamus O'Duinn. 8.0, Concert by the Dublin Philharmonic Society relayed from the McIntyre Hall. 10.0, Lecture Recital by Carl Hardebeck. 10.30, Time, News, Weather Report, and Close Down.

BARCELONA
RADIO-BARCELONA, Call EAJ1, 348.3 metres; 8 kW.—6.0 p.m., Programme for Children. 7.0, Request, Gramophone Records. 7.30, Exchange Quotations and Catalan Grammar Lesson. 8.0, Light Music on Gramophone Records and News. 9.0, Chimes from the Cathedral, Weather Forecast, Exchange Quotations and Market Prices. 9.5, Concert by the Station Orchestra: March (Lincke); Hindu Reverie (Staub); Berceuse (Debussy); Military Polonaise No. 1 (Chopin). 9.30, A Musical Comedy, relayed from Madrid (EAJ7). 11.0 (in an interval), News Bulletin.

BARI
269.8 metres; 20 kW.—7.0 p.m., Agricultural Report, Tourist Talk, and Dopolavoro Notes. 7.20, Giornale Radio, Sports Notes, and Weather Forecast. 7.30, Time Signal and Announcements. 7.35 (approx.), Concert of Operetta Music and Songs. In the interval, Reading. 9.20, Popular Music on Gramophone Records. 9.55, News Bulletin.

BASLE—See Schweizerischer Landessender.

BERLIN
KONIGS WUSTERHAUSEN, 1,635 metres; 60 kW.—12.45 p.m., News Bulletin. 1.0, Gramophone Concert from Berlin (Witzleben). 2.0, Programme for Children. 2.30, Weather and Exchange. 2.45, Reading (Paul Alverdes). 3.0, Talk: The Mother and the Nation. 3.30, See Hamburg. 4.10, Weekly Review. 5.0, Piano-forte Recital: Scherzo (d'Albert); Soiree de Vienne (Schubert-Liszt); Concert Paraphrase on Rigoletto (Verdi-Liszt). 5.30, Talk: Employed Theatre Artists. 5.55, Weather and Announcements. 6.0, Schütz Motets by the Plessburg Oratorio Society. 7.0, Programme for all German Stations, relayed from Heilsberg. 8.15, Winter Relief Programme, from Hamburg. 9.0, Weather, News, and Sports Notes. 9.25, Gramophone Report of the Installation of Franklin Roosevelt as President of the United States. 9.45, Weather Report for Shipping. 10.0, Light Music from Berlin (Witzleben). 11.0 (approx.), Close Down.

BERLIN
WITZLEBEN, 419.5 metres; 1.5 kW.—3.0 p.m., Orchestral Concert, conducted by Bruno Seidler-Winkler: Prelude and Entr'acte from Der Corregidor (H. Wolf); Dance Fantasia, Op. 35 (Weissmann); Serenade, Op. 53, No. 3 (Kienzl); Suite, Vasanasana (Halvorsen). 4.0 (approx.), Ornithological Talk: In Search of the Rail of the Primeval Forests. 4.15 (approx.), Concert (contd.): La Burla, Op. 78 (Weingartner); Effluenzen (Klose); Moorish Rhapsody (Humperdinck). 5.0, Talk: Herr Frick, Minister of State. 5.15, Recital of Sacred and Secular Folk Songs from St. Nicholas Church. 5.55, The Witzleben Station informs its Listeners. . . . 6.0, Topical Talk. 6.10, The Watchword. 6.15, Men of Yesterday speak to Men of Today. 7.0, Transmission for all German Stations, relayed from Heilsberg. 8.15, Orchestral Concert, conducted by Gustav Havemann. 9.0, Weather, News, and Sports Notes. 9.25, President Roosevelt takes up Office—Relay of the Festivities of the Festivals on Gramophone Records. 9.45, Orchestral Concert (contd.). In the interval at 10.30, Talk: The Intellectual Break-up of the Age. 11.30 (approx.), Close Down.

BERNE—See Schweizerischer Landessender

BEROMUNSTER — See Schweizerischer Landessender.

BODEN—See Stockholm.

BODO—See Oslo.

BRATISLAVA
279 metres; 14 kW.—3.10 p.m., Fucik Concert by the Station Orchestra, conducted by J. Odchazel. 4.10, Talk: The Anti-Alcohol Campaign in Great Britain, Denmark, and Belgium. 4.25, Light Music on Gramophone Records. 4.45, Mariette Play. 5.45, Talk for Housewives. 6.0, See Prague. 6.25, See Brno. 6.55, See Prague. 8.0, Concert of Operetta Music by the Station Orchestra, conducted by E. Dyk: Overture, Gipsy Love (Lehár); Two Duets (Nedbal); Song (Karel); Two Songs from The Geisha (Sidney Jones); Two Duets from Polenblut (Nedbal); Waltz (Provaznik). 9.0, See Prague. 9.15, See Moravská-Ostrava. 10.30 (approx.), Close Down.

BREMEN—See Hamburg.

BRESLAU
325 metres; 1.5 kW.; and GLEIWITZ, 253 metres.—12.10 p.m., Gramophone Concert

of Popular Music. 12.45, Time, Weather, News and Exchange. 1.5, Gramophone Concert of Variety Music. 1.45, Sponsored Programme with Gramophone Records. 2.10, Agricultural Prices. 2.30, Film Notes. 2.50, Book Review. 3.10, Talk: Intellectual Achievements of Eastern Germany. 3.40, See Hamburg. 4.30, Talk: Violins, Old and New. 4.55, Confessions, with Introductory Talk. 5.25, Programme to be announced. 6.0, President Roosevelt takes up Office, Radio Report by Kurt G. Sell on the Ceremony and Festivities, relayed from America. 6.20, Weather for Farmers. 6.25, Gramophone Concert: Potpourri, The World in Song (Intrator); Gipsy Romance; Song of the Pus-ta; Mazurka, Frauenherzen (Jus. Strauss); Passabile from Ein Mann Mit Herz (Stolz-Gilbert); March, Der krenzleibliche Kupferseimel (Peter); Potpourri, Wiener Spaziergänger (Kozak). 7.0, Transmission for all German Stations, relayed from Heilsberg. 8.15, See Berlin (Witzleben). 9.0, Time, Weather, News, Sports, Notes and Programme Announcements. 9.30, Festival Programme on Gramophone Records from Berlin (Witzleben). 11.0 (approx.), Close Down.

BRNO
342 metres; 15 kW.—5.25 p.m., German Transmission: News and Concert of Modern Dances: Funeral Sarabande and Minuet from the Suite Op. 24 (Gib); Waltz, Op. 23 (Koranyi); Gollwitzer's Cake Walk from The Children's Corner (Debussy); Sonata Minicetto (Casella); Spanish Melodies (Albeniz); Russian Dance (Stravinsky); Copacabana, Spanema and Tiguca (Milhaud); Foxtrot (Tele-co); Spiritind, Blues and Charleston from Transatlantic Sonata (Tausmann). 6.0, See Prague. 6.25, Concert by the Schrammel Orchestra. 6.55, See Prague. 8.0, See Bratislava. 9.0, See Prague. 9.15, See Moravská-Ostrava. 10.30 (approx.), Close Down.

BRUSSELS (No. 1)
I.N.R.—509 metres; 15 kW.—12 Noon, Dances of Yesterday—Concert by the Small Station Orchestra, conducted by P. Leemans: Marche parisienne (Poppy); Mazurka, La Carmine (Ganne); Waltz, Bonanwolven (Ivanovic); The Glow-worm Gavotte (Lincke); The Lancers' Quadrille (Metra); Quadrille (Offenbach); Schottische, In the Shadows (Finck); Mazurka naturaliste (Ganne); Gavotte des bousiers (Poppy); Gallop (Democh). 1.0 p.m., Le Journal Parlé. 1.10, Schumann Concert by the Small Orchestra, conducted by P. Leemans: Album for the Young; Melody; Songs by Mlle. Van Lil; (a) Song, (b) Song, (c) In der Ferne, (d) Die Rose, die Lilie, die Taube; Canon; Arabesque for Piano-forte; Melody; Gipsy Dance. 5.0, Concert by the Symphony Orchestra, conducted by A. Meulmans: Ballet, Extracts (Lully); Suite en forme de danses (Rameau). 5.30 (approx.), Programme for Children. 6.5, Literary Review. 6.15, Music

on Old Instruments—Gramophone Concert: Passepied and Gavotte in G (Bach); Menuet du pays du Tendre (Destouches); Plaisir d'amour (Moussini); Le Concert (Dargu); Tambourin (Mozart). 6.30, Tchaikovsky Concert by the Small Orchestra, conducted by P. Leemans: Danse caractéristique; Romance for Violin; Extracts from Mozartiana; Melody for Tello; Romance in F Minor; Extracts from the Nutcracker Ballet. 7.15, Report of the Belgian Catholic Radio Society. 7.30, Review of International Events and Gardening Hints for March. 8.0, Concert by the Symphony Orchestra, conducted by A. Meulmans. Soloist: Mme. Laure Bergé (sings). Part I: Gluck Programme: Overture, Iphigenia in Aulis; Song from Alceste; Ballet Music from Alceste; Song from Armide; Ballet Music from Orphée. 8.45, Talk by Mgr. Ladureau, Rector of the Catholic University at Louvain. 9.0, Concert (contd.). Part II: Wagner Programme: The Ride of the Valkyries; Song from Siegfried; Prelude and the Death of Isolde from Tristan and Isolde; Good Friday Music from Parsifal. 10.0, Le Journal Parlé. 10.10, Request Gramophone Records: Overture, The Damnation of Faust (Berlioz); Forest Murmur from Siegfried (Wagner); The Legend of the Grail, from Lohengrin (Wagner); Overture, Figaro (Mozart); Melody from The Pearl Fishers (Bizet); Anita's Dance (Grieg). 10.35, Suite from L'histoire du Soldat (Stravinsky). 10.55, Christian Vinct (Liszt). 11.0, Light Music on Gramophone Records. 12 Midnight, Close Down.

BRUSSELS (No. 2)
N.I.R. 338.2 metres; 15 kW.—Programme in Flemish. 12 Noon, Concert relayed from the Grand Hotel, Antwerp: Overture, Lysistrata (Lincke); Musical Revue (Astou); Bébé danse (Miche); Suite from Sylvia (Debussy); Tello Solo; Kol Nidrei (Bruch); Selection from Tidland (d'Albert). 1.0 p.m., Le Journal Parlé. 1.10, Concert (contd.): Overture, The Merry Wives of Windsor (Niccini); Potpourri, Fishblumen (Lenschner); Tello Solo; (a) Aria (Bach), (b) Polonaise (Popper); 1933 Potpourri (Dostal); In Casino steht ein Pianino (Stolz). 5.0, Concert by the Radio Orchestra, conducted by Charles Walpot: March, Entry of the Gladiators (Fucik); Waltz, Memories of Josef Strauss (Fährbach, Jr.); Overture, Poet and Peasant (Suppe); Girl (Poot); Rhapsody in B (Hartung); To the Sound of the Cigány Band (Meyer-Helmann); Suite from The Sleeping Beauty (Tchaikovsky). 6.0, Reading (Zielens). 6.15, Talk. 6.30, Borodin Music on Gramophone Records: Symphony No. 2; Scherzo; Nocturne from the Quartet in D Minor; Polovtsian Dances. 7.15, Talk: Gerhard Meercator. 7.30, Film Review. 8.0, Concert by the Radio Orchestra, conducted by Charles Walpot. Soloist: Mlle. Brubez (Mezzo-Soprano). March, Little Belgian (Sykes); Waltz, Je t'aime (Waldteufel); Overture, Morning

Noon and Night (Suppé); Songs; Potpourri, Ripe Fruit (Morena). 8.45, Talk: Candles—Customs and Popular Beliefs. 9.0, Concert (contd.): Sambre et Meuse (Planquette); Overture, William Tell (Rossini); Waltz, Frühlingsstücken (Joh. Strauss); Selection from Ta Bouche (Yvain); Songs; Ballet Music from Coppelia (Delibes); Czardas for Xylophone (Miche); Foxtrot, Oh Mona. 10.0, Le Journal Parlé. 10.10 Gramophone Records of Light Music. 10.30, Concert, relayed from the Ancienne Belgique. 12 Midnight, Close Down.

BUCHAREST
394 metres; 12 kW.—4.3 p.m., Concert of Light Music and Romanian Music by the Sibacano Orchestra. 5.0, News and Time Signal. 5.10, Talk. 5.25, Concert (contd.). 6.0, Talk on Romania: Her Industrial Policy. 6.40, Light Music on Gramophone Records. 7.0, Time Signal. 7.1, Concert by the Station Orchestra: Overture, Le Roi Fa dit (Delibes); Selection from Gasparone (Müllacker); Oriental Piece, Ben Akiba (Siede). 7.30, Talk. 7.45, Song Recital by Mme. Solomoncau: Ich wand're nicht (Schumann); L'oiseau bien (Chardier); Serenade (Piercé). 8.5, Concert by the Station Orchestra (contd.): Violin Solo; Melody from Sylvia (Delibes); Romanian Potpourri (Paschil). 8.45, News.

BUDAPEST
550 metres; 18.5 kW. 6.30, Close Down. Programme also relayed on 940 metres.—4.30 p.m., Viennese Song Recital by Radis Hilda Bock. 5.15, Answers to Correspondents. 5.45, Orchestral Concert: Overture, Der Schneemann (Korngold); Selection from I Pagliacci (Leoncavallo); Algerian Suite (Saint-Saëns); Selection from Der Freischütz (Weber); Dance Scenes (Glazunov); Von Gluck bis Wagner (Schreiner). 7.0, One-Act Radio Play, followed by Announcements. 8.40, Cigány Music by the Reszö Horvath Band, relayed from the Emke Café. 9.30, Relay from the Labriola Theatre. 10.15, Cigány Music by the Horvath Band, relayed from the Café Emke.

CASSEL—See Frankfurt.

COPENHAGEN
281 metres; 0.75 kW.; and KALUNDBORG, 1,153 metres; 7.5 kW.—11.0 a.m., Time Signal and Chimes from the Town Hall. 11.2, Concert by the A. Bendix String Ensemble, relayed from the Wives Restaurant. 1.0 to 1.30, Interval. 1.30, Gramophone Concert. 2.0, Programme for Children. 2.30, Wind Instrument Concert, conducted by Lanny Gröndahl. Soloist: Grete Christensen (Piano-forte). March, King Cotton (Sousa); Overture, Martha (Flotow); Waltz, Dreams on the Ocean (Gungl); Rustle of Spring (Sinding); Selection from La fille de Madame Anzot (Leroux); Galop, Jussarettacke (Eilenberg); Piano-forte Solos (Chopin); (a) Nocturne in F. (b) Berceuse in D Flat, (c) Scherzo in C Sharp Minor; Battle March (Müller); Waltz, Estudiantina (Waldteufel); Military Parade (Massenet); Fantasia on Guild Songs (Rosen); Bourrée from the Suite ancienne (Halvorsen); Andante-meditante (Lacombe); March (Blon). 4.40, Exchange and Fish Market Prices. 4.50, Talk and Reading in German: The Austrian Author, Anton Wildgans. 5.20, Elementary French Lesson. 5.50, Weather. 6.0, News. 6.15, Time. 6.30, Talk: The Significance of Christianity to us and to our Age. 7.0, Time Signal from the Town Hall. 7.1, Concert of Music by Emma-rich Kälmin, conducted by the Composer, relayed from the Old Fellows' Hall. 9.0, News. 9.15, Reading (Carl Arelander). 9.35, Piano-forte Recital by Gudrun Seligmann. Soiree de Vienne, No. 6 (Schubert-Liszt); Fantasia in D Minor (Mozart); German Dances (Schubert). 9.55, Dance Music, relayed from the Lorry Establishment. In the interval at 11.0, Time Signal and Chimes from the Town Hall. 11.15 (approx.), Close Down.

CORK—See Athlone.

DANZIG—See Heilsberg.

DRESDEN—See Leipzig.

FECAMP
225.9 metres; 10 kW. 12 Noon, Variety Music on Gramophone Records. 2.30 p.m., News. 12.45, Concert of Light Music. 6.0 to 7.0, Programme in English by the I.B.C. Announcers: C. Danvers Walker, R. Chene, B. McNaught and W. Crofton. 6.0, Vocal Concert for Folkstone Listeners: The future Mrs. 'Awkins (Chevalier); Just a Darning sweet-heart (Tobias); My old Dutch (Chevalier); My old Irish Mother (O'Donnell); Life (Sarony); Lily of Laguna (Stuart); Poor Kid (Gilbert); Little Dolly Daydreams (Stuart). 6.30, Concert for Isle of Thanet Listeners, Orchestra: Some of these Days; I don't mean a Thing; Piano-forte Solo; She didn't say Yes. Vocal Trio: Down among the sheltering Palms; Orchestra: Out of Breath; Coney Island Washboard; Vocal Trio: We just couldn't say Good-bye. Orchestra: Aphrodite Waltz. 7.0, News and Light Music on Gramophone Records. 7.30, Radio Gazette. 7.50, Answers to Correspondents and News. 8.0, Extracts from Matton—Opera

MARCH 4th

SATURDAY

continued

in Five Acts (Massenet). 11.0 till Close Down. Programme in English by the L.S.A. 11.0, Concert: Selection from The King of Jazz (Somers); The old Man of the Mountain; Balloons; Sweet Mischelach; Toasts; My Romance; Open up them pearly Gates; Selection from The Three Musketeers (Friml). 12 Midnight, Concert. Songs: (a) Every little girl he sees (Akst), (b) Here in my little heart (Campbell), (c) Nobody cares if I'm blue (Clarke). Nylphone Solo: Looping the Loop (Easton). Songs: (a) O dem Golden Shippers (Bland), (b) When it's Sunset on the Nile, (c) Poor old Joe (Foster). Nylphone Solo: Marionette (Easton). 12.30 a.m. (Sunday), Comedy Duets: Crystal Gazing; Aloft; Moonshine; In the Trenches; Fun on the phone; The Police Station; Happy Days. 1.0, Accordion Solos; Juke Bells (Beatone); Mason's Apron (Reel); Prince Charlie (Beatone); Rakes of Colonel; Medley of English Airs (arr. Cuvellier); The Woe MacGregor Patrol (Amers); Medley of Scotch Airs (arr. Cuvellier); The Minstrel Boy (arr. Cuvellier). 1.30, Concert. Songs: (a) Always in my heart, (b) Let's put out the lights, (c) I'll never be the Same. Orchestra: Miraculous Melodies. Songs: (a) How deep is the Ocean?, (b) Wonderful you, (c) Wandering around. 2.0, Dance Music: Put that Sun back in the Sky; Georgia on my Mind; Lullaby of the Leaves; Good-night Vienna; Goodies; You've got what gets me; If I didn't have you; Love you funny thing; The Echo of a Song; Don't tell a Soul; Gone for ever; Living in Clover; One little Quartet; I got Rhythm; Oh, Monah! It ain't no Fault of mine. 2.57, I.B.C. Goodnight Melody. 3.0, Close Down.

FLensburg.—See Hamburg.

Florence.—See Turin.

FRANKFURT

259 metres; 17 kW.; and CASSEL, 245.9 metres; and TRIER, 259.3 metres.—4.0 p.m., Orchestral Concert. 5.5, Economic Notes. 5.10, Dialogue: Would it be practicable to fix Rates of Professional Remuneration? 5.35, Discussion on the South German Protestant Churches. 6.0, President Roosevelt takes Office—a Radio Report from America. 6.25, Time, Programme Announcements, Weather, and Exchange. 6.30, Chamber Music by the Leuzewski Quartet; String Quartet (Bodo Wolf); String Quartet (Karl Marx). 7.0, Programme for all German Stations relayed from Heilsberg. 8.15 to 9.35, See Stuttgart. 9.35, Time, News, Weather, Sports Report, and Review of the Skiing Events of the Year. 10.0, Dance Music from Stuttgart. 11.0 (approx.), Close Down.

FREDRIKSSTAD.—See Oslo.

Freiburg.—See Stuttgart.

Geneva.—See Radio-Suisse Romande.

Genoa.—See Turin.

Gleiwitz.—See Breslau.

Göteborg.—See Stockholm.

Graz.—See Vienna.

Hamar.—See Oslo.

HAMBURG

Call ha (in Morse), 372 metres; 1.5 kW. Relayed by Bremen, 269.8 metres; Flensburg, 227.4 metres; Hanover, 566 metres; and Kiel, 232.2 metres.—3.30 p.m., Concert by the Hamburg Philharmonic Orchestra, conducted by Adolf Secker: Overture, Don Giovanni (Mozart); Tarantella from the Italian Symphony (Mendelssohn); Wedding Scenes (Smetana); Wotan's Farewell and Fire Magic from Die Valkyries (Wagner); Petite Suite (Debussy); Festliche Musik (Frankenstein). 4.30, Talk: Fifty Years of the German Rowing Society. 4.55, The True Sea Story of the Week. 5.5 (from Hanover), Concert by the Hanover Station Orchestra; Soloists: Lotte Hornuth and Hubert Endlein (Songs), Marching Song, O Stefania, from Rund um die Liebe (O. Straus); Lotte Hornuth; (a) Ich bin eine Frau, die weiss was sie will (O. Straus), (b) Oft hab' ich vom Glück geträumt (Kálmán); Autumn Song (Bevoe); Baby laughs (Plessow); Hubert Endlein; (a) Traum' mein kleines Baby (Hajos-Meisel), (b) Du lieber Herrgott (Fried David-Stolzenwald); Selection from Hohheit tanzt Walzer (Ascher); Duets: (a) Ich weiss nicht, wie ich dir's sagen soll from Mein Leopold (Ascher), (b) Es ist besser so from Ronny (Kálmán); Carrambolina, Carrambolletta (Kálmán). 6.0 (from Bremen), Dialogue: Bremen buys Australian Wool. 6.25, Forecast of the Weather from January to April. 6.30, Weather Report. 6.35, Popular Music on Gramophone Records. 7.0 (from Bremen), Concert in Aid of the Bremen Winter Relief Fund, relayed from the Casino; the Municipal Orchestra and Soloists; Erna Kroll-Lange, Herbert Ernst Groh, Erwin Bött, Bernhard Jakschlat, and Willy Hagen; Overture, The Merry Wives of Windsor (Nicolaï); Rondo of the Golden Call from Faust (Gounod); Kleines Vorspiel einer musikalischen Komödie (Platen); Mimi's Song from La Bohème (Puccini); Hungarian March from The Damnation of Faust (Berlioz); Frühlingsreigen (Fleischmann); Overture, Der Freischütz (Weber); Overture, Die schöne Galathée (Suppé); Song from Der arme Jonathan (Müllacker); Prelude to Eva

(Lehar); Spring Song (Gounod); Waltz, Wiener Blut (Joh. Strauss); Ballet Music from Tannhauser (Lehar); Song from The Count of Luxembourg (Lehar); Ballgänger (Meyer-Helmund); Song from Der Bettelstudent (Müllacker); Der Norag Mausch (Platen). 9.0, Time and News. 9.20, Topical Talk. 9.30, Concert by the Chamber Orchestra, conducted by Gerhard Maasz; Soloists: Gerhard Gregor, Richard Beckmann, and Bruno Miesche. In the interval at 10.20, Ice Report.

HANOVER.—See Hamburg.

HEILSBURG

276.5 metres; 60 kW.; and DANZIG, 453.2 metres.—12.5 p.m., Gramophone Concert: March, Per aspera ad astra (Urbanek); Dorfiröschens Brautfahrt (Rhode); Tin Soldiers (Koeckert); Buddha's Liebesfeier (Kronberger); Kirschblütenfest (Dieker); Memories of the Ukraine (Ferraris); Roses from the South (Joh. Strauss); March, Schneidige Truppe (Lehmann); Tränen in der Geige (Käper); My Heart is yours (Ralton); Auf den Feldern blüht der rote Mohr (German); Am Lagerfeuer (Sieder); Wiener Schwaben (Schlögel); Anno dazumal (Morena); Wenn ich traurig bin (Reisfeld); Träume mein Baby (Reisfeld); Wallburger Klarinettenhändler; Zugspitzenhändler; Das ist Wien. In the interval at 12.20 p.m., News. 1.30, Sponsored Programme with Gramophone Records. 2.0, Agricultural Prices and Exchange Rates. 2.30 (from Danzig), Handwork for Children. 3.0, Concert by the Small Station Orchestra, conducted by Eugen Wilcken. Overture, Im Hochland (Gade); Malaguena (Moszkowsky); Ja Toupie (Gillet); Waltz, Wiener Bonbons (Joh. Strauss); Selection from Die Schneider von schöna (Brand-Buys); Suite from En bal costume (Rubinstein); The Kiss Serenade (Michele); Kisses in the Dark (Michele); Waltz, Sorgenbrecher (Joh. Strauss, sen.); selection from Baccaccio (Suppé). In the interval at 4.0 (approx.), Humorous Topical Review. 5.0, Programme Announcements. 5.10, Programme Announcements in Esperanto. 5.15, Agricultural Prices. 5.20, Ice Report. 5.30, World Market Prices. 5.45, Talk: Reading between the Lines in the Commercial World. 6.15, Talk: Popular Art in East and West Prussia. 6.50, Weather and News. 7.0, Transmission for all German Stations. Address by Reichskansler Adolf Hitler. 8.15 till Close Down, See Berlin (Witzleben). 11.30 (approx.), Close Down.

HILVERSUM

Announced HUIZEN, 296.1 metres; 20 kW (7 kW up to 4.40 p.m.).—11.55 a.m. till Close Down, Programme of the Catholic Radio Society (K.R.O.). 11.55, Concert by the K.R.O. Sextet: Military March (Schubert); Wiegenlied (Schumann); Pestherwägen (Lanner); Lenz (Hillich); Lehar Potpourri (Geiger); Czardas (Grössmann); Gramophone Records: Selection from Gri-Gri (Lincke); Prelude (Baclmaninow); Waltz, Danilo (Lincke); March (Grieg). 1.25 to 1.40 p.m., Interval. 1.40, Talk for Young People. 2.10, Programme for Children. 3.40, H.R.O. Programme. 4.40, Concert by the Mouth Organ Septet. 4.50, Sports Talk. 5.5, Concert by the K.R.O. Orchestra, conducted by M. van 't Woud. Marche lorraine (Ganne); Melody from Les Saltimbanques (Ganne); Extase (Ganne); La Zingara (Ganne). 5.30, Concert by the Mouth Organ Septet (cont'd.). 5.50, Concert by the K.R.O. Orchestra (cont'd.): Der Tausendkünstler (Blankenburg); San Lorenzo (de Silva). 6.0, Press Review. 6.20, Concert by the K.R.O. Orchestra (cont'd.): Six Pieces (Lincke): (a) Folies Bergères, (b) Overture, Im Reich des Indra, (c) Waltz from Gri-Gri, (d) Am Bosphorus, (e) Die Backfischparade, (f) Annua. 6.50, Legal Talk. 7.10, Police Notes. 7.25, Sports Notes. 7.40, Concert by the K.R.O. Boys. Soloist: J. Mossel (Songs). 8.10, News. 8.15, Concert by the K.R.O. Boys (cont'd.). 8.55, Talk. 9.10, Concert by the K.R.O. Boys (cont'd.). 9.40, Light Music on Gramophone Records. 11.40 (approx.), Close Down.

HORBY.—See Stockholm.

HUIZEN

Announced HILVERSUM, 1,875 metres; 8.5 kW.—11.40 a.m. till Close Down, Programme of the Workers' Radio Society (V.A.R.A.). 11.40, Orchestral Concert; Soloist, L. Fuld (Songs); Melody from Les Cloches de Corneville (Planquette); Du hast mir heimlich die Liebe ins Haus gebracht (Heymann); Baccarolo (Arensky); Czardas (Nicklas-Kempner); Ich hab' ein Herz, das nach Liebe sich sehnt (May-Prais); Le petit Berger (Debussy); Gramophone Records: Overture, Marinaria (Puccini); Selection from The Merry Widow (Lehar); Suite romantique (Armandola); Cigany Melodies (Borganov); Frühling in Wien (Stolz); Gramophone Records: A Scandinavian Hornymoon (Friedriksen); Für dich sing ich mein Lied (Lehar); Wedding Day on Troldhaugen (Grieg). 1.40 p.m., Interval. 1.55, Light Music on Gramophone Records. 2.30, Concert: Rund um die Volga (Borchert);

Wo die Wälder grün sind (Brodzsky); Austrian Peasant Dances (Paehring); Two guitars (Horlick); Paso lento (Midd); Quand l'amour meurt (Crémieux); Melody (Bianco); Ja so ein Liebespaar, ist das nicht sonderbar (Gilbert); Gramophone Records: Potpourri, Wir tanzen (Kernbach); Marionettenbräutigam (Hafke); Oh hab' ich vom Glück geträumt (Kálmán); Lawd, you made the night too long (Young); Nur du bist Schuld daran (Strauss); Ein Fremd, ein guter Fremd (Heymann); Gramophone Records: Was der Wald erzählt (Zimmer); Tee bei Markäfern (Noack); Le baiser de Miehle; Tompation Rag (Lodge); Ich bin von Kopf bis Fuss auf Liebe eingestellt (Holländer); March of the Dwarfs (Armandola); Lass mich einmal deine Carmen sein (Holländer). 4.10, Talk. 4.25, Talk on Music. 5.20, Literary Talk. 5.40, Choral Concert and Talk. 6.10, Recitation. 6.40, V.R.O. Programme. 7.40, Talk: The Musical Competition, 1.0, The Village Barber. 8.15, Songs by M. Berger; Mattinata (Tosti); Souvenir (Eysler); Chanson de vin (Brammer). 8.30, Popular Music on Gramophone Records. 9.0, Address. 9.10, Songs (cont'd.): Te Quiero; Morena mia (Stubbs); A little girl, a little boy, a little moon (Barger); Spring (Witte). 9.25, News. 9.40, Concert by the Small Station Orchestra, conducted by M. Duchant; Soloists: J. Jong (Organ), A. de Booy (Bartone), J. Huy (Saxophone), C. Steyn (Accordion), J. Carlquist (Hawaiian Guitar), R. Bennik (Drums), and J. Vogel (Pianoforte); Flieger grüß mir die Sonne (Gray); Mimi (Rodger); Japanese Bell Dance (Yo-bitomo); Recense de Joelyn (Godard); Saxopholia (Wiedoeff); Nadja (Michele); The Liberty Bell (Souza); Waltz from Ball in Savoy (Abraham); Rubenola (Wiedoeff-Fry); Sunny South (Bodevall-Lampe); The Girls of Montparnasse (Wachsman); Overture, Zampa (Hérodé); Dinah (Shelton); Gloria (Hager-Ring); Ich liebe dich (Grieg); Ballet Music from Rosamund (Schubert); Wenn du liebst (Weezel); I'll do my best to make you happy (Noble); Tereso mio (Breenec); Chant d'amour (Garwich); Potpourri, Chansons Krontjong; In a Toy Shop (Jessel); Russian Dance (Bortkiewicz); Marche lorraine (Ganne); Sax-O-Trix (Wiedoeff); Gaidige Frau (Heymann); Schön wares (Alex). 11.40 (approx.), Close Down.

INNSBRUCK.—See Vienna.

KALUNDBORG.—See Copenhagen.

Kiel.—See Hamburg.

KLAGENFURT.—See Vienna.

KOSICE.—See Prague.

LANGENBERG

473 metres; 60 kW.—12 Noon, Concert conducted by Wolf: Overture, Sakiris Hochzeit (Lincke); Suite, Beim Tanz der Nationen (Mannfred); Selection from The Hermit's Bell (Maillart); Salut d'amour (Elgar); Kálmán Potpourri, Fortissimo (Feigel); Potpourri, Auf wiedersehen (Weininger); Waltz from The Gipsy Baron (Joh. Strauss). In the interval at 1.0 p.m., News. 1.35, Popular Music on Gramophone Records. 2.00, Economic Notes and Time. 2.50, Musical Programme for Children. 3.10, Book Review. 3.30, English Reading. 4.0, Choral Concert, relayed from Essen; Conductor, Bernhard Bittscheidt; Soloist, Karl Götz; Uraltes Lied (Kann); Dämmern (Kann); Abendweise (Gatter); Der stille Hof (Siegl); Interlude; Liebe (Schubert); Das Dürchlein (Schubert); Türkisches Schenkendied (Mendelssohn); Mein Schätzle ist fein (Othegrayen). 5.20, Talk for Women. 5.45, Weather, Time, Economic Notes and Sports Results. 5.55, Talk: Revising Old Handicrafts. 6.20, Topical Talk. 6.30, Talk: Physical Training. 6.55, News. 7.0, See Heilsberg. 8.20, Concert by the Station Orchestra, conducted by Buschkütter. 9.30 (in the interval), News and Sports Notes. 9.45, See Stuttgart. 11.0, Dance Music. 12 Midnight, Close Down.

LAUSANNE.—See Radio-Suisse Romande.

LEIPZIG

389.6 metres; 120 kW.; and DRESDEN, 319 metres.—12.15 p.m., Gramophone Concert of Light Music, followed by Exchange Quotations. 1.0, Wireless Notes. 1.30, Programme for Children. 2.15, Review of Periodicals. 2.45, Economic Notes. 3.0 to 3.15, Music Notes. 3.30, Concert from Berlin (Witzleben). 5.0, Discussion: The German Student in Rome. 5.30, German for Germans. 5.50, Topical Talk. 6.0, Talk: New Sources of Energy. 6.30, Pianoforte Recital by Theodor Blumer; Minnet in G (Mozart); Scherzo in B Flat (Schubert); Valse-Imromptu (Liszt); Arabesque (Schumann); Prelude (Heller); Fantasia on Fledermaus-Walzer (Strauss-Schütt). 7.0, Programme for all German Stations, relayed from Heilsberg. 8.15, Concert by the Leipzig Symphony Orchestra, conducted by Willy Stellan; Overture in E Minor (Schubert); German Folk Dances (Hensel); Entracte and Ballet Music from Belcanto (Kornmann); Waltz, Under der blühenden Linde (Gelleri); Im Volkston (Grieg). 9.15,

News. 9.30 (approx.), Concert by the Leipzig Symphony Orchestra, conducted by Willy Stellan; Invitation to the Dance (Weber); Waltz, Junge Mädchen tanzen gern (Eysler); Festpolonaise (Prümer); March from Die Landstreichler (Zichter); Selection from Der Obersteiger (Zeller); Vernehmlich-wäzler (Lanner); Moulmet-Polka (Jos. Strauss); Rosa-Röschchen (Lincke); Overture, Die schöne Galathée (Suppé); Lolo-Quadrille (Lehar); Goulouliera and Perpetuum mobile from Suite No. 3 (Ries). 11.0 (approx.), Close Down.

LINZ.—See Vienna.

MADRID

ARANJUEZ (EAJ); 30.43 metres; 20 kW.—6.0 to 8.0 p.m., Programme for Listeners in the Canary Islands, Guinea and America. 6.0, Popular Concert. 7.15, Talk. 7.30, Dance Music. 8.0 to 10.30, Interval. 10.30, Variety Music. 10.45, Radio Chronicle. 11.0, Variety Music (cont'd.). 11.35, Talk. 11.40, Light Music. 12.0 Midnight (approx.), Close Down.

MADRID

UNION RADIO, Call EAJ7, 424.3 metres; 2 kW. 7.0 p.m., Climes; Exchange and Request Gramophone Records. 7.30, Talk on the Co-operative Movement, and Request Gramophone Records (cont'd.). 8.15, News. 8.30 to 9.0, Interval. 9.0, English Lesson by the Linguaphone Method. 9.30, Climes, Time and Transmission of a Musical Comedy. 11.45, News Bulletin. 12.0 midnight, Climes and Close Down.

MALMO.—See Stockholm.

MILAN.—See Turin.

MORAVSKA-OSTRAVA

263.8 metres; 11 kW.—5.25 p.m., Popular Concert, conducted by J. Subert. 6.0, See Prague. 6.25, See Brno. 6.55, See Prague. 8.0, See Bratislava. 9.0, See Prague. 9.15, Concert of Light Music by the Station Orchestra, conducted by J. Pielita. 10.30 (approx.), Close Down.

MOSCOW

TRADES UNION, 1,304 metres; 100 kW.—4.30 p.m., Concert of Music by Glinka and other Russian Composers. 5.30, Wagner Concert by the Symphony Orchestra, Choir, and Soloists, relayed from the Radio Theatre. 8.0, Talk in French on Social Insurance.

MOTALA.—See Stockholm.

MUHLACKER.—See Stuttgart.

MUNICH

533 metres; 1.5 kW. Relayed by Augsburg, and Kaiserslautern, 560 metres, and Nürnberg, 239 metres.—3.10 p.m., Concert conducted by Erich Kloss. Petersburger Schlitzenfahrt (Eilberg); Overture, The Betrothal by Lanternlight (Offenbach); Two Pieces (Noack); (a) Die Spieluhr der Pompadour, (b) Babas Soldat; Bavarian Ländler; Potpourri (Baxenberger); Modern Ballet Suite (Armandola); Intermezzo, Ein Flandrerfischer (Wisnar); March, Vom Bodensee zum Nordseestrand (Steinbeck). 4.30, Wireless Notes. 4.45, Programme for Young People. 5.15, The Georgian Chant—Talk with Illustrations by the Munich Cathedral Choir. 5.50, Talk: Old Bavaria's Dream of Gold. 6.10, Wireless Notes. 6.25, Concert by a Mandoline Double Quartet. Soloist: Edi Kiem (Zither). 7.0, Programme to be announced. 8.15, Concert by the Wireless Orchestra, conducted by Karl List. Soloists: Margret Langen (Contralto) an Anton Walter (Cello). Overture, Titus (Mozart); An die Hoffnung, for Contralto and Orchestra (Beethoven); Concerto in B Flat for Cello and Orchestra (Bocherini); Weihe der Nacht, for Contralto and Orchestra (Reger); Overture, Scherzo and Finale (Schumann). 9.20, Time, Weather, News and Sports Notes. 9.45, Serenade, conducted by Erich Kloss. 11.0 (approx.), Close Down.

NAPLES.—See Rome.

NOTODDEN.—See Oslo.

OSLO

1,083 metres; 60 kW. Relayed by Fredrikstad, 365.8 metres; Hamar, 574.7 metres; Notodden, 477.1 metres; Sørgrund, 453.2 metres; and Rjukan, 447.1 metres.—4.15 p.m., Programme for Children. 5.15, Song and Hardanger Fiddle Recital of National Music. 5.45, Talk on Economics. 6.0, Announcements, Weather and News. 6.30, Talk. 7.0, Time. 7.1, Finnmarken Programme, relayed from the Hall of Commerce. 8.40, Weather and News. 9.15, Concert by the Station Orchestra: Selection from The Merry Widow (Lehar); Selection from The Bird Fancier (Zeller); Two Songs from Die Bajadere (Kálmán); Tell me To-night (Spoliansky); Potpourri; Die Walzer der Welt (Robschelt); Casapova March (Lincke). 10.15, Dance Music. 11.0 (approx.), Close Down.

OSTERSUND.—See Stockholm.

PALERMO

542 metres; 3 kW.—7.0 p.m., Dopolavoro Notes, Tourist Report, Agricultural Notes,

MARCH 4th SATURDAY continued

and Giornale Radio. 7.20, Sports Notes. 7.30, Time and Announcements. 7.35, Popular Music on Gramophone Records. 7.45, A Waltz Dream—Operetta in Three Acts (O. Straus). In the intervals, Book Review and Announcements. After the Operetta, News.

PARIS

EIFFEL TOWER, Call FLE, 1,445.7 metres; 13 kW.—Time Signals (on 2,650 metres), at 9.26 a.m. and 10.25 p.m. (Preliminary and 6-dot Signals).—5.45 p.m., Le Journal Parle. 7.30, Dramatic Programme: Part I The Man who Married a Dumb Wife (Anatole France). Part II Three Farces: (Georges Courteline): (a) L'honneur des Brassarbourg. (b) L'ours. (c) Vingt-six. 9.0 (approx.), Close Down.

PARIS

POSTE PARISIEN, 328.2 metres; 60 kW.—6.45 p.m., Journal Parle. 7.0, Concert of Light Music on Gramophone Records. 8.0, Talk: The Event of the Week. 8.5, Theatrical Notes. 8.15, Interval. 8.30, Dramatic Programme. 9.0, Interval. 9.10, Dance Music by the Sonora Band, conducted by Fred Hoffmann. 11.0, Dance Music on Gramophone Records. 12 Midnight (approx.), Close Down.

PARIS

RADIO PARIS, Call CFR, 1,725 metres; 75 kW.—6.45 a.m., Physical Culture. 7.30, Weather and Physical Culture (contd.). 7.45, Light Music on Gramophone Records. 8.0, Press Review and Weather. 9.0, Concert by the Conservatoire Concert Society, relayed from the Old Conservatoire. 12 Noon, Concert by the Radio Paris Orchestra: Suite funambulesque (Messager); Selection from Merrie England (German); Travel Memories (Albéniz); Alsatian Dances (Lévy); Italian Rhapsody (Mezzacapo); Scenes rustiques (Gillet); Ukrainian Suite (Rubinstein). In the intervals at 1.0 p.m., Exchange, News, and Weather; and at 1.30, Exchange. 2.0, Exchange. 3.0, Programme for Children. 3.45, Market Prices. Weather, Agricultural Report, and Exchange. 7.0, Legal Talk. 7.15, Agricultural Talk. 7.45, Commercial Prices, News, and Review of the Latin Press. 8.0, A Radio Tour, conducted by René Dorin. 8.30, News and Weather. 8.45, A Revue by Morris, with the Collaboration of the Little Gisèle Parry. 9.15, Press Review and News. 9.30, Gramophone Dance Music: Turkish Patrol (Michaelis); Futuristic Rhythm (McHugh); Foxtro, The Blue Bird (Ponso); Tango (Glichandout); Schottische (Baza); Tango, Comadre (Filiberto); Foxtro, Miami (Learsi); La Java des Rigoles (Vacher); Tango (Jekyll); La Valse des As (Delacour); Foxtro, Harlem Madness (Ager); Waltz, Monte Cristo (Kotlar); Tango, Barrio Rojo (Vagazot); Onestep, Frère Jacques (Raiter); Quadrille, The Lancers (Metra).

PITTSBURGH

WESTINGHOUSE ELECTRIC (KDKA), 306 metres; 25 kW.—Relayed by W8XK on 48.86 metres and 25.27 metres.—9.0 p.m., Dance Masters, from New York. 9.30, Concert Favorites, from New York. 10.0, Rhythmic Interlude. 10.30, Weather Report. 10.32, Behind the Law—Tales of the Pennsylvania State Police. 10.45, Little Orphan Annie, from New York. 11.0, Little German Band. 11.30, Time Signal. 11.31, Temperature Report. 11.32, Teaherry Sport Review. 11.37, Press News Reeler. 11.42, Strange Facts. 11.44, Weather Report. 11.45, A Revere by Bill and Alex of the Downtown Y.M.C.A. 11.59, Time Signal. 12 Midnight, Fields and Hall, from New York. 12.15 a.m. (Sunday), Atkinson String Ensemble. 12.30, KDKA Players. 1.0 to 4.0, New York Relay. 1.0, American Taxpayers' League. 1.15, The Boston Symphony Orchestra. 3.15, Salon Singers. 3.30, Cuckoos. 4.0, Time Signal. 4.1, Teaherry Sport Review. 4.11, Temperature Report. 4.12, Weather Report. 4.13, KDKA Artist Bulletin. 4.15, Press Last-minute News. 4.20, Messages to United Presbyterian Missionaries. 5.20, Messages to Dwellers in the Far North.

PORSGRUND.—See Stockholm.

PRAGUE

488.6 metres; 120 kW.—3.10 p.m., See Bratislava. 4.10, Talk on Economics. 4.20, Czech Lesson for Germans and German Lesson for Czechs. 4.50, Variety Music on Gramophone Records. 5.5, Agricultural Talk. 5.15, Talk for Workers. 5.25, News in German. 5.30, German Transmission: Musical Programme for Children. 6.0, Chimes from the Church of St. Ludmila, Kralovské Vinohrady. 6.0, News. 6.10, Talk. 6.25, See Brno. 6.55, The Three Musketeers—Revue in Three Scenes (Jurist). 8.0, Time Signal. 8.1, See Bratislava. 9.0, Time Signal. 9.1, News Bulletin. 9.15, See Moravská-Ostrava. 11.0 (approx.), Close Down.

RADIO-SUISSE ROMANDE

SOTTENS, 403 metres; 25 kW.; LAUSANNE, 680 metres; and GENEVA, 760 metres.—6.0 p.m. (from Geneva). Weather, News and

Announcements. 6.30 (from Geneva), Film Talk. 7.0 (from Lausanne), Accordion Duets. 7.15 (from Lausanne), Lausanne en bombe—Revue, relayed from the Théâtre Bel-Air. 8.50 (approx.) (in the interval), News and Weather. 10.45 (approx.), Close Down.

RJUKAN.—See Oslo.

ROME

Call IRO, 441 metres; 50 kW.—Relayed by Naples, 319 metres, and 2RO, 25.4 metres.—7.0 a.m., Gymnastics. 7.15 to 7.30, Weather and Announcements. 11.30, Weather and Light Music on Gramophone Records. 12 Noon, Time and Announcements. 12.2 to 1.15 p.m., Orchestral Concert: Castles in the Air (Sadim); First Suite of Waltzes (Robrecht); Bells (Lindoy); Sunny Skies (Rose); Selection from Die Bayadere (Kalmán); Hawaiian Guitar Solo: Onda (Carucci); Serenata agli sposi (De Nardis); Fantasia for Pianoforte (Journaux); Moonlight on the Riviera (Gilbert); Three Soldiers (Eseobar). In the interval from 12.30 to 12.45, Giornale Radio and Exchange. 3.45, Children's Radio Review and Talk for Young People. 4.0, Exchange, Announcements, Report of the Royal Geographical Society, and Giornale Radio. 4.15, Reading. 4.30 to 5.15, Orchestral Concert: Overture, Martha (Florenz); Du und Du (Stolz); Selection from La Wally (Catalani); Amor mio (Caldarini); Serenata spagnola (Grieco); Selection from Frühlingluft (Jos. Strauss); Meditation (Manno); Madrid (Alex). 6.0 (Naples), Shipping and Sports Notes. 6.10, Lesson in Morse. 6.20, Giornale Radio and Agricultural Report. 7.0, Time, Announcements, and Light Music on Gramophone Records. 7.45, Relay from a Theatre. In the intervals, Review of New Books, Talk, and News.

SALZBURG.—See Vienna.

SCHENECTADY

GENERAL ELECTRIC COMPANY (WGY), 379.5 metres; 50 kW.—Relayed at intervals by W2XAF on 31.48 metres and by W2XAD on 19.56 metres.—12 Midnight, Soloist, from New York. 12.15 a.m. (Sunday), Stock Reports. 12.30, Hotel New Yorker Orchestra, from New York. 12.45, James G. McDonald: The World To-day. 1.0, Lady Fingers (Pianists). 1.15, Bernard Silberg (Cellist). 1.30, The Economic World To-day, from New York. 2.0, The Blue Danube, from New York. 2.30, Oldstable Programme by George Olsen's Orchestra, from New York. 3.0, Lucky Strike Hour and Programme Résumé.

SCHWEIZERISCHER

LANDESENDER

BEROMUNSTER, 459 metres; 60 kW.; BASLE, 244.1 metres; and BERNE, 245.9 metres.—11.28 a.m., Time Signal from Neuchâtel Observatory. 11.30, Weather and News. 11.40, Popular Music on Gramophone Records. 12.35 p.m., Weather and Exchange. 12.45 (from Berne), Answers to Correspondence. 1.0 (from Berne), Review of New Books. 1.30 (from Berne), Recital of Etudes and Sonatins by Famous Pianists, reproduced by Willy Girshberger. 1.50 (from Berne), Folk Songs, sung by Schoolgirls. 2.10 (from Berne), Talk: The Welfare of Caged Birds. 2.30 (from Berne), Chess Lesson. 3.0 (from Berne), Popular Accordion Concert. 3.30 (from Berne), Medical Talk: The Nervous System. 3.45 (from Berne), Talk: Insurance Questions. 4.0, Weather. 4.5 to 5.30, Interval. 5.30 (from Basle), Programme for Children. 6.0, Time and Chimes from the Zürich Churches, followed by Weather and Market Prices. 6.15 (from Basle), Talk: Johann Friedrich Cotta—Goethe's Publisher. 6.45 (from Basle), Concert of Seventeenth- and Eighteenth-Century Music. Lotte Jenny (Soprano), Ernst Vogel (Flute), Marguerite Gutknecht (Violin), Paul Gazoni (Viola da Gamba), and Ernst Sigg (Harpsichord). 8.0 (from Basle), Carnival Programme. 8.30, Weather and News. 8.40, Dance Music and Cabaret Programme on Gramophone Records. 10.0 (approx.), Close Down.

SOTTENS.—See Radio-Suisse Romande.

STOCKHOLM

Call SASA, 436 metres; 55 kW.—Relayed by Boden, 1,229.5 metres; Göteborg, 322 metres; Hörby, 257 metres; Motala, 1,348 metres; Östersund, 770 metres; and Sundsvall, 542 metres.—4.5 p.m., Popular Music on Gramophone Records. 5.0 (from Boden), Sports Notes. 5.30, Variety Programme. 6.15, Weather and News. 6.30, Old Dance Music. 7.15, Talk: The Primeval Forests of Brazil. 7.45, Orchestral Concert: Carnival Overture (Dvorák); Airs (Reger); (a) Pierrot and Pierrette. (b) Harlequin. (c) Liebeswalzer; Selection from Die Faschingsfee (Kalmán); Melody (Clemus); Butterfly Intermezzo

(Schlenk); Carnaval à Paris (Svendsen). 8.45, Weather and News. 9.0, Dance Music. 10.0 (approx.), Close Down.

STRASBOURG

345 metres; 11.5 kW.—11.30 a.m., Orchestral Concert, conducted by Maurice de Villers. Overture, Hans Heiling (Marschner); Symphony Form, Le Ronet d'Omphale (Saint-Saëns); Selection from Boris Godunov (Musorgsky); Erotica (Grieg); Ich liebe dich (Grieg); Italian Caprice (Tchaikovsky); Suite algérienne (Saint-Saëns). 12.45 p.m., News. 1.0, Time Signal and Exchange Quotations. 1.5, Light Music on Gramophone Records. 2.0, Dance Music on Gramophone Records. 3.0 to 3.45, Interval. 3.45, Music Talk in French: Johannes Brahms and his Work. 4.0, Modern Music on Gramophone Records. Extracts from (a) L'heure Espagnole (Ravel) and (b) Judith (Honegger). 4.45, Legal Talk in German. 5.0, Pasdeloup Symphony Concert, relayed from the Théâtre des Champs Elysées, Paris. 7.0, French Lesson. 7.15, Horticultural Talk in German. 7.30, Time and News. 7.45, Lottery Results. 8.0, Chamber Music by the Théophile Sondhatz Quartet. Quartet (Haydn); Quartet (Schumann); Quartet (Ravel). 10.0, Orchestral Concert, relayed from the Café Moll, Mulhouse. Overture, The Thieving Magpie (Rossini); Transaktionen-Walzer (Jos. Strauss); Ballet Music from Coppelia (Delibes); Selection from The Tales of Hoffmann (Offenbach); Tes yeux (Bonnetour); Marche des Marcheurs (Carol). 11.0, Concert by the Jean Clergue Quintet, relayed from Radio Coloniale, Paris, 25.63 metres. 12.0 Midnight (approx.), Close Down.

STUTTGART

MUHLACKER, 360.5 metres; 60 kW.; and FREIBURG, 570 metres.—11.20 a.m., Song Recital. 11.50, Wind Instrument Concert on Gramophone Records. 12.30 p.m., Concert from Langenberg. 1.30, Time, Weather, News and Programme Announcements. 1.45, Anecdotes and Funny Stories. 2.10, Talk on Flowers. 2.30, Programme for Children. 3.30, Gramophone Concert: Five-Cluck Tea with Robert Stolz (Postal); Arabian Fairytales (Schumacher-Emmel); Russian Foxtrot. Schwarze Katharina (Weiss-Schwarz); Foxtrot, Ich will nicht wissen, wer du bist (Stolz-Marselka); Foxtrot, Wenn du nicht kommst, dann haben die Rosen umsonst geblüht (Hexmann-Gilbert); Foxtrot, Love is the sweetest thing (Nabe); Tango, Wenn ich Rosen seh' (Reisfeld-Intarot-Marbot); Foxtrot, Warum bin ich verliebt in dich? 4.0, Choral Concert. Part I, relayed from Gerstetten: O wunderschöne Frau (Weigert); Innsbruck, ich muss dich lassen (arr. Hugo Jüngst); Madrigal (di Lasso-Birsch); Am Bergstrom (Köllner); Mitterlieben (Arnold); Basenkind (Süssmuth); Corsairs' Song (Baumann). Part II, relayed from Magstadt: Morning Song (Gade); Ein Stündlein wohl vor Tag (Moldenhauer); Madrigal: Der Strahl der Frühlingssonne (arr. Nagel); Zur Sonne (Löffler); Ihr Hauswirt (Kromer); Abendrunk (Nagel); Verlassen (Süssmuth); Zauber der Nacht (Kreutzer); Der Nachtwandler (Rinkens); Der Brief (Süssmuth). 5.15, Time and Sports Notes. 6.25, Talk: The Theatre in Berlin and throughout Germany. 6.0, President Roosevelt takes Office—a Radio Report in German, relayed from New York. 6.20, Time, News and Weather. 6.35 (from Freiburg); Recital of Baden Folk Songs. 7.0, Adolf Hitler's Speech, relayed from Königsberg. 8.15 (from Freiburg), L'arbre enchanter—Comic Opera in One Act (Gluck). 9.35, Time, Weather, News and Programme Announcements. 9.55, Concert of Old-Time Dances, by the Station Orchestra, conducted by Gustav Görllich. 11.0 (approx.), Close Down.

SUNDSVALL.—See Stockholm.

TOULOUSE

RADIOPHONIE DU MIDI, 385 metres; 8 kW.—6.0 p.m., News. 6.15, Music by an Argentine Orchestra. 6.30, Chansonnets. 6.45, Le couronnement de la muse du peuple (Charpentier), by the Symphony Orchestra. 7.0, Opera Music: Airs from: (a) Così fan tutti (Mozart). (b) Tosca (Puccini). (c) I Pagliacci (Leoncavallo). (d) Romeo and Juliet (Gounod). 7.15, Racing Results and News. 7.25, Local News. 7.30, Accordion Music. 7.45, Orchestral Music: Selection from The Chocolate Soldier (O. Straus); Two Symphonic Movements (Merrick); Im Reich des Indra (Lincke); Melody (Warlock); Humoresque (Dvorak). 8.15, Operetta Music. 8.30, Music by a Viennese Orchestra. 9.0, Extracts from Lakmé Opéra-Comique (Delibes). 10.0, Light Music. 10.15, North-African News. 10.30, Concert for Listeners in Morocco: Hungarian Rhapsody, No. 2 (Liszt); Waltz and Song from Faust (Gounod); The Merry Blacksmiths (Meis-

sier); Tu sais (Lenoir); Selection from Johnny spielt auf (Krenek). 11.0, Popular Concert: Aria from Faust (Gounod); Tango (Bottero); Jealousy (Gade); Autumn Roses; Air from Manon (Massenet); Melody (Halet); Tango. 11.30 to 12 Midnight, Programme in English by the I.B.C. The I.B.C. Half Hour, Mr. H. K. Hitchcock announcing. Mona Lisa from Bow Bells; I certainly don't need you; It was only somebody's daughter; Sweet Sixteen; We just couldn't say Good-bye; Phil the Fluter's Ball; Miss Hooligan's Christmas Cake; Balls, Picnics and Parties. 12 Midnight, Weather and Announcements. 12.5 a.m. (Sunday), Musical Programme. 12.30 (approx.), Close Down.

TRIESTE

247.7 metres; 10 kW.—4.10 to 6.0 p.m., See Turin. 6.0, Light Music on Gramophone Records. 6.20 to 6.35, See Turin. 6.35, Concert of Richard Strauss Music with Commentary. Songs of the Orient. Op. 77. 7.0 till Close Down. See Turin.

TRONDHEIM.—See Oslo.

TURIN

273.7 metres; 7 kW.—Relayed by Milan, 331.5 metres; Genoa, 312.8 metres; and Florence, 500.8 metres.—4.10 to 5.0 p.m., Dance Music from the Savoia. 5.35, Giornale Radio, Agricultural and Dopolavoro Notes. 6.0, Gramophone Records on Variety Music. In the intervals at 6.20, Giornale Radio, and at 6.30, Time, Announcements and Tourist Report. 7.0, Giornale Radio, Weather and Gramophone Records (contd.). 7.30, Talk: Events and Problems. 7.45, Variety Programme. In the interval, Review of New Books. 9.0, Orchestral Concert. 10.0, Giornale Radio.

VATICAN CITY

19.84 metres (Morning) and 50.26 metres (Evening); 10 kW.—10.0 to 10.15 a.m., Religious Announcements in Different Languages. 7.0 to 7.15, Religious Information in Italian.

VIENNA

517 metres; 15 kW.—Relayed by Graz, 352.1 metres; Innsbruck, 283 metres; Klagenfurt, 453.2 metres; Linz, 245.9 metres; and Salzburg, 218.5 metres.—4.25 p.m., Concert by the Karl Pausperl Orchestra. 6.0, President Roosevelt takes up Office—Radio Report of the Celebrations, relayed from America. 6.20, Talk on Karl Glossy for his Eighty-Fifth Birthday. 6.45, Maxin. 6.50, Time, Weather, Sports News, and Programme Announcements. 7.0, Misalliance Comedy in Three Acts (Bernard Shaw), translated by Siegfried Trebitsch. 9.10, News, Weather, and Announcements. 9.25, Dance Music by the Heinz Branca Jazz Band, relayed from the Café Palmhof.

WARSAW

1,411 metres; 120 kW.—10.58 a.m., Time Signal and Bugle Call from the Tower of St. Mary's Church, Cracow. 11.5, Programme Announcements. 11.10, Variety Music on Gramophone Records. 12.10 p.m., Weather Forecast. 12.15, Educational Programme, relayed from Lwów, 381 metres. 12.55 to 2.10, Interval. 2.10, Announcements. 2.15, Economic Notes. 2.25, Military Report. 2.35, Programme for Children, relayed from Wilno, 563 metres. 3.0, Light Music on Gramophone Records. 3.40, Talk on Wyspianski, relayed from Wilno. 4.0, Divine Service, relayed from the Ostro Branna, Wilno. 5.0, Programme Announcements. 5.5, Concert of Light Music, relayed from the Café Adria. In the interval, News. 6.0, Miscellaneous Items. 6.20, Gardening Talk. 6.30, Topical Talk. 6.45, Radio Journal. 7.0, Concert by the Radio Orchestra, conducted by S. Navroth. Soloist: Ida Los (Musical Saw). Poinaune, The Good Old Times (Maszynski); Overture, Chal Romano (Ketelbey); Ballet Scene, Harlequin in Love (Meyer-Helmund); Musical Saw Solos; (a) Je l'ai aimé (Rachmaninov). (b) L'amour c'est une plaisanterie (Blaire). (c) Song from Wild Violets (Stolz); Humorous Items; Romantic Suite (Armandola); Burlesque-Intermezzo (Calotte); Jubel-walzer (Strauss); Sereuda (Til); Songs; (a) Air (Grothe). (b) Mister Brown (Abraham). (c) Waltz (Brown); Potpourri, Dividenden (Moreau); Blumengestalt (von Blon); Die kleine kompanie (Gangberger). In the interval, Sports Notes and Radio Journal. 9.5, Chopin Pianoforte Recital by M. Smidowicz and Urstein. Fantasia in A on Polish Airs; Ten Preludes: (a) in B Minor, (b) in D. (c) in E Flat Minor, (d) in D Flat, (e) in B Flat Minor, (f) in A Flat, (g) in F Minor, (h) in E Flat, (i) in C Minor, (j) in D Minor. 9.40, Talk: Slovak Castles in Legend and Story. 9.55, Aviation Weather Report and Police Notes. 10.0, Dance Music from the Bodegas Dance Hall. In the interval at 10.30, News for Members of the Polish Polar Expedition, relayed from Lwów.

ZURICH.—See Schweizerischer Landessender.

Printed for the Publishers, ILIFFE & SONS LTD., Dorset House, Tudor Street, London, E.C.4, by The Cornwall Press Ltd., Paris Garden, Stamford Street, London, S.E.1.

UNITED STATES—The International News Co., 131, Varick Street, New York. FRANCE—W. H. Smith & Son, 243, Rue Rivoli, Paris; Hachette et Cie., Rue Réaumur, Paris. BELGIUM—W. H. Smith & Son, 71-75, Boulevard Adolphe Max, Brussels. INDIA—A. H. Wheeler & Co., Bombay. ALGERIA and CALCUTTA—SOUTH AFRICA—Central News Agency, Ltd. AUSTRALIA—Gordon & Gotch, Ltd., Melbourne (Victoria). SYDNEY (N.S.W.), Brisbane (Queensland). ADELAIDE (S.A.), Perth (W.A.), and LAUNCESTON (Tasmania). CANADA—The American News Co., Ltd., Toronto, Winnipeg, Vancouver, Montreal, Ottawa, St. John, Halifax, Hamilton, Gordon & Gotch, Ltd., Toronto; Imperial News Co., Toronto, Montreal, Winnipeg, Vancouver, Victoria. NEW ZEALAND—Gordon & Gotch, Ltd., Wellington, Auckland, Christchurch and Dunedin.



EDISWAN

The name that means 'EXCELLENCE'

**BALANCED CAPACITY
COSTS NO MORE
and gives longer life
with less charging**

E.L.M.2.	20 a/h capacity	-	4.3
E.L.M.1.	15 a/h capacity	-	8.2
E.L.S.5.	10 a/h capacity	-	11.2
E.L.S.7.	60 a/h capacity	-	12.6
E.L.S.9.	80 a/h capacity	-	15.6
E.L.7.	60 a/h capacity	-	10.3
E.L.9.	80 a/h capacity	-	12.3



Balanced Capacity is the newest development in accumulator manufacture. It means that the positive and negative plates are designed to function in exact electrical balance, making it possible to charge more quickly and discharge more slowly without damaging the cell. The Ediswan "Extra-life" accumulator will thus last longer and give you much better service than an ordinary unbalanced type—yet it costs no more. A definite economy.

FROM ALL GOOD RADIO DEALERS

EDISWAN EXTRA-LIFE ACCUMULATORS




THE EDISON SWAN ELECTRIC CO. LTD.
PONDERS END, MIDDLESEX

EDISWAN—the Better Service Batteries

B.228

Dubilier Condensers chosen by Varley for dependability



Varley, like other manufacturers of high repute, dare not take risks in the design of their receivers. They realise that one faulty component may ruin the whole performance of a set—they guard against such risks by using Dubilier Condensers. You too will be well advised to follow the example of so many leading Set Manufacturers and insist on Dubilier Condensers for the sets you build. The Dubilier Dry Electrolytic Condenser illustrated is specially designed for smoothing in Mains Sets.

HIGH VOLTAGE ELECTROLYTIC CONDENSERS

Prices:
4 μ F 4/6 ea. 6 μ F 5/- ea. 8 μ F 5/6 ea.
These condensers are designed for a maximum peak
voltage (D.C. + A.C.) 150 volts.

DUBILIER CONDENSERS

E7

DUBILIER CONDENSER CO. (1925) LTD.
Ducon Works, Victoria Road, North Acton, London, W.3

NOW ORMOND LOUDSPEAKERS

for use with

QUIESCENT PUSH-PULL OUTPUT



These Ormond Loudspeakers are provided with three terminals. Connection should be made directly to the output of the receiver, no output transformer or choke being required. They may also be used in conjunction with straight receivers in which case connection is made to two terminals in the usual manner.

FOR PUNCH POWER & PURITY

The ORMOND No. 1 LOUDSPEAKER UNIT

A very large cobalt magnet is used to ensure faithful reproduction and sensitivity. This unit is capable of handling great volume without a trace of chatter. The three terminals are heavily nickel plated.


Cat. No. R/450 C.T.

Model No. 1.Z. Specially adapted for use with High Efficiency Pentode Valves and may be connected directly in the anode circuit. To distinguish this model the terminals are copper oxidised.

Cat. No. R/450Z.

12'6

Either Model




The ORMOND "Popular" LOUDSPEAKER

Fitted with the New Ormond No. 1 Unit for use with Q.P.P. output, together with the Ormond "wonder" cone, it achieves an almost perfect faithfulness of reproduction, having extreme sensitivity, even response and the ability to handle great volume without distress. Three terminals and an adjustment are fitted at the back of the cabinet. Size: 12" x 12" x 6", obtainable in either Oak, Cat. No. R/452. Mahogany, Cat. No. R/453.

The ORMOND No. 3 LOUDSPEAKER UNIT

Extremely sensitive, it responds evenly over a wide range of frequencies, and will give faithful reproduction and long service. The working parts are enclosed in a beautifully finished bakelite cover of walnut colour. Easily mounted in a cabinet or chassis, only two screws being required.

Cat. No. R/463 C.T.



29'6



8'6

THE ORMOND ENGINEERING CO., Ltd.,
ORMOND HOUSE, ROSEBERY AVENUE, LONDON, E.C.1.

Telephone: Clerkenwell 5334-5-6 & 9344-5-6.

Telegrams: "Ormondengi, Isling."