APRIL 1986 \$1.95 Stereo Rev **EW**

Super Betand

VIS

ß Ö

Ó 0

CONISAILLE K

NAVAND BUCHANAN

KA

*20492 BCH 2104D032 7411 40555

40555

n7*+0

0

HI-FI VIDEOCASSETTE RECORDERS **A BUYING GUIDE**

LISTENING TESTS: VHS VS. BETA VS. 8MM

LAB TESTS: **B&O CDX COMPACT DISC PLAYER BOSE 10.2** SPEAKER SYSTEM **ROTEL RB-880 POWER AMPLIFIER** AND MORE

NEW PRODUCTS FROM THE CONSUMER **ELECTRONICS** SHOW

7



43

G. JJ. 00.

Б

-

71

-12:14

8

A bsolutely not. There are certain areas in life where you can't skimp on quality.

That's why there's Maxell XLS tape. It's engineered to achieve a lower distortion and wider dynamic range. XLS frequency response extends to the widest possible limits, with greater sensitivity throughout the tonal range. It helps capture the quality of sound your system was designed to deliver.

Use Maxell XLS for all your taping needs.

Because there's simply no substitute for quality.



S CHEIST SUDERSTAR



HITACHI ...invites you to...

/DIND

SQUARE VU


OLOR T

Hitachi goes a step beyond to bring you video a world apart.

NEW SIZE, NEW LOOK The 22" square tube. The very lates in picture tube technology. Twenty-eight percent more pic-ture than 19" sets; full function remote; tamous 10/2/1 limited wa ranty. A complete nerve cene that integrates both video and audic sources. Only from Hitachi.

Introducing HITACHI S NEW CAM-N-CORD

Another Hitachi breakthough. The new Cam-N-Cord, color camera and VHS reconcer. all in-one mini hand-heid unit. The ultimate in portable video electronics. 160 minute record play time, 300 line resolution, 7 LUX, records direct from A/V output on TV, no tuner reeded



DISCOVER REALISTIC[®] SPATIAL EFFECTS Created by Radio Shack's IMX* Stereo Expander Receiver

The Realistic STA-870 transports you beyond ord nary stereo into an exciting new realm of high fidelity. What sets this receiver in a class of its own is a built-in patented IMX signal processor. Its effect is dramatic, similar to the wide sourc field produced by the latest reflecting-type speakers. And, since IMX widens the sound field electron cally, you can vary it to suit your listening area, ency it with neadphones and switch it out for an instant comparison with unprocessed audio.

This nigh-performance receiver also has our exclusive Auto-Magic® FM fine-tuning system and the power you need to unleash the full potential of compact disc and LaserVision equipment. 65 watts per channel, minimum rms into 8 ohms from 20 to 20,000 Hz with no more than 0.08% THD. Add the excitement of Realistic spatial effects to your listening with the STA-870. Only \$359.95 or as low as \$20 per month with Radio Shack/CitiLine credit.




Send for Your FREE 1986 Catalo Mail to: Radio Shack, Department 86-A-400, 300 One Tandy Center, Fort Worth, TX 76102			
NAME			
STREET		ALL STREET	
	STATE	ZIP	

*TM, SCI Acoustics, CitiLine is an open-ended credit plan from Citibank, Actual payment may vary depending on balance. Prices apply at participating Radio Shack stores and dealers.

Stereo Revie	W	
BULLETIN 5 POPULAR MUSIC EDITORIAL 8 CLASSICAL MUSIC LETTERS 10 READER SERVICE CARD. NEW PRODUCTS 12 VIDEO REVIEWS AUDIO Q&A 18 Advertisers' Index. TECHNICAL TALK 24 THE HIGH END	75 83 89 91 101	a contraction of the second se
EQUIPMENT CAR STEREO In the lab and on the road with the Harman Kardon CH160 tuner/cassette player	20	
by Julian Hirsch and Christopher Greenleaf HIRSCH-HOUCK LABS EQUIPMENT TEST REPORTS Bang & Olufsen Beogram CDX Compact Disc Player, page 30 Bose 10.2 Speaker System, page 34 Rotel RB-880 Power Amplifier, page 38 Shure Ultra 500 Phono Cartridge, page 42 Stax SR-Lambda Pro Headphones, page 43	30	page 10
CES SHOW STOPPERS New products from the Winter Consumer Electronics Show in Las Vegas by Gordon Sell	47	page
THE SOUND OF VIDEO VHS Hi-Fi vs. Beta Hi-Fi vs. 8mm—which kind of videocassette recorder sounds the best? We commissioned David Clark to conduct blind listening tests and come up with some answers.	54	
HI-FI VCR BUYING GUIDE Features, specs, and prices of VHS Hi-Fi, Beta Hi-Fi, and 8mm videocassette recorders for audiophiles by Michael Smolen, William Burton, and staff	61	
MUSIC		
CHOICE CD's Women record-industry executives name their favorite discs	51	
BEST RECORDINGS OF THE MONTH Verdi's Un ballo in maschera, Barbra Streisand's "The Broadway Album," Mahler's Fifth Symphony, and the Everly Brothers' "Born Yesterday"	69	The Sony EV-S700U, Pioneer VX-90,
RECORD MAKERS The latest from the Residents, the Bangles, Philip Glass, Billy Idol, P.D.Q. Bach, and more	102	and JVC HR-D566U shown on our cover represented the three formats of hi-fi VCR's in our controlled listening tests. See page 54 for the results.
VOL. 51 NO. 4 APRIL 1986 (ISSN 0039-1220) COPYRIGHT © 1986 BY CBS MAGAZINES, A DIVISION OF CBS INC. All rights reserved. Stereo		SIGN BY SUE LLEWELLYN, PHOTO JOOK LEUN

COPYRIGHT © 1986 BY CBS MAGAZINES, A DIVISION OF CBS INC. All rights reserved. Stereo Review, April 1986, Volume 51, Number 4. Published monthly by CBS Magazines at 3807 Wilshire Boulevard, Los Angeles, CA 90010. Editorial and Executive Offices at 1515 Broadway, New York, NY 10036: Telephone (212) 719-6000. Also publishers of Stereo Buyers' Guide, Car Stereo Buyers' Guide, Tape Recording Buyers' Guide, and Video Buyers' Guide. One-year subscription rate for the United States and its possessions, \$9.98; Canada, \$10.98; all other countries, \$14.98, cash orders only, payable in U.S. currency. Second-class postage paid at Los Angeles, CA 90052, and at additional mailing offices. Authorized as second-class mail by the Post Office Department, Ottawa, Canada, and for payment of postage in cash. *POSTMASTER JSUBSCRIPTION SERVICE:* Please send change-of-address forms and all subscription correspondence to Stereo Review, P.O. Box 2771, Boulder, CO 80302. Please allow at least eight weeks for the change of address or call (800) 525-0643; in Colorado, call (303) 447-9350. *PERMISSIONS:* Material in this publication may not be reproduced in any form without permission. Requests for permission should be directed to William S. Bunchuck, Rights and Permissions, CBS Magazines, One Park Avenue, New York, NY 10016.



To hear why George Benson records on Sony Digital equipment, play him back on a Sony Compact Disc Player.

When it comes to capturing the experience of live music, no audio equipment delivers the performance of digital audio.

That's why George Benson, creator of *Breezin*', the best-selling jazz recording in history, has decided to invest in digital equipment.

And the name this leader in jazz/pop fusion chooses, interestingly enough, is the leader in digital audio: Sony

Not only has Sony led the way in professional digital recording equipment, we also invented the digital system for playback—the compact disc player. Sony introduced the first home, car and portable CD players. And Sony sells more types of compact disc players than anyone else in the world.

But whichever Sony Compact Disc Player you choose, each allows you to hear the music the way the artist originally intended.

So why not do what George Benson does? Play back the top-selling compact discs the same way they were mastered. On Sony Digital equipment. You'll find that when it comes to bringing you close to the music, nothing else even comes close. Presenting the Sony Discman,[™] the world's smallest portable compact disc player.

Hardly larger than the disc itself, the fully programmable Discman* D-7DX comes complete with carrying case, headphones and a rechargeable battery. Everything you need for digital audio on the go.



© 1986 Sony Corporation of America. Sony is a registered trademark of Sony Corporation. The Leader in Digital Audio and Discman are trademarks of Sony Corporation of America. *Headphones Included with D-7DX only.

CIRCLE NO. 63 ON READER SERVICE CARD

RULLETIN

EXPANDED MARKET FOR MOTOWN

After some twenty-five years as a dominant force in the music business, Motown is licensing its name and its logo for use by appropriate services and manufacturers in the fields of fashion and leisure. Motown thus joins a number of companies and organizations that have benefitted from licensed merchandising in the past—Coca-Cola, the

Harley-Davidson Motor Company, and the U.S. Olympic Committee, for instance. The names of a number of the label's top recording artists will also be licensed, such as Lionel Richie, Diana Ross, Stevie Wonder, Smokey Robinson, the Four Tops, and Gladys Knight and the Pips.

MOTOWN

TECH NOTES

Denon is building a CD manufacturing plant in Madison, GA. . . . Nimbus, the independent Welsh record company that opened the first Compact Disc plant outside Germany and Japan in August 1984, is set to open a second plant this fall. The company has also announced that it will stop manufacturing LP's as of this spring. . . . Celestion has revised the SL6 speaker. The new version, called the SL6S, has an improved cabinet and tweeter, a new woofer with an innovative dual surround, and a new price of \$900 per pair. . . . The record and tape care company Nortronics has changed its name to Geneva. . . . In 1985 VCR sales were up 55 percent over 1984, with 11.8 million sold-that's 32,329 VCR's a day. . . . BASF is sponsoring this Winter's Alpine World Ski Cup. . . Cerwin-Vega is

introducing a new "Select Edition" speaker line. . . . Blaupunkt is planning a heavy promotional blitz for its ARI traffic alert system, which has been on the market for several years now. So far, it is the only company offering consumer ARI receivers. . . . Discwasher is marketing an accessories storage case that is designed to fit on a record shelf and store a complete set of Discwasher products. The case costs \$20 empty and \$50 with one of everything. . . . JVC is bucking the 8mm tide in camcorders with an improved compact VHS cassette capable of one-hour recordings.

ANTI-DRUG SINGLE

Royalties from MCA Records' recently released anti-drug single, *Stop the Madness*, are being donated to a Stop the Madness Foundation, which will fund drug-abuse rehabilitation and educational campaigns, and to the Nancy Reagan First Lady's Drug Fund. Featured on the recording are vocals by New Edition, Whitney Houston, Toni Basil, Steve Arrington, John Buford, LaToya Jackson, and Andre and Sandra Crouch.

HONORS

Ray Charles, winner of our Mabel Mercer Award this year (see STEREO REVIEW, February 1986), has been inducted into the Rock and Roll Hall of Fame.... The jazz singer Billie Holiday, who died in 1959, is being honored with a star on Hollywood's Walk of Fame on April 7, her birthday.

AUDIO TAX TAPE

An audio cassette tape that will help you save more money to spend on audio equipment has been published by Simon and Schuster. The widely used J. K. Lasser's income tax guide is available in a \$7.95 audio tape version entitled "How to Pay Less to the IRS."

1985'S BEST SELLERS

The Recording Industry Association of America certified a total of sixty-five Platinum albums last year and 138 Gold. It was the largest number earned in both categories in at least four years. U2 and Phil Collins were the front-running Platinum artists, with three awards each. Hank Williams Jr. and Talking Heads topped the list of Gold-award-winning artists with four citations in that category. The top singles artist was Madonna, who won three Gold awards out of the nine certified by the RIAA.

SINGING OUT ON PBS

On March 30, PBS stations will air a performance of Berlioz's Damnation of Faust taped at the Academy of Music in Philadelphia with soloists and orchestra under Serge Baudo. On April 2, PBS will show a program of zarzuela excerpts performed at Madison Square Garden by Placido Domingo with assisting artists from Madrid. Check local stations for time.

CARMEN ON LASERDISC

The performance of Bizet's Carmen that won one of our Videos of the Year awards in February is now available on a single RCA/Columbia LaserDisc from Pioneer Video. Featuring soprano Julia Migenes-Johnson in the title role, this movie version was previously available to home consumers only on VHS and Beta video tape.



Matthew Polk's Incredible/Affordable Monitors

Monitor RTA 12C \$479.95 ea.

0

 \odot



Monitor 5jr. \$129,95 ea. olk sudio

Monitor 4A \$84,95 ea.

polk audio

Monitor 58 \$189.95 e.a.

polk audio

0

A State

0

Monitor 7C \$249.95 cm

Digital Disc Ready

pollenudio

Matthew Polk's remarkable Monitors offer state-of-the-art technology and performance usually found only in systems which sell for many times their modest cost.



"The Genius of Matthew Polk Creates The Incredible Sounding/Affordably Priced Monitors"

"Vastly superior to the competition"

olk Audio was founded in 1972 by three Johns Hopkins University graduates who were audiophiles with a common dream.

Polk's Dream of Super Sound for Everyone

l

They believed that it was possible to design and manufacture loudspeakers of uncompromising quality which performed as well as the most expensive and exotic loudspeakers available, but in a price range which would make them affordable to virtually every music lover. The original Monitor 7 was the first product of their efforts and it was so successful that when it was shown at the Consumer Electronics Show, dealers and experts alike could not believe its superb performance and affordable price. Audiogram Magazine said, "when we heard the Polk speakers at the CES Show we were so impressed we could not believe the prices." The entire Polk Monitor Series was designed in this tradition of incredible, state-of-the-art sound and affordable prices. In large part due to the quality and value of the Monitors, Polk Audio has developed from its humble beginnings in a garage, to become one of the world's premier loudspeaker manufacturers.

Polk Audio has worked hard over the ensuing years to maintain the Monitor Series' preeminent position as the standard for quality and value in the audio industry. The Monitors have been continually improved and refined as a result of Polk's never ending search for better sound quality. There have been literally thousands of improvements made to the Monitors and the result is that today, as in the past, the Polk Monitors are absolutely the best sounding loudspeakers for the money available on the market. Musician Magazine said, "If you're shopping for stereo, our advice is not to buy speakers until you've heard the Polks." You owe it to yourself!

"At their price, they're simply a steal" Audiogram Magazine

A new generation of Polk Monitors is now available which incorporate the same high definition silver coil dome tweeter and Optimized Flux Density drivers developed for the SDAs. Polk Monitor Series loudspeakers have always had a well deserved reputation for offering state-of-the-art performance and technology usually found only in systems which sell for many times their modest cost. In fact, many knowledgeable listeners consider that outside of the SDAs, the Polk Monitors are the finest imaging conventional speakers in the world, regardless of price. They have been compared in performance with loudspeakers which sell for up to \$10,000 a pair and are absolutely the best sounding loudspeakers for the money available on the market. Now they sound even better than ever. The RTA 12C – \$479.95 ea. is the tinest conventional (non SDA) speaker system that Polk manufactures. Its extremely high power handling (500 watts) and efficiency (92 db 1 meter 1 watt) result in remarkable dynamic range from large or small amplifiers. It utilizes phasecoherent open air driver mounting in a mirror imaged, fullsize floorstanding configuration for superior sonic imaging and clarity. In addition to receiving many rave reviews, the RTA 12C has won the AudioVideo Grand Prix Speaker of the Year Award.

The Monitor 10B – \$329.95 6a. Is considered one of the world's best sounding loudspeakers and in the words of Audiogram Magazine, "At the price they are simply a steal." The 10B offers sonic performance almost equal to the 12 at a lower cost in a more compact enclosure. Like the 12, the 10 utilizes dual Polk trilaminate-polymer bass midrange drivers coupled to a built-in subwooler for outstanding bass response and dynamic range.

The Monitor 7C – \$249.95 ea. is basically a smaller, less expensive version of the Monitor 10. It can be either shelf or stand mounted with excellent results. How good? Audio Alternative Magazine said, "It is Amazing."

The Monitor 5B – \$189.95 ea. similar in design and performance to the Monitor 7, however, it utilizes an 8" subwoofer (rather than 10") and is more compact.

The Monitor 5/r – \$129.95 ea. has been called the best sounding speaker of its price in the world (regardless of size). It achieves lifellke three dimensional musical imaging which 10 years ago was not available in any bookshelf speaker at any price!

The Monitor 4A – \$84.95 ea. shares many of the same high technology components and the rewarding musical performance of the more expensive Polks. Audio Critic Lawrence Johnson called it, "an all around star of great magnitude." The 4A's uniquely affordable price means that no matter how small your budget, you can afford the incredible sound of Polk!

"Absolutely first rate...superior sound at a moderate price."

Stereo Review Magazine

All the Polk Monitors regardless of price offer consistently superb construction and sonic and performance. They achieve open boxless, three dimensional imaging surpassed only by the SDAs. The Monitors' silky smooth frequency response assures natural, non fatiguing, easy to listen to sound; while their instantaneous transient response results in music that is crisply reproduced with lifelike clarity and detail. In addition dynamic bass performance, 'ultra wide dispersion, high efficiency and high power handling are all much appreciated hallmarks of Monitor Series performance.

The consistently superb performance of the Polk Monitors is in large part due to the fact that they all utilize very similar components and design features. However, more importantly, it is the elegant integration of concepts and components which results in the superior sonIc performance and value which sets the Monitor Series apart. Audiogram magazine said, "How does Polk do it? We think it is mostly execution. They hear very well and they care." Audiogram is absolutely right. At Polk we take the same care with each and every product we build, whether it is our most or least expensive. We lavish the same lengthy amount of critical listening and tuning on every single Polk speaker because we know that having a limited budget does not necessarily indicate that you have a limited ability to appreciate true musical quality.

"Our advice is not to buy speakers until you've beard the Polks."

Musician Magazine

You can afford the incredible sound of Polk

There are six Polk Monitor Series loudspeakers. As you move up the Monitor Series the speakers get larger and more efficient, handle higher power, have greater dynamic range, better bass response. They are designed so that a smaller Polk played in a small room will sound nearly identical to a larger Polk in a large room. And, of course, a larger Polk in a smaller room will play that much louder and have even more bass. There is a Polk Monitor which is perfect to fulfill your sonic dreams, at a price you can afford. Visit your Polk dealer today to hear the incredible/ affordable Polk Monitors and the revolutionary Polk SDA's.

Polk Audio 1915 Annapolls Road, Baltimore, Md. 21230 In Canada: Distributed by Evolution Technology, Toronto.

SPEAKING MY PIECE

by William Livingstone



American Gramaphone's president, Chip Davis, on safari in Las Vegas.

Consumer Electronics Show

NE didn't have to dress up in hunting garb to find interesting things at the recent Winter Consumer Electronics Show in Las Vegas. Pioneer drove the press corps out into the desert one night to try to see Halley's Comet, but those of us who put on pith helmets and safari jackets at the show did so to take part in American Gramaphone's promotion of its new album "Saving the Wildlife."

Played by Mannheim Steamroller, which is known for AG's popular Christmas record and its Fresh Aire series, the new album is the soundtrack for a PBS documentary on endangered species around the world. The music was composed by Chip Davis, president of American Gramaphone, and besides being featured on PBS stations that carry the wildlife show, the album will be promoted at fund-raising events at a number of American zoos. The promotion at CES added a lighthearted tone to a show that was generally notable for good spirits.

You buyers went on such an audio spending spree last Christmas that at the beginning of 1986 there was actually a shortage of equipment. Hitachi said that it had had its best year in history, and Koss recovered from Chapter 11 operations. At the show some manufacturers moaned about their inability to fill certain orders, but they were happy to have cleared out their warehouses, and there were smiles all around.

No surprise technological breakthroughs were unveiled at this winter's show. Onkyo was out in front with demonstrations of its prototype digital audio tape (DAT) recorder, and among the company's introductions was a Compact Disc player in which fiber-optic technology is used to couple the various stages.

Fiber-optic technology isn't really new. It has been in use for some time by telephone companies. Like lasers, fiber optics have also had certain medical applications, but this is a new trend in hi-fi. Other audio applications for fiber optics include antennas, and Alpine introduced a cassette changer for cars that uses a fiber-optic connecting cable. A new product using lasers is Yamaha's video-disc player. These and others are shown in "CES Show Stoppers" on page 47.

Nobody attacked STEREO REVIEW editors for our January article on the sound of Compact Disc players. Our February issue, the largest in the history of the magazine, was well received at the show, so we were among those who were smiling all around.

The Consumer Electronics Shows in Las Vegas in winter and in Chicago in summer are the two largest trade shows held annually in the United States, and either one of them can be pretty overpowering. Although I am not among those who describe CES as a jungle (or a zoo), I was pleased to be reassured that this year audio equipment manufacturers are off the endangered-species list.

The recent attempts to impose a tax on tape recorders and blank tape have made me wonder whether the audio consumer is endangered. Consumer opposition expressed to senators and representatives has cooled the tax issue for the moment. There was some anti-tax activity at the show, but we may have to fire off another volley of letters to Congress, and if the issue heats up again, we may have to don pith helmets and safari jackets and march on Washington.

Stereo Review

	WILLIAM LIVINGSTONE Editor in Chief
	LOUISE GOOCH BOUNDAS Managing Editor
	SUE LLEWELLYN Art Director
	MICHAEL SMOLEN
	Senior Editor GORDON SELL, WILLIAM BURTON
	Technical Editors CHRISTIE BARTER
	Music Editor
	DAVID STEIN Assistant Managing Editor
	MARGARET BRUEN Assistant Art Director
	BARBARA AIKEN, ROCCO MATTERA
	SAM BENNETT, WENDY SCHAUB RICHARD KRUEGER
	Editorial Assistants HENRY PLEASANTS
	London Editor
	Contributing Editors
	ROBERT ACKART LOUIS MEREDITH CHRIS ALBERTSON ALANNA NASH
	RICHARD FREED MARK PEEL PHYL GARLAND LINCOLN PERRY
	CHRIS GREENLEAF PETER REILLY DAVID HALL CHARLES RODRIGUES
	JULIAN D. HIRSCH ERIC SALZMAN
	RALPH HODGES STEVE SIMELS LARRY KLEIN CRAIG STARK
	STODDARD LINCOLN JOEL VANCE
	ROMAN BEYER Vice President and Publisher
	Advertising Director: Winston A. Johnson (212) 719-6039
	National Manager: Richard J. Halpern (212) 719-6037
	Eastern Manager: Charles L. P. Watson (212) 719-6038
	Account Manager: Mary Anne Holley (212) 719-6008
	Classified Advertising: (212) 503-5999
	Midwestern Managers: Arnold S. Hoffman Dirk Barenbrugge (312) 679-1100
	Western Director: William J. Curtis Regional Manager: Meg Roberts
	(818) 784-0700
	Tokyo Office, Iwai Trading Co., Ltd. 603 Ginza Sky Heights Building, 18-13, Ginza 7-Chome, Chuo-Ku, Tokyo, Japan 104
	Ginza 7-Chome, Chuo-Ku, Tokyo, Japan 104 Account Manager: J. S. Yagi, (03) 545-3908
	FDITORIAL CONTRIBUTIONS must be accompa- nied by return postage and will be handled with reason- able care, but the publisher assumes no responsibility for return or safety of art, photos, or manuscripts.
	Member Audit Bureau of Circulations
	ABC MPA
	Cu, at -
	STEREO REVIEW IS PUBLISHED BY
	CBS MAGAZINES, A DIVISION OF CBS INC. President, Peter G. Diamandis Vice President, Editorial Director: Carey Winfrey Senior Vice President, Publishing: Robert A. Beyander Senior Vice President, Operations & Administration: Robert J. Granata
1	Kopert J. Granata Vice President Finance, Arthur Sukel: Vice President

Vice President, Finance, Arthur Sukel; Vice President, Subscription Circulation, Bernard P. Lacy; Vice President, Manufacturing & Distribution, Murray M. Romer; President, CBS Magazine Marketing, Carl Kopf

TO FIND OUT WHAT NORMAL HANDLING COULD DO TO YOUR CDs,

SCRATCH HERE:

You may not see anything wrong, but you'll quickly hear it. Even ordinary handling can result in scratches on the "print" surface of your compact discs; producing dropouts which cause skipping—rendering them unplayable. But there's a way out of this scrape.

No other cleaner in the world beats Recoton's CD-11 Compact Disc Radial Cleaner—winner of the 1985 Audio/ Video International Grand Prix Award for Design and Engineering. It cleans your compact discs the way manufacturers recommend: in a straight line—across the radius from the center of the disc to the outer edge.

By removing dirt, dust and film across the surface with an ultrasoft chamois pad, Recoton's true radial cleaning action significantly reduces the causes of distortion and dropouts. The results are pure sound and error-free reading of digitally encoded music information.

And to ensure longer lasting pleasure from your compact discs, ask your dealer about the complete line of Recoton accessories. Like our superb non-corrosive cleaning solution and unique surface restoring scratch filler solution. Plus protective shields for permanent safeguard-

ing of your compact discs. Before you get into a real scrape with ordinary compact disc cleaners, get the award winning performance of Recoton.

A6-23 CRANE STREET, LONG ISLAND CITY, NY 11101. FOR YOUR NEAREST DEALER, CALL: 1-800-RECOTON CIRCLE NO. 38 ON READER SERVICE CARD

ETTERS

Satisfied Customer

I agree with the letters in the January issue that defend STEREO REVIEW's policies regarding acceptance of advertising. Not once have I been anything but satisfied with the Asian women whom I have ordered from DAK.

HARLAN SPORE North Little Rock, AR

Records of the Year

Lone Justice doesn't even rate an honorable mention in your "Record of the Year" awards? Have you forgotten about the deserved rave Steve Simels gave their debut album in the August issue? When I noticed their omission from the list, my reaction was that there's no justice!

ALLEN CROFT Durham, NC

I cannot believe your selection of Sade's "Diamond Life" as a "Record of the Year." This stupefyingly dull collection of sound-alike songs—all with the same melody, tempo, arrangement, and key—strikes me as the musical equivalent of the old Chinese water torture. On the other hand, I thoroughly enjoyed your "Equipment Buying Guide" in the same issue. I've been shopping for speakers and it is a godsend.

DAVID GREEN Houston, TX

Equipment Buying Guide

We would like to congratulate the STEREO REVIEW staff on the February issue. The comprehensive "Equipment Buying Guide" was very well done. It's a great idea and should become an annual feature. Our copy arrived while we were shopping for a stereo receiver. By comparing specifications of receivers of interest to us in the Buying Guide, we were able to save many times the subscription price of the magazine in making our purchase.

MR. AND MRS. RON MASON Moulton, IA

Review Reviews

I have learned over the years not to buy a new release unless it has been favorably reviewed in STEREO REVIEW, and I have never been disappointed when following your reviewer's advice. I especially want to thank Robert Ackart for his December review of Rossini's *Maometto Secondo*. Everything the review had to say about the recording was true, and then some.

MICHAEL O'BRIEN Los Angeles, CA

The primary reason I subscribe to STEREO REVIEW is the popular-music record reviews. I find them intelligent, pictureque, comprehensive, and not overly colored by the authors' musical prejudices. I particularly enjoyed two of Alanna Nash's reviews in January, one in which she singled out Kenny Rogers's *Tomb of the Unknown Love* for her "Conehead Award for Dumbest Record of All Time" and another where she says that if Southern Pacific's *Thing About You* with Emmylou Harris doesn't reach the top of the charts she'll drink a quart of bleach.

WARREN KLESHEFSKY Wantagh, NY

David Hall's February "Best of the Month" review of Eliahu Inbal's Denon

When she came by to pick up the rest of her stuff, I was waiting. I knew I shouldn't be there, but I had to give it one last chance. She saw me sitting there when she came in, but didn't say a word—just brushed by me leaving a hint of perfume in the air.

My favorite.

So I put the song on the Kenwood Our favorite.

It filled up the house and it sounded great, really great. And she came into the room and put her arms around me and smiled a little smile and said, "Thank you for that." And then she was gone.

CD of Mahler's Second Symphony was impressive enough to warrant my purchasing the recording. It was a regrettable move. While I share Mr. Hall's enthusiasm for the overall performance. he left out one very important observation: there is one vocalist too many, namely, the conductor himself. Through the two-disc set we hear a seemingly incessant murmuring, moaning, and remarkably atonal "singing" that make this otherwise sparkling performance distracting listening, to say the least. This sort of thing is inexcusable, particularly on CD.

STEPHEN HELLER Bethlehem, PA

An "Equalizer"

Regarding January's "The High End": At last! a genuine audiophile who acknowledges equalization as a legitimate solution. The rest of us have long known that equalization can help out a poor recording, particularly "spitting" rock CD's. Subtract a decibel or two at 8 kHz and the s's come out clean and clear without a trace of "spitting." Next time you hear a poor recording, don't panic, just equalize. And you need have no fear of being sneered at by your audiophile friends. After all, Mark Levinson does it too.

> JAMES W. BIRDSALL Deerfield, MA

Sexist Stereotypes?

As a female audiophile and video enthusiast, I took more than slight offense at your cartoon depicting the "Owner's Manual (Female)" written in village-idiot layman's terms on page 52 of the February issue.

While it may be true that the *amateur* audio hobbyist might need a diagram of how to connect the shiny red and white cords to the porthole-shaped thingamajig, this is not necessarily a *female* trait. As someone who has successfully hooked up receivers, turntables, tape decks, disc players, VCR's, home computers, etc., I find little humor in such a sexist cartoon published in what is otherwise a first-class publication.

I rely heavily on STEREO REVIEW to make both software and hardware purchase choices and appreciate the detailed-yet-concise information. But please spare me the *stereo*types (so to speak . . .).

LEANN MERCER Des Moines, IA

What is being held up to ridicule in the cartoon is the notion that women cannot understand the terminology associated with hooking up a piece of home audio or video equipment. We counted on such clues as the quizzical look on the woman's face and the fact that she is wearing pants to indicate that she is not going along with being patronized and that there is no need to patronize her.

If you look at the masthead of this magazine and see that two of the most powerful positions on the staff (managing editor and art director) are held by women, you will realize that we are not male chauvinists.

Ms. Mercer's clever play on the word "stereotype" shows that although she may not have been amused by this cartoon, she has not lost her sense of humor. And we certainly agree with Bridget Wilson, of San Diego, who wrote to say that not all women think wow and flutter are something you do with your eyelashes.

The wonder of a great stereo system is its ability to take music and make it a most tangible. In the rarified moments of life, this ability can be especially powerful. Even inonic.

The Kerwood Spectrum CD84B is for all moments. Its exciting componentry is Fightighted by an Optimum S∋rvo Control compact disc player. In addition to a completely dedicated 125W* per channel integrated amplifier, the CD84B also features a quartz synthesized AM/FM stereo tener. A double auto-reverse full logic cassette deck with high speed dubbing. A linear tracking, fully automatic direct drive turntable. A 7-band stereo graphic equalizer with reverb. And a pair of 150W 4-way tower speakers.

The Spectrum CE84B. One of many Home Entertainment Systems designed for people who want a little more out of life.

29 CN READER SERVICE CARD

For the Kenwood dealer hearest you, call 1-800-4-KENWOOD.

JEW PRODUCTS

Tandberg

The TCA-3018A control amplifier from Tandberg employs discrete circuitry and passive RIAA networks to eliminate negative feedback. High-level inputs for two tape decks, a tuner, and a Compact Disc player operate without signal-path capacitors to achieve a signal headroom of more than 20 volts. Inputs are provided for moving-magnet or moving-coil cartridges, equalized to match the RIAA curve from 20 to 20,000 Hz ±0.2 dB. Separate right and left channels in the regulated powersupply sections maximize interchannel isolation, and separate four-position record and program selector switches enable listening to one source while recording another as well as facilitating

Acoustic Research

The AR Model 50, flagship speaker in Acoustic Research's Connoisseur series, has a 12-inch polypropylene woofer, a 6^{1/2}-inch midrange, and a 1^{1/2}-inch titanium-dome tweeter in an acoustic-suspension enclosure. The flushmounted drivers are vertically aligned



for accurate stereo imaging. The speaker is designed for correct tonal balance, low coloration, extended bass, wide dynamic range, high power handling, and high sensitivity. The woofer has a ferroceramic magnet with a 2-inch alumi-num voice-coil motor. The graphitereinforced polypropylene midrange operates from 60 to 11,000 Hz, crossing over to the woofer at 350 Hz and to the tweeter at 3,500 Hz. The pure-metal, pure-piston tweeter has a frequency response from 600 Hz up to beyond audibility. The Model 50's dimensions are 32 x 145% x 1534 inches. Mounting stands (not shown) are included. Price: \$1,600 a pair. Teledyne Acoustic Research, Dept. SR, 330 Turnpike St., Canton, MA 02021-2703.

Circle 121 on reader service card



two-way dubbing. The headphone output has a separate amplifier and volume control. There are no tone controls. An infrasonic filter provides 12-dB-peroctave attenuation below 15 Hz. Input and output jacks are gold-plated. Finish is matte black. Optional rosewood or black lucite end pieces and rack mounts are available. Price: \$1,595. Tandberg, Dept. SR, Labriola Ct., Armonk, NY 10504.

Circle 120 on reader service card



Technics

The SL-P500 Compact Disc player from Technics can be programmed to play up to twenty tracks in any order by using the numbered keys on the player or its wireless remote control. The keys also allow direct access in less than I second to any track or index point. The output of the player can be adjusted with the remote control. The music is audible during two-speed fast forward and fast reverse. A digital noise canceler, a digital phase limiter, and drop-out protection circuits are said to reduce crosstalk between the tracking and focus/error-detection signals from the one-beam laser. Digital filtering is done with a single-chip LSI. Readouts show track and index numbers, elapsed or remaining time, and programming information. A track, disc, sequence, or segment can be programmed to repeat. Price: \$575. Technics, Dept. SR, One Panasonic Way, Secaucus, NJ 07094. Circle 122 on reader service card

Discwallet

The Discwallet carries up to ten Compact Discs without their jewel boxes. Each disc is stored in a clear pocket with a finger-shaped cutaway that allows it to be removed by grasping the center hole and edge, without touching the playing surface. A soft velour backing cushions the playing surface during storage. Dust is kept out by Velcro closures. Price: \$16.95. Discwallet, Dept. SR, Box 444, Sta. Z, Toronto, Ontario M5N 2Z5. Circle 123 on reader service card



SURGEON GENERAL'S WARNING: Smoking By Pregnant Women May Result in Fetal Injury, Premature Birth, And Low Birth Weight.

C 1985 R.J. REYNOLDS TOBACCO CO.

10 mg. "tar") 0.8 mg. nicotine av. per cigarette by FTC method.

Sec. 1

UGHTS

Excellence. live up to it.

he best l

In 1954, our Acoustic Suspension was the most significant innovation in loudspeakers.

ALPER 1



In 1986, it still is.

If you wanted good sound in the early days of hi-fi, you cut-a hole in your wall and mounted the woofer inside. Or you built a Flared Horn the size of a terrigerator. Or bigger.

you wan all informed the wooler inside. Or you built a Flared Horn the size of a "Errigerator. Or bigger. In 1954, a man named Edgar Villchur found a better way. In building the world's lowest-distortion lowfrequency speaker, he replaced crude mechanical suspensions and giant cabinets with a cushion of air in a small, tightly sealed box. Called "Acoustic Suspension." the new Idudspeaker reduced distortion by a factor of 1C. And it was the first high ficelity speaker you could fit on a bookshell

To build his Acoustic Syspension speakers, Villchur founded a new company: Acoustic Research. Overnight, AP products became the most revered, nost sought-after, most in Trated speakers in history. In fact, over 70 different speaker manufacturers are using AR's Acoustic Suspersion design foday. Since 1954, AR has substantial y-inproved the original Acoustic Suspease of speaker. By inventing

Since 1954, AR has substantial y-inproved the original Acoustic Suspension speaker. By inventing the dome tweeter, introducing magnetic fluid cooling, building 3/2" high-density-enclosures, eliminating cabinet diffraction, and solving the problem of Speaker/room interface. AR's new BXi Series Loud-

AR's new BXi Series Loudspeakers for 1986 are the most highly refined speakers on today's market. And they should be, it took us 32 years to make them.



We speak from experience.

NEW PRODUCTS

Pioneer

Two new receivers from Pioneer have quartz-PLL tuning, presets for twenty stations, and a built-in five-band graphic equalizer with center frequencies of 100, 330, 1,000, 3,300, and 10,000 Hz and a maximum boost or cut of 10 dB. The SX-1000 is rated for 25 watts per channel. The SX-1500 (shown) is rated at 45 watts per channel and also has a simulated-stereo circuit to enhance mono sound sources. It has inputs for a tape deck, VCR, CD player, and turnta-



ble and will drive two pairs of speakers. Both receivers are finished in black. Prices: SX-1000, \$174.95; SX-1500, \$199.95. Pioneer Electronics, Dept. SR, Box 1720, Long Beach, CA 90801. *Circle 124 on reader service card*



Fried Products

The Fried C/3-L mini-monitor has a 61/2-inch copolymer duo-cone woofer with a vented pole piece. The 34-inch dome tweeter handles program peaks up to 1,000 watts. The full transmission-line enclosure has zero ambient pressure for rapid driver motion, free flow for reduced energy storage and wall flexure, reduced internal reflections, and added acoustic mass with reduced driver-reactance effects for improved bass response. The top-ported C/3-L can be used with any of the three Fried subwoofers. Frequency response is given as 55 to 22,000 Hz ± 3 dB, sensitivity as 91 dB sound-pressure level. The front of the speaker narrows from 101/2 inches wide at the bottom to 6 inches wide at the top. Depth is 15 inches at the base, 121/2 inches at the top. Height is 13^{1/2} inches. Price: \$430 per pair in kit form; \$1,550 per pair assembled. Fried Products, Dept. SR, 7616 City Line Ave., Philadelphia, PA 19151. Circle 125 on reader service card

Custom Woodwork & Design

The Woodmore Magic Lowboy from Custom Woodwork & Design can hold all the components of a complete audio/ video system, including a video monitor as large as 25 inches and a pair of speakers. When the cabinet is closed, the entire system is concealed. Pressing a button on a remote control activates a motor that raises the components up out of the cabinet for viewing or listening; another touch and the system is lowered back into concealment. The Woodmore Magic Lowboy measures 34 inches high closed, 471/2 inches wide, and 19 inches deep. Price: \$2,000 in oak, \$2,300 in walnut. Custom Woodwork & Design, Dept. SR, 7447 S. Savre Ave., Bedford Park, IL 60638. Circle 126 on reader service card






Spectrum

The Model 410 speaker from Spectrum combines a 10-inch long-throw woofer with a 1-inch tweeter in a Thiele/Small optimized-reflex enclosure. Frequency response is given as 29 to 22,000 Hz ±2 dB. The anti-diffraction tweeter can be set for "bright" or flat response. Nominal impedance is given as 6 ohms and sensitivity as 90 dB sound-pressure level at 1 meter with an input of 1 watt. The speaker has fiveway binding-post connectors and builtin tilting stands with optional spikes. Dimensions are 40 inches high, 141/2 inches wide, and 111/2 inches deep. Finishes available are furniture-grade simulated-walnut vinyl, natural walnut veneer, and oak veneer. The foam grilles are nonremovable. Prices: \$595 per pair with vinyl finish; \$695 per pair with wood veneer. Spectrum Loudspeakers, Dept. SR, 1021 Nevada St., Toledo, OH 43605.

Circle 127 on reader service card



"How Can Everybody's Speakers Be The Best?"

Read the various ads for speakers and you'll find many of them loaded with claims about being the best.

You'd think that with so many "bests" out there, you wouldn't have any problem finding the best speakers for your system. Unfortunately, that isn't the case.

At KLIPSCH,[®] we'll be the first to admit there are a lot of good speakers on the market. But we'd be the last to call any of them the "best." Not even ours.

So what pitch will we give you about KLIPSCH?

Well, take note of the pictures in those ads. The drive components of all those speakers have a remarkable similarity in appearance. That's because they're all about the same, and as a result, they all sound about the same.

KLIPSCH doesn't use conventional drivers like the other guys. We use special *compression* drivers mated to horns. We're about the only people that do. These KLIPSCH compression drivers give you higher output, more controlled imaging, greater clarity and wider dynamic range – characteristics so sought after in recording studios and other professional applications.

Do these characteristics make our speakers the "best"? Not necessarily. But KLIPSCH Loudspeakers certainly sound different from others. A *real* difference for your hard-earned money. A difference you can truly

CIRCLE NO. 2 ON READER SERVICE CARD

appreciate the first time you listen, and every time thereafter. Uniqueness, if you will, for about the same price

as commonplace speakers.

You be the judge of what's best. At your nearest KLIPSCH dealer. Look in the Yellow Pages. Or call toll free, 1-800-223-3527.



KLIPSCH HERESY II" PICTURED ABOVE



P.O. BOX 688 . HOPE, ARKANSAS USA 71801

Mintosh Audio Q. AND A.

Get all the newest and latest information on McIntosh stereo equipment from McIntosh Laboratory.



Send For Your Stereo Information

McIntosh Laboratory Inc. East Side Station P.O. Box 96 Binghamton, N.Y. 13904-0096	
Name	
Address	
City	State
Zip	
Phone Area Code	

CIRCLE NO. 22 ON READER SERVICE CARD

by Larry Klein



Power-Cord Lengths

When I installed all my stereo components in a rack. I used a multi-outlet power strip to handle all the a.c. line cords. For neatness, I cut all the power cords to a convenient length. Now a friend tells me that the manufacturers had a reason for making the cords a certain length. Should I replace the cords, or are they all right?

JIM STRAUB Decatur, IN

The a.c. line cord on a piece of A audio equipment should have a heavy enough gauge to insure that when the compenent is drawing maximum current there will not be a significant voltage drop between the a.c. wall outlet and the component's power-transformer primary. This is a potential problem only for components rated at several hundred watts per channel or that operate with Class A output stages. Preamplifiers meant to switch such equipment might also benefit from heavy-duty line cords. In any case, shortening a component's line cord would reduce the resistance between it and the a.c. wall outlet. So if there's any effect at all-which is unlikely-it would be beneficial.

Incidentally, in England, where they not only have a 220-volt, 50-Hz line but also use a completely different wiring system than we do, there's some controversy among the more devout audiophiles over the sonic effects of various kinds of a.c. line cords, fused a.c. plugs, etc. Since all U.S. equipment comes with the a.c. line circuits fully wired (Underwriters' Laboratory would not have it otherwise), we are spared at least one area of imported silliness from the U.K. audio tweaks.

Power-Supply Rails

Perhaps you can clarify a technical term for me. Exactly what are "power-supply rails," and what relationship do they have to the high-voltage B+ supply in tube audio equipment?

PETER RIOLLO San Francisco, CA

In solid-state equipment, the supply rails provide the equivalent of the B+ (and B-) voltage supplies. Historically, power-supply nomenclature has always reflected the needs of the circuits being powered. For example, the first tube radios during the 1920's had separate A, B, and C batteries. The A battery powered the tube filaments, the B battery provided the high plate voltage, and the C battery provided bias voltages. When home radios became a.c.-line-powered, A and B batteries were relegated to portable equipment.

The advent of transistor portables changed everything. Filament voltages were no longer required, and a single 9volt battery usually sufficed as the "high-voltage" source. A, B, and C batteries became virtually obsolete, but the B nomenclature lived on as the preferred term for the main high-voltage supply in tube equipment. Since the supply was almost always positive in respect to the chassis ground, it was referred to as B+.

Unlike tubes, transistors come in two operating polarities-npn and pnpwhich require both positive and negative supply voltages. This made the B+ term somewhat clumsy, causing a switch to the "rail" terminology that British engineers had always used.

Digital-Ready Speakers

I recently bought a Compact Disc player. Because of its incredible frequency response (5 Hz to 20 kHz \pm 0.5 dB), it would seem to create a problem for my speakers, which are rated for only 36 Hz to 18 kHz ± 4 dB. Do I need to buy new speakers, or are they good enough for the clear sound I want?

> PADRAIC GALLAGHER Genoa, IL

The fact that your CD player is capable of a 5- to 20,000-Hz response does not imply that any disc you are likely to play will also have that wide a range of frequencies stored on it. If your speakers really do live up to their quite good frequency-response specs, they should be more than adequate for CD playback. Incidentally, I've never heard of a speaker that could go down to 5 Hz, and there are mighty few that can reach as high as 20 kHz $\pm 0.5 \text{ dB}.$

Impress Your Speakers

Let's face it—car speakers can be pretty blasé! It takes sheer gut-wrenching power to impress them, and Coustic car amplifiers deliver just that, along with amazing clarity and solid resolution.

Your speakers will be pleased to know that Coustic power amplifiers use 20-mil copper clad G-10 glass epoxy PC boards, 10 gauge power and ground wire, high speed HEX-FET® switchers, plus fully complimentary 150-watt 15-amp darlington audio outputs. If that doesn't perk up their tweeters, tell them the AMP-190 and AMP-380 audio inputs directly accept 8-pin din and RCA connectors, low power or high power radios by simply flipping a switch.

In bridged mode, the HEX-FET[®] switching power supply develops substantially more power into 8 ohms than into 4 ohms. For example, the AMP-380 de ivers 175 watts RMS mono into 4 ohms and over 300 watts RMS into 8 ohms!

4260 Charter Street

Vernon, CA 90058-2596 (213) 582-2332 This means it is not necessary for you to buy two power amplifiers to drive your speakers when the AMP-190/AMP-380 can produce double the power of most other car amplifiers...that's twice the power for virtually half the price.

Sc, if you want your speakers to impress you, you have to start by impressing them! Coust c...a sounc investment.

Available at fine dealers. such as:

South Florida Sound Advice 305) 527-4434

Chicago Stereo Systems (312) 896-6464 San Diego Mad Jack's (619) 582-1985

HEXFET is a lademark of International Rectifier COUSTIC THE CIRCLE NO BE ON READER SERVICE CARD





HARMAN KARDON CH160

By Julian Hirsch and Christopher Greenleaf

HE Harman Kardon CH160 tuner/cassette player requires only the addition of an external power amplifier and loudspeakers to create a highend car stereo system. Its digitalsynthesis AM/FM stereo tuner offers the customary amenities, including memories for six AM and six FM stations, an FM-only mono button, a local/distant button, and scan and seek tuning functions. In scan mode the tuner pauses on a received station for 8 seconds before proceeding; in seek mode it holds the station until another tuning process is initiated. The CH160 has a "soft muting" feature along with automatic channel blending and a pulse-noise suppressor.

The preamplifier section of the CH160 employs discrete Class A circuitry. It has center-detented bass and treble tone controls with a rated adjustment range of ± 10 dB at 50 and 10,000 Hz, respectively, a switchable loudness control that boosts the mid-bass (centered at 80 Hz) by 10 dB at low volume levels, the usual left/right balance control, and a front/rear fader control.

The cassette deck of the CH160 is distinguished from most automobile tape players by its rated playback frequency response, 20 to 20,000 Hz ± 3 dB, as well as its inclusion of both Dolby B and Dolby C noise-reduction systems. The playback equalization can be switched for either "normal" (Type I) tapes or for chrome or metal tape (Types II and IV). A music-search system moves the tape rapidly to the beginning of the next or the current selection.

The deck plays in only one direction, which probably contributes to its exceptionally wide-range frequency response compared with most autoreverse car players. At the end of a tape side, or if the power is shut off, the cassette is automatically ejected. In the rewind mode, the tape automatically replays from the beginning. An interesting feature of the CH160 is the Auto Tuner Monitor, which switches to the tuner output while the tape is in fast forward or rewind if the tuner has already been turned on. The radio does not have to be turned on first to play a tape, however; inserting a cassette turns the deck and preamplifier on.

The back-lit LCD display panel shows the radio band, frequency, preset number (if used), and other operating-status information. A built-in clock displays the time while a tape is playing or, in radio mode, for 8 seconds after the eject button has been pressed. The cassette loads edgewise through a slot at the top of the panel and is drawn into the transport by a motor after partial insertion.

The Harman Kardon CH160 has separate pairs of line outputs for the front and rear channels, using standard phono jacks on short integral cables, and can also switch power to an external power-operated antenna. The CH160 measures 7 inches wide, 5% inches deep, and 2 inches high, and its nose piece extends another 1% inches. Price: \$475. Harman Kardon, Inc., Dept. SR, 240 Crossways Park West, Woodbury, NY 11797.

Lab Tests

The FM tuner of the Harman Kardon CH160 was, in many important respects, one of the best we have measured in a car radio. Although not all of its measured performance characteristics would match those of a typical home receiver, it came closer to achieving that goal than most of the car receivers we have tested. Because the CH160 has automatic channel blending, its stereo 50-dB quieting sensitivity cannot really be compared to that of any home tuner-at the measured 36.5-dBf signal level. the auto-blend had reduced the stereo separation about 18 dB. The tuner's signal-to-noise ratio, an impressive 76.5 dB in mono, its capture ratio of 1.75 dB, and its AM rejection of 76 dB were all among the best we have measured since we began testing car components.

The tuner's distortion level would have been nearly as noteworthy as its other measurements if its digitalsynthesis tuning had been more accurate. Like many frequency-synthesis tuners, it had a slight frequency error, about 45 kHz in this case, that raised the distortion measurement appreciably, though without audible consequences. For example, the 0.57 percent mono distortion and 0.76 percent stereo distortion levels would have been reduced to only 0.2 and 0.27 percent, respectively, if the quartz-crystal oscillator controlling the synthesizer had been on the correct frequency. We don't mean to single out the CH160 for criticism on this point, but we have seen so many other cases of this flaw recently that we will continue to mention it when it is found.

Another peculiarity of most car radios, including this one, is that thanks to their signal-controlled channel-blending circuits, only a fairly strong signal will give reasonable stereo performance. Much of the time the channel separation is minimal. At the 20-dBf input that gave 3.2 percent distortion with a stereo signal-the tuner's so-called "usable sensitivity"—the CH160's separation was a mere 2.2 dB, hardly what we would call "stereo." In spite of this, the stereo indicator came on with only 11 dBf (1 microvolt) of input, far too little to be listenable in either mono or stereo!

We were surprised to find that the LOC (local) function of the 70µS/LOC switch was not mentioned or explained anywhere in the instruction

manual. We eventually determined by trial and error that the normal threshold for the scan and seek functions was 17 dBf (about 2 microvolts), which meant that the tuner would stop on just about any receivable signal, no matter how noisy. In the LOC setting, the threshold was 45 dBf (50 microvolts), a more reasonable level that would accept only signals likely to produce comfortable listening in stereo as well as mono.

The CH160's audio section had no weaknesses that we could find. Its tone controls were much like those of good home receivers, and its loudness compensation boosted only frequencies below about 500 Hz as the volume was reduced. The maximum line-level output was 0.9 volt from either a 100 percent modulated FM signal or a 250-nWb/m 1,000-Hz tape signal. In most respects the tape player was typical of good-quality automobile players. Its frequency response, however, was much better than average, with a variation of about ± 2.5 dB from 31.5 to 18,000 Hz (the limits of the BASF standard test tapes we use for this measurement). The response was essentially identical for both equalization characteristics. On our test sample the tape speed was slightly high, but the speed is set by an internal adjustment and is not necessarily typical of the model.

The Harman Kardon CH160 is a very attractive and easy-to-use tuner/cassette player, and its overall measured performance ranks it high among the car stereo units we have tested. The requirement that it be used with one or a pair of external power amplifiers makes it easy for the user to customize the system based on it instead of being limited by the manufacturer's choice of an internal power amplifier. J.H.

Road Tests

The STEREO REVIEW urban test route extends from the Manhattan end of the Brooklyn Bridge over the bridge and into the maze of streets around the Brooklyn Navy Yard. It's a place where we torture car stereo components with "worst case" jolts to the tape transport and a jungle of multipath. Few survive the encounter unruffled, and it's a considerable point in favor of the

LABORATORY MEASUREMENTS

FM mono usable sensitivity

- (75-ohm input): 17.8 dBf (2.1 µV) FM 50-dB quieting sensitivity (75-ohm input): mono, 20 dBf (2.75 µV); stereo, 36.5 dBf (18.4 μV) Tuner signal-to-noise ratio at 65 dBf: mono, 64 dB; stereo, 63 dB Tuner distortion at 65 dBf: mono, 0.57%; stereo, 0.76% FM frequency response (-3-dB limits): 20 to 20,000 Hz
- Stereo separation at 100, 1,000, and 10,000 Hz (at 65 dBf): 38.5, 38.9, and 26 dB Capture ratio at 65 dBf: 1.75 dB AM rejection at 65 dBf: 76 dB
- Selectivity: alternate-channel, 60 dB: adjacent-channel, 3.8 dB

Image rejection: 62 dB

AM frequency response: 35 to 2,400 Hz (+8.5, -6 dB)

Harman Kardon CH160 that it handled the obstacles of the course in an eminently musical way.

Having dealt with the urban part of our test procedure, I then undertook a 1,500-mile trip with the CH160 installed in my Volvo. Where previous drives have turned up FM deserts lasting scores of miles, the CH160 obligingly filled the dial with mostly very listenable signals from far-off stations, which disappeared only in valley bottoms and behind high ridges. In fact, while I drove the equivalent of a third the way across the country, the CH160 piled up an enviable record of listenable broadcasts. The FM sound was full, very clear, and totally uncolored. Recovery of fine detail from complex sonic textures was both unhampered and consistent. Except in marginal areas, stereo reception was quite stable.

It would take a lot to make an AM fan of me, and the CH160 did not. The AM reception was largely clear and unfettered, but when you open up the frequency response in the AM band, in comes all the sonic wretchedness that afflicts it. A touch of treble attenuation cured some of the noise.

Throughout the test drive, the tape player's pitch stability was excellent, as was its Dolby tracking. Incorrect head alignment or equalization can cause pumping or breathing with either Dolby system, but the CH160 had no such problems. Noise was cut back, as it's

- Tape-playback frequency response (standard BASF test tapes, -3-dB limits): 120-µs EQ, 31.5 to 18,000 Hz; 70-µs EQ, 31.5 to 18,000 Hz
- Tape signal-to-noise ratio referred to 250 nWb/m at 315 Hz, 120-µs EQ): 48 dB unweighted; 63 dB with Dolby B and CCIR/ARM weighting; 72 dB with Dolby C and CCIR/ARM weighting
- Flutter: ±0.25% CCIR-weighted peak; 0.17% JIS-weighted rms
- Tape speed accuracy: +1.8% start, +1.6% at end of C-60 cassette Fast rewind time for C-60: 131
- seconds
- Tone-control range: ±10 dB at 100 Hz; +10, -11 dB at 10,000 Hz
- 1,000-Hz clipping output into 10,000-ohm load: 0.9 volt

supposed to be, with no unpleasant side effects.

Autoreverse is a convenient feature in a tape player, but I've never wept over its absence. It's rare that performance is identical in both directions, and the noise-reduction circuitry can mistrack if a variation in head alignment chops the treble response. The CH160 is a nicely adjusted unidirectional model whose performance was so neutral and firm that I could forget what a tiny mechanism it is and how exposed it is to a car's shakes and shudders. I enjoyed being able to spot-check the radio during fast winding thanks to the Auto Tuner Monitor, but it was also good to be able to choose not to have the radio cut in as soon as a tape was no longer playing.

Our previous car stereo test reports have noted great improvements in control-panel illumination. The CH160 has warm, orange lighting for each button and the same easy-on-the-eyes back lighting for the black LCD's in the display. It's easy to learn the function and location of each control on the uncluttered panel so that you don't have to read the tiny lettering each time. I felt very much at ease with this unit as I tore down I-80. The tone controls have the kind of refinement and flexibility I expect at home. Overall, the Harman Kardon CH160 is a very well-designed product. C.G.

THE SILENT TREATENT.

WHY BOB CARVER'S MINIATURE RADIO STATION LEFT THE AUDIO PRESS SPEECHLESS AND HOW IT LED TO THE MOST COMPLETE STEREO TUNER EVER OFFERED.

The new Carver TX-11a Stereo AM-FM Tuner is a technical tour-de-force which further distances Bob Carver's unique products from traditional electronic components – and which can vastly enhance your musical enjoyment.

TWO TECHNOLOGICAL INNOVATIONS.

The performance of the legendary TX-11 Asymmetrical Charge Coupled FM Stereo Detector Tuner is increased by the addition of Ultra High Frequency Wide Band AM Stereo circuitry. With the new TX-11a, AM stereo sounds as good as FM.


Yes, contrary to popular belief, most AM stereo stations have frequency response (20Hz-15kHz), separation (35dB) and signalto-noise ratios (70dB) audibly indistinguishable from FM stations of equal strength. It's just that **only** Carver offers the technology to appreciate this hidden performance. As for FM stereo, the TX-11a virtually elimi-

As for FM stereo, the TX-11a virtually eliminates multipath and distant station noise while providing fully-separated stereo reception with space, depth and ambience!

Bob Carver's Asymmetrical Charge Coupled FM Stereo Detector removes (without affecting stereo imaging, frequency response or dynamic range) the hiss, clicks, pops, "picket fencing" and the myriad other unpredictable noises which all too often disturb FM listening.

(Still interested in the story of the miniature radio station and how it impressed hard-toimpress audio critics? Read on. We'll get to it after we explain why the quartz-synthesized TX-11a Stereo AM-FM Tuner will impress you in your own listening environment).

A CLEANER, WIDER FM WINDOW ON THE WORLD.



Because of the TX-11a's Charge-Coupling and Leading Edge Detection technology, ownership may very well change your listening habits. Right now, you probably confine your FM listening to those stations which are strong and relatively interference-free, avoiding weak stations and those filled with distortion. Your options are therefore limited. The TX-11a can significantly expand your choices by recovering stations previously buried in hiss or prone to sudden tantrums of noise.

Ovation Magazine observed that the circuit, "...may well mean the difference between marginal reception of the station signals you've been yearning to hear and truly noisefree reception of those same signals, permitting you to enjoy the music and forget about noise and distortion."

In Audio Magazine, Len Feldman said "The significance of its design can only be fully appreciated by setting up the unit, tuning to the weakest, most unacceptable stereo signals you can find, then pushing those two magic buttons." "Separation was still there; only the background noise had been diminished, and with it, much of the sibilance and hissy edginess so characteristic of multi-path interference."

WHY THE ASYMMETRICAL CHARGE-COUPLED FM STEREO DETECTOR GIVES NOISE THE SILENT TREATMENT.

Thirty years ago, the FCC turned clear mono FM into a substandard stereo medium (with fifteen times poorer signal-to-noise ratio) by approving a broadcast system that is extraordinarily prone to multipath and distant-station-noise.

This system separates stereo into two different bands. Unfortunately, the bands aren't pure Left and Right. Instead, one band is comprised of those parts of a stereo signal that are common to both channels, (L+R, or mono). The other signal, far more fragile and prone to interference, is the difference between the left and right signal (L-R). It bounces off buildings, hills and other objects, and wreaks havoc when





Carver Corporation P.O.Box 1237 Lynnwood, WA 98046 recombined with the strong mono signal.

Bob Carver's Charge-Caupling circuit takes advantage of the fact that almost all noise and distortion is exactly 180 degrees out of phase with the signal it's part of. The TX-11a Stereo AM-FM Tuner cancels these "dirty mirror" images before they can reach your ears. That eliminates up to 85% of the potential noise found in distant or noisy stations.

But Bob wasn't satisfied and knew you wouldn't be either. So another circuit, the Leading Edge Detector, goes a step further by taking advantage of a little-appreciated FM phenomenon: Just 5% of the L-R signal actually contributes to the stereo experience. The rest simply gets in the way of skyscrapers and mountains.

The Carver leading Edge Detector operates only on this critical 5% of the L-R signal, filtering out noise and restoring just that part of the signal needed by our ears and brain to construct stereo imaging.

Blended back into the mono (L+R) signal matrix, a net reduction of 93% – or better than 20dB of noise reduction – Is achieved. All ambiant and localizing information is recovered. Only hiss and distortion are left or, as **High Fidelity Magazine** put it, "...clean, noise-free sound out of weak or multi-path-ridden signals that would have you lunging for the mono switch on any other tuner."



THE LITTLEST AM RADIO STATION.

Before we describe the remarkable attributes of the TX-11a, we owe you the story that proves just how far performance can be extended when a component comes from Carver.

At a recent press conference, Bob Carver unveiled a small antenna connected to a very low powered AM stereo broadcast transmitter (C-QUAM format). Dubbed "Station CRVR," it sat next to a Carver Compact Disc Player and the same TX-11a that's on your dealer's shelves right now.

Bob Carver routed the Compact Disc's signal to the antenna for reception by the TX-11a, and also directly to a preamplifier.

In front of America's top stereo writers, Bob switched back and forth between the transmitted signal (as received by the TX-11a) and the direct CD signal. All listeners had difficulty distinguishing between the autputs of the CD player and the TX-11a Stereo AM-FM Tuner!

Most could tell no difference at all!

HOW AM STEREO GETS THE SILENT TREATMENT WITH THE TX-11a.

- * Unique de-emphasis curve
- * Whistle Stop cancelling circuit
- * Pilot Signal cancelling circuit
- * Ultra-low noise balanced station detector
- * Very wide band, minimum phase intermediate frequency amplifiers.

Think of it. Compact Disc frequency response and freedom from noise with AM stered and the TX-11a. Only Carver could pull it off. But then only Carver could do the same for FM, too.

HUMAN-ENGINEERED FEATURES AND CONVENIENCE.

Many tuners with far less exclusive circuitry than the TX-11a have far more complicated extenors. Bob Carver wanted to make tuning stations easy, not impress you with flashing lights or complex programming.

So thirteen presets, wide/narrow band selectors, automatic/manual scanning and the buttons which activate the remarkable Charge-Coupled circuits (Multipath and Noise Reduction) are all tastefully inset into the bumished anthracite metal face. Full instrumentation including digital station frequency readout, 6-step 10dB-interval signal strength LED's and other monitor functions is recessed behind a panel, visible but not garish.

The result is performance without theatricality: Access without complication.

A tuner High Fidelity Magazine caled, "By far the best tuner we have tested..."

CLEAR THE AIR BY VISITING YOUR NEAREST CARVER DEALER.

Ask to hear the most expensive tuner they sell. (It won't be the Carver TX-11a). Now tune a multi-path-ravaged, hiss-filled FM station. Tune the same station on the TX-11a Stereo AM-FM Tuner and press the Multipath and Naise Reduction buttons. You'll see why no other FM tuner can approach it. And why no other AM stereo tuner this good exists anywhere!



MUSICAL

CIRCLE NO. 49 ON READER SERVICE CARD Distributed in Canada by Evolution Technology by Julian Hirsch



"Power Envelope": a New Specification?

IGH-FIDELITY power ratings for amplifiers are now primarily based on their continuous power output capabilities (sometimes referred to as "rms power," a meaningless term). This convention arose largely as a result of past advertising excesses, which led the Federal Trade Commission some years ago to establish rules for advertising power ratings so that specifications could be compared meaningfully.

The long-term and short-term power outputs required for music reproduction are very different, however. Unlike the sine-wave test signals used for amplifier testing, whose level remains fixed for the duration of a measurement, music levels are constantly varying. For brief periods they are often many times greater than any long-term average value. That is why we measure both dynamic and continuous power outputs of amplifiers.

An amplifier's continuous average power output is the greatest output level it can maintain for at least 5 minutes. This measurement is linked to a specific distortion percentage and range of frequencies (usually 20 to 20,000 Hz), and it is the basis for the amplifier's advertised power rating. The "clipping headroom" specification is really only an indicator of the degree of conservatism built into an amplifier's rating, being a measure of the difference between the maximum 1,000-Hz sine-wave power the amplifier can *actually* deliver and its advertised continuous average power output.

The dynamic nature of music is recognized in the "dynamic headroom" measurement, based on a short (20-millisecond) burst of a 1,000-Hz sine-wave repeated twice per second, with a continuous 1,000-Hz signal maintained between bursts at a level of -20 dB (one-hundredth the power in the burst portion). An amplifier's dynamic headroom is the ratio of its maximum unclipped burst power to its rated continuous output.

Over the years, several manufacturers have introduced amplifiers with high dynamic-headroom ratings. Whereas a typical amplifier might have a dynamic headroom of perhaps I dB, some have as much as 3 or 4 dB, and the newest Proton models claim 6 dB. A high dynamic-headroom power rating can be obtained most simply by using a loosely regulated power supplythat is, one whose voltage rises under the light current load of an amplifier delivering little or no continuous power but drops to a lower value under sustained high-power operation. This approach was used in the early Phase Linear Model 400 and 700 amplifiers, for example.

Tested This Month

Bang & Olufsen CDX Compact Disc Player Bose 10.2 Speaker System Rotel RB-880 Power Amplifier Shure Ultra 500 Phono Cartridge Stax SR-Lambda Pro Headphones


A more efficient technique is to use a multivoltage power supply that is able to respond very rapidly to signal-level changes. By sensing that the instantaneous signal-output voltage will probably exceed the capability of one level of d.c. powersupply voltage and switching to a higher voltage just before the signal level actually requires it, such a "commutating" amplifier can handle very high peak signals, yet its average power-supply voltage (and, consequently, the heat dissipation of its output transistors) can be kept quite low. This approach has been used (with numerous variations in detail) in amplifiers from Carver, Hitachi, NAD, Proton, Soundcraftsmen, and Yamaha.

The simplest commutating amplifiers use a bilevel power supply, which switches between a low voltage and a high voltage. Carver's original "cube" amplifier (the M-400) has three voltage steps, and we have seen a new developmental amplifier from Carver that has no fewer than sixteen voltage steps. The number of voltage steps does not have a direct effect on dynamic power, but the more steps there are. the less power will be dissipated in the output transistors, which is another way of saying that the amplifier's efficiency is higher.

A different approach has been taken by NAD and Proton, whose latest amplifiers have generally similar power-supply designs. Two d.c. supply voltages are provided, one at the normal power-supply level required for the amplifier's rated continuous output and the other about twice as great for handling high peak levels. The higher voltage is stored in a capacitor charged by a low-current supply and is switched to the output transistors when the signal voltage approaches the amplifier's continuous-power limits. This higher voltage enables the amplifier to deliver several times its normal maximum output, but as current is drawn from the capacitor, its voltage decreases. Eventually, the storage capacitor is discharged and the amplifier operates conventionally from its regular power supply.

NAD has made a study of the actual signal characteristics of a number of music recordings, both classical and popular, and has pub-

Let Radio Shack Improve Your Audio and Video Image



With Much Sharper Pictures. Our new Stereo-Compatible Video Processor helps you get the most from your video system. A variable enhancer preserves picture detais normally lost in tape duplication and a built-in stabilizer eliminates annoying roll and jitter. The variable-rate video/sound fader lets you edit like a "pro." You also get an on-screen comparison of original and processed video. Ideal for use with VCRs, TV sets, monitors and satellite receivers, our VP is only \$99.95 or as low as \$20 per month on Radio Shack/CitiLine credit.

With Exciting Surround-Sound. Radio Shack's Video Sound Processor lets you connect your VCR, TV set, monitor or satellite TV receiver to your stereo system. It will decode the surround-sound channel of most stereo-sound movies and a variable expander lets you widen the sound image of stereo sources. The VSP will also convert any monaural audio input to high-quality simulated stereo. Features include a built-in DNR* dynamic noise reduction circuit, tape monitor, and three selectable inputs. Come in and hear the amazing difference it makes! Only \$89.95

Radio Jhack The Technology Store

A DIVISION OF TANDY CORPORATION

Radij Shack/Citiline is an open-ended credit plan fom Citibank, Actual payment may vary depending en balance. Prices apply at participating Radio Shack stores & dealers. *TM Balional Serriconductor Corp. Catabooking the store of the store

One of the many examples of Ford's attention to detail is the cargo restraining net on the LX. It helps keep grocery bags from tipping over and loose packages from sliding around.

THE NEW FO ITS PERFORMAN TO WHAT'S UN

The mark of a well-designed automobile is total performance.

In the case of Taurus, that means a powerful 3-liter, V-6 engine. Plus dozens of other features that not only respond to the needs of the driver, but to those of the passengers as well.

As a result, Taurus performs beautifully.

Even the smallest details have been carefully thought out. For example, the shape of this light switch and its position on the instrument panel make the simple task of turning on the lights as easy as possible

0

G

OFF

LIGHTS

The trip computer is part of the optional electronic instrument cluster. It provides valuable travel information such as rate of fuel consumption and the distance you can travel until empty.

km/h ODO SEL TRIP RESET SPEED ALARM FUEL ECDN DTE

MPH

TABLE

ECON





The optional electronic instrument banel is designed to be "user friendly." All instruments are easy to read and all controls are placed where your hands can easily find them.

RD TAURUS. CE ISN'T LIMITED DER THE HOOD.


Right down to the smallest detail. The best-built American cars.

At Ford, Quality is Job 1. A 1985 survey established that Ford makes the best-built American cars. This is based on an average number of problems reported by owners in a six-month period on 1981-1984 models designed and built in the U.S. The secondary sun visor helps eliminate glare from the front and side simultaneously, so you don't have the inconvenience of constantly swinging the visor back and forth. It's not available on the L model.

Have you driven a Ford...lately?



ECHNICAL TALK



lished the resulting "dynamic envelopes" in a technical bulletin. The NAD study found that high levels commonly last from 80 to 500 milliseconds in real recordings, suggesting that the EIA standard 20-millisecond dynamic-headroom test signal may be unrealistically short. For one thing, ordinary clipping distortion in sounds that last only a few milliseconds is rarely audible. NAD has proposed that the industry adopt a new "power envelope" test similar in concept to the method already used by NAD (and Proton as well) to describe the performance of its amplifiers.

Briefly, the power envelope of an amplifier is a plot of its maximum unclipped output into several load impedances (such as 8, 4, and 2 ohms) with burst signals of different durations. Such a plot would describe the amplifier's performance with a wide variety of music signals in a way that should relate more closely to its actual listening qualities than any of the current tests.

A power-envelope measurement, if adopted universally, would for the first time allow a reasonable assessment of the potential performance of almost any amplifier. Before a standard could be adopted. there would have to be careful consideration of the specific durations and duty cycles of the test signals. The duty cycle (relative durations of the on and off times of the signal) should be consistent with the aims of the measurement. NAD points out, for example, that a 50 percent duty cycle would not reflect the actual properties of music programs and could heat up an amplifier to an unrealistic extent. In our own measurements of the NAD and Proton amplifiers (among others), we have used on times ranging from 1 millisecond (one cycle of the 1,000-Hz test signal) to several seconds. maintaining an off time of 0.5 second, and have had no problems with amplifier overheating. Our intent was to reach a duty cycle that approximated continuous operation so that the plotted power envelope would show the amplifier's operation under every condition from a single cycle every half second to a steady sine-wave input.

Consider, for example, the two power-envelope curves shown in the accompanying graph. (They do



Model for model, size for size, and dollar for dollar, we have designed Classic speakers to deliver more volume. smoother bass response, and greater dynamic range than ever before. PROVE IT TO YOURSELF! Visit your nearest Jensen[®] dealer. Set the display

amplifier at any level you choose. Cut in any Jensen Classic speaker, then switch over to any comparable competitive speaker. Now switch back and forth to compare the two. In every model category the Jensen Classic speaker will stand out right there on the floor!

Most car stereo speakers have pole mounts. Jensen Classic speakers have the unitized array. This improved method of mounting the midrange and tweeter gives the woofer a larger working area, and better bass response than possible with other systems. The unitized array



JTX-300 6" x 9" TRIAX" 3-Way Speakers Power Handling: 150 Watts Peak, 80 Watts Continuous • Useable Frequency Response: 40 Hz-25 kHz • Sensitivity (1 Watt @ 1 Meter) 92 dB SPL • Impedance: 4 Ohm • Wooters 6" x 9" Cone • Midrange 2%" Cone • Tweeter: 2" Cone, • Mounting Depth: 4"



JTX-365 61/2" TRIAX" 3-Way Speakers Power Handling: 120 Watts Peak, 60 Watts Continuous • Useat Frequency Response: 58 Hz-20 kHz • Sensitivity (1. Watt 4 1 Me 91 dB SPL • Impedance: 4 Ohm • Woofer: 6% "Cone • Midrang Cone • Tweeter: 1%" Cone • Mounting Depth: 11% JFX-140 4" Dual Cone Speakers

Nover Handling: 60 Watts Peak, 30 Watts Continuous + Use requency Response: 70 Hz - 20 kHz - Sensitivity (1 Watt 61 18 dB SPL + Impedance; 4 Ohm + Woofer; 4" Cone + Mount tepth; 1%

"Triax and Jensen" are registered trademarks of International Jensen, Inc.

not represent actual amplifiers but serve merely for illustration.) Both amplifiers deliver the same continuous-power output, 100 watts into 8-ohm loads. Amplifier A uses a conventional "brute force" design, and its well-regulated power supply lets it deliver its 100 watts, but no more, for any length of time. Amplifier B has a "smart" power supply that increases its maximum output to 600 watts for periods of 20 milliseconds or less, giving it a dynamic headroom of 7.8 dB (high by current standards but surely within reach of forthcoming designs). If the signal peak lasts longer than 50 milliseconds, the maximum output falls to 500 watts, where it remains for the next 450 milliseconds. In effect, therefore, for a large percentage of musical peaks this is really a 450watt amplifier, though it is rated at only 100 watts and probably not priced much differently from other 100-watt amplifiers. For longer signal durations, the available power drops sharply, and after 3 seconds Amplifier B is truly a 100-watt amplifier, just like Amplifier A.

The relative abilities of these two amplifiers to handle the kind of signals available from CD's, whose uncompressed peaks can be many times greater than their average levels, are obvious from their powerenvelope curves. We could also rescale these curves so that both amplifiers would have the same output for the first 20 milliseconds or so. after which Amplifier B would drop off and eventually become a 20-watt amplifier. Such an amplifier would be considerably cheaper than Amplifier A, yet it would probably be able to play almost as loud with most musical program material.

Much of the information in the curves can also be conveyed by a few numbers. For example, Amplifier B could be rated for 100 watts continuous output, 450 watts for 500 milliseconds, and 600 watts for 20 milliseconds, giving it a dynamic-headroom rating of 7.8 dB. Amplifier A would simply be rated at 100 watts continuous output and would have a dynamic headroom of 0 dB. NAD has proposed a power rating based on a 200- or 300-millisecond signal duration as the single most meaningful number to express an amplifier's music-reproduction performance.

The specifics of a power-envelope specification can only be determined after considerable experimentation by many manufacturers and other interested parties. Nonetheless, I firmly believe in the validity of the concept, and I welcome the appearance of products whose performance justifies developing such a standard specification. We will be making power-envelope measurements on amplifiers from now on, although I may not necessarily comment on the results.



construction provides up to 48% more speaker area than some pole mount speakers fitting in the same installation. The result is more bass, more overall performance superiority-more sound for the dollar. The Jensen Classic car stereo speakers deliver the power

JCX-265 61/2" COAX 2-Way Speakers

Power Handling: 90 Watts Peak, 45 Watts Continuous - Useable Frequency Response: 60 Hz-20 kHz - Senativity (1 Watt @ 1 Meter): 90 dB SPL - Impedance: 4 Ohm - Woofer: 6% Cone - Tweeter: 2" Cone - Mounting Depth: $1\,\%_{\rm in}^{**}$

ENSEN

handling and performance to make them digitally ready for compact disc players.

Take The Jensen challenge with the entire Classic line. You will hear the difference a Jensen speaker makes, loud and clear, with your own ears. It's no longer a matter of which brand, but which Jensen.





JCX-200 6" x 9" COAX 2-Way Speakers Power Handling: 150 Watts Peak, 80 Watts Continuous - Useble Frequency Response: 40 Hun - Woofer, 6" x 9" Cone - Tweeter; 91 dB SPL - Impedance: 4 Ohm - Woofer, 6" x 9" Cone - Tweeter; 2%" Cone - Mounting Depth. 4" JCX-245 4½ COAX 2-Way Convertible Speakers Power Handling: 70 Watts Peet, 35 Watts Continuous - Usaable Frequency Response: Flush Installation 65 Hz-20 kHz, Surface Installation 185 Hz-20 kHz - Sensitivity (1 Watt 61 Heter): 89 Bd SPL - Impedance: 4 Ohm - Wooler: 4% Cone - Tweeter: 2" Cone - Mounting Depth (Flush): 14* JENS

TEST REPORTS



BANG & OLUFSEN BEOGRAM CDX COMPACT DISC PLAYER

Julian Hirsch, Hirsch-Houck Laboratories

IKE other Bang & Olufsen products, the Beogram CDX Compact Disc player has a unique combination of styling and operating features. The top-loading, low-profile player has a sloping, black-backed clear glass front panel with white control markings and green and red illuminated display numerals. Behind the control section is a hinged discloading door that allows the disc to be seen when closed. The only conventional controls are the play (power) and eject buttons at the right and left ends of the player's front edge. All other functions are activated by touching the appropriately labeled areas of the front panel.

The green track numerals initially show all the tracks on the disc (to a maximum of twenty), but in programmed operation only the selected track numbers are visible. During play, the number of the current track blinks on and off. The red LED numerical display shows the elapsed playing time on the current track, the total elapsed time on the disc, or the current track and index number.


For fast track selection, touching ADVANCE or RETURN moves the laser pickup ahead to the start of the next track or back to the beginning of the current track. Forward and backward search and scan functions are performed with double-arrow touch controls. A disc can be scanned in 1-second, 10-second, and 1-minute increments, and, with a little practice, you can easily and quickly locate any point on a disc. There is no audio output from the unit during search operations.

Programming the CDX is also a simple touch operation. A row of white numerals (1 through 0) and the CLEAR and STORE controls on the front panel are used to load a maximum of forty track selections (with numbers up to 99) into the CDX's memory. Undesired tracks can be omitted with the CLEAR control, which is also used to cancel a programmed sequence.

The CDX has pause and repeat functions as well. The pause function is activated by touching STOP, which suspends play, to be resumed at that point when the PLAY control is touched. If STOP is touched for more than 2 seconds, however, play is stopped completely and will re-

The B&O CDX's measurements were exemplary, and mechanically it is the smoothest and quietest CD player we have ever used. Not even a faint mechanical click mars the total silence of its operation.

start at the beginning of the program. An entire disc or a programmed sequence can be repeated up to four times.



The B&O CDX uses 14-bit digital-to-analog (D/A) conversion, with oversampling at 176.4 kHz (four times the normal 44.1-kHz rate). A combination of digital and analog low-pass filtering is used to remove any ultrasonic components. The CDX has an integral 3-foot signal-output cable. The player measures 161/2 inches wide, 121/4 inches deep, and 3 inches high and weighs 12.4 pounds. Price: \$699. Bang & Olufsen, Dept. SR, 1150 Feehanville Dr., Mt. Prospect, IL 60050.

Lab Tests

With standard EIA loads of 10,000 ohms in parallel with 1,000 picofarads, the B&O CDX had identical outputs of 2.05 volts in both channels from the 0-dB (maximum-level) bands of our test discs. The frequency response was flat within +0.1, -0.2 dB from 20 to 20,000 Hz, with the variations taking the form of periodic ripples on the response curve repeated every 4,000 Hz. The interchannel phase

shift was essentially 0 degrees from 1,000 to 20,000 Hz (it was only 4 degrees at 100 Hz), indicating the use of separate D/A converters for the stereo channels. The playback distortion was between 0.02 and 0.002 percent at levels from -20 to 0 dB. The A-weighted noise output, referred to 0 dB, was barely measurable at -115 dB, and the channel separation was equally noteworthy. Crosstalk was totally undetectable at 100 Hz and an exceptional -112.5 dB at 1.000 Hz.

The error-correction circuits of the CDX enabled it to play through all of the calibrated defects on the Philips TS4A test disc without audible effect on the program. The slew time from Track 1 to Track 15 of the TS4A disc was 3.8 seconds, and the player negotiated the transition from Track 17 to Track 18 of that disc (not separated by a silent interval) without difficulty. It was also one of the better players we have tested in respect to its immunity to physical shock. To make it mistrack, we had to give it a fairly severe slap on its top or an even more violent blow on the side.

Comments

Anyone who has used or tested a large number of CD players is well aware of the great similarities among them with respect to performance and sound quality. As the double-blind listening tests published in January STEREO REVIEW showed, even if a listener with acute hearing can detect statistically significant differences between the sounds of different CD players, the practical significance of such differences is negligible. Similarly, with state-of-the-art test instruments it is possible, though not always easy, to measure certain performance differences between players, but it would be unrealistic to ascribe any audible qualities to most of them.

But none of this is meant to belittle the performance of the B&O CDX, which was exemplary in every respect. No matter which measured characteristic you consider most important, the CDX is likely to excel in it. In addition, it is mechanically the smoothest and quietest CD player we have ever used. Not even a faint mechanical click mars the total silence of its operation.

We could find only two points on which to criticize the CDX. The pristine surface of its black control panel has a strong tendency to gather dust and fingerprints. On the other hand, nothing could be easier to clean. Also, we would have preferred conventional phono-jack signal outputs, since the 3-foot integral cable was too short for convenient installation in our system.

In our view, what really sets the CDX apart from the rest is its unique control system. If you try to use the CDX without first reading its concise, well-written manual, you may be able to play CD's, but most likely you will never appreciate its full flexibility and convenience. It should take no longer than five minutes to learn how to use its controls, after which its operation will become instinctive. And it is very satisfying to control such a versatile instrument by a (literal) touch of a fingertip. Circle 140 on reader service card

SURGEON GENERAL'S WARN NG: Ouitting Smoking Now Greatly Reduces Serious Risks to Your Health.

26 mg "ta-" 1.0 mg nicotine ev. per cigarette, FTC Report Fab.'85

Come to Marlboro Country.



Marlbero Red or Longhorn 100's you get a lot to like.

TEST REPORTS



BOSE 10.2 Speaker System

Julian Hirsch, Hirsch-Houck Laboratories

HE Bose 10.2 "Stereo Everywhere" speaker system is a direct descendant of the company's earlier Direct/ Reflecting speakers. Unlike conventional forward-radiating speakers, whose full stereo properties are usually audible only in a restricted portion of the listening room (typically along a line midway between the two speakers), the 10.2 has specific directional and frequencyresponse properties designed to generate an exceptionally strong, threedimensional stereo sound image throughout the listening area.

To achieve such a sound image, Bose uses a controlled dispersion pattern in which the signal radiated at a 45-degree angle into the room is 5 to 10 dB louder than in other directions. The 10.2 speaker has four drivers. Two 10-inch woofers are mounted 90 degrees apart on the speaker's front and inward sides near the top of the columnar cabinet, about 33 inches from the floor. The combined radiation pattern of these drivers slants 45 degrees inward in the frequency range of 600 to 1,200 Hz. Two 3-inch cone tweeters, angled respectively 45 degrees inward and outward from the forward axis of the system, are mounted in front of the forwardfacing woofer.

The tweeters operate out of phase with each other, the inward-facing unit being in phase with the woofer behind it, which tilts the speaker's overall radiation pattern 45 degrees inward (toward the in-phase tweeter) in the frequency range of 1,200 to 2,500 Hz, where both the woofers and the tweeters contribute to the total sound output. From 2,500 to 5,000 Hz, the tweeters alone operate, and their opposite-phased cones produce a figure-eight pattern favoring the inside and outside, with a forward null. Above 5,000 Hz, the outward-facing tweeter is shut off by the crossover network, leaving the natural directivity of the inward driver to beam its energy along its own 45-degree axis.

Bose points out that none of these features is sufficient to create the desired result by itself but that their combined effect is a directive pattern from 600 to 20,000 Hz that results in Stereo Everywhere. Another benefit of the 10.2's driver array is what Bose calls "Stereo Targeting," a broad vertical radiation pattern that produces a stereo image independent of a listener's height. This effect results from mounting the 10.2's tweeters in front of the forward woofer, in contrast to the usual configuration in which the tweeter is placed above the woofer, often at some distance, thereby narrowing the beamwidth in the crossover region and changing the speaker's sound and imaging with the height of the listener.

Although the bass region below 600 Hz is not critical to the Stereo Everywhere concept, it is important to the overall sound quality of the system. In the Bose 10.2, the two woofers are rear-loaded by a common series of three chambers. The speaker's rear radiation path extends downward into the back half of the cabinet, which is divided by a board across its full width from top front to bottom rear. A hole in the divider couples the bass energy into a second chamber of about the same size and then out through a vertical slot (24 inches high and 34 inch wide) along the inboard side of the cabinet.

The Bose 10.2 is rated for a nominal impedance of 4 ohms and an amplifier power requirement of 10 to 180 watts per channel. It is 12 inches square and about 40 inches high. The top 12 inches—where the drivers are located—are covered by a black, nonremovable grille cloth, and the rest of the cabinet is finished in a genuine teak veneer. Each speaker weighs 61 pounds. Price: \$1,199 per pair. Bose Corporation, Dept. SR, The Mountain, Framingham, MA 01701.

Lab Tests

The averaged room response of the Bose 10.2 system was exceptionally smooth and flat from 400 to 10,000 Hz, then it sloped down slightly to about -3 or -4 dB at 15,000 Hz and dropped rapidly at higher frequencies to about -12 dBat 20,000 Hz. The close-miked woofer response decreased at about 12 dB per octave below 60 Hz, with a minor dip at 110 Hz. The maximum bass output occured at 130 Hz, and the response fell off a total of 5 dB from the maximum level between 130 and 1,500 Hz. A pronounced irregularity in the 1,500- to 2,700-Hz range indicated that the crossover to the tweeters was in this region.

When we spliced the close-miked woofer and room response curves, the composite response was $\pm 4 \text{ dB}$ from 56 to 15,000 Hz. When we added the contribution of the port to the woofer's output in the usual manner, the bass response seemed almost too good to be true: the \pm 3.5-dB variation from 23 to 1,500 Hz was not consistent with what we heard from the speakers, which, though very good in the bass, were not that good! We did find a discrepancy in our measurements—we had incorrectly weighted the relative contributions of the forward and rearward radiation from the woofer section. We would judge from our listening experience that the 10.2's actual effective limit of useful bass response in a typical listening room would be somewhere between 56 and 23 Hz-probably about 35 Hz.

The system's impedance reached its minimum, about 3.5 ohms, at 150 and 10,000 Hz and its maximum of 15 ohms at 60 Hz. Over

much of the audio range, the impedance was from 5 to 10 ohms. We measured the sensitivity of the Bose 10.2 along its key directional axes, and although there were small differences between them, we estimated its effective output soundpressure level (SPL) as 86 dB at l meter from the grille with an input of 2.83 volts. An input of 4.5 volts was required for the reference output of 90 db that we use when measuring bass distortion. At 90-dB SPL, the distortion was in the range of 1 to 2 percent from 100 down to 50 Hz and only 4.5 percent at 30 Hz.

Ouasi-anechoic FFT response measurements along the inward 45degree axis of the speaker showed moderate peaks at 7,000 and 9,000 Hz, and a smaller peak at 11,000 Hz. The peaks were not evident along other measurement axes (forward or on the outward 45-degree axis), however, and the response was within ± 3 dB from 180 to 15,000 Hz when the peaks were ignored. The frequency response on the outward 45-degree axis was ragged, with a noticeably reduced output at the higher frequencies reflecting the combination of two opposite-phase drivers and the treble rolloff on the outward driver designed into the crossover network. The differences between the inward and outward axes were even more striking in the group-delay measurements, which produced an excellent overall variation of only 0.4 millisecond from 500 to 23,000 Hz along the inward 45-degree axis but a ragged ± 2 -millisecond measurement from the other tweeter.

In two of our peak-power-handling measurements, the amplifier clipped before the speaker drivers distorted significantly: at 1,030 watts into 3.5 ohms at 10,000 Hz and at 355 watts into 9 ohms at 1,000 Hz. At 100 Hz, the woofer cones reached the linear limits of their excursions at 230 watts into 4 ohms.

Comments

From the outset it was obvious that the Bose 10.2 was an excellent speaker. Its octave-to-octave frequency balance was among the smoothest we have heard in some time, as evidenced by its freedom from mid-bass colorations, uppermiddle forwardness, or stridency. In fact, its "all there" sound was one of its most striking characteristics.

The big question, of course, is whether "Stereo Everywhere" is a real quality of the speaker or merely a clever slogan. As we moved around the room and from side to side a few feet in front of the speakers, we noticed that the audible contributions of the left and right channels remained clearly distinguishable. An instrument heard playing through the left speaker remained at that position even when we stood in front of (or behind) the right speaker, and the same fixed localization was experienced as we moved elsewhere in the room.

There is more to stereo than left and right sound sources, however. Instruments or voices positioned between the speakers tended to shift laterally at some points when we moved from one side to another. Fortunately, such shifting was not obvious from listening positions more than a few feet in front of the speakers. In general, we found that the stereo sound stage was stable over a very large part of the room unless we made a special effort to move about while listening for spatial anomalies. For the majority of us who prefer less mobile listening, then, Bose's "Stereo Everywhere" description seems quite valid.

If you demand a specific, unvarying stereo sound stage from loudspeakers, however, the Bose 10.2 may fall a bit short of that ideal. You *do* get very recognizable stereo imaging from almost everywhere, but the sound stage in one location will not always be the same as it is in another.

The approach taken by Bose in the Point Two series (besides the 10.2 there is also the smaller 8.2) is similar to those of some other speaker manufacturers in its use of shaped polar patterns to achieve image stability, but the Bose design seems to be somewhat more economical in number of drivers and overall physical complexity. The Bose 10.2 is also one of the best sounding speakers we have heard, even without considering its spatial qualities. Altogether, it appears to represent a genuinely worthwhile development.

Circle 141 on reader service card

Choice:

No matter what Canton speaker you choose, quality German craftsmanship comes from within.

Whether it be our mini-speakers to our floorstanding speakers, our home or automotive speakers, satellite/ subwoofer combinations or active and passive speakers—Canton offers choice.

Choice in size, finish and technology. ... The only choice we don't offer is choice in quality—Canton speakers are offered only in uncompromising "top quality."

Circle No. 33 on Reader Service Card

3

To help you choose the right Canton speaker, visit better audio/video retailers across the country. Come. Discover.

0


Explore the vast array of quality audio components Canton has to offer.

"Choice" Hi-Fi. From Canton.

Canton North America, Inc. 254 First Avenue North · Minneapolis, MN 55401 612/333-1150



EST REPORTS



ROTEL RB-880 POWER AMPLIFIER

Julian Hirsch, Hirsch-Houck Laboratories

HE Rotel RB-880 is a stereo power amplifier rated to deliver 100 watts per channel into 8-ohm loads, or 200 watts into 4-ohm loads, from 20 to 20,000 Hz with no more than 0.03 percent harmonic or intermodulation distortion. Its two channels can also be bridged (driven out of phase) to form a mono amplifier rated at 300 watts continuous.

The RB-880 is a fairly large amplifier, measuring 17 inches wide, 17 inches deep (including the large insulated speaker-binding posts in the rear), and 5 inches high. It weighs about 40 pounds. The finish is black with white panel markings. The only front-panel features are a rocker-type power switch, a small red pilot light, and another light that glows when the protection circuit has been tripped (operation is restored automatically when the fault is removed). The rear apron contains two gold-plated phono input jacks, whose 7^{1/2}-inch spacing prevents the use of dual signal cables, and two sets of speaker terminals. The terminals are extra large and apparently suitable for use with very heavy speaker wires and connecting plugs, but their 11/4-inch spacing rules out dual banana-plug connectors.

With its cover removed, the active circuits of the RB-880 can be seen to occupy two large circuit boards (one for each channel) extending the full depth of the amplifier. Each board is attached to a heavy heat sink of the same length. The space between the two circuit boards is well filled by a large toroidal power transformer and two filter capacitors. Heavy-gauge wires fitted with lugs are used for all internal connections between the circuit boards, power supply, and speaker outputs. Price: \$995. Rotel Audio of ROBERT LORENZ

America, Dept. SR, P.O. Box 653, Buffalo, NY 14240.

Lab Tests

The standard 1-hour preconditioning at one-third rated power made the top of the RB-880 only moderately warm, and it did not become much hotter at any time during our testing. The amplifier easily surpassed its power ratings, with the 1,000-Hz output waveform clipping at 145 watts into 8 ohms, 272 watts into 4 ohms, and 420 watts into 2 ohms. The 8- and 4-

The Rotel RB-880 surpassed its continuous-power ratings, clipping at 145 watts into 8 ohms, 272 watts into 4 ohms, and 420 watts into 2 ohms. It was a surprise to find that the dynamic output was essentially identical.

ohm clipping-headroom measurements were 1.6 and 1.33 dB, respectively. It was a surprise to find that

LABORATORY MEASUREMENTS

- 1,000-Hz continuous output power at clipping: 145 watts into 8 ohms, 272 watts into 4 ohms, 420 watts into 2 ohms
- Clipping headroom (relative to rated output): 1.6 dB (8 ohms), 1.33 dB (4 ohms)
- Dynamic power output: 138 watts into 8 ohms, 264 watts into 4 ohms, 460 watts into 2 ohms, 505 watts into 8 ohms (bridged)
- Dynamic headroom: 1.4 dB (8 ohms), 1.2 dB (4 ohms) Harmonic distortion (1,000 Hz, 8 ohms): 1 watt, 0.0072%; 100 watts, 0.0115%
- watts, 0.0115% Sensitivity (for a 1-watt output):
- 110 millivolts
- A-weighted noise (referred to a l-watt output): -95 dB

the dynamic power output, measured using a 20-millisecond tone burst repeated twice per second, was essentially identical to the continuous output. We also measured the dynamic output in the bridged mono mode, which was just over 500 watts into 8 ohms.

The amplifier's distortion was well within its specification for all

The Rotel RB-880's maximum power output is essentially independent of signal duration. Whether for 1 millisecond or several minutes, it will deliver its rated power (and more) with low distortion.

frequencies and power outputs up to the rated 100 watts except for full power at 20,000 Hz, where it reached 0.036 percent. The distortion was typically less than 0.02 percent, and at ordinary listening levels it was well below 0.01 percent.

A signal input of 110 millivolts drove the RB-880 to a reference output of 1 watt into 8 ohms, and its A-weighted noise level was -95 dB referred to 1 watt. The frequency response was down 0.4 dB at 10 Hz and 0.2 dB at 20,000 Hz. The upper -3-dB frequency limit was 93,000 Hz, and at our lower measurement limit of 5 Hz the response was down only 1.5 dB.

Comments


The Rotel RB-880 is an excellent example of an amplifier powered by a very heavy-duty, well-regulated power supply of conventional design—in contrast to those using commutated, or switched, supplies whose voltage changes to meet the instantaneous signal requirements. We have seen few (if any) other amplifiers whose maximum power output was so independent of signal duration. Whether the signal lasts for 1 millisecond or for several minutes, the RB-880 will deliver its rated output (and considerably more) with low distortion and without excessive heat buildup.

This sort of performance does not come cheaply in respect to either dollar cost or weight. The RB-880 is a heavyweight amplifier in every sense of the word, and its price reflects that fact. It is an almost ideal constant-voltage source whose power output is inversely proportional to load resistance over a wide range. Many amplifiers that seem to have this quality turn out to have overly sensitive protection circuits that shut them down too readily when driving 2-ohm loads at high power or high frequencies. We were pleasantly surprised to find the RB-880 quite immune to this effect. It shut down only when we drove it to high outputs with a 10,000-Hz square wave and once when we were driving both channels to hard clipping into 2-ohm loads—which drew a total output of almost 900 watts, so we can hardly fault the amplifier!

For listening we took advantage of having a pair of RB-880's on hand and operated them in the bridged mode to form a very potent 1-kilowatt amplifier. Needless to say, the system worked very well, with no undesirable qualities whatever, and with the sense of limitless power that such reserves make possible. Obviously, this sort of operation is advisable only if your speakers can handle such power levels or are protected against overload.

After our experience with the RB-880, we can better appreciate why Rotel products enjoy favor among demanding high-end audiophiles. If the RB-880 is a typical example of the company's products, the reputation is well deserved. It is not inexpensive by any means, but it still costs a fraction of the price of some other high-end amplifiers, and I suspect it would stand up well in comparison with them.

Circle 142 on reader service card



STEREO REVIEW APRIL 1986 39

In its glowing review, *Video Review* states that the Pioneer[®] Foresight[™] 70 system "will probably serve as a benchmark for A/V systems of the future." Here's how they came to that conclusion.

THE MOST COMPREHENSIVE A/V SYSTEM EVER DEVISED.

In one integrated system, the Pioneer Foresight 70 offers the most audio/video technology available today. And it provides for the addition of generations of technology to come.

It is the first system with a combination LaserDisc[™]/Compact Disc player integrated into the system itself.

The first system with Surround Sound as a video component.

The first to offer a choice of all three VCR technologies—the best



IT IS POSSIBLE TO PUT THE BEST OF EVERYTHING IN ONE SYSTEM. IT IS SIMPLY NOT EASY.

of each, in fact: Super Beta Hi-Fi, VHS Hi-Fi and 8-mm with PCM digital sound.

The first to offer all three noise-reduction systems: Dolby B, Dolby C and dbx.

The first with all three forms of digital sound: LaserDisc, compact disc and 8-mm PCM.

ALL CONTROLLED BY ONE "SYSTEM REMOTE."


All the video and audio technologies—the monitor, VCRs, double audio-cassette deck, TV/AM/FM tuner, LaserDisc, CD, even the analog turntable—are controlled by one fully integrated remote control.* It's so well thought out, it's the first remote with a built-in LCD readout. So you can get all the information you need without having to turn on your CRT.

But the uniqueness of the Foresight 70 isn't *except for the VHS Hi-Fi. merely its integration, it's the system's technical excellence.

A GREAT VIDEO SYSTEM REQUIRES A GREAT MONITOR.

Video Review boasts that "the picture detail is nothing short of superb." And for good reason. The comb filter in our monitor produces the exceptional frequency response of 50 MHz. This is far beyond the highest broadcast bandwidth, and results in 400 horizontal and 450 vertical lines of video resolution. The fact is, LaserDisc, delivering more than 350 lines of resolution, is the only video source that begins to let you fully appreciate the superb detailing.

VIDEO ISN'T JUST A MATTER OF LINES. Did you ever notice that in most video systems, as you increase contrast the shapes distort? On



the Pioneer monitor, a highly regulated switching power supply makes that problem a thing of the past. Did you ever notice that on most video systems, there's a loss of detail around the edges of objects?

Our new contour-correction system solves that classic video problem, too. Did you ever notice

that as you brighten the picture, the color saturation changes?

Not on our monitor. We've just about eliminated differential-gain error. As the experts say: "The monitor gets virtually perfect scores...."

THE AUDIO LIVES UP TO THE VIDEO.

When you design the first system to reproduce

3 forms of digital sound, by necessity it must be a considerable audio system. Simply because digital audio demands a much wider dynamic range and frequency response.

With 0.09% distortion, our amplifier is as clean as digital sound itself.

If you're impressed by this, consider our 3band tuner with a signal-to-noise ratio of 75 dB on the FM section. It's a tuner with built-in MTS decoding that delivers broadcast stereo or SAP or



both. It also allows you to split audio/video reception to receive FM simulcasts.

Consider a double auto-reverse audio-cassette deck with a dynamic range of 110 dB (with dbx). Consider a digital 8-mm VCR that delivers 88 dB of dynamic range on 6 stereo tracks, to provide a total of 24 hours of continuous digital music on one cassette about the size of a standard audio cassette.

Or consider the signal-to-noise ratio of our LaserDisc/CD combination player. At 96 dB, it's virtually noise free. And frequency response is virtually flat from 5 Hz to 20,000 Hz.

Harmonic distortion is barely measurable (0.009%).

Consider a system that provides Surround Sound in four different

processing modes: simulated and expanded stereo, theater, and stadium. It lets you tailor the audio ambience to the musical source, to give you the kind of audio depth and realism you've simply not heard at home before.

Last, consider a system that was designed to add luxury to your room. With components

beautifully fitted and housed in rosewood cabinetry. (Even the extra set of Surround Sound speakers are in rosewood.)

FIRSTS, BETTERS, BESTS.

Given all the new technology operating in the Foresight 70, combined with such a high level of video and audio excellence, it's easy to understand why *Video Review* came to the

conclusion: "It's the kind of system that everyone's been talking about, but few manufacturers have been able to execute with such skill."

© 1986 Pioneer Electronics (USA) Inc. All rights reserved. Foresight and LaserDisc brand videodisc player are trademarks of Pioneer Electronics Corp. Dolby is a registered trademark of Dolby Laboratories Licensing Corp. dbx is a trademark of dbx Inc.



Video for those who really care about audio.

TEST REPORTS



SHURE ULTRA 500 PHONO CARTRIDGE

Julian Hirsch, Hirsch-Houck Laboratories

HURE BROTHERS' Ultra phono cartridges are aimed at the high-end audiophile. Although they have much in common with the widely acclaimed leader of Shure's regular line, the V15 Type V-MR, the Ultra cartridges are said to be individually assembled with tighter tolerances and fine-tuned for peak performance. There are currently three Ultra models, the 300, the 400, and the 500, and we tested the top-of-theline Ultra 500.

Functionally, the Ultra 500 is almost identical to the V15 Type V-MR, sharing with it a Micro-Ridge line-contact stylus, a thinwall beryllium-stylus cantilever, and a pivoted Dynamic Stabilizer that serves multiple roles as a pickup damping device, record brush, destaticizer, and stylus guard. The Ultra 500's replacement stylus appears to be identical to the stylus of

the V15 Type V-MR (we verified that they are interchangeable), and the encapsulated cartridge bodies of the two models also appear to be identical. In addition, they have the same specifications for coil inductance and resistance, output voltage, and optimum load requirements. Comparing the manufacturer's specifications for the two cartridges, we could find only three significant differences: the Ultra 500 has gold-plated pins and a substantially higher "trackability" rating at all frequencies; it is rated to track at a slightly higher force, 1.2 grams rather than 1.0 grams; and it is heavier, 9.3 grams rather than 6.6 grams.

The greater weight of the Ultra 500 is due to the metal mounting block that couples the encapsulated cartridge body to the tonearm. It is widely held in high-end audio circles that a cartridge must have extremely tight mechanical coupling to its headshell to avoid resonances that can color the sound. The Ultra 500's mounting block provides the maximum surface contact area between cartridge and headshell, and it has integral mounting nuts to simplify installation. To further enhance the mechanical unity of the pickup system, the Ultra 500 mounts with Allen-head screws, which can provide a greater bonding force than the usual slotted-head screws. An Allen wrench is provided with the cartridge instead of the customary screwdriver.

The Shure Ultra 500 is packaged in an attractive walnut-finish wooden jewel box together with the mounting hardware, Allen wrench, dummy alignment stylus, styluscleaning brush, and a vial of styluscleaning fluid. Price: \$400.

Lab Tests

The extra weight of the Ultra 500 caused us some problems in mounting it. Most good modern tonearms are designed to balance a cartridge weighing from 4 to 8 grams, and almost all modern cartridges fall between those limits. With the first two turntables we tried, the arms were unable to balance the 9.3-gram Ultra 500. The third, an older but high-quality player with a moderately massive tonearm, was able to accommodate it. We operated the Ultra 500 at its rated tracking force of 1.2 grams, with the arm set to 1.7 grams to compensate for the effect of the 0.5-gram Dynamic Stabilizer brush.

The optimum load for the Ultra 500 is stated to be 47,000 ohms in parallel with 250 picofarads. We measured its frequency response with capacitive loads of 140, 275, and 550 pF. The 275-pF load gave the flattest response, ± 0.5 dB from 40 to 20,000 Hz, although the 140pF response varied by the same amount and differed from the optimum curve by no more than 0.5 dB over the full frequency range. The highest capacitance produced a response rise of 1 dB at 10,000 Hz and a drop of 2.5 dB at 20,000 Hz.

The square-wave response of the cartridge with the CBS STR 112 test record was excellent. There was a slight ringing at about 35,000 Hz (possibly the stylus resonance frequency, although this test record also has some ringing in the same frequency range) and a rise time of 15 microseconds, which corresponds to an upper response limit of 23,000 Hz. This figure, however, includes the response of the record as well as that of the cartridge.

The channel separation of the Ultra 500 was about 30 dB up to 5,000 Hz, decreasing to 25 dB at 10,000 Hz and 13 dB at 20,000 Hz. The output from a 1,000-Hz test band recorded at 3.54 cm/s was 2.85 mV, with a channel imbalance of less than 0.2 dB. The vertical stylus angle was 20 degrees. In view of the considerable mass of both the arm and cartridge-their total effective mass was 33 grams-and the high stylus compliance of the Ultra 500, the system resonated at about 6 to 7 Hz. Fortunately, the Dynamic Stabilizer was quite effective in damping this resonance, so that the system was able to track warped records moderately well.

The Ultra 500 tracked our Cook and Fairchild high-velocity test records easily, as well as the 90-micrometer level of the German HiFi #2 record. At the 100-micrometer level, however, it showed traces of mistracking. It is possible that a slight warp on the record, combined with the high arm/cartridge mass, caused the mistracking. When we used the newer DIN 45549 test record, which may have been flatter than the older HiFi #2 record, the Ultra 500 tracked its 100-micrometer level.

Our tracking-distortion measurements were made with the Shure TTR-103 test record. The difference-frequency intermodulation distortion (playing equal-amplitude tones of 1,000 and 1,500 Hz) was 0.3 percent at 15 cm/s and 0.8 percent at 30 cm/s. The 10.8-kHz toneburst distortion was nearly constant and very low, 0.35 to 0.42 percent over the same range of recorded velocities.

Comments

Unquestionably, the Shure Ultra 500 is a superb cartridge. Its frequency-response and channel-separation characteristics are as nearly perfect as anything we have measured. The benefits of the Shure Dynamic Stabilizer have been recognized for years. It is one of the most effective damping devices we have seen, and it goes a long way toward eliminating the undersirable effects of arm/cartridge resonances.

The cartridge sounded every bit as good as it measured. We believe it does as faithful a job of extracting the information from a record groove as has been achieved by any phono cartridge. However-and this is a *big* "however"—the same comments apply to the Shure V15 Type V-MR, which is roughly half the price of the Ultra 500. We have never found a music record that the V15 Type V-MR could not track with ease, yet the Ultra 500 has a substantially higher rated "trackability." The Allen-head mounting screws and unique mounting block of the Ultra 500 are excellent features, though we wish they added less mass. We noted with regret that the superb cartridge-alignment and mounting fixture that Shure provides with the V15 Type V-MR was absent from the Ultra 500's jewelbox case.

The Shure Ultra 500 may have appeal to a limited but highly selective part of the market consisting of high-end audiophiles. If you can hear something in the sound from the Ultra 500 that justifies spending \$400, and if your turntable's tonearm can balance its mass, then your choice is clear.

Circle 143 on reader service card



STAX SR-LAMBDA PROFESSIONAL HEADPHONES

Julian Hirsch, Hirsch-Houck Laboratories

TAX KOGYO of Tokyo manufactures a broad line of electrostatic headphones headed by the SR-Lambda Professional, an enhanced version of the standard SR-Lambda. Most Stax headphones (which the company prefers to call "Earspeakers") are furnished with adaptors that allow them to be driven from an amplifier's low-impedance speaker outputs by stepping up the output voltage and supplying the d.c. polarizing voltage required by electrostatic transducers. The wider electrode spacing of the SR-Lambda Pro requires a higher polarizing voltage than the standard SR-Lambda (580 instead of 230 volts) and a correspondingly larger audio signal voltage, both of which are furnished by the SRM-1/Mk-2 Professional driver unit

The Stax SR-Lambda Pro has a wide adjustable headband for wearing comfort. The large plastic earpieces house flat elliptical diaphragms made of high-polymer film only 2 micrometers thick. The soft, leather-covered, removable ear cushions fully enclose the wearer's ears. The diaphragm itself is a bit larger than the outer ear so that, according to Stax, the ear will modify the headphone's output just as it does external natural sounds, thereby avoiding the usual "headphone sound" that appears to come from within the head.

The SR-Lambda Pro is fitted with a flat, molded six-conductor connecting cable, 2.5 meters (8 feet) long, that terminates in a large molded five-pin plug. The first 2foot length is divided into separate three-conductor cables leading to each earpiece. An optional 5-meter extension cable is also available, permitting considerable freedom of movement. The headphones weigh slightly less than 1 pound including the supplied cable, and the headset alone weighs less than 12 ounces.

Some of the manufacturer's specifications for the SR-Lambda Pro relate to internal parameters that are of no particular significance to the user (such as the impedance, sensi-

TEST REPORTS

tivity, and drive levels of the electrostatic elements, which must in any case be coupled to the amplifier through an adaptor manufactured by Stax and supplied with the phones). Its frequency range is given as 8 to 35,000 Hz, and the maximum output sound-pressure level is rated at 109.5 dB.

The companion SRM-1/Mk-2 Professional driver unit is actually a high-voltage polarizing supply and a high-quality Class A voltage amplifier whose frequency response is given as from 0 to 20,000 Hz ± 1 dB at a 30-volt output into the headphones. Its gain is rated at 60 dB, and the 1,000-Hz harmonic distortion at 100 volts is given as 0.05 percent. The nominal input level is 100 millivolts, and the maximum output is 370 volts. The driver unit can be used for any Stax headphones.

The SRM-1/Mk-2 Pro weighs about 41/2 pounds and measures 141/2 inches deep, 6 inches wide, and 3^{1/2} inches high. Its front panel has two sockets for the Stax headphone plugs, one marked NORMAL and the other PRO ONLY. An extra pin in the NORMAL plug prevents its insertion in the PRO ONLY socket, which supplies a much higher polarizing voltage than the regular Stax phones are designed to use. The Pro model can be used in either socket, though with slightly degraded performance in the NORMAL socket. The only other front-panel features are a pushbutton power switch and concentric left- and right-channel volume knobs. The rear of the driver unit has a socket for its removable power cord and two parallel sets of phono jacks. One pair is used for the signal inputs, and the second pair can supply the audio signals to another amplifier if desired.

The combined price of the Stax SR-Lambda Professional headphones and SRM-1/Mk-2 Professional driver is \$799.95. The optional extension cable is \$30. Stax Kogyo, Dept SR, 940 East Dominguez, Carson, CA 90746.

Lab Tests

We tested the Stax SR-Lambda Pro phones and their driver unit as a system, with the phones installed on a standard headphone coupler. The reference 1,000-Hz sound-pressure level (SPL) of 90 dB was achieved with a 33-millivolt (mV) signal input. The frequency response was uniform within ± 2.5 dB from 40 to 5,000 Hz and showed moderate peaks at 6,500 Hz and around 15,000 Hz. The low-frequency output fell off at a rate of 8 dB per octave below 40 Hz. Except for the drop in bass response, the headphones' measured performance between 40 and 20,000 Hz was very similar to the typical response curve provided in the Stax instruction booklet.

At the 90-dB SPL test level, the phones' 1.000-Hz harmonic distortion was below the noise level of our measurement system. Increasing the drive to 100 mV (100 dB SPL), we measured 0.64 percent distortion, which decreased to 0.53 percent at 110 dB and 0.40 percent at 113 dB, just before the acoustic output clipped (probably because the amplifier was clipping). The phones handily exceeded their 109.5-dB maximum-output specification, and distortion-entirely secondthe and third-harmonic componentswas very low at any level below the clipping point.

We also made a number of measurements with our IQS FFT signal analyzer, which confirmed the response curves made with a sweeping sine-wave signal. The flat response of the SR-Lambda Pro phones in the low and middle frequency ranges was quite impressive, with only a ± 1.2 -dB variation between 40 and 1,000 Hz. The overall group delay was ± 0.3 millisecond from 360 to 22,000 Hz.

Comments

Impressive as our measurements were, they were surpassed by the listening qualities of the Stax phones. The spacious and airy quality of their sound was quite unlike what we have experienced with other phones—even very good ones. Their subjective frequency response was so close to that of some very good wide-range loudspeakers to which we compared them that at times we could hardly tell which we were hearing.

The phones provide little attenuation of outside sounds, so we could hear the speakers easily as we raised the volume control on the SRM-1/ Mk-2 Pro. For quite a while there was no change in the sound we heard, then it began to increase slightly, at which point switching off the speakers made virtually no difference in the total sound. In other words, with their levels matched, the phones were producing essentially the same effect in our ears as the speakers across the room were. It was uncanny to be able to put the Stax phones on or remove them with no significant change in perceived sound quality. Incidentally, the "earspeaker" nomenclature preferred by Stax would seem to be justified. Played at any reasonable level, the phones could be heard clearly throughout the room.

Not only were the midrange and treble sounds of the Stax SR-Lambda Pro phones as smooth and sweet as we have ever heard, but they are the first headphones we have used that could actually deliver a convincing bass sound. Although they cannot produce the skin-tingling impact of *deep* bass, they convey the feeling of mid-bass in a way that is not approached by other phones in our experience. It was interesting to compare their sound with our reference phones, the Koss ESP-9 electrostatic, which is no longer made but was an industry standard for many years. Although the ESP-9 produces a flatter response curve than the Stax, it is totally outclassed in overall listening quality. It is also heavy and uncomfortable to wear, while the Stax SR-Lambda Pro can be worn for extended periods without discomfort.

We rarely state unequivocally that a product is "the best" of its type, principally because it's usually impossible to define "best" in universally meaningful terms. The Stax SR-Lambda Professional and its companion driver are an exception. We have used and tested many fine headphones from most of the recognized manufacturers, but we have never heard any others that could challenge these in sheer sound quality and listening pleasure. The SR-Lambda Pro is the best set of headphones (or "earspeakers," if you prefer) that I have ever used or even heard of. It is also undeniably expensive, but if headphone listening is your preference, you cannot do better.

Circle 145 on reader service card

Fountain pen, ballpoint, pencil, or phone. Pick up any one of them and you will soon hear all the sound you've never heard.

A marriage made in hell.

The sad truth of the matter is that your amp and speakers were never made for each other. No matter how hard manufacturers have tried to match them, their differences have remained irreconcilable

As in all bad marriages, it's a communication problem. They just don't talk to one another. The amp cannot anticipate requirements of the speaker, nor can the speaker tell the amp what it needs. The result is phase and amplitude distortion not measurable in the indi"For my own personal system, it was the answer to problems that I had been trying to solve with a graphic equalizer. The system has never sounded so good!" – Jim Thomas, MIX Magazine

And your system will produce sound much closer to true "live" sound than you've ever heard from it or any other system before. Which means you'll be able to increase your enjoyment of everything you listen to through your stereo system—your albums, cassettes, videos, televison, radio and even your compact discs—all as they humble or magnificent. Every application is an improvement. In short, it makes any speaker sound better.

The BBE 2002 also has the virtue of being able to fit into any audio system. It measures only $16'' \times 74'' \times 3''$ And all you need to make it work is to plug it into a regular wall socket, and plug it into your standard tape loop. Then sit back and get comfortable, because from now on, you're going to be using your system a lot more. And enjoying it more.

What price glory?

giving you

We believe in the BBE 2002 so strongly that we're

How an ordinary fountain pen can fix your sound system.

vidual components. So whether you're listening to Mozart or Twisted Sister, something is always lost in the translation.

What your amp and speakers need to live in harmony is something that understands them.

Not just another black box.

Though the BBE * 2002 may make some pretty familiar promises, it goes about fulfilling them in a very different way.

Everyone wants their sound as close to "live" as possible. At Barcus Berry Electronics, Inc. we're no different. We consider ourselves very knowledgeable in the area of live sound since we've been making the world's most popular musical instrument transducer microphones for the past 20 years.

But over the past 10 years, we've also been perfecting a brand new technology that will finally let you get as close to true "live" sound as man-made components will allow.

So, ten years and 42 patent claims applied for and granted later, we've come up with something close to a miracle. We call it the BBE 2002.

The BBE 2002 has a "brain" that knows how speakers work. It continually compares the original sound program or signal

"Everything we heard from it sounded good, and it had no discernable flaws. Not too many products we test can justify the same conclusion."

- Julian Hirsch, Stereo Review

with the likely output at the speakers all the while anticipating the myriad problems caused by the inherent imperfections of the speaker/amp interface.

A true musical genius.

The BBE 2002 is not only smart, it's fast. It corrects the signal, as needed, more than 50,000 times a second.

The results are dramatic to say the least. Some say they're revolutionary. The highs have greater clarity. There's a remarkable increase in presence. Separation is extraordinary. Harshness is diminished so you'll experience less "ear fatigue." were really meant to be heard. But be forewarned. It's an extraordinary sensation at first, because you're hearing your sound system deliver better sound than you've ever heard before. It's the best thing this side of live. It's as if



you always listened to your speakers with old army blankets over them and suddenly took them off. And it'll spoil you for anything less.

Even engineers and producers need **BBE**.

The BBE 2002 employs the same circuit utilized in our professional model which is being used in recording studios, radio stations, movie theatres and concert halls throughout the world. This professional model has exceeded the expectations of the most demanding engineers, producers and performers.

What the BBE 2002 represents is the solution to the amp/speaker interface problem. Try as they might with the most advanced acoustic technologies, component manufacturers have never been able to make all their equipment work together efficiently.

And the BBE 2002 works wonders with any system you connect it to, however

parts and labor. The phone is mightier

an iron-clad 30-day, your \$250 back, no questions asked, guarantee. And we'll even give you a full year's warranty on all

than the pen. There are several ways you can fix your sound system. You can call us toll free at 1-800-453-5700. In Utah, 1-800-662-2500. We've got those famous operators standing by 7 days a week, 24 hours a day. Or you can fill out our coupon with the

"I can't imagine working on another album without BBE."

- Steve Levine, producer of Culture Club, The Beach Boys, and 1984 BPI Producer of the Year.

writing instrument of your choice and order your BBE 2002. Credit cards, money orders, bank checks, certified checks and wire transfers will be processed immediately. Personal checks require 18 days to clear. And, if you're in a particular hurry and order by credit card, you can get your BBE rushed to you via Federal Express for a small additional charge.

You can also write or call us for a free brochure and cassette tape so you can not only read about but hear the BBE 2002



But that will only delay the inevitable. Sooner or later, you're going to have your own BBE 2002. Be the first on your block. You always have been. Haven't you?

1-800 453-5700 In Utah, 1-800-662-2500	BB	Barcus	sound you've never heard." •Berry Electronics, Inc. oh Street, Commerce, CA 90040-1688	
I want my BBE .	Enclosed is a che	ck for \$. Or please charge to my:	
Send meBBE 2002 unit(s) at \$250 each. (CA residents add appli- cable tax. U.S. currency only. Additional charge for rush shypping determined by destination. Canadian residents should write for additional information.) (Please allow 4-6 weeks for delivery.)	🗌 Visa	MasterCard	American Express	
	Card #		Exp. date	
	Signature		Telephone ()	
	Name (print)		and the second	
	Address			
	City/State/Zip	and the second second		
	SR-4		© 1986 Barcus-Berry Electronics Inc	

European technology at affordable prices





SHOW STOPPERS

by Gordon Sell

HE best way to a hi-fi journalist's heart is to introduce a product that is truly new. It should do something that no other product can do, and, most of all, it should increase the enjoyment of music.

Nearly 100,000 hi-fi/video retailers, journalists, and significant others attended the recent Winter Consumer Electronics Show in Las Vegas to find out what's new from the hi-fi and video manufacturers. There were quite a few products that excited us—some are revolutionary and some are nicely executed evolutionary products.


For the hi-fi enthusiast the most interesting product was shown at an NAD press conference. The NAD 4300 AM/FM tuner is the first product capable of decoding FM broadcasts using the new FMX system, which doubles the effective range of stereo reception. The system, developed by CBS Technology Center and the National Association of Broadcasters, was described by Julian Hirsch in last month's "Technical Talk" column.

Another exciting development was the introduction of fiber optics as a way to transfer signals between components and circuits. Onkyo showed a "limited-edition" CD player with fiber-optic links between internal circuits, and in car stereo Alpine showed an interesting trunk-mounted six-cassette changer that is linked to the in-dash control panel by a fiber-optic cable.

Although it does not use fiber optics, Sony's DiscJockey trunkmounted ten-CD changer (see last month's "New Products") caused quite a stir in its first public appearance. A rotary-head digital audio tape (R-DAT) recorder prototype was shown behind closed doors by Onkyo, but you probably won't be able to buy one much before the end of the year.

At the show the Compact Disc system seemed to be "just another audio product," and pretty much the same thing could be said about hi-fi VCR's. In hi-fi video, "surround sound" is becoming a very popular feature.

There were more new products at CES than we could possibly show on these pages. Others will be included in the "New Products" pages of forthcoming issues. In June the Summer Consumer Electronics Show in Chicago should supply the audio press corps with a few more shots of adrenalin. That should keep our collective pulse rate and other vital signs up to speed.



The NAD 4300 digital-synthesis AM/ FM tuner decodes FMX-processed FM stereo broadcasts. The tuner has eight station presets per band, and its price will be \$498 when it becomes available in late spring or early summer.

Alpine's Model 7375 for cars uses a fiber-optic cable to transmit operating signals between a trunk-mounted tuner/six-cassette changer and the in-dash controller. Price: \$1,500. Toshiba's XR-P9 CD player can be used as a portable with a compact battery pack or be plugged into an angled base that incorporates an a.c. adaptor and a receiver for its fifteenfunction wireless remote control. Up to fifteen selections can be programmed, and the display shows the track number and the elapsed or remaining time. Price: \$300. Magnavox and Sanyo also introduced new portable CD players at CES.

Boston Acoustics showed an attractive component car speaker system, the three-way Model 763. The 1-inch tweeters are in Varimount enclosures, which allow the radiation angle to be optimized. Crossover to the 4-inch midrange drivers is at 3,500 Hz. At 120 Hz a pair of 6¹/₂-inch subwoofers take over. Price: \$270.

Y amaha entered the videodisc market with two Laser-Vision players, the LV-X1 and the LV-X1 Digital. Both are said to have 400 lines of horizontal resolution, and the LV-X1 Digital can play the new video discs with full-range digital soundtracks. Prices to be announced.

Probably the hottest CD player at the show was the Magnavox CDB650. It has the new Philips dual 16-bit D/A converter, four-times oversampling, and Favorite Track Selection, which remembers programming of discs so they don't have to be programmed each time they are played. Its memory can store up to 785 track-play instructions. Price: \$410.











Snell's handsome Type Ci speaker system ("i" for improved) includes a 10-inch long-throw woofer, a 4-inch cone midrange, a 34-inch dome tweeter, and a rear-firing 34inch dome supertweeter. The crossover network is individually matched to the specific drivers used in each system. Rated frequency response is 35 to 22,000 Hz \pm 1.25 dB. Price: \$1,720 per pair in oak, \$1,800 in walnut.

At the top of a new line of Koss headphones is the SST/7, with a rated response of 15 to 30,000 Hz. Soft, foam-filled, vinyl-covered ear cushions provide acoustic isolation and are said to improve the bass response. Separate volume controls for each channel are mounted on the 12-foot cord. Price: \$69.95.

Clements Audio from Dallas demonstrated its RT-7 speaker system, which has a patented "compression-line" bass-loading enclosure with an &-inch low-frequency driver. The midrange and high frequencies are handled by a single 7-inch planar-diaphragm ribbon driver. Crossover is at 2,000 Hz, and frequency response is rated as 28 to 25,000 Hz ± 3 dB. Price: "under \$900."










development was the introduction of fiber optics as a way to transfer signals between components and circuits. C E S



At the show the Compact Disc system seemed to be "just another product," and pretty much the same thing could be said about hi-fi VCR's.




The popularity of the CD format has not meant the end of new developments in turntables. Kenwood's top-of-the-line KD-770D is a direct-drive model with a Dynamic Center Lock motor shaft said to improve platter stability. It also has a serious-looking tonearm and a hefty base. Rated DINweighted rumble is -80 dB, wow-and-flutter 0.02 percent. Price: \$410.



Hitachi's high-end DA-003 is a Compact Disc system that physically separates the player from the audio processing circuits to eliminate "mutual interference between operating system oscillations." The DA-003 uses double 'oversampling and a "121-band linear-phase FIR-type digital filter." Price: \$1,099, including a wireless remote control.



- 1025



One of the most powerful amplifiers at the show was Tandberg's dual-mono TPA-3016 A (\$2,995). Rated for a contin-uous output of 220 watts per channel into 8 ohms, 400 watts into 4 ohms, and 600 watts into 2 ohms, it's also rated for 100 amperes per channel, with a potential transient output of 1,500 watts into 0.5 ohm! It was demonstrated with a pair of Apogee Scintilla speakers, a model famous for blowing out amplifiers. During the show the Tandberg blew one of the Scintillas.

CHOICE CD'S

Women record-company executives name their favorite Compact Discs

T the beginning of the LP era in the late 1940's and at the beginning of the stereo era in the late 1950's there were very few women in important positions in record companies. Now, at the beginning of the Compact Disc era in the mid 1980's, that has all changed, and there are women in positions of influence and power at every level throughout the recording industry.

People who have resisted the Compact Disc have criticized its sound as being overly bright or shrill. Since women are said to retain the ability to hear high frequencies later in life than men and to be particularly sensitive to distortion at the upper end of the spectrum, we asked each of a number of the women we know in the industry to recommend a favorite CD from her company's line. Choosing just a single recording from a whole company catalog is difficult, to be sure, so understand that in each case the chosen record is a favorite from each executive's line, not the favorite. We did not specify that the choice be made on the basis of musical performance, sound quality, or any other particular ground. But we don't think you'll find any shrillness on the CD's described on the next pages. The Editors

Kathryn Schenker (A&M) Vice President, Publicity

If you're asking me to name my favorite A&M Compact Disc, I'd have to say that it's "That's the Way I Feel Now/A Tribute to Thelonious Monk" (A&M CD 6600). Producer Steve Lacy had the idea of doing it soon after Monk passed away in 1982-the idea being, in his words, "to produce an album of Monk's compositions with performers from various musical genres." He got people like Carla Bley from ECM, Donald Fagan from Warner Bros., Peter Frampton from Atlantic, Todd Rundgren from Bearsville, and a bunch of other top artists. What they came up with is unique and beauitifully done. The music speaks for itself.



Patti Laursen (Angel) Director, Artists and Repertoire

My choice is the coupling of the two Prokofiev Violin Concertos played by Itzhak Perlman and the BBC Symphony Orchestra under Gennady Rozhdestvensky (Angel CDC-47025). Whether on LP, cassette, or Compact Disc, this is a magnificent performance, but especially on CD. The wonderful textures, contrasts, and scope of Prokofiev's music can be heard with superb clarity.

Melani Rogers (Arista) Director, National Publicity

I'm choosing Whitney Houston's debut album, "Whitney Houston" (Arista ARCD 8212). There's just a feeling to Whitney's album that's almost tactile, romantic in the way her vivid musical and emotional presence comes through on these varied songs, and on the Compact Disc that presence comes through with tremendous clarity.

Maureen O'Connor (Capitol) West Coast Director, Media and Artist Relations

Pink Floyd's "Dark Side of the Moon" would be my No. 1 pick on CD (Capitol CDP-46001). It's a brilliant album to begin with and has enjoyed a good long life on the charts. But the sound is really good too, and the Compact Disc just adds that touch of extra quality to the music—quality that was always there.

Christine L. Reed (CBS) Vice President, Artists and Repertoire, CBS Masterworks

I have two favorites because I find I can't narrow my choice down to just one. One of them is the Fourth Symphony of Mahler performed by the Vienna Philharmonic under Lorin Maazel, with Kathleen Battle as the soprano soloist (CBS MK 39072), and the other is Wynton Marsalis's latest, "Baroque Music for Trumpet," in which he's assisted by the soprano Edita Gruberova and the English Chamber Orchestra conducted by Raymond Leppard (MK 39061). I like the Mahler because it's the first time I've heard an orchestral recording in any form that gives me the impression of actually sitting in front of the musicians and, in this instance, hearing them exactly as they sound in the Musikvereinsaal in Vienna. And I like Marsalis's disc for his dazzling performances and the sheer beauty of the sound.

Amelia Haygood (Delos) President

For me, each Delos recording has been a labor of love, so trying to choose my favorite among our Compact Discs is like trying to choose my favorite child. The "irresistible" disc for me, at the moment, the "new baby," is our concertlength CD containing Beethoven's Fourth Piano Concerto and his Fifth Symphony, with pianist Carol Rosenberger, conductor Gerard Schwarz, and the London Symphony Orchestra (Delos DCD 3027). Having heard Rosenberger and Schwarz perform these works on a number of occasions and each time receiving new insights into this familiar music, I am happy that the CD offers me such a true rendition of their performances.

Alison Ames (Deutsche Grammophon) Vice President

I guess I would have to say that my all-time favorite Deutsche Grammophon recording is the Mahler Ninth by Herbert von Karajan and the Berlin Philharmonic, which is available *only* on Compact Disc. I like this recording not only for the intense musical and emotional pleasure it gives me but also for the memories it evokes of a performance of that work given by the same forces at Carnegie Hall on October 23, 1982.

Terri Hinte (Fantasy, Prestige, Milestone, Stax, Galaxy) Director, Press and Public Information

My choice is Art Pepper's "Winter Moon" (Galaxy FCD-615-5140). The music on this album, including a couple of numbers by Pepper himself (Our Song and That's Love) and a couple by Harold Arlen (When the Sun Comes Out and Blues in the Night) as well as the title track, which is by Hoagy Carmichael, is in turn lushly romantic, blue, and bittersweet. It satisfies many moods.



Sandy Plunket (Geffen)

I particularly like the Vision Quest soundtrack album (Geffen 24063-2), mostly for the eclectic combination on one disc of tracks by Don-Henley, Style Council, Sammy Hagar, Madonna, Journey, John Waite, Dio, Foreigner, and Red Rider. And the unrivaled sound makes the CD version my favorite in the Geffen Records catalog.

Janet Shapiro (London) Product Manager

For me it's the 1952 mono recording of Mahler's *Das Lied von der Erde* sung by Kathleen Ferrier and Julius Patzak with the Vienna Philharmonic under Bruno Walter (London 414 194-2). It's a miraculous performance, sonically transformed by its transfer to Compact Disc.



Sari Becker (Manhattan) National Director, Press and Publicity

Stanley Jordan's "Magic Touch" was our very first release on the revived Blue Note label back in February of last year, and I listened to it, probably hundreds of times, during the spring and summer. So I got to know it well-on LP. It's a very special record, and I love it. But we didn't get it on Compact Disc (Blue Note CDP 46092-2) until the fall. What a revelation! I've lived with a CD player for over two years now, so the novelty of the technology has worn off; I can go beyond the technology and focus on the music. And my favorite music to listen to on CD is Stanley's album.

Katie Valk (MCA)

Vice President, East Coast Publicity and Artist Development

Having been a tremendous Roger Miller fan for many years, I jumped at the opportunity to see his musical *Big River* on Broadway. I was so overwhelmed by the score that after the show I got only halfway down the block before I found a phone booth and begged "those who sign" in Nashville to see the show the following day. They did, and Jimmy Bowen signed both the cast album and Miller to MCA. The producer in Bowen instinctively knew to fly the cast to Nashville to record the show, and with that he was able to meld what held us to our seats on Broadway into a first-class album (MCA MCAD-6147).

Miller's songs are Americana, and the lyrics he's written are incredibly clever—and it's all only enhanced on Compact Disc. The tunes, being as "textural" as they are, fairly beam out of the speakers and sound really alive. Why this fascination with Miller? Because he's so mondo cool, even though he's not British and doesn't have spiked hair!

Carol Marunas (Moss Music Group) Creative Director

It was not difficult to make a choice. Of the thirty-plus Compact Discs now available from the Moss Music Group, I would select as one of our most significant the Turandot Suite and Doktor Faust Studies of Busoni (Vox Cum Laude MCD 10019), performed by the Cincinnati Symphony under Michael Gielen. I'd pick it for several reasons. It is superbly recorded, in such a way that the finished product faithfully represents the original performances in every way, with no loss or alteration of the sound as captured on the master tape. It also boasts exceptional repertoire and extraordinary performances.

Nancy Zannini (Philips) Vice President

The wide range of repertoire in the Philips CD catalog makes it impossible to select one absolute favorite, so let me zero in on two very special CD's: Jessye Norman's extraordinarily beautiful performance of Richard Strauss's Four Last Songs (Philips 411 052-2) and a Debussy recital by the young Hungarian pianist Zoltán Kocsis including the Suite bergamasque, Images (oubliées), Pour le piano, and Estampes (412 118-2). In the first, the CD reveals all the sensuous beauty of Strauss's score and Jessye Norman's opulent voice; in the second, the subtlety and transparency of Debussy's music are captured together

with excellent piano sound. I could go on, of course

Sherry Ring Ginsberg (PolyGram) National Director, Press and Artist Relations

It was very hard to choose, but I finally decided on John Cougar Mellencamp's "Scarecrow" (Riva/ PolyGram 824 856-2). This album, with songs like Lonely Ol' Night, Small Town, and Rain on the Scarecrow, is a knockout. It was recorded at John's new studio, Belmont Mall in Indiana, and his performances translate beautifully on Compact Disc. By the way, the CD contains an additional track as a bonus, The Kind of Fella I Am.

Susan Elliott (RCA) Manager, Public Affairs

For me it's our album of "Songs and Romances for Chorus" by Brahms (RCA RCD1-4916). Anyone who has any familiarity with choral music will appreciate the preparation and the care that go into performances like these, by Richard Westenburg's group Musica Sacra. What the Compact Disc does is to showcase a truly pristine recording (Soundstream digital) of voices a cappella, voices with the French horn and harp, and voices with piano. Distortion? You must be kidding.




Wendy Simon (Vanguard) Director, Classical Artist Relations, and Assistant to the President

I pick "Joan Baez/Greatest Hits" (Vanguard 811 677-2). These hauntingly beautiful songs, sung with passion and *com*passion by Joan, go to make more than a favorite CD. To me such songs are the reason for being in this business of recording. HE sound quality from videocassette recorders (VCR's) first became acceptable to audio enthusiasts in early 1983 with the introduction of Beta Hi-Fi. The VHS-format manufacturers caught up with their own VHS Hi-Fi sound a year later. So enthusiastic were the first test reports that some reviewers questioned the need for the just-introduced Compact Disc system. After all, you could already get 6 hours of stereo sound with a frequency response of 20 to 20,000 Hz and a 90-dB dynamic range from a videocassette—with the picture thrown in for free.

It's 1986, and although the hi-fi VCR's have not challenged the CD for audio-only playback, they have been widely praised for bringing high-quality sound to home video. Besides prerecorded hi-fi videocassettes, the audio/videophile now has stereo TV available as a program source. Also, the new 8mm video format offers a compact means of producing home stereo videos. Many audiophiles are already using one of these hi-fi video systems in their sound system, and many others are considering it. There are still some unanswered questions, however. Which of these new audio systems sounds best? Are any of them truly "hi-fi" by audiophile standards?

As with the CD-player comparison in the January issue, STEREO REVIEW asked David L. Clark of DLC Design to design and carry out controlled, doubleblind listening tests that might provide the answers. While the CD players were found to have small audible differences with test signals, the listeners could not pick any clear winners. This time, the differences were expected to be more audible and definite listener preferences more likely to emerge. Representative VCR's of each format were selected for comparison: the Pioneer VX-90 (a Beta Hi-Fi unit), the JVC HR-D566U (VHS Hi-Fi format), and the Sony EV-S700U (the new 8mm format). The three samples were bench-tested by Julian Hirsch (see box on pages 56 and 57) before being sent to DLC design for listening tests.



VHS Hi-Fi vs. Beta Hi-Fi vs. 8mm PCM—which kind of videocassette recorder sounds best? STEREO REVIEW commissioned David Clark of DLC Design to conduct blind listening tests and come up with some answers.



While standard VCR soundtracks are recorded in a conventional manner along one edge of the slow-running tape, the Beta Hi-Fi and VHS Hi-Fi systems use audio-frequency modulation (AFM) to enable the audio signal to be recorded by special heads on the rotating video head drum at the same time as the video signal. Each formal uses its own technique of squeezing the relatively narrow band of hi-fi aucio into a lightly used portion of the ast 3.6-MHz handwidth alotted to video. Like many tape systems, Beta Hi-Fi and VHS Hi-Fi use analog signals, and they require complementary compression/expansion systems to increase the limited dynamic range.

The 8mm stereo format, in contrast, uses a digital audio record-playback system, though not the same 16bit encoding and 44.1-kHz sampling rate as the CD system. To econom ze on the number of bits per second that must be recorded, 8mm uses 8-bit encoding and a 31.5-kHz sampling rate, which results in an audio bandwidth of about 15 kHz and a signal-to-noise



can make ver good

000

Q

5 b

R •

0 ā

2

12:00-00 00

0. 00. 00.

15-00

43

0=

-

Ó

ratio of about 48 dB, increased to a dynamic range of nearly 90 dB by complementary compression/expansion. The differences in the operating systems suggested that there might be audible differences among the three formats.

Preparations

Many hours were spent recording from CD's with each machine and listening to the results in order to select program material for the listening tests to come. In these longterm open evaluations, it became clear that with a lot of music all three formats gave such high-quality results that it was difficult to tell CD originals from the hi-fi VCR copies. But certain deficiencies began to emerge on soft passages with solo instruments as well as on percussive sounds, particularly those with much high-frequency content. In addition, frequency balances were not exactly the same, and the limited high-frequency range of the 8mm unit could sometimes be detected. All the musical passages that seemed to produce noticeable differences were collected so that a variety of worst-case samples could be presented to the listening panel.

A fourth record-playback format was introduced to act as a control: 16-bit, 44.1-kHz digital audio recorded in place of the video on all three VCR's. A Sony PCM-701ES pulse-code-modulation adaptor converted the same audio source signal that was being recorded in the "hi-fi" formats to a simultaneous recording of reference quality. Assuming no uncorrected errors in the 16-bit recordings, each VCR's hi-fi track could be instantly compared with the best consumer recording medium available.

In addition to seven music selections, lasting a total of 30 minutes, a series of test tones and some pink noise were recorded to calibrate output levels. All channels were matched within ± 0.05 dB by selected resistors. Each VCR's hi-fi soundtrack could be compared with that of another VCR or with its own 16-bit PCM recording by connecting the appropriate matched outputs to the A or B inputs of the relay switching system. Although all three hi-fi formats were eventually compared with each other and with their own PCM reference recordings, only two sources were compared at any one time because listeners have

been found to be more sensitive when they have only two things to compare.

The Listening Setup

Members of the Southeastern Michigan Woofer and Tweeter Marching Society (SMWTMS) and a few special guests constituted the total of eighteen listeners for the two days of testing. All the listeners who participated are audio enthusiasts, and all had had previous experience with double-blind subjective testing. Many are also professionally involved in audio as musicians, design engineers, or recording engineers. They came prepared for a long session of difficult listening choices, and the three hi-fi VCR's didn't disappoint them.

In the first day's session, there were six tests, and each test consisted of ten trials. An ABX comparator was used for the tests. The ABX is a switching device that enables listeners to compare two different program sources, A and B, with a source called X, which is identical with either A or B, as determined randomly for each trial by a microprocessor in the comparator. The listeners must decide, on the basis of sound alone, which source is identical to X. To eliminate bias, the identity of the two program sources is withheld until after the tests; in this case the listeners in the first day of testing did not even know that they were listening to hi-fi VCR's! The ABX system is designed to reveal differences between sound sources, and since differences were expected in these tests, the listeners were also asked to make especially detailed notes about the nature of any differences they heard and which sources (A or B) they preferred. Of course, if the listeners failed to identify X correctly, their preferences for A or B would have little significance.

Technician Arthur Greenia operated the machines and set the playback level from an adjacent room. David Clark took notes, answered questions, and ran back and forth to the equipment room with messages to adjust the volume or start the next test, but he was not allowed to see which machines were in use at any time. The first three tests compared the hi-fi soundtracks of each VCR with its own 16-bit PCM output (via the outboard PCM adaptor). The second three tests comN order to be sure that the three VCR's used for this evaluation

were operating properly, they were first sent to Hirsch-Houck Laboratories for thorough testing and evaluation. Our lab measurements covered only their audio performance, but we also checked out each machine's video functions. With respect to operating features the three VCR's, all deluxe models with stereo-TV/SAP reception capability, are surprisingly similar, but on the test bench they had somewhat different performance characteristics.

The VHS Hi-Fi JVC HR-D566U had the flattest record-playback frequency response at 0 and -20 dB, and it also had the best signal-to-noise ratio. In terms of its measurements, this appeared to be the machine to beat.

The SuperBeta Hi-Fi Pioneer VX-90 had a flat -20-dB response, but at 0 dB it had the appreciable high-frequency rolloff that has been characteristic of all the Beta Hi-Fi VCR's we have tested to date. Its other measurements were excellent and essentially similar to the other two VCR's. Our only major criticism concerns its mechanical noise, which could be heard throughout a normal-sized room at low to moderate listening levels. The actual tape mechanism appeared to work very well, however.

The 8mm Sony EV-S700U with 8-bit PCM stereo audio is inherently limited to a 15-kHz audio bandwidth. The frequency response was essentially the same at 0 and $-20 \, dB$, with good bass response but a sharp rolloff above 11,000 to 12,000 Hz. The anti-aliasing filter required for the digital sampling process was evidently not sharp enough, since the many spurious products-"birdies"-we measured at 0 dB were apparently aliasing responses. Although these spurious signals were visible on a spectrum analyzer as well as audible under laboratory conditions, we did not hear them during playback of music material. Unlike the 0-dB sine waves we used for these measurements, real music usually has little high-energy, high-frequency content. On material that did have strong highfrequency content, the bandwidth limitations of the 8mm machine were readily apparent, but they were certainly not objectionable.

The Sony was also the only one of the three VCR's whose "standard" mono mode had a wider and flatter frequency response than its high-performance stereo mode. In addition, in the standard mode the 8mm VCR's noise and flutter levels were far lower than on the other machines' linear audio tracks. Julian Hirsch



he JVC HR-D566U (\$899) is a VHS Hi-Fi VCR with the new HQ circuitry for improved picture quality. The 181-channel, cable-ready tuner has a built-in decoder for stereo-TV/SAP broadcasts, a remote control, a fourteen-day/eight-event timer, and a maximum recording time of eight hours.



ioneer's VX-90 (\$1,500) is a SuperBeta Hi-Fi VCR with a 181channel, cable-ready tuner, stereo-TV/SAP reception capability, remote control, a twenty-one-day/eight-event timer, and a maximum recording time of five hours. The VX-90 has the excellent tape-handling capabilities inherent in the Beta format.



ony's EV-S700 (\$1,500) is an 8mm VCR with 181-channel, cableready tuning, stereo-TV/SAP decoding, remote control, a twenty-oneday/six-event timer, and a maximum recording time of four hours. It can record a "standard" mono AFM soundtrack and companded stereo tracks using 8-bit digital PCM quantization. If no video signal is recorded, five pairs of 8-bit digital stereo soundtracks can be added.

LAB MEASUREMENTS

🗆 Hi-Fi Mode

- Input level (1,000 Hz) for 0-dB recording level: 0.1 volt Input-overload level: >10 volts
- Playback output from 0-dB recording level: 0.38 volt

Playback distortion (THD + N) at 0 dB: 0.24%

Input level for 3% playback distortion: +18 dB

Channel separation: 65 dB at 1,000 Hz; 56 dB at 10,000 Hz

- Signal-to-noise ratio (A-weighted) referred to 3% distortion level: 95 dB
- Flutter (record-playback): 0.002% JIS-weighted rms; ±0.003% DIN-weighted peak

Rewind time (T-120): 230 seconds

Longitudinal Track (Audio Dub Mode)

Input signal for 0-dB level

🗆 Hi-Fi Mode

Input level (1,000 Hz) for 0-dB recording level: 0.2 volt

Input-overload level: 2.3 volts Playback output from 0-dB

recording level: 0.42 volt

Playback distortion (THD + N) at 0 dB: 0.52%

Input level for 3% playback distortion: +8 dB

Channel separation: 78 dB at 1,000 Hz; 62 dB at 10,000 Hz

Signal-to-noise ratio (A-weighted) referred to +8-dB recording level: 89.5 dB

Flutter (record-playback): 0.003% JIS-weighted rms; ±0.004% CCIR-weighted peak

Rewind time (L-500): 196 seconds

Longitudinal Track (Normal Mode)

Input signal for 0-dB level indication: automatic gain

8-bit PCM Mode

- Input level (1,000 Hz) for 0-dB indication: 0.2 volt
- Input-overload level: 4.2 volts Playback output from 0-dB
- recording level: 0.66 volt
- Playback distortion (THD + N) at 0 dB: 0.225%
- Input for 3% playback distortion: +5 dB
- Channel separation: 93 dB at 1,000 Hz; 68 dB at 10,000 Hz

Signal-to-noise ratio (A-weighted) referred to +5-dB recording level: 90 dB

Flutter (record-playback): 0.0035% JIS-weighted rms; ±0.005% DIN-weighted peak

Rewind time (MP90): 155 seconds

Standard Mode

Input signal for 0-dB level indication: 1.2 volts (automatic




indication: 0.7 volt (non-defeatable automatic gain control)

Playback level at 0.7-volt input: could not be measured Signal-to-noise ratio (A-weighted) referred to 0 dB: 49 dB

referred to 0 dB: 49 dB Playback distortion at 0 dB: 2.15%

Flutter (record-playback): 0.07%JIS-weighted rms; $\pm 0.12\%$ DIN-weighted peak



control prevents indicator from exceeding about -3 dB

- Playback level from 0.2-volt input: could not be measured
- Signal-to-noise ratio (A-weighted) referred to 0.2-volt input recording level: 46 dB
- Playback distortion with 0.2-volt recording level: 3%

Flutter (record-playback): 0.07% JIS-weighted rms; ±0.12% CCIR-weighted peak



gain control operating) Playback level from 1.2-volt input

- level: 0.43 volt
- Signal-to-noise ratio (A-weighted) referred to 1.2-volt input level: 75 dB
- Playback distortion (THD + N) at 1.2-volt input level: 0.42%

Flutter (record-playback): 0.007% JIS-weighted rms; ±0.01% DIN-weighted peak

57

TEST DESIGN AND EQUIPMENT

T would have been easy to pick music selections that would

sound the same on the hi-fi soundtracks of the three VCR's and on the simultaneous 16-bit PCM recordings using the video portion of the tape. Just keep the music loud and constant, to prevent noise and compander problems, and restrict the frequency range so that the 8mm VCR's high-frequency limit is not exceeded. Our task, however, was to pick music for the tests that would challenge the VCR's. Preliminary bench testing and long-term listening led to the selection of these difficult music passages, all from CD's: Disc 1, Track 3 of "Jazz at the Pawnshop" on Proprius (CDP 7778/9); Tracks 1 and 5 of the Opus 3 "Test Record 1" (CD 7900); an unaccompanied female vocal section from Andrew Lloyd Webber's Requiem, Track 2 from 3:48 to 4:09 (EMI CDC7-47146-2); Tracks 3 and 6 of the Sheffield "Track/Drum Record" (CD 14/20); and Track 4 of Warren Bernhardt's

"Trio '83" on Digital Music (CD-441).

The most troublesome selections for the VCR's were the solo instruments at low levels, particularly when the music was percussive and contained high frequencies. Most other audio components have no trouble with such passages. By this time 1 had already formed opinions about the three VCR's, but stopping here would have only resulted in yet another unsupported subjective "expert" opinion.

The purpose of the double-blind testing was to find out what experienced listeners hear from these devices when they do not know which one is playing. The preliminary listening uncovered the problems, and the blind testing proved that they were real and not imagined. The way the three machines handled the problem passages was used to rank them in order of preference. I do not believe that the many Beta enthusiasts in the listening group would have produced the answers they did if they had known what they were listening to.

The 30 minutes of music segments were recorded from a Sonv CDP-610ES CD player onto all three VCR's simultaneously so that they could later play them back in sync. Each VCR also recorded the music on the video tracks of the cassette using input from a Sony PCM-701ES digital audio adaptor. The PCM recordings automatically played back in sync and served as a very high-quality reference. Once the initial round of tests had established that the differences between these VCR's were audible, the importance of exact synchronization was diminished. Since the X unit could be readily identified as A or B by its sound, the information now sought was, "Which one sounds better?

Output levels from each VCR were trimmed to match within ± 0.05 dB at 1,000 Hz. The input level was selected so that each recorder was fully modulated without ever going into overload. Precision gain-trimmed, high-slew-rate, low-noise TL074 op-amp buffers were used for this purpose. The appropriate buffered outputs for each test were fed, using soldered connections, to the ABX RM-2 relay module for random selection as source A or B. A professional stereo Penny and Giles fader controlled the output level to a Hafler DH-500 power amplifier. System levels were trimmed so that the maximum fader setting allowed full output without clipping (500 watts per channel) if there was a maximum output from any VCR. Thus, there was no possibility of clipping at any time in the system. All the equipment was set up in a room adjacent to the listening room and out of sight of the panel. Short runs of Hitachi LC-OFC speaker cable ran through the wall to the listening room.

To describe small differences accurately, listening conditions need to be the best possible. The listening room we used, based on a proposed IEC standard, measures 18 x 25 x 10 feet. Besides being acoustically treated for optimal reflections and reverberation time, the room is extremely quiet, allowing even the noise of the quietest Compact Discs to be heard. The speakers, Magnepan MG IIIa's, were selected for clear definition and even distribution of high frequencies combined with their other fine qualities. The listeners were free to move their chairs to the positions they liked best. Notes were kept on the seating locations, and no deficient areas were revealed.

Were the weeks of preparation really necessary, considering that the differences were so easily heard? What seems "easy" in a well-organized double-blind test is often impossible or only a product of the imagination in casual comparisons. Unfortunately, the user of the equipment tested will eventually become aware of any real sonic problems. The fact that there has been virtually no criticism in print of hi-fi video sound is proof that thorough sonic evaluation requires more than open comparisons. David L. Clark

pared the three hi-fi formats with each other. In all six tests, the assignment of sources A and B was made at random by Greenia.

Establishing a Reference

The first test was later revealed to be a comparison of the 8mm VCR's companded 8-bit PCM hi-fi soundtrack with the 16-bit PCM recording made on the same machine using the video portions of the tape. The group of eleven listeners scored 70 correct identifications out of 107 choices (not every listener made a choice in each trial)—convincing evidence that they heard a real difference. But which recording did they prefer? Surprisingly, opinion

was about equally divided between the two. It seems that 16-bit digital PCM audio recordings on video tape are not all equal. The recording of the 16-bit signal from the PCM adaptor on the 8mm tape was not good enough for error-free playback at normal speeds, and at the VCR's slow speed the adaptor's output could not be recorded at all. The occasional "tearing" or "popping" sound on the 8mm/16-bit recording was more annoying to some of the listeners than to others. Comments on the 8mm/8-bit recording mainly concerned higher noise levels in quiet passages and less "top end."

The second test matched VHS Hi-Fi with the simultaneous 16-bit

PCM digital recording, but this time the output of the PCM adaptor was recorded and played back flawlessly. The test went much faster than the first one and resulted in 76 correct choices out of 107 total, again good evidence of an audible difference. In the comments, almost every listener preferred the 16-bit PCM recording because the VHS Hi-Fi tracks had some popping on transients and a higher noise floor. This result is actually more of a tribute to the VHS unit's ability to record error-free digital audio than a criticism of its VHS Hi-Fi tracks.

The Beta unit's similar perfect recording of the 16-bit PCM reference signal contributed to a score of 93 correct out of 110 total choices. The high score and the many comments

SUMMARY OF TEST RESULTS

	RECORDINGS COMPARED	IDENTIFICATIONS (CORRECT/TOTAL)	CONFIDENCE LEVEL*	COMMENTS	OVERALL PREFERENCE
Friday, Test 1: 8mm format,	A: 16-bit PCM B: 8-bit PCM	70/107	99.9%	A: Splatter, popping on transients. More extended high end.	Neither
Sony EV-S700U				B: Noisy, occasional distortion.	
Friday, Test 2: VHS format,	A: VHS Hi-Fi B: 16-bit PCM	76/107	>99.9%	A: "Mistracking cartridge." Popping. Distorted. Problems. Noisy.	В
IVC HR-D566U				B: No "click" on drum.	
,				General: "Most difficult to distinguish during loud passages."	
Friday, Test 3: Beta format,	A: Beta Hi-Fi B: 16-bit PCM	93/110	>99.9%	A: Noisy, terribly distorted. No prob- lem at high levels. Mistracks.	В
Pioneer VX-90				B: Cleaner. Quieter. Brighter.	
Friday, Test 4:	A: Beta Hi-Fi	90/107	>99.9%	A: Duller. More modulation noise. Prefer on bells, cymbals.	в
Beta vs. VHS	B: VHS Hi-Fi			B: Ticks on high level. Knocks, snaps, pops. Preferred for noise.	
				General: "Give me digital!"	
Friday, Test 5:	A: 8-bit PCM	89/108	>99.9%	A: Less modulation noise. More real. Vocals better.	A
8mm vs. VHS	B: VHS Hi-Fi			B: More high end. Pops. Weird snap. Qu	lieter.
Friday Tax 6.	A: Beta Hi-Fi	95/110	>99.9%	A: Modulation noise worse. Grates.	в
Friday, Test 6: Beta vs. 8mm	B: 8-bit PCM	55/110	- 33.3 A	More high-frequency response.	-
Deta vo. omm	2.0 2.1 1 0			B: Occasional pop. Vocal better. Clip- ping sound on cymbals.	
				General: "No major preference. I would not buy either system."	
Saturday Test 1:	A: Beta Hi-Fi	60/68	>99.9%	A: Hashy, noisy, breathy. Hum. Sibilant	. В
Beta format, premium tape	B: 16-bit PCM			B: Cleaner. Quleter. Pumping sound. Extended high end.	
				General: "B was superior to A, but noise was the only criterion."	
Saturday Test 2:	A: 8-bit PCM	59/63	>99.9%	A: Compressed. Hum. Modulation noise. Cleaner highs.	A
8mm vs. Beta, premium tape	B: Beta Hi-Fi			B: Modulation noise. Heard switching whir.	
				General: On both recordings, "Ap- plause sounds like sticks being rat- tled in a swill bucket."	
Saturday Test 3:	A: VHS Hi-Fi	62/64	>99.9%	A: Prefer on voice and flute. Less noise.	A
VHS vs. Beta, premium tape	B: Beta Hi-Fi			B: Noisy, Hum. Breathy. Smoother. Transparent.	
Saturday Test 4:	A: standard tape		-	A: Compression and noise. Hum and buzz. Not hl-fi. Terrible.	В
Beta format, standard vs.	B: premium tape			B: Hear inner voices. Less noise. Not	
premium tape				as bad.	

about noise and "mistracking" (some listeners incorrectly guessed that phonographs were included in the comparison!) indicate that listeners heard distortions more easily in the Beta Hi-Fi format.

Head to Head

By this time it had become obvious that each of the three VCR's sounded different from its digital reference recording on some musical selections. Thus, the ABX test for differences was not as important as a judgment of preference. In the final three tests for Friday's crew, the different VCR's were to be compared head to head. A 2-minute pink-noise signal was included before the music passages in these rounds in order to establish that a difference in frequency response was audible. It was hoped that knowing this at the start would help the listeners concentrate on other subtleties in the remaining trials. The listeners still did not know what kind of devices or how many were being compared that evening, but their task now was to decide on a *preference* for A or B in each test. The A/B/X choices were still required, however, because the task of identification seemed to maintain the listeners' attention and sharpen their hearing.

Beta Hi-Fi versus VHS Hi-Fi was the first of these comparisons. Three trials with pink noise resulted in nearly 100 percent correct identification of X, as expected. Beyond that, the VHS recording was generally preferred, but some liked Beta more, and some said it depended on the piece of music. The Beta recording was found to have more modulation noise, but it was cleaner on transients. There were many comments to the effect that neither one was satisfactory. Remember, however, that the music was chosen to bring out the *worst* behavior in these machines.

Next, 8mm was compared with VHS Hi-Fi. Pink noise, again, was no problem; most listeners found the VHS recording to be brighter or to have more high end. In the music trials, however, the listeners favored the 8mm. Its noise floor was reported to be lower, and transients suffered less from popping or snapping than with VHS. The last test on Friday was the comparison of 8mm and Beta. The pink-noise trial elicited comments that Beta was brighter or had more highs. Most said the choice was difficult but they preferred 8mm. There were comments that the Beta was noisy and "grungy" but that it handled transients better.

After the testing on Friday, it was discovered that a new standardgrade tape had been used in the Beta machine instead of the premiumgrade Maxell tape intended. The VHS machine had had the premium-grade Maxell, and the 8mm used TDK P6-90MP, the only cassette available for this format at the time of the test. With an all-new panel of seven listeners on Saturday, it was decided to concentrate on redoing all the tests involving Beta to see if the premium tape would make a difference. This time, the listeners were told that they would be listening to VCR's, but they did not know how many there were or in what order they would be presented. David Clark operated the machines and instructed the listeners, so these tests were technically blind but not double-blind (which implies that neither the tester nor the listener knows the identity of the sources being compared).

Beta Hi-Fi on the premium tape was first compared with the simultaneous Beta 16-bit PCM recording. Pink-noise trials were eliminated for all of Saturday's tests because the differences had been confirmed earlier. On the music selections, the PCM recording was clearly favored for its clean transients and freedom from modulation noise.

The Beta Hi-Fi recording was then compared with 8mm in nine trials (the listeners arrived at firm preferences before the planned ten trials were completed). Of the listeners stating a clear preference, all but one chose 8mm, confirming the previous evening's results, but there were comments that on some passages the Beta was preferable.

Next was the classic shootout: Beta Hi-Fi versus VHS Hi-Fi. Five of the seven listeners made comments favoring VHS, one preferred Beta, and one thought they sounded equally bad. Higher background noise and noise "pumping" were the most frequent complaints about Beta. Apparently the use of premium tape did not improve the Beta recording sufficiently for it to come out on top. Curiously, no one reiterated Friday's observation that Beta, while noisier, sounded cleaner on high-frequency transients.

The final comparison was between the standard- and premiumgrade tapes played on the Beta machine. In this blind test, the same music selections were alternately played from each tape, known to the listeners as Tape A and Tape B. Comments only were asked for this time, not attempts at identification. Listener preference for the highgrade tape (Tape B) ranged from "slight" to "much better." No one preferred Tape A, which turned out to be the standard grade. While the premium grade was judged superior, it had not improved Beta Hi-Fi enough for most listeners to prefer the sound to VHS or to 8mm.

Video Evaluation

With the official testing done, listeners were shown the three VCR's and told which had been A and which B in each test-deep groans issued from Beta enthusiasts. Lunch was ordered, and the group began some unstructured video evaluations. Large dropouts were noted on the 8mm picture near the beginning, though David Clark found they occurred less and less frequently with additional playings. Sharpness was judged very good, but some video noise or "snow" was always visible (the video was recorded at the higher of the two VCR speeds). The Beta and VHS video quality was judged to be very close, and both were judged to be slightly better than 8mm. Beta was slightly preferred, but it did exhibit a few more dropouts. The same audio distortions could be detected that were noted in the listening tests, but they did not interfere with enjoyment of the three audio/video presentations. There were, in fact, many rave comments about the sound.

But Is It High Fidelity?

The results of this series of controlled listening tests show that while video hi-fi sound is great for accompanying video programs, it is not up to the highest standards of the audio enthusiast for recording music just for listening. Contrary to earlier recommendations, hi-fi VCR's are not optimum for making live music recording, and they cannot replace a high-quality open-reel audio tape deck. Their performance may look superior on paper, but in use all three formats at present have shortcomings in audiophile terms.

All three units tested could provide convincing sonic accuracy in reproducing complex material, but in the specially selected "worst case" samples used for the testing, the 8mm VCR was judged superior to the others. The listening panel noted the extended high-frequency response of the Beta Hi-Fi and VHS Hi-Fi recordings, but apparently that did not make up for the units' troubles with transients and modulation noise. On these difficult music samples, the VHS recorder was preferred to the Beta.


Hi-fi VCR's have been with us for a few years now, and while the audio performance of all three formats is obviously very good compared with the old-style linear soundtracks, there is still some room for improvement. It is surprising, in fact, that these machines have generally been reviewed so uncritically. On the other hand, while the audio flaws observed in the listening tests described here are real, they are also fairly subtle under the normal conditions of listening to the audio portion of a video program.

People tend not to listen as carefully when they are watching a visually engrossing program at the same time. In evidence of this, David Clark reported a few weeks after the listening tests had been completed that he and several members of the listening panel had been enjoying commercial videocassettes in their own homes. While their sensitized ears detected the same sorts of sonic flaws uncovered in the listening tests, though much less frequently, they found that these did not detract significantly from their enjoyment of the programs.

Perhaps the best buying advice is to choose whichever hi-fi video format suits your video needs and happily take whatever sound quality it provides. The VHS format has the largest selection of prerecorded tapes available, but Beta has faster tape handling and excellent fastmotion and still-frame capabilities. The ultracompact 8mm format is ideal for homemade videos, although the picture quality isn't quite up to that of the others. But don't expect ultimate sound quality from any video format. If you want the finest sound available, 16-bit PCM digital recording still rules, whether in the playback-only CD format or in the combination of a VCR with a PCM adaptor. BY MICHAEL SMOLEN, WILLIAM BURTON, AND STAFF

HI-FI VCR BUYING GUIDE

TITI



VCR manufacturers have also introduced some new and updated technologies. One of them is PCM digital recording on 8mm tape, with Sony, Kodak, and Pioneer marketing machines capable of twentyfour hours of digital audio. JVC, NEC, and Yamaha are now promoting HQ (High Quality) video circuitry, said to provide a higher "white-clip" level (giving sharper image edges) and a lower video noise level. Sanyo, Radio Shack, and others have been selling higher-resolution SuperBeta recorders.

Akai, Quasar, Zenith, and others have introduced new hi-fi VCR's, adding to a stable of products from Denon, Harman Kardon, Magnavox, Mitsubishi, and many others, so it's getting a little tougher to make the right buying decision, especially with most models falling in the \$500 to \$1,000 range.

The information in this guide was provided by the manufacturers and does not represent the results of tests by STEREO REVIEW. While every effort has been made to insure that the suggested retail prices given were correct at press time, the fluctuating values of the yen and dollar along with other economic factors cause frequent changes. A directory of hi-fi VCR manufacturers with addresses and telephone numbers is on page 67.

VHS TABLE-TOP VCRS

AKAI

VS-616 Videocassette Recorder

Table-top VHS Hi-Fi VCR with hi-fi and stereo sound. Features SP and SLP record speeds; SP, LP, SLP play speeds; SP (5x), SLP (15x) rapidsearch speeds; still-frame (except LP); frame advance; wireless remote control; frequency-synthesis tuning with 16-channel memory; automatic search; automatic channel change; channel lock; 4-week/8-event timer; sleep/auto-off timer. Horizontal resolution 250 lines (SP), 240 lines (SLP); video signal-to-noise ratio 43 dB; audio frequency response 20-20,000 Hz in hi-fi mode; audio S/N more than 80 dB in hi-fi mode; audio distortion <0.94% in hi-fi, 2.4% linear; 17.3" W x 3.9" H x 14.5" D;\$1,099

CANON

VR-HF600 Videocassette Recorder

VHS-format table-top VCR with hi-fi and stereo sound. Features frame advance; remote control; noiseless special effects; cable-ready; still frame; auto fine tuning; MPX jack for use with MS-10 MTS adapter; simulcast switch; hi-fi tracking indicator; audio index search. Horizontal resolution 230 lines; video signal-to-noise ratio 41 dB; audio frequency response 20-20,000 Hz ± 0 dB in hi-fi mode; 37 watts, 110 volts AC; 16.94" W x 3.88" H x 14.44" D; 19.2 lbs \$899

DENON

VA-1000 Videocassette Recorder

VHS Hi-Fi AFM-depth-multiplexed video/ audio recording system. Features wireless fullfunction remote control; gold-plated audio jacks; stereo linear playback; simulcast switch; manual/automatic level controls; four-event/ fourteen-day programming; realtime audio technology; quick timer allows for one touch programming; left/right 14-segment LED level meter; 133-channel cable-ready tuner; four- and two-head design; reception and decoding of MTS broadcasts with optional decoder VM-1000. Audio frequency response 20-20,000 Hz ± 3 dB; separation >60 dB; wow-and-flutter 0.005% WRMS; dynamic range >80 dB, 435 cm W x 99 H x 352 D; 8.8 kg......\$1,000

Akai VS-616



GENERAL ELECTRIC IVCR6018X Videocassette Recorder

Front-loading VHS Hi-Fi videocassette recorder with stereo capability. Features 4-head video system; frequency synthesized tuning system; 169-channel cable-ready; 8-program/21-day timer; special effects; 7-function wireless infrared remote control \$1,080

1VCR6014X Videocassette Recorder

VHS Hi-Fi stereo capability VCR. Features 4head video system; voltage synthesized electronic tuning system; 107-channel cable-ready; special effects \$815

1VCR6013X Videocassette Recorder

VHS Hi-Fi stereo capability VCR. Features 4head video system; voltage synthesized electronic tuning system; 107-channel cable-ready; 4-program/14-day timer; special effects; fullelectronic display \$710

HARMAN KARDON VCD-1000 Videocassette Recorder

VHS Hi-Fi videocassette recorder with built-in stereo decoder. Cosmetics and dimensions match Harman Kardon audio components. 105-channel tuner; 14-day/4-event timer; two video heads; two audio heads; SP, LP, EP (SLP) play speeds; SP, LP, EP record speeds. Features off-frequency reception; simulcast recording; one-touch recording; sharpness control; audio-

only recording; front loading; wireless remote control; cable ready; direct cable input; still frame (EP only); automatic fine tuning; counter memory; headphone jack. Horizontal resolution 230 lines; video signal-to-noise ratio 43 dB; audio frequency response 20-20,000 Hz ± 3 dB hifi mode, 70-10,000 Hz ± 3 dB normal mode; total harmonic distortion 0.5% hi-fi mode; audio signal-to-noise ratio 80 dB hi-fi mode. 17.36" W x 4.62" H x 15.36" D; 22 lbs \$850

HITACHI

VT-87A Videocassette Recorder

Front-loading VHS-format table-top hi-fi VCR with 5 + 2 heads. Features 8-program/1-year timer; 107-channel cable-ready tuner; 38-function TV/VCR infrared remote control; special effects; on-screen programming; feather-touch controls; automatic audio level control; audio dub; MTS jack; program index. Video signal-tonoise ratio 45 dB in SP mode; horizontal resolution 240 lines; audio frequency response 20-20,000 Hz. 17.125" W x 3.875" H x 13.875" D; 21 lbs.....\$1,295

INSTANT REPLAY Image. Translator

Videocassette recorder with ability to translate foreign video formats. (Based on a Canon VCR.) Plays all PAL video tapes in color including PAL B (Western Europe, India, Africa, Far East, Australia, Scandinavia), PAL N (Argentina, Peru, Paraguay), PAL I (UK, South Africa, Ireland), PAL M (Brazil). Plays SECAM B, G, V (Eastern Europe), SECAM D (Russia), SECAM H (Middle East), SECAM L (France) in monochrome. Plays on most regular television sets or monitors. Features front-loading cassette mechanism; cable-ready 107-channel tuner; 2-event/14-day programmable timer; video peaking sharpness control; four heads; VHS Hi-Fi sound; fast-scan foward and reverse; still frame; pushbutton electronic tuning; full track/audio track erase; 5function remote control; one-touch recording; automatic stop; built-in switchable RF modulator for channels 3 and 4; multi-function display.



JVC HR-D566U

618IT3. Table-top VHS Hi-Fi VCR tunes and records stereo MAP television programs; records hi-fi stereo with or without video input. Features audio and video editing; 37-function infrared dual-mode wireless remote control; automatic program finder; dbx; 107-channel direct-tuning cable-ready tuner; 21-day/8-event on-screen programmer with daily repeat and memory back-up \$1,795

615IT3. Table-top VHS Hi-Fi VCR features wireless infrared remote control; automatic program finder; 107-channel cable-ready tuner; simulcast switch; 14-day/event timer; HQ circuitry \$1,595

JVC

HR-D566U Videocassette Recorder

VHS Hi-Fi videocassette recorder with 181channel cable-ready tuner. Features built-in MTS/SAP decoder; video noise-reduction system; ten-digit keypad for timer programming



Kenwood KVR-917

and random selection of 181 channels; automatic power when cassette is inserted; audio dubbing; peak-hold level indicators; manual or automatic recording level control; shuttle search at 7x normal speed in both SP and EP modes; remaining tape-time indicator; picture sharpness control; counter-search function; automatic backspace editing; automatic rewind at the end of tape \$900

HR-D565U Videocassette Recorder

VHS Hi-Fi videocassette recorder with 181channel cable-ready tuner. Features video noise reduction; SP/EP recording speeds, SP/LP/EP playback speeds; ten-key random access or up/down scanning; ten-key programming; 14day/8-event fully programmable timer with 60minute memory backup; instant recording timer; full-function infrared remote control with ten-key random-access channel selection; FM simulcast recording; selectable audio monitoring; audio dubbing; peak-hold audio level indicators; manual/automatic recording level control; automatic power system turns on automatically when cassette is loaded; remaining tape/time indicator; picture sharpness control; counter-search function; automatic backspace editing; automatic rewind at the end of tape \$850

KENWOOD

KVR-917 Videocassette Recorder

Table-top VHS Hi-Fi VCR features 157-channel direct-access tuning; 14-day/8-event timer; MTS/SAP decoder; HQ circuitry; Auto Increment Recording (AIR); 23-function remote control; SP and EP play/record speeds, LP play only; linear-audio dubbing; 4 video, 2 audio heads; dynamic range >80 dB and frequency response 20-20,000 Hz ± 6 dB in hi-fi mode; remaining-time indicator; 17.125" x 3.75" H x14.69" D; 16.8 lbs.....\$1,200

MAGNAVOX

VR8560GY Videocassette Recorder

VHS-format table-top Studio-Pro videocassette recorder with on-screen programming. Features hi-fi sound; 169-channel tuner; 21-day/8-event timer; four video heads; 15x rapid-search speed in SLP mode; built-in stereo decoder; front loading; noiseless special effects; 34-function wireless remote control; remote pause; cable ready; direct cable input; still frame; frame advance; automatic rewind; channel lock; automatic fine tuning; audio dubbing; counter memory; automatic search; headphone jack; 2x playback. 17" W x 4" H x 14" D \$1,199

VR8540SL Videocassette Recorder

Front-loading VHS Hi-Fi table-top videocassette recorder with stereo sound. Features 107channel tuner; 14-day/4-event timer; two video heads; 9x rapid-search speed in SLP mode; jacks to attach stereo decoder; wireless remote control; remote pause; cable ready; direct cable input; still frame; frame advance; automatic rewind; channel lock; automatic fine tuning; onetouch record; four-hour standby; audio dubbing; counter memory; headphone jack; automatic television/videocassette recorder switching; voltage-synthesized tuning; five-minute timer backup. 17" W x 4" H x 11.5" D \$849

MARANTZ VR-550 Videocassette Recorder

VHS-format table-top videocassette recorder. Features SP, LP. EP play, record, slow-motion, and rapid-search speeds; 21-day/8-event timer; hi-fi sound; stereo; frame advance; remote control; Dolby noise reduction; cable ready; still frame; automatic rewind; 140-channel-synthesis MTS tuner. Horizontal resolution 230 lines; video signal-to-noise ratio 43 dB; audio frequency response 20-20,000 Hz in hi-fi mode; audio distortion 0.5% in hi-fi mode; audio S/N 80 dB in hi-fi mode. 16.88" W x 4.12" H x 14.75" D; 16.75 lbs. \$900

VR-450 Videocassette Recorder

VHS-format table-top videocassette recorder. Features SP, LP, EP play and record speeds; EP rapid-search speed; 21-day/4-event timer; hi-fi sound; stereo; frame advance; remote control; Dolby noise reduction; cable ready; still frame; automatic rewind; 105-channel MTS tuner. Horizontal resolution 230 lines; video signal-tonoise ratio 43 dB; audio frequency response 20-20.000 Hz in hi-fi mode; audio distortion 0.5% in hi-fi mode; audio S/N 80 dB in hi-fi mode; 16.88" W x 4.12" H x 14.75" D \$750



Minolta MV-900S

MINOLTA

MV900S Videocassette Recorder

Two-piece VHS Hi-Fi table-top VCR features 5 video heads; MTS decoder; 133-channel tuning with 80-channel memory; 1-year/8-event timer; on-screen display of timer functions; auto/manual tracking control; automatic adjustment of tape's contact with video heads: wireless remote control; index button inserts stop and review points to be found during fast forward or rewind; timer-controlled AC outlet can be used for other appliances. Hi-fi mode frequency response 20-20,000 Hz, signal-to-noise ratio > 80 dB; 17.1" W x 4.5" H x 11.6" D; 5.7 lbs (recorder only) \$1,500

VMV-70S Hi-Fi Videocassette Recorder

Table-top VHS-format videocassette recorder with 14-function remote control. Features 6 heads; SP/LP/EP speeds; SP/EP search speeds; hi-fi sound; stereo playback; 133-channel tuner; 80-channel memory; 4-program/14-day timer. Audio signal-to-noise ratio more than 80 dB in hi-fi mode, frequency response 20-20,000 Hz in hi-fi mode; horizontal resolution better than 240 lines; video signal-to-noise ratio 46 dB. 17.1" x 3.9" x 12.1"; 19.4 lbs \$1,000

MITSUBISHI

HS-430UR Videocassette Recorder

VHS Hi-Fi videocassette recorder with Dolby

noise reduction. Features four video heads; frame advance, variable slow-motion speeds; still frame; two-speed search; direct-access and channel-memory-scan tuning; built-in stereo broadcast reception (MTS); quick-cue index search; programmable A/B antenna selection; remaining-time indicator; linear stereo track; end-of-tape warning; tape compartment illumination.....\$1,100



Mitsubishi HS-430UR

HS-410UR Videocassette Recorder

Front-loading VHS-format videocassette recorder with built-in MTS/SAP capability. Features four-head design; 8-event/2-week programmability; 105-channel, random-access frequency-synthesizer tuner; wireless remote control; 16-station preset scan; one-touch recording; 30-min backup battery; digital electronic time/programming display; picture control; fine-edit; counter memory; index search; automatic rewind. \$800

NEC

N-961EU Videocassette Recorder

VHS Hi-Fi table-top videocassette recorder with High Quality circuitry for improved picture. Features SP, LP, EP play and record speeds; .330, .2 slow-motion speeds; 5x (SP), 7x (LP), 9x (EP) rapid-search speeds; 21-day/8-event timer; stereo; frame advance; noiseless special effects; remote pause; Dolby noise reduction; cable ready; still frame; automatic rewind; channel lock; on-screen programming; NEC unified wireless remote control; tape-remaining timer; MTS stereo decoder. Horizontal resolution greater than 230 lines; video signal-to-noise ratio greater than 43 dB; audio frequency response 20-20,000 Hz ±3 dB in hi-fi mode, 100-8,000 Hz ±6 dB in normal mode; audio distortion 0.005% in hi-fi mode, 1% in normal mode; audio signal-to-noise ratio 80 dB in hi-fi mode, 48 dB in normal mode (Dolby in); power requirements 120 volts AC ±10% 60 Hz, power consumption 40 watts. 17" W x 4.16" H x 14.75" D;\$1,149 16.7 lbs

N-951SD Videocassette Recorder

VHS Hi-Fi table-top VCR with High Quality circuitry for improved picture. Features SP, LP, EP play and record speeds; 7x (EP) rapid-search speed; 21-day/4-event timer; stereo; NEC unified wireless remote control; remote pause; Dolby noise reduction; cable ready; automatic rewind. Horizontal resolution greater than 230 lines; video signal-to-noise ratio greater than 43 dB; audio frequency response 20-20,000 Hz ± 3 dB in hi-fi mode, 100-8,000 Hz ±6 dB in normal mode; audio distortion 0.005% in hi-fi mode, 1% in normal mode; audio signal-tonoise ratio 80 dB in hi-fi mode, 48 dB in normal mode (Dolby in); power requirements 120 volts AC ±10% 60 Hz, 40 W. 17" W x 4.16" H x 14.75" D; 16.7 lbs \$699

RCA VLT600HF



PANASONIC

PV-1740 Videocassette Recorder

VHS Hi-Fi sound; built-in MTS adaptor; dbx. Features 169-channel tuner; 21-day/8-event timer; four video heads; three audio heads; SP, SLP, LP play speeds; SP, SLP record, slow-motion, and rapid-search speeds; front loading; noiseless special effects; wireless remote control; remote pause; still frame; frame advance; automatic fine tuning; automatic search ... \$1,300

PV-1545 Videocassette Recorder

VHS Hi-Fi sound; built-in MTS adaptor; dbx; 99-channel tuner; 14-day/4-event timer; four video heads; three audio heads; SP, LP, SLP play and record speeds; SP, SLP slow-motion and rapid-search speeds. Features front loading; noiseless special effects; wireless remote control; remote pause; frame advance; automatic rewind; automatic search \$875

PV-1442 Hi-Fi Videocassette Recorder

VHS Hi-Fi sound; 107-channel tuner; 14-day/4event timer; two video heads; three audio heads; SP, LP, SLP play and record speeds; SLP slow-motion and rapid-search speed. Features front loading; noiseless special effects; wireless remote control; Dolby noise reduction; still frame; frame advance; automatic search \$750



Pentax PV-T100A

PENTAX

PV-T100A Videocassette Recorder

VHS Hi-Fi table-top VCR features two video heads; four audio heads; 14-day/4-event timer; cable-ready 107-channel tuner; MTS jack; 14function wireless remote control. Horizontal resolution 240 lines; hi-fi mode frequency response 20,20,000 Hz, dynamic range >80 dB. $17/k^{a}$ W x $37/s^{a}$ H x $147/k^{a}$ D; 19.4 lbs ... \$999

PHILCO

V1670WSL Videocassette Recorder

PIONEER VH-600 Videocas

VH-600 Videocassette Recorder



Quasar VH5857

QUASAR

VH5857 Videocassette Recorder

VHS Hi-Fi table-top videocassette recorder. Features SP, LP, SLP play and record speeds; .2x (SP), .330 (SLP) slow speeds; 2x (SP, LP), 5x (SP), 9x (SLP) rapid-search speeds; 21-day/8event timer; stereo; frame advance; noiseless special effects; remote pause; cable ready; still frame; automatic rewind; channel lock; automatic fine tuning; audio dubbing; programmable OTR; picture control; 37-function remote control; tape remain counter; automatic index search. Horizontal resolution >230 lines; video signal-to-noise >41 dB; audio frequency response 20-20,000 Hz in hi-fi mode; audio signal-to-noise >60 dB in hi-fi mode, >42 dB in normal mode; power requirements 120 volts AC; power consumption 32 watts. 16.94" W x 4" H x 14.19" D; 17.6 lbs \$1,300

VH5856XQ Videocassette Recorder

VH5655 Videocassette Recorder

VHS Hi-Fi table-top VCR features four video heads; MTS decoder; 107-channel cable-ready tuner; dual-azimuth system; wireless remote control.....\$1,000

VH5355 Videocassette Recorder

VHS Hi-Fi table-top VCR features two video heads; 107-channel cable-ready tuner; 99-position voltage-synthesis tuning; MTS decoder; 14day/4-event timer; remote control \$870

RADIO SHACK

40 (16-610) Videocassete Recorder

VHS Hi-Fi front-loading table-top VCR with MTS/SAP television tuner. Features SP, LP, EP play/record speeds; EP rapid-search speed; 14day/3-event timer; 105-channel cable ready; Dolby stereo; remote control; remote pause; still frame; auto rewind; auto fine tuning; power interrupt protection. Power requirements 120 V AC; 16.88" W x 4.5" H x 15.12" D..... \$700

RCA

VLT600HF Videocassette Recorder

VHS Hi-Fi videocassette recorder with jacks to attach stereo decoder. Features 14-day/4-event timer; two video heads; two audio heads; automatic audio-record level control; front loading; wireless remote control; remote pause; cable ready (107 channels); still frame; automatic rewind; counter memory; automatic search; headphone jack; express recording. In hi-fi mode, audio frequency response 20-20,000 Hz ±3 dB; THD 0.4%; signal-to-noise ratio 73 dB. 17.125" W x 4.125" H x 15.25" D; 18.7 lbs...... \$799

SAMSUNG

VT290T Videocassette Recorder

VHS Hi-Fi table-top VCR features four video heads; two audio heads; 139-channel cableready tuner with 16 presets; 4-week/8-event timer; digital quartz lock; automatic date and time recording; remote on-screen command system. Horizontal resolution more than 240 lines (SP); dynamic range in hi-fi mode >80 dB; frequency response 20-20,000 Hz in hi-fi mode. 17.3" W x 3.9" H x 14.5" D; 22 lbs \$700

VR5500H Videocassette Recorder

SANSUI

SV-R9900 Videocassette Recorder

Videocassette recorder with three play and two record speeds, 0.033 slow-motion, and 7x normal rapid-search speed. Features 14-day/8event timer; VHS Hi-Fi sound; frame advance; remote control; remote pause; Dolby NR; cableready; still-frame; auto rewind; auto fine tuning; audio dubbing; fluorescent tape counter; remaining time/memory tape counter; picture sharpness control; 6 heads; horizontal resolution 240 lines; video S/N 45 dB; FR in hi-fi mode 20-20,000 Hz; FR in normal mode 70-10,000 Hz; S/N 46 dB in normal mode; 18.125" W x 4.166" H x 14.833" D; 20.7 lbs...\$1,299

SV-R9700 Videocassette Recorder

VHS Hi-Fi table-top VCR with built-in MTS decoder. Features SP, LP, EP play speeds; SP, EP record, slow motion, and rapid-search speeds; 14-day/8-event timer; stereo; frame advance; HQ circuitry; noiseless special effects; remote control; remote pause; cable-ready; video dub; still frame; auto rewind; auto fine tuning: audio dub; backspace editing; front-loading; 1-hour memory backup. Audio FR 20-20,000 Hz in hi-fi mode. 17.19" W x 4.19" H x 14.94" D; 19 lbs \$999



Samsung VT-290T

SHARP

VC-489U Videocassette Recorder

VHS Hi-Fi videocassette recorder with detachable wireless remote control; concealed controls drawer; play/record speeds SP/LP/EP; variable slow-motion speeds .2, .330; rapid-search speed (7x); 14-day/8-event timer; stereo; frame advance; remote control; noiseless special effects; remote pause; Dolby NR; cable ready; video dubbing; still frame; auto rewind; channel lock; auto fine tuning; audio dubbing; tape-remaining indicator; auto repeat; 10-key synthesizer tuner; dancing light tape indicator; 4 heads; horizontal resolution 240 lines; video S/N 50 dB; audio FR 20-20,000 Hz in hi-fi mode; audio distortion <0.3%; audio S/N > 80 dB in hi-fi mode; 45 dB in normal mode. Power requirements 120 V AC, 60 Hz; 16.94" W x 42.28" H x 15.332" D; 31.5 lbs \$1,400

VC-5F7U Videocassette Recorder

VHS Hi-Fi table-top VCR. Features SP, LP, EP play and record speeds; 7x rapid search speed; 14-day/5-event timer; stereo; frame advance; noiseless special effects; remote control; remote pause; Dolby noise reduction; cable ready; still frame; auto rewind; automatic fine tuning; 4 heads; automatic program search system; double azimuth and video head system; MTS jack. Horizontal resolution 240 lines; video signal-tonoise 50 dB; audio frequency response 20-20,000 Hz ± 3 dB in hi-fi mode, 70-10,000 Hz in normal mode; audio distortion 0.3% in hi-fi mode, 3% in normal mode; audio signal-tonoise 45 dB in normal mode; power requirements 120 volts AC, 60 Hz. 16.94" W x 41.22" H x 15.16" D; 24.2 lbs \$1,000

SYLVANIA

VC3645GY Videocassette Recorder

VHS Hi-Fi table-top VCR. Features SP/LP/SLP play, record, and rapid-search speeds; SP/SLP slow-motion speeds; 21-day/8-event timer; frame advance; noiseless special effects; remote control; remote pause; cable ready; still frame; auto rewind; channel lock; automatic fine tuning; audio dub; 4 heads; on-screen display for programming; built-in MTS decoder; 169 channel capability; index search. Horizontal resolution 230 lines; video signal-to-noise >40 dB; audio frequency response 20-20,000 Hz in hi-fi mode; audio distortion <0.47% in hi-fi mode; audio signal-to-noise >60 dB in hi-fi mode: power requirements 32 watts. 16.94" W x 4" H x 14.19" D; 17 lbs, 10 ozs.\$1,200

VC2976GY Videocassette Recorder

Front-loading VHS Hi-Fi table-top VCR. Features SP/LP/SLP play, record, and rapid-search speeds; SLP slow motion speeds; 14-day/4event timer; frame advance; remote control; remote pause; cable ready; still frame; auto rewind; channel lock; automatic fine tuning; audio dub; 2 heads; 107-channel capability. Horizontal resolution 230 lines; video signal-tonoise >40 dB; audio frequency response 20-20,000 Hz in hi-fi mode; audio distortion <0.47% in hi-fi mode; audio signal-to-noise >60 dB in hi-fi mode; power requirements 29 W. 17" W x 4" H x 11.62" D; 14.5 lbs ... \$850

TEAC

MV-800 Videocassette Recorder

VHS-format table-top videocassette recorder with hi-fi sound. Features SP, EP play/record speeds; counter-search mechanism; selectable audio monitoring (hi-fi stereo or longitudinal audio track or both mixed); fluorescent display; shuttle search at 7x normal speed in either direction; double-flap motorized front cassette loading system; auto-power; automatic dubbing on longitudinal audio track; multi-LED level indicators for L+R channels for hi-fi stereo recording: 14-day/8-event programmable timer with 60-minute memory backup time; full-function infrared remote control; headphone and microphone jacks; four heads; 178-channel cable-compatible frequency-synthesizer tuner; tenkey direct-access channel selection; automatic rewind. Audio frequency response 20-20,000 Hz in hi-fi mode, 70-10,000 Hz in normal mode; audio signal-to-noise ratio greater than 40 dB in normal mode; dynamic range greater than 80 dB in hi-fi mode; wow-and-flutter less than 0.005% in hi-fi mode. 435 mm W x 95mm H x 379mm D; 8.6 kg \$1.400



Sansui SV-R9900HF

TOSHIBA M5900 Videocassette Recorder

VHS Hi-Fi table-top videocassette recorder with built-in MTS. Features SP, EP play, record, slow-motion and rapid-search speeds; 7-day/4event timer; 4 heads (double azimuth); 117channel capability; frame advance; 20-function remote control; noiseless special effects; remote pause; Dolby noise reduction; cable ready; video dubbing; still frame; automatic rewind; automatic fine tuning; audio dubbing; program indexing. \$749

VECTOR RESEARCH V-5000 Videocassette Recorder

VHS Hi-Fi table-top videocassette recorder with MTS. Features SP, LP, SLP play, record, and rapid-search speeds; variable slow-motion speeds; 21-day/8-event timer; stereo; frame advance; noiseless special effects; remote control; remote pause; Dolby noise reduction; cable ready; video dubbing; still frame; automatic rewind; channel lock; automatic fine tuning; audio dubbing; four heads; unified wireless remote for VTM-25 monitor/receiver; on-screen programming. Horizontal resolution 240 lines; video signal-to-noise ratio 45 dB; audio frequency response 20-20,000 Hz ± 3 dB in hi-fi mode, 4-14,000 Hz ±3 dB in normal mode; audio signal-to-noise ratio 80 dB in hi-fi mode, 50 dB in normal mode. 17" W × 4.12" H × 15" D; 17 lbs \$800



Yamaha YV-1000

V-4000 Videocassette Recorder

VHS Hi-Fi table-top videocassette recorder with MTS. Features SP, LP, SLP play, record, and rapid-search speeds; 21-day/4-event timer; stereo; frame advance; remote control; remote pause; Dolby noise reduction; cable ready; video dubbing; still frame; automatic rewind; channel lock; automatic fine tuning; audio dubbing; unified wireless remote for both recorder and VTM-25 receiver/monitor. Horizontal resolution 240 lines; video signal-to-noise ratio 45 dB; audio frequency response 20-20,000 Hz ± 3 dB in hi-fi mode, 40-14,000 Hz ± 3 dB normal mode; audio signal-to-noise ratio 80 dB in hi-fi mode, 50 dB in normal mode. 17" W x 4.12" H x 15" D; 17 lbs . \$650


YAMAHA

YV-1000 Videocassette Recorder

ZENITH

VR4100 Videocassette Recorder

VHS Hi-Fi table-top VCR features 4 video and 2 audio heads; built-in MTS/SAP decoder; remote time-record programming with on-screen display; 14-day/8-event timer; "Video NR" for improved EP performance; 178-channel quartzlocked electronic tuning with 122 cable channels; direct channel access with 2-speed up/down channel scan; 60-min power back-up; noise-free forward/reverse scanning; variablespeed slow and fast action and frame-by-frame special effects; synchronized "Clean Edit" video insert for simultaneous hi-fi audio and video dubbing; automatic tape rewind; remainingtape/time/program-location indicator; wireless remote control. Horizontal resolution 240 lines; audio frequency response in hi-fi mode 20-20,000 Hz; video signal-to-noise ratio >43 dB; audio S/N >45 dB; audio dynamic range in hifi mode >80 dB; power consumption 45 watts; 17.25" W x 3.875" H x 14.875" D; 18.6 lbs\$1,100



Zenith VR4100

VR3200 Videocassette Recorder

Front-loading VHS Hi-Fi videocassette recorder with built-in MTS decoder for stereo television broadcasts. Features six-head recording; 178channel quartz tuning; 14-day/8-event programming; speed search SP/EP; cable ready; 14-function wireless television/videocassette remote control; one hour power backup; hi-fi peak level recording indicators; self-load. Horizontal resolution 240 lines; video signal-to-noise ratio more than 43 dB. 17.75" W x 3.75" H x 14.88" D

VR3100 Videocassette Recorder

Front-loading VHS Hi-Fi VCR with six heads. Features motorized self-load; 178-channel quartz-electronic tuning; two-way picture speed search; automatic tape rewind; 14-function wireless infrared remote control for VCR/TV; one-button instant-record; 14-day/8-event timer. Horizontal resolution 240 lines; video signalto-noise ratio 43 dB; 17.19" W x 3.75" H x 14.88" D \$699

BETA TABLE-TOP VCR'S

AIWA

AV-70 Beta Hi-Fi Videocassette Recorder

Beta format table-top VCR. Features Beta II, III play/record speeds; single-frame advance; remote control; remote pause; cable ready; video dubbing; screen check system; 14-day/8-event timer; MPX out jack; double-azimuth 3-head system; FM simulcast capability in Beta Hi-Fi; picture search 15x (BIII), 9x (BII); index location search; auto replay; auto 0 return stop and play; blank search; 2-color full-data FL display; synchro operation with Aiwa Span systems; PCM digital recording capability; 2x normal play with sound; picture sharpness control; auto power-on. Horizontal resolution 240 lines; video S/N 42 dB; audio FR 20-20,000 Hz in hi-fi mode, 10-10,000 Hz in normal audio mode; audio S/N 80 dB in hi-fi mode, 45 dB in normal audio mode; power requirements 120 V, 60 Hz; power consumption 32 watts. 13" W x 3.75" H x 12.4" D; 17 lbs \$450

NEC VC-N70 Video Recorder

Beta Hi-Fi table-top VCR. Features B II, B III play/record speeds; .14 slow-motion speed; 2x, 8x rapid-search speeds; 21-day/8-event timer; noiseless special effects; remote control; remote pause; cable ready; still frame; auto rewind; channel lock; audio dub; MPX out for MTS capability; video preamp inside head drum for better S/N; real-time tape access; memory rewind; VU tracking meter; segment record; auto blank skip. Horizontal resolution >240 lines; video S/N >45 dB; audio FR 20-20,000 Hz in hi-fi mode, 50-10,000 Hz in normal mode; audio distortion <0.3% in hi-fi mode, <4% in normal mode; audio S/N >40 dB in normal mode; power requirements 120 V AC ± 10% 60 Hz, 50 W. 16.94" W x 4.12" H x 14.16" D; 23.1 \$999 lbs

VC-N65EU VCR with Beta I

Beta Hi-Fi table-top VCR with Beta I speed for improved picture. Also features B III play/record speeds; 7x (B II, B III) rapid-search speeds; 7-day/3-event timer; remote control; remote pause; cable ready; still frame; channel lock; MPX output for MTS capability; video preamp inside head drum for better S/N; memory rewind; switchable VU tracking indicator; up to 5hour segment record. Horizontal resolution 250 lines; video S/N >45 dB; audio FR 20-20,000 Hz in Hi-Fi mode, 50-10,000 Hz in normal. mode: audio distortion <0.3% in hi-fi mode. <4% in normal mode; audio S/N >40 dB in normal mode; power requirements 120 V AC \pm 10% 60 Hz, 43 watts. 15.94" W x 4.12" H x 14.19" D; 22.7 lbs... \$750



Aiwa AV-70

PIONEER

VX-90 SuperBeta Hi-Fi VCR

SuperBeta-format table-top VCR with complete editing control. Features Beta I, II, III play/record speeds; 0-5x real-time slow-motion speeds; BetaScan rapid-search; hi-fi sound; stereo; frame advance; remote control; noiseless special effects; cable ready; video dubbing; still frame; auto rewind; channel lock; auto fine tuning; audio dubbing. Compatible with a Foresight remote unit. Horizontal resolution 300 lines; video S/N 45 dB; audio FR 20-20,000 Hz in hi-fi mode. 17" W x 4.13" H x 15.5" D; 25.5 lbs \$1,500

VX-50 Super Beta Hi-Fi VCR

SuperBeta-format table-top VCR with hi-fi sound. Features Beta I, II, III play/record speeds; BetaScan rapid-search; 7-day/6-event timer; stereo; remote control; cable ready; video dubbing; still frame; auto rewind; auto fine tuning; audio dubbing. Compatible with a Foresight remote unit. Horizontal resolution 288 lines; video S/N 42 dB; audio FR 20-20,000 Hz in hi-fi mode; audio S/N 80 dB in hi-fi mode; power requirements 120 V, 60 Hz AC. 17" W x 4.13" H x 15.5" D; 22 lbs \$800

RADIO SHACK

22 (16-601) Videocassette Recorder SuperBeta-format front-loading table-top VCR with hi-fi sound. Features Beta II, III play/record speeds; Beta II, III rapid-search speeds; 14-day/8-event timer; 105-channel cable ready; remote control; remote pause; still frame; auto rewind; auto fine tuning; power interrupt protection. Power requirements 120 V AC; 16-56° W x 3.94° H x 15.12° D \$500



Sanyo VCR7500

SANYO VCR7500 Beta Hi-Fi VCR

Videocassette recorder with MTS decoder built in 105-channel tuner; 14-day/8-event timer; 2 video heads; 1 audio head. Beta II and III play/record speeds, 9x rapid-search speed in Beta III. Features front loading; noiseless special effects; wireless 13-function remote control; remote pause; cable ready; still frame; auto rewind; auto fine tuning; audio dubbing; counter memory; headphone jack; left and right inputs for mikes; dew sensor. Horizontal resolution 230 lines in Beta II; video S/N 44 dB in Beta II; audio FR 20-20,000 Hz ±3 dB in hi-fi mode, 50-10,000 Hz ±3 dB in normal mode, Beta II; W&F 0.005% in Hi-Fi mode; THD 0.3% in hi-fi mode; dynamic range 80 dB in hi-fi mode, 40 dB normal mode, in Beta II. 13.19" W x 4.19" H x 132.22" D; 16.5 lbs. \$750

VCR 7250 SuperBeta Hi-Fi Recorder

SONY

SL-HF900 SuperBeta Video Recorder

Video recorder with Beta Hi-Fi audio. SuperBeta picture is compatible with standard Betamax recordings. Features double-azimuth record/playback; joy dial/shuttle ring for super special effects; BetaScan; BetaSkipScan; swing search; freeze-frame; edit switch; detail switch; built-in stereo decoder for MTS broadcast; 181 channels; 12-segment LED peak level meter; FM simulcast recording; audio dubbing; PCM switch; headphone jack; wireless remote control; tab marker indexing; express tuning; programmable timer; check button; pause control; fluorescent display; linear time counter; automatic playback, stop, rewind, eject; front-loading. Recording time 5 hrs with L-830 videocassette. 17" W x 4.12" H x 15.62" D; 25 lbs, 6 oz. \$1,500

SL-HF400 SuperBeta Video Recorder

Video recorder with Beta Hi-Fi audio. SuperBeta picture is compatible with standard Betamax recordings. Features built-in stereo decoder for MTS broadcast; 118 channels; 8-segment peak LED meter; FM simulcast recording; BetaScan; BetaSkipScan; freeze-frame; pause control; express tuning; wireless remote control; programmable timer; tape counter; fluorescent display; automatic playback, rewind, eject; front-loading. Recording time 5 hrs with L-830 videocassette. 17" W x 4.12" H x 15.62" D; 22 \$800 lbs. 5 oz.

SL-HFR70 SuperBeta Video Recorder

Video recorder with SuperBeta picture, compatible with standard Betamax recordings. Features BetaScan; BetaSkipScan; freeze-frame; pause control; express tuning; 148-channels; wireless remote control; programmable timer; tape counter; fluorescent display; adaptable for record/playback in Beta Hi-Fi using HFP-200; front-loading. 17" W x 3.12" H x 14.36" D; 16 \$550 lbs. 1 oz.

HFP-200 Beta Hi-Fi Adaptor

Provides Beta Hi-Fi recording and playback for hi-fi-ready decks; stereo broadcast reception capability with built-in MTS decoder. Features monitor selector; 16-segment LED peak level meters; sliding level controls; tracking control; headphone jack \$250

TOSHIBA

V-S56 Beta Hi-Fi Videocassette Recorder

Beta-format front-loading table-top videocassette recorder. Features A heads; 5-hour maximum recording time; hi-fi sound; direct 10-key channel selection; 117-channel capability; cable ready; 14-day/8-event timer; 20-function wireless remote control; 10-minute timer backup; still frame; B II, B III slow-motion speeds; B II, B III picture search speeds; variable high-speed picture search; B II, B III double speed; frame advance; memory timer; program indexing; direct access tuning; comb filter. Dynamic range 80 dB. 161.22" W x 4.58" H x 151.332" D; 26.9 lbs \$879



Sony SL-HF900

V-S55 Beta Hi-Fi Videocassette Recorder

Beta-format front-loading table-top videocassette recorder. Features 5-hour maximum recording time; 2 heads; hi-fi sound; 117-channel capability; cable ready; 7-day/4-event timer; 15function wireless remote control; 10-minute timer backup; still frame; B III slow-motion speed; B III picture search speed; frame advance; one-touch timer recording; picture sharpness control; program indexing; CCD digital filter. Dynamic range 80 dB. 161.22" W x 3.75" H x 14.5" D: 25.4 lbs \$649

V-S54 Beta Hi-Fi Videocassette Recorder

Beta-format front-loading table-top video cas-sette recorder. Features 5-hour maximum recording time; 2 heads; hi-fi sound; 117-channel capability; cable ready; 7-day/4-event timer; 15function wireless remote control; 10-minute timer backup; still frame; B III slow-motion speed; B III picture search speed; frame advance; one-touch timer recording; memory counter; program indexing; CCD digital filter. Dynamic range 80 dB. 161.22" W x 4.12" H x 14.5" D; 25.4 lbs..... \$629

VHS PORTABLE VCR'S



Hitachi VT-98A

HITACHI VT-98A Portable VCR

Front-loading portable VHS Hi-Fi videocassette recorder with 5 video and 2 audio heads. Features 8-program/1-year timer; noise-free fine editing; stereo broadcast (MTS) reception; onscreen programming; dual function VCR/TV wireless remote control; video dubbing; automatic audio level control; automatic rewind and shutoff at tape's end. Video signal-to-noise ratio 45 dB in SP mode; horizontal resolution 240 lines. 17.1" W x 4.5" H x 10.1" D.....\$1,450

JVC

HR-S200U VCR with TU-S10 Tuner

Portable component video system with LP, SP, EP play speeds; SP, EP record speeds; 7x rapidsearch speed; 14-day/8-event timer. Features VHS Hi-Fi sound; frame advance; remote control; noiseless special effects; remote pause; cable ready; video dubbing; still frame; channel lock; auto fine tuning; audio dubbing with direct access tuning from remote; 4 heads; horizontal resolution greater than 240 lines; video S/N >45 dB; audio FR 70-10,000 Hz ± 3 dB; battery included. Battery charge lasts 30 min. 8.063" W x 3.188" H x 8.88" D; 5.3 lbs . . \$999

MAGNAVOX VR8592SL VHS Hi-Fi Portable VCR

Escort XHD video recorder with docking Escort TD tuner. 139-channel tuner; 14-day/8-event timer; 4 video heads; 15x rapid search in SLP; frequency-synthesized random-access tuning; tape-remaining indicator; jacks to attach stereo decoder; noiseless special effects; 26-function wireless remote control; remote pause; cable ready; direct cable input; still frame; frame advance; auto rewind; auto fine tuning; audio dubbing; video dubbing; counter memory; headphone jack. 8.5" W x 3" H x 10" D, in docking position 8.75" W x 4" H x 14" D; deck 5.5 lbs,\$1,399 tuner 8.4 lbs .

Maganavox VR8592SL



OLYMPUS VC-106 Portable VCR

VHS-format portable videocassette recorder with hi-fi sound. Features SP, LP, SLP play, record, and rapid-search speeds; SP, SLP slowmotion speeds; 14-day/8-event timer (optional); stereo; frame advance; remote control (optional); noiseless special effects; remote pause; Dolby noise reduction; video dubbing; still frame; automatic rewind; audio dubbing; fourway power; tuner. Horizontal resolution greater than 230 lines; video signal-to-noise ratio greater than 41 dB; audio frequency response 20-20,000 Hz in hi-fi mode; 100-8,000 Hz in normal mode; audio distortion 0.02% in hi-fi mode; audio signal-to-noise ratio greater than 80 dB in hi-fi mode, greater than 42 dB in normal mode; power requirements 12 volts DC; power supply AC adaptor or car battery. Battery pack included. Charge lasts for 2 hours (without camera), 1 hour (with camera). 8.44" H x 3.06" W x 10.36" D; 5.9 lbs\$975

PANASONIC **PV-9600A Video Recorder**

Portable video recorder with VHS Hi-Fi sound. 139-channel tuner; 14-day/8-event timer; 4 video heads; 4 audio heads; SP, LP, SLP play/record speeds; SP, SLP slow-motion and rapid-search speeds. Features front loading; noiseless special effects; wireless remote control; remote pause; still frame; frame advance; auto fine tuning; auto search \$1,350



Panasonic PV-9600A

PENTAX

PV-R2200A Videocassette Recorder

Portable VHS Hi-Fi VCR features MTS decoder; 3 video and 2 audio heads; 133-channel cable-ready tuner; 1-year/8-event timer \$1,395

QUASAR

VP5757XE Videocassette Recorder

Portable VHS Hi-Fi videocassette recorder with SP/LP/SLP play/record speeds; slow-motion and rapid-search speeds in SP/SLP. Features 14day/8-event timer; stereo; frame advance; remote control; noiseless special effects; remote pause; Dolby NR; cable ready; video dubbing; still frame; audio dubbing; 139-channel tuning; one-touch record; 4 heads; horizontal resolution greater than 230 lines; video signal-to-noise greater than 41 dB; audio frequency response 20-20,000 Hz; battery included; 8.81" W x 4.36" \$1,450 H x 14" D; 7.8 lbs .

RCA

VLP950HF Portable VCR VHS Hi-Fi portable VCR. Features SP, LP, SLP play/record speeds; SP, LP slow-motion and rapid-search speeds; stereo capable; frame advance; remote control; noiseless special effects; remote pause; cable ready; video dubbing; still



Sylvania VC4546SL

SYLVANIA

VC4564SL Videocassette Recorder

VHS Hi-Fi portable VCR. Features SP/ LP/SLP play/record speeds; SP/SLP slow-motion speeds; SP/LP/SLP rapid-search speeds; 14-day/8-event timer; frame advance; noiseless special effects; remote control; remote pause; cable ready; video dubbing; still frame; auto rewind; channel lock; automatic fine tuning; audio dub; 4 heads; 139-channel capability. Horizontal resolution 230 lines; video signal-tonoise >40 dB; audio frequency response 20-20,000 Hz in hi-fi mode; audio distortion <0.47% in hi-fi mode; audio signal-to-noise >60 dB in hi-fi mode; power requirements 11 W; battery included. Deck: 8.44" W x 3.06" H x 10.36" D, tuner: 8.44" W x 2.75" H x 10.36" D; deck: 5.5 lbs, tuner: 4.4 lbs\$1,400

ZENITH

VR5100 Portable Videocassette Recorder VHS Hi-Fi portable VCR features MTS decorder; "docking" design; 14-day/8-event timer; 4 video and 2 audio heads; 178-channel directaccess quartz-locked electronic tuning; 122 cable channels; audio-dub and video-insert edit control; two-way picture search (7x); low-noise pause/still-frame and continuous picture advance; three-way power capability (AC, battery, car); wireless remote control. Horizontal resolution 240 lines; video signal-to-noise ratio >43 dB; audio frequency response 20-20,000 Hz in hi-fi mode, dynamic range >80 dB; recorder 8.16" W x 3.094" H x 10.875" D \$1,000

8MM VCRS

KODAK

MVS-5380 8mm Videocassette Recorder

8mm-format table-top videocassette recorder with digital stereo sound capability. Features SP, LP play speeds; SP, LP record speeds, rapidsearch speeds; Hi-Fi sound; stereo; frame advance; noiseless special effects; remote control; remote pause; cable ready; video dubbing; still frame; automatic rewind; channel lock; automatic fine tuning; audio dubbing; pulse-codemodulated digital recording and playback; records up to eight programs over three weeks; on-screen programming; 169-channel; records up to six tracks of audio. Battery optional; battery charge lasts for 45 minutes to one hour. 6.5" W x 2.6" H x 5.3" D; 2.1 lbs. approx ... \$1,600



Kodak MVS-5380

PIONEER

VE-D70 (BK) 8mm Table-Top VCR

Two-speed two-head VCR with full-function infrared remote control. Records 4 hours of video with stereo digital PCM and mono AFM soundtracks or 24 hours of digital stereo on 6 separate audio tracks. MTS decoder for stereo TV broadcasts; noiseless special effects (freeze frame, high-speed search, slow motion); 181channel tuner; programming for 6 events over 3 weeks; remaining time counter. Digital specs: FR limited to 15,000 Hz; dynamic range >88 dB; unmeasurable wow-and-flutter ... \$1,500



Pioneer VE-D70(BK)

SONY

EV-S700 8mm Videocassette Recorder

8mm-format table-top VCR. Features SP, LP play/record speeds; .2, .1 slow motion speeds; 21-day/6-event timer; frame advance; noiseless special effects; infrared remote control; cable ready; noiseless still frame; auto rewind; audio dubbing; PCM digital hi-fi stereo sound; 6-track digital audio capability; flying erase head. Audio frequency response 20-15,000 Hz; power requirements 48 watts, 120 V. 14" W x 3.75" H x 13.75" D; 16 lbs, 2 oz \$1,500

EV-C8u 8-mm Portable

8mm-format portable VCR. Features SP, LP play speeds, SP record speed; rapid search speeds; timer; hi-fi sound; video dubbing; still frame; audio dub. Power requirements 2.6 W, 6 V (with battery); 2.8 W, 8.5 V (with AC adaptor); battery included; battery charge lasts for 150 min. 6.75" H x 6.75" D; 2.4 lbs. Sold with CCD-M8 camera \$1,795

DIRECTORY OF MANUFACTURERS

Aiwa, 35 Oxford Dr., Moonachie, NJ 07074. (201) 440-5220.

Akai, 800 W. Artesia Blvd, Compton, CA 90220. (213) 537-3880.

Canon, One Canon Plaza, Lake Success, NY 11042. (516) 488-6700.

Denon, 27 Law Dr., Fairfield, NJ 07006. (201) 575-7810.

Fisher, 21314 Lassen St., Chatsworth, CA 91311. (213) 998-7322.

General Electric, Mail Drop #20, Portsmouth, VA 23705. (804) 483-5000.

Harman Kardon, 240 Crossways Park West, Woodbury, NY 11797. (516) 496-3400.

Hitachi, 401 W. Artesia Blvd., Compton, CA 90220. (213) 537-8383.

Instant Replay, 2951 S. Bayshore Dr., 8th floor, Miami, FL 33133. (305) 448-7088.

JVC, 41 Slater Dr., Elmwood Park, NJ 07407. (201) 794-3900.

Kenwood, 1315 E. Watsoncenter Rd., Carson, CA 90745. (213) 518-1700.

Kodak, 343 State St., Rochester, NY 14650. (716) 724-4000. Magnavox, 1-40 and Straw Plains Pike, Knoxville, TN 37914-1810. (615) 521-4316.

Marantz. 20525 Nordhoff St., Chatsworth, CA 91311. (818) 998-9333.

Minolta, 101 Williams Dr., Ramsey, NJ 07446. (201) 825-4000.

Mitsubishi, 5757 Plaza Dr., PO Box 6007, Cypress, CA 90630-0007. (714) 220-2500.

NEC, 1401 Estes Ave., Elk Grove Village, IL 60007. (312) 226-5900.

Olympus, Crossways Park, Woodbury, NY 11797. (516) 364-3000.

Panasonic, One Panasonic Way, Secaucus, NJ 07094. (201) 348-7000.

Pentax, 35 Inverness Dr. East, Englewood, CO 80112. (303) 799-8000.

Philco, I-40 and Straw Plains Pike, Knoxville, TN 37914-1810. (615) 521-4316.

Pioneer, 5000 Airport Plaza Dr., Long Beach, CA 90815. (213) 420-5700.

Quasar, 9401 W. Grand Ave., Franklin Park, IL 60131. (312) 451-1200.

Radio Shack, 1300 One Tandy Center, Fort Worth, TX 76102. (817) 390-3300. RCA, 600 N. Sherman Dr., Indianapolis, IN 46201. (317) 267-5000.

Samsung, 301 Mayhill St., Saddle Brook, NY 07662. (201) 587-9600.

Sansui, 1250 Valley Brook Ave., Lyndhurst, NJ 07071. (201) 460-9710.

Sanyo, 1200 W. Artesia Blvd., Compton, CA 90220. (213) 537-5830.

Sharp, 10 Keystone Place, Paramus, NJ 07652. (201) 265-5600.

Sony, Sony Dr., Park Ridge, NJ 07656. (201) 93D-1000.

Sylvania, I-40 and Straw Plains Pike, Knoxville, TN 37914-1810. (615) 521-4316.

Teac, 7733 Telegraph Rd., Montebello, CA 90640. (213) 726-0303.

Toshiba, 82 Totowa Rd., Wayne, NJ 07470. (201) 628-8000.

Vector Research, 20600 Nordhoff St., Chatsworth, CA 91311. (818) 998-1555.

Yamaha, 6600 Orangethorpe Ave., Buena Park, CA 90620. (714) 522-9105.

Zenith, 1000 Milwaukee Ave., Glenview, IL 60025. (312) 391-7000.

BACHBUSTE R



THE MUSIC OF J. S. BACH, AS REALIZED BY DON DORSEY, ON DIGITAL AND OTHER AUTHENTIC PERIOD SYNTHESIZERS.

> AVAILABLE ON COMPACT DISC (CD-80123) LP RECORD (DG-10123) & CASSETTE (CS-123)



CIRCLE NO. 67 ON READER SERVICE CARD


REST OF THE MONTH

Stereo Review's critics choose the outstanding current releases

SOLTI CONDUCTS A VERY SPECIAL "BALLO"

HE new London recording of Verdi's Un ballo in maschera is a must for opera collectors. While some of the vocal performances are perhaps stronger than others, none is weak. And anyway, in a sense, it is conductor Sir Georg Solti's show. He is always in complete control. There have been occasions when I have found his conducting too aggressive, so that the music in question is driven. Not so here. He may occasionally heighten Verdi's dynamic contrasts or emphasize the composer's rhythms, but always within context and according to the score markings. Solti shapes, unifies, and gives energy to this reading; it is he who brings out the best in each of his individual artists.

Luciano Pavarotti, as Riccardo, has not sung with such musical refinement in some of his other recent recordings (his Andrea Chenier for London is a case in point). Here, however, he takes care over details of phrasing and sings with both musical sensitivity and dramatic conviction, as if the character were important to him. And what a joy it is to hear Amelia's music poured out with apparent effortlessness-always on pitch, beautifully phrased-by Margaret Price. No matter that she does not sound "Italian." What does matter is her involvement with the character (involvement is not ordinarily one of this artist's strengths) and the glorious sounds with which she brings that character to life. If Christa Ludwig must sing more carefully these days, she nonetheless brings such artistry and style to Ulrica's scene that you listen, emotionally moved and intellectually impressed by her command of her metier. Renato Bruson's singing of Renato may



Solti: bringing out the best in each of his singers

lack nuance, but it is musically solid and dramatically forthright.

The recording has several musical highlights. My favorites are Riccardo's "La rivedrà nell'estasi" in Act I, Scene 1; Ulrica's invocation followed by Riccardo's barcarole; the Act II Amelia-Riccardo duet and finale; Amelia's Act III, Scene 1, "Morrò, ma prima in grazia" and the ensuing "Eri tu"; and the opera's final scene.

And why have I said nothing of Kathleen Battle? Because, like a child, I save the best till last. Her Oscar is a revelation of what the role can be when flawlessly sung with the most silvery tones. She executes the coloratura passages with a crisp accuracy that is at once delightful and breathtaking. In addition to her musical contribution, she creates a living person—warm, vivacious, fun-loving, caring. I have heard no Oscar to equal her.

The work of the two choruses is exemplary, and the members of the National Philharmonic Orchestra play with spirit, accuracy, and tonal beauty, conveying the feeling that they enjoyed their assignment. This recording of *Ballo* is indeed a special one in which all forces unite to produce a musically and dramatically balanced performance—one that Verdi himself would surely have applauded. *Robert Ackart*

VERDI: Un ballo in maschera. Luciano Pavarotti (tenor), Riccardo; Margaret Price (soprano), Amelia; Kathleen Battle (soprano), Oscar; Christa Ludwig (mezzo-soprano), Ulrica; Renato Bruson (baritone), Renato; Robert Lloyd (bass), Samuel; Malcom King (bass), Tom; others. London Opera Chorus; Royal College of Music Junior Department Chorus; National Philharmonic Orchestra, Sir Georg Solti cond. LON-DON © 410 210-1 three discs \$29.94, © 410 210-4 three cassettes \$29.94, © 410 210-2 two CD's no list price.

STREISAND'S "BROADWAY" SCORES A HIT

ARBRA STREISAND'S "The Broadway Album" is an absolutely superb collection of fifteen songs (sixteen on Compact Disc), including a generous handful of classics and a number of about-to-be-classics by Stephen Sondheim. It also has put Streisand ahead of Frank Sinatra as the artist with the longest span of No. 1 albums in the history of *Billboard*'s Top Pop Albums chart.

Taste—exemplary taste—is the hallmark of "The Broadway Album." Streisand's phrasing is better than ever, her intonation is nearperfect, and her vocal realization of the ballads is flawless, neither understated nor overwrought. Her rendition of *lf I Loved You* from *Carousel* is one of her all-time best; Rodgers and Hammerstein have got to be smiling wherever they are. *Can't Help Lovin' That Man* from Jerome Kern's *Showboat* has seldom been sung with more understanding by any vocalist, and it has

REST OF THE MONTH



Streisand: revisiting Broadway

the added spice of a lilting harmonica obbligato by Stevie Wonder.

On the uptempo tracks Streisand has the restrained energy of a prize fighter in the ring waiting for the first bell. A notable example is the opener, Sondheim's Putting It Together from Sunday in the Park with George. Streisand spits out the lyrics with machine-gun precision and infectious good humor (and they are the most difficult set of lyrics this side of Gilbert and Sullivan). Not a word is lost or a beat skipped. The effect is lighter than air. Sondheim's Pretty extraordinarily beautiful Women from Sweeney Todd and his oh-so-cynical The Ladies Who Lunch from Company are married in waltz, bossa nova, and swingtime. Not only do Streisand and her co-producer, Peter Matz, make the marriage work, but it will be difficult for anyone familiar with these songs ever to affect a trial separation, let alone a divorce.

No single track in "The Broadway Album" is better than another; each is part of a whole, something that makes this collection worth being called an album. It sounds great on LP and even better on the chrome cassette. On Compact Disc it's fabulous, and it wasn't even recorded digitally, which tells us a good deal about the forward leaps in analogto-digital engineering. The imaging is at times breathtaking, as in Something's Coming from Leonard Bernstein's West Side Story, where the interplay of voice and horns slides from speaker to speaker, finally converging in the middle distance. On LP the drums in *We Kiss in a Shadow* from Rodgers and Hammerstein's *The King and I* seem somehow menacing; on CD they are properly haunting. I almost feel like saying that if you haven't heard the CD, you haven't heard the album. Frank Loesser's *Adelaide's Lament* from *Guys and Dolls*, a bonus track on the CD, only makes it more attractive as the format to buy.

This is an album nobody wanted Streisand to make—nobody, that is, except her fans, who remember that Broadway is where she began. But it's surely her finest, and just as surely the one she'll always be remembered by. Rod McKuen

BARBRA STREISAND: The Broadway Album. Barbra Streisand (vocals); orchestra. Putting It Together; If I Loved You; Something's Coming; Not While I'm Around; Being Alive; I Have Dreamed/We Kiss in a Shadow/Something Wonderful; Adelaide's Lament*; Send In the Clowns; Pretty Women/The Ladies Who Lunch; Can't Help Lovin' That Man; I Loves You Porgy/Porgy, I's Your Woman Now; Somewhere (*on CD only). COLUMBIA OC 40092, © OCT 40092, © CK 40092, no list price.

FIRST-CHOICE Mahler Fifth From Sinopoli

IUSEPPE SINOPOLI'S new recording of Mahler's Fifth Symphony increases the work's current listings in Schwann to an even dozen. While four of its predecessors are formidable realizations by Karajan, Levine, Solti, and Tennstedt, to my ears Sinopoli and the remarkable Philharmonia Orchestra go right to the top of the heap. Theirs is the first performance I have heard that could not be faulted in some way, whether for heartless virtuosity at one point or another, for sounding labored in difficult passages of the scherzo and finale, or for being suffocatingly sentimental in the exquisite adagietto.

Sinopoli's pacing is dead on target

in the stern trumpet fanfare that begins the opening funeral march, where it takes only the slightest miscalculation to throw things out of kilter for the whole first third of the work. Once past the funeral march, he shows an extraordinary ability to weave the ensuing fast section and the next movement, marked *stürmisch bewegt* ["storm tossed"], into a seamless polyphonic texture. The initial entry of the "victory chorale" in the brass is breathtaking!

The immensely elaborate scherzo movement is realized with a high degree of precision and rhythmic impact that suggests how Toscanini might have handled it, and the famous adagietto is played with the greatest possible refinement and flowing transparency—it's quite the loveliest reading I have yet heard. The finale is simply an astonishing tour de force from beginning to end. At no point is there the sense of Mahlerian note-spinning one sometimes gets midway through.

My only criticism of this marvelous performance, in fact, is of the conductor's vocal embellishments (which again recall Toscanini). The recorded sound is spectacular, in the brass and plucked strings of the scherzo especially. The conductor and production team have enabled the music's inner voices to emerge with utter clarity, yet there is no sense of details being out of proportion to the texture of the whole. On virtually all counts, this recorded performance is a remarkable achievement.

Deutsche Grammophon has released the symphony on a single Compact Disc and a single cassette but in a two-record LP set. The fourth LP side is filled with a halfdozen of Mahler's early *Wunder*-

Sinopoli: an astonishing tour de force



PRODUCT


NO1

MOP

GRAM

DEUTSCHE

SAYAT,



horn songs, orchestrated by Harold Byrns and beautifully sung by baritone Berndt Weikl. David Hall

MAHLER: Symphony No. 5, in Csharp Minor; Early Songs* (*on LP only). Berndt Weikl (baritone); Philharmonia Orchestra, Giuseppi Sinopoli cond. DEUTSCHE GRAMMOPHON O 415 476-1 two discs \$19.96, ©415 476-4 one cassette \$10.98, © 415 476-2 one CD no list price.

THE EVERLY BROTHERS DO IT AGAIN

HE Everly Brothers' new "Born Yesterday" is a thoroughly lovely album that lays to rest any fears that their splendid comeback effort of last year, "EB 84," was a fluke. Again the producer was Dave Edmunds, who deserves something like a Nobel Prize for resurrecting the classiest rock-and-roll duo of the Fifties.

I will admit my prejudice up front where the Everlys are concerned: the very first single I ever bought with my own lunch money was their Bye Bye Love, back in 1957 (I was two at the time, of course), and to this day I still get something like a physical rush from the sound of those soaring Appalachian harmonies. But nostalgia has little to do with the Everlys' current appeal. Just about everybody doing twopart singing in rock-and-roll today owes the Everlys a debt. Their sound is part of rock's basic vocabulary, and you can hear it this minute in groups as up to date and fresh as the country-punk Long Ryders or Rank and File.

Compared with "EB 84," the new album is slightly shaded to the country side of the Everlys' musical roots. Despite such notable rockers as Always Drive a Cadillac, the emphasis is mostly on tear-your-heartout ballads and mood pieces such as Why Worry, the song from Dire Straits' "Brothers in Arms" that Mark Knopfler says he wrote with the Everlys in mind. Throughout the album, the Everlys' trademark vocal blendings sound more powerful than ever, even with the tempos slowed down. It is heartening too to find that the boys haven't lost their songwriting chops. The album's high point, in fact, is the title tune written by Don Everly, one of the more tear-inducing marriage-onthe-rocks numbers in recent memory. The instrumental backings are as sensitive and supportive as could be



The Everly Brothers: basic

(Albert Lee on guitar positively burns at times), and Edmunds's production gives the whole thing a sonic gloss that sounds contemporary without being overbearing.

In short, "Born Yesterday" is the second installment in the most rewarding rock-and-roll comeback saga of the Eighties, and I am already looking forward to the third. Consumers are advised to act now. As an added inducement, the cassette and CD versions of the album contain an extra track: a deeply felt version of You Send Me, the Sam Cooke classic that shared the charts with the Everlys' Wake Up Little Suzie back in the darkest days of the Eisenhower Era. Steve Simels

THE EVERLY BROTHERS: Born Yesterday. Don and Phil Everly (vocals); Albert Lee (guitar); Larrie Londin (drums); Phil Cranham (bass); other musicians. Amanda Ruth; I Know Love; Born Yesterday; These Shoes; Arms of Mary; That Uncertain Feeling; Thinkin' 'Bout You; Why Worry; Abandoned Love; Don't Say Goodnight; Always Drive a Cadillac; You Send Me* (*on cassette and CD only). MERCURY 826 142-1 \$8.98, © 826 142-4 \$8.98, © 826 142-2 no list price.

NOW ON CD Compact Discs of previously released LP's

POPULAR

□ ART BLAKEY: New York Scene. CONCORD JAZZ CCD-4256. "Impressive live set" (March 1985).

ROSEMARY CLOONEY: Sings the Music of Irving Berlin. CONCORD JAZZ CCD-4255. "Terrific" (March 1985).

□ JOHN COLTRANE: Soultrane. PRESTIGE FCD-626-7142. "Exhilarating" (July 1983).

□ EXILE: Kentucky Hearts. EPIC EK 39424. "Sparkling vocal and instrumental work" (December 1984).

AMY GRANT: Straight Ahead. A&M CD-5058. "Heavenly" (July 1985).

□ JERMAINE JACKSON, ARISTA ARCD-8203. "A lively tribute to Marvin Gaye" (September 1984).

□ BILLY JOEL: Turnstiles. COLUMBIA CK 33848. "Intelligent and perceptive" (October 1976).

□ ELTON JOHN: Tumbleweed Connection. MCA MCAD-37199. "A major talent" (June 1971).

□ A LITTLE NIGHT MUSIC (Stephen Sondheim). COLUMBIA CK 32265. Original Broadway cast (1973), with Glynis Johns, Len Cariou, Hermione Gingold.

GRAHAM PARKER: Squeezing Out Sparks. ARISTA ARCD-8075. "A watershed work" (June 1979).

CLASSICAL

□ THE ART OF THE PRIMA DONNA. Sutherland. LONDON 414 450-2. "A dazzling display" (March 1961).

 BERLIOZ: Requiem; Symphonie funêbre et triomphale. C. Davis.
 PHILLIPS 415 283-2 (two CD's).
 "Magnificently performed" (Best of the Month, February 1971).

□ **BIZET:** Carmen. Callas, Gedda; Prêtre. ANGEL CDCC 47312 (three CD's). "The most exciting ever" (Best of the Month, February 1965).

□ CHOPIN: Piano Concertos Nos. 1 and 2. Ax, Ormandy. RCA RCD1-4097. "Elegant pianism" (March 1982).

□ MOZART: Le nozze di Figaro. Prey, Mathis; Böhm. DG 415 520-2 (three CD's). "A triumph" (January 1969).

□ MOZART: Violin Concertos Nos. 3 and 5. Mutter, Karajan. DG 415 327-2. "A sensational debut" (July 1979).

PERFORMANCE COUNTS. THE THRILL OF REAL CIGARETTE TASTE IN A LOW TAR.



1986 R.J. REYNOLDS TOBACCO CO.

9 mg. "tar", 0.7 mg. nicotine av. per cigarette by FTC method.

SURGEON GENERAL'S WARNING: Quitting Smoking Now Greatly Reduces Serious Risks to Your Health.

AKAI FOR LIFE'S GREAT PERFORMANCES.

Only one thing justifies the price of admission. The performance.

The path to first-rate performance is paved with plenty of imposters. Which can be readily found on any corner.

First-rate performance can't. Because like anything else of real value, it takes a little looking. With both eyes, and ears, wide open.

Which is how most audio/videophiles discover AKAI equipment. And what they soon discover is superb performance: L1 stereo-ready monitor/tv's. And innovative VHS Hi-Fi VCR's.

For the audio buff, high-speed MOS-FET amps and quartzlocked tuners. Sophisticated receivers. Fully-programmable CD-players with AKAI's Natural Logic Operation. Cassette decks featuring AKAI's patented GXheads guaranteed for over 17 years. Even complete audio/video home entertainment centers.

In short, a comprehensive line of components, systems and portables.

So write for a list of AKAI dealers. Because once you've found an AKAI dealer, you've found someone who truly values performance and quality as much as you do.

And that, all by itself, may well be worth the price of admission.

For more information and a list of AKAI dealers, write to: AKAI America, P.O. Box 6010, Dept. 3, Compton, CA 90224-6010, CIRCLE NO. 46 ON READER SERVICE CARD

POPULAR MUSIC

Discs and tapes reviewed by Chris Albertson Phyl Garland Alanna Nash Mark Peel Peter Reilly Steve Simels

AEROSMITH: Done with Mirrors. Aerosmith (vocals and instrumentals). Let the Music Do the Talking; My Fist Your Face; Shame on You; The Reason a Dog; Shela; and four others. GEFFEN 24091-1 \$8.98, © 24091-4 \$8.98.

Performance: Historical interest Recording: Okay

The original Aerosmith is back together again for the first time since Joe Perry walked out on the band in 1979, ending nearly ten years of drugs and drink, egos and fistfights. The old Aerosmith is better remembered for its celebrated brawls than its music. A mediocre Aerosmith concert was two hours of imitation Stones. A great Aerosmith concert was a two-minute sound check punctuated by Steve Tyler hurling a bottle of Jack Daniels' against Perry's amplifier, followed by ten minutes of pugilism, after which the band would stumble off stage.

The re-formed band has sworn to get along, which is one strike against it. Another is this fossilized rock-blues session itself. The playing on "Done with Mirrors" is tighter than of old, but this kind of strutting, tail-shaking, lowdown stuff doesn't require chops, it requires an audience and a context and I'm not sure either exists any more. Aerosmith departed playing slipshod sets for 70,000 and returns doing clean, well-rehearsed, and well-performed sets for 3,000. That's progress? *M.P.*

SKEETER DAVIS & NRBQ: She Sings, They Play. Skeeter Davis (vocals); NRBQ (vocals and instrumentals). Things to You; Everybody Wants a Cowboy; I Can't Stop Loving You Now; Someday My Prince Will Come; and eight others. ROUNDER 3092 \$8.98, © C-3092 \$8.98.

Performance: Hillbilly heaven Recording: Excellent

I don't know who came up with the idea of pairing Skeeter Davis, one of country music's biggest has-beens, with NRBQ,

EXPLANATION OF SYMBOLS:

- DIGITAL-MASTER ANALOG LP
- $\bigcirc = STEREO CASSETTE$
- DIGITAL COMPACT DISC
- Ø = MONOPHONIC RECORDING



TOM PETTY: A SHARPER EDGE

HE best of Tom Petty's work-Breakdown, Refugee, You Got Lucky, The Waiting, Don't Do Me Like That-has almost always, no matter what the subject matter, hung on the edge of despair, as if Petty meant to finally do it if somebody didn't step in and grab him when the music stopped. Since most performers file a sharper edge on their music in concert anyway, Petty is one artist whose first fully live album pledged both musical excellence and emotional redemption. For the most part that album, "Pack Up the Plantation-Live!," recorded over two nights in early 1985 at Los Angeles's Wiltern Theatre, lives up to its promise.

Essentially a greatest-hits package, it showcases Petty-sounding more like a combination of Dylan and Roger McGuinn than usual-at his most emotive, drawing from his early songs a spiritual strength and musical reawakening that have been missing, in part, from his later work. For every song here that goes flat from age or too many performances, such as Shout and Stories We Could Tell, there are always at least two that poke and prod at the heart and gut-most notably Southern Accents, Rebels, I Need to Know, The Waiting, and Needles and Pins, an old Searchers hit. Petty performs with Stevie Nicks on the last song and also on Insider, both were recorded four years before the other tracks, at the Los Angeles Forum in 1981

Complementing all of this is Petty's

never-fail band, a deceptively strong and cohesive unit with the hair-trigger sensitivity of a land mine. Benmont Tench and Mike Campbell, Petty's keyboardist and guitarist, respectively, finally get the opportunity to really strut their stuff, but neither of them threatens Petty's place in the spotlight. The girl back-up singers he's added occasionally do, however, just as the three-piece horn section he's brought along blares out jarringly from time to time. But this is nit-picking.

For anyone disappointed over the inconsistency of Petty's last few efforts, "Pack Up the Plantation—Live!" should take the edge off the worry for a while. And for anyone who never knew that Petty's live show is a tour de force to equal almost any other in contemporary rock-and-roll, this album—and its corresponding video, just out—should tell the tale. Alanna Nash

TOM PETTY AND THE HEART-BREAKERS: Pack Up the Plantation—Live! Tom Petty and the Heartbreakers (vocals and instrumentals); vocal and instrumental accompaniment. So You Want to Be a Rock & Roll Star; Needles and Pins; The Waiting; Breakdown; American Girl; It Ain't Nothin' to Me; Insider; Rockin' Around (With You); Refugee: I Need to Know; Southern Accents; Rebels; Don't Bring Me Down; You Got Lucky; Shout; Stories We Could Tell. MCA MCA2-8021 two discs \$10.98, © MCAC-8021 one cassette \$10.98. one of rock's most oddball bands, but the resulting album is just goofy enough to work. Best known for her 1963 crossover hit *The End of the World*, Davis has one of those genuinely country voices that is so horrible—teetering around the rim of a note like a basketball on a hoop—that it's wonderful. It works to best advantage on a song such as *Everybody Wants a Cowboy*, a Davis original, where the band plays as if it's riding a coin-operated Trigger at the K-Mart and Skeeter saddles up to deliver a delightful satire on the country-music star system.

But Skeeter Davis can also be touching and sweet, as on *Things to You* or *May You Never Be Alone*, where, singing double-tracked harmony with herself, she sounds eerily like the old Davis Sisters, the duo she formed with the late Betty Jack Davis in the early Fifties. The backing—mostly country-pop and cow-jazz with Chet Atkins-style guitar licks—is fresh, shiny, and imaginative. Overall, I suspect this is one of those albums that you'll either absolutely adore and include in your will or immediately use as a Frisbee. *A.N.*

EVERLY BROTHERS: Born Yesterday (see Best of the Month, page 72)

IRON MAIDEN: Live After Death. Iron Maiden (vocals and instrumentals). Aces High; 2 Minutes to Midnight; The Trooper; Revelations; Flight of Icarus; Rime of the Ancient Mariner; Running Free; Run to the Hills; The Number of the Beast; and nine others. CAPITOL SAAB-12441 two discs \$19.98, © SABB-12441 one cassette \$19.98.

Performance: Awesome Recording: Long

In spite of the fears of parents and Senate subcommittees, what attracts kids to heavy-metal bands like Iron Maiden isn't really the violence or the macabre sex. Unless you're following a lyric sheet, it's virtually impossible to make out what these songs are about anyway. Heavy metal's lure is simple, unbridled excess.

"Live After Death" is a fascinating, awe-inspiring monument to excess. Not so much for the music on the two-disc live recording but for the sheer scale of the undertaking it documents. In case you miss the album, here's a small sample of the statistical highlights from the accompanying eight-page booklet: during Iron Maiden's year-long "World Slavery Tour" in 1984-1985, the band performed more than 190 concerts in twenty-four countries in a span of 322 days; a road crew of forty-two moved, mounted, and operated forty tons of light and sound equipment, including a PA system capable of delivering

152,000 watts, with another 21,000 watts in the monitors; at no time did any band member have fewer than twenty instruments available for use on stage; the work crew's schedule involved the equivalent of setting up and taking apart a small office building and moving it to a new city four times a week; and an estimated 50,000 cans of beer and 6,000 pints of milk were consumed (tells you something about the group's nutritional priorities). All in the pursuit of one and a half recorded hours of monotonous, uninventive, hopelessly hackneyed guitar pyrotechnics and unintelligible screaming that could pass for a parody of Black Sabbath.

Yes, "Live After Death" is an enervating, essentially dull onslaught on the ears. But I recommend it—especially to parents—as an extraordinary example of the work ethic, team work, and the power of positive thinking. M.P.

MALCOLM MCLAREN: Swamp Thing. Malcolm McLaren (vocals and instrumentals); vocal and instrumental accompaniment. Swamp Thing; Duck Rock Cheer; Buffalo Love; Supresto; B. I. Bikki; and three others. ISLAND 90481-1 \$8.98, © 90481-4 \$8.98.


Performance: Cold leftovers Recording: Bland

Over the last couple of years, Malcolm

Finally, stereo can come out and play. Bose° 101[™] Environmental Speaker



The weatherproof Bose 101 speaker plays true high fidelity sound almost anywhere. Optional mounting accessories and colored decorator grilles make the Stereo Everywhere™ 101 system a perfect match for any environment indoors and out. Hear it now at your authorized Bose dealer. For more information, write: Bose Corporation, Dept. SR, 10 Speen St., Framingham, MA 01701.



Better sound through research.

This one works in the studio.

This one plays at home.

120

Yamaha's newest high-end CD player has a split personality. In its CD-2000M version, with rack-mount adaptors and balanced line outputs with XLR connectors, it fits right into recording studios and broadcast applications.

VAMA-48

In the CD-2000 version, we've taken away the adaptors and studio outputs. But none of the performance.

And performance is what the CD-2000M and CD-2000 are all about.

Both have unique vibration-damping feet and special Vibration Damping Circuit Assembly to eliminate vibrationinduced modulation which can degrade the audio signal. 3-beam laser pickup with Auto Laser Power Control circuit for precise tracking accuracy. And highgrade double-resolution digital output filters for reference standard reproduction purity.

In addition to all the expected fea-

tures, both have some unexpected ones. Like variable output level to correctly match the output level with other system components, and act as a remote volume control. Gold-plated connectors. And full-control wireless remotes.

But the most unexpected feature is one found only in Yamaha CD players. And that is our century of experience in making the finest acoustic and electronic musical instruments. It is our musical ears as well as our technological mind that give Yamaha audio equipment a musicality that goes beyond specs. It's a commitment you can hear.

Audition our entire new CD player lineup from as low as \$259* to \$899.*

*Suggested Retail Price

Yamaha Electronics Corporation, USA, P.O. Box 6660, Buena Park, CA 90622 CIRCLE NO. 14 ON READER SERVICE CARD



McLaren has proved to be not only one of rock's most successful impresarios but also one of its great innovators. Nonetheless, I'd recommend staying away from this collection of also-rans and out-takes recorded from 1982 to 1984. McLaren's own narrative introduction to Swamp Thing is the first tipoff—stuttering, preoccupied, and uncertain, it altogether lacks the infectious humor and believability of his similar story-telling voice-overs for the Boys' Chorus and Madam Butterfly from "Fans," his fascinating musical collage of a year ago.

While "Swamp" has its momentsthe high-powered dub B. I. Bikki (variations on a nursery rhyme) and Supresto, in which McLaren stumbles onto a hilarious synthesized vocal phrase, then insists on using it nonstop for the next three minutes-it's easy to see why the rest of this material never made it to "Fans" or "Duck Rock." Most of the time the best McLaren can manage is a lukewarm, static funk groove. Even the high points simply lack the compressed energy and wacky inspiration of McLaren's good stuff. Wait for the next fresh batch. MP

SIOUXSIE AND THE BANSHEES: Cities in Dust. Siouxsie and the Banshees (vocals and instrumentals). Cities in Dust (Edit); An Execution; Quarterdrawing of the Dog; Cities in Dust (Extended Eruption Mix). GEFFEN 20399-0 \$4.98.

Performance: Creepy Recording: Very good

Forget about Iron Maiden. For sheer terror it's tough to beat Siouxsie and the Banshees. "Cities in Dust," a 45-rpm maxi-single, is as cheery as the ossified Pompeiian canine pictured on the cover. It also happens to have some pretty interesting music on it. An Execution sounds like a tribe of extremely annoved Bantu pygmies conducting a war dance in the Lincoln Tunnel-twangy synthesized drumming and echoing acoustic piano are set against screeching electric guitars while Siouxsie narrates a scene of slaughter and pillage. Quarterdrawing of a Dog is built on a simple but spooky synth theme repeated over and over against driving drum and guitar rhythms. It would make a great soundtrack for a movie of the novel Less Than Zero, since it evokes nothing so much as a dreary, drugged-out evening in L.A. The title track is by far the weakest cut. Siouxsie's Banshee-like wail is affected, not effective. Naturally, this is the track the group chose to give us an extended version of, rendering side two a waste. Still, this budget disc delivers more music in two songs than a lot of albums do in ten. MP

THE STAPLE SINGERS: The Staple Singers (vocals, guitar); instrumental accompaniment. Are You Ready?; Life During Wartime; Nobody Can Make It on Their Own; Back to the War; Reason to Love; and three others. PRIVATE I BFZ 40109, © BFT 40109, no list price.

Performance: Ever youthful Recording: Very good

After more than thirty years of making music together, the Staple Singers somehow manage to sound more youthful and exuberant than most of their juniors—and that includes "Pop" Roebuck Staples, who is now getting close to seventy.

This is the Staples' second album since their return from semi-retirement four years ago. Like the thirty or so others they have made during their career, it is marked by strong lyrical content with thought-provoking social messages, but this time they lean more heavily toward a contemporary rock sound than before. Fortunately, Pop's sassy blues guitar remains assertively in the forefront while Mavis's husky contralto leads the quartet through eight songs of varying interest.

The best items are the spirited opener, Are You Ready?, David Byrne's bitingly ironic Life During Wartime, and the reggae-laced Reason to Love. The

It wasn't like I was in a dream or anything like that. It seemed perfectly natural. I got in the car after work. And just kept driving. Where I was headed wasn't important.

The music comin' out of my Kenwood. So good. So right. Driving all night. least successful track is Nobody Can Make It on Their Own, which, aside from the atrocious grammar, is gratingly ugly. Yet the Staples are such accomplished, give-it-all-you've-got performers that it's good to have them around no matter what they're singing. P.G.

GEORGE STRAIT: Something Special. George Strait (vocals); vocal and instrumental accompaniment. You're Something Special to Me; Haven't You Heard; You Sure Got This Ol' Redneck Feelin' Blue; The Chair; Lefty's Gone; and five others. MCA • MCA-5605 \$7.98, © MCAC-5605 \$7.98.

Performance: Traditional country Recording: Clean

George Strait, the CMA's 1985 Male Vocalist of the Year, has become something of a white knight for country music. He is at once genuinely country, a big hit with fans and critics alike, and, as shown in the back jacket photo here, with his starched shirt and pressed blue jeans, a U.S.D.A. grade-A hunk.

One of the new saviors of traditional, honky-tonk country, Strait does what he does well, without any frills, popstyled embellishments, or gimmicky recording techniques. But for all the fuss about him, he is still almost exclusively an imitator, particularly of Merle Haggard (*In Too Deep*), George Jones (Haven't You Heard), and the late Lefty Frizzell, for whom he croons, "It's not right, but Lefty's gone." Still, this album is consistently stronger than Strait's last, which lacked a lot in the repertoire department. Strait comes across here as a very pleasant singer indeed, with exemplary Texas-swing, Bob Wills-style picking behind him. A.N.

BARBRA STREISAND: The Broadway Album (see Best of the Month, page 69)

SUN CITY. Steven Van Zandt, Afrika Bambaataa, Ray Barretto, Stiv Bator, Pat Benatar, Big Youth, Ruben Blades, and a host of other folks (vocals and instrumentals). Sun City: No More Apartheid; Revolutionary Situation; and three others. MANHATTAN ST-53019 \$8.98, © 4XT-53109 \$8.98.

Performance: Variable Recording: Excellent

South African apartheid being a story that, in Edward R. Murrow's phrase, has only one side, I wish this record were better than it is. Unfortunately, like a lot of political art or political rock, it's stronger on good intentions than aesthetics. Basically, "Sun City" is a padded-out single, which may be understandable in terms of the staggering amount of planning and plain hard work that went into its making, but that doesn't make the padding any more listenable.

The title tune is, of course, a great rock-and-roll track, palpable outrage mated with a great churning beat in the tradition of Land of 1000 Dances and a wonderful bit of cross-cultural musicmaking (David Ruffin meets Joey Ramone). It seems almost revolutionary given the state of contemporary radio. But what accompanies it is mostly formulaic or forgettable. Silver and Gold, which should have been a fascinating collaboration between Keith Richards and U2's Bono, is a turgid semi-disaster. Still, the single is terrific, and there are worse ways to salve your conscience than buying the record. 22

THE WHO: Who's Missing. The Who (vocals and instrumentals). Shout and Shimmy; Barbara Ann; I'm a Boy; Mary-Anne with the Shaky Hands; Bargain; When I Was a Boy; Heaven and Hell; I Don't Even Know Myself; and five others. MCA MCA-5641 \$8.98, © MCAC-5641 \$8.98.

Performance: Trivial to great Recording: Primitive to modern

If, like me, you think Pete Townshend is the most important figure to have emerged from the Sixties British rock explosion, you'll find little evidence



The opportunity to indulge in the enriching moments of life should never be taken away. That's why Kenwood invented the theft-proof KRC-838—a simple flip of a lever releases the head unit so you can keep it with you. Without losing the preset memory.

Its superior audio features include a high-power amplifier, separate bass and treble controls, 24 station presets, auto-reverse, a 4-channel bi-azimuth tape head for flawless tracking, Tape Scan, Dolby* B and C, and a Tuner Call that plays the radio during fast forward or rewind.

The KRC-838. Designed by Kenwood to enhance the finer moments in your life.

For the Kenwood dealer nearest you, sall 1-800-CAR SOUND. *Dolby and the double-Disymbol are trademarks of Dolby Laboratories Corporation.





here to support that proposition. "Who's Missing" abounds in r-&-b covers, and what is easily the best song, *Heaven and Hell* (Jimi Hendrix's favorite Who track, to Townshend's chagrin), was written by otherwise stolid bassist John Entwistle. On the other hand, if you're in the market for an entertaining collection of Who rarities, this album should be right up your alley. Forget Townshend's liner notes, which have something of a funereal tone; this is brash, vital, *alive* rock-and-roll that has dated hardly at all.

Highlights (and not just for collec-

tors): the original single version of Mary-Anne with the Shaky Hands, a sublimely pretty number that later turned up in acoustic drag on "The Who Sell Out"; an early-Seventies live version of Bargain, which sums up the Who aesthetic in one glorious mixture of angelic harmonizing and furious metallic Sturm und Drang; and an inimitable Keith Moon run-through of the surf classic Barbara Ann. If the Who really was the spirit of rock-and-roll as has been said, this package, slapdash and second-rate as some of it is, does nothing to dishonor that spirit. S.S.



60 CDs at the touch of a button.

When Frank Serafine sampled our NCD-600, he instantly realized he could cut his research time by 75%.

Without doubt the most sophisticated player/changer on the market, the NCD-600 is a research/editing system unto itself. Accesses 5 selections, in any order, from 60 stored compact discs. Or add 3 units, expanding storage to 240 CDs. And, it'll interface any computer, to extend programmability infinitely.

Best of all, it has pitch and tempo controls. Music selections can be digitally edited to match keys and rhythms between selections simul-taneously...unlike with tapes or records, where modifying speed to change the key will also change rhythm. Makes programming in deejay situations an absolute dream.

But, when you create sound effects like Frank, your problem is time.

Research time: Thumb through the files, pull a disc, load it up to listen, over and over again. So Frank converted his massive sound effects library to compact discs, storing it all in our NCD-600.

Now, Frank just touches-in index numbers, listening to one selection while loading up others. We made his life a lot simpler, allowing him to focus energies on the one thing he likes best: Creating.

Imagine what Nikko technology will do for your audio system.



5830 South Triangle Drive, Commerce, CA 90040

Frank Serafine—Motion Picture Sound Designer/Musician Credits: Tron, Star Trek I and III, Brainstorm, Ice Pirates

AZZ

HANK CRAWFORD: Indigo Blue. Hank Crawford (alto saxophone, electric piano); David "Fathead" Newman (tenor saxophone); Howard Johnson (baritone saxophone); Dr. John (piano, organ); others. All Alone and Blue; Just for a Thrill; The Very Thought of You; and three others. MILESTONE M-9119 \$8.98, © M-5-9119 \$8.98, © FCD-621-9119 \$16.98.

Performance: Reliable Recording: Very good

Hank Crawford's "Indigo Blue," newly available on CD, is a tribute to Ray Charles, in whose band Crawford once played. It is a pleasant combination of instrumental ballads and blues, ranging in style from the nitty-gritty urban funk of All Alone and Blue (made all the grittier by Dr. John's steeped-in-the-soil piano) to smooth, softly cushioned readings of The Very Thought of You and Lil Armstrong's Just for a Thrill. Crawford's arrangements favor the original Charles recordings and the album as a whole is an echo of the past. Not very exciting, but pleasant. CA

ERROLL GARNER: Erroll Garner Plays Gershwin and Kern. Erroll Garner (piano); rhythm accompaniment. Strike Up the Band; A Foggy Day; Dearly Beloved; Old Man River; Love Walked In; I Got Rhythm; Nice Work If You Can Get It; Someone to Watch over Me; and four others. EMARCY 826 224-1 \$9.98, © 826 224-4 \$9.98, © 826 224-2 no list price.

Performance: Wonderful Recording: Very good

Few pianists ever had as distinct a style as Erroll Garner, and few exerted as much influence. Garner died almost a decade ago, but the style and the whimsey he brought to the piano lives on in the works of many pianists. It lives on the strongest, of course, in Garner's own recordings, which are many, fortunately, and it is always a delight to discover another one.

"Erroll Garner Plays Gershwin and Kern" has just made its first appearance in American record catalogs. It comprises recordings made in New York between 1964 and 1968, all but one of which were released on a European label in 1976. The exception is *Nice Work If You Can Get It*, a spontaneous, one-minute rendition that was not meant to be recorded, much less released. I had almost forgotten how much Garner's music affected me, and I could not have asked for a better reminder. This album is a gem. *C.A.*

DEXTER GORDON: Nights at the Keystone. Dexter Gordon (tenor saxophone); George Cables (piano); Rufus Reid (bass); Eddie Gladden (drums). Sophisticated Lady; Antabus; Easy Living; More Than You Know; and three

Nikko Audio systems and components are available exclusively through Authorized Nikko Audio dealers. CIRCLE NO. 17 ON READER SERVICE CARD others. BLUE NOTE BABB 85112 two discs \$11.98, © 4BAB 85112 two cassettes \$11.98.

Performance: Gordonian Recording: Very good remote

Tenor saxophonist Dexter Gordon first appeared on national bandstands with Lionel Hampton in the Forties. He became a force in bop and influenced such men as John Coltrane and Sonny Rollins in the Fifties, moved on to Europe in the Sixties, and returned home triumphantly in the Seventies. "Nights at the Keystone" is a double album recorded during gigs at San Francisco's Keystone Korner in 1978 and 1979, when Gordon-recorded and heavily promoted by Columbia Records-was finding new American audiences at a rate that seemed to prove the old theory that jazz can be sold if given the proper push.

Superbly assisted by pianist George Cables, bassist Rufus Reid, and drummer Eddie Gladden, Gordon is in fine form as he stretches out on six standards and an original, *Antabus*, named after a Danish cure for the hopeless cigarette addict. There are a few rough spots, but this set is on the whole more satisfying than most of Gordon's recent studio efforts. *C.A.*

CHARLIE PARKER: Charlie Parker at Storyville. Charlie Parker (alto saxophone); Herb Pomeroy (trumpet); Sir Charles Thompson, Red Garland (piano); Jimmy Woode, Bernie Griggs (bass); Kenny Clarke, Roy Haynes (drums). Moose the Mooche; Out of Nowhere; Cool Blues; Groovin' High; Ornithology; and four others. BLUE NOTE ^(M) BT 85108 \$8.98, ^(C) 4BT 85108 \$8.98.

Performance: Good Bird Recording: Good airchecks

Very little live music is broadcast on radio these days, and what we do get is rarely jazz. It was not always that way, however. From the Thirties through the Fifties live broadcasts from jazz clubs were popular among radio listeners, and toward the end of that time the jazz scene was dominated by what may well prove to have been some of the last of the great innovators. One of these was, of course, Charlie Parker, who died in 1955 but was recorded so often that collectors are still finding new material.

"Charlie Parker at Storyville" is a collection of newly uncarthed 1953 broadcasts from the famous Boston club. Parker plays superbly throughout, and the sound quality of the airchecks is remarkably good, especially when one considers the fact that they were made on a Radio Shack tape deck with a homemade amplifier.


Parker is heard with two groups, a quartet with trumpeter Herb Pomeroy, pianist Sir Charles Thompson, bassist Jimmy Woode, and drummer Kenny Clarke, and a Red Garland trio with Roy Haynes on drums. I find the trio tracks more interesting, but that is only because they offer an opportunity to hear Garland's early promise (which he was soon to fulfill with Miles Davis). There is a brief and interesting transcript of a Parker interview on the album jacket, along with notes on the relatively insignificant career of the announcer for these broadcasts. All told, I highly recommend this release. C.A.

BUDDY RICH: Live on King Street. Buddy Rich and His Band (instrumentals). Machine; Best Coast; One O'Ciock Jump; Love for Sale; Norwegian Wood; Mexicali Rose; Cotton Tail: Sophisticated Lady; and eight others. CAFE L3732 three discs, © C2-732 two cassettes, © CD2-732 two CD's no list price.

Performance: Loud Recording: Very good

Buddy Rich's egomaniacal drums certainly propel his loud and brassy band but leave nothing of substance in their wake. Good jazz is spiced with originality and imagination, and on this set the Rich band has neither. It is, at best, a well-oiled, deafening machine that thrashes its way through trite arrangements that seem to have been written for the peanut gallery. C.A.

There's simply no other moving coil cartridge quite like it.



MK440ml Dual Moving MicroCoil[™] Stereo Phono Cartridge with MicroLine[™] Stylus

Start with the precision Dual Moving MicroCoils at the heart of the MK440ml. They are wound from Linear-Crystal Oxygen-Free Copper (LC-OFC) wire. The result is phase coherency and low distortion impossible with ordinary wire. And an unmatched ability to reproduce transients and the highest frequencies with superb clarity.

The MK440ml MicroLine stylus is equally outstanding. Mounted on a tiny beryllium rod, gold plated to reduce resonances. It has the minimum possible scanning radius for perfect tracking, yet an uncommonly long support radius for best tracking. This "contact ridge" maintains its unique shape throughout its useful life. Unlike all other stylus shapes, it exhibits no gradual increase in distortion, record wear, or erosion of frequency response. The Signet MicroLine stylus is indeed the most advanced stylus shape ever created.

The MK440ml is bench-crafted to remarkable standards of precision and uniformity in the finest Signet tradition. Until you've seen and heard this outstanding component, you can only guess how good your records can sound. At your helpful Signet dealer. Write or call today for the one nearest you.

@4701 Hudson Dr., Stow, OH 44224 • (216) 688-9400

CIRCLE NO. 36 ON READER SERVICE CARD

ISAAC STERN-THE LEGEND CONTINUES.

This Spring, CBS Masterworks and Isaac Sterr, Masterworks' first Artust Laureate, offer you two recording milestones.

Celebration — Isaac Sterr. — Life With Music is the definitive Stern retrospective; highlighting more than forly mears of musical gen us. This richly elegant, imported boxed-set features Stem's extraordinary performances as both soloist and chamber musician. Now digitally remixed, remastered and enhanced to perfection by the finest quality European pressings.

Beethoven Sonatas For Piano And Vielin, Volume I (Sonatas 1, 2, 3, 4 & 9 "Krewtzer") is also a recording of major class cal importance. Isaac Stern and his longtime collatorator Eugene Istomin rise to performances of unparalleled virtuosity, reaching a depth of understanding and a sensitivity of interpretation that could only be attained by artists whose experiences of the literature span decaces.

This monumental album, along with Volume II (coming later this year), is sure y the finest digital recording of the complete Beethoven Violin Sonatas available tocay!



CELEBRATCON ISAAC STERN LIFE WITH MUSIC

EXCLUSIVELY ON CBS MASTERWORKS RECORDS AND CASSETTES "Also available or Borpact Lise. "C3S;" "Nasterworks," @ are tracemerks of CBS Inc. @ _.986 CBS Inc. M4 4200

CLASSICAL MUSIC

Discs and tapes reviewed by Robert Ackart Richard Freed David Hall Stoddard Lincoln

BACH: Suites for Orchestra (BWV 1066-1069). Academy of St. Martin-inthe-Fields, Neville Marriner cond. AN-GEL **O** DSB-3979 two discs \$23.98, © 4D2S-3979 two cassettes \$23.98.

Performance: Resplendent Recording: Excellent

If you did not pick up Bach's four Suites for Orchestra during his birthday year just past, get this set now. It is the best recording of any featuring instruments of our time, and Neville Marriner is the rival of any other conductor no matter how modern his forces may be. The overtures are the embodiment of nobility, and the dances are contagious in their rhythmic drive yet full of courtly elegance. This is quite a different kind of performance from the one Marriner recorded earlier for Philips. The tempos are more moderate, and all of the earlier skittishness is gone. The maturity of only a few years has brought poise and balance to his reading. S.L.

BRAHMS: Clarinet Quintet in B Minor, Op. 115. MOZART: Allegro in B-flat Major for Clarinet and Strings (K. Anh. 91/516c). Michele Zukovsky (clarinet); Sequoia String Quartet, NONESUCH @ 79105-1 \$8.98, © 79105-4 \$8.98.

Performance: Mellow Recording: Rich

Approaching the Brahms Clarinet Quintet in a leisurely manner, Michele Zukovsky and the Sequoia String Quartet turn in a mellow reading that savors the ripe beauty of this sensuous work. The sound is lush, and the long lines are beautifully sustained and molded.

Mozart's Allegro in B-flat from an unfinished clarinet quintet is a fragmentary but wonderful work, probably written during his last year. The music is certainly on the same high level as the A Major Clarinet Quintet. The artists are again mellow in their approach, which the work warrants, but their articulation is appropriately crisp. The recording is well worth having for this piece alone. S.L.

D'INDIA: Early Baroque Monodies (see MONTEVERDI)

HANDEL: Organ Concertos, Opp. 4 and 7. Ton Koopman (organ); Amsterdam Baroque Orchestra, Ton Koopman

DORATI'S STRAUSS

NTAL DORATI celebrates his eightieth birthday on April 9, and he says he's retiring. It seems premature for a conductor whose recent activity in both the concert hall and the recording studio suggests he is at the height of his powers, but earlier this season he made what were billed as his farewell appearances with the two American orchestras that benefitted most from his legendary abilities as an "orchestra-builder," the National Symphony in Washington, D.C., and the Detroit Symphony, of which he is currently designated the conductor laureate

Dorati's achievement in Detroit is documented by the recordings he continued to make with the orchestra even after stepping down as its music director in 1981. The recordings are still coming, and the latest, a Richard Strauss coupling taped in November 1983, the same month as his spectacular Bartók *Miraculous Mandarin* (reviewed here last November), is no less stunning. The new release pairs Dorati's own suite from *Der Rosenkavalier* and the "symphonic fantasy" that Strauss himself created from *Die Frau ohne Schatten.*

Both these scores were put together in the mid-Forties. The Rosenkavalier suite is even more opulent than the more familiar one put together at about the same time, more or less anonymously, by Artur Rodzinski. Dorati omits the intimate little waltz from the Letter Scene at the end of Act II, but he includes other material Rodzinski omitted. And Strauss's own Frau ohne Schatten fantasy is as masterly and cohesive a score as the great tone poems he was creating a half-century earlier. Both are obviously stunning showpieces for an orchestra brilliant enough to handle them, and in Dorati's hands the Detroit Symphony tosses them off with the flair one associates with the very top rank of world-class ensembles. Whether or not the orchestra actually sounds like this week in and week out in its sub-

cond. ERATO O NUM 75223 four discs \$32.98, © MCE 75223 three cassettes \$32.98, © ECD 88136 three CD's no list price.

Performance: Exuberant Recording: Fine

If we accept Handel's organ concertos for what they were meant to be, light refreshment between the acts of oratorios, we can see them as masterpieces of their genre. Drawing on material used in his sonatas and orchestral concertos, Handel composed his organ concertos more as anthologies of old favorites scription concerts, what we hear in this recording is sheer glory. As with the

scription concerts, what we hear in this recording is sheer glory. As with the recent Bartók issue, the glory is enhanced no little by recorded sound that is itself of demonstration class, and again the CD is measurably more impressive than the very good LP.

I'm glad to be able to add that this is not Dorati's final Detroit recording. Still to come are some intriguing early Stravinsky—the Symphony in E-flat and the Scherzo fantastique—as well as the later Apollo and Copland's Appalachian Spring. Richard Freed

R. STRAUSS: Der Rosenkavalier, Suite (arr. Dorati); Die Frau ohne Schatten, Symphonic Fantasy. Detroit Symphony Orchestra, Antal Dorati cond. LONDON @ 411 893-1 \$10.98, © 411 893-4 \$10.98, © 411 893-2 no list price.

than as original works. Nonetheless, the music sounds fresh, elegant, and playful as soloist and ensemble toss bits and pieces back and forth, and as smooth melody alternates with spinning sequences and improvisation.

Ton Koopman plays an early nine-

EXPLANATION OF SYMBOLS:

- DIGITAL-MASTER ANALOG LP
- © = STEREO CASSETTE
- DIGITAL COMPACT DISC
- Ø = MONOPHONIC RECORDING

ARE THESE THE WORLD'S BEST-SELLING HEADPHONES?



Over 5,000,000 music lovers worldwide have made our patented Open-Aire® design a legend. Hear the reasons at your Sennheiser dealer.

Sennheiser Electronic Corporation (N.Y.) 48 West 38th Street. New York, N.Y. 10018 • (212) 944-9440 Manufacturing Plant: D-3002 Wedemark, West Germany CIRCLE NO. 54 ON REABER SERVICE CARD

Stylus wear. By the time you hear it, it's too late.

If you haven't replaced your stylus (needle) in the past year, you may be permanently damaging every record you play.

Replacing your stylus is simple (see diagram). And selecting the proper stylus to replace it with is also easy. Make certain it's a genuine Shure stylus.

All Shure styli are designed tc exacting specifications for precise stereo reproduction. And *only* a Shure stylus can restore your Shure cartridge to its original standard of performance. Don't accept substitutes. Protect your records *and* your sound. Get a genuine Shure Replacement Stylus. Soon.



For the name and location of the Shure Stylus replacement center in your area, call toll-free: 1-800-257-4873. In Illinois 1-800-624-8522.

CIRCLE NO. 41 ON READER SERVICE CARD

teenth-century Dutch organ that he feels is similar to the instrument Handel would have used. It fits the bill perfectly, beautifully blending with the early instruments used by the Amsterdam Baroque Orchestra, Koopman and his forces re-create the spirit of the original performances as light refreshments, and the fun and games of the music and its joyful interplay are contagious. When it comes to added ornamentation and improvised movements, Koopman lets his imagination be controlled only by his extensive knowledge of Handelian style, with superb results. These are the most convincing recorded performances of the organ concertos I have heard yet. SL.

HAYDN: Piano Sonatas in E Minor (Hob. XVI:34), B Minor (Hob. XVI: 32), and D Major (Hob. XVI:42); Fantasia in C Major (Hob. XVII:4); Adagio in F Major (Hob. XVII:9). Alfred Brendel (piano). PHILIPS O 412 228-1 \$10.98, O 412 228-4 \$10.98, O 412 228-2 no list price.

Performance: Large-scaled Recording: Vivid

HAYDN: Piano Sonatas in C Major (Hob. XVI:48), C Minor (Hob. XVI:20), and C Major (Hob. XVI:50). András Schiff (piano). DENON © 33C37 7801 no list price.

Performance: Patrician Recording: Excellent

Alfred Brendel's earlier Philips recordings of Haydn sonatas were revelatory in the best sense and they whetted the appetite for more. In the present issue the drama of the big B Minor Sonata (No. 47 in Christa Landon's edition) and the earthy, yet anything but earthbound good humor of the Fantasia in C Major are as striking as the freshness of the more familiar Sonata in E Minor (Landon No. 53). Brendel's large-scaled, intense approach always seems to be derived from the music itself, rather than superimposed on it, except perhaps in the long, opening andante of the D Major Sonata (Landon No. 56), which some listeners may find a tad heavy. It is beautifully set off by the vivacity of the short finale, however, and the whole program is put in the best light by Philips's fine sound, which is very vivid, if occasionally a little brittle at the high end.

Brendel's recording was made in London in March 1984. András Schiff recorded his three Haydn sonatas for Denon in Tokyo in May 1978, when he was twenty-four. One of the first recordings the young Hungarian made outside Budapest, it could easily pass for brand new, not only because the sound of the piano itself is so beautifully reproduced (smoother than Philips's sound for Brendel yet no less vivid) but because the performances exude the purposefulness, insight, and beautiful regard for both phrasing and tone for which Schiff is so admired today, at the ripe age of thirty-two.

Schiff's approach is by no means as intense as Brendel's, but the specifically Haydnesque drama in these three sonatas-as well as the variety in them-is realized to the full. Although all three of Schiff's sonatas can be found in Brendel's earlier Haydn collections, Schiff's cooler, more patrician performances are thoroughly satisfying in their own right. If it were a matter of choosing one or the other and avoiding duplications, I would stay with Brendel, though, simply because I would not want to be without the other works on his two records. But that is a choice I wouldn't want to have to make, and I look forward to more Haydn from Schiff as well as from Brendel. R.F.

KODÁLY: Háry János, Suite; Dances of Galanta. Philharmonia Hungarica. Zoltán Rozsnyai cond. PERPETUA D PR 7005 no list price (from Perpetua Records, P.O. Box 9591, Marina del Rey, CA 90295).

Performance: Poetic Recording: Good

The California-based Perpetua label is a new one to me, but these performances of Kodály favorites under the baton of the Philharmonia Hungarica's founding conductor, Zoltán Rozsnyai, are very fine indeed, particularly with regard to poetic evocation. The music depicting Hungary's legendary boastful soldier is less smart-alecky than usual in this performance, and the set of dances, derived from what Kodály heard in the country town where he attended school as a boy, come off with considerable intensity of feeling.


The recording was made at the Philharmonia Hungarica's home base near Cologne in West Germany. There's a very slight lack of violin body, but the winds and percussion, especially the cymbalom in Hary Janos, are wonderfully vivid. D.H.

MAHLER: Symphony No. 5, in Csharp Minor (see Best of the Month, page 70)

MONTEVERDI: Quel sguardo sdegnosetto; Ohime ch'io cado; Voglio, voglio morire; Voglio di vita uscir; Maladetto sia l'aspetto. D'INDIA: Questo dardo, quest'arco; Amico, hai vinto; Piangono al pianger mio; Misera me! Sia vero; Torna il sereno zefiro; Sfere fermate. Emma Kirkby (soprano); Anthony (chitarrone). NONESUCH O Roolev 79125-1 \$10.98, © 79125-4 \$10.98.

Performance: Exquisite Recording: Splendid


Perhaps the most important innovation of the early Italian Baroque revolution in music was monody, the dramatic solo recitative, which in the hands of Claudio Monteverdi led to the first operas. One of the most popular types of monody in the early seventeenth century was the lament, and this album couples two settings of Olympia's Lament, one by Monteverdi and the other




Pound for Pound the Best Speaker System you can buy!

Powerful new speaker systems for pickups. hatchbacks, sports cars, vans and 4 x 4's. Pound for pound, the most dynamic speaker systems on or off the road.





CIRCLE NO. 35 ON READER SERVICE CARD



The best sound you can hear next to Carnegie Hall.

Toshiba's new CD player makes concert quality sound portable. Yet, hooked up to your stereo system it's a top of the line home CD player. Offering 16 program random memory, 3 beam laser pick up, even In Touch with Tomorrow a wireless remote. Toshiba's XR-P9 is the complete, portable CD player. Outside of

OSHIBA

CIRCLE NO. 57 ON READER SERVICE CARD

a concert hall nothing sounds better.

IIDC	LE ST	EVE
343 CANAL	ST., NEW YOR	K.NY 10013
	LL TOLL-FRI	
	-622-23	
NY, AK, H	call (212) 22	26-7229
WE S	HIP C.	O.D.!
AUOID RECEIVERS	AUDIO REEL TO REEL	AUDID HEADPHONES
AKAI	AKAI 4000T \$229	AKG
AAV301 189 AAV401 239	TEAC A3440 \$1149	K4 \$69 K130 46 K141 59
JVC RX110 \$99 RX220 149	PDRTABLE DISC	K240 79 K340 129 SENNHEISER
RX330 189 RX400 279 RX500 379	PLAYERS	HD40 \$27 HD425 75 HD222 69
NAKAMICHI RX202 \$419	CD5Special \$199 CD7 239 CFD5 369	HD410SL 33 MS100 38
SONY STR AV560 \$259 STR AV760 329	TECHNICS SLXP7 \$209	HD230 89 HD414 51 HD420 56
TECHNICS SA120 \$99 SA150 109	AUDID TURNTABLES	HD430 77 SONY MDRM55 \$45
SA360 182 SA946 204	JVC LAX3 \$59	MDRCD5 66 MDRM77 59 MDR51 35
PIONEER SX50 \$149	LXF4 79 LX11 59 TECHNICS	VIDE0
SXV200 129 SXV300 159 SXV400 219	SL120011 S289 SLBD2 69 SLD500 159	RECORDERS
AUDIO CASSETTES	SLOX200 129 SLJ2 129 SLM2 239	FVH805 \$275 FVH816 323
AIWA ADF450 \$152	AUDIO	PANASONIC PV1340 \$349
ADF550 199 ADF650 265		PV1539 410 PV1545 575 PV9600 899
AKAI HXA201 \$79	P5ED \$42 P10ED 79 AUDID	PK959 749 RCA VLT460 \$389
HXA301 125 HXA401 225 JVC	TECHNICA	VLT470 469 VLP950HF 859
KDV5R \$189 KDV120 79 KDV320B 149	AT122EP 529 AT125LC 33 AT140LC 54	CKC018 449 SHARP VC682 5264
KDV400 195 DDV R9 469 TDW10 94	AT155LC 79 AT140ML 69 AT110E 15	VC683 288 SONY HFR30 \$326
TDW20 139 TEAC	AT112EP 16 ORTOFON OM10 \$29	HFR70 369 SLHF400 469 SLHF600 640
V450 \$109 V800 279 W440 199	OM20 59 OM30 99	SLHF900 930 ZENITH VR2100 \$375
Porta 1 439 TECHNICS	SHURE M104 \$26 M105 39	VR3200 580
RS811 \$125 RSB12 99	ML120HE 79 ML140HE 99 ME96P 19	VIDEO CAMCORDERS
RSB18 111 RSB24 117	V15TypeV 129 V15TypeVMR 159	G.E. 6060 \$1050 HITACHI
RS828 145 RS849 185 RS8100 515	V15HRP 49 VN5HE 69	VT2000A S1160 MAGNAVOX
RS878 249 RS8933 165 RS885 269	VN45MR 52 VN35MR 39 VN91ED 39	8290 \$1150 PANASONIC PV200 \$1175
COMPACT	SONUS PMount or RegMount	SONY MiniCam8 S1299 CCDV8AF 1199
DISC	Silver \$49 Gold 79	BMC550 950 BMC660 999 ZENITH
AKAI CDA7 \$299	AUDIO TAPES	VM6000 \$925 VR6100 1150
JVC XLV200 \$199	MAXELL XLIIC90 \$1.99	VIOED TAPES TOK
XLV300 289 XLV400 285 XLV500 362	XLIIC90S 2.39 XLIIC60 1.59 XLIIC60S 1.79	T120 SONY S4.49
PIONEER PD5010 \$199 PD6010 238	XLIC90 1.89 XLIC90S 2.09 UD3590 4.59	T120 \$3.99 L500 3.79 L750 3.99
PD7010 289 TEAC PD500 \$329	UDXLI3590B6.49 TDK	LA30 5.49 SONY
TECHNICS SLP100 S225 SLP300 249	D60 S.84 D90 .99 SA60 1.19	WALKMAN
SLPJ11 199	SA90 1.59 SAX60 1.69 SAX90 1.99	SRF4 544 SRF5 54 TCD5M 399
PERSONAL COMPUTERS	MA60 2.39 MA90 2.79 MAR60 4.49	TCS450 69 TCS470 105 WMF15 77
ATARI 130XE \$129 10278:000 109	MAR90 5.29 ADX 2.09	WMF17 67 WMF18 69
1027Printer 109 COMMODORE VIC64 \$159	TEAC CDC60 \$1,99 CDC90 2,39	WMF65 102 WMF1011 97 WMF75 103
VIC128 269 803Printer 119 1571DiscDrive229	CRC60 2.19 CRC90 2.49 MDX60 1.89	WMF65 103 WMD6C w/headphones
1802Monitor 199	MDX90 2.69	239 y order, cashiers or

No credit cards. Please remit by money order, cashiers or certified check. Personal checks will be held 3 weeks for bank clearance. We will ship COD (cash or certified check only). Continental U.S. add 5% of order for shipping & hendling (min \$4.00). Shipments by air-double these charges, Prices subject to change without notice. All sales are final. N.Y. Residents must add sales tax, Wholesalecall for details. by Sigismondo d'India. Although D'India never tried anything as ambitious as opera, his monodies are the equal of Monteverdi's, and this pairing is splendidly representative of the two leading masters of the genre.

Emma Kirkby is, without doubt, one of the leading exponents of early music. Her sense of projection is keen, her diction flawless, and her use of vibrato as a controlled means of expression gives her an absolute command of this repertoire in performance. Whether she is singing light dance pieces or tortured monologues of love and hate, the marriage of music and poetry is complete and compelling.

Although the weight of this genre is on the vocal line, with minimal support from a chordal continuo, Anthony Rooley offers that necessary support in a modest but strong manner on a richly voiced chitarrone. S.L.

MOZART: Allegro in B-flat Major (see BRAHMS)

MOZART: Sonata in D Major for Two Pianos (K. 448). SCHUBERT: Fantasia in F Minor for Piano Duet, Op. 103 (D. 940). Murray Perahia, Radu Lupu (piano). CBS O IM 39511, © IMT-39511, no list price

Performance: Elegant Recording: First-rate

Now that Murray Perahia has completed his recordings of the Mozart concertos for solo piano, I've been wondering when he might get around to the double and triple concertos, and with whom. There is a tantalizing hint in the form of this release, for which CBS has been resourceful enough to borrow from London/Decca Radu Lupu, a pianist who is, like Perahia, one of his generation's finest Mozart players, and who is perhaps the most satisfying Schubert player around, period.

Lupu has, of course, already recorded the Mozart Two-Piano Concerto with André Previn on Angel, but that was a long time ago. Now he could do it again with Perahia. In any event, their performance here of the Sonata for Two Pianos will make many listeners hope the concerto will follow. It is surely the most appealing presentation of this work since the classic account by Alfred Brendel and Walter Klien, and it would be welcome even if there were many more recordings of the work competing for our attention.

The same may be said of the Schubert side, an imaginatively chosen darkish foil for the bright-eyed Mozart. I've had my own "dream team" for the Schubert four-hand repertoire—Emanuel Ax and András Schiff—but it's an entirely hypothetical one, and the reality of Perahia and Lupu in the F Minor Fantasia is such stuff as dreams are made on. The sound is absolutely first-rate. R.F.

RILEY: Cadenza on the Night Plain; Sunrise of the Planetary Dream Collector; G Song; Mythic Birds Waltz. Kron-

86 STEREO REVIEW APRIL 1986

os String Quartet. GRAMAVISION **1** 7014-1 two discs \$19.96, © 7014-4 two cassettes \$19.96.

Performance: Joyous Recording: Intimate

Terry Riley was one of the founders of the minimalist style, long before Philip Glass made it fashionable. Since the Sixties, when he wrote such groundbreaking pieces as In C and A Rainbow in Curved Air, Riley's music has grown still more subtle. Cadenza on the Night Plain is an extended work written specifically for the Kronos Quartet. The introduction starts like a performance of Indian music, with what sounds like tuning up, and slyly progresses into the beginning of the piece. Each of the four performers has a solo cadenza that leads into two or three short movements built on those ideas. The music is quiet, contemplative, intimate, and personal in the tradition of string-quartet writing. The structures that Riley builds up layer by layer are intricate, and each element has many levels of relationship to the others. Again, the influence of Indian musical styles is unmistakable.

The Sunrise of the Planetary Dream Collector calls on the performers to select various modules while playing the work so that each performance is a controlled improvisation. In the Mythic Birds Waltz and G Song, Riley uses Indian ideas about rhythm and melody to organize his materials but with Western-style musical gestures.

The Kronos Quartet plays Riley's music as if they had played it all their lives. They have an easy, comfortable approach to these pieces. The individual performers give and take, listening and responding to each other with a familiarity that hides the virtuosity of their playing. The recording is notable for its knife-edged clarity and a sonic ambience that is entirely appropriate to music of this kind. Steve Birchall

ROSSINI: Overtures. Tancredi; L'italiana in Algeri; L'inganno felice; La scala di seta; Il barbiere di Siviglia; Il Signor Bruschino; La cambiale di matrimonio; Il turco in Italia. Orpheus Chamber Orchestra, DEUTSCHE GRAMMOPHON O 415 363-1 \$10.98, © 415 363-4 \$10.98, © 415 363-2 no list price.

Performance: Smartly done Recording: Excellent

The twenty-six member New Yorkbased Orpheus Chamber Orchestra has put together a delightful collection of both familiar and unfamiliar Rossini overtures, using the original scoring rather than the expanded orchestrations provided for late-nineteenth-century symphonic ensembles. The use of Rossini's original piccolo scoring in L'italiana in Algeri instead of the heretoforestandard flute, for example, adds piquancy and wit to the music. Knowing how Toscanini used to sweat his NBC Symphony players in rehearsals of the Rossini overtures, I can only say that the precision and sparkle achieved in

Where to buy Polk Speakers

Where to buy the second second

arter - Leonardo aprings complex Audo -Desteino: Soudine - Mittel Committa - Netton: Soudine - Mittel Committa - Netton: Soudine - Sannar - Audo Sectum -Bos Raten: Lao Veto - De aneater, Pyamo Hom: Seno Galack: Sereogram - R Laudersale: Audo Insynt Capi Veto - FL Merris: Seno Galack: Sereogram - Sec Hart: Seno Galack: Sereogram - Merris: Seno Galack: Sereogram - Sateta - Marchaetter, Holl - Mittel - Seno Homes - Homes - Seno Flank, Audo International - Galacet Hart: Seno Galacet, Hole - Hart: Seno Galacet, Hole - Hart: Seno Galacet, Hole - Mittel - Seno Chap - Chapter - Sateta - Sateta - Seno Chapter, Seno Vitage - Marchaetter, Seno Vitage - Marchaetter, Seno Vitage - Marchaetter, Seno Vitage - Marchaetter, Seno Vitage - Marchaetter, Seno Vitage - Marchaetter, Seno Vitage - Marchaetter, Seno Vitage - Seno Vitage -Server 19, "Several minist", Nucleo Walker Obe-Werklin Honoruck Several Skotter HUHAI Honoruck Several Skotter Kull Kotter Katter Green Pools - Konstal Later Kormed Audo Vado - Defaulte Autor Skotter Hander Vado - Defaulte Autor Mark Horman Etates: Smoy Sees - Highiane Part, Durum Jando Vado - Nett, Porspect Smoy Seeso -Norman Genn Pools - Kortharosc Aués Der Hord Steso - Pools - Kortharosc Aués De Hort Steso - Pools - Kortharosc Aués De Historia - Spring Hall Suboom De - Stern Ing Modes IN - Verson Hills - Mass Dealere Seeso - Love Pools - Kortharo - Vastegant Bando Hall - Stern Pools - Kortharo Course Seria - Netter Pools - Kortharo - Vastegant Woldwa Honorabene - Honor Honorace - Stern Scotter Woldwa Honorabene - Honora Honorace - Honora Honorace - Stern - Landon - Stern - Honorace - Honorace - Honorace - Woldwa Honorabene - Honora Honorace - Honorace - Honorace - Honorace - Honorace - Honorace - Honorace Honorace - Honorace - Honorace - Honorace - Honorace - Honorace Honorace - Honora

Series Villa and mennents in Alwegen, has Depare State Store Bestmans HOWAK Bloomington: house Extransis HOWAK Bloomington: house Extransis Burn - Indian V Scherb Russenand Hend Flass-Same - Terra Burn - Kense Head Flasso Same - Same - Kense Head Flasso Same Head Flasso Same - Kense Head Flasso Same - Kense Head Flasso Same Head Flasso Same - Kense Head Flasso Same Head Flasso Same - Kense Head Flasso Same Head Flasso Same Head Flasso Same Head Flasso Same He

MARYLAND Annapolis: Spaceways Sound + Bal-bmore: Soundscape + Frederick: Evergreen Audio + Bochville: Myer Emco

AASSACHUSETTS Glowcester: Guos Samoul -N. Dartmonth: Gname Sand Systems - Wait han (Bastion): Kalman Carres & Steeto -Worcester: Di Cons MUCHGRA Ana Andra Motole Sound - Bir-mingham, Arrus Hi Fi - Darabom: Anas Hi Fi -East La naing Sereo Shoge - Farining Jan Hills, Amas In Fi - Grand Rapidir: Sound Room-Hills, Jangs In Fi - Grand Rapidir: Sound Room-Hills, Jangs In Fi - Grand Rapidir: Sound Room-Room 2014 - North Sound - Samar, Auto Shope - Netosagn - Net seming Room - Traverse Chry, Semi Same

Shope Claud lived Listining Room - Traverse Chry Sien Schultz, Sound Shop -Broeking Canter, Audio King - Burnsvillet, Audio King - Ostroit Lakes, Sound Shop - Duristin, Nels Nir & Audo - Edina, Audo King - Manifolia Sound Wold - Minnespolits, Audo King - Min-netionia; Audo King - Rachestar: Sound Wold -Rosevrille, Audo King

Roseville, Audio King NEW JERSEY East Brunswick: Aluanic Stereo -Frankfin Laines: Frankin Laies Stereo - Mapte Shade: Bryn Mawr Stereo - Montclaitr, Peroue Radio - Rantian, AC Audio & Vidto - Ridgewood Sound ing Board - Strewburg: Monnoh Stereo - Toms River: Rands: Canera - West Caldwell, Peroue Radi Cheming Rections - Fredhan Studio Der - Glass Anter Aufo Greisen - Hontington - Kulo Braathoungh - Ithace - Cheming Bectonics -Jamestrom - Studio Der Hanhaltzet - Kulo Deat Ven Diry - Auto Braathough Estimone - Workston-Rochsster - 83 Sond - Scanstell - Steinen Room Strässure: Cam Nuise - Vestal - har Seero Morth CARQLINA Annerfle Mir Sad Seero Ven Diry - Kalle Braathough - Standard - Jakas Seeto Sund - Winnington - Schnaden Rections Setter Sund - Winnington - Schnaden Rections - Winston Salem Stein - Sond OHIO Cleveland - Addi Carl - Encinanal, Seero Lab - Columbus Stein Lab - Dyron Mico Convolor: Carl - Ratinen - Kulo - Henritz Henrich - Kall Carl - Inclinanal, Seero Lab - Columbus Stein Lab - Dyron Mico Convolor: Carl - Ratinen - Addi Carl - Bacting Henritz - Hand Carl - Inclinanal, Seero Lab - Columbus Stein Lab - Dyron Mico Convolor: Carl - Ratinen - Addi Carl - Bacting Henritz - Hand Carl - Hondring Lab - Merging Henritz - Hand Carl - Hondring Lab - Merging Henritz - Hand Carl - Hondring - Super-Sons - Westler - Kono Carl OREGOR Bearerton, Stero Super- Super- Super-Chardton - Hand Carl - Hondring - Super-Chardton - Hand Carl - Hondring - Super-Backston - Hand Carl - Hondring - Super-Backston - Hand Carl - Hondring - Super-Backston - Hand Carl - Hondring - Super-Henritz - Super-Chardton - Hand Carl - Hondring - Super-Hand - Super-Lab - Columbus - Super-Henritz - Super-Super-- Super-- Super--

Counter - Prindletion Road Moois Soud - Part-liand: Sime Sciences, Blank Moois Soud - Part-Monea: Soud Concess - Blank + Niel Rectinocs, - Bryn Maer Bryn Maer Seren - Camp Hill Bryn Maer Seren - Fridman, Soud Conceps - Janitations Benkaler Gor Joseph Hand Rectors, - Janitations Benkaler Gor Joseph Hand Rectors, - Janitations Benkaler Gor Joseph Hand Rectors, - Janitations Maer Steine - Rectors - Martinetons, -Partice Internation Mergins Simon Land Maer Steine - Calabertown Rhvin Keis Seren Milleanport: Robert Min Scies - Winderer, Po Audo Joseph Steine Sciences, Politikary Bartineto, -Martineto, - Recent Milleanport: Robert Mers Seren - Martineto, - Steiner Science, Steine Song, - Williamport: Robert Milleanport: Robert Milleanport:

Autor TEXAS Austin: Audo One + Beaumont, Brox, Audo - College Station, Audo Vice - Datas, Annot A Morgan - E Passe Soundoust - Deterston: Station Audo - Gartanet Annot & Morgan - Houston: Steffend Audo - Lompherer Audo Biomoust -Lubbodt: Utile Restoarts - Odassi: Nanod Elec-Isons- San Angels: Wilder Audo - Henpier Audo Neth-I Santanet, Sound Boart - Waco, Audo Neth-Neth-I Santanet, Sound Boart - Waco, Audo Nethch - Texarka lichtta Faits

for other states, contact Polk or use reader service card



ing Board - Shrewsbury: Monnouth Stereo - Toms River, Rands Earlea - West Caldwell, Protoe Rado NEW YORK Abary: Clark Mouse - Batavia; Umcon Audo - Corning: Dremung Bectromos - Eimire Dremung Bectromos - Fredoniai Studio One - Glans Falls: Audo Geness - Huntington: Audo



these conductorless performances is altogether remarkable. The recording is a joy to the ear-bright, clean, and fullbodied, including the percussion that comes into play in the bigger pieces, most notably Il turco in Italia. The CD can be recommended without reserva-DHtion.

SCHUBERT: Fantasia in F Minor, Op. 103 (see MOZART)

SCHUBERT: Lieder. Jessye Norman (soprano); Phillip Moll (piano). PHILIPS • 412 623-1 \$10.98, © 412 623-4 \$10.98, @ 412 623-2 no list price.


Performance: Powerful Recording: Likewise

In the first year or so of the CD format. nobody questioned the idea of putting the thirty-three mintues of Also sprach Zarathustra or The Rite of Spring on one of the expensive new discs. Now, however, a little more thought is given to filling CD's nearer to their seventyfour-minute capacity, and the mere forty-two and a half minutes of this Schubert recital might be thought shortweight, I doubt that anyone would feel that way after actually listening to it, though, for Jessye Norman's extremely dramatic approach reaches such peaks of intensity that one is likely to feel quite wrung out-and for the most part happily so.

One of the twelve songs here, Der Zwerg, was on Norman's now deleted record of Schubert and Mahler songs on Philips; it is much more forceful in the new performance, and I imagine some may find it overdrawn. In that song, and in Auflösung and Erlkönig, Norman seems in a sense driven by her own apparently limitless power and energy-driven occasionally to the point of exaggeration. It is exciting, it is impressive, it is very much alive-and it's a little exhausting. It is also, given the character of the approach, genuinely beautiful singing.

In a live recital, the overemphatic characterizations might create more exhilaration, and some of that does come through in the recording as well. Die Allmacht, of course, demands the grand declamatory style, and the grandeur of Norman's performance does not thin out on repeated hearing. Indeed, all of the songs that are more concerned with evoking a mood than telling a story are exquisitely realized here, and Phillip Moll's contribution as accompanist cannot be too highly praised-not only for its own fine Schubertian spirit but for the sense of give-and-take spontaneity that builds through every one of the songs. This sense of involvement, after all, is what touches the listener too, and how much more satisfying to be involved than merely to admire. The recorded sound conveys the vividness and power of the performances with stunning realism. R.F.

VERDI: Un ballo in maschera (see Best of the Month, page 69)



You'll find the most helpful shopping information in the Crutchfield catalog.

FREE Stereo & Video Catalog

Looking for honest answers to your car and home stereo, telephone, and video shopping questions? For 12 years, millions of people have referred to the unique Crutchfield catalog before making a consumer electronics purchase. That's because its in-depth articles, installation charts, technical tips, detailed product features and specifications are the most helpful.

And save money too! Plus, the 108-page Crutchfield catalog offers you hundreds of quality, name-brand products at the lowest discount prices from dozens of manufacturers like Sony, Pioneer, Jensen, Clarion, A/R, Sherwood, Infinity, EPI, Akai, Teac, Advent, Concord, IVC and Canon.



CIRCLE NO. 71 ON READER SERVICE CARD

PRO-FORMANCE COUNTS!



NEW **PRO-SYSTEM** ONE

SEPARATES OR SYSTEMS? Soundcraftsmen is the only

and the man of the

manufacturer to give you a choice of Protessional quality 19-inch rack mount Separates, a moderately priced high pow-ered System, or a convenient and f exible stack of Separates to match or mix with your present components...

SYSTEM ONE FEATURES

our new PM840 410-watt Power Mosfet amplitier at only 499 dollars, with matching tuner and preamplifier, the total system just over 1,000 dollars at retail!

OUR 19 INCH RACK-MOUNT

OUR 19 INCH RACK-MOUNT Professional separates give you a clear choice of the finest American quality separate components, to add to your present system, or to start a new system 410-watt amplifiers from 449 dollars, to our 1,399 dollar PM1600, incredibly powerful at 900 watts RMS per channel into 2 ohms, and over 3,000 watts of instantanecus peak reserve power into 2 ohms! The PM840 provides 205 WPC @ 8 ohms, 20 Hz to 20 kHz, less than 0.05 percent THD, and over 1600 watts instantaneous peak reserve power into 2 ohms!

You MUST see and HEAR this rib cage-rattling superb aucio sys-tem, to know how great your music cam sound when played through Professional components...Ask your nearest dealer for a CD demonstration on a Soundcraftsmen system, for a full reali-zation of CD's tremendous Dynamic Range and its outstanding contribution to a new dimension in Stereo listening enjoyment.

16-PAGE FULL-COLOR BROCHURE, Test Record, 2-sets of Computone Charts, 1-Corrector Cable for comparison test, 1-instruction folder for use with your present stereo system. JUST WRITE TO US OR CIRCLE READER SERVICE CARD 4 for FREE SPECIAL OFFER DETAILS. CIRCLE NO. 4 ON READER SERVICE CARD

Soundcraitsmen Inc., 2200 SO. Ritchey, Santa Ana CA 92705 PH: 714-556-6091



America's Performance-Value Leader in Stereo Component Separates...



VERDI: Don Carlos. Placido Domingo (tenor), Don Carlos; Katia Ricciarelli (soprano), Elisabeth; Lucia Valentini-Terrani (mezzo-soprano), Eboli; Ruggero Raimondi (bass), Philippe II; Leo Nucci (baritone), Rodrigue; Nicolai Ghiaurov (bass), Grand Inquisiteur; Ann Murray (soprano), Thibault; others. Chorus and Orchestra of La Scala, Milan. Claudio Abbado cond. DEUTSCHE GRAMMOPHON @ 415 316-1 five discs \$49.90, @415 316-4 three cassettes \$49.90, @ 415 316-2 no list price.

Performance: Disappointing Recording: Glorious

This long-awaited recording of what is perhaps Verdi's grandest score is the first to use the original French-language version of the work as it was performed at the Paris Opéra in 1867. As is generally known, Verdi put Don Carlos through several changes, but the version recorded here is the one he settled on as definitive. The music he excisedincluding a long section set at Fontainebleau, a fifteen-minute ballet, and a sixteen-minute scene between Elisabeth and Eboli-is offered as an appendix to the principal recording, so that we can at last comprehend the scope of Verdi's vast canvas and appreciate his self-critical powers in shaping the opera we know today.

The large cast of soloists, the chorus, and the orchestra are superbly integrated by Claudio Abbado, who is thoroughly acquainted with the opera through a series of productions he has conducted over a period of seventeen years. His reading of the work, the orchestral sonorities, the choral precision, the sheer amplitude of sound when required, and the recording itself are all thrilling.

Why, then, is the performance "disappointing"? In the first place, the text is frequently unintelligible. The singers' pronunciation is "off," sometimes even downright poor. Here is French sung by Italianate singers, and the result is lacking in dramatic bite.

Second, the individual performances are not what the stellar casting promises. Placido Domingo sings without the nuance or involvement of his earlier performance recorded with Carlo Maria Giulini on Angel, Katia Ricciarelli does some lovely pianissimo singing, but she does not achieve musical climaxes without loss of vocal quality, and her interpretation is too small ("pinched"?) for the grandeur of the role. Lucia Valentini-Terrani, happier with the earlier sections of Eboli's music, is wanting in both range and intensity for the later dramatic passages, particularly her "O, don fatale."

Leo Nucci, a baritone I generally

admire as both singer and dramatic interpreter, does not have the suavity and smoothness of musical line requisite to Rodrigue. If Ruggero Raimondi's voice now lacks the velvet of his earlier performance as Philippe, he has nonetheless grown in the part.

The Giulini recording, now nearly fifteen years old, is musically and dramatically more satisfying. The present set is superior in terms of recorded sound, however, and it is important in that we can hear the opera given as it was at its world première. R.A.

VIVALDI: The Four Seasons. Itzhak Perlman (violin); Israel Philharmonic Orchestra, Itzhak Perlman cond. AN-GEL O DS-38123 \$11.98, © 4DS-38123 \$11.98.

Performance: Stunning Recording: Tops

There is no sense in releasing yet another recording of Vivaldi's *The Four Seasons* unless it tops its predecessors. Itzhak Perlman's reading with the Israel Philharmonic does! The playing is perfection itself, and the piece comes off very well, as it always has, on modern instruments—though the sonorities are quite different, of course, from those of early instruments. It's the same old story. The instruments do not make the music; performers do. *S.L.*

Want more product information?

Whenever a product advertised in Stereo Review sounds interesting, turn up the volume!

Use our FREE INFORMATION SERVICE to get the detailed facts and figures you need to make sound purchasing decisions.

Manufacturers are only too glad to send you their literature...free and without obligation.

Just make a note of the Reader Service Number at the bottom of an ad, and circle that number on one of the FREE INFOR-MATION SERVICE cards facing this page. Fill in your name and address and drop the card in the mail. No postage necessary.

THE NEXT TIME AN AD TURNS YOU ON, TURN TO A

FREE INFORMATION CARD!



CIRCLE NO. 64 ON READER SERVICE CARD



IDEO REVIEWS

Discs and tapes reviewed by Chris Albertson Louis Meredith Alanna Nash

BRYAN ADAMS: Reckless. Bryan Adams (vocals, guitar); vocal and instrumental accompaniment. This Time; Summer of '69; Somebody; Kids Wanna Rock; Heaven; Run to You. PIONEER PA-85-115 LaserDisc \$16.95.

Performance: Excellent Recording: Excellent

Singer-guitarist Bryan Adams is Canada's answer to Bruce Springsteen, and while he doesn't stir up the same hysteria, I suspect that's because he's been built up with less hype. If he keeps turning out such high-quality albums as "Cuts Like a Knife" and "Reckless," the future looks bright for him. Of course, it never hurts to have a good video out too, and Adams has six of them, all rolled into a neat twenty-sixminute LaserDisc bearing the "Reckless" title. Five of the tracks are from that album, the sixth, This Time, from "Cuts Like a Knife." Here they have been linked to form an apparently autobiographical plot, which is open to several interpretations. In contrast to so many videos that seem to have little bearing on anything but the director's ego or hangups, this miniature film, shot in Vancouver, London, and Los Angeles with a screen-credited cast of nineteen, actually has a story line that relates to the lyrics. The songs by Adams and Jim Vallance are just fine, and so are the musical production, in the hands of Adams and Bob Clearmountain, and the imaginative staging by Steven Barron. In all, this video package is one of the best I've seen in a long time. CA

BERLIN. Berlin (vocals and instrumentals). No More Words; The Metro; Dancing in Berlin; Sex (I'm a . . .); Now It's My Turn. PIONEER PA-85-122 LaserDisc \$16.95.

Performance: For the eyes Recording: Very good

Berlin is a group without character. Its sound follows a highly synthesized formula of repetitious melodic patterns over smooth, bubbly rhythm—the kind of thing that sold the Village People to the glitter people in the past decade. Sure enough, Giorgio Moroder had a hand in shaping Berlin, and you can hear his work on this Pioneer LaserDisc featuring five of the group's videos in the standard-play format. Okay, so the sound is manufactured, but you can certainly dance to it, and some excellent



"ACROSS A CROWDED ROOM"

R ICHARD THOMPSON, heretofore one of rock-and-roll's best-kept secrets (well, let's say a highly regarded cult figure), is not the most flamboyant of performers. Consequently, even a fan might be permitted a certain skepticism about an eightyfour-minute concert video by him. Flamboyant or not, though, Thompson's "Across a Crowded Room" is one of the most riveting concert videos I've seen since "A Night with Lou Reed" (reviewed here in January).

Filmed in Canada during Thompson's tour in support of his album of the same name, "Across a Crowded Room" is fluidly, even elegantly shot. Within the confines of a small stage, director Larry Jordan achieves something like the graceful camera moves Martin Scorsese got in The Last Waltz. The music, moreover, is light years beyond superb. My colleague Steve Simels once described Thompson as a "sixteenth-century Jeff Beck," and some of his solos do indeed suggest such a strange amalgam. But there's another, even wilder side to the man's art, one that might put you more in mind of a Delta blues singer from Lebanon. On songs here like Shoot Out the Lights or When the Spell Is Broken, the emotional intensity of the singing and the metallic, stingingly modal, almost Middle Eastern guitar solos can be quite overwhelming.

The songs themselves run the gamut from the most suicidally depressing you've ever heard—*Withered and Died* makes *Gloomy Sunday* sound like a Christmas carol—to others that are melodically lovely or wryly funny, sometimes both at the same time (*Near-ly in Love*). But they're always gracefully poetic and inspiringly honest, and as performed here by what is clearly the most sympathetic back-up band that Thompson has ever had, they constitute one of the classiest career resumés that has ever been served up to the homevideo market.

All in all, this is a splendid set, and the hi-fi audio tracks, produced by the semi-legendary Al Kooper, will knock your socks off if you have the equipment to play them. Considering that there's no live audio album of the Richard Thompson Band currently available, you'd be crazy if you didn't grab "Across a Crowded Room" at the earliest opportunity. Louis Meredith

RICHARD THOMPSON: Across a Crowded Room. Richard Thompson (vocals, guitar); Clive Gregson (vocals, guitar); Raurie McFarlane (bass); Christine Collister (vocals, acoustic guitar); Gerry Conway (drums). Fire in the Engine Room; She Twists the Knife; Shoot Out the Lights; You Don't Say; Wall of Death; Little Blue Number; When the Spell Is Broken; Did She Jump or Was She Pushed; Wrong Heartbeat; Summer Rain; For Shame of Doing Wrong; Bright Lights Tonight; Nearly in Love; Love in a Faithless Country; Ain't Gonna Drag My Feet No More; Tear Stained Letter; Living with a Skull and Cross Bone; Withered and Died. SONY 96W50088 VHS Hi-Fi \$29.95, 96W00087 Beta Hi-Fi \$29.95.

OLYGRAM

cinematography and editing turn selections like *The Metro* and *Sex (I'm* $a \dots$) into visual delights. With only twenty-two minutes of playing time, this twelve-inch disc offers little more than one of Pioneer's eight-inchers, but it only costs a few dollars more. *C.A.*

JULIAN LENNON: Stand By Me. Julian Lennon (vocals, keyboards); other musicians. MCA 80276 VHS Hi-Fi and Beta Hi-Fi \$29.95.

Performance: Unexceptional Recording: Very good

Life-on-the-road documentaries tend to be pretty much the same no matter who the artist on the road is, and "Stand By Me," a look at the first American tour by Julian Lennon, proves to be no exception. We get the usual backstage clowning around, the usual interviews with adoring fans, the usual indifferently shot concert performances, and the usual meant-to-be-penetrating interviews with the artist.

On the basis of what's here, young Lennon seems to be a fairly levelheaded, ihtelligent young man, but, like his music at this stage, he doesn't project much in the way of a personality, and he's clearly a tyro as a performer. The sound, however, is excellent, and if you're an aging John Lennon fan like me, you'll probably take "Stand By Me" on its own secondhand terms. But it is hardly a "monumental occasion," as one of the fans interviewed here calls it. In fact, with the exception of a heartfelt version of the title song, a number identified with his dad that concludes the program, this is one of the blander videos of the year. L.M.

FRANK SINATRA: Portrait of an Album. Frank Sinatra (vocals); orchestra, Quincy Jones cond. Until the Real Thing Comes Along; After You're Gone; Stormy Weather; Teach Me Tonight; L.A. Is My Lady; and six others. MGM/ UA MV 400648 VHS Hi-Fi \$39.95, MB 400648 Beta Hi-Fi \$39.95, ML-100648 LaserDisc \$34.95

Performance: In the pocket Recording: Excellent

"Portrait of an Album" is both a promotional tool and a semi-documentary of the making of Ol' Blue Eyes' recent album "L.A. Is My Lady." I say "semidocumentary" because the video was produced by Quincy Jones, who produced and arranged the record album and is both the main musical focus of the video other than Sinatra and the main interview subject.

Now, Jones could hardly be considered unbiased, nor would he ever have included anything here that would compromise his position with Sinatra. The thing gets downright gushy in a lot of places, particularly in the interview segments, where lyricists Alan and Marilyn Bergman, engineer Phil Ramone, and even Michael Jackson blather their heads off about how terrific Frank is, about his "aura," and about the "heat" he generates.

Musically, of course, this is a royal treat. Sinatra's voice is still limber and expressive, although some of the old elasticity is gone, especially on the top. But then you couldn't get Frank Sinatra. Lionel Hampton, George Benson, Frank Foster, and the like together in a room and not have great music come out, especially with songs like Teach Me Tonight, Stormy Weather, and L.A. Is My Lady, on all of which Sinatra almost seems to fuse with the music, making the songs not only personal but intimate. And it's fun to watch him work out the details of the recording with Jones, even if they've probably staged it. The program could do without so many electronic gimmicks, though.

I suppose in the final analysis the merit of such a video rests on how many times you can stand to look at it. Sinatra fans will, I'm sure, give it power rotation. And anyone who wants to know more about the man behind the voice—and the man behind the legend—will want to give it heavy scrutiny indeed. A.N.

SAVE MONEY . TIME . FREIGHT ON NAME BRAND STEREO

COMPONENTS

AKAI GXR-66B AUTO-REV. DOLBY B,C & dbx CASS. DK. \$2 AKAI GX-R70B NEW AUTO-REV, DOLBY B.C. & dbx CASS, DK. KENWOOD KVR-A70RB (55x2) AUDIO-VIDEO RCVR W/REMOTE. SHARP TR-320S AUTO-REV., DOLBY B&C, 1-TOUCH REC. ADC SS-415X 12BD PER CH. EQ. W/COMPUTER MEMORY SANSUI DW-10 SANSUI'S BEST DOUBLE CASSETTE DECK SANSUI SX-1130 NEW! TOP RECEIVER W/AM STEREO TEAC EQA-20B 10BD. PER CH. EQ. W.SPECTRUM ANALYZER . TEAC V-360C DOLBY B&C SOFT TOUCH CASS DK. TEAC V-750 New PROGRAMMABLE CASS. DK w/DOLBY B & C TEAC R-888X AUTO-REV. CASS. W/DOLBY B, C & dbx TEAC V-450X DOLBY B. C & dbx CASS, w/SOFT TOUCH CONTROL. JENSEN 1230 12" 3-WAY (EACH) TECHNICS SA-460 (50x2) TV, AM, FM STEREO RECEIVER TECHNICS RSB-33W 'NEW' DOLBY B, C, AND dbx dubbing CASS. . TECHNICS SL-J3 QUARTZ PROG. LINEAR TURNTABLE TECHNICS RSB-78R AUTO-REV. DOLBY B,C, & dbx CASS.DK TECHNICS RS-B11W 2-SPD, DBL CASS. W/AUTO TAPE SELECT ... 1 SONY We Have a Complete Selection of SONY Products

PORTABLES

SONY WM-F75 NEW! AM-FM SPORTS WALKMAN CASS. 99. SONY CFS-W600 3-PC. DUBBING CASS. W/EQUALIZER 187. SONY CFD-5 AM-FM; DOLBY B CASS. W/AUTO-REV. & CD PLAYER . CA JVC PCW-88JBK 3-PIECE PORT. SYSTEM W/dubbing CASS. 178.

AUTOMOTIVE

 SONY ES-R10 DIGITAL CASS W/AUTO-REV. & FADER
 149.9

 JENSEN RE-980 AM-FM DIGITAL CASSETTE
 169.0

 JENSEN J-3033 6x9 TRIAX SPEAKERS (PAIR)
 75.0

 SANYO FTE-D6 FOR GM, FORD & CHRYSLER, DIN-COMPATIBLE
 129.9

 SANYO FTU-52 AM/FM CASS. W/DOLEY B&C. METAL CAPABLE
 109.5

VIDEO RECORDER

	TIDEO AECOADEA
209.95	SANYO VCR-7500 BETA STEREO HI-FI W/MTS & REMOTE \$400.00
CALL	SANYO VCR-7250 SUPER BETA HI-FI W/WIRELESS REMOTE 349.95
CALL	HEADPHONES
79.00	KOSS PRO 4X PLUS NEW, IMPROVED! DIGITAL READY
255.00	SONY MDR-M-77 NEW SONY MONITOR HEADPHONES. 59.95
CALL	SENNHEISER HD-414SL OPEN AIR, LIGHT WEIGHT 45.00
CALL	
85.00	
70.00	BASE CRE II-90 NEW CHROMDIOXID EXTRA II
CALL	SONY UCXS-90 HIGH BIAS CASSETTE 18.00/10
CALL	TDK SA-90 SUPER AVILYN CASSETTE TAPE
CALL	TDK SAX-90 DOUBLE COATED 'SA' TYPE CASSETTE
79.95	TDK D-90 LOW NOISE CASSETTE TAPE
199.00	FUJI M-90 METAL CASSETTE. 30.00/10
189.00	MAXELL XL 'S' 90 TYPE I OR II (PLEASE SPECIFY)
149.95	MAXELL MX-90 METAL CASSETTES
CALL	MAXELL XL-90 TYPE I OR TYPE II (PLEASE SPECIFY)
129.95	CARTRIDGES
CALL	SHURE V-15 TYPE 5 MR
	SHURE V-15 VP TYPE 5 "P" MOUNT. CALL
99.95	AUDIO-TECHNICA AT-152MLP REGULAR OR "P" MOUNT
187.00	AUDIO-TECHNICA AT-122EP "P" MOUNT
CALL	COMPACT DISC PLAYERS
178.00	AKAI CD-A7TB 3-BEAM LASER, WIRELESS REMOTE, PROG 299.95
	TECHNICS SL-P100 NEW PROGRAMMABLE CALL
149.95	TECHNICS SL-P300 NEW PROGRAMMABLE CD PLAYER W/REMOTE CALL
169.00	SONY D-5 SPECIAL W/CARRYING CASE AND HEADPHONE. CALL
75.00	10 OTHER BRANDS IN STOCK NOW CALL
129.95	
109.95	SEE A BETTER PRICE? CALL US! WE WANT YOUR BUSINESS!!
09.30	UPS rates apply on these units. Prices and Avallability Subject to Change
	— send for free price list —
	Name
1	Address

		MasterCard	— sena roi	rifee price list —	
liuor	audio		Name		
E. Delaware Pl.	, Chicago 60611		Address		-
Hours:	TOLL FREE	VISA	City		-
10:00-5:00	1-800-621-8042		State	Zip	-
Mon. thru Sat. Orders & Quotes			or use your address label		

Phone Now 1-312-664-0020 Price Lists & Quotes

CAMERA STERCO OF MAINE Call Toll Free anywhere in continental USA & Hawali, Virgin Islands and Puerto Raco. Call for shipping & handling charges. Ask about C.O.D. orders. Money orders accepted. Allow 4 weeks clearance on personal checka. VISA/MasterCard • American Express • Diners Club. CIRCLE NO. 30 ON READER SERVICE CARD	Vest Jerichio Tpk. I45-65 Rockaway Tpk, orders to: vew YorkL, New York 50 Inip Drive, -496-2235 \$16-371-1320 Inwood, New York 11696 516-371-2800
AKAA AA-V401 25995 • 80 watts per channel • 0uartz lock digital tuning • 0uc Rx-3008 (50 wattis) 299.95	CARTRIDGES NEW Disc Players Dofon Model 5995 Quercy response 20tc 20.000 Model 5995 Size Player 22995 Disc Player 22995 Disc Player 22995 Disc Player 22995 Disc Player 2995 Disc Player
Panasonic AG-100 Call Olympus 4X-402 Call Olympus 4X-402 Call Olympus 4X-402 Call Colar CLP-200 Call Call for the lowest possible prices. Call for Call for the lowest possible prices. Call for Call for the lowest possible prices. Call for Call for the lowest possible prices. Call for Person Call Call for the lowest possible prices. Call for Person Call for the lowest possible prices. Call for Call for the lowest possible prices. Call for Person Call for the lowest possible prices. Call for Call for the lowest possible prices. Call for Post For Call Call for the lowest possible prices. Call for Call for the lowest possible prices. Call for Post For Call Call for the lowest possible prices. Call for Call for the lowest possible prices. Cal	Call HFD-150 239.95 669.55 889.65 889.55 619.95 7P 189.55 189.55 189.95 189.55 189.95 189.55 189.95 189.55 189.95 189.55 189.95 189.55 189.95 189.55 189.95 189.55 189.95 189.55 189.55 189.55 189.55 189.55 189.55 189.55 189.55 189.55 189.55 189.55 189.55 189.55 189.55 189.55 189.55 199.55 189.55 199.55 189.55 199.55 189.55 199.55 189.55 199.55 189.55 199.55 189.55 199.55 189.55 199.55 189.55 199.55 199.57 199.55 199.57 199.55 199.57 199.55 199.57 199.55 199.57 199.55 199.57 199.55 199.57 199.55 199.57 199.55 199.57
Bel 864	ONEER + \$SONY ORD + PANASONIC MARANTZ - MITSUBISKI CALL FOR LOWEST PRICES CAR STEREOS Iby® 15995 SONY CAR STEREO • Separate bass & trebla • 10 weits • Saga95 • Orgitel Scan • Separate bass & trebla • Streeos • Digitel Scan • Separate bass & trebla • Saga95 • Auto reverse • Streeos • Separate bass & trebla • Base of the secon LCD quartz • Separate bass & trebla • Streeos • Separate bass & trebla • Saga95 • Auto reverse • Auto reverse • Separate bass & trebla • Base of the secon LCD quartz • Am-FM CAR STEREOS • ATZ-300 • Arto-reverse • Diby* noise reduction. programmable tape. Infto texe scan. LCD quartz • AM-FM CAR STEREOS • ATZ-200 199.95 • Arto-secon LSP Secon 189.95 • ATZ-300 189.95 • Case con 199.95 RE-960 189.95 • Case con 199.95 RE-900 189.95 • Case of the secon 199.95 RE-900 159.95 • Case of the secon 199.95 RE-900 159.95

clean and unscratched, and blank warranty card. On not tape, or delace manufacturers' orginal cardons. Shipping and hanching charges not refundable. Pictures are for illustration only, and do represent the product exactly as shown, Rainchecks available upon request. Please call and reserve your purchases if you plan to pick up at store. Quantities are limited and subject to availability

STEREO REVIEW CLASSIFIED

EQUIPMENT



FREE CATALOG-LOWEST DISCOUNT PRICES on Stereo/esoteric components and accessories for the home and car: Sony, Bose, JVC, AR, SAE, other "high quality" brands. AUDIO UNLIMITED, 12031/2D Adams Ave, La Grande, Oregon 97850. (503) 963-5731, 10-6, M-Th, 10-4 Pacific Time.



BANG & OLUFSEN, ADS, Luxman, NAD, Thorens, Kyocera. Reasonable prices. Soundcrest Inc., (201) 756-4858.

HAFLER, YAMAHA, BOSE, MCINTOSH, etc., in stock. Trades welcomed. Audio Exchange, 57 Park Place-SR, NY, NY 10007. (212) 964-4570



On Home & Car Stereo....Video Equipment also Satelilite T.V. All top brands. No deposit, same day shipping, no lemon guarantee. Full lifetime ser-vice. Call 9am to 9pm daily, 'til 5pm Saturday. 1.301.488.9600 INTERNATIONAL HI FI DISTRIBUTORS Moravia Center Industrial Park Baltimore, Maryland 21206

UNPRESSURED, PERSONALIZED CONSULTATION and lowest prices on a variety of superb components. COMMUNITY AUDIO, 318 West Duval, Philadelphia, PA 19144. (215) 843-9918.

THEY DON'T DISCOUNT IT? WE DO! GET LOW PRICES on ALL types of audio equipment-including high-end and even esoteric products not normally discounted! Now we can save you money on the equipment you REALLY WANT. Extensive selection-no need to settle for second choice. Thousands of satisfied customers nationwide. Call us for price quotes or friendly, expert advice. Catalog \$1. (616) 451-3868. VISA/MC/AMEX. THE AUDIO AD-VISOR, INC., 225 Oakes Southwest, Grand Rapids, Michigan 49503.



CARVER, NAKAMICHI, BANK & OLUFSEN, A.D.S., CROWN, REVOX, HAFLER, ADCOM, MISSION, ME-RIDIAN, N.A.D., HARMAM/KARDON, KYOCERA, YAMAHA, LUXAN, DENON, KLIPSCH, B&W, POLK, KEF, D.C.M., E-V, J.B.L., INFINITY, D.B.X., AKG, AND OTHER QUALITY COMPONENTS. BEST PRICES-PROFESSIONAL CONSULTATION. ALL PRODUCTS COVERED BY MANUFACTURERS' U.S.A. WAR-RANTY. AMERISOUND SALES, INC. EAST: (904) 262-4000; WEST; (818) 243-1168.

Speakerkit Catalog-30 proven designs for home, cars & (and) pro. JBL, Audax, Hafler, polypropylene drivers, & crossovers. \$2. Gold Sound, Box 141SR, Englewood, CO 80151.

AUDIOPHILES! HEAR JSE Infinite Slope loudspeakers on 7 day trial auditionings. Also Hafler and Thorens dealers. SOUND UNLIMITED, 178 Main Street, Bristol, CT 06010. (203) 584-0131.

SAVE UP TO 75% I Esoteric loudspeaker kits, acoustic foam, drivers, enclosures, capacitors etc. Catalog \$2.00. Refundable. Audio Concepts, 1631 Caledonia St., LaCrosse, Wisconsin 54602.(608) 781-2110.

BEAT THE PRICE FIXERS with low discount prices on: Carver, ADS, Bang & Olufsen, Revox, Nakamichi, Hafler, Kyocera, Tandberg, Luxman, H.K. Manufacturers U.S.A. warranty on all. ISLAND AUDIO, INC. (904) 253-3456.

J.S. AUDIO offers home, car, digital, & esoteric audio components at extremely competitive prices. Call (301) 890-3232 or write to J.S. AUDIO, One Childress Court, Laurel, MD 20707. MC-VISA

ROLEX WATCHES-Heuer, Breitling, Porsche, Tudor, Seiko, Chronosport, Lassale, Authorized dealer. (800) 247-2499; in Michigan (616) 343-8069.

SAVE 40% ON HIGH-END home speakers, car audio RTRD, 2105 Claremont, Springfield, IL 62703. (217) 529-8793

STEREO CITY ATLANTA MAIL ORDER DIVISION. We carry everything in electronics. Yamaha, Alpine, Denon. (404) 264-9378.



REMOVES VOCALS FROM RECORDS! Now You can sing with the world's best bands. The **Thompson Vocal Eliminator** can remove most or virtually all of a lead vocal from a standard stereo record and leave most of the background untouched! Record with your voice or perform live with the backgrounds. Used in Professional Perforwith the backgrounds. Osed in Professional Perfor-mance yet connects easily to a home component stereo system. Not an equalizer! We can prove it works over the phone. Write or call for a Free Brochure and Demo Record. **LT Sound**, Dept. SR, P.O. Box 33B, Stone Mountain, GA 30086 (404) 493-1258 24 HOUR PHONE DEMO LINE: (404) 493-6879

ORDER TOLL FREE 1-(800) 222-3465. AR * ACOUSTAT * AMBER * B&W * BOSE * GRADO * HARMAN KARDON * HAFLER * JVC * KENWOOD * NITTY GRITTY * PREMIER * SONY * TALISMAN * AND MORE. HCM AUDIO, 1600 BX MANGROVE. CHICO, CA 95926. (916) 345-1341.

EXPERIENCED FRIENDLY ADVICE! ACOUSTAT, PS, HAFLER, SAE, QUAD, KLIPSCH, THORENS, GRADO, FRIED, ADCOM, MONSTER CABLE, CD PLAYERS, more. Immediate, FREE shipping! READ BROTHERS STEREO, 593-B King St., Charleston, South Carolina 29403. (803) 723-7276.

SAVINGS TO 40%: Nakamichi: Revox, NAD, KEF, B&W, Yamaha, Mission, Tanberg, Keyocera, Sony, plus 100 others East 1-(202) 723-7404; West 1-(206) 325-7601.

AUDIOVISION authorized dealer for ADS, B&O, Carver, Dahlquist, Denon, Grado, NEC, Polk, Nakamichi, Yamaha, Pioneer Video, Ortofon. Audiovision, 210 South Main, Moscow, ID 83843. (208) 882-3505.

J.P.W. LOUDSPEAKERS LTD OF PLYMOUTH OF DEVON ENGLAND OFFERS SUPERIOR QUALITY AT AFFORDABLE PRICES. Our P1 Loudspeaker was voted #1 budget Loudspeaker in 1985 by the British Audio Association. Contact: Power Audio Distributors, 4632 Crossroads Park Drive, Liverpool, NY 13088. (315) 451-5721.

CONCERT SOUND HAS MOVED, Linn Sondek-Nalm-NAD-REGA-Mordaunt Short-Grado-Magnepan. 7103 Blanco (NW Corner loop 410). San Antonio, 340-1224

THE BEST FOR LESS NAD, Rogers, Kyocera, Snell. Grado, B&W, PS Audio, KEF, Robertson, Mission, Harmon Kardon and more. The Sound Shop. (206) 325-3921 or 938-2302



RCA—JVC—MAGNAVOX—PIONEER—VCR'S—CAM-ERAS—CAMCORDERS—MONITORS—Home & Car Audio. The Stereo Factory, 1010 Tenth St., Huntington, W.V. 25701. 1-800-GET-VCRS orders only. 1(304)526-0132 Information.



30 TURNTABLES 100 ACCESSORIES, & MORE CATALOG-\$3.00

JAPANESE STEREO 930 N. La Cienega Bivd. Los Angeles, CA 90069 • (213) 659 • 8550 SAEC • HIGHIPHONIC • SONY ES • ESPRIT • ENTRÉ • STAX •


ATTENTION HAFLER, DYNA, CROWN OWNERS, We build new higher performance circuits in Hafler, Dyna, Crown audio components. Not "modifications", but new PC cards and stable, non-slewing circuits that drive real world loads with music signals. Write or call for free catalog and sample of Audio Basics, our monthly newsletter. Jensens Stereo Shop, 2202 River Hills Dr., Burnsville, Minn. 55337. (612) 890-3517.



LOWEST PRICES ON BRAND NAME LOUD SPEAKER DRIVERS. Crossovers, parts and kits. Quantity discounts available. Send \$1.00 for catalogue (refundable with order). KDS ELECTRONICS, Dept. SR 486, POB 907, Rye, NY 10580.

ELECTRACRAFT FEATURES: AR, Audioquest, B&O, Dahiquist, DCM, Denon, Grado, Haffer, KEF, Klipsch, Mitsubishi, Monster, PS Audio, Revox, RH Labs, Signet, Sota, Spika, Sumiko, Tandberg, ELECTRA-CRAFT, 400 Cedar St., Sandpoint, ID, 83864 (208) 263-9516.

DIRECT SIGHT AND SOUND, America's best kept audio and video secret, continues to please...Five years and over 40,000 customers later, we still offer the best in audio, video, and auto sound including esoterics at incredible prices! We sell and service only U.S. warranty merchandise! Our staff is not only knowledgeable, but helpful and courteous in choosing the right component for you. Become one of the ELITE! Call (404)351-6772. Direct Sight and Sound, 3095 Bolling Way, Dept. S, Atlanta, GA 30305. MC/VISA/AMEX. COD with deposit. FREE catalog.



... if you haven't replaced your stylus (needle) in the past year.

Finding the proper Shure replacement styli is easy. Call toll-free 1-800-257-4873 (Illinois residents call 1-800-624-8522) for the location of your nearest Shure Stylus Replacement Center. Your dealer will show you a stylus that's precision designed to maximize the sound of your system.

Call today. Don't let a great record collection go to ruin.



THE THRILLER security system turns on your car stereo when the door opens and more. FREE BRO-CHURE. Dealer discounts. \$29.95. INNOVATIVE SYS-TEMS, 539 So. Carnahan Road, Spokane, WA 99212.

CALL TOLL FREE! 1-(800) 826-0520 for NAD, Hafler, Denon, Dahlquist, Tandberg, dbx, 3D, Proton, Nittygritty, B&W, VSP, Thorens, Grace, CWD, Monster, M&K, Grado, Belles, Oracle, Talisman, Duntech, Stax, Astatic, Tiptoes, Audioquest, DCM, Proac, Dynavector, Fried, Moscode. SOUND SELLER, 1706 Main, Marinette, WI 54143. (715) 735-9002.

ARE YOU INTERESTED in Quality Preowned Audio Equipment? Subscribe to "The Sound Trek." published 6x annually, your listings of items for sale or wanted. \$10/yr. Call or write: Play It Again Sam. 12611-R Madison Avenue, Lakewood, Ohio 44107, (216) 228-0040. MC/VISA.

HIGH-END SPEAKER KITS, raw drivers and auto speaker systems form the world's finest manufacturers. For beginners and audiophiles. Audax, Becker, Dynaudio, Dalesford, Jordan, JVC, SEAS. Morel Siare, Peerless, Focal, Scan-Speak. Free price list. A&S SPEAKERS, Box 74625, Denver, CO 80207. (303) 399-8609.

CASH FOR ALL TYPES of used stereo equipment. We buy by phone. THE STEREO TRADING OUTLET, 320 Old York Rd., Jenkintown, PA 19046. (215) 886-1650.

CALL US! WE ARE THE BEST IN THE U.S. FRIENDLY EXPERT SERVICE. FAST FREE SHIPPING.

Conrad - Johnson, ADS, Hatler, PS Audio, Perreaux, Proton, Revox, Crown, Klipsch, Dahlquist, Duntech, Oracle, M&K, Celestion, Technics, Professional APT Holman, Audio Pro, dbx, Ohm Acoustics, Inflinity, Bose, Monster Cable, SAE, Stax, Amber, Denon, VSP Labs, Adcom, DCM, Tandberg, Thorens, Kyocera, Grace, Grado, Dynavector, Nitty Gritty, VPI, NY Audio Labs, Moscodes, Fosgate, and more. AUTOMOTIVE Concord, Sony, Proton, Zapco, Ungo Box and more. MEMBER BETTER BUSINESS BUREAU MC/VISA.

REFERENCE AUDIO SYSTEMS, 18214 Dalton Ave., Gardena CA 90248.

(213) 398-4205 (213) 391-2679

WE SELL SECOND HAND high quality audio-video with money back guarantee! Send your name and address for FREE monthly inventory. Ross Stereo, 4912 Naples Place, San Diego, CA 92110. (619) 275-3632.

LOUDSPEAKER ENCLOSURES by ENCORE. Real Rosewood and Teak veneers. Mensicus, 3275 Gladiola, Wyoming, Michigan 49509. (616) 776-1262.

ELECTONIC CROSSOVERS—Custom built, five year warranty. Comprehensive literature available. DB SYSTEM, Rindge, New Hampshire 03461. (603) 899-5121.



EXTEND YOUR MFR'S WARRANTY on home entertainment & consumer electronic products.

If product was purchased within 30 days, contact us for the best prices on service contracts. Covers all parts and labor. Backed by a major, worldwide insurance group. Service centers coast-to-coast.



PHILIPS, AUDAX, PEERLESS, FOCAL, AND DYNAU-DIO LOUDSPEAKERS in stock with good prices and competent services. Crossover components also. MADISOUND SPEAKER COMPONENTS, 8982 Table Bluff. Box 4283, Madison, WI 53711. (608) 767-2673.

YOUR ONLY AUTHORIZED WEST COAST source for ADS * ADCOM * B&O * B&S * Canton * H/K * Kyocera * Mission * Revox. Save more, pay check or money order. STAMAL SOUND, (818) 764-5200, Ext. 8.

Yamaha R9 \$699, R8 \$519, R7 \$429 GE60 \$319, K1020 \$529., Nakamichi: BX 125 \$349., RX 202 \$489., BX 300 \$599., Dragon \$1450. Sansul B2301 \$1,899., B2101 \$679., C2301 \$1799., C2101 \$549., PCX11 \$799., AUG99X \$749., SE99B \$579., D90 SR \$659., DW10B \$429., Beta 5011 \$369., Ea,a 30 \$329., NCD 200R \$549., NRS503 \$469., ND1000 CB \$439., SXV1000 \$499. Denon Equipment Please Call. Full USA Warranty. Not an authorized Nakamichi Dealer. Visa MCAmexDiners, COD. (206) 221-2977 or (206) 361-2455. Taskamichi Audio, POB 25583, Seattle, WA 98125

ALTEC, ELECTRO-VOICE, JBL speaker components, speakers, JBL monitors. Premium subwoofer drivers. Prof#ssional sound equipment. AHCO. (201) 561-8123.

TAPES

OLD TIME RADIO—original broadcasts on quality tapes. Free catalog. Carl Froelich, 2R Herltage Farm, New Freedom, Pennsylvania 17349.

1930-1962 RADIO PROGRAMS. Beats Television!! Inexpensive Recordings. 275 page catalog, \$1.25. AM TREASURES, Box 192SR, Babylon, NY 11702.



AMPEX PROFESSIONAL SERIES AUDIO TAPE SALE. High quality open reel 1800' or 2400' on 7" reels, used once. Case of 40, \$45.00. $10^{1/2} \times 3600'$ and cassettes. MC/VISA, Valtech Electronics, Box 6-SR, Richboro, PA 19954. (215) 322-4866.

SPEAK EASY ARCHIVES OLD TIME RADIO PRO-GRAMS at affordable prices. Excellent quality. Send \$5.00 with \$3.00 rebate first order. Large selection. P.O. Box 22141, Oklahoma City, OK 73123.

AUDIO ACCESSORIES

POLYACOUSTIC FOAM RUBBER SPEAKER GRILLES-custom, replacement, OEM. Information-22^e stamp. Custom Sound, 8460 Marsh, Algonac, MI 48801.

AUDIO SPECIALTY SHOP

AUDIOPHILES/VIDEOPHILES! We have the widest selection of audio/video equipment available. Ky-ocera, Allison, Adcom, Infinity, NEC, Thorens, Harman-Kardon, Soundcraftsman, Canton. Hafler, Kilpsch, Luxman. VHS HI-Fil Call for information. CONTINENTAL SOUND, 98-77 Queens Bivd., Rego Park, NY 11374. (718) 459-7507. Immediate delivery. MC/VISA/AMEX.

RECORDS

COLLECTORS' Soundtracks, Mint. List \$1 (refundable). Jemm's, P.O. Box 157, Glenview, III. 60025.

OPERA-HISTORICAL PERFORMANCES. VIDEO & DISC. Most comprehensive selection. Catalog \$1.00. LYRIC, Box 622, Merrick, NY 11566.

RECORD COLLECTORS SUPPLIES. REPLACEMENT JACKETS, inner steeves, 78 RPM sleeves, opera boxes, etc. COMPLETE CATALOG. Cabco, Box 8212, room 640, Columbus, Ohio 43201.

FROM EDISON TO ELVIS (AND BEYOND) LP'S 78's 45's etc. Inquiries, The Olde Tyme Music Scene, 915 Main Street, Boonton, NJ 07005. (201) 335-5040. Tuesday - Sunday.

PROTECT YOUR LP'S-Poly sleeves 13¢, Polylined paper 17¢. Cardboard jackets 50¢. Postage \$2.50. Record House, Box 323, Hillburn, NY 10931

JAZZ, BLUES, ROCK. Below list. VISA, MC. Free catalog. RUTABAGA RECORDS, 437 North 5th St., Stroudsburg, PA 18360

FREE RECORD, CASSETTE AND COMPACT DISC CATALOG: Features a tremendous selection of remaindered LP and cassette values in all musical categories. Compact disc, cassette and LP new releases at discount prices. Many imports and smaller labels offered. Prompt delivery. Rose Records, Dept SR, 214 SO. Wabash Avenue, Chicago, IL 60604

\$8.98 LIST LP'S/TAPES \$5.17. Compact discs \$11.43 Catalogs \$1.00. NU LITE, 3277 Roswell Rd. N.E., 348, Atlanta, GA 30305.

USED RECORDS ARE VALUABLE! Are yours? Free information. Collectors Clearinghouse, P.O Box 135, N. Syracuse, NY 13212

ATTENTION SERIOUS RECORD COLLECTORS unusual records, audiophiles, and imports. Free cata-log. Records Limited, 5800 Kirkpatrick Road, Charlotte, NC 28211

FREE CHAMBER MUSIC RECORD CATALOGI FREE record offert Brassl Spring Woodwinds! CRYSTAL RECORDS, Sedro Wooley, WA 98284.

RARE rock albums. Mint, original. Cutouts, overstocks, imports. FREE catalog. HARVARD SQUARE RECORDS, Box 1975 SR, Cambridge, MA 02238. (617) 876-4364

COMPACT DISCS

COMPACT DISCSI Most \$12.99-\$14.99. 4000 plus tig tles. Free catalog plus regular updates. OZ REC-ORDS, 5246 Memorial Drive, Stone Mountain, Georgia 30083. (404) 292-5452.

COMPACT DISCS & ACCESSORIES. Call TOLL FREE 1(800)-ALL-DISC, (in CT. 1 452-0203), for FREE CATALOG M-F 10-8, Saturday 10-6. ALL DISC MU-SIC INC., 41 Monroe Tpke., Trumbull, CT 06611.

COMPACT DISC/AUDIOPHILE AND IMPORT AL-BUMS, Large selection, fair prices, fast service, detailed monthly BULLETIN. New low pricing. Call 1-800-525-2514 for FREE catalog, or write The Essentials Marketing, Dept. SR86, POB 3366, Lynnwood, WA 98046



P.O. Box 616S. Clifton Park, NY 12065 tside NY-To Order Only Call 1-800-232-3687 10 and over only \$11.99 \$2 00 Cont. U.S. shipping

COMPACT DISCS AND LASER VIDEO DISCS. Nice prices-free lists. MC/VISA. SIGHT & SOUND INC. 18 Bennett St., Boston, MA 02135. (617) 787-4465



VISA COMPACT DISCS AT DISCOUNT PRICES. Send \$2 for

a quality, up-to-date catalog to: Cat's Compact Discs, Dept. SR, POB 22773, Nashville, TN 37202.

"THE GREAT JAZZ CD SALE"-Featuring Delos (\$9.95), Windham Hill (\$10.95), GRP (\$11.95), DMF (\$12.95). The CD Dell, 5706 7th Ave., Brooklyn, NY 11220. (718) 439-3324. "We carry all CD labels."

COMPACT DISCSII 100's at \$11,99! Over 3000 titles! Quantity discounts! Send \$2.00 (refundable on first order) LASERSOUNDS UNLIMITED, 1111 West EI Camino Real, Suite 109-284, Sunnyvale, CA 94087. (415) 964-1148. Thanks.

CD SUPERMARKET-PRICES SLASHED. Prompt delivery. Large selection. For information or phone orders call TOLL FREE 1(213) 543-1991. CA. residents call 1 (800) 322-1985. CD SUPERMARKET, 12525 Aviation Blvd. Sulte B210, Redondo Beach, CA 90278

LOWERING COST-\$9.95 year membership. Purchase all CD's at wholesale cost for year. Prices start \$6.95 classical, Jazz, Popular, imports. \$3.00 catalog and further details. Tivoli Entertainment, 725 South Gilbert, Iowa City, Iowa 52240. (319) 338-5738.

USED CD'S \$8.95-\$10.95. Sell your unwanted CD's \$6.00-\$8.00. Audio Club, 1105 Webster Dept. #436. Sandy, Utah. 84070. (801) 571-9767. We'll pay \$25.00 for BOSTON CD's.

DUWARS, BOX 6662D, GREENVILLE, SC 29606-CD Classical music from \$9 up-monthly specials-catalog listing, 2,500 titles \$1

COMPACT DISC. Write to Wil-Sean Enterprise, 256 So. Robertson Blvd., Suite 9546, Beverly Hills, CA. 90211.

SERIOUS ABOUT CLASSICAL MUSIC? ABOUT COMPACT DISCS? Now in our 4th year. Ethel Enter prises is serious about both and invites you to sub scribe to our 100 + page catalog detailing more than 1700 titles in stock. Annual subscription \$5.00 (RE-FUNDABLE WITH ORDER). ETHEL ENTERPRISES. P.O.B 3301, Dept. SR, Falls Church, VA 22043.

WE ARE MR DISC your compact contact with the endless disc list. Free catalog and updates: MR DISC, 220 South L St., Lompoc, CA 93436

BUSINESS OPPORTUNITIES

ERASE DEBTS with little-known law-CREATE wealth! Details FREE-WealthKit, No. DD4, Billings, N.Y. 12510

HOW YOU CAN MAKE \$220-\$745/WEEKEND. National network Television advertising will proclaim sensational new product. You supervise weekend demonstration sales in local stores. Write: J&R LImited, Suite 338, 1471 S. Main, N. Canton, OH 44720.

ELECTRONIC REPRESENTATIVES NEEDED! Lowest possible prices!! Over 100 brands! Audio. Video, Car Stereo, Computers, Electronic Experts, 1000 Orange Ave., West Haven, CT 06516.

SATELLITE DISH DISTRIBUTORSHIPS AVAILABLE. 60,000 industry sales monthly are making fortunes. MERIDA, Harmony, PA 10637-9717.

YOUR OWN RADIO STATIONI AM, FM, cable, licensed/unlicensed, transmitters! Broadcasting: Box 130-R4, Paradise, CA 95969.

MAIL ORDER OPPORTUNITY! Start profitable home business without experience or capital. Information free. Mall Order Associates, Inc., Dept. 459, Montvale, NJ 07645.

\$10-#360 WEEKLY/Up, Mailing Circulars! Home-Operated. Sincerely Interested rush Self-Addressed Envelope: Headquarters-MGG, POB 870, Woodstock, II 60098

HOW TO MAKE MONEY PHOTOGRAPHING airplanes. Free information for SASE. K.B. Brown, 3015-312 E. Bayshore Rd., Redwood City, CA 94063.

\$10-360 WEEKLY UP, MAILING CIRCULARS! No Quotas. Sincerely Interested. Rush stamped envelope: National Division, Box 20728-TR4, San Diego, CA 92115.

WHY NOT MAIL CRICULARS? Work part or full time. Have capability of \$500 weekly. Hurry! Limited offer. SASE. HOWELL COMMUNICATIONS, 508 West Park, Waxahachle TX 75165

AMAZING HOME ELECTRONICS BUSINESS, no investment, unlimited potential, car and home stereo's, computers, sell everything, complete course, \$7.50: David North, 525 North Larch, Dept. SR46, E. Wenatchee, WA 98801.

INSTRUCTIONS

BE A RECORDING ENGINEER! New classes quarterly. Institute of Audio/Video Engineering, 1831 Hyperion, Dept. L, Hollywood, CA 90027, (213) 666-3003

DANCE Instruction-Informative book details basic steps for Social Dances. \$4.95. E. Brown, Dept. SR, PO Box 11896, Chicago, IL 60611.

MOVIE FILM/VIDEOTAPES


WE CONVERT OVERSEAS VIDEOTAPES to American standards, Visa-Versa, lowest prices. Appel Audio, 74-18 37 Ave., NY, NY 11372. (718) 507-5800.

OPENING A NEW VIDEO STORE? Save 1/2 price on used factory original tapes. We Trade, Buy & Sell. SOUTHERN VIDEO, 1-(912) 386-2211.

BOOKS & MAGAZINES




EDUCATIONAL OPPORTUNITIES



LEARN WHILE ASLEEP. Hypnotizel Astonishing details, strange catalog free! Autosuggestion, Box 24-ZD, Olympia, Washington 98507.

PUBLICATIONS

FREE promotional albums, concert tickets, stereos, etc., Information: BARRY PUBLICATIONS, 477 82ND Street, Brooklyn, NY 11209



SOUNDTRACK COLLECTORS

Largest selection of in print, out of print, foreign.

and domestic records in business 14 years. Discount and free bonus records available. Send

for free catalog. Soundtrack Album Retailers, Dept. SR4, Box 7, Quarryville, PA 17566. (717)

2

Dept.

284-2573

MICRO PHOTO DIVISION

BELL & HOWELL


OLD MANSFIELD, ROAD WOOSIER OH 44691 Contact Christine Ellis Call tail-tree (800) 321-9881 In Ohio, call (216) 264.6666 col

ANY ALBUM or CASSETTE-current or old S2-\$3

Also great list and prices on compact discs. Send the names of your favorite artists for complete details to:

MUSIC and MUSIC Inc. PO Box 6698 Birmingham, AL 35210

STEREO REVIEW REGIONAL MAIL ORDER MART



PENGUI	N PRODUCTS, P.C. ELD, VA 22116-2). Box 22	210, Dept. K
	ard customers call		-9726
Name			
Address_			
City		St	_Zip
U VISA	Card .		
D M/C	Signature		
AMEX	Bank Name		
	Exp. Date		

FINALLY, A REMOTE CONTROL THAT REALLY WORKS

INTRODUCING THE DIGITAL AUDIO CONTROL MODEL 50/2000 INFRARED WIRELESS SYSTEM. FEATURES:



ты. (516) 378-4389 Just 35 min. from Manhattan by car or railroad Showroom Hours: Mon-Fri 12 noon to 7 p.m. Sat 11 a.m. to 6 p.m. EST

MC

VISA

AMEX

Retail Mailorder Export

Stereo Review MAIL ORDER MART lets you turn up the volume where your customers are.

Once, only a major advertising campaign made economic sense in the industry's top magazine, STEREO REVIEW. But now, with mail order marketers' special needs in mind, STEREO REVIEW has created a new regional ad section: Mail Order Mart. Here you can turn up the volume on your message where the sales potential is greatest...offer surplus inventory where the demand is.

Regional rates let you reach STEREO REVIEW's ready spenders for much less!

In today's crowded, competitive market, you can't afford not to be heard by STEREO REVIEW subscribers, who in 1983 alone bought additional equipment worth over \$400 million. And STEREO REVIEW's new Mail Order Mart lets you tune them in, region by affluent region, at amazingly low cost. With multiple-region advertising, you get special discounts, too!

> Don't wait to set up shop in Mail Order Mart-call COLLECT today! (212) 503-5999


STEREO REVIEW REGIONAL MAIL ORDER MART



1-800-942-9421 OVERNIGHT IN GEORGIA SERVICE 1-800-932-9321 **OUTSIDE GEORGIA** American Express, Visa, Mastercard accepted



STEREO REVIEW MANUFACTURERS' DIRECTORY



WARKETERS' ALERT!

NEW STEREO REVIEW REGIONAL HOTLINE!

Whatever the size of your audio or audio-related business, regular exposure in stereo's top magazine is a must. And now at new low Manufacturers' Directory regional rates, you just can't afford not to be heard by trade and consumer alike. To place your ad or for details,

> **CALL COLLECT** (212) 503-5999

SPEAKER STANDS

Protect Sp	eakers and l
SIZE	
□ 13½ x 10½	
□ 10½ x 8	
Stands are 3"	A STREET
High in Front	
ONLY \$14.	95 / Pair - N.J. Re
GRENIE	RSTEREO

Impro	ve	Sound
		FINISH
		Walnut
		Black
	V	Vilson Art ^e
	L	aminates
	-	0.7.

es. Add 6% S. Tax NIER STEREO PRODUCTS 3 Tasker St. Trenton, N.J. 08638

	(609) 882-3069
Check	D Money Order
🗆 Visa	Card #
D M/C	Exp. Date

GUIDE TO AUTHORIZED RETAILERS

NORTHEAST -

FINALLY! The World's Finest Compact Disc Players All Under One Roof Performance Audio/vide Performance Audio/vide Performance Per

Call or write Harold Minto, proprietor. Performance Audio/Video (516) 378-4389 365 S. Bayview Ave., Freeport, Long Island, New York 11520 Insured (Corner Atlantic Ave.) Just 35 min. from Manhattan by car or railroad. Showroom Hours: Mon.-Fri. 12 noon to 7 p.m. Sat. 11 a.m. to 6 p.m. VISA Shipments

NORTHEAST-



audio den Itd.

THREE AUDITIONING ROOMS Authorized Sales and Service AUDIO AND VIDEO COMPONENTS


 ACCUPHASE 	 HAFLER 	 PROTON
ACOUSTAT	 J.H. MICHELL 	- ROGERS
ADCOM	 KLIPSCH 	 S.A.E.
. A.R. TURNTABLES	KOETSU	STAX/SUMIKO
CLASSE	MAGNEPAN	· SOTA
· CONRAD JOHNSON	. MAGNE PLANAR	 SYSTEMDEK
· DUAL	 MONSTER CABLE 	 THORENS
DYNAVECTOR	 NAKAMICHI 	 V.P.I.
· GRACE	 N.E.C. 	 YAMAHA
JENSEN	· OHM	ZETA
· GRADO	PEARL CORDER	

RENTALS . TRADE-INS . DISCS & TAPES

SMITH HAVEN PLAZA 2021 NESCONSET HWY, (RT. 347) LAKE GROVE, N.Y. 11755 (ADJ TO SMITH HAVEN MALL)

(516) 360-1990





ADVERTISERS' INDEX READER PAGE SERVICE NO ADVERTISER NUMBER 18 46 Akai 25 33 Canton . 49 68 Ford Motor Company 26-27 63 GRP Records 89 J&R Music World 71 39 24 Kenwood Electronics...... 10-11 29 29 Klipsch & Associates 17 30 32 McIntosh Laboratory, Inc..... 18 50 Mission Electronics 46 19 Nikko Audio 80 17 25 Pioneer Video 40-41 37 Polk Audio 6-7 35 Pyle Industries Radio Shack 9 38 Recoton 9 R. J. Reynolds-Vantage 73 R. J. Reynolds-Winston 13 54 Sennheiser 84 41 36 Signet 81 Sony Audio 62 4 53 Sony Tape ... C4 Soundcraftsmen 88

8

5

67 Telarc Records 68 57 Toshiba America, Inc. 85 65 56

APRIL

STEREO REVIEW APRIL 1986 101

RECORD

by Christie Barter & Steve Simels

AVE the Residents sold out? That's the question fans were asking during the recent first-ever New York performance (at the Ritz) by the legendary underground San Francisco music makers. In the trademark garb that has preserved their anonymity for over thirteen years-a look that has been described as "Fred Astaire at Three Mile Island"-the boys in the band performed music from their extensive Ralph Records catalog, including selections from such albums as "Duck Stab" and "Third Reich 'n' Roll."

The Residents: sell-outs?

A good time was had by all, though we missed our personal favorite Residents tune, the sinister *Booker Tease*. But did they sell out? Beats us. We didn't ask anybody at the Ritz ticket office, but we think there were at least a few empty seats.

THE Recording Industry Association of America (RIAA) has awarded Gold certification to the Jean-François Paillard Chamber Orchestra's recording of Pachelbel's Canon in D. Recorded in France by Erato, the album was released in this country on RCA Red Seal (FRL1-5468). RIAA Gold certification means that a recording has sold 500,000 units (LP's or cassettes). At the time of certification in February, the Paillard album had been on the *Billboard* chart of classical best-sellers for 320 weeks. It is also available on CD (Erato ECD-88020).

Pachelbel's canon has been an enormously popular work since it was recorded (coincidentally by Erato) in 1962. Its popularity was increased by its inclusion in the soundtrack of the 1980 film Ordinary People.

Paillard and his orchestra are currently on a coast-tocoast tour of the United States beginning in San Diego on March 7 with subsequent dates in Albuquerque, Dallas, Palm Beach, Pasadena, Pensacola, Santa Fe, and New York.

Ho is that man holding two pigs—and why is he doing it? Well, we're not quite sure why, but the man to ask is Peter Schickele, better known by the name of his alter ego, P. D. Q. Bach. We reprint this enigmatic photo to celebrate the home-video release of *The Abduction of Figaro*, P. D. Q.'s only fulllength opera—"a simply grand opera," he calls it—and the first of the great de-composer's alleged works to make it onto the home screen.

The new video release documents *The Abduction*'s 1984 Minneapolis première. The opera includes such soon-tobe-familiar characters as Susanna Susannadanna and Schlepporello (not to mention a Blondie, for you rock fans), and, as the liner notes point out, the "whole schmeer" is conducted by the peripatetic maestro Schickele. Available from Video Arts



Idol: thought-provoking

International, the program is being offered in living color and both Beta and VHS stereo hi-fi sound, which is probably more than it deserves.

NOTED WITHOUT COM-MENT: Gracing these pages yet again is rock star Billy Idol, striking what has come to be known as the "generic Billy Idol pose." Billy, you'll recall, is one of the deepest thinkers in rockand-roll, and if you doubt it, we offer the following excerpts from one of his recent press releases:

"'The world is about to witness the maturing of Billy Idol,' says journalist Philip Bashe, after dropping into the studio where Idol was working on his forthcoming LP, 'Whiplash Smile.' While there, Bashe also ventured that there are no less than two Billy Idols—one who poses and postures and one whose

P.D.Q. Bach's "Abduction": a simply grand opera



music 'is of high quality and is imbued with thought-provoking lyrical content' . . . an Idol, in short, 'to be taken seriously as an artist.'"

R

MAKE

What about the third Idol, the one who looks good with his shirt off?

NGEL RECORDS, continu-A ing to build up its roster of American artists, has signed a recording contract with pianist André Watts. His first two albums for the label honor the centennial, this year, of the death of the composer Franz Liszt. One album features Liszt's B Minor Piano Sonata and the other his Paganini Etudes. A third solo album by Watts, due for release sometime next fall, will be devoted to works by Beethoven.

"must start concertizing again. It is my life. Inability to perform is fatal to any artist." So says Soviet



Watts: honoring Liszt

pianist Vladimir Feltsman, who has been prevented from performing in public since 1979 and has had to confine his piano playing mostly to his one-room apartment in Moscow.

The reasons for Feltsman's artistic house arrest may never be fully known, but he did apply, publicly, for permission to emigrate to Israel seven years ago, and in Russia that spells trouble. Engagements to play at Avery Fisher Hall in New York and at Kennedy Center were canceled. His recordings were withdrawn at home, and he was denied access to concert halls in Moscow, Leningrad, and Kiev.

Feltsman was apparently not prevented from performing privately, however. A program he played at the American Embassy in Moscow was taped, and the recording (of the Chopin preludes) was ac-



Feltsman: breaking through

quired by CBS Records in France. The album was released there late last year and in the U.S. last month. Royalties are being held in escrow until Feltsman manages to make his way to the West.

A Russian pianist who has been able to settle in the West, twenty-five-year-old Sergei Edelmann, has made his recording debut with an RCA recording of works by Schumann. And, according to RCA, the equivalent of five more albums by Edelmann is ready for future release.

THE German baritone Dietrich Fischer-Dieskau, who has made a prodigious number of records over the last several decades, recently celebrated his sixtieth birthday and was honored with many reissues by the two companies for which he made most of his recordings, Deutsche Grammophon and Angel/EMI. He was also honored in Berlin with a show of his work as a painter.

The paintings, including the self-portrait shown here, represented what Fischer-Dieskau has produced over the past thirty years or so. He had never exhibited any of them until five years ago. According to the London Times's report on the show, there was in the pictures "an overall range of bright colors and a forceful, sometimes almost aggressive technique. . . [They] provide ample evidence that as a painter, and not only as a musician, the astonishing Dietrich Fischer-Dieskau commands our serious attention and respect."

T'S surprising that the Statue of Liberty, which serves as one of the country's most potent and enduring symbols, has inspired so few musical works. But composer **Richard Adler**, probably best known for his Tony Awardwinning musicals Damn Yankees and The Pajama Game, has increased the number with a new symphonic work, The Lady Remembers.

Subtitled The Statue of Liberty Suite, it was first performed last October at the Kennedy Center in Washington, by the Detroit Symphony under its new music director, Gunther Herbig, with Julia Migenes-Johnson as the soprano soloist. RCA recorded it with these same forces and plans to release it at the end of April. And as far as we know, this will be the record industry's first anniversary salute to the great lady in the harbor, who is now celebrating her hundredth birthday.

Note that another Broadway composer who saluted her, over thirty-five years ago, was **Irving Berlin** with his musical *Miss Liberty*. The original-cast recording with **Eddie Albert** is still available through Columbia Special Products (AOL 4220).

CONTEMPORARY American music figures fairly prominently among RCA's

Fischer-Dieskau: seif-portrait





Miss Liberty: 100th birthday

upcoming releases. In addition to the Adler work, the label has also scheduled an album coupling string quartets by Ezra Laderman and Peter Schickele (aka P. D. Q. Bach, as noted above), performed by the Audubon Quartet, and a recording of John Corigliano's new Pied Piper Fantasy, a concerto for flute and orchestra, played by James Galway and the Eastman Philharmonia under David Effron.

"HE Bangles are back! Yes, the greatest all-girl band since Ina Rae Hutton's has returned with a second album of Sixties-influenced pop rock produced by David Kahne. "Different Light," as the album is titled, would be welcome on its intrinsic merits in any era, but take note of two tracks in particular: Manic Monday, rumored to be written pseudonymously by noted Bangles fan Prince, and September Gurls, the gorgeous astrological ballad by cult hero Alex Chilton that was originally recorded by Big Star and, more recently, by the Searchers. There's also a song by Jules Shear, coauthor of Cyndi Lauper's Time After Time, in there somewhere.

POP record buyers do not hold it against serious composer Philip Glass that his operas are produced in such prestigious places as the Metropolitan Opera, and they have made crossover hits of such Glass recordings as "The Photographer" (CBS) and the soundtrack for the film *Mishima* (Nonesuch), which won a Record of the Year Award from this magazine in February.

MAKERS

Glass's latest record is "Songs from Liquid Days" (CBS). His lyricists for the album are Laurie Anderson, David Byrne, Paul Simon, and Suzanne Vega. No less distinguished, the performers include the Kronos Quartet, Janice Pendarvis, the Roches, and Linda Ronstadt. The album should be in stores by the end of March or the first of April and will be reviewed in the next issue.

G RACENOTES: What's the latest scam from the irrepressible folks at Rhino Records, home of such notables as Kosher Club, Oy George,



Bangles: back to the Sixties

and Gelfilte Joe and the Fish? This time it's a four-song EP by a band called Red Square, whose members all claim to hail from Moscow. If you believe this, we have some bridge-front property we'd like to discuss with you. New directions for Kool and the Gang include providing the theme for the new ABC-TV series the Redd Foxx Show. . . . Daryl Hall, of Hall and Oates, has recorded his second solo album at the Eurythmics' studio in London. Joni Mitchell is on one track.

SALES

The high end

by Ralph Hodges

 VTA Enlightenment

HE vertical tracking angle (VTA) of a phono cartridge is defined as the angle that the up-and-down motion of the stylus forms with the vertical when the cartridge is viewed from the side. Strictly speaking, VTA is a varying rather than a fixed angle, because the stylus, affixed to a pivoted beam, travels in an arc, not a straight line. However, since life hardly needs any additional complications, it has been decided, more or less by convention, to approximate the stylus's path with a tangent to that arc constructed (in the engineering-drawing sense) with the stylus at rest and an "appropriate" vertical tracking force applied to the stylus. This makes for a nice, readily comprehensible picture.

It was in the early Sixties that cartridge manufacturers, after consideration of vertical disc-cutting angles supposedly used at that time, settled on 15 degrees as the optimum VTA. The premium products of many makers, which began appearing with a "V" and a "15" prominent in their model numbers, reflected this view. Not long after, however, it was decided that 15 degrees was *not* really representative of vertical cutting angles (if it ever had been), and an element of audiophile ambiguity was introduced. With later innovations such as exacting direct-to-disc recording and Direct Metal Mastering, the vertical cutting angle, and thus the optimal playback VTA, became even less certain, while at the same time, with the evolution of bladelike line-contact styli, the VTA became significantly more critical.

Probably because it is so loosely defined and complicated to ascertain, vertical tracking/cutting angle is not a favorite topic of discussion within the audio industry. Nevertheless, VTA has been identified as a major factor in tracing distortion, and VTA misalignment can, depending on groove geometry, give rise to spurious products on the same order of audibility as the "pinch effect" so celebrated several decades ago.

The practical significance of correct VTA was brought home to me vividly more than a decade ago when I had a Rabco radial-tracking tonearm modified by David Shreve, then a mathematics professor at a Midwestern university. To my astonishment, Shreve turned up on my doorstep, arm in hand, so to speak, and insisted on supervising the setup personally. The Rabco readily permitted alteration of VTA by a simple screwdriver adjustment that raised or lowered its transit track, and its stability was such that you could even make changes while a record was playing. Hearing records I had long considered unlistenable restored to usability by VTA fine-tuning was an experience that changed my life. I found that too high a VTA imparts a bristly, "unkempt" character to the sound and tends to bring up the noise level on many records. Too low a VTA gives an overdamped quality bereft of transient excitement and sting. These subtleties tend to be more evident on ambitiously made recordings with large dynamic contrasts and wide bandwidth.

Shreve and I always made our VTA "corrections" through the tonearm, by raising the pivot assembly to increase the angle and lowering it to diminish it. This is probably not the best way to go about the business, because it does not directly take into account the orientation of the stylus tip and the internal geometry of the cartridge. Nonetheless, our adjustments usually began, at least at first, with the most careful visual installation of the cartridge we could devise, and we typically departed from that as a result of our listening evaluations by only a whisker—a matter of minutes of arc rather than degrees.

The sort of finagling David Shreve and I did is much more than any record-player owner bargained for, and much more than anyone should have to put up with. However, the nuisance (and the downright scariness of the proposition) is mitigated by the satisfactions available. After my VTA enlightenment, I finally found out what producer Richard Mohr and engineer Lewis Layton were up to in their "ultimate" recording of Beethoven's Ninth Symphony with Fritz Reiner and the Chicago Symphony on RCA. With VTA adjustment I could bring the multiple choruses of Mahler's Eighth into tight perspective, discover harpsichords behind guitars, figure out to a near certainty what sort of reverb was being used on Carly Simon that week. Today, I would not play a record with any expectation of real gratification without a VTA adjustment each and every time, although the optimum for any given label tends to be almost exactly the same.

The VTA issue relates to why the general geometrical accuracy of P-mount installations has often been called into question. Since the P-mount configuration forbids after-the-fact cartridge alignment, any VTA error the system may exhibit just has to be lived with. Speaking off the record, a noted authority said he suspects that the worst P-mount errors normally encountered are around 2 degrees. This error is probably excessive, so audiophiles seem justified in regarding the P-mount with suspicion. However, the same expert also points out that a conventional cartridge installation with an arm that doesn't offer a full range of alignment adjustments can easily incorporate twice as much VTA erroranother example showing that the path to sonic righteousness is nothing if not tortuous.

NEC's recording experience here...

EEXIT

The TV studio: where or ly the very best equipment is good enough. That's why TV stations throughout the world turn to broadcast products from NEC—with technology so advanced it's won two Emmy Awards.

Even if you're not about to broadcast your tapes coast to coast, it's comforting to know that NEC builds much of our pro technology into videocassette recorders for the home. Consider the new N-961U VHS Hi-Fi VCR. NEC's studio

Consider the new N-961U VHS Hi-Fi VCR. NEC's studie heritage is evident in the glitch-free images during still picture and slow motion. The seamless scene-to-scene transitions of Assembly Editing. The amazing sound of stereo TV reception. And the studio-grade stereo recording of VHS Hi-Fi. The w reless remote control even operates an NEC TV Receiver/Monitor.

You see, building first-rate professional products is not enough for NEC. We feel obligated to take the world's most accanced technology one step further. Into your home.

NEC

We bring high tech-ology home.

NEC Home Electronics (U.S.A.). Inc., 1401 Estes-Evenue, Elk Grove Village, IL 60007 CIRCLE NO. 19: ON READER SERVICE CARD

brings you a better recording experience here.

THEAD SYSTEM

VEC

What other audio tapes fail to hear.

One audio tape is so sensitive it can hear a pin drop. Or the full crash of a cymbal. To no one's surprise, it's made by Sony.

Designed with our widest dynamic range ever, the UCX-S can pick up the softest softs you've never heard, Or the loudest louds. Without distortion.*

And since we pack smaller, more uniform particles on our tape, you can pack more music in it.

And go from one extreme to the other.

So pick Sony. And hear what you've been missing.



© 1985 Sony Corp. of America. Sony is a logarized trademark of Sony Corp. "The One and Only" is a registered trademark of Sony Corp. of America. "(Third harmonic distortion at 0 dB)