

HOW TO BUY A CASSETTE DECK TAPE BUYING GUIDE CHOOSING A CUSTOM INSTALLER TEST REPORTS: YAMAHA RECEIVER, ROTEL CD PLAYER, BOSTON ACOUSTICS SPEAKER SYSTEM, MORE...

-



COUNTER

CLEAR

EJECT

JAN90

**3-DIGIT 091 741J

25988888888888888888888883-8608900914 30492 BCH 8900Y091 03#SR

MR DAVID S BUCHANAN 8900 YELLOW WOOD PL LOUISVILLE KY 40242

BI-DIRECTIONAL AUTO REVERSE RECORD/PLAYBACK

DOUBLE ACCULIGN ROTATING HEAD SYSTEM

R-919X Auto Reverse Stereo Cassette Deck

PEMOTE SENSOR





Philip Morris Inc. 1990

SURGEON GENERAL'S WARNING: Smoking Causes Lung Cancer, Heart Disease, Emphysema, And May Complicate Pregnancy.

Kings: 17 mg "tar," 1.1 mg nicotine - 1**CO**'s 17 mg tar," 1.2 mg nicotine av per sigarette by FTC method BACARDI AND THE BAT DEVICE ARE REGISTERED TRADEMARKS OF BACARDI & COMPANY LIMITED. (© 1990 BACARDI IMPORTS, INC., MIAMI, FL. RUM 40% ALC. BY VOL

Bacardi rocks.

LIGHTDRY



Stereo Review

BULLETIN 5 Popular Music 83 25 CLASSICAL MUSIC SIGNALS 28 Audio Q&A

EQUIPMENT

A USER'S EVALUATION At home with the Proton 600 Series by David Simon	19
HIRSCH-HOUCK LABS EQUIPMENT TEST REPORTS Yamaha RX-530 Receiver, page 37 Boston Acoustics SubSat Six Speaker System, page 42 Rotel RCD-855 Compact Disc Player, page 48 Ortofon PPA600 Power Amplifier, page 52	37
Linn Kaber Speaker System, page 56 How To Buy A CASSETTE DECK Decide what you want it to do, and be prepared	58

Decide what you want it to do, and be prepared by David Simon to test the candidates

TAPE BUYING GUIDE Features, specs, and prices of blank tapes

THE BASICS Making waves-the device that turns electricity by Ian G. Masters into sound

CHOOSING A CUSTOM INSTALLER How to have it your way

MUSIC

ROSEMARY CLOONEY "If you can just hang on long enough, you get to be woven into the fabric of people's lives." by Alanna Nash

BEST RECORDINGS OF THE MONTH John Cale, American violin masterpieces, the O'Kanes, and Mozart piano works

RECORD MAKERS The latest from Narada Records, Aerosmith, James Galway, Gary Burton, Pat Metheny, and more

Cover: Teac's top cassette deck, the R-919X, loaded with TDK's high-bias SA-X100, represents one of the many options for fine tape recording; see page 58. Design by Sue Llewellyn, photo by Roberto Brosan.

COPYRIGHT © 1990 BY DIAMANDIS COMMUNICATIONS INC. All rights reserved. Stereo Review, March 1990, Volume 55, Number 3. Stereo Review (ISSN 0039-1220) is published monthly by Diamandis Communications Inc. at 1633 Broadway. New York, NY 10019: telephone (212) 767-6000. Also publishers of Car Stereo Review, Stereo Buyers' Guide, Compact Disc Buyers' Guide, and Video Buyers' Guide. One-year subscription rate for the United States and its possessions, \$13.94: Ganada, \$18.94: all other countries, \$21.94, cash orders only, payable in U.S. currency. Second-class postage paid at New York, NY 10001, and at additional mailing offices. Printed in the U.S.A. Authorized as second-class mail by the Post Office Department, Ottawa, Canada, and for payment of postage in cash. POST-MASTER (SUBSCRIPTION SERVICE): Please send change-of-address forms and all subscription correspondence to Stereo Review, P.O. Box 55627, Boulder, CO 80392-5627. Please allow at least eight weeks for the change of address to become effective. Include both your old and your new address, enclosing, if possible, an address label from a recent issue. If you have a subscription problem, write to the above address or call (800) 876-9011. PERMISSIO XS: Material in this publication may not be reproduced in any form without permission. Requests for permission should be directed to: The Editor, Stereo Review, Diamandis Communications Inc., 1633 Broadway, New York, NY 10019. EDITORIAL CONTRIBUTIONS must be accompanied by return postage and will be handled with reasonable care, but the publisher assumes no responsibility for return or safety of unsolicited art, photos, or manuscripts.

by Rebecca Day



Incorporating High Fidelity®



93

63

69

66

77

110

VOL. 55 NO. 3

McIntoshi is MUSIC

Conceived in total dedication to the pursuit of excellence, the time required to develop the research program for this system has spanned at least two decades. The elusive combination of variables required to yield a uniform field has been tantalizing researchers for many years. Finally, after McIntosh built one of the most advanced and best instrumented acoustical laboratories in the world was it possible to follow the many theoretical leads to their conclusion. Then, after this extensive effort of analyzing so many different approaches to uniformity of field, was it possible to snythesize all of this knowledge and in one flash of intuitive genius the director of our acoustical laboratory saw a seemingly simple solution in the correct matching

of diameters, masses and compliances and what evolved is a new measure of accuracy and realism. The intellectual and emotional experience of listening to the XR 1052 is something you simply must enjoy in your own home.

For information on McIntosh products and product reviews please send your name, acdress and phonemumber to:

McIntosh Laboratory Inc. Department 2905 PO Box 96 East Side Station Binghamton, NY 13904-0096

CIRCLE NO. 29 ON READER SERVICE CARD

STEINWAY & SONS. STEINWAY and the LYRE Device are Registered Trademarks of Steinway, Inc. and Steinway & Sons, and are used with permission of Steinway, Inc.

Handcrafted with pride in the United States by dedicated, highly trained craftspeople.

S.

BULLETIN

by Rebecca Day and William Livingstone

DAT AT LAST?

Following previous false starts by Marantz, Casio, and others, manufacturers of digital audio tape equipment are again poised to hit U.S. streets with DAT recorders in the next few months. At a press conference held a day before the Winter Consumer Electronics Show in Las Vegas in January, Sony said it would market a DAT recorder (at an undisclosed price) in the first half of 1990, with a portable to follow by the end of the year. Both machines will be equipped with the Serial Copy Management System (SCMS), which limits the making of digital copies of digital tapes.

The following day Technics said it would have its SCMS-equipped SV-DA10 DAT recorder in stores "by summer" at a price of \$1,200 to \$1,300. JVC and Denon followed suit, disclosing plans to introduce DAT recorders with SCMS at \$1,100 and \$1,000, respectively, early this summer.

DOLBY S UPDATE

Dolby S, the consumer version of Dolby Laboratories' professional Spectral Recording system, appeared in several prototype analog cassette decks at the Winter Consumer Electronics Show. Teac tentatively set this spring for introduction of a \$1,500 Dolby S deck in its Esoteric line, and Denon set June as the projected in-store date for its \$750 Dolby S deck. Pioneer and Harman Kardon also demonstrated Dolby S recorders but did not disclose prices or marketing dates. Sony, however, which manufactures the circuit for Dolby, said that it would not introduce a Dolby S recorder, choosing instead to concentrate on developing "a new generation of digital recording products."

MUSIC ON PBS

Music looms large in PBS programming for March, with many new shows and repeats of favorites from the past. Among new shows are a concert by Joan Baez with Jackson Browne as guest star (March 3) and a special Austin City Limits featuring Lyle Lovett (March 8). The Great Performances Series will feature Mozart in Salzburg (March 9) with James Levine conducting the Vienna Philharmonic and soloists Jessye Norman, Anne-Sophie Mutter, and Murray Perahia. Patti Page will host Jukebox Saturday Night II (March 10) with such singers as Teresa Brewer, Julius La Rosa and Margaret Whiting. Many country artists, including Dwight Yoakam and Minnie Pearl, will perform on The Hank Williams Tradition (March 12), and a show will be devoted to The Unforgettable Nat King Cole (March 13).

Other new shows this month feature great moments from the Metropolitan Opera (March 14), music by Richard Rodgers (March 16), and a Julie Andrews concert (March 18). Among repeats are programs by Linda Ronstadt and Louis Armstrong (both March 2), Gregory Hines (March 8), and others throughout the month. For complete listings and show times check local PBS stations.

INCENTIVES

The Koss Gift Pack (\$19.99) couples the TD/20 stereophones with the Koss Classics CD of Beethoven's Symphony No. 9 performed by the Milwaukee Symphony.... Customers who buy two-, five-, or ten-packs of Memorex's 100-minute HBS II cassettes between March and June are eligible for a free Memorex car shade. A free cassette carrying case comes with 100-minute HBS II five-packs during the same period, and Memorex SL 40 headphones are free with the purchase of the company's MPS minispeakers. The second in a series of Enigma Records/Fuji samplers is included with five-packs of Fuji's new FR-IIx cassettes and four-packs of FR-IIx Pro 90-minute cassettes. Customers who buy three two-packs of Fuji DR-I, DR-II, or FR-IIx cassettes will get a coupon

redeemable for a Fuji/Enigma T-shirt featuring Red Flag and XYZ..., BASF's "Playback-Payback" promotion will run from May through June, offering customers three chances to win cash (up to \$1,000) with the purchase of selected videocassettes.

MUSIC NOTES

Estonian conductor Neeme Järvi has been named music director of the Detroit Symphony. ... Rumors persist that Lee Atwater, guitarist, Republican Party Committee Chairman, and lead vocalist, will be recording an album for a major company... And are you ready for the return of Iggy Pop? According to authoritative sources, he will star in the movie Crybaby produced by Ron (Cocoon) Howard and directed by John (Pink Flamingos) Waters. The cast is said to include Polly Bergen, Patty Hearst, Troy Donahue, and ex-porn queen Traci Lords. The mind reels.

BREAKING BARRIERS ON CD

Daniel Barenboim conducted the Berlin Philharmonic in an impromptu concert when the Berlin Wall came tumbling down toward the end of 1989, and in December Leonard Bernstein conducted the Bavarian Radio Symphony, augmented by players from many other international orchestras, in an "Ode to Freedom" concert celebrating the collapse of the Wall and other East-West barriers. Both concerts were recorded live and have been processed for release on CD some time this month—the Bernstein on Deutsche Grammophon, the Barenboim on Sony Classical.



n designing the new LS 400 luxury sedan, Lexus engineers were as preoccupied with frequency response and harmonic distortion as horsepower and handling. Their aim, you see, was to create car audio as advanced as the LS 400 itself.

The Engineers At Lexus Were Just As Concerned With Impressing Stereo Review As Road & Track.

They began by setting performance goals beyond the best premium level systems available. In the end, they'd created two of the finest audio systems ever engineered for the automobile.

The first is the standard Lexus 7-speaker high-output audio system with bi-amplified subwoofer. Its

continuous average



The Lexus LS 400

output is 65 watts, with a maximum of 140-enough power to please the ear



of both the casual listener and the confirmed audiophile.

The optional Lexus/Nakamichi Premium Sound System is simply car audio without compromise.



Its RMS output power is nearly doubled to 126 watts,* with a maximum of 220. The result? Bass response so deep, so tight, you don't just hear it. You feel it. And with its more sophisticated specifications, refined circuit design and advanced speaker technology, you'll hear sound reproduction like you've never heard before in a car. But then, doing what's never been done before is what Lexus is all about.







IS YOUR CLASSICAL JFFERING

ATOK REAL

High resonance housing will put any tape in a nasty mood. Especially when pests, such as modulation noise, gnaw on the purity of digitally sourced music.

At TDK, we believe the formula for perfect reproduction includes not only technologically superior tape, but housing that enhances its performance.

Our incredible new SA-X, for example, features an ultra low resonance SP-ARII mechanism. By utilizing our unique comolding technique, the unified two-layer shell realizes maximum total rigidity to improve reliability. Which drastically reduces modulation noise-an enemy of clear, pure sound that even noise reduction systems are powerless against.

This undesired "noise" is also attacked by SA-X's revolutionary magnetic characteristics and smooth, flat tape surface. First, there are the densely packed and uniformly distributed ultra fine Super Avilyn magnetic particles. Then, there is the advanced dual coating technology.

Together, the result is an unbelievably quiet tape with an exceptionally low bias noise of -61.0 dB. Plus, low and high frequency MOLS of + 5.0 dB and - 6.5 dB respectively.

And SA-X, which provides transparent reproduction of the most powerful digital sources, is available in convenient lengths of 46, 60, 90 and 100 minutes.



Stereo Review

LOUISE BOUNDAS Editor in Chief

MICHAEL SMOLEN **Executive Editor** SUE LLEWELLYN Art Director CHRISTIE BARTER WILLIAM WOLFE Music Editor Technical Editor DAVID STEIN Managing Editor

REBECCA DAY, WILLIAM GOLDMAN ROBERT ANKOSKO Senior Editors

ARINDA J. SEGARRA Assistant Editor **CATHERINE FLEMING**

Assistant Art Director

BARBARA AIKEN, ROCCO MATTERA MARYANN SALTSER **Editorial Assistants**

> MICHAEL RIGGS WILLIAM LIVINGSTONE **Editors at Large**

Contributing Editors: Robert Ackart, Contributing Editors: Robert Ackart, Chris Albertson, Richard Freed, Phyl Garland, David Hall, Ron Givens, Brvan Harrell (Tokyo), Roy Hemming, Julian Hirsch, Ralph Hodges, Stoddard Lincoln, Ian Masters, Louis Meredith, Alanna Nash, Mark Peel, Henry Pleasants (London), Ken Pohlmann, Parke Puterbaugh, Charles Rodrigues, Eric Salzman, Steve Simels, Graig Stark, David Patrick Stearns Production Director: Karen L. Rosen Production Manager: Michele Lee

WINSTON A. JOHNSON Vice President and Publisher

ADVERTISING

Advertising Director: Nick Matarazzo

Advertising Director: Nick Matarazzo National Manager: Charles L. P. Watson (212) 767-6038 Consultant: Richard J. Halpern (212) 767-6940 Account Manager: Sharon Dube (212) 767-6040 Account Manager: Tom McMahon (212) 767-6025 Assistant to the Publisher: Nadine L. Goody Classified Advertising: (800) 445-6066 Midwestern Managers: Arnold S. Hoffman, Jeffrey M. Plaster (708) 679-1100 Western Managers: Robert Meth, Paula Mayeri. (213) 739-5130 Tokyo Office: Iwai Trading Co, Ltd. 603 Ginza Sky Heights Building, 18-13, Ginza 7-Chome, Chuo-Ku, Tokyo, Japan 104 Japan Representative: J. S. Yagi, (03) 545-3908



STEREO REVIEW is published by Diamandis Communications Inc., a subsidiary of Hachette Publications, Inc.

President & CEO: Peter G. Diamandis Executive Vice President: Robert F. Spillane Senior Vice President, Finance, & CFO: Arthur Sukel Senior Vice President, Manufacturing & Distribution: Murray Romer Senior Vice President, Operations & Administration: Robert J. Granata Vice President, Controller: David Pecker Vice President, General Counsel: Catherine Flickinger Vice President, General Counsel: Catherine Flickinger

Vice President, Girculation, Leon Rosenfield Vice President, Communications, Phylis Crawley Gates Vice President, Marketing, Anthony F. Incalcatera Vice President, Research, Bruce Gershfield

State Of The Art That Leaves Room For The Art.



Now it's perfect. The final touch. • High-fidelity, in-wall speakers from Sonance. They add a dimension throughout your home that enhances fine art, compliments decor and completes an environment that delights all your senses. • Music. • Music that is startlingly accurate. Rich. Dynamic. A total audio ambience produced by

these compact but powerful speakers. • Sonance is the leader in Architectural Audio,[™] with the world's most complete, single-source line of speakers, switchers, wires, and accessories. • Learn how easy it is to fill your home with audio art while leaving room for your visual art. • Contact the Sonance dealer nearest you. Call 1-800-582-7777. Outside the U.S.A. 714-661-7558, in Canada 604-873-4475. Or, write: Sonance, 32992 Calle Perfecto, San Juan Capistrano, CA 92675, Fax 1-714-240-4995.



LETTERS

Making a Difference

Julian Hirsch's December "Technical Talk" column, "Does It Make a Difference?," was one of the very best I have ever read. He is a very wise man. Our society would be well served if everyone read and understood his thoughts, which pertain to much more than audio purchases.

> CHARLES LEWIS Buffalo, NY

Congratulations to STEREO REVIEW and Julian Hirsch for his December column. Sanity *does* make a difference!

CARLOS E. BAUZA San Juan, PR

I wish I had read "Does It Make a Difference?" a few months ago. Anxious to upgrade an already good set of audio components, I launched into a spec-reading, brochure-ordering, pricecomparing, audition-hungry frenzy. Why? Because I chose to swallow the elitist fodder of "underground" audio publications.

Now displayed in our living room is

the result of all that misguided research. Yes, it sounds fine. But do I, as a casual listener/hobbyist, need these expensive components to enjoy music? Frankly, I was just as pleased with my former components. The new ones are good, all right, but I'm no happier having spent the money.

Thanks to Mr. Hirsch's column, my peace of mind is once again more important to me than playing follow the leader. I am now going to undertake my new audio/video hobby my way, with my tastes, my ears, and my preferences.

> M. WEBBER Poplar Bluff, MO

Unfinished

On page 61 in the January issue, the Maxell Corporation presents an advertisement that would be very clever but for some errors. Schubert's reasons for never completing the *Unfinished* Symphony are still unknown, but it had nothing to do with his demise; it was left unfinished long before his death. And the symphony is not, as shown on the CD in the ad, No. 7, in C Major, but No. 8, in B Minor.

JAY AUSTIN Harker Heights, TX

Maxell's copywriter inserted a humorous parting shot implying that you need its hundred-minute cassettes to record Vivaldi's best-known work or else it will be the "Three-and-a-Half Seasons." I have two recordings of *The Four Seasons*, one by Ozawa on Telarc and the other by Hogwood on L'Oiseau-Lyre. Both last well under forty-five minutes, so you can fit either of them on one side of a standard ninety-minute cassette.

> WILLIAM G. NABOR Mission Viejo, CA

Rodrigues Rerun

May we conclude that the reappearance on page 50 in the January 1990 issue of the cartoon on page 78 in the December 1989 issue is the result of two-times oversampling?

> J. M. WHALEY El Dorado, AR

MasterMind. Finally, A Universal Controller That Doesn't Require a Rocket Scientist to Operate.

Before *MasterMind*, it took hours of frustration to program a universal controller for your system. Now you can kiss all your old remotes goodbye!

Everything is easily under control with the *MasterMind* PreProgrammed Memory Remote Control. *MasterMind* has already memorized all commands

needed to operate infra red controllers used with over 1000 top components. *MasterMind* can instantly control TV, CABLE, VCR, CDV, TUNER, AMP, CD and DAT.

No other controller is remotely comparable. For your nearest *MasterMind* dealer call 516-496-3400.

CIRCLE NO. 40 ON READER SERVICE CARD

V CABLE VCR CDV TUNER AMP CD ABLE VCR CDV TUNER AMP CD DAT TV CABLE VCP TUNER AMP CD DAT TV CABLE VCR CDV TUNER AMP CD DAT SVCR CDV TUNER AMP CD DAT TV CABLE VCR CDV TUNER AMP CD DAT

LETTERS

Did you ever have that feeling of déjà vu? Come on, guys, it's a good cartoon—it's not a great cartoon. STEVEN J. HALLER Oak Park, MI

We think all of Charles Rodrigues's cartoons are great, but the encore was unintentional.

Best Bruckner

David Hall's review of Herbert von Karajan's last recording of the Bruckner Eighth Symphony (January "Best Recordings of the Month") listed the versions by Giulini and Haitink as rivals. Having listened to all three versions, I must recommend an even greater performance, the one by Günter Wand with the North German Radio Orchestra (RCA 60365-2-RC).

> CHARLES FORD Portland, OR

Rocking Ronstadt?

Regarding Ron Givens's December review (in "Best Recordings of the Month") of Linda Ronstadt's latest, "Cry Like a Rainstorm, Howl Like the Wind": Don't get me wrong. I like Linda Ronstadt—great career, some commendable risk-taking, strong performances, etc. But calling this "the first true pop-rock album"?! Please! There are many candidates for that, er, honor, but Ms. Ronstadt's disc is certainly not among them. It's a pretty good *pop* album, but there's not an ounce of rock in it. My vote would go to the Beatles' "Please Please Me." Now *there* was a true synthesis of the genres.

> DAVID ARGENTIERI Silver Spring, MD

The Real Salsa

December "Record Makers" says that David Byrne's most recent album, "*Rei* Momo," pays homage to "Mexican" salsa. The salsa genre is mostly Puerto Rican, not Mexican. For the past thirty years (since the fall of Cuba in 1959), almost all of the salsa greats have been from Puerto Rico: El Gran Combo, La Sonora Poncena, Fania All Stars, Rey Barreto, and Willie Colon, to name a few. Even Ruben Blades, who is Panamanian, got his first big break from salsa great Willie Colon.

> ROBERT GUZMAN Buffalo, NY

Corrections

In February's test report on the Grundig Fine Arts CCT-903 cassette deck, the curves in the playback-only response graph on page 55 were incorrectly identified. The red curves are for Deck B, the blue curves for Deck A.

Ortofon, which distributes Dual components as well as its own brands, was inadvertently omitted from the "Directory of Manufacturers" on pages 137-138 in February. Its U.S. address is 122 Dupont St., Plainview, NY 11803; telephone (516) 349-9180. Also, Rogers Loudspeakers has moved. The current address and phone number are P.O. Box 381, Highland Lakes, NJ 07422-0381; (201) 764-8958. And Thorens turntables are no longer distributed by Epicure/EPI but by BLR Electronics, Inc., 84-03 Cuthbert Rd., Kew Gardens, NY 11415; (718) 441-2696.

harman/kardon

CR CDV TUNER AMP CD DAT TV CABLE VCR CDV TUNER AMP CD DAT TV CABLE VCR CD TTV CABLE VCR CDV TUNER AMP CD DAT TV CABLE VCR CD

Now that the digital Compact Disc is a musical triumph, Sony presents the encore.

ONY	No. of Concession, Name of Street, or other Designation, or other Designation, or other Designation, or other D	the second s	and the second division of the second divisio	a state of the second secon	DIGITAL SIGNAL PROCES		VOLUME
-	unarruno urbas arte rokurale, estesan	PTRIC LOUNLINE / SUMMOUND	NOSE MOMENTA (DIT	ebit a / SuiterOued	EXECT ACCESS TUNNO/PRESET FUN INDION NOCI/PRESET ED LI		
NOWER.	unit C	BAND 123 BLOPE	-B	LBY		2	1.
HAR BUCK	Emploide Maleure						1:
		8 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	DIGI	AL 2			
	581.41 7000 20 47 105 200		41 LEO MODE MECUENCY/FUNCT	ON PROMIT	CUHIOR MODE		
					NEW MA		
SPEAKERS		Minute Course		I JICI PAR MODE PAR/AM	Tankanda Bana Arts & Rands		
	COANAL S-OFTICAL		Column 1 - Column 1 - Column 1 - Column	SEA TUNING PHESES SUNING	LATEL LEVEL LETE ALPH	003	MUT 140
					E.AT WE DIN E I PS		- 3040
ADPHONES	RIGHL CHOC VE		ALI DAT CO			VIDEO3 NPUT	BALANC
						000	
0				and the second s	I have been a second se	4 4460 6 A400 4	
	يشجر بيانون وي						MPT 1
DTHAME MANY			The second				
					יייניאין אסאטא פאראיאיייייייייייייייייייייייייייייייי		

Introducing the world's first Digital Signal Processing Receiver.

Sony has news for the millions of music lovers who hailed our invention of the Compact Disc. That was merely our first act in digital audio. Now comes the world premiere of Act II: Sony AM/FM Stereo Receivers with DSP.

DSP stands for Digital Signal Processing, a Sony revolution that gives you note-by-note control over every aspect of your music. Yet with all this control, DSP actually maintains the Compact Disc's sound quality throughout your high fidelity system. This is technology no analog component can equal, resulting in sonic purity no analog component can match. On Sony's STR-D2010 Receiver, DSP replaces conventional tone controls with the pinpoint precision of a digital parametric equalizer. We've equipped our Dolby® Surround circuitry with digital delay and digital noise reduction for eye-opening playback of movie soundtracks. And DSP places your music into a choice of Hall, Stadium and Live soundfields. Direct digital inputs for your Compact Disc player, digital dynamic suppression, and 130 watts per channel (front) plus 15 watts per channel (rear) combine to reserve a place in hi-fi history for the D2010.*

To audition the STR-D2010 with DSP and the entire line of Sony Receivers, visit your Sony high fidelity dealer. And be prepared to applaud.

> SONY. THE LEADER IN DIGITAL AUDIO[®]

© Capyright 1989 Sony Carporation of Americo. All Rights Reserved. Sony and The Leader in Digital Audio are trademarks of Sony. Dalby is a trademark of Dolby Laboratories Licensing Corp. "For those who read footnates, the D2010 also has audio/video switching, programmable remote control, Sony's law-noise Direct Comparator FM tuning, discrete output transistors and front power output of 130 warts per ch., cont. RMS, both ch. driven into 8 ahms, 20–20,000 Hz, 0.008% THD; reor power output of 15 warts per ch., cont. RMS, both ch. driven into 8 ahms, 20–20,000 Hz, 0.08% THD.

GOLDSTANDS

Goldstands speaker stands, made of medium-density fiberboard finished in satin black lacquer, come completely assembled. Rubber pads on top of the pedestals protect and grip speakers. The bases are available in walnut, oak, or white finish. Options include base spikes and sand or lead-shot filler for the uprights. The smallest stand is the 4-inch-high, single pedestal GSM-1 (lower right in photo), the largest the 22inch-high, multipedestal GS-5 (lower left). Prices range from \$24.95 a pair for the GSM-1 to \$174.95 a pair for the GS-5 (plus shipping). Goldstands, Dept. SR, 229 Nassau Rd., Huntington, NY 11743.

Circle 125 on reader service card



CARRERA

The Carrera CD-3200 compact disc player uses a double-oversampling digital filter and has a digital output. The specifications give its frequency response as 20 to 20,000 Hz ± 0.5 dB, signal-to-noise ratio as greater than 95 dB, and total harmonic distortion as 0.01 percent. It can repeat a track or disc. Price: \$199.95. Distributed by Trans Pacific Marketing, Dept. SR, 1230 Calle Suerte, Camarillo, CA 93010. *Circle 126 on reader service card*



ALTEC LANSING

Each satellite speaker in Altec Lansing's three-piece System 3 has two 3inch woofers with polypropylene-carbon cones and a $\frac{1}{2}$ -inch ferrofluidcooled dome tweeter. The nondirectional Multipath Subwoofer, which can be anywhere in a room, has two 8-inch long-throw polypropylene-carbon woofers. Frequency response of the system is rated as 30 to 20,000 Hz, sensitivity as 90 dB sound-pressure level at 1 meter with a 1-watt input. Nominal impedance is 4 ohms, and recommended amplifier power is 10 to 100 watts. Dimensions are $11\frac{3}{4} \times 9\frac{1}{2} \times 19\frac{3}{4}$ inches for the subwoofer and $8\frac{1}{2} \times 4 \times 4\frac{1}{4}$ inches for each of the satellites. System price: \$600. Altec Lansing, Dept. SR, Milford, PA 18337.

Circle 127 on reader service card





INFINITY

The ERS 800 is part of Infinity's Environmental Reference Standard series of flush-mount in-wall speakers. It uses a shallow, minimum-diffraction, injection-molded baffle and patented mounting hardware that's said to provide maximum rigidity and ease of installation. The driver complement includes Infinity's own 8-inch long-throw woofer and EMIT K tweeter, which can be rotated for optimum frequency response and dispersion whether the speaker is mounted horizontally or vertically. Frequency response is rated as 50 to 45,000 Hz \pm 3 dB and sensitivity as 85 dB sound-pressure level at 1 meter with a 1-watt input. Nominal impedance is 4 ohms. Price: \$552 a pair, \$48 for the bracket kit. Infinity Systems, Dept. SR, 9409 Owensmouth Ave., Chatsworth, CA 91311. Circle 128 on reader service card



"Matthew Polk's SRS Speakers Bring You the Ultimate Listening Experience"

"Spectacular... it is quite an experience." Stereo Review Magazine

The Joy of Owning the Ultimate Dream Speakers

Music lovers who are privileged to own a pair of SRS's will share in Matthew Polk's dream every time they sit down and enjoy the spine-tingling excitement of listening to their favorite music. Demonstrating them to admiring friends ultimately increases their pride-of-ownership. "Awesome" is the word most often used to describe the sound of an SRS system. They are capable of playing at live concert levels for long periods of time, with a surprising lack of effort and without producing earfatigue.

The bass response can literally move your body any time the music requires it, yet they perfectly reproduce all of the subtle nuances of a string quartet and are just as enjoyable at a low volume level as when played loud. Music and ambience surround the listener in an almost 360-degree panorama of sonic splendor that is, in the words of High Fidelity magazine, "Mind-boggling....Astounding....Flabbergasting," But words alone cannot possibly describe the experience of listening to these ultimate speaker systems, you simply must hear them.

SRS 1.2 tl

Two time Audio Video Grand Prix Winner

The ultimate expression of Polk technology, this limited production flagship model sets the industry standards for imaging, detail, dynamic range, and bass reproduction.

SRS 2.3 tl

Audio Video Grand Prix Winner

This scaled-down version of the SRS 1.2 tl incorporates all of flagship's design innovations without significantly compromising its awesome performance.

Polk Audio's SRS: The Quest for Perfection

The goal of Matthew Polk's Signature Reference System (SRS) speakers is to bring an unparalleled level of life-like musical reproduction to your home. Perfect musical reproduction, long the dream of every speaker designer, is approached so closely by Matthew Polk's SRS's that it will seem as if the musicians are performing right in your listening room. This stunning achievement combines technology and creative insight to bring you a listening experience that you will never forget.

1. Patented SDA True Stereo Technology — The first and only speaker systems to maintain full stereo separation all the way from the source to your ears.

SRS speakers seem to disappear as musical images fill your listening room and seem

to immerse you in a fully three-dimensional soundfield of startling realism.

2. Multiple Driver Arrays — The use of multiple drivers allows each separate element to work less hard and lowers distortion even at live concert levels. Power handling is increased to 1,000 watts per channel, providing a seemingly limitless dynamic range.

3. Time-Compensated Driver Alignment — Time-coherent driver placement insures that the entire spectrum of sounds reaches your ears at the same time. The sound is better focused, balanced and less fatiguing.

4. Wavelength Optimized Line-Source — Vertical driver arrays focus the sound waves into the room in a way which greatly reduces floor and ceiling reflections. Progressive reduction of the

Matthew Polk with the ultimate expressions of loudspeaker technology: The SRS 1.2 tl and SRS 2.3 tl.

acoustical length of the arrays maintains constant vertical dispersion and eliminates "comb" filtering effects that limit other multiple driver systems. The result is extraordinary clarity and detail, great flexibility in room placement and precise stereo imaging from virtually any place in the room.

5. Planar 15" subwoofer — SRS bass performance is breathtaking. The use of small active drivers (eight in the SRS 1.2 tl, six in the SRS 2.3 tl) coupled to a huge sub-bass radiator achieves a bass response that is extraordinarily tight, fast (no boominess), deep and distortion free. In fact, the distortion at 25 Hz is lower than that of many audiophile-quality tube amplifiers.

6. Bi-amp Capability — The optional use of separate amplifiers for the high and low frequencies further improves clarity, lowers distortion and increases dynamic range.

7. Hand-Crafted Limited Production — The one-at-a-time attention that goes into the production of every Polk SRS speaker system means that your pair will sound and look as good as Matthew Polk's own.

Where to buy Polk Speakers? For your nearest dealer, see page 104. CIRCLE NO. 90 ON READER SERVICE CARD



The Speaker Specialists * 5601 Metro Drive Baltimore, Maryland 21215 (301) 358-3600

NEW PRODUCTS



Sansui

The remote-controlled Vintage AU-X611AV from Sansui is an 80-watt-perchannel integrated amplifier. The audio section has remote input and output switching, a source-direct switch to bypass the preamplifier, a high-gain phono equalizer, and a three-position record selector. There are four video inputs, two of them with parallel S-video terminals, and three video outputs with parallel S-video terminals. The use of a pair of wide-band (8-MHz) video buffer amps is said to insure a superb signal-to-noise ratio and exceptional picture brightness. There are separate transformer-coil windings for the audio and video sections for better isolation. Price: \$750. Sansui Electronics, Dept. SR, 1250 Valley Brook Ave., Lyndhurst, NJ 07071.

Circle 129 on reader service card



QED AUDIO PRODUCTS

QED's line of mini amplifiers is designed to provide several useful features that are often left out of today's better audio and video equipment. The headphone amplifier (top in photo), for use with preamplifiers or TV sets that lack a headphone jack, is driven from a tape or line-level output. The microphone amplifier (middle) provides microphone inputs for tape recorders that lack them, with switchable sensitivity and impedance characteristics to suit different microphones. The R.I.A.A. preamplifier (bottom) is designed to permit a turntable to be used with a passive preamplifier or other control component that lacks phono stages. It boosts a cartridge's output to line level and applies the correct phono equalization. All three amps measure 7 x 43/4 x 11/2 inches, and all require a 12- or 24volt external DC power supply. Prices: \$160 each. Distributed in the U.S. by May Audio, Inc., Dept. SR, P.O. Box 1048, Champlain, NY 12919, Circle 131 on reader service card

DYNASOUND

Dynasound Organizer's Model 53002 entertainment storage center is designed to hold up to sixty CD's, fortytwo audio cassettes, or thirty Nintendo video game cartridges. Measuring 16^{1/2} x 10 x 4^{3/4} inches, it can be placed on a TV set, shelves, a bookcase, or a desk. It is made of solid oak with a lacquer finish. Price: \$29.95. Dynasound Organizer, Dept. SR, 2516 Wabash Ave., St. Paul, MN 55114. *Circle 130 on reader service card*



BLAUPUNKT

The trunk-mounted CDC 01 is Blaupunkt's first car CD changer system. The trunk unit holds up to twelve CD's in two six-disc magazines. The remote Commander, measuring about 6¾ inches wide, 2 inches high, and 1 inch deep, is designed to be mounted almost anywhere inside the passenger compartment. Connected to the trunk unit by cable, the Commander operates and programs the changer. The CDC 01 features repeat and random-play modes and can be programmed to play up to

fifty selections in any order from any disc. The Commander also controls volume, balance, fader, bass, treble, and loudness compensation. A preamplifier control interface links the Commander and the trunk unit to the rest of the car stereo system. There are also preamp outputs for direct connection to a power amplifier. Prices: \$629.95 for the changer, \$249.95 for the remote Commander. Blaupunkt, Dept. SR, 2800 S. 25th Ave., Broadview, IL 60153. *Circle 132 on reader service card*





DISCS, DISCS, DISCS, DISCS!

A CHANCE TO GET ONE MORE CDplus shipping/handling with membership. Details on other side

Paula Abdul—Forever Your Girl. Cold Hearted; Straight Up; more. (Virgin) 374-637 Up; more. (Virgin)

WHEELS

Belinda Carliste-Runaway Horses (RCA) 400.788

The Front (Columbia) 400-903 Pla Zadora—Pia Z (CBS Associated) 401-703

Dionne Warwick-Greatest Hits (1979-1990) 401.679

(Arista) (Arista) Loverboy—Big Ones (Columbia) 401-661

Pat Benatar-Best Shots 401.646 (Chrysalis) Neville Marriner, Cond.-

Handel: Water Music Academy Of St. Martin-In-The-Fields (Angel) 401-638 Yo-Yo Ma-Great Cello Concertos (CBS Master)

401.604 Best Of The Canadian Brass (CBS Masterwork

401-596 Ars—Truth In A Structured Form (Imagine) 401.539 Survivor-Greatest Hits 401-521 (Scotti Brothers) Next Of Kin—Orig. Sound Track (Columbia) 401-323



Melissa Etheridge-Brave And Crazy (Island) 388-090

Bruce Willis-If It Don't Kill You, It Just Makes You Stronger (Motown) 401-182 Do The Right Thing-

Do The Right Humy— Original Sound Track Featuring: Branford Marsalis (Columbia) 401-117

Bros—The Time (Epic) 400-895

Billy Ocean—Greatest Hits (Jive/RCA) 400-879 Carpenters—Lovelines (A&M) 388+942 Stephen Bishop

Bowling In Paris (Atlantic) 400.762 Paul Simon-Negotiations And Love Songs

(Warner Bros.)

400.721

Rolling Stones-Steel Wheels. Mixed Emotions: Sad. Sad. Sad. etc. (Rolling Stones Rec.) 387-738

The Best Of Luther Vandross-The Best Of Love (Epic) 400+473/390+476

The Band—To Kingdom Come ... (Capitol) 388-181

Best Of Cher (EMI) 381-509 Bo Diddley Is A

Gunslinger (Chess) 379-677 Crosby, Stills, Nash and Young-So Far (Atlantic) 378-745

Roy Orbison-The All-Time Hits, Vols. 1 & 2 (Columbia Special Prod.)

377.945 The Who-Who's Better, Who's Best (MCA) 376-657 The Very Best of Poco 367.623 (Epic) Joni Mitchell—Court and Spark (Asylum) 367-102 Traffic-John Barleycorn Must Die (Island) 364-935 Van Morrison—Sum Dominic's Prevlew Bros.) 364-927 Little Feat-Dixie Chicken (Warner Bros.) 363-515 Joe Satriani-Flying In A

Blue Dream (Relativity) 400-655

Original Sound Track— Strait No Chaser Music from the Motion Picture Theionious Monk Theionious Monk 400-614 Georgia Satellites—In The Land Of Salvation And Sin (Elektra) 400-598 Charlie Daniels Band-Simple Man (Epic) 400.523 Reba McEntire-Live 400.739 (MCA)



Brahms: Violin Concerto; Bruch: Concerto No.1. Nadja Salerno-Sonnenberg; Edo De Waart and Minnesota Orch.(Angel) 400.135 Michel Camilo-On Fire 389.999 (Epic)

Tracy Chapman-Crossroads. Title cut plus Bridges; Subcity, This Time; etc. (Elektra) 387-951

Bob Dylan—Oh Mercy (Columbia) 389-262 The Best Of The Dregs-Divided We Stand (Arista) 386-979

TRACY CHAPMAN

Best Of The Doors (Elektra) 357-616/397-612 Rolling Stones-Exile On Main Street

Main Street (Rolling Stones Rec.) 350-652 Rolling Stones-Sticky Fingers (Rolling Stones Rec.) 350.645 Jethro Tull—Aqualung (Chrysalis) 345-157

Best Of Procol Harum (A&M) 344.457 The Byrds—Greatest Hits (Columbia) 342-501 (Columbia) Bad Company—10 From 6 (Atlantic) 341.313 A Decade Of Steely Dan (MCA) 341-073

Best Of Kansas* 327.742 (CBS Assoc.) Joe Cocker-Greatest Hits (A&M) 320-320.911 Gold & Platinum Volume

Six (Realm) 388-355

Tom Petty-Full Moon Fever. Free Fallin'; I Won's Back Down; etc. (MCA) 382-184 more. (Geffen)

Rickle Lee Jones-Flying Cowboys (Getfen) 388-199 Eagles-Live (Etektra) 400.713 Elton John-Greatest Hits (MCA) 319.541

The Babys—The Babys Anthology (Chrysalis) 312.256

Creedence Clearwater Revival—20 Greatest Hits (Fantasy) 308.049 The Best Of Emerson,

The Best Of Enter Solution Lake & Palmer (Atlantic) 306-969

Best Of The Grateful Dead (Warner Bros.) 291-633

Best Of The Doobie Bros. (Warner Bros.) 291-278 Beethoven-Symphonies Nos. 4 And 5. Norrington, London Classical Players (Angel) 400-184

Young Mc—Stone Cold Rhymin' (Delicious Vinyl) 400+085 Lee Rittenour-Color Rit (GRP) 400.051

Yellowjackets-The Spin (MCA) 388-173 Cher-Heart Of Stone, If I Could Turn Back Time; plus

Taylor Dayne—Can't Fight Fate (Arista) 388-017 Fate (Arista) Dave Grusin-Migration 400.044 (GRP) Jack Bruce—A Question Of Time (Epic) 389-98 389-981 SOS Band-Diamonds In The Raw (Tabu) 389-973 Ferrante And The

TOM PETTY

Phantom (Bainbridge) 389-957 N.R.B.Q.—Wild Weekend (Virgin) 389+882

Harry Belafonte Live (EMI America) 389 389.775 Randy Travis—No Holdin' Back (Warner Bros.) 389-767

Molty Hatchet—Lightning Strikes Twice (Capitol) 389-346

The Isley Brothers-Spend The Night (Warner Bros.) 385 389-148

Maze—Silky Soul (Warner Bros.) 389-098 The Cars-Greatest Hits (Elektra) 339-903 Elton John-Sleeping Elton John-Sterpins With The Past (MCA) 387-993

Mötley Crüe-Dr. Feelgood Title cut plus Without You; 383-893 T.nT.; etc. (Elektra) 387.944

Placido Domingo—The Unknown Puccini (CBS Master.) 387·829 The Best Of Tim Curry (A&M) 388-926 (A&M) Barry White—The Man Is Back! (A&M) 388-843 388-843 Liszt: Piano Sonata; 3 Petrarca Sonnets; more Vladimir Feltsman, Piano (CBS Master.) 388-538 (CBS Master.) Jethro Tult-Rock Island 388-157 (Chrysalis) Neil Young-Freedom (Reprise) 388-132 Lou Gramm—Long Hard Look (Atlantic) 388-108 Yo-Yo Ma/Stephane Grapelli—Anything Goes. Mostly Cole Porter Tunes (CRS) 387-845

Schumann: Carnaval; Papillons; etc. Andrei Gavrilov(Angel) 387-837 Jimmy Buffett-Off To See The Lizard (MCA) 387-340

Foreigner-Records (Atlantic) (Atlantic) Joe Cocker—One Night Of Sin (Capitol) 387-084 318.055 Of Sin (Capitol)



CBS/Columbia House

1400 NORTH FRUITRIDGE AVENUE TERRE HAUTE, IN 47812-9202



Linda Ronstadt-Cry Like A Rainstorm Howl Like The Wind. (Elektra) 389-874

Janet Jackson-Rhythm Nation 1814. Miss You Much; more. (A&M) 388-913

Aerosmith-Fump. Love In An Elevator; more. (Geffen) 388-009

Tomorrow, Next Week

Big Audio Dynamite-

John Hlatt-Y'all Caught (Geflen) 388-116

Camper Van Beethoven

Syd Straw-Surprise

Chris Isaak-Heart

Paul Kelly And The

-Key Lime Pie (Virgin) 388-074

Shaped World (Reprise) 386-144

Messengers-Sc Much Water So Close To Home (A&M) 384-321

Bryan Ferry / Roxy Music —Street Life (Reprise) 384-230

Bodeans-Home Star/Slash) 384-206

The Call—Let The Day Begin (MCA) 384-156

388-215

386-995

Megatop Phoenix (Columbia)

(Elektra)

(Virgin)

Squeeze-Frank. Dr. Jazz; Rose I Said Peyton Place; more. (A&M) 388-058

379.214

DS FOR A PENN AND A CHANCE TO GET **ONE MORE CD-FREE!** plus shipping/handling

Ziggy Martey & The Melody Makers—One Bright Day (Virgin) 386-987 George Clinton-The Cinderella Theory (Paisley Park) 387-134 Dave Edmunds---Closer To The Flame (Capitol) 387-126



Terence Trent D'Arby Neither Fish Nor Flesh (Columbia) 389.726 The Beach Boys—Still Cruising (Capitol) 387-092 Paul Shaffer-Coast To Coast (Captol) 386.276 **Boogle Down** Productions—Ghetto Music: Blue Print Of Hip Hop (Jive/RCA) 386-1 386.193



Grateful Dead-Built To 388.025 Last (Arista) Babyface-Tender Love 386.177 (Epic Marshall Crenshaw-Good Evening (Warner Bros.) 386-110 Steve Stevens Atomic Playboys (Warner Bros.) 386-086 Jefferson Airplane (Epic) Pete Townshend—The Iron Man (Atlantic) 385-724

385-906 Rippingtons-Tourist In Paradise (GRP) 385-658 Soul II Soul-Keep On 386.037 . Movin' (Virgin)

Pat Metheny Group— Letter From Home (Geffen) 383.901 Michael Bolton--Soul

Provider (Columbia) 383.083

Stravinsky: Firebird; Jeu de Cartes. Esa-Pekka Salonen, Philharmonia (CBS Master.) 385-203 385-203

Youssou N' Dour-The Lion (Virgin) 384-362 Anderson, Bruford, Wakeman, Howe (Arista) 384.115

Dr. John-In A Sentimental Mood (Warner Bros.) 384.040 Diana Ross-Working Diana Ross—working Overtime (Motown) 383-984

Tin Machine (EMI) 383-976 Batman-Original Soundtrack (Warner Bros. 383.885 Beastle Boys-Paul's Boutique (Capitol) 383-786 Billy Squler-Hear And Now (Capitol) 383.760 Jackson Browne-World In Motion (Elektra) 383-752 Spyro Gyre-Point Of View (MCA) 383 383.737 Larry Carlton—On Solid Ground (MCA) 383-66 383.661 Reba McEntire-Sweet Sixteen (MCA) 383.562

Queen-The Miracle 383-547 (Capitol) Jean Luc Ponty—In The Fast Lane (Columbia) 383-521

Bonham—The Disregard Of Timekeeping 383-497 (WTG) Mozart: Flute Concertos; Adante; Rondo. Jean-Pierre Rampal And Zubin Mehta, Israel Phil. (CBS Master.) 383-364 Haydn: Piano Sonatas 33, 38, 58, 60. Emanuel Ax (CBS Master.) 383-331 Don Henley-The End Of The Innccence (Geffen) 383-802 **On The Cutting Edge**

The B-52's-Cosmic Thing (Reprise) 383-877 Paul Carrack-Groove

Approved (Chrysalis) 401-257 Kate Bush-The Sensual World (Columbia) 401-232 Camcuflage—Methods Of Silence (Atlantic) 400-929

Jonathan Richman (Rounder) 400-861

Jane Siberry-Bound By The Beauty (Reprise) 400-804

The Psychedelic Furs— Book Of Days (Columbia) 400-689 Exene Zervenka-Old

Wives Tales (Rhino) 400.622 The Alarm-Change 400-465

(I.R.S.) Indigo Girls-Strange Fire (Epic) 400-333 Max Q (Atlantic) 400.077

The Residents-The King And Eye (Enigma) 400-036 Joe Strummer-

Earthquake Weather (Epi 400.010 Nick Lowe—Basher: The Best OF Nick Lowe (Columbia) 400.002

Vitamin Z—Sharp Stone Rain (Geffen) 389-601 David Byrne-Rei Momo 389.494 (Sire)

Red Hot Chill Peppers-Mother's Milk (EMI) 389-205

The Ocean Blue 389.197 (Sire/Reprise) Debble Harry-Def, Dumb & Blonde (Sire/Reprise) 389-130 Thompson Twins-Big Trash (Warner Bros.) 389-114

Richard Marx-Repeat Offender (EMI) 380.915

Fine Young Cannibals-The Raw And The Cooked (LR.S.) Rachmaninoff: Piano Concerto No. 3; Rhapsody

On Theme Of Paganini, Vladimi Sugarcubes-Here Today, Feltsman; Zubin Mehta. 388.900 Israel Philharm. (CBS Master.)

383-315 Clarence Clemons-A Night With Mr. C (Columbia) 383.067 Johnny Mathis—In The

Still Of The Night (Columbia) 383.042

Berlioz: Symphonie Fantastique. Norrinton London Classical Pl (Angel) 3 Players 382-747 Liza Minnelli-Results

(Epic) 382.333 L.L. Cool J-Walking With

A Panther (Def Jam / Columbia) 381-988 The Dirty Dozen Band-

The Dirty Dozen Voodoo (Columbia) 381-962 The Neville Brothers— Yellow Moon (A&M) 381-889

Branford Marsalis-Trio Jeepy (Columbia) 381-830 Todd Rundgren-Nearly

Todd Rundgren-Human (Warner Bros) 381·780 Miles Davis-Amandla (Warner Bros.) 381. 381.756

k.d. lang And The Reclines—Absolute Torch & Twang (Sire) 381-624 381.624 Stevie Nicks-The Other

381.103 Jody Watley—Larger Than Life (MCA) 381.061

380.725

Wynton Marsalis-The Majesty Of The Blues (Columbia) 380.394

Jeff Beck (Epic) 380-303 The Chick Corea Akoustic Band (GRP

379-891

Milli Vanilli-Girl You Know It's True (Arista) 379.610

Steve Reich: Different Trains - Kronos Quartet / Electric Counterpoint - Pat Electric Counterpoint Metheny(Nonesuch) 380-071



Harry Connick, Jr When Harry Met Sally-Original Soundtrack (Columbia) 386-821 Warrant-Dirty Rotten Filthy Stinking Rich (Columbia) 379.644

Skid Row (Atlantic) 379-602 Madonna—Like A Prayer (Sire) 379-594

Hooters—Zig-Zag (Columbia) 379-396



Billy Joel-Storm Front (Columbia) 387.902 Enrico Caruso—Opera Arlas and Songs. Milan 1902-1904 (Angel) 379-255 Portrait Of Vladimir Horowitz—Mozart, Beethoven, Chopin, etc. (CBS Master) 378-604 Cyndi Lauper—A Night To Remember (Epic) 377-887 Debbie Gibson-Electric Youth (Atlantic) 377.275 Guns N' Roses-GN'R Lies (Geffen) 376-087 Journey's Greatest Hits(Columbia) 375-279 © 1990 CBS Records Inc.

SEND NO MONEY—JUST MAIL POSTPAID CARD
CBS/Columbia House, 1400 N. Fruitridge Ave.
BO Bass MOOT II I IN ATOM MOO

,		Torresto Press		
P.O. Box 1129, 1	ferre Haute, IN 4	7811-1129		
Please accept m	v membership appli	cation under the terr	ns outlined in this	
advertisement. Si	end my 8 Compact	Discs and bill me on	v 1¢ plus shipping	
and handling. I ag	ree to buy six selecti	ons at regular Club p	rices in the coming	
three years-and	may cancel member	ship at any time after	doing so	
My main musicatio	terest is (check one)	But I may always choos	ooning so.	
Hard Rock	Soft Rock	but may always choos		
Rolling Stones,	Tina Turner.	Modern Rock	Рор	
Aerosmith	Gloria Estefan	Sugarcubes, Big Audio Dynamite	Barbra Streisand,	
Heavy Metal	Biack Music		Barry Manilow	
Mötley Crüe,	Babyface.	Easy Listening	Country	
Skid Row	Soul II Soul	Johnny Mathis, Ray Conniff	□ Jazz □ Classical*	
Mr.	000111 0000	Hay Contin	Classical"	
Mrs.				
Miss PrintFirstName		Initial	Last Name	
				Extra Bonus Offer:
Address.			Apt	also send one more CD
			Api	right now, for which I will be
<u>c</u> .				billed only \$6.95
City				
C				
State		Zip		and I'm entitled to get
Do you have a VC	R? (04) □ Yes □ No		202/\$90	this extra CD FREE!
Do you have a cre	lit card? (03) 🗆 Yes	No		
Dersnip Utters not availab	to reject any application or ca le in APO_FPO, Alaska, Hawa	Pupito Rico		
Write for defails of alterna Toronto, Applicable sales	tive offer Canadian residents tax added to all orders "Clas	serviced from		VERIES VESICO
serviced by the CBS Classi	calClub.	andar metriyers C		XE5/F6 XE6/59
				4K2/ZX 4K3/18

Anytime you can get 8 CDs for a penny—that's a sound investment! That's right—as your introduction to the Club, you can choose any 8 CDs listed in this ad—all 8 are yours for only 1¢, plus shipping and handling. And in exchange, you simply agree to buy 6 more CDs (at regular Club prices) in the next 3 years—and you may cancel your membership anytime after doing so.

High reaction gas. How the Club works: About every four weeks (13 times a year) you'll receive the Club's music magazine, which describes the Selection of the Month—plus many exciting alternates, new hits and old favorites from every field of music. In addition, up to six times a year, you may receive offers of Special Selections, usually at a discount of fregular Club mices, for a total of up to 19 buying opportunities.

for a total of up to 19 buying opportunities. If you wish to receive the Selection of the Month, you need do nothing—it will be shipped automatically. If you prefer an alternate selection, or none at all, fill in the response card always provided and mail it by the date specified. You will always have at least 10 days in which to make your decision. If you ever receive any Selection without having 10 days to decide, you may return it at our expense. The CDs you order during your membership will be billed at regular Club prices, which currently are \$12.98 to \$15.98—plus shipping and handling. (Multiple-unit sets may be somewhat higher) After completing your encollment agreement you may cancel membership at any time; it lets you buy one CD at half price for each CD you buy at regular Club prices. prices

10-Day Free That: We'll send details of the Club's operation with your introductory shipment. If you are not satisfied for any reason, return everything within 10 days and you will have no further obligation.

Extra Bonus Offer: As a special offer to new members, take one Extra Bonus Unter: As a special otter to new members, take one additional CD right now for only \$695. This discount purchase entitles you to choose an extra CD as a bonus FREE. And you'll receive your discounted CD and your bonus CD with your 8 introductory selections —that's 10 CDs in all' Send no money now —just mail the postpaid card. Selections with two numbers contain 2 CDs and count as 2-so write in both numbers

GBS COLUMBIA HOUSE: Terre Haute, IN 47811

382.077

381-897

Peter Gabriel—Passion (Gelfen) 383-810 Llovd Cole & The Commotions—1984-1989 (Capitol) 383-778 383.778 Pixies-Doolittle (Elektra) 382.887 The The-Mind Bomb 382-382 (Epic)

10,000 Maniacs-Blind Man's Zoo (Elektra)

China Crisls—The Diary of a Hollow Horse (A&M) Indigo Girls (Epic) 381-269

375.162

Both Ways (Epic) 382-341

Side Of The Mirror (Modern) The Cure—Disintegration (Elcktra) 382-093 Dolly Parton-White Limozeen (Columbia)

R.E.M.—Green (Warner Bros.)

I 1 I

I

1

Gloria Estefan-Cuts

Send these 8 CDs for 14

NEW PRODUCTS



MARANTZ

The Marantz Century RS-3559 receiver has five channels of amplification. The main front channels are each rated for 125 watts rms, and the rear channels are each rated for 20 watts. There is also a mono center channel for dialogue. The receiver provides Dolby Pro Logic decoding and has Marantz's own Acoustic Variable Space Enhancement digital delay system. A CD Direct switch enables users to bypass all signalprocessing circuitry. The tuner has thirty station presets and a preset-scan feature. The three video inputs all switch composite video signals as well as stereo audio. The supplied remote control can also operate the Marantz Century CD player and cassette deck. Finish is brushed-gold aluminum with optional lacquered-rosewood side panels or matte-black aluminum sides. Price: \$1,000. Marantz, Dept. SR, P.O. Box 2066, Aurora, IL 60507.

Circle 133 on reader service card

SPEAKERLAB

The Auricle RD57 from Speakerlab is a planar-dipole ribbon driver rated for a response from 145 to 20,000 Hz ± 3 dB. A notch filter is recommended to shape a mild resonance at 6,000 Hz, and a total baffle width of 12 inches is required. The Auricle has a 54-inchlong Kapton diaphragm, corrugated to eliminate surface standing-wave resonances and laminated with pure aluminum: it uses ten pounds of ceramic bar magnets. The purely resistive impedance is 4.5 ohms, and sensitivity is rated as 90 dB sound-pressure level at 1 meter with a 1-watt input. Weight is 25 pounds. Price: \$499.95 each finished in dark-gray, catalyzed-polyurethane enamel; \$650 each in brushed stainless steel. Available factory-direct only. Speakerlab, Dept. SR, 6307 Roosevelt Way N.E., Seattle, WA 98115. Circle 134 on reader service card



JACKSON LOUDSPEAKER

Jackson's Auralight series of speaker systems all use a patented sealed enclosure that is said to provide better transient response than earlier "air-suspension" designs. The series consists (left to right in photo) of the two-way AU-3 and AU-6 satellites (the AU-6 includes a supertweeter) and the AU-20 subwoofer. Specifications include a sensitivity of 87 dB for the satellites. 90 dB for the subwoofer; frequency response $(\pm 3 \text{ dB})$ of 85 to 20.000 Hz for the AU-3. 48 to 20,000 Hz for the AU-6, and 33 to 125 Hz for the AU-20; and average impedance of 8 ohms for the satellites, 8 ohms per input for the subwoofer.

Dimensions are $13\frac{1}{2} \times 7\frac{1}{2} \times 4\frac{1}{4}$ inches for the AU-3, $17\frac{1}{2} \times 11\frac{1}{2} \times 7\frac{3}{4}$ inches for the AU-6, and $18 \times 17\frac{1}{2} \times 18\frac{1}{2}$ inches for the AU-20. Prices: \$929 and \$1,799 per pair, respectively, for the AU-3 and AU-6, \$899 for the AU-20 in the standard Navajo-white finish; optional satin, enamel, and custom finishes cost more. Jackson Loudspeaker Company, Dept. SR, 1326 N. 32nd St., Phoenix, AZ 85008. *Circle 135 on reader service card*



All product information is provided by the manufacturers and does not represent the results of tests or evaluations by STEREO REVIEW. Suggested retail prices were current as of press time but are subject to change without notice. It stands to reason that the cassette decks built most like studio tape recorders will produce the highest quality home recordings.



DENON, HUS 100

Denon Studio A: All our components reflect lessons learned in the recording studio.

The benefits of building home cassette decks with recording studio technology are even greater when the technology is your own.

Since 1910, Denon has been involved in every step of sound reproduction: recording music, making records and CDs, building studio tape recorders and producing open reel and cassette tape. In fact, Denon built the world's first digital studio tape recorder.

Denon builds this expertise into every cassette deck. Denon's proprietary clutchless Non-Slip Reel Drive produces constant tape tension, reduces distortion, wow and flutter and maintains superior performance over time. SF combination heads, in concert with Dolby B, C and HX Pro,[®] extract the most from today's digital sources by extending headroom and eliminating noise.

Lest you fear that Denon reserves this technology for its esoteric models, *all* these features are found for under \$400 on the three-head DRM-700, the DRW-750 Dual Cassette and the DRR-680 Auto-Reversing Cassette Decks.* Why do Denon cassette decks sound better? Perhaps, it's because Denon has been making only one thing for over 80 years. Music.



ALSES NOBLES ET

B)8723

At Home With The

PROTON 600 SERIES

Ow almost ten years old, the Proton brand name first became known to audio/videophiles by way of the company's stunning, all-black 600 Series of video components. With exterior designs by industrial designer Reinhold Weiss and video performance on a level rarely seen before in consumer products, the Proton 600 Series established benchmarks both for utter simplicity of appearance and for technical excellence.

USER'S OF

So it is very likely no accident that the firm's new audio system, which marks a reunion of Proton and designer Weiss, also carries a "600" designation. Consisting of four basic components—the AM-656 integrated amplifier, AC-620 CD player, AT-670 tuner, and AD-630 autoreverse cassette deck plus a receiver, the AV-646 (which we did not evaluate), the series has the Proton hallmarks of dramatic appearance, simple, no-nonsense industrial design, and logical, highbang-per-buck technical design.

The 600 Series is Proton's first audio line to provide seamless integration. First and foremost, the components are visually almost identical. Each is built on the same basic chassis, a bottom "pan" of sheet metal with a wrap-around metal top/side cover. On each front panel is the components' most salient common feature: a motordriven, disappearing secondary control panel for less-often-used functions that rotates around a horizontal axis, concealing the "extra" controls.

The revolving control panel may seem rather a trick doodad for such high-tech designs, but the effect, when it is closed, is to give the components unusually sleek and clean front panels. Each has a single large knob (except the CD player, which is knobless), a central display window, and a few primary control keys. The amp has four smaller knobs for the tone and balance controls and some toggle switches. Its volume knob is also equipped with an LED-illuminated green stripe.

In general, control layouts are clear and well marked. Some people may find it difficult to read the



by David Simon

small white type on the black panels, but that is a labeling style that is endemic in hi-fi today. The multicolored displays are quite legible, though the ones on both the amplifier and the cassette deck quickly become a bit busy-looking as multiple features are engaged and indicators light up. Several control markings seemed a bit cryptic at first, requiring a check of the manuals to decipher.

The rear panels are conventional enough, with standard RCA jacks for all audio connections. (The amp does not provide for switching of video signals.) A "mains control" linking system is provided: The units can be daisy-chained so that all respond to a single turn-on command from a designated "master" component.

Unique to the 600 Series is a small channel cut into the rear of each component. By running all of the cables through these center channels and then bolting on the supplied back plates, you can obtain a neatly dressed cabinet back (see photo on page 22).

The remote controller, packed with the amplifier, is elegantly simple. It rests easily in the palm and provides control over the primary functions of all four components. Although it does not include a numeric keypad for direct track access on a CD or direct station tuning, it provides full CD search capabilities (except index search) and both tuner preset selection and up/down seek tuning. When a switch on the side is slid to the v position, the remote unit will control basic functions of Proton video components: volume, channel up/down, and mute

The remote master volume control is a well-designed rocker switch joined by a mute key, a source selector, and an UNDO button. This last is a handy feature since source selection-both from the remote control and at the AM-656 amp itself-is a "paged" affair; you must cycle through each available source in order to reach the one you want. (This arrangement may be awkward, but it does save numerous buttons, both on the amp and the remote.) The UNDO button lets you quickly toggle back and forth between the current source and the previously selected one. Neat.

The Integrated Amplifier

Proton's new AM-656 integrated amp (\$700) is rated for 60 watts per channel from 20 to 20,000 Hz, both channels driven, into 8 ohms. It also has a whopping IHF dynamicheadroom spec of 6 dB thanks to Proton's Dynamic Power on Demand (DPD) power supply and amplifier design. This means that the amp should be able to provide up to four times its rated steady-state power for short peaks-20 milliseconds or less every half-second or so. The AM-656 even maintains this headroom into 4- and 2-ohm loads, for a maximum potential peak power of 600 watts.

We found nothing in our listening tests that would gainsay these claims. The AM-656 is quite a powerful little amplifier. It drove the rather inefficient Celestion SL-700's

Luka Bloom makes music the old-fashioned way.



Get a Luka Bloom "Up Close" limited edition CD. This five song sampler is available by sending your name, address, telephone number and a check or money order for \$3 to cover shipping and handling to

Songwriter Luka Bloom creates some ground-breaking sounds thanks to a souped-up electro-acoustic guitar and a pyrotechnic playing style.

Luka Bloom

Take, for example, "Delirious," a gritty, infectious guitar and vocal cut from his debut album, *Riverside.* On it, the highs and lows of Luka's guitar were broadened to create a three-voice effect. Add to



that Luka's tight, percussive technique, and you have a single guitar playing four discernable parts. Close listening reveals a percussive "drum" part, warm bass, distinct midrange and a bright guitar sound on the high-end.

Irish-born Luka Bloom also has a softer side. On "Rescue Mission," the sound is more layered and "orchestral" in nature. Here, each Accurately reproducing a recording like *Riverside* takes a speaker with true musicality, such as our T930. It typifies the



Boston sound: tight, clean, smooth. You can hear the layered nature of Luka's guitar with clarity because of the

He burns it.



Luka, Dept. SI. PO. Box 625, Holmes, PA 19043. Allow 4-6 weeks for delivery. Offer is good until March 31, 1990 or while supplies last. Luka Bloom's Riverside is available on Reprise Records.

many steps we take to create Boston Acoustics speakers. We design every tweeter, midrange,



woofer and crossover ourselves. Few others do. And we manufacture each one to a

guitar was recorded separately and its sound expanded using equalization. When mixed back together, they created subtle harmonic overtones. The result: a sound with the edge of an electric guitar and the ring of an acoustic.

string on Bloom's rhythm

But the guitar isn't the only focus of Bloom's passion. His songs are artfully crafted and powerfully tolerance of within 1 dB. Which no one else does. Finally, we test every



single speaker with two very sensitive instruments. A computer. And our ears.

sung. Audiences that have seen him tour with bands like Hothouse Flowers and The Pogues will find that *Riverside* has all of the raw energy and power of his live performances.

Visit a Boston Acoustics dealer and ask to hear Luka Bloom on a pair of Boston T930 towers.

Music this good should be heard on speakers this good.

Beston Acoustics

close to their maximum comfortable level with ease. The Snell Type A, which presents a rather severe and inefficient loudspeaker load, also played at surprisingly satisfying output levels.

Results with the Small Adventsa notoriously reactive, low-impedance load-were equally fine, even played in parallel with the Snells at moderate levels. All this seemed to confirm Proton's claims of highpower and high-current capabilities and stability into low-impedance loads. When the amp did clip, it seemed to do so guite benignly, although the upper limits of available power were clearly audible. A horizontal bar in the AM-656's display window, which flashes at higher output levels, indicates operation of the DPD circuitry, though no reference to it appears in the user's guide.

Somewhat surprisingly, the AM-656's headphone-amp circuit was not up to the standard set by its main amp section: Driving a quite common Sony headphone during CD's of piano music, the AM-656 clipped rather hard and audibly at relatively modest listening levels. This engineering oversight, while fairly inconsequential, was disappointing nonetheless.

The Proton amp provides six inputs, including a phono input with a switchable moving-coil pre-preamp, two tape loops, CD, tuner, and audio/video inputs and outputs. There are pre-out and main-in jacks, joined by jumper bars, and two sets of speaker outputs-nice. five-way binding posts, my favorite type. As mentioned, a listening source is selected by keying through the available inputs. A similar key sets the source sent to the recordout jacks, so different programs can be heard and recorded at the same time.

Extra goodies include an infrasonic filter, well-designed bass and treble controls, a bass-EQ circuit to boost signals below 60 Hz by 3 dB (helpful with small loudspeakers), and switchable loudness compensation. The most unusual feature of the Proton amp is its AX switch and associated mix knob, which engage the on-board Aphex Aural Exciter, a sonic "sweetening" circuit purported to enhance musical "presence and realism."

Curiously, Aphex processing is available only at the amp's record-



out jacks for creating preprocessed tapes. In order to listen directly to "live" Aphex-processed sound, you must set the AM-656's record source to the current playback source and monitor the tape deck. Doing so yields a noticeable increase in treble "liveness" and "air" as well as a perceptible increase in brightness. This may prove useful under some conditions, particularly with old or historic recordings.

I do have a few gripes. Most of the toggle switches, such as LOUDNESS and BASS EQ, caused audible pops occasionally quite loud ones. A rather nasty turn-off thump occurred, oddly, every two or three turn-offs, and the motor-driven volume knob ran too fast during remote adjustment, making it tough at first to avoid overreaching the desired level. (Proton has told us that the control's taper has been redesigned.) Overall, however, the AM-656 was a fine-sounding, easyto-use integrated amplifier.

The Tuner

The circuitry in the AT-670 tuner (\$400) is the latest creation of audio engineering wizard Larry Schotz. Dubbed a Schotz II tuner, the AT-670 has an RF front end based on a gallium-arsenide FET (field-effect transistor) in place of the commonly used MOSFET (metal-oxide-semiconductor FET). The GaAs FET is said to provide substantial gains in stereo sensitivity (3 dB) while at the same time improving selectivity and overload resistance (a 20-dB wider dynamic range) compared with conventional MOSFET front ends.

And the proof is in the pudding: The AT-670 was clearly one of the best tuners to have crossed my threshold. With strong signals it furnished clear, musical reception, and it pulled in at least a half-dozen weak stations that few other tuners could make listenable.

Its superiority was particularly evident in the sub-92-MHz band, where noncommercial radio stations broadcasting with power levels ranging from a few kilowatts to the full 50,000 watts crowd together, often only 200 kHz apart. The AT-670 made stations I was barely aware of quite usable, even where a high-power station was 20 miles to the north of me and another station, only 0.2 MHz away on the dial, had its low-power transmitter 50 miles to the south.

I obtained these results in my semi-rural location with a multi-element, rooftop antenna. Results with a conventional dipole-type indoor antenna (rabbit ears), though less dramatic, were still remarkable. Either way, this is an impressive tuner. Several reception-optimizing features are included. A narrow/ normal switch that modifies selectivity provided some dramatic improvements on weak signals adjacent to stronger ones. Another, labeled SNR for Schotz noise reduction, effectively reduced noise on very low signals, with only moderate audible changes in frequency response and stereo separation. Finally, when all else fails, a mono/stereo switch can throw the tuner into mono mode.

Convenience touches include twenty-seven presets, eighteen FM and nine AM, which can be mixed in any order, and both manual and auto-seek modes for the up/down tuning buttons. A conventional large, round tuning knob is also included. In the manual mode, the knob tunes in the usual way, but by 50-kHz increments to permit deliberate "off"-tuning, which sometimes improves reception of very weak signals with heavy interference. In the auto mode, a tweak of the knob clockwise causes the AT-670 to seek up the dial to the next station; counterclockwise motion starts a downward seek. A nice system, and my only complaint is that the knob should have a heavier. more flywheel-coupled feel.

Signal quality with reasonably strong antenna input was consistently excellent, with every indication of unlimited frequency re-

Command Performance.



Introducing the new Adcom GTP-500 II Tuner/Preamplifier.

O nly a few years ago, Adcom announced the dawn of a new era by introducing its GTP-500 tuner/ preamplifier. Together with any of Adcom's critically acclaimed power amplifiers, this unique audio product has given thousands of cost-minded, serious music lovers a quality alternative far superior to the common receiver. The new, evolutionary GTP-500 II offers a meaningful expansion of convenient features and sonic performance.

Full Command Of Your Music System

Control your system's power on/off, select pre-programmed FM and AM stations, scan the FM dial, adjust volume level and select different sources... all with Adcom's wireless remote controller. With optional Adcom remote sensors and additional loudspeakers, you can also enjoy your Adcom music system in other rooms throughout your home.

For total music system integration, the GTP-500 II remote sensors will also receive and retransmit commands to a majority of remotely controlled components, regardless of brand. This remarkable design gives you full command of your entire music system throughout your home and offers the ultimate flexibility of integrating the remote features of components manufactured by others.

Value Measured By Performance

The overall performance of the new GTP-500 II is demonstrably superior through its evolutionary design

and the use of state-of-the-art component parts.

Adcom's unique, low-impedance RIAA compensation provides lower noise and distortion in the phono input stage. To further reduce noise and distortion in all stages, all switching devices are buffered.

Long term adherence to circuit design objectives is accomplished by utilizing 1% Roederstein resistors in all critical applications as well as a new low-loss, printed circuit board.

Through a careful balance of sensitivity and selectivity, the GTP-500 II optimizes FM performance whether you're in an urban or rural area. Design parameters, including an improved IF stage, have been optimized to translate into lower distortion. In fact, the quality of FM stereo reproduction through the GTP-500 II is as good as the broadcast itself.

More Sound, Less Money

Adcom stereo components have established a reputation for sounding superior to components costing two and three times as much. The new GTP-500 II promises to keep faith with this tradition of more sound for less money.

Its ability to command your entire music system by remote control, and its exceptional sonic performance are why so many experts consider the GTP-500 II



sponse within the bounds of the FM system. Quieting was also excellent—the AT-670's rated Aweighted signal-to-noise ratio (S/N) is 74 dB in stereo (with a 65-dBf antenna input). Most of the rest of its specs are equally impressive.

The AM reception appeared to be rather better than usual from current hi-fi tuners, though it was less obviously superior than the AT-670's FM performance. Sound quality with strong signals was noticeably better than average.

All in all, it's a great tuner, free of glitches save one: Astonishingly, even when the tuner was turned off, tuner signal could be heard (admittedly, about 60 dB down) when the tuner was selected on the amp. This was a first in my experience. Nevertheless, the AT-670 is very well designed, and at its price it's an above-average value as well.

The Compact Disc Player

The CD player of the 600 Series, a straightforward, single-disc model, is the AC-620 (\$700). It's based on the familiar Philips TDA1541 dual 16-bit digital-to-analog (D/A) converter and SAA-7220 quadrupleoversampling digital-filter chip set, which are well known to provide excellent performance even compared with recent 18-bit (and higher) converters and eight-times-oversampling filters.

The single-beam disc-drive/pickup-assembly is also made by Philips. Though a bit plastic and lightweight in appearance, this drive has good resistance to impact and vibration, and it demonstrated excellent tracking of disc defects up to and beyond 2 millimeters in size.

The AC-620 carries such specs as a frequency response of 20 to 20,000 Hz \pm 0.3 dB, an S/N of 100 dB, and total harmonic distortion of 0.003 percent at 1,000 Hz. A quick trip to the test bench confirmed that the Proton player easily met or exceeded these manufacturer's benchmarks, and others.

Convenience features include the standard set: twenty-track randomaccess programming, intro scan, shuffle play, and auto-repeat of either the entire disc or the programmed sequence. Controls are equally familiar. Front-panel keys manage play, pause, track skipping, and stop, and behind the revolving secondary panel are the programming keys, a ten-key numeric pad, and up/down buttons for both audible fast search and index search.

Most controls worked as expected, though track access was a bit slower than on many competitive units. In addition, I found it a bit surprising that the unit's display indicates only track and index numbers and elapsed time on the current track; no provision is made to switch to elapsed time on the disc, remaining time on the track or disc, or total time.

The AC-620's sonics were entirely free of audible vices. Indeed, it appeared to be an excellent-sounding CD player in every respect, with silent backgrounds, fine dynamic reproduction, and an extended yet smooth and unexaggerated top end.

The Cassette Deck

The AD-630 cassette deck (\$800) is a bit unusual in that the tape is loaded horizontally in a motor-driven drawer, as in a CD player (or a DAT deck), rather than in the usual vertical cassette door. The twohead, autoreverse unit works with the drawer either open or closed, and it can extend or withdraw the drawer without interrupting playback or recording; it even shuts the drawer automatically if you power down while it's open.

Control layout on the AD-630 is somewhat different, too. The rather small transport-function keys are found on the drawer front, but all other controls reside on the disappearing secondary control surface. Record levels for both channels are set with a large knob at the right; a second ring manages record balance. This system is less common than dual level controls, but I prefer it since it discourages unintentionally misbalanced levels.

Buttons on the secondary panel include those for programming, reverse and repeat modes, an autobias optimization system, and noise reduction—Dolby B, Dolby C, and dbx are all available. The auto-bias system works by recording a series of test tones on a short section of tape, then repeatedly rewinding and playing it. This is a successiveapproximation system, as is necessary with a two-head deck. The whole process takes a bit over a minute and seemed to work quite reliably.

A few other features of the AD-630 deserve mention. A Program Preset System (PPS)—managed much like track programming on a CD player-can be set to play as many as twenty selections in any order. An A/B repeat function will continuously repeat a particular section of tape—an unusual feature for a cassette deck. Playback can be set for only one side, both sides, or a continuous loop, and there's a switchable auto-play/stop feature that kicks in when a tape returns to 00:00 on the AD-630's digital counter. The counter is a numeric display of elapsed time in minutes and seconds. It maintained fairly good accuracy through several rewindings but sometimes drifted off by 10 seconds or so.

Audio performance was generally good, confirming such specs as a 30to 18,000-Hz frequency response $(\pm 3 \text{ dB})$ and a 75-dB record/play S/N with Dolby C and chrome-type tape. Treble was open and clear, high-level peaks were recorded with minimal limiting or distortion, and flutter and modulation noise were both at acceptably low levels.

A rather unsettling sonic disturbance was caused by the deck's bargraph level display-an attractive, legible design calibrated to $+16 \, dB$. Unfortunately, it induced a pitched noise component at a few kilohertz in both channels that rose and fell in level as meter segments lit up and turned off with changing signal levels. Though low in level (about -60dB to my ear), this interference was quite audible above the usual tape hiss with headphones-and even over loudspeakers at high volume settings in quiet musical passages. This effect is something I've never encountered before and quite possibly was a characteristic of our test sample, which was a very early production unit.

The Proton 600 Series represents technical achievements that provide a very high level of sonic performance, with excellent amplification, fine CD playback, outstanding radio reception, and competitive tape recording and playback. Individually, the 600 Series components offer pure hi-fi performance-perdollar ratios ranging from well above the norm to rather below it. But taken as a complete, standalone system of audio electronics, the 600 Series offers a unique blend of dramatic appearance, unusual (and generally ergonomically effective) industrial design, useful system integration, and fine sound. FONIA CONCERTANTE K. 364 - CONCER YE K.190 PINCHAS ZUKERM

DEUTSCHE GRAMMOPHON • RCA • PHILIPS • ARCHIV . L'OISEAU-LYRE . ANGEL . NEWPORT CLASSIC

The International Preview Society

CASSETTES **FOR JUST** With No Obligation

To Buy Anything ... Ever!

plus shipping and handling with Club membership

Periman: Mozart Sinfonia Concertante 25032

Vivaldi, Concerto "L'Amoroso;" 5 more The English Concert/Pinnock. "Lusclous [sound]."—Biltboard Archiv 25187" 25187*

Helfetz: The Decca Masters, Vol. 1 Humoreske, Clair de lune, Golliwog's Cakewalk, many more. MCA 00604

Respighi: The Pines Of Rome; The Foun-tains Of Rome; Roman Festivals • The Philadelphia Orch./Mutl. Angel 34443

Rachmaninov, Symphony No. 1 · Con-certgebouw Orchestra/Ashkenazy, "Full of churning, driving energy." — <u>Fantare</u> London 15347*

The Academy—By Request • Academy of St. Martin-In-the-Fields/Marriner. Sheep May Safely Graze, more. Angel 54094

Beethoven, Symphonies Nos. 2 & 8 • Lon-don Classical Players/Norrington. "Brilliantly executed."—Opus Angel 00466 00466

Rhapsody In Electric Blue - Jeffrey Reid Baker, synthesizers. Rhapsody In Blue, 3 Preludes, more. Newport Classic 34647

Emanuel Ax: Beethoven, Plano Conc. Nos. 1 & 2 • Previn. cond. RCA 83469

Beethoven, Symphony No. 6 (Pastorale); more • Royal Phil./ Previn. RCA 43612 D. Scarlatti, 7 Sonatas; Larghetto; more • Nar-ciso Yepes, gultar. DG 15497

Tchaikovsky, Symphony No. 4 Chicago Symphony Orchestra / Solti. London 25036*

Holst, The Planets - Montreal Symphony Octoberte /Dutoit London 15448 Dvořák, Sym. No. 8; more · Dohnányi Cleveland Orch. London 1504 15042 Rossini, Overtures • Barber Of Seville, more. Orpheus Chamber Orch. DG Mahler, Symphony No. 4 · Concertgebouw Orchestra Bernstein, DG 15526 15526* Vivaldi, 9 Concerti a Quattro · I Musici. must."-Fanfare Philips 153 15313 Saint-Saëns, Symphony No. 3 (Organ) Montreal Symphony/Dutoit, London 15529 Bach, Brandenburg Concertos Nos. 4-6 The English Concert/Pinnock. Archiv 25417* Berlioz, Symphonie Fantastique · The Philadelphia Orchestra/Muti. Angel 54244 Accardo: Bach, Violin Conc. . Chamb. Orch. of Europe. Philips 25162 Vivaldi, 4 Seasons - Simon Standage; English Concert/Pinnock, Archiv 15356 Perlman: Brahms, Sonatas for Violin & Piano; more • Angel 33760 Mozart, Plano Concertos Nos. 20 & 21 Malcolm Bilson, fortepiano. Archiv 25208 Tomita's Greatest Hits • The Planets, Bolero, Pachelbel Canon, more. RCA 53955 Suppé, Overtures • Light Cavalry, more. Montreal Sym./Dutolt. London 25219 Ashkenazy: Mozart, Piano Concertos Nos. 8 (Lützow) & 9 (Jeunehomme) London 15418 Beethoven, Triple Concerto - Mutter, Ma, Zeltser. Karajan conducts. DG 053194 Newman: Bach, Organ Works • Prelude & Fugue in C, more. Newport Classic 34604

IPS/6550 E. 30th St./Indianapolis, IN 46219

Barry Douglas: Brahms, Piano Concerto No. 1 • London Symphony Orchestra/ Skrowaczewski. RCA 00732

Andrés Segovia Plays Bach - Chaconne, Siciliano, 3 Pieces For Lute, Gavotte en Ron-deau, more. MCA 63600

Salerno-Sonnenberg: Mendelssohn, Violin Concerto; Saint-Saëns, Rondo capriccioso 34670 Angel

Krystian Zimerman: Chopin, The 4 Ballades • Plus Barcarolle & Fantasie in F Minor. "Dramatic."—<u>Gramophone</u> DG 15332

Ravel, Bolèro; La Valse; Rapsodie Espag-nole; Alborada del Gracioso · Montreal Symphony Orch./Dutoit, London 15199 Jascha Helfetz: Bruch, Violin Concerto No. 1 & Scottish Fantasy; Vieuxtemps, Concer-

to No. 5 · RCA 44363* Ravel, Piano Concerto; Concerto For The Left Hand • Argerich & Béroff, pianos. London Symphony/Abbado. DG 15468

Pavarotti At Carnegie Hall Songs and arias by Schubert, Verdi, Flotow, Liszt, Scarlatti, 15311 others. London

> Dvorak, New World' Sym. Cleveland Dohnanvi 15018



Copland, Billy The Kid; Rodeo (Complete Ballets) • St. Louis Symphony/Slatkin. "Brilliant."—<u>Gramophone</u> Angel 41491

Amazing Grace—All Time Bagpipe Favorites Title song, 16 more. Pro Arte/Fanfare 24616*

Prokofiev, Peter And The Wolf; Tchalkovsky, Nutcracker Sulte • Dudlev Moore, narrator. Boston Pops/Williams Philips 15137

Handel, Music For The Royal Fireworks: Concerti a Due Cori Nos. 2 & 3 English Concert/Pinnock. Archiv 25375

Classic Marches • St. Louis Sym./Slatkin. Rakóczy March, Turkish March, Wedding March, Radetzky March, more. RCA 00996

Adams, The Chairman Dances • Plus Christian Zeal And Activity, more. San Francisco Symphony deWaart. Nonesuch 00491

Beethoven, Symphony No. 6 (Pastorale); 2 Overtures - Academy of Ancient Music/Hog-wood. L'Oiseau-Lyre 25397

Mozart, Clar. Conc.; Horn Conc. 1 & 4 Neidich, Jolley. Orpheus Chamber Orchestra. DG 15481

Van Cliburn: Rachmaninoff, Piano Sonata No. 2; Prokofiev, Plano Sonata No. 6; more • RCA 00607* 00607 Stravinsky, Petrouchka; Song Of The Nightingale; 4 Studies • Montreal Symphony Orchestra/Dutoit. London 15331 Into The Woods · Bernadette Peters & original cast. Title song, No One Is Alone, many more. RCA 61656

Cliburn: Liszt & Grieg Piano Concertos 00606



Strauss, Don Quixote; Burleske · Janigro, cello; Janis, piano. Chicago Symphony Orchestra/Reiner. RCA 63643*

Ashkenazy: Rachmaninov, Plano Concerto No. 3 • Concertgebouw Orchestra/Haitink. "Fabulous."—Hi-Fi News London 25157 Gregorian Chant . Schola of the

Hofburgkapelle. Philips 15434

 Nazareth, Brazilian Waltzes & Tangos

 Arthur Lima, plano. "Record of the Year!"

 — Stereo Review Pro Arte
 83731*

Handel, Water Music • The English Concert/ Pinnock. "The playing is everywhere fresh and vital."--Ovation Archiv 15306

Stravinsky, Petrouchka; Song Of The Nightingale; more • Montreal Symphony/ Dutoit. London 15331

YES! Please ad days' FREE exa may return there	mination, the 3 sel mafter 10 days and	hip in The Inter ections I have i d owe nothing,	national Preview Societ ndicated below, under th or keep them and pay that I'm not obligated to	ne terms of this offer only \$1 (shipping ar
			npact Disc 🔲 Casse	, , ,
Write Selection Numbers Here:				
Mr. Mrs	First Name	Initial	Last Name	(PLEASE PRIN
Address				Apt
City			State	Zip
)			
year (about every 3 a purchase privilege, G Limited to new members:		nip details will follo nembers not eligit remembership per far	nily. We reserve the post	





The Movies Go To The Opera - Great Opera themes from Moonstruck, Fatal Attraction, Raging Bull, more. Angel 14806* Dvořák, Symphony No. 7 The Cleveland Orchestra/ Dohnányi, "One of the

Dohnányi. "One of the finest."—<u>Digital Audio</u> 15018

Strauss, Also sprach Zarathustra; Der Rosenkavaller Waltzes; more. Chicago Symphony Orchestra/Reiner. RCA 63627*

Rags And Riches - David Düsing Singers Bill Bailey Won't You Please Come Home; many more Newport Classic

Vladimir Ashkenazy: Mozart, Piano Con-certos Nos. 11 & 14 • Philharmonia Orchestra/ 25424 Ashkenazy. London

01036

Abineticzy, Loron The Mystery Of Bulgarian Voices Bulgarian State Radio & TV Female Choir, "Absorbing...haunting."—Fanlare Nonesuch

Fête à la Française - Montreal Symphony Orchestra/Dutoit. The Sorcerer's Apprentice, more. London 25235

World's Greatest Overtures • 1812, Poet & Peasant, Die Fledermaus, Egmont, Academic, Flying Dutchman, more Pro Arte. 24789 24789* **Bachmaninoff, Piano, Concerto, No. 2:**

6 Etudes-tableaux · Evgeny Kissin, plano. London Sym./Gergiev. RCA 00915

Copeland, Appalachian Spring (Complete); Cortege macabre (from Grohg); more • St. Louis Sym./Slatkin. Angel 54176 Mozart, Overtures . Magic Flute, Marriage Of

Figaro, Don Giovanni, more. Academy of St. Martin/Marriner. Angel 34267

Gershwin, Catfish Row: An American in Paris, Cuban Overtures, more - Slatkin St. Louis Symphony. Angel 14877

FIRST CLASS

Itzhak Perlman: Brahms, Vlolin Concerto Chicago Symphony Orch./Giulini. A Grammy Award Winner! Angel 63343 Mozart, Serenade No. 3; more - Academy of

Ancient Music/Hogwood. "Played with style."—Fanfare L'Oiseau-Lyre 1500 15000*



Andrés Segovia Plays Rodrigo, Ponce & Torroba · Fantasia para un Gentilhombre, Castles Of Spain, more. RCA 63579

Simon Rattle: The Jazz Album • Rhapsody In Blue, Ebony Concerto, more. London Sin-fonietta, others. Angel 72226

By Request - The Boston Pops/Williams. Olympic Fanfare, many more. Philips 25360

INSTANT HALF-PRICE BONUS PLAN

INDIANAPOLIS, IN

SAVE

Unlike other clubs, you get 50% off Bonus Savings with every CD you buy at regular prices, effective with your first full-price purchase!

IPS 536

NO POSTAGE

NECESSARY

IF MAILED

IN THE

UNITED STATES

Beethoven, Symphony No. 9 (Choral) Kenny, Walker, Power, Salomaa. London Classical Players/Norrington. Angel 00467

Syncopated Clock & Other Leroy Anderson

Favorites · Fiddle Faddle, more. Kunzel/

Ravel, Mother Goose (Complete); Le Tombeau de Couperin; Pavane; more · Montreal Symphony Orch./Dutoit. London 25197

The Pearl Fishers - Golden Age perfor-mances by Jussi Bjoerling with Robert Merrill, Licia Albanese, others. RCA 00992

Canadian Brass: More Greatest Hits Barber, Adagio; Bach, Wachet Auf; more by Gershwin, Bizet, others. RCA 64348

Ashkenazy: Rachmaninov, Plano Concerto

No. 1; Rhapsody On A Theme Of Paganini Haitink conducts. London 25153

Bach, Brandenburg Concertos Nos. 1-3

English Concert/Pinnock. "Among the best sounding CDs."—<u>Fanfare</u> Archiv 15541* The Legendary Enrico Caruso • 21 favorite arias including Vesti la giubba, La donna è mobile, more. RCA 34274*

24767*

Merrill, 00992

Rochester Pops. Pro Arte

Kiri te Kanawa Sings Gershwin · Somebody Loves Me, I Got Rhythm, The Man I Love Summertime, more. Angel 7025 70258 Michael Feinstein: Pure Gershwin · S'Won-

derful, Embraceable You. Liza, more. Fiektra. 54173

Mozart, Eine kleine Nachtmusik · Plus Pachelbel, Canon; more. Academy of St. Mar-tin/Marriner. Philips 15530

Itzhak Perlman: French Violin Showpleces • N.Y. Phil./Mehta. Carmen-Fan-tasy, Tzigane, Havanaise, more. DG 15457

Anything Goes - Broadway revival cast. Title song, I Get A Kick Out Of You, Friendship, many more. RCA 43950

Andrew Lloyd Webber, Variations; William Lloyd Webber, Aurora • Julian Lloyd Webber, cello. Maazel cond. Philips 15473

The Digital Fox - Organist Virgil Fox plays Toccata & Fugue in D Minor; Widor, Toccata; more. Bainbridge 62889

Itzhak Perlman: Mozart, Violin Concertos Nos. 3 & 5 • Vienna Phil./Levine. "Extraordi-narily rich."—Fanfare DG 15146 15146

James Galway's Greatest Hits • The Man With The Golden Flute plays Memory, Angel Of Music, Greensleeves, more. RCA 73233

This remarkable \$1 offer is being made to introduce you to an outstanding classical music membership-with never any obligation to buy.

You'll find hundreds of outstanding albums in each issue of the Society's magazine, which will be sent to you approximately every 4 weeks. That gives you 13 convenient, shop-at-home opportunities a year, but there is no obligation to accept any offering at any time.

You choose only the music you want!

If you'd like to accept the Main Selection, you need not do a thing. It will be sent automatically. If you'd prefer an alternate selection or none at all, just mail back the Notification Card by the specified date. You'll always have at least 10 days to decide. But if you don't, you may return your Main Selection at our expense. You may cancel your membership whenever you wish, simply by writing to us. Or, remain a member and take advantage of future money-saving bargains.

3 Compact Discs or Cassettes for just \$1!

Begin your membership now by choosing any 3 albums shown here for just \$1, plus shipping and handling. Send no money now. We want you to judge for yourself before you decide to buy. If not delighted, return your 3 albums at the end of 10 days without obligation. (Shipping and handling added to each shipment.)

POSTAGE WILL BE PAID BY ADDRESSEE

The International Preview Society

BUSINESS REPLY MAIL

PERMIT NO. 5071

P.O. BOX 91406 INDIANAPOLIS IN 46209-9755

հեղիկողիկուներին հերկերին

SIGNALS

by Ken C. Pohlmann



THE MISSING LINK

ASTERING is one of the trickiest parts in the recording chain that stretches from the studio microphones to your home loudspeakers. During mastering, the finished recording is transcribed to a medium that will ultimately form the basis for the replicated copies made available to the consumer. It is also the last chance to perform any necessary signal processing. Mastering engineers work with record producers, subtly applying gain control, equalization, and compression. It is at this crucial point in the chain that CD recorders have made their debut in the audio marketplace.

Historically, producers and record-label executives have made cassette tapes or reference LP lacquers in the mastering studio and auditioned them over a variety of home, car, and portable systems to test their listenability in consumer environments. While that's okay for an LP or cassette release, neither type of working copy duplicates the sound of a compact disc. The problem isn't trivial: Some artists, keenly aware of potential problems, have clauses in their contracts prohibiting CD replication until a test run

BARNABY

is made. In many cases, this may take three to five weeks for turnaround from a commercial CD pressing plant, Although a digital audio tape could be used instead, DAT players are not yet commonly available, and producers feel most comfortable having an *exact* reference CD.

The solution may lie in the introduction of a professional CD recorder, using CD-R (compact discrecordable) hardware invented by Philips and commercially developed by Yamaha. While optical recorders are commonplace in computer applications, they are not CDcompatible. Yamaha's Programmable Disc System (PDS) produces a CD that is functionally equivalent to commercial CD's, complete with subcode information. A test CD can be produced in the mastering studio in about two hours.

The PDS recorder mainly consists of two pieces of hardware, an encoder and an optical recorder, along with a computer controller. The encoder accepts stereo digital audio and control information (word-sync and SMPTE time code), then performs eight-to-fourteen modulation (EFM) coding and sends the audio data and control signals to the recorder. In addition, a controller card plugs into an IBM AT-class computer; it controls the encoder and hence the transfer of data to disc. The recorder contains a main laser to "write" data, a tracking laser to follow the pregrooved disc, and a third laser to detect any tilt in the disc.

PDS is a record-once system using ablative technology: The disc is made of several layers, including a metal recording layer and protective layers placed on a polycarbonate substrate. To record data, a laser (with a healthy ½ watt of power) blasts permanent pits directly into the metal recording layer. To begin a recording, the operator enters a table of contents containing the number of tracks and index points. This information is used to create a subcode file and to write data in the lead-in area on the blank disc.

After the lead-in area is written, the system instructs the source to begin sending data to the recorder, which writes the data on the disc in real time using the standard CD_3 audio format. At the end of the recording, the system writes a leadout area and ejects the finished disc. Errors are noted during recording, and the process is halted if the disc is diagnosed as defective.

As the system currently works, the recording must be made continuously; you cannot start and stop the disc once a recording is initiated. In addition, reports are that CD's recorded with PDS equipment are playable on only about 90 percent of consumer CD players; the reflectivity of a PDS disc is marginal relative to the Philips Red Book standard, and some players are unable to read the discs. But a new type of dye-polymer disc can also be used in a PDS recorder, after its laser power is decreased, and the higher reflectivity of these discs is said to make them virtually 100 percent compatible with existing CD players.

This audio mastering system is configured for the professional audio market by New York City's Gotham Audio (working with Harmonia Mundi Acustica). The Gotham system, called the CDR-90, sells for \$49,500, and blank discs, manufactured by Fuji, cost about \$80 each. Mastering studios charge the client about \$375 for a reference CD produced by the system—a relative bargain.

There are other applications for the system as well. For example, radio broadcast recordings are often distributed among stations in a bewildering variety of formats—PDS would provide an instant standard. Commercials and jingles could be easily produced and distributed on a PDS CD. With a couple of recorders, an optical-disc editing system could be designed. A consumer model? Surely that's only a matter of time—and volume.

For now, for the first time, producers and record executives can conveniently audition all of their future products as the consumer will hear them, then make optimal mastering decisions prior to mass replication. In short, with the introduction of professional CD recorders such as the PDS, the chain from recording studio to your home just got stronger.

"Cambridge SoundWorks May Have The Best Value In The World. AWinner."

Cambridge SoundWorks has created Ensemble, a speaker system that can provide the sound once reserved for the best speakers under laboratory conditions. It virtually disappears in your room. And because we market it directly, Ensemble costs hundreds less than it would in stores.



Henry Kloss, creator of the dominant speaker models of the '50s (Acoustic Research), '60s (KLH) and '70s (Advent), brings you Cambridge SoundWorks, a genuinely new kind of speaker company for the '90s.

The best sound comes in four small packages.

Ensemble consists of four speaker units. Two compact lowfrequency speakers reproduce the deep bass, while two small satellite units reproduce the rest of the music, making it possible to reproduce just the right amount of energy in each part of the musical range without turning your listening room into a stereo showroom.

No matter how well a speaker performs, at home the listening room takes over. Room acoustics emphasize and deemphasize various parts of the musical range, depending on where the speaker is placed in the room. If you put a conventional speaker where the room can help the low bass, it may hinder the upper ranges, or vice-versa.

Your listening room works with Ensemble, not against it.

Ensemble, on the other hand, takes advantage of your room's acoustics. The ear can't tell where bass comes from, which is why Ensemble's bass units can be tucked out of the way-on the floor. atop bookshelves, or under furniture. The satellites can be hung directly on the wall, or placed on windowsills or shelves. No bulky speaker boxes dominate your living space, yet Ensemble reproduces the deep bass that no mini speakers can.

Unlike seemingly similar satellite systems which use a single large subwoofer, Ensemble uses two separate, compact bass units. They fit more gracefully into your living environment, and help minimize the effects of the listening room's standing waves. "Very much in the Henry Kloss tradition... another hi-fi milestone."

*Ensemble & Ambiance are trademarks of Cambridge SoundWorks, Inc.

Not all the differences are as obvious as our *two* subwoofers.

Unlike seemingly similar threepiece systems, Ensemble uses premium quality components for maximum power handling, individual crossovers that allow several wiring options and cabinets ruggedly constructed for proper acoustical performance. We even gold-plate all connectors to prevent corrosion. An even bigger difference is how we sell it.



You can put Ensemble's low-frequency units exactly where they should go for superb bass. You can't do this with conventional speakers because you have to be concerned about the upper frequencies coming from the same enclosures as the low ones.

Thousands agree: the best showroom is your living room.

Choosing a loudspeaker after a brief listen at a dealer's showroom is like deciding on a car after one quick trip around the block. So we make it possible to audition Ensemble the *right* way—in your own home. In fact, Ensemble is sold *only* by Cambridge SoundWorks directly from the factory.

"They were designed to play music—and make it sound like music. This they do very well, in a most unobtrusive way, at a bargain price... it's hard to imagine going wrong with Ensemble." StereoReview You get to listen for hours without a salesman hovering nearby. If after 30 days you're not happy, return Ensemble for a full refund (we'll even reimburse the original UPS shipping charges in the continental U.S.).

At only \$499—complete with all hardware and 100' of speaker cable—Ensemble is *the* value on today's speaker market.

> "You get a month to play with the speakers before you have to either return them or keep them. But you'll keep them." Ecquire



Introducing Ambiance by Henry Kloss.

Ambiance[™] is an ultra-compact speaker that proves high performance, small size and low cost need not be mutually exclusive. Ambiance is ideal for bedrooms. dens, dorm rooms...or for use as an extension speaker or in surround-sound systems. While no speaker of its size can provide the same low bass and total volume as our Ensemble system, Ambiance has more output in the 40Hz region than any "mini speaker" we've encountered. Indeed we know of no compact speaker that outperforms Ambiance, including those costing hundreds more. Ambiance is only \$109 per speaker in Nextel or primed for painting; \$129 in solid oak,* and comes with our 30 day money-back guarantee.

CIRCLE NO. 157 ON READER SERVICE CARD

"A listening test left no doubt that this system ranks with the best in its price range."

The New Hork Eimes



Try them risk-free for 30 days. Call 1-800-AKA-HIFI[†] (1-800-252-4434)

Our toll-free number connects you to a Cambridge SoundWorks audio expert. He or she will answer all your questions, take your order (you can use Visa, MasterCard or American Express) and arrange surface shipment via UPS. Your Cambridge SoundWorks audio expert will continue as your personal contact with us. We think you'll like this new way of doing business.

In Canada, call 1-800-525-4434. Audio experts are on duty 9 AM to Midnight, Eastern Time, seven days a week. Fax #: 617-332-9229.

CAMBRIDGE SOUNDWORKS Suite 102M 154 California St., Newton, MA 02158
 Send more information and test reports. Send Ensemble risk-free for 30 days, for \$499? Send (qty.) Ambiance (Nextel), for \$109 ea.* Send (qty.) Ambiance (Primed), for \$109 ea.* Send (qty.) Ambiance (Oak), for \$129 ea.* I'm paying by Check MC Visa AmEx
Acct. NumberExp
Signature
Name
Address
CityStateZip
Phone (Area Code)Number
FOR IMMEDIATE SERVICE: 1-800-AKA-HIFI MA residents add 5% sales tax. *Plus freight (Ensemble \$7-\$25, Ambiance \$2-\$12) Delivery time usually 2-7 days.

AUDIO O&A

by Ian G. Masters



Dried-Out Cassettes

I own a number of cassettes, and although the quality of the tape is fine, the cassette mechanisms are "drying out" and their plastic parts are very squeaky when I'm playing or rewinding them. Is there any substance I can apply that will eliminate this noise without gumming up the heads of my tape deck?

SHELTON R. WEBER Louisville, KY

A Messing about inside a cassette, or squirting anything into it, is a risky business at best and should be avoided. There are replacement shells available into which you can transfer (carefully!) the contents of a faulty cassette, and you might give these a try.

If you decide to attempt repairs, begin with these steps. Before you even consider opening a shell, fish out enough tape to let you get at the pressure pad behind it; using a toothpick, try to loosen any oxide that may have been deposited on the pad and blow it away. Some squeaks are caused by friction between pad and tape, so removing oxide from the pad and fluffing up the felt often cures the problem. If that doesn't work, carefully open the shell, trying not to disturb the position of what's inside (if the shell is welded rather than screwed, forget it; you'd have to break the shell to open it). Put the tiniest drop of contact cleaner in the center of the roller tape guides, making sure that none of it can come into contact with the tape. Then flip the plastic slip sheets over and reassemble the cassette.

If none of that does the trick, you will probably have to go for a whole new mechanism. Often it's simpler, and not that much more expensive, just to replace the whole cassette.

Speaker Wear and Tear

Severe damage to a speaker system is usually obvious because one or more elements cease to work. But is it possible that operating a speaker near its limits could alter its response without actually causing it to fail? If so, is there any reliable way of detecting whether there is such damage?

PAUL G. ALTHAUS Stony Brook, NY

No, short of shipping the speaker back to its manufacturer for comparison with an engineering prototype. But it's very rare that damage will result in changes so subtle that they aren't immediately apparent. Sometimes a mechanical buzz will appear. Or some portion of the spectrum-usually the high frequencies-will become attenuated or distorted. Or the sonic characteristics of the two speakers in a stereo pair will suddenly become quite different (it's unlikely that the problem will affect both sides in exactly the same way). However it manifests itself, a problem caused by pushing your system to its limit will quickly make itself known.

On the other hand, alteration of a speaker's performance because of normal wear and tear is much more difficult to detect, because its onset is gradual and it does tend to affect both channels more or less equally. Although speakers are fairly hardy, certain elements (cone surrounds, for instance) can degrade over time, even with the most careful use, and that may eventually change the sound. If you suspect this is happening, the only solution is to return the speakers to the manufacturer for a checkup and, if necessary, a refit.

Equipment Placement

Q Is there such a thing as hi-fi equipment that is unaffected by room size or furniture placement?

DAVE BUELL Quincy, MA

A Sure, almost all of it. As long as you take some precautions, such as making sure you can get at the controls and that there is adequate ventilation for the power amplifier, you can safely put most of your components practically anywhere. There are some exceptions, of course: Turntables should not be placed where floor vibrations can cause the stylus to skip or where a speaker's sound can be picked up with sufficient intensity to cause feedback, and a video monitor should not be placed so close to unshielded speakers that their magnetic fields disturb the picture.

Positioning is always important, however, for speakers. Speakers and their surroundings form a single acoustic system, and how you position both your speakers and yourself can have dramatic effects on the sound quality you get. So far, no one has come up with a speaker that is completely insensitive to position, although a number of scientists and designers are working on just that. Until they succeed, you should experiment to find the optimum placement for your speakers, starting with the manufacturer's recommendations.

Amplifier Preservation

A local audio dealer has told me that leaving my amplifier on at all times will make it sound better and last longer. Is this true?

> KELVIN BURTON Fort Macleod, Alberta

A That's a firmly held belief on the part of many audiophiles and some manufacturers—there are even some amplifiers on the market that omit a power switch for this reason but any difference the practice makes is likely to be small. Certainly the surge of power that courses through an amplifier when you turn it on does it no good, although whether it does it any harm is open to debate. But a good amplifier, properly handled, will last for decades; prolonging its life beyond that would seem to be pointless.

As for sound quality, any degradation that might be caused by switching the power on and off would be so minute, and so gradual, that you can safely ignore it. If you're worried that you might already have caused some damage, take the amplifier back to the dealer and compare its sound to a fresh sample. I doubt you will hear a difference even in a direct A/B comparison. And with modern designs, there is no reason that the sound might improve as the amplifier warms up. On the other hand, leaving an amplifier on usually won't hurt it, unless there is insufficient ventilation and heat is allowed to build up over time. That might well shorten its useful life.

If you have a question about hi-fi, send it to Q&A, Stereo Review, 1633 Broadway, New York, NY 10019. Sorry, only questions chosen for publication can be answered.

33,868,800 times per second. That's new technology.

The most remarkable breakthrough in digital technology since the introduction of compact disc players. That's 3D Bit Stream. Exclusively from Harman Kardon.

3D Bit Stream turns digital data into musical experience at 33,868,800 times per second. (100 times faster than conventional CD players.)



The 3D Bit Stream CD players offer unsurpassed linearity, low-level accuracy, and freedom from phase irregularities. Or, quite simply, 3D Bit Stream lets the music flow.



* Registered trademark of Dolby Laboratorie

A more musical experience. That's Harman Kardon.

From the delicate sound of a classical Spanish guitar to the driving rhythm of a bass, 3D Bit Stream captures all the dynamics, dimension, and drama of a live performance.

Harman Kardon has a history of firsts: from the world's first high fidelity receiver. The first cassette deck to incorporate Dolby*. The introduction of the active tracking tuner. And now, bit stream technology *with* totally discrete analog circuitry in compact disc players.

That's Harman Kardon. Pioneering technology for people who love music.

Take your favorite CD to your Harman Kardon dealer. Listen. And experience the music as you never have before.

Also ask for a detailed explanation of 3D Bit Stream, or write: Harman Kardon, Engineering Dept., 240 Crossways Park West, Woodbury, NY 11797.

harman/kardon

M A Harman International Company

PURE AND SIMPLE.

Pure and simple?

() PONED

Hardly the words you'd expect to describe what may well be one of the world's most technically superior compact disc players.

FLIT

But while you may find the Elite PD-71 compact disc player's specifications impressive, we think you'll truly appreciate its reason for being. It's the one compact disc player designed and dedicated to the true music lover. Clearly, when your only design criterion is musical excellence, there's no place for compromise.

This single-minded devotion to the music purist has yielded a number of refinements in both construction and circuitry of the PD-71. For example, it employs a true 18-bit converter with linear envelope technology to provide the highest accuracy at even the lowest signal levels.
Significant advancements are also evident in the new laser pickup on the PD-71, including a specially designed floating base for cleaner reproduction. And shorter optical paths to ensure a distortion-free signal.

Sonic purity is further enhanced by extensive anti-resonance construction and direct wire connections throughout the unit.

The PD-71 also features defeatable display circuitry, full random play, and full remote control. Even the ergonomically designed panel displays and controls are testimony to elegant simplicity.

The Elite PD-71 compact disc player. Now nothing can come between you and your music. That's the pure and simple truth.

For your nearest Elite dealer, call 1-800-421-1404.



© 1989 Pioneer Electronics (USA) Inc., Long Beach, CA

CIRCLE NO. 31 ON READER SERVICE CARD

PD-71

TECHNICAL TALK

by Julian Hirsch



THREE-PIECE SPEAKER SYSTEMS

OST loudspeaker systems are, and always have been, designed as full-range reproducers, complete in a single unit. This is the most logical configuration for a speaker, as it places the various drivers in the correct physical relationship for a proper blending of their acoustic outputs. And it makes sense, both in convenience and acoustic performance, under most conditions.

Before stereo, good speaker systems tended to be large, heavy, and expensive. Audiophiles of the 1940's and 1950's were willing to put up with the expense and inconvenience of dominating the listening room (often the family's living room) with a large and not always attractive speaker cabinet. Stereo reproduction required two identical speakers, and the mono dinosaurs were soon replaced by much smaller (and frequently better) "bookshelf" speakers. Edgar Villchur's AR-1 acoustic-suspension speaker, and the competing products that followed, set the standards for the next couple of decades.

Actually, "bookshelf" was an inappropriate description of these

speakers, whose size and weight made them unsuitable for placement on ordinary bookshelves. Smaller speakers based on similar principles would fit on a real bookshelf, but inevitably the lower bass registers had to be sacrificed in the process, and such speakers have not been widely accepted for serious hifi listening. As a result, speakers today are usually placed on the floor (sometimes on stands), pretty much as their larger ancestors were. I would guess that a substantial majority of high-quality home systems today fall into this category.

Although dyed-in-the-wool audiophiles may find it hard to understand, there are many people who appreciate the sound quality of a good music system but are not willing (or able) to sacrifice the floor space required by a pair of fullrange speakers or to adjust room decor to achieve the speakers' best acoustic performance. There are at least two ways to deal with this situation: built-in wall speakers and the so-called three-piece system. For a variety of reasons, many people are reluctant or unable to install speakers in their walls, although the quality of speakers designed for that purpose is constantly improving and can be quite satisfying to most listeners. A three-piece speaker system can be an attractive alternative.

The first three-piece system that I can recall was manufactured by Weathers Industries in 1959 or 1960, coinciding with the appearance of the stereo LP, which really created the need for such a development. It had a pair of tiny satellite speakers shaped and styled like books and small enough to fit on a

Tested This Month

Yamaha RX-530 Receiver Boston Acoustics SubSat Six Speaker System Rotel RCD-855 Compact Disc Player Ortofon PPA600 Power Amplifier Linn Kaber Speaker bookshelf; they were almost invisible if placed among real books. At 100 Hz there was a crossover to a "hideaway" bass module that could be placed anywhere in the room. I remember being amazed by the system's sound, especially since neither the satellites nor the bass module could be spotted without considerable searching!

Introduced at only \$119.50, the Weathers system was expanded to include larger components and even powered speakers when transistors became available. Unfortunately, it was not widely accepted, and the company was gone by 1964.

The next time I encountered a three-piece speaker was about twenty years after the appearance of the Weathers system. In the April 1981 issue of STEREO REVIEW, I reviewed a \$400 system from 3D Acoustics whose performance excited me in a way that very few speakers have, before or since. The satellites were somewhat larger than those of today's three-piece systems, and the bass module, whose finished cabinet stood 2 feet high, was obviously not a hideaway unit.

In January 1982 I reviewed the ADS SS-2300, whose powered bass module was large and heavy—and highly visible at 2 feet square and 16 inches high. The satellites were excellent minispeakers, and the system's price of \$1,650 clearly placed it in a different category from that of most previous three-piece systems. Although now out of production, the SS-2300 was the finest such system 1 had heard, easily rivaling comparably priced conventional speakers.

Over the years, despite the very creditable three-piece systems that have occasionally appeared, the concept never seemed to win widespread popular acceptance, and it was largely ignored by most speaker manufacturers. The logjam was finally broken by the appearance of the Bose Acoustimass 5 in 1987. The market impact of this system was so impressive that a number of other manufacturers have now entered the field with competitive products (and Bose has added another model in the same category).

In fact, hardly a month goes by without another three-piece system

EXCELLENCE DEFINED



The New, Quality Name in State-of-the-Art Audio

232

New Optimus brand audio equipment offers you the very best combination of high technology, innovative features and superb styling backed by in-depth lab testing and quality control that's second to none.

Flagship of the new Optimus line is our STAV-3200 digital-synthesized stereo receiver with Dolby/Hall Effect Surround. Its highpower main amplifier is rated 100 watts per channel at 0.05% THD, and there's a separate 25-watt amplifier for the rear channel. Built-in Dolby Surround* brings you thrilling "movie theater" presence from encoded video tapes and discs. Hall Effect adds auditoriumstyle ambience to near y *any* stereo source. You also get wireless remote, 30-station memory, high-tech alphanumeric LCD display and dubbing facilities for two VCRs and two tape decks. For only \$549.95. See and hear the new Optimus components today.

Price applies at participating Radio Shack stores and dealers. *TM, Dolby Laboratories Licensing Corp. Receiver power measured per FTC rules.





Denon's DT-400 is a two-piece, table-top stereo system which brings the electronic technology, ease of use and performance characteristic of Denon's acclaimed home stereo receivers to a space efficient design. The DT-400's outstanding combination of ergonomic design, convenience, features and high fidelity make it the system of choice for music

lovers who want great sound in places—like a home office or kitchen—where conventional systems just won't fit.

Genon America, Inc., 222 New Road, Perelippeny, NJ 07054 (201) 575-7810 CIRCLE NO. 27 ON READER SERVICE CARD

"Shure's most recent version of its top model, the V15 Type V-MR... strikes this listener as perhaps the most musical-sounding phono cartridge ever made." Hans Fantel <u>The New York Times</u>



For product literature, call 1-800-257-4873 (In Illinois, 1-800-624-8522)

CIRCLE NO. 104 ON READER SERVICE CARD



CIRCLE NO. 71 ON READER SERVICE CARD

TECHNICAL TALK

being submitted for review. In recent months we have reviewed the Cambridge SoundWorks Ensemble (which has *four* pieces, with two separate bass modules, but the principle is the same), the Design Acoustics PS-3, the Boston Acoustics SubSat Six (see page 42), and the Polk Audio RM-3000, and we

All the three-piece systems we have tested are capable of delivering full-range sound quality rivaling that of conventional two-piece systems.

are in the process of testing others. Several of these systems, like the Bose models, employ very small satellites that are easily concealed or are inconspicuous if in the open, and most of the bass modules are simple black boxes that can be hidden from view under or behind furniture. Since they do vary in size, that is one of the specifications that should be checked if bass-module concealment is planned.

Every one of these systems, which carry list prices from \$500 to \$750, is capable of delivering full-range, musical sound quality rivaling that of conventional two-piece systems in the same or even much higher price brackets. That is not to imply that they sound alike-as with any speakers, they all sound different from each other. In particular, although most of them use dualchamber bass modules (as do the Bose Acoustimass systems), there are numerous design variations that give different characters to their bass reproduction and the way it blends with the satellites' outputs.

I am pleased to see the three-piece concept finally catching on as it should. The versatility of these speaker systems makes their excellent sonic qualities available in even the smallest or most unusually shaped rooms, and their prices bring them within reach of anyone contemplating a music system. They should not be viewed as inferior systems, fit only for a den or child's room, but as legitimate variations on the more established forms of speaker construction.

THE SHOCKING SHOCKING TRUTH!

Speakers are the most important part of your stereo system. It is the speaker that turns amplifier signal into sound and so ultimately determines what you hear. If your speakers do not perform well, your stereo system will simply not sound like music.

> The search for musically satisfying speakers, however, can lead to some very expensive products. And if you have already bought those high priced speakers, then you better not listen to Paradigms. But if you haven't, better not miss them. Why? Because from the time they were first introduced, Paradigm's sheer musical ability utterly amazed listeners.... but what caused even more amazement was the unprecedented low price.

> The shocking truth is, you no longer have to amass a small fortune to buy speakers that will satisfy your love of music. Simply visit your authorized Paradigm dealer... and listen.

The critics agree:

"... natural, open and clear...excellent depth... lots of hall sound... big, expansive soundstage... well defined... a rare achievement for any loudspeaker, but when price is taken into account the Paradigm's performance must be considered as nothing short of remarkable." - Sound & Vision Magazine

"... we can't think of another speaker at or below this price that manages to match the Paradigm's overall sense of balance and competence... exceptional value." *Hi Fi Heretic Magazine*





In the U.S. AudioStream, MPO Box 2410, Niagara Falls, New York 14302 n Canada: Paradigm Electronics Inc., 457 Fenmar Drive, Weston, Ontario M9L 2R6 Six high performance satellite speakers with neodymium Dual 6 x 9 subwoofers magnets for optimum extend the low frequency reproduction and low response to 25 Hz for distortion. deeper bass. 3 :25 -

Optional Ford compact disc player for the ultimate in sound reproduction.

VOLUME

A SEEK I

TUNE

Two separate power amplifiers deliver a combined 145 watts

of total system power.

Not just another pretty face.

REW FF

TREBLE

BASS

It's the totally integrated sound system from Ford and JBL.

Beyond the face of the optional Ford JBL Audio System lies a truly incredible sound system. With 145 watts of total system power. Six acoustically positioned speakers. Two sub-woofers. Bi-amplification. And an optional CD player for the

BAND

FNINSSE

SCAN

ultimate in sound reproduction. The end-result is not just another car sound system, it's one of the most impressive audio systems on the road. Hear it for yourself at your local Ford or Lincoln-Mercury



dealer.

AUDIO SYSTEMS The Sound of Quality

TEST REPORTS



YAMAHA RX-530 RECEIVER

Julian Hirsch, Hirsch-Houck Laboratories

AMAHA'S compact and moderately priced RX-530 has all the features one would expect in a modern stereo receiver. Its digital frequency-synthesis AM/FM tuner has eight preset buttons that are switchable for access to sixteen station memories, each assignable to an AM or FM channel. The tuner operates in manual mode (single-channel steps) or auto-scan mode. During manual tuning, reception is in mono, switching to stereo (if available) once a station is tuned in.

The input sources are identified as tuner, CD, phono, video/auxiliary, DAT/tape 1, and tape 2. There is also a CD Direct mode, which connects a CD player directly to the amplifier input regardless of the regular source selection. In CD Direct, only the volume control is in the circuit; tone controls and all other signal-modifying circuits are bypassed.

The power-amplifier section is rated to deliver 50 watts per channel into 8-ohm loads from 20 to 20,000 Hz with no more than 0.02 percent total harmonic distortion (THD). Its EIA dynamic power ratings into loads of 8, 4, and 2 ohms are 81, 138, and 112 watts, respectively.

The RX-530 has center-detented knobs for the bass, treble, and balance controls, a large volume knob, and a loudness-compensation control of the type introduced by Yamaha in the 1970's (and still a feature nearly exclusive to Yamaha). Operating independently of the volume setting, the loudness knob's counterclockwise rotation reduces the midrange (1,000-Hz) level by as much as 40 dB, with a lesser reduction of bass and treble levels. The result is a family of curves resembling those of many conventional loudness controls, except that the system lets the compensation be applied to any desired degree without regard to the volume-control setting. In practice, it is capable of much more realistic sound at any listening level than the usual combined volume/loudness control.

A six-position REC OUT switch feeds any of the input sources to the tape-recording output jacks on the rear apron, regardless of the source selected for listening. All other controls are either single or dual rockertype pushbuttons.

Besides the functions already referred to, there is a pair of buttons that independently activate the two sets of speaker outputs on the rear apron and another that turns on the Bass Extension circuit. a low-frequency boost intended to enhance the deep-bass performance of most Center-pivoted small speakers. rocker switches step through the various input sources and tune the receiver in either direction. There is also a front-panel headphone jack and a power button.

The display window is informative without being confusing. The station frequency (and preset number, if applicable) are displayed in large red numerals. Smaller readouts indicate the tuning mode and reception of a stereo signal as well as the selected input source. A signalquality indicator shows the relative strength of a received signal.

The rear apron contains two sets of speaker outputs whose springloaded connectors accept stripped ends of speaker wires, similar connectors for a 300-ohm FM antenna and the supplied wire-loop AM antenna, and the signal-input and tape-output phono jacks. One of the two AC outlets is switched.

The infrared remote control supplied with the RX-530 can be used

TEST REPORTS

to switch it on or off, select the input source or preset channel, and adjust the volume (the receiver's volume knob is motor-driven during remote operation). Available only through the remote control is a "sleep" mode that automatically shuts off the receiver after an hour. The remote also has a number of buttons that can be used to operate compatible Yamaha CD players, turntables, and cassette decks directly or through the receiver.

The black-finished Yamaha RX-530 measures 171/8 inches wide, 113/8 inches deep, and 5 inches high, and it weighs 12 pounds, 5 ounces. Price: \$399. Yamaha, Dept. SR, 6722 Orangethorpe Ave., Buena Park, CA 90620.

Lab Tests

The RX-530's FM tuner section had a usable sensitivity of 14.5 dBf (2.9 microvolts, or μV). As with most FM tuners, its frequency-syn-

FEATURES

- Digital frequency-synthesis
- AM/FM tuner with sixteen presets Detachable wire-loop AM
- antenna
- Manual or auto-scan tuning
- Inputs for tuner, phono, CD, video/auxiliary, and two tape decks
- CD Direct mode to bypass all controls except volume
- Dubbing from either tape deck to the other
- Independent selection of sources for recording and listening Front-panel headphone jack
- □ Bass and treble tone controls
- with center detents
- Continuously variable loudness compensation independent of volume setting

- Display of tuner frequency, preset number, relative signal strength, selected input, tuning
- speakers with independent
- Wireless remote control for power, preset and input selection, and volume (using motorized volume knob); can operate some Yamaha tape decks, turntables, and CD players directly
- □ Sleep mode (from remote) to
- shut off receiver after 1 hour Supplied cables and connectors
- for Yamaha RS components to enable system control through remote unit

LABORATORY MEASUREMENTS

- Tuner Section (all figures for FM only except frequency response; measurements in microvolts, or μV , referred to 300-ohm input)
- Usable sensitivity: mono, 14.5 dBf (2.9 µV)
- 50-dB quieting sensitivity: mono. 13.5 dBf (2.6 µV); stereo, 35 dBf $(30 \mu V)$
- Signal-to-noise ratio at 65 dBf: mono, 81 dB; stereo, 75.4 dB
- Harmonic distortion (THD + noise) at 65 dBf: mono, 0.1%; stereo, 0.38%
- Capture ratio at 65 dBf: 2.5 dB AM rejection: 70 dB
- Selectivity: alternate-channel, 61 dB; adjacent-channel, 4 dB
- Stereo threshold: 30 dBf (17 µV)
- Pilot and subcarrier leakage: 19 kHz, -48 dB; 38 kHz, -80 dB
- Hum: -76 dB
- Stereo channel separation at 100, 1,000, and 10,000 Hz: 35, 47, 41 dB
- Frequency response: FM, +0.1, -3.9 dB from 30 to 15,000 Hz; AM, +0.5, -6 dB from 50 to 2,300 Hz

Amplifier Section

- 1,000-Hz output power at clipping: 62 watts into 8 ohms, 80 watts into 4 ohms, 100 watts into 2 ohms (one channel driven)
- Clipping headroom (relative to rated output): 0.9 dB at 8 ohms Dynamic power output: 110 watts
- into 8 ohms, 180 watts into 4 ohms, 248 watts into 2 ohms
- Dynamic headroom: 3.4 dB at 8 ohms
- Maximum distortion (20 to 20,000 Hz into 8 ohms): 0.024% at 20,000 Hz and 50 watts output
- Sensitivity (for a 1-watt output into 8 ohms): CD, 20 mV; phono, 0.33 mV
- Phono-input overload: 100 to 118 mV from 20 to 20,000 Hz
- A-weighted noise (referred to a 1-watt output): CD, -83.6 dB; phono, -80.2 dB
- Phono-input impedance: 46,500 ohms in parallel with 80 pF
- Tone-control range: 100 Hz, +8.5, -7.5 dB; 10,000 Hz, +9, -8 dB
- Bass Extension range: +8.5 dB at 60 Hz, 0 dB at 20 and 300 Hz

thesis tuning and IF alignment were not precisely matched, so that a slight readjustment of the signalgenerator frequency (to 20 kHz higher than the receiver setting) improved the usable-sensitivity reading to 13.5 dBf (2.7 μ V). The 50-dB quieting sensitivity in mono was 13.5 dBf (2.6 μ V), and in stereo it was 35 dBf (30 μ V).

The FM tuner distortion with a 65-dBf (1,000-µV) signal was 0.1 percent in mono and 0.38 percent in stereo. The signal-to-noise ratio (S/N) was 81 dB in mono and 77 dB in stereo. Frequency response was down 0.7 dB at 10,000 Hz and 3.9 dB at 15,000 Hz. Channel separation was 47.5 dB in the midrange, 26 dB at 30 Hz, and 40 dB at 15,000 Hz. Although the capture ratio was on the high side at 2.5 dB, AM rejection was a very good 70 dB. Selectivity was average: 61 dB with alternatechannel spacing and 4 dB with adjacent-channel spacing. Image rejection measured a rather poor 43 dB. The AM tuner section's frequency response was +0.5, $-6 \, dB$ from 50 to 2,300 Hz.

The preamplifier's bass control boosted the response by a maximum of 10 dB at 60 Hz and cut it by 10 dB between 20 and 40 Hz. The treble control had a maximum range of ± 10 dB at 20,000 Hz. Its response curves were hinged at about 3,000 Hz, while the bass control's turnover frequency varied from 50 to 300 Hz.

The loudness compensation provided fairly standard response curves as the control setting was lowered. At the minimum setting, the 1,500-Hz output was lowered by 42.5 dB while the output dropped only 18 dB at 20 Hz and 35 dB at 20.000 Hz. The Bass Extension circuit had no effect above 300 Hz but provided a 3-dB boost at 100 Hz and a maximum of 9 dB at 40 Hz; the boost returned to zero (reference level) at 20 Hz.

The RIAA phono-equalization error was only +0.2, -0.3 dB from 20 to 20,000 Hz. Phono-input impedance was 46,500 ohms in parallel with an 80-picofarad (pF) capacitance. We also measured the response through the regular CD inputs and in the CD Direct mode. The most obvious difference was a

mode, stereo reception

Connections for two pairs of front-panel selection



More For My Money

I'd always thought you needed big speakers to get good sound. So every couple of years, some department store would have a sale and I would buy the biggest speakers I could find for the money. Then I moved across the country to take a new job. I left my old speakers behind. I was sure they wouldn't fit in my new apartment and I was ready for new ones anyway.

After the move, I went shopping for new speakers at a specialty hi-fi store near my apartment. I told the salesman to show me something under \$500. He took me into a room full of all kinds and sizes of speakers.

The first speakers he demonstrated were fantastic. The bass was big and tight. The stereo image was beautiful. Surely it was the biggest pair in the room.

"I don't have the room for those big speakers," I said. "And besides, I'm sure I can't afford them."

He stopped the demonstration to show me a KLIPSCH^{*} kg²^{*}, a compact and elegant model. "Yeah, this is more my size," I said, "let's hear a pair of these." "You just did," he said.

"You just did," he said. I bought those kg²s. I paid a lot less than I had planned. And, believe me, I got a lot more for my money.

For your nearest KLIPSCH dealer, look in the Yellow Pages or call toll free, 1-800-395-4676.



P.O. BOX 688 • HOPE, ARKANSAS USA 71801 CIRCLE NO. 2 ON READER SERVICE CARD

slight gain change (CD Direct signals were about 0.2 dB higher in level). There was also a minute difference in frequency response between the two, with a slight upward slope to the CD Direct signal across the full audio range as the frequency increased. The total relative change from 20 to 20,000 Hz, however, was a mere 0.02 dB, surely an insignificant amount. All the observed changes clearly derived from bypassing the tone-control, loudness. balance, and Bass Extension circuits -a testimonial to their inherent neutrality.

Audio sensitivity, for a 1-watt reference output, was 20 mV through the CD input and 0.33 mV through the phono input. The respective A-weighted noise levels (referred to 1 watt) were very low, -84.6 and -80.2 dB.

Harmonic distortion into 8-ohm loads was typically between 0.008 and 0.004 percent between 20 and 10,000 Hz at power outputs from 5 to 50 watts. The maximum distortion of 0.024 percent was measured at the rated 50 watts, with both channels operating, at 20,000 Hz. At 1,000 Hz, the distortion was less than 0.005 percent from a few watts to 60 watts, and the output clipped at 62 watts into 8 ohms. Driving 4ohm loads, the amplifier clipped at 80 watts, and distortion remained less than 0.005 percent to beyond 70 watts. With a 2-ohm load, we drove only one channel, and the output clipped at 100 watts. Even under this severe condition, the distortion remained less than 0.01 percent to beyond 80 watts.

In dynamic power tests, the amplifier delivered 110 watts per channel into 8 ohms, for a dynamic headroom of 3.4 dB, increasing to 180 watts into 4 ohms and 248 watts into 2 ohms. The slew factor was greater than 25. In a power-bandwidth measurement (with both channels driven into 8 ohms), the output at 0.1 percent distortion was between 61 and 63 watts per channel from 45 to 20,000 Hz, falling off slightly to 56 watts at 20 Hz.

Comments

The Yamaha RX-530 is a lot of receiver for its price. It is safe to say that it would meet the needs of a

large majority of mainstream audiophiles. Although the measured performance of its FM tuner was not particularly outstanding, it sounded fine in our installation. In a couple of respects, such as image rejection and capture ratio, its measurements were marginal, and near an active airport its image rejection might not be adequate. On the other hand, the tuner noise level was very low for a product in this price range. In extended home use, I never found the slightest reason to criticize its performance. As a bonus, its AM quality was among the best I have heard in years, in spite of a characteristically limited bandwidth. The supplied wire-loop AM antenna (in contrast to the usual ferrite-rod antenna) did not pick up the noise and hash from nearby power wiring that plagues most AM tuners I have used. With a low noise level, even AM can be a listenable medium.

In these days of super-power amplifiers, 50 watts may not seem like much, but actually it is plenty for most people. Certainly that is the case if the amplifier can drive lowimpedance speaker loads, and especially if it has the considerable dynamic headroom that we measured on the RX-530. With speakers of average or better efficiency (sensitivity of 87 dB or greater), this receiver can play as loudly and cleanly as one could wish.

The RX-530 is well endowed with features. If you use a loudness control, it has one of the best. The Bass Extension circuit is superb for its purpose. The low-frequency response of most small speakers rolls off below about 70 or 80 Hz, and this circuit injects enough boost below that range to add a feeling of bass without exceeding the amplifier's capabilities or adding any unnatural coloration. If you believe that a CD Direct connection is beneficial, you also have it in this receiver, but in our lab and listening tests it had essentially no effect on the sound.

Every bit as important as the RX-530's performance, though not so easy to quantify, is its ease of operation. I found its ergonomic aspects to be above average, with a reasonable mix of basic and extra features. You won't have to keep the instructions handy when using this receiver, since almost every control does exactly what you would expect, and they all had a smoothness and tactile feedback that appealed to me. The only shortcoming of its frontpanel design is the placement of the tuning, band, mode, and other buttons. They are marked with very small, hard-to-see characters, and they are largely hidden by the protruding row of preset selectors above them unless viewed from directly in front.

With that as my most serious criticism of the Yamaha RX-530, it clearly ranks as an excellent value, an affordable receiver that does a lot, does it very well, looks and sounds great, and doesn't take up an undue amount of space. *Circle 140 on reader service card*



THS MAN SUFFERS FROM UNEXPECTED BILLS.

YOU DON'T HAVE TO.

The worst bills are always the ones you don't expect.

Like when you suddenly have to pay to repair products you depend on.

But with a ComponentGuard Extended Warranty, you'll never have to worry if your VCR starts turning your tapes into confetti. Or your hifi becomes nofi.

ComponentGuard offers complete parts and labor protection for up



to 5 years on over 120 different kinds of audio & video products, appliances, tools, computers, cameras, and more. Highly affordable protection today against the high cost of repairs tomorrow.

So, don't end up like this poor soul. Get a ComponentGuard Extended Warranty with your next purchase and get a peace of mind guarantee at the same time.

DON'T FORGET YOUR WARRANTY! COMPONENT GUARD^{**} 100 Summit Lake, Valhalla, N.Y. 10595 1-800-421-9820

CIRCLE NO. 56 ON READER SERVICE CARD

TEST REPORTS



BOSTON ACOUSTICS SUBSAT SIX SPEAKER SYSTEM

Julian Hirsch, Hirsch-Houck Laboratories

HE Boston Acoustics SubSat Six is a compact speaker system built in the increasingly popular three-piece format. It consists of a pair of small, two-way satellite speakers and a separate PowerVent bass module. Each satellite weighs 4 pounds and measures 8 inches high, 47% inches wide, and 43% inches deep, and each contains a 4-inch cone woofer operating in a sealed enclosure and a 34-inch dome tweeter. The black vinyl-finished particleboard enclosures have spring-loaded connectors on the back panels; normally meant to accept wire leads, they are also compatible with dual banana plugs. The black metal grilles are not readily removable.

The PowerVent module, also finished in black, weighs 17¼ pounds and measures 13½ inches high, 7¼ inches wide, and 16½ inches long. It contains separate 6-inch woofers for each channel, rear-loaded by a common sealed chamber and facing into a common vented chamber. The vents open through 2-inch-diameter tubular ducts that are flared at both ends to eliminate noise from turbulence at high levels. The PowerVent design provides a low-pass cutoff of 18 dB per octave without using any crossover components, and since each satellite contains its own highpass crossover filter, the satellite and bass-module driver for each channel are simply connected in parallel and then to the amplifier output.

The system's specifications include a frequency response of 46 to $20,000 \text{ Hz} \pm 3 \text{ dB}$, a nominal impedance of 4 ohms, and sensitivity of 87 dB sound-pressure level (SPL) at 1 meter with a 2.83-volt input. It is recommended for use with amplifiers rated to deliver between 15 and 100 watts per channel.

Like other three-piece systems, the SubSat Six offers great installa-

tion flexibility. The satellites can be placed on stands, tables, or shelves. Moreover, each satellite has a rearpanel keyhole opening for wall mounting as well as threaded inserts for use with an optional swivel bracket.

Because its output drops rapidly above about 150 Hz, the PowerVent module can be located almost anywhere without being heard as a separate sound source. In general, it is preferable to put it at the same end of the room as the satellites, and Boston Acoustics also suggests corner placement (with the vents facing the corner) for the deepest and most uniformly distributed bass output. Price: \$499.95 for complete system. Boston Acoustics, Dept. SR, 70 Broadway, Lynnfield, MA 01940.

Lab Tests

With the satellites on 26-inch stands and the PowerVent bass module about midway between them, the averaged room response of the SubSat Six was unusually uniform across the full audio range. There was very little difference between the response curves of the left and right channels (measured one at a time from a microphone position on the axis of the left channel), and from 500 to 20,000 Hz the averaged output varied only ± 2 dB.

The close-miked response of the PowerVent module was flat within ± 1 dB from 50 to 130 Hz, falling off at 18 dB per octave above that frequency and at a precipitous 60 dB per octave between 50 and 35 Hz. Output rose slightly from 35 to 26 Hz and then continued its descent to our 20-Hz measurement limit, where it was some 25 dB below the woofer's reference operating level.

To form a composite response curve, we used a close-miked measurement of the satellite cone (midrange) driver to bridge the region between the bass and tweeter ranges. The resulting curve was flatter than could probably be justified in view of the numerous external variables that can affect the balance between lows and highs in any room. Suffice it to say that the response of each driver (bass, midrange, and treble) in its operating range was flat enough to have passed for an amplifier response not

Anyway you look at it, or listen to it.

Proton's 600 Series Stands Apart.

1157

Sculpted for dramatic impact, and designed for ease of use, Proton's 600 Series components fit elegantly into any environment. Seldom used controls are concealed, yet revealed at the touch of a button. Cables, hidden by rear panel covers, disappear into the pedestal of this sleek, freestanding unit.

And naturally, the sound is pure Proton. With high performance technologies like Dynamic Power on Demand[™] (DPD), the new Schotz II tuner circuitry and the exclusive Aphex[®] Aural Exciter,[™] 600 Series components provide absolute clarity and realistic reproduction for incomparable listening pleasure. The series includes the AM-656 Integrated Amplifier, the AT-670 Tuner, the AV-646 AM/FM Receiver, the AD-630 Auto Reverse Cassette Deck, the AC-620 Compact Disc Player and the matching AB-600 pedestal. Each component can be controlled with the versatile AH-681 remote, which also controls select Proton video products.

Proton's new 600 Series. A rewarding investment for the discerning listener. From every point of view.

For Product Information



ABL

Call 1-800-888-8237 For a free brochure and the Proton retailer nearest you, call (800) 772-0172 In California, (800) 428-1006. Or write to 5630 Cerritos Ave., Cypress, CA. 90630.



H

B

Bose[®] engineers use advanced design systems to bring the benefits of new technologies to the constantly-refined 901[®] Direct/Reflecting[®] speaker. The Intergraph InterAct 32 CAD/ CAM system (above) at Bose Corporation's Framingham, Massachusetts worldwide headquarters is part of this commitment to "better sound through research."

0 0

The Bose[°] 901[°] Direct/Reflecting[°] speaker system: A technological breakthrough 20 years ago pushed to the edge of *today's* technologies.

Twenty-five years ago Dr. Amar Bose directed a research program at the Massachusetts Institute of Technology on the physical acoustics and psychoacoustics of sound reproduction. The results

of this effort provided the theoretical basis for the design of the first Bose 901 Direct/Reflecting® speaker system five years later. Its introduction in 1968 was greeted with the highest critical acclaim ever accorded to a loudspeaker.

"... I must say that I have never heard a speaker system in my own home which could surpass, or even equal, the Bose 901 for overall "realism" of sound." -Julian Hirsch. Stereo Review 1968

"There is no doubt that the muchabused and overworked term, 'breakthrough,' applies to the Bose 901 system and its bold new concepts." —Bert Whyte, Audio 1969

"Many people swear by these speakers as the ultimate."

-Complete Buyer's Guide to Stereo Hi-Fi Equipment 1975

But this was just the beginning. Bose research continued to focus on the 901 system, incorporating the latest technology as it was developed. For example, in 1976 two new innovations were brought to the system



Live music is a combination of direct and reflected sound energy.



Bose Direct/Reflecting[®] speakers accurately reproduce live music's natural balance of direct and reflected sound energy, in *full stereo* (blue area) throughout the room.

to dramatically improve its efficiency and power handling. These new technologies—the Acoustic Matrix[™] enclosure and the Helical Voice Coil driver—alone represent a significant investment in research and development. As a result of this commitment, the rave reviews continued.

"... it has a total sound that soars, with a brilliance that defies description."

—Modern Hi-Fi & Music 1977

Bose engineers work continuously to develop and perfect new audio technologies with one common denominator: if they demonstrate the potential to improve performance, they become part of the Bose 901 system. In today's era of digital sound, with hundreds of engineering and design improvements over the original 901 system, the 901 Series VI Direct/Reflecting® speaker system

is the technological flagship of Bose Corporation.

"The 901 VIs sound live and exciting the moment you fire them up... There are more than a few music lovers who won't **listen** to **anything else**..."

-Daniel Kumin, Digital Audio 1988

We submit that the research and development behind the Bose 901 system make it the most advanced, lifelike sounding speaker you can buy. But you must be the final judge. Ask your dealer to give you an "A-B" demonstration comparing the Bose 901 system to any other speaker, regardless of size or price.

We invite you to audition the Bose line at a dealer nearest you. For more information, call 1-800-444-2673 between 9 a.m. and 5 p.m. EST.









too many years ago. The only significant deviations were a slight emphasis (about 3 dB) in the octave from 10,000 to 20,000 Hz and a 2.5dB peak at the lower limit of the PowerVent bass module's operating range (50 Hz).

The satellite's frequency response varied only moderately through a 45-degree angle about its forward axis, and the deviation was not much greater above 10,000 Hz than in the lower treble range. We noticed in the close-miked PowerVent response curve that a measurable amount of signal was radiated at frequencies between 500 and 1,500 Hz. These leakage signals were at least 20 dB below the bass output, however, and in actual use were never audible. The satellite's phase linearity was very good, with an overall group-delay variation of less than 0.2 millisecond from 1,000 to 20.000 Hz.

The system's measured sensitivity was 90.5 dB SPL at 1 meter with a pink-noise signal of 2.83 volts rms. The impedance presented to a driving amplifier depended greatly on the measurement conditions (such as whether the satellites and the PowerVent module were paralleled and whether both channels were being driven). Paralleling the satellite and bass modules and driving only one channel gave the worst results. with the impedance reaching a minimum of 3 ohms at 90 and 450 Hz and remaining less than 6 ohms from 54 to 1,300 Hz. The system's maximum impedance was 19.5 ohms at 34 Hz.

The total harmonic distortion (THD) plus noise of the PowerVent bass module with a drive level of 2.67 volts (equivalent to a 90-dB level in a sensitivity measurement) was 1 percent at 70 Hz and fell to 0.4 percent or less from 75 to 200 Hz. At lower frequencies the distortion rose rapidly, reaching 4 percent at 50 Hz and 20 percent at 45 Hz.

In high-power pulse tests, the PowerVent cones bottomed loudly at 562 watts into their 3.2-ohm impedance at 100 Hz. At 1,000 and 10,000 Hz, the amplifier clipped before the satellite speaker limits were reached, at respective power levels of 1,250 and 825 watts into 5 and 7 ohms.

Comments

Our measurements suggested that the Boston Acoustics SubSat Six was a good speaker system, especially in its price range, and our listening tests fully confirmed that judgment. When the PowerVent module was midway between the satellites and a couple of feet from the wall, the low bass, while adequate most of the time, fell short of our expectations. Moving it into a corner (a few feet to the right of the right speaker), with the vents closest to the corner. as recommended by the manufacturer, made an impressive difference in the system's bass performance when playing musical selections with appreciable energy below about 80 Hz.

The sound, overall, was typical of what we would expect from the very finest three-piece systems. Output in the lowest part of the system's range (around 50 Hz) could be *felt* as well as heard. The higher frequencies were seamlessly joined to the bass range, giving no hint of their

separate origin. Best of all, there were no obvious gaps in the spectrum, especially between the ranges covered by the PowerVent and the satellites. The position of the PowerVent unit was never detectable by listening. In fact, the smoothness of the overall sound was superior to that of most conventional two-piece systems we have used. Compared with some other speakers, the Sub-Sat Six also sounded a trifle crisp, an effect we approve of and tend to attribute to its wide dispersion and slightly emphasized output in the top octave.

After extended listening to the SubSat Six and direct comparisons with some very good conventional speakers, we felt that it more than held its own. No one walking into the room would have the slightest inkling that its two tiny satellites were delivering the bulk of the sound he was hearing. That is the principal quality of a good three-piece system, and the SubSat Six has it in full measure, at a highly competitive price.



"I'm running a little tight on my credit cards. Could you put the left speaker on my Visa, the right one on my Master-Card, and the CD player on my American Express . . .?"





Engineered for the sophisticated audio enthusiast, the Coustic CD-3 represents a remarkable achievement in advanced mobile audio technology and system design.



4260 Charter Street Vernon, CA 90058-2596 1-213-582-2832 CIRCLE NO. 188 ON READER SERVICE CARD

TEST REPORTS



ROTEL RCD-855 COMPACT DISC PLAYER

Julian Hirsch, Hirsch-Houck Laboratories

HE Rotel brand name is probably better known in Europe than in this country, but a broad line of Rotel hifi components is currently available in the United States. The RCD-855, manufactured in Taiwan, is a relatively low-priced CD player whose performance ratings and features make it comparable to many more expensive models.

Although notably free of the "bells and whistles" that adorn so many of today's audio products, the Rotel RCD-855 is by no means spartan or "minimalist" in its conception and execution. It has dual 16-bit digital-to-analog (D/A) converters and four-times (176.4-kHz) oversampling, and its specifications are the kind you would expect of a new CD player. For example, its rated amplitude linearity over the 20- to 20,000-Hz range is ± 0.05 dB, with a phase shift of less than ± 0.5 degree. The signal-to-noise ratio

(S/N) is specified as 100 dB, the dynamic range as 96 dB. Channel separation at 1,000 Hz is rated as 100 dB, and total harmonic distortion (THD) plus noise at 1,000 Hz is given as 0.0025 percent.

In the features department, the RCD-855 offers such amenities as shuffle play, a scan mode that plays the first 10 or 20 seconds of each track, programmed playback of as many as twenty tracks in any order, and repeat of an entire disc or a programmed sequence. The player also has the usual track-skipping functions and two-speed fast search with audible output.

The front-panel display window, unlike most, is small and monochromatic, but its white fluorescent numerals and letters are large and bright. The display normally shows only the current track number and elapsed time, along with a small box for the status of various operating modes. When a disc is first loaded, the display shows its total number of tracks and total playing time.

The RCD-855 comes with a wireless remote control that duplicates all its front-panel controls except the power button and open/close button. In addition, it has numerical keys that provide direct access to any track. The rear apron contains a coaxial digital output as well as the usual pair of analog output jacks. The Rotel RCD-855 measures 17^{1/2} inches wide, 13^{5/8} inches deep, and 3^{3/8} inches high and weighs about 15^{1/2} pounds. Price: \$349. Rotel, Dept. SR, P.O. Box 653, Buffalo, NY 14240.

Lab Tests

The RCD-855's frequency response was flat within ± 0.025 dB from 15 to 20,000 Hz. Also well within the specified performance limits were the interchannel phase shift (between 0.35 and 0.25 degree from 5,000 to 20,000 Hz), the Aweighted noise level (-115 dB), and the dynamic range (98.8 dB). The quantization noise was a good -94.5 dB. Channel separation was 108.5 dB from 100 to 1,000 Hz, about 105 dB at 10,000 Hz, and 95 dB at 20,000 Hz.

Low-level linearity was good,

Simple Impression. Ergonomically simple, technologically impressive.

Our new 700 Series car radio/ cassettes epilomize Coustic's commitment to PRODUCT EXCELLENCE. A balanced synthesis of technology, functionality and ergonom cs aptly describes the 700 Series, which is the best selection of car radio/cassettes available today.

A full range of models boasting the technologically Advanced FM Optimizer IV Circuitry incorporating a QUASI 4-GANG HI-GAIN, LOW NOISE TUNED FRONT END. This circuitry continuously monitors FM signal strength to selectively adjust



RX-738 CAR RADIO/CASSETTE

and delivers a 3-dimensional "life-like" sonic performance.

THERE IS MORE ...

Cellular Phone Interrupt - You will never miss a call on your



RX-728 CAR RADIO/CASSETTE

stereo separation and audio bandwidth. Automatically eliminating signal overload and the picket-fencing effect of multipath interference to produce the best stereo performance and cleanest FM reception possible.

The Auto-Aligned Azimuth (A³)™ __

AUTO ALIGNED AZIMUTH SYSTEM

System is standard on all 700 Series auto-reverse cassette mechanisms. This unique A³ System employs a 2-track (in-



stead of a fixed fourtrack, crosstalk

prone) tape head that shifts linearly (up or down) into perfect azimuth alignment whenever tape direction is changed. This minimizes high frequency loss



CELLULAR PHONE INTERRUPT

mobile phone (with "Call Alert") again! Our new I-SENS™ Circuitry instantaneously mutes the audio system when it detects an incoming call.



RX-738 MULI-FUNCTION CONTROLS

Blending technology and simplicity the 700 DOLBY B.C NR series feature Preset Scan, Dolby B & C Noise. Reduction Systems, Tape Program Search (TPS), Metal Tape Equalization (MTL), CD/AUX Input for digital pro-NSR gram source, Radio Monitor (R.MON), Active Bass & Treble Tone Controls, Front/Rear Pre-Amp Outputs for flexible system expansion and removeable chassis option.

A custom oversized Liquid Crystal Display (LCD) provides easy

identification day or night of frequency



RX-738 LCD DISPLAY

settings and each accessed function such as TPS_MTL, DD, CD, etc.

The 700 Series - simply impressive!



4260 Charter Street Vernon, CA 90058-2596 213-582-2832

Dolby is a registered trademark of Dolby Laboratories © Coustic 1989

MOST LASERDISC PLAYERS ARE MISSING AN IMPORTANT COMPONENT.



Now thousands of novies, concerts, and operas are just a phone call away. Find out what's missing. Pick up the phone.

1 800 322 2285 LaserDisc Fan Club^{*}

CLaserDisc Fon Club 1990

IT'LL MAKE ANY LASERDISC PLAYER THOUSANDS OF TIMES BETTER.



Free shipping, free membership, discount prices, the best selection, and a monthly catalog, all just a phone call away.

1 800 322 2285 LaserDisc Fan Club[®]

TEST REPORTS

with less than 1 dB error in the reproduced level of a -80-dB test signal. At -90 dB, however, the output was 5 dB low. The noise spectrum in the player's output was between -120 and -130 dB from 30 to 20,000 Hz. Distortion (THD plus noise) with a 0-dB signal was between -85 and -93 dB from 20 to 12,000 Hz, increasing to -55 dBat 20.000 Hz. At 1.000 Hz. the THD plus noise varied with level from a minimum of about -99 dB (0.001 percent) at -90 dB to -91.5 dB (0.0027 percent) at -10 dB and reached a maximum of -86 dB (0.005 percent) at 0 dB. The frequency (speed) error was +0.0025percent.

The opening and closing of the disc drawer were somewhat leisurely compared with the pace of several other CD players we have tested recently. So was the slew time of the laser mechanism, which took about 4 seconds to travel from Track 1 to Track 15 of the Philips TS4 test disc. On the other hand, the RCD-855 was able to withstand moderate impacts on its top and sides without mistracking, and its error correction was exceptional. It played Track 36 of the Pierre Verany #2 test disc (2,500-micrometer data interruption) without audible effects and mistracked only on Track 37 (3,000micrometer interruption).

Comments

In past years, we found that Rotel products consistently offered a better than average value for the money, and the RCD-855 follows in that tradition. Not only did its performance live up to and usually exceed its specifications, but it ranked with some of today's best (and much costlier) CD players. It also sounded as good as any player we have heard.

The only things lacking in the RCD-855 that we occasionally find useful were a headphone jack, an "A-B" repeat function, and a display of the remaining time on a track or disc. These are admittedly very minor considerations, and they really emphasize how complete and versatile this unit is and how much it does without a complex or hard-to-learn array of controls. Our test results speak eloquently for the true quality of the RCD-855, which is certainly one of the best values we have seen in a CD player.

Circle 142 on reader service card

FEATURES

- Dual D/A converters
- □ Four-times-oversampling (176.4-kHz) digital filters
- (170.4-kHz) digital infers
 Display of current track number and elapsed time in track, operating status of disc mechanism and other features (shows total tracks and time at loading)
- Programmable to play as many as twenty tracks in any order
- □ Track skipping and two-speed fast scan (with audible output) in either direction
- Shuffle play
 Intro scan of first 10 or 20 seconds of each track
- Repeat of entire disc or programmed sequence
- Analog and (coaxial) digital output jacks
- Infrared remote control with numerical keypad for direct track access

LABORATORY MEASUREMENTS

Maximum output level: 1.995 volts Total harmonic distortion at 1,000 Hz: less than -94 dB (0.002%) from -40 to -90 dB, -86 dB (0.005%) at 0 dB

Signal-to-noise ratio (A-weighted): 115 dB

Channel separation: 108.5 dB below 1,000 Hz, 105 dB at 10,000 Hz, 95 dB at 20,000 Hz

Maximum interchannel phase shift (5,000 to 20,000 Hz): 0.35 degree at 5,000 Hz Frequency response: ±0.025 dB from 15 to 20,000 Hz

- Low-level linearity error: less than 1 dB down to -80 dB, -5 dB at -90 dB
- Cueing time: 4 seconds Impact resistance: top and sides, B+
- Defect tracking: tracked 2,500-micrometer defects on Pierre Verany #2 test disc

50 STEREO REVIEW MARCH 1990

CIRCLE NO. 173 ON READER SERVICE CARD

CLaserDisc Fan Club 1990

Impress your system. And your system will impress you!

Impress your car audio system with our Power Logic series of component speakers and your system WILL impress the discriminating you.



From 15" monstrous subwoofers, to powerful mid/woofers, to super tweeters and multi-driver speaker systems, our Power Logic component speakers are ready for any frequency response and sound pressure level (SPL) requirements with minimum distortion.



Your system will be wowed by our SYMMETRICAL WAVE LOADING TECHNIQUE on the

Power Logic component tweeters which produces crisp high frequency performance even when mounted "off-axis". Your power amplifier will be pleasantly surprised to find that **POLYMIDE DIA-PHRAGMS** are built into the tweeters to ensure structural integrity and significantly

minimize distortion when subjected to high power. Your system will concur with our research findings that *HIGH DENSITY, POLYPRO-PYLENE-LAYERED, AIR-*

DRIED, DOUBLE-RIGID PA-PER CONE carries the lowest second and third harmonic

distortion characteristics, manifesting the best Briden 4 Kjør sound quality. This cone material is standard on all briden 4 Sjør over Logic briden 4 Sjør sound quality.

speakers. Your power amplifier system will cer-

tainly appreciate the combination of HIGH TEMPERATURE ALU-MINUM VOICE COIL and HI-EN-ERGY STRONTIUM MAGNET STRUCTURE built for maximum heat dissipation and extreme

power handling capability, with more accurate cone displacement resulting in faster transient re-



MD WOOFERS-HT-505, HT-603, HT-605

sponse and lower distortion. The Power Logic component speaker series rigorously produces, in an anti-acoustic automotive environment, crisp high fre-



Frequency Response (Hz)

quency response, sumptuous midrange, tight and distortion-free low bass, superb instantaneous power handling and precise stereo imaging. In short, the illusion of life-like musical performance with superior clarity and <u>3-dimensional imaging</u>.

Our Power Logic component speakers will no doubt impress your system. All it takes is for your system to impress YOU.



TEST REPORTS



ORTOFON PPA600 POWER AMPLIFIER

Julian Hirsch, Hirsch-Houck Laboratories

HE Ortofon PPA600 professional power amplifier is a rugged, powerful unit capable of delivering high-power outputs to low-impedance loads for extended periods without overheating or damage. Although it is relatively compact, the amplifier's weight of almost 50 pounds reflects its solid construction.

The PPA600 is built on a steel chassis and has a steel cover plate. retained by eighteen screws, that all by itself is as heavy as some full-size CD players. Handles about 3/4 inch in diameter are mounted on both the front panel and the rear apron, where their 2-inch depth allows the amplifier to stand upright without damage to its output connectors. The front panel, slotted for rack mounting, measures 19 inches wide, 51/4 inches high, and 3/8 inch thick (thinning to 3/16 inch at the outer edges). The amplifier extends 1334 inches behind the panel, and its rear apron contains two pairs of heavyduty binding-post speaker outputs and line-level inputs through standard ^{1/4}-inch phone jacks. Two paralleled jacks are supplied for each channel to simplify paralleling the

inputs of a number of amplifiers. The PPA600 has separate grounding terminals for the amplifier circuit and the metal chassis; these are normally joined by a wire link, but they can be separated for multiamplifier installations that require isolated grounds.

A good fraction of the amplifier's internal volume is occupied by a huge toroidal power transformer. The manual indicates that the two channels operate as independent mono amplifiers, and from our examination of the interior it looked as if the power transformer has two windings connected to separate rectifiers and filter capacitors that supply the two channels.

Although the front panel is deeply grooved to resemble a heat sink, this is largely a matter of appearance. The power-output stages are assembled as a unit with a square cross section to form a horizontal chimney, one end of which is open to a 4-inch hole at the left side of the panel. Behind the rear opening of the chimney is the exhaust fan on the rear apron, which draws outside air through the chimney to cool the output transistors. The top cover is also screwed to the chimney to help conduct heat away from the amplifier circuits. DOK LEUNG

The thermostatically controlled fan does not begin operating until the heat-sink temperature reaches 35° C (95°F). Its speed increases with temperature, and in the event that the internal temperature reaches 70° C (148°F) the affected channel shuts down, resuming operation when the temperature drops to 60°C (140°F).

The front panel has separate LED status lights for each channel. The green POWER lights come on when the amplifier is turned on. When a signal is applied, the green SIGNAL lights glow, and if the amplifier is driven into clipping, red OVERLOAD lights flash. They may remain on for a few seconds if the amplifier's current limits are exceeded and also remain on if a constant (DC) voltage appears at the output terminals. A pair of green BRIDGE lights show that the amplifier has been set to its bridged mono mode by a switch on the rear apron.

The front panel also has separate level controls for the two channels. They are detented, operating in 1-dB steps near their maximum settings, 2-dB steps over much of their range, and 5-, 10-, and 20-dB steps at their minimum settings.

The Ortofon PPA600 is rated at 225 watts per channel with both channels driven into 8 ohms from 20 to 20,000 Hz with no more than



RX-1130 RECEIVER

125 watts per channel into 8 ohms from 20-20,000 Hz at no more than 0.015% THD

Low impedance drive capability provides 360 watts per channel into 2 ohms dynamic power

Additional amplifier section for two rear channels with rear channel level control

Five digital Surround Sound modes (Dolby,* Natural, Hall, Simulated Stereo, Live)

Computer Servo Lock tuning

MM/MC Phono Selector Banana plug compatible speaker connection terminals

24-segment signal quality meter

Continuously variable loudness control

Learning-capable multi-function remote control

Eight audio inputs, three video inputs

Four audio outputs, three video outputs

S-VHS compatible

Separate front and rear pre-main coupling terminals

Eight-mode REC OUT selector

Continuously variable delay time control CD Direct switch

Motor-driven volume control with LED indicator Sleep timer

Center defeat bass/mid-range/treble tone controls 16-station random access preset tuning with multistatus memory

Absolute Linear Amplification (ALA) circuitry Preset indicators with preset number and station

frequency Front panel headphone jack

Tone bypass switch

High-gain AM loop antenna

Manual or auto IF Mode selector (wide or narrow)

Auto search tuning

Manual up/down tuning

If any of these features compromised its sound, this is the first thing we'd remove: YAMAHA*

© 1989, Yamaha Electronics Corp., USA. For the dealer nearest you, call 1-800-662-6800. Dolby* Surround is a registered trademark of Dolby Laboratories.

0.1 percent total harmonic distortion. The 4-ohm rated power is 350 watts per channel, and the 2-ohm output (with one channel driven) is rated at 600 watts. In the mono bridged mode, the rated 8-ohm output is 650 watts, increasing to 950 watts into 4 ohms. Other ratings include a 20,000-ohm input impedance, a frequency response of 10 to 60,000 Hz + 0, -3 dB, and a damping factor of greater than 250. Price: \$2,000. Ortofon, Dept. SR, 122 Dupont St., Plainview, NY 11803.

Lab Tests

After its 1-hour preconditioning at 75 watts per channel into 8 ohms, the top of the Ortofon PPA600 was only slightly warm over the heat sinks and cool to the touch elsewhere. The fan, which was running most of that time, was virtually inaudible unless the amp was turned so that the rear apron faced the listener, and even then it was inaudible beyond a couple of feet.

The clipping power at 1,000 Hz into 8 ohms (both channels driven) measured 243 watts per channel, increasing to 378 watts per channel into 4 ohms. We drove one channel into 2 ohms, measuring a clipping power of 625 watts. Dynamic power measurements produced outputs of 288, 406, and 755 watts into respective loads of 8, 4, and 2 ohms.

The total harmonic distortion (THD) plus noise into 8 ohms was fairly constant between 20 and 2,000 Hz, with typical readings of 0.1 percent at the rated 225 watts output, 0.16 percent at half power, and 0.25 percent at 22.5 watts. The distortion increased slightly at higher frequencies, to a 20,000-Hz maximum of 0.37 percent at 225 watts, 0.17 percent at 112.5 watts, and 0.15 percent at 22.5 watts. At 1,000 Hz, the 8-ohm distortion decreased from 0.05 percent at 1 watt to 0.02 percent at 200 watts and reached 0.06 percent at 225 watts. Into 4 ohms, the readings ranged from 0.085 percent at 1 watt to a minimum of 0.037 percent at 300 watts and 0.058 percent at the rated 350 watts. The 2-ohm distortion ranged from 0.13 percent at 1 watt to 0.034 percent at 500 watts and 0.25 percent at 600 watts.

The input sensitivity for a 1-watt output was 95 millivolts, and the Aweighted noise level was -78 dB referred to 1 watt. The slew factor exceeded our measurement limit of 25. The frequency response was down 0.1 dB at 20 Hz and 0.45 dB at 20,000 Hz.

Comments

Our tests of the Ortofon PPA600 showed that it has the muscle and ruggedness to serve even in de-

FEATURES

- Toroidal power transformer
 Separate power supply for each
- channel; can be bridged for high-power mono operation
- Cooling-fan speed proportional to temperature
- □ Front-panel level adjustments for each channel
- □ LED indicators for power on, bridged mode, overload, and presence of signals
- presence of signals Able to drive 2-ohm loads safely

LABORATORY MEASUREMENTS

Sensitivity (for a 1-watt output): 95 mV

- A-weighted noise (referred to a 1-watt output): -78 dB
- Output at clipping (1,000 Hz): 243 watts into 8 ohms, 378 watts into 4 ohms, 625 watts into 2 ohms
- Clipping headroom (relative to rated output): 0.33 dB into 8 ohms
- Dynamic power output: 288 watts into 8 ohms, 406 watts into 4 ohms, 755 watts into 2 ohms

- Dynamic headroom: 1.06 dB into 8 ohms
- Slew factor: greater than 25 Frequency response: 20 to 20,000 Hz ± 0 , -0.45 dB
- Hz +0, -0.45 dB Harmonic distortion (THD + noise at 1,000 Hz into 8 ohms): 0.026% at 22.5 watts, 0.02% at 112.5 watts, 0.09% at 225 watts
- Maximum distortion (20 to 20,000 Hz into 8 ohms): 0.37 percent at 225 watts (20,000 Hz)

manding professional applications. Not only did it withstand accidental output short-circuits with no ill effects, but it ran cooler (even during the grueling preconditioning period) than almost any tuner, CD player, or other component that we have tested. It is hard to imagine how it could become overheated under any operating conditions short of a lack of air for cooling (the installation instructions caution against impeding its fan-drive air flow).

Unlike some high-power audiophile amplifiers, the PPA600 can be lifted by one man without risk, although it does feel heavier than it is, possibly because of its compact dimensions. It is electrically stable and is one of the very few fanequipped amplifiers we have used that is quiet enough to install in a music room.

Our examination of the amplifier's interior revealed that the input-level controls, which feel like step switches with rather light and vague detents, are actually continuously variable potentiometers (miniature volume controls). The detent is external to the control, and, in fact, the level can be set to values between the detent steps, although this requires some care. Under the circumstances, it would seem that the detents could have been omitted entirely without impairing the usefulness of the amplifier. We also noted that the heavy binding-post speaker connectors on our sample were spaced almost 3/4 inches apart, but not exactly, so it was not possible to insert dual banana plugs. As the discrepancy was only about 1/32 of an inch, we assume that this was a sample defect.

professional audio Although equipment is usually not particularly suited to home use, even without considering its high price, the Ortofon PPA600 appears to be an exception to that rule. It gives every appearance of being an indestructible battleship of an amplifier that manages to do everything expected of a fine home amplifier. In fact, it had no operating or listening vices that we could discover. And although it is capable of operating safely in closed spaces, it looks good enough to be placed in full view. Circle 143 on reader service card

—Leonard Feather, Celebrated Jazz Critic fo the L.A. Times, Washington Post News Service and Author of many books including "The Jazz Years—Earwitness to an Era."

"BBE made my audio system sound better than I ever dreamed possible!"

"Listening to music has been my vocation and avocation for a lifetime. I've spent countless hours sitting in front of bandstands while some of the world's greatest musicians mesmerized me with their artistry.

"Listening to recorded music, of course, falls short of the delights of listening to a live performance. I was therefore skeptical when told that BBE could make a dramatic improvement to virtually all audio systems and I had to hear it for myself.

"I was amazed at how much better the BBE 1002 made my music system sound! There was a presence, a *being there* sense of excitement. The rich textures of the instrumental sounds, the subtle nuances and details in the music come through with clarity and authenticity.

"BBE is clearly one of the most important advances in the electronic reproduction of music to come along in my lifetime. Bravo, BBE! Encore!"

The Great Professional Music Magazines Love BBE

"The difference in processed audio and non-processed audio is like the difference between high-fidelity speakers with and without pillows placed in front of them."

-Radio World

"There was no doubt the BBE processor added more spatial quality, more transients and more clean highs. This is the first black box that actually helped make my music sound the way that I knew it should. The effect is shattering!"

-Music Technology

BBE Really Fits In

Measuring 16¹/₂" x 9" x 1³/₄", BBE fits perfectly into your audio rack. Then just plug it into your wall socket and standard tape loop.

Full Money-Back Guarantee

If you're not completely satisfied with the BBE 1002, return it within 30 days. We'll refund your money. No questions asked.

Full Warranty

All BBE products are backed by a full year's warranty on all parts and labor—and by our reputation for innovation and leadership in the audio and electronics industries.

Easy to Order

It's as easy as one, two, or three.

- 1. Call us. Toll free. 1-800-233-8346. In California, 1-800-558-3963.
- 2. Or, complete and send us the coupon at right.
- Or, if you're in New York, New Jersey, Connecticut, Pennsylvania, Delaware, Maryland, District of Columbia, Atlanta, Houston, New Orleans, Birmingham, Miami or Dallas, pick up your BBE 1002 in any MACY's audio department.

CIRCLE NO. 62 ON READER SERVICE CARD



5500 Bolsa Ave., Suite 245, Huntington Beach, CA 92549, (714) 897-6766. (800) 233-8346. In California. (800) 558-3963. In Canada, contact Daymen Audio, 3241 Kennedy Road, #22, Scarborough, Ontario M1V2J9 or call (416) 298-9644. BBE is a trademark of BBE Sound, Inc

Send me ______ BBE 1002 unit(s) at \$189 each. (LLS. currency only. California residents add applicable tax. Price includes UPS ground shipping charges. For UPS overnight shipping, add \$18. For UPS 2nd day shipping, add \$8.50. Canadian residents: please write or call for additional information.)

American Express Card # Exp. Date Signature Mame (print)	Or pleas	I is a check for \$ e charge to my: I MasterCard
Card #		
Exp. Date	Amer	
Signature Name (print) Address City/State/Zip Area Code/Phone No. (To facilitate shipping)	Card #	
Name (print) Address City/State/Zip Area Code/Phone No. (To facilitate shipping)	Exp. Dat	8
Address City/Stale/Zip Area Code/Phone No. (To facilitate shipping)	Signature	
Address City/Stale/Zip Area Code/Phone No. (To facilitate shipping)	Name Intin	et
City/State/Zip Area Code/Phone No. (To facilitate shipping)	radine (prin	0
Area Code/Phone No. (To facilitate shipping)	Address	
	City/State/	Zip
5500 Bolsa Ave. Suite 245 Huntington Beach CA	Area Code	Phone No. (To facilitate shipping)

(800) 558-3963

SR-3

TEST REPORTS



LINN KABER SPEAKER SYSTEM

Julian Hirsch, Hirsch-Houck Laboratories

INN Products, Ltd. of Glasgow, Scotland, named its newest loudspeaker, the Kaber, after the Scottish caber, a long, heavy pole tossed as a trial of strength at the traditional Highland Games. The name was not chosen arbitrarily, as I learned on a recent visit to Linn's modern facilities on the outskirts of Glasgow. The slim columnar Kaber is most easily moved by placing the fingers of one hand in the recessed portion of its bottom and cradling the speaker with the other arm, much as one starts to toss the caber.

The Linn Kaber stands $36^{1/4}$ inches high, $7^{1/2}$ inches wide, and 11 inches deep. Despite its compact dimensions, each speaker unit weighs about 53 pounds. Linn calls the Kaber a "two-and-a-half-way" speaker because it has two 6-inch bass drivers and a ¾-inch dome tweeter. The drivers are vertically aligned in the upper 19½-inch portion of the cabinet, which is normally covered by a removable black cloth grille. The lower part of the speaker's front is made of the same black composition material used for the speaker panel.

Unlike some other speakers using a similar driver configuration, the Kaber's woofers are at the top and bottom of the speaker panel, with the tweeter between them. The woofers, whose cones are made of carbon-loaded polypropylene, are identical but operate in separate

closed volumes within the cabinet (the tweeter's sealed rear housing isolates it from low-frequency pressure variations). At low frequencies, both operate together as woofers. Above 200 Hz the response of the lower driver is rolled off, leaving the upper driver to radiate the midrange frequencies up to the 3,000-Hz tweeter crossover. This arrangement provides the maximum radiating cone area at low frequencies and eliminates the midrange interference between the drivers that could otherwise occur if both were operating over the same range.

The crossover network is constructed on two separate circuit boards, which are mounted in different parts of the cabinet (outside the enclosed volumes) to eliminate any stray coupling between their inductors as well as microphonic effects from the internal pressure changes. Each section of the crossover is brought out to separate terminals, normally connected by jumpers, making it possible to biwire or triwire the speakers, with separate cables from each section to the amplifier, or to biamp or triamp them, driving each section from a separate amplifier.

Linn places great emphasis on the The front baffle is machined from a high-density rigidity of the speaker's structure. high-density composite material, about 1³/₄-inch thick, that's bonded with adhesives to the 3/4-inch medium-density fiberboard cabinet front to form an exceedingly rigid 2^{1/2}-inch-thick panel. The cabinet itself is made of 34-inch material throughout, veneered on the inside as well as the outside for additional strength. In addition, internal partitions of 34-inch material divide the cabinet into three separate sections and, with additional cross braces, further increase its rigidity. The Kaber also has a unique grille-mounting system. A conventional frame is not used; instead, the grille has elastic sewn into its periphery and is inserted into a slit between the molded speaker panel and the cabinet, then stretched to fit around the speaker's edge. The elastic is hidden in the slit when the grille is in place, and the system is free of edge-diffraction effects from a grille frame.

The Kaber includes an integral

(but removable) base, or stand, that incorporates four spiked feet for a stable coupling to the floor. The base can be installed in two different ways to anchor the column against either side-to-side or frontto-rear forces. Since it is made of solid steel, it adds weight to the speaker, lowers its center of gravity, and improves its stability.

The performance specifications of the Linn Kaber include a frequency response of 60 to 20,000 Hz \pm 3 dB and a sensitivity of 86 dB soundpressure level (SPL) at 1 meter with a 1-watt input. Price: \$1,995 a pair. Distributed by Audiophile Systems, Ltd., Dept. SR, 8709 Castle Park Dr., Indianapolis, IN 46256.

Lab Tests

The Linn Kaber is designed to be installed close to the back wall (within 4 to 12 inches) and at least 18 inches from a side wall. We did our listening and room-response measurements with the speakers about a foot from the back wall. The room response, averaged for both speakers at a single microphone position, was exceptionally flat in the tweeter range, with less than $\pm 1 \text{ dB}$ variation from 3,000 to 20,000 Hz. There were the usual minor response variations in the midrange. The close-miked woofer response was measured separately for the two drivers and then combined. The two had identical outputs up to 100 Hz, above which the lower woofer rolled off at 6 dB per octave. The upper woofer's output continued (with less than a 2-dB variation) as far as the close-miking technique was valid (a few hundred hertz).

The composite response curve had a ± 3 -dB variation from 70 to 20,000 Hz, almost exactly as specified. The actual low-frequency response in a normal room installation is almost always better than the composite curve indicates, as was demonstrated in this case by our listening tests.

Our FFT response measurements confirmed the excellent flatness and breadth of the Kaber's frequency response, with typical readings of ± 2 dB from 400 to 20,000 Hz. With the microphone close to the tweeter, midway between the woofers, the response was ± 2 dB from 60 to 1,300 Hz. The tweeter's horizontal dispersion was also very good, with negligible difference below 10,000 Hz between its response measured on-axis and 45 degrees off-axis. The group delay of the system, in the tweeter's operating range, was constant within 200 microseconds from 2,000 to 20,000 Hz.

The system impedance averaged between 5 and 6 ohms from 50 to 500 Hz, reaching its minimum of 4 ohms at 20 Hz and maximum of 30 ohms at 1,800 Hz. The sensitivity, with 2.83 volts of pink-noise excitation, was 88.5 dB SPL at 1 meter. At a drive level of 3.3 volts, equivalent to a 90-dB SPL at 1 meter, the lower woofer's distortion was 0.6 percent at 150 Hz, increasing at lower frequencies to 3 percent at 60 Hz and 10 percent at 35 Hz. The upper woofer gave similar readings in the low bass, but its distortion remained about 0.4 percent from 200 to 1,300 Hz.

In our pulse power tests, the woofer cones began to rattle with a 100-Hz input of 710 watts into their 4.5-ohm impedance. At 1,000 and 10,000 Hz the amplifier ran out of power before the speaker distorted (at approximately 500 and 700 watts, respectively).

Comments

The sound of the Linn Kaber was completely consistent with its measured performance. It was virtually uncolored, free of upper-bass heaviness, yet had a surprising lower-bass content when the program called for it. The subjective lower limit to the speaker's response appeared to be about 45 to 50 Hz, but at still lower frequencies the output simply decreased to inaudibility without generating the high distortion levels that can create a false bass effect. The high frequencies were reproduced crisply, with no hint of brightness or emphasis of any part of the frequency range. The precautions taken to maximize cabinet rigidity were highly successful. Rapping any part of the cabinet with the knuckles resulted in a "click" more suggestive of a solid concrete or steel block than a semi-hollow wooden cabinet.

Overall, the Kaber was a natural, easy-sounding speaker. Like some other "two-and-a-half-way" SVStems, it delivered highly listenable sound quality from a relatively compact, inconspicuous cabinet. But it also had an exceptionally flat, widely dispersed sound and a distinct depth to its sound stage that set it apart from the rest. Another plus for some people is that it was at its best when placed near a wall; it does not intrude on living space the way many other free-standing or pedestal-mounted speakers do.

Finally, although it has nothing to do with its sound qualitities, we had the opportunity to confirm that the Kaber is indeed easiest to handle and move in the style of a caber, instead of by attempting a bear hug on a relatively slender and slippery box. A really nice job all around. *Circle 144 on reader service card*



[&]quot;Aside from the speakers being nailed to the cabinet, how does it sound?"



what you want the machine to do, and be prepared to test the candidates.

• BY DAVID SIMON •

EVEN in today's digital age, stereo cassette decks present one of audio's best values. For a hundred dollars and up, you can buy a tape machine that will record and play back hi-fi sound in the most popular and least expensive tape format available. Cassette decks are uncommonly easy to use, and the best models are capable of sound that in most respects rivals digital media such as CD and DAT.

But the very diversity of the available cassette decks—there are hundreds of models on the market—makes choosing one difficult. Before you begin the hunt, have a clear idea of your priorities. Is flatout sonic performance the most important factor? Or are convenience features primary? Will you make your own tapes from LP's? From CD's? From FM radio? Or will you play only prerecorded tapes from the record store?

If playing prerecorded tapes will be the only use for your cassette deck, keep in mind that most massmarket music tapes are of only moderate fidelity. Almost any deck from a reputable maker that's equipped with the features you want should suffice to play them. But if you plan to make your own recordings for serious listening, think about what types of music you will be recording, and from what sources, to determine just how high a performance level you'll need.

Performance Preferences

As with most hi-fi components, cassette-deck literature is specification-intensive. While specs are important, often they should be taken with a few grains of salt.

Frequency response is the first specification everyone looks at on a cassette deck. These days, a response spec of 40 Hz to 18 kHz ± 3 dB is not at all uncommon. An often underemphasized factor, however, is low-end response—from 20 Hz up to about 120 Hz. Many recorders have less-than-ideal performance in this region. A moderately priced deck that's ± 2 dB or so down to 20 Hz is well above average.

In the high frequencies, almost all of today's decks claim a response out to 18, 20, and even 22 kHz. But such extended response is usually achieved only with the most expensive type of tape, metal-particle (Type IV). Look just as carefully at



a deck's performance with Type I (ferric) and Type II (chrome or ferricobalt) tapes. Recording level matters, too. The frequency response of a cassette deck is specified at -20dB to give a realistic indication of its high-frequency performance when recording typical music, which contains much more energy in the midrange than in the bass or treble. Sometimes the response is also given at a 0-dB record level, which provides information about how well the deck and tape handle unusually strong high-frequency signals. And remember that high-frequency response above about 17 kHz iust doesn't matter for 90 percent of us. A deck that's ± 2 dB out to 17 kHz with Type II tape may serve you just as well as a much more expensive model claiming a response to 22 kHz \pm 3 dB with metal tape.

Distortion is listed in so many different fashions that comparing decks in this respect can be troublesome. One method tells you how strong a recorded signal will produce 3 percent total harmonic distortion (THD); another indicates THD at a 0-dB recording level. Other methods that produce lower figures are often used, but these are not always easily compared either. Besides, the type of tape used is at least as significant as the deck itself. In general, don't expect a cassette deck to have distortion specs anywhere near those of, say, a CD playeranalog tape is simply a higher-distortion medium. You may expect to find a mid-frequency distortion of close to 1 percent at a 0-dB record level even on the best decks using the best tapes.

A number of the best-and most expensive-decks have three separate tape heads, for record, playback, and erase functions, but most decks have only two heads, a combination record/play head and a discrete erase head. Three-head decks once had a clear edge in sound. Today, however, advances in the design of combination tape heads permit two-head decks to reach such a high level of performance that there is little difference from a purely sonic standpoint. Three-head models do maintain one indisputable advantage: They let you monitor off the tape while recording, allowing you to check the quality of your recording as you make it.

Cassette-deck transports, which

control the speed at which tape moves across the heads-a very important factor-come in several configurations. The most common is the single-capstan system, where a drive motor turns one capstan (a metal roller) and one rubber pinchroller. Some more expensive decks employ dual-capstan, or "closedloop," systems for more precise control. Both DC and AC motors are used, and a deck may have one, two, three, or even more motors. The motor(s) may drive the capstan(s) and tape hubs directly or via an arrangement of belts.

HE use of a single- or a dual-capstan transport, the motor count and type, and the type of drive system used don't always predict how a deck will sound. The bottom line is

wow-and-flutter performance. These small variations in record or playback speed cause pitch fluctuations that can seriously mar musical quality. The best kind of wow-and-flutter spec to look for is a DINweighted measurement, listed by all European cassette-deck manufacturers and many Japanese and American ones. Other specs, such as JIS-weighted and weighted-rms (wrms) flutter, are often quoted in place of the DIN number because they usually yield figures some 20 to 40 percent lower.

Wow-and-flutter below 0.1 percent DIN weighted is inaudible to *most* listeners. Note the emphasis on *most*—individual sensitivity to pitch fluctuations is quite variable. The type of program material matters, too. If you're shopping for a deck to record a lot of piano music, solo classical guitar, and other instruments that produce pure, steady tones, pay close attention to wowand-flutter specs.

Signal-to-noise ratio (S/N) figures predict how noticeable background noise will be on your homemade tapes. This noise is tape hiss, which is unavoidable in any analog tape medium and is particularly problematic for cassettes, where a narrow tape travels very slowly.

Look at your deck's A-weighted S/N spec (the standard measurement method) with *no* noise reduction first. This will give you a good idea of its baseline performance, which will vary with tape type. With ferric (Type I) tape, about 55 dB is typical for a good machine.

A 55-dB S/N is unacceptable for hi-fi music listening, however, which is why tape noise-reduction systems were invented. Cassette systems work by "companding" the signal. They compress the signal before it is recorded on tape, reducing the level difference between the loudest and softest sounds. On playback, they expand it, restoring the original dynamic range. This process enables soft sounds to be recorded on the tape at a higher level than they could be without compression. When the playback signal is expanded, the level of the tape hiss in the background of soft passages is reduced by the same amount as the signal level, minimizing its audibility.

The most common of the cassette noise-reduction systems is *Dolby B*, which operates only on low-level high-frequency signals. *Dolby C* is similar but works more aggressively over a wider range of frequencies. The *dbx system* squeezes both highlevel signals down and low-level signals up over the entire audio band.

What's best? That depends. Dolby B is what's used for most prerecorded tapes. An excellent deck with Dolby B engaged can provide close to a 65-dB S/N—good sound, almost as quiet as a well-made LP. Dolby C with the same quality of machine will do better—usually about 10 dB better, bringing the S/N up to around 75 dB, very quiet indeed. Under moderately noisefree conditions this level of quietness is nearly indistinguishable from CD's with most music.

With dbx noise reduction, cassette S/N can reach as high as 90 dB-digital quietness. Why don't all decks use dbx? First, the system is much more sensitive to tape dropouts, or momentary signal losses caused by imperfections on the tape. Second, the dbx system's action is occasionally audible on cassettes in material having a wide dynamic range as "breathing" or "hiss pumping," artifacts left as the system compresses and expands low-frequency signals. (To be fair, the Dolby B and Dolby C systems can cause frequency-response errors if the deck is not adjusted properly for the tape being used, but most audiophiles agree that the Dolby systems' audible artifacts are less egregious.)

A new noise-reduction system is on the horizon. Dolby Labs will soon release *Dolby S*, a consumer version of its latest development, the acclaimed Dolby SR professional noise-reduction system. Dolby S should be even more effective than Dolby C, yielding about 25 dB total noise reduction and bringing a near-CD dynamic range to recordings made on premium cassette decks.

Almost half of all home cassette decks now include Dolby HX Pro. While not strictly a noise-reduction system, HX Pro belongs in this discussion. It's a dynamic biasing system that provides headroom extension (thus the "HX") for high-frequency signals. A deck equipped with Dolby HX Pro can record higher levels of upper-treble signal without significantly increased distortion. As a result, signals rich in high frequencies can be recorded at higher levels, yielding quieter tapes. It's a good system, and coupled with Dolby C it can yield remarkable cassette sound quality.

Tape Tales

Just what is *bias*? It's an ultrasonic signal (100 kHz or so) that's sent along with the music signal to the record heads of any analog tape machine. It reduces tape distortion, particularly at low signal levels.

Bias must be adjusted for differing tape types. Each type requires a different combination of record preemphasis, or *equalization* (*EQ*), and bias current. This can make for a certain amount of confusion. Fortunately, many home decks now include automatic bias and EQ settings. All blank cassettes come with tiny notches in their shells that identify the tape type. The machine "senses" the type and can then automatically set bias and EQ.



ANY cassette machines also provide bias fine-tuning facilities. These permit users to compensate for the slightly

different bias settings that different brands of a single tape type, and even tape-to-tape variations within a single brand, may require for optimum sound. There are two kinds of bias fine-tuning systems. A manual system usually provides a simple knob. You can turn the bias up or down at will—but only considerable trial and error will yield a real improvement in sound. Automatic systems record a series of test tones onto an individual tape. The deck



automatically rewinds the tape, then plays it back and measures performance. The bias is adjusted and the process is repeated a few times, along a successive-approximation curve, until the best results are obtained.

Some of the more costly threehead cassette decks provide automatic tape-head *azimuth-adjustment* systems. These use a scheme similar to that of automatic bias fine-tuning to correct the deck's tape-to-head alignment on a tapeby-tape basis, thus improving topend response.

Features for All

Cassette-deck "features"—conveniences, automatic operations, and mere attention-getters—come in such variety that we can discuss only a fraction of them here.

Record-level meters convey essential information about what's happening on the tape as you record. They come in every size, shape, and color imaginable. These days, LED and fluorescent bar-type meters have just about replaced the oldfashioned kind with a swinging pointer needle. Peak-reading meters, which represent instantaneous signal levels, are found on most good decks. Other meters show the average level of the signal over a brief period and thus change more slowly. Look for clearly legible meters that offer good resolutionthere should be enough individual segments to indicate the difference between many signal levels. The best meters will have a scale from about -40 dB up to +8 dB or so.

Autoreverse machines and dualwell decks have become extremely popular, and their convenience is inarguable. In either case, the same principles of good design and measures of excellent performance apply as to single-play, one-well decks.

Doing autoreverse "right" requires the manufacturer to spend considerably more money on transport components and, ideally, on some method of maintaining proper head alignment in both directions. Uninterrupted listening is great, but don't expect a \$300 autoreverse deck to outperform a \$250 singledirection deck. The same principle holds for double cassette decks. Before you commit extra funds for a dual-well or autoreverse deck, be sure you will really use the extra feature on a regular basis. Many dual-well decks offer *high-speed dubbing*. While this feature can be a great time-saver in copying tapes, high-speed replication of any tape medium unavoidably compromises fidelity. If both high-speed dubbing and sonic quality are important to you, read the spec sheet very carefully and make a few high-speed test dubs to be sure the quality is satisfactory.

Program-search and *intro-scan* modes help you quickly locate a specific selection on your cassettes. Several decks now offer *tape counters* that can display elapsed time, and even remaining time, in minutes and seconds instead of showing simple reel turns.

multiplex (MPX) filter is included in many decks. This control is often misunderstood; it is only for recording direct from stereo FM radio. It serves to eliminate the 19-

kHz stereo pilot tone, which can play havoc with a tape deck's noisereduction system. A *timer* for unattended recording will also prove handy to the radio recordist.

A few machines include audio compressors or other circuits to modify the sound of tapes made for use in the automotive environment. If a primary job for your deck will be making car tapes, such add-ons are worth looking into.

Shop Talk

A cassette deck is one component that's worth buying from an audio specialist shop, where you can actually listen to and play with the merchandise. If you buy your deck from a department store or by mail order, you probably will have little choice but to read the specs and take the plunge on faith.

Music recordings made on and played by a machine you are considering are the best evaluation tool at your disposal. Be prepared to spend some considerable time listening. Take your own source music with you to the store-equip yourself with a few familiar recordings that you feel are among your best-sounding, best-recorded albums. Musical variety is important, but stay within the genre you actually listen to for pleasure; don't run out and buy a Mahler Eighth if you never listen to classical music. "All-digital" CD's (DDD on the label) are preferable, if only because they are certifiably free of flutter—any you hear on your test tapes must originate in the deck under scrutiny. Include some samples with a wide dynamic range and a wide frequency range (full orchestra, big band), some slickly produced pop music, and some more intimate, cleanly recorded music such as a string quartet, a folk ensemble, or a small jazz group. A quiet solo-piano recording is ideal for checking both flutter and noise performance.

Listening with headphones ruthlessly reveals noise and distortion, so if you have a good set you are familiar with, take them along. Otherwise, ask to use a high-quality pair from the store. You will be making a series of test recordings; it's vital that you make fresh tapes from scratch on each successive machine. Don't simply play prerecorded tapes or record on one machine and play back on several.

The deck under test should be connected to a good amplifier or receiver. Plug your phones into the amp or receiver so you can compare your tapes with the source by engaging and disengaging the tape-monitor switch. A good place to begin is with a recording of FM interstation noise, which is similar to a whitenoise test signal. For this test, set the deck's record levels at -20 dB and record a minute or two of the signal with the deck's best noise-reduction system engaged. Rewind the tape, play it back, and listen while you switch between your recording and the "live" noise. This exercise will quickly reveal any gross frequencyresponse errors: If the tape sound is considerably brighter, duller, honkier, or bassier than the live source, try another deck-or a different blank tape. (In any case, be sure to use high-quality cassettes.)

When taping music, remember that the record-level setting is critical. Consult each deck's owner's manual for guidance, and ask a knowledgeable salesperson for recommendations. Correct level setting is crucial to making a good recording—many people routinely under- or overrecord their cassettes. (Keep the meters well below 0 dB except for the very loudest musical transients, which should peak several decibels above zero.)

On a pop or jazz recording, check the high-frequency response by comparing high-hat cymbal sounds against the source (cued up so that it plays simultaneously with the tape). They should sound essentially the same, not softer, more rounded, or truncated. The same goes for any other bright sound such as cymbal crashes or piano and guitar attacks. Try a bass or drum solo, and listen for pumping around loud, lowpitched transients—it will sound like hiss rapidly appearing and vanishing with individual notes.

Your piano recording will quickly reveal any audible flutter. Record a slow, quiet section with plenty of long, slowly decaying notes. On playback, listen to the tape for any sign of pitch wavering, warbling, or shakiness. Solo-piano recordings are also ideal for checking noise. Using the best noise-reduction system on the deck, compare the tape with the source, listening hard to the background hiss. The tape will always be a bit noisier than a CD, but with a good deck using Dolby C or dbx, this should only be perceptible in the softest passages.

Recordings of a full orchestra, a big band, or another wide-range, large ensemble should tell you about a deck's overall fidelity. Listen for musical balance, paying special attention to the bass region, and transparency compared with the source. You should be able to pick out individual instruments and lines, just as in the original. The stereo image should remain identical, or close to it, perhaps just a touch narrower-make sure the channels aren't reversed in the hook-up!-and the sense of reverberant space or "air" in a good live recording should be preserved.

Ew if any cassette decks will pass each and every one of these tests without *some* audible compromise. You must decide for yourself which tests to count more heavily, considering

your musical taste, hi-fi standards, and, of course, your budget. For example, a deck with good overall performance except for a bit of barely audible flutter might work fine if your primary objective is to make car tapes of rock music that never feature solo piano.

Taken as a whole, the best of today's cassette decks will make astonishingly good recordings at a reasonable cost. Given the almost endless variety of features, configurations, and styles, there is certain to be one that fits your needs, tastes, and budget.

TAPE BUYING GUIDE

BASF

Digital Audio Tape.	5								
Ultra-fine metallic		gm	en	1 0	der	ele	pe	ed f	for heli-
cal-scan recording.									
DAT C120. 120 m	in .								\$11.99
DAT C90. 90 min									\$10.99
DAT C60. 60 min									. \$9.99

Metal Maxima IV Cassettes

Metal-particle	formulation	with	high-perfor-
mance casselle	mechanism.		
C120, 120 min			\$6.49

Chrome Maxima II Cassettes

High-density chrome formulation formance cassette mechanism.	with high-per-
C90. 90 min	\$4.29
C60. 60 min	\$3.29

Chrome Extra 11 Cassettes

Pure chi	ome formulation with high-performance	
casselle	mechanism.	
C90. 90	min \$2.99	
C60 60	min \$2.69	

Ferro Maxima I Cassettes

Dual-layered and "micro-coated" with propri-
etary megadium iron oxide. Provides maximum
output level (MOL) of almost +4 dB.
C-90 . 90 min \$2.89
C-60. 60 min \$2.59

Ferro Super I Cassettes

Iron-oxi	de fo	r	n	11	ul	a	1	ic)/	1.								
C90. 90	min								,									\$2.54
C60. 60	min																,	\$1.94

DENON

All Denon cassettes feature lifetime warranty
and head-cleaning leader.
Digital Audio Tapes
Ultra-fine metallic particle formula with ad-
vanced back-coating technology and micron-or-
der precision mechanism.
R-120DT . 120 min\$12.99
R-90DT. 90 min\$11.99

R-60DT. 60 min. \$9.99

High-Density Series HDM Metal Cassettes

nDivi metal Casselles
High-stability pure-metal tape formulation uses
high-density dispersion technology that yields a
residual magnetic flux density of over 3,500
gauss and a coercivity of 1,200 oersted.
HDM-100. 100 min \$5.99
HDM-90. 90 min \$5.50
HDM-75. 75 min \$4.99
HDM-60. 60 min \$4.50

HD8 High-Bias Cassettes

High-density Type II formulation combines pure
metal particles with cobalt-doped ferric oxide to
achieve flux density of 3,000 gauss yielding an
MOL of +4.5 dB at 10 kHz.
HD8-100. 100 min \$4.99
HD8-90. 90 min \$4.75
HD8-75. 75 min \$4.25
HD8-60. 60 min \$3.75



HE advent of the digital era has spurred tape manufacturers to broaden their lines by adding new and improved formulations better able to handle the demanding digital sound being recorded on them, as well as to introduce many new blank tapes for digital audio tape recorders. Our buying guide lists most of the blank tapes currently available.

For more information, contact an authorized dealer or the manufacturer. Addresses and phone numbers are given on page 65.

HD7 High-Bias Cassettes

Type II formulation with extended high-fr	
cy response and low noise. Residual flux a	lensity
1,850 gauss, MOL +6.5 dB at 10 kHz.	
HD7-100. 100 min	\$4.25
HD7-90. 90 min.	\$4.00
HD7-75. 75 min	\$3.50
HD7-60. 60 min.	\$3.00

HD6 High-Bias Cassettes

Type II formulation with extended high-frequency response. Residual flux density 1,700 gauss,							
MOL + 5.7 dB at 10 kllz.	0						
HD6-100. 100 min	\$3.50						
HD6-90. 90 min	\$3.25						
HD6-75. 75 min.	<mark>\$2.75</mark>						
HD6-60. 60 min.	\$2.5 0						

DX Series

DX4 Ferric Normal Cassettes

Type I formulation	with	extend	ed FR. R	esiduat
flux density 2.000	gauss	, MOL	+5.0 dE	3 at 10
kHz.				
DX4-90. 90 min			<mark></mark>	
DX4-60 60 min				\$3.00

DX1 Ferric Normal Cassettes

Low-noise high-output Type I cassette with high
sensitivity and high MOL. +7.5 dB at 10 kHz.
DX1-90. 90 min \$2.25
DX1-60, 60 min

DIC

Digital Audio Tapes

Digital audio tapes in a range of lengths are fabricated with densely packed, ultra finegrained magnetic metal particles to provide distortion-free sound reproduction. 120XR. 120 min. 90XR. 90 min. \$11

90XR.	90	min	i.				è	i.	i.				*				÷			511	
60XR.	60	min.				-					-		-	-		-		-	1	\$10	
46XR.	46	min.																-		\$9	
30XR.	30	min															į.		i.	\$8	
15XR.	15	min																		\$6	

Fuji

Digital Audio Tapes Super-Fine Metallix ultra-fine metal-particle for-

mulation.	 parriere jor
DAT (R-120). 120 min	 \$12.95
DAT (R-90). 90 min	
DAT (R-60). 60 min	 \$10.95

FR Metal Series Cassettes

Metal tape	with 70-µs EQ.	
FR (C-90).	90 min	\$5.99
FR (C-60).	60 min	\$5.49

FR-IIX PRO Series Cassettes

High-bias tape featurin	g a temperature-resistant
cassette shell.	
FR-IIX Pro (C-90). 90	min\$4.99
FR-IIX Pro (C-74). 74	min\$4.79
FR-IIX Pro (C-60) 60	min \$4.49

FR-IIx Series Cassettes

High-bias tape	wit	h 70-	μS	ŀ	0).					
FE-IIx (C-90).	90	min.			Ĵ						\$3.99
FR-IIx (C-74).											
FR-IIx (C-60).	60	min.									\$3.49

DR-11 Series Cassettes

High-bias tape with	th 70)-,	u.	5	Ŀ	C	2.						
DR-II (C-90). 90	min									-			\$2.99
DR-11 (C-60). 60 1	min												\$2.49

DR-I Series Cassettes Normal-bias tape with	1 20- us FO
	\$1.99
	\$1.49

GENERAL ELECTRIC

GE-HO Series																	
Normal-bias low																	
5-pack. 90 min.										i.							\$4.49
2-pack. 90 min.																	\$1.49
2-pack. 60 min.									•	*			•	•	•		\$1.29
GE-HFX Series																	
Normal-bias ferr	ic	-0)X	i	d	e	1	a	p	e.							
2-pack. 90 min .											į						\$1.79
2-pack. 60 min .								ļ									\$1.59

GUIDE ТАР Ξ ING В U Y

GE-HBX Series High-bias cobalt	tape.				
2-pack. 90 min.		 	 	 	 \$3.49

JVC

F Series	
XFIV. Metal tape. 70-µs EQ.	
C-90. \$3.	90
AFII. High-bias tape (CrO ₂). 70-µs EQ.	
C-90	50
C-60. \$2.	
AFI. Normal-bias tape. 120-µs EQ.	
C-90. \$2.	20
C-60. \$1.5	80

GI Normal-Bias Cassette Tape

Coercivity 370	0	C.								
C-90, 90 min										\$1.55
C-60. 60 min										\$1.30



LORAN

Pro-DAT Cassettes		
Also manufactured	10	custom
piece order.		

Pro-DAT. 120-min									\$	10.50
Pro-DAT. 60-min.										
Pro-DAT. 30-min.										
Pro-DAT. 10-min.										
Pro-DAT. 5-min.										\$4.75

lengths with 10-

ESQ Series

High	bias;	extended	high-frequency	response;
polyce	arbona	te shell.		
ESQ-	90. 90	min		\$4.99

High-Bias Series

High b. polycarl mulatio	bon													
HB-90.	90	min												\$3.99
HB-60.	60	min												\$3.49
HB-46.														

MAXELL

Digital Audio Tape
Digital audio tape with Ceramic-Armor metal-
particle formulation.
R-120DM. 120 min \$14.99
R-90DM. 90 min \$12.99
R-60DM. 60 min \$10.99
R-46DM. 46 min \$8.99
Metal Vertex Cassettes
MV-90, 90 min \$20
MX Metal Cassettes
Metal bias/EO.
MX-100. 100 min
MX-90. 90 min
MX-60. 60 min \$4.39
XLII-S Epitaxial Cassettes
High-level bias; 70-us EO.
XLII-S100. 100 min

64	STEREO	REVIEW	MARCH	1990

XLII-S90. 90 min \$4.39 XLII-S60. 60 min \$3.59

XL-II Epitaxial Cassettes

C-100. 1	00 m	ir	ì													\$4.39
C-80. 80) min															\$3.99
C-90. 90) min															\$3.99
C-60. 60) min													į		\$3.29
C-46. 46	min	1	ĩ			į				į	į				÷	\$3.29

UD-11 Epitaxial Cassettes

High-leve	el bia	s;	1	7	0.	μ	ıs	1	E(Q.									
C-90. 90	min							į,								i			\$3.29
C-60. 60	min																		\$2.49
C-46 . 46	min				•								ŝ		•		•		\$2.49

XLI-S Epitaxial Cassettes

Normal b	ias;	120	μ	s	E	Q									
XLI-S90.	90	min							e.						\$4.39
XLI-S60.	60	min	÷							÷			•		\$3.59

UD-1 Epitaxial Cassettes

Normal bias;	120-µs EQ.	
C-90. 90 min		\$3.29
C-60. 60 min		\$2.49
C-46. 46 min		\$2.49

al Rias Cassattas

Normai-1	Dias	Cas	ЪY.	ιe	'5									
UR-120.	120	mi	n.								J.			\$2.79
UR-90. 9	0 m	in.												\$1.79
UR-46.4	6 m	in.												\$1.49
UR-60.6	0 m	in .				į								\$1.49

XL1 Back-Coated Open-Reel Tapes XL1-35-180B. 3,600 ft, 1042-in rcel \$38.99 XLI-35-90B. 1,800 ft, 7-in reel \$13.99

Ultra-Dynamic Open-Reel Tapes

UD35-180. 3.600 ft, 10^{1/2}-in reel \$31.29

MEMOREX BY MEMTEK CDX II High-Bias Cassettes

Metal tape for high bias (Type II). 70-µs EQ. C-90. 90 min \$4.79

HBX II High-Bias Cassettes

High-performance ferric/cobalt	tape for	use at
high-bias, 70-µs setting. C-90, 90 min		\$3.69
C-60. 60 min		

HBS 11 High-Bias Cassettes

Premu	um	tape	?](<i>)1</i>	. 1	11	g	h	-l	71	a	lS	1	U	-1	13	5	E	Q	٩.	p_i	0.	sı	110n.
C-100.	. 10	00 m	in				ļ												÷	÷			÷	\$2.59
C-90.	90	min																						\$2.29
C-76.	76	min																						\$1.99
C-60.	60	min																						\$1.79

MRX I Normal-Bias Cassettes

Norma visibili					1	ife	et i	m	e	И	a	rr	a	ni	y.	High-
																\$2.29
C-60. (60	min														\$1.79

NAKAMICHI

ZX Reference Cassette Tapes
Metalloy (metal-particle) formulation for record-
ing on metal-compatible decks only; features ul-
tra-high coercivity and retentivity for improved
distortion and MOL; 70-µs EQ.
ZX-C90. 90 min\$10.00

SX II Reference Cassette Tapes

Double-coalea lonizea	conali	ana jerric-	oxiae
formulation. CrO, bias	and EQ	(70 µs).	
SXII-C90. 90 min			\$8.90

SX Reference Cassette Tapes

Single-coated ionized cobalt and ferric-oxide formulation: high coercivity permits use of CrO, bias and EQ (70 µs) for 4 to 5 dB increase in S/N.

EX II Reference Cassette Tapes

Reference cassette tapes with single-coated ferri-
cobalt formulation; same bias and EQ (120 µs) as
EX tape: extra-low noise, high output.
EXII-C90. 90 min \$6.00

REALISTIC

Cassette Tape	
Prices may vary according	to quantity pur-
chased, with lower prices for la	irger quantities.
MIV Type IV Metal Cassette 1	Гаре
Fine-grain metal particles;	5-screw housing;
Fine-grain metal particles; hinged storage box.	5-screw housing;
	0.

MII Metal Type II High-Bias Tape

Metal tape for recording and playback with Type II bias and EQ; head-cleaning leader; hinged storage box. MII-100, 100 min \$4.99

MII-90.	90	min													\$4.79
MII-76.	76	min										÷			\$4.49
MII-60.	60	min		•	•	•	•								\$3.99

HD Hi-Definition Chrome-Equivalent

For recording and playback with high-bias Type
11 bias and EQ; head-cleaning leader; hinged
storage box; index card.
HD-100. 100 min \$3.69
HD-90. 90 min\$2.99
HD-76. 76 min. \$2.79
HD-60, 60 min. \$2.49



XR Type I Premium Ferric Tape

Hinged stora	ige be	ЭX	w	ith	i.	nd	ex	с	irc	1.		
XR-120, 120	min										 	\$2.79
XR-90. 90 n	in										 	\$1.99
XR-60. 60 m												
XR-45. 45 m	in										 	\$1.39

RECOTON

Gold	Series	ſ				
Low	noise;	normal	bias;	sold in	10	packs.
XR-9	0.90	min				\$13.99/pk

SX Series												
Sold in 2 packs.												
SA-90. 90 min .		×	ł	ł	×	×					ŀ	\$4.49/pk

SONV

SON	Y							
Metal	Cassettes							
Type I	V bias and	EQ.						
	Master 90.							
SR 100). 100 min		 					. \$4.49
	90 min							



TAPE BUYING GUIDE

ES Metal Cassette

UX Series Cassettes

Type II position (70-µs EQ).	
UX-Pro. C-90	.99
UX-Pro. C-60 \$5	5.99
UX-ES. C-90 \$5	.49
UX-ES. C-60 \$3	1.99
UX-S. C-90 \$3	1.99
UX-S. C-60\$2	.99
UX. C-100	
UX. C-90 \$3	
UX. C-60 \$2	.49

HF-S Series Cassettes

Type I positi	on (normal bias.	/20-µs EQ).	
HF-S 90. 90	min		\$2.69
HF-S 60. 60	min		\$1.99

TDK

MA-XG	Pro (T	pe	IV) (as	se	11	e	T	1p	e			
MA-XG	Pro 90	. 90	min						Ξ.				\$18
MA-XG	Pro 60	. 60	min										\$15

MA-X Metal-Alloy (Type IV) Cassette Tape

Metal bias; 70-µs EQ; 2-layer plastic mechanism;
improved Finavinx formulation designed for
higher output level and wider dynamic range.
MA-X 90. 90 min \$5.00
MA-X 60. 60 min \$4.25
MA-X 46. 46 min

MA Metal-Alloy (Type IV) Cassette Tape

Metal bias; 70-µs E	EQ.	ŗ.	u	11	fi	ea	1	14	0	-4	aj	ve	r	s	h	ell.
MA-110. 110 min											ļ	,		,		\$5.25
MA-90. 90 min														÷		\$5.00
MA-60. 60 min																\$3.50

SA-XG High-Bias (Type 1) Cassette Tape

RS-II cassette	mechanism;	Super	Avilyn formu-
lation.			
SA-XG 90. 90	min		\$8.75
SA-XG 60. 60	min		\$6.50

SA-X High-Bias (Type II) Cassette Tape

	anti-resonan			
coated Supe	er Avilyn forn	ulation;	70-µS EG	2.
SA-X 90. 9	0 min			\$3.50
SA-X 60. 6	0 min			\$3.00
SA-X 46, 4	6 min			\$3.00

SA High-Bias (Type II) Cassette Tape

Low-r	eson	ance	l	N	0	H	la	ŋ	re	r	C	' a	IS	S	el	1	e	ħ	12	e	c/	10	11	ni	sm.
SA 10	0.1	00 m	ù	n														į,							\$4.00
SA 90																									
SA 80	. 80	min	į																						\$2.75
SA 60	. 60	min			÷	÷																			\$2.50
SA 46	. 46	min								į															\$2.50

SD High-Bias	(Type II) Cassette Tape	
Low-resonance	cassette shell. 70-µs EQ.	
SD 90. 90 min		\$2.50
SD 60, 60 min		\$2.25

SD 46. 46 min	\$2.25
	(Type I) Cassette Tape formulation: two-layer low-

Dian couleu minin jointananon, monayer	, 104-
resonance cassette shell. 120-µs EQ.	
AR-X 90. 90 min	\$3.00
AR-X 60. 60 min	\$2.50

AR Normal-Bias (Type I) Cassette Tape

NP Ferric	mag	netic	particle	es; low-resonance	
multi-face					
				\$3.50	
AR-90. 90	min			\$2.75	
AR-60. 60	min			\$2.50	

AD Normal-Bias (Type I) Cassett	e Tape
Linear ferric-oxide particles;	low-resonance
multi-face joint shell. 120-µs EQ.	
AD-90. 90 min	
AD-60 . 60 min	\$2.50

DA Digital Audio Tape Cassettes

Super Finavinx p. digital audio cass										
mensional Compo DA-R120. 120 mi										\$14
DA-R90. 90 min										
DA-R60. 60 min										\$10



THAT'S AMERICA Suono Metal (Type IV) Cassettes Wigh density resing downed shall housing for re-

duced							a	n	d	۱	i	b	n	11	i	0	n	;	h	0	mog e -
neous																					
C-90.	90	min																		\$	11.99
C-74.																					
C-46.	46	min																			\$8.50

CD-IV Metal (Type IV) Cassettes

Nano Dynamic	Tactoid	formulation;	70-µs EQ
CD-IV 100. 100	min		\$7.35
CD-IV 90. 90 m	in		\$5.99
CD-IV 74. 74 m	in		\$5.79

CD-MH High-Bias Met	al (Type II) Cassettes
Super-alloy formulation;	70-µs EQ; Type II bias.
CD-MH 100. 100 min	\$5.79
CD-MH 90. 90 min	\$5.31
CD-MH 74. 74 min	\$4.75

CD-II High-Bias (Type II) Cassettes

Submicro Cobalt Gamma formulation; 70-	us EQ.
CD-II 100. 100 min	\$5.10
CD-II 90. 90 min	\$4.51
CD-II 74. 74 min	\$4.13

CD Normal (Type I) Cassettes

Flus	sh Sur	face (Ċο	b	al	1	fe	br	m	11	d	a	ti	0	n;	12	?0)-,	HL:	s	EQ.
																					\$3.95
																					\$2.83
CD	74. 74	min				•															\$2.91

3M

Metal Cassettes														
4040. 100 min						i.	i.							\$0
4040. 74 min														
High-Bias Cassettes	5													
2020. 100 min							÷	2	į.			1		. \$6
2020. 74 min														. \$4
) n	niı	n											\$20
DAT Cassette 7707 (DT-120). 120 Open-Reel Studio N	1a:	ste	er	in	g	1	a	P	e					
7707 (DT-120). 120 Open-Reel Studio N	1a:	ste	er	in	g	1	a	P	e					
7707 (DT-120). 120 Open-Reel Studio N 227 (1.0 mil). 3,600	1a. ft	ste	er	in	g	1	ra	P	e					\$25
7707 (DT-120). 120	1a ft	ste	er	in	g	1	Га	P	e	 •	 			\$23 \$20

ELECTRONICS INC. UCX-11-S High-Tech Turbo High-bias cassette tape with ultra-refined chromum-dioxide coating and special housing. 90 min \$7 49 60 min \$5.99 UCX-II High-Tech Turbo High-bias cassette tape. \$6.99 60 min \$5.99 UFX-1 High-Tech Turbo Ferric cassette tape with clear housing. 90 min \$5.99 **CX-II** Professional Tape High-bias cassette tape. 90 min \$6.99 60 min \$5.49 FDX-I Professional Tape Ferric cassette tape. 60 min \$4.49 Extra Performance II Tape High-bias cassette tape. High Performance I Tape Ferric cassette tape with iron-oxide coating. 90 min \$3.99 60 min . \$2.99 DIRECTORY OF M ANUFACTURERS BASF, 10 Crosby Dr., Bedford, MA 01730; (617) 271-4000 Denon, 222 New Rd., Parsippany, NJ 07054; (201) 575-7810 Fuji, 555 Taxter Rd., Elmsford, NY 10523; (914) 789-8100 General Electric, P.O. Box 1976, Indianapolis, IN 46206; (317) 267-5000 JVC, 41 Slater Dr., Elmwood Park, NJ 07407; (201) 794-3900

VISA BY INTERWORLD

Loran, 10-48 Clark St., Warren, PA 16365; (800) 633-0455 Maxell, 22-08 Rt. 208 S., Fairlawn, NJ 07410; (201) 794-5900 Memorex by Memtek, P.O. Box 901021. Ft. Worth, TX 76101; (817) 878-6700 Nakamichi, 19701 S. Vermont Ave.,

Torrance, CA 90502; (213) 538-8150 **Realistic by Radio Shack**, 1300 One Tandy Center, Ft. Worth 76102; (817) 390-8330 **Recoton**, 46-23 Crane St., Long Island City. NY 11101; (718) 392-6442 **Sony**, Sony Dr., Park Ridge, NJ 07656; (201) 930-7669 TDK, 12 Harbor Park Dr., Port Washington, NY 11050; (516) 625-0100 **That's America**, Inc., 1983 Marcos Ave.,

 1mat s America, Inc., 1983 Marcos Ave.,

 Suite 201, Lake Success, NY 11042;

 (516) 326-1122

 3M, 3M Center St., St. Paul, MN

55144-1000; (612) 738-2770 Visa by Interworld Electronics, 3095 N.W. 77th Ave., Miami, FL 33122; (800) 333-0665

ROSEMARY GLOONEY

" figure if ycu 3an j**u**st hang on 13ng **enough**, you get to be woven rto the **fa**bric of pe**o**ple's lives."

BY ALANNA NASH
ER list of friends through the years reads like a "Who's Who" of the Fifties and Sixties: Bogart, Dietrich, Bennett, Sinatra, Holiday, Kennedy. Today, the names are newer but still stellar. Linda Ronstadt eagerly agrees to play her benefits, and Neil Diamond calls to say that one of the first songs he ever cared about was *Hey, There.*

Now beginning her fifth decade as a solo recording artist—marked by a recent "Greatest Hits" CD on CBS from the *Come On-a My House* Fifties—Rosemary Clooney commands respect not only as a musician's musician but because she has endured, surviving the fickleness of the American public, the whirling changes of the popularmusic landscape, and a debilitating series of personal tragedies.

"I figure if you can just hang on long enough," she told me recently, with characteristic self-effacement, "you get to be woven into the fabric of people's lives."

At sixty-one, Clooney can look back on a career that has encompassed every success a small-town teenage girl of the Forties could have envisioned: big band, pop, radio, television, the movies, Platinum records, command performances, and, for the past fifteen years, "mainstream" jazz-or, rather, American popular song with a jazz flair. The Kentucky-born Clooney has emerged from it all as timeless as the music she sings, as recognizable-and as uniquely Americanas Irving Berlin, the Gershwins, or Richard Rodgers, whose collaborations with Lorenz Hart and Oscar Hammerstein II she celebrates in her most recent recording for Concord Jazz, "Show Tunes."

Of course, there are some who argue that Rosemary Clooney will never go down in the books as a remarkable jazz singer. And Clooney herself is one of them.

"I think Ella Fitzgerald is a jazz singer, I think Carmen McRae is, and I think Susannah McCorkle is. Me? I think I interpret things well, I sing in tune, I've got good time, and I get the job done. There's got to be somebody in the band who says the words to the song, you know," she said with a hearty laugh.

More than anything else, Clooney insists, she is simply a conduit, reacting to the musicians around her. "If you allow yourself to be inspired by them, boy, oh boy, you can be."

That inspiration is apparent in her Concord albums, where she is backed by a cluster of first-rate jazzmen, most notably Scott Hamilton on tenor saxophone, Warren Vaché on cornet, Ed Bickert on guitar, and John Oddo, Clooney's long-time arranger, on piano. Together, under the direction of Concord president Carl E. Jefferson, they have built one of the record industry's most distinguished libraries of American popular music, with theme albums honoring the work of Ira Gershwin, Jimmy Van Heusen, Johnny Mercer, Irving Berlin, Cole Porter, Harold Arlen, and others.

With younger listeners, especially, the ones who grew up dismissing such music as corny and old-fashioned, Clooney seems to have scored a triple victory—luring them to the material in the first place, engaging them with pure brilliance of vocal form, and, even when time seems to have rendered the lyrics hopelessly stilted, delivering the songs with such fresh readings that you feel as if you're hearing the words for the first time.

Clooney refuses to treat lyrics as laundry lists, glossing over them with the same phrasing everyone before her has employed. In Cole Porter's I Get a Kick out of You, for example, she approaches the lines, "I know that if/I took even one sniff/That would bore me terrifically too," as every singer must, accenting the "if" with "terr-if-ically too." But the surprise is that she accents the word "too" as well, making the song seem all her own. N the other hand, Clooney is not one to take liberties with either the melody or the time frame of American pop standards. While critics applaud her for her lack of vocal adornment and her concentration on lyrical interpretation, she deflects such praise, insisting that the reason for her vocal style is simply that she doesn't have "that sense of improvisation. That's not one of my strong suits."

But she also resents those singers who think that rewriting a song is part of their bailiwick—changing the name of Franklin Roosevelt to George Bush in *The Lady Is a Tramp*, for instance, or altering rhythm patterns by adding words of their own devising. In the "Show Tunes" album, she is particularly respectful of Lorenz Hart's intentions, "because the people who try to update those things don't realize the hours and the rhymes that were thrown away in order to make something that was up to Larry's standard."

Those who know Clooney's work from her pretty-little-bandsinger days in the Forties with her younger sister Betty and Tony Pastor's Big Band, her years of plastic stardom in the Fifties with the Svengali-like Mitch Miller, and her subsequent foray into the movies ("the next Betty Hutton") with Bob Hope and Bing Crosby will doubtless find changes in her distinctive soprano these days. On the plus side, her maturity is particularly obvious in. her startling middle voice, which is richer ("the consistency of coconut milk," in the words of one reviewer) and far more authoritative than it used to be.

ND yet Clooney would be the first to admit that years of smoking have robbed her singing of the purity and the long, sustained phrases of Tenderly and Mixed Emotions back in the Fifties, even if she now uses a short, breathy delivery to great advantage. All the same, what comes across with great appeal on Clooney's Concord recordings is the warmth, energy, and earthiness of her personality (as in the improvised "Damn!" at the end of I Wish I Were in Love Again in "Show Tunes") and an infectious *joie de vivre* in her lively, carefree renditions.

The sense of freedom comes, Chooney says, from the fact that she's enjoying singing again. There were times, documented in her 1977 autobiography, This for Remembrance, and in the 1982 TV movie made from it, Rosie: The Rosemary Clooney Story, when she did not. In the Sixties, with her loyalties divided between work and familyher husband, actor José Ferrer, and their five children-the pleasure of her singing began to erode, and she turned to sleeping pills as an everyday aid, "going toward the edge all along, but not really aware of it."

When she and Ferrer divorced (twice, first in 1961 and again in 1967 after a three-year reconciliation), her dependence on tranquilizers had mushroomed into a fullfledged addiction. "I never met a pill I didn't like," she recalled.

Clooney might have continued to hide her addiction and disintegrating emotional state had it not been for a series of events in 1968, her fortieth year, that collided to push



her toward public disgrace and mental collapse. The first was the abrupt resolution of her romance with a young musician in her band, and the second was the assassination of her friend Robert Kennedy, gunned down only yards from where she was standing. That summer, Clooney reached the breaking point when she ranted incoherently at an astonished Reno night-club audience, stormed offstage, and then "tested God's love" by driving her white Cadillac Eldorado up the wrong side of a curvy mountain highway. Confinement in the psychiatric ward at Mount Sinai Hospital in Los Angeles followed, then years of psychotherapy.

HROUGH it all, Clooney never stopped singing, but while she never fell below a certain standard of performance, she really hadn't much interest in the work, an apathy she believes her audiences felt. Soon, she found that promoters were afraid to book her into the more prestigious rooms, and the woman who had made the cover of Time magazine a decade before was relegated to entertaining transient businessmen in the lounges of Holiday Inns. "It was harder to do it the second time around," she admitted. "I was scuffling."

Today, Clooney says she might never have shaken that malaise had it not been for her old friend, father figure, and *White Christmas* co-star, Bing Crosby. In the late Seventies. Crosby organized a tour to celebrate his fiftieth anniversary in show business, and he invited Clooney to come along. The ticket sales, and the reviews, were impressive.

"It was one of the greatest experiences of my life," she said. "The joy came back to my singing, and Bing was really a great friend and teacher." But tragedy struck again when Crosby collapsed and died during the European segment of the tour in 1977. The blow, coming a year after the aneurysm-related death of Clooney's sister, Betty, was devastating. "Bing," she said quietly, "was magic."

Crosby not only helped get Clooney back into the large, important showcases, but he was also indirectly responsible for her return to recording. Crosby's drummer, Jake Hanna, recorded an album for a new label, Concord Jazz, headed by his friend Carl Jefferson. "He asked me if I wanted to make an album," Clooney said. "And so I did."

Despite the critical acclaim for the Concord collection, Clooney reports that the composers she honors are not always entirely pleased with her albums.

"When I did the Berlin album ["Rosemary Clooney Sings the Music of Irving Berlin"], Irving didn't like the fact that I would do one chorus of a song and then wouldn't come back for another three choruses. He'd say, "Why did it take so long for you to get back to the words?" I'd say, 'Well, I'm working for a jazz label, Irving dear. These young guys have to have a crack at your song here.' He didn't understand. And oddly enough, in a different way, neither did Ira."

"Ira," of course, was Ira Gershwin, who for many years was Clooney's next-door neighbor in Beverly Hills and before that occupied, with his brother George, the big, dark Spanish-style house Clooney bought some thirty years ago. Before his death, Ira would thrill Clooney with stories about the house's musical history, such as the time George rushed home from a dinner party and ran to the piano-in the corner where Clooney has her own piano today-and told his brother, "It should be, 'A foggy day in London town.' That will make the difference in the meter."

OR the past several years, Clooney has divided her free time

between the Beverly Hills house and a country retreat in Augusta,

Kentucky. Nestled snug on the Ohio River near Cincinnati, the little burg is close to her home town of Maysville, where she spent her childhood singing and electioneering for her grandfather's mayoral campaigns and where a street has borne her name since 1952. The Augusta retreat allows her to spend time with her brother Nick, a columnist for the Cincinnati *Post*, and to gather her wits between performing dates: "I really feel as if I belong there. I don't think you can get that far from where you were born."

And yet Clooney's name is known worldwide, particularly in Japan, where her records sell briskly and she is always in demand at the wellappointed jazz clubs. There, as elsewhere, Clooney believes, she has succeeded not just because she has good taste in music.

"I think that, more than anything else," she said, "I give people a sense of hope that things aren't always going to be bad. I've been through so many things, and yet there's a kind of humor underlying my work, and most of the time I transmit that. When it comes down to it, the bottom line is the enjoyment of your own work. The only thing you can do is do the best you can every time you come up to bat."

For a woman who has seen her share of the sidelines, Rosemary Clooney is clearly hitting home runs again, right over the farthest, tallest back fence. \Box

EBASI

The device that turns electricity into sound – the sixth in a series on the basics of audio. BY IAN G. MASTERS

OST parts of an audio system are concerned with electrical signals in one way or another, but ultimately these must be changed into something we can hear. That's the function of the most crucial component in audio, the loudspeaker, usually called simply the speaker. It's crucial because speakers and their acoustic surroundings determine the overall sound of an audio system.

With some exotic exceptions, a speaker is a rather simple device technically, and it's relatively easy to manufacture. One of the reasons for the huge number of speaker models available is that small companies can get into the business with a fairly low investment. Another is that there is very little consensus as to what exactly would make for a "perfect" speaker-or even how to measure a speaker to see how it stacks up. Thus, there are larger sonic differences between speakers



than between other components. But beneath their grilles, most speakers have a lot of similarities.

Pushing the Air

C S

The heart of a speaker is a kind of electric motor, able to do work by converting electricity into physical motion. But unlike conventional motors, which are rotational, a speaker motor is linear; instead of turning, it moves back and forth in step with variations in an electrical current.

In most speakers, the active element is a coil of wire-called a voice coil-suspended in a strong permanent magnetic field. As electricity is fed to this coil from an amplifier, a magnetic field is created around the coil. This field, which changes in polarity and intensity as the signal from the amplifier changes, reacts with the permanent field surrounding the voice coil, causing the coil to move in and out in a motional replica of the audio signal produced by the amplifier. The greater the current, the farther the coil will move from its "rest" position.

The purpose of a speaker is to create air-pressure differencessound, in other words-that are as close as possible to those of the original recorded material. To accomplish this, the voice coil is attached to a diaphragm that compresses and rarefies the air in front of it as the voice coil moves it forward and backward. In many cases, the diaphragm is a shallow cone made of fibrous material, stiff paper, plastic, or even metal, but small dia-ILLUSTRATIONS BY phragms intended for treble reproduction are usually in the shape of a convex dome. A few speakers employ flat panels driven either by a single coil or by several. Whichever



form is chosen, the principle is the same; all of these fall into the category of **dynamic** speakers.

An alternative design approach, the electrostatic speaker, also uses a flat panel, but the diaphragm is not attached to the usual coil-and-magnet structure. Instead, a thin metallic coating on the rear of the diaphragm is given a fixed static charge by a DC power supply. Parallel to the diaphragm, and a short distance in front of and behind it, are perforated metal plates to which the positive and negative (plus and minus) outputs of the driving amplifier are attached. Variations in the amplifier's output cause corresponding changes in the static charges on the plates (which are always opposite one another). The interaction of the electrostatic charges on the plates with that on the diaphragm causes the diaphragm to move. Because the diaphragm must be very close to the plates, it can't move very far, so it must be large in order to move enough air to provide adequate listening levels.

To Tweet or to Woof

The demands placed on a speaker vary with frequency. Although it is possible to make a speaker that will handle all frequencies with reasonable ease, it is now usually considered preferable to divide the audio spectrum into two or more sections, each one reproduced by its own speaker, or **driver**. Such multipledriver devices, along with their enclosures and associated electronics, if any, are really **speaker systems**, although they are usually just called "speakers."

In such systems, the highest frequencies are reproduced by a small driver called a tweeter, the lowest by a much larger woofer. If only those two are employed, the speaker is known as a two-way system. In many cases, particularly as you ascend the price scale, a midrange driver handles the frequencies between the other two; this is a threeway system. Most speakers on the market are two- or three-way systems, although a few divide the spectrum into even more separate ranges and a handful do not divide it at all. Some models use two or more drivers in the same range, but a three-way system containing more

than one tweeter, say, is still only a three-way system.

To direct the appropriate portion of the signal to each driver, an electrical circuit called a **crossover network** is employed. Usually, the crossover is built into the speaker enclosure and simply routes the sig-



The purpose of a speaker is to create air-pressure differences—sound, in other words—that are as close as possible to those of the original recorded material.

nal from the amplifier to each driver; in this case it is a passive crossover. In some more ambitious speaker designs, however, the division of the signal takes place before the amplification process, each driver being powered by its own amplifier. For this technique. known as biamplification or triamplification depending on the number of drivers concerned, an external component called an electronic or active crossover is used. However the division of the signal is achieved, the drivers and crossover must be carefully matched to create a smooth transition from one part of the frequency range to another.

Baffles and Boxes

On its own, every speaker is a **dipole**: It radiates as much energy to the rear as to the front. The two

waveforms are opposite in polarity, or out of phase with respect to each other, and if allowed to intermingle they would interfere with each other, canceling out some frequencies either partly or completely. At the top end of the spectrum this is rarely a problem, as the signals are relatively directional when reproduced by normal-size diaphragms and thus radiate away from each other. Also, the higher frequencies have relatively little energy and short wavelengths, so they are easily contained or absorbed. In the bass, however, things are very different: With any driver of practical size, low frequencies are virtually omnidirectional-they radiate equally in all directions-and have very long wavelengths (almost 30 feet at 20 Hz). Thus, the front and back waves produced by a woofer will cancel each other unless they can be kept apart.

One solution is to use a **baffle**: a large board with an opening into which the speaker is tightly fitted. The larger the baffle, the longer a wave must be to wrap around and meet its out-of-phase counterpart on the other side. A baffle thus lowers the frequency at which cancellation sets in. The most effective type is an **infinite baffle**, which prevents the back and front waves from ever meeting. Mounting a speaker in a wall is one way to accomplish this, although it's not always the most practical.

Most modern speaker systems deal with the back wave by mounting the woofer in some sort of enclosure (the other drivers are usually mounted in it as well, but the enclosure mainly affects low-frequency performance). One common approach is a type of infinite baffle called an acoustic-suspension enclosure, a sealed box that prevents the back wave from radiating into the listening room. The air pressure created inside the enclosure is used to spring-load a loosely suspended woofer. Acoustic-suspension speakers are capable of very fine bass performance, but they may require a lot of amplifier power.

Equally popular is a type of enclosure that does allow the back wave to radiate, but modifies it so that it enters the listening room in phase with the front wave, thus reinforc-



ing it. This is known variously as a ducted, vented, or ported enclosure, after the opening through which the back wave emerges; more often, it is called a bass-reflex design. A variation employs a passive radiator instead of an open port. This is an unpowered speaker cone whose movement is determined by the airpressure differences within the enclosure. In a bass-reflex speaker, the mass of the air in the port partially determines its resonance frequency and thus the frequency range in which reinforcement will occur: the physical mass of a passive radiator accomplishes the same thing.

Although less common in consumer audio than in professional applications, nowadays at least, the horn speaker offers probably the greatest acoustic return for a given amount of amplifier power. Other speaker types tend to convert relatively little of the energy from the amplifier into air motion; by placing a driver at the narrow end of a flared horn, however, its coupling to the air is improved and a much greater acoustic output is possible. In practice, this means that a little power can be used to produce a lot of sound. The main drawback, at least when it comes to low frequencies, is that horns have to be large to work effectively.

Completing the Circuit

In operation, a speaker and the output stage of the amplifier driving it form a single circuit, and the electrical characteristics of the speaker dictate the overall performance of the circuit. In essence, the amplifier is missing one resistor, which is replaced in the circuit by the speaker itself, its crossover network, and the cables used to connect everything together.

The "value" of this composite resistor is its impedance, which like resistance is measured in ohms. Impedance is unlike pure resistance, however, because it varies with frequency. A speaker may have a nominal impedance of, say, 8 ohms, but this is only an average; its actual impedance may be much lower or higher at some frequencies. As with any circuit, an amplifier is designed to work ideally with a particular impedance value or a fairly narrow range of such values. If the impedance is too low, the current drain on the amplifier will rise to a potentially damaging level; if it's too high, the speaker will produce less output than it might otherwise.

Only a small portion of the electricity a speaker receives is actually turned into sound; the rest is con-



A number of things contribute to stereo imaging, not least being the nature of the listening room and the positions of both the speakers and the listeners.

verted to heat. Speakers vary widely in the amount of acoustic output they can produce for a particular level of amplifier power, an attribute called sensitivity (or sometimes, less accurately, efficiency). Sensitivity is often measured by feeding the speaker a 2.83-volt signal (which will put 1 watt through an 8-ohm resistance) from the amplifier and measuring the acoustic output at a distance of 1 meter in front of it, the result being stated in decibels of sound-pressure level (dB SPL). A relatively insensitive speaker might have an output of 85 dB SPL or less; anything over 90 dB SPL is considered quite sensitive, and a few speakers can put out more than 100 dB SPL from a 2.83-volt input.

Neither impedance nor sensitivity imparts any information as to how a particular speaker will sound, but both are important factors when it comes to matching speakers and amplifiers. By the same token, a speaker's power-handling capability-the maximum number of watts of input it can handle continuously without damage-should be an important consideration. Speaker companies have different ways of determining power handling, however, so the numbers stated are often less useful than they might be. In fact, the same can be said for most speaker specifications. More than with other audio components, the only real way to choose speakers is by listening to them.

Left, Right, and Center

Although a good speaker will perform well all by itself, in almost all situations it has to be able to do one more important thing: It has to function well as one of a pair, because virtually all of us listen to our music in stereo.

For most listeners one of the most desirable features is imaging: the ability of a pair of speakers to create the illusion of a firm center image and to place individual instruments in their proper positions in the "sound stage." A number of things contribute to imaging, not least being the nature of the listening room and the positions of both the speakers and the listeners. Also important is proper wiring between the amplifier and the speakers: The speakers must be in phase, so that the diaphragms move in and out simultaneously when fed a center-image or mono signal. Out-of-phase speakers will destroy any hope of proper imaging and will usually degrade low-frequency performance as well.

The speaker itself can enhance imaging precision by being designed to simulate a **point source**, one where all frequencies have the same acoustic origin and the sound waves are aimed at the listener. A few designs use electronic means or deliberate shaping of the speaker's radiation pattern to achieve certain imaging effects, such as widening the sound stage or maintaining a stereo image over a wide listening area.

NEXT: Acoustics—what happens to the reproduced sound after it has left the speaker.

CHOOSING A CUSTOM INSTALLER

A Mediacom remote-control system monitors this \$15,000 New York City surround-sound installation by Audio Video Systems in West Nyack, New York.

PHOTOGRAPH BY PETER MARGONELLI

How to have it your way BY REBECCA DAY

W OU want to have a custom stereo system installed but don't know where to start. You check the local telephone directories for a list of audio/ video dealers. When you call, almost all of them say they do custom installations. You know you could probably save money by going to the discount store where you got a great deal on a VCR, but do you really want to cut corners when someone's cutting holes in your walls?

You will find custom-installation designers in a variety of places. Many specialty audio retailers are now doing high-quality custom work, and there are installation companies that also do high-quality work but don't operate out of storefronts. Then there are the less-qualified installers who are trying to gain from the booming custom-installation market. If you know some of the basic questions to ask, you should be able to determine which installer will be best for you.

Most custom-installation specialists don't advertise; their best source of business is word of mouth. A happy customer is a good reference for both an installer and a prospective client. Talk to your friends about work they (or people they know) have had done. Other sources you can go to for referrals are local interior designers and contractors, who are likely to have worked with custom stereo installers in the area. Some custom-installation specialists even demonstrate their work in open houses or home shows.

Because of the considerable investment involved, you might want to check out installation companies you're considering with the Better Business Bureau. A company's stability is essential; if something goes wrong with your system a few years down the road, you'll want to be able to go back to the installer for servicing. David Peterson, owner of Entertainment Designs in Minneapolis, recommends that customers obtain a Dun & Bradstreet financial report on a company before committing thousands of dollars for an installation.

When you meet with a custominstallation specialist for the first time, ask to see the company's portfolio. Elliot Ingber, president of Audio Video Systems in West Nyack, New York, lists a few of the kinds of details you should look for in photographs: Are the speakers placed wide enough apart? Are all wires hidden from view? Are top-loading VCR's or CD players used where front-loading machines should be? Does the equipment blend in with the design of the room?

You should ask for referencesthree to five other clients who will be willing to talk with you. If you can, visit a couple of installations that the specialist has done. David Peterson suggests that prospective customers ask the following questions of installers' clients: How well did they respect your home? Did they use drop cloths and vacuum cleaners? Are you satisfied with the sound quality and ergonomics of the system? Note for yourself how well the system is integrated into the home, and play the system if you can to determine its sound quality and ease of use.

Of course, cost will play a major role in deciding which installation company to use. Keep in mind, though, that you're paying for more than just components and speakers. The going rate for labor in a custom installation is about 15 to 25 percent of the total job, depending on the difficulty of installation. Find out what you can expect in return aside from the installation itself. Does the specialist guarantee the installation for at least one year after completion? What if a problem is your fault? Will the installer provide loaner equipment if yours needs to be serviced? If you blow an amplifier fuse at 4 o'clock on the day of your birthday bash, will there be someone available who can fix it in time for the party? What will service rates be after the warranty period is over?

There are other, less tangible questions you should consider when choosing a custom-installation specialist. How professional are the company's employees? Do they leave you hanging on the phone? Do they call you back promptly? Are they punctual? Will they give you their home phone numbers? These are all courtesies that will become very important over the course of the project.

T's a good idea to draw up a contract to protect yourselfand the installer. Contracts should include at least a payment schedule, installation and equipment warranty information, and a list of what equipment will go into which rooms. Peterson of Entertainment Designs recommends that contracts also spell out speaker placement, types of finish used, and how the equipment ties together. Specialists recommend, as a general rule, that you don't pay more than 50 percent of the total system cost in advance and that you save 10 percent for payment on completion of the project. Some contracts also provide for labor and hardware cost overruns, which generally should not be more than 10 percent.

You should not have to pay for any injuries or damages that result from the work being done in your home, so be sure that your installer is insured. It's not unreasonable for a customer to ask for a photocopy of a specialist's liability and work-



Audio/video design by Absolute Sound in Winter Park, Florida, with woodworking by Quincraft Custom Acabinetry in Orlando. Price of the remote-controlled, surround-sound, home theater system was a cool \$35,000.

man's-compensation policies. Also be sure that the installer has the necessary state and local licenses for the type of electrical or construction work he'll be doing. If you have the electrical work done by an outside contractor, have him or her consult with the installer/designer to insure that, for example, TV cables and outlets are near each other and that the proper provisions are made for speaker wires and volume controls.

The "custom" in custom installation generally refers to where and how a system is installed rather than what's in it. Most custom designer/ installers have regular product lines that they work with, but in many cases they can special-order a product if a customer wants a particular speaker or component. Make sure that the dealer can provide servicing for any product he doesn't carry.

System prices vary by region and by complexity. At Audio Video Systems in West Nyack, for example, you would pay about \$2,500 for a basic one-room installation with receiver, CD player, cassette deck, and two pairs of in-wall speakers. An average multiroom system would fall in the \$7,500 to \$15,000 range and include four or five pairs of speakers, wired with volume controls, and a couple of on/off switches. At Entertainment Design in Minneapolis, a "simple" \$8,500 singleroom system typically includes a 27-inch television set, front- and rear-channel amplification, surround sound, two sets of speakers, a CD player, a tape deck, and a tuner. The price could go up to \$20,000 with the addition of a larger TV set, one or two subwoofers, side and center channels, dubbing capability between two high-end VCR's, a videodisc player, and more power. If you have the money, there's no limit to what you can do.

The time required for an installation depends on the complexity of the system. If the installation is being done as part of new construction, it will parallel the construction time of the home. If an installation is a retrofit, the actual work might not require much more than a few days, but you should allow for design time and the specialist's schedule. "Realistically, you should expect a minimum two-month turnaround from planning to completion," said Peterson of Entertainment Design.

Custom specialists stress that even though you might be having a relatively modest installation done now, you should think ahead to what you might want to add in the future. This is especially true for installations in new construction. Charles O'Meara of Absolute Sound in Winter Park, Florida, warns against "being penny wise and pound foolish." You may not need speakers and volume controls in the second and third bedrooms right now, but in a few years you may want to put them in. It's a lot easier and cheaper, he noted, to have the wires in place before the dry wall goes up and the paint goes on.

The most difficult part of having a custom stereo system installed in your home is choosing the right installation specialist. Custom designers/installers see that as problematic, too, so problematic that more than a hundred of them from across the country are forming an organization called the Custom Electronic Design & Installation Association, based in Chicago, to encourage the growth of reliable installation companies and to promote the industry. The organization is considering some type of accreditation policy that could help consumers find qualified installation specialists. On your own, if you take the time to check out the financial stability, reliability, and workmanship of the design/installation specialist you hire, you should be well on your way to a first-rate custom audio/video system.

SE 150 CD -PLAYER

Any way you look at it, Hafler advances the state of the art while it reduces the price of admission.



Any way you look at it, Hafler advances the state of the art while it reduces the price of admission.

New Hafler SE Series. The SE Series embodies the basic Hafler design philosophy: Innovative circuitry, high reliability and, above all, sonic excellence. The result is pure, unimpeded sound at an affordable price.

SE100 J-FET Preamplifier. Based upon the critically acclaimed reference standard DH 110 circuitry. The SE 100's all J-FET line stage offers "tube-like" sound while maintaining ultralow noise and distortion.

SE130 AM/FM Tuner. Features Delco Electronics receiver circuitry. This American-built tuner incorporates sophisticated stereo blending and superior interference immunity.

SE150 CD Player. Dual 16-bit digital to analog converters and quadruple oversampling capture all the dynamics and low-level resolution you expect from the latest in CD technology. A full-function remote control is provided to allow easy access to all of your favorite music. SE120 MOSFET Amplifier. Featuring 60 watts per channel of MOSFET output power. This conservatively rated power amplifier is based upon the heralded DH 120 circuitry. Utilizing a novel drive circuit which is extraordinarily linear, it achieves ultra-low distortion without the use of high negative feedback. The result is: Ruggedness. Linearity. High speed. And the "tube-like" characteristics of smoother sound with less distortion.

The Hafler SE line of products, hand built in America, represents the affordable high end in separates.





Stereo Review's critics choose the outstanding current releases

JOHN CALE'S "Songs For The Dying"

OR more than ten years, from "Fear" in 1974 to "Artificial Intelligence" in 1985, John Cale made dark, driven, ofttimes ferocious rock-and-roll. Now, after a four-year silence, he has re-emerged with "Songs for the Dying," an album whose centerpiece, *The Falklands Suite*, is a symphonic score, performed by a Russian orchestra, over which Cale sings and recites four poems by Dylan Thomas. If you're wondering whether this could possibly be the selfsame John Cale, indeed it is.

Long-time Cale followers will recognize that "Songs for the Dying" has antecedents in Cale's earliest solo works-fusions of classical music, rock, and the avant-garde such as "Paris 1919," "Church of Anthrax," and "Vintage Violence." Long before those albums, however, and even predating his membership in the Velvet Underground. Cale could claim to be one of the few figures in rock with training as a church organist and proficiency on the viola. But never, at least never on any of his recordings, has he delved so singlemindedly into the symphonic realm as he does in "Songs for the Dying."

The Falklands Suite is an intoxicating piece of music that provides a swirling, impressionistic setting for four works by the Welsh poet laureate: There Was a Saviour, On a Wedding Anniversary, Lie Still, Sleep Becalmed, and Do Not Go Gentle into That Good Night. The suite was composed during Britain's brief war with Argentina over the Falklands; a chanced-upon reference to the islands in one of Thomas's poems struck Cale as eerily coincidental, hence the title.

Cale, himself a Welshman, intones Thomas's verse with a grave,

dramatic flair, emphasizing key lines with appropriate orchestral flourishes and his own thunderous. clipped delivery. Particularly gripping is On a Wedding Anniversary. with Cale's stark, chilling recitation of the line, "Death strikes their house," and the nervous, percussive chatter of trumpets that accompanies it, against an undulating backdrop of strings, building to an explosive choral and symphonic crescendo. In contrast, his interpretation of Do Not Go Gentle into That Good Night is lithe and whimsical, skipping lightly to pizzicato strings and lilting flutes.

Cale boldly explores the inherent musicality of Thomas's verse in collaboration with the forty-one-piece Orchestra of Symphonic and Popular Music of Gosteleradio, U.S.S.R., recorded in Moscow, and the choir of Llandaff Cathedral Choir School, recorded in South Wales. Following *The Falklands Suite*, as a kind of coda, are two brief *Songs Without* Words, in which Cale solos on piano, and a vocal number, *The Soul of Carmen Miranda*, that features atmospheric keyboard effects provided by the album's producer, Brian Eno.

To say that "Songs for the Dying" is adventurous is to understate Cale's accomplishment. He has carried the fusion of classical forms and popular sensibility, which he has dabbled in but never fully realized before, to a challenging new plateau. He has also reasserted his own reach and ambition as an artist. Both he and Eno deserve kudos.

Parke Puterbaugh

JOHN CALE: Songs for the Dying. John Cale (vocals and instrumentals); Brian Eno (keyboards); Choir of Llandaff Cathedral Choir School; Orchestra of Symphonic and Popular Music of Gosteleradio. Alexander G. Mikhailov cord. The Falklands Suite; Songs Without Words; The Soul of Carmen Miranda. OPAL/WARNER BROS. 26024-1. © 26024-4. © 26024-2 (38 min).



The most powerful expression of unique technology.

The Bose[®] 10.2[™] Series II Direct/Reflecting[®] system with Acoustimass[®] speaker technology.

Inside and out, it's a speaker unlike any other.

The Bose 10.2 Series II speaker successfully harnesses a series of audio technologies, taking the listener one step closer to the goal for all speakers: the realism of live music. The 10.2 Series II speaker combines the most powerful Acoustimass speaker designed for the home with the proven, critically-acclaimed benefits of a Bose Direct/Reflecting[®] system. The result: a musical listening system with *n*o compromises—one that's at home in any environment.

Technology in harmony with home aesthetics.

The 10.2 Series II system brings lifelike sound into the living environment without overwhelming it. Each speaker's genuine wood veneer, hand-crafted enclosure produces the bass necessary to make even the most demanding music come to life, yet requires just one square foot of floor space. The system's Stereo Targeting® arrays precisely shape and control sound, providing listeners—regardless of where they stand or sit—with full, balanced stereo sound from both speakers.

Where the speakers look best is also where they sound best.

Greater musical realism with any sound source.

Like all Bose Direct/ Reflecting® speakers, the 10.2 Series II system is designed to accurately reproduce much of the clarity and spaciousness of live music. This strict attention to sonic detail is carried through to the lowest notes. where Acoustimass speaker technology provides much of the realism and impact normally experienced only in the concert hall. The system provides the dynamic range and high power capability required for optimum results with any audio or video system and software-especially digital.



How an Acoustimass® speaker works.



Improving speaker performance means first reducing distortion. The design of an Acoustimass[®] speaker substantially reduces distortion (see diagrams and graph). The benefits of this patented speaker technology are purer sound and an increase in the dynamic range of bass performance.

Left: An Acoustimass speaker launches sound into the room using two masses of air working like pistons (B&C, darker blue), rather than by a surface vibrating directly into the room. The sound launched into the room by the Acoustimass speaker's air pistons is the purest sound that can be produced by present technology.

Right: A vibrating cone radiating directly into the room (D) produces unfiltered sound.

Cone Excursion Comparison.

(lower excursion means lower distortion)

Graph: The distortion produced by any speaker rises dramatically with its cone motion, or excursion. At port-tuned frequencies, a typical Acoustimass speaker's cone (A) has less than 1/16 the maximum distortion-producing excursion of sealed and ported cones. Inside an Acoustimass speaker, the interaction of the air springs with the air masses in the ports produces a very high pressure at the surface of the cone. This greatly reduces the cone's excur-



sion, and therefore reduces distortion. The air springs act with their respective masses to form low-pass filters, removing any small distortion components generated by the cone. "Taketon components at Pays and

Judge for yourself.

Ask your authorized Bose dealer to demonstrate the Bose 10.2 system with Acoustimass speaker technology against any other speaker—and hear the difference for yourself. For more information or a product brochure, call 1-800-444-2673 between 9 AM and 5 PM EST.

> "If music is important in your life, sooner or later you will own a Bose system."





BEST RECORDINGS OF THE MONTH

American Violin Masterworks

UZZAHS to EMI for a new CD coupling two of the finest American works for violin and orchestra, William Schuman's Violin Concerto and Leonard Bernstein's Serenade for Violin, String Orchestra, Harp, and Percussion (After Plato's Symposium). While the Bernstein has been recorded three times under the composer's direction, and the Schuman was once available in a sizzling recording by Paul Zukofsky with Michael Tilson Thomas and the Boston Symphony, this new release is the first appearance of either work in a digital recording in a digital playback medium.

The Schuman Violin Concerto comes from the very top drawer of that eminent symphonist's output, and it displays the finest dynamic and lyrical elements of his musical language. First performed in 1950 as a three-movement work by Isaac Stern and the Boston Symphony under Charles Munch, then revised and performed at the Juilliard School, again by Stern, in 1956, it achieved final form, recast in two movements, in the version played by Roman Totenberg at the 1959 Aspen Festival.

The score makes virtuoso demands on both soloist and orchestra, starting out with the rhythmically volatile opening pages. In lieu of the customary slow movement, Schuman has interspersed lyrical episodes in each of the two movements, the most striking being the Molto tranquillo occurring early in the first. A typically skittery Schuman Scherzando paves the way for the cadenza and an elaborate coda. A big-scale orchestral utterance with prominent timpani solo introduces the second movement, after which the soloist takes over, giving way to a brilliant fugal episode. Toward the end we have another lyric interlude (Adagietto) that recalls elements of the main melody for the soloist in the first movement. The conclusion is a brilliant outburst in the best con tutta forza Schuman manner.

Bernstein's Violin Serenade was composed for Stern in 1953-1954 on a Koussevitzky Foundation commission. Leaving aside the work's association with the Symposium of Plato and its disguisitions in praise of love, the five movements of the work remain, for me, the composer's finest achievement on the level of pure music. There is neither frenetic hysteria nor the slightest lapse into sentimentality, and the scoring for both soloists and orchestra is exquisitely varied. The first two movements are essentially lyric in content, and the brief running Presto that constitutes the central movement provides both contrast and a display piece for the violin soloist. The musical heart of the piece is the succeeding Adagio-more than seven minutes of impassioned song. The finale at first evokes Socrates in solemn vein (represented by cello solo) but concludes with a touch of jazzy "party music."

Violin soloist Robert McDuffie does himself proud in both of these works, with a finely focused tone

Robert McDuffie (left) and Leonard Slatkin: on their mettle



and an unerring sense of pitch and rhythm. Leonard Slatkin and the St. Louis Symphony are on their mettle from start to finish, and EMI has come up with a topnotch recording job. Warmly recommended.

David Hall

SCHUMAN: Violin Concerto. BERN-STEIN: Serenade for Violin, String Orchestra, Harp, and Percussion (after Plato's "Symposium"). Robert McDuffie (violin); St. Louis Symphony Orchestra, Leonard Slatkin cond. EMI/ ANGEL @ CDC 49464 (64 min).

THE O'KANES REAFFIRM TRADITIONS

F all the neotraditionalists to pop up on the country scene in the Eighties, the O'Kanes—Jamie O'Hara and Kieran Kane—were arguably the most important. Like Lyle Lovett and Nanci Griffith, the O'Kanes announced themselves as cerebral singer-songwriters whose roots ran deep in acoustic folk music.

But where Lovett and Griffith succeeded in building followings as quirky and poetic storytellers, the O'Kanes succeeded both commercially and artistically in presenting a carefully honed sound that managed to be new and modern, yet indisputably country. While they concocted an original electric/ acoustic band sound with mandolin, fiddle, electric guitar, bass. drums, and accordion, their mandolin/guitar interaction and twopart vocal harmonies suggested the timeless brother duos of the past. most notably Don and Phil Everly, Ira and Charlie Louvin, and Bill and Charlie Monroe. And yet their songwriting masterfully intertwined the tenets of country and folk.

In their third album, "Imagine That," the O'Kanes make no move away from their trademark sound, even with the first-time addition of an outside producer, Allen Reynolds. Two years in the making, with ten original tunes, the album still evokes the O'Kanes' original influences while also drawing on the sounds of the Blue Sky Boys, Pee Wee King and his Golden West Cowboys, and, in *Nobody Wins*, Elvis in his Sun Records days.

Is the Party Over, which questions one couple's marital future, is a tune that could have been performed at the Grand Ole Opry decades ago, its Merle Travis-like guitar breaks anchoring its heritage, the updated slapback beat ushering it into the revisionist present. Tell Me I Was Dreaming is pure Everly Brothers bliss, Will You Travel Down This Road with Me arrives with fullblown gospel overtones, and Diddy All Night Long, a vivid portrait of diner romance, recalls the slithery beat of Peggy Lee's Fever.

Like the music of Bill Monroe, the O'Kanes' themes revolve around love in its various incarnations and stages—love cherished,



ē

MESSE

2

Jamie O'Hara and Kieran Kane

love scorned, love fulfilled, and love lost. In song after song, they present themselves as strong supporters of hearth and home: The title song is about the search for "someone to laugh with, someone to share in my dreams," and the protagonist of *The Better to Love You* offers to become husband, father, and the builder of the bed in which he and his love would lie.

Overall, the music of the O'Kanes represents a kind of new morality in country music, a move away from the trashy lyrical and musical themes that overtook the music in the Sixties and Seventies as Nashville scurried to keep pace with rock-and-roll. Here, in the songs of two young men from Ohio and New York, thrive not only the influences and traditions of America's native music forms, but the values that fashioned the strongest of rural American stock. Alanna Nash

THE O'KANES: Imagine That. The O'Kanes (vocals and instrumentals); instrumental accompaniment. Why Should I: Imagine That; Nobody Wins; Diddy All Night Long; Will You Travel Down This Road with Me; Is the Party Over; The Better to Love You; Tell Me I Was Dreaming; Climbing Mountains; This Ain't Love. COLUMBIA © FCT 45131, © CK 45131 (29 min).

MOZART BY Émile Naoumoff

MILE NAOUMOFF, whose recital of Mozart piano music has just come from EMI/ Angel, began performing and composing as early as Mozart himself. He was born in Sofia in 1962 and went off to Paris when he was only eight or nine-there to become one of Nadia Boulanger's youngest and last pupils, and to start winning prizes in both piano and composition before he reached his teens. He published his first piano concerto at the age of ten, and as a pianist he seems to have set Europe on its collective ear before he was twenty. Under these circumstances, it is a heartening indication of maturity and judgment that he waited till he was twenty-four to begin recording (he taped the Mozart at the end of 1986).

The reviews of Naoumoff's solo recitals and concerto performances in this country as well as in Europe suggest critics gasping for superlatives, and I found myself bracing to resist a new onslaught of hype. What is on the disc, though, is evidence of something that cannot be concocted by any sort of media blitz, and it quickly demolished any thought of resistance. Everything is so marvelously balanced in Naoumoff's playing-clarity balanced by warmth, power balanced by delicacy, animation balanced by a certain degree of sobriety, everywhere an apparently innate sense of elegance effortlessly determining the limits in the direction of accent or understatement.

If there is a certain sameness, an evenness of tenor throughout the program, it is because the music seems to have been chosen for its likeness rather than its variety. But this very aspect of his program serves to call attention to Naoumoff's remarkable gifts for pointing up contrasts in subtle ways. The sequence is framed by the contemporaneous K. 396 and 397 fantasies, with the big Fantasy in C Minor, K. 475, and the usually appended sonata in the same key as the major items. Along the way are the Rondo in A Minor and, by way of a charming intermezzo, a little "one-finger waltz" called Das Butterbrot, which was probably composed by Mozart's father.

EMI's French production team has come through with one of the finest recordings of a piano I have yet heard, every bit as crystalline and well balanced as Naoumoff's superb playing itself. Anyone hearing this disc must find himself eager for more from this obviously exceptional pianist, perhaps imagining the repertoire with which he may identify himself in the future. In the meantime, this recording provides solid credentials for him as one of those rare artists who define their own standards and render comparisons rather beside the point.

Richard Freed

MOZART: Fantasies in C Minor (K. 396), D Minor (K. 397), and C Minor (K. 475); Piano Sonata No. 14, in C Minor (K. 475); Rondo in A Minor (K. 511); Waltz in C Major ("Das Butterbrot"). Émile Naoumoff (piano). EMI/ ANGEL © CDC 49274 (62 min).

Émile Naoumoff: no hype



If getting everything you've ever dreamed about in a receiver has been just, we l, a dream, this message could prove to be most valuable.

Because the RV-1340R Audio Video Remote Receiver is the finest Sherwood has ever built. With tighter engineering tolerances and more high performance features than any other component in its price range.

Behind its double-thick brushed aluminum front-end are two discrete amplifiers and Dolby[®] surround sound circuitry. One amp sends 100 watts per channel to the front speakers. While the second delivers a full 20 watts per channel to the rear. So you can turn on your Sherwood and turn your living room into a home theater experience.

The unit is designed with MOS-FET components and fully complementary circuitry Plus video dubbing with adjustable video enhancement. And with Sherwood's DIGI-LINK unified wireless remote, you'll put an entire Sherwood system at your command.

To put the RV-1340R to the test, visit your Sherwood dealer for a thorough demonstration. And discover a receiver you can look up to that's within your reach.

MOST VALUABLE RECEIVER.



1053



Sterwood

13845 ARTESIA BLVD. CERRITOS, CA 90701 • IN CANADA: NORESCO CANADA INC., TORONTO, ONTARIO © 1989 INKEL CORPORATION. Dolby is a trademark of Dolby Laboratories Licensing Corporation. Discs and tapes reviewed by Chris Albertson, Phyl Garland, Ron Givens, Roy Hemming, Alanna Nash, Parke Puterbaugh, Steve Simels

JOHN CALE: Songs for the Dying (see Best of the Month, page 77)

PHIL COLLINS: ... But Seriously. Phil Collins (vocals, drums, keyboards); vocal and instrumental accompaniment. Hang In Long Enough; That's Just the Way It Is; Do You Remember?; Something Happened on the Way to Heaven; Colours; and seven others. AT-LANTIC • SD-82050, © CS-82050, © 82050-2 (60 min).

Performance: Heartfelt Recording: Warm

The Eighties have stumbled to a close, and Phil Collins has suddenly discovered what U2, Peter Gabriel, and others in the rock community have known all decade long: The blue marble we call earth is in a heap of trouble. The title of Collins's new album, "..., But Seriously," is his way of letting us know he cares, *really cares*, about the homeless, racial inequality, and social unrest.

The man must be given his due as an entertainer. He's become too mainstream for innovation—though he once blazed trails with Genesis, Brand X, Brian Eno, and John Martyn—but he does tweak the masses with thoughtful, adult pop that never stoops to pander. ". . . But Seriously" gives plenty of showbiz bang for the buck, clocking in at a full hour and running the gamut from horn-stoked rockers in the mold of *Sussudio* to pensive, keyboard-laced ballads that puzzle over failed relation-ships and breakdowns in communica-tion.

Collins's beating heart shines through in song after sensitive song. "How many times can I say I'm sorry?" he importunes in *Something Happened on the Way to Heaven.* "What makes you so high and mighty?" he thunders at South Africa's racist overlords in *Colours.* Of his shortcomings as a parent, he confesses in *All of My Life,* "I didn't spend the time I should." All are sentiments any red-blooded member of the

EXPLANATION OF SYMBOLS:

- \mathbf{O} = DIGITALLY RECORDED LP
- $\odot = TAPE CASSETTE$
- D = COMPACT DISC (TIMINGS ARE
 - TO NEAREST MINUTE)

beleaguered thirtysomething generation can identify with during drive time.

Admittedly, a few ideas here seem. uh, recycled. Didn't Bruce Hornsby already say That's Just the Way It Is in those same words? Isn't I Wish It Would Rain Down a Temptations title with one word added? Also, Collins's songs have come to assume a binary predictability-slow or fast, introverted or extroverted, ballad or blowout. On the other hand, if you enjoy his voice and soul-searching persona, ". But Seriously" offers, as George Clinton would say, more of what you're funkin' for. If you're not a fan, get used to it. You're hopelessly outnumbered. P.P.

SHAWN COLVIN: Steady On. Shawn Colvin (vocals, acoustic guitar, keyboards, drum programming); vocal and instrumental accompaniment. Steady On; Diamond in the Rough; Shotgun Down the Avalanche; Stranded; Another Long One; and five others. COLUMBIA FC 45209, © FCT 45209, © CK 45209 (45 min).

Performance: Arresting Recording: Excellent

Shawn Colvin comes to her Columbia debut with both the sparkle of promise

and the burden of expectation. An impressive purveyor of confessional folkrock. Colvin enters the solo arena with the help of Steve Addabbo, Suzanne Vega's co-producer. The Vega connection runs deeper, however, as Vega contributes background vocals in one song here. just as Colvin did in Vega's *Luka*.

Such interweaving is bound to provoke artistic comparisons, and on that score Colvin will likely suffer. The two women share the same creative approach-original, acoustic-based songs dressed in light, electric folk-rock and jazz-and Colvin's album chronicles difficult relationships, growth, change, hope, and disappointment, as well as a search for communion in a disenfranchised world. There are times, as in Shotgun Down the Avalanche and The Story, when Colvin's melody, lyrics, and vocal style come together to shimmering effect. But overall her songs lack Vega's emotional drive, mystery, and tension.

That said, Colvin does know how to set a mood, and she uses her breathy soprano (reminiscent of Ricki Lee Jones at her most unadorned) to utmost effect. What she needs now is an attitude—or at least something other than

Phil Collins: plenty of showbiz bang for the buck





New Speaker Stands

SPEAKER OF THE HOUSE.

When they call the roll for the finest in bass-specialized speaker systems — the majority in your "house" will vote for \mathbf{kni} LoudSpeakers, inc.

Smooth, deep bass . . . unparalleled dynamic range and minimum distortion.

Quite simply . . . The System Works.

Call today for a free brochure.

Dealer Inquiries Welcomed.



kni LoudSpeakers, inc.

588 McKnight P.O. Box 553 West Fork, Arkansas 72774 Phone: 1-501-839-3320

1-800-USA-DIAL EXT 999

overall confusion from failed romance—to help turn her eclecticism into a style of her own. When she finds that, she will stand in no one's shadow. In the meantime, "Steady On" is a most intriguing warm-up. A.N.

RANDY CRAWFORD: Rich and Poor. Randy Crawford (vocals); vocal and instrumental accompaniment. Knockin' on Heaven's Door; Every Kind of People; Wrap-U-Up; This Is the Love; Separate Lives; Rich and Poor; and five others. WARNER BROS. 26002-1, © 26002-4, © 26002-2 (46 min).

Performance: Good, but ... Recording: Fine

Randy Crawford's voice, with its distinctive timbre, has been one of my favorite sounds ever since her first appearance on record, as a teenager in a 1975 album with Cannonball Adderley. But too many of her later recordings have been undermined by mediocre songs unworthy of her vocal abilities. She fares only a little better here, being cast in a predominantly pensive mood. As usual, though she sings with sensitivity and conviction, the songs don't exactly reach out and grab you. There are some exceptions, like the opener-Bob Dylan's classic Knockin' on Heaven's Door-and I Don't Feel Much Like Crying, but not enough of them. P.G.

TERENCE TRENT D'ARBY: Neither Fish nor Flesh. Terence Trent D'Arby (vocals and instrumentals); instrumental accompaniment. Declaration—Neither Fish nor Flesh; I Have Faith in These Desolate Times; It Feels So Good to Love Someone Like You; To Know Someone Deeply Is to Know Someone Softly: I'll Be Alright; and seven others. COLUMBIA OC 45351, ©OCT 45351, © CK 45351 (51 min).

Performance: Dazzling Recording: Excellent

If it is the objective of Terence Trent D'Arby to defy categorization, he has certainly succeeded here. Written, produced, arranged, mixed, and largely performed by D'Arby, "Neither Fish nor Flesh," his second album, is an unbroken set of compositions reflecting traces of almost every musical style of the last sixty years. He even goes further back for the second track, I Have Faith in These Desolate Times, which he sings in a high, delicate voice against a lutelike accompaniment. The most impressive things about D'Arby are his ear for differing musical styles, his facility on assorted instruments, his compositional talent, and his splendid, chameleon-like voice. His lyrics reflect a real intelligence at play, and his music can be by turns rakishly rockish, gutturally gospelish, or mystically modern.

What is disconcerting about D'Arby's work is its lack of cohesion. Sometimes you want to ask, "Will the real Terence Trent D'Arby please stand up?" Despite the blazing pyrotechnics of production and performance, D'Arby shows an odd inability to project a depth of feeling, perhaps because he covers so much ground so quickly. His music dazzles but does not hold. P.G.

MICHAEL FEINSTEIN: The M.G.M. Album. Michael Feinstein (vocals); orchestra, Ian Bernard cond. M.G.M. Fanfare; That's Entertainment; It's a Most Unusual Day: Time After Time; Spring, Spring, Spring; and nine others. ELEKTRA 60893-1, @ 60893-4, @ 60893-2 (52 min).

Performance: His best yet Recording: Close and clean

This is more like it. After a misguided recent "stretch" into some Weill, Schoenberg, and Lehár songs of the World War I era, Michael Feinstein here returns to the American show tunes at which he excels—and again proves that few singers of his generation can put them across with as much infectious enthusiasm, ungimmicky musicality, and one-to-one vocal warmth.

This time he's chosen a terrific set of tunes from the golden age of M.G.M.'s movie musicals. As usual, Feinstein doesn't churn up the standards everybody else has done to death but instead zeroes in mostly on gems that have been regrettably ignored with the passing years. And in an inspired touch, he's picked only songs written specifically for M.G.M. by songwriters primarily associated with Hollywood and not Broadway—which means that instead of Gershwin, Porter, or Rodgers, we get the likes of Harry Warren, Johnny Mercer, Nacio Herb Brown, and Jimmy McHugh.

Feinstein varies the pace neatly between jaunty, uptempo tunes and crooned romantic ballads. The Mercer-DePaul Spring, Spring, from 1954's Seven Brides for Seven Brothers, is the album's most ingratiating find, and Roger Edens's special introductory verse to Singing in the Rain, written for Judy Garland in 1940's Little Nellie Kellp, is a refreshing rediscovery. R.H.

SARA HICKMAN: Equal Scary People. Sara Hickman (vocals, acoustic guitar); vocal and instrumental accompaniment. Simply: Last Night Was a Big Rain; 500X (The Train Song); Song

Randy Crawford: in a pensive mood





Hooters John Lilley, Fran Smith, David Uosikkinen, Eric Bazilian, Rob Hyman

for My Father; Equal Scary People; and five others. ELEKTRA 60903-1, © 60903-4, © 60903-2 (39 min).

Performance: Freewheeling Recording: Varies

Sara Hickman, a twenty-six-year-old Texan whose music has been called "a cross between a stand-up comedy routine and group therapy," arrives with her major-label debut as a potential alternative superstar. Far more whimsical than Suzanne Vega, more lighthearted than Joni Mitchell, and not nearly so out on the edge as Michelle Shocked, Hickman nonetheless hauls a typical acoustic folk act into unusual waters. In Last Night Was a Big Rain, she describes what seems to be a drug trip in the back seat of a car (set to the crudely miked beat of a loose-hipped garage band), then segues smoothly to the most stalwart of folk motifs, a train song, which quickly takes an unorthodox tack: "Me in the lotus/You form a pretzel ... /How I long to feel the grease on my back"

Hickman, who once hosted a Dallas cable-TV talk show called *All About Dinosaurs*, has a bit of the scamp in her personality. In *Meant to Be* she sings a love song that squirms along on sampled percussion and a pseudo-Latin beat, celebrating the emotion while simultaneously poking fun at the genre. And if she is at times too reminiscent of Joni Mitchell in both her "Clouds" and "Court and Spark" periods, Hickman is not above a kind of parody of Mitchell's People's Parties in Equal Scary People. On the whole, Hickman's lyrics need more focus and a tighter aim, but she is adept at a wide range of musical styles, from jug-band jazz to Forties mood music. She also takes on the r-&-b stylings of James Brown, whose It's a Man's, Man's World she covers here (mistilling the song as This Is a Man's World) in a performance of deeper understanding than her own songs would suggest.

"Equal Scary People," made on a dime for an independent label and later picked up by Elektra, is probably just a hint of what Sara Hickman is about. With her musical maturity surely on the way, her follow-up album should be nothing short of dazzling. A.N.

HOOTERS: Zig Zag. Hooters (vocals and instrumentals): other musicians. Brother, Don't You Walk Away; Deliver Me; 500 Miles; You Never Know Who Your Friends Are; Heaven Laughs; and five others. COLUMBIA OC 45058, © OCT 45058, © CK 45058 (43 min).

Performance: From the heart Recording: Excellent

It takes courage and conviction to gamble with mainstream success in order to play what you really feel, but Philadelphia's Hooters have done exactly that in their two most recent albums, "One Way Home" and the new "Zig Zag." Theirs is a bright, contemporary folkrock hybrid that boasts the sizzle of fingers slicing across acoustic strings and the ragged edge of voices affronted by events of the present day.

The opener, Brother, Don't You Walk Away, cuts into the human tragedy of homelessness with heartbreaking empathy. Deliver Me is a folk-rock delight, evoking brilliant autumn afternoons in New York's Washington Square circa 1965, after which the band audaciously recasts the folk classic 500 Miles with subtle reggae accents, an original verse about the freedom struggle in China, and some helpful harmonies from Peter, Paul, and Mary. The energy level flags a bit in the second half of the set, as earnestness is troweled on in numbers like Give the Music Back, but the group rebounds with the irrepressibly upbeat Mr. Big Baboon, which sounds like the Coasters gone zydeco. All in all, "Zig Zag" is the product of a band that has ideas and the gumption to pursue them. P.P.

ROBERT EARL KEEN, JR.: West Textures. Robert Earl Keen, Jr. (vocals, rhythm guitar); Jerry Douglas (dobro); Roy Huskey, Jr. (upright bass); other musicians. Sing One for Sister; The Road Goes On Forever; Maria; Sonora's Death Row; Mariano; and five others. SUGAR HILL SH-1028, © SHC-1028, © SHCD-1028 (34 min).

Performance: Skillful storytelling Recording: Fine

In the early 1980's, three names invariably came to mind whenever talk turned to the new generation of Texas songwriters: Nanci Griffith, Lyle Lovett, and Robert Earl Keen, Jr. Of the three, only Keen, whose songs sometimes showed up on records by Griffith and Lovett, failed to parlay his regional reputation into a significant national following. But that's something his second Sugar Hill release, "West Textures," is bound to change.

In his first one, "The Live Album," Keen demonstrated a droll brand of country-folk and an immensely likable "intelligent rube" personality not unlike that of Andy Griffith in *No Time for Sergeants*. In "West Textures," an eleven-song collection that draws on personal experience and reflects Keen's love for the Texas tradition and the people of his birthplace, he also shows his serious side.

Of all his skills, storytelling is one that Keen is particularly good at, whether he's painting a portrait of a solitary Mexican gardener and the mystery he holds for his employer in *Mariano*, or interpreting Kevin "Blackie" Farrell's *Sonora's Death Row*, a cowboy ballad with an O. Henry ending. But nowhere is Keen stronger than in *The Road Goes On Forever*, an original tune that employs the stories of a small-time hood and his aimless girl friend to weave a morality play about the ultimate cost of living life on the edge.

If such songs seem inherently "textured," showcasing Keen's novelistic skill as a lyricist, producer Jim Rooney (Nanci Griffith, John Prine) follows that lead in his instrumental approach. Rooney, known for his magnificent layering of acoustic instruments, again calls on some of Nashville's best young turks, including the mesmerizing Jonathan Yudkin on fiddle and mandolin, to provide both the superb musical framework, with its thrilling fills and solos, and the drive and energy that Keen and the more pedestrian songs may sometimes lack on their own. It's to Rooney's credit that the album is as enjoyable instrumentally as vocally.

Those just coming to Keen's work may find "West Textures" a bit too much to take in one go and his voice as prickly as a cactus. But those enamored of the best tradition of Lone Star yarnspinning will likely consider Keen a diamond in the rough. Either way, and whether he's whimsical or serious, he comes across here as a valiant outsider battling the Sawyer Brown mentality of contemporary country music. A.N.

TONY LEMANS. Tony LeMans (vocals); vocal and instrumental accompaniment. *Higher Than High; Itchin' to Be; Forever More; Real Thing; Good for You; Bundle of Joy;* and four others (five others on cassette and CD). PAIS- LEY PARK/WEA 25995-1, © 95995-4, © 25995-2 (51 min).

Performance: Rousing Recording: Very good

It doesn't take long for Tony LeMans to convince you of his talents in this debut album. One of the latest artists to be more or less discovered by Prince, Le-Mans wrote or co-wrote all ten selections, and he delivers them with gutsy authority and musical surefootedness. He blasts off with a rousing number called Higher Than High, which is dedicated to Sly Stone and is driven home with the same sort of irresistible charm and unrelenting energy that marked Sly's best work. LeMans's early work on drums is apparent in his refreshing willingness to vary rhythms while still emphasizing a strong rhythmic thrust. He draws from a broad range of influences-from Billy Preston and Sly to, of course, Prince-but only to make his own musical statement. And it is one well worth hearing. PG

THE O'KANES: Imagine That (see Best of the Month, page 80)

DAN REED NETWORK: Slam. Dan Reed Network (vocals and instrumentals). Make It Easy; Slam; Tiger in a Dress: Rainbow Child; Doin' the Love Thing; Stronger Than Steel; Cruise Together; and six others. MERCURY 838 868-1, © 838 868-4, © 838 868-2 (62 min).

Performance: Rambunctious Recording: Good

The Dan Reed Network can funk. The Dan Reed Network can rock. The Dan Reed Network can do both at the same time. The combination is frequently dazzling, as they proved in their debut album last year and as they prove again in "Slam." *Rainbow Child*, for example, recalls Jimi Hendrix and Prince. Guitarist Brion James's power riffs have a monumental quality, yet his phrasing is sinuous. The rest of the band provides delicate syncopation while Reed's high, soulful voice wafts over the instrumental support. Elsewhere there are more commonplace sounds: near-metal strutting and hard-rock slashing. But with the help of producer Nile Rodgers, the band varies the music enough to keep it interesting. The same, unfortunately, cannot be said for the lyrics. Nearly every song describes the same basic idea: I want you. Over the course of the album this simplistic sentiment, in a variety of utterly serious expressions, RG becomes tiresome.

Two noted audio critics agree about the new PS·3 Speaker System:

Howard Blumenthal New York Times

"The speakers that have caught my ear in the past few months have been small and remarkably compact.

"...you can hear the bass evenly throughout the room regardless of where you put the woofer.

"The sound was lively, full of punch and power, and extremely true on the nuances..."

Rich Warren Chicago Tribune

"...the PS•3 satellites sound smooth and natural. They do their job with clarity..."

"The woofer continues the smooth work..."

"...impressive imaging. All the instruments and voices seem to be in just the right place.

"If the PS•3 speaker were sold like magic elixirs, I would have bought a case!"

Don't choose any speaker system without first hearing and seeing the new PS•3. Visit a Design Acoustics dealer near you. Write today for dealer list, full reviews, and color brochure.



CIRCLE NO. 32 ON READER SERVICE CARD

THE SMITHEREENS: 11. The Smithereens (vocals and instrumentals); vocal and instrumental accompaniment. A Girl Like You; Blues Before and After; Blue Period; Baby Be Good; Room Without a View; and five others. ENIGMA/CAPITOL C1-91194, © C4-91194, © C2-91194 (34 min).

Performance: Lukewarm Recording: Excellent

The Smithereens' new album is a real good-news/bad-news affair. The good news (perhaps courtesy of producer Ed Stasium, who has worked wonders with everybody from the Ramones to the Searchers) is that these four guys have finally gotten as close to their sonic ideal—the Beatles meet AC/DC—as seems humanly possible. If you want big metallic guitars and ethereal harmonies, this is the album for you.

The bad news, however, is that the songwriting seems a little tired, especially after last year's eminently hummable "Green Thoughts." The Smithereens' songs have never been about anything in particular apart from songcraft itself; they stand or fall on structural cleverness and melodic appeal, and this time out they're a little parched in both regards.

That's not to say "Smithereens 11" doesn't have its pleasures. The opening single, A Girl Like You, will doubtless sound terrific on a car radio, the Sixties touches in the arrangement of Blue Period are thoroughly endearing, and the oblique tribute to Buddy Holly's widow (Maria Elena) is a nice idea well executed. Mostly, though, this is real inone-ear-and-out-the-other stuff, below the band's previous high standard for pop-mongering and a big disappointment. Yet you have to love an album bearing the sincere admonition: "Remember folks, be good to your parents, they been good to you!" In short, then, not a dishonorable piece of work, but not a terribly exciting one either. S.S.

THE SPINNERS: Down to Business. The Spinners (vocals); instrumental accompaniment. I'm Happy Baby; We Got Business; Heal Me; So Hard to Let You Go; and four others (six others on CD). VOLT/FANTASY V-3403, © VC-3403, © VCD-3403-2 (47 min).

Performance: Up-to-date soul Recording: Satisfactory

The Spinners have always embraced the elements common to the best black popular vocal groups: infectious melodies, rich harmonies, and assertive rhythms all delivered with deep feeling. They have lost nothing over the years, and this new set finds them as appealing as ever. These songs are new, but they have been shaped along traditional lines, making them sound fresh yet familiar. One of the best is the rousing opener, *I'm Happy Baby*, but the spirit never flags in any of the satisfying selections that follow. *P.G.*

JAZZ

PEPPER ADAMS: The Adams Effect. Pepper Adams (baritone saxophone); Frank Foster (tenor saxophone); Tommy Flanagan (piano); Ron Carter (bass); Billy Hart (drums). Binary; Now in Our Lives; Valse Celtique; and three others (four others on CD). UPTOWN UP 27.31, © UPCD 27.31 (49 min). Uptown Records, P.O. Box 186, Harrington Park, NJ 07640.

Performance: Inspired Recording: Excellent

In the early Forties, when Pepper Adams heard Duke Ellington's great baritone saxophonist Harry Carney, the sound of the instrument-an unwieldy one for a twelve-year old-so impressed Adams that he immediately placed it on his list of things to tackle in the future. By 1947, he had added the baritone sax to his arsenal of smaller reed instruments and made it his main instrument. He was then a member of Lucky Thompson's band in Detroit, where he also held a less glamorous job in an auto plant. Some ten years later, Adams was heard on both coasts, working with such established colleagues as Kenny Burrell, Stan Kenton, Chet Baker, Benny Goodman, and Maynard Ferguson. A successful collaboration with trumpeter Donald Byrd firmly established Adams as a top player and led to a series of superb albums. In later years, he won a new following as a member of the Thad Jones-Mel Lewis Orchestra.

'The Adams Effect," a new release on the privately owned Uptown label, was recorded in 1985, fifteen months before Adams died. It features a quintet that reunites him with former Detroit residents Tommy Flanagan (they played together in the Thompson band), Frank Foster, and Ron Carter, with drummer Billy Hart completing the group, and it's a superbly spirited get-together. Everybody is in fine form in a program of original tunes, all but one by Adams, and you won't hear greater cohesiveness in a working group than this. Carter is particularly effective in Valse Celtique, a tune that reflects Adams's admiration for Ellington, and the two saxophonists share Foster's How I Spent the Night in a most compelling way. Flanagan's light, bouncy style has never sounded better-he is truly one of the most underrated of jazz musicians.

The CD contains a nine-minute bonus track, Now in Our Lives, a beautiful, brooding ballad that makes the LP version of this release seem incomplete. Don't miss it. C.4.

RED HOLLOWAY/CLARK TERRY SEXTET: *Locksmith Blues.* Clark Terry (trumpet, flugelhorn); Red Holloway (saxophones, vocal); Gerald Wiggins (piano); Phil Upchurch (guitar); other musicians. Red Top; Happiness Is a Thing Called Joe; Hitting the Road Again; Come Sunday; Locksmith Blues; and four others. CONCORD © CJ-4390-C, © CCD-4390 (52 min).

Performance: Terrific Recording: Very good

This is the kind of set that has become a staple for fans who recall, with relish, a pre-electronic era of jazz-in the Fifties and Sixties-when candid performances were called "blowing sessions" and a musician could be recognized by his tone and style. It's a lot like biting into a slice of hearty homebaked bread after a diet of the cottony commercial variety. But look who is in this sextet. Co-leaders Clark Terry and Red Holloway have been making honest music since the postwar years. "Locksmith Blues" presents both men in splendid form and gives each the opportunity to show his versatility. The solid rhythm support is led in a commanding, twofisted fashion by pianist Gerald Wiggins and propelled decisively by Phil Upchurch, Richard Reid, and Paul Humphrey. Terry and Holloway are terrific together, whether playing a pretty ballad like 'Round Midnight, blowing the light fantastic in Ellington's Cotton Tail, or vocalizing humorously, as they do in the title tune. Let's hope that Holloway, a Concord Jazz regular, invites Terry aboard again soon. C.A.

RICK MARGITZA: Color. Rick Margitza (soprano and tenor saxophone); Joey Calderazzo (piano); other musicians. Widow's Walk; Color Scheme; Ferriss Wheel; Our Song; Walts; and five others (six others on CD). BLUE NOTE ● B11H-92279, ^(©) B41H-92279, ^(©) B21S-92279 (55 min).

Performance: Mixed Recording: Quite good

Thirty years ago, when I asked Lester Young how he felt about the day's young, "modern" saxophonists, he told me they all sounded the same to him, adding that he liked them nevertheless. I wonder what his response would have been if he were asked that question today, at a time when chips and wires have robbed many instruments of their character. Rick Margitza does not soup up his saxophones with electronics, but the bland, limp style that such tampering fostered has clearly influenced his playing. The result is that his work occasionally resembles the formula-ridden, uneventful style of such pop saxophonists as Kenny G and George Howard, I say occasionally, because there are also times when the twenty-seven-year-old saxophonist reflects his admiration for John Coltrane, and those are this album's hopeful moments. C.A.

"JAZZVISIONS"



Albert Collins (left) and Joe Walsh

AZZVISIONS, the latest album series from PolyGram Verve, embodies what is so far a unique approach: Each recording in the series will be issued in five formats—LP, CD, audio cassette, VHS videotape, and twelve-inch CDV (videodisc with stereo digital sound). The project should not only help expand the audience for jazz but also encourage more videotaping of jazz performances—and I'm all for that.

The eight albums in the first Jazzvisions release—and despite the series title, three feature Latin music rather than jazz—were all recorded live at the Wiltern Theatre in Los Angeles in 1987. To review all eight would take more space than I have, so FII focus on two videodiscs that fairly represent the jazz side of things.

"Jump the Blues Away" is a spirited hour of blues vocals that begins with rock guitarist Joe Walsh, segues nicely into an Albert Collins segment, and really starts to jump with the appearance of Etta James. Walsh, whose hit Rocky Mountain Way is included, has a scruffy but effective blues singing style, but it is as a guitarist that he really shows his talent. Collins is a better allaround performer, his most memorable contribution to these proceedings being If Trouble Was Money, a slow, grinding number that features Collins's wordless vocal/guitar sound and some fine support from pianist Gip Noble, whose work is excellent throughout. Also noteworthy is the harmonica playing of Michael Raphael (whose name is left out of the printed credits) and some wellstated saxophone commentary by Jerry Peterson. All play with body-moving vigor, but when Etta James boogies onto the stage, things really come alive. This lady knows the blues inside out and sideways. She also has an electrifying stage presence that's clearly appreciated by the youthful, mostly white, audience, I recommend "Jump" in any format.

Unfortunately, I cannot say the same for the first of two volumes entitled "Echoes of Ellington," which features a decent eight-piece band but is seriously marred by Dianne Reeves's excruciating vocals. If there is such a thing as a ham singer, she's it. When she's in control and dipping into Sarah Vaughan's lower register, her voice can be smooth and compelling, but most of the time she has a problem with her deliveryan annoying habit of emphasizing a lyric by either emulating Snow White at the wishing well or hacking a word to pieces in a strained, choking style that begs for the Heimlich maneuver. The band, with Roger Kellaway at the keyboard, is smooth, sometimes swinging, and appropriately tinged with Ellingtonia. An all-instrumental set would have made the grade, although the vocal side improves somewhat when singer O. C. Smith (you may remember his 1968 hit Little Green Apples) joins Reeves for the medley that ends the concert.

Jazzvisions is a promising series. I do wish the producers had left out the introductions by nonmusic people— Shelly Duvall and Ed Wendt look and sound pretty uncomfortable here. But there is a lot of good music in this first release, whether it's jazz, blues, Latin pop, or a combination of all three.

Chris Albertson

JUMP THE BLUES AWAY. Etta James (vocals); Albert Collins, Joe Walsh (vocals, guitar); Gip Noble (piano); Michael Raphael (harmonica); other musicians. Walkaway; Goin' Down: The Moon Is Full; If Trouble Was Money; Baby, What You Want Me to Do; Sweet Little Angel; The Blues Don't Care; Rocky Mountain Way; Rock Me Baby, VERVE • 841 287-1, © 841 287-4, © 641 287-2, VHS 081 333-3, CDV 081 333-1 (59 min).

ECHOES OF ELLINGTON, VOL. 1. Randy Brecker (trumpet); Bill Evans, Tom Scott, Pete Jolly (saxophones): Roger Kellaway (piano); Andrew Simpkins (bass); Dianne Reeves, O. C. Smith (vocals); other musicians. It Don't Mean a Thing (If It Ain't Got That Swing); In a Sentimental Mood: Mood Indigo; Prelude to a Kiss; Ring Dem Bells: I Got It Bad (And That Ain't Good); I'm Just a Lucky So and So; Medley-Do Nothin' Till You Hear From Me/Don't Get Around Much Anymore. VERVE @ 841 288-1, @ 841 288-4, @ 841 288-2, VHS 081 335-3, CDV 081 335-1 (60 min).



You'll find the most helpful shopping information in the 116 page Crutchield catalog.

FREE Stereo Catalog

Refer to the Crutchfield catalog before buying your next car stereo, home stereo, or video product:

- 116 pages of helpful articles, consumer tips, charts, and installation guides.
- Color photos, complete descriptions and technical specifications on hundreds of the finest brand name products.

You get more value shopping at Crutchfield:

- Toll-free product advice, ordering, and customer service.
- 24 hour shipping.
- Absolute satisfaction guaranteed.
- Full 30-day return privileges.
- Discount prices on Sony, Pioneer, JVC, Jensen, Proton, Advent, Clarion, Kenwood, AR, Infinity, Bose, and many more!

Call or send this coupon now for your FREE Catalog 800-336-5566

Be sure to mention Stereo Review when calling

Name		
Address		Apt. #
City	State	Zip
Optional - Are you in th	ne market for:	
 PC products fax/c security products 	copiers	
CRUIC		

THE BIG PAYBACK

by Steve Simels

VERY now and then—usually it's when a date is worrying about whether I'll be able to pick up a dinner check—people ask me why I got into the rock-criticism business. I generally have no ready answer. Obviously, it's not for the money; among big-name rock crits, only Dave Marsh, of *Book of Rock Lists* fame, has ever, as they say, Gone Platinum. And it's not for respect, either. As you've probably noticed, there are no statues of rock critics.

So why did I get into such an underappreciated profession? Well, I could give you a lot of hoo-hah about loving the music, but what it basically comes down to is what it comes down to in any job in the arts—the perks. And in rock criticism one of the biggest perks is getting all the free records one can handle without moving to a bigger apartment.

That being the case, of course, it occasionally behooves us to earn our keep and let readers know which of the freebies that cram our mailboxes actually delight us. Call this critical Calvinism, call it Jewish guilt, call it late for dinner, but whatever you call it, for me it's payback time, at least this month.

Among the most entertaining oddities I've received of late-and certainly the least expected-are two CD anthologies from the fledgling Sundazed label, "The Fabulous Knickerbockers" and "The Five Americans." Astute readers, of course, will recognize those two bands as prototypical Sixties garagepunk outfits. The Knickerbockers' big hit was the eerily Beatlesesque Lies (appropriated in several recent commercials), and the Five Americans resonate in our collective unconscious thanks to Western Union. their smash mélange of Tex-Mex and Liverpool. But both groups had a lot more first-rate material at their disposal, and these new CD's immortalize them in generally exemplary fashion. Both discs are generous (twenty-plus tracks), just about everything was digitally remastered from original archival multitracks,

there are extensive liner-note interviews with various band members, and the graphics are terrific.

Sundazed is the brainchild of writer and rock historian Bob Irwin. who conceived the label to fill the gap left when Rhino Records decided to concentrate on slightly better-known acts. Irwin has some interesting projects in the works for next year-for example, he's digitizing sixty hours of unreleased mid-Sixties live soundboard tapes of the Trashmen, if you can believe itand on the basis of these two CD's I'd say that he's got the label off to a sensational start. If your local store doesn't stock his discs, you can order them direct from Sundazed at P.O. Box 85, 27 Church St., Coxsackie, NY 12051; the CD's cost \$13.98 each plus \$2 per order for postage and handling.

Moving from the sublime to the terrifying, I should note at this juncture a couple of releases from Performance, an equally obscure outfit conceived and run in New Jersey. Like Sundazed, Performance has Sixties punk acts on its roster, with two great compilations just out by the Syndicate of Sound (highlight: the neatly misogynist Hey Little Girl) and the Music Explosion (highlight: Little Bit o' Soul, most recently covered by Tom Petty). But Performance's corporate sensibility also extends to stuff that heretofore would have been released only in the Twilight Zone-such as LP and CD versions of the complete soundtrack to Plan 9 from Outer Space, the 1958 Edward D. Wood, Jr., science-fiction epic that's been called the worst film ever made.

Actually, Danny Peary's liner notes make an interesting case for the picture as a misunderstood and aheadof-its-time antinuke statement. But whatever you think of *Plan 9*, you'll have to admit that the wizards who invented the CD probably never imagined it would be put to such an improbable use. I know I didn't.

Other notable records from Performance include a reissue of a mid-Seventies concert set by the late Velvet Underground chanteuse Nico and (I am not making this up) a folk album recorded by Charles Manson before his mass-murder spree put an end to what was on the evidence never going to be a flourishing music career. For information on these and upcoming Bizarro World releases from the obviously demented folks at Performance, write to them at P.O. Box 156, New Brunswick, NJ 08901.

And, finally, bouquets to the guys and gals at the aforementioned Rhino Records, who continue to do exemplary work both archival (their Todd Rundgren anthology) and new (the latest Exene Cervenka set). In fact, Rhino has recently released a collection-"The Best of the Blues Project"-that has given me more pleasure than any other music this year. The package (get the CD, naturally) rescues the reputation of a legendary mid-Sixties New York City band that had been scandalously underrepresented in the catalog; it's cannily programmed (including singles even devout fans may have forgotten), nicely annotated (by STEREO REVIEW Contributing Editor Parke Puterbaugh), and beautifully remastered. \square

The Fabulous Knickerbockers: a prototypical Sixties garage band that's immortalized in a CD anthology on the new Sundazed label



ORIGINAL MASTER RECORDINGS

The Sound with the Midas Touch.

The 24K gold answer in the quest for optimal compact disc reproduction. Original Master Recordings that demand Intelligent Engineering and Proprietary Mastering Technology. Exacting Technical Specifications satisfied by a process that offers a compact disc with the Highest Reflectivity and Enhanced Longevity. Current releases on ULTAD!SC: Jethro Tull. The Moody Blues, Pink Floyd, Steely Dan & more. Upcoming titles on ULTRAD!SC: "After the Hurricane plus titles by Rod Stewart. Neil Diamond & more.

> The ULTRAD!SC" is protectively packaged in the "Lift-Lock" jewel box

> > mobile fidelity 7, sound lab a division of MFSL, INC

ТМ

For a complete free Original Master Recordings catalog, call toll free: 800-423-5759, or write: Mobile Fidelity Sound Lab, 1260 Holm Road, Petaluma, CA 94954.

CIRCLE NO. 109 ON READER SERVICE CARD

ORIGINAL MASTER RECORDING.

ORIGINAL MASTER RECORDING

JEFF BECK WIRE

JAIGINAL MASTER RECORDING

ORIGINAL MASTER RECORDING.

TON





Buckle up and get ready to experience the sonic energy and pure power of Pyle PRO woofers.

Pyle engineers have reinvented the heart and soul of loudspeakers — our new woven fiber IronCloth voice coils make Pyle PRO woofers virtually indestructible. When combined with polymer laminate cones, vented pole pieces, massive motor structures and heavy duty housings, you get the most durable speakers available at any price.

Now you can dive to the deepest lows and accelerate to the highest peaks with new found confidence. You'll feel the power as your skin tingles, see the force as your car moves to the beat and hear sounds you've never heard before.

Break the sound barrier with Pyle car stereo speakers and electronics.



For the name of the Pyle dealer nearest you write: Pyle Industries, Inc. • Huntington, IN 46750



Powerful Enough To Be Pyle! Dollar for dollar, the most dynamic speakers you can buy. Perfectly Pyle!

CLASSICAL MUSIC

Discs and tapes reviewed by Robert Ackart, Richard Freed, David Hall, Stoddard Lincoln, Eric Salzman, and David Patrick Stearns

J. S. BACH: Goldberg Variations. Keith Jarrett (harpsichord). ECM © 1395 (62 min).

Performance: Vital Recording: Lovely

For this recording of the Goldherg Variations. Keith Jarrett has wisely abandoned the grand piano he used in his earlier ECM recording of Bach's Well-Tempered Clavier, Book 1. The harpsichord makes for greater sonic clarity, and Jarrett is able to come much closer to his stated goal of achieving an "ultimate objectivity" in Bach interpretation. While one looks in vain for anything distinctive in his middle-of-theroad approach to tempos and discreet use of ornamentation, it is possible to sense his delight in the musical logic of the piece. Jarrett's performance has a lot to offer, but not so much as to recommend it over the more deeply considered harpsichord recordings of the work by Ton Koopman on Erato and Scott Ross on EMI. DPS

BEETHOVEN: Piano Sonatas: No. 17, in D Minor, Op. 31, No. 2 ("The Tempest"); No. 21, in C Major, Op. 53 ("Waldstein"); No. 25, in G Major, Op. 79; No. 26, in E-flat Major, Op. 81a ("Les Adieux"). Maurizio Pollini (piano). DEUTSCHE GRAMMOPHON © 427 642-2 (72 min).

Performance: Aristocratic Recording: Just fine

There is no pianist more aristocratic than Maurizio Pollini, if I may use that term to embrace fastidiousness, unfeigned elegance, and all-round high purposefulness. To some listeners, I'm aware, it connotes something more like "cool," or even "aloof," and in parts of the two most popular of the four sonatas here, his playing may bolster such an impression. In the first movement of the *Waldstein* and the last of *The Tempest*, one may feel that Pollini is giving us little more than note-spinning—in

EXPLANATION OF SYMBOLS

- DIGITALLY RECORDED LP
- \odot = TAPE CASSETTE
- © = COMPACT DISC (TIMINGS ARE
 - TO NEAREST MINUTE)



Christopher Hogwood

HOGWOOD'S BEETHOVEN NINTH

HE release of the Ninth Symphony completes Christopher Hogwood's Beethoven cycle on L'Oiseau-Lyre. For this "historically informed" realization of the work by his Academy of Ancient Music, Hogwood follows the common Classical practice of doubling the woodwinds in the orchestral tutti, using an orchestra of eighty-nine players, and he employs a large chorus in the finale. The result is an overall sound that is decidedly in accord with what we are used to from modern instruments, but at the same time it retains the more just balances and greater clarity of texture typical of performances using period-style instruments.

The performance itself, like Roger Norrington's earlier, much-praised one on EMI, follows Beethoven's metronome markings, though in general the atmosphere of Hogwood's performance is less intense than Norrington's. Thus, we get a slower than usual trio in the scherzo, a slow-movement tempo that emphasizes lyrical flow rather than the "mystical rapture" cultivated by, say, Furtwängler, and a double-bass recitative that adheres not to free-speech rhythms but to Beethoven's injunction that it be "in tempo." Likewise, the alla marcia with tenor solo is taken not at a military pace but at a rather comfortable amble, nor does the orchestral fugato seem at all headlong.

Hogwood's vocal forces are definitely ahead of Norrington's. His soloists function superbly as a team, and both the bass, Gregory Reinhart, and the tenor, Anthony Rolfe Johnson, are distinguished by their firm delivery. The London Symphony Chorus sounds a bit recessed in its initial "Freude!" exclamations, but elsewhere balances are as they should be, and the sonic impact and enthusiasm of these hundred singers carry matters to a properly triumphant conclusion. I also like the warm sound of Hogwood's recording locale, the spacious Walthamstow Assembly Hall, better than the studio ambience of Norrington's.

While both Hogwood and Norrington offer attractive alternatives to the familiar modern-style readings of the Beethoven Ninth, Hogwood works on a bigger scale of sonority and emphasizes the singing line—most successfully. I think, in his expansive treatment of the finale. In the end, though, I am quite happy to own both. David Hall

BEETHOVEN: Symphony No. 9, in D Minor, Op. 125 ("Choral"). Arleen Augér (soprano); Catherine Robbin (contralto); Anthony Rolfe Johnson (tenor); Gregory Reinhart (bass); London Symphony Chorus; Academy of Ancient Music, Christopher Hogwood cond. L'OISEAU-LYRE © 425 517-4. © 425 517-2 (63 min). SYSTEMS/BLANK AUDIO TAPES/AUDIO ACCESSORIES/VIDEO RECORDERS/COLOR TELE S/BLANK VIDEO TAPES/VIDÉO ACCESSORIES/PERSONAL COMPUTERS/BUSINES FURNITURE/CAR STEREO RADAR DETECTORS/CAR SECU PORTABLES/CLOCK RADIOS/PORTABLE CO RITY/PERSONAL



e FM Receiver, 80 watts/channel \$79995 RoomMate Amplified speakers

ORDER TOLL-FREE **1-800-221-8180** Mall Order Hours: Monday To Friday & AM to & PM, Saturday & AM to & I Dealer & Institutional Inguiries Call Toll-Free 1-800-221-3191 – In New

Outside U.S.A. Call: 1-718-417-3737 ay 9 AM to 6 PM, Sunday 10 AM to 4 PM

of Disco Lights CALL

0 CHICOVER VIŜA

York 1-718 J&R Music World, Dept. SR0390, 59-50 Queens-Midtown Expressway, Maspeth, Queens, NY 11378

•Equalizer/Analyzer, with mic . . . \$299%

VISIONS/VIDEO PROCESSORS/CAMCÓRDERS/VIDEO CAMERA NTERS/MONITORS/COMPUTER SOFTWARE/FLOPPY DISKS/COM CHINES/TELEPHONE BUSINESS SYSTEMS/HOME



ATORS/TYPEV	VRITERS/RECORDS/C	COMPACT DISCS/P
lead Hi-Fi VCRs	Video Speciality Produces	Phones/Answering Machines
oshiba M-9485		Panasonic KX-TIOOO
VHS HI-FI Video Recorder nuth 4-video heods for great slow ects • 122-channel coble AfS stereo tuner • 4-day/4-event treen programming • Remole 2995 (TOS M9485) V-4860	AV Selecto • 7-video inpuls & oulpuls • 2 monitor outpuls • S-video on all inpul & oulpul acks • Remote control • VC seperator circuit • Duol operation allows operation of 2-signal actins Out 364995 Price 0 (VC JXS90C) Recolon V-623	Auto-Logic Answering Machine • Ione remote control - Auto-Logic operation • Variable OGM (up to 30-seconds) • Call screening • Digital display for up to 9-calls • Tail saver • Calling party control Out Low • 4444 Phice • 44444 (PAN KXTIOOO) Panasonic KX-T3807
Bevent limer, remote	-Stereo Tr decoder, MIS/SAP & cable . 49*5 Audio Source SS-One II -Surrouc sound decoder . 5129*5 NEC AV-360E -Surrounc Amp. Dolby surround 5299*5 NAD MB12	-Cordiess Phone, wall/desk 599's Code-A-Phone 5500 -Remote Answering Machine, Ioli sover 559's Panasonic KX-14200 -Cordiess Phone/onswering system \$1488e Phoneometra 2560
Wild effects, On-scieen \$6999*3 P7O \$7999*5 pilal effects, remaine \$7999*5 VOII \$CALL	*13' stereo TV/monifor, high resolution *3399*5 Vidicraft Pro Switcher *4400 video switcher *4 X 4 Audio /video switcher \$499*5 Videonics Direct-Ed + CALL	*101ed rowsening mochine, conference, \$159% *21ine anxiesting mochine, conference, \$159% Sony SPP-110 *Cordless phone, 10# memary *159% Sony SPP-300 *Cord/Cardless phone, tone/pulse *209%
eo/Radar Detectors	Audio Accessories	Blank Tape Specials
		SONY CONTRACTOR
Clarion 977CRT A Stereo Cassette Receiver Red PLL Juning 12-FM/6-AM Uto-reverse - Dolby B + 25 + 4-4-way balance + Bass & treble nation + DIN chcssis	Discwasher "DiscSet" Record & Shlus Care • The essentials of record & shylus care • Incluces SC-2 Stylus Care Eystem and D4+ Record Care System packaged in a valnut base our CL228	Sony SR-IOO Metal Cassette Tape • Sony brings metal tape and high quality housing to an affordable price • New 100 minute mgth is ideal for taping compact discs Our taping compact discs
28 ⁸⁸ (CLA 977ORT) XL or, very compoct \$139 ⁹⁵ 424 5 watts/ch, auto-rev \$149 ⁹⁵	Out Price \$1388 (DW DISCSET) Discwasher Record Cleaning System •Cleaning brush & Iluid \$995 Recolor CD-20 \$1795	Image Image <th< th=""></th<>
ess 3 ar, 3-band	Discwasher Zerostat \$17% Anti-stars gun for records \$17% Recolor CD-25 -CD len: cleaner, easy la use \$19% Audio Surra 110	Maxell XLII-90 •High bias audio casselles 10-Pack \$1790 TOK SAX-100 •High performance high bias 10-Pack \$2290 Mayeria My 100
6040@R movable, 25 watts /channel \$27795	•CD len: cleaning kit	Metal bias casselle lapes 10-Pack \$29°0 Sony Metal 90 •Metal casselles. 90 minutes 10-Pack \$29°0
ave Radio Specials	Headphone Specials	
and so the second secon	Beyerdynamic DT-99C Audiophile Sterec Headphomes • High scuracy dynamic oper design • Very large low moss diaphragm & moving coil assembly • Response 5-35-Kt • Ligh weight • Adju:table headband Our Proce \$18995 (BE* D1990)	FREE CATALOGUE For a FREE catalogue call toil-free 800-426-6027, or Write: J&R Music World Department SR0390
20 ands 1-7. compact , \$8495 \$0095	Sony MDR-022 \$1495 stightweight dual plug \$1495 Sony MDR-62 stightweight deal roady \$3395	59-50 Queens-Midtown Expressway Maspeth, NY 11378.

assembly • Response: 5-35×Hz • Ligh weight • Adjustable headband	
Our Low \$18995 Price (BE* D1990)	
Sony MDR-022 +Lightweight, dual plug	No.
Sony MDR-62 +Lightweight, digital ready	1.1.4
Azden DM-70 •New digital monitors	and the second
Azden DM-90 •Lightweight, clased ear digital monitors = \$69%	
Sony MDR-IF5K	

•Audiophile cordless lightweight phones CALL

Bever IRS-690

FREE CATALOGUE For a FREE catalogue call toll-free 800-426-6027, or Write: J&R Music World Department SR0390 59-50 Queens-Midtown Expressway Maspeth, NY 11378.
Name
Address

CIACLE

State

Zip

City

SEND MONEY ORDER, CERTIFIED OR CASHIER'S CHECK, MASTERCA expiration date and sonature.) TO: J&R MUSIC WORLD, DEPT. 1732. Personal and business checks must clear our Authorizati is 5% of Totol Order with a \$4.95 minimum, (Canadian Orders plagte double three sources) CAN EXPRESS or DISCOVER CA



the former to allow the time to pass till he can get at the parts of the work that interest him, and in the latter because he is too impatient to deal with the music on its own terms. But in the rest of these two sonatas and all of the G Major and *Les Adieux*, the playing is bewitching.

The G Major, in particular, a sonata relatively neglected in the recital room, exudes all the wit and considerable

as a "Masque for the entertainment of the King," it is actually a short opera in three acts and a prologue. First performed before the court in Oxford in 1681 with Charles II's second mistress, Moll Davis, and her nine-year-old daughter, Mary Tudor, as Venus and Cupid, respectively, *Venus and Adonis* preceded Purcell's *Dido and Aeneas* by some eight years and must be considered England's first opera. And not only



Maurizio Pollini: bewitching Beethoven

charm Beethoven wrote into it. without giving up anything of the aforementioned "aristocratic" approach. It's as if Pollini were mindful that Beethoven, even in his "unbuttoned" moments, was a true Olympian. In any event, for the two later sonatas and a good deal in the two earlier ones, this recording strikes me as indispensable, as I imagine it will anyone who gets a chance to hear it. The sound is just fine. R.F.

BERNSTEIN: Serenade for Violin, String Orchestra, Harp, and Percussion (see Best of the Month, page 80)

BLOW: Venus and Adonis. Nancy Argenta (soprano). Cupid; Lynne Dawson (soprano). Venus; Stephen Varcoe (bass). Adonis: Rogers Covey-Crump (tenor). Huntsman; Emily Van Evera (soprano), Shepherdess; others. Chorus: London Baroque, Charles Medlam cond. HARMONIA MUNDI HMC © 40.1276, © 90.1276 (50 min).

Performance: *Exquisite* Recording: *Excellent*

Although the original manuscript describes John Blow's Venus and Adonis is it Blow's operatic masterpiece, but it rivals the Purcell in quality, if not in popularity.

The most amazing aspect of the work is the tremendous variety of characterizations crammed into less than an hour of performance time. The chorus alternately portrays shepherds and shepherdesses, courtiers, huntsmen, cupids, and graces, and Blow skillfully identified each group by varying the style of his choral writing. But the musical centerpiece of the opera is the sensitive vocal writing for the two lovers. Lynne Dawson as Venus and Stephen Varco as Adonis sing these roles exquisitely and with exemplary diction, while Nancy Argenta's Cupid is pipingly crisp. Her spelling lesson for the little cupids, a sharp commentary on the cynicism of the Restoration court, is appropriately pointed.

Special mention must be made of Nigel North's continuo playing on the theorbo. His realizations are rich and inventive, and his treatment of the solo figured-bass line that follows Adonis's death in Venus's arms is especially moving. Charles Medlam's overall pacing succeeds beautifully in holding the work together as a single dramatic statement. This excellent recording belongs in the collection of every lover of early music. S.L.

DVOŘÁK: Symphony No. 8, in G Major, Op. 88; Scherzo capriccioso, Op. 66; Notturno in B Major, Op. 40. Los Angeles Philharmonic Orchestra, André Previn cond. TELARC © CD-80206 (57 min).

Performance: Warmhearted Recording: Soft-contoured

Those who like their Dvořák more softcontoured than hard-edged will enjoy this André Previn–Los Angeles Philharmonic recording. The conductor's approach to the Eighth Symphony is affectionate, freely lyrical, and attentive to inner woodwind detail and delicate countermelody elements. The beguiling third movement has just the right lilting quality, in the central section especially, and the finale has ample punch and brilliance, even in Royce Hall, which tends to favor the lower end of the tonal spectrum.

As in the symphony, it is the lyrical elements of the *Scherzo capriccioso* that show to best advantage here, though the innately scintillating quality of the climaxes seems a bit muffled by the acoustic ambience. The lovely *Notturno*, adapted from an early string quartet, is made to order for the Royce Hall acoustic, and the Los Angeles string players clearly relish every note. *D.H.*

GOUNOD: Messe chorale. SAINT-SAËNS: Messe, Op. 4. Soloists; Marie-Claire Alain (organ); Ensemble Vocale de Lausanne, Michel Corboz cond. ERATO © ECD 75540 (68 min).

Performance: Lovely Recording: Just right

These Masses by two nineteenth-century French composers known for their basically secular temperaments are, you'll find, quite sincere-and worthwhile listening when approached as early efforts by major musical minds. Whether by tradition or choice, both Saint-Saëns and Gounod limited themselves to settings of the Mass that fell well within the traditions of their day, and both works are more contemplative than descriptive. The Gounod could hardly be more lyrical, appealing, and, in its own way, quietly moving at various key points. The Saint-Saëns, heard here in an organ transcription, seems to attempt more frequently to break with tradition. But aside from some dramatic, Berliozian gestures, it doesn't reach any genuinely new ground. The results are sometimes novel, sometimes clumsy, occasionally long-winded. but well worth hearing. The attractive performances, with the imposing presence of organist Marie-Claire Alain as well as conductor Michel Corboz at his most judicious, make this recording a pleasant break from the heaven-storming



RUSSIAN SPIRIT



Gidon Kremer, Daniel Phillips, Yo-Yo Ma, Kim Kashkashian

T his Lockenhaus Festival in Austria and wherever else he undertakes chamber-music projects, Gidon Kremer brings together associates who are serious about making music together, musicians who are not content to be just a bunch of all-stars coasting on their names. He and various associates have recorded two of Shostakovich's late string quartets at Lockenhaus-Nos. 13 and 14, for ECM-and now CBS has released No. 15, recorded live at the 92nd Street Y in New York in 1985, together with a 1988 recording of a duo sonata for violin and cello by Sofia Gubaidulina called Rejoice! Yo-Yo Ma is the cellist in both works; in the Shostakovich the second violinist is Daniel Phillips and the violist is Kim Kashkashian, both Lockenhaus regulars. Both the works themselves and the performances are remarkable for their spiritual power-a phrase one needn't be the least bit embarrassed about using to describe them.

The last of Shostakovich's fifteen quartets has been, as Laurel E. Fay observes in her annotation, "widely regarded as the composer's private requiem." Its unusual form comprises six movements all marked adagio and played without pause; the first (and longest) movement is designated an Elegy, the penultimate (and slowest) one a Funeral March. Kremer and his associates take a somewhat starker view here than the Taneyev Quartet, which gave the première in November 1974 and recorded the work at that time, or the Fitzwilliam Quartet, the British foursome that disbanded not long after fulfilling its preordained mission of recording all the Shostakovich quartets.

The phrasing in the new performance is more angular here and there, the silences seem deeper and more emphatic, and there is, above all, a sense of spiritual *weight* that dictates more deliberate pacing overall.

As compelling as the performance of the Shostakovich is, the duo sonata Rejoice! by Gubaidulina, whose music Kremer has so conspicuously championed, is the real discovery of this release. Like the violin concerto Offertorium (Kremer's recording of which I reviewed in January) and several of her other works, this one, composed nine years ago, has titles, both for the work as a whole and for each of its five movements, with religious connotations. But it is not a "devotional" work in any conventional sense, and it does not convey the notion of "rejoicing" in a way at all conventional; Laurel Fay quotes the composer as calling it "a metaphor for the transition into an 'other' reality through the juxtaposition of normal sound with that of harmonics." Unlike far too much other music of our time, Gubaidulina's is more interesting in the actual hearing than it is to read about, and this stunning performance of Rejoice! should do much to create an audience eager for more. CBS has come through with vivid, well-balanced sound in both works, and I didn't notice a peep from the audience in the Shosta-**Richard Freed** kovich.

SHOSTAKOVICH: String Quartet No. 15, in E-flat Minor, Op. 144. Gidon Kremer, Daniel Phillips (violin): Kim Kashkashian (viola); Yo-Yo Ma (cello). GUBAIDULINA: Rejoice! Gidon Kremer (violin); Yo-Yo Ma (cello). CBS MK 44924 (68 min). profundities of greater, more familiar works. D.P.S.

HANDEL: Concerti grossi, Op. 6, Nos. 1-4. Guildhall String Ensemble, Robert Salter cond. RCA © 7895-2-RC (45 min).

Performance: Spirited Recording: Fine

What with all the early-music ensembles of period instruments coming out of London, it is a pleasure to know that the state of string playing on modern instruments is also in good form. This recording by the Guildhall String Ensemble, formed in 1981 by outstanding students of that excellent school of music and drama, is refreshing to hear. The tone is clear and bright, and the ensemble plays with a vitality that brings joy to the music. Their excellent reading of the first four concertos of Handel's Op. 6 certainly attests to the validity of this wonderful music on modern instruments. SL

MOZART: *Piano Music* (see Best of the Month, page 81)

MOZART: Requiem in D Minor (K. 626). Marie McLaughlin, Maria Ewing (soprano); Jerry Hadley (tenor); Cornelius Hauptmann (bass); Bavarian Radio Chorus and Symphony Orchestra, Leonard Bernstein cond. DEUTSCHE GRAMMOPHON © 427 353-2 (59 min).

Performance: Superb Recording: First-rate

Since Leonard Bernstein has been favoring more and more deliberate tempos in his performances over the last few years, I would have expected this reading of the Mozart Requiem to be of "monumental" proportions and invested with a "monumental" weight to match. But, of course, one can never make assumptions when such an artist is concerned, and in the event the performance is one whose fervency is sustained with an exceptionally natural momentum. Its conviction is carried not by overlaid emphases but by singing lines, with the most unforced beauty in evidence from both the vocal and instrumental participants from first note to last. It is, in a word, the most persuasive account of this still problematic work I have ever heard, one likely to change a lot of attitudes toward it from grudging respect to profound affection.

Bernstein has chosen the edition produced in 1971 by Franz Beyer, which makes at least as much sense as any other, and he has chosen four soloists who are simply superb. Some listeners, I imagine, may feel Cornelius Hauptmann's voice is a little light for the "Tuba mirum," but such a response is most likely based on some exaggerated traditions of the past. The two sopranos are heart-meltingly lovely in the "Recordare," and Jerry Hadley has by now made the tenor part in this work pretty

	ELECTRONIC ELECTRONIC		AIL ORDER CALLS (201) 489-1204 MAIL ORDER HOURS MON-SAT 10:00-7:00 EETAIL HOURS W YORK : MON-SAT 10:00-6:30 W JERSEY : MON-SAT 10:00-9:00 W JERSEY : MON-SAT 10:0-9:00 W JERSEY : MON-SAT 10:0-9:00
SPEAKERS ALLISON CD-6 • MAZING IMAGING • TWPETERS & WOOFER \$206	HOME AUD RECEIVERS NAKAMICHI TA-3A -75 W P/C RECEIVER -180H CURRENT/YOLTAGE -REMOTE CONTROL	IO CENTER SEPARATES YAMAHA MX-1000 -200 WPC -18 DB IEE ADROOM -ANALOG METERS	CD PLAYERS DENON \$646 DCD-1560 • NEW RELEASE • 20 BIT B TIMES O/S • REMOTE CONTROL
- STEREO EVARYMATERE - PROCE PER PAR- DEX SUDDRED 5000 36 ALLISON ALIO CALL DESCNACOLSTICS PS-10 36 ALLISON LC120 316 INFINITY RS2001 366 ALLISON CODO CALL INFINITY RS2001 396 AR ISW 510 406 INFINITY RS2001 354 AR STC650. TOP NATED INFINITY KAPPA 5 CALL AR POWER PARINERS 266 INFINITY KAPPA 7 1085 BOSE AM3 CALL JEL 2017 336 BOSE S15 749 JEL 10013 996		POWER AMPLIFIER AR P-10 AR P-10 AR D-10 AR D-1 AR D-1	VARIABLE VOLUME ADVARIABLE VOLUME ANARIABLE VOLUME CAMBRIDGE CD-2 996 MULTIPLE CD PLAYERS DENON DCO-520 .196 DENON DCM-520 .196 DENON DCM-520 .236 DENON DCM-520 JENON DCM-520 ADVARDAN ZAL ANARDAN ZAL ZAL
BOSE 2-5 149 56 1/0/1-5 96 BOSE 2-7 106 101 246 8 BOSE 10.2 10 246 8 246 B ACOUSTIC A60 SIII 36 310 276 B ACOUSTIC 7830 CALL KEF C75 CALL CAMBER 6TI 346 KEF C75 375 CELESTIDN 3 216 KEF C55 896	JUC RA-701 325 FUDIER 52-39063 545 JUC RA-801 525 SUNY STR-34910 CALL LUXMAN R113 CALL SUNY STR-3X4E51 356 LUXMAN R115 546 SUNY STR-3X4E51 356 LUXMAN R117 546 YAMAHA RX-330 725 NAD 7240PE 356 YAMAHA RX-330 356 NAD 725PE 276 YAMAHA RX-330 356 NAD 725PE 276 YAMAHA RX-330 366	DBX B03 MNI 986 YAMAHA XX-700 376 DENDN TU450 196 YAMAHA XX-900 .536 DENDN TU450 1065 YAMAHA DSP-100 .486 DENDN PMA-720 346 YAMAHA DSP-100 .486 DENDN PMA-720 346 YAMAHA DSP-100 .456 DENDN PMA-820 466 YAMAHA DSP-300 .336 DENDN PMA-1527 656 YAMAHA CX-600 .336 DENDN PMA-1527 L956 YAMAHA CX-600 .856 DENDN PAC-700 CALL YAMAHA XX-800 .846	NAD 5340 326 DHKYD DXC500 396 NAKAMICHI CDP2A 416 PHILIPS CDC.875 446 ONKYD DX.7200 785 PIONEER PDM-410 216 ONKYD DX.7500 546 PIONEER PDM-410 216 SONY CDP.70 556 PIONEER PDM-410 216 SONY CDP.70 546 PIONEER PDM-410 216 SONY CDP.70 546 PIONEER PDM-10 266 SONY CDP.70 510 PIONEER PDM-10 266 SONY CDP.208ES 326 PIONEER PDM-710 416 SONY CDP.208ES 1596 SONY CDP.2030 CALL YAWAHA CDX-520 256 SONY CDP.204ES CALES



CALL

186

226 396 566

516 205 316



CIRCLE NO. 184 ON READER SERVICE CARD

much his own-one might even say, made himself its own. The chorus and orchestra give their very best and perhaps a little more for Bernstein, who has dedicated the recording, made live in the fabulous-looking Baroque church at Diessen in Ammersee, Bavaria, a year and a half ago, to the memory of his wife, the actress Felicia Montealegre (shown on the booklet cover in Carl Van Vechten's photograph of her in the role of Saint Joan). The sound quality is absolutely first-rate, without a murmur from the audience, and there is a very comprehensive background note on the Requiem by Peter Branscombe. R.F.

SAINT-SAËNS: Messe, Op. 4 (see **GOUNOD**)

SCHUMAN: Violin Concerto (see Best of the Month, page 80)

VIVALDI: The Four Seasons. Nigel Kennedy (violin); English Chamber Orchestra, Nigel Kennedy cond. EMI/ ANGEL © 4DS-49557, @ CDC-49557 (40 min).

Performance: Original Recording: Fine

The young British violinist Nigel Kennedy isn't one to record something unless he has strong views on it. And while The Four Seasons is about the last thing you'd expect from a "serious" artist who sports a punk hairdo and leads his own part-time rock band, Kennedy's new recording projects a distinctive view of Vivaldi's oft-played music. His performances in the brisk outer movements are pretty much business as usual, but the slow movements are distinguished by an intensely lyrical, warmly Italianate style and expressive, judicious use of vibrato. In the slow movement of the Autumn concerto, for instance, he does some bewitching things with harmonics, and his cadenzas are full of all kinds of eccentric glissandos. It's not a particularly full CD, but if you want a new recording of this work on modern instruments, it may challenge and delight you. D.P.S.

WEILL: Violin Concerto, Op. 12; Kiddush; Kleine Dreigroschenmusik. Yuval Waldman (violin); Grayson Hirst (tenor); Ray Pellerin (organ); Amor Artis Chamber Choir and Orchestra, Johannes Somary cond. NEWPORT CLAS-SIC @ NCD 60098 (55 min).

Performance: Okay Recording: Vivid

Kurt Weill's Violin Concerto, said to be his next-to-last symphonic work, was written in 1924-before any of the stage works for which he is now remembered. It is cast in his early modern-music style-somewhere between, say, Hindemith and Prokofiev. The wind-band version of the Threepenny Opera music. commissioned by Otto Klemperer shortly after the work's initial success, dates from 1928. Kiddush was written for the seventy-fifth anniversary of the Park Avenue Synagogue in New York (five other composers were also commissioned-Roy Harris, Darius Milhaud, Ernest Bloch, David Diamond, and William Grant Still); it was dedicated by Weill to the memory of his father, a synagogue cantor.

The stylistic range here is astonishing. From the dissonant lyricism of the concerto to the biting wit of the Little Threevenny Music (emphasized by the scoring for winds) to the bluesy cantorial romanticism of the Kiddush is a leap or two. Everything Weill did was, of course, touched with the magic of his particular personality, but it is still the Threepenny Music that takes center stage, especially in this deliciously wicked arrangement by the master himself. The performances are okay, and the vivid recording works well for the instrumental works, less well for the Kiddush, where the voices are a bit too close for comfort. ES

COLLECTIONS

VLADIMIR HOROWITZ: Horowitz at Home. Mozart: Piano Sonata in Bflat Major (K. 281); Adagio in B Minor (K. 540); Rondo in D Major (K. 485). Schubert: Moment musical in F Minor, Ov. 94 (D. 780), No. 3. Schubert/Liszt: Ständchen; Soirées de Vienne, Valses-Caprices Nos. 6 and 7. Vladimir Horowitz (piano). DEUTSCHE GRAMMOPHON • 427 772-1, © 427 772-4, © 427 772-2 (54 min).

Performance: Wizardry Recording: Well-focused

Shortly after the death of Vladimir Horowitz last November, Deutsche Grammophon issued this collection of Mozart, Schubert, and Schubert/Liszt under the title "Horowitz at Home." The performances were all taped over a period of time in the great pianist's apartment, but the heading is equally justified by both the choice of repertoire and the way it is presented. Nothing grandscaled here, no pyrotechnical display, but music and musicmaking characterized by lyricism and warmth of heartto make one feel "at home." The wizardry that is inevitably involved makes it clear enough whose home. Who else could have made Mozart's early Sonata in B-flat Major (K. 281) at once so crisp and so caressing?

"All my life," Horowitz wrote in his own annotation, "I have considered music of all periods romantic. ... And shouldn't the performer listen to his heart rather than to intellectual concepts of how to play Classical, Romantic, or any other style of music?" Yet how aristocratically Classical his approach to the two shorter pieces happened to be: The K. 540 Adagio presses forward with the convincing momentum that reminds us such a designation was so often for Mozart and

Haydn more an indication of mood than of speed, and the more familiar K. 485 Rondo, while "playful and happy," as Horowitz noted, unostentatiously exudes an air of substance and depth, as if to remind us that the piece may well have been conceived in part as a sort of memorial to Johann Christian Bach, from whom the theme was borrowed.

Liszt's transcriptions, or paraphrases, of Schubert's Ständchen and two of the waltzes worked over to form the Soirées de Vienne produced a sequence Horowitz found espcially appealing-as any-ANGEL one must whose ears are on straight. By way of a brief interlude between Schubert/Liszt and the Mozart portion of the disc is one of the tiniest of Schubert's original piano pieces, the Moment musical No. 3, in F Minor, whose childlike directness parallels that of another favorite Horowitz encore, Schumann's Träumerei. The sound is focused just

RECOR

STEINER/

NV

CHRIST



Itzhak Perlman: a celebration

right to enhance the overall feeling of intimacy, with a suggestion of being in a living room, and yet not too close; the softest notes are not lost, the loudest ones do not overwhelm. Horowitz, of course, left many more impressive memorials to his unique artistry, but none more endearing. R.F.

ITZHAK PERLMAN: A Tribute to Jascha Heifetz. Ponce (arr. Heifetz): Estrellita. Moszkowski (arr. Sarasate, ed. Heifetz): Guitarre, Op. 45, No. 2. Drigo (arr. Heifetz): Valse bluette. Rachmaninoff (arr. Heifetz): It's Peaceful Here, Op. 21, No. 7. Ravel (arr. Heifetz): Valses nobles et sentimentales Nos. 6 and 7. Chopin (arr. Heifetz): Nocturne in E-flat Major, Op. 55 No. 2. Poulenc (arr. Heifetz): Presto. Saint-Saëns (arr. Heifetz): Carnival of the Animals, The Swan. Gershwin (arr. Heifetz): Three Preludes. Albéniz (arr. Heifetz): Suite española, Op. 47, Sevilla. Rameau (arr. Heifetz): Rigaudon. And



21-8	800-	356	951	4 1-	BO	0-35	6-9	514	1-80	00-3	56-9	9514	1-8	00-3	56-951	42
UVC HRS8000 . COMPARED Digital Super VHS - MTS HF 4 Head + Indexing - LCD Remote WDS WDS WDS WDS	JVC HRS5500 . LOW PRICE Super VHS • 4 Head • MTS HIFI Flying Erase Heads • OSP	JVC HRD850U . LOW PRICE Digital 4 Head MTS HIFI PIP • LCD Remote • OSP	4 HEAD HIFI \$369 On Screen Program • 6/21 122 Ch • Slow Motion		VIDEO RECORDER	HITACHI VTF330 SPECIAL Double Azimuth 4-Head • 155 Ch Digital Auto Tracking • 8/365	SONY SLV555 . Low PRICE On Screen Program • 181 Ch Flying Erase Heads • 4 Heads	RCA VR620HF \$379 4 Head MTS HIFI 155 Ch • On Screen Program	JVC HRD840U . LOW PRICE 4 Head • Indexing • 4 HQ Circuits 181 Ch • 8/14 Day • LCD Remote	ZENITH MTS HIFI \$389 On Screen Menu + Slow Motion VHS Index + Go-To + 2 Func. Mem.	All 4 HQ Circuits • 4-Head On Screen Program • Index Search	GE MTS HIFI \$349 Auto Channel Set-up • 155 Ch 4/Month • On Screen Program	VHS MTS HIFL #329 On Screen Program • 6/21 Day 122 Ch • Slow Motion		"A CUT ABOVE THE REST"	WDS WDS WDS WDS WDS WISCONSIN DISCOUNT
TOSHIBA CF3254 CLOW PRICE 32" 700 Lines - 181 Ch - MTS AV InstOuts - Super VHS Input WDS WDS WDS WDS V	JVC AV3189S , LOW PRICE 31" 700 Lines - Super VHS Input Audio/Video Ins and Outs	JVC AV3589S . Low Price 35" 700 Lines • Dolby Surround Super VHS Input • MTS	SONY KV32XBR LOW PRICE Best 32" Made • 600 Lines 181 Ch • SRS Sound System	٥	LANCE SCREEN HEADQUARTERS	SONY CCDF46 CALL 3 lux • 8x Zoom • FEH • ft.6 2 lb 10 oz • Varlable Shutter	HiBIT 8 • 7 lux • 10x Zoom 360,000 pixels • FEH	JVC GRS77 LOW PRICE Super VHS-C • 360,000 pixels Flying Erase Heads	JVC GRA1 SPECIAL VHS-C • 360,000 pixels Flying Erase Heads • 6x Zoom	JVC GR60U SPECIAL VHSC • 360,000 pixels 8x Zoom • Flying Erase Heads	NO GAMES • NO GIMMICKS LOW DELIVERED PRICES ALL SUPPLIED ACCESSORIES	SHARP FULL SIZE VHS *769 Flying Erase Heads • 8X 4 Lux • 270K pixels	Full Size VHS *699 6x • HQ • Auto Focus 7 Lux • 4 Head		2417 W. Badger Road Madison, Wi 53713 1-608-271-6889 Sowe reeks CLOSEOUTS CAMCORDERS	WDS WDS WDS WDS WISCONGIN DISCOUNT EST. 1954 WDS
CHRS8000 CUMMANTEE USW FARCE JVC AV2059S CUMMANTEE USW FARCE JVC AV2059S CLARION 8671RT 199 CLARION 5630CD 199 gtal Super VHS • MTS HFT 32* 700 Lines • 181 Ch • MTS 22* 180 Ch MTS-Summand Saund Removeable DIN • APC • AIR AMFM Car CD Player • 2X ead • Indexing • LCD Remote AV InsOuts • Super VHS Input AV InsOuts • On Screen Menu Bass • Teble • RCA Line High Power • Car CD Player • 2X WDS	JVC AV2759S . GWARANTEED 27" 600 Lines • MTS • 181 Ch On Screen Menu • Super VHS Input	SONY KV27XBR LOW PRCE BEST 27" Made • 500 Lines 181 Ch • SRS Sound System	JVC AV2779S LOW PRCE 27° 600 Lines • MTS • 181 Ch On Screen Menu • Super VHS Input	D	V	STANTON 838 SII •89 Top Rated by Professionals Stereohedron Tip • Hand Calibrated	TP28 Tone Arm • Auto Lift Auto Shutoff • Belt-Drive 16 Pole Synchronous Motor	THORENS TD318 MKII SPECIAL Call for price Audiophile Turntable Walnut Base	DUAL CS5000 \$329 Audiophile Turntable Hand-rubbed Walnut Base		MISC HIGH END	WDS * THIS IS ONLY A PARTIAL LISTING WDS * IF YOU DON'T SEE IT LISTED-CALLI		WDS Guaranteed Low Price		
CLARION 8671RT 1199 Removeable DIN • APC • APR Bass • Treble • APC + Line DS WDS WDS WDS WDS	CLARION 9770RT SPECIAL Removeable DIN • Dolby 4 Channel Power • A/R	JVC KSRX1010 SPECIAL Digital • Dolby • A/R • AUX In 4 Channel Amp • Line Out	CLARION 9730RT *189 High Power • DIN • A/R APC • Dolby • Bass + Treble		CAR STEREO	SAE A202 SPECIAL 100 Watt/Ch Power AMP Discrete Outputs	Soundcraftsman Pro Power 4 205 Watts/Ch MOSFET AMP SPECIALS ON MANY MODELS	SOUNDCRAFTSMAN DX4200 , CALL Combination Preamp Equalizer 19" Rack Mount Front Panel	SAE C102		MISC HIGH END MISC HIGH END RECEIVERS	TIAL LISTING	 We get the BEST volume discounts LOW OVERHEAD—To sell at best discounts We shop the competition to ensure the best price Most Maior Brands 	ow Price	IF YOU FIND A BETTER PRICE - OR C.O.D. WDS Rated #1 for SERVICE	-800-3
	SHERWOOD XR1604 \$219 Removeable DIN • High Power Dolby B/C • A/R • Full Logic	CLARION 9700RT •189 A/R • 18 Presets • High Power RCA Line Out • APC • Dolby B	CLARION 9971RT *299 Full Logic Transport • A/R Dolby B/C • High Power		CAR STEREO	JVC RX401 SPECIAL 50 Watts/Ch • Remote • 7 Band EQ 40 Presets • Compu Link	JVC RX701VBK LOW PRICE 80 Watts/Ch • Remote • 7 Band EQ Dolby Surround Sound	JVC RX901VBK LOW PRICE Dolby Pro Logic Surround 100 Watts • Programmable Remote	JVC RX501BK CLOW PRICE 65 Watts/Ch • Remote • 7 Band EQ Auto Memory • CSRP			 30-DAY GUARANTEED NO LEMON EVERY PRODUCT BRAND NEW-F 	Returns accepted within 10 days (must be called in for prior authorization), Products must be in original condition. Return subject to restocking tee. Shipping and handling not returndable. Buyopy Protection Plan_FREF	turn	CALL	56-95
PYLE KP6940 SPECIAL High Performance 6 X 9 High Power Handling VDS WDS WDS WDS W	PYLE P401 SPECIAL Pounder Series Box Speaker 200 Watts • 8" Wooler • 2 Way	Alphasonic PMA2050 SPECIAL 50 Watts/Ch AMP • THD .05% Bridgeable into Mono-100 Wts	CLARION 702EQA . •119 AMP/EQ • 7 Bands • 25 X 4 Power Sub Woofer Output		MISC CAR STEREO	JVC PCX200 , . SPECIAL Hyper Bass • Graphic EQ Detachable Speakers	Top of the Line Portable with Disc Player	SHARP GFCD55 \$219 Detachable Speakers • Graphic EQ X-Bass • AM/FM Cassette	Seiko PH50CD •139 Compact Personal Disc Player SEIKO QUALITY!		PORTABLE DISC PLAYERS	ULL WARRANTY		WDS WDS		514 W
PYLE KP6940 SPECIAL SONY D25 Commentee towner the second standing MAXELL XLIS100 S28.95 Case MAXELL High Performance 6 x 9 High Power Handling 4x Sampling • 22 Track SWay Repeat • BP2 Battery MAXELL T120XL \$49.95 9.9P WDS	Home and Car Discman Includes Acc. for car	Magnavox D6800 . SPECIAL 3"/5" • CD Introscan 20 Track • Digital Headphones	SONY D2	Ø	DISCMAN	JVC XLZ611 CUARANTEED Dual 18 Bits • 4X Sampling Top Rated • Disc Program Memory	MARANTZ 5-DISC *249 4x • Dual D/A • Remote New Advanced Changer Mechanism	JVC XLV311BK . SPECIAL Dual 18 Bit • 4x • 3" CD Ready Remote • Headphone Output	MAGNAVOX CDB586 . *239 6 Disc Changer • 4x Dual D/A Convertors	MAGNAVOX CD2000 •119 4x Oversampling • Dual D/A Top Rated Player	6 Disc Changer • 4x Sampling Remote • 32 Track Program	Dual 18 Bit • 4x Sampling Coaxial Digital Output	MAGNAVOX CD3000 •166 6 Disc Changer • Dual D/A's 4x Sampling		SAT 8 a.m 5:30 p.m. CLOSED SUNDAY Central Time Zone DISC PLAYER	WDS WDS WDS WDS WDS WDS WDS WDS PHONE HOURS CALL US TOLL FREE
MAXELL XLIIS100 S26.95 Case MAXELL T120XL S49.95 9-Pk JVC T120 S28.00 Case S WDS WDS WDS	TEAC W660R \$259 Dual A/R Dubbing Cassette Deck Dual 3 Motor • RMPD	UNIDEN RD9XL CALL Top Rated Radar Detector Wide Selection of Brands/Models	mτõ		MISCELLANEOUS	JVC TDW901 SPECIAL Twin A/R REC/PLAY • B/C/HX PRO Full Function Remote Control	JVC TDW801 SPECIAL Twin A/R REC/PLAY • Dolby B/C Continuous Play • Music Scan	TEAC V285CHX 97 Dolby B/C/HX PRO Auto Tape Selector	JVC TDV621 LOW PRICE 3 Head • Dolby B/C/HX PRO Closed Loop Dual Capstan	JVC TDW501 . LOW PRICE Twin A/R Dubbing Deck Dolby B/C • Continuous Play	A/R • Dolby B/C/HX PRO Headphone Output	3 Head • Dolby B/C/HX PRO Bias Fine Tune • Auto Spacer	TEAC V570X \$159 2 Motor • Dolby B/C/HX PRO Bias Fine Tuning TEAC V570X Bias Fine Tuning		* For expert recommendations * For product information * TO ORDER PRODUCT CASSETTE DECKS	S WDS WDS WDS
201	56-9	-32	008-	1 71	S	5-95	C-00	8-L	715	6-99	0-3i	08-L	715	6-99	-800-3	10
five others. Itzhak Perlman (violin); Sanuel Sanders (piano). EMI/ANGEL © 4DS-49604, © CDC-49604 (60 min).

Performance: Good to excellent Recording: Violin too close

A recording bearing the names of both Jascha Heifetz and Itzhak Perlman is so assured of success that a review may seem gratuitous-and yet one is more or less demanded, simply by way of celebrating the disc's arrival. Perlman has spoken frequently and sincerely of his great admiration for Heifetz, and in a sense it is a tribute indeed to perform an hour's worth of Heifetz transcriptions and arrangements without attempting to imitate Heifetz himself. That matchless artist enriched his-and his fellow fiddlers'-supply of encore material by producing nearly two hundred such pieces. In some cases it was after having played someone else's version of the same music (he performed and twice recorded his teacher Leopold Auer's arrangement of Drigo's Valse bluette before undertaking his own setting), in some cases he embellished rather than rejecting outright a previously created arrangement, but in most cases he worked directly from the originals.

The nineteen pieces Perlman has selected present a good idea of the variety of the Heifetz arrangements in terms of both source and style. Some come off more successfully than others. The Chopin nocturne is not, in its original form, one of the most popular ones, but Heifetz made an exquisite and, of course, thoroughly violinistic little tone poem of it, and Perlman goes to its heart, as he does also in the pieces by Ponce (Estrellita), Albéniz, (Sevilla), Debussy (Golliwog's Cakewalk), and Achron (Hebrew Melody). Elsewhere the charm that is, after all, the raison d'être for such pieces is less consistently evident. If that element is hard to define, it is perhaps harder to produce on demand, even on the part of a musician who projects such joy in making music as Perlman always does. It is disappointingly absent in the Drigo, one of the most notoriously charming pieces ever concocted in three-quarter time, and in the waltzes by Ravel. In Schumann's Prophetic Bird and the Saint-Saëns Swan, as in the Rachmaninoff (a song most of us know as How Fair This Spot), Perlman seems to be trying to capture the elusive element by means of overinflection.

The recorded balance is not a big help. While Heifetz wrote his accompaniments as skillfully and imaginatively as he did the violin parts, Perlman is consistently placed so close to the microphone that Samuel Sanders's characteristically fluent and tasteful piano is just not as much a part of the aural picture as it ought to be. But one must be deep in terminal curmudgeonhood to go on picking nits when there is so much to enjoy and when the musical impulse that motivated this tribute is so warmly apparent. R.F.

"DAS RHEINGOLD"



Conductor Bernard Haitink

OMPOSED in one long act, Das Rheingold is shorter than the other three operas that make up Wagner's great tetralogy Der Ring des Nibelungen, but it is no less a masterpiece. And in EMI/Angel's new recording, the second installment of a complete digital Ring cycle conducted by Bernard Haitink, Rheingold receives the masterly performance it deserves.

To my ear it is more convincing than Angel's *Die Walküre*, which preceded it. Everything here seems just right—the balances between voices and orchestra, the placement of singers within the stereo spread, and a sound quality that suggests neither stage nor studio, but the rocks, crags, and caves where the action takes place.

The same sense of rightness extends to the cast, who sound not like a group of singers making a recording but like the giants, gods, mermaids, and dwarves the opera is about. James Morris is wonderful as the young Wotan by turns wily, merciless, arrogant, and majestic. Theo Adam, for decades a leading Wotan, is quite effective here in the role of Alberich, the Nibelung who made the ring. The Fricka and Erda both sound attractive enough to hold a god's attention, and I liked Heinz Zednik's unmannered Loge.

The Bavarian Radio Symphony may not be the equal of the orchestra of the Metropolitan Opera, but it plays very well for Haitink, who can emphasize the prettiness of the score's lyrical passages without fussiness. At the sonic climaxes the hammers and anvils of the Nibelungs are impressively clangorous, and a satisfying thunderclap accompanies the creation of the Rainbow Bridge, but nothing is exaggerated.

This set's playing time of a hundred and forty-nine minutes is three minutes longer than the ones by Solti (London) and Karajan (Deutsche Grammophon), probably because of the measured pace Haitink gives to the final scene, reflecting the onward flow of the Rhine River as it winds through these powerful myths set to music. The sense of immediacy and rightness that pervades this recording may make it the audio equivalent of the visually realistic *Ring* productions now returning to American opera houses. *William Livingstone*

WAGNER: Das Rheingold. James Morris (baritone), Wotan; Marjana Lipovšek (mezzo-soprano), Fricka; Heinz Zednik (tenor), Loge; Theo Adam (baritone), Alberich; Peter Haage (tenor), Mime; Andreas Schmidt (baritone), Donner; Peter Seiffert (tenor), Froh; Eva Johansson (soprano), Freia; Jadwiga Rappé (contralto), Erda; Hans Tschammer (bass), Fasolt; Kurt Rydl (bass), Fafner; Julie Kaufmann (soprano). Woglinde; Silvia Herman (soprano). Wellgunde; Susan Quittmeyer (mezzo-soprano), Flosshilde. Bavarian Radio Symphony Orchestra, Bernard Haitink cond. EMI/ANGEL CDCB 49853 two CD's (149 min).

STEREO REVIEW **RETAIL MART**

THE FINEST IN HOME AUDIO, **CAR STEREO & VIDEO EQUIPMENT**

AUTHORIZED DEALER FOR

AUTHORIZEI	DEALER FOR
 ADS ADVENT AIWA AKG ALTEC LANSING AUDIO CONTROL AUDIO SOURCE CERWIN-VEGA CITIZEN CWD dbx DCM DENON HAFLER INFINITY (car) KENWOOD KICKER MITSUBISHI 	 MONSTER CABLE MISSION ONKYO ORION CAR AMPS PHILIPS PINNACLE AUDIO POLK AUDIO (car) PROTON SAE SONANCE SONY SOUNDCRAFTSMEN STAX TOSHIBA TRIAD YAMAHA
Sommel CITY Meadlown Shoppin Route 23 South Kinnelon, N.J. (201	g Center

The Sound Seller

For the Musical Difference

Authorized Dealer For:

- Acoustat Audio Control Nitty Gritty M&K Nakamichi Oracle Polk PROAC Proton STAX Thorens Dahlquist Hafler Monster Cable Citation Velodyne
- NAD Relles CWD dbx Fried Harman Kardon JBL Onkyo Gardo Lexicon Celestion DCM Niles Kineraetics Duntech Carver

1706 Main St. Marinette, WI 54143 (715) 735-9002



	+ INAKAMIGIN A
ARAGON	PARADIGM
ARCAM	ROGERS
• B & K	SHURE ULTRA
CAL	SONOGRAPHE
CELESTION	SOTA
CONRAD JOHNSON	SOUNDSTREAM
HAFLER	STAX
KLIPSCH	THETA DIGITAL
MAGNEPAN	VAN DEN HUL
MIRAGE	VELODYNE
MIT CABLES	• VIL
MONSTER CABLES	WELL TEMPERED
NAD	YAMAHA *
*IN STOR	EONLY
2021 SMITH HAVEN	PLAZA (Route 347)
LAKE GROVE.	N.Y. 11755
(516) 36	0-1990
Auditions By A	Appointment

Where to buy Polk Speakers **AUTHORIZED HOME DEALERS**

CANADA Call Evolution Technology, Toronio for nearest dealer 1-416-847-8888 AK Anchorage: Magnum Electronics - Fairbanks:

AL Birmingham: Audition • Huntsville: Sound Distributors • Mobile: Hi Fi Zone • Montgomery: The Record Shop • Tuscaloosa: Kincaid Stereo & TV AR Fayetteville/Ft. Smith: Stereo One • Little Rock: Leisure Electronics • Searcy: Soltmart AZ Phoenix/Mesa: Hi Fi Sales • Tucson: Audio

AZ Phoeniz/Mesa: Hi Fi Sales - Tucson: Audio Emporium - Yuma: Watehouss Stereo CA Bakerslield: Casa Moore - Campbell: Sound Goods - Canoga Park: Shelley S - Campbell: Crailive Stereo - Chitor: Sound's By Dave - Corona Oel Mar: Pachic Casat Audio Video - Escondido: Sound Company - Eureka: Eureka Audio Video -Lancaster: California Soundworks - Longbeacht: Audio Concepts - Mountain View: Sound Goods Anga: Futurission - Drange: Absolute Audio -Pengrove: California Stereo - Redondo: Sys-tems Desjon - Niverslöt: Susekarcraft - Sacra-Pengrove: California Sterio - Redondia: Sys-tem Design - Niters faits: Speakercalt - Saraa-mento: Good Guys - San Diego: Sound Company - San Francisco & Suburbs: Good Guys - San Gabriel: Audio Concepts - San Lose: Good Guys - San Luis Obispo: Audio Ecstay - Santa Bar-bara: Crealive Stereto - Santa Turzi Sound Wave - Santa Maria: Crealive Stereto - Santa Monica: Shelly Silero - Slochton: Guistins - Thousand Daks: Crealive Stereto - Upland: Audio Haven -Ventura: Crealive Stereto - Colorado Springs: Sunshine Audio - Denver & Suburbs: Soundhack - Glenwood Springs: Stereto - Unimide - Grand

Sunshine Audio - Denver & Suburbs: Soundflack Glenwood Springs: Sleteo Unimited - Grand Junction: Sound Company - Miniturn: Cusiom Audio Video - Pueblo: Sunshine Audio CT Avorn: Hr Sleteo House - Danbury: Carston's - Fairfield: Audio Design - Greenwich: Al Frankin-tis- Luschevid: Al Frankins - New Haven: Audio

CT Avon: Hi H Selec House- Uandury: Carson's Fairfield: Audio Desgn, Greenwich: Al Frank-lin's - Hartlord: Al Frankin's - New Haven: Audio Etc. - Newington: Hi Fi Steere House - New Lon-don: Robert's - Norwalk: Audotonics - Water-bury: Zimo Music DE Wilmington: Bryn Maw Stereo FL Daytona Beach: Stereotypes - FL Myers: Stereo Garage - FL Lauderdale: Sourd Advice FL Paytona Beach: Stereotypes - FL Myers: Stereo Garage - FL Lauderdale: Sourd Advice Hold - Jackson/Wile: Audio International - Lake-land: Sourd Factory - Marg Esther: Pam Audio Video - Merritt Island: Southem Audio - Miamti Lectronic Equatory - Marg Esther: Pam Audio Video - Merritt Island: Southem Audio - Miamti Lectronic Equatory - Marg Esther: Pam Audo Video - Merritt Island: Southem Audio - Miamti Lectronic Equatory - Kang Esther: Pam Audo Video - Merritt Island: Southem Audio - Miamti Assee: Stereo Store - Tamga: Sound Advice - Wa Paim Beach: Electronic Connection, Sound Advice G A Athens: Hir Buys - Atlanta & Suburbs Hi Buys - Augusta: Stereo Chir - Funye Net: HSH Buys - Augusta: Stereo City - Brunswick: H&H Service Store - Columbus: Merit TV - Gainsville: Audio Dimensions - Macon: Georgia Music - Sa-vannah: Audio Warehouse - Valdosta: Stereo

Million Poulo Connection HI Monofulu: Honolulu Audio Video II A Davenport: Grigg's Music - Des Moines: Au-dio Labs - Dubuque: Reniers Iowa City: Hawkeye Audio - Mason City: Sound World - Sloux City:

Audio visions ID Boise: Stereo Shoppe - Ketchum: Inlinite Au-dio - Moscow: Stereo Shoppe - Sandpoint: Elec-tracraft - Twin Falls: Audio Warehouse Charles Succession - Stereo Succession

tracati - Twin Falts: Audio Warehouse IL Alton: Reliable Stereo - Aurora: Stereo Systems - Carbondale: Southern Stereo - Champaign: Good Vibes - Chicago & Suburts: United Autio-Decatur: Team Electronics - DeKalto: Classic Hi Fi - Highland Park: Columbia - Joliet: Stereo Sys-tems - Kankakee: Barett Sichteriament - Lans-ing: Unitek Electronics - Naperville: Stereo Systems - Norakee: Barett Sichteriament - Lans-ing: Unitek Electronics - Naperville: Stereo Systems - Norakee: Rangt Sichteriament - Lans-Electronics - Rockford: Columbia - Springlield: Sundom Ore- Spring Valley: Audio Labs - Ster-Ing: Stering Electronics

Sundom One - Spring Valley: Audio Labs - Ster Img: Sterling Electronics th Bloomington: Campus Audio - Bluffton: Eley TV & Appliance - Evansville: Risley's - Ft. Wayne: Classic Stereo - Indianapolis: Ovalion Latayette: Good Vibes - Marion: Classic Stereo Michigan City: Audio Connection - Muncle: Classic Stereo - South Bend': Classic Stereo -Terre Haute: Stereo Crafters KS Junction City: Audio Junction - Kansas City: Brands Mart - Overland Park: Audio sic Stereo .

LE INO Electronics, Rands Mart - Wichita: Audio Visions -Topeka: Nelson's KY Bowling Green: Poston's - Campbellsville: Coppock's - Lexington: Ovation Audio - Louis-ville: Audio Video Buy Design. Ovation - Ovens-boro, Paducath: Risley's - Pikeville: Mayo Inc. LA Alexandria: Simpson Electronics - LaTayette: Sound Electronics - MataTire & New Orleants: Aleman Audio - Shreveport: Wrights Sound

Gallery MA Boston: Goodwins, Waltham Carnera & Steteo • Fitchburg: Fitchburg Music • N. Dartmouth: Sound II • Pittsfield: H B.S. Stereo • Waltham Waltham Camera & Stereo • Worcester: O Coins ME Bangor: Sound Source • Camden: Harbor

MD Baltimore: Soundscape . Gaithersburg:

Audio Buys MI Ann Arbor: HI Fi Buys - Birmingham: Almas Hi Fi - Dearbor: Almas Hi Fi - Farmington Hills: Almas Hi Fi - Filmt: Stereo Center - Grand Rapids: Classic Stereo - Iron Mountain: Sound North - Kalamazoo: Classic Stereo - Lansing/ Musich - Battanaton Kurth Music North - Kalamazoo: Classic Stereo - Lansing/ Midland: HE Floys - Petoskey: Kurtz Music -Rochester: Sound Choice - Saginaw: Court St Listering Room - Treverse City: Kurtz Music MN Alezandria: Sound Snop - Duluth: Nel'S TV & Audio - Grand Rapids: Audio Files of Gand Rapids - Mankato: Audio King - Minneapolis & Suburbs: Audio King - Rochester: Audio King -St. Paul: Audio King - Rochester: Audio King -St. Paul: Audio King -MO Cape Girardeau: Stereo Dne - Columbia: Dobeton Audio. Lefferson Chity: The Filetidane -

Johnston Audio • Jelferson City: The Entertainer • Kansas City: Brands Mart • Springfield: Harvey's Stereo • St. Louis: Sound Central

Stereo - St. Louis: Sound Central MS Columbus: Hooper's - Guiltport: Hooper's -Hattisburg: McLetland TV - Jackson: Hooper's -Pascagoula: Ennress. Hooper's MT Billings - Video Sai & Sound Bozeman: Thirsty Ear - Great Falls: Rooky Mountain Hi Fi -Kailispell: Audio Visions - Missoula: Aspen Sound

Sound NC Asheville: Pro Sound • Boone: Holtons • Chapel Hill: Stereo Sound • Charlotte: Audio Video Systems Conover • TriCity • Greensboro: Stereo Sound • Hendersonville: Pro Sound • Kinston: Stereo Concepts - Moorehead City: Anderson Audio - New Bern: Anderson Audio -Raleigh: Audio Buys, Stereo Sound - Rocky Mount: Microwave Audio - Wilmington: Atlantic Audio - Wilson: Modern Stereo - Winston-Satem: Stereo Sound

ND Bismarck: Pacific Sound • Fargo: Today

Electronics NE Kearney: Midwest Audio - Lincoln: Stereo West - Norfolk: Mid City Stereo - Omaha: Stereo West - York: Midwest Audio NH Concord: Audio of New England - Laconia: Geenlaws Music - North Hampton: The New Au-dentile - Stere: Curomic

Greentaws Music - North Hampton: The New Au-diophile - Satem: Cuono's NJ East Brunswick: Atlantic Stereo - Maple Shade: Byn Maw Stereo - Paramus: Haivey Electronics - Rartlan: AC Audio - Nidgewood: - Joma Niver: Rands Camera - Trenton: Hais Stereo - Westlied: Suars Audio Video NM Alamogordo: DAK Electronics - Albuquer-que: West Coast Sound - Carisbad: Bason's -Clovis; Towne Crier - Santa Fe: West Coast Sound

Clovis: Towne Crier - Santa Fe: West Coast Sound NY Elko: Elko Audio - Las Vegas: Upper Ear-Reno; Cood Guys - South Shore Lake Tahoe: Audio Video Den NY Albany: Clark Music - Amherst: Speaker Shop - Batavia: Unicon Audio - Bedford Hillis: The Sound Concept - Bulfalo: Speaker Shop - Cor-ning: Chemung - Elmira: Chemung - Forest Hillis: Continental Soudi - Fredonia: Sudio Dne Glens Falls: Audio Genesis - Gosten: Long-player's Sleteo - Harriman: The Sound Concept Hinca: Chemung, Sound Tange - Jamestown: Sludio Dne - Massena: Hi Fi Shop - Nanuet: The Sound Concept - Newburgh: Audio Expessions -New Hartford: Adronack Music - New York City: Electronic Workshop, Hanve Electronics -Plattsburgh: Alpha Sleteo - Rochester: JB Sound - Syrazeue: Clark Music - Vestal: Hart Electronics - Westburg: Harvey Electronics - White Plains: Harvey Electronics

OH Akron: Audio Craft - Canton: Belden Audio -Cleveland & Suburbs: Audio Craft - Cincinnati: Stero Showcas - Findlay: Audio Craft - Cincinnati: Classic Stero: Tole do: Audio Craft - Lima: Classic Stero: - Tole do: Audio Craft OK Lawton: Hi Fi Shop - Oklahoma City: Audio Dimensions - Shawnee: Rave Sounds - Stillwater: Carlunes - Tulsa: Audio Advice OR Eugene: Unversity Hi Fi - Grants Pass: Shec-kells - Medford: Sheckells - Portland: Magnolia -Salarm: Kelks Hone Center

Nells - Mediofri: Shebrells - Portiano: Magnola-Salem: Kellys Nome Center PA Allentown: Bryn Mawr: Shereo - Blakely: Hat Electronics - Bryn Mawr: Bryn Mawr: Shereo - Cambersburg: Sunsie Electronics - Eries Studio One - Harrisburg: Buryn Mawr Stereo - Jeannette: Aulo Communications Johnstown: Gary Schlerhument - Kingsbon: Hart Electronics - Lancaster: Gin'T Stereo - Long-horne: Bryn Mawi - Montgomerryille: Bryn Mawr Stereo - Natrona Heights: Stereo Land -Philadelphia & Suburbs: Bryn Mawr Stereo -Philadeiphia & Suburds: Bryn Maw Sleto -Pittsburgh: Audio Communications, Audio Junction - Quakertown: Bryn Mawr Sletto - Reading: Gri T Sletto - Selinsgrove: Stereo Shopo - State Col-tege: Raul & Tony's Stereo - Stroudsburg: Main St. Audio Video - Williamsport: Robert M. Sides PUERTO RICO Rio Piedras: Precision Audio RI Middleton: Flint Audio - N. Providence: East-mid 4-a

em Audo SC Anderson: Music Machine - Charleston: Au-dio Warchouse - Columbia: Music Machine -Greenwille: Music Machine - Greenwood: Stereo Shop - Spartiansburg: Stereo Shup SD Aberdeen: Engel Music - Rapid City: Team Electronics - Stour Falls: Audio King TN Chattanooga: R&R TV - Cookeville: Lindsey Ward - Jackson: New Ware Electronics - Kings-port: Audition - Knorville: Lindsey Ward McMinnville: Lindsey Ward McMinnville: Stout Salls: Audio King TX Andition - Knorville: Lindsey Ward McMinnville: Stout Salls: Audio King TA marillio: Stout Systems Ltd - Arington: Sound Idea - Austin: Maccum Electronics - College Station: Audio Video - Corpus Christi: Tae Town Dalla: Stantes Systems Ltd - Arington: Sound Idea - Austin: Maccum Electronics - College Station: Audio Video - Corpus Christi: Tae Town Dalla: State High McMine - Hurst: Sound Idea -Laredo: Metex International - Longview: Audio Techniques - Uubbock: Electronics Succenter -Matine: Motle HiFI - San Angelo: Sound Idea -Laredo: Metex International - Longview: Audio Techniques - Sherman: Worldwice Slettor - Tem-ple: Audio Tech - Tearkana: Sound Town - Vic-Iorla: Dyee Electronics - Macio: Audio Tech UT Logan: Consumer Technologies - Sall Lake City: Broakway Music - St. George: Bouleard Home Fumishings SC Anderson: Music Machine - Charleston: Au

Home Furnishings VA Charlottesville: Holdrens • Colinsville: Hol drens • Falls Church Manassas: Audio Buys • Harrisonberg: Ace Music 'N Electronics - Rad-tord: Holdrens - Richmond: Garvis Stereo -Roanoke: Holdren's - Virginia Beach: Digital

Roanoke: Holdren's - Virginia Beach, Urgital Sound VT Brattleboro: Scientific Stereo - Essex Junc-tion: Ceative Sound - Rutland: Mountain Music WA Bellingham; DC Stereo - Chelan: Music Store - Oak Harbor: OC Stereo - Chelan: Music Store - Uak Harbor: OC Stereo - Chelan: Music Wi Appleton: Sound World - Fond Du Lac: Audio Plus - Green Bay: Sound World - Karosse: Sound World - Madison: Happy Mecum - Mil-wukee: Audio Emperium - Oshkosh: Audio Plus -Ripon: Audio Plus - Sheboygan: Genes Sound & Camea - Wausau: Sound World WW Barboursville, Beckley, Charleston: Pied Piper - Clarksburg: Audio Woal Concepts - Hunt-ington: Pied Piper - Parkersburg: Video Ware-house - Pied mont: Sound Galley - Wheelling: Look 'M' Listen

WY Cheyenne: Electronics Unlimited - Gillette/ Sheridan: Star Video Library



RETAIL MART AN EXCLUSIVE MEDIUM FOR ALL RETAILERS OF AUDIO AND VIDEO EQUIPMENT

The STEREO REVIEW Retail Mart is an ideal forum to reach interested audio/video enthusiasts who are active buyers themselves, and who advise others on stereo and video purchases. The Retail Mart is an exclusive section designed to showcase your advertising in STEREO REVIEW, and since the manufacturers of many of the brands you sell consistently advertise in STEREO REVIEW, your impact is even greater!

> CALL US TODAY TO PLACE YOUR AD IN THE STEREO REVIEW RETAIL MART . . . AND MAKE STEREO REVIEW READERS YOUR CUSTOMERS! (800) 445-6066







CLASSIFIED ADVERTISERS:

You can reach millions of prime prospects for your mail order products or services through low-cost Marketplace Classified advertising in this or other titles of the

DCI CLASSIFIED MAGNET

To place an ad, or for further information including rates, ad styles, sizes and multi-title discounts, call Toll-Free:

(800) 445-6066

STEREO REVIEW FOR MORE ADVERTISING INFORMATION CALL 1-800-445-6066

RECORDS

RECORD COLLECTORS' SUPPLIES. REPLACEMENT JACKETS, inner sleeves, 78 RPM sleeves, CLD boxes, etc. COMPLETE CATALOG. Cabco, Box 8212, Room 640, Columbus, Ohio 43201.

FREE RECORD, CASSETTE AND COMPACT DISC CATA-LOG: Features a tremendous selection of remaindered LP new releases at discount prices. Many imports and smaller labels offered. Prompt delivery. Rose Records, Dept. SR, 214 SO. Wabash Avenue, Chicago, IL 60604.

FROM EDISON TO ELVIS (AND BEYOND) LP'S, 78'S 45'S etc. Visit or mail-in wants. The Olde Time Music Scene. 915 Main Street, Boonton, NJ 07005. (201) 335-5040. Tuesday-Sunday.



LP vinyl records

We buy and sell

Over 100,000 titles in stock

Rare Records Ltd.

139 West 72nd Street New York, NY 10023 212 877-5020

AUTHORIZED

STEREO WORLD" IS YOUR DISCOUNT MAILORDER SOURCE WITH SUPER DEALS ON HOME AND CAR STE-REO LINES INCLUDING: KENWOOD, TECHNICS, PAN-ASONIC, JVC, SONY, PYLE, PIONEER, SHERWOOD, HI-FONICS, BLAUPUNKT, AUTOTEK, ADVENT, AND MANY OTHERS. CALL OR WRITE FOR FREE CATALOG. FREE UPS IN 48 STATES, 10AM-6PM MON-FRI; WEDNESDAY TIL 6:30PM VISA/MC; COD ACCEPTED. P.O. BOX 596. MON-ROE, NY 10950. (914) 782-6044.



HIGH QUALITY BRANDS-Car, Home, Video including esoteric. Audio Unlimited, 1203D Adams Ave., La Grande, Oregon 97850. (503) 963-5731.

High-end and hard-to-find audio components. Low, low prices! AUDIO AMERICA (Virginia). Call 1-703-745-2223



AUTHORIZED



And that's what you will get at Reference Audio/Video . We offer the best in high-end audio and the best in friendly service by our knowledgeable staff. From the latest CD players to the finest high-power amplifiers, you'll like our surprisingly affordable prices and fast shipping.

COUNTERPOINT · L REVOX · ACOUSTAT MOD SOUAD · JSE DAHLOUIST · BDSE NEC · DBX · MELOS HALFER · PROTON PS AUDIO · ONKYO **CELESTION** · PHIL LEXICON · CREST **VELODYNE** · STAX **FOSGATE · PRECIS VPI · AUDIBLE ILL** DCM · OHM · TEAC JBL · HARMAN KAR **SUPERPHON** · AKG SONANCE-MERLIN

CABLE TV DESCRAMBLERS--FREE CATALOGI 1-800-648-7938. Jerrold, Oak, Hamlin, etc. Guaranteed Lowest Prices, Warranties, Immediate Delivery. MC VISA/COD. Republic Cable Products. Inc., 4080 Paradise Road, #15, Dept. 704, Las Vegas, NV 89109.

PHILIPS, AUDAX, PEERLESS, FOCAL, AND DYNAUDIO LOUDSPEAKERS in stock with good prices and competent service. Crossover components also. MADISOUND SPEAK-ER COMPONENTS, 8608 University Green, Box 4283, Madison, WI 53711, (608) 831-3433.

SAVE 40% ON HIGH-END home speakers, subwoofers, amplifiers. FREE CATALOG! RTRD, 3021 Sangamon Ave., Springfield, IL 62702. (217) 529-8793.

CABLE TV CONVERTERS/DESCRAMBLERS Guaranteed lowest prices in U.S., Jerrold, Hamlin, Zenith—many others! Lowest dealer prices! Orders shipped within 24 hours! MasterCard—Visa—C.O.D. accepted. Free catalog—call (800) 345-8927 only! Pacific Cable Co., Inc., 7325 1/2 Reseda Blvd., 1360, Reseda, CA 91335. All other information, call (818) 716-5914.

EXPERIENCED, FRIENDLY ADVICE! AUDIRE, PS, CWD, STAX, KINERGETICS, THORENS, MIRAGE, GRADO, FRIED, MONSTER CABLE, QUAD, SPICA, STRAIGHT-WIRE, more. Immediate, FREE Shipping! READ BROTH-ERS STEREO, 593-B King Street, Charleston, South Carolina 29403. (803) 723-7276.



SING WITH THE WORLD'S BEST BANDS! An Unlimited supply of Backgrounds from standard stereo records! Record with your voice or perform live with the backgrounds. Used in Professional Performance yet connects easily to a home component stereo. This unique product is manufactured and sold Exclusively by LT Sound - Not sold through dealers. Call or write for a Free Brochure and Demo Record.

LT Sound, Dept.SR-3,7980 LT Parkway Lithonia, GA 30058 (4C4) 182-4724 Manufactured and Sold Exclusively by LT Sound 24 HOUR PHONE DEMO LINE: 1441-182-2485

LOUDSPEAKER COMPONENTS—KITS. Eton. Dynaudio, Focal, Eclipse. Catalog \$1. Meniscus, 2442 28th St. S.W. Wyoming, MI 49509. (616) 534-9121.

HIGH-END LOUDSPEAKER systems, speaker kits and the widest selection of raw drivers from the world's finest manufacturers. For beginners and audiophiles. Free catalog. A&S SPEAKERS, 3170 23rd St., San Francisco, CA 94110. 3(415) 641-4573

FOR SALE

BUY AND SELL used audio equipment thru telephone classified. No charge to buyer. Call (609) 927-2152 anytime.

CALL 1-8						YC (7	18) 4	138-10	127
WNISTLE		CAR	-	TRON	ICS		IDINE	CAR RAD	101
New Spectrum 3	219.00	944 Espre			94.95	New Yor			649
Spectrum 2	157.00		111			New Los			387
Spectrum 2 Rml	189.95	976 Wer to	_		\$1.00		Hes SOR		337
Spectrum T Whistler S00 Rmt	98.95	S	HER	NOOD		Son Fro Aspen S	kisco 50 Dø27		297 259
COBRA	130.94	CBED-350	184.	CRD-230	165	Portland	SQR28		259
3120 .99. 3110	69	CRD-210 CRD-345	165	CRD-175 CRD-303	139.	Son Die Boston	po SQR2		178
\$110 149. 3168	136.	ER 1504	189.	II-1604	259.	Phoenic			219
3170 157. 4120	127.		TECH	NICS		Denser	GR26		199
UNIDEN		CIDP-10	699.	CODP 5	495.	MEWL	п якна	AD CAICUL	ATOI
	142.	(08 900	169.	COR 905	189.	HP178	81.50	HPIIC	. 42
RD7 109. Tolke		(QR 910 (SR 9400	224.	COR 1300 . (DR 1500 .		HP198 HP275	129. 42.95	HP12C	
SONY CAR RAD		(QH 9310	229.	COH 9320	259	HP275	76.95	HP16C	. 73
(DER/7 389, CDER) (DER/9 499, 28240		CQH 9350	349.	(0H 9600	895,	HP285 1		HP4IC	1
UU7700 389, XB70		P10	NEER G	AR STEREO	s	HP425	99.00	HP41CX	1
18/300 445. 18/10		1210050	354	12404001	739.	_	ANG	N FA)	_
ER/050 239. X8405 ER/307 465 ER/50		IEH600	259	CENTRA TO CENTRA TO D	269. 149	FAX 8 FAX 20			1
LE5380 259. IE618		640	239.	15×8680	239.	FAX 15			1
ER6000 129. ER170	119.	IEN6NICI	289.	IEH5656	239.	FAX 25			15
TYPEWRITERS WORD	PROCIES	D	ATA	ANKS		PERS	ONA	L STER	110
				_	-	-			
"MITH CORON			28	ARP		_	_	ALEMAN	_
KD-4600	169.		1		. 219. Call	WHE AF29 WHE AF59	- 44. 79.	WH AFS7 WW AF79	
KD-7600	259.	- Compared to		\$10		WH AF60	2 81.	WW AF60	и і
PWP-1001	379.	58-4000			н	WHI ALLOT		WHE DEC SEE 25	1
PWP-3000	495	SF-7000 SF-7500			199,	30 440		WAVE	
PWP-SOID	532.	SE-400			184, 709.	100 000		WAYE	_
PWP-70mLJ	588.	SE-9000			249.	ICE SW			2
PANASONIC			FRAD	ALLIN		ICF 200	3		2
ICOR - 3720		LNI 4000	_		274.	HCF 201			3
KXF 430	107.	ES-90 SA-98			79.		_	WA	
EXP 44	227.	WH 1000			79.	HS 5800 HS 790		HS 5-900	
KXR-80» JXP-740	279.	PS-99			. 39.	10 190		١X	
ICTW 1010	485	PT-440 LH 2000					_		
101W 1910	549.		ONA	L COPI				ARP	
CANON	. 619.	101.05				F0-510	1149.	FO-550	13
		a 101	G	NON		FØ-300	699.	FO 770	- 6
Typesta 110 Typesta 511	729.	PC-SUI	587. 669.	PC-6	439.		PANA	SONIC	
ES-10 169. ES-20		PL 6RE	879.	PL-7	929.	UF-135 UF-159	361.	€F-260	8- 13
BROTHER			SH	ARP		UF-140	789.	UF-250	13
All-72	139.	Z-30			579.	KXF-10			7
AE 24 179. AE-25	197.	Z-50	679.		559.	KIXF-120 KXF-32			84

THE MAN ADWITH MANY CAMPLE

NAKAMICHI, CARVER, BANG ADS OLUFSEN, REVOX, B&W, KEF, HARMON/ KARDON, N.A.D., LUXMAN, HAFLER, TAND-BERG, ADCOM, DENON, KLIPSCH, YAMAHA, D.B.X., INFINITY, J.B.L. AND OTHER QUALI-TY COMPONENTS. BEST PRICES-LIVE PRO-FESSIONAL CONSULTATION WEEKDAYS-AUTOMATED PRICING AND INFORMATION 3AVAILABLE 24 HOURS, ALL PRODUCTS COVERED BY MANUFACTURER'S U.S.A. WARRANTY. AMERISOUND SALES INC. EAST: (904) 262-4000 WEST: (818) 243-1168 WE SELL SECOND HAND high quality audio-video with mon-ey back guarantee! Send your name and address for FREE monthly inventory. Ross Stereo, 2423 Morena Blvd. San Diego, CA 92110. (619) 275-3632.

THE BEST RECORD RACK IN AMERICA. Stackable, portable, oak units hold LP's, CD's and tapes. Free Mailorder Brochure, (please mention Stereo Review). Per Madsen Design: (415) 928-4509. P.O. Box 330101. San Francisco, CA 94133.

CALL TOLL FREE! 1(800) 826-0520. ONKYO * NAD * HARMAN KARDON * PROTON * AUDIO CONTROL * CITATION * JBL * LEXICON * HAFLER * M&K * STAX * CELESTION * KINERGETICS * NITTY GRITTY * PROAC * DAHLQUIST * BELLES * dbx * FRIED * ORACLE * THORENS * CWD * THORENS * MONSTER CABLE * DCM * THORENS * MONSTER CABLE * DCM * GRADO * NILES * SOUND SELLER, 1706 MAIN ST., MARINETTE, WI 54143. FAX #(715) 735-5838, PHONE (715) 735-9002. CALL TOLL FREE! 1(800) 826-0520. JJC AUDIO RX1010 STOCK JBL 120 AJC AUDIO RX1010 STOCK JBL 120 RX1010 STOCK JBL 120 RX011 309 RX011 300 RX010 R

WE SELL MORE HIGH PERFORMANCE SPEAKER KITS than anyone in the U.S. FREE CATALOG: 1 (800) 346-9183. AUDIO CONCEPTS Dept. A, 901 S. 4th St., LaCrosse, WI 54601.
 All items include manufacturers U.S.A. warrar

 Compare ads! Would you settle for less?

 SONV VCR

 SONV VCR

 SONV VCR

 SONV VCR

 SUP VCR

 SUP VCR

 SUP VCR

 SUP VCR

 SUP VCR

 I-800-525-9922 • U.S.A. SALES

 JVC AUDIO

 JUC AUDIO

 JBL 2013 JB9ea

 KARDON
 CCDF 45 799

 CAMCORDER

 JVC AUDIO

 JBL 2013 JB9ea

 KARDON
 CCDF 45 799

 JUN 101 STOCK

 JBL 2013 349ea

 HK880 509
 CCDV19
 CCDV19
 2"9

JYC AUDIU	JDL	ITAN NON	GGDr45 /:
RX1010 STOCK	JBL L20T3 189ea	KARDON	CCDV9 7
XLZ1010 STOCK	JBL L40T3 269ea	PK990 699	CCDF50 CA
TDV1010STOCK	JBL L80T3 349ea	HK880 509	CCDVII 9
XPA1010STOCK	JBL L10013 419ea	TU920 269	CCDTR5 10
AXZ1010 STOCK	JBL PROVIII 289pr	HD7500 299	SONY AUDIO
FX1010 STOCK	JBL LX44 189ea	HD7600 399	STRAV910 3
RX901 569	JBL 4800 229ea	HD800 359	STRAV1010 4
RX801 369	ACOUSTIC	TD302 329	STRAV2010D 6
RX701 309	RESEARCH	HK6900 819	CDPC700 2
RX501 259	TSW 610A 289ea	CITATION23 449	CDPC900 3
XLM701 339	TSW 710A 389ea	BOSE	CDPC800 3
XLM401 229	TSW 210A 229ea	AM5 CALL	CDPC970 3
XLZ611 289	ADVENT	AM3 CALL	TCWR810 3
XLG512 319	MAESTRO 209ea	SE5 CALL	CERWIN VEG
TDV711 369	LEGACY II 149ea	10.2 STOCK	D1H 99
TDV621 309	PRODIGY II 110ea	5.2 STOCK	D2H 119
TDW901 299	TOWERS 110ea	4.2 STOCK	D3H 14%
TDW801 229	HERITAGE STOCK	2.2 STOCK	D9H 27*
TDW501 189	BABY2 69ea	901 w/equil CALL	E380 STOC

(415)	928-4509. P.O. B	ox 330101. San	Francisco, CA 9413
s U.S.A. warra	nty, factory co	mplete and n	ewt
SUSA. Watria SU757 7≅ SU757 7≅ SU757 7≅ SU757 73 SUF3700 739 SUF3700 349 CAMCORDER CCDF45 799 CCDF50 CA!L CCDV9 759 CCDF50 CA!L CCDV1 929	ILY, IACIOIY CO CAMCORDERS & VIDEOS BY PANASONIC SONY JVC RCA RICOH NIKON SHARP MITSUBISHI	Implete and m INFINITY KAPPA9 999 KAPPA7 379 KAPPA7 359 KAPPA5 279 RS6001 349 RS5001 249 RS4001 199 RS3001 CALL	PIONEER PRICES BELOW WHOLESALE CALL & SAVE VSX5500S CALL VSX5500S CALL VSX5500S CALL VSX5400 CALL PDM710 CALL
CCDTR5 10:9 SONY AUDIO STRAV910 339 STRAV1010 459 STRAV20100 659 CDPC700 289 CDPC300 319 CDPC500 319 TCWR810 339 CCPWIN VEGA D1H 99ea	TOSHIBA CANON MAGNAVOX GUASAR OLYMPUS VIDEO TAPES SONY MAXELL TOK FUJI BASE	RS2001 CALL SM150 269 SM120 189 DESIGN ACOUSTIC PS 3 PS 5 CALL PS 5 CALL PS 5 CALL PS 5 CALL PS 0 CALL PS 10 CALL PROTON CALL YAMAHA CALL TEAC CALL	PDM610 CALL PD7300 CALL PD7503 CALL CTW910R CALL CTW710R CALL CTS705 CALL CTS705 CALL CTS705 CALL CD2070 CALL CLD2070 CALL LD270 CALL
D2H 119ea D3H 14%ea D9H 27%ea E380 STOCK	only. 7 day delective exchan C.O.D., checks, & Disco	ge some models inquire, s wer Card Welcome. No sale ended Warranty with local s	e new. Service after sale policy hipping changes not refundable is tax outside of N.Y. State.,

Reference

Call us at (213) 517-1700

18214 Daltan Ave, Dept. S, Gardena, CA 90248 Haurs: M-F 9 ta 6, Sat. 9 ta 1 Pacific Time

LOW PRICES!! NAKAMICHI, CARVER, BOS-TON ACOUSTICS, LUXMAN, HAFLER, ADS, B&K, KEF, ONKYO, PROTON, BOSE, SNELL, DCM, M&K, PS AUDIO & OTHERS!! SOUND ADVICE: (414) 727-0071.



FOR SALE

LOW PRICES—HIGH END EQUIPMENT: Carver, Nakamichi, Infinity, Hafler, Luxman, ADS, B&K, Bose, Onkyo, Proton, Phillips and much more! (414) 725-4431.

BROTHERS DISCOUNT STEREO - Your Electronics Audio-Video Hotline. Major Brands & Accessories At LOW DIS-COUNT PRICES. (201) 591-9008 & (201) 462-9008 or FAX US AT (201) 690-5407.



The mark of a true Denon.

This sticker tells you who is an authorized Denon dealer and who isn't.

Some people who offer Denon products are not authorized dealers. That can lead to problems.

First, *only* authorized dealers offer you the protection of a Denon warranty with your purchase: at other dealers, you may have no warranty at all.

Authorized Denon dealers stock only components designed for the U.S., and have the training to help you select the one right for you.

Authorized dealers know Denon technology inside and out and stock factory parts for your Denon to preserve true Denon sound.

So before you buy your Denon, look for this Denon Authorized Dealer Sticker.

It assures you of the authentic Denon technology and support you expect. And nothing less.

To find your nearest AUTHORIZED Denon Dealer call 1-201-575-7810 (9:00 ani-5:00 pm EST) DENON

CASH FOR ALL TYPES of used Stereo equipment. We buy by phone. THE STEREO TRADING OUTLET, 320 Old York Rd., Jenkintown, PA 19046. (215) 886-1650.

1.000,000 Videomovies/Soundtracks-Broadway LPs. Video catalogue—\$1.00. Soundtracks—\$1.00. RTSR3, Box 750579. Petaluma, California 94975.

DEEJAYS, BANDS, NITECLUBS-UNBELIEVABLE PRICES' NEW AND USED DISCO/STAGE LIGHTING, EFFECTS, SOUND EQUIPMENT. 1-800-877-4646.

WIRELESS STEREO TRANSMITTER KIT: Broadcast your stereo system to any FM(88-108) radio. Applications: Cordless headphone, wireless speakers, etc. Range approximately 75 feet with excellent stereo sound. Kit includes all parts & instructions. Forward S69.95 (Check, Mastercard, Visa) ST. CLOUD GROUP, 1049 Spaight Street, Madison, WI 53703. (608-255-0554).

COMPACT DISCS

OVER 8000 USED CDs. \$5.99 to \$9.99. Buy-Sell, 5th Year, Shipping \$2.50 UPS, Visa/MC, Send \$2 for sample of monthly 24 page catalog, Audio House CD Club, 4304 Brayan, Swartz Creek, Michigan 48473, (313) 655-8639.

COMPACT DISCS—At low warehouse prices. Now in our 5th year. CATALOG: Send \$2.00, OZ ENTERTAINMENT, 1575 P Highway 29, Lawrenceville, GA 30244.

LOW COMPACT DISC prices—Schwann CD and COLOR CATALOGS \$7.00—Mini-Catalogs \$2.00—DUWARS, P.O. Box 6662-D, Greenville, SC 29606.

LIKE-NEW CD'S \$4.99, UP. We pay you up to \$6.00! FREE STOCKLIST: CCM, 1105 Webster, Sandy, Utah 84094-3151. (801) 571-9767.

SAVE MONEY ON NEW CD's. Free Details. WILBUR TANSTAAFL COMPANY, Box 308H, Middlefield, CT 06455-0308.

COMPACT DISC PRICES STARTING AT \$5.99. SEND \$1 FOR CATALOG, REFUNDABLE WITH ORDER, HARRIS HOUSE OF MUSIC, BOX 388759, DEPT. SR. CHICAGO, IL 60638.

COMPACT DISCS AT LOW DISCOUNT PRICES. FOR A FREE CATALOG CALL (201) 359-4439 OR WRITE: LASER LOCKER, BOX 8611-SR. SOMERVILLE, NJ 08876

IMPORT/RARE COMPACT DISCS. Send \$1.00 for 4000 title catalog. AB-CD, Dept. SR2, 18 W. 23rd Street, New York, NY 10010. 212-645-2409. NEW CD'S, TAPES & LP'S. ORIGINAL ARTISTS LABELS 2-FOR-1 WITH COUPON, 20 COUPONS BOOK, NO EXPIRA-TION DATE. COUPON BOOK \$7, PHOENIX PROMOTIONS, 411 S. EUCLID, #242, PARK RIDGE, IL. 60068 (708) 696-3266.

WE WILL BUY YOUR UNWANTED COMPACT DISCS. COM-PETITIVE PRICES! FAST SERVICE. WRITE CDCS, 551 VAL-LEY ROAD. SUITE 124, UPPER MONTCLAIR, NJ 07043

THE BINAURAL SOURCE-Exclusive one-stop source of true binaural recordings for startling headphone listening (most also speaker-compatible). [See Nov. & Dec. AUDIO.] Classical/ jazz/drama/sound environments: in all three formats, from U.S. & Germany. Free catalog: The Binaural Source, Box 1727SR Ross. CA 94957.



THE ULTIMATE IN CD STORAGE. 72 disc capacity. Unique tilled shelves hold CD's upright with labels facing out. Can be wall mounted to make CD selection extremely easy, keep small children out of reach, and free turntable and counter top space. Solid wood construction, hand finish. GUARANTEED TO BE THE BEST CD HOLDER AVAILABLE ANYWHERE. Oak light or dark \$34.95, unfinished \$32.45 Pine antique or heirloom \$21.95, unfinished \$19.45 check or money order to CD SUPER SHELF PO BOX 821 Kent, WA 98035 add \$5.UPS.

INSTRUCTION

FREE CATALOG. Institute of Audio/Video Engineering. 1831 Hyperion (SR), Hollywood, CA 90027. RECORDING SCHOOL. (800) 551-8877, (213) 666-2380. Approved for International Students. Member of NATTS.

TIVERTON AUDIO \$29.95 "HOW-TO" video tape shows all aspects of design and installation for built-in speaker systems. We'll help you save up to 50%. Dealer inquiries welcomed. Call US-=800-234-7976.

BE A RECORDING ENGINEER! Train at home for High Paying-Exciting Careers. FREE Information. AUDIO INSTITUTE, 2174 Union St., Suite 22AJ, San Francisco, CA 94123.



TEN AMPEX 1800[°] REELS—USED ONCE, \$25.00 Sample: \$2.50. Also[°] New MAXELL Reels/Cassettes. AUDIO TAPES, Box 9584-A, Alexandria, VA 22304. (703) 370-5555 VISA.MC.

INVENTIONS WANTED

A NEW IDEA? Call NATIONAL IDEA CENTER of Washington D.C. FREE INFORMATION—1(800) 247-6600, Ext. 150. Corrie see THE INVENTION STORE!!

INVENTIONS/NEW PRODUCTS/IDEAS WANTED: Call TLCI for free information 1-800-468-7200, 24 hours/day---USA/ CANADA.

MOVIE/FILM/VIDEO TAPE

CABLE TV CONVERTER BARGAIN HEADQUARTERS. ZENITH, TOCOM, JERROLD, HAMLIN, OAK, SCIENTIFIC ATLANTA, ETC. VISA MC/COD CALL (800) 327-8544.

CABLE TV WIRELESS REMOTE CONVERTERS/ DESCRAMBLERS. SALE/USE REGULATED BY FEDERAL LAW. T.J. SERVICES. (313) 979-8356.

LASER VIDEO DISCS

LASERDISC NATIONWIDE! Discount Sales + Fast U.P.S. Rentais. WIDESCREEN, IMPORT, NEWEST RELEASES. Free "FRESH VIEWS" Laser Newsletter. HOLLYWOOD NORTH ENTERTAINMENT SERVICES. 840 Piner Rd., Santa Rosa, Ca. 95403. (707) 575-1225.

MISCELLANEOUS

TERMPAPER assistance. 15,278 papers available! 306-page catalog—rush \$2.00. Research. 11322 Idaho 2065X, Los Angeles 90025. TOLL FREE HOTLINE: (800) 351-0222 (California: (213) 477-8226).

WATCH REPLICAS! LOWEST PRICES GUARANTEED! NA-TIONWIDE! Warranty! Exact Weight & Color! 18KT Goldplated! CALL (404) 963-3USA.

CLASSICAL MUSIC LOVERS' EXCHANGE^{**}, Nationwide link between unattached music lovers. Write CMLE, Box 31, Pelham, NY 10803.

CONFISCATED CARS, trucks. boats, 4 wheelers, motorhomes, by FBI, IRS, DEA. Available in your area now. Call (805) 682-7555 Ext. C-1005.

BUSINESS OPPORTUNITIES

MAILORDER OPPORTUNITY! Start profitable home business without experience or capital. Information Free. Mail Order Associates, Inc., Dept. 599, Montvale, NJ 07645.

EASY WORK! EXCELLENT PAY! Assemble Products At Home. Call for Info. 504-641-8003 Ext. 9542.

RETAIL MART

WE HAVE THE FINEST SHOWROOM in our area with the best selection of audio video components available. We represent Adcom. Infinity, Thorens, NAD. Polk, Yamaha. Canton, Luxman, Klipsch, SONY ES, and more. CONTINENTAL SOUND, 98-77 Queens Blvd., Forest Hills, NY 11375. (718) 459-7507.

AUDIO/VIDEO STORAGE

ARCHITECTURALLY DESIGNED CLASSICAL CD CABI-NETS. Solid oak or cherry. FREE brochure. ZEAL HARD-WOOD DESIGN CO., Dept. SR3, 4 Benjamin Road, Lexington, MA 02173. (617) 861-1705.

CAR STEREO





WANTED TO BUY

TOP DOLLAR PAID FOR QUALITY LP & CD COLLEC-TIONS! ROCK, JAZZ, CLASSICAL (especially Early MER-CURY. RCA, LONDON Stereo; LYRITA, British EMI). U.S.A.'S LARGEST USED/COLLECTOR SHOP! PRINCE-TON RECORD EXCHANCE, 20 TULANE STREET, PRINCE-TON, N.J., 08542. (609) 921-0881.

FOR FASTES SERVICE C/ wholesaler's exc CD PLAYERS YAMAHA DC500 DX420 DX420 DX420 DX420 DX420 DX420 DX420 DX420 DX420 DX420 DX420 DX420 DX420 DX420 DX420 DX420	ST ALL or V J.S. bi	(212) URS: MONDAY Vrite Direct: 2 P randed merchandise	-FRIE ARK e and j Manufa	AVENUE, DEPT parallel imports. All	36 EST		typographical errors		EADER PAG RVICE NO. ADVERTISER NUMB
SERVICE C/ wholesaler's exc CD PLAYERS YAMAHA DC500 DX420 DX520 DX720 DX720 DX820 DX820 DX820 DX820 DX820	ALL HOI or V J.S. bi clusive 429 469 239 279 349	URS: MONDAY Vrite Direct: 2 P randed merchandise limited warranty. M REGENERS PIONEER VXS95005	- FRIE ARK e and j Manufa	DAY, 9AM-7PM I AVENUE, DEPT parallel imports. All	EST	3 CH (21			RVICE NO. ADVERTISER NUMB
Wholesaler's exc CD PLAYERS YAMAHA DC500 DC610 DX420 DX520 DX720 DX820 DX820	or V J.S. bi clusive 429 469 239 279 349	Vrite Direct: 2 P randed merchandise limited warranty. M RECEIVERS PIONEER VXS9500S	ARK e and j Manufa	AVENUE, DEPT parallel imports. All			12) 684-8046	60	Adcom
YAMAHA DC500 DC610 DX420 DX520 DX720 DX720 DX820 DX820 DX820 DX820	429 469 239 279 349	PIONEER VXS9500S	,		produc y not :	apply. Ask for full detail:		62	Bacardi BBE Sound Inc
DX420 DX520 DX720 DX820 DX820 DX920	239 279 349	VSX7500S	689	NAKAMICH CR1A		NAKAMICHI RD260 New 26	HIFONICS 59 THOR Please		Doston Acoustics
DX1120 DENON	589 989	VSX5500S VSX33000 VSX3300S SX2700 SX1700 NAD 7000	569 459 279 329 Call Call Call	CR2A CR3A RX202 CR4 JVC TDW201 TDW301 TDW501	419 669 639 839 139 179 229 269	RD360 New Ci RD460 New 44 CD760 100 CDC101 76 T0560 76 PA304 36 PA301 PA204 PA500 24	Bit Call for 19 DDIN for 19 VULCAN our 10 EUROPA low 10 PLUTO low 10 CALLISTO prices	157 	CBS Columbia House-CD Club16 Christian BrothersCover Component Guard Coustic
CD520 CD620 CD820	189 249 329	7225 7240 7100	279 429 629	TDW801 TDW901 TDX321	269 349 169 209	PA204 24 PA150 15 SP200 20 SP10 14 SP40 10	19 1000110011121111	98	Coustic
CD920 CM444 CM777 CD1420 CD1560 CD1560 CD3520	389 369 649 489 629 1249	7600 7400 LOUDSPEAKE ADVENT MAESTRO	1249 899 RS	TOR421 TDV621 TDV1010 6325 6340 6100	209 349 489 189 329 419	SP50 11 SP80 19 SP1010 1499 SP65 25 EC200/EC200H 1996 ALPINE	19 D6011 179 99 D10011 279 92 D20011 399 99 TC301 269	27 32 71	Denon
SONY DP270 DP470 DP670	159 189 229	LEGACY PRODIGY PRODIGYII	349 249 249	6300 A/WA ADWX999	759	5903 45 7235 42 6205 9	59 A40 269 29 SS10 299PR 39 SS510 249	1	Electronic Wholesalers
0P770 0P970 0P500 0P400	289 399 269 239	BABY MINI/SUB Outdoor AR	159 139 ea 149	ADWX505 ADWX808 ADF800 ADS27 ADWX707	139 299 299 99 199	6368 Ca 6392 Ca 6266 7 3312 22 3213 15	all ADS 79 6.2 149 29 642CSI 199		Ford Audio
P900 PIONEER D1070 D3070	349 449 889	PARTNERS ROCK PARTNERS BOSE	259 179	PIONEER CTS605 CTS705 CTW510	259 339 219	3501	9 PH12 269 29 320i 399 39 300i 279 39 200i 280	40	Hafler
IM710 IM610 IM510 IM410	439 329 269 239	121 Auto Roomate II 901 AM5	189 .259 1149 6 2 9	CTW600R CTW710R CTW910R AMPS & TUNE	.249 .309 .449	7280 35 7380 28 7269 25 7168 19	PQ8 189 19 PH15 519 19 PS5 219 19 PQ20 589	-	Illinois Audio
7100 T503 4100 <i>PHILIPS</i>	399 219 169	B&W MATRTIX 3II MATRIX 2II	1849 1229	YAMAHA MX600 MX800 MX1000	429 .679 .949	7168 19 7179 29 5952 49 3321 21 3501 6 3523 20	9 300iS 299	39	J&R Music World
50XX 60XX V487 V488	249 349 749 949	MATRIX 111 DM550 DM560 DM570 DM570	999 329 439 519 729	MX35 MX55 AX900 AX700	229 479 549 399	3525 24 3528 29 6265 12 6394 17	9 <i>INFINITY</i> 9 RSA62K 149 79 RSA63K 169	2	Klipsch KNI Loudspeaker
NAD 25 40 70	249 329 419 589	V201 V202 CANTON	219 299	AX630 CX600 CX800 CX1000 TX530	369 359 559 949 269	3522 15 7288 39 7909 Ca 7903 49	9 RS442K 09 99 CS2K 289 10 RSA52K 109 99 RSA692K 149	154	Lexus
00 JVC Z1010	759 499	GL260 KARAT20 KARAT30 KARAT40	349 579 699 1029	TX1000 EQ1100 EQ630	449 469 379	3554 38 SONY CDXA30 42 CDXR77 39	CS1K	29 109	McIntosh Mobile Fidelity
Z611 Z411 V311 V211	329 229 189 169	KARAT60 CT80 CT90 PLUS S	1289 1349 1949 279	EQ330 DSR100PR0 AVC70 AVX100	149 479 429 559	XR6180 19 XR7050 22 XR7400 42 XR6380 24	29 704-705 .55 29 707 .39		, , , , , , , , , , , , , , , , , , , ,
M901 M701 M301	Call 409 249	PLUS C CELESTION	. 479	DSP100 NAD 1700	.519 .679	XR6150 19 CDXR79 44 XE8 24	9 751 179 9 757 89	97	Paradigm Philip Morris-MarlboroCover Philip Morris-Parliament
M401 MAGNAVOX B486	279	SL12SI New SL600 SL6S I	1179 1499 749	2600A 2200PE 3225SPE	679 529 209	XE90 14 XR7180 32 XR7280 38	9 763 229 9 761 189	31 31	Pioneer-Home
B492 B490	169	DL12 New DL8 II	.Call 399	3240PE 3400	329	PIONEER	C700 150	90	Polk Audio
B610 B630 B586	199 299 269	DL6 II DL4 II Model 3	329 249 219	ADCOM GTP400 GTP500	299 489 449	KE5454 22 KEH8686 25 KE30100R 19	9 Kicker2 199	94	Pyle
YAMAHA 330	239	DESIGN ACOUST PS3 PS5	449	GFP555 GFA535 GFA545 GFA555	269 429 629	KE4060 24 KEH9696TR 28 KEH8050 33 KEH6040QR 29	9 SAS-BAZOOKA		Radio Shack
530. 730 830	329 399 489	PŠ10 PS6 PS8	.369 189 269	GCD575 GFP565	489 559 659ea	KEH7676TR Ca KE3434 16 CDX3 New 36	all T82 229 9 T102 159	103	Sherwood
930 1130 NAKAMICHI	699 949	PS55 INFINITY	. 169	DENON PMA920	499	GMA2000 24 DEXM300/CDXM70 77		104	
IA 2A 3A	299 499 749	RS2001 RS4001 RS5001 KAPPA5	179 399 549 599	PMA720 PMA520 PMA1520 P0A2400	389 299 749 549	KENWOOD KRC2003 18 KRC555 31 KRC777 New 42	9 SNOOPER D6 Call 9 CDBRA3168 129 9 COBRA3120 99	59	Sonance
4A DENON A325 A425	1099 . 279 359	KAPPA6 KAPPA7 CASSETTE DE	.749 1049 CKS	P0A6600 . P0A800 . PRA1500 .	549 249 389 389	KRC3003 22 KRC676 New 38 KRC353 23 KRC610 Ca	9 SPECTRUM 3SE	119	трк
A625 A825 A1025	. 439 649 749	YAMAHA KX1200 KXR700		TU550 AVC2000 AVC700	. Call 749 . 469	KRC510 27 KRC410 23 KRC310 20	9 BEL 8/6 129 19 BEL-VECTDR 3 189 19 BEL EXPRESS 3 229	_	Wisconsin Discount Stereo 1
SON Y RAV1010 RD2010	519 749	KX800 KX630 KX500	469 389 319	DP59L	. 479	KDC82 New Ca KRC5003 28 KRC878 New 47 KRC959 64	9 UNIDEN RD9		Yamaha
RAV910 RAV710 RAV310 RAV210	369 319 229 159	KXR430 KX300 KX230 KXW900	.279 .249 .219 .549	DP47F DP7F DUAL CS431		KDC92R New Ca KAC820 25	9 Sharc Call Panasonic For		
JVC (301 (401	179 259	KXW602 KXW302 KXW202	.419 .349 .279	CS450 CS455 CS505	199 229 249	KAC521 Ca KAC721 fc KAC821 Price KAC941 BLAUPUNKT	S Toshiba Latest Murata Prices		MARCH
(501 (701 (801	. 299 349 . 429	DENON DRM400 DRM500	. 189	CS5000 CS7000 TECHNICS	349 549	DENVER 21 PORTLAND 25 LEXINGTON 41	9 PANASONIC 9 SONY D160 199		MANUI
901 1010 <i>PHILIPS</i>	.649 .949	DRM600 DRM700 DRM800	209 269 329 399	SL1200 II THORENS TD280		LOS ANGELES 36 SAN FRANCISCD 31 DALLAS 28	9 SONY D9 219 9 SONY D2 169		

The second se

RECORD

by Christie Barter & Ron Givens

ARADA has just celebrated its tenth anniversary as a record company and is today one of the bestknown sources of New Age instrumental music. Operating out of Milwaukee, Narada developed three separate labels for different types of New Age music: Narada Lotus concentrates on acoustic performances, Narada Equinox on fusion, and Narada Mystique on all-electronic music.

Brewer: New Age piano

Among the new releases on Narada Equinox are "Mil Amores" by violinist Doug Cameron and "Dorian's Legacy" by pianist Spencer Brewer. Cameron, who has a robust fusion style, gets some help on his Narada debut from such guest performers as guitarist Lee Ritenour and drummer Vince Colaiuta. Brewer's new album, his third for Narada and sixth overall, displays a wide range of catchy stylings. Brewer is not limited to New Age piano, by the way-he also has a considerable reputation as a restorer of antique keyboard instruments.

B FORE heading overseas for its first European tour in more than a dozen years, Aerosmith was honored at the Hard Rock Cafe in



Boston, the band's home Never Be

town, with the opening, on the club's premises, of an installation called the Aerosmithsonian. Its contents include stage clothes worn by the band members, a collection of their guitars and microphones, Platinum records, drum heads, boots, and (as they say) much, much more.

Meanwhile, at press time, the Hub's favorite rockers had climbed into *Billboard*'s Top 10 with their latest album, "Pump" (Geffen), which was well on its way toward earning double-Platinum status.

7 ony Bennett relives his youth in his new CBS album, "Astoria: Portrait of the Artist." In a collection of fourteen songs, including such classics as *There Will* Never Be Another You and Body and Soul, Bennett reflects on his youth and aspirations while growing up in Astoria, in the New York City borough of Queens, where he lived until joining the Army during World War II. Providing accompaniment for the album is the veteran singer's regular back-up group, the Ralph Sharon Trio.

Appropriately enough, "Astoria" was recorded last May at the Astoria Sound Studio in Queens and produced by Bennett's son, Danny, who is also his manager. Since the "Astoria" sessions, the senior Bennett has continued to fulfill a heavy tour schedule, which takes him to Europe this spring. But befcre he heads across the Atlantic, he will perform two nights at Carnegie Hall, in the borough of Manhattan, his first appearances there in several vears.

S

FTER many years as a A London/Decca recording artist, Alicia de Larrocha has gone over to RCA Victor Red Seal. The first recording under the terms of her new exclusive, long-term contract is an album of Mozart piano sonatas (Nos. 8, 9, and 10), due for release in the fall. It launches an ambitious series of Mozart recordings by the Spanish pianist that will include all of the solo key board sonatas as well as a complete piano-concerto cycle with Colin Davis conducting the English Chamber Orchestra and the Chamber Orchestra of Europe.

THER major new contract signings, renewals, and defections to new labels include the Boston Pops Orchestra and its conductor, John Williams, who recently signed an exclusive, multirecord contract with Sony Classical (formerly CBS Masterworks) after a number of years with Philips Classics; pianist Maurizio Pollini, who has renewed with Deutsche Grammophon, the company with which he's been almost exclusively associated since 1971; pianist Maria João

Aerosmith at the Aerosmithsonian



A/LEVINE SCHNEIDER

D

Pires, who has gone over to DG after many years on Erato; and conductor Pierre Boulez, who has also joined the DG roster-rejoined, actually, since one of his earliest recordings is a Bayreuth Festival Parsifal released by the label in 1971.

ames Galway was fifty in December, and while the occasion was duly celebrated with gifts and a birthday gala in London, the popular Irish flutist returned the favors with a gift to his many fans worldwide. It was in the form of a follow-up to his best-selling RCA crossover album of 1978, the Oriental-flavored "Song of the Seashore." The new album, also on RCA, is titled "The Enchanted Forest-Melodies of Japan," and its release date in this country is February 27. Recorded in Tokyo, it's the first album in which Galway is accompanied by a synthesizer. In a



De Larrocha: now for Mozart

companion release, of three chamber works by Beethoven, Galway is joined by a thoroughly acoustic piano trio comprising pianist Philip Moll, violinist Joseph Swensen, and violist Paul Neuhauer.

Galway himself will come to America this spring for a coast-to-coast tour beginning April 16 at the Academy of Music in Philadelphia.

N January 1, 1990, the New York Philharmonic's music director, Zubin Mehta, was in Vienna conducting the Vienna Philharmonic in its traditional New Year's Day concert at the city's venerable Musikverein concert hall. According to CBS Records, the invi-



Galway: melodies of Japan

tation to conduct the concert was extended to Mehta because of the bonhomie generated between him and the orchestra during their 1989 recording sessions for an album of overtures by Franz von Suppé, generally considered to be the father of the Viennese operetta. That album was released toward the end of last year on the CBS Masterworks label. The New Year's Day concert, televised to millions of viewers worldwide, was itself recorded and is being released the third week in February-by Sony Classical. It's among the very first domestic releases on the new Sony label.

ONG-TIME fans of jazz vibist Gary Burton will remember that guitarist Pat Metheny was a member of Burton's quintet in the mid-Seventies. Since then, Metheny has become one of the best-selling artists in jazz fusion, and Burton has continued to make critically acclaimed music leading a variety of groups. But Burton and Metheny hadn't performed together for more than ten years before joining onstage at the Montreal Jazz Festival in 1988. That happy occasion has inspired "Reunion," a Burton release on GRP that features Metheny. Also playing in the album are key-

Mehta: Vienna New Year's



boardist Mitch Forman bassist Will Lee of the Late Night with David Letterman band, and drummer Peter Erskine, who was a member of Weather Report.

R

S

CLASSICS

NICK SANGIAMO/BMG

RACENOTES. Former J. Geils Band lead singer Peter Wolf traveled from Boston to Nashville to record his latest solo album for MCA, "Up to No Good." U2's guitarist, The Edge, has written the score for a London theatrical adaptation of Anthony Burgess's anti-Utopian novel A Clockwork Orange. . . . Avant-garde jazz pianist Cecil Taylor has a new release, "In Florescence," on A&M. . . . The Indigo Girls' new video of the Youngbloods' Summer of Love classic Get Together was made in cooperation with the Georgia-based Habitat for Humanity, a nonprofit organization dedicated to the con-



MASTER WORKS

CBS

Gary Burton, Pat Metheny

struction and rehabilitation of affordable housing in the U.S. and around the world (former President Jimmy Carter is among its most active supporters). . . . Carlos Santana's new album is "Spirits Dancing in the Flesh," recorded in Sausalito, California. It's the guitarist's thirteenth album and his first since 1988's "Viva! Santana." The U.S. Army's boombox bombardment of Manuel Antonio Noriega while he was holed up as a guest of the

Vatican embassy in Panama City featured such pop hits as Linda Ronstadt's You're No Good, the Bobby Fuller classic I Fought the Law and the Law Won, and Nowhere to Run, which put Martha and the Vandellas into the Top 10 in 1965.

THE HIGH END





CROSSING OVER

ORE than a decade ago, an esteemed colleague described his experience with electronic crossovers: "Every year the Japanese come to me to ask whether this is the year of the electronic crossover. I say no, and they go away—until next year."

This year there are close to fifty manufacturers of electronic crossovers, and only one of them I can find is Japanese. Most are, in fact, U.S. manufacturers. Does this tell us anything? As far as I can determine, no. This is still not the year of the electronic crossover-except in car audio and in home-audio subwoofers, where the designer may have concealed the concept by building the additional amplification and crossover capability into the subwoofer cabinet. I suspect the Japanese have ceased marketing electronic crossovers because no one in this country was interested. And yet they are powerful tools for large-scale sound reproduction.

"Electronic crossover" is a vague expression that may describe a passive or active (powered) device, but by definition it refers to a circuit that comes before the power amplifier in the signal path rather than after. The most arresting consequence of this position is that a separate channel of power amplification is required for every speaker driver that is to be fed by the crossover's action. That could mean, for a stereo system involving three-way speakers, three stereo power amplifiers, for woofers, midranges, and tweeters. Sensible? In the view of most professional sound-system installers for wide-range applications, it is, and for a number of reasons.

First, if the woofer amp clips, which it will be prone to do with much musical material, the midrange and tweeter amps won't care. and their critical output will remain clean. Second, the amplifiers will no longer "see" the potentially difficult load of two or three speaker drivers plus a complicated crossover network, and they may thank you audibly for it. So may your speaker systems, because the passive crossovers normally built into them tend to change personality with both the signal fed into them and the inevitable interactions with driver voicecoil activity.

Third, potentially of great appeal to the uncompromising high-end listener, is combining, for example, the touted treble delicacy of a tube amplifier with the bass gutsiness of a transistor design. Would these two types of amplifier, employed for the same speaker system, be compatible in "imaging" and other muchdebated nuances of reproduction? I think I'll duck that question for the present, except to note that the combination was commonplace in the past, when amplifiers were small and transistors new. Many audiophiles, debating whether to discard their existing amps and move on to the latest thing, decided to embrace both.

Today's widespread indifference to the benefits of multiamping probably stems largely from a lack of promotion. Of the several prominent high-end manufacturers that make electronic crossovers, I am hard pressed to recall any that has ever demonstrated with one. In response, loudspeaker makers have almost universally abandoned the separate input posts for individual drivers that immediately suggested multiamping to the purchaser. Still, it remains a mystery why consumers as particular as audiophiles are not actively agitating for a further approach to the ultimate amp/ crossover configuration. I've inquired around a bit, and here are some of the reasons offered for the lack of interest.

□ "Multiple decisions are needed on the power requirements for each driver, and many users are too lazy or intimidated to confront the issue." This is certainly true, and there appears to be a trend among professionals to use equal power for woofer and tweeter, pointing to the high crest factors of crash cymbals. But I suspect they also point to simplification of inventory and the relative cheapness of amplifier power.

□ "The costs are high because all high-end amplifiers are costly, and lesser amps are not acceptable for any portion of the spectrum." True if you're convinced it's true, but high-end audio in any form is costly, which hasn't slowed enthusiasts much.

□ "Great expertise and perhaps instrumentation are required to set things up properly." Not necessarily true. Crossover points chosen by the speaker system's manufacturer can be an adequate guide to performance at least the equal of what the built-in crossover provides; but it must be admitted that phase manipulations deliberately performed by some built-in networks will be lost.

□ "Audiophiles are reluctant to complicate the signal path with another electronic box." Not a valid excuse. It's hard to see how anything could *de*-complicate the signal path as much as elimination of that infernal passive crossover.

□ "Multiamping is perceived as somehow impure: a fragmenting of the audio experience." Well, that's an inarguable reservation, and those who sincerely hold that belief will just have to live with it.

It's an irony that a revival of attention to electronic crossing over is coming about through car audio, a poor relation of the home variety. It's also an irony that this is happening just when the Japanese finally gave up on their annual question and took most of their products home. I predict they'll be back. \Box

BARNABY HALI

Diver Jim Reid discovered a whole new kind of sunken treasure.

> He also prefers Christian Brothers Brandy.

> > Owner, Second Chance. Golf ball recycling. Last year's sales: \$1,400,000.





THE CHRISTIAN BROTHERS BRANDY, 140% ALC. BY VOL. (80 PROOF) ©1990, CB VINEYARDS, MENLO PARK, CA



SOUND FOR THE NEXT FRONTIER

It takes an impressive car to do justice to incredible car audio. So Pioneer commissioned auto stylist Uwe Gemballa to custom design the 1990 Pioneer/Gemballa Mirage. Its racing-inspired modifications can take high speed punishment, and its 600 horses can dish it out. There's only one way to get more performance out of a car like the Gemballa Mirage. By putting more performance into it.

So Pioneer loaded it up with programmable single and multi-play CD, full-logic cassette, precision AM/ FM tuning and even a video monitor. All controlled by one wireless remote and driven by eight high power amplifiers that deliver 2100 watts to a total of 24 speakers. While the 1990 Pioneer/Gemballa is certainly exhilarating, it is no cheap thrill. The car runs \$350,000 – and sounds like a million.

PIONEER

© 1990 Promeer Electronics (USA), Inc. Long Beach, CA. CIRCLE NO. 31 ON READER SERVICE CARD