Producers Don Gehman and Jeff Lynne · Classic Tracks: The Dead's "Truckin'"

U.S. \$4.95 CANADA \$5.95 MAY 1996





recorder of all time? Listen to your customers. Do some heavy thinking, and...

Make the transport four times faster and put it under constant software control. Incorporate advanced onboard digital editing

with track copy, auto

ALESIS

punch, track delay, tape offset, 10-point autolocator, rehearse mode and more. Use the latest oversampling converters for the ultimate in digital audio quality. Design a beautiful vacuum fluorescent display that provides all the critical information. Wrap all this well-thought-out technology in an utterly professional six-pound solid dic-cast aluminum chassis. Of course, make it 100% compatible with over 70,000 ADAT's already in use worldwide. Introducing the new, definitely improved ADAT-XT* 8 Track Digital Audio Recorder. Consider it a think tank for your creativity. See your Alesis dealer. Don't think twice.

For more information about the ADATXT, see your Authorized Alesis Deoler or all 310-841-2222. @ Alesis and ADAT are registered trademarks ADATXT is a trademark of Alest Corporation.

Alesis Corporation 3630 Holdrege Avenue Los An eles CA 90016 310-841-2272 alecorp@alesis1.usa.com



ada

USE READER SERVICE CARD FOR MORE INFO

finges faster Intelligent Transport Brioard Digital Editor Univers Heteloretor adat xt

TRACK DIGITAL AUDIO RECORDER

The console that creates success

er Station

Solid State Logic

Music &_Film

Criteria Recording Studio

An investment in a Solid State Logic console is an investment in success. Most of the world's leading producers and engineers simply won't work in anything other than SSL equipped facilities, and of all the SSL studios around the world, those equipped with our latest SL400D G Plus consoles are amongst the busiest.

G Plus consoles are legendary for their sound quality, advanced automation and reliability. And with a wide variety of frame sizes, configurations and automation options, it's never been easier to upgrade to an SSL.

Talk to Solid State Logic about the SL4000 G Plus – the console that creates success.



International Hediaquarters: Begbroke, Cx/ford (XX5-1KU, England, Tel. (01865) 842300 Fax: (01865) 842118 Paris (2) -s4-60-46.66 - Millan (2) 262-24956 - Tokyo: (3) 54-73-11-44 - New York (212) 315-1111 - Los Angeles (213) 463-4444

SL4000

Gimmick

Billooarc

Category

Dance Sales

Adult Contem

Rap Singles

Album Rock

RAB Single

Dance Clab

Country Singles

Hot 100

Produced on SSL

100°

10

88.80

88.

74.50%

72.50

68.60%

68.40%

They Call Him "Mr." Limpet"

BM6.5LM



Consector

High Power, Fuil Discrete Amplin

Durable, High Pressure Die Cast Charson

Proprietary "Soft Clip" Circuitry

High Current, Dual Voltage, Toroidal Power Supply

■ Every once in a while a product comes along which not only meets the ever increasing demands of the market, but one whose smooth commercial styling, ergonomics, durability and outstanding performance demands respect. Introducing MR. LIMPET. ■ The LIMPET is a unique, compact design that combines a very high current toroidal power supply, fully discrete amplification stages, and ultra wide

(10 Hz to 80 kHz) bandwidth capabilities in a very affordable system. Built using a one piece high pressure die-cast metal housing, the LIMPET is not only very rugged electrically and mechanically, its internal construction takes advantage of the industry's most advanced assembly techniques. The LIMPET amplification system can be used with a wide range of TANNOY professional reference monitor systems, and provides the user with a number of improvements in both the performance of the loudspeaker system, and its flexibility. Each single channel LIMPET system delivers an enhanced stereo image because the channels are fully separated - no power supply sagging due to inter-channel coupling, no crosstalk, no interference. Almost any kind of input level and connector can be used, since the LIMPET offers a balanced or unbalanced "combi" connector that can utilize either 1/4" or 3 pin jacks. The ultra-low noise input section can accommodate either 0.775, 1.0, or 1.5 volt drive levels with no performance sacrifice. The LIMPET's universal power supply, equipped with an industry standard IEC connector easily deals with almost any voltage, making the LIMPET a true global traveler. Finally, you can take your monitors wherever your work takes you, and not have to worry about cumbersome and troublesome adaptors, power converters, or strange electrical systems. In addition, the unique and propri-

ange electrical systems. If in addition, the unique and proprietary soft-clip circuitry and the significant reserves in the power supply ensure that no damage will occur to the drive units while providing the headroom needed for even the most demanding requirements. The LIMPET is ideal for professional recording, broadcast/post production facilities, remote and live recording reinforcement

applications, and finally gives the private/home recording studio truly reference quality performance unequaled at twice the price.

Instead of settling for the ordinary, get a LIMPET and get a real grip on your reference monitor performance.



Creative control, superlative sound and uncompromising support - Lexicon's commitment to the audio professional.

The New 300L with LARC: The World Class Touch.



Introducing the Lexicon 300L, the newest addition to Lexicon's worldclass digital effects systems. It's a new version of the award-winning Model 300 — with LARC control. Offering analog/digital mixing, timecode automation, compression, unique mastering tools and a full complement of Lexicon's finest reverb and effects programs. And if you already own a Lexicon 300, you can upgrade.



Lexicon Alphanumeric Remote Control Bring your lavorite effects processors under total control.



If you own a **300L**, **480L** or **224XL**, you can now have multi-machine LARC control via the **LR-4 FrameLink** — genuine examples of Lexicon's professional commitment. Few studio tools are as familiar as the LARC — putting you in touch with the sounds the competition imitates but never duplicates, without ever leaving the sweet spot. Call your Lexicon dealer for full details.

H A Harman International Company USE READER SERVICE CIRCLES FOR MORE INFO

PROFESSIONAL RECORDING · SOUND AND MUSIC PRODUCTION

MAY 1996, VOLUME 20, NUMBER 5

AUDIO

- **18** The Fast Lane: For Sale: One Audio Industry by Stephen St.Croix
- 22 Insider Audio: Sounding Off— What Happened to the FOH Mix? by Paul D. Lebrman
- **30 Producer's Desk:** Don Gehman *by Rick Clark*
- **40 Grammys on the Web:** NARAS, Apple and Intercast Team Up for Awards Show Webcast *by Philip De Lancie*
- 50 The Brit Awards by Zenon Schoepe
- 62 International Update: InFlight Productions; Caracole Studios; Loreena McKennitt's Celtic Journey by Barbara Schultz
- 76 Lunching With Bonzai: Jeff Lynne by Mr. Bonzai
- 82 The Project Studio: Steve Rashid by Tom Kenny
- 84 Back to Ohio: Cleveland, Cincinnati Shine as Secondary Commercial Hubs *by Dan Daley*
- 118 Top-of-the-Line Studio Amps by Sarab Jones
- **130 Technology Spotlight:** Sony Direct Stream Digital— The Last Standard? *by Paul D. Lebrman*

172 Recording Notes

- Loudon Wainwright III by Adam Beyda
- Dwight Twilley by Blair Jackson
- Vestapol Videos by Blair Jackson
- Classic Tracks: The Grateful Dead's "Truckin'" by Blair Jackson



PRODUCTS

134 Preview/Hot Off the Shelf

- **138 Field Test:** Lafont Chroma Analog Post-Production/ Re-Recording Console *by Mel Lambert*
- 146 Field Test: Ramsa WR-SX-1 Sound Reinforcement Console *by Mark Frink*
- **150 Field Test:** Bag End Studio-A Monitor System by George Petersen
- **155 Field Test:** Audio-Technica ATH-M40 and ATH-D40 Studiophones *by George Petersen*







LIVE SOUND

- 88 Sound System EQ: Live Sound Engineers Discuss Methods *by Chris Michie*
- **90** An Interview With Engineer David Morgan by Chris Michie
- 100 Earphone Monitoring Basics by Steven E. McCale
- 103 Personal Monitors: What You Should Know by Michael Santucci
- **108 SoundCheck:** Syn-Aud-Con Live Sound Workshop *by Mark Frink*
- 109 Tour Profile: AC/DC by Sarah Jones
- 114 New Sound Reinforcement Products



POST-PRODUCTION

156 Post Script

- Timecode Caveats by Evan Chen
- Facility Spotlight: Spots BME by Tom Kenny
- PC Game: "Alien Trilogy"'s Sonic Universe by Evan Ambinder
- Scoring in Dog Years—Elias Associates Fight On by David Jobn Farinella

PAGE 172

DEPARTMENTS

- 8 From the Editor
- 12 Current
- 16 Industry Notes
- 188 Coast to Coast (Including L.A. Grapevine, New York Metro, Nashville Skyline, Studio Spotlight: Randy DeFord, Sessions and Studio News)
- 200 Studio Showcase
- 208 Ad Index
- 214 Marketplace
- 219 Classifieds
- 232 Feedback



A special *Mix* advertising supplement on the hottest studios in the North Central United States begins after page 80. Cover: Studio Two at Strongroom Studios in London features a Euphonix CS2000M 96 console with 56 dynamics modules and an Otari PicMix multichannel pan system. Designed for mixing music and video projects, the room boasts a Neil Grant Boxer T5/T3 six-channel (LCRSS+sub) surround monitoring system, Otari MTR-90 analog and Otari RADAR digital 24tracks. Photo: Antony Oliver.

Inset Photo: Steve Jennings.



170 New Products for Film/Video Sound



Introducing the coolest upgrade path in all of digital audio.

Here's news for every musician, editor, producer, and engineer: The industry standard digital audio workstation---Pro Tools from Digidesign---now comes in a range of products tailored to your needs and budget. Now you can start with the all-new Pro Tools with DAE PowerMix[®] for just \$795. As your needs grow, you can climb all the way to the world's best-selling

Pro Tools Project[®]

Pro Tools with Audio Media II

Pro Tools Software with DAE PowerMix

New: An amazing value that turns your Power Macintosh or Mac-OS clone into a multitrack digital workstation with no additional hardware. Pro Tools interface. Random access, non-destructive editing. Up to 16 tracks of playThis audio card adds 2 channels of high-quality analog and digital I/O, and comes with industry standard Sound Designer II software and entree to/its/family.of DSP Plug-Ins. New. Pro Tools software and Pro Tools Project Audio Card. Adds 8 tracks of simultaneous record/playback. Up to 8 channels of analog and digital I/O. Supports Sound Designer II and DSP Plug-Ins. workstation, ProTools III, with mountains of record tracks, I/O, and real-time effects and mixing. Each step of the way, you'll learn and grow with Pro Tools software, share work between systems, and take an upgrade path that lets you build on the value of your investment. Audio professionals now have more choices and flexibility than ever before. And getting started couldn't be easier. To learn more about the clearest path to the best in digital audio, call 1-800-333-2137 x206.





The ultimate workstation. TDM virtual digital mixing and processing environment accommodates a wide variety of real-time Plug-Ins. 16-48 tracks of record/playback. 8-64 channels of high-quality analog and digital I/O. New for '96: ProControl,¹⁰ an advanced tactile control surface with dedicated controls for mixing and editing, plus high-quality moving faders.

For audio professionals and musicians, as well as for more than 100 Digidesign Development Partners, Pro Tools is the industry standard. That's why more audio World Radio History professionals use Pro Tools than all other



©1996 Digidesign, Inc. Digidesign is an Avid company. All features and specifications subject to change without notice. Digidesign and Pro Tool:

FROM THE EDITOR

AUSTRALOPITHECUS MIX

May 1996 has a special significance for anyone involved in technology. Exactly 2 million years ago this month, a group of *Australopitbecus* hominids—early human ancestors—living near the Olduvai gorge near the base of Mount Kilimanjaro in eastern Africa began fashioning rudimentary tools for food gathering, hunting and preparation chores. Known as "pebble tools," these were little more than fist-sized rocks, split or broken to expose an edge or point at one end. But the concept of using simple tools was an enormous step in the development of humankind as we know it. Soon, pebble tools led to flint hand adzes, which after a while (at least in geologic terms) led to the carbon microphone, high-frequency compression drivers and PC-based audio measurement systems.

The technology may have changed, but whether preparing simple rock adzes before hunting in a *pre*-ice-age world, or using an analyzer to hunt for room nodes before an ice-rink rock show, the need for tools goes on. And as the complexity and power of tools increased, so did our dependence on these devices. Pocket calculators are commonplace today: When was the last time you did long division by hand or consulted a text to look up four-place logarithms?

In the coming weeks, the industry hosts two major technology shows. The National Systems Contractors Association comes to St. Louis, while the 100th AES convention steams into Copenhagen. Both will present a dazzling array of products for audio professionals, yet as we walk through trade shows, salivating over aisles and aisles of goodies, it's important to keep all this technology in perspective.

In keeping with the sound reinforcement focus of this month's Mix, we launch headlong into some of the burning issues facing live sound pros today. Sound reinforcement editor Mark Frink reports from Syn Aud Con's annual Live Sound Workshop and takes Ramsa's flagship WR-SX1 high-performance mixer for a test drive. Engineer Steve McCale writes about the basics of earphone monitoring systems, while Michael Santucci offers applications tips from an audiologist's perspective, Speaking of too loud, our own Sarah Jones visits AC/DC's Ballbreaker world tour. Technical editor Chris Michie interviews top mixer Dave Morgan and chats with engineers and designers on the subject of system equalization methods. Ironically, one of the most interesting conclusions from this article is the reality that once a system has been TEFed, CORREQTed, PREged, SIMed or RTAed, the tweaking process is completed through a combination of the engineer's aural sense and a few favorite reference CDs-the most basic of simple audio tools.

Australopithecus would have been proud.

Goye H

George Petersen







American Business Prices Aix magazine is published at 6400 Hollis St #12, Emeryville, CA 94608 and is 05 1996 by Cardinal Business Media, Inc. Mix (ISSN 0164-9957) is published intonthly, Subscriptions are available for \$46.00 per year. Single copy price is \$4.95, back issues \$6.00. Missed issues within the U.S. must be claimed within in 45 days of publication date and abroad, within 90 days Send subscription applications, subscription inquines and changes of address to Mix magazine, Po Box 11525, Nashville, TN 37204 or call (800) 843-4086 Oxtotale U.S., call (16) 307-3322. POSTMASTER: Send address changes to Mix magazine, PO Bicx 41525, Nashville, TN 37204, Address all other correspondence to Mix magazine, 6400 Hollis St, #12, Emeryville, CA 94608; (510) 653-3007, Fax, (510) 632-5142. Second class postage paid at Oakland, CA, and additional making offices. Editeur Responsable (Belgique), Christian Desmet, Vuurgatstraat 92, 3090 Ovenjes, Belgique. This publication may not be reprodued or quoted in whole orin part by prified or electronic means without written permission of the publishers Printed in the USA. Canadian GST #129597951: Canada Post International Publications Mait Product (Canadian Distribution) Sales Anseement #0478723.

EDITOR George Petersen EXECUTIVE EDITOR Blair Jackson ASSOCIATE EDITOR Tom Kenny TECHNICAL EDITOR Chris Michie ASSISTANT EDITOR Adam Beyda COPY EDITOR Barbara Schultz EDITORIAL ASSISTANT Sarah Jones SOUND REINFORCEMENT EDITOR Mark Frink MEDIA & MASTERING EDITOR Philip De Lancie LOS ANGELES EDITOR Maureen Droney EAST COAST EDITOR Dan Daley CONSULTING EDITOR Stephen St.Croix EDITOR-AT-LARGE Mr. Bonzai TEC AWARDS EDITOR Karen Margroff Dunn BOOKSHELF EDITORIAL COORDINATOR Ken Stockwell CONTRIBUTING EDITORS Larry Blake Bob Hodas Paul Potven Chris Stone Larry Oppenheimer Rick Clark ART DIRECTOR Tim Gleason ASSISTANT ART DIRECTOR Kay Marshall GRAPHIC DESIGNERS Mika Chisaki Mary Daly

S

T

Α

EDITOR-IN-CHIEF/PUBLISHER Hillel Resner

F

ASSOCIATE PUBLISHER Jeffrey Turner ASSOCIATE ADVERTISING DIRECTOR John Pledger EASTERN ADVERTISING MANAGER Michele Kanatous SOUTHERN CALIFORNIA/SOUTHWEST AD MGR. Terry Lowe NORTHWEST/NO. CENTRAL AD MANAGER Shawn Yarnell ADVERTISING SALES COORDINATOR Christen Pocock SALES ASSISTANTS Tiffany Kendall Karen Dere Paul Kran Mike Grout CLASSIFIEDS & MARKETPLACE MANAGER Robin Boyce CLASSIFIEDS SALES ASSISTANT Debi Mapp

CLASSIFIEDS ASSISTANT Jef Linson SHOWCASE & FACILITIES SALES Shawn Langwell

MARKETING MANAGER Elise Malmberg ASSISTANT TO THE PUBLISHER/ EVENT COORDINATOR Jane Byer MARKETING ASSISTANT Teri Stewart

ART DIRECTOR, SPECIAL PROJECTS Michael Zipkin GRAPHIC DESIGNER, SPECIAL PROJECTS Tami Herrick

PRODUCTION DIRECTOR Georgia George COLLATERAL PRODUCTION DIRECTOR Ellen Richman ADVERTISING TRAFFIC MANAGER Joanne Zola PRODUCTION ASSISTANTS Denise Denis Sherry Bloom COMPUTER SYSTEMS COORDINATOR Dan Lederer

CIRCULATION MANAGER Steve Willard ASST. CIRCULATION MANAGER Cyndi Lukk CIRCULATION ASSISTANT Jeanette Campagna

BUSINESS MANAGER Cindy McFarland RECEPTIONISTS Angel Alexander Carrie Gebstadt

MUSIC AND ENTERTAINMENT GROUP

DIRECTOR OF OPERATIONS AND MANUFACTURING Anne Letsch

ALSO PUBLISHERS OF ELECTRONIC MUSICIAN MIX BOOKSHELF RECORDING INDUSTRY SOURCEBOOK MIX MASTER DIRECTORY

CARDINAL BUSINESS MEDIA, INC.

PRESIDENT AND CHIEF EXECUTIVE OFFICER Robert N. Boucher, Jr. VP & CHIEF FINANCIAL OFFICER Thomas C. Breslin VP, PUBLISHING SERVICES R. Patricia Herron VP, HUMAN RESOURCES Dorothy J. Flynn VP, SPORTS & MUSIC DIVISION Thomas J. Morgan VP, RETAIL DIVISION Marianne Howatson

NATIONAL EDITORIAL, ADVERTISING and BUSINESS OF-FICES, 6400 Hollis St. =12, Emeryville, CA 94608. (510) 653-3307, IMC 736, FAX: (510) 653-5142, e-mail: 74673.3672@compuserve.com EAST COAST ADVERTIS-ING OFFICES, 162 5th Ave., Suite 1001, New York, NY 10010, (212) 367-8900, FAX: (212) 367-8905, SOUTHERN CALIFORNIA ADVERTISING OFFICES, 12424 Wilshire Blvd., Ste. 1125, Los Angeles, CA 90025, (310) 207-8222, FAX: (310) 207-4082, FACILITIES SALES, (510) 653-3307, CLASSIFIEDS ADVERTISING, (600) 544-5530. MIX BOOK-SHEIF, (800) 233-9604, BACK ISSUES, (800) 839-5977, CIR-CULATION INQUIRIES, PO Box 41525, Nashville, TN 37204, (800) 843-4086, (615) 370-5643.

> Founded in 1977 by David Schwartz and Penny Riker Jacob



INTRODUCING QUANTEGY. THE NEW COMPANY THAT'S BEEN MAKING AMPEX TAPE FOR OVER 35 YEARS.

Nothing's changed, really.

You still get the audio mastering tapes that go gold more than all other brands combined.

The same top quality video tapes used by broadcast and creative professionals around the world.

The same market-leading instrumentation

tapes used by aerospace and government.

708: 540-5100

 Quantegy
 Worldwide
 Sales
 Offices

 North and N & Y (x)
 (201) 472 4130
 (301) 472 4130

 Mei-Ange
 (201) 472 4130
 (301) 152 8600

 C = Source of Angel
 (201) 412 (111) 111
 (301) 152 (101) 111

Midaustichi pir

S photostra (Da®s) A may conserve for S may conserve for F A may conserve for A may for
 214
 r21
 Lik
 July
 Lik
 July
 r
 r
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n
 n

44 1 731 3022 ko 17 1 3 5 44 7 4 8 11 41 1 1 4 1 218 ext 209 Mid Ris Ellit Africa (1971) Renational and the Scentrolay and the shift of Gamad (The offic

And the same manufacturing, technical support and sales people.

The difference is that we're new the only media company

So call us today and we'll tell you more

You even get the same Ampex" brand name

UANTEGY about Quantegy. After 35 years, we're just getting started.

dedicated exclusively to you, the recording professional.

Liter A in a scientific Attack in a 132 Attack in a scientific Attack in a 132 Attack in a scientific Attack in a science at

Andrich Barn an T. prowing of the ring educion of Opening to this 5.4 Terra Beth Avrene Minutain Vew CA. 9404 415 ben 1. Co

1 45

What do you say to the world's first affordable 64-track Digital Studio Workstation?



The user installable VS8F-1 Effect Expansion Board adds two.completely independent stereo multi-effects processors. There are 200 patches. extensive effects including 3-D RSS capability. and guita effects chans with COSMbased guitar amp simulator.

song, copy it or move it somewhere else without re-recording it. Dr cut out another section and have the remaining material slide over and fill the open space automatically. And if you're not satisfied with a particular edit, simply return to the previous performance. Instant locate points make editing on the VS-880 as user-friendly as it gets. For advanced applications, functions like Scmub Preview or Time Compression/Expansion are available.

Two Digital Effects Processers

A VS8F-1 Effect Expansion Board car, be easily userinstalled, giving you two totally independent multieffects processors. Reverb, stereo delay, chorus, flanging, vocoder as well as distortion/overdrive and guitar amp simulation are a few of the effects that can be added during recording or during final mix in realtime. Three dimensional effects based on Roland's proprietary RSS[®] system are also included.

Digital Memory

Digital Editing

With the VS-880, you get fully

ities. You can copy, move, exchange, insert, cut and erase tracks. Because it functions like

a word processor, you can select the perfect chorus of your

non-destructive editing capabil-

You can choose the type of memory which best suits your needs. Select a 540 MB internal drive or an internal 1 Gigabyte removable lomega® JAZ® drive capable of 500 minutes of recording time. A standard SCSI port allows for easy connection to external drives such as lomega® ZIP®, magnetic optical or other storage media.

Synchronization

The VS-880 is MIDI compatible for synchronization with MIDI Time Code (MTC) as both a master or slave. MIDI Machine Control (MMC) also allows automated transport control, putting playback, fast forward, rewind and more at your fingertips.

It's time to turn your home or workplace into the studio you've always wanted. Call (213) 685-5141, ext. 798 to order a free demonstration video.



Welcome home.

Say hello to the first fully integrated digital recording workstation practically anyone can afford. The VS-880 is for anyone who ever wanted more and more out of their home or studio recording environment.

A 14-Channel Digital Mixer

The VS-880 comes with a 14-channel digital mixer with digital EQ. Fader, pan and mixer parameters can be automated by MIDI centrol change messages. Internal snapshot automation is included.

An 8x8/64 Virtual Track Digital Recorder

Eight primary tracks with eight levels of virtual tracks give you the ultimate in recording flexibility. Record multiple takes, edit or undo edits and compile the best parts of various takes to create the perfect track without compromise. You can accumulate up to 64 instantly accessible tracks and choose eight for final mixdown.

Digital Mastering

The VS-880 is fully digital and has digital in and out. This makes it compatible with all your existing digital equipment, both linear tage-based and non-linear hard disk format.



The rear panel has four RCA and four 1/4° inputs, digital in/out, MIDI in out for sync and automation, a programmable footswitch input. headphone jack, two aux sends, master outs, and a SCSI port for archiving or adding additional storage devices.

Anline



CURRENT

100TH AES CONVENTION

The Bella Center in Copenhagen hosts the 100th AES convention from May 11-14. Show highlights include 150 technical papers, 11 workshops, an education fair, technical tours and social events, including an awards banquet on May 12. Additional meetings will be held in the days preceding the convention. For more information, call the AES at 212/661-8528.

NSCA '96

The National Systems Contractors Association Conference and Expo '96 is taking place this month at the America's Center Convention Facility in St. Louis. The show is being held May 12-14, and attendance is expected to exceed last year's record-breaking 448 exhibitors and 6,000 show-goers.

Preceding the Expo on May 11 will be two industry networking events for show attendees. For more information about NSCA events and registration, call 708/598-9777.

INTERNATIONAL ALLIANCE FOR MULTICHANNEL MUSIC

The future of the music business lies beyond 2-channel stereo. That was the message delivered to the 150 industry professionals gathered at the University of Southern California in Los Angeles to examine alternate multichannel formats for music and multimedia delivery. Hosted by the EC2 at USC and TMH Corporation, and sponsored by Motorola, the two-day colloquium examined the basics of multichannel audio through various types of multichannel home playback systems.

The collision course for all of these discussions, of course, is the imminent launch of the digital video disc (DVD) as a replacement for domestic VHS and Betamax video decks. The combination of a large installed base of home-theater systems and a new release medium with as much as seven times the replay capacity of the compact disc opens up some interesting possibilities for an audio-only version of DVD (not to mention new music distribution media such as advanced cable, satellite and network systems). The conference, co-chaired by John Eargle (classical recording engineer and currently director of recording at Delos) and Tomlinson Holman (innovator of THX sound and founder of TMH Corporation), hosted sessions including a comparison between the use of multichannel audio for music playback and mixing techniques for film and video, hardware requirements, securing software revenues and musical opportunities offered by the medium.

"The challenge for the music and recording industries," Holman said, "is to define the best audio-only uses for such emerging technology, and to prepare the infrastructure required to service and expand the existing market for multichannel music. Our intention in organizing IAMM '96 was to provide a unique opportunity for music industry professionals to discuss, define and influence this new music technology."

A parallel Multichannel Hardware

MIX PRESENTS FIRST ANNUAL L.A. OPEN

Mix magazine and the Mix Foundation for Excellence in Audio present the L.A. Open, the first golf tournament for audio industry professionals. The event will take place Monday, June 17, at the Knollwood Country Club in Granada Hills, Calif.; proceeds will be distributed to the House Ear Institute of Los Angeles for educational programs about safe hearing and the prevention of hearing impairment from loud sound sources, and to other programs of the Mix Foundation.

The *Mix* L.A. Open will be a "best ball" tournament with a shotgun start. Individuals or companies have been offered the opportunity to sponsor each of the 18 holes or one of three special awards: Longest Putt, Longest Drive and Closest-to-the-Pin. Cart and greens fees are included with the sponsorships or with individual sign-ups. For information, call Karen Dunn at 510/939-6149 or tournament director Terry Lowe at 310/207-8222. and Software Engineering technical session and workshop was coordinated by Terry Shultz, a leading promoter of signal processing applications for music, and currently Motorola program manager for strategic DSP application. In cooperation with representatives from Digital Theatre Systems (DTS) and Dolby Labs, Shultz discussed hardware and software designs, including the new Symphony family of programmable DSP chips from Motorola that can be set up to provide discrete 5.1-channel outputs from variable-format multichannel digital bitstreams.

A Business and Marketing Roundtable focused on the viability of a new 5.1 music format, plus use of a new Audio-DVD to carry 2-channel, enhanced bit-length material. A well-attended Recording Engineering session, presented by Eargle, detailed the primary sonic and psychoacoustic differences between phantom center images delivered by 2-channel stereophony and those from a dedicated, hard-center image, in addition to production techniques for capturing a realistic multichannel recording from classical music performances. A series of demonstrations enabled participants to hear a variety of playback formats. In the nearby Spielberg Sound Stage, attendees were treated to a number of choral and orchestral recordings made specifically for multichannel playback. Watch these pages for future developments.

—Mel Lambert

DVD PREMASTERING SYSTEM

Sonic Solutions (Novato, Calif.) announced a plan for delivering a workgroup-based DVD encoding and authoring system and the launch of a DVD Production Alliance to facilitate delivery of DVD titles by the end of 1996.

The system was unveiled at last month's National Association of Broadcasters convention in Las Vegas. Called CD Creator[™], it comprises audio and video compression and highspeed digital media networking developed by Sonic Solutions, along with technology from Japanese partners -CONTINUED ON PAGE 16 Mike Frondelli - Engineer/Producer Director Capitol Records Studios

nto

TWO PROS WHO KNOW GREAT SOUND. TWO MICS THAT MAKE THEM VERY HAPPY.

ike Frondelli, Director of Capitol Records Studios, has a controisseur's mic locker, including more than 50 Neumann mics dating back to the 1940's. Newest in the collection? The mic Mike calls "the working man's Neumann," the TLM 193. Because it sounds so good in so many applications. Frondelli recommends she TLM 193 as "the one mic to have" for Capitol acts setting up project studios.

The TLM 193 is a stripped down, cardioid-only version of our famous TLM 170. It provides oodles of headroom. has virtually no self-noise, and can immediately give your project studio that professional sound (particularly on vocals) that you've been missing. (By the way, the TLM 193 has become our biggest seller.) It carries a retail price of less than \$1500.

Robert Scovill, live sound stalwart and winner of three TEC awards for Live Sound Excellence, knows a great microphane when he hears one. He has toured as the front-ofhouse mixer with bands like Rush, Def Leppard

6

TLM 193

and most recently Tom Petty. "I am using the new KM 184 both out on tour and at MusiCanvas." (Robert's studio in Scottsdale) "The KM 184 carries all of the Neumann signatures, and I have had great success on a wide variety of sources, from the subtleries of violin to the extremes of distorted guitar." The KM 184 is perfect for instruments of all kinds, and excels at overhead drum miking and capturing the elusive acoustic guitar. For professional quality at less than \$700 each, a stereo pair of KM 184s can easily be a part of ANY studio.

Let's face it. While Neumann mics have a stellar reputation for rich, opulent sound, they are not the lowest priced mics around. Why? Because we have to ensure that our microphones satisfy even the most demanding engineers in hypercritical recording environments. But, we bare found a way to take a few of the bells and whistles off a couple of our mics and still give you that big

(HUGE) studio sound on a project studio budget. The bottom line

is this: before you go dropping big cash on outboard gear trying to make your studio sound good, consider the most important part of the signal path, your microphones. The only way to get great sound out of your studio is to capture great sound. And no other microphone captures sound as well as Neumann . . . not even close.

KM 184





6 Vista Drive, PO Box 987 Old Lyme, CT 06371 Tel: 203-434-5220 Fax: 203-434-3148

In Canada: 221 LaBrosse Ave, Pte-Claire, PQ H9R 1A3 Tel: 514-426-3013 · Fax: 514-426-3953



S YOUR SOUND FORGE

SONIC FOUNDRY' S SOUND FORGE 3 . 0

Whether you're a musician, sound designer or multimedia developer, full-featured sound editing for Windows* has never been easier. The award-winning Sound Forge edits, produces audio-processing effects, creates loops and regions and generates playlists.

Sound Forge gives you access to the most extensive list of audio processing tools available on the PC. Processing features include: Graphic and Parametric











EQ, Time Change, Dynamic Compression, Reverb, Synthesis, and Resampling. Sound Forge's multiple window environment allows more than 50 sound files. to be open at once. External samplers and synchronization to MIDI and SMPTE time code are fully supported.

Both a 16 Bit (Windows 3.1 or Windows for Workgroups" 3.11) and 32 Bit version (Windows* 95 and Windows* NT) are included for all software.

SONIC FOUNDRY PLUG-INS

The Sonic Foundry Plug-Ins bring even more power to Forge's already extensive wave processing and effects capabilities. All Plug-Ins install within Sound Forge 3.0 and are accessed through the Tools selection of the menu bar.



WAVES L1-ULTRAMAXIMIZER PLUG-IN

Combines an advanced peak limiter, a level maximizer, and a high performance re-quantizer in one powerful plug-in. The Waves L-1 requantizes digital signals based on the Increased Digital Resolution (IDR) noiseshaping re-dithering process system.



QSOUND QTOOLS PLUG-INS

(Set of 3: QXpander/SF, QSRC/SF, QSYS/SF) Applies QSound Virtual Audio 3D effects for speaker playback and delivers professional quality anti-alias filtering. QSound - 3D audio that works.



SONIC FOUNDRY NOISE REDUCTION PLUG-IN

Analyzes and removes background noise such as tape hiss, electrical hum and machinery rumble. A Vinyl Restoration tool, which detects and removes surface noise typically found in vinyl recordings, is also included.



SONIC FOUNDRY SPECTRUM ANALYSIS PLUG-IN

Identifies particular frequency components using Spectrum Graph or Sonogram display. Spectrum analysis includes one or two channel FFT analysis and six different windowing functions.



SONIC FOUNDRY BATCH CONVERTER PLUG-IN

Converts tens, hundreds or even thousands of files to different formats automatically. The Batch Converter includes an Extract Regions tool which automatically creates independent sound files from marked regions within a single file.

PLUGGED IN?

FOR MORE INFORMATION CALL SONIC FOUNDRY AT 1 800 57 SONIC (577 6642)

100 South Baldwin, Suite 204, Madison, WI 53703 Tel: (608) 256 3133, Fai: (608) 256 7300, CompuSeive: 74774,1340 or GO SONIC, Internetisales@sloundry.com. Sonic Foundry and Sound Forge are trademarks of Sonic Foundry, Inc. Other products mentioned are trademarks of their respective manufacturers. Sonic Foundry web:http://www.sfoundry.com QSound web:http://www.qsound.ca/ Tel: 403 291 2492



World Radio History

5 O N I C



INDUSTRY NOTES

.....

David Ravich was promoted to the position of executive vice president and general manager of Fostex Corp. of America (Norwalk, CT)...Night Technologies International in Provo, UT, brought on board Richard King as chief executive officer and president...AKG Acoustics in Northridge, CA, named Doug MacCallum to the newly created position of vice president of marketing and sales of its U.S. operations...David Frederick was hired as director of product marketing at Vista, CA-based TimeLine Inc...Sony Broadcast and Professional Europe (Hampshire, UK) appointed Willie Scullion to the post of deputy managing director, Miles Flint as deputy managing director and Hiro Matsumoto to the position of divisional director...Jimmy Kawalek was named market manager of engineered sound at OSC in Costa Mesa. CA...Yamaha Corp. (San Jose, CA) announced the appointment of Law Cypress (San Jose, CA) and New Wave Technologies (Gaithersburg, MD) to distribute its CD recorder products in the U.S...Calgary, Alberta-based QSound Labs hired Carol Craft as software sales and media liason...Christine Hindley joined SCV London as operations manager for the firm's UK distribution business...Harman Pro North America announced a new 48,000-square-foot facility in Canoga Park, CA, for the AKG Acoustics, BSS and Soundcraft product lines. The mailing address remains at 8500 Balboa Boulevard in Northridge, CA 91329; the new phone number is 818/227-1800, fax 818/884-2974...Jon Wisniewski is the new president of Track One Inc. in Lantana, FL...HHB Communications Inc. appointed NXT Generation Inc. (Greendell, NJ) as its sole authorized warranty service facility in the United States...Keith La Honta was hired as vice president of sales and marketing at Mu-

sicam Express in Reno, NV...ITA, the International Recording Media Association, relocated its headquarters to 182 Nassau Street Ste. 204, Princeton, NI 08542, Telephone 609/279-1700; fax 609/ 279-1999...The International Teleproduction Society New York chapter elected Howard Schwartz as president. Also elected as board officers were vice president Barry Knepper, treasurer leff Cohen and secretary Bill Kelly...Consolidated Media Systems opened two offices in Southern Californa. CMS Burbank is located at 3815 W. Olive Avenue Ste. 101, Burbank, CA 91505. CMS San Diego is at 9540 Waples Street Ste. A, San Diego, CA 92121...Innovative Quality Software (Las Vegas) hired Giles Communications of Mt. Kisco, NY, to initiate a nationwide marketing campaign for its software products...Sabine Inc. recently named Online Marketing and SECOM as its pro audio reps of the year for 1995...Pyramid Audio is expanding. A new facility is located at 1187 Lewisburg Pike, Franklin, TN 37064. Phone 615/591-2900; fax 615/591-2901...Aphex Systems (Sun Valley, CA) named Next Generation, based in Hawthorn, IL, as its sales representative firm of the year...Level Control Systems has a new address: 10061 Riverside Drive #742, Toluca Lake, CA 91602... Renkus Heinz (Irvine, CA) announced the appointment of two new rep firms, Northmar Inc. in Seattle and Pearson and Pearson Marketing in Denver...Thomas A. Schindler and Kenneth W. Graven, principal consultants at Charles M. Salter Associates in San Francisco, received registration as professional electrical engineers in California... Technomad Inc. of Northampton, MA, hired Griffith Sales Associates (Marietta, GA) and BenchMark Associates Inc. (East Setauket, NY) as its newest sales representative firms.

-FROM PAGE 12. CURRENT

Toshiba and Daikin Industries Ltd. The DVD Production Alliance is a Sonic Solutions-sponsored initiative that focuses on driving technology, functionality, authoring and encoding requirements for DVD tools. The alliance will also facilitate passage of DVD titles into retail channels in time for the holiday season. Companies participating in the alliance include Warner Advanced Media Operations, Warner Bros., Thomson Electronics and Crest National.

WILLI STUDER REMEMBERED

Willi Studer, audio pioneer and founder of the Studer Revox group, passed away on March 1 at the age of 84. Studer began his career in audio in 1948 as an entrepreneur, founding a small electronics equipment factory in Zurich. He soon developed the first Studer machine, the three-motor Studer 27.

In 1960, he joined with EMT Wilhelm Franz GmbH, Wettington/Switzerland and began international shipment of Studer products, By 1986, the Studer Revox Group had more than 2,000 employees in ten countries; today, the company is owned by Harman International Industries.

Studer was awarded an honorary doctorate in technical sciences by the Swiss Federal Institute of Technology in 1978 and received the gold medal of the Audio Engineering Society at the 1982 AES convention in Montreux.

NEW WEB SITES

Crown Audio's new home page features product information and pictures, and publishes the most frequently asked technical questions and answers from its customer service department. Visit http://www.crownintl.com.

Modified Online, the Web page from UK-based new media group Modified, showcases live 4-track audio mixing on the Net, and will include regularly updated interactive music videos and samples for free download. Located at http://www.compulink. co.uk/~modified/.

SKB Corp. announced a Web site that includes product information, a dealer database, a chat area and a sweepstakes event. The address is http://www.skbcases.com,

CORRECTION

The New Orleans feature "The Big Easy Gets Bigger" in the March '96 issue incorrectly referred to M.R. Montero as Montero Electronics. Mix regrets the error.

a product comes along that is so unique, so powerful, that it changes the way we look at things.

nce in a while

Such a product is the Aphex 661 Compressor Limiter– creating a new standard by combining four Aphex inventions. A skillfully engineered instrument of unprecedented flexibility, ease of use and sonic excellence.

Tubessence[®] - true vacuum tube technology and warmth; High Frequency Expander (HFX)TM for automatically retaining the high frequencies lost during compression; Easyrider[®] circuitry for an Auto mode that really works; and the world's best VCA - the Aphex 1001, the fastest, most accurate and transparent available.

The Aphex Model 661 - another revolutionary step toward improving the way the world sounds.



SEE US AT NSCA BOOTH #1208

Improving the way the world sounds SM 11068 Randall Street, Sun Valley, CA 91352 • Tel: 818-767-2929, Fax: 818-767-2641

USE READER SERVICE CERD FOR MORE INFO

THE FAST LANE



MELLY THINGS: FISH

Did you ever see the cartoon where a little fish is swimming along, and right behind him is a bigger fish coming up on him with his mouth wide open, and behind *him* is an even bigger fish doing the same, and so on, and so on?

Those of you who have any sort of CPU in your lives must notice that the fish cartoon represents an accurate model of the software industry. Companies are being consumed (and often regurgitated shortly thereafter, only to be reconsumed by yet another big fish) on a daily basis. In some cases, this is so bad that some of us find ourselves calling information every week for the newest tech support number for some program that we depend on. Take WordPerfect: It was originally a product of the WordPerfect Corporation, but then one day it was Novell, but now it's Corel. Actually, I don't even know who to call today with a question that I have about column formatting.

Adobe is the big Softfish right now. They have been on an acquisitions feeding frenzy for a yearand-a-half or so now. Two years ago they bought Aldus. They got a *lot* with that. Then they continued, and now they have "merged" with Frame and Ceneca. Adobe is now the world's third largest software company, after Microsoft and Novell. This makes them even bigger than my software company.

You can basically desktop publish, make movies with unbelievable special effects along with multitrack audio, lay out color ads (and do color-corrected CMYK separations), design graphics and manipulate images—all under the Adobe label, *and* choose from competing Adobe-owned programs to get some of these jobs done. This is an interesting state of affairs, sort of like plasma, the fourth state of matter; very interesting. very temporary. How much longer can the Aldus and the Adobe approaches to the same task co-exist?

Actually, all this doesn't bother me too much, as Adobe products seem to be so solid, so wellthought-out and so powerful that sometimes I wish they would buy some of the other stuff I work with just so that they would fix it.

A SHORT SWIM UP A SIDE STREAM

And as a side note for those of you who've found that making music now involves ad publishing and

BY STEPHEN ST.CROIX

BUILT LIKE A BATTLESHIP.

WITH A SOUND THAT WILL BLOW YOU AWAY.

The Sony PCM-2600 and PCM-2800 DAT recorders are durable enough for the daily battles of the audio professional, sophisticated enough to provide day in and day out great sound.

Four direct-drive motors (on the head drum,

capstan, supply and take up reels) NOUSE LEVEL (GB) and our servocontrolled mechanism mean better tracking, lower error rate,

SIONY



longer motor and tape life, and faster, smoother high speed cueing and shuttling.

And only Sony offers Super Bit Mapping[®] (SBM), a patented technology used in major mastering facilities and now available on our pro DAT recorders for improved sonic performance.

SBM maintains much of the sonic quality of the 20-bit signal created in the recorder's advanced A/D converter and stores the data in the 16-bit DAT format. The result is superior sound resolution with added clarity and greater imaging.

And the PCM-2800 adds Read-After-Write (RAW) confidence monitoring for those critical recording situations.

But don't just take our word for it all. Call 1-800-635-SONY, ext. SBM for more information. And prepare to be blown away.

© 1996 Sony Electronics Inc. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Sony and Super Bit Mapping are trademarks of Sony

THE FAST LANE

producing graphics as well, I will tell you what I use to get through a day at my company, Marshall Electronic, First, here's a condensed list of what we do out here. We manufactured audio hardware for over 20 years. Our two big hits were the Marshall Time Modulator series and the Tape Eliminator. We also have a large music and filmscoring studio (Lightning). Audio been berry, berry good to me.

Then computers got real, so we bought some. This led to another specialized studio that does audio restoration and forensic audio recovery (we did Gone With the Wind, The Wizard of Oz and many other films and CDs), and later, a graphics studio (Marshall Arts Center, get it?) that does packaging design and corporate logo/image design (we did Spectral's Prisma Music DAW, Quantec's XLC and interfaces for several other products, both in and out of the recording industry). Last year, we launched a new sister company. Intelligent Devices, which creates software for the law enforcement and audio industries. There's more—involving weapons, racing and scuba diving—but it only gets weirder.

Anyway, every one of these companies does every one of its projects sole-



Over 600 installed, Optifile is the world's leading retro-fit console automation.

Unparalleled speed & ease of use. With over a decade of experience Tetra is a proven performer.

Can be easily fitted using existing faders & mutes to almost any console.





OPTIFILE **Tetra*** Makes you master of the mix



FlexiRent is a rental purchase plan sponsored by the Optifile factory. Renting with FlexiRent is simplicity itself, with no banks or finance companies involved. You can be up and running within 2 weeks. * Price based on a 24 channel system with a \$2,400.00 deposit. ly on Macs, including Spectral's Prisma Music DAW—a Windows product. Why? Because we *like* to. The environment is fast and powerful, and the software available is incredible, and improving every Monday.

Now to the point of this side trip. For those of you who may be starting to expand beyond actual audio recording into the realm of all the stuff next to it, here is what we use to do it. We paint with the only game in town—Fractal's Painter. We do all our 3-D modeling (the silver ice Spectral Logo, the Intelligent Devices metal text, and many other corporate logos) in Specular's Infini-D. We put it all together in Adobe Photo-

There seems to be as much food chain activity in our little industry as there is in the software world.

shop, and use HSC's Live Picture for really huge files. We process these images with every Photoshop plug-in that HSC makes. We use every GE filter (yet another Adobe acquisition) that there is. We do page layouts for ads with Adobe (Aldus) PageMaker, and books in Quark. We do animation and any moving-image work using a bit of serious hardware and Adobe Premier, Adobe After Effects (still another Adobe acquisition) and HSC Final Effects.

We have a lot of fun, are very productive, and we actually make *more* music than we did before we diversified.

SMELLY THINGS: FLOWERS

Okay, back to the original path. Does a rose by any other name smell as sweet? Does OSC under the name Macromedia work as well? Or how about Lexicon, Studer, DigiTech, DOD. BSS, Allen & Heath, Soundcraft, Turbosound, Orban and AKG all being absorbed by the Ultimate Audio Amoeba—Harman International? Harman has certainly carved out a position as one of the biggest Soundfish of recent time.

Remember when Sony made a latenight snack of MCI, and then every label and movie theater that they could -CONTINUED ON PAGE 231

If our marketing department had been as talented as our engineers, you'd probably be using a Prisma workstation right now.

The alternative workstation.

Okay, granted, there are already a lot of digital audio workstations out there. Some are so expensive that you can only afford one for six editors. Some are little more than PC sound cards that can't lock to picture without timecode drift. Some are so complicated that after you've bought a Mac[™], 5 add-in boards, a bus expansion box and 12 pieces of software, it almost nearly works most of the time.

That's why you should explore our radically different approach. Admittedly, we're guilty of spending far more time perfecting our products than advertising them. But today, a growing number of major post production facilities and recording studios are reaping the benefits of our meticulous engineering. They also rave about our great service and quick support – available without having to wait on hold for hours.

One hardware platform; three software solutions.

Prisma is our one-card hardware platform that frees up your CPU by handling all processing and signal flow on board. Its DSP capabilities are so massive that plug-ins aren't even an issue. Invest in Prisma hardware and then choose the Windows based software package that fits your applications and budget. Each has an elegant, hands-on interface that's free from frustrating pulldown menus, and floating window clutter.



Express[™] presents a simple, 2-panel interface with all the tools you need on-screen — instead of hidden in a mass of annoying pulldown menus. Perfect for broadcast, commercial production, multimedia and small home studios.

8 tracks • Over 250 markers & 99 Auto Locate points • 10-level Undo/Redo • Fader automation • Directly-draggable fades & cross-fades • Easy head & tail trim • Fast bi-polar waveform views • Snap anything to markers, current position or other sounds • Compatible with & upgradable to Producer ** • Networkable Express[™] is a creative tool for broadcast and commercial production with a no-frills interface so simple to use that even a program director could learn it. It uses Producer's hot-key shortcuts to reduce the learning curve if you upgrade.

Producer^{*}[‡] takes the software recording studio paradigm to a new level. Its studio-friendly look and feel removes the impediments to creativity found in many current workstations.

StudioTracks[™] XP has the tools you need for serious, hardball film and video post production, sound design, dialog editing and Foley work. XP stands for Cross Platform: StudioTracks runs on both Prisma and Spectral's even-morepowerful AudioEngine[™] hardware, too.





Radically different than any other workstation software, Producer[™] is a "virtual studio" with direct access to familiar audio tracking and

direct access to familiar audio fracking and mixdown tools including an automated mixer. Free from pull-downs and nested windows, Producer's direct interface boosts productivity & creativity.

99 virtual tracks, each w/4 layers • 8/16*/24*
or more tracks • 4 sends & returns + 2 remix tracks • Rich DSP features • 10 Undo levels
• Automated fades, pans, mutes, aux sends • 2 EQs per mixer channel • Default cross-fades & butt-splices or custom via built-in editor • Markers
• Snap anything to anything 3 waveform views incl. fast bi-polar waveform display • Grid can be set to bars/beats, frames etc. • Direct VITC lock
• Can add timecode burn-in to video • Networkable

USE READER SERVICE CASOFOR MORE INFO

Get the whole, hitherto untold Spectral workstation story.

Prisma[™], Express[™], Producer[™] and StudioTracks[™] are just part of our product line. They all come from an established company that specializes in digital audio workstation and connectivity solutions, Call, fax or e-mail for complete, detailed information on our practical approach to enhanced productivity.

We've been keeping it a secret for far too long.

[‡]The software program Formerly Known As Prisma Music. Our *previous* Marketing Department did it.



STUDIOTRACKS" XP

Spectral's advanced, cross-platform* solution for film & video dialog editing, sound design and other edit intensive workstation applications.

256 virtual tracks • 12 tracks w/2 sends & returns • Internal track bouncing • Auto-Conform
Direct VITC lock • Drag & drop SFX & dialog snips from library to project • Spectrum analysis • Flexible dynamics processing
Silence-stripping • Envelope editing • 2 EQs per channel • Digital patchbay • Textual play list for mix-to-pix or mastering • Machine control • Networkable

*Runs on Spectral's Prisma™ & AudioEngine™ hardware



18800 142nd Ave NE, Woodinville, WA 98072 http://www.spectralinc.com info@spectralinc.com Tel: 206.487.2931 Fax: 206.487.3431

SOUNDING OFF what happened to the foh mix?

y friend Grumpmeier barged, unannounced as usual, into my office. "I hear they want you to write about sound reinforcement!" he snarled. "Just what do you think you know about it?" He planted himself on my desk. "Well, as much as the next guy," I replied. "I thought I'd talk about some recent advancements in automation, and delayline design, and real-time impulse response analysis, and fiber-optic networks and..."

"Bfffpt!" he interrupted, with a sound I hadn't heard outside of the Bronx since the Red Sox blew the '86 Series, "How about telling 'em all live sound sucks?"

"Oh, I couldn't do that," I said. "I have friends who mix sound and clients who make the gear, and we have advertisers..."

"Forget them!" he barked, as he jumped to his feet. "They're all full of it. Live sound is a joke. Here, what do all these people have in common: Bob Dylan, Richard Thompson, Richie Havens, the Grateful Dead, Patti Smith and Emmylou Harris?" I tried to be helpful. "They're all dinosaurs?" "No. dummy, they're all people I've paid good money to see in the last couple of years, and they all sounded awful!"

Dylan? I thought he was only playing medium-size theaters, with a small band. How could the sound be bad there? "Fil tell you

BY PAUL D. LEHRMAN

how. All you could hear was drums. Couldn't understand a word the whole night. I mean, Dylan mumbles a lot, but most of the time you couldn't even tell whether or not he was singing. The guy at the mixing board, even though he had a clear path to the aisles, never moved, never walked away to see what it sounded like anywhere else. In fact, now that I think of it, I don't remember him ever taking off his headphones. Maybe it sounded great in the cans, but it sure sounded awful where I was. To make it worse, even though he had a real hot guitarist up there with him, of Bobby insisted on playing guitar hero in every tune. He only knows about three notes, but I guess the sound guy liked 'em because every time Dylan hit his lead switch, that's all you could hear, those three notes over and over again. For this I paid 35 bucks!" Okay, but how could

ILLUSTRATION ROBERT ZAMMARCHI

WITHOUT DIGITECH'S VOCALIST, YOUR 5-PART HARMONY MAY SOUND ANIMATED.

STUDIO VOCALIST

Now there's a vocal processor that doesn't make the human voice sound so inhuman. Our Studio Vocalist's patented technology lets you easily create harmonies with human characteristics like random pitch fluctuation, timing imperfections and Gender Bender[™]. Gender Bender[™] allows you to make your background singers sound like a mixed group and not just you. Recording those harmonies won't take multiple passes, either—just lay down a track, then play it back in 2, 3, 4 or 5 part harmony. In a variety of styles. Ideas get from your brain to your ears sooner. And the design is just as human as the sound, with controls, jacks and features suggested by thousands of original DigiTech Vocalist owners. So choose a vocal processor that doesn't sound so processed. Visit a DigiTech dealer today.

: Digilech

Natural harmonies and pitch correction

STUDIO Vocalist

- XLR and 1/4" ins and outs; separate outs for each voice
- 48V phuntom power
- Intuitive operation
- Bright, easy-to-read display

NEW



Digital I/O for the Studio Vocalist

- Full frequency response (20 Hz - 20 kHz)
- VHM-5 and Vocalist II download feature
- Keystroke MIDI out
- for automation

The SV-I/O card is designed for Studio Vocalist owners who require the sonic purity derived from transferring signals into the digital domain and keeping them there. It offers AES/EBU & S/PDIF formats with multiple sampling rates and it's easy to install.



GREAT HARMONIES ARE A SIMPLE TOUCH AWAY.



MIDI VOCALIST

The MIDI Vocalist makes it easier than ever before to achieve soaring vocal harmonies from a single voice. Now even the novice can connect a microphone and MIDI keyboard and be making fuller sounding music right now! All controls have been placed within easy reach so that with the touch of a front panel button, a foot switch or a MIDI controller, arranging vocal accompaniments can be performed when the creative urge strikes.



- Easier to use than ever before
- Vocal arrangements can be created instantly from the front panel
- 4 harmony voices
- Vocoder, Chordal, Scalic,
- and Detune harmony modes
- Front panel buttons transmit MIDI for sequencer control
- Choice of line or mic inputs
 All parameters accessible
- via MIDI • Footswitch controllable with
 - optional FS-300

SEE US AT NSCA BOOTH #1814

H A Harman International Company

©1995 DigiTech 8760 South Sandy Parkway, Sandy Utah 84070 USA (801) 566-8800 Fax (566-7005)

USE READER SERVICE CARD FOR MORE INFO

INSIDER AUDIO

Richie Havens sound bad? He's only got one or two musicians up there with him. "You'd think that would be hard, huh?" said my friend. "It was an outdoor show in a park in the middle of a city. They made a grass-covered amphitheater and brought in a really nice sound system. We'd heard a whole international folk festival there the week before, with a dozen different acts in two hours, and it sounded pretty good. Havens played with just an electric guitarist and a conga player. but the balance was ridiculous. The conga was so loud, it was bouncing off half the buildings in town, and the guitar was on the edge of feedback most of the time. Richie probably would have been better off not showing up. I know I would have,"

And the Dead? C'mon Grumps, their attention to sound was legendary. They probably had the most evolved system in the business, and their crew was with them for years. "That was an interesting one." He was warming to his topic. "You know, I used to see them at the Fillmore East, before they started going nuts with that 'Wall of Sound' thing. I thought they sounded damn good just through those stacks of Altecs. You could hear every note,

After The Beatles tried to play Shea Stadium and nobody could hear anything, either on the stage or in the stands, they realized it was ridiculous for them to tour any more. But no one else has bothered to learn that lesson.

from wherever you were sitting. It had been years since I'd seen them, and a coupla years ago I thought I'd check them out at the Boston Gahden thank God they've finally closed down that toilet. Turned out it was the last time they would ever play Boston.

"I went on the third night, figuring they'd have all the kinks worked out by then, va know? So half the floor is taken up with this sound booth, which has got more computers than NASA, and there's 2,000 pairs of shotgun mics sticking up in the air, like the fans expected there was really going to be something worth recording. The whole first half of the concert, there was just this dull roar, really loud, and totally undifferentiated. Can't even tell who's playing. Garcia looks like he's about to fall asleep, and Bobby Weir looks pissed off, and they obviously can't hear anything onstage either. The fans think they've gone to heaven, but I just wanted to run out of there as fast as I could. But they did finally get it together-the sound guys I mean-during the drum solo, and the band came back and you could see on their faces something had changed, so they played a pretty decent second set. I know it's not the easiest room in the world, but with all that technology, and all that experience, and all those



VOICE PROCESSOR

wBEEto Histor ER mic preamp

people, how come it took 'em three days to get any kind of mix?"

"But Grumps, you listen to a lot of different types of music," I said. "Jazz, and folk, and that world music you're always talking about. All the new clean-sounding mixing boards and high-efficiency speakers around must be helping that scene out a lot."

"Hah!" he rejoined. "It's just as bad. Everybody wants to have the coolest sound equipment in the world, even if it's just two clowns with guitars. But half the time, all those toys just make it worse. I went to check out this really interesting group, four women singing a cappella in half a dozen languages. and playing hand percussion. Someone decided it would be cool to give them wireless headset mics. But nobody told them how to wear them. So one of them had that little Styrofoamball wind screen right up under her nose, and every time she breathed, it would set up a standing wave at about 35 Hz that I swear was making people's fillings fall out. This was in a really well-tuned hall, built for electric music, so that sound just hung there. People were looking at each other wondering whether there was an earthquake. The sound board must have been at some cancellation point, or else the mixer was wearing cotton in his ears, because it went on like that for almost an hour.

No matter how much power you throw out there, or how hip your time- and frequencydomain processing are, there's no way to produce anything that sounds decent in a football stadium.

"What solved it was that they started to get taxi calls in the speakers. Heck, the theater was about a block from the two largest transmission towers in the state, handling UHF, VHF, FM, cellular, microwave and who knows what else, each one pumping out a few dozen megawatts of ERP from DC to light, so something's bound to creep in to the wireless rig, am I right? So after a couple of minutes of hearing some guy with marbles in his mouth asking whether anyone feels like going to the airport, they yanked the headset off the woman with the heavy breathing and gave her a hand mic. Immediately, you could feel 2,000 shoulders relax. And from then on, it was a great concert.

"It's laziness, man." He was on a roll, so I just shut up. "It's like the sound companies hear that some machine will do half their work for 'em, so they buy two. They've got automatic equalizers, spectrum analyzers, power monitors, gates on every input and output, MIDI-controlled snapshot automation, but no one's listening. Sometimes I think it's like what's happening in the medical industry, where your doctor isn't allowed to tell you that you have a cold unless you've had a week of tests. There's so much money riding on these shows that no one trusts anyone to run the gear. Leave it all to the machines-that way,

 N^{m}



with filters in series.

and aux to feed 2 devices or a stereo input.



INSIDER AUDIO

if the thing comes out awful, there won't be anybody to blame or to sue.

"I don't blame the sound companies completely—the bands and the promoters are trying to make as much as they can in as few days as they can, and so they're booked into impossible places. I mean, after The Beatles tried to play Shea Stadium and nobody could hear anything, either on the stage or in the stands, they realized it was ridiculous for them to tour any more. But no one else has bothered to learn that lesson.

"The manufacturers have an impossible job, too. No matter how much power you throw out there, or how hip your time- and frequency-domain processing are, or how many giant neon stairways or inflatable donkeys you build, there's no way you're going to produce anything that sounds decent in a football stadium. You've got steel and concrete, and slapback delays into next week, and two-thirds of the audience sitting at 90-degree angles to the stage. These are places designed to sell beer, not for listening to music.

"But as far as I'm concerned, the ones who are really at fault are the fans.

As long as they're willing to put up with this nonsense, it's going to go on. If they're going to stand outside some ticket outlet all night and then shell out 50 or 60 bucks for the privilege of being somewhere in the same ZIP code as someone they've seen on MTV, and be grateful, then I don't think they're going to be all that picky about how it sounds. If it sucks, they're certainly not going to complain to anybody about it. But it makes me sad. Obviously, these performers got where they are because they had at least some talent, but if the only time we can hear them is through an overblown, no-human-intervention, let's-reach-the-next-county sound system in an acoustically irredeemable setting, we'll never get the chance to know what it was,"

Grumpmeier slumped back down onto the desk, obviously exhausted. He reached over and grabbed the floppy disk sticking out of my computer and started brushing the lint off his jacket with it, immediately erasing the column I thought I was going to run this month. "So, do you mean you haven't heard a decent concert in two years?" I sighed.

"Of course I have. I heard a local band at a church hall last month. High-

energy, world beat rock 'n' roll, with really elaborate arrangements, lots of percussion, three-part harmony vocals. The place was a nightmare-high ceilings, huge windows, and what wasn't wood was cinder block. And they sounded great! The sound guy-there was only one, and he was probably getting something like 50 bucks for the nighthad a little 16-channel mixer, a reverb and a couple of power amps, and that was it. But he never sat still. He would iump around the hall, listen, run back to the board and tweak, ask people how they liked it, run up next to the stage to listen to the monitors, I even saw him go outside to hear how it was carrying. It took him about half a song to get it to sound pretty good, but he didn't stop; he kept right on running around, making it better. The band was hot and really tight, they could obviously hear themselves just fine, and everybody had a fine time. And it only cost me six bucks to get in."

If I know Grumpmeier, that was his favorite part.

Paul D. Lebrman, composer, educator, music fan and long-suffering writer, bas recently started locking bis office door.



frequency: audio: absolute: **STABILITY** what more can you ask?

Well, how about this?

- UHF synthesized system
- 64 frequencies available in one UHF TV channel
- Simultaneous operation of up to 15 frequencies in one TV channel
- "Channel Grip" ident tone locking system
- PC windows based control and monitoring facility

120 250 500 1000 uV

- Multi-user memory facility (MUM)

The U 60C UHF wireless system is the solution for all of your wireless problems!

POWER

P.S. priced: UNBELIEVABLY!

RF LEVEL

VU RF LEVEL B

SEE WS AT NSCA BOOTH #1710

RE /

MUTE SET

CH. SET

METER

F O/L

For more information, cail us on 1-800-293-4463 beyerdynamic Inc., 56 Central Ave_{ort}Farmingdale, NY 11735

FEATURES:

You Could Always Hear What AKAI Did For Your Music . . .

Lin 1992 we introduced low cost disk recording with our 4track DR4d. Thousands of DR4d's have found their way into broadcast facilities, recording studios, post production houses, and project studios. Combining our experience with input from thousands of end users, we created the DR8 and DR16. Whether you're just starting out with your first 8-track, upgrading your current tape-based MDM, or even if you're planning on a double-whammy, 128-track, multi-interfaced, graphically-based, post production facility, the new DR Series from Akai will serve your needs and grow with you in the future. It's an important fact to consider when someone tries to sell you a "budget" digital recorder that never really meets your needs. Check out these features and you'll "see" what we're talking about. Record/Edit The new DR Series utilize our latest 24-bit internal processing technology enabling simultaneous 8-track recording with the transparent digital audio quality that has become an Akai trademark

Three dedicated LSI's (Large Scale Integrated circuit) for recording, mixing, and optional EQ provide real-time performance and stability of operation that computer based units simply cannot provide.

Real-time random-access editing features like copy, insert, copy + insert, move, move + insert, erase, delete, slip, and sliptrack inspire creative efforts that are simply unthinkable with tape based recorders. The TAKE function allows you to record up to five separate takes of a critical solo, or enables you to compare separate effects treatments of a singular passage. The jog and shuttle wheels make finding precise edit points a breeze, while the familiar tape-machine style transport controls and autolocator make operating the DR Series recorders like working with an old friend.

DR8 - \$3495.00 Bugg. Retail Price

Track Disk Recorder

MORE FEATURES:

18 bil ADC + 64X oversampling 20 bil DAC + 8X oversampling 24 bit internal processing 16 channel digital thixer Dynamic MIDI mix automation Built-in mic preamps 2AUX sends 109 point autolocator AES/EBU and S/PDIF digital L/D 50 pin SCSI part



EVEN MORE FEATURES:

Balanced 1/4" TRS in/out Switchable +4/-10dB line levels B in 8 out + storeo master (DR8) 8 in 16 out + storeo master (DR16)

DR16 - ^{\$}4995.00 16 Track Disk Recorder

Media The DR8 can be equipped with an optional internal 1 GB SCSI drive, while the DR16 is available with an optional 2 GB internal SCSI drive. The DR Series recorders are both equipped with a standard 50 pin SCSI port alowing a combination of up to seven SCSI drives with disk overflow recording capability. Lists of compatible drives are available from Akai product information.

Data backup is achieved through standard audio DAT or Exabyte.

At the time of this writing, the lomega Company is preparing to go into production with their new 1 GB "JAZ" drive, a removable media SCSI drive which will greatly enhance the capabilities of our new DR Series recorders. Stay tuned for more info in our upcoming ads. Better yet, test drive a new DR Series recorder today at your local Akai dealer.

⁸ th. simultaneous disk recording Non-destructive editing Multiple TAKE function Expand to 128 tracks Link op to 8 machines

Now You Can See It.

Some of our competitors' disk recorders use a portion of their recording LSI to provide mix capability. While this saves money, it can also produce audio artifacts like "zipper" noise when adjusting such critical functions like EQ, pan, and fader level. On top of that, many disk recorders won't even let you make real-time adjustments during mix down, eliminating a critical part of the creative recording process. The heart of the DR mixer is a 16-channel, 24 bit custom LSI designed to provide real-time dynamic digital mix capability. Built-in 99 scene snap-shot automation for all functions and dynamic automation via external MIDI sequencers, combined with 8 or 16 channel 3-band parametric EQ option, ensures that the only limit in the DR Series mixer is your imagination. With its built-in 16 channel mixer, the DR8 becomes the perfect compliment to any 8-track recorder you might currently own. It can mix down its 8 tracks of internal digital audio with an additional 8 inputs from a sampler, tape machine, or a live performance, all in the digital domain. The MT8 mix controller provides a 16 track console format for dynamic remote control of all mix and EQ parameters.

OPTIONS:

SuperView MSVGA card \$699
ADAT interface - \$299
MIOI interface - \$299
S.M.P.T.E. read/gen - \$379
RS422 video sync - \$299
BiPhase film sync - \$299
2nd SCSI port - \$299 in the second
MTB MIX controller - \$799
8 channel 3 band parametric EQ - S350
16 channel 3 band parametric EQ - \$699



SuperViewTM We sort of went into

a frenzy packing new features into our DR8 and DR16. When we stepped back to take a look at what we'd done, we realized we crammed a whole roomful of equipment into a single 5U box. In order to help keep track of everything. that's going on inside our "studio in a box", we developed the SuperView[™] SVGA monitor board. SuperView[™] mounts internally in the DR8 or DR16 and provides envelope and track information for up to 16 tracks of audio, as well as region highlighting for record, playback, and edit. SuperView[™] is further enhanced by 16 track level meters with indicators for left/right master out and aux 1/2 out. The time indicator will read in the same format as the DR front. panel. SuperView™ requires no external computer, simply plug your SVGA compatible monitor into a SuperView[™] equipped DR Series recorder and you're ready to go. SuperView™ enables real-time video representation of audio status; no waiting for screen re-draws. What you hear is what you see.

Keyboard Interface To increase the power of SuperViewTM even further, we added an ASCII keyboard input to the SuperViewTM card, allowing a standard ASCII keyboard to operate as a control interface for SuperViewTM equipped DR Series recorders. Function keys will provide the ability to zoom in on a single track, as well as zoom in/out timewise for precise edit capability. All tracks and locate points can be named, allowing you to manipulate and track large amounts of data in a very simple manner. A unique interface has been developed to allow track arming, transport control, and edit functions directly from the keyboard, providing enhanced productivity through an intuitive human interface design.



996 DITORS HOICE

> Akai Digital 1316 E. Lancaster Ave. Fort Worth, TX 76102, U.S.A. Ph. 817-336-5114 Fax 817-870-1271

DON GEHMAN NICE GUYS FINISH FIRST

The biggest-selling album of 1995 wasn't by a householdname act or some angst-ridden flavor-of-the-month publicity darling. It was by a group of down-to-earth average Joes from South Carolina whose image is so downplayed that their album cover contains only blurred silhouettes of the band, and their name misleads many as to the identity of the lead singer. While Michael Jackson was barely making HIStory (in spite of the self-ordained "King of Pop's" huge publicity blitz), Hootie & The Blowfish went on to move an astounding 14 million units of their debut record, Cracked Rear View.

The production vision behind this astonishing sales success is Don Gehman, a journeyman producer/engineer who understands the value of good songs, performances and the need for supportive, unobtrusive production work that can still shoot sparks.

Gehman got his start working for the Clair Brothers concert sound company in the '60s. During his seven-year stint there, Gehman did live sound for premier acts such as Crosby, Stills, Nash & Young, James Brown, Yes, The Supremes, Loggins & Messina, Chicago, The Temptations and other major headliners of the day.



He was also involved in putting together Clair's groundbreaking modular flying P.A. and stage monitor systems.

Stephen Stills, sensing Gehman's potential, gave the young engineer his first break by taking him to Criteria in Miami to work on the artist's *Illegal Stills* album in 1973. Gehman's first production credit was the Platinum Stills-Young Band's *Long May You Run* album—not a bad start. After that experience, Gehman momentarily decided to eschew a production direction, choosing to dig in as an en-

BY RICK CLARK

gineer and learn under great producers such as Tom Dowd, Bill Szymczyk and brothers Ron and Howie Albert. During that time, Gehman manned the board for Barbra Streisand, the Bee Gees, Pure Prairie League and other notable acts.

His next significant production was John Mellencamp's 1982 mega-Platinum *American Fool*. That led to a string of hugely successful projects with that artist (*Ub Hub, Scarecrow, The Lonesome Jubilee*), and opened the door for him to work with artists such as R.E.M. (*Life's Ricb Pageant*), Jimmy Barnes, Treat Her Right and many others.

As well as wrapping up work on the second Hootie & The Blowfish album (tentatively titled Fairweather Johnson), Gehman's more recent projects include The Dambuilders, Clarissa, Ugly Americans and the critically lauded latest effort by Tracy Chapman called New Beginnings. A résumé like that, coupled with Hootie's phenomenal success, could encourage many people to begin blowing their horns rather gracelessly. Don Gehman definitely doesn't resort to that. During the course of our interviews, Gehman conveyed a level-headed appreciation for his good fortune. He was also quick to give credit to others and happy



How many Don Gehmans can you spot in this QuickTime VR photo?

We Set the Industry Standards

So You Can Create Musical Standards

We'd like you to take Opcode's Open Music System (OMS) and Digidesian's Audio Engine (DAE) for granted. After all, we created these standards — which make everything from computer hardware and software, to audio equipment and musical instruments, work together in harmony. So you can concentrate on music rather than technology.

After setting the industry standards, and creating so many award winning products, you might think that we'd be resting on our laurels; but that's just not our style. We're devoted to using these standards as a foundation to give you greater musical power and easier access.

That's why today's Pro Tools III and Studio Vision Pro integrate so beautifully, giving you the most powerful, musical, recording system available on the planet.

You can count on us to create tomorrow's technological standards, and we'll count on you to create tomorrow's musical standards.

Call us today for more information and the name of the Opcode and Digidesign dealer nearest you.

ORS CHOICE AWARD C/SOUND PRODUCT STUDIO VISIO



Opende stratic Assign Pro Alon Halls Hacanthe

Opcode Sun

Keylooard Magazine 20th Anthuetearty Hoaddens, Poll Withork



1-800-557-2633 ext 460

3950 Fabian Way Palo Alto CA 94303 415-856-3333 fax 415-856-0777 World Wide Web: www.opcode.com

diqidesign

Avid Divi n f 1-800-333-2137 ext 211





Occope structio

(SC) . LIBUT JUL, Wir Weederine Pision Pro

"Best of Shown EP Meeserine

Syper Award (98)

And of All (2)4.

Pro Tools II Distassien

Professionals Choice Amard's

031 118882118

AV Magazine

NAB

PICK

A Audio product of the Teer

ion Media

PRODUCER'S DESK

to share the things he has learned along the way. In this case, nice guys do finish first.

Congratulations on the multi-Platinum success of Hootie & The Blowfish. It is amazing the level of success that album bas achieved.

Thank you. This has been a wonderful time. Eve been enjoying this Number One position.

Do you think that anyone at the label bad expectations that this album was going to do anything in the initial planning?

No. There were probably four of us who thought the record had a shot, but certainly nothing like this. We were hoping for a couple of hundred thousand units to start a career. That is all you can ever hope for, really. We thought we had songs that could be hits, but the timing was certainly a big part of it. You just never know.

We were very fortunate in that the label, step by step, became more committed. The band, who are all lovely people to work with, and totally professional, also continued to do every bit of work, promotionally and marketingwise, that was asked. They were always there and ready to do a good job. It is rare that you get all of those pieces in place. Audiences really like them, too.

Atlantic has been marketing the singles off of this album the same way each time. They start AOR and then they cross over to CHR. They will try a few alternative stations, to see if they will play it, and maybe some Adult Contemporary stations. It's been that kind of a flow.

It's obviously working.

This is as good as it gets. This is every producer's dream-where you get to work with a band that is this successful. The thing that has been so great this time, as opposed to so many others, is that everyone feels like they are part of a team. You have this giant good vibe going on where we had great luck as a team before on that first album. We know that this team is something that works, and we are doing it again for the new album.

How are you going about capturing Hootie in the studio this time around? It's very much the same style of recording that we had before-the only difference is that we're spending a little bit more time actually performing the songs, because the songs really haven't had much time to be played in yet.

It's the usual sophomore problem of a big record, where the band has been so busy. We went to Bermuda for ten days of writing, and got maybe 25 or 30 things down in a demo form, that were very sketchy. There were hardly any lyrics when we came here. We spent two weeks demoling up about 23 songs and finishing the lyrics on all of those. That process of writing and demoling took a month.

There are a lot more different kinds of songs this time. We have a section of songs that are "unplugged," for lack of a better word; they're all acoustic. Then there is another section of songs that are really rocking, much more than anything we had before. There is a kind of width to the material. We cut 23 songs. We've overcut by so much that we have the best possible combination of songs that we can hopefully have to get past this sophomore record [jinx] thing.

The A&R guy, Tim Sommer, has been very active with creative ideas. He knows the material as well as anybody and has a real focus on the changes



that we want to make. He gets cassettes all the time, but he's here for three days out of every week. He always knows the latest versions of what is going on, and is actually in the middle of the process.

This isn't the first time you've worked on an album that has gone through the roof saleswise. You probably experience a strange dynamic of people trying to give you space to work, and at the same time, applying anxious pressure.

There are many people who want to be a part of the process, and that makes it a little more taxing. That's one of the reasons we came up here to record at The Site [a secluded studio in Marin County, California]. We felt we should get out of the middle of the entertainment industry while we record. If people want to hear stuff, they have to come up here to check it out.

So you don't bave a problem with people bearing your work in progress? I know some producers refuse to let people come in and bear the evolution of a project, and they won't send out cassettes until the mixes are absolutely done.

I don't have a problem with certain

people coming and listening. In fact, I like that. It's a great way to get reactions, so you can see if you are on the mark or not. On the other hand, I don't give anybody copies of anything. I've been very strict. I've always been that

Over the last few years, we've looked for solutions that solved the problems of the cold, thin, bright CD medium. That is why tube gear came back.

way. I don't let people have cassettes of anything, until it is finished. We are basically signing people's lives away, even in the band, to let copies out. *I've always been antsy about giving out cassettes of unfinished work.* I think you're taking your life in your hands. It's a chance for someone to make a judgment in a fixed point in time on something that is still a work in progress. For that reason alone, it's a great way to shoot yourself in the foot.

I can't tell you how many managers and A&R guys have come to me over the years and said, "Man, I do this for a living. I know what I am listening for." I tell them, "No you don't. You have no idea what you're doing. The only way that this makes sense is if you are here everyday. Otherwise, it's going to be something that you lock in time. Further on down the road, when I decide that this is the record, and you still have that older mix, you're going to think that your mix is better. That's because you've gotten used to it, and you didn't take the time to listen to the new mix and understand where it is going."

If I give that tape out, I risk having a back-seat driver or producer that I am going to have to deal with for a long time. Many times, it taints the whole project, if that person is in any position of power or has played it for people in positions of power.

What speakers did you use to mix the new Hootie album?



PRODUCER'S DESK

I mixed on these new powered 10-inch Tannoys, AMS-10s, They're self-powered with 400-watt bass and 100-watt tweeter. They are bi-amped and time aligned, and they are brutal. I have never been so close to final results in my life. This happens because I involve my mastering engineer, Eddie Schrever over at Future Disc, from the beginning of the mix process, instead of afterwards. Eddie and I set up the mix in two different Tannoy-equipped rooms to make sure that the sonic relationship is correct. I basically went into mastering with my mixes on the money. Eddie added 1 dB of compression, and a dB-and-a-half at like 2 kHz to make up for what the compression took away, and that was all. We were done. There were no bottom or top adjustments whatsoever.

I like the fact that the Tannoys are single-point source speakers. They are very phase-coherent—much more so than when you have a woofer and a tweeter separate. The sound is coming out of one point, so the image is going to be right, and you will have an understanding of what is really going on with the balance. These are the most accurate, balanced speakers I've heard yet. That means when I'm mixing, I don't work quite as hard on doing things that are not necessarily right.

I think that is why mastering engineers are trying to adjust balances that were never done correctly. I think that none of us really spends enough time to make sure that we have balances nailed down.

What other new gear have you used recently that has got you excited?

There are several things I've acquired that I feel have made a very significant improvement in my style. I bought a set of Manley Gold Ref microphones, which I'm floored by, I used them for overheads on this Hootie record and a little bit on Tracy Chapman's record, on piano and violin. As far as a currently built tube microphone that does something similar to a C-12 with even more sensitivity-and especially more distance sensitivity-they are just amazing. They still have that really electric, sparkly top end that a C-12 has and a real smooth midrange with no harshness at all.

Eve been floored by Manley's new variable MU limiting system. It's a stereo limiter. A lot of mastering people are using them now. As a result, I also like to drive the Manley limiter with an Oram Hi-Def EQ, which has a real sparkly sound that I find desirable. Chris Pelonis turned Eddie and me onto the Oram and Manley gear. Eddie was trying to get me away from depending on the SSL stereo bus limiter, which I have always used.

Eve always liked the SSL limiter. but mastering guys just don't like them, because they have a tendency to squeeze up the frequency response and the stereo imaging. The depth kind of goes away. This Manley limiter stereo imaging and placement is totally rock-solid. The frequency response is huge. You hear it limiting, like a Fairchild, but you don't really hear it as anything that you would take out of the circuit, if you know what I mean. It is a very analog type of sound, which is what I like about it. It adds a lot of warmth, When you flip it in, it just gets thick and rich. All of the echoes and stereo still stays together. I used that on Tracy's record.

> The making of Life's Rich Pageant was a really charmed experience and a great turning point in my career in how to produce records.

Manley has also built this copy of the LA-2A that is really clear and a nice step forward for me from the LA-2A, which was my favorite vocal limiter for years. I had gotten to the point where I was hearing too much distortion from them, so I went to this one and it is much cleaner.

Obviously, what has happened over the last few years is we've looked for solutions that solved the problems of the cold, thin, bright CD medium. That is why tube mics came back. That is why tube gear came back. All of that stuff helps warm up the bottom end, and that definitely translates onto CDs. You can hear tube gear on CDs. It works. These particular companies



appeal to my basic

philosophy of blending old technology with new. This [makes up for] what digital doesn't bring to the picture.

With your work on Mellencamp, Treat Her Right and other gritty, organic ensembles, has it been frustrating for labels and some critics to peg you as essentially a "rootsy" rock kind of producer? Or is it a natural place for you to be?

It's probably both. I actually enjoy that kind of music, so it isn't a problem. I've always tried to convince people that I can do something else, because I come from these places of, like, working on Bee Gees or Streisand records. It's pretty easy to convince someone that I can do stuff like John Mellencamp. Fortunately, I had that success with the R.E.M. record, Life's Rich Pageant, That record opened up a lot of doors for me in the alternative movement, per se. Nobody can deny the granddaddy of alternative music being R.E.M. I did one of their records that most people consider to be among their best. As a result, most of the new bands will at least take a look at me.

l agree that Life's Rich Pageant *is one of R.E.M.'s best albums.*

R.E.M. was the next thing that really hit for me after working with Mellencamp. The making of Life's Rich Pageant was a really charmed experience and a great turning point in my career in how to produce records. I think that's when I finally put all the pieces together and relaxed a little. Up until that point, I was certainly subscribing to the "control" producer philosophy, where you have got to comp everything, put everything together, edit it and make sure that it's in time, and all that kind of mentality, R.E.M. showed me that music has a little bit more mystery than that, and I started loosening up and trusting my instincts more.

After your stretch with Mellencamp and R.E.M., you went through a period
WHY IS SWEETWATER SOUND THE "RIGHT CALL" FOR YOUR MUSIC?

Anyone can sell you boxes. But what's best for you and your music? There's a good reason why Sweetwater has been America's fastest growing music retailer for three straight years. We understand that when you're investing your hard-earned dollars, you want to get exactly what you need, when you need it and within your budget. Why is Sweetwater best equipped to do what's right for you?





KNOWLEDGEABLE SALES STAFF Our sales engineers are professionals with

serious, real world knowledge of the products we represent. Most have their own studios. Many have spent years as engineers at major studios. We even have a Grammy winner on board. We make it our business to be absolutely sure the product you order is exactly the product you need.



VISA

HUGE IN-STOCK INVENTORY

We stock products from over 100 of the best names in the business like Alesis, Digidesign, Kurzweil, Mackie, Roland and TASCAM, just to name a few. The "other guys" may tell you they can get it fast, but how long will it really take? Our giant warehouse is packed with the latest gear, ready to ship right to your door — in most cases the very same day you order!

PRICES THAT ARE AFFOREABLE

Not only do we have the best selection of the finest products in the entire music industry, but our prices are so affordable, you won't have to take a second job just to start making music!

OUTSTANDING **TECHNICAL SUPPORT**

Got a question about a product you've purchased or are thinking about purchasing? Just give us a call! Whether you're a novice or a seasoned pro. our technical support team has the knowledge and experience to answer any question you might have. And no other dealer has anything like our huge, online product database that gives our staff instant access to technical information about thousands of products.

BUY WITH CONFIDENCE

Because if you're not totally satisfied with any product you pur-

chase from us, we'll work with you to make it right! If you're not happy, we're not happy!

DEPENDABLE ON-TIME DELIVERY Whether you need it in a week or a day. we have a shipping department that's up to the task. We can have your equipment packaged and shipped out within hours of receiving an order.

We ship via all major carriers. Just tell us when you need it and it'll be there!



There are new products being released

every day, and you want to know about them. You also want technical information and tips on making the most of your equipment purchase. That's why we're the first major retailer to maintain a full-time presence on the Internet. And why we publish our exclusive, free full color Sweet Notes newsletter.

STATE-OF-THE-ART SERVICE

When your gear isn't working, you want it fixed right the first time. Sweetwater is a factory authorized service center for all the products we sell, with over a dozen highly skilled technicians trained right down to component level repairs. What's more, all the work is done right here on the premises. so your equipment is returned to you the minute it's ready with no delays and no excuses.



CUSTOM FINANCING PROGRAMS

We accept cash, checks and all major credit cards, but we also offer our own Sweetwater Technology Card, as well as our exclusive new line of credit accounts and leasing plans.

THE VA

Close to 100,000 customers world wide already call us. Shouldn't you be one of them? Call right now and experience the Sweetwater difference!

THE ULTIMATE MUSIC RETAILER!

5335 BASS ROAD • FT. WAYNE, IN 46808 • FAX 219•432•1758 sales@sweetwater.com http://www.sweetwater.com

CALL NOW! YOU MAY BE PRE-APPROVED FOR A \$10,000 LINE OF CREDIT ACCOUNT!



Studio Audio Digital Equipment, Inc. 1808 West End Avenue, Suite 1119, Nashville, TN 37203. Tel: 615 327-1140 Fax: 615 327-1699 eal



The SADiE turnkey - an industry standard.

For three years SADIE has given unrivalled product development and outstanding customer care.

there are other designs, there are other solutions...

PRODUCER'S DESK



SR-4400A/V Desktop CD Duplicator

User Friendly Interface

Modular Design

Autoloader Support





GININN Standalone CD-R Autoloader



GENESIS PC Based CD-R Duplicator



Exton, PA 19341 Telephone 610-458-9200 Fax 610-458-9554 EMAIL info@Mediaform.com Web Page www.mediaform.com



Call for bulk CDR pricing Toll Free 1-800-220-1215

where you sort of dropped out of sight in the Stateside market.

Everybody's career has its ups and downs. I had four or five records with John [Mellencamp] that were all pretty successful. Then we got to a place where we had basically worked together for ten years and enough was enough. I moved on to other things. I had *Life's Rich Pageant* and enough other things that people were looking at me as a record producer. It was no problem getting work, but getting hit records is difficult. You don't have multi-Platinum artists every day.

I started working with an Australian artist named Jimmy Barnes, and that led me into working with quite a few artists in Australia who were successful there. It kind of took up my time from working in the States, so I kind of disappeared [from the U.S. market] for a while. Looking back, I think it was good. It kind of gave me a rest, but when I began trying to work my way back in again, I got the message, 'If you want to try and do any of these bands that will help get you back in the face of America, you need to figure out how to do it for \$70,000,' so that's what I did.

When I realized I had to make records for under \$100,000, that meant I had to engineer, which meant that I needed to have reliable things around that I was familiar with that I could set up and get good sounds on right away. I now have my own drums, guitars, amps, organs, percussion, and all the stuff needed to record an artist or band. That has been part of my formula, to be a "band in a box" kind of producer. I just roll the stuff in and set it up. 'Bring your guitars and plug in.' you know. This way I can basically take an artist who has a great song and make sure that I have great sounds. It makes it easy for me to get something quickly that will work. If I need a great acoustic guitar sound, I've got one that I know will record well. The same goes for drums, bass, amps. I also own a lot of old gear, like vintage microphones, Fairchild limiters and API equalizers. I also bought a lot of instruments, too.

Did Hootie & The Blowfish's debut fall into this under- \$100.000 budget category?

Yeah. It was \$75,000. When you go in for like under a hundred grand, a label will take another chance on another hundred thousand with the project. I

don't think anybody is really hurting to spend two hundred and fifty grand on a project that they sign. I think it hurts when they spend a half a million and lose. I think a gamble of two hundred and fifty grand is something most labels are willing to take, if they can get their video, promotion and marketing all in place.

This is one project that has recouped bandsomely with this stripped-down philosophy.

Oh, yes! [Laughs] It's a great study in how to make it work and get everybody on it. I spent about 28 days on it—20 days of recording and eight days of mixing. It took me about six weeks, because I work five-day weeks. The band already had about a 30,000-unit base in Columbia, South Carolina, and several other towns in that area.

Atlantic is a very pragmatic company. They are going to follow whatever looks like it's working. Hootie obviously worked in their hometown, so Atlantic followed through and they tried out one more market. They followed it there and then tried another market and followed it there. They just built it up like that, block by block.

Your recent production of Tracy Chapman's latest offering, New Beginnings, is doing quite well.

It's a record that you put on and it "plays" behind what is going on in your life, and somehow, it gets in your blood. I can't explain it any other way. I see other people reacting to it in the same way. I put it on and they enjoy the hour of music that is there. It isn't like they put the album on to just hear a song. They put it on for an experience, and her ideas, which are gradually sifted into you through osmosis. It's the only record that I've done that really does that, and that's what I really enjoy about it. What I added was a production concept that actually made it soothing and warm, and it's still a live band.

Tell me about The Site, where you recorded the latest Tracy Chapman and Hootie albums.

It's beautiful. Both bands loved it as an environment. You're seven miles from civilization, and it has wonderful views and incredible food. The actual studio itself is "A" class, and it has as good a signal chain as any I have ever heard. They have a huge Neve 8078 that they built themselves out of about three consoles. The facility is well-maintained and they have an on-site maintenance person all day, which is rare for a one-room facility. They also have a full-time assistant named Kevin Scott, who is amazing.

What would you say is the sign of a good assistant?

When I was coming up as an engineer, we were always told that we were supposed to guess what the next move was, and be set up for it, before we went there. Sometimes that means doing two or three things at once, but that's the mark of a good assistant.

Have you thought about taking an extended vacation, after all of this Hootie success?

I could, but no way! Would you? [Laughs] You work hard to get into this spot, to where you get a choice on what to work on and maybe get one other thing that might have a career.

I was talking to Ron Albert yesterday. We worked together at Criteria. We were talking about how you hope every record you make is great, but great is just not good enough to guarantee success. There is a huge quotient of luck sitting on top of that, in terms of whether something is successful. Nevertheless, you won't get a shot unless you set out to make great records.

Rick Clark is a Memphis-based songwriter, musician and producer.



Whatever the medium — audio, video, multimedia, or desktop production — Micro Lynx tames both SMPTE and MIDI time code and synchronizes a vast array of transports. It simplifies life everywhere audio and video come together.

To hear more, contact us or your local dealer. We'll even send you a copy of *SMPTE Made Simple*, the definitive book on time code.





TIME INE 2401 Dogwood Way, Vista, CA 92083 (619) 727-3300 • FAX: (619) 727-3620

© TimeLine Vista, Inc. All rights reserved. All trademarks are registered trademarks of their respective companies.

USE READER SERVICE CARD FOR MORE INFO-

GRAMMYS

As the Internet has expanded

beyond the realm of government and academia, music has become one of the most popular Internet subject areas. At the same time, the availability of real-time audio playback on the World Wide Web using systems such as RealAudio and Stream Works (both covered in this space last issue) has made "Webcasting" one of the hottest new ways to use the Web. These two trends converged around the 38th annual Grammy Awards, which were not only televised as usual but were also covered on the Internet, with a home page at grammy.apple.com. that has remained available for exploration months after the real event at Los Angeles' Shrine Auditorium was over

Expanding the depth of Grammy coverage—and allowing the public a glimpse of many Grammy-related events that never make it into the telecast—was largely the idea of Chris Andrews, whose Palo Alto, California, media production company, UniDisc, has been closely associated over the years with NARAS, the organization

that presents the Grammys. Andrews produced a number of NARAS-related CD-ROM projects and recently formed a second company. Intercast, to focus on producing Internet events. Andrews got NARAS together with

BY PHILIP DE LANCIE

NARAS, APPLE AND INTERCAST TEAM UP FOR AWARDS SHOW WEBCAST Apple Computer, and the Grammy Awards on the Internet was born. At the time of this interview, Andrews was preparing to jump a jet to Los Angeles to begin final setup for the event.

What are the various components that make up the Grammy Awards on the Internet?

The Grammy Awards on the Internet is a co-production of NARAS. Intercast and Apple Computer. The three organizations have signed an agreement to produce an integrated production, which will be at grammy.apple.com, for at least a month after the Awards, probably several months. It has two phases: The first phase is called the Grammy Insider. That is a daily "publication" going from February 15-28 with things like interviews with artists, background on the Grammy Awards, and "Backtrack," which takes each year the awards have been around and talks about that year as it relates to music. There will also be a section of the site called Tools that will allow you to download RealAudio and Quick-

Time VR and a bunch of other helper applications and technologies that you will need for the second phase, which is the live on-site production that Apple is calling QuickTime Live. But you don't





need those extra tools to use the Grammy Insider, which is a text, photos and graphics publication.

In QuickTime Live, we will cover different events throughout the week before the show, and they each have a slightly different treatment depending on how interested we thought the public would be in what was being offered. The simplest treatment is a "roving reporter," one or two people with a QuickTake digital camera. They write about and take photos of particular events. We will be doing that at a lot of the Grammy events. For instance, there is a Hall of Fame event, a Quincy Jones benefit, and a number of other things just about

THE WEB ALLOWS A GLIMPSE OF MANY GRAMMY-RELATED EVENTS NEVER TELECAST. every night from February 23rd on. Some of these events we bump to the next level of coverage, which means that we add live audio, literally broadcasting live on the Internet from the event. This would include on-site interviews with artists. We will set up an area the day of the event where we can interview people. One of the nice advantages of streaming audio, such as with RealAudio, which we are using for this particular production. is that it can be listened to live or it can also be available for listening later on

There is also a section we call the Super Guide, sort of a combination of a schedule and a table of contents, which helps tie the Grammy Insider and the QuickTime Live parts together. You can look at the content by artist, by event, etc.

What are some examples of the events you will cover live, and how will you cover them?

Three key events will get full treatment: there will be a reporter/photographer, we will shoot some video. and we will broadcast live audio. One is a Carlos Santana benefit concert for the NARAS Foundation at the Universal Amphitheater, which is also part of honoring Carlos Santana into the Hollywood Rock Walk. We are planning on live Webcast of the audio from that concert. Another key event is the Grammy Showcase, which is sort of like Grammys for unsigned bands. They had 3,500 bands enter the competition, and they ended up with four bands who will be playing a concert from the Palace, and we are covering that in two ways: On the Grammy Insider we are covering it with profiles on those artists, and we are also covering it live.

Probably the most exciting and complex part of the event is backstage during the Awards show itself. We will have our own area at the Shrine that the artists and presenters and performers will stop by to get their phototaken and say a little something for the Internet. We will also have a number of different cameras around the Shrine. video cameras that will be generating stills at a rate of about a frame every minute or so, so people can look at the backstage area and the entrance. And we are also taking a live audio feed. from the TV and radio interview area. where the artists go to get interviewed

after they have won an award. The challenge will be to integrate this whole series of things, and to make it easy for the users to get at, because we will have so much happening at particular peak times.

What is it about the Internet coverage that adds interest and value com-

through traditional coverage, and if they were covered, they wouldn't be covered the way we are going to cover them, because we have an entirely different approach from TV or radio. People will be able to see a lot of behind-the-scenes-type things—interviews with artists, rehearsals—and



pared to the coverage most people get by watching the show on TV?

It should be emphasized that we feel it is a noble cause to break some new ground. At a minimum, there are a number of things that you won't see



we will be covering it in a way that people can go back and choose to look at anytime they want, and it will have a combination of editorial, photos and audio. So it is really an attempt to carve out a niche for this medium as being able to offer not just one highly produced stream of an event like television—but a number of what I call "slightly produced" streams for people with different interests.

The goal for me is to make some kind of contribution for people who don't necessarily want to sit at that moment in time and watch TV, but want to go into another level of depth and interaction with the event. So instead of the three hours of TV—which is a great show that a billion people will see—our focus is a week-long series of events that culminates with that particular show.

Current Internet technology doesn't support live transmission of any kind of watchable motion video. Given that fact, do you suspect that people who have a choice during the Awards cere-

There Are Several \$500. Compressors That Perform As Well As The dbx 262.



Unfortunately For Them, The dbx 262 Is Less Than \$200.





For more information contact us at (801) 568-7660 Fax (801) 568-7662 dbx 8760 S. Sandy Parkway, Sandy, UT 84070 USA or if you prefer surfing to snailing send e-mail to customer@dbxpro.com

br Professional Products Jensen® and Neutrik® are registered trademarks of Jensen Transformers Inc. and Neutrik USA regreative USE READER <u>SERVICE CARD FOR</u> MORE INFO

mony between visiting the site or just turning on the TV will find the TV coverage more involving and engaging?

I don't see what we are doing as being in competition with the TV broadcast. But the closest we come to Internet video is that on the day of the show, people with ISDN lines will be able to use Apple's QuickTime Conferencing to get video by Internet standards, which is a frame every number of seconds. I'm not emphasizing it, because it will be a cutting-edge kind of thing. We are a year or two away from being able to do any decent frame rate in video. But there will be a helper application available for download from the Website to decompress the Quick-Time Conferencing video.

What was the genesis of this idea, and how is the whole thing coming together? This is an expansion of a relationship that I have had with NARAS since about 1990. I have been involved with every new media project that the Grammy Awards have been involved with, including a number of CD-ROMs. We started working on the idea about six months ago. I went out seeking a partner—a little bit on NARAS' behalf and a little bit with an entrepreneurial spirit. I interviewed about 15 companies, big and small, and Apple scored very high, largely



because of their QuickTime Live team. Things really started coming to a boil in December when we felt we had to make a decision, and that is when we got into a lot of intensive talks with Apple, because we wanted to know who our partner was by the time of the Grammy nominations on January 4. Satjiv Chahil, Apple's VP of marketing, personally helped to pull this together, so it has a high level of support from Apple, which was important for everybody.

How would you define the different roles that Intercast and Apple are each playing in the production?

Myself and Rob Senn, the general manager of NARAS, are the executive producers of the whole Internet event. Intercast is officially the managing production company, but it is really more of a co-production with Apple. What I do and what Apple does are very complementary. They are really on the technology side, and I am more on the creative side, working with the writers, the artists and the photographers. I come up with concepts and coordinate the execution, but on the live part of it, the Apple producers will have a lot of creative license.

The real Apple emphasis is on the live events. QuickTime Live is more than just a technology. Apple is really looking at it as a name for a live Webcast: the technology, the people, the process. It is a QuickTime Live production. I looked at a lot of companies, and Apple was the only one that actually had a team to do this. Right now, there aren't a lot of people with the skills to do live Internet broadcasting except for within Apple or the other companies that have the technology. Approximately 30 people from Apple will be involved. They are providing the hardware and software behind this, and the Website is an Apple server.

How will the whole production process work for the live events?

We are breaking a lot of new ground, so we are spending a lot of time in meetings trying to determine how to really do a live event on the Internet. First of all there are a lot of specialists on the team—audio, cameras, writer, photographer—and it looks very much like a live television crew, but we don't have the remote vs. back-home partition yet. In other words, we can't just send a reporter and a producer out to a site. We might need to send out equipment and engineers to the site in order to do a production. For instance, we have to bring 25 to 30

USE READER SERVICE CARD FOR MORE INFO

Do you know where your feedback is?

The MAQ" 300 and MAQ" 600 monitor amps do!

The record company A & R man you've been bugging for over a year picks tonight to visit your house band gig. The club owner has gone home, you are well into the last set and really starting to cook. As you turn up your monitors trying to keep up with several hundred watts of guitar amps cranked to 11, it happens. ... "brain darts." Before everyone can cover their ears and dive for the door, you casually reach over to your MAQ 300 and pull down the slider with the red LED glowing above it. The feedback is gone so quickly, you don't miss a beat. You get a record deal, marry a Baywatch hard-body and live happily ever after.



USE READER SERVICE CARD FOR



We can't guarantee the record deal and fringe benefits, but we can make feedback problems a thing of the past. The MAQ Series of dual monitor amp have two 15-band graphic equalizers with our Feedback Locating System (patent pending) built in. / LED above each EQ slider illuminates when that frequency band has the m energy present. Under feedback conditions there no more guesswork, just p down the offending band. Save time, save speakers, save your ears... all for les than the cost of buying separate equalizers and power amps. In addition to 15 bands of graphic EQ, each channel has an adjustable low cut filter to pull rumble and powerrobbing low bass out of th monitors. The MAQ 300 delivers 2x150 W @ 4 oh while the MAQ 600 puts 2x300 W @ 4 ohms.

- FLS Feedback Locating System (pat. pending)
- Bass roll-off filter, adjusta from 25 Hz to 300 Hz
- Dual 15-band graphics with 45 MM sliders 500 Hz to 4 kHz 1/3 octave bandwidth 160, 250, 400, 6.3 k 10 kHz 2/3 octave
- Balanced XLR input, bal/unbal 1/4" TRS input
- 1/4" TRS thru out jack (only on one channel)
- 1/4" EQ Out and Powe Amp In insert points
- Stereo/Mono link switc
- MAQ 300-2x150 W @ ohms in an XR type top box
- MAQ 600-2x300 W @ ohms in a 5u x 19" steel chassis

people down to the Shrine for nine days to do this.

The way the process works is that we start by looking at what a good creative concept is for the screen, and then we work back from that. Take the example of the artist who just won an award and will stop by our production area in five minutes. What do we do with those five minutes? We had to map it out, and we decided that we have a predesigned graphic displaying that artist as the winner, and a writer who knows the industry very well who can comment on the significance of that person winning. So when the person comes to our area, we have everything except their live photo, and maybe something for them to say. They come in, we take a digital photo to post to the site, and we take a quote from them, which is typed in at that moment as a caption on their photo. So then we have a nice package that is the first time after their speech on television that there is something about them "in print."

That is one example of maybe a dozen or two dozen specific processes—a combination of a high-tech engineering process and a creative process—that we have had to map out very carefully. There are 90 awards over a six-hour period, because we



are covering the "pre-tel," the 60 awards or so prior to the live broadcast. In that particular process you have about seven or eight people working from start to finish. You have the writer, you have someone who knows the technical layout on the Internet, you have the editor who proofs it all, you have someone who posts the content to the main site, someone who takes the photo and dumps it into the computer. So half the team for a given process may be high-tech and the other half creative.

I would say that the production shop at the Shrine will not be that different from the art and editorial departments at a magazine publishing company. That is the way I look at it. It just happens a lot faster. Even the audio portion goes through a process of compression and testing, so there is still the element of material sitting in the computer for some time, even if that time is minute. It all has to flow with the rest of the production, so there are certain characteristics that are closer to radio, but there is a director at that moment, who has to know what is going on not only with live audio but with graphics and canned audio segments. When I observed the QuickTime Live team at the San Francisco New Year's Eve event, there were a number of different work stations with signs like "Audio Production" and "Webmaster" and "Reporting,"

How does the live audio feed integrate into the overall production process?

The audio station will look from the outside just like any of the other stations. and it will have some cabling to the audio pool for the TV and radio feed. But the biggest challenge isn't in the production of the audio but in the delivery, accommodating a lot of people listening at one time. That is difficult because they are all using the available bandwidth at the same time, as opposed to when they download audio or click on audio, listen to it, and then go do something else. We want to make sure that there are enough audio streamsthousands, I would say-which means a lot of RealAudio servers. Apple has contracted with a local company in Santa Monica to be able to accommodate that. The feed will go through Real Audio compression at the Shrine, and then go out to the servers in Santa Monica over a T1 line.

Mix's media & mastering editor, Phil De Lancie, is a mastering engineer and multimedia designer for Fantasy Records in Berkeley, Calif.

IN THE TIME IT TOOK TO WATCH THIS FRAME, CEDAR RESTORED THE AUDIO.





Slower solutions are never as good.

While the competition is still loading the hard disk, you can be on to your next job with CEDAR, the first – and still the only – audio restoration processors to offer mastering quality realtime scratch, click, crackle and buzz removal. CEDAR was also the first to combine unparalleled noise reduction with remarkable dynamics processing and both IIR and FIR equalisation. And then there's CEDAR's unique 'Noise Free

CEDAR 20 PC-based system

Equalisation' which boosts the signal without re-introducing any hiss. Not only do all CEDAR's products work in real-time, they can also be cascaded to perform all your audio restoration requirements in a single real-time pass.

So whether you prefer a computer-based system or our rackmount modules, one thing

is for sure. With CEDAR, by the time you've played the tape or watched the movie, you've also restored the audio.



Leading The World In Real Time Audio Restoration

HHB Communications Ltd · 73-75 Scrubs Lane, London NW10 60U, UK Tel: 0181 962 5000 · Fax: 0181 962 5050 · E-Mail: sales@hhb.co.uk HHB Communications Inc · 43 Deerfield Road, Portland, Maine 04101 1805, USA Tel: 207 773 2424 · Fax: 207 773 2422 · E-Mail: 75671.3316@compuserve.com

World Radio History



DH-1 De-Hisser



DC-1 De-Clicker



CR-1 De-Crackler



AZ-1 Azimuth Corrector



VLZ CIRCUITRY FOR Ultra-Low Noise

AND CROSSTALK. Did we just make up a fancy name for the same old circuitry? Nope. VLZ (Very Low Impedance) is a Mackie innovation based on solid scientific principles. Through the careful deployment of high operating current and low resistor values at critical points in our consoles, we're able to dramatically reduce thermal noise & adjacent-channel crosstalk. Open up all the channels, subs & masters on a Mackie 8•Bus console and compare what you hear (or rather don't hear) with any Brand X console. Because Very Low Impedance sircuitry needs loads of high current, we ship a humongous, 220-Watt Triple-Regulated power supply with every 8.Bus

Mention in this ac denotes usage by, as reported to Mackie Designs, d is in no way intended to motifuts official endorsement by e artists or groupe listed.

e compiled by a leading lepondent Console video Factole aluation Laboratory. Your count o perior Mackie 8-Bue console turee may vary.

THIS AD CONTAINS 8 REA Your <u>Free</u> 1-hr. Mackie

IT EXPANDS ALONG WITH YOUR NEEDS AND BUDGET. You'd be

surprised just how many &Bus console setups like the one below are currently in use. But you don't have to start out this way. Start out with a 24+8 or 32+8 and then grow your &Bus console 24 channels at a time with our 24+E add-on modules. 1, 2 or even 3 of 'em connect in minutes. They come with their own 220-watt power supply; optional meter bridges are available. **IMPECCABLE MIC PREAMPS.** A console can have motorized dooflammers and an optional MIDI espresso attachment, but if the mic preamps aren't good, you don't have a fully-useful production board. Our discrete preamps with large-emittergeometry transistors have won a critical acclaim for their exceptional headroom, low noise (-129.5dBm E.I.N.) & freedom from coloration. VLZ circuitry in the preamp section also reduces crosstalk. THIS CONSOLE JUST PLAIN SOUNDS GOOD. Sure, you may be able to buy a Brand X console for less. But you end up with a console that sounds like...well...a Brand X console. Granted, we're getting into a pretty subjective area here...but we have tall mounds of 8-Bus warranty cards that rave about our consoles' "clarity," "sonic purity," "sweet sound," "transparency," "lack of coloration" and a lot of other superlatives we wish we'd thought of first.

Above: 24•E 24-ch. expander with optional MB•E meter bridge and stand.

BASED AUTOMATION THAT'S Reliable, proven and affordable.

Alona with affordable digital multitrack recorders. the Mackie 8•Bus has made it possible to do world-class productions on a modest budget. But until now, Big Studios have still had one remaining and unattainable creative "secret weapon"... computerized level automation. That's why we developed the UltraMix™ Universal Automation System. It gives you fully editable and recallable control of input, channel and master levels – plus features not found on even the most expensive proprietary Mega-Console automation systems. Equally important, it doesn't degrade sound quality, introduce zipper noise or cause

DMATION THAT'S NO AFFORDABLE. audible "stepping." UltraMix is currently being used to mix

network television music themes and on several major album projects - by seasoned engineers who grew up on Big Automation Systems. Their verdict is that UltraMix is a serious automation solution stable, reliable and frankly easier to use than more expensive systems. The basic system controls 34 channels and can be expanded to as many as 128 channels. UltraMix Pro™ software, for 030/040 & Power PC Macintoshes and PCs (Windows[®] 95 required), includes a wealth of

UltraMixTM Includes the Ultra-34 Interface, UltraPilot Controller and software for \$2797 suggested U.S., retail, Macintosh[®] or Windows[®] 95-compatible PC not included.

Master Section

G1 62 63 64 65 66 67 68 M

00000000

features like editable fader curves, built-in level display, unlimited subgroups, SMPTE time code display, event editor with pop-up faders, optional control of outboard effects devices and the ability to play Standard MIDI files from within the program.

SONS TO BUY OUR 8-BUS CONSOLE. **VIDEO CONTAINS AT LEAST 71.5 MORE.** FREE VIDED FINE PRINT, Visit

PROFESSIONALS REALLY USE THEM. The members of Boyz II Men could have afforded any console they wanted for their studio's second room. They chose an 80-input 8.Bus with 102 channels of UltraMix™ automation. In the studios of artists as diverse as k.d. lang, Yes, Queensryche, Lee Roy Parnell, Aerosmith, Bryan Adams, Carlos Santana, Whitney Houston, Eric Clapton & U2, our consoles really are used to make great music.

FREE VIDEO! Choosing the right 8-bus console can be pretty confusing these days. That's why we've whomped up a free video that gives you some solid reasons to buy a Mackie 8.Bus. This eclectic compilation contains excerpts from our epic 8•Bus Video Owner's Manual, an introduction to UltraMix[™] Automation System and an award-winning short subject, The 2nd Mackie Home Video. Watch all three parts before you part with bucks for any 8-bus console.

> -manning and THEFT STATES AND ANTICOLOGICAL STATES

your ocal Authorized Mackie Dealen for a real live 8.3us demo; and then snag your free video. This handsome offer is good while supplies last, or until August 31, 1996, whichever occurs first. So, you snooze, you looze Limit: one per customer. If you just can't seem to make it to a dealer, its available from Mackie by phone or fax mequest - mo reader response cards. Allow s.x weeks for delivery. You will also receive our 48-page 5. Bus and UltraMix^T Iniversal Automa-

WIDE MID RANGE EQ.

Whether vou're tracking or mixina, equalization is one of your

most important creative tools. We concentrated on important things like giving you Classic English Console EQ capabilities.

1 1 1-1

By that, we mean extremely-widebandwidth peaking equalization that can be used to achieve effects that simply aren't possible with narrower EQ. Most Brand X midrange EQs have a fixed bandwidth of about 2 octaves (blue graph above right). You can sweep it up & down the frequency spectrum, but the "sharpness" of the EQ curve is always the same.

Above: 24•E 24-ch. sxpander with optional MB•E meter bridge and stand. Above left: 32•8 with optional MB•32 meter bridge and stand.

X

elected selectedenterelection attractioners a

This kind of EQ is good for some purposes...but if you've worked with it before. you know it's too drastic and localized for gentle changes in overall tonal coloration. The 8•Bus' true parametric Hi Mid lets you spread the bandwidth out to as much Юĸ as 3 octaves (red curves at left). That extra octave of "width" gives you a whole new creative palette.

1996 MACKIE DESIGNS INC. All Rights Reserved

Above: The SideCar, matching 8•Bus equipment rack

LEGENDARY -RELIABILITY. This is one

of those factors you probably don't think much about - until your console goes down at in the middle of a critical session...at 2AM on a holiday weekend. Built with pride in Woodinville, WA, USA, 8.Bus consoles have an enviable 3-year track record for endurina continuous, round-the-clock use and abuse.

tabloid. This wideo offer is available to respondents in the U.S. only. Canadiar readers call SF Marketing at the toll-free prione number below. In other countries, please consult your local Mackin **Ciesians** Authorized Distributor.

tion System color

🛥 16220 Wood-Red Road = Woodinville = WA = 98072 🔍 800/898-3211 父 206/487-4337 🏾 e-mail 🖤 220 Wood-Keo Koad = woodinville = WA = 380/2 🔪 800/363-8855 = Outside the USA 🔍 206/487-4337 = e-mail 🦉 sales Emackie.com Represented in Canada by S.F. Marketing 🔪 800/363-8855 = Outside the USA 💐 206/487-4335 💓 206/485-1152

World Radio History SEE US AT NSCA BOOTH #1629



a.

R

<u>HERROS</u>

SOUND REINFORCEMENT, BROADGAST AND POST FOR THE KING OF POP'S NIGHT WITH PULP

BY ZENON SCHOEPE

he Brit Awards show has something of an identity crisis. It presents itself as the definitive British music awards ceremony, but much of the British public doesn't see it like that or appreciate it as such. This perception is partly due to the fact that the British don't actually like awards ceremoniesthe gut reaction tends to be one of revulsion that prime-time TV should indulge the choice and influence of a few and then celebrate it so lavishly. The Brit Awards have even been compared in significance in the past to the reviled Eurovision Song Contest-that annual atrocity that proves, if proof were needed, that the Europeans can sink as low as anyone in the name of music entertainment.





Truly a technology shift in digital audio systems — 128 floating-tracks^[*]. Envision every audio segment freely moving, fading and gain adjusting, all graphically. "Mixing with MicroSound^{1*} is the ultimate automation." Eddie Ciletti, EQ Magazine. Assembling and mixing now changes from a real-time nightmare to intuitive automation, so safe it invites experimenting. "My first day I produced the first perfect 4 hour mix of my career!" Todd Chatman, CCM Communications.

Equally impressive to your creativity is the breakthrough in non-destructive editing — true Random-Access-Editing¹⁵ — freeing you to adjust anything, anytime. Why be frustrated by undoing edits and the fixed regimens of other workstations. With MicroSound's flexible toolset you will polish every sample instantly, whether in spot ads or multi-hour projects that demand perfect SMPTE or video sync-lock resolving.



Because your quality is your reputation, MicroSound delivers crystal clear audio with a -110dB noise floor. Fade and gain changes execute on every sample; no distortion or clicks ever.

Because your success pivots on your reliability, MicroSound clients worldwide have never lost a file in 6 years! Even unsaved work survives power outages. Experience the creative rush of this sophisticated, yet friendly system.

The performance you dream of...the support you deserve. I guarantee it. David Cox, President, MTU

Turnkey Pentium systems starting in the \$5000s, or seven models for your computer starting in the \$2000s.

If this is your first workstation or you are ready to upgrade, contact us today to discuss your needs and how MicroSound is the answer you have been looking for.



Micro Technology Unlimited, PO Box 21061, Raleigh, NC, U.S.A. 27619-1061 Tel. 919-870-0344 Fax 919-870-7163 Web:http://www.mtu.com Email: info@ mtu.com Quality Digital Atudio since 1977

USE READER SERVICE CARD FOR MORE INFO

This year's Brits, held at Earls Court rather than the smaller Alexander Palace venue used in previous years, was definitely better than past attempts, and the television coverage that most saw was certainly improved. Credibility—or sell-out—was enhanced by the presence of Michael Jackson, whose "live" performance was prefaced by an incongruous video montage portraying the artist as the "King of Pop."

The highlight of the show for those who attended was undoubtedly an incident that occurred during Jackson's fulllength rendition of "Earth Song," which he performed on a pyramid set complete with moaning, clawing, miming and seriously overacting post-environmental-disaster extras. The song climaxed with Jackson stripping down to an all-white costume and adopting a Jesus-like pose as he welcomed the now gratefully smiling extras into what could only be supposed to symbolize the bright light of heaven behind him. Most surprising was the unexpected appearance of a heavily stylized Hassidic Jewish gentleman, whom Jackson kissed on the forehead-there was some sort of symbolism at work here, and minds raced in incredulity to make a connection. Jackson then treated us to some environmental and social statistics and told us that he loved us. The set finished with Jackson turning and walking into the bright light, surrounded by small children and with his hands outstretched, the middle and index fingers of each hand extended. If this is show biz, then John Paul II ought to look out because somebody is after his job.

But wait, there's more! During the performance Jarvis Cocker, lead singer with British band Pulp, was so overwhelmed with indignation at the pomposity and bogus sentiments of the spectacle that he darted onto the stage, allegedly flicking V-signs in the general direction of the King of Pop as he went (the two-fingered V-sign is the British equivalent of the American middle-finger gesture). He was pursued by security guards, resulting in a scene that was described by those who witnessed it as similar to a Marx Brothers movie.

Cocker was caught and spent the remainder of the evening and some of the morning as a guest of Her Majesty's Constabulary, supposedly because some of the extras had been ruffled during the chase. Most of the evidence of this occurrence was cut from the TV coverage of the show that went out the following night. Jackson later issued a statement saying he was "sickened,

saddened, shocked, upset, cheated, angry but immensely proud that the cast remained professional and the show went on." In his own statement, Cocker said: "My actions were a form of protest at the way Michael Jackson sees himself as some Christ-like figure with the power of healing. I just could not go along with it anymore."

Cocker was not without sympathizers. Record producer Brian Eno, who won the Producer Award, told BBC television news that he wished he'd protested himself and said that Cocker's actions were as if to say "This is such rubbish, please let's not stand for this." Maybe Jackson should have come on and sang "Rockin' Robin" and none of this would have happened. However, happen it

JARVIS COCKER, LEAD SINGER WITH BRITISH BAND PULP, DARTED ONTO THE STAGE, ALLEGEDLY FLICKING V-SIGNS IN THE GENERAL DIRECTION OF THE KING OF POP.

did, and it did no harm to the TV ratings, which topped 11.7 million on ITV in the UK. The show, which was broadcast live on Radio One, is expected finally to reach audiences in 133 countries when syndication is complete.

Band-of-the-moment Oasis bagged Best Band, Video and Album awards. Best single went to "Back for Good" from Take That, who recently announced, after much speculation, that they were breaking up. There were also live performances from Simply Red, Alanis Morissette, Pulp and David Bowie, who received a Lifetime Achievement award. Michael Jackson won an Artist of a Generation award, and although the whole show was cut back severely for broadcast, his acceptance speech was included unedited in all its long, paused and nervous splendor.

SOUND REINFORCEMENT

It was a big production for a Brit Awards show. Three thousand threecourse meals were served in an hour and a half by 700 catering staff and 50 chefs, and the move to Earls Court added a sense of scale and urgency to

What's the best way to keep your clients? Surround them!



early 20 million home entertainment systems are equipped with Dolby Surround sound, and the number is skyrocketing. That's why clients today want and need to produce in Dolby Surround—music videos, TV productions, documentaries, ad spots, CDs and video games.

We've just made it a lot easier to equip your facility with the tools your clients need. You can now purchase both the Dolby SEU4 surround encoder and the SDU4 surround decoder outright from your Dolby dealer. Equipping your facility with the

industry standard for surround sound has never been so simple or cost-effective.



For more information and the name of your Dolby professional products dealer or distributor, contact us at 415-558-0200.

Dolby Laboratories Inc. 100 Potrero Avenue, San Francisco, CA 94103-4813 Telephone 415-558-0200 Facsimile 415-863-1373 Wootton Bassett Willshire SN4 80J England Telephone 01793-842100 Fax 01793-842201 Debi and the doubt O method are trademarks of Dabi Laboratores Lorenze Corporation E1995 Dabi Laboratores In: 99-11073

World Radio History USE READER SERVICE CARD FOR MORE INFO

MAY 1996, MIX 53





PHOTO DAVE HOGAN

the proceedings. FOH sound was provided by Dimension Audio (the company's third Brit Awards), who were faced with a bigger stage than at Alexander Palace, a much shallower although wider auditorium arrangement, plus one day less to install. Stage construction fell behind, and sound checks were made while building continued on Sunday for the Monday evening event. Derek Zieba, director and general manager at Dimension Audio, says the schedule and the echo-y acoustics of Earls Court's large hall had the makings of "a wee bit of a nightmare.

"The big problem for me was that there wasn't any acoustic baffling at all, which is traditional when you do a rock show in Earls Court," Zieba explains. "We had to fly everything and get it well-angled down at the audience, and if we let the levels go overboard the second and third reflections coming back would have been very apparent on the broadcast," Dimension Audio's own Turbosound Flashlight and Floodlight systems were spaced in what was in principle an LCR flown arrangement. "Clearly with the environment they'd created there really wasn't the place for any stacks, so we ended up with a 16-cabinet cluster of Flashlight mid-tops in the center, two nineway clusters of Floodlight at the sides. with the bass bins stacked as columns either side of the stage behind masking," Zieba says, "We would have been helped if there had been a position for bass bins somewhere in the center because it tended to get a bit bass light."

While the artists and the heads of the industry sat at the back of the audi-

torium, around 400 screaming Take That and Michael Jackson fans were placed in a pit area in front of the stage, where their audio needs were served by Meyer UPA front fills.

"We had three FOH boards—two Yamaha PM4000s and one PM3000," Zieba says. One of the PM4000s was dedicated to Simply Red, the other coped with David Bowie and Pulp, and the PM5000 handled Alanis Morissette and "all of the other stuff to do with the awards ceremony—like DAT playback, walk-up stings, VT support and podium mics.

"We had three monitor desks backstage—two Midas XL3s and a Soundcraft SM16, which was a late addition because we got line lists quite late from all the bands, and it was clear that it would be a nightmare reset." Zieba adds. Sidefills were flown Floodlights for up-stage and down-stage positions to cover Simply Red's staircase set and Michael Jackson's pyramid set. The remainder of the monitoring system was standard bi-amped 2x12 and 15-inch boxes with a fair smattering of in-ear monitoring and radios.

In a departure from previous years, most of the bands brought their own engineers for FOH and monitors. (The two acts that didn't have FOH engineers were Take That and Michael jackson, whom Zieba handled. In Take That's case, it was vocals to DAT playback, and in Jackson's case, just DAT playback apart from his narrative at the end of his performance.) Zieba believes this is the right way to do it.

"They tour with those engineers, they only have one two-hour sound



650 MB/74 min Recordable disc

Recordable CD System Only \$995*

Pinnacle's new RCD 5040th Recordable CD system is the first CD Recorder priced below \$1000 - making it the most popular and affordable system available. This system can create custom data, audio and video CDs within minutes and it's also a fully functional

CD-ROM player. The system comes complete with everything you need to produce your own CDs, including the CD recorder, controller card, cables, and software to make it all happen.

Pinnacle's unique audio editing approach will allow you to professionally mix and master custom audio CDs easily and quickly. The RCD system is available in both an internal and external model. The internal model fits into most



PC computer bay slots. The external RCD 5040 Internal PC SI model comes in a stylish case that connects directly to your PC or Macintosh computer.

Computer System Requirements

PC: IBM or compatible with 486 processor, 8 MB RAM, hard disk access time of 12 ms or better, mimimum sustained data transfer rate of 800 KBs, MS DOS 6.2 with Windows 3.1, Windows for Workgroups 3.11,

Windows NT or Windows 95, one open 16 bit ISA interface card slot.

MAC: Macintosh or compatible with 68040 processor, System 7.0 or later, 8 MB RAM, hard disk access time of 12 ms or better,

minimum sustained data transfer rate of 800 KBs.

Pinnacle Micro is the world's leader in Recordable CD systems. Best of all, it's now affordable - it's recordable. To order or for a local dealer call: **800.553.7070**



Call to receive your free Guide To Compact Disc Recordable (CD-R)



All Trademarks and Registered Trademarks of Their Respective Owners World Radio History

Just what is it that makes Beta microphones the world's most respected for live performance? / Ask a professional performer and you'll hear about Beta's remarkable response to vocals and instruments. While an engineer will talk about

INSTRUMENT/ VOCAL

BETA 57A

their tight, uniform supercardioid pickup patterns which allow exceptional gain-before-feedback. And how Beta's technical precision turns every live performance into a studio-quality sound experience.

Is It Art Or Engineer

Premium Performance Shure Beta Microphyse Fami

HURE

VOCA

1/1/21=

BETA 58A

If you're miking an entire stage, you'll want the full Shure Beta Line. It includes the improved Beta 57A and 58A with smoother



SHURE

BETA 56

response and lower handling noise. The premier Beta 87 brings accuracy and detail to vocals. And to drive it all home, complete your stage with the exciting new Beta 52 for your kick drum and the unique Beta 56 for drums and other instruments.

Is it art or engineering? With Shure Beta, it's one and the same.

Call 1-800-25-SHURE for the Shure Beta

dealer nearest you.



CK DRUM

SHURE

THE SOUND OF PROFESSIONALS. WORLDWIDE

I SE RE OPER Warld Badia bistory HORE INTO

check, and it's in front of all the music biz so they want to get it absolutely right. The quickest way to do that is bring in their tour engineers," Zieba says. "The band sound was actually very good, and we achieved the sort of levels they wanted, taking onboard that it was a show for TV and if we went mad on the FOII P.A. you'd get coloration [in the broadcast sound]. The levels were perhaps less than you would normally achieve at a concert, but it was still pretty punchy stuff." According to Zieba, it was the podium mics that posed the greatest problems, due to the variety of different mic techniques displayed by award presenters and recipients, Presenter Tina Turner grabbed one of the AKG 747s at the podium and hollered down it as only Tina can. "Yes, she gave it loads," laughs Zieba. "I was catching cones at the back there."

BROADCAST

Toby Alington, who specializes in music gigs for TV and live concerts, was sound supervisor in charge of all the broadcast sound. The performances were recorded to 32-track Mitsubishi digital with both a main and a backup running in two trucks from The Manor Mobiles. All the broadcast feeds were split from the onstage sources, with additional mics placed for audience pick up, for a total of 172 mic lines. Alington split the recording duties with Manor Mobiles' Will Shapland, and taped the appearances of Simply Red, Take That and Michael Tackson at Manor's newly refitted 48channel SSL E Series: the other bands were recorded through the second Manor truck's 72-channel Raindirk. A total of 22 audience mics were employed, with the adoring pit area served by Crown cardioid PZMs placed around the front of both stages. all mixed down through the Manor SSL truck's 24-channels of API with remote mic amps.

Cameras for event producer Initial TV were provided by Chrysalis, whose Dave Taylor oversaw the mix-to-picture in the Chrysalis truck. Taylor recorded the stereo feeds from each truck plus the stereo audience mix and the presenters' mics on 16 tracks of DA-88, with safety copies on analog Beta SPs. For the final dub to picture, the producers relied on Taylor's mix as much as they could, although some of the presenter "overloads" had to be remixed.

A hard disk system was used for the walk-on and walk-off music. "We used a (SAV) SADiE in the SSL truck for the playbacks, which is excellent for rehearsals because it's instant cue up, and if they suddenly want clicks on the front it's a doddle," Alington says, "It's a good toy for that kind of thing."

Alington says that organization during the rehearsals is crucial for survival. "What I always try and aim for in this kind of thing is to leave one channel per mic so, bar changing effects, you can leave a band set on a desk and switching between bands is then a case of just muting the relevant bank," he explains, "The show roars past so quickly and there is so little time left to do any line checks just before a band is due to go on. You can't really do it on a festival-type rig of bringing different bands' inputs up the same channels. Doing three bands in the big Manor truck went very well, but it is pushing it slightly simply from the effects point of view. If we go live broadcast next year, like they're talking about, then we'll be looking at an additional truck."





USE READER SERVICE CARD FOR MORE INFO

The Audio Converter for Multimedia developer WaveConvert for Windows and MacOS



POST-PRODUCTION

The video and audio post-production were performed at Telecine in London. As for last year, the Manor SSL truck was parked outside Telecine, enabling Alington to carry on mixing and to pop into the dub to see how Telecine's Nick Berry was progressing. It also meant that as soon as Alington finished a mix it could be sent up tielines directly to the AMS AudioFile in dubbing, thus shaving a few minutes off the process. Every minute counted, as the show had to be cut back quite drastically for broadcast the following night. The show had run about half an hour over. which meant chopping and tucking every single link and walk up and even editing some of the band numbers down. Michael Jackson's performance went out full-length, with his promovideo at the head of it, whereas Bowie's excellent 16-minute set was sliced down to eight minutes.

"I sat down with my monitor mixes and cut those on the AudioFile to make sensible music edits," explains Alington, "and then gave those show timecode points to the VT editor, who then did exactly the same cuts and managed to make the pictures work around them."

"We started mixing at about 2 a.m. and started dubbing at about 4 a.m. loading in previous segments that we'd prepared," he continues. "We finished the last part at about 8 p.m., so the whole show was with Carlton (the broadcasters in the UK) before it went on air by about 30 minutes. We watched the opening of the show in the pub across the road."

The amount of editing and the time constraints conspired to make the job that little bit more difficult, according to Alington. "It's all the usual problems of this type of multi-artist live show there's never enough get-in time or rehearsal time, and the show goes by in the blink of an eye," he says. "It's very much a case of sort it all out in the post.

"The Brits is always a bit of a strange gig to do, because it's a fantastic show but it is the gig from hell from the stress point of view." Alington says, "grabbing four hour's sleep on the Sunday night and then working straight through for 40 hours. But everyone seems pleased with it, and Initial TV are very pleased with the product so, hell, I guess I am too!" This year's Brits makes very interesting viewing. If you get an opportunity, watch it.

Zenon Schoepe is a freelance writer based in the UK.



The EQ The tradition The pedigree

System 9098 Equalizer by Rupert Neve the Designer



"The SYSTEM 9098 EQ is a high performance Equalizer and Preamplifier designed to originate microphone signals of the highest quality and to process signals generally in terms of frequency response. The circuitry is based on the research 1 put into the 9098 console and the approach bears

many similarities to that used in the 9098. Paramount importance has been given to the sonic quality of the audio path, taking great care to retain the highly-prized musical character of the famous old designs of this pedigree.

The SYSTEM 9098 EQ embodies the original curve shapes now enhanced by improved circuitry which provides swept frequency bands in place of the discrete switched steps of the past. Thus the EQ has become even more powerful yet remains a subtle and creative tool, using the same basic circuit configurations which have been successful over many years. However, new amplifying devices and better quality components have resulted in lower noise, lower distortion and the ability to handle higher frequencies.

The result is an equalizer which has the solidity and sound of Class A without the cost, heat and weight penalties and thus provides the 'best of both worlds'. We have also left behind cumbersome and expensive hand cabling, noisy connectors, heavy separate power supplies and outdated assembly techniques which contribute nothing but nostalgia. Apart from the robustness, repeatability and reliability, we have now made one of my designs more affordable than ever before."





Rok•Bottom

The perfect addition for anyone requiring better low-end response in a near-field monitoring application, the Rok.Bottom kicks some serious butt. The sub-woofen atilizes a unique enclosure shape similar to the popular K. Rok,

RK

minimizing parallel walls to maximize low-end punch. The 2.1 cubic enclosure features a 12-inch long-stroke polyglass woofer with a metric sensitivity of 91 dB and is available in non-powered and 140 watt powered versions with an LCR summing amp and an internal crossover.

KRK

POWER BLok

577 Keith Klawitter Captain K. R.K

The 14D-watt KRK POWER BLOK represents a revolutionary concept in near-field monitor amplification. Offering a cost-effective alternative to conventional rack-mount amplifiers, the class A POWER BLok is available as an internal option to all KRK monitors, including the RoK. Bottom sub-woofer, or may be purchased separately and used as an outboard amplifier. The proprietary power module features regulated power supplies to all voltage gain stages and heavy duty Neutrik combo connectors as well as extensive DC protection circuitity. Distortion is less than 0.05% at 140 watts, while noise (A weighted) is specified at -100 dB EIN input open.

World Racio History

th Klawitter.

KKA Systems, Inc. president and chief design engineer. started the company in 1986. Previously, Keith had worked as an independent recording engineer at many of the world's major recording and film studios and has gained numerous film credits with projects at Metro/Goldwyn, Paramount, MGM and Universal. KRK's phenomenal success can be attributed to a unique combination of exotic driver materials, proprietary crossover, stylized cabinet design and Keith's vision of uncompromising sonic quality.

Chris Fichera.

KRIS

with KRK masert, "Pinky" vice president, Group One Ltd., exclusive an tributor of KRK, Systems products worldwide, has gained International recognition as both a Grammy Award winning engineer and industry marketing veteran. "We have intentionally limited KRK distribution," says Fichera. "KRK dealers were selected on their ability to effectively serve the professional audio market with product knowledge and a thorough understanding of the recording process."

Chris Fichera

KeRok

The K.Rok personal monitor, featuring adical new desighs in Iriv'r and enclosure technology, has develpped into one the most popular nearfield monitors on the narket. The unique cabinet shape, which minimizes parallel walls was designed to optimize linearity and maximize lowanch. This provides

excremely accurate reproduction of instruments and vocals. Perfect for all near-field applications, the K. Roks not only out perform the competition, they also represent an incredible Value at \$495.00 per pair.

KRK

Imaging Is Everything

KRK monitors have become an integral tool in many of the world's top recording and post-production studios. The KRK line of near field monitors are without peer for accuracy and imaging. Each driver is extensively tested to ensure a zero failure rate out of the box and monitor pairs are matched to within one-tenth of a decibel for unequaled accuracy. With a complete family of near-field products to choose from, KRK has a product for every application, including video-shielded and powered versions.

Questions About The Universe?

Neil Shan' Industry Sage

KRK Old Rok Dude

Just ask Neil. Neil Shaw, Menlo Scientific, Menlo Park, California

Veneer Options

If the "granite-type" look in a monitor is not your cup of tea, KRK offers veneered versions to complement the most demanding interior. Available in attractive oak or rosewood, the optional models Include the K·RoK. 6000, 7000B and 9000B. They are also available in powered and non-powered versions and with optional video shielding:



Distributed by Group One Ltd. East Coast Office! (516) 249-1399 • (516) 753-1020 West Coast Office: (310) 656-2521 • (310) 656-2524 E-mail: jakel groupone@aol.com

KRK Systems, Inc. 16612 Burke Lane • Huntington Beach, CA 92647 (714) 841-1600 • (714) 375-6496 E-mail: krksys@msn.com

USE READER SERVICE CARDORADIONED

INFLIGHT PRODUCTIONS AIRBORNE AUDIO FOR THE MASSES



he best place to see a feature film is not on an airplane. But in-flight entertainmentwhether it's a movie, a short subject on the city the plane will land in, Cheers reruns or the special little radio in the seat arm (really called the "personal channel unit")certainly figures in determining whether or not passengers enjoy their flight. So, it follows that the range and quality of the audio and video material are a concern of the airlines. That's why many carriers hire London-based InFlight Productions to provide their in-flight entertainment.

IFP was founded in 1979 by two radio journalists, Steve Harvey and Douglas Moffitt, who started out providing customized audio programs for Laker Airways and British Caledonian. Since then, the company has grown to a \$12-million-peryear enterprise that encompasses full-service audio and video production, mastering and duplication for dozens of airlines, including KLM, Cathay Pacific, Virgin Atlantic, Singapore Airlines, Swissair, etc. The company has always had its own facility, and in its early years, there was also quite a bit of remote and in-studio broadcast and recording work. But as the in-flight aspect of the business grew, the more traditional audio projects took a coach seat.

"In the early days when I joined here," says technical director Leigh Mantle, who started at IFP as an engineer in 1987, "there

SADiE editing systems in use at InFlight Productions



InFlight Technical Director Leigh Mantle

was a spate of a lot of American radio stations coming over to England and doing their breakfast shows. It was fun, and because Steve and Doug were ex-London Broadcasting Company Radio, they had that background. Like one time, Howard Stern came in to do his radio show for a week from London, and we helped with that. But our core business has always been the in-flight entertainment, and it just grew into a very big setup."

The company owns two audio studios, which are used for production, mastering and duplication

amount of radio-oriented work (which includes the internationally broadcast Rock Over London hosted by Paul Sexton). Both rooms are equipped with Denon CD players, Panasonic and Sony DAT machines and a number of SADiE editing systems with removable hard drives. The SADiE systems are a recent acquisition that Mantle says will streamline their operations and offer the facility a solution to its massive archiving problems. "I worked out that if we invested in about 12 SADiEs and 12 DAT machines, it would actually pay for itself in about 18 months -CONTINUED ON PAGE 69

of in-flight audio as well as a small

BY BARBARA SCHULTZ

62 MIX, MAY 1996

FACILITY SPOTLIGHT

CARACOLE STUDIO Ochoa's New Roomful of Musical Possibilities

e said to ourselves, if we're going to take a gamble, we might as well gamble all the way," says Tony Ochoa, owner and manager of Puerto Rico's largest studio complex, Ochoa Studios. The facility has just undergone a complete rehaul. All of the rooms have been reconfigured, redesigned and re-equipped, but the "gamble" Ochoa refers to involves just one studio: Caracole, Ochoa's impressive new music-recording room.

"A year-and-a-half ago, we had a total of five rooms," explains Ochoa, who has run the facility since 1971, when his father, the studio's founder, retired. "We had two music rooms, one project studio and two post





rooms. Advertising is very big in Puerto Rico. There are 114 radio stations, 60 advertising agencies, and the island is only 100 by 35 miles, so you can imagine the concentration. So, we decided to focus more on the post-production end of the business and reduce the music facilities to one room. But we wanted to rebuild the existing music room to attract more clients internationally. That's why we went to all the trouble and expense that goes with building a world-class studio. To my knowledge, there had never been a world-class music-recording studio in Puerto Rico, so it's a somewhat risky proposition."

Design of the music-recording room was handled by two New York consultants: Francis Manzella of FMRTS Design (acoustics/architecture) and John Klett of Singularity Enterprises (system design/equipment restoration). "What I found when I first looked at the existing studio was a very '70s-style design," recalls Manzella. "It was a very large room-about 22.000 cubic feetand completely dead. It was so absorptive that it was actually unnerving to speak in there. But they have always recorded a lot of salsa, and [a dead room] is very applicable to that type of recording: It's very dry, very minimal on the effects and ambience.

"Tony's main objective with the redesign was to attract international pop work, but at the same time he

didn't want to shun his bread-and-butter business, the local customers. So this became the design challenge: to modernize the room without taking away its effectiveness for local customers."

Manzella's design required stripping the room entirely, back to the bare structure of concrete slabs and masonry units (no sound isolation problems here). "In the control room, I used an RFZ approach to the design," explains Manzella. "You have a Reflection-Free Zone where the engineer sits. You steer a lot of the reflected energy to the back of the room and return it to the front with a diffusor system." Manzella worked with Troy

BY BARBARA SCHULTZ

Jensen of RPG Diffusor Systems to develop diffusors that would be function-



INPUT AND OUTPUT LEVEL CONTROLS

VARIABLE HIGH PASS FILTER (ADJUSTABLE FROM 7Hz TO 1SOHz)

INTERNAL POWER SUPPLY

PRO MPA

MORESUO

+20

Traditional Control. State of the ART Circuitry. Classic Warm Sound.



VU & LED MULTI-POINT METERING

XLR & 1/4" INPUTS AND OUTPUTS

PHANTOM POWER AND PHASE REVERSAL

FIVE-YEAR WARRANTY

FREQUENCY RESPONSE: 20Hz-40kHz

THD: < 0.01% (TYPICAL)

DYNAMIC RANGE: >100 dB (20Hz to 20kHz)

CMRR: >90 dB (Typical @ 1kHz)

MAX INPUT LEVEL: +17dBu (XLR) +20dBu (1/4")

INPUT IMPEDANCE: 1.67 kohms (XLR) 840 kohms (1/4")

MAX OUTPUT LEVEL: +28dBu (XLR) +22dBu (1/4")

OUTPUT IMPEDANCE: 600 ohms (XLR) 300 ohms (1/4")

MAX GAIN XLR to XLR: 72dB ART's REFERENCE SERIES provides uncompromised performance as well as quality signal and dynamics processing for the professional audio engineer,

Our new **Pro MPA** tube-based microphone **p**reamplifier offers two channels of exceptional quality preamplification, ideal for use with any microphone type. Reminiscent of the popular classic preamps of early European consoles, the **Pro MPA** has a sound all its own. Housed in a steel chassis, the **Pro MPA** is designed to deliver consistent, quality performance.

Equipped with traditional VU meters and a unique 'tube character' ten-segment LED ladder, the **Pro MPA** provides constant input, output and tube-saturation level information. The LED 'tube character' meter is precisely calibrated to the output of the 12AX7A's output circuitry and accurately displays the role the tube's gain and related distortion plays on the input signal.

Each channel of the **Pro MPA** features independent input and output level controls and a variable high-pass filter. Due to the filter design, you can gently remove unwanted rumble and low frequency information without changing the overall sonic character of the input signal

Check out the **Pro MPA** at your favorite ART dealer today. It's the only tube mic preamp you'll ever need.

"The Pro MPA is exactly what I'm looking for. Its sound is exceptional. The day we received it, we used it for my vocal tracks."

-Jon Anderson, Yes

5

"I am very impressed with the tonal quality of the Pro MPA from ART. We've used it all over the live and studio albums for vocals and for direct recording of instruments. It's a great product." -Tom Fletcher, Producer, Yes



APPLIED RESEARCH AND TECHNOLOGY

SOUND SOLUTIONS FOR THE REAL WORLD

Applied Research and Technology, Inc. • 215 Tremont Street, Rochester, New York 14608 Phone 716-436-2720 • Fax 716-436-3942 World Wide Web: http://www.artroch.com • email: artroch@cis.compuserve.com • AOL: artroch World Radio History EADER SERVICE CARD FOR MORE ENFO

Sony Microphones.

Where will they

turn up next?

STUDIO/RECORDING

BROADCASTING

SOUND REINFORCEMENT

SONY

SONY STARS IN THE

RECORDING

T

0

f it isn't captured by the microphone, it isn't present on the CD. That's why the first step in producing a CD is to choose the microphones. And when the engineers at DMP Records reach for a mic, they often choose the Sony C-800.

This Sony mic is the product of five years of research, development, listening and testing with both acoustic and electric music. It's a condenser mic with superb capabilities, including a maximum input of 150 dB SPL, a hand-selected 6AU6A vacuum tube and a dynamic range of more than 126 dB. But the specifications alone can only hint at the sound.

"The C-800 has a very smooth frequency response and is very natural sounding," says Tom Jung*, engineer/producer at DMP. "It's the most



versatile microphone I have used in the studio. It works well on just about any instrument. When I compared the C-800s to my reference mics, there was no contest. The Sony mics sounded more like what was happening on the studio floor. As it turned out, I ended up selling my reference mics."

The Sony C-800 and the C-800G, which is equipped with a Peltier-Effect cooling system, are the latest and best in Sony's line of condenser microphones. They're joined by other condenser and dynamic mics that reflect one simple fact — Sony engineers are just as fanatical about sound as you are. *Tom Jung-

Engineer/producer at DMP

"When I compared the C-800s to my reference mics, there was no contest."

SONY



C-800G. A vacuum tube condenser mic with Pettier-Effect cooling for lustrous vocals.

C-800. Vacuum tube condenser mic for high quality instrumental and vocal recording.



C-48. Condenser mic with large gold-coated diaphragm, and Uni/ Bi/Omni-directionality.



C-536P. Sony's most affordable condenser mic. For instruments.

ECM-999. Mid/side stereo electret condenser mic with frequency response 20-20,000 Hz, 104 dB dynamic range.

F-780. Dynamic vocal mic with high-efficiency alnico magnet, flatwound CCAW voice coil.

F-740. Dynamic mic for vocals or instruments with high-efficiency alnico magnet.





ou hear them on the network news, the local news and the tabloid news. You hear them on late night talk shows and daytime talk shows. And you hear them on soap operas and live TV events. They're the Sony 800 Series Wireless Microphones and TV is their medium.

Because broadcast environments are thick with RF interference, every 800 Series mic was designed to operate on any of 94 frequencies. In the event that one frequency is a problem, you can instantly switch to another. Sony's Space Diversity Reception uses two physically separate antennas to keep the signal strong, even when the talent moves around. And Tone Squelch helps assure that you get just the signal — not the noise. "They're frequency agile," says Greg O'Connor, technical equipment supervisor for CBS TV in New York. "So we simply change frequencies if RF interference ever pops up. We've got seven studios in this building, all with wireless equipment. And for sound quality, we mate Sony bodypacks with Sony lavaliers."

Scott Bartlett is an award-winning videographer at Montage, Inc., a Washington DC stringer firm that shoots for TV magazine shows and political events. "I'm convinced there's no more dependable mic on the market," he says. "We shot a Latin American president's conference in Argentina where there were camera crews from all over, plus police and secret service guys all talking on the radio. A singlefrequency wireless mic could be useless. With two frequencies, you might be OK. Sony gives me 94 frequencies."

Broadcasters also pick Sony for interview mics, camera-mounted shotgun mics and mid/side stereo mics of exceptional durability and sound quality. Which gives Sony one of the broadest lines in broadcasting.





SONY HAS

STAGE PRESE

"He've used Sony wireless mics in India under inches of red dust.

ECM-MS5. Mid/side stereo mic with three capsules, adjustable directivity.

0

10.00



ECM-531. Teles bl top mic with ab n c Plug nto l ±t, rn XLR



ECM-66BC. Uni-directional lavalier head, 7/16" diameter. rld Radio History



lier head,

ameter with onsc 30 -ECM 44BC






ew York City makes for strange neighbors Every year one of the city's most popular musicals takes up residence above one of its busiest train stations.

They re right on top of the station," soys Lew Meca of Pro Mix, the supplier of micraphones for the show. They've got RF signals from the radios for the inter-city trains, olus New Jersey suburban trains, plus Long Island suburban trains, plus radios for the police on the subways. Sony wireless mics cut through the clutter "

Time after time, Sony's 800 Series Wireless Microphones have proven themselves in tough situations like this on Broodway and in concert. One reason is Sony's range of 94 radio frequencies. If one frequency doesn't work, you can always switch to another. And Sony's new WD-880A Channel Multiplier lets you operate 42 wireless channels simultaneously - for even greater flexibility



ptil recently, you could operate a staximum of 19 Sony wireless microphones in one location at one time. Now Sony ups the ante with the remarkable WD-880A Channel Maltiplier. This new system expansion component lets yea ran 42 channels simultaneously!



Capabilities like these earn Sony wirnless mics a place on the road with chart busting rock and rollers "We've used Sany wireless mics in India under inches of red dust," says Rocky Holmon, veletan monitor engineer of Desk Job Audio. "We've used them in Spain where we have to cart them over cobblestone streets. I want stuff that works every day without being massaged. That's Sony."

Sony's commitment to sound reinforcement extends to maged dynamic mics. our legendary lavaliers and lectern mics. All are the work of engineers who are just as comfortable backstage as they are back in the lab.

F-710. Affordable hand-held dynamic mic with Neodymiun magnet.

MIL 1204

WRT-867A. Superb handheld wireless mic/transmitter. Dynamic capsule, alnico magnet

MARCHARA, Downstein

WRR-820A. Single diversity receiver for all 800 Series wireless microphones Rack mountable.

What makes Sony microphones so good?

A glossary of Sony technical highlights.

42 Simultaneous Channels. Sony's new WD-880A is a boon to sound reinforcement. This Channel Multiplier enables you to assemble a system with up to 42 Sony wireless mics on one site, at one time.

Alnico Magnets. An alloy of Aluminum, Nickel and Cobalt, alnico may well be the most precious magnetic material used in microphones. Its high energy increases a microphone's sensitivity, to help deliver high output, high dynamic range and low noise.

CCAW Voice Coil. At the heart of every microphone is the magnetic circuit that generates voltage. Sony optimizes every aspect of the circuit – even the choice of voice coil wire. We often select Copper Clad Aluminum Wire – and wind it flat – for higher efficiency and increased output.

Channel Plans. A boon to producers using multiple Sony wireless mics in one location, Sony channel plans map out the optimum channels for minimum mutual interference. If interference does occur, you can change any channel on the spot.

Frequency-Agile. Also referred to as "frequency synthesis." It's the ability of wireless microphones to switch to alternate radio frequencies in the field. In today's RF environment, cellular phones, police radios and A/V electronics can all interfere with wireless mics. Being able to switch — at a moment's notice — to alternate channels is your only protection. Sony offers 94 channels.

Heritage. We were making microphones and mic mixers long before our first TV set and our first transistor radio. We've been in pro audio for almost 50 years. And it you can hear it.

Lavalier. A Sony specialty. Sony mics are the "house lavs" at countless TV stations across the country.

Mid-Side Stereo. A microphone with two capsules at a 90° angle, for matrixed stereo sound. The directivity pattern can be varied electronically from wide to narrow just by changing the matrix.

Neodymium Magnets. Used in Sony's more affordable dynamic microphones, Neodymium delivers high energy in a small size. (See also "Alnico Magnets.")

Peltier Effect. Heat is the enemy of all electronics, but tubes are especially vulnerable. Sony cools the top-of-the-line C-800G Studio Condenser Tube Microphone with a distinctive Peltier-Effect semiconductor heat pump. It carries thermal energy to a pipe filled with heat-conductive liquid, which whisks the energy into a heat sink located a safe distance away.

Plug-In Receiver. All Sony portable wireless receivers are designed to clip onto your video camcorder. The new WRR-855A actually plugs into a dedicated slot on new Sony digital camcorders. A water resistant seal keeps the slot safe from the elements.

Space Diversity Reception. RF reception varies according to small changes in the position of the transmitter and the receiver antennas. Sony's Space Diversity Reception maintains consistent performance by always giving you the better of two receiver antenna signals.

Vacuum Tube. Tubes are active circuit components sometimes preferable to solid-state transistors and diodes. Tubes impart a smoother, rounder sound to studio microphones that many producers prefer.

For more information on Sony Microphones, call: 1-800-635-SONY (Ext. Mics)

World Radio History

* Tom Jung quote excerpted with permission from the January/February 1996 issue of Pro Audio Review.

© 1996 Sony Electronics Inc, All rights reserved. Reproduction in whole or in part without written permission is prohibited. Features and specifications subject to change without notice. Sony is a trademark of Sony.



Sony Electronics Inc. 3 Paragon Drive Montvale, NJ 07645

INTERNATIONAL UPDATE

al, affordable and somewhat elegant.

"We also opened up the ceiling and used a sawtooth design, which bought us some ceiling height," Manzella continues. "Now, instead of a compression ceiling, we have a series of angled surfaces that step up as you move back." He also specified all-new fabric-covered trappings, solid oak trim and finishes, and new lighting throughout. In addition, a vocal booth was constructed adjacent to the control room, taking up part of the area that used to be occupied by the second music studio; the rest of that space is being converted to an artists' lounge.

Manzella says the studio room also gradually changes acoustically from one end to the other. In the more live end, one corner is finished in hardwood, and one corner is finished in stone. One long side breaks out into a control room-style finish with wood slats over fabric trappings. On the other long wall is the control room glass. As you work your way down from the live end of the room toward the more absorptive end, about two-thirds of the way down, all the finishes turn to fabric-covered trapping, and the far end has the most absorptive material. The studio ceiling



Custom RPG diffusor system in Caracole's contral room

also has a sawtooth design; the surfaces that face the live end are sheet-rocked, and those facing the deader end are treated with an absorptive surface. There is also a series of ceiling clouds, which achieve a similar acoustical effect and contain recessed lighting, "By moving mics and other things around," Manzella says, "I think now you can come up with an infinite amount of different styles of recording." "Caracole" is a new name for this room, reflecting its new image and range of sonic possibilities. And now that it's complete, the design sounds as straightforward as it is ingenious, but the implementation of the plans through no fault of the design itself encountered some difficulties. John Klett, whose responsibilities to the project originally included commissioning the new Neve VIII console and rebuild-

LOREENA MCHENNITT'S Celtic Journey

by Barbara Schultz

Fans of Loreena McKennitt know that her music walks a road somewhere between traditional Irish folk and the more ambient strains of acts such as Enya or Clannad. In her latest production, a long-form video entitled No Journey's End, McKennitt takes listeners on a trip that reveals the connections between her obvious Celtic influences and other early musical traditions. The 26-minute film includes footage of McKennitt traveling through typical scenery in Scotland, Ireland, Spain and North Africa, and archive footage of traditional music being performed, accompanied by pieces of the artist's music that best illustrate her affinity for each region. There's also voice-over and interview tape in which McKennitt describes



both her own musical journey, and the historical ones that she used as inspiration.

To create the audio track for the film, the more recent recordings of interviews and of the ambient sounds from the locales McKennitt visited were pieced together with existing musical recordings and house mixes from McKennitt's live performances. Locky Butler, the audio post-production engineer at Tommy Ellis Audio (Dublin, Ireland) had the task of creating a fluid score from the disparate source material.

"The pictures were all edited on an Avid," explains Butler, who has been with Tommy Ellis since 1992. He edits on an AudioFile and mixes on an AMS Logic 3 console. McKennitt and the film's producer/director, Philip King of Hummingbird Productions, sat in on the entire post-production process, offering their input as to how to emphasize what was obviously the most key element of the audio track: the music.

"Because the subject of the program is very much anchored in music, the most important thing from a technical standpoint is to allow the music to come across with as much depth as I would want in the studio," says McKennitt, who has produced all of -CONTINUED ON PAGE 66

STUDER D19 Series

Mic-AD

8-channel Mic/Line Preamp with Digital Output

 8 high-quality MIC/LINE preamps - High performance 20-bit A/D converters - AES/EBU outputs - DSP Dithering and Noise Shaping for best quality on 16-bit media - Optional ADAT™ or TDIF™ 8-CH outputs - Stage Version and dedicated Remote Controller available - Remote control of all functions via MIDI or RS422 optional - Outstanding price/performance ratio



for mare information call: Switzerland (worldwide) +41 | 870 75 11, Austria +43 | 866 54-0, France +33 | 45 | 4 47 86, Germany +44 30 72 39 34-0, UK +44 | 81 207 50 50, Canada +1 416 510 13 47, Japan +81 3 14 65 22 11, Singapore +65 225 115, USA +1 615 391 33 49



H A Harman International Company

INTERNATIONAL UPDATE

ing, upgrading and modifying the main monitors and a number of tired tape machines, visited the island part-way through the construction and found that the project was not being built according to plan. Two months' worth of work had to be ripped out and restarted with a new crew, and Klett became the project's new construction supervisor. But Klett's attention, along with that of the equipment installer, Jack Kennedy, and a local named Johnny Gomez, got the project back on track.

"The most important thing, if you're building a studio someplace you've never been before, particularly a foreign country, is to have a guy who knows where everything is," Klett says. "Fortunately, while I was looking

-FROM PAGE 65, LOREENA MCKENNITT her own CDs. "We're talking about EQ and widening the sound or deepening the sound, and then, of course, there are some technical hurdles as far as the interviews, where we were trying to match the room tone. My mandate in that stage was to contribute where I could in addressing those technical problems, and at the same time protect the integrity of the music."

Butler says he appreciated McKennitt's involvement, especially because she had such a clear vision of the way her songs should be used. "She could tell us in certain terms if we were trailing off pieces of music a certain way. She would say, 'Well, is there any way you can leave it trail longer because there's a certain section here,' or 'There's a break in the music here that I want to keep in.'"

During the mix, Butler listens on Dynaudio M1 monitors. He says he's comfortable with the way they sound, and he's learned to recognize the way the sound will translate to television. "But I also have a small TV hooked up to the mix bus so that, if someone says, 'How is that going to sound on TV?' I can play it through a TV speaker. I do know, of course, that there will be additional processing at the television station, but having a knowledge as to how the TV stations process their sound, I do make allowances for that when I mix."

Butler says that, unlike in the U.S., audio post studios in Ireland do not

around for a new crew of local carpenters and tradespeople, we found a fellow named Johnny Gomez, who managed to find all the stuff we needed. If someone said they needed a 12.5mm framistan with a left-hand twist, well, I might know where to find that in New York, but I was lost in San-Juan. Johnny would somehow find it. He even helped us tremendously when we discovered that ¹/₄-inch strip-oak flooring like you'd find in pretty much any studio in the States was not even imported onto the island. It turned out that he had worked with a couple of guys in Miami who had a truck. He made the calls up to Miami and found the flooring and the flooring tool that we needed and had these guys, who he had not seen for maybe ten years. pick it up and take it to a freight for-

lay back the final tracks. "What happens here is when we finish mastering the project onto a DAT, the DAT goes out-of-house and is laid back in a video facility. It's just the way the business has developed on this side of the world. We don't have any video capabilities [at Tommy Ellis] in terms of editing or very high-tech D-2 equipment or anything like that. So the mix from the Logic 3 was laid out onto DAT, and once the DAT goes out the front door, it's in the hands of other people."

No Journey's End began being shown in the U.S. on PBS channels in March and will continue being aired in various cities through this June. McKennitt says she doesn't have any particular agenda about what viewers will glean from the film, but she hopes that the feeling it gives her will come across. "It was funny, because we were sitting around in the editing suite and trying to determine the title," she says, "and I guess what was resonating through my mind is that, in terms of this whole path that I've anchored myself to-the Celts and the history of the Celts and the contemporaries of the Celtic people, whether it's 2,000 years ago or the presentthere is no end to the journey. The Celtic expression has certainly evolved and been shaped, but there still is something that continues to be identifiable as Celtic. It was in that respect that I felt that my involvement with this subject matter implies that there is no journey's end in sight."

<text>

KODE

EVENT Electronics inc

P.O. Box 4189 Santa Barbara CA 33140-4189 voice 805-962-6926 fax 805-962-3830 The real passion behind a hit song lies in the performance. You want all the emotion and the expression of the performance to burst onto the track and shine its way through the mix. Whether it's a truly great take or just a happy accident, you want that moment captured in all of its glory. When that inspired moment occurs, you need to have the right mic...the **RØDE**^{**} **NT2**. The RØDE^{**} has all the special stuff:

- Dual Gradient Transducers with Large Diaphragm and Gold Plated Membrane to warmly receive and translate the full body of the performance
- Internal **Gold Plated Connections**, insuring warmth and precise signal transitions for years to come
- Transformer-less low-noise circuitry
- Switchable Filter enabling you to change the low frequency response
- Switchable Pad enabling you to har dle high gain
- Switchable Pattern providing cardioid or omni patterns
- High SPL (sound pressure level) allowing it to work cleanly for screaming vocals or instruments, or even soft spoken word
- It even comes with a Shock Mount, Flight Case, and Pop Filter.

The RODE[®] large Diaphragm Condenser Mic is hand-assembled in Australia. In the tradition of the great microphones, it's designed to furnish outstanding, vintage-flavored vocal or instrumentation miking—at a truly untraditional, breakthrough price ... \$749.00

Step on the road to recording success by seeking out your nearest EVENT Electronics dealer. Listen to the NT2 and hear the difference a great mic can make.

RØDE is a trademark of Freedman Electronics.

Corthworks + A New Standard of Accuracy

20Hz to 20K is not enough! We humans perceive significant information both above and below the range which we can hear as tones. Earthworks' mics offer you a window into a realm of unprecedented realism. Natural Uncolored Sound. Accuracy beyond description. Earthworks' microphones achieve the goal of truly capturing the experience of live sound!

> TC30K – 3Hz to 30kHz – \$499 each TC40K – 1Hz to 40kHz – \$899 each

> > Earthworks, Inc

PD Box 117 Value HH 03054 1603-6544LICS (6427) Tex 6107 254

USE READER SERVICE CARD FOR MORE INFO



INTERNATIONAL UPDATE

warder. Sure enough, we got the flooring in four days."

During what became his threemonth trip to Puerto Rico, Klett also completed the work he started out to do: completely rebuilding one of the studio's three Ampex ATR-102s (the remaining two will be assembled by press time). "I have a standard program for ATRs," Klett says, "The motors for all three machines went to MDI Precision [Hudson, Mass.], where I have all my motor work done. Jeff Gillman at MDI inspected and rebuilt all three capstan motors and two of the six spooling motors. MDI also provided three new capstan assemblies and resurfaced the tacho rollers. These capstan assemblies have a ceramic surface for long wear and have been working out very nicely, With the motors and other work, we get the wow and flutter way down. I also went through all the electronics and cleaned a lot of things up. There is some special stuff I do, but I don't really tamper with the design. The ATR-I00 machines were way ahead of their time and are to this day one of the best analog machines you can get."

Klett also restored the studio's Otari MTR-90II machines: "I had MDI do the capstan motors, and I had John French at JRF Magnetics [Greendell, N.J.] go over the head assemblies. I replaced the beng swingarms with new ones from Athan Corp. [San Francisco]. Lalso put the new MDI T/RED rollers on the 90s to replace the older glazed rollers. I worked pretty closely with MDI on the development of the T/REDs, and they have been working out very well. MTR-90s are good, solid, reliable machines, but the rollers glaze and the swing arms bend. It's a chronic problem that Otari fixed in the 'Q Lot' Mark IIs and later machines."

Klett upgraded Ochoa's main UREI 813 monitors by replacing the drivers and modifying the crossovers to match the new components. "I replaced the co-ax drivers with a PAS [Professional Audio Systems, Carlsbad, Calif.] CXL-1580C and a JBL 22426H compression driver for the high end. This is essentially what was in the UREI 813B, but the power handling is greater, and it is slightly more efficient. I had to modify the crossover to make it compatible by adding and changing some inductors and caps. I also changed out all the capacitors to zippy polypropylene highvoltage versions from Solen and MIT. The low-frequency driver I used is from

Fane and is much more efficient than the original that really acted more like a passive radiator. I also bypassed the big wire-wound pots in the crossovers with jumpers or fixed resistors because these pots are a source of problems. I guess what we have is something like an 813B, but with a more extended bottom and more power handling."

For near-field speakers, on Klett's recommendation, Ochoa acquired pairs of Genelec 1031As and B&W 805Hs, along with an additional set of Yamaha NS-10s and components to further accommodate pop recording engineers and artists. Klett says another impressive feature of the studio is its collection of vintage gear from UREI, Pultec and dbx, and the wide array of mics from Schoeps, Neumann, beyerdynamic, Shure, Sennheiser and others.

"I think it's one of the nicest rooms I've helped put together," Klett says. "It's very comfortable, the sound is great and I like really big rooms. There's hardly any big rooms built anymore, so when somebody puts together a nice big room, I get really excited."

"We want people to know that this room is as good as any room that can be found anywhere," Ochoa says. "The response from people has been great, and we want the opportunity to bring people from the States or anywhere else in the world to check us out. Anybody with money can buy equipment, but the circumstances here-being in Puerto Rico, and the attitude of the people here-create a change of pace in the recording atmosphere; it can be more relaxed. We're not on the beach, but we're 15 minutes from the beach, and we've made arrangements with people who can take clients sailing or scuba diving, to really take advantage of the island. Our other idea was to put a studio on a floating barge and go island hopping...but this is the next best thing."

-FROM PAGE 62, INFLIGHT PRODUCTIONS

with what we save on tape and studio time," Mantle explains. IFP's video facility is a short walk away, in Covent Garden. It was an existing complex four floors of edit suites and duplicating operations—that IFP rescued from receivership, including all the staff and gear.

The music programming IFP offers is determined through extensive consultation with the airlines and sometimes with local DJs. "We look at the



USE READER SERVICE CARD FOR MORE INFO

INTERNATIONAL UPDATE

airline's demographics and find out what they want, what kind of passengers they fly. For instance, it's no good giving an Asian carrier all British pop or American music. So we also bring in people who know about music in Chinese, Japanese and other languages. When it comes to a specific genre like country music, we'll probably use a specialist who broadcasts on [BBC] Radio 1 or Radio 2." The same type of process is used to determine what types of films to offer. The material is then acquired through a licensed distributor, and, in the case of feature films, comes in whatever format requested (VHS, NTSC or PAL, etc.), the language requested and, if desired, edited for prime-time. "There was a big debate among the airlines about When Harry Met Sally," recalls Mantle, "about whether or not they should keep the scene. And there are certain movies that have never been shown on an aircraft simply because many producers and directors don't want their films edited, and they won't give permission."

Mastering any audio for presentation on an aircraft can be "very sensi-

tive," says Mantle, whose career before IFP included nine years of music recording for Ian Anderson's Maison Rouge studios. "You know how if you go to the pictures and they've got the latest surround sound, it's very atmospheric. But sometimes that doesn't work very well on an airplane, purely because of the multiplex systems that they come through. We also have to be very careful with things like levels and compression. The noise of things like the engine and the air rushing over the fuselage can actually knock certain frequencies out."

Another factor that comes into play is the incompatibility of the airlines' equipment. "Over the years, the aircraft have evolved; they've gotten newer systems or new fleets, or they have some new fleets and some older fleets. Sometimes it doesn't fit togeth-



conditioning and the air Cathay Pacific is one of the airlines beginning to offer its passengers individual screens and entertainment choices.

er. For instance, recently one of our clients retrofitted to CD, and on one of their aircraft types, they have all the equipment supplied by the same company, so the video audio and CD levels are the same as the output levels. But on another system on another aircraft, the video audio level is







The Wizard M2000 comes with free expert: You! In designing this multieffects processor, great care has been taken to create easy access to all of its outstanding capabilities. For example, with the

Recall Wizard you can instantly find the preset that suits your need in any situation. You simply enter your preferences, such as 'gentle reverb for vocal', and the Wizard serves you a short list of presets

ready to compare and use. The single-layer interface also ensures that all parameters are always only one menu-level away - no more paging through endless menu-levels. Ultimate effects is a given when you deal with TC Electronic, a company with 20 years of experience in the field. For example, among the reverb algorithms you will find the C.O.R.E. ReverbTM, that is built on a

RECA	<u>b</u> .,	JIZARD	- ENG2
RUNUS			D FIT IOVIDIMIE
INST	HLL	WHE CONTRACT	FREWERE
CHT.	RLL	CENTLE	ENTRE
PROG	11.		(1/5)
Powe	- Ū	ctave	ALC: DO

whole new concept for reverberation, which creates a smoothness, intensity, and desity beyond anything you have heard to date.

Contact your local Authorized TC Dealer, and hear more about Ultimate Sounds. Find out why this unit is number one in Digital Processing. Check out the Preset Gliding, Dynamic Morphing, 20 bit audio path. and hear the Magic.

Call 1-800 798-4546 for the dealer nearest you.

WizardM2000Art + Science = Magic



SEE US AT NSCA BOOTH #1616

INTERNATIONAL UPDATE

totally different from the CD audio level. So, we've often gone out to different places around the world and spent time with the engineers and with manufacturers.

"And then the most key thing becomes the headphones on airplanes. Some carriers still use the old airphones that you stick in your ear and the speaker's in the seat. You can have the best audio in the world, and it comes down to headphones. But obviously, headphones are an enormous expense for the airlines."

Straight audio tracks-the "radio"

programs—are edited at IFP, which Mantle says can be challenging, too. It can be hard, for instance, to get a symphony program to fit a 120-minute format. So, they often trim the speech portion of a program to accommodate the music. The tracks are then assembled on a 4-track master, which goes onto Otari duplicators to make the cassettes that go to the aircrafts.

"If audio cassettes are required," Mantle explains, "each of the tapes contains four tracks recorded in one direction using two 45-minute cassettes for each program. The tape has 30Hz cues at the front and end to switch cassettes. Each player takes six cassettes, and you



UNE READER SERVICE CARD FOR MORE INFO

can have a selection of mono and/or stereo programs. Typically, there are two 90-minute stereo programs and eight 90-minute mono programs, all recorded using dbx noise reduction. For CDs, each disc has four mono tracks or two stereo tracks, and each track is 120 minutes long, so you can archive eight hours mono or four hours stereo on each disc."

IFP also provides a daily news service to several airlines. Sources include the BBC World Service and Rupert Murdoch's UK satellite Sky News for flights leaving Manchester, London, Paris and Frankfurt, and CNN for flights leaving Los Angeles, Vancouver and Toronto. "We package it, we put the commercials in. Everyone tends to watch the news," Mantle explains, "So it's useful to the passengers, and advertisers want to link to that, as well."

Because most airlines change their entertainment programming monthly, the facility is constantly processing a huge volume and variety of material. At press time, projects in process included a short subject on the 1996 Olympics for Continental Airlines; a rock special featuring an interview with Mick Jagger, presented by Richard Skinner, for Swissair; an interview special with David Bowie and destination videos about Japan and Bangkok for Cathay Pacific; and numerous audio and video mastering projects. Mantle says their deadlines are mostly determined by the print deadlines of the airlines' in-flight magazines-the only aspect of in-flight entertainment that IFP does not provide.

Before any films or audio cassettes are played on airplanes, however, each tape is quality-checked at one of IFP's satellite studios, in El Segundo, Calif. (The company also has a studio in Singapore, which Mantle says is helpful as a hub of many of the Asian languages and cultures they need to accommodate.) IFP took over the El Segundo studio in early 1995 from Matsushita, the manufacturer that makes a lot of the playback equipment that the airlines use. The players must be designed to aircraft engineering specifications. In fact, the same engineers who design airplane navigation electronics systems are in charge of the video players, which also means that the playback machines are designed to run on airline-type power-400 cycles at 115 volts-which means all of IFP's studios must have specially generated power supplies to run the machinery.

"THE SOUND IS UNBEATABLE"

Stephen Bray,'96

Stephen Bray, who gained world wide recognition as producer and co-writer of Madonna's "Express Yourself" and "Into the Groove," along with engineer Tony Shepperd, installed a Euphonix CS2000 console in his Los Angeles based studio, Saturn Sound. Why a Euphonix Stephen?...

"From tracking to mixing, the speed of the CS200D SnapShot Recall™ and the instantaneous access to hard disk is amazing."

"We are attracting producers and engineers who require infinite flexibility. With the Eupherson usave at least an hour or two every time you change projects. We can go from mixing a TV show to a music album mix in seconds."

"We've joined a thriving community of artists, producers and engineers who understand the beauty of digital control and the advantages of networking with the many talented Euphonix users.

Does this sound familiar to you?...

If you are tired of waiting for old technology to keep up, if you want to get "sound from out of this world," contact the Euphonix office nearest you. Sound from out of t h i s world



Visit us at Booth #25 at the Latin-American. Pro Audio & Music Expo, Mexico City

Headquarters (Palo Alto, West US) 220 Partage Alteriue Pato Alto CA 98005 (415) 855 0400 Fax (415) 855 0410

Los Angeles (West US & Int'l) 11112 Ventura Blvd Studio City CA 91604 (818) 766 1666 Fax (818) 766 3401 New York (East US) 2 West 45th St Suite New York NY 10036 (212) 302 0696 Fax (212) 302 0797 Nashville (Central US) 1102 17th A:e Suite 21 Nashville TN 37212 (615) 327 2933 Fax (615) 327 3306

London (Europe) 02 16 Bergnem Mews, Bly London W14 OHN (171) 602 4575 Fax (171) 603 6775 Toyko (Japan) 1-19-3 Kamiochiai Shingukuku Toyko 16 (81)30-340-5623 Fax (03)3950-6283 Saturn Sound Productions-Tony Shepperd and Stephen Bras



Professional Isolation

Acoustic Systems'

Voice Over Booths provide a cost-effective solution m to your sound isolation needs. Our acoustically engineered enclosures are self-contained. complete with floors, ventilation and electrical service. Starting at \$3900, our BB/Econoline booth is available for immediate delivery. Acoustic Systems' Voice Over Booths' modular design provides the flexibility to relocate without losing your investment.



ACOUSTIC SYSTEMS 415 E St Elmo Rd., Austin, TX 78745 512/444-1961 FAX 512/444-2282

USE READER SERVICE CARD FOR MORE INFO



INTERNATIONAL UPDATE

"The thing to remember about aircraft equipment is that it has to be Gtested and fireproofed, and it has to have FAA or CAA approval before it actually goes on," Mantle says. "So you can't just go and buy a domestic video player or anything like that. It's not a standard machine, and sometimes quality suffers from the fact that they haven't got the latest product. It costs so much money to put these machines through all the testing and into a format that will work on the aircraft. They



InFlight producer Adrienne Quartly

can't just go out and get the latest machine because it's got VHS and it's got digital tracking on it."

Mantle says a typical aircraft machine room, which is normally situated in the avionics bay of a plane (along with the black box and other aircraft electronics), consists of as many as 21 S-VHS VTRs with four audio outputs each, and up to two CD players with four CDs in each. The VTRs are usually S-VHS or Video-8/Hi-8 (the 8mm format is popular because the player package and tape size are smaller than S-VHS). All of the video and audio outputs are fed into multiplexers before being distributed, typically by a single cable, around the aircraft in a similar manner to a cable TV system.

So, technically, a lot of what IFP has to be concerned with is unique, and some of it is pretty hush-hush, because federal aviation requirements might not always mesh with movie producers' or record producers' artistic wishes. It's IFP's job to find the happy medium and still please planeloads of totally diverse audiences.

The work Mantle is most excited about right now is still in the R&D phase. IFP is working as technical consultant and liaison with several airlines and manufacturers to develop the next generation of in-flight entertainment: -CONTINUED ON PAGE 231



0

4

0

3

ш

Z

0

R

N ٦

WorldNet™ audio codecs and peripherals are the proven and effective solution to the worldwide acquisition and distribution of full bandwidth stereo audio over direct dial digital circuits such as ISDN or Switched 56

DSM 100 Digital Audio Transceiver - uniquely provides the combination of high quality coding, low coding delay and error immunity essential to the professional audio community.

Pro-Link ISDN Manager incorporates a direct dial-up adaptor and maintains maximum transmission security at all times for both audio and other high speed data requirements.

DRT 128 Digital Reporter Terminal - delivers high quality stereo audio from remote locations. Lightweight, rugged and portable, the DRT 128 is the ideal solution for the mobile reporter.



MCE 800 - the elegant solution to the distribution of multi-channel audig over T1 and E1 digital circuits. Up to eight simultaneous channels available.

MCD 800 - for point to multipoint distribution the decoder incorporates demultiplexing for up to eight simultaneous full bandwidth audio channels.

RMC 240 - using the embedded data facility on all APT codecs, the RMC 240 provides complete remote control over all DAT functions.



Headquarters Tel: +44 0 1232 371110 Japan Tel: +81 3 3520 1020 United States Tel: +1 213 463 2963

USE READER SERVICE CARD FOR MORE INFO









JEFF LYNNE producing history



J eff Lynne, born in Birmingham, England, in 1947, is one of today's most gifted allaround musicians. Talented as a songwriter, singer and instrumentalist, he has produced some of our most memorable records, including the new Beatles tunes "Free as a Bird" and "Real Love."

Lynne became a member of the English group The Move in 1970, which led to the Electric Light Orchestra in 1971. His Beatles-influenced orchestral rock yielded such hits as "Roll Over Beethoven" (1973) "Can't Get It Out of My Head" (1975), "Telephone Line" (1977), "Evil Woman" and "Strange Magic" (1976),

In the 1980s, Lynne established himself as a producer with artists such as Dave Edmunds. This led to production credits with George Harrison (*Cloud Nine*, 1987), coproduction with Harrison of the Traveling Wilburys (1988, 1990), Roy Orbison (*Mystery Girl*, 1989) and Tom Petty (*Full Moon Fever*, 1989).

Currently, Lynne is working as a producer with both George Harrison and Paul McCartney on their upcoming solo albums, and

is enjoying the success of the new Beatles tracks.

Bonzai: Why did you become producer of the new Beatles songs? **Lynne:** I don't think anybody else wanted to risk it [laughs]. No, I'm kidding. It was mainly because of my friendship with George Harrison. We've been working together for nearly ten years now, and I suppose it was just a natural progression. When he asked me to do it, I was totally thrilled, and I'm really glad that I was able to do it.

Bonzai: Was there any caution from the others?

Lynne: I think Paul may have been a bit wary at first, because I was George's pal coming in to the session. But as it turns out, I became really good pals with Paul, as well. And I'd known Ringo for a while produced a few tracks with him before. Once we'd been in the studio for a couple of days, we were all having great fun.

Bonzai: What is the story regarding George Martin in these new tracks?

Lynne: I believe George didn't have any time to do new ones, because he was preparing the *Anthology* for the last two years nonstop. I went to Abbey Road a couple of times to have a listen to the old tapes coming out of the vaults as he was preparing them for the album.

Bonzai: I was lucky enough to be invited to some of the sessions for *The White Album* when they were raiding the old vaults for sound effects and strange bits... **Lynne:** Funnily



BY MR. BONZAI

Someone once said: "I's impossible to be all things to all people." Well, guess again.

When post production engineers and studio owners find out about O₄ to they tell us how excited they are about "surrounding themselves" with the industry's most inexpensive LCRS console. Those with a more "musical" bent are stoked about having faders in the in-line monitor section and six bands of extended range

RAISING THE STANDARD

EQ to work with. Your typical "golden ear" types rave about the wide open sound of D&R's High Definition[™] electronics and, 's unique routing possibilities. And everyone comments about the bypassable on-board VCA's and the amazing array of automaticn options available at a fraction of the cost of



other systems. Whatever your reason for sitting behind a mixing desk, there's no doubt that D&R's Orion has "upped the ante" in your search for the be all, end all mixing console. Is it really possible to be all things to all people? Call your D&R representative today for the answer.

D&R Mixing Consoles

International Headquarters. Rijnkade 15B 1382 GS Weesp The Netherlands Amsterdam +31 (294) 418 014 Dallas (903) 485-2344 Los Angeles (818) 291-5855 Email: drna@koyote.com LUNCHING WITH BONZAI

enough, I went to a session on *The White Album.*

Bonzai: Was that your first meeting with The Beatles?

Lynne: Absolutely. I was making my first record in a studio called Advision, and the phone rang. It was a friend of the engineer who asked, "Would you like to come down and watch The Beatles recording at Abbey Road right now?" Yes, please, and whoosh, I was down there. Unbelievable.

Bonzai: You were only about 20 years old?

Lynne: Around that age, yes. I was

trying to become a producer and had already been doing some songwriting. So, to go down and listen to what George Martin had done with The Beatles was fantastic. They were just doing "Glass Onion" at the time, and doing the strings with George conducting the orchestra.

Bonzai: When you started on this new project, in what form did you get John Lennon's song?

Lynne: It was just a cassette with John playing piano. It was in mono, and it was an old tape, so it was a very tricky bit of source material to use.

Bonzai: No separation between the voice and piano?



USE READER SERVICE CARD FOR MORE INFO

way of EQ'ing it because he was playing right in the midrange, which is where his voice is. So, there was no real way of separating them, and we had to make it into something instead of getting rid of it.

Lynne: None at all, no. There was no

Bonzai: What were your feelings the first time that you listened to the tape? **Lynne**: My first feeling was that I really liked the song, but then I thought, how are we going to make this into a Beatles record with everybody playing on it when the lead voice is already so quiet? That was the tricky one, but I knew it could be done. I just didn't know how to do it at that point. It was a matter of just working on it and seeing what happened, really. It was uncharted territory.

Bonzai: When I first heard the finished song, I felt that John's voice sounded like it was in a different space, but now I realize that's the way it should be, with John singing across time with the other guys.

Lynne: Yes, it's exactly that. Obviously, EQ and stuff—I couldn't do much to it. I couldn't fatten it up, because that fattened up the piano. I tried every sort of EQ, and it is a different sound—that's the sound he had on his cassette player when he was singing at his piano. That's the sound he made in his room, and there is no way I could alter that. That is what he did and there is nothing I could do to mess with it. I just wanted to keep that as pure as I could. **Bonzai**: And the production work was done at Paul's studio. What is his studio like?

Lynne: Just like any other really good studio in the world. Top of the line. All the things you might like, a big Neve— a whopper, with Flying Faders.

Bonzai: Did you bounce over to a digital multitrack?

Lynne: No, analog: two Studer 24tracks locked together. Normally, I would try to squeeze it onto 24 tracks, but in this project, it was pretty much impossible with all the tricks and things that had to be done.

Bonzai: What came first with the new stuff?

Lynne: First, we actually all sat around strumming it to get a feel for it. So, the first new recording was George and Paul on acoustic guitars and Ringo's drums. Then came the normal way of adding instruments as we go. George's lead guitar and his slide guitar, all the riffs. Paul on piano.

Bonzai: Did Paul emulate John's piano? **Lynne**: Yes, he did. That was really the

DARVIN Is the Natural Selection

- Seamless integration into an Alesis ADAT/BRC system, providing random access editing and processing of ADAT tracks, all in the digital domain.
- Digital audio workstation power without a complicated computer interface.
- Price and ease of use comparable to a modular multi-track tape machine.
- Records onto inexpensive 1GB Iomega Jaz cartridges eliminating the need to back up and restore between projects.



Ready to record right out of the box, no cards, no computer, no headaches! (no kidding) Call for a dealer nearest you at 408.439.0368 E-MU

DARRAM

E-mu Systems

For more information, contact: P.O. Box 660015, Scotts Valley, CA 95067-0015 UK Office: Suite 6 • Adam Ferguson House • Eskmills Industrial Park • Musselburgh • EH21 7PQ • 44.131.653.6556 Visit our web site at: http:// www.emu.com USE READER SERVICE CARD FOR MORE INFO LUNCHING WITH BONZAI

only way of doing it, so that it was a continuous sound, like a weld trying to get the voice into the track.

Bonzai: Who was in charge at this stage of the game?

Lynne: Me, I suppose, because that was my job—to make it work. That's what I went for, to try and get The Beatles to play on a record again. But there again, it was very much a cooperative effort.

Bonzai: And Geoff Emerick was your engineer?

Lynne: Yes, Geoff and his assistant, John Jacobs. You could say co-engineer.

Bonzai: After all these years, what's your opinion of Geoff?

Lynne: A really great bloke, very knowledgeable and a nice guy. After the sessions, we'd go down to the Indian restaurant, or over to Paul and Linda's for dinner. We hung out and talked about making records. In fact, when we first went into the studio. I was sort of nervous about meeting Geoff Emerick, because he had been doing all those fantastic Beatle records for all those years along with George Martin. It was a tough thing to follow. I

remember thinking that it was the biggest test for me.

Bonzai: No friction at all?

Lynne: Well, funnily enough, we thought along the same lines immediately, and there was never any friction, no. We got on really well, musically and soundwise.

Bonzai: Did any surprises come up in the studio?

Lynne: Not really. It was pretty much well-thought-out about the parts and harmonies, and then George and Paul started working on the backing vocals. It was such a thrill, because it sounded just like The Beatles, which it was, of course. Just in the kitchen, you know, striking it up and doing a two-part harmony and practicing. A lot of things were magical simply because when Paul plays piano and bass, it sounds like him, you know? When George plays guitar it sounds like him. When they sing harmonies it sounds like them. So, you didn't have to do anything to make it sound like that-it just happened naturally.

Bonzai: How many tracks did you finally end up with?

Lynne: 35 or 40, something like that. **Bonzai**: Was there any new and special equipment that was indispensable? **Lynne**: Well, basically it was made with the equipment you could have had then; 99 percent of it was equipment that was available in 1978.

Bonzai: No gadgets?

Lynne: No gadgets. The synchronizer between the two tape recorders was probably the biggest gadget. Nothing in the way of sound enhancement. It was basically just EQ, a bit of compression here and there, and nothing that you wouldn't find in any studio for the last ten or 15 years.



Bonzai: Isn't there a strong feeling of John, similar to his solo albums as well as his songs with The Beatles?

Lynne: That's exactly it. I think the song dictates the way it goes, because of his chord structures and his melody. That's a real John Lennon song, the structure of it. Because he's done it, that dictates the feel of it.

Bonzai: Ringo's drums are very faithful—good ol' Ringo, laying it down. Is there a lot of compression on his drums?

Lynne: There's some compression, like there always was on all the Beatle records. I think it's no more excessive than the old records. The reason I can say that is because Geoff Emerick was the engineer, so we knew what realms we were in, the parameters of the sound.

Bonzai: Have you heard about another take of "Free as a Bird" on the Internet? **Lynne:** Don't know anything about that. I did hear that John's original piano demo of the song is on the Internet.

Bonzai: "Real Love" is part of the second *Antbology* installment. How long after the first song was that recorded? **Lynne**: Nearly a year later. **Bonzai**: Anything different? **Lynne**: Yes, I had to bring in Marc Mann for this one. He's a great musician and a computer expert. I brought him into my studio to clean up the vocal track, which had about a thousand clicks on it, tons of white noise and some nice rumble underneath from AC current. The clicks were like static and we managed to get every one out, and get rid of the hiss and rumble.

Bonzai: What did you use for that, Sonic Solutions?

Lynne: That and a few other pro-

grams. It took a week's work just to do that, until I had a clean enough tape to take to England to work on.

Bonzai: How did things fall together then?

Lynne: More or less the same as the first one. Same idea, running through the song. Ringo playing along with acoustic guitars to start with. They had a good feeling for John's song, obviously, having worked with him for all those years.

Bonzai: Is it true you're going to continue working with Paul?

Lynne: Yes, I've done three new songs with Paul and me producing—three of Paul's songs that are great. I'm really pleased with

them, and I think he is too. We did them at Paul's studio in Sussex.

Bonzai: Let's move back to your beginnings, with the band The Move in 1970. Were you in a band before that?

Lynne: Yes, I was in a band called The Idle Race. It was in that period that I got to go to The Beatles' session. The Move had been going for about four years when I joined them and were sort of not doing that well, you know? We decided that we were going to make this new group, ELO, and so I joined with Roy Wood and drummer Bev Bevan. We played it with The Move for a bit while inventing this new group. We kept playing as The Move for about a year, and then we stopped and went straight into ELO.

Bonzai: ELO went on for what, 20 years?

Lynne: Not really, I would say it finished—it should have finished—by 1980, but it went on till about '84. It was contractual obligations of mine that required me to keep making albums. I really had had enough by then of doing that format.

Bonzai: Did your original concept of the band fulfill itself?

North Central's Finest Studios



Special Advertising Supplement

May 1996



Northern Lights

North Central Studios Cover Many Bases

by Dan Daley

t was a mere 200 years ago that the American West ended at Chicago. A hundred years later, it began there. This is not a lot of time in the grand scheme of things. But then again, this country, like the audio industry, has changed a lot in a very short time. The last ten years have seen tremendous growth in the three power-house cities of the North Central region: Chicago, Detroit and Minneapolis. All three have developed significant alternative music scenes and, in the wake of those developments, the recording studio communities of each have grown as well. Each has its own unique history, but the three have much in common, as America refocuses on its own heartland as a new source of entertainment and commercial audio.

For Chicago, the city's traditional base of blues and jazz continued as the pop music industry swept through in the 1960s with acts like The Buckinghams and into the '70s with Corky Laing and, perhaps the epitome of the city's pop musical heritage, the band Chicago, whose lead singer, Peter Cetera, continues to land on the charts. The studios that developed to handle this musical expansion attracted many visitors, from Eric Clapton to Todd Rundgren, Neil Diamond. Madonna, Eric Clapton and Johnny Winter. After a quiet period, music has again picked up in the late '80s and '90s with artists like R. Kelly, Smashing Pumpkins, Michael Jackson and Pearl Jam making regular pit stops in the city.

But the '80s were a fast-paced time for Chicago on another front, too: The advertising industry went into high gear there as more and more national spots were generated from the major agencies that are headquartered there, such as Leo Burnett and J. Walter Thompson. Now, 1996 finds Chicago balanced with a high growth in both music and broadcast commercial audio.

Meanwhile, in Minneapolis in the mid-1980s, what had been regarded for a long time as a haven for winter

sports and summer fishing exploded as Prince (now the Artist Formerly Known As...) led the city onto the national stage, with acts like Vanity 6 and The Time following in his Purple wake, while independently Jimmy Jam and Terry Lewis carved out their own niche as brilliant songwriters/producers. A renaissance in the city's downtown area and a reputation for a high standard of living brought record companies and other music industry people into the city looking for the abundance of talent that was blossoming there. Minneapolis became the first of the "alternative" cities to become a powerhouse musical center.

Recording studios in both cities blossomed as well. Chicago's anchor facilities, Chicago Recording Company and Streeterville Recording, became the hubs for a plethora of newer facilities, many of which continue to cater to both the music and the commercial domains of audio, a balancing act that no other city in the U.S. has ever quite so consistently achieved. In fact, the two fields seem to feed each other: The music has helped keep the city's scoring and jingle output diverse and fresh, while the tight ships needed for commercials have given the city a reputation for high levels of productivity, attention to client detail and maintenance.

Since the Minneapolis alternative scene was kick-started in the mid-1980s by seminal acts like Hüsker Du and The Replacements, and later strengthened by a second generation that included Babes in Toyland, Trip Shakespeare and, perhaps most notably, Soul Asylum, Minneapolis has become a haven for a broad and diverse array of new alternative acts from within and without. From the regular visits by major rock acts to Paisley Park,

the city's largest facility, to the in-house production work at Jam and Lewis' personal recording facility, the city has been literally humming consistently for the last five years.

Detroit has seemingly been the quiet spot in the region in recent years. But it has not simply rested on the laurels of Motown Records since the label packed off to Los Angeles in 1972. In fact, the newly appointed Motown label president announced in March that Motown would this year open an office in the city where Berry Gordy created the Sound starting back in 1958. And Detroit has given the rock world artists like Ted Nugent and Bob Seger, both of whom continue to be fertile producers of music. But in recent years Detroit has maintained its base of classic artists in several genres, including jazz great Earl Klugh, blues singer Anita Baker and gospel legends Fred Hammond & Radical For Christ. At the same time, the city continues to nurture new artists, including best-selling new jazz artist Jerald Daemyon on GRP Records, Alexander Zonjic, Straight Ahead and Marion Hayden.

Table of Contents

- 5 Audio Recording Unlimited
- 7 Chicago Recording Company
- 9 Hinge
- 11 Monsterdisc
- 13 OarFin Records Inc.
- 15 Pachyderm Studio
- 17 Paisley Park Studios
- **19 River North Studios**
- 21 Streeterville Recording
- 23 Studio A Recording Inc.

Cover: Photo-Illustration Steve Epstein; landscape photograph Tony Stone Images

Detroit's studio base is small but determined. And perhaps above all, at a time when culture has looked to disposable icons like Planet Hollywoods and Hard Rock Cafes to dangle the equivalent of cheap earrings while patrons eat overpriced hamburgers, Detroit is home to the Motown Museum, a precise re-creation of the site of Motown's greatest years, including the studio that produced most of the label's hits with acts such as Marvin Gaye, The Temptations, Gladys Knight and dozens of others. The restored studio—down to the pack of cigarettes leaning against an ashtray on the home-made console—should be a required pilgrimage for anyone in the recording industry. Foundations like that give Detroit a base from which to continue as a center of U.S recording.

The reach of this recording region has also spread to contiguous areas, from Madison, Wisconsin, to the original core of the '70s rock bastion in southern Illinois, where Champagne was a required stop on any major rock tour of the period. John Mellencamp's facility in Indiana is a reflection of the fact that much of America's music has never left the area, never left home. As America changed, so did its heart. As the country's demographics and radio programming embraced an ever-wider scope, so did the place where the music came from.

History is said to repeat itself. What's been happening in the North Central region reflects the fact that the area's audio history is deeper than is often commonly perceived. That depth is also the foundation that will carry the region well into the next century as an important place in an increasingly global audio village.



Call to ask for our menu, or keep this number handy whenever you're hungry for original recipe, down-home stock music. **1800/343-2514.**



Audio Recording Unlimited

udio Recording Unlimited's (ARU) location is as impressive as its client roster. Four audio suites overlook Lake Michigan and the downtown area from a perch in the clock tower of the gleaming white terra cotta Wrigley Building, built in 1920, on North Michigan Avenue. The list of agencies that regularly have their audio posted there include national giants Leo Burnett, DDB Needham, Foote, Cone & Belding, as well as regional agencies Cramer-Krasselt, and Bayer Bess & Vanderwarker. Audio Recording's commercial spots speak (and sometimes sing) for themselves, including national spots for United Airlines, McDonald's, Budweiser, Bud Light, Ameritech. Chicago White Sox, *The Chicago Tribune* and several major auto manufacturers.

At a time when many facilities add audio post-production as a secondary capability, founder and company president Mike King, whose work has been recognized nationally and locally with Clio, Addy and Windy Awards, says that Audio Recording Unlimited is designed to focus on audio post as a primary mission.

"That's what we do here," says King. "And just as importantly, we help people do it. We see a lot of people come in here from out of town, because Chicago has such a diverse and broad talent pool. That's one of the things that we specialize in: helping clients achieve what they're looking for."

ARU has four editing/mixing suites, the latest of which— Studio 18—was opened in the clock tower in November 1995. That room houses a new 32-track SSL Scenaria system with Total Recall. The studio's core technology includes an SSL ScreenSound system in Studio A, and a Lexicon Opus in both Studio D and Studio 20. The studios all offer an extensive array of digital and analog outboard signal processing equipment.

But King stresses that the technology is only part of the equation. King along with Don Arbuckle, Rich Chojnowski and Mark Zeboski, represent a total of nearly 80 years' worth of cumulative post and broadcast audio experience. Betty

Studio Specs

Owners: Mike and Susan King Manager Betty Rake Engineers Mike King, Don Arbucke, Rich Chojnowski and Mark Zeboski Dimensions: Control A 26x22, Studio A 13x18, Control D 18x22, Studio D 8x12 Control 18 22x20, Studio 18 15x11, Control 20 20x26, Studio 20 14x20 Mixing Consoles Automated Sony MKP 3000 (2), 3:1 Scenaria, SSI ScreenSound Lexicon Dpus (2) Tape Machines Fostex, Panasonic and Sony DAT machines Sony inclogial armatis Signal Processing Drawmer, Apex, Harmonizer, Demeter, TC Electronic, Luxicor 480L Monitors Bag End and U 4:1 Of Special Interest AP? digital steria: Keystone digital sterie DNint digital sterie, new Emulator sampling system



Audio Recording Unlimited 400 North Michigan Ave., Suite 1900 Chicago, IL 60611 Tel. (312) 527-7000 Fax (312) 527-3360 Rake, a co-founder of ARU, supervises music searches via the studio's 15-plus production libraries that house more than 40,000 themes, and 17 effects libraries with more than 100,000 sound effects, hundreds of which are custom-designed.

"We tend to stay on top of technology," says King. "But most importantly, I think, is that we've developed the right kind of attitude here. People can say we have the best technology, but I like it better when they tell me we're the friendliest place in town. I don't know if you can get a higher compliment than that."



Getting your kit to sound great takes effort – we believe that miking it shouldn't. That's why we've created the Audix **D-Series**. Designed for the serious percussionist, each microphone has unique sonic qualities. It's this uniqueness that ensures you'll capture all the snap, sizzle, crash and bottom end your kit has to offer – miking with Audix is as easy as **D1**, **D2**, **D3**.

Unlike some mics that rely on neodymium magnets for high output, the **D-Series** uses VLM¹ (Very Low Mass) technology. An Audix exclusive, VLM is created with a super strong, yet very thin and lightweight diaphragm. This lightness allows quicker response to acoustic impulses for unequalled levels of resolution as well as the ability to handle huge SPL's.

The **D1** is ideally suited for snare and smaller high pitched toms. The noise rejecting hypercardioid polar pattern and naturally enhanced presence peak enables the **D1** to compliment percussion and mallet instruments.



We also make a line of professional studio condensers. With interchangeable capsules, different polar patterns and extremely flat frequency response – the SCX-1 is ideal for werheads and studio recording.

Because of added warmth to the low end, the **D2** is perfect for use on low toms and kick drum. The hypercardioid patter greatly reduces the chance of feedback during live performanc while allowing the lower frequencies to punch through.

The ultra linear frequency response and greater dynami range of the **D3** make it the perfect choice for use in the studie where every nuance of the drums is critical. Extremel compact, the **D3**'s uncolored sound can handle sharp transient without clipping.

All of the **D-Series** are built for the road as well as the studie A rugged e-coat finish, durable gold XLR connector an precision tooling milled from a single piece of aluminur put the **D-Series** a class of their own.

Don't buy a mic without trying an Audix.



For more information call, 1.800.966.8261 ext. 123

c. Audix Corportion 1995. All rights reserved: Audix: the Audix logo, D Series, D1, D2, D3 and SCN Lare risidemarks of Audix Corporation. All other trademarks are the property of their respective owners. Corporate Headquarters, 9730 SW Hillman Court, Sone 620, Wilsons ille, OR 970704 SA: Corporate 5 des) 4X 714-588-8172.



Chicago Recording Company

hicago Recording Company is located just off Chicago's Magnificent Mile in the heart of the city's creative post and advertising community. CRC has become nationally noted for both its extensive post-production capabilities and for the prestigious recording artists it has hested. Since its founding in 1975, with sessions for artists like the Ohio

Players, John Prine and Jerry Butler, CRC has gone on to record Smashing Pumpkins, Michael Jackson, Pearl Jam, R Kelly, Sting, Toni Braxton, Buddy Guy, Mannheim Steamroller, Sonia Dada and many others, and hosted producers such as Flood, Brendan O'Brien and Steve Albini.

Perhaps what really sets CRC apart from the pack is the depth of both its talented 40-plus staff and its extensive technology resources. The facility contains 16 individual multitrack studios, digital editing suites and multiformat transfer rooms in three downtown locations. From the original Studio A, designed in 1975 by Tom Hidley (the last of the legendary Westlake rooms), through its latest digital audio suites located in the Leo Burnett Building downtown, CRC has always been a leader. The studio brought the first 24-track recorder to Chicago and helped introduce DAWs to the Midwest market many years later.

The music division's success is built around large Neve and SSL consoles, an extensive collection of processing gear and expertise to provide for every professional audio need in every format, from ADAT to 48-track. Today, the audio post

Studio Specs

Dwner Alan Kubicka, Managers Hank Neuberger and Jo Sturm Dimensions 16 studios including Studio 4 and 5 Control Rooms 16s 8 Studios 30x70, Studio D Centrol 28x24 Studio 30x55 Mixing Consoles Neve VR72 with Flying Enders automation, SSI 6084 E/G, Harrison Tein, AMS Logic 3, WL 1556 with Diskmix automation, Euphonix, others Tape Machines Studer A827 A800 A80, Mitsubshit X850 Signal Processing Lexicon 480L, variety of tube compressors including F, includio 570, multiple AMS and Eventide proce or .60 channe's if a board Focusrite mic pre/EQs and dynam GML E0 Monitors Lakeside/TAD, Genelice, Yamaha Of Special Interest AMS AudioFile Spectras (9), Sonic Solution (7), synilavier (3), Pro Tools, SampleCell, Smulator E-3, Steinway (2) and Borerdonfer pianos



Chicago Recording Company 232 E. Ohio Street Chicago. IL 60611 Tel. (312) 822-9333 Fax (312) 822-9189 Website http://www.chgo-rec.com/studios and sound design division boasts the largest inventory of DAWs in the Midwest. (See specs.)

"CRC has become the hub facility for professional audio in the Midwest," says studio manager and 1994-95 NARAS Chairman Hank Neuberger, a noted recording engineer himself. "We've been able to contribute to both multi-Platinum albums as well as top-drawer commercials. I think we've had spots on every Super Bowl and Olympics broadcast since we've been in business. Combined with the numerous hit records we've been a part of over recent years, we've truly become competitive with the major studios on the coasts.

"Chicago is simply a great place to record, whether it's music or commercial audio," adds Neuberger. "The technology is here, the talent is here, the pizza is here."

the state of the s



PSE READER SERVICE CARD FOR MORE INFO



Hinge

inge's simple name belies its technological sophistication. Located in the heart of Chicago, Hinge opened its doors in January 1994. As its name implies, Hinge can also be viewed as a pivotal facility in Chicago's changing market, as a new diversity of music increases its presence in Chicago's professional audio industry mix.

"There was no intention to make Hinge be one sort of a studio or another in terms of music." says studio manager Craig Bauer. "It was intended to be a good, technologically forward-thinking studio that provided a comfortable, creative setting for a wide variety of music and commercial audio. And that's what we've managed to accomplish."

Designed by acoustician Stan Roller and architect Michael Pado, Hinge's philosophy of broad coverage and leadingedge technology is reflected in the facility's look of gray-on-gray interior decor, curved lines, quiet hallways and state-of-the-art equipment. A Euphonix CSII with DSC option is the centerpiece of the control room, which looks out onto a spacious and acoustically variable recording studio—via various absorptive and reflective surfaces—which was meticulously tuned after construction. Several isolation areas complete the main recording room.

Hinge also reflects Chicago's own tradition of a mixture of commercial and music recording, with a nearly even split between the two. rounded out with considerable work by upcoming music acts. Those who have used Hinge's facilities in the studio's two years of operation include Ce Ce Peniston, Chantay Savage, jazz artists Brian Culbertson and Bob Mamet, and noted gospel vocalist Yolanda Adams, who recorded a cut for the recently released Rosa Parks tribute album. Hinge has also garnered significant film audio credits, including Jessie Campbell's performance on "Where Is

the Love" on the soundtrack for the film *Dead Presidents*.

Bauer, who began as an assistant engineer in Cleveland before moving to Chicago several years ago, says, "We felt that there was a need in Chicago for a facility that was technologically advanced, yet was accessible to the range of new artists who were using Chicago as a home base. This is a city with a lot of audio post work, and Hinge is designed to participate in that. But the resurgence of music in Chicago allows us to help fill the need for affordable, capable, creative music facilities."

Studio Specs

Manager: Craig Bauer. Engineers: Craig Bauer, Scott Steiner, Neil Gustafson, Danny Leake. Dimensions: Control: 22x1x12. Studio: 30x26x18. Mixing Consoles: 48-fader (144 inputs) Euphonix CSI w/DSC. Tape Machines: Dtari MTR-90 MR/!, Dtari RADAR 24-track hard disk recording system. Signal Processing: GML EQ. Focusrite EQ. TC Electronic M-500C, Lexicon 300, outboard Euphonix dynamics units, various other pieces. Monitors: Tannoy DMT-15 MkII, Genelec 1031A. Of Special Interest. 8-channel Pro Tool- system.



Hinge 320 W. Ohio Street Chicago, IL 60610 Tel. (312) 337-0008 Fax (312) 337-3008

Solid State Logic

IN CONJUNCTION WITH

PRESENTS



A UNIQUE VIRTUAL TOUR OF TEN OF THE WORLD'S FINEST RECORDING STUDIOS, ON CD AND THE INTERNET

RECORD PLANT, LARABEE, OCEAN WAY, THE HIT FACTORY, RIGHT TRACK MASTERFONICS, TOWNHOUSE, THE CHURCH, WISSELOORD, GUILLAUME TELL



Explore the studios using a QuickTime VR virtual reality tour
Meet leading artists, producers and engineers including Bob Clearmountain, Dave Stewart, Bruce Swedien, Frank Filipetti, John Gas, and Rudolph Schenker
Visit George Lucas's remarkable Skywalker Sound facility
Audition audio tracks recorded at selected studios

See how the CD was made, using the latest multimedia tools at 21st Century Media's multimedia production studio
Connect directly to the Prestige Studios Web site
using CompuServe Connect software, supplied on the CD
Play the integrated CD & Web game and have a chance to win a day in one of the featured studios

A SHOWROMSM INTERACTIVE AUDIO CD WITH INTEGRATED INTERNET FOR AUDIO CD PLAYERS, AND MACINTOSH AND WINDOWS COMPUTERS

COMING THIS SPRING FROM MIX MAGAZINE - CALL 415.453.9407 FOR MORE INFORMATION

DEVELOPED & PRODUCED BY







LL TRADEMARKS ARE THE PROPERTY OF THEIR RESPECTIVE OWNERS

MADE WITH

883 FOURTH STREET SAN RAFAEL CALIFORNIA 94901 415.453.9407 WWW.C21MEDIA.COM

© 1995 21st Centure Group















USF READER SERVICE CARD FOR MORE INFO



Monsterdisc

onsterdisc was founded in 1992 and at once raised the mastering capability and quality of the Chicago tegion significantly. Chicago's first fully dedicated mastering studio, Monsterdisc's large room (24x20) was designed by locally renowned engineer Jay O'Rourke, who coowns the facility with his wife, Ginny. The room was intended to provide a new level of mastering achievement for the city and its expanding base of independent labels and recording artists.

Since its opening, Monsterdisc has provided mastering services for a broad array of acts, including Liz Phair, Material Issue, Poi Dog Pondering, The Smithereens, 1996 Grammy

nominee Albert Collins and 1995 nominee Koko Taylor, as well as considerable mastering work for local recording labels such as Alligator Records and Touch and Go Records.

"One of the things that Monsterdisc set out to do and has done is to keep more of Chicago's recording artists here in town for their mastering," explains Jason Rau, one of Monsterdisc's mastering engineers. "There's a tremendous and growing base of talent in the Chicago area, and Monsterdisc was started to service them on two levels: The established talent now have a mastering facility of the quality that they were used to finding elsewhere, and newer acts on independent labels now have a facility that has introduced them to the concept of mastering, something that many of them weren't fully aware of before."

With a full 95% of the artists using the studio for their mastering needs being local, a high level of client service is a hallmark at Monsterdisc, as is forward technology; the facility is based on the PMCD as its main mastering format. Other technology includes a Sonic Solutions system running on an Apple Quadra 900 with an HP 2.0GB hard drive, Apogee converters, the Sony StartLab CDW-900E CD recorder, a 44/88 SyQuest removable drive and a Sony PCM-7030 DAT. Monsterdisc also offers tull-service CD replication and cassette duplication services, as well as graphics, design and even liner notes services.

Studio Specs

Owners: Jay O'Rourke, Ginny C'Rourke Managers Ginny O'Rourke, Bob Feinengle, Engineers, Jay O'Rourke, Jason Rau (CO and CS replication, Dan Mussey). Dimensions 24x22. Mastering Software/Hardware Sonic Solutions, Apple Ouzdra 900 with HP 2:06B hard drue, Apogee convertes, Haffer Pro 2400 amp. Storage Sony StartLab CDW 900E CD recorder, 4/98 SyQuest remnyable drive, Sony PCM-7030 DAT, Otari MX5050 2-track (15 pr) Signal Processing Lexicon NuVerb, Drawmer: 956 tube compressor. Monitors: Meyer HD-1, UREI 805; Auraton, Yanisha NS-10 & NS-A635A Of Special Interest Available services include CD premastering, digital transfers, CD and CDi-R0M replication and tape duplication in Jorg and Short runs.



Monsterdisc 1333 N. Kingsbury, Suite 203 Chicago, IL 60622 Tel. (312) 266-5770 KFax (312) 649-1870 E-mail mdbox@AQL.com In designing the facility, ambience was considered on a par with technology. The room is quietly lit, and sofa seating is arrayed before the Meyer HD-1 powered speakers—the studio's main monitoring system—as well as various other monitors the facility has available. "When people walk into the room they're usually impressed by the feel as well as the equipment," says Rau. "They're comfortable even before we press 'play.""

More and more mastering work is coming in from outside the region, testimony to Monsterdisc's own growing reputation. "That's also part of the fact that more people are becoming aware of the Chicago region as a center of recording." says Rau. "It's becoming a very cool place to be."



a clear winner!



"We have never encountered this level of image width, image depth, and low level detail in an A to D converter." - Sony Classical Productions

"It's far and away the best converter I've ever beard." - Dave Collins, A&M Mastering

"The AD122 has the widest dynamic range of any converter I have measured. It comes with the widest choice of re-dithering and noise shaping choices. It is my new standard."

- Bob Ludwig, Chairman **Gateway Mastering Studios**

Distributed worldwide by:

hy AD122? Unlike other converters, it actually measures -122 db THD&N, the most accurate measurement of performance. In shootouts around the world, the AD122 has beat all the competition in A-D conversion. It's not "warmer," "sweeter" or "punchier" - you just hear the source like never before. Superior linearity, fast and accurate transient response, extremely small quantization steps and low noise performance enable the AD122 to produce highest resolution digital audio, clearly the winner!!!



- Selectable Noise Shaping Superb Metering Format Conversion
- THD and N measurements Adjustable gain/attenuation
- External sync input for film & video Adjustable Delay

...and much more!

From the think tank at



AUDIO INTERVISUAL DESIGN 1155 N. La Brea, W. Hollywood, CA 90038 (213)845-1155 FAX (213)845-1170

World Radio History

USE READER SERVICE CARD FOR MORT



OarFin Records Inc.

arFin Records represents the model for a modern recording studio. Housed in the stately 1885 Colonial Warehouse (a former eigar/wine warehouse in the center of the Minneapolis arts warehouse district) and minutes from the city's airport, diversity of restaurants and showcase clubs. OarFin Records is the hub of a number of enterprises, includ-

ing OarFin Records' own independent label booking agency, promotional/publicity service and national record distribution service. Formerly Metro Studios, OarFin has grown by acquisition of other area studios into a four-room analog/digital facility catering to the city's significant base of regional recording artists. The facility is also home to recording work by major national acts Sheryl Crow, Wade Hayes, En Vogue and Kid Jonny Lang, film scoring work (Disney and New Line Cinema) and advertising work for major Minnesota agencies. Now entering its second decade OarFin's various studios were designed by a combination of Chris Huxton (Studio A), Jon Dressel & Associates (Studio E) and engineer Stephen Buck (Studio C). The spacious rooms offer a variety of acoustical and artistic settings, ranging from large enough for a 45-piece orchestra to intiniate enough for small acoustic ensembles. Studios A and B are tielined together to increase that flexibility, and all studios offer clients spacious, private lounge areas. And as part of the studio's

multifaceted approach to the music industry, OarFin's large studios and lobby have been used for record release parties and special performances

"All of that is part of the full-service approach we've taken here," explains Scott Dietsche, OarFin's operations manager. "The locus is on client needs and a broader definition of those

Studio Specs Owner Carl in Recards Inc., Jon DeLange (President) Robert Pickering (DED/VP) Studio Coordinators Jun DeLange James Walsh Scott Dietsche, operations manager Engineers Cavid Street, the engineer, Todd Fitzgerald Blace Anderson, Shane Washington, Taylor Burr, Joshua Holland, Peter Keisch, Slephen Buck, Jamm. Roberts Dimensions Control A 25x20x8, Studio A 35x35-11. 1.0: 15x15x10 (and 2 sound locks), Control B 25x15x8 Studio B 10x11x10, iso 8x8x8, Control C 25x22x*012 sound lacks Studia C 25x20x12 Mixing Consoles 54- nput Trident Series 806 w/ARMS II automation, 36-input Amek Angela, 32 input Tuscam M3700 with internal disk-based automa un Taoe Machines Oten MTR-901, Alesis ALAT (9). Ampex ALR 10F, Tastam 85 16B, Tascam MSR-16, Tascam MS-16, Para once SV-5700 DAT, Sony PCM2500 EAT, Casib DA 2 DAT, Tese DA-P2C DAT, Signal Processing Lexicon, UREI, Kepex, AMS, Evintide, GML, Drawmer, API, dbx, more Monutors 301A CE2000, Yamaha NS 10 Auratone 50, Tannoy SGM 1, an I PEM 55, JBL 4430 Of Special Interest kin arse nal of virtage and new microphones (Neumann AKG, Senmerser, E-1, Sinne, Sony, Groove Tube) Weber baby grand many Hammond B 3 with Leslie, hard disk editing/mastering. CD H reference auplication, sync to video, specialty equipment and '8 tract, analog available upon request Alito remote-record ing capability available



OarFin Records Inc. 216 Third Ave. North Minneapolis, MN 55401 Tel. (612) 673-0508 Fax (612) 673-0776 E-mail oarfin@rsinternet.com needs, from recording to special equipment requests to catering a special event. We have a combination of experience in not just recording but in all aspects of record production, writing promotion and distribution. By offering that range of capabilities, we're in the process of redefining what the term 'full-service' really means in the studio industry." CarFin's building also houses its contracted maintenance company, reflecting what chief engineer David Streeby says is the fact that, despite the diversity of its offerings. OarFin never loses sight of its primary pur pose, making good records and offering a high level of technology and expertise.

"Minneapolis is definitely still growing as a center for original music in America and in the world," says Dietsche. "Acts like Kid Jonny Lang and Soul Asylum have ke!ped establish it as a legitimate musical mecea and as a prime rock city. As the industry itself undergoes significant changes in how records are made and matketed, OarFin can stay as much on the edge of those changes as any studio can."

A revolutionary new microphone auditioning tool on CD-ROM!

Allen Sides' Microphone Cabinet®

FROM CARDINAL BUSINESS MEDIA also publishers of MIX[®], ELECTRONIC MUSICIAN[®] and MIX BOOKSHELF[®]



Microphone Cabinet is a required reference tool all of our classes. It really ws students the imporbe of subtle differences ween mics, but best of all, n secretly use it too!" David Gibson Founder and Chief Administrator

California Recording Institute

t a great educational tool! students can now learn technical specifications the sonic characteristics inicrophones which norly aren't available to with studio time in th demand, it's a great way set to know the mics are going into the studio." Wesley Bulla Coordinator of Recording Studio Curriculum Belmont University

I got the CD-ROM and it's ntl Finally, you get a nce to look in a top engit/producer's toolbox withhaving to buy all of the

> David Miles Huber Author and musicien

Allen Sides has recorded and mixed sessions for dozens of world-class artists such as Ry Cooder, Count Basie, Ray Charles, Sinead O'Connor and Brian Setzer.

David Schwartz, producer of this CD-ROM project, is the founder and former editor-in-chief of *Mix*.

Mix

This unique, fully interactive CD-ROM lines up the top classic and contemporary professional microphones for a series of audio comparison tests on dozens of instruments. The disc features:

- A "Selector Cabinet" of both popular and classic mics for recording each instrument.
- 16-bit Red Book audio samples of the selected mics and instruments.
- Allen Sides' "Tips" for getting the best sound from each microphone.
- A high-resolution color photograph of each microphone and the mic placement setup for each instrument.
- Complete specifications for each microphone.
- A color photograph and description of each musical instrument.
- A "Microphone Basics" section by noted author John Woram.
- A directory of the microphone manufacturers.

This amazing disc features tests of 66 mics and 33 different instruments. The microphones were chosen from the world-renowned collection at Sides' Ocean Way/Record One studios in Los Angeles. Sort by microphone to check out the best instruments for each, or sort by instrument to see which mics you should use. **Item MC) \$69.95** plus \$9.95 shipping and handling.

Coll Toll Free World Radio Hist 800,233,9604



Pachyderm Studio

uilt into a hillside overlooking a 40-acre, heavily wooded private park, Pachyderm Studio has taken its place among the world's leading residential recording facilities. Located 40 miles southeast of Minneapolis/St Paul, Pachyderm's private and isolated recording environment is close enough—yet not too close—to the urban center's offerings and the international airport. Pachyderm's setting is unique and extremely conducive to creativity, as is evident in the extraordinary performances and songwriting output from the studio over the past five years. The spring-fed trout

stream, abundant wildlife, winding paths and bridges provide the ideal "getaway" climate. The spacious 6,000-square-foot home, with four bedroom suites, extensive living areas, full kitchen and laundry, and indoor pool and sauna, provides comfortable lodging for both artists and the production teams.

Most important, however, is the studio itself, where Nirvana's *In Utero*, Live's *Throwing Copper*, P.J. Harvey's *Rid of Me*, Golden Smog's *Down by the Old Mainstream*, and numerous other great recordings by the likes of Soul Asylum, The Connells, The Jayhawks, Hum, Babes in Toyland, Kelly Willis and Son Volt were put to tape. The acclaimed live room's sound, perfectly matched with vintage tube microphones, a classic Neve 8068 console and Studer tape machines, is perhaps Pachyderm's biggest allure. The combination of soft maple wood and glass creates the distinctive live room sound, considered by many producers to be among the very finest. An adjoining granite room, two "dead" isolation rooms and the wired lounge room provide five isolated recording areas, each with clear sightlines into the control room.

Pachyderm offers two outstanding house engineers,

Studio Specs

Engineers. Brent Sigmeth Emb DeMaa. Dimensions: Control. 23x21. Studio: 32x25, witt adjoiring granite Iso Room: 12x18 Other Isos: 10-12, 10x11. Mixing Consoles: 32-input Neve 8068. Tape Machines: Studiar A820, A827, A80 w/Dolby SR. Signal Processing: Focusifie, Tube Tech, GML, Quantec, dbx and more. Monitors: Cenefec 1030A, Westlake BBSM4, Yamaha NS-10, Tannoy FSM & NFM-8. Of Special Interest. Varge tube millist, including AKG C-12, C-24, Neumann U47 CVM-563 (2, East German origin) and many more. Also: Bosendorfer grand plano, Hanmond B-3 organ w/Leslies, Vox. AC30, Blues.and Dumble Dverdrive Special and many other virtage guitar amps available.

F			1
0	\geq	1	
M			
C	1		

Pachyderm Studio 7840 Co.17 Blvd. Cannon Falls, MN 55009-4048 Tel. (507) 263-5276 Fax (507) 263-2002 Brent Signeth and Bob DeMaa, who have a combined five years' experience working the room. Their work as head engineers can be heard on Pachyderm's *Cool Beans* compilation (recently released as a charity benefa—"The Pachyderm Sessions") and on the radio program *The Pachyderm Show* (on Minneapolis radio station REV-105 and possibly headed into syndication). Sigmeth's first recording as head engineer at Pachyderm was the Granmy-winning *South Coast* by Ramblin' Jack Elliott.

Pachyderm's reasonable rates, combined with lodging capabilities, enable cost-effective productions for projects large and small.

If You're Serious About Your Music, Think Switchcraft. Professional Sound Starts With Professional Equipment –

CONSISTENTLY EXCELLENT... Guitar Plugs

Audio Adapters Audio Patch Panels From Switchcraft, Since 1946.



Bay/heon Electronics

Switchcraft

in is a rich my static sector from the new site shines a provided when you choose a sector film in

Switchcraft, Inc. 5555 North Elston Avenue Chicago, IL 60630 (312) 63J-1234 • Fax (312) 792-2129 http://www.raytheon.com/re/swc.html SEE US AT NSCA BOOTH #1817

All Switchards products an covered by a limited lifetime symposy



Paisley Park Studios

aisley Park has entered the cultural consciousness of an entire generation as few studios in history have. Built in 1987 as the creative headquarters for **P** Paisley Park was intended from its inception to also share its creator's muse with the recording industry in general as a for-hire facility. "One of the really nice things about Paisley Park is that it's not an artist's personal project studie that was later opened for other artists to use; it was designed from the beginning to be a recording studio that was world-class in its

capabilities and available to outside clients," explains Sal Greco, Paisley Park's chief technical engineer. "There's a definite vibe here based on the owner, but at the same time, you know as soon as you walk in that you're also in a very professional, dedicated recording facility, one in which many things are possible."

Designed by BOTO Design, Paisley Park takes the term "full-service facility" and redefines it. Three studios radiating off the sunlit central atrium offer large control rooms and spacious, multitextural, multitimbral recording areas, as well as a selection of SSL, vintage/custom API/De Medio and Soundcraft consoles. In addition, Paisley Park also offers a huge rehearsal stage suitable for preparing arena-sized touring package rehearsals. The same space is also designed as a video shooting and sound stage, and an Avid nonlinear digital video editing system is available. "You can do your project here from start to finish," says Greco. "Pre-production, production. overdubs, mixing, remixes, videos and tour rehearsal."

Among the acts who have done records there are R.E.M., Fine Young Cannibals, Soul Asylum, Big Head Todd & The Monsters, Bobby McFerrin, Paul Westerberg and George Benson. Artists who have fine-tuned their live performances prior to world tours include the Bee Gees, Neil Young and Jeff

Studio Specs

Owner & Manager Marci Meyocks Engineers Steve Dur'ee Shane Keller, Tim Hoogenakker Hans Buff Dimensions Control A 25x20, Studio A 40.30, Control B ix 0. Studio B. 25x40, Control C. 12x15, Studio C. 46x32 Mixing Consoles SSL 8088 G+ v Ultimation Custom API/De 48-input, 24-bus, Niegio w, GML moving fader aut Soundcraft TS-24, 36-input Tape Machines and Storage Studer D820 digital 48 track, Studer A800 Mk/I analog m tracks (4), Sony JH-24 multitrack, Studer A820 2 track w/CTTC (a), Sony PCM 7030 timecode DAT (2) and Partaconic SV-3700 CAT (4) Akai DD1000 digital editor. Studer D740 CD recorder Sinnal Processing Lexicon, Roland, Yameha Eventide Forsiste Neve Pultec, Publison, Avalon, "Eletronix, UREI ummit Audio, dbx, Massenburg, Orban, Ap gee converters, Clark-Teknik, more Monitors Westlake HR-1 mur-way system Westlake BBSM 4, Westlake SM-1 five-way system, Tannoy FSM, Yamaha NS-10 Auratone Of Special Inverest: Avid nonimear digital video editing system



Paisley Park Studios 7801 Audubon Road Chanhassen, MN 55317 Tel. (612) 474-8555 Fax (612) 474-6328 World Vebsite World Vacionistory http://www.bitstream.net/paisleypark Beck & Stevie Rav Vaughan's co-tour. Commercial clients such as AT&T, Chrysler and Kemp's have also used Paisley's facilities for national broadcast spots.

"The various studios have an overall neutral design to them so as to make them as widely acceptable as possible," explains operations manager Marci Meyocks. "But within each studio are several environments, each with its own character, such as all-wood surfaces or a rock-walled isolation space. We combined that with a very broad range of technology in terms of consoles, automation, analog and digital tape decks, microphones and outboard equipment."

Paisley Park's staff can arrange a wide variety of accommodations to suit all budgets and tastes. And while the studio is only a short drive from the Minneapolis area's clubs and amenities, Meyocks adds, "It's a world unto itself."

Bookmark this. http://www.mixmag.com


River North Studios

iver North Studios has covered a lot of ground since its founding in 1985. Designed by its owner and founder, producer Joe Thomas, the large multigeometric recording studio and 72-input SSL G-Plus console—which was Chicago's largest SSL when it was installed—has evolved into the core facility for River North Records, which opened in 1989 and continues to host sessions for other major and independent labels nationally.

"As far as design goes, the A room was meant to be as bright, as big and as loud as we could make it." says Thomas. The room is about 30% hardwood maple, 30% tile, and the rest is a 16x30-foot exposed-brick wall, which also acts as a diffractor. In that kind of space, says Thomas, "You wind up

with a lot of acoustical possibilities. In addition, there are three separate isolation booths, each of which has a pretty unique sound to it. So your sonic potential is substantial."

River North has significant record credits under its belt: Billy Idol's "Mony, Mony" was the studio's first Billboard Number One record in 1986. Since then, the facility has done records for David Bowie, Gus Dudgeon's and Bruce Hornsby's work on "Madman Across the Water" for the Elton John tribute record, and live location recording work for Paul McCartney's Tripping the Light Fantastic tour appearance at nearby Soldier Field.

Studio Specs

Gwner Joe Thomas Manager Joanna Basile Engineers Rick Fritz, Steve Wei für Dovid Foster, Matt Fevold, studio tiedh Stan Miller, Dimensions Control A 20x25, Studio A 40-50, Control F: 20x35 Studio E 20x35; Control D: 20x25 Mixing Consoles 72-Input SSL G+ w/Ultimation, 40-Input SSL ErG, 40ir put DDA Tape Machines Studer 827 (2), Dtari 32-track kigjtil (2) Signal Processing M-5000 (2), TC Electrome TC2290 (2), AMS RMX (2), AMS DMX, Lexcon PCM-70 (3), 490L, Eventide H3000SE (2), many other digital and analog outbland pieces Monitors Genelec 1031, TAD, UREI, Yamaha and other mean field monitors Of Special Interest. Dtari ProDisk, Digidesign Pro Tools

> RIVER NORTH

River North Studios 610 N. Fairbanks Ct. Chicago, IL 60611 Tel. (312) 944-1107 Fax (312) 944-7258

"Live recording isn't one of our regular services, but when one of The Beatles asks you to do it, you find a way," Thomas laughs.

The brightness and size of the studio have also induced a number of artists to choose it for live broadcast work, including on-air performances by Jackson Browne, Tori Amos and John Mellencamp. More recently, Madonna's latest single was remixed at Raver North, and River North Records recording artist Peter Cetera's solo record was done there—the disc spawned two Top 10 singles. Current projects include a River North Records collaboration between the Beach Boys and noted artists including Willie Nelson, Lorrie Morgan, Junior Brown, Toby Keith and Eagles bassist Tumothy B. Schmit.

> "The studio hasn't been considered mainstream in the industry," says Thomas. "Not to say the projects done here haven't been significant-they have. But we've just stayed off the beaten path. We have given our artists and clients the privacy and atmosphere they need. They can be as intense and focused or as laid-back as they want. It's like Chicago itself in a way-it's in the heart of the Midwest, it has all the amenities of a big city, and it's central to all the major Midwest concert venues. Therefore, various artists continue to stop by on their way through town. River North is a great place to record in a great city. Even in the winter."

Independent Labels

Artist Management

Nusic Publishing

Music Attorneys

Business Management

Concert Promotion

Artist Directory

Record Promotio

- Video Promotion
- Public Relations

a'usic Media

Music Marketing

Record Pools

Copyright Clearance

Performing Rights

Industry Associations

Trade Events

Recording Studios

Remote Recording

Mastering

CD Services & Prep.

Record Producers

Recording Engineers

- -----

Stadio Desiĝn

Tape Ouplication

Record Pressing

CD Manufacturini

Audio Tape Supply

Equipment Manufacturers

Software Developers

Multimedia Production

Rehearsal Studios

Equipment Transport

سترسطه وتشاطينا اعتبسه

Music Video Production

Music tor Film/TV

Music Supervisors

Music Television

Production Music Libraries

Photography

Art Design





When it's time to pick up your copy of the essential North American music business & production directory.

The Recording Industry Sourcebook is the #1 source for industry contact information, containing over 10,000 listings in 55 categories. Listings include names and titles, phone, fax, style of music represented, whether or not unsolicited material is accepted, notes and more. In production categories there is even information about rates, equipment, credits and specialties.

\$79.95 plus \$9.95 shipping & handling.

To order by phone call (800) 233-9604, fax (908) 225-1562, or send a check or money order made payable to: Recording Industry Sourcebook, c/o Whitehurst and Clark Inc.; 100 Newfield Ave.; Edison, NJ USA 08837-3817







Streeterville Recording

Avenue in the heart of Chicago's famous Loop district. Founded in 1969, Streeterville is a seven-studio complex offering diversified audio services for local, national and international clients. These rooms have served a spectrum of clients from music legends like Muddy Waters, Todd Rundgren, Neil Diamond, Eric Clapton, Madonna, Jaco Pastorius and Johnny Winter, to national advertising agencies whose clients include United Airlines, McDonald's, Sears, State Farm and Miller, as well as film productions such as *A League of Their Own, Backdraft* and *The Princess Bride*, and TV productions including *The Wonder Years*.

One of the leading-edge studios of the Midwest, Streeterville can boast a string of Chicago firsts: the first 16-track recording (1969); the first studio to open a dedicated audio-for-video suite (1983); the first multiroom facility to install and network digital audio workstations as the main format for audio post-production (1988); and one of the first studios in the U.S. to introduce satellite and fiber-optic audio transmissions.

Streeterville's first studio was designed in consultation with Chicago native Bruce Swedien's Northwest Audio company. The other two main music rooms were designed by George Augspurger and Jack Edwards, with the four audio post rooms designed by Streeterville itself.

"What makes Streeterville work is our full-service approach to clients," explains owner Jimmy Dolan, who started at the stubusiness we've seen the tremendous range of ways people work, and as a result we've been able to turn that experience into a broad range of options for every client who uses the facility. There's no one set way to work here. That, in combination with our technical and session support experience, offers clients a high-quality, low-stress vibe to do their work in."

dio in 1971 as an apprentice engineer, rose through the ranks

to become the studio's top music mixer and, by 1983, pur-

chased the facility with his family. "Over the years we've been in

Streeterville sprawls over two floors of its building, offering music clients an array of Neve and SSL consoles, and post

Studio Specs

Owner/President James Dolan Director of Operations: Rob Dolan Engineers Paul Shook, chief engineer, nine staff mixers, six assistants and freelance engineering database available. Dimensions Control 1 25x17x12, Studio 1: 47x22x14; Contro 2. 24x17x12, Studio 2 37x17x12; Control 3: 21x22x12, Studic 3: 14x15x12; Control 5 21x15, Studio 5: 14x25; Control 6: 14x16, Studio 6: 19x9 Control 7 14x16 Studio 7 9x9 Mixing Consoles: Neve VR 5056 with Flying Faders automation, Neve VR 4H40 with Flying Faders automation, SSI 6048 E/G with Total Recall and Motionworks, digital audio rooms featuring Avid Audiovision and Digidesign Pri: Tools Tape Machines Sony/MCI JI 24 (2), Otari M1R 90 (2), Otari MTR 90MkIII Signal Processing Lexicon 480L and 224XL digital reverbs, EMT 140 and 240 plate reverbs, Eventide, AMS, Yamaha, UREI, Lang Aliec, API, Dolby, Focusrite and other signal processing Monitors: Main music rooms are UREI and Genelec, various near-fields. Of Special Interest All studios offer audio and video lock-to-picture capability, IDB and EdNet digital transmission services available.



Streeterville Recording 161 E. Grand Avenue Chicago, IL 60611 Tel. (312) 644-1666 Fax (312) 644-2849 clients Avid, AMS and Digidesign workstations. All rooms have video/audio synchronization, and access to IDB and EDNet and DGS digital audio transmission services.

Streeterville continues to attract a broad array of music clients, such as Collective Soul, Nine Inch Nails, Buddy Guy, as well as a range of post and film projects for Disney, MTV, Columbia Tri-Star and others. And the studio continues to function as one of the major hubs of an expanding Midwestern audio market. "Chicago is filling itself out in all entertainment areas," says Dolan. "The creative base in the market is expanding in relation to technical opportunities. People have been tapping into the talent base here for a while now, and more people are becoming aware of it every month. Chicago has been the professional audio world's best-kept secret for a long time. But that's changing."

¡Live from Latin America!

If you're taking your audio products on the road to Latin America, Mix—Edición en Español is the only Spanish phrase you need to know.

With approximately **20,000 copies** per **bimonthly** issue, *Mix—Edición en Español* is the most widely-distributed professional audio and music publication in the Spanish-speaking world!

Your ads in Mix—Edición en Español reach live sound and recording professionals, aspiring pros and musicians in virtually every country in Central and South America, plus Spain and Spanish-speaking regions of the United States.

Mix contract advertisers are eligible for special discounts in Mix—Edición en Español. Call your Mix advertising manager for details on your company's discount level.



There's only one source for professional audio and music coverage in Spanish: ¡Mix—Edición en Españo!!

September/October 1996 Ad Close: June 14 Materials Due: June 21



Associate Publisher • Jeffrey Turner (510) 653-3307 Eastern Ad Manager • Michele Kanatous (212) 563-5301 So. Cal./Southwest Ad Manager • Terry Lowe (310) 207-8222 Northwest/Midwest Ad Manager • John Pledger (510) 653-3307

6400 Hollis Street #12 • Emeryville, CA 94608 tel (510) 653-3307 • fax (510) 653-5142

USE READER SERVICE CARD FOR MORE INFO



Studio A Recording Inc.

Undio A Recording was founded in 1981 by Eric and Marilyn Morgeson as a 4-track facility, eventually growing to its current 48-track capability. Success enabled them to build, in 1985, a state-of-the-art recording facility. This move cemented Studio AS place in Detroit's newfound renaissance of music and art. "There's an incredible amount of music going on in this town," says Eric Morgeson. "Detroit has become a focal point for gospel music, and the jazz, rock and R&B scenes have never gone away."

Studio A has evolved to meet the needs of Detroit's growing music community. Designed by John Storyk of Walters-Storyk Design Group, the main recording room offers an intimate environment with bright ambrence and clear sight lines between

musicians and control room. An isolation booth off the main recording room features a 7-foot 1898 Steinway grand piano. An SSL G Series console is the centerpiece of the main control room, which also includes an array of analog and digital storage and processing gear. A second room is a MIDI-based tracking and scoring environment which features a host of digital equipment, including a Synclavier music system.

"But as good as the technology is, what keeps the artists and producers coming back are the people," says Eric. "We have the best team of engineers and producers in Detroit." This combination of technological sophistication and professional acumen has resulted in Studio A working with a wide array of accomplished artists, including Motown greats Barrett Strong ("I Heard It Through the Grapevine"), Ivey Hunter ("Dancin' in the Streets") and Mack Rice ("Mustang Saily"). The Queen of Soul, Aretha Franklin, worked on a special project with Arif Mardin producing, and the studio has hosted R&B songstress Anita Baker. Studio A also continues recording relationships with jazz guitar master Earl Klugh (Warner Bros.), chart-topping jazz violinist Jerald Daemyon (GRP) and gospel great Fred Hammond (Benson).

Studio A has also welcomed other musical endeavors, most notably commercial music production and record production. The Morgesons, partnered with Mario Resto, make up the nucleus of Musicworks, a commercial music company that garnered several Caddy and Monitor Awards for national television spots. Musicworks composed and produced music for the national

> campaigns of the Chrysler Neon car launch and the 1995 Flymouth Minivans. Additionally, the production company has produced songs and albums for artists on Warner Bros., Motown, Atlantic, Capitol and Epic. And they are currently recording an album for Motown session great Dennis Coffey ("Scorpio"). Jazz flutist Alexander Zonjic (with Bob James and Kirk Whalum) and gospel singer/songwriter Parkes Stewart.

> "What Studio A is all about is giving the talent base in Detroit access to the kind of studio they would find in New York, L.A. or Nashville," explains Marilyn Morgeson. "The talent base that worked on all the great Motown records is still here, and its done nothing but grow and diversify over the years. People can come here and use Studio A for both its technological and human resources."

Studio Specs

Wwners Eric & Marilyn Morgeson Nianager Marilyn Morgeson Engineers. Eric Margeson: Tidd FaiJall, Steve Capp Dimensions Control Ro n. 25x22, Studho 30x40 Synclavier/MIDI Studio 12-12. Mixing Consoles SSL 6000G 40 riput, Mackie -2x8 Tape Machines Sorg/MCI JH 24 (2), Jeelis ADATs :24 tracks; Misubich?-856C Som 2500 DAT (2), long 5003 2 mack, Son, U-matic 108650 Signal Processing Lexicon 224, Facustra 110 modules: Tube Tecn, Klark Teknik DN10, AMS RVX 16, Yamaha, Valley Feeple, Kepex, BBE, Ventide, Alesis more Monitors Denelics (IBBA, Tannoy NFM 5 manha N3-10, Auritcher Of Special Interest: Synclavier sigdal workstation. 1898 Steimway 7 foot grand plano, Roland DN-80 hard dist system

Studio A Recording Inc. 5619 North Beech Daly Dearborn Heights, MI 48127 Tel. (313) 561-7489 Fax (313) 561-6736

True Condenser Studio Microphone



The Electro-Voice RE1000 is a monumental breakthrough in studio condenser microphone performance and value. Its sound quality and performant rivals many of the I inest microphones s of price. One lister twill reveal that this serious udio tool belongs in your sudio.



Electro Aufec, Inc. a MARK IV company 600 Cecil St. Butthanan, MI 49107 800/234-6831 616/625-6831 In Canadal 613/382-2141

SEELIS AT WE



But many manufacturers combine solid state circuits with tubes (known as hybrid circuitry). This may be less expensive, but certainly will not 'warm up' or 'fatten' your sound like an ALL-TUBE product. Anthony DeMaria Labs is the company that brings you the finest handbuilt, pure-tube equipment in the world. Of course, you don't have to take our word for it. Check out our client list and hear the difference! Remember... It's not ADL unless it's ALL TUBE. "Top Dog In Audio"

Partial Client List:

ADI

The Rolling Stones • Flood (U2, Depeche Mode), London • Bob Clearmountain • Bon Jovi • Sony Music, NY • Butch Vig (Nirvana) • Bearsville Studios, NY Peter Moshay (Mariah Carey) • DJ Pooh (Ice Cube), L.A. • Chung King House of Metal, N.Y. • Isley Bros. • Heart • Hall & Oates • Foreigner • Masterdisk, N.Y. • The Cult Paul Northfield (Rush, Queensryche, Alice Cooper), Canada • EMI Studios, Australia • Sunset Sound Factory, L.A. • Neil Dorfman (Sting, Paul McCantney, Def Leppard) NY Platinum Studios, Thailand • Bad Animals Studio, Seattle • Margarita Mix, L.A. • Steve Barker (L.A. Philharmonic, jazz & blues festivals), L.A. • Sony Studios, Japan John Jennings (Mary Chapin Carpenter), Nashville • Glen Phimister (Olivia Newton John), Australia • Bernie Becker (Nei: Diamond) • Jimmy Buffet • Shawn Colvin

Anthony DeMaria Labs

Sales: (818) 340-0228 • Fax: (818) 340-4331 • Service: (914) 256-0032

Songs for the Whole Family **STEVE RASHID AT HOME AND WORK**

or his past two albums, Steve Rashid has won nine national awards. i will bold your tiny band, a collection of selfpenned lullabies, was released in 1993, and a year later came Fidgety Feet, a playful, swinging jazz romp through Americana, interspersing standards with hidden treasures. Children's music would be the easy label; family music would Steve Rashid (standing) and Ryan Beverage be more accurate.

"We teach our kids categories," says Rashid, who with his wife. choreographer and dance instructor Bea, is raising two boys, Robert, age 7, and Daniel, 3, in Evanston Ill. "We teach them that this is rock 'n' roll, this is jazz, this is the blues. But before we teach them those categories, they either like it or they don't. Nobody is more passionate and nobody is going to scream louder than a 2-year-old. So if you're going to let them rock to something, why not give them some real rock in roll.

"I think we tend to underestimate what kids are able to hear and comprehend and enjoy-we think it has to be light and twinkly all the time," he continues. "I believe there's a way to create music for kids and adults that invites a shared listening experience. It's kind of the Bullwinkle test. I still laugh at Bullwinkle, and so does my 7-year-old son. Someone said it very succinctly the other day: Older plays younger, but younger seldom plays older. I'm trying to play both ways."

The seeds for Rashid's career were laid early. In the 8th-grade band, he was 11th chair of 11 trumpet players-"a horrible, miserable player," he says. His dad's birthday was coming up, and he asked him what he wanted. Dad said, "A Louis Armstrong record," and on the night of his birthday. Rashid's



father sat down with the 13-yearold Steve.

"I remember it like it was vesterday," Rashid says. "We were sitting in my room, and I had my trumpet in my lap. He put on the record, and I burst into tears. The light went off in my head, and that was the moment I decided to be a musician. There was something somagical about the way he played his horn, and something so undeniably beautiful—like a big secret that someone just told me and I had to share. My dad died when I was 15. But he was a writer and photographer, and I feel like I understand him better for the writings and photographs he left behind. So one of the reasons I'm doing this series of albums is purely selfishcreating artifacts for my own family.

Rashid is a musician first and foremost, a keyboard player and a dabbler who woke up one morning and found that he owned a studio. After completing his master's degree in musical composition at Northwestern, he was interested in putting his ideas on tape, and he began an apprenticeship under Justin Niebank (now engineering hits in Nashville) at a small Evanston studio known as Q&R Recording. Niebank left soon after for Streeterville in Chicago, and Rashid began managing the facility and

engineering, not to mention assuming a second career in jingle writing. Eight years later, he bought the place, redesigned it, upgraded the equipment and renamed it Woodside Avenue Music Productions.

Woodside today lies somewhere in that nebulous zone between commercial facility and project studio. There are paying clients, but they come for Rashid's production chops.

Two studios feed the single control room, which houses a Tascam M-3500, 24 tracks of ADAT (with BRC), B&W DM560 monitors, Panasonic SV-3700 DAT, a synth rack with a Roland S-50 as the controller, Sound Tools, and his new favorite piece of outboard gear, an Aphex Tubessence 107. ("I sing through a Neumann U8" or Shure SM7," he says, "run through Tubessence.") He writes at a grand piano and arranges in Master Tracks, Performer or Studio Vision. Audrey Clarke has been his assistant for a few years now.

The commercial aspect of the studio is likely to be trimmed back soon, and Rashid may be looking for new digs in the neighborhood. He's tiring of running a business and would like to spend more time. creating music.

"I would rather be writing than engineering," he says. "And I would like to lower my monthly nut. Basically, I would like to scale back the facility so that I can feel comfortable sitting alone in the studio just writing for a day without making any money. For the last five or six years. I've been building credentials in this kids' field, yet the only projects I've pursued are my own albums. That's ridiculous. If I'm looking to do things besides my own albums, then I should be looking at other opportunities within the kids' educational field."

BY TOM KENNY

ULINAIE CONFROL

CC0

035928

The Alesis BRC[™] Master Remote Control...

ESIS

.

-

2

the ultimate power tool for the ADAT[®] Digital Recording System.



- Control up to 16 ADATs (128 ADAT tracks) from one location
- Synchronize ADAT to SMPTE time code, or MIDI systems to ADAT using SMPTE, MMC, MTC or MIDI Clock
- Create digitally-assembled productions using bars/beats or second/frame/sample display references
- Store 460 locate points, 420 with user-definable names
- Copy and paste digital audio between ADATs with single-sample accuracy
- Auto Punch In/Out, Pre/Post-Roll, Rehearse Mode, Track Delay, Digital Crossfading, Auto Loops, Session Data Backup and more
- Completely compatible with the new Alesis ADAT-XT*

For more information about the BRC, see your Authorized Alesis Dealer or call 310-841-2272. @ Alesis and ADAT are registered trademarks, BRC and ADATXT are trademarks of Alesis Corporation

Alesis Corporation 3630 Holdrege Avenue Los Angeles CA 90016 310-841-2272 alecorp@alesis1.usa.com





and Cincinnati

Shine as Secondary

posite ends of Ohio but inextricably linked in terms of proaudio, have become busy hubs of regional and national ad-

vertising. And at a time when commercial audio has become

Commercial Hubs

fretching from the Land o' Lincoln to the Buckeye State, encompassing Hoosiers and Walleyes, the North Central U.S. is simultaneously huge and anonymous in the recording world. It resurrects memories of a time when the

modern entertainment culture was a heartland nexus, a breeding ground for a wide variety of music, from the Ohio Players to Grand Funk Railroad to John (Cougar) Mellencamp. A time when Champagne, Ill., was a required stop on any serious club tour and the Agora chain of clubs throughout Ohio launched a plethora of acts, as did the smaller but singular venues like Bogart's in Cincinnati. Hey, did I mention Michigan? Detroit gets its own book.

The region hasn't changed, but the culture did. What happened in cities like Cleveland and Youngstown in the 1970s is a lot like what happened in Seattle in the '90s. (And if it's any consolation to those in Indiana and other North Central

states, Sony Records didn't set up an office there, either.) So, the business end of the culture moves on and looks for the next big thing in the next new place. That leaves what we're calling the North Central U.S. with a lot of memories. Perfect place to put the Rock and Roll Hall of Fame,

But other kinds of business continue to thrive, and Cleveland and Cincinnati, on op-



George Gates, president of Commercial Recording Studios, Independence, Ohio

more high-end than ever, that has meant that the recording infrastructure of those cities has changed along with it. "Neither one is a real music city anymore," recalls George Gates, owner and manager of Commercial Recording Studios in Independence (near Cleveland), which in 22 years has seen most every phase of Cleveland's audio history. "There was a time when Cleveland was a big place for music, when the city meant something significant from a recording artist's standpoint, when Cleveland Recording Studios would do Grand Funk records. But that's all gone now. What we're doing now is a lot of advertising work. And that business is doing very well for us and some other [area] studios. Fifteen years ago, local studios dealt with advertising work as filler around their music projects, and the local agencies had to go out of town for studios. Now [commer-

cials are] the main business here." In the process of shifting from a music base to a commercial one, Cleveland and Cincinnati have become microcosms of the change undergone by all secondary markets in the U.S. recording industry.

Gates' studio has four rooms, each equipped with Lexicon Opus workstations. One room also has an extensive MIDI se-

BY DAN DALEY

84 MIX. MAY 1996

quencing and synthesizer component running through a Neotek console. The lack of linear storage reflects the fact that, like many of the other major facilities in the region, virtually all of Commercial's work is, well, commercials, with spots for such agency clients as Appleby's Restaurants. Sterling Jewelers and the *Cleveland Plain Dealer*—and agencies of all sizes have come to expect digital audio.

Despite the fact that virtually all work is for regional agencies, Gates says technology has opened up Cleveland's advertising and audio base, primarily via ISDN communications, which makes talent from Los Angeles and New York into other regional and even primary markets in order to get enough work to maintain profitability."

The other key, says Streitmarter, is to keep a regional studio's repertoire as varied as possible. Like other area studios. Sound Images does original music as well as straight agency recording. And scoring has become a larger presence in the business mix for the facility, raising the budgets and the stakes. In addition, Streitmarter stresses that inhouse talent is becoming increasingly important as agencies emphasize cost-effectiveness for their own clients. "The clients have gotten pretty sophisticated when it comes to



Beechwood Studios' Audio A recording suite; right: Beechwood's John Cesorio

instantly accessible. "It diminishes the emphasis on location," says Gates. "We have the same access to talent pools as anyone else, and as a result, so do our clients. Now, we realize that that doesn't mean we're going to draw work away from New York or Chicago. But it does allow us to widen the range of work we do and the range of services we can offer clients." And additional services benefit overall revenues; projects that used to be finished in larger market facilities now can get completed in Cleveland, Gates adds.

GOING OVER THE BORDERS

Still, studios in Ohio, as in other secondary markets, have to cast a wider net than those in primary markets. "If we had to rely on local business, well, there's simply not enough of it," states Jack Streitmarter, president and creative director of Sound Images in Cincinnati, Streitmarter's four studios,

two of which house WaveFrame systems, are used for post and scoring work for local and national accounts, including McDonald's, Procter & Gamble (whose Cincinnati headquarters provides significant work for several Ohio studios), TCI Cable and Totes. "There's a lack of big-account work regionally," he adds. "To give you a comparison, in St. Louis, a similarly sized city, the agencies there do over \$100 million in billings annually; Cincinnati tops out at around \$70 million in billings. So you have to look

Studio A, Sound Images Inc.

is not so much to emphasize the specific equipment as it is to have the ltechnical talent that can get the most out of it for the clients. The clients aren't as technologybuzzword conscious as they might have been in the past. They know the names of equipment and what it can do. So a studio has to make sure

the technology of digital recording," he says. "They've spent time working in facilities in New York and Chicago, and that's raised their expectations. Our response

equipment and what it can do. So a studio has to make sure they can get all they can out of their technology, and the key to that is having the best talent. You have to rely more on the person behind the board than on the board itself." Sound Images has staff editors and engineers from far beyond Cincinnati, including one staffer from New York.

In casting wider nets, some studios have gone to the mountain rather than waiting for the mountain to come to them. Rich Goldman Productions, which operates two Pro Tools-equipped digital suites (one with Dolby Surround capability) in Cincinnati, opened a satellite office and forged a relationship with a local studio in Chicago several years ago. Although that relationship is no longer in place, Goldman contends that it did much to both increase business and awareness of his facility beyond city limits. "We've still held onto the accounts that came from that venture," he says. Current national accounts include McDonald's. Sprite and





USE READER SERVICE CARD FOR MORE INFO



Ohio State Board of Proprietary School Registration #80-07-0696T

Showtime, as well as local accounts for Procter & Gamble and Lenscrafters.

CORPORATE WORK AND OTHER SPIN-OFFS

As for related revenue producers, Goldman notes that companies like Procter & Gamble have a need for corporate audio work, as well as commercial work through agencies. "I'd say that local studios probably get more consistent work along those lines than for their commercials," which requires both in-house original music capability as well as extensive sound libraries, he says. Wider geographical and repertoire nets have also brought Goldman's studio into new fields, such as audio work for interactive game software from San Francisco and Chicago, including audio for Sony's Playstation system and other CD-ROM-based products. "When you're in a place like this, you have to go out to new clients," he says. "At the same time, one thing you learn is that studios and facilities in other parts of the country are sometimes overworked in terms of specialized audio, like games. If you have the capability to do specialized work like game audio, you can get clients that might have staved in their own backyard to come to you."

Technologies like ISDN also make studios seem "like they're around the corner" from distant clients, Goldman adds, noting that he recently storyboarded a project for an out-of-town client using QuickTime via the Internet. "The higher the technology, the more level the playing field becomes," he states. However, he adds, that is limited mainly to specialized audio projects like games. When it comes to spot commercial work, "Digital does not level the field. Not when plane tickets are cheap and they can go wherever they want for one day's work."

Back in Cleveland, Beechwood Studios gets its work from a combination of regional and national accounts, including spot work for regional agencies like Malone and for national agencies like J. Walter Thompson and Wise Advertising. Some of the spots for the smaller chains like Appleby's and The Home Place wind up running nationally. "You get national spot work, but often it comes by way of regional spots going national," explains studio manager John Cesario, who says that regardless of how a spot gets wider broadcast, it helps the credibility of the studio that handled the audio.

Beechwood has more extensive video capabilities than most area stu-



Control Room A, Goldman Productions, Cincinnati, Ohio

dios, including an Avid suite to complement its 16-track Post Pros, Euphonix console and 24-track analog capability, "You don't have to be fullservice for this market, but it helps," Cesario says, "We can shoot the spot and post it. But mainly you want to have a specialty that gives you a lead in a niche in the market."

Underscoring earlier remarks about the increasing sophistication of clients.

voice 7'4 492 2000

facsimile 714 492 4284

Cesario notes an interesting trend he's observed recently: Clients are less brand-conscious of technology, but they're becoming more feature-conscious, "They understand and want things like instant recall capability to be able to change spots quickly," he says. Brands continue to play an important part of technology decision-making, though, "In terms of buying an instantrecall console, I could have gotten away with something like a Yamaha 02R and spent considerably less money," he says, "But you have to consider that clients come in from all over, and they're used to certain names. The Euphonix name made a difference in the decision to buy, as did our feeling that it was also a good music console." (Beechwood does music recording as well as post work; Filter, an offshoot of Nine Inch Nails, did work on their first record there.)

Finally, the economics of regional studios work to their advantage when it comes to both local and national work. Lock-to-picture work at the studios mentioned runs between \$175 and \$200 per hour, considerably less than the \$300 to \$350 that Chicago and New York facilities routinely charge. Audio-only rates average \$130 per hour. But as Gates of Commercial Recording puts it, "Things cost differently for different markets. Everything is relative, except the quality of the finished product. At that stage, you're competing with the world."

Dan Daley is Mix's East Coast editor, He played every club there was in Obio, at least once, But that was a long time ago.



Sound System

The maturation of the live sound industry has led to the increasing standardization of practices and equipment. Today, most sound equipment rental companies can provide a system capable of producing 20 to 20k Hz with passable accuracy at more than adequate levels. Modern FOH mixing boards offer multiple submix and matrix outputs, which ease the creation of the summarizes the options. "Architectural solutions are great when you can get them," he says. "For highs and mids, they're quite economical and are beneficial to very large sections of the audience. When it comes to low frequencies, architectural solutions are humongously expensive, tremendously impractical and, for a touring professional, often a complete impossibility—

LIVE SOUND ENGINEERS

multiple subsystems necessary for optimal coverage in some applications. Loudspeaker manufacturers have one or two decades of experience in trying to perfect arrayable clusters.

These advances have greatly simplified the assembly of consistent touring systems, Today, competitive systems are generally reliable, deliver high SPLs and occupy much the same amount of truck space. Of course, most manufacturers and rental companies claim their systems sound "better" or are more cost-effective than the competition's, and most live sound engineers have a preference for particular systems and components. But most agree that the one factor that most affects the sonic character of a sound system in a room is the room itself.

At present there are only two ways to change the room/system response: alter the room acoustics or electronically adjust the frequency re-

sponse of the sound system. Bob Mc-Carthy, director of SIM⁺ engineering for Meyer Sound (Berkeley, Calif.), Simply running pink noise through the system and using third-octave graphic EQs to get a "flat" response on the display of a real-time analyzer is no guarantee of good sound. they have no cards in their hand. An electronic solution is the only game in town."

The electronic solution involves the following: A known signal source, such as a swept sine wave or pink noise (or evenmusic, in the case of SIM and related systems), is reproduced through the sound system. One or more measurement microphones placed in the room feed. an analyzer, which displays either the resulting room/systemresponse or the differences between the known signal source. and the measured output. By manipulating equalizers placed across the loudspeaker system. inputs, the operator modifies the system response so that resonances and other anomalies. introduced by the room are eli-

minated, or at least reduced. There's a lot more to it than that, of

course. Simply running pink noise through the system and using %-octave graphic equalizers to get a "flat"

response on the display of a realtime analyzer (RTA) is no guarantee of good sound. Some peaks and dips

BY CHRIS MICHIE



DISCUSS THEIR METHODS

can be caused by path length differences between multiple drivers and can only be rectified by synchronizing arrival times, either by delaying components or realigning multi-element arrays. Reflections from balconies, rear walls and other architectural features can produce a variety of interference patterns, some of which can be dealt with by complementary equalization, some of which should be left alone. Of course, once the audience enters, increasing humidity and temperature and bringing in acres of absorptive surfaces, any analysis performed earlier in the day in an empty, cold hall must

SYSTEM EQ Equipment choices

For system EQ, David Scheirman prefers digitally controllable units such as the BSS Varicurve or Klark-Teknik DN3600 that offer the facility to store and recall various EQ settings from memory. Ross Pallone is currently using the Yamaha YDG2030 digital graphic EQ. "I did some A/B tests between be considered suspect. But, provided the operator takes these and other factors into consideration, it is fair to say that judicious system equalization can improve the sound of most loudspeaker arrays in all but the most hopeless acoustic environments.

MEASUREMENT IS KEY

The key to successful system equalization is measurement. All measurement depends on standards, however, and until comparatively recently, the standards for *—CONTANUED ON PAGE* 95

that and [another digital graphic], and I thought the Yamaha digital EQ sounded much better," Pallone says. "I use it as one would a normal analog graphic EQ, with the exception that in addition to being a graphic it has four notch filters that you can add on top of your EQ, so if I have a particularly bad frequency I can dial in that notch filter and pull it out." David Revel carries an Audio Control RTA, which he chose because it's battery operated and portable. "It's easy to use and fits in my briefcase," he adds. Other EQ units mentioned by interviewees include the Meyer Sound GP-10 complementary phase parametric, The Apogee Sound CRQ-12, Klark-Teknik's DN-405 and 410 and Richardson PL-5.

AN INTERVIEW WITH David Morgan

David Morgan has been a concert sound engineer for 20 years. A performing musician for 13 years before that, Morgan began mixing for an L.A. band called El Chicano in 1975. In 1978, Morgan went to work for the Doobie Bros, as part of the road crew and was mixing FOH by the end of 1979. His clients include Bette Midler, Kitaro and Lionel Richie, but his primary occupation for the last few years has been as Paul Simon's sound man.

Morgan characterizes himself as a "seat of the pants" engineer. Though not at all opposed to the appropriate use of test and measurement equipment. Morgan equalizes his sound systems by ear. "I'm not a guy who flies a 747, I'm more like a guy who flies an old biplane. I do it the old-fashioned way-I listen," he says. Morgan's views on production values are also traditional: "[As a mixer] you're out there as a representative of the band, and you have a responsibility to give the ticket buyers what they paid for, which is a good clear shot at hearing the artist that they love, and you're also there to get them to come back the next time. The ticket buyer is the reason you're out there in the first place. Those of us who make our living in rock 'n' roll have been given kind of a gift life. We should take full advantage of that gift and try to give some of the good energy back and give everyone as good a show as they deserve. I try to take my ego out of the setup of the system as much as possible."

The following conversation offers a fascinating glimpse of the working methods that have rightly brought Morgan three TEC Award nominations, the respect of his peers and compliments from satisfied audience members around the globe.

What kinds of rooms do you feel you have the most experience with, and which do you prefer?

Eve done as many arenas and stadiums as anyone: I prefer a nice-sounding arena to almost anywhere else in the world. I like the energy you get from a big crowd of people having a good time. There's some nice-sounding arenas here in this country. My favorite sports arena for music here in the U.S. is



David Morgan and son at the board

the Palace in Auburn Hills. You can make that place sound just like your living room. A lot of people don't like doing the bigger venues, and make up all sorts of reasons why they're awful, but I have a good time doing them. I even like stadiums. I just like the way the performers relate to the crowd.

What's your method or technique for room tuning?

My method is to put on a routine of songs. I start with "The End of the Innocence" by Don Henley. I listen to that one because it's got some pretty unfriendly bottom end to it between 60 and 100 cycles. It's not a beautifully recorded bass or kick drum. It does, however, tell me how much energy in the room I'm 'allowed' with my bottom end. That's the first test: How much of the 18s in the S4s—I use Clair Bros, most of the time—am I allowed in this particular room. That song'll tell

"My choice of songs is based as much on their sonic deficiencies as their sonic advantages. I don't play these songs because they're perfect recordings; I play them because they're perfect for what I'm doing." me before I'm done with the first two measures. I know where that crossover's going to go right away. Sometimes you just reach for it and rip it all the way down, and then back it back up, and sometimes go, "Oh, the low end's not too bad in here; maybe I can leave it up."

I don't try to impose my will on a room. I'll take what the room gives me. I don't come in with a preconceived idea of what the show should sound like in any given venue in the worldthat's wishful thinking. If you try to cooperate with the room and take what it gives you, and base your performance on your physical surroundings, then I think you get a much better result. If you've got a room that's resonant in the low end, there's no sense leaving the bottom end up where it's just going to overpower your mix all night long. You're going to be fighting it just because you want that great kick drum sound. What I want the P.A. to do is not as important as what the room will allow.

You mentioned turning down the crossover. Do you turn down the bass or fiddle with the crossover frequency? It can be either, depending on the crossover system. With Clair's CTS system I can't get into it and move the crossover, so it's a matter of turning it down. Some people look at a crossover and figure that you have to start with all the knobs at the 12 o'clock position, because that's what the manufacturer recommends. The first place I start EQ'ing is at the crossover. If I can't get it right, then I'll start playing with the ¹/₄-octave. So I try to do very slight adjustments with the ½-octaves because I'm worried



When Was The Last Time A Speaker Made The Hair On The Back Of <u>Your</u> Neck Stand Up?

THE NEW FL103: ULTIMATE FIDELITY, UNCOMPROMISED DYNAMICS

Kenton Forsythe and the EAW engineering team invite you to experience reference nearfield reproduction that blows away dynamic constraints. This innovative true three-way design is masterfully voiced using a switchable bi-amp/passive internal filter network and optional Close Coupled Electronic Processing [™]. Its unique vented midrange cuts distortion dramatically, even at 124 dB peak SPL. If your audiences demand relentlessly natural, brutally accurate sound, audition the advanced acoustic energy source we call the FL 103. (The L is for loud.)

Complete performance specifications on the FL 103 High Output Ultimate Fidelity System are published through the Acoustical Performance Partnership program, and available at EAW's World Wide Web site http://www.eaw.com/.



One Main Street, Whitinsville, MA 01588 = Tel 508/234-6158 = Fax 508/234-8251 = BBS 800/889-2540 = BBS 508/234-6173 In Canada: Contact Distribution = Tel 416/287-1144 = Fax 416/287-1204

SEE US AT NSCA BOOTH #'S 120 & 121

about bass coherence. No matter how good a ½-octave is, there's only so many filters you can go through with different gains at adjacent frequencies—otherwise your phase is just going to fall apart. A cut or a boost—well, I hardly ever boost—a cut of 6 dB is a lot for me. I try to do it mostly with shaping. Instead of big 12dB cuts, I'd rather do a little "smile" here and there.

Next I go to the fourth cut on that Don Henley album, "The Last Worthless Evening," which is the exact opposite it has a nice, tight kick drum and a nice bass guitar. Henley's vocal on it is screechy in the 2 to 4kHz region, which it is naturally—Don's got a lot of serious overtones in that neighborhood. This is certainly not meant as any criticism of his voice, it's just what I hear. At that point I'll start going through the upper midrange and smooth that out. Usually the two anomalous areas in the room will be in the extreme lows and upper midrange area, the real "barky" area. We all use 2-inch exit HF devices, and a 4-inch diaphragm will always have a problem due to physics in that 2 to 3kHz range. That's where ear fatigue comes at a concert. You've got to get that range right.

Then I take that CD off and put on Lyle Lovett's *Pontiac*, and I listen to "If I Had a Boat," which has really beautiful



Alesis products have always delivered maximum performance and innovation at a price just about every musician can afford. It's just one reason why we here at Sweetwater have always been high on Alesis products and why we're probably one of the

(ALLES		15-50
1	COMPANY STORE STORE	
	Y XVAVANA A AND	
	A DESCRIPTION OF	
C COCCODDINA	Contraction of the second second second	0

the largest Alesis dealers in the world. But we don't just *sell* these great products, we *know* them, inside and out. Our sales engineers have hands-on experience using all of the many Alesis innovations, from the award-winning **QuadraSynth Plus Piano** and new **QS6 64-Voice Expandable Synthesizer** to the landmark, second-generation **ADAT XT**, affordable **MicroVerb 4** and the critically-acclaimed **Monitor Two** speakers. Whatever your needs may be in the studio (or on stage), chances are Alesis has the perfect product to do the job.



Close to 100,000 musicians around the world already choose Sweetwater Sound for all their hardware and software needs! Shouldn't you be one of them? Give us a try! We're willing to bet you'll be a Sweetwater customer for life.

Sweetwater offers products from over 100 of the best names in the business plus personalized service from our superbly qualified sales engineers and the finest technical support in the entire industry!



USE READER SERVICE CARD FOR MORE INFO-

HF on it. The high end and reverb on the acoustic guitar and the sparkle on his voice—that's a beautiful recording, direct to digital 2-track, I believe. There I'm listening to what's going on above that obnoxious 2 to 4kHz area and to see what's going on in the overtones if they're coming through. If not, maybe I have to take out more in the 2 to 4kHz range and then push the HF in general.

A lot of wireless microphones seem to have a node around 6.3 and 8 kHz. You often have to take a little of that out of the P.A. This Lyle Lovett cut lets me know what I'm going to have to do with the vocals. If it's really pingy up there in the 8kHz range, I'll have to take a little out.

After I get through that part of my judgment process, I go back to lower midrange and do the 400 to 1k Hz area [with Lovett's voice as a reference]. Lyle's got a big 800-cycle product in his voice—real nasal. There's a song called "L.A. County" on the same album that has pretty layers of acoustic and electric guitars—if I can hear all three parts perfectly then I know I've got the balance in the high-end correct.

The next song I put on is "More Than This" from Roxy Music's *Avalon*. We're talking a little lower low midrange in the 300 to 600 range. If I can understand Bryan Ferry mumbling, if I get good articulation, then I'm doing really well. Then I'll put on the track "Avalon," which has a great bottom end on it. That's a nice overall assessment of how the P.A. is operating. Then I'll go back to the Henley record and put on "Heart of the Matter," just because I love it llaughs], and I'll play it really loud. If it sounds good really loud then I've done a good job.

Those six or seven cuts do basically what I need to hear out of a room. It's an extremely personalized way of looking at the output of speakers, but it's something I can relate to and it's things I know really well. On "The End of the Innocence" we all know what Bruce Hornsby's piano sounds like—it's in your blood. If you can make it sound like a cross between an RMI and a small Yamaha grand, then you're pretty close! *What equalizers are you using*?

I use the TC 1128 programmable EQ, which I've become addicted to. I can't remember how it was possible to move faders on multiple graphics all at the same time before.

You do the same EQ on multiple parts of the system at one time?

Trying to match left to right was always a problem when you had faders with



"With the unmistakable voice of Julie Andrews in the new hit musical /ictor/Victoria, the speaker system had to be exceptional. I am very pleased with my selection of the EV DeltaMax™ speaker systems."

> Sound Design by: Peter Fitzgerald Sound System Fabrication. Scund Associates, Inc.

DeltaMax™



Electro:Voice

Electro-Voice, Inc. a MARK IV company 600 Cecil St. 3uchanan, MI 49107 00/234-6831 616/695-5831 In Camada: 613/382-2141

SEE US AT NSCA BOOTH #1608



CONCERT SERIESTM SEE US AT NSCA BOOTH #1310

he new Active Concert Series from U.S. Audio offers 32 to 48 channels of 1 by 4 professional mic splitting. A high input impedance eliminates the loading caused by passive 3-way transformer splitters and results in extended frequency response and improved sound from your dynamic mics. The Active Concert Series is designed to provide outstanding sonic performance without sacrificing the field-proven reliability of our original Concert Series passive splitter systems.

- Each input features a laser trimmed ultra-low-noise front end IC and feeds one direct output (typically FOH), two transformer isolated fixed-gain outputs, and one active variable gain output for recording or line feeds.
- Front panel features for each channel include a 3-LED headroom display, a gain switch, ground lift switches for the isolated outputs, and a gain pot for the variable gain output.

whirlwind

- The dual redundant power supplies feature separate AC cords, front panel monitoring, and automatic switchover.
- A wide range of input/output connector combinations is available. XLR inputs and Mass outputs are standard.

f you've been considering replacing your passive splitters with active, or you haven't been satisfied with the active splitters you've tried, call us today for all the details. It's the Active Concert Series from **U.S.Audio**. slightly different tapers. If you're using a couple of conventional graphics and park the fader on the silk-screen, you never know if it's right. You might be a dB or two off. The tapers on any given faders are never the same. When you're controlling a left and a right with a pair of TCs and you take 3 dB out at 400 on each side, you can be secure that it will happen.

With Clair Bros, you have F cabinets and P cabinets. P cabinets are the top row, long-throw cabinets, and the F cabinets are the old classic S-4-style short- to medium-throw cabinets. Then you have various groundfill cabinets. I'll usually have four stereo pairs out there that I have to work on. The TC really helps, it just moves you faster.

Do you have to play the songs several times to get each section of the P.A. sorted out, or can you do it one run through?

I'll do the short- and medium-throw first, and repeat certain of the tracks for the long-throw rows. The frontfills almost always stay the same—we're talking near-fields. However, if you have an obnoxious frequency that you take out of the main P.A. then it behooves you to take it out of the near-field stuff as well. The closer you are to a sound source, the less you need to EQ it or change it once you have it where you feel it sounds reasonably good in a free soundfield.

You baven't mentioned that you play any Paul Simon CDs.

No, I don't. Sometimes Fll play a Ladysmith Black Mambazo cut, the guys who sing a cappella, to check out vocal decay and articulation. Ill play that at Carnegie Hall and find out about intelligibility with multiple voices. I don't play Paul Simon. Paul's studio records are so contoured-Roy Halee does an amazing job. What a great engineer and producer. Every song is so uniquesounding that for EQ'ing a P.A., it's really something you'd want to play after you've finished. There's so much depth, stereo placement, that the subtlety would never come through if it was the first song you played in an untreated 18,000 seat arena. If you want to hear the AMS reverb on the toms on "Diamonds on the Soles of Her Shoes," you ain't going to hear it when you first turn the P.A. on in a big old ugly room. All you'll hear at Wembley Arena is Big Red, the old back wall.

My choice of songs is based as much on their sonic deficiencies as their sonic advantages. I don't play these songs because they're perfect recordings; I play them because they're perfect for what I'm doing.

How long did it take you to arrive at this list?

I've been using this list since The End of the Innocence came out-that was my latest addition. I used Toto IV for a few years. A lot depends on whether or not it satisfies the criterion for salient frequencies. For a while there were a couple of Doobie Bros. cuts I played. I've used various artists, but this particular combination has been working great for years. I just have a couple of DATs with me with these songs in order. I've added a few songs at the end. After I do the Roxy Music or "Heart of the Matter," I like to put on Vince Gill-a song called "Trying to Get Over You" on the 1 Still Believe in You record. It's a gorgeous recording. That's something you can put on after you're done with the EQ. Incredible reverb depth on his vocal and the snare drum. The layers of his vocal are so beautiful, and the piano's recorded really well. I'm a big Vince Gill fan, and that particular song does a lot for me.

On Joshua Judges Ruth, Lyle Lovett's fourth record, I believe, there's a song that George Massenburg put an amazing amount of bottom end on in the 20 to 30Hz region. It really shakes. It's called "She's Already Made up Her Mind," and that song is a nice one to sneak in when the crowd's in the building right before the show to see how much absorbency I've got from the crowd in the extremely low-frequency range and see if I can turn up the 18s-Emight have been timid about them earlier in the day when it was empty. There's a few songs I'll play in the half hour before the show if the artist is amenable-sometimes they demand that you play a specific program of walk-in music.

When you can choose, what kind of walk-in music do prefer?

I like to put on African music. I think it puts people in a good mood. A lot of the guys in Paul's band have done solo records, so I'll put on a lot of their stuff—that's always fun. The African stuff—there's a lot of syncopation to it, so I can actually here how much definition I'm getting out of the room.

Any pitfalls to your method of doing room EQ?

I've had pretty good results with it. The only pitfall is if the mixing position is totally unrepresentative of the rest of the room. I'm mostly doing arenas and stadiums so I usually have a good mix position exactly where I want to be. If I'm in theaters, I may have a problem. I did Kitaro in theaters last year, and that was really enjoyable-that man does beautiful music, and he's really a prince to work for-but they stuck me under balconies all the time, so thank God for the 100-foot cable on the TC Electronic remote head so that I could sit in the good seats and listen. The caveat of my method is that if the mix position is awful, then you're in trouble. I just finished doing Ms. Ross at the Super Bowl half-time show, and the mix position they gave me there was as bad as it possibly could be. I had absolutely no reference-it just sounded horrendous where I was. Plus I was in front of a beer stand and a major rest room area. so I had screaming drunk people around me all the time. Not only could I not hear the P.A. in a representative fashion, I could hardly hear it anyway. But it sure turned out well. Diana sang the show live—one of the few times anyone has sung a modern half-time show live-and it came off really well. We were all extremely pleased with the way the EAW system performed.

-FROM PAGE 89. SYSTEM EQUALIZATION

loudspeaker performance tended to be theoretical, even fanciful. Touring systems made up of separate bass bins, mid horns and tweeter boxes were inevitably set up slightly differently at every venue. Any misalignment of HF horns relative to mid woofers, for example, might result in cancellation rather than addition at crossover frequency. As a result, it was often hard to separate the variables of sound system performance from the effects of room acoustics.

However, by moving to the integrated modular systems approach-all the drivers in one box with associated and dedicated control electronics-manufacturers have been able to eliminate the alignment variables inherent in component systems and can now produce full-range systems that consistently meet specifications. Ken DeLoria, president of Apogee Sound (Petaluma, CA), dates his interest in advanced analysis and system equalization to complaints from customers that their Apogee systems sounded different in different environments. He knew that his integrated speaker systems performed consistently, so he focused his attention on the system/room response.

"We all know that the room plays a big part in how any loudspeaker



Please contact: Sheriff Nimens (905) 886-5000, Ext. #40 fax: (905) 886-6800 e-mail: brian@sound-ideas.com



sounds," says DeLoria. "But what I learned is that the room can make a far greater difference than I ever realized... before I started carrying instrumentation around and making actual measurements." DeLoria found that the effect of an acoustically hostile environment on his loudspeaker systems "could be of an order of 20 to 30 dB in the low end."

The measurement system DeLoria developed, Apogee Sound's COR-REQT, allows the operator to use music as a reference source, as do Meyer's SIM System II and the PREq. (Precision Room Equalization) system from the Solstice Company of San Rafael, Calif. All three systems make use of digital spectrum analyzers operating in the Fast Fourier Transform (FFT) mode in order to compare amplitude and phase response vs. frequency between two sources, typically the output of the mixing console and the input from several measurement microphones. Not surprisingly, some training is necessary in order to operate CORREQT and SIM systems correctly (PREq is offered on a consultancy basis only), and the designers of all three systems are quick to point out that faulty analysis of the data can lead the operator to make changes that can exacerbate the original problem.

POPE ON A 'SCOPE

Despite their expense and technological complexity, SIM, CORREQT and PREq. systems are gaining wide acceptance. Trained SIM operators are frequently called in for Broadway musicals and are often included in the sound crews for traveling cartoon-characters-on-ice shows. David Scheirman of Concert Sound Consultants (Bainbridge Island, WA) regularly designs sound systems for large-scale events and notes that some crews regularly include what he refers to as an equalization technician. or ET. Under Scheirman's definition, the ET's entire responsibility is to set up, calibrate and operate a measurement and analysis system and provide the sound system chief or mixer with information about the unique acoustical properties of the performance spaceinformation that includes how the system is responding in that space and how the system response is affected by equalization.

"There's a general trend at higherend, more complex events to have a dedicated ET," says Scheirman, who will on occasion specify an ET for his "If it is the opening and closing ceremonies for the Olympics, if it is the Academy Awards, if it is a presidential inaugural ball, you're going to have a lot of reasons to have precision system adjustment. The whole world is watching and listening..." —David Scheirman

projects. For Pope John Paul's 1995 appearance at Giants' Stadium, Scheirman designed a 22-zone speaker system based on Meyer Sound loudspeakers, some of which were 1,000 feet apart, "To me, one of the most appropriate things to do was to have a SIM technician there on site," says Scheirman, "SIM is a labor-saving, time-saving procedure and a proven technique that allowed us to analyze and adjust a very complex system in the shortest amount of time,"

Acknowledging the additional expense of adding an ET to the crew, Scheirman explains that "if it is the opening and closing ceremonies for the Olympics, if it is the Academy Awards, if it is a presidential inaugural ball you're going to have a lot of reasons to have precision system adjustment. The whole world is watching and listening, due to media coverage." Scheirman notes that crews and producers in broadcast and remote trucks will be able to hear things in their acoustically isolated control facilities that may go unnoticed at the FOH mix booth, "They can hear how your sound reinforcement system is energizing the acoustical space through their audience mics," he says. "These specialized EQ systems give the sound reinforcement engineer an effective way to deliver the best, most palatable product that does not interfere with the broadcast and media hookup and the overall media presentation of the live event."

It should be stressed that though modern instrumentation techniques for measuring system/room response can

USE READER SERVICE CARD FOR MORE INFO 96 MIX, MAY 1996

be very accurate, different techniques require different skills and may not always be suited to the application. "Once I am dealing with an entire loudspeaker array I find measurement tools-at least the ones that are available to me on a regular basis-are not as accurate as using my ears," says David Revel, A professional sound man for almost two decades. Revel has recently been working with jazz artists such as Lee Ritenour and Chick Corea and has directed multimedia events for Pepsi-Cola, Lexus and other corporate clients. He has also worked on Concert Sound Consultants' projects with Scheirman for the New York Philharmonic, the Metropolitan Opera and the Korean Liberation Day Celebration in Seoul, Korea.

Revel notes that acoustic problems caused by path length differences and comb filtering are particularly tricky to identify correctly. "Using an RTA with only ½-octave resolution can really lead you astray more than it can help you," he says. As Meyer's McCarthy explains, "SIM II requires a lot of experience and training. RTA requires no experience and training, but it also can't get you very far. With RTA, you're seeing a minuscule part of the picture, at low resolution, and [you're looking at] amplitude only," (By contrast, FFT-based methods allow the operator to examine many more aspects of the sound system performance, such as the phase response and time arrival of different speakers, as well as amplitude at every frequency with resolution of up to ½ octave.)

David Morgan is also skeptical of the pink noise/RTA method. "I don't use ½octave analyzers. SPL meters, anything other than my ears," says Morgan, FOH mixer for Paul Simon. "I used to. When lvie came out with that portable handheld ½-octave analyzer in '78, I tried using that for a while. I'd build myself a gorgeous-looking curve, but when I put music on it would sound awful. Why bother?"

Scheirman emphasizes that the system chief or FOH mixer is still ultimately responsible for the sound quality. "If the ET is there to perform a service and defer to your creative judgment, then the outcome is probably going to be more favorable than if the person is there to explore the outer limits of the unique technology that he or she is still perfecting," says Scheirman. "But if you have the budget and a compatible person to work with, [using an ET] is always worth the effort."

Revel agrees. "I recently had the op-

EZ AUDIO TEST SYSTEM

Measurement system in a lightweight convenient carrycase



USE READER SERVICE CARD FOR MORE INFO



performance audio applications. Call for a FREE interactive multimedia product catalog (PC or Mac) & the location of your local Technomad dealer. International Distributors & Dealers Wanted.

340 Riverside Drive Northampton MA 01060 USA Phone: 800-464-7757 Fax: 413-586-5681 Web: http://www.technomad.com Email: info@technomad.com



portunity to work very closely with a SIM operator on a show I did in Las Vegas at the MGM Grand Garden and was very impressed with the ability to look at the entire system as a whole with much greater resolution than with a ¼-octave analyzer," says Revel, "Given my druthers, Fd like to have a SIM system at every show."

TONES AND TUNES

Of course, not every system setup is as demanding as a Papal Mass in a football stadium, and many clients have much more stringent budget considerations. What does Scheirman recommend when SIM. CORREQT or PREq are not realistic options?

"The very first thing that I typically do is give the system a swept sine-wave input, sweeping from highs to lows, to confirm the power-band response of the system," says Scheirman, naming Gold Line's Loftech TS-1 variable-tone oscillator as an affordable and useful test tool. When working as an FOH engineer employed by the client/performer, Scheirman typically relies on the sound company's system engineer to perform test functions and ensure that the system is working up to specifications. After he has established that the system has flat power-band response-"meaning the lows, mids, and highs have the proper relationship to each other"-and that multiple zones are in the correct time relationship with each other, Scheirman plays a CD.

"One that I've had good success with is called 'I've Got the Music in Me' by Thelma Houston," says Scheirman, referring to a direct-to-disk recording first issued on vinyl in the 1970s. "Direct-todisk recordings have the highest possible quality with the least distortion and larel the best way to simulate live music without having to inconvenience all the artists early in the day to do a very extensive sound check just to confirm that the system drive components are adjusted properly."

"I like to start by looking at one individual speaker box—that may be a three-way or four-way box, depending on the system," says Revel. "I start by turning on one speaker cabinet, all by itself, and measuring that cabinet. I generally use pink noise and an RTA because I don't always have access to nice tools like SIM and TEF. I try and make the response of the one cabinet as accurate and relatively flat as I can, and then I go on and turn on the rest of the system and use various CDs and music program to tweak the response of the "I just sit there and listen all day long what it sounds like when somebody drops a shackle or a piece of plywood. You can learn a lot about the frequency content of the room...just by listening to the sounds of people talking, yelling, things dropping, wheels rolling..." —David Morgan

array as a whole. I try to pay a lot of attention to how I stack the speakers in order to minimize coverage overlap and the comb filtering that comes with that. But at low frequencies, obviously, one can't have a lot of effect on that."

All of the FOH engineers I spoke to use recorded music as a test source and all have particular preferences. (See the David Morgan interview sidebar for a revealing look at how music can be used as a test signal). Ross Pallone's reference mix is The Nightfly by Donald Fagen. "I've been using it for twelve years now, ever since I started doing live sound," says Pallone, who began his career in recording studios and went out on the road with Michael McDonald after recording his second album. Pallone is now FOH mixer for John Tesh, and was nominated for an Emmy for Tesh's "Live at Red Rocks" TV special, which Pallone also recorded. "There's not a lot of effects on [The Nightfly], it's not real wet, and I know exactly how the highs and lows should sound coming off of that CD. If there's an RTA in a room I'll look at it, but it's not a necessity for me," Pallone says.

Revel generally picks a CD similar in musical style to the program that will be played at the event. "So for example, if I'm doing a jazz show with Lee Ritenour, I would probably pull a Lee Ritenour CD. If I was doing a show with opera or classical, I would use an opera or classical music CD," says Revel. In addition to the Thelma Houston CD, Scheirman recommends playing recorded speeches by "a good, fiery orator who is trying to address a large crowd through a microphone." Malcolm X and Martin Luther King Jr. are good examples.

How long Revel spends on system EO depends on the situation and his role. "If I'm the band engineer just coming in at a festival, then not more than fifteen minutes to half an hour," he says. "If I'm the systems engineer for a large festival and I get to start from scratch. I've spent as long as three to four hours, sometimes longer, depending on the situation." Pallone works fast. "In a typical situation, where I'm carrying my own P.A. system, I can do it in about ten minutes," he says. "If I patch into the house system and they have under balcony fills and high balcony fills, it'll maybe take me about twenty minutes or so.

Like most professional touring engineers whose travel arrangements make it possible, Morgan likes to spend as much time as he can setting up his system EQ. "I come in at rigging call," says Morgan. "I don't come in at four in the afternoon with the band. I ride on the bus with the crew. I go over the P.A. with the sound company guys, what we're going to use, how we're going to use it that day, at rigging call, whenever that is. Once we've determined how the P.A. is going up and the guys don't need my help. I just sit there and listen all day long-what it sounds like when somebody drops a shackle or a piece of plywood. You can learn a lot about the frequency content of the room and you can have the room pretty much pre-EO'd in your brain just by listening to the sounds of people talking, yelling, things dropping, wheels rolling-there's all sorts of little things you can have already cataloged in your mind before you even touch the P.A."

BASS BUMP FOR POPS

Revel also rehearses EQ in his head. "I try to form a picture in my head of what I want the system to sound like, and so once I've got this basic flat response for a single cabinet then I listen to music and listen how the array interacts," he says. "For example, with popular music I may keep the bass bump that happens when you array many woofers together, because that helps me. But for classical music that may not help me, and it may actually hinder me, so I'll try to EQ that back out."

How much EQ Pallone uses depends on the room. "If it's a goodsounding room, I have to do very little—I might only take out at maybe two frequencies," he says. "The worse the room, the more I have to do. The worst thing is long low-end decay. It doesn't seem like there's much you can do about that—it's just there and no matter how much you take out it just seems to stay there. This gives you a problem in that you don't want things sounding too thin coming out of the P.A. cabinets for the audience that's up close."

In addition to those mentioned in the article, the author would like to thank Mark Frink, Alexander Yuill-Thornton II (Thorny), Don Pearson, John Murray, Sam Berkow and Chips Davis.

. . .

Chris Michie, Mix's technical editor, is a former live sound engineer and bas toured with Pink Floyd, Roxy Music, Sarab Vaughan, Mel Tormé and others.

(904) 418-2002

FBX FEEDBACK EXTERMINATOR[®]: The Standard in Automatic Feedback Control



FBX and FBX Feedback Exteriminator are registered trademarks of Sabine, Inc., and are the brand names of its line of automatic feedback controllers. Covered by U.S. Patent No. 5,245,665, Australian Patent No. 653,736, and Canadian Patent No. 2,066,624

USE READER SERVICE CARD FOR MORE INFO



BY STEVEN E. McCALE

Earphone Monitoring

arphone monitoring systems represent the future in stage monitoring. Earphone monitoring (also known as in-ear monitoring, at-ear monitoring and ear monitoring) allows the monitor mixer to exert complete control over what is heard onstage and nearly eliminates the adverse effects of room acoustics and loud onstage instrument levels. The use of ear monitors instead of traditional wedge and sidefill monitors may not only improve sound quality and performance, but they can also protect and conserve the hearing of everyone involved—musicians, sound engineers, other production personnel and the audience.

ILLUSTRATION BY JAMES ENDICOTT



DEADLY ACCURATE. BRUTALLY HONEST. THE BEST STUDIO AMPLIFIERS YOU'VE EVER HEARD.

What you hear is what you get. A rule to live and die by in the studio. A rule too many other amplifiers tend to forget. That's why we're introducing the new Studio Reference Series.

Our Studio Reference Land 2 are simply the most sonically accurate amplifiers you've ever heard. No added coloration to skew your mix. Excessive

headroom to handle even the most dramatic transients. Incredible damping for a tight, defined low-end. And noise that's so low, it's hard to measure and impossible to hear.

In short, the Studio References are the best amplifiers for super-critical evaluation in the studio or home. And, they're backed with Crown's exclusive World Radio History

Three Year Full No-Fault Warranty.

If you're ready to audition the most accurate studio amp you've ever heard, contact your Crown representative or call us at 1-800-342-6939 ext. 33.





Properly implemented, ear monitoring eliminates the need for multiple monitor speakers spread out across the stage. This reduces ambient noise and makes cleaner, more dynamic FOH mixes possible at lower levels. Live recording and FOH engineers no longer have to deal with drum overheads picking up more of the drummer's monitor cabinet than the cymbals. Singers no longer need to push their voices to the point of damage in order to hear themselves over the P.A. and guitar amps. The lead vocal sound is no longer colored by the unavoidable "hollow" quality characteristic of loud monitors operating just below feedback. Lower transportation costs, less stage clutter, better communication and greater freedom of movement for the performer are just a few of the many additional benefits.

However, many artists and bands have abandoned in-ear monitoring after an initial unsatisfactory experience. In this article, I hope to show that with proper setup and a little fore-



It all started with the Summit TLA-100A tube leveling amplifier. If you bought one back in 1985, it's probably still working. And, worth more now than what it cost new.

Summit's growing family now includes the TPA-200B mic preamp, EQP-200 program equalizer, EQF-100 four-band equalizer, and the DCL-200 dual compressor-limiter. All share Summit's distinctive sound, and, of course, quality throughout.

HEAR THE WARMTH[™].



Summit Audio, Inc.[®] • P.O. Box 1678 • Los Gatos • California • 95031 (408) 464-2448 • Fax (408) 464-7659 sight, artists in all genres can enjoy the full benefits of the in-ear experience.

DETAILED MIXES AT LOWER SPLS

If the ultimate goal of the artist is to impress the audience, then making sure that every ticket-buying customer hears the best possible show is a step in the right direction. With no wedge and sidefill monitor spill to overcome, the FOH mixer can get a great sound at lower SPLs. Further, by isolating musicians' stage rigs, engineers can eliminate the backline wash that typically bleeds into every mic onstage and into the audience. (Of course, you don't have to use ear monitors to put the guitar amps backstage, but the isolated instruments will have to be fed back to the musicians in a monitor mix, whichever system is used. Using ear monitors avoids the situation in which the onstage instrument monitors re-create as much spill and background noise as the banished instrument amps,)

With most of the "stage wash" eliminated, the FOH mixer doesn't have to run the house sound system as loud. We all know (or should know) that the ear will protect itself by "shutting down" when exposed to loud noise. Conversely, when exposed to lower levels, ears "open up" and remain sensitive to a greater dynamic range. A house mix that makes use of this increased dynamic range can take on a quality that compares with the dynamic range of digital recordings. With increasing live sound SPL regulations and today's focus on hearing conservation, the ability to preserve dynamic range and create detailed mixes at lower SPLs could be the single most important benefit of ear monitoring.

Artists who learn to use ear monitors properly will notice that the quality of their performance is enhanced. Correctly designed and fitted earphones seal out the ambient noise of the audience, backline and P.A., as well as unwanted acoustic reflections. A loud, clean sound is easy to achieve in that quiet environment, and in-ear monitor mixes can be incredibly consistent and precise. The apparent volume is the same, but the actual volume can be much less. The result is a sound that is easy to listen to night after night, and doesn't leave ears ringing.

Timing and pitch are also improved. Sound takes time to travel even short distances. It takes about 50 milliseconds for the sounds from wedges and sidefills on one side of the stage to reach the other side. Sounds arriving at

USE READER SERVICE CARL FOR MORE INFO

different times create timing and pitch problems for musicians (many chorus and doubling devices use delay times of 50 ms or less because of the "fattening" and slight detuning effects of short delays). The slightly "sloppy" sound of a traditional monitor system combined with venue acoustics makes it difficult to achieve the precise "studio" sound that many bands now seek. With monitor speakers actually at their ears.

PERSONAL MONITORS

by Michael Santucci

Affordable wireless and hard-wired systems are making personal in-ear monitoring systems, until now used mainly by top touring acts, available to a broader range of musicians and engineers. Improved and consistent sound quality, reduced feedback and freedom of mobility are just a few of the many advantages emphasized by manufacturers, and most claim that their products provide high-quality audio, with hearing safety built in. However, hearing safety is often minimized or misunderstood. Before committing to this emerging technology, product safety and quality should be carefully evaluated.

It is no secret that exposure to high sound levels from conventional stage monitors may cause irreversible damage to the inner ear, resulting in permanent hearing loss and tinnitus, or ringing in the ears, Personal monitoring devices. though miniature in size compared to stage monitors, are still capable of producing harmful levels of up to 120 dBA at the eardrum. However, with proper use and the guidance of a well-informed audiologist. they can allow a performer to hear the full dynamic range of music, while protecting the ear from permanent hearing damage.

After intensive training in the science of hearing and hearing loss, the majority of audiologists hold a master's degree, and some go on to complete a doctorate. Unfortunately, most audiologists have little or no experience in dealing with the special circumstances and individual needs of musicians, let alone sound everyone hears everything at the same instant, eliminating timing errors or delay-related distortions.

Another advantage of ear monitoring is the ability to create true stereo monitoring for performers. Even with two wedges, an artist must be in a precise location, and be playing solo, to get a real stereo mix. With earphones, everyone is always in the sweet spot. To the artist, this means a cleaner, more intelli-

reinforcement technology. Current college curricula do not educate the audiologist in hearing protection strategies for rock musicians. A wellinformed audiologist who specializes in working with musicians has probably invested extra time to understand both the applications of personal monitoring devices and the integration of hearing protection strategies.

Make the effort to locate an audiologist with expertise in the safe use of personal monitors. Ask specific questions: "What are the qualifications of the professional taking the ear impression? How can a personal monitor protect hearing? What is the maximum SPL of the transducer? Can the volume of this device be measured during rehearsal? How long can this personal monitor be worn, and at what volume, before there is a risk of damage?"

An effective strategy for protecting professional ears should include a case history, a hearing test, the use of peak limiters, the measurement of sound levels in the ear, plus an understanding of the use of personal monitors as protective devices.

A confidential interview with the audiologist provides them with important information about the specifics of past stage monitoring, individual hearing problems and possible medical conditions that may restrict the use of monitor placement in the ear. This information assists in the selection of the appropriate personal monitor.

A hearing screening test is essential and highly recommended. An initial hearing test serves as a baseline for future tests and takes only a few minutes. Regular testing *—CONTINUED ON PAGE 106*

Stot Top Top <thtop< th=""> <thtop< th=""></thtop<></thtop<>	EÜ			_	K	
 Casssettes Vinyl Records Graphics Graphics Mastering Studios - Density Mastering Studios - Density Mastering Studios - Density Mastering Studios - Density Price La Just Ready Package OPTICAL DISK REPLICATION Disk Price (Bulk) Ser-Up Cot vs Turn Around-be Quantity Price Ed Just S pars 1/10 pars 15 200 to 499 9 95 1100 4840 5500 54 500 to 1999 90 1000 75 375 33 10000 to 1999 90 1000 75 375 33 10000 to 1999 72 725 250 nc char 5000 to 25,000 65 nc charge na char from year Premostered CDR, replicated CD or 1630 metalebel film, Price 2 40dr Colobel 1 color or 999 a less). Premostered charge na char from year Premostered CDR, replicated CD or 1630 metalebel film, Price 2 40dr Colobel 1 color or 999 a less). Premostered are travel Business days, day 'T is day at receipt of moteries is acceptable for Just Case 8 Shrink-Worp Packaging, S.28; S.23 & 5,000 4 Chi in Jewel Case + Full Color Booklet and Trave C Booklet 300 500 L000 2,000 5,000 1-Panel \$1,627 \$1,748 \$1,903 \$2,993 \$5,944 4-Panel \$1,637 \$2,947 \$2,243 \$3,353 \$3,564 4-Panel \$1,627 \$1,748 \$1,903 \$3,533 \$5,644 4-Panel \$1,627 \$1,748 \$1,903 \$2,993 \$5,944 4-Panel \$1,627 \$1,748 \$1,903 \$3,273 \$4,949 at case a Shrink-Worp Packaging area between the trave we applicate layout, typesetting, amphilis prod. Shrin and printing for trave are due trave. MED CO-AUDIO PREMASTERING? From yee regreate soin \$clutions PMcD Master and Reference Disk fory or o \$125 to 25 minutes; \$140 to 63 minutes; \$150 to 74 minutes (12 Min, \$700 \$1,004 \$1,388 \$2,090 \$2,00 13 2,09 Min, \$701 \$1,148 \$1,865 \$2,478 \$3, 33.73 \$2,600 13 2,00 Min, \$701 \$1,148 \$1,865 \$2,478 \$3, 31.70 Houldes and Meterence Disk fory or 0 \$125 to 25 minutes; \$140 to 63 minutes; \$150 to 74 minutes (12 Min, \$715 \$935 \$1,344 \$1,913 \$2,207 \$3, 30.49 Min, \$791 \$1,148 \$1,865 \$2,478 \$3, 31.70 Houldes in \$740 \$2,267 \$3, 30.49 Min, \$751 \$1,714 \$2,267 \$3, 30.49 Min, \$750 \$		CI]-/	AU	IJ	U
 Casssettes Vinyl Records Graphics Graphics Mastering Studios - Density Mastering Studios - Density Mastering Studios - Density Mastering Studios - Density Price La Just Ready Package OPTICAL DISK REPLICATION Disk Price (Bulk) Ser-Up Cot vs Turn Around-be Quantity Price Ed Just S pars 1/10 pars 15 200 to 499 9 95 1100 4840 5500 54 500 to 1999 90 1000 75 375 33 10000 to 1999 90 1000 75 375 33 10000 to 1999 72 725 250 nc char 5000 to 25,000 65 nc charge na char from year Premostered CDR, replicated CD or 1630 metalebel film, Price 2 40dr Colobel 1 color or 999 a less). Premostered charge na char from year Premostered CDR, replicated CD or 1630 metalebel film, Price 2 40dr Colobel 1 color or 999 a less). Premostered are travel Business days, day 'T is day at receipt of moteries is acceptable for Just Case 8 Shrink-Worp Packaging, S.28; S.23 & 5,000 4 Chi in Jewel Case + Full Color Booklet and Trave C Booklet 300 500 L000 2,000 5,000 1-Panel \$1,627 \$1,748 \$1,903 \$2,993 \$5,944 4-Panel \$1,637 \$2,947 \$2,243 \$3,353 \$3,564 4-Panel \$1,627 \$1,748 \$1,903 \$3,533 \$5,644 4-Panel \$1,627 \$1,748 \$1,903 \$2,993 \$5,944 4-Panel \$1,627 \$1,748 \$1,903 \$3,273 \$4,949 at case a Shrink-Worp Packaging area between the trave we applicate layout, typesetting, amphilis prod. Shrin and printing for trave are due trave. MED CO-AUDIO PREMASTERING? From yee regreate soin \$clutions PMcD Master and Reference Disk fory or o \$125 to 25 minutes; \$140 to 63 minutes; \$150 to 74 minutes (12 Min, \$700 \$1,004 \$1,388 \$2,090 \$2,00 13 2,09 Min, \$701 \$1,148 \$1,865 \$2,478 \$3, 33.73 \$2,600 13 2,00 Min, \$701 \$1,148 \$1,865 \$2,478 \$3, 31.70 Houldes and Meterence Disk fory or 0 \$125 to 25 minutes; \$140 to 63 minutes; \$150 to 74 minutes (12 Min, \$715 \$935 \$1,344 \$1,913 \$2,207 \$3, 30.49 Min, \$791 \$1,148 \$1,865 \$2,478 \$3, 31.70 Houldes in \$740 \$2,267 \$3, 30.49 Min, \$751 \$1,714 \$2,267 \$3, 30.49 Min, \$750 \$	CN	L.R	20	M		
 Vinyl Records Graphics Mastering Studios - Dente Price International Procession - Retail Ready Package OPTICAL DISK REPLICATION Disk Price (Bulk) Set Up Cost vs Turn Arcound Pro Quantity Price Ea. 3 Bars 5 pers 1/1 Bars 15 200 to 499 5 95 \$1,100 48 to 5500 550 30 to 499 5 95 \$1,100 48 to 5500 550 30 to 499 5 95 \$1,100 48 to 5500 550 30 to 1999 00 1000 775 375 33 30 000 to 1,999 80 900 425 200 1 2 000 to 25,000 .65 no charge na char from your Premostered CDR, replicated CD or 1630 mediabed film, Price 2 calar (D) bedel (1 color 0 999 a kes). Premostering & Packaging or av Business days, day '1's id you' receipt of moterist is corectable form Jewel Case & Shrink-Wrop Packaging, 5.28; 5.25 @ 5,000 4 RETALL-READY CD PACKAGEE With Full Color Gramphics Cos in Jewel Case + Full Color Booklet and Tray O Booklet 300 500 1,000 2,000 5,000 1-Ponel 51,627 51,748 51,903 52,893 55,94 4-Ponel 51,975 52,108 52,663 53,873 57,09 mediades graphics layout, typezetting, graphics pracks. Ihm and printing for tray and and 2 color (D) lobel (1 color let 999 nelses), replecting and priot in shrak-wropped jewel cose. You sapply-a layout sketch, plotos, and Pren 0 19,075 52,000 52,663 53,873 57,09 mediades graphics layout, typezetting, graphics pracks. Ihm and printing for tray and and 2 color (D) lobel (1 color let 999 nelses), replecting and poin in shrak-wropped jewel cose. You sapply-a layout sketch, plotos, and Pren 0.8 we do the res. MEED CD-AUDIO PREMASTERING? From you we praduce sonis Sclutions PMCD Master and Reference Disk fory or o 5125 to 25 minutes; S140 to 63 minutes; S150 to 74 minutes 710 - 40 Min, 570 51,074 51,714 52,267 53, 30 - 49 Min, 570 51,074 51,714 52,267 53, 31 - 29 Min, 570 51,074 51,714 52,267 53, 31 - 29 Min, 570 51,074 51,714 52,267 53, 31						13
 Graphics Mastering Studios - Documentation Mastering Studios - Documentation Provide Street - Street Bulk Replication / Retail Ready Package OPTICAL DISK FEPLICATION Disk Price (Bulk) Set Up Cost vs Turn Around-the Quantity Price Ed. Burs Stands Stands Street Stands Street	2					
 Masteringgerunder in der Standigerunder im Standigerund					us	
Studios - Diministration of the server of th	•	Graj	phic	:5	1.41	
Excerpts from our catalog Bulk Replication / Retail Ready Packag OPTICAL DISK REPLICATION Disk Price (Bulk) Set-Up Cost vs Turn Around-De Quantity Price Ea 3 ans 5 pers 1/1 pars 15 200 to 499 9 5 51,100 %8 to 5500 53 300 to 499 9 5 51,000 %8 to 5500 53 300 to 1999 90 1000 775 375 3000 to 1,999 80 900 625 2010 1 2000 to 4,999 72 725 250 ncchar 5000 to 25,000 .65 no charge na char 70m yaur Premosteed CDR, replicated CD or 1630 omdblock lim, Prices 2 000 to 125,000 .65 2 valar Case & Shrink-Wrop Packaging, S.28; 5.25 @ 5,000 d .000 1 Bawel Case & Shrink-Wrop Packaging, S.28; 5.25 @ 5,000 d .000 .000 .000 Pareel 31,627 S1,748 S1,903 S2,693 .59,74 4-Ponel S1,627 S1,748 S1,903 .52,69 .50,00 .000 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td></t<>						
Bulk Replication / Retail Ready Packag OPTICAL DISK REPLICATION Disk Price (Bulk) Set-Up Cost vs Turn Around-De Quantity Price (Gulk) Set-Up Cost vs Turn Around-De Quantity Price (E. 3 gars 5 pars 110 pars 15 200 to 499 90 1.000 775 375 3 1,000 to 1,999 .80 900 625 200.1 1 2000 to 4,999 .72 725 250 n.c. char 2,000 to 1,999 .90 1.000 775 375 3 2,000 to 25,000 .65 n.o. charge n.c. char 5 0.00 to 25,000 .66 2,001 to 25,000 .66 no.c. charge .72 5,000 to 25,000 .7000 RETAIL-READY CD PACKAGEE With Full Color Booklet and Tray (C Bookta 300 500 7,000 2,000 5,000 Indewel Case + Full Color Booklet and France Bookta 300 500 7,000 2,000 5,000		Stud	ios	-D	M	Π
Bulk Replication / Retail Ready Packag OPTICAL DISK REPLICATION Disk Price (Bulk) Set-Up Cost vs Turn Around-De Quantity Price (Gulk) Set-Up Cost vs Turn Around-De Quantity Price (E. 3 gars 5 pars 110 pars 15 200 to 499 90 1.000 775 375 3 1,000 to 1,999 .80 900 625 200.1 1 2000 to 4,999 .72 725 250 n.c. char 2,000 to 1,999 .90 1.000 775 375 3 2,000 to 25,000 .65 n.o. charge n.c. char 5 0.00 to 25,000 .66 2,001 to 25,000 .66 no.c. charge .72 5,000 to 25,000 .7000 RETAIL-READY CD PACKAGEE With Full Color Booklet and Tray (C Bookta 300 500 7,000 2,000 5,000 Indewel Case + Full Color Booklet and France Bookta 300 500 7,000 2,000 5,000	Exce	rots	fron	n oui	- cata	loa
Disk Price (Bulk) Set-Up Cost vs Turn Around-De Quanitity Price Ea. 3 tars 5 bars 10 bask 15 200 to 499 \$ 95 \$1,100 80 to \$500 50 200 to 499 \$ 90 1,000 775 375 3 1,000 to 1,999 .00 00 62 2001 1 200 16 900 62 2001 1 2000 16 900 62 2001 1 2000 10 999 .72 725 250 nce char 2000 to 2,000 .65 no char ethan char ethan char 12 000 to 4,999 .72 725 250 nce char 2 000 to 4,999 .72 725 250 nce char 2 000 to 799 alexis no char char char 2 edit 10 cor no lobar fill char	Bulk R	eplicati	ion / R	etail R	eady Pa	ackag
200 to 499 S 95 S1 100 S8 40 S500 S4 200 to 499 90 1.000 775 375 3 1,000 to 1,999 .80 900 625 204 1 2 000 to 4,999 .72 725 250 nc char 5 000 to 25,000 .65 nc char nc char 7 000 to 25,000 .65 nc char nc char 7 000 to 25,000 .65 nc char nc char 7 000 to 25,000 .65 nc char nc char 7 000 to 25,000 .65 nc char nc char 9 colocit Full Color of 99 or less). Pennisteints & Pactoging are a 8 usiness days, day '0's id day at receipt of materiats is acceptable form Jactoging are a 9 usiness days, day '0's id day at receipt of materiats is acceptable form Jactoging are a 9 usiness days, day '0's id day at receipt of materiats is acceptable form Jactoging are a 9 usiness days, day '0's id day at receipt of materiats is acceptable form Jactoging are a 9 usiness days, day '0's id day at receipt of materiats is acceptable form <td< th=""><th></th><th></th><th></th><th></th><th>st vs Turn Ar</th><th>ound-Day</th></td<>					st vs Turn Ar	ound-Day
Stot Top Top <thtop< th=""> <thtop< th=""></thtop<></thtop<>						
1000 to 1999 72 725 250 nc charget 1000 to 25,000 .65 nc charget nc charget nc charget 1000 to 25,000 .65 nc charget nc charget nc charget 1000 to 25,000 .65 nc charget nc charget nc charget 1000 to 25,000 .65 nc charget nc charget nc charget 1000 to 25,000 .65 nc charget nc charget nc charget 1000 to 25,000 .72 725 250 nc charget 1000 to 25,000 .73 15 day atreeipt of materiats is acceptable form 1000 to 25,000 .73 15 day atreeipt of materiats is acceptable form 1000 to 25,000 1.000 2,000 5,000 1-Panel 51,627 51,748 51,903 52,693 55,040 1-Panel 51,627 52,178 52,233 53,253 56,66 6-Panel 52,387 52,508 52,663 53,873 57,09 instrak-wrapped jevel cese. You sapply-a loyour sketch, plotos.and Pren 50,802 50,900 50,900 in strak-wrapped jevel					775 3	75 35
Sound 10 25,000 .65 no charge na charge From your Premostered (DR, replicated (D or 1630 and/obel film. Prices 24cdar (D) lobel (1 color on 999 or less). Premosterine & Pactaging are a - Business days, day 'T's day afreceipt of materiets is acceptable form -						
Fram your Premostered (DR, replicated (D or 1630 and/obel film, Prices 2-colar (D) lobel (1-color on 999 or less). Premosterine & Pactroging are an Business days, day 'D' is day afreceipt of materiets is acceptable form Jewel Case & Shrink-Wrap Packoging, S. 28; S. 25 @ 5,000 d RETAIL-READY CD PACKAGEE with Full Color Booklet and Tray G Booklet 300 500 7,000 2,000 5,000 1-Ponel 51,627 \$1,748 \$1,903 \$2,933 \$5,64 4-Ponel 51,627 \$1,748 \$1,903 \$2,893 \$5,64 4-Ponel \$1,627 \$2,178 \$2,233 \$3,653 \$6,66 6-Panel \$2,387 \$2,643 \$3,873 \$5,646 6-Panel \$2,387 \$2,508 \$2,663 \$3,873 \$5,646 6-Panel \$2,387 \$2,508 \$2,663 \$3,873 \$7,696 mixduds graphics layout, typesetting, graphics pracks. film and priming far tray curd and 2-colar (D) lobel (1-color far 999 or less). repFortion and point in shruk-wrapped jewel cose. You supply-a layout shetst, plotos.and Prer D) CD-COLAGUDIO PREWASTERING? From you we produce Sonic Schutters WRID Master and Reference Disk far your a \$125 to 25 minutes; \$140 to 63 minutes; \$150 to 74						
CDs in Jewel Case Full Color Booklet and Tray C Booklet 300 500 1,000 2,000 5,00 1-Ponel \$1,627 \$1,748 \$1,903 \$2,693 \$5,94 4-Ponel \$1,957 \$2,178 \$2,233 \$3,253 \$6,66 6-Panel \$2,387 \$2,508 \$2,663 \$3,873 \$5,09 includs graphics layout, typesetting, graphics pracks thin and primting far in and primting far in and primting far instruct-wapped jevel case. You sapply-a layout sketch, plotos and Prem CD-AUDIO PREMASTERING? From yo we praduce Sonic Sclutions PMCD Master and Reference Disk far your a S125 to 25 minutes; \$140 to 63 minutes; \$150 to 74 minutes RETAIL-READY CASSETTE PACKAGES writh Full Color Graph Full-Color Standard J-Card, Norelco Box - CHROM 500 1,000 2,000 3,000 \$,00 to 12 Min. \$720 \$1,048 \$1,888 \$2,090 \$2,71 3 - 29 Min. \$720 \$1,044 \$1,588 \$2,047 \$3,30 \$3,740 12 M						
1-Ponel S1,627 S1,748 S1,903 S2,873 S3,943 4-Ponel S1,957 S2,478 S2,233 S3,253 S6,64 6-Ponel S2,387 S2,508 S2,663 S3,873 S6,64 6-Ponel S2,387 S2,508 S2,663 S3,873 S6,64 6-Ponel S2,387 S2,508 S2,663 S3,873 S7,09 includs, graphic, layout, typesetting, graphics pracks, film and printing for trans instank-wanged level cose. You sapply-a layout shetch, plotos.and Prem CD-R ved to the rest. NEED CD-AUDIO PREMASTERING? From yo we produce Sonic Sclutions PMCD Master and Reference Disk for your all S125 to 25 minutes; S140 to 63 minutes; S150 to 74 minu RETAIL-READY CASSETTEE PACKAGES writh Full Color Graph Full-Color Standard J-Cord, Norelco Box - CHROD 500 1,000 2,000 3,000 5,00 to 12 Min. S70 S1,714 S1,888 S2,090 S2,478 S3, 13-29 Min. S70 S1,074 S1,714 S2,467 S3, S3, 49	CDs in Je	wel Case	+ Full C	Color Bo	oklet and	Tray C
4-Ponel \$1,957 \$2,478 \$2,233 \$3,253 \$6,64 6-Ponel \$2,387 \$2,508 \$2,663 \$3,873 \$5,709 includes graphics layout, typesetting, graphics pracifs, film and printing far tray curd and 2-color (D lobel (1-color fer 999 or less), replication and po- instank-wapped jevel cose. You sapply a leyout sketch, plotos.and Prem CD-R we do the rest. NEED CD-AUDIO PREMASTERING? From yo we produce Sonic Sclutions PMCD Master and Reference Disk far your of \$125 to 25 minutes; \$140 to 63 minutes; \$150 to 74 minu RETAIL-READY CASSETTE PACKAGES writh Full Color Graph Full-Color Standard J-Card, Norelco Box - CHROP 500 1,000 2,000 3,000 5,00 to 12 Min. \$720 \$1,004 \$1,588 \$2,090 \$2,73 30 -49 Min. \$791 \$1,148 \$1,805 \$2,478 \$3, 27,79 to 12 Min. \$715 \$935 \$1,394 \$1,918 \$2,600 to 29 Min. \$791 \$1,48 \$1,805 \$2,478 \$3, 27,79 to 12 Min. \$791 \$1,48 \$1,918 \$2,600 \$2,71 13 - 29 Min. \$795 \$1,746 \$2,033<		\$1.627	\$1.748	\$1.903	\$2.893	\$5.943
includes graphics layout, typesetting, graphics practifs. film and printing far tray urid and 2-colar (D lobel (1-colar ler 999 on less), repiration and po in shrank-wrapped jewel cose. You sapply-a layout sketch, plotos.and Pren CD-R we do the rest. NEED CD-AUDIO PREMASTERING? From yo we praduce sonic Sclutions PMCD Master and Reference Disk for your aj \$125 to 25 minutes; \$140 to 63 minutes; \$150 to 74 minu RETAIL-READY CASSETTER PACKAGES with Full Color Graph Full-Color Standard J-Card, Norelco Box - CHFOH 500 1,000 2,000 3,000 5,00 to 12 Min. \$720 \$1,004 \$1,588 \$2,090 \$2,2, 13 - 29 Min. \$750 \$1,074 \$1,714 \$2,267 \$3, 30 - 49 Min. \$791 \$1,148 \$1,865 \$2,478 \$3, Full-Color O-Card Single - CHROME TAPE to 12 Min. \$715 \$935 \$1,394 \$1,918 \$2,600 to 29 Min. \$716 \$979 \$1,476 \$2,033 \$2,77 Includes graphics layout, type:etting, wraphics printif printing, test casetie, and shrink-wrapping. You supely sketch photos on <i>Call For Our</i> Complete Catalog		\$1,957	S2,078	\$2,233	\$3,353	\$6,643
tray curd and 2-color. (D label (1-color fer 999 or less). replication and po in shrak-wrapped jewel cose. You sapply-a layout sketch, plotos.and Pren (D.R. we do the rest. NEED CD-AUDIO PREWASTERING? From you we produce Sonic Sclutions PMCD Master and Reference Disk for your or \$125 to 25 minutes; \$140 to 63 minutes; \$150 to 74 minu RETAIL-READY CASSETTE PACKAGES with Full Color Grapher Full-Color Standard J-Cond, Norelco Box - CHROM 500 T,000 2,000 3,000 5,00 to 12 Min. \$720 \$1,004 \$1,588 \$2,090 \$2,0 13 - 29 Min. \$750 \$1,071 \$1,714 \$2,267 \$3,3 30 - 49 Min. \$791 \$1,148 \$1,865 \$2,478 \$3,3 Full-Color O-Card Single - CHROME TAPE to 12 Min. \$715 \$935 \$1,394 \$1,918 \$2,600 to 729 Min. \$716 \$979 \$1,476 \$2,267 10 Zukin, \$716 \$979 \$1,476 \$2,267 10 Zukin, \$716 \$979 \$1,476 \$2,267 10 Zukin, \$716 \$979 \$1,476 \$1,918 \$2,600 to 729 Min. \$740 \$979 \$1,476 \$1,918 \$2,600 Call For Our Complete Catalog					\$3,873	\$7,093
we produce Sonic Sclutions PMCD Muster and Reference Disk for your of \$125 to 25 minutes; \$140 to 63 minutes; \$150 to 74 minutes; RETAIL-READY CASSETTE PACKAGES writh Full Color Graph Full-Color Standard J-Card, Norelco Box - CHROP 500 1,000 2,000 3,000 5,00 to 12 Min. \$720 \$1,004 \$1,588 \$2,090 \$2,7 13 - 29 Min. \$750 \$1,074 \$1,714 \$2,267 \$3,7 30 -49 Min. \$791 \$1,148 \$1,865 \$2,478 \$3,7 Full-Color O-Card Single - CHROME TAPE to 12 Min. \$715 \$935 \$1,394 \$1,918 \$2,600 to 29 Min. \$740 \$979 \$1,476 \$2,033 \$2,771 Includes graphics loyout, hyperetting, traphics private, film, graphics private, film, graphics private, and shrink-wrapping. You supely sketch photos and <i>Call For Our</i> Complete Catalog EUROPEADISK	tray cord and in shrink-wra CD-R we da	l 2-colar CD la pped jewel co 1 the rest	bel (1-calar se. Yan supp	fer 999 ai f dy-a layout s	ess), replication leetch, plicotos,	n and pad and Premo
RETAIL-READY CASSETTE PACKAGES with Full Color Graph Full-Color Standard J-Card, Norelco Box - CHROM 500 1,000 2,000 3,000 5,00 to 12 Min. S720 \$1,004 \$1,588 \$2,090 \$2,2 13 - 29 Min. S750 \$1,071 \$1,714 \$2,267 \$3,3 30 - 49 Min. S750 \$1,071 \$1,148 \$1,865 \$2,478 \$3,2 Full-Color O-Card Single - CHROME TAPE CHROME TAPE 12 Min. \$740 \$979 \$1,474 \$2,033 \$2,77 In 29 Min. \$740 \$979 \$1,474 \$2,033 \$2,77 In 29 Min. \$740 \$979 \$1,474 \$2,033 \$2,77 Includes graphics loyout, type=triing, uraphics priord. film, graphics printiprinting, lest cassete, and shrink wrapping. You supply sketch photos and Call For Our Complete Catalog CHROPEADISK <ut< th=""></ut<>	we produce S	Sonic Sclution	s PMCD Me	ster and Ref	erence Disk fa	r your opp
PACKAGES with Full Color Graph Full-Color Standard J-Card, Norelco Box - CHROM 500 1,000 2,000 3,000 5,00 to 12 Min. S720 51,004 51,388 52,090 52,0 13 - 29 Min. S750 51,071 51,714 52,267 53,3 30 - 49 Min. S750 51,071 51,714 52,267 53,3 12 Min. S750 51,071 51,488 51,865 52,478 53,3 Full-Color O-Card Single - CHROME TAPE to 12 Min. S740 5975 51,394 51,918 52,001 to 29 Min. S740 5979 51,474 52,033 52,77 Includes graphics loyout, type=triing, uraphics priorif. film, graphics priminprinting, test cassete, and shrink wrapping. You supply sketch photos onc Call For Our Complete Catalog						
500 1,000 2,000 3,000 5,00 to 12 Min. 5720 \$1,004 \$1,588 \$2,090 \$2,7 13 - 29 Min. 5750 \$1,071 \$1,174 \$2,267 \$3,304 \$3,304 \$3,304 \$3,304 \$3,304 \$3,478 \$3,2990 \$2,7 \$3,304 \$3,1714 \$2,267 \$3,304 \$3,1714 \$2,267 \$3,304 \$3,1714 \$2,267 \$3,304 \$3,1714 \$2,267 \$3,304 \$3,1714 \$2,267 \$3,304 \$3,1714 \$2,267 \$3,304 \$3,1714 \$2,267 \$3,304 \$3,1714 \$2,267 \$3,304 \$3,1714 \$2,267 \$3,304 \$3,1714 \$2,267 \$3,377 \$3,1714 \$2,267 \$3,377 \$3,1714 \$2,267 \$3,377 \$3,1714 \$2,2478 \$3,277 \$3,104 \$3,1918 \$2,603 \$2,2033 \$2,718 \$2,2033 \$2,717 \$3,1918 \$2,603 \$2,033 \$2,771 \$3,1464 \$2,033 \$2,771 \$3,1476 \$2,033 \$2,773 \$3,1476 \$	PACK	AGES	with	Full C	olor G	raphi
to 12 Min. S720 \$1,004 \$1,588 \$2,090 \$2,1 13 - 29 Min. S750 \$1,071 \$1,714 \$2,267 \$3,30 \$49 Min. \$791 \$1,148 \$1,865 \$2,478 \$3,588 \$2,090 \$2,478 \$3,304 \$49 Min. \$791 \$1,148 \$1,865 \$2,478 \$3,789 \$1,918 \$2,607 \$3,770 \$1,934 \$1,918 \$2,600 \$2,77 Indudes graphics loyout, typesetting, wraphics print. \$2,033 \$2,777 Indudes graphics loyout, typesetting, wraphics print. \$101 z guals \$2,033 \$2,777 Includes graphics loyout, typesetting, wraphics print. \$101 z guals \$2,033 \$2,777 \$2,033 \$2,777 Includes graphics loyout, typesetting, wraphing, to u supky sketch photos one \$2,033 \$2,777 \$2,033 \$2,777 Includes graphics loyout, typesetting, wraphing, to u supky sketch photos one \$2,033 \$2,777 \$2,033 \$2,777 Includes graphics loyout, typesetting, wraphing, to u supky sketch photos one \$2,033 \$2,777 \$2,033 \$2,777 Includes graphics loyout, typesetting, wraphics prin	Full-Colo					
30 - 49 Min. S791 S1,148 S1,865 S2,478 S3, Full-Color O-Card Single - CHROME TAPE to 12 Min. S715 S935 S1,394 S1,918 S2,60 to 29 Min. S740 S979 S1,476 S2.033 S2,77 Includes graphics loyout, type=ætting, wraphics prioritiprinting, test casseite, and shrink-wrapping. You supply sketch photos onc Call For Our Complete Catalog EUROPADISK	to 12 Min.		51,00	4 \$1,58	B S2,090	\$2,9
Full-Color O-Card Single - CHROME TAPE 1a 12 Min. \$715 \$935 \$1,394 \$1,918 \$2,60 ta 29 Min. \$740 \$979 \$1,476 \$2,033 \$2,77 Includes graphics loyout, type:exting, graphics prioritiprinting, test cassette, and shrink-wrapping. You supuly sketch photos and Call For Our Complete Catalog EUROPADISK LT						
to 12 Min. \$715 \$935 \$1,394 \$1,918 \$2,60 to 29 Min. \$740 \$979 \$1,476 \$2.033 \$2,77 Includes graphics loyout, typerætting, yraphics privat- printing, lest cassete, and shrink-wrapping. You supply sketch photos and Call For Our Complete Catalog						33,5
Includes graphics layout, typezetting, uraphics printi- printing, test cassete, and shrink wrapping. You supply sketch photos and Call For Our Complete Catalog EUROPADISK LT	to 12 Min.	. <u>\$71</u>	5 \$935	S1_394	\$1,918	S2 600
printing, test cossete, and shrink wrapping. You supply sketch photos ono Call For Our Complete Catalog EUROPADISK LT						\$2,778
EUROPADISK LT	Includes or a	phics layout, t cassette, and	ypeætting, i shrink-wrop	prophics pro sping. You su	ors, tilen, grap ipoly sketch, p	nics printin hatos and
EUROPADISK LT	printing, test				to Poi	talog
	printing, test	ll For ()ur Ci	omale	ilt Gai	
75 Varick Street, New York, NY 10013 = (212) 225-4401 FAX (212) 966-0456	printing, test					TI

MAT 1990, MIX 105



erful tool for hearing conservation (see sidebar). The loudest levels generated by earphones, although potentially damaging, are not nearly as loud as those that modern 2-inch compressiondriver wedge systems routinely produce. In an all-ear monitoring setup, with no wedges, feedback is all but impossible. If you also factor in the reduced exposure to the close-range effects of cymbals and Marshall stacks, it becomes obvious that an earphone system can be inherently easier on the ears.

However, a great deal of attention must be paid to protecting everyone's hearing and exposure time, and levels must be monitored properly to avoid hearing loss. Always use quality peak limiters as the last link in the chain, and set them to provide a maximum program level ceiling, as well as "spike" protection. Hearing safety is of the utmost importance and should not be taken lightly.

RELAX AND ENJOY

Once your production is accustomed to ear monitors, you will begin to ex-

perience some of the benefits. Performances will tighten, crowd response will improve and you won't leave the venue feeling as though you've spent the day working too close to a jackhammer. After a few weeks, the biggest question remaining will be, "Why didn't I do this years ago?"

Steve McCale, an engineer who has worked in the music industry for 20 years, is president of Soundproof Enterprises Inc. (Kimberling City, Mo.), a pro-audio consulting and design firm that specializes in providing personal monitoring devices for sound reinforcement. E-mail to soundprf@cmaster.com.

-FROM PAGE 103, PERSONAL MONITORS

is the only means to measure the effectiveness of the personal monitor as hearing protection. A new test, otoacoustic emissions (OAE), may provide early indication of outer hair cell damage, even before conventional tests show any significant decrease in hearing.

Some audiologists are equipped with miniature probe microphone technology, which can measure sound levels at the eardrum. Used during live rehearsals, this procedure establishes personal guidelines (OSHA or ISO) to eliminate damage caused by improper use. The technology enables the audiologist to direct the performer to the appropriate sound level for the daily number of hours the monitors will be used. This is the only method able to demonstrate and document the loudness of the personal monitor in the ear during actual use.

The use of brick-wall peak limiters only protects the ear from trauma caused by transient spikes and pops. Although peak limiters are an important part of the safety equation, they cannot be relied on to regulate the volume of user-controlled headphone amplifiers. Long-term exposure to moderate levels over many hours is as dangerous as occasional short bursts. Although professional engineers should be able to reduce accidental exposure to brief transients, the greater risk to hearing comes from everyday use at unsafe levels.

As protective devices, custom-

molded transducers offer greater acoustic isolation than generic ones, For proper protection, the personal monitor must be able to isolate the ear from ambient sound of the backline and P.A. This higher signal-tonoise ratio inside the ear canal allows the performer to listen clearly at lower levels. Wearing a consumer "ear bud" while listening to a Walkman on "five" in a quiet room may be sufficiently clear, but on a noisy street, the same program material may need to be on "ten" for the listener to perceive the same loudness, as ambient noise masks the signal. Unless the device fits inside the second bend of the ear and seals the canal, outside sounds will mask the signal and force louder monitoring. Any product with open sound ports and surface placement of the transducers will have a reduced ability to isolate from background noise.

Ear canals come in all shapes and sizes. A custom mold of the ear extends beyond the second bend of the ear canal and should be taken by an audiologist. First, the audiologist otoscopically inspects the ear canal for wax, debris or disease. A cotton or foam block is carefully placed near the eardrum, and silicone material is injected into the canal to find the shape of the ear. It is a painless but unusual experience. The ear impression is sent to the manufacturer where the shell is cast and the electronics installed.

Manufacturing techniques, transducer types, construction materials and service vary among manufacturers. Personal monitors can be made of soft material, hard acrylic or a combination of both. The following features are recommended:

• The canal portion should be soft to maximize comfort and deep to provide acoustic isolation.

• Testing in a 2cc coupler (the average volume of an ear canal) should be provided to document the product's consistency.

• A minimum 90-day warranty for manufacturing defects should be standard.

• Ear impressions should be retained for remakes.

• Choices from a variety of transducers, styles, materials and isolation capabilities should be offered to satisfy personal sound quality preferences and address individual hearing protection concerns.

It's safe to say that personal monitoring is here to stay. Audiologists now have adequate tools to direct musicians and engineers in the safe use of these devices and to implement effective strategies for prevention of hearing loss. Take time to investigate before committing to a product. They're the only ears you'll ever have.

Michael Santucci is an audiologist who has worked in the music industry for over ten years. He is founder and president of Sensaphonics Hearing Conservation (Chicago), which provides personal monitoring devices and hearing protection strategies through an international network of informed audiologists.

Match & Win Quiz

See if you can match the Digital Multi-track machine on the left with its ideal recording companion on the right.

#2 Soft Lead Pencil only! Be neat, work slowly, keep lines straight. No erasing!



ANSWER: ATI's new 8MX2 Preamp/Mixer is the ideal companion to ANY of the many digital multitrack machines in use today! Loaded with features, the 8MX2 allows the highest quality recordings to be made, either in the studio or on the road. Hitch an 8MX2 to the front end of each of your Digital Multitrack machines and start doing some serious recording!

SEE US AT NSCA BOOTH #722

lucts and trademarks shown are the property of their respective pwnees. Spic fical



Here's how you win. Just buy an 8MX2 Preamp/Mixer and receive a case of blank recording tapes (either S-VHS or Hi-8) absolutely free from ATI! Free tape coupon included with every 8MX2. Coupons redeemed by September 30, 1996. One coupon per 8MX2 purchased. Get to your pro music dealer today and ask for the 8MX2, or call ATI at 1-800-642-8063.

(if you own a hard disk recorder, you're already too cool. We'll send you the tapes for your VCR!)

ATL • Audio Toys, Inc. • 9017-C Mendenhall Court • Columbia, MD 21045 • Phone: 410-381-7879 • Fax: 410-381-5025 ved without prior notice. 🕫 1996 Audio Toys, Inc

• 8MX2 8MX2 • 8MX2 8MX2

SoundCheck SYN-AUD-CON LIVE SOUND WORKSHOP



ShowCo's Howard Page leading a group discussion

Syn-Aud-Con's seventh annual Live Sound Workshop took place during the three days preceding the Winter NAMM show in Anaheim, on the campus of Chapman University in nearby Orange, Calif. The workshop is in its second year of being ably hosted by Pat and Brenda Brown (following the retirement of the distinguished Donand Carolyn Davis). Sound reinforcement topics are presented by a staff of industry veterans, including workshop co-founders Will Parry and David Scheirman, Audio Analysts' vice president Albert Leccese, Jaffe Acoustics' director Dave Robb, Mick Whelan of JBL Professional and ShowCo vice president Howard Page.

The Live Sound Workshop is the only event of its kind in North America, providing novice audio engineers a unique sample of the latest techniques and technologies in sound reinforcement. Attendees include students; regional sound company owners and employees; system operators from churches, auditoriums, live music clubs and theme parks, as well as manufacturing engineers who recognize the need for up-to-date contact with this vital part of the sound industry. Special emphasis is placed on the hands-on aspects of setting up and

Group presentations were held in the mornings, with attendees choosing from two tracks of instruction in the afternoons. The first

.....

I had the opportunity to become familiar with the SX-1; my review appears on page 146 in this issue.) Satellite systems downstairs were run off of splits from the main snake, using a 40-channel, fourway BSS MSR-604 II active splitting system. Consoles downstairs were the Crest Vx, Mackie SR 24-4, Soundcraft K-3 and K-1, along with auxiliary gear from Lexicon, Yamaha, Roland, Aphex and Drawmer. Wireless lavaliers from Sennheiser and handheld mics from AKG were used for lectures in the auditorium.



Live Sound Workshop staff. (L to R standing) David Scheirman, Albert Leccese, David Robb, Steve McCale and Pat Brown. (L to R seated) Howard Page, Paul Gallo, Will Parry and Mick Whelan.

using the latest sound equipment, much of which was on loan from manufacturers.

The core sound system used in the main auditorium was provided by Southern California's Sound Image. New consoles supplied by manufacturers included the Midas XL-200, the Yamaha PM3500M monitor desk and the Ramsa WR-SX-1, which was used with the main system. (Arriving a day early, morning began with a thought-provoking sound business overview, a touring-business survey and a look at career opportunities in sound reinforcement.

After the morning break, a representative from the House Ear Institute in Los Angeles spoke on hearing conservation. Charlie Ennis Lahaie (whose article "Protecting Your Hearing" appeared in the January 1996 issue of Mix) cited several case histories to illustrate the -CONTINUED ON PAGE 112

108 MIN, MAY 1996

BY MARK FRINK

TOUR PROFILE

AC/DC Live and Loud as Ever



he pimply faces of Beavis and Butthead are projected onto a screen suspended above a darkened stone wall facade. They are devising a plot to get backstage at the AC/DC show. After numerous attempts (and various distractions), they finally reach the backstage door; it creaks open, and a futuristic Amazon woman emerges and blasts the boys to bits with her space gun. The cartoon ends with the sinister image of a laughing Angus Young, devil horns sprouting out of his head.

Onstage, lights come up, illuminating a giant crane that descends upon the stone wall, a wreck-

ing ball dangling from its steel arm. A low, ominous rumble builds as the massive ball swings closer and closer to the structure. With a final swoop, the ball smashes into the wall, which tumbles in a shower of fireworks and an explosive roar. Out from the ruins leaps lead guitarist Young, followed by the rest of AC/DC, and the opening riff of "Back in Black" thunders through the arena.



AC/DC FOH engineer Paul "Pab" Boothroyd

So began AC/DC's two-hour performance at the Oakland Goliseum in Oakland, Calif., a recent stop in the band's 1996 world tour promoting *Ballbreaker*, their first album in five years. *Ballbreaker* reflects AC/DC's

Y SARAH JONES

return to its hard-edged rock roots and features the talents of producer





The sheer force of pure sound is intensely powerful. It is majestic and exquisite. When precisely engineered to perfection, it mesmerizes. So we designed and integrated components that now add a new meaning to the concept of power.

With Meyer Sound, you only have to listen.

{Drop by for a Back Stage Tour of our Sound Laboratories. Call us at 510-180-1100}



Rick Rubin and the return of original drummer Phil Rudd.

db Sound is providing the touring sound system, which includes a custom manifold setup with midrange driver modifications by db Sound and SSE. According to db, the Electro-Voice MT system is the latest version, with lowmid throat modifications for smoother response in the 400Hz region. The system size designation is 18 blocks, com-



prising 160 DH2A high-frequency drivers, 160 DL10X 10-inch speakers and 144 DL18MT 18-inch woofers. Crossovers are Omnidrives, and the system is powered by 36 Crest 8001 amps with an output capability of 100,000 watts.

Sound levels were not for the fainthearted: The 16 Marshall cabinets onstage generate a house SPL of 110 dB on their own (about 128 dB onstage). Add to that "30,000 watts of monitors, and they're all pretty much flat-out," according to monitor engineer John "Grubby" Callis. (Noting escalating litigation trends, crew members are only half-joking when they suggest that a noise disclaimer be printed on tickets.)

Callis, who mixes on a Midas XL-3, says he has it easy. "It's very simple up there; it's just a matter of beating the volume of the guitars. The drums have to be very loud. They don't use every channel up there; it's only drums kick, snare and hat—and the vocals." Singer Brian Johnson wears a Garwood monitor in one ear; that mix inctudes vocals with some basic effects. He and the rest of the band rely on sidefills to balance the vocals and drums with the amps onstage. "The guitars are not in the monitors, obviously, because they're so loud," says Callis. "All I have to do is turn the vocals and drums up. And then we have to work it out so I don't affect Pab too much."

Paul "Pab" Boothroyd mixes at the FOH position on a Midas XL-4. He is

aided by crew chief John "J.R." Robbins (who divides his time between **mixing** and giving sales presentations on his line of custom shower heads, available at the FOH box). "[The program] is very simple, very basic," says Boothroyd. "No effects, no samples, nothing like that. A little bit of small rooms, but that's it."

Robbins concurs. "We don't use a lot of effects; just ambient effects, a couple of delays every now and then, very minor—to give the mix a little bit of depth," he says. The FOH outboard racks include Lexicon 480L and 300L models, a few Varicurves, a TLA100A and Drawmer gates. Mics include a Beyer wireless for Johnson's vocal, with Shure SM91s, Beyer M88 and EV 409s on drums. Additionally, guitar and bass isolation boxes are miked from a room below the stage floor. There is minimal automation—flying submaster faders and VCA only. "We don't even change



FOH position on a AC/DC monitor engineer John "Grubby" Callis

programs," says Robbins. (An exception to the no-frills production is an FOH pyrotechnic cue box that triggers sound effect samples from selected pyrotechnic cues.)

High SPLs on this tour pose a new mixing challenge for Boothroyd, who recently toured with Paul McCartney, and Robbins, who worked for years with John Mellencamp. "Obviously, it's a loud-level show," says Boothroyd. "You're trying to keep things controlled—spill onstage, for example—the monitoring's very loud. Things like that affect the sound, so you're working around those parameters. I just amplify them onstage.

"It's all about gain-staging," concludes Boothroyd, "What you hear is what's coming from them. It's just loud, which is the nature of the beast; and that's what makes AC/DC."

Sarah Jones is still wearing her earplugs.

NEWSFLASHES

Garth Brooks' upcoming world tour, which begins this spring, will carry three ATI Paragon mixing consoles. All equipment for the tour will be provided by MD Systems (Nashville). ATI also reports that Stevie Wonder purchased two Pro⁶ audio processors at last winter's NAMM show... Canada's House of Parliament (Ottowa) installed 20 Drawmer DL441 Auto Quad compressor flimiters as part of the system used by members of the Canadian Parliament...The Nashville Network installed a 60input Soundcraft SM-24 sound reinforcement console in its oldest broadcast venue, the **Gaslight The**ater. The console was initiated with use on *Prime Time Country*...Hi-Tech Audio provided sound reinforcement co. **ShowCo** (Dallas) with a Yamaha PM4000M monitor-mixing console for the recent Clint Black tour. The current All 4 One tour is using a Yamaha PM3500 FOH console and a PM3500M monitor console provided by Sound Image (San Diego, Calif.)...Sundown Sound (Portland, Ore.) purchased a Ramsa SX-1 console.

-FROM PAGE 108, LIVE SOUND WORKSHOP

mechanics of hearing loss and promote hearing-protection awareness, Lahaie explained that many professionals don't get hearing exams because they fear the results, but some kinds of hearing impairment are correctable, and early detection can prevent unnecessary damage. If you haven't had a hearing test lately, I encourage you to visit an audiologist.

Lahaie also discussed what is perhaps the simplest option for hearing protection, ear plugs. Custom-molded Etymotic Research ER-15 Musician's Earplugs[™] provide 15 dB of attenuation at all frequencies and cost about \$100. Foam ear plugs only cost about

OUICKTIP

When setting up the gain structure in a sound system, one way to ensure maximum signal-tonoise and useful operating headroom is to ensure that each device in the signal chain will start to clip at the same point. Although many products have clip indicators, there are varying conventions about the exact level, relative to clipping, at which the clip LED lights. Typically, verifying the level at which a line-level unit clips will require a session at the bench with an oscilloscope.

However, this is not always practical, particularly in the field. Syn-Aud-Con's Pat Brown suggests a simple but accurate method for determining clip point using a Motorola piezo device. Brown uses a garden-variety round piezo with a dualbanana plug, for which he has various adapter plugs. These high-frequency transducers typically pass only frequencies above 1 kHz, so a 400Hz test tone will not be heard, but the high-frequency harmonic byproducts of clipping will. Turn up the signal until the harmonics can just be heard through the piezo, then back the level down until they disappear. Measuring this output with a voltmeter will tell RMS voltage at clip. -Mark Frink

a buck a pair. Cabot Safety Corp. (317/692-6666) makes the little vellow disposable foam E•A•R plugs, and, through dealers, a box of 100 pairs sells for less than \$25. An important strategy is the use of a simple SPL meter (RS cat. No. 33-2050 costs \$32) to monitor levels and manage exposure. Even under liberal OSHA guidelines, exposure to 100 dB should be limited to two hours. without protection and assumes that exposure the Mick Whelon with JBL HF array demo rest of the day will be less than 85 dB.

The first afternoon presentation---"When Things Go Wrong," on safe loudspeaker rigging practices-included scenes of the famous Garth Brooks rig that collapsed in Dallas. A video by ATM Flyware's Andrew Martin revealed the benefits of various types of speaker construction. Martin recommends that speakers designed to be flown overhead be tested destructively to certify their load-bearing capacity. The video shows a series of identical cabinets made with a variety of materials and construction techniques being run through destructive hydraulic pull-tests Enclosures made of particle wood, ACX plywood, maple plywood and cross-laminated, multi-ply birch were shown, each made using butt, dado and rabbit joints. Particle wood gave way with no warning, and ACX and maple plywood crackled before breaking. Birch plywood with dado joinery withstood 8,000 pounds for more than 60 seconds, illustrating the importance of materials and construction technique. This was followed by a nutsand-bolts discussion of commonly used rigging hardware and techniques. In the alternative-track seminar. Floyd E. Toole, Ph.D., vice president of engineering for Harman International, gave a lecture on the art of listening, speaker placement and room acoustics,

The second morning began with Mick Whelan's demonstration on the interaction of multiple transducers in arrays. Starting with a discussion of the term "arrayability," a visual representation of speaker interaction showed interference patterns, illustrating the importance of adjacent transducers being bent in an arc and the difficulty of arraying high-frequency drivers because of their shorter wavelengths. A high-frequency driver was



placed on an onstage turntable to sweep across the audience and demonstrate its horizontal coverage. Adding more drivers, placed beside the first in the same plane, audibly confirmed this interaction. Piling them up vertically finally cleaned up the multiple-driver interactions in the horizontal coverage pattern.

This presentation was followed by Dave Robb's lecture on the multiple sub-system approach to theatrical sound system design, and, in the afternoon, Robb followed with a demonstration of precedence effect in distributed speaker systems. That afternoon, special guest Steve McCale offered an introduction to ear monitor applications and techniques (McCale's article on in-ear monitoring is on page 100). A series of small group roundtable discussions ended the second day, allowing intimate and animated one-onone question-and-answer sessions with the presenters.

The third day began with a humorous discussion on mic selection. Other topics included gain structure, consoles and outboard processing. During lunch, a select group of volunteers miked up the stage. With the help of the Doug Stone band, the last half of the day was a full-blown demonstration of soundcheck procedures, ending with live music and hands-on participation of workshop attendees at all the consoles.

For those interested in participating in seminars like the Live Sound Workshop, Synergetic Audio Concepts (800/796-2831) is offering its Sound System Design Seminar from June 10-12 in Salt Lake City, in Toronto June 26-28 and in Boston July 11-13. There is also a special Advanced Design Seminar being offered in Greenville, Ind., July 22-24.
so much for conventional wisdom...

No, it probably isn't on the rider...yet! But the new Tour Series from Fender Pro Audio soon will be, and for reasons your clients. will understand the minute they hear them.

Introducing real world class concert sound equipment, that doesn't make you mortgage your world to pay for it. From a single pair of cabinets on stands, to small industrial/AV systems, to a full scale concert rig, the Tour Series will impress even your most demanding critics and clients-without emptying your wallet. Combining performance, flexibility, and common sense real-world design, the Tour Series doesn't skimp on features either.

- Ultra-advanced drivers
- Field configurable horns for wide or narrow dispersion (without tools!)
- Servo-linked DSP based processor controlled operation (optional), bi-amped or tri-amped operation, or passive operation (using built-in 4th order Linkwitz-Riley passive crossovers)
- Rock solid ultra-reinforced 13-ply Baitic birch enclosures
- Truck pack friendly dimensions
- Dual Speakon & 1/4" hookups for easy interconnect
- A full line of optional figing and rigging hardware & accessories

Which is why around the world daily, more soumd engineers, artista, hire companies, facility TD's, club owners, production managers, and tour accountants are choosing the Tour Series over the "accepted" names. Listen, compare, and discover for yourself why it pays to trust your own ears

For a full color catalog send \$2.00 postage & handling to Tour Series, clo Fender Pro Audio,

Pender

01007004100

New Sound Reinforcement Products

WHIRLWIND MIC SPLITTER

The new Active Concert Series mic splitter systems from Whirlwind (Rochester, NY) provide two transformer-isolated, fixed-gain splits and one active variable-gain split for live sound and recording applications. High input impedance ensures extended frequency response from dynamic microphones, and reliability is enhanced by separate redundant power supplies. Splitters are supplied with rear panel XLR mic input connectors and MASS multipin output connectors. Each splitter channel features a 3-LED headroom indicator, ground lift switch for isolated outputs, and gain control for the active split.

Circle 212 on Reader Service Card

NON-REFLECTIVE BLACK GAFFER'S TAPE

New EconoMatte cloth gaffer's tape from Tesa Tape Inc. (Charlotte, NC) is available in black in 1-, 2- and 3-inch widths and features a matte, nonreflective finish. Tesa 53949 EconoMatte tape is formulated for good tearability and adhesion, yet leaves no residue when removed.

Circle 213 on Reader Service Card

GOLDLINE RACK-MOUNT SPL METER

Goldline (West Redding, CT) has a new rack-mount SPL meter designed for installed and touring applications. The SPLE20RM3 features three microphone inputs and a three-way switch to allow easy SPL measurement at three locations and is supplied with one or three calibrated electret condenser measurement microphones. Prices are \$375 (one mic) and \$449.95 (three mics).

Circle 214 on Reader Service Card





KLIPSCH UPDATES HERESY

Klipsch Professional (Hope, AK) updates its famous "Heresy" loudspeaker as the KP-250 II. The new three-way speaker features Tractrix Wave" mid and high horns for a 90°x40° coverage pattern. Both HF and midrange drivers feature new technology, resulting in smooth and efficient performance. The KP-250 II cabinet is constructed from 19mm void-free birch ply and has dual handles and protective trim. A variety of finishes are available. Klipsch also announces enhancements to the KP C Series of loudspeakers for working musicians.

Circle 215 on Reader Service Card

YORKVILLE'S NEW TX LOUDSPEAKER SYSTEMS

Yorkville Sound Inc. (Niagara Falls, NY) has introduced a new TX Series of large-format loudspeaker systems for large venues and touring applications. The series includes the three-way TX-8 and matching TX-8S subwoofer, the biamped TX-4 and the bi-amped TX2M floor monitor. Main speakers are trapezoidal and feature processor control. Speakon connectors and ATM Fly-Ware"

> rigging hardware. All systems are constructed from 13-ply Baltic birch and incorporate 1U rack-mountable multichannel, self-calibrating processors with XLR inputs and outputs. Circle 216 on Reader Service Cord

AKG'S NEW UHF MICS

AKG Acoustics' (Northridge, CA) new WMS 300 UHF wireless microphone system features true diversity, with two antennae per receiver, and up to 16 different frequency options within the 20MHz bandwidth. According to AKG, UHF technology allows for shorter antennae and makes the WMS 300 system less vulnerable to common sources of radio interference; up to eight different WMS 300 units can be operated simultaneously. The WMS 300 system supports ten different microphone options, including three handheld microphones and six bodypack systems.

GALAXY IKON

Galaxy Audio's (Wichita, KS) IKON" line of self-contained P.A. products are targeted at schools, churches, clubs and performers. The powered wedge monitor and conventional box configuration speakers include integrated mixing (and optional reverb) facilities. The IKON control panel (front-facing on wedges, rear-facing on the boxes) includes a 3-band equalizer, phantom power, foldback for driving external monitors, RCA inputs for line-level sources, and Neutrik combination connectors for XLR and ½-inch inputs. Each model is also available as an unpowered speaker.

Circle 217 on Reader Service Card



WHITE %-OCTAVE GRAPHIC

The Model 4828 ½-octave graphic equalizer from White Instruments (Austin, TX) features 60mm sliders for enhanced boost-and-cut accuracy, EQ in/out switch, balanced XLR and ½inch inputs and outputs, adjustable high and lowpass filters, automatic bypass relay and power-up delay, 20 dB of variable gain makeup and an LED headroom meter. Distortion is rated at less than 0.01% and noise at -90 dBu. **Circle 218 on Reoder Service Cord**

DEMOS.ON.DEMAND^{**}

\$2.95 per selection includes shipping & handling

Demos on Demand[™] provides quick and easy access to in-depth product demonstrations on VHS videocassette. All programming is produced by Demos on Demand[™] and focuses on the features and functions of the tools that serve the pro audio industry.

Adams-Smith • Akai • AMS Neve • Arboretum Systems Crest Audio • Dan Dugan Sound Design • Digidesign • Euphonix Fostex • Galaxy Audio • Groove Tubes • Jeanius Electronics Lexicon • Mackie Design • MacPherson • Mark of the Unicorn NVision • Otari • Panasonic / Ramsa • Peavey Electronics • Radiar Sabine • Sellmark Audiomation • Spectral • Studer Editech Studio Techniques • Tascam • Rane • Zaxcom

http://www.demos-on-demand.com or call 800.454.2580

NEW LISTINGS EVERY MONTH

New Sound Reinforcement Products



SECOND-GENERATION TELECAST ADDERS

The new Adder[™] family of portable, digital fiber-optic microphone snake splitter systems from Telecast Fiber Systems (Worcester, MA) can replace large, unwieldy analog multicore cables with a single lightweight, durable fiber-optic cable. Available in 32- and 64-channel formats, the Adder snake systems convert analog mic inputs to 20-bit digital audio and can distribute those signals, along with intercom and data/control signals, to multiple locations, such as FOH and monitor mix position and a recording truck. Features include switchable phantom power, self-contained test generator and signal monitor, battery or AC power with internal UPS and automatic redundancy for sensitive applications via alternate routing schemes. Circle 219 on Reader Service Card



AQUILA WIRELESS IN-EAR MONITORING SYSTEM

Aquila Systems (San Bruno, CA) offers a new cost-effective VHF wireless inear monitoring system. The WAM 16 VHF TX transmitter and WAM 16 VHF RX receiver connect via 16 digitally synthesized VHF stereo channels, ensuring that users are never without multiple clear and open channels. The WAM 16 VHF TX transmitter is a 1U device featuring VU meters, ¼-inch and XLR inputs, cue input, headphone monitor output, LED channel indication and stereo/mono switched operation. The lightweight WAM 16 VHF RX is powered by a single 9V battery. The WAM 16 VHF system is supplied with "ear bud"-style ear pieces, but will support custom ear pieces. Price is \$1,499.

Circle 220 on Reader Service Card



SPIRIT LIVE 4 MIXER

Spirit (Auburn, CA) announces the second-generation Live 4 mixing console for FOH and recording applications. Available in 12-, 16-, 24-, 32- and 40channel configurations, the Live 4 MkII's input channel features include 4-band EQ with sweepable mids, highpass filter, six aux sends per channel, individual +48V phantom power, phase reverse, direct outs and a new Ultramic Plus[™] preamp that will accept line level without a pad and offers 66 dB of gain. A 10x2 A B matrix output derived from the four subgroups, four mute groups and four stereo effects returns are standard. Four additional stereo input channels are standard on the four larger consoles (the 12-input model has two). An 8-channel expander module is available for 12- and 16-channel models. Prices start at \$1,999.95 for the 12-channel Live 4; the 40-channel model is \$7.299.95.

Circle 221 on Reader Service Card

RENKUS-HEINZ TRC SERIES LOUDSPEAKERS

Renkus-Heinz (Irvine, CA) announces a complete line of full-range, two-way speakers for a variety of installation, live sound and floor-monitor applications, TRC61, TRC81 and TRC82 systems are compact loudspeakers based around 6.5- and 8-inch woofers, whereas the TRC121, TRC151 and TRC152 feature 12- and 15-inch woofers. All systems offer 1- or 2-inch HF drivers with Complex Conic user-rotatable waveguides for superior pattern control. Several of the models feature multi-angled cabinets, making them suitable for floor-monitor wedge applications. A wide choice of finishes is available, and the cabinets are shielded for A/V applications. Circle 222 on Reader Service Card

116 MIX, MAY 1996

\$289*! Are You Outta Your...

*Suggested manufacturer's USA retail price.

Not When You Read What the Pros Have to Say

Okay, so maybe you've seen this ad before. And maybe you thought that for the money, this mic just can't be that great. No more maybes. Here's what the critics say.

"In the studio, I compared the CM-700 against three of the bestknown studio mics. The results were quite surprising. In three out of four comparisons, the CM-700 outperformed the old 'stand-bys'."

"... more low end warmth none of harshness found with other mics.... did not sound overwhelming or unnatural."

- Will Rogers, Producer/Engineer, Looking Glass Studio

"... Compares favorably with accepted studio mics of its type. Good ability to handle high SPL applications. Excellent for miking instruments such as high strings, flutes, saxophones, trumpets, hi-hats, toms and snares."

"It's too clean. Don't change it."

"It's small size and dark color make it a natural for video apps."

– Bill Tullis, Music Engineer/Producer Turner Broadcasting "... it's frequency response is extremely smooth, even and extended the lower end is particularly impressive, lending a depth and fullness surprising for the job."

"... the aspect that sets the CM-700 apart its sound."

"The revelation came with vocals.... placed in front of a singer, its performance was so startling that I had to go back to the console to check that I was listening to the right channel, as the richness and depth I was hearing could easily have come from one of the largediaphragm workhorses that I was using as a comparison."

"For once a condenser looks as though it is up to any of the rigors the road can throw at it while still giving remarkable results in the studio."

– Dave Foister, Reviewer, Studio Sound



Visit us on the InterNet: http://www.crownintl.com

USE READER SERVICE CARD FOR MORE INFO



TOP-OF-THE-LINE

So you've finally built the studio of your dreams. You're stocked with the best gear around. A collection of choice microphones. An arsenal of effects, A console that cost more than your house. You've got the tools to create magic recordings. And to reference your magnificent mixes, you've installed the finest in monitors. What are you going to power them with, just any amp?

A quality studio amplifier is a crucial component of a pro-monitoring system, yet the importance of this choice is often overlooked. Unfortunately, many users don't seem to understand the importance of amp performance to the flexibility, character and most importantly, sonic integrity of any system.

Today's amps are more sophisticated than ever. Improved circuit design and components offer higher fidelity, and many amps are equipped with configuration options, plug-in add-on cards and data links to remote controls. Innovative and intelligent circuit-protection systems contribute to greater reliability in the latest units.

Finding the ideal amplifier isn't necessarily an easy process, so take some time to check out what's available and spend some time auditioning various models. To help you get started, here's a list of the top-of-theline models from major manufacturers. These products, listed alphabetically, represent the latest developments in design and the newest advances in technology. WPC into 4 ohms and 2,000 WPC into 2 ohms (2,250W bridged into 8 ohms, 3300W bridged into 4 ohms). Occupying three rackspaces, the unit is cooled by dual 2-speed thermal-activated fans and incorporates a modular circuit design. Features include VI energy limiters for short-circuit protection, thermal sensors to guard against overheating, "soft-clip" speaker protection and AB's "Logic Operated Gated Output" supply system, which controls and eliminates unused headroom. Front panel components include individual channel signal level bar graphs and controls, AC power switch and power-on LED indicator. Inputs are unbalanced ½-inch/balanced XLR; outputs are five-way binding posts. List price is \$2,410.

ALESIS MATICA 900

Alesis (Los Angeles) offers the Matica 900, a 2-channel amp rated at 900 watts per channel at 8 ohms, 450 watts per channel at 4 ohms and 1,350 watts bridged at 4 ohms. The unit is housed in a 2U chassis and features a high output stage and also handles 2-ohm operation. Circuit features include the CoolSync[®] thermal management system, which increases airflow based on program material rather than heat changes. A MediaLink[®] data port and eight levels of protection circuitry are also built in. Suggested retail price is \$629.

ASHLY CFT-1800

The CFT-1800 From Ashly Audio (Webster, NY) is a 2-channel, convection-cooled amp, with a power rating of 200 W per channel (RMS) into 8 ohms, 300 W

into 4 ohms (600 W into 8 ohms in bridged-mono mode). Modular construction features include Class A

AB 9620

The 9620 stereo amp from AB Technologies (Roseville, CA) delivers 825 watts per channel into 8 ohms, 1,400

BY SARAH JONES



complementary front end; MOSFET output devices; and safeguard circuitry that protects against thermal overload and shorted, open or mismatched loads. Ashly's PowerCard Input feature is optional; input transformers are also available. Three-color front panel LED meters indicate channel output levels: attenuator controls are found on the rear panel. Inputs are XLR, ¼-inch and barrier strip; outputs are five-way binding post. Retail price is \$1,020.

BGW 750G

The BGW 750G has a dynamic power rating of 360 watts per channel into 8 ohms, 650 watts per channel into 4 ohms and 1,000 watts per channel into 2 ohms (in bridged mode, 1,300 W into 8 ohms, 2,000 W into 4 ohms). The 4U chassis has a fan-cooled, all-discrete, 2channel design with active balanced inputs and high-speed BGW Ultracase" transistors; a transformer-isolated input option is available. In addition to a dual-speed cooling system, ten pounds of aluminum is used as heat sink to assist in thermal management. Protection systems guard against short-circuit, thermal overload and DC offshoot, and provide a turn-on delay to protect speakers. Front panel features include LED level bar graphs, individual level potentiometers and AC power switch. Inputs are 1/2inch/XLR; output connections are five-way binding posts. Price is \$1,849.

BRYSTON 4B ST PRO

Bryston (Monrovia, CA) offers the 4B ST PRO, a 2-channel amp delivering 250 WPC into 8 ohms, 400 WPC into 4 ohms, and 800 W bridged into 8 ohms. The convection-cooled circuitry comprises two discrete channels with separate, regulated power supplies, and includes high-current reserves and Bryston's proprietary Quad-Complimentary output section, which is designed to provide lower distortion across the audio band. Also included is a soft-start circuit to reduce current surge. Front panel features include transport handles, AC power switch and dual-colored power/clipping lights. Inputs are goldplated balanced XLR and ¼-inch; outputs are gold-plated binding posts. List price is \$2,095.

CARVER PM1400

The Carver (Lynwood, WA) PM1400 is a 1U stereo amp delivering 475 WPC into 8 ohms, 700 WPC into 4 ohms, 1400 W into 8 ohms bridged-mono and 900 W into 4 ohms parallel mono. Circuitry features include Carver's patented Magnetic Field Technology (which improves power-supply efficiency by using more of the 120VAC peak-to-peak area); Power Sequencing to remotely turn on/off individual amplifiers; and a transverse fan cooling system, which minimizes temperature differentials between transistors. An internal compression system senses clipping and engages circuitry that reduces distortion. Additional protection systems guard against thermal overload, short circuit, DC offset or internal power supply fault. Via an optional module, the amp accommodates MediaLink[™] computer control, Rear panel I/Os include ¼-inch/XLR inputs and binding-post outputs. Price is \$1,350.

CARVIN F1200

The F1200 from Carvin (San Diego, CA) offers 400 W per channel into 8 ohms, 600 W per channel into 4 ohms and 1200 W bridged into 8 ohms. In Power- Max^{N} 2-ohm mode, the amp delivers a continuous 600 W per channel. Dual variable-speed fans and cross-flow aluminum heat sinks cool the MOSFET design circuitry, which includes linear power supplies with toroidal transformers and protection circuitry (including short-circuit, no-load, thermal, mute and SpeakerGuard[™] protection). Front panel features include power switch, channel attenuation controls and LED indicators (Signal Present, Clip, Protect, Power). Inputs are balanced %-inch/XLR; outputs are %-inch, Speakon and binding-post. Rear panel DIP switches allow the user to select highpass filter (-3 dB at 20 Hz), ground lift, mono bridge output and input configuration options. Retail price is \$629.

CHEVIN A3000

The Chevin (Crystal City, MO) A3000 is a 2-channel amp that delivers 500 WPC into 8 ohms, 900 WPC into 4 ohms and 1,600 WPC into 2 ohms. The unit weighs 27 pounds and features short, symmetrical audio paths housed in a 2U chassis. Circuit features include a highcurrent, high-voltage, solid-state power supply and channel-protection systems including power-up mute, SoftClip overdrive protection, and protection against DC/HF output and short circuit. Heat sinks are crosswise-oriented, with circuit-controlled twin-fan cooling assistance. Inputs are XER (either balanced or unbalanced), outputs are Speakon. Front panel controls include power switch and LED, output level/channel gain controls, and clip and signal LEDs. Price is \$3,169.

CREST CC301

Crest Audio's (Paramus, NJ) CC301 is a 2-channel, convection-cooled amp. The modular design features a bipolar power supply and Class H output stage, and proprietary IGM[™] (Instantaneous Gain Modulation) impedance sensing and Auto Ramp[™] signal control. Discrete protection systems guard against short circuit, DC voltage on outputs and thermal overload. Each channel delivers 350 watts into 8 ohms, and 500 watts into 4 ohms; in bridge mode, power output is 1,000 watts into 8 ohms. The front panel has gain controls and LEDs indicating Active, Temp/DC, Signal Present and Clip/Limit for each channel. Inputs are balanced XLR barrier strip, outputs are five-way binding post/barrier strip. The CC amplifier line is compatible with other Crest amps, Crest Octal Socket Accessories and the NexSys[™] computercontrolled audio system. List price is \$1,990.

CROWN REFERENCE I

Crown International Inc. (Elkhart, IN) offers the Studio Reference I, a stereo amplifier with an output power rating of 780 WPC into 8 ohms, 1,160 WPC into 4 ohms, and in bridged-mono mode, 2,220 watts into 8 ohms and 1,580 watts into 16 ohms. The Studio Reference I circuit design includes Crown's patented ODEP (Output Device Emulation Protection) system. The unit, housed in a 4U chassis, is convection-cooled with the assistance of computerized on-demand proportional fan cooling. Indicators include enable, signal, IOC and ODEP LEDs; and 5-segment dynamic range/level meters. Inputs are balanced XLR phone; outputs are binding posts. Retail is \$3,950.

DEMETER VT275HF

The VT275HF from Demeter is a stereo tube amp offering 75 watts per channel into 2, 4 or 8 ohms. Preamp tubes are two AT7As and one 12AX7A; output tubes are four SOVTEK 6550s. A fully regulated 350 volts is supplied to preamp tubes. Cooling is through an openslotted front panel; also on the front panel are dual volume controls, power switch and LED power indicator. Circuit components include toroidal transformer power supply and bifiler output transformers. Inputs are TT, outputs are *X*-inch. Price is \$1,895.

DYNAUDIO CHORD SPA 1032

The Chord SPA 1032 from Dynaudio Acoustics (distributed by AXI in Rockland, MA) is a 2-channel, 3U amp with a



Wally Traugott Capitol Records



Pat Scholes Arcent Studios



Mark Egan Wavetone Records



Wayman Tisdale **Recording:** Artist



Erick Labson MCA Music Media



Brilliant Award Winning Amplifiers

Musicians • Broadcasters • Engineers • Producers... It's not a coimcidence! Thank you from your friends at Hafler!





Hafler



1.15

Hafler P1500

Everybody Loves a Winner!





P7000 Transenova D.I.A.B.L.O.



9303/9505 Trans+nova D.I.Z.B.L.O.

Tom Jung DMF Records



Ronnie Montrose Recording Artist



Pat Weber Engineering



Chotor Recordings



Rusty Milner Marshall Tucker Band



 HAFLER PROFESSIONAL, A DIVISION OF ROCKFORD CORPORATION • TEMPE, ARIZONA 85281 LSA 1-300-366-1619 • INTERNATIONAL FAX 602-967-8132 • IN CANADA, CONTACT CABLE TEK 604-742-1001

USE READER SERVER Racig Bister MORE INFO

continuous power rating of 280 watts into 8 ohms, 400 watts into 4 ohms and 500 watts into 2 ohms. The circuitry is a Class AB sliding-bias design and includes a self-contained, self-monitoring power module, a mains input filter, and an output stage developed around metal-on-silicon MOSFET devices. The cooling system comprises twin fans controlled by dual heat sink sensors (temperature-activation bypassable/configurable in custom installation). Front panel components include power, fault, signal present and clip indicators. Inputs are gold XLR; outputs are two sets of binding posts. Retail is \$3,749.

ELECTRO-VOICE P1200

The Electro-Voice (Buchanan, MD P1200 is a 2-channel, 2U amplifier in the Precision Series[™] line. Housed in a 2rackspace chassis, the P1200 delivers 370 WPC into 8 ohms, 550 WPC into 4 ohms and 650 WPC into 2 ohms (1,100 W bridged into 8 ohms, 1,300 W bridged into 4 ohms). Internal components are mounted directly to a large aluminum heat sink; three-stage fans further regulate temperature. EV's Dual Differential Discrete Topology" circuit uses discrete electrical components instead of integrated circuits and is fully symmetrical for both polarities. Protection systems guard against thermal over-

GENELEC IS A REGISTERED TRADEMARK OF GENELEC OY FINLAN



ACTIVE MONITORING WITH THE GENELEC 1030A. THE SMALL WAY TO MAKE A BIG IMPROVEMENT.

GENELEC 39 UNION AVENUE SUDBURY, MA 01776 TEL 508-647-4780 FAX 508-647-4879

World Radio History

load, RF interference, shorted outputs and DC faults; power-up relays avoid damaging transients. Built-in output limiters switch between fast and slow operation. Also integrated are switchable high- and lowcut filters. Inputs are XLR; outputs are XLR 'Speakon connectors, List price is \$1,734.

FOCUSRITE RED 5

Focusrite (distributed by Group One in Farmingdale, NY) offers the Red 5, a 2channel, hand-assembled amp delivering (continuous) 250 WPC into 8 ohms, 300 WPC into 4 ohms and 400 WPC into 2 ohms. The fully-balanced design features dynamically coupled power supply rails, protection systems against short circuit and thermal overload, and a sliding-bias Class AB output stage with lateral-structure custom MOSFETs. Inputs are XLR, outputs are binding post. Retail price of the Red 5 is \$2,750; an 8-channel version (for multi-amped systems) is available for around \$10,000.

HAFLER 9505

Hafler's (Tempe, AZ) 9505 Trans+Nova differential-input stereo amp has a power rating of 250 WPC at 8 ohms, 375 WPC at 4 ohms and 750 W in 8ohm bridged-mode. The unit is a convection-cooled, J-FET input/MOSFET output design, in a 3-rackspace chassis. Circuitry features include Hafler's Trans+Nova (TRANSconductance NOdal Voltage Amplifier) technology and DIABLO (Dynamically Invariant AB Linear Operation) front-end driver circuitry, which works on a variable-gain current-steering principle to reduce distortion/enhance headroom. Inputs are balanced ¼-inch/XLR and unbalanced RCA: outputs are five-way binding posts. The front panel includes transport handles and AC power switch. Retail price is \$2,200.

HILL CHAMELEON STUDIO THREE

The Studio Three from Hill's Chameleon Series (distributed by Klay Anderson Audio, Salt Lake City) is a single-rackspace amp delivering 400 WPC into 8 ohms, 635 WPC into 4 ohms and 1,600 WPC (dynamic burst) into 2 ohms, Bridged-mono operation is rated at 1,270 W (average) into 8 ohms, and 3.200 W (dynamic burst) into 4 ohms. V-shaped aluminum heat sinks forming chassis sides offer heat dissipation; the fan-cooling functions at high operating temperatures. Thermal and short-circuit protection circuits are standard. Other features include low-noise power supply, calibrated input attenuators and

SPIRIT 8 THE EXTRAS COME AS STANDARD THE PRICE COMES AS A SURPRISE

Spirit 8 is a quiet, compact and rugged 8-bus mixing console, bardly surprising from a company with over 22 years of knowbow in audio design.

What may be surprising is that it comes with every feature you could wish for, as standard, at a price* that will make the competition wonder bow we did it. METER BRIDGE BUILT IN UP TO 40 BULLET-PROOF MIC INPUTS 4 MUTE GROUPS INDIVIDUAL CHANNEL BOARDS 10 X 2 MATRIX SECTION

TRAMIC⁺ PREAMPS mono channels. An rredible 66dB of gain nge provides 28dB of adroom - enough to tomodate virtually y input signal, from e hottest line level etronics to the lowest rel condenser mics. V PHANTOM POWER dividually selectable each mono channel GH PASS FILTER at 0Hz with steep

OHz with steep dB/octave slope, sential for combatting age rumble and mic opping (mono sannels) BAND EQ with 2 swept

ids on every mono put. 2-BAND EQ on ereo inputs

EQ In/Out bypass witch on every input

6 AUX buses with 6 mtrols, 2 of which are lectable pre- or postder at the master. ternal solderless mpers can be accessed r pre- or post-EQ unfiguring

8 GROUP BUSES

4 MUTE GROUPS r scene setting

Multi-tap PEAK/PFL idicator

IRECT OUT on every iono channel allows iultirack recording or idividual effects sends internally selectable re- or post-fader for ve recording)

GROUP SECTION

10

.#: 🔿

DUAL STEREO

11:0

11:0

 8 STEREO RETURNS for additional stereo sound sources or effects units: 4 have EQ

SEE US AT NSCA BOOTH #18/16

4 STEREO INPUTS with 2-band EQ and

FRAME SIZES: 16, 24, 32 and

UP TO 64 INPUTS AVAILABLE (40 channel version)

METER BRIDGE AS STANDARD.

showing mono input, group and

of maintenance and replacement

INDIVIDUAL CHANSEL PCBs for ease

Every pot INDIVIDUALLY FASTENED to

the steel facia, the professional way, to

RUGGED "NO-TWIST" STEEL CHASSIS

Built to survive hectic tour schedules

FLIGHT CASE INSTALLATION if desired

Side-cheeks can be removed for

40 channels

full access to Auxs

cope with knocks

master levels

10 X 2 MATRIX section for additional mixes



 Prices are 1995 US suggested retails

Also available: Spirit Live 3² 3-bus Spirit Live 4² 4-bus

USE READER SERVERT CARDSTORY MORE INFO

APPLICATIONS

Front-of-House Mixing

- Theatre/Venue
 - Installations

Touring

Recording direct to multitrack

Spirit by Soundcraft[™] Inc., 11820 Kemper Road, Auburn, CA. 956€3 Tel: (916) 888 0488 Fax: (916) 888 048€



📕 A Harman International Compar



USE READER SERVICE CARD FOR MORE INFO





a division of ATM GROUP

21000 S Wilmington Ave Carson, (A = 90810 = USA Tel 310.834.5914 Fax 310.834.3042 soft-start circuit. Front panel LEDs indicate signal present and peak, power and bridge mode. Inputs are XLR/¼-inch and outputs are binding posts. Suggested retail is \$1,990.

HOT HOUSE 600

Just released is the 600, the first in a new series of power amps from Hot House of Highland, NY. The 600 is a 2channel amp with a power rating of 175 WPC into 8 ohms, 275 WPC into 4 ohms and 325 WPC into 2 ohms (in bridged mode, 550 W into 8 ohms and 650 W into 4 ohms.) The amp is a true dual-mono design, with all-discrete components. Circuitry features include hand-matched lateral power MOSFETs, toroidal transformers and Teflon Kimber Kable throughout. The unit is convection-cooled and is housed in a 3U chassis. A dual-gain "pro/semi-pro" selection switch replaces level controls. Inputs are combo XLR/¼-inch balanced, with an auto-unbalance function built in. Outputs are five-way binding post. Retail is \$2,195.

JBL MPA1100

The JBL (Northridge, CA) MPA1100 has a power rating of 1,200 W per channel into 4 ohms, and 820 W per channel into 8 ohms (2,400 W into 8 ohms, bridged). The MPA1100 features JBL's Open Architecture[™] construction, allowing custom configurations via optional cards including a 2-channel, two-way crossover card; an 18dB/octave subbass crossover card; a cinema crossover module; and input connector expansion. An internal output power limiter protects the amp and loudspeaker from excessive power. The 3U unit is fancooled, and protection circuitry offers short-circuit, open-circuit, ultrasonic and RF protection. Inputs are barrier strip and XLR; outputs are five-way binding posts and Speakon connectors. Price of the MPA1100 is \$2,595.

MANLEY STUDIO 440 TUBE AMP

Manley (Chino, CA) offers the Studio 440, an all-tube mono block amplifier, switchable between a half-power (275W) triode mode and a full-power (500W) pentode mode. Housed in a 5U chassis, the 440 circuitry features ten 6550A output tubes and a 12AT7WA input tube; the unit may be kept in an EVER-WARM standby mode. Front panel controls adjust bias measurement, feedback and slope; switches select triode/pentode and operate/standby modes. List is \$9,000. Carver's new PM eries Amplifiers are esigned specifically for proound applications. Their rugged onstruction and reliability make them deal for sustaining the abuses of the road while their accurate sound and excessive power nake them perfect for critical studio applications. So DI's, roadies and all other amp freaks who demand the ower to perform, look no further... Carver PM Series Amplifiers.

F

Made in America, Played all over the World!

Pin

PM700	PM950	PM1400
350W	475\V	700W
700W	950\V	1400W
	350W	350W 475\V

FIVE YEAR WARRANTY



SEE US AT NSCA BOOTH #105

W

0

E

V

I

ł



UNE READER SERVICE CARD FOR MORE INFO



Quintessential Sound, Inc. 1600 Broadway/Suite 610 New York, New York 10019-7485 212 586 4200 FAX: 212 586 5339

MESA BARON

The Baron is the first audiophile product from Mesa Engineering (Petaluma, CA). The all-tube, hand-built, dualmono amp is designed with separate power transformers and AC cords and is housed in a 5U chassis. Channel output power is switchable, via the Tandem State Imaging* tunable soundstaging, between 150 watts allpentode, 100 watts triode/pentode and 50 watts triode/triode (two triode/pentode switches per channel allow even more options). Internal components include self-balancing, dual-differential drive circuitry, three pairs of 5881 tubes, and four-way selectable feedback circuit. The front panel consists of dual analog VU meters, and includes switches for bias and balance adjustment, meter selection (switchable between power and adjust) and standby mode. Retail price is \$3,395.

PACIFIC INNOVATIVE KHS-450

The KHS-450 from Pacific Innovative Electronics is a hand-built stereo amp that delivers 175 watts per channel into 8 ohms, and 225 watts per channel into 4 ohms. The convection-cooled MOS-FET circuitry is housed in a 3-rackspace chassis and weighs 36 pounds. Inputs are balanced XLR/%-inch: outputs are binding-post/Speakon connections. List price is \$2,535. Also available is the Studio Integrator, a recording monitor bus interface. The interface offers bidirectional level shift and balanced-to-unbalanced translation; I/Os are seven stereo inputs by six stereo outputs. List is \$600.

PANASONIC WP-1400

The Panasonic (Cypress, CA) WP-1400 is a dual-channel amp, offering 240 WPC into 8 ohms, 400 WPC into 4 ohms and a bridged output of 800 watts into 8 ohms. Circuitry components include a fan-cooled Class H dual-voltage system that switches to a low-level power supply at lower signal levels, to help the amp run cooler and more efficiently; and a servo control system that monitors heat sink temperature and automatically varies fan speeds. The unit is housed in a 3U chassis; front panel controls include AC power switch, input sensitivity potentiometer, stereo/ bridged-mono selector and LEDs indicating power, peak and protection. Input connections are XLR TRS; outputs are five-way binding post. Retail is \$800.

PEAVEY RP 500

New from Peavey (Meridian, MS) is the RP 500 studio amplifier. The convec-

Compact Disc Mastering · Historical Restoration

Emergency Audio Recovery · Audio Forensics

never varies.



The Soundcraft DC2020 -because not all EQs are equal.

Whether working in postproduction or music recording, you are judged by the sound of your



one source.

Add to that moving fader automation, touchscreen driven machine control,

finished product - however diverse and whatever the quality of the source material.



With outstanding new EQ design. Soundcraft's DC2020 delivers an unrivalled degree of control invaluable when assembling audio from more than SEE US AT NSCA BOOTH #1411

HARMAN INTERNATIONAL INDUSTRIES LTD., CRANBORNE HOUSE, CRANBORNE INDUSTRIAL ESTATE, CRANBORNE RD., POTTERS BAR, HERTS, EN6 3JN, ENGLANE). TEL: +44 (0)1707 665000 FAX: +44 (0)1707 660482 SOUNDCRAFT. 8500 BALBOA BLVD, NORTHRIDGE, CA 91329, TEL: 818-227-1800, FAX: 318-884-2974

video sync, plus on-board hard disk storage, and the argument for choosing DC2020 becomes irresistible.

Discover more about the DC2020 by calling 818 893 4351 today.





tion-cooled unit features discrete components, with matched JFETs at input and 12 high-current MOSFETs at output, in a 3-rackspace chassis; protection systems include thermal shutdown at 100% DC offset sensing, current/voltage limiting and speaker DC protection. Signalto noise is better than 104 dB. Rated output power is 250 W RMS per channel at 8 ohms. Front panel features include Power, Active and Clip channel LEDs and power switch; channel level controls are rear-panel. Inputs are RCA (gold-plated), XLR and phone jacks; outputs are five-way gold-plated binding posts. List is \$999.

QSC POWERLIGHT 4.0

The PowerLight 4.0 is the most powerful amp from QSC Audio (Costa Mesa, CA). Featuring QSC's power supply-regulating Powerwave Switching Technology", the amp delivers 1,000 WPC into 8 ohms, 1,400 WPC into 4 ohms and 2,000 WPC into 2 ohms (1 kHz, 1% THD). Bridged-mono operation is also possible. Housed in a fan-cooled, 3U chassis and weighing 30 pounds, the unit offers protective circuitry against thermal overload, DC fault, RF/ultrasonic, short circuit and mismatched loads. Synchronized channel on/off muting operates at turn-on and at loss of AC power. Remote control is possible; a



monitoring system is truly international. Garwood's Radio Station I.D.S. will select the right operating channel from its onboard database of UHF frequencies between 510-900MHz. Perfect for big tours, little tours and smart engineers everywhere.

SEE US AT NSCA BOOTH #917 FOR FULL DETAILS OF THE RADIO STATION I.D.S. AND OTHER GARWOOD IN-EAR MONITORING SYSTEMS CALL: 215 860 6866

GARWOOD COMMUNICATIONS INC. PO BOX 1505, NEWTOWN, PA 18940 TEL: 1 215 860 6866 FAX: 1 215 968 2430 GARWOOD COMMUNICATIONS LTD. 136 CRICKLEWOOD LANE, LONDON NW2 2DP TEL: 44 181 452 4635 FAX: 44 181 452 6974



rear panel 15-pin data port connector interfaces with a QSC multisignal processor. Inputs are Neutrik Combo XLR ¼-inch and barrier strip; outputs are "touch-proof" binding posts. Cost is \$2,995.

SAMSON SERVO 500

The Servo 500 stereo power amp from Samson (Svosset, NY) delivers 250 watts per channel into 4 ohms, 175 watts into 8 ohms, and in bridgedmono mode, 500 watts into 8 ohms. The unit has a bipolar circuit design, with high-current Toshiba output devices. Servo circuitry controls DC offset: and protection circuitry guards against overheating, overcurrent or short circuits. The unit is convectioncooled and is housed in a 3-rackspace chassis. The front panel has independent L/R input controls and status LEDs. Inputs are balanced ½-inch; outputs are %-inch and binding post. Retail is \$469.99.

STEWART THE WORLD 2.1

Stewart Electronics (Folsom, CA) introduces The World * 2.1, the latest addition to its product line. Occupying two rackspaces and weighing 17 pounds, The World is a dual-monaural amp delivering (at 1 kHz) 450 watts per channel into 8 ohms, 775 WPC into 4 ohms, 1.050 WPC into 2 ohms and 2,100 watts bridged. The circuitry is fan-cooled, and features an intelligent short-circuit protection system and a power supply that recharges 120,000 times per second. Inputs are XLR barrier strip and 1/-inch TRS balanced/unbalanced; outputs are binding post and 7-inch phone jacks, The front panel provides LED status indicators and individual level controls. Retail is \$1,399.

YORKVILLE SR-300

The Yorkville (Niagara Falls, NY) SR-300 is a 2-channel convection-cooled power amp with a continuous power rating of 75 W at 8 ohms and 150 WPC into 4 ohms. Circuit systems include a built-in peak and average limiter, thermal overload protection and switchable highpass filter. The unit is housed in a single-rackspace chassis, with sidemounted heat sinks to dissipate heat away from other heat sinks in the rack. The front panel features individual level controls; channel Activity, Clip and Limit LED indicators; and AC power switch, Inputs are ½-inch TRS connections; outputs are push terminal/%-inch. The SR-300 is \$489.

"So, how 'bout the truth? I know quality, I know power, and really know sound...PowerLights are the best."

When PowerLight™ Professional Amplifiers were introduced in late '94, we said they were the best sounding amps we had ever made. Now that they've passed the ultimate road test, you can take somebody else's word for it. While on tour with some of the best sound engineers and hottest acts, PowerLight amplifiers have delivered on every kind of performance and musical demand-without missing a beat. In fact,

two international tours using over 240 PowerLight 1.8's have been on the road continuously for the past year with not one channel failure! PowerLight has emerged as the new standard in sound quality and reliability by which all other amps will be compared.

🕶 4 PowerLight Models
Output Power in Watts per Channel

	Q.*	4Ω*	2Ω**
PowerLight 1.0	200 Watts	325 Watts	500 Watts
PowerLight 1.4	300 Watts	500 Watts	700 Watts
PowerLight 1.8	400 Watts	650 Watts	900 Watts
PowerLight 4.0	900 Watts	1400 Watts	2000 Watts

*20 Hz-20 KHz. 0 1% THD, ** 1 KHz. 1% THD

What makes PowerLight amps work so well?

- Refined "stepped linear" output circuits for optimum efficiency.
- PowerWave™ Switching Technology for tighter, fuller sound.
- Remarkable 2 ohm load performance with unsurpassed thermal capacity.
- Extensive, proven protection circuitry, providing continuous fail-safe operation.
- Full compliance with worldwide safety and EMC requirements assures trouble free system integration.
- All PowerLights now include a data port for integration with QSC's computer controlled Network Audio Systems.

For more details, call 714-754-6175.



OSC Audio Products, Inc. 1675 MacArthur Blvd. Costa Mesa, CA 92626-1468 Ph (714)754-6175 Fax (714)754-6174 E-mail: info@qscaudio.com QSC WorldGroup BBS: (800)856-6003 or (714)668-7569 (In Canada) S.F. Marketing 6161 Cypihot St. Laurent, Quebec, Canada H4S IR3 Ph (514)856-1919 Fax (514)856-1920

Copyright 1996 QSC Audio Products, Inc. PowerLight, PowerWave a Hear the Power of Technology are trademarks of QSC Audio Products. Inc QSC and the QSC logo are registered with the U.S. Patent and Trademark Office USE READIR SERVICE CARD FOR MORE INFO

SEE US AT NSCA BOOTH #1809 and #181

	esc.	2
- 250		
= QSC		
QSC		
= QSC		
ΞQSC		
- QSC		

TECHNOLOGY SPOTLIGHT

SONY DIRECT STREAM DIGITAL The Last Standard?



Signal flow chart for the DSD process.

 γ e have 300,000 master tapes, and tens of thousands of lacquers," the spokesman for Sony was saying, "and they're not getting any younger." Finding the ultimate way to archive these priceless recordings is one of the goals of a new technology Sony is proposing. Direct Stream Digital (DSD), according to the company, is a digital audio encoding system that "transfers all of the information on the original master.1

Sony presented DSD to the press at a series of very small demonstration sessions in late February, at their recording studio complex on Manhattan's West 54th Street. No more than four audio journalists-mostly "golden ears" types-were in the room at a time, as David Kawakami (Sony New Technology's director for new business development) and a team of engineers from New York and Japan explained the new system; with the help of a world-class live jazz combo and a brand-new analog master tape, they put it through its paces.

Some of what comprises Direct Stream Digital is familiar: The analog signal is digitized using 1-bit delta sigma conversion. What's different is what happens next, or more accurately, what doesn't happen: The system keeps the data in 1-bit form and records it that way, encoded as a Pulse Density Modulated waveform. To play it back, the 1-bit signal is simply passed

It may sound like a straightforward concept, but one engineer allowed that Sony has a large number of patents on it.

DSD's sampling rate is, not surprisingly, very fast: 2.8224 megabits per channel, which happens to be 64times the standard digital audio sampling rate of 44.1 kbytes. A little arithmetic shows the resulting information density to be four-times that of conventional 16-bit digital recording. The primary advantage of using a 1-bit data stream, says Sony, is that the errors caused by converting the stream into the usual 16-bit (or more) words-which can be caused by quantization, requantization, decimation, interpolation, jitter and a slower sampling rate-are eliminated. If you don't like the 64-times sample rate, two other rates are available by merely changing the master clock frequency: a "more efficient" 32-times rate, or a higher-density 128-times rate.

Sony claims DSD can have frequency response up to 100 kHz, and a dynamic range (within a 20kHz bandwidth) of 120 dB. A number of noise-shaping algorithms will be available to the engineer, which will allow optimization of either bandwidth or dynamic range. "Producers and engineers can allocate their own bit budgets,³⁵⁵ says Kawakami.

Another important advantage of DSD, Sony says, is that the signal can be delivered in any of the more com-

through an analog lowpass filter.

BY PAUL D. LEHRMAN

mon digital formats without deterioration. A recording can be easily

We brought together some of the biggest names in the industry to tell you about their choice in studio tapes.



"I had to look to see if the band was in the control room or playing live, because this stuff has so much dimension to it." -Don Smith "The music sounded better coming off the tape than it did going on to it." -Skip Saylor "I've tried everything else. Once."-John Jennings



When it comes to capturing sound that's crisper, warmer and more alive than when it was laid down these guys are of one mind: BASF studio mastering tape is the best there is. No matter what music they record or whether they need the normal bias analog, high output analog or tape for digital media, BASF is their top choice. But don't just listen to what they have to say, use it yourself and see if the results don't speak for themselves.

Demand It.

USA 1-800-225-4350; FAX 1-800-446 BASF; Canada 1-800-661-8273; Europe (49) 621-59 20-366

"The best sound effects library is The Hollywood Edge — without a doubt!"

Oliver Stone, Director

(J.F.K., Born on the Fourth of July, Platoon)

"Excellent!" Martin Scorsese, Director

(Cape Fear, GoodFella's, Raging Bull, Taxi Driver)

"Nothing else even comes close!"

Shadoe Stevens

(American Top Forty)

Hot off the press!!! Premiere Edition 2

Listen for yourself-

If you buy sound effects for your company, call us for a



213-466-6723 In Canada Call 1-800-663-4757



USE READER SERVICE CARD FOR MORE INFO

TECHNOLOGY SPOTLIGHT

down-converted, using relatively simple divisors, to accommodate sample rates from 32 to 96 kHz and word lengths up to 24 bits. There is significant benefit, they note, in not having to sample-rate convert or reformat the data in order to go from one medium to another. Since the DSD format is not locked into any particular delivery system, it will allow the company, as Kawakami put it, "to build an infrastructure for future distribution options"—meaning, presumably, that the system will be usable in that not-so-far-off day when recorded music is distributed by wire and fiber.

One of Sony's first uses of the technology will be for its own archives. The company is building a "silo" in New York City for this purpose, and is evaluating the conversion of all its archives to DSD on a data version of Digital Betacam tapes. "We can take advantage of the advanced automation systems and robotics that already exist [for the Betacam formatl," Kawakami says. Another use is in-house mastering. Right now, the mastering format of choice at Sony Music is half-inch analog tape at 30 ips with Dolby SR, and the hope is that DSD will provide equal quality and will eliminate the need to use separate formats for mastering and archiving.

Sony is also hoping that DSD will become an industry standard for digital audio production. "We have presented it to some other manufacturers of professional audio gear," says Kawakami, "and the response has been very favorable." Are the others, he was asked, willing to go along with a technology they're going to have to pay Sony for? After all, AES/EBU doesn't cost anything in license fees. At this time, Sony has not established any licensing policies, or even whether such a move would be necessary at all. But for now, the reply was that Sony "sees this as a way to develop and sell a whole new generation of hardware."

So how does it sound? A very careful demo environment was set up for the visiting journalists to evaluate DSD. In the studio was a quartet of Andy La-Verne, piano: George Mraz, bass; Al Foster, drums; and Randy Brecker, trumpet. The guests sat in the control room, where an audiophile's dream system—Cello amp, Wilson WATT speakers—was set up with a three-way switch to select between the live feed (mixed throug th a Massenburg console), a signal passed through the DSD system, and a signal passed through a 20-bit stage consisting of a dB Technologies AD-122 and DCS-950 AD/DA combination stored on a Sony PCM-9000. A white screen blocked the view of the musicians, and, in fact, the listeners weren't told who was playing until the session was all over.

One at a time, we were invited to sit in the sweet spot between the speakers and switch systems, listening for any differences. After the band ran through a few standards for 15 minutes (and they sounded great), a new source was put up: a 30 ips, half-inch, Dolby SR master of an alternate mix from Mariah Carey's newest album.

The assembled ears (all male) agreed that compared to the other two switch settings, the 20-bit PCM system sounded as if the space around the instruments was ever-so-slightly smaller. There was no such unanimity about the transparency of the DSD system: Some heard a difference between it and the live sound, some (including this writer) didn't. What made things slightly more difficult was the realization, confirmed by Sony's people, that the trumpet was being processed with a digital reverb: Although it sounded nice, there was no doubt that this compromised the "purity" of the source signal.

When the Carey tape played, I actually expressed a preference for the sound of the 20-bit system: The reverb tails on the percussion instruments seemed to decay more naturally. Through DSD, the percussion seemed detached from the rest of the mix. David Smith, Sony Music's director of audio operations, said, "We've heard that from others. In fact, you'd be very flattered if you knew who else said that same thing." He declined to elaborate.

What we were hearing in that room, of course, was a prototype: Three big black boxes filled with hand-wired circuit boards and impressive coupling capacitors sat on the console. No doubt, it will be awhile before Sony brings DSD to the manufacturing level, and there will be changes by that time. The engineers, to their credit, listened as much as they talked: They were genuinely interested in how their guests responded to the system and took careful note of all comments, positive and negative. The concept of Direct Stream Digital, all agreed, makes a good amount of sense, and it could be a great boon to the industry if one of its effects was to put the digital format wars behind us. It will be interesting to see how the industry responds when Sony puts it into practice.

Sound This Legendary Only Comes Around Twice In A Lifetime.

Introducing the AKG Vintage TL. Not since the 1950's has a microphone so faithfully captured the warmth and character of the original AKG C12 mic. Now the legendary presence and openness are back, thanks to an acoustically perfect re-creation of the original C^{*}2 capsule. What's more, transformerless C414 circuitry allows the Vintage TL to exceed all of today's digital requirements. So you get the

best of two legendary sounds, in one affordable mic. AKG. It all comes back to the sound.



SEE US AT NSCA BOOTH #904

Preview



HHB MEDIA UPDATE

Having sold its millionth tape, HHB (U.S. offices in Portland, ME) announces improvements in its DAT line. Record times have been increased to 15/35/50/65/95 and 125 minutes, at no extra charge. The new formulation has decreased block rates and a stated archival life of 30 years, along with a warp-resistant shell (tested to 220°F), anti-static lid, shatterproof tape box and new J-card for studio users, HHB also unveiled professional MiniDiscs and rewriteable 5.25-inch MO disks in 1.3 and 2.6GB formats Circle 226 on Reader Service Cord

MODULAR PATCHBAY SYSTEM

David Carroll Electronics (Richmond, CA) and Audio Accessories (Marlow, NID) have jointly developed Project Patch," a mini (bantam TD patchbay system targeted at project studios. The modular system is based around Audio Accessories' Mini patchbays, which are wired at the jacks to 8-channel connectors; a comprehensive selection of mating cables connect the jacks to virtually any audio equipment. Standard multipin connector cables are available for most popular modular digital multitracks. including ADAT, DA-88 and RD-8 formats. Circle 227 on Reader Service Cord

BSS PREAMP/EQ

BSS Audio (Northridge, CA) introduces the FCS-916 microphone preamp/parametric equalizer. Offering separate mic and line inputs, switchable 4-band parametric EQ with independent sweepable high- and lowpass filters, and phantom power, the FCS-916 is designed to replace individual mixer channels in demanding audio applications. **Circle 228 on Reader Service Cord**

NEW PANASONIC DAT RECORDER

The new SV-3800 DAT recorder from Panasonic (Cypress, CA) features the same type of sigma delta 1-bit. 64-times oversampling A/D converter found in the company's industry-standard SV-3700 but also includes new 20-bit DACs. The new ladder-type DACs are reportedly resistant to clock jitter. and dual DACs are used to process left and right channel data separately. The SV-3800 features 44.1/48kHz sampling rates, +4dBu and -10dBu output levels (the +4 output may be trimmed down to -6 dBu in 1dB steps) and digital I/O via AES/EBU or IEC 958 (coaxial and optical) connections. The unit also boasts a dualspeed shuttle wheel for cue location and enhanced operating features, including Skip-ID and Single Program Play functions, An infrared wireless remote is standard; enhanced remote control options are available. Circle 229 on Reader Service Cord

NEW FRONTIER ANALYZER

New Frontier Electronics (New Hope, PA) releases its DSP 2010-EX Precision Audio Analyzer, a self-contained analyzer offering real-time spectrum analysis. SPL and RT60 measurement facilities, FFT mode and 16channel MIDI diagnostic functions, all in a single rackspace. The 2-channel unit includes a full-function audio signal generator, is fully loaded with necessary software and provides comprehensive I/O connections. List price is \$2,995. Circle 230 on Reader Service Cord

TACTILE TECHNOLOGY M4000 MKIII UPDATE

Tactile Technology (Cerritos, CA) is now shipping new software and hardware for the M4000 MkIII automated console. New features include a merge function that allows fader moves to be copied and pasted and an undo function to recover previous settings and actions. The existing stereo link function has been expanded to include levels. mutes, solos, EQ and mirror pan. The console's LCD section now offers a channel. status readout that indicates fader level, pan position, EQ settings and tape return assignments, LCD information may also be displayed. on external monitors, Hardware updates include a new meter bridge and LED bar graphs on all inputs and outputs.

Circle 231 on Reader Service Cord





SOUNDELUX TUBE MICROPHONE

Group One Ltd. (Farmingdale, NY) has signed an exclusive distribution agreement with Soundelux for the new U95 vacuum tube microphone. Featuring a 1-inch diameter capsule, the U95 offers omnidirectional. cardioid and figure-eight polar patterns with six intermediate settings. To ensure trouble- and noise-free operation, there are no switches on the microphone body; pattern selection is made at the power supply, which is switchable between 115 and 220 volts. The U95 offers a frequency response of 20-20k Hz, will accept a maximum input SPL of 135 dB (0.5 percent THD) and has a dynamic range greater than 117 dB. List price, which includes power supply, shock-mount and wooden case, is \$2,900. Circle 232 on Reader Service Cord



OPCODE COMPLETE MIDI WINDOWS SOLUTION

Opcode, of Menlo Park, CA, announces its complete MIDI system solution for Windows. The integrated system includes Vision 2.5 MIDI sequencing software. Galaxy the Universal Librarian, Music Quest interface hardware, and the industrystandard OMS (Open Music System) cross-platform utility. In other news, Opcode has announced its MIDI Translator PC, a 2-in/2-out, 32-channel MIDI interface for PC compatibles.

Circle 233 on Reader Service Card

INTERNAL DRUM MIKING SYSTEM

Drum Workshop (Oxnard, CA) now offers the May Internal Drum Miking System as a factory-installed option on all of its snares, toms and bass drums. Developed by drummer/drum engineer Randy May, the May system combines the advantages of internal mic placement and total adjustment flexibility through 360° Available microphone elements include models from Shure, Sennheiser, EV, Audio-Technica and AKG. Circle 234 on Reader Service Card

Preview

SOUNDTRACS VIRTUA

New from Soundtracs (Epsom, Surrey, UK) is Virtua, an all-digital, 48-channel mixer with 4-band parametric EQ, dynamics on all channels, eight aux sends, eight subgroups, 16 direct outs, LCRS panning, moving fader automation. snapshot recall of all functions and ADAT, AES/EBU and S/PDIF digital I/O. An external rack of 32 mic/line inputs connect to the mixer via a fiber-optic link; 16 additional inputs can be used. as effects inputs or monitor returns, and Virtua provides up to 64 inputs on remix. Retail is expected in the \$35,000 to \$40,000 range. Circle 235 on Reader Service Card

PRESONUS ACP-8

PreSonus Audio Electronics (Baton Rouge, LA) offers its ACP-8 8-channel compressor/gate, a 2U unit with eight independent compressor/gates. Each compressor/gate section features threshold, ratio (1:1 to 20:1), attack, release and gain makeup controls for the compressor; and threshold, release and attenuation controls for the gate. Jack inputs for sidechain and key inputs are provided, and front panel controls include compression characteristic (hard/ soft-knee, peak/auto) and bypass selection buttons. List is \$799

Circle 236 on Reader Service Card



.....

SPEAKER DESIGN TOOL-BOX FOR WINDOWS 95

True Image Audio (Escondido, CA) announces the release of WinSpeakerz 95. The Speaker Design Toolbox for Windows 95. Functional on any PC running Windows 95, WinSpeakerz 95 erables loudspeaker designers to calculate precise audio performance parameters of any driver in any enclosure type. As well as enclosure analysis, Win-Speakerz 95 can assist in the design of passive crossovers. impedance compensation networks and attenuators. and a driver database that includes provision for recording over 90 parameters per driver. Designers may save up to ten system. designs in each project file. and saved designs may be recalled for comparison of different drivers in similar enclosures or the same driver in various enclosures. Circle 237 on Reader Service Card

TAPELESS RECORDER

The SAM 8M Sound And Motion controller from Simon-Kaloi Engineering (Agoura-Hills, CA) is a rack-mountable, tapeless, digital recorderdesigned for recording and playing back a variety of digital control and audio signals. SAM may be used to trigger motion and audio playback for robots and animated characters, for example, and may also control and provide input for audio annunciators. and public address systems. SAM will store up to 16 different messages and can be configured for 34 minutes of recording into nonvolatile, solid-state memory, Sampling rate is selectable up to 32 kHz, and SAM accepts up to 11 trigger sources. Audio and control information may be loaded or exported via memory card and the RS-232 serial port. The unit includes line and mic inputs and a 10-watt amplifier. Circle 238 on Reader Service Card

Preview



AGUILAR BASS PREAMP

According to the manufacturer, the DB 680 Tube Bass Preamp from Aguilar Amplification (New York, NY) combines the warmth of "a Telefunken tube mic pre, the fidelity of a Neve 1073 module and the flexibility of a Massenburg parametric EQ." The DB 680 features two channels of parametric EQ, high/low shelving filters and "deep" and "bright" switches. The 2-rackspace unit has three outputs for live and studio applications, including a 5-position switched balanced XLR out (pre post EQ at -20 or +4): HF and LF %-inch outs for bi-amping; and unbalanced mono output. List is \$1,795. Circle 239 on Reader Service Card

HOT OFF THE SHELF

Goldline's new Windows software for the company's DSP analyzers will run under standard Windows and Windows 95 and allows the DSP user to make measurements in .25dB increments. Interfaces with optional programs provide RT60, loudspeaker delay timing, noise criteria curve, THD analysis and impedance measurement functions, Call 203/938-2588 or fax 203/938-8740...Jiri Donovsky offers an 8-channel AES output digital transfer

interface for Akai DR8 and DR16 disk-based recorders. Call 213/960-9472 or fax 213/461-7391...Jameco Electronics' new catalog features 185 new products, including ICs, BNC connectors, stranded hookup wire, wall transformers and more. Call 800/ 831-4242 or e-mail to info@ jameco.com...Promusic announces 39 new additions to its catalog of production music and sound effects, including a 43-track C&W disc from former Quiver guitarist Tim Renwick, last seen playing live with Pink Floyd and Procol Harum, Call 407/995-0331 or fax 407/995-8434... The CKD 10 and CKD 11 near-field monitor stands from QMI are made of steel, feature rigid construction and can be filled with sand or shot to enhance stability. The CKD 10 stands (\$229 pair) are 1 meter (39 inches) tall and the CKD 11 (\$249) tops out at 1.1 meters (43 inches), Call 508/429-6881. fax 508/429-7135...Gizmo Bags from Music Industries Corp. are designed to protect valuable electronic devices from wear and tear. Eleven models are available for carrying and storing mixers, effects pedals, tape machines, microphones, etc., at prices ranging from \$20,95 to \$45.95. A velour lining keeps gizmos scratch-free; construction features heavyduty, water-resistant Cordu-

ra shell, dual heavy-duty zippers, an external accessory pouch and 50lb-rated dual handle straps and adjustable shoulder strap, Call 516/352-4110 or fax 516 352-0754...Waves has an alliance with Macromedia and announces that the Waves Plug-Ins V2.0 and newly announced Xtras * products will support Macromedia's SoundEdit 16 and Deck II toolset for audio production and post-production. Call 423/588-9307, fax 423-588-9472 or visit the Waves Web site at http://www.waves. com/waves...TTT Pomona offers complete Test Companion18 accessory kits specifically designed for Fluke, Hewlett-Packard and Tektronix digital and graphical multimeters and oscilloscopes. Supplied with lightweight Cordura carrying cases, each Test Companion kit includes a selection of IEC-1010-compliant accessories tailored to provide maximum test versatility and performance, Call 800/241-2060 or fax 909/629-3317... Analog Devices announces a new 16/18-bit stereo digital audio playback subsystem on a single chip. The AD1859 comprises a variable-rate digital interpolation filter, a multibit sigma delta modulator with dither, a jitter-tolerant DAC and analog output drive circuitry in a 28-lead surface-mount package. Priced at \$4,90 in 1,000s, the AD1859 is targeted at manufacturers of digital cable TV and set-top decoder boxes, video laserdisc players, DAWs and multimedia computers, and all forms of CD and digital tape players. Call 617/937-1428 or fax 617 821-4273...Zero Internation-

al, manufacturer of door seals and gaskets, offers a 32-page catalog of specialized scaling systems for doors and windows. An STC rating of 53 can be achieved with Zero's Sound Trap system in combination with approved door and installation procedures, Call 800-635-5335 or fax 718/292-2243... The second edition of Timecode: A User's Guide by John Ratcliff is available now from Focal Press, Priced at \$47.95. the new edition of this indispensable reference work contains new sections on using timecode with video. assist and nonlinear production. Call 800/366-2665... The 1996 Measurement Products Catalog from Tektronix is a 600-page softcover tome listing 900 products, including solutions from allied companies Advanset, Japan and Rohde and Schwarz, Germany. Nearly 100 new products are described, and detailed product descriptions are available through an on-demand fax service, Call 800/ 426-2200 (press 3 at the prompt and ask for program 499) or order the catalog direct via the Internet by browsing http://www.tek. com/mbd/w499...The third edition of the Directory of Independent Music Distributors from Disc Makers, the largest independent manufacturer of CDs and cassettes in the U.S., lists over 400 local and national distributors. An essential tool for anyone seeking to get an independent release into national record stores, the guide is offered free to Mix readers until June 30, Call 800/468-9353. From outside the U.S.,

call 609/663-9030. 🔳

Spectralizer - the Sonic Optimizer is a truly innovative audio processing tool. It enables spectral enhancement of your audio recordings, with a quality never before available. It doesn't affect the phase, it won't create artefacts! Your recordings will

sound crisper, clearer and have more presence. lust like that.



Tun-A - the TDM tuner couple is a set of Guitar and Chromatic Tuner Plug-Ins. Perfect for tuning analogue synths, guitars or any other instrument 'on-the-fly'. These tuner plug-ins go beyond hardware tuners by offering additional tuning schemes from 'Open G' for guitar to 'pure' & 'exotic'.

T BLO BLOCK rate 0.463 Hz width 25 % 11 feedback 52 % 11 fund a limmer 56 % 1 rate 1 48 % K wavelor m - 1 Bast I Area left. left Jelujah I. Steriko Moni right _____ 100 right in the second second

digidesign

Avid Audio Division

OOLS

kinsberg PlateRuss

Introducing Steinberg's Virtual Studio Technology: High-performance, highly professional and easy-to-use DSP programs for digital signal processing. Digidesign's TDM environment is a great platform for such tools, and Steinberg offer you a whole range of Plug-Ins tailored to your needs. All Steinberg Plug-Ins interface with any TDM compatible software from Cubase Audio to Pro Tools!

COOL AUDIO TOOLS BY STEINBERG All company and product names are TH or IR trademarks of their respective holders Need another reverb? Want some chorusing? Cool stereo FX? The Virtual FX Rack is Steinberg's entry-level package with five essential DSP effect programs from Chorus to Reverb and Auto-Panner to Stereo linage Expander, programmed so efficiently that you can run more than one on a single DSP. And what's more: the VFX-Rack has a very attractive price-tag!



01 MA

A MANA

restores audio material in real time by removing 'clicks'. Perfectly suited to restoring old vinyl records as well as removing digital clicks or static discharge cracks from your DAT masters, softening digital distortion or even masking tape drop-outs of up to 60 samples long!



TimeGuard – the TDM Timing Analyzer makes sure that your recordings are always 'in-time'! It mercilessly detects unwanted delays between two audio tracks and displays them with sample accuracy! And there's more: Timing shifts can be instantly fixed by using the delay parameters. TimeGuard is an indispensable tool for groove control!



Steinberg North America: 9312 Deering Ave. • Chatsworth, CA 91311 • Phone: 818-993-4091 • Fax: 818-701-7452 Steinberg on the nets: CompuServe: MIDI VENDOR C (71333,2447) . Internet: http://steinberg-us.com More about Pro Toois: Digidesign • 1360 Willow Road • Sie. 101 Menio Park • CA 94025 • Phone: 415 688-0600 • Fax: 415 327-0777

LAFONT CHROMA analog post-production/re-recording console



Lafont Chrama installed in Studia A at Acme Soundworks, West Los Angeles

The Lafont Chroma is one of those truly rare consoles that have been designed specifically to fulfill a narrow range of tasks. Unlike many other manufacturers, who offer designs that can be used-they would have us believe-in a wide cross section of applications, Lafont has targeted the Chroma squarely at the post market: mix-to-picture and multiformat film/video post-production. And, as I discovered during extended sessions with the unit at a post house in Santa Monica, it's a claim that I find to be fully justified. The Lafont Chroma bristles with features that will make the life of a post or re-recording engineer a great deal simpler,

But, before proceeding, one pertinent question needs to be addressed—Who exactly is Lafont Audio Labs? The company bears the name of famed French designer Jean-Pierre Lafont, who for the past dozen or so years has been developing a series of TV/film post-production consoles. The current line, in addition to the Chroma reviewed here, includes the Privilege threeengineer dubbing board; HD-4 Visions large-format re-recording consoles; Esterel Series of ADR/ Foley dubbing consoles; and transfer consoles for machine rooms. The firm also makes a range of rackmounting mic preamps, parametric equalizers, dynamics units and a telephone simulator. (In other words, Jean-Pierre Lafont is a kind of Gallic Rupert Neve) All systems are built in Montreal, and receive a final assembly checkout from Sascom Marketing Group, the firm's Toronto- and L.A.-based North American distributors,

Whatever its origins, the Lafont Chroma packs lot of power into a compact amount of space. Basic circuit topology is an in-line design, with line- and mic-level inputs routing via the lower channel fader to a series of multitrack bus outputs. and then from tape machine returns to an LR stereo or multiformat monitoring matrix via the upper bank of faders. Other circuit arrays, including subgroup stem outputs for pre-dubs and re-recording assignments, are also possible with this flexible design. The Chroma is supplied complete with a VCA-based Optifile Tetra automation system that controls channel faders and mutes; more expensive Uptown, Flying Faders or GML moving-fader systems are available as options,

The system I reviewed at Acme Soundworks in West Los Angeles was a hybrid layout: a 64-channel mainframe short loaded with 40 I/O strips; additional modules can be added in buckets of 12, A TT patchbay is standard, All I/O modules feature a full-function, 4-band parametric equalizer, plus a flexible dynamics section. Three types of input strip are available: Model 7252 with built-in mic preamp; and the Model 7253 with double line inputs that can be supplied with either a compressor/limiter or expander/gate section. Also standard on the design are four stereo input modules that can be used for conventional effects returns or for stereo premixes and other 2-channel sources. Price for the system reviewed here is around \$130,000; the Chroma line ranges from \$85,000 to almost \$185,000, depending on the number of input channels and specified automation package.

CHANNEL STRIP: FEATURES AND FUNCTIONS

At first glance, the Lafont Chroma bears more than a passing resemblance to the color scheme and stepped panel layout of a vintage Neve 8078, crossed with the system

BY MEL LAMBERT

essential tools ST ENEONIO

New Lower Price!

opendent 24-bit (20 MIPS DSF Power)

anced TRS)

to Proces Tree Stereo o Input Signals

the ENSONIQ DP/2 the biggest selection of the best tools

When it comes to equipping your studio, your list of effects needs can grow pretty long. Probably longer than your budget. So make the right choice - one that will cover all of your signal processing needs from tracking to final mixdown. The DP/2 from ENSONIQ.

What makes the DP/2 so special? To start, it offers sixty-five great-sounding algorithms - the most complete selection available anywhere. Take a look at the list - you'll find all the tools you'll need to record and mix your music.

Use compression, de-essing, or EQ for recording voice-overs or vocals. A variety of speaker and amp simulations help you record guitar or bass direct and get anything from a natural mic'd amp sound to some serious "crunch." Shape drum tones or clean up noisy signals with a number of EQs, gates, and expanders.

An assortment of time-based effects (including chorus, flanging, phasing, delays, pitch shifters, and combination effects) are there to add richness and life to a track. And a selection of world-class reverbs lets you place each instrument in its own perfect "space" in your mix.

Not only does the DP/2 offer a complete range of processing functions; it has 600 well-crafted presets to handle every recording and live sound application you can throw at it. The presets are organized by type so you can quickly find what you need and get right back to your music.

The DP/2 offers two of our powerful ESP chips -20 MIPS of industrial-strength DSP power that we use to create stellar-sounding effects. With two

D P / 2	ALG	ORIT	HMS	Phæer-Reverb
Hall Reverb	Tempo Delay	Guitar Amp 2	Expander	EQ-Chorus-DDL
Large Plate	3.6 sec DDL 2U	Guitar Amp 3	Keyed Expander	EQ-Flanger-DEL
Small Plate	8 Voice Chorus	Guiter Amp 4	Inverse Expander	EQ-Panner-DDL
Large Room	Flanger	Digital Tube Amp	Ducker/Gate	EQ-Tremolo-DDL
Small Room	Phaser-DDL	Dynamic Tube Amp	De-esser	EQ-Vibrato-DDL
Gated Reverb	Rotating Speaker	VCF-Distortion 1	Rumble Filter	EQ-DDL with LFO
Reverse Reverb 1	Speaker Cabiner	VCF-Distortion 2	Van der Pol Filter	Sine/Noise Gererator
Reverse Reverb 2	Tunable Speaker 1	FuzzBox	Vocal Remover	AD: R Envelope Cenerator
NonLinear Reverb 1	Tunable Speaker 2	Guitar Tuner 2U	Vocoder 2U	Disprtion-Chorus Reverb
NonLinear Reverb 2	Parametric EQ	Pitch Shifter	No Effect	Disprtion-Rota Reverb
NonLinear Reverb 3	EQ-Gate	Fast Pitch Shift	Plate-Chorus	Wat -Distortion-Reverb
MultiTap Delaw	EQ-Compressor	Pitch Shift-EDL	Chorus-Reverb	Compressor-D stortion-
Dual Delay	Guitar Amp 1	Pitch Shift 2U	Flanger-Reverb	Flanger-Reverb

inputs, two outputs, and two processors the DP/2 is equally useful as two separate mono in-stereo out effects devices or as a true stereo device utilizing both processors.

From its low-noise hardware design to its many new algorithms and presets, the DP/2's great sound has been refined from our DP/4 Parallel Effects Processor. The effects legacy that has become a fixture in top studios and live rigs around the world is now available in a single rack unit designed for your project studio and live performance needs.

Yes! Grada torque wrench and crank me out some info on the DP2. ench and crown in processor MR Hack commable synth DP4+ effects processor KS-22 weighted action significant of the processor to the synthese synthe Serious work requires a complete set of the right tools, each designed for the job at hand. For your recording needs, there's no better choice SK Series veighted action synths than the DP/2. 17 also like min on. Ase une une samplers

Seamless Switching of Effects

You car	a reach us ut	t:
800 25	7-1-139 docu	inents to your fax
http://v	www.ensome	som on the Web
COM	ENSONIG	m CompuSorve
800 55	8-5151 phen	c
e10 e 1	7 1000 6	



LEADING THE WORLD IN SOUND INNOVATIO

MRRack espendable smith

PO. H pkw



topology and up-market features of an SSL 4000. The flat, lower bank of longthrow channel faders runs from a steeply-angled writing strip to the slanted section that houses short-throw monitor faders, EQ, dynamics and aux send controls, on up through another angled section that houses more aux sends and master multitrack assign buttons. Every control on the board was an easy stretch for me from a central seated position-or while standing if you need to reach some of the more distant channels. Cosmetics and color schemes are clear and unambiguous, with color coding of key knobs to help break up the front surface.

Two primary busing configurations are available: Mix mode and Surround mode. In conventional stereo Mix mode, access to the 24 multitrack or submix buses is via a bank of 12 buttons and companion LEDs, linked to a pan control that operates between odd/even buses. The monitor pan and fader now control the bus output/tape machine return balances into the left and right control room monitors. In Surround mode, the channel pan operates with true LCR pan laws, while the monitor pan controls front/back balances. As would be expected from an in-line design, Fader Swap enables the channel and monitor roles to be reversed.

In addition to multiformat mixing, a bank of six push buttons located (rather confusedly) on the corresponding channel fader route or re-assign the signal output from the monitor fader directly to the six monitor buses: left, right, center, left-surround, right-surround and sub-bass. Connections are also provided from the patchbay to allow a Dolby Surround or similar encoder to be inserted into the signal path, or to enable the console to interface directly to more exotic DTS and SR•D mastering systems. (Using a spare pair of auxiliary send buses, it should also be possible to provide a workable SDDS mix from the console, with independent control of the left-inner and right-inner loudspeaker busing.)

So, using just a couple of buttons, it is possible to create a normal stereo mix for simple mix-to-picture or music-scoring dates, or activate the various multiformat controls, and prepare a series of LCRS stems from music, dialog and effects sources, and/or combine these stems into a master 5.1 mix. Using the 24 available buses, up to six discrete LCRS stems or submixes can be generated within the console and laid off to separate record tracks. With just a few minutes' study, the Chroma's flexible output routing is very easy to follow and offers a high degree of flexibility.

Sources to each channel strip can be either mic/line; all species of channel strip enable one of three different inputs to be selected. In the case of the mic preamp-equipped modules, these are mic, line and bus; for line-level strips, the mic input is replaced by a second line-level source. The bus input enables a channel strip to serve as a subgroup master, with full EQ and dynamics, plus re-assignment to the output buses and multiformat destinations. The mic inputs feature a 26 to 70dB trim range, plus 48V phantom power and 20dB pad. The independent line-level inputs are provided with a useful ±10dB trim control.

EQ AND DYNAMICS

The EQ section comprises a sweep LF bell/shelving band with turnover frequency adjustable between 35 to 700 Hz; an LMF band from 100 to 2.2k Hz: an HMF band from 400 to 7k Hz; and a sweep HF bell/shelving band from 800 to 18k Hz. The fully parametric mid-frequency bands feature Q controls with 0.6 to 3 ranges. Cut/boost is 16 dB for all four bands. In addition, the line-only input strip features highpass (40 to 400 Hz) and lowpass (1.2 to 20 kHz) filters, with an in/out switch; the mic/line strip offers only the highpass filter. As would be expected, the EQ section can be inserted into either the channel or monitor path. (I would have preferred to have been able to split some of the EQ into each, but you cannot have everything, I suppose.) A post-EO channel insert, accessible on the patchbay, is also provided.

In use, the Chroma's EQ section is smooth and musical. It offers a wide range of adjustment and lets you zero in on the frequency band very quickly and easily. Even when set to provide large amounts of cut and/or boost at narrow bandwidths, never once did the system cause any odd barks or squawks. And the detented controls enable identical EQ to be applied to stereo sources and recalled accurately from session notes. Speaking of which, a useful Link button causes the input signal on the selected channel to be dumped directly to its right-hand neighbor. The operation can be repeated several times, allowing an identical signal to be internally routed to several input strips and then equalized separately, for example, to allow automated crossfades between indoor and outdoor scenes.

The built-in dynamics section is very handy and uses VCAs fitted to each channel fader, controlled directly from the signal input. (Fader-swap can be used to control levels in the monitor chain.) Although the type of dynamics control that can be implemented is limited by the type of functionality specified on a particular channel strip-either compression/limiting or gating, depending upon the application-there is a solution. Full-function dynamics units can be added to empty areas of the leftand/or right-hand meter bridge, and then connected via the patchbay to the selected channel. These Model 832 double-width dynamics processor modules offer enhanced compression, limiting, gating and de-essing.

The upper Auxiliary Send section features a total of eight buses, fed either pre- or post-monitor/channel. Aux 1/2 and 3/4 are switchable as stereo send outputs, while 5 thru 8 function as independent mono sends. Usefully, aux sends 7 and 8 can be set to access the multitrack output buses, thereby providing an additional set of 24 aux sends via unused buses, or—more usefully to directly access the LCRS outputs in whatever combination the user has selected.

MASTER CONTROLS: FLEXIBILITY PERSONIFIED

The master control section is full of useful features and functions. Both left and right, as well as 4- and 5.1-channel multiformat monitor assignments, can be handled directly from the Chroma's master section, without the aid of outboard interfaces. A variety of sources can be routed directly to the control-room monitors, including mastering decks or the 2-track mix. Outputs to a pair of dedicated foldback sends destined for the musician headphones and/or studio playback can be selected from aux sends 1/2, 3/4 or 5/6, the stereo mix or the LR components of a multiformat mix. A 6-frequency oscillator can be routed directly to the mix buses or the multitrack buses for slating. Comprehensive talkback is also provided.

Metering comprises six high-resolution bargraph units that display levels of the L, C, R, SL, SR and sub-bass buses, plus a user-selectable choice of VU or peak-reading units for the multitrack buses. Independent metering is also provided for the eight aux sends. Ballistics of the main bar graph units can be set to VU or peak response.



Disk is the *future* for multitrack production, but *most disk recorders bave problems* even compared to aging 24-track tape technology.

Fairlight's *MFX3* is the first *genuine* 24-track disk recorder. Like tape, it plays *entire* 24-track *projects* from *a single* piece of *removable media* (hard or optical¹ disk). But unlike tape, andio can be recorded in *layers* so that *dozens of takes can be kept and compiled* together on *one track*.

For soundtrack production Fairlight's MFX3 is already the multitrack **bencbmark**, and **more 24-track systems** are in use than **any other** disk recorder.

40-bit floating-point DSPs provide MFX3's legendary audio **transparency**, while its **multi-channel** digital audio **bus** allows internal digital routing and mixing. Which brings us to **F.A.M.E.**, our new **integrated** all digital production **environment**.

F.A.M.E. incorporates an *Amek*²designed moving fader control surface, directly coupled to the MFX3 mixer engine, to provide recording, editing and mixing for stereo and multi-speaker surround productions. MFX3 also has a special interface to Yamaba's² O2R console.

MFN3's blazingly fast *Waveform Extension Bus* is a *realtime playback network*³ that connects multiple workrooms into a *shared audio environment*. In the future you can add Fairlight's *'Audio Server*³' which centralizes projects and libraries.

your next multitrack



Need more tracks? D.a.D., our new Digital Audio Dubber can add 24 tracks of playback to your MFX3 system at minimal cost. Multiple dubbers can be locked together to provide bundreds of extra tracks.

We guarantee you'll *fall in love* with MFN3's lightning fast. *stress-free* aser interface. Scrolling graphics. dedicated console. *no mouse*, no trackball, no pull-down menus and no moving cursor means more *creativity* and more productivity. Fairlight's 20 years in digital audio has resulted in a suite of modern engineering solutions for professionals. MFX3 is the perfect 24-track, and your entree to the superior all digital future. No wonder more leading facilities are choosing MFX3 as their multitrack solution.

USA • Phone 1800-4-FAIRLIGHT, Los Angeles Phone (310) 287 1400 Fax (310) 287 0200 Europe • London Phone (171) 267 3323 Fax (171) 267 0919 Asia • Sydney Phone (2) 9975 1230 Fax (2) 9975 1368 Tokyo Phone (3) 5450 8531 Fax (3) 5450 8530

¹-sustained optical playback performance subject to drive model ²-registered trademarks ³-scheduled 3rd gtr *96



THE WARMTH OF THE PAST



THE PRECISION OF THE FUTURE SURFACE-MOUNT TECHNOLOGY

CONSULTING

BRITISH EQUALISATION SERIES® MIXING CONSOLES

PELONIS SOUND AND ACOUSTICS, INC. P.O. BOX 30491 • SANTA BARBARA, CA 93130 PHONE (805) 563-0505 • FAX (805) 563-9604

USE READ KONK RECECTION MORT INFO

FIELD TEST

Also contained within the central monitoring area are master level controls for the eight aux sends, plus individual controls for the four additional stereo input modules. In addition to pre-fader access to the aux buses, each stereo module is provided with a simple 3-band, fixed-frequency EQ section.

Three Solo modes are available: Normal or AFL Mode, which affects both the channel and monitor sections; Soloin-Place, for destructive soloing; and Split, providing separate monitor and channel solos. Although the AFL monitor levels are normally calibrated and left alone, a useful UNCAL switch allows the level to be adjusted to suit the user's specific requirements.

Finally-and I have purposely been saving this for last-the Chroma boasts a very useful master bus/tape switcher panel. This feature enables arrays of I/O modules to be set to one of three master groups-labeled A, B or C-and then flipped between bus sources and off-tape replay (for example, although any playback format would apply) as a multichannel/multistem mix is being made. Individual solo, mute and tape/bus selection is provided per group, with master controls. A useful Freeze button allows access to any or all group film/bus commands to be locked out.

Although it wasn't fitted to the Chroma I evaluated, a complete track arming, record and motion-control panel is available as a system option. The 860 Module, located in the fader bay below the master section, can be interfaced to any type of recorder, I'm informed. A bank of 24 keys provide access to record/safe functions, master record on/off and conventional transport modes. (These basic functions could also be provided on a multitrack remote control unit, for example, or via an outboard system such as TC Systems' PicMix, which incorporates a set of transport controls and microprocessorcontrolled solo, mute A/B and record/safe functions.)

IN-USE ASSESSMENT

As I discovered during an extended evaluation session, the Lafont Chroma is remarkably easy to understand and configure. In conventional stereo recording, overdub and remix modes, the system is a breeze. The EQ section is flexible and sounds great, while the built-in dynamics linked to the channel VCA are simple to adjust and provide



USE READER SERVICE CARD FOR MORE INFO



We're in the Middle of a Warming Trend

Turns out that digital recording, with all its advantages, produces scunds that are cold and brittle. Nothing warms up digital like the GT Audio tube microphones and signal processors. Our sleek, hand-made stainless steel microphones, the MD1, MD2 and MD3 deliver world class tube tone for about 1/3 the price. The choice of top recording artists from Kathy Mattea to Aerosmith,our tube microphones produce that warm, round, classic sound you crave. For a price that makes it possible to own. Call or write for more information.

Groove Tubes • GT Audio 12866 Foothill Blvd., Sylmar, CA 91342 (818) 361-4500 (Fax) 365-9884

USE READER SERVICE CARD FOR MORE INFO



optimum results. Kick the beast into multiformat mode, however, and the options become even more exciting. Because of the way the Chroma is laid out, it soon becomes obvious that there are several ways of achieving the same result. For example, instead of using the LCR and split-surround output assignments from the monitor fader, it is possible, as I discovered, to pan and route outputs from a channel directly to, let's say, buses 5 and 6. Now, using the corresponding Bus switches on the appropriate channel strip, we can pick up the signal and route it to the relevant monitor output.

FIELD TEST

The Chroma's built-in VCA-based Optifile Tetra automation is easy to set up via the color VDU and keyboard commands; an infinite number of mute groups can be set up using the Status push button fitted to each channel strip. Various update/reset modes are also available for the level automation, several of which behave like moving-fader systems during relative and absolute take-over modes. For the money, Optifile Tetra offers excellent value.

All in all, the Lafont Chroma surprised me with its flexibility and creative power. The EQ sounds sweet, and the dynamics, despite a couple of minor limitations, are very useful. But it's the powerful combination of stereo and LCRS routing plus the enhanced multi-format monitor assignments that propel this French-designed console onto a higher plane. At the price, I can see few reasons why the Chroma would not provide a perfect mixer for smaller-format mix-to-picture and video/film re-recording suites, where value for money is a crucial factor in the purchasing decision, but creative flexibility is equally important.

• • •

My sincere thanks to Jerry Ross and his talented crew at Acme Soundworks, Santa Monica, for access to the facility's new mix-to-picture room, equipped with a 40-input Chroma console and Optifile automation.

Lafont Audio Labs, distributed in North America by Sascom Marketing: 34 Nelson St.; Oakville, Ontario, Canada L6L 3H6; phone 905/469-8080; fax 905/469-1129.

Formerly editor of Recording Engineer-Producer magazine, Mel Lambert currently heads up Media&Marketing, a consulting service for pro audio firms and facilities.



What studio couldn't use more professional tape — and a TASCAM DA-88? So to celebrate the DA-88's numerous technical achievements and awards (including the coveted Emmy), and introduction of the new TDK PRO line of precision recording media, TASCAM and TDK are rewarding DA-88 buyers with what they need most — FREE tape. Act now and for each DA-88 you buy, you'll get the explosive 60-piece TDK Studio









To qualify for the free TOK mape offer, you must purchase a TASCAM Da-88 between April 1, 1996 and June 30, 1996 from any authoraced USA or Conaction TASCAM Decker. After you take delivery of your 04-88, mail a copy of your taky paid decker receipt, comp lete with serial ="3, directly to TASCAM USA, Dept FREE TAFE1, 7733 Telesgraph Rd. Montebele, CA 90640. In Canada, mail to TEAC CANADA 110, Dept FREE TAFE1, 340 Emer Rood, Assessmang, Oxtano 142 (22, Canada. For your protection, we subject molting by certified mail. TASCAM and ship prepaid dire city to you. The TDK 60 Peers Studie Tape Package. Offer good for each and every new DA-88 purchased during the duration of the promotion. Swrip tapes as described for each 04-88 purchased. All requests must be reverted by mail, to fast film that 13/15, 1996, no FAX requests will be accepted. Pierse all ow 6 - 8 weeks for processing and delivery FILE RELIDER VIEW FOR TAIL OF TARE TAFE1.

RAMSA WR-SX-1 sound reinforcement console



🗖 he Ramsa WR-S840 console created a standard for quality and flexibility when it was introduced a decade ago. It remains one of the most universally accepted monitor desks, and many prefer it for mixing house over FOH consoles of its day. The robust grounding scheme, which brings all XLR pin 1 and phone jack sleeve connections to a solid, heavy ground bus (the "big green highway") to reduce buzz, hum and RF interference, has been widely imitated by other manufacturers. Its padless mic preamps were designed to accept a range of signals, from low mic to high line-level.

Ramsa's new WR-SX-1 is a 20auxiliary, 10-matrix console. Available in 48-input versions with four additional stereo line input modules, it can also be short-loaded with eight blank modules. A total of up to 52 input strips can be loaded into the largest frame. which lists for \$69,900. Any number of additional stereo line inputs can be swapped for mono mic modules. Considering there are 20 auxiliaries, a minimum of eight stereo inputs are recommended. And as Panasonic is a supporter of the Olympics, anyone working in Atlanta this summer may suddenly find themselves mixing on one. My first tip is don't read the manual; the translation to English from Japanese engineers isn't always clear. The console itself is quite nice, however.

Dave Cutter of Sundown Sound (Portland, Oregon) owns an SX-1/48. I had the opportunity to use it at a recent Kool & the Gang show at Portland's new Rose Garden arena, along with Sundown Sound's Cal Perkins-designed. Crown-powered, three-way, twobox speaker system. The 48 monoinputs, plus four stereo inputs were enough for a ten-piece band, plus the opening act. Using the 20 auxes to assign an alphabet-soup of ten digital effects and reverbs, I was able to assign in stereo as needed. Effects can be dedicated to different instruments and then grouped along with those inputs on the VCAs. And having ten VCAs also allowed enough separate assignments for the radio station's DJ and for vocal effects.

The SX-1 is a "VCA" console, with mix control grouping received from ten VCA faders. Inputs simply have an L/R assign below the pan knob. If submaster audio grouping is needed, an additional 20x2 assignment matrix on the main stereo bus allows any auxiliary to become a submaster. On each input, the first dozen aux pots have "CAL" detents at the maximum level position, and pressing the assign switch next to them applies the signal to the bus like a normal house console. Any combination of subgroups or auxiliaries, up to a total of 20, is available.

The first six concentric aux pairs (1-12) are "level-and-level" only. Four internal DIP switches change the last four stereo aux pairs (13-20) from concentric L/R level pots to "level-and-pan" to simplify the creation of up to five stereo mixes for, say, in-ear monitoring, including the main stereo bus. Of course, additional stereo mixes can be derived, using lower-numbered aux pairs, without the facility of panning. Two more switches inside each module select aux 1-12 and aux 13-20 to be either pre- or post-EQ as a group.

The EQ is great. The mono input module's +-band, fully parametric equalization has Q adjustment from 3.0 to 0.5, and the high and low bands can be switched to shelving. A new, natural-sounding EQ circuit architecture uses extra op amps to change the way the filters are shaped at their widest, providing gentler slopes and lower phase-shift. The 12dB/octave highpass filter sweeps up to 400 Hz.

The stereo input modules are

BY MARK FRINK



[][=8

Hard Disk Recording. No Compression. No Compromise.

With 8 tracks of CD quality recording (I6-bit, 44.IkHz) direct to a hard disk, the new DMT-8 digital multitracker gives you all the features of non-destructive editing-cut/copy/paste and undo/redo--plus jog and shuttle control.

A familiar, friendly analog in-line mixer is an 8-in, 4-bus out with 16 channel returns for 22 inputs available at mixdown. There's a separate stereo monitor out, a large 2" x 7" fluorescent display with comprehensive status indication--in short, all the flexibility and convenience you've come to expect.

A built-in metronome has II time signatures, full tempo control and MIDI clock output with Song Position Pointer. You can even locate to bars & beats.

All this in a package which operates like a snap at a price you can afford. Available at a selected Fostex Dealer ... today.

NON DESTRUCTIVE EDITING

Backing vocals great on the first chorus, but a bit shaky in the second? Why waste time recording them again? With simple copy and paste editing you can take those great vocals on chorus I and paste them over the less than perfect ones in chorus 2

THE DMT-8 AND MIDI

The DMT-8 is ready for total integration into your Midi studio It's all there. Midi Time Code output (with up to 6 hours of offset time between ABS and MTC), MDI Machine Control (control the transport direct from your software sequencer), non-linear editing based on MTC or MDI cock and after the event' synchronisation of recorded CD-quality audio to Midi studio It's all there sequenced Midi using the built-in tempo map

DIGITAL MASTERING TO DAT

By connecting a DAT recorder to the optical S/PDIF output you can digitally master your recordings ensuring the highest possible quality

INPUTS The channel strip has two inputs, main and SUB SUB enables monitoring of recorded tracks during recording or can be used as a line input during mixdown Channels I-4 also have the addition of a 'wide-range' trim

Ċ.

Ó

0

0

0

0

0

FOSTEX

fader (-10dBV -50dBV) for perfect mic level matching EQUALIZATION Two parametric EQ's

High Mid (IkHz - I6kHz +I5dB) and Low Mid (60Hz - IkHz +I5dB). AUXILIARIES

AUX sends Dual-function rotary pots enable SUB or post-fader main input to be selected as send source

ROUTING Each channel can be routed to Groups 1/2 or 3/4

LEVELS High quality 60mm faders control the channel level



Fostex Corporation of America - 15431 Blackburn Ave - Norwalk, CA 90650 - (310) 921-1112 - Fax (310) 802-1964

8 Track Digital Recording/Editiv

FIELD TEST

stereo line-level returns, and have no highpass filter, no phantom power and only 20 dB of gain. The EQ is a stereo version of the 840's equalizer. Internal switches allow auxes 1-20 to be switched, in groups of four, to send the input either in stereo to pairs of auxes, or mono-summed to both.

On the back are the usual professional connectors. The mono mic modules have a pair of 1/-inch jacks for inserts, plus a second send that can be used as a post-EQ line out. The stereo line modules have no insert. In the master section, the 20 auxiliary outputs have inserts, but not the ten matrix outs. In addition to the master stereo outputs, there are also stereo sub outputs and inputs, both XLR, plus an RCA record output. Mix, auxiliaries and the solo bus can be linked from a second console using TRS balanced ¼-inch jacks. There are two power supply connections, which must both be used, as the console requires two PSUs to operate, drawing 11 amps together.

MUTE GROUPS AND VCAS

Inputs can be assigned to one or more

As Panasonic is a supporter of the **Olympics**, anybody working in Atlanta this summer may find themselves mixing on a WR-SX-1.

of the ten VCA subgroups and ten mute groups. Unlike consoles with rows of switches or rotary selectors, assignments are made using each channel's On button and a corresponding red Check LED beneath it.

To check a VCA, simply push the Check button over one of the ten VCA faders. The small, red LEDs on channels assigned to that VCA light up. To change these assignments, push the gray Edit button on the master module. The LEDs on channels assigned to that VCA group flash. Pressing the On button on individual inputs assigns or deassigns them to the VCA group, Pushing the lower Enter button on the master module then rewrites that group, Easy.

Assignment to mute groups is similar, but slightly more confusing. This is being addressed and will be corrected in newer consoles. To check mute assignments, push one of the ten Check buttons on the master module and the red LEDs on channels not assigned light up. This is opposite of the VCA assign indication and is counter-intuitive. Channels turned off cannot be assigned to a mute group, so before starting to assign channels, they must be turned on. Pushing the Edit button next causes LEDs on channels not assigned to flash. Again, toggling the On button on each input assigns it, and pushing the lower Enter button locks in the setting.

HOUSEKEEPING UTILITIES

Numerous test and diagnostic modes are available. Each of the 52 input modules has a frame location address, programmed with an internal DIP switch located under the fader. Pushing the first mute group Check button allows channel address settings, programmed on the DIP switches, to be verified.





DIGITAL PRODUCTION SYSTEM

- Digital Mixing Random Access Video option
- Digital Editing
- ◆ Project Management ◆ Digital Recording ◆ Routing Management

Digital production has come of age – and here it is.

The operator will find that Axiom looks and feels like its analogue predecessors, and has the enhanced quality, control and instant repeatability that only an integrated digital system can deliver.

For the Chief Engineer the system offers unsurpassed reliability and is an excellent long term investment without the hassles of purchasing an untried system.

New York: 320 West Horn Street, and Hoor, Yew York, NY 10036.

Instant access and faster throughput translates into greater project productivity and profitability. Add to this the benefits of networking, flexible integrated routing, quick SSL commissioning and the inclusion of the finest customer support and training in the industry - the case for change is solid!

From 'on air' TV production to live broadcasts of music, the quality and excellence of the SSL Axiom Digital Production System has no near challenger anywhere in the world,
Pushing each channel's On button displays its address in the three-digit display.

MIDI control parameters are extensive. The first sets the MIDI channel to Off, Omni, or channels 1-16. The second turns the output copy mode on, allowing parameters or scene memory to be sent from one console to another. The third allows the console to enter FOH mode for dual interlocked operation, and mute group information is sent along with the memory number of program change commands. The console can alternatively be put into "bnH" mode, in which Lock information is also sent: channel on states are sent each time one changes, as are VCA levels when they change by more than 0.4 dB. The fourth dumps data. The sixth actually takes the computer offline completely.

CONSOLE AUTOMATION

The SX-1 has 128 "scenes" of MIDI-controllable "snapshot" automation of all input fader settings. The SX-1 operates in one of two modes, either manual or automated. Manual mode is verified by the first two decimal points on the three-digit numeric display being lit. Manual mode is entered by holding down mute group Check button number 10 while pressing the Edit button. You'll probably run it in manual the first time you use it, especially for one-offs. A green level match LED is used to match a channel's fader to the internal level of the current scene's memory. This is available in either mode, so even if an event is mixed manually, information in scene memory can be used as a convenient guide for level setting. Each time a scene is changed, the MIDI command can be used to drive effects and other MIDI gear presets, such as EQs or inserts.

For theatrical presentations or tours where repeatability is desirable, the automation will be invaluable. Scenes can be written in technical rehearsal in manual mode, verified at dress rehearsal, and the show can then be repeated over and over. Any channel's automation can be overridden while a show is running by setting an input fader at "nominal" zero and pressing the Update button above it. This activates that fader, adding or subtracting from the fader's internal scene level. By putting any or all faders at zero and pressing Update, live override of automation is constantly available. Alternatively, in-

puts can be removed from scene control by pressing the "Man" button.

To program automation, undo the memory lock and put the console into manual mode. Assemble the mix and press the Write button. Select the scene number in the three-digit display and press the top Enter button. The rightmost decimal point indicates storage of the current state into the current memory location. More scenes can be written by assembling subsequent mixes and repeating the last two steps. Third-party librarian software is in the works.

To summarize, the Ramsa WR-SX-1 console is a rugged, great-sounding professional mixer with some features that may take awhile for the average user to take advantage of. But even when running the console in manual mode, it still has more flexibility and mixing power than many users are likely to need. Yet at the same time, the WR-SX-1 provides a technology platform that will grow into a wide variety of sophisticated tasks as its operators become familiar with it.

Panasonic/Ramsa Professional Products; 6550 Katella Ave., Cypress, CA 90630; phone 714/373-7277; fax 714/373-7903.



- and it satisfies the needs of both!

Operational Benefits include:

- Reliable and proven proprietary hardware and software
- Up to 2296 remote and local assignable sources/destinations
- Easy to operate digital mixing and total automation
- Integrated MTR offering unique "free play" cartridge style playback

France: 1 rue Michael Faraday, 78180 Montigny le Bretonneux,



Axiom System Implementation

Built in channel effects, delays and dynamics

- Audio Preparation Station (APS) efficient project management and off-line editing option
- Fast and easy background file back up - gives peace of mind

Italy. Via Pirandello 17, 2009 Search San Giovany, Milano, Italy

So, if you are an Operator who is keen to know more about the new digital age or a Chief Engineer who is looking for a 'future safe system' call now for more data.



Japan: 3-55-14 Sendagaya, Shibuya-ku, Tokyo 151, Japan

BAG END LOUDSPEAKERS STUDIO-A MONITOR SYSTEM

The field of studio monitor design is fraught with recycled ideas, and truly new concepts rarely come along. So when Bag End—an innovator in subwoofer technology for studios and touring rigs—announced that it was developing a full-range studio monitor system, I was interested. And true to form, they've come up with a clever new approach.

The system is available in two standard packages, Studio-A and Studio-B. Both combine two MM-8 mid/high cabinets and one or two subwoofer boxes using Bag End's patented ELF (Extended Low Frequency) technology, ELF also requires a Bag End system integrator, a single-rackspace processor that installs between the mixer and ampifiers, providing active equalization, frequency dividing and speaker-protection functions.

Designed for mastering facilities, larger control rooms and film-mixing stages and priced at \$5,584, Studio-A includes two MM-8s, an ELF-1 system integrator and two D10E-S double-10-inch subs for performance down to 8 Hz. Intended for smaller studios, postproduction suites and project rooms, the \$3,368 Studio-B has two MM-8s, but substitutes the ELF-M integrator (fewer crossover controls and a single mono sub output) and comes with one D10E-S subwoofer that goes as low as 18 Hz.

Although the MM-8s are also sold separately, they are optimized for use with a subwoofer. By selecting other ELF subwoofer products in the Bag End line, users can custom-configure a system to just about any specific application.

The MM-8s use a single 8-inch coaxial driver, mounted in a 12x18x8-inch ported enclosure. Mounted on the rear of the woofer is a full-size, 1-inch throat compression driver. The woofer cone forms the outside of the HF horn flare, so the dispersion is extremely wide.

The MM-8s have a variety of



The Studio-A system pairs two MM-8 coaxial monitors, two subwoofers and an electronics controller.

useful front panel controls. An absolute polarity switch allows for a quick check of the acoustical polarity of program material. An EQ switch offers the choice of three brightness settings. In most applications, I preferred the Nearfield"/ Final setting, which seemed most natural when listening at close quarters, with the monitors placed on the console meter bridge. By the way, Bag End markets a rumber of mounting options for the MM-8s, including adjustable floor stands and wall-mounting plates.

The ELF-1 dual-channel controller is a complex device, with 45 DIP switches per channel crammed onto its front panel. It's somewhat intimidating, but once you're set up, you have no need to change the controls again. A security cover is included to keep prying fingers off your favorite settings. The ELF-M (mono subwoofer output) eliminates the 90 switches and replaces them with factory set parameters suitable for most applications.

Installation is fairly simple and requires two channels of amplification for the MM-8s and another amp to drive the sub(s). The MM-8s have a sensitivity rating of 93 dB (1 watt/1 meter) and perform nicely with a 150- to 200-watt/channel amp. The D10E-S sub has a rather efficient 94dB (1W/1m) sensitivity at 80 Hz, but this rating plummets to 71 dB (1W/1m) at 20 Hz, Obviously, to get the maximum benefit out of an ELF subwoofer, you'll need LOTS of amp power. With stereo subs, I used a 450 W/channel amp, which proved ideal,

Be warned. If you're used to mixing on typical near-field studio speakers, you're in for a shock when you use an ELF system for the first time. Suddenly, you'll actually hear the rumble, grunge, dirt and LF clatter (such as air-conditioning systems, background subways, earthquakes and A-bomb tests) that show up on your digital recordings, and you may not be happy with what's on the tape. However, because you're actually

150 MIX, *MAY* (996

BY GEORGE PETERSEN

SALES PROFESSIONALS NEEDED

For an unprecedented third year in a row, Sweetwater Sound has been acknowledged as the nation's fastest growing music technology retailer. In fact, Sweetwater is the only music retailer to appear for three straight years on the prestigious *Inc.* magazine list of the top 500 fastest-growing com-

panies in the United States. Due to this phenomenal growth, we are actively seeking sales professionals to join our outstanding team of sales engineers. If you have music industry experience in retail sales or as a manufacturer's rep or work in a recording studio; if you're someone who loves talking about the latest technology with people that share your passion, but are caught ir what seems to be dead-end job where your skills and knowledge are seriously undervalued.

now might be the perfect time for a change.

Imagine talking about your favorite subject while seated comfortably in front of a new computer. Then picture living in a community where it's safe to walk down the streets at night, where there are no traffic jams or smog, yet which has all the conveniences of the "big city."

Finally, think about the great income and excellent benefits package you'll be receiving while getting the immediate and long term job satisfaction you've always wanted. Sound too good to be true? Well, the opportunity is here and the time is right. If you want to make a positive career move, please call our Human Resources department at 219-432-8176 or access our career page at "http://www.sweetwater.com/career.html." All inquiries will be confidential.

SALES ASSISTANTS NEEDED

Maybe you don't have the kind of professional sales experience you think Sweetwater is looking for, but know that if given a chance, you could be a successful, productive member of the industry's fines:



sales staff. Great! We'd love to give you that chance.

Sign on now to assist our senior sales engineers (among them are Grammy winners, top mastering engineers, college professors, broadcasters, etc.), prove you have the motivation, attitude and desize it takes to be a winner while gaining valuable knowledge and experience and eventually you'll step up to new challenges as a Sweetwater sales engineer.

If you just feel you need "a foot in the door," that door is open right now, so call our Human Resources department at 219-432-8176 for a confidential interview today or access our career page at "http://www.sweetwater.com/career.html"!







aware of the situation, you can remedy your mixes before they go to disk, on film or off to broadcast. And the system is capable of reproducing ultralow bass material that's a physical sensation you can feel before you start hearing it.

FIELD TEST

I tested the stereo subwoofer Studio-A system, In my small, irregularlyshaped 17x17-foot control room, a single D10E-S sub provided plenty of punch. Of course, the correct amount of bass is subject to taste. Most of my work is pop and acoustic albums and broadcast production; I suspect that rap and hip hop producers would really go for the dual-sub system even in smaller control rooms. The crossover's transition from the subs to the MM-8s was absolutely free of any harshness or other artifacts, and the balance of bass to MF and HF elements was even and accurate, whether mixing jazz, rock or broadcast material.

Above 100 Hz, the MM-8s are smooth and quite flat, even extending beyond 20 kHz. The passive dividing network that crosses the woofer to the HF driver is also smooth, and the 2.9kHz crossover point is high enough to keep out of the critical 1.5 to 2.5kHz vocal range. I wasn't wild about the shape of the MM-8 enclosure. Standing up, it seems a bit top-heavy; perhaps a deeper, less-rectangular shape could provide more stability while retaining the same internal volume. The dispersion, however, is very nice; When mixing on the MM-8s, the sonic character of the system doesn't change just because you reached to EQ that kick drum in channel I. The "sweet spot" at the listening position is quite wide, yet the combination of MM-8's point-source design and Ed Long-developed Time Aligned" crossover provides excellent stereo imaging.

Overall, the Bag End Studio-A system is a winner. With an 8 to 20k Hz response, this is probably the widestrange monitoring system on the market. And in today's studio environment, where more and more gear is being pumped into ever-smaller control rooms, post suites and remote trucks, size is a major consideration. At \$5,584, the Studio-A system is definitely not for everyone. Fortunately for those on a budget, the (single-sub) Studio-B provides 90% of the larger system's versatility at a more affordable \$3,368.

Bag End, manufactured by Modular Sound Systems; Box 488, Barrington, IL 60011; 847/382-4550; fax 847/382-4551. ■

Sound Solutions

ASHLY has been building world-class equalizers for well over 20 years. Our new GQX-Series models take advantage of this experience with some true advances in technology. Precision Wein-Bridge filters, and newly designed summing amplifiers, provide extremely accurate response, low noise, negligible distortion, and excellent immunity to magnetic fields. All filters exhibit true constant "Q" response, with absolute minimum ripple. The full-throw faders are a custom-manufactured metal-shaft type, with the center detented position being utilized as an "on/ off" switch for that filter (to minimize any possible degradation in signal noise levels.) Combine these features with our full Five Year Worry-Free Warranty, and it's obvious why **ASHLY** equalizers are the best solution to your equalization situation.





Ashly Audio Inc., 100 Fernwood Ave, Rochester, NY 14621 • Toll Free: 800-828-6308 • 716-544-5191 • FAX: 716-266-4589 In Canada: Gerraudio Dist. Inc., 2 Thorncliffe Park Dr. - Unit 22, Toronto, Ontario, M4H 1H2 • 416-696-2779 • FAX: 416-467-5819

USE READER SERVICE CARD FOR MORE INFO

Are there flies inside your speakers, or do you need a Furman Iso-Patch[™]?

Get rid of buzz and hum caused by ground loops with the new Furman IP-8 and IP-2!



Furman IP-8 Isolated Patch Bay

The new IT-1220 provides any studio or stage with quiet, balanced power.

The Furman IT-1220 is a rack mount, 20 Amp Balanced Isolation Transformer designed to provide ultra-quiet power to an entire studio.

It can make your audio system dramatically less susceptible to hum pickup, with a typical 10 to 15 dB improvement in noise floor—a result often surpassing that obtainable from complicated star grounding schemes with heavy buss bars and ground rods.

And all you have to do is plug it in.

The back panel of the IT-1220 provides 12 isolated AC outlets for your equipment. The front panel provides two more, plus a three-color, 20-LED voltmeter.

Inside the IT-1220, a specially wound and shielded toroidal isolation transformer delivers perfectly balanced AC power—and very quiet performance from the equipment that's powered by it.

Find out how easy it is to produce with the sound of silence, with the Furman IT-1220.



IT-1220 20 Amp Balanced Isolation Transformer

You should get a buzz from creating music with your equipment, but not from the equipment.

Of course, any band or studio with a rack full of equipment can be plagued by buzz and hum.

Furman's new Iso-Patch series gives you a solution by (temporarily or permanently) isolating your rack components from each other to break ground

loops, and put an end to buzz and hum.

How does an Iso-Patch work? Simple. Each of its input/output module features a low-distortion isolation transformer, which isolates line level audio signals, breaks



IP-2 Dual Isolator

ground loops—and puts an end to those annoying noises.

The eight channel IP-8 Iso-Patch Isolated Patch Bay looks and works like an ordinary patch bay with standard, half-normalled 1/4" jacks. The IP-2 is a two-channel version, small enough to fit in any tool kit—and priced so low you can afford more than one.

See the new Iso-Patch series at your dealer today, or call, write or fax us for a free Iso-Patch data sheet and a copy of our catalog.



Furman Sound, Inc. • 30 Rich St. • Greenbrae, CA 94904 USA Tel: (415) 927-1225 • Fax: (415) 927-4548

Furman products are made in the U.S.A.

SEE US AT NSCA BOOTH #1820

AUDIO-TECHNICA STUDIOPHONES ATH-M40 AND ATH-D40 STEREO HEADPHONES

udio-Technica has introduced the lofty name "Studiophones," but essentially the ATH-M40 and ATH-D40 are stereo headphones designed for recording studio applications. The M40 is intended as a studio reference for general monitoring purposes. The D40 provides a bass-enhanced response for performer cue monitoring of drums, bass and other LF-rich sources.

Both models are sealed-back, dynamic element designs. The

40mm-diameter (1.5-inch) drivers have neodymium magnets and copper-clad aluminum wire voice coils. Each pair terminates in an 11-foot cable with a standard TRS ¼-inch headphone connector. No miniplug adapter is provided, which is something of a necessity when using headphones to monitor from pocket DATs, portable CD players or CD-ROM drives, so if you need an adapter you'll have to shell out your own buck. One nice touch is the fact that the wiring is OFC (oxygen-free copper) litz wire, a plus I didn't expect to find in medium-priced headphones.

The M40 model has a stated frequency response of 5 to 28k Hz, with a 100dB

sensitivity and a medium impedance of 60 ohms. Surprisingly, the LF-enhanced D40s have less deep bass response with a 20 to 28k Hz bandwidth, a 102dB sensitivity and a 66-ohm impedance. However, the D40s do have a substantial bass boost in the slightly higher 80 to 120Hz range, where the bulk of what we perceive as bass does occur.

Physically, the Studiophones are fairly lightweight at 8.8 ounces, not counting the cable. Both the headrest and earcups are padded with faux-leather vinyl cushions that remain comfortable even after extended listening periods. Another aspect of headphone fit is making sure that they stay snug while you're moving, which is no big deal if you're sitting behind the board in the control room. But when you're doing a live mix and are moving around a lot (especially during mid-show crises), this is a big deal. I also do occasional gigs as a session drummer and had a chance to check the D40s from the musician's perspective. Fortunately, the Studiophones stay in place securely



Audio-Technica ATH-M40 Extended Response Precision Studiophones and ATH-D40 Bass Enhanced Precision Studiophones

without resorting to that "head in a clothespin" effect of some other headphones. And the circumaural (around-the-car) earcups and sealed-back design effectively keep nearly all of the headphone sounds from bleeding or leaking into the audio environment.

Either earpiece can be rotated 180 degrees for single-muff operation. Unfortunately, this position is not very comfortable over long periods. In most studio cue mix situations over the years. Eve found that when the performers start trying to

BY GEORGE PETERSEN

World Radio History

listen through one earpiece, it's a sure sign that your monitor mixes aren't what the performer is looking for. However, there are other situations, such as location recording, where single-muff operation is not only desirable, but an essential part of surviving in dangerous environments.

Probably the most desirable aspect of the Audio-Technica Studiophones is that they provide the equivalent of an additional monitor send, especially in studios that only

have one or two pre-fader sends or are otherwise limited in monitoring capability. For example, if you're recording a live ensemble in the studio and only have two monitor mixes available, you'll probably use one mix for the vocalist and another for the rest of the band. Meanwhile, you've just made enemies with the drummer and bassist, who need a little more bottom end in the cans. By providing the bass-enhanced D40s to those players and M40s to the other players, you've effectively created three monitor mixes out of two.

With a sensitivity in the 100 to 102dB (1-watt) range, the Studiophones pack plenty of punch and are

quite loud, even when driven by the puny headphone outputs of most DAT decks and CD players. The M40s exhibit an accurate blend of LF, mids and HF elements: the bass is tight and well-defined, and the highs have a nice sheen that's crisp rather than brittle. The D40s exhibit similar midrange and HF response, and the bass has its previously mentioned bass bump. Retailing at \$175 a pair, anyone looking for quality studio headphones should give these a listen.

Audio-Technica U.S.; 1221 Commerce Drive; Stow, OH 44224; 330/686-2600; fax 330/686-0719. ■



FACILITY SPOTLIGHT

SPOTS BME offline video, online audio

by Tom Kenny

In this column, Mix has regularly documented the trend of high-end video houses putting in high-end audio rooms. The idea is simple and efficient: to keep all creative facets of a commercial project in-house and generate additional revenue. For a video facility, the addition of audio editing/mixing is not that expensive a proposition, and with the right talent behind the board, the move can pay off dramatically in terms of client comfort and service.

But, rarely have we come across a video offline house with an audio room to match the one at Spots BME in Chicago. Marketed as a creative video editing "boutique," with clients like United Airlines, Hardee's, Sears and Miller beer, Spots BME has seen rather astonishing growth since owner/picture editor Bruce Frankel opened up in 1990, in what is considered one of the world's tougher commercial editing markets. In February 1995, Frankel moved to a new 5.000-square-foot space on Erie Street, 1,200 square feet of which is occupied by the Russ Berger-designed audio room. (The facility also includes three Avid suites and a ¼-inch offline suite.)

"I started this company in a very small, personal way, with a couple of small rooms in a rental facility," says Frankel, who has been in the film editorial business for 17 years and spent the mid- to late-'80s at Optimus, "We





Clockwise from top: The audio room at Spots BME; Bruce Frankel, president; Shawn Ballman, audio engineer.

rented out a KEM, and I had a video offline system. I did all my own track work on the KEM-dubbing off sound effects and music and voice to mag tracks and cutting it, as most of the editors did. Then we would go to a recording studio and mix from mag tracks. Although the recording studio's engineers performed the final mix. I still did the creative part of cutting the tracks and lining them up against picture, making the audio work.

"As we got more into video editing, that whole process of track layup kind of went away because I couldn't really cut the tracks like I did in the past," he continues, "I thought, 'Well, I still want to retain that part of it,' so I bought an AudioFile back in the summer of 1990."

At that time, and to some extent still today, Chicago was an AudioFile town, much the same as New York is a Sonic Solutions town. Editel purchased one of the first Files in North America back in the late 1980s, and -CONTINUED ON PAGE 167

"Sound for Film" columnist Larry Blake is taking a break this month. He will return next month with Part Two of "Ready or Not, Music Industry: Here Comes Surround."

SCORING IN DOG VEARS ELIAS ASSOCIATES FIGHT ON

by David John Farinella

Jonathan Elias had damn near made it out of the hustle and bustle of the commercial scoring world alive. He had already begun working on film scores, with credits on a number of features. He had jump-started an album production career with his work on records by Yes. Duran Duran and Grace Jones. It had been five years since he had even thought of a 30-second spot. until he ran into the innocently named David Fincher. That name may ring some bells, considering Fincher directed one of the recent Brad Pitt-athons. Seven, Back then, though, Fincher was directing a commercial and looking for music. Lo and behold, he found Elias. "Just when I thought I was out, he dragged me back in." Elias says with a smile. "I was heading back into my film and record career, but I got waylaid into commercials for the past three years."

And what a three years it's been. After teaming up with brother Scott and longtime accomplice Alex Lasarenko (who runs Elias' East Coast Creative Team). Elias Associates has succeeded in creating a whole new world of commercial scoring. They've garnered a number of industry awards, including 21 Clios (most recently, for best music, Elias and Chip Jenkins), 23 Cannes Lions and Best Music House in the Business in the Backstage Reader's Poll for the past two years, to mention just a few.

The team has set and stocked studios on both



coasts for one main reason: "In the commercial world, New York and Los Angeles are the two strongholds," Elias explains. And now, with the availability of ISDN lines, the two studios regularly share sounds and information to satisfy their client base, which has included the California Milk Advisory Board, IBM, Levi's and Mercedes-Benz, and a number of others. The other reason for being on both coasts, Elias says, is that although New York is the mecca for agency work, a lot of the actual production and shooting is done in Los Angeles.

And so, in Los Angeles, Elias West is filled with four composing teams. On tap is *—continued on PAGE 162*

ALIEN TRILOGY'S Sonic Universe

by Evan Ambinder

Until last year, Mixed Nuts' Peter Buccellato had never worked with aliens. But when Acclaim Entertainment approached the New York post-production facility with the opportunity to design and mix sound sequences for *Alien Trilogy*, its new CD-ROM game, Mixed Nuts saw the chance to augment its TV and radio spot post-production with CD-ROM sound design.

Based on the hit Alien







Left: Peter Buccellato of Mixed Nuts; obove: stills from Alien Trilogy.

movie series, *Alien Trilogy* is a 3-D animated game for the Sony PlayStation, Sega Saturn and Windows 95, where the player (Riley) battles vicious creatures on a hostile planet in pursuit of the Queen Alien. Using one of Mixed Nuts' SSL Scenarias, mixing engineer Buccelkato, game producer Cliff Falls and Ac--continued on PAGE 168





The Best in 32-Bit CD Creation

"It's the easiest CD-R mastering application to learn & use." InfoWorld, January 8, 1996



Corel CD Creator 2's Disc Wizard Herrystifies the CD creation process This Wizard allows the

first time and infrecuent user to create CDs with little effort

Open CorelCRAW "6 cr other Windows 95 OLE 2 2 graphics applications within Corel CD Creator 2 to edit images for jewel case inserts.

Audio can be edited using the new 32-bit **Corel SOUND** application Corel VCD Creator allows users to select videos and stills from various sources and produce a video CD

Software, musical compositions, artwork, photographs, audio-visual works, television and film class, textual material, some coll-sccions of data and many ather type- of works are protected by international copyright laws. Unauchorized copyring of those works in ony manner may expose you to diviand criminal penalties.

This product is provided under an enclosed license agreement that de in-is what you may do with this product and contains limitations on warranties and your remedies.

You may not use the Carel CD Creator product to violate the copyright rights of others. Carel does not authorize you to use the Carel CD Creator in viol et and dives not license or sell the Carel CD Creator product to you for the purpoves of violating the copyright rights of others. If you have any questors of doubts i vionering your use or copyring of someone eteks work, ourse

purpoles of violating the capyright rights of others. If you have any questions or doubts oncerning your use or copying of someone else's work, please contirm in advance that you are authanzed to use and capy the work in the manning val intend. © 1996 Corel Corporation All rights reserved. Carel i la registered

trademark of Corel Corporation. All rights reserved. Corel i a registered trademark of Corel Corporation.

Microsoft, Windows and the Windows lago are either registered traden arks or trademarks of Microsoft in the United States and or other countries. All other product and company names are trademarks or registered trademarks of their respective companies.

Also includes:

- Corel PCD Creator Display and select PCD images that are then written to a CD.
- Corel CD Duplicator Allows you to easily duplicate CDs.
- Corel Session Selector Enables you to select any session of a multisession disc.
- XingMPEG[™] Software Includes XingMPEG Encoder[™] and XingMPEG Player[™] software for video CD. Encoding boards are not necessary, but can be used if available.

Easy to use!

- Context-sensitive Help
- Support for Enhanced CD

Corel CD Creator 2 Beats Incat Easy-CD Pro^{**}!

FEATURES:	Corel \$249	Incat \$499
VCD + AUTHORING	Ŷ	N
PCD CREATION	Y	N
CD +	Y	N
DISC DUPLICATION	Ŷ	N
AUDIO DISCS + CDDA EXTRACTION	γ	Y
AUTOMATIC SYSTEM CONFIGURATION	Ŷ	N
DISC CREATION WIZARDS	Y	N
JEWEL CASE + CD ARTWORK CREATION	Y	N
FULL MULTISESSION/MULTIVOLUME SUPPORT	- Y	N •
MULTISESSION SELECTION UTILITY	Y	N
ADVANCED + BASIC FILE OPTIMIZATION	Ŷ	N
MULTITHREAD FILE OPTIMIZATION	Y	N
FULL MULTITASKING	Y	N
MINIMUM TEMP HARD DRIVE SPACE REQUIRED	Y	N
AUDIO EDITING -	• Y	N

Corel CD Creator 2 also comes bundled with CD-Recorders from the following manufacturers:

 #1 in Recordable CD Systems

 800.553.7070 • 714.789.3000



SONY Spressa[™] Recordable CD-ROM (CD-R) Drive 1-800-352-7669





Call now for faxed literature 1-613-728-0826 ext 3080 Document # 1015

*Suggested list price plus applicable taxes and shipping in US\$. Dealer may sell for less.

TIMECODE CAVEATS what to look for in digital audio post

by Evan Chen

The onset of the digital era within the post-production community has ushered in a new batch of technical problems, especially concerning synchronization and timecode. Although the basic rule-of-thumb is to resolve all equipment requiring timing information in phase to a common derivative clock source, critical problems remain, ranging from common theoretical concepts to obscure idiosyncrasies of particular digital audio equipment.

Let's look at a few of these problematic issues based on what I feel is their potential in aiding in the diagnosis and correction of timing inconsistencies in today's post-production process. This article emphasizes equipment-related specifics, which in terms of potential usefulness will never replace a firm grasp of the theoretical fundamentals. Every effort has been made to complement key points with a practical application or an example, and few specific products will be cited in order to maintain a general applications approach.

The term "29.97 timecode" is heard every day at post-production facilities and continues to be misconstrued. Primarily a problem of nomenclature, 29.97 timecode usually-and most of the time correctly-translates as 30frame timecode running at NTSC color video (approximately 29.97 frames per second), with a 29.97 sub-code identifier (a flag indicating how the media was originally formatted) if applicable. Most digital audio recorders make this timecode stamp accessible under a remote item, commonly referred to by manufacturers as "tape tc." buried beneath layers of submenus. The exception is that even though the identifier may indicate 29.97 timecode, the flexible nature of digital audio machines nowadays allows one to pull-up or reference the timecode rate to a true 30 frames per second. For example, to return final film mixes completed in the video domain back into the film realm, many timecode DAT machines will resolve a DAT pre-striped with 29.97 code to an external 60Hz pilot tone or an NTSC monochrome 30Hz video signal. In this instance both audio and timecode have been pulled-up to compensate for the timing discrepancies in film-to-tape transfers, and the timecode outputted from the DAT machine is now running at 30 fps even though it still displays the magic number 29.97! Many of us are familiar with 30-frame timecode running at 29.97 fps, but few realize that the opposite case is also true: 29.97 timecode can actually function identically as 30frame timecode, the difference being only in the flag.

Also remember, 29.97 timecode does not cycle from 00:00:00:00.00 to 00:00:029.96 and then "start over" at 00:00:01:00.00 to 00:00:01:29.96, and so on, a logical assumption but a common misconception. On the same note, 29.97 timecode is not to be confused with drop-frame timecode; these are two different concepts! Drop-frame is a type of timecode that regularly deletes frame numbers (108 per hour, occurring at the end of each minute, except for the 10-, 20-, 30-, 40-, 50- and 60-minute marks).

CHECK THE OUTS

Unlike traditional analog tape recorders, where an audio or ancillary track is used for timecode, many timecode DAT machines and other digital audio gear allow the output of any type of timecode running at selectable rates, regardless of how the DAT was initially striped. Oftentimes, operators overlook this option and hastily-and unprofessionally-conclude that the media was timecoded inappropriately. This was the case on a recent freelance picture scoring gig of mine, in which a sound editor from one of the most reputable television post houses in New York mistook my final DAT mix for drop-frame timecode. It was an embarrassing and uncomfortable situation for all of us, including the director and producer, when later I had to correct the sound editor literally with the turn of a dial.

Furthermore, many digital audio tape recorders allow the outputting of timecode derived from its control track (a sector of information the machine uses to keep things running smoothly, supposedly transparent to the end-user), regardless of whether timecode information actually exists on its dedicated track or not. Those swearing to have prestriped tapes may have actually been working with the timecode derived from their control tracks, so if the numbers seem wrong playing back on another machine, revisit your timecodeout options. I once dealt with some musicians claiming to have been working with timecode who brought in their film score on DA-88 tapes. After careful examination, it turned out that none of the tapes were prestriped and that the artists had been strictly using timecode derived from the control track in conjunction with a huge list of timecode offsets for cue start and stop times.

DEALING WITH PHASE

I frequently encounter timecode problems related to phase, which can occur in any setup that involves an external clock. For mix houses, this most often happens on a session in which the master synchronizer controlling several transports at once indicates that the timecode from one of its machines is consistently offset by a particular number of subframes and consequently refuses to "lock." A film mix, for example, might consist of Motion Worker locking a Beta SP deck, timecode DAT player, digital 48-track, DA-88, and a digital audio workstation running in VTR emulation mode-five transports that must march to the same drum. On a smaller scale, home project studios-especially ones that need to synchronize to picture (scoring, sound design, etc.)-using any professional videotape recorder, timecode DAT player, timecode-ready MDM with a blackburst generator or any external clock source may also experience phase problems. Unfortunately, it may be more difficult being alerted to the problem in the home studio, in that smaller setups rarely have the equipment capable of displaying extensive timecode phase information. Nevertheless, the most common causes remain the same for either situation.

One of the most obvious yet overlooked steps in troubleshooting a timecode-related phase problem is to erase any timecode offsets that may have been entered at any stage of the transport chain of the machine in question, including the master synchronizer, the remote synchronizer or the machine itself. In picture mixes, to make it easier to pair a reel with its respective mix, each new reel begins with a consecutive timecode hour-that is, Reel 1 starts around 00;58:00:00, Reel 2 at 1:58:00:00, and so on. Occasionally on larger projects, a reel may start at the wrong hour for whatever reason, and hence an offset is entered to compensate. Too often, the offset is not removed at the end of the mix, however, and the next session suffers from it.

THINGS TO WATCH OUT FOR

The function in most digital audio machines that compensates for the inherent delay in digital-to-analog converters is another culprit often overlooked, although its detrimental effect is less sig-

BRYSTON PROFESSIONAL ST AMPLIFIERS

Introducing a New Standard in Professional Amplifier Design and Performance

In the demanding professional environment, you need an amplifier that is transparent, neutral and uncoloured. You want to hear the music, not the electronics. Preserving the integrity of the source signal is paramount to Bryston's design philosophy.

Bryston amplifiers are versatile performers, designed for use in a variety of demanding professional and commercial applications, including high quality recording studios, radio and television broadcast facilities, theatre and soundstage amplification, arena and nightelub installations and multi-amplified speaker systems of all types.



Listen past the equipment and experience the performance as intended. Bryston professional ST amplifiers, from the top: 8B ST 4 channel 120 wpc, 5B ST 3 channel 120 wpc, 4B ST 250 wpc stereo. 7B ST 500 watts mono. Not shown is the 3B ST 120 wpc stereo.

Our ultra-lineal input bufterwith-gain feeds the amplifier channels from both balariced and unbalariced inputs, resulting in sizable reductions in noise floor and distortion.

Fower supplies are completely independent per channel and employ multiple smaller filter capacitors, rather than single large filter cans, improving high frequency response.

Bryston Ltd. P.C. B. 2171 57. Neal Deve Peter much Oneans Canada K9J 74 Tel (25) 12 5155 Fax (25) 42 0482 In the U.S. 106 Am turn Ave. Suite 201 Monrovia CA 21014 Tel 818 359 1454 F.a. 818 119 12 Works With Site www.bryston.a. I NE RELIDE WORK Redio History MORE LYPO

Wiring harnesses have been completely eliminated, so that channels plug directly onto the power supply PCB, reducing resistance and improving current flow.



Generation

nificant. This parameter, commonly called "tc delay," is usually set to the type of audio output being recorded from, analog or digital. For example, digitally transferring material from a simul-DAT to a digital audio workstation for editing entails setting this parameter to "digital" on the timecode DAT player. This ensures that what one hears at a particular timecode number corresponds precisely to what was recorded during production at that time. Otherwise, you'll get a slight lag in the timecode.

Though more accessible than the previous parameter, few realize that setting the internal timecode generator of a digital audio machine to regenerate the timecode off of the tape—which seems like a perfectly valid precautionary measure—may also cause a delay. I have witnessed timecode to be out-ofphase from an external video sync signal by almost half a frame because of this. Reshaping the timecode off of the tape, a process that bypasses the internal generator altogether, works just as well (except for dropout problems) and is a much more accurate option.

It has been suggested that with balanced XLR connectors, the age-old pin 2/pin 3 hot issue can cause a 180-degree phase shift in timecode, similar to what happens in audio. This is not the case, since timecode uses a bi-phase modulation scheme in which shifts in voltage level rather than logical 1s and 0s represent bits.

If the problems persist, check to see if the machine receiving timecode uses a user-definable "lock threshold" or a similarly named parameter that specifies the tolerance of valid lock ranges for timecode. That is, when the received timecode falls within plus or minus a particular number of subframes from the leading edge of the external video signal as determined by the "lock threshold" setting, a minuscule LED will light, indicating an acceptable "lock." Be sure that this parameter is not set at too low a value. As a reference, a properly calibrated U-matic SP player with dedicated timecode facilities should fall within +/-20 subframes or so, and topof-the-line broadcast ¾-inch decks are usually within three subframes.

As timecode is continuously read, by the time the synchronizer finishes the sync word associated with the very end of an 80-bit timecode frame, the frame under consideration has already passed! Therefore, the synchronizer must actually internally add a frame to the value of the read timecode. I have never known a synchronizer or a digital audio machine not to do this, but older timecode readers and hot-rodded field Nagras sometimes do not have this option. Subsequently, their one-frame offsets are passed down the various stages of a film mix. If you constantly have oneframe offsets, this might be a remote possibility worth investigating.

Finally, don't be fooled by time-base correctors and built-in character generators into believing that you have a problem with the timecode on your tape. These units are notorious for delaying images, ones that might contain a burn-in of your precious working timecode. A variation on the previous casestudy is one in which timecode is out of phase by different but nondrifting amounts with every respective "play" of the transport. This occurs when the digital audio machines permit timecode output not locked to the rising edge of the external video signal. This parameter is most widely known as "synchronized playback" and is usually set as a menu item ("sync pb") or with a DIP switch.

As stated before, I've only covered issues I feel are the most beneficial in dealing with common timecode problems, focusing more on equipment functionality rather than the theoretical,

Together we make the difference.

Recognize Artistic and Technical Excellence

GRAMMY[®] AWARDS GRAMMY TECHNICAL AWARDS GRAMMY HALL OF FAM<u>E</u>

Advance Our Professional Community

GRAMMY PROFESSIONAL FORUMS INDUSTRY NETWORKING GRAMMY PUBLICATIONS

Protect Our Creative Environment

ADVOCACY FOR ARTISTS RIGHTS MUSIC ARCHIVING AND PRESERVATION COALITION FOR MUSIC EDUCATION GRAMMY IN THE SCHOOLS® MUSICARES®

The Recording Academy

Join over 10,000 of your peers. You can make a difference. Call 1-800-555-3822.

USE READER SERVICE CARD FOR MORE INFO





\$1595 will get you the <u>best</u> microphone preamp available.

NTI has done it again with its **nightpro** PreQ³ mic/line preamp with VariAir[™].

Try the preamp that not only the leading sound engineers are using, but the artists are asking for.

Ask about our 30 day cash-back guarantee!

For more information contact us at: Night Technologies International, 1680 W 820 N, Provo, UT 84601 - (801) 375-9288 - FAX 375-9286 or check us out on the Web at: http://www.broadcast.harris.com/nti/

engineering aspects. But risking contradicting myself, I firmly believe that a thorough understanding of technological basics and an analytical approach to problems (the same principles and mentality that hard-core engineers use to design every piece of post-production equipment) supersedes a knowledge of "gear operationality" when a remedy is required. This article parallels answers written on the bottom of a shoe, a quick and easy solution that can cheat someone out of a more thorough and valuable comprehension. It reminds me of a saying from elementary school: "Too often we give our children answers to remember rather than problems to solve." Then again, the post-production community isn't exactly dealing with seven year-olds (or are we?).

Evan Chen, an editor/mixer at Soundtrack in New York City, would like to thank "the first-rate technical staff" at that facility for helping put together this article.

-FROM PAGE 157, JONATHAN ELIAS

Chip Jenkins, whose versatile magic ranges from ethnic and world music to passionate guitar; Christopher Kemp, who tackles highly inventive MTV and alternative tracks; Jimmy Haun, who Elias calls the best guitar player he's ever met, as well as a brilliant writer; and Elias, whose major focus seems to be more compositional, orchestral and ethnic work. The number of creatives, which actually totals nine including engineers, producers and such, is all to avoid one major problem: musical sameness.

"The advantage that I try to provide my clients is that by being a bigger house, I can offer them a wider array of compositional approaches," he says. "Everyone has their different specialties, which is good because if I was a oneman shop and one day someone came in and said, 'Here's an orchestral spot,' and the next day they decided they wanted an MTV modern industrial track...well, I beg to differ with many people who feel that one writer can do everything. I feel it's important that I have an array of different writers."

Apparently, he also feels it's important to have an array of different sounds, since scattered throughout the company's spacious Santa Monica offices are a wide variety of international instruments. So, let's say, for example,

Buy One, Get Three Free

hat's right, when you buy the new Denon DN-610F Combi-Deck, we'll toss in three free rack spaces. While most separate CD players and cassette decks require as much as six rack spaces, the Denon Combi-Deck will save you installation time and money, making the DN-610F ideal for any audio application.

DENON

L. W

Featuring a full-logic auto-reverse cassette deck with variable pitch control and a versatile

CD player with automated servo adjustment, the Combi-Deck provides easy recording from CD to cassette and allows simultaneous playback from both sources.

Engineered to the exacting standards that have made Denon's digital technology legendary, the Denon DN-610F Combi-Deck delivers the convenience of a two-in-one system while conserving your valuable rack space.



The First dame in Digital Andre

Denon Electronics Division of Denon Corporation (USA), 222 New Rd Parslppany, NJ 07054 (201) 575-7810 SEE US AT INSCA BOOTH #1915 INST. READER SERVICE CARD FOR MORE INFO

a spot calls for some Third World drumming. "What Third World?" he asks. "I might do something African in one room, somewhat Brazilian in another or something Native American in the third."

In addition to music, Elias feels that his house can better service clients because they've just brought on Daniel Hulsizer as a full-time sound designer and textural composer. The theory behind marrying composition and sound design is simple, Elias says. "When people give sound design to one person and music to another, you're often doing double work. There's two different concepts going on, and there's no

consistency."

So, what's it like to have all of those creatives under one roof? Well, besides offering Elias a wide number of options to present to a client, it also spurs and fuels their output. On a typical morning, Elias will sit down with the teams and lay out various assignments for each composer, although more often than not they'll each be working on the same spot to find the right feel. "On some jobs I'm very involved musicwise, some jobs I'm just making sure the quality is good, and some days we'll all work on the same project all day," he says. "So the whole house is buzzing." After the morning meeting, the creative teams





If you already use élites, you will find the scene above very familiar. Someone in the audience, usually a sound tech or a musician, always comes up to ask about the speakers. Their trained ears tell them the sound is exceptional - balance, clarity, punch, volume... incredible fidelity. They want to know more.

The Specs

- · Power handling up to 1000 watts Maximum SPEs as high as 135 dB
- Sensitivity ratings as high as 102 dB @1W/1m
- SpeakonTM connectors
- ATM Fly-Ware™ options
- 3/4" plywood construction
- Available in black painted Baltic Birch
- · Heavy-gauge metal speaker grilles
- Integrated driver protection
- Rackmount processors

IN USA

YORKVILLE SOUND INC 4625 WITMER INDUSTRIAL ESTATE NIAGARA FALLS, N Y 14305

élites are designed and built in North America by Yorkville Sound. We've been producing ground breaking designs in professional audio gear for over thirty years. élites were first introduced in 1985 and we've been refining them ever since.



Improve your sound with élite Speakers... and get ready for compliments.



SEE US AT NSCA BOOTH #504

IN CANADA YORKVILLE SOUND LTD. 550 GRANITE COURT PICKERING, ONT L1W 3Y8 split into one of the three studios located at the Elias West headquarters.

While each studio seems to have basically the same selection of outboard gear, microphones and keyboards, each room features an independent board and tape machine. In the A Room, where Jenkins does the bulk of his work, the studio basically boils down to an SSL G Series 6000E, a Studer A827 and a Synclavier. The B Room, where you'll usually find Haun, includes an Amek Einstein and a Studer A827. Kemp's digs (aka the C Room) include a new Mackie 32-8, Tascam ATR-80 and another Studer deck. Some outboard gear highlights include a MIDI Time Piece and Video Time Piece for each room, Alesis 3630 compressors, Eventide H3000SEs, Yamaha SPX90s, Lexicon PCM 42s and Digidesign Pro Tools systems. Studios B and C also include Digital Performer and SampleCell. The company's delivery medium is DAT; Panasonic 3700s are set up all around the place.

Elias goes out of his way to mention that although they still have the Synclavier in the A Room, they are moving more toward the Macintosh world. "My feeling is that the Synclavier is the dinosaur, but it is still a useful dinosaur," he says. So, they've sprinkled Power Macs, a Centris 650 and a Quadra 950 throughout the studio. And, in the same breath that he's explaining that the Synclavier is inches away from extinction, he's exclaiming, "We don't even have a 2-track machine here. It's in storage. That's astonishing to me."

It may be that he's so surprised because as he was cutting his teeth on film trailers, he played a lot with tape manipulation. "Since there aren't really many tape machines around anymore, we really use whatever computer system we have in the room. We use a lot of collage functions," he explains. And it's obvious, because in most of the company's work, you'll find that practice. "Something that's always been interesting to me, and what I call primitive futurism, is taking organic instruments and doing interesting collage work with synthesizers."

Judging by its client list, awards and range of work (and styles), it seems that Elias' company has found the certain magic it takes to survive in the advertising world. After being around the industry for the past 18 years, he has seen a number of "shop of the days" come and go. The one thing that has kept him above the fray, he thinks, has been his ability to service people effectively on a

USE READER SERVICE CARD FOR MORE INFO



MELAFLEX

The Next Generation of Fire-Safe Reflection Control Foam From The Music Industry's Leading Acoustical Innovator



Reflections cause frequency coloration, image shifting and generally degrade the performance of the most sophisticated electronic equipment. Urethane foam has traditionally been used as an affordable solution to these problems, but presents a potential fire hazard. To provide safe foam reflection control, RPG developed MELAFLEX[™], a new melamine acoustical foam which offers superior sound absorption, reflection control, fire safety and exciting new designer shapes, colors and textures. Listen to the music, not the room!





Innovative Acoustics for the Digital Age



RPG Diffusor Systems, Inc. 651-C Commerce Drive, Upper Marlboro, MD 20772 Phone: (301) 249-0044 Fax: (301) 249-3912 E-mail: info@rpginc.com



USE READER SENT TGEGGRD FOR MORE INFO



Get 20/20 Vision.

Visualize this ...

A monitoring system so good that it's easy to recognize the perfect detail of each sound.

Introducing the 20/20 bas system from Event Electronics.

20/20 bas BIAMPLIFIED MONITOR SYSTEM

- Internally BiAmplified; 200W Total Power
- An Active Asymmetrical Fourth Order Crossover that separates the line level frequencies prior to amplification
- A 130 Watt Amp that receives only the low frequencies and is designed to perfectly match the 8" Mineral Filled Polypropylene Low Frequency Driver
- A 70 Watt Amp that receives only the high frequencies, designed to perfectly match the 1" Natural Silk Dome Tweeter
- A Large Diameter Low Air Restriction Front Mounted Bass Port for full, accurate bass response
- An intelligent combination XLR or 1/4" Input
 Connector
- Continuously Variable Precision Low and High Frequency Trim Controls
- Input Sensitivity Control and Clip LED
 Indicator
- Circuit Breaker (no looking for fuses in the middle of the night):

It's easy to put the puzzle together when you can clearly see each piece. Seek out your nearest **Event Electronics** dealer and start your next mix with perfect sonic vision.

> \$1000 per pair* *Unpowered 20/20's available for under \$400 per pair.



Inta Berbera CA 93140-4186 Voice 809-991-6926 fix 806-942-3620 wide variety of assignments. "It's a personality match," he says. "I've certainly been doing it long enough to build up a following and a certain amount of respect within our field, but it comes at a cost. This is very, very hard work. I love what I do. I love putting in the hours, but this business is a real challenge."

It also helps, he thinks, that he keeps a number of youngsters around to keep him going. While he admits that he isn't as young as he once was, he quickly points out, with a smile on his face, "This is a real burnout business. The longevity in the film or record world is a whole different animal than our world of advertising. I call 'em dog years." So, with 18 years, that gives him about 126 years of experience. You know what? He still looks pretty good.

David John Farinella is a freelance writer based in the San Francisco Bay Area.

-FROM PAGE 156, SPOTS BME

Jimmy Dolan at Streeterville installed about six soon after. Compatibility, Frankel says, was certainly an issue because he needed to archive material to bring in to final mixes.

In 1991, Spots BME moved into about 2,500 square feet, and Frankel purchased his first Avid. He also hired audio engineer Shawn Ballman away from Editel and gave him a dedicated AudioFile room, with a Sony MCI board. The business grew quickly, to the point that by 1994, soon after the purchase of North America's first Logic 3 digital console, Frankel decided to move up to 5,000 square feet in the same building he was in. And he decided to factor in a full-blown audio suite.

"Shawn was working out of a makeshift audio room that sounded good but was nothing great to look at," Frankel recalls, "I felt that the business had come to the point that we either had to do it large or quit growing. And I didn't want to quit growing. Plus, Shawn needed a well-designed room.

"So Russ Berger came up to Chicago equipped with sound level meters and walked through our raw space," he continues. "The place we were going to put our audio room he found to be potentially the noisiest area of the building. He advised putting it in another spot, and then redesigned the whole space. I had gone to another architect, but Russ asked to take a crack at it and came up with a superior design. We now have the floor-to-ceiling window between the control room and the booth—that's a Russ trademark.

"We're strictly a creative boutique, and we just happen to have what I call an online audio room, where everything else [video] is offline. This is a finishing audio room. We just take a DAT of the final mix to wherever we're posting and re-track. I consider audio part of the creative process, and I don't want to have to go around town experimenting with sound. I want it right here so I can run in and say. 'Shawn, let's work on this track and show it to the client right away.'"

"With the advent of the Avid [for picture editing], and because technology is so flexible, ideas can evolve very quickly as you experiment," Ballman adds. "And as they evolve, it's a lot easier to see the results if you can work on the

Your Microphone Technique Just Got Better

Being in the right place at the right time, The Positioner allows fine adjustments of microphones over the strings, horns, drums, guitars, etc. Great microphone technique and finding the sweet spot is essential. The Positioner will become to audio what the remote camera has done for television."

- Phil Ramone





Microphone positioning blows EQ away for getting the best sound to tape with the least processing. Use your ears while you position the microphone -- Use The Positioner. You'll get better results faster by locating that elusive spot where the sound really grooves. So make your next move **The Positioner**.

Come See The Positioner at NAB: Coffey Sound Booth #1621

Talk to Studio Techniques at: 74131.3350@compuserve.com or studiopos@aol.com

100 Mill Plain Rd 3FL, Danbury, CT 06811 Voice: 203.791.3919 Fax: 203.791.3918

SEE US AT NSCA BOOTH #2722

74131.3350@compuserve.com or studiopo

New Products For Film/Video Sound



DIGITAL/ANALOG AUDIO CODEC

Musicam USA (Holmdel, NJ) announces that its FieldFone[™] digital/analog audio codec is now shipping. The FieldFone is the first codec to send digital audio over analog telephone lines, and it eliminates the need for frequency extenders and remote pick-up equipment. Operating at 28.8 kb/sec., the system uses the MUSICAM* audio compression algorithm to produce a 6.5kHz frequency response with over 85dB signal-to-noise. Users can select data rates of 24, 19.2 and 14.4 kb/sec. when line quality is poor. Circle 190 on Reader Service Card

Circle 190 on kedder Service Cord

KYMA SOUND DESIGN SOFTWARE UPGRADE

Symbolic Sound Corp. (Champaign, IL) has released Version 4.1 of its Kyma sound design workstation software. The Kyma system, which runs on Macintosh and PC platforms in conjunction with SSC's multiple DSP56002 Capybara hardware accelerator, is designed for the

creation of new, unusual and/or customized sounds for post-production, multimedia, computer games and psychoacoustic research applications. (Noted sound designer Frank Serafine used the Kyma system to create voice effects for Paramount Pictures' Virtuosity.) New functions provided by Version 4.1 include built-in spectral analysis, tuning tools that take advantage of the system's 0.0026Hz resolution and a MIDI scripting language.

Circle 191 on Reader Service Card

DAWN 4 UPGRADE

Doremi Labs (Los Angeles, CA) announces Version 4 of the DAWN 4 digital audio workstation. According to the company, the system's new software and hardware boasts a six-fold increase in processing speed, reduced jitter and improved signalto-noise. The DAWN 4's advanced auto-conform facility handles both CMX and Sony EDLs, and DAWN 4 workstations can exchange sound files over Ethernet or FDDI networks. Circle 192 on Reader Service Card

TREW AUDIO DC PACK

The Trew Audio 12/24 battery pack from Trew Audio (Nashville, TN) offers a total of 34 amp hours at 12 volts between battery recharges. The two parallel 24-volt outlets and the two individual 12-volt outlets (which may be used simultaneously) are each protected with ten amp breakers, and the batteries can be charged with a standard 12-volt acid-type charger. Outputs are 4-pin XLR-type connectors (pin 1 negative, pin 4 positive), and the entire pack is built into a Pelican "Mini D" case measuring 7x9.75x10.75 inches. Price is \$395; an optional charger is \$55.

Circle 193 on Reader Service Card

CINEMIX SURROUND

D&R (Brashear, TX) debuts the new CineMix surround sound mixer for 5.1 formats. All channels feature LCR and front rear pan facilities, and the system includes fully automated joysticks. Input channels accept two independent inputs and feature automated 100mm and 60mm faders, 4-band semi-parametric EQ and ten aux sends. The 24-bus Advanced Routing Multiplex is fully automated, and switch and routing assignments can be recalled with a few keystrokes. Comparable to the D&R Merlin series, the CineMix is virtually dynamics-ready.

Circle 194 on Reader Service Card

MIDIMAN VIDEO PRODUCER

MIDIMAN (Arcadia, CA) introduces the Video Producer, an internal 16-bit PC card that reads and writes Video Time Code and will also convert VTC to MIDI Time Code, enabling any program that reads MIDI to be synched to video. The system operates with NTSC and PAL standards, and supplied software includes a multiclient Windows driver, Windows remote-control application and a Windows cue-catcher application that allows SMPTE cues to be captured for printing. Retail is \$249.95.

Circle 195 on Reader Service Card



A Trne Multitrack:

RADAR operates like a true multitrack; there are as many dedicated inputs and outputs as there are tracks. Track arming buttons indicate the input and record status of individual tracks.

Expandable:

RADAR can be configured as an 8, 16 or 24 track recorder/ editor and upgrades easily.

Durable:

RADAR's rugged steel enclosure is road-worthy and, at only 40 pounds, it's completely portable.

Professional: -

RADAR locks to all standard SMPTE rates and formats, video composite (NTSC and PAL), and word clock. Its sampling rate is variable between 32 and 48kHz, and you can assign the AES/EBU and S/P DIF digital I/O's to any 2 tracks at one time.

24 In, 24 Out. Hard Disk Recording Made Easy.



Random Access Digital Audio Recorder – Your Next Multitrack!



RADAR full-function session controller.



Otari Corporation U.S.A. Phone (415) 341-5900 Fax: (415) 341-7200 L.A. Sales: (812) 972-3687 Otari, Inc. Japar Phonet (81) 4-2481-8626 Fax: (81) 4-2481-8633 Otari Deutschland GmbH Germany Phone. (49) 2159-50861+62/63 Fax (49) 2159 1778 Otari Singapore Pte., Ltd. Phone: (65) 284-7211 Fax (65) 284 4727

Flexible:

RADAR's large 32 character back-lit LCD provides visual feedback on all parameters, including SMPTE location, project labels, and edit functions. Dedicated function buttons make RADAR both powerful and fast.

-Upgrasleable:

Integral 3.5" floppy disk drive provides for fast and convenient future software upgrades.

Familiar:

Standard transport controls make RADAR easy to operate. No computer peripherals are necessary-RADAR is self-contained!

Reliable:

Unlike some other machines, RADAR is built to withstand the demands of everyday professional use. For example, our hard drives come with a 5 year limited warranty.

-© Otari Corportion 1994

USE READER SERVICE CARD FOR MORE INFO World Radio History

LOUDON WAINWRIGHT III recording the "grown man"

by Adam Beyda

In the liner notes to his 1993 live album, Career Moves, singer/songwriter Loudon Wainwright III reflects back on his 25-year career and characterizes the production values of his 13 previous albums as somewhat checkered. "But then I've never had much of a blast making studio records," he writes, "drinking a lot of bad coffee. furtively thumbing through back issues of Billboard magazine while trying to decide on a drum sound-it's just not my idea of a good time...My real job is writing songs and then performing them live for people."

Anyone who's had the pleasure of witnessing one of his high-spirited live shows (usually consisting of just him and his guitar) can imagine how Wainwright might have trouble in the studio. By themselves, his songs are gems of clever verbal shorthand, recounting observations and experiences in tones ranging from heart-wrenching to uproarious. But it's in his performance that the personality and life of the material really come through, via intimacies—such as phrasing and vocal inflection-that are tough to capture well in recordings.

But if he's had a rough time in the studio in the past, the fact is that by the time Wainwright wrote the above comments he had already entered his most fruitful period of studio work to date,



1010 STEVE JENNINGS

beginning with 1992's *History*. That album was co-produced by Wainwright and producer/engineer Jeffrey Lesser (whose credits include The Chieftains' *The Long Black Veil*, Lou Reed's *New York* and projects for The Roches, David Broza, Lynn Miles and Barbra Streisand) in an ongoing collaboration that has yielded Wainwright's best recordings, including his newest release, *Grown Man*.

Grown Man is a wonderful collection of songs roughly organized around the theme of what it's like to be a still-seeking 48-year-old male. Covering an array of favorite subjects (such as family and love troubles, fear of death, domestic foibles), Wainwright glides between irony and poignancy. For the sessions, Wainwright and Lesser set out to create as intimate a presentation of the songs as possible, focusing on the vocal and the lyric. Though Wainwright performs solo in concert, most of the record features additional vocals and instrumentation, including drums, bass,

a variety of guitars, harmonica, accordion and banjo. On past albums Wainwright would track live with a band, or cut his vocals to basic instrument tracks, but these approaches produced mixed results. "I would have to be singing to whatever the drummer or the bass player was doing," he says, "and I have my own inner time, from singing with the guitar."

"Loudon deals with performance-type tempo," Lesser adds, "and there's a lot of ebb and flow-if he has a lyric he wants to drive home. that line might slow down a little bit, then pick up again. He also doesn't like to lean on someone else's feel-he likes to be free-flowing with his own and then let people fit in where they can." In order to best capture his feel, they tracked Wainwright's keeper guitar and lead vocal first, then built tracks around these primary elements.

On some tracks a second guitarist or banjo player would accompany Wainwright live in the studio, but -CONTINUED ON PAGE 212

CLASSIC TRACKS

GRATEFUL DEAD: "TRUCKIN"

by Blair Jackson

Nineteen-seventy was the year the Grateful Dead went from being a strange little psychedelic cult band with small followings in just a few cities, to a country-folk-rock phenomenon with rabid fans in *many* cities and most college campuses across the U.S., and bona fide FM radio hits. In live performance, the Dead still played plenty of their long, twisted and downright weird space jams—1970 gave us some of their finest versions of "Dark Star," for example-but beginning in the second half of 1969, they began to introduce a body of new, simpler, folk- and country-derived songs written primarily by lead guitarist Jerry Garcia and his writing partner, lyricist Robert Hunter.

The band's studio album in 1969, Aoxomoxoa, had turned into something of an albatross. Producing themselves for the first time (aided by their trusty technical wizards, Bob Matthews and Betty Cantor), the group spent many months and untold thousands of Warner Bros. Records' dollars to make an album that was so obtuse even most FM stations largely ignored it. (The album did contain Dead standards like "St. Stephen," "Cosmic Charlie" and "China Cat Sunflower," but the recorded versions were tame



Steve Barncard, 1970

compared to the way the band played those songs live—the perennial Dead dilemma.) When Matthews and the band next went into the studio, in February 1970, they banged out their first true masterpiece, *Workingman's Dead*, in just two weeks, recording the album almost entirely live in the studio. Of course, it wasn't just the recording methodol-*-continued on PAGE 180*



Jerry Garcia, Bill Kreutzmann, Phil Lesh and Bob Weir at the Fillmore West, 1971

Powerful! Cool! Reliable!

12 11 10 9

CHANNEL

2

13

15 17

19

22

POWER



CANADA, HAWAII, ALASKA-U.S.A. FOR A FREE CATALOG OR TO ORDER CALL: 800-854-2235



YOUR DIRFCT CONNECTION FOR GUITARS, AMPS & PRO SOUND HOLLYWOOD

SAN DIEGD (factory) 12340 Florid Trade Di San Diego. CA 619-187-8700

SANTA ANA 1907 N Main St Santa Ana CA 7414 Sunset Blvd 714-558-0655

CARVIN

PROTECT

12 11 10

CHANNEL 1

13

15

17 19

22

213-851-4200 Curvin products are available DIRECT only or see your dealer outside the USA

Hollywood CA

Please send me Carvin's FREE color catafog: Name Add:ess City State Zic Send to: CARVIN 12340 World Trade Dr San Diego CA 92128 Tax 519-487-8160 cc-de# MX103

With power amplifiers, sound and reliability are the main concerns. That's why the F-Series amplifiers use only industrial strength components including



Toriods are praised for their efficient important things. transfer of energy and quiet operation Toroids reduce the

wound "Toroid" transformers. Usino Toroids does two

our own custom

magnetic field created by standard transformers. This significantly reduces hum and noise, allowing the F-Series amps to achieve world class sonic performance. Also, the Toroid's efficiency allows for much higher power to weight ratios creating a light weight, two rack space unit that beats the performance of 60 pound amps.

High internal temperatures can shorten a power amp's life. To eliminate heat problems, the F-Series amps feature our exclusive "Front Pull" fan cooling system which draws in cool air from the front instead of pre-heated air from the rear of your rack. The cool air is then directed across specially "Staggered" highamperage MOSFET devices on horizontally mounted aluminum heat sinks and exhausted to the rear. All of this adds up to a cool, efficient running amp, even under long term, full power operation.

A tremendous amount of research and development went into finding and matching the perfect combi-

	F150	F300	F600	F1200
4Ω per ch	5w "5	150w 150w	3 TW 300 W	ECON COV20
80 bridged	15°w	- T-V5*	1 . W	· JOW - 40
Rack Space	one	two	two	AND
Weight	9 lbs	18 lo -	-19 fb%	25 b

nation of components to ensure clean, transparent

audio as well as unmatched reliability. You'll immediately hear the difference, especially when comparing to light



weight switching amps-we guarantee it or your money back!

All F-Series amps include fully professional input and output connectors. The F12CO has these additional features; Carvin's new RMS PowerMax™ switch for continuous full power 2Ω operation; Dual fans and dual back-to-back heat sinks; and Speakon[™] connectors for touring companies that need quick speaker hpck-ups

Rack-up with the new F-Series and see how hot your music sounds through these COOL amps! Call and order now.



DUIGHT TUILLEU still looking for the magic

by Blair Jackson

When my promo copy of Dwight Twilley's new CD anthology, called XXI, arrived, I unsealed it and a little card fluttered out onto the ground. I picked it up and saw that it was a junior-sized facsimile of a page of yellow legal paper, and on this sheet was a short, hand-scrawled poem; "Roses are red/violets are blue/I'm not dead/And there's new tracks too," and it was signed "Dwight Twilley." This savvy bit of marketing gets right to the heart of the

matter—the talented Tulsa native, widely respected for a series of fine pop albums in the late '70s and early '80s, had all but disappeared in the last few years. The new album, on EMI's Right Stuff



label, pulls together 21 tracks from the past 21 years, from early "power pop" favorites like "I'm on Fire," "Sincerely" and "Looking for the Magic," to a pair of *—CONTINUED ON PAGE 184*

VESTAPOL VIDEOS American guitar music shows its roots

by Blair Jackson

As anyone who likes early blues, vintage jazz or creaky, old-timey, folk or bluegrass music can tell you, we're in the middle of the Golden Age of music reissues. The CD has proven to be a wonderful medium for preserving our priceless recorded heritage—debates about sonies aside, the CD's durability and large storage capacity have contributed to an unprecedented flood of rare, and in many cases, previously unreleased material into a market which all of a sudden seems to be hungry for every form of music, no matter how old or obscure. How can you explain the phenomenal success of the Robert Johnson *Complete Recordings* box set? Or the ten-CD *Miles Davis Quintet at*



Stefan Grossman



- Duplicate Up To 9 Cassettes From A Single Cassette Master
- Auto Bias Sensing Chrome/Normal
- •Studio/Field Applications
- +10 Pocket Slaves Available

Distributed By:

NOW! Recording Systems 32 West 39th St. 9th Fl., New York, NY 10018 (212) 768-7800 (800) 859-3579 Fax (212) 768-9740

USE READER SERVICE CARD FOR MORE INFO



the Plugged Nickel box? Or any number of surprisingly popular releases by everyone from Bill Monroe to Bessie Smith? The answer probably lies in the integrity of the music: As a society we are constantly inundated by hype, bombast and bogus emotion manufactured by smooth marketeers, so when we hear music that has real humanity to it—and *every* genre of America's roots music has that in spades—it elevates and nourishes us, because it's *soul* music in its purest form.

This is turning out to be the Golden Age of roots music videos, too—not surprising considering the ubiquity of VCRs (and to a much lesser degree, laserdisc players). While there obviously isn't nearly as much old film material to draw from as audio sources, there is still a wealth of great footage out there, especially from the late '50s and '60s, much of it still in private collections. For the past few years, Vestapol Videos, a division of Stefan Grossman's Guitar Workshop, has been perhaps the most important source of roots music videos in this country, Grossman, a picker and teacher for more than three decades, has managed to unearth an incredible variety of music footage from dozens of different sources, and compiled them into a series of videos distributed by the roots-conscious Shanachie Records

label. (Incidentally, "Vestapol" is an 1840s parlor-guitar composition that found its way into the repertoires of numerous folk and blues players through the years.)

Among the titles already in the ever-expanding Vestapol catalog are *Legends of Flatpicking Guitar*, which features performances by Doc Watson, Tony Rice, Norman Blake and others; two volumes of *Legends of Country Blues Guitar*, with footage of Big Bill Broonzy, Bukka White, Reverend Gary Davis, Son House, Leadbelly, Mississippi John Hurt and more; *Legends of Bottleneck Blues Guitar* (Son House, Fred McDowell, Jesse Fuller, etc.); two vol-



umes of *Legends of Jazz Guitar*, with clips of Wes Montgomery, Joe Pass, Kenny Burrell and others: three different Doc Watson collections: three Freddie King anthologies; hour-long videos featuring Merle Travis, Lightnin' Hopkins, Elizabeth Cotten, Mike Seeger; solo fingerstyle guitar music from Africa; and several others. New and forthcoming releases include a John Lee Hooker collection, *Legends of the Delta Blues, That's Slack-Key Guitar*, *Texas Blues Guitar, The Films of Pete and Tosbi Seeger* and many more.

"I think it's historically important to do the Vestapol videos—to find the footage and put it out so my kids can see John Hurt play, or see Son House play," Grossman says. "The problem with videos has been that the distribution is problematic because shops don't know where to put them. Our hope is that when the 5-inch laserdisc gets ac-



USE READER SERVICE CARD FOR MORE INFO



cepted and becomes widespread, the distribution will improve and stores will buy them because they'll have the rack-spaces available. Plus, the quality will be better. VHS is a pain in the ass, though of course I'm happy with what we've put out on tape so far."

Grossman has searched high and low for film sources, frequently digging into the vaults of European TV stations to mine his gold. The BBC has, not surprisingly, been a good source, though Grossman says, "Unfortunately, a lot of BBC material was simply thrown out over the years," In the U.S., sources range from folk great Pete Seeger's private collection to archives at various colleges and universities.

"I'd heard that in the '50s, Pete Seeger was going around filming things, so I went over to his house. and he was so gracious." Grossman continues. "He said, 'Go on up to the attic and take whatever you want? So there I was going through these cans of film with a half-inch of dust on them. But I found footage of Sonny Terry from 1957. Big Bill Broonzy from 1957-incredible stuff. Then there's all the stuff that [ethnomusicologist] Alan Lomax had-the 1966 Newport Folk Festival with Howlin' Wolf, Skip James and all this other great material. There was footage from the University of Washington, a one-camera shoot that their anthropology department did [of a folk blues festival there]. And I thought. This is weird, they have one cut by Son House of seven minutes. but I know the Bolex camera had 20 minutes of film. There's no way they

Switchcraft® TINI Q-G[®] Miniature Connectors

These high-quality audio connectors are miniature versions of the full-size Q-G line. They are ideal for use with miniature microphones, wireless beltpacks, instrument pickups, and anywhere space is too tight for conventional microphone plugs. Features are: positive latch lock, secure cable strain relief, integral flex relief and nickel finish. Available in 3 to 6 contact styles.



USE READER SERVICE CARD FOR MORE INFO



Only Dreamhire can offer the following:

The largest inventory and most extensive selection of expertly maintained, fully updated professional audio and midi equipment for rental on the planet.

The friendliest, no-nonsense personnel in the business.

The flexibility and resources to be able to tailor a quote to suit your demanding needs and tight budget.

Three worldwide 24 hour locations

New York City: 212-691-5544 / 800-234-7536 (outside NYC) Nashville, Tennessee: 615-321-5544 London, UK: 081-451-5544

Call now for your copy of our rate card and/or our latest list of ex-rental equipment available for purchase.

would have only shot seven minutes.' It took me two years, and you always have to have the help of some archivist, and I had a very nice woman helping me there, and lo and behold, in the corner of some obscure archival room, she found boxes with all the other material—the rest of Son House, the rest of Johnny Shines, Bukka White, Mance Lipsomb. So what we do is, since they don't have the money to convert it and put it together, we do that and we license it with them and get contracts with all the estates of the artists."

The technical quality of the material varies since the sources range from professional shoots to home-movie Super-8. "If the visual quality is a little rough, sometimes the Japanese prefer it because they think it looks rarer," Grossman says with a laugh, adding, "but generally the quality has been pretty good." Grossman says the audio, too, has been a mixed bag, and occasionally required a bit of sonic work.

"On the footage of Mance Lipsomb from the University of Washington, for example, we had A-B reels. One was the visual, and one reel was the sound,

and it's optical sound that was taken offthe reel-to-reel Nagra tape machine. But the optical sound had a flutter on it. So I got the Nagra reel-to-reel, which is obviously better quality, but because 28 years had elapsed, the tape had shrunk a little bit. Now with film you're going to have 30 frames per second, so the actual tape on the Nagra had shrunk so it was out of sync by five frames. That's not much, but it's enough for you to see it, and by the end of three minutes it's off by something like two seconds. So that had to go into the studio and on to the computer la Sonic Solutions Sonic System] and sampled so it sat right." Rare color footage of Leadbelly lip-synching three tunes in the '30s and '40s [on Legends of Country Blues Guitar, Volume 2] was painstakingly handsynched by Pete Seeger in the mid-'60s using a tape and a Moviola. Those are two of the most extreme examples in the Vestapol catalog; most footage has come to Grossman in more workable shape.

Grossman does much of his video mastering work at a Manhattan online videotape editing facility called Tapestry Productions. According to Tapestry's John Sniado, "Some of the stuff originated on 16mm, which has the old optical soundtrack and a rather limited frequency range. When it's transferred over to Betacam or D2, there's not much we can do with the EQ on those types of tapes. There are other tapes that come from every format you can imagine. We have kinescopes-the original kinnies were recorded onto 16mm film because they didn't have videotape recorders most places. So at some point they might transfer it over to 2-inch, so we have to find an old 2inch machine that would play the tapes and then transfer to a more modern videotape stock.

"The BBC tends to keep their archive stuff better than anything in the United States," Sniado continues. "The audio quality on their kinnies, as well as their 2-inches and their 1-inch tapes, is better than most things over here." When he can, Sniado uses EQ to eliminate hums, and "if I get stuff that's swinging all over the dial, I'll run it through a compressor. I use this little Alesis 3630 compressor I've had for a few years, and it serves its purpose. But I use my ears more than anything."



USE READER SERVICE CARD FOR MORE INFO

JUST BECAUSE IT'S THE BEST



IT DIDN'T STOP US MAKING IT BETTER

Independent testing of seven leading DAT tape brands* proves HHB DAT Tape is already the clear leader, with consistently lower block error rates and superior archival stability.

Now we've made it even better:

- Increased tape lengths at no extra cost. The new HHB DAT125 is the longest professional audio DAT tape available.
- Improved heat resistant shell will not warp, even after 2 hours at 107 degrees C.
- Improved anti-static lid discharges static twice as quickly, reducing dust contamination.



HHB Communications Inc - 43 Deerfield Road, Portland, Maine 04101 1805, USA Tel: 207 773 2424 - Fax: 207 773 2422 - E-Mail: 75671.3316@compuserve.com HHB Communications Ltd - 73-75 Scrubs Lane, London NW10 6QU, UK Tel: 0181 962 5000 - Fax: 0181 962 5050 - E-Mail: sales@hhb.cc.uk Studer Canada Ltd - 1947 Leslia Street, Toronto, Ontario M3B 2M3, Canada - Tel: 416 510 1347 - Fax: 416 510 1234

• Improved base film enables the tape to mold better to the head, reducing surface resistance and head wear.

- Improved formulation of the magnetic recording layer increases resolution, lowers block error rates and extends the secure archival period to 30 years.
- Improved J card and a new shatterproof, reusable Polypropylene case.
- Shrink wrapping is replaced by a new, eco-friendly 'freshness seal'.

HHB professional DAT tape. Would you seriously consider using anything else? Contact your nearest HHB Advanced Media Products dealer today.

* Studio Sound 'DAT On Trial', Call HHB Communications for a free copy.





USE READER SERVICE CARD FOR MORE INFO World Radio History



USE READER SERVICE CARD FOR MORE INFO



In a world where selling 5,000 copies of a video is considered great. Grossman is enthusiastically serving numerous niche markets for only a limited financial return. But sales have risen steadily for the format in general. and as he noted earlier, the advent of the 5-inch digital video disc could change the terrain of the business considerably, "What I'm into, and always have been," he says, "is information. I've been touring and performing since '67, but I've always done the guitar instruction] books. Now I've got the video thing happening, and that's another aspect of the same thing, in a way. The more you can learn the better, and the more information you can give people, the more they can build worthwhile opinions on. That's what I'm trying to do."

-FROM PAGE 173. THE GRATEFUL DEAD

ogy that made that album work; it was the songs—"Uncle John's Band," "Cumberland Blues," "Black Peter" and even "Casey Jones" found the Hunter-Garcia team mining a rich vein of Americana in their songwriting, "I'll tell you what affected me," Hunter told me when I interviewed him and Garcia together a few years ago. "I was so impressed by the songwriting of Robbie Robertson [of The Band]. I just said, 'Oh yeah, this is the direction. This is the way for us, with all our folk roots, our country and bluegrass roots."

It was an amazingly prolific period for Hunter and Garcia, who were living together in a redwood-shaded house in southern Marin County, "It was the basic thing of friendship, economics and all that stuff." Garcia said in the same interview. "We had a nice big house that we could afford to live in together but probably couldn't have afforded separately at that point." Hunter added, "I'd be sitting upstairs banging on my typewriter, picking up my guitar, singin' something, then going back to the typewriter. Jerry would be downstairs practicing guitar, working things out. You could hear fine through the floors there, and by the time I'd come down with a sheet and slap it down in front of him. Jerry already knew how [the tune] should go!"

Writing the song "Truckin" was slightly more complicated than the scenario above, as it also involved two other writers besides Garcia and Hunter. Rhythm guitarist Bob Weir and bassist Phil Lesh also had a hand in

the song's musical construction, and ultimately it was Weir who became the lead singer on it. It's one of the few Dead tunes with overtly autobiographical overtones-though most of the lyrics paint a playfully oblique portrait of the band on the road, one verse refers specifically to the Dead being busted in New Orleans in January of 1970. The bridge of the song closes with what has become Hunter's most quoted line: "Sometimes the light's all shining on me/Other times I can barely see/Lately it occurs to me/What a long, strange trip it's been." That was true enough when the band had only been together for five years; it had even more resonance when the group hit the 30vear mark in 1995.

The Dead were on such a songwriting tear in 1970 that they returned to the studio just three months after *Workingman's Dead* was released in May. Matthews and Cantor were busy on another project when the recording bug bit, so the Dead turned to a relative newcomer on the San Franciso recording scene—an engineer at Wally Heider Recording in San Francisco named Steve Barncard—to cut the tracks, coproduce and mix the album that would become *American Beauty*, arguably the group's most beloved work. A native of Kansas City, where he played in several popular local bands and worked as a radio DJ, Barncard moved to San Francisco on a whim in mid-1969. His first day there, Barncard walked into Heider's, where the Jefferson Airplane had

> "Truckin"" is one of the few Dead tunes with overtly autobiographical overtones.

just finished their *Volunteers* album, looking for a job. He was *not* hired on the spot, but Barncard was sufficiently inspired by what he saw to write a long letter to Heider, pitching his skills. In the meantime, he moved to L.A. and took a job wiring speakers and assisting at the Village Recorder. Two months

later, Barncard got a call from Heider (whom he describes as "probably the greatest big band engineer of all time") and an offer to work as assistant engineer at his San Francisco facility. "They needed someone to assist [engineer] Bill Halverson on Crosby, Stills & Nash's album. This doesn't happen anymore," Barncard says. "In those days, people weren't asking for these jobs. There weren't all these recording school graduates running around; it was wide open. And the pay was great for that time-\$10 an hour, which is more than some assistants get today. Before that, I'd been lucky to get a radio job that paid me \$400 a month, and this was like \$400 a week."

At that time, Studios A and D were still under construction, and most of the great work was being done in Studio C, which was equipped with a custom Frank De Medio console. "He needs to be remembered because he brought a lot of quality to Wally's studios," Barncard says. "He used only these massive Switchcraft pushbuttons and telephonetype lever switches and big relays and plug-in amplifiers. It was really an incredibly well-built and simple thing: 24 channels, 8-bus. The path was extreme-



CSE READER SERVICE CARD FOR MORE INFO







ly simple. He would have one amplifier in the chain---this plug-in line amplifier made by UREIand they would set up the gain in it so it was always set to high, and then for anything coming into it they would use resistant pads. People frown on this sort of stuff today. Everything was tranformer-balanced. No op amps. All transformer-isolated. And the EQ modules were just passive UREI EQs on the way to the line amplifier. What they did is switch They just put in more



between line and mic. Jerry Garcia at Wally Heider's, 1971

fixed pads for line, so you're always dealing with the same amplifier, and there was no feedback loop. Everything was calibrated with those losses in mind, and you just switched them in and out. So it was extremely reliable. They had these Gotham faders, which at the time had 2 dB per step, so they were a little clunky to work with—they worked on a dial cord that actually turned a pot inside, but it was a step above rotary pots. At the time, it was very high-tech."

Though Studio C was only modestly sized, with what Barncard terms a "tiny" control room, "That room was Groundzero for so many great records," he notes. "It was the simplicity of the room that made me work with mic placement rather than worry about the kind of mics I was using. I didn't have a big selection; I didn't have a lot of European condensers. But they had a lot of [Neumann] 67s, a few 87s, which I still hate to this day-I can't use them; they're too harsh. They also had a lot of C-37s. My favorite condenser for acoustic guitars was probably the [AKG] C-60, a lipstick tube condenser. The actual capsule was similar to the 451. We had four or five of those. I'd usually use 67s on overheads. For vocals 1'd use just about anything. I used the [Shure] 547. The 56, 57 and 547s were staples of the remote industry, which may explain why Wally liked them.

"The monitor system was pretty erude, pretty bad." Barneard continues. "[Studio C] had Altee 60 is that were in a cabinet that was designed not for its acoustic properties but because you could make it out of a single sheet of plywood. My big complaint about '70s recording is that there was no standard to monitoring whatsoever, or if there was one, it changed all the time."

More to Barncard's liking were the studio's echo chambers, which he used to greatest effect on David Crosby's breathtakingly beautiful 1971 solo album, *If I Could Only Remember My Name*. Though the studio had one of the earliest Ampex MM1000 16-tracks, "! liked to work on the 3M 16-tracks. I liked them much better, and I used Scotch tape exclusively. Everything ! ever recorded on 3M tape is still playable today and sounds great. Every piece of Ampex tape I used in the '70s turned into glue and stops the tape."

Barncard made the transition from being an assistant to a first engineer during the sessions for Crosby, Stills, Nash & Young's Deja Vu album, but to land the Dead's project, he had to, in essence, audition for the job: "Phil [Lesh] wanted a good bass sound, and that was going to make the difference," Barncard explains. "My boss said, 'Get a good bass sound. Steve, and we've got the Grateful Dead.' Well, Phil was using two amps-he was using the exact same rig as [Jefferson Airplane bassist] Jack Casady, and I was familiar with Jack's rig. He had a big amp for the low end and the thud, and then a little amp for the buzz that's in the middle. So hetween those three inputs [two amps and a DIJ. I was able to make a bass track that worked for him. We did it in Studio A." which was equipped with a Quad 8 24-input, 8-bus console.

Like the sessions for *Workingman's Dead*, work on *American Beauty* went quickly and easily. Barneard says, "It's a very live record, and it was really fun all the way through. I had heard bad stories about engineers' interactions with

Rugged Switchcraft[®] Jack Panels



Advertisement

Switchcraft's new TTP96 Series Jack Panel (shown in photo) is built to last. It features corrosion resistant nickel-plated jacks, a steel frame for superior jack life and an aluminum. black anodized face and cable support bar. Switching arrangements available in full normal, half normal and open circuit. Fanned solder terminals make solder connections simple, and an offset ground terminal makes common ground buss connection easy.

Request NPB #448 for the TTP96 Series . Call (312) 631-1234 ext. 243 for product pricing and delivery.

SEE US AT NSCA BOOTH #1817

Celebrating 50 Years of Excellence

1946-1996

Switchcraft, Inc.

LEV-R®

Switch

Guitarists Who Demand Quality, Demand Switchcraft[®].

Leading guitar manufacturers like Peavey, design their guitars to meet the tough demands of serious rock 'n rollers. That's why they use Switchcraft® components. Switchcraft® components provide superior connections to ensure the best in sound and durability - for the performance musicians demand.

For 50 years Switchcraft® has manufactured Consistently ExcellentSM products. Switchcraft[®] quality components include guitar jacks, plugs, industry standard A3F and A3M microphone connectors, and switches. So if you demand the best, demand Switchcraft®.

Test our quality yourself. Complete the entry form below and mail it to us for a chance to win an EVH Wolfgang model Peavey guitar, made with Switchcraft® components.

Enter to win, by answering the questions and completing the form atchcraft® below. The drawing will be held at Summer NAMM, July 13, 1996 1/4" Jack in Nashville, Tennessee,

Switchcraft[®] – Consistently Excellent Since 1946SM.

"Rock w	ith S	witchcr	aft®" Drav	wing	J
Raytheon Electronics		Where are Switchcraft* products manufactured?			
Switche	raft [°]	What anniversary is Switchcraft® celebrating in 1996? What are the Switchcraft® part numbers for male and female microphone connectors?		and female	
MAIL TO: Switchcraft, Inc. Attn: Marketing Dept. 5555 N. Elston Avenue Chicago, IL 60630 (312) 631-1234 ext. 243 http://www:raytheon.com/re/swc.html	Company Title/Depa Address City	/ artπ [,] ent	State	3	
Complete cartest rules, prize value and name person No purchase necessary. Entries must be usally reproduced, lilegitimately obtainec or tart drawing. One Peavey (brand) EVH Wolfgang ele TN. Participantaneed not be present to wir Win winning prize eavared depend on number of er regulations. Taxes are the responsibility of the Sponsors and the Judges and their respective a bers of each. Winner must be 18 years or idder.	e received ay pered with is wing will be a ectric guitas w iner will be no ntries. Void wh winner, Draw agents and su	v June 28, 1996 to qua voic. Sponsors not re conducted by Switch vill be awarded in an obtified by multi or ten here prohibited or res ving open ten anyone	alify. Any entry form not of asponsible for pnnting e coraft, Inc, whose deciss andom drawing at Sumi phone within 30 days of stricted. Drawing subject except employees, sali	completery fi rrors, detact ons are fina ner NAMM, drawing, No to all federa es represen	illed out, illegible, mechar hed labels or lost, postag al on all matters related 1 July 13, 1996, in Nashvilli o alternate prizes. Odds (ai, state and local laws an tatives and distributors (

USE READER SERVICE CARD FOR MORE INFO

Choose The Look You Like



The D series of Q-G® connectors offers a choice of satin, pebbled, or black metal finish for panel or chassis-mounting. Choose from 3 to 7 contacts or pins with silver or gold plating. Shown above, left to right: D3F (pebbled), D3FS (satin), D3M (pebbled) and D3MS (satin). For black finish order D3MB or D3FR

Request Switchcraft's AVP-3 catalog for more information. Call (312) 631-1234 ext. 243 for product pricing and delivery.

Patch Cords In 6 Colors



Switchcraft® audio patch cords feature 3-conductor .173" diameter telephone-type (TT) plugs and are available in a variety of colors and styles. Choose black, red, yellow, green or blue as braided or overmolded; gray is available as overmolded only.

Request Switchcraft's Molded Cable Assembly and Patch Cord Guide for details. Call (312) 631-1234 ext. 243 for product pricing and delivery.

Durable Q-G® Audio Connectors



Preferred by audio professionals the world over, Switchcraft Q-G[®] connectors, such as the A3M, A3MBAU, A3FBAU and A3F (shown left to right), feature unsurpassed durability with a choice of finishes and contact platings. High performance inserts are available in Switchcraft® green or black with goldplated or silver-plated contacts. A rainbow of colored flex reliefs also available. Solder terminals rotated for easier access and soldering.

Request Switchcraft's AVP-3 catalog for details. Call (312) 631-1234 ext. 243 for product pricing and delivery.



A GLOBAL NETWORK OF THE FINEST RECORDING STUDIOS

ATLANTA Crawford Audio Services

CHICAGO Chicago Recording Company

> DALLAS Dallas Sound Lab

HONOLULU Audio Resource Honolulu

> LOS ANGELES Conway Recording

MEMPHIS Ardent Recording

MIAMI BEACH South Beach Studios

NEW YORK Right Track Studios Sync Sound

PHILIDELPHIA Remote Recording Services

> SAN FRANCISCO Skywalker Sound

WESTPORT Presence Studios Westport

PLUS 18 MORE IN EUROPE, AUSTRALIA, and the FAR EAST!!!!

> For more information call: (213) 465-7697 fax: (213) 465-7793

or see our new www page: http://www.worldstudio.com

the Dead and about how they always had a thousand people in the control room and hippies camping out in the studio and massive acid parties. What I found were a bunch of hard-working guys, a great, tight band who had woodshedded everything, who knew exactly what they wanted to lay down and where they wanted to go with it. The vocals were all ready. There was not a whole lot of experimentation. They had sat around in a circle and rehearsed this record, so they were ready to go when I got them. Some records sort of assemble themselves. You do a take and everybody says, 'Yeah, that's it. Let's move on.' And everything falls into place."

Typically, the basic track would consist only of Garcia, Weir, Lesh and drummer Bill Kreutzmann, Though Mickey Hart was still drumming for the band live, his involvement in the album was minimal-mainly for percussion overdubs, And Ron "Pigpen" McKernan, who played B-3 for the group in concert, didn't play on the album at all-instead, organist Howard Wales and pianist Commander Cody added the needed keyboard textures. On "Truckin"," which was cut in a day in Studio C, the 16 tracks broke down this way: Track 1-Garcia's electric guitar; 2-piano: 3-kick drum: 4-5- more drums; 6-snare; 7-organ; 8-bass amps; 9-bass direct; 10-Weir's lead vocal: 11-Garcia's acoustic guitar; 12-Weir's acoustic guitar; 13-Weir's electric guitar: 14-Lesh's backup vocals: 15-Weir's backup vocals; 16-Garcia's backup vocals.

The Dead were a notoriusly weak vocal band in the late '60s, but by 1970, the combination of hours of harmony singing practice and the influence of their friends David Crosby and Stephen Stills made it possible for the Dead to put out an album that was filled with glistening harmonies. I had assumed that this area must have taken a tremendous amount of time in the studio, but Barncard says, "I was skeptical going in, but they were brilliant. They walked in and just did it. People don't believe me when I say this," he notes with a laugh. For the harmony parts, "I used three 67s [for Garcia, Lesh and Weir], ran each one through a separate limiter and then doubled it" to make it sound fuller.

American Beauty was a largely acoustic guitar-based album, so it's not too surprising that the first live versions the band played of "Truckin'" came during the acoustic sets they frequently performed in the summer of '70. It

wasn't until October of that year that the song made its transition to an electric number, and it would be another year before it really began to blossom and become a jumping-off point for exploratory jamming around that distinctive shuffle beat. "Truckin" was an instant hit on FM radio in the fall of '70. and nearly a year later an edited single version made it to Number 68 on the Billboard charts. The album version has been the fodder of "classic rock" stations ever since. The Grateful Dead never played a version of the song even remotely like the one on American Beauty once the record came out-as was their wont, they were more interested in taking the song someplace it had never been before.

A post-script for Deadheads and other interested parties: Keep an eye out for an extraordinary one-hour documentary about the making of American Beauty and the 1968 Dead album Anthem of the Sun, directed by British filmmaker Jeremy Marr and set to debut on PBS television this summer. I was fortunate enough to see a nearly finished version in early March and was blown away. It features never-beforeseen historic footage of the Dead in the studio and onstage, current interviews with Weir, Lesh, Hunter and Barncard talking about working on those records, and archival interview footage of Garcia, GD sound ace Dan Healy and others. It's an illuminating and ultimately touching look at the some of the Dead's high times. And you recording freaks will be fascinated by the techie aspects of the production.

--FROM PAGE 175, DWIGHT TWILLEY

new songs, the most recent cut in October of '95. The album is a potent reminder of Twilley's knack for writing bright melodies and strong, hook-filled arrangements. The only disappointment for me is that the single-CD format leaves off so many favorites from this always underrated songwriter.

In the mid-"70s, Twilley and his partner, drummer-singer Phil Seymour, were a couple of young Tulsa rockers deeply into Elvis and The Beatles, at a time when the first glimmers of what would become known as the "new wave" movement were appearing in big cities across the U.S. That sobriquet would eventually encompass everything from The Clash and Elvis Costello to more straight-ahead rock-

1996 BUSINESS CONFERENCE Surviving The Chaos! Developing a 21st Century Business

SPARS

MMMM

May 17-19, 1996

Walt Disney Studios, Beverly Garland Holiday Inn, 4222 Vineland Avenue, North Hollywood, CA 91602



Ever notice how hard it is to operate a recording company? So has everyone else in the industry. At this SPARS Business Conference you'll learn how to tap your most important resources so you won't just survive, but thrive! You'll hear Rob Glazer, President of Progressive Networks, "RealAudio" talk about

audio on the internet. You'll learn the importance of business planning and how easy it is to

plan, as well as learn how to comply with the law as your business grows, through two great presentations provided by The Executive Committee (TEC), an international organization of CEOs.

SPONSORED BY Amek, AMS/Neve, Avid/Digidesign, EdNet, Euphonix/Spectral, Fairlight, Solid State Logic, Sony, Sascom & Soundmaster

Take part in some interactive panels about new technology, studio architecture, how to get press for your business, as well as an informative panel on new distribution methods of audio through ISDN and other means.

Friday Banquet and Saturday Lunch	REGISTER TODAY!		
included.	Name		
Non Members (after May 10, 1996)\$250	Company		
Non Members	Address		
(before May 10, 1996)\$195	CityStateZip	Telephone	
SPARS Members	□ Visa □ Mastercard □ Amex Card #	Exp. Date	
(after May 10)\$175	Signature	Date	
SPARS Members (before May 10)\$150	Make checks payable to SPARS. Return to SPARS, Worth, FL 33461. Or fax your charge to (407) 642-826	4300 10th Avenue North, Lake	
Fax # 1.407.642.8263	1-800-771-7727.		

Are you a member of SPARS? Now is the time to join! Send money for your registration fee as well as receive a \$50 credit toward your dues if you join promptly — but no later than 30 days after the conference ends.

ers like Twilley and Tom Petty & the Heartbreakers. "Dwight always hung around with intellectual types—artists and actors," Phil Seymour said in an interview years ago. "We went to an upper-middle-class high school, and Dwight was always regarded as a crazy artist."

"Tulsa was all Leon-ed out," Twilley told me when I first interviewed him in 1979, referring to Tulsa native Leon Russell. "It's a small, rich town, and it was hard for the wild young guys to get much happening. I was really on the outside of the music scene, so I spent my time getting ready to make records."

When we spoke again this past Jan-

uary, Twilley elaborated: "Where Phil and I came from was the notion of being 'recording artists.' We weren't a band that went around and made a name for ourselves being a band. There wasn't much work around Tulsa anyway. A small clique of musicians there got all the best gigs. So we'd go out of town and play terrible fraternity and sorority parties and jock-type clubs, playing Elvis and Beatles songs five times as fast as the original tempos. We'd mix in one or two original songs and nobody would really notice. But our main concentration was always recording. And it takes a lot to make good record on a 4-track, which is what



An open letter from Morris Ballen, Disc Makers Chairman

Dear Friends,

A hearty "thank you" to the readers of MIX Magazine. You've helped make Disc Makers the number one independent CD and cassette manufacturer in the nation! We could not have done it without your overwhelming support.

Why is Disc Makers such a successful national company? I think it's because we put as much effort and hard work into your graphic design and printed inserts as we put into your audio quality.

Musicians and producers who want major-label-quality audio as well as graphics know that Disc Makers offers the best value in the country. Our graphic design department specializes in making your inserts look like a major-label product. Best of all, **two-day shipping is our policy**; we offer Federal Express shipping on CDs and cassettes at UPS Ground freight rates! And who else offers a "no fine print" money-back guarantee? We won't rest until you're thrilled with your graphic design proofs and audio tests, or you get all your money back!

If you haven't seen our **brand new 1996 full color catalog**, call today for your free copy. We offer the most complete packages in the industry and, best of all, we provide the **fastest turnaround**. See for yourself why serious producers and musicians insist on using Disc Makers.

To all of our clients and friends – thank you for working with us. To our prospective clients – give us a try, you'll be delighted that you did. After all, you've worked hard to get the best recording, why not get the best CDs and cassettes you can?



Sincerely, Morris Ballen, Chairman

P.S. All our CD packages include our exclusive Proof Positive Reference CD at no extra charge.

What is the Proof Positive® Reference CD?

Disc Makers has solved a problem facing the record industry for the past 10 years: Can I get a CD test pressing? Until now the answer was always: No. If you wanted to hear a proof you would get a reference cassette (poor quality) or a DAT (most falks don't have a DAT player). Now, the engineers at Disc Makers have pioneered the Proof Positive" Reference CD, an identical copy of what your finished CDs will sound like. We make two CD masters simultaneously, and send you one for approval. As soon as you approve it we use the other master for manufacturing. This process eliminates the Sony 1630

generation (to avoid CRC and interpolative errors), and is *included at no additional charge* in every Disc Makers CD package. The Proof Positive[®] Reference CD is easy, convenient, and perfect: You get what you hear!



we had. That's a skill in itself, and it gives you some discipline. I know a lot of people came up in 24-track, but we spent a lot of serious time with a 4track, so when it came time and we had a lot of tracks in front of us, it wasn't like we just swam through them. We already had a sense of what to do and what not to do."

In 1974, Twilley and Seymour traveled to L.A. with one of their 4-track demo tapes, which eventually wound up on the desk of producer Denny Cordell, ironically enough, president of Leon Russell's Shelter Records label.

"Nothing's ever changed

the way I make music. I've sort of been in my own world all along. I never really cared much about what other people were doing." —Dwight Twilley

Cordell agreed to let the duo produce their own debut album-they used the pseudonym "Oister" as their producer's moniker-but he sent them back to Tulsa to record at Russell's studio. "Sincerely [the first Twilley album] was cut all over the place-some in L.A., some in Tulsa, some in England, in a number of different studio situations," Twilley says. "Probably the most interesting thing was, since we had just gotten signed, we came directly from our little 4-track shop that was above [guitarist] Bill Pitcock's grandfather's electric company-it had a TEAC 4-track and mixing through a Shure P.A. head. Within a six-month period, we found ourselves at Leon Russell's home studio with a 40track Stephens, so that was a pretty big culture shock. Everything in the room was new, and it had a great sound to it. It was pretty exciting for a couple of young guys starting out." That album was engineered by Twilley's in-house tech Jim Barth, Bob Schaper, Roger Harris and Roger Linn (pre-LinnDrum!).

Twilley's first single, "I'm on Fire," was an instant sensation, but unfortu---CONTINUED ON PAGE 211

USE READER SERVICE CARD FOR MORE INFO
Actually, with the powerful reverb algorithms in the Alesis Q2", you can go to any room you want.

GO TO LOUI

THIAL CHANNEL OCTA

ALESIS

Q2 has the power to take your music to shimmering halls, bright chambers, dark caverns, or any where your creativity leads you. There's 300 carefully-designed reverbs, delays, EQ, pitch and special effects that provide the high-end professional processing you need without breaking the bank.

But the best reason to use a Q2 is the incredible flexibility it gives you to create your own space. Because the place where the music sounds the best - the room to be in might be the room you call your own.

{{{}

- "I love the Q2. I'm using it in the show every night." - Robert Scovill, 3 Time TEC Award Winner (Sound Reinforcement Engineer)
- "I love that Q2. We're using the hell out of it." - Ray Benson (Asleep At The Wheel), Multiple Grammy® Winner
- "O2 is the presetter's fantasy and the tweaker's dream." - Francis Buckley, Top Independent Dance/Pop Engineer



ASTER EFFECTS W/DIGITAL I/C

Hy Root

Stereo or Independent • **Dual-Channel Operation**

ſ

()

- 100 Preset And 200 User-**Editable Programs**
- Octal Processing™—Up to **Eight Effects At Once, In Any Order**
- 24-Bit Internal Processing; 18-Bit D/A Converters; **48kHz Sampling Rate**
- +4dBu Balanced and -10dBV **Unbalanced** Operation
- **ADAT**[®] Optical Digital I/O
- Custom LCD Graphic User Interface with Virtual Patch Cables
- **NEW!** Version 2.0 Software Now Features Up To 5 Seconds Of Sampling, Plus Overdrive, Surround **Encoding, Triggered Pan** with Doppler and More!

Band Sweep, 384-Band weparate L/R input levels tuff. For more Q2 info, see vademark of NARAS.





L.A. GRAPEVINE

by Maureen Droney

Could be a trend on, and I like it. More juice for sound people! First, **Coolio thanked Skip Saylor Recording** (Yes! How often do Grammy-winning artists give a nod to the facility and engineers that work so hard to make them realize their art?) as he accepted his Grammy for Best Solo Rap Performance. Right on, Coolio. Then, **Warner Bros. Studios Facilities** threw a tasteful bash on the Burbank lot to honor a sound team that has been honored four years in a row with Academy Award nominations.

The team (nominated this year for *Batman Foreeer*) consists of dialog mixer Donald O. "Papa-san" Mitchell, music mixer Michael "Mikey" Herbick, effects mixer Frank A. Montano and production sound mixer Petur Hliddal, all nominated for Best Achievement in Sound; and supervising sound editors John Leveque and Bruce Stambler of SoundStorm, nominated for Best Achievement in Sound Effects Editing. These five principals represent more than 30 people (from producer Peter McGregor-Scott and president of Warner Bros. Studio Facilities Gary Credle to the dialog editors and the Foley artists and engineers) who've worked together in an alliance between SoundStorm and Warner Hollywood. The collabora-*CONTINUED ON PAGE 192*

Pictured on the Warner Bros. Burbank lot are (standing, L to R) Doug Greenfield, Peter McGregor-Scott, Donald O. Mitchell and Frank A. Montano. Seated are John Leveque, Michael Herbick, Ray Dolby, Bruce Stambler and Curt Behlmer.



NY METRO REPORT

by Dan Daley

Power Station lost its last bid at fending off foreclosure from a lender suit by Chemical Bank and was scheduled to be sold at auction on April 25, 1996, ending an era in New York recording studio history. The entire contents of the facility as well as the sixstory building itself were slated to go on the block. What remained unclear at press time was whether the studio would be sold as a single entity or piecemeal. There was speculation that either a coalition of independent studios in New York or a large, corporateowned studio would bid on the entire facility and building. Prior to the announcement of the sale, 1 spoke with several studio owners off the record, to get an idea of what a closing of Power Station would mean to the New York Studio community. In retrospect, their responses remain valid, even as the last chapter in this unfortunate saga unfolded.

Some were annoyed that it got this far at all: "The whole thing is bullshit," one source said. "On one hand, as a facility owner, it's upsetting to see this happen—getting yourself into this kind of mess after so many years in business. On the other hand, I see a lot of mistakes made that haven't been admitted to. There's three things that could happen as a result of this: My business could get better, my business could stay the same, or I could lose business. Why? If Power Station goes out of business, maybe I could raise my rates or some of their clients will work here. I doubt that will happen. It could stay the same, like it did after Skyline went under. Or, if people perceive New York as having one less great facility, it could

cause fewer [recording clients] to come to New York at all. And that's going to hurt us all."

On the other hand, some believe that Power Station's problems are irrelevant to the rest of the community. "It's a huge mountain made out of a molehill," another source said. "Nothing that happens there will affect the other studios. Power Station may change ownership. But there's no real implications here, except that maybe Tony Bongiovi won't be in the studio business anymore."

Many are simply perplexed at how the studio found itself in this situation to begin with: "I find it hard to understand how a bank can get that much control over your business, supposedly telling you who you can do business with. I find what I'm hearing hard to believe. Power Station and [new joint venture partner] Media Muse are private companies, so there's little you can know —CONTINUED ON PAGE 196

SESSIONS & STUDIO NEWS

NORTH CENTRAL

Producer Mr. Colson was at Smart Studios (Madison, WI) doing mixes and overdubs for MCA Canada artists The Watchmen...Veruca Salt were in tracking with producer/engineer Doug McBride at Gravity Studios (Chicago). McBride also worked with Stick Figure, featuring members of The Smithereens, the Del Lords and the Cleveland Indians-pitcher Jack McDowell is a bandmember...Recent sessions at Chicago Trax Recording included Tranquility Bass tracking a self-produced effort with engineers Tom Carlisle and Critter. Ministry were also in, as were Liz Phair and Jim Ellison, who recorded



Studio A at Echo Park Studios in Bloomington, Ind., features an API 32x16x32 and an Otari MX-80 24-track. Recent sessions have included Robert Mirabal for Warner Western with producer Mike Wanchic and engineer Mark Hood; Lisa Germano for 4AD with producer/engineer Paul Mahern; and Over the Rhine for IRS with producer/engineer Pat Moran.

a song for the *Stealing Beauty* soundtrack...Reprise faves Wilco recorded their highly anticipated sophomore release at The Chicago Recording Company with engineer Chris Shepard and mixer Richard Dodd. The indomitable Jesus Lizard were also in recording their Capitol debut with producer GGGarth Richardson...Elephant Music Productions (Wichita, KS) recorded the Wichita Jazz Orchestra live-to-2-track at a recent show. Bandleader Steve Slater produced, Christopher Neal engineered and Dave Liljestrand was —continued on PAGE 196

Owners Jeshua Holland (L) and Taylor Burr size up the Amek Angela 36x24 at their Burr Holland Recording Studio in Minneapolis. The studio, known for its huge knobs, also features 24 tracks of ADAT with BRC and a Tascam MS-16 1-inch. Sessions have included Soul Asylum's Dave Pirner collaborating with Brenda Kahn on a project engineered by Ezra Gold; Romee Ulven (produced and engineered by Holland); Bolivian combo Sentimento Andino (produced and engineered by Burr); and Casino Royale with Phull Syrkle (produced and engineered by Chuck Zwicky). Staffer Tommy Roberts has engineered projects with Pirner and Ed Ackerson, as well as produced Fauna.



STUDIO SPOTLIGHT

Mix doesn't often feature people like Randy DeFord of Monticello, Ind. He has no 72-in console, no 24-track, no hit records. He's a guitar player, with emphasis on steel, and he is representative of that huge segment of the recording market that aspires to the big-time. DeFord, who works as a spring design engineer during the day, is currently running the fifth incarnation of his project studio.

As a young guitar player in 1975, DeFord hooked up with Roger Hill of Kokomo and was bitten by the recording bug. Hill, an electronics buff, built him a Groms-style 8-in tube mixer ("just gain") and a Telefunken-style plate reverb. Later, he bought a Tapco console, then a Tangent, and spent most of his recording days on 45s and demos. "Back in the '70s," he says, "there seemed to be all kinds of demo contests-Enter your band and win a trip to Zanzibar." Today, he has a Mackie 1604, and many of the sounds for this sometimes one-man-band come from an E-mu Proteus Plus MPS. Sequencing takes place in Power Tracks Pro, and he recently purchased a Vestax 6-channel hard disk recorder with a IGB drive.



DeFord has learned recording mainly through 20 years of trial and error, and his demos have been solid enough to be profiled in the February 1995 issue of *Guitar Player*. In the past year, he put together five –*continued on Page 198*



USE READER SERVICE CARD FOR MORE INFO



by Dan Daley

On February 22, the Nashville Association of Professional Recording Studios (NAPRS) held its first annual meeting, which took place in the conference room of the ASCAP building at the top of Music Row. Castle Studios owner Jozef Nuyens was elected president of the organization; others elected included Sixteenth Avenue Studios manager Preston Sullivan as chairman of the 14-member board of directors; Jennifer Rose of Midtown Tone & Volume as vice president; Marty Craighead of Javelina as secretary; Sound Stage manager Michael Koreiba and Barry Saunders as co-treasurers; and Sound Kitchen owner Dino Elefante as sergeant-at-arms. Several committees were formed, including a technical committee headed by Emerald's Milan Bogdan, and a special events committee to be headed by Recording Arts owner Carl Tatz. Monthly meetings were scheduled for the third Thursday of each month.

If NAPRS succeeds, it will mark the first time that the large studio base of Nashville has organized. Nashville has no SPARS chapter, although representatives from the Society of Professional Audio Recording Services met with several board members in Nashville in January in a meeting arranged by Digital Atomics co-founder and Studio A owner Lisa Roy. While common technical and sales and marketing issues were brought up at the meeting, which was supervised by incorporating attorney Steven Roads, the specter that has loomed behind several studio organizations in recent years was subtly present at the meeting: personal home studios. In a point that was modified at the last minute, NAPRS's charter specified that voting membership was "...limited to those business entities dedicated in whole, or in part, to Professional Recording Services who have transacted business as a professional recording service for at least one calendar year, and can evidence their ability to transact business by a valid business license."

Several members questioned what would specifically constitute a "recording service," and a nonvoting membership status was discussed. Both issues were tabled for future discussion. However, toward the end of the meeting, Sullivan made a point of saying, "We're not here to police any studios, or anyone working out of their car." Sullivan also reiterated Roads' caution that any discussion of rates, the other major issue here as elsewhere, would be strictly illegal under existing federal antitrust regulations.

This next paragraph is pure editorial on my part: NAPRS has the potential to be more than the sum of its parts and could go far toward the ultimate realistic goal of projecting Nashville's studio base beyond its geographical boundaries. To do so, it needs to overcome the long-standing cultural conundrum that the city is viewed as something less than its coastal counterparts because it is limited by an association with country music and all the perceptual baggage that comes with that. The organization comes at a time of cyclically declining country music sales, a time when non-Nashville, non-country clients are needed more than ever. But to do so, NAPRS needs to find its own voice. That's already happening in the balance of the buoyant optimism of Nuyens, who stressed an almost doeeyed positivism throughout the meeting, and the no-nonsense skepticism that Sullivan brings to the table. No serious disagreements have yet been raised within the organization, and it will take that kind of good-cop/badcop balance to keep any that do in perspective. Because if they don't, all the membership might have left to agree upon is Dino Elefante's meatballs.

Other News: Soundstage Studios has become the third Nashville facility to spring for an SSL 9000J console. The 80-input board, which was scheduled to be installed in Front Stage by late March, brings the number of 9000J consoles in Nashville to four, counting two at Starstruck's new facility and one at Masterfonics' new The Tracking Room. Soundstage studio manager Michael Koreiba said the choice of the 9000J was prompted both by a sense of competitive pressure with the other 9000s arriving in town and by a need to satisfy both tracking and mixing clients. "This gives people who want to use a 9000 another studio option," he said, "and it helps us get the people who wanted another tracking option." The 9000 will replace an SSL 4056 E/G, which will be moved to another room at Soundstage, replacing a Trident 80B.

Another New Studio: **Cool Springs Recording**, owned by Sandi Patti's exhusband and producer, John Helvering, is under construction, designed by Steve Durr and slated to open in June

ANYWHERE

With a wireless mic from Gemini. Our full line delivers all the features and performance you need to cut the cord... without sacrificing sound quality and reliability. For handsfree operation our BP-05L, lavalier model combines the benefits of hands-free use and easy coneealment for broadcast applications and lectures. For vocalists and musicians there's also our HH-05M handheld mic and BP-05G belt pack transmitter with 1/4" phone jack. And for total versatility we offer a wide choice of rack mount and table top receivers with single antenna, dual channel and true diversity design. So why be fied down like a dog on a leash when you can go anywhere with a wireless mic from Gemini.





RM-700

BP-05L

BP-05H



SEE US AT NSCA BOOTH #1822

Corporate Offices: 1100 Milik St., Carteret, NJ 07008 • Tel 908-969-9000 • Fax 908-969-9090 Florida Office: 2851 Evans St., Hollywood, FL 33020 • Tel 954-920-1400 • Fax 954-920-4105 France Office: GSL, 17 Rue Ampere, 91320, Wissous • Tel (1) 64 47 18 80 • Fax (1) 64 47 18 76





with a refurbished, expanded 64-input API board with GML automation and Touch Reset Technology, Storage will be a pair of Studer A827s and a D827. with a new Studer D424-2 M/O recorder likely as the 2-track, according to studio manager Steve Schott. The one-room studio in the Franklin area. estimated at \$1.5 million, will have a large (74x48x22-foot) tracking room with a full light grid for video shoots and three isos, the largest of which will be 16x36. Schott estimated the day rate for the facility at about \$2,000 and noted that this would be Nashville's first large tracking facility that accommodates video production as integral to the studio's design and function. The studio is being financed by Helvering.

Woodland Digital opened a master-

-FROM PAGE 188, LA. GRAPEVINE

tion has resulted in sound category nominations over the past four years for *Under Siege, The Fugitire, Clear and Present Danger* and now *Batman Forever.* These people have worked together on all four high-pressure films and still manage to stay on speaking terms! Ever busy, they're now working on Joel Schumacher's next installment in the Batman saga, *Batman and Robin.*

The party was held on a balmy Sunday evening (on what other day of the week could you get possibly get an entire sound crew together?), when 250 people gathered in front of the Stephen Ross Theatre to nosh, drink designer beers and decent wines and wait for the evening's entertainment-10minute "sound bake-off" versions of all four of the films the team has been nominated for. The film industry has always been better at this kind of thing than the music-recording business (think catering on the sets and soundstages-film people almost always get more than the obligatory Studio C fruit basket!), but this event was particularly nice. Tablecloths, flower arrangements, waitpersons passing trays of very edible hors d'oeuvres-really quite civilized and pleasant. And, in return, civility was expected from the guests. Warners is (rightly) protective of the 516-capacity Stephen Ross Theatre. No food or drink allowed inside, and my date got busted by one of the vigilant Warner lot staff for trying to enter the theater while chewing gum. "The restroom is that way, sir. You can dispose of your gum there." ("Good catch," snickered the

ing division at the start of the year. Digital Editing & Mastering (DEM) is run by engineer Frank Green and employs a Sonic Solutions Sonic System for mastering and editing, as well as a Genelec 1092A/1030A monitoring system, Sony and Apogee converters, and Neve, TLA, NTI and other processing gear. The first project mastered in the room was a Kenny Rogers double-CD set.

And **TNN just bought an SSL 8000 GB** for its remote truck. The 48-input console, which has no automation as per the network's request, will be shown at NAB and then shipped to Nashville.

Dan Daley is Mix's East Coast editor. Fax bim at 615/646-0102, or e-mail at danwriter@aol.com.

rest of the staff.)

Oh, and kudos to editor Dennis Virkler who compiles the ear-boggling bake-off (officially called highlight) reels that were screened that night. Created for award consideration by the Academy of Motion Picture Arts and Sciences, they are no easy task. Those tight cuts are especially challenging to make in that, due to the placement of the reader on the projector, the audio to picture sync is 27 frames off! Virkler tells us that he is given a wish list from the sound EFX editors, then he looks for the audio cuts first, because if he can make those work, the picture cuts will probably follow. Put together on the Lightworks system, the Batman Forever selection was particularly intense-I found myself exhausted after its nonstop ten minutes. "Yeah," laughs Virkler, "imagine how the people feel who have to screen three of four of those to choose the one to submit!"

On the music recording tip, this month we checked in at A&M Studios to see what's been happening in the year since principal and moving force Shelly Yakus departed from the scene, passing the reins of management to Ron Rutledge and his assistant Bob Borbonus. The joint is jumpin'-at least it was on the day I was there. All five rooms were running, with 3348s dominating the format wars (four rooms out of five were digital multi). Neil Dorfsman was in Studio A on the custom Neve 4972 engineering Kyosuke Himuro for producer Hero. Studio B, with its SSL 6056/TR, had Hide in recording with engineer Bill Kennedy, and ensconced in API 32-in-equipped Studio C was the

lone analog holdout, producers Me'N'Al with the Blue Meenies. In D, the SSL 4072G room, were engineer Stan Katayama and producer Ishikawa recording Greg Adams' horn arrangements for Epic/Sony Japan act Wild Style, and in Studio M (or Mix) was producer Phil Ramone overseeing work on Johnny Mathis' latest, with Kaz Masumoto engineering on the SSL 6072E.

Rutledge and Borbonus sat me down in the cozy "fish tank" lounge, and we discussed the philosophies of change. The buzz concepts at A&M these days seem to be friendliness and populism. which appeared contrary to the vibe of the facility a few short years ago, when a studio manager friend of mine from the Bay Area visited there and commented about her tour, "Well, they seemed kind of hung-up on themselves. There were only certain areas of the facility I could see because 'people were working in the other spaces." (This bemused comment from a studio manager, who, believe you me, has seen everything.)

Rutledge is circumspect in describing the past year's changes. He says, "The transition is difficult to talk about. All I know is I was hired to come in and make this place what it used to be. And I think we're a little less elitist and more user-friendly than we were."

Adds Borbonus, "Remember, in the beginning this was Herb Alpert's recording studio. The focus was never on making a profit, it was on making a record. If you had a problem, you called Herb and he took care of it. Now, A&M Studios is owned by Poly-Gram. PolyGram owns A&M, Island, Mercury, something like 20 labels. The studio had become more of a business. but it wasn't run well as a business. So there was a transition to be made to combine the creative focus with the bottom line. It was a difficult time, and there was a period when rumor central in the community thought we were going to go away. Then, about the time that Ron was hired on as traffic manager, all of a sudden things changed. Basically, the top three management slots were vacant, and it became 'Here's the ball-run with it!"

"So I just watched the overhead." continues Rutledge (who previously worked as studio manager at Precision Mastering), "booked the rooms as much as possible, and we've had pretty good luck so far. It's not a magic thing, but it is a change in management style and in how people were treated."

"Honestly, it was really on its way down here," explains Borbonus, "and in 1995 we were told. 'Okay, go for it guys, and see what you can do.' They wanted to see if the studios could be a viable entity on their own. Now that they see that it works they are supporting us 110 percent. The CEO is behind us, and our budgets and plans for improvements have been approved."

Queried on the touchy subject of rates, Rutledge says. "We are as competitive in the industry ratewise as anyone else. We are not the unapproachable, elite thing that people think we are. Before, perhaps, management was not willing to negotiate anything—it was 'This is our rate, it's higher than anyone in town, and if you don't want to pay it, why are you calling? That kind of attitude, well, it doesn't work anymore. It doesn't mean that we are giving the place away or cutting our rates, but it's a matter of working with people and helping them out to get the project done. That's what you have to do. You just have to work with people. That's our philosophy. And I think we're a kinder, gentler studio now."

On the topical issue of pursuing post-production work, Rutledge says, "We are open to anything. But I'm a rock 'n' roll kind of guy. I love this and wouldn't want it to change."

Besides the five recording studios, A&M has six mastering suites, the most



When you rent any one of our 2000 pieces of exceptional audio gear, you can take comfort in the fact that it's been tested and prepared by a team of technical wizards. We'll jump through hoops to get it to you anywhere in the world, whenever you need it... 7 days a week, 24 hours a day.

After all, we've been perfecting our act for over 13 years. So make the jump to The Toy Specialists. We've got you covered!

THE TOY SPECIALISTS NOW you're renting! Pro-Audio/Video & Musical Instrument Rentals NEW YORK: 619 West 54th Street New York, NY 10019 212.333.2206 Fax 212.262.4095

IEW YORK: 619 West 54th Street New York, NY 10019 212.333.2206 Fax 212.262.4095 TAMPA: 12111 North 56th Street Tampa, FL 33617 800.445.3330 Fax 813.980.6950 WEB ADDRESS: http://www.bway.net/toyspecialists

USE READER SERVICE CARD FOR MORE INFO

Dealers come & Dealers go... One Pro Audio Company has been tops for 40 years and going strong. Put our strength to work for you.



USE READER SERVICE CARD FOR MORE INFO



Morristown, TN 37813 USA

well-known being the one manned by Dave Collins, who recently mastered Soundgarden's new release and Springsteen's The Ghost of Tom Joad. The five other suites have been busy with projects from 3T to Chick Corea, and the soundtracks to Nixon and Apollo 13. Also busy is the post-production/copy suite, an impressive area capable of running CD refs or up to 120 cassette and five to six DAT copies in real time. Newly opened is the archiving room, currently working on preserving the A&M catalog by transferring to ½-inch analog and Sony 9000. Plans are for the archiving room to be available to outside clients soon. Take a look at A&M's Website: www.amstudios.com.

Of utmost importance to both the film and record worlds are the ears of our music and sound makers. This month, I stopped in to visit Charlie Lahaie at downtown L.A.'s House Ear Institute. Lahaie was the author of "Protecting Your Hearing," which you can find in the January '96 issue of Mix. If you haven't read it, you should. Remember, true noise-induced hearing loss is irreversible, but preventable. So dig out your January issue. Lahaie, whose title at House Ear is Director. Public Relations/Community Outreach, is very connected to the music world, dispensing advice and ear plugs to denizens of the arena from jazz to rock and rap. She's also seemingly fearless when on a mission. In spite of the fact that Mix's TEC Awards donates half of its proceeds to House Ear Institute research, she's been known to call and berate Mix editors when what she sees as a "double standard" shows up in print-meaning the glorification of SPL, both in advertising and in the macho "Turn it up, my ears aren't bleeding yet!" attitude that some producers still employ in the studio.

House Ear itself (named for Dr. Howard House) is one of the finest otologic (hearing) centers in the world and celebrates its golden anniversary this year. Fifty years ago, the institute was established with donations from two grateful patients of Dr. House, after he'd restored their hearing with innovative surgical techniques. Since then, research at the Institute has had wide-ranging results. The Institute has the largest documented set of ear and related auditory structures (read, inner ear bones) in the world and is a primary resource for many scientific studies. It was involved in developing national hearing safety standards, and ongoing research focuses on education and prevention of hearing loss, surgical techniques for correction, and enhanced support for the deaf through studies of how language is understood and development of prostheses (hearing aids, etc.).

Although Lahaie has a special fondness for her involvement with the music industry, the bulk of her work is with children-helping those with hearing problems and providing preventive education. To that end, HIP (Hearing Is Priceless, the joint venture between House Ear and Mix) has created a video called "Hip Talk," educational material on noise pollution and hearing protection that is available for schools. (I bet you didn't know that personal stereos are capable of producing sound levels of more than 115 dB, and that most people listen through their headsets at volumes of 100 dB or more. This includes your child's My First Sony!)

Lahaie is also an advocate of Musician's Earplugs. Manufactured by Westone Laboratories, and available through House Ear for \$110, the ER-15 and ER-25 provide nearly equal attenuation at all frequencies. They use a diaphragm—similar to a passive speaker cone—to achieve such flat response, avoiding the problems of conventional earplugs, which often provide 10 to 20 dB of extra high-frequency attenuation or may attenuate more than necessary.

Lahaie, the realist, offers an example of their use for live sound engineers. "After you establish your basic levels at soundcheck, and in the first few songs of the show, put them in. Engineers may be at the venue for ten hours overall, and they are at even higher risk than the musicians. This way, they avoid prolonged exposure without hurting their ability to mix."

Although HIP has an advisory board that includes Danny Elfman, Bob Clearmountain and Les Paul, among illustrious others, Lahaie struggles with her own Catch-22—the media often wants to know specifics about hearing loss in the mubiz, and what musician, producer or engineer wants to let the world know they have hearing damage?

Still, she sees an increase in awareness over the past few years. "When HIP first had a booth at the NAMM show, people were really puzzled," she laughs. "They'd stare and say, 'What the hell are you doing here?' Now, they hit our booth to get their earplugs before they hit the show floor."

Fax L.A. news to Maureen Droney at 818/346-3062.

250 W RMS @ 8 ohms per channel •

- +0/-0.3 dB DC 50 kHz
 - Convection cooled
 - Gold connections
- Excellent signal-to-noise ratio

An all discrete MOSFET design provides a ruler-flat frequency response from subsonic to 50 kHz which is enhanced by the gold input and output connections.







PURE IMAGE

The **RP** 500 has an excep-

tionally smooth phase response which enhances the stereo image. Phase shift can cause phase cancellations in the mix position, which leads to a "smeared" or reduced stereo image found in other amplifiers.



The RP[™] 500 MOSFET studio reference power amplifier gives you the purest audio signal that money can buy. Throughout its development process, close attention was paid to every detail to ensure superior sonic performance. The RP 500 is accurate, translating into a perfect mix!

Frequency response, phase and signal-to-noise are technical terms that may make your brain hurt to think about, but they mean everything to the accuracy of your mix. Many amplifier companies strive for excellence in one area, being excellent in all of these is what makes the RP 500 the perfect studio amplifier.



It is important for a studio amplifier to be quiet.

IT'S SILENT!

Traditional amplifiers produce electronic noise from op-amps and mechanical fan noise, which is unacceptable in the studio. The RP 500 uses convection cooling for quiet installation, and an all discrete transistor design provides signal-to-noise of -110 dB (UNWEIGHTED). Therefore, you hear the mix and not the amp.

The MONITOR Magazine is a publication filled with the latest information musicians want to know. To receive 4 issues for only 55 (price good in U.S. only), send check or money order to: Monitor Magazine, Peavey Electronics, 711 A Street, Meridian, MS 39301 • (601) 483-5365 • Fax (601) 486-1278 • http://www.peavey.com • AOL Keylw antliBdaweyry CompuServe: Go Peavey • ©1996

Frequency

Response

Phase

Noise Floor

Andio Media Research



USE READER SERVICE CARD FOR MORE INFO



-FROM PAGE 188, NY METRO

for sure unless you want to make a career out of it. What'll happen? I think in the end, if it goes out of business, it'll be just another studio going out of business. I mean, in a way, it's a great idea: Sue the bank that lent you money. But I'd just as soon this be over with."

The pragmatists have a serious ally in this response, though: "Tony's trying to hold on to his castle," one said, "even if his castle winds up not being his anymore. I don't blame him in a way. I'd like to see him hang on, if for no other reason than that West 53rd Street has become a studio monopoly. I like the idea of having Tony up there to annoy the other big studios."

In the end, though, this response put it into a larger perspective: "It's symptomatic of what's going on in general. We got so focused on project studios that we started forgetting that we had to tend to business no matter what else was going on. It no longer matters what kind of console or tape machine or outboard equipment you have, or who designed your studio. That's not enough anymore. You have to run a studio like you would any other business. You have to take care of business first. These are very different times we live in now."

In other news: James Williamson has been named chief tech at Masterdisk. Williamson came to Masterdisk from Sony Music Studios earlier this year, where he was senior engineer. Scott Hull is now chief engineer at Masterdisk. The facility has also just begun using HDCD technology; the first project to use it there was Spyro Gyra.

Room With a View has added a new editing suite centered around a CD-R preparation service. Commissioned in March, Room Service offers limited editing, sequencing and mastering capability aimed primarily at serving studio customers' premastering needs, said studio owner Alessandro Cecconi. Room Service features Yamaha, Sony and Plasmon CD-R decks and a Yamaha 02/R digital console. The new suite is wired fiber-optically on a network file server to the studio, allowing files to be sent digitally between rooms.

Dan Daley is Mix's East Coast editor. Email bim at danwriter@aol.com.

—FROM PAGE 189, SESSIONS & STUDIO NEWS the executive producer...

SOUTHERN CALIFORNIA

Dale Watson mixed his latest HighTone Records release, Blessed or Danned, at Mad Dog Studios, Burbank, with engineer Michael Dumas, Dwight Yoakam's fiddle player Scott Joss was also in mixing a solo LP for Little Dog Records with Dumas and Judy Clapp...In Studio A at L.A.'s Image Studios, producer Tetsuya Komuro was cutting tracks with artists Dos and Amuro Namie; Terri Wong and Eric Westfall engineered...Producer Jorge "G Man" Corante was at Skip Saylor Recording (L.A.) with mixer Rob Chiarelli working on CeCe Peniston's new single "Movin' On" for A&M. Rod Michaels assisted...Former Bangle Susanna Hoffs mixed her upcoming solo outing for PolyGram at The Village Recorder in L.A. David Baerwald produced, Jim Scott engineered and Jeff Thomas assisted...Little Feat mixed their new Zoo Records live album on the 8078 at Brooklyn Recording (L.A.) with producer Bill Wray, engineer Nathaniel Kunkel and assistant Ronnie Rivera...Jazz legend Dave Brubeck and GRP recording artist David Benoit were in Benoit's

29th Street Studio (Torrance) cutting a duet for Benoit's next album...

NORTHEAST

Saxophonist Myanna tracked a solo project with producer Dave Weisner at Soundtechniques in Boston, Dave Kirkpatrick engineered with Scott Robertson assisting...Withstand tracked and mixed a Futurist Records release at Cotton Hill Studios (Albany, NY) with producer/engineer Steve McAllaster and assistant Ted Malia...At New York's Kampo Cultural Center Studios, Joe Gallant and Alec Head mixed a live recording of the Iluminati orchestra's Blues for Allah Project with staff engineer Dave Robbins, due this month on Knitting Factory Records...Jazz bassist extraordinaire Christian McBride recorded his second Verve release in Studio A at New York's Clinton Recording, Producers Don Sickler and Richard Seidel worked with engineer lim Anderson and assistant Adam Blackburn in tracking guest players such as Chick Corea. Jack DeJohnnette and Kenny Garrett...Rising R&B sensation Joe recorded and mixed tracks for his self-produced Jive Records debut at BearTracks Recording (Suffern, NY) with engineer Earl Cohen and assistant Steve Regina...Brooklyn's Excello Recording has been busy with some happening sessions: RCA artists Babe the Blue Ox cut their latest with engineer/producer Bryan Martin, while B-52's frontman Fred Schneider worked on a solo project for Reprise with the notorious Steve Albini...Guitarist Jeff Ciampa recorded his first solo release, *Signs of Life*, at his producer Mark Egan's Electric Fields Studio (Warwick, NY). Richard Brownstein engineered...

NORTHWEST

Recent sessions at Room One Recording (Tacoma, WA) included Blue Healer, featuring Tad Doyle, and Simple Cain (tracking and mixing their debut with engineer Mike Caviezil)...Samiam worked on their sophomore effort for Atlantic at Studio D Recording in Sausalito, CA, with producer/engineer Steven Haigler and assistant Mike Cresswell...Cool African jazzers Cape Verde and Amandio Cabral recorded and mixed tracks with engineer Daryn Roven for an upcoming release in Studio A at Russian Hill Recording (San Francisco). Also, the studio added a new Pro Tools III suite, featuring 16 tracks of digital editing and mixing...

SOUTHEAST

Canadian snowbird Anne Murray fluttered down New Orleans way to cut a duet for her new EMI Music Canada album with Aaron Neville at Ultrasonic Studios. Ed Cherney produced. The Dirty Dozen Brass Band were also in working on their next release for Rhino Records with producer Gregory Davis and studio chief engineer David Farrell...Sub Pop artists Plexi mixed their new album in Studio A at Ardent Studios (Memphis, TN) with producer/engineer Jeff Powell and assistant Jeffrey Reed. In Studio B, producer John Hampton mixed Big Tent Revival for Ardent Records with co-producer Dana Kay and assistant Skidd Mills...Reflection Mobile (based in Charlotte, NC) recorded portions of the new Rev. Billy C. Wirtz live album for High-Tone Records at the Be Here Now club in Asheville, NC. Bruce Bromberg produced, and engineers for Reflection were Mark Williams (who also mixed the tracks) and Robert Preston...Cool for August recorded and mixed a song for an upcoming episode of The X-Files at Atlanta's Triclops Recording with producer Matt Serletic, engineer Jeff Tomei and assistant John Nielsen. The band will return to the studio (which recently added a second Studer A800 24-track) to record their next Warner Bros. re-



Hands-On Training • Financial Aid Available • Dorm Housing 10 Week Recording Engineer Program • 10 Week Video Editor Program 11 Studies in 12,000 sq. ft. training facility filled with the latest equipment Outstanding Job Placement Assistance



USE READER SERVICE CARD FOR MORE INFO



DEFINITION GOTHAM INTERCONNECTS MAKE SWEET MUSIC

AUDIO CABLES

- 2,3,4 & 7 conductor microphone cables
- Double Reussen shielded
- AES-EBU digital cable
- Analog or digital multipair cable

CONNECTORS

- Color coded XLR's
- Professional 1/4" plugs
- Universal panel mount XLR's
- Industries broadest range of RCA's



Soles & Stacking Warehouse Arlington, TX 76003



800-292-2834

USE READER SERVICE CARD FOR MORE INFO



lease...Running the gamut at Criteria Studios (Miami): Epic artists Corrosion of Conformity cut tracks for their next release with producer John Custer and engineers Jason Corsaro and assistant Mark Dobson; renowned tenor Placido Domingo was also in tracking with producer Bebu Silvetti, engineer Carlos Nieto and assistants Dobson, Chris Spahr and Scott Kieklak...Producer David Rosenthal and singer/songwriter Jenna Drey were in mixing at Miami's Crescent Moon Studios with engineer Eric Schilling...

STUDIO NEWS

Country great Mel Tillis moved his studio from Nashville to a newly constructed space inside his Mel Tillis Theater in Branson, MO. Russ Berger Design Group designed the studio, which houses a 32-input Euphonix...National Public Radio in Washington, D.C. is making its flagship Studio 4A available to the public. At almost 2,000 square feet, the well-equipped studio is based around an SSL 4048 G Plus...Recording studio Toast is officially open for business in San Francisco. Located in the former site of Coast Recorders, the studio features a Neve 8026, Sony 3348 digital 48-track and a Studer 800 24track. The first project at Toast was a remix of Pete Townshend's "Let My Love Open the Door" for a greatest-hits album on Atlantic.

-FROM PAGE 189, RANDY DEFORD

self-produced album projects, engineered a few jingles and, in a collaboration with two friends, created a demo reel of radio promo spots called Voyces in the Night, which he hopes will provide an entree into more post-production writing work.

"Make no mistake about it," DeFord says, "if my economic ability were enhanced, say, tenfold, I would have an Otari or Euphonix board. Right now, I represent thousands of home recordists who have moved over from purely writers or interested audiophiles to those who can create viable, commercially usable recordings for any medium. I'm a spring design engineer, and I create designs for production that may produce millions of the same part for an automobile. The machines cost thousands of dollars and are created for fast turnover. However, you can create a great product with a \$200 hand coiler and a bit more time. That's how I view a project studio,"

Introducing the new look of sound.

Britain has long been seen as one of the leaders of the pro audio world and to recognise this **Audio96** will cover the comprehensive range of audio equipment in fact the largest to be seen in the UK.

Audio96 is a world-class Exhibition, high-level Briefings and a special series of Working Demonstrations exploring five main tracks:

ł

- Post-production
 Broadcast
- Recording Studios Project Studios
- Performance Technology

this

If you're a professional from anywhere sound and music is produced, processed, broadcast, amplified, mixed or enjoyed this show's for you.

Audio96 will bring you the technologies, the suppliers, the experts and the strategies to help you do your job better.

To find out more, call +44 181 948 1666.

Audio96

Technology & New Media

19-21 June 1996

Olympia London

Presented by

For FREE tickets to Audio96 call +44 1734 312211 or post the coupon to:	Name Position
Audio96	Company
APRS Ltd	Address
2 Windsor Square, Silver Street,	
Reading Berkshire RGI 2TH No. of Ticket	S: Country
United Kingdom	Tel
or Fax: +44 1734 756216	Email

USE READER SERVICE CARD FOR MORE INFO

- STUDIO SHOWCASE -



Record Plant Remote

109 Pinecliff Lake Dr. West Milford, NJ 07480 (201) 728-8114; Fax (201) 728-8017

Record Plant Remote has been an industry leader in location recording for over 20 years. We've kept abreast of new developments in audio technology without sacrificing our sonic integrity. Some of our recent clients include: MTV, Aerosmith, Elton John, Michael Bolton, Spin Doctors, R.E.M., Live, Meatloaf, Wynton Marsalis, John Mellencamp, Keith Richards, Chuck Berry, Guns N' Roses, Whitney Houston, Pavarotti, INXS, James Taylor, Emmylou Harris, Shawn Colvin, Billy Ray Cyrus, Mary Chapin Carpenter, Trisha Yearwood and Harry Connick Jr. Our reputation speaks for itself?



Greenhouse Studios

3955 Graveley St. Burnaby, 8C V5C 3T4 CANADA (604) 291-0978; Fax (604) 291-6909

GREENHOUSE STUDIOS. The Canadian West Coast premier recording facility. An international staff. The ambient FLAVOR of Vancouver. And of course all the gear—SSLs, Neves, Studers... This relaxing environment is the way the best records in the world are produced. Ultra-technical, super comfy. Highly skilled engineers and assistants. The advantage of a lower Canadian dollar. Great Vibrations. GREEN-HOUSE STUDIOS.



Caravell Recording Studios

2361 Fall Creek Rd. Branson, MO 6516 (417) 334-7040; Fax (417) 334-2014

Located in the heartland of America, designed and operated by artists for artists. Three recording rooms include a Euphonix console with 56 channels of automation; Trident 80-B Console; Sony/ MCI 24-track analog tape machines; 48 tracks of Alesis digital ADAT machines; Sony PCM 7030 timecode DAT machine; Pro Tools digital audio workstations; and a vast array of world-class microphones and monitors.



Rockingchair Recording Studios

1711 Poplar Ave., Memphis, TN 38104 (901) 276-8542; Fax (901) 276-8546 e-mail: rknchair@vdospk.com http://www.vdospk.com/rknchair

Rockingchair Recording Studios, located in the heart of midtown, adds to Memphis' rich musical heritage. Offering a relaxed and creative ambience, state-of-the-art equipment and an advanced staff, Rockingchair is the perfect retreat for today's recording artist. Our philosophy is simply this: An easygoing atmosphere allows for the best performance and maximum productivity. Established in 1989, the new facility went online December 1993 with two independent studios and an expanded equipment list.



Gravity Studios

2250 W. North Ave., 1st Fl. Chicago, IL 60647 Tel/Fox (312) 862-1880

In the heart of Chicago's Wicker Park, Gravity's secluded facility provides a true creative haven. Featuring a brick live room and three iso's, Gravity is ideal for tracking. For mixing, a largeframe, fully automated AMEK Big is flanked by a Studer A-800 MkIII and names like Summit, Quantec, t.c., Eventide, Genelec and Apogee. Clients include Smashing Pumpkins, Veruca Salt, Poi Dog Pondering and Loud Lucy.



PatchWerk Recording Studio

995 McMillan Street, Atlanta, GA 30318 (800) 803-6394; Fax (444) 249-9666

PatchWerk Recording Studio is Atlanta's newest world-class production facility. We offer an ideal creative environment with first-class personal service, creating an unparalleled value. The beautiful 3000-sq.-ft. facility features an Otari Concept One (6 i-input/output) w/Virtual Dynamics and VCA faders, a Studer A827 recorder and Spectral Synthesis direct-to-disk digital recorder w/Prism audio interface. Recent clients include: Outkast. Monica, Xscape, Goodie Mob, Subway, Ras Kass, Organized Noize, Usher, Vooodu, Total, The Group Home, Meen Green. Contact Curtis Daniel.

200 MIX. 1/43 /996

FOR STUDIO ADVERTISING, CONTACT SHAWN LANGWELL OR CHRISTEN POCOCK AT (510) 653-3307 World Radio History

STUDIO SHOWCASE



Blue Earth Recording Corporation

210 Blue Earth Lane, Harrisburg, IL 62946 (618) 252-6434; Fax (618) 253-5607 (800) 484-8140 ext. 6434 e-mail: bluearth@intrnet.net

This is one of the Midwest's bestkept secrets. Tucked away at the edge of the Shawnee National Forest is this French plantation-style recording studio complex. All pro 24-trk, with mastering suite. Control features Amek T8-input console, outboards and mics. Don't miss this great opportunity for recording, mixing and mastering your project in a peaceful and quiet vacation atmosphere. Competitive rates—all arrangements made for you. Contact Richard Banks, Director.



Savebone Music Inc.

130 West 42nd St., Suite 952 New York, NY 10036 (212) 997-0206; Fax (212) 997-0481

Recent projects feature former Rolling Stones guitarist Mick Taylor, Sasha, Carlos Alomar, Lenny Pickett. Robin Clark, Steve Ferrone, T.M. Stevens, Vivian Cherry, and Tawatha Agee. The engineer is Nenad Gracanin and the producer is Sasha. Studios feature SSL 4064. G Series computer, Studer A827, Sony PCM 3324, Sony PCM 800s, state-ofthe-art recording, mixdown and mastering. Highest possible quality is our main concern.

J. C.
Automa
Artisan

Artisan Recorders Mobile

PO Box 70247 Ft. Lauderdale, FL 33307 Tel/Fax (954) 566-1800

Artisan Recorders is entering our 20th year serving the remote recording and broadcast industry. Along with an extensive array of equipment in a comfortable aesthetic environment, our 36-foot "Mobile Red" trailer boasts an **ex**pert staff of technicians with a love of music and desire for perfection. Recent credits include Hootie & The Blowfish, Trisha Yearwood, Luciano Pavarotti and many more. Please call Natalie for more information.



Hotdish Mastering

143 Bates Ave. St Paul, MN 55106 (612) 776-4611; Fax (612) 778-1776 e-mail: CadillacP@aol.com

Mastering services from simple transfers to delivery formats (1630, CD-R, Exabyte) to fully tailored program-dependent polishing. Other services: digital editing/ sweetening/restoration/archiving. Flat rate prices/brokering available. Custom-designed monitor environment flat from 23 Hz to 30+ kHz. 24-bit signal path includes Sonic Solutions, TC Electronic M5000, Analog formats accepted. Customer satisfaction is our primary goal. Contact Phil Mendelsohn for more information.



Performance Recording

Orland Hills, IL (708) 349-9471; Fax (708) 349-5015

Founded in 1995, in collaboration with ouR⁺ House Inc., Performance Recording was developed primarily as a studio for artist C/D and demo recording. The studio is equipped in part with an Otari 2"-24 MTR-100, 32 tracks of ADAT XT, an Amek Big console. Genelec monitors and litcrally a "Who's Who" of outboard solid-state and tube processing equipment. An extensive collection of vintage tube and condenser microphones, several amps and a B-3 organ round out the gcar. The studio was recently tuned by Bob Hodas. Dyaxis digital editing and CDR writing are also available.



Commercial Recording Studios

6001 West Creek Road Independence, OH 44131 (216) 642-1000; Fax (216) 642-0615

Perched majestically above a meandering creek, and conveniently located 12 minutes from the Rock and Roll Hall of Fame, Commercial Recording is Cleveland's connection to the world via DG, DCI, Telos Zephyr, ISDN and DDD-2. From music composition and video interlock to foreign language translation and everything four Lexicon OPUS Digital Audio Workstations can handle, this is where sound is happening on The North Coast.

STUDIO SHOWCASE



the upper room recording studios

1502 S. Big Bend Blvd., St. Louis, MO 63117 (314) 781-0036; Fax (314) 781-7048

* Over 50 Gold and Platinum awards... 40 million records sold!

* Full-service multitrack recording and mixing.

* In-house publishing and consultation. * Designed and equipped to meet YOUR needs.

* Make your project happen...within YOUR budget.

* Jingles, backing tracks, label lock-outs. * Tuition, music business consultation,

engineering & production courses. * Visa & Mastercard

Let us bid YOUR project...it CAN be done! Brochure/Information, contact... KEN HENSLEY/HUNTER J. SPRENGER



The Uberstudio

2361 W. Division, #1 Chicago, IL 60622 (312) 486-1459

Located five minutes from the Loop, the Uberstudio's 2000-sq.ft. facility brings together outboard gear and mics by the likes of Manley, AKG, Sony, Altec, VTL and Sennheiser with the sonic harmony of Neotek Series HIC console, MCI JH24 and 24track ADAT. Live music is our specialty. Clients include Wickerman. Red Red Meat, Ken Vandermark. The Monomen. The Queers, Mats Gustafsson, The Vindictives and Roy Montgomery.



EastSide Sound

98 Allen Street New York, NY 10002 (212) 226-6365; Fax (212) 226-0788

EastSide Sound has been satisfying clients for 24 years. Our tracking room boasts a vintage Neve with David Manley tube modifications and Flying Faders. Our mixing room houses the Harrison Series Ten B—the ultimate in automation. Both rooms include Studer and Sony tape decks, a wide selection of both vintage and modern mics and outboard gear, as well as computer workstations. Located in Manhattan, private and very comfortable. Call for further information.

DOPPLER STUDIOS ATLANTA'S HEAVYWEIGHT

1922 Piedmont Circle Atlanta, GA 30324 (404) 873-6941 Fax (404) 872-2160





NSCA Expo '96 — The Systems Integration Expo

May 10 - 14, 1996 ▲ America's Center ▲ St. Louis, MO

Product exhibition and over 300 hours of educational programs, including NICET audio and fire alarm certification training.

Commercial Audio/Video ▲ Protective Technology ▲ Custom Residential Installation Telecommunications ▲ Data Cabling

For registration information, call 800-446-6722

USE READER SERVICE CARD FOR MORE INFO







Best values for musicians studio operators and production houses the 102 wkll and the 103 consistently produce only the higest quality tape recorded output They Feature:

- 60dB signal-to-noise ratio combines with wide frequency response for high-fidelity sound reproduction using any type of cassette tape
- Industry-standard Dolby B/C noise reduction and Oolby HX
- Industry-standard Dolby BiC noise reduction and Dolby HX Pro sound technology extends high frequency performance up to 6d8 and minimizes distortion.
 Advanced bias -sensing electronics automatically chooses optimal recording settings for the type of tape you load im— Normal. Metal or Cr02
 Record/Mute autospacer automatically inserts 4 seconds of silence between songs or broadcast segments
 Multi-Inortion display clearly indicates transport mode, tape counter position, tape type and level indicator
 Multi-Contert with both tape counter and run-time modes

- Multi-counter with both tape counter and run-time modes
 Independent L and R stereo level controls and master record
 level criterol
- Tascam 103 Advanced Features:
- Fascian to notice transfer cancer cancer and the second of the second



The 202 will provides high-fidelity sound reproduction and a

wide frequency response, as well as a host of features that he p you dub, edit, record or playback onto/from one or two cas es easily and efficiently Normal speed and high-speed dubbing

- Series easily and enciently Normal speed and high-speed dubbing Autospacer automatically inserts 4 seconds of silence between songs or broadcast segments for pro quality tapes Incorporates Dolby HX Pio sound technology to extend high frequency performance and minimize distortion on Mormal. Metal and Cr02 tape Allows you to quickly and easily create a professional-sound-ing composite tape from serveral sources. Functions like linto Check, Computerized Program Search, Blank Scan and One Program quickly find the beginning of tracks you want Timm two-head cassette decks in a durable rack-mount hous-ing that can be used separately or in tandem during recording and plavback for total flexibility Play material on deck 1 while deck 2 records on one or both sides

- -Record simultaneously on both decks from an external master -Play back both sides of one or both decks in a continuous loop
- up to five times -Auto Reverse automatically reverses tape direction during play five times
- back and record -Repeat rewinds at rewinds tape and allows intinite looping during playback r switch for unatlended record/playback (timer required)

lew! 302 **Double Auto Reverse Cassette Deck**

All the features of the 202 mk/ll, the new 302 adds even more recording and playback flexibility. Thats because the 302 is actually two fully independent cassette decks Boh decks have their own set of interface connectors, transport control keys and the own set of interface connectors.

- noise reducing functions. Auto-reverse capability or both decks
- Individual/simultaneous record capability-both decks
- Independent RCA unbalanced in/out for each detk
 Cascade and Control I/O let you link up to 10 additional machines for multiple dubbing or long playing record and
- playback applications **CD-601**





Frame-accurate cueing precision, extremely high-fidelity and a small form factor make the CD-601, deal for post-production small form factor make the CD-601 deal for post-production applications where sound effects and music are "flow-n-m" from compact discs. The CD-601 integrales with most post-produc-tion equipment including mixers, viceo editors and computer studic controllers. Balanced XLR and unbalanced RCA outputs • Precision cueing control and Auto zue • Linear motor-driven pick-ups eliminate dead air • Optional RC-601 remote control adds additional features and conveniences.

- Optional BU-2 RAM for instant start and seamless loops up to three minutes

"THE PROFESSIONAL'S SOURCE

FOR ORDERS CALL: 800-947-5508 212-444-6698

and review, tape counter, full auto shut-off and low battery indicator

Stereo Mono

Inpuls/Outputs

Mic Input Condenser Mic

Remote Jack

Modular Tel Jack External Speaker Jack

Record Controls

Dolby B NR

Mic Attenuation

Peak Indicator

Pitch Control

Bias Fine Adu

Tone Contro

Memory Rewind

Playback Controls

Half-Speed Playback

Designed for high performance and high production, Telex's ACC Series (ACC2000/ACC4000) and (ACC2 XL/ACC4000 XL) of expandable duplicators also offer easy maintenance and unsurpassed ease of use. Th ACC2000 is a two -channel monaural duplicator, the ACC4000 is a four-channel stereo duplicator.Each

produces 3 copies from a cassette master at 16 times normal speed and each can expand up to 27 copy positions (with additional copy modules) With the extra copy modules, you can duplicate up to 27 copes of a 6-60 original in t<u>ess than two multies</u> and they copy both subsets you can cuplicate up to Series feature "Extended Life" cassette heads for increased performance and wear characteristics. They also offer improvements in wow and flutter, frequency response, signal-to-ratio and bias Additionally the ACC4000 XL allows for either chrome or ferric cassette duplication. XL- models are avail-

short

Fingertip Operation

dbx NR

MPX Filter

Limite

ALC

VU Meters 2-Speed Recording

Ambient Noise Cont

Manual Level Control

Heads

dels except the PMD-430 General

have 1/2 speed playback/record capability. With 1/2 speed play-

complicated passages for analy-sis And when played back at 1/2 speed, the pitch is lowered by

exactly one octave, so the notes are still musically correct-ideal

for figuring out complicated

solos or picking patterns By recording at 1/2 speed, a three hour meeting can be recorded on a single tape. A

built-in microphone and automat

ic level control make operation

makes transcription convenient. 1/2 speed recording is equally ideal for churches, because 90 minutes can be recorded on a

single side of tape-no interrupt-

ing your recording to flip the tape over Line inputs make it easy to use and connect to your existing

sound system. • Three standard 'D' cell batteries provide up to 7-1/2 hours of

operation and the optional RB430

rechargeable battery delivers up

to 5-1/2 hours

the copies

simple, and built-in speaker

back, musicians can slow do

All m

maran

PMD-101

Mono

2

1/4-inch

Built-Ir

Yes

Yes

±20%

Yes

Telex

ACC2000/4000 Series Cassette Duplicators

Short tape indicators alert you if a tape stops before the original does, identify-

Automatic or manual selection of

ing incomplete copies caused by jam or

PMD-20

Мовс

2

Miniplug

Built-In

Yes

Yes

Yes

Yes

0-10dB -20dB

Yes

Yes

Yes

Yes

±20%

Yes

Yes

PMD-221

Моло

3

Miniplug

Built-In

Yes

Yes

Yes

Yes

0.-10dB, -20dB

Yes

Yes

Yes

Yes

±20%

Yes

Yes

Моло

Mini/XLB

Built-In

Yes

Yes Yes

Yes

10dB, -20dB

Yes

Yes

Ye

Yes

Yes

±20%

Yes

Yes

Easy Maintenance

Slanted work surface and unique "heads-up" cassette platform allow less oxide build up on

sette position is activated to prevent unneces-

sary wear and tear on the tape head mechanism · Audio and bias, along with head adjustments

Auto and bias, along with read adjustments, are made easily from the top of the unit and a switch on the back engages the head and pinch roller for convenient cleaning.

the heads and makes cassette loading and Bach cassette position has a three point tape guidance system that eliminates skew prob-lems. Plus, when a tape is inserted, each cas-tion and the position of the position of

0.

1/4-inch

2 (Illuminated)

Yes

0,-15dB -30dB

Yes

Yes

:6%

Yes

Yes

PMD-101/201/221/222/430

Portable Professional Cassette Recorders The world standard for field recording, the PMD line is also the value leader. They all feature RCA line input/outputs, 1/4-inch headphone jack, built-in speaker, pause control, audible cue

OR FAX (24 HOURS): 800-947-9003 212-444-5001



The classic "no fulls" production workhorse, the 112 MK II is a head, cost effective deck for musicians and production studios Extremely rugged and reliable, the 112 kk II is ideal for produc tion mastering and mixdown. It also features a parallel port for external control an and optional balanced connector kit means is flexible enough to integrate into any production studio. • Utilizes Dolby B or C noise reduction with Dolby HX Pro

OVERNIGHT AND RUSH

SERVICE AVAILABLE

E-Mail at 76623.570@compuserve.com

- Automatically selects proper bias type, so you get optima recording & playbank response with Normal. Metal or Cr02 ta
- Eccounting of paryone response term formal, mean of the angle of the second of the ton forward/reverse to wherever the action is Additionally R (return to zero) quickly spools the tape back to 0000 on the ape counter
- Rear-mounted RCA input/output jacks for easy connection to high-quality sources Optional LA-112 connector provides additional balanced or
 - unbalanced XLR inputs and outputs .Instaliation is simple an requires no special tools
- 25-pin D sub connector (parallel port) on the back, links the deck to the optional RC-134 remote control unit or for fader start from any mover that use the same protocol

112R MKI **Bi-Directional** Stereo Cassette Deck

The 112R wkil is a sonically uncompromising, auto reversing and continuous play cassette deck. It offers the finest indepen dent head auto-reverse design at this price level, plus it has ex dubbing and editing features that make it ideal for long progra

All the features of the 112 MK II plus-

- All the realities of the 112 Mill puss-Three-head transport with separate high-performance record and playback heads. Manufactured from resilient Coball Amorphous materials the independently-operating heads combine with precision FG serve direct-drive capst motors to provide the highest standards of reproduction quality and performance
- Frequency response is 25 Hz to kHz with less than 1% total harmonic distortion Equipped with Hysteresis Tension Servo Control (HTSC) the
- 112B Mklivirtually eliminates wow and flutter. HTSC is an
- advanced servo control system that maintains consistent bac tension on the tape all through the reel, combatting inconsis-tencies brought on by extreme temperatures and humidity. Super Acculign Rotating Head System allows recording or playback tape direction to be changed with one button. A sil
- gle-screw azimuth adjustment makes it easy to mantain the head alignment after many hours of continuous use For unattended record/playback of material that is longer tha one side of a tape, there are two features that spare you from

one side of a tape, inter are two teatures that spare you from constantly attending to the deck: Auto Reverse mode plays or records in both directions befor stopping, switching sides on the fly —Continuous Reverse mode allows you to loop the tape di ing, layback up to 5 times, or record in both directions, with out pausing to flip the tape and re-engage the record mech-nism. Bothfeatures are accessible from the front panel, with one-button selection. one-button selection

122R MKIII 3-Head Stereo Cassette Deck

Same as the ACC4000Copy Module *plus*-Extended Life heads Configurable for chrome or ferric cassette duplication

Copyette EH Series Duplicators

CYCLE button. Side Select feature allows you to set them up to copy one side of a tape or both sides at once Stereo Copyette 1+2+1 able

Stereo Copyette 1+2+3

This duplicator copies both sides of three case the sat once, yet it's as small as the 1-2-1. It weighs only 12 pounds (5.4 kg) and includes a hard cover to protect the unit while not in use. It uses all DC Servo

motors for the ultimate in reliability. A mono

 Includes ribbon cables for connection to ACC2000 master and Includes removable power cord and protective d ACC2000 XL Mono Copy Module: dust cover

MkIII features smooth faultless tape handling mechanisms, a three head transport with high-performance Cobalt Amorphou record/playback heads and precision servo direct-drive capsta motors

All the features of the 112R MK IF (no reverse of course) plus

 XLR balanced and unbalanced RCA inputs and outputs are selectable with the flip of a back-panel switch. There are 1/4inch inputs on the front panel for simple and direct plug-in of . ret dear

- MPX filter button eliminates polot and sub carrier broadcast tones that can interfere with Dolby noise reduction
 Bias and level fine tuning for each channel. These tuners can
- used in conjunction with the one-touch 400 Hz or 10 kHz osc lator adjustment signals to get proper VU calibration before of during each recording session
- Record/mute autospacer automatically inserts 4 sec. of silen between songs or broadcast segments for pro quality tapes

 Peak reading LED indicators allow
 quick and accurate monitoring of audio rewind and copy operation: -Rewinds tapes to the beginning or end fluctuations Side A or A/B select button let you set automatically (AUTO mode) or manually -In AUTO mode the copy button acti-vates the entire rewind/copy/rewind sequence. In manual it starts copying up for duplication of either 1 side or both sides of a cassette at once. · Stop all tapes instantly, at any point during the copy or rewind cycle immediately.

able in stereo (ACC4000 XL) or mono (ACC2000 XL) versions

· Individual rotary audio level controls

allow for an increase or decrease of audio levels as the master translates to

ACC2000 Mono MasterModule

- 1/2 track two-channel monaural duplicator produces 3 copies from a cassette master at 30ips (16X normal spaed)
 Expands up to 27 copy positions by adding ACC2000 copy
- modules (four positions each). · Erase heads in the copy positions automatically erase existing
- audio as new material is being recorded Track select, short tape indicators, auto manual operat
- Includes remov novable power cord and protective dust cover ACC2000 XL Mono Master Module:
- Same features as ACC2000 plus-Extended Life cassette heads ACC4000 Stereo Master Module: 1/4 track four-channel stereo duplicator Same features as ACC2000 Mono Master Module: ACC4000 XL Stereo Master Module:

- All features as ACC4000 *plus* Extended Life cassette heads Can be configured for chrome or ferric cassette duplication

The popular Copyette series produces high quality, low cost cassettes in large quantities at nearly 16 times normal speed This means you can reproduce both sides of a C-60 tape in less than two minutes. Available in two versions, the Copyettes are capable of duplicating either one cassette or three at a time. In addition each are available in both mono and stereo models. They couldn't be easier to use You simply insert the cassetter, press the START switch and they do the rest. They rewind all tapes to the beginning, copy, then rewind to the beginning again before stopping. The whole process can be stopped at any time by pressing the whole process. Concent ensure the beginning again before stopping.

MOSP ORDERS SHIPPED WITHIN 24 HOURS

Weighing only 8 lbs (3.6 kg), this unit has a durable impact resistant

housing and includes a remov able power cord, carrying han dle and protective cover it also has an optical, non-reflective end-of -tape sensing system that provides gentle tape handling A mono version is also avail-

 1.2 track_two-change Each module has four of controls for side select. le has four copy positions with erase heads and LED displays indicate end-of -tape status for each pocket other copy modules

ACC2000 Mono Copy Module

- Same features as ACC2000 Copy Module plus-Extended Life
- cassette heads connects to ACC2000 XL Master Module ACC4000 Stereo Copy Module: 1/4 track four-channel copy module Has all the features of the
- ACC2000 Copy Module ACC4000 XL Stereo Copy Module:

The standard for production and broadcast facilities, the 122

FOR PHOTO & VIDEO"

TO INQUIRE ABOUT YOUR ORDER:

00 221-5743 • 212 807-7479

DR FAX 24 HOURS: 212 366-3738

BEHRINGER MDX 1200 Autocom

Attack and release times, with Intelligent Program Detection, prevents common adjustment errors Newly-developed powerful noise gate

Switchable soft knee/hard knee characteristics for varied ound pressure levels. Bright, illuminated LEDs show gain reduction

MDX 2100 Composer

ntegrated auto/manual compressor, expander & peak limiter compresses "musically" in dynamic range without any audile "pumping" or "breathing"

thack & release times are controlled automatically or manual interactive Gain Control (IGC) combines a clipper and peak imiter for distortion-free limitation on signal peaks servo-balanced inputs and outputs are switchable between

4dB and -10dB



e 3630 provides two full-featured professional compres r/limiters in one rack space, Ideal for any application im studio recording and mixing to live sound reinforce-ant and broadcast

Jual mono or linkable true stereo operation.

hoose between RMS and peak compression styles as well s hard knee soft knee characteristics. Jual 12-segment LEDs display gain reduction and input/out-

ut levels ach channel's built-in noise gate has an adjustable thresh-id and close rate to ensure clean, transparent performance 'ariable attack and release times and a sidechain function or "ducking" in broadcast applications

l.c.electronic Wizard M2000 Studio Effects Processor

e M2000 features a "Qual Engine" architecture that perm Itiple effects and six different routing modes There are 250 tory programs including reverb, pitch delay, delay, chorus, ng, phase, ambience. ED, de-essing, compression, limiting, pansion, gating and stereo enhancement. The M2000 also feaes 20-bit analog conversion AES/EBU and S/PDIF digital

es zoon analog conversion Acsized and are in ugnat uts/outputs, "Wizard" help menus, 16-bit dithering tools, Tap d MIOI tempo modes and single page parameter editing, he array of enhanced pitch shift (up to 8 voices), chorus, and elay effects are characterized by their precision and versatility erything from the fine and subtle to the wide and spectacula chandled with equal superiority. The algorithms in the dynam is section (compressor limiter, expander gate and de-esser) re unique as stand-alone effects, but are particularly useful in ombination with other effects. Those might be de-esser/room ated hall or compressed pitch. The possibilities are endless empo Tap function lets you match effects to the beat. Tempo an be adjusted in beats-per-minute and sub-divided any w ou like-even in triplets. The tempo can also be read from MID) reset "Gilding" (morphing) function ensures seamless transion between effects. Very useful in live and mixing situations

Symetrix 601 **Digital Voice Processor**

· Accepts mic or line level analog signals, converts

them to 18 bit-digital and then performs 24-bit digital domain signal process ina Processing includes fully parametric/shelving EQ, notch/dynamic filtering de-essing, delay, chorus gating, expansion, com

pression, AGC and QC loval Combination of 128 factory presets and 128 volatile user pro

grams las XLR-balanced mic and line inputs. XLR-balanced stereo iutput Digital XLR-balanced and S/PDIF (RCA) inputs and iutputs MIDI input/output supports connection to virtually ny type of MIDI control device for programming or control

ing the 601 in real time deal for a variety of recording, broadcast, live sound, and lost production applications **VE ARE A FULL STOCKING DEALER** FOR THE ENTIRE SYMETRIX LINE

119 WEST 17TH STREET, NEW YORK, N.Y. 10011

Store & Mail Order Hours: Sun 10-4:45 • Mon & Tues 9-6 • Wed & Thurs 9-7:15 • Fri 9-2 • Sat Closed

EQUIPMENT LEASING AVAILABLE



High-speed (3-3/4 ips) four-track (2-tracks simultaneously) • MIDI/TAPE multi-m recorder with built-in Dolby noise reduction (can be turned of:)

Pitch controller varies the tape speed within a range of ±12%
 Punch in/out function makes corrections and phrase inser-

XR-5 Features

tions when necessary, can be done easily with optional footswitch · Four inputs accommodate two microphones in channels one and two. Has convenient insert points for connecting a com-

pressor/limiter and other devices for the mic channels • Each channel is equipped with two-point high/low she equalizers to help shape the sound, and an AUX send function

for processing anbient system effects. • Trim function lets you switch High/Mid/Low input levels for channels one and two

 Alternate Mix mode lets you independently select the signal from the input jack or the tape playback. Prefader effect send inline monitor & other functions are also possible using this mode · Post foldback (monitor) send function routes the foldback sig nal to the AUX send. When the foldback is activated you can actually mixdown at the same time you add reverb to a tape

mode supports MIQI synchronization Together with the Alternate Mix mode the XB-5 can simultaniously mix all MIQI sound source output

with tape playback sound and effect output whil monitoring

The XR-7 has all the features of the XR-5 plus-

 6 inputs plus the ability to recore four tracks simultaneously
 Dolby C noise reduction plus dual speed recording · During recording, Channels 5 and 6 are the primary inputs for microphones and acoustic instruments. They have trim controls and mid-sweep EO. During mixdewin, these channels act as the main stereo L/R bus

VISA Master

CNOR

· Auto rehearsal mode let's you concentrate on the music instead of the machine

PORTA 03 MKII Ministudio

The easiest way to get into multitrack recording, the PORTA 03 is an extremely economical 4-track recorder that lets you overdub as well as mixdown to standard cassettes.

- - fortable monitoring
- . Track selector indicates which of the 4 tracks you're recording to

The PORTA 07 packs high-end features into a compact and econo nical package. Achieves great sound with high speed tape trans

port, high-low EQ and DBX noise reduction. 4-track recorder with integrated four channel mixe

4-track recorder with integrated two channel mixe
 Two 1/4-inch MIC/LINE inputs with trim control

LINE OUT for stereo mixdown

- Two 1/4-inch LINE inputs and two 1/4-inch MIC/LINE inputs with trim control
- Separate high and low EQ for each track provides 10dB of boost or cut
- Obvious reduction for improved signal-to -noise ratio
 Punch-in/out ir manually or with optional RC-30 footswitch.
 Effects send with stereo return can be applied in varying
 mounter with effect sets. amounts to all four channels

424 MKII Portastudio

The 424 is premium Portastudio that takes multitrack recording to the next level. Features superior audio quality, balanced XLR inputs, enhanced equalization and a big-studio style AUX section.

- All the leatures of the PORTA 07 plus 4-track recorder with 8-input mixer (4 mono MIC/LINE inputs
- with 1/4-inch and balanced XLR jacks and 2 stereo inputs with 14 jacks) Separate 3-band EQ section for each of the four mono
- Auto Punch in/out with rehearsal, plus a Repeat switch lets you set up a tape loop that goes over the same area of a tape
- while you practice your punch-in/out and overdub moves-without committing a single note to tape

 Two independent dedicated AUX sends let you use more effects or use one as tape cue during tracking

 Monitor output makes it easy to connect an external moni-tor amplifier without repatching—at mixilown
 Tape DIRECT OUTS are provided for integration with external mixers

exploit the power of virtual tracking" with either the PORTA 07 or 424/464/488 Portastudio. You can use a MIDL synchronizer like the Tascam MTS-30 MIDL-Tape Synchronizer to record (strue) a code onto track 4 (track 8 with the 488). Just: select SYNC mode on the DBX switch and record the tone to tape. After striping the tape with FSN or Song Position Pemter information, all your MIDL instruments will faithfully follow the tape during playback and recording, even if you slow or speed the tape ssing the PITCH controls The big benefit is that your MIDI tracks (called virtual tracks) don't actually have to be recorded until final mixdown, giving you lots more unused tracks to record on.

464 Portastudio

The functionality of a pro recording studio in a small, lightweight package, the 464 Portastudio is a full-featured eight input, four-track cassette recorder complete with a 12x2 internal mixer and dual buss design you create separate recording and cue mixes All the features of the 424 MK II plus

 4-track recorder with 12-input mixer (4 mono MIC/LINE with 1/4-inch and balanced XLR jacks, 4 stereo 1/4" jack pairs

only, while 9-10, 11-12 are best used with input that has its own internal EQ.

When 4 tracks are just not enough, then you need the perfect creative tool-the 488 MKII Portastudio The most cost-effective 8-track recorder on the market the 488 not only offers additional capacity but versatile capability and intuitive operation for easy capturing & manipulation of your ideas Whether recording acoustic or electronic instruments or vocals, the 488 ofters maximum creative freedom to produce your best work. With all the functionality of a professional studio, the 488 may be the ultimate demo record machine

SEVEN DAY CUSTOMER SATISFACTION GUARANTEE

APD FOP I

Whe features of the 464 MK II plus

Includes phantom power for use with high-quality condenser microphones · Built-in mixer features low-noise circuitry, with 12 inputs

and 2 group busses. There is a separate input for your stereo

master recorder • Each of the 8 main input channels includes individual 3-band equalizers. You get Hi and Low shelving EQs, plus a semi-parametric sweepable midrange EO Unique multi-mix mode with the capability of handling up to 20

inputs at mixdown



TASCAM

· SAFE selection keeps you from inadvertently recording Ketended dynamic range with Duby B noise reduction
 3-digit tape counter keeps track where you are on the tape
 Master level control for the entire mix, and the level sent to over tracks you've recorded earlier

Headphone jack for com

· RCA output jacks for mixdown to cassette

PORTA 07 Ministudio

 "Bounce or "ping pong" a submix of multiple mono or stered tracks onto a single empty track, leaving the original submix tracks free to over

dub new material onto. You can even add a "live" track to the submix whi you're bouncing down, to squeeze in yet another . track

Qual-speeds, logic-controlled tape

transport system improves tabl handling and sound quality Select 3-3/4 inch per second HIGH speed for the best possible record ing quality or NDRMAL 1-7/8 ips speed

MIDI Musicians Take Note—If you've got MIDI keyboards, drum machines and sound modeles in your set up, you can exploit the power of .virtual tracking" with either the PORTA 07 or 424/464/488 Portastudio. You can use a MIDI synchronizer like

Channels 1-4 offer High and Low shelving EDs and a sweepable Mid ED_Tracks 5-6 and 6-7 have shelving ED

488 MKII Portastudio

. The only 8-track cassette that offers a servo controlled tape transport complete with electronic braking. Equipped with a high-performance Hysteresi: Tension Servo Controlled (HTSC) tape transport, the 488 delivers better sound than the first 8-

track reel-to-reel machines HTSC maintains precise and consistent tape tension from the beginning until the end of the tape.It actually dynamically adjusts the back tension on the tape as it moves from one end to the other, allowing precise locating capability

cabinet resonance as a factor Ensures precise low frequency tuning by incorporating a large diameter port featuring laminar air flow at higher port velocities



PHOTO - VIDEO - PRO AUDIO

Designed by engineers with decades of experience, the award win-ning Monitor One provides the last critical link in the recording studio's signal chain, giving you an accurate reproduction of what is being recorded

Delivers excellent image and transient reproduction, powerful bass, and smooth extended high frequency detail Exclusive SuperPort speaker venting technology eliminates the 'choking' effect of port turbulence for solid high-power bass

transients and extended low frequency response Ferrofluid cooled 1" silk-dome driver eliminates the harshness

t easy to mix on for extended periods

louder volumes than a

small near field monitor

can possibly produce-the

Monitor Two delivers-at a

price no higher than many

of these smaller speakers

Utilizes a 10" three way

speaker design with a

unique asymmetrical

and ear fatigue associated with metal or plastic tweeters, making

Monitor One's powerful bass incorporates a proprietary 6.5" low

frequency driver with a mineral-filled polypropylene cone and a

1.5" voice coit wound on a high-temperature Kapton former.

They come in a mirror-image leftright pair covered with a non-slip rubber textured laminate for stable mounting

Monitor Two

Mid Field Studio Reference Monitor With much of today's popular music demanding more bass at

crossover to maintain the same accurate tonal balance and maging of the Monitor One-but with a much larger sound field.

technology to provide powerful, extended bass

frequency response from 40Hz to 18kHz

mirror imaged pair for mixing accuracy

10" low frequency driver incorporates Alesis' SuperPort speaker

5" mid frequency driver offers exceptional mid frequency detail 1" silk dome high frequency driver delivers a broad but natural

Covered in a non-slip rubber finish, the Monitor Two comes in a

TANYOY

PBM Series II

Reference Monitors The PBM II Series is the industry standard for reference moni-tors. They feature advanced technologies such as variable thick

ness, injection molded cones with nitrite rubber surrounds and

the highest quality components including polypropylene capaci-tors and carefully selected indicators. With a Tannoy monitor

system you are assured of absolute fidelity to the source, true

PBM 5 II

Custom 5" injection-molded bass driver with a nitrite rubber surround for extended linearity and accurate low frequency

reproduction. They are better damped for reduced distortion. and exhibit more naturally open and detailed midrange Wooler blends seamlessly with the "" polymide soft dome

ferro-fluid cooled tweeter providing extended bandwidth for

anti-diffraction radiused front battle design

extremely precise sonically-balanced monitoring Designed for nearfield use the PBM 5 II cabinets are produced

PBM 6.5 II

ideal monitor for almost any project production environment.
 6 5" lowfrequency driver and 3/4" tweeter are fed by a completely redesigned hardwired hand selected crossover providing uncom-

promised detail, precise spectral resolution and flat response Fully radiused and ported cabinet design reduces resonance and

PBM 8 II

control and enormous dynamic capability. 8° driver is capable of powerful bass extension under extreme SPL demands Hard wired crossover features true bi-wire capability and utilizes:

components available Full cross-braced matrix medite structure virtually eliminates

diffraction while providing deep linear extended bass

· High tech 1" soft dome tweeter with unmatched pattern

the finest high power polypropylene capacitors and

Transportable and extremely powerful, the PBM 6.5 II is the

from high density medite for minimal resonance and features an

dynamic capability and most important, real world accuracy



"THE PROFESSIONAL'S SOURCE

FOR ORDERS CALL: 800-947-5508 212-444-6698

OR FAX (24 HOURS): 800-947-9003 212-444-5001



OVERNIGHT AND RUSH



Designed from the ground up for fixed installation applications the CA 400 and CA-900 are manufactured under the most stringent quality control procedures and are backed up with a full five year

warranty covering all parts and labor • 3-position barrier strip screw terminal inputs can be used with halanced or unbalanced knes

- Independent CH 1 & CH 2 level controls with 11 detented positions
 Dual mono mode for operating both channels with a single
- fugni onom · Bridged mono mode for combining the power of both channels

Internally configurable for parallel mono mode for single channel Internally configurable for parallel mono mode for single channe low impedance operation

Internal jumpers to bypass Left and Roht Level Controls

- Internal connection points for add-on accessories like the optional Balanced Transformer Kit
- Independent CH 1 and CH 2 speaker relays will instantaneously

disconnect if fault conditions such as over temperature, short cir cuit or D.C. offset is detected

CA-400 features 13000 per channel into 8 ohms 200W per channel into 8 ohms

CA-900 features 325W per channel into 8 ohms 450W per channel into 4 ohms

Stewart Power Amplifiers

PA-1000 PA-1400 PA-1800

High frequency switch mode power supply fully charges 120,000 times per second (1000 times faster than most power supplies) requiring far less capacitance for filtering and storage High speed recharging also reduces power supply "sagging" that

afflicts other designs Incredibly efficient, 5 PA 1000 or PA-1400's (4 PA-1800 s) can be run on one standard 20 amp circuit. No need for staggered turn-on configurations or other preventive measures when using multiple amp set-ups

They produce smooth and uncolored sound, while offering very full detailed low end response and tons of horsepowe · Each amp carries a full 5 year warranty on parts and labor

PA-1000 weighs 9 lbs. is 15' deep and occupies one standard rack spare Delivers 1000 watts into 412 when bridged to mono PA-1400 weights 16 lbs. is 15, deep and takes 2 standard tack

Delivers 1400 watts into 412 when bridged to mo PA-1800 weighs 17 lbs is 17" deep and takes two rack spaces Delivers 1800 watts into 412 when bridged to mono



Performance Series 1 300 Watt Power Amplifier

300 Watt Power Amplifier Measuring only 35 inctes high and weighing 26 pounds the Series 1 delivers more than 150 watts per channel I its welded steel chassis is unbelievably strong while a custom heat sink extension provides exceptional thermal capacity An internal fan provides quiet background noise levels for critical moniforing applications and when pushed hard the cooling sys-tem insures continuous cool operation even in the most demanding situations • Active balanced inputs with both XLR and 14° phone jacks • Supplied with quality 5-way binding posts for highly reliable speaker connection • Front panel handles are reversible for either rack mount installa-tion or easy handling

LEDs are provided for signal presence and clip indication the detented gain controls have large knobs for easy front panel

adjustments

Performance Series 2 **600-Watt Power Amplifier**

Same as above except the Series 2 weighs 32 pounds and delivers more than 300 watts per channel

Performance Series 4 1200-Watt Power Amplifier

Same as above except the Series 4 weighs 53 pounds and deliv-ers more than 600 watts per channel Has a switch selectable clipping eliminator that prevents damage to the serier. Same as at to the speakers



A remarkably compact 9-channel inser, the MIXPAD 9 offers professional audio performance and a wide range of user-intensive features it boasts low noise and distortion specifications includes wide-range gain trim controls for both mic and line inputs and provides exeptionally low group delay over the full fre query bandwidth for a more transparent open sound it also has a very high slev rate—usably found only on larger, more exensive muxing consider_allowing it to react very querkly to transmers and main-tion of the more exensive muxing consider_allowing it to react very querkly to transmers and maintain a crisp, articulate sound. It offers phantom power (48v) for use with condenser microphones and an in-line power supply eliminates magnetically-induced hum

•3 mic line inputs and 3 stereo channels (total 9 inputs). 2 auxiliary sends for effects and two Stereo returns
 Independent 2-band shelved EQ pan control for mono channels and balance control for stereo channels

Adjustable mic input trims allow use with a will Phantom powered XLR mic input connectors
 Peak LEDs for left and right main outputs
 Extremely durable, extruded aluminum chasses

MARSILE MICRO SERIES 1202-VLZ 12-Channel Ultra-Compact Mic/Line Mixer

Usually the performance and durability of smaller mixers drops in direct proportion to their price. Fortunately, Mackes standard approach to pro sound engineering has result-ed in the Micro Series 1020-VLZ an alfordable small mixer with studio specifications and rugged construction. If delivers no-compromise, non-stop, 24-hour-aday professional dury in permanent PA applications. VI and radio stations, broadcast studios and editing suites— where nothing must ever go wrong.

Working S N ratio of 90dB distortion below 0.025% across the Switchable phantom-powered (48v)

Working S N ratio of 9005 distortion below U 02% across I entre audio spectrum and 42 dB dbahaced line drivers.
 A mono channels with discrete balanced balanced mic/line inputs and 4 stereo channels (12 inputs total) Line inputs and outputs viork with any line level from instru-ment level, to semi-pro-10dB to professional +4dB.

MS1402-VLZ 14 x 2 Compact Mic/Line Mixer

Mackie s fanatical engineers have done it again Balanced inputs and outputs 3-band EQ_AFL_PFL and deluxe tape monitor Control Room feature Nice and 60mm faders. Six Studio-quality mic preamps and extra Alt 3-4 stereo bus—in less than 1.3 square feet of space

Studio grade mic preamps (chs. 1-6) with high headroom, low noise and phantom power. Also incorporate low cut filters to cut mic handling thurnes, pops and wind noise. Lets you safely

cut mic handling thurings, pops and wind noise. Lets you safely use low shelwing 60 on vocals Trim controls (ch. 1-6) with ultra wide range (-10 to -40dB) handle everything from hot digital multitrack feeds to whisper-ing lead singers and older, low output keyboards Pan control with constant loudness and high LR attenuation

so you can pan hard left or right without bleed-through • Two aux sends per channel with 15dB extra gain above Unity

Every input channel has a gain control part for both denser mis Every input channel has a gain control part low EO at 88 Hz, high EO at 12 5 kHz and two aux sends with 20dB gain • Master section includes two stereo returns: es dphone level control and metering Sealed rotary pots resist and other contaminants

nots for condenser mics

mannes 60mm log-taper faders are
 accurate along their whole length of

travel and employ a new long-wearing contact material for longer fader life & uper resistance to dust smoke etc. Control room phone matrix adds incredible tage monitoring mixdown and live sound versatility

 Mute switch routes channel output to extra Ab 7 3-4 steren bus Mule switch routes channel output to exit a 41, 3-48 Use if for feeding multitrack recorder channel, - relit group via controlroom phones matrix monitor rg as bringing it into the main mix or creating a "ms minus Solid steel chassis instead of aluminum or plante. reliting a tal hefore

The new MS-1202, 1402 and 1604 all include VLZ (Very Low Impedance) circuitry at critical sig nal path points. Developed for Mackie's acclaimed 8•Bus console series, VLZ effectively reduces thermal noise and minimizes crosstalk by raising current and decreasing resistance.

NEW! CR-1604 VLZ **16-Channel Mic-Line Mixer**

Control 10-bit Control Co

and electronic drums

Genuine studio-grade phantom red balanced input i preamps on channels 1-6. All CR-1604 VLZ (and optional XLR10 for ten more) discrete input mic preamp stages incorporate four conjugate-pair large-emitter geometry transistors. So whether ehether recording nature sound effects or heavy metal miking flutes or kick drums you get the quietest cleanest results possible.

and the transferration in L A sent indicators

 Rear panel features include insert points and 1 4 inch XLR con nectors on every channel, as well as RCA tape mouts/outputs New, standard size channel trim onts are found at the top of each channel

Rotary input/output "pod" allowing three different positions for set-up

TASCAM M2600 MKII Series 16/24/32-Channel 8-Bus Mixers LOW NOISE CIRCUITRY

 Combining completely redesigned low noise circuity with Absolute Sound Transparency¹⁶ the M-2600 delivers high-quality extremely clean sound. No matter how many times your signal goes through the M-2600, if won't be colored or altered. The signal remains as cli

the original as possible. The only coloring you have sugar terminals as upset of the original as possible. The only coloring you have is what you add with creative EQ and your outboard signal processing gear. Double reinforced grounding system eliminates any hum World-class power supply provides higher voltage output for better headroom and higher S/N ratio.

PREMIUM QUALITY MIC PRE-AMPS

PREMIUM QUALITY MIC PRE-AMPS The M-2600 smc pre-amps yield an extremely low noise floor enormous headroom and an extremely flat frequency response. It also increases gain control to an amazing 51dB. Plus, you get phattom power on each channel Accepts balanced or unblanced 114° inputs and low-imped-ance XLR jacks. Better still, the TRIM controls operate over a 51dB input range. For the holtest incoming signals all it takes is a press of the -20 dB PAD button atop each channel strip to phano and expand down to manone able lawed. Plus in anythorn.

bring any signal down to manageable levels. Plug in anything keyboards quitars basses active or passive microphones, samplers

THE BEST AUX SECTION IN THE BUSINESS

Versatile AUX section has 8 sends total, 2 in stereo. Send sig in stereo or mono pre-or post-fader. Available all at once. Re signal through any of 6 stereo paths Send signal

FLEXIBLE EQ SECTION

EQUIPMENT LEASING AVAILABLE

PLEASE EQ SECTION For directional split EQ means you can use either <u>in</u> both EQ sec-tions in the Monitor or Channel path or defeat the effect allo-getter with one bypass button Dither comparate or ced mixers will lock the shelving mix into the Monitor path only firmiting your EQ application

ADVANCED SIGNAL ROUTING OPTIONS

Direct channel input switching. Assign in one of eight busses direct to tape or disk or to the master stereo bin. Because the group and direct-out jacks are one and the same too, can select either without repatching ERGDNOMIC DESIGN

The M-2600 has a big studio feel All buttons are tightly spring loaded lock into place and accomodate even the biggest fingers. The faders and knobs have a tight smooth "expensive feel and The tapers and know have a right similar expensive releand of are easy to see, reach and manipulate Center divents assure zero positions for EQ and PAN knobs. Smooth long it row 100m it deters glide nicely yet allow you to position them secure ly without fear of accidentally slipping to another position



Designed for professional applications, the SV-3800/SV-4100 base highly accurate and reliable transport systems with search speeds up to 400X normal and 20-bit D/A converters to satisfly the highest professional expectations both in terms of sound and functionality

SV-3800 Features

Sour Peatines. Recording via analog inputs offers sampling rates of 44.1 or 48kHz. When recording through digital inputs it automatically clocks to incoming frequencies of 32/44.1 or 48kHz.

- XLR-balanced digital inputsioutputs plus consumer format • XLR-balanced digital inputs/bioliputs pius consumer format coaxial and optical inputs/outputs XLR-balanced analog stereo inputs/outputs Uput level is selectable between +4db and -10db The input level is -4db Built-in shufle wheel has two variable speed ranges 3 to 15x in Play mode and 1/2 to 3x normal speed in Pause mode +1kips speed transport enables searching up to 250x normal speed Search up to 400x normal speed is possible once the tape has been scanned in Play For REV mode This ensures access to any point on a two-hour DAT in under 30 seconds.
- Ramped record mute and unmute with three seconds fade-in and five seconds fade-out provides automatic level changes at

Comprehensive display includes program numbers, absolute time, program time, remaining time and Table of Contents SV-4100 Has all the leatures of the SV-3800 Plus-

Offers enhanced performance required for professional produc-tion, broadcast and live-sound systems. Features such as instant start external sync capability and enhanced syste diagnostics make the SV-4100 the DAT quality standard

FOSTEX D-5

Digital Master Recorder



locate and search functions Playback/record audio with32/44 1/48 kHz sampling in SP

Payoacviecora auno windo/44 TH4 KH2 sampling in SP (standard play) mode Equipped wink LP (long play) mode, it can play/record at 32 kHz up to 4 hrs on a 120 minute cassette - Analog interface includes switchable (-4/dB-10dB) balanced and unbalanced XLR inputs and outputs.
 AES/EBU digital interface (XLR) for professional use and opti-tion of the second second

Accrete Original metale (KLH) for provessional use and opti-cal (SPPDIF) input output for consumer semi-pro connections 5-pin GPI input connector allows Play, Stop & S-ID search to be implemented through torummadis from an external source.
Records CD-0 code sync ID enabling precise music start up When performing digital signal transfer from CD through it's optical input the D5 precisely records S-ID saccording to the track number and index information of the CD-0 code. So even of these is a break in the muffield of a conor inforce there end a pope. if there is a break in the middle of a song or there isn't a non recorded section between two songs you can locate to the S ID location (eg beginning of song) precisely



- Switchable 44 1 and 48kHz sampling frequecies
 Analog interface includes switchable XLR-balanced (+4dB)
 and unbalanced RCA -(10dB) inputs and outputs
 Equipped with and XLR-balanced AES/EBU digital interface and
- Egupped with and XLR-balanced AES/EBU digital interface : optical (SPMP) input/output conforming to IEC consumer Built-in 8MB RAM (4 MB x 2) offers instant start as well as scrubbing at Im second accuracy Advanced iporishuttle for precision cueing and monitoring Auto Cue provides automatic locating to the exact start of auto modulation during IO search and tape loading Universial GPI input/output unables gasy and fast assemble editing, based on A-time between a pair of D-10s Switchable 2-ponsition celerence level -124/R2/2018
- Switchable 2-position reference level -12dB/-20dB
- Start and Skip IDs as well as up to 799 P-NOs can be recorded nd placed back
- I D-dipit key-pad lets you store and recall 100 cue points
 Continuous or peak reading level meters can display available headroom with an accuracy of 10 108
 Reads and displays A-time or Pro R-time, also provides PCM

Optional 8333 interface card adds timecode and RS-422 (X 2)

Epidemic of the D-10 functionality to the D-10 -Reads an external timecode and records on the sub-code area Reproduces and outputs the timecode from sub-code area -Switchable RS-422 and ESbus protocols. Using the ESbus, up

monitoring

to 16 D-10s can be daisy chained

. FOR PHOTO & VIDEO" VISA Master

TO INQUIRE ABOUT YOUR ORDER:

800 221-5743 · 212 807-7479

OR FAX 24 HOURS: 212 366-3738



Rotary two head design and two direct drive motors for the best transport in its class XLR-balanced mic/line inputs (with phantom power) accept signal levels from -60dB to +40B Acales Incomets & outputs from

Analog line inputs & outputs (unbalanced) plus S/PDIF (RCA)

digital inputs and outputs enable direct cigital transfers digital inputs and outputs enable direct cigits framsters Uses next generation AVD & Div A converters for amazing quality. Supports 32/44.1/48/kt/s sample rates & SCMS-free recording, Included in its design is a MIC limiter and 2008 pad to achieve the best possible sound without outside disturbances. TRS pack & level control to monitor sound with any headphones. Built tough the DA-P1 is housed in a so d, well-constructed hard case. It includes a shoulder belt, AC adapter & 1 battery.

SONY TCD-D8 **DAT Walkman Player/Recorder**

·

Long Ptay (LP) mode allows 4 hours of record/playback of 12-bit audio on a single DAT cassette Equipped with digital coaxial and

oplical input connector Also has analog Mic and Line inputs High-speed Automatic Music Sensor search function finds & plays tracks sk ps torward or

Sensor search function finds & plays tracks skip storward or back up to 99 tracks all at 100x normal speed Digital Volume Limiter System increases listening comfort & sound quality bia automatally adjusting for sudden level changes Tow-speed curverwei kets you hear sound while player is in tast-wind modes, up to 3x or 2x normal speed LCD display with backtil windows clearly shows recording level, track number, operating status and 4-segment battery indicator, even in low ambient light conditions Optional RM-D3K System Adapter Kr for complete bightal interface. It his initiativity in the sound source for the tight to notification.

interface. It has input/output connectors for both the optical cable & the coaxial cable. Also includes a wireless remote control. TCD-D10 PRO II **Portable DAT Recorder**

Has balanced XLR input, switchabl mic (-60dB) or line (+4dB) inputs. A 12-pin digital con-nector provides interfacing with AES/EBU digital sig-nais of 32/44 1/48 0 kHz sampling rates.

Comprehensive self-diagnostics func-

tion constantly monitors the rotation of the head drum, capstan and reels. The tang transport mode and

nead orum, capstan and reels The tape transport mode and load/unitod time are continuously checked as well Up to 99 start IDs can be recorded in the subcode area. When the record button is pressed, the start ID is recorded automati cally for 9 seconds. During recording, it can altos be added manually to any position of the tape. Search for start IDs is 100X normal speed

100X normal speed 20-segment digital peak level meters include overload indica-tors. Closely tracks input signal for accurate level indications. During playback, the date and time of recording is displayed. Has a record-level limiter with a tast attack time of 300ms. Mic altenuator prevents distortion by suppressing signal level 20 dB Immediate playback is possible through a built-in speaker. Supplied wired remote controller also accepts a mic holder Two mic stand screw adapters are also supplied

Supplied NP-22H rechargeable battery provides 1.5 hours of operation Dptional NPA-D10 battery adapter enables 1 hour AA batt Supplied ACP-88 AC adapter operates on 100-240v hour or 50.60 Hz.



Direct drive transport with 4 heads for confidence monitoring Balanced XLR mic and line analog inputs and two RCA analog

Balanced XLR mic and line analog inputs and two RCA analog line outputs Digital inputs and outputs incude SPDIF con-sumer (RCA) and AES/EBU balanced XLR
 Lett/Right channel mic input attenuation selector(/0dB/-30dB)
 48y phantom power, built-in limiter & internal monitor speaker.
 Illummated LCD display shows lock and counter, pask level metering, margin display, battery status, ID number, tape source status and machine status.
 Supplied Nickel Metal Hydride rechargeable hattery powers the DBR1000 for two hours: The battery has not incomport effect

PDR1000 for two hours. The battery has no "memory effect" and is charged in two hours with the supplied AC Adapter/charger

PDR1000TC Additional Features

In addition to all the features of the PDR1000 recorder, the PDR1000TC is equipped to record, generate and reference to time code in all existing international standards

All standard SMPTE/EBU time codes are supported, including 24, 25, 29 97 (drop frame and non-drop frame) and 30 fps External syncronization to video, field sync and word sync.



POWERFUL EDITING

Time compression, pitch compress Completely non-destructive cutting. erasing, copving Very fast looping for music or ambiance editing Scrub preview and preview to

m and thru

Six levels of waveform zoom Optional RS-422 interface (D10-800D, for 9-pin control from video editor FLEXIBLE I/O STRUCTURE

ull digital patch bay Stereo AUX send buss

Two stereo AUX returns

Direct channel outs Dirgital stereo input and two digital stereo outputs Four balanced analog inputs with gain

controls and four balanced analog outputs with option for 4 more FULL AUTOMATION

Dynamic and snapshot automation of level, pan, 2-band EQ, including frequency select, boost and cut Microscope editing of automation data Phase level editing of level, crossfade

and fade in/out

8-Track Digital Audio Recorder

An incredibly affordable tool, the new ADAT-XT sets the standard in modular digital multitrack recording Vath new features & enhanced capabilities capabilities, the ADAT-XT operates up to four times faster than the original ADAT offers an intelligent software-controlled tape transport and provides onboard digital editing and flexible autolocation.

Stunning Audio: Incorporates ultra-binh fidelity 18-bit 128 X oversampling A/C

- converters which provide better-that-CD audio guality. For outputs, the DIA converters provide 20-bit, 8k oversampling per-formance for a flatter frequency speatrum, improved phase response
- and much less low-amplitude distortion Frequency response is 20 Hz to 20kl iz ±0.5dB. SIN ratio is greate than 92dB, crosstalk between channels is better than -90dB # 1HH:

- Flexible inputs and Dutputs: Servo-balanced 56-pin ELCO connektor operates at +4dB for inter-facing with consoles with +4 dB balanced/unbalanced inputs/outputs. Also includes unbalanced -10dB inputs/outputs (phono connectors) Has an electronic patch bay bult-ini o it can be used with stereo and 4-bus consoles
 Multiple Optical Digital I/D can carry up to eight tracks at once com-
- pletely in the digital domain. The digital I/D combined with the ADA Synchronization interface make it completely compatible with any ADAT-format recorder or other devices that use Alesis' proprieta;y digital protocol

Digital Editor:

Make flaviess copy/paste digital edits between machines or even within a single unit A new Track Copy feature allows you to make. digital clone of any track (or group it fracks) and copy it to any oth track (or group) on the same recorcer. This allows you to assemble other

composite tracks for digital editing. Use two or more ADAT-XTs and the Tape Offset feature lets you conv and paste not only from track to track, but from location to location: Tape Offset assembles the elements of a project with a minimum; of repetitive over dubing, if tranges the relative tape position of a slave XT to its master, so you can "fly" audio to different locat ons an each tane

Track Delay feature allows you to delay the time reference of a truck by up to 170ms. With Track Delay, you can easily change the group of a tune. Track Delay is individually adjustable on each channel am is excellent for fixing slight timing errors in recorded tracks (player lags behind or rushes the beat). In recordings with multiple micro phones, you can time-align each track, precisely compensating for the spacing between mics with accuracy to 0 0001 second



119 WEST 17TH STREET, NEW YORK, N.Y. 10011

Store & Moil Order Hours Sun 10-4:45 • Mon & Tues 9-6 • Wed & Thurs 9-7:15 • Fri 9-2 • Sat Closed

EQUIPMENT LEASING AVAILABLE

TRIGGER FLATURES

gger mode to play any combination 8 tracks for vocal fly ins or sound

tion with preset or dial up due of phras

MIDI FFATURES:

es to be played one lifti r another

Internal tempo maps
 Accurate editing by bass and beats

pointer output • 8 MIDI triggers for issant phrase

playback • MIOI trigger of record and punch in/out

Tempo maps from external sequences.

ACCURATE SYNCHRONIZATION

Frame accurate symilar any time code
 Locks to MTC
 Generates and read. at types of

SMPTE, including 24.25, 29.97 (Drop/ non-drop) and 30 femes per second

Incoming SMPTE reshaped to output

MIDI clock and some position

effects placements Advanced trigger mode for live opera-

MIDI machine coni

MIDI or tap input.

sub-beats

recorder that provides an amazing array of features at an unbelievably low price. Whether for music produc-tion, post production or broadcast.

the DM-800 will make your work simpler, faster, more productive and more profitable. A full function worksta-tion, the DM-800 performs all digital mixing operations from audio recording, to editing, to track-bouncing, to final mixdown. It fully supports SMPTE and MIDI time codes and also features a built-

in Sample Rate Resolver to synchronously lock to any time code

RECORDING OPTIONS

- Records to standard SCSI hard drives Up to 24 hours recording time possible
- Uses Magneto Optical or Syquest drives for fast project changeovers Optional internal 2.5 Drives for
- portable operation

PROJECT CATALOGING

- Up to 150 projects on line at once Easy cataloging of sound effects and
- projects Easy transfer of sounds from one pro-
- ect to another File compatible with DM-80

HIGH QUALITY SOUND

Sampling rates of 48/44 1/32 kHz 18-Bit A/D and D/A with 128 and 8 times oversampling 24-hit internal procession

- VIDEO OUT Composite, S-video, digital RGB output All track overview with infinite level of project zoom
- Views of phrase and waveform editing Very accurate level mMeters
 Track status and time location

ESIS adat xt

Í abiniti = ... 00000000 AT PARTY AND

Intelligent Transport

- nd fast-forwards up to to 4X faster than the Rewinds and f original ADAT Advanced transport software continuously monitors
- autolocation performance and the head constantly reads ADAT's built-in sample-accurate time code—even in fast wind modes
- Newly developed Dynamic Braking software allows the transport to quickly wind to locate points while taking every precaution to treat the tape gently

Onboard Autolocator with Auto Record:

- Onboard 10-point autolocate system provides quick access to multiple tape locations. Four specialized locate points make your recording sessions quicker and easier
- Auto Play automatically enters Play the moment any autolocation point is reached, Auto Return automatically rewinds at the end of a loop.
- Auto Record function lets you automate punch-in/punch-
- Add nector binding so a donate participation of a second, evid times that are accurate to 1/100th of a second. Rehearse Mode allows you to enter or exil record modes without actually laying tracks to tape. To record on the fly, you can even use the individual
- Record Enable buttons to punch in and out of tracks
- Includes remote control with transport and locate functions offers a footswitch jack for hands-free punch-ii

- Optional Accessories: BRC Master Remote Control lets you command up to 128 tracks from a single location, with 460 nameable locate points, SMPTE & MIDI synchronization & extensive digital ditin**ū po**viei
- AI-1 Digital Interface offers sample rate and digital format conversion between the ADAT-XT's Optical Digital Interface and AES/EBU and S/PDIF formats
- AI-2 Synchronization Interface allows synchronization to video and film. The AI-2 offers compatibility with video recorders and editing systems (including TimeLine's Lynx 2 system) and can issue MIDI Time Code and translate MIDI Machine Control commands to the ADAT-XT



Minimum Shipping USA (Except AK & Hi) \$7.00, up to 3 lbs. Add 60c for each additional ib. For ins. add 40 part did. Din 36 is 40 Photo - Video. Not responsible for typographical errors. Prices valid subject to supplier prices.



PHOTO - VIDEO - PRO AUDIO



The first thing you notice about the eight channel DA-88 is the size of the cassette it's a small Hi-8mm video (assette, You'll also on the casserie for a strain moment video casserie four in also notice the recording time - up to 120 minutes. These are just 2 of the advantages of the DA-88's innovative use of 8mm technology • The ATF system ensures that there will bezno tracking errors or

loss of synchronization. The DA-88 doesnil even have (or need) a tracking adjustment All eight tracks of audio are perfectly synch nized What's more, this system guarantees perfect tracking and synchronization between all audio tracks on all cascaded decks whether you have one deck or sixteen (arc to 128 tracks?) ncoming audio is digitized by the on-board 16-bit D/A at eithe

44 1 or 48KHz The frequency response is flat from 20Hz to 20KHz while the dynamic range exceeds 92dB Execute seamless Punch-ins and Punch-oils. This feature offers

programmable digital crossfades, as well as the ability to insert new material accurately into tight spots. You can even delay individual tracks, whether you want to generate special effects or compensate for poor timing



Based on the S-VHS format, the RD-8 is designed for the home project or professional recording studio. Features include up to 40 min-ules of recording time on a single tape, ing seless purch-in/out, selectable sampling frequencies of 44 1 and 48kHz and pitch and sections sampling inclusions of 44 rand source and prior and track delay controls. Systems are expandable from 8 to 128 tracks and there are a wide variety of options available • Full transport control is available via the RS-422 port, providing

full control right from your video bay. The BD-8 records at either 44.1 or 48KHz and will perform Pull-Up and Pull-Down functions for film/video transfers. The Track Slip feature helps maintain per fect sound-to-picture sync and the 8-Channel Optical Digital Interface keeps you in the digital domain The S-VHS transport in the RD-8 was selected because of its

proven reliability, rugged construction and superb tage handling capabilities, 8 tracks on S-VHS tape allow much wider track widths than is possible on other digital tape formats. With its LCD and 10-digit display panel, the RD-8 is remarkably

easy to control. You can readily access 100 locate points, and cross-fade time is fully controllable in machine to machine editing Table of Contents data can be recorded in tape

Since the RD-8 is fully ADAT compliant, your machine can play tapes made on other compatible machines, and can be controlled by other manufacturers ADAT controller. Your tapes will also be playable on any other ADAT deck

SONY

PCM-800

Based on the success of Sony's multi-channel DASH-format

recorders, the PCM-800 is an affordable and expandable 8-track dig

Combines flawless sound quality, outstanding reliability and pro-tessional audio interfacing with AES/EB.1 digital I/D and XLR ana-

Combines all basic audio functions such as precise auto punch

in/out digital cross fade technology, external synchronization with

SMPTE/EBU time code and selectable simpling frequencies of 44

Also features a shuttle dial for precise tape control, variable speed

playback of 6% in 0.1% increments and a flat frequency response from 20Hz to 20kHz.

Up to 16 PCM-800's can be operated in perfect sync with optional RCC-S1 sync cables, providing up to 128 channels of digital audio

Optional DABK-801 Sync Board provides SMPTE/EBU time code

incoming time code with subframe accurate offset, which is ideal

external video reference signal. • Optional RM-D800 provides comprehensive remote control over all

for audio-follow-video applications. • The DABK-801 also provides complete video synchronization to

functions of the PCM-800. The RM-D800 can control up to six units for up to 48 channels of digital audio

generation and chase synchronization. It can be locked to the

. . . .

ital system that employs Hi8 tape technology.

log I/O connections

recording and reproduction

and 48kHz

AD INDEX & READER SERVICE PAGE

DEADED

	READER	
PAGE	NUMBER	ADVERTISER
86	001	Aardvark
58	002	Acoustical Solutions
180 74	003	Acoustic Sciences Corporation (ASC)
74 192	004 005	Acoustic Systems Advance Recording Products
28-29	006	Akai
133	-	AKG
IFC	007	Alesis (ADAT XT)
83	008	Alesis (ADAT BRC)
187	009	Alesis (Q2.0)
59	010	AMEK
81 17	011 012	Anthony DeMaria Labs Aphex Systems
64	012	Applied Research & Technology (ART)
199	014	APRS
153	015	Ashly
124	016	ATM Fly-Ware
75	017	Audio Processing Technology (APT)
107	018	Audio Toys (ATI)
87	019	Avalon Design
78	020	Azden
204-205	021	B & H Photo-Video B & H Photo-Video #2
206-207 131	022 023	BASF
27	023	beyerdynamic
169	025	Brainstorm
160	026	Bryston
57	027	Burlington A/V Recording Media
177	028	Cal Switch
125	029	Carver
174	-	Carvin
175 158	030 031	Conservatory of Recording Arts & Scie Corel Corporation
101	032	Crown
117	033	Crown #2
46	034	CTI Audio
77	035	D&R USA
43	036	dbx Professional Products
163	037	Denon Electronics
198 6-7	038	DGS Pro Audio
23	039	Digidesign DigiTech
180	040	Direct Source
186	041	Disc Makers
53	042	Dolby
202	043	Doppler Studios
72	044	Drawmer
177	045	Dreamhire
32-33	046	Duracell USA
144 68	047 048	EAR Professional Audio/Video Earthworks
91	048	Eastern Acoustic Works (EAW)
93	050	Electro-Voice (EV)
79	051	E-mu Systems
139	052	Ensoniq
73	053	Euphonix
103	054	Europadisk
67	055	Event Electronics (RODE)
166	056	Event Electronics (20/20)
141 113	057 058	Fairlight Fender
147	058	Fostex
168	060	Full Sail Center for the Recording Arts
154	061	Furman Sound

	READER	
PAGE	SERVICE NUMBER	ADVERTISER
00		
98 128	062	Future Disc Systems Garwood Communications
191	063	Gemini
122	064	GENELEC
97	065	Gold Line
124	066	Grandma's Music & Sound
144	067	Groove Tubes Audio
181	068	Guitar Center
121	069	Hafler
47	070	HHB Communications Ltd.
179	071	HHB Communications Ltd. #2
132	072	The Hollywood Edge
104	073	Institute of Audio Research
BC	-	JBL Professional
143	074	Kaba
60-61	075	KRK Monitoring Systems
190	076	L & M Music
194	077	Leo's Professional Audio
3	078	Lexicon
197	-	Los Angeles Recording Workshop
190	079	MacBEAT
48-49	080	Mackie (8-Bus)
IBC	081	Mackie (Eddie Kramer)
198	082	Mag-Zon
68	083	Manley Laboratories
176	084	Markertek Video Supply
38	085	MediaFORM
110 70	086 087	Meyer Sound Micro Patent
52	088	Micro Technology Unlimited (MTU)
211, 23		Mix Bookshelf
182	090	MTC America
161	091	N.A.R.A.S.
203	092	National Systems Contractors
		Association(NSCA)
13	093	Neumann/USA
115	094	New Avenue Communications
162	095	Night Technologies International
175	096	NOW! Recording Systems
31	097	Opcode
20	098	Optifile/Sascom Marketing
171	099	Otari
26	-	Panasonic
45	100	Peavey (MAQ Series)
195	101	Peavey (RP 500)
142	102	Pelonis Sound & Acoustics
55	103	Pinnacle Micro
69 74	104 105	PreSonus Audio Electronics Pro Sound & Stage Lighting
192	105	QCA
129	107	QSC Audio Products
9	108	Quantegy/Ampex
126	109	Quintessential Sound
24-25	110	Rane
86	111	The Recording Workshop
197	112	Rhythm City
182	113	Rich Music
152	114	Rocket Lab
162	115	Rock 'n Rhythm
10-11	116	Roland
165	117	RPG Diffusor Systems
99	118	Sabine
54	119	Sascom Marketing
44	120	Sennheiser

	READER	
	SERVICE	
PAGE	NUMBER	ADVERTISER
56	121	Shure
1	-	Solid State Logic (SSL)
148-149	-	Solid State Logic (SSL) #2
14-15	122	Sonic Foundry
19	-	Sony
64/65	-	Sony Insert
127	-	Soundcraft
96	123	Sound Ideas
185	124	SPARS
21	125	Spectral Inc.
152	126	Speir Music
123	128	Spirit
105	129	Steadi Systems
137	130	Steinberg/Jones
196	131	Strings & Things
66	132	Studer Professional Audio Equipment
143	133	Studio Consultants
36-37	134	Studio Audio Digital Equipment (SADiE)
167	135	Studio Techniques
102	136	Summit Audio
35	137	Sweetwater Sound
92	138	Sweetwater Sound #2
151	139	Sweetwater Sound #3
183	140	Switchcraft/Raytheon Co.
2	141	Tannoy
145	142	Tascam
71	143	t. c. electronic
97	144	Technomad
39	145	TimeLine
212	146	Thoroughbred Music
193	147	The Toy Specialists
58	148	Waves
126	149	West L.A. Music
94	150	Whirlwind
194	151	Whisper Room
196	152	World Records Group
184	153	World Studio Group
164	154	Yorkville
178	155	Z Systems
North Ce	ntral's Fine	est Studios Supplement
	er Copies	
	,	-
NCF5		Audio Recording Unlimited
NCF4		Aircraft
NCF6		Audix
NOCZ		0

NCF5	Audio Departing Unlimited
NCF4	Audio Recording Unlimited Aircraft
NCF6	Audix
NCF7	Chicago Recording Company
NCF12	dB Technologies
NCF24	Electro-Voice (EV)
NCF8	Full Compass
NCF9	Hinge Recording
NCF14	Mix Bookshelf
NCF22	Mix Español
NCF18	Mix Web Site
NCF11	Monsterdisc
NCF13	Oarfin Records
NCF15	Pachyderm Recording Studio
NCF17	Paisley Park
NCF20	Recording Industry Sourcebook
NCF19	River North Recorders
NCF21	Streeterville Studios
NCF23	Studio A
NCF16	Switchcraft/Raytheon Co.
NCF10	21st Century Media
	-

LUNCHING WITH BONZAI

-FROM PAGE 80, JEFF LYNNE

Lynne: Absolutely, I had used the big orchestras—40-piece with a choir now and again. That was how I had always envisaged it sounding, and once I'd done that, what would it be? Just guitars or something? It had run its course, and I'd had lots of fun doing it, but it becomes a labor after a certain time.

Bonzai: At this stage, do you think of yourself as a producer, a writer, a performer?

Lynne: I like to think of myself as a bit of each, really. I haven't done a lot of performing lately, but I've done a lot of producing. I love to sing as well, and I love to play, so I think of myself as a jack of all trades.

Bonzai: What was your first big production job outside of your own records?

Lynne: My first big one was for George Harrison, *Cloud Nine*. I'd previously done a couple of songs with Dave Edmunds and one night at dinner, he said, "Oh yeah, I forgot to tell you—George Harrison asked me if you'd like to work with him on his new album." I said, "What?!" And it turned out George had been looking for me to hang out with and see what happened. We met and got along really well.

Bonzai: You'd met him before at the *White Album* sessions?

Lynne: Yes, just to shake his hand and say hello. That was all. It was almost 20 years before we met again.

Bonzai: Nice reunion, and the album did quite well.

Lynne: It did fantastically well, and that led to Tom Petty stopping me on the street in Beverly Hills. He was in his car, honked and pulled over to the curb and said, "I've just been listening to George's album, and I love it," Then he asked if I'd fancy working with him. So, a couple of days later I went over to Tom's, and we wrote "Free Falling." That was a good start.

Bonzai: 1989 brought us *Full Moon Fever...*

Lynne: And before that, the Traveling Wilburys, of course. That whole album, and then Roy Orbison, "You Got It" and the *Mystery Girl* album. It was quite a period. I had three albums in the Top Five. It was unbelievable, having not produced anyone but myself before that. I was quite thrilled with it, and, of course, the Wilburys went on to do other things and did really well.

Bonzai: Such great work with the

Wilburys—how did things fall together? Did the captain's hat fall on different heads at different times?

Lynne: Oh yeah. Mainly, it came about from an idea when I was working with George. We had hung out well before we started recording, because I suppose George wanted to know how we would get on. I think he just likes to work with people who he likes. Anyway, it turned out we got on great. We had all the same interests and lots of silly things as well. At night, after we'd finish the sessions we'd have a drink and say, "Wouldn't it be great to have a group with anybody we want?" That's how it really

You can keep laboring on songs, and sometimes you can actually get them better. But usually, a good song is so simple that you don't really have to change anything.

came about. George said, "I'll have Bob Dylan," and I said, "Then I'll have Roy Orbison." We'd both known Tom and I had been working with him, and Tom seemed the ideal person, and then it all fitted together.

Bonzai: Where did you all end up together?

Lynne: In Encino at Dave Stewart's studio. Actually the first time was at Bob Dylan's studio for "Handle With Care," and then over to Dave Stewart's studio. We literally did a song a day. We'd sit around a table with five rhythm guitars going, and somebody would come up with a riff, we'd all join in and take it from there. We'd come up with a few more ideas, then do the lyrics in the afternoon, early evening, sing a rough vocal on them. They were little creations each day.

Bonzai: And how about that drummer? **Lynne**: Of course, we had our pal Jim Keltner who was brilliant as always. Helluva great drummer, Jim, he's my favorite drummer—apart from Ringo. Don't get me wrong! [Laughs] **Bonzai**: How did it happen with Roy Orbison? Just a cold call to him?

Lynne: Funnily enough, with Roy it was me as a fan from way before, in 1985. He was my favorite singer of all time. I got his number from my manager, Craig, and gave him a call in Nashville. It was just to say hello, really, and I was hoping he didn't tell me to sod off. But he was a lovely guy, very sweet, and he said, "Why don't you come down to Nashville and we'll try to write a song?" I was absolutely thrilled and went down, but we didn't actually finish anything. But it was such a pleasure hanging out with him at his house for about three days. We tried little bits and pieces but we never actually nailed anything.

About a year later, I got this call out of the blue saying, "Hi, it's Roy and I'm living in Malibu, and I'm ready to work." Brilliant! So, he came over to my house, and we wrote "You Got It," which is a pretty good one to start with, and then "Love's So Beautiful" and "California Blue." Tom was there too for "You Got It" and "California Blue." We just knocked these songs out. I had a little Casio plastic thing with Roy and Tom on guitar. It all came very quickly, and we recorded at Mike Campbell's garage and then mixed them at a big studio.

The songs came quickly—no time to sit and ponder, saying, "Oh, I wonder if that bit's right?" It was just done the way records used to be made, much like the Wilburys. You just do them, and if they're good, great; if they're not, don't try to squeeze more out than there is. It's a lovely way to do it, but it gets increasingly more difficult to do because you've got so many options.

Bonzai: Have the multitude of options created a trap?

Lynne: Well, you can disappear up your own whatzit, you know? You can just keep laboring on something that maybe doesn't want to be labored on. Three months later, you'll hear the tape after you've messed with it and you go, "Shit, it was really good like it was!" [Laughs] There is a danger of doing that. But it's true that you can improve songs. It's not guaranteed to mess them up. Sometimes you can actually get them better. But usually, a good song is so simple that you don't really have to change anything.

Bonzai: It's been awhile since George released a solo record. Is that in the works?

Lynne: Yes, it certainly is. Hopefully,

LUNCHING WITH BONZAI

we're gong to start on that soon. We've also been talking about another Wilburys one.

Bonzai: Great news!

Lynne: Well, there's been mumblings of it. I speak to George quite regularly, and he's up for it. I think Tom is, as well. We just have to catch Bob off the road.

Bonzai: Hard working Mr. Dylan. Hasn't it been great to see him the last couple of years?

Lynne: He's great, Bob. It would just be nice if we could get everybody together at the same time and get in that room and make some new tunes up, have some fun.

Bonzai: What about your solo career? It's been five years since *Armchair Theater*.

Lynne: I know, can you believe it? Don't tell EMI, though. I was supposed to have delivered the next one a year later. Just kidding, but I've got loads of songs ready to go. It's just a matter of singing and playing them. I just moved into a new house, and I'm building a studio, and that takes up a lot of time.

Bonzai: What pieces of major gear are you planning for your workspace?

Lynne: Just a nice English desk, made by Raindirk. I brought it from England, and I have two 24-tracks and lots of outboard gear.

Bonzai: What was your first musical instrument?

Lynne: Guitar, when I was 15.

Bonzai: A late starter...

Lynne: Yes, but Hoved it so much. It sounds like the old cliché, fingers bleeding, but you don't care.

Bonzai: What kind of guitar?

Lynne: The first one I ever tried was a friend's guitar, an Elvis Presley plastic guitar with one string. I learned all the Shadows' songs on one string using one finger. I played all their songs, with one string up and down like a dervish up and down the neck. And then, my father bought me a Spanish guitar. It was a bit battered, but it worked and had six strings. That's what I learned on.

Bonzai: How about keyboards?

Lynne: Well, at my parents house, there was a piano in the front room. I sort of commandeered the front room with my instruments. There was a piano, so I used to transpose, play a chord and then find out what it was on the piano. It was just a simple process of learning, and eventually after a few months you become a little familiar

with it, but they're all the same chord shapes, and it took me awhile to learn all the inversions.

The first songs I ever wrote were on that piano while in the Idle Race, and some in The Move. I just found it more interesting to write songs on a piano, maybe because there was more happening, with strange chords happening with the different bass notes, as opposed to on a guitar where you tend to just play chords and not figure out funny bass notes. These happened by accident, so I think that's why the keyboard was more interesting for me to write songs on.

Bonzai: At that early age, did you see your whole life unfolding as a musician? **Lynne**: I wanted it to. I left school when I was 15. I could have stayed on

> When I started out writing songs, I never used to listen to what was on the radio. I used to play my own stuff, the way I wanted it. I'd think, that's what I want.

but I dropped out because I wanted to go to work and get some money. Not very much money, of course. But I found that getting up at 7 o'clock in the morning wasn't going to work for me. I desperately didn't want to do that, and I desperately wanted to play guitar. I just had these little jobs where you didn't have to do much. You could hide and play guitar and sit there quietly practicing while you were supposed to be working. I got the sack on most of these jobs for not doing anything.

So when this advert appeared in the Birmingham newspaper for a "keen lead guitarist," I went for the job. It was for a group called the Night Riders, which was my favorite group in Birmingham. I got the job, luckily, when I was 18.

The funny thing is, my mother used

to come running up the stairs every morning, really early, saying, "Get out of bed, you lazy sod." So, I got this job and the first day, a Monday, she comes bounding up the stairs, "C'mon, get out of bed!" I said, "Listen, mum, I don't have to get up ever again. I'm a professional musician now." [Laughs] I was a bit cocky, I suppose, because I didn't realize maybe someday I wouldn't be one. I just figured that's what I was going to do. I had tunnel vision in that area.

Bonzai: Well, things seem to have worked out pretty well.

Lynne: Yeah, can't complain.

Bonzai: The situation in the music business is very different now than when you were getting started, isn't it?

Lynne: Oh, yeah, absolutely. It used to be so simple and easy and innocent, you know? You just made a record, and they'd go, "That's great, let's put it out." Then it would be in the charts. Either it was that simple, or 1 was doing good stuff, 1 don't know.

Bonzai: Any advice for a teenager today in 1996?

Lynne: Well, I think they've got it covered now. They all start out with a lawyer before they've written a song. It's a sad thing that it has to be that way, but it's a good thing for them. They don't fall in the hole of having problems in that area with contracts and all that.

Musically, I suppose, just try and be yourself and don't copy trends and just try and make your own music. When I started out writing songs, I never used to listen to what was on the radio. I used to play my own stuff, the way I wanted it. I'd think, that's what I want. I don't care what anybody else is doing. That's why I didn't really get into the heavy guitar thing. I felt I could write songs, and that was the most interesting for me, and then to produce them and play guitar. The passion was there, rather than going out on stage and doing big guitar solos. I wanted to make a whole thing, write it and then make it into a record. That was the biggest thrill-to see a real record, just a vinyl one. Wow, it's a record.

Bonzai: Is it still a thrill when a record comes out now?

Lynne: It's a thrill, but every time there is a bit of trepidation. Once it gets into the Top 20, it's a thrill, yeah.

For tonight's performance, the role of The Walrus will be played by roving editor Mr. Bonzai.

-FROM PAGE 186, DWIGHT TWILLEY

nately the debut album was far from finished when the single hit the charts, and "immediately after the single hit, Leon left Shelter, and the record company fell apart," Twilley recalls. "We had a second single, 'You Were So Warm,' bubbling under the charts, and then it all caved in." Sincerely was a critical smash when it finally came out in the summer of '75, but with Shelter in such disarray, it didn't fare particularly well commercially. In 1977, he cut a second album, the shimmering pop confection Twilley Don't Mind (my personal favorite), for Shelter, which by then had been absorbed by ABC. Working at the Sound Lab and Shelter Studios in L.A., Twilley and Seymour were aided again by Schaper (who got a co-production credit), Barth, Noah Shark and the mysterious fader-puller known simply as Max. Together they helped refine the Twilley sound, which combined the melodic sheen and layered sophistication of middle-period Beatles productions, with some of the raw slap-back verve of early Elvis. Whereas Sincerely took nearly a year to make, Twilley Don't Mind was cut in just two months-"a normal L.A. studio trip," Twilley calls it.

Twilley and Seymour split up after that second album, and though Twilley's subsequent albums definitely missed Seymour's warm vocal touch (Seymour had a successful solo career of his own for a few years; he died of cancer a couple of years ago), Twilley's songwriting gift remained undiminished, and his arrangement and production ideas continued to flower. Albums like Twilley (a.k.a. The Checker Board album because of its cover design) and Scuba Divers were filled with strong tunes and great performances (anchored, as always, by guitar phenom Bill Pitcock IV). During this period, Shark, Max and Schaper did much of the engineering, but Twilley also worked with engineer Clay Rose and with producers Jack Nitzsche and Chuck Plotkin on material that later became known as The Great Lost Tuilley Album. Twilley says of his own studio chops, "I never was really a technical guy. I just knew enough to be able to tell the technical guys what to do, and I've always worked with really good engineers who understood what I was going after. I've always had a pretty good idea of what I want to hear, and I've usually also had some idea of how it could be done, but I wasn't actually in there turning knobs that often."

There's a timeless quality to Twilley's

strongest songs that has allowed him to remain remarkbly true to his original musical vision without any of his work sounding particularly dated. It's not a tremendous leap from "I'm on Fire" to last year's "That Thing You Do" (written for the forthcoming Tom Hanks film of the same name), and Twilley is quick to admit, "Nothing's ever changed the way I make music. I've sort of been in my own world all along. I never really cared much about what other people were doing. In the beginning, Phil and I thought we were creating the next sound and that we'd alter radio," he says with a little ironic laugh. He does acknowledge at least a flirtation with one passing radio trend, however:

"In '84 began the period when everybody said, 'You've gotta have the drum machine,' so that was my drum machine phase. I think it began a really terrible time in recording, because the prevailing thinking there for a while was if the tempo wasn't absolutely perfect then it was a terrible mistake. I remember someone saying to me, 'Maybe you won't notice it, but the listener in Iowa will sense that something is wrong.' So I gave in—it was something I hadn't done, so I gave it a try. I'm still proud of that material, but it wasn't my favorite way to work, and I think they were wrong about that listener in Iowa."

Twilley has had a couple of minor hits through the years-such as "Girls" and "Little Bit of Love"-and he was, as he puts it, "one of the guinea pigs of the early days of MTV, which was interesting." But his career has never quite taken off the way many expected it to. He remains philosophical about it all, however, and proud of the fact that he's always been able to make a pretty good living off publishing royalties (having Tia Carrere sing his ballad "Why You Wanna Break My Heart" on the charttopping soundtrack to Wayne's World was a boon for him) and occasional gigging. He's even got an unreleased album, The Luck (produced by Richard Podolor and engineered by Bill Cooper), in the can, ready to see the light of day if he can generate record company interest in it. About a year ago, too, he moved back to Tulsa after nearly two decades in L.A. "I went through one too many earthquakes," he says. "My house was so damaged [in the 1994 Northridge quake] that I had to move everything I owned out of it, and then I was thinking, 'Well, do I really want to just move down the block? I'm really glad I came back [to Tulsa]. I was in L.A. not too

JULY 1996

Get Up-Close And Real

Album Production

- ▲ 24-Bus Recording Consoles
- Engineers' Mixing Techniques
- Regional Focus: Nashville

Ad Close: May 8, 1996 Materials Due: May 15, 1996



long ago, and I couldn't believe I'd been there all those years."

These days, Twilley is still writing songs and is in the process of building a home studio, which he says he'll likely equip with "a few ADATs. It's nice that a lot of the equipment that used to be out of reach is now more inexpensive," he says, "It used to be it would cost you \$5,000 to have echo, and now you get those little Alesis things for \$250 and you sound pretty damn good. I always thought there was something wrong with the equipment thing, because it seems that guys like me and other artists, when they get to a certain stage, they shouldn't have to pay for the equipment. An artist should have paint. There should be people who sponsor recording artists, because equipment is too expensive." He pauses and then adds, "I can dream, can't I?"

He adds, "The record business is a lot more money-oriented and a lot less music- and artist-oriented than it's ever been. The general message of so much of what's on the radio is this sort of dark, urban thing. Well, every place in the world isn't dark and urban. Why is that all that's on the radio? One of the things I'm proud of in my career is that I've always tried to keep a positive message. Eve never incited any riots or tried to lead anyone astray. I just do what I do, and there have always been enough people who like it that I keep on doing it. Em always looking ahead." At the same time, XXI is a tuneful and invigorating look back at an artist who's always played by his own rules.

-FROM PAGE 172, LOUDON WAINWRIGHT III

for the most part all the emphasis was on getting Wainwright's best performance. Crucial to this end, Lesser says, was creating the proper atmosphere. Grown Man was recorded and mixed over a period of six weeks last year at RPM Studios in New York (with additional overdubbing at Knoop Music in New Jersey). Lesser says that for someone like Wainwright, who is used to interacting with audiences, the studio can be a very sterile environment, "RPM is a single-studio operation that's very homey and comfortable. When Loudon walked into the studio, his area to record in was set up kind of like a living environment and not like a recording studio. The lights were dimly lit; there was a reading lamp there; a nice, comfortable chair for him to sit in between



takes; and a different chair to perform in.

"The studio also has amazing stateof-the-art vintage equipment," Lesser continues. "I say those words in the same sentence, but it really is the best of both worlds. The old Neve [8068] is wonderful, and the owner. Bob Mason, has been a collector of vintage tube mics for a long time, and he's got a great collection." Lesser miked Wainwright's Martin D-21 in stereo with a B&K 4011 up from the hole toward the neck, and a Neumann U67 on the body and wood. A little bit of pickup was mixed in, along with some direct run through a tube DL "On a couple of the songs, we used the direct a little more," Lesser says, "but most of the time it's the acoustics of the mics in stereo."

Wainwright recorded his guitar and vocal parts simultaneously, without headphones (which Lesser says give him too much of a microscopic view of his sound). Lesser encouraged him to move around as much as he wanted. "But the phase-relationship of the three mics had to be totally locked in," Lesser says, "or all of a sudden his voice would sound very distant. We played a bunch with positioning. Occasionally, we would stop a take if he moved so far out of position that we started losing the sound. Of course, if the take is there, that's the primary thing. If there's a little bit of a funny sound, that takes a way, way back seat on a record like this."

Lesser used the studio's Stephen Paul-modified Telefunken ELAM 251 on Wainwright's voice, through an LA-2A and the Neve electronics to the Studer A800 24-track. Very little EQ or processing was added to the lead vocal, and the tracks are almost all wholly intact, unedited takes. "We also didn't do a lot of takes." Lesser says. "If he wasn't getting a tune, we'd generally move on to another song and come back to it later to get the spontaneity of that first-time performance."

With the key element of Wainwright's performance in place, the team began adding instrumental parts around the finished vocals, "Basically," Lesser explains, "if a song held up completely barebones guitar/voice, we would leave it like that." But where they saw the opportunity to enhance or augment the vibe of a song, they would bring in musicians one at time. ("To make a take sound natural that has so much give and take in terms of the metronome," Lesser points out, "you really have to [add parts] one at a time.")

Working out parts was a very collaborative, liquid process, Lesser and Wain-

wright called on an intimate group of musicians whom they knew would be responsive to the nuances of Wainwright's songs and performances. "To get the best out of a musician." Lesser says, "you have to let them feel what they're feeling. It's probably impossible to tell a musician to play something exactly the way someone else wants it and expect it to be coming from their heart. We work with people because we respect their ideas. So we may give them a chord chart and a basic overview, and then what winds up on the record will be developmental as we record itmake suggestions, make edits here and there. I like the interaction between the musicians and songwriter."

One of the most intriguing interactions was between Wainwright and his 19-year-old daughter, Martha. She sang with him (against him?) on "Father Daughter Dialogue," a song recounting a dispute about songs. "Since she can sing," Wainwright says, "and since she was the person with whom I had the argument to begin with, it was an obvious choice. We did that one live there's nothing punched in about that. So there was some interesting angst in the room."

Martha also sings backing vocals on "The End Has Begun," a dolorous tune about the end of a relationship. "The concept always sounded like marching off into the sunset or a funeral procession," Lesser says, "so we had [drummerl Richard Crooks do his parade-oriented cadence on the snare, which had no snares on it, so it gives it a kind of haunting, hollow sound." The song also features David Mansfield on the bouzouki, a large, double-stringed instrument similar to a bass mandolin. "That was David's suggestion," Lesser says, "and we loved it as soon as we heard it. He'd always wanted to try it on a record, and it was just perfect."

Mansfield also added smokin' electric guitar to the infidelity-minded raveup "Just a John," a cut that illustrates the wisdom of having musicians play to Wainwright's finished track. "I don't think we could ever have gotten such a great take from Loudon himself if we'd recorded it with the heavy guitars and the drums from the beginning," Lesser says. "I think he would have been trying to push his vocals too hard over the bigness of the sound. As is, we have the combination of a punchy but intimate vocal surrounded by this tough, rockin' track," (Listen also for Wainwright and Lesser's chain-gang-style "cha's!" pulsing in the background.)

The success of the collaborations is audible throughout *Grown Mant*—the record is rife with musical settings that make it easy to get caught up in Wainwright's warm, natural vocal performances. It may not be a fancy production, but it's loaded with personality and charm, like Wainwright's shows. "The vocal and the song are like the picture to me," Lesser says, "and the music and track are like the picture frame—you don't want the frame to interfere with your enjoyment of the picture. They should both work together perfectly.

"We chose to mix on the same board that we recorded on," he adds, "because we were enjoying the way the rough mixes sounded. It's not the kind of record that we wanted to hype up and sizzle out. We were into the warmth of the record, and to maintain that we stayed and mixed at RPM."

After the album was completed and ready for mastering (by Greg Calbi at Masterdisk), Lesser got a call from Wainwright, who had been struck by an interesting idea: opening the album with an a cappella track...sung in the shower. So they regrouped and set up in the shower at Beartracks Studio (Suffern, N.Y.), to record "The Birthday Present."

"I wanted spontaneity," Lesser says, "and I also knew they didn't have a really large hot water heater, so I wanted to have everything set up for capturing a single take." They set up a couple of U87s outside the shower but were nervous that they might not have enough presence on the voice. Co-engineer Steve Regina suggested putting a Shure SM57 in the shower under the water. The only problem was how to protect the mic.

"We decided to put a condom over it," Lesser laughs, "but of course nobody at the studio had a condom. So we had to send the 17-year-old female receptionist to the drugstore with strict instructions to get unlubricated, because we didn't want oil getting into the mic element. She was very embarrassed, but finally we convinced her to go. She came back around 20 minutes later and told us that the pharmacist had tried to talk her into getting the lubricated ones, saying she'd like them much better. She kept saving, 'No, you don't understand, this is for a recording session," and the pharmacist was going, 'Yeah, sure kid.

"So we put the condom over the mic," Wainwright says, "and I actually took off my clothes—no one was there—took the shower and sang the song,"



Coming in Mix June 1996

Acoustic Recording

• FEATURES

Acoustic Recording Tips by Engineer Mike Cogan

Drum Miking

Bruce Springsteen's Home Studio

Studio Publicity Tips

• LIVE SOUND

Wireless Mics Tour Profiles of Carly Simon and Lenny Kravitz

- POST-PRODUCTION
 Dialog Editing
- PRODUCER'S DESK Rob Chiarelli Bruce Bromberg
- **REGIONAL FOCUS** Southern California/ Southwest

• PLUS!

David Bianco, Tom Petty's Grammy Award-Winning Engineer

Jazz Piano Sensation Jacky Terrasson

ATTENTION ADVERTISERS:

Deadline for ad placement is the seventh of the month, two months prior to publication. Call (510) 653-3307 for a 1996 Mix Editorial Calendar, space reservations and complete advertising information.









MIX BOOKSHELF

WHAT WE OFFER

> The most comprehensive listing of resources for music industry professionals and hobbyists

> Convenient and cost-efficient "one-stop shopping" for retailers and school bookstores

 Educator review-copy program for established music business and recording programs

Contract publishing services for independent industry publishers and authors



Mix Bookshelf is the world's leading resource for information on recording technology and the music industry. Tens of thousands of musicians and audio professionals rely on the Mix Bookshelf Catalog for the best selection of how-to books, career guides, reference manuols, textbooks, instructional videos and sample CDs available anywhere.

Call us, toll-free! (800) 233-9604







If you're ready to stand out from the competition, Marketplace is ready for you! This high-profile advertising section gives you the opportunity for a large ad (up to 1/4 page), with optional color to enhance your company's image. For Mix Marketplace Rates call Robin Boyce (800) 544-5530.













OOK NO FURTHER

Well, just a little furthe Fully Packaged CD's - \$1.20

> CD-Audio • CD ROM & CD Enhanced Real Time & High Speed Cassette Duplication Digital Editing • Graphic Design • Printing

Save with our Retail Ready Packages

Label? Studio? We offer PRO VOLUME DISCOUNTS

1-800-777-1927

Pearl Mikrofonlaboratorium AB

√Top Quality Duplication

✓ Finest Materials

✓Fast Turnaround ✓Satisfaction Guarantee

value in MS stereo microphones! Their compact size, light weight, and excellent sound quality make them perfect for virtually any location recording task. All for the very reasonable price of \$1,450.

Zero THD offers a full range of PML microphones.

GULLIVAN

Zero THD • 1710 West Fullerton 2nd FL. Chicago, II 60614 Phone: 312.665.9066 • Fax: 312.665.9067 75407,1104@COMPUSERVE.COM



When You're Ready to Stand Out From the Competition, Marketplace Is Ready for You!

(800) 544 - 5530











DIRECT LENDERS Specializing In Audio - Video Equipment

 $\begin{array}{rl} \Rightarrow & \text{No Down Payment} \\ \Rightarrow & \text{Application Only For Up To $50,000} \\ \Rightarrow & \text{New & Used Equipment} \end{array}$

CALL: (800) 626 - L F C I

CALL OUR FAXBACK SERVICE: (803) 363-5936 APPLICATIONS, QUALIFICATIONS, LEASE PROCESS ALSO APPLY FOR OUR \$10,000 CREDIT CARD / LEASE

PROBLEM SOLUED.

ECO CHARGE

0



By using a method afficiency sealed lead acid bottom. Eto ChargeTM makes even the most armonding recarding session a breen. Eco-Charge also affers rechargeable power systems for all portable DAT and analog recorders. In addition br the product line, Eco-Charge can provide custom designed power systems to accommodate your individual needs.

P.O. Box 956 • Boulder, C0 80306 • TEL 303.449.5761 • FAX 303.449.1545 ORDERS 800.361.5666









Why settle for a copy when you can afford the original?

STUDER REPLACEMENT HEADS have always been the best option for your Studer tape machine. They offer better frequency response and twice the life of third-party parts: they're rigorously tested; and there's the confidence of knowing there are real Studer parts in your headblock.

In the past, Studer quality cost you extra. But now we can offer genuine Studer heads at virtually the same prices as the imitations. Call our Nashville office at 615/391-3399 for full details. And get your hands on Genuine...



615/391-3399

Worldwide Distribution: Studer, Regensdorf, Switzerland +41 (0) 1 870 75 11





WEB SITE, http://www.digitaldispatch.com/dd

The ADAT Exchange

A Service of Hi-Tech Auclio.

Upgrade to the outstanding new Alesis Adat XT with our generous trade-in program. We also offer used Adats with a 30 day warranty, in addition to a complete line of professional audio equipment for purchase or rent.

☎ (415) 742-9166 Reducing audio stress since 1983.



<u>CLASSIFIEDS</u>

MIX Classified Ads are the easiest and most economical means to reach a buyer for your product or service. The classified pages of Mix supply our readers with a taluable shopping marketplace. We suggest you buy wisely: mail-order consumers have rights, and sellers must comply with the Federal Trade Commission, as well as various state laws. Mix shall not be liable for the contents of advertisements. For complete information on prices and deadlines, call (800) 544-5530.

Acoustic Consulting

Good Gear In A Bad Sounding Room Sounds No Better Than Bad Gear.



STUDIOFOAM SOUND ABSORBENT WEDGES There's no easier or more affordable way to make your room & mixes sound better— period. No other foam line beats our absorbercy, flame retardancy, color selection, longevity, speedy delivery...or prices. Now with free freight! We also sell great sound barriers & much more. NEWI ACOUSTICS 101, an easy-to-understand guide that gives real-world advice about how to build a sound studio or turn your place into one. Learn how to float floors, soundproof walls, choose the proper doors & more. You won't find better bottom-line advice anywhere else! Just \$11.95 incl. postage. Order your copy foday!

Users: AT&T • NASA • Sony • Shure • Ford • Kodak • Warner Bros. • 20th Cent. Fox • Universal Studios • Maury Povich Show • Hitachi • Toshiba • Dennis DeYoung (Styx) • Baldwin • Editel • Mike Wanchic (J. Mellencamp) • Rockwell • US Gov t • Opryland • Dominic Guss (Stevie Nicks, The Outfield, Kurzweil) • Guido Welsh (TBN, WalMari) • Carvin • WhisperRoom • Pat Duke (Voice of McDonalds & Miller Brewing) • Martin Marietta • Manley Labs • NJJ (NFL on Fox, Coke) • D. Ervasti (Voice of NFL on Fox) USAFoam • 11571 E. 126th, Fishers IN 46038 • (800) 95-WEDGE • Fax (317) 842-2760

STUDIO DESIGN

CONTROL ROOMS & STUDIOS SYSTEMS • TURNKEY PROJECTS ARCHITECTURAL ACOUSTICS

ROSATI ACOUSTICS INNOVATIVE DESIGN & CONSULTING 18 YEARS • BOSTON, MA 617-423-5546 • 800-423-5505



58 Nonotuck St, Northampton, M 01060 ORDER (800) 484-1003 Code # 0032 stert @ crocker.com • http://www.crocker.com/-silent/ Acousticon Fabric Panels • Sound Barrier Isolation Hangers • A.S.C. Tube Traps Silence Wallcovering • WhisperWedge Melaflex • S.D.G. Systems • Hush-Foam R.P.G. Diffusors • Sonex • NoiseMaster

Business Opportunities

500K Digital Post Recording/ Sound Editorial Facility in the Burbank Media District, near NBC, Disney, Warner Brothers, seeking consolidation, joint venture or working partner. MAJOR FILM CO. clients. Contact principal @ (818) 559-1417.

LET THE GOVERNMENT FINANCE your new or existing small business. Grants/loans to \$800,000. Free recorded message: (707) 448-0270 (NL3).

Employment Offered

AMERICAN UNIVERSITY COLLEGE OF ARTS & SCIENCES OPEN POSITION ANNOUNCEMENT

Assistant Professor of Physics (Audio Technology), temporary position, subject to budgetary approval, beginning fall semester 1996 for AY 96/97. The Department seeks a person with strong interests in the technology of sound for its Audio Technology program. Responsibilities include teaching (mostly undergraduate), research, student advising, departmental and University service. Candidates are preferred with research interests in acoustics and audio technology. An MS in Audio Engineering or equivalent is required. Competitive salary. The search committee will begin reviewing applications on April 1, 1996, and continue until position is filled. Send letter of application, resume and the names of three references to: Chairman, Department of Physics, American University, 4400 Massachusetts Avenue, NW, Washington, DC 20016-8058. The American University is an EOE/AA institution, committed to a diverse faculty, staff and student body. Women and minority candidates are strongly encouraged to apply.



Editors for prod. of books-oncassette for publisher. We will pay by finished hr. Must own Pro Tools, give direction & have access to recording studio and voice-over talent. Send quality sample DAT. Prefer editors with home studios. Write PO Box H, Novato, CA 94948.

Normandy Sound, New England's Number 1 48-track, SSL/ Studer recording studio, is now hiring experienced Assistant Engineers. Please contact Phil or Ralph at (401) 247-0218 or (401) 245-6080.



Leading game developer in Marin County, CA, seeks **Sound Designer** to develop high-quality sound effects for major interactive titles. Experience in TV or film post-production preferred, with an emphasis on creativity. Please submit resume and demo tape to:

PO Box 10307 San Rafael, CA 94912 Sound Designer Opportunity Attn: Human Resources

Equipment for Sale





(216) 723-6494

Fax: (216) 723-6595

Equipment for Sale



Pro-Audio Equipment

Sales & Rentals Comprehensive selection. dependable service, honest advice. (415) 742-9166 **Hi-Tech Audio**

SEE OUR AD IN MARKETPLACE pg. 218

Used Equipment For Sale: TASCAM 644 POTSTUDIO, 644 Midstudio, 8-channel, stereo. 4-track cassette w/dbx, \$900; ALLEN & HEATH CONSOLE. SR-424 w/power supply, 4-group, stereo and mono outputs, 24 inputs, Stereo and mono P.A. applications and stereo/4-track recording, \$1,400; SONY PCM-501; SONY PSM-701 digital processor, can be used with any VRC to turn VCR into digital tape recorder, \$800; ROLAND DM80-8 remote and mixer, \$5,000. Mention this ad and get 1/4" TS or T.T. TRS T.T. Bays, these items for their discounted DARRIN.

Trident Series 70 mixing desk. 32 input, 4 aux., good condition, \$6.5k; Vintage RCA tube mic preamps. \$700 ea., (6) @ \$2.5k; Telefunken 16-channel mixing desk, Discrete stereo bus only, non-tube, \$4k, (610) 604-0248.



SEE OUR AD IN MARKETPLACE pg. 217



DAN ALEXANDER AUDIO BUYS, SELLS AND REPAIRS **RECORDING EQUIPMENT.** (415) 546-0200 FAX (415) 546-9411

Akai ADAM 12-trk digital recorder w/remote & meter unit, 0 hrs., under warranty, \$4,300; Amek Hendrix 40-input console w/Supertrue automation, \$55k; Turtle Beach 56k digital editor, \$600. Ph: (910) 632-1004. Fax: (910) 632-9765.

ADC TT Patchcords NEW! \$8.95

\$99 up. Trade-ins? We sell all kinds prices. (800) 300-0733; ask for of used gear. Audio Village (619) 320-0728. Fax: 320-2454.

BOUTIQUE AUDIO & DESIGN

Custom racks and power supplies for all vintage modules. Qualified vintage microphone repair and restoration. Guaranteed repair and restoration of all vintage recording equipment. 414-Tube mic mod. sounds great, priced right. E-mail boutiquea@aol.com, Web: http:// home.navisoft.com/boutiquea. PH (818) 708-7716 FAX (818) 708-7105.

Soundcraft 8000 24-ch. frame w/matrix config. with 20 mic & 4 St. line inputs. Mic mod provide 4-band EQ with sweep 2 middle bands, input atten, phase rev, phan. power ch selectable, 8 aux mixes (jumper config to pre/post send). 8 gp out, 8x8 matrix, to St. output. H/phone/cntrl room mix. 5 yrs old used in fix local. New \$20k. used \$7,500 +ship. Contact Jim Evers at Corn Stock Theatre, PO Box 412, Peoria, IL 61651-0412. (309) 676-2196.

SOUTHERN CALIFORNIA **PRO AUDIO**

NEW, USED AND VINTAGE THE LAST CALL YOU'LL HAVE TO MAKE! Phone: (818) 222-4522 Fax: (818) 222-2248

Marantz CDR 610 professional CD recorder. Like new. \$3,200. Sony F-1 portable with AC power adapter, \$500. Call Steve at (818) 762-2232.



MAJOR STUDIO SALE

Studer A820 24-track, full remote, auto-align, very low hours. pristine, \$44,625; 24 Dolby CAT-280 SR cards, \$12,400; Klark-Teknik DN60 RTA w/AKG 451-E, \$1,399; Dolby 360SR (2) NR units, \$1,230; Luxtrol 1800W studio dimmers, \$350 ea.; TimeLine LYNX units, \$1,475 ea.; Sony VO5800 3/4" video deck, \$2,328; plus lots of other Class A studio gear in superb shape. For a complete listing call (802) 862-5184 from your fax machine. Questions? Call (802) 658-1270. ext. 201.



MEYER: MSL3, \$2,600 + \$120 alum, dolly; 650R2, \$1,200; M-3T \$1,250; M3, \$1,100; B2-AEX, \$800. EV: MTH4/64BPF +MTL4BPF w/dolly, \$6,100 per stack. DELTAMAX DML-1162APF. \$1,325. ADAMSON: B218F, \$1,200;MH-225F/DH-1A, \$1,580; YAMAHA PM1800-40 w/case, 2 supplies,\$12k. SOUNDTRACS MR3210 monitor console w/case, 2 supplies \$5,500. AVOLITES QM500-90 console with case \$15.5k, ELECTROSONIC 3 by 3 VIDE-OWALLS (Hantarex) Com 36, \$14k; Pic Bloc 3, \$22k. All Consoles: Neve 16x4x2, 10x2, 8x2 Spectral Digital Workstation equipment professionally maintained and in excellent condi-Benny (716) 854-3607 or (416) 752-1371 WESTBURY NATIONAL rus/Delay. (804) 464-4924, Wind-Show Systems.



35mm MAGNETIC DUBBERS: Magna-Tech Reproducer/Recorders w/Interlock: MD-235, MD-636, MR-436 for sale. Call Michael Temmer. (212) 206-1475. Fax: (212) 929-9082

• Telefunken U48 (original, mint) • 16 trk, loaded, less than 1 year U48 (modified) • RCA-77D • '62 old, warranteed, paid \$24k, asktion. No Sales Tax! Rob or Strat • Mitsubishi X86 • Aphex B ing \$14k. exciter • Rockman Sustainer/Chomark Recording



VINTAGE USED

CONSOLES: SSL Digital Post-Production System, call*SSL 4048 E/E 32 in, \$135k*SSL 4040E/G, \$125k*SSL 6018E/C (24E, 24C), \$175k*Neve VR60 w/FE \$325k*Neve 8038 (32 1081), \$125k* Neve 8108 w/Necam auto, \$45k*Neotek Elite 32x26, \$21k*Trident 70 28x16, \$11k*TAC Scorpion II 24x16, \$7.5k*Trident 65 32 in. \$7.5k*AMS Audiofile. RECORDERS: Studer A80, 800, 827, 820, call*Otari MTR 90II, \$18k* Otari MX80, \$15k* MCI JH24, \$8.5k* Tascam MS16 (30 ips), \$4.5k. MICS: Neumann U87, 67, 47, M49. TLM70. call* AKG C414. C12, "The Tube." REVERBS & DELAYS: AMS RMX16 w/remote, \$5k* Lexicon 480L, call*Lexicon PCM70, \$1,350*Roland R880, call*Yamaha SPX90, \$375. COMPRESSORS: Neve 83065 stereo (Discrete)*(2) UREI LA4, call*MODULES: API 10-space rack (4) 550a, (2) 512, (2) Neve 33114, call. MONITORS: Quested & KRK.

WE BUY NEVE & API MODULES, TUBE GEAR, VINTAGE MICS. WE ALWAYS NEED LEXICON 480Ls and EVENTIDE H3000s. We need Neve & SSL listings; customers waiting. NEW EQUIPMENT: Lexicon*Drawmer*Demeter*Millennia*Focusrite*tc electronic*Eventide*Manley*Fostex*FM Acoustics*AKG*Brüel & Kjaer*Quested*Hafler*KRK*Neotek*Beyer*T.L.Audio*ADL*dbx*Sennheiser*AT*Symetrix*Soundscape Workstations*Proco*



You're not going to pay a lot for used equipment!! We can help you get affordable used Pro Audio equipment: P.A., amps, boards, etc. We can help sell your used equipt., too! Shure SM59 mics @ \$50

- Crest 4001 amps @ \$675
- Soundcraft Europa 40 @ \$25k • Yamaha PM 3000-40 @\$19k

Call, for details & EREE cataloo. H.T.I.C.S. (610) 865-9151 Fax: (610) 758-9999 E-mail: HTICS@aol.com

Liquidation-Lots of Stuff! Phone: (813) 747-2282 Fax: (813) 748-8436 CompuServe: 70662.3050



heard it knows.

NEW! VT-2 Dual Channel

Vacuum Tube

Microphone Preamplifier

D.W. FEARN

610-793-2526

P.O. BOX 57 * POCOPSON, PA + 19366

Fax 610-793-143

CUSTOM NEVE 56-INPUT, 52-BUS CONSOLE WITH GML MOVING FADER AUTOMATION, \$110k OBO. Every imaginable update & modification has been done, incl. doubling the patchbay size. This console has been well-maintained & is in excInt. cond. Please contact Dave Rosen @ Ocean Way Recording (213) 467-9375. We would also consider taking equipment in trade!



Don't Settle For Dropouts Get Top Performance! Tel: (305) 749-0555 Email: bigdisc@aol.com





Dynaudio Equi=Tech Eventide Focusrite Fostex-Pro Genelec Hafler KRK Lexicon Mackie Microtech-Gefell Mogami MRL Neutrik NTI Optifile Otari Pro-Co Sonex Sony-Pro SPL Soundcraft Soundfield Studio-Technologies Summit-Audio Timeline TL-Audio Tube-Tech Uptown Vac-Rac 4000 Z Systems and many more. AUTHORIZED SERVICE

AMEK/Langley DDA Fostex Mackie MCI Otari Soundcraft Tascam 9982 MONROE #407 DALLAS, TEXAS 75220 FAX: (214) 358-0947

PHONE: (214) 358-0050

Equipment for Sale

Service Company

The AMPEX Source

- · ATR100 sales and complete restoration services
- 1/2" Two Track Mixing and Mastering conversions featuring performance selected Flux Magnetics precision heads. Performance plots provided with each conversion Recontour and wear tracking services for all heads we sell
- Introducing HDV-2 Modular Tube Electronics for the ATR100.
- Ultra low flutter mastering grade Urethane Capstan Assemblies for ATR100 and ATR124.

Contact: Michael Spitz Voice or Fax: 415-574-1165

REP- Pro Audio & Video

"Digital A/V at its best" Recording & Editing Systems Outboards/Software plug-ins, etc... (413) 592-1153 9-5 pm est Fax: (413) 598-8282 e-mail @ REPPro

Looking for new/used recording, keyboard, or outboard equipment? We've got tons of super clean used, as well as new products from Tascam, Alesis, Kurzweil, Roland, Mackie, Genelec, Lexicon, Fostex, Yamaha, Korg, and hundreds more. Discount pricing and Worldwide Delivery! 66 years in business. Trade-ins welcome. Visit our new 22,500-sq.-ft. location. Call, write or fax us today for price quotes and details. Also, find us on the Internet at sales@caruso.net. Start saving money today! Call Caruso Music, 94 State St., New London, CT 06320 USA. (203) 442-9600. (203) 442-0463/fax.

Telefunken V72, 76, 77, 78, U-73, Telefunken Tubes UF14, EF-14, EF804S, AC 701. Neumann mics, many more; for actual list, call Christian (212) 674-5712 or Akzent Audiotechnik. Germany. 0049-(0)721-373622. Fax 373611.



WE BUY, SELL AND TRADE VINTAGE EQUIPMENT

HERE WE GO...KICKING & **SCREAMING INTO THE 90s**

YOU CAN NOW VISIT US ON THE WORLD WIDE WEB!!!

http://www.mercenary.com

YOU CAN FIND OUR LATEST IN-STOCK LISTS

GET REAL EQUIPMENT **REVIEWS FROM GUYS** WHO CAN BARELY WRITE, BUT KNOW HOW TO MAKE GREAT SOUNDING RECORDS.

LEARN ABOUT RECORDING **TECHNIQUES FROM REAL** ENGINEERS...NOT JUST SALES WEASELS...SPECIAL **GUEST APPEARANCES** FROM THE REAL PROFESSIONALS.

SOON YOU'LL EVEN BE ABLE TO SCORE INCREDIBLY COOL MERC SWAG (SHIRTS, ETC.)

"this is not a problem"

IF YOU'RE NOT A COMPU-GEEK (508) 543-0069 TEL (508) 543-9670 FAX

Mix Classifieds (800) 544-5530





SONIC BOOM!

The German V-Amp-Specialist! You like tube EQ's & Mic pre's? A V72 w. high-frequency shelf is the solution. Direct w.+4 out is also avail. Call for details, 100% money back + 50% of ship.! Call (415) 642-8586/ Fax (415) 642-8589.



SEE OUR AD IN MARKETPLACE pg. 217







Consoles • Recorders • Microphones **Compressors** • Preamps • EQ's • Effects

We specialize in precision rediaphragming of vintage microphones.

Let us refit your damaged or sonically inferior mic with a brand new diaphragm.

Highest Quality • Like Original We can redo the following diaphragms: U47, U48, M49, SM69, UM57, U67, U87, SM2, KM54, KM56, KM84, CMV563

We stock: Capsules, Tubes, Connectors, Cables, Mounts, Mic Boxes, Power Supplies



Phone: (818) 992-0999 Fax: (818) 340-4331 We Buy & Trade Equipment


Used Sennheiser MKE-2 lavalier microphones Tested and ready to go! \$99,00. Masque Sound & Recording (800) 307-8666 x32 Fax (201) 939-4704.

ODYSSEY PRO SOUND

New & Used quality equipment Ground-up Studio Design & Install

Consoles*Tape Machines*Mics* Outboard*Vintage* Tube*Classic

Quality & Satisfaction Guaranteed! Buy, list, trade quality audio gear. Call for new equipment quotes!

FOR CURRENT LISTINGS CALL Tel: (508)744-2001 MC Fax: (508)744-7224 VISA

EQUIPMENT BEST SELECTION OF DIGITAL/ANALOG RECORDERS, CONSOLES, DAWS, OUTBOARD GEAR Neve VRP48 Mint, Otari DTR900-BII, Yamaha 02R, Otari Consoles, Alesis ADAT, Tascam DA-88, Sony PCM800, Otari Radar 24TK, Pro Tools III, All Digidesign Plug-Ins, Mackie 8-Bus, Apogee AD1000, Lexicon PCM80/90, TC Elec. M-5000, CD Recorders, API, GML, ADL, Summit, Focusrite, Demeter. Lucas, TL Audio, Neumann, AKG, Microtech, RØDE, B&K, Genelec, Dynaudio. Studio and System Design,

NEW, USED, DEMO

Financing, Factory Service/ Installation, Experienced and Knowledgeable Sales Staff. EAR PROFESSIONAL AUDIO (602) 267-0600

http://www.ear.net

96-pt., TT-BALANCED PATCH-BAYS. Switchcraft D1634B. Not the cheaper imitations. For a limited time, available at AVR for \$229 (cash price only). Quantity pricing upon request. Call (617) 924-0660 or (860) 289-9475.

NEVE 8128 CONSOLE

56-input w/Flying Faders. Completely rebuilt. Custom VUs. All extras! \$135,000. **Ampex ATR 102 1/2-inch machine**. New record head, \$4,900. Call Mike (516) 481-0100.



Buy, Sell & Trade New
Used & Vintage Equipment
Custom Vintage Module Rack Systems
Refurbishing, Repair & Maintenance Services

Premier dealers for

AKG • ADL • API • Aphex • Bruel & Kjaer • BSS • dbx • DDA Demeter • Drawmer • Dynaudio Acoustics • Eventide Focusrite • Fostex • GML • Hafler • KRK • K-T • Lexicon Mackie • Neotek • Otari • Quested • Sennheiser • Soundtracs Tannoy • TC Electronic • TL Audio • Trident • Tube-Tech

Design, Sales & Installation

Currently Available: ADL 200 2 chnl Tube D.I.\$650 • ADL 1500 Stereo LA-2A type Comp \$2,650 • Api 550B \$1049 • 550A1 \$650 • 560B \$595 • API 28x16x24-Mint 60K • Amek MozartRN 48I/O \$95K • Neve 1066 \$1.6K • Neve 1272 \$500 • Neve VI-48/Necam 90k • SSL 4056E/GTR \$175K • Neumann U47-U67-U87-M49-Call • AKG C12VR 3,500• Teletronix LA-3A \$2K/PR • Urei LA-4 \$1400/pr • Trident 80 32x24 \$25K • AMS RMX-16, 1580S \$4K • Tube-Tech CL1B \$1.7K • Telefunken V78 \$850 • TL Audio Valve Comp \$1.5K • Otari MTR-90II \$20K • MX-80 \$15K • Studer A827 \$35K Sony JH-24 w/ALIII \$14K • Neve V Rack-3 Eq/MicPre & 2 Dyn \$6k • Pultec EQH-2 \$2K • Lex PCM70 \$1.4K • Lex 300 \$4K • AKG C24-Mint \$7K • More gear in stock, call for complete list • VISA/MC

Ph 617-982-2600 Fax 617-982-2610 357 Liberty Street Rockland, MA 02370 Dolby SRP rack, 24-ch. of SR with harness, pristine condition (one owner in home studio), \$12,300 OBO; Aphex 9901 EQ for dbx 900 Series or similar rack, \$225; 3M Studio tape dispenser, \$60. Call Ross at (310) 829-3135.







AUDIO UPGRADES 6410 Matilija Ave. Van Nuys, CA 91401 (818) 780-1222 Fax (818) 346-2308



Now available in the U.S. exclusively from: Sunset Sound, Hollywood (213) 469-1186 • Sales (800) 446-7677 • "Electronics for the Real World"



Equipment for Sale

HIP STUDIO & MUSIC GEAR ADR, AKG, Ampex, API, dbx, Eventide, Fairchild, UREI, Focusrite, Hammond, Hohner, Lexicon, McIntosh, Moog, RCA, Roland, Teletronix, White, etc. (805) 967-9494, leave fax #.



Sennheiser RS 2012 "Six Pack" VHF RF A high-quality, portable 6-channel system featuring: • 6 SK 2012 Body packs with MKE 2 mics EK 2012 Receivers • 2 SKM-4031 handheld mics Near mint condition. \$7,000 (800) 307-8666, ext. 32 Masque Sound & Recording.

For Sale:

EUROPEAN VINTAGE TUBE! TELEFUNKEN/SIEMENS Mic Pre V72, V76, V78 (ALSO BULK) NEU-MANN TUBE MICS COMPRES-SORS, EMT, more ASTROMAN LONDON for prices Phone 011-44-171-224-2090 Fax 011-44-171-486-4696



IN STOCK!! NEUMANN U47, U48, M49, KM64, KM53, SM69 tube+FET, M269, U64 AKG C12, C24, C61, 422, SCHOEPS 221b, STUDER A800 MkIII \$32k; NEVE 16x2 Kelso, NEVE 5316 36x8x16 w/3311(4), NEVE 8x2 (pre's, \$10k, highpass), NEVE 24x6, \$19k; NEVE 24-input mntr. mix, \$3k; NEVE 5104 16x4, \$10k; NEVE 5104 Baby V Ch. Strip (dynamics 4-band EQ), NEVE 31105 EQ/pre, NEVE 1079 (same as 1066), NEVE filters/gates, 33115/33114 (3-band EQ), \$850/\$950 ea.; 2254a; 33609, 1279, API 325 cards, CALREC AM6/17A comp., \$1.8k/pr; CALREC 40x24x24 w/PQ15, Q-8 PACI-FICA, \$7k; FOCUSRITE RED2, \$2.8k; ALAN SMART SSL comp., \$3.2k, new; CALREC PQ14/PQ15/1161, AUDIX 35102 EQ/pre, V76, \$850; V76m, \$950; V72, \$500; DOLBY-A 16-chan, SONY BVU5800 3/4", \$950. Call for list of SSL/NEVE.

> VINTAGE KING (313) 965-0645p (313) 964-3338f. E-Mail rustbelt@ix.netcom.com



FOSTEX FOUNDATION 2000 WORKSTATION. Includes: main processor unit, 540 meg RPE hard drive (bigger drives available), remote control (HUI), 8x2 Mixer DSP card, 5 DSP Expansion slots, synchronizer, 2-ch. I/O card, other options available. New dealer demo, priced to liquidate. Call Richard at Richard Audio Inc. (514) 733-5131.

Soundcraft Sapphyre mixing console, fully automated, mint, still under warranty. Asking price \$25,000 U.S. Also, Dynaudio Acoustic speakers M3 studio line, (2) 12' each. Purchased August '95, \$10,500. Call or fax (514) 489-6639.

> NAGRA D Digital NAGRA STATE-OF-THE-ART 4-channel 24-bit reel-to-reel Aluminum Case, Power 7" Reel Adapter, Battery (301) 229-1664 Never Used



Equipment Rentals

HARBOR SOUND PRO AUDIO RENTALS PH: (617) 231-0095 FX: (617) 231-0295

CLASSIC EQUIPMENT RENTALS

The largest collection of NEW & VINTAGE Pro Audio Gear!

Featuring: Tube mics

Tube limiters,

NEVE/API modules, Vintage outboard gear

Also in stock:

Apogee 20-Bit converters, Tube Tech CL1b/LCA2b limiters Sony PCM 3348 Tascam DA-88 8-ch digital rcdr Sony PCM-800 8-ch-digital Timecode DAT Recorders Sony 9850 3/4" Deck Pro Tools III Genelec 1031a monitors CALL (213) 467-3432

Subscription Questions?

(800) 843-4086

Equipment Wanted

LATHE WITH HEAD AND ELECTRONICS Rob: (419) 536-2302 Fax: (419) 536-3273

CUTTING LATHE WANTED NEUMANN VMS-80 WESTREX, SCULLY GRAMPIAN, GOTHAM FAIRCHILD, ORTOFON heads, amps, tube limiters prefer complete working system. Kim (612) 869-4963

EQUIPMENT WANTED BUY OR TRADE YOUR USED MULTITRACK RECORDERS AND CONSOLES EAR PROFESSIONAL AUDIO/VIDEO (602) 267-0600

We want your used keyboard, recording and audio equipment. We'll airmail you \$\$\$ or take your stuff in trade toward over 350 brands of new and used products. Come in or do it all through the mail. 66 years in business. Worldwide delivery. Visit our new 22,500-sq.-ft. location. Call, write, or fax us today for price quotes and details. Also, find us on the Internet at sales@caruso.net. Start saving money today. Call Caruso Music, 94 State St., New London, CT. 06320 USA. (203) 442-9600. (203) 442-0463/fax.

MERCENARY AUDIO WANTS TO BUY YOUR:

NEVE-SSL-TRIDENT-AMEK UREI-TELETRONIX-FAIRCHILD PULTEC-LANG-LEXICON UNIVERSAL AUDIO-NEUMANN AKG-TELEFUNKEN-AMS ANYTHING THAT IS OF EXCEPTIONAL AUDIO QUALITY!

"this is not a problem" (508) 543-0069 TEL (508) 543-9670 FAX

Instruction

MUSIC RECORDING INDUSTRY CERTIFICATE PROGRAM

San Francisco State University College of Extended Learning. Classes taught by Bay Area pros. Expand skills and earn certificate. Engineering, management, songwriting & more!

Call (415) 338-1373.



COMPASS POINT **RECORDING SCHOOL**

Learn the arts of audio engineering and record production. An intensive training school in one of the world's greatest studios in THE BAHAMAS. For information packet write: Box CB-13045, Nassau, Bahamas or call (809) 327-8282



Style Programs Limited Enrollment Call for Video & Brochure 1-800-914-8004

Mix Marketplace Mix Classifieds

For Rates and Deadlines Call Robin Boyce

(800) 544-5530

email: boyce mr@elvis.cardinal.com

Maintenance **Services &** Repairs

HEAD RELAP/REPLACEMENT

multitrack analog specialists

iem Palatine, IL (800) 227-4323

LEXICON 200 & 224 DIGITAL **REVERB SERVICE**

Expert service repairs on all models. Quick turnaround and warranty. Service for Lexicon Prime Time Delays also available. (508) 875-1076 after 6 p.m. EST, or leave message.



Worldwide distribution by: AXI

• dealer inquiries welcome •

Your music on

Cassettes & Vinyl

CDs from 1 to a million

Low prices . fast, friendly service

Everything included, no hidden charges

Mastering, Sound Enhancement

847-945-6160

Big Dreams Studio

Recording

Services

300 Chrome (up to 45-min.) 4-color J-Card, Imprint, Shrink, \$649.99 includes P/U + Grnd shipng. Visa/MC/Disc. ACCU-RATE AUDIO LABS INC. (800) 801-7664 SINGLE COPY S Prices start at \$29 for one disc! Includes: Insert & tray cards, disc labeling, photo on artwork, paper & font choices, 1-2 day turnaround & return shipping! Discounts start at 2nd disc! . Call for info-pack

SHADEX 713-988-6626



DRT Mastering You will have the big, high-impact major-label sound that sells discs. or the work is free! Custom signal chains. First class results. Outrageous replication prices. Free brochure. 800-884-2576 www.drtmast





CUSTOM COMPACT DISCS Affordable single-copy CDs starting at \$30. Write, call or fax for information. **46 PRODUCTIONS** 42W557 Hawk Circle St. Charles, IL 60175 TEL: (800) 850-5423 FAX: (800) 2C3-1725 email: FortySixP@aol.com.



CD-AUDIO/CD-ROM

CASSETTE DUPLICATION • VINYL RECORDS

Replication for Labels & Multi-media Producers

Also, Complete, Retail-Ready Packages with Graphics Design & Packaging.



Manufacturing for Independents, Since 1977



Good Vibrations-RJR Digital COUR VIDENTIAL OF SARY STREAM OF THE ADDREAM O TOTALLY RETAIL READY! Eax On Demand: 1-800-828-6537 Customer Service: (619) 267-0307



Complete CD & Cassette packages!



Retail ready including full color inserts 500 1,000 300 CD's ⁵975 §1075 ⁵¹⁶³⁷ \$752 *396 °506 Cassettes

Bar-codes, CD-Rom, CD-R, Mastering, Design and Film services available.

1-800-928-3310 World Audio Video Enterprises









adic

tio & Video

CD Sonic

RAW CD's

75¢

Got More Time Than Money?

Try the Do-It-Yourself Klarity Kit

D-ROM

Our

628-5805

5 vr. voung 6 bedroom (3 full & 2 half bath) HOUSE FOR SALE with IN-HOUSE RECORDING STU-DIO. Blueridge Ave., Silver Spring, MD. Washington Metro area. Call Phyllis Newman, (800) 435-9001 or (301) 604-1897, also http://www.remax.com.

Video Equipment, **Services & Supplies**

VIDEO w/TC FOR LOCKUP Rebuilt 3/4" w/Warr., Betacam. " VTRs: SONY, JVC & AMPEX. JVC & SONY Remote Controls. SONY VP-5000, 5600, 5800, 5850, BVU-800, 950, VO-9800, 9850. Four-Month Warranty. (212) 580-9551/(212) 206-1475. Fax: (212) 929-9082. Michael Temmer.

Miscellaneous

MASTERING

REPLICATION

PERSONAL

Floony Disl

Tel: (617) 424-067 Fax: (617) 424-065



EXPERT 330 WEST 58th ST NY, NY 10019 The Power of Excellence SM **RUSSIAN DRAGON**

TIMING ACCURACY METER RD-R \$499 RD-T \$249 Try a Russian Dragon for 2 weeks



PACKAGING

POSTERS

Join the thousands of audio professionals who rely on Mix Classifieds and Mix Marketplace pages as their source for buying. selling, renting, & repairing pro audio gear.

MIX CLASSIFIEDS/MIX MARKETPLACE (800) 544-5530



RECORDING

SUPPLIES

ONO

TDK AMPEX 3M

BASF MAXELL

Cassettes • Reel-to-Reel Tapes

C-0's • Cassette Albums • Labels

R-Dat's • CDR's • Video Tapes

Data Storage Media

ARCAL CORP.

2732 Bay Rd., Redwood City, CA 94063

TOLL FREE 1-800-272-2591 FAX 415 369 7446

ARCAL

8 DUPLICATING



V/SA

MIX CLASSIFIEDS WORK FOR YOU

Text rate:	\$100 per inch; eight (8) lines per inch (approximately 27-32 character spaces per line); one-inch minimum. \$10 per bold line. Each space and punctuation mark counts as a character. \$100 minimum charge for each ad placed.	
Enhancements:	\$10 black border, \$15 for a grey-screened background, \$25 for a reverse, \$25 for Post Office box service. Charges are based on a per-insertion basis.	
Display rate:	\$125 per inch (1" minimum/half-page maximum). Display Classified advertising must be camera-ready, sized to MIX column widths and specs. Frequency discount rates available; call for information.	
Closing:	Fifteenth of the month, six weeks prior to the cover date (ex: April issue closing is February 15). Ads received after closing will be held for the next month unless otherwise stated. Cancellations will not be accepted after the closing date. Copy changes and cancellations must be submitted in writing.	
Other requirements:	Full street address (PO boxes aren't sufficient) and phone numbers must accompany all requests. All words to be bold should be underlined. Copy must be typed or printed legibly in standard upper/lower case. Publishers are not responsible for errors due to poor copy. Arrangement of characters may be altered in typesetting process due to space. The publishers are not liable for the contents of advertisements.	
The small print:	No stated or implied discounts allowed on new equipment sales. Publishers reserve the right to refuse or discontinue any ad deemed inappropriate.	
Send coupon payment to:	Mix Magazine Classifieds: Attn: Robin Boyce, 6400 Hollis St., #12, Emeryville, CA 94608, tel. (800) 544-5530 or (510) 653-3307; fax (510) 653-8171. email: boycemr@elvis.cardinal.com. Payment must be included with copy: check, Visa, MasterCard, or American Express accepted. Sorry, no billing or credit available.	

CATEGORIES AVAILABLE (check one):		Attach Your Classified Ad Copy on a Separate Sheet, Typed Double-Spaced or Printed Clearly in Capital and Lower-Case Letters.	Display (\$125 per inch) \$ Text (\$100 per inch, \$
Business Opportunities Employment Offered Employment Wanted Equipment for Sale Equipment Wanted Equipment Rentals Financial Services Instruction Maintenance Services	 Multi-media Music Products/Software New Products Records, Tapes & CO Services & Supplies Recording Services & Repairs Services & Supplies Studios Video Equipment Miscellaneous 	Company Name Name Address (no PO Boxes) City State Ztp Phone () Signature	One-inch minimum) Bold @\$10 additional \$ Border @ \$10 \$ Reverse @ \$25 \$ Screen @ \$15 \$ Blind P.O. box @ \$25 \$ DTAL PAYMENT INCLUDED \$ J Visa JMC JAMEX J Check/Money Order # Card # Exp.

Mix Reference Disc



The editors of *Mix*, the world's leading pro audio magazine, proudly present the **Mix Reference Disc**. This collection of test tones on compact disc is invaluable for a wide variety of applications in recording, studio maintenance and audio post-production. It features alignment tones, 1/3-octave bands, frequency sweeps, a digital black noise check, frequency response tests, dry instrumental performances, SMPTE time code, a phase test, and tuning notes. The **Mix Reference Disc** replaces expensive analog alignment tapes and unwieldy tone generators—at a far lower price than competing test-tone CDs.

Use this CD for:

- Tape Deck Alignment
 Audio Equipment Calibration
- Testing Sound System Performance
- Troubleshooting & Diagnostics

SPECIAL HALF-PRICE OFFERI Regularly \$29.95, now only \$14.95

plus \$4 95 shipping & handling, specify item MRD CA, CT, IL, ME, NY, PA and TX residents please add state sales tax, Cariadian residents include 7% GST.

ORDER NOW! Call toll-free (U.S. and Canada): (800) 233-9604 International (908) 417-9575; 24-hour fax (908) 225-1562 (credit card orders only)

or write: Mix Bookshelf; c/o Whitehurst & Clark, Inc., 100 Newfield Ave., Edison, NJ 08837-3817 We accept Visa, MasterCard, American Express, Discover Card, personal check or money order. Sony, no CODs.

MIX Reader Service

For more information about products and services advertised in this issue, fill out and return *Mix*'s postage-paid reader service card! You'll receive information directly from the advertisers whose products interest you.

INTERNATIONAL UPDATE

-FROM PAGE 74. INFLIGHT PRODUCTIONS audio and video on demand. Before too long, all passengers will have individual video screens that offer a variety of films, short subjects, shopping programs, games, etc., as well as extensive music programming, "They'll be MPEGencoded systems, where, instead of it being a tape source or a CD source, it's going to be driven from a hard disk file server, and this information will be downloaded to your seat. It will help the airlines in terms of space and reliability, and it will help with securityyou won't have all these videos to lock up. They're doing things with technology that's on the ground but hasn't been generally used by airlines yet." The implications of this are tremendous as far as IFP is concerned. It's as if one company was providing all the audio and video programming for all three TV networks and was suddenly presented with cable. Business will be more than booming.

To increase the company's efficiency, and in preparation for big changes about to break in in-flight entertainment, IFP is in the process of building a large studio complex, designed by consultants AVD and architect Humphrey Cook, to accommodate the facility's audio and video operations under one roof. Mantle is working with consultants from SADiE to network the rooms and complete the company's transition from quarter-inch to all-digital editing. "The audio side is moving over in four months' time, and at that point we'll have gotten rid of all of our quarter-inch machines, and we're going to go for it," Mantle says. SADiE is also working alongside the IFP engineers to help develop new systems of working that will make the best use of the new digital equipment, and Mantle and his staff are really enjoying the rare top-priority attention. "If you're flying an airplane, obviously the most important thing is that the engines work, and the navigational equipment. And the avionics engineers have to look after everything electrical on the aircraft. So the priority is that the navigational system works. We're usually at the bottom of the list. But the marketing departments will tell us if they get complaints because the tape player stopped or the CD jumped, because for passengers, one of the benefits of flying anywhere is that the in-flight entertainment is good. It's become a big thing."

THE FAST LANE

-FROM PAGE 20, FOR SALE

spot by air? How about last year's Digidesign acquisition by Avid, or the even more recent Spectral ingestion by Euphonix? Then in the past there was Electro-Voice to Mark IV, Kurzweil to Young Chang and Hafler to Rockford. See? wherever there is audio, gasoline is nearby. There seems to be at least as much food chain activity in our little industry as there is in the software world.

What does it all mean?

SMELLY THINGS: BUSINESS

Sometimes these consolidations are a great improvement. There are situations where a small but technically cool little company has the chops to develop a very nice product, but just doesn't have the bucks to manage a competitive presence. Then maybe a nice big company comes along and offers to provide that financial clout in return for 60% to 90% or so of the little company. It is

It may be worth watching to see who really owns the company that made what you bought.

done, sales go up 1,500%, and all the people in the little company make more than they ever would have if they had tried to do it all alone, and the big company makes still more yet. Everybody wins—the original developers, the acquirers, and us, the customers.

Sometimes companies are bought just because a larger company wants to dominate the market the old-fashioned way-they buy it. They simply buy out their competition, tell everybody that there has been a "merger," and wait until somebody goes to the trouble to look into the deal and find out that it was an out-and-out acquisition. Then they claim that they will let the new acquisition run as an independent, wholly owned subsidiary for a year, and then they simply stop supporting the product and, when pushed, announce that the product is no longer made. A great trick if you've got the bucks: Buy

your competition, murder it, wait a few more months and incorporate whatever good stuff they had that you didn't into your next toy.

And then there is Vulture Capital. This stuff is great. The little guy invents something and then can't quite get the money together to get it to market. The vultures come in and give him all the money he needs, in return for all the children he will ever have in his life, and all the children his neighbors will ever have. The little guy spends years developing the toy, the big guy brings it to market, and the original inventor stands at the exit of 1-5 selling oranges to cars stopped in rush-hour traffic.

And this is nothing. Japan has technical alliances and acquisitions down to a true art! They generate and dissolve technical alliances and consortiums as needed to maintain a financial profile that is basically impossible to compete against. For some reason, every time an American company tries this elaborate financial/political balancing act, it falls over and goes boom. (Remember the big U.S. memory consortium about a year ago?)

Oh, yeah, the point. So what does all this get us? Well, in general, we, the audio industry, have been very, very lucky so far. The majority of all this dancing has actually helped the products, made them stronger, made them last longer. Though technical support seems to get worse as the owning company gets larger, the operation manuals get better, and the product usually gets tested more thoroughly to start with, so there are fewer technical problems to start with. All in all, this musical-chairs consolidation game doesn't seem to be hurting us. Keep in mind that this is pure luck; it could have easily gone the other way, as it has in many other industries.

Still, it may be worth watching to see who really owns the company that made what you bought, and then who buys the company that made what you own. It might still all go bad at any time, with no notice.

It's getting like the stock market you might get stuck with heavy losses if you don't move fast when some big corporation makes a move. And you thought all you had to watch for was hardware obsolescence. Ha!

SSC owns no fewer than five perfectly good graphics programs and eleven audio ones that are now totally orphaned, after having been eaten and um...ejected by acquiring companies.

.....

FEEDBACK

A N'AWLINS EDUCATION

Thanks for your stories about Cosimo Matassa and the New Orleans recording scene (March '96). As a staff engineer at Sea-Saint in the early '80s, I was fortunate to hear at least several thousand of Cosimo's stories about the people he recorded and the techniques he used to record them—everything from what Ernie K-Doe did with his first royalty check to why those Fats Domino records still sound so good today. I learned much more about the art and science of recording from those stories than I ever did in engineering school. Jay, you and Cosimo should write a book.

Now, more than ten years later, as an engineer in L.A., I use the knowledge I gleaned from the likes of Cosimo, Allen Toussaint, Skip Godwin, Roberta ("Queen of the ten-minute alignment") Grace and Marshall Sehorn as a young engineer in New Orleans every day. It's about time the importance of the New Orleans scene (past and present) is being recognized.

Bob Kearney Tarzana, Calif.

BIG MACK ATTACK

Regarding the interview with Cosimo, it should be noted that it was not Jeep Harned who engineered/mastered those "great big band recordings." It was Mack Emerman, former owner of Criteria Studios. Criteria was the proving ground for early prototype MCI equipment in the mid- to late '60s. Mack and Jeep worked very closely in the development of the first MCI boards. I know because I worked as a bench tech for Jeep, then as an engineer for Mack, and I never saw Jeep touch a board.

And for the younger folks, it's Grampian (cutter heads) with a "G," not "Rampian."

Chuck Kirkpatrick Cooper City, Fla.

P.S. Thanks for the Brian Wilson interview. The Beatles are why I started out in music. Brian is why I stayed.

MAKING A DIFFERENCE

Re: Paul D. Lehrman's "Truth and Con-

sequences: What We Do Makes a Difference—Whether We Admit It or Not" (February '96).

I very much appreciated this article, but probably wouldn't have written except for certain personal events that happened in the past week. This part of the world has not forgotten (and probably never will) the events that took place during the Second World War, and yet, unbelievably, skinheads and neo-Nazis are increasing in popularity.

I was given the opportunity of cooperation with a certain studio that services, among others, a neo-Nazi clientele. The realization that I made is that there is a difference between servicing neo-Nazis who make music and neo-Nazis who make neo-Nazi music. I can't and don't agree with everyone, but as long as I don't help them preach what I don't agree with, I'm okay. Make sense? Anyway, I may have lost the whole gig because of this fragment of the studio's clientele. I plan to show the owners this article-maybe if no studios and engineers would be willing to help these animals, then young airheads wouldn't be able to listen to their rot and would stop turning into neo-Nazis.

An American in Gdansk, Poland

BALANCING ACT

I read with interest your articles on Broadway sound in the February '96 issue. As a theater sound designer myself, it is always interesting to hear what others are doing in our little neck of the audio woods. Keep it up.

I do have one gripe! In the "Looking in on *Master Class*" article by Mark Frink, he quotes specific delay settings for various systems at the John Golden Theater. Am I supposed to be impressed? Unfortunately, I am not familiar with the dimensions of the theater, and Mr. Frink makes no attempt to enlighten me. Had the article included the relative distances between performer and audience, and SR system and audience, as well as the delay settings for the different coverage areas, I could have worked out what Jon Gottlieb was working to achieve in his design.

Conversely, Mr. Frink could have told me! Far more useful would have been

information about if the various systems were delayed for coherence or precedence, and what the relative delay/levels were at the listening positions for the direct sound vs. the reinforced sound. Or even simpler, was the delay used to correct multiple arrivals, or induce imaging, and how effective was it?

Mark Frink isn't wholly to blame for the way he wrote his article. Unfortunately, it highlights a trend in the audio industry, and the magazines that service that industry. I'm talking about the obsession with "gear," and the focus on what equipment you have, rather than how that equipment is used. Indeed, some articles in your magazine read like a catalog of sound equipment. I realize that it is what your advertisers want, but it's not what your readers really want or need. Mix engineers used to be called balance engineers. 'Mix' = Balance, Get it?

David E. Smith David E. Smith & Associates Boston, Mass.

MASTERFUL SOUND ON BROADWAY

Thanks for the detailed info in the article "Looking in on Master Class" by Mark Frink. I was really happy to have the info while on my way to the show last Saturday. From reading the article, I was looking forward to hearing excellent sound reinforcement, which I did. What you did not prepare me for was the absolutely amazing sound design production. It is an intricate tapestry. The weaving of live and prerecorded material was seamless, and it was brilliantly produced. The multiple levels of consciousness as expressed in the sound were impeccable, believable and enthralling. It is such a thrill to hear perfection. Bravo!

Howard Mandel Manager of Special Projects Rittenbouse Communications Yardley, Penn.

Send Feedback to Mix, 6400 *Hollis St. #12, Emeryville, CA* 94608; *fax* (510) 653-5142; or 74673.3672@ *compuserve.com*

INSTEAD OF BRAGGING ABOUT OUR 8-BUS CONSOLE AGAIN, WE THOUGHT WE'D BRAG ABOUT EDDIE KRAMER BRAGGING ABOUT OUR 8-BUS.

Okay, bragging is too strong a word. But we are very proud when one of the most important, rule-breaking, producers



JIMI HENDRIX

Sample Eddie's

latest work on

"In From The Storm,"

a brilliant.

orchestra

homage to Hendrix with

an astonishing

array of some

players in the

world. Leave it

of the best

to Eddie to

hreak more

rules. ('Net surfe<u>rs snould</u>

check out the

RCAVICTOR

rcavictor.com.)

For a great

read, pick up

the Jimi Hendrix

Sessions Ibook

by John

McDermott with Billy Cox

and Eddie

Kramer Little

Brown), and on video.

Adventures In

(available from

Mix Boakshelf, 510-653-3307).

Modern

Recording

Web Page @ http://

1015

in recording history has become a Mackie 8•Bus fan.

After all, Eddie Kramer's role in the making of popular music has changed its sound forever¹. His recipe? "Make a record unlike anything that's ever been heard." So, while other engineers in London were churning out England's formula Pop of the Day, Eddie Kramer was across the console from a strangelydressed young man from Seattle named Jimi Hendrix. Together, they broke practically every

sonic and musical rule in sight. The result was an aural legacy of such originality that it still sounds amazing -- even revolutionary -- a quarter century later.

Eddie hasn't gotten any more conservative over the years. So it's not surprising that a man with Kramer's receptiveness to change would add a 32-8 to his creative arsenal. A mixing console that costs hundreds of thousands less than those he's worked on for most of his awe-inspiring career



 Including Hendrix, Led Zeppelin, Kiss, Buddy Guy, and more recently, his work with other Mackae mixer owners: Sting, Javid Abbruzzese, Vinnie Colawita, Stanley Clarke, Tony Williams, Steve Vai, and Carlos Santana.

2. He hates the location of the 8+Bus' talkback button 3. According to Eddie. Eric Shenkman (Spin Doctors), Little Red Wagon Mobile Recording Studio, Bootsy Collins and John McEnroe have purchased 8+Bus consoles at his urging.



32•8 24•8 16•8

A console he says he likes for its "....sweet EQ, dynamic range, and cleanness."

Eddie wanted to do more than just take advantage of the creative and lifestyle options afforded by the project studio revolution. He also wanted to help DRIVE it. So a year ago, we agreed to lend Eddie a 32•8 in return for his feedback. Since then, we've learned Eddie is not shy about expressing his opinions. Luckily they're mostly good².

And Eddie Kramer recommends Mackie consoles to his associates, too³. In these cynical times (when pop stars accept millions to "endorse" products they admit later to having never tried), we at Mackie Designs think that's the only kind of "endorsement" worth having. If you're in the market for a serious but affordable mixer, we hope you'll take a close look at the only 8-bus console Eddie Kramer says is worth having.



SEE US AT NSCA BOOTH #1629

ТМ

16220 Wood-Red Road ● Woodinville ● WA ● 98072 800/898-3211 € 206/487-4337 Internet/ Saids@mackie.com ● Represented in Canada by S.F. Marketing 800/363-8855 Made for the way you play.



Turn it UP



With the all new TR Series loudspeakers, you can crank it *all* the way up. Because with protective SonicGuard[™] Circuitry, they are more bulletproof than any speakers in their class.

Fact is, we've already put the TR speakers through the most merciless torture test in the industry by cranking them at full throttle for 300 hours. So a 3-hour gig is just a warm up act.

And while you're playing hard, rest assured your sound is never compromised. With features found only in higherend speakers, the TR speakers always maintain a balanced output of crisp highs and killer lows.

At JBL our goal was to bring you a more affordable JBL speaker, not a cheap one. So turn it on. Turn it up. And give the new TR Series a listen. At this price, it's time to get a speaker that was made for the way you play.



H A Harman International Company

TR. MR. SR. The unbeatable line-up of sound reinforcement products from JBL Professional.