

New year, new design, new columns, more hot tips!

FEBRUARY 2005

# Electronic Musician<sup>®</sup>

PERSONAL STUDIO | RECORDING | PRODUCTION | SOUND DESIGN

## GUITAR AMP PLUG-INS

THAT WILL MAKE  
YOUR DAW SCREAM

*How to Create  
Great Game,  
Film, and Video  
Soundtracks*


*Pro-Quality Mastering  
On a Limited Budget*

*Three Top Engineers  
Sound Off*

## REVIEWS

Receptor vs Plugzilla,  
EmulatorX Studio,  
Sonar 4, Logic Pro 7,  
Big Knob, *and 8 more*

A PRIMEDIA Publication



**5 WAYS**  
TO LIVEN UP  
PERCUSSION  
TRACKS

[WWW.EMUSICIAN.COM](http://WWW.EMUSICIAN.COM)

# EXTREMELY



**TRITON  
Extreme 61  
now  
\$1899**

# PACKED

Sooner or later, it all comes down to sound, and no keyboard on the planet is loaded with as much sonic firepower as the jam-packed TRITON Extreme. With 160MB of samples and thousands of new and classic patches—including a breathtaking new piano—the Extreme overflows with an unprecedented depth and variety of sounds. But it's not just the quantity of sounds that makes Extreme...well, so extreme. It's the quality. Every sound is a gem that's sure to inspire. And our unique tube-driven Valve Force technology adds amazing analog character to each and every one.

The Extreme is also packed full of innovative features. With 120-note polyphony, dual USB ports, a powerful sequencer, our easy-to-use Open Sampling System, dual arpeggiators, cool Touchview interface and much more, it's everything TRITON taken to the Extreme!

TRITON  
L.E.

TRITON  
EXTREME

TRITON  
STUDIO

● Check out and buy TRITON accessories at [www.korg.com](http://www.korg.com)

© 2005 Korg USA, 316 S. Service Road, Melville, NY 11747 • (631) 390-8737

**KORG**  
[www.korg.com](http://www.korg.com)

Register your TRITON Extreme warranty online at [www.korg.com](http://www.korg.com) and get an extra year of coverage at no additional cost!

# SOFTWARE THAT SOUNDS LIKE HARDWARE



## INTRODUCING THE KORG LEGACY COLLECTION

> Only Korg could achieve this. We're renowned for our warm and fat sound, so when we set out to create softsynth versions of our MS-20 and Polysix analog synths, we had our own high standards to live up to. Simply put, the sound will blow you away. Our proprietary CMT (Component Modeling Technology) goes deep to model each transistor, resistor and capacitor of the original hardware, recreating the complete signal path of these legendary synths.

> You also get our new Legacy Cell which allows you to blend the voice architectures of the MS-20 and Polysix while adding Insert and Master effects to create sounds and combinations that have never been heard before. And because we joined the retro technology with state-of-the-art polyphony and editing capabilities, the new versions of these yester-synths run rings around the original hardware.

> We've even included a commemorative MS-20 controller: 858 equipped and 94% of the original size. To complete this killer collection, we've brought back the coveted Wavestation, packed with every sound from the entire series. It's also compatible with user patch data. In one surprisingly affordable package the Korg Legacy Collection gives you four amazing synths, twenty high-quality effects and a cool hardware controller that will help you create a powerful new Legacy of your own.

Runs as stand-alone synths or plugin VST or Audio Units synths/drivers under Windows XP or Mac OS X. For more complete system requirements, detailed information, demos and a dealer locator, log onto [www.korg.com](http://www.korg.com) • Monitor not included. • © 2004 Korg USA, 316 S. Service Rd., Menville, NY 11747 • (821) 386-8727

**KORG**  
[WWW.KORG.COM](http://WWW.KORG.COM)

what more

# Fireface 800

**56-Channel, 24-Bit 192 kHz FireWire Audio Interface**

- 4 Discrete Balanced XLR microphone inputs with class-A stage and 48 V phantom power
- 4 Discrete Line Inputs
- Hi-Z Instrument Input with Speaker Emulation, Soft Limiter and Distortion
- 8 Balanced TRS 24bit/192kHz AD/DA Converters
- 2 ADAT I/O with S/MUX, SPDIF I/O, MIDI I/O, Word Clock I/O
- Headphone/Line Output with Dedicated Volume control



# OctaMic D

**Advanced 8-Channel Microphone Preamp**

- 8 balanced XLR mic / line inputs
- 48V phantom power, low cut filter and phase reversal
- 8 channels of 192 kHz AD-conversion via 4 AES outputs
- 8 Channels of 96 kHz via ADAT outputs
- Signal to Noise Ratio of 129 dB!!!



**synthax**  
.com

5111 Market St.  
Boardman, OH 44512  
ph. 330.259.0308  
fx. 330.259.0315  
info@synthax.com

**contact us**

# do you want?

## *The World's Most Powerful FireWire Audio Interface!*


- 2 Firewire 800 & 1 Firewire 400 connections
- Up to 35 signal sources can be connected and recorded onto 28 separate tracks!
- Time Code Option (TCO) for LTC, video and VITC can be added
- Several Fireface 800s can be used in parallel and at the same time on one FireWire port
- Latencies down to 48 samples!!!!
- TotalMix and DIGICheck software included



## samplitude V8

*it just sounds better...*

- 5.1-channel surround,
- Surround effects and object surround
- Surround Room Simulator
- MIDI drum editor,
- Multi-editor for MIDI controllers
- MAGIX Analog Modeling Suite
- MAGIX Elastic Audio
- MAGIX Robota Pro
- Manager for file libraries, objects, tracks, segments and markers
- DVD audio
- ReWire support
- Remix/slice agent
- Full-screen video output (supports 16:9)



# today and get it all!

# Mastering Redefined.

**The World's First Auto-Summing Multi-Band Limiter** automatically optimizes headroom across all bands for a louder, yet more musical result.

**5-Band Phase Linear EQ** delivers sweet highs and punchy lows with zero phase distortion.

**Brick Wall Limiting** on 5 bands guarantees no overshoots without the hassle of adjusting 5 individual limiters.

**IDR Dithering & Noise Shaping** retains the finest sonic detail and ambience when requantizing.



**Priority Controls** let you tweak each band's attenuation for even more tonal character.

**Master and Individual Release Controls** let you maintain transparency or dial in as much vintage vibe as you need.

**Separation Control** blends band interaction from a crisp five band sound to a smooth wideband sound or anywhere in between.

## Presenting Waves L3

What could top Waves' acclaimed L2 Ultramaximizer? The L3 Multimaximizer™, a new concept in a mastering plug-in. Featuring multiband limiting, phase linear EQ, automatic headroom optimization, and unique controls that deliver tracks as transparent, vintage, dynamic or slammin' as you like. For fast action, use the L3 Ultramaximizer™, with its easy L2-style interface and big selection of expert presets. Either way, the L3 gives you truly one plug-in mastering.

**L3 Ultramaximizer™**  
Same sound, easy control



**Purchase or upgrade to Diamond or Platinum today to get your version of the amazing L3.**  
**Current Diamond or Platinum owners covered by the Waves Upgrade Plan receive L3 FREE!**



**Platinum Bundle Includes L3 Ultramaximizer™**

**Diamond Bundle Includes L3 Multimaximizer™ & L3 Ultramaximizer™**

**14 day demo available at [www.waves.com](http://www.waves.com)**

(HEADQUARTERS)  
Azrieli Center 3,  
The Triangle Tower, 32nd  
Floor Tel-Aviv 67023, Israel  
Phone: 972-3-608-4000  
Fax: 972-3-608-4056

(NORTH & SOUTH AMERICA)  
306 W. Depot Ave.,  
Suite 100, Knoxville  
Tennessee 37917  
Phone: 1-865-909-9200  
fax: 1-865-909-9245



**The Professional Standard**

## INSIDE

### FEATURES

#### 40 MASTERING FROM THE TRENCHES

Should you hire a mastering engineer for your recording project or roll up your sleeves and do it yourself? We asked busy, streetwise mastering engineers Tardon Feathered, Jeff Lipton, and Paul Stubblebine how to achieve high-quality results on a limited budget.

By Myles Boisen

**Electronic Musician®** (ISSN 0884-4720) is published monthly by PRIMEDIA Business Magazines & Media Inc., 9800 Metcalf Ave., Overland Park, KS 66212 ([www.primediabusiness.com](http://www.primediabusiness.com)). This is Volume 21, Issue 2, February 2005. One-year (12 issues) subscription is \$24. Canada is \$30. All other international is \$50. Prices subject to change. POSTMASTER: Send address changes to *Electronic Musician*, P.O. Box 640, Mt. Morris, IL 61054. Periodicals postage paid at Shawnee Mission, KS, and additional mailing offices. Canadian GST #129597951. Canada Post International Publications Mail Product (Canadian Distribution) Sales Agreement No. 40597023. Canada return address: DP Global Mail, 7496 Bath Road, Unit 2, Mississauga, ON L4T 1L2.

### COVER STORY

#### 50 COVER STORY: STACK IN THE BOX


Plug-ins that model vintage guitar amps are increasingly popular recording tools because they deliver classic sounds without endangering your hearing and the community's tranquility. With today's technology, you can record directly through amp-modeling plug-ins without disconcerting latency delays. We evaluate five such native amp-modeling plug-ins that run on multiple hosts and offer a range of classic amp sounds and effects.

By Orren Merton

#### 68 PICTURE PERFECT

Scoring for visual media is a lucrative business for some composers. In this wide-ranging interview, two successful soundtrack composers provide insights about scoring for picture, including how to make music support the dialog and visuals; why their favorite film and TV scores worked; and how they use technology.

By Nick Peck



40

### DEPARTMENTS

- 10 FIRST TAKE
- 16 LETTERS
- 22 WEB TOC
- 24 WHAT'S NEW
- 162 AD INDEX
- 163 MARKETPLACE
- 168 CLASSIFIEDS



## COLUMNS

# INSIDE



138

### 36 **TECH PAGE** Tera Era

Parallel processing comes to a chip near you.

### 38 **PRO/FILE** Golden State of Mind

PC Munoz records searing tracks in makeshift studios for *California*.

### 82 **MAKING TRACKS** Off the Beaten Path

Create custom click tracks in MOTU's Digital Performer 4.5.

### 86 **SOUND DESIGN WORKSHOP** Frequency Shifting Tips for Drums

Liven up your drum tracks with a frequency shifter.

### 88 **SQUARE ONE** Just Passing Through

A basic guide to synthesizer filters.

### 92 **WORKING MUSICIAN** Get Focused

Answering seven simple questions could set you on the path to success.

### 178 **FINAL MIX** Opening the Door

What it takes to break in to and survive in the audio industry.

94 **MUSE RESEARCH** Receptor,  
**MANIFOLD LABS** Plugzilla  
hardware VST hosts

106 **APPLE** Logic Pro 7 (Mac OS X)  
digital audio sequencer

114 **MACKIE** Big Knob  
audio controller

120 **CAKEWALK** Sonar 4 (Win)  
digital audio sequencer

126 **E-MU** Emulator X Studio  
1.0.1 (Win)  
audio interface and sampling  
system

138 **LINE 6** Variax 700,  
Vetta II Combo  
modeling guitar and amplifier

144 **DIGIDESIGN**  
Command|8  
MIDI control surface

148 **SE ELECTRONICS** Z 5600 A  
tube-condenser mic

## 152 QUICK PICKS

Steinberg Cubase System 4 USB audio/MIDI interface

Rode S1 condenser microphone

Ueberschall VLP120 1.1 (Mac/Win) sample library

Studio Electronics ModMax Phaser phase shifter

Radial X-Amp active reamping device

Crest Performance CP-6210 Mixer/CP-6220 Expander DJ and music mixer

rolandphantomxa.com

access code: xa03

Roland

***Fantom***  
***Xa***



"Phantom" is a registered trademark of and is licensed by Phantom Guitar Works.

© 2004 Roland. For direct contact info, call 323.890.3700.

# It's Getting Better All the Time

SURPRISE! WELCOME to the new and improved version of *Electronic Musician*. The last time we redesigned EM was in 1988, and as much as we liked our old look, it was starting to look, well, old. Of course, we could have kept doing what has worked for so long. But when it comes to magazine designs, Thomas Jefferson and Chairman Mao were right that a revolution now and then is a healthy thing.

In my humble opinion, the new design is attractive, modern, sophisticated, easy to read, and unique in the music and audio industry. It enables us to create a wide variety of layouts, and its potential will become increasingly apparent as we explore its many subtleties, so what you see in this issue is truly just the beginning.

Along with a new design, we've made significant improvements to our content, especially the columns. In recent years, space limitations precluded us from running all of our columns each month, so you couldn't rely on seeing your favorites in every issue. We wanted to correct that without sacrificing features or reviews and yet continuing to offer a content-rich, balanced issue. In addition, we wanted to offer more short, practical tips that make your studio life more productive, creative, and enjoyable.

We started by creating two entirely new "tips" columns: "Sound Design Workshop" and "Making Tracks." Sometimes these columns will offer general techniques, and other times they will be product-specific—but they will always be practical. "Sound Design Workshop" is a one-page column, edited by associate editor Len Sasso, that presents synthesis, sampling, and effects-processing tips. Warning: following the suggestions in this column can result in stretched ears and bent minds! "Making Tracks" offers two pages packed with recording and sequencing techniques. Associate Editor Rusty Cutchin edits "Making Tracks" and, being from Texas, doesn't mess around; this column delivers the goods!

"Square One" was redesigned into a two-page column, and "Working Musician" was trimmed to a lean, mean one-pager. "Tech Page," "ProFile," and the ever-popular "Final Mix" continue unabated, although they certainly look a lot nicer. The other obvious change is one of omission: "Recording Musician" and "Desktop Musician" are gone. But have no fear; the important topics we would have covered in these columns will be presented as features. And except for rare occasions when columns are delayed for technical reasons, we will now run all of the columns all of the time.

In the reviews section, multiple EM meters are gone, replaced by one "overall" rating (as in Quick Picks) that gives you a quick summary of the reviewer's bottom-line

evaluation. This doesn't excuse you from reading the review, though! Also, the manufacturer contact information has been reduced to the Web URL only, because the manufacturer's site is generally the best source to obtain supplemental information.

I am confident that you will find our new look and new columns exciting, useful, and enjoyable. Please feel free to email us your feedback at [emeditorial@primediabusiness.com](mailto:emeditorial@primediabusiness.com). We want to hear from you!



JULIE BURUM

Steve Oppenheimer  
Editor in Chief

## EDITOR IN CHIEF

Steve Oppenheimer,  
[soppenheimer@primediabusiness.com](mailto:soppenheimer@primediabusiness.com)

## MANAGING EDITOR

Patricia Hammond, [phammond@primediabusiness.com](mailto:phammond@primediabusiness.com)

## SENIOR EDITORS

Mike Levine, [mlevine@primediabusiness.com](mailto:mlevine@primediabusiness.com)  
Gino Robair, [grobair@primediabusiness.com](mailto:grobair@primediabusiness.com)

## ASSOCIATE EDITORS

Rusty Cutchin, [emeditorial@primediabusiness.com](mailto:emeditorial@primediabusiness.com)  
Dennis Miller, [emeditorial@primediabusiness.com](mailto:emeditorial@primediabusiness.com)  
Len Sasso, [emeditorial@primediabusiness.com](mailto:emeditorial@primediabusiness.com)  
Geary Yelton, [gyelton@primediabusiness.com](mailto:gyelton@primediabusiness.com)

## ASSISTANT EDITOR

Matt Gallagher, [mgallagher@primediabusiness.com](mailto:mgallagher@primediabusiness.com)

## COPY EDITOR

Lori Kennedy, [lkennedy@primediabusiness.com](mailto:lkennedy@primediabusiness.com)

## CONTRIBUTING EDITORS

Michael Cooper, Mary Cosola,  
Marty Cutler, Maureen Dronney, Larry the O,  
George Petersen, Rob Shrock, Scott Wilkinson

## DIRECTOR OF NEW MEDIA

Tami Needham, [tneedham@primediabusiness.com](mailto:tneedham@primediabusiness.com)

## GROUP ART DIRECTOR

Dmitry Panich, [dpanich@primediabusiness.com](mailto:dpanich@primediabusiness.com)

## ART DIRECTOR

Laura Williams, [lwilliam@primediabusiness.com](mailto:lwilliam@primediabusiness.com)

## ASSOCIATE ART DIRECTOR

Mike Cruz, [macruz@primediabusiness.com](mailto:macruz@primediabusiness.com)

## INFORMATIONAL GRAPHICS

Chuck Dahmer

## SENIOR VICE PRESIDENT

Peter May, [pmay@primediabusiness.com](mailto:pmay@primediabusiness.com)

## ADMINISTRATIVE ASSISTANT

Karen Carter, [kcarter@primediabusiness.com](mailto:kcarter@primediabusiness.com)

## PUBLISHER

Dave Reik, [dreik@primediabusiness.com](mailto:dreik@primediabusiness.com)

## ASSOCIATE PUBLISHER

Joe Perry, [jperry@primediabusiness.com](mailto:jperry@primediabusiness.com)

## EAST COAST ADVERTISING MANAGER

Jeff Donnenwerth, [jdonnenwerth@primediabusiness.com](mailto:jdonnenwerth@primediabusiness.com)

## NORTHWEST/MIDWEST ADVERTISING MANAGER

Greg Sutton, [gsutton@primediabusiness.com](mailto:gsutton@primediabusiness.com)

## SOUTHWEST ADVERTISING MANAGER

Mari Deetz, [mdeetz@primediabusiness.com](mailto:mdeetz@primediabusiness.com)

## MARKETING DIRECTOR

Christen Pocock, [cpocock@primediabusiness.com](mailto:cpocock@primediabusiness.com)

## MARKETING TRADE SHOW COORDINATOR

Megan Koehn, [mkoehn@primediabusiness.com](mailto:mkoehn@primediabusiness.com)

## ONLINE SALES AND MARKETING MANAGER

Samantha Kahn, [skahn@primediabusiness.com](mailto:skahn@primediabusiness.com)

## CLASSIFIEDS/MARKETPLACE ADVERTISING DIRECTOR

Robin Boyce-Trubitt, [rboyce@primediabusiness.com](mailto:rboyce@primediabusiness.com)

## WEST COAST CLASSIFIED SALES ASSOCIATE

Kevin Blackford, [kblackford@primediabusiness.com](mailto:kblackford@primediabusiness.com)

## EAST COAST CLASSIFIED SALES ASSOCIATE

Jason Smith, [jasmith@primediabusiness.com](mailto:jasmith@primediabusiness.com)

## CLASSIFIEDS PRODUCTION COORDINATOR

Jennifer Kneebone, [jkneebone@primediabusiness.com](mailto:jkneebone@primediabusiness.com)

## GROUP PRODUCTION MANAGER

Melissa Langstaff, [mlangstaff@primediabusiness.com](mailto:mlangstaff@primediabusiness.com)

## ADVERTISING PRODUCTION COORDINATOR

Jennifer Hall, [jhall@primediabusiness.com](mailto:jhall@primediabusiness.com)

## GROUP AUDIENCE MARKETING DIRECTOR

Philip Semler, [psemler@primediabusiness.com](mailto:psemler@primediabusiness.com)

## AUDIENCE MARKETING MANAGERS

Craig Diamantine, [cdiamantine@primediabusiness.com](mailto:cdiamantine@primediabusiness.com)  
Jef Linson, [jlinson@primediabusiness.com](mailto:jlinson@primediabusiness.com)

## DIRECTOR OF HUMAN RESOURCES

Julie Nave-Taylor, [jnave-taylor@primediabusiness.com](mailto:jnave-taylor@primediabusiness.com)

## OFFICE COORDINATOR/RECEPTIONIST

Lara Duchnick, [lduchnick@primediabusiness.com](mailto:lduchnick@primediabusiness.com)

# Compact access to a world of processing



## The doorway to portable production

PowerCore Compact, the newest member of the PowerCore family, brings a world of processing to VST and AU supported applications\*. Lightweight and with FireWire connectivity, it is designed for artists and studios on the move. Right out of the box you get all of the well-known plug-ins from PowerCore Element plus the Master X3, Filtroid, and the Character, a new plug-in from Noveltech. PowerCore Compact is the doorway to professional production and mastering possibilities from TC Electronic as well as unlimited processing power from 3rd party developers. For more information on the complete PowerCore range, visit: [www.tcelectronic.com](http://www.tcelectronic.com).

### Included plug-ins

Tubifex  
Classic Verb  
Vintage CL  
PowerCore 01  
Mega Reverb  
EQSat Custom  
Voice Strip  
Chorus • Delay  
24/7-C Limiting Amp



Master X3  
Filtroid  
Character



Dynamic EQ  
DeNoise



### Optional plug-ins from

**SONY**

**access**

**waldorf**

**novation**

**noveltech**

**DSound**

**TC-HELICON**  
VOCAL TECHNOLOGIES

**t.c. electronic**  
ULTIMATE SOUND MACHINES

**t.c. electronic**  
ULTIMATE SOUND MACHINES

\* RTAS support with FXpansion VST-RTAS wrapper. See [FXpansion.com](http://FXpansion.com) for details.

TC ELECTRONIC A/S DENMARK • ☎ +45 8742 7000  
TC ELECTRONIC INC USA • ☎ (818) 665 4900 • MAIL: [INFO@TCELECTRONIC.COM](mailto:INFO@TCELECTRONIC.COM)  
**WWW.TCELECTRONIC.COM**

# Left Click = Right Sound



Have one of **L.A.'s top studio percussionists** with over 20 years of L.A. recording experience record custom tracks for your tune that you can download in 1 to 3 days

In this world of fast paced technology, you don't have to leave your home studio...Forget about booking an engineer, or conflicting schedules, paying cartage fees, mic rentals, travel expenses, and you don't even have to buy LUNCH!

## percussiontracks.com

Essentially, we take the hassle out of recording, and put in all the groove.

# Great gear and great tracks...*BUT...* your mix doesn't sound the same in the car? **Tune Your Room!**

Perfect Sound Studios • Bellingham, IL

If you think it's the gear, think again.  
Your sound is only as good as the  
acoustics in your room!

Visit **Auralex.com** or call  
1-800-95-WEDGE for your  
FREE Room Analysis.

After 25 years and over 10,000 studios,  
we're the experts at helping you achieve  
**TOTAL SOUND CONTROL.**



## PRIMEDIA

Business Magazines & Media

### CHIEF OPERATING OFFICER

Jack Condon, jcondon@primediabusiness.com

### EXECUTIVE VICE PRESIDENT

John French, jfrench@primediabusiness.com

### PRIMEDIA INC.

745 Fifth Ave., New York, NY 10151

### CHAIRMAN

Dean Nelson, dean.nelson@primedia.com

### PRESIDENT AND CHIEF EXECUTIVE OFFICER

Kelly Conlin, kelly.conlin@primedia.com

### VICE CHAIRMAN & GENERAL COUNSEL

Beverly Chell, beverly.chell@primedia.com

### EDITORIAL, ADVERTISING, AND BUSINESS OFFICES:

6400 Hollis St., Suite 12, Emeryville, CA 94608, USA.  
(510) 653-3307.

**SUBSCRIBER CUSTOMER SERVICE:** To subscribe, change your address, or check on your current account status, go to [www.emusician.com](http://www.emusician.com) and click on Customer Service for fastest service. Or email [ecmn@kable.com](mailto:ecmn@kable.com), call toll-free (800) 245-2737 or (815) 734-1216, or write to P.O. Box 640, Mt. Morris, IL 61054.

**REPRINTS:** Contact FastReprints to purchase quality custom reprints or eprints of articles appearing in this publication at (866) 436-8366 ((219) 879-8366 outside the U.S. and Canada). Instant reprints and permissions may be purchased directly from our Web site; look for the RSCopyright tag appended to the end of each article.

**BACK ISSUES:** Back issues are available for \$10 each by calling (800) 245-2737 or (740) 382-3322.

**LIST RENTAL:** Please direct all inquiries to Marie Briganti at [primedia@statistics.com](mailto:primedia@statistics.com).

**PHOTOCOPIES:** Authorization to photocopy articles for internal corporate, personal, or instructional use may be obtained from the Copyright Clearance Center (CCC) at (978) 750-8400. Obtain further information at [www.copyright.com](http://www.copyright.com).

**ARCHIVES AND MICROFORM:** This magazine is available for research and retrieval of selected archived articles from leading electronic databases and online search services, including Factiva, Lexis-Nexis, and ProQuest. For microform availability, contact ProQuest at (800) 521-0600 or (734) 761-4700, or search the Serials in Microform listings at [www.proquest.com](http://www.proquest.com).

**PRIVACY POLICY:** Your privacy is a priority to us. For a detailed policy statement about privacy and information dissemination practices related to Primedia Business Magazines & Media products, please visit our Web site at [primediabusiness.com](http://primediabusiness.com).

**CORPORATE OFFICE:** PRIMEDIA Business Magazines & Media Inc., 9800 Metcalf, Overland Park, KS 66212 — (913) 341-1300 — [primediabusiness.com](http://primediabusiness.com)

COPYRIGHT 2005

PRIMEDIA Business Magazines & Media Inc.

ALL RIGHTS RESERVED.



PRINTED IN THE USA.  
ALSO PUBLISHERS OF MIX®, REMIX™, MUSIC EDUCATION TECHNOLOGY™, COMPUTER MUSIC PRODUCT GUIDE™, PERSONAL STUDIO BUYER'S GUIDE®, AND DIGITAL HOME KEYBOARD GUIDE™.

[WWW.EMUSICIAN.COM](http://WWW.EMUSICIAN.COM)

HER BREAK UP COULD BE YOUR BIG BREAK

TURNER CLASSIC MOVIES PRESENTS THE 6TH ANNUAL

# YOUNG FILM COMPOSERS

COMPETITION

to enter, visit [turnerclassicmovies.com/yfcc](http://turnerclassicmovies.com/yfcc)



GRAND PRIZE:  
**\$10,000**

CREATE A SCORE  
FOR A FEATURE-LENGTH SILENT FILM:  
*SOULS FOR SALE (1923)*

SEE YOUR WORK ON  
**NATIONAL  
TELEVISION**

BE MENTORED BY  
A WORLD-RENNED  
**COMPOSER**

WATCH THE 2004 YOUNG FILM COMPOSERS DOCUMENTARY *Settling the Score* JANUARY 24<sup>TH</sup> AT 8<sup>PM</sup> (ET) ON TURNER CLASSIC MOVIES



Neumann USA



TRICAM GIGASTUDIO



FOR ENTRY, PRIZE INFORMATION AND CONTEST RULES, VISIT [TURNERCLASSICMOVIES.COM/YFCC](http://TURNERCLASSICMOVIES.COM/YFCC). CONTEST BEGINS JANUARY 1, 2005.

©2005 TURNER NETWORKS. Contest open to all legal residents of the 50 United States and D.C., with internet access, age 18-35 (as of March 31, 2005). EXCEPT FOR GRAND PRIZE WINNERS OF THIS CONTEST (including cash prize and mentorship), all other winners receive a cash prize. Subject to contest rules and void where prohibited. Contest ends March 31, 2005. For Official Rules visit [www.turner.com/yfcc](http://www.turner.com/yfcc) or [www.turner.com/yfcc](http://www.turner.com/yfcc) or [www.turner.com/yfcc](http://www.turner.com/yfcc). Turner Classic Movies, 1000 Boulevard of the Stars, Los Angeles, CA 90007 or log on to [www.turner.com/yfcc](http://www.turner.com/yfcc). ©2005 Turner Classic Movies. Watch Thomas Schramm in *Souls for Sale* © 1923 Turner Entertainment Co. A Time Warner Company. All Rights Reserved.

TOP SECRET / MACKIE  
EYES ONLY

DEPARTMENT OF DESKTOP MIX SECURITY

HANDLE ON STRICT NEED-TO-HEAR BASIS  
LAME SOUND EXEMPT (E)  
RECORD NO. 5493-421A

COPY ONE OF ONE

BRIEFING DOCUMENT:

WEAPONS OF MASS PRODUCTION FOUND IN WOODINVILLE, WA

THIS IS A TOP SECRET - EYES ONLY DOCUMENT CONTAINING COMPARTMENTALIZED  
TION ESSENTIAL TO THE SECURITY OF DESKTOP PRODUCERS. EYES ONLY ACCESS  
MATERIAL HEREIN IS STRICTLY LIMITED TO  
REPRODUCTION IN ANY FORM OR THE TAKING OF WRITTEN OR

IMPORTANCE IN THAT  
IS THE COMPLETE  
ALLIGENCE SHOWS THAT  
TURED BY  
-BASED MANUFACTURERS.

CITY, BUT ADDITIONAL  
AKING THEM AVAILABLE  
RIBUTION NETWORK  
SONS.  
PANIC IS AVOIDED AT  
(TOP SECRET -  
LD THE NEED TO MAKE A

CODE NAME: MACKIE CONTROL UNIVERSAL  
EXPANDABLE HARDWARE COMMAND AND  
CONTROL UNIT FOR ALL MAJOR DAW  
SOFTWARE.

CODE NAME: BIG KNOB

TOTAL DAW STUDIO MONITORING  
CENTER - ROUTE FOUR INPUTS TO  
THREE DIFFERENT MONITOR SETUPS.

CODE NAME: ONYX 800R

RACK OF EIGHT HIGH-PERFORMANCE  
ONYX MIC PREAMPS WITH 192kHz  
MULTI-FORMAT DIGITAL OUTPUTS.

CODE NAME: C4 (NEW)

32-KNOB HARDWARE CONTROLLER FOR  
LOGIC, SONAR, AND TRAKTION PLUG-INS  
& VIRTUAL INSTRUMENTS.

800.898.3211 (Toll free within U.S.) 425.487.4333 (Outside U.S.) info@mackie.com


© 2004 LUND TECHNOLOGIES INC. ALL RIGHTS RESERVED. "MACKIE" AND THE "HOMING MAN" FIGURE ARE REGISTERED TRADEMARKS OF LUND TECHNOLOGIES INC. ALL OTHER  
TRADEMARKS ARE PROPERTY OF THEIR RESPECTIVE OWNERS. ALL SPECIFICATIONS SUBJECT TO CHANGE. THE TRUTH IS OUT THERE... LIKE ON, MAY NOT BE.

WRN



Dangerously fast deployment. That's the basic idea behind Mackie's arsenal of desktop production tools. Because when that deadline is looming and you're deep in production, the last thing you need is gear that's gonna slow you down. From our expandable desktop control surfaces to Tracktion software and Onyx series mixers, everything is easy to use and built for speed. We also design our gear extra tough, so nothing konks out under pressure. Of course, all this wouldn't mean jack if it didn't sound fantastic—which it does. Take a clandestine trip to your nearest Mackie dealer for a look at our latest desktop audio ordnance.

## WEAPONS OF MASS PRODUCTION.



**CODE NAME: ONYX MIXERS**  
PREMIUM ANALOG MIXERS WITH FIREWIRE I/O OPTION. UP TO 19 CHANNELS DIGITALLY STREAMED TO YOUR MAC OR PC.




**CODE NAME: TRACKTION v.2 (NEW)**  
MINIMUM LEARNING CURVE AUDIO AND MUSIC PRODUCTION SOFTWARE.



**CODE NAME: SPIKE**  
TWO-CHANNEL USB AUDIO/MIDI INTELLIGENCE INTERFACE WITH ONBOARD DSP.

**MACKIE.**  
[www.mackie.com](http://www.mackie.com)



# Letters

## Walking the Line

I loved Larry the O's "Final Mix" column "I'm Not Like Everybody Else" in the December 2004 issue. But it made me ask, "Where's the line between having great creative vision and simply having an original but terrible idea?"

Being different is one thing; having creative vision or a great idea is another. The problem is that people who are considered visionaries are often—in their lifetime—considered madmen or complete losers, and their great ideas are recognized only by later generations. Others just plain had terrible ideas, no matter how original.

So, how do you know if your idea is a great one that people just don't get yet, or a stupid one that no one will ever get? How hard do you push it until you give up?

**Dave Hab**

Forest Hills, New York

*Dave—Since, as you say, an idea could be despised in its time and appreciated by*

*your drive to push. Maybe that's when you die, maybe it happens quickly, and that's a personal matter. —Larry the O*

## Brass Class

Thank you for publishing David Summer's article on recording brass ("Recording Musician: Brass Tactics," November 2004). For years I've been trying to find a way to record myself on trombone without sounding like I'm playing into a galvanized pail!

Please continue to print articles of interest to those of us who play nonelectronic instruments.

**Tom Huelsmann**

Stillwater, Minnesota

## Creative License

I found the article by Thad Brown ("World Wide Waveforms," November 2004) to be helpful in updating my knowledge regarding the technical aspects of preparing audio for the Web. However, I'm unclear about one point regarding licensing MP3 technology.

Author Thad Brown replies: RG—The MP3 codec does use some patented "intellectual property," so licensing is an issue. The site to which you refer offers the following advice: "No license is needed for private, noncommercial activities (e.g., home-entertainment, receiving broadcasts, and creating a personal music library), not generating revenue or other consideration of any kind or for entities with an annual gross revenue less than US \$100,000.00."

I'm just guessing, but I expect that standard would eliminate 99.9999% of musicians in the world. Beyond that, I spent a good bit of time searching Google trying to find a case in which someone had been sued for distributing their own music using the MP3 codec. I couldn't find a single instance. That doesn't mean that it can't happen in the future, but with the amount of illegal music sharing going on, I'd guess that musicians who give out their own music will be very low on the hit list.

By the way, this is yet another fine argument for open-source software. Many of the tools that fuel the Internet (HTML itself, the Apache HTTP Server Project, Perl, and so on) are distributed under the ironclad GNU General Public License. I'm quite sure Bill Gates or Steve Jobs would love to receive a piece of a penny for every click on the Web but, by and large, they can't.

If you're concerned about licensing, check out the Ogg Vorbis format (see the sidebar "Alternative File Formats," in my original article available at [emusician.com](http://emusician.com)), which is an open-source codec.

## Send in the Clones

I've spent most of my limited professional experience using Shure microphones such as the SM57, SM58, and SM81. With the glut of dynamic

## How do you know if your idea is a great one that people just don't get yet?

*future generations, you might never know in your lifetime whether your idea is good. To quote Nigel Tufnel from This Is Spinal Tap, "There's a thin line between clever and stupid." The bottom line is whether you, the creator, believe your idea to be valid. You might change your mind based on the feedback you get, but then, you might believe they're all fools and posterity will judge—and you may be right or crazy. If you do believe in your idea, you stop pushing when you've burned out*

Does an individual need to obtain a license from [mp3licensing.com](http://mp3licensing.com) if they encode their files in the MP3 format (I use iTunes) and provide samples of tracks from CDs that are for sale, without actually selling the encoded MP3 audio via download?

I'm certain that a lot of EM readers practice this, so the answer will most likely be of value to many.

**RG Rhoades**  
via email

© Copyright 2004, MakeMusic Inc. All rights reserved.

| : I M A G I N E : |

Endless rehearsals. A standing ovation. You're passionate about your music. We are too.

Finale 2005. The most powerful music notation software in the world.

Visit us at [www.finalemusic.com](http://www.finalemusic.com).



LIMITLESS

## Letters

microphones on the market today, there seems to be an overkill of Shure SM57 and SM58 clones or copies out there. I can pick up a copy of *American Musical Supply* or *Musician's Friend*, and it seems that everyone and their brother are making these things and claiming that their microphones are the best.

I have often wondered whether these individual companies actually make their own microphones or simply license patents from other well-known companies. Or perhaps they put their brand name on a product that was made by someone else. Are there any facts or statistics on this?

Von Ehman  
via email

*Von—The definitive answer is "absolutely yes and no"—which is to say, there is no one simple answer. A lot of companies still make their own dynamic mics (like those in the SM series), including Shure, E-V, AKG, Sennheiser, RØde, and others. Most of the confusion regards the numerous microphones that are made in China, where it's hard to get a clear story on who makes which mics and how much differentiation there really is. The fact that a mic is made in China is not significant to the end user unless you have a political problem with imports. The question is really whether the mics are of good quality, sound good, and are distinguishable from each other.*

*From what we have been able to learn, manufacturers have a variety of arrangements in China. Some do simply put their brand name on a stock design that was created and manufactured by*

*someone else. Some mic companies begin with stock "clone" designs but add custom tweaks. These are probably the sorts of mics you are referring to. Other mics, however, that may appear similar are designed from scratch by the mic company and are custom manufactured in China to their specifications.*

*I have been told by a manufacturing contact that some Chinese factories subcontract certain jobs to other factories. Then again, some mic companies apparently have exclusive deals with factories to make only their microphones. Some of these factories are gigantic and can handle multiple completely independent lines, so the fact that two mics are made in the same factory doesn't mean they are similar in design or performance.*

*Quality assurance is the biggest issue; some mic manufacturers are willing to pay for more quality testing than others. The cheap mic that looks just like a more expensive one made in the same factory might, in fact, be identical, except that the cheap mic's capsule failed to meet the higher-end quality standards. In those cases, however, we're probably not talking about the name-brand models.*

*At least, we think that's the situation, but getting a straight story is difficult. What is clear is that the situation remains murky. I'm not saying anybody is lying to us, mind you, but I'm skeptical of almost everything I hear about this issue.*

*In the end, it's about whether the mic is well made and suits your purpose, not who makes it or where it is made. And the best way to determine that is to first read the reviews to narrow your choices, and then to test the mics. If possible, take each mic to your studio and test it in a real-world environment; testing mics in a music-store environment is not going to tell you what you need to know.—Steve O*

### Error Log

**December 2004**, "Download of the Month: X-Wheel of Fortune Pro," p. 20. The correct Web URL for downloading the free-ware algorithmic-composition program X-Wheel of Fortune is [www.algomusic.nl/freeware.html](http://www.algomusic.nl/freeware.html).

## Next Month in EM

### Powered Monitor Roundup

*Electronic Musician* tests and evaluates seven small, powered, close-field monitor speakers, including the M-Audio StudioPhile BX8, Phonic P8a, Alesis ProLinear 720, Event TR8XL, Fostex PM2, FBT Jolly-8 RA, and Tapco S-8.

### Subtle Gestures

Make your sample-based orchestral-instrument tracks sound like recordings of acoustic performances with these powerful synth, sampler, and sequencer tips.

### Production Values: Cake!

Cake lead singer John McCrea and his bandmates discuss their studio gear, recording techniques, and why the band switched from commercial studios to a project studio.

### Sound Design Workshop: Twang, Plunk, Boing

Tips for using Ableton Live 4's Resonator plug-in.

### Square One: A Stitch in Time

Understanding and using pitch- and time-base manipulation.

### Working Musician: The DAW Apprentice

Hiring a pro to improve your mixes can also improve your engineering skills.

*...and much more!*

## We Welcome Your Feedback

Address correspondence and email to:

Letters

Electronic Musician

6400 Hollis Street, Suite 12

Emeryville, CA, 94608

or [emeditorial@primediabusiness.com](mailto:emeditorial@primediabusiness.com).

Published letters may be edited for space and clarity.

cakewalk

# SONAR4

“

SONAR 4 Producer Edition is simply stunning. Surround is logically integrated in a way that keeps the creative flow and mixing moving fast. And SurroundBridge is brilliant!

”



**Rob King** Producer and composer for TV, Video Games, Popular Music  
*Sony's Everquest series, Billboard-charting dance singles, Dawson's Creek, CBS, NBC*

cutting edge  
environment



Version 4 transforms SONAR into a robust mixing environment, suitable for both surround and stereo, with exclusive features not found in any other applications. In addition, SONAR 4 delivers 32-bit floating point digital mixing and bussing technology with full delay compensation throughout the signal path. Combined with its enhanced video support, you'll find SONAR 4 offers a superior solution for scoring and post production.

Learn more about SONAR 4's cutting-edge mix environment at [www.sonar4.com/mix](http://www.sonar4.com/mix)

# SOLUTIONS

**We take the headache out of deciding on software and soundcard combinations. These are guaranteed compatible and are set up and installed for you to our consistent and exacting standards.**

What's more, every one comes with a custom written manual for that specific combination that will have you working in no time and tell you how to get the most out of your system. Includes tutorials, help and trouble-shooting tips and is only available from Carillon. Check out these incredible value Solutions based on E-MU's groundbreaking new range:



Steinberg Cubase SE & E-MU 0404 card

only **\$199!**



Steinberg Cubase SL & E-MU 1212m card & Emulator X software

only **\$499!**



Steinberg Cubase SL & E-MU 1820 card

only **\$629!**



Steinberg Cubase SL & E-MU 1820m card & Emulator X Studio software

only **\$769!**



Steinberg Cubase SX & E-MU 1820m card & Emulator X Studio software

only **\$999!**

## Why Carillon Recommends E-MU

Sound Quality  
**Outstanding audio**




E-MU's 'm' series cards feature the very same 24bit/192kHz converters as Digidesign's multi-thousand dollar Pro Tools HD systems, providing pristine audio & an incredible 120dB dynamic range.

E-MU FX   
**Zero CPU VST FX**



Powerful on-board DSP on all cards in combination with E-MU Power FX software gives you 16 simultaneous effects right inside your sequencer with absolutely zero hit on your CPU's performance.

EmulatorX  
**Legendary sampling**



Emulator X software brings E-MU's years of sampling experience to the desktop in what is quite possibly the most powerful software sampler around, but with an interface that's a joy to use.

Price

from only  
**\$!!!!!!**

Even at regular prices, this range of soundcards represents superb value for money, but Carillon's exclusive package deals with full boxed versions of Steinberg's Cubase make it absolutely unbeatable.



**0404** PCI card audio interface with 2 in 2 out analogue jacks offering 24bit/96kHz AD/DA conversion and AES/EBU compatible S/PDIF coaxial or optical I/O with 96kHz support.



**1212m** Built around the very same 24bit/192kHz converters as Digidesign's multi-thousand pound ProTools HD system, the 1212m has balanced stereo analogue I/O on 1/4" jacks, MIDI I/O, S/PDIF I/O and ADAT I/O.



**1820** Two TFPPro high grade mic-pre's with phantom power, 6 balanced ins and 8 balanced outs with 24bit/192kHz converters, ADAT I/O, S/PDIF I/O, turntable input, Firewire and dual MIDI I/O.



**1820m** All the features of the 1820 but with high-end 24bit/192kHz AD converters as found in ProTools HD. An additional daughterboard also provides sync facilities in the form of WordClock, SMPTE and MTC.



# DELIVERED



AC-1 from only **\$1099**

As much as an industry standard as the AC-1 has become, we realise that the ultimate machine is not always the most appropriate for the job – advances in laptop technology cannot be ignored and ultra-low noise is not something that everyone wants to pay for. To this end, Carillon now offer a complete range of audio specific computers for every purpose, that still come with a huge range of Carillon benefits, and are of course put together with the meticulous attention to detail that you would expect from us, but with prices that you might not!

**The Carillon AC-1. The original Audio PC that thanks to a tireless continual research and development program, still represents the Gold Standard that rivals aspire to.**

The quietest and most rugged machine available bar none, available with built in MIDI controllers, and the first choice of manufacturers like Steinberg, E-MU and Tascam, and professionals worldwide. Our systems have been tried and tested in the field for many years now, and have an enviable reputation for reliability, performance and support - while other audio computer suppliers promise, Carillon delivers.



## LAPTOPS

lightweight Centrino or desktop replacement model

from only **\$2099**



## AC-1X

dual Xeon processors

from only **\$3249**



## TOWER

Cost effective solution

from only **\$969**



## AC-1HD

Digidesign HD Certified

from only **\$3599**



## CUBE

3 PCI slots in less space

from only **\$1049**



## AD-1

audio specific hard drives

from only **\$199**

## FREE!

With every machine:



**FIX** We dial into your machine and fix problems before your very eyes! In use daily for over 4 years now and really does work.



**RESTORE** Every machine we supply has a safeguarded partition on the hard drive which can automatically restore your machine to its former glory should the worst happen.



**HELP** A custom-written on-screen multi-page manual for your system stuffed full of hints and tips. Solutions buyers get even more bang for their buck!



**SOUNDS** Over 6Gb of superb original sounds and loops come pre-installed with our proprietary Loopstation search and audition software.



**KEYCAPS** A full set of custom keycaps are supplied for your primary software of choice. Color coded and featuring all the time saving key combinations.



**SUPPORT** No long hold times, no "I'll call you back sir", just the best support in the business bar none (check us out on the forums) plus free access to our dedicated support website.

All pictures for illustration purposes, latest units may differ cosmetically. Specifications and prices are continually changing, please call for latest info.



**Carillon**


 @ **emusician.com**

emarketplace | feedback | archives | buyers' guides

**EMspotlight**

## Conversations with Cage

As a musician, composer, and writer, John Cage helped change the course of 20<sup>th</sup>-century music. This exclusive interview from the EM archives reveals Cage's humility, inquisitiveness, and humor as he covers topics ranging from noise and electronics to poetry and the I Ching.

[emusician.com/em\\_spotlight](http://emusician.com/em_spotlight)

### On the home page

#### EM web clips

A collection of supplemental audio, video, text, graphics, and MIDI files that provides examples of techniques and products discussed in the pages of *Electronic Musician*.



#### EM cool tip of the month

Sony Acid Pro 5 includes a number of powerful new tools. This month, we offer tips for getting the most out of these important features.

### show report

#### 2005 Winter NAMM

The 2005 Winter NAMM show is the biggest annual musical-instrument expo in the U.S. Watch emusician.com from January 20 to 23 for daily updates on all of the exciting new recording gear, music software, and electronic musical instruments.



### editor's picks



Associate Editor Geary Yelton delivers his favorite EM articles about compressors. Topics

range from basic parameters to the differences between various types of compressors.

[emusician.com/editorspicks](http://emusician.com/editorspicks)

### EM news

A weekly update on new hardware and software releases, manufacturer contests, and pertinent industry news.

[emusician.com/news](http://emusician.com/news)

### EM newsletter

Sign up for our free online newsletter, *eMusician Xtra*, for

up-to-the-minute information about new products, software upgrades, and more.

[emusician.com](http://emusician.com)


# DV-RA1000

## The new standard in high-definition 2-track mixdown and mastering.



### Introducing the ultra-high-resolution successor to DAT and CD recorders.

Created in collaboration with Sony, the new **DV-RA1000** is the first affordable, true Direct Stream Digital recorder. It writes 1-bit/2.822 MHz DSD – the ultimate acquisition or archival format — or 24-bit PCM directly to standard DVD+RWs in real time. And then lets you edit and process the results without having to transfer to a DAW.

Naturally, the DV-RA1000 is your logical choice for creating master DSD stereo tracks for Super Audio CDs.

But it has far more uses than that.

**Live two-track recording.** Because the DV-RA1000 records in real time at ultra-high sample rates, it's perfect for audio-ophile location recording. In DSD mode, frequency response exceeds 100kHz and dynamic range is 120dB.

**Archiving.** Storing all those old school 44.1 kHz masters? Get almost 5 hours per disk with the DV-RA1000.

**Easy transfer to computer.** The DV-RA1000 creates UDF discs, a standard format read by Mac®, Windows® and Linux computers. Or you can stream your data directly via the DV-RA1000's USB 2.0 port.

**Mastering from any source.** We have nothing against DAT and CD-RW recorders — TASCAM makes some of the best — but these formats simply cannot compare to the sonic quality of the DV-RA1000's 192 kHz/24-bit or DSD recording formats.

Get the details of this major recording advancement on our web site or visit your TASCAM dealer today.

DSD	2.822 MHz	1-bit	109 min.
	192 kHz	24-bit	66 min.
	172.4 kHz	24-bit	65 min.
	96 kHz	24-bit	72 min.
	88.2 kHz	24-bit	133 min.
	48 kHz	24-bit	267 min.
	44.1 kHz	24-bit	290 min.

Wired remote control kit included.



- Up to 192kHz/24-bit recording
- Records to DVD+R/RW, CD-R/RW media\*
- Multiband compression and 3-band EQ effects
- ±6% pitch control
- USB 2.0 port for use as DVD data drive
- Balanced AES/EBU I/O, running at normal, double-speed and double-wire formats
- Balanced XLR and unbalanced RCA I/O

- SDIF-3 DSD I/O for external conversion & DSD audio processing
- Word Sync In, Out, Thru
- RS-232C serial control
- PS/2 keyboard connector for title editing
- Records to standard CD-DA, Broadcast Wave & DSDIFF formats
- Headphone output
- Supports UDF disk format for cross platform computer compatibility
- Wired remote control

# TASCAM®



\* CD recording is at 44.1 kHz/16-bit (Red Book spec) only. The use of fatuous witticisms in our fine print has been temporarily suspended due to the Seriousness of this product. ©2004 TASCAM. All Rights Reserved. All specifications are subject to change without notice. All trademarks herein are the property of their respective holders.

CONTRACTOR

www.tascam.com

DJ AND PRODUCER

PERSONAL CREATIVITY

## WHAT'S NEW

By Geary Yelton

### Earthworks DrumKit System

Most studios record drum kits with one mic on each drum and two more overhead. Earthworks Precision Audio, bucking the widely accepted technique that usually requires more than half a dozen mics, has introduced the DrumKit

System (\$2,100) in two distinct packages for recording and live performance. Both systems furnish one mic for kick drum and two for stereo overheads. According to Earthworks, the simplicity of the system yields increased detail and superior clarity.

For recording, the DK25/R comes with a matched pair of TC25 omnis for overhead placement and an SR25 cardioid for kick drum. The DK25/L, optimized for sound-reinforcement applications, has three matched SR25s only. Both models also feature the KickPad (available

separately for \$120), an XLR level attenuator with EQ processing that's purported to improve the sound of any mic used on kick drum. A free demo CD is available by request. Earthworks; [www.earthworksaudio.com](http://www.earthworksaudio.com).



### Tascam DP-01/DP-01FX

Tascam has launched two new Portastudios, the DP-01 (\$499) and the DP-01FX (\$649). Each is a 9-pound hard-disk recorder that comes standard with an internal 40 GB hard disk. Although both machines are 8-track recorders, they also provide a stereo mixdown track and can record no more than two tracks simultaneously. Each channel has a 45 mm volume fader and dedicated knobs for pan, effects send, and high and low semiparametric EQ.

The front-panel LCD facilitates punch-in recording, locating to markers, hard-disk operations, and editing various parameters. The DP-01 and DP-01FX each have two unbalanced 1/4-inch mic/line inputs and a separate 1/4-inch guitar-level input. They also have two RCA line outputs, a stereo optical S/PDIF output, a 1/4-inch effects send and stereo returns, and a 1/4-inch stereo headphone output with its own level control. The MIDI Out port can transmit MIDI Time Code and MIDI Clock, and a USB 2.0 port lets you quickly back up data to your computer or an external hard disk.

The DP-01FX also has two phantom-powered XLR mic inputs, a selection of reverb types, and a multi-effects processor tailored for different instrument types. Effects types include amp modeling, chorus, echo, de-essing, and dozens more. Tascam; [www.tascam.com](http://www.tascam.com).

### MOTU Traveler

MOTU has unleashed the Traveler (\$895), a portable audio and MIDI interface that draws its power from either the FireWire bus, a DC adapter, or an external battery pack of the type used with video cameras. Made of sturdy aluminum alloy, the Traveler includes removable rack ears, and runs either standalone or connected to a computer. CueMix DSP mixing lets you create four independent monitor mixes, each with as many as 20 inputs routed to any pair of outputs. A/D and D/A conversion rates are as high as 192 kHz, and the digital audio ports handle rates from 44.1 to 96 kHz.

The Traveler's rear panel furnishes four Neutrik XLR 1/4-inch mic/instrument inputs, four 1/4-inch TRS line inputs, eight 1/4-inch TRS outputs,

AES/EBU I/O on XLR jacks, S/PDIF I/O on RCA jacks, and TOSLink optical ports that handle Lightpipe or S/PDIF I/O. Two FireWire ports, BNC word-clock I/O, and a 9-pin ADAT sync input are also around back. On the front panel are a 1/4-inch stereo headphone jack, 11 rotary encoders, four 48V phantom power switches, a 2x16-character LCD, and an assortment of colorful LEDs. MIDI In and Out ports and power connections are located on the side panel. Mark of the Unicorn (MOTU); [www.motu.com](http://www.motu.com).





## THE ONLY BETTER EQUIPMENT

is attached to the sides of your head.

🔊 Your ears are what got you here. The trick is making sure the sound that gets to them is as pure, rich and detailed as possible. That's what Shure KSM studio microphones are for. The KSM44 provides a bright full presence for critical studio tracking. The KSM32 gives you the most articulate reproduction of the original sound source.

Shure KSM studio microphones are the result of 40 years of pioneering studio technology. So while we can't replace your ears, we can help you hear better.

[www.shure.com](http://www.shure.com)

©2004 Shure Inc.

WRH

**SHURE**  
It's Your Sound<sup>®</sup>

## Edirol R-4

Multitrack field recording just got easier: Edirol has announced the R-4 (\$1,895), a 3.75-pound, 4-channel hard-disk recorder with onboard editing and two built-in, nondirectional, electret microphones.

The R-4 records four simultaneous tracks of 16- or 24-bit audio at rates as high as 96 kHz onto a 40 GB hard disk. It has a limiter, a noise gate, an enhancer, graphic and parametric EQ, and a compressor/de-esser for recording or playback. The R-4 runs on eight AA batteries or an AC adapter.

The R-4's 128x64-dot graphic LCD displays recorded waveforms. Use the shuttle wheel to set edit points for trimming, splitting, append-




ing, or merging audio data. Controls include individual input gain knobs, transport buttons, and marker set and locate buttons.

All four inputs are XLR/TRS combo jacks with switchable phantom power. A pair of RCA jacks and a ¼-inch headphone jack provide stereo outputs. Two more RCA jacks offer coaxial S/PDIF I/O. The R-4 also has a USB 2.0 port for exchanging data with your computer, a CompactFlash slot for offline storage, and an L terminal for start and stop sync with a digital video camera. Edirol North America; [www.edirol.com](http://www.edirol.com).

## Best Service Artist Grooves

Best Service Artist Grooves (Mac/Win, \$199.95), based on Native Instruments' Intakt, delivers 1 GB of sampled loops from four respected rock drummers: Simon Phillips (The Who, Jeff Beck), Mel Gaynor (Simple Minds, Robert Palmer), Dennis Chambers (Santana, Steely Dan), and Kenny Aronoff (John Mellencamp, Alanis Morissette). Each drummer supplies rocking beats and several variations at nine tempos ranging from 80- to 160 bpm (in increments of 10 bpm). In addition to complete stereo drum tracks, Artist Grooves includes mix-and-match parts played on hi-hats, cymbals, and kick and snare. Many loops are already beat sliced, allowing you to trigger individual beats using MIDI. All samples are 24-bit recordings.

Packaged on a DVD-ROM disc, Artist Grooves features the same drum kits used in the Kompakt-based Artist Drums. Because Artist Grooves is an Intakt instrument, you can vary the tempo with minimal artifacts and without affecting pitch, and you can beat-slice any loop as desired. You can also process the recorded loops with filtering, effects, and other synthesis parameters. Best Service/EastWest (distributor); [www.soundsonline.com](http://www.soundsonline.com).



## Key Changes

**Roland** ([www.rolandus.com](http://www.rolandus.com)) has made product manuals for all its current products available online in PDF format. To find a manual, go to the specific product's Web page and click on Manuals under the Support heading. The company plans to post manuals for older products, as well . . . **Cycling '74** has announced Pluggo for Windows XP (\$199). Long exclusive to the Mac, Pluggo is a collection of more than 100 unique audio effects plug-ins. The Windows version supports VST and RTAS formats . . . **Audio Ease** ([www.audioease.com](http://www.audioease.com)) has updated its Rocket Science Bundle (\$249; upgrades \$79.95) to version 3.0.2. Now compatible with Mac OS X, the trio of plug-ins supports Audio Units, HTDM, MAS, RTAS, and VST. They include Roger (a vowel filter), Follo (an envelope-driven resonant bandpass filter), and Orbit (a location modulator).

In addition, the most recent version of VST Wrapper (Mac, \$39.95) is 4.1.2. Like the previous version 4.0, it makes VST plug-ins MAS-compatible in Mac OS X, for native operation in MOTU Digital Performer and AudioDesk. It also allows you to set preferences for each plug-in and improves support for previously problematic plug-ins . . . Virtual instrument developer **Wusik** ([www.wusik.com](http://www.wusik.com)) has updated its flagship VST plug-in Wusiksation (Win, \$99.95; free upgrade) to version 1.1.0. It imports stereo 16-, 24-, and 32-bit WAV files at any sampling rate, adds new skins, and fixes numerous bugs . . . **Elektron** ([www.elektron.se](http://www.elektron.se)) has updated the OS for its MachineDrum to version 1.20, adding features such as turntable sync, improved real-time control, and individual accent, slide, and swing tracks. Users can download the update for free.



Finnish by design - all properties redefined

## PATHBREAKING

Even a casual glance at the new Genelec 8000 MDE™ series bi-amplified monitors tells you they are extraordinary. Looks are indeed important. But we're Finnish. Form and function must co-exist in harmony and complement the true task at hand.

These new systems are in countless ways - pathbreaking - enabling a more revealing, natural and accurate sound. Sure, lots of technical terms abound, including reduced diffraction, minimized cabinet resonances, increased rigidity, lower distortion and more.

But the simple truth is the 8000 Series monitors *are* better. It wasn't an easy task, but at Genelec making the best monitors is what we are all about.

Combined with Genelec's 7000 LSE™ Series subwoofers, accurate reference systems can be easily integrated into nearly any environment, whether you are working in stereo or surround.

Contact us for system specification and a demonstration using the complete range of Genelec 7000 and 8000 Series monitoring solutions in your room.

[www.genelecusa.com](http://www.genelecusa.com)

International inquiries: Genelec Oy, Olvitie 5, FIN-74100, Iisalmi, Finland  
T +358-17-83881, F +358-17-812267 Email [genelec@genelec.com](mailto:genelec@genelec.com)  
In the USA: T 508.652.0900, F 508.652.0909 Email [genelec.usa@genelec.com](mailto:genelec.usa@genelec.com)  
In China: T +86 10 8580 2180, F +86 10 8580 2181 Email [genelec.china@genelec.com](mailto:genelec.china@genelec.com)

### 8000 Series




# GENELEC®

## JBL LSR6325P

The latest addition to JBL's LSR6300 line of studio monitors is the LSR6325P (\$399), a biamplified model with a 5.25-inch woofer and a 1-inch tweeter. Housed in a cast-aluminum enclosure, the LSR6325P was designed to minimize the detrimental effects of room acoustics while maximizing response characteristics at the mix position. According to JBL, it accomplishes a more accurate mix-position response by means of Linear Spatial Reference (LSR) technology.

JBL engineers assert that most speakers exhibiting flat on-axis response in an anechoic chamber might have irregular off-axis response that reaches the mix position. To compensate, a  $\pm 30$  degree horizontal and  $\pm 15$  degree vertical radiated response is built into the LSR6325P to ensure that the mid- and high-frequency content is balanced, regardless of the working distance. A user-adjustable boundary compensation setting is provided to correct spectral shift caused by mounting the speaker on a wall, in a corner, or on a work surface.

A 100W RMS amplifier powers the LSR6325P's high-excursion low-frequency transducer, and a 50W RMS amplifier powers the damped titanium-composite high-frequency transducer. The magnetically shielded monitor has balanced +4 dBu XLR and unbalanced -10 dBV inputs, a power switch, and a front-panel volume control. The LSR6325Ps can be used in combination with the PSR6312P subwoofer and its integrated Room Mode Correction system, which reduces the effect of low-frequency standing waves in problematic production environments. JBL Professional; [www.jblpro.com](http://www.jblpro.com).



## Zero-G Vocaloid Miriam

Vocaloid Miriam (Win, \$279.95) is the third software instrument from Zero-G that uses Yamaha's vocal synthesis technology to put a virtual singer under computer control. Unlike Vocaloids Leon and Lola, Miriam models a specific performer: versatile British songstress Miriam Stockley, who has extensive experience as a session singer (with David Bowie and Elton John, among others) as the original vocalist for the new-age group Adiemus, and as a solo artist with two albums on the Narada label. Like the vocalist it emulates, Vocaloid Miriam is suitable for a variety of musical styles.

Miriam consists of an editor, a 16-bit vocal font, and a VST instrument. The Vocaloid Editor lets you enter notes on a piano-roll grid, type in lyrics, and add expressive details such as vibrato and pitch scoops. Miriam runs standalone or as a VST instrument. It slaves to ReWire hosts and has a maximum polyphony of 16 notes. Zero-G/EastWest (distributor); [www.soundonline.com](http://www.soundonline.com).

## Download of the Month

### TONIC 1.01 (MAC/WIN)

Tonic (\$69), from Sonic Charge, is a VST drum machine for Mac OS X and Windows. Designed by Magnus Lidström, the brains behind Reason's Malström synthesizer, Tonic uses pure synthesis (no samples or wavetables) to generate its drum sounds, and it sounds great. It features eight pads, each using the same synthesis engine, and a 16-step pattern sequencer with flexible pattern chaining. You can load a fully functional demo as well as audio examples from the Sonic Charge Web site ([www.soniccharge.com](http://www.soniccharge.com)).

Tonic's synthesis engine consists of a multiple-waveform oscillator (sine, triangle, and sawtooth), a multi-mode (lowpass, bandpass, and highpass) filtered-noise source, and an output mixer with EQ and distortion. Each drum pad can be routed to one of two stereo outputs for four channels of indepen-

dent outboard processing. The charm of Tonic's straightforward modules lies in the modulation options: in addition to decay envelope, sine-wave oscillator, and random for oscillator pitch, filter cut-

off offers three envelope shapes. One of the envelopes automatically retriggers, making it ideal for handclaps and other repeated sounds (see Web Clip 1).

The pattern sequencer holds 12 patterns, each with 16 or fewer steps whose size ranges from 8th to 32nd notes. Each step has accent and fill options. A swing parameter delays even-numbered steps. Patterns can be organized into looping chains. Programs, which include all synth

settings and patterns, can be saved to disk, as can individual synth patches. Tonic comes with 61 factory programs and 366 patches to get you started.

**EM**  
**WEB**  
**GOODS**

—Len Sasso



# Sweetwater: Imitated, But Never Equaled

Twenty-five years ago, Sweetwater was founded by a musician and recording studio owner who needed the same things you need today: quality gear at great prices, expert advice before the sale, and first-class tech support and service after the sale. He assembled a staff of audio professionals who could provide top-notch service to recording musicians like you. Over the years, continued growth, dozens of industry awards and (above all) customer loyalty have shown that "The Sweetwater Difference" has made a difference in the way musicians and engineers buy gear.

A quarter century later, other audio retailers have figured out that presenting themselves as "professionals" is a good idea. And if imitation is the sincerest form of flattery, well, we're flattered. But Sweetwater Sales Engineers, tech support staff and service experts remain the yardstick by which all other dealers are measured. So no matter what you need for your music — from guitars and keyboards to preamps and plug-ins — count on Sweetwater to be your first and best source of information, great prices and total support.



Sweetwater Sales Engineers constantly test and train on new hardware and software to keep up to date with changes in music and recording technology.

#### SWEETWATER HAS WON DOZENS OF INDUSTRY AWARDS, INCLUDING THE FOLLOWING:

- Music & Sound Retailer Awards
- Best Customer Service
- Best Sales Staff
- Best Recording Retailer
- Best Software Retailer
- Best Keyboard Retailer

Several Music Inc. REX Awards  
for Retail Excellence

Inc. 500 List

#### Dealer of the Year Awards

- Focusrite
- Grace Design
- PreSonus
- Universal Audio
- Waves
- and many more



CALL US TODAY FOR THE ANSWERS TO YOUR AUDIO QUESTIONS!

# Sweetwater

music technology direct™

(800) 222-4700

www.sweetwater.com

Fax (260) 432-1758 • 5335 Bass Road, Fort Wayne, IN 46808



#### Hot Off The Press!

Call for your FREE copy of our 300+ page ProGear 2005 directory packed with the latest pro audio gear.

## USB X-treme FX

The greatest challenge of working with a large collection of sound effects is gaining quick access to just the sound you need when you need it. Ultimate Sound Bank's new X-treme FX (Mac/Win, \$399) is a sample-based RTAS, Audio Units, and VST instrument plug-in with more than 5,000 natural and electronic sound effects presets. The presets are organized into categories such as Atmospheres, Foleys, Science Fiction, and Urban, with subcategories such as

Natural Ambiances, Space Storm, and Musical FX. A number of sounds are on loan from Hollywood Edge sound-effects libraries.

With a user interface very similar to that of USB's Ultra Focus, X-treme FX lets you layer two sounds and process them using two filters, three envelope generators, four syn-cable LFOs, two effects processors, ring modulation, and a

vocoder. X-treme provides nearly 8.5 GB of source material on two DVD-ROMs. Ultimate Sound Bank/Ilio Entertainments (distributor); [www.ultimatesoundbank.com](http://www.ultimatesoundbank.com) or [www.usbsounds.com](http://www.usbsounds.com).



## LinPlug SaxLab

Surmounting the difficulties of realistically emulating the saxophone, LinPlug is shipping SaxLab (Mac/Win, \$149), a VST and Audio Units plug-in that replaces Dash Signature's TubiLeSax for Windows (upgrade, \$99). This flexible virtual wind instrument plays monophonic multisamples in three adjustable layers.

In addition to numerous presets for alto, tenor, soprano, and baritone sax, SaxLab offers presets for flute and trombone and a selection of 30 temperaments. Its user interface offers real-time control of performance parameters such as scoop, pitch bend, and brightness, as well as controls to specify body frequency, resonance, and deviation. You can also determine Velocity-sensitive envelope, pitch deviation, LFO, chorus, and reverb. All controls respond to MIDI Control Changes. LinPlug Virtual Instruments GmbH; [www.linplug.com](http://www.linplug.com).

## Rev Up

### PROPELLERHEAD REASON 3.0

Reason has indisputably changed the ways thousands of electronic musicians ply their craft. Now Propellerhead Software has updated its flagship software to Reason 3.0 (Mac/Win, \$499; upgrades \$129), which focuses on live performance and introduces a versatile new module to its already substantial collection.

Combinator lets you construct com-

plex chains of instruments, effects, and dynamics and save them as Combi patches that you can quickly load and begin playing. An expanded sound bank supplies new multisampled instruments, and a new browser lets you organize, search, and audition all the samples in your sound library. Also new is MClass, a mastering suite comprising 4-band EQ, compression, a stereo imager, and a maximizer with look-ahead limiting. In addition, Reason 3.0 offers quick and easy integration with most major control surfaces. PropellerheadSoftware; [www.propellerheads.se](http://www.propellerheads.se).

History window, and support for plug-ins with multiple outputs. All-new MIDI features include step input and enhanced MIDI region editing. MIDI Detective can generate tempo maps and groove templates from MIDI performances recorded without a metronome. In addition, Beat Detective LE is now part of Pro Tools LE.

MIDI time stamping, external MIDI studio setup, and advanced patch-name support are new to the Windows version, putting its MIDI sequencing capabilities on a par with the Mac version's. Windows users can also open older Sound Designer II-based sessions more easily than in the past.

Updates are free for registered owners of Pro Tools|HD and HD Accel running Pro Tools TDM 6.4 or higher, as well as for Pro Tools LE owners who bought their systems after February 25, 2004. Earlier HD system owners can upgrade for \$175, and earlier LE owners can upgrade for \$75. Note that Pro Tools 6.7 is incompatible with Digi 001 and Pro Tools|24 Mix systems. Digidesign; [www.digidesign.com](http://www.digidesign.com). **EM**



### DIGIDESIGN PRO TOOLS 6.7

Digidesign has upgraded Pro Tools (Mac/Win) to version 6.7, introducing features such as tempo-dependent automation and audio placement, graphic tempo editing, color coding, an Undo

# Sweetwater: Imitated, But Never Equaled

Twenty-five years ago, Sweetwater was founded by a musician and recording studio owner who needed the same things you need today: quality gear at great prices, expert advice before the sale, and first-class tech support and service after the sale. He assembled a staff of audio professionals who could provide top-notch service to recording musicians like you. Over the years, continued growth, dozens of industry awards and (above all) customer loyalty have shown that "The Sweetwater Difference" has made a difference in the way musicians and engineers buy gear.

A quarter century later, other audio retailers have figured out that presenting themselves as "professionals" is a good idea. And if imitation is the sincerest form of flattery, well, we're flattered. But Sweetwater Sales Engineers, tech support staff and service experts remain the yardstick by which all other dealers are measured. So no matter what you need for your music — from guitars and keyboards to preamps and plug-ins — count on Sweetwater to be your first and best source of information, great prices and total support.



#### SWEETWATER HAS WON DOZENS OF INDUSTRY AWARDS, INCLUDING THE FOLLOWING:

- Music & Sound Retailer Awards
- Best Customer Service
- Best Sales Staff
- Best Recording Retailer
- Best Software Retailer
- Best Keyboard Retailer


Several Music Inc. REX Awards  
for Retail Excellence

Inc. 500 List

Dealer of the Year Awards

- Focusrite
- Grace Design
- PreSonus
- Universal Audio
- Waves
- and many more

Sweetwater Sales Engineers constantly test and train on new hardware and software to keep up to date with changes in music and recording technology.



CALL US TODAY FOR THE ANSWERS TO YOUR AUDIO QUESTIONS!

**Sweetwater**  
music technology direct™  
(800) 222-4700  
www.sweetwater.com



#### Hot Off The Press!

Call for your FREE copy of our 300-plus page ProGear 2005 directory packed with the latest pro audio gear.

Fax (260) 432-1758 • 5335 Bass Road, Fort Wayne, IN 46808

## Sound Advice

M-Audio ([www.m-audio.com](http://www.m-audio.com)) continues to expand the ProSessions line by adding more titles to its already extensive list of sample CD-ROMs. Volumes 42 through 46 (\$49.95 each) were produced in collaboration with Discrete Drums. They're entitled *Funky Beats*, *Rock Drums*, *Slow Rock Drums*, *One Big World*, and *More Funky Beats*. Like most ProSamples libraries, each disc delivers stereo files in Acidized WAV, AIFF, Rex2, and audio formats.

M-Audio has also repackaged hundreds of its best loops on *The Best of ProSessions, Vol. 1* (\$99.95), a CD-ROM containing more than 640 MB of samples formatted for Apple Loops. Taken from a back catalog that



includes *Adrenalinn Guitars*, *Elektron Machinedrum*, and *Sounds Logical*, the collection is suitable for users of Apple Logic 7, GarageBand, Soundtrack, and any software that imports audio loops. *The Best of ProSessions, Vol. 2* (\$99.95), is a DVD-ROM containing almost 2 GB of samples from soundtrack composer Jeff Rona's *Liquid Cinema*, also formatted for Apple Loops.

High-quality sound effects are always in demand, and no one does them better than motion-picture sound designers. Sony Pictures Digital ([www.sony.com/mediasoftware](http://www.sony.com/mediasoftware)) has released *Sony Pictures Sound Effects Series* (\$499.95), a 5-disc boxed set of CD-ROMs. The five volumes contain 16-bit WAV files ranging from animals and backgrounds to vintage cartoon and vehicle sounds. Each disc provides a list and a description of all recordings and their precise lengths.

## E-mu Proteus X

It had to happen sooner or later: E-mu's Proteus has gone virtual. Proteus X (Win, \$199.99) bundles the 0404 PCI expansion card with a sample-playback soft synth that runs either standalone or as a VST instrument. Like previous Proteus models, Proteus X features a synthesis engine with conditional voice modulation, 36 patch cords per voice, and more than 50 Z-Plane morphing filters. Two effects processors offer as many as 67 simultaneous effects. Breakout connectors on the 0404 provide two 1/4-inch inputs, two 1/4-inch outputs, optical and coaxial 24/96 S/PDIF or AES/EBU, and MIDI In and Out ports.

Proteus X's 24-bit sample library includes the entire Proteus 2000 sound set, a hip-hop bank, drums and grooves, and a stereo grand piano—in all, more than 2 GB of sound data and thousands of presets. You can add more sound sets from E-mu modules or from any CD-ROM in the Emulator X library. The software also imports sample formats such as Akai, Giga, HALion, EXS24, and others. E-mu; [www.emu.com](http://www.emu.com).



## Universal Audio LA-610

On the hardware front, Universal Audio has unveiled the LA-610 Classic Tube Recording Channel (\$1,795). This 2-space rackmount module combines the tube preamp and EQ of Bill Putnam's 610 modular recording console with the T4 cell, the compression detector that has made the Teletronix LA-2A leveling amplifier such a popular choice among professional recording engineers. According to Universal Audio, the T4 cell's electroluminescent panel and custom-made photoresistors are the crucial components responsible for the LA-2A's sonic signature and program-dependent behavior. Although the LA-610's compressor isn't an exact clone of the LA-2A, Universal Audio aims to offer project studios a vintage-style channel strip with the quality and capabilities of high-end, pro studio gear.

For warmth and balance, the LA-610's preamp section contains one 6072A, one 6AQ5, and three 12AX7A tubes. Its variable impedance switching makes it well suited for use with a variety of mics and as an instrument DI. The LA-610's specifications state that its frequency response ranges from 20 Hz to 20 kHz  $\pm 0.5$  dB with a maximum gain of +40 dB for a line input and +77 dB for a mic input. Universal Audio; [www.uaudio.com](http://www.uaudio.com).



# dbx Just Sounds Better!

1 dbx—the only choice when your sound matters

2 dbx's exclusive OverEasy® allows for faster attack times and higher compression ratios while still maintaining the natural characteristics of the sound.

3 Tells you when the zero-attack, dbx-exclusive PeakStopPlus™ limiter is working.

4 Link both channels with True RMS Power Summing. The proper way to achieve stereo compression.

5 dbx's patented 3-segment precision LED OverEasy® indicator helps you precisely dial in just the right amount of compression.

6 Patented peak-reading meter allows easy setting of optimum input and output levels.

7 Over/Under LED's let you know at a glance if you're expanding or gating.

8 12-segment gain reduction meter allows precision monitoring of compression.

9 Flexible expander/gate works over a 70 dB range.

10 The Contour switch is extremely useful in keeping low frequencies from "muffling" or "punching" holes in your sound.

11 Monitor either input or output signals.

12 Independently set attack and release times or use Auto mode to get that classic dbx sound.

13 Our patented switches are designed to be easily seen in the light or the dark.

14 Vary the Ratio to select anywhere from gentle down-ward expansion to gating.

15 Detented controls and soft-touch knobs assure precision adjustments.

16 Adjusts from mild compression to ∞ : 1 limiting.

17 Add make-up gain or match levels over a 40 dB range.

18 Patented PeakStopPlus™ circuit intelligently tames signal peaks.

19 Internal power supply with easily replaceable power cord.

20 Heavy-duty steel chassis will take years of road use and abuse.

21 Easily accessible fuse—you'll probably never need to find out how easy.

22 Connect the unit hassle free using either unbalanced or balanced 1/4" TRS or balanced XLR connectors.

23 Ensure signal path integrity with gold plated locking Neutrik® XLR connectors.

24 Add processing to detector path (using the sidechain) for frequency-conscious compression/gating/special effects.

25 Servo-balanced outputs drive up to +22dBu

26 Separate sidechain send and return jacks—no special "insert Y-cables" required.

27 Convert semi-pro -10dBV signals to the dbx 1066's professional +4dBu internal level.

28 Precision balanced inputs reject hum and noise in tough audio environments.

dbx compressors have been the standard in signal processing for over thirty years. After all, our processors are in daily use all around the world with major touring companies, world class recording studios, radio and television broadcast facilities and anywhere else that audio professionals ply their trade.

Why do the best ears in the business time and time again turn to dbx for their processing needs? Maybe it's because we invented the modern day compressor. Perhaps it's because we have over 30 patents to our credit. It could that our technology like OverEasy and PeakStopPlus won't be found in any other compressor. However, we think it's because dbx just sounds better.

It's no wonder that countless gold and platinum albums have used

dbx processing and that eight out of the top ten U.S. tours use dbx each night because their sound is too valuable to trust to anyone else. But don't take our word for it, head on down to your local dealer today and hear for yourself why dbx just sounds better.

dbx's industry-standard: 1066XL and 2066XL



**dbx**

PROFESSIONAL PRODUCTS

The Professional's Choice In Signal Processing

For more information contact us at (801) 568-7660 Fax (801) 568-7662 • [www.dbxpro.com](http://www.dbxpro.com) • 8760 S. Sandy Parkway, Sandy, UT 84070 USA

H A Harman International Company

WRH

## USB X-treme FX

The greatest challenge of working with a large collection of sound effects is gaining quick access to just the sound you need when you need it. Ultimate Sound Bank's new X-treme FX (Mac/Win, \$399) is a sample-based RTAS, Audio Units, and VST instrument plug-in with more than 5,000 natural and electronic sound effects presets. The presets are organized into categories such as Atmospheres, Foleys, Science Fiction, and Urban, with subcategories such as

Natural Ambiences, Space Storm, and Musical FX. A number of sounds are on loan from Hollywood Edge sound-effects libraries.

With a user interface very similar to that of USB's Ultra Focus, X-treme FX lets you layer two sounds and process them using two filters, three envelope generators, four syn-  
cable LFOs, two effects proces-  
sors, ring modulation, and a

vocoder. X-treme provides nearly 8.5 GB of source material on two DVD-ROMs. Ultimate Sound Bank/Ilio Entertainments (distributor); [www.ultimatesoundbank.com](http://www.ultimatesoundbank.com) or [www.usbsounds.com](http://www.usbsounds.com).



## LinPlug SaxLab

Surmounting the difficulties of realistically emulating the saxophone, LinPlug is shipping SaxLab (Mac/Win, \$149), a VST and Audio Units plug-in that replaces Dash Signature's TubiLeSax for Windows (upgrade, \$99). This flexible virtual wind instrument plays monophonic multisamples in three adjustable layers.

In addition to numerous presets for alto, tenor, soprano, and baritone sax, SaxLab offers presets for flute and trombone and a selection of 30 temperaments. Its user interface offers real-time control of performance parameters such as scoop, pitch bend, and brightness, as well as controls to specify body frequency, resonance, and deviation. You can also determine Velocity-sensitive envelope, pitch deviation, LFO, chorus, and reverb. All controls respond to MIDI Control Changes. LinPlug Virtual Instruments GmbH; [www.linplug.com](http://www.linplug.com).

## Rev Up

### PROPELLERHEAD REASON 3.0

Reason has indisputably changed the ways thousands of electronic musicians ply their craft. Now Propellerhead Software has updated its flagship software to Reason 3.0 (Mac/Win, \$499; upgrades \$129), which focuses on live performance and introduces a versatile new module to its already substantial collection.

Combinator lets you construct com-

plex chains of instruments, effects, and dynamics and save them as Combinator patches that you can quickly load and begin playing. An expanded sound bank supplies new multisampled instruments, and a new browser lets you organize, search, and audition all the samples in your sound library. Also new is MClass, a mastering suite comprising 4-band EQ, compression, a stereo imager, and a maximizer with look-ahead limiting. In addition, Reason 3.0 offers quick and easy integration with most major control surfaces. PropellerheadSoftware; [www.propellerheads.se](http://www.propellerheads.se).

History window, and support for plug-ins with multiple outputs. All-new MIDI features include step input and enhanced MIDI region editing. MIDI Detective can generate tempo maps and groove templates from MIDI performances recorded without a metronome. In addition, Beat Detective LE is now part of Pro Tools LE.

MIDI time stamping, external MIDI studio setup, and advanced patch-name support are new to the Windows version, putting its MIDI sequencing capabilities on a par with the Mac version's. Windows users can also open older Sound Designer II-based sessions more easily than in the past.

Updates are free for registered owners of Pro Tools|HD and HD Accel running Pro Tools TDM 6.4 or higher, as well as for Pro Tools LE owners who bought their systems after February 25, 2004. Earlier HD system owners can upgrade for \$175, and earlier LE owners can upgrade for \$75. Note that Pro Tools 6.7 is incompatible with Digi 001 and Pro Tools|24 Mix systems. Digidesign; [www.digidesign.com](http://www.digidesign.com). **EM**



### DIGIDESIGN PRO TOOLS 6.7

Digidesign has upgraded Pro Tools (Mac/Win) to version 6.7, introducing features such as tempo-dependent automation and audio placement, graphic tempo editing, color coding, an Undo

# Proteus X

## Desktop Sound Module

E-MU Systems brings the power and sounds of the world's most popular sound module line to your desktop with Proteus X – a 24-bit/192 kHz desktop sound module that delivers all of the filters, effects and pristine sounds of E-MU's rackmount modules to your PC. Proteus X ships with over 2 GB of sounds, including every last sample from E-MU's Proteus 2000 sound module, and can be expanded with the original soundsets from E-MU's legendary modules like Mo'Phatt, Planet Earth and Virtuoso 2000. Want even more sounds? Proteus X lets you load your favorite sound libraries (Emulator X, EOS, GigaSampler, Akai, and many more) and play them back with Proteus X's powerful streaming engine. And, unlike other software instruments, Proteus X's audio/MIDI interface is optimized to deliver ultra-low latency performance with unmatched fidelity – Proteus X actually plays and sounds like a real hardware instrument.



**\$149.99\***

*Only E-MU could deliver a desktop sound module this good.*

- Powerful Synth Engine
- Streaming and RAM Playback
- Over 50 Z-Plane Filters
- Integrated Hardware and Software Effects
- Standalone and VSTi
- Over 2 GB of Sounds Included
- Expandable Sound Library



Mo'Phatt, Planet Earth and Virtuoso 2000 expansion soundsets available, plus many more



**CREATIVE**  
PROFESSIONAL

Works with  
Windows  
2000  
& XP

**POWER**  
**FX**  
Hardware Accelerated  
VST Effects

\*Estimated street price

©2004 E-MU is a registered trademark of E-MU Systems, Inc. in the US and other countries. All other brand names are the property of their respective owners.

**E-MU**

[www.emu.com](http://www.emu.com)  
8 7 7 . 7 4 2 . 6 0 8 4

# Award Winning Loops & Sounds

Some sample companies will try to sell you 100 megs for \$49. An average Big Fish Audio product contains over 600 megs of samples from today's award winning producers. Big Fish Audio products have won just about every industry award out there. Established in 1986, Big Fish Audio is the oldest and most critically acclaimed sample library company in the world.

**Come see us at  
NAMM booth 6314.**



**Loopalicious RnB**  
\$49<sup>95</sup>  
Audio/WAV/REX

This little treat is brand new from the producer of the legendary Off the Hook. Trip out on these construction kits, packed full of Off the Hook, signature guitar licks, piano chops, Rhodes nastiness, sexy strings, tripped out leads and pads, plus all those drum sounds you've been calling us about! 58-102 BPM. These kits are so produced and ready. Loop one up for your lady tonight.



**Cut'n it Up 3**  
\$99<sup>95</sup>  
Audio/WAV

The wait is over. Critically acclaimed, highly decorated, award-winning producer John Tejada is back with more of his signature Hip Hop. *Cut'n it Up 3* has deep pockets full of sounds nobody's got: construction kits, beats, basslines, synths, guitars, FX, brass, kicks, snares, scratches & more. Pick up this luscious pack of turntable Hip Hop & R&B, that will surely add the flavor of authentic "off the record" feel.



**Click.**  
\$99<sup>95</sup>  
Audio/WAV/Acid

Whether you call it "glitch music" or "microsound" or "laptop electronica," it's the sound of the digital error. The space between the ones and zeros, turned into music. The laptop has become the instrument, throwing aside the need to reference anything but numbers, the soul of the machine. It's time to cast off the shackles of analog banality, because with the collection of sounds on this CD, you're ready to build the foundation for your next digital opus.



**Funk University**  
\$99<sup>95</sup>  
AIFF/Apple Loops/REX/WAV

If you thought you knew what funk was all about, you'd better think again. F.U. is all about funk, and the professors here smell nasty! We're offering specialized courses in live, funk drumming here. No basses, no guitars, just the funkiest skins you've ever heard. Our professors are top session pros, they're snap on, give you tons of variation, gangs of different kits, fills, and hot, dripping funk. Elevate your career and get the degree you've always wanted by attending classes at F.U.



**Neo Soul**  
\$99<sup>95</sup>  
Audio/WAV/Acid

Reminiscent of 70's soul music combined with new millennium Hip Hop, Jazz & R&B, Neo-Soul has been conquering clubs the world over. Veteran producers, songwriters & artists heat up this simmering cauldron of construction kits, oozing Hip Hop & R&B at an ethereal level & celebrating soul music's resurgence. Enhance your library with just the right amount of sweat, longing and passion.



**LA Drum Sessions**  
\$99<sup>95</sup>  
WAV

LA Drum Sessions is just that: session drummers laying down phat, thick, luscious beats, in about every style you can think of. All divided up into folders of related loops by style & tempo; different recording setups; 3 versions of each performance: dry, room-mic only & mixed. Over 80 categories of styles; over 6000 loops; Jazz, Rock, Disco, 60's Fun, Funk, Punk, Country, Blues, Texas Shuffle & more.



**The Orchestral Collection**  
\$299<sup>95</sup>  
Plugin  
(Includes DVD-ROM)

*The whole orchestra. One Plugin.*

- 8 Sections / 44 Solo Instruments / 392 Programs
- Amazing Performance Effects
- AudioUnits/VST/RTAS/ MAS/Mac/PC

Also alalabe in Akai, Giga and Kurzweil.



**Hit Zone II**  
\$99<sup>95</sup>  
REX/Refill/WAV/Acid

Going even deeper into the Top 40 Pop/Hip Hop/R&B bunker, Big Fish Audio has launched a full-scale sound assault. Packed with basses, beats, keys, licks, fills and funky FX- culminating in a huge collection goodies sure to propel your ideas from conception to completion. With more beat zones, construction kits and new to this release super- subtacular bass zones and delicious turn around transit zones, HZ2 will slam your mixes into overdrive.



**Tool Shed Percussion**  
\$99<sup>95</sup>  
Audio/WAV/REX/Acid

Some of the most unique loops and samples ever released! This beautifully recorded library features one-of-a-kind "found" instruments, such as steel tine leaf rakes, singing saw blades, bowed gas tanks, crusty paint rollers, pleather suitcases and thunderous sheet metal. From hip-hop to film soundtracks, rock to electronic, these organic percussion loops and samples, are sure to give your music unique flavor!



**The Hybridizer**  
\$99<sup>95</sup>  
Audio/WAV/Acid

The Hybridizer shatters through your soul with a slicing blast of pure, electronica vitriol. Fuzz-aden basses, piercing sub-sonic beats, frenzied melodic distortions, out-of-the-asylum FX with bruising synthetic fragments. It will strike you senseless with incessant hooks; the methodic menace of these tracks will grab a hold of your cranium, blow apart your soundtracks & launch your media projects to new levels.



**Brush Artistry**  
\$99<sup>95</sup>  
Audio/WAV/REX

A collection of classic and contemporary drum loops and samples that feature the wonderful sound of brushes! Includes a full variety of brush patterns, including traditional swing, be-bop swing, ballad swing, jazz waltz, bossa nova, samba and country, as well as modern six-eight, folk, funk and latin styles. Multiple tempos and full kit loops, intros, fills, ending and "snare only" tracks.

**800.717.3474**



**bigfishaudio.com**

# OBSESSION

8 Track REX Player Plugin • 3.7 Gigabyte Library • Custom Multitrack REX Files




## Free Shipping!

FREE demo at [www.bigfishaudio.com/obsession](http://www.bigfishaudio.com/obsession)

The new standard for loop based plugins. The ignition v.i. series allows you to play and edit 8 REX files simultaneously creating millions of beats. Kick, snare, hihat, etc. all on individual stereo tracks. You get a modulation matrix for each track, 16 outputs and quick flexible editing functions all on one screen. Whether you use the 3.7 Gig library or load your own REX files, OBSESSION is the ultimate RNB & Hip Hop Loop Player.

## ignition v.i. series



THE ULTIMATE RNB & HIP HOP  
LOOP PLAYER



## Smokers Delight

TC

\*99<sup>99</sup>  
Audio/WAV/REX



## Session Strings

\*99<sup>99</sup>  
EXS24/HALion/Kontakt



## Platinum Essentials

\*49<sup>99</sup>  
Audio/WAV/Acid

New from e-Lab... this joint is packed with loungin' MPC & turntable loops & phrases, loads of funky & dubby basses, jazzy horns & flutes, mellow guitars, vintage wurlitzers & rhodes, hip hop beats & cracklin' breaks. All you need to create that weed smokin, head-spinning, chill-out monster you always dreamed of. "5 out of 5 ...The kits exude a smoky, relaxed vibe that masks the actual complexity of the compositions." - SOS

Session Strings is a multisampled strings toolkit for producers of all sorts of contemporary music: pop, R'n'B, dance, etc. Masterfully played, pristinely recorded, four different instrument groups, each with its own set of playing styles. Finally an affordable string library! (Violin, Viola, Cello, Contra Bass, Up to 5 Velocities, Samples with no attack, Release samples)

Keith Clark, a.k.a Clizark, is lettin' you in on his multi-platinum bag of essentials! His wicked versatility as a producer can be heard on albums like The Dove Shack, Snoop's Paid Tha Cost... and multi-platinum hits from B-Legit, Mack 10, Kurupt & more. Platinum Essentials is jammed with construction kits, beats, sounds & more. Want the platinum? Pick up the essentials.



## Ghetto Grooves Vol. 2

\*99<sup>99</sup>  
Audio/WAV



## Dirt Keeps the Funk

\*99<sup>99</sup>  
Audio/WAV/REX

This banger' sequel gets you hyped up with slammin' construction kits... then a blazin' hot selection of Bass and Synths samples. To top it off, we hit you with a bunch of Kicks, Snare and Hats. Everything you need to make the phattest Hip Hop and RnB tracks. Including 800 Kicks, 1000 Snare, 775 Hats and Cymbals, 145 Bass and 115 Synth samples.

The mothership has landed! Inspired by Parliament, Funkadelic and other P-funk pioneers, the live played loops and grooves on this unique CD are sure to shake any booty. *Dirt Keeps The Funk* is jam-packed with bubbling, Bootsyritic bass guitar lines, laid-back drum beats, wah-wah rhythm guitars, go-go style percussion and psychedelic synth riffs, all waiting to tear the roof off your sampler. P!Funk

bigfish audio™  
professional sound libraries

Over 600 titles on-line

bigfishaudio.com

# Tera Era

By Scott Wilkinson

## Parallel processing on a single chip.

In the unbridled rush toward computers with terahertz clock speeds and many terabytes of data storage, a few stumbling blocks lie in the path. Among the most important is the issue of heat, which increases with clock speed and other factors, such as gate density; in fact, today's microprocessors are already approaching the thermal limit beyond which silicon starts to break down. Apple has addressed this with liquid cooling in its G5 models, and Intel could soon follow suit, but it's an expensive solution.

Another concern is the delay introduced by the interconnections between gates. The speed at which electrons flow through copper wire is limited by the resistance and capacitance of the wire. As the gate density on a chip increases, the interconnecting wires get shorter, which is good, but they also get thinner, which increases the delay factor.

More significant delays arise from the relatively slow connection between the processor and main memory. It can take 400 times as long to fetch a piece of data as it does to execute an instruction, meaning that the processor is furiously spinning its wheels while waiting for more


the Prescott, a version of the Pentium 4 with 125 million transistors (compared with 55 million in the previous version), due to manufacturing troubles, and its performance improvements underwhelmed analysts when it was finally released. In addition, the company has postponed the introduction of a 4 GHz Pentium and completely stopped development on next-generation Pentium and Xeon chips.

Instead, Intel, IBM, and other chipmakers are shifting their focus to designs that include two or more processor cores, or computational engines, on a single chip. Such architectures are already being used in computers with multiple processor chips on the same motherboard, but integrating several processing engines within a single chip could lead to even higher plateaus of performance while reducing heat and delay concerns.

The idea is to divide complex tasks among multiple cores, allowing those tasks to be completed more efficiently. Because the cores reside on a single chip, their interaction time is greatly reduced compared with traditional multiprocessor machines. The clock speed of each core can be slower than that of single-core chips, which reduces the amount of heat generated and spreads it over a larger surface area. Even so, the effective computational speed is greatly increased; according to IBM, a dual-core processor can perform roughly twice as many operations per second as a single-core chip with the same architecture running at the same clock speed.

Multicore processors are not a panacea, however. For one thing, software must be designed specifically to take advantage of multiple cores, and some types of applications are better suited to exploit multicore processors than others. Fortunately, graphics-rendering and table-lookup operations are prime candidates for parallel processing, and both are important for electronic musicians.

In 2001, IBM was the first to introduce a dual-core processor, known as the Power4, which was updated to the Power5 in May 2004 (see Fig. 1). In the same month, Intel announced that its new desktop and server microprocessors would be multicore designs; the company now has a prototype dual-core version of the Itanium 2. Sun Microsystems introduced the dual-core UltraSparc-IV in February 2004, and an 8-core chip, code named Niagara, is expected to appear in 2006. Clearly, multicore designs are likely to become the next standard for microprocessor architecture, allowing ever-higher levels of performance to be achieved within the limits of silicon and copper. **EM**





**FIG. 1:** IBM's Power5 microprocessor includes two processing cores.

COURTESY IBM SYSTEMS & TECHNOLOGY GROUP

data to process. On-chip memory caches and instruction-level parallelism (working on one instruction while waiting for the data that another instruction needs) help alleviate this bottleneck, but only to a point.

These problems have led to slowdowns in the development of faster processors. For example, Intel delayed

## Center Yourself



ACID<sup>®</sup> Pro 5 software, the industry's leading loop-based music creation tool, now includes an extended set of features and functionalities that make it more powerful and versatile than ever before. With Media Manager<sup>™</sup> technology, Groove Tools, VST and ReWire<sup>™</sup> support, and Native Instruments<sup>™</sup> Xpress Keyboards VSTi soft synth bundle, nothing else comes close in helping you realize your musical visions.

Our ever-expanding collection of Sound Series<sup>™</sup>: Loops & Samples libraries offer an endless selection of royalty-free music and sound. The Premium Series debuts with arhythmIA, created by Nine Inch Nails drummer Jerome Dillon and sound designer Keith Hillebrandt. Diverse, dynamic, and eclectic – use Sound Series: Loops & Samples to compose, score and mix.

ACIDplanet.com is the Internet's leading community of digital musicians. ACIDplanet<sup>™</sup> artists compose original music, remix major label artists, and collaborate on a wide range of audio and video projects. And the new ProZone<sup>™</sup> gives you even more reasons to come to ACIDplanet. Vibrant and alive, ACIDplanet is the place to be.

Put yourself at the center of technology, art and community with ACID Pro 5 software, Sony Sound Series: Loops & Samples and ACIDplanet.com.

LIKE NO OTHER<sup>™</sup>

Exclusively at Authorized Sony Resellers: the ACID Pro 5 software bundle includes Sound Forge<sup>®</sup> Audio Studio<sup>™</sup> software, a \$69.95 value based on MSRP. Go to [www.sony.com/mediasoftware](http://www.sony.com/mediasoftware) for a list of Sony Authorized Resellers nearest you.

# Golden State of Mind

By Matt Gallagher

## The edgy mixes of PC Munoz and the Amen Corner.

San Francisco Bay Area group PC Munoz and the Amen Corner offer a scintillating mix of R&B, funk, hip-hop, rock, and gospel. The Amen Corner consists of Paul Ruxton (keyboards), Stephen Smith (bass), Marc Weibel (guitar), and Danny Zingarelli (percussion and vocals). The group's third release, *California* (Beevine Records, 2004), presents an eclectic mix of instruments and musical styles. It features musical guests such as Jackson Browne, who recorded vocals for the title track in his studio, and former Prince and the Revolution keyboardist Dr. Fink.

"The record uses vintage sounds while also hinting at a futuristic sound," says Munoz, the group's leader. For *California*, Munoz recorded cajon, Chinese, and udu drums alongside

as the LinnDrum LM-1, Oberheim DMX, Roland TR-808, and a 1959 Wurlitzer Sideman. "We also recorded the kalimba part for 'Small Map' and Dr. Fink recorded his solos for 'Deathbed.'" The resulting sessions were then transferred into Pro Tools.

Munoz and his group recorded most tracks to Pro Tools in coproducer Peter Krawiec's studio space in an Oakland, California, warehouse. "We recorded bass, guitar, keyboards, drum set, percussion, and vocal tracks there," Munoz says, "but [the warehouse] was filled with loud bands. We would have to halt sessions. We had to go elsewhere to record the Hammond B-3 and the string quartet." Krawiec, Munoz, and the group lugged a Mac G4, Pro Tools HD rig, microphones, outboard gear, and instruments to other studios as needed.

"We worked that way until we moved into a new warehouse [space] in San Francisco," Munoz says. "The building used to belong to a sculptor, so Peter converted an old spray booth into an isolation booth, ran cables across an old metalworking shop floor, and set up a control room in the bedroom of the former owner. We built baffles to help with soundproofing. We were able to redo some [tracks] there. We also mixed there."

The vocal tracks on *California* particularly stand out among the menageries of instruments. "I like clarity," says Munoz. "Peter gets good sounds before we start tracking. I often track vocals over the drum and bass tracks, just to keep the feel of poetry and hip-hop. In some cases, I track vocals before the drums are on. On 'Portrait,' I did the vocal over the harpsichord part. Then Dave Worm came in and added his incredible mouth drums. We do a lot of overdubbing, often because I hear subtle things that would enhance a song," Munoz says. "I like to give the musicians a chance to respond."

"In the past, I rarely wanted effects on my voice," Munoz says. "I felt that they weren't right for spoken word. When [mix engineer] Chris Brooke started messing around with reverb and effects on my voice, I was like, 'Hmm,' but I stayed open. I believe in staying open-minded throughout the whole process of making an album. You never know when the next great serendipitous thing will happen." **EM**

For more information, go to [www.pcmunoz.com](http://www.pcmunoz.com).



*California*/PC Munoz and the Amen Corner

drum machines. Ruxton played a range of electric pianos and synths, such as a 1970s model Wurlitzer EP200a and a Korg Karma. Munoz deftly orchestrates disparate sounds into a cohesive whole. "The more simply you execute a song, the better," he says. "I go to the heart of a song and determine how it can best be presented."

"Some of the album reflects my love of the Minneapolis sound," Munoz says. "We did preproduction at Dr. Fink's studio [in Minnesota] using Mark of the Unicorn [hardware] and Digital Performer." Munoz laid down rhythm tracks by accessing Dr. Fink's samples of vintage drum machines such

# FOR OVER 30 YEARS LEXICON HAS BEEN IN WORLD-CLASS RECORDING STUDIOS...



## ΩMEGA™

DESKTOP RECORDING STUDIO

## ...NOW YOUR HOME CAN BE ONE OF THEM.



### OMEGA DESKTOP RECORDING STUDIO™ INCLUDES:

- Steinberg® Cubase LE® — Multi-Track Recording Software
- Lexicon® Omega — 8 Input x 4 Bus x 2 Output USB I/O Mixer
- Lexicon® Pantheon™ — World Class VST Reverb Plug-In

More than 30 years ago, when Lexicon invented digital reverb, most recording studios were multi-million dollar rooms occupied only by famous rock stars and big record labels. And while Lexicon still lives in that rarified air of stardom with the world's most sought-after reverbs, now you can find us a lot closer to home.

Now Lexicon brings you the Omega Desktop Recording Studio, a completely integrated recording system with everything you need to transform your computer into a full-on professional 24-bit digital studio, all in one box. In addition to Steinberg Cubase LE® recording and production software, you'll get an 8-input, 4-Bus, 2-output USB I/O mixer with inserts, instrument input, MIDI I/O and complete metering and monitoring functions. Record up to 4 tracks at once from 8 audio sources, and mix up to 48 audio and 64 MIDI tracks almost anywhere...with the lush, exquisitely rich reverbs that made Lexicon famous in a VST version of Lexicon's Pantheon® reverb plug-in.

Pick up an Omega Studio at your Lexicon Pro dealer today, and discover for yourself why that famed "Lexicon Sound" has been on the majority of hit recordings since 1971. Who knows? Maybe the next one will be yours.

**Lexicon** PRO

## COMPLETE RECORDING SOLUTION

CONTAINS ALL THE COMPONENTS NECESSARY TO TRANSFORM YOUR COMPUTER INTO A PROFESSIONAL 24-BIT RECORDING STUDIO.



CHUCK DAUMER

# Mastering From the Trenches

By Myles Boisen

**M**astering has often been a job for highly trained and expensive professionals hired by major labels for major artists. Today almost anyone can attempt to master records at home using commonly available tools. But a middle ground also exists: a new generation of mastering engineers with fresh ideas operates closer to street level than the more traditional pros, working primarily on independent projects and offering affordable services at their studios.

Using outside mastering services is a smart and surprisingly affordable option for many, and understanding what goes into the process can help produce better results. To get an idea of some of the issues that arise, I interviewed three of the most experienced experts of the new mastering generation: Tardon Feathered (see Fig. 1) of Mr. Toad's in San Francisco, Jeff Lipton (see Fig. 2) from Peerless Mastering in the Boston area, and Paul Stubblebine (see Fig. 3) of Paul Stubblebine Mastering and DVD, also located in San Francisco.

The panel's combination of mastering knowledge and "street cred" can help anyone who wants to get the most bang out of every buck invested in a self-produced recording. Even if your next project is headed to a "spare-no-expense" mastering facility, some of these peer perspectives might save you a bundle.

Tips from a  
streetwise panel  
of experts.

**What are the most common problems you see with mixes coming from semiprofessional and home studios?**

**Lipton:** Most mixes coming in are optimized for the acoustically inaccurate rooms they were mixed in, as well as mixed on less-than-honest monitors. One major problem, therefore, is muddy low end



Your music is a reflection of who you are and where you're headed. That's why the tools you choose to capture your ideas are so vital. Put a Digidesign® Pro Tools® system in your hands and experience where your creativity can take you.

# ASPIRE

Visit [digidesign.com](http://digidesign.com) to learn why more professionals trust Digidesign Pro Tools than any other audio workstation.

©1/05. Digidesign, Mbox, and Pro Tools are trademarks or registered trademarks of Avid Technology, Inc. or its subsidiaries or divisions. All other trademarks are the property of their respective holders.



or muddy lower mids. Most inaccurate rooms portray bass inaccurately or not at all, so engineers tend to guess at what to do in that range. This either leads to way too much bass and lower midrange, or in some cases a bad balance between the kick drum and the bass guitar.

Many lower-end studio monitors seem to have mid-range boosts and cuts, misleading the engineer in this critical frequency area. Other problems are too little high end because of the popularity of low-quality monitors with built-in high-end boosts; flat and muddy drum sounds, because it's hard to get a good drum sound in a house or project studio; and overcompressed or clipped audio on the mix bus. Instead of letting the mastering engineer get the desired compression level, inexperienced mix engineers usually turn all the faders up too high, and you hear the signal clipping all over the place.

**Stubblebine:** It's pretty common to find either too much [or not enough] bottom or the bottom-end varying wildly from one track to the next. Another important thing that can be frustrating for us is a mix with one important element too dull but some other element overly bright. That makes it difficult to dig in and brighten the dull element. It's also pretty common that the level of the vocal relative to the track isn't consistent from song to song.

**What do you see as the primary causes of substandard recordings that might need drastic fixing in the mastering room?**

**Stubblebine:** I'd lump these causes into three groups. First, we keep coming back to relying on monitoring that isn't up to the task. The speakers don't have to be the most expensive in the world, but if you can't find some place-



COURTESY TARDON FEATHERED

**FIG. 1:** Tardon Feathered is the president and mastering engineer at Mr. Toad's Recording in San Francisco.


ment in the room that gives a reasonably balanced presentation, you're working with one strike against you from the start.

Second is pushing things too far. I'm in favor of using any technique or effect that makes a record better, but a lot of people just seem to turn every knob up until it hurts. There's a sweet spot for any effect, and it isn't always at maximum. I include mixing too loudly in this category. Mixes made that way tend to sound right only when they are played back loudly, whereas a mix made at a medium volume sounds pretty similar when you turn it up or down. Also, when you do all your listening at high SPLs you lose perspective on your mix earlier in the session. It becomes harder to judge where the vocal is sitting, and harder to judge the low end in relation to the rest of the mix.

The third thing just seems to fall under the general heading of inexperience. Making good recordings isn't easy; it takes both talent and practice. So keep practicing.

**Overcompression and "the loudness war" have been common themes in mastering circles over the past few years. Are the voices of experience in the industry persuading engineer-musicians and indie labels to leave some dynamic range in their mixes?**

**Lipton:** No! I often ask my clients how compressed they want their album to be, rated on a scale of 1 to 10. With 1 being dynamic and high quality, and 10 being loud and overcompressed, and most of the time they pick 8 to 10. I explain the consequences of how it will suck the space out of the mixes and make the record tiring and hard to listen to. They say they just want it as loud as the other overcompressed albums



COURTESY TARDON FEATHERED

The centerpieces of the mastering room at Tardon Feathered's Mr. Toad Recording are Dunlavy SC-IV monitors matched with a Hafler 950S amp and Entech 24/96 D/A converters.

# the difference a pro makes




## Put your toys aside and enter the realm of the Pro.

"Get it right from the start" is the mantra of professional engineers the world over, and for good reason. It's also at the very heart of the Platinum Pro philosophy - providing otherwise predominantly digital set-ups with an essential front-end analogue injection.

Whether tracking the perfect vocal, capturing the full-bodied zing of an acoustic guitar, or providing some much needed latency-free monitoring, the Platinum Pro range bring you one step closer to that illusive professional production.

So clean up your digital playroom and start to act like a Pro.

### TwinTrak Pro™



"This really is one serious piece of kit that's been well thought out to make sense in the real world of desktop recording."

Paul White, Sound on Sound

### VoiceMaster Pro™



"I use the VoiceMaster Pro on everything, be it vocals, acoustic guitar, drums... the vintage harmonics processor just blows me away! It's a great unit, whatever the money."

Mark 'Spike' Stent - World-renowned recording engineer

"Verdict: Sound/results - 10/10. A serious overhaul of the VoiceMaster and another cracking addition to the Platinum range."

Jon Musgrave, Future Music

It takes the right toys to play like a Pro

**digidesign**  
North American Distributor  
[www.digidesign.com](http://www.digidesign.com)

PLATINUM  
*Pro*

**Focusrite**

For a demonstration, call toll-free 1-866-FOCUSRITE or for further information, simply visit [www.focusrite.com/pro](http://www.focusrite.com/pro)

they listen to. It's sad, but I don't want to lose business by not meeting or exceeding my clients' expectations.

**Feathered:** In some ways, it's a hopeless battle at the indie level. For every mastering engineer who educates a client successfully on how to best capture a dynamic mix, one hundred more people are experimenting with [Digidesign] Pro Tools for the first time. When the tools are there to squash the music into oblivion, it can and will be done. Especially since making those final tweaks to your mix almost always means bringing things up in the mix, not down.

### Has the spread of 24-bit recording produced improvements?

**Feathered:** No, the tools are the same; so are the levels they can produce. Some of the new formats, such as SACD, which can actually be rejected at the plant for being "too loud," have the potential to help battle the volume wars. But anything in the PCM audio world can't. As there is no enforceable standard, it is easy to make PCM audio louder than is necessary or enjoyable with a few simple, cheap tools.

**Stubblebine:** We've seen some improvement; more mixing engineers are asking about the issue at least. But in many cases mixing engineers feel that they have to give the client a reference copy that

FIG. 2: Jeff Lipton founded and is chief engineer of Peerless Mastering in Newtonville, Massachusetts.



## DOS AND DON'TS FOR A SMOOTH MASTERING SESSION

Sit on your final mix for at least a few days. Make notes of any things you want the mastering engineer to pay attention to. If you made vocal-up/vocal-down mixes, note which ones you prefer, but bring them all to the session. You may prefer a different one after it gets mastered, or you may want to lift a line or two from another mix and drop it into the preferred mix. And don't mix until three in the morning before the session! —Paul Stubblebine

Provide the mastering engineer with a compressed and an uncompressed mix so that they know what you are going for, if you enjoy mixing through compression. And be organized; it saves time and money. —Jeff Lipton

Don't allow the Number 1 offender—bad labeling. For example, the band has eight CDs with different mixes or names, and no one remembers which one they agreed to use. This is especially true when the mixes are on CD-ROM, and the band's reference is an audio CD. "Dude, use mix 4." Then you look at the CD-ROM and they're all named "vox\_up," "vox\_down," "bass\_up," and so on. That's a true waste of money. —Tardon Feathered

already sounds loud, and so they will mix through some fairly drastic compression. As long as the engineer saves an uncompressed mix too, there's no problem. But all too often the compressed version is the only one saved, and that's what we get to work with. That severely limits our room to maneuver.

### After hearing a project with the kind of major flaws we've discussed, do you ever advise clients to remix before proceeding with mastering?

**Feathered:** Only with the knowledge that they probably won't come back to me once they've fixed it. So you're damned if you do, and damned if you don't. A better approach is to have them bring you the remix job, if you do such things.

### Would you take on the supervision of a revised mix from a client's DAW or multitrack computer files?

**Feathered:** Absolutely. In many ways, this is the future of mastering. And it's a far better solution than simply telling the client they need to remix. Since the mixes are essentially totally recallable, I love this idea. The pitfalls come up when you try to open the projects on a different computer rig. It is much easier to have the client bring his or her own machine.

**Stubblebine:** We have found ourselves in that position a few times, and have indeed gone back to the mix stage with the client, tuned up the mix, and then mastered from that. Since the majority of projects exist in a workstation, it only makes sense to go back and revise it if there's something that is so drastic we can't deal with it effectively in mastering.

### What advice would you give to those weighing the potential costs and benefits of outside mastering?

# STILL DIGGIN'?

THAT  
ELUSIVE  
BREAK

**BFD**  
PREMIUM ACOUSTIC DRUM MODULE

Having trouble finding unused, original drum breaks? Create infinite varieties of authentic-sounding new breaks with BFD, the powerful software drum module from FXpansion. Select from 7 hyper-detailed drum kits with up to 46 velocity layers, along with numerous additional drums, hats and cymbals. Blend between four different mic sources to achieve the definitive ambient studio flavour, and use its wide range of over 1200 funky grooves to create the classic feel your tracks crave. BFD's drums are provided raw and untouched, ready for you to stamp your own character on them with the processing of your choice.

**Make BFD your new secret weapon in your continuing mission for unique beats.**



Also from FXpansion:



VST to AudioUnit Adapter  
VST to RTAS Adapter  
XFL Library

Distributed Exclusively  
in the Americas by

**eBlitz**  
AUDIO LABS

805-258-1465 • [www.eblitzaudiolabs.com](http://www.eblitzaudiolabs.com) • [contact@eblitzaudiolabs.com](mailto:contact@eblitzaudiolabs.com)

**fxpansion**  
[www.fxpansion.com](http://www.fxpansion.com)

**Stubblebine:** I feel that the money spent on a professional mastering job returns a lot of value. And it usually makes a bigger improvement in the final outcome than the same dollar amount spent on any other part of the production.

**Feathered:** If your music is your life, then you must understand that mastering is an essential part of the process. Some people say, "It's just a demo." To that I say, "You only get one chance to make a first impression."


Fan club releases, tapes of your family singing around the campfire, rough mixes—these can get away without being mastered. But don't mess with your life's work! Mastering is your last opportunity to confirm that it all sounds just like you think it does, and to know that it sounds as good as it can.

**Lipton:** If you've put a lot of time into an album, the last thing you should do is skimp on the mastering. There are so many advantages to mastering with a good mastering engineer in a well-equipped, acoustically designed room. For lower-budget and even many high-budget clients, this is the first time anyone has ever heard the true frequency response of the mixes. When you get your mixes to sound good and even in a flat room, they will sound better in every environment. For example, if a mix is too bassy to begin with, it will sound horrible [when you play it on a bassy system].

It is for this reason that I feel my best mastering tool is my monitoring environment, which I can trust 100 percent.

Quality mastering gear is also crucial to the process. If a processor colors

At Paul Stubblebine Mastering, the Camelia Room's surround setup features main monitors custom built by Alon Wolf, Meyer HD-1s for satellites, and Bag End ELF subwoofers.



PHIL BROWN

**FIG. 3:** Paul Stubblebine owns Paul Stubblebine Mastering and DVD in San Francisco.

the sound or has a negative effect, it will hurt the entire mix. Good mastering equipment will add the least amount of color, offer perfect phase correlation between the channels, and work musically. And \$18,000 A/D/A converters, for example, will usually sound a lot more accurate than stock DAW converters—just like a \$12,000 analog EQ will sound more accurate and musical than most plug-ins.

#### What is the best route for artists who can't afford to master their CD at a professional facility?

**Stubblebine:** At least involve someone else who hasn't been mixing the project. Part of the value of mastering comes from the fact that the mastering engineer brings a new perspective, and the people mixing the record get so wrapped up in it that they can overlook problem areas. So if you've got a friend who has a good sense of what a recording should sound like, but who hasn't been mixing with you, bounce some ideas off him or her.

**Lipton:** First of all, artists shouldn't be afraid to call a professional facility and discuss their budget. It is possible that the professional facility will have independent-artist discounts and be willing to work within the artist's budget. I try to fit in the struggling artist whenever I can, because often they have very interesting music.

If you just don't have any money, try to equalize and compress your material so that it matches a stylistically similar, professionally mastered album. Compare all your songs to make sure that they are consistent in level and relative frequencies. And listen to them in every environment you can.



COURTESY PAUL STUBBLEBINE MASTERING

**Feathered:** Call around. Professional mastering these days is cheaper than you think. That said, go semipro if it's all you can afford. At least you'll get to hear your project in a different studio with someone who aspires to master CDs professionally. Ask for referrals; listen to their work.

**What lessons can you impart to our readers to help them find the right mastering facility, and avoid a mastering job that is not right for them?**

**Stubblebine:** The best indicator would be that someone has mastered great-sounding projects—both musical and engineering—in styles that you like.

**Feathered:** There is no one correct way to master a CD. No two mastering engineers would even make the same mix sound the same. There are two major factors that affect mastering: the quality of your mixes and the quality of the mastering engineer and studio. A cruddy mix can only be polished so much. But a good mix has so much potential that sometimes it's worth asking an engineer to try it a different way.

**Lipton:** A lot of budget mastering studios out there are just people with DAWs working in acoustically imperfect environments. Go with an engineer that has mastered hundreds of albums, including several that you like. A big mistake people make is mastering with recording engineers who do not have real mastering experience. They may be good at what they do in their studio, but that won't always translate to objectivity or an ability to hear the imperfections in their material.

**Tardon, regarding the subjective nature of mastering that you brought up, would you**

**say you have a consistent style or approach in your mastering work?**

**Feathered:** Absolutely. I have a vision of the way things should sound and often get fairly heavy-handed in my approach trying for a big pop sound. This is especially true at the self-recorded end of the scale, where there is a great likelihood that the finished recordings only marginally resemble a record that the artist wishes they could sound like. I try to make sure my clients know that I might push too far in search of "that sound," and encourage them to listen critically and make sure they enjoy what I did. I'm always happy to back off if I need

## OUR MASTERING PANEL

### Tardon Feathered

Mr. Toad's

(888) MRTOADS

tardon@mrtoads.com

www.mrtoads.com

### Jeff Lipton

Peerless Mastering

(617) 527-2200

info@peerlessmastering.com

www.peerlessmastering.com

### Paul Stubblebine

Paul Stubblebine Mastering and DVD

(415) 522-0108

info@paulstubblebine.com

www.paulstubblebine.com

George Jones Johnny Mathis Lloyd Cole Joe Jackson Beck  
Tracy Chapman Aimee Mann Carly Simon Norah Jones  
Jason Mraz Dave Matthews Band Diana Krall  
Jack Johnson Tony Bennett The Thorns  
Ben Harper Rosanne Cash Joss Stone  
Matthew Sweet Tom Petty

Artists Sounding Off

KMS 105  
Vocal Performance  
Microphone

"Tom is a classy vocalist who really cares about his sound. During his last tour, we put up about twenty mics for him to try during rehearsals. His choice came right back to the Neumann."  
—Brian Hendry, monitor engineer,  
Tom Petty and the Heartbreakers

Distributed by Sennheiser  
USA: Tel: 866 434 5220 • Fax: 866 434 3148 • www.neumannusa.com  
Canada: Tel: 514 426 3013 • Fax: 514 426 3953  
Latin America: Tel: 52 55 5639 0956 • Fax: 52 55 5639 9482

NeumannUSA

to, but that happens on less than 5 percent of the stuff I work on.

**Lipton:** For me, it is all about the artist's vision. I will work as hands-on or hands-off as the project requires. For example, if a home-recorded mix comes in pretty muddy and everything sounds muffled and unclear, I will do whatever it takes, using whatever tools are required to get the recording to its full potential. However, if the artist prefers a muddy mix, I am very happy leaving it to their liking. In general, I would say that I don't have a "sound" or a consistent approach. I will often change my process and go as far as rewiring my studio to suit a project.



COURTESY JEFF LIPTON

In Peerless Mastering's A room, Jeff Lipton works using an Alacronics custom 5.1 stereo console, and custom monitors through SLS speakers driven by SA Amps with custom crossovers.

**What is your policy regarding client attendance at the mastering session? Some engineers enjoy interacting with clients. Other engineers simply prefer to work alone, and may offer a reduced rate for unattended sessions.**

**Stubblebine:** We welcome it. The majority of our sessions are attended by the producer, the engineer, the artist, or some combination. Experience shows that the more people attending, the longer the sessions take, just because

## wireless DAW control

**TRANZPORT™**  
... it's a control thing

- ⌘ 2-way RF for wireless, through-the-wall communication with your DAW
- ⌘ Presets for Pro Tools®, Digital Performer™, Sonar™, Cubase® and other DAW apps
- ⌘ Easy setup, fast access to your most often-used functions
- ⌘ Remote control of transport, mutes, solos, punches, markers, loops and more
- ⌘ Onboard metering, time display, track info, footswitch jack
- ⌘ Compatible with Mac® OS X and Windows® 2000/XP

© 2004 Frontier Design Group LLC

**FRONTIER**  
DESIGN GROUP

[www.frontierdesign.com](http://www.frontierdesign.com)

there are more opinions to consider. So it's not necessarily cost-effective to have everyone in the band show up. But it's the artist's choice, and we're fine with it. Of course, we have a certain number of projects we do without anyone attending, and that can work out fine too.

**Feathered:** I offer two rates to clients—attended and unattended. Unattended is about a 25 percent discount from our attended rates, and 90 percent of our clients go that route. I love this. It gives me great scheduling flexibility and lets me do my mastering work when I'm most in the mood—usually at night. I get to double-check my work and sequence the CD at the start of the next day, when I'm fresh. I feel it delivers my most consistent results.

**Lipton:** I will work hard to get to know my clients and their preferences, whether they are at the session or not. People who are out of the area can mail me their mixes, and we will discuss them over the phone. I always offer my clients free listening sessions before mastering, but personally I enjoy it if my clients come to the session. In my facility, the client sitting area is extremely accurate, so I can completely trust their comments and opinions of what we are doing. It's fun to have a session be as interactive as the client would like it to be.

**If you could generalize for a moment, how would you characterize the differences in quality between the top-level projects you've worked on and the majority of projects recorded at home or in a semiprofessional facility?**

**Lipton:** Top-level projects usually have great basic tracks and mixes that sound fuller and more spacious. Most project-studio mixes are muddier and less distinct, and have less space. In general, people who start with bad basic tracks end up with bad mixes. Inferior A/D converters can really hurt a project too, especially on the drums and vocals.

**Feathered:** The chasm between the best recordings and the rest of the recordings is now huge. Corners are cut at almost every stage of recording for the independent artist these days. At the very least, the independent artist has to be able to create great performances on their recordings or they just won't stand out from the pack.

**Finally, what's your ideal compliment to hear at the end of a successful mastering session?**

**Feathered:** I really dig it when days later the band calls up and is still flippin' out over the results. When it holds up well after multiple plays on multiple systems and they call you to tell you about it, that's the best.

**Lipton:** The best compliment is when artists tell me that their album sounds the way they've always dreamed it would. It's all about achieving their vision.

*Myles Boisen is the head engineer and relationship counselor at Guerrilla Recording and The Headless Buddha Mastering Lab in Oakland, California.*




# 170 new features that'll actually make your life simpler, not more complex.



**OVER 170 NEW FEATURES**  
that you'll use from Day One.

 Kontakt Player from Native Instruments plays back your music using high-quality instrumental samples.

 Improved Flexi-time™ translates your live playing into beautiful music.

 Just specify how you want your music to be arranged or orchestrated—Sibelius does the rest in an instant.

 Instantly view an entire score or individual parts.

 Place your music on your web site or on SibeliusMusic.com, the world's largest site for self-published music.




Sibelius 3 is the latest version of the world's best-selling notation software. Its powerful new features enhance the way you create, play back, arrange and publish music. Yet it remains as intuitive to use as a pen. Created by musicians for musicians, Sibelius 3 is essential for everyone—from students and teachers to professional composers and publishers. We're sure you'll like it, because we've included many new features based on thousands of ideas and requests from our users.


Sibelius 3 is available now at a dealer near you, or call 888-4-SIBELIUS (888-474-2354) to place your order. For more information or to download a free demo, visit [www.sibelius.com/em](http://www.sibelius.com/em)

**Sibelius 3. The fastest, smartest, easiest way to write music.**  

Sibelius, Sibelius 3, double helix design, "The fastest, smartest, easiest way to write music" are trademarks or registered trademarks of Sibelius Software Ltd. or Sibelius USA Inc.. All other trademarks acknowledged. © Sibelius Software Ltd 2004. All rights reserved.



Five modeling plug-ins  
that will make your DAW  
roar like a tube amp.



# Stack in the Box

By Orren Merton

After its introduction in 1998, Line 6's Pod probably did more to popularize the concept of digital guitar-amp modeling than any other product. But another Line 6 modeling product, Amp Farm—a TDM plug-in for Digidesign's Pro Tools that was released before Pod—also had a major impact. So impressive was Amp Farm that it created a new market among users of native DAW applications, who yearned for amp-modeling software compatible with their platforms.

But when such products began to appear, the response was not universal acceptance. Besides the usual authenticity argument that purists make about all digital modeling products, the biggest drawback was the latency inherent in native systems. (Latency is less of an issue on TDM systems, because the audio processing is done on a dedicated DSP card rather than in the host computer's CPU.)

In a direct-recording scenario, latency results because the signal from the guitar has to pass through the A/D converter hardware and the audio buffer set in the software, and then come back through the D/A converters. That journey causes a delay between when the guitarist hits a note and when the computer outputs the processed sound.

On the older, slower computer systems of several years ago, latency was noticeable enough that guitarists found the experience of playing through native modeling software to be less than satisfying—no matter how many cool sounds and effects there were.

## Improved Performance

The good news is that nowadays, processing speed has significantly increased and audio hardware can operate well at small buffer settings. As a result, latency can be reduced to almost imperceptible levels. With that hurdle cleared, native DAW users now can enjoy the benefits of guitar-amp modeling software just as their TDM contemporaries can.

After all, what guitarist wouldn't want to have dozens of amplifiers available at the press of a button? Having



amp-modeling software is a lot less expensive than owning a collection of vintage amps, and you don't have to worry about storage or maintenance or disturbing family, pets, or neighbors with late-night playing. Another advantage is that you can choose to record your guitar unprocessed and then use your amp-simulator software to shape the tone during mixdown, essentially reamping your guitar sound to fit the song.

Guitar-amp plug-ins are not just for guitarists, however. Keyboardists, vocalists, and bassists have often experimented with their sound by running their instruments through guitar amps. Now they too can experience the same flexibility using software.

## The Lineup

The following are reviews of five amp-modeling plug-ins for guitarists: Alien Connections ReValver, IK Multimedia Amplitube, MDA Combo, Native Instruments Guitar Rig, and Nomad Factory Rock Amp Legends. The criteria for inclusion in this roundup were that the software must run native and be available for use in multiple hosts. Four of the five products reviewed are cross-platform, and ReValver is for Windows only.

For one reason or another, a number of other guitar-amp modeling products on the market didn't meet the criteria for this roundup. They include products (like Amp Farm) that run on DSP cards (TDM, TC Electronic's PowerCore, and Universal Audio's UAD-1) or are exclusive to a single application. I provide coverage of many of those programs in the "Accelerated Amps," "Amp Sims in Pro Tools," and "Apples and Apples" sidebars.

## Alien Connections

### ReValver

(Win, \$99)

Alien Connections ReValver was one of the earliest guitar-amp simulation plug-ins to be released. Its interface features a virtual rack into which you place components called Modules. Each Module represents a different virtual component such as a preamp, a power amp, a speaker cabinet, a chorus, a flanger, an auto wah, a delay, and so forth.

You can add as many as 16 Modules to your rack (depending on your CPU's available processing power), but there are some limitations to the order in which they appear in the signal chain. Effects can be placed only at the beginning or end; preamp simulations must come before power amps, power amps must come before speakers, and speakers must come before room simulations. Only Trim Pot modules and Parametric Filter Modules have no limitations on where they're placed in the chain. If you want, you can create racks consisting of only one type of Module, such as a speaker simulator. You can create



**FIG. 1:** Alien Connections' ReValver lets you create a guitar amp from its virtual Modules.

presets of entire rack configurations, or you can make presets for each Module.

ReValver offers an extensive collection of components. Fourteen preamp Modules are available, including unique ones for most genres (pop, country, and metal) and amp types (solid state and valve). The eight power amps cover those same genres and amp types.

Nowhere is it mentioned which specific makes and models of preamps or amps are being emulated. ReValver furnishes more than 20 speaker simulations, with some cabinets modeling a specific type (such as the 1x8 '60s Fender Tweed Champ), but most emulate only generic speaker configurations (2x12, 4x12, and so on).

Effects and dynamics-processor Modules include four types of stereo reverb (only one referred to as being "high quality"), three varieties of echo/delay, two noise gates, a chorus/flanger, a compressor, tremolo, parametric EQ, 9-band graphic EQ, and room simulator. As long as you follow ReValver's rules of Module order, you can create mind-numbing combinations (see Fig. 1).

I wasn't able to find any Module combinations that sounded like specific classic amps. None of the presets are named for actual amps, and ReValver has no facility for picking a preamp, amp, and speaker combination that's designated to sound like a specific amp. That isn't necessarily a bad thing, but it means if you have a certain sound in mind, it may be difficult to re-create it.

Since most of the preamp Modules are geared to one type of sound (heavy metal, clean valve preamp, and so on), if you change your mind about the tone you want, you'll need to swap preamps. Most of the simulations don't respond well to playing dynamics, and most don't sound particularly tubelike, but some of the lower-gain sounds have a nice bite and edge to them (see Web Clip 1). The effects are all usable. None are exceptional, but none

# JamPlug<sup>TM</sup>

World's Smallest Guitar Amp

Install the battery • Plug it in your jack • Turn it on  
Plug in your earbuds • Start jammin'!

[www.jamplug.com](http://www.jamplug.com)



Copyright © 2004 DVForge, Inc.  
All rights reserved. JamPlug is a  
trademark of DVForge, Inc.  
All other marks property of their  
owners.



are poor. The Fender speaker models sound particularly realistic.

ReValver is far less expensive than any of the other commercially available products reviewed here, and if you are looking for an inexpensive, DX-format plug-in that models amps and effects and offers lots of flexibility, ReValver just might fit the bill.

**Pros** Large selection of Modules with many combinations possible. Inexpensive.

**Cons** Limited Module-routing possibilities. Simulations don't respond well to playing dynamics. Most sounds don't model specific guitar amplifiers.

**Compatibility** Windows: DirectX.

**Contact** [www.alienconnections.com](http://www.alienconnections.com)

## IK Multimedia

### Amplitude 1.2

(Mac/Win, \$399)

Inside its stylized amp-head interface, IK Multimedia's Amplitude offers a selection of preamp simulations modeled from Fender, Vox, Marshall, and Mesa/Boogie tube classics, and two generic solid-state preamps (see Fig. 2). You also get four tube EQ models (two American and two British styles); four models of power amps (low- and high-power models of a solid-state and a tube amp); eight modeled vintage and modern speaker cabinets with two selectable mic types and two mic placements; modeled Fender tremolo and reverb; and a noise gate.

Amplitude's amp-simulation page provides six standard amplifier controls (Gain, EQ Low, EQ Mid, EQ High, Presence, and Volume), but if the amp modeled didn't contain one or more of those controls (Solid State Lead, for example, has no Mid EQ), the missing control (or controls)

you choose. It's not possible to access only the modeled speaker cabinets to use with an external amp, but you can bypass individual sections such as the stompbox section, the amp section, and the master-effects section.

Amplitude also offers models of five classic stompbox varieties, which are placed before the amp and speaker simulations in the signal chain. You get a wah—complete with a highly responsive auto-wah mode—delay, chorus, flanger, and overdrive. In addition, Amplitude offers a selection of three digital effects: 3-band parametric EQ, stereo multi-tap delay, and reverb. You cannot rearrange the order of the effects, and they cannot sync to the host application.

Some of the effects, such as parametric EQ, have legends around the dials, but most have no markings at all. That won't be a problem for guitar players, who are used to making adjustments by ear, but the lack of markings limits Amplitude's versatility for anyone used to making precise parameter adjustments.

IK Multimedia ships a broad selection of presets with Amplitude, covering most popular guitar amplifiers and guitar-effects configurations. Presets labeled VIP attempt to capture the signature sound of a number of famous guitarists, including Steve Vai and Jimi Hendrix. Additional presets are available for download at [www.amplitude.com](http://www.amplitude.com). The presets will help you get started with Amplitude, but before long you'll want to explore what it can do on its own.

To my ear, the matched preamp-EQ-amp-speaker combinations often didn't sound like the amps they purported to simulate. For example, the Vintage Clean model (which is modeled from a Vox AC30) can't get distorted without a stompbox; a real cranked Vox can. I found that, in general, the clean amps thinned out the sound, although the Tube Clean preamp (based on a Fender Super Reverb) added some really nice warmth and harmonics with the Vintage Open 4x10 cabinet (see Web Clip 2).

Some of the distorted sounds lose definition at higher Drive settings, and they don't clean up well (an observation that is mentioned in the manual). The real strength of Amplitude is in all the combinations possible; it's very easy to find groupings of preamps, amps, and speakers that can cover almost any sonic territory. Moreover, the stompboxes sound so good that Amplitude could stand alone as a great analog-style multi-effects plug-in.

A standalone version of Amplitude called Amplitude Live is available for the Mac, and, according to IK Multimedia, a Windows version will be available by the time you read this.

**Pros** Excellent stompbox effects. The auto wah is very dynamic. Over 1,200 model combinations possible. Presets cover Amplitude's capabilities well.

**Cons** No tempo sync for effects. Cannot rearrange stompboxes. Cannot use only speaker simulations. Many amp models thin or unconvincing.



FIG. 2: IK Multimedia's Amplitude offers over 1,200 different combinations of preamp, EQ, and speaker configurations.

will be grayed out. IK Multimedia says that Amplitude's simulations allow over 1,260 possible combinations.

If you would prefer to call up an entire amp simulation rather than individual components, the amplifier and cabinet sections have Match switches that will link the EQ, amp, and speaker model to the preamp model

Relationships are for everyone else.

**Are You Good Enough For Neutrik?**



The Mark of a  
Lifetime Performance Guarantee.



**Compatibility** Mac OS 9: HDTM, RTAS, VST/OS X: HDTM, RTAS, VST, AU. Windows: RTAS, VST, Direct X.

**Contact** [www.ikmultimedia.com](http://www.ikmultimedia.com)

## MDA

### Combo

(Mac/Win, free)

MDA's freeware Combo plug-in (see Fig. 3) seems spartan compared with the other big-ticket simulators; it has no GUI, no presets, and a limited number of adjustable parameters. Perhaps because of its inauspicious appearance, I was surprised to find how much I liked it. Its simple architecture makes experimentation a snap. Its High Pass and Drive parameters are very responsive; small changes can make dramatic alterations in the sound.

Combo's six speaker simulations each have a very distinct personality and produce tones ranging from convincing amp sounds to transistor-radio effects. Indeed, I found that the High Pass control (which determines how


much low end a tone contains) and the speaker simulator worked well in combination to create the basis for the sound that the Drive, Density, and Bias parameters would then shape.

My favorite speaker simulations were 4x12 Edgy, which sounds very in-your-face and live; MB Distant, which sounds wonderfully full and amplikey; and Transistor Radio, which allowed me to achieve some great special-effects guitar tones when used in tandem with the highpass filter. If you want to use only the speaker simulator in Combo, you can set the other controls to zero and they won't affect the sound, allowing you use it in conjunction with a real tube amp.

Combo doesn't disappoint in the distortion department, either: it can deliver unholy gobs of gain. If turned too high, the gain control can overload the signal. I found that the sweet spot on the gain control is between 35 and 75 percent, depending on the type of sound you're going for, from edge-of-breakup to gut-busting metal (see

## Blending Real with Virtual

If your amp-modeling software allows you to use its speaker simulator independent of its other processing, you can take a line out from a real guitar amp into your audio interface, and record direct through the virtual speaker cabinet. You can use programs such as Guitar Rig, Combo, and Guitar Amp Pro (in Apple's Logic Pro) in this manner. It's the same concept that guitarists have been using for decades with speaker simulator hardware, such as products made by Palmer or Hughes & Kettner.




**FIG. A:** If your amp has a line out, you can connect it directly to a line input on your audio interface. Remember that you'll still need to hook your amp up to a speaker to avoid damaging the output transformer.

The setup is simple. If your guitar amp has a line out, plug it in to an instrument input on your audio interface (see Fig. A). If it doesn't have a line out, you can use the line out of a speaker-attenuator box such as the THD Electronics Hot Plate. Plug the attenuator into the speaker jack of your amplifier (using a speaker cable, of course), and then run an instrument cable from the attenuator's line out to your audio interface's instrument

input (see Fig. B). Once you have your amplifier connected to your computer, put a sequencer track into record, instantiate your guitar amp plug-in, and dial up your favorite speaker simulation.

You can monitor your sound two ways. The first is to run your amp through both the computer and your speaker cabinet; your tone will be recorded from the line out, but you'll hear the room tone from your cabinet. The method I prefer, however, is to monitor completely through the computer; that lets me hear the exact tone I'm recording, at neighbor-friendly volumes. If you are not going to use the amp's speaker, though, it is important to know that you'll need a device (such as the THD Hot Plate) that can send out a dummy load to your amp; otherwise you can blow its output transformers.

To me, using a real amp and a speaker simulator is the best of both worlds: the convenience and range of the speaker and microphone simulations of the software, with the tone of a real cranked amp.



**FIG. B:** If your amp does not have a line out, you can still connect it to your audio interface with the help of a speaker attenuator such as the THD Hot Plate.

What do all of the following  
hit songwriters have in common?

GWEN STEFANI

ROB THOMAS

KENNY LOGGINS

DAVID FOSTER

CAROLE BAYER SAGER

TRENT REZNOR

LAMONT DOZIER

JIMMY WEBB

GRAHAM NASH

CLINT BLACK

ASHFORD & SIMPSON

GARY BURR

STEVE KIPNER

LEON RUSSELL

PAUL ANKA

AMY GRANT

JEFFREY STEELE

AL ANDERSON

ANDRAE CROUCH

NIKKI SIXX

STEPHEN BISHOP

JOHN FARRAH

JEFF BARRY

RANDY BACHMAN

RICK SPRINGFIELD

STEPHONY SMITH

NORMAN GIMBEL

HARVEY MASON JR.

LEANN RIMES

DAMON THOMAS



# MASTERWRITER

The most powerful suite of songwriting tools  
ever assembled in one program



Best of Show Winner  
MacWorld Expo 2003

Mac and Windows  
Compatible

Call Toll Free: 1-866-892-8844  
[www.masterwriter.com](http://www.masterwriter.com)  
Free 30-Day Trial



FIG. 3: MDA's freeware Combo plug-in may not look like much, but its simplicity belies its sound quality.



**Web Clip 3).** Combo's distortion doesn't sound tubelike; it's more like a solid-state transistor distortion. It's not quite liquid smooth, but not digitally buzzy either (unless you overload to digital clipping, of course). When you use a lower Drive setting, Combo reacts pretty well to playing dynamics. At higher gain levels, any dynamics in your performance are lost.

Combo doesn't sound like any specific vintage or modern guitar amp, and it doesn't claim to. Instead, it offers a CPU-friendly palette of tasty guitar-amp processing, and leaves it up to you to put together amplike sounds. Personally, I loved it for adding amp-style processing to dry guitars and for creating out-there, transistor radio-like, grunged-out tones.

Although Combo doesn't have the breadth of features that the commercially available amp modelers do, it's a wonderful addition to any plug-in library. Considering that it's free, and that it comes with a whole suite of free plug-ins, there's no reason not to download it and give it a try.

**Pros** Free. Excellent range of tones possible. Speaker simulators can be used alone. Low CPU requirement.

**Cons** No GUI. No Presets. Controls can seem finicky. Doesn't simulate any specific amps. Limited dynamics at higher gain settings.

**Compatibility** Mac OS 9: VST/OS X: VST, AU, Windows: VST.

**Contact** <http://mda.smartelectronix.com>

## Native Instruments

### Guitar Rig 1.12

(Mac/Win, \$499)

With the release of Guitar Rig, Native Instruments has brought its reputation for quality synthesis to guitar modeling. The program, which runs as either a standalone application or a plug-in, has a two-paneled interface with the left pane featuring parameters, presets, and guitar-rack components, and the right side housing the virtual guitar rack into which all the effects, amps, cabinets, and other goodies are placed (see Fig. 4). Unlike

ReValver, Guitar Rig's components may be arranged in any order.

Guitar Rig offers not one, but two digital-recording components called Tape Decks. The first is a file player with variable pitch and tempo controls, which you can use as either a backing-track player or as a practice tool for slowing down guitar parts you are trying to learn. This deck also includes looping controls and the ability to play at input or output. The latter allows you to record the backing loop along with your guitar for even more creative options.

The second deck is designed for recording what you perform through Guitar Rig, although it too includes looping and file-playback capability. The Tape Decks are valuable not only for guitarists, but they lend Guitar Rig to experimental-effects uses as well.

Guitar Rig is one of the few simulators that has a tuner. You also get a metronome, a CPU meter; a noise gate; input-, master-, and preset-volume controls; and full MIDI learn capability (for MIDI software controllers and guitar-oriented MIDI footpedals). To complete the package, Guitar Rig comes with Rig Kontrol, an outboard pedal with four footswitches and an expression pedal—all fully programmable (see Fig. 5). The Rig Kontrol, which also functions as a preamp, enables a laptop-equipped guitarist to use Guitar Rig in place of an amp-and-effects setup for live performance.

Guitar Rig includes four amp models: ACbox (Vox AC30), Plexi (Marshall Plexi), Gratifier (Mesa/Boogie Dual Rectifier), and Twang Reverb (Fender Twin Reverb). Each amp simulation has a GUI resembling the original amplifier, complete with its relevant controls. The models also feature tweaky amplifier parameters such as Variac (AC level) and Sag (rectifier sag).



FIG. 4: Native Instruments' Guitar Rig contains nearly everything a guitarist could want, along with all the software features a computer recordist needs.



# PREMIUM ANALOG MIXING GOES DIGITAL

Mackie's new Onyx series premium analog mixers don't just raise the bar. They completely change the game. That's because, once equipped with the optional FireWire card, Onyx mixers let you plug in up to 16 mics and record them as individual tracks directly to your Mac or PC with a single FireWire cable... Not to mention being able to mix and EQ a live show in the process.



you can be up and running on your latest smash-hit in no time at all.




And what about sound quality? Glad you asked. Built upon our new flagship Onyx mic preamps, warm "British"-style 3- and 4-band Perkins EQ, and premium analog circuitry, the Onyx series easily makes the best-sounding analog-to-digital interface at anywhere near its price.

Sure, you can opt to spend your cash on dedicated FireWire I/O boxes, outboard studio mic preamps, outboard British-style EQ processing, a mixer and recording software. Or you can just visit your local Mackie dealer and check out a much simpler Onyx solution.

Onyx: it's superior sound quality, single-cable FireWire connectivity, and a powerful recording application all packaged into a premium analog mixer.

To get you going, we also bundled a fully licensed copy of our acclaimed, "no-fuss" Traktion music production software so





Guitar Rig's cabinet modeling offers extensive options. In addition to 14 cabinet models, you get 5 mic placements; 5 microphone models; a parameter called Air that adds room ambience; controls for pan, volume,

bass EQ, treble EQ, and volume; and even a cabinet-size adjustment.

A wide range of effects models is included, many derived from classic stompboxes and rack units. You

## Amp Sims in Pro Tools

Three software developers currently offer amp-modeling plug-ins for Digidesign's Pro Tools TDM systems. Each has its own approach to the modeling process and provides different parameter controls, resulting in tonal characteristics unique to each. (Two of the three, Bomb Factory SansAmp PSA-1 and McDSP Chrome Tone, also run native. SansAmp PSA-1 also runs under RTAS and AudioSuite, and Chrome Tone under RTAS.)

**Bomb Factory SansAmp PSA-1** (Mac/Win, \$395) is a software emulation of the Tech-21 SansAmp PSA-1 and functions in much the same way. Overdrive is achieved in two separate stages: the Pre-Amp gain control simulates overdrive in the pre-amp stage, and the Drive knob controls power-amp distortion. In addition to Low and High tone controls, the output stage features a makeup level control.

All of the control knobs have an indent mark representing unity gain. The SansAmp PSA-1 also sports knobs

marked Buzz, Punch, and Crunch, which control the amount of overdrive in the low, mid, and high frequencies respectively (see Fig. A). Different combinations of overdrive can yield a wide variety of sounds—from fat sustain to power shred (see Web Clip 1). The factory presets are useful, and the PSA-1 sounds great on other instruments as well. It uses relatively little DSP power.

**Line 6 Amp Farm** (Mac/Win, \$595) bases its design on emulations of classic guitar amps (see Fig. B). It offers models ranging from vintage Fenders and Marshalls (see Web Clip 2) to modern Soldano and Mesa/Boogie amps. Each of the program's 13 amp heads is an accurate representation of the corresponding hardware version, complete with graphic representations of tone controls and switches specific to the selected make and model.

Amp Farm offers a range of speaker-cabinet simulations based on hardware models such as the Vox AC30 and Fender Deluxe, combined with several mic-placement options. Mixing and matching amp heads and cabinets can achieve a wide variety of tones. Whether used on input or as a mixdown effect, Amp Farm makes it easy to dial-in authentic-sounding guitar-amp tone.

**McDSP Chrome Tone** (Mac, \$495) is a suite of plug-ins providing amp simulations and effects. The amplifier module is extremely flexible, featuring six preset levels



FIG. B: Line 6 Amp Farm.

of distortion combined with compression, gating, and EQ (see Fig. C). The distortion section has an Amount control coupled with single-band (200 Hz to 2 kHz) Frequency and Drive controls to tune the overdrive tone, followed by an output level control. The compressor offers threshold, response (attack), sustain, and release controls.

In addition to a noise gate, you get a 3-band parametric equalizer for further tone sculpting. The output stage includes a spring reverb, a level control, and four speaker simulations.

Chrome Tone's amp module is formidable as a stand-alone simulator, but it can also run in Stack mode with other included effects such as wah (see Web Clip 3), tremolo, tape echo, and chorus. The depth and modulation of these effects can be triggered by a range of input types (sidechain-audio input, MIDI notes, and so on), making the application very flexible and musical.

Chrome Tone currently runs only on Mac Pro Tools systems, but McDSP says that a Windows version should



FIG. C: McDSP Chrome Tone's Amp module.

be available by the time you read this. In addition, a version called Chrome Tone Amp is available as a plug-in for the VS8F-3 plug-in expansion board for Roland VS recorders. —David Darlington



FIG. A: Bomb Factory SansAmp PSA-1.

# Sonic Implants®

**SYMPHONIC COLLECTIONS**  
PERCUSSION WOODWINDS BRASS STRINGS



**Sample Libraries** DVD box sets



## The New Complete **Orchestral Solution**

*F*rom gentle to powerful, intimate to enormous, the new Sonic Implants Complete Orchestral Collection allows you to incorporate every nuance and detail of the greatest orchestral musicians ever sampled, bringing unmatched elegance and beauty to your music.

- > 24bit clarity & definition
- > Natural Ambience
- > Sample round-robin, alternation & legato play
- > Integrated surround sound via GigaPulse
- > Engineered by Grammy & RIAA award winning team
- > Unsurpassed playability

To purchase or find a dealer near you, contact Sonic Implants at 888.577.9629 >

**NAMM booth #6324** SONIC IMPLANTS  
**WWW.SONICIMPLANTS.COM**



FIG. 5: Guitar Rig is the only guitar-amp simulator to come with its own hardware controller, the Rig Kontrol.

get volume boosters, echo units, wah-wahs, chorus/flanger units, a talk wah, rotor units, octave dividers, EQs, tremolos, a noise gate, a tube compressor, and even a splitter to create parallel stereo tracks of effects. Indeed, you can create complex routings of amps and effects; your only obvious limitations are your own creativity and your CPU power. When Guitar Rig is used as a plug-in, all of the effects featuring tempo-based parameters can sync to the host's tempo.

Not only do you get a large amount of power and flexibility, but the models sound great. The Gratifier and Twang Reverb simulations are the best models of their type that I've heard (see Web Clip 4). As a former Twin owner, I was amazed at how well the Twang Reverb nailed the Fender tremolo sound. The ACBox amp sounds excellent, although its tremolo isn't as realistic as the Twang Reverb's. The Plexi is usable, but Marshall sounds are not Guitar Rig's main strength.

Overall, the models respond well to playing dynamics. Guitar Rig's effects are also high caliber. I couldn't get great results from Oktaver, but the other effects are convincing replicas of the devices they emulate and good effects processors in their own right.

Guitar Rig isn't cheap, and it's not without some flaws. For users who are serious about their guitar-amp simulator software, though, it's a compelling product.

**Pros:** Very flexible. Large variety of speaker simulations and effects. Good sound quality. Runs in standalone or plug-in mode. Includes recorder with variable pitch and variable tempo. MIDI learn capability. Tempo-based effects sync to host tempo. Huge library of presets. Rig Kontrol pedal.

## Accelerated Amps

In addition to the native and TDM guitar-amp simulations available, two DSP plug-in accelerator packages, the TC Electronic PowerCore and the Universal Audio UAD-1, also offer guitar-amp simulation software. Since the plug-ins require hardware in addition to your computer to run, they're not technically native and therefore don't fit the criteria for this roundup. However, they're close enough that they do deserve mention.

PowerCore and UAD-1 plug-ins are compatible with the VST format on Windows and Macintosh computers and AU in OS X. Universal Audio offers the guitar-amp plug-in Nigel free with any UAD-1 package. TC Electronic includes one of its amp simulators, Tubifex, with all PowerCore packages, and the TC Thirty amp simulator plug-in is sold as an option.

At first glance, hardware DSP accelerators might not seem conducive to amplifier simulation because they double a system's latency, at best. But the appeal of DSP accelerators has always been that taking the process off the CPU allows for more processor-intensive algorithms, and that quality advantage applies to guitar-amp processing. The TC PowerCore plug-ins all feature a no-latency mode which, at the expense of CPU, runs the PowerCore process in parallel to the CPU buffer, eliminating the latency.

So how do they sound? Universal Audio's UAD-1 card has a well-earned reputation for truly spectacular analog processor emulations. Although Nigel is a nice addition to the package, it's not the equal of some of the other UAD-1 processors, nor does it stand above the native amp modelers. Its strongest point is its filter and modulation effects, which allow for some cool processed amp sounds. Because of the latency inherent in the UAD-1 system, it's only useful as a mixdown effect.

TC Electronic's Tubifex has a simulation of, among others, the Marshall Super Lead (see Fig. A). Its Expert level allows for almost ludicrous amounts of fine-tuning. The TC Thirty plug-in does an admirable job of capturing a '60s non-top-boosted Vox AC30 with the addition of a Treble Booster circuit (as made famous by Brian May).



FIG. A: TC Electronic's Tubifex plug-in runs on the company's PowerCore system.

# "We Switched"



**Grandmaster Flash**

Producer / DJ / Recording Artist



**Francis Buckley**

Multi-Platinum Grammy-Winning  
Engineer / Producer



**John Rodd**

Orchestral Scoring Recordist  
Music Scoring Mixer



**"Prince Charles" Alexander**

Multi-Platinum Grammy-Winning  
Engineer / Producer



**Anthony Myers**

Engineer / Producer  
Sound Designer



**Gerhard Joost**

Multi-Platinum Engineer  
Mixer / Producer



**Andraé Crouch**

Multiple Grammy-Winning  
Gospel Singer / Producer / Pastor



**Lionel Jarvis**

Multi-Platinum Musician  
Musical Director



**DJ Ron G**

Remixer / DJ



**Steve Pageot**

Grammy-Winning Producer  
Musician / Composer / Engineer



**Ray Benson**

Multiple Grammy-Winning  
Singer / Songwriter / Producer



**Michael Jay**

Emmy-Winning Composer / Engineer  
Editor / Studio Consultant

## Studio Precision™ Bi-amplified Direct Field Monitor

**Features: 5.0    Ease of Use: 5.0**

**Audio Quality: 5.0    Value: 5.0**

**Cons: None**

—Electronic Musician

**Isn't it time you switched?**

www.event1.com • info@event1.com • 805-566-7777





**Cons** Pricey. No mono plug-in (only mono-stereo). Complex guitar racks eat a lot of CPU.

**Compatibility** Mac OS X: VST, AU, RTAS, standalone; Windows XP: DX, VST, RTAS, standalone.

**Contact** [www.nativeinstruments.com](http://www.nativeinstruments.com)

## Nomad Factory

### Rock Amp Legends 1.0

(Mac/Win, \$399)

Nomad Factory's Rock Amp Legends invokes the hey-day of guitar rock. Former Aerosmith six-stringer Jimmy Crespo is credited with helping to develop the plug-in's sound, and the GUI is based on a classic Marshall amp (see Fig. 6). The plug-in offers three

simulations of six classic styles of guitar tone: Classic Lead, a sort of Plexi-style Marshall tone; Modern Lead, a high-gain, modern Marshall sound; Combo, a stylized 1x12 or 2x12 sound reminiscent of Vox combo amps; Tweed, a vintage Fender tone; Super Lead, a '70s Marshall Super Lead; and Rectified Lead, which offers the high-gain crunch of a Mesa/Boogie Dual Rectifier.

The interface offers a pull-down menu of amp-cabinet simulations, as well as standard amplifier controls. Clicking on the FX switch changes the GUI to reveal half-rack representations of various available effects: a stereo imager, a 3-band semiparametric EQ, a compressor, a noise gate, a delay, a modulator

## Apples and Apples

When Apple Computer unveiled GarageBand as part of iLife '04, one of its key features was Amp Simulation, a built-in guitar-amplifier simulator specially designed for it. It was no surprise that when Apple announced Logic Pro 7, it featured a souped-up and expanded guitar-amp simulator called Guitar Amp Pro. The simulations are accessible only from within those two host applications, but they are definitely noteworthy.

Amp Simulation and Guitar Amp Pro are well imagined for their intended audience. Amp Simulation effect has the same look as the rest of GarageBand's effects. Intended to be simple and intuitive for musical novices, it comes with eight presets that cover the basics of the four modeled amplifiers (one each from Vox, Marshall, Mesa/Boogie, and Fender).

GarageBand has no speaker-simulator selection; each amplifier simulation is internally paired with its matched cabinet. Besides radio buttons to select from the four modeled amps, you have a basic selection of common amplifier controls—Pre-gain, Low, Mid, High, Presence, and Master.

Although it doesn't have as extensive a feature list as most of the commercial amp-modeling plug-ins, Amp Simulation's models are full sounding, and its clean tones are particular standouts. The simulations respond well to playing dynamics.

Guitar Amp Pro, in addition to having a sleeker interface (Fig. A), more than doubles the number of amplifier models and triples the number of cabinet simulations in GarageBand, while also offering all of Amp Simulator's models. Although it doesn't have a specific bypass setting for its EQ and preamp sections, a workaround (selecting the Clean Tube Amp model and the Modern EQ at their default settings) effectively turns off those sections, allowing you to access the speaker simulations by themselves.

You can mix and match amp, EQ, and speakers at will,



**FIG A:** Guitar Amp Pro, included in Apple's Logic Pro 7, stands up against the commercial offerings mentioned in this article. Its engine also powers GarageBand's Amp Simulation.

or click the link buttons to call up entire combinations as originally modeled. Guitar Amp Pro's set of basic controls is similar to its GarageBand counterpart's, and the models are very responsive to minute adjustments. You can select from two microphone types and two mic positions, and Guitar Amp Pro offers an excellently modeled tremolo, vibrato, and spring reverb. That may not seem like very many effects, but keep in mind that you have Logic Pro's entire suite of acclaimed plug-ins along with it.

Logic Pro 7 takes advantage of its new ability to load and save channel strips by including channel strips that feature Guitar Amp Pro along with other Logic effects. Guitar Amp Pro itself comes with a healthy number of presets that show off its range of amp sounds. It sounds particularly authentic in its American Clean tones and in the American and British edge-of-breakup tones (see Web Clip D). When the gain channels are pushed to their limit, however, the sound is a bit more compressed than I'd prefer. All the speaker cabinet simulations are quite convincing, and the tremolo, vibrato, and spring reverbs are definite standouts.

# Still the Best

Throughout our 20 year history, Steinberg has developed innovative Mac & PC software solutions that put your creativity first. Our legacy of innovation continues with the super powerful Cubase SX3, the feature-packed Cubase SL3, and the affordable and capable Cubase SE.

Cubase SX remains the most powerful, professional music creation and production system you can buy with remarkable new features like play order track, audio warp, in-place editing, and support for surround sound. Cubase SL provides you the perfect balance between price and performance. And finally, Cubase SE is your gateway to the coolest music production technology the world has ever seen, and it won't break your budget. Over one million musicians realize their musical dreams using Cubase. Visit a Steinberg dealer today to find out why.



[www.steinberg.net](http://www.steinberg.net)  
[www.steinbergcanada.com](http://www.steinbergcanada.com)

Steinberg, Cubase and VST are registered trademarks of Steinberg Media Technologies GmbH.  
All specifications are subject to change at any time without prior notice.  
© 2004 Steinberg Media Technologies GmbH

 **steinberg**  
Creativity First



(chorus/phaser), and a tremolo. Finally, you get an A/B feature to load and compare two completely separate settings, and a choice of High or Low Input (featuring a cool graphic of a guitar plugged in to either input); the former adds a small boost to your signal.

Rock Amp Legends doesn't just look like a Marshall, it sounds like one. The Classic Lead and Modern Lead simulations are uniformly excellent. The sounds are full bodied, with that trademark midrange grit that rockers know and love (see Web Clip 5). The simulations are very sensitive to amp-parameter adjustments, so it's

the time of this review, parameters in Rock Amp Legends responded to sequencer automation under all supported plug-in formats except for Audio Units.

**Pros** Great Marshall-style simulations. Excellent noise gate and tremolo. Responds well to playing dynamics.

**Cons** Limited ability to rearrange effect order. No host sync for effects. No AU automation. No way to separate amplifier and speaker simulations.

**Compatibility** Mac OS 9: VST, RTAS, HDTM/OS X: VST, AU, RTAS, HDTM. Windows: VST, RTAS, HDTM.

**Contact** [www.nomadfactory.com](http://www.nomadfactory.com)



FIG. 6: Nomad Factory's Rock Amp Legends looks like a classic British '70s amp, and it sounds like one, too.

easy to get your own Marshall-like sound. These simulations respond well to playing dynamics, especially at moderate (>60) Drive settings.

Although the Marshall emulations are the standouts, the Combo and Tweed models are also quite usable. The Rectified Lead simulations sound a bit too scooped and nasal for my taste, but users who like that aspect of the Mesa/Boogie sound might love them. It's too bad that you can't access the amp and speaker simulations separately. I wish that I could have, for example, tried the Rectified Lead amp tone with a 2x12 simulation, or turned the amp simulation off altogether to use the speaker simulations alone.

Rock Amp Legend's noise gate is excellent. It's adjustable, and it's effective in quieting noisy pickups and heavy distorted patches without adversely choking the tone. The tremolo is also excellent; it's deep and rich, and responds well to playing dynamics. The compressor colors the sound, but that's par for the course with guitar compressors. The rest of the effects are all usable, though not exceptional.

The GUI for the FX section offers little in the way of user feedback. Other than a miniscule on-off light, only the compressor and noise gate give you any metering. None of the effects have numeric readouts, only position dots around the dial. You have no control over the order of effects other than a switch on the compressor and noise gate to place them before or after the amplifier simulation. Finally, none of the effects can sync to the host tempo. At

## The Loud and the Software

Guitar-amp modeling software has gotten better and better. Some products are more successful than others at sounding like classic amps, but all definitively sound like amplifiers. Although none of five simulators were flawless, Native Instruments Guitar Rig offered the most complete package in terms of features and flexibility. Its Rig Kontrol pedal is a completely unique accessory. That said, Guitar Rig was the most expensive of the five products in this roundup, and not every user wants or needs that much amp simulator.

All of the plug-ins generally excelled in one area or more. If you want a great Marshall simulation, for example, Rock Amp Legends is a good choice. If you are on a budget, you can't beat Combo. If you are looking for an excellent Fender Twin, then Guitar Rig or Amplitube might be the ticket. Because most of the simulators offer additional goodies such as effects, tuners, and so on to sweeten the deal, you should definitely take those features into account as well.

Keep in mind that anyone's opinion of a given simulation depends on personal taste as much as algorithm quality. How faithful a simulation is to the amp it's modeling is not the only factor that determines its sound quality. You may prefer the modeled sound. Many guitarists, if you ask them privately and promise secrecy, will admit that they prefer their Line 6 Pod or Vetta over the real McCoy.

Even though the technology is better than ever, digital-amp simulations are unlikely to ever convince longtime tube snobs to sell their hardware. These plug-ins are good—some even great—but they're still not a complete replacement. There is something unique about the sound of a tube amp that software cannot yet completely capture.

But for many recording situations, it's hard to beat the variety, quality, and convenience of amp-modeling software. Guitar-amp simulation plug-ins are beginning to do for guitarists what software synthesizers have done for keyboardists—free them from the limitations of hardware, while offering them the sounds they love.



Orren Merton is the author of *Logic Pro 7 Power* (Muska & Lipman, 2004) and *GarageBand Ignite!* (Muska & Lipman, 2004).



**HERCULES 16/12 FW**

**TOTALLY  
TOTALLY  
TOTALLY**

**POWERFUL.  
FLEXIBLE.  
AFFORDABLE.**



## AMAZING 16 INPUTS & 12 OUTPUTS HIGH-RESOLUTION AUDIO

With Hercules 16/12 FW, you get 16 INDEPENDENT INPUTS and 12 INDEPENDENT OUTPUT CHANNELS to record your band, your drums, mix any of your sound sources and carry out advanced post-production operations on your PC or Mac just like in a professional studio. The FireWire bandwidth lets you perform all of these operations IN 24-BIT/96KHz MODE ON ALL CHANNELS SIMULTANEOUSLY, a HIGH RESOLUTION sample rate that Hercules 16/12 FW handles easily thanks to its cutting-edge components.

### 16 INPUT CHANNELS

- 2 XLR/ 1/4 inch jack balanced inputs with Hi-Z and 48V phantom power
- 10 Gold-Plated 1/4 inch jack balanced inputs
- 4-channel S/PDIF input (coaxial + optical)
- Word Clock synchronization
- 2 MIDI In ports

### 12 OUTPUT CHANNELS

- 8 Gold-plated 1/4 inch jack balanced outputs
- 4-channel S/PDIF output (coaxial + optical)
- Word Clock synchronization
- 2 MIDI Out ports

### HIGH-RESOLUTION AUDIO

- 24-bit/96KHz hardware sampling on all 16 input and 12 output channels
- Balanced mode on all analog inputs and outputs
- 3 synchronization modes: Word Clock, MIDI, S/PDIF

### UNIQUE VERSATILITY

**Portable:** lightweight (1.62kg), hot plug FireWire installation and compact size (13.6 x 6.88 x 7.76")

**Professional:** 19" rack-mountable, high-resolution audio and massive in/out bandwidth

**Musician-friendly:** status LEDs, gain knobs for microphones, independent channels

**Unrivalled compatibility:** PC and MAC compatible, with Core Audio, ASIO, WDM, GSIF and MIDI drivers

**Complete:** full hardware package (DV cable, brackets, Mini-DV adapter), bundled with the reference software Steinberg® Cubase™ LE and Ableton™ Live SE for Mac and PC



**HERCULES 16/12 FW**

**...AUDIO POWER!**

**\$ 599\***

**FireWire**

Software included



Distributed by



Available at



\* estimated retail price.

Hercules® is a trademark of Guillemot Corporation. All rights reserved. All other trademarks are property of their respective owners. Illustrations not binding. Contents, designs and specifications are subject to change without notice and may vary from one country to another.

News, driver updates,  
product information

[www.hercules.com](http://www.hercules.com)



LAURA WILLIAMS

# Picture Perfect

By Nick Peck

How to  
channel your  
creative energy  
to produce great  
soundtracks.

The art of composing music for picture has a rich heritage, dating back to the very beginnings of cinema. One could easily argue that its roots date back thousands of years to the earliest days of theater. Almost anyone living in a civilized culture is constantly surrounded by moving pictures that tell a story, including feature films, television shows, commercials, movie trailers, Flash animations, and video games. In each of those genres, music exists to highlight the message's emotional underpinnings, to give the message context, or to comment on the message; to manipulate the viewer into feeling tension, joy, or sadness; and to add depth to the message, working in concert with the visual elements to create a stronger impression in the viewer's mind.

Composing for film, TV, or video games is really a vocational or applied art, as opposed to an abstract one. The composer must always remember that music for picture is created in service to someone else's idea; although it is a creative act, it is designed to integrate with the visuals, the dialog, and the sound effects to create a synergy more powerful than the sum of the elements on their own. Working within these genres can be a well-paying prospect, allowing those with talent, dedication, and a bit of luck to earn a living making music. Composers are granted the rare opportunity to hear their musical ideas realized by a symphony orchestra on somebody else's dime, and it gives them a wide distribution medium for their work.

Over time, a whole musical syntax has developed, filled with well-worn devices (clichés) that let the audience know what is happening. Some composers write brilliant, innovative symphonic works for picture; others rely on the tried and true, grinding out feature-length, low-budget scores in a week on their MIDI rigs. The act of telling stories with moving pictures



# STYLUS


## RMX

REALTIME GROOVE MODULE



**POWERED BY S.A.G.E.**  
SPECTRASONICS ADVANCED GROOVE ENGINE

W W W . S P E C T R A S O N I C S . N E T



800.747.4546

[www.ilio.com](http://www.ilio.com)



isn't going away soon, nor will the need for music to augment them.

## Outstanding Scores


The classic, de facto standard instrumental palette used by film composers is the symphony orchestra. The orchestra is supple and flexible, capable of a seemingly endless variety of textures. Writing an orchestral score often represents the pinnacle of achievement, as well as the greatest challenge, in a composer's career. In the right hands, the orchestra can be lyrical, achingly beautiful, mysterious, enthralling, wrathful, or uplifting. Writing and preparing an orchestral score is a highly detailed, technical, and laborious process. But when all the cards fall into place, the effect is like no other.

Bernard Herrmann (1911–1975) was a masterful orchestral film composer. Best known for his work with director Alfred Hitchcock, Herrmann's credits include *North by Northwest* and *Vertigo*, as well as *Perry Mason*, *Citizen Kane*, and *The Day the Earth Stood Still*. An analysis of Herrmann's work could fill volumes on its own. But Herrmann will always be known for the violent, slashing string glissandi that accompanied Norman Bates' knife blade during the infamous shower scene in *Psycho*.

That single device has been copied and satirized endlessly, becoming a bedrock cultural reference.

Stanley Kubrick (1928–1999) made brilliant use of existing orchestral works in his masterpiece *2001: A Space Odyssey*. He harnessed the raw power of Richard Strauss's "Also Sprach Zarathustra" to represent humanity at the moment of evolutionary upheaval. This is contrasted by the balletic poetry of Johann Strauss Jr.'s "Blue Danube Waltz," which was used to portray the graceful movement of a rocket to the moon.

*2001's* soundtrack is exemplary in its use of restraint. Music was used sparingly, and it was all the more powerful in impact as a result. Some of the scenes that take place in outer space follow the rules of physics, having no audio whatsoever. Toward the end of the film, the sound of fear



**FIG. 2:** In describing the concept of leitmotifs, Mark Griskey says, "You create a small melodic device that is associated with a specific character. Such devices can be developed into more complex themes and melodies."

**FIG. 1:** Despite its legendary status among Vangelis fans, the original soundtrack for Ridley Scott's 1982 science-fiction thriller *Blade Runner* wasn't released until 1994.



and resolve are hauntingly articulated by astronaut Dave Bowman's claustrophobic breathing within his spacesuit helmet.

## Special Flavors

The orchestra's versatility may be tailor-made for creating music for picture, but custom palettes of sound can be just as effective, creating a specific context and a particular flavor forever associated with that work. Mix finger snaps, mouth pops, and slapped bass guitar riffs together, and what do you get? The theme music to the television show *Seinfeld*. What about a combination of whistling, a rough-and-tumble male chorus, and a twangy electric surf guitar? That concoction results in Ennio Morricone's spaghetti Western *The Good, the Bad, and the Ugly*.

In 1982, electronic-music icon Vangelis used analog synths to create a memorable score for the Ridley Scott/Harrison Ford sci-fi classic *Blade Runner* (see Fig. 1). His synth pads were lush yet glassy and cold, illustrating the mean, rainy streets of a futuristic Los Angeles in an advanced state of decay. Gamelan and kotolike sounds reflected the Asian flavor visually depicted in the city streets, and deeply reverberant, menacing percussive hits set the stage for the dark events that unfold throughout the film.

Director Roman Coppola's *CQ* (2001) is a lighthearted homage to '60s filmmaking, set in Paris and Rome in 1969. French duo Mellow composed the score in their home studio. Vintage synths, twangy tremolo guitar, and an unabashed Euro-psychedelic

# ARP 2600V



"Virtuality works magic giving the myth a new reality all these years after; and this power brilliantly made tenfold is another testimony that the ARP-2600 reputation never was usurped. Cheer up, Arturia!"


**Wally Badarou - Level 42**

"Manipulating my mouse is so much faster and more enjoyable than searching for holes to insert my jack into. In other words, I love the Arturia ARP2600V because it not only sounds great, but I can instantly recall complex patches anywhere in the world."

**Chad Hugo - Neptunes**



All trademarks, trade names and logos are the property of their respective owners.



www.arturia.com

vibe nail the spirit of the age, reminding the viewer of the story's set and setting.

## From the Experts

I interviewed two veteran music for picture composers to get their takes on the process and technique of this art form. Composers Mark Griskey and Jerry Grant write music for film, television, movie trailers, Internet animation, and video games. Grant was a longtime Los Angeles-based TV composer, cranking out hundreds of scores for shows such as *Quantum Leap*, *The A-Team*, *The Greatest American Hero*, and *Magnum, P.I.* He has scored many animated cartoons for Disney, biographies for A&E, and a pile of comedy and action-adventure "B" movies. He taught film scoring at UCLA

and currently resides in Nevada City, California, where he composes symphonic and jazz art music. You can visit him on the Web at [www.nujazzalternative.com](http://www.nujazzalternative.com).

Mark Griskey began his career as a classical percussionist and jazz/rock drummer, following the route of session and gigging musician. He later studied composition and film scoring at UCLA (under the tutelage of Jerry Grant, among others), held a staff position as composer at Atom Films, and has concentrated on writing music for movie trailers. If you've seen a commercial for a first-run blockbuster, chances are good that you've heard Mark's music. He is currently staff composer for LucasArts, where he has written the scores for the video games *Gladius*, *Sam and Max II*, and *Knights of the Old Republic II*. You can visit his Web site at [www.griskey.com](http://www.griskey.com).

## What is your favorite orchestral film score?

**Griskey:** There are so many good ones! When I saw the first *Star Wars* movie as a kid, I wasn't very sophisticated about orchestral music, but I just knew that I liked the score. It has really held up through the years. John Williams made effective use of the leitmotif idea throughout the films, which was originally a Wagnerian concept (see Fig. 2). Essentially, you create a small melodic device that is associated with a specific character. Such devices can be developed into more complex themes and melodies. The way that Williams created these devices for different characters and then interweaved them together into an engaging, powerful score supported the film perfectly.

**Grant:** Thomas Newman (*American Beauty*, *Horse Whisperer*, *Finding Nemo*) is a master at trying out interesting ideas. He has the courage to let himself fall on his face. If you have that courage, that's when you get into the really interesting stuff. Alan Silvestri (*Cast Away*, *Forrest Gump*, *Who Framed Roger Rabbit*) is a phenomenal composer; he goes to the edge. He is a jazz/rock guitar player who didn't know what a baton looked like when he got his first movie. He did his homework and became a phenomenal orchestral writer. James Newton Howard (*The Village*, *The Fugitive*, *The Sixth Sense*) is another one: he is a keyboard/synthesist who got immersed in the film world. He just dove into the orchestra and came out like a champ. There are lots of well-schooled film composers who play it safe. Their scores are always predictable. Thomas, Alan, James, and Danny Elfman (*Batman*, *Men in Black*, *Good Will Hunting*) all



Associate of Science & Bachelor of Science  
Degree Programs

Earn your Bachelor's Degree in  
Entertainment Business

**FULL SAIL**  
Real World Education

800.226.7625  
[fullsail.com](http://fullsail.com)

If you're serious about your dream,  
we'll take your dream seriously.

3300 University Boulevard • Winter Park, FL 32792  
Financial aid available to those who qualify • Job placement assistance • Accredited College, ACCSCT

© 2004 Full Sail, Inc. All rights reserved. The terms "Full Sail," "If you're serious about your dream, we'll take your dream seriously," "Full Sail Real World Education," and the Full Sail logo are either registered service marks or service marks of Full Sail, Inc.

school of

Computer Animation
Digital Media
▶ Entertainment Business
Film
Game Design & Development
▶ Recording Arts
▶ Show Production & Touring



FIG. 3: Jerry Grant says, "When writing for film, I consider the picture to be the melody. What I am writing is the countermelody."

go to the edge, and come up with brilliant scores as a result.

#### What is your favorite nonorchestral film score?

**Grant:** Luc Besson's *The Fifth Element* (1997) has a masterful score by Eric Serra. He is a phenomenal synth and

symphonic composer. He creates very cool groove-oriented stuff and blends the orchestra with synths wonderfully. BT is also a master at his craft. His rhythmic drive is like no one else's. Check out his groove stuff on *The Fast and the Furious*.

**Griskey:** I really like the *Pulp Fiction*

## TWO COMPOSERS' STUDIO GEAR

### Mark Griskey

Computers: Apple Power Mac G4/1.25 GHz (dual-processor), SoundChaser PC, Carillon rackmount PC

OS: Mac OS X, Windows 98, Windows XP

DAWs: Pro Tools|HD 3 Accel, Apple Logic Pro 7

Samplers: (2) Tascam GigaStudio 2.5, (2) Akai S5000

Sample Libraries: SAM Horns, SAM Trombones, Vienna Symphonic Orchestra, Quantum Leap Symphonic Orchestra

MIDI Instruments: Roland V-Synth, Roland V-Drums

Acoustic Instruments: drums, African and Middle Eastern percussion

Preamps: (2) Brent Averill Neve 1272

Compressors: (2) Urei LA-4

Microphones: (2) Neumann TLM 103, (2) Neumann KM184, (3) Sennheiser 421, (1) AKG D112

### Jerry Grant

Computer: Apple Power Mac G5

OS: Mac OS X

Audio Interfaces: MOTU 828, MOTU 2408

DAW: MOTU Digital Performer 4.12

Samplers: MOTU Mach Five, (2) E-mu Emulator IV

MIDI Instruments: Roland JV-1080, Korg Wavestation, Roland R8M, E-mu

Audity 2000, Yamaha KX88 controller

Notation Software: Sibelius

legendary  
performance



(4°) SERIES

**AT4050**

multi-pattern  
condenser microphone

Meet the studio condenser that captures every nuance. With three switchable polar patterns, the large-diaphragm Audio-Technica AT4050 exhibits a remarkable combination of qualities: high-SPL capability with transparent and airy uppers/mids complemented by rich low-end qualities. Its dual large diaphragms are gold-vaporized and aged for consistent, outstanding performance. A precision-machined, nickel-plated brass acoustic element baffle provides rock-solid element stability and exceptional sensitivity.

Ideal for studio use and live sound productions with vocals, piano, strings, drum overheads, guitar amps, and more.

Audio-Technica's AT4050. For performance that legends are made of.



**audio-technica.**  
always listening.

www.audio-technica.com

score. In all Quentin Tarantino's films that I've seen, he tends to shy away from creating an orchestral underscore or using any music written to picture. Instead, he licenses cool, obscure, funky pop music and edits it to taste. I think his choices support the picture really well.

**What are the differences between composing for picture and composing for a nonvisual medium? What are the similarities?**

**Griskey:** In both cases, you are composing music that you want to be interesting, dynamic, and engaging. When composing for picture, as opposed to writing a song or creating art music, the music is subservient to the picture.

Its function is to underscore what's happening onscreen and support it.

**Grant:** The process of composing is always the same; I am always basing my work on a singular thought or feeling. The process is to come up with one word that describes the emotional quality of the picture. When I'm scoring a scene, I come up with the singular emotional word that best relates to what is going on: fear, sadness, joy, and so forth. For me, all music is dramatic, so it doesn't matter whether the music is picture-specific or not. I'll use the same approach to writing a piece of art music. I used to be a very cerebral composer, writing from my head; the result was that people would find my music "interesting." To go beyond "interesting," you have to transcend the technique. By focusing on this emotional process, I am able to write from the gut, which is where music really comes from.

When writing for film, I consider the picture to be the melody. What I am writing is the countermelody. As a result, the score is often not as dense as it would be in an art music context (see Fig. 3). It's very easy to overwrite, create too much density, or make things go too fast. Sometimes, a picture requires only a little stroke. A composer will feel insecure, which makes it hard to just let that little gesture sit there.

**Discuss your creative approach when making music to highlight someone else's vision.**

**Grant:** First, I want to understand the emotional attachment of the visual to the person who created it. How do they feel about each particular scene? If the director doesn't have a musical background, you have to reach into their head and find out what they are really looking for. You can't talk about music; you have to talk about the emotional quality of what they are looking at. I try to have the director define that emotional quality. We find that single emotional word, zero in on it, and then make sure that our individual definition of that word is the same. Once, in the mid-'80s, I was asked to create a rock score. So I went away and created something in the style of the Police, who were very hot at the time. I brought it in and the director said, "That's not what I want. I wanted the Platters!" So it's important to make sure that your visions are clearly defined.

The process of composing for picture seems to always be the same: you sweat it out for three or four days. I jump into the shoebox and rummage around for ideas. You try things, then toss them out. Pretty soon, you

## Now hear this...



Whether it's your voice, or your instrument, or both - in order to deliver your best performance you've got to hear yourself.

From the simple passive PM52 Headphone Tap to the three input PM350 Personal Monitor Mixer, Rolls makes a personal monitoring device to fit your exacting need.

Plus, we have four, five, and six output headphone amplifiers for a custom fit to your application.

All Rolls Personal Monitors and Headphone Amplifiers feature full frequency responses and tons of output level, to make sure you can hear... YOU.



# ROLLS

5968 South 350 West  
Salt Lake City, UT 84107  
(801) 263-9053 - FAX (801) 263-9068

For complete info on all our products, see  
[www.rolls.com](http://www.rolls.com)

Get rid of the wire. The Rolls WPM61 system will take the output signal of any personal monitor amp or mixer monitor send, and transmit the output directly to your ears.



come across something that's interesting, and that becomes your path.


**Griskey:** I need to get the vibe of the entire scope of the work before focusing in on one particular segment of it. I'll read the script and discuss the emotional elements with the director. Once we've established the mood of what we are trying to do, I start throwing ideas out there. I think about some musical directions that could work, then improvise against the picture. Sometimes I will throw some previous work against the picture as a temp, just to see what kind of approach might work. Then I begin to refine the process, focusing in and establishing the instrumentation and defining a tonal palette for the work.

**What approaches do you use to make sure that your approach aligns with the director's approach?**

**Griskey:** Every project is different, and every creative team tends to have a slightly different way of working. The first thing to do is to establish a rapport and suss out the best way to work with the team. Some directors tend to be pretty hands-off, trusting your judgment based on your expertise and track record. The director drops off his or her project and picks up the music when it is done (see Fig. 4). Other directors might be more hands on, looking for a two-way interaction, particularly if you haven't worked together before. In that case, you definitely want to make sure everyone is on the same page creatively before you get too deeply involved in production. Discuss the direction, throw out ideas verbally, and watch to see which ideas make the director light up; that will guide your approach. If the director has a strong musical background, you can often achieve clarity verbally. Otherwise, you can cite specific examples that they are familiar with and play some examples. Once that's done, you can mock up sketches, which will eventually get the green light. At that point, the approval process becomes more of a rubber stamp, and you can just start writing in earnest.

**Discuss your thoughts on music's relation to other elements.**

**Grant:** Music's purpose during dialog is to constantly reflect the emotional quality of the dialog. Dialog rarely goes along at a flat pace. It becomes emotionally charged, then relaxes. There will be conflict or resolution in the dialog, and heightening that quality is really the job of the film composer.



**Study Production Online**  
with **Berklee | music.com**  
extension school

College Credit Certificate Programs & Courses Now Available

- Become A Better Producer
- Study With Berklee Faculty
- Network With Students Worldwide
- Financial Aid Options

**Online Courses Enrolling Now!**  
**Call 1-866-BERKLEE Today**  
to Speak with an Admissions Advisor



**WE WILL BEAT ANY DEAL!**  
**EVERY MAJOR BRAND IN STOCK!**  
Guitars • Amps • Drums • Keyboards • Synthesizers • Samplers  
Sound Systems • Recording Equipment • Software • Accessories

The legendary Ray Charles with West L.A. Music's Don Griffin  
West L.A. Music's Glenn Noyes with rocker Sammy Hagar  
Legendary DJ Sir Jinx with Damon Gladden and Ryan Mason  
Country star Randy Travis with West L.A. Music staff member

Commodores keyboardist Thomas Dawson with Daron Randolph  
West L.A. Music's Bob Gsellman with R&B singer Mya  
Legendary keyboardist Patrick Moraz with West L.A. Music staff member  
Beatle George Harrison with West L.A. Music's Derek Snyder

**Shop Where the Pros Shop • Call Us Today!**  
**West L.A. Music**  
We will beat any price from any authorized stocking dealer anywhere in the United States  
call now: 310-477-1945 • sales@westlamusic.com


**Griskey:** Whenever possible, a composer should collaborate with the other audio creatives on a project. When you are spotting a scene, you have to take into account where sound effects and dialog will be so you can write around them. You have to leave space in the music score to let the sound effects stand out and be prominent. If actors are speaking quietly, don't try to drown them out by writing music that is overbearing or that conflicts with the frequency range of the human voice.

**Discuss your composing process for a project from soup to nuts.**

**Griskey:** First, you meet with the project team and determine who your creative point people will be. Read the script thoroughly, and ask questions if there are aspects of it you don't understand. Spotting sessions should happen as soon as the picture is locked. Sit down with the director, watch the film, and decide where music is needed and what purpose it should serve emotionally and aesthetically. Don't make the mistake of scoring the picture with wall-to-wall music. That takes away from its effectiveness and can just clutter up the soundtrack.

I usually create MIDI sample-based temp scores for everyone to comment on, then they get sent to the orchestrator. These days, MIDI scores really need to be pretty sophisticated. The tools are out there, and directors are used to hearing elaborately mocked-up MIDI scores. Your rig should use the most high-quality samples available and get as close as possible to the final sound.

Your orchestration and instrumental choices will determine much of the flavor of the score. You will work that out ahead of time to achieve a particular vibe. Budget



**FIG. 4:** Griskey says that some motion-picture directors trust the composer to carry out his or her wishes without supervision, while others take a more hands-on approach to hearing their vision come to life.

mixes are integrated into the film along with dialog and sound effects, many of the subtler moments may get buried. But the recording session is your moment to shine, standing in front of the orchestra and soaking it all in.

The mixing process brings it all together, achieving the goals you wanted to create. It's your last chance to balance levels between sections of the orchestra, making sure everything is heard that should be heard.

These days, I hear more after-the-fact music editing than ever before. With the tools we have now, you can move cues around and have more flexibility than you used to, all the way to the end. I think music editing for picture is much more of a creative tool than the mechanical process that it used to be. In the final mix, you always have to remember that the music is subservient to the picture and is just one element in the overall project. Don't make the mistake of thinking that every nuance you wrote in the score has to be heard in the final mix. If you've written your music effectively, it will do what it is supposed to be doing.

**You frequently compose music for picture without knowing in advance what the picture will be. What is your approach to composing trailer music on spec?**

**Griskey:** It's a whole different style of composing. In some respects, it is similar to songwriting in that you have to think of a formula with a beginning, middle, and end. Having an idea of what film genres you are composing for allows you to determine the appropriate instrumentation, and tempo. The main thing is to keep focused. The piece can't develop too much; it needs to evolve, change, and build constantly through the short time that you have, without going off on some sort of tangent.

## When all the cards fall into place, the effect is like no other.

plays a big role here: you might want a 100-person orchestra, but if the budget doesn't accommodate it, you can get creative with doubling parts and blending samples with live instruments. The first time you hear what your music is going to sound like is when you are actually on the scoring stage, hearing your music performed by these fine players. It is the highlight of the whole experience for the composer. When the final

PICTURE YOURSELF AS THE CONDUCTOR OF AN ORCHESTRA



CONDUCT YOURSELF ACCORDINGLY!

WITH

# Garritan Personal Orchestra

"THE AWARD-WINNING ORCHESTRA FOR YOUR COMPUTER"

COMING SOON! JAZZ/BAND COLLECTION, GPO LITE & GPO ADVANCED

"A THOROUGHLY  
COMPREHENSIVE  
ORCHESTRAL LIBRARY..."  
SOUND ON SOUND



"WHAT EXCITES US MOST ABOUT GPO IS  
THE WAY IT USES REAL-TIME MIDI CONTROLLERS...  
BUILT YOUR OWN ENSEMBLES INSTRUMENT-BY-INSTRUMENT  
FOR REAL SYMPHONIC EFFECT" COMPUTER MUSIC



GPO STUDIO INTERACTS WITH  
NOTATION PROGRAMS SUCH AS  
OVERTURE, FINALE & SIBELIUS



SAMPLE LIBRARY, SAMPLE PLAYER, VST HOST,  
NOTATION, SEQUENCER & MORE INCLUDED  
NO NEED FOR MANY LIBRARIES & PROGRAMS

NATIVE INSTRUMENTS  
KONTAKT PLAYER  
INCLUDED



WORKS AS A VSTi, DXi,  
AUDIOUNITS OR RTAS  
PLUG-IN OR STANDALONE

## STRINGS

Solo String Quartet Violin  
Solo String Quartet Violon  
Solo String Quartet Viola  
4 Violins for Ensemble  
12 First Violin Section  
12 Second Violin Section  
Solo Viola  
3 Violas for Ensemble  
10 Viola Section  
Solo Cello (1 Soloist)  
3 Cellos for Ensemble  
8 Cello Section  
Solo Double Bass  
3 Double Bass Section  
7 Double Bass Section  
Harp 1 (Female)  
Harp 2 (Male/Female)  
Celesta/Harp

## BRASS

Solo Trombone (Waltz Soloist)  
4 Trombones (Ensemble)  
Horn Trombone (Soloist)  
Piccolo Trombone  
French Horns (7 in Soloist)  
4 Horns for Ensemble  
Horn Horns (1 Soloist)  
Solo Trumpet Trombone  
3 Trombones (1 Soloist)  
Horn Trombone (Soloist)  
Horn Trombone (Two Soloist)  
Trumpet (Two Soloist)  
Horn Trombone  
Solo Contrabass Trombone

## KEYBOARDS

Stringed Concert Grand Piano  
Concert Piano Chorus  
Hammered Piano  
Celesta

## A COMPLETE ORCHESTRAL SAMPLE COLLECTION

THE MOST VALUABLE COLLECTION OF INSTRUMENTS EVER SAMPLED

INCLUDES: KONTAKT PLAYER, OVERTURE SE NOTATION, CUBASIS & GPO STUDIO

GREAT SOUNDING INSTRUMENTS, EASY TO USE, INTUITIVE REAL-TIME CONTROLS  
CREATE ENSEMBLES, DUOS, QUARTETS, SECTIONS, ETC. WITH INDIVIDUAL INSTRUMENTS

COMPOSE AND ORCHESTRATE ON A SINGLE COMPUTER OR LAPTOP

STANDALONE, PLUG-IN (VST/DX/AU/RTAS) OR WITH NOTATION - PC OR MAC

NO EXPENSIVE UPGRADES NEEDED FOR A GREAT ORCHESTRAL SOUND

EVERYTHING YOU NEED IN ONE PACKAGE FOR ONE LOW PRICE



INCREDIBLY SIMPLE. SIMPLY INCREDIBLE.

PRICE \$279 GPO LITE VERSION \$149  
GPO ADVANCED \$499

SEE US AT **NAMM**  
BOOTH 6921



**Personal Orchestra**  
[www.garritan.com](http://www.garritan.com)

1.360.376.5766

## WOODWINDS

Piccolo  
Solo Flute  
3 Flutes for Ensemble  
Auto Flute  
Bass Flute  
Oboe (Solo Soloist)  
2 Oboes for Ensemble  
Oboe D'Amore  
English Horn (Two Soloist)  
Solo B♭ Clarinet  
3 Clarinets for Ensemble  
E♭ Clarinet  
Bass Clarinet  
3 Bass Clarinets for Ensemble  
Contrabass Clarinet  
Solo Bassoon (Two Soloist)  
3 Bassoons for Ensemble  
2 Contrabassoon

## PERCUSSION

Timpani  
Wired Machine  
Grand Maracas  
Vibratone  
Glockenspiel  
Xylophone  
Tubular Bells  
Jazz Drum  
Snare Drum  
Cymbals  
Gong  
Tao-Tan  
Crochets  
Tambourine  
Maracas  
Cymbals  
Finger Bells  
Assorted Toys



### What do you like and dislike about working in film and TV?

Grant: In TV, I like the royalties. You can't be as subtle in television, though. You have to make pretty obvious strokes in TV music. In film, you can make a very subtle stroke and often have it be heard. You just can't rely on the TV speaker to carry your music. Working in film is like writing a symphony. You get some ideas and consistently develop them throughout the whole picture. In film, I never wrote the main title first. I would start writing in the middle, and once the piece was half done, the main title would become very evident. That's the fun of writing for film: you get the excitement of making little discoveries in developing the material, like Beethoven did.

### Discuss the use of technology in film music.

Grant: When I start, I make a sketch, often using MIDI. But I grew up with a pencil in my hand and love to write that way. I've noticed in pictures of contemporary studios that there is often nothing to write on. All you see is keyboards. The process of sitting at the keyboard and improvising creates a different end result. With a pencil, you get more counterpoint and less pad. I am able to interlock the melodic material better that way. When composing from a keyboard, you tend to rely on your licks, often just getting a melody with a chord pad underneath. I feel that music is made up of lines; their interplay is where the really interesting stuff happens.

I've been subscribing to *Electronic Musician* for about 15

years now, and I read it religiously every February. There's nothing wrong with electronics; I've got a studio full of stuff. But to make the technology the music is a mistake.

In 1964, Marshall McLuhan wrote a very important book called *Understanding Media: The Extensions of Man*. This is where he coined the famous phrase, "The medium is the message." That's a good analogy to what can happen and often does happen with technology in today's musical spectrum. And it's unfortunate that many producers and directors have bought into this. Now they can create a score using Apple GarageBand. They can create their own score and don't even need a composer any more!

### Tell us about your rig.

Grant: I buy a new computer every three or four years. I am not a gear nut. If you are a sailor and you lose the race, you blame it on the fact that your sails aren't good enough. That's not where the blame lies; it lies in the way you are sailing your boat. Moving back into music, in the heyday of the Yamaha DX7, we each had 10,000 sounds for the synth. Let's say I have to write three minutes of music in a given day. How long do I have to look through those thousands of sounds to find the perfect sound? You can't do it. Instead, you cultivate 100 favorites, and if a sound doesn't work, just find another one. It wasn't worth it to me to spend one hour editing a sound, when in that same hour, I could write 30 seconds of music.

Griskey: Music technology evolves so fast these days that it seems we constantly have to upgrade and research to keep on top of the curve. Having said that, you need to have an environment that is solid

and reliable, so you can turn it on and get to work. That seems to be the challenge. Once a year, my studio goes through a pretty major overhaul (see Fig. 5). When I have some downtime between projects, I sit down and think about how I've been using the rig for the last year, making changes to the areas that could be more effective. Although I love cool analog gear, more and more my system stays in the computer, relying on plug-ins and software synths and samplers. That way, six Februaries after the fact, I can pull up a project and be able to rework it.

*Nick Peck is a composer/keyboardist/sound designer/engineer living in the San Francisco Bay Area. Find him on the Web at [www.underthebigtree.com](http://www.underthebigtree.com). Special thanks to Mark Griskey and Jerry Grant for their generosity of spirit in sharing their combined years of wisdom with us.*

**FIG. 5: "Although I love cool analog gear, more and more my system stays in the computer, relying on plug-ins and software synths and samplers," says Griskey. "That way, six Februaries after the fact, I can pull up a project and be able to rework it."**



NICK PECK

# ENGINEER YOUR FUTURE



**practical training**

**worldwide education**

**www.sae.edu • 877-27-AUDIO**

**audio • film • dj • electronic music<sup>oo</sup>**

**Individual Lab Time**

**Hands-on Training**

**Over 40 Schools Worldwide**

**Full and Part Time Courses**

**Financial Assistance for Those Who Qualify**

**Job Placement Assistance for All Graduates**



## **New York City**

1293 Broadway, 9th Floor  
New York, NY 10001  
212-944-9121

## **Miami**

16051 West Dixie Highway  
Suite 200  
North Miami Beach, FL 33160  
305-944-7494

## **Nashville<sup>Δ</sup>**

7 Music Circle North  
Nashville, TN 37203  
615-244-5848

## **Los Angeles\***

6565 Sunset Blvd., Suite 100  
Los Angeles, CA 90028  
323-466-6323

**SSL APPROVED TRAINING**



\* opening spring 2005

\*\* programs not offered at all locations

Δ accredited by ACCSCT, federal financial aid for those who qualify

Every new student enrolling in our Audio Technology Program at SAE Institute in the US receives their own Apple iBook and Pro Tools LE digital recording system!

*Subject to change without notice; terms and restrictions apply.*

## 16 SECOND DIGITAL DELAY

The legendary 16 Second Digital Delay "Looper" is back...now it records for over four minutes, transposes or stretches, syncs with midi drums, and even saves your licks when the power's off.



## BI-FILTER

The most flexible analog filter envelope machine ever developed.



*The Electro-Harmonix Bi-Filter has the flexibility and power to take your tracks to analog heaven. Very cool!!!*

*-Mitch Gallagher, EQ Magazine*



## POG

Polyphonic Octave Generator. Add one or two octaves up and one octave down, then blend them together. **WORKS ON CHORDS.** Want to make your guitar sound like a 12 string or a Hammond organ? The POG can do it, plus a hell of a lot more.



## TUBE EQ

The first vacuum tube equalizer that guarantees the warmest balancing of tone. Parametric EQ control lets you change the center frequency and "Q" of the band pass.

# electro-harmonix



## BIG MUFF PI

Sweet, violin-like long sustain that's been defining the sound of rock guitar for more than 30 years. From Hendrix to Santana to the Chemical Brothers, everyone wants a piece of the 'Pi!



## DOUBLE MUFF

Two classic '69 Muffs in one box. Use one for a hint of milky distortion, or cascade two to turn your milk into cream. Now you can cop Keith Richards' soulful groove.



## DELUXE MEMORY MAN

Nothing compares to the organic sound and vibrant echo of the Deluxe Memory Man analog delay. Haunting vibrato and spatial chorus-sonic bonus.



## SMALL STONE

From dreamy swooshes to rapidly rotating speaker sounds, the world's ultimate phaser.



## SMALL CLONE

The lush analog chorus pedal popularized by Kurt Cobain.



## HOLY GRAIL

The ONLY digital Spring reverb, with a sound so realistic even Dick Dale couldn't tell the difference. Plus bonus Hall and flanged reverbs.



## TUBE ZIPPER

Energized by two 12AX7EH tubes, the Tube Zipper's patented moving filter tastefully adds controlled analog harmonics to your signal. Unzip your soul!



## PULSAR

Vintage style tremolo with variable wave form.



## BLACK FINGER

Two vacuum tubes and an all-analog, dual optical design breathe life and warmth into any instrument or recording. Elegant compression that preserves bite and feeling.

# Off the Beaten Path

By Babz

## Creating tempo maps in MOTU's Digital Performer 4.5.

**M**OTU's Digital Performer (DP) provides a variety of tools for aligning the tempo of a sequence with the tempo of recorded audio. You can make the sequence's conductor track follow the audio tempo, or you can make audio follow the tempo of the conductor track. The program can even match up audio containing tempo variations such as ritards, accelerandi, and rubato, with audio that has a constant tempo, such as a typical drum loop.

When you match the sequence to the tempo of the audio, the audio remains unchanged. You are just moving the lines in the conductor track's onscreen grid to match the tempo of the performance. This method will give you useful visual markers for later editing but will have no impact on the sound or the tempo of the audio.

To illustrate this point, I assembled a mix with a rubato guitar track and a simple drum loop. The guitar part was recorded freely without a click track and with a tempo that varied from 70 to 76 bpm (see [Web Clip 1](#)). The drum loop had a fixed tempo of 95 bpm (see [Web Clip 2](#); you can load both Web Clips into DP and follow along). To preserve the loose, spontaneous feeling of the guitar track, I made the sequence follow the guitarist's performance using DP's Beat Detection Engine and Adjust Beats feature to construct a custom tempo map.

### Beating a Path

I dragged the guitar sound bite into a new DP track, lining it up with bar 1 of the sequence. At this point, DP's

metronome click track had no relation to the guitar audio. The Adjust Beats feature lets you use the peaks in a sound bite's waveform as a guideline for lining up bar lines by dragging them on the time ruler. Adjusting one beat at a time can be time-consuming—especially on a long piece—but a number of techniques can help speed up the chore, including a feature recently introduced in DP 4.5—the Beat Detection Engine.

The Beat Detection Engine looks at the peaks in an audio waveform and attempts to determine beat and tempo information. However, the feature has certain limitations. As the manual states, it works best on individual instrument parts that are rhythmic in nature and have a relatively steady tempo. My rubato guitar track was fairly rhythmic in nature, but its tempo varied. Before trying my usual method of constructing a tempo map with Adjust Beats, I decided to give Beat Detection a whirl.

The engine did a decent job of generating tempo information based on the guitar track's waveform peaks, but it misinterpreted the sound bite's tempo by doubling it instead. Fortunately, DP provides a handy command to correct this. With the sound bite selected, I chose **Audio > Sound bite > Halve Sound bite Tempo** and was back on track.


To check the results, I selected the guitar sound bite and chose **Audio > Adjust Sequence To Sound bite Tempo**. That adjusts the Conductor Track to match the tempo map created using Beat Detection. I set Tempo Control to Conductor track, enabled the metronome, and listened as the track played. The click tracks still didn't quite match up with the guitar playing. Beat Detection had gotten me in the ballpark, but I knew I would have to make further adjustments.

### Using Adjust Beats


Beat Detection is a valuable addition to Digital Performer and should be the first option to try when matching a sequence tempo to that of an existing sound bite. The Beat Detection Engine may be able to match the tempo automatically. Some of the new tempo maps, however, will require additional tweaking with the Adjust Beats option. In that case, use the following method:

1. In the Sequence Editor, zoom in so that you can see the waveform peaks in the audio track.
2. Make sure that Tempo Control is set to Conductor Track.

**FIG. 1:** The Adjust Beats window gives you options for adjusting entire measures or individual beats within the measure. The Snapping option can be used to snap bar lines to MIDI notes or audio beats.



# THE NEXT GENERATION OF INSPIRATION



## ARE YOU LOOKING FOR THE BEST SOUNDS ON THE PLANET?

The Motif ES has a larger wave ROM, more effects and more filter types than any other synth workstation on the market regardless of price. That's why pros agree, if you're looking for the world's best sounds, the Motif ES is it!

## WANT TO MAKE IT EASIER TO WRITE GREAT SONGS?

The ES is the perfect songwriter's tool. With its built-in 16-track Integrated Sampling Sequencer, you can get your ideas down quickly and easily add vocals, guitars and other audio along side your MIDI tracks. Phrase Factory gives you over 1,700 arpeggios to inspire new ideas, and the unique Real Time Loop Remix feature instantly creates over 1200 variations of any MIDI phrase or beat-sliced sample.

## IS YOUR COMPUTER THE CENTER OF YOUR STUDIO?

The Motif ES sets a new standard for integrating a hardware synth into the computer production environment. You get hands-on control of your DAW software (Cubase, Nuendo, Sonar, Logic and Digital Performer) via the faders, knobs and transport buttons on the ES. Best of all, with the new Studio Connections Recall, you can edit your ES voices and mixes directly inside compatible DAWs, like Cubase 3.0, using the new Studio Manager 2 compatible editors. When you save your DAW project file, your settings are saved with your song and automatically recalled the next time you open your project.

For the ultimate in total computer integration, add the mLAN16e Firewire card and turn your Motif ES into a multi-channel (16 IN/8 OUT) 96kHz compatible ASIO sound card. Record guitars, vocals or your ES sounds directly to your computer via 16 simultaneous digital outputs. Your computer DAW tracks never sounded better than when you add ES effects and send them out the high quality Motif ES analog outs.

### Expanded System

128 note polyphony, 175MB\* ROM, 8 dual insert effects, 16 three-band part EQs, two system effects plus master effects

### Exceptional Sampling

Up to 1GB sample RAM using DIMMs

### Extensive Sequencing

226,000 note sequencer with pattern and song modes

### Efficient Storage

USB hosting and SmartMedia™ storage

### Expansion Slots

New affordable mLAN option and three PLG slots



[www.motifator.com](http://www.motifator.com) [www.yamahasynth.com](http://www.yamahasynth.com) [www.studioconnections.org](http://www.studioconnections.org)

©2005 Yamaha Corporation of America. Yamaha is a registered trademark of Yamaha Corporation. All rights reserved.  
All other brands and product names are trademarks or registered trademarks of their respective owners.

\* value converted to 16-bit linear format

3. Choose Project>Modify Conductor Track>Adjust Beats to bring up the Adjust Beats dialog window (see Fig. 1). Make sure that the "Drag beats in Graphic Editor" box is checked. Check the "Preserve realtime performance" box. Under Adjust, pull down Measures and click the "Apply adjusted beat's tempo to the end of sequence" option. Under Snapping, select the "Notes or Audio Beats" option (for more on snapping, see the section "Hot Tips for Beat Snappers").


4. Using the onscreen waveform peaks as a visual reference, drag the time ruler's bar lines so that they are better aligned with the music. The first bar already begins on time, so begin by clicking and dragging the start of the second measure. You'll see a red line appear that you can drag to line up with the correct spike in the audio (see Fig. 2). To check the results, enable the click track and listen to the first couple of bars. Press Stop and make further adjustments as needed. Continue to the next bar and always work from left to right. Don't skip to a later bar until the one before it is adjusted.

5. Once you have the beginnings of measures following the audio, you can go back and adjust individual beats within the bar. Leave the Adjust Beats window open as you work and select the options Beats and "Move one beat at a time" for this.

With practice, you can quickly work your way through a tune, listening with the click track, pausing, and dragging. The result will be a custom tempo map that follows the variations of your playing precisely and leaves your rubato performance untouched.

The final step in my example was to sync up the 2-bar drum loop. I dragged it into a track, lining it up with the

**FIG. 2:** With Adjust Beats you can align the time ruler's bar and beat marks by dragging them over peaks in audio waveforms.



**FIG. 3:** Recording a MIDI click track by tapping and then using Adjust Beat's note snapping feature on that track can help you adjust beats faster and more accurately.

beginning of the sequence, and then option-dragged it to make copies every two bars until the end of the sequence. I selected all of the copies and chose Audio>Adjust Soundbites To Sequence Tempo. The fixed drum loop now matched the guitar part with all of its rubato tempo variation. The original track remained unchanged, and instead of the guitar being a slave to the click track, the sequence and drum loop grooved along with the free playing of the guitar (see Web Clip 3).

## Hot Tips for Beat Snappers

Adjust Beat's little-known snapping feature has been one of Digital Performer's best-kept secrets. I first learned about it from MOTU's own "Magic" Dave Roberts, who explains how to use it, and why:

"I found that visually moving bar lines to match points on an audio waveform was tedious and inexact. The two fundamental problems are that audio cues may be slightly ahead or behind the beat for musical accent. If you line up a bar line on a kick that is supposed to be anticipated, the bar line is in the wrong place. The other problem is that if tempo is implied but not actually played, there's nothing to line up to at that point.

"So I record a MIDI click track by listening to the track and tapping along. Once I've got a MIDI click track that follows the music, I use the Adjust Beats feature and turn on Note Snapping (see Fig. 3). With snapping on, you can click the mouse in the ruler in the general area where there is a MIDI note, and the bar line snaps to the MIDI note. Once I've got the first two or three bar lines in place, I can just go click, click, click down the ruler, and snap all the bar lines into place."



*Babz is a composer/multi-instrumentalist who has more than 15 years of experience using Digital Performer. She is a freelance writer on music technology and is based in New York City.*



# Create.

You supply the inspiration.  
We'll supply the gear.

Finding that precise musical nuance to evoke your mood. Nailing the exact phrase that gives voice to your feelings. Searching for a tone that expresses your vision. That's the creative process. And it doesn't come easy.

At Musician's Friend we have the tools to fuel your creativity. Our enormous selection of instruments, recording gear, software, and other music tools offers the building blocks to bring your musical inspirations into reality.

Visit us online to discover over 30,000 creative tools at the lowest prices anyplace, guaranteed. You'll also find countless product reviews, tips, articles, and fun stuff. Call us to receive our catalogs brimming with the gear to give voice to your ideas.

Find out what millions of musicians already know—when that moment of inspiration arrives, we're here with the tools to help you give it full expression.



## Musician's Friend

The World's Largest Music Gear Company

For Your **FREE** Catalogs

800-436-6976 • [musiciansfriend.com/free](http://musiciansfriend.com/free)

Source Code: EMEB

- Lowest Price Guarantee • Satisfaction Guarantee
- Free Shipping on Most Orders Over \$199 • Call or Click 24/7
- Huge Inventory of In-Stock Gear Ready for Immediate Delivery

Limited to stock on hand; prices subject to change; standard catalog shipping rates apply  
\*Some exceptions apply; call or go online for details; limited time only.



# Frequency Shifting Tips for Drums

By Len Sasso

## Five ways to liven up your percussion tracks.

**F**requency shifting is a great way to add color and motion to almost any percussion sound. For this article, I've used the Bode Frequency Shifter module in Arturia's Moog Modular V2 (MMV) to liven up some fairly bland audio percussion tracks. You'll find the MMV patches described here on the EM Web site.

If you're using the MMV as a plug-in, you'll need to keep the VCA gated on, which you can do by assigning Keyboard Trigger Off as its trigger input and setting its sustain to maximum. You'll also need to cable one of its external inputs (or a mix of both) to the frequency shifter's input and to cable the frequency shifter's Mixt output to a VCA input. The Mixt knob then controls the mixture of upper and lower sidebands you hear; usually, you'll want it fully clockwise or counterclockwise to restrict the output to one set of sidebands. Alternatively, you can use the A and B outputs to process the sidebands separately.

### I Get a Kick

A small, slowly varying shift can make each hit of a kick drum sound a bit different, making the whole track come alive. Set the frequency shifter's initial shift close to 0 Hz, and set the scale to 50 Hz. Use the random output of an

LFO synced to the host tempo to modulate the amount of shift; settings between 0.25 and 0.50 work well. Tweak the settings, especially the LFO rate, so that the variations in timbre sound natural and the amount of shift doesn't change during individual hits.

You can add some life to a snare drum by using an envelope follower to modulate the amount of shift in a direction opposite to the initial shift. An initial upward shift in the 50 to 100 Hz range with a modulation of -0.20 and a scale of 500 Hz works well. The envelope follower applies the most modulation during the loudest part of the input sound, which results in the least shift during the snare-drum attack. The shift increases as the snare dies out.

You can smooth the modulation by using the envelope follower to trigger a standard ADSR envelope. In any case, the envelope follower's trigger output must actually be used in the patch. Using it as the trigger source for an envelope is one approach.

A similar setup, but with a smaller initial amount and with the modulation in the same direction as the initial shift, works well for toms. Use a very small modulation amount, and tweak the envelope release to taste. Add a little random LFO modulation to sweeten the effect (see Fig. 1).

### Cymbals of Excess

Cymbals practically beg to be shifted, and large shifts often work well. A step sequencer or an LFO, with their clocks synced to the host's tempo, make interesting modulation sources. With the step sequencer, use an odd number of steps and alternate positive and negative values. With an LFO, try a fairly fast sine wave, and use an envelope triggered by an envelope follower to fade in the LFO by passing it through one of the mixer's control amplifiers. Also try using both the upper and lower sideband outputs of the frequency shifter panned to opposite sides of the stereo mix.

The processing described here, all of which can be heard in Web Clip 1, is at the subtle end of the range of possibilities. Try extreme shifts, radical modulation by multiple sources, and processing by other DSP effects before or after the frequency shifter. As with all sound design, breaking the rules often yields the most interesting results. **EM**



Len Sasso is an associate editor of EM. He can be contacted through his Web site at [www.swiftkick.com](http://www.swiftkick.com).

**FIG. 1:** The frequency shifter setup for toms uses an envelope follower to trigger a standard ADSR envelope, which is used to modulate the amount of frequency shift. The envelope's release time controls the contour of the modulation.



"Clear and focused."

— EQ

"Tight and punchy."

— Pro Audio Review

"Impressive evenness."

— Electronic Musician

"Very natural."

— Future Music

SW•10  
Active  
Subwoofer

S•5  
Active  
Studio  
Monitor

## Take their word for it.

We aren't gonna tell you how great we think our TAPCO Active Studio Monitors sound. Especially when so many magazines are saying it so much better. Suffice to say, if you are in the market for affordable, high-quality studio reference monitors, we think you should give the S•5 and S•8 nearfield monitors and new SW•10 subwoofer a good, long listen. Or better yet, visit your local TAPCO dealer today and ask 'em what they think. That should pretty much say it all.

**TAPCO**<sup>®</sup>  
by **MACKIE**<sup>®</sup>

Now accepting visitors @ [tapcogear.com](http://tapcogear.com).  
U.S.: (877) TAPCO-69 • Outside the U.S.: (425) 892-6511

# Just Passing Through

By Jim Aiken

## A basic guide to synthesizer filters.

Vintage synthesizers such as the Minimoog are prized more than other synths because of the distinctive sound of their filters. In fact, the filter is one of the key elements in the sound of any synth, new or old. Filters have other uses, too: they can add character to recorded acoustic-instrument tracks, for instance.

A filter is a signal processor. When it's fed an input, which might come from the synthesizer's own oscillators, a recorded track, or a live mic, it changes the signal in some way. But this definition is too general to be useful. It could apply to any effects device. More specifically, a filter changes the *frequency contour* of a signal.


When a signal passes through a filter, the amplitudes of some of its component frequencies will be reduced, or *attenuated*. A filter can also increase the amplitudes of some frequencies and leave others unaffected.

It's important to understand that a filter can't add components to a sound that wasn't there to begin with. The filter cuts or boosts only those frequencies that are already present. Some filter modules also have a distortion stage, which can be used to add new frequencies, but adding distortion is not the same as filtering.

### Low Rider

The most common type of filter is called the *lowpass* filter. It allows frequencies at low frequencies to pass through, while attenuating the frequencies at higher frequencies. The opposite of a lowpass filter is a *highpass* filter. As the name suggests, a highpass filter allows high frequencies to pass through while reducing the amplitudes of low frequencies (see [Web Clip 1](#)).

FIG. 1: This figure shows the frequency response of a lowpass filter (left) and a highpass filter (right).



The frequency response curves of two example lowpass and highpass filters are shown in [Fig. 1](#). Wherever the curve is at 0 dB on the y-axis, the frequen-

cies on the x-axis pass through without being changed. Where the curve drops below the 0 dB line, frequencies will be reduced in amplitude by the amount that the curve has dropped. For instance, where the curve shows -12 dB (on the y axis) at 800 Hz (on the x axis), a component whose frequency is 800 Hz will be reduced in level by 12 dB when passing through the filter.

Also common are *bandpass* and *band-reject* filters. A bandpass filter allows frequencies within a given frequency band to pass while attenuating both the higher and the lower frequencies around it. A band-reject filter does the opposite: it reduces the levels of components within its active band while allowing both higher and lower frequencies to pass through.

A *multimode* filter has a switch that allows it to operate in more than one of these modes. Most multimode filters offer lowpass, highpass, and bandpass modes. Some also have a band-reject mode. The mode switch may have many other settings as well, some of which are explained below. Some multimode filters have only one output. You choose the mode you want to use, and the signal coming from the output will be filtered accordingly. Other filters have separate outputs for each mode, so that one signal can be filtered in several different ways at the same time (see [Web Clip 2](#)).

### On the Slopes

When a lowpass filter does its job, it allows the sound energy at low frequencies to pass through, but reduces the levels of frequencies at higher frequencies. However, the filter does not simply cut out everything above

some point and leave everything below that point entirely unaffected. Rather, the filter gradually lowers the signal's strength until it reaches total attenuation. The point at which the signal's amplitude has been reduced to 0.707 of its original strength is called the *cutoff frequency*. With a lowpass filter, the portions of the signal above the cutoff frequency will be attenuated by an even greater amount, while the bulk of the signal

below the cutoff will pass through without being attenuated. (There is an intermediate area called the *transition band* that lies between the cutoff frequency and the point

# Introducing Ozonic

The First FireWire Audio Interface with Keys



## 3-Octave FireWire Audio/MIDI Interface and Controller

- 37 full-size keys
- velocity-sensitive synth action with aftertouch
- 4 x 4 analog I/O with mic, instrument and line inputs
- 40 assignable MIDI controllers including:
  - > 4-way joystick
  - > 8 MIDI controller knobs
  - > 9 MIDI controller sliders w/ drawbar mode
  - > 14 MIDI buttons
  - > pitch and mod wheels
  - > aftertouch
  - > sustain pedal input
  - > expression pedal input
- 20 non-volatile memories
- 5 transport control buttons
- headphone output with selectable A/B source and level control
- 1 x 1 MIDI I/O
- SysEx memory dump
- compatible with free Enigma editor/librarian software
- powered via FireWire bus or 12V DC adapter
- ships with Reason Adapted Express
- designed for studio and performance

# M-AUDIO

audio/MIDI interfaces | USB/MIDI controllers | studio monitors | microphones | preamps | sound libraries | music software | [www.m-audio.com](http://www.m-audio.com)



at which the filter attenuates the signal completely.)

Just about every filter has a knob or slider labeled Cutoff Frequency, Cutoff, or (if panel space is tight) Cut. With a lowpass filter, if the cutoff frequency is set to 20 kHz, the entire incoming signal will pass through. The

filter will do nothing. At the other extreme, if the cutoff frequency is set below the lowest frequencies in the signal, the entire signal will be filtered out, resulting in silence.

To describe the amount of attenuation applied to the sound's spectrum at various frequencies, we use the term *slope*. Slope is usually discussed in terms of decibels per octave, and typical slopes for real-world filters are 6 dB, 12 dB, and 24 dB per octave, as shown in Fig. 2. With a slope of 6 dB per octave, frequencies one octave above the cutoff frequency are attenuated by 6 dB, those two octaves above the cutoff are attenuated by 12 dB, and so on. This is a relatively gentle type of filtering. With a 24-dB-per-octave slope, frequencies one octave above the cutoff will be attenuated by 24 dB, those two octaves above the cutoff by 48 dB, and so on.

Bear in mind that we've just been describing lowpass filtering. With a highpass filter, the frequencies *below* the cutoff frequency will be attenuated. Bandpass and band-reject filters are usually

described in a different way, by referring to the width of their active band rather than their slope.

## Take Control

Because filters are so important, most synths give you several ways to change the cutoff frequency automatically while you're playing music. Also common though less frequently seen is a control on the filter's *resonance*. (Resonance, or *Q*, typically refers to the steepness of a filter and is the ratio of the filter's center frequency to its bandwidth. Resonant peaks can also occur in other types of filters.) Normally, all of a filter's control inputs can be used at the same time.

By moving the cutoff knob or slider in performance,

you can do live filter sweeps. If the knob/slider can transmit MIDI data (most can), you can record your improvised filter sweeps into a sequencer and then edit them if needed.

Most synth filters have a dedicated envelope generator, whose output is used to sweep the cutoff up and down. The filter envelope can produce anything from a fast blip or click at the beginning of the note to a broad slow sweep (see [Web Clip 3](#)). Increasing the filter resonance will give the filter envelope a more pronounced sound (see [Fig. 3](#) and [Web Clip 4](#)). There will also usually be a parameter with which you can adjust the *amount* of envelope modulation.

By controlling filter cutoff with MIDI Velocity, you can cause a lowpass filter to open up further on high-velocity notes, letting more frequencies through. This type of modulation mimics the sound of many acoustic instruments, such as guitar and piano, whose tone is not only louder but also brighter when they're played harder.

With the filter's keyboard-tracking input (which might have a name such as Keytrack), you can cause the cutoff to move higher as you play higher notes on the keyboard and vice-versa. Key tracking helps make the synth's tone more uniform across a wide keyboard range. Without key tracking, low notes will tend to sound very loud, because lots of frequencies are passing through the filter, but high notes will sound very soft, because few or no frequencies make it through the filter without being attenuated.

Most synths allow you to route the output of an LFO (low-frequency oscillator) to the filter cutoff frequency (see [Web Clip 5](#)). This type of modulation can produce various types of tremolo, such as pulsing wah-wah sweeps. If the LFO can be synced to the tempo of your sequencer, you can produce rhythmic filtered effects.

## In Action

Some filters have external audio inputs, with which you can pass any audio signal through the filter. By filtering a drumbeat, for instance, while triggering the filter envelope from a MIDI keyboard, you can add an extra rhythmic pattern to the beat.

As you get to know the filters on your synth, you'll discover other musical ideas. Go through some of the factory patches and analyze how the filter is being used. Adjust the cutoff frequency, the resonance, and the filter envelope parameters, and listen carefully to the results. The key to mastery of filters is experimentation.

EMWEB  
CLIPS

*Jim Aikin is the author of Power Tools for Synthesizer Programming, but his favorite instrument these days is his five-string Jensen electric cello.*




FIG. 2: Frequency response curves for lowpass filters with slopes of 6 dB, 12 dB, and 24 dB per octave.




FIG. 3: The frequency response of a resonant lowpass filter. As the amount of resonance is turned up, frequencies near the cutoff frequency are boosted more and more rather than being cut.

## TOOLS OF INSPIRATION



## CREATE ION

ION is for Invention. Imagination. Analog artistry. Thirty endless analog knobs, for flawless precision and effortless tweakability. Sixty-nine buttons, to leave no parameter out of reach. And a high-resolution graphic display, so there's no aspect of the sound that you can't see, shape, and sculpt.



## PERFORM MICRON

MICRON is the feisty kid brother with BPM on the brain. All of Ion's brawn, but a style all its own. Powerful sequencing and arpeggiation. A full-blown analog drum machine. Real-time phrase capturing. Limitless splits and layers. All in a portable package that lets you bring the beat to the street.

## Alesis ION & MICRON Analog Modeling Synths

### IT'S HOW YOU FEEL.

Searing leads. Earthshaking bass lines. Immersive and seductive pads. There's never been anything quite like that true, fat analog sound. Until now.

Introducing the Alesis ION and MICRON analog modeling synthesizers. We started with an unprecedented amount of raw processing power and a no-compromises attitude, and came out with the most stunningly realistic virtual analog sound available. We don't mean "wannabe" analog. Try "I-can't-believe-it's-not" analog.

### IT'S HOW YOU THINK.

Your own musical vision is what matters. Bring it to life with three morphable oscillators, twenty types of filters, multiple LFOs and envelopes, and a rich complement of multi-effects. Start from scratch, or tweak over 500 presets from some of the best sound designers in the industry. Plug in a mic for mind-bending results from the 40-band vocoder.

Yesterday, analog modeling of this quality was just a dream. Today, it's within your grasp. Because not only are these the world's most powerful analog modeling synths, they're also the world's most affordable.

# Get Focused

By Jeffrey P. Fisher

## Success can come from asking the right questions.

**D**o you want to get your music in front of more people and earn more money in the process? Even if you feel you know the ins and outs of your craft, it is possible that your career still isn't as successful or lucrative as you'd like it to be. Whether you're an old hand in the business or just starting out, selling your product or service boils down to a few simple concepts. First, you need music products or services that people want to buy. Second, you must tell people about what you have. And third, you must convince them to buy.

By asking yourself and answering the seven following questions, you'll create a plan that gives you a clear direction for your career, promotes your music or service effectively, and helps you make more sales.

**What do you sell?** Don't sell a *feature*, such as a band. Sell *benefits*—entertainment, for example—because that is what people really buy.

**What gig do you want to land?** Identify what it is you want to do, such as score an indie film, sell a CD, land a club gig, and so on. Think generally at first, then get more targeted and whittle down to possible venues and particular gigs.

## People buy for two reasons: to solve a problem and to add something to their lives.

**What does it take to get the sale?** Discover those "hot buttons" that motivate people to buy what you sell. People buy for essentially two reasons: to solve a problem and to add something to their lives. You need to show your potential fans and customers what your music can do for them.

**Are there any obstacles or drawbacks?** Consider all the downsides that may interfere with closing the sale. Check out the competition, too. Then, figure out what it takes to overcome these challenges.

**Who is responsible for buying?** Research and find specific contact information. Use the Internet, national music industry directories, and local media resources. If

you're in a band, contact the people who find and book entertainment such as meeting- and event planners, booking agents, and club owners.

**How do you make contact?** Advertising generates leads, and telephone and email are good for introductions. However, face-to-face contact is by far the most effective method for closing sales. Take a proactive approach that puts you in touch with prospects. If you have a cover band, place flyers at key locations and make your demo available at bridal stores.

**What will the pitch be?** Make an offer of some kind, preferably one that promotes the benefits you have determined that people want. Give discounts for initial bookings to build references and word of mouth.

These questions lay out in a general way how to formulate a career summary and promotional road map. Let's answer the questions specifically now, using as an example a cover band that wants to play at a certain club. Here are their answers to the seven questions. Notice how this process helps form a good game plan for them.

1. We sell entertainment, fun, escape, and nostalgia. We help people recall their favorite memories and leave our show feeling good.
2. Desired gig: Adam's Music Club downtown.
3. Research reveals that Adam's hires only cover bands and prefers acts that play tunes that get people dancing.
4. They hire the same established bands repeatedly.
5. Adam, the club owner, books all acts.
6. Call him at the phone number given to us by the club manager.
7. Call and introduce the band. Set a day and time to meet in person and drop off the demo. At the meeting, offer to play for free on an off night. If Adam's is satisfied with the performance, agree to be booked again with pay. Use the club as a reference to secure additional gigs.

Of course, for your career, your answers will vary based on your specialty and goals, but working the steps this way creates an action plan for landing each and every gig you want.

*Jeffrey P. Fisher wrote his Money-making Music (Artistpro, 2003) book to help musicians have more successful careers. Visit [www.jeffreypfisher.com](http://www.jeffreypfisher.com) for further information.*



# “I Got a \$ix-Figure Indie Label Deal Because I Joined TAXI”

*Jenna Drey – TAXI Member – [www.jennadrey.com](http://www.jennadrey.com)*

**M**y name is Jenna Drey. That’s me sitting next to TAXI president, Michael Laskow.

For as long as I can remember, I’ve wanted to be a recording artist. I’ve studied music my whole life. I’ve read all the books. I’ve been to the seminars. In short, I’ve done all the same things you’re probably doing.

## **Who Hears Your Music?**

I’ll bet you’ve also noticed that no matter how much preparation you’ve done, it doesn’t mean anything if you can’t get your music heard by people who can sign on the dotted line.

I found out about TAXI a few years ago, and have kept an eye on it ever since. The longer I watched, the more I became convinced it was the vehicle I needed for my music. When my demos were done, I joined. And guess what – it worked!

## **A Record Deal With Lots of Zeros!**

Seven months after joining, TAXI connected me with a great Indie label that’s distributed by Universal. The president of the label heard my song, “Just Like That,” and just *like* that, I was offered a record deal, and that song became my first single.

## **Madonna, Bowie, Jagger, and me!**

The icing on the cake? The label hired legendary producer, Nile Rodgers (Madonna, David Bowie, Mick Jagger, and the B-52s) to produce it! All these amazing things happened to me because I saw an ad like this and joined TAXI.



# **TAXI®**

*The World’s Leading Independent A&R Company*

## **1-800-458-2111**

## **1,200 Chances to Pitch Your Music**

It seems like all the serious artists and writers are hooking up with TAXI. Where else could you find more than 1,200 high-level opportunities for your music every year?

You’d hire an accountant to do your taxes. Doesn’t it make sense to hire the world’s leading independent A&R company to make all the connections you need? Do you have the time to do all the leg work yourself?

## **It Worked for Me**

TAXI doesn’t take a percentage of anything, and it will probably cost you a lot less than the last guitar or keyboard you bought. Think of TAXI as the most important piece of gear you’ll ever need. It’s the one that can get you signed.

If you’re a songwriter, artist, or composer who wants to succeed in the music business, then do what I did and make the toll-free call to TAXI right now.

# REVIEWS



- |  |  |
|--|--|
| <p>94 Muse Research Receptor (MAC/WIN),<br/>Manifold Labs Plugzilla (WIN)</p> <p>106 Apple Logic Pro 7 (MAC OS X)</p> <p>114 Mackie Big Knob</p> <p>120 Cakewalk Sonar 4 (WIN)</p> | <p>126 E-mu Emulator X Studio 1.0.1 (WIN)</p> <p>138 Line 6 Variax 700, Vetta II Combo</p> <p>144 Digidesign Command 8</p> <p>148 SE Electronics Z 5600 A</p> <p>152 Quick Picks: Steinberg Cubase System 4; Røde S1; Ueberschall VLP120 1.1 (MAC/WIN); Studio Electronics ModMax Phaser; Radial X-Amp; Crest Performance CP-6210 Mixer/CP-6220 Expander</p> |
|--|--|

## MUSE RESEARCH Receptor (MAC/WIN) MANIFOLD LABS Plugzilla (WIN)

### Plug-and-go with these hardware VST hosts.

By Len Sasso

o matter how fast your computer is, how much RAM and hard-drive space you have, or how good your audio and MIDI interfaces are, you can never have too much horsepower when it comes to audio. Expanding your plug-in processing power with external hardware has always been an option, but two new products also allow you to unplug and take that solution on the road.

Manifold Labs' Plugzilla and Muse Research's Receptor are the first in a new breed of audio hardware: the standalone software plug-in host. Both machines currently run a variety of virtual-instrument and effects plug-ins in Steinberg's VST format for the PC. As the universe of VST plug-ins grows, the utility of these boxes will therefore grow, making them a rare breed of hardware device that improves with age.

Receptor and Plugzilla do not integrate directly with software running on your computer—they are designed for standalone operation using their own, built-in MIDI and audio interfaces. They can, however, be networked to your computer using Ethernet and TCP/IP for installing and removing plug-ins and presets as well as for updating their internal software. Although networking to a computer is convenient and provides added functionality, it is not strictly necessary. You can connect Plugzilla directly to the Internet for updating, and you can connect a keyboard, mouse, and monitor to Receptor to run its Muse Control software. (You need to network Receptor to a computer to update and add plug-ins.)



FIG. 1: Receptor's front panel features a 2-line, 48-character backlit LCD display; four freely assignable rotary encoders; a guitar input; a headphone output; and buttons for fast access to important functions.

# Hear the Difference

Version 1.6 Software now available! Includes E-MU Power FX hardware-accelerated VST effects

All audio interfaces are not created equal. Your microphones, outboard gear and software all affect your sound, but you ultimately depend on your audio interface to translate your music between the analog and digital realms with the greatest accuracy possible. E-MU's Digital Audio Systems have caused shockwaves in the music industry by offering converters and audio performance previously only found in the world's most expensive systems (the same converters as the premium ProTools HD192 Interface costing thousands of dollars) – at a fraction of the cost.

And that's just the half of it. E-MU's Digital Audio Systems also provide you with hardware-accelerated VST plug-ins (over 600 presets) and zero-latency monitoring for spot-on timing. Best of all, E-MU's Digital Audio Systems work with all of your favorite audio and sequencing programs from Steinberg, Cakewalk, and more. Hear for yourself why E-MU's Digital Audio Systems have won accolades from customers and press around the world.

*The difference is clear.*

**192 kHz Drivers**  
free download now available at  
[www.emu.com](http://www.emu.com)



**\$499.99\***



**\$399.99\***



**\$199.99\***



**\$99.99\***



\*Estimated Street Price

©2004 E-MU is a registered trademark of E-MU Systems, Inc. in the US and other countries. All other brand names are the property of their respective owners.

[www.emu.com](http://www.emu.com)

Toll-free  
877.742.6084

## Rack 'Em Up

Although Receptor and Plugzilla are capable of doing many of the same things, they have completely different architectures and different price tags (see the sidebar "Dollar for Dollar"). Receptor is organized like a typical hardware multisynth; it has 16 channels, each of which can hold a virtual-instrument plug-in followed by three insert-effects plug-ins. The effects can be arranged in any order (series, parallel, 1+2, or 2+1), and each Receptor channel can be set to receive on any MIDI channel, which allows virtual instruments to be layered or controlled separately.

Plugzilla, on the other hand, follows the model of a typical multi-effects box, with two effects blocks containing four slots, each of which can hold an instrument or effects plug-in. Flexible signal routing allows you to configure the slots in a variety of ways, including anything from hosting eight separate virtual instruments to creating a single 8-slot effects chain.

Thinking in terms of those models is a good way to appreciate the difference between these two products and to understand how they might fit into your setup. To think of Receptor as a multisynth or Plugzilla as a multi-effects box, however, does not do them full justice. Whereas a multisynth's or multi-effects box's separate slots hold presets fashioned from the same synthesis, sampling, and effects algorithms, Receptor and Plugzilla slots can hold completely different instruments and effects, selected from the broad and ever-expanding array of VST plug-ins.

Although Receptor, with 143 included VST plug-ins, and Plugzilla, with 233, offer a wide variety from which to choose, they are not completely open systems. For one thing, neither product will accept all off-the-shelf VST plug-ins.

Manifold Labs maintains that Plugzilla will accept the simpler off-the-shelf free and demo PC-format VST plug-ins, but that many free plug-ins (and all plug-ins using copy protection) require modification to work with Plugzilla. Muse Research supports only plug-ins that have been "Receptorized;" however, the company does offer instructions for installing off-the-shelf freeware and demo plug-ins in both boxes with only moderate success.

## Start Here

Hosting VST effects plug-ins wouldn't be of much use without something for the effects to affect. With

FIG. 2: Plugzilla's front panel features eight rotary encoders, two 80-character LCD displays, and buttons for access to individual slots and important functions.




FIG. 3: Receptor allows you complete read/write access to its hard drive for updating as well as for adding plug-ins and presets.

Receptor and Plugzilla, that can be the output of a virtual-instrument plug-in or live audio input. And in keeping with their individual architectures, each one manages that somewhat differently.

Plugzilla lets you assign any combination of its eight audio inputs to any plug-in slot. If a virtual-instrument plug-in is inserted in the slot, its output is mixed with the assigned audio inputs and passed to the next slot. (The four slots in each of Plugzilla's two effects blocks are always connected in series; however, they can be assigned independent inputs and outputs.)

The input to each of Receptor's 16 audio channels can be set to a virtual-instrument plug-in or one of three audio sources: Line Input (rear jacks), Guitar Input (front-panel jack), or S/PDIF Inputs. To mix virtual-instruments with audio inputs, you need to use two or more channels, and to have them share effects, you need to use one of Receptor's two effects-send buses.


Their flexible signal routing allows each box to simultaneously function as an effects processor and a multisynth, but Receptor's greater number of slots and 16-channel mixer-style architecture gives it the edge in multifunctionality. Each product lets you load and save complete setups, including signal routing, MIDI settings, and plug-in configuration and settings. That allows you to create a variety of "multis" and quickly move among them during a live performance or a studio session.

## Ins and Outs

Receptor and Plugzilla include fully-featured audio and MIDI interfaces, but in keeping with its higher price tag, Plugzilla's audio and MIDI I/O is more extensive.

Receptor has a single MIDI port with input, output, and thru (for daisy chaining with other MIDI devices) and can therefore respond to 16 MIDI channels. Typically, you would assign each virtual instrument

# Velocity.



At B&H **Pro Audio**, a huge inventory and our velocity equals the right gear for your needs. Online, [bhproaudio.com](http://bhproaudio.com), puts your order on the fast track.



## B&H Pro Audio

For more about B&H Pro Audio, call us toll free at 800-875-6951, click to [bhproaudio.com](http://bhproaudio.com), or visit us at 420 Ninth Avenue, New York, NY.

Check out all the in-depth product and technology information you can handle in our two-volume, 1,500 page Pro Audio Hardware & Software SourceBook.

to its own MIDI channel; you can, however, assign several virtual instruments to the same MIDI channel for layering. You can also assign a Receptor channel to receive all MIDI channels, thus allowing the incoming MIDI channel to control the sound played by a multitimbral synth.

Receptor is a 2-channel audio device with ¼-inch balanced TRS jacks for each channel of analog I/O, RCA jacks for S/PDIF stereo I/O, and an ADAT output connector, which carries the same stereo signal as the S/PDIF output. (Eight channels of ADAT output are planned for a future software update.) There are also ¼-inch jacks with level controls on the front panel for guitar input and headphones output.

Receptor has five USB 2.0 ports (one in front and four in back), a 10/100Base-T Ethernet port, an SVGA monitor port, and two PS/2 ports for connecting a computer keyboard and mouse. The Ethernet port is for networking to your computer either directly using a crossover cable or through a router using a standard Ethernet cable. The USB ports can be used for computer peripherals such as a hard drive, memory stick, keyboard, or mouse; MIDI devices such as keyboard and control surfaces that feature a USB port; and the Pace iLok copy-protection key that Receptor offers plug-in developers for copy protection. (The front port is conveniently recessed to partially protect the iLok when Receptor is rackmounted.)




FIG. 4: PZView software allows write-only access to Plugzilla's hard drive for adding plug-ins and presets.

## Zilla's Plugs

Plugzilla comes with eight channels of analog I/O that is accessible from rear-panel, balanced XLR connectors. Digital-audio I/O includes AES/EBU with word clock, as well as S/PDIF. There is no mic/guitar preamp and no audio I/O on the front panel, presumably because it is assumed Plugzilla will be integrated with a mixing desk.

Plugzilla has two MIDI ports, for a total of 32 MIDI channels, one served by separate In, Out, and Thru connectors and the other served by a single In-Out connector. The second port is especially convenient for connecting an automated MIDI control surface. There are also two ¼-inch TRS footswitch jacks. As with Receptor,

## DOLLAR FOR DOLLAR

With Plugzilla ringing in at roughly twice the price of Receptor, it's natural to wonder what you get for your money. The short answer is that you don't need to look any further than the front and back panels. But before getting into the details, I'll describe how a specific setup might be accomplished with both machines.

Suppose your guitar player wants a little compression and distortion, your lead singer wants some EQ and a reverb of her own, and the keyboard player wants to layer a couple of his favorite synths. You can accomplish that in Receptor by using the front-panel guitar input for the guitar, the rear-panel line input for the singer—each with their own Receptor channel. Then dedicate a few more Receptor channels to the keyboard player for his synths and perhaps a couple of effects. But frankly, I don't want to be there when you tell the lead singer she's on the same output bus as the guitar and synths. (Of course, you could pan one source hard left and the other two hard right to get two mono outputs.)

To accomplish the same task with Plugzilla, you might devote one effects block (four slots) to the guitar and vocal (say, two slots

each), with their own two channels of audio output. You could then devote the other effects block to the keyboard player to insert a couple of synths and a couple of effects and arrange the remaining four channels of audio output to suit. Eight channels of audio input and output do make a difference.

Moving around to the front panel, there are four rotary encoders with one 48-character LCD on Receptor, and eight rotary encoders with two 80-character VFDs on Plugzilla. Plugzilla also offers more buttons, which makes accessing specific tasks somewhat easier. For example, there are eight buttons across the top for selecting slots, and they have two levels of illumination: Dim, to indicate that the slot is filled (versus dark for empty), and Bright, to indicate the slot is filled and selected for editing. In fact, all Plugzilla buttons are intelligently illuminated, and each of the rotary encoders is ringed by LEDs to indicate the current parameter setting.

Do you need eight audio output buses with XLR connectors, eight rotary encoders ringed with LEDs, bigger displays, and illuminated buttons? If you do, you'll have to pay a premium.

beyond your imagination

# SONIK SYNTH 2



**SONIK SYNTH 2**  
**8 GB of samples**  
**Over 5,000 sounds**  
**\$399**

Available as RTAS, VST, DXi and AU plug-in in  
Mac OS® X and Windows® XP for Pro Tools®,  
Cubase®, Logic®, Sonar®, Digital Performer®  
and other compatible host/sequencers.



**Sonik Synth™ 2 is an integrated synth workstation plug-in offering ten times the sonic power of hardware workstations combined with a virtual museum of vintage keyboards, all in one software instrument!**

First class sound material compiled over the last ten years from Sonic Reality brings you the most comprehensive range of synth waves, film soundscapes, vocal textures, searing leads, punchy analog basses, atmospheric pads, dynamic pianos, vintage keyboards, majestic guitars, powerful drums and more ever assembled into one sound module! A massive selection of Single and Combi Presets are instantly available to compose, arrange and produce music in any style right out of the box! Creating and morphing your own sound in millions of possible flavors has never been faster with Sonik Synth™ 2's easy access to individual sound elements and intuitive synth parameters. Unlimited musical inspiration from one powerful source.

**Sonik Synth™ 2. Beyond your imagination.**



- 16 part multi-timbral sample-based synth workstation
- Over 5,000 sounds - 8 GB of samples
- Includes 32 analog modeled DSP effects - 5 per instrument
- Multiple synth engines including STRETCH™
- A complete virtual synth museum inside
- Multi-platform virtual instrument - sounds also compatible with SampleTank® 2

BGB

STRETCH

RTAS

VST  
Instruments

DXi

AU

[WWW.SONIKSYNTH.COM](http://WWW.SONIKSYNTH.COM)

(954) 846-9101, [us.info@ikmultimedia.com](mailto:us.info@ikmultimedia.com)

Sonik Synth™ is a trademark of IK Multimedia. All other trademark property of their respective owners.

**IK MULTIMEDIA**  
MUSICIANS FIRST



## RECEPTOR AND PLUGZILLA

Plugzilla's slots can be configured to receive on one or all MIDI channels, and multiple slots can be assigned to the same MIDI channel.

Plugzilla offers five USB 1.1 ports—two type A and one type B on the back, and two type A on the front. The USB ports can be used for computer or MIDI peripherals. Just like Receptor, Plugzilla can be networked to your computer over a 10/100Base-T Ethernet connection.

## Hob Knob

Designed for standalone use, Receptor and Plugzilla have extensive front-panel controls (see Figs. 1 and 2). At the heart of each is a 360-degree knob and an associated LCD display for making plug-in settings. Receptor offers four such knobs with a 48-character LCD display. Plugzilla offers eight knobs and two 80-character vacuum fluorescent displays (VFDs), which are clearer and brighter than LCDs. By default, four knobs and one display apply to the selected slot in each Plugzilla effects block, but you can choose to



FIG. 5: Muse Control software provides a graphic user interface for programming Receptor's mixer as well as individual plug-ins that use their own graphic user interfaces.

have all eight knobs and both displays apply to a single slot. Receptor's and Plugzilla's knobs incorporate push buttons for confirming choices and making menu selections when appropriate.

Plugzilla's Hot Knobs feature allows eight parameters for each slot to be assigned for quick access from the eight

## Course Technology PTR...

your ultimate source for training products.

Course Technology PTR products—in-depth books, DVDs, and interactive CD-ROMs—are focused on educating you on the business and technology of making music. Whether you're a beginner on one of the many audio applications, a long-time hobbyist, or a pro looking to fine-tune your skills and increase your knowledge, our learning resources will take you to a new level in music production, recording, and engineering.

## Live Sound Reinforcement, Bestseller Edition:

A Comprehensive Guide to P.A. and Music Reinforcement Systems and Technology

1-59200-691-4 ■ \$49.99

## The S.M.A.R.T. Guide to Mixers, Signal Processors, Microphones, and More

1-59200-694-9 ■ \$39.99

## ACID Pro 5 Power!

The Official Guide to Sony ACID Pro 5 Software

1-59200-329-X ■ \$34.99



Check your local stores or visit [www.courseptr.com](http://www.courseptr.com) to view all of our offerings, learn more, and order.

**artistpro** PUBLISHING ArtistPro Publishing is now a part of Course Technology.

THOMSON  
COURSE TECHNOLOGY

Professional ■ Trade ■ Reference

Other new releases include:

**Ableton Live 4 Power!**

1-59200-531-4 ■ \$34.99

**ACID 5 CSi Starter**

1-59200-491-1 ■ \$29.99

**Cubase SX 3 Ignite!**

1-59200-538-1 ■ \$21.99

**Cubase SX/SL 3 Power!**

1-59200-537-3 ■ \$34.99

**Logic Pro 7 Power!**

1-59200-541-1 ■ \$34.99

**Pro Tools 6 CSi Starter, Second Edition**

1-59200-570-5 ■ \$29.99

**Pro Tools 6 Power!**

1-59200-505-5 ■ \$34.99

**SONAR 4 CSi Master**

1-59200-568-3 ■ \$49.99

Look out for our new advanced Overdrive series coming in March 2005!

SONAR 4 Overdrive

Reason 3 Overdrive

Pro Tools 6 Overdrive

Cubase SX 3 Overdrive

control-panel knobs. Receptor has a similar feature called Soft Knobs. In addition, Receptor, through its Muse Control software, allows you to control which plug-in parameters are editable on the front panel, the order in which they appear, and the name that appears on the LCD. For plug-ins with tons of parameters, it's great to be able to rationalize front-panel editing and to pare down the front-panel parameters to those that are most important.

Separate knobs (Receptor) and buttons (Plugzilla) are used to move through multiple parameter pages. Separate buttons are also provided for changing modes, choosing which plug-in slot is being edited, loading and saving presets, and so on. In short, the controls are what you would expect to find on a sophisticated hardware multisynth or multi-effects box.

Plugzilla and Receptor have extensive MIDI-automation options. Plugzilla allows MIDI Control Change (CC) messages to be freely assigned (including their ranges) to any machine parameter as well as to any plug-in parameter. Receptor has fixed MIDI CC assignments for its mixer parameters and fixed NRPN assignments for plug-in parameters. But the first 16 parameters of each virtual instrument and the first 8 parameters of each effect that are assigned to the front panel can also be controlled by MIDI CC messages.

## Soft Landing

Both Plugzilla and Receptor can be networked to your computer using Ethernet TCP/IP. Receptor supports Mac OS 9 through X and Windows 9x through XP. Plugzilla supports Windows 9x through XP, with OS X and Linux versions in the works. Receptor and Plugzilla offer either manual or automatic (DHCP) setup. I used DHCP with Receptor and manual setup with Plugzilla, and the process was quick and easy in both cases.

Receptor gives you two-way access to its hard drive, allowing you to move plug-ins and their

presets back and forth between Receptor and your computer (see Fig. 3). However, some of Receptor's plug-ins are protected from being copied to your computer. Of the 25 freeware plug-ins I tried to move from Receptor to my PC, only 10 were transferable, but those 10 did work in all of my VST hosts.

Plugzilla gives you one-way access. Using its PZView software, you can move plug-ins and presets to Plugzilla, but not vice versa (see Fig. 4). On the other hand, Plugzilla provides PC versions of all its plug-ins on an included CD.

Operating system and plug-in updates for Receptor can be downloaded from the Muse Research Web site, then moved to Receptor's hard drive for installation. Plugzilla connects directly to the Web for automatic updating, but it can also be updated manually using a USB memory device.

## Good Reception

Receptor includes a software graphic user interface (GUI) called Muse Control for managing its plug-ins. Designed in the form of a mixer with 16 input channels, 2 effects-return channels, and a master output channel, it lets you choose plug-ins and their presets for each slot as well as to program the plug-ins using their own GUIs (see Fig. 5).

Muse Control is run directly on Receptor by attaching a keyboard, mouse, and monitor. Alternatively, you can run companion software Receptor Remote on a networked computer, which gives you access to Muse Control over Ethernet. I did not have a monitor with which to test onboard operation, but the networked version worked quite well. The controls, however, were a bit sticky. Because the GUI is primarily intended for programming presets and setting up Receptor multis rather than for live performance, that sluggishness is not a big issue.

Most of the mixer controls can also be set from Receptor's front panel, and, of course, the settings



**Ultimate SoundBank**  
Instruments of simplicity

# X-treme FX

instant sound design tool

8 Gigabytes of  
**Mind-Warping**  
Sonic Explorations.  
The First **Virtual Instrument**  
Dedicated to  
Extreme Sound Design.



- Foleys
- Scenes
- Atmospheres
- Surreal
- Science Fiction
- Sub & Drones
- Natural
- Urban
- Musical Textures
- and much more...

**\$399**

Win  
(VST, RTAS, DXi)

Mac OS X  
(MAS, RTAS, AU VST)



800.747.4546      www.ilio.com

Exclusive distributors

No matter what style of music, the i-5 sounds great and now has become my new choice for snare drum.  
Tom Edmonds, Engineer - Lenny Kravitz

DESPITE THE DIFFICULTY OF RECORDING IN A VERY NOISY ENVIRONMENT. OVERALL, THE i-5 IS AN EXCELLENT ALL PURPOSE MICROPHONE THAT WE'LL BE USING IN FUTURE PROJECTS."

WILLIAM WHITE PROJECT COORDINATOR - THE DISCOVERY CHANNEL

up with a winning microphone. John Gatski, Pro Audio Review

"The best thing to happen to snare drum since Charlie Watts!" Paul Hagar, PNH - American Hi-Fi

"qualifies as THE all-purpose dynamic workhorse in any mic collection."

Gary Hartung, FOH - Crosby, Stills & Nash

**AUDIX**  
PERFORMANCE IS EVERYTHING

FOR A DEALER NEAR YOU CALL: 800-966-8261

TEL: 503-682-6933 FAX: 503-682-7114 www.audixusa.com

Audix Corporation, PO Box 4010, Wilsonville, OR 97070

In Canada, C-Tec, Tel 604-942-1001, Fax 604-942-1010

©Audix Corp 2005 All rights reserved. Audix and the Audix logo are trademarks of Audix Corporation.



FIG. 1: Big Knob, which offers DAW users the functionality of a console monitoring section, draws its name from the massive volume knob that sits in its center.



## MACKIE Big Knob

# Console monitoring features for the mixerless studio.

By Mike Levine

With today's DAW software and a fast processor, you can create an entire mix inside your computer without having to route tracks through an external mixer. But with all the power that software mixers offer, there are some essential functions, such as monitoring and talkback, that still need to be accomplished with outboard hardware.

A number of companies manufacture specialized devices to provide the functions of a console's monitor section, and one of the more intriguing products is Mackie's Big Knob. It provides DAW users with input and monitor selection, cue and talkback, and monitor volume control and muting. With Mackie's experience as a manufacturer of quality yet affordable mixers, I was not surprised to discover that Big Knob is well designed and reasonably priced.

### Knob Hill

The metal-housed Big Knob, which is designed to sit on your desktop, is about a foot in length and six inches deep. It has an internal AC power supply (no wall wart) that can be switched between 100- to 120V and 220- to 240V operation.

Big Knob is aptly named, because its centerpiece is an oversized volume knob near the middle of its angled

front panel (see Fig. 1). The sheer size of this control makes it easy to grab for a quick volume change. The volume pot inside it, like the other components in this device, is high quality; it fades out smoothly as you get to the bottom of its throw. According to Mackie, Big Knob uses parts that are similar in quality with those used in its Onyx mixer series.

Below the main knob are switches for three useful functions: Mute shuts off all output from the board to the monitors, Dim lowers the volume by 20 dB, and Mono folds your stereo signal down—great for checking a mix's mono compatibility.

A stereo 6-segment LED meter that displays input-signal level is located on the left-hand side of the front panel. Big Knob has four stereo inputs: DAW Mix, 2-Track A, 2-Track B, and Phono. Each input can be activated with the flip of a switch, which also lights a corresponding LED status indicator. You can have more than one input active at a time if you want.

The DAW Mix input and the two 2-track inputs are on ¼-inch TRS connectors, and each has a switch to toggle between +4 dBu balanced and -10 dB unbalanced operation. The Phono input is on unbalanced RCA jacks.

Depending on your hardware setup, you might not use all four inputs, but it's nice to have them available. The ability to quickly select different inputs makes life a lot easier and often eliminates the need to repatch. In my setup, I frequently have to switch between the outputs of two audio interfaces and my computer's built-in audio, and with Big Knob it's a breeze.

control-panel knobs. Receptor has a similar feature called Soft Knobs. In addition, Receptor, through its Muse Control software, allows you to control which plug-in parameters are editable on the front panel, the order in which they appear, and the name that appears on the LCD. For plug-ins with tons of parameters, it's great to be able to rationalize front-panel editing and to pare down the front-panel parameters to those that are most important.

Separate knobs (Receptor) and buttons (Plugzilla) are used to move through multiple parameter pages. Separate buttons are also provided for changing modes, choosing which plug-in slot is being edited, loading and saving presets, and so on. In short, the controls are what you would expect to find on a sophisticated hardware multisynth or multi-effects box.

Plugzilla and Receptor have extensive MIDI-automation options. Plugzilla allows MIDI Control Change (CC) messages to be freely assigned (including their ranges) to any machine parameter as well as to any plug-in parameter. Receptor has fixed MIDI CC assignments for its mixer parameters and fixed NRPN assignments for plug-in parameters. But the first 16 parameters of each virtual instrument and the first 8 parameters of each effect that are assigned to the front panel can also be controlled by MIDI CC messages.

## Soft Landing

Both Plugzilla and Receptor can be networked to your computer using Ethernet TCP/IP. Receptor supports Mac OS 9 through X and Windows 9x through XP. Plugzilla supports Windows 9x through XP, with OS X and Linux versions in the works. Receptor and Plugzilla offer either manual or automatic (DHCP) setup. I used DHCP with Receptor and manual setup with Plugzilla, and the process was quick and easy in both cases.

Receptor gives you two-way access to its hard drive, allowing you to move plug-ins and their

presets back and forth between Receptor and your computer (see Fig. 3). However, some of Receptor's plug-ins are protected from being copied to your computer. Of the 25 freeware plug-ins I tried to move from Receptor to my PC, only 10 were transferable, but those 10 did work in all of my VST hosts.

Plugzilla gives you one-way access. Using its PZView software, you can move plug-ins and presets to Plugzilla, but not vice versa (see Fig. 4). On the other hand, Plugzilla provides PC versions of all its plug-ins on an included CD.


Operating system and plug-in updates for Receptor can be downloaded from the Muse Research Web site, then moved to Receptor's hard drive for installation. Plugzilla connects directly to the Web for automatic updating, but it can also be updated manually using a USB memory device.

## Good Reception

Receptor includes a software graphic user interface (GUI) called Muse Control for managing its plug-ins. Designed in the form of a mixer with 16 input channels, 2 effects-return channels, and a master output channel, it lets you choose plug-ins and their presets for each slot as well as to program the plug-ins using their own GUIs (see Fig. 5).

Muse Control is run directly on Receptor by attaching a keyboard, mouse, and monitor. Alternatively, you can run companion software Receptor Remote on a networked computer, which gives you access to Muse Control over Ethernet. I did not have a monitor with which to test onboard operation, but the networked version worked quite well. The controls, however, were a bit sticky. Because the GUI is primarily intended for programming presets and setting up Receptor multis rather than for live performance, that sluggishness is not a big issue.

Most of the mixer controls can also be set from Receptor's front panel, and, of course, the settings




instruments of simplicity

# X-treme FX

instant sound design tool

8 Gigabytes of  
**Mind-Warping**  
Sonic Explorations.  
The First **Virtual Instrument**  
Dedicated to  
Extreme Sound Design.




- Foleys
- Scenes
- Atmospheres
- Surreal
- Science Fiction
- Sub & Drones
- Natural
- Urban
- Musical Textures
- and much more...

**\$399**

Win  
(VST, RTAS, DXi)

Mac OS X  
(MAS, RTAS, AU, VST)



800.747.4546    [www.ilio.com](http://www.ilio.com)

Exclusive distributors

## THE TIME IS NOW

Latency is the bane of software synthesis, and considerable time can be spent trying to set up a computer to minimize latency while still delivering reasonable performance. Receptor and Plugzilla, being dedicated plug-in hosts with built-in audio and MIDI interfaces, can devote more of their resources to lower latency and come factory tuned for optimal performance. You don't need to deal with setting buffer sizes or disabling other drivers and background processes that interfere with performance.

In an unofficial head-to-head test running the same virtual-instrument plug-in (TickyClav from Big Tick Audio), there was no noticeable sluggishness with either machine. Furthermore, playing them simultaneously from the same MIDI keyboard resulted in no perceptible flaming. Performance with several layered synths was also clean and crisp on both boxes.

To get a rough idea of how they compared with an audio-optimized PC, I loaded TickyClav into Steinberg's V-Stack—a software VST host similar in architecture to

Receptor—running on my 3.2 GHz Pentium 4 laptop using an RME Cardbus/Multiface audio and MIDI interface. (Bear in mind that this is not the inexpensive system discussed in the main text.) I used Apple Logic Pro 7 running on another computer to send MIDI to and record audio from Receptor and the PC, then Plugzilla and the PC. The results were nearly identical.

Once optimized for audio, the factor most influencing latency on a PC is the audio buffer size. Smaller buffer sizes result in lower latency at the cost of lower plug-in counts. The RME Cardbus buffer settings range from 64 to 8,192 samples, but in practice settings higher than 512 samples are unacceptable for performance.

With a buffer setting of 512 samples, Receptor and Plugzilla had an edge of roughly 6 ms over the PC. With a buffer setting of 256 samples, the performance was nearly identical, with roughly a 1 ms edge for the hardware boxes. With a buffer setting of 128 ms, the PC had roughly a 4 ms edge. Your mileage may differ.

are interactive with the GUI software if it is running. You would, however, most likely set up multis—complete Receptor setups including all plug-ins and their presets together with all mixer settings—with the instruments and effects desired, then use program changes to switch between them during performance. Changing multis does not cause plug-ins to reload if they are already in Receptor's memory, so with a well-

thought-out setup, switching between multis can be fast.

Although Plugzilla does not offer a GUI front end, PC users can use the supplied PC versions of the VST plug-ins to program them graphically in another host. The presets can then be transferred to Plugzilla using PZView.

### Plug for Plug

As you would expect, Plugzilla and Receptor ship with large complements of VST instrument and effects plug-ins. The version of Receptor I received for this review included 102 free plug-ins (42 instruments and 60 effects) and 41 premium plug-ins (19 instruments and 22 effects) that run in demo mode for 30 days, after which they must be authorized. (Registering Receptor will get you authorization for premium plug-ins worth roughly \$400.)

Plugzilla came with 233 plug-ins (71 instruments and 162 effects), all free except for PSP Audioware's Prozilla Pack bundle of mastering effects. Interestingly, Receptor and Plugzilla had only 8 instrument and 32 effects plug-ins in common.

Both companies maintain a database of plug-ins on the Web. Plugzilla's database at [www.plugzilla.com](http://www.plugzilla.com) lists plug-ins that are compatible but not included and plug-ins that are not compatible. It indicates whether the plug-in was created in SynthEdit (a common VST plug-in developers' tool for the PC) and has space for a user rating, although none had been rated at this writing. In addition to sorting and filtering the list by various parameters, you can view the list in annotated form, which gives a detailed description of each plug-in. You can download the plug-ins directly from the site.

Manifold Labs has recently announced Plugzilla support for the Linux Audio Developers Simple Plug-in API (LADSPA), which should significantly expand the company's plug-in offerings.

Receptor's plug-in database is at [www.plugorama.com](http://www.plugorama.com). That's your source for updates, new preset banks, and new plug-ins. Premier plug-ins can be purchased directly from the site and can be downloaded free to use for 30-days in trial mode. As with Plugzilla's Web site, files can be filtered by various criteria, and you can view a detailed description of each plug-in. You can also maintain a wish list for your more generous friends and relatives.

### For a Fee

If you're contemplating buying products in this price range, you probably expect them to host an assortment of premium plug-ins. At the time of this writing, both Receptor's and Plugzilla's premium offerings are somewhat limited,

#### PRODUCT SUMMARY

#### MANIFOLD LABS

Plugzilla

hardware VST plug-in host  
\$2,995

OVERALL EM RATING (1 THROUGH 5): 3

**PROS:** Built-in MIDI and audio make for no-hassle, high-efficiency performance. Eight audio inputs and outputs for parallel effects processing. Roadworthy.



**CONS:** Limited selection of premium plug-ins. No graphic user interface software for setup and plug-in preset programming.

#### MANUFACTURER

Manifold Labs  
[www.plugzilla.com](http://www.plugzilla.com)

# project5

SOFT SYNTH WORKSTATION



## “Highly Addictive” – EQ, June 2003

Project5 Soft Synth Workstation is the cutting edge tool for the next generation of music production. Project5's dynamic interface combines the best of pattern-based and live-input sequencing, with powerful looping tools—making your compositions come to life faster than ever. Project5 comes loaded with inspiring synths and samplers, creative effects, and professional sample content. Combined with its support for industry-standard effects, synths, and samples\* you can take your sound beyond the rack.

“Project5 is meant for those trying to create the in-sounds of now where the groove is king”

– DJ Times, November 2003

“Its instruments and effects are phenomenal”

– Computer Music, May 2003

“There's something about Project5 that just makes music happen”

– Sound on Sound, June 2003

“There's no need to wait any longer, Project5 has arrived”



– Keyboard, June 2003

Experience the addictive qualities of Project5: available at music retailers world wide. Visit [www.project5.com](http://www.project5.com) for more information and to download the demo.

\* Supports ReWire™; ACID™-format loops; DirectX & VST™ Effects; DXi & VSTi™ soft synths; and AIF, Akai™, Kurzweil™, LM4™, SF2™, WAV samples



cakewalk



WEB

and some of your favorites are probably not among them. Receptor is definitely ahead of Plugzilla in premium offerings. One very nice Receptor inclusion is Native Instrument's Kompakt sample player, the only sample-playback virtual-instrument available on either box at the moment. Both companies are working hard to add premium content, and a visit to their Web sites will tell you what's currently available. Definitely look before you leap.

As with native hosting, premium plug-in developers generally require some form of copy protection. Receptor comes with a Pace iLok key that connects to one of its USB ports. All Receptor premium plug-ins use iLok protection.

Plugzilla offers a proprietary scheme tied to their hardware and operating system that does not require a hardware key and that allows a premium demo to run 30 times before being purchased. Manifold Labs plans to add the iLok protection option to Plugzilla.

## One from Column A

Both Plugzilla and Receptor are cleverly designed, well-built pieces of hardware. They are rackmountable and roadworthy. The obvious questions are how does one decide between them and why choose to buy either?

Although both products are adept at virtual-instrument hosting and effects processing, Receptor is more adept at the former whereas Plugzilla is designed more for the latter. Receptor's ability to load 16 channels of virtual-instrument plug-ins together with insert effects, then easily toggle channels in and out for layering and splitting those instruments, makes it ideal for the performing musician. Plugzilla's multichannel I/O, flexible I/O routing, and effects-block style architecture, along with its fully-featured audio interface, make it an ideal fit in a rack of effects.

That being said, the question remains, why not just buy a computer and dedicate it to running VST plug-ins. You can buy a desktop or laptop PC with comparable specs for somewhat less than the price tag for either Receptor or Plugzilla, even after adding audio and MIDI interfaces and VST hosting software. And a computer has the advantage of running all VST plug-ins off-the-shelf.

Muse Research and Manifold Labs answer that question in much the same way, with the argument that their systems, being designed exclusively for running VST plug-ins, are more efficient, less likely to crash, and less susceptible to the driver and software conflicts that plague computer users. Furthermore, by virtue of having

## COMPARATIVE PRODUCT SPECIFICATIONS

	Receptor	Plugzilla
<b>Audio Inputs</b>	analog stereo (¼" balanced +4/-10) S/PDIF stereo (RCA) mic/guitar (¼" unbalanced on front panel)	8 analog (XLR balanced) S/PDIF stereo (RCA) AES/EBU (gold plated XLR)
<b>Audio Outputs</b>	analog stereo (¼" balanced +4/-10) S/PDIF stereo (RCA) ADAT stereo (8 channels planned) headphone (¼" on front panel)	8 analog (XLR balanced) S/PDIF stereo (RCA) AES/EBU (gold plated XLR)
<b>MIDI Ports</b>	In, Out, Thru	In, Out, Thru In/Out 2 (for control surface)
<b>Sampling Rates</b>	44.1-, 48-, 96 kHz	32-, 44.1-, 48-, 88.2-, 96 kHz
<b>Footswitch Inputs</b>	no	2
<b>PS/2 Inputs</b>	2 (for keyboard and mouse)	no
<b>USB Ports</b>	1 USB 2.0 (front) 4 USB 2.0 (rear)	2 USB 1.1A (front) 2 USB 1.1A (rear) 1 USB 1.1B (rear)
<b>Word Clock</b>	S/PDIF	BNC in and out
<b>Ethernet</b>	10/100Base-T	10/100Base-T
<b>Monitor Out</b>	SVGA output for 1024 x 768 monitor	n/a
<b>LCD Display</b>	48 character (2 rows of 24)	2 x 80 character (2 rows of 40 in each)
<b>Presets/Multis</b>	16,384/16,384	999/999
<b>RAM</b>	256 MB expandable to 2 GB	256 MB expandable to 2 GB
<b>Hard Drive</b>	40 GB	20 GB
<b>Processor</b>	Athlon Barton-core XP2500+	Celeron 2.0 GHz
<b>Computer OS</b>	Win 9x-XP, Mac OS 9-X	Win 9x-XP
<b>Dimensions</b>	17.0" (W) x 3.5" (H) x 11.37" (D)	19.0" (W) x 3.5" (H) x 15.0" (D)
<b>Weight</b>	13.25 lbs.	15 lbs.

## PRODUCT SUMMARY

### MUSE RESEARCH Receptor

hardware VST plug-in host  
\$1,599

OVERALL RATING (1 THROUGH 5): 3.5

**PROS:** Built-in graphic user interface makes setting up a breeze. Built-in MIDI and audio make for no-hassle, high-efficiency performance. Easy and fast front-panel reboot in case of lock-ups during performance. Roadworthy.

**CONS:** Limited selection of premium plug-ins. Front USB jack only partially protects iLok hardware key. Audio output limited to two channels.

#### MANUFACTURER

Muse Research

[www.museresearch.com](http://www.museresearch.com)

their audio and MIDI interfaces built-in and of being designed to withstand abuse, they are less accident prone and therefore more roadworthy. Finally, there is the question of latency, which is always a battle on a laptop (see the sidebar "The Time Is Now"). Those are all strong arguments if they apply to your situation.

After having both units in my studio for more than a month, I came to several conclusions. Receptor's multichannel design, GUI, and flexibility in setting up its front-panel controls make it an excellent live-performance virtual-instrument and DSP-effects host. Plugzilla's eight channels of audio I/O, dual-effects-block architecture, and more extensive front-panel setup are well suited to pro-audio effects processing in a live or studio environment. They eliminate many of the hassles of doing the same job with a PC, but to be truly competitive, both units need more premium content, and it is likely to be only a matter of time until they have it. Receptor and Plugzilla represent a clear advance in multisynth and multi-effects hardware.

*Len Sasso is an associate editor of EM. Contact him through his Web site at [www.swiftkick.com](http://www.swiftkick.com).*

## DRUMCORE

"Finding the right loop and getting it into Pro Tools® becomes effortless..."

Jay Baumgardner  
Engineer/Producer  
(Alvin and Alisha, Papa Roach)  
[www.jaybaumgardner.com](http://www.jaybaumgardner.com)

"Clearly when you call A-list drummers it makes all the difference..."

Keyboard Magazine  
December 2004

"practically a non-existent learning curve...a truly all-star library"

Computer Music  
November 2004



10 amazing drummers • 8 GB of loops, fills, hits and licks • loop librarian • DAW integration  
MIDI drums • beat generation.

[www.drumcore.com](http://www.drumcore.com)

DrumCore and DrumCore Pro are trademarks of Submersible Music, Inc. Pro Tools is either a registered trademark or trademark of Avid Technology, Inc. in the United States and/or other countries.

## What Would You Do Without Your Hearing?

### Monitor Your Decibels for a Lifetime of Sound

A Hearing Conservation Tip from  
**Sound Partners™**

...Bringing You Choices that Make Sound Sense  
Sound Partners is an educational program of



**House Ear Institute**  
Advancing Hearing Science

[www.hei.org](http://www.hei.org)

FIG. 1: Logic Pro 7 features the Apple Pro Application look and feel.



## APPLE Logic Pro 7 (MAC OS X)

### The emperor has new clothes and some shiny new toys.

By Len Sasso

With version 7, Logic has been fully folded into the Apple product line, with a new look and feel, lots of operational enhancements, and a greatly expanded collection of proprietary effects and instrument plug-ins. But under the hood it's still Logic, with all the same power, flexibility, and head scratching that that entails. Current Logic users won't need to relearn Logic, but a little rethinking may be in order. For new users, getting up and running is significantly easier.

In addition to new headline-grabbing features such as Global Tracks, support for Apple Loops, compatibility with GarageBand songs, and Distributed Audio Processing, there are numerous smaller improvements that, taken together, greatly speed up the workflow. All that power comes at a price, though; you'll need a fast G4 or G5 (preferably dual-processor) machine with a good dose of RAM and 4 GB of hard-drive space to fully install and use Logic.

#### Look and Feel

Logic's user interface is now pure Apple Pro, featuring rounded buttons for drop-down menus, dialog boxes with icons and tabs, and hierarchical menus throughout (see Fig. 1). In general, the graphic user interface is more ergonomic and easier on the eyes, but finding hot spots, many of which have been improved by incorporating cursor changes, seems a little more finicky. In

addition, the handy two-dimensional layout for long menus such as the icon selector and the Multi-instrument's program menu is gone.

Logic's song architecture remains the same, but there is more active encouragement for saving songs as self-contained projects. When you create a new song, you are given the option to immediately make it a project, and when you save a song from a project using a new name, it also becomes part of the project. Unfortunately, you can't simply add a new song to a project.

Logic now incorporates song templates, rather than limiting you to a single autoloading song. You can have as many templates as you like, and Logic comes with a useful assortment to get you started. If you do create one named Autoload, it will still be the default template, but as with other ancillary files, it now lives in Logic's Application Support folder.

#### Foreign Exchange

Logic's ability to render audio and exchange data with other software applications has been enhanced in several ways. Logic now supports XML and AAF (Advanced Authoring Format) import and export for increased compatibility with Final Cut Pro, Soundtrack, Pro Tools, and other DAW applications that support those formats.

You can import GarageBand songs, and Logic includes all GarageBand instruments as plug-ins. Logic can extract soundtracks from QuickTime movies as well as replace a movie's soundtrack with rendered audio from a song.

Logic's bounce function has been greatly improved. You can now bounce directly to MP3 and AAC encoded files as well as burn Red Book audio CDs during a bounce.

# "Slammin'!"

Anthony Roberts, Monitors - Tower of Power



"I have dreamed of this day—I can now retire the last of my SM57's. Now that I've been exposed to the future, why would I want to live in the past?"

Eugene "Gino" Mulcahy, Lead Audio Engineer - Mohegan Sun

"This mic is slammin'! And if you're tired of having the cap of your snare mic being blown into pieces from a heavy stick hit—you'll love the i-5!"

Anthony Roberts, Monitors - Tower of Power

"On guitar amps the i-5, compared to the 57, was less hyped in the high mids, but had a fuller overall tone...I'm really digging using the i-5 and will be buying the review mics I was sent, if that tells you anything." Larry Crane, Tape-Op Magazine

"The i-5 is very impressive as a bass mic. It handles the SPL's and captures the clarity of the notes while still maintaining the warmth of the low end. It's a great new tool."

Deanne Franklin, FOH - Tom Waits

"With the i-5 on my snare drum, there's just no going back. I've just started using it on guitar with very good results there too. The i-5; it's my new little weapon."

Neil Citron, Head Engineer - The Metership

"The i-5 is truly a multi-purpose microphone. It sounds great on a wide variety of sources, but it particularly shines on snare drums and toms...Sounds like a winner in my book."

Mark Parsons, Modern Drummer

"The i-5 is more than an impressive upgrade to my usual snare and guitar cab mic—it's a big leap forward."

Ed Tree, Studio Engineer - The Spencer Davis Group

"Who needs a condenser when you can get this sound out of a dynamic. Audix has again come up with a winning microphone."

John Gatski, Pro Audio Review

"The best thing to happen to snare drum since Charlie Watts!"

Paul Hagan, FOH - American 16-Fi

"WE WANTED TO COMMEND YOU ON YOUR NEW i-5 MICROPHONE. IT PROVED BE THE CREW'S FAVORITE FOR THE YOUNG SCIENTIST MUSIC CHALLENGE, CONSTANTLY ADAPTING TO ANYTHING WE COULD THROW AT IT. WE USED IT IN A VARIETY OF SITUATIONS - RECORDING VOCALS, OVERHEAD MIKING OF DRUMS, TO REINFORCING THE THEREMIN AMPLIFIER. WE FOUND THAT IT PROVIDED US WITH A VERY CLEAN SOUND IN EVERY SITUATION DESPITE THE DIFFICULTY OF RECORDING IN A VERY NOISY ENVIRONMENT. OVERALL, THE i-5 IS AN EXCELLENT ALL PURPOSE MICROPHONE THAT WE'LL BE USING IN FUTURE PROJECTS."

WILLIAM WHITE, PROJECT COORDINATOR - THE DISCOVERY CHANNEL

## "qualifies as THE all-purpose dynamic workhorse in any mic collection."

Gary Hartung, FOH - Crosby, Stills & Nash

**AUDIX**  
PERFORMANCE IS EVERYTHING

FOR A DEALER NEAR YOU CALL: 800-966-8261

TEL: 503-682-6933 FAX: 503-682-7114 www.audixusa.com

Audix Corporation, PO Box 4010, Wilsonville, OR 97070

In Canada, C-Tec, Tel 604-942-1001, Fax 604-942-1010

©Audix Corp 2005 All rights reserved. Audix and the Audix logo are trademarks of Audix Corporation.

For more fully-featured audio CD burning, Waveburner is now included with Logic but unfortunately, it is not backward compatible with previous Waveburner or Waveburner Pro projects.

Three new export options (collectively called Total Bounce) allow you to bounce audio tracks and regions directly from the Arrange window. You can select any audio region or track and export it as an audio file. Alternatively, you can simultaneously export all tracks as audio files. Exporting all tracks is especially handy for transferring time-stamped audio and virtual-instrument content to applications that don't support one of Logic's other export formats.

## In the Loop

Logic is now much more loop friendly. For one thing, looping audio or MIDI regions in the Arrange window is a simple matter of dragging the top-right corner of the region for as far as you want the loop to last. (No more inserting dummy regions to terminate a loop, thank you.) For another, Logic fully supports Apple Loops.

Apple Loops will be familiar to Soundtrack and GarageBand users and are similar in function to Acid files, for those familiar with that format. A new Loop Browser window, similar to GarageBand's, allows you to select and audition Apple Loops by category and to search by keywords (see Fig. 2). Apple

Loops can be dragged directly from the Loop Browser into the Arrange or Audio windows.

Apple Loops on Arrange tracks adapt to tempo and transposition changes, which can be entered and displayed on the new Global Tempo and Transposition tracks. (For more on Global Tracks, see the section Global Concerns.) Some Apple Loops are audio only, while others also contain MIDI information and can be used on MIDI tracks. In a nice touch, Apple Loops with MIDI information are formatted to include channel-strip information, and importing

them to virtual-instrument tracks automatically installs the plug-in instrument and effects necessary to reproduce the audio file. Among other things, that allows you to make pitch and tempo changes without the degradation that audio processing entails.

## The Acid Test

If you have GarageBand installed on your computer, you already have a large collection of Apple Loops, and you can add collections from Apple, like the new Jam Packs, or from other vendors. But, Logic also comes with the Soundtrack Loops utility (also called the Apple Loops Utility) for making your own. That allows you to enter



FIG. 3: Sculpture is Logic's new component-modeling synth.

classification tags as well as place the transient markers used in time stretching. The process is easy, although not quite as seamless as it might be, because you need to drag the resulting Apple Loops back onto the Loop Browser to get them added to your collection or back onto an Arrange track to use them in your song.

Apple also added support for Acid files to Logic. Acid files can be added to the Loop Browser and used on Arrange tracks just like Apple Loops. At the time of this writing, though, they don't adapt to transposition, and not all files that claim to be Acidized are recognized. Acid support was added late in the development cycle, and Apple is working to fix both problems. The great thing about Acid-file support is the huge library of Acid files that already exist.


## Node for Node

Logic's new Distributed Audio Processing (DAP) allows plug-in DSP calculations to be shared among computers networked with gigabit Ethernet connections. The computer running Logic is the host, and the remaining computers are called Nodes. The host can be any G4 or G5 capable of running Logic—a recent G4 PowerBook, for example—but the Nodes need to be G5s.

Setting up DAP is extremely simple. In the case of two machines, you connect them with an Ethernet cable, ensure that Built-in Ethernet TCP/IP is set to Using DHCP on both machines, launch the Node software application (supplied with Logic) on the Node machine, then start Logic on the Host machine and ensure that Nodes are enabled in Logic's Audio preferences. Only Logic (not AU) instrument and effects plug-ins inserted in audio and instrument tracks can be distributed. On such tracks, there is a button to enable processing on the Node machine.

I networked an 800 MHz Powerbook G4 host to a dual-G5 2.0 GHz Node machine, and tried DAP with songs of varying complexity. For example, a song with eight instrument and eight audio tracks, running a total of 33 Logic plug-ins that brought the PowerBook to its knees, played at about 60 percent CPU usage with ten tracks running

FIG. 2: Logic's support for Apple Loops includes the GarageBand-style Loop Browser window.



artists...create

# Introducing the FIREBOX™

THE WORLD'S SMALLEST, MOST POWERFUL,  
BUS POWERED, FIREWIRE, RECORDING INTERFACE.

\$399.99



24-bit/96k Pro A/D converters

6 Inputs & 10 outputs simultaneous record/playback

2 Pedigree PreSonus microphone preamps

2 Instrument inputs, 2 analog line inputs

Six balanced analog line outputs

Headphone output

MIDI and SPDIF input/output

Bus powered, or externally powered

Rugged 1/3U wide metal chassis

Cubase LE 48 track recording software included

**PreSonus**

WWW.PRESONUS.COM



## Musician's Friend

The World's Largest Music Gear Company

For Your **FREE** Catalogs

800-436-6976 • [musiciansfriend.com/free](http://musiciansfriend.com/free)

Source Code: EMEBPS

- Lowest Price Guarantee • Satisfaction Guarantee
- Free Shipping on Most Orders Over \$199\* • Call or Click 24/7
- Huge Inventory of In-Stock Gear Ready for Immediate Delivery

Limited to stock on hand, prices subject to change, standard catalog shipping rates apply

\*Some exceptions apply, call or go online for details, limited time only

WBR



# Thinking about MIDI guitar?

# GHOST®

MODULAR PICKUP SYSTEM

MIDI guitar that *really* works!



The GHOST® Modular Pickup System from Graph Tech Guitar Labs sets the industry standard in ease of installation, expandability and tracking performance.

To receive a **FREE INFORMATION BUNDLE** on the GHOST Pickup System, visit [www.graphtech.com/requests](http://www.graphtech.com/requests) and enter promo code 3A5.



Graph Tech Guitar Labs  
Phone: (604) 940-5353  
eMail: [sales@graphtech.com](mailto:sales@graphtech.com)  
[www.ghostinside.com](http://www.ghostinside.com)

# Learn the Art of Recording



## Powerful Practical Professional

- World-class (yet affordable) education in Recording Engineering & Music Production
- Full-time, two month experience to chart your career and change your life

## Recording Workshop

[www.recordingworkshop.com](http://www.recordingworkshop.com)



[info@recw.com](mailto:info@recw.com)

800-848-9900

740-663-1000 outside US

Founded 1971 • 455 Massville Rd., Chillicothe, Ohio 45601  
Licensed by State Board of Career Colleges and Schools

## LOGIC PRO

REVIEW

on Nodes. In general, the DAP results were impressive; however, some finagling was often necessary to get Node processing working properly, and I wasn't always totally successful.

## Plugging In

Logic now allows you

to load and save complete channel-strip settings, including all slot assignments and all settings for the channel strip itself and each of its plug-ins. That's a tremendous time-saver, and it makes channel-strip settings transferable between songs. A huge collection of factory settings is provided covering most classes of audio objects.

The Audio Unit scanning process is now carried out in a separate application called the AU Scan Manager, which is invoked automatically when Logic starts up, and can also be launched from Logic's Preferences menu. The Scan Manager verifies a plug-in only once, then remembers its status—rescanning only when the plug-in is updated. That makes starting Logic after the initial scan much faster. Scanned plug-ins are placed in three categories: passed, failed, and crashed. By default, all plug-ins in the latter two categories are disabled, but you have the option of enabling and using them (at the risk of destabilizing Logic, of course).

## Instrumental Decisions

Logic's collection of virtual-instrument plug-ins fall into four categories: GarageBand, basic, emulation, and advanced. The GarageBand instruments ensure compatibility with imported GarageBand songs, but they are also the simplest and least CPU-intensive of Logic's instruments. Don't overlook them.

A two-operator FM synth (EFM 1) has been added to the line of basic synths. Like the rest, it has a minimum of controls, but a quick spin through the factory presets shows it to be fully



FIG. 4: The new Ringshifter plug-in offers ring modulation and frequency shifting.

capable. In addition, it sports a variable-amount, randomize button for the knob-and-slider averse.

The other new kids on the block are Sculpture, a physical-modeling synth, and Ultrabeat, a classic drum-box emulation with built-in step sequencer.

## Hammer and Chisel

Apple's Logic-instrument developers' design philosophy emphasizes large control panels with more buttons, knobs, sliders, menus, and numerical displays than you can possibly assimilate. With Sculpture, they've taken that philosophy to new heights, and to prove they mean business, they've included 71 pages of documentation, with two levels of programming tutorials. Sculpture (see Fig. 3) is an unusually fascinating sound-design tool, but in case you have a life, it also comes with 276 outstanding factory presets and that nifty little randomize button.

Sculpture's brand of synthesis, officially called component modeling, begins by selecting a medium, specifying how it is set vibrating, and positioning two pickups that transduce the sound for further processing. You can start with anything from a steel or nylon string to a thick wooden or glass bar; you can whack on it, blow into it, jiggle it, hang weights on it, and drop it in a tub of water; then you can take the output from the pickups and pass it through a filter, waveshaper, delay, and EQ optimized for emulating various instrument bodies. Finally, there is modulation,

which has LFOs, breakpoint envelopes, MIDI continuous controllers, and morphing.

### Bang the Can

Ultrabeat is a 25-pad drum synth with built-in step sequencer that is designed to emulate classic drum machines. Each pad is an independent synth, for which you can choose from a variety of synthesis methods including classic analog, FM, sampling, physical modeling, noise sculpting, and ring modulation. Filter, distortion, and EQ modules round out the signal path. To facilitate independent outboard processing, Ultrabeat offers eight stereo output channels.

Ultrabeat's 32-step pattern sequencer holds 24 patterns with anything from 8th-note to 32nd-note resolution. You can add swing to even numbered steps and accent any combination of steps. MIDI Notes C-1 to B0 can trigger patterns, and the step sequencer can be used simultaneously with incoming MIDI.




FIG. 5: The Beat Mapping Global Track allows you to conform loosely played material (top) to Logic's Bar Ruler divisions (bottom) without changing the sound.

### Just for Effect

Logic's complement of plug-in effects has been expanded to include a guitar-amp modeler (Guitar Amp Pro), a couple of EQs (Linear Phase EQ and Match EQ), three modulation effects (Ringshifter, Vocal Transformer, and Pitch Correction), and three visual aids for mixing and mastering (Multimeter,

# NICE RACK!

## PHASE 88 RACK

- 8 BALANCED IN/OUT + 2 XLR
- FIREWIRE UPGRADEABLE
- MAC & PC SUPPORT
- 4 DIGITAL I/O
- 2 MIDI I/O
- \$499<sup>00</sup>

[www.musiciansfriend.com](http://www.musiciansfriend.com) | [www.audiomidi.com](http://www.audiomidi.com) | [www.torcomp.com](http://www.torcomp.com)  
[www.jdsound.com](http://www.jdsound.com) | [www.bayviewproaudio.com](http://www.bayviewproaudio.com) | [www.zzounds.com](http://www.zzounds.com)  
[www.terratec.com](http://www.terratec.com) | 603.766.0497

## APOGEE USERS

### Malcolm Luker



“Before a scoring session we compared the HD rig with Pro Tools interfaces to the Rosetta 800s with Big Ben... the difference was obvious. With the Apogees I noticed a wider depth of field and more openness in the higher frequencies. And, the Apogees with X-HD cards give us more versatility with Pro Tools than the 192s do!”

#### Music Scoring Mixer

Recent Projects: “A Sound of Thunder”, “Team America: World Police”, “Pirates of the Caribbean”

## ROSETTA 800



8 channels of premium Apogee A/D & D/A conversion, sample rates up to 192kHz (optional) and an expansion slot for direct Pro Tools connectivity (X-HD card) or direct FireWire connectivity (X-FireWire card)

read more at:  
[www.apogeedigital.com](http://www.apogeedigital.com)



## LOGIC PRO

REVE

Correlation Meter, and Level Meter).

Guitar Amp Pro simulates a variety of classic guitar-amp and speaker-cabinet configurations. It also allows you to switch between centered and off-center miking with a condenser or dynamic mic. Tremolo-vibrato and spring-reverb effects round out the signal path. Guitar amp simulators are the must-have effect of the moment, and Logic has covered the base nicely.

Linear Phase EQ is a high-quality, high-CPU-load variant of Logic's Channel EQ parametric equalizer. It uses look-ahead technology (and hence, introduces some latency) to preserve the phase of the signal

the fly during playback or offline by dragging them to the Match EQ control panel. A variety of sources produce interesting and unusual Templates, including the many impulse-response files that come with Logic's Space Designer convolution reverb. You can also experiment with the amount of matching EQ applied, and even reverse its effect, thereby emphasizing the similarities rather than compensating for the differences in the two spectra.

### Swing Shift

Ringshifter is a combination ring modulator and frequency shifter (see Fig. 4). Frequency shifting produces a linear shift in the harmonic spectrum, which sounds much different from the exponential, harmonic-preserving, shift produced by a pitch shifter. Frequency shifting can seriously mangle any sound, but it especially effective with percussion (see Web Clip 1).

Ringshifter uses an internal sine-wave oscillator whose frequency determines the amount of shift in the processed signal's spectrum. Modulating the oscillator frequency can have dramatic effects and an LFO and envelope follower are provided for that purpose. In Frequency Shifter mode, one set of sidebands can be suppressed, or the sidebands can be sent to opposite stereo channels. In Ring Modulator mode, the sine-wave oscillator can be replaced as the modulator by a side chain signal.

Pitch Correction and Vocal Transformer are primarily aimed at monophonic, instrument, and voice tracks; they can, however, be effective on other kinds of material. Pitch Correction does just that—it adjusts the pitch to keep it within a preset or user-defined scale. Vocal Transformer offers independent pitch and formant shifting, with a Robotize option that allows you to restrict or even invert the amount of pitch shift around a center pitch.

### Global Considerations

Logic users have long asked for a conductor track, and Logic's new Global

#### PRODUCT SUMMARY

#### APPLE Logic Pro 7

digital audio sequencer  
\$999 (upgrade \$299)

OVERALL RATING (1 THROUGH 5): 4

**PROS:** First-rate collection of virtual instruments and effects. Instant access to complex setups with Channel Strip settings. Increased power with Distributed Audio Processing. Apple Loop and Acid file support.

**CONS:** Can't add new songs to a project. Apple Loop utility not fully integrated into Logic. No Distributed Audio Processing for Audio Units.

#### MANUFACTURER

Apple Computer [www.apple.com](http://www.apple.com)

regardless of the shape and amount of equalization.

### Got a Match?

Match EQ will “learn” the average EQ spectrum of two audio files (Template and Current Material) and calculate an EQ curve to make the Current Material match the Template. Its presets are all analyses of different mixing styles (jazz, funk, disco, dance, and so on) set up as the Template.

You can analyze file spectra (Template or Current Material) on

Tracks feature serves that purpose. Global Tracks can be displayed along the top of the Arrange window and any of the time-based MIDI editors (Matrix, HyperEdit, and Score). There are seven kinds of Global tracks—Marker, Signature, Chord, Transposition, Tempo, Beat Mapping, and Video—which can be individually suppressed and repositioned.

Most of the information displayed in Global Tracks is familiar from previous Logic versions, but in many cases it is clearer and easier to edit on a Global track. For example, at sufficient zoom, full Marker text will be displayed; key and time signatures are more easily inserted, moved, and edited; and tempo curves can be drawn in the familiar Track Automation style.

## Pitch and Groove

The Chord and Transposition tracks work together to adjust Apple Loops and MIDI regions to match the harmonic progressions in your song. The tracks are interactive in that entries in either are reflected in the other. (Chord roots become transposition amounts relative the current key signature.)

Events can be entered manually in either the Chord or Transposition track, but in a nice touch, MIDI regions can be analyzed and have their chords automatically inserted in the Chord track. Logic is capable of quite sophisticated chord analysis, but you can also simply play in a bass line and drag it to the Chord track to create transpositions that follow the harmony of your song.

Beat Mapping is one of the handiest Global Tracks—it's how Logic's Reclock Song feature should always have worked. You start by selecting a region, and in the case of audio, analyzing it for transients indicating beats or recording a matching MIDI tap. Logic then displays beat division gridlines over region-event gridlines, and you connect them manually as desired (see Fig. 5). Each connection results in a tempo change (visible and editable in the Global Tempo Track). MIDI events between

connections are automatically adjusted to preserve playback, which, because of the tempo changes, also puts them on the beat divisions.

## Unsung Heroes

With all the major improvements and new features, it's easy to overlook the many, small advances in Logic 7. But the little things really do make the difference in terms of faster, smoother workflow. For example, laptop users will appreciate the Caps Lock Keyboard feature, which turns your computer keyboard into a MIDI keyboard.

User-interface improvements include being able to assign a tool (or the toolbox) to the right mouse-click, being able to hide various parts of the channel-strip display, and being able to toggle the Arrange window's Parameter Area to show only the channel strip of the selected track.

For users never quite at home with Logic's Smart Snap feature, there is now a Snap menu that allows you to control the snap behavior. In addition to Smart Snap, you can force snapping to bars, beats, division format, ticks, frames, and quarter frames. You can also control what happens when regions are dragged over each other (overlap, no-overlap, or crossfade) and when intervening regions are deleted (shuffle left or right).

Audio window improvements include grouping audio files, revealing audio files in the Finder, and simultaneously moving multiple files to the Arrange window. Arrange tracks now sport long-requested Solo buttons. Multiple channels can now be selected for editing in the Track Mixer. And the list goes on.

Logic 7 is a stellar upgrade to an already top-of-the-line digital audio workstation. Many user requests have been fulfilled; there are a number of clever, time-saving new features; and the new plug-ins alone are worth the price of admission. Performance has been improved as has compatibility with other applications and media. Upgrading is a must, and Logic deserves serious consideration as a first-time purchase. **EM**

## APOGEE USERS

### Mark Linett



“The Apogee Big Ben with the Rosetta 800 made it possible for Brian [Wilson] and me to get the sounds that we wanted on the recording of ‘Smile’....

The first thing you should do after you get a DAW is to buy a Big Ben clock. You won't believe the difference it makes in the sound stage...it's incredible!”

#### GRAMMY NOMINEE

Best Engineered Album (non classical):  
“Brian Wilson Presents Smile”


#### Recording/Mixing Engineer

Other Recent Projects:

“Ashgrove” - Dave Alvin

“Beautiful Dreamer  
the Story of Smile” (DVD)

## BIG BEN



Apogee's C777 Clock Technology up to 192kHz, real-time format conversion, expansion slot for FireWire connectivity (X-FireWire card) and video (X-Video Card) for master video sync generator

read more at:  
[www.apogeedigital.com](http://www.apogeedigital.com)



SOUND AMAZING

FIG. 1: Big Knob, which offers DAW users the functionality of a console monitoring section, draws its name from the massive volume knob that sits in its center.



## MACKIE Big Knob

# Console monitoring features for the mixerless studio.

By Mike Levine

With today's DAW software and a fast processor, you can create an entire mix inside your computer without having to route tracks through an external mixer. But with all the power that software mixers offer, there are some essential functions, such as monitoring and talkback, that still need to be accomplished with outboard hardware.

A number of companies manufacture specialized devices to provide the functions of a console's monitor section, and one of the more intriguing products is Mackie's Big Knob. It provides DAW users with input and monitor selection, cue and talkback, and monitor volume control and muting. With Mackie's experience as a manufacturer of quality yet affordable mixers, I was not surprised to discover that Big Knob is well designed and reasonably priced.

### Knob Hill

The metal-housed Big Knob, which is designed to sit on your desktop, is about a foot in length and six inches deep. It has an internal AC power supply (no wall wart) that can be switched between 100- to 120V and 220- to 240V operation.

Big Knob is aptly named, because its centerpiece is an oversized volume knob near the middle of its angled

front panel (see Fig. 1). The sheer size of this control makes it easy to grab for a quick volume change. The volume pot inside it, like the other components in this device, is high quality; it fades out smoothly as you get to the bottom of its throw. According to Mackie, Big Knob uses parts that are similar in quality with those used in its Onyx mixer series.

Below the main knob are switches for three useful functions: Mute shuts off all output from the board to the monitors, Dim lowers the volume by 20 dB, and Mono folds your stereo signal down—great for checking a mix's mono compatibility.

A stereo 6-segment LED meter that displays input-signal level is located on the left-hand side of the front panel. Big Knob has four stereo inputs: DAW Mix, 2-Track A, 2-Track B, and Phono. Each input can be activated with the flip of a switch, which also lights a corresponding LED status indicator. You can have more than one input active at a time if you want.

The DAW Mix input and the two 2-track inputs are on ¼-inch TRS connectors, and each has a switch to toggle between +4 dBu balanced and -10 dB unbalanced operation. The Phono input is on unbalanced RCA jacks.

Depending on your hardware setup, you might not use all four inputs, but it's nice to have them available. The ability to quickly select different inputs makes life a lot easier and often eliminates the need to repatch. In my setup, I frequently have to switch between the outputs of two audio interfaces and my computer's built-in audio, and with Big Knob it's a breeze.

# Great Ideas! The Right Price!



www.smpaudio.com



Now you can easily control your active monitors volume level directly from your desktop! A/B from two different inputs with separate volume controls, have 2 sets of speakers plugged in, MUTE, MONO/STEREO switch and a host of other features which will make monitoring your work and patching your speakers as simple as pressing a button! High tensile steel construction with included rack mount adaptors for 19" racks. An affordable high-quality problem solver for mixerless DAW and nonlinear video production environments.

\*\$99



Get 8 channels of Balanced XLR Mic inputs into your recording system! Perfect for Vocals, Drums, Brass and any other multiple microphone setup where extra pre-amps are needed. An ideal solution for your multi I/O sound card and HD recording system. With a full range of gain control from -20dB to +40dB and Phantom power for every channel this single rack unit can now solve many of the connectivity issues which are raised in a large range of situations, whether in the Studio, home, club installation or other live sound applications. Enjoyed by thousands in the US!

\*\$99



The PR8MKII is a 2U 19" rack-mount preamplifier with a brand new design utilizing features never before possible at this price range! With eight discrete high-quality microphone preamps, Detented gain control, Combo connectors, Separate switches with LED indicators for Phase and Phantom, Insert points on every channel, XLR balanced and 1/4" Unbalanced outputs and with the addition of an optional ADAT™ light pipe output, the SM PR8 MKII seamlessly fits into many digital audio workstation configurations.

\*\$199

Optional Adat Output \*\$89



The TB202 valve (12AX7) mic pre-amp is a twin channel valve mic preamplifier that features independent switchable phantom power, phase reverse, -20dB Pad, optical compressor, and fully functional EQ all housed together in a single 1U rack mount chassis. With a warm valve sound and the addition of an Optical Compressor the TB202 is a tool for those who want that SPECIAL sound this type of equipment can produce. With XLR inputs and 1/4" inputs the unit can be used with microphones or instruments without the need for adaptors.

\*\$249

TB101 Single Channel Version \*\$149



The Amazing OC8 is a rack-mount optical compressor. With eight discrete high-quality optical compressors. Optical compressors are sought after for the distinctive musicality they give to vocals, guitars and other instruments. The OC8's adjustable ratio, attack, release and output controls are calibrated to generate a distinctive soft, rich character while providing magnificent control over dynamics. Fantastic for use as inserts on your multi-channel recording or live tracks.

\*\$499



PR4 value \*\$79

HP4 value \*\$79

DI8 \*\$99

IN5 \*\$199

4 Channel Mic Preamp

4 Channel Headphone Amp

8 Channel DI/MIXER

Multi I/O Interface

Available at:



www.americanmusical.com

www.Kaysound.com

\*Estimated Selling Price

All specifications are subject to change without prior notice.

WRB



FIG. 2: The rear panel features multiple I/O as well as switches and knobs for adjusting various inputs and outputs from  $-10$  dB to  $+4$  dBu.

If you mix to a 2-track machine, Big Knob lets you easily toggle between listening to the outputs of your multitrack and your mixdown deck. Or if you're comparing your mix against a CD, you can patch a CD player into one of the 2-track inputs, and flip back and forth between its output and that of your main mix with the input select switches. If a turntable is part of your setup, it's handy to have the RCA Phono input with its built-in preamp.

The DAW, 2-Track A, and 2-Track B inputs all have corresponding outputs on the rear panel (see Fig. 2). Like most of Big Knob's I/O, these are all switchable between  $+4$  dBu and  $-10$  dB. You can use those outputs to feed 2-track machines with your mix or to send your mix back into your DAW or to any other device. You can think of Big Knob as a push-button-controlled audio matrix and patch bay.

## Select Me, Please

If you're used to a mixer with a single monitor output, you'll love Big Knob's monitor-selection features. Three Monitor Select buttons (labeled A, B, and C) that have corresponding  $\frac{1}{4}$ -inch outputs on the rear panel, allow you to switch between several sets of monitors. Monitor Trim pots let you adjust the level for each of the three monitor outputs anywhere from  $-10$  dB and  $+4$  dBu, making it easy to match levels.

I patched the output of Monitor A to a pair of Genelec 1029As, and the output of Monitor B to a power amp that drives my Yamaha NS-10Ms. On my old mixer, I had to set up a dedicated bus to route the signal going to the Genelecs, and setting it up required patching and several adjustments. With Big Knob, however, my speakers are permanently configured and can be switched easily and often.

Because all of your monitor mixes will be passing through Big Knob on their way to your speakers, headphones, and 2-tracks, sound quality is an important factor. In the listening tests that I did, Big Knob exhibited a crisp, clean sound. To my ears there was no discernible coloration—it just sounded good.

## Answer the Phones

You get several options when it comes to headphone monitoring. The front panel has two  $\frac{1}{4}$ -inch TRS stereo headphone jacks, each with its own output control. The headphone outputs can pass along the main mix, or you can switch them to monitor the input of the DAW Phones Mix Input jacks by pressing the Phones/Studio Out Source button. (Because this button has no LED status light, it's a little hard to tell at a glance which way it's set.) The internal headphone amp seems plenty powerful.

Two  $\frac{1}{4}$ -inch Phones Amp output jacks give you the option to send your monitor mix to an external headphone amp or headphone mixer. You can also send that headphone mix or the main output to the  $\frac{1}{4}$ -inch Studio Outs jacks on the rear panel, which let you feed studio monitors in another room, allowing your talent to listen to playback with their headphones off.

## Back Talk

Big Knob has a built-in talkback mic with a compressor designed into its circuitry to help keep levels even

## BIG KNOB SPECIFICATIONS

Audio Inputs	(6) balanced/unbalanced $\frac{1}{4}$ " TRS (3 stereo pair, 2 RCA phono, 1 stereo pair)
Audio Outputs	(6) balanced/unbalanced $\frac{1}{4}$ " TRS monitor (3 stereo pair), (12) balanced/ unbalanced $\frac{1}{4}$ " TRS line (6 stereo pair), (2) $\frac{1}{4}$ " TRS stereo headphones
Talkback/Footswitch Output	(1) $\frac{1}{4}$ " TS
Input VU Meter	6-segment LED ladder
Frequency Response:	0+, $-1$ dB, 10 Hz–50 kHz; 0+, $-3$ dB, 5 Hz–100 kHz
Line-Level Inputs and Outputs	
Frequency Response:	$\pm 0.5$ dB, 20 Hz–20 kHz
Phono Input	
Distortion:	$>0.015\%$ , 20 Hz–20 kHz @ $+4$ dBu
Line-Level Inputs to Line-Level Outputs (unity gain)	
Distortion:	$>0.015\%$ , 20 Hz–20 kHz @ $+4$ dBu
Phono Input, Nominal Gain	
Dynamic Range:	112 dB minimum
Line Inputs	
Dynamic Range:	93 dB minimum
Phono Input	
Dimensions	13.5" (W) $\times$ 3.2" (H) $\times$ 5.9" (D)
Weight	3.5 lbs.

## PRODUCT SUMMARY

### MACKIE Big Knob

audio controller  
\$384

OVERALL RATING (1 THROUGH 5): 4.5

**PROS:** Solidly built. Fully-featured and versatile. Has the ability to handle both +4 dBu and -10 dB signals. Volume knob easy to grab. Plentiful I/O. Loud headphone amp.

**CONS:** Phones/Studio Out Source button status hard to tell at a glance. Tabletop design not ideal for rack-mount setups.

#### MANUFACTURER

Mackie

[www.mackie.com](http://www.mackie.com)

between sources (such as engineers and producers) who are at different distances from the mic. The mic's output can be routed with the push of a button to either the Phones/Studio mix for talking to talent located in a different room or to the 2-track outputs for slating takes. A level control lets you adjust the output level of the talkback mic, and it has plenty of headroom.

There's even a Talkback Footswitch input for connecting a momentary footswitch or a momentary handheld switch (not included) so that somebody other than the engineer can trigger the talkback circuit.

### Big Deal?

If you're looking to replace those monitor-section functions from a hardware mixer and want some additional options to boot, Big Knob is an excellent product. It's well designed and offers a good blend of quality, features, and price.

I liked it so much that I bought one for myself. It's now become a thoroughly integrated part of my studio. I can't imagine doing a session without it.

*Mike Levine is a senior editor at EM.*

# A Powerful Technology for Music Making

## JMT Orchestrator 2.1

MPX and VST

The only way to get an accompanying band in your host!

Auto-arrangement plug-in for SONAR, Cubase and Finale, with flexible real-time control. All you need to create a pro arrangement following any chords in any meter in your favorite sequencer. Comes with 1000 excellent styles.

## Onyx Arranger 2.1

Auto accompaniment without boundaries!

A sequencer with accompaniment generation, Harmonizer tool, MIDI FX set including Performance Modeler (PM), MIDI file to Orchestrator Style conversion. Ultimate flexibility in pro arrangement creation and MIDI data control. Comes with 1000 Orchestrator styles working in any chords in any meter, and up to 500 PM styles.

## Style Enhancer 4.0

Breathe life in your MIDI projects!

Sequencer based on Performance Modeling (PM) technology with intelligent MIDI-data transformation and generation. Includes a powerful set of MPX and MPX Chain building. Ready Chains serve to automate data conversion, like humanizing guitar or flute track, generating Synth Pulsation track according to chords. Comes with 500 PM styles.

## YV Enhancer 1.0

Sometimes the small can help the giant!

Standalone software using unique Advanced Performance Modeling (APM) technology to produce a MIDI file controlling Yamaha Vocaloid. Allows achieving realistic and exotic character of singing without hard manual editing of Vocaloid parameters.



Check out our complete line of revolutionary music software including MPX plug-ins for SONAR / Cubase, Virtual Audio Cable, SoundFonts and GigaSounds, Stylizer, StyleMorpher, and the MIDIMatrix



**Jasmine**

Music Technology

[www.jasminemusic.com](http://www.jasminemusic.com)

# the ultimate hook-up.



## EUREKA – Professional Recording Channel

Class A transformer coupled microphone/instrument/line preamp  
Selectable input impedance and "saturate" tube warmth control  
Fully variable ultra fast compressor w/ separate make-up gain  
3-band parametric EQ with bandwidth "Q" control  
\$499\*

## AD192 – Optional Digital Output Card for the Eureka

24-bit resolution, up to 192K sample rate  
Simultaneous SPDIF and AES outputs  
Analog line input enables one AD192 for two Eureka's  
\$199\*

## FIREPOD – 24Bit/96k 10x10 FireWire Recording System

Eight PreSonus microphone preamplifiers  
Two instrument inputs, eight analog line outputs  
SPDIF and MIDI input / output  
Cubase LE 48-track recording software  
\$599\*



Hook-up two Eureka's to your FIREPOD via AD192 SPDIF output for the ultimate signal path. Hook-up your FIREPOD to your computer via standard IEEE1394 FireWire connection and use the eight onboard Class A preamps for recording drums, guitar cabs, pianos, ensembles, etc., for the ultimate FireWire computer interface.

Need more inputs? Hook-up a second FIREPOD for eight additional microphone preamps.

Finally, hook-up your Central Station to your FIREPOD for ultimate communication and monitoring control.

Get the ultimate hook-up on PreSonus at Sweetwater!

## CENTRAL STATION – Studio Control Center

Flexible stereo input/output switching & routing  
Talkback, mute, dim, mono; separate cue and main outputs  
24-bit/192K D to A converters (SPDIF and Toslink)  
Passive signal path (no op-amps) for ultimate stereo imaging and depth  
\$499\*



**For a limited time: Get a CSR-1 remote with your Central Station for only \$99! Save \$50!**


## CSR-1 – Optional Remote Control for the Central Station

Main volume, input/output switching, dim, mute, mono  
Talkback microphone on remote  
Rack your Central Station with your gear  
\$149\*

\* Sweetwater Sound advertised prices.

**Sweetwater**  
music technology direct™

Call your Sweetwater sales engineer today  
at 800-222-4700 for the ultimate hook-up,  
or visit us online at [www.sweetwater.com](http://www.sweetwater.com).




hook-up.

**PreSonus**

WHERE ARTISTS CREATE AND TECHNOLOGY PERFORMS

FIG. 1: Sonar's main screen seems largely unchanged at first, but look deeper and you'll find better navigation tools, track folders, and full support for surround sound.



## CAKEWALK Sonar 4 (WIN)

### A venerable workhorse ups the ante once more.

By Allan Metts

The developers at Cakewalk don't get much rest: just after I settled into Sonar 3, Sonar 4 arrived at my door. This time around we get comprehensive surround-sound features, a new soft synth, and extensive workflow improvements. Other new Sonar 4 features and usability enhancements make your studio experience more efficient and productive.

I installed Sonar on a 2.4 GHz Pentium 4 and on a Pentium 4 laptop. Installation went smoothly both times. The main Sonar screen appears crisper and with more contrasting colors than previous versions (see Fig. 1), but otherwise the program looks mostly the same.

Dig a little deeper, however, and you'll find further great new additions. A Navigator Pane appears at the top of the Track view, showing your entire project at a glance. Every clip appears as a tiny bar that represents position and duration, and a Track Rectangle indicates the portion of the Project you're currently looking at. The current playback position is indicated as well.

You can move or resize the Track Rectangle to control what you see in the Track view. Drag the rectangle to a new set of clips in a different portion of the song, and the Track view follows suit. Making the box longer has the effect of zooming out the Track view horizontally. Shorten its height, and each track and clip will become taller.

### Fluff and Fold


New to Sonar 4 are Track Folders, which are especially useful if you have many tracks in a project. For example, once you have the individual drums within a drum kit mixed the way that you want them, you can hide the individual instrument tracks and view just one folder that represents all of the drums.

You create folders just like any other track, then drag the desired tracks into them. Close the folder, and everything inside is replaced with a single line of text widgets indicating how many Audio, MIDI, DXi, and Hidden tracks are inside.

You can mute, solo, archive, or arm all of a Track Folder's contents at once, and you can drag or resize a Track Folder just as you would a single clip. Any other operations you perform, be it adjusting MIDI Velocity values or normalizing audio, affect all of the appropriately typed tracks in the folder.

Although Track Folders help organize a project, I would like to see them enhanced. For example, you can't assign a global volume or pan envelope to a Track Folder (envelopes can be used, however, on each individual track within the folder), and in some cases, you can't change the properties of all the tracks in a folder at once. That last option would allow you to change the output of all of the drum instruments or shift all of the background vocals a few degrees left of center. Other options, such as arming all tracks in a folder at once

Live lets you focus on what really matters: your music.



Ableton Live is the only music-production solution that allows you to spontaneously compose, record, remix, improvise and edit your musical ideas. Live brings your acoustic, electronic and virtual instruments together in a single audio and MIDI production environment with unparalleled ease of use.

Available Now. Download the Live Demo at [www.ableton.com](http://www.ableton.com).

Distributed by **M-AUDIO**

  
ableton

WRH

or adding an aux send for all the tracks, can be accomplished easily.

## Take Me On

If you need more than one take to record that perfect performance (and who doesn't), you'll appreciate the new advanced take-management tools. You can now show multiple takes side by side within an individual track. (With previous versions, your only option was to stack the takes on top of each other.) There's no limit to the number of takes in a track, and each take can have its own volume and pan envelope (all takes share the same set of track envelopes).

It's easy to mute or solo individual takes without affecting any other clips in the track. But because your best recording might be attained by combining segments of several different performances, you might want to mute or solo only portions of takes. Sonar 4's new Mute tool makes assembling a comp track easy: you simply drag the tool over any content that you don't want to hear (you can also

unmute with that same tool). I found it easiest to start by soloing a take that was almost right. Then I muted the sour notes and unmuted the sweet ones in other takes. Using the Mute tool's Isolate mode, which can follow the current Snap value, you can easily solo the repeated segments of audio based on a musical duration. The creative possibilities are vast.

The new Crop tool links two clips (for example, it links two takes on adjacent layers within a track) and shortens one while extending the other. That allows you to easily change where one take ends and the other begins (the two takes

must be overlapping). The process is nondestructive, so you can slide the cropping point back and forth until you find just the spot you want.

You can now nudge clips in any direction using the numeric keypad or any key bindings you assign (the same tool works on notes, instead of clips, in the Piano Roll



FIG. 3: The TTS-1 soft synth has a full set of General MIDI 2 patches that sound great. Patches can be edited, and settings can be automated using MIDI continuous controllers.

view). The number keys work in an intuitive manner: The number 8 moves up; 2 moves down; 1, 4, and 7 move left; and 3, 6, and 9 move right.

You can define three left-right nudging behaviors (all available simultaneously), which you use by choosing a different "row" on the number pad (for example, 1 and 3, 4 and 6, or 7 and 9). There are numerous nudging behaviors available. You can move in increments of musical time (such as measures, quarter-note triplets, or 16th notes), absolute time (including samples, milliseconds, ticks, or SMPTE frames), or you can default to the current snap resolution.

## I'm Surrounded

Perhaps the biggest new feature in Sonar 4 is integrated support for up to 8.1 surround mixing and editing. More than 30 surround configurations are supported, including 5.1 and 7.1. You can choose to monitor with or without Bass Management (four common cutoff frequencies are available). Once you choose a configuration, map each channel to your audio outputs.

Sonar's surround implementation is very intuitive. In fact, it follows nearly all the same paradigms as stereo mixing: left-right pan controls are replaced with surround panners, and what were once 2-channel meters now display all of the channels in your surround configuration. You can also create new surround buses just as easily as stereo buses.

Surround tracks and buses coexist peacefully with their stereo counterparts in the same project—each track's output setting determines whether it's a surround or stereo track. Send a track to Surround Main or a surround bus, and the fancy panner and multichannel meters appear.

There are three sizes of surround panners to choose from: a tiny one in the Track view, a medium-size one in the




FIG. 2: Sonar's surround panner provides plenty of control to position your audio right where you want it. Joystick support is included.



# MIAMI

MARCH 2005

Three Days of Total  
Technology Immersion  
March 24, 25, & 26  
Eden Roc Hotel  
**remixhotel.com**

*Remix* and partners descend on Miami  
for three FREE days of technology  
master classes, workshops, seminars and  
clinics about music production and  
performance for electronic- and urban-  
music producers, engineers, musicians,  
and DJs. Visit the URB Village at RHMIA.  
Check in and check it out.

*First in Affordable Retro-Sonics. sm*

800 NE TENNEY ROAD SUITE 110-215  
VANCOUVER WA 98685-2832 U.S.A.  
TELEPHONE: 1-360-566-9400  
FACSIMILE: 1-360-566-1282  
www.ADKMIC.com Info@ADKMIC.com

WRH

Console view and Track Inspector, and a large one that is available as a separate Surround Panner window (see Fig. 2) (A fourth Surround Panner appears if you enable a surround

stick or not). Sonar's joystick implementation is intuitive and ergonomic: capture the current joystick position with the trigger or any other button, and hold the button

FIG. 1: Emulator X Studio is the top-of-the-line offering in E-mu's new series of audio interfaces and software bundles. The system includes a PCI interface card with an external audio breakout box and a sync daughtercard. The sampling software is based on E-mu's EOS operating system.



## E-MU Emulator X Studio 1.0.1 (WIN)

### E-mu moves from the rack to the desktop.

By Dennis Miller

**T**he new series of Windows-based digital audio workstations and sampling software from E-mu will turn more than a few heads. With their high-quality specs, hardware-accelerated effects, and breakthrough pricing, the systems offer a great value in configurable bundles, allowing you to buy only the features that you need. Emulator X Studio, the focus of this review, is the top-of-the-line offering in E-mu's new five-product series and combines a multicomponent audio interface with a sampling application that is based on EOS, the operating system found in E-mu hardware samplers (see Fig. 1). Cubase 5.1, SFX Machine Lite, and a file-format converter are also packaged with Emulator X.

E-mu calls its hardware-only products Digital Audio Systems. These include the 1212M, the 1820, and the 1820M systems. The other two systems in the lineup combine Digital Audio System hardware with a soft sampler: Emulator X bundles 1212M and a sampler, and Emulator X Studio bundles 1820M and a sampler. All of the systems use 1010 PCI, an internal audio-interface card that has coax S/PDIF I/O, a FireWire port, ADAT I/O, and a connector to the AudioDock breakout box. AudioDock comes with Emulator X Studio, 1820, and 1820M (see the table

"Digital Audio System Hardware Specifications" for more on the system's hardware). Emulator X and 1212 use 0202—an internal card—for analog I/O. The 0202 card has the same converters as the other systems. As of this writing, E-mu is giving users of hardware-only systems the option to purchase the sampling software for \$149, which is one of the best deals to come along in a while.

#### Deal the Cards

All of the products in the new E-mu series rely on a PCI card. The card offers 24-bit/192 kHz recording and playback through its ASIO drivers and WDM drivers (the included WDM drivers supply a maximum of only two channels of audio) and connects internally to a daughterboard that has word clock and SMPTE I/O and MTC out. A lengthy Cat-5 cable provides connectivity and power to the AudioDock.

The 1010 PCI card uses E-mu's newest DSP engine, the 100 MIPS E-DSP, to give you as many as 16 simultaneous 32-bit effects, which allows your host computer to deal with other tasks. The effects vary greatly in the processing power that they require and make a welcome addition to the VST or DX effects that you probably already have on your system.

I installed Emulator X into my test machine—a Pentium 4/3.06 GHz workstation with 2 GB of RAM running Windows XP—with no trouble whatsoever. In fact, the entire hardware and software installation went



# MIAMI

MARCH 2005



Three Days of Total  
Technology Immersion  
March 24, 25, & 26  
Eden Roc Hotel  
**remixhotel.com**

*Remix and partners descend on Miami for three FREE days of technology master classes, workshops, seminars and clinics about music production and performance for electronic- and urban-music producers, engineers, musicians, and DJs. Visit the URB Village at RHMIA.*

*Check in and check it out.*

Console view and Track Inspector, and a large one that is available as a separate Surround Panner window (see Fig. 2) (A fourth Surround Panner appears if you enable a surround send). All depict the panning position as a set of points within a circle, and all have a dedicated slider for the Low Frequency Effects (LFE) channel.

The large Surround Panner provides additional detail and control. You can see the specific attenuation at each speaker location as numerical decibel values. There is also an LFE Solo button and dedicated sliders for angle, focus, width, and front/rear balance.

Joystick support is provided, as is full support for surround-panning automation (whether you use a joy-

stick or not). Sonar's joystick implementation is intuitive and ergonomic: capture the current joystick position with the trigger or any other button, and hold the button down and move the joystick for sweeping effects. Holding another button allows you to use the joystick to shift its attention to a different surround panner (for example, another track or a surround-bus send level). You can map your remaining joystick buttons to often-used Cakewalk features such as transport controls and key bindings.

Surround effects operate just as they do in stereo tracks. In fact, you can even use stereo effects on surround tracks and buses. Sonar's new Surround Bridge will automatically create the proper instances of the

effect and link their controls so they all operate as one. You can also unlink the effects and treat each effect separately. With 5.1 surround, four instances of the stereo effects are created (one apiece for the front and rear, and one each for the center and LFE channels). And to sweeten the package, surround versions of the Lexicon Pantheon reverb and Sonitus compressor, which packs four individual compressor modules into one, are included. In its Peak mode, the surround compressor looks across all channels and uses the level of the highest channel to key the compression of the other channels. Sum mode forces the selected compressor to use an RMS detector, so all input channels are summed, which provides a smoothed average of all the inputs.

Sonar now has import and export support for several surround-encoded file formats, so you can deliver your work for others to hear. And once you've printed that

**MUSICIANS INSTITUTE**  
**THE WORLD'S MOST INNOVATIVE SCHOOL OF CONTEMPORARY MUSIC AND RECORDING**  
 Fully-accredited Degree and Certificate Programs  
 in Guitar, Bass, Drums, Keyboards, Vocals, Recording,  
 Music Business, and Guitar Building & Repair

"MI is unique among music schools in its combination of rigorous technical education, comprehensive business orientation, music technology, and focus on how to survive artistically and materially in the real world."  
 -MUSICIAN MAGAZINE

**MUSICIANS INSTITUTE**

[www.mi.edu](http://www.mi.edu)  
 1-800-255-7529

"Tomorrow's stars, studio musicians, composers, singers and music teachers are at the Musicians Institute in Hollywood... this isn't your average student body."  
 -LOS ANGELES TIMES

**Hands On! Experience - Saturday, February 26<sup>th</sup> 2005 10:45 am**  
 For reservation, call 1-800-255-7529 ext. 151

#### PRODUCT SUMMARY

#### CAKEWALK Sonar 4

digital audio sequencer  
 \$959

OVERALL RATING (1 THROUGH 5): 4.5

PROS: Comprehensive, intuitive, surround implementation. Efficient comp-track building. Ergonomic user interface.

CONS: Some software synths in previous versions are no longer included. Somewhat expensive.

#### MANUFACTURER

Cakewalk  
[www.cakewalk.com](http://www.cakewalk.com)

perfect surround-sound master, you can downmix it to stereo and have complete control over how the process takes place. Separate controls determine how much of the Center, Surround, and LFE channels appear in the stereo mix.

### A Solid Upgrade

The remaining Sonar improvements are almost too numerous to mention. The Roland-powered TTS-1 wavetable soft synth (see **Fig. 3**) replaces the Edirol VSC. The TTS-1 supports the General MIDI 2 specification and offers substantial patch editing, comprehensive MIDI continuous-controller support, and great sounds. Those upgrading should be aware, however, that certain third-party soft synths that appeared in previous versions are no longer included (FXpansion's DR-008 and Speedsoft's VSampler, for example). But you can use the versions from your previous installation or reinstall them from the original CD.

Other new features include improved slip-editing (including slipping of multiple selected clips), playback of selected clips or time regions, optional key bindings that mimic those in other programs, and configurable panning laws. Track bouncing and audio exporting are now friendlier, a video thumbnail pane is included, and the behavior of meters is now even more customizable than it already was. High-quality time scaling based on Prosoniq's MPEX3

algorithm and top-notch POW-r dithering algorithms for making 16-bit CDs sound more like 24-bit mixes have also been added.

The Loop Construction view has improved envelopes. You can now use them on individual slices of a Groove clip to set gain or pan. You can also create an envelope to transpose individual loop slices (up to two octaves in either direction) in addition to scaling an entire loop two octaves in either direction. Finally, Sonar has Freeze features that help unburden your CPU. Once you have a soft-synth track (or a track with effects) sounding just the way you want, you can freeze it. When you do, Sonar creates a new audio clip with the effects or soft-synth performance already applied, and then disables the effects bin or synth. You can unfreeze just as easily as you freeze, for example, to change a synth preset, and there are plenty of configuration options to get the results you want.

To help you stay on top of all of these features, Sonar 4 comes with a printed manual, and the online help is comprehensive and context-sensitive. The price has gone up a bit, but if you're looking for audio software that can do it all, Sonar is hard to beat.

---

*Allan Metts is an Atlanta-based musician, a software/systems designer, and a consultant. Check him out at [www.sonicbids.com/AllanMetts](http://www.sonicbids.com/AllanMetts).*

## The JP MODS by ADK – Euro-Mods with Pristine Curves!

*European Components and Design.  
A Full Year of Rigorous Beta and R&D.*



### Vienna LE Hamburg LE

**"I have become a huge fan of ADK Mics lately. After hearing the ADK TT, I was not surprised that Ray Charles and Johnny Matthis selected two of the TT tube mics for their vocals. The fact that the TL Decca-Tree set-up works well on Grand Piano was a nice bonus. But what surprised us the most was how many uses we found for the original model A-51s. Tracking Guitars for James Taylor to Drums and Horns, ADK Mics were everywhere at our 80 piece live orchestra sessions!"**

**~Terry Howard, Recording Engineer (Ray Charles, James Taylor, Michael McDonald, Willie Nelson, Barbra Streisand, Ellis Hall)**

**ADK**)))  
MICROPHONES

800 NE TENNEY ROAD SUITE 110-215  
VANCOUVER WA 98685-2832 U.S.A.

TELEPHONE: 1-360-566-9400

FACSIMILE: 1-360-566-1282

[www.ADKMIC.com](http://www.ADKMIC.com)

[Info@ADKMIC.com](mailto:Info@ADKMIC.com)

*First in Affordable Retro-Sonics. sm*

FIG. 1: Emulator X Studio is the top-of-the-line offering in E-mu's new series of audio interfaces and software bundles. The system includes a PCI interface card with an external audio breakout box and a sync daughtercard. The sampling software is based on E-mu's EOS operating system.



## E-MU Emulator X Studio 1.0.1 (WIN)

### E-mu moves from the rack to the desktop.

By Dennis Miller

The new series of Windows-based digital audio workstations and sampling software from E-mu will turn more than a few heads. With their high-quality specs, hardware-accelerated effects, and breakthrough pricing, the systems offer a great value in configurable bundles, allowing you to buy only the features that you need. Emulator X Studio, the focus of this review, is the top-of-the-line offering in E-mu's new five-product series and combines a multicomponent audio interface with a sampling application that is based on EOS, the operating system found in E-mu hardware samplers (see Fig. 1). Cubase 5.1, SFX Machine Lite, and a file-format converter are also packaged with Emulator X.

E-mu calls its hardware-only products Digital Audio Systems. These include the 1212M, the 1820, and the 1820M systems. The other two systems in the lineup combine Digital Audio System hardware with a soft sampler: Emulator X bundles 1212M and a sampler, and Emulator X Studio bundles 1820M and a sampler. All of the systems use 1010 PCI, an internal audio-interface card that has coax S/PDIF I/O, a FireWire port, ADAT I/O, and a connector to the AudioDock breakout box. AudioDock comes with Emulator X Studio, 1820, and 1820M (see the table

"Digital Audio System Hardware Specifications" for more on the system's hardware). Emulator X and 1212 use 0202—an internal card—for analog I/O. The 0202 card has the same converters as the other systems. As of this writing, E-mu is giving users of hardware-only systems the option to purchase the sampling software for \$149, which is one of the best deals to come along in a while.

#### Deal the Cards

All of the products in the new E-mu series rely on a PCI card. The card offers 24-bit/192 kHz recording and playback through its ASIO drivers and WDM drivers (the included WDM drivers supply a maximum of only two channels of audio) and connects internally to a daughterboard that has word clock and SMPTE I/O and MTC out. A lengthy Cat-5 cable provides connectivity and power to the AudioDock.

The 1010 PCI card uses E-mu's newest DSP engine, the 100 MIPS E-DSP, to give you as many as 16 simultaneous 32-bit effects, which allows your host computer to deal with other tasks. The effects vary greatly in the processing power that they require and make a welcome addition to the VST or DX effects that you probably already have on your system.

I installed Emulator X into my test machine—a Pentium 4/3.06 GHz workstation with 2 GB of RAM running Windows XP—with no trouble whatsoever. In fact, the entire hardware and software installation went

# NEED PRO AUDIO GEAR?

**THEN YOU SHOULD SPEAK TO THE PROS.**


What is a real Pro, you ask?

Here at Full Compass we offer the most knowledgeable sales professionals in the audio world. Many of us have been serving our customers for 15 or 20 years, and they keep coming back. Why? Because of what a real Pro offers: loyalty and long term service. We build relationships.

You and Full Compass, where the Pros are.

Call us at 800-356-5844 and talk to a real professional, 8am to 8pm Central Time Monday through Friday or 10am to 4pm Saturday. We will give you the attention you need... and deserve.

Call us – you'll want to stay on the phone for decades.



Call us today  
& talk to a real pro!  
1-800-356-5844

¡Expertos que hablan español  
disponibles en x1178 y x1342.



**WHERE THE PROS ARE.**

Request your **FREE** catalog  
[www.fullcompass.com](http://www.fullcompass.com)

smoothly. Emulator X Studio comes with printed getting-started instructions and an extensive manual in PDF format.

That is done in the PatchMix DSP console application, which adapts to the number of physical and virtual (WAV and ASIO) channels (a maximum of 32) that you have enabled and gives zero-latency monitoring (see Fig. 2). There are numerous preset configurations (which E-mu calls Sessions) at a variety of sampling rates.

I wanted a scheme that would bring audio from my hardware sampler via digital input into Steinberg WaveLab to add some VST effects, and then send it over to PatchMix's mains for some additional processing and final output. I found a Session preset that was perfect for the job. I also found a preset that allowed me to use my external digital effects unit on a send/return chain, although that setup could be created manually with just a few mouse-clicks. Other presets are available for a



FIG. 2: The PatchMix console is home to Emulator X's DSP-based effects and also has an adaptive display of the channels that you have enabled.

### Get on the Bus

Once you have the system installed, you should configure some bussing schemes that work for your setup.

variety of recording scenarios, transferring audio to and from an ADAT, and communicating with the sampler application. There's even a guitar tuner that puts

## HIGHWAY FOR THE CREATIVE

Join Cycling '74 and the worldwide community of extraordinary people moving the present toward a future that looks and sounds like someplace you'd like to be.

cycling  
74

**MAX/MSP** OS X / WinXP graphical programming environment

build performance systems /  
connect everything to everything /  
ridiculously deep and powerful

**JITTER** OS X / WinXP video, matrix, 3-D system

works inside Max/MSP /  
real-time video processing /  
transcode audio to video and back

**CYCLES** audio source libraries

24-bit audio quality /  
DVD format /  
stunning sound design

**MODE** state-of-the-art plug-ins

rivals the best hardware /  
performance and recording tools /  
simplified control of complex systems

**PLUGGO** over 100 OS X / WinXP audio plug-ins

fold, spindle, and mutilate audio /  
VST, RTAS, AU formats /  
preferred by purveyors of distorted dance music

**RADIAL** OS X loop-based performance tool

optimized for creative experiences /  
intuitive circular interface /  
includes CD of super loops

Learn more about our work at [cycling74.com](http://cycling74.com). Cycling '74 • 379A Clementina Street • San Francisco, CA • 94103 • USA • (415) 974-1818

a test signal on each of six channels, although notes G, B, and E are pitched an octave too low.

## Patch It Up

The PatchMix interface is well laid out and is divided into four main sections. The channel strips are on the left side of the window, each of which has a level slider, a pan pot, mute and solo buttons, and six insert slots (by default—you can add more inserts as needed). In addition to effects, the inserts can hold a test-signal generator, peak meters, or a trim control. There's also a scribble strip, two aux sends, and buttons to add or remove a strip.

At the top-right side of the screen is a toolbar with dedicated buttons to open, save, or create a new Session; adjust sync and Session settings; set global preferences; and show or hide effects. There's a lot of flexibility here—from setting sampling rate to enabling or disabling the software's splash screen. There's no limit to the program's number of custom configurations.

Under the toolbar is the TV Screen window, which toggles between displaying effects parameters and I/O routings. Effects parameters are adjusted by clicking and dragging horizontal scrollbars or by typing in values. The I/O display toggles between inputs and outputs—assignments are made by clicking on tabs to route physical or virtual ins and outs to specific channel strips and the main and mix outs to various physical outs. At the bottom of the TV screen is a drop-down menu that allows access to the effects presets and the location in which you can save your own. It's a clean interface, although it would be useful if the screen (and the entire mixer for that matter) were resizable.

The final section of the mixer is the main section, which has standard controls for master level, two aux sends and returns, and the AudioDock's stereo monitor outs, which you can mute if needed. There's a balance control for the monitor outs, but the main volume uses only a single slider with no pan option. There are also peak level meters and indicators for sync and sampling rate, as well as six default insert slots.

## In Effect

Much of the work that you'll do in the mixer will involve effects, and there's lots to choose from. The effects, which use the

card's DSP engine, come in a variety of flavors and are grouped in two categories: Core Effects, which appear in their own folder and are read-only, and nine additional folders that include various Core Effects in combination. You apply an effect by selecting it, dragging it directly into an insert slot, and then clicking on it to access its parameters. Each of the effects has a fair number of presets—over 500 in total—and most run efficiently.

For example, I loaded a combination of 18 1- and 3-band EQs at 48 kHz, at which point the remaining listings grayed out and became unavailable (the system ran out of horsepower). Four instances each of the chorus, compressor, flanger, and auto-wah, plus three

Pure • Analog • Tube

CTM100 Tube Mic

**CARVIN**  
800.854.2235

Factory Direct • FREE Catalog - [carvin.com/63EM](http://carvin.com/63EM)

phase shifters, also loaded with no problem. Not surprisingly, the reverbs and delays demand much more system resources, but E-mu offers a range of options, from very short reverb and delay times to times that run as long as 30 and 3 seconds, respectively.

Among the other effects, the frequency shifter was the most unusual. It takes a sound's spectrum and shifts the partials into inharmonic ratios. You can configure the effect so that the right and left channels offset in different directions and change the shift frequency over a range of 20 octaves. As with all of the effects, there are bypass and solo switches. I also like the vocal morpher, a filter that lets you slowly transition between syllables.

Although you can't automate effects while in the PatchMix interface, you'll be able to accomplish that task using PowerFX. PowerFX is a utility that allows any VST host program to use the hardware-based effects, and if that host supports VST automation (which most do), you're good to go.

PatchMix has an efficient and somewhat unusual interface for adjusting the mixer's controls. The pan and aux send pots appear onscreen as colored knobs, but when you click on one to adjust it, a horizontal slider pops up. That arrangement is convenient and preferable to moving knobs by clicking and dragging them all over the desktop. I also like the fact that when you load a multi-effect into a slot, the effects parse out into their own slots, so you can see exactly what the multi consists of. The downside, however, is that you can edit only one of the effects in a multi at a time.



FIG. 3: Emulator X offers 32 MIDI channels, which you configure in the Multisetup screen. Any number of presets can be assigned to the same channel.

The output of 1820M is outstanding—my Genelecs never sounded so good. As you may have seen in the ads, the system uses the same converters that Digidesign's high-end gear has. Not only did I hear more detail in my own music, but some tests with a few recently acquired production-library tracks also showed the high quality of the system. The low end was extremely solid and full, and throughout the spectrum I heard minute and subtle aspects of the sound.

## The Sampling Lineup

E-mu's vast experience in the world of hardware samplers has put it in a good position to build a computer-based system. As mentioned above, the Emulator X software is based on E-mu's EOS, the operating system used in its top-of-the-line sampling hardware. You'll find the majority of the latest EOS features here, although some, such as beat munging (changing the tempo of a sample without changing its pitch), have yet to appear. There's also an array of time-varying filters from E-mu's Morpheus line, and a number of software-based effects that you can use in your patches. Emulator X vastly exceeds its hardware brethren in numerous areas, especially with its option to stream samples directly from a hard drive. It can also run as a standalone and as a VST Instrument.

The Emulator X interface consists of an Internet Explorer-style pane (called the Tree) on the left and a series of work areas that toggle in the display on the right (see Fig. 3). At the top level is the Multisetup view (shown in Fig. 3), where you'll find slots for 16 MIDI channels, each with volume and pan sliders, an output selector, and a switch to enable routing to an aux bus. Clicking on a button at the top of the screen toggles the view to a second set of 16 MIDI channels.

## EMULATOR X SOFTWARE SPECIFICATIONS

Included Presets	>1,500
Envelopes	1 hardwired, 2 configurable
LFOs	2; 17 shapes
Polyphony	CPU dependent
Multitimbral Parts	CPU dependent
File Formats	WAV, AIFF
Filters	12 types (>50 presets)
Modulation Matrix	36 source/destination routings
ASIO Output Buses	32 channels (16 stereo)
Sampling Features	resampling, autosampling, 12 DSP functions
MIDI Channels	32 in standalone mode; 16 per VST instantiation
Keyboard Trigger Modes	13

# Independent artists: Showcase, make industry contacts, and win \$35,000 in prizes.



## Be judged the best in the Midwest by the best in the business.

Currently in its 10th year, Disc Makers' Independent Music World Series uncovers the best unsigned talent in the country. First, TAXI, the nation's leading independent A&R company, judges all entries and selects 100 semi-finalists from the Midwest. Next, the editors of Billboard magazine choose six finalists to perform at an industry showcase at **The Elbo Room in Chicago**. At the event, participants get to network with the industry VIPs and A&R reps who will judge their performances for the \$35,000 grand prize.

## Win your showcase – walk away with \$35,000 in gear and prizes.

Networking with industry honchos alone could prove invaluable, but grand-prize winners also receive one of the most valuable packages ever assembled for independent musicians. Gear from top manufacturers includes studio equipment, microphones, guitar and bass amps, a drum kit with heads and cymbals, and more. You also win a deluxe Disc Makers CD package – complete with professional graphic design, post production, posters and a one-year membership to TAXI.

## Register online for a chance at a Fender Strat, and get free stuff just for entering.

Only a select few get a chance to perform, but anyone who registers online gets a chance to win a Fender Stratocaster. All entrants will receive a free copy of *Billboard's Guide to Touring and Promotion* and an issue of *Electronic Musician* magazine – a \$23 value.

The IMWS is open to any and all musical styles.

Enter by March 4, 2005.

Register now at [www.discmakers.com/m2005em](http://www.discmakers.com/m2005em).

Can't get online? Call 1-888-800-5796 to register.

# DISC MAKERS®



“We can't believe we won the IMWS. We were thrilled just to be invited to play and wanted to give the fans a taste of our new music.”

Rich Creamy Pain,  
Grand Prize Winner, Southeast IMWS



“It didn't seem like a contest. It seemed like a festival. The bands were so good – I didn't think we were going to win. It didn't matter because I was having such a good time.”

Orbert Davis,  
Grand Prize Winner, Midwest IMWS



“The IMWS created a ton of hits on our website and got us a lot of press, a mention in *Guitar World* and *Billboard*, and a lot of emails and telephone calls.”

Patrook (Dirty Power),  
Grand Prize Winner, West IMWS



The lower portion of the Multi window displays a number of parameters that are associated with the current channel as well as global tuning and transpose functions. There are also main-mix meters, a volume slider, three aux outs, and a virtual keyboard that triggers the patch on the current channel. The channel parameters have a filter section, which overrides the filter configured at the Voice level, and 16 assignable MIDI controllers.

### Up a Tree

Once you load a bank, you'll see a list of all the presets, samples, and multisets on your system in the Tree view. You can toggle a display of the folders' contents,

but here again, being unable to resize a window can be a problem when you have more than several files to handle. Fortunately, there are some display options that allow you to view a list of your data in the large window on the right and even sort the information in various ways.

To load a preset, click-and-drag it from the list to one of the slots, and you're ready to go. I had expected Emulator X to let me put more than one preset on a MIDI channel as does Tascam's GigaStudio, but at first I didn't see that option. Within a few moments (and a quick read of the manual), I discovered that you can link any number of presets into a group and assign the entire group to a single MIDI channel. In effect, you can have as many presets playing on one channel as you want (see **Web Clip 1** for an example of linked presets).

There's a dedicated Preset Editor in which you can make global volume and tuning adjustments and pick from one of 12 tuning tables (you can't make your own). The Preset Editor also gives access to several data processors—for example, the two Channel Lag processors, which you can use to alter a stream of control data on its way to its destination. Somewhat reminiscent of several Kurzweil K2xx series Funs, the Lag processor could be inserted between an LFO and, say, a filter cutoff, and would modulate the modulator (that is, the LFO). You can make the various routing assignments in the preset's Voice-Processing screen.

### Build Me Up

Like its hardware counterpart, Emulator X's architecture starts with a sample that, when assigned to a key and Velocity range in the Voices and Zones screen, becomes the basis for a voice. One or more voices is used to create a preset, and presets are saved in banks. Unlike the hardware sampler, you can save individual presets to disk. Each preset can contain as many as two software effects, and there are more than 100 templates to choose from that employ the 19 basic software-effects algorithms.

The Voices and Zones screen toggles among its four dedicated work areas: Mix/Tune, Key Window, Velocity Window, and Realtime Window, which are accessed by clicking on their respective buttons at the top of the display. There are an additional five windows in which you can assign various sources to control fading and switching among voices at a

**Look and sound  
like a million bucks.  
Pay only \$990.**

**DISC MAKERS®**

CD AND DVD MANUFACTURING MADE EASY



**1,000 CDs in jackets  
for only \$990.**

Package includes our award-winning, three-color on-disc printing, and full-color jackets with high-gloss UV coating.

*You'll be thrilled with how incredible your CDs look and sound when you choose Disc Makers. You get 1,000 CDs in full-color jackets for the remarkable price of only \$990. And you get them super quick. Complete your package by adding our affordable award-winning graphic design, mastering services, and promotional resources such as posters and postcards.*



**GET OUR FREE FACTORY-DIRECT CATALOG**  
**1-866-294-9013 • [www.discmakers.com/em](http://www.discmakers.com/em)**

note's start time. Each of the work areas allows for multiple methods of data entry. For example, in addition to using scroll arrows to set values for a sample's high and low key in the Key Window screen, you can type in a value or manipulate a graphic display of the sample's position (a piano keyboard appears above the display as a reference).

Also in the Key Window, you can import samples from your drive or click-and-drag them directly from the Sample folder in the Tree and adjust their pitch using the Transpose, Fine Tune, or Coarse Tune settings. You can use the Fade feature to fade the samples in a voice in or out as notes in its key range are received. The Fade feature also works for Velocity switching, which you would set in the Velocity Window. You can even configure an option for different voices to randomly crossfade by enabling that feature in the Realtime Window.

In general, working with the Voices and Zones functions is easy, but E-mu makes the job even simpler with a MIDI learn feature called IntelliEdit, which allows you to assign key ranges by pressing notes on your MIDI controller. There are also a variety of automated preset and voice-creation features. For example, if you choose the Import Sample command from the File menu and pick 50 WAV files, Emulator X will automatically create a new




FIG. 4: The Sample Editor has a number of destructive effects (shown in the drop-down insert) and is well suited for tuning loops.

preset containing all 50 samples in individual, editable voices. If you enable the Single Voice and Chromatic options, the samples will be assigned to a single voice and mapped chromatically, one sample per note, up the keyboard. That feature is a huge help for sound effects (Foley, for example) and would take hours to duplicate on most hardware samplers.



## ◀ *Everyone who knows me knows how much I love Peak.*

*It's an environment that makes me feel really creative. My DAW software is where I do my multi-tracking and it can serve as a decent environment for doing 2-track and waveform editing. But I like exiting that program to go into Peak for my sound design. Peak makes me feel like I'm going into a different room in my house.*

**BT — Composer/Producer**

[www.bias-inc.com](http://www.bias-inc.com) • 1 [800] 775-BIAS

Peak™ 4



The only snag I ran into when creating a voice was trying to access the drives on my system using the Library tab in the Tree—that dumped me out of Emulator X and closed the program. Apparently, there is a bug that con-

fuses the Emulator X file database when it tries to access external drives (I have FireWire and USB drives). E-mu is looking into the problem and expects to have a fix by the next release.

## DIGITAL AUDIO SYSTEM HARDWARE SPECIFICATIONS

E-mu's series of five products includes Emulator X and Emulator X Studio, which combine one of the Digital Audio System audio interfaces with sampling software. The table below shows the specs for 1820M, which is the hardware side of Emulator X Studio, and 1212M, which is bundled in Emulator X. Both 1820M and 1212M are available as hardware-only options, as is 1820, which is also shown below.

Model	1820M	1820	1212M
Computer Interface Type	PCI	PCI	PCI
Power	PCI bus	PCI bus	PCI bus
Sampling Rates	44.1-, 48-, 96-, 192 kHz	44.1-, 48-, 96-, 192 kHz	44.1-, 48-, 96-, 192 kHz
Maximum Sampling Resolution	24-bit	24-bit	24-bit
Analog Inputs	(2) balanced mic preamps; (6) ¼" balanced line ins; turntable input	(2) balanced mic preamps; (6) ¼" balanced line ins; turntable input	(2) ¼" balanced line ins
Analog Outputs	(8) ¼" balanced line outs; (8) ⅛" speaker outs	(8) ¼" balanced line outs; (8) ⅛" speaker outs	(2) ¼" balanced line outs
Digital I/O	ADAT (switchable to S/PDIF); coaxial S/PDIF (switchable to AES/EBU); optical S/PDIF (switchable to AES/EBU)	ADAT (switchable to S/PDIF); coaxial S/PDIF (switchable to AES/EBU); optical S/PDIF (switchable to AES/EBU)	ADAT (switchable to S/PDIF); coaxial S/PDIF (switchable to AES/EBU)
Additional I/O	SMPTE, MTC, word-clock sync; (1) ¼" stereo headphone; FireWire (data or video only)	optional sync; (1) ¼" stereo headphone; FireWire (data or video only)	optional sync; FireWire (data or video only)
Mic Preamp	(2) TFPro mic preamps with 48 V phantom power and Neutrik connectors	(2) TFPro mic preamps with 48V phantom power and Neutrik connectors	none
MIDI	(2) In, (2) Out	(2) In, (2) Out	(1) In, (1) Out
Effects	16	16	16
Total Harmonic Distortion	-110 dB (1 kHz @ -1 dBFS) inputs; -105 dB (1 kHz @ -1 dBFS) outputs	-102 dB (1 kHz @ -1 dBFS) inputs; -98 dB (1 kHz @ -1 dBFS) outputs	-110 dB (1 kHz @ -1 dBFS) inputs; -105 dB (1 kHz @ -1 dBFS) outputs
SNR Ratio	111 dB input; 112 dB output	120 dB input and output	120 dB input and output
Price	\$699	\$499	\$299

# Resource.




B&H **Pro Audio** is your resource for brand name gear, in-depth information, and comprehensive product support. On site at our newly expanded New York Superstore, come test drive the latest in microphones, studio monitors, and desktop audio technologies. Online, visit our interactive Web site, [bhproaudio.com](http://bhproaudio.com).



## B&H Pro Audio

For more about B&H Pro Audio, call us toll free at 800-871-3872, click to [bhproaudio.com](http://bhproaudio.com), or visit us at 420 Ninth Avenue, New York, NY.

Check out all the in-depth product and technology information you can handle in our two-volume, 1,500 page Pro Audio Hardware & Software SourceBook.



## Up Close

Emulator X has a built-in sample editor that can perform many basic and even some complex tasks, which means that you don't have to exit the program to tweak your audio files. Double-click on a sample from the Tree list and the Sample Editor window opens, revealing a large, zoomable waveform display (see Fig. 4). Sample Editor is optimized for looping operations and also has various destructive-editing functions. Transport controls have the usual options.

Among the more interesting processing functions is the time-stretch/compress feature, which has 12 stretch/compress algorithms and produces clean stretches to its maximum 200 percent length. Even performing multiple stretches at the maximum setting in succession produced fewer artifacts than I'm accustomed to hearing. You can adjust the timing ratio using percent (step increments are one-tenth of one percent), file length, or tempo (beats per minute). You can also export your files in WAV or AIFF format if you do need to use other editing software (there are no hot links to open other software).

A number of professional features—such as allowing different curves for the beginning and end of a fade—make Sample Editor a versatile tool, but it would be great to have support for VST plug-ins from that work area. That would be especially helpful if, for example, you wanted to apply destructive effects such as reverb, delay, and chorus to your samples. You can build these effects into your presets or bus Emulator X's output to PatchMix channels containing the effects you want. (A preset Session has that configuration.)

It is worth noting that Emulator X does something that many other soft samplers don't: it samples. And although you cannot resample directly from within the Emulator X main screen, it is trivial to set up a routing from PatchMix back to Emulator X's Acquire Samples screen, where you'll find the system's recording feature.




FIG. 5: The Voice-Processing screen is at the heart of the Emulator X's programmable parameters. You can save presets from each processing module.

## Find Your Voice

The next level up is the Voice Editor, which offers a vast array of synthesis options, including three envelopes (one hardwired to amplitude and the others freely mapable), two multiwave LFOs, filters, an amplifier, and an extensive modulation matrix (see Fig. 5). There are also controls to delay a note's start time, chorus and glide effects, and a variety of tuning options. All of the functions are laid out in a single, neatly organized screen, and several of the controls have a visual display of their settings, although only the envelopes (which have six segments and segment times to a maximum of 136 seconds) can be edited graphically. There's no on/off button for the LFOs—a silly oversight—but if you set their tempo control to external and don't send a timing signal, it serves the same purpose.

E-mu has implemented the exact code for its filters that is used in its hardware, and that alone would be worth the price of admission. Filter settings, like those of all the other components, can be saved independently of the voice you're modifying and used where needed. There are 12 unique filter types that are configured into 53 different filter presets, and their range is extraordinary. Steep, 6-pole lowpass; phasing comb filters, AM-radio emulations; sweeping, vintage effects of all varieties; and much more are available, each subject to a time-varying Morph and Gain setting that adds even more flexibility. Four of the filters implement E-mu's well-known morphing capability, which lets you move between two completely different filter settings as a note plays using various control sources.

The Voice Editor is also home to the Modulation Cords patching area. Here again, E-mu has carried over the concept of Cords from its hardware. Put simply, Cords carry modulation sources to their destination and can be modulated (the amount of control, for example) in their own right. The

## PRODUCT SUMMARY

### E-MU Emulator X Studio

Emulator X Studio  
audio interface and sampling  
system  
\$799

Emulator X  
audio interface and sampling  
system  
\$399

#### OVERALL RATING (1-5): 4.5

**PROS:** Well-integrated hardware/software combination. Huge included sound library. Excellent audio specs.

**CONS:** No VST plug-in support in sampling software. Nonresizable windows.

#### MANUFACTURER

E-mu  
www.emu.com

patching system is extremely easy to use—a source on the left is mapped to the destination on its right—and in addition to various MIDI controllers, envelopes, and LFOs, you'll find some unusual control sources (Flip-Flop, Quantizer, and Diode, for example) that perform different types of processing on a control signal before it reaches its destination.

### All Preset

No soft instrument would be complete without its presets, and E-mu has gone all out in this area. Emulator X ships with four CDs full of sounds, including a two-disc grand piano, a hip collection of loops and one-shots called Beat Shop One, the Hip Hop Collection, and the Proteus Composer, which contains the entire library (samples, presets, and all) from the Proteus 2000 (a review of the Proteus 2000 is available online at the EM Web site). There's also the St. Thomas string library and a General MIDI set. It would be great if E-mu provided vocal samples and the Proteus World Collection in a future release.

The huge piano collection has numerous multisampled grands (concert, stage, and the like) and some novelty instruments such as Chorused Piano. There are also several combinations of piano and strings. If you don't have a top-quality piano library in your collection, it will be more than adequate.

The Hip Hop collection has all of the expected hits and scratches, plus some unique presets such as All Snares, which maps 31 different snares across the keyboard in a multisample. All Kicks and All Hats and Cymbal have similar setups. Beat Shop is probably my favorite collection. It offers percussion grooves under the control of tuned filters that progress from I to IV to V and others that use LFOs timed to tuplet ratios of the groove's beat; pretty unusual stuff.

The space allotted doesn't permit a more in-depth examination of the presets, but the package is an excellent mainstream library with more than a few twists. Check out the EM Web site for examples

of presets that I created (see **Web Clips 2** and **3**).

### Compared to What?

There are a lot of software samplers on the market today, but E-mu is the first of the major hardware manufacturers (Kurzweil, Yamaha, and Roland) to bring its sampling expertise to the desktop. Not surprisingly, the many years of producing high-quality hardware has paid off in the current system. Emulator X is a mature and well-planned workstation. This applies across the board, from its excellent documentation, which is full of usage tips and background material, and the large number of Session configurations to the overall stability of the system. Even the AudioDock breakout box is an attractive and solid-feeling piece of gear.

I've reviewed a lot of products over the past ten years but have never felt a review simply scratched the surface more than this one. There are numerous important aspects of Emulator X that, due to space constraints, this review doesn't cover. Check out the PDF manual online at E-mu's Web site, and you'll see what I mean. What's more, E-mu claims to have big plans for the system, including better integration with VST hosts, more effects, and additional sound libraries. One company representative told me that everything the company had recorded in the last three years was done with Emulator X in mind, and even as I was reviewing the system, software updates appeared at the Web site, and a new collection of sounds, called Beat Shop Two, showed up at my door.

If you already have a software sampler and just need a new audio interface, you can check out the other options that E-mu offers. But for a little more money, Emulator X Studio has one of the top soft samplers on the market in a well-integrated bundle with professional hardware. Either way, the new series from E-mu has something for everyone.



EM associate editor Dennis Miller lives in the suburbs of Boston.

## ANNOUNCING

ENTERTAINMENT TECHNOLOGY

## eClassifieds

**Reach more  
than 800,000  
web visitors!**

**Equipment for Sale!**  
**Buy • Sell**

**Jobs!**  
**Find • Post**

The Entertainment  
eClassifieds are the  
user friendly, affordable  
way to connect buyers,  
sellers, job seekers and  
employers.

Don't pay fees for auction  
sites, for a limited time

**eClassifieds  
are FREE!**

- Immediate response
- Sell your gear to an interested market
- Post items yourself, anytime with self-service tool
- Include a photo, audio or video file
- Power search capabilities

**Find what you  
need, sell what  
you don't!**

**Hit the eClassifieds  
link at  
emusician.com**

## LINE 6 Variax 700 Vetta II Combo

### A guitar and amp that create an unlimited variety of tones. By Rob Shrock

Line 6's Variax 700 is an electric guitar that emulates 28 separate guitar models or similar stringed instruments. The Vetta II Combo provides the power of two PodXT Pros in an open-back, 212 combo amp. Separately, the Variax 700 and Vetta II are very powerful; when connected, they provide a mind-blowing palette of guitar tones.

The combination of Variax and Vetta II could be a godsend for guitarists who record at home where space is limited and noise can be a problem. The system can replace a studio full of guitars, effects, pedals, and amps. It also allows you to record massive-sounding tones using headphones for monitors. You can take this minimal setup to a gig and have a virtual encyclopedia of guitar and amp combinations at the touch of a button.

#### Variax 700

The Variax 700 (see Fig.1) uses a piezo pickup built into the bridge to capture string vibrations. (There are no electromagnetic pickups.) A built-in DSP chip modifies the signal to match one of a number of painstakingly modeled guitars. There is a negligible delay (under 2 ms) in processing.

The Variax is not a MIDI guitar or guitar synth. It responds to a player's touch the way any other electric guitar does, albeit with a large collection of personalities culled from some of the most popular guitars in history.



FIG. 1: The Variax 700 achieves its wide range of guitar emulations by using a piezo pickup built into the bridge. A built-in DSP chip processes the signal and transforms it into one of 60 models.

Dynamics, hammer-ons, pinch harmonics, and false harmonics sound just as they do on other guitars. Even E-bows work, although bowing closer to the pickup doesn't affect the Variax's output as it would with a traditional electric guitar. The Variax sounds like each modeled guitar's output before any processing or amplification occurs.


The Variax has three knobs: Volume, Tone, and a Model Selector. The Volume and Tone controls for each model have been tailored to emulate the controls of the original guitars as closely as possible. The Model Select knob has 12 positions, each of which holds a bank of 5 models, for a total of 60 models. You can select a model from each bank by using the 5-position pickup selector. Two of the banks store your favorite presets. Oddly, those two banks are situated in the first and last preset positions, with the ten preset banks in between them.

Line 6's terminology requires some getting used to. For example, the Les Paul bank is called Lester and the Strat bank is called Spank. The model indicator is hard to see in certain lighting conditions; I put a small piece of white gaff tape on the guitar body to help identify the indicator's location. The text on the Model Select knob is small and difficult to read. I wish that the pickup selector were in a different location. I had to retrain myself from strumming broadly on this guitar, because I kept knocking the selector to the down position.

#### Juice Use

Because of its built-in DSP, the Variax must be powered to generate sound. If you connect the Variax to the Vetta

# GET YOUR COPY OF THE ULTIMATE GUIDE TO HOME STUDIO GEAR



## ON SALE NOW!

Find the PSBG on newsstands wherever Electronic Musician is sold, or call 800-245-2737

FREE FOR EM SUBSCRIBERS!

amp using the guitar's RJ-45 output, the Variax will receive power from the amp. If you want to use the Variax simply as a guitar with other amps, you can install six AA batteries, which will provide approximately 12 hours of operation. (Unplugging the guitar cable when not playing extends battery life.) Or you can connect the Variax to the XPS footswitch with a TRS ¼-inch cable. (Both are included with the guitar.)

Besides providing power to the guitar, the XPS functions as a direct box, sending the full-frequency guitar signal out the unit's XLR jack when the footswitch is pressed. This is useful especially for the Variax's modeled acoustic guitar sounds, which many players will want to send directly to a mixing board. One problem with this setup is that the XPS's 12-foot AC power cable houses an inline converter positioned right in the middle of the cable's run. I stepped on or kicked it several times during rehearsals, once knocking the power out of the XPS.

Most of the models are impressively accurate representations of the basic tone and response of the original guitars. Many models provide the sounds of individual bridge, neck, and combined pickup positions. I especially liked the Telecaster, Gretsch, Danelectro, and Les Paul models. The Gibson and Epiphone semihollow bodies sounded authentic as well. The Coral Sitar model will have you playing '60s-style Indian-sounding licks in no time, even if the G string on this model was noticeably louder than the other strings. I enjoyed the wide variety of timbres in the Variax.

Although the Variax is a powerful instrument in its own right, I didn't care for the sound of a few guitar models. In particular, I was disappointed with the 1959 Strat model, which is modeled in all five pickup positions. I sensed that

some envelope shaping had been used in an effort to give the sound the fast decay *sploing* that makes a real Strat so good for R&B music. I tended to go for the Telecaster model when I was looking for a single-coil sound, and I was usually happier with that choice. The 12-string models use pitch shifting to create the octaves, and the effect is apparent. The acoustic models were pretty good, sounding a lot like acoustic guitars with piezo pickups pumped

through a PA. Hopefully, Line 6 will continue to refine the models and perhaps offer even more choices in the future.

## Stage and Studio

For live gigs, most of these deficiencies are more than tolerable in exchange for the guitar's flexibility. I would not hesitate to use an acoustic model for the intro of a song before switching to the electric sound at the chorus in a live setting. The same goes for the occasional 12-string or Dobro passage. I would not use the Variax

for those sounds on a recording, however, unless I was going for something with lots of effects. Those models are just not authentic enough in an exposed setting. But I would have no problem using most of the 6-string electric sounds on a critical recording.

The Variax 700 itself is well crafted and better than the original Variax 500. My review model, however, was in need of intonation- and string-height adjustments. (According to Line 6, the Variax is now set up and intonated properly when shipped.) After adjustments, the guitar played well.

The Variax can be modified somewhat for those with different tastes. The Strat-style neck can be replaced with a comparable neck without any compromise in the Variax's functionality. Replacement necks are available from Warmouth. (For more information about replacements, visit [www.line6.com](http://www.line6.com).) You can install other modifications, such as the Earvana nut or Feiten tuning systems. Even without those mods, the Variax has become a favorite of mine.

## Vetta II

The Vetta II (see Fig. 2) is a 212, 150W combo amp that is roughly the size and weight of a Fender Twin. It contains two separate 75W channels, allowing you to create two entirely different amps in the same physical enclosure. You could stack a Vox AC-30 and a Marshall J-900 on top of each other for that classic dirty and clean sound combination. The amp tones can be panned to any position in the stereo field. An extension cabinet can be connected to the Vetta II, letting you treat each physical cabinet as a completely different amp rig. The Vetta II can also get quite loud. I have yet to push it close to its limits for fear of

### PRODUCT SUMMARY

#### Variax 700 LINE 6 Vetta II Combo

Variax 700  
digital-modeling electric guitar  
\$1,899.00 (black)  
\$2,099.99 (other colors)

OVERALL RATING [1 THROUGH 5]: 4

Vetta II Combo  
digital modeling guitar amp  
\$2,399.99

OVERALL RATING [1 THROUGH 5]: 4

PROS: System provides a virtual collection of coveted guitars, amps and effects. Most models sound close to the originals. When connected there is no hum or buzz. Variax guitar plays well and can be customized. Vetta II is versatile, loud, and sounds good. Built-in effects cover most of the bases.

CONS: Variax must be powered to operate. Model indicator is hard to see. Pickup selector is easily bumped when strumming. Vetta II digital outputs lack depth of a miked cabinet. Both are expensive.

### MANUFACTURER

Line 6, Inc.  
[www.line6.com](http://www.line6.com)



FIG. 2: The Vetta II contains two separate 75W channels that operate independently, which is like having two of Line 6's PodXT Pros in a 150W combo amp.

# Don't Miss The **MUSICIAN'S HOTEL**

Presented at SXSW by:

## Electronic Musician<sup>®</sup> Mix **Remix**

### Three Days of Music Gear Immersion

The Musician's Hotel at SXSW will provide hands-on access to technology and equipment used to create today's music

Includes: Live demos, workshops,  
clinics and discussions

Presented at the Hilton Hotel across from the  
SXSW Convention Center • March 16-18, 2005

Free admission to registered SXSW attendees

**[www.musiciansshotel.com](http://www.musiciansshotel.com)**

Sponsored by

**SHURE**

and

**MACKIE<sup>®</sup>**



FIG. 3: A line-level effects loop and digital interface with both AES/EBU and S/PDIF digital inputs and outputs are accessed on the Vetta II Combo's rear panel.

breaking glass. (For those who need even more power, the Vetta HD is a separate 300W head and 412 cabinet system.)

There are no vacuum tubes in the Vetta II, but it offers all the functionality of the PodXT Pro (it's actually more like two PodXT Pros, since Amp 1 and Amp 2 can be programmed independently of each other). The Vetta II also adds more stomp boxes (three at once instead of one), more post-amp processing, and more flexible routing. The elaborate interface is a bit daunting at first because of the

amount of buttons and lights. Once you learn the layout of the Vetta II, however, you'll appreciate its capabilities. A free editor/librarian called Line 6 Edit (Mac/Win) makes programming and managing patches a breeze.

## Amp Vault

The Vetta II Combo contains 73 detailed amplifiers; 27 cabinets; 8 distortion stomp boxes; 15 modulation pedals and effects; 12 analog, digital, and tape-based delays; 6 stompboxes and processors for dynamics; 12 synth and filter effects; and a variety of studio effects (some the same as the stompboxes) designed to be applied after the amp tones. The sounds of many of these modeled classics have shown up on countless records over the past few years courtesy of other Line 6 products, so the Vetta II has a bit of pedigree.

At first I was disappointed in the Vetta II's factory presets. The preset sounds are overprocessed to show off the amp's capabilities. But once I started building up my own tones from scratch, I appreciated the power, flexibility, and quality of the amp. Most of the amps and cabinets sounded great.

I liked most of the effects, although I wasn't able to get some of the stompboxes to sound as much like the originals as I wanted. In those instances, I moved on to a different effect until I found a sound that I liked. Considering all of the variables—choice of guitar, amp model, cabinet, effects, routing, and so on—it's possible to get just about any sound, as long as you have the patience to do it. A programmable line-level effects loop (see Fig. 3) allows you to inject your favorite effects into the system.

The Vetta II ships with a digital interface card that provides AES/EBU and S/PDIF digital inputs and outputs at a maximum 24-bit, 96 kHz resolution. Recording with the Vetta II's digital outputs is similar to recording digitally with a Pod. It's not my favorite method, but the speaker emulation is good and many users like the sound. The digital I/O can also be used as a digital effects loop (replacing the analog effects loop) or for reamping a recorded signal.

I had more success recording the Vetta II with dynamic, condenser, and ribbon mics. Varying the mics and employing different amp and guitar settings resulted in recordings that truly sounded as though entirely different guitar rigs were employed.

## VETTA II COMBO SPECIFICATIONS

Audio Inputs	¼" analog; proprietary CAT-5 from Variax; AES/EBU and S/PDIF digital
Speaker Connections	(2) left/mono; (2) right
Controller Input	(1) RJ-45 jack for foot controller
MIDI	In, Out
Amp Models	73
Maximum Simultaneous Amp Models	2
Cabinet Models	27
Effects Models	85 (11 simultaneous)
Presets	128 (64 user, 64 factory)
Power Section	150W
Speakers	(2) 12" Celestion G12H-90
Dimensions	29" (W) × 20" (H) × 10.1" (D)
Weight	65 lbs.

## VARIAX 700 SPECIFICATIONS

Audio Output	¼" TRS analog; proprietary CAT-5 digital
Pickups	piezo, in bridge
Body	carved ash over mahogany; solid carved mahogany (black finish models)
Neck	maple with rosewood fingerboard
Scale Length	25.5"
Fingerboard	radius 10"
Controls	volume, tone, model select
Power	(6) AA batteries, (1) 9V battery, or AC with XPS footswitch
Weight	7 lbs. (approximate)

I also tested the optional FBV Foot Controller (\$599), which is the largest of four compatible pedal boards that connect to the Vetta II with RJ-45 cables. The FBV comes with dedicated volume and wah pedals. Eighteen buttons are well laid out for changing patches, turning the separate amps and effects on and off, and providing access to the built-in tuner.

## Tandem Notes

When the Variax is plugged into the Vetta II using the included RJ-45 digital cable, patches stored in the amp can contain the specific guitar model information, which can be loaded back into the Variax. In that mode, whenever the model knob or pickup selector is moved, the new guitar model is immediately selected. (Line 6's upcoming Variax Workbench will allow users to build guitar presets with alternate tunings and capo settings.)

Another huge benefit to using the Variax and Vetta II as a system is that there is absolutely no hum, buzz, or other interference noise. It was almost disconcerting to have a cranked-up single-coil sound with full-on distortion and not hear any pickup garbage. But I quickly got used to it, and became acutely aware of the noise in my other guitar-amp rigs.

The system is not perfect. A few of the Variax models leave room for improvements, especially the 12-strings. The Vetta II digital outputs don't sound nearly as good as the sounds you can get by miking the cabinet. The system is expensive (street prices are significantly lower). The only way to get any closer to owning this large a collection of tones is to spend hundreds of thousands of dollars.

An intangible symbiosis exists between the Variax and Vetta II that makes the sum greater than the parts. The Variax and Vetta II are formidable in their own right and are legitimate tools in a guitarist's arsenal. As a system, there's no comparable guitar rig that comes close in the versatility department.

*Rob Shrock recently worked on releases for Aretha Franklin, Ronnie Isley, and American Idol II. He has recorded and/or performed with Burt Bacharach, Elvis Costello, Sheryl Crow, Dionne Warwick, and David Foster, among others. Visit him at [www.robshrock.com](http://www.robshrock.com).*

# ANNOUNCING SEMINARS ON DEMAND!



## YOUR TIME. ANYTIME. ONLINE.

Audio Production Seminars On Demand are an exciting new medium for experiencing new products, applications and techniques. Sharpen your music production skills on your time, anytime. Log on to learn more:

[mixonline.com](http://mixonline.com) | [emusician.com](http://emusician.com) | [remixmag.com](http://remixmag.com)

PRESENTED EXCLUSIVELY BY

Electronic Musician

MIX

REMIX

E X P L O R E  
T H E N E W

e

musician

[www.emusician.com](http://www.emusician.com)

exciting new interface

content category searches

useful downloads and links

product news and articles

bookmark [www.emusician.com](http://www.emusician.com) today

ADVERTISERS—Contact your sales representative to be part of the relaunch of emusician.com!

FIG. 1: The Command|8 control surface features 100 mm motorized faders, rotary encoders, transport controls, and a battery of special-purpose buttons and LEDs.



## DIGIDESIGN Command|8

### Hardware-controller mixing for Pro Tools just got better.

By Nick Peck

igidesign's new, USB-based Command|8 combines an 8-channel MIDI control surface, a MIDI interface, and a stereo monitor. Command|8 requires Pro Tools 6.4 and works with all compatible hardware systems, including Pro Tools Mix, HD, HD Accel, Mbox, 001, 002, and 002 Rack. Version 6.4 TDM and LE software for both OS X and Windows XP are included, which is a nice freebie for those who haven't already upgraded.

Command|8 is a direct descendant of the previous Digidesign-Focusrite controller products Control|24 and Digi 002. Its eight channels offer a window into eight Pro Tools tracks at a time. From within Pro Tools, Command|8 offers three modes: Home View, in which the eight channels are used for standard volume and panning; Console View, in which the rotary knobs are used to control sends and inserts; and Channel View, in which all the controls are used to edit parameters for a single plug-in on the selected channel. Transport and zoom controls, some Pro Tools command- and key-stroke-equivalent buttons, and a stereo analog monitoring system are also part of the design. A 1-in/2-out MIDI interface is thrown in for good measure.

#### Channeling In

Each of Command|8's identical channels includes a touch-sensitive, 100 mm motorized fader; mute and solo buttons; a multipurpose Channel Select button; and a rotary encoder (often called a 360-degree knob). The encoder is surrounded by a ring of LEDs that mark its current position. A 5-segment LED ladder for level metering is at the top of each channel strip (see Fig. 1).

The faders feel smooth, without any spurious chatter. In the default Home View, the Channel Select button highlights the channel's currently assigned track in Pro Tools. When the record-arm (Rec) button is pressed, the Channel Select button then toggles arming of the current track for recording. In Console view (in which sends or inserts are displayed), pressing Channel Select will bring up the channel's send or insert information for editing.

One of the coolest features of MIDI controllers is being able to edit plug-in parameters directly from the control surface. Command|8 does not disappoint in that area. The plug-in editing process is slick and intuitive. Selecting a plug-in for editing takes three keystrokes: press the Insert button, then the Channel Select button for the track, and then the Channel Select button under the name of the desired plug-in. Dedicated EQ and dynamics buttons narrow the selections to plug-ins of those types. Once a plug-in is selected, the first eight

# BAND-IN-A-BOX®

Program for  
Windows® &  
Macintosh

## 2005 FOR WINDOWS® IS HERE!

electronic Musician

Attention Macintosh Users: Band-in-a-Box 12 for OSX is HERE!

EDITORS' CHOICE

### INTELLIGENT MUSIC SOFTWARE FOR YOUR PC OR MAC IS HERE!

**Band in a Box 2005 for Windows® is here—Automatic Accompaniment has arrived!**

The award-winning Band-in-a-Box is so easy to use! Just type in the chords for any song using standard chord symbols (like C, Fm7 or C13b9), choose the style you'd like, and Band-in-a-Box does the rest... automatically generating a complete professional quality five instrument arrangement of piano, bass, drums, guitar and strings in a wide variety of popular styles.



### NEW FEATURES IN BAND-IN-A-BOX 2005 FOR WINDOWS®

There's a new fully-featured **Piano Roll Window**, similar to the type found in many sequencer programs. This allows you to edit the Melody or Soloist tracks with greater ease and precision.

The Guitar window is enhanced, and now supports **Alternate Guitar tunings**, including DADGAD, Drop D, Double Drop D, Open G and 11 others, including Nashville High Strung tunings! Guitar bends now show up in real-time on the guitar fretboard.

New 3, 4, and 5-part **Jazz Harmonies** are added with voicing in Fourths.

"Auto Endings" are added for styles that don't have endings, such as styles made from MIDI files. **Synthesizer Patch file lists** (.PAT files) can now be made easily by converting PowerTracks or Cakewalk patch lists.

"Jazz Chord-Symbol Graphics" (triangles for major, circles for diminished and a circle with a slash for half-diminished) are now supported. A new "Vocal Wizard" displays and transposes to the best song keys for your vocal range.

Editing of the Audio Track is now **non-destructive**, so changes only become permanent if you save the file. The TC-Helicon Audio Harmonies have been enhanced with **Vocal Pitch-Styles** (automatic "Vibrato" and "Scooping") that can be added to the vocal harmony parts. **Multiple sound cards are supported**—you can now choose which sound card to use. **Full Stereo or Mono support** has been added for the Audio Track. There are now on-screen **VU meters** to monitor the Audio Track.

**Multiple lines of Lyrics** are now supported on the Fake sheet and Printout. Chords and

Lyrics can be displayed on separate lines on the Big Lyrics Window. A new **Play-Loop** feature allows you to select an area and play it in a repeated loop.

The SongPicker can display in subfolders, and you can add styles to the StylePicker. Karaoke files (.KAR) can now be read directly, including lyrics and analysis of chord symbols... and much more.

...one of the few music products  
that sits in the "must-have" category."  
Sound On Sound

"...repeatedly surprises  
and delights you."  
PC Magazine

### NEW! Styles Sets for Band-in-a-Box... only \$29 (each)

#### NEW! Styles Set 44: Unplugged 2... only \$29

Styles Set 44 includes twenty new styles featuring acoustic and electric guitars.

#### NEW! Styles Set 45: Southern Rock... only \$29

This great new set features 20 brand new Styles based on the feels of the great Southern-Rock bands such as SteveE, Alab, LynrydS, AllmBro, Creedence, LosLob, LFeat, and more.

#### NEW! Styles Set 46: Requested 4... only \$29

This set features more great styles suggested by our customers along with new fretboard styles that take advantage of the new Fretboard Tunings available with Band-in-a-Box 2005.

#### NEW! Styles Set 47: Contemporary Country 2... only \$29

Features 20 great new crossover styles with live drums, live MIDI guitar, driving bass, and contemporary keyboard sounds. Includes: Country, Folk, Gospel, Soul, R&B and more.

### NEW! Soloist Sets for Band-in-a-Box... only \$29 (each)

#### NEW! Soloist Set 16: Saxophone... only \$29

Create an unlimited number of Swing and Modern solos specifically for the nuances of the saxophone.

#### NEW! Soloist Set 17: Trombone... only \$29

Older Swing and Modern trombone soloing. Instantly generate a Trombone solo in the style of the 30s and 40s players or choose a contemporary Jazz approach with some inside-outside playing.

### Video Guitar Lessons—"PLAY LIKE THE PROS"... only \$19 (each)

Each volume of this series features hours of video instruction by master guitarists. Each program includes on-screen video guitar fretboard, transcribed notation, tab and complete printout. Lessons include riffs, songs, tips, techniques and guitar settings—everything you need to learn to play like the pros.

- ✓ NEW! Essential Blues Guitar Vol. 1: 101 Riffs 5 hrs. video
- ✓ NEW! Essential Blues Guitar Vol. 2: 20 Tunes 2 hrs. video
- ✓ NEW! Essential Rock Guitar Vol. 1: 101 Riffs 5 hrs. video
- ✓ NEW! Essential Rock Guitar Vol. 2: 20 Tunes 2 hrs. video
- ✓ NEW! Essential Jazz Guitar Vol. 3: 20 Tunes (Comp'ing) 2 hrs. video



### Other Add-ons for Band-in-a-Box

- ✓ Styles Set 4-43: Various .....only \$29 (each)
- ✓ Soloist Sets 2-11 .....only \$29 (each)
- ✓ "Artist" Soloist Sets .....only \$29 (each)
- ✓ Melodist Sets 2 & 3 .....only \$29 (each)
- ✓ NEW! Video Guitar Lesson Series: Various .....only \$19 (each)
- ✓ 101 Essential Phrases for Band-in-a-Box: Various .....only \$19
- ✓ Band-in-a-Box Video Tutorial PAK .....only \$29

"an  
incredible  
program"  
Jazz Education  
Journal

"4-Star  
Rating"  
MacWorld

"Editor's  
Choice"  
Electronic  
Musician

"Technical  
Excellence  
Finalist"  
PC Magazine

### BAND-IN-A-BOX PACKAGES...

#### Band-in-a-Box Pro ONLY \$88

The latest version of Band-In-a-Box, includes 150 Styles, Soloist Set 1, and Melodist Set 1.

### SPECIAL VALUE PAKS...

#### Band-in-a-Box MegaPAK ONLY \$249

This is "the works," a premium value Band-in-a-Box package! Includes the latest version of Band-in-a-Box PLUS Styles Sets 0-47, Soloist Sets 1-11, 16 & 17, Melodist Sets 1-5, and The Band-in-a-Box Video Tutorial PAK.

Features listed are for Windows® version.  
Macintosh® users: for a full list of features,  
please visit [www.pgmusic.com/band.htm](http://www.pgmusic.com/band.htm)

**PG music**

PG Music Inc. • [www.pgmusic.com](http://www.pgmusic.com)

29 Cadillac Ave., Victoria, BC V8Z 1T3 CANADA

Phone (250) 475-2874 • (800) 268-6272

**(888) PG MUSIC**

[www.pgmusic.com](http://www.pgmusic.com) • [sales@pgmusic.com](mailto:sales@pgmusic.com)

Fax (250) 475-2937 • (888) 475-1444

DOWNLOAD IT  
NOW !!!

parameters are displayed, which can then be edited with the corresponding rotary encoders. On/off parameters are toggled with the Channel Select buttons. If more than eight parameters are available, Page Back and Page Forward buttons access the additional parameters. A Master Bypass button allows you to optionally bypass the plug-in during editing. A single keystroke exits plug-in editing, returning Command|8 to its default mode.

## Beam Me Up

Command|8's transport control puts commonly used navigation commands at your fingertips. Standard tape-transport controls (return to zero, rewind, fast forward, stop, play, and record) are laid out in a row of large, oval buttons. Loop Play, Record Toggle, Quick Punch, and Memory Location Window buttons are located just above. To the left of those buttons are buttons to bring the mix, edit, and currently selected plug-in windows to the foreground.

Large buttons labeled with arrows help with primary system navigation. Above those are Bank, Nudge, and Zoom toggle switches. The Bank and Nudge switches shift the focus of Command|8's faders by one or eight Pro Tools tracks, respectively. The Zoom switch changes the function of the navigation buttons to horizontal and vertical track zooming.

The transport section includes a Flip switch, which swaps the functions of the rotary encoders and the faders. There is also a Master Fader switch, which focuses the Command|8's faders on all masters used in your Pro Tools session. The Flip switch is particularly handy for creating plug-in automation using the faders.

Command|8 has dedicated buttons for the computer's Enter and Undo functions as well as for the modifier keys Shift, Option/Alt, and Ctrl/Cmd. While they don't obviate the need for a dedicated computer keyboard, they do enhance productivity.

## Now Hear This

Like its predecessors, Command|8 includes a rudimentary analog monitoring system. It offers two sets of stereo inputs and one pair of stereo outputs on the rear panel, all using +4/-10 dB, TRS-balanced ¼-inch jacks. There's also a ¼-inch headphone output with level control on the front panel. The output section includes a Master Level knob, Mute button, Main External source switch, and a Mono button, which is useful

for catching potential phase problems in a stereo mix. Although it's bare bones, the system delivers the basics for someone working completely "in the box."

Command|8's rear panel is a bit sparse (see Fig. 2). It includes audio-monitor inputs and outputs and a USB port. Like the Digi 002, Command|8 includes a MIDI interface with one input and two output ports. A socket to connect the heavy-duty external power supply and a ¼-inch jack for a punch-in pedal complete the rear panel.

## Mixing It Up

Some people prefer mixing with a mouse, and some don't. I fall firmly in the latter category, craving the feel of hardware faders and knobs to create complex automated mixes. For that, Command|8 delivers the goods. Setting up and configuring the unit is easy; I simply plugged in the USB and power cables, specified the Command|8 in the Pro Tools peripherals dialog, and started mixing, without ever cracking the manual. I have berated Digidesign in past reviews for releasing buggy hardware and software, but the Command|8 worked perfectly—right out of the box. The faders are smooth and responsive and don't have any of the fader chatter that I've experienced with other controllers. Digidesign based the Command|8's ergonomics and layout on the 002 and Control|24; if you have used either of those products, you'll feel right at home.

Command|8 has a standalone mode, in which it functions as a generic programmable MIDI controller. Eight custom MIDI maps can be stored in the unit, allowing you to configure the faders, knobs, and some of the buttons to generate MIDI continuous controller messages. I was able to quickly and easily teach Reason to respond to Command|8, but I could get only the faders, mute and solo buttons, and pan knobs to work. Unfortunately, I could not get the transport controls to work, because they are hardwired to send standard MIDI Machine Control messages. It would be nice to be able to configure the transport controls to transmit continuous controller values.

## PRODUCT SUMMARY

### DIGIDESIGN Command|8

MIDI control surface

\$1,295

OVERALL RATING (1 THROUGH 5): 3.5

**PROS:** Clean, intuitive layout. Easy to set up and use. Seamless integration with Pro Tools. Smooth, responsive touch-sensitive faders.

**CONS:** No shuttle mode. No automation mode selection. Can't connect multiple Command|8s together. No talkback section in monitoring system. No readily available configurations for non-Pro Tools software.

### MANUFACTURER

Digidesign, Inc.

[www.digidesign.com](http://www.digidesign.com)

## COMMAND|8 SPECIFICATIONS

Audio Outputs	(2) +4 dBu / -10 dBu ¼" TRS jacks
Audio Outputs	(2) +4 dBu / -10 dBu ¼" TRS jacks
Audio Inputs	(2) main: +4 dBu / -10 dBu ¼" TRS jacks (2) ext source: +4 dBu / -10 dBu ¼" TRS jacks
Additional Ports	(1) MIDI In, (2) MIDI Out, (1) USB, (1) footswitch
Power	external power supply (U.S., Japan, EU, UK)
Dimensions	16.375" (W) × 4.75" (H) × 17.12" (D)
Weight	11.3 lbs.

Command|8's standalone mode is useful as a secondary mode of operation, but I would not recommend it as a replacement for products such as the Mackie Control Universal. It is designed to be used primarily with Pro Tools, and standalone mode is an afterthought. That mode would be more useful if third-party manufacturers included Command|8 MIDI configurations with their software. If you mainly use Logic, Digital Performer, Cubase, or Cakewalk Sonar with Pro Tools hardware, you'll do better with competing MIDI controllers.

### All That Glitters . . .

Command|8 is also missing other features. There is no shuttle mode, even though the large navigation buttons would work well for that purpose. You cannot select automation modes, which is a shame because Command|8's *raison d'être* is automation-based mixing. The monitoring system could use a dim button, a talkback section, and a set of aux outputs. Unlike some other MIDI controllers, you cannot connect multiple Command|8s together, nor has Digidesign announced additional fader pack expansions. You can, however, use one Command|8 in conjunction with a Control|24, Pro-Control, or Digi 002.

Command|8 is a good fit for existing owners of Pro Tools systems who have a limited budget and desktop space. But the Command|8's greatest competition comes from within



FIG. 2: The Command|8 rear panel includes audio and MIDI I/O jacks as well as USB and footswitch input jacks.

Digidesign—for about \$1,000 more, the Digi 002 delivers all the same capabilities, as well as an excellent-sounding 96/24 Pro Tools LE system complete with standalone digital mixer. On the other hand, if you have a TDM system, have a 001 or an Mbox, primarily work within Pro Tools, and are looking for faders, then Command|8 fits the bill.

Digidesign has delivered a solid and worthy performer in Command|8. Its layout, feature set, and ease of use greatly improve the efficiency and fun of working within Pro Tools. If Pro Tools is your primary work environment and you don't already have a Control|24, Pro-Control, or Digi 002, check out Command|8. You'll wonder how you ever got by when using a mouse.

*Nick Peck creates sound for film and games, teaches Pro Tools, funks it up on the Hammond organ in the wee hours, and is about to become an expert in diaper changing. Email him at [nick@perceptivesound.com](mailto:nick@perceptivesound.com).*

## If You Liked Us Before...

# You're Gonna Love Us Now!

The results of more than two years of intensive research are finally here! The new Joemeek Channels are the "ultimate" in analog technology... designed for your digital world!

JOEME EK

If it sounds right, it IS right!

**threeQ \$299 List**

**twinQ \$999 List**

PMI Audio Group 1845 W 169th St Gardena, CA 90247 tel: 877 563 6335 fax: 310 323 9051  
 web: [www.joemeek.com](http://www.joemeek.com) Joemeek is a registered trademark of PMI Audio Group 2004 PMI Audio Group All Rights Reserved

**Buy Meek...  
Get Free  
Mics!**

Details at:  
[www.joemeek.com](http://www.joemeek.com)

FIG. 1: The Z 5600 A from SE Electronics is a large-diaphragm tube mic that offers cardioid, omni, and bidirectional operation, as well as six "in-between" patterns.

## SE ELECTRONICS Z 5600 A

### A Chinese-made, multipattern tube condenser that offers quality and value.


By Rich Wells

he so-called Shanghai mics that have made their way into the audio market in recent years are a remarkable phenomenon. You can't open a retail gear magazine or look at online audio sites without running into one of them. In fact, I own one and didn't even buy it. (Well, not directly anyway; it came as a bonus with my purchase from a certain Pacific Northwest-based online retailer.)

The overwhelming majority of those mics originated from the 797 factory (a once-secret military facility) in the Beijing area of Feilo, which is a Shanghai-based facility with intellectual-property and engineering ties to 797. You'll find the mics in all shapes, sizes, and brand names. Sometimes you'll even find the same mics with different brand names. Not so, however, with SE Electronics products. All its mics and components are built and tested in its own factory.

#### Eastern Philosophy

Based in Shanghai, SE Electronics was once one of the companies that made its mark in the OEM market. Now privately held, the company no longer sells OEM components. It has redesigned its entire line of microphones and begun to make new models. SE Electronics' current flagship models are both tube mics: the Gemini, which incorporates two tubes, and



the Z 5600 A (an update of the prior Z5600)—which uses the traditional single tube.

The Z 5600 A (see Fig. 1) wants to look like a Neumann U 47, although it more closely resembles a Lawson L47 with simpler machining. Both the mic and its hefty spider shockmount exhibit a solid-build quality. The shockmount has a unique locking mechanism that screws onto the base of the Z 5600 A, leaving virtually the entire microphone body securely suspended in space.

#### Totally Tubular

The Z 5600 A's wide body holds a 12AT7 tube, found in many budget tube devices. Whereas most of those use an underpowered tube in the circuit to generate a little distortion (that can then be attributed to the tube), the Z 5600 A uses the 12AT7 in a traditional high-voltage circuit. SE Electronics chose the 12AT7 for its ready availability, which is something you'll

#### LEND ME A MIC

SE Electronics offers a unique program in which it will lend you one of its tube mics free of charge for a seven-day evaluation period. The company will even cover the cost of shipping the mic to you. (You can also borrow nontube models, but you'll have to pay the shipping costs on those.) If you want to keep it, SE will arrange for you to purchase it through one of its dealers. If you don't, it will pay for return shipping. —Mike Levine

# SXSW<sup>®</sup>



Music

2005

Announcing  
Keynote Speaker  
**Robert Plant**

MARCH 16 - 20 » AUSTIN, TEXAS » [SXSW.COM](http://SXSW.COM)

SXSW HEADQUARTERS USA PO Box 4999, Austin TX 78765 » tel 512/467-7979 » fax 512/451-0754 » [sxsw@sxsw.com](mailto:sxsw@sxsw.com)

The **South by Southwest Music and Media Conference** showcases hundreds of musical acts from around the globe on over fifty stages in downtown Austin, TX.

By day, conference registrants do business in the **SXSW Trade Show** in the Austin Convention Center and partake of a full agenda of informative and provocative panel discussions featuring hundreds of speakers of international stature.

Visit [sxsw.com](http://sxsw.com) for more information including:

- » conference updates » registration discounts
- » exhibitors » confirmed artists & panelists


## DON'T MISS THE SXSW MUSICIAN'S HOTEL

Presented by Mix, Electronic Musician  
and Remix Magazine at SXSW.

SXSW MUSICIAN'S HOTEL provides hands-on access to technology and equipment used to create today's music. INCLUDES: Hands-on demos, workshops, clinics and discussions

Presented at the Hilton Hotel across from SXSW at the Austin Convention Center. Free admission to registered SXSW attendees.

For more information go to:  
[www.musicianshotel.com](http://www.musicianshotel.com)

  
LINCOLN



TalentMatch.com<sup>™</sup>

Talent, Industry and the  
Fans that Support Them.

THE AUSTIN  
**CHRONICLE**

appreciate if you've ever looked at the going rates for new old-stock replacement tubes for certain classic German mics. SE Electronics also tests each tube at its facility.

The mic's power supply comes with a 9-position pattern switch that covers the standard omni-cardioid-bidirectional sweep, with six additional points along the way. The power supply light blinks during the first 20 seconds after it is switched on. Sonic Distribution, SE Electronics' U.S. distributor, says the blinking occurs while the power supply gradually applies voltage to the tubes. That gradual application of voltage is intended to prevent cathode stripping of the tube. You can replace tubes without voiding the warranty.

The mic comes in a wood jewel box housed within an aluminum flight case that also accommodates the shockmount, cable, and power supply. The wood box is nothing fancy, but it's functional and appears to be sturdy enough for travel.

### Mics in Action

I tried out the Z 5600 A on a number of different sources. For perspective, I frequently compared it with my Neumann UM 57. The UM 57 is a 1960s-era tube mic that was manufactured in the Gefell plant; it uses the same capsule as a U 47 and the same tube as a U 67.

Overall, the Z 5600 A's sound exuded that larger-

## ICIS

SE Electronics' Icis (see Fig. A) is a cardioid-only tube mic with a list price of \$749. Whereas the Z 5600 A features a center-mount capsule, the Icis capsule is edge mounted, which gives it a bit more of a "hyped" sound, as if you'd already applied a bit of EQ and compression (sort of a radio-ready sound). This can be good for a lot of things, but it may be a problem if you're recording a source that is intended to be for the background of a mix.

I loved its sound on stringed instruments, from classical guitar to acoustic guitar.

On vocals, its sound was a bit more aggressive and biting than the Z 5600 A in cardioid mode, whether the singer stood one foot away with a pop filter or four feet away without one. For these two uses alone, the Icis is worth its price, and I wouldn't hesitate to put it up in any number of tracking situations. That said, considering the relatively minimal difference in price between the Icis and the Z 5600 A, I would opt for the more flexible and natural-sounding Z 5600 A. — Rich Wells



FIG. A: The SE Electronics Icis is a single-pattern tube mic with a more aggressive sound than the Z 5600 A.

than-life tube-mic goodness. It has nice detail, because of its wide, gentle frequency bump centered at 10 kHz, but it still sounds fairly natural on most instruments. In comparison, the frequency emphasis on the UM 57 is centered a bit lower and is less hyped sounding. Both mics sounded good when I compared them on individual male and female vocalists, and choosing between them was a matter of taste.

When I tried the Z 5600 A on a group-vocal track, I noticed that, unlike the UM 57, its off-axis frequency response was noticeably different than its pickup of direct sound. The sound of the track changed distinctly if there was much movement among the peripheral singers. The effect was most noticeable on sources that were 30 degrees or more off axis. Setting the mic to Omni allowed for a more uniform sound, but it also added more room ambience.

The Z 5600 A was awesome when I used it to mic stringed instruments, especially those with metal strings. I tried it on several acoustic and classical guitars, a sitar, and a fretless cumbus, all with great success. The Z 5600 A's high-frequency bump probably helped. No corrective equalizing was necessary on any of those tracks during mixdown.

The sitar and cumbus tracks sounded particularly nice; the Z 5600 A deftly captured those instruments' natural reverberant qualities. The high output of the mic allowed me to keep the gain on my preamp at moderate levels. I obtained strong, clear signal levels, even with mic distances of up to six feet. At that range, the sympathetic strings of the sitar and the resonant metal body of the cumbus rang out clearly without being clouded by noise.

## Z 5600 A SPECIFICATIONS

Type	tube condenser
Capsule	1.07" sputtered gold 6-micron diaphragm
Polar Pattern	omnidirectional, cardioid, figure-8, and six intermediate stages—selectable on power supply
Frequency Response	20 Hz–20 kHz
Sensitivity	20 mV/Pa or –38 dB (±2 dB)
Output Impedance	200Ω
Equivalent Noise Level	<16 dB typical (A weighted)
THD	<0.5% at 130 dB SPL
Power	external, custom power supply with 9-point polar pattern selector
Dimensions	8.75" (H) × 2.44" (diameter)
Weight	1.5 lbs.

## Bang the Drums

I tried the Z 5600 A with several drum-miking applications. The first was as a room mic in front of the kit, placed about four feet away and two feet off the ground. The Z 5600 A sounded open and clear in the lows, much more so than the UM 57.

Because my recording room is approximately 400 square feet, bleed can sometimes be a problem. For the most part, I use dynamic mics when recording basic tracks, with a pair of small-diaphragm condensers as drum overheads and a large-diaphragm condenser as either a room mic or a spot mic for hand percussion. The Z 5600 A's ability to take 130 dB SPL with virtually no distortion and its pleasant conveyance of low-end information make it a good choice in front of a kick drum. That is especially true when using a minimal drum-miking scheme. With the mic near the floor, unwanted bleed can be addressed fairly easily with a couple of gobos and a blanket.

I also tried the Z 5600 A as a drum overhead about six feet off the ground, directly above the kit, and pointing at the snare. This time, the mic's upper-frequency peak made the cymbals stand out—in a sizzling sort of way—noticeably more than they did with the UM 57. The toms and snare on the Z 5600 A's track weren't as well balanced as when captured by the UM 57, either. The Z 5600 A's cymbal-heavy

track did sound decent in the mix; the mic would make a pretty good mono overhead if the drums were reinforced with additional mics.

The output of the Z 5600 A was so strong that whenever I used it for drum miking, I had to set both of the preamps I used (an MTA A-Range and a Drawmer 1969) to their lowest gain to avoid overload.

### "Z" Bottom Line

All in all, the Z 5600 A is a versatile and fine-sounding tube mic that has a relatively low price tag. The various clients whose sessions I used it on liked it, even when I told them they were listening to it in comparison with a Neumann. And that may be the biggest sign of all that the Z 5600 A is pretty darned good.

*Rich Wells oversees the Supreme Reality, a recording studio, band, and waste-management concern in Portland, Oregon.*

## PRODUCT SUMMARY

### SE ELECTRONICS Z5600A

multipattern tube microphone  
\$899

OVERALL RATING (1 THROUGH 5): 4

**PROS:** Sounds great on vocals and metal-stringed acoustic instruments. Quality shockmount and metal flight case included in package. Well priced.

**CONS:** Off-axis frequency response noticeably different.

### MANUFACTURER

SE Electronics/Sonic Distribution  
(U.S. distributor)  
[www.sonic-distribution.com](http://www.sonic-distribution.com)

## THE CLEANEST SAFEST POWER AVAILABLE

### The world's most advanced power conditioner.



#### Furman Series II with SMP:



SERIES MODE PROTECTION  
LINEAR FILTERING TECHNOLOGY

- **Dramatically reduces AC line noise and contamination**
  - Improves audio performance and video clarity
  - Eliminates more noise than any other brand
- **The highest level of AC protection available**
  - Automatic over-voltage shutdown
  - Superior AC surge and spike protection

#### A FULL RANGE OF SOLUTIONS:



Power Conditioning



Power Sequencing



Voltage Regulators



Headphone Monitoring



Graphic Equalizers

For Furman's full product listing visit  
us at [www.FurmanSound.com](http://www.FurmanSound.com)

AVAILABLE ONLY FROM THE LEADER IN POWER PURIFICATION

# FURMAN

Furman Sound • 1997 S. McDowell Blvd. Petaluma, CA 94954 • Phone: 707.763.1010 • Fax: 707.763.1310 • [www.FurmanSound.com](http://www.FurmanSound.com)

## STEINBERG

### CUBASE SYSTEM 4

By Orren Merton

Steinberg has reentered the studio-in-a-box market with Cubase System 4, a bundle consisting of the new MI4 USB audio-MIDI interface and Cubase SL 2, the little brother of the venerable Cubase SX 2. With a retail price of \$899, Cubase System 4 is more expensive than its competition; its street price, however, is considerably less, and Cubase SL is arguably more fully featured.

The real surprise in this bundle is Steinberg's Media Interface 4 (MI4), a bus-powered, 24-bit USB box offering either four input channels and stereo outputs at 44.1 and 48 kHz sampling rates or stereo inputs and outputs at 88.2 and 96 kHz sampling rates. The interface also includes MIDI I/O and many other goodies. Cubase SL is similar to Cubase SX, but with a few limitations. It can be upgraded to Cubase SX 3 or SL 3 for an additional charge. In the space allotted here, I'll concentrate on the MI4. For a full review of Cubase SX 2.0.1, see the May 2004 issue of EM.

#### Ins and Outs

The front panel of the MI4 sports two ¼-inch jacks: instrument input (mono)



The MI4 control panel features gain controls for the mic/line inputs, a dry/wet mix knob, and volume controls for main and headphone outputs.

and headphone output (TRS). The front panel also contains gain knobs for the two included mic preamps. The preamps offer as much as 50 dB of gain—enough for most mics that you'd find in a project studio.

Four LEDs next to each mic preamp, provide rough metering of input signals between -20 and 0 dB. (Inputs 3 and 4 get only two LEDs: a green signal indicator and a red peak indicator.) The front panel has knobs for setting the

headphone volume, the master output volume, and the level of the input signal that is mixed with the output. Finally, a power LED indicates that the unit is receiving power from the USB bus, and MIDI LEDs indicate MIDI input and output signals.

XLR jacks as well as ¼-inch TRS balanced-line jacks for inputs 1 and 2 grace the rear panel. The XLR jacks override the line inputs, and the instrument input on the front panel overrides the XLR jack for input 1. In a very welcome addition to a unit of this price, the MI4 offers ¼-inch TRS insert-effects jacks for channels 1 and 2. Placed directly before the analog-to-digital converters, they allow you to use a splitter cable for the send and return signal from an external processor such as a compressor-limiter or EQ. The rear panel also houses unbalanced ¼-inch line-input jacks and balanced ¼-inch TRS output jacks for channels 3 and 4.

#### Digital Dexterity

The MI4 includes coaxial digital I/O (S/PDIF). The S/PDIF output can either mirror the main or serve as a physical output for channels 3 and 4. That effectively changes the MI4 to a 4 input and 4 output device for S/PDIF users. MIDI input and output jacks and a USB connector round out the rear panel.

The MI4 driver control-panel software offers users access to even more features, including +48V phantom power for the mic inputs, -20 dB pads for line inputs 1 and 2, gain adjustments (-8 dB, +2 dB, +8 dB, +10 dB) for all four inputs, monitor source selector, and an external clocking switch for the S/PDIF connection.

The MI4 is one of the most feature-packed USB interfaces available and offers very acceptable sound quality. Be forewarned, though, that it is power hungry. When I first plugged the MI4 into the USB port on the rear of my PC, the plug-and-play installation Wizard failed to install it. After some troubleshooting, I realized that the power light wasn't on. Only unplugging all other devices left enough power for the MI4. Fortunately, the included version of Cubase SL doesn't require a USB-powered dongle, and uses the MI4 as

its dongle. If, however, you upgrade to Cubase SX, you'll probably need a separate USB port (as opposed to a hub) for its dongle.

Steinberg's Cubase System 4 is a worthy addition to the studio-in-a-box market. If you have a USB bus to dedicate to the power-thirsty MI4, and you're looking for an all-in-one package, you should definitely consider purchasing this one.

#### Overall EM Rating (1 through 5): 4

Steinberg  
(877) 253-3900  
info@steinberg.net  
www.steinberg.net

## RØDE

### S1

By Karen Stackpole

Røde, the studio mic company from Australia, has stepped up on stage with the S1 (\$599), the company's first live-performance mic. The new handheld condenser is designed specifically for live vocal applications but boasts studio-quality sound. The S1 features a tight supercardioid pickup pattern for combating feedback and bleed. The mic is built to reduce handling noise and plosives and has a frequency response tailored to minimize rumble and proximity effect.

#### High Class

The S1 has a sleek profile and is bound to make the performing vocalist feel classy. The mic's satin nickel finish gives it a polished look that sets it apart from the common assortment of sound-reinforcement transducers. It also features a durable, easy-grip design. The elegantly tapered housing flairs slightly at its base, and a five-layer rounded fortress of mesh protects the delicate capsule inside from particles and external buffeting.

This woven high-strength grille forms an effective pop filter for the sensitive element. The head twists off to reveal the small diaphragm capsule, which is secured in a rubber mounting that

helps to isolate it from the rest of the housing and reduce handling noise. A steep frequency response rolloff below 100 Hz also serves to negate structure-borne noise and control proximity effect. The mic comes with a carrying pouch and stand adapter and carries a generous five-year warranty that covers even accidental damage.

### Stage and Studio

I tested the S1 on vocals and electric guitar during live performances and studio sessions to see how the mic fared on vocals, trumpet, guitars, drum overheads, and percussion. I used preamps that included a Mackie 1202-VLZ, a Crest V12 live console, and an M-Audio Octane. The sessions were held at Ex'pression College for Digital Arts, Sound Arts Student Assaf Lotan's project studio, and my own home studio. The S1 sounded fantastic on stage and proved its mettle in the studio over a range of applications.

In its dedicated assignment as a vocal mic, the S1 performed like a champ both onstage and in the studio. The sound was remarkably smooth, present, and clear. The live-sound instructors at Ex'pression admired the tight, clean response and the mic's excellent

gain before feedback. Eric March, the vocalist for the band Jingle Punx was disappointed by the steep low-end roll-off because he liked to make use of the low-end boost from proximity effect, but he appreciated the way the vocals cut through the mix without sounding harsh or brittle.

The S1's frequency response shows a presence boost around 4 kHz and another rise centered at approximately 12 kHz. That accentuated airiness enhanced a softer female vocal, giving it presence and definition. Recording a trumpet in a jazz quintet during a single-room session was easy with the S1 because of the mic's excellent off-axis rejection and high SPL-handling capabilities. The trumpet track sounded clear and bright with very little bleed from other instruments in the room (including a drum set). So effective is the integrated plosive screening that no pop filter was needed.

The S1 wasn't full in the low mids as I prefer with both nylon- and steel-string acoustic guitar, but the mic did capture a sparkly and detailed sound while recording both guitar types. The S1 shone with electric guitar in the studio and on the live sessions. Its dip in the lows and enhanced airiness gave the guitars plenty of cut and definition in a dense mix. The mic's brightness and clarity also worked well to represent shakers and claves.

Since I received a pair of S1s for testing, I tried them out as drum overheads. The tight pattern enhanced stereo separation and focused on the source without picking up a lot of room sound the way a broader-pattern mic would. While the mics were a bit on the bright side for the brilliant Paiste cymbals used on the session, they brought out a pleasing crispness and definition from the drum set. The S1 could definitely help out a darker-sounding drum/cymbal setup by enhancing the attack.

### Rode Ready

The Rode S1 is road ready and excels as a top-quality live-vocal mic. But the S1 is also a versatile studio mic for vocals and for other applications. Bright but

not brittle, the S1 sounds smooth, airy, and clean. For a \$599 list price, the S1 offers a great onstage vocal sound and makes an easy transition to the studio. With its great off-axis rejection, excellent plosive control, crisply defined sound, and sleek appearance, the S1 will add class and versatility to any mic cabinet.

### Overall EM Rating (1 through 5): 4.5

Rode Microphones

(877) 328-7456

usasupport@rodemic.com

www.rodemic.com

## UEBERSCHALL

### VLP120 1.1 (MAC/WIN)

By Marty Cutler

Ueberschall VLP120 Vintage Licks and Phrases (\$299.95) is a sample-playback module that offers a generous and diverse collection of 24-bit, 96 kHz sampled musical phrases. The overall tempo of the phrases is 120 bpm, hence the product name. Ueberschall licenses Prosoniq's MPEX2 algorithm, however, for pitch-shifting and time-compression and -expansion chores. That gives you a wide latitude of tempo and pitch adjustment capabilities, with minimal formant distortion—even on polyphonic material. Depending on the musical material, the result is a usable tempo range between 60 and 240 bpm and a pitch-shift range of plus or minus an octave (see **Web Clips 1, 2, and 3**). The only catch is that VLP120's time and pitch processing takes place offline.

The performances in VLP120 aren't perfect, but that's exactly the point of this collection. The time pushes and pulls, and there is fret noise and sympathetic resonance in the string parts. However, these artifacts keep the instruments from sounding sterile.

VLP120 takes up five CD-ROMs, with more than 3 GB of loops stored in Ueberschall's proprietary .ulp file format. The plug-in supports Audio Units, VST 2, and RTAS. Installation on my



Rode's S1 features a tapered housing and five layers of protective mesh as well as a frequency response that minimizes rumble and proximity effect.

Save  
**\$30**

DIRECT discount  
from Publisher

23rd Anniversary!

Get **2 FREE CDs**—see coupon!

# They *LAUGHED* when I said they could have **Perfect Pitch**

... until I showed them the simple secret  
—and they heard it for themselves!



David Lucas Burge

Learn to recognize  
**EXACT** tones and  
chords—**BY EAR!**

- A new discovery into your own personal talent
- Know any tone or chord—by **EAR ALONE**
- Sing correct tones *without* a starting pitch
- Play by ear *instead* of search by hand
- Perform with confidence
- Compose music in your head
- Sight-read with precision
- Enjoy richer, finer music appreciation
- Find your hidden talents...

The true story behind the worldwide  
#1 best-selling ear training method

by **David Lucas Burge**

*It all started as a sort of teenage rivalry...*

I'd slave at the piano for five hours daily. Linda would practice far less. Yet somehow she always shined as the star performer of our school. It was frustrating.

*What does she have that I don't?* I'd wonder.

Linda's best friend, Sheryl, bragged on and on to me, adding more fuel to my fire.

"You could never be as good as Linda," she would taunt. "Linda's got *Perfect Pitch*."

"What's *Perfect Pitch*?" I asked.

Sheryl gloated about Linda's uncanny abilities: how she could name *exact tones and chords*—all **BY EAR**; how she could sing any tone—from *memory alone*; how she could play songs—after just *hearing* them; the list went on and on...

My heart sank when the realization came to me. *Her EAR is the key to her success.* How could I ever hope to compete with her?

But it bothered me. Did she *really* have *Perfect Pitch*? How could she know tones and chords just by *hearing* them? It seemed impossible.

Finally I couldn't stand it anymore. So one day, I marched right up to Linda and asked her point-blank if she had *Perfect Pitch*.

"Yes," she nodded aloofly.

But *Perfect Pitch* was too good to believe. I rudely pressed, "Can I test you sometime?"

"OK," she replied.

**Now she would eat her words...**

*My plot was ingeniously simple...*

When Linda least suspected, I walked right up and

challenged her to name tones for me—*by ear*.

I made her stand so she could not see the piano keyboard. I made sure other classmates could not help her. I set up everything perfectly so I could expose her *Perfect Pitch* claims as a ridiculous joke.

With silent apprehension, I selected a tone to play.

(She'll *never* guess F#, I thought.)

I had barely touched the key.

"F#," she said. I was astonished.

I played another tone.

"C," she announced, not stopping to think.

Frantically, I played more tones, skipping here and there all over the keyboard. But somehow she knew the pitch each time. She was **AMAZING**.

"Sing an E!" I demanded, determined to mess her up. She sang a tone. I checked her on the keyboard—and she was right on!

Now I started to boil.

I called out more tones, trying hard to make them increasingly difficult. But she sang each note perfectly on pitch.

I was totally boggled. "*How in the world do you do it?*" I blurted.

"I don't know," she sighed. And that was all I could get out of her!

The dazzle of *Perfect Pitch* hit me like a ton of bricks. My head was dizzy with disbelief. Yet from then on, I knew that *Perfect Pitch* was real.



"How in the world do you do it?" I blurted. I was totally boggled. (age 14, 9th grade)

**I couldn't figure it out...**

"How does she *DO* it?" I kept asking myself. On the other hand, why can't *everyone* recognize and sing tones by ear?

Then it dawned on me. People call themselves *musicians* and yet they can't tell a C from a C#?? Or A major from F major? That's as strange as a portrait painter who can't name the colors of paint on his palette! It all seemed odd and contradictory.

Humiliated and puzzled, I went home to work on this problem. At age 14, this was a hard nut to crack.

You can be sure I tried it out for myself. With a little sweet-talking, I'd get my three brothers and two sisters to play piano tones for me—so I could try to name them by ear. But it always turned into a messy guessing game I just couldn't win.

Day after day I tried to learn those freaking tones. I would play a note *over and over* to make it stick in my head. But hours later I would remember it a half step flat. No matter how hard I tried, I couldn't recognize or remember any of the tones by ear. They all started to sound the same after awhile; how were you supposed to know which was which—just by *listening*?

I would have done anything to have an ear like Linda. But now I realized it was way beyond my reach. So after weeks of work, I finally gave up.

**Then it happened...**

*It was like a miracle... a twist of fate... like finding the lost Holy Grail...*

Once I stopped *straining* my ear, I started to listen **NATURALLY**. Then the simple secret to *Perfect Pitch* jumped right into my lap.

Curiously, I began to notice faint "colors" within the tones. Not *visual* colors, but colors of *pitch*, colors of

► Save **\$30** online at **PerfectPitch.com/EM122** or call now: **1-888-745-8880**

sound. They had always been there. But this was the first time I had ever really "let go"—and *listened*—to discover these subtle differences.

Soon—to my own disbelief—I too could name the tones by ear! It was simple. I could hear how F# sounds one way, while Bb has a *totally different sound*—sort of like "hearing" red and blue!

The realization struck me: **THIS IS PERFECT PITCH!** This is how Bach, Beethoven, and Mozart

could mentally envision their masterpieces—and know tones, chords, and keys—all by ear!

It was almost childish—I felt sure that *anyone* could unlock their own Perfect Pitch with this simple secret of "Color Hearing."

Bursting with excitement, I told my best friend, Ann (a flutist).

She *laughed* at me. "You have to be *born* with Perfect Pitch," she asserted. "You can't *develop* it."

"You don't understand Perfect Pitch," I countered. I showed her how to listen. Timidly, she confessed that she too could hear the pitch colors. With this jump start, Ann soon realized she had also gained Perfect Pitch.

We became instant celebrities. Classmates loved to call out tones which we would then magically sing from thin air. They played chords for us to name by ear. They quizzed us on what key a song was in. Everyone was fascinated with our "supernatural" powers, yet to Ann and me, it was just normal.

Way back then, I never dreamt I would later cause such a stir in the academic world. But as I entered college and started to explain my discoveries, many professors *laughed* at me.

"You must be *born* with Perfect Pitch," they'd say. "You can't *develop* it!"

I would listen politely. Then I'd reveal the simple secret—*so they could hear it for themselves*. You'd be surprised how fast they changed their tune!

In college, my so-called "perfect ear" allowed me to skip over two required music courses. Perfect Pitch made everything easier for me—my ability to perform, compose, arrange, transpose, improvise, and even sight-read (because, without looking, you're sure you're playing the correct tones). And because my ears were open, music just seemed richer.

I learned that music is definitely a **HEARING** art.

Oh, you must be wondering: *whatever happened with*

Linda? Excuse me, I'll have to backtrack...

It was now my senior year of high school. I was nearly 18. In these three-and-a-half years with Perfect Pitch, my piano teacher insisted I had made ten years of progress. And I had. But my youthful ambition still wasn't satisfied. I needed one more thing: *to beat Linda*. Now was my *final chance*.

The University of Delaware hosts a performing music festival each spring, complete with judges and awards. To my horror, they scheduled me that year as the *grand finale* of the event.

The fated day arrived. Linda gave her usual sterling performance. She would be tough to match, let alone surpass. But my turn finally came, and I went for it.

Slinking to the stage, I sat down and played my heart out with selections from Beethoven, Chopin, and Ravel. The applause was overwhelming.

Later on, I scoured the bulletin board, searching for our grades in the most advanced performance category. Linda received an A, which came as no surprise. I scored an A+.

Sweet victory was music to my ears—mine at last!

## Join musicians around the world who have discovered this secret for success with the **Perfect Pitch® Ear Training SuperCourse**:

● "Wow! It really worked. I feel like a new musician. I am very proud I could achieve something of this caliber." *J.M.*

● "Thanks...I developed a full Perfect Pitch in just two weeks! I don't know how it worked. It just happened out of nowhere like a miracle." *B.B.*

● "It is wonderful. I can truly hear the differences in the color of the tones." *D.P.*

● "I heard the differences on the initial playing, which did in fact surprise me. It is a breakthrough." *J.H.*

● "I'm able to play things I hear in my head a lot faster than ever before. Before the course, I could barely do it." *J.W.*

● "I hear a song on the radio and I know what they're doing. My improvisations have improved. I feel more in control." *I.B.*

● "In three short weeks I've noticed a vast difference in my listening skills." *T.E.*

● "I can now identify tones and keys just by hearing them. I can recall and sing individual tones at will. When I hear music now it has much more definition, form and substance. I don't just passively listen to music anymore, but actively listen to detail." *M.U.*

● "Although I was skeptical at first, I am now awed." *R.H.*

● "It's like hearing in a whole new dimension." *L.S.*

● "I wish I could have had this 30 years ago!" *R.B.*

● "Very necessary for someone who wants to become a pro." *L.K.*

● "This is absolutely what I had been searching for." *D.E.*

● "Mr. Burge—you've changed my life!" *T.B.*

● "Learn it or be left behind." *P.S.*

## Now it's YOUR turn!

For 23 years now, musicians around the globe have proven the simple methods that David Lucas Burge stumbled upon as a teenager (*plus research at two leading universities—see PerfectPitch.com*).

Now you can hear it for yourself! It's easy and fun—and *guaranteed* to work for YOU—regardless of your instrument, your playing style, or your current ability.

Order your own **Perfect Pitch® Ear Training SuperCourse** and listen to the first CD. We promise you will *immediately* hear the Perfect Pitch colors that David-Lucas starts you on—or return the course for a full prompt refund (you've got our 23-year word on it).

You can even check out your progress at no risk. You must notice immediate and dramatic advancements in 1) your ear, 2) your playing and singing, and 3) your enjoyment of music, or return your course for a full prompt refund, *no questions asked*.

Imagine the talents that Perfect Pitch can open up in YOU to advance *your* playing, *your* singing, *your* own creativity and confidence. *Then again, how will you ever know until you listen for yourself?* There's no risk. Order your course now to **HEAR IT for YOURSELF!**

Celebrating 23 years of perfect listening skills!

## The Perfect Pitch® Ear Training SuperCourse by David Lucas Burge



For ALL musicians of ALL instruments, beginning and advanced. No music reading skills required. You receive 8 audio CDs + easy Handbook + **TWO FREE bonus CDs**—with this **\$30 discount** offer (see coupon)!

## 40-Day Money Back Guarantee:

You will experience Perfect Pitch for yourself—or you get a full refund!

**YES!** Prove to me that I have Perfect Pitch. Send me ALL 8 CDs + handbook. I'll listen to the first 5 CDs. I must notice *immediate and dramatic advancements* in 1) my ear, 2) my playing & singing, and 3) my enjoyment—or I'll return the course for a full prompt refund, *no questions asked*. If I decide to continue my ear training, I'll enjoy my remaining 3 CDs with advanced lessons. My FREE 74-minute CD on Relative Pitch is *mine to keep* (a \$15 gift)—even if I return my course for a refund. I'll ALSO get: Perfect Pitch for Children (a \$15 gift).

Send me: ☐ Audio CDs ☐ Audio Cassettes

List price: \$169 + \$6 shipping.

Your **DIRECT** price: only \$139 + \$6 for Priority RUSH shipping. **You save \$30!**

Check here if you are not yet ready to try the Course:

☐ Send me the research from 2 universities—FREE!

NAME \_\_\_\_\_  
ADDRESS \_\_\_\_\_  
CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_  
E-MAIL ADDRESS \_\_\_\_\_

INSTRUMENT(S) YOU PLAY (please include VOICE if applicable)

Make check or money order payable to **PerfectPitch.com**. International money orders are welcome in U.S. funds. Shipping charge for orders outside USA and Canada: \$16. Iowa residents add 5% tax.

☐ VISA ☐ MasterCard ☐ Easy Pay Plan available. ☐ Check/money order enclosed. Call or see our web site.

CARD NUMBER \_\_\_\_\_ EXPIRATION DATE \_\_\_\_\_  
Mail to: \_\_\_\_\_ Or fax to: (641) 472-2700

**PerfectPitch.com**

Special Offer Code: EM 122 (\$30 off/2 freeCDs)  
1200 E. Burlington Avenue, Fairfield, IA 52556

**HEAR IT FOR YOURSELF! Save \$30 and get TWO FREE bonus CDs — our 23rd Year!**

Mac G4/Dual 1.42 GHz was completely pain-free.

The loop categories include Bass, Brass, Flute, Organ, Synth, Guitar, Piano, and Clavinet, but there are multiple sub-categories for each. For example, the Bass category has slapped, fingered, and fretless varieties; the Piano group includes acoustic, Rhodes, Wurhlitzer, and an unspecified electric piano; and the Brass group provides trumpets and reeds.

You can select a bank of presets from a drop-down menu in the lower-left corner of the plug-in. Each bank contains a two-octave group of phrases in one of three keys: A minor (C major), D minor (F major), and E minor (G major). Despite unified keys and thematic relationships within banks, VLP120 is not a construction kit by any means: you can build up a groove with the bass lines, but they may not work with the piano part from another group.

### Circular Logic

Central to the program's user interface is the Loopeye, which is an animated, circular waveform editor. The

tion of screen real estate and a novel visual appeal, it's probably easier to edit using a linear loop display. The loops range from one to four bars, and a defeatable Snap menu lets you select slider resolutions ranging from one bar to a 32nd note. In addition, Loopeye parameters can be also accessed using MIDI controllers.

Clicking on the bottom pane opens a panel containing a keyboard map and a list of the loop categories. Every loop can be processed separately: just drag any loop to a key between C3 and B4. You can cherry-pick loops from all categories; edit their length, pitch, tempo, envelope, and filter settings; map them to the keyboard; and save the edited bank as a custom set. Because of this flexibility, VLP120's lack of multitimbral capabilities is not a major issue.

Besides pitch-shifting and time-compression amenities, VLP120 includes basic subtractive synthesizer features. The plug-in offers attack, release, and volume sliders. Filter settings include filter type, cutoff frequency, and resonance. Registered users can download version 1.1 of the plug-in, which adds several quality levels of pitch and time compression. The upgrade also adds more filters to the list, including highpass, bandpass, and notch varieties, as well as 36-, 48-, 60-, and 70 dB slopes. The filters offer a great deal of sonic variety, but I experienced significant zipper noise while sweeping the filter cutoff.

### Knocked for a Loop

VLP120's pitch- and time-correction capabilities were effective, although attack transients smeared somewhat at drastic tempo reductions. The content is well played and nicely recorded, although some loops (particularly some of the guitar and bass lines) have passed from vintage classification to cliché status. I love many of the saxophone phrases (particularly the alto and soprano), but the predominance of rubato passages obviates the need for looping.

The excellent PDF documentation notes that the recording of the differ-

ent instruments occurred individually rather than as a band effort. The result is the absence of congruent thematic development between instruments. That lack of thematic unity is fine, especially if you can appreciate the grab-bag nature of the collection—just don't look to this set for carefully developed construction kits.

### Overall EM Rating (1 through 5): 3.5

Ueberschall/EastWest (distributor)  
(800) 833-8339 or (310) 271-6969  
info@eastwestsounds.com  
www.soundsonline.com

## STUDIO ELECTRONICS


### ModMax Phaser

By Jonathan Segel

Studio Electronics has entered the modulation effects market with the Phaser (\$349) phase shifter, one of three products in the ModMax line of pedals. The Phaser's "indoctrination sheet" says "Don't fear the ModMax," which is meant to allay the fears of musicians who are not used to a stompbox with so many controls. In fact, the Phaser has 13 knobs and 6 switches, including rate and depth controls and an LFO Waveform switch that offers triangle, square or random waveforms.

The Phaser has input and output controls above their respective ¼-inch jacks. Those controls are invaluable, because they change the ways in which the rest of the controls affect the sound. The Mix knob is a standard dry/wet control. The Dynamics control has a center detent with a negative or positive setting, allowing the input dynamics to sweep the mix setting from dry to wet or vice versa. The Drench control overloads the processed signal's output, which can significantly increase the output gain of the unit, making the level controls that much more important.

Located in the next row of knobs is the Frequency control, which sets the center frequency of the sweep, and the Resonance control. Between them is a switch that sets the number of stages—2, 4, or 6—for phase sweeping.



The VLP120 interface features a circular waveform editor that is called the Loopeye.

currently selected loop wraps around a 360-degree waveform display while a beam sweeps the display in the manner of an air traffic controller's radar screen. Other than conserva-

# studio b

GPS: 41:02:50:665N 80:39:45:608W

sinister  
feel it?

... something is wrong here  
could it be the 237 CDRs with stolen software?

software is the heart of commercial activity in studio b  
yet it's the one part of the studio they won't pay for

do the right thing  
buy the software you use

reputable  
feels better



The International Music Software Trade Association  
PO Box 250813, New York, NY 10025 USA

[www.imsta.org](http://www.imsta.org)

The controls in the middle, which slave the unit's functions to input dynamics, include attack and release knobs, with LEDs to show input level. A 3-way switch sets the trigger response: Normal, in which the LFO is continuously running; Trig, in which the input triggers the start of the LFO; and One-shot, in which one cycle of the LFO is triggered. The LFO's triangle waveform starts at zero, and the square wave starts at one.

The Frequency Dynamic knob has a

The Studio Electronics ModMax Phaser includes three LFO waveforms and Frequency, Resonance, and dynamics controls.



negative-positive switch above it to set the polarity of the filter sweep. The Rate Dynamics knob has a center detent: for negative settings, a dynamic trigger decreases modulation, which decays into the set modulation rate; for positive settings, a trigger produces modulation that slows down as the signal decays. Finally, the Depth Dynamics knob offers positive and negative dynamic control over LFO depth.

There is also a switch that sets the LFO base rate to slow or fast. When using the slow setting, the LFO's duty cycle ranges from roughly 30 seconds to around 10 Hz. When using the fast setting, the LFO gets into audio-rate frequencies and can produce frequency modulation effects.

### Set to Stun

I first used the Phaser with my guitar as a standard stompbox phase shifter, keeping the Frequency and Resonance knobs near their centers and playing with the rate and depth controls. The results were sweeping comb-filter effects in the 2-stage setting, with added lush-

ness in the 4- and 6-stage settings. It never became so lush, however, that it could compete with my older MXR and Electro-Harmonix phase shifters. With careful adjustments of those controls, I produced nice tremolo/vibrato effects, similar to the vibrato from a Vox AC30 and the warbly tremolo of a brown-face Fender amplifier. With the Drench switch on, the volume increased dramatically, adding unpleasant distortion and output noise. By adjusting the input and output levels to compensate, I was able to get watery Univibe-like effects. But I was disappointed with the Phaser's performance as a normal phase shifter.

Sensing that this unit might be more interesting on the desktop, I set it up as an auxiliary send on my mixer and sent other kinds of sounds through it. On drums, the dynamic triggering was perfect, and the distortion that the Drench switch provided sounded decent here, resembling bit-degradation effects.

I tried running vocals and other instruments through Phaser. While it produced some interesting sound effects, Phaser's dynamic triggering possibilities seemed best suited to percussive sounds. The Phaser livened up basses with its subtle phase shifting and filter sweeps in a drum & bass environment. A word of caution: the filter's center frequency control has a very wide range. Combined with the resonance control, the low end can get particularly out of control if you aren't careful. Nevertheless, that would be a fun tool to interact with in a live electronic situation.

### Color My World

Although the Phaser is fairly idiosyncratic, it doesn't replace traditional stompbox phase shifters, but that may not be its purpose. However, with its many controllable parameters, the Phaser could be a sound experimenter's dream. As a tool for studio technicians and DJs, it may provide just the right color.

### Overall EM Rating (1 through 5): 3

Studio Electronics  
(310) 640-3546  
analogia@studioelectronics.com  
www.studioelectronics.com

## RADIAL

### X-Amp

By Rob Shrock

Reamplification has been around for decades and is a favorite trick of professional engineers, yet it's a technique that's often overlooked in personal studios. Radial's X-Amp (\$200) could help to change that. It is a Class-A device that makes it easy to transform line-level signals into the proper impedance and level for input into guitar amplifiers, stompboxes, or other instrument-level devices.

### Reamp, Revamp

The obvious use of the X-Amp is to run a dry, DI-recorded bass or guitar track from the multitrack back into an amplifier to change or tweak the tone. The advantages are that the player doesn't have to commit to a sound at the time of tracking, and, after he or she is gone, you can spend as much time as you'd like experimenting with different amps, settings, and effects until the desired sound is achieved.

The best way to do that is to run the guitar into a DI box, routing the dry signal direct to your multitrack from the balanced output and sending the instrument level output to an amplifier. Let the guitarist set the amp to taste (distortion, effects, and so on) so that he or she is inspired to play a great part. (It's a good idea to also record the amp at this time.) Played effects such as feedback and false harmonics are recorded into the dry signal and will be reproduced when reamping.



Radial's X-Amp is an active device that converts line-level signals to instrument level, allowing you to patch an already recorded guitar, bass, or other instrument track back into an amplifier for reamplification.

Why the need for the X-Amp? Guitar and bass amplifiers (and stompbox effects) expect to "see" a certain signal level to operate properly. The X-Amp changes the line-level signal of your recorder's output into the proper level and impedance; otherwise, the amp or effects won't sound right or could even be damaged.

The X-Amp's input is balanced, XLR line level. (Be aware that the XLR connector does not "click" into place.) Ground lift switches are provided for both the input and output. An LED lights if the signal going into the X-Amp is too hot.

The X-Amp is active (powered by a 15VDC wall-wart power supply) and can provide two ¼-inch outputs: one direct-coupled and the other transformer-isolated. Two amps can then be driven simultaneously without ground loops or grounding noise. A phase-reverse switch is provided for output 2, and an output-level control lets you to adjust the signal into the amp or effects chain.

X-Amp is not just for reamping dry guitar or bass tracks. The creative-minded person will run vocal tracks through guitar amplifiers and percussion sounds through stompboxes. Many keyboards, synth tracks, and samples benefit greatly from being reamped.

### Session Time

I reamped several guitar parts using the X-Amp and was extremely pleased with the results. In one instance, I recorded the original part using a DI to split the signal coming from the guitar, running one side to a Line 6 Vetta II amplifier while recording the dry signal into my DAW. (I recorded the amp with a dynamic mic at the same time.)

I was playing a heavily distorted sound with moments of controlled feedback throughout. After several passes, I combed the final take together, making identical edits to the recorded-amp and dry-guitar tracks.

I later used the X-Amp to route the dry signal back into the Vetta II. After

toying with the output level and the ground switches, I had a signal going into the amp that sounded exactly like I was in the room playing. I experimented with the Vetta II until I settled on a sound I really liked. I also used the second output of the X-Amp to drive a small Vox combo amp set to a clean sound. I then hit record and printed the new guitar tracks.

When I listened to it later in the day, I realized that I'd rolled off too much of the Vetta II's highs. No sweat. I swapped the dynamic mic for a ribbon and recut the tracks using the X-Amp's output to drive the Vetta II, with satisfying results. The flexibility of reamping, and the utility of the X-Amp was abundantly clear. I was sold.

### X Marks the Spot

X-Amp flawlessly does what it's supposed to do. The signal it produces is clean, strong, and sounds exactly like the original guitar output. The unit is built like a tank, and you get added versatility from

## The New VIRUS TI Line

**Hardware Synth. Software Plug-In. Audio & MIDI Interface. Control Surface. And more!**

The incredible new **VIRUS Total Integration (TI) line** is all this and more! TI expands the VIRUS synth and adds the awesome power of VIRUSControl™, porting into your computer as a VST/AU softsynth and simultaneously providing bi-directional USB audio/MIDI i/o plus a fully programmable universal control surface mode. With the multi-award winning soul of the Virus wrapped in amazing new technology, an Access Total Integration Synthesizer is the single best investment you can make for your music today, tomorrow and beyond.

TI delivers 80+ note polyphony (under average conditions), new WaveTable and HyperSaw OSC models, 16 delays/16 reverbs, user arp, massive memory (2048 ROM, 512 RAM, plus multi mode independence from single banks) and much more. There's a bigger display, tap tempo, balanced analog & SPDIF i/o, plus VirusControl, with rock-solid drivers, sample-accurate timing, hassle-free configuration...even a built-in editor/librarian. TI is revolutionary, with greater power and potential than anything in its class... **Strike that: there is nothing else in this class!**

For detailed specification, brochures and demos go to [www.virus-ti.com](http://www.virus-ti.com) or contact [info@access-music.de](mailto:info@access-music.de)



VIRUS TI KEYBOARD



VIRUS TI



USA: GSF Agency · 310 452-6216 · [info\\_us@access-music.de](mailto:info_us@access-music.de)  
Canada: Music Marketing · 416 789-7100 · [info@musicmarketing.ca](mailto:info@musicmarketing.ca)

**access**  
[www.access-music.de](http://www.access-music.de)

its output control and dual outputs. Most importantly, the sonic options of reamping, which the X-Amp facilitates, are considerable. If you regularly mic guitar amps in your studio, the X-Amp is a no-brainer.

**Overall EM Rating (1 through 5): 4.5**  
Radial Engineering/CableTek  
Electronics  
(800) 939-1001 or (604) 942-1001  
info@cabletek.ca  
www.radialeng.com

## CREST PERFORMANCE

### CP-6210 Mixer/CP-6220 Expander

By Orren Merton

Crest Audio has long been a respected name in power amplifiers, mixers, and loudspeakers. In developing the Crest Performance line, the company applied its expertise to products for smaller instal-

lations, DJs, and remixers. Crest Performance's new rackmount CP-6210 Classic Professional DJ Mixer and its companion, the CP-6220 expander, are aimed squarely at the karaoke, DJ, and remix markets. The overall design is based on the classic but long-unavailable Bozak and UREI rotary mixers from the 70s and 80s, but with modern circuitry and components.

#### Featurama

Despite their deceptively simple appearance, the units are loaded with options. The CP-6210 mixer offers six discrete stereo channels, each with its own volume and balance knobs. Inputs for stereo channels 1 through 4 use pairs of RCA connectors and can be switched



The CP-6210 mixer (top) and companion CP-6220 expander EQ module feature large, comfortable knobs and switches for performing a broad array of DJ and remix functions.

between moving-magnet (phono-cartridge) and -10 dBV line-level signals. Inputs 5 and 6 use XLR connectors and feature mic/line-level buttons, with line level calibrated to +4 dBu. Inputs 5 and 6 also feature trim knobs offering 50 dB gain and high- and low-frequency EQ knobs offering 15 dB of boost or cut. Finally, there are five auxiliary stereo inputs served by pairs of RCA jacks, calibrated to -10 dBV, and sporting trim knobs with a -20 to +15 dB range. Each of the six main channels of the CP-6210

# serious synth



WAYOUTWARE



"Until trying the TimewARP 2600, I hadn't found any analog modelling synth that could do what real analog can do." — Robert Rich

 TIMEWARP 2600

WOW has spent two years radically reinventing the mathematics behind analog emulation. Find out why our customers claim the TimewARP 2600 is the first soft synth that holds its own against analog reality. The plug-in and manual are available for a free trial download from our web site, or can be purchased for a reasonable \$249. If you haven't used the TimewARP 2600 on your own system, you haven't heard what's possible.

**www.wayoutware.com**

mixer includes a rotary knob for selecting among that channel's phono/line input and any of the five auxiliary inputs.

The CP-6210 offers myriad output options, including a Cue output that can be a mix of any of the six channels with the main program output. The headphone output can carry the Cue output, the program output, or both. There are two sets of main program outputs: the House outputs offer mono and stereo XLR as well as RCA jacks, and the Booth outputs offer mono-balanced or stereo ¼-inch TRS as well as RCA jacks. The mixer also offers two sets of tape outputs—one pre- and one post-effects. All outputs except tape have their own volume knobs.

### In the Loop

EQ and an effects loop, both of which apply to the entire mix, round out the CP-6210. The stereo effects loop features a bypass switch and ¼-inch balanced TRS jacks for the sends and returns. The EQ offers 6 dB of boost or cut for four bands centered at frequencies of 7 kHz, 4 kHz,

500 Hz, and 200 Hz. The EQ can't be defeated, which is unfortunate because the real EQ magic happens in the CP-6220 expander unit.

The CP-6220 looks a lot like the CP-6210 mixer, but that's where the similarity ends. The CP-6220 has three bands of EQ for each of the CP-6210's six channels. The EQ divides the frequency spectrum in the classic DJ configuration—4 kHz and above, 300 Hz to 4 kHz, and 300 Hz and below—offering 6 dB of boost to infinite cut for each band. Each channel can also be assigned to the A, B, or Program bus.

### On the Bus

The A and B buses offer DJs and remixers some real fun because the CP-6220 includes a voltage-controlled crossfader between them. A DJ could, for example, keep the bass and a microphone channel on the program bus, while crossfading between additional tracks assigned to the A and B bus. For added flexibility, there's an A/B bus-swap (hamster) switch and a Taper control for altering

the shape of the crossfade. Only the CP-6220 offers metering, with a separate stereo meter for each of the Cue, A, B, and Program mixes. (It would be nice to have Cue, House, and Booth meters on the CP-6210 mixer itself.)

For its target market, this is a well thought-out duo. The large, easy-to-handle rotary knobs have a solid feel and lend the units an instantly familiar vibe. Their design is as straightforward as possible for a mixer of this flexibility. They are remarkably easy to connect—a single, included ribbon cable is all that is required. Finally, the sound and stereo separation are good and are in line with the pair's \$1,780 retail price. Remixers, DJs, and anyone looking for a flexible smaller-installation mixer should definitely look here.

### Overall EM Rating (1 through 5): 4

Crest Performance

(201) 909-8700

marketing@crestaudio.com

www.crest-performance.com

# Time-Align® monitor systems



**MM-8**  
Nearfield Monitor™,  
and midfield monitor

**Co-axial  
Time-Align®  
studio  
monitors**



**M-6**  
Nearfield Monitor™

**Bag End monitor systems  
offer a flat, accurate  
frequency and time response  
from 8 Hz to above 20 kHz.**

**The MM-8 or M-6 combined  
with any Infrasub™ bass  
system creates a  
customized wide band  
monitoring system.**

**Hear and mix the  
music exactly.**



**www.bagend.com  
847-382-4550**

Time-Align® and Nearfield Monitor™ are trademarks of E.M. Long Associates

### S-21E-I Single 21-inch Infrasub™ bass system



### D-12E-DA low profile double 12-inch Infrasub™ bass system. 9 inches high



**Infrasub™ bass  
flat response  
down to 8 Hz**

# ADVERTISER INDEX

ADVERTISER	INTERNET	PAGE	ADVERTISER	INTERNET	PAGE
Access	www.access-music.de	159	M Audio (Ozonix)	www.m-audio.com	89
ADK Microphones	www.adkmic.com	125	Musician's Friend	www.musiciansfriend.com	85
Alesis	www.alesis.com	91	Musician's Friend (PreSonus)	www.musiciansfriend.com	109
American Educational Music	www.perfectpitch.com	154-155	Musicians Institute	www.mi.edu	124
Apogee (Big Ben)	www.apogeedigital.com	113	Neumann USA	www.neumannusa.com	47
Apogee (Rosetta 800)	www.apogeedigital.com	112	Neutrik	www.neutrik.com	55
Arturia	www.arturia.com	71	PercussionTracks.com	www.percussiontracks.com	12
Audio-Technica	www.audio-technica.com	73	PG Music	www.pgmusic.com	145
Audix	www.audixusa.com	107	Recording Workshop	www.recordingworkshop.com	110
Auralex	www.auralex.com	12	Remix Hotel (Miami)	www.remixhotel.com	123
B&H Photo-Video (Resource)	www.bhphotovideo.com	135	Roland	www.rolandus.com	9
B&H Photo-Video (Velocity)	www.bhphotovideo.com	97	Rolls Corp.	www.rolls.com	74
Bag End	www.bagend.com	161	SAE Institute	www.sae.edu	79
Berklee Music	www.berkleeemusic.com	75	Shure	www.shure.com	25
BIAS	www.bias-inc.com	133	Sibelius Software	www.sibelius.com	49
Big Fish Audio	www.bigfishaudio.com	34-35	Sonic Implants	www.sonicimplants.com	61
Cakewalk (Project 5)	www.cakewalk.com	103	Sony Pictures Digital Media	www.sony.com/mediasoftware	37
Cakewalk (Sonar 4)	www.cakewalk.com	19	Steinberg	www.steinberg.net	65
Carillon	www.carillonusa.com	20-21	Submersible Music	www.drumcore.com	105
Carvin	www.carvin.com	129	Sweetwater Sound	www.sweetwater.com	29
Course Technology	www.courseptr.com	100	Sweetwater Sound (MOTU Studio)	www.sweetwater.com	176-177
Cycling 74	www.cycling74.com	128	Sweetwater Sound (MOTU Studio)	www.sweetwater.com	174-175
dbx Professional Products	www.dbxpro.com	31	Sweetwater Sound (PreSonus)	www.sweetwater.com	118-119
Digidesign	www.digidesign.com	41	SXSW	www.musiciansshotel.com	149
Disc Makers	www.discmakers.com	132	SXSW Musician's Hotel	www.musiciansshotel.com	141
DVForge, Inc.	www.jamplug.com	53	Synthax.com	www.synthax.com	4-5
eBlitz Audio Labs	www.eblitzaudiolabs.com	45	Tascam	www.tascam.com	23
Echo Digital Audio	www.echoaudio.com	179	Taxi	www.taxi.com	93
electro-harmonix	www.ehx.com	80-81	TC Electronic	www.tcelectronic.com	11
E-mu Systems (Digital Audio Systems)	www.emu.com	95	TerraTec North America	www.terratec.com	111
E-mu Systems (Proteus X)	www.emu.com	33	Turner Classic Movies	www.turnerclassicmovies.com	13
Event Electronics	www.eventl.com	63	Waves	www.waves.com	6
Focusrite	www.focusrite.com	43	Way Out Ware	www.wayoutware.com	160
Frontier Design Group	www.frontierdesign.com	48	West LA Music	www.westlamusic.com	75
Full Compass Systems	www.fullcompass.com	127	Yamaha	www.yamaha.com	83
Full Sail	www.fullsail.com	72			
Furman Sound	www.furmansound.com	151			
Garrigan Orchestral Strings	www.garrigan.com	77			
Genelec	www.genelec.com	27			
Graph Tech Guitar Labs	www.graphtech.com	110			
House Ear Institute	www.hei.org	105			
IK Multimedia	www.sampletank.com	99			
Ilio (Stylus RMX)	www.ilio.com	69			
Ilio (X-treme FX)	www.ilio.com	101			
Independent Music World Series	www.discmakers.com/imws	131			
International Music Software Trade Association	www.imsta.org	157			
Jasmine Music Technology	www.jasmineMusic.net	117			
Joemeek	www.joemeek.com	147			
Kay Sound (Hercules)	www.kaysound.com	67			
Kay Sound (SM Pro Audio)	www.kaysound.com	115			
Korg (Legacy Collection)	www.korg.com	3			
Korg (Triton Extreme)	www.korg.com	2			
Lexicon	www.lexicon.com	39			
Mackie	www.mackie.com	14-15			
Mackie (Onyx)	www.mackie.com	59			
Mackie (TAPCO)	www.mackie.com	87			
MakeMusic! Inc.	www.makemusic.com	17			
Mark of the Unicorn	www.motu.com	180			
MasterWriter	www.masterwriter.com	57			
M-Audio (Ableton Live)	www.m-audio.com	121			

## ELECTRONIC MUSICIAN MARKETPLACE ADS

AEA	www.wesdooley.com	166
Algorithmic Arts	www.algoart.com	168
Cascade Microphones	www.cascademicrophones.com	165
Central Computers Systems	www.centralcomputer.com	164
Chameleon Labs	www.chameleonlabs.com	166
Crystal Clear Sound	www.crystalclearcds.com	168
Digitraxx	www.digitraxx.com	164
ELS Productions	www.elsproductions.com	163
Emulation Media	www.emulationmedia.com	166
Florida Music	www.floridamusicco.com	168
Groove House Records	www.groovehouse.com	163
House Ear Institute	www.hei.org	168
Labworks	www.labworks.com	163
Lonely Records	www.lonelyrecords.com	168
Media Services	www.mediaomaha.com	164
Midisoft	www.midisoft.com	165
Omnirax	www.omnirax.com	167
PC Audio Lab	www.pcaudiolabs.com	166
Phonic	www.phonic.com	165
Play-It Productions	www.play-itproductions.net	164
Rainbo Records	www.rainborecords.com	168
Shreve Audio	www.shreveaudio.com	163
Vancouver Film School	www.vfs.com	167

## Electronic Musician's Advertiser Sales and Representatives



Associate Publisher: Joe Perry (770) 343-9978 jerry@primediabusiness.com

### NORTHWEST

**Greg Sutton**

(847) 968-2390

gsutton@primediabusiness.com

### SOUTHWEST

**Mari Deetz**

(818) 567-4907

mdeetz@primediabusiness.com

### EAST COAST/EUROPE

**Jeff Donnenwerth**

(770) 643-1425

jdonnenwerth@primediabusiness.com

### CLASSIFIEDS

**Kevin Blackford** (West Coast)

**Jason Smith** (East Coast)

(800) 544-5530 or (510) 653-3307

emclass@primediabusiness.com

# EM Marketplace



**CD & DVD Duplication - Lowest prices, shipped in 2 days!**

**100 Full Color RETAIL READY CDs just \$240.00**

Free Bar Code  
with purchase!  
Mention this ad.



**1-800-927-3472**

visit us on the web  
**www.elsproductions.com**

## LABWORKS DIGITAL AUDIO WORKSTATIONS

[www.labworksus.net](http://www.labworksus.net)

- Music Production & Recording
- Built for X-treme Audio
- Premium Components
- 3 Year Warranty • Lightning Fast
- Up to 3.2 GB RAM & 1 GB Memory!
- Class A Components • Totally Reliable
- Tweaked to Multitask • Latency Free Mixing
- Custom Configured at Sensible Pricing
- Soft Hardware Peripherals
- Twin Hardwired Monitors
- Perfect for Plug ins, MIDI, Synths, DAWing
- Friendly, Personable Services

**ASUS (215) 333-1314**



Disc Manufacturing

Your music matters...

Trust it to a company  
that cares!

## CD replication for the insane audiophile™



Real-time direct-to-glass mastering included  
with every CD order at no extra charge

More top mastering engineers refer their  
customers to Groove House Records than to  
any other CD manufacturer

Alternative and eco-friendly packaging  
available, including Digipaks

**1-888-GROOVE8 (1-888-476-6838)**

**www.groovehouse.com**



## Digi 002 Rack Bundle

G4 733 / 1GB RAM / 60GB HD / CD  
15" AV Monitor with keyboard and mouse.

**\$1849**

Call for  
Sale Price!!

Rode NT2000



Roland Fantom X8



M-Audio Keystation Pro 88



**ShreveAudio.Com - 1.800.214.9222**





**YOUR TIME.  
ANYTIME.  
ONLINE.**

AUDIO PRODUCTION SEMINARS ON DEMAND ARE AN EXCITING NEW MEDIUM FOR EXPERIENCING NEW PRODUCTS, APPLICATIONS AND TECHNIQUES. LOG ON TO LEARN MORE:  
[mixonline.com](http://mixonline.com) | [emusician.com](http://emusician.com) | [remixmag.com](http://remixmag.com)  
PRESENTED EXCLUSIVELY BY MIX, ELECTRONIC MUSICIAN, AND REMIX

*You love your band...  
You trust your engineer...  
Do you even **KNOW** your duplicator?*



**GET TO KNOW US**

- CDs • DVDs • PRINTING • PACKAGING
- GRAPHICS • MASTERING • AUTHORIZING

TOLL FREE 1-800-815-3444 or  
212-695-6530

[WWW.PLAY-ITPRODUCTIONS.NET](http://WWW.PLAY-ITPRODUCTIONS.NET)

## Sound Cards - Recording Interfaces - Softwares - Midi Controllers

**We'll beat  
any price**



**Sound Cards  
Recording Software  
Audio Interfaces  
Midi Controllers  
Keyboards  
& much more**



**M-Audio  
Edirol  
Echo  
Sony  
Hardvark  
Cakewalk**

[www.digitraxx.com](http://www.digitraxx.com)

We are a family owned and professionally operated company whose goal is to treat every customer like our best customer. We do our best to offer the lowest pricing and provide the best customer care possible. May you have a very happy, very safe, holiday season!

**317.679.8445**

**IIIEDIA**

**1,000 RETAIL READY CDs**  
3 COLOR DISK, 6 PANEL 4/1, TRAYCARD 4/1

**> \$1149**

**888.891.9091**

www.mediastore.com for pricing on all other packages

**CENTRAL**  
COMPUTER SYSTEMS

In Business Since 1986

[audio@centralcomputer.com](mailto:audio@centralcomputer.com)

Toll Free: 866-248-5888

## Digital Audio Workstations

base system starting at

**\$799**



**Standard Features:**  
Designed and Optimized for  
Audio Recording and  
Production. Ultra Quiet,  
High Performance with dual  
hard drives, CD-RW.

We offer completely custom DAWs and the turnkey solutions.



Shop Online or in our Stores  
for over 6,000 PC Products  
at LOW PRICES

[www.centralcomputer.com](http://www.centralcomputer.com)

3 Retail Stores in Silicon Valley

3777 Stevens Creek Blvd., Santa Clara CA 95129 Tel:(408)248-5888

837 Howard Street, San Francisco CA 94103 Tel:(415)495-5888

5990 Mowry Ave., Newark CA 94560 Tel:(510)793-5555

## CASCADE MICROPHONES

### V55 (VALVE 55)

Cascade's V55 features a classic tube design. It's an excellent choice for vocals as well as acoustic guitar and drums. The circuit design utilizes a specially selected Mullard 12AT7WA/CV4024 tube. The Cascade V55 has a 1.38" (35mm) gold-sputtered diaphragm & offers transformer balanced output. The transformer design ensures higher immunity to noise and longer cable drive capability. The Cascade V55 delivers a smooth, fast transient response with extremely low noise and low distortion. A vintage style switchable power supply, quality shock-mount & aluminum case are included.

CASCADE  
V55



#### Specifications:

- \* Type: Vacuum tube condenser
- \* Capsule: 1.38" gold sputtered (gradient design)
- \* Frequency Response: 20Hz to 20 kHz
- \* Polar Pattern: Cardioid
- \* Sensitivity: 20mV/Pa (dB=1V/Pa 1000Hz)
- \* Tube Type: Mullard 12AT7WA/CV4024
- \* Output Impedance: <200 ohms
- \* Output Noise: < 10dB typical (A weighted)
- \* THD: < 0.5% at 1.0V rms
- \* Connector: 7 pin military style connector
- \* Power Supply: Dedicated, switchable 115v to 220v

Mullard

WWW.CASCADEMICROPHONES.COM

## MIDISOFT® MUSIC TECHNOLOGY

Brings you over a decade of variety music software to learn, create, record and print at an exceptional value.

Use any  
**MIDI**  
Instrument

Mix & Burn  
to CD

Export to  
**MP3**  
Portables

# i Make Sheet Music

Write • Notate  
Transpose • Drag & Drop  
Edit, Save and Print your tunes with a simple mouse click!

Get high-end PCI-USB soundcards & hardware directly from us at great prices!

Call us toll free at 1.866.MIDISOFT or check us out online for more products & specials.

You also receive free tech support on every product from us!

**WWW.MIDISOFT.COM**

Use Code-EMC05 and get 10% additional discounts on all our products throughout 2005

# PHONIC BEATS COMPETITION



**PA550**

A Pair of 15" 2-Way FOH Speaker



**MU1822X**

8 Mic/Line 4 Stereo 2 Subgroup  
Compact Mixer



**2 SPEAKER STANDS  
& BAG**

550SP PACK FEATURES 800W, 14 INPUTS, 8 MIC PRE-AMPS, 3 BAND EQ, 16 DIGITAL EFFECTS WITH PARAMETER CONTROL AND MUCH MORE!

PICK UP AN 550SP PACK AT YOUR LOCAL PHONIC DEALER TODAY!

**PHONIC**

WWW.PHONIC.COM 800.430.7222

**SPECIAL  
OFFER!**

**\$949<sup>99</sup>**

RIBBONMICS.COM PRESENTS:


IT CAME FROM AEA...



Scientists agree that Object R92 poses no threat to Earth... OR DOES IT???

LANDING SOON AT A DEALER NEAR YOU!

## CD/DVD FULL SERVICE REPLICATION



**SUPERIOR PRODUCT  
SUPERIOR SERVICE  
SUPERIOR RESULTS**

**CD/DVD/VHS/CASSETTE**

Retail Ready Packaging

In-House Graphic Design

Short and Long Runs

Quick Turn Times

Marketing and Promotion

FREE CD Baby Membership

Authoring • Glass Mastering

Competitive Pricing

**FREE GRAPHIC DESIGN**

with any order of 5,000 or more

**emulationmedia**

CD/DVD/VHS/CASSETTE

GRAPHIC ART & DESIGN

**1-800-791-0063**

**www.emulationmedia.com**

## Rebuilding Yesterday's Technology

Chameleon Labs introduces the first in our line of classic audio reproductions.

**The 7602 Mic Preamp / EQ**

This discrete, Class A, transformer balanced design faithfully parallels it's revered English counterpart, right down to interchangeable circuit cards.

**\$799.00**


30 day money back guarantee



**Chameleon Labs**

[www.chameleonlabs.com](http://www.chameleonlabs.com) 206-264-7602

**pcAudioLabs**  
<http://www.pcaudioLabs.com>



Custom Designed Digital Audio Workstations

**ROCK SOLID.**

[info@pcAudioLabs.com](mailto:info@pcAudioLabs.com)

**818.986.2673**



**VFS**  
VANCOUVER FILM SCHOOL  
WHERE RESULTS MATTER.

**SOUND DESIGN  
FOR VISUAL MEDIA**  
Reveal The Power

VFS. A proven education for everything you see, hear, and experience in the entertainment industry.

For detailed information and everything you need to know call 1-800-661-4101 or visit [vfs.com](http://vfs.com).

## OMNIRAX SUPPORTING CREATIVITY WITH INNOVATION AND STYLE!

OMNIRAX Direct

### Sonix C24 professional console furniture for Digidesign's Control 24

The Sonix C24 is designed to provide a beautiful and functional housing for Digidesign's Control 24 and associated peripherals, combining the best features of both the Omnirax Synergy and MixStation. The dual cabinet design provides room for Digidesign Control 24, all HD system hardware, with a sound insulated cabinet for the computer.

**Featuring:**

- ◆ 27 total rack spaces divided between the two cabinets
- ◆ Isolated cabinet for CPU with Plexiglas front door, lined with Auralex acoustical foam, and fitted with a rear door and exhaust fan.
- ◆ Two space rack rails are mounted in this cabinet above the CPU section.
- ◆ Three piece padded wrist rest across the front.
- ◆ One-piece monitor bridge for near fields and video monitors.
- ◆ Complete with hi-end adjustable computer keyboard / mouse shelf.
- ◆ Removable rear panels
- ◆ Mounted on heavy duty casters for mobility and ease of cabling



right cabinet front with door open

pictured with optional solid mahogany "cheeks" and top

right cabinet rear with door open

### Synergy XL Series

Synergy S6DXBXL  
for Mackie DXB



pictured with optional solid mahogany "cheeks"

The Synergy XL series is designed to provide beautiful and functional console housings for all the popular mixers, providing you with optimum flexibility to accommodate these mixers and associated peripherals.

**The Industry Leader in Studio Furniture**

P.O. Box 1792 Sausalito, CA 94966  
800.332.3393 415.332.3392 FAX 415.332.2607  
[www.omnirax.com](http://www.omnirax.com) [info@omnirax.com](mailto:info@omnirax.com)



**CD & DVD Manufacturing**

**10% National Price Guarantee**

GRAPHIC DESIGN, MASTERING  
DVD AUTHORIZING, POSTERS,  
BARCODES AND MORE.



Value  
**HubPAK**



As Low As **89¢**

Get a **FREE** Catalog

1.800.409.8513

www.lonelyrecords.com

**NOW MANUFACTURING DVD'S IN-HOUSE** CALL FOR DETAILS

**300 CD Package: \$775.00**

Includes: 1-color booklet &  
1-color CD label from print-ready  
film, jewelbox, shrinkwrap

**1000 CD Package: \$1099.00**

Includes: 4-color booklet &  
2-color CD label from print-ready  
film, jewelbox, shrinkwrap

**D.J. VINYL PROMO**

**100 12" VINYL \$799.00** Additional LP's: \$1.30 each

**500 12" VINYL \$1,249.00** REORDER \$699.00

**1000 12" VINYL \$1,779.00** REORDER \$1199.00

PACKAGES INCLUDE: WHITE JACKET w/ HOLE • MASTERING • FULL PROCESSING •

TEST PRESSINGS • 2-COLOR LABELS (stock background) • SHINKWRAP • QUICK TURN AROUND

ASK FOR OUR FREE BROCHURE!



**Rainbo Records** CD • DVD • VINYL • CASSETTE

1738 Berkeley St. • Santa Monica, CA 90404 • (310) 829-3476

Fax: (310) 828-8765 • www.rainborecords.com • info@rainborecords.com



**ArtWonk**  
Algorithmic Sequencer  
Free 30 Day Full Demo  
www.algoart.com

CD • DVD • CD-ROM • SHAPED CD • CASSETTE • PACKAGING

**NEED CDs?**

the choice is

**CRYSTALCLEAR**  
DISC & TAPE

Trusted experience for over 30 years.

**SPECIALS!**

1000 CDs • \$999! (Complete! Retail Ready!)

1000 Promo CD Pack • \$599!

1000 DVDs • \$1899! (Complete! Retail Ready!)



**1-800-880-0073**

www.crystallclearcds.com

**Guitar Rig**

Available From  
**Floridamusicco.com**  
**1-800-378-7599**

**What Would You Do Without Your Hearing?**


**Monitor Your Decibels for a Lifetime of Sound**

**Sound Partners™**  
...Bringing You Choices that Make Sound Sense  
Sound Partners is an educational program of  
**House Ear Institute**  
Advancing Hearing Science  
www.hei.org

**ELECTRONIC MUSICIAN CLASSIFIED ADS** are the easiest and most economical means of reaching a buyer for your product or service. The classified pages of EM supply our readers with a valuable shopping marketplace. We suggest you buy wisely; mail-order consumers have rights, and sellers must comply with the Federal Trade Commission as well as various state laws. EM shall not be liable for the contents of advertisements. For complete information on prices and deadlines, call (800) 544-5530.

## ACOUSTIC PRODUCTS

**SILENT Source**  
58 Nantucket St., Northampton, MA 01062  
Info: (413) 584-7944 Fax: (413) 584-2377  
**ORDER: 800-583-7174**  
Acoustics Fabric Panels •  
Sound Barrier • Isolation Hangers  
Tube Traps • Silence Wallcovering •  
WhisperWedge • ProFoam • Clearsonic  
• Hushfoam • R.P.G. Diffusers •  
Sonex • Sound Quilt • More  
**www.silentsource.com**  
**info@silentsource.com**  
QUALITY • PRICED RIGHT • INTEGRITY


**WhisperRoom INC.**  
SOUND ISOLATION ENCLOSURES  
*Celebrating over 14 years of  
reducing sound to a Whisper!*  
Recording, Broadcasting, Practicing  
  
MDL 102126S  
(8'5"X10'5")  
19 Sizes and 2 Levels of Isolation Available  
New! SoundWave Deflection System  
(Change parallel walls to non-parallel)  
Immediate Shipping!  
**www.whisperroom.com**  
PH: 423-585-5827 FX: 423-585-5831

**VIBRANT TECHNOLOGIES**  
  
DIFFUSER PANELS  
WAVE-FORMS ACOUSTIC PANELS  
800-449-0845  
**www.vibranttech.com**

**www.SoundSuckers.com**  
Be Professional, Buy the Best!  
Soundproofing Products  
Sound Isolation Booths  
Custom Projects & Free Advice  
TOLL FREE 1-888-833-1554 (OR) 541-947-2602

**AcousticsFirst**  
Toll Free 888-765-2900  
Full product line for sound  
control and noise elimination.  
Web: <http://www.acousticsfirst.com>

**Studio Packs**  
Kits Include:  
Tiles, Bass Traps  
& Adhesive  
ACOUSTIC  
TREATMENT  
SOLUTIONS  
423.472.9410  
**www.hsfacoustics.com**

**Auralex Acoustics**  
**MAX-Wall**  
The original, patented, stand-mounted acoustic  
absorber that can go virtually anywhere!  
  
Total Sound Control  
**Auralex**  
acoustics  
**Put MAX-Wall™ to work today!**

**SILENCE CASES**  
Record, Edit, Mix, Master...  
  
THINK  
in PEACE.  
Attenuation cases keep your PC gear  
QUIET and COOL  
Multiple designs available  
starting at \$429  
510-655-3440  
**www.silencecases.com**

**VocalBooth.com**  
MODULAR SOUND REDUCTION SYSTEMS  
  
Listen to your dreams.  
Follow your heart.  
Don't ever stop.  
- Calvin Mann  
**541-330-6045**  
**WWW.VOCALBOOTH.COM**

**RPG**  
RPG DIFFUSOR SYSTEMS, INC.  
Absorption,  
Diffusion and  
Total Room  
Solutions.  
  
**www.rpginc.com**

**Electronic Musician**  
**Check us out  
on the web.**  
**www.emusician.com**

**REALTRAPS®**  
MINI TRAPS—Affordable Acoustic Treatment  
*Rave Reviews From Top Pros*  
  
"Our control room at Le Crib Studios  
needed serious help. After installing  
MiniTraps the room sounds better than  
we believed possible, with clear, round  
bottom and vastly improved imaging.  
Fantastic product, great company."  
—Nile Rodgers  
  
"MiniTraps really made a difference in  
my studio. I previously had foam  
corner bass traps, but they really  
seemed to have no affect. It wasn't  
until I added the MiniTraps that my  
low end evened out."  
—Charles Dye  
(Ricky Martin, Jon Bon Jovi, Shakira,  
Lauryn Hill, Gloria Estefan)  
**Toll-Free: 866-732-5872** **www.REALTRAPS.com**

## ANALOG SYNTHS

**MODULARSYNTH.COM**  
REAL ANALOG MODULAR  
OVER 350 MODULES  
15 COMPANIES  
**www.modularsynth.com**  
☐ BLACET ☐ METASONIX ☐ OAKLEY  
☐ CYNDUSTRIES ☐ MODCAN ☐ WAARD  
☐ DOEPFER ☐ WOTM ☐ SYNTHESIZERS.COM

Synthesizers.....  
made of TUBES??  
(....WHY NOT?)  
**METASONIX**  
**www.METASONIX.COM**  
PMB 109, 881 11th St  
Lakeport CA 95453 USA

Subscribe to Electronic Musician's  
weekly e-newsletter! Visit **www.emusician.com**

## CASES

### CASE SPECIALISTS

[www.discount-distributors.com](http://www.discount-distributors.com)



Custom and stock cases!

Call us at

800-346-4638



"Auralex continues to grow every year and a part of that growth is directly attributed to the response from the Classified readers of *Electronic Musician*. When we plan our advertising budget, this magazine is always part of our core buy".

—The staff of Auralex

Electronic Musician's weekly e-newsletter delivers the latest news direct to your inbox!

## EMPLOYMENT

# SALES ENGINEERS WANTED

**PASSIONATE. DRIVEN. COMMITTED. MOTIVATED. WINNER.** Does this describe you? Then team up with Sweetwater Sound, the nation's top professional audio retailer.

We are currently seeking qualified candidates to join our elite and award-winning team of Sales Engineers. As a Sales Engineer, you will be working in a very fast-paced, high energy environment in Fort Wayne, Indiana. Working with the leading retailer of music technology, you will have the rewarding task of helping the "Who's who" in music with all of their music technology needs. Sales Engineers at Sweetwater are not just order takers — they're sales professionals who have a passion and strong knowledge of the gear, consultants, and friends of our customers. If you're a self-starter with a musical background and a strong customer service ethic, then Sweetwater is the right place for you.

Sweetwater Sales Engineers have the best compensation package in the industry, plus other great benefits like 401K, profit sharing, health and dental insurance, cash incentives, and the best training program of any retailer. Additionally, Fort Wayne is a vibrant city with a strong arts scene, great schools, a low cost of living and much, much more.

If you're interested in putting your talents to work, then contact Kristine Haas, Director of Human Resources at 1-800-222-4700, ext. 1051 or by e-mail at [careers@sweetwater.com](mailto:careers@sweetwater.com).

**Sweetwater**

music technology direct™

800-222-4700

5335 Bass Road, Fort Wayne, IN 46808 • FAX 260-432-1758

[www.sweetwater.com/careers](http://www.sweetwater.com/careers)

## EQUIPMENT FOR SALE

**NEW!**

**STEDMAN**  
888-629-5960  
[www.stedmancorp.com](http://www.stedmancorp.com)

ADVANCED DESIGN  
EXTENDED CLAMP  
6" DIA SCREEN

**PROSCREEN XL**

Made in USA

**SINGERS! REMOVE VOCALS**

Unlimited Free Backgrounds from Original Standard Recordings!  
**Thompson Vocal Eliminator™**  
VE-4 Free Brochure & Demo  
24 Hour Demo/Info Line  
(770)482-2485 • Ext 16  
LT Sound Dept EM-1 7980 LT Parkway Lithonia, GA 30058  
[www.VocalEliminator.com/ga/EM](http://www.VocalEliminator.com/ga/EM)  
Better Than Karaoke for Over 25 Years!

**musician**  
**EXTRA**  
**@**

Subscribe today at  
[www.emusician.com](http://www.emusician.com)

Don't miss another issue!

E-mail your classified at to:

[emclass@primediabusiness.com](mailto:emclass@primediabusiness.com)

## FURNITURE

**OMNIRAX**  
STUDIO FURNITURE



CODA DB  
with Sidecars

OMNIRAX 800.332.3393 415.332.3392  
FAX 415.332.2907  
[www.omnirax.com](http://www.omnirax.com)

• consoles • workstations • rack enclosures • speaker stands

**technical furniture**  
**argosyconsole.com**  
800.315.9378

ARGOSY

## INSTRUCTION & SCHOOLS

**BE A RECORDING ENGINEER**  
★ **TRAIN AT HOME**  
Easy Home-Study practical training in Multi-track Recording. Join our successful working graduates or build your own studio. Career guidance/Diploma/Registered School.

**FREE INFORMATION:**  
**Audio Institute of America**  
1114 4th Ave. Suite F, San Francisco, CA 94121  
Or visit us at [www.audioinstitute.com](http://www.audioinstitute.com)

Reach more than 800,000 web visitors! Check out the eClassifieds at [www.emusician.com/eMarketplace](http://www.emusician.com/eMarketplace)

## MASTERING & PRODUCTION

**MASTERING**  
Guaranteed to give you that "Big Label" sound.

**\$475** Complete Album Analog & Digital Mastering!

New York's Premiere Mastering Studio

Check Out Our Website... [www.musichousemastering.com](http://www.musichousemastering.com)  
**1-800-692-1210**  
Located in NY, Serving the US Since 1989

## RECORDS, TAPES, CDS

**Lowest Price Period!**

CD Audio / CD Rom / DVD Replication  
Video Duplication / Graphic Design  
Printing / Packaging / Pre-Press

**M BALL MEDIA**  
888.256.3472  
[www.ballmedia.com](http://www.ballmedia.com)

**1,000 CDs** in full-color jackets for just **\$990!**

Call for a FREE catalog and jacket sample at 1-800-468-9353  
Or visit our website at [www.discmakers.com/remix](http://www.discmakers.com/remix)

**DISC MAKERS**

**all under one roof!**  
**deal direct & SAVE**

**FREE CATALOG or CUSTOM QUOTE**

**C&C MUSIC**  
You'll Hear & Feel the Difference

Compact Disc Replication • Cassette Duplication • Complete Packages • Digital Mastering • Graphics and Printing

[www.CandCmusic.com](http://www.CandCmusic.com)  
OUTSIDE THE U.S. CALL: 631-244-0800

**Toll free: 800-289-9155**

**CD, CASSETTE, CDR and CD-ROM Complete Packages!**

**DDAI**  
DIGITAL DYNAMICS AUDIO INC.

1-800-444 DDAI  
[www.ddai.com](http://www.ddai.com)

- CD/CASS MASTERING
- CD/CASS REPLICATION
- CEDAR RESTORATION
- GRAPHIC DESIGN
- FILMS AND PRINTING
- CD-ROM AUTHORIZING

## HEY LOOK! WE'RE ON THE WEB!

Toll Free:  
800-538-2336

**NRS**  
National Recording Supplies Inc.

All Formats!  
Best Prices!

[www.tapes.com](http://www.tapes.com)

## PARTS & ACCESSORIES

### HOTWIRED!

Your Custom Cable House  
Founded BY a recording professional, FOR recording professionals.  
**MOGAMI AND NEUTRIK**  
Custom Cable Assemblies  
[info@hotwiredcables.com](mailto:info@hotwiredcables.com)  
**1-877-67WIRED!**

**Small ads rock!**  
**Your classified ad could be here!**  
**(800)544-5530**

**KLARITY**  
MULTIMEDIA INC  
888-387-8273

CDs, CDROMs, Cassettes, Vinyl, Mini Discs, VHS

Our Customers have trusted us with their projects for over 15 Years! We care and work with you to create your project the way you want it.

Total Fulfillment, Graphic Design, Illustration  
Digital Mastering, Complete Packaging, Mailing Services  
Warehousing, Package Pricing, Custom Pricing  
Online Music Store, Free Barcode  
Quality Service • Personal Attention • Quality Products

[www.Klarity.com](http://www.Klarity.com) [www.KlarityMusic.com](http://www.KlarityMusic.com)

[WWW.EMUSICIAN.COM](http://WWW.EMUSICIAN.COM)



**CD replication for the insane audiophile™**

**1-888-GROOVE8 (1-888-476-6838)**  
[www.groovehouse.com](http://www.groovehouse.com)



**Subscription Questions??**

**Call (800) 245-2737**

**1000 Store Ready CDs \$899**

**INCLUDES 100 FULL COLOR POSTERS**

**1000 Bulk CDs \$499** [www.TrackmasterAV.com](http://www.TrackmasterAV.com)  
 Toll Free: 888-374-8877

Your 1-stop shop for CD, AUDIO & VIDEO cassette projects!



**Complete CD Packages in Just 7-10 Days!**

Newsong Media redefines the standard for speed in the replication industry with a 7-10 working day turnaround at no extra charge.

Give us a call at **800-964-DISC**  
[www.newsongmedia.com](http://www.newsongmedia.com) NEWSONG MEDIA

**THE DEFINITIVE TECHNOLOGY RESOURCE FOR MUSIC EDUCATORS**



**MUSIC EDUCATION™ TECHNOLOGY**

A **NEW** quarterly publication dedicated to providing a better understanding of technology issues and solutions for today's music educators and their students K-12.

To find out how you can place your classified ad in **Music Education Technology**, please call our sales associates.

**800-544-5530**  
[metclass@primediabusiness.com](mailto:metclass@primediabusiness.com)

**You should care who makes your CD. WE DO.**

- the best customer service in the business\*
- instant online quote
- inhouse mastering, design & multimedia
- quality finished CDs, DVDs & vinyl



**MUSIC MANUFACTURING SERVICES**

[www.musicmanufacturing.com](http://www.musicmanufacturing.com)

**US: 1-800-293-2075**  
**Canada: 1-800-667-4237**

New York • Toronto • Montreal • St. Johns

\*Read our client survey results to find out more.

[www.yourmusiconcd.com](http://www.yourmusiconcd.com)

**100 BULK CDRS \$59** Includes cdr. and duplication

**100 BASIC CDRS \$99** Includes cdr, on cd print, and 10 Free Cds with 100 or more package

**100 FULL COLOR CDR PACKAGE \$199** includes cdr, on cd print, color cover(4x1) & tray card(4x0) assembly, jewel case, and shrinkwrap from your artfiles

**500 FULL COLOR PACKAGE \$824**

**1000 FULL COLOR PACKAGE \$1174**

**SNS ATLANTA 678-442-0933**  
**DIGITAL INC TOLL FREE 1-877-442-0933**

Almost 20 yrs. Experience

**SWEET...**

**1000 Retail Ready CDs \$1079** Includes: Manufactured 3 Color CDs • Full Color Inserts • Jewel Case • Shrinkwrap

**100 Retail Ready CDs \$199** Includes: Dupl. CDs (1 color on CD) • Full Color Inserts • Jewel Case • Shrinkwrap

**EASTCO MULTI MEDIA**

**1-800-365-8273**

[www.eastcomultimedia.com](http://www.eastcomultimedia.com)



**Odds ON**  
CD & DVD MANUFACTURING

**Odds On Save BIG!**

100 CDS <b>\$299</b>	250 CDS <b>\$399</b>	500 CDS <b>\$699</b>
1,000 CDS <b>\$1,299</b>	2,500 CDS <b>\$1,999</b>	5,000 CDS <b>\$2,799</b>

**Order Today!**  
**277-ODDS ON!**  
www.OddsOnRecording.com

**WE BEAT ANY PRICE!**

- Highest Quality
- Reliable Service
- CD's
- Cassettes
- Video
- Posters, etc.

**NO BULL**  
**TOTAL TAPE SERVICES**  
**(727) 446-8273**  
www.totaltapeservices.com

## SOFTWARE, MIDI FILES, SOUND

**DINO DRUMS INC. "RADIO READY DRUM TRACKS"**  
The Best Live Drums Loop CD on The Planet!!!

**8 SUPERSTAR DRUMMERS • 99 GROOVES**  
Who have recorded/toured with: Tupac, George (Black Eyed Peas), LV/Coolio, Survivor, Patti LaBelle, Rodger Daltry, Smokey Robinson, Funk Attack, Ice T, Ray Charles, Michael Jackson, Rick James, Edgar Winter -White Trash, Renegade, Patric Moraz, Brothers Johnson, BB King, Johnny Hammond, Wierd Al Yankovic  
"Produced/Engineered" Mixed by Award Winning Producer/Drummer Dino Muckelbauer

**ALL 99 Killer Grooves ONLY \$79**  
(plus shipping)  
Free and clear of any and all royalties!!  
**Order Now!!** VISA & MASTERCARD ACCEPTED  
**Call 310-782-1440**  
www.dinodrumsinc.com

**Whitewater Studios**  
MASTERING • CDS • TAPES

Complete CD Mastering \$375.00  
PRICE BAR 500 Bulk CDs \$349 FREE BAR CODE! 1000 CDs complete \$999  
Short-Run CD packages • Real-Time cassettes

We give you the best in service & price!  
828-274-0956 9 Busbee View Rd Asheville, NC 28803  
www.whitewaterrecording.com

**ELS PRODUCTIONS** 100 Full Color  
Retail Ready CDs  
**\$240.00!**

**1-800-927-3472**  
www.elsproductions.com

CD • DVD • CD-ROM • SHAPED CD • CASSETTE • PACKAGING

**CRYSTAL CLEAR**  
DISC & TAPE  
Trusted experience for over 30 years.  
**1-800-880-0073**  
www.crystalclearcds.com

For the best price in CD Replication ....  
there is only one number you'll need!

**1.888.891.9091**  
**MEDIA SERVICE** WWW.MEDIAOMAHA.COM

**Lonely RECORDS**

Get a FREE Catalog  
1.800.409.8513  
www.lonelyrecords.com

Retail Ready CD Packages **99¢**

**WORLD CLASS MIDI FILES**  
the WORKS Music Productions  
For Free Catalog & Demo Disk  
call (800) 531-5868 or visit  
our Web site:  
**www.worksmidi.com**  
Popular styles, General MIDI-  
compatible, e-mail delivery avail.  
Box 22681, Milwaukie, OR  
97269

**BEGINNERS WELCOME!**  
Name-brand Software and  
Hardware to set up your  
computer for music  
recording and printing. Free  
articles and  
online catalog!  
**www.musicmall.com/cmp**

**Music Tools Blowout!**  
10 Years of Great Deals  
Digital Audio Hardware, Interfaces,  
Samples, Software, Cables, MIDI's  
Over 1300 Classic Guitar MIDI's  
Shop for 20,000+ products at  
**www.midi-classics.com**  
**Call 800-787-6434 NOW!**  
MIDI Classics, Dept E, Box 311, Waterbury CT 06899

**The Patch King**  
QUALITY SOUNDS for SYNTHS  
and SAMPLERS SINCE 1984  
(246) 420-4504  
**WWW.KIDNEPRO.COM**

**subscribe  
to**

**Electronic  
Musician  
& Remix**

**www.emusician.com**  
**www.remixmag.com**



## BAND-IN-A-BOX IMPROVEMENT PRODUCTS\*\*\*

You can put a Better-Band-In-Your-Box.  
Power-User Styles, Fake Disks & More! GenMIDI SEQUENCE &  
CD-ROMs, too! FREE Info! Norton Music & Fun, Box 13149,  
Ft. Pierce, FL 34979. Voice mail/fax (772) 467-2420.  
**www.nortonmusic.com**


## TALENT

**Original Music  
WANTED!!**

Singles or CD's - ALL GENRES  
**www.BandMatesNetwork.com**

# THE MOTU STUDIO TO GO

Bus-powered  
MOTU Studio  
recording is  
now more  
powerful  
and portable  
than ever



## Apple PowerBook G4

**A sleek, lightweight and powerful mobile recording studio**

Starting at just \$1,599, the newest PowerBook family offers more. More power. More speed. More Digital Performer — as in more tracks, more plug-ins and more virtual instruments. Whether you prefer the ultra-compact 12-inch model, the coveted 15-inch powerhouse or the breathtaking 17-inch stunner, every new PowerBook G4 features faster PowerPC G4 processors, with speeds topping the charts at 1.5GHz. Want to create your own CDs and even DVDs? The new PowerBook models offer 4x-speed SuperDrives. The PowerBook G4 is the ideal platform for Digital Performer, the all-new Traveler, and a host of third-party plug-ins and add-ons.

## MOTU Traveler™

**Bus-powered high definition FireWire audio**

The Traveler is the first bus-powered FireWire audio interface to offer four mic inputs and exceptionally high-quality high definition analog recording and playback. Just plug in the FireWire cable and power everything off the battery in your computer — you can operate your studio anywhere! At only 3.8 pounds and 14.75 inches wide by 9 inches deep, the Traveler slides easily into your knapsack or bag, next to your PowerBook.

## TC Electronic PowerCore Compact

**This portable processing powerhouse slides easily into your bag**

PowerCore Compact is the perfect way to add a dozen world-class TC Electronic effects plug-ins to your MOTU portable studio, while freeing up your PowerBook to run plenty of native plug-ins and virtual instruments. That's because the 12 included TC plug-ins run entirely on two 150MHz Motorola DSPs in the PowerCore Compact, via convenient plug-and-play FireWire connection to the computer. And thanks to Digital Performer 4.5's new automatic plug-in latency compensation features, timing is sample accurate. The included plug-ins deliver a wide array of effects — all with TC Electronic quality and pedigree: classic reverb, mega reverb, delays, chorus, EQ, compression, guitar amp simulation, vocal processing, vintage synthesis, the renowned Master X3™, Filtrid™ and the innovative Character™ plug-in.



Authorized Reseller

**CALL SWEETWATER — MOTU STUDIO TO GO 800-222-4700**


WEB

# Audio Ease Altiverb V5™

## Your first choice for convolution reverb

Altiverb broke new ground as the first ever convolution reverb plug-in, delivering stunningly realistic acoustic spaces to your MOTU desktop studio. Altiverb V5 continues to lead the way with cutting edge features. Altiverb V5's ever growing Impulse Response library provides the most diverse and highest quality acoustic samples on the market. Recent additions are shown below from the Altiverb Fall 2004 East Coast Tour. Version 5 delivers more seconds of reverb, more instances, and less CPU overhead than any other convolution reverb. And its new adjustable parameters are a snap to use! Altiverb takes full advantage of the Altivec™ processor in your PowerBook G4 or desktop Power Mac G4 or G5. THE must-have reverb for every MOTU studio.

- Highest quality samples on the market.
- Legendary concert halls and studios.
- Versatile damping and hires-EQ section.
- Click-and-drag 3D sound placement.
- 'Size' parameter shifts resonances and room modes.
- Gains and delays for direct early-reflection and tail.
- Waterfall diagram shows time-frequency behavior in 3D.
- Surround up to 192 kHz.
- Snapshot automation for mixing and post-production.
- Available for MAS and all other Mac plug-in formats




The size knob shifts the frequency behavior of a room while adjusting reverb times.


The new multi-channel waveform overview reveals crucial detail about gain levels and timing during the first tenth of a second of a reverb tail. The rotatable and zoomable 'waterfall' (3D time/frequency diagram) reveals even more about Damping, EQ and resonances.

A rotating VR (Virtual Reality) movie helps you feel the presence of each room.

Snapshots let you automate complete preset changes.



**CPU Control** — Altiverb is the most efficient of all convolution reverbs.



**Speaker Placer** — Put the violins stage left, cellos stage right, and percussion in the back, all in stereo.



**EQ** — Use up to four bands of EQ, tailored for reverb tail adjustment, to fine-tune the sound.



Allaire studios Great Hall, Shokan, NY



www.allairstudios.com

Edison, NYC



Clubhouse Studio, Rhinebeck, NY  
www.clubhouseinc.com

Mechanics Hall, Worcester, MA



www.mechanicshall.org — Photo by Steve Rosenthal

Forest Austerlitz, Netherlands



Sound on Sound Studios, NYC  
www.soundonsoundstudios.com

## Focusrite Liquid Channel™

### A Console Master Section Without the Console!


Every MOTU personal studio deserves luxurious outboard gear. And what better than a piece that delivers the sound of 40 classic mic pres and 40 vintage compressors in one box! The Focusrite Liquid Channel is a revolutionary professional channel strip that can replicate virtually any classic mic-pre and compressor ever made! Combining radical new analog pre-amp technology with special Dynamic Convolution techniques,

the Liquid Channel fuses cutting-edge analog design with lightning fast SHARC DSP. Augmented by fully digital controls, the Liquid Channel provides unlimited possibilities with available FREE LiquidControl software, which allows for remote control of the Liquid Channel and future FREE pre and compressor replica downloads for unlimited additional sound expansion. The Liquid Channel provides the ultimate fluid vintage collection.



## BIAS Peak 4.1 Mastering & Restoration Edition

Peak 4.1 plus SoundSoap Pro and SuperFreq. Imagine the world's most popular stereo audio editing, processing, and CD mastering program for the Mac, combined with unparalleled noise reduction and restoration technology — all at a jaw dropping low price. You get Peak 4.1 (including ImpulseVerb, Sqweez, Vbox SE, Jam 6, SFX Machine LT, and more), SoundSoap Pro (combines four state of the art restoration and noise reduction tools in a single plug-in), and the SuperFreq suite of mastering EQs all in one great package. Launch Peak directly from DP4 for more editing and processing power. Run SoundSoap Pro within DP4 or in Peak as an AU plug-in. For the very best in sample editing, batch processing, file conversions, loop creation, sound design, restoration, and Redbook CD mastering on OS X, pick up the Peak 4.1 Mastering and Restoration Edition today — the perfect mastering and restoration companion for DP4!



## Native Instruments Absynth 3

### Bend, mold, meld and morph sounds!


ABSYNTH was used extensively, together with Digital Performer, on the Matrix Reloaded soundtrack by electronica mastermind and Juno Reactor founder Ben Watkins. And now, this award-winning synthesizer hits the scene for the third time armed with a host of new and unique features. ABSYNTH 3 brings dozens of new features that greatly expand its already extraordinary sound spectrum. The powerful synthesizer now incorporates a new user interface with convenient one-window editing, envelope-controlled surround sound features, live audio inputs, real-time fractalization, unison mode, advanced envelope control, 2 new special effects and 256 additional presets. Combining FM and subtractive synthesis, ring modulation, a live stereo input, classic and granular sampling with the most advanced envelope control ever implemented, this unrivalled synthesizer will take you on the most outrageous sonic adventures. There's really nothing else like ABSYNTH 3.



## Spectrasonics Stylus RMX

### The power of groove production

Stylus RMX is the first product to offer the combined power of Groove Control™ with Spectrasonics Advanced Groove Engine (S.A.G.E.™) giving users dramatic new control over groove production. Dozens of new features include a completely redesigned interface, a new 7.4 GB core library of cutting-edge grooves and sounds produced by Eric Persing, and the ground-breaking, always changing Chaos Designer™. Real-time groove creation has never been so simple, and has never sounded so good! Kits and over 10,000 new single-hits, too. RMX is the ultimate Remix-oriented sound module for building millions of grooves.



CALL SWEETWATER — MOTU STUDIO TO GO 800-222-4700

## PreSonus Central Station™ A Console Master Section Without the Console!

The PreSonus Central Station is the missing link between your MOTU recording interface, studio monitors, input sources and the artist. Featuring 5 sets of stereo inputs (3 analog and 2 digital with 192kHz D/A conversion), the Central Station allows you to switch between 3 different sets of studio monitor outputs while maintaining a purely passive signal path. The main audio path uses no amplifier stages including op amps, active IC's or chips eliminating coloration, noise and distortion enabling you to hear your mixes more


clearly and minimize ear fatigue. In addition, the Central Station features a complete studio communication solution with built-in condenser talkback microphone, MUTE, DIM, two separate headphone outputs plus a cue output to enhance the creative process. A fast-acting 30 segment LED is also supplied for flawless visual metering of levels both in dBu and dBfs mode.

**Special limited time offer!**  
get a CSR-1 remote with your Central Station  
for only \$99! Save \$50!



## Mackie Control Universal™ Automated hands-on control for the DP4 studio

Imagine the feeling of touch-sensitive, automated Penny & Giles faders under your hands, and the fine-tuned twist of a V-Pot™ between your fingers. You adjust plug-in settings, automate filter sweeps in real-time, and trim individual track levels. Your hands fly over responsive controls, perfecting your mix — free from the solitary confinement of your mouse. Mackie Control delivers all this in an expandable, compact, desktop-style design forged by the combined talents of Mackie manufacturing and the MOTU Digital Performer engineering team. Mackie Control brings large-console, Studio A prowess to your Digital Performer desktop studio, with a wide range of customized control features that go well beyond mixing. It's like putting your hands on Digital Performer itself.




## Mackie HR-series Active Studio Monitors Nearfield monitors for your MOTU studio

Mackie's HR-Series Active Studio Monitors are considered some of the most loved and trusted nearfield studio monitors of all time, and with good reason. These award-winning bi-amplified monitors offer a performance that rivals monitors costing two or three times their price. Namely, a stereo field that's wide, deep and incredibly detailed. Low frequencies that are no more or less than what you've recorded. High and mid-range frequencies that are clean and articulated. Plus the sweetest of sweet spots. Whether it's the 6-inch HR-624, 8-inch HR-824 or dual 6-inch 626, there's an HR Series monitor that will tell you the truth, the whole truth, and nothing but the truth.



## Sweetwater SweetCare™ Your personal MOTU studio expert advisor

When setting up and maintaining a MOTU desktop studio, there are many considerations to factor in to your decision making. Both the hardware and software landscape are constantly changing, and it's hard to keep up with all of the advancements. That's where Sweetwater comes in. Your personal Sweetwater sales engineer offers much, much more than just a great price. They do the research, day in and day out, to ensure that you'll fine-tune your MOTU system to fit your exact needs.



**Call now for your MOTU Studio To Go  
personal consultation: 800-222-4700**

[www.sweetwater.com](http://www.sweetwater.com) • [info@sweetwater.com](mailto:info@sweetwater.com) • 800-222-4700

# Opening the Door

By Larry the O

## So you want to be a rock 'n' roll star . . .

**H**aving kicked around in the audio and music industry for a few years, I occasionally get inquiries from students and other people who want my advice on how to break into the business. Despite the many articles and books on this topic, there still seems to be a need for more perspectives—probably because breaking in is hard to do. Because “Final Mix” is an appropriate spot for fearless commentary, I shall take a short stab (sorry, that’s all they give me) at conveying a few hints from my real-world experience.

Let’s start with some of basic concepts. First, getting a job and making a living doing audio is easier than making a living playing music. Second, even given the first point, it’s still a bear, and you can probably make a better living programming databases. Most of us in this business have difficulty bearing the thought of enduring such a boring profession as database programming, though. (That said, I recall a top-flight engineer who transitioned to precisely that job.)

Therefore, make your choices with the conscious understanding of what you’re getting yourself into, what you’re opting out of, and why the trade-offs are worth it—assuming that you conclude they are. Most forms of audio production that I know of, and nearly all forms of performing music, require lots of hours, struggles with technology, and

crossfade of any shape is useful. Knowing why you would want to choose one shape over another for a given application is more useful. If you also understand how crossfading is accomplished inside the computer and the implications of that, then you’ve learned something of great practical value.

But even that is an advanced principle. In the last several years, I have seen many people coming up who don’t know nearly enough about acoustics, transducers (for example, microphones and loudspeakers), and basic concepts of filtering. Many lack a full understanding of the importance of time in audio (not just delay and reverb, but phase; you *do* know that “polarity” is different from “phase,” right?). What is often missed is that this knowledge comes into play indirectly more often than directly. For example, if you grasp acoustical principles, you are well equipped to be able to make convincing reverb simulations, whether for a game or for ambience matching of production dialog and ADR dialog.

Another set of absolutely crucial skills not often taught in schools is project management and how to work in teams, including showing a constructive attitude, employing political skills, and mastering the delicate art of writing email. Without these skills, you can never rise from being a “worker” to being a leader. Do not let the fact that I am devoting less verbiage to this subject than to others in this column lead you to underestimate its importance.

Finally, it is true that who you know is more important to breaking in than what you know. So if you don’t know the right people now, make an effort to meet them. Networking is extremely important if you want to break in to the business, so go to conferences, attend meetings of local professional groups, and, yes, join email lists. Ultimately, in-person contact is the single most important factor to getting work. Lots of people have good demos; meeting someone in the business and impressing them with your excellent presence will have much more impact than a demo alone. Furthermore, in talking to those who are already in the industry, you will learn more of what you need to succeed.

These are a few things I have found to be key but often underemphasized. Now that you know the “secrets,” go get ‘em! **EM**

*Larry the O is accustomed to spending hours alone in windowless rooms, during which time he fondles a small gold ring and mutters “My Precious!” a lot.*

## You can probably make a better living by programming databases.

difficult clients. Creating and shaping sound and music can, however, also bring immense satisfaction. If the satisfaction outweighs the frustrations, and the financial situation is at least acceptable, then it could be a fine career.

Next, you must endeavor to acquire the necessary skills. A lot of things I’ve read about the industry and promotions for schools I’ve seen suggest that being a Pro Tools wizard or knowing how to run a big SSL console are the things you need to know to make a living in this business. There is no question that understanding how to use modern tools is important, but that is the easiest knowledge to acquire.

What is emphasized less often is the need to understand basic underlying principles. Knowing how to make a

# AUDIOFIRE™

## FIREWIRE RECORDING

### AUDIOFIRE12

• 12 +4dBu Inputs • 12 +4dBu Outputs • 24BIT 192kHz Sampling • MIDI INPUT/OUTPUT • Word Clock Sync



### AUDIOFIRE8

• 2 Universal Inputs with mic preamps, meters, trim, and channel inserts • MIDI input/output • Headphone Output  
• 6 +4dBu Inputs • 8 +4dBu Analog Outputs • ADAT and S/PDIF input/output • Word Clock Sync



**ECHOAUDIO.COM**

6309 Carpinteria Ave. Carpinteria, CA 93013 Phone: 805.684.4593



A powerful connection

You probably won't record your next song  
in Central Park. But it's nice to know you could.  
Or just about anywhere else. Because all it takes  
is one powerful connection between your  
battery-powered laptop and the bus-powered Traveler.  
So plug in, start recording and enjoy the liberation.

# TRAVELER™

BUS-POWERED HIGH-DEFINITION FIREWIRE AUDIO INTERFACE

**MOTU**  
motu.com