JUNE 1979 \$1.50

AND RECORDING WORLD

STEPHEN STILLS EXCLUSIVE

Paul Weller

George Duke

Pat Travers

Georgie Fame

lan Carr

Recording the new Bowie album

TESTS: LOWDEN L38 GUITAR • GRETSCH BROADKASTER
II KIT • FRUNT 200B BASS AMP • MULTIVOX MX440
KEYBOARD • BOSE 802 PA SYSTEM • BC RICH MOCKINGBIRD
BASS • ROLAND RS505 STRING SYNTH • SUNN BETA
COMBO • SPRINGFIELD FEDAL STEEL



\$ 8 K

Let your 1905 work for you



OSS can give you that special sound. This dramatic new range of sound effectors by Roland breaks new ground. All have rugged cast metal construction in strong attractive colours. The whole of the top is designed as a rubber covered "no miss" foot pedal with FET switching - absolutely no clicks. Every base is non-slip rubber covered. Each unit is battery or mains operated using a Boss AC 9v adaptor. An LED lets you know when you are on and indicates battery condition. Battery change using one coin slot screw. All this in units small enough to slip into your guitar case or tote bag.

OVERDRIVE puts back that "driven valve" sound 600 ohm load output impedance handles the "big" sound. Separate level and overdrive controls allow you to set your own sound colours.

COMPRESSION SUSTAINER offers real

penetrating sustain without distortion. A separate treble control allows you to expand the high notes. With the treble set low this unit doubles as a limiter.

TOUCH WAH is far more than just another wah-wah box. Automatically triggered by the strength of the signal — guitar string or keyboard — with variable sensitivity. Controlleble peak gives full tonal variation and a simple trigger switch allows you to vary the effect sequence from hard to mellow or mellow to hard. Particularly effective with bass guitar.

GRAPHIC — one of the smallest full function equalisers ever designed. Total control over 6 octave bands from 100Hz to 3.2KHz with a ±15dB range. Slide controls with click stop zero settings offer the player total control.

PHASER — better than the others. Rate can be varied from slow to super fast together with variable depth. Phase shift ranges over an

incredible 720° in 4 shifts while the LFO speed can be controlled from 100ms to a full 16 seconds.

DISTORTION SUSTAINER — an advanced unit featuring simultaneous control of distortion and sustain with a separate tone control. Distortion ranges from a barely audible soft to extremely hard.

SPECTRUM — particularly useful with bass guitars emphasises any tone spectrum you want from 500Hz through to 5KHz. Separate tone and balance controls.

NOISE GATE (Not shown). There comes a time when any chain of electronic equipment will pick up unwanted noise. Even with the Boss FET circuitry, the connecting cables will produce some noise. The Noise Gate is the ultimate answer, working as a trap, shutting while you're not playing and opening the minute you start to play

Brodr Jorgensen (UK) Ltd., Great West Trading Estate, 983 Great West Road, Brentford, Middx. TW8 9DN. Tel. 01-568 4578. Please send me details of the Boss effects units. I enclose 35p to cover Postage and Packaging.

Name ______ Address

SOUND OUALITY at prices that make sound sense











SOLTON TWIN JET 200



This fantastic two channel speaker system nas 2 x 100 watt amplifiers to meet all the requirements of both the group organist and solo artist.

For only

£ 695 inc VAT

Chingford Organ Studios tremendous buying power enables us to offer these super bargains at enormous savings without reducing the expert facilities we have to offer. There's no hidden charges, no tricks, which makes sound sense, when buying quality instruments that have to be reliable. We have an instant finance facility that can be arranged by telephone. And should it be needed, an unbeatable after sales service, by our own fully qualified service engineers.

Call into your nearest branch or send the coupon, for more details of these and other bargains we have to offer.

ORGAN STUDIOS LTD

230 Chingford Mount Rd., London E4 38 Ballards Lane, Finchley, London N3 35 Horseshoe Street, Northampton 6'7 Station Road Portslade Sussex

Telephone 01 524 1446 7 8 Telephone. 01 346 3059 8948 Telephone 0604 22936 7 Telephone 0273 412877

Please	send me details	of the Balmor	al 252R & your	finance facili	ties
Nermin					
Artitres					
		I el			

Randall TAKES THE LEAD



Randall

Distributed by



JAMES T COPPOCK (LEEDS) LTD Highfield House Royds Lane Leeds LS12

THE ONE STOP SHOP A234OSXH 334+7/2 or 71/2+15

PRICE GUARANTEE

Our prices are rock bottom. If you find lower we refund difference.



A334OSX 7/2+15



A3340S **INDUSTRIAL** LOW NOISE INDUSTRIAL **VERSION**



TRACK



±50/Varispeed servo control Low noise. Full sel sync £1990 Portable



COMPRESSOR LIMITER



£250

VARIABLE SLOPE AUTO RELEASE. A must for accomplished recording engineers



A.77











A.700 34-712+15

VERSIONS

31/4+71/2

3.77 **BEST SELLING** STEREO RECORDER WITH 3 SPEEDS $3\frac{3}{4} + 7\frac{1}{2} + 15$ MOTION SENSING



NEW 10-4 4-limiters, direct outputs, remix, A-B monitoring, PFL, comprehensive patching £790.00









MUSICIANS S500-D POWER CHOICE AMP 500 Watts









FOR THE **PRO USER**



MODEL 5 8in - 4out MODEL 3 8in - 4out MODEL 2 6in - 4out







PRODUCTION MIXER



MODULAR 16x8





THE FINEST STEREO ECHO UNIT FROM U.S.A. ANTI-TWANG LIMITERS, BANDWIDTH CONTROL. STRICTLY PROFESSIONAL UNIT.

STEREO £465

3M - AGFA - AKG - TRIDENT -AUDIO DESIGN - OTARI - AMPEX -



CURRENT DUMPER

CONTACT: JIM NELSON 01-724 2498 ALL PRICES WITHOUT VAT



1-7 Harewood Avenue Marylebone Road **London NW1**

Contents

Managing Director Richard Desmond
Creative and Editorial Director Ray Hammond
Market Development Director Malcolm Green
Executive Director Alan Marcuson
Company Secretary David Sarter

FDITORIAL

Editor Jeff Pike Assistant Editor David Lawrenson Features Editor Eamonn Percival Supplements Editor Sean Hogben Editorial Assistant Hervé Corre

Art Director Mervyn King
Artists Tom Fawcett, Richard Pepper,
Beverley Barrett, Marjorie Westwater,
Dave Basset', Mike Burton,
Adrian Kemsley

Type Compositors Jan Brown, Glynis Solomon

Studio Manager Frank Tyson

Photographer Simon de Courcy Wheeler

ADVERTISING

Advertisement Features Manager Allan Andersson Classified Ads Mark Epstein

Group Production Manager David Richer Production Manager Chris Barnes Production Assistant Röb McIvor

Circulation Secretary Paul Mercieca

CONSULTANTS

Robin Lumley, Dr. Mark Sawicki MSc (Eng) PhD, C Eng, MIEE, MAES, Stephen Delft MIMIT, Dave Mattacks, Ken Dibble MIOA, Alan Holmes, Dave Simmons, Tony Hymas

USA

Editor Bill Stephen
Contributing Editor Steven Rosen
Assistant Editor J.C. Costa
Advertisement Director Alan R. Poster
General Administration Manager Andrea Beerman

LONDON

International Musician and Recording World is published monthly by Cover Publications Ltd., Grosvenor House, 141-143 Drury Lane, London WC2B 5TE, TELEX No. 24676, TELEPHONE 01-379 6342, 01-379 6917. Distributed in Great Britain by Independent Magazines Ltd., Bridge House, 181 Queen Victoria Street, London EC4V 4DD. Tel. 01-248 3482 (10 lines). Printed by Carlisle Web Offset, Carlisle, Cumbria, England International Musician & Recording World is a trade mark of Cover Publications Ltd. All rights reserved, Cover Publications Ltd., 1979. While every care is taken in the publication of the magazine, the publishers cannot be held responsible for any results arising from the contents thereof. Subscriptions, 12 months only UK £10.50. Worldwide (surface mail) £12.00. US (includes 12 issues, shipping charges to New York, NY and mailing costs from NY) \$20. Second class postage paid at New York, NY and all additional mailing offices. Air mail rates Europe £17.00. S.America and S.Africa £25.00 Australia and Japan £31-00.

NEW YORK

19th Floor, 1500 Broadway, New York N Y, 10036. Tet. (212) 921 9050 (six lines). Tetex

MONTREAL

lan Cooney, 4770 DuChastel Street, Chomedey, Lavel, Quebec H7W 1X3 Canada. Tel: (514) 681 9135.

Sole International Distribution Agents.
Gordon Gotch (Canada) Ltd., 55 York Street,
Toronto, Ontario M5J 154, Canada.
Gordon & Gotch (Australia) Ltd., Melbourne,
Sydney, Brisbane, Adelaide, Perth.
Gordon & Gotch (NZ) Ltd., Wellington,
Auckland, Christchurch, Dunedin.
Central News Agency Ltd., South Africa.

Special Features

28 Stephen Stills

An exclusive interview by Steven Rosen with one of America's most influential musicians.

36 Single Minded Paul Weller
David Lawrenson finds out how
the man behind the Jam spreads

46 George Duke Is In Charge After many years of playing with the top names, ace keyboardist George Duke is now lording it over his own band.

Jeff Pike investigates the man

his considerable talents.

and his music.

102 Twenty Years of Fame

The story of a Lancashire lad who made good — Georgie Fame talks about his career from playing at Butlins to becoming the king of British R'n'B.

108 No Riffs For Pat Travers Famonn Percival tracks down the hard working Canadian guitar star and finds out why Ted Nugent is redundant.

112 Ian Carr — Nuclear Fusion
Jeff Pike in the driving seat once
again talking to Britain's
foremost jazz-rock exponent.

167 Playing: Guitar By Mitch Holder

169 Playing: Sax By Alan Holmes

171 Playing: Pedal Steel By Dave Hayward

Test Section

52 Budget Guitar Review
A three-in-one review from
Stephen Delft, featuring a
Madeira jumbo, a classical and
an electric.

56 Basscheck

The Rodford files are open again as our resident bass expert Jim casts his eyes over a BC Rich Mockingbird.

60 Guitarcheck

f or his second review Stephen looks at an expensive but nevertheless excellent Lowden acoustic

64 Steelcheck

IM's man of steel Dave Hayward discovers a British made instrument which could show Bud and all those other famous American makes a thing or two.


69 Synthcheck

Multi-purpose Dave Simmons checks out a Multivox string and brass ensemble.


72 Soundcheck I

A new British bass amp, the Frunt 200B comes under Mark Sawicki's scrutiny.











76 Drumcheck

This month a drum kit for musical newsreaders, a Gretsch Broadkaster II.

81 PA Check

No, not a monthly wage bill, but a chance for Ken Dibble to dabble in the world of PA systems. He kicks off with a hefty beast in the Ram-Air speaker system.

84 Soundcheck II

With Spring in the air, Mark's thoughts have turned to the sun A Sunn Beta combo to be precise — and you can'ta beata thata

88 Keyboardcheck

Tony Hymas goes Roland and tumbling with an R\$505 string synth.

204 Speakercheck

Ken makes the most of a Bose 802 loudspeaker system.

Recording World

- 131 Studio of the Month Ridge Farm, Dorking
- 135 In the studio with Bowie
 By his piano player Sean Mayes.

137 The Producers: Steve Lillywhite

Young Steve is one of the newest and hottest talents behind the mixing desk.

141 Studio Diary

Needletime notes

143 Sound Workshop Offer

Your very last chance to become a studio wizard at half price.

Regular Features

15 Letters

The columns of controversy and criticism.

20 Buzz

News of bands and happenings the length and breadth of Britain.

117 Queries

This page for ailing musos and their gear could well turn into a hit TV series.

150 Understanding Synthesizers

Lony Horsman explores the wonderful world of the sequencer.

156 Hi-Fi for musos

What happens after the music leaves the studio, and the best way to hear it.

180 Albums

New Wave, Old Wave, Permanent Wave, it's all here.

189 Guitar Workshop

Stephen Delft continues his tips on adjusting beginners' guitars.

225 Ad Index

EDITORIAL

orry about last month. We know you got your IM about two weeks later than usual but it wasn't our fault, honest. An industrial dispute at our printers delayed the production of the April issue . . . what on earth did you find to read over the Easter holiday? It was especially sad that last month's mag was held up, because it had one or two rather special offers in it. Like the fabulous competition, with £2.000-worth of PA as the prize. But that's still open (till the end of May), so if you haven't entered yet, check it out on page 29 of last month's magazine.

Another April extra was the D'Arblay Sound Workshop offer, where you could learn everything you ever wanted to know about studio recording and save yourself £15 at the same time. To give everyone a chance to get in on the act, we've extended this offer for a month, and you can find all the details on page 143.

So much for last month. This month's IM has one or two rather neat items too. Like an exclusive interview with the elusive Steve Stills. An an exclusive preview of the new Bowie album — written by the guy who played piano on it. And the first in a series of features on Hi-Fi, especially for musicians.

And, of course, the usual magnificent collection of features and reviews, including our first ever pedal steel guitar review and, as far as we can recall, IM's first ever interview with a trumpeter. It's good here, innit?







VOL.5 NO.4 MAY 1979 (UK) JUNE 1979 (USA)



"Why we'll neve about out out loud

Billy: "We're not going to make as many

loudspeakers next week."

Hans: "What?"

Billy: "Well, we can't go on like this. I want to

slow-up the production line for a while."

Hans: "What for?"

Billy:

"Remember the old days? I used to watch every speaker come off the end of the line."

Hans: "Oh yeah!"

Billy:

"Seriously, we were up till all hours but I checked every one of them."


Hans:

"But there was only the 12" unit and people weren't exactly beating down the door. Now there's the 9" and the 15" and studio monitors."

Billy:

"I know, but each piece must still be checked and I want to spend more time on the 'line'. Maybe there is another improvement to be made."

World Radio History



Hans: "But the factory is running very well. And I've got more orders than we can fill now. And we're getting more from all over the world."

"I rejected yesterday's output you know."

Hans: "You what?"

Billy:

Hans:

Billy: "Well. I just wasn't very happy with them. We can do them again tomorrow."

"OK, I know what you mean. We've got our reputation to protect. I'll phone the customers."

Billy: "The

"They'll understand. We're only doing it for them."



Who else would you trust?

A.T.C. Acoustic Engineers, Pier House Laundry, Strand-on-the-Green, London, W.4. Telephone: 01-995 3654

Distribution: Mick Johnson Music. Telephone: 01-788 7491 Represented internationally by:

Australia Kobert Waldman Telephane 105414 St. 28 Belgium Akel Monrom Telephane 105 40 and product Waldman Telephane 10544 St. 25 Derman France Vertral Telephane 105 27 30 France Vertral Telephane 105 27 30 Sweden Jarl Säderman Telephane 105 27 30 20 Switzerland Werner Frohlich Telephane 105 27 43 30 Sweden Jarl Säderman Telephane 105 27 43 30 44 USA Kenny Berger Telephane 105 27 43 30 24

Rose-Morris KORG Rose-Morris KORG





The Korg VC10 is a synthesizer which accepts an outside sound source, a musical instrument or a prerecorded tape signal, so that you can process it, with the keyboard, into an enormous variety of sounds.

Most amazing of all is that the human voice, that most variable sound of all, can be fed into the Vocoder so that you can alter its pitch, tone, vibrato and all its other characteristics, even allowing you to synthesize a 'choir' from one voice or to create melodies from ordinary speech.

In the short history of the synthesizer, the

Korg Vocoder is the most dramatic development of all.

Like all Korg keyboards and synthesizers the VC10 Vocoder has reliability and total stability built in, and the cost is far less than you would expect to pay for such stunning technology.

Visit your Korg authorised dealer right away if you want to bring a complete new range of sounds into your music. The only sound you won't get is heavy breathing from your Bank manager.

Korg VC10 Vocoder. Technology working for the musician to make beautiful music.

Please send me more information about Korg synthesisers. Name

Name Address

Rose Morris & Co., Ltd.

32-34, Gordon House Road, London NW5 1NE Tel: 01-267 5151

Rose-Morris
KORG

Rose-Morris Applause Rose-Morris

If you know a good guitar when you see one,



you deserve Applause.

And if you're looking for a good guitar, you'll want to know all about the Applause range.

Applause guitars, made in America by Kaman, are the end product of painstaking research. Research that developed the Applause roundback bowl. Made of hard, smooth Lyramold, the bowl's rounded shape projects all the sound outwards, so every note resonates with crystal clarity from the laminated spruce top.

A body like that deserves a very special neck, so Applause set to work and came up with the die-cast aluminium neck. It incorporates fingerboard, frets, peghead and support brace in one precision made assembly. The frame is then bound in a special high-density Urelite which feels and plays like wood but can never move or warp. And the extra core inside the neck means that your Applause guitar can take a lot of travelling and still stay warp free, with the same smooth, accurate action as the day you bought it.

If you need an acoustic sound with a higher volume, there are Applause guitars with a built-in transducer. Beneath the bridge is a special cross-brace of solid spruce

with the patented Kamtron transducer that captures the complete range of the guitars sound. And there's a standard '4" jack mounted in the bowl for extra convenience—just plug in and play!

Best of all, Applause guitars are astonishing good value. Prices range from £129.95 for the Acoustic to £175.00 for the Acoustic/

That's why they're called
Applause. We think they deserve itand we think you do too.
COME AND GET YOUR
APPLAUSE SOON.

AE 24-4

Please send me more information about Applause guitars.

Name

Address

Rose-Morris & Co., Ltd.

32-34 Gordon House Road, London NW15 INE. Tel: 01-267 5151

IME 707

Rose-Morris Applause

Rose-Morris Matshall Rose-Morris

Meet Marshalls country cousins with the clean cut sound.

Marshall have long been asked to make a combo amplifier capable of the famous "Marshall sound" as well as the clear, clean sound that's needed for jazz, country and club music. In response to these requests, they have produced this superb range of Club and Country Combos.

The Marshall 4140 Club and Country Combo.

It took years of exhaustive research and development to produce this, the ultimate club musicians combo.

The powerful new 100W valve amplifier, driving two specially designed 12" (30.48cm) 80W speakers, provides two channels with a rich, smooth sound. Channel one features reverb and boost (also with controllable footswitch provided). Channel two has a flatter response for microphone or second instrument use. Handsomely finished in exclusive Brown Oak leathercloth and Straw coloured speaker fret.

The Marshall 4150 Bass Combo

Designed to complement the new Club and Country combos, the 4150 is an entirely new bass combo, which features an all valve 100W amplifier driving into 4 x 10" (25.40cm) 50W Celestion speakers for a tight, punchy bass sound. Never before has the bass player had such control over his sound with treble, bass, mid-range boost, and sweepable mid-range controls, mid-high presence circuit and built-in compression for a really superb sound. As with all the Club and Country range, the 4150 is finished in Brown Oak leathercloth with Straw coloured speaker fret.





The Marshall 4145 Combo

Utilising the same amp section as the 4140, this combo has four new 50W 10" (25.40cm) Celestion speakers to give a rich but biting sound. For the musician who wants the facilities and easy operation of the versatile 4140, with that something extra, the new Marshall 4145 is the combo.



Please send me more information about Marshall Country Combos.

Name

Address

Rose-Morris & Co., Ltd.

32-34 Gordon House Road, London NW15 INE. Tel 01-267 5151

IM5 79M



Rose-Morris Westbury Rose-Morris

Get Westburyget versatility.

For a versatile musician, only a versatile instrument will do. The Westbury range offers a comprehensive spectrum of sounds from hand crafted professional instruments which are made in Japan to a specification developed in the U.S.A.

The exclusive Pick Up Programmer of the Westbury Customs makes instantly available six distinct pick-up combinations, enabling the guitarist immediately to switch to one of six sounds, both pick-ups dual coil operation, both pick-ups single coil, rhythm pick-up dual coil, treble pick-up single coil, rhythm pick-up single coil, treble pick-up dual coil, both pick-ups dual coil out of phase, both pick-ups single coil out of phase.

For the creative bass player, the Westbury Track IV with powerful dual split pick-ups offers a wide range of sounds from soft jazz to hard rock, controllable by two separate volume controls and a master tone control. Precise non-slip machine heads, and a long travel bridge, tailpiece assembly permit accurate tuning and perfect intonation.

Finished in a deep gloss Antique Walnut, the Westbury Track IV Bass is handsomely sculpted, and contoured for a perfect playing position. To ward off hard knocks, rugged fitted cases are available for both the Westbury Custom



and Track IV Bass.

Please send me more information about Westbury guitars.

Name

Address

Rose-Morris & Co., Ltd.

32 34 Gordon House Road, London NW15 INE Tel 01 267 5151

Rose-Morris
Westbury

Rose-Morris Ludus Rose-Morris

Talking Drums...



"Owning a Ludwig kit is easier now than ever before, and it's still the kit that drummers aim for!

Our recent Ludwig Open Day was a fantastic success, with kits set up for use by pros and aspiring drummers alike. We're more than pleased with the product—and so are our customers!"

LYNDON PAGE. DRUM SALES MANAGER, SOUTH EASTERN ENTERTAINMENT, LONDON.



"We like selling Ludwig because, quite simply they look good, sound good—and they're very good value for money!"

RAY & ROBIN SHANNON. DIRECTORS, SESSION MUSIC, BELFAST.



"Ludwig must be the Rolls-Royce of drums. Since becoming a Ludwig Percussion Centre nearly a year ago our sales have gone up and up.

Everything about them is spot on, the product, the delivery and the back-up service. We're very happy."

RICHARD ALLISON. SALES MANAGER, PICTON MUSIC, SWANSEA

Ludwig Percussion Centres

England

Drumland Percussion Dartford Tel 32 24449

Western Rock Plymouth Tel: 0752 29858

South East Entertainment London SE13 Tel 01-690 2205

Gig Sounds London SW16 Tel 01 769 5681

Total Percussion Centre
Brighton Tel 0273 698593

Andertons Guildford Tel: 0483 38212

Rose-Morris & Co Ltd London W1 Tel 01-437 2211

Blanks Music Stores Kilburn Tel 01 624 1260 Percussion Services

London N7 Tel 01-607 8383
Sounds Musical Instruments

Sounds Musical Instruments London W1 Tel: 01-437 2458

Luton Music Centre Luton Tel: 0582 26826

Charles Foote Ltd London W1 Tel: 01:437:1811 Bennetts Drum Centre

Buzz Music Hereford Tel: 0432 55961

Percussion Sounds Ltd Basford Tel 0602 701054

Peter Gray Northampton Tel 0604 31211

Carlsbro Sound Centre Mansfield Tel 0623 26976

Yardleys (Birmingham) Ltd Birmingham Tel 021 236 7441|2

Sound Centre Cov Ltd Coventry Tel 0203 457175

Soundpad Music Centre Ltd Leicester Tel 0533 20760

Rock City Music Co Ltd Newcastle upon Tyne Tel 0632 24175

Organ Loft (Music World) Huddersfield Tel | 9484 25355

Coda

Bradford Tel 0274 307433

Hobbs Music

Lancaster Tel 0524 60740

Carlsbro Sound Music Sheffield Tel 0742 663862 Skin Deep Percussion Centre (Gardner Musical Instruments)

Mean Machine

Darlington Tel 0325 82821 Free 'N' Easy Music Ltd

Botley Tel 0865 721411

John Savage Music Centre Kings Lynn Tel 0553 4026

Honky-Tonk Music Hadleigh Tel 0702 55364

Freedman's Ltd London E11 Tel 01 539 0288 Cookes Band Instruments

Free 'N' Easy Music Ltd Heme: Hempstead Tel 0442 59659

Drum & Guitar Centre Cambridge Tel 0223 64410

Newtone Music Centre Newton Le Willows Tel 09252 22514

Music Stop Wolverhampton Tel 29352

Mamelok Manchester Tel: 061-834 1946 Rushworth Music House Ltd Liverpool Tel: 051-709-9071

Frank Hessy Ltd Liverpool Tel 0° 1 236 1418

Townsend Music Accompton Tel 0254 385861

Mary's Music Accrington Tel 0254 35060

Achille Roma

Professional Percussion London NW5 Tel 01-485 4434

Wilson Musical Services Leeds Tel: 0532 606577

Normans Burton on Trent Ltd Burton on Trent Tell 0283 61528 Stock & Chapman

Marchester Tel D61-2731705 Kennards Ltd

Ashtord Tel :023 (23226 R. S. Kitchens Leeds Tel :0532 (44634)

Music Ground Doncaster T⊭i 0302 843037

John King Music Kingston on-Thames Tel: 546 9100 or 5124

Scotland

Strings Musical Instruments

Bradleys Music Ltd Glasgow Tel: 041-332 1830

Northern Ireland

Session Music (Sports & Music N.I. Ltd)
Ballymana Tet 0266 4179.

Session Music (Sports & Music N I. Ltd) Beliast

Eire

Rafferty & Sons Ltd

Dublin Drum Centre Dublin Tel 0001 757287

Michael Foley Musical Equipment Carlow Tell Carlow 41725

Wales

Gamlin Pianos Carddf e 10222 20828

Picton Music

World Radio History

Letters

Ding dong

Dear Sir: Tony Horsman is wrong in his definition of the ring modulator (Understanding Synthesizers Pt. 11) -"so-called because it can be used to synthesize bells, chimes, gongs, etc." The ring mod describes the circuitry itself - which would be (or used to be) a balanced mixer with a diode The devices used today are ring double balanced modulators, four quadrant multiplier ICs which are also used for frequency shifters, doublers and dividers. So most synthesizers which have ring mods are incorrect as far as the name goes. Mind you, it's only splitting hairs bothering about things like that, and the original term that has stuck is better inasmuch as it describes what the unit can sound like. Back to square one . .

> G. Franklin FRC, Canvey Island, Essex.

Pete's buzz

Dear Sir: Having read with interest your most informative feature on Pete Shelley of Buzzcocks (IM March, 1979), may I offer some additional information as to Pete's guitars.

From Buzzcocks' early "name band" days, Pete played a Gordon-Smith Gypsy One guitar, and he is in fact pictured playing same on page 7 (Contents) of the March issue. Unfortunately this guitar was stolen during 1978 and as an interim instrument he used the Marauder, due I believe to his being unable to find another Gypsy One for sale.

However, during late 1978 he acquired his present guitar, a Gordon-Smith Gypsy Two, and he has used the Gypsy Two from then until the present time.

I hope you find the above of interest and please accept my thanks for an excellent magazine.

J.G. Smith, Gordon-Smith Guitars, Partington, Manchester.

Depressing scene

Dear Sir: Since its early days IM has been an invaluable guide for everyone involved with live music in particular—though I mustn't forget the studios—but I wish to take some time illuminating a couple of depressing features of the scene up here in North Wales/Liverpool. I wonder if these problems are felt elsewhere?

Firstly, the number of local gigs for the continual stream of new talent has declined seriously. After the boom of 1977, when many pubs and clubs became interested in rock again and when there were five regular venues in Deeside/Chester, there is now only one We welcome your comments and criticisms. Write to: Letters, International Musician, Grosvenor House, 141-143 Drury Lane, London WC2B 5TE.



Shelley and Gypsy

and that is not exactly thriving. They have closed their doors to rock for a variety of reasons ("not paying", "too loud", "attracts the wrong sort", "disco pays better", "change of owner", etc.). The fact remains that local bands have to travel to Liverpool or Manchester where competition for the few available gigs is intense anyway.

Leaving aside my own involvement in bands, I can say that bands such as "Hieronymous Bosch", "Zorbie Twins" and "Left Hand" who are but three of a selection of utterly competent and very original bands, have been left without much work. Without work bands become frustrated and without the means to go fully professional they must stagnate. Why write a new song/arrangement if there is no gig for a month and a half?

All these bands have large amounts of capital tied up in things essential to the good sound they produce - mixers, PA, quality instruments and amplification, not to mention the vans, etc. What a waste not to have even the measly gigs they enjoyed before. Even Hieronymous Bosch with an album deal with a small company have felt the effects of this run down of venues which are after all the lowly seedbed for future success. The consequences for those bands still in the Zentaguitar-and-garage category are obvious. The youth club bash won't do forever! This leads to my second point.

Part of the reason why the number of gigs has been reduced may be the perennial attempts by totally obnoxious "bands" to satisfy their pathetic egos by conning a gig from

managements and landlords. These bands give live music a bad name — and I'm not knocking punk either, for at least the originators had genuine enthusiasm and a new approach but the pointless imitators have ruined the scene by their sterility and sheer musical ineptness.

If there are any garage bands out there with one Vox between them planning to be the "next big thing" at a local gig, take a tip and stay away! Save your money; learn how to play in time and in tune and come back with something worthy of the name music. Your gear has got to be good. You're competing indirectly or directly with discos who have largely been able to get a halfway decent sound. It's no use being "live" if you sound like a throttled blackbird in a tunnel full of faulty diesel engines. All bands mentioned use at least £3,500 worth of gear at every gig and it does make a difference. Let's have some pressure on club owners (how?) and let's promise we won't play if the music won't even sound fair!

K.R. Webster BSc (Econ),
Deeside,
Clywd,
North Wales.

Switched on semis

Dear Sir: Re Mr. Grove's letter in IM, March, it is not just valves that suffer when a complete sound system is switched on simultaneously. About three months ago, "switch on surge" destroyed every semiconductor in one of my PA amplfiers. To anyone outside the business, a disaster like this could be rather expensive. The surge occurred because an assistant was too lazy to turn off all the amplifiers by their own switches, but had killed the juice at the main socket.

Recently, a colleague of mine used a 15 amp relay to provide delayed switch-on for four SS500D amplifiers. These promptly welded the relay contacts! One hopes that the antisocial orange boxes will suffer the same fate . . .

Contact bounce in these units will generate voltage transients up to some 10kV, though 1kV is probably nearer the mark in most cases. Needless to say, this sort of spike will rapidly destroy semiconductors, though valves may suffer no harm. For several years, all my equipment has incorporated extensive protection against mains borne transients, using snubbers and a VDR. These components cost around £1 and represent a very cost-effective insurance against the most common cause of mysterious failure — mains borne transients.

Loudspeaker thuds are a very serious problem — but provided the ▶

NORLDSELVES!



Once Sold Only to Professionals Now Available to Everyone

The finest proving ground in the world is the concert stage.

When you're on stage in front of thousands of people, you don't have time for second best...you have to have the best. You demand the best!

That's why we went to working professionals for help and advice; testing, designing, researching, special alloys, custom cores, tighter wraps, until everyone agreed..."It's the finest string in the world."

DEAN MARKLEY STRINGS, the Finest Strings in the World are now available to everyone at better music stores everywhere.

Rick Derringer Little River Band

Bob Segar With The Silver Bullet Band

> Elvin Bishop John Mayall

Kansas

Pat Travers

Johnny Winter

Bo Didley

The Babys
The Cars

Uriah Heep Rush

Alice Cooper Band

B.C. Rich Guitars

Alembic Guitars
Di Marzio Pickups

Schecter Research

Wayne Newton Jethro Tull

Molly Hatchett
UFO

Paul Jackson With Herbie Hancock

DEAN MARKLEY STRINGS, 2308 SAWYER CT., SANTA CLARA, CA 95054 (408) 988-2456

Letters

power amplifier has a split (\pm) supply, delayed switch-on, particularly of low level stages, will remove the worst of the danger.

When turning on a large system, the low level stages should always be turned on first. Items with very heavy current consumption should be turned on last of all, unless they are lighting desks, in which case turning them on before any audio gear is "on" should be the habit.

My vote of thanks goes to Ken Dibble – his speakercheck is a gift to anyone concerned with sound systems!

Incidentally, I am now the proud owner of a tractrix bass horn with a 6' x 5' mouth, loading down to 20Hz when corner loaded. Apart from old cinema horns, I've been told this monster is the biggest horn to go gigging in the UK. Perhaps other readers could comment on this monster horn's uniqueness?

Ben J. Duncan, B&J Sound, Tattershall, Lincoln.

Bouncers

Dear Sir: On October 23, 1977 a young man named Henry Bowles was killed by bouncers outside the Bell public house in Pentonville Road, London.

It is now becoming clear that this case is by no means the only instance of such happenings and I would like to ask your readers, many of whom are musicians and therefore in a unique position to understand how music venues are run or misrun, if they know of similar cases where undue force or violence has been used or if they have any general comments about the security used in such places. If they could contact me at the address below I would be very grateful.

Mrs. Irene Babsky, 47 Haverhill Road, Balham, London SW12.

Vox valves

Dear Sir: I recently noticed a letter from P. Harley of Stallingborough regarding a Vox AC30 amp. I have quite a collection of Vox schematics dating back to the early valve units made by Jennings, and I suspect that perhaps an ECC83 was substituted for the ECC82 in the suspect amplifier. The two types have identical basings and in some cases the ECC83 will substitute, although the two valves have very different characteristics.

I advise Mr. Harley to check the various grid leak resistors in the vibrato/trem oscillator circuit for value, as well as the various capacitors for leakage. This should include the

phase inverter portion of this circuit (both sections of the ECC83).

The vibrato/tremolo circuitry of these amplifiers is noteworthy in that it was capable of providing true vibrato (frequency not amplitude change), a feature not too usually found in an instrument amplifier.

I hope that this is of some help.

Rick Chinn, Technical Support, TAPCO, Washington.

Photo finish

Dear Sir: Thank you for the publicity you gave to our rock competition (Buzz last month). We thought you might be interested in the results. The final was held at the Roots Rock Club on April 22nd, when six bands competed for the handsome first prize. The judges were John Ichler, the manager of the Hope and Anchor, Paul Hodsman and Rob Hallett of Chalk Farm Studio, a representative of Red Bus Studio and Southend's own Mickey Jupp.

The clear winners were the Photos, a five-piece band from Leigh-on-Sea, who received £150 in cash, a snare drum from Chris Stevens, a voucher for gear from Honky Tonk Music, a day at Chalk Farm Studio and gigs at the Hope and Anchor, the Nashville and the Bridge House, Canning Town, among others. The prizes were presented by another of Southend's sons, an ex-Kursaal Flyer Paul Shuttleworth. The runners-up were the Vicars, a Canvey Island punk band, and the Deep Throats from Chelmsford were placed third.

Could I take this opportunity to thank all the people who made the competition possible: Honky Tonk Music for supplying the Marshall back line and Sonor drum kit. Chris Box for his work on the PA (not an easy job with six bands per evening!) and all the staff of the club, for giving up their Sunday evenings.

I am enclosing some photos of the Photos in the hope that you can use them.

Dennis Fewtrell, Roots Rock Club, Southend, Fssex

Billing blues

Dear Sir: The Live Music v Disco argument has been well debated in your mag over the past two months, so please forgive this letter.

I am a bass player in a semi-pro cabaret duo and I, like many other musicians, believe there is room for both live bands and discos alike. However, recently our agent booked us into a local hotel to do a gig with a disco on the same bill. Fine, no problem — until we see the advertisement in the paper. The disco gets top billing, with us as support in small print underneath.


It is my opinion that any artist or band being billed in support to a disco is an insult. Needless to say we gave notice to cancel. A bit touchy you might say, but we have worked hard for a long time to build up a good name for ourselves in this area and to any prospective booker, this advert puts us back six years. The agent was not to blame, the hotel had inserted the advert.

Although many venues are very good to live artists, it seems a little respect is not much to ask from some. Or maybe it high time the Musicians' Union was more active in Central Wales.

J. Kish, Rhayader, Powys.



SR20 and SR28 MIXING BUSINESS WITH PLEASURE



Stamford U.S.A.

Stockholm

Fading

Madrid

Studio Sound

Frankfurt

S.E.D.

Brussels

Sun Music

Denmark

Audiolab Hellas

Greece

Peter Bollen

Eindhoven

Texim

Italy

Lastron

South Africa

- -Fully modular construction allows any format up to 28 inputs per frame.
- -8 routing busses to groups and masters.
- 3 auxiliary busses for foldback and effects.
- —10 echo returns for multiple effects mixing.
- Integral stage communications system.
- Built-in oscillator with frequency sweeping.
- Sweep frequency equalization as standard.
- Phantom power as standard.
- Heavy Duty external power supply.
- XLR transformer balanced microphone inputs with low noise preamplifier.
- LED Peak reading meters with stereo monitoring.
- Comprehensive headphone monitoring system.
- Military spec multipin connector as standard.
- +18dBm output head room.
- -P&G fader option.
- -Solo (PFL) of all desk functions
- Special dual frame option for 40 or 48 inputs.
- Heavy duty flight case (as shown).

ALLEN AND HEATH BRENELL LTD. AUDIO MARKETING, GLENBROOK ROAD STAMFORD, CONN.



fact: Cleo's one of our best friends...and vice versa.

the artist:

Cleo Laine's a very special friend of ours. Shure has followed her highly individual sound (and been part of it) from small lazz clubs all the way to the largest auditorium. Her hit album, Best Friends, is a unique collaboration with classical guitarist John Williams, with sensitive arrangements by Cleo's husband and producer John Dankworth. Cleo's voice finds a perfect complement in the guitar's interpretive accompaniment. They have made what they call "a spirited attempt to break down the artificial barriers in music'.



the equipment:

Cleo Laine always insists on the best in compositions, arrangements, and instrumentalists-small wonder that on all her international tours she won't settle for anything less than her Shure microphone. Cleo's SM58 has a wide response that takes her phenomenal range in stride, and offers the famous SM58 mid-range presence peak for a distinctive, clean, bright sound. It lets Cleo do her own thing, and treat every song with highly personalized feeling and power.

Sing your song to a Shure SM58. You may find that you have a new "best friend."





Shure Electronics Limited, Eccleston Road, Maidstone ME15 6AU Telephone. Maidstone (0622) 59881.







What's happening in the music biz

Wild West

Are you creative? Are you into multi-media performance? Do you live in Wiltshire? If you're still nodding your head, you should get in touch with Barry Edgar Pilcher. He's a tenor sax player who's looking for musicians, dancers and creative people of all kinds to join him in projects, workshops and concerts of improvised music. If that sounds like you cup of cider, write to Barry at 1 Hospital Cottages, Couch Lane, Devizes, SN10 LEN (tel: 5976).

Getting it taped (2)

In March's *Buzz* pages we mentioned what we thought was a unique recording service offered by Anemone Sound Studios. You may recall that they will go to your gig, record your set and produce an unlimited number of stereo cassette tapes. Neat. Now we learn that another company, this time in the north of England, are doing the same thing.

The aptly-named Suitable Sound Services undertake to make a four-track recording of any suitable gig within about 100 miles of Wakefield, mix it down to stereo and produce the required number of cassettes. They envisage making between 20 and 50 tapes for the average band, at a cost of £60 to £90. Bands in the area who'd like to get it taped should contact them at 37 Sunny Bank, Normanton, West Yorks WF6 IJR.

Samson Success

It's nice to hear that a band we featured some 18 months ago. Samson. look like they're on the yerge of success. The band formed in late 1977 and toured England, Wales and Italy, During 1978, they played 217 gigs, culminating in a December tour as support to the Ian Gillan Band. Although the group disbanded temporarily, founder member Paul Samson soon recruited Barry Purkis (ex-Iron Maiden) on drums and started recording an album with John McCoy producing and playing bass, plus Colin Towns on keyboards, both from the Gillan band. Paul has recently brought in ex-Steamhammer bassist Chris Aylmer and the band are back on the road doing a major tour of clubs and universities while future tours of Europe and Japan are being finalised. The album was recorded at Kingsway and should soon see the light of day, So it looks like Sanison may well be giant.



Basil & Co.



Paul Samson

Balls Up

We recently received a hilarious "press release" from the amazinglynamed Basil's Balls Up Band. They're a six-piece from South London who have been gigging regularly around the London pub, club and college circuit. They describe their music as "a unique blend born of an inability to play rock 'n' roll, jazz, funk or country music properly" and their influence and material range from Woody Herman, through Chuck Berry, Herbie Hancock and the Ozark Mountain Daredevils to Frank Zappa. They describe their show as "good family entertainment (for the liberated family)" and can be contacted, at your own risk, on 01-653 4965.

Welsh Bill

A band currently making waves in North Wales are Bill the Murderer, Their present line-up comprises Dave Tatum (vocals), Steve Aldridge and Pete Downes (lead guitars), Pat Cramer (keyboards), Ian Cramer (bass) and Dave Pendrey (drums). They recently financed and produced a single I'd Find You byw Spring Rain in the hope of generating some record company interest. Although based in North Wales, they gig as far away as Manchester, Leeds and Blackpool - not bad as they are still semi-pro. Dave Pendrey can be contacted at 65 Plymouth Street, Shotton, Deeside, Clwvd

Vye not?

Yet another outfit from Leeds (the city that brought you the Mekons, Gang of Four and Tony Currie), the Vye are a hard working five-piece who have been gigging round the country in search of that all-elusive break.

The line-up is Dave Albone (drums), Andy Tillotson (keyboards), Rick Eager (lead guitar), Simon Hollis (bass and sax) and Dale Hargreaves (vocals and rhythm guitar). They describe their music as "post punk", and have gigged at London's Nashville as well as the local rock spots in Nottingham, Middlesbrough and Manchester. Anyone interested in booking them should ring Leeds 650734.

Blue Jokes?

This month's Buzz seems to be the month for pop/cabaret bands as we've heard of a band called Blue Ice who are a semi-pro outfit based in



Nottingham who include a lot of comedy in their act and hope to soon perform with Little and Large, no less. On half of their songs, they swap their associated instruments (shades of the Dubliners) and are soon to do a series of charity concerts in Nottingham. For further info, telephone Nottingham 632317.

Fulham Jazz Fest

Latest news from the Jazz Centre Society is of a new festival, jointly organised by the London Borough of Hammersmith and Fulham and the JCS. It is now finalised for mid-May and aims to cover the whole spectrum of jazz, from traditional to avant garde.

Three venues are being used: Hammersmith Town Hall, King Street, St. Paul's Church, The Broadway and Riverside Studios, Crisp Road, for lunchtime events. A further selection of more informal sessions are planned around local pubs and in the open air. All three main venues are within easy reach of Hammersmith tube station and various bus routes.

It is a four-day event, from Wednesday 16th to Saturday 20th and the line-ups include top jazzers like the Gary Burton Quartet, George Melly and The Feetwarmers, Stan Tracey, Kenny Baker, Don Lusher, the Midnite Follies Orchestra, Semuta, Art Themen and Tony Coe.

Reflections of Hull

A band called Reflections from Hull are currently gigging around North Humberside and are reputedly building up a fair reputation in that area, although they have only been together for five months. Like many bands, Reflections have newer recognised the unique sound of the Farfisa organ and feature it extensively in their set, which includes a mixture of old Beatles' numbers through to the Real Thing's godawful You To Me Are Everything. Rob, Mike, Martin and Bob (don't you just love Christian names?) can be contacted on 0482-854536.

What's happening in your area? We have it on good authority that there's a lot of music happening outside London, but because we're all so dedicated to the task of bringing you IM every month, we scarcely get the chance to leave our office and hear it. You can help us fill these pages by sending us news, gossip and info on new bands in your part of the world. And don't forget the Stolen Instruments File. If you've been separated from the tool of your trade, let us know the details and we'll circulate the Write to "Buzz", International Musician, Grosvenor House, 141-143 Drury Lane, London WC2.

Ex-Deluxe

Ducks Deluxe were, without doubt, one of our finest pub-rock bands of a couple of years ago. They regularly gigged around the same circuit as Brinsley Schwarz, Dr. Feelgood, Ace and the rest of the top pubrock league. When the band split, ex-members of Ducks Deluxe went on to form bands like the Motors, the Tyla Gang and the Rumour. Bassist/vocalist Mick Groome got an offer to join a CBS band called Key West and

stayed with them for 18 months before recently splitting and re-forming a group called Eve, based in Hemel Hempstead. The band are currently gigging around the Home Counties and are writing material for a hoped-for album deal. Their music is very Sixties-influenced and they describe their own material as a cross between the Beatles and the Who. Any sharp businessmen should contact Hemel Hempstead (0442) 58256.



Hemel Hempstead hopefuls: Eve



T60 GUITAR

THE MOST IMPORTANT EVENT SINCE














T40 BASS



HARTLEY PEAVEY MADE HIS FIRST AMP!



THE PEAVEY T60 GUITAR AND MATCHING T40 BASS, (SELLING FOR LESS THAN £300 INCLUDING VAT AND A PLUSH LINED AMERICAN CASE), SET A NEW STANDARD OF VALUE AND EXCELLENCE RARELY SEEN IN A NEW PRODUCT.

WE ARE VERY PROUD OF THESE TWO NEW BABIES, AND MOST GOOD MUSIC SHOPS WILL HAVE THEM IN STOCK FOR YOU TO FIND OUT FOR YOURSELF ALL ABOUT THEM. WE THINK YOU'LL AGREE THEY WERE WELL WORTH WAITING FOR!

PEAVEYMAKE IT HAPPEN!

MAKE IT HAPPEN FOR YOU - SEND A LARGE S.A.E. FOR DETAILS TO THE UK AND IRELAND DISTRIBUTOR:
PEAVEY ELECTRONICS (UK) LTD.,
UNIT 8, NEW ROAD,
RIDGEWOOD,
UCKFIELD,
SUSSEX TN22 55X.

WESTERN ASSICAL EMI ACOUSTIC ELECTRIC & BASS MODELS




AMPS & ACCESSORIES

Columbus Kimbara -satellite



Write now for illustrated details .

MORLEY ROAD TONBRIDGE KENT



If you want natural studio sound with plenty of volume and cut through power go for the unique double shell Premier Resonator range.

Choose from thousands of setups and a vast range of options with the best selling Premier Eliterange.


Or try Premier Soundwave, the range with single tension fittings for a free and vibrant sound.

that 's just the start of Premier choice.



The Premier Drum Co. Ltd., Blaby Road, Wigston, Leicester, LEB 2DF.

Coming Your Way SOON!



For Further Announcements

A completely new type of electronic music synthesizer is scheduled for marketing in your area. This highly versatile instrument is outstanding for live performance situations.

If you are creatively inclined and eager to explore new fields of musical possibilities, be on the lookout for further announcements.

Exciting innovations make this model well worth waiting for.




For details, please ask:


ERIKSON MUSIC REG'D /750 Route Transcanadienne St Laurent Qué
H41 145, CANADA

GAMME 17 Rue Laperouse 93500 Pantin FRANCE
G MEYER KG, 3550 Marburg 1 WEST GERMANY
MILESTONE B.V, Energieweg 36 Vlaardingen HOLLAND
ROSE MORRIS & CO LTD 32 Gordon House Road London NW5 INE U K and EIRE
UNICORD 89 Frost Street Westbury New York N Y 11590 U.S.A

KEIO ELECTRONIC LABORATORY CORP. Tokyo, Japan

The name behind the parts






Study our Product Study our Prices

Your speaker cabinets and amplifiers are built to suffer hard knocks.

Since the days when the mighty Vox combos dominated the music scene. Re an have been designing and supplying the exterior hardware that you see today – cabinet fittings, control knobs, jack sockets and specialised products.

Your business could benefit from working with the friendly team at Re-an – our competitive prices bear testimony to our wealth of design knowledge.

By from the manufacturers.



Re-an products limited

Burnham Road, Dartford, Kent, England. Tel. 0322 21333.



STEPHEN STILLS

Discussing the music of Steven Stills is really an examination of the fundamental history of American rock and roll. Through his affiliations with the Buffalo Springfield, Crosby, Stills, Nash & Young and Manassas, he has worked with such luminaries as Richie Furay, Jim Messina, Neil Young, David Crosby, Eric Clapton, Jimi Hendrix and many others.

So, when one refers to Stills, one is talking about a man who has had a strong hand in shaping the music we hear today. It is senseless to try to analyse the music and words he has written. Songs like "For What It's Worth" and "Love the One You're With" have become virtual standards, outlining the importance of his music once again.

Stills, as much of his music reflects, is a quiet man. He rarely talks except through a guitar, and when he does it is a special moment. In the following conversation he describes his special guitar playing techniques and recording methods.

When and why did you first start playing? Tell me about your first guitars and that whole early period.

I started out as a drummer when I was six and I had my first job by the time I was eight. I was always in school bands and stuff like that. I picked up the guitar somewhere along there — I must have been eight or nine. My first guitar was a Kay, then I had an Epiphone, a Guild 12-string acoustic/electric guitar, and a strange electric monostrosity like Muddy Waters used to play — with all the



knobs and stuff. It was a Silvertone or something like that. I played a little bit of bass in a band with a Fender Precision. I've always used a Fender Precision. I sang in choirs and folk groups, did plays in school and took some piano lessons. Went to a Catholic school and when I finished my lessons, I was pounding away at that good old boogie woogie music at the age of 11. This old priest on a retreat stuck his head out the door and said, "Oh, don't stop, I was just going to remind you not to break the piano." He used to sit outside reading his prayer book and listen to me play. I used to listen to the Gregorian chants which gave me some sense of harmony.

Did vou ever have guitar lessons?

Not with the guitar, but with everything else. I gave guitar lessons. As soon as I learned a couple of chords from some friends, I took off. I started hanging around with a couple of servicemen from McDiller Air Force Base and some of the Marines that were stationed in Latin America. Most of the music that I use, I learned from black guys.

Were you listening to records of other guitar players?

Oh yeah. I was listening to a radio station called WLAC from Nashville. It's a big soul, R&B and gospel station — covered the whole south. I used to listen to that all the time.

What was your first real introduction to rock?

I was playing rock 'n' roll during the mid '50s. The first rock 'n' roll show I saw was Buddy Holly and the Tides, those kind of bands. I was living in Gainesville, Florida and there were all these great black showbands playing in fraternity houses. I had lots of friends and we'd go wherever the best band was playing. I was listening to Little Walter and Little Willie John. B.B. King was out there, Freddie King was around, Chicago blues players, people like that. I still remember the lyrics of some Jimmy Reed songs. It was always impossible to pick up the lyrics. I was working in rock bands before the Beatles came out. Jimi Hendrix was a year younger than I am. He and I started hanging out together when he came over for Monterey. We went over to my place at the beach and played for two days. We must have made up about four albums of

Do you think you actually learned from him? Would he sit down and show you actual things?

Yeah. He gave me a left-handed Stratocaster that somebody had given him, because he said Stratocasters played better upside down — which is why he never used a left-handed BY STEVEN ROSEN

Stratocaster, he always used a right-handed one upside down.

Then he played on that one track on your first solo album (Old Times Good Times).

Yeah. He played on that and I played on a couple of his songs. I don't know if they ever credited me in the liner notes, but I played on about two or three of his tracks.

Was Springfield the first band where you thought your playing was taking shape?

Well, Springfield was mainly a band that I formed, it just sort of came together by accident. Richie Furay and I were trying to get a band together just to practise songs. We ran into Neil and this bass player [Bruce Palmer], got a drummer [Dewey Martin] and went to town.

What kind of instrument were you using in the Springfield?

I had a Twin Reverb with a Showman bottom cabinet and I used the reverb to run both of them.

What kind of guitar were you using?

I was using a Guild, then I got a
Les Paul. I got a three-pickup model
and had the middle pickup taken out.

Made the other two more powerful. It was a very powerful guitar.

Were you using those guitars on the album?

Yeah. Gretsches, too. Lots of them.

You've always used a lot of hollow-body guitars.

Yeah, for the most part. Then I got the feel of the solid body guitar. Never could use Fenders. Couldn't get the feel for them. Now I use Firebirds. Eric Clapton lent me one of his. It used to drive him crazy because he couldn't keep it in tune, so I hit upon the idea of putting banjo pegs on it. I bought three of them and had banjo pegs put on all of them. It worked?

Yeah, it really works fine now. Have you had any other work done to them, rewiring?

No, not a thing. As little as I can possibly do.


What is it about them that you like?

The touch. It hasn't got the "fretless wonder" feel. It has a broad fret that's cut fairly deep so I can dig in pretty well. If I keep them smooth and clean, then they go as fast as I need to go.

On the first Springfield album, it said on the sleeve notes, "Stephen Stills 2nd lead guitar, Neil Young lead guitar." Was that accurate at that point?

Yeah, I suppose so. I was trading leads with him.

You think he rubbed off on you or



We're going to the top the world over. If you're coming with us step in now to the sound of PICATO and discover what a good string can do. Your talent. Our strings. A natural team that's going a long, long way.

Picato

'Pro-Bass' bass guitar 'Electromatic' guitar 'Customatic' custom gauge 'Westerner' flat top acoustic '700' series classical.



picato Atouch of magic



Available from your dealer now. General Music Strings, Treforest, Mid Glamorgan. I'm sure he did. And I'm sure it was vice versa.

You like playing with other guitarists?

'Most lead guitar players can't play rhythm'

Yeah, if they're good. The trouble with most lead guitar players is that they can't play rhythm. I know about five and they all play real good rhythm: Eric, Donny..... Donny Felder and I played in a band together in high school in Gainesville, Florida in '62

What about Townshend?

Townshend's great, but he's into a whole other bag. I love to play with Joe Walsh, Don Felder, Eric and George Terry, the guy that plays with Eric. Somehow the best guitar players I know can play really good rhythm. When did you start collecting guitars?

After Crosby, Stills & Nash my guitar collection really began to grow by leaps and bounds. I started to buy everything within sight — put the money right back into my instruments. I bought the greatest Hammond B3 organ known to man. I just called up the dealer in New York and said, "I want a B3 that can kill." I told him to take all the settings and turn them all the way up. He gave me some beefedup drivers because I kept blowing them. Paid cash for it — the whole shot, it was like \$4,100 and I haven't played one to match it since.

What kind of guitars were you using with Crosby, Stills and Nash?

Same ones. I just tried to eliminate as many devices as possible. I used a Vox pedal and a wireless. I've put a wah-wah into my system now but I don't use it that much. Used to use one all the time, then I got away from

So you're just using the two Gibson Firebirds on stage now?

Yeah. I've got a double-neck that I keep in back.

What kind?

The old black Gibson double-neck with a 6-string and a little mandolin short string. It's really good. Then I've got a prototype Gibson 12 and 6. I'm having it reworked right now. I've almost got an entire collection of prewar Martin D-45s.

What acoustics do you use on stage?

I use a Herringbone D-28 and a D-45. I try to leave my D-45s at home, but I just can't play anything else, so I take my old ones with me and buy a seat on the airplane.

What kind of amps are you using?

I bought five or six Marshall



100-watt tops and a whole bank of speaker cabinets, all of them with those Celestion speakers, the good staff. I figured out which one I liked best and then I did what Jimi did. Went up to this crazy character in Brooklyn, took all my tops and we went inside and picked out the one I liked the best, listened to the capacitors and resistors and everything and whatever was missing we put back in and whatever was there but needed replacing, we took out so they're all the same. They don't sound quite the same, but they're all virtually the same. So you use just one stack?

I use the top cabinets, two of those on the floor, side by side. I don't use the bottom cabinet because it would be too loud. This works out to be just the right volume.

So you just use one head?

Yeah, I use one head and those two top cabinets. It works pretty nice. What kinds of settings do you normally use on the amp?

With a flick of a finger, I want to be able to put it into distortion and then turn it down where it gets that crystalline clarity to it.

Your guitars have always had that kind of sound?

Yeah. It's really a question of the guitar and amp being on 7 or 8 and I just use the volume knob to about 8, then it's really crystal clear. Then I flip it up to 10 and it's a muddy sound. Do you ever use a guitar pick?

No, never have.

Was it like that when you first started playing?

I used fingerpicks. Found it

impossible to play lead guitar with fingerpicks, so the result is an enormous callous.

Have you ever heard of other guitar players doing that?

Well . . . except for guys that play classical style — that's the way I play bass — I haven't seen anybody do that, no.

Do you find you're able to get enough speed with your fingers?

I have to be very careful, otherwise it turns to slop. But, yeah, I can pretty much get enough speed. I can use flat picks, but they just don't do it for me.

Did studying scales help you?

I never do that. I work at finding a new scale, but licks turn into lines, which turn into runs, which turns into nausea.

So you don't practise?

I can't practise by myself. It's boring. I practise with the band playing, then I'll play what I know.


Are there any examples on record that

Are there any examples on record the showcase your fingerpick style?

Thoroughfare Gap is a perfect example. A classic example.

Do you use any special techniques in the studio to record your guitars? Your acoustic guitar sound is always distinguishable.

Yes, but it's called privileged information. I'm not at liberty to say. A non-denial denial. A lot of it has to do with electronic techniques. It's very, very simple and we've been using them for years, but more than 90 per cent of it has to do with my touch and the particular instruments that I use. You don't take a 50-year old guitar,




do that to it and have it just come out singing like that. Try it with a brand new one and it won't sound like the same instrument at all.

Does it take you more than one runthrough before you come up with a solo track that you're pleased with?

No more than three. Unless the band's untogether, then it gets to the point of diminishing returns. I have a starting and an ending point and I try to leave myself free. I don't plan my guitar solos. I compose the structure around which my guitar solo will revolve, but other than that, it's whatever falls off the fingers, because the accidental stuff is what makes it. It's really silly to sit there and learn this guitar solo over and over and over. That's one of the things Jimi taught me. You don't do that - when you do, you start becoming pedantic. You may have a whole melody, but that's not jazz. Jazz is free-form. You may have a starting scale or a scale you want to lead the band back into and that's their cue. But what happens in between, man, has got to be "every body being in tune with everybody." If I'm at two and we want to go to three, I want the drummer to kick the six/eight in. Six is great to play to. Everybody can make that change right there. Everybody looks at each other and says "yeah" and there it is. Or you can be playing in four and be in a shuffle. That's the kind of stuff I look for, that's the kind of adeptness I look for. I just try to form the structure if we're getting into a jam. That gives me the ability to sing different kinds of melodies, or melodies with a different singing style.

But the electric guitar is my favourite, because I can do more with it. I can get the same sensitivity that I can get out of an acoustic guitar. I can turn it down just as soft. I can fingerpick on either with the light gauge rock and roll strings, it just requires a lighter touch. But the acoustic guitar will never be replaced. I'm at the point where I can certainly adapt what I want to do from the acoustic guitar to the electric guitar, but not vice-versa. You've got to be able to play the blues on the acoustic guitar before you can get that kind of control on the electric. Otherwise you go crazy, because the acoustic guitar is limiting. It's a big, stiff instrument and it's great for fingerpicking.

There are guitars where because of the chording technique and the attack on the G string when you play a D chord, it'll get out of tune. So I use a Gretsch with the biggest strings, a wound third string. Solves the whole problem. Once they start putting pickups on my 50-year old guitars rather than using the damn micro-



phone, I don't care if it's the Forum or Yankee Stadium, once they start doing that, I might as well play on the electric guitar, where I know what's going to happen. The difference in sound is not that great. They put an eight-ounce piece of plastic in the sound-hole of my 58-year old Martin D-45 - which is worth about \$15,000-\$20,000 - to make it sound good in the hall. And I said, "Hang on. Wait just one minute You've got this all wrong. here. Your job is to reproduce that sound in the hall, the sound of that instrument." I paid \$6,000 for a guitar that was not really worth it, but they only made 125 before World War II. I have two of the best that they made. It's as simple as that. The sound man's job is not to mess with that. Find a little contact pickup if you want, but use it in conjunction with the microphone. In the studio, I use a Neumann 87 or a Telefunken, or an AKG, or a 546, or all four to reproduce the sound of this particular guitar. There are some other devices used the way I set my limiters. What kind of limiters I use, what kind of equalization, how much Poltec and how much of that, those are my main trade secrets. Where the trick is, which all the engineers and producers lose sight of, is that you have to reproduce a guitar.

Does direct-to-disc interest you at all?

Yes, except for human error. The costs can be enormous.

Are there any particular recorded solos you've done that stand out in your mind?

The best solos I've done have been live. On the last CSN tour, there were three or four places where I got standing ovations for my guitar solos. I didn't believe it the first time and it had to happen a few more times before I felt it wasn't a fluke. I don't know if I've ever done anything outstanding. The one that comes to mind is Questions, the original version of Ouestions, Fishes and Scorpions, Go Back Home and Black Queen, electric. I don't know if that's been recorded. I thought that Bill Graham was recording it when I did the gig with Dylan in Houston, because I really just burned it down. I don't know, in the last year and a half, my guitar playing has grown to a point where I can't tell any more. But what I've done on record is definitely not up to where I get to on stage. On Thoroughfare Gup there's some good solos — Not Fade Away has a nice sound. There's a good solo on Low Down, because it's live. Actually, all the guitar solos on the album are done live. That's the latest deal, to do the guitar solo while we're doing the track. If I screw it up, if there's a chance to punch in where a string fell off my finger, I'll do it, but other than that, I really like to go for it live. Sometimes I'll edit between takes to maintain that live quality. How did you feel about your playing on the live album (Stephen Stills Live)?

Not that stupendous. I haven't really been captured live yet. I've had to deal with a lot of different elements, other people in the band, me oversinging and so on. I laid down my money and did the four days at the Roxy and from what I've heard - you can hear the beginnings of this chest cold I have and it's a little raw and raggedy - but the band is powerful and my playing is real clean and I don't think I missed anything. I didn't miss a bendor a lick the whole weekend. In one respect, that can mean being overcautious and I'm certainly not the master of my instrument yet, but that's what I want to be. One can only hope to attain the state where they can really fly and not miss, because there's a certain place where mistakes are just not part of your universe. Mistakes become so subliminal, people don't notice them. You don't make mistakes, you don't screw up.


How long ago did you start playing slide?

I've been trying to learn slide for about six years. Joe Walsh first taught me the touch, but it's still hard for me and I'm just getting to where I can be more consistent, because slide guitar can be the most wonderful sounding guitar in the world, or the worst. I'm still very paranoid about my slide playing. I know what I want to play, but I'm not a master.


What kind of slide do you use?

I use a glass one. I have a particular setting on the white Firebird that works for slide. I put it on the front pickup and take the top down to about 3 or 4 and the level down to about 8 or 9. The trick with slide is that the intonation comes when you get the contact of the slide right on top of the object fret. The movement becomes fluid rather than real jerky. Everybody can do that but it's hard to do it fluidly. People I know have picked it up naturally and gotten down to it right away. I've tried many times and failed miserably. I really want to do a great slide solo in the studio and it just comes out like shit, unadulterated crap. It's embarrassing, but you just keep going at it until it gets there. ==






JAMES HOW INDUSTRIES LIMITED, 20 UPLAND ROAD, BEXLEYHEATH, KENT, ENGLAND. TELEPHONE 01-304 4711




Brodr Jorgensen (UK) Ltd., Great West Trading Estate, 363 Great West Hoad, Brentold, Middx. 1776 3516. Tell 67 356 157. Please send me details of the Kramer guitars. I enclose 50p to cover Postage and Packing.

Name Address _____



SINGLE MINDED PAUL WELLER

The Jam's mastermind talks at 45 rpm to DAVID LAWRENSON





aul Weller ain't no guitar hero. He doesn't come across as the New Wave's answer to Jimmy Page or Steve Howe - neither would he want to be.

Paul and his group the Jam hark back to simpler days when pop music reigned supreme, and a good two minutes 50 said more than a whole stack of concept albums.

Although the Jam came to prominence on the New Wave, you can be pretty sure that they would have been successful whatever the musical climate of Britain happened to be. They had an energy and style which proved difficult to ignore, plus the considerable talents of Mr. Weller.

I wasn't exactly over-enthusiastic when I first saw the band playing a London club two years ago, but since then they have earned my respect with a succession of good singles and albums. Paul Weller, barely 21, has shown himself to be an important figure on the contemporary music scene, particularly

through his songwriting.

In fact, it was as a means to write songs that he first picked up a guitar. "With me it wasn't so much playing the guitar as a way to write songs really, more like a means to an end. The

first three chords I learned to play, I wrote a song.

"My first good guitar was a Rickenbacker which I bought for £80. It was a real old one with a short scale neck. I bought it because it looked good - I didn't like the look of all the other guitars but this had a certain look about it. For me that's half of it, more than the sounds or actual capabilities or whatever.

When we first got signed up by Polydor and had a bit of money to spend, I went out and bought every Rickenbacker I could find in London. I like guitars, I do like possessing them. But I suppose even now they are a means to an end. I'm interested in sounds you can create from a guitar, not so much what you can do on a fretboard. There are so many great sounds, like using the feedback stuff on the last album -

that I find quite interesting."

Paul combined his Rickenbacker with a couple of Vox AC30s on stage, but has recently switched to Roland amps. "Vox are great for the studio but they just don't re-create the sound live, they haven't got the power behind them. I've started using Rolands, which I think are 125 watts, so you can get a bit more balls behind you. I use the Rolands with the Jazz Chorus effect, which has that kind of phasing effect that is quite good and I use that on stage. But as far as other effects go, I like the idea of stripping away all that crap. I think you can create some great sounds on the actual physical instrument alone."

The thing that attracted attention to the Jam as much as their music was their image. The whole Sixties Mod appearance ensured much publicity, but Paul explains that it was a little more than just a publicity gimmick.

"Image goes hand in hand with the music. I personally really got into mod clothes, mod music, so it was natural for▶ me to be in a mod band in a sense. It sounds really cliched, but before the punk thing there was nothing happening, nothing to relate to whatsoever. I'm not into your technical rockers like Yes, Genesis or Led Zeppelin, for me it was wanting to discover an actual youth culture which for me didn't exist. The only alternative youth culture was discos, which I really didn't dig either. So it was like starting something up of my own in a sense, then when the punk thing happened it was great.

"As for mod music it was a question of re-discovering it—for me it was the first time of hearing it. Like the first Who LP My Generation. The first time I heard that, I thought, 'What's all this about?' It was like a totally new sound. It may have been nostalgia, but for me it was totally innovatory with the guitars slashing through, and the production. It just reeks of youth, the whole thing, that whole image."

From the outset he saw songwriting as the most important aspect of his music and began to try to build his own youth culture with songs which reflected his life and that of many other teenagers. Sure, it sounds corny, but in numbers like *In The City* you can see what he is getting at.

"Melody is very important to me, as a way of communicating more than anything else. A good melody is a form or plane of communication which everyone can relate to. I've always been a Beatles fan and I also liked the old Tamla and rock steady stuff. When I first started writing, it depended on what I was into that week. If I was listening to Otis Redding all week long, then I'd write an Otis Redding type song, and so on.

"I wouldn't say I'm a prolific songwriter. It sounds sort of corny but I have got to be inspired to write something. I can't really sit down and bang one out, I'm not a tunesmith in the old Lennon/McCartney tradition. I write on acoustic guitar mainly at home and I've sat for hours trying to knock out a song, but it really is a waste of time. I have to be inspired.

"It's got to be something in everyday

life, like people inspire me. There are so many ironies in life and I'm really in a fortunate position to sit back and observe things. Being in the band really enables you to do that. Being caught up in this business for a start is pretty routine at times, but not as routine as going to a factory from nine to five. All you are surrounded by is the music business, and I ain't going to write about that

"Obviously, when we started off two and a half years ago there was that anger of wanting to prove ourselves. I thought we had some great songs, like In The City, which I could sing with conviction at the time — but I really can't now because it would be dishonest if I did. I've got to find a way of writing about things which really do inspire me, but also remain honest to my fans and myself.

"I used to start with a tune, but now maybe I'll use a set of words, it's harder writing lyrics than tunes. Also I find that I've written a song in the past and don't think I've said enough about the subject or got to the heart of what I wanted to say originally, so I've gone back to that. There's three songs on individual albums where I still don't think I've said enough, or what I wanted to say.

"Unless a song's got some heart in it, it's pretty pointless anyway, so lately I've been starting to get the words together first. If I believe in a set of words, then I've got enough conviction to go and put a tune to it."

Paul is still in love with the idea of singles and still gets a kick out of buying new ones as well as being involved with Jam product. Lyrically, he is aiming for a complete story on a 45, something which he has come close to on the *Down in the Tube Station at Midnight* single.

He is conscious of the tag the band have got as just a Sixties nostalgia outfit — a label he disputes: "I can't really see it. I mean we're really inspired by certain aspects of the Sixties, really superficial things like clothes and music, but we updated that stuff, it's not revival. How can you revive something you don't remember in the first place? I'm just as inspired by Seventies people, contemporary bands and Bowie. I draw on influences from everybody really."

"I think we are doing something different, like the *Mod Cons* album and the *Tube Station* single. That was a totally new sound, I've never heard that sound before. I don't think there's Sixties influence in that. If



there is, then the Seventies are there as well, and the Fighties – where do you stop?"

he Jam are one of the few threepiece outfits on the scene today, and considering that many of the four- and five-piece bands find it necessary to supplement their line-up with extra musicians as their music becomes more complex, it would seem that the Jam might have their share of problems.

Paul explains: "A three-piece has still got that Cream stigma attached to it and always will have, but we've got an entirely different approach. We have difficulties, yeah, like the new single (Strange Town). We've been trying to learn to play that live. It's got its drawbacks but when you actually achieve something, it's much nicer if three of you have done it without horn sections or an extra guitarist or keyboards.

"Also, the songs take on different dimensions, in some sense, live — which is quite interesting. I suppose bringing in extra musicians could open a lot of doors for us, but things are really compact between the three of us and we'd probably lose something along the line."

With his playing he prefers to play rhythm and believes he has evolved his own particular style which verges on playing lead anyway. Paul cites Wilko Johnson as the first Seventies guitarist to make an impression on him through his clipped chords style of playing.

Compromise is pretty much of a dirty word in the Weller vocabulary, particularly where his music is concerned. "Out of all the original bands

we are the ones who have stuck by our word. A lot of other bands make really big compromises — which they don't have to do. It's like getting a big American producer in, just to seal up the American market. What's that really about?

"As far as we're concerned, if people accept us there, great — but I'm not going to tour there six months of the year. It's such a conservative country, I'm not willing to make the compromise. It's easier for someone like Costello because he's always had that Americanised sound."

He feels that the band were lucky in some ways when they signed to Polydor because the A&R guy who signed them, Chris Parry, worked closely with them for about a year producing their records and acting as a kind of co-manager. Chris has since set up his own label, but the band now have almost complete control of their records, promotion, etc., together with their producer Vic Coppersmith.

Paul was a great believer in the New Wave revolution which carried the Jam into the limelight, but he feels that even this has stagnated into the world of the superstars once again. "To me the music scene has returned to what it was before. I mean, some people may find it very idealistic but I believed in all that — not anarchy, but a real musical revolution. I really thought it was going to happen, but it hasn't. We're still trying to fight it, but it's changed back to the bands who want to be stars and the kids who want to be stars.

"A great ambition for me is to think that everywhere you go and play there's going to be a bunch of kids who will pick up some guitars and start their own group. I mean that's ambition for me. With most groups you've got your megastars and your fans, but we're really trying to work out something more intimate than that.

"We've got a great relationship with our fans, especially at live gigs, which are obviously where we get the chance to meet. The last tour was great, the first time that I really got a charge out of going out and playing. I like fans coming round to see me, the kids ask intelligent things so I've got respect for them as people rather than just record buyers. You should really go out and interview them because you would find out more about the Jam than I could tell you.

"Obviously music's for everyone, but actually creating music is really for the young — and I'm talking about under-21s." So where does that leave our 21-year-old Mr. Weller? "Don't know, but eventually we want to get a label together and sign new bands. That would be good, because we'd be putting something back into the business."


He remains convinced that anyone who wants to succeed in the music business can, if the determination is there. He still sees himself as a fan who made good. "I always knew what I wanted to do, but it's accessible to any kid if he wants to do it badly enough, I believe in that. To me it's conviction, if you are convinced you can do it, then I don't think the actual technical skills really matter, that comes later anyway. If you think you're going to do it, then you will."

Idealism it may be, but compared to some of the rantings of his fellow New Wave artists, Paul Weller sounds mighty convincing — even sincere — in his thoughts about his group, his music and his fans. But what really clinched it for me was when I asked him if he wanted to be a guitar hero, he replied, "Nah, not really. Anyway I have enough trouble with my ego as it is!" Ah, such honesty.



NOW IN EUROPE!

The EMILAR EC 175 High Frequency
Compression Driver




The EMILAR EC 175 High Frequency Compression Driver, with its use of contemporary materials offers unmatched reliability and fidelity. It is an ideal component for very compact sound systems, offering phenomenally low acoustical distortion.


DISTRIBUTED BY Tel: 01-788 3491

Mick Johnson Lyuse

LTD. 277 Putney Bridge Rd London S.W.15.

EMILAR





Pickups,













Parts, Performance














For a complete listing of all hardware and a catalog, send \$1.00 to:




DiMarzio®

Musical Instrument Pickups, Inc.

Dept. IM

1388 Richmond Terrace, Staten Island, NY 10310 USA (212) 981-9286



Ruck and roll is music of the heart. The Ibanez Studio electric is as simple, powerful and sensitive as the emotion of the music. In three classic models - all straight from the heart. The responsive new V-2 pickups sing a song that's warm and sweet with awesome output. The versatility of Ibanez Tri-Sound gives you 15 distinct tones at the flip of the switches. And the magic of the Ibanez EQ-2 Tone System paints a rain bow of sound-from mild and clean to aggressive and roaring.

But trying to explain the Studio is like trying to tell a stranger about rock and roll-you've just got to experience it. See a Studio at your Ibanez dealer today.

ST-100

ST-200 ALL OF THE ABOVE WITH THE ADDITION OF A SPECIAL MAPLE, ASH AND WALNUT BODY AND THE IBANEZ LQ-2 TONE SYSTEM.

ALL OF THE ABOVE WITH THE ADDITION OF IBANEZ TRI-

IBANEZ Dept. IM

D. Box 469, Cornwells Heights, PA 19020 • 327 Broadway, Idaho Falls, ID 83401 • 6355 Park Ave., Montreal P.Q. Canada H2V 4H5 Send \$1.00 for a full color catalog of all Ibanez electrics.

Lightmostas

Professional Lighting

at realistic price

(Not illustrated).

The Lightmaster 3600 control system and 690 Dimmer Racks make an infinitely expandable 3 preset lighting system with effects, starting at around £1,200 for a 12 channel system.

The Lightmaster 691 is a complete 6 channel dimming unit with effects at only £420 + VAT. Marvellous value for the small touring band.

zero 88 lighting Itd

Hart Road, St. Albans Herts. AL1 1NA Tel: (0727) 33271 Please traine address a later to the later to the light transfer to the later to th

GEORGE DUKE

is in charge

The George Duke Band have been nibbling at the hem of the Br tish singles chart with a good-time funky song called *Party Down*. It has received plenty of airplay on the stations the housewives listen to, and has set Travolta lookalikes lurching round the disco floors throughout the land. But George Duke's eight-piece ensemble is a not a disco band. Nor is it a soul band. Or a rock band or a jazz group or an Afro-Latin free-improvisation workshop. It's all of them.

Duke himself has played piano professionally in all those areas, from hossa nova to beloop, from gospe to rock 'n' roll. He's studied classical music, too. Now he's reached the stage where he simply doesn't recognise the boundaries. Listening to a concert or an album by the George Duke Band is like an unguided tour of contemporary music. They hopscotch from one style to another in the twinking of an offbeat.

Duke is an exciting performer on all his keyboards. But he's much more than just that: composer, arranger, singer, producer, perhaps above all bandleader. And that's a job he takes seriously: "It's difficult because you're dealing with personalities and you have to be a father and a leader at the same time, to be able to offer suggestions without intimidating someone. Everyone I have in this band, as far as I'm concerned, is a star. They're all excellent musicians: stylistically, they're comprehensive. They can play Latin, Brazilian, jazz, rock, funk, blues and like it. And that's the kind of musician I like."

There's something inevitable about the fact that George Dake, for all his talent on his instruments, should wind up leading his own band. His largerthan-life personality needs to be in charge of things. And it's no real surprise to learn that his first musical inspiration came from the greatest bandleader jazz has ever known. "My mother took me to a Duke Ellington concert when I was around five years old, and I proceeded to go crazy. It really affected me, I don't remember exactly everything that went on, except that I saw this guy playing the piano, directing this band in a church. He had on a different outfit and everything. I told my mother, Look, I know I can do that, Get me a piano!"



Mrs. Duke obliged. Little George started taking lessons and in his teens started playing piano in church. "That was the first experience that really turned me on as far as improvisation goes. I was playing very simple, gospel-orientated little things and . . . touching people. It scared me to death the first time that happened — playing something that made people shout. That did something to me . . ."

He still likes to make people shout. And clap their hands, and join in the chorus. He likes to more people. But in his teens he drifted away from gospel music to explore rock, Latin music and jazz. By the time he was 16, he was leading his own trio in a San Francisco club. He also went to college to study—trombone.

"I'll explain the deal behind that. At the San Francisco Conservatory at that time, they had a trombone scholarship and there were no trom-

bone majors. Now, I wasa't as good as the other students at playing Bach and Beethoven and all the required repertoire that you had to play for a piano scholarship. I was always better at improvisation. But I had been playing trombone since the eighth grade and that trombone scholarship was there . . . I looked at the piece and said, 'I can play that.' I went home and practised it and I won that trombone scholarship four years straight. It paid for half my tuition."

He never intended to vind up as a professional trombonist (but I didn't let them know that") so he also majored in composition: "I thought it would be better if I had some sort of theoretical background o help me with orchestration and that kind of thing."

Which all suggests that he had a firm intention of being a pro musician, a bandleader, even. 'Well, in your college days you never really know if you can make a living at it. You're never sure. I was playing at the Half Note all the time I was working on my Bachelor's as a matter of fact, I was working with Al Jarreau at that time but I still wasn't convinced. I had to get away from that club to see if I could book myself other places to really become convinced that I could earn a living."

The first step towards convincing himself came after college, when he

moved down the road to the Both/ And club and started working regularly with jazz musicians. The second step came when Jean-Luc Ponty arrived in town and Duke hustled to record and tour with him. They went on the road as the Jean-Luc Ponty Experience with the George Duke Trio. That was pretty near to the big time; near enough, you might think, to make up George's mind for him. But he still wasn't convinced. "I met a load of people then and played a lot - but I was still teaching school as well. There was still that war within me between professional music and teaching."

The clincher came when Frank Zappa collaborated with Ponty on an album and invited Duke to play keyboards. A week later, he asked him to join the Mothers of Invention. "That was when I decided to be a professional musician. For one thing, I was making more money at it—you know the big rock in roll group. I had never been exposed before to thousands of people in the audience, limousines, not having to set up my own equipment, groupies, the whole bit. It was something new to me. But I liked it!"

Only trouble was, he didn't like the music too much. At that time, Zappa was purveying two distinct styles wild, zany rock and intense neoclassical stuff. It all left young George rather confused. "First he had the sexist, crazed rock 'n' roll humour. That's what bothered me. I was like a sore thumb in the middle of all this craziness. I couldn't figure out why I was there. When I asked Frank, he said it was because it was odd. That's why he liked it. Then he also used to play music that was more akin to Varèse and Stockhausen, kinda contemporary classical music, which I used to like. It was much nearer to what I was doing at school.

"But I wasn't accustomed to that kind of radical change. We'd play a Stockhausen-type piece, then follow it up with some Fifties rock 'n' roll stuff. It used to baffle me. Frank was one of the first people to do that sort of switch and I was always confused. Since then, that type of approach has affected the way I view my music now. It's not in the same area, but it's the same approach, being multistylistic, playing different styles of music in the same show, on the same record."

He was rescued from his bafflement by Cannonball Adderley, who invited his to join his group in 1970. "I just couldn't pass up that opportunity because he'd been one of my heroes tor years. That's where I grew up – ACCESS – BARCLAYCARD

INSTANT FREEPHONE/ADVICE/INSTANT QUOTE TELEPHONE 0206-47151 AND TALK TO US! LOOK AT THESE PRICES!!! AND SPECIAL INTERNATIONAL MUSICIAN DEALS (ALL BRAND NEW)

AMPLIFICATION		KEYBOARDS/SYNTHES	IZERS	GUITARS (ELECTRIC)		GUITARS	
Marshall 100MV valve top	£199.00	Korg MS 10 synth	£210.00	FENDER (all colours)		OVATION (ACOUSTIC)	
Marshall 50MV valve top	£159.00	Korg MS 20 synth	£310.00	Strat (R/N)	£219.00	Balladeer	£205.00
Marshall 100 L/B Trany amp	p £110.00	Yamaha CS 10	£299.00	Strat (R/N) (WT)	£239.00	Cuban Balladeer	£215.00
Marshall 4x12 cabs		Roland RS 202	£525.00	Strat (M/N)	£239.00	Folklore	£225.00
Marshall MV50 combo	£219.00			Strat (M/N) (WT)	£259.00	Legend	£245.00
Marshall MV100 cab	£289.00	MORE MUSIC CRECIAL	. 1	Precision (R/N)	£219.00	Glen Campbell 12	£295.00
+ full range of Marshall gear,	, ring for	MORE MUSIC SPECIAL		Precision (M/N)	£239.00	Custom Legend	£449.00
full details and free brochure	e.	Wasp synthesizer only	.£178.00	Telecaster	£205.00	Ovation Artiste	£215.00
				Mustang (R/N)	£160.00	GUILD (all available)	
Peavey Tho 40	£117.00	F. 1 Di 1 C. 10	2500.00	Mustang (M/N)	£179.00	Dreadnought: D25, D35,	D40, D50,
Peavey Pacer	2145.00	I Candan Dhadar Carro CO	£599.00	Musicmaster (lead)	£99.00	D55: Folk F20, F30, F40), F50: &
Peavey Deuce	£299.00	Fender Rhodes Stage 88	£690.00	Musicmaster (bass)	£88.00	full series available. Ring	0206
Peavey Artiste	£299.00		£840.00	GIBSON		41151 for instant price.	
Peavey Black Combo	£299.00	Rhodes Suitcase 88	£1080.00	Les Paul Signature	£325.00		
		Hohner Pianet T	£210.00	Les Paul Recording	£465.00		
		Wasp synths	£178.00	Les Paul Deluxe	£399.00		- 1
		ARP Axxe synth ARP Odyssey	£399.00	Les Paul Custom	£467.00		- 1
NO DEPOSIT HP	- 1	ARP Pro DGX	£705.00	Ess de Otalida d	£425.00	GUARANTEE	
Buy through More Music ar	nd nav	ARP Omni	£701.00		£399.00		
Day tillough William Wildsic al	iu pay	ANE Office	£999.00	SG Standard	£375.00	All products are guarante	eed for 2

whenever you ring 0206-47151 for details.

low interest rates and no deposit

Music Man 65 watt combo	£355.00
Music Man 100 watt combo	£386.00
Music Man 100 watt EV	
combo	£386.00
Music Man 130 watt combo	£433.00
Music Man 65 watt head	£245.00
Music Man 130 watt head	£389.00
Intermusic Imp	£59.00
Intermusic combo	£250.00
Intermusic	
Redmere Soloist	
Fender Pro reverb combo	£255.00
Fender Twin reverb combo	£325.00
Fender Super reverb cab	£320.00
Vox AC 30s from	£155

)	Korg 800 DV	£450.00
	Hohner Clavinet	£399.00
)	Hohner K4 stereo	£299.00
'n	Yamaha CP30	£699.00
)		
)	PA AMPS, MIXERS, ETC.	
)	MM 12T02 mixer	£290.00
)	MM AP360 amp slave	£240.00
	+ full range available	
	HH MA 100	£199.00
)	Marshall 8 ch reverb	£195.00
)	Laney PA 100 reverb	£185.00
)	+ full range of PA amps + bit	ns +
5	mixers	

WEM COPYCATS!!!

000 014

Only £78.00 (RRP £109.00)

from		mixers
CUT OUT TH	IIS & SEND	IT WITH YOUR ORDER

5 SETS OF FREE STRINGS

POST FREE -- GIBSON, ERNIE BALL OR GUILD

RD Artiste The Les Paul	£495.00	years and also guaranteed to make you live to 101!!!
CVATION (ELECTRIC) Custom Balladeer Classic	£279.00 £324.00	

Custom Balladeer	£279.00	
Classic	£324.00	
Folklore	£297.00	PEAVEY GUITARS
Pacemaker 21	£325.00	T60
Concert Classic	£315.00	T40
Legend	£335.00	140
G en Campbell 6	£360.00	MUSICAMANICIUTADO
Custom Legend	£675.00	MUSIC MAN GUITARS
Artiste	£309.00	Sabre 1 guitar
		Sabre 3
		Stingray 1
		Stingray 2

BURMAN - (ring for details on:-
Pro 501, Pro 502, Pro 2000, Pro
E02 (50 watt), Pro 400, 4 x 12).

CARLSBRO	
Mantis Echo	£156.00
S:ingray head	£135.28
S:ingray combo	£219.38
S:ingray combo (bass)	£229.50
Singray Super	£252.00
12 to 2 mixer	£299.00
Reverb unit	£80.00

Stingray 2	£335.00
ELECTRO-HARMONIX	(EFFECTS)
Bass Balls	£35.00
Small Stone Memory Man	£29.00 £59.00
Deluxe Memory Man	£110.00

£225.00 £225.00

£325.00 £325.00 £325.00

Echo Flanger £65.00 **Bad Stone** £41.00 Queen Trigger £59.00 Hot Tubes £39.00 Crying Muff £42.00 Volume Pedal £25.00 + full range of effects.


INSTANT ACTION TELEPHONE 0206-47151

HUNDREDS OF SECONDHAND BARGAINS (GUITARS FROM £10.00, AMPS FROM £15.00, ETC.) - 2 YEAR **GUARANTEES**

ALL STRINGS £1.80 A SET - RING FOR FREE BROCHURE OR QUOTE ON ANYTHING!!! FREE DELIVERY ANYWHERE UK & ABROAD - EXPORT SERVICE TOO.

MORE MUSIC-CHURCHWALK-COLCHESTER-ESSEX

SPECIAL EXTRA DISCOUNTS TO NAME ACTS, PRO BANDS, MU MEMBERS ETC. ETC. SOMEDAY ALL MUSIC SHOPS WILL BE LIKE MORE MUSIC. REPAIRS - GUITARS REFRETTED - RING US ON 0206-47151 FOR THE BEST DEAL AROUND.



musically. It was a great learning experience. I took Joe Zawinul's place in the band — so I was scared to death. But I went in there determined not to sound like Joe, to put my own personality into the thing. I learned a lot from Cannon. Part of the reason why I could go back with Frank after I left Cannonbail was that I had learned to be myself on stage, to just relax and — why not play some funny music sometimes?"

It was around 1973 that he went back with Frank, joining what, to many, was the finest, most musical, most creative Mothers line-up ever. It was a period when Zappa was arranging his music meticulously for the band, but always leaving room for the appropriate improvisations, and George Duke's current work shows how much he learned from that stint under Frank's direction.

He has something else to thank Zappa for: the synthesizer. Amazingly, he had never played one until then. He'd stuck with just piano, electric and acoustic. "I fought against playing synthesizers. It was too hard to learn . . . Oh man, I'm gonna have to play this thing, with all these knobs? It was like an aeroplane cockpit. I wasn't interested in starting all over and learning to play Frère Jacques on the thing.

"But Zappa bought one and put it in front of me. He just left it on top of my Fender Rhodes and made sure it was always switched on and said, 'You just play it when you feel like it.' So every now and then I would thump it and it would make a sound."

Curiosity finally got the better of him and he started to take the synthesizer seriously — thought he claims it took two years to become even halfway comfortable on the instrument. Even now, though he uses half a dozen different synths, if you ask him if there are any he hasn't got to grips with yet, he'll chuckle and admit "All of them. Right now, I'm most comfortable with the Minimoog and

the ARP Odyssey. I haven't got the Oberheim down the way I would like it yet. But I'm working on it. I also like the Prophet a lot. I know it's a state-of-the-art instrument but it's got problems on the road because it's digital and digital things on the road don't tend to hold up very well. But in the studio it's great — and it's fast because it has 40 programmes. On stage, I'd rather use an Oberheim. I've never had a fault with it. It's very roadworthy."

Despite his modest protestations of incompetence, Duke has grown into one of the foremost exponents of the synthesizer. He uses them creatively, wittily, sometimes outrageously, but always as an integral part of the band sound. Frank Zappa didn't realise (or perhaps he did) what he was starting when he plonked a synth on top of George's Fender Rhodes.

George stayed with the jazz-orientated Mothers for three years. But the time came for a change. "When Ruth Underwood was sacked and Chester Thompson left to join Weather Report, I felt the band lost something really important — the whole family atmosphere. I began to miss that so I felt I had to leave. Billy Cobham was there, ready to go, and I said, 'Hey, let's do a band.' He said, 'Yeah.' So we got together."

The Cobham-Duke quartet lasted for a year. They toured the world, made albums and played some very impressive jazz rock. But although he had fun doing it, George Duke soon became dissatisfied. "I began to change musically. There were other things I wanted to do. I became a little disenchanted with the whole jazz rock spectrum.

"It seemed to me like a lot of people were becoming a little egotistical musically, playing a lot of notes over a rock beat. I see it this way: jazz started out as a bar-room music, with whores and pimps around. It was dancing music, it was gut level, bottom music, right? It was never pure. It was fusion music, with two diverse cultures as well as musical styles coming together to make jazz. And I think it has become more fused all this time. It seems that in the jazz musicians' quest to have the music taken seriously, they lost all the common people, because in the Thirties, when it was dance music, everybody danced

"I wanted to see the dance come back to music. I wanted to see the fun come back. I got tired of having to go on stage looking like this (frowns) and not being able to smile or move around on stage."


Duke certainly moves around on stage now. Even when he's playing synthesizer, thanks to a unique instrument he calls the Funkosizer. It hangs

round his neck and gives him the scope to prance, pose and possess the stage like the most flamboyant lead guitarist. It's a role he plays magnificently, partly because he patently enjoys showing off, partly because he doesn't see why the rest of the band should have fun leaping around while the keyboards player is locked inside a fortress of instruments. "I got tired of being walled in, so I took all my keyboards and had them recased in Plexiglass and silver, so you can see the guts. I put some lights inside them to make them visually interesting and I try to arrange the stage so that there's nothing in front of me. Then of course with the Funkosizer round my neck, I can walk around, go talk to somebody on the other side of the stage . . ."

The idea of the portable synthesizer is not new. It's the sort of instrument that could have been designed with an extrovert like George Duke in mind. In fact, this one was. "It was designed for me by Wayne Yentis, a guy who does a lot of keyboard modifications in LA. He has worked closely with Tom Oberheim on certain projects. He said he could design an instrument for me that was very portable, very light, that would have all the controls in a neck like a guitar's. It took him about a year to make it and it's a great instrument. You've got all the low frequency oscillators, the pitch control, your octave switches, two octaves up, two down, all of your modulation controls and a pitch wheel - all there in the neck.'


There's something irresistibly jolly about seeing big George Duke striding around the stage with a synth round his neck, rapping with his band, stomping his feet, wailing funky synth solos and playing to the gallery. The rest of the band obviously enjoy it too. "That's the whole thing. The whole element right now is just fun. I think it's possible to have fun and play good music at the same time. I don't consider that I'm playing disco music. The funk music that I do play has no relation to disco because the approach is totally different. Disco is designed for dancing, funk is for the body and the mind. But it's fun and that's what I like about it.

"The music I'm playing now, I find immensely more satisfying than everything I've done in the past. Not only because I can play more of my own material and have it played the way I like to have it played, but because I've really got a family situation going here. This band is not just me, telling them what they are going to do. It's a collective personality that's directed, more or less, by me. I come in to the rehearsal with the charts, give the music to everybody and say, 'Here's the song. Let's see where it goes from here.'"



Brodr Jorgensen (UK) Ltd., Great West Trading Estate, 983 Great West Road, Brentford, Middx. TW8 9DN. Tel: 01-568 4578. Please send me details of Washburn guitars. I enclose 30p to cover Postage and Packaging.

FOR FOLK Finger a Fender



IF FENDER PUT THEIR NAME AND EXPERTISE BEHIND ANYTHING, YOU CAN BE SURE A GREAT DEAL OF THOUGHT HAS GONE BEHIND IT.

It can't have escaped your notice that Fender have been involved in the folk and classical guitar field for some time now and to our gratification guitar pundits, experts, players and

musical instrument dealers have unanimously voted the project a 100% success. Isn't it time you matched your fantastic Fender electric with a Fender F Series – for folks sake.

Be sure to 'try one on' on your next visit to your local music dealer.



World Radio History

Budget Guitar Review

feels high, because the string slots in the nut are not as deep as they might be. The first string, particularly, is rather high above the first few frets. Steel string nuts are more tricky to adjust than those on classical guitars. This is the sort of thing you could ask a helpful shop to do for you. It should take less than five minutes and would make the guitar easier to play



on the lower frets (which is where most self-taught beginners play most of the time).

Without a nut adjustment, I would rate the playability as fairly good, and better than I would expect for a steel-string guitar at this price. With a nut adjustment, I would rate the playability as very good for this kind of guitar. The neck is just a little on the thick side but this really doesn't feel like a cheap guitar. The frets seem quite well finished and the fingerboard has bound edges, with dots on the front and edge.

The machine heads are standard open-gear types and work smoothly, and the strings do not creak in the nut when they are tuned. The bridge is made from an unspecified black-painted hardwood. It appears to be firmly stuck down to the guitar front and the bridge-pins and saddle are reasonably well fitted. The plastic saddle is quite thin, and its slot is a little too wide. Samples of this guitar with a fairly high saddle could have trouble with the saddle leaning over and/or bending.

As you would expect at this price, the front, back and sides are made from laminated woods. The neck and the outside veneers of the back and sides look like one of the eastern woods similar to mahogany, finished in a middle brown glossy lacquer. The front of the guitar is finished with a nice matched-front spruce veneer with clear gloss lacquer. This is a laminated

Madeira A14 Jumbo, C6 Classical, and EG300 Electric

This month's group of "honest cheapies" contains three guitars from the Madeira range. They happened to arrive all at the same time, and I thought there would probably be something for everyone. The first item is a model A14 steel-string Jumbo acoustic. Price about £38 including VAT.

You may wonder what sort of a Jumbo costs £38. In fact, not at all bad, and I would have put the price nearer to £48 on a quick guess. When the guitar arrived, the neck was straight and the action fairly low.

After a few weeks tuned up and hung on the wall, the neck was not so straight, and the action too high for my comfort. Fortunately the neck has an adjustable truss rod. A suitable key is supplied with the guitar, and after about two quarter-turns clockwise I had the neck almost straight and action a little lower. It would be difficult to lower the action much at the bridge end without becoming involved in a bit of careful woodwork and some black shoe dye. Fortunately, my sample doesn't really need much adjustment at this end. The action

soundboard, but the tone of the guitar indicates that it is certainly not rubbish.

Like many cheaper steel-string guitars, this one appears to have a slightly sour second string and better bass on some notes than on others, but generally the tone also is rather better than I would have expected. On tone quality and overall sound I would rate this guitar as reasonable by any standards, and outstandingly good at this price.

The inside construction is clean, but one could hardly call it accurate. You can't have it all perfect for £40. As long as the guitar continues to sound good, I suggest you just don't look inside. Modern glues will work quite well even with rough joints.

Although the tuning and intonation are generally good, the notes are a little bit out on my sample by the time you get up to the 10th or 12th fret. If you intend to use all the fingerboard and not just the bottom end of it, check before buying.

Overall rating: Good value – very good value with a few minutes' skilled adjustment.

Typically, check for: Ease of playing at both ends of fingerboard. Fretted notes against harmonics at the 12th fret. High saddles may tend to lean over. This usually becomes worse and may affect tone and tuning.

Guitar number two is a Madeira C6 Classic. Price about £34 including VAT. This seems to be made with roughly the same woods and finishes as the model A14, expect that the front of this C6 classic has a light golden yellow colour. This has become one of the conventions for certain types of classical guitar, although most of the cheaper instruments have been coloured rather generously and one has a suspicion that they would probably glow in the dark. By comparison, this instrument has a subdued and quite reasonable colour.

If you are planning to buy a classical guitar, it is likely either that you are going to have "proper" lessons or alternatively that you want a simple guitar whose strings will not hurt your Almost any nylon-string guitar with a reasonable action will meet the second requirement. sample of the C6 is well adjusted and has a pleasantly low action. It is unlikely that you would find any guitar easier on your fingers. It also has a tone which is bright, well balanced and quite loud, when the strings are strummed in a fairly elementary way. The guitar is well-made and relatively robust. Unless you treat it very badly, it is not likely to give any trouble. I think that takes care of requirement two. Full marks as an inexpensive guitar for campfires, infant-school teachers. absolute

beginners, parish hymn-singing groups, folk singers, and other worthy causes.

The first-mentioned requirement, that of someone who intends to have proper classical guitar lessons, is a little more complicated. Many guitar teachers consider that guitars suitable for serious lessons, even for a beginner, must have certain dimensions or measurements corresponding to a sort of international standard for classical guitars. Except for small children and adults with unusually small hands, this is generally a very sound principle.

I don't really need to go into all the details, but I think one could say that this review sample meets all (but one) of the requirements for an inexpensive and "correct" classical guitar, suitable for a beginner who wishes to learn to play properly. It has a nice action, it has a reasonable tone, it has all the right sort of Unfortunately, my measurements. sample does not quite play in tune towards the upper end of the fingerboard with any of the strings in the fitted set. It is quite normal, although not ideal, for some of the strings on a classical guitar to be noticably out of tune at the octave. Most classical guitar music is written so as to avoid these problem areas. Even so, the position of the bridge usually has to be a compromise between conflicting On this particular requirements. guitar, either the entire set of strings is very strange or the bridge compromise leaves some room for improvement. I think at least the top string should be roughly correct at the octave and on this guitar it is not. Other samples may be better in this respect. Don't go away thinking you should avoid this Madeira guitar because it has a tuning problem: it is not unique. You are likely to encounter this problem in occasional batches of guitars under many different brand names. Sometimes bad strings can cause the same problem. If in doubt, find a shop you can trust, and then trust them. Failing that, ask you guitar teacher. Better still, ask both of them.

For playability and general construction I would like to give this guitar a rating of "good" but the mild intonation problems must bring this down to "fairly good". Either the strings or the bridge need some changes. For tone quality and overall sound it clearly deserves a "good" rating. The bass is better than the treble, but this may well improve with playing.

Overall rating: Good value for money. Thoroughly recommended for casual players, and (if checked for 12th fret accuracy) for serious beginners. There are a few other guitars which offer similarly good value for money. You may find them if you shop around very carefully, but I don't think you would actually find better value in this



sort of guitar.

Typically, check for: Fretted notes against harmonics at the 12th fret if you intend to play more than a few simple chords.

Guitar number three is a Madeira EG 300 solid-body electric. Price about £150 including a hard case and VAT.

I appreciate that £150 is quite an increase on the £30 to £40 of the previous two guitars. However, I think this guitar offers relatively as good value for money as the A14 Jumbo. This is a good illustration of the principle that the cheapest good electric is usually much more expensive than the cheapest good acoustic. As prices go at the moment, £150 is a small price for a reasonable quality electric guitar and a hard case. Of course you can buy an electric guitar for half that amount. You can also buy an acoustic guitar for £10 or £15, and you can't expect much from either instrument. Electric guitars are more expensive. This is not the most tidily-finished guitar I have ever seen. but it does seem to have all the essentials. If you know of a better new guitar for the money, I would like to hear about it

As you will see from the photo. the EG 300 is a double-cutaway, solidbody guitar, with a 22-fret fingerboard, two humbucking pickups and the usual complement of controls and switches. Apart from the second cutaway, it is a quite standard sort of electric guitar and even the double-cutaway idea is becoming increasingly common on various brands of guitars imported from the East. The neck is a separate item and does not go right through the body. However, the neck joint is cunningly arranged to approach the look and feel of a "heel-less" neck. You don't quite have the advantages of a much more complicated and expensive design, but you will probably find it easier to get up to the top frets.

If you consider the price of this guitar, and allow for the fact that this includes a hard case, you will appreciate

All roads lead to LIVERPOOL

INVERNESS 9hrs W 4hrs EDINBURGH 4hrs ...the City *BIRMINGHAM 2hrs with two cathedrals, two footballteams and "The" two **Music Centres**



74 Picton Road. Wavertree, Liverpool 15 051-733 0390

JEAR MUSICIAN,
WE ARE STOCKISTS OF ALL THE NAME
BRANDS OF EQUIPMENT, GUITARS, AMPS, SLAVES, CAIS, COLUMNS, BINS, HORNS, MONITORS, ECHO JUITS, KH BLAKDS, MIKES, DRUMS + EFFECTS ARE WHERE WE'RE AT .. WE BORE YOU WITH A LONG LIST OF NAMES THAT YOU TROBABLY KNOW ALL TOO WELL, BELAUSE IF YOU ARE LOOKING FOR SOME HING YOU WILL HAVE A GOOD TAKA ALRGADY OF WHAT 100 WANT AND 100 WILL ALSO KNOW WHAT PRICE THE ITEM IS AT THAT'S WHERE WE COME IN

OUR MAIL ORNER SYSTEM IS SIMPLE OUR MAIL ORDER SYSTEM IS SIMPLE.

AND WHERE MUTHAL CASH WE AN SUPER! MOST TEMS TO ANYWHERE IN THE Y.K. TREE WITH A DISCOUNT OF 15th OFF THE RETAIL PRICE. IF ITS TERMS, WE DON'T NEED A DEPOSIT - BUT IT DOES HELP - NE STILL DELIVER FREE, AND STILL QU'NE A DISCOUNT OF 10%.

ON SOME ITEMS THE PRICE IS EVEN FOR THOSE AND THE WERE STILLING RHODES AS FIRED SOLLINGED FREE, LUDWIG SUPER AT 15TO ASH. STILL DELIVERD FREE, LUDWIG SUPER LASSIC TITS WORK OUT TO 1553 FOND MARSHALL M. V. VALVE AMTS TO 1905.

YOU ARE LOOKING TOR ANTTHING TROM A MIKE TO A MIKE TO A STACK, REMEMBER OUR TILLE PHOUSE WITHER TO A STACK, REMEMBER OUR TILLE PHOUSE WITHER SPOND AND YOU MIGHT SANK A BUNDLE. GIVE US A TRY.

051.733.0390 PLUG INN Suppliers of all leading makes of musical equipment JOHN RYAN.

THE NORTH'S PREMIER **MUSIC STORE**

Save up to 35% on Fender Guitars Telecasters £229 Precision Bass £229 Save up to 50% on copies Save up to 20% on Gibson

Guitars by the thousand including Fender, Gibson, Hagstrom, John Birch, Yamaha, Martin, Epiphone, Kimbara, Rickenbacker, Grant, Kay Antonia etc, etc, etc, with Big Big Savings. Drums, Drums, Drum up that special deal with names like Ludwig, Premier, Pearl, Maxwin, Hoshino, Olympic, Tama, Hauman, Beat this £100 minimum allowance for your complete kit for a newy at r.r.p. Read on. Copies with Demarzio pick-ups from only £99, saving up to 50%. The effects get the best including Electo Harmonix up to 50% off. How does a 2 year amp guarantee grab you, plus bigger than big savings. We've got the names - H/H, Maine, Kustom, Selmer, Wem, Vox, Stagg, Custom Sound, Orange, Hi-Watt to name but a few. We've got three floors crammed with all that's best in instruments and gear. Accessories from plecs to mikes to leads. Hows about a P/A for only £299 including a H/H, M/A 200 pair of 2 x 12 (200 watt) Cabs and a shure - sounds good! Keyboards, yes you can save on them too! If you want it we've got it. If we haven't got it, we'll get it. If we can't get it, it's not made!

And this is only half the story. Call in for a chat and another exciting episode of Hessys — we lead where others follow.



For that rock bottom deal make tracks for Hessys Music Centre, the premier music store with over £500,000 worth of instruments and gear at prices to be seen to be believed.

وووووووووووووووو

To match or better any genuine advertised price on current models of any guitar, sound equipment, syththesizer, drum kit etc

FOR THE BEST DEAL IN THE COUNTRY USE THE HESSY HOT-LINE

Telephone Bernard Michaelson now on 051-236 2421

ome Minha

HESSY'S MUSIC CENTRE 62 STANLEY ST. LIVERPOOL TEL. 051 236 1418

Budget Guitar Review

that the makers must have cut a few corners somewhere. I think they have probably cut the right corners. For £150, you get a reasonable fretting job, workable (but slightly sloppy) machine heads, a maple neck with what seems to be a rosewood fingerboard, large pearloid block inlays, an adjustable bridge, the usual selector switch and volume and tone controls and two DiMarzio pickups. You also get a solid body, with a carved front which actually is a carved front and not a hollow plywood construction.

Someone is bound to write in to ask which type of DiMarzio pickup is used on this guitar. I should like to answer this one before we receive a deluge of letters on the subject. If you look carefully at the advertisements in this and other music publications, you will see that DiMarzio pickups are available as separate boxed items in several varieties. You will also see that DiMarzio pickups are supplied as standard or optional equipment on several makes of guitar. Some of these pickups fitted by guitar makers correspond closely to the separate, boxed pickups on sale in the shops. Others are "specials" designed and made to meet the requirements of a particular guitar maker. "specials" will usually be quite similar to one or other of the standard, boxed DiMarzio units, but there may be slight differences in tone or output. At this level I think it is really a matter of individual taste. Also pickups designed for certain guitars may work best on those guitars. If you want to know what the result sounds like, go and play one. If what you really want is to learn about pickups, hang on for the IM pickup survey – it is coming.


The overall sound of this guitar is warm and mellow. There are indeed rhythm and treble pickups, and there is a large difference between the sounds vou will get from them, but overall, it is a mellow sound rather than a bright and metallic one. The sustain is not particularly long, in most positions, but the notes seem to have that odd property of almost building up in volume before dying away. To my ears, this sort of sustain fits with the sound of the pickups and sounds good. Of course this is only a matter of individual taste again, but I have played a guitar which had a similar sort of sustain and was fitted with rather aggressive, harsh-sounding pick-The combination produced a sort of ringing sound on each note, which eventually produced a sort of ringing sound in my head. Not nice. (I know rock is not supposed to be nice, but I don't think it is supposed to give you a pain in the head, either.) Perhaps you follow what I meant about certain pickups suiting (or not suiting) certain guitars. You can ring the changes but you may get more

"ring" than you bargained for.

I think these pickups suit the guitar and produce a sound which has a distinctive character. As they come fitted as standard, and you don't have any choice, that is all you need to know. I like the sound, but if you really want something with a bit more bite, you would get a good contrast with a parallel-wired DiMarzio "Dual sound", or perhaps a Mighty Mite "Vintage", in the bridge position. On the whole, I would suggest you leave the guitar alone until you have found out what it can do. The smaller MXR equalizer will usually make one guitar sound like three different ones anway.

I think that covers the guitar's good points. Now for the less good ponts and even the plain bad ones. First, the neck on my sample is not really straight. The guitar plays well enough with a moderate action, but buzzes in places with lower settings, The neck is not far wrong and appears to be stable: a light fret-filing should solve the problem. As I have explained, cheaper guitars are likely to vary a lot, so there is no certainty that you would be offered one with a poor neck. Our recent articles on buying and adjusting cheaper guitars include some simple and fairly reliable tests for neck straightness, which you can easily carry out in the shop.

Secondly, my sample is made from decent wood, and has a pleasant if not amazing red finish. The finish is generally good except for the white bindings around the edges. It is normal to spray over these and then to scrape off the unwanted coloured lacquer at a later stage. On my sample, the scraping is erratic and rather crude in places. This does not look attractive, but it has no effect on the guitar's performance. You might consider whether you would rather pay a lot more money for the same quality of guitar but with neater bindings. This is a budget guitar and I would rather have the money spent on good pickups than on pretty binding. However, if they could just use a sharp potato peeler next time . . .





The bindings on the edge of the fingerboard are quite well finished but the outer corners are sharper than I would like. This probably does affect the guitar's performance a little. You could easily remove the corners with an emery board and you would probably find the neck more comfortable.

Some of the machine heads have a bit of play in the gears. If you know how to get the best out of machine heads (by always tuning up to a note, from below) you will have no trouble. If you just "turn the knobs until it sounds right", you may need to buy better and more expensive machines.

Finally, the bridge on my sample cannot easily be adjusted up and down on the treble side. There is a screwdriver slot, but the adjustment is stiff and it is essential to use the largest screwdriver which will fit properly. It would be a sensible move to take the vertical adjustment apart and apply some grease. (I have found an excellent lubricant for die-cast and/or plated parts is "Wool Alcohol Ointment, BP" which can be bought from some dispensing chemists. It looks like sticky grease and 100gm is not expensive.)

Overall rating: A good working musician's instrument in the lower price range. Good sound. Appearance not quite as good as performance. Probably unbeatable value for money at present prices, as long as you check your instrument carefully.

Typically, check for: Neck straightness. Any lacquer cracks around neck joint on new instruments (don't accept). Any string buzzes, with a low action, which can be heard through an amp. (Most solids are a bit buzzy without an amp. What matters is the *amplified* sound.)

That completes the Madeira trio. If other importers have similar groups of instruments which they feel offer good value for a variety of tastes and requirements, I would be happy to give them proper consideration.

Stephen Delft

Basscheck

B.C.Rich Mockingbird Bass £750 inc VAT

Jim Rodford is a versatile and experienced bass man. His professional career started with the Mike Cotton Sound, and progressed through Argent to Phoenix. He has recently joined the Kinks as their regular bassist.

Ithout doubt, the B.C. Rich range of electric guitars epitomises the expression "axe" when a musician refers to his guitar or bass. The Mockingbird shape especially is very reminiscent of a lethal medieval hatchet, and is either sensationally showstopping in appearance, or crude and tasteless, depending on the individual. I personally admire the individualistic approach of this small, specialised firm of quality guitar makers, on sticking their necks out (no pun intended) and providing an instantly recognisable range of products, even if I'm uncertain of my own feelings about the slightly bizarre shapes.

I must admit that when I first stumbled on a B.C. Rich, in a store window in New York, I was immediately drawn to it, with mixed feelings of awe and disbelief, whispering under my breath, "What the ——'s that?" This is probably the reaction they hoped for when designing their guitars and, in this sense, they definitely score.


With the Mockingbird bass guitar under review, apart from the body shape the main distinguising features are its double octave scale (a feature of all B.C. Rich electric guitars) and a combination of the special Dual Sound pickups, the extremely comprehensive active and passive control and selection circuitry. The complete instrument is handmade, apart from the electronics and hardware, and the workmanship and finish is excellent. I especially like the one-piece "neck-through-body-to-the-tail" concept of construction. It provides rigidity as well as easier access and playability to the highest fret positions, as no "heeled" joint impedes your technique at the body-neck area of the back of the guitar. A beautifully sculptured, smooth increase in the gentle slim contour of the back of the neck at this point is the only sensation apparent to the thumb when sliding

the left hand up to these stratospheric (for bass) musical regions.

The long-scale neck is one-piece maple, with a rosewood fretboard, and features 18% nickel frets, an internal truss rod, and diamondshaped mother of pearl inlays. Its reasonably slim cross-section and relatively narrow fingerboard present a potentially fast and easily playable neck. However, the extra (double octave) length and extreme cutaway body features seem to me to be the dominant contributors to a disturbing balance drawback. The whole instrument is overwhelmingly neck-heavy and I found the considerable left arm support necessary to keep it at the required angle was offputting to my left-hand technique. It seems that, in this instance, appearance has taken priority over balance because although the body is made from solid maple, its weight and design are not sufficiently complementary to the neck for the centre of gravity of the instrument to be correct for comfortable "standing up" playing. Played in a sitting position, however, the bottom, sharp, curved horn fits comfortably on the right thigh and the guitar balances nicely at this point.

Now, I'm pretty sure this instrument isn't designed purely for session players or seated musicians generally, as it has all the visual attributes of a phallic, eye-catching, shit-kicking, concert rock 'n' roll instrument. So this balance criticism is pretty important.

I like the subtle head shape, with its attractive rosewood veneered face, and stylish mother of pearl "R" logo inlay. The head face is matched by parallel strips of the same material, each side of the central body-neck, one-piece strip at the junctions of the two outer body sections. The Grover Imperial machines are smooth and positive, and the kinked, wavy machine head surfaces not only present easier



"feel" to the fingers, but also complement the slightly weird vibe of the instrument as a whole.

The bridge is the tried and tested and extremely functional - Badass model with the ball ends of the strings anchored in pass-through holes in the tailpiece. String length is easily adjustable by four anchored screws through individual string saddles, with the screw heads located under the ball-end slots in the tailpiece. String height is adjusted by two screws at each end of the saddles by means of an Allen key. In theory, this is ideal but, as I've mentioned before in previous reviews, it's all too easy to mislay an Allen key and, in an emergency, far harder to find one to fit your particular gauge than a simple, slot screwdriver. As it happens, the action on this particular bass was set rather high for my liking, and I couldn't adjust it, because no Allen keys were provided. Now I realise this is quite trivial but is a good example of what can happen.

The pickups are specially wound, highoutput DiMarzios. Each pickup is split into two. both halves housing four pole-pieces each, like double Fender Precision pickups. On this particular bass, B.C. Rich offer what they call their standard circuitry which boasts both active and passive output and tone controls. The wiring layout is very comprehensive and versatile, but simple to suss at the same time. A Standard Circuit number diagram is shown and you will observe that the pickups are not only individually selectable, but the wiring also allows what they term Dual Sound from either the front two or the back two. In other words, the Dual Sound switches split either pair. The phase switch puts each set, or individual double pickups, out of phase with the other. But this effect, like all the subtle sound changes obtainable from this instrument, is greatly heightened, and in my opinion only effectively useable, when the active, or pre-amped circuitry is switched in via switch 3. (A standard PP3 battery powers the circuitry.) The pre-amp volume knob 3a is particularly useful here, giving much needed extra control to the output and tonal boost of the active circuitry. The six-position Varitone switch, is, I think, self-explanatory, and is useful when quick, preset tone changes are required. The overall master tone pot (8) overendless rides everything, allowing permutation possibilities.

A fairly lengthy familiarisation process is necessary before the full potential of the instrument becomes apparent, in relation to the individual, and often vastly different, sound concepts of bass players generally.

Testing it at Konk recording studios, I found the complete spectrum of various sounds obtainable far more audibly discernible than in a live situation, due of course to the exacting high-fidelity perfection of studio equipment.

I also gave it a live test while sitting in with a loud five-piece funk-rock band, Cahoots, at my local rock pub. Soundwise, I obtained everything I could ever need and much more, and when the active circuitry was flicked in, awe-some power added new dimensions to my technique, and the tonal mixtures I was playing around with. Luckily, the pre-amp volume knob allows you to monitor and preselect the output boost of the active circuitry, to lessen the likelihood of blowing up your speakers. The Sunn amp and 4 x 12" speaker cab I used

handled it well, but I feel a lower quality rig would not be able to handle the full potential of this instrument in terms of both output and discernible tonal variation. In this sense, and in view of the price, this instrument has got to be aimed at the pro.


The all-round quality and finish is superb. including the fairly new Straplock system, which is provided as standard. The balance aspect does really worry me though, as I found that playing around the first position, in the key of F for instance, was extremely uncomfortable. My left arm soon began to ache, and holding the neck at the required angle impeded my left hand technique greatly. It seemed that the only way to balance it comfortably was to rest the right forearm in the upper inward curve of the body. while employing finger style technique. Many bassists, including John Entwistle for instance. play this way, and for them, the balance problem is solved, as the natural downward weight and pressure of the right arm counterbalances the neck weight. This form of fingerstyle technique is by no means universal though, and for those of use who tend to arch our right hands into a high bridge, leaving the forearm and elbow clear of guitar body contact, this balance problem is unacceptable in my view.


For the less critical, fine-tone change requirements of live work, some of the sound selection choices (such as the out of phase facility and roughly half of the Varitone positions) seemed relatively ineffective and unnecessary. But at least pretty well every conceivable choice is available, and I congratulate EFR Guitars of London, a small home-based operation who specialise in rare American guitars, for taking a gamble, in being the only importer in the UK of these fine, individual instruments.

I personally have grown to admire the shape of this particular product, and the disturbing effect it seems to have on not only other musicians, but punters also. It's probably the ultimate chick-pulling axe, if you're into that. And if they can get the balance problem sorted out, then in my book, it will become one of the First Division, choice contenders at the top end of the bass guitar world market.

Jim Rodford


- 1 MASTER VOLUME
- 2 PICKUP SELECTOR
- 3 PREAMPON/OFF
- 3a PREAMP VOLUME
- 4 SIX POSITION VARITONE
- 5 PHASE SWITCH
- 6 DUAL SOUND FRONT
- 7 DUAL SOUND BACK PICKUP
- 8 MASTER TONE





VARIABLE 3 WAY AND 5 WAY ELECTRONIC STEREO CROSSOVERS

For your P.A./studio. With individual XLR connections and multicore connector (for our stage return multicore and stage box) on rear panel.



Recording Studio Design
Home Farm, Northall, Dunstable, Beds. Tel Eaton Bray 221331

Distributors:

Europe · ATC Ltd, London 01 995 3654 England · Mick Johnson Music, London 01 788 3491 London · ITA, London 01 724 2498 Scotland · Westmill, Edinburgh 031441 7926



The Packhorse Case Co.



You have a called 'Packhors' to protect your equipment from damage while you see on the road.

You have the one cases for bands to strave wite a blood but don't my too much can be bought from your local dealer and are called 'Hardcases'.

You know the specific of the top bands use our cases and you know that you hire gear from one of the landing hire capanies it will arrive in our cases.

ou know that one of our second something like this:



you know that when you they hurtyour toes.

We know that we are lucky to have so many customs and so many friend in

What we don't know is why, if you know so much about us, we have bothered to spend a fortune in IM tiling you something you already know!

this occurs to a M S. t. Fi Lo a en

Tel: 0-14-23672

World Radio History

Guitarcheck

George Lowden L38 Around £800

(Subject to change)

henever possible. I try to keep expensive acoustic guitars hanging on the wall for a while before I review them. That way, I can keep an eye on them and gain a better idea of how they are going to develop. You will appreciate that guitars in the lower price-ranges may sometimes go seriously wrong after a bit of use. It is not an ideal situation, but I don't think anyone would be very surprised about it: such guitars are often made down to a price and occasionally things go amiss. It is also possible (but thankfully, less common) for very expensive, finely made guitars to go wrong, in the same way that a finely-tuned racing carengine will occasionally over-reach itself. That is why I like to watch them for a few weeks and play them occasionally during this time. I do not always have the time or opportunity for such close observation, but I do try to include at least the really expensive top-of-the-line instruments offered by various makers.

Unfortunately, if I provide more information on the way a guitar may develop some of our readers may wrongly assume that it is a bad guitar. If they do so, they are completely missing the point. If I find, or suspect, any serious problems in a review guitar, I shall say so distinctly. If it only needs little adjustments after a month or two, it may help you to know

about them, but it does *not* necessarily mean that there is anything wrong with the guitar. In fact if that is *all* which needs doing, to bring the instrument to its optimum performance, you can be more confident that it will perform reliably in the future. Some dealers make a point of asking customers to return their guitars for a quick (and free) check after two to three months and I think this is generally a sensible arrangement.

This Lowden L38 guitar has given me a few surprises while it has been on the wall. First, it started out as the most expensive guitar from that maker and sounded loud but rather uninteresting when compared to some less expensive Lowden guitars. Then it improved a bit with playing, but still sounded as though it had an exaggerated and badly blended tone. Finally, after about three months, it suddenly came to life and now sounds louder and better than any of the others. When I played this guitar with only thumb and fingernails, and with old and slightly dull strings, it could clearly be heard from the far back room of a flat to the front door. Now admittedly, I live in a quiet part of town, but between the back room and the front door is a corridor with two bends and a long passage lined with heavy winter clothes. Although made of conventional materials, this L38 appears to have the sort of projection which is often associated with roundback guitars. It also has a rich, full sound in the bass which usually only comes from very good and very well played-in American guitars, Bearing in mind that it is neither old, nor American, nor properly played in, I think this is a very promising beginning.

I doubt whether the photograph can really do justice to this guitar. It is made from ebony, mahogany, cedar and the sort of Brazilian rosewood which is often called jacaranda. The finish is so transparent that the colours of the woods seem more intense than usual. I think we have all become accustomed to seeing finishes on new guitars which are convenient for the makers, but not perhaps the best possible for tone or appearance. I happen to know a bit of inside information about the finishing process used on Lowden guitars: it involves a large amount of hard work on each instrument. If you want to know more, you will have to ask someone at the factory, but don't be too hopeful about getting a straight answer.

The body and soundboard are finished with a high gloss on this guitar and the neck has a sort of semi-matt sheen. Lowden necks generally seem to be finished this way but the bodies can be either full gloss or satin finish. In this case the high gloss suits the strong figuring in the rosewood and the abalone shell inlay around the front. I like satin finishes on guitars, but I think abalone inlay really needs a transparent high gloss surface if it is to look its best.

The edges of the body are lined front and back with flamed sycamore or maple bindings. There is no inlay up the centre of the back, but there is a small striped bit where the sides join at the bottom, by the ebony strap button. (No plastic buttons on this guitar.) The figuring on the two halves of the back does not quite match, but it is so dramatic and eye-catching



that one does not at first notice the slight difference in patterns. The centre joint fits perfectly all along, and with wood like this, there is no possibility of "faking" a poor joint. This is not only a question of appearances or the maker's pride. There is quite a lot of strain on the back and front of a solid-wood guitar in changing climates. If either the front or back centre-joint is not perfect, it is likely to open up after a few years.

The centre-joint in the front of the guitar does not look quite as good. The joint itself is fine, but what looks like a wide glue line to the naked eye, appears under a magnifying glass to be a minute smear of glue along one side of the joint. It is not quite up to the usual standard, but on a guitar which sounds as good as this, I am not going to argue.

Around the edge of the guitar front and around the soundhole there is a decorative inlay made from coloured wood strips and pieces of multicoloured abalone shell, fitted together into a continuous strip. This Lowden has real abalone shell, not plastic. With the plastic "pearl" becoming better, and some of the real stuff looking rather dull, it is sometimes difficult to tell the difference. There are even some guitars which manage to use real shell and plastic imitation on the same instrument. If you could see the inlay on this Lowden in its real colours, you would not mistake it for plastic - and you would never again be impressed by the dull-looking imitations. Once again, there is no secret production method. It is just many hours of careful, precise work. There is a place for subtle and quiet-looking guitars and there is a place for bright and eye-catching guitars. That is what we have here. Guitars do not always have to be in grotesque bad taste to be noticed on stage. If you take one of these fancy Lowdens out on stage, it will certainly be noticed. Under a spotlight, it looks as though it has been inlaid with lines of green fire and the unusual fingerboard inlays are large enough to remain interesting when seen from a distance. I suppose this is really a showman's guitar. The decoration does not make it sound any better, but if you are going to have a fancy guitar, it is very nice to see one which has been done properly. Of course, there are some American guitars with nice pearl inlay-work, but they are considerably more expensive.

The scratchplate on this guitar will be unfamiliar to most of our readers. It is made of two thin layers of wood, the outer one matching the back and sides of the guitar — a nice touch. It is optional and can be removed if you don't like scratchplates, but it will take a lot of wear off the front of the guitar. On this sample, the adhesive backing is not as adhesive as it might be and the scratchplate is beginning to lift up in places. I believe this problem has now been solved, as the scratchplates on more recently-made Lowden guitars hold on like determined limpets.

The neck is laminated from layers of mahogany and jacaranda wood, which continue right round into the delicately carved heel. The neck shape seems to me a good comfortable compromise between traditional "triangular" necks and ultra-slim electric ones. It feels very smooth and it is blended nicely into the edges of the fingerboard. The intonation at the 12th

fret is near-perfect with the strings fitted at the moment. This is a set of Guild light-gauge phosphor bronze with a substituted brass-wound light third of the same make. This was originally done because I broke a string while returning from an open tuning. After the strings had aged a bit I noticed that the brass-wound third seemed to give a better transition between the plain second string and the bronze-wound fourth string. You may wish to try this on some other guitars to find whether it is applicable to them, too.

The tuning accuracy has a lot to do with the design of the bridge (see photo.) I would respectfully point out that I have been using this split saddle system on my own guitars for many years and I believe I was the first person to do so in the UK. Since then it has been taken up first by some of my early students (who simply thought it was a good idea and used it) and by George Lowden, who had the decency to ask first. I appreciate the courtesy, but I got the basis of the idea from seeing the work of a man called Lundberg, who was working in California some years ago. Does anyone know the address of a guitar maker called Lundberg?

There is not much more to say about the guitar. It works well, it is made beautifully inside and out, it sounds good to the player, and it projects to an astonishing degree. Oh yes, it doesn't like being damp!

Conclusion

One is often irritated to see elaborate decoration on bad guitars, where money could perhaps better have been spent on improving the tone or playability. In contrast, here is a very good guitar with good and tasteful decoration. It is an expensive guitar, but most of the cost has gone into wood and workmanship. Its excellent performance justifies the additional time and money spent on decoration. There are a few instruments of comparable quality available, but they are generally available with some difficulty and at a higher price than the L38.


Stephen Delft is a maker and repairer of guitars and other instruments, and a member of the Institute of Musical Instrument Technology. He is also a more than capable performer on the guitar.


Stephen Delft


Measurements on Lowden L38 Serial No. 0089

Scale length 649mm
String spacing at bridge 56mm
String spacing at nut 38mm
Fingerboard width at nut 44mm
Depth of neck at 1st fret 22mm
Depth of neck at 10th fret 25mm
Heel starts at 10/11 fret
20 frets on fingerboard:
body joins at fret 14.
Action as supplied 2mm treble/
2.5mm bass.
A slight adjustment to the bridge

A slight adjustment to the bridge saddles would make the action better for me, but the 12th fret measurements would end up the same as before.







CONCERT SYSTEM DEALERS:

LONDON: WC2_REW_Ltd 114_Charing Cross Rd Tel_01_836_2372 W13 Tempo Music

160a The Broadway West Faling Tel 015670121 E11 Freedmans Musical Instruments 631 High Rd Levtonstone

Tel 01 539 0288 SEE3 South Lastern Entertainments Ltd 375-377 High St Lewisham Tel 01 690 2205

BEDFORD: Mr Music 7 St Joh Tel Bedford 50861

BIRMINGHAM: Woodroft's 5-8a Dale End Tel: 021 236 4992 3

BRISTOL:

John Holmes Music & Organ Centre 219 Cheltenham Rd Tel Bristol 46136

BROMLEY:

Wings Music 15 15a London Rd Tel 01 460 9080

CARDIFF: Sound Centre 9 St Johns Sq. Tel Carditt 34018 396279

CHELTENHAM: Ray Electrical 287 High St Tel: Cheltenham 22317

COPPULL LANCS:

Sound Advice Installation Regent St. Coppull Near Chorley Tel. Coppull 791645

DONCASTER:

Music Ground 246 Station Rd. Dunscroft Tel. Doncaster 843037

DUNDEE:

Largs Music Centre 18-24 Whitehall St Tel: Dundee 26061

EDINBURGH: Scott/Largs 27 Gr Tel: 031 556 1303 Greenside Place

EXETER:

Bill Greenhalgh & Co 125-129 Fore St Tel: Exeter 5848

GLASGOW:

97 West George St W Thompson 97 Tel 041 248 6516

GRAVESEND:

Hodges & Johnson 160 Windmill St Tel: Gravesend 66766 GUILDFORD:

Andertons 5 Stoke Fields Tel Guildford 38212 IPSWICH: Albert Balaam Music Centre 69 St Matthew St Tel: Ipswich 53514

LEICESTER:

Sound Pad Music Centre 64 London Rd Tel Leicester 20760

LIVERPOOL

Frank Hessy 62 Stanley St. Tel: 051:236:1418

MAIDSTONE:

Matthews Music 12-20 The Broadway Tel-Maidstone 675986

MANCHESTER: G.M. Services - 88 Oxford St Manchester 1 - Tel - 061 236 0340

MANSFIELD:

Carlsbro Sound Centre 182 Chesterfield Rd Nth Tel Mansfield 26199

NEWCASTLE UPON TYNE

Rock City 10 Mosley St Tel: Newcastle 24175

NORWICH:

Cookes Band Instruments 34 St Benedicts St Tel: Norwich 23563

OXEORDSHIRE:

John Holmes 268 Banbury Rd Summertown Oxford Tel: Oxford 57923

PORTSMOUTH: Telecomms 189 London Rd North End Tel Portsmouth 60036

SHEFFIELD:

Johnson Soundaround 227 London Rd Tel-Shettield 53127

SUNDERLAND:

White Sound Equipment 3-Albion Place Tel-Sunderland 78058

SWANSEA: John Ham 75 77 Mansel St Tel Swansea 50968

SWINDON: John Holme

Music & Organ Centre 21-23 Faringdon Rd Tel-Swindon 4095-20948

NORTHERN IRELAND & EIRE: Please contact your nearest franchised HH dealer

Steelcheck

Springfield double-neck £988:20 inc VAT

steel guitarists and you'll frequently hear them talk about the pro's and con's of Shobuds, ZBs, Emmons, MSAs, etc. All these are American-made steel guitars, and it's not difficult to see why such names dominate the market. The instrument grew-up in America and has always been associated mainly with country music. So, whenever people in Britain saw American country artists, they almost invariably saw a pedal steel in the line-up from one of the main manufacturers in the USA. Along with this, the only steels available in numbers in this country for a long time have been the few major American makes.

As the pedal steel has increased in popularity among British musicians in the recent few years, those same well-known names have become the names to be seen with if you play pedal steel. Of late, one or two more American makes have been appearing over here in small numbers and it remains to be seen whether they will also catch on.

But why shouldn't pedal steel guitars be made in this country as well? In theory, there's no reason at all and, in fact, they have been made. But, so far, it has never been a big enough market on which to base a business, set up a factory, and all the other associated hassles. The few times attempts have been made, the limitations, usually financial ones, have meant that it's very difficult, if not impossible, to set up for quantity production on a long-term basis. So it's all the more interesting to see a company, in Great Britain, getting under way not only producing pedal steels, which is difficult enough, but also taking on the formidable task of selling them in direct competition with the American ones.

The Springfield Guitar Co. is based in Scotland but you can obtain their pedal steels through outlets in Kirkcaldy, Manchester, Maidstone and Belfast which means that you won't have too far to go wherever in the UK you live. Jim Kerr of Springfield's has been kind enough to supply this twin-neck 10-string

model for review.


The Springfield has a well proportioned look about it, and does not break too much with tradition where general style is concerned. The review model is of Australian Walnut finished with a synthetic lacquer. This gives quite a pleasing gloss finish over the darkish colouring of the wood and should withstand knocks fairly well as, I am told, the lacquer is one specially recommended by Berger to remain flexible and not get brittle. Still looking at the top of the instrument, all the main metal parts are of nicely polished, machined aluminium. Wherever possible, no screw or bolt heads are visible, which gives the steel a nice clean appearance at the changer end of the guitar.

The quite large 3/8" (diameter) changer spindle is mounted at each end in a very beefylooking aluminium block, a good thing as far as strength is concerned, although for my personal taste I think it would perhaps look more pleasing if the blocks were "streamlined" a bit more. The levers attached to the changer spindle are neatly made with grooves to accept the string end beads instead of pins over which to hook them. The radius of the top surface of the levers over which the strings pass is not too small, so string breakage due to fatigue at this point should not be a great problem.

The changer is in fact an all-pull type with each lever split into two halves. One half of the lever is straight and rigid, and when this is pulled by a rod underneath, an increase in tension, and therefore a raise, takes place. The other half is jointed again as it passes through the body and, when the bottom part of this is pulled, the top part moves the opposite way and the string lowers in tension. A row of coil springs, one for each string, balance out the string pulls on the lowering levers, and the raise levers just rest against part of the end-plate.

Normally, what happens on most steels is that the changer levers have adjustable stop screws which pass through the end-plate and terminate in screw heads, Allen key heads or similar, in order to "tune" the raises and lowers; but this is where this instrument parts company with convention, because the changer itself has no ajustable stops at all. The reason for this can be found if we go to the other end of the mechanism. The floor pedals are attached to the pedal bar in the normal way and are then connected to levers on ths cross-shafts in the undercarriage via polished stainless steel rods. These rods hook into a hole at the top and attach by a snap-on ball and socket swivel joint at the bottom. (The snap-on type joints are not very satisfactory but are being replaced at the moment by the more usual springloaded quickrelease type.)

Now refer to Photo 2. The travel of each lever on its cross-shaft is arrested very positively by a fixed heavy steel stud on the mounting plate. To each cross-shaft are fixed cunningly—designed adjustable levers, one for each raise or lower, which connect by copper-plated steel pull-rods to the changer levers. What happens is that you push a floor pedal or a knee lever to its stop and then reach underneath (the guitar is the right way up for this) to make its adjustment. When you turn the adjusting knobs (easy to do by hand), the effective length of the lever is increased or decreased according to whether



you move the attachment point further or nearer to the pivot, and this is what governs the degree by which a string is raised or lowered. The big talking point amongst players will almost certainly be whether it is acceptable to reach underneath to adjust the pedal travels as opposed to doing it at the endplate. Having lived with this steel for a couple of weeks, I personally didn't find this aspect too difficult to cope with, with a bit of practice. I have had it pointed out to me that it would look bad on stage to be seen groping about underneath to make adjustments, but I like to think that a mechanism should stay "in tune" at least throughout a gig, and this one did that OK. On the whole, it's a very cleverly designed system and it works well. There are plenty of adjustments available so that you can get a long or a short pedal travel. Also an important point is that it's relatively easy to set up multiple raises and lowers; in fact, this model would accept a triple raise and a double lower on each string. When more than one string is acted on by one pedal, the movements are automatically 'synchronised", i.e. they start and arrive at the same time even though the lengths of travel are different.

Well, that takes care of the guts; now back to the outer appearance. The Japanese machine heads are smart and efficient (they look similar to Schallers), being attached to a machined aluminium head-piece. It's interesting to note that this has a centre section which supports the ends of the string rollers. The finish of this centre piece is not to my taste being a kind of milled, overlapping circle pattern. I'd prefer to see it polished or maybe decorated with Formica or a wood insert to match the body. From the machine heads the strings pass over the roller nut. Each roller is of brass and mounted on a 3/16" diameter steel spindle. Nicely made, this assembly, and it seems to work smoothly. Following the strings along we come to the fretboard. This is of Formica with a pale grey pattern in it; the fret lines are blue and the familiar position markings are of a black arrow type design. The whole lot is lacquered over. I was not impressed by the appearance of the fretboard; the mixture of blue, black and grey did nothing for the instrument, and the method of fixing it, with six small round-head screws, made it look even more untidy. However, Jim Kerr tells me that the fretboards are made up to just about any design, colour or material to order, so that should get over that problem, especially if the board could be glued rather than screwed.

The pickups, made specially for Springfield's by an independent British supplier, use 1/4" diameter magnets and are neatly constructed with a white plastic top and bottom plate. Each pickup is mounted 2.7/8" from the changer, on a height-adjustable, insulated baseplate; a good point, as the transmission of any mechanical noise is thus minimised. These particular pickups are single coil only, to special order, but the standard practice is to fit twin coil ones which are controlled from a toggle switch near the right-hand end of each neck.

The floor pedals are the only cast aluminium parts on the instrument, and are fairly large, the biggest I can recall seeing, actually. They have a shiny tread area, as opposed to most other steels


which have some sort of roughened pattern for grip. However they worked perfectly well and I personally didn't have any trouble with feet slipping. The legs are of 3/4" diameter aluminium tubing. They function well enough in that they support the instrument fairly rigidly. However, I feel that it could improve the general looks of the guitar if they were slightly thicker and possibly chromed as well, which would presumably mean they would have to be of steel.

Now the sound. Played at normal level in an average room, the pickup produces a very bright crisp sound, especially on the mid-range notes. At the bottom end, there is plently of "bite", but perhaps not quite enough depth. The highs are clear without being too harsh. As the volume is wound up, as it would be on a gig with other instruments, the sound takes on a rather different character. It seems to mellow somewhat and loses some of its presence, so that what seemed a very "toppy" sound at low volume is now much warmer. For my taste I would like to hear a "thicker" sound at the higher volumes. I must emphasise that this is the way I hear it, and someone else's description may well differ to mine as personal taste comes into it, as does the effect of different amplifiers. different techniques etc. The twin-coil pickups, normally fitted as standard, could well change things anyway. You should, as always, try one and make your own judgement about the sound. for your own particular use.

This is a good-looking and sounding instrument which I think should stand comparison with the American equivalents. I think that the few detail changes I have suggested would improve its appearance still further, and I am only talking about appearance. Mechanically, I could find no snags and the steel should be easy to put in tune and keep there. The method of tuning the pedals is one over which there will be a lot of argument for and against, but it has to be stated that it functions satisfactorily. The sound is difficult to sum up concisely, as always; but I would say it is fairly smooth and sweet, not particularly "ballsy", and for this reason I have a sneaking feeling it would be best complemented by a valve amplifier rather than the solid state one I tried it with. Price-wise, it is on the whole cheaper than its American rivals, although only marginally so in some cases. It remains to be seen whether the margin is enough to win some buyers over. It probably has the advantage on availability too. I hope it does succeed because, with Jim Kerr's policy of continual improvement and refinement, time should prove it an excellent instrument.

Dave Hayward

Dave Hayward has been playing guitar for over 12 years and pedal steel for over four. As a dedicated "steelie", he splits his time between session work and gigging with a popular British country band called Al Barrett's Linemen.





EUROPE'S LEADING **MANUFACTURER** OF PEDAL STEEL **GUITARS**

Built by Craftsmen using only the Finest Australian Walnut and Maple whose Natural Beauty is further enhanced by Tasteful Colour Schemes The Undercarriage is of an entirely new Concept Designed by an Engineer to give Lasting Reliability and Absolutely No **Tuning Problems**

And All This At Sensible Prices Available from the following Stockist's M. Crumble Ltd., Barratt's. 67/71 Dublin Road,

Belfast.

Oxford Street, Manchester.

Z.B. Guitars, 2 Upperfant Road, Maidstone, Kent.

Strings, Kirkaldy.

Music Ground. Doncaster.

Or Contact us Direct at: 16 Edmonton Avenue, Howden, Livingston, West Lothian, Scotland. Trade and Export Enquiries Welcome Reviewed and Recommended by British Steel

Guitarist Guild 1977. And International Musician 1979.

SOLE NORTHERN IRELAND AND EIRE OUTLET FOR SPRINGFIELD PEDAL GUITARS.

CREDIT FACILITIES AVAILABLE, **DETAILS UPON** REQUEST

TRADE ENQUIRES WELCOMED

67-71 DUBLIN STREET **BELFAST** NORTHERN IRELAND TEL: 0232-26818

MOST COMPREHENSIVE STOCKIST OF GUITARS, KEYBOARDS, ORGANS, AMPLIFICATION AND PERCUSSION.

STRINGS **MUSICA** soundhouse

East of Scotland's dealer for Moog synthesizers, full range in stock.

Main dealers in Fife for Farfisa organs, Wurlitzer organs. Stockist for most drum agencies, over 40 kits in stock.

Now electrionic repair service available. Anything electrical repaired. Jim will fix it.

164 St. Clair Street, Kirkcaldy, Fife, Scotland. Tel: 0592 52801.



FREE 'N' EASY MUSIC

(Hemel Hempstead Branch) 57 High Street Hemel Hempstead Tel: Hemel Hempstead 59656

As a reader of International Musician, we guess that you must be a musician! (Yeu can't froi us!!) It may be that you play at home for your own amusement, in a gigging kund or spend hours in a studio Wotcha Matel You may well have heard of us (Our Free in Easy on which is famous getting your thing down on tape (Sounds mide that -ed). Minerigheaut the length of breadth of lower Harrogate). The idea is that we come to your house with the grand your choice for you to my out before you truy. This way you can be sure that anything ordered is vigut, before you Now here's the good hit for a limited period we are able to offer reachers of 1.11. an amazing deal. As well as the magnificent free the-shirt with all orders, we can effer you undir terms (subject to status) with absolutely As you may know, our stocks are large, but in most cases even if homptake delivery. orarily out of state we can esually supply any musical instrument within a coid his Few days of order, Why not give us a my? Unfertuately, as we said, Mis no deposit and up to 3 years to pay. offer is for a limited period only, so why not give us a ring on Aylesbury 28555 Offer 13 fer a similer former only, on my many many marginet is waiting for your call o ready (week days) a ask for details. The lavely Margret is waiting for your call o ready For those who live near enough, why not drop in at Hemel Hempstrad, we've got the coffee machine working again (you delike tea, don't you?) - our pinball machine is working (just kick it!) and we've god masses of stocks. to get your gear on the road to you. Street (the lovely one), gold (Aglestury's answer to Han. Utd.) DON (Me man who made home rule for Scotland an absolute necessity) Den who wants to play fer Guerris Park vangers. (he's got the sake already)

Synthcheck

Multivox range of synthesizers. It is a Japanese product built along the now familiar delay times and vibrato depth are variable string synthesizer concept, i.e. two basic voicings at 8' and 4' fed to modulators inside the instrument to imitate the effect of massed for bass and treble sections as well as a gate violins and cellos.

The ensemble has a five octave C-to-C keyboard, although with the option of 8' (string 1) and 4' (string 2) voicings, the pitch range of the ensemble is six octaves. The lower two octaves (bass) are split from the upper three (normal), and each section has its own set of controls enabling the player to balance left hand against right.

The controls run along the front panel about two inches away from the back of the keyboard, within easy reach of the playing hand. The layout is sensible and clear, with white lettering on a black background. Rocker type switches for voicing and two-inch slide controls for variable functions are supplied. The controls for each section are Brass (at 8'), String 1, String 2, Volume Soft and Slow Attack.

The Brass sound is basically the same as string 1 but with a different EQ. Both brass to the Bass and Normal sections of the keyboard), which especially for the brass can sounds. But we can't have everything, can we? change the sound drastically. (The brass sound has a fairly well defined resonance frequency. which can be moved higher or lower by the Tone control rather like a wah-wah pedal.) The string tone control acts as a treble cut and boost similar to treble controls found on conventional amplifiers. The Volume Soft tab reduces the volume of each section by approximately 10dB, and is just about right, enabling bass lines or treble lines to dominate.

Slow attack increases the attack time (the time taken for the sound to build to maximum) from almost instantaneous (tab off) to about one second (tab on). This effect does not work for legato playing, as the slow attack has to be triggered by releasing the previous note (i.e. if a chord is played the slow attack works, but if that chord is held, subsequent notes played have instant attack)

There are two Sustain controls, one for the bass section and one for the normal (treble) section. This lets the sound "hang over" after the note is released. Used tastefully, in slow passages for instance, it can be quite effective, but in faster passages, the notes blend together in a terrible mish-mash of sound. Unlike some string ensembles, this unit does not have "sustain suppression," which goes some way to alleviating the problem of one note running into the next, by suppressing previous sustained notes

Three push-buttons at the right hand side of the unit control the depth of modulation. In the off position the sound is flat and somewhat dead (sounding rather like a harmonium). Ensemble 1 has the effect of a moderate phasing, while ensemble 2 is the familiar full ensemble sound. These controls are common to both treble and bass sections and brass and string sounds.

Vibrato can be added (pitch modulation) which, when used with ensemble off or ensemble

he MX-440 string and brass ensemble is 1, produces the effect of a string quartet, the latest instrument to be added to the especially if used with delay (the vibrato comes in a few seconds after the note is struck). Both although the vibrato speed cannot be changed.

There are separate quarter-inch jack outputs output socket, enabling the ensemble keyboard to trigger other synthesizers. A pitch control is provided (although its range is less than a semitone) enabling the ensemble to be tuned to other instruments. This, along with a mains on/ off switch and indicator LED, completes the spec. for the machine.

The unit comes built into a smart black carrying case with a detachable lid which covers the keyboard. The sound of the unit is OK. being on a par with others in its class. With judicious use of amplifier tone controls, echo and reverb, a reasonable string sound can be achieved, especially if care is taken over chording, etc.

The brass sound can be improved upon if a graphic equalizer is used to boost the top end, but because the strings and brass are mixed internally this destroys the string sound. For a little extra expense, a separate pre-ensemble brass output could have been fitted allowing and string sounds have a tone control (common external mixing and EQ of "straight brass" sounds and modulated (ensemble) string

Dave Simmons

Multivox MX440 £599 inc VAT

Dave Simmons is a musician and a technician. His musical background grew from learning piano and organ as a child to playing the massive synthesizer part in David Bedford's "Odyssey". His technical training in practical and theoretical electronics has led him to become a partner in a highly specialized company undertaking all types of synthesizer modification and servicing.





Excuse us for repeating this feature from International Musician April 1978. Over the last year our efforts to supply good guitars at prices medically approved to prevent hernia of the wallet seem to have been successful . . . We have received hundreds of compliments from musicians . . . but no reports of wallets wearing a truss.

Familiar faces behind

Nothing can replace experience and

Pete Tulett, Managing Director



Terry Mabey, Director

product-rich industry.

The same dedication and care that has been carried over in the U.K. The in at the odd gig. He became a profesnear Heathrow Airport, are very busy Bonds and Gene McDaniels. nationwide network of dealers to sell Aria the formative years of rock and roll. guitars: Gigsville are making it possible for musicians to obtain absolutely top personally set up and tested by one of the for their drum line. most respected technician/musicians in the business.

Aria instruments.

business gig was as Sales Director for important to Aria and Gigsville. Rosetti (EMI Ltd.). Like the rest



John Small, Sales Office Manager

In a market that is already definitely with the playing side of the music business in the music business, it's gratifying to over-subscribed, it is important to ask and "does odd gigs on drums whenever find a company run and exclusively "Why bring yet another line of guitars time and adrenalin permit". Pete says staffed by musicians. At Gigsville, the onto the market?" The answer is quite that founding Gigsville in December 1977 fact that all of the personnel are still very simple, really. Gigsville was created to at a time when it had just been announced much in touch with music underlines offer Aria guitars and accessories in that there had been 10,112 failed busitheir philosophy of providing knowledge- the U.K. because the people behind it nesses in the UK that year might seem a able service to both dealers and musicians. couldn't resist the opportunity of bit optimistic, but the sales of Aria supplying the best value for money in a are already proving that it was the right decision.

> Terry Mabey, Director, continues the go into manufacturing Aria products tradition at Gigsville by keeping his hand Gigsville team, situated in a warehouse sional drummer at 15 and gained wide boasting 5,500 square feet under roof experience from touring with Gary "U.S." carrying through their plans to set up a drummed with a variety of groups during

> He entered the music business as a quality instruments at prices everybody U.K. representative for Simms-Watts can painlessly afford. As an added bonus Amplification and later moved to Hohner every guitar despatched from Gigsville is where he became Special Projects Manager

> As a professional guitarist who also teaches, John Small will be able to apply A company, however, is only as good his extensive experience gained from as the quality of its staff and at Gigsville previously managing a leading London the professionalism of the personnel music store. John is Gigsville's Sales keeps pace with the superb quality of Office Manager and will have direct contact with the shops and dealers to Managing Director Pete Tulett's last extend that top-quality service so

> You'll never find an Aria guitar of the Gigsville team, Pete is also involved delivered to a dealer's shop in an unplayable condition. Johnny Joyce is the Quality Control Manager. As a professional known throughout the industry both for his music and his craftsmanship in repairing guitars, John is personally setting up every Aria guitar before it leaves the warehouse to ensure that the instrument on the shelf will display all of the qualities that Gigsville is determined to supply to musicians via the dealer

> > This is the Gigsville team, dedicated to a line of guitars and accessories they feel offer the best value for the money in the U.K. The importance of the Aria line will be enhanced by Gigsville who will be offering a professionalism and quality of product that is refreshing in the music industry.



CHECK PRICES HERE

ļ.			
GIGSVILLE PRICE	RRP INC. VAT	GIGSVILLE PRICE	RRP INC. VAT
RUNNING ORDER		RUNNING ORDER	11111 1110. VAI
	0000 00		
FS 1000		LC 550	£209.30
ES 500	£168.30	LC 440	£186.60
PB 1500	£389.00	LS 500	
PE 175, inc. case			
		LS 450	
SB 1000		LS 430	
	£324.40	LC 430	£157.80
SB 700	£248.50	LS 700	
SB 600	£184.90	LS 600	
JJ 6		TS 600	
JJ 12			
		TS 500	
9300		TS 400	£169.20
9304	£74.50	PE 1000V, inc. case	£387.00
9210	£115.50	PE 800	
9214		PE 180, inc. case	
9450			
		PE 600, inc. case	£286.90
		PE 450, inc. case	
9271		NK 700	£347.90
9274	£189.20	YS 500	£239.80
AW 30	£232.70	YS 400	
AW 30/12		YS 350	
LO 750	£266.80	YS 300	£154.30

CALL IN AT YOUR LOCAL AGENT FOR MORE INFO ABOUT OUR LATEST RANGE OF AXES . . . AVAILABLE ONLY THROUGH FRANCHISED DEALERS



Wria DRUMS

SPECIFICATION

22"x14" Bass Drum. 12"x8" and 13"x9" Tom Toms.

16"x16" Floor Tom Tom. All with 9-ply shells.

Metal shell Snare Drum. All drums fitted with Remo heads.

Heavy duty cymbal and boom stand, quick-release Snare Drum stand.

Hi-Hat and Bass Drum pedals.

Colour finishes: Metallic Maroon, Metallic Brown, Silver, Black.

Extract from 'International Musician' Review of the ARIA DO 5501 Kit

'The Tom Toms have a solid, thick sound, and tuned up or down retained an authoritative positive feel. Aria would seem to have their fingers firmly on what's wanted by drummers today (thick shells and heavy hardware) and as such, the kit does represent good value for money.'

ONLY £475 INC VAT
(CYMBALS NOT INCLUDED)
FOR THE TECHNICALLY MINDED
IT'S BLOODY LOUD!
GIGSVILLE
SOUTH DRIVE, PHOENIX WAY,
HESTON, MIDDLESEX.

Soundcheck

Frunt 200B bass amp £210.60 inc VAT

his specialist amp — designed for bass or organ — comes from Soundout Laboratories Ltd, of Surbiton, Surrey, a firm well known for their range of professional power slaves, speaker cabinets, mixers, etc, which are used by many studios and touring bands. At first sight, the Frunt 200B looks an interesting construction. It's very simple in line and build and has a performance which sometimes outclasses amps with more sophisticated circuitry. When it was displayed recently at the Frankfurt Fair, it generated a lot of interest among the professionals.

Construction

The Frunt 200B amplifier's physical dimensions are 60cm (width), 39cm (depth, including the carrying handles) and a height of only 15cm. The front panel is very straightforward and easy on the eye with a single ¼" jack input followed by an array of six rotary controls: Distortion, Presence, Treble, Middle, Bass and Channel Volume. All potentiometric controls are calibrated in white contrast on black background, and marked -10, 0, +10 for the EQ section and 0 to 10 for Distortion and Volume sections. Power on/off function is provided by a large red neon illuminated rectangular black plastic switch.

At the back are two ¼" jacks acting as speaker outputs. At this point I should mention the little note placed next to the speaker outputs, giving power ratings as follows: 200 Watt — Ref. 4 ohms: 130 Watt — Ref. 8 ohms; 80 Watt — Ref. 15 ohms. This I presume was printed at earlier design stages as the amp I have is effectively rated at slightly higher levels i.e. 210 watts when using a 4 ohms load. Also on the back we have the Echo send/return sockets and, naturally, a slave out jack.

Other rear panel features are the AC mains supply (three-pin earthed type Euroconnector) followed by a handy voltage selector (110/120/220/240V AC) and lastly a mains protection fuse holder, which unfortunately was completely unmarked, but a simple glance inside proved it to be a T6.3A/250V glass 20mm fuse element. Perhaps a little more information on the outside

would not come amiss for those bassists who wouldn't think of looking inside.

Both top and bottom parts of the enclosure are coated in black vinyl chipboard and the sides are formed by purpose made aluminium heatsinks, very large and painted red, fitted so as to act also as carrying handles.

For those of you interested, a few lines about the heart of the amp, the internal electronics. For once, the company provided quite a lot of schematic diagrams and consequently made my job of reviewing the amp that much easier. Perhaps some overseas manufacturers might take note of this and become as generous as Soundout with their literature. They happily publish everything you could wish to know, without restrictions or commercial secrets. The pre-amp stage is built symmetrically around five transistors (three BC237, one BC477 input, one BC307) with a minimum of components. This is followed by a simple distortion circuit generating variable THD levels relative to the level of the input signal and/or the Distortion (gain) control. Harmonic distortion is introduced by a highly original and simple overdrive circuit employing a pair of 5.1V Zener diodes. This really works. Look at the spec table and you will see the resultant change from a continuous 0.01% THD for the "pure" power amp stage to 0.2 - 7% THD (Distortion control at 5) or 17 - 23% THD (Distortion control at 10).

Now the power stage. This part is built around a large heatsink and a single sided fibreglass PCB containing virtually everything needed for the power stage — including part of the power supply, i.e. smoothing two $4700\mu\,F/63V$ DC ITT electrolytics plus a bridge rectifier. The power supply mains insulation transformer is naturally placed separately and Soundout have used a modern toroidal device wound on its primary side for 110/120/220/240V AC 50/60Hz operations.

Most of the small components are of high professional grade and nicely soldered to the relevant PCBs. Wiring is multi-coloured and extremely tidy. All looms are finished with RS type lacing cord and generally first impressions

Mark Sawicki M.Sc. (Eng.) is a consultant in electronics who also designs and builds electronic equipment.



are that the amp is absolutely professional. One little point on the pre-amp section PCB I spotted was a Siemens 470μ F electrolytic capacitor soldered on the "copper" side for no special reason, as there was still plenty of space available on the component side. This of course doesn't mean anything but it always looks better to keep the components together on the one side and the soldering work on the other, but in any case this is purely arbitrary.

Finally the sound test, for which a bass guitar and an electric organ was used. The Distortion mode of operation confirms my measurements as predicted. It is easily controllable and can be adjusted to suit your requirements. The tone control EQ circuit, with both bass and organ, seems to be quite efficient and does its job satisfactorily. The important point for any amplifier if a non-combo design is the output stage protection against short/open circuit conditions. Here, this works beautifully and both pairs of output transistors (two 2N5631 and two 2N6031) look as safe as houses, even during my barbaric short circuit test, performed at full drive in the region of 200 watts.

Conclusion

So here we are with nearly 220W RMS/4 ohms (at onset of clipping) power available at



just over £200 complete with distortion (from

0.05% to 23% THD), a four-band EQ, nice

nput imped e

Ton C

Train ray FHD

it sounds new — it looks new, we make no comparisons, but from acclamation so far, you won't be dissappointed.




other part of a complete range of band gear, with your frunt man now.

Press send me further details of Your new range Soundout Laboratories Ltd. 91 Ewell Rd. Surpiton.

Hame Address

Standard of the Woodl since 1883!



For nearly a century the Gretsch signature has been the hallmark of wood drum craftmanship.

The Gretsch dedication to the quality manufacture of 6-ply

fine wood laminated shells is reflected in the unique sound of Gretsch wood drums.

Chosen by the world's finest percussionists for sensitivity, accuracy and resonance —

Gretsch remains at the music forefront with THAT GREAT GRETSCH SOUND!



Drumcheck

Gretsch Broadkaster II Kit £882 inc VAT

(Non-wooden finish

bought my first Gretsch set in 1962 and as I remember it was one of the first in Britain. When I first bought it, I used it constantly for cabaret because of its small size and inherent wooden sound with a few overtones; it was ideal for a situation where tonal quality and not volume were the consideration. Don't get me wrong, Gretsch drums certainly have plenty of volume too, but the rule with them is the bigger the drum, the bigger the sound. Because of its quality recording sound, eventually my beautiful little Gretsch set was consigned to be studio and used strictly for record dates for the next 10 years.

During the Fifties and early Sixties, they reigned supreme as the jazz set. Almost everybody in small group modern jazz has used a Gretsch set at one time or another. (The company were the first to produce a 20" bass drum with disappearing spurs and consolette tom holders - all of which became de rigueur for the modernists). The drum's pinpoint sound was perfect for modern jazz where every instrument needed to be heard clearly and separately, even though it was played ensemble. In this contained environment the overtones of Ludwig or Slingerland were unacceptable. For big band jazz the opposite was true: exactly what the drummer needed was the overtone sound of Ludwig or Slingerland.

Of course there are exceptions. It really wasn't until the emergence of Joe Morello that anything other than Gretsch appeared to be used by the superstars for small combo applications.

I remember Chico Hamilton in the film Jazz on a Summer's Day playing his single-headed Gretsch kit with beaters. It absolutely floored me because up until then the only single-headed sets I had seen were the very cheapest outfits made in Britain. Here was an expensive American set with single

heads that sounded fantastic. I once read in Downbeat (which I'm sure I bought only for the drum advertisements) that Chico Hamilton had just taken delivery of a new Gretsch outfit in Cadillac Green with completely gold-plated metal-ware. My mind boggled at the thought. I met Chico in the Percussion Centre in New York but just didn't seem to be able to steer the conversation around to my "teenagefantasy" kit. The Gretsch logo was also the inspiration of much awe in me. I distinctly remember scratching it on my desk at school.

As you can see by my opening paragraphs, I have had a love affair with the "Great Gretsch Sound" over the past 20 years or so and am always pleased to be given the opportunity of evaluating Gretsch products.

The kit in question this month is the Broadkaster II. It's a double moutned tomtom set which in my (and possibly your) catalogue has the *new* bass drum pedal, but the *old* hi-hat, snare drum and cymbal stands. However, I have seen the future kit which has new "Giant" stands.

Anyhow, Broadkaster II has 14 x 24 bass drum, 9 x 13, 10 x 14 and 16 x 18 tom-toms and a 5 x 14 metal shell snare drum.

BASS DRUM

Gretsch's 24 inch bass drum has a six-ply electrically bonded hardwood shell (maple mostly, but sometimes mahogany) with their unique matt-grey, slightly absorbent interior finish. This coating produces a slightly warmer sound which I think is particularly suited to more modern rock applications. This bass drum doesn't boom, it simply has a beautifully rounded compact sound, ideal for miking up. I tried the drum without its front head and the sound was punchy but well defined and ultrasuitable for recording.

The 24" drum has 20 nut box casings, timpani type tuners and claws. These spring-loaded but strangely unpadded nut boxes are ostensibly the same as before, but to my jaded eye are not quite the same. Gretsch's claw-hooks are more solid than any other manufacturer's — they seem to be formed from heavier-gauge material. There are now different, disappearing style spurs fitted which are made of substantial tube and have a rubber tip with an optional spike underneath.

The tubes are kept steady with a largish wing bolt but they can be pushed right inside which could be inconvenient. (Gretsch are bringing out some new bass drum stabilisers in the very near future which could possibly cure this problem). An adjustable strip damper is fitted to the bass drum devised long ago by a drummer (I presume) called Jimmy Pratt. This device relies on a parallelogram principle to adjust its pressure against the playing head and is variable via a large thumb-screw. This damper is positioned slightly differently nowadays and goes from bottom dead centre up to about two o'clock. It used to go from two o'clock down to four o'clock so probably didn't give as much coverage. (At the Frankfurt trade show I saw a small bass drum with an adjustable Pratt damper for each head.) All the non-woodenfinish bass drums have metal hoops finished off with a plastic insert which for me is not ideal. Their best hoops are the solid maple ones which



are thoughtfully provided with a Cyclops front bass drum anchor secured to the hoop by a metal plate.

TOM-TOMS

The 9 x 13, 10 x 14 and 16 x 18 inch tomtoms all had a very clear, solid, wooden sound which hasn't changed at all over the years. This is due, in part, I believe, to the counterhoops which Gretsch favour. All drums are fitted with these single-flange, edge beaded, die cast hoops. As an experiment I fitted triple flange pressed steel hoops to a Gretsch drum some time ago and the sound changed in a subtle way. It didn't seem to have quite so much depth - a somehow thinner sound. The shells on Gretsch tom-toms are normally made from three-ply material and there was, I understand, a time after the Brooklyn fire when all the Gretsch drum shells had three-ply shells made by Camco. N.B. The ply thicknesses are not standardised and a three-ply could be almost as thick as a six-ply.

All the tom-toms have double-padded, adjustable dampers fitted inside underneath (or if you like, on top of) each head. These work well enough when new although on my original set they eventually began to rattle. However, as far as I'm concerned they are the best and strongest internal mufflers available. Gretsch floor standing tom-tom legs are not as they used to be. At one time they had a single 150 bend at their bottoms with a rubber foot, but now look to be exactly the same as Ludwig's with a 450 bend and an extra three or four inches parallel to the drum shell culminating in a rubber foot. (In the past Gretsch legs used to rattle against the bottom rim but I understand this has been cured.)

The floor tom is the last drum (at least in the double mounted tom-tom sets) to use the company's old style "Diamond plate" leg (or cymbal arm) holder. This unit was the cause of much discontent in my youth because it's actually a block with a hole tapped in it which can be stripped. This meant that the block had to be replaced and 15 years ago these cost six dollars each, so God knows what they would cost now. Still, since they only use them on the legs these days, I don't suppose they have to take too much strain. The two smaller drums each had a hexagonal rod containing fixture bolted to them to receive the tom-tom holder. but more of this later. All the drums in Broadkaster II are fitted with the Gretsch permatone equivalent of Remo's Ambassadors which sounded fine. There are alternatively some C.S. type heads available but my favourite Gretsch sound is produced by Evans or Remo pin stripe heads. The 13 inch drum has 12 square headed tensioners, the 14 has 16 and the 18 has 20.

SNARE DRUM

The metal shell drum with the Broadkaster has a brass shell (which is seamless) and has a very jazzy sound which would be perfect for some of the more esoteric modern applications. It's not quite as crisp as a Ludwig or a Rogers but has it's own unique sound contributed to greatly by its single flange hoops. I'm sure it must have thousands of aficionados all over the world. The rim shot is very strong but somehow a little

too Fifties-sounding. It's a solid sound but to my mind not bright enough for heavy music. The cast rims just don't ring in the same way as the pressed steel alternatives. The one I tested is a five inch deep model, but Gretsch also make a six inch brass shell model with 10 double-edged or 20 single lugs together with 5½ or 6½ wood shells with eight, 10 or 16 lugs.

There's a milled bead in the centre of the shell which I presume is only a decorative feature since there's no way it could strengthen the drum or keep it "in true". Internally it has a rounded bearing edge (reverse flange) and a shallow shell deviation at the two snare "rest" positions instead of a snare bed. This drum too has a twin-padded damper underneath its batter head and the updated unique cast snare strainer. The snare tension is activated by a knurled thumb-screw on the butt-end which is diametrically opposite the on/off mechanism. This "Lightning" throw-off has a curious cam swivel action which moves it away from (and towards) the drum and is held in the locked position with a rather flimsy screw. This is an improvement on their previous model which needed a slight tap to finally push its cam home, but I don't think I could get used to its un-positive action. It never felt like it was really locked against its two rubber bumpers. I once tried removing these and the mechanism then made a noise as it locked into position which psychologically made me feel a little better. To be honest, I tried really hard to dislodge the mechanism while playing but it wouldn't move

My test drum had the 20-strand "Responso" snare which made a lot of difference. I have tried 42-stranders before but for me they clog the sound and the thinner has far and away the most modern sound. The "Responso" is joined to its on/off mechanism by a piece of plastic in common with most drums these days but I understand Gretsch were the first to use it and of course it works well.

Gretsch fit a snap-in key-holder to all their snare drums which is a good idea providing one doesn't lose the key. The holder is made to take only the Gretsch key and nothing else I've found will fit.

ACCESSORIES

As I mentioned earlier, Broadkaster II is now completed by the range of stands illustrated in the latest American catalogue. After their fire many of the stands were made by the famous Walberg company but this generation seems to emanate directly from Japan. Gretsch's well-tried and very positive floating-action, leather-strap, expansion spring bass drum pedal does not come with the rock 'n' roll sets but you can get it with the progressive jazz sets. The floating action pedal is for my money better than the Monster pedal which comes as standard with this month's set.

Anyway, I'll explain it: it has a cast two piece footplate, a cast square-section, U-shaped framework and a chain-pull to attach the plate to the cam. I found the feel of the pedal to be a little sloppy and not particularly positive or fast acting. It's very difficult to adjust the expansion spring (which is shorter than on the floating action model) and impossible from a playing position. To be fair,



WLM makes the road feel like home.

For studio recording or playing big concerts, there used to be only one organ capable of delivering that "tone wheel" sound. But it was far too cumbersome to practically take it on the road. Now there are several portable organs on the market promising "tone wheel" sound in a travelling package. But there's one new portable organ that not only delivers that elusive "tone wheel" sound, but also gives you the feel of playing back home. That's important, because, to get the sound you want, the instrument has to feel right, too.

It's the WLM Portable Organ. In ten seconds, the WLM folds into its integral metal-reinforced, laminated wooden case, and is ready to face the rigors of the road. (It's nice to know that

*Hauaguuru baha*hahahahah प्रमुख्य प्रमुख्य प्रमुख्य

something you care for can take care of itself.)

When you get there, the WLM becomes a "roadie's dream." Ten seconds and you're seated behind a full console performance instrument. Your WLM is fully equipped with 7 presets (tremendous flexibility), reverb, vibrato, and 18 drawbars for precise adjustment of all registers as well as attack and percussion. (WLM offers a pedal board that slips right in to add 13 bass notes, four footages, plus sustain and attack.)

The WLM portable is now used right across the music spectrum by name bands, cabaret acts and soloists, studios - the lot, but it really comes into its own on the road as a hassle-free portable organ. Listen to the WLM sound soon and if you'd like literature and the name of your nearest stockest drop us a line. US Distributors: Unicord, a division of Gulf and Western Manufacturing Company, 89 Frost Street, Westburry, New York 11590.



RICHARD BROWN DISTRIBUTION THE MINSTER, HARBRIDGES LANE, LONG BUCKBY, NORTH HANTS. TEL: (0327) 842677.

Drumcheck

though, the same goes for the original pedal. The chain pull I mentioned is like a short bicycle chain but not to be confused with the Ippolito conversion which uses a cycle cog on the pivot bar. Also you won't find this strap/ pull in your catalogue because there they have two parallel strap connectors. Beneath the framework (at the bottom of the U) are three pairs of holes (at each post) and these enable either the footplate position angle to be changed without adjusting the stroke or the footplate angle left or right relative to the bass drum head to be changed. The whole unit clamps to the hoop with a unique cam action fitting with an arm which you lift up toward the footplate to remove.

There is, as I said, a new hi hat available whose footplate for some inexplicable reason does not match the Monster bass drum pedal's. (As a matter of fact it looks very like Pearl's and even has the same toe-stop.) It's a direct pull model without any spring adjustment but a good feel anyway, a plastic strap, a memory type height adjustment, substantial adjustable bottom cymbal cup and is made from largerbore-than-before metal tubing. The legs are tripod style with wide spreading double legs with Tama-type triangular rubber bottoms. The stand uses an old Walberg style top cymbal clutch which basically has its vertical height adjustment arrested by two flat pieces of metal (one joined to the threaded portion and the other floating) which sandwich the pull-rod between them. It should work well but the one I tried didn't. It's important to keep the "bread" part of the sandwich parallel so Gretsch have put a Phillips screw on the other side from the actual wing bolt to facilitate this. Unfortunately, it is impossible to adjust this wing bolt without crushing your fingers on the Phillips screw. This aside, it's a good nononsense hi-hat pedal.

The new cymbal stands (two are provided) also look Japanese in origin. They too have the wider-spreading legs which the hi-hat has and of course the same triangular feet. These are wide-bore-tubed, three-stage stands which are sprung at their adjustment points with a large spring. They have omega (rounded U) shaped clamps with a spring fitted at their open end which once locked by a large T nut really controls that height adjustment. (The hi-hat and snare drum stands have this too.) The cymbal tilter works on the pretty normal radial splined ratchet principle but does not have a spring. By the way, the stands are weighty and should do their job well. There is a brand new snare drum stand which has the same tripod legs as all the others - it's a Buck Rogers basket type stand which as far as I could discern had no cast parts at all. It had large T screws at all its adjustment points and the "basket" locked to the drum like the original Buck Rogers with a wing bolt underneath the boss below the drum itself. The playing angle is simply and effectively adjusted on a swivel clamp which joins the basket to the down tube.

Gretsch tell me they are working on a new tom-tom holder which they hope should at a double tom-tom holder and neither has abnormality. been too successful for one reason or another.

Be that as it may, Broadkaster II has the Monster double holder which seems to have taken a leaf out of Camco and Slingerland's books and half a leaf from Rogers'. The stand has a pressed steel rectangular box-section carrier which screws on to the bass drum shell not, I must say, in a forward enough position for comfortable two tom-tom positioning. (I know of guys who have gone to the lengths of putting their spurs on the other side of the drum and changing the damper position from back to front to enable the drum to be turned completely round to put the toms in a better playing position.) Two holes drilled into the carrier locate two long pieces of 1" diameter metal tube whose vertical height adjustment is held by two slightly larger than drum key sized screws tapped directly into the carrier. At the top of each tube is a tapped metal "plug" which has two holes (one each side) drilled into it at right-angles to locate a piece of hexagonal bar. This bar too is held in place by a drum key-sized screw.

The bar fits into a hexagonal shaped hole in a nylon ball which is set in the tom-tom shell itself and held between two rings, the inner one being bolted to the shell and the outer one merely located on two screws. So we tighten up the ring in two places with our drum key and thus we hold and control the angle of the tom-tom (adjustable by rotating the ball) and also its lateral position along the hexagonal bar. Unfortunately, the two hexagonal bars touch each other in the middle of the fitting where they emerge from their tubes; this makes a really close tom-tom set up impossible (unless, of course, you carry out the idea of moving the spurs, etc. which I suggested earlier when the two bars no longer touch.) Of course this problem could be cured at the factory but since Gretsch are working on a new holder I should think the Monster holder (and not the dual purpose one) will be the first to go. Another drawback is that the holder has to be dismantled for packing away because of its weird design. This makes set up just a little more time-consuming - something we could all live without. You could help matters by fitting a pipe clip to each tube to make sure you had constant height positioning every time. I can't think why Gretsch never did this.

CONCLUSIONS

All in all, the drums looked good; they have a no-nonsense image. The drums themselves seem not to have changed over the years which I think is good. There are now only sixteen finish alternatives available, all of which are good. My favourites are the natural wood ones which as I mentioned come as standard with wooden hoops. Gretsch have changed their badge for the worse yet again. I was just beginning to get used to the octagonal badge (I used to abhor it) and they now have an almost square one with small chamfered corners and without the "worn brass" raised edges and logo. For my money it (the badge) doesn't reflect the superb quality of the drums themselves. Nevertheless, if you want a Gretsch kit be available soon. I'm looking forward to that for its undisputedly beautiful compact sound, too because the company have had two stabs I'm sure you could put up with this aesthetic


Henry Roberts



1º SONOR

PERCUSSION

When only the best is good enough



Hexagonal top rod ensures constant position of Hi-Hat clutch.



All stand tilters cast over a steel skeleton giving added strength.



Prism clamping device for positive positioning of tom-tom legs and two dimensional bass drum spurs.



Self-aligning, spring loaded, tension rod brackets foam padded for freedom from unwanted noise









9 ply beechwood shell, with floating head action, for greater resonance and clarity of tone...



Convertible rubber tip on all stand feet and bass drum spurs for firm grip on any floor surface.



Seamless metal snare drum shell with specially shaped sound edges to project the tone and power.



No direct 'screw to metal' contact reduces wear. Allows 'finger-tight' control on all fittings.

To M. Hohner Ltd., 39-45 Coldharbour Lane, London SE5 9NR

I think I deserve the best, please send me the Sonor illustrated catalogue and list of key dealers

Name

Address

I.M. 2/79

P**A C**heck

his is a moderately priced, very nicely presented, thoroughly thought out three / four-way loudspeaker system aimed at the semi-pro or smaller professional band. It comes in three parts: a folded horn bass section, a front horn loaded lower mid cabinet and a compression driver/horn combination with additional piezo units for upper mid and high frequency reproduction. Each separate cabinet is substantially constructed from plywood (18mm thick for the bass and mid cabinets, and 12mm for the HF unit) and is very nicely finished in a full flight case livery. Each cabinet is of the same width and style so that when stacked, the appearance is neat and symmetrical.

Good quality components seem to have been used: the bass bin is fitted with an Electrovoice EVM/15L, the mid-range cabinet with an RCF L12P/24 and the upper mid/HF section an RCF TW101 with Grovepower TRF570/S horn and four Motorola KSN6005A piezo-electric high frequency tweeters.

Using an RCF spectrum analyser, I was able to measure quickly the frequency response and reverberation times of the cinema where the system was demonstrated and apart from a roll-off at the higher frequencies, the acoustic conditions were quite good, with no serious room resonances and a fairly dead reverberation. Therefore, it was the loudspeaker system response that I was listening to, and not that of the cinema itself.

Unfortunately, not a lot of thought had been put into the driving end, which consisted of a hi-fi type turntable, a cassette recorder, an MM desk and three prototype Pro-Axe power amplifiers with a prototype Pro-Axe three-way active crossover. I say unfortunately because the system hummed, buzzed and sizzled like nobody's business and serious acoustic coupling was present between the bass bins and the turntable unit, resulting in a severe restriction in the volume level that could reasonably be used before acute feedback at low frequencies dictated the ceiling level. To these problems were added the penchant on the part of John Cooper, the company's designer and cabinet building expert, for ear-shattering levels of high frequency. When the settings of the active crossover were re-set to give a more or less uniform response, it sounded quite sweet to my ears, but John was not happy, and up went the HF again, until a boost of about 10dB was present above about 5KHz. Therefore, my assessment of the system's overall performance is given against these inherent difficulties.

I played my two standard test records the Floyd's Arnold Lane and The Battle Hymn of the Republic performed by massed Welsh male voice choirs in the Royal Albert Hall, with accompaniment by the Royal Albert Hall organ. Arnold Lane sounded quite good, once I had got used to the accentuation of high frequencies, but the very low bass note present at the introduction of each verse was not audible at all. It was simply not being reproduced by the bass bins - not that I seriously expected it would be, as it is down at around 30Hz and I have heard only a few really good hi-fi systems reproduce this particular note adequately. The Welsh choirs, however, really showed up an inherent problem with the bass


I use this unlikely track because, besides some really low pedal notes from the organ, it covers a vast dynamic range and consists of several counter-melodies in the lower register. If "colouration" is present, the loudspeaker system will not differentiate between these various lines, and will usually produce a sort of drone instead which is exactly what the Ram-Air bass section did in this instance. It just could not follow the subtleties of this type of signal information with any degree of realism at all. Otherwise, the system performed well, and is certainly capable of maintaining very high SPLs without stress. I measured signal peaks in the order of 108 to 110dB towards the back of the auditorium before distortion became audible to any serious extent. I then listened to some of John's cassettes of more typical rock music and I must admit that the overall sound was pretty Ken Dibble MIMIT is an ex-


All this must, of course, be taken in perspective. To be honest, there are very few PA-type loudspeaker systems that will pass my admittedly harsh assessment tests with flying colours. While there is certainly room for some improvement, the overall performance is not at all bad - especially at these prices. After all, it is highly unlikely that it will ever be called on to handle a full Welsh male voice choir! Apart from the rather smart flight-case type presentation, there are two other specific features worth noting. The first is the addition of a vertical column of LEDs at the front of each cabinet. The three green LEDs indicate to the desk operator the relative level of drive into each cabinet, while a red LED gives immediate indication of an overload condition. They all worked well during the demonstration. The other interesting feature is the input connector panel at the back of each cabinet. This consists

of a sturdy recessed steel plate, carrying two standard jacks and a male and female three-pin Cannon connector, thus providing a versatile and robust connection facility. The bass and mid-range cabinets are exactly the same size, at 920mm wide by 510mm high and 520mm deep. The HF cabinet is the same width and depth, but only 255mm high. All three cabinets come complete with a clip-on front cover, also in flight-case trim, and this adds a further 90mm to the depth of each cabinet, bringing the overall depth when packed for transit to 610mm. The overall height of the assembled stack is 1275mm (about 4ft. 2in.).

Ram-Air Speaker System £1427.66 (TWO STACKS)

musician with a background in engineering and manufacturing sound equipment. He now works as an electro-acoustic consultant.





Pro-Pine 0

AAM-MAA

Systems 2



Be creative — Add effects to your music



So you're looking for an added dimension to your music? Some double tracking effect that will convert at the touch of a button to longer echo delay times with repeat or reverb variances.


May we help?

We designed a range of versatile, reliable electronic echo units to give your live sound a varied range of precise, clear space age sound effects.

Clear — because the units are electronic and contain no moving parts, thereby eliminating noise and tape relating problems. Separate echo EQ allows for unaffected clean feed.

Reliable — because the technology allows for a more rugged construction and eliminates tape replacement problems.

Versatile — The HH Electronic Multi- Echo provides 240 combinations of echo/repeat/reverb with push button control and echo delay time range up to 320m/sec. As an alternative our team of musicians has chosen 6 of these combinations which are available with mode selection on the HH Electronic Echo.



Solid state technology normally implies high cost, but our background in this field and advanced production methods have enabled us to create these excitingly versatile echo units with the traditional HH value for money concept.



2 Hill etectoric troops

Soundcheck:2

Sunn Beta Combo £399 inc VAT

his lead combo from the Sunn company of Tulatin, Oregon is small in size — just two 12" speakers — but as the table shows, it can deliver well above the 100 watt RMS the manufacturers claim. It also has some very interesting features, including the facility to mix the two channels together or to switch between them by means of a single input and a foot pedal (included in the retail price).

The pre-amp stage consists of a twin-channel circuit containing: separate gain stages for each channel, "C-MOS" logic controller and electronic switch circuitry, variable Q-tone controls for each channel and independent reverb and level mixing. On the input side, each channel has a ¼" jack socket of around 100 Kohms impedance, and in addition there is third input for both channels, of approximately 50 Kohms. I'll describe its use later. The pre-amp outputs (on the rear panel and all ¼" jacks) are: lineouts for each channel, master line-in for each channel, and Master Accessory sub-group with power amp line in/line out connectors.

The power amp stage is a fairly conventional system, consisting of the following: input low pass filter, positive/negative signal drives, distortion sense circuit, power stage bias, positive/negative power limits with corresponding current drivers. DC feedback control circuit, and damp protection/filter components.


The power transistors are three pairs of Motorola SJ 954s/223056. The whole power amp stage is designed and built around one large PCB. The power supply is a non-stabilised type, equipped with a large Western mains transformer, silicone bridge rectifier and a battery of two 3300µF/50V electrolytics.

One of the original features of this amp is the speaker mounting: the 12" drivers are bolted on to two separate front panels which are angled in a V shape. This ensures a wide dispersion of sound in the horizontal plane.

Now for the controls, Each channel has rotary pots labelled Drive, Bass, Middle, Treble, Reverb, Level, and there is also a Master volume control which governs the overall output of both channels. Let's take them from left to right. The Drive pot is a sort of channel gain control: lower settings give a clean, undistorted guitar sound. Turned up higher, it gives a dirtier, overloaded sound and the dynamic C-MOS compression also enhances the sustain. The three tone controls make up a three-band EQ circuit as follows: bass 20-400Hz, Middle 400-1400Hz, Treble 1400Hz-20KHz.

The Beta amp's reverb is in the form of the popular Folden line spring device (made by O.C.Electronics Inc.) but the way it is fitted is completely different from most other amps. The time-delayed reverb signal is independent of the frequency equalizers and the channel level controls — so they do not affect the level or tone of the reverb. Finally, the Level controls govern the amplitude for each channel, and can be used to balance the two channels against each other.

For that is where the Sunn Beta really scores over most guitar amps. The third jack socket on the front panel is marked Both Inputs, and when you plug into it you get just that: your guitar signal is fed into both channels simultaneously. Thus the range of tones available is remarkably enlarged. More than that, by using the Beta footswitch, you can flip from one channel to the other, or both, without taking your hands off the strings. As a visual reminder of where you are, both the footswitch and the amp panel are fitted with LED indicators in red, green and yellow.



This amp is not cheap for a 2 x 12 combo — very reliable. Add to that the impressive power but it does offer many advanced characteristics, output — more than 20 per cent higher than the as well as enormous flexibility of sound. It is manufacturers' modest specifications - and the extremely well constructed, from expensive Sunn Beta combo doesn't seem so expensive components, and gives every sign of being after all.

Mark Sawicki

PARAMETER	RESULT	TEST CONDITION	COMMENTS	
Specific Power Output; Watts RMS; 1 KHz	Ch.A. 72.01 W RMS 56.25 W RMS	Onset of clipping into 4 ohms Onset of clipping into 8 ohms Onset of clipping into 16 ohms Onset of clipping into 4 ohms Onset of clipping into 8 ohms	Manufacturer claims power output for all BETA series as 100 W RMS @ 4 ohms load. The power amp stage uses: three SJ 954s and three 223056 silicons transistors. The amplifiers are factory wired to a pair of 12" internal	
		Onset of clipping into 16 ohms Onset of clipping into 16 ohms	speakers.	
Total Harmonic distortions (THD)	Ch.A. $\begin{cases} 0.093 \% \\ 0.049 \% \\ 0.035 \% \\ 0.071 \% \\ 0.092 \% \\ 0.355 \% \end{cases}$	@ 100 W RMS @ 80 W RMS @ 40 W RMS @ 20 W RMS @ 10 W RMS @ 1 W RMS	THD levels are generally bettern than specified i.e. less than 0.25%, however at Low power levels harmonic distortion figures rise to approximately 0.355% (Ch.A.) or 0.361% (Ch.B.)	
	Ch.B. $\begin{cases} 0.125 \% \\ 0.082 \% \\ 0.051 \% \\ 0.093 \% \\ 0.119 \% \\ 0.361 \% \end{cases}$	@ 100 W RMS @ 80 W RMS @ 40 W RMS @ 20 W RMS @ 10 W RMS @ 1 W RMS	The lowest level of THD measured at approx. 40 Watts RMS output is 0.035% (Ch.A) or 0.051% (Ch.B.)	
Signal / Noise Ratio	better than 87.9 dB	Ref. 100 W RMS/4 ohms output level; tone controls set flat	IEC – Curve "A" weighted test with a "true RMS" reading on RADFORD ANM2 Audio Noise meter.	
Tone Controls (swing in dB)	37.5 dB 24.8 dB 32.1 dB	Bass @ 20 Hz; Middle, Treble – flat Middle @ 1 KHz, Bass, Treble flat Treble @ 10 KHz; Bass, Middle – flat	Manufacture claims: Bass . EQ response 20 Hz = 400 Hz. Ref. 32 dB range Middle : EQ response 400 Hz = 1400 Hz, Ref. 30 dB range Treble, EQ response 1400 Hz = 20 KHz; Ref. 37 dB range.	
Input Impedance	approx. 100 Kohms approx. 50 Kohms	Pre-Amp input (A & B); Ref. 1 KHz Pre-Amp input (Both); Ref. 1 KHz	If no instrument is plugged into the input jack, that channels input is off. Therefore, the idle channel is not creating any noise or interference for the operating channel. Channel LED indicators are also provided.	
Input Sensitivity in mV RMS for 100 W RMS (20 V RMS)	Input A 10.1 mV RMS	Ref. 1 KHz/4 ohms Tone controls set for the "best" square wave response	Oute high sensitivity, but no manufacturer's figures available to compare these results with. Channel A is slightly less sensitive than B. Manufacturer claims the system gain for A or	
output signal Ref. 1 KHz	Input B 8.3 mV RMS	REVERB – OFF DRIVE @ 5 LEVEL /Master Volume @ 10	B as 110 dB, therefore both inputs should in theory be of equal sensitivity.	
Power amp line-in	0.762 V RMS	Ref. 100 W RMS / 4 ohms / 1 KHz level "Line In" – input impedance is 27 kohms	Acceptable, Occasionally this jack may be used as a power slave input, Useful.	
Master's line out	0.688 V RMS	Ref. 100 W RMS / 4 ohms / 1 KHz level "Line-Out" — output impedance is 150 ohms	Satisfactory. This signal can be utilised for driving additional power amplifier(s) if required	
Accessory to channels A & B a) pre-amp "line-out" impedances b) "line-in" impedance	approx. 150 ohms	1 KHz	Independent operating pre-amp. Channels with individual level controls enable a panning effect	
	approx. 10 Kohms	1 KHz	unit to be easily patched. This provides for a smooth remote pan between channel A and channel B, which has pre-set tone and level controls.	
Capacitive Load Test	ОК	2μF non-electrolytic capacitor and 4 ohms or 8 ohms dummy load	No problems	
Open circuit stability test	OK	Dummy load removed Tone controls -max. Drive/Level/ Master volume - max.	Stable under specified test conditions	
Short circuit Test	60 seconds	Dead short i.e. approx. "Zero Ohms" placed across output terminals	Worked perfectly after short was removed. No ill effects Operations with no less than a total of 4 ohms load are recommended.	

WARNING! You will become addicted to Crumar's T2 Organiser



Once you play a Crumar T2 you will become hooked. This is both a promise and a warning!

Crumar have packed every conceivable sound into the highly portable Organizer T2. This fabulous portable organ at last offers the professional and semi-professional musician the chance to carry with him an entire range of tones needed to fill out and fill in every group sound ever imagined. In the old days musicians would saw bulky concert organs in half and attempt to achieve merely a fraction of the sounds that appear

on this model. In addition the Organizer T2 features many sounds only possible through the use of solid state electronic. And, most importantly, full drawbar control has been maintained.

Breakdown and setting up time has been reduced to the minimum and from the twin 61 note keyboards every specification is built to professional standards.

Features include 9 flute drawbars, pitched at 16ft, 5thirdft, 8ft, 4ft, 2two thirds ft, 2', 1 three fifthsft, 1 third ft, and 1'. Percussion at the same footage, a decay time drawbar and a percussion volume drawbar and four preset voices. An 18 note pedal board is provided (C12F2) and the organ swell pedal is also housed in this unit. Pitch adjustment is provided, the overall weight is only 94.61lbs.

Please rush me details of the T2 Portable

Address.....

Trevor Daniels & Co., 49 Potters Lane, Kiln Farm, Milton Keynes, Bucks.

World Radio History



THE 8 HOUR 6 IN 2 OUT

PROKIT 62 is a stereo mixer designed for professional PA and recording applications. Gain, treble, bass, folback, echo and pan are featured on each channel. Slide level faders are used for inputs and main outputs. Echo returns and VU meters feature on the outputs.


PROKIT can be built in about 8 hours with the minimum of tools, following the comprehensive 32 page assembly and fault finding manual.

Phone or write for the 12 page illustrated leaflet. Exclusively from;

TURNKEY. 8, East Barnet Road NEW BARNET Herts EN4 8RW 01-440 9221

REW.
146 Charing Cross Rd
LONDON WC2
01-836 2372

Kit £99.95



Keyboardcheck

Roland RS505 string synth £1,100 inc VAT

ve owned a Roland RS202 string synth for about a couple of years now. It's a great little instrument, so when the opportunity to tour in Japan came up and I was asked what kind of string synth I'd like hired out there, I decided on the Big Brother I'd been reading about: the RS505. I didn't get to see it till the first soundcheck - five minutes to get clued up on it. During that time, it became apparent that there were three synths on the one keyboard (as on the ARP Omni), all mixable and logically laid out. The truth of this last statement was brought home to me forcibly when the gig began - in total darkness. There was a hitch with the torch (I think the bass player had just bashed his head on one of the lights in the ceiling): anyway the fact that I managed to find the right slider for the job was due either to the greatest good fortune or very superior Roland ergonomics! I enjoyed that instrument for the two weeks I was playing it and I was sorry to leave it behind.

Fnough of reminiscence. The RS505 has a

four-octave keyboard, two octaves either side of middle C. At first sight this is rather puzzling since the less ambitious RS202 has a five-octave compass. But that has 8' and 4' ranks only and the RS 505 effectively adds the missing octave by including 16' ranks in two of its sections.

The keyboard is "split", with the upper

section beginning at middle C. To the left is a panel with knobs for the adjustment of: pitch (fine tuning within a semitone); length of autoglide; amount of pitch difference in the same; volume; and a three-way switch which decides whether the glide shall be triggered automatically, externally or manually. This last is done by a transverse slider which can change the pitch by up to a ninth (the extent of its operation is governed by the pitch difference knob mentioned above). In other words — strike one! — a string machine with pitch bend! Imagine a sustained chord slowly building (volume pedal is a must) that swoops up an octave at the peak of the climax.

Behind the keyboard are all the assorted rocker switches and sliders for creating sounds. From left to right the Roland Corporation bring you: an on-off switch; two sliders to controls the LFO (sine wave only) one being the rate of oscillation and the other controlling the length of time before said oscillation starts. Both these sliders are marked 0-10 as are all others except one. Next along is amount of vibrato (ie LFO) and a three-way switch giving three different types of Roland ensemble sound these may be adjusted to taste by a small screw at the back. There is no "off" position. Grey rocker switches in the bass and synth sections switch the ensemble in or out. The strings have no such option - it seems they will never become soloists but must always play in an ensemble of some kind.

The balance or mixer section has two sliders. In practice, I feel it ought to have three. The bass synth fader is fine (just in or out) but the other gives a mix between strings (all the way up) and synth. When it's halfway you have,





theoretically, an equal amount of both, though the actual effect will depend of course on the synth settings. The drawback about this is that the situation will arise when you will be fading out the strings near the end of the quietest number of the set and, entranced with your artistry with the fader, you will fail to hear the oncoming roar of the synth (which you'd forgotten you'd left in a state of resonance with a very low cut-off frequency). By this time your colleagues on stage will be looking at you enquiringly and most of the audience will be sitting back in their seats in mute resignation to the fact that the next five minutes will be devoted to the exploration of some new and rather obscure keyboard sonorities. Certainly it's a question of knowing your sliders but there's something vaguely disconcerting about the up-down movement of that slider. Perhaps if it was from side to side as on the Omni . . . ?

The next two sliders control the envelope generator for the bass section, Attack and Release, both calibrated 0-10, the 10 in this instance standing for roughly six seconds. The bass section has three dark red rocker switches - Contra 16', Tuba 16', Cello 8' - as well as the ensemble switch. The Contra and Cello are stringy in character, the Tuba rather fatter. These will only sound up to the keyboard split and the section is monophonic, the lowest note depressed being the one that sounds. The idea of this is to provide a solid foundation for the synth (white rockers) and strings (green).

The synth, which comes next, has its own envelope generator (ADSR). These control the VCF frequency. In the modulation section are sliders to control the amount of ADSR and LFO (back over on the left, you remember) that are sent to the VCF. Sliders for VCF cutoff frequency and resonance complete the synth controls. This last stops short of selfoscillation when full up.

There are six sound sources for the synth: 16' and 8' bass (lower half of keyboard and mono); two for the lower keyboard, 8' and 4'. and two for the upper. Taken "straight", the basic signal sounds very bland, which is where all the filtering and modulation we've just been

looking at comes in. It's a never-ending source of surprise to me how much difference the ADSR can make to the quality of a sound. By the way, there's a switch in there which will give you "second touch", ie if you play a note, any others that are already depressed will be Could make for some exciting reiterated. effects.

Next is the envelope generator (AR) which controls the VCA of the synth as well as the strings. There's a slider for mixing the 8' and 4' synth ranks. Two green rockers assign the strings proper to lower and upper keyboards and the final slider mixes the string sound between 8' and 4'. Remember that in the absence of 49 VCAs, which might bump the price up just a bit, the keyboard is not multitriggering. You may have the first note of a build-up chord creep in slowly but any others you play will sound straight away.


On the back panel are nine jack sockets. mono, stereo and bass outputs with level controls - pitch (glide), sustain and VCF, enabling these three to be controlled with foot pedals - and an external input that will route a signal straight to the filter of the VCF.

Because each section has its own output the possibilities of stereo are opened up - strings and brass (synth) on opposite sides, bass in the middle. With the synth section you can get a string sound that's as good, if not better than the presets, thereby raising the question Why?

In practice it's very much a chordal instrument: certainly fast single lines aren't effective, It's capable of producing big orchestral textures or sharp exciting sounds - there's a lot you can get out of this instrument. It's not a polyphonic synthesizer but it's the next best thing. In fact there are many situations which it suits better. Give it the best amplification you can, then you will hear how clear the sound is. Comparisons with the ARP Omni? Both are serious musical instruments - some would say the Omni is the more prepossessing – but soundwise its just a question of individual taste which you prefer. Mind you, the Roland does have that pitchbend . . .

Tony Hymas

Tony Hymas is a keyboard player and composer with experience in rock, jazz and classical music. He has played with groups ranging from the Jack Bruce Band to the London Symphony Orchestra. and recently toured with the band fronted by Jeff Beck and Stanley Clarke.





nthesizer?

Puts Synthesizers





R R P £250 or £25 deposit and 24 instannents of £11.44.



£45 deposit and 24 instalments of £19.32.



KORG MS 10:

Single oscillator synthesizer that really offers excellent value for money. 4 selectable waveforms and a patch panel that enables expansion of the MS 10's internal and external capabilities with other sythesizers

RI

KORG MS 20:

Two oscillator synthesizer with two VCA's and two EG's. 2 VCO's produce a good fat sound with octave doubling and varying waveforms. Also built-in is an external signal processor module that allows a guitar to play the synth!

KORG SQ 10:

Analog Sequencer for automatic variable control of pitch, tone colour and timing of 24-note sequence. This sequencer will work with Moog, ARP and Roland synths if used in conjunction with the new Korg MS-02 Hz/v — Oct/v interface unit.

0000000000000




R.P. £350 or £35 deposit and 24 instalments of £16.01.

KORG VC 10:

Ideal for live work, this is the cheapest vocoder (with built-in keyboard) on the market. No need to sing - just talk and play!





Yamaha's latest single oscillator baby has a larger keyboard than Korg MS10 and 64' to 2' range. A quality synthesizer with an outstanding cost-toperformance ratio. You get an awful lot for your money, but it's up to you to use the CS-5 to its full potential.

ONL £650 (R.R.P. £725) or £65 deposit and 24 instalments of £29.74. YAMAHA CS-30:

An established, 44-key, 2 oscillator synthesizer with built-in 8 step sequencer — no patch cords! Excellent for live work. 128' to 4' range, with 2 VCO's, 2 VCA's and 3 envelopes.

YAMAHA CS-15:

Yamaha's newest 2-oscillator synth — this is a winner: 2VCO's, 2 VCA's, 2 EG's and 1 LFO with portamento and glide. Come and compare it to the Moog, ARP and other synths at Chappell



£45 24 instalments of £20.58 and

YAMAHA CS-30-L:

this is a Monophonic Synthesizers We are offering this extremely versatile synth for only £585. Compare our price to other synths on the market and see what you get for your money Oscillators, complete with legs and two foot controllers for sustain, portamento, brilliance or level Unbeatable value!

PRICE £585 SPECIAL THE PROPERTY OF OFFER R.R.P. £815 or £58 deposit and 24 instalments

deposit



Above are not all the synths that we sell by any means. We have the Korg PS series. Yamaha CS-50, 60 and 80 and all Moog products. Most of our synths are permanently set up and plugged in and we welcome anyone who wishes to try them

Ring for more details on 01-629 7600 **Ext 122**





chappell: the specialists



Build your own, expandable studio synthesizer with the Roland System 100



101

With 101 you have an independent synthesizer which can be used for recording or stage performances.



101 + 102

This combination gives you full 2-channel sound for greater sound depth and variety.



101 + 103 + (109)

Add the mixer (and 109 speakers) and all you need is a recorder for a complete basic stereo recording studio



(109)

With this arrangement, you have virtually all you need to make first class recordings at



With the sequencer, you have more versatility and control over programming synthesizer tapes.



101 + 102 +

104 + 109With a complete System 100 studio you have all you need

to make your own recordings. D H

ROLAND 103 MIXER:

spring reverb, headphone socket, monitor level, VU meters and 5 w monitor output. A very useful general or sub-mixer especially for home recording.

OUR PRICE: £175

channel mixer/amplifier, with

R.R.P. £266

Unrepeatable

To our first 5 customers only. we can offer the complete System 100 (including speakers) for only £995! (normal selling price: (£1.760) or £100 deposit and 24 instalments of £45.50.

ROLAND 102 EXPANDER UNIT:

With S-101, turns system into 2 oscillator, fat-sounding synthesizer. Incorporates all elements of 101 synth, but more than doubles sound synthesizing capabilities with ring modulator, sample and hold, and internal mixer. Can be used for expanding sound of all Moog, ARP and Roland synths, including Roland guitar synth.

OUR PRICE: £299 R.R.P. £449

ROLAND 104 SEQUENCER:

24-stop sequencer with clock oscillator for gate time and clock rate control. Compatible with all Compatible with all e synths (Moog, rate control. volt-per-octave ARP, etc.)

> OUR PRICE: £199 R.R.P. £335



ROLAND S-101 SYNTHESIZER:

The basic unit of the 100 system. A complete, single oscillator synth with 37-note keyboard, VCO, VCF, VCA, ADSR, LFO, white and pink noise, variable pulse width modulation on VCO, VCF high pass filter and headphone jack. The S-101 has all of the necessary connections for patching with other system units and synthesizers.

OUR PRICE: ONLY £345

The Roland SH1 Synthesizer

- the compact synthesizer with full-size features!



In our opinion this is the best value, most versatile synth under £500. Stretch your budget a little and get a lot of professional features that distinguish, in our opinion, the SH1 from the Micromoog and ARP 'Axxe':

- Sub-oscillator adds 1 or 2 octaves below original pitch and tracks automatically with it. This produces and amazing fat sound for rock and jazz.
- Horizontal bender controls VCO pitch (+ 1 octave) and VCF
- Over 8 octave range (32' to 2') with low, middle and high range instant transpose switch. Variable delay time on LFO modulation (delayed
- vibrato etc.)
- Sample and hold (random) of VCO, VCF and VCA. Autobend of VCO with variable depth and time.
- Trigger input allows control of SH1 with a rhythm box automatically.
- Headphone monitor output (low, medium or high).
- All Roland, Moog and ARP synthesizers now work on a 1 volt per octave principal and are thus interfaceable, Yamaha and Korg are not interfaceable with Roland equipment unless a special interface unit is purchased.
- The Roland SH1 comes complete with extremely informative manual that explains in detail the basis of music synthesis.

To: The Chappell Group Gear Centre, Chappell Music Centres Ltd. 50 New Bond Street, London W1A 2BR.

How do you do it? Your prices are crazy! Please send me your H.P. forms/more information on:

Don't forget we also sell plenty of 'WASP' Synthesizers at only £199. We also have the complete range of all Roland synths, electric pianos, rhythm boxes available at competitive

I enclose my deposit for

My address is



THE LOUIEST PR

MR SYNTHESISER SLASHES PRICES



STOP PRESS
OBERHEIMS HAVE
ARRIVED IN LONDON
AND MANCHESTER!

The London Synthesiser Centre 60 Oldham Street Manchester 4 Tel: 061-228-2865

The London Synthesiser Centre 22 Chalton Street, off Euston Road London NW1 Tel: 387 7276

CESIN BRIRING

JUDGE FOR YOURSELF!

KEYBOARD	LIST PRICE	MYPRICE	SAVING
ELKA RHAPSODY 610	€ 607	£447	26%
ELKA SOLOIST	£365	£295	20%
KORG BASS	£375	£199	47%
KORG MS 10	£ 250	£199	20%
KORG M 500 MICRO PRESET	€315	€252	20%
KORG M500 SB	£ 349	€ 279	20%
KORG SQ10 SEQUENCER	€ 350	€280	20%
KORG MS 20	€ 425	€340	20%
KORG 900 P. S.	£575	£345	40%
KORG 800 D.V.	£835	£499	40%
KORG POLY 1000	€875	£575	34%
KORG POLY 2000	€ 995	€575	42%
KORG VOCODER	€ 785	€628	20%
KORG POLY P.S. 3300	£4995	€3495	30%
ELKA RHAPSODY 490	£ 368	£268	27%
HOHNER PIANET T	Our su	uppliers	have
HOHNER CLAVINET DE	request	ed us	not
HOHNER DUO	to print	our price	ces!!
SOLINA STRING ENSEMBLE		£449	
ROLAND SYSTEM 101	€575	€345	40%
YAMAHA CS 10	^	£275	
YAMAHA CS 50	£1350	€999	2670
YAMAHA CP20	£790	€599	24%
ARP AXXE	€ 535	€410	25%
ARP ODYSS! - Winner	€1046	€795	25%
ARP OMNI	€1598	€1099	31%
CRUMAR PERFORMER	€465	€375	20%
CRUMAR DS 2 POLY	€645	€525	20%

CHASE MUSICIANS



In London Tel 01~387~7276 & Manchester Tel 061~228~2865


CHASE MUSICIANS BRINGS YOU

moog magic

THE BEST SYNTHS AT THE BEST PRICES


POLYMOOG

Polyphonic chip technology puts one VCA, two wave shapes, one VCF and envelope generator under each key. Almost any function can be adjusted by slider or button. Variable keyboard dynamics and ribbon pitch controller. Accoustic or electronic intonation. Optional expression pedal controller for varying volume, sustain, filter, pitch or modulation. Advance studio systems available.



■ MULTIMOOG

Has a touch sensitive, three and a half octave keyboard with single or multiple triggering. Modulation wheel, pitch ribbon controller, one low frequency and two audio oscillators. Fully variable wave shaping.



MINIMOOG

Three tone oscillators with separate octave clickers, wave form selectors and volume controls. Separate on/off switches, oscillators two and three have separate tuning controls. Sine wave for harmonic distortion and white/pink noise generator. New drift free oscillators. Can be programmed.



The London Synthesiser Centre
22 Chalton Street, off Euston Road
London NW1.
Tel: 387-7276

The London Synthesiser Centre




In London
Tel 01~387~7276
& Manchester
Tel 061~228~2865

THE LONDON SYNTHESISER CENTRE BRINGS YOU

CRUMAR IN LONDON

CREATIVE KEYBOARDS AT THE LOWEST PRICES

DS 2 synthesiser is the big brother of the DS 1. DS 2 features ▶ polyphonic function, two digital controlled oscillators, VCF, VCA, two LFO's, LFO mixer, white or pink noise generator, high, low-pass filter controls, portamento and pitch bend. All this in a 50 pound package!



18 note bass pedal board. ORGANISER T1 is a single ▶

manual keyboard version of the T2.







◆ The superb new Crumar PERFORMER string and bass synths have arrived... they have brass attack, decay range, resonance and volume controls, three way equalisation length, crescendo-sustain and rate of delay and depth modulation.

WE HAVE THE BIGGEST RANGE OF SYNTHS IN BRITAIN!

AND MANCHESTER

The London Synthesiser Centre 60 Oldham Street Manchester 4 Tel: 061-228-2865


The London Amplification Centre



In London
Tel 01-387-7276
& Manchester
Tel 061-228-2865

AMPLIFICATION. OUR OPENING
SALE IN MANCHESTER
IS ON NOW.


Come to the London Amplification Centres at Euston in London and Manchester to see the complete range of Custom Sound combo amps, top pieces, PA systems and practice amps.



MODEL 706, 150 watt graphic bass amp



TRUCKER DUO, 2 x 12 lead/keyboard combo



CS 700A PA amp



MODEL 700K, 150 watt, four channel mixer-amp



MODEL 705, 2 x 12 100 watt combo

THE LONDON
AMPLIFICATION CENTRE
88 CHALTON STREET,
OFF EUSTON ROAD,
LONDON NW1
Tel 01 387-7449






THE LONDON AMPLIFICATION CENTRE 60 OLDHAM STREET MANCHESTER 4 Tel: 061-228-2865

BARCLAYCARD AND ACCESS, H. P. FACILITIES AND MAIL ORDER AVAILABLE

OPEN MON — SAT 10 am — 6pm



JBL PROFESSIONAL DEALERS IN THE U.K.



FORMULA SOUND LIMITED

FORMULA SOUND LIMITED 3 Waterloo Road Stockport Cheshire Telephone 061–480 3781

P. A. Hire & Sales Unit F New Crescent Works Nicoll Road London NW10 9AX Telephone 01–961 3295

MAMA JOUND ENTERPRISES

Rear of Works 128 Hartley Road Radford Nottingham Telephone 73306

soundwave

66 Victoria Road Romford Essex Telephone 0708 25919



214 Exeter Street Plymouth Devon Telephone (0752) 29858



85 West Street Old Market Bristol BS2 OBX Telephone (0272) 552147



PROFESSIONAL AUDIO SYSTEMS 35 Britannia Row London NI 8QH Telephone 01-359 0956

For further information contact Harman (Audio) U.K. Ltd.

St. John's Road Tylers Green High Wycombe Bucks HP10 8HR Telephone 0494–815331







Series B

Developed from the proven A-series studio amplifiers, specifically for P.A. applications



 $B302 - 150W + 150W 4\Omega$: £280.00 (XLR VERSION: £305.00)



 $B502 - 340W + 340W 4\Omega$: £395.00 (XLR VERSION: £420.00)

Turner Electronic Industries Ltd.

TURNER – 175 Uxbridge Road
London W7 3TH

(01) 567 8472

Distributed by: Mick Johnson Music 277 Putney Bridge Road London SW15 (01) 788 3491



More Black Magic ...





MUSIC MAN, INC.

The experience people.
P.O. Box 4589
Anaheim, CA 92803
Telex 692-397

UK and Eire Distributors
Music Man Division
STRINGS & THINGS Ltd. 20 Chartwell Rd.
Churchill Industrial Estate
Lancing, W. Sussex BN15 8TU

ARE YOU READY FOR IT



GRAPHIC EQ TYPE D 10

The Graphic EQ Type d 10 is a new 2 x 10 band stereo graphic equaliser for professional sound reinforcement and studio applications. Its many applications include compensating for undesirable accoustic characteristics of a room or auditorium, anti-feedback, generating specific tone control responses or acting as an electronic crossover. The EQ Type D 10 features low noise centre — click sliders, a system by-pass switch and a rotary gain control. A front panel L.E.D. indicates when the equaliser circuits are in use.

S800 POWER AMPLIFIER

The S800 is an entirely new, inexpensive, studio power amplifier with many useful features.

- * GREAT SOUND QUALITY
- * SMALL SIZE AND LOW WEIGHT
- * INTEGRAL FAN COOLING
- * L.E.D. POWER OUTPUT DISPLAY
 - POWER OUTPUT (Both Channels Driven)

DISTORT!ON (8 ohms 1 KHz)
DAMPING FACTOR (@ 8 ohms)
NOISE
POWER BANDWIDTH
SLEW RATE
RISE TIME

- * UNIQUE CONSTRUCTION
- * BALANCED LINE INPUTS
- * PROFESSIONAL XLR VERSION AVAILABLE
- * INCREDIBLE VALUE FOR MONEY

2 x 400 Watts, 2.5 ohms 2 x 300 Watts, 4 ohms Less than 0.01% 330 - 100dB 20 - 20 KHz, - 1dB 10v/us 3.5 us

The unique construction provides tough, protective corner mouldings with a built-in handle for use on-the-road. Remove these and the units fit a standard 19 inch rack with the L-brackets supplied. No extra cost for the carrying case.

THE KUSTOM WARRANTY.

SALES CLOSE YOU MAY HAVE OVERLOOKED.

Take a closer look at the Kustom Warranty* It's a closing tool you may have overlooked — because it sells. That's how good it is.

For one thing, it offers what other warranties don't. Such as a 5-year unconditional guarantee on parts and labor for amplifiers, power units and mixers. And five years is a long time.

Which also tells you something about Kustom sound equipment. Because if we didn't do it right the first time, CALLETTED WASSANTY AREAS, PRODUCT IN
PLANT DELICIONES DE CORREGA ÉGRAS BOYZO

COMPANY DE LICIONES DE L

we wouldn't offer a warranty this good.

But if and when you do need a Kustom unit fixed, we won't hold you up with lengthy service delays that leave your customers stranded in the wings when they should be on stage. Because the key to our success in service is satisfied customers. And we were one of the first to cut down on the warranty red tape by offering an owner service card — the Kustom Warranty Authorization Card.

So take a closer look at the Kustom Warranty. It works . . . it's one of the best closing tools in the music business.

*Details of complete warranty available upon request.

When sound is everything . . .



Chanute, Kansas 66720 Handcrafted in U.S.A.

20 YEARS OF

DAVID LAWRENSON talks to the Peter Pan of British R'n'B

n 1959 a young factory worker from Leigh in Lancashire walked Linto his local police station and wanted to know if he ran away from home to become a musician would the boys in blue be forced to bring him back. The answer was no - and so began the career of one of Britain's most enduring musicians, Georgie Fame.

It seems an inauspicious beginning for a man whose 20 years in the music business includes pioneering R 'n' B in this country, being one of the first musicians to take a Hammond organ on the road, having hit records and

singing with Count Basie.

Today he can still pack the crowds in for a two-week stint at Ronnie Scott's, still playing his own brand of R 'n' B with a band called the Blue Flames. Talking to Georgie in the dressing room in between sets, one can't help harking back to the days of the Flamingo club in the early Sixties and the formative years of British Rhythm and Blues. But his first influence was inevitably rock 'n' roll, which proved a good way of putting his early piano lessons to good use. "I had piano lessons when I was a kid, and persuaded my parents not to let me carry on with them, because you get bored having to read the dots. Then word started filtering through about rock 'n' roll and it was a question of putting those basics I'd learned as a kid into practice.

"This was 1956. Buddy Holly, Little Richard, Fats Domino, Jerry Lee Lewis, they were my first influences - apart from the Methodist church, where I think I learned how to sing in tune. I'd already been taught a boogie woogie by one of my sister's boyfriends, so I was ready to go. I was an ace Jerry Lee Lewis and Fats Domino copyist and I'm proud to say I still am to this day. Despite all the musical avenues I've been up, I can still boogie a good Jerry Lee or Fats tune."

It was this talent for copying the styles of the piano greats that gave Georgie his big break into show business. He was playing in a local band in between working in one of the town's cotton factories

George explains: "I went to Butlins at Pwllheli in 1959 for my annual holidays with a few guys from the factory. They told me to get up and do my Jerry Lee Lewis bit, which I did and it went down a storm.

Now there was a professional R 'n' B band at Butlins from London who we were all starry-eved about. They had bass guitars, amplifiers and stuff like that, that we'd never heard of. They were called Rory Black and the Blackjacks and were the resident band on the camp for the summer season. Rory heard me singing in one of the bars on the camp and asked me if I'd like to join the band. I said I'd love to.

"I went back home and told my Mum and Dad and they said, 'Are you crazy? You've got a good job in the cotton factory, that factory will never Sure enough, three or four close ' years later it did. But I had to do a lot of persuading and arguing before I went. I finally got away and joined the band at Butlins.

"In fact, the band got fired before the season finished and I just had to go along with them because I couldn't go back home with my tail between my legs and say I'd failed. So we came down to London and I started meeting musicians. I was lucky enough to get a job with Larry Parnes playing on all those rock 'n' roll tours with Billy Fury, Gene Vincent and all those."

It was during this period that Georgie began to really get into R 'n' B. He had always been a great fan of Louis Prima, but suddenly discovered Louis Jordan and began hearing people like Ray Charles. From then his play-

ing developed to encompass R 'n' B and he was forever looking to the sources of the music.

He became part of Billy Fury's backing band, the Blue Flames, which was made up of a pool of musicians who worked for Larry Parnes and included Brian Bennett and Jim Sullivan. The final line-up was Red Reece on drums. Tex Makins on bass, Colin Green on guitar and Georgie on piano. The band eventually got the sack from Billy Fury but decided to stick together and kept the name. They got a job down at the Flamingo club with a sax player called Al Watson, but after a row Watson went and the band became club regulars. Many musicians passed through their ranks during this period Micky Eve on sax, John McLaughlin, John Marshall - while people like Eddie Thornton and Speedy Acquave would regularly sit in on sessions. It was while playing at the Flamingo in 1962 that Georgie first heard the sounds which were to inspire him to buy his first Hammond organ. He said: "It coincided with my first hearing Jimmy Smith's album Midnight Special and Booker T's version of Green Onions. Both records were given to me by black American GI's that used to come down the Flamingo all the time. When I heard those two

HEN I LISTEN TO THOSE OLD BLUE FLAMES RECORDS, THE SOUND OF THAT ORGAN IS TERRIBLE"



albums, I went out and bought a Hammond. In fact, Graham Bond bought one in the same week and he helped me carry my first organ down to the Flamingo. Up until then, I was still playing rock 'n' roll piano.'

Infortunately, this was only the start of Georgie's problems because he couldn't get the Hammond sound of his American heroes. There was a simple explanation: "The Hammonds that they sold in England weren't the real Hammonds. They were strictly for front parlours.

"Actually me and Graham Bond spent years trying to get a decent sound out of an L100, when in actual fact the organs we were hearing on record being played by the Americans were the B3s and C3s, the big mothers. When I listen to those old Blue Flames records, the sound of that organ is terrible, but that was the reason.

"I met Booker T in California a couple of years ago and I was really interested in how he got that sound. When I looked at the organ he was playing, all he did was pull all the bloody drawbars out. That's all he did and he playing full tilt. That's how he got the sound.

"I always wondered, because with the Hammond they give you a big manual which says you can get a million different sounds. Shirley Scott sounds like that, Jimmy McGriff like that and Booker T like that because they're all dabbling with these drawbars. I always loved Booker's sound and I wondered how he got it. Of course all he did was pull the bloody lot out — and I've been doing that ever since."

Getting a good sound out of the organ was only half the problem. There was still the slight matter of lugging the thing around from gig to gig, an object which was still considered more a piece of furniture than an instrument

"It took four people to carry it and it wasn't split. We used to come back from playing American bases and get into Soho about one o'clock in the morning and have to play two sets down the all-nighter. The place would be packed with people, and we'd have to carry the thing through them. That was part and parcel of the gig, everybody mucked in and carried it because we didn't have any roadies in those days. We did it ourselves because it was our baby, we loved the sound of the thing."

Despite all the problems, that first Hammond was the beginning of a love affair for Georgie, which saw the piano take a back seat. "I started playing organ all the time and really fell in love with it. It made me lazy though, because it's a different technique, you don't need as much chop to play organ as piano. You can play a lot faster because it's just a light touch, but you get a lot of piano players that feel very uncomfortable on organ because it's a different technique altogether. It took me a while to get into it. In fact, I just used to put my hands down and sustain and use it as a background to soloists or riffs within the band.

"Mind you, I was a very limited musician in those days — I still am. You can listen to a couple of so-called solos on the early Blue Flames albums and they are not solos, they're just riffs, but I fell in love with Richard Holmes. It was a fantastic album he did with Gene Ammons which they used to play down at the Flamingo before we went on. Gene Ammons was booting away and Richard Holmes is backing him, comping away like mad and it's all rocking in the background. When Richard Holmes came on for a

solo he just sustained the thing, he just held down one note and let the rhythm section ride. Then he would add a fourth, then a fifth a couple of choruses later and this went on for seven choruses! It was fantastic. I still do that."

Georgie recalls an interesting story of the early days of R 'n' B, when the music was beginning to infiltrate the mainstream of British music. "I was at the Ideal Home Exhibition in about 1963 and I was on the Hammond stand. Robin Richmond came up to me and asked if I could give him the chords for these 12-bar blues that were becoming so popular. I didn't even know what they were myself, because by this time I was hearing Johnny McLaughlin going Fmaj7, Em7, A, Dm7, E flat, etc. — all the Charlie Parker stuff which had already gone 20 years before anyway."


Georgie eventually bought a Hammond A100 which enabled him to get that full sound which he had been striving for. He stills plays the 12-year-old model which is split and is midway between the big C3, which is too cumbersome to carry around unless you've got a big roadcrew, and the L100 which was the source of much frustration for the young Fame. Georgie also has one of the last C3s to be built, but he refuses to take it out on the road because it is such a beautiful and precious instrument.

As far as influences go, vocally he always tried to copy Mose Allison, but recent influences would include Stevie Wonder, Cleo Laine and Stevie Winwood, the latter, in his opinion being the best bit of talent that Britain has produced. On organ, he remembers being impressed with Billy Preston on first hearing him, but that's about it.

As far as his own career is concerned, Georgie's latest album on Pye called Right Now shows his development as a songwriter. The R'n'B flavour is still there but the standout track, a ballad, Eros Hotel, shows off Georgie's writing ability and I wouldn't be surprised to see him back in the charts before long.

But whatever direction his career might take, his contribution to the British music scene has already been considerable and I have no doubt that he will still be packing them in at Ronnie Scott's for his own special blend of music in 20 years time.

DYNACORD 1 is WO! for \



DYNACORD AND YOUR ART. Dynacord has been working with the musician for many years. As Europe's largest amplification manufacturer, Dynacord has amassed a wealth of experience which makes itself apparent in every new design. Dynacord has established a research team to continually investigate ways of improving the sound and the methods used by contemporary musicians. These two new products are examples of technology being harnessed for art.

THE TAM 19. This product is at the forefront of musical technology. It's a device for "Time Axis Manipulation" and in simple terms it uses two delay lines to create some beautiful and interesting effects.

The use of two solid state delay lines (in parallel, series or other combination) allows a whole range of effects to be instantly created. Flanging, phasing, pitch shifting, double tracking, ambience enhancement, chorus and space sound can all be had at the flick of a switch. In the TAM system the music signal is alternately expanded and compressed in time and


remixed in various ways with the original.

Mixing the manipulated signal with the original creates a comb-filter-like progression in the musical spectrum. Outstanding stereo effects are easily obtainable with the TAM 19 and the stereophonic design makes it possible to achieve positive and negative flanging, phasing and even pitch shifting.

The TAM 19 is equipped with three internal generators for time axis manipulation — triangle, sine and AVRGD (averaged), which can be mixed with one another in any desired combination. Of particular interest here is the AVRGD generator, which used the average value of the input signal for control of the time manipulator. Using the AVRGD generator, a drummer can, for example, control the temporal progression of the flanging by varying his technique. A foot switch makes remote control of the manipulator possible. The internal generators remain in operation, however, so that a maximum of four control signals can influence the TAM 19 simultaneously.

This is Dynacord technology working for you.

ECHNOLOGY



Most of the good musicians who use technological advances subtlely to improve their art. No amount of technology can improve poor music, but feeling can be aided by the judicious use of the right effect. Dynacord specialise in making just the right effects. THE DRS 78. Reverberation is an underrated effect. Throughout history men have built churches and concert halls with only the reverberation time as their guideline. It has been considered so important that Cathedrals have been extended to achieve it. Today good quality reverberation comes a little easier. The Dynacord DRS 78 digital delay system provides the best answer.

Reverberation gives "body" to music without employing horrible "repeat" effects when not required. The DRS 78 converts your input signal, guitar, PA, keyboard, etc., into "digital" information. This is then delayed on a line which allows you to remix it with the original signal at whatever point you require. Thus the reverb time can be very short or lengthened

into an echo.


The DRS 78 works quietly and effectively and it's provided with all "on-stage" facilities like line-output and footswitch control. Full equalisation controls are also fitted.

Dynacord Technology Is Working For You.

Please rush me details of and the TAM 19	ad, Haywards Heath, Sussex the Dynacord DRS 78
Name	
Address	
l	
	Dynacord



World Radio History



No riffs for Pat Travers

He tells EAMONN PERCIVAL why Ted Nugent is redundant



Lat Travers is a name currently being bandied around by "those who know". His band recently supported Journey on their British tour and actually gave the bill-toppers a run for their money, at times coming close to blowing them off the stage. Travers is only just turned 25 but has a wealth of musical experience behind him. He started playing guitar at the age of 12 and soon formed a band called Red Hot, playing in and around his native Ottawa.

A few years later he was working with Merge, an Ottawa-based French group. But this didn't last too long as he got a call from legendary rock 'n' roller Ronnie Hawkins asking him to join his band. The money was good but Pat felt very much the junior partner and so, in 1975, he moved to London where he secured a management deal with David Hemmings of Arnakata and a recording deal with Polydor.

With management and a record company behind him, he set out to find a permanent band. With Peter Cowling, alias "Mars", on bass and Roy Dyke on drums, he recorded his debut album Pat Travers. With this line-up, the Pat Travers band also undertook a long series of club and college gigs throughout Britain. By, early 1977, he second album Making Magic was released, Pat having written 90 per cent of the material himself. A year later, his third album was released

Patting It Straight. This album prompted Gig magazine to label Travers "the guitar hero of 77". Pat supported the album with an extensive US tour and it was at this time that ex-Black Oak Arkansas drummer Tommy Aldridge joined the band. While Travers never wanted the band to be just a trio, he'd never found the "right" guitarist until Pat Thrall joined in May last year. With the release of the latest album Heat In The Street, a growing army of fans and the band's new line-up, '79 could be the year of Pat Travers.

According to his biography, Travers was originally influenced by Hendrix but this, it transpires, was a quote taken out of context.

"I'd really like to dispel that rumour right now," he says, "because I've been very pissed off about that, Obviously, I was influenced by Hendrix, so was every guitar player who was around in Hendrix's heyday. I was influenced by every player. I never set out to emulate any particular style, I just absorbed a lot."

Pat's interest in music goes way back. During Britain's golden era of the Shadows (and the Ventures in the States), he hadn't even started playing guitar, but he was listening to and absorbing rock's roots. "I remember the Ventures thing but it was really the Beatles that turned my head when they came to the States and did the Ed Sullivan Show. Then, when I heard Purple Haze, I thought 'Whoa! Hold the phone - there's some other kinda shit here! I was never really into old blues or anything, although a lot of people say I sound bluesy. All my blues was picked up secondhand. I've been influenced by a lot of things and it just so happened that the guitar was the first thing I got my hands on. People always label me with that guitar hero thing. I'm flattered that my fans like my playing, but there's 101 guitar players that could blow me off the stage. I just make it look good!"

Guitar hero or not, the label is inevitably applied to most guitarists in a rock trio line-up. "That was always the problem. I never wanted it to be a trio, it's just that we could never find anyone who was compatible until we met up with Pat. You see, I never set out to be A Guitarist. I wanted to be

A Musician. I think I realised that the guitar hero thing was just an empty goal, it just didn't warrant the time to spend practising and practising just to get fast. I mean, even Hendrix didn't play particularly fast. He was more of a melodic player. On Axis Bold As Love. for instance, he wasn't playing riffs, he was playing melodies and that's the kind of thing I like to play. It's more in my nature. Any fool can sit down and practise scales. But scales are nice to tie melodies together, not to use them for scales' sake. Like Al DiMeola. I suppose 1 shouldn't put him down but I get tired of that really quickly. It's purely a speed trip and your average listener, even if he has a certain amount of musical knowledge, it's just gonna go right over his head."

Travers applies the same melodic approach to his songwriting, even more so recently as his latest album shows. "I find that it's more valid to have a song that can stand up with just an acoustic guitar or a piano maybe. It's nice to write a classic riff - like Sunshine Of Your Love was a classic riff - but you can spend years trying to write one. Riff-rock, you know? I mean, Nugent has gotten redundant. All due respect to Ted, he's a good friend of mine, but that is his attitude. I saw him in Miami recently and we talked and he said 'Man, I wanna write the classic riff. Cat Scratch Fever, bang, bang, bang.' He's still playing the same damn thing. Ted, there's other keys than A, for God's sake. Explore that thing!

"I try to be a little more sophisticated and I think the band's musical background dictates that we should be a little more sophisticated because everybody's capable of playing more than two time signatures. It's got to be felt, and a lot of it is down to communication within the band. It's also got to sound uncontrived. It's strange because the title track of the album is in 13/8, if you can dig that. But I didn't realise until about a year after I wrote it. I don't know too much about time signatures but I can play 'em. On that one it just felt right."

part from recording and live gigs, Pat also gets a chance to "work out" on various clinics he undertakes to promote the Dean Markley range of strings, a brand the whole band use, and of which Pat says quite simply "They're great strings.

"The first thing I noticed about them was that, because I'm so energetic, I really like to whack the strings sometimes and usually, the low E or A would go sharp. But with these strings,



although they're the same gauge, they stay in tune, they somehow feel like a stiffer string. They're still as easy to bend but I think the wound strings have a slightly different alloy. I don't use super-light strings really. I go from a .. 009 to 0.34 and Pat [Thrall] uses the same gauges. The bass strings too are really good. They're nice and bright but they also last much longer.

Although Pat's effects units include a Cry Baby, MXR Phase 100, MXR Blue Box and two Maestro Echoplexes, he also swears by a small American company called Analog Digital Associates who manufacture a new flanger.

"It really is the enthuses, "and it er I've flanges in the true sense of the word.

Apart from a Leslie 122 cabinet, which is really for added depth rather than amplification, Pat's onstage power comes in the form of two Marshall amps - a 100 watt and a 50 watt.

"I use them both linked up and I set them so I get a fuzzier kind of sound from the 50 watt and much cleaner sound from the 100 watt. Some effects go to one and some go to the other, so I can get as clean or as messy a sound as I need. I get away from the problem of noise by using a transmitter. The basic idea was to get away from guitar leads but I also found it cuts down all the hum and noise. I've also got a compressor which cuts out all the dead spots on the guitar so I can get sustain just about anywhere. Not only that, I don't have to run my amps so loud because it gives me so much output gain. I run the 50 watt on about 4 and the 100 watt on 2. It's just incredible."

Pat's guitars include a Gibson Melody Maker which he has fitted humbuckers to, a Les Paul Junior and a Telecaster Custom. He's used the Melody Maker consistently for the last couple of years and plans to stick with it. "It really is a beautiful guitar, especially now I've got the humbuckers

Telecaster because it has a maple neck and a 21-fret neck. When my fingers get a little sweaty, I tended to start to the fact that the Melody Maker is a double cutaway and much, much lighter. The Junior is really there as a spare.

Away from guitars, Pat also owns a Hammond B3 organ and an ARP Odyssey synth, both of which were used on the new album. While he doesn't feature keyboards onstage at the present, he intends to devote a segment of the show to keyboardoriented numbers in the near future.

The near future also includes the release of a live album, due out in the States soon, although its release date in England depends on the success of Heat In The Street.

"I also want to bring out a couple of singles this year," he concludes. "because that's something the band really need at the moment. A lot of our immediate future plans depend on the success of the album and the success of this tour, which has gone down really well so far. I'd be happy to play anywhere but, with managers and accountants to take into account. it's not always possible."=



Boosey & Hawkes are proud to announce a superb range of 'master class' guitars manufactured by master craftsman Juan Orozco (of 'the Aranjuez Strings' fame.)

All models are hand-made from specially selected woods. The Aranjuez models (nos. 54, 56, 58) range in prices from £119.50 to £159.50, and the Orozcos (nos. 8/0 and 10/0) from £369.50 to £439.50 inclusive of V.A.T. Special features: © Specially selected Canadian and Indian spruce and Rosewood for tops, backs and sides. © Reinforced necks, nickel-silver frets. © Gold-plated machine heads. © All guitars fitted with the famous 'Aranjuez Strings'.




All guitars supplied with a FREE set of Aranguez Strings (Models 8/0 and 10/0 come complete in fully shaped, plush-lined case.)

Prices quoted are retail, included VAT and are correct at time of going to press.

Ask your local dealer about this new range of 'master-class' guitars or write for colour brochure to:



Deansbrook Road Edgware Middlesex HAB 9BB Tel: 01 952 7711



WEVE COTTHE LOT!

Take a look at the most exciting range of lighting control systems available. Whether you are a small group requiring just a basic sound to light unit, or a large band looking for a complete stage lighting control system powering tens of kilowatts of lighting, we have the range of systems for you to choose from.

We have been designing and manufacturing lighting control systems for years and a great deal of thought went into making our systems easy to operate. You can simply link our units together into systems to get the creative control you need for a wide range of exciting sound to light effects.




CONTROLS THE LIGHTING PROFESSIONALS USE

Pulsar Light of Cambridge Limited Henley Road, Cambridge, CB1 3EA tel. (0223) 66798

lan Carr talks to Jeff Pike

SION





he insists. "I'm having a very good time artistically. Some of my greatest kicks are listening to the guys in my own band - they really excite me. So I know every time we go out playing I'm going to have a really good time. I'm just revelling in this new creative impulse.

The band is Nucleus, one of Britain's foremost jazz-rock ensembles, with the emphasis on the jazz. Like the other members of the five-piece, trumpeter Carr has paid his dues on the British jazz scene. He formed the Mark I Nucleus in 1969, right after he left the jazz quintet he co-led with Don Randell. But six years later, he disbanded the group. "The reason was. I was fed up with my own music. It had got stale. So I took time off to write a biography of Miles Davis, to think about music deeply and to do very little work. I took a long, cold, hard look. You never know if you're going to come out at the end: after two years I might have felt just as stale and fed up as at the beginning. Then there would have been a real crisis.


"But I re-formed Nucleus in 1977, with some of the same guys as in the first band. We did a live album and it was beginning to get more interesting for me. Them we did this new album (Out of the Long Dark) which, as far as I'm concerned is the best album I've ever done, on any level whatsoever. It realises the idea of Nucleus far better than any other album. It's amazing -I suddenly feel a complete new infusion

of ideas.'

So why is the new Nucleus so much better? "First of all, it's far more flexible. There are far more dynamics, much more quiet music. There's more emphasis on harmony, too, and by that I mean organic harmony, not decorative harmony. Also I think the identities of the musicians are coming out much more strongly: (keyboards player) Geoff Castle is much more himself now, and I feel much more myself. Because of all this, I think the music is much more live now.

He also thinks he's better on his instrument than he was. "But nobody ever says that. They always say, 'He's still quite a good trumpet player. Rubbish! I'm a vastly better trumpet player than I was 10 years ago.

"I've tried to improve my stamina



ding a system of exercises I've devised. One is playing very long notes. You actually play the note quietly until you haven't got any breath left, and you do it in odd intervals, half a step more than an octave or, when you're going down, half a step less. It goes all the way up, right up to trumpet F above top C, which is the piano E flat above top B flat - that's the highest note I can play. I've also been doing a lot of isometrics and generally keeping myself fit. The actual sound of the trumpet is very important to me, whether you treat it electronically or not, and you don't get the sound unless you have the breath control and you're very fit."

Another crucial factor in Carr's sound is the trumpet he uses, a Selmer 99. It's silver plated, not lacquered, which helps to account for its rich, meaty tone. Since he got it in 1972, he has played less fluegelhorn and more trumpet: "I can play very mellow things on my trumpet so it covers a lot of the area of the fluegelhorn anyway. On one album, I think it was Alley Cat, one critic thought it was a trombone coming in, the sound is so fat. It's a beautiful instrument but it's very heavy because of the silver plating. So it's not good as a session man's trumpet, where you have to hold it all day. But for my purposes, the reponse is perfect.

content just to blow his horn at a microphone. He uses electronics, but always thoughtfully and constructively. "I use a Barcus-Berry bug. I did have the pre-amp as well, but it was very noisy for me - maybe it was just that particular one - so what I have now is a Japanese chorus unit, I can't remember the name. It can give you two trumpet sounds or one, but it's also a pre-amp and it's mains driven, unlike the Barcus-Berry, so you can get rid of all that extraneous noise. My foot pedal is a Morley - the best - which also plugs straight into the mains. Sometimes I use the two voices of the chorus. You can make them more or less out of phase with each other, which is good when you're playing one melody and the saxophone is playing another - you can make the trumpet sound fuller."

It's not just on his instrument that Carr feels he has improved. He rejoices in the fact that he's a better musician all round. "I'm better at composing now, and better at band leading. In the last few years I've learned a great deal about every aspect of music. About rhythm, for instance, about harmony and the relationship between melody and harmony, about structure. What our music is all about is building tension and releasing it and I've learned all kinds of subtle ways of doing that. Our music is also about the relation of



what's written or preconceived and what's improvised — and I've learned more about that relationship as well. I'm still learning all the time. It's a very satisfying feeling."

What is not so satisfying to Carr is the way Nucleus' music is received in Britain — or rather not received. Whereas the band is treated with respect, even adulation, throughout Furope, the story is very different at home. Apart from a one-off performance with a nine-piece line-up in

February, this month's two gigs at a festival in Morecambe (6th and 7th) are the first British appearances by Nucleus since 1976! Carr seems resigned to being a prophet without honour in his own country. And, as a thinking man, he has his explanation for the phenomenon: "The trouble with Britain is that people are not exposed to this music at all on the media. In other countries you can hear Herbie Hancock, Chick Corea, Keith Jarrett, Miles Davis, Coltrane, anybody . . . you can hear them on the radio three or four times a day. You never hear them on the radio here, so it's a strange noise to people, that's why it's very difficult for them and that's why there's such a dearth of interest in Britain. I think this is a very important area of music, actually, in 20th century terms. And I think it's wrong not to have it exposed more. D'you know, last week there was a two-hour programme on German radio that was only Nucleus music. I've sat in restaurants and cafes and heard my own band. Here that's totally impossible. There's no chance."

True enough, Ian. But why? "It's a very complex problem. The music is not regarded very highly. It's got no kudos here, because of the general attitude to culture and music in general. There's a strong non-Western musical element in jazz which is at loggerheads with the Western element - we try to keep them in a delicate balance. The non-Western things are very often regarded as low class. It's totally wrong to say that, or even that they're uninteresting. I think they're fascinating. But they're regarded as . . . perhaps it's a hangover from Imperialist days, they're regarded as not quite pukka. But for me, it's life-enhancing and it's a damn shame that people don't get to hear it."=







For details o

Unit 5, 533 Rayleigh Road, Thu

UND

ns, dustbins s-bins? choice is rs-and much

COMPLETELY MODULAR SYSTEM

CAN BE BUILT UP TO ANY REQUIRED SIZE

UNIVERSAL COMPONENTS THROUGHOUT

BUILT AND DESIGNED BY ONE OF THE MOST EXPERIENCED TEAMS IN ACOUSTIC DESIGN AND EQUIPMENT MANUFACTURING

COMPETITIVE PRICES


PROFESSIONAL QUALITY EQUIPMENT

a really top-quality PA system, write or telephone:

tems,

ndersleigh, Essex. Telephone: Rayleigh (0268) 773491





AVAILABLE THROUGH RANDALL DEALERS WORLD WIDE.

RANDALL INSTRUMENTS, INC.
1132 DURYEA, IRVINE, CALIF. 92705
P.O. BOX 10936, SANTA ANA, CALIF. 92711

Your Queries

Not quite right

About 15 months ago I purchased a new Gibson Les Paul Standard with a maple neck. At first the guitar performed admirably but after a couple of months the neck began to develop a slight bow. But after a slight adjustment to the truss rod it was quite straight again. Unfortunately I have had to repeat this operation two or three times since then.

The neck is now straight (but not perfect) and seems to be stable but there is now a bad buzz on some of the frets - the fourth, fifth and sixth esepcially. Also the intonation has suffered. I would like to know whether this neck could be salvaged because if it moves again I would be frightened to adjust the truss again for fear of breaking it: it is rather tight already. Or should I have a new neck fitted, as the rest of the guitar is perfect? If so, how much would that cost? Or would it be cheaper to sell the guitar to a repairman and lay down a deposit on a new guitar?

R. Mitchell, Lockerbie, Dumfriesshire.

As the guitar is still quite new, you should refer to the shop where you bought it for adjustment. Don't make a fuss or threaten them, just explain that the guitar appears not to be performing quite right and ask them to look at it and correct the problem. Generally (under the Sale of Goods Act), the responsibility falls on the shop, not the importer. But presumably both the shop and the importer should expect a guitar of this price and quality to work properly for more than 15 months! So ask them nicely, but firmly, to put it right for you. If you have no success, write to us again.

Stage fright

What's the best way for bands to learn about setting up on stage with a view to avoiding hum, dangerous leads, feedback problems and all the other things you only discover by trial and error?

Arthur Weekes, Haggerston, E. London.

There's an excellent new book on the subject of PA/stage amplification techniques, called "A Practical Guide to Concert Sound" by Bob Hein. It's not easy to get hold of in Britain, so you might write to the publishers Melco Publishing, PO Box 6, Marissa, Illinois 62257. Also in the near future we hope to be running a series on microphones and miking up a band on stage.

Send your questions about instruments, amplification, music and the business to Queries, International Musician and Recording World, Grosvenor House, 141-143 Drury Lane, London WC2. If you'd like your question answered by a particular one of our consultants, mark your envelope "Stephen Delft", "Mark Sawicki", etc.

Smooth talk

I am the proud owner of an Ibanez Artist 2626B bass which I am considering removing the frets from and filling the resultant slots to produce a smooth fretless fingerboard (ebony). I would be extremely interested in your thoughts and opinions on the subject.

John Logan, Clydebank, Dunbartonshire.

Stephen Delft replies: A fingerboard which is accurate enough and/or hard enough for a fretted bass may not be accurate and/or hard enough for a fretless bass. Ask the advice of a competent repairman and in any case try to avoid roundwound bass strings on a fretless fingerboard – rapid wear!



Case for treatment

I would be extremely thankful if you could help me in a futile series of questions on which I seem to be held up for an answer. I have recently bought a hard case for my accoustic guitar (Yamaha FG340) and there is room for it to move inside.

To solve this I want to install a block of wood behind the head to keep it in place, but wish to cover it in the same golden yellow plush lining as the rest of the guitar case. Where might I obtain some and also a suitably strong safe lock to replace the cheap one on it at the moment?

Nick Bell, Kingswood, Gwent.

Stephen Delft replies: Support the neck but let the head float free. The fabric you should be able to get from toy teddy bear makers or their suppliers. Regarding the clasps, most case fittings look pretty cheap, but try a flight case company (see ads in IM).

In a spin

Where can I obtain information about building a Leslie-type cabinet, and is it simple a couple of horns rotating with a similar speaker arrangement below or is it more complex?

Nick Robinson, Nether Edge, Sheffield.

Mark Sawicki replies: I can recommend the so-called Leslie or "Space Sound System" marketed by Maplin Electronic Supplies Ltd., (PO Box 3, Rayleigh, Essex). It is a two-speed rotary system and you can find more details on page 193 of Maplin's recent catalogue.

What's in a name?

I am putting a new band together and having been rehearsing for some eight weeks now, we are trying to decide on a name. This, as you probably know, is not a very easy task and, assuming that we do eventually think of a name that everyone agrees to, I should like to know if there is any official way to register a group name or, indeed, to find out whether or not a particular name has already been registered to a hand


Godfrey J.E. Wilkins, Stowmarket, Suffolk.

This is quite an odd one to solve inasmuch as the only protection your band can have legally is if another band

JOIN THE picato MAGICIANS... RITCHIE BLACKMORE of Rainbow, PETERBANKS, PUNKY MEADOWS and FELIX ROBINSON of Angel, TONY IOMMI and GEEZER BUTLER of Black Sabbath, JOHN FIDLER and RAY MAJOR of British Lions, PHIL PALMER of Yellow Dog, PATKING and STEVE WALLER of Manfred Manns Earth Band, BOB DAISLEY, DAVE FLETT,

DICELO STRING MAGIC

DAVE PEGG of Fairport Convention,



Your Queries

of the same name can be proved to be taking advantage of the name, you can take them to court. A few years ago, there were various soul bands operating under names like The Fabulous Temptations, The Original Drifters, etc whose line-ups bore no relationship to the American bands. It's worth contacting Companies House to see if your band can be registered as a limited company, in which case they can probably register the group's name.

On the make

I am writing to inquire about becoming an apprentice to a luthier. At present I am living in Canada but I would like to travel to Europe and hopefully apprentice there. I'm also interested in learning about guitar-making schools, although I feel that being an apprentice would make the learning much more practical. Any information you could give would be appreciated.

> Dave Clinton, Burlington, Ontario.

Stephen Delft replies: Write to the London College of Furniture, 47 Commercial Road, London E1 and ask for a prospectus from their instrument-making department. Also look in IM and "Early Music" (published by Oxford University Press, 37 Dover Street, London W1) for makers' addresses – and write to all of them. Don't expect many to answer you. No-one pays them to answer letters and guitar makers have to work every hour the day brings. Self-addressed envelopes and reply coupons encourage replies. Good luck!

Mixing it

In the April 1978 issue of IM you advertised a mixer kit. Is the offer still open, are the kits still available and could you forward me details of the price etc.?

John P. Mackle, Portadown, Co. Armagh.

Sorry, the Sawicki Mk II mixer kit was a special offer for a limited period only last year. But Mark Sawicki says you should be able to obtain all the necessary components from any radio/electronic shop. Copies of Mark's series on building a mixer (in seven parts) are available from IM at £! per article, in case you missed any.

EZ question

Can you please tell me, and the many other older amplifier owners, where I can obtain rare types of valves. I am

currently seeking an EX81 for an ancient Elpico amp head.

Kevin C. Botting, Bude, Cornwall.

There should not be any problem in buying EZ81s, as they are still in use and appear in several catalogues (at around 45p+VAT). Try Henry's Radio, 303 Edgware Road, London W2.

Gretsch addretsch

Could you please send me the address of the company that manufactures Gretsch guitars as I want to try and date an old bass guitar made by them which I recently bought.

Andrew Milne, Grimshy

Gretsch guitars are distributed in the UK by the Baldwin Piano and Organ Company, Unit 4, Stirling Industrial Estate, Rainham Road South, Dagenham, Essex. The American manufacturers are Gretsch, 1801 Gilbert Avenue, Cincinnati, Ohio.



Just good friends

In your article on Robert Fripp in the

March issue of IM, you mentioned that he had recorded with Blondie. Could you please tell me what recordings he has done with the group?

Michael Robertson, Egbaston, Birmingham.

Robert played guitar on one track of the current Blondie album "Parallel Lines". He features on "Fade Away and Radiate", written by Chris Stein.

What's my bass?

I have recently bought a secondhand Gibson Les Paul bass and I wonder if you could supply any information on it. It is the only one of this model I have ever seen. It is similar to the Les Paul Triumph but it has fingerboard dots instead of position markers and no impedance switch on the control panel. I have been told that it is a Les Paul Professional bass and that it was never imported into Britain. Could you verify this and tell me if it is still made, also how much it cost new and what year it is (scrial number 889801)?

A. Blake, Wigginton, Herts.

Stephen Delft replies: I think you are right on all points about your bass. As for the original cost, date of manufacture, etc, try asking Norlins (Norlin Music Services Ltd., Woolpack Lane, Braintree, Essex). I would expect your bass to have an impedance-matching transformer in a small metal cylinder in the lead. If this is so, and you intend to keep the bass, it might be sensible to order a spare now, just in case. They are not generally available in shops.

Boxing clever

I have a great deal of difficulty in obtaining alloy die-cast boxes (as used in MXR effects units) larger than 4½" x 2½" but no more than 1½" high, also Japanese type DPDT footswitches similar to the MXR type (the Arrow type are slightly too large). Any suggestions?

R. Gearty, Cumbernauld, Glasgow.

Mark Sawicki replies: You should be able to get hold of these boxes/footswitches in many places, but here are two suppliers you should write to and request their catalogues: West Hyde Developments Ltd., Ryefield Crescent, Northwood Hills, Northwood, Middlesex; and Maplin Electronic Supplies Ltd., PO Box 3, Rayleigh, Essex.

YOUR MOYE







The right move could win you the game. Beyer Dynamic make microphones for professionals and the professionally minded. The M260 shown here is a very special microphone at a very appealing price. It's rare in that it is a ribbon system microphone which has proved itself in live situations where the "proximity effect" can be exploited to bring added depth and warmth to even the smallest PA system. You're only as good as your microphone allows, that's something to remember. Beyer Dynamic bore it in mind when they built their range and moving to Beyer Dynamic gives you a head start in the game. To learn more, send the coupon.

Aes Beag to By British Day Dr. Je.

We'll show you how to get a better volume pedal than our own Volume Pedal!

Pick the Morley Pro Panner (PVL)

You get everything the standard Morley Volume offers plus additional features that give you unique psycho-audio effects that blow your audience's lids. Like these:

• a taper control which can be pre-set to reach maximum volume at any point you select along the length of pedal travel.

• single or dual output instead of the Volume Pedal's one. Now you can feed your signal into two different pre-set channels of the same amp - or into two separate amps.

In addition to those extra volume features you'll really extend your range of sound creativity and interpretation with the unmatched panner capabilities of this multifunction pedal:

• click a switch and you're out of the Volume mode and into panning.

• pan between two amps set apart for ethereal "sound in motion" effects.

• set one channel of your amp for rhythm, the other for lead and pan between the two, both on the one amp.

• set the pedal in center position and you've got both channels, rhythm and lead. playing at equal volume.

• immediate, precision control of those panning effects desired right now with a taper control that lets you pre-set your desired response curve.

Like we said, dollar for dollar our Pro Panner is a better volume pedal than our Volume Pedal. For only \$20.00 more than our straight Volume Pedal.



ORLEY®

15 electric failsafe pedals — no pots, gears, or batteries.

We build it failsafe because your career depends on it and so does ours.

MORLEY	6855 Vineland Ave., North Hollywood, Ca. 9160
	g and crazy bumper sticker check, money order for mad, mad 4 color n T-Shirt.
NAME	
ADDRESS	
CITY	STATE 7IP

Special half price offer with this coupon.

Take Your Pick

Whichever DOD product you choose you'll find consistent high quality design and materials.



hen we design a product we keep the musician in mind all the way. We demand a product that is functionally superior and to ensure that it will stay that way we use rugged name-brand components such as CTS, Carling Switch, National Semiconductor, Texas Instrument, Switchcraft, etc. We also

feature solid Die-cast Zinc and Aluminum cases and FR-4, G-10 Glass epoxy circuit board. All our products are hand assembled and individually tested by qualified technicians and have a full oneyear warranty on parts and labor.

For further information write or call:



Electronics Company, 2895 South West Temple Salt Lake City, Utah 84115, (801) 485-8534

MuirMusic

MUSICIAN IN MANCHESTER
Brings you
BURMAN Pro Series

Valve amplification hand built for you

Place your orders now for the new 502, 2000 and 4000 heads




PRO 4000

We are now Manchester's leading stockist of the Leech range of amplification and speaker cabs including the Poker and Super Pro P.A. range.

ATTENTION DRUMMERS

The main drum agents of the dynamic Pearl drum range, plus other top quality drum products.

Now introducing, an expert drum repair and renovation service by Dave (Skid) Marks, Manchesters leading drum adviser.




Muir Music 289 Chester Road, Manchester 15. Tel: 061-834-1532.



the anguyate







model 230 guitar amplifier 160 Watts RMS at 5% THD into 2 Ohms 125 Watts RMS at 5% THD into 4 Ohms 34" plywood with interlocked dado construction Features: High and low gain input jacks, bright switch, treble, midrange and bass controls, a footswitchable gain compensated master volume control, a footswitchable reverb control, and footswitchable 5 band graphic equalizer. Preamp in/out bypass jacks for internal patching of accessories. LED indicators note power, reverb, EQ and master volume status. Will accept 120 and 240

Volt supply. Dimensions: 612"H x 1112"W x 2612"D

Shipping Weight: 35lbs. model 400 stereo power amplifier 375 Watts RMS/per channel into 2 Ohms One LED overload indicator per channel Features: Dual power supplies, separate input level controls, separate power switches, high speed fan cooled, rack mountable. RCA pin type (phone) and 14" standard phone jack inputs on front and rear, banana plugs and 14" standard phone jack outputs. Thermal and short circuit protection without programme interruption

Dimensions: 83 4"H x 19"W x 19"D Shipping Weight: 67lbs

Features: Two switchable channels with flexibility to operate separately, combined or be switched between the two.

Footswitchable 5 band graphic equalizer. Six in/out preamo jacks allow patching of effects between preamp and power amp for optimum performance and give access to Channel A. Channel B or both combined. Treble, midrange and bass controls. Input pad and bright switch on each channel. LED indicators note power, EQ and channel selection. Two section foot switch "Power Boost" switch provides punch for low gain instruments.

model 220 bass amplifier 160 Watts RMS at 5% THD into 2 Ohms 125 Watts RMS at 5% THD into 4 Ohms p'ywood with interlocked dado construction Features: High and low gain input jacks, bright switch, treble, midrange and bass controls, power boost switch, and footswitchable 5 band graphic equalizer. Preamp in/out bypass jacks for internal patching of accessories. LED indicators note power, EQ and channel selection. Will accept 120 and 240 Volt supply.

Dimensions: 612"H x 1112"W x 2612"D Shipping Weight: 35lbs

ENCLOSURES	Model 403	Model 406	Model 302	Model 813	Model 408
Power Handling Capacity Watts (Maximum Amplifier Output)	200	200	125	175	300
Nomina Impedance Ohmis	4	4	ğ	4	2
Enclosure Type	Snaled Syltem	Front Loaded Vented Buffle Tuned Reflex	From Loadild Turied Refiex	Front Loaded Horr with Tuned Refrex	Turled Combination Roller
Speaker Complement	4-12 \$ркг	2-15 Spkrs	1-12 Spkr Lows 1 Holn Mid: 2-Pi 735 H. Jh	15 Sper Lows 1 Horm & Dr. er .* ds -Piczos Highs	4-15 5°krs
Overall Size Inches (HxWxD)	261 x ½1 x 16	43:1::211	20+241,+151,	40= 6 + 1+	50x261 x20
Shipping Weight Pounds	100	130	95	115	142

Construction: 802 and 813 models: 341 plywood with interlocked dadoconstruction and hard coat finish

Available in the U.K. only at:-

Street-0224 54512

Bamsley Kitchens of Barnsley, 33-Peel Street -02265867 Bedford: Mr. Music, 18 St. John's Street -0234 50861 Belfast: M. Crymble Ltd., Dublin Road -0232 26818. Bradford: Kitchens of Bradford, 26 North Parade -0274

Cardiff: Sound Centre, 9 St. John's Square –0222 34018 Edinburgh: Grant Music, 53-53a Home Street –031-228

Hemel Hempstead: Mr. Music, 24 Bridge Street -0442

Kent: Unisound, 48 High Street, Chatham -0634 44068.

Leeds: Kitchens of Leeds, 26 Queen Victoria Street -0532

Liverpool: Hessys,62 Stanley Street -051-236 1418 London NW6 Unisound, 213 Kilburn High Road -01-624

Loughborough Music Centre, 18 The Rushes -0509 30398

W. Midlands. Modern Music, 30 Castle Hill, Dudley -0384

Newcastle Upon Tyne: Kitchens of Newcastle, Higham House, New Bridge Street –0632 22965 Newport: Sourid Centre, 107 Commercial Street –0633

66814. Tredegar: Sound Centre, 91 Queen Street -049-525 2203.

The protection department

Every Acoustic Amplifier carries a 12 month parts and labour guarantee.

THIS IS THE EMS POLYSYNTHI



An entirely new concept in live performance synthesizers. At last the problem of combining a genuinely large range of special effects with instant and dependable patch switching has been solved.

● Equally tempered, fully polyphonic oscillator bank, easily tuned and completely stable, covering nine octaves in six overlapping ranges.

• Four-octave standard keyboard with three simultaneous outputs — polyphonic, position dependent control voltage and pressure dependent control voltage.

• Two comprehensive voltage controlled low frequency oscillators with variable waveforms.

oscillators with variable waveforms.
Two ADSR envelope generators with LED displays.
Analogue delay line for echo,

• Analogue delay line for echo, chorus, flanging and reverberation effects.

• Panel ergonomics specially designed for ease of operation plus perfect reliability under concert conditions. LED-indicated control voltage switching, colour coded function areas, clear legending and logical layout give the performer an enormous range of easily patched, repeatable effects.

• Optional add-on polyphonic sequencer allows even greater flexibility. Up to ten minutes of polyphony can be stored and

edited by this unique device. Hundreds of special effects with pinpoint accuracy using the latest microprocessor techniques. No other available sequencer offers a truly polyphonic memory. The programming is based on the research at the EMS computer studio, and uses many of the techniques developed specially for this very advanced studio.

 No special training needed you command, POLYSYNTHI does it.

The EMS POLYSYNTHI is played by means of a 4-octave pressure sensitive mechanical keyboard. This supplies polyphonic information to the oscillator bank, plus two control voltages corresponding to the highest note played and the pressure applied. These voltages may be routed to the other devices.

Above the keyboard is a 6-bus switching system. Coloured switches allow the performer to choose between two low frequency oscillators (VCLFO), two envelope generators (ADSR), and the

two keyboards control outputs (highest note position and pressure). The switches are centre-off and situated directly below the device to which they relate. Coloured LEDs indicate which voltages from the busses are being routed.

The main panel is divided into five coloured sections. The two red sections are the CONTROL units: envelope follower, the two voltage controlled low frequency oscillators and the two ADSR envelope generators. The centre (blue) section contains the sound SOURCES: the three waveforms from the oscillator bank, the output from the noise generator, and an external input. These sources are mixed together in any desired proportion. The two yellow right hand sections contain the TREATMENTS. One section has the voltage controlled switchable two- or four-pole filter and the voltage controlled amplifier. The other has the analogue delay line (ADL) with voltage control of delay and with variable feedback and mix.

Electronic Music Studios (London) Ltd, c/o Peter Zinovieff, The Priory, Great Milton, Oxford. 08446-729

DO YOU NEED QUALITY?

DO YOU NEED SERVICE?

DO YOU NEED RELIABILITY?

DO YOU NEED FINANCE?

Then call

MXEN COUND REINFOR-CEMENT

LIMITED

and ask for Graham or Malc

0246~71177

MANUFACTURERS OF SPEAKER ENCLOSURES FLIGHT CASES, RACK MOUNT SYSTEMS, MULTICORES AND STAGE BOXES, REELS AND MIXER MODS, PLUS HIRE SERVICE.

You don't have to go to these extremes to get superbecho. Now's the chance to win one Free Free Free Free The first 5 Electrolabs new modular echo units to be won. electrolabs All you have to do is tell us what you consider to be the most important features of the Bell Electrolabs modular FX system Easy clip-together modular system. ${f B}$ Central mains power supply for all effects. Conversion kit available to run your existing pedals One year's guarantee. П Low noise and fully competible. Two leads only for any number of effects. Each unit has a LED (light emitting diode) to show when it is on.

1st	2nd	3rd	4th	5th	6th	7th
ords wi	int you	look fe	or in a	good s	cho ur	nit.
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
	ords wi	ords what you	ords what you look fo	ords what you look for in a		ords what you look for in a good acho ur

The King of Valves



Genuine Gold Lion valves are something very special. Hand built, utilising advanced pumping techniques and individually tested to a very tight specification indeed.

Qualities that are needed more than ever now that the Hi-Fi enthusiast is demanding better and better sound.

Sound which only valves of Gold Lion's quality can help produce.

Gold Lion KT77's and KT88's covering 30-200 watts, are available now from M-OV along with data and distribution details. (A list of M-OV distributors appears opposite.)

Long live the King. Long live quality-sound.

S682

(TM) Trade mark of M-OV Audio Valves.



M-OV

SEC

ARGENTINE REPUBLIC

English Electric Marconi Argentina S.R.L. Casilla Correo Central No. 4476, Av. Antartida Argentina 801, 1836 Llavallol, Lomas de Zamora, Buenos Aires 1000 Tel: 243 8020-29 Telex: 0122253 B.A

GEC Automation and Control, Electron Tube Dept., 373 Horsley Road, Milperra 2214, Sydney Tel: 77 0551 Telex: AA20807

SAIT Electronics, 66 Chaussee de Ruisbroek, 1190 Brussels Tel: (02) 376 20 30 Telex: 21601

IGB Ind Gradiente Brasilieras S.A., Staub Agency Division, Caixa Postal 30–318, 01000 Sao Paulo. Tel: 61-1131-37 Telex: STEL BR 011 23135

EEV Canada Ltd., 67 Westmore Drive, Rexdale, Ontario, M9V3Y6 Tel: (416) 745 9494 Telex: 06-989363

Cable and Wireless Systems Ltd., GPO Box 4477, Mercury House, Connaught Road Central, Hong Kong. Tel: 5-2831385 Telex: HX 74000

Classen-Smidth Import A.S., Virkeholm 3, 2730 Herley. Tel: (02) 91 30 66 Telex: 35134 CSI DK

GEC Composants s.a., Departement Tubes Electroniques, Tour d'Asnieres, 194 Avenue des Gresillons, 92606 Asnieres Tel: 791 44 44 Telex: 610471F INELMEC

WEST GERMANY

Nucletron Vertriebs GmbH, 8 Munich 50, Postfach 50 01 80. Tel: (089) 14 60 81-85 Telex: 5215297

Telmaco Ltd., 8 Sekeri Street, Athens 138 Tel: 36 08 443-6 Telex: 21-9185

Aimil Sales and Agencies Private Ltd., B5 Gillander House, P.O. Box 440, Calcutta 700 001 Tel: 223304 Telex: 021 7731

Marconi Italiana S.p.A., Via Adige 39, 00198 Rome Tel: 85 30 41 Telex: 610272 MARCONI R

Cornes and Co. Ltd., C.PO. Box 158, Tokyo 100-91 Tel: 272 57771 Telex: J24874

NEW ZEALAND

GEC (New Zealand) Ltd., P.O. Box 50-244, Porirua. Tel: 75 409 Telex: 3421

SINGAPORE

The General Electric Co. of Singapore Private Ltd., Magnet House, P.O. Box 4046, Bukit Timah, Singapore 21. Tel: 663011 Telex: RS21508

SOUTH AFRICA

Marconi (South Africa) Ltd., P.O. Box 14289, Wadeville 1422 Tel: 34-5903/9 Telex: 8-6003 SA

Eurotronica S.A., D. Ramon de la Cruz 90, Madrid 6. Tel: 401 5200 Telex: 27284 EUROT E

Hongkong Trading Co Ltd., PO Box 724, Taipei

Tel: 771 9473/771 9704 Telex 11017 PROTEXOL

TRINIDAD AND TOBAGO

CARTEL-Caribbean Telecoms Ltd., Post Bag 732, Port-of-Spain, Trinidad W.I Tel: 62-37727, 62-38122

EEV Inc., 7 Westchester Plaza, Elmsford, N.Y 10523. Tel: 914 592 6050 Telex: 710 567 1215

A MEMBER OF THE GEC GROUP

BUILDING A STUDIO?

Listed below is a fraction of our new and used stock as of Feb. For an up to date monthly mailer give us a call and get your name on our mailing list



FOR EXAMPLE

AMPEX AG350 4 TRACK HALF INCH USED, RSD 16 INTO 4 NEW, PAIR TANNOY DEVONS NES, CROWN D180 AMPLIFIER NEW, SIX ASSORTED AKG MIKES NEW, 4 PAIR CANS, 2 SOUND TECHNIQUES FOLD BACK AMPS – £2700 + 8% VAT.

USED EQUIPMENT
Alice ACM 20 x 8 x 16 1 year old, £5750
Audio Developments 8 into 4, £1000
Studer J37 4 track immaculate, OFFERS
Studer J37 4 tracks electronics, convert above to 8 track, £300
Ampex AG350 4 tracks, £1200
Ampex AG40 Studer Electronics replay only, £700
Eventide Delay Line, 3 delay line modules, 1 harmonizer module, £2300
Lockwood Major soeakers with Reds, £400 pair
Compressor Limiters. Various

Compressor Limiters, Various

Crown, Various

Revox A77 7%/15 ips internal amps and speakers, £480

Eventide Flanger, £350 Eventide Phaser, £200 Masterroom B Reverb, £500

Masterroom B Hevero, 1340
Used 1/2" tape, £5 per reel
Used 1/2" tape, £10 per reel
AKG 202's, £55
16 and 24 track machines and large consoles. List on application.

NEW EQUIPMENT
B.E.L. Electronics 8F20 Stereo Flanger, £450
MXR Digital Display, £783.16
MXR Digital 2 x 15 graphic equaliser, £275.67
31 band graphic, £293.73
MXR Limiter, £103.02
MXR Auto Phaser, £146.15
MXR Auto Flanger, £213.58
Secom Di box SMIA £32.55
Secom Deluxe active Di box, £63.42
Secom CTIA cable tester, £28.10
Pro Audio 27 way graphic, £286
Pro Audio 27 way graphic, £260
Pace 27 way graphic, £225
AKG D12, £65
AKG 202, £70
AKG 204, £90
AKG D190C, £40

AKG 224, 190 AKG D190C, £40 RSD Studiomester 16 into 4, £850 RSD Studiomester 12 into 2, £410 RSD Studiomester 12 into 2 B, £560 ALL PRICES EXCLUSIVE OF VAT


50 Cheapside, Luton, Beds. Tel. Luton 27195, 26693, 422387, Telex: 825488



50 Cheapside Luton Beds Tel Luton 27195, 26693, 422387 Telex No. 825488 Ans back DONLAR G

THE PROFESSIONALS SHOP

Have you played through our K100 Reverb Combo?



You haven't! Well we would strongly advise you to give it a blast at your local Laney dealer before you buy your next combo. The K100 Reverb Combo is a compact, powerful true 100 watts RMS combination amplifier with unique contour tone shaping circuits, Reverberation, Tremolo, Top Boost and the unique Klipp, controlled sustain circuit. We have even provided a headphone output for practising at home. Try it out at one of our dealers this weekend.



Laney amps and Laney dealers make a great combination.

ASHFORD BARNET BARNSTAPLE BATH BEDFORD

BEVERLEY

BEXHILL

BINGLEY

ARRAMANINRIB

BOLTON

CHESTER CHESTERFIELD CHISWICK CHORLEY COVENTRY

CREWE DARLINGTON DERBY DUDLEY

GATESHEAD GLOUCESTER GUILDFORD HARROW

Music Ltd Wallers The Music Shop Biggles, Music Albert Baalam Music Chtr Music Box & Sound Sence Ken Stevens Drum & Juntar Centre Six vish Music Ltd Dawssons

Dawsons Hudsons of Chesterfield

Part Mair Music
Jany Music
More Music
Treauer Music
The More Music
The Rick Shop
Casi Music
Bit Greenhalph Music
Bit Greenhalph Music
Sound House
Music
Mu

HOUNSLOW HOVE HUDDERSFIELD

HULL ISLE OF WIGHT LANCASTER LEAMINGTON SPA LEEDS

LEICESTER

LEIGH (LANCS)
LEIGH ON SEA
LEYTONSTONE (LONDON)
LIVE RPOOL
LEWISHAM
LOWESTOFT

MAIDSTONE MANCHESTER MARGATE MIDDLESBOROUGH

MOULD
NEWCASTLE UPON TYNE
NEWCASTLE UPON LYME
NEWPORT
NEWTON LE WILLOWS
NEATH
NORWICH

NOTTINISHAM

OLDHAM ORPINGTON PETERBOROUGH PLYMOUTH PONTEFRACT PORTSMOUTH

Lindo Centre
Schang Co
Organ Loft's
Music Wirold
J P. Cornell
Ryde Guitar Crit
Albert B. alam Music Crit
Treasure Music
John Savage Music Centre
John King

John King
Hobbs Music
Buzz Step Sound Chir
J Scheener & Sons Lid
Stephen Musical Inst
Central Music
Cusali Musical
Humblocker Music
Shims Ltd
Tim Gerale Music
Freedmans Musical Inst
Curly Music
South Esteric Ent
Mortings House of
Music

Mortings House of Music Matthews Music Matthews Music A 1 Music Centre Pepper Husic Clevelan 1 Music Emmerson Music Jamarich Music Sook Ci v Ken Woodley Gwent Music Centre Newtor Music Bert Verle Cookes

Rock Island
Derek Cadde Music Ontr
Treasure Music
Hamlyrs
Cornelf,
Courtny & Walker

REDHILL ROWFORD ROSS ON WYE

SITTINGEDUF NE SOUTHAMPTON SOUTH SHIELDS STAFFORD STAINSFORD IDONCASTERS STOCKPORT

STOKE ON TPENT

WAKEFIELD WARRINGTON CROTTAW

WESTON SUPER MARE WINCHE TER

WOLVERHAMPTON

ARERDEEN AIRDRIE EDINBURGH GLASGOW

FORFAR HAMILTON INVERNESS DUMFRIES DUNDEE HTRAP

Ki yhoed d Marmony
Soundwee
Ross Soundhouse
Sound Centre
Tressure Music
Johnson i Soundaround
Misseal Sounds
Somson i Soundaround
Misseal Sounds
Somson Wusic Coty
Ron v and
Music Centre
The Bity Pinn Mouse
Music Centre
Music Ground
The Bity Pinn Mouse
Learning
Lea

C Bruce Willer
Wiskinson
sames Grant
Ken Hughes Music
McCormacks
R B. Music
Hamilton Music Cott
C Bruce Miller
Len Frobishes Ltd
Mickey



If you would like further information please contact -Electronic Manufacturing (Sales) Ltd.

Devonshire House, High Street, Deritend, Birmingham B12 0LP Tel, 021, 772, 7145/3669, Telex, 336409, Fiesta

RECORDING

RIDGE FARM, DORKING

he old cliche about "getting it together in the country" has become as much a part of rock 'n roll folklore as concept albums and recluse superstars. But the fact remains that many artists prefer to get away from it all when they feel like being creative—particularly when they're recording.

As a result, there has grown up a number of studios set in the country, the most famous of which is probably the Manor in Oxfordshire. The latest addition to this exclusive fraternity is Ridge Farm, situated on the border of Surrey and Sussex near Dorking.

The first thing that hits you when you arrive at Ridge Farm is the way that little has been changed from the original farm set-up. There are farms either side of the property, and nothing to suggest that Ridge Farm is part of the rock 'n' roll syndrome. However, in just a short time some of the biggest names in the business have wound their way down those country lanes.

The studio is run by Frank Andrews, whose family actually own the farm. Frank paid his dues working on lighting rigs touring the world, but after his last big gig, touring with the Stones, he decided it was time to quit and lead a saner lifestyle. But he maintained his interest in the music scene and the farm seemed an obvious place to start.

He explains: "We decided to convert the barn into a rehearsal studio, because it lent itself to it. It just seemed like a good idea at the time, so we went ahead and it was quite successful from the start. We began in 1976 and had bands down like Queen, Back Street Crawler and Robin Trower.

"We never pushed it in a heavy commercial sort of way, but business


STUDIO OF THE MONTH





studios, remaining intact. The result is a fully sound-proofed studio with a working floor space of 1200 square feet.

The decor has remained in keeping with the rest of the building, the studio being comfortably furnished, fully carpeted, heated and available for use 24 hours a day. Frank explains: "We had to do very little modification to the actual room. We've really been 24-track since July when we had the old control room downstairs, but it was a bit inadequate as far as space was concerned. The sound was OK in there and we made some good albums in there, such as Bad Company's Desolation Angels, and all the backing tracks for the Roxy Music Manifesto album were done nere. The biggest



RECORDING WORLD



operation was "floating" the control room on a 10" thick concrete raft and excavating the area beneath to make a variable acoustic environment."

The console is a 28/24 MCIJH400 series quadrophonic desk and tape machines are 24-track MCI JH100 series with autolocate and varispeed and MCI four-track/two-track reduction machines. The monitors comprise four JBLs and two Lock woods powered by Ameron DC300 amplifiers and there are the usual range of top quality

mikes and studio accessories such as Eventide Digital Delay, Flanger and Harmonizer

The engineer at Ridge Farm is Mike Dunne who has a wealth of studio experience and works closely with Jon Anderson. He was also in favour of keeping alterations on the building to a minimum. "The acoustics in there were so good previously that it seemed a foolish idea to try and change everything. Bands were attracted here because it sounded so good in the room itself and they enjoyed working in there. We didn't want to tamper with it because it might have spoiled the atmosphere."

The accommodation and amenities at the farm contribute greatly to this overall atmosphere. Up to 14 people can be accommodated on the site which includes a separate cottage with double bedrooms, bathroom, kitchen and lounge. There are also five double bedrooms in the main farmhouse, and all the rooms have central heating. Ridge Farm boasts its own chef as well, to provide three full meals a day of good farmhouse cooking.

No country recording studio would be complete without its recreational facilities and Ridge Farm is no exception. There is a heated

swimming pool, snooker table, tennis courts and a sauna in addition to the 12 acres of English gardens with orchards, fields and woodlands. However, Frank is quick to point out that Ridge Farm is a working studio and definitely not a holiday camp for jaded musicians. The local hostelry deserves a mention, too. If you are a connoisseur of good real ale, then the pub down the road will be an essential part of your visit.

It is also worth noting that there is a workshop at the farm, so repairs to gear at any time of the day or night are no problem. There is usually no shortage of gear, for Frank's brother Tony runs a PA hire company.

The list of people who have used Ridge Farm for rehearsals includes Queen, Robin Trower, Thin Lizzy and Black Sabbath, while the roster of studio bookings is becoming equally impressive with Bad Company, Roxy Music, the Pop Group and the Slits among recent clients.

Handily placed for London, Just 40 minutes' drive, the studio seems set for success and will be particularly popular with those musicians who long for a taste of rustic life but usually get no nearer than listening to the Archers.

Central... Manchester's own 8 Track Studio The Gateway to Success!

Built and designed by professional engineers and musicians with musicians in mind.

Whether this is your first studio requirement, or your one-hundred and first, you will be made to feel equally at home and be given every assistance and guidance by a team of highly qualified people who understand your problems.

We offer eight track recording at its very best, plus, a special production, publishing, custom pressing and promotion service.

We will quote you a firm price on enquiry don't feel rushed our price will hold firm until the job is finished.

e.g.: Did you know that including all charges, you could produce 1000 LP's from as little as £1.00 each.



Central Sound Studio 91, St. James Street, Manchester M1 4PH.

GROUP THERAPY

You set the standard and we maintain it.

We can service any make of amplifier and are HH and Revox specialists.

For systems design, backline, frontline care, and modifications to your requirements ring
Tony Brittain or Syd Hogg on 580 5352 or call in to see us at
Gibson Brittain Associates Ltd, 38; Store Street, London WC1

ATTENTION, MANUFACTURERS AND DISTRIBUTORS THE LOWEST PRICES ON PIEZO SPEAKERS. AND IMMEDIATE DELIVERY.



Here are the prices

Quantity	√ ر ر ر بحا	Malaria relia Amari Malaria relia Amari
100	60(^ A(00 A) }*e(es ect	CF US\$ 713
	C FA 170 FA F	
250		. r.
500		44?
1000		3 77
2000		3.57
5000		3.49

We are pleased to quote on any of your chierness prements for loudspeakers. Musical in true exits

Please contact us

West American Distributing

P (Box 1910-1 Irvine CA 92713 USA (71.1.770 + 9.4.1 Tele. + - 1493



FREE DELIVERY STRAIGHT TO YOUR DOOR

	1		-1
		 *	
GUITARS	100	1	
Guitars			

PAI	ART EX WELCOME		NO DEPO	OSIT HP	ACCESS & BARCLAYCARD								
GUITARS		Kramer Artist Bass, a piece of c	lass ¹	£463 00	Crumar Roadracer electric plano	£283.00							
		Musicman Stingray bass, most c	olours	£379 00	Korg MS 10 synth	£199.00							
Guitars		Musicman Sabre H guitar, most	colours	£339 00	Korg VC 10 vncoder	£625 00							
(All set up and serviced free of charge to the original purchaser)		Guild B 301 bass, most colours		£251 00	Korg 500 Micro preset	£252.00							
	Einc VAT	Guild \$ 3000 guitar, Twin Dima	irzios, humbuckers	f345 00	Korg 700 S synth	£375.00							
Yamaha SF 500, most colours, superb guitars at silly prices	€220 00	Guild \$ 600 guitar, 2 Dimarzios		£241 00	Korg 900 PS preset synth	£399.00							
Yamaha SF 700, most colours	£257 00				Korg 1000 polyphanic synth	£625.00							
Yamaha SF 1000, most colours	£303 00	ACCHICTICS			Korg 2000 polyphonic synth	£695 00							
Yamaha SC 800, new model, strat type, single coil p/ups	£290 00	ACOUSTICS			Wurlitzer electric piano	£515.00							
Yamaha SC 1200, new model, straight thru nect	£372.00	Martin D 28, with case											
Yamaha SA 2000, semi, bags of punch, natural or s/burst	£350.00	Martin D 35, with case			A SADO O O A DO								
Yamaha BB 800 Bass, great, funky bass	£279 00	Levin W 36			AMPS & CABS								
Yamaha 88 1200 Bass, rock 'n'roll monster!	£385 00	Levin WR 34											
Yamaha SG 1000, most colours	£443.55	Levin W 325			Roland JC 120 watt combo 2 x 12" with chorus, reverb	£463.00							
Yamaha SG 500, most colours, amazing value	£299 50	Yamaha, all acoustics in stock,	superb value, from	£ 65 00	Roland GA 60 Watt 1 x 12" R + P speakers	€369.50							
Yamaha SG 2000, most colours, excellent sustain	£529 50				Roland GA 120 watts 2 x 12" with graphic	£370.00							
Yamaha SG 1500, gutsy quitar, most colours	£434 50	WENDO 4 D DO			Roland GA 120 watts as above with R + P speakers	£467 00							
Gibson Les Paul Custom, black, wine	£460 00	KEYBOARDS			Intermusic Imp 1 x 10" practice amp combo	£57 24							
Gibson SG Standard, most colours	£365 00			£inc VAT	Intermusic 2 x 12" 100 watt combo, phase, reverb from	£227.88							
Gibson Les Paul Standard, most colurs	€460 00	Yamaha CP 30 full size, touch s		£750 00	Intermusic 100 watt quitar top, phase & reverb from	£207.36							
The Paul', natural wood finish, great reviews!	£299 00	Yamaha CP 70 B electric grand	stereo, superh	€2380.00	Intermusic 120 watt bass top with phase from	£172.80							
Gibson RO Custom, natural	£495 00	Yamaha SS 30 Strings,		£672 00	Redmere Pro soloist 2 x 12"c combo, flange, graphic etc	£593.00							
Gibson RD Artist, natural	£540 00	Yamaha CS 10 mono synth		£299.00	Peavey Deuce with phase, 2 x 12"	£348 75							
Gibson SG Special, s/hand, walnut, with trem	£299 00	Yamaha CS 50, 4 note polypho		£1080.00	Peavey Classic VT 50 watt combo with phase	£252.00							
Gibson Les Paul Deluxes from	£425 00	Yamaha CS 60, 8 note polypho		£1799 00	Peavey Backstage 30, 17 wett combo	£85.00							
Fender guitars, all models in stock, all colours, from	£265 00	Yamaha CS 80, 8 note polypho	nic with memory banks	£3800 00	Peavey Artist 1 x 12" 120 watts	£348.00							
Fender basses, all models, most colours, from	£251 00	Yamaha CS 30 mono synth		£616 00	Peavey Mace 120 watt 2 x 12"	£427 00							
Peavey T 60 guitar, natural, high quality at sill prices	£252 00	Yamaha CS 30L synth		£692 00	Peavey TNT 45 watt combo	£195.00							
Peavey T 40 Bass, just arrived, super powerfull	£252 00	Micromoog monophonic synth		£399 00	Peavey CN Centurion 130 watt bass top, graphic								
Rickenbacker 4001 bass, steren, most colours from	£399 00	Multimoog synth, 2 nscillators		f607.00	Hi watt 100 watt custom valve top	€219.24							
Rickenbacker 4000 bass, mone, most colours from	£375 00	Minimoog, 3 oscilators		£845.00	Hiwatt 50 watt custom valve top	£195.75							
Rickenbacker 420 solid guitai	£223 00	Polymoog keybuard, 14 preset		£1795 00	Peavey standard guitar top 130 watt	£217.50							
Rickenbacker 320 semi acoustic, 3 p/ups	£381 00	Polymoog synth, full keyboard,	fully polyphonic	£2550 00	Peavey Bass top 200 watts	£277.50							
Rickenbacker 6/12 string	£995 00	Roland SH 1 mono synth		£426 87	Peavey 4 x 12" cab	£ 199 00							
Hamer hand-built guitar, dot s/burst + Dimarzios	£564 00	Roland SH 3A mono synth		£456 30	Peavey 1 x 15" folded horn PA/bass bin	£186 00							
Hamer hand-built guitar, custom, natural + Dimarzios	£614 00	Roland SH 5 mond synth		£799 00	Peavey 2 x 15" bass cabinet	£197 00							
Ibanez MC 100 musician guitar Ibanez MC 200 musician	£221 50 £247 50	Roland SH 2000, presets with v	ariable section	£599 00	Peavey 1 x 18" folded horn cabinet, new model 200 W								
		Roland RS 202 strings		£525 00	Marshall 100 watt MV valve top	£205 57							
Ibanez MC 300 musician Ibanez MC 400 musician	£273 50 £368 50	Roland SH 505 string synthisize		£913.00	Marshall 50 watt MV valve top	£167.25							
Ibanez MC 800 musician	£414 50	Roland Jupiter 4, 4 note poly, 1	with memory panks	£1360.00	Marshall 100 watt transistor top	£109 00							
Ibanez 2700 guitar, superb quality, inc. case	£414 50 £523 00	Wasp synth, 2 oscillators	U. aalumbaas	£199.00	Marshall 100 watt MV valve combo 1 x 12"	£295.00							
Kramer DMZ 2000, 2 dual sound p/ups (Dimarzio)	£323 00 £390 00	Arp Omni string/synthisizer, fu		£1299 00	Marshall 100 watt 2 x 12" country valve combo	£355.00							
Kramer DMZ 3000, 3 fat strat Dimarzios	£369 00	Arp Axxe with 'Little Brother' Logan String Melody II	expander, wit i model	£499 00 £455 00	Marshall 50 watt 2 x 12" MV valve combo	£240 00							
Kramer fretless bass — superb1 very rare	£383 00 £433 00	Hohner Planet 'T'		£293 25	Marshall 100 watt 2 × 12" MV valve combo	£330.00							
Kramer 350 B bass, super clean sound	£325 00			£312 80	Marshall 100 watt transistor combo 2 x 12"	£245 00							
Kramer DMZ 4000 bass, super crean sound	£325 00 £459 00	Hohner K4 strings		£312 80 £237.00	Marshall 4 x 12" 100 watt cabinet, straight/angled	£155 00							
Ly remies must anno pass' scince ed	1422 00	Crumar Roadrunner electric pia	MO OTHER	1.237.00	Marshall 4 x 12" 120 watt cabinet, straight/angled	£168.00 /							

Rock City Music, 10 Mosley Street, Newcastle-upon Tyne, (0632) 24175 Open 6 Days.



drawn but alert. He gave us a grin and

a quick hug of welcome. We went into

the cool elegant Swiss control room.

Most studios I've been in have an

urban staleness redolent of late night

chain smoking, but this one was fresh

as a mountain stream. Gleaming

equipment, thick pile carpet, rough

stone walls, very chic. Three small TV

screens gave a fragmented impression

of the studio itself - drums, mike

to the control room, but David had

chosen the intimacy of a small studio

up a winding stairway, where there is

little screening between the instru-

ments, and the piano is blanketed by a

huge white fur carpet which cascades

to the floor like the mountain slopes

mixing desk, a small, dark expatriot

New Yorker. He is cheerful and good

company, which helps create a relaxed

atmosphere in the studio and disguises

his efficiency which can match David's

fast pace of working. David had been

Tony Visconti was sitting at the

There was a vast studio next door

stands, Carlos tuning a guitar.

In the studio with Bowie

This month sees the release of David Bowie's first studio album since "Heroes". At the time of going to press, no release date had been fixed and even the title seemed in doubt. although "Lodger" seemed the likeliest contender. Most of the recording was done last September in Switzerland, between the European and Far East legs of Bowie's '78 world tour, The musicians he used in the studio were all members of his stage band: Carlos Alomar (rhythm guitar), Adrian Belew (lead guitar), Dennis Davis (drums), Simon House (violin), George Murray (bass) and Sean Mayes (piano), aided and abetted by Brian Eno on synthesizers, tape loops and baton.

Bowie's methods of recording are unique. He assembles songs = at first without words - from fragments of instrumental music and electronic sounds. Often the musicians themselves didn't know quite what they were playing or what it was destined for. In an IM exclusive, Sean Mayes (who also plays piano with rock 'n' rollers Fumble) recalls the chaotic,

the studio.

creative days there a few days with the rhythm they spent in section - Carlos, George and Dennis

outside.

ake Geneva is a beautiful stretch of water = a small sea surrounded by mountains and sunny vinevards. At one end of the lake is Montreux, a quiet, elderly Swiss resort, and down by the water in this unlikely setting is the Mountain Recording Studio

Simon and myself, the two British members of the band, had flown out that morning from London to Geneva. We stepped out of the car to see a familiar group of figures standing around in the hot September Dennis, Adrian, George, Brian (Eno) and a skinny figure with a crew cut: David needed a shave, and looked

and he started by playing the backing tracks they had recorded so far. These were just roughly mixed with occasional fragmentary ideas for vocals. David sat there, his eyes bright, sometimes singing a bit - "Yassassim!". "Red sails . . ." I remember - and telling us some of the instrumental lines he wanted here and there. My immediate impression was of some very lively music, everything more "up" than his recent work, but as yet there was virtually no synthesizer or lead guitar.

This was just riffs and rhythms. They

all had working titles - This tangled

web, Portrait of the artist, etc., but I

BY HIS PIANO PLAYER

don't think any of these survived onto the final album; they were just for reference

Over the next couple of days we laid down a few more basic tracks, this time with all of us playing. David or Brian would provide the chord sequence, often quite a short one, and we would play this over and over continuously. These chord sequences were produced by various methods, sometimes almost at random. On one occasion Brian, who is a quiet English eccentric, wrote out a collection of cards with chords on them - B flat, F. C, E, G, E flat, Am, Cm - then pinned these on the wall and, giving us a basic rhythm, pointed to these with a baton as the spirit moved him, while we played. (There was some grumbling about this "back to school" session.) Sometimes one of them would suggest a different tempo or change the rhythm, and we'd play the whole thing over again for a while.

At the end of the day Tony would run off rough mixes of everything on reel-to-reel for them to take away, listen to and cut up. The next day they would be back with spliced tapes, often loops, then these edited versions would be reproduced by splicing or looping the unmixed multitrack master and copying it onto a fresh tape, which would become the new master and all further recordings would be done on the remaining tracks of this tape. I'm not sure now which tracks of this album contain loops, but an obvious example for this method on Heroes would be Blackout, where the whole song is built on two basic structures over which the vocals create three distinct sections, including Get Me off the Street which fits over both backing structures. This method seems to work because David has such a strong lyrical sense. He has a way of producing vocal lines which spring from the roots of the music - something which became obvious to me on tour when he recreated each song every night, often subtly varying the vocal line.

David was very keen on spontaneity - he liked everything to be recorded in one or two takes, mistakes and all, and when someone seemed to be getting too familiar with what he was playing David would get him to play something else. Often when he chose which section of something to make into a loop, he would pick the part with the most mistakes, which by being repeated became an integral part of the song. Sometimes he proceeded

RECORDING WORLD

seriously with much thought, at other times the approach would be light-hearted, almost frivolous. For us as musicians it could be puzzling, even frustrating, but when the music took off we would enjoy it in the spirit of a jam, not knowing what the result would be or what on earth it would become after the dynamic duo had been busy with their scissors.

On one occasion, everyone swapped instruments – Tony on bass, George on drums, Carlos on organ, I think, and Brian on piano. The track became the single Boys. Another time someone was sent to the local music shop to borrow three mandolins which Adrian, Carlos and Tony strummed and tracked – on Amazing Journey (or whatever it's called!).

A few days after I got there all the basic tracks were down and Carlos, George and Dennis flew back to New York. Then Adrian, Simon and I would alternate in solo sessions in the studio while the others played frisbee in the gardens outside. These sessions were pretty intense: I would sit at the piano, Tony in the control room, and David would run up and down between us, humming ideas. On Africa, for instance, I played rhythm for most of

the track with a solo in the middle - a fairly grandiose theme in classical style. We went through it bit by bit, David sitting beside me while I made notes. I played it through once with the track then we recorded it - four times, note for note, and the tape speed was fractionally altered each time so the piano was out of tune with itself to produce an underwater sound. Somehow I got through it all without a slip, so then we went on to the next track, then the next. By the end of the day I was left with no clear impression of anything I had played - it was like remembering a phone number just long enough to dial it. It only came back to me again when I heard the finished LP a few days ago - half a

We worked fast, and I was through just five days after I arrived. Notes from the last day: Take a huge sandwich to studio, consume in the sun till people arrive. Brian plays through a tape he's been editing and looping ("Here we go loop de loop," hums Tony). David says, put on Fury. Tony: That was Occident Prone. Brian: What a terrible pun! David: That was Brian's. Brian: Yes, I'm sorry, I've been playing with words

again. Finally - See you in Sydney, David says.

That was seven months and a Far East tour ago. David and Brian did more work on the backing after we left, then it stayed like that until this March, when David took the tapes to New York. He wrote all the words in a week, working at a white heat inspired by the city. He did one section with Roger Powell (keyboards on tour) and some more work with Adrian — the end of one number consists of three guitar solos on separate tracks mixed in and out, David playing with the sliders like a TV game.

I have listened to the album a few times now, and though I may of course be biased. I'm sure it's one of his strongest ever. It has vital rhythms and vivid colours and is bursting with ideas. There is an immediacy and liveness which I like to think reflects the great feeling the band had on stage. There is little point in my reviewing the album — plenty of people will be eager to do that — but I found it fascinating to be part of the making of it, and to glimpse some of the inspiration of this bizarre but very human genius.



Steve Lillywhite

The image of record producers is usually of men who are the Svengalis of the music industry, the all-powerful figures behind the control desks who have hit singles etched into their well worn features.

Well, Steve Lillywhite is a producer, but he doesn't fit into any stereotyped image. For a start, he is only 24 which is young for a producer by any standard and he looks even younger!

Steve may be a comparatively new face on the producing scene but he already has an impressive string of credits to his name which range from Siouxsie and the Banshees, XTC and the Hot Rods through to British reggae band Steel Pulse and just about every act on the Island label which is where he's based.

He has been in the business for eight years, yet retains a vitality and enthusiasm for the music and the bands which is refreshing in what is essentially a very jading medium. Steve's entry into the world of sliders and faders came in the time honoured fashion via tape op, through to engineer and finally producer. He gained all his early experience in the Phonogram studios, engineering on sessions from Harry Secombe to Status Quo, and it was here that he got his first taste of producing.

"I did produce a couple of things at Phonogram," he admits, "but nothing of any note, but sometimes when the studio was empty, we were allowed to work on our own projects. I became interested in a band who eventually became Ultravox. We did some demos and they signed to Island. I did their first album and everyone seemed to like it so I was offered a job at Island.

"I didn't come to Island as a producer to start with. I worked on a few things and then got involved with the Hot Rods and worked with their producer Ed Hollis. We stuck together as sort of a production team for a while and this was at the height of the punk thing, so we were going into the studio and making singles really quickly. We'd have three groups coming in in one day.

"However, you've always got to re-assess the records you make and the market they're aimed at and there are a lot of things you could get away



with in those days. Now you've got to spend a bit more time because the competition is so intense. Ed and I eventually split up and I was offered a producer's contract by Chris Blackwell which is pretty good because it allows me to work with other record companies and I'm not tied to Island acts."

Steve sees his role as that of an A&R man as well as being a producer and emphasises the importance of getting to know the artists you are working with and their music. "You've got to be an A&R man as well because there's an old saying 'You can't polish a turd', and it's true. It's got to be good, got to be something you believe in if you're the producer. If you're an engineer it's different because you're paid to do it. As a producer you're responsible for that piece of plastic and right from the start you've got to do the things you want to do.

"I think relationships are extremely important all the way along the line, because artists need to be handled properly to get the best out of them. No one wants to make a record and not enjoy it. My way of thinking is that music is fun, OK it's serious in a certain way, but I think people listen to music for enjoyment, so you've got to make music with enjoyment."

Steve's enthusiasm and ideals have so far remained unsullied by the music business. He declares himself to be "on the group's side" when it comes to making records and believes that they tend to get a raw deal. "I'm all for the group, I'm always on their side as opposed to the record company's because I think they get such a bad

THE PRODUCERS

deal and are only given one chance. Record companies are so bad. They sign a band up and if they haven't made it on their first or second album they're out—it's disgusting. Some companies are good, they keep their acts a long time, and Island are great like that.

"When you believe in an act you've got to build them up. There's too much of this 'star for a day' thing and it can really screw people's heads up if you are a band. It's a big fallacy about groups becoming rich from a hit single, it really is. I know the wages of some people and it's really sad. If you are a songwriter you tend to get a lot more, but for the drummer of a band with a Top Ten record, he just gets a wage.

"All a record deal amounts to is a bank loan, so I'm all for the band. I think producers get paid too much, quite honestly."

Steve enjoys being an A & R man because it gives him an opportunity to see a lot of new groups and get to know the ones who have something to offer. This policy paid off when he spotted the Members whom he nurtured along, doing demos with them before they got a recording deal He then produced their single, Sound of the Suburbs, which was a hit, and subsequently their album.

So what does he look for in a new band, what are the qualities which he feels they need to make good records? "The first thing is whether I like them or not, that's all anybody wants from a record. Obviously, the group have got to be competent musicians, and the singer's got to sing relatively tunefully, although there are things you can do in the studio. There are some singers who just do one take and that's the master. One of the ways I do it is to get him to sing it three or four time completely through on different tracks. Then afterwards I run through each track and pick out a line-by-line thing, so you get the continuity of a continuous vocal.


"I've worked with lots of producers who just start the tape and the singer comes in on the first line and if they get the first line wrong, it's back to the beginning again. By the time you've finished you think, well, they could have done it a lot better in just one go. What I like doing is keeping the flow going and then afterwards picking out the best yocal line.

HIWATT



Hiwatt Bulldog SA112FL

HIWATT, PARK WORKS, 16 PARK ROAD, KINGSTON-ON-THAMES, SURREY, ENGLAND. TEL: 01 549 0252/3



Yorkville Sound 80 Midwest Road Scarborough, Ontario, Canada MIP4R2 P.O. Box 71 56 Harvester Avenue Batavia, NY 14020

World Radio History

RECORDING WORLD

"Good equipment is also really important because so many people blame studios for their own mistakes. I mean, you can't have a tin-pot drum kit and expect it to sound like something really good. You've got to work on your instruments at source, you've got to get the right sound.

"Although studios look ever so flash and you think you can do anything with them, it's not strictly true. All it is, is treble and bass controls really and it's much better to get the sound out in the studio. Like the old Fender Twins for instance have got a really lovely echo sound. You get a Shadows-type echo, but you can never get that type of echo off a studio desk because it's too clean."

When it comes to studios, Steve have no real favourites. He mentions the Town House, the new Virgin studio, as being really good, and does a lot of work at De Lane Lea and Phonogram. But on the whole he is pretty flexible about where he works. He is more interested in the actual studio room than the console with all its gadgets.

"I love Eastlake for recording because there are loads of places in a room where you can put things because of the live and dead areas. It is the studio rather than the control room where the actual sound comes from, so there has got to be the right atmosphere for a group to play their best. I've just done my very first mix in an Eastlake room. I've always veered off them for mixing because it never sounds like a record player that I've ever heard. The whole Eastlake thing is that wherever you stand in the room it sounds the same and no-one's record player at home ever sounds like that

"As far as all the equipment goes, it's not for the music, it's for the commercial value just to get people to use the studio. You don't really need it all. I mean it's good, records now quality-wise are a lot better, but what you don't get so much now is a feeling captured on record. I like to try and get a bit of both.

"Like on a backing track, it doesn't have to be spot on it's just got to feel right, but I know some producers who put groups through hell by keep doing it again and again and they lose interest in it. I like working quickly."



Many producers have developed their own sound on records which is instantly recognisable, but Steve is adamant that he tries not to impose too much of himself on the group's record, which is, after all, their product. He admits that being a relative youngster in the business can have its drawbacks as well.

"One of the problems with me at the moment is an age-respect thing, I couldn't go into the studio with a really big band. I'd walk in there and they'd say, 'Oh, here's the tea boy,' I think psychological things have got a lot to do with it, they don't want me telling them what to do, Normally I work with people my age anyway, and I always get on with people I work with, I think that's very important. I take each project completely separately and do a lot of homework beforehand. I listen to songs in demo form, have meetings with the group to discuss things and put through suggestions to try and give some impetus and get people thinking about their songs."

Although he has gained his reputation with mainly New Wave acts, Steve feels he would like to start working with really top class musicians to broaden his scope. The one artist he would dearly like to work with is Bruce Sprinsteen: "I'd be a tea boy on one of his sessions."

Steve is now in the enviable position of being able to pick and choose the work he does. "The beauty of being a producer is that no-one wants you to produce something if you say you don't like it. So all I've got to say is, 'I honestly don't think I could do a good job on it," and that's it. That's what so good about it."

And you can't really ask for better job satisfaction than that.

David Lawrenson

THE MARK III SERIES

Finally... Amps as contemporary as your music!

Series is, without question, the most advanced and most versatile line of instrument amplification systems on today's market. Until you've experienced Until you've experienced playing through a system with the performance and flexibility of these new amplifiers, you can't appreciate all the possibilities of playing an appreciate instrument. electric instrument.

THE MUSICIAN

- 200 Watts RMS @ 1% THD, 4 Ohms
- Two channels with pre and post on each Individual channel equalization
- equalization
 Six-band graphic equalizer with in/out switches on each channel
 AUTOMIX function selects either or both channels with remote
- channels with remote
- footswitch

 Channel LED indicators

 Phase with color and rate
- Master reverb
- Input preamp, send and
- Preamp and line outputsPower amp input

THE BASS

- 200 Watts RMS @ 1% THD, 4 Ohms
 Two channels with pre-and post gain on each
- channel landividual channel equalization
- Six-band graphic equalizer with in/out switches on each
- channel

 AUTOMIX function selects either or both channels with remote
- footswitch
 Bi-amping capability
 with variable crossover
- points
 "DDT" compression
 circuit with LED
 indicator and in/out
- PARAMID and mid shift equalization Channel LED indicators Preamp and line outputs Power amp input









- 130 Watte RMS @ 1% THD 4 Ohms
 Two channels with pre and post gain on each channel
- Low, mid and high
- equalization

 PARAMID and mid shift
- controls
 AUTOMIX function
 selects either or both
 channels with remote
- footswitch LED channel indicators

Master reverb Preamp and line outputs Power amp input THE CENTURION

- 130 Watts RMS @ 1% THD, 4 Ohms
- Two channels with pre and post gain on each
- Individual channel
- equalization

 Parametric equalization

 AUTOMIX function
- selects either or both channels with remote
- LED channel indicators
 "DDT" compression
 circuit with LED
 indicator and in/out
- Preamp and line outputsPower amp input

These features give you an indication of the Mark III Series' versatility and performance, but specs and features mean little unless you can plug-in and experience for yourself. See your Peavey dealer for a demonstration, he'll show you why unbelievable values are still a reality with Peavey.



PEAVEY ELECTRONICS 711 A Street Meridian, MS 39301

"The Company That's Doing It."

RECORDING WORLD

Guardian Studios, Co. Durham

Terry Gavaghan is a hard-working engineer who has just completed a self-produced album by Splinter, a modern band managed by Chas Chandler. The album is called Hot On The Heels. Splinter are due back very soon for another LP . . . Local punk band Piranha Brothers are taking a bite into the biz with a single . . . Chris Kool Band are also recording a single produced by Hilton Valentine (another ex-Animal) . . . Tyne Tees telly, Trident and local radio stations often use Terry's skills for material like the theme music for Live On Friday, written and produced by Peter Saint for Tyne Tees.

The Manor, Oxfordshire

Where Bliss Band recorded their album engineered by Mick Glossop and produced by Geoff Westley . . . And Public Image Limited are recording an album but apparently they're also fiddling about with some numbers taken from their first album. The work is self-produced but the engineering is done by Hugh Padgham . . . Gallagher and Lyle are expected to record an album there but at time of press no further details are available.

Roundhouse, London

Osibisa were mixing their selfproduced LP with engineer Ashley Howe . . . French rocker Dick Rivers got producer Bob Bloomfield and engineer Mark Dearnley to help him with his future album . . . Hawklords were mixing some tracks with producer Doug Smith and engineer Trevor Hallesy . . . Hi-Tension were recording and mixing their single . . . AC/DC were preparing an album with producer Mutt Lange and engineer Mark Dearnley . . . Look out! The Bay City Rollers are back with a single produced by Peter Ker and engineered by Trevor Hallesy . . . The mixing of a selfproduced live EP by Chas and Dave is in the care of Mark Dearnley . . . Bruce Welch is producing Allan Love's next single . . . Disco band Match are recording a single produced by Frank McDonald . . . Producer Ken Gold and engineer Ashley Howe are working on a single by the Real Thing . . . Uriah Heep are recording and good luck to them . . . Do you know the Motors? If you don't, you soon will. The band are currently mixing their next single with engineer Trevor Hallesy.



Osibisa

Maison Rouge, London

The mobile unit crossed the channel to record Rainbow's next album . . . In a castle! Engineer Tony Taverner has recorded Richard Digant's single for Chrysalis with producer Hugh Murphy . . . A single by Alan Love who stars in the stage production of Tommy is being finalised . . . Cowboys International is their name and Colin Thurston is producing their next single . . . Rose of Maison Rouge describes Steve Flannagan's style as sexy rockballads: Rose's pet of the month has an album coming out on Legion Music, produced by Tommy Eyre and Ken Burgess . . .

Trident, London

Rod Argent left his keyboards to produce an album by Colin Blunstone with engineer Steven Short . . . A video-cassette of Γ ina Turner in full

CBS, London

Produced by Geoff Morrow, ex-Three Degrees Fayett Pinkney is recording an album with engineer Steve Taylor . . . Micky Anthony is producing various artists including Hot Gossip, Feat First and the James Boys. The singles are engineered by Steve Levine and Simon Humphrey . . . Disco band the Dance People are recording an album produced and engineered by Graham Dickson and Steve Levine . . . S. Humphrey is also engineering an album by Scott Fitzgerald for United Artists; the producer is Jonathan Hodges . . . Tina Turner and Alex Constandinos seem to go from one studio to another. CBS is being used for overdubs and the engineer is Mike Ross . . . The lovable Elkie Brooks is recording tracks for A&M with producer Barry Blue and engineer Mike Ross . . . Newcomer Roy Winston sings and you'll be able to hear him on a single produced and engineered by Steve Taylor . . . Park Lane Records have signed on pop band Ritz and tracks are currently being recorded by engineer Ken Gold. who also takes care of the producing.

STUDIO DIARY Who's been recording what, where ...



ELETTRONICA

62019 Recanati, Zona Industriale, E. Mattei, Italy.



THE LARGEST MANUFACTURERS OF AMPLIFIERS, AND P. A. SYSTEMS IN ITALY

PA System 1500/3000

Is an incredibly compact 8 channel Mixer/Power Amplifier system with built-in Echo and Reverb facilities. The 1500 system includes a powerful 150 watt amplifier and the 3000 system a 300 watt amplifier. Both systems fold up into a rugged carrying case which is ideal for small groups and club artists. Write in for our colour leaflet on the PA1500/3000 system.

United Kingdom enquiries to the sole UK distributors of FBT products:

The Chairman, 2A Greek Court, Old Compton Street, London W.1. Please send me details on the FBT PA range Name

Innovative, Contemporary & Earthy Strap Designs For;

I The World's Finest Guitar Straps for the CREATIVE NUSICIAN!

Innovative, Contemporary & Earthy Strap Designs For;

I Electric & Acoustic Guitar

I Electric & Resonaphonic Guitar

Just feel one on and See,

A Silver-Eagle Strap
Is a Strap that will
be used for a Life Time!

Ask For These Brand Names at Your Music Dealer!

Send \$1.25 for Full-Colo 8-page catalog & receive FREE Silver Eagle Sticker

OUTINA STRAF

Mundalin





14850 Oxnard St. Van Nuys, Calif. 91411 (213) 786-8696 We Also Have 18"x 24" Color Posters Men's & Ladies T-Shirts 1979 Silver-Fagle Designs Inc

AMAZING HALF-PRICE OFFER



XCLUSIVE TO IM READERS

Studio Workshop is a complete education in sound and recording. In six cassettes and booklets, it tells you ali you ever wanted to know, from the physical laws of sound, through the basics of the studio, to the techniques of multitrack recording.

Learn how to record your instrument to its best advantage. Learn how to mike up your band in the studio. Learn how to make the most of a recording session.

includes:

- A Free Visit to a Recording Studio
- Free use of the Sound Swop Shop
- A Direct Line to Musical Promotion, who will Promote your Recording

The whole work shop normally costs £30. Until the end of May only, it is available to readers of International Musician at the amazing price of £15, including VAT and postage.

Don't miss out on this opportunity. It could be the beginning of your recording career!

To: Cover Publications Ltd., Grosvenor House, 141-143 Drury Lane, London WC2. (Mark envelope D'Arblay Workshop Offer)

Please send me a D'Arblay Sound Studio Workshop kit, plus information on a free visit to a studio, free use of the Sound Swop Shop and a free direct line to Musical Promotions. I enclose cheque/postal order for £15, which includes VAT and postage. (Make cheques/POs payable to Cover Publications Ltd.)

Name															
Address		٠					٠	•	٠			٠			
			·												

RECORDING

Producing by degrees

BY JOHN EASON

number of top producers seem to have drifted into the profession by accident, having started out as musicians and then become more interested in what was going on in the control room than what they were playing. Others have been involved with the technical side from the start and have never really played an instrument.

But now a third breed is evolving. Graduates from the Tonmeister course at the University of Surrey in Guildford. They are musicians with a practical aptitude who have been trained in a four-year degree course to become expert recording technicians with a solid scientific grounding in the trade.

Many established people in the recording world look down on the academic approach but the graduates of this course have an impressive track record. One of them, Tony Spath, is now head of Strawberry Studios at Dorking.

And the man who has just taken over as lecturer in recording techniques on the course also has an impressive history. David Pickett started out in satellite communications before joining Abbey Road studios where he worked on everything from heavy rock to opera. Although his original training was in electronics he is also a musician and took a part-time degree in music at Goldsmith's College.

His special field has been reprocessing old records to make them fit for modern equipment. This has ranged from remastering ancient wax cylinder recordings of a Lincolnshire folk singer to turning out an LP of old Deep Purple singles. He was also the man responsible for getting the clicks and scratches out of the Top 10 hit On the Trail of the Lonesome Pine Working with Alan Warner, the mastermind behind these revivals, he went on to give us As Time Goes By and a number of compilation albums.

The anti-academics might wonder, if he has done so well coming in at the ground floor, why he bothers trying to run a university course. "We are trying to teach the students in four years what took me eight years of study," he explains. "When I was at school it was impossible to study physics and music together. I had to do it separately. Now the students have a chance to mix those subjects — which must be good."



David first became interested in teaching while working at Abbey Road where, from time to time, engineers from overseas studios were shoved in for a few days' training. But he found that it was virtually impossible to teach them anything in the chaotic conditions of a fully working studio. "Engineers who come in on the ground floor don't always learn the fundamental principles. You haven't got time to teach them. Here we have an opportunity to teach them from square one."

Students on the Guildford course study maths, physics, electronics and acoustics. But they are expected to be musicians first and foremost. They must play an instrument and are expected to take part in the musical life of the faculty, which includes a lunchtime concert by students and staff every week. (This concert is also recorded by the students as a technical exercise.) They also study the history

of music, contemporary music, harmony, counterpoint and orchestration.

"We are training musicians to be engineers rather than the other way round," says David. "Thy must be able to talk intelligently to the musicians they are going to record."

After two years at university the students spend one year in industry. This year's industrial batch are currently working in Abbey Road, Air Studios and Studio G. "They have a whole year to relate the knowledge they gain here to what happens in a commercial studio. In a year they can become useful members of staff, so it's a beneficial exchange for both parties."

The students spend part of their fourth year working on projects of their own choosing. Current work includes research into the best method of recording jazz without destroying the spontaneity of a session and an investigation into different ways to record a drum kit.

RECORDING WORLD

David Pickett feels that this research side is one of the most important aspects of the university's course. "We have got people with ears who do understand recording and have the time and enthusiasm to experiment. We can get them to re-examine old concepts and they are willing to work on new ideas. And we have captive musicians. If they want to experiment on the best way to record a piano piece. they can collar one of the piano students from the music course and get him to play the same piece 25 times if need be, while they experiment with microphones. The cost of this in a professional studio would be terrific and who are they going to get to play the piano? All we have to do is keep our piano player supplied with beer.'

David would welcome commercial sponsorship. If manufacturers would like to send their latest equipment to the university he and his students would be only too glad to try it out. One field the university hopes to investigate is quadraphonic sound. "I think quadraphonic is an excellent concept but it hasn't made it big because there hasn't been the opportunity for the necessary experiments. Neither the public nor the recording companies were ready for it."

This may sound arrogant until you stop to think about the contributions that university researchers have made in other scientific fields. Why not recording? In fact, as recording techniques become more advanced, David Pickett feels there will be an increasing need for the tonmeisters who, because they understand the scientific principles behind the equipment, will be able to cope with the equipment of tomorrow. While not going as far as Kim Fowley (who decried stereo as the cocaine needle of the recording industry) he certainly feels that techniques have already outstripped the skills of many engineers.

The university's equipment, although good, is certainly not the equipment of tomorrow. Some of it is certainly the equipment of yesterday. But Dadid feels this is a positive advantage rather than the reverse: "If the students can do a recording session on less than the state-of-the-art equipment they are much better placed to manage on a session where things go wrong. Even if you have the best equipment in the world there are sessions where you have to improvise. This is where the good engineer distinguishes himself."

The university has its own studio with a 16/4 Neve console, a Calrec mobile mixer and a wide range of stereo tape recorders. There is also a mobile studio which has travelled all over the





country. The Guildford studio is in almost 24-hour-a-day use as tonmeister students carry out their pet projects or are badgered into helping out students from the straight music course.

Getting onto the course is the hardest part. There are only eight places a year and, as the course is unique, entrance standards have to be rigorous. David and his fellow lecturers have just finished a gruelling session interviewing possible students selected from almost 80 candidates who have applied for entry in October '79. Candidates are expected to have A-level music and physics at good grades, and preferably maths as a third subject. They have to be able to perform satisfactorily on a musical instrument. But most important is personality.

For those who can get in, the work is hard but rewarding and does give them a good grounding in recording. More realistic in fact than many

anti-academics may believe. instance; on the day of my visit the students were hard at work in the studio recording the latest opus of one of the music students. In the morning a funky jazz-rock backing track had been laid down by three of the music students on guitar, bass and drums. In the afternoon and evening students of strings, brass and woodwinds had been coerced into doing overdub sessions. It all sounds a bit too easy? Well, come the afternoon session, the string players had all vanished, delayed by lectures and other commitments, leaving one lonely harpist playing in a corner of the studio while the tonmeister students rushed about frantically trying to scrape together a scratch string section

A real foretaste of the hassles to come in real life — and if the course can teach them to cope with that, it can be no bad thing.

the strong, silent type.

Because Hill power amplifiers feature highly efficient external heat dissipation, you'll find no noisy fans which could break down in mid-session in our amps.

This realistically priced precision audio range includes our unique QX50: four modular 50 watt self-powered amps in a 5¼" (133 mm) rack. Our comprehensive range of quality amps also includes a tri-amp, the TX 400, with built-in electronic crossover.

They are also compact and light: even our largest, the DX700, is only 3¼" (89 mm) high, weighs just 16kg. The DX140 is only 9½" (240mm) deep.

Hill amps are reliable, with output devices capable of 6 times the rated output.

0.002% THD 200W/8ohm 1 kHz 0.01% IMD measured SMPTE 4:1, 60 Hz/7kHz.

0.04% THD W-400W, 20 Hz-20 kHz (DX700).

Crosstalk:-80 dB, 20 Hz—20kHz. Low output Z. 0.01 ohms, 20 Hz—20kHz.

4 uS rise time 25VuS slew rate. Many optional extras. And a five year unconditional guarantee! Just part of the range of precision audio equipment by Hill.

			8		4
DX700			260W		425W
DX500			185W		350W
TX400	2	Х	115W	+	190W
DX350			115W		190W
			8		4
DX200			175W		- W
DX140			80W		105W
QX50			60W		100W
QX50 MX50			60W 60W		100W 100W



Malcolm Hill Associates, Hollingbourne, Kent.

London Sales Office: (01) 381 3446 6 Lillie Yard SW6 1UD

Studio Sales (02204) 2060 15 Greenfield Close CB2 5BT

More Than Great Specs, Great Ideas.

For the past three years we've been telling you about the benefits of using graphic equalizers; now we've made it even easier to appreciate them. Introducing the MXR Dual Fifteen and Thirty-One Band Equalizers. Two equalizers designed with the imagination and understanding to solve your toughest equalization problems. Designed for use in either studios or sound reinforcement situations, our new egs offer features not previously available at any price.

The Dual Fifteen Band Eq features two channels of equalization with the bands set two-thirds of an octave apart. By breaking the frequencies down further than conventional octave equalizers, you now have the flexibility to contour your music with much greater selectivity. As most musical information occurs in the midrange, this is where you need even more definition, and the Dual Fifteen Band Eq gives you six bands of contour in this area rather than the usual four. In addition, each channel has its own level control.

The Thirty-One Band Eq divides the frequency spectrum even further. A single channel unit, the Thirty-One Band features frequency bands set one-third of an octave apart, generally regarded to be the optimum amount of resolution.

When used in conjunction with any PA system, our equalizers can make a bad environment sound good, and a good performance sound great. Unlike parametric equalizers, the frequency response change is immediate and easily visible, so that when you shape a response curve you know what it's going to sound like.

Both units feature a range of -12 to ± 12 decibels on each band, standard 19" rack mount, and the rugged construction you always get with an MXR product. Both units also feature phone plug input/output connections. (the Thrity-One Band also features Cannon type XLRs), high slew rate (7V/microsecond), and incredibly low noise (better than ± 90 dBM). But not only do we offer great specifications, we produce great ideas... you wouldn't expect any less from us.

Atlantex Music Ltd., 16 High Street, Graveley, Herts., England, (0438) 50113





MODEL 105 The computer-matched loudspeakers.

To get the best possible stereo image, you need the best possible match between the loudspeakers.

At KEF we produce matched sets of high, mid and low frequency units, using our unique computerised test facilities. Moreover, our total system approach to the design of the enclosures and the dividing networks, means that we can deliver Model 105 in pairs that are nearer to the ideal



'match' than any previous loudspeaker. KEF pioneered the use of computer digital analysis in loudspeaker design, and you, the listener; can now hear the results: the most life-like musical quality and the most astonishing stereo perspective.

Write for the full technical story and the name of your nearest dealer, who will be glad to give a demonstration.

KEF Electronics Ltd









UNDERSTANDING SYNTHESIZERS

PART 12

n this article I am going to describe a fascinating synthesizer module called the "sequencer" which is most commonly used to generate repeating patterns of notes, although it can be used in many other ways, for example to generate new low frequency waveforms. Whereas the modules I have described in earlier parts of the series are to be found in most synthesizers, with the possible exceptions of the ring modulator and sample-andhold module which I described last month, sequencers are rather different. Because they contain large numbers of controls, sequencers tend to be manufactured as separate items. For example, both the ARP sequencer and the Roland System 100 sequencer are physically separate units which connect into the synthesizers via external leads.

Although the number of controls may make them look daunting, sequencers are really quite straightforward devices which all work in essentially the same way. As there are one or two features of synthesizer design which are particularly relevant to the use of sequencers, before starting to explain how sequencers work and how they are used to produce today's music I am going to go over these particular points again. (More detailed descriptions can be found in Parts 5, 7, and 8,)

Adding control voltages

the synthesizer's voltagecontrolled modules, for example the VCO, VCA and VCF, receive control voltages from a number of sources, the contributions from each source being added together within each module to produce one final control voltage. In the case of the VCO, shown in Fig. 1, the sources of control voltage are usually the keyboard module (providing the keyboard voltage) and the LFO. As I mentioned in Part 10, VCO modules often have an external input socket so that an external source can also contribute to the final control voltage. On their way to the VCO itself, the voltage from the external source and the LFO's waveform pass through sensitivity controls which allow the contribution from each source to the VCO's final control voltage to be adjusted. For example, the LFO sensitivity control adjusts the depth of the vibrato effect (if the LFO's sine wave is selected) or the separation of two notes in a trill (if the square wave is selected).

What has all this to do with sequencers? The answer is that a sequencer is another control voltage source which connects to the VCO, or for that matter to any other voltage-controlled module, through an external input. Whatever voltage the sequencer might supply to the external input, a proportion depending on the setting of the sensitivity control is added to the contributions from the other sources.

A simple sequencer

The front panel of a simple sequencer containing six identical knobs, six

lights (only one of which is lit at a time) and a "step" button is illustrated in Fig. 2. In what follows I am going to assume that the sequencer's output is connected to the external input of the VCO module and that the corresponding sensitivity control is advanced to maximum, so that the whole of the sequencer's output voltage contributes to the VCO's final control voltage.

Let's suppose that the first light is lit. This signifies that the sequencer's control voltage output is currently determined by the setting of knob 1. Pressing the "step" button once causes light 1 to go out and light 2 to come




Fig. 1 In voltage-controlled modules, the control voltage is the sum of contributions from various sources. The VCO's final control voltage (CV) is the sum of the keyboard voltage and contributions from the LFO and/or an external source.




Fig. 2 A simple sequencer with six stages. The sequencer's voltage output is often connected to the external input of the VCO to produce varying pitch sequences.

on, indicating that the sequencer's output is now determined by the setting of knob 2 (and is unaffected by the setting of knob 1). Each time the "step" button is pressed, the next stage is selected, the sixth press returning control from knob 6 back again to knob 1. As the sequencer's output is controlling the VCO's frequency, in practical terms this means that each knob tunes the VCO to a particular note, enabling a player to preset a sequence of six notes before a performance.

The sequencer's steps and resulting notes will of course occur in whatever rhythm is tapped out on the "step" button. Fig. 3 shows how the sequencer's control voltage output might change if the six knobs are adjusted so that the VCO produces the notes C, E, G, D, E and G, and the indicated rhythm is tapped out on the "step" button.

Automatic sequences

In order to free the player from the need to keep pressing the "step" button, sequencers all contain an internal "clock", very much like the clock inside the sample-and-hold module (see Part 11). The clock generates pulses which can in effect tap the "step" button at regular intervals, so that the sequencer automatically advances from one step to the next. The rate at which the clock "ticks" can always be adjusted by a front panel control as illustrated in Fig. 4, the clock rate effectively governing the duration of each step. In the centre of this slightly more elaborate sequencer are three buttons: a "start" button which sets the clock running after first resetting the sequencer to step 1; a "stop" button which stops the clock, halting the sequencer on the current step; and the familiar "step" button which is used to advance the sequencer manually to the next step.

Single and repeated sequences

Sequencers can usually operate in two modes (see Fig 4). In the single-cycle mode, the sequencer generates its preset pattern of voltage just once, then stops automatically. In the repeat mode, the pattern of voltages is repeated endlessly until the "stop" button is pressed. In both cases, the sequence always starts at step 1 but can extend to any chosen step, depending on the setting of a multiple position switch called the "end step selector". In practice, this means that a sequencer with, for example, 12 stages can produce single or repeating sequences containing up to 12 steps.

Fig. 5 shows two sequences produced by operating a sequencer in different modes, and illustrates the use of the end step selector. The first four knobs have been set up to produce C, F. G and A. In the top example, the mode selected was "single cycle" and the chosen "end step" was number 4.




Fig. 3 How the sequencer's control voltage output would vary if the six knobs were set so that the VCO produced the notes C, E, G. D, E and G. The rhythm would be tapped out on the step button (see Fig. 2).




Fig. 4 For the production of automatic sequences, most sequencers include a clock (which can be started and stopped manually), a mode switch and an end step selector. A gate output is derived from the clock which can be used to trigger the ADSR module so that every note in a sequence can have its own envelope.




Fig.5 Examples of the use of a sequencer in the single-cycle and repeat modes. In single-cycle mode, the sequencer automatically halts on the selected "end step". In repeat mode, each cycle ends with the "end step" and the sequencer has to be halted manually by pressing the "stop" button.

Chappell

new larger showroom now open. 50 New Bond Street,
Gear Centre London W.1 Tel: 01-629 7600 Instrument Show

Group Gear Centre

Synthesizers, pianos, amps, cabs, electrics and basses, EXT.122

Instrument Showroom

Acoustic guitars, effects, pedals, brass, woodwind and all accessories, EXT. 8



NOW IN STOCK

55w	Bass Head	£304
100w	Bass Head	£419
100w	Lead Head	£444
300w	SVT Head	£640
8 x 10"	SVT Cab	£440
4 x 12"	Reflex Cab	£318
100w	V22 Combo	£524
15w	Studio Bass Combo	£473
20w	GT10 Combo	£200
20w	G100 Combo	£145
10w	GT8 Combo	£100

Aria Prall ELECTRIC GUITARS

PRO II ELECTRIC

	dollinito	
New SB1000	Bass-Active Eq.	£361
New SB900	Bass-2 P Ups	£324
New SB7 00	Bass-Transmit Neck	£248
New SB600	Bass-1 P/Up	£184
New TS600	Solid – Active Eq.	£238
New TS500	Solid-Gold Parts	£184
New TS400	Solid-Coil Tap	£169
New YS500	Solid-New Design	£239
New YS400	Solid-Inc. Case	£188
New YS300	Solid-Inc. Case	£154
New FS1000	Semi-Acoustic	£3 9 9

AMAZING

SYNTHESIZER OFFER:

Purchase any of the following synths for cash, and we will allow the original purchase price, less 10%, if you exchange synths within 6 months.

We believe this is the best deal available anywhere in the U.K. and allows you to improve your synth with your knowledge.

The Wasp	£199
Korg MS10	£250
Yamaha CS10	£373
Roland SH1 Special Offer	£429
Korg MS20	£425
Micromoog	£485

Guild ACOUSTICS-

We probably have the largest selection of Dreadnoughts and Folk Guitars in the U.K. **Dreadnoughts** –D25, D35, D40, D50, D55.

Folk-F20, F30, F40, F50.

12 String—F112, F212, F212XLNT, F412, F512 **Left Hand**—D25, D35, D50, F30, F50, F212

+ All Guild Strings, the Guild Acoustic Bass fitted with hot dots, and Barcus-Berry pick-ups.

KORG WE USUALLY HAVE THE COMPLETE RANGE OF SYNTHESIZERS IN STOCK PLUS:-

Korg WT10A Chromatic Tuners	£89
Korg GT6 Guitar Tuners	£39
Roland TV120 Chromatic Tuners	£75
Roland TV60 Guitar Tuners	£49
Roland Cube 20 Studio Amps	£150
Roland Cube 40 Studio Amps	£199
Pignose Practice Amps	£65
Vox 'Escorts' Mains/Batteries	£59

CARLSBRO ALL STOCK AT OLD PRICES

Constellation 12 / 2 Mixer	£337
M130 130w slave	£124
Marlin 130w P.A. Mixer Amp	£184
Cobra 60w P.A. Mixer Amp	£115
+ Full range of P.A. Cabinets	
+ All effects pedals in stock	
Stingray 150w Super Lead	£184
Stingray 150w Bass Head	£143
Stingray 100w Super Combo	£272
Stingray 100w Bass Combo	£247
Cobra 60w Bass Combo	£150

Ibanez NEW GUITARS. DIRECT FROM THE FRANKFURT FAIR.

1	Musician 500 – Carved Top, Active Eq.	£471
-	Musician 400 – Active Eq.	£419
1	Musician 300 – Tri sound pick-ups	£311
1	MC800 Bass	£313
ſ	MC900 Bass	£377
1	Artist 2700 Eq. inc. flight case	£541
	Artist 2622 Eq. 'Steve Miller'	£517
1	Artist 2710 - Tri-sound pick-ups	£508
	Studio 1200 Twin neck	£390
5	Studio 300 – 2 band active Eq.	£321
5	Studio 200 – 2 band active Eq.	£278

Roland Jupiter 4

KEYBOARDS £1,600

RS 505 Stri £1.100 RS 202 Strings £695 SH7 Synth £1,099 SH1 Synth Only £429 MP 600 Electric Piano Only £549 SH 2000 Preset £799 CR 68 Compurhythm Box £295 Boss 6 Channel Mixer £199 Boss KM 40 Mixer £165 All bass effects and jazz chorus amps.

Martin and OWI'ION

GUITARS JUST ARRIVED!

D18. D28, D35, and D28 – 12 New Martins. Try them and compare to our Guilds, Bozos and Ovations

We normally have the complete range of Ovations in stock (including all electric – acoustic models at 20% off R.R.P.)

AND THAT'S NOT ALL-

we have Gibson Les Pauls from £420, Fender Teles, Strats and Precisions from £250, Di Marzio, Mighty Mite and Gibson pick-ups & parts MXR, Boss, Barcus-Berry, transducers, Selmer saxophones, Bach trumpets, Muramatsu flutes, Aria, Ibanez, Fender and Yamaha acoustics, etc.

BURIMAN BOOGIES

- Hand-built, British Valve Amps.

Pro 501 50w1 x 12" Pro 502 50w 2 x 12" Pro 2000 100w 2 x 12" Pro 502 50w Head Pro 502 50w Rev. Head Pro 2000 100w Head Pro 2000 100w Rev. Head Pro 4000 100w Bass Head

4 x 12" Bass Cabinet

Ring us on 01-629 7600, ext 122 for current stock



BASSES - BRITAIN'S

UN-FLASHY ANSWER TO ALEMBIC.

Pro Bass IIE – Active Eq. £576
Pro Bass III – Fretless £576
Pro Bass III – 2 P/Up £468
Pro Bass III – Active Eq. £477
Pro Bass III – 1 P/Up. £387
Cases £65 Flight cases £122

Our Jack's got one, so they gotta be good ain't they?

BARP.

AND OTHER KEYBOARD OFFERS

	R.R.P.	Our Price
ARP Odyssey S/S	£1.046	£745
ARP Pro-DGX S/S	£1.002	£695
ARP Omni 2 S/S	£1,598	£1,095
Korg 800 DV	£835	£495
Hohner Duo Planet/ Clavinet	£772	£675
Hohner Clavinet	£539	£399
Hohner Planet	£345	£265
Roland SH 5 S/S	£1,063	£695
Roland System 100	£1,675	£1,195
Roland SH 1000 S S	£675	£495
Roland EP 30 Piano S/H		£395

electro-barmonix

STILL AT CRAZY PRICES!

Micro Guitar Synth	£130
Memory Man Deluxe	£99
Echo/Flanger/Chorus	£68
Funky Rhythym Box	£46
Electric Mistress Deluxe	£39
Clone Theory (Jazz Chorus)	£29
Bass Balls	£29
4-Channel Mini Mixer	£29
Small Stone Phaser	£22
Little Big Muff	£12
+ Many more (p+p £1.00 per unit)	

Come to Chappell, London's only musical department store, for a huge selection of quality equipment at competitive prices. Ring 01-629 7600 and see if we can help you.

WE ACCEPT PART EXCHANGE, ACCESS, BARCLAYCARD AND MOST OTHER CREDIT CARDS.

Opening hours: 9.30-6 Monday-Friday, 10-5.30 Saturday (Free parking in Bond Street after 1.30 Saturdays)

Pressing "start" set the sequence going, beginning with the first note (C) then progressing through F and G, and stopping automatically on A. (The output voltage set by the last knob is maintained indefinitely at the end of a sequence.) To produce the sequence shown at the bottom of Fig. 5, the knobs were not altered. The end step selector was moved to "3" and "repeat mode" was selected. On pressing "start", the VCO produced the notes C, F and G, repeating the sequence until the manual "stop" button was pressed at the start of the third cycle.

Step duration

You have probably already realised that in the sequencer I have described, when the clock is being used to produce automatic sequences, all the steps have the same duration. This limitation can be overcome by using more than one knob for each note, for example one note two steps long can be produced by setting two adjacent knobs to the same position. However, that approach is wasteful and a better method is to vary the clock rate during each sequence. As this is virtually impossible to do manually using the clock rate control, it is usual for manufacturers to make the clock rate voltagecontrolled. As I will explain next month, it is then possible to produce sequences containing steps of different duration. (More expensive sequencers allow the individual step times to be adjusted using an extra set of knobs, one for each step.)

Note envelopes during sequences

Earlier in the series (in Parts 6 and 7) I explained in some detail how the ADSR module is used to generate a waveform which controls the variations in loudness (i.e. envelope) of the synthesized sound during each note. Fig. 6 shows the usual set-up in solid lines, with the ADSR module being triggered by the keyboard gate pulse (which is produced every time a key is depressed on the keyboard).

If a sequencer is being used to control the VCO and if, as is most often the case, each note is to have its own envelope, then the ADSR module must be triggered by the sequencer at the start of each step. In effect the sequencer has to provide a substitute for the keyboard gate pulse. This substitute is easily derived from the sequencer's internal clock and is always available as a "gate output" from the sequencer. The proportion of each step time for which the gate pulse is present can usually be varied by a control marked "%" as illustrated in Fig. 4. Rotating this control has the effect shown in Fig. 7. From a musical standpoint, a "staccato" touch (tapping the keys) is imitated by the narrow (5%) gate pulses shown at the top of the diagram, and a 'legato" touch (playing smoothly) by the broad (95%) gate pulses shown at




Fig. 6 How to connect the sequencer into the other modules when synthesizing variable pitch sequences. The sequencer effectively replaces the functions of the keyboard module, providing a control voltage for the VCO and gate pulses which trigger the ADSR module.




Fig. 7 The width of the gate pulse output of a sequencer can be varied manually. Narrow gate pulses are used to synthesize staccato sequences and wide gate pulses to produce legato sequences.

the bottom.

The sequencer's gate pulses trigger the ADSR module in exactly the same way as the keyboard gate pulses, initiating the attack phase on each rising edge and the release phase on each falling edge. In effect therefore, the sequencer can replace both the functions of the keyboard module, providing a control voltage for the VCO and a gate pulse for the ADSR module.

Varying the pitch of sequences

Referring back to Fig. 6, you can see that the sequencer's control voltage output is added to the keyboard voltage, as I emphasised at the beginning. So far, I have tacitly assumed that before the sequencer's knobs were set up, the bottom note (C) on the keyboard had been tapped first, setting the keyboard voltage to zero.

Now suppose we had done this, then set up the sequencer to produce the notes C, E, G and A, and started it going in repeat mode. If at the beginning of the second cycle, bottom G was tapped on the keyboard, what would happen? Fig. 8 shows the musical result: all the notes would move up one fifth (the interval between bottom C and G). Press a different note on the keyboard at the start of each cycle and the whole sequence changes pitch, but the pitch intervals between the notes of




Fig. 8 By playing different notes on the keyboard while the sequencer is running, the starting note of the sequence can be altered. The keys do not actually need to be held down throughout each cycle because the keyboard memory holds the keyboard voltage steady after the key is released.

the sequence always remain the same.

In the example shown in Fig. 8, the synthesizer produces four notes for every note played on the keyboard. It is not hard to imagine that a sequencer and keyboard together can be used to produce sequences which are technically impossible to play on the keyboard alone. Sequencers are certainly an aid to the player, but are in no sense a substitute for him! Tony Horsman

Pity they didn't record Sgt. Pepper on it.

A lot of people consider Sgt. Pepper the most innovative rock album of all time.

What hardly anyone realizes is that it was recorded on 4-track equipment.

Of course, what 4-track meant in those days was a machine that weighed half a ton, relied on 1" tape for its living, and could only go to three generations before tape hiss became intolerable.

As we say, a pity the new TEAC A-3440

wasn't around to do the job.

Our machine weighs just 44lbs. Runs on ¼" tape. And together with its optional dbx unit will happily go to five generations before tape noise is even noticed.

But then all things considered, the A-3440 is a remarkable piece of technology.

In essence, it's a more sophisticated version of its predecessor, the A-3340S-a machine that's already set the gold standard for advanced 4-track performance and reliability.

But now switching has been considerably simplified. So that all key functions are controlled by a single Function Select Button.

Monitoring has become a lot more flexible. Allowing you to listen on cans to one or all four tracks without resorting to a separate desk or mixer.

There's an optional dbx unit available, the RX9, adding an astonishing 30 dB to the

overall S/N ratio.

And we've even built in a Pitch Control to alter tape speed by ± 5%. Which means you can add a piano solo weeks after your initial recording, and instead of tuning the piano, you you just tune the tape.

As you'd expect, the A-3440 is fully compatible with all modern studio systems, with a comprehensive range of TEAC back-

up hardware available.

That includes mixers, monitors, mikes, mastering machines, and as your system expands, a complete 8 or even 16-track capability. Postcode

If you'd like to hear more about the A-3440, simply post the coupon and we'll be happy to send you a free information pack containing full details.

Meantime, imagine yourself let loose on a machine that could have recorded an album like Sgt. Pepper.

Only better.

Please complete the coupon and send to: Harman UK, St. John's Road, Tylers Green, High Wycombe, Bucks HP10 8HR. Telephone: Penn (049 481) 5331. TP IM

Name_____Address

TEAC.



A loudspeaker advertisement for those people who think they've heard it all before.

If you think you've heard everything there is to hear about the compact loudspeaker market, JBI. have news for you.

It's called the L 50.

It's a truly remarkable new unit that's likely to become something of a standard for compact loudspeaker performance for years to come.

(And before you dismiss that as mere manufacturer's conceit, bear with us for a few more paragraphs).

The L 50 is a direct product of the highly innovative engineering techniques that resulted in the L 212 and L 110, JBI's 'ultimate' speaker series.

We used the same specialised computer analysis and laser interferometry methods to arrive at its highly efficient design.

We've even employed exactly the same crossover network as its bigger brothers, the most sophisticated unit JBL have ever produced.

And naturally our usual rigorous standards of construction have been applied to every single component that goes into its manufacture.

That's why you'll find loudspeaker frames that are cast in solid aluminium and machined to incredibly precise tolerances.

Voice coils that measure twice the diameter of those found in the average speaker.

Custom-designed cones built for minimum weight, maximum



The L50's precise vertical alignment of the 14" tweeter, 5" midrange unit and 10" woofer ensures near-perfect stereo imagery.

stiffness and minimum colouration.

Together with high-density speaker enclosures that even incorporates a unique fibreglass

acoustic resistance shell to provide optimum damping and a near-linear bass response.

It all adds up to a speaker that can handle more power, more efficiently.

As you can imagine, the L 50 deserves a fuller technical description than we're able to give it here, and we'll be glad to send you a free information pack on request.

Best of all, though, we'd like you to ask your nearest JBI. dealer for a demonstration of the L 50's uncannily smooth, accurate performance.

It's a performance of which a fully-fledged studio monitor could well be proud.

And more than anything else, it'll convince you that when you thought you'd heard it all before, you really were quite wrong.

I'd like to hear more about the 1.50 and the rest of JBI/s high performance speaker range. Please send me a free information pack.

Name

Address

Post Code

Address to. – Harman UK, St. John's Rd, Tylers Green, High Wycombe, Bucks. HP10 8HR. Tel: Penn (049 481) 5331.





World Radio History

HI-FI FOR MUSOS

James McGill and Chris
Rogers describe how
music reaches your
front room from
the recording session
— and explain how
you can help
yourself to hear
it better

Amplifiers


First-order priorities in a hi-fi amplifier include an evenly maintained frequency response, low distortion, low noise and a low level of interchannel crosstalk. A competent amplifier needs a good damping factor (detailed later), good power bandwidth and an integrity of mechanical engineering which will weather the ravages of time. On the input side, it needs to be able to handle a record deck, a radio tuner, two tape decks (with monitoring and possibly dubbing facilities) and a couple of auxiliaries. All are minimum requirements. Filters and tone controls are useful additions at the user's discretion.

The power you need in any installation depends on the sensitivity of your speakers, the size and acoustics of your room — and of course how loud you want to hear it.

Speaker/amplifier ratings need bear no close correlation — a low powered amp clipping its output into speakers of high input power capability is liable to inflict damage, whereas the same speakers driven with 500 watts of peak programme from an amplifier well within its range may be quite unaffected. Ultimately, the only sure equation is good reserve capability in both amp and loudspeakers to cope with programme peaks at the highest levels of drive.

These, then, are only first-order priorities for high fidelity rating. The second order of priorities deals with finer distinctions within these broad categories and also with subjective factors involved with the presentation of recorded material, in other words, factors of "excellence". To the "educated" ear, these differences are usually quite obvious — in much the same way as a musician distinguishes between a good and a bad instrument by sound and by handling. We drift here into grey areas of distinction between

(1)Quad 33 pre-amp (on top) and 405
power amp. Together: £315.
(2)JVC JRS501: £518.
(3) A & R A60: £140.
(4)Sugden A48 II: £216.
(5) Lecson AC1 pre-amp (right) and AP3
power amp. Together: £520.
(6) Left Pioneer TX9500 tuner: £260.
(7) Technics ST9031 tuner: £143.





I jour or mash the evolution of the second of the evolution of the evoluti

consider how music application at attended how well as a trivial provided with the provided how with the provided how much for a trivial provided how much for a trivial how much for a trivial for a trivial how the run to a form the people of a trivial how the run to a trivial how the provided h

1 10 10 10







hearing and "perception" — one conscious, the other less tangible — yet both part and parcel of the true appreciation of performance. Personal opinion, beyond the more mundane levels of performance, can become as important as the measured — or quite immeasurable — quantity. But then, the musician should be used to immeasurable quantities.


Tuners

No hi-fi system exploits its full listening potential without an FM tuner. There are three key parameters governing tuner performance:

Sensitivity The signal (in microvolts) required at the aerial input for a given signal-to-noise ratio (S/N). Generally, the *lower* the figure given for 50dB quieting, the more sensitive the device. As much as 10 times more signal may

"Rejection" The tuner's selective ability to discriminate against unwanted signals. This includes image rejection, IF, pilot tone and AM suppression. In the face of adjacent and alternate channel interference, there is a threshold above which a tuned signal if strong enough will "capture" a tuner's processors. The circuit will accordingly suppress these various encroaching signals to below audibility. A "capture ratio" of 2dB or 2dB may be good enough in a competent design, while some of the best devices boast a capture where wanted signal at the tuned frequency is as little as 1dB above level of the interference.

The presence in a tuner of a meter which registers signal strength and another which allows you to "centre tune" exactly on station are very useful additions.



be required for a given S/N in stereo reception as for mono. A top-flight tuner may suggest as little as 5 microvolts for 50dB quieting in mono and 50 microvolts for stereo.

Selectivity A tuner's ability to slice out only the desired transmission from the airwaves. A high figure in dB for selectivity is desirable in a tuner. Ideally, the selectivity passband should switch between its "wide" mode and "narrow" to permit a steered course between the twin evils of IM distortion on high modulation and side-frequency interference.

Speakers

The prime characteristics of a hi-fi speaker is an absence of colouration. This is true however many drivers it employs and whatever its precise form of loading — acoustic suspension, tuned port, auxiliary bass reflexed or electrostatic. Resonances (of the drivers, of the enclosure panels, the air in the enclosure or of crossover components) need to be trimmed to prevent them adding their own characteristics to the sound reproduced. A competent hi-fi loudspeaker should have

technologically superb...

With the introduction of these three new Ditton speakers, we have maintained the standard of excellence that is always expected from Celestion.

A completely different design concept has been used for each of the three systems to achieve a specific sound quality, and provide the overall performance that individual tastes require.

The Ditton 442 uses a sealed enclosure, the 551 a vented design,

Celestion introduce three new Dittons precision engineered... beautifully styled


and the 662 the now famous Celestion ABR system. In addition, each of the three models incorporates its own Celestion designed and manufactured drive units that have been developed specifically for each application.


specifically for each application.
As usual, the strict Celestion
standards have applied at every stage
of the development and manufacture
of every unit, and our confidence in
our quality is backed by your 5 year
guarantee of satisfaction!

DITTON 442

DITTON 551

DITTON 662





Please send me details of the new Ditton range. Name

Rola Celestion Limited, Ditton Works, Foxhall Road Ipswich, Suffolk IP3 8JP.Telephone: Ipswich (0473) 72131 Cables: Voicecoil Ipswich, Telex: 98365.

World Radio History




an approximately even balance at all frequencies in the audio band, as well as a smooth transition between drivers via the crossover.

Another key factor is the ability of the system to respond to small signals (which make much of the timbre of individual voices in a musical piece) and its ability to rise fairly sharply with the characteristic attack of instruments — the percussive hammer-action of close-miked acoustic piano or plectrum to strings on a power chord.

Rock music makes its own peculiar demands on a loudspeaker, owing to the sustained high energy applied by a generally narrow dynamic range. In comparison with classical music, which displays a less punishing high energy continuity, the voice coils in speakers of low efficiency run at higher temperatures, while peak energies at the bass end add to the risk of destroying inadequately robust drivers. If a listener's musical tastes call for a lot of "oomph" it is wise to find speakers offering this sort of balance rather than adding to the speakers' stress with boost at the amplifier.

Room furnishings - carpets, curtains, upholstery often improve dispersion and speaker colouration by creating fewer sound reflections. More acoustic power, of course, is required to achieve the same loudness in an acoustically dead room than in a live or reverberant space. Positioning of the speakers will also affect results, particularly at the bass end. Floor mounting will enhance bass frequencies, as will a positioning against a wall. A corner location provides three reflecting surfaces which is rarely satisfactory. A competent speaker, unless it is designed for floor coupling or shelf mounting, rarely needs a lot of help, though experimentation may produce better results. In many cases, stand mounting for larger enclosures is the most satisfactory arrangement.



V~London's Leading Specialists.

REW is one of the few firms in the audio and video fields that can truly claim to have years and years of experience behind them. Established in 1948, REW is still a family business yet is numbered amongst the leading hi-fi and video retailers in the land. Our Hi-Fi & Video Showrooms cover 4000 sq. ft. in the heart of London's West End at 114-116 Charing Cross Road. No details has been overlooked nor any expense spared in our efforts to make this

the finest hi-fi store in Europe. The widest range of exclusive equipment is on display with superb demonstration facilities. You'll receive VIP treatment from our expert staff and our own van delivery and installation service is available throughout Greater London. If you want to choose the very best equipment under the very best conditions come along to REW now.



Technics

Technics offer true hi-fi equipment incorporating excellent sound quality and high power. REW have the complete range in stock and our expert staff will be pleased to give demonstrations and advice.

Agents for: ADC, Akai, AKG, Aiwa, AR, Asak, Beyer, Bose, B&W, Cambridge, Coral, Crystal Clear, DBX, FR, Gale, Grace, Grado, Hadcock, Hafler, Harrison, IMF, JBL, JR, JVC, Keesonic, KEF, Lecson, Lentek, Linn, Luxman, Michell, Micro Acoustics, Mission, Nakamichi, Nautilus Records, Optonica, Ortofon, Panasonic, Pioneer, Quad, Radford, RAM, Revox, Rogers, SAE, Satin, Shure, SME, Spendor, Sony, Soundcraftsmen, Sonus, Stanton, Stax, Supex, Tandberg, Tannoy, Teac, Thorens, TVA, Uher, Ultimo, Videotone, Yamaha.



Audio Visual ©

114-116 Charing Cross Road, London WC2.


Also at: 230 Tottenham Court Road, London W1. Tel: 01-637 2624/5. Mail Orders to: REW House, 10-12 High Street,

Colliers Wood, London SW19. Tel: 01-540 9684/5/6.




WE ARE PERSONAL EXPORT SPECIALISTS EXPRESS EXPORT SERVICE

WELCOME TO REW best equipment best prices BENVENUTO a REW aparacchio ottimi, prezzi ottimi VELKOMMAN REW beste hanlagget, beste prisan BIENVENU au REW le meilleurs equipment. le meilleurs prix WILLKOMMEN zu REW beste gerate, beste preise DOBRO DOSLI U REW Najbolja oprema, Najbolje cene



LET'S FACE IT. YOU COULD BE DEAF BY THE TIME YOU CAN AFFORD IT.



It's one thing being unprepared to compromise on the hi-fi system you want.

But it slightly defeats the object if all you have is the fantasy, and nothing to actually listen to.

So at Pioneer we've introduced an entirely new credit scheme.

In short, it means you can afford the equipment you couldn't afford.

ANNUAL FLAT INTEREST AT 8%. HOWEVER LONG YOU TAKE TO PAY

It's called the Pioneer Privilege Purchase Plan No other hi-fi manufacturer has a scheme that can touch it.

> Whatever the size of your loan, the annual flat interest rate is a mere 800*

Apart from being extremely low, it never varies or fluctuates whether

you spread it over 12,18 24 or 30 months The period you choose is entirely up to you

This is how it works out.

WHAT'S IN THE SMALL PRINT? There's nothing in the small print that we're

reluctant to put in big pnnt.[

You're not confined to buying any particular Pioneer equipment.

The choice is strictly up to you.

All we ask is a minimum deposit of 20%. And

the minimum purchase must exceed £200.

That's virtually the end of the conditions we make. It could also be the end of waiting indefinitely for the equipment you want.

lust send in the coupon.

And we'll send you full details, together with the name and address of your local Pioneer dealer operating the scheme.



To Progrey PO Box 108 Ivez Bucks \$1.09[]. Please sending full details of the Progrey Proclege Purchase Plan


NAME

ADDRESS

Make beautiful music. PLEASE SEND ME FULL INFORMATION ABOUT ADDRESS

WORLD FAMOUS HOHNER HARMONICAS

MHOHNER



be proud

Please send me the information.

Name__

IM.1.79

What does a name mean to you? Here is a selection of successful Group and artists with something **IN COMMON**

ROLLING STONES FLEETWOOD MAC HAWKWIND MOODY BLUES RICK WAKEMAN PINK FLOYD

MANFRED MAN BOOMTOWN RATS SLADE

THE WHO LIEUTENANT PIGEON MAX BOYCE MOTORS PINK FAIRIES RUSH FRANK IFIELD BROTHERHOOD OF MAN BLODWIN PIG MUSKRATS

BACHELORS MARMALADE JASPER CARROT PHOENIX THEY HAVE All USED FANE SPEAKERS Where you have a choice~ DEMAND THE SAME



BATLEY WEST YORKSHIRE **ENGLAND** TELE: BATLEY 476431

TELEGRAMS 'FANE BATI FY' TELEX 556498 FANE G



It's worth a trip to Romford.

There is always a problem choosing sound equipment: What will the rig you choose sound like?

The only way is to see the whole rig in front of you. Working.

To be able to try a range of mikes and effects in quick succession, through an enormous variety of mixers and amplifiers.

Well, at Soundwave we give you that

and more. Using our elaborate 'Comparator', it is possible to add units to a rig without moving from the control centre, so that the difference can be heard immediately. You can swap parts around, or build as big as you like, because we hold one of the largest stocks of sound equipment that you will find in one place.

Although we deal with some of the top names, we always like to help the small group or disco.

We are quite close to Romford station (turn right, turn left) and parking is easy. Our showroom is open 9.30am to 6.00pm except Thursday.

If you haven't got our latest 1979 catalogue, just return the coupon with a large 12½p SAE or 2 international reply coupons.

If you care about sound...

soundwave

66 Victoria Road, Romford, Essex. Tel: 0708 25919

Please send me the latest Soundwave of	atalogue.
Name	
Address	
1	IM1



SOUND EQUIPMENT, 3 ALBION PLACE, SUNDERLAND TELEPHONE 78058.

CAST YOUR MINCE PIES ROUND THIS LOT. OO DELIVERED TO YOUR DOOR FREE ANYWHERE IN THE BRITISH ISLES.
NO DEPOSIT HIRE PURCHASE AND UP TO 3 YEARS TO PAY "CAN'T BE BAD".

MAGIC PRICES-MAGIC STORE"

Tool				ACCESSORIES	
		AMPLIFIER SECTION		Roland Space Echo	£439.82
		Maine Musican Combo	£295.00	HH Multi Echo	£257.30
GUITAR SECTION		Maine PA170 with Graphic	£285.20	WEM Copycats	£93.60
Kramer DMZ Series 2000	£390.00	Maine Stage Combo	£249.55	Melos Echo units	£72.00
Kramer Fetless Bass	£325.54	Roland GA120 with Graphic	£399.00	Roland Analog Echo	£184.26
Kramer DMZ 3000	£369.00	Roland Studio Bass with GE	£485.00	Boss 6 band Graphic	£52.15
Guild B301	£269.00	HH MA100 5 channel	£204.60	Boss Compressor	£39.00
Guild 5300 DiMarzios	£350.00	HH SM200 6 channel stereo	£402.75	Boss Phaser	£49.00
Guild 560 DiMarzio	£255.00	HH VS Combo	£259.63	Boss Overdriver	£39.00
Gibson L/P Customs	£460.00	HH VS Bass Combo	£260.40	ELECTRO HARMONIX	100
Gibson RD Series	£495.00	HH Pro 100 1 x 12 + HF	£263.50	Small Stone Phaser	£24.88
Gibson Twin Neck — Rare	£1245.00	HH Pro 200 2 x 12 + HF	£368.90	Big Muff Sustain	£20.00
Gibson L7 Jazz Guitar	£698.00	Peavey PA400 s/soiled	£335.00	Electric Mistress	£34.99
Yamaha SF500	£220.00	Peavey Classic + Phase	£296.00	Switch Blade	£11.50
Yamaha SF700	£257.93	Intermusic Combos from	£210.00	Bass Balls	£84.99
Yamaha SF1000	£303.27	Intermusic Amp Tops from	£172.00	Muff Fuzz	£9.67
Fender Strats from	£265.00	Redmere Soloist in f/c	£495.00	Golden Throat	£27.62
Fender Precisions from	£251.00	Marshall M/V Amp Tops	£195.00	Power Booster	£11.50
Fender Jazz Basses from	£295.00	Marshall M/V 100 Combo	£329.97	Hot Foot Universal	£2912
Fender Teles from	£240.50	Marshall M/V 50 Combo	£236.00	Pickups in Stock	
Fender Tele Thinline M/N	£241.00	MM Mixers from	£205.00	Gibson Dirty Finger	£37.00
Yamaha SC1200	£372.65	MM AP360 Slaves	£214.00	Gibson Laid Back	£29.00
Yamaha BB1200	+383.00	Flightcase for 3 AP360	£125.00	DiMarzio Jazz Bass	£28.85
Music Man Basses	£395.00	HH 5500D 1000 watt Slave	£406.70	BiMarzio Precision Bass	£28.85
Rickenbacker Stereo Bass	£399.00	HH 5130 Slave units	£117.80	and many many more	120.00

BELDON LEADS MADE TO YOUR LENGTH. EXAMPLES 20' WITH SWITCHCRAFT PLUGS £11.30. IF WHAT YOU WANT ISN'T HERE GIVE US A BUZZ, WE'LL GET IT FOR YOU AND FAST.

Chandler

PRE-AMP INSTALATIONS

You've heard about our terrific range of inboard guitar pre-amps and equalisers, now we want to tell you about the custom instalation service we supply.

In addition to professional instalation of the five stock models in our range we can instal low impedance line driving circuitry, electronic phase reversal switching, and pickup buffer amps. Electronic phase reversing is more accurate and reliable than simply switching the live and earth wires on your pickups, while buffering the pickups from the inductive action of the volume controls allows all the treble and bass through to your amp, regardless of guitar volume settings. Add to this our full screening service, using copper and mumetal foil, and you could have a guitar that works better than the mnaufacturer intended, under any stage or studio conditions. Write or ring for further details, stating guitar make and model.

STOP PRESS!

Tuneomatic type bridges now available 6oz weight solid brass. $\pounds 18.35$ inc. VAT.

Chandler Guitars, 199 Sandycombe Road, Kew, Richmond, Surrey. Tel: 01-940 5874.



Cheques & Postal Orders payable to ROSE-MORRIS & CO. LTO. P&P inclusive. Please allow 14 days for delivery. Additional £1.00 or equivalent per despatch outside U.K.

Brown and White

Silver and Blue

Badges @ 25p £

ROSE-MOITS WAS AND THE

MXR Brown on White

Ovation Silver on Dk. Blue

EKO Blue on White

T-Shirts @ £2.99

32-34 Gordon House Road, London NW5 1NE Telephone: 01-267 5151

Playing

In many respects, guitar players have it much easier than other instrumentalists. Woodwind, string and brass players must get to a gig earlier than everyone else, warm their instruments, check their embouchure and physically warm up in order to function properly. Guitar players seemingly get to a gig with minutes to spare, set up and barely make the downbeat.

Is the guitar so easy to play that warming up isn't necessary? On the contrary, it's just as important to warm up on guitar as on any other instrument. We have less physical warming up to do, true, but the mental co-ordination between mind and hands just doesn't grow on trees. When I first got in the business professionally, I played many "casuals" (weddings, Bar Mitzvahs, house parties, etc.). I can remember getting to the gig before anyone else, diligently getting out my guitar and warming up for 20 minutes playing scales, arpeggios, sequences, you know, the standard routine. The rest of the musicians would get there and when it was time to play I would think to myself, "Boy, I'm ready." But as soon as we started to play I'd notice that I sounded like a dog swimming in a vat of molasses. Other times, I would show up two minutes before the downbeat, barely have time to tune - and play great.

I began to try to figure out why this happened and how to control it. I finally devised a game with myself that seemed to work for me and I'd like to relate it to you because it might help. The way I reasoned, it all boiled down to mind over matter. When you sit down to warm up, your concentration stems mainly from the hands, no matter what you're playing. Your mind may not be dictating the action, but your hands are. They are playing something they have played thousands of times before while your brain might be off somewhere thinking about other things.

One approach to alleviate these problems is to try to picture in your mind how you actually feel when your chops are right, when everything you want to play really comes off. Can you do that? It may take some concentration to nail those thoughts down, but it's important. You're mentally defining to yourself what constitutes the correct playing circumstances for you.

An example of this that comes to mind is driving to a gig on a cold night. I can remember lugging in my guitar, amp and a few toys, and having my hands feel like they had the B flat frost bite (which only affects musicians, by the way). Playing was next to impossible. After undergoing this experience a few times, I found myself wishing that I was on a nice warm



beach in Tahiti with a great band. If my concentration was right, that feeling would be communicated to my hands and, amazingly enough, my playing would improve dramatically. My hands would even feel warmer. All this would happen as a result of thinking about just the opposite of what was happening. This might seem silly, but it amounts to "psyching" yourself out of one negative mental state and putting yourself in a more positive one, regardless of your environment.

The environment may be negative in other ways besides the weather conditions. You may be with a certain group of musicians you don't particularly enjoy working with, or you might be working for someone you don't like. By putting yourself in a more positive frame of mind, you can at least cope with the situation long enough to get through it without making waves. Think about things that are more pleasant to you and eventually you'll feel better.

Getting back to warming up: if you find yourself getting off on the wrong foot, try to slow down consciously to the point of isolating the problem. It could be a matter of co-ordination of left and right hands, tack of articulation with the pick, tack of sleep, etc. Once you identify the problem and work with it slowly, you can build your momentum and get your chops up.

You might wonder how you're supposed to slow down and isolate problems while a hot solo is about to be thrown at you. Start it out simple and build your solo (hopefully, you have more than an eight bar solo, but try to build on whatever number of bars you have). That's a great exercise in itself and I will explore it further in a future article. Something else you might do is forcing yourself to figure

Mitch Holder is a guitarist with experience covering television, recording and touring. He is much in demand as a session player having worked with top name artists such as Barry Manilow, Barbra Streisand and Billy Davis. He is also the author of "Quadraphonic Fingering".


out things in your head first before playing it.

Working away from the guitar is a good approach to try. You might be working on a tricky exercise or tune and it has you stymied. Imagine playing it while you're doing something else, like walking through the countryside, or even watching TV. What you are doing is actually training yourself to play it in your head first, then, when you pick the guitar up later, your mind can dictate more clearly to your hands what to play and how to play it. By working it out in your head first, you are able to decide which positions are playable and what fingerings to use. If you always play what you're trying to learn, you may get bogged down because your hands start going to places they're more accustomed to, rather than where you want them to.

Hearing the music that you are trying to learn in your head is another useful tool. When you first look at a new piece or exercise, see if you can hear in your head exactly what it will sound like. This acts as a "self-check" because you'll know when you play it if you're playing it right. Of course, this will take time to acquire because everyone has different levels of "earsmanship", but give it a chance and try to force yourself to hear things. Remember, it takes time to develop these ideas. Don't be in a hurry because any aspect of learning music takes time and sometimes frustration gets the better of us. So stick with it.

Mitch Holder









Our 12 into 2 mixer, expandable up to 24 into 2, driving the 800 b (480 watts per channel) stereo power amplifier, in conjunction with our stereo 3 or 5 way crossovers, (crossover frequencies completely variable) combine to produce (with A.T.C. speakers) the clarity and power all P.A.s should have.

want to hear more?

Recording Studio Design

Home Farm, Northall, Dunstable, Beds. Tel: Eaton Bray (0525) 221331

Thinks de disco

Playing

t the root of a powerful sound and long confident phrases is a Agood air supply. The motor source which actually powers the horn is the group of muscles in the abdomen slung across the body between the hip bones. These control the movement of the diaphragm which is another sheet of muscle separating the abdomen with its intestines from the rib cage and the lungs. Movement outwards of the abdomen sucks the diaphragm down, which has the effect of expanding the rib cage cavity and, combined with breathing in, this is how the bag of air is filled

This type of breathing is known as "diaphragmatic" and can be easily checked by watching the shoulders. When you breathe with the correct diaphragm action, the shoulders do not move at all up or down, when breathing from the chest only. Lie flat on your back on the floor and place a heavy book or similar object on your abdomen. As you breath slowly in and out you can feel these muscles working and raising the object with little effort. Once you have located the muscles and felt them working, the next stage is to strengthen them.

None of these exercises should be done until two hours after a meal; the effect of moving the abdomen repeatedly on a full stomach is to empty it! Continue the exercise using a weight on the abdomen and without worrying about the breathing at this stage. Just move the weight up and down as far as you can till the muscles start to ache.

The process of blowing a wind instrument reverses the natural rhythm in that air is taken in quickly and released slowly. The body's needs still have to be catered for regarding oxygen to the bloodstream and it is very advantageous to be physically fit. Running short of breath will interfere with the requirements of the air supply to the horn, for the body's need for oxygen overrides everything. Cycling and jogging are good ways of increasing the body's capacity in this respect.

The problem with any bag of air is that when it is full the air has high pressure when first released, gradually tailing off as the bag empties. We have to control this tendency so that the "bag' is emptied at a contant pressure, providing a constant flow of air to the horn. Try to achieve a fast intake (around half a second) through the mouth, dropping the lower jaw so as to provide a really full supply, followed by a controlled release which can be checked for evenness by blowing on the back of the hand. You will notice that to keep an even flow, progressively more pressure needs to be added from the abdomen as the lungs empty. Never allow all the air to escape, as this will cause a time-lag when refilling.

Using the horn, drop the jaw away from the reed, keeping the top teeth in contact with the mouthpiece, take a very fast full breath, and then sustain a middle register note and check if for wavering. Although the wobbly tone can be caused by shaky lips, try to feel the process of squeezing the air up from the abdomen.

Breathing is something you can practise at any time, and ideally should be done every day. You can make up your own exercises which emphasise control. Remember, you can't expect to play well unless the horn is well supplied with air power under absolute control, so it's well worth spending some time developing a good motor".

Having built a good source of air, the next step is to channel the supply through the mouthpiece to create the sound. The stronger this air motor is, the more strain it will take place on the facial muscles which are closing around the mouthpiece to contain an airtight seal and channel the air to the reed. As well as keeping the air in, the lower lip and jaw also control the reed so far as pitch and tone are concerned.

The top front teeth rest on the "bite" section of the mouthpiece and pressure applied by the lower lip and jaw is also applied to the top front teeth if the reed is to be affected. The position of the top teeth relative to the end of the mouthpiece is dependent on the length of "lay" or length of reed which is allowed to vibrate by the mouthpiece. The lower lip, which is slightly wrapped over the lower teeth, needs to apply its pressure just in front of the point where the reed meets the flat part of the lay. The correct distance and angle of air stream can be checked by blowing the mouthpiece only, using the finger and thumb to grip it and keeping the rest of the hand away from the end. Although the overall length of the mouthpiece may have a slight affect on the pitch, blowing loudly, you should try to be close to concert G on tenor and concert A on alto. Vary the angle of mouthpiece to alter the

The arrangement of muscles around the mouthpiece is called collectively the "embouchure", a French word meaning "opening into": it opens into the mouth cavity. The reed is of course vibrating within this oral cavity which becomes a resonating chamber and this may well explain why a player's saxophone tone has a similarity to the tone of his voice in its individual nature. If the cheeks are puffed out, the size of this resonating chamber is altered so that the tone becomes muffled. The cheeks should never be distended in this way and if you already have this problem owing to insufficient strength, you can

strengthen the cheek muscles by placing the fingertips of each hand on each cheek and alternatively flexing them so they feel hard by pursing the lips, then relaxing. This will also strengthen the lips and should be done regularly till you feel them aching.

The pursing of the lips also gives the concept of applying pressure all around the mouthpiece. When you practise the long, steady notes which are essential in building control and tone, concentrate on applying pressure all round the "oo" shape of the lips trapping the mouthpiece from all sides.

The tongue plays an important part as the bottom of the resonating cavity, and it also acts as a switch to start and stop the reed. The thick back part should rest normally in the mouth while the tip is concerned with controlling the articulation of the reed. The end of the reed is stopped from vibrating by the tip while air is pressurised by the diaphragm to provide a supportive column. When the tongue is released the pressure causes immediate vibration and speaking of the reed till it is replaced. This concept of pressurising the resonating cavity before removing the tongue to sound the note is important if real control is to be achieved. All too often, you see a player puffing each note of a riff with a separate breath - which not only leads to dizziness but destroys the attack of each note. The throat becomes the start valve and has a much less staccato effect than the tongue. The result sounds very sloppy, for the removal and replacement of the lips in rapid succession means that the tuning will probably be inconsistent as the pressure of the lips varies for each one. This should be avoided at all costs as no instrument should be allowed to run out of control in this way. Alan Holmes

Alan Holmes is a top session reedman who plays soprano, alto and tenor saxes, flute and alto flute, piccolo, oboe, clarinet and cor anglais. He played on the Beatles' Sgt. Pepper album and for four years was a member of the Kinks. He now leads his own jazz-rock group.

We call this our Sandwich Amp



THREE CHANNEL KEYBOARD MIXER AMPLIFIER WITH FOOT VOLUME FACILITY ON ALL CHANNELS (SELECTABLE) PLUS VOLUME, BASS, MIDDLE, TREBLE AND INDIVIDUAL REVERB CONTROL ON EACH CHANNEL; WITH A MASTER REVERB DEPTH, AND MASTER VOLUME. THE SLIM DESIGN ENABLES THE AMPLIFIER TO BE SANDWICHED BETWEEN KEYBOARDS. POWER RATING 112 WATTS R.M.S.

RETAIL £209.25 INC. VAT. PRICE INCLUDES FOOT VOLUME PEDAL.

Contact your local dealer

Sole UK distributors, Music Serve Ltd., 7 Rookway, The Spinney, Horsham, Sussex. Telephone 0403 790189





KGP-100 1×15" P.S. £330 inc



designed for Pedal Steel

Main Street Farcet PETERBOROUGH Cambs. PE7 3DB Tel. (0733) 240800




"Make sure you're covered"

Get the best of both worlds the sound of covers off. with the cover's

protection and shielding. No pick-up damage from FLIP-FLOP in the mounting ring.

Four sq. in. of shielding



with 10 to 15% more top end Noise and hum -30Db equal to full covers

harmonic

Fits standard humbuckers and replacements: \$8. Fulltop models: \$10 Chrome or

Startracks bridges feature the first major design improvement in vears. Individual saddle tracks avoid misalianment. Heavier plate for increased sustain. Recessed spring guides increase

Send one dollar for our new brochure

Warranty: Alembic, Fender, Gibson



compensa tion. Hand polished. Startracks w tremalo includes \$ \$ arm black and brass or chrome knob. \$139 Without tremolo \$69.95 Bass replacement for P or J models \$130

> Dealer/Distributor inquiries invited

818 Folsom St., Dept. 101, San Francisco, Ca. 94107, USA NAMM booth #6100

aving talked at fairly great length in my first series of Larticles on pedal steel, about the "standard" E9 chromatic tuning. and then in the last article, given a rundown on the "standard" C6 tuning, I think I should round off by talking about what else is being used in order to complete the picture. It's going to be impossible to mention all of the other set-ups in existence because there are so many slight variations, and almost certainly a lot I don't know of anyway; but I shall try to give you an idea of the way things are going in the world of the pedal steel guitar, and if I get to hear of any interesting tunings or copedants in the future, I'll deal with them then.

As I mentioned last month, it's quite common to see both the E9 and C6 tunings on one twin-neck instrument. However, as the mechanics of pedal steels have generally improved and become more versatile, it has become possible to combine both tunings on to one neck. There are several different ways of doing this. In principle, the sort of thing that happens is that an E9 tuning perhaps has some strings added so that it can also be called F6, and similar chord shapes to the C6 ones can then be played except, of course, that you use different string spacings or "grips" and fret positions.

Another example is the set-up which is tuned to B flat 6, instead of C6 and, when a knee-lever is held over, the tuning becomes almost the same as an E flat 9 would be. This means that it is just one semitone below the E9 we have talked so much of so far.

These types of tunings are very often referred to as "universal" tunings because it is possible to achieve the sounds of both the 6th and 9th tunings using only a single-neck guitar. Such tunings usually employ 12 strings, although some use as many as 14. When a universal tuning is used, more levers and pedals are always needed to make it possible to deal with the extra combinations of strings and to give all the relevant chord inversions. As many as eight, 10 or 11 floor pedals, plus four, eight or even 10 knee levers are possible with this kind of arrangement. In case you're wondering how it's possible to operate 10 knee levers, no you don't have to have two players to do it. The levers are situated so that you have an inner and outer set of levers on both sides of each knee that's eight altogether - plus a vertical moving one on each knee, giving a total of 10.

The diagram shows a typical copedant chart for a "B flat 6 universal" tuning.

You can see from all these possible variations the kind of thinking behind pedal steel tunings at the moment. The trend these days seems to be to add more and more strings (I wonder how long it'll be before we see a 15 or 16-string steel!), to stick on extra pedals and knee levers (plus who-knows-what-else-levers in the future) and to make the whole thing as complicated to play as possible.

That, perhaps, is being rather cynical about it, but you can't help wondering whether maybe the wheel will turn full circle one day, bringing us back to the good old standard tunings and basic pedal set-ups. Still, it hasn't gone that far yet and, for the time being at any rate, one or both of the standard tunings plus a few minor variations are the order of the day for most pedal steel guitarists.

I'm sorry if this article has been a bit theoretical but I think it's important to know the whole story as regards the scope and use of the instrument. As you will have gathered by now, it's quite a minefield trying to sort out the different tunings and copedants. I think you'll agree there can be no other instrument which has so many variations in this way.

Dave Hayward

	KNEE	KNEE	KNEE	1	2	3	4	5	6	7	KNEE	KNEE
ШGF		−F#			+G#						-D	
					TGF							
D Bb	-A			+C		-A		-C ♯	+C		+Eb	-C
Bb G F		- F ♯	_	. 0	+G♯				+A			
F D			-E			-C	-E	-C♯			+Eb	
Bb				+C						+B		88
G Eb		−F♯					+E			-D		
Bb							+C			-G		

The Melody Twelve-String Guitar Collection

Choose with confidence from this realistically priced range of styles and finishes













M1200 about £51

M1250 about £62

M1300 about £63 Information and stockists from sole distributors:-

M1400 about £64

M1430 about £78

M1450 about £80

RICHARD BROWN DISTRIBUTION

The Minster, Harbidges Lane, Long Buckby, Northants. Tel: Long Buckby (0327) 842677.









Ram~Air Systems



- *** Full flight casing (including lids) as standard
- *** Hand-built construction using selected Finnish birch plywoods
- Remarkably compact design (Bass and Mid Range cabinets measuring only $25^{\circ\prime\prime} \times 36^{\circ\prime\prime} \times 20^{\circ\prime\prime}$)
- *> * Complete with Electrovoice 15L, R.C.F. L12 P24 and IW101 drivers (100 watts r.m.s. per cabinet)
- 337 Our unique light emitting diode monitoring system fitted as standard to each enclosure
- Fig. Cannon(2) and jack(2) connections standard fitting on each enclosure

Bass Folded Horn Mid Range Radial Horn

*** List price \$237.66 £217.53 £205.75 *** Cabinet only £184.99 £173.86 £127.59

Main Agent Demonstration Centres

MACARI'S LIMITED, 122, Charing Cross Road, LONDON.W.C.2 ≒∹ GEARBOX MUSIC. 15. Head Street, Halstead, ESSEX.

> SALES & MARKETING 1. Kipling Place, St. Neots, Huntingdon, Cambs Telephone: Huntingdon (0480) 74677

World Radio History

Custom-built PA systems from



SAI also stock speaker units by Gauss, JB L and ATC, with electronic crossovers and horn units suitable for use with our PA stacks. SAI stock mixers, bins, rack-mounting amplifiers and multi-way cabling for the following equipment:

HH Electronics, RSD, MM Electronics Why not call for prices and delivery on your next PA system?

Sound Advice Installations Co. Ltd., Regent Street Showrooms, Coppull, Lancs. Telephone: Coppull 791 645 and 791 163 Just off the M6, Junction 27. Late nights Mon & Wed till 8.0 p.m.

Guitars ACME.






Guyatone

P+N

picato



7 Dawson Road, Mount Farm, Milton Keynes MK1 1LH Telephone: 0908/71662



Professional Audio

Now Bigger And **Better Than**

Entire 2000 Sq. Ft. AT 114-116 Ct



EQUALIZERS SOUNDCRAFTSMEN

Graphic EQ's. SAE Parametric EQ's. JVC SEA 10 (2 \times 5 Band), SEA20 (2 x 7 Band) **TECHNICS** SH9010 (2 x 5 Band), SH9090 (1 x 10 Band) $\mathbf{M} \times \hat{\mathbf{R}}$ (1 x 5 Band), (1 x 10 Band), (2 x 10 Band) MM-Pace (2 x Band), SR271 (I x 27 Band)

REVOX

Incredible stocks at ridiculous prices!





A77, B77, A700 Off the Shelf. High speed, low speed, varipitch | all accessories! Ring us now for the lowest price.



8 TRACKS ½" or I"

Both Tascam and Brenell Recorders in stock for immediate

Plus complete range of 8 Track



Hundreds of speaker chassis in stock!

Main agents for CELESTION, GOODMANS. JBL, TANNOY, ELECTRO-VOICE, FANE, GAUSS, ALTEC, KEF, ATC, CERVIN-VEGA

KET : ATO. OF HAME AF	•
CELESTID's 612 50 STD 12 - 50 watt	£20.00
CELESTION 612 50 Alice may be see 12 50 watt	£21 00
CELESTION G18C Bass 18 105 watt	£44.50
CELESTION Powercell 12 100 watt	£47.00
CELESTION Powercell 15 125 watt	F5 90
CELESTION MH1000 Horn 25 watt	£14.00
Plus all other Celestion Models or stock	
G000MANS 12P ST0 12 50 watt	£18 00
GOODMANS 12PD Disco 12 Strwitt	£20.00
GUODMANS 12PG Lead 12 50 watt	£19.00
GODDMANS Hita+ 50H r. Hilm bill watt	£10.00
ATE PA75 Standard 17	£1830
ATL PA 5 Eust 12	£81.00:

JBL

REW are the West End's JBL Distributors. Large stocks at lowest prices.

	£112:65
TANKEY HPD: 15A 12 HERAT	£95.00
TAN VC x HPD 295A 10 50 willt	EWS DE
AB is deli dual concentro fultirimpi in critamist	
AUSS 12 all models 12 150 vatt	£105.00
AUSS 15. all models 15. 20 watt	£129.95
SAUSS 18 all models 18 200 vatt	£155.00
ANE POP 50H 50 watt 17 Hass Speaker	£15.60
ANT POP 70: 70 watt 12 Conral purpose	£22.95
ANE POP 150, 150 watt 18. Illiss Speakir	£17.55
ANT 801 80 watt 12 Lead Gintar Speaker	£20.60
ANE 80B 80 watt 12 Bass unitar Spraker	£21.5
CRESCE VDO 12 150 watt General purpose Speake	£71.98
CRESCENDO Colosini. 200 watt 15. hasi Spogeor.	18+ 1(
HESCHEST (I C. bines, 200 was 1 to 3 or by per	E92 IN


MICS-OVER 500 **ALWAYS IN STOCK!**



AKG We carry every model inc. capacitors BEYER Most dynamic ribbons CALREC 600 Range. SENNHEISER Large stocks. SONY All models. NAKAMICHI All models. E.V. Selected range. SHURE Very large range. NEUMANN All popular

Cables, Transformers, Stands, Connectors & Clips, Windshields

CANNON XLR'S ANY QUANTITY—SAME PRICE



AMPLIFIERS

HH S500D, TPA, All stage amplifiers SAE From 2 x 50 watts to 2 x 400 watts RMS. **QUAD** 405, 303, 50E usually

in stock. JPS A fantastic range of budget

AMCRON DC 300A, DI50A, D60. Trade prices.

SPECIAL **£311** + VAT Few only

TEAC A334OS



4-channel recorder Symul-sinc, 1012" reels, 712 + 15 ips.

NOW BACK IN STOCK

Prices on application

MIXERS

The widest range under one roof!

From £35-£2500. Mixers in stock **SOUNDCRAFT** 16/2, 12/2, 12/4 Series II. HH 16/2, 12/2. MM All models.

TEAC-TASCAM Models 1, 2, 3, 5 + Accessories. CANARY 10/2, 10/4. HILL 16/2, 10/2 **SONY** MX8, MX510, MX650. Plus ALLEN & HEATH, JVC, UHER, EAGLE, etc.



Plus Echoe's, Phasers, Flangers, Limiters, Noise Reducers, Expanders, Mix-Downs, Mic Stands, Cable Drums, Disco Gear, Chassis Speakers, Studio Monitors, Headphones, Demags, Splicers, etc.



PRO-AUDIO & DISCO: 114-116 Charing Cross Road, WC2 01-836 2372 7851

Also separate floor of Hi-Fi and Video. Phone 01-240 3386/7

TAX-FREE EXPORT & EXPRESS MAIL ORDER: REW House, 10-12 High Street, Colliers Wood, SW19. 01-540 9684 Also at 230 Tottenham Court Road, W1.

The Professional Everything Store

Largest Stocks. All adio & Stage Equipment


WEST-END CENTRE

We carry the most comprehensive stock of HH in the centre of London. Just arrived in stock are the

New Concert P.A. System New Unit PA System



New Digital Multi-Echo



New PRO100, PRO150, PRO200 Speakers New HH Chassis Speakers

All models on demonstration or display


Open 9.30 am — 6 pm — 6 days a week Just walk in — 95% of advertised gear available off the shelf

Payment by: Cash, Barclaycard, Access, American Express, Diners, HP (Instant credit possible)

THE LOW PRICE HOT LINE 01-836 2372



NEAREST TUBE STATION
TOTTENHAM COURT ROAD UNDERGROUND



Celestion



Retail & Trade from

ADAM HALL






Celestion: power speakers, powercel range, horn drivers, tweeters now available from Adam Hall Supplies Ltd.

Unit 3 Carlton Court, Grainer Rd, Southend on Sea, Essex.

(0702 613292)

The latest additions to the ever-increasing range of COLORSOUND effects



GIGSTER

The Gigster pedal is a self contained rhythm unit - battery operated, it just plugs into most amplifiers. Up to ten different rhythms are available. including Bossa-Nova, Bossa-Rock, Swing, Waltz-Rock, etc.

THE V.C.F. UNIT

V.C.F. voltage control filter is triggered by the signal from the Guitar, the harder you play the more effect. A variety of interesting sounds include a staccato, a wah wah type and a funky 'shaft' tone.

DIPTHONG

A new sound for Bass Guitar. The Dipthong is the first in a series developed for the Bassist. The device is triggered by a signal from the Bass or Guitar. It has three controls -Overdriver, Speed Depth, Filter Bias. Vowel sounds based on E-OO-AR can be produced in varying degrees.

FLANGER

The new Flanger produces sounds which are out of this world. The unit features automatic double tracking which gives all the usual flanging sounds, but with superb quality. With a total of four controls regulating speed, depth of sweep filter quality and ADT, the possibilities of this new unit are virtually limitless.

THE PHAZEX UNIT

Wide variety of effects including a rotating speaker type sound. A new reactance control enables the unit to scan the Phase circuit producing an arpeggio effect.

VOCALIZER

This is the unit that simply 'speaks for itself' the Vocalizer goes one step beyond the voice box. By merely pressing down the pedal it produces all the vowel sounds AEIOU. The

resonance control enables the player to get a totally different set of vowel sounds and so opens up a whole new world of effects.

WAH FUZZ SWELL

4 different effects. Wah Wah, Fuzz Swell, Wah Fuzz and swell pedal.

OVERDRIVER

Gives an extra 'Boost' to an instrument which can overdrive to the extent of producing distortion.



TRY THIS NEW WAVE OF PEDALS NOW OR WRITE FOR DETAILS

SOLA SOUND 102 CHARING CROSS ROAD, LONDON WC2




Kingfisher Music Co

Peavey TKO	£135
Peavey TNT	£195
Peavey Pacer	£157
Peavey Musician	£288
Peavey Standard	£210
Peavey Bass	£264
Peavey XR 600 mixer amp	£330
Peavey Standard PA amp	£195
Peavey MC 12 mixer	£790
Peavey Keyboard mixer	£230
Peavey Continental cabs	£199
Peavey 4 x 12	£215
Peavey 1 x 18 DR	£199
Peavey 1 x 15 cab	£118
Peavey 1210 TS cab	£135
Peavey Monitor	£125

Now in stock!

The Peavey bass combo - £305 including VAT. Big sound from a small box. Acoustically speaking - the best sound we've ever heard (with compressor and parametric EQ 130 watts).

Kingfisher Music Co., 20 Kings Road, Fleet, Hampshire. Tel: (02514) 21210 We accept Barclaycard, Access, Mail Order and H.P. Terms



Gherson Guitars made in Italy.
Gaffa Tape the best and the cheapest
Prostix & Regal Prostix the best in

drumsticks. Eccleshall Strings Guaged, Electric, Acoustic, Bass. Hide Guitar Straps For the 'leather Freaks'. Guitar Cases & Bags all shapes and sizes. Microphone Stands lightweight and heavy duty. Kenny Clare Drums 'Atlanta' by name. Natal Congas, Bongos latin percussion.

Agencies for Northern England and Scotland include:

Remo Heads, Rototoms and lots of drum bits. Wing—Music -- Rickenbacker, Resounder, Invader Speakers. Gretsch Guitars and Drums, Colour-Sound, Eurotec, Leech Amplification



For Trade Enquiries or Brochures please write or telephone:

219 Walmersley Rd., Bury, Lancs., BL9 6RU. Tel: 061 764 1792/3

Sales Representative

£7,000+car

One of Italy's top manufacturers of electronic keyboards and electronic organs is shortly commencing its own UK operation and requires an experienced sales representative for each of the following areas:

Northern England, The Midlands and Southern England.

The salary will be made up of a high basic salary and commission and these excellent positions include a company car.

The usual fringe benefits will be attached.

Excutive circa £4,000

Required to join our UK company at its inception. We are offering a negotiable salary beginning at £4,000 p.a.

The right person will be conversant in English and Italian, have shorthand and typing and be able to operate in all situations without supervision.

Applicants for the above four positions should write to: Box No. HO 123, Cover Publications Ltd., Grosvenor House, 141-143 Drury Lane, London WC2.

Applications will be treated in the strictest confidence.



EFR GUITARS

Sole UK Agents: B.C.Rich Guitars

ENGLAND'S FINEST SELECTION OF USED AMERICAN GUITARS

GIBSONS: Inc. Les Paul Standard (1953) £750.
THUNDERBIRD IV (1963) Bass (Reverse) £515.
12 LES PAULS (£335 £495) 12 S.Gs (£165 £295)
FENDERS Ins. Strat (1963) £400-6 Teles (£195 £215)
AND MANY MANY MORE

For information call between 10 a.m 8 p.m. 01-521 9247

AUDIOGENIC STUDIOS

All our engineers have had national releases.

- 8 track 1"
- 16/8 custom desk
- Flanger, ADT Equalisers, Compressors, Expanders
- Microphones include AKG, Beyer, Shure, Neumann
- Mix down onto A700
- Revox for echoes and copies
- Master room reverb
- Tannoy/Quad monitoring
- Schiedmayer grand piano
- Solina string synthesizer
- Fender & Vox amps
- Relaxation roomComfy surroundings
- £10 per hour: Special daily rate £65 For bookings call David Smithson Reading (0734) 595647

34-36 Crown Street, Reading, Berks.
CASSETTE DUPLICATION

HIGHWAY MUSIC

263 DEANSGATE MANCHESTER TEL: 061 8330328

SPECIAL OFFER ON SELECTED ITEMS

	RRP	SALE PRICE
ARIA PE 1000	£324	£230
LS 700	£245	£172
GUILD S300	£360	£252
S300D	£410	£287
S60D	£299	£210
PHOENIX amp, cab &		
footswitch	£346	£246
ROOST combo amp	£265	£195
SR 50 amp	£165	£129

VAST SELECTION OF MARSHALL, PEAVEY, LEECH, ARIA, GUILD, PLUS MANY MORE.
USUAL GREAT DEALS, EASY TERMS, PART EXCHANGE.

DRUM CENTRE SPECIAL

	RRP	SALE PRICE
SIMMONDS DRUM		
SYNTH	£780	£550
TAMA OCTOBANS	£530	£399
TAMA IMPERIAL STAR		
KIT	£712	£550
BEVERLEY GIANT KIT		
(12 DRUMS)	£890	£585

STACKS OF OTHER GEAR AT SAME FANTASTIC DISCOUNTS.

GET YOUR HANDS ON TODAYS GUITAR

The Aria Dra II SB-1000

NOISE LEVEL NOISE KILLER CIRCUIT



Reduces hum and unwanted noises from leads etc, caused by capacitance problems, without losing top frequency definition.

Your amplifier reproduces only the sounds you want to hear......
without external noises.
Ideal for studio conditions (the Noise Killer is driven by a 9 volt battery and switches on when jack plug is

inserted. Battery life approximately three months with 2.3 hours per day use.)



BALANCED

Designed to obtain the best possible balance combined with performance. Carved from solid Ash, tapered for correct weight distribution.

SPECIFICATION

Six-position Tone Selector Switch. Laminated neck. Jacaranda Fingerboard. 46mm at 24th fret. Power Plus II Pick Ups. Solid brass Bridge and Top Nut.



Exclusive UK distributor:

Gigsville Limited.

Sillin Dina Phoenix Way

Exclusive U.S.A distributor Music Distributors. Inc:

3400 Darby Avenue, Charlotte, N.C. 28216

Albums

Supertramp Tangerine Dream

IJK

Tom Robinson Band

Supertramp

Breakfast in America (A&M)

Staccato electric piano intros and plaintive vocals aside, there are certain things about Supertramp's music that are very endearing. They have an articulate and inventive bassist in Dougie Thomson and a sometimes exciting ability to juxtapose keyboard and rhythm section parts to make a taut sympho-rock song. We know their classic sounds so why should they remind us of those oft-played themes with another album full of them?

Breakfast in America is a clean, well produced record that follows its predecessors so closely it is almost uncanny. But a good radio single in The Logical Song and some Bee-Gee-esque vocal harmonies do not an album make. All the bits are there — thundering bass and drums on Gone Hollywood, a dispeptic sax solo on The Logical Song, memorable harmonica on Take The Long Way Home.

Quite a few bands must envy Supertramp's melodic hooks, their sense of melody and vocal prowess but their adolescent lyrics are lamentable. This album is slick but not sophisticated, perfect for their growing mass of US fans.

Sean Hogben

Produced by Supertramp and Peter Henderson, recorded by Jeff Harris and Lenise Bent at the Village Recorder, Los Angeles.

Tangerine Dream

Tom Robinson

Below: Supertramp

Force Majeur (Virgin)

The Tangs move further into the mass acceptability stakes with an album which opens with the quiet sound textures which used to characterise their early work, such as the 1971 Alpha Centauri set. However, the sound soon becomes underpinned with simple electronic percussion rhythms and bass sequences and even, God forbid, on a couple of occasions a simulated disco rhythm!

Although the music is always pleasant and in places interesting, the increasing emphasis on rhythmic accompaniment to the swirling synths tends to confirm what one suspected all along — that the Tangs' approach is not all that profound. Even the electronic tricks on the album are all well worked ideas, for example the simulation of the Doppler effect during the title track is hardly revolutionary.



blance to recent Kraftwerk product, although it features more melodic variation than their German compatriots. Indeed the similarities with Kraftwerk, Oldfield and Jean-Michel Jarre suggest that this album will share in the currently massive commercial success of easy-listening electronic music.

David Lawrenson

Produced by Edgar Froese and Chris Franke, engineered by Eduard Meyer. Recorded at Hansa Studios, Berlin.

UK

Danger Money (Polydor)

This is UK's second album and in true supergroup style their line-up has changed between this and their excellent debut album released last Spring. The departures of drummer Bill Bruford and guitarist Allan Holdsworth have given Eddie Jobson and John Wetton the chance to cut down to a trio by only replacing Bruford with ex-Zappa percussionist Terry Bozzio. Not surprisingly, this reduction has left some holes in the band's studio sound, and presumably even larger holes in their live performances.

However, despite the changes, the sound is still essentially the same — dominated by orchestral keyboards, overdubbed vocals, solid percussion and, of course, long instrumental sections. And there lies the album's main weakness. Many of the instrumental sections on this album seem to bear little or no relation to the songs in which they appear, notably Nothing to Lose, a simple song with an infectious chorus which could have made a very commercial single were it not for an annoying display of Eddie Jobson's virtuosity on the electric violin and synthesizers.

Rob McIvor

Produced by Eddie Johson and John Wetton, engineered by John Punter. Recorded at AIR Studios, London.

Tom Robinson Band

TRB Two (EMI)

While Tom Robinson has an excellent band, the lyrics always seem to be more important than the music. To this end, it must be said that although the musicianship is excellent, there's a noticeable lack of melody and general inventiveness. This is his second album and also the debut of a new line-up, keyboardist Mark Ambler and drummer Dolphin Taylor have been replaced by Ian Parker and Preston Hayman respectively. The other main point is that the album is produced by Rodd Rundgren, no less.

Original TRB guitarist Danny Kustow is, as usual, brilliant throughout and particularly so on the dramatic Let My People Be. His phrasing is excellent and he's got the definitive Les Paul/Marshall sound. There's a nice piece on All Right All Night where he and Parker answer each other on the solo. Parker also delivers a lovely organ solo on a track called Why Should I Mind.

The Rundgren influence is most apparent on Bully For You. Although the song is credited to Gabriel/Robinson, I'd lay money that Rundgren came up with the chords on the

middle eight. All credit to the man for a fine production, too.

Eamonn Percival

Produced by Todd Rundgren, recorded at Pye, mixed at Bearsville.

Jean Jacques Burnel

Euroman Cometh (United Artists)

So, JJ goes solo for a while and gives us a black belt LP. No Strangler vibes here; JJ filters most of Europe's musical styles into one compact outfit, sings and spits in three languages the necessity of a united Europe and makes a damn good job of it too.

Manoeuvring his bass with perfect ease over a field of synthesized sounds and shadowy guitar riffs, Jean Jacques is a satellite. The drummachine, used throughout, is like the constant beat of European industry; Brian James' guitar screeches like human pain; eerie keyboards, soothing or frightening, never really present but always rooted, like history. Burnel sings, captures past, present and future, he is overland, over Europe, over their people, their culture, their politics; he sees Europe as one from up there and does not understand frontiers. But it was just a dream because JJ is a human being and says to the lady: "Your lips are for kissing my feet, Your little hands are for my special parts. I've found a lover!" (Pretty Face). He's back in the pub, playing bass with a rock 'n' boogie band . . . And music isn't just European; it's Universal.

Hervé Corre

Produced by JJ Burnel and Alan Winstanley. engineered by Alan Winstanley. Recorded and mixed in London.

Magazine

Second Hand Daylight (Virgin)

Original, strong and refined, Magazine are back. There's always been something intriguing about this band, even if no-one was very happy about its production. Here, Magazine's obscure but vivid potential is exploited by a perfect realisation. Doors-like keyboards, massive bass, aggressive vocals creating a chilling but hypnotising atmosphere.

On this album's spare, rock-side, Believe That I Understand, Devoto gives us his chromelipstick voice again and in little doses, I'll forgive him that. Because, right after that Magazine slip into the closing number, Permafrost: "At the place where we've stopped/ I will drug you and fuck you/On the permafrost", where Devoto proves that his voice has finally found a home, that Magazine have become an entity and that Colin Thurston is a better producer for this band than John Leckie

Hervé Corre

Produced and engineered by Colin Thurston. Recorded at Good Earth Studios.

Johnny G

Sharp & Natural (Beggars Banquet)

With musical muscle provided by members of Aswad, the Rumour's horns and the Thunderbolts, Johnny G's debut album covers diverse styles ranging from stompers to ballads, rhythm rockers to instrumentals. And guess what, they're all good!

The more I listen to this album, the more it becomes apparent how John Gotting's musical talent is strong, subtle and sensitive. The lyrics are rich and fit the style of music. JG's guitar playing, if not particularly inventive, always complements the flow of the numbers and can speed-along a bass/drum fast un' just as well as it can flirt with a Belotitron on a beautiful ballad like You Can't Catch Every Train. There is nothing exceptional about this LP, but its title accurately represents its contents. A nice

Herve Corre

Produced by Ed Hollis, engineered by Nick Glennie-Smith and Dave Bellotti. Recorded at Riverside, mixed at Wessex,

Johnny Winter

White, Hot and Blue (Blue Sky)

No surprises at all but, if you're a blues or a Winter fan, it's an excellent album. As usual, the material is a mixture of Winter originals and old blues standards but his own material is as close as dammit to old blues standards anyway, so there's no lack of consistency.

Musically, you can't fault Winter - his voice is strong, his playing superb. His own One Step At A Time is one of the better examples of good blues guitar on this album. while the opener Walkin' By Myself features some excellent slide guitar. Particularly effective is another Winter original, Nickel Blues, with just acoustic guitar and piano (courtesy of lil' brother Edgar).

A couple of standards are re-arranged and rocked up slightly and these work well. Tai Mahal's EZ Rider and Mel London's Messin' With The Kid are two such cases given new life with this treatment. As I said, no surprises but still a good blues album.

Eamonn Percival

Produced by Johnny Winter, recorded at The Schoolhouse.

Georgie Fame

Right Now (Pye)

Fame turns songwriter with an album which is always pleasant, and of course immaculately played as one would expect from musicians of the calibre of Alan Parker, Bernie Holland and Terry Smith on guitars, and a fine brass section featuring Henry Lowther,

Unfortunately, the overall effect is a trifle polite and lightweight, and despite the Latin- Magazine

flavoured Little Samb. and two Highlife influenced tracks the songs seem a little samey. Nevertheless two pointer for the future emerge first, that Georgie is developing an excellent studio voice highlighted by his beautiful reading of Stevie Wonder's Too Shy to Say, although it would have been nice to hear more of his good bluesy keyboard work well. Secondly, his compositions show promise. especially





Jean Jacques Burnel Magazine

Johnny G

Johnny Winter

Georgie Fame

FROUND

246 Station Road. **Dunscroft, Doncaster.** Tel: (0302) 843037

Marshall Guild BURIMAN SHURE

SELECTION OF OUR

Beverly 4 drums S/H £195 Ajaz copper tint pair s/h £290

Tama Snyper 2 channel £295 Synere 3 £179

here are just a few examples:

2002 20" C-M-R 18" C-M-R 16" C-R Med 14" Sound edge pair

14" Rock h/h pair

and 505 cymbals.

drum cases.

22" China 20" China 20" Flat ride

PAISTE CYMBALS, large stocks,

11" Splash £53 £45 602 15" sound edge pair £180 £159

PAISTE range also includes 404

Range of Zildjian cymbals also in

Full range of Spaulding Russell

*Stand + Pedals extra.

Stands and Pedals by Pearl/Premier

DRUM SYNTHS

Synere 3

2002

Our

Price

£157

Our

Price £85

£68

£155

£160 £124

£125 £90

£45

RRP

RRP

£96

£78 £65

£170 £183 £143

£143 £101

DRUMS & PERCUSSION

Price

£590

£590

£595

£475 POA

£500 £285

£205

Our

Price

Our

Price

£525

£705 £575

£833 POA

£190 £140

£380 £320

RRP

£774 £774

£350

£225

RRP

RRP

£665





5 DRUM KITS

SECOND HAND

7 DRUM KITS

black

Tama Royale blue or

SMALL KITS Ludwig Classic with

(4) Butcher Block

Olympic Export 3 drums, red or blue

Premier B717 (tri-lock)

bongos)

*Pearl FW422 Beverly (inc. matching

Tama Imperial, blue

Tama Imperial, pide Tama Imperial, yellow Tama Swing 7245 (choice of colours) *Yamaha 9000

'real wood'' £746
Pearl SW 422, blue £599
Premier B4000, (tri-lok)£628
*Gretsch red maple

Grand Pris £733 Olympic B1033 mil-red £358 Maxim 705 H. black £259

*Fibes fibre glass bronze£350
*Tama swing dark blue £195
Premier resonator gold £340





Ibanez.











WE MUST HAVE THE LARGEST STOCKS OF GUITARS, AMPLIFICATION AND PERCUSSION IN THE COUNTRY -MUST BE SEEN TO BE BELIEVED

Rickenbacker

Pearl



<u>Premier</u>







UDWIO

DiMarzio

SONOR



H.P. available — Same Day Service — Part Exchange Welcome Mail Order — All Goods Available for Export **Good Repair Service on the Premises**

WE WILL MATCH OR BEAT ANY GENUINE ADVERTISED PRICE!

Albums

the Graham Parker/Northern Soul style, I'm In Love With You Baby and one really class song Eros Hotel, with evocative lyrics set off by a sympathetic string arrangement from Karl Jenkins.

David Lawrenson

Produced by Karl Jenkins and James Parsons, engineered by Terry Evennett. Recorded at Pye Studios, London.

Café Jacques

Café Jacques International (Epic)

If you risk judging an album by its cover, Café Jacques International might appear to be one of those cerebral synthesizer discs or avantgarde rhythm and blues. What emerges from the turnable is a pastiche of smoothly played funk, clinical rock and ballads with a Little Feat feel. Cafe Jacques must be looking for a spot on US AM stations — and this album may be bland enough to get them there.

It is not one thing or another. The opening synth lines of Boulevard of Broken Dreams fortell a delicate, almost precious instrument and vocal sound. It includes a strange array of instruments, including an accordion, to make a fine Italian movie soundtrack, a spell which is soon broken by How Easy, all funk rhythm but wimpy vocal and chorus. Waiting is a careful musical statement but the electric piano and guitar parts fail to make a gripping whole. Station of Dreams is yet another example of the careful arrangement and production that goes into making a commercial ballad for AM radio stations. This album sounds like a swirling mass of influences rather than a direct approach to a theme. It's not the sort of record I've come to appreciate in the crowded album market.

Sean Hogben

Produced by Rupert Hine, engineered by Alan Perkins, Steve Short and Peter Kelsey at Trident Studios, London.

John Miles

MMPH More Miles Per Hour (Decca)

There must be some reason why John Miles isn't gigantic, but I'm damned if I can find one. He constantly brings out good albums and this latest is no exception. There's a good range of material here, from beautifully structured melodic songs to out and out hard rock. It's hard to pick out the best tracks, but my two favourites are a great ballad called Oh Dear! and a song titled It's Not Called Angel. The latter is very Beatles-influenced with chord changes reminiscent of some of the songs from Hard Day's Night.

Apart from being one of Britain's best vocalists, Miles is a dab hand on guitar, especially on *Satisfied*, which features a fiddle-like country solo. Another nice cut is *Bad Blood*, which sounds like a disco Steely Dan complete with unison guitar/vocals.

The album sleeve features John Miles in front of a Concorde jet and, with flying jacket, scarf and moustache, the resemblance to Joe Walsh is uncanny. Even stranger is the fact that, on Can't Keep A Good Man Down, you'd

swear it was Joe Walsh singing. It's a rocky number and even features some nice scat singing with guitar à la Mr. Walsh. Uncanny resemblances apart, it's another fine album from one of Britain's most underrated musicians.

Eamonn Percival

Produced and engineered by Alan Parsons, recorded at Super Bear Studio, France, and Union Studios in Munich,

Buddy Holly

The Complete Buddy Holly (MCA Coral)

What can you say about a set of albums that contains around 120 tracks and, as far as one can tell, is the complete Buddy Holly recorded output? Well, you can observe how Fifties rock 'n' rollers were no better than most of today's new wavers at distinguishing between a good song and a bad one. Some of these tracks are exquisite, timeless pop music; others are embarrassingly dire. Surely somebody must have noticed how naff they were at the time?

You can also see clearly how important the other Crickets, especially Jerry Allison, were to Holly's music, and how influential songwriter/manager/hustler/guru Norman Petty was on his career. You can get some idea, from the recordings off radio and TV shows, of just how good the Crickets were live (which is pretty good). And, if you've got nothing better to do, you can take note of how many songs Holly played in the key of A (which is a lot).

It has been cynically said that the best thing he ever did as regards becoming a star was to climb aboard that plane in Mason City, Iowa. And it's true that more records were sold in the five years after his death than during his lifetime. But he was a genuine star, all right, and the popular music of the last 20 years would not have been quite the same if he hadn't recorded these 120 tracks.

Jeff Pike

Dusty Springfield

Living Without Your Love (Phonogram)

I know it's an oft-quoted phrase, but Dusty Springfield really is the best female singer Britain has produced. The vocals on her latest album are as impeccable as ever, from the uptempo, disco influenced Save Me, Save Me and Living Without Your Love to the beautiful emotive ballads I Just Fall In Love Again and I'm Coming Home Again.

My only criticism is that the songs, although good, are not great. Despite a version of You Really Got A Hold On Me and several Carol Bayer-Sager compositions, Dusty could still do with a real top quality song to go with her top quality voice.

David Lawrenson

Produced by David Wolfert, engineered and remixed by John Mills. Recorded at ABC Recording Studios.

Sex Pistols

The Great Rock 'n' Roll Swindle (Virgin)
I suppose this could be titled the Life and
Times of the Sex Pistols. It's a double album▶▶

Café Jacques
John Miles
Buddy Holly
Dusty Springfield
Sex Pistols

Culture

Muddy Waters

Joe Sample

The Bothy Band

of the film which loosely traces the rise and fall of one of the most potent rock bands of the decade. And it comes as a bit of a disappoint-

To begin with, the album is really a hotch potch of early sessions, weird and wonderful treatments of their best songs, and the latest Pistols' offering minus Johnny Rotten and plus Ronnie Biggs. Let's take the early sessions first, recorded in 1976, which contribute seven I take great exception to hearing people's jam sessions on record. It may be all right on film, but to hear the band stumble their way through Johnny B Goode and Road Runner tries my patience. But the other five tracks are great. Anarchy In The UK and Stepping Stone (the old Monkees tune) show a power and aggression which really explains why this band had such an impact on a weary music

Without Rotten's distinctive voice and anarchic lyrics, the rest of the band seem to fall back on good old rock 'n' roll as in Something Else and Lonely Boy with Sid and Steve Jones on vocals respectively. Silly Things, featuring Paul Cook, although powerful, sees them as just another rock band. I look forward to the film.

David Lawrenson

No recording details available.

Culture

Cumbolo (Virgin/Front Line)

If this was Culture's first album to be released on a regular (non-import) label, it would probably be hailed as an exciting event. There's no question they're one of the finest reggae vocal trios working today, or that front man Joseph Hill has an appealing voice and writes strong songs. Trouble is, a new album is inevitably judged against the last one and the one before that. And, alas, this is not half as impressive as Culture's Harder Than The Rest or the album which first brought them popular acclaim, Two Sevens Clash.

The songs are catchy enough, and as usual combine simple, hummable melodies with earnest lyrics on the usual rasta themes. But they're not as powerful as Hill's best stuff and not delivered with the same passion. He still sounds somewhat like Burning Spear, which can't be bad, and his two cohorts. Albert Walker and Kenneth Paley, still chip in perfect mellifluous backing harmonies, but the impact is somehow missing. The whole thing is just a bit too relaxed, too smooth, not angry enough. So why shouldn't Culture make a relaxed, friendly album ("Cumbolo" means "friendship") instead

Joe Sample



of an angry one? No reason at all. They just don't do it so well, that's all.

Jeff Pike

Produced by S.E. Pottinger, engineered by Errol Brown. Recorded at Treasure Isle Recording Studio.

Muddy Waters

Muddy "Mississippi" Waters Live (Blue Sky)

McKinley Morganfield is an uplifting live performer and this collection of concert recordings conveys much of the gutsy excitement of his show. Seven longish tracks, all blues, all straining with the raw Chicago sound, and all tinged with Muddy's wry humour and bonhomie. His rich voice sounds as mellow as I've ever heard it and his lean guitar playing has a nerve-tingling edge to it. Good harp playing by (variously) James Cotton and Jerry Portnoy, a couple of rangy guitar solos by guest Johnny Winter, and lots of raucous audience reaction. All very live, very sweaty and very satisfying.

Jeff Pike

Produced by Johnny Winter, engineered by Dave Still. Recorded by Metro Audio and the Record Plane, mixed at the Schoolhouse and the Hit Factory.

Joe Sample

Carmel (ABC)

The Crusaders are such a tight, happy family that it seems to be impossible for any of them to make a solo album without all his brothers joining in - and the result is often indistinguishable from just another Crusaders album. Sure enough, pianist Sample has help here from Wilton Felder and Stix Hooper in the production department, Stix plays drums on most tracks and ex-Crusader Hubert Laws pops up playing flute. But it sounds very different from the Crusaders we know.

The main reason for this is the instrumentation: Sample plays acoustic piano (beautifully recorded) on all but one of the tracks, there's no saxophone, the guitar and bass have much less prominence than in the Crusaders, and even Hooper is less thrusting and aggressive than usual, in keeping with the style and mood of the music. For it's a very relaxed collection of tunes. Even the numbers with perky Latin rhythms (Paulinho da Costa doing his usual tidy job on congas) are restrained and thoughtful. Sample is a good improviser but not a great one. Quite simply, he doesn't have enough creative ideas to string together a long jazz-style solo. And sensibly, he doesn't even try. He relies instead on good tunes (all his own), pretty melodic decorations of them and an assured, solid command of the keyboard. It all makes for very comfortable, unpretentious

Jeff Pike

Produced by Wilton Felder, "Stix" Hooper and Joe Sample, engineered by Rik Pekkonen. Recorded at Hollywood Sound Recorders Inc.

The Bothy Band

Afterhours (Polydor)

Probably the best live album I have ever heard. Forget about Seconds Out, Live & Dangerous and X Cert, with their "tour highlights" and studio overdubs, this is what live albums should be all about: an accurate representation of the band in concert. And this is accurate. Even the band's between-songs banter has been left on tape for posterity, as have the very rare mistakes, leaving an overall impression of realism and a genuine live feel sadly lacking in many live recordings. This is not to say that Afterhours is at all rough or scrappy sounding. The Bothy Band do have a very clear live sound, particularly on their vocals, and the recording is very clear.

Three tracks stand out from all the others; Casadh an tSugain (1 don't know what it means either) in which the band's voices blend beautifully, moving even one who cannot understand Gaelic; How Can I Live at the Top of a Mountain, where Triona Ni Domhnaill sings her own song unaccompanied; and the mournful Death of Queen Jane which shows how a simple lyric can often say much more than reams of surrealistic trash. Also, in a time when most live albums are considered as throwaway efforts made up of old material, it's pleasing to note that only four of the 11 songs on this album have been recorded before by the Bothys.

Rob McIvor

Produced by the Both Band. Engineers:
Phillipe Omnes, Bernard Darsch, Jimmy Wogan
and The Doctor. Recorded at the Palais Des
Arts, Paris.

Short Cuts

Sparks: No.1 in Heaven (Virgin)

The kooky duo of Ron and Russ Mael plug their idiosyncratic synth music into a disco rhythm section, thoughtfully provided by producer Giorgio Moroder. It has a pretty cover, well produced cuts and somewhat sardonic lyrics but all the Maels succeed at is fuelling the disco reactor with its favourite food.

Willie Alexander and the Boom Boom Band:

Meanwhile . . . Back In The States (MCA)

I must admit to knowing little of this outfit, apart from the fact that Willie used to play with the Velvet Underground. In fact, his vocals are very close to Reed or mid-period Bowie. The music? A kind of white, modern R'n'B. I can take it or leave it.

Dyan Diamond: In The Dark (MCA)

The first album from Dyan Diamond, a 16-year-old Kim Fowley protégé, made with Leon Russell supervising. She is surrounded by an ace team of session musicians and tries very hard to sing rhythm and blues, or is it ritz-menblues?

Eddie & the Hot Rods: Thriller (Island)

A very disappointing album in many ways. The sound is good, the material fast and furious but the band seem to have lost the energetic R'n'B feel they initially had. It's one thing being inventive and progressive, it's another thing to change direction completely.

Pat Travers: Heat In The Street (Polydor)

A bit on the heavy rock side, but still quite listenable. Two standout tracks – a slow

melodic instrumental called *Prelude* and shades of Todd Rundgren on *One For Me And One For You*.

EP

Short Cuts

Willie Hutch: In Tune (Whitfield)

Two ex-Motown mainmen show what experience can do. Hutch sings, plays guitar, wrote some songs; Norman Whitfield wrote the rest and produces. Supporting artists include Rose Royce. Top quality soul music like it used to be.

JP

Various artists: One Big Happy Family (Island)

Sampler album from Island featuring all their reggae artists, with superstar Bob Marley, crossover merchants Third World and Inner Circle and the more Roots Burning Spear and Zap Pow.

DI

Manu Dibango Sun Explosion (Decca)

Good-time music that combines African and South American rhythms, jazzy horn solos, African chants and Brazilian-style backing vocals. Kinda smooth Osibisa. Great dancing music for a multi-racial party.

Doll 3y Doll: Remember (Automatic)

A very strange album on first listening but it grows on you with repeated plays. Fairly simple, heavyish chordwork and pounding drums are the base for superb vocals, strange melodies and brilliant lyrics. Well worth checking out.

EP

Gonzales: Haven't Stopped Dancin' (EMI)
Second rate British funk.

DL

Money: First Investment (Gull)

Heavy head-banging first album from a Birmingham quartet who are young enough to know better. Noisy, arrogant, simple-minded and 10 years out of date.

JP

Art Farmer & Jim Hall: Big Blues (CTI)

Modern jazz with hardly a hint of jazz rock. Two masters of understatement playing subtle music that gets under your skin. A lesson in how to swing like hell – quietly.

JF

Carole King: Writer and Music (Epic)

Early Seventies re-issues of one of the few singer/songwriters really worthy of the name.

DL Muddy Waters

Jerry Jeff Walker: Jerry Jeff (Elektra)

Lazy country sounds, lots of acoustic guitars and pedal steel, drowsy horns and JJ's fruity, avuncular baritone. Could grow on you if it doesn't send you to sleep first.







Make a Good Guitar Great MIGHTY MITE MAKES IT BETTER

Now you can take a good guitar and make it great with Mighty Mite Custom Guitar Parts. For a few bucks your guitar will have the look, feel and sound of very expensive custom instruments.

Look into the complete Mighty Mite line of Pickups, Brass Bridges and Accessories at your local music store.





















Model #111/01B

4809 Calle Alto Camarillo, Cal. 93010 805-482-9815 Cable Address: Mightymite

send \$1.00 for our 8 page color catalog and parts list.



Change the neck, or the pick-ups, or start again right from scratch. You can have what you like with Mighty Mite Accessories.

Full details of the new bodies and necks, of all the pick-ups, and of the famous Mighty Mite range of brass accessories from Eosetti, The House of Music, 138-140 Old Street, London EC1, or phone Trevor Newman or 01-253 7294.



Guitar Workshop

Adjusting beginners guitars:3

ast month, I described how you could lower some of the string slots in a guitar nut if the maker had left them higher than necessary. You must expect to have to do this on some of the cheaper guitars. It is also possible that you may have a guitar on which some of the nut slots are too low, making the open (unfretted) strings buzz against the first fret. If you press the string down between frets 2 and 3 (as described last week) and the string also touches fret 1, either the frets are unusually bad, or the string slot has been cut, or worn, too deep.

You should not have to accept this fault on a new guitar. But you may already have a guitar with this problem, and the treatment I described with epoxy adhesive in the bottom of the slot is really only a temporary measure.

I must once again emphasise that these repair methods are only suggested for beginners' inexpensive nylon-string guitars. Certain guitars, particularly some Martin steel-string guitars, have the nuts dovetailed in. Removing these is a professional job, and difficult at the best of times. Most of the cheaper nylon-string guitars either have the nut glued in place against the step at the end of the fingerboard, or have straight-sided but slightly inset nut, as shown in photos 1 to 4. Photos 1 to 3 show how to remove the nut. The important word is gently.

You will need a cloth under the guitar back, a thick foam pad under the machine heads and someone to hold the head while you work. Use a light hammer and a piece of hard wood with square ends, like the one in the photos. Tap the nut gently all along its length as photo 1. Then tap gently all


along its length from the other side, as photo 2. Repeat 1 and 2 gently until the nut becomes slightly loose. If it is not recessed into the head, it will probably come off at this stage. It if is recessed like the one in the photos, use the corner of the same piece of wood to knock it out sideways. If the nut looks even slightly thicker at one end, this will determine on which side it will come out more easily. If the nut is really straight-sided and you have a choice of direction, knock it out towards you; it is easier to look out for slight splintering of the neck or fingerboard. If it jams in the slot when halfway out, try tapping it out on the other side. Also try tapping some more along alternate sides, as in photos 1 and 2. If you have a nut which will not come out, buy an "X-acto" razor-thin saw from a model makers' shop and saw down between the nut and the side of the recess, on the machine-head side. This is more likely to be successful than using a larger hammer. Usually, nuts on cheap guitars come off quite easily.


Occasionally you will find thick lacquer continuing all over the nut. In some cases this is no problem. In other cases, it indicates that you may not be able to get the nut out in one piece. This is something of a gamble and you should be willing and able to make a complete new nut if necessary, before you start trying to remove the old one. Unfortunately, these lacquered-over nuts are usually found on guitars for which ready-made replacement nuts are not available, so it will mean making a nut, not just fitting a new one. If you try the operation shown in photos 1 and 2, and the nut easily becomes loose, you are not likely to have any

trouble. It is not essential, but you are likely to have a neater job, if you cut through the lacquer film all around the nut with a craft knife, before you start. The knife will easily slip when cutting lacquer, and you can cut a finger very badly. The safest tool to use is probably a small X-acto (or similar) handle, fitted with a stencil-cutting blade. This has a sharp angled tip and blunt sides. If it is essential to remove a stubborn nut, and you think it is worth the trouble, take a hacksaw and cut lengthways right through the nut. As you cut through the last bit of nut, take care not to damage the wood underneath. If you now follow photos 1 and 2 you will be able to tap both sides of the nut in towards each other, into the space left by the saw cut.

If you need to make a new nut, most music shops can order for you, one or two bone nut-blanks, from Stentor and possibly also from other suppliers. For a low-priced nylon string guitar you could also use a piece of hard plastic such as Perspex, or Bakelite, or thick SPRB sheet, or a laminated cloth material such as Tufnol. Even a plastic toothbrush handle can be made into a usable nut, but you will have to file straight sides on it.

After you have removed and cleaned up the old nut, cut several strips of writing paper either to the width of the bottom of the nut or, if the nut is recessed into the neck, slightly narrower so that they will easily slip into the bottom of the recess. Put about three strips where the nut will rest, press the nut firmly into place and replace the strings (photo 4). They should be tuned to somewhere near their correct pitch. Follow the same





World Radio History

Guitar Workshop

Adjusting beginners guitars:3

procedure as before, pressing the string down between frets 2 and 3 and checking for clearance over fret 1. If necessary, slacken the strings, lift out the nut and add, or remove, strips of paper until the string in the lowest nut slot has about 0.3mm to 0.5mm clearance over the first fret (when the string is held down between frets 2 and 3). The average colour photo 'en-print' is about 0.3mm thick and can be used as a clearance gauge. See last month's Workshop.

When you have the right number of pieces of paper, take off the strings and lift out the nut and paper strips. Smear both sides of each strip with ordinary clear liquid office gum and put them in place on the guitar. Put a little woodworking glue on the bottom of the nut and on the side which fits against the fingerboard and put the nut back in place. Replace the strings and tune up the guitar, while occasionally pressing the nut down and towards the fingerboard. Check for equal margins between the outer strings and the edges of the fingerboard. Next day, trim off the surplus ends of paper strips as shown in photo 4. It is not necessary to remove the strings. Check string clearances over the first fret as before and lower any string slots which are now higher than necessary. This was described last month. You will probably only need to use sandpaper over the back edge of the saw blade

Measuring the action on a guitar

An experienced player will probably not need to measure the action on a guitar. He/she will know whether the guitar feels right. However someone buying a first guitar may not have the benefit of experience, and some typical measurements may be of help. It is quite possible to select a nylon-string guitar with suitable string height for a beginner, with nothing more than a box of matches. There are two possible approaches. One is that you threaten to set fire to the assistant's trousers unless, he instantly finds you a good and suitable guitar. This can cause a nasty scene, especially towards the end of a busy Saturday afternoon, and it is not recommended.

The second approach is shown in photos 5 and 6. The heads of Bryant and May Safety matches are usually quite consistent in size. Tip out a box of matches, discard the ones which are clearly larger or smaller than usual, and take a few of the average-looking ones. Other matches may not be the same size. You could cut some little pieces of wood or plastic to the measurements given below.


Between the top of the 12th fret and the underside of the bottom string (this is the thickest, wire-covered one by the edge of the fingerboard) you should be able to fit at least one match head but not two match heads (see photo 5) i.e. the gap should be more than 3.2mm but less than 6.4mm. Ideally, the gap should not be more than about 4.2mm, which is the width of two average match sticks turned round to give their narrowest widths (see photo 6). For the top string (the thinnest nylon one, at the opposite edge of the fingerboard), the gap between the string and the 12th fret should be about 2.8mm. This is a little more than the width of a match stick. and a little less than the width of a match head. If the top string gap is much wider than one match head, or if


the bottom string gap is wider than two match heads, the action is probably too high for a beginner and may hold back his or her progress.

These measurements are intended only for nylon-string guitars, and they are only reliable if the guitar nut is reasonably well adjusted. If you have to check the action on a guitar with a nut which is not well adjusted, you can make a rough estimate of the eventual string action after adjustment. Press the top and bottom strings down between the nut and the first fret, just behind the first fret, and repeat the trick with the matches, this time in the gap between the strings and the 13th fret.

It is usually possible to adjust the string action (string height above the frets), by lowering the white plastic (or bone, or ivory) saddle in the bridge, or by making a new, higher one. This was discussed briefly last month. Photo 7 shows the side view of a typical bridge on a lower-price classical guitar. In this case, the white string saddle is about as high as is practical. If it is raised higher with shims underneath, or if it is replaced with a new, higher saddle, there would be a danger of bending or cracking the front part of the bridge.

If a guitar has a string action lower than my recommended measurements, combined with a bridge saddle as high as the one in photo 7, the guitar is likely to be more trouble than it is worth. If a guitar has a string action higher than my recommendations, combined with a string saddle which is very low and almost level with the surrounding bridge, it is also likely to be more trouble than it is worth. Other combinations of high, low and average saddles and string actions usually either







work well, or can be adjusted to work well.

If the height of the bridge saddle is around its upper limit as shown in photo 7, it is particularly important that it is a good fit in the slot in the bridge body. The one in the photo is slightly loose, and you will see that it has already begun to lean forwards. This may upset the accuracy of notes towards the top end of the fingerboard (of which more next month) and it places a considerable strain on the front part of the bridge. Photo 8 shows the same bridge, with the saddle removed and replaced on top of a piece of thin paper. Choose the thickness so that the saddle just pushes firmly into the slot with a layer of paper around it. Use firm, hard-textured paper. Two thin, hard layers are better than one thicker one, made from softer paper. For really thin paper, try kingsize cigarette papers. Trim off the surplus paper with a knife as shown. You will need a new paper shim each time you remove and replace saddle. When you have found the ideal thickness of paper, put a small spare piece, enough for about two more attempts, inside the guitar body. It will do no harm, and it will save time if the saddle ever has to come out again for adjustments.


There are one or two more small adjustments which I would like to cover, but I have once again run out of page, and I shall have to keep them for next month's Workshop.

Stephen Delft











Send for details of this GREAT product to:



Futuristic Aids Ltd., Audio House, Henconner Lane, Leeds LS13 4LQ. Telephone (0532) 565478

World Radio History



Produced after two years of development, it's sophisticated, easy to use, reliable, and its specifications are superb. The deck plate is a rigid aluminium casting of extreme dimensional accuracy, ensuring the absolute stability of the tape path.

Tape tension is servo controlled, as is the capstan (which has +15, -50% varispeed control), and wow and flutter is only 0.03%.

Control and monitoring facilities are comprehensive. A simple push-button matrix permits selection of line-in, sync and replay for any of the tracks and led's indicate the selected status.

The tape counter has a plasma display reading in minutes and seconds. There is also a highly accurate search-to-zero

A special feature of the machine is that the whole of this control panel, and the varispeed control, can be used remotely. So once the machine is prepared, a single engineer can work a recording session without leaving the mixing console.

Replay S/N is 76dB (reference 510nWb IEC curve A); erasure is 70dB and record/replay frequency response is +1, -2dB (30Hz

All signal levels can be adjusted by presets on each channel. The external power supply is fully protected and 19" rack mounting.

The Soundcraft SCM 381-8 is built to the highest professional standards throughout for the production of master quality recordings.

The UK professional price is £5,250 (excluding VAT). It includes all the above features as standard.

Contact Soundcraft for a brochure giving more details and a full technical specification.

Soundcraft Magnetics Ltd, 9–10 Gt Sutton Street, London EC1V 0BX, England. Telephone 01-251 3631 or 01-253 9878. Telex 21198.



Piggy 1 - 10 watts RMS



20 watts RMS with reverb



Storm

combo amp with tuner

For little more than the price of an ordinary practice amp, here's a beautifully designed, top quality studio combo made to give years of service. The built-in A440 tuner with independent switch and volume control provides a loud, clear note instantly it's needed, and there's also a monitor facility for headphones. Available in two versions, Piggy 1 gives a full 10 watts RMS output, Piggy 2 - loud enough for cabaret work - gives 20 watts RMS with reverb. Guaranteed for two years, these amps represent terrific value for money, but don't take our word for it. Try one under our 7-day FREE approval plan - your money instantly refunded if not delighted!

Piggy 1 Paid UK

Piggy2Paid UK £99.00

STOR FECTS UNIT

Packed with sophisticated electronic godgetry, these superbly made units enable you to produce a whole range of fabulous new sounds from your existing gear. They'll give years of onstage and studio service, comparing very favourably with much more expensive products from the USA and elsowhere

Distortion 10

Controlled distortion gives range of sound from hard rock overdrive to fuzz with long sustain. Two controls - Volume and Distortion, plus in/ out footswitch. £22.50 post paid.

Compressor 20

This amazing soundstretching unit gives you correct sound balance and long, clean sustain without distortion. Volume and Intensity controls, plus in/out footswitch. £22.50 post paid.

- For guitars, keyboards etc. and all other instruments
- Noisefree operation
- Strong, robust construction
- Diecast aluminium bodies in attractive colours
- Small and neat only 4%" x 2%" x 1%"
- Complete with 9v battery
- Octaver 2

Play one note and get another simultaneously two octaves below. For guitar, keyboards and suitably bugged wind instruments. Volume control and in/out footswitch. £25.00 post paid.

Phaser 50

Provides low-cost. studio quality phasing for all instruments. Variable speed setting allows you to achieve a wide variety of expensivesounding effects, Low/high speed control, in/out footswitch. £25.00 post paid.

To: ABC Music International FREEPOST Esher Surrey KT10 9BR Esher 66197 - 24hr ansafone service

Seven day FREE approval plan I enclose cash/cheque/PO for £

Remember - credit card holders may telephone their order

Signature

Block letters please M4

Try these products out at home or on a gig with your own gear. If after seven days you're not over the moon with your purchase, return the goods to us and we'll refund your money in full without question.

Please send:								
	Piggy 1	@ 69.50	£					
	Piggy 2	@ 99.00	£					
	Distortion 10	@ 22.50	£					
	Compressor 20	@ 22.50	£			,	,	
	Octaver 2	@ 25.00	£					
	Phase: 50	@ 25.00	£					

Prices include post/pack UK only



Sweet Clarity

For a working band, no two gigs are ever quite the same, and it is the microphones which have the job of making the band and the singers sound good, whatever the location. The AKG D1200 is designed to provide clear uncoloured sound for both singers and musicians and the in-built response selector switch, "bass", "medium" and "sharp", allows the performer to match the characteristics of the microphone with its variable surroundings. AKG design overall means a combination of efficiency, reliability and styling.

The D1200 is just one of a wide range of superb professional microphones for stage and studio


Visit your local dealer to see the total AKG range.



AKG Acquetics Ltd. 191 The Vale. Acton. London W3 7OS. Tel. 01-749 2042

Please s	end m	e int	orn	nation on	AKG Microphone	S.		
NAME					STREET			 rate
TOWN					them to the second state of the second state o		POSTCODE	

For those who dream of owning a Synthesizer, the WASP offers more facilities and better sound than others costing six times as much!



2 oscillators. 1 x LFO sample & hold, noise.
2 voltage controlled envelopes. 3-way filter with positive & negative modulation. completely digital for stable tuning. Headphone socket.
Built-in speaker. Battery or mains operation — and much more..........

EXCLUSIVE DISTRIBUTORS

FOR U.K.
ROD ARGENT'S KEYBOARDS
20 DENMARK ST.
LONDON WC2
TEL: 01/240 - 0084/5

FOR THE AMERICAS.
BOB GROSS
AIM LIMITED
P O. BOX 424. ORANGE
MASSACHUSSETTS 01364

ALL FOR A RECOMMENDED PRICE OF £199

STOCKISTS IN THE U.K. INCLUDE

ABC Music A1 Musicentre Anderton's Music Bell Music Blackpool Sound Centre Buzz Stop Chappells Carlsbro Music Coventry Music Centre Cookes Band Instruments Dandelion **Dard Guitars** Dick Middleton Music Doublejay Entertainment Edinburgh Organ Studios **ESS** Hammersound J. Sixty Music Bar J. Grant (Edinburgh)

J.P. Cornell (Hull) J. Holmes (Cheltenham) Kitchens Musical Sounds Midland Organ Co. Morlings Music Box & Sound Sense Magnum Sound P. Noble (Cardiff) Prof. Music Services Piano & Organ Botique Rock City Music R. Tingley Music Sound Centre Telecomms Uxbridge Music U-Name-It Woodroffes



Celestion [

Rola Celestion Limited, Ditton Works, Foxhall Road, Ipswich, Suffolk IP3 8JP, England. Tel: Ipswich (0473) 73131. Cables: Voicecoil Ipswich. Telex: 98365.



PROUDLY PRESENT THEIR EXCLUSIVE NEW RANGE OF GUITARS

Write or phone now for details of the full range of

Nashville ACOUSTIC GUITARS



N -350D

Brown stained spruce (solid) rop, mahogany back & side, rosewood fingerboard & bridge, fully adjustable mahogany neck, defuxe machine head.



N -40D Solid spruce top, mahogany back/ side, rosewood fingerboard, mahogany adjustable neck, chrome plated deluxe machine head, Guild M-450 strings.

N -40DS
As N -40D with sunburst top



N -500J Solid spruce top, maple back/side, mahogany adjustable neck, chrome plated deluxe machine head, black finish all way round

STRINGS & THINGS LTD.

20 CHARTWELL ROAD, CHURCHILL INDUSTRIAL ESTATE, LANCING, WEST SUSSEX BN15 8TU. Tel: (09063) 65871. Telex: 87266.

MUSIC STOP

106 SCHOOL STREET, WOLVERHAMPTON W. MIDLANDS TEL: (0902) 29352

For the best selection of good gear in the Black Country




The full range is always on permanent demonstration

Midlands franchise dealers for Mega PA Systems, Allen & Heath Mixers, RSD Mixers and Amps

Always in stock the complete range of Customsound Amplification, Aria Guitars and Drums, Shure and AKG Mics.

INTERNATIONAL MUSICAL VALUE!



Only advanced technology and volume production allows such a fine amp to be available at such an inexpensive price. Look at the built-in features — where else would you find them and at what cost? The one thing that this page cannot demonstrate is the sound. It's an honest 120 watt amp and has the ability to be as clean or as dirty as you wish.

Intermusic amps are guaranteed to bring back a sense of value to the music business. They're on sale throughout the chain of franchised Intermusic dealers.


N.B

A spring reverb is available as an optional extra



PA:CE Ltd., Kneesworth Street, Royston, Herts.

Just in case you missed us on 'Rock goes to college'



Even if we say so ourselves it was quite a star performance. But there again, it wasn't the first time we've starred on the telly, not only in this country but throughout Europe and even in Brazil.

If you were lucky to see any of our breathtaking displays, what you probably didn't realise is that all our equipment was hired. Mind you with our range we are geared to handle any size of concert, even the largest of events — which would require our full concert rig, half of which is shown here.


Of course, we have already been hired for many National UK and European tours for many well known names. And if you can put up with a bit of name dropping here are just a few: Boomtown Rats; The Kinks and Dean Friedman (in association with Asktam); Buzzcocks; XTC; Drifters; AC/DC; Radio Stars; Cimarons; 5 Hand Reel; Aswad; Country Joe; Stan Tracy; Steve Hillage & SNO; Rezillos; Cilla Black; Café Jacques; Squeeze; George Melly; Stephane Grappelli; and that's not even mentioning the incredible Royal Jubilee Variety Performance.

Some line up, well we think so. And who's to say with these names as customers you won't be seeing some more pulsating performances featuring ourselves on the box.



Westmill Road, Colinton, Edinburgh. Tel: 031-441 7926.









. "FOR YOUR NEW ARIA GUITAR."

Free Smallstone phaser with every Aria guitar on production of this ad.



"We have a vast range of these fabulous guitars in stock. Generous deals available. Fill in the coupon for free catalogue:

P.S. Aria drums coming soon."

Also Bristol's agents for Burman, Maine, Music Man, Fender, Peavey, Leach, Rokk, Intermusic, Redmere and many others. Also P.A.'s, mikes, and JBL speakers etc . . ."

Biggles Music, 85 West Street, Old Market, Bristol. Tel: (0272) 552147

Please send me details of the fabulous Aria Pro 2	range.
Name	
Address	





Speakercheck

Bose 802 System £599:40 inc VAT

(WITH EQUALIZER)

£517:86 inc VAT


(WITHOUT EQUALIZER)

The Bose 802 is a total concept loudspeaker system of very small physicalsize and weight, intended for practically any application from PA to musical instrument amplification, from stage monitoring to conventional theatre and cinema systems. The total Bose package includes a live performance mixer and power ampli-

fier, but we shall only be concerned here with the performance of the 802 loudspeaker system and its equalizer.

The Bose Corporation have their own, often unconventional, way of doing things. While respecting this originality as we consider the various design features of the product, we must be objective in terms of whether or not it performs its task to an acceptable degree — always bearing in mind the price and mechanical features of the design as well as its performance.

Apart from the fact that virtually the entire loudspeaker is made from plastic and that a rather unusual arrangement of drive units is employed, the outstanding departure from conventional speaker design is that electronic equalization has been employed to normalise the frequency response of the system. This takes the form of a small black box, mains powered, which must always be connected between the signal source and the input to the power amplifier. Fact: it works, as was clearly shown by comparing the response plot of the unequalized loudspeaker with the proper frequency response plot as given in the results presentation. In its raw state, this loudspeaker would have no part to





BOSE 802 PROFESSIONAL LOUDSPEAKER SYSTEM

Performance specifications and test results

520mm wide x 340mm high x 330mm depth (340mm incl. cover). Weight: 16Kg (approx. 36lb)

Parameter	Manufacturer's rating	Test result
Sensitivity	Not stated	98dB @ 1 watt @ 1 metre on axis. averaged between 200Hz and 10KHz
Useful frequency response	Not stated	40Hz-18KHz @ -20dB 50Hz-16KHz @ 12dB
Rated input power	160w continuous	See text
Distortion	Not stated	3% above 500Hz, rising to 10% @ 300Hz and 40% @ 100Hz
Impedance	8 ohms	9.5 25 ohms
System resonance	Not stated	120Hz
Polar response	Not stated	82V x 88FF @ 1K Hz 214V x 126FF @ 2K Hz 66V x 158FF @ 4K Hz 100V x 100FF @ 8K Hz included angle at -6dB





Note: all tests were carried out with equalizer in circuit.

play in live performance sound at all, whereas its performance with the equalizer in circuit is very good indeed. What is basically happening is that the equalizer is boosting frequencies at which the tiny loudspeakers are not particularly sensitive so that more power is delivered at those frequencies. There seems to be two main boosts applied, one of about 15dB at 60Hz, the other of about 18dB at 15KHz, with a gradual tailing off between the two so that no boost is provided at all All very clever stuff, resulting in virtually flat frequency response between about 200Hz and 12KHz with only slight dropping off at each end to -12dB at 50Hz and 16KHz. So far, I am impressed.


I remain, impressed as the mechanics of the unit are considered. The cabinet is injection moulded from high impact plastic in two parts. The baffle panel, sides, top and bottom are moulded as the main shell, and the back is separately moulded and welded in place - presumably after the subassembly work has been completed on the connectors and wiring. moulding represents a real commitment in terms of capital investment in tooling and in design time, as the whole assembly is brilliantly thought out and is of exemplary quality. It all looks so simple until you start to study the details. Besides having the drive unit apertures moulded in, the baffle panel also has locating lugs and mounting holes for the drive units and mounting bushes for circuit board. The cabinet walls have all necessary hardware, such as threaded steel inserts in the base to facilitate attachment to the tripod stand, reinforced corners, strip feet, slots in the top to accept the feet moulding of a stacked cabinet etc., and the whole moulding is very well ribbed on the inner faces to provide rigidity and freedom from self-resonance.

The separate back panel moulding is similar and includes a large recessed connector panel. In addition to these, there is a third moulding which serves as a clip-on front cover, as a tilt stand when the loudspeaker is used as a floor monitor, as a plinth when the units are stacked vertically and has a deep recessed carrying handle and stowage compartments for the Bose equalizer, cables, spare fuses, etc., incorporated into the moulding. The only metallic components in the whole assembly are the screws which retain the drive units and circuit board, the jack and XLR connectors and the clasps on the transit cover/speaker stand moulding. The quality of moulding and finish throughout is of a very high standard indeed and, used in this way, plastic must be considered a viable alternative to the more traditional cabinet building techniques. It is tough, durable and visually attractive and provided the moulding is adequately braced, it has few drawbacks from the acoustic point of view

The arrangement of the connector panel warrants a little further consideration. The design of the moulded dish into which this panel is fitted is such that the jack sockets are blind — i.e. there is no air leak into the cabinet through the connectors whether the plugs are in or out. Unfortunately, however, not so much thought has been given to the arrangement of the XLR connectors because, strangely, both of them are male. By convention, the input connector should be male but the link-out facility should be female, so that any live contacts are

shrouded by the rubber insert. As fitted, if XLR type connectors are to be used, it will be necessary to carry non-standard cable sets, one will be a conventional three-contact male-tofemale lead to connect the loudspeaker to the amplifier output, but link cables between cabinets will need to be female-to-female. Not a verv sensible arrangement at all, especially in the light of the attention to detail found in almost all other aspects of the design. Another useful feature is the inclusion of a 4A fast-acting fuse to protect the speaker from damage in the event of an amplifier breakdown or of overloading the cabinet, and also to ensure that if one cabinet in a stack should break down, it does not shut down the power amplifier and take the whole system out. Good thinking.

Eight full range loudspeakers are fitted as shown in the photograph. Each drive unit is just 115mm in diameter and of 1 ohm impedance. All units are wired in a series chain to achieve an 8 ohm nominal impe-This type of arrangement sometimes suffers from a loss of transient response, but has the advantage that in the event of a breakdown with any unit, the whole cabinet will shut down, thereby preventing the destruction of the remaining drivers by overloading. Even the loudspeaker chassis are moulded in plastic. Again, this is of a sensible and rugged design and there is no reason why they should not be plastic. A large ceramic magnet is fitted - almost as big as the chassis itself - and the tiny cone is carried on a soft PVC foam roll suspension, Rather nicely made, and either manufactured by Bose themselves, or by an established loudspeaker manufacturer to Bose requirements. The Bose logo





As a transit cover.



As a tilt stand for monitoring.



As a storage case for equalizer, cables, etc.



As a stacking plinth.

Ringing the changes with the Bose 802 transit cover.

A BIG POWERFU SPEAKER CAN HANDLE YOUR MUSIC.

BUT CAN YOU HANDLE THE SPEAKER?

Powerful speakers have always had a couple of obvious drawbacks. As anyone who's tried to get them on and off stage knows only too well.

It's not just that they're heavy. They're usually big and awkward as well.

But not anymore. With the new Bose 802.

The 802 is something of a landmark in the music world.

It's small. And it's light. (If you've ever carried a medium suitcase you'll have a good idea of the weight).

But with an awful lot of power packed into its neat little frame.

Each 802 speaker is capable of handling 300 watts RMS with a

of one there are eight drivers. And because Bose speakers are renowned for it, you can imagine the bass is exceptional.

On the 802s it's been extended even further to handle the wild edges of any group's repertoire.

While the treble is clean way up to the top of the audible spectrum.

With every pair of Bose 802 speakers there's an active equaliser which ensures a flat power spectrum is radiated across the entire audible range.

And being small doesn't mean being fragile. The new 802 is built to be virtually indestructible.

The cabinet has been redesigned. So it looks as dramatic as it sounds.

And the price? Just £555 a pair plus VAT. Not much when it comes to putting muscle where it belongs. On stage instead of on your roadies.

If you'd like to know more about Bose speakers, get in touch now.

Bose (UK) Limited, Trinity Trading Estate, Sittingbourne, Kent, ME10 2PD.

Telephone Sittingbourne (0795)75341/5.

Better sound through research.



Sole distribution in Eire by Audio International Ltd., 71 Dame St., (beside Olympia Theatre) Dublin 2.

Speakercheck

is stamped all over the chassis moulding, the centre dome and the magnet, so as to leave no doubt as to their origin.

It is interesting to see that Bose have now done a 1800 turn and decided that a ported type of cabinet design is better after all. In their brochure for the Bose 800 - the immediate predecessor of the 802 they state: "Multiple drivers in an air-sealed enclosure provide smoother response than ported bass cabinets (often boomy) or horn loaded drivers (which often sound piercing or 'peaky') ... While in the new brochure for the 802, it would now seem that: ' the reactive air columns greatly increase bass response while lowering distortion by reducing driver excursion at low frequencies.

The term "reactive air column" is simply a technical term for the two reflex tunnels now fitted to the 802 which terminate at the two "eyes" at the front of the cabinet. Most people involved in loudspeaker design have known for years that a properly tuned cabinet will exhibit improved bass response and better piston control at low frequencies. It is interesting to note that Bose did not seem to think so when the 800 was designed, and now would have us believe that a reflexed cabinet is the best thing since sliced bread! I suppose that this is what commercialism is all about. The only difference with the Bose reflexing system is that gauze filters are fitted over the inner face of the tubes, which prevent the ingress of foreign particles and also offer some degree of acoustic resistance to the movement of air in the tube. The tubes can be removed from the front of the cabinet so that these filters can be periodically replaced and, again, the retaining clips for these tubes have been cleverly incorporated into the baffle panel moulding and a large threaded ring, screwed to the tubes from the front, holds the grill panel in place.

While inspecting the interior of the cabinet, I was intrigued to find a small circuit board screwed to the inside face of the baffle panel. Using a mirror through one of the loudspeaker apertures, I saw that it consisted of a festoon lamp bulb connected in series with a capacitor. Wondering what this might be, I traced the wiring through the cabinet and discovered that the series connected lamp and capacitor were wired across the lower four loudspeaker units. The value of the capacitor is such that at frequencies above about 4KHz, the reactance of the capacitor will become lower than the impedance of the four loudspeakers and therefore the lamp bulb will be dissipating more energy than the Unfortunately, there loudspeakers. are no markings on the lamp to indicate its voltage or wattage rating, but from the construction of the filament, it is a low voltage, high wattage device. A most unusual arrangement, whose purpose can only be to bypass the bottom row of loudspeakers at higher frequencies. I did say that this was an unusual loudspeaker!

What of its performance? The frequency response we have already discussed, and the sensitivity at 98dB for 1 watt is not particularly high, but is a vast improvement over the earlier Bose 800, and is probably as good as one is likely to get in a loudspeaker of these diminutive proportions. The power rating, however, requires some discussion. As music is not of a sinusoidal nature, it is not considered a fair test to feed in the full 160 watts of sine wave, and so we made a first power run at 100 watts. Though the unit was not audibly under stress at this level, the frequency response plot showed evidence of severe limiting at the lower and higher frequencies, coupled with very high levels of third harmonic distortion as high as 40% or even 50% at frequencies below about 120Hz. The effect of this limiting was a fairly steep roll-off in response at frequencies below 300Hz and above 3KHz. A second run at 50 watts showed a notable improvement, but some limiting was still in evidence at below 100Hz. At 25 watts input, the response curve had regained its original shape and all seemed well.

I have not been able to establish whether this limiting is due to intentional electronic limiting incorporated into the equalizer unit, or to mechanical self-limiting by the loudspekers themselves. I would suggest that the very high levels of distortion present at low frequencies would indicate that the latter is probably the case. However, there is nothing to suggest that the unit will not handle its rated input power without breakdown. problem seems to be simply one of its frequency response being modified as input power is increased, and of high distortion levels at the lower frequencies.

The other performance peculiarity is in respect of the polar response in the vertical plane. It does not appear to obey any of the established laws of physics in relation to the radiating array. Note that at 1KHz and 4KHz, the vertical dispersion is good although as the polar plots show, it is asymmetrical, the 82° at 1KHz consisting of 260 downwards and 560 upwards. However, at 2KHz we find an almost omni-directional characteristic and at 8KHz the dispersion is again beginning to widen out. In the horizontal plane there are no problems whatsoever, and the unit behaves as one would reasonably expect from such a design, with a usefully wide and

controlled pattern throughout the range. Even at 16KHz (not shown on the plot to avoid confusion) the horizontal dispersion is a reasonably uniform 980, which is good at this frequency. I have not had the time to go into the mathematics of the vertical peculiarities, but I suspect that it might well have something to do with the lamp/capacitor network altering the power levels fed to the bottom row of drive units. I can see no other explanation, as relative power levels between units are an important controlling factor in a multiple array such as the Bose design.

Listening to music through the system is a pleasure. The sound quality is crisp and punchy, with a surprising quality at the low frequencies. My listening panel thought the performance very good indeed on music by Queen, Abba, Fleetwood Mac, etc. at an average power input of about 10 watts. Used with a microphone, the performance is particularly clean and full and acoustic feedback does not seem to be a problem — even in a smallish room.

How can I summarise the Bose 802? The manufacturing quality is first rate. The design exercise has been carried through with minute attention to detail, resulting in a product that is totally functional and totally suited to its intended application. The performance is generally good, although I have reservations about its ability to handle low frequency information at high power levels, and am not entirely happy over the vertical dispersion charactertistic. It is normal to use the 802 in fours, in two stacks of two, and under these conditions, the low frequency response is considerably enhanced. For long-throw applications, two stacks of four will provide very good coverage of a fairly large auditorium.

The unit must never be used without the associated equalizer, and conversely, the Bose equalizer must never be used with any other type of loudspeaker system. Because of the way the equalizer works, the Bose 802 can only be used to advantage with a power amplifier capable of substantially more output power than is actually needed to drive the loudspeakers and something between 200 and 300 watts per channel would seem to be about right. The Bose 800 power amplifier will deliver about 800 watts into four cabinets. In terms of power input and sound level output, the system is not particularly efficient, but it works and generally works well. You are not really sacrificing all that much in performance for the obvious advantage of the incredibly small size, light weight and convenience in use afforded by the versatile design. However, a system based on the Bose components Ken Dibble will not be cheap.



POLLARD ELECTRONIC DRUM KITS

The professional acceptance of Syndrum is unprecedented as the following list indicates.

ARTISTS
RICHARD ADELMAN CARMINE APPICE JOHN BARBETTA GERARD BAUDRY

KAT HENDRISKE
JIM KELTNER
KEITH KNUDSEN
RUSS KUNKEL
L'AQUARIUM STUDIO PAUL LEIM ANDRE LEWIS JERRY MAROTTA RICK MAROTTA CHET McCRACKEN LARRIE LONDIN SHEP LONSDALE DEREK LONGMUIR RALPH MacDONALD

ALVIN TAYLOR
CHESTER THOMPSON
ED TUDURI
DICKIE TORRACH
JAN UVENA PETE VRANES LENNIE WHITE ART WOOD ARI WOOD
SYNDRUMR
CAN BE SEEN AND HEARD
ON THE FOLLOWING
ALBUMS AND MOVIES
"SATURDAY NIGHT FEVER"
JACKSON BROWNE STEVE MILLER BAND DOOBIE BROTHERS HALL & OATES CARLY SIMON ROGER MILLER ANGEL CAROLE KING ROD STEWART YES KISS WHO

TY GRIMES MICHAEL STRIEVE WHO
JOHN GUERIN TREVOR SPENCER AND MORE
JOHN HARTMAN MARK STEVENS AND MORE
For complete Syndrum Owner's Manual, send \$1 to

Pollard International, Inc., 11581 Federal Drive, El Monte CA 91731

SPECIAL INTRODUCTORY PRICE UNTIL 1ST JULY 1979

See it at your Vitavox dealer **NOW** and collect your free **Music Motor** poster

BIGGLES MUSIC. Tel: 0272 552147 85 West Street, Old Market, Bristol.

ROCK CITY MUSIC. Tel: 0632 24175 10 Mosley Street, Newcastle Upon Tyne.

SOUND ADVICE INSTALLATIONS, Tel: 0257791645 Regent Street, Coppull, Chorley, Lancs.

SOUNDWAVE, Tel: 70 25919 66 Victoria Road, Romford, Essex.

Tel: 0783 78058 3 Albion Place, Sunderland, Tyne and Wear.

VITAVOX LIMITED Westmorland Road London NW9 9RJ Telephone: 01-204 4234



Power to the Musician *M&M 16 channel

VITAVOX

Available for Imediate Hire

PRESSURE DRIVER

HIRE 38 Hamlet Rd, Chelmsford

- **★M&M** 16 channel mixer 1300 watt PA rig
- **★Small Stone phaser**
- *Professional mikes (AKG and SHURE)
- **★Guitars (Les Paul and SG2000)**

Distance no object.

Recording equipment for demo tapes, etc. Please ask for rates, details, etc.

OUR EQUIPEMEN

THEATRES - HALLS - COLLEGES - CLUBS - CINEMAS - OUTSIDE USE

SSE. DA. SYSTEMS

'Standard' range Modular P.A. Units.

BEWARE OF IMITATIONS!

Built in Finnish birch ply Using JBL and ATC components

Our MODULAR RANGE still costs under £500 a stack

Check out the quality and the price at our warehouse and with our dealers

SEND FOR BROCHURE NOW!

THACK IS EXPOSTE ENQUISIES WELL DISE

JUMA JOUND ENTERPRIJEJ

KARISE ORGANIZA ROJO, PROPORE NOCENSAME NE AND OR





We manufacture a wide range of professional plywood speaker cabinets — 37 different models as standard. We can supply cabinets empty or loaded with any make of drive unit. Prices start at just over £30 and we operate a generous discount system on larger purchases. We offer a full mail order and export service and now use an express carrier at no extra cost.

Send two nine pence stamps for our illustrated catalogue. *Enquiries* - phone Stirling (0786) 70923 (24 hour answering service).

Retail shop and showroom opening shortly.

Airthrey Music, Towers Place, Causewayhead, Stirlingshire.

ALAN'S Music Centre

ANNOUNCE THAT THEIR
PROFESSIONAL GROUP GEAR
BASEMENT IS OPEN

STOCKS INCLUDE:
GIBSON, GUILD, FENDER, IBANEZ,
HAGSTROM, OVATION

PREMIER, PEARL, TAMA

CUSTOM SOUND, MARSHALL PEAVEY ARP, HH, ORANGE, PHOENIX

7 KETTERING ROAD, ABINGTON SQUARE NORTHAMPTON 0604 31129

SOUNDER

electric bass guitar strings

Semi (Half) Round Bass String

Wound with round stainless steel then precision ground and polished. This provides an extremely flexible string with a flat playing area and "Vibration Chambers" below the surface of the visible winding. Also eliminates finger and fret wear.

Available in long or medium scale

Set No SRIO! Long Scale Set No

Set No SRIOM Medium Scale

Round Wound Bass String

Wound with stainless steel to give tremendous magnetic response. Extremely flexible. All strings are burnished to reduce finger and fret wear.

Available in lor g or medium scale

Set No RWIOL Long Scale Set No RWIOM Medium Scale



SOUNDER

electric guitar strings

Plain String

Unique 'Long Life' twist at ball end. Almost doubles strength at this weakest point, reducing breakage. Finest plated high tensile steel.

Wound String

Sounder covered strings are precision wound under a constant tension using a process which allows you to cut the string anywhere along its length without the spinning wire coming loose. So no problems because 'you did not take a turn around the peg' Spun with silk at the ball end Pure hard nickel wound.

Available in four superbly balanced sets, reference numbers as follows:

Superlight No IOS (.008) Extra Light No 1OE (.009) Light No IOL (.010) Light Wnd .3rd No IOLW (.011)

Also full custom range.

Walley MUSIC STRINGS Treorchy Rhondda CF42 6AA



Nothing else sounds this way. Because nothing else is made this way.

Pure tone. No colouration. A big, warm musical sound. And the kind of power which cuts through any amount of amplification like a knife through butter.

Those are the qualities today's drummers look for in a cymbal. Those are the qualities Zildjian deliver.

Why don't other cymbals sound like Zildjian?

Because other cymbals aren't made to a secret process which goes back 350 years. A process which transforms a blend of pure tin, pure copper and pure silver into a sound which is pure gold.

Zildjian. It's the sound of today's music. And nothing else comes close to it.



Avedis Zildjian Company, P.O. Box 198, Accord, Massachussetts 02018 U.S.A.



A1 MUSIC C

88 OXFORD ST. MANCHESTER TEL: 061 236 0340

WE CARRY 4 TIMES MORE STOCK THAN LISTED SO CALL IN AND SEE THE REST

STILL SOME GOODIES LEFT FROM OUR SALE

Ibanez L/H Sunburst	£182
Ibanez Artist £200.00 Inc	Case
Ibanez Rickenbacker Bass	€238
Ibanez Proffessional	£249
Ibanez EQ Artist Inc. Flight Case	€475
Ibanez Firebiro	£229
ARIA ELECTRIC GUITARS	
Aria PE 110 D/B	€169
Aria PE 1000	€387
Aria Pro II Matt Finish	£235
Aria PE 450	£223
Aria PE 500	£223
Aria PB 5508 Precision Bass Fretless Black	£214
Aria JB 500 5B Bass	£171
Aria PB 260B Bass	£124
FENDER ELECTRIC GUITARS	
Fender Telecaster Custom Black M/N	£303

IBANEZ ELECTRIC GUITARS Ibanez L/H Sunburst

RS		GIBSON ELECTRIC GUITARS	
	£182	Gibson Exploser (Re-issue)	£380
£200.00 Inc	Case	Gibson Firebird 1966 3 P.U. Inc. case	£421
	€238	Gibson Thundbird Bass Inc. Gibson case	£499
	£249	Gibson RSW Les Paul Inc. case	£1,950
Case	€475	Gibson SG Junice	£233
	£229	Gibson ES 325	£250
		Gibson ES 175	£425
S		Gibson SG1	£190
	€169	Gibson SG Junior with trem	£227
	€387	Gibson Marauder Inc case	£285
	£235	Gibson SG Sto Walnut	£455
	£223	Gibson EB3 Black	£191
	£223	Gibson Grabber Bass	£225
Fretless Black	£214	Music Man Stingray I Bass	£320
	£171	Gretch Country Rock Inc. Case	£399
	£124	Rickenbacker 4001 Bass Inc. Case	€345
AHS		THAC AMPLIFICATION NEW RANGE	

Fender 1967 Telecaster Std S/H	£215
Fender Stratocaster R/N Walnut L/T	£289
Fender Stratocaster White M/N W/T	£345
L/H Fender Stratocaster M/N L/T	£386
Fender Jazz Bass M/N S/B	£340
Fender Precision Black M/N	£295
YAMAHA ELECTRIC GUITARS	6220
Yamaha SG 500	£330
Yamaha SG 1500	£399
Yamaha SG 1500	£450
Yamaha \$F 500	£245
Yamaha SF 700	£326
Yamaha SF 1000 S/Soiled	£320
Yamaha 88 1200	£399

Fender Telecaster Antigua Sto Inc. Case

£160
£239
£ 18.50
£ 88
£ 55
£ 55 £ 59

Tuac TR60 Amp Head Tuac TR150 Amp Head

0	Melos Delux Model	€ 89
5	Roland RE101	£327
6 0	AMPLIERS	
٠	Marshall 30 watt combo	£115
9	VOX AC30 Combo	£125
	Acoustic Model 134 combo	£250



ME? I'M REMEMBER MANY HAVE TRIED TO IMITATE OUR STYLE BUT A1 IS STILL THE ORIGINAL MUSICIANS SHOP WHERE YOU WILL MUSICIANS SHOP WHERE YOU WILL GET FRIENDLY SERVICE, TOP QUALITY AND BEST PRICES WE MAKE OFFERS YOU CAN'T REFUSE, AND GIVE A BACK-UP SERVICE TO EVERYTHING WE SELL INCLUDING SAME DAY SERVICE WHEN NEEDED FROM ONE OF OUR EXPERT ENGINEERS, COSTING FROM £4.50 UPWARDS

OVATION ACOUSTIC GUITARS	
Ovation Matrix sumburst	£160
Ovation Folklore	€248
Ovation Standard Balladeer	£223
Ovation Custom Balladeer	£249
Ovation Glen Campbell Artist	€293
Ovation Electric Matrix	£210
Ovation Electric Custom Balladeer	£336
Ovation Electric Artist	€336
Ovation Concert Classic Legend	£293
Ovation Electric Classical Stereo	£399
GUILD ACOUSTIC GUITARS	
C T L DOS	6260

	MM MP 175/12 Stereo Mixing Desk	£234
60	MM MP 175/12 into 4 PF L Desk	£358
18	MM AP 360 2x200W Stereo slave	£166
23	MM Intermusic 100W Combo	£193
19	MM Intermusic 100W Combo	
93	Reverb/Phase	£218
10		
36	HH AMPLIFICATION	
36	HH MA100 PA with reverb	£189
		6260

Guild D35	£260
Guild D25	£205
Guild F30	£150
Guild F20	£160
Guild F50SB	

HH MA100 PA with reverb	£189
HH SM200 reverb graphic stereo amp	£368
HH stereo 8 sound mixer	£254
HH stereo 12 sound mixer	£315
HH stereo 16 sound mixer	£480
HH SL130 slave amp	4108
HH S500D stereo 2x500w amp	£373
HH complete Concert PA system	£1900
MAINE AMPLEICATION	


		ı
GIBSON ACOUSTIC GUITARS		į
Gibson Mk IV	£260	I
Gibson Humming Bird	€425	ĺ
Gibson Classical	£190	ı
Gibson J45	£269	
		ı
MARTIN ACOUSTIC GUITARS		
Martin D28 inc. Martin case	£675	(
	05.05	ı

Maine Stage 805	£228
Maine 200w PA amp	£261
Maine 4x12 lead cab	£180
CARLSBRO AMPLIFICATION	
Carlsbro Stingray amp	£124
5 Carlsbro Stingray bass amp	£121
5 Carlsbro Stingray super amp	£157
_ Carlsbro Stingray combo	£201
Carlsbro Stingray bass combo	£211
Carlsbro Super combo	£232

Martin D18 inc. Martin case		C
LEVIN ACOUSTIC GUITARS		С
Levin W36	£199	C
Levin W32	£325	
Ramirez Classical 1969	€300 ▮	
Aria K50 Classical with case	£270	ľ
		L
MM AMPLICATION		Α
MM MP 175/8 Stereo Mixing Desk	£187	Д

KI TROWNERS	
Logan Melody II string machine	£455
ARP Axxe synthisiser	£450
ARP Explorer synthisiser	€350
TIECIDADOLAVOADDIA	CCECC

PART EXCHANGE/HP FACILITIES/BARCLAYCARD/ACCESS



The Kelsey Acoustic guitar microphone







MX-880 The finest organ top synthesiser on the market! 30 preset instrumental voices make it so easy to use and add a really exciting third keyboard to your organ, Amazingly realistic voices plus the opportunity to experiment and create your own special sounds with the variable synthesiser controls provided. The MX 880 synthesiser features two oscillators and a full Double-Touch Sensitive keyboard to make it the most versatile and enjoyable instrument you could wish to play! (RRP f699).

FR-6MV Here's a real value for money Rhythm Unit! 28 different rhythms each with two automatic variations and fully mixable to provide literally thousands of permutations. The FR6-MV at £225 is the ideal rhythm unit for all home and professional organs.





MX-2 Create the exciting rotary speaker 'doppler' effect from your organ by connecting it into your Hi-Fi system via the Multiwox MX-2 'Full Rotor'. Fast and Slow speeds with speed up and slow down effects. Add a whole new dimension to your organ sound for just £99.

distributed in the UK exclusively by

PROFESSIONAL KEYBBARD PRODUCTS 1 Clareville Street London SW7 England 01-427 4511

	-	
الماليات مع	MULTI	VOX


Please send me details of the complete range of Multivox products and the name of my nearest Dealer.

NAME															
ADDRESS															


D'Angelico Strings are just for pickin'

one way:

perfectly. You can pick with the best of em once you've strung your guitar, banjo or mandolin with D'Angelico Strings. Available coast to coast at leading music stores in a complete range of weights. And when you pick up your D'Angelico Strings, don't forget D'Angelico Picks, in three handy sizes. For the names of the nearest quality music stores featuring D'Angelico Strings, write now.



The Ultimate in Strings and Picks, none liner—perfect for pickin' D'Merle Guitars, Inc. P.O. Box. 153, Huntington Station, New York 11746, D'Merle successor to D'Angelico, New York



A first class demo EP

(4 songs live or in the studio)

and

250 cassettes of your band for as little as

£250

Call Derek at Anenome 01-439 9611

JURFJOUND JYJTEMJ

SPECIALIST RETAILER OF



Loudspeakers for the Professional

Model	Application	Our Price
1250 GP	50 watt guitar, keyboard	£17.50
1250 TC	50 watt twin cone, PA, vocal	18.50
1265 GP	65 watt guitar, keyboard	20.00
1265 TC	65 watt twin cone, PA, vocal	21.00
1280 GP	80 watt high power guitar, keyboard	22.50
1280 TC	80 watt high power TC PA, vocal	23.00
C1280 GP	80 watt cambric edge guitar keyboard	24.00
C1280 TC	80 watt cambric edge TC PA, vocal	24.50
C1280 Bass	80 watt cambric high power bass	24.00
GP15	15 inch 100w guitar, keyboard	32.50
TC15	15 inch 100w wide response PA	34.00
C15 Bass	15 inch 150w ultra high power bass	55.00

After a temporary shortage of these much sought after loudspeakers, as used by leading equipment manufacturers and artistes, all the above models are once again in stock

We are also able to offer several manufacturers approved complete cabinet systems — please phone for details.

PLEASE NOTE: All prices include V.A.T. and Carriage Send large stamped addressed envelope for brochure Callers by appointment — Surf Sound Systems

13 Cross Lane Coal Aston Sheffield S18 6AL Phone. (0246) 416367/417440

MODERN MUSIC

30 Castle Hill, Dudley West Midlands


Tel: Dud!ey_55293

SOLE WEST MIDLAND AGENT


For "Acoustic" Amplification. Appointed H.H. Dealer. Appointed premeir dealer. Official shure, Microphone repair depot. Guitar specialists — sales, repairs and modification.

ACCESS, BARCLAYCARD ETC.










Every item we supply is tested and aligned in our own workshops, and after-sales service is always readily available

We supply anything from an XLR to a complete 8-track studio installation, at competitive prices to clients that include recording and AV studios, government departments, schools, radio stations, theatres and PA companies in all parts of the world.

Our stocks include AKG, Allen & Heath, Beyer, Brenell, Ferrograph, JBL, MXR, Neal, Quad, Revox, Sescom, Shure, Sonifex, Studiomaster, Tannoy, Teac, and Uher.








STUDIO EQUIPMENT SERVICES

Studio Equipment Services Ltd.

The Studio Shop, Oxgate Farm Coles Green Road, London NW2 7EY Telephone: 01-452 1979



Even experienced musicians can sound pretty bad if they are not playing in tune or if their instruments are not adjusted to play in tune. Peterson Tuners will help you sound better...much better!

MODEL 100 GUITAR TUNER

Model 100 is a precision lightweight instrument designed especially for tuning guitars and other fretted instruments

Operation of the Model 100 is very simple since it is only necessary to rotate the Note Selector to the appropriate note and then tune. Tuning is quick and precise. The tuner can be used to tune bass guitars by moving the Range Switch to Low position. The Model 100 can also be used for the adjustment of the guitar bridge, permitting the guitarist to play fretted notes with maximum accuracy

Electric instruments are tuned by plugging their


output directly into the tuner input without the need for amplification. Acoustic instruments require a microphone or pickup. An extra jack is provided for coupling the tuner to an amplifier, thus the tuner can be left continuously connected to the guitar during a performance

MODEL 420 STROBE TUNER

The Peterson Model 420 Strobe Tuner is the most accurate tuning device available. It is capable of tuning any musical instrument easily and accurately. A must for any group



MODEL 100 GUITAR TUNER



MODEL 420 STROBE TUNER

The Professional choice in Tuners

Find out NOW how you and your group can sound better. SEE YOUR MUSIC DEALER OR WRITE TODAY Circle 767 on reader service card

Introducing... The Chrom Basic

... the package with a difference.

- The Chrom Basic is an integrated system which can be purchased complete and ready for immediate use on the road, and yet also allows you to choose the components from our specially selected range that best suit your particular requirements and budget.
- The **Chrom Basic** is designed to be easy to set up, simple to operate and portable, yet has a performance comparable to the most expensive professional systems.
- We have chosen as our basic low cost mixer the RSD 12 2b, which is available in 12 or 16 channel format and have manufactured a simple 16 channel stagebox and line system to perfectly complement the desk. For more advanced systems a Kelsey Acoustics 20 4 2 and 20 channel stagebox and line system is also available. Both desks are modified for fully balanced operation and are supplied with a specially designed flight case.
- All our amplifiers are built into heavy-duty flightcases and are supplied with balanced inputs to match our line systems. A range of amplification from **Turner**, **RSD** and **Yamaha** has been chosen to provide the power for the system. Additionally, for the most demanding applications, we can supply state of the art amplifiers by **Amcron** and **BGW**.
- To provide high quality foldback on stage, we have designed a wedge monitor using an **ATC** 12" bass low-mid unit augmented by a horn loaded compression driver above 2KHz. The high frequency response has been especially shaped to enhance vocal projection under conditions of high ambient noise.
- To complete the system, we have a horn loaded, full range bin based on the JBL 4560 design. When fitted with JBL or Gauss bass drivers and an integral JBL high frequency unit this bin is extremely efficient and is capable of a very clean response at high sound levels. As an alternative we can provide an RCF loaded system, which performs remarkably well at a much lower cost.
- For more powerful systems we have a range of professional quality components from which a modular PA system can be constructed. For more information on these do contact us and look out for our next ad.
- We have various examples of the 'Basic' available for hire to allow the system to demonstrate its capabilities under real working conditions at your next live performance.

chrom audio

The Powerhouse · 300-320 Acton Lane Chiswick · London W4 · (01) 995 4712



HEAR FROM US BEFORE YOU HEAR FROM THEM.

Today's broadcasting equipment and standards let you transmit things you never could before.

Like tape hiss, cue tone leakage and turntable rumble, to name a few.

And that's precisely why you need the JBL 4301 Broadcast Monitor.

It lets you hear everything you're transmitting. All the good stuff. And, all the bad. So you can detect the flaws before your listeners do.

The 4301 is super-compact, so it fits all EIA Standard racks. $19''h \times 11\frac{1}{2}''d \times 12\frac{1}{16}''w$. And it's made by JBL. The recognized leader in professional sound equipment.

Just give us your name and address and we'll send you all the 4301's very impressive specs.

Along with the name of your nearest JBL Professional Products Dealer.

He'll tell you everything you need to hear.



O DEALER GUIDE O

AVON

ASSEMBLY MUSIC, 25 Claverton Buildings, Widcombe, Bath. 0225 22894 12 The Promenade Gloucester Road.

Bristol, 0272 425245 EC. IR. MA. RS. Spec. ERS. EK. G. A. D. B. W

H.Ac Sft.PA.PSG.S/hnd.M.RC.CB. Premier. Traynor. Sonor. Carlsbro. Gibson Tama.

GEOFF GALE GUITARS, 34 Alma Vale Road, Clifton, Bristol. 0272 30700/36765 IR. SYN. G. A. S. S/Hnd. RS. Spec. ERS. SFT. RC. CD. Guitar Spec.

EDDIE KING MUSIC LTD., 147A St. Michaels Hill, Bristol. 0272 3987/36613 EC. Rn. O. IR. SYN. G. A. D. S. S/Hnd. MA, RS. Spec. ERS. EK. K. L. H. T. M. RC. PA. PSG. CD.

BEDFORDSHIRE

BEDFORD MUSICAL INDUSTRIES 58 Midland Road, Bedford. 0234 58142 EC.IR.G.A.D.S.S/Hnd.MA.RS.Spec ER.L.H.M.RC.PA.CB.Di.

BOOGALOO BASEMENT 17 Bridge St., Leighton Buzzard, Beds 05253 66622 G.A.D.B.W.S.Dr.R.S. Gibson Star Dealer

MILTON KEYNES MUSIC LTD 17 Bridge St., Leighton Buzzard, Beds. 05253 66622 ER.RCN.O.IR.SYN.G.A.D.S.S/hnd MA.RS.ERS.EK.K.B.W.L.H.T.M.RC. SM.PA.DI.

MR MUSIC St. John Street, Bedford. Bedford 50861/2 A.EC.O.IR.SYN.G.D.S.S/Hnd.RS.K. ERS.EK.B.W.L.H.Ac.SFI.SM.PA. PSG.CB.Dt.



114 Leagrave Road, Luton, Beds Tel. Luton 26826 Part Exchange Credit and Cash G.K.A.D.B.W.S. & EC.O.IR.Synth.S/hna. MA.RS.Spec.ERS.EK.L.H. Ac.S.FI.T.M. RC.SM.PA.PSG.CB.

BERKSHIRE

RUMBELOWS MUSIC, 138/141 Friar Street, Reading, Reading 55361 EC.O.SYN.G.A.D.S.S/Hnd.RS. SPEC, ERS.EK.K.L.AC.T.M.SM.PA.DI,

BIRMINGHAM

MICHAEL PECK-THE SHEET MUSIC SPECIALISTS 1478 Pershore Road, Stirchley, Birmingham B30. Tel: 021 458 6460 K. EK. Syn. RS. S. ERS. S./Hnd. A. G.S. (Gibson Rotosound Spec.,) T. (D.K.G.)Ac

YARDLEYS Snow Hill, Birmingham. 21 Colmore Row, Birmingham B3 021 236 7441 G.A. D. B. W. S. Di PA. RS.

JONES & CROSSLAND LTD. 6-8 Smallbrook, Queensway, Birmingham. 021 643 4655/6/7. CB.RCn.O.IR. Syn.G.A.D.S. S/Hnd. RS.ERS.EK.B.W.Ac.M. SM. PA.

BRISTOL

BIGGLES MUSIC 85 West Street, Old Market, Bristol. 0272 552147 A.G.S.RCn.IR.S/Hnd MA.RS. ERS.EK. M. PA.Cb.T. HP & PX.

BROWNS OF BRISTOL 5 Union Street, Bristol. 0272 23646 Wem Copycat EC. RC. IR.G. A(MA Custom Sound) D(Premier MA), S. S./Hnd. RS. ERS. B(MA Conn), W. SFI (Mandolins, bouzoukies), M. PA.

BUCKINGHAMSHIRE

ORGAN WISE LTD.
48 Aylesbury Street, Bletchley, Milton Keynes.
0908 70955
0 K Spec RES EK S. A. G. SYN IR EC B. W. Ac. T. M. RC. SM. PA. CB.

CAMBRIDGESHIRE

CAMBRIDGE ROCK 44 Newnham Road, Cambridge. 0223 65093 EC. RCn.IR. G. A. S. S./Hnd.MA. RS. ERS. H. M. RC. PA+CRPA

DRUM AND GUITAR CENTRE 4 Norfolk Street, Cambridge. 0223-64410 D.G.A. FRS. FC.S.

CHESHIRE

CUSTOM AMPLIFICATION 45 Nantwich Road, Crewe 0270 4779 46 Hope Street, Hanley Stoke-on-Trent 0272 266897 G.A.D.K.S.Di.L.

JONES MUSIC STORE 5 Queen Victoria St., Macclesfield. 0625 22677 G.A.D.K.W.S.B.

RUMBELOWS/STROTHERS Coronation Bdgs., Wallasey Rd., Wallasey 051 638 3622/9871 G.A.D.K.W.S.

CLEVELAND

CLEVELAND MUSIC 19-21 Cleveland Sq., Middlesborough 0642 210889 G.A.D.K.S.Di.ERS.S/Hnd. Fender. S/House

COVENTRY

COVENTRY MUSIC CENTRE
3-4 Whitefriars St., Coventry,
0203 58571
(EC. R.Ch. D.) Syn. G. A. D. S. S./Hnd. MA. RS
Spec. Ers. EK. K. B. L. H. T. M. RC. SM. PA
CR. Di

CORNWALL

WEST COUNTRY MUSIC New Bridge Stretn Truro, Cornwall. Truro 78501 EC.O.IR.SYN.G.A.D.S.S/Hnd. MA.EK.B.W.M.SM.

CUMBRIA

J P. DIAS (CARLISLE) LTD. 149-153 Botchergate, Carlisle 0228 22369/28700 EC.O. Syn G. A. D. K. B. W. S. Di Ac.PA. RS. ERS. EK. T. M. S. M. P

NORTHERN SOUNDS 41 Jane Street, Workington 0900 4797 113 Duke Street, Barrow in Furness 0229 27100 G.A.D.K.RS.T. M. SM. DI SYN B. M. RC EC. RCn. CB. MA. MAINE

DERBYSHIRE

WISHER (DERBY) LTD.
77-79 Osmaston Road, Derby.
0332 48156
EC. RC. IR. Syn. G. A. D. S. S/Hnd.
Main Agents. Premier, HH.

DEVON

MOSS MUSIC 6 Allalland Street, Bideford, North Devon Bideford 5994 G.A.O.RS.ERS.B.W.T.S.SM.MA, SYN.S/Hnd.M.PSG.

O. NICKLINS & SONS LTD. 45 High Street, Barnstable, Devon. 0271-2005 A.K.G.W.S.S/Hnd.SM.D.RS.

DORSET

COAST MUSIC

129A Hankinson Road, Charminster, Bournemouth, 0202 522613 Spec, American Guitars, G.A.D.S.MA.RS.M.PA.CB.Ek.S/hnd.

ESSEX RAIMUSIC

9 Goresbrook Road, Dagenham, Essex. 01 595-2936 EC. O. IR. SYN. G. A. S. S./Hnd. MA. RS. Spec ERS. EK. H. M. SM. PA. Main Agent for Kramer, Fender, Guild, Marshall, Carlsboro.

GLOUCESTER





HO. PO. IT. RS. SYN. HP. S/HND EK. O.C. SM. R. OT. MA. CL O.

HAMPSHIRE

BECKETTS MUSIC, 2/3 Gibbs Road, (N N DE OF ABC Cinema), Southampton 0703 24827 G.A.D.S.S/Hnd.RS.B.W. Ac M.SM

U-NAME-IT
8 Arundel Way,
Arundel Street,
Portsmouth, Hants
Portsmouth 21165
Everything music at super discount

Kinglisher MIAIC Company

20 Kings Rd, Fleet, Hampshire 02514 21210 G.A EK P.A S/Hnd EC CB O RC SM P. RS ERS SFI E Fender Soundhouse Gibson Star Dealer Syn. IR.M. A.S. L. H.PSG.M.P.

HEREFORD

BUZZ MUSIC, 65 Widemarsh St., Hereford. 0432 55961 EC RCn IR Ryn G A D S S/Hnd. RS ERS. EK. L. H. M. RC. PA. CD. Pearl, RSD, MM Ludwig, Gretch, Roland, Gibson, Fender and everything else workth having!!

HEREFORD SOUND CENTRE LTD.
7 Bridge St., Hereford
Hereford 58550
EC., G., A., D., S., S./Hnd. RS., Spec. L., H.,
M., PA., Custom Sound, Carisboro.

HERTFORDSHIRE

HERMITAGE ORGAN CENTRE LTD. 35-37 Hermitage Road, Hitchin, Herts. Hitchin 59925 O.G.D.EC. RCn.IR.SYN.A.S.S. Hnd MA.RS. Spec ERS. EK.K.B.W.L.T. M.RC.SM.PA.DI.

Ware Music Ltd

3 Baldock St., Ware, Herts 0920-5939 G A K EK B W.S T M RC SM.P ERS O S/hnd

HUMBERSIDE



REPUBLIC OF EIRE

THE BAND CENTRE 9 Harcourt Road, Dublin 2 0001 75 2663 G.A.K.PA.Spec H PA



NORTHERN IRELAND

CRYMBLES (IRELAND) 67-71 Dublin Street Belfast 0232 26818 G.A.D.K.B.W.S.DI Ac RS.SM.

Evans Musical

53 Bridge Street: Lisburn 02382 2011 EBS EK K. L. H. AC T. M. RC PA PSG DI EC BON O. IR SYN G. A. O. S. S/nort MA. Sner

MODERN MUSIC CENTRES
Wright's Arcade, Newtownards,
46 Gray's Hill, Bangor, Northern Ireland.
0247 51292
EC. IR. SYN. G. A. D. S. S/Hnd.RS.
ERS. B. W. L. & T M. RC.
SM. PA. PSG. CB. DI.

SESSION MUSIC
(Sports and Music NI Ltd)
73-75 Broughshane Street, Ballymena.
0266 41792
81-93 York Street, Belfast.
0232 38502
Session Music, 169 Spencer Road,
Londonderry
0504 46796
G.A.D.K.PA S.PSG.M.ERS.MA.W.

ISLE OF MAN

ISLAND MUSIC CENTRE
2 Market Hill, Ramsey
0624-813688
52 Duke St., Douglas.
0624 6752
0.SYN.G. A.D.S.p/x.RS.SFI.T.M
JVC.Spec SM.PA.DI Sole Agents Lowrey,
Thomas, Welson, Wurlitzer O. Service.
Educ Records.

KENT

MOSS MUSIC LTD. 67 Canterbury St., Gillingham. Medway (0634) 576381 G.A.D.S.RS.ERS.PA.B.W.T.M.DI.

PEPPER MUSIC 86 Northdown Road, Margate 0843 23205 G.A.D.PA.RS.PA. Hire

WING MUSIC 15-15A London Road, Bromley, Kent. 01-464-3190 EC.RCn.O. IR. SYN.G. A. D. S. SYN. MA. RS. Spec.ERS. Ek.K. L. H. M. RC. PA. CB. Di.

Drumland Percussion 71 Lowlield Street, Dartford 32 24449

KENNARDS

86 B8 Northyate Canterbury Kent 0227 60331 EC O IR Syn G A D S Hnd RS Spec ERS EK K B W L H Ac 7 M RC SM PA D 74 hour answer oblines service

KENNARDS

0233 23226 0 Syn G A D S S Hort EK K B W T M SM PA

LANCASHIRE

BARRATTS

1 Meadow Street, Preston
0772 55628
IR, SYN, RS, ERS, EK, G, A, D, B, W,
S, D, L H, PA, M, P.

HOBBS MUSIC 3/5/7 Mary Street, Lancaster. Lancaster 60740 EC.O.IR.Syn.G.A.D.S.S/Hnd.MA. RS.ERS.EK.K.B.W.L.H.Ac SFI.M.RC.SM.PA.CB.Di.

H W AUDIO 174 St Georges Rd., Bolton BL2 1BA 0204 385199 PA Di L MA A M CB. H. RS



S A I
Regent St. Showrooms,
Regent St., Coppull,
Chorley, Lancs
0257 791646,
G A D D L PA RS

PALL MALL MUSIC 58 Pall Mail, Chorley, Lancs. 025 72 71124 G.A.S. Di EK. M. P. A. S/Hnd. ERS. CB

TTOWNSEND MUSIC 200 Blackburn Rd., Accrington, Lancs. 0254 385861 Percussion specialists. D(Ma. Premier. Ludwig. Beverley. Tama. Olympic. Hoshino. Hamma. Slingerland. Maxwin. Rogers) S/Hnd RS. Ins. M. A. Class G. Elec G. T by arr.

LEEDS

SCHEERERS 8 Merrian Centre, Leeds 2 0532 449592 G.EC.A.WB.S.D.ERS.RS. HH Agents

keyboarde

54-58 THE HEADROW, LEEDS 1 Tel: (0532) 468939 Syn. PO. Club O.EK HO. CO. RS. (Wurlitzer Piano Specialists) HP. S/Hand. Rent. GT (Yamaha Music School) SM.

LEICESTERSHIRE

CENTRAL MUSIC LTD 12 New Bond Street, Leicester 0533 538681 EC.O.R.I.RS.E.K.ERS.F.A.D.B. W. Dr. S./Hnd T

CUSACK'S MUSIC 33 Braunstone Gate Leicester 0533 54851 7 CB.PA.G.A.FRS DIH

HUMBUCKER MUSIC CENTRE. 124C, Green Lane Road, Leicester 0533 769318 EC. O. IR. SYN. G. A. D. S. S/Hnd. MA. RS. ERS. EK. K. B. W. L. H. AC. T. M. SM. Di. Agent for Laney, Marshall, Fender. Guild, Gibson. Selection of strings and pick

LOUGHBOROUGH MUSIC CENTRE. 18 The Rushes, Loughborough Leicester 0509 30398 Ec.O. IR. SYN.G. A. D. S. S./Hnd.Ma.RS. ERS.EK.K.B.W.L.H.Ac.T.M.SM.Di.

SUPERMOUSE MUSIC. 233 Melton Road, Leicestei 0533 63830 IR SYN G.A D S.S/Hnd. MA. RS. Spec ERS EK K B L H. T. M. RC SM PA CB

LIVERPOOL

HESSY'S MUSIC CENTRE

62 Stanley St., Liverpool 1 051-236-1418 G.A.D.K.B.W.Di.L.RS.

LONDON

CACOPHONY 110 Churchfield Road, Acton W.3 (01) 993 2910 EC G A D S S/Hnd MA Elec Guitar RS ERS Peavey Traynor, Marshall Spec. M RC Electric Guitar + Amplification CB

CITY OF LONDON MUSIC STORE. 17 Eldon Street, E C.2. 01 588-4649 EC SYN G A.D S S/Hnd. B W. Ac SFI PSG RS ERS M SM (Albums). PA.

STEPHEN DELET 242 Cable Street, E1 01 790 7028 G A.SFI.CB. 24 Hrs RS

FD&HMUSIC 138 - 140 Charing Cross Road, London WC2H OLD Tel 01 836 4766

EC Syn G A S S/Hnd. MA (HH, Maine, Ibanez, Peavey, Music Man, Guiid, Gibson, Electroharmonix). RS Spec, ERS. EK. K. B. W SFI. T. M. RC. SM. PA. PSG. DI. F & H PERCUSSION LTD.

131 Wapping High Street, London E1 01 481 3704

01 488 3530 Percussion Hire and Repair Specialist. Also

amplification and instrument hire. GIG SOUND LTD. **Ludwig Centre** Music! All

85 + 104 Mitcham Lane, Stretcham, SW16 EC. SYN. G. A. D. S. S/Hnd. MA. ERS. EK. H. M. RC. SM. PA. CD. Main Agents Marshall, P.V., Kramer, Ovation, Yamaha.

HENRITS DRUM STORE 114 Wardour Stree

01 734 7121

All may es of percussion and acressories supplied usually from stock or certainly to

MAURICE PLACQUET 358-360 Uxbridge Rd., Shepherds Bush. London W12. 01 749 1204/0859 G. A. D. B. W. S. Ac. PA. RS. P.

NORTH LONDON ORGAN STUDIO. (North London Group Gear) 809-811 High Road, Tottenham, N17 01 808 0388 EC. RCn. O. SYN. G. A. D. S. S/Hnd MA, RS, EK, T, M, SM, PA, PSG, Di.

PERCUSSION SERVICES 17-23 Vale Royal, off Yorkway, Kings Cross,

IR. D. S/Hnd MA, RS. Spec. T. SM. CD Main Agents for, Remo, Ludwig, Premier Custom sticks



LONDON SYNTHESISER

L 7 F F NW 1 01 587 7 139

SESSION MUSIC LTD 163 Mitcham Rd , Tooting SW17 01 672 3413 G.A.D.S.S/Hnd.RS.ERS.L.M.SM PA Di

macariy

MACARI'S LTD 122 Charing Cioss Road, WC2 01-836 9149 G E K. A. SM RS MACARI'S MUSICAL EXCHANGE 102 Charing Cioss Road, WC2 01-836 286 A PA Di RS

ROSE-MORRIS (RETAILLETD 81-83 Shaftsbury Avenue, London W1 01-437 2211 EC. O. SYN G. A. D. S. S/Hnd. RS. ERS EK. K. B. W. SFI. M. PA. PSG.

DAVE SIMMS MUSIC CENTRE 1-5 The Grove, Ealing W5 01 560 0520 Spec G A PA. S/Hnd.Di L, D.

THE SUPREME DRUM COMPANY 206 Forest Road, Walthamstow, London F17

Tel: 01 520 3873 43 The Broadway, Stratford, London E15 Tel. 01 534 1680

Acrylic Drums Manufacturer, 9 Ply-Birch Shell 6" - 24" Full Recovering Service

TOP GEAR

5 Denmark Street, WC2H 8LP 01 240 2118 Spec G A D.PA.EC. Ac CB. M. RC. P.MA.RS.PSG.S/Hnd.

ST. GILES MUSIC CENTRE 1 2000 1 4/C2 1et 01 836 2088 2556 4080

WESTERN MUSIC CO. LTD. 50 The Broadway, Wimbledon SW19 01 540 0494 Syn G A D S. S/Hnd. MA. (Lowrey, Farfisa, Yamaha). SPEC (Keyboards) ERS EK K B W AC SFI T M SM.

WESTERN MUSIC CO. LTD 130-132 King St., Hammersmith W6. 01 748 5824 O Syn G A D S S/Hnd MA (Lowrey, Farfisa, Yamaha) SPEC (Keyboards) ERS EK. K. B W AC SFI T. M SM

PRO-DRUM PRODUCTS

Distributors of staicate fibre class, or cert ton. Tons and the dramstere in alter, apose drum key. Call John Vernon any time.

MANCHESTER

AI.MUSK

72-74 Oxford Street, Manchester 061 236 0052 IR.SYN.RS.ERS.EK.G.A.D.K.Di. L.H. SEL PSG. P

BARRATTS

8a Oxford Street, Manchester M15 QA. 061 236 0542 IR.RS.B.W.H.SM.

MIDDLESEX

BAND CENTRE 53 Bell Road, Hounstow, Middlesex Tel 01 570 7821 (Only 4 miles from London Airport) G A S S/Hnd Spec ERS EK K H M PA

NEWCASTLE-UPON-TYNE

BARRATTS

158 Newbridge St., Newcastle-upon-Tyne 0632 22331 IR. SYN. RS. ERS. EK. G. A. D. B. W. S. DIL.H.PA.M.P

LEWIS MUSIC 16 Bedeburn Road, Jarrow Jarrow 897784 D.P.Sp.MAP.SCB. EC.G.A.S/Hnd.RS.H.T.M.R.C.PA.

48 Cloth Market, Newcastle-upon-Tyne Newcastle-upon-Tyne 78058 G.A.D.EC.RCn.IR.O.SYN.S.MA.RS. ERS.EK.B.W.L.H.M.SM.CB.DI

NORFOLK



NORWICH SOUND SYSTEMS 80 Prince of Wales Road, Norwich Norwich 611989 H.E.RS.RS.S/Hnd.S.D.A.G.SYN. EC.Di AC.PA. M.MA - Traynor Pearl Gibson Star Dealer, Yamaha and Disco Sound (in MA). Carlsbro. Custom Sound. Fender Haze

JACK WHITE ORGANS 48-50 St. Benedicts Street, Norwich Pro. Keyboard Centre

NORTHAMPTONSHIRE

212 Wellingborough Road, Northampton 0604 31211 EK RC PA CB. Port O. IR.(B & H Scheme). G B W L A D S. S/Hnd. RS. MA-Ludwig. Sonor B & H Rental

MIDLAND MUSIC CENTRE 6 Cowper St., Northampton, 0604 36832

G.A.D.K.B.W.S.Di.RS.T.IR.

NOTTINGHAMSHIRE

IACK RRENTNALL Premier Music House 3 Market Street Nottingham 0602 47166 G.A.EC.IR.D.S.RS.B.ERS.W.

CLEMENTS PIANOS LTD 21-23 Derby Road, Nottingham 0602 47912 G.A.D.P.B.W.S.SM.RS.

HARDY SMITH MUSIC CENTRE 2a Outram St., Sutton-in-Ashfield, Notts Mansfield 56242 G.A.D.K.B.W.S.RS.SM.

Farnsworth Music 134 Radford Boulevard Nottingham (0602) 76516 ASS hnd RS FRS K D W H 1

SCOTLAND

BRADLEYS MUSIC LTD. 69a West Regent St., Glasgow. 041 332 1830 EC.RCN.MA.RS.Spec G.A.D.B.S PA.S/Hnd.T.M.P



C.B. MILLER & CO. LTD. 2 Queengate Arcade, Inverness, Scotland Inverness 33374 G. A. D. S. EC. O. IR. S/Hnd. RS. ERS. EK. K. B. W. Di. M. T. Ac.

Fin Forth Valley Music

3-7 Cow Wynd, Falkirk Tel: Falkirk 31477 79-93 Cadzow Street, Hamilton Tel: Hamilton 428448 EC D SYN G A.O S.S/HAND: MA RS SPEC. ERS EK K.B. W L AC T M SM PA DI

THE MUSIC BOX 7-9 Whitburn Road, Bathgate 0506 52893 G.A.D.K.B.W.S.RS.SM.

WILKINSON'S MUSIC. 71 Stirling Street, Airdrie 02366 60873 G (Yamaha, Ibanex, Antoria, Hagstrom, Gibson, Fender) EC. O. MA. (WEM, Carlsbro, Marshall etc.). D. (Tama) S S/Hnd A SM PA M. ERS. EK. B. W.AC.SFI.T arranged

SHROPSHIRE

KEYROARD INSTRUMENTS 13 Tower Street, Ludlow, Shropshire Ludlow 2993 EC O. Syn G. A. S. S/Hnd. MA. Peavey Kawai RS. Keyboard Spec. ERS. EK. K. B. W. Ac SFI, M. RC. SM. PA.

TELEORD MUSICAL 7 Bell Street, Wellington, Telford, Shropshire RC. O. SYN. G. A. D. S. S/Hnd. MA. RS. ERS. EK. K. B. W. H. Ac. SFI. M. RC. SM CO

SALOP MUSIC CENTRE Unit 1, Town Walls, Shrewsbury 0743 64111 EC.IR.SYN.G.A.D.S.S/Hnd.MA. RS.Spec ERS.EK.K.B.W.L.H.T.SFI. M.SM.PA.CB.DI.



STAFFORDSHIRE

THE ABBEY MUSIC CO. 5-6 Market Place, Burton-on-Trent 0283 68404 G.A.K.B.W.RS.T.Spec.D.

LANGDONS ELECTRIC MUSIC 27 Victoria Street, Wolverhampton Ec. RCn Svn G. A. D. S. S./Hnd. RS. ERS. L. PA. D. Gibson Star dealer. Maine. Custom USA Custom amplification

SUFFOLK

MORLINGS LTD. House of Music, 149-151 London Road North, Lowestoft, Suffolk. Lowestoft, 65491-713143 EC.O.IR.SYN.G.D.S.S/Hnd.MA. RS.ERS.K.B.W.L.H.AC.SFI.SM. P. SG. DL

SURREY

John King's

8 Richmond Road, Kingston 01 546-9100/9124 O IR. SYN. G. A. D. S. S./Hnd. MA (HH), RS Spec. EK. B. W. L. H. Ac. T. M. RC. PA. Di. ARC MUSIC

14/16 High Street, Addlestone, Surrey. 0932 40139/54897 96 High Street, Esher 78 66436 EC.RCn.O.IR.Syn G.A.D.S.S/Hnd. MA.RS. Spec ERS.EK.K.B.W.L.H. Ac SFI.T.M.RC.SM.PA.PSG.CB.DI

CROYDON MUSIC STUDIOS 40 Station Road, West Croydon, Surrey 01 688 0628 G.A.D.S.S/Hnd RS.B.W.Ac.SFI. M.SM.MA. (Premier, MXR)

JOHN KING SOUNDS 8 Richmond Road, Kingston 01 546-9100/9124 O.IR SYN G.A.D.S.S/Hnd.MA(HH).RS Spec EK B W. L. H. Ac. T. M. RC PA DI.

DICK MIDDLETON MUSICAL INSTRUMENTS 51 Quarry Street, Guildford 0483 34537 EC O IR SYN G A. D S. S/Hnd RS. ERS. EK K. H. Ac. SFI. M. RC PA PSG. CB

WESTERN MUSIC CO.LTD 53-59 High Street, Croydon

01 688 1248 O. Syn G. A. D. S. S./Hnd (Lowery, Farfisa, Yamaha). SPEC (Keyboards). ERS. EK. K. B. W. AC. SFI. T. M. SM.

WESTERN MUSIC CO. LTD. 125 High Street, Sutton, Surrey 01 661 1167

O. Syn. G. A. D. S. S/Hnd. MA. (Lowery, Farfisa, Yamaha). SPEC (Keyboards). ERS. EK. K. B. W. AC. SFI. T. M. SM.



91 68821

EC RCn O IR Syn G A D S S/hnd MA RS Spec ER EK K B W L H SFI T M RC SM PA CB' Di



SUSSEX

CASSMUSIC 29 South Street, Eastbourne, Sussex 0323 37273 EC.G.A.D.S.S/Hnd.MA.RS.Spec.ERS.

EK.K.B.W.SFI.M.RC.SM.PA.CB



SOUTHERN MUSIC

0273 733387/774536 EC RCn IR Syn G A S S/hnd MA RS Spec (G A) ERS EK L H SFI M RC



TYNESIDE



EQUIPMENT Spec.RS.EC.O.IR.Syn.G.D.S/Hand. ERS.EK.K.B.W.L.H.SFI.m.RC.Sm.

PA.PSG.CB.D.mA: (Pearey, Marshall, Pearl, Amcron, Carlsbro, Fender, Rodgers, Ludwig DJ Electronics, SAI, Gibson, Music Man).

TYNE AND WEAR

LEWIS MUSIC 16 Bedeburn Road, Jarrow, Tyne and Wear 0632 897784

G. D Spec, MA, Premier, Rogers, Tama, Orange, Synair, Beverley, Gretsch, S/Hnd RS. ERS. S. T. M. RC. Drum Recovering and Customising CB

WAIFS

MUSIC CENTRE ABERDARE 13c Canon Street, Aberdare, Mid Glamorgan Aberdare 874141 O.G.A.RS.S.SM.M.K.SYN.ERS.

MUSIC STUDIO 15 Bridge Street, Carmarthen, Dyffed, Wales. 0267 7759

O.G.S.S/Hnd.MA - Viscount, RS, EK, AC T

PETER NOBLE LTD. 11 Station Road, Llanishen, Cardiff. 0222 753911 EC.SYN.G.K.B.D.P.W.S.Di.L.S/Hnd M. Spec PA. ERS. Moog Yamaha and Pearl pro centre

RHYL SOUND CENTRE 25 Vale Road, Rhyl, Nth. Wales. Rhyl 51436 G.A.RS.Di E.O.SYN.D.S.S/hnd FRS K FK L M SM

129 High Street, Bangor 0248 53320 A DLL RS SELH SM Spec G D O

SOUNDWAVE MUSIC CENTRE 51 Gwent Square, Cwmbran, Gwent, Wales. 06333 2501

SFI.T.M.RC.SM.PA.CB.Di.EC.O.IR. SYN.G.A.D.S.S/Hnd.RS.ERS.EK.B. H. Ac.MA. Music Man Gibson Star Dealer

8 New St., Neath, Glam. Neath 2825 EC.RCN.O.SYN.MA.RS.MA.RS.Spec EK.G.A.D.K.B.W.S.Di.L.Ac SFI.PA. PSG.S/Hnd T.M.SM.P. Peavey Carlsbro Custom Sound Lanev Fender, Gibson, Kawai, Galanti, Premier

Mitchell Music

Olympic, Beverley, Pearl, Tama.

BERT VEALE (MUSICAL) LTD.

& Electronics 1 Queen by . Salvas. CB MS Syn EN.RS RCM SW G

WARWICKSHIRE

CENTERSOUND 5 Albert Street, Rugby, Warwickshire 0788 74566 RCN.O.IR.S6n.G.A.D.S.S/Hnd MA. RS.ERS.EK.L.H.M.RC.SM.PA.Di

S A RENTON LIMITED 25 High Street, Leamington Spa, Warwickshire Tel: Leamington 26703 G. A. S. S/Hnd. RS. W. SFI. M SM Early

BUZZ STOP 24 Regent Street, Leamington Spa, Warwicks. (0926) 32281 O Syn G. A. D. S. Shart RS. EK. K. B.W Ac.M.SM Di.

WORCESTERSHIRE

MALVERN MUSIC 19 Abbey Road, Malvern, Worcs Malvern (06845) 5567

WORCESTER MUSIC CENTRE 3-5 Bull Entry, Worcester Worcester (0905) 20279 EC. O. G. A. D. S. S./Hnd. MA. Fender, Gibson, Premier, Yamaha, RS. Spec. ERS. EK. K. L. H. T. M. SM. PA. Dr.

ROCK SHOP 201-203 Stourbridge Road, Holly Hall, Dudley Tel: 0384 74700 EC. Syn. IR. G. A. Dr. Str. S/Hnd. MA Carlsbro, MM. Randall, Aria, Marshall Peavey, Yamaha Fender, Ludwig Pearl, Gibson, Star Dealer, Tama, Sonor, Custom Sound, Roland, Rosetti, Hohner, CMI Hagstrom, Antoria, ARP, EMI Music, ERS EK.K.L.H (Br W Ac. to order) SFI T M RC CB. (PSG to order) PA. Di

YORKSHIRE

ALBERT HIND 16-18 Waterhouse Street, Halifax, Yorks 0422 53879 A.G.P.O.D.S.W.SM.

JIGSAW SOUND CENTRE

2 Station Road, Ossett, W. Yorks (0924) 277981 Fender Gibson Vox, Carlsbro (Irangi WEM Custom Pearl Rogers Area age

J.S.G. MUSICAL SERVICES

JIGSAW SOUND CENTRE 2 station Road, Ossett, W.Yorks. Fender, Gibson, Vox, Carlsbro, Orange, WEM. Custom, Pearl, Rogers, Area agents for MM equipment

KEYBOARDS 54-58 The Headrow, Leeds 251 Otley Road, Leeds 16 0532 468939 O.H.SYN, A.MA, Yamaha Farfisa Crumar RS, Spec ERS, EK, E, Acc.T.SM.

PROFESSIONAL MUSIC CENTRE 13 Netherhall Rd., Doncaster 0302 68157 G.A.B.W.K.T. EC.RCn.O.IR.Syn.D.S.S/Hnd.MA. RS. Spec-organs. perc. ERS. EK. M.H. BC PA

KEY FOR DEALER GUIDE

EC	Echo Chamber	K	Keyboards
RCn	Re-Coning	В	Brass
0	Organs	W	Woodwind
IR	Instrument Rental	L	Lighting
SYN	Synthesizers	Н	Hire
G	Guitars	Ac	Accordions
A	Amplifiers	SFI	Special Fretted Inst
D	Drums	T	Tuition
S	Strings	M	Mikes
S/Hnd	Second Hand	RC	Reconditioning
MA	Main Agents	SM	Sheet Music
RS	Repair Service	PA	Public Address
Spec	Specialists	PSG	Pedal Steel Guitars
ERS	Electronic Repairs	CB	Custom Building
EK	Electric Keyboards	Dı	Disco

OSTUDIO GUIDEO

BEDFORDSHIRE

QUEST STUDIO 721 Windmill Road, Luton, Bedfordshire 0582 414297

8T Cap 8, from £8.00 p/h, p/d ba, D, tf, R-R, CP, R-C, Dc, Ba, d-t, Piano, M.S. Ac, ba, SM. Eventide effects. Master room, stereo reverb Klark-Teknik Graphics, Audio and Design, Compressor Limiters

BOLLING THUNDER STUDIO 21A Bridge Street, Leighton Buzzard, Beds 05253 71622

16 Track Master Recording Studio £12 p/h

RERKSHIRE

AUDIO GENIC STUDIOS

£10 per hour : Special daily rate - £65 For bookings call David Smithson Reading (0734) 595647

34-36 Crown Street, Reading Berks CASSETTE DUPLICATION

BIRMINGHAM GROSVENOR RECORDING STUDIO

(Hollick & Taylor Recording Co) 16 Grosvenor Road, Handsworthwood, Birmingham, B20 3NP 021 356 9636 Studio 1 161 Cap 35, £27 p/h Studio 2 2T Cap 10, £18 p/h Studio 2 16T Cap 35, £34 p/h tf. R-R. CP. Ka. RC. Dc. d-t. M.S. fcf. SM

ZELLA RECORDING STUDIOS Walker Hall, Amoton Road, Edgbaston, Birmingham B15 2UJ 021 455 0645 8T £15 p/h (10am.-10pm. after 10pm Sundays £20 p/h.) Cap 35. tf. R-R. R-C. R-Cr d-t CP Ka(Bechstein, Chappell baby-grand). DC OTC M S SM ba.

MUSHROOM STUDIOS 18 West Mall, Clifton, Bristol. 0272 35994 8T £10.50 p/h Cap 17, R-R-C-Cr CP DBX D Ka Disc Pressing, Accommodtion 6 bedrooms, self catering

SOUND CONCEPTION 85 Ashley Road, Montpelier, Bristol 6 0272 554721 8T £9p/h. £75p/d. Cap 10. tf, R-R. R-C. d-t, CP. Ka. (Bechstein Grand Piano) SM.

CAMBRIDGESHIRE

SPACEWARD RECORDING STUDIOS 19 Victoria Street Cambridge 0223 64263 24 hours 16T from £129 p/d£12 p/h 2T £8 p/h D. tf. R-R. R-C. C-C. CP. Ka. Dc. d-t. np OTC. Ac. SM production, arrangement, location and live recording and PA in Europe ba.

CHESHIRE

STRAWBERRY RECORDING STUDIO (UK) LTD. 3 Waterloo Rd., Stockport Cheshire 061 480 9711 24T£35p/h 16T£30p/h 8T£18p/h, 2T £20 Stereo & Mono £15 p/h Cap 35, tf, D.

COVENTRY

HORIZON STUDIOS Now 16T. The rates are applicable for 16T. and for 8T Horizon House, Coventry CV3 6QS 0203 21000

16T£19p/h8T£14p/h4T£10p/h2T£6 p/h Cap 20 Dc/ba R-R-C Ka SM/ba Special rate day bookings.

DEVON

BLAZE RECORDING STUDIO 23 Belgrave Road, Torquay, Devon 0803 22833 8T. £4.50 p/h D. CP. RC. Mix. DC. M. S. AC ba SM

WEST OF ENGLAND SOUND LTD 14 Swan St., Torquay, Devon 080 428 278 Studio 1 8T £8 p/h Cap 30 Studic 2 8T £8 p/h Cap 10 R-R-C-Cr CP Pro PA Equipment for hire

DURHAM

GAURDIAN RECORDING STUDIO 26 Front Street, Pity me, Durham 0385 62896 24T. £21.50 p/h. £150 p/dD. ft. R-R. 2 St CP Ka RC Mix R-Cr. Dc. Comp Mix dt Q OTC M. S. VS. AC. ba SM

GLOUCESTERSHIRE

MILLSTREAM RECORDING STUDIOS Vernon Place, Cheltenham Tel: 0242 43243 16T £16.00, no OTC, Cap. 6 mus {£160 p/d}, D. tf. R-R. R-C, CP. Ka. M. S. SM. ba

WINDRUSH RECORDING STUDIO (Between Oxford and Gloucester) High Street, Bourton-on-the-Water, Gloucestershire. 0451 20172 4T £ 4 50 p/h Cap 6. tf R-R, R-C, d-t, (K.A.G.D.ba) Ac.ba. M.S.SM.ba

HEREFORD

CHAPEL LANE STUDIOS Hampton Bishop, Hereford. 0432 73430/65198 16T £20 p / h 8T £12 p / h Cap up to 18 musicians. tf. R-R. R-C. No OTC. CP. MS. Good AC ba. all SM ba-bass, drums guitars etc. Use of inst, Steinmeg Grand, Rogers drums. Fender amps. String sunth. etc.,

MODELLO SOUND Eardisley, Herefordshire, 054 46 538 8T. £7p/h,. Cap 8. dbx. tf. R-R, R-C. Ka. (Organ), MS. Ac.(ba). SM

THE STUDIO, Liancibuby, South Herefordshire. 098 18273 Contact Frank Bogie 8T. Cap. 8 £12 p/h. D. tf. R-R. 1St. CP. Ka. RC. Mix. R-Cr. M. S. ba. SM. Selection of Guitars and Drums P.V. amps for use in Studio no charge. Chitton mixing desk 16-8.

HUDDERSFIELD

SEPTEMBER SOUND STUDIOS 38 Knowl Road, Golcar, Huddersfield, HD7 4AN 0484-658895/6 16T, Cap 45 £15.00 p/h, p/d ba D,R-R,R-Cr, R-C ba CP, M.S. vs Ac.ba. SM. ba Oba. Ka Drums

KENT

ESSAR STUDIO, The Coach House, Farningham, Kent Office Dartford 71712 41 £5 p/h.£30 p/d. D. tf. R-R. St. CP. Ka. RC. Mix. M. dt. S. VS. AC. ba. SM.

FIRST LIGHT RECORDING STUDIO, 85 Avenue Road, Beckenham, Kent. 01 778 5554/8091 16-8T. D. rf. R-R. St. CP. Ka. RC. Mix. R-Cr. dt. M. S. AC. ba. SM.

INDEPENDENT RECORDING STUDIOS 39 Harmer Street, Gravesend, Kent. 0474-65687 8T Cap 20 From £10 p/h or £70 p/d.

8T Cap 20 From £10 p/h or £70 p/d.
D. All tf R-R. CP. Kba. (Grand Upright String Synth) Dc. No OTC. M. S. SM. (all types) by arr. Acc by arr. Food and drink available on premises.

LANCASHIRE

CSS

CASTLE RECORDING STUDIO
93 Castle Hill Road, Hindley, Wigan, Lancs.
0942 58777
8T. Cap 20.£10p/h. R-R. Cp. Ka. R-C. D-T.
S. VS. Ac(ba). SM(ba). Mix.

Central Sound Studios, 91 St. James Street, Manchester M1 4PH 061 236 5552

UG 1 230 5552

BT. Cap. 20 £10 p/h. D. rf. R-R. St. CP. Ka.
A-Cr. Mix. DC. dt. M. S. SM. Reduction on block bookings. Production and publishing done.

SMILE RECORDING STUDIO, 59 Upper Chorlton Road, Manchester 16. 061 226 5369 contact Steve Foley. 16T. Cap. 20£12 p/h£80 p/d R-R 1St. CP. Ka. RC. Mix. R-Cr. DC. dt. M. S. VS. AC. be. SM. Producer available, refreshments, pool table, pinball. Cadey 16 Track, Revox B77 and A77 record pressig, sleeve and label design.

LIVERPOOL

AMAZON RECORDING STUDIO, Stopgate Lane, Simonswood, Liverpool L33 4YA
051-546 6444
St2.
1)24T, Cap 35, £35p/h, D. TF, R-R(3), CP, Ka, R-C, D-T, OTC(£3p/h), M, S, VS, Ac/ba, SM/ba
2, BT, Cap 10, £10p/h, tf R-R(3), CP, Ka

AUGUST SOUND STUDIOS
16 Benson Street, Liverpool 1.
051 708 0006
16T p/d neg. 8T £ 10.50 £ 86 p/d (inc spool & tape) Cap 8 rf. R-R. R-C. CP. Ka.
(Bechstein Piano, Hammond organ, Moog Synth.) NO OTC M-S. AC be. SM.

LONDON

ABBEY ROAD STUDIOS (EMI)
3 Abbey Road, St John's Wood, NW8 9AY
01 286-1161
Studio 1 + 3 £55 p/h 24T
Studio 2 £52 p/h 24T 2T £46 p/h
Cap 120 tf. R-R. R-C. Cp. Ka. DC (Playback
Lacquers) d-t. Q. OTC. M.S. (Custom Disc
Pressing, Electronic process, Mono to
Stereo. 2 Mobile recording units operating
in any country).

AIR STUDIOS 214 Oxford Street, London W1. 01-637 2758 512. Cap 35/70£50p/h. D. Ka (piano). Dc/ba. Q. OTC. S., fcf. Mix. Comp Mix.

ALVIC STUDIO 13 All Saints Road, Wimbledon, SW19. 01-542 5696 4 T Cap. 8 £6.00 p/h. ba, tf, R-R, CP R-C Piano, M.S.SM. ba. Drums. Amps ANEMONE SOUND FACILITIES LTD.
D'Arblay House, 10 Poland Street,
London W1V 3DE
01 439 9611/2
8T rates negotiable Cap 10 KA Synthesiser
and amps. D & DBX CP R-R R-Cd-t D & DBX
M.S. cassette high-speed duplication.
BASING ST & ISLAND MOBILE STUDIOS
8-10 Basing St., London W11.
01 229 1229
Studio 1 24T £48 p/h up to 6pm, £55 p/h
after 6pm, weekends and holidays. Cap 80
Studio 2 24T £48 p/h up to 6pm£55 p/h
after 6pm, weekends and holidays. Cap 20
Island Mobile: 24T and 16T.£500 p/d.
R-R.C-Cr.£10 p/h D. OTC.

BERWICK STREET RECORDINGS 8 Berwick Street, London W1. 01-734 1888/5750 24T Cap 16£40 p/h D. tf. R-R. CP. Ka. Rc.d-TM SNM

BRITANNIA ROW RECORDING STUDIO. 35 Britania Row, Islington, London N 11 BQH. 01-359-5275 24T Cap 15. £44p/h. D. Dbx. R-R. Ka. R-C D-T. OTC +10% (after 10pm & weekends). M. S. Ac(ba). SM(ba). Mix.

B.T.W. RECORDING STUDIO 125 Myddleton Road, Wood Green, London N22. 01-888 6655 4T Cap 10 £6.50 p/h tf. R-R. Ka. dt. M. S. SM.

CBS RECORDING STUDIO 31-37 Whitfield St , London W1 01 636 3434 Studio 1 £52 p/h 24T Cap 75 Studio 2 £52 p/h 24T Cap 25 & automated desk Studio 3 £49 p/h 24T Cap 12. DC R-R-C-Cr, D All studios multi-track

CENTRAL RECORDERS LTD.
9 Denmark Street, London WC2H 8LP.
01-836 6061
24T Cap 20£32 p/h D.tf. R-R. CP. Ka. Rc.
dt. OTC£5 p/h. M. S. Ac/BA. SM.

DECIBEL STUDIOS
19 Stamford Hill, London N16
01 802-7868
24T£27 p/h. p/d neg. Cap 20 D. tf. {1
Ampex 1 Studer) R-R. CP. Ka (Yamaha
Grand and Synth). R-C. d-t. Q. OTC. £2.
M.S. fcf. Ac ba. SM

DICK JAMES MUSIC
James House,
5 Theobalds Road, London WC1X 8SE.
24T. Cap. 30. £50p./h. £45p./h. 2 St. D. tf.
R-R CP Ka(Stienway). RC. Mix. R-Cr.
Comp. Mix. dt. Q. OTC £15p./h. M. S. AC.ba
SM. ba

ELEPHANT RECORDING STUDIOS
181A Long Lane, London SE1
01 403-3505
8T£6+£5 1" Tape hire.£30 per 6 hours.
£50 per 8 hours, everything included. Cap 8.
tf. (Brenells track – Revox 2T). FA. Cp. Ka.
(Piano, Organ). R-C. M. S. SM. ba.

FOREST STUDIO
189 Hamault Road, Leytonstone, E11.
01 558 3344
24T£18p/h. 16T£16p/h. 8T£10p/h.
(Block Bookings-more than 10hrs. neg). tf.
R-R. R-C. Cap 25. CP. Ka. (2 Organs,
Synthesizers, Pipe Organ, Piano etc., DC.
ba. NO OTC: M. S. AC. SM.

FREE RANGE STUDIO 22 Tavistock Street, London WC2 01-836 7608 16T£15p/h negp/d Cap 30 tf. R-R. CP. Ka (Grand Piano) No OTC. MS fcf. VS. SM.

GOOSEBERRY STUDIOS 19 Gerrard Street, London W1 01-437 6255, 01-734 2257 16T \underline{f} 16 \underline{f} 16 \underline{f} 16 (discounts available on sliding scale), 8T £13 \underline{p} 1 \underline{f} Cap 8 D \underline{f} 1.R-R. CP Ka Hammond L100, Roland SH2000, Fender Rhodes) R-C. d-t. OTC. M.S. SM ba

R.G. JONES Beulah Road, Wimbledon SW19 01 540 9881 Telex 881 4917 24T £40 p/h 16T £35 p/h Cap 40 R-R-C-D OTC. Studio 2 - Stereo only £7 p/h.

KONK STUDIOS.
Kinks Production Ltd.
84-86 Tottenham Lane, Hornsey
London N8.
01 340 7873/340 4757
24T. Cap. 36. £40 p/h between 6 after six
weekends £50. T. p/h. Kneve Necan
Computer, Kneves Console. D. R-R. 1St. Ka
RC. Mix. Comp. Mix. O. M. S. ba.

KPM STUDIOS 21 Denmark Street, WC2. 01 836 6699 16 Track £28p/h. Cap 18. Copyshop £12p/h.

MAGRITTE MUSIC STUDIOS
15 Holloway Lane, Harmondsworth, West
Drayton, Middlesex.
01 897 9670
241. £30p/h. 161 £20p/h, 241. £350 inc.
full acc. Cap. 12. DC/ba ff. DBX. SM, R-R,
Mix, RC, all rates neg. Fender, Marshell &
more available

MAJESTIC RECORDING STUDIO
146 Clapham High St., London SW4
01 622 1228/9
247£34p/h Cap 50 R-R-C DBX CP OTC £5

MARQUEE STUDIOS
10 Richmond Mews, Dean Street, W1.
437 6731/2
247/16T £ 44p/h. p/d neg. Cap 35. D. tf. R.
R. R-C. d-t. CP. Ka (Steinway). £8p/h. OTC.
MS. S.{Remix & Studio with MC1 500
series automated consoles. Live recording facilities to ajoining Marquee Club).

MILNER SOUND LTD 117c Fulham Road, London SW3 01 589 6477 8T Cap 14£14 p/htf. R-R. CP. Ka. R-C. Dc d-t. M. S.

NOVA SOUND RECORDING STUDIOS LTD. 27-31 Bryanston Street, London W1H 7AB Enquiries Pat 01 4 93 7403 24 + 16 T Cap. 36D. St. CP. RC. Mix. dt. M. S. ba. Steinway Grand Piano no charge. 24 hour car park.

RADIO LUXEMBOURG STUDIOS
38 Hertford Street, W1.
01 493 5961
Studio 1. 8T£14p/h. Cap 8. D. tf. R-R. R-C.
R-Cr. d-t. CP. Ka. (Steinway grand, ARP
2600 Synth). OTC. £4p/h. (6.00am.9.30pm. Weekends & Bank Holidays). M. S.
SM. ba
Sudio 2. Self op. £12p/h. Radio productions
and commercials.

RAMPORT studios, 115 Thessaly Road, London SW8 01 720 5066 Cap 40 8am-6pm 16 and 24T £45p/h 6pm-8am 16 and 24T £55 p/h flat rate w/ends Bank Hols, 16 T £40 p/h 24T £45 p/h D & DBX Bosendorfer, Rhodes, Hammond B3 Q.M.S tf R-R, R-C, R-C, R-Cr, d-t, SM, ba

REDWOOD RECORDING STUDIOS 15 Neals Yard, WC2. 01 240 0568 87 £ 18p/h Cap 8. tf. R-R. R-C. R-Cr. d-t. CP Ka. (Rhodes, ARP Odysey, Roland String Synth, Daneman Piano). Q. OTC. (+25% of hourly rate) M. S. SM.

REGENT SOUND STUDIOS 4 Denmark St., London WC2 01 836 6769 16f £16 p/h Cap 20 R-R-C OTC, Sound Techniques Desk 18 × 16

RMS 43 Clifton Road, London SE23 Contact Randy McDonald 8T ft. CP. Ka. RC. Mix. dt. M. S. VS. ba. SM

ROCK STAR RECORDING STUDIO, 63 Charlotte Street, London W1. 01 637 0999 16T 3M machine, Scully mixdown machine, Plate Echo, Revox ADT, Phasing. 16T Cap. 15 £16 p/h. D. R-R. RC. OTC. M.

ROX BOX STUDIO 92 Devonshire Road, Chiswick, W4. 01 570 7821 4T.£5p/h.p/d.p/d.neg. Cap 7. tf. R-R. R-C. CP. M. S. SM. ba. (Fender, Marshall, HH, Amps), Rehearsal Studios £2.00 p/h

STAGE ONE STUDIO
14 Sebert Road, Forest Gate, London E7.
01 534 5472
8 Track £9.50 p/h, 4 Track £6.50 p/h,
Cap 10, R-R, R-C, R-CR, D-T, CP, Ka, Dc, M,
S, AC, SM,

STUDIO G.

145 Wardour Street, London W.1.

Tel: (01) 734 5784/5572

8T £18 p/h no OTC (eves and weekends).

Cap 12. R-R. R-C. R-Cr. D-T. CP. Ka.

Clavinett, Yamaha Synth. Bechstein pno.

Elka string machine. M. S. Neve Desk.

Studer. m/m Neunarni. AKG, Shure M. EMT

Reverb. Studer 8-T.

SARM STUDIOS
Osborn Hse., 9-13 Osborn St., London E1
247 1311
247 E52 p/h 48T£72 p/h Comp M ix, Triad
TSM 40 in 40 out C.P. Unique range of
suxiliary equipment. Bosendorfer Imperial

SAV STUDIOS 34 Cricklewood Broadway, NW2. 01 450 4455 8T (1")£16p/h. Cap 5. DBX. tf. R-R. R-C. R-Cr. d-t. CP. Ka. (Piano) DC. OTC. M. S. SM.

> TAPE COPYING SERVICES 199A Gloucester Place, NW1. Tel: 01-723 6301.

SPECIALIST IN SHORT RUN CASSETTE DUPLICATION

THE SOUND SUITE RECORDING STUDIOS, 92 Camden Mews, London NW1 01-485 4881

18T £ 18.15 p/h 8T £ 10 p/h. 15% discount for settlement within 10 days. tf. R-R. R-C. d-t. CP. S. No OTC. JBL monitoring (graphic equalised). SM. be Master room Fender-Rhodes Suitcase 88. Tama drumkit. Fender Jazz bass. Grand piano.

THEATRE PROJECTS SERVICES LTD.
11-13 Neats Yard, Monmouth Street,
London WC2
01 836 1168
Studio A 8T £ 12 p/h and piano Cap 15
(demo tape)
Studio B M.S. £ 12 p/h Cap 6 (voice overs)
R-R-C OTC.

T.M.C. RECORDING STUDIO
118 Mitcham Road, Tooting, London SW17
01-672 4108/8488
16T Cap 40£20 p/h D. rf. R-R. CP. Ka. R-C. d-t. M. S. OTC. SM. Steinway Piano. Scamp System ADT.

TRIDENT RECORDING STUDIO,
17 St. Anns Court, Wardour Street,
London W1.
01 734 9901
48 and 24 Track £55 p/h
48Track mix £85 p/h. No O/T
48T. Cap 30. D. tf. R-R. St. CP. Ka. RC. Mix.
Dc. dt. M. S. AC. ba. SM.

UNDERHILL STUDIO 178 Newcross Road, London SE14 01-639 3090 167 £25 p/h Block bookings neg. Cap 25 (30 RPS). tf. R.-R. R-C. CP. Ka (grand pianos, string machine, Mellotron) d-t. No OTC. M.S. SM.

ZIPPER MOBILE RECORDING STUDIO Get taped anywhere 16T - £9.50per hour./10 hrs @ £76 Studio rooms can be arranged Contact Jeffery (01 637 9977) -435 3076

MANCHESTER
ARROW SOUNDS LTD.
6-10 Jacksons Row, Manchester 2
061 833 9417/832 8457
24T £35 p/h £225p/d. 16T Cap 35 £25.
p/h p/d ba.D. R-R. CP. R-C. R-Cr. d-t. Ka. O.
OTC. after 9.00pm MS. SM.

EARTHBEAT RECORDING STUDIO 28 Dartford Avenue, Winton, Eccles, Manchester. 061 707 2217 St1, 4T, Cap 9,£6p/h.£35p/d, D. R-R. CP. Ka. D-T. Q. OTC.£3p/h. M. S. AC(ba). SM. Mix.

PLUTO STUDIOS 36 Granby Row, Manchester 1. 061-228 2022 16T£28 p/h 8T£25 p/h Cap 35. rf. R-R. CP. R-C. d-t.

MIDDLESEX

more available

MAGRITTE MUSIC STUDIOS
15 Holloway Lane, Harmondsworth, West
Drayton, Middlesex.
01 897 9670
247.£30p/h. 167£20p/h, 247.£350 inc.
full acc. Cap. 12. DC/ba tf. DBX. SM, R-R,
Mix, RC, all rates neg. Fender, Marshall &

VILLAGE WAY STUDIO 228 Imperial Drive, Rayners Lane, North Harrow. 01-868 2073 16T £18 p/h fully Dolby tf. R-R. R-C. No OTC - S. CP. Overdubbing. Bechstein Summerfield grand Roland SM by arrangement Scamp rack.

WALES

BBC WALES
Stacey Road Studio, c/o Broadcasting
House, LLantrisant Road, Cardiff.
Tel: 0222 493053

16T £20 p/h. 8T £10 p/h. (Block bookings neg.) CAP 40. D. rf. R-R. R-C. d-t. CP. Ka (Bechstein Baby Grand, Yamaha Electric Piano, Poland String Synth. Drum Kit, Electric Organ) Q/ba OTC + 25% M.S. fcf. VS. AC/ba SM. (Also 22T facility available).

FOEL STUDIO LTD Foel, Llanfair Ceareinion Powy's Wales 093 882 758573 16T Cap 10£175 p/dtf.R-R.CP.Ka.R-C.Dc. M, S. AC/ba.SM.

ROCKFIELD STUDIOS
Amberley Court, Rockfield Rd., Monmouth
0600 2449/3625
Studios 1 & 2, 24 T. 40 Channel Custom Built
Mixer, Natural Acoustic Echo Room,
Auxiliary equip, to cover all eventualities.
ALSO Acoustically insulated Rehearsal
Studio in 10 Bedroom country house. 1½
miles of fishing available. ALL prices on
application only.

WARWICKSHIRE

BIRD SOUND STUDIOS
Wedgnock Industrial Estate, Warwick.
0926-45123/4
8T£12.p/hCap. 20DC/ba.R-R-CDBX OTC
£14.p/h

WORCESTERSHIRE

THE OLD SMITHY RECORDING STUDIO The Old Smithy, 1 Post Office Lane, Kempsey, Worcester. 0905-820566 181 f.24 p/h 241 f.29 p/hp/dbe. Cap. 35 D. ft. R-R R-C Dc. CP. Ka. No OTC. M.S. VS. Ac. SM

ROOK MUSIC Anglo House, Worcester Road, Stourporton-Severn. Tel: 029 93 77626 8T £10 p/h Cap 15, tf. R-R. R-C. CP, t-d. M. S. SM.

W. YORKSHIRE

LEADER SOUND 209 RRochdale Road, Greetland, Halifax, W. Yorks 04227 6161 8T £75 p/d Cap 8 D. DBX, R-R, R-C, CP, Ka (Piano) Dc ba, M.S. Ac, S.M.ba

KEY FOR STUDIO GUIDE

т	Track
Сар	Capacity
p/h	per hour
	· ·
p/d	per day
D	Dolby
tf _	Transfer facilities
R-R	Reel to Reel
St	Number of Studios
CP	Copying
tba	to be advised
Ka	Keyboards available
R-C	Reel to Cassette
Mix	Mixing Facilities
R-Cr	Reel to Cartridge
Dc	Disc Cutting
Comp. Mix	Computer Mixing Facility
d-t	Disc to tape
Q	Quad
OTC	Overtime charge
М	Mono
S	Stereo
fcf	Fully coated film
VS	Video Studio
AC	Accommodation
ba	by arrangement
SM	Session Musicians

O HIREGUIDE O

A. C. LIGHTING 57The Crescent, Totteridge, High Wycombe, Bucks. For enquiries please ring 06285 28522 SL. T.& C. Di. CM. PA. Mr Leggett.

ACME P.A. HIRE Willow Bank, Leeds Road, Otley, Yorkshire. 09434 2261 P.A. 1,000 watts. T & C. 16 CM. Di.

ANDROMEDA SOUND SYSTEMS (IRELAND) 1 Thirlmere Gardens, Belfast, BT1 55EF 0232 772491 Pa SL, CTM, Sc, T & C ME, R. AXIS SOUND EQUIPMENT 58 Avon Road, Bournemouth, Dorset. 0202 38246 ME. T & C. SL. Sc. Di. CM. PA. R.

BAN MANAGEMENT 89/97 St. John Street. EC1 M4AB 01 253 9410 ME, T & C. RhR, SL Ba, St. R. CM.(24 or 16)P

BRED P.A. HIRE.
38 Hamlet Road, Chelmsford, Essex.
0245 65796
(9-5 closed Wednesday)
ME. T & C. CM. CTM. PA. (6 channel mixer
1300 watt P.A. rig). ST. R.

COLAC SOUND & LIGHTING EQUIPMENT RENTALS, 39-51 Highgate Road, Kentish Town, London NW5

01-367 9239 Midas Martin PA System SL. T & C

C.P. HIRE, Pier House, Strand on the Green, Chiswick London W4 01-994-7135 Flight Case Hire & Stageing Hire

CUSACK'S MUSIC, 33 Braunstone Gate, Leicester. 0533 548517 ME, SL, Di, CM, PA, Competitive Rates

EUROPA CONCERT SYSTEMS
EUROPA CONCERT SOUND LTD.
11A Sharpleshall Street, London NW1
01 586 3848
PA Mixers, T & C CTM

H.W. AUDIO 174 St. Georges Road, Bolton, BL2 1BA 0204 385199 0 I.Y. or T&C, Instrument Amps. P. A. and Di S.L. and Di. L. LIVE WARE 25-29 Bulwer Street, London W12. 01-743 9527

ME. T&C. RhR. SL. Sc. CTM. PA. ST. R.

METEORLITES PRODUCTIONS LTD., 8 Pinnocks Lane, Baldock, Herts 0462 892121

Stage lighting hire and sales.

MITREX 951 Oldham Road, Newton Heath, Manchester M10 6FE 061-205 8093 ME. T + C Dt. 12 CM. PA 2 miles from city centre

MUSCLE MUSIC 74 Great Suffolk Street, London SE1. 01 633 0065 ME. T & C. RhR. SL. CM. CTM. PA. ST. R.

THE P. A. COMPANY
7-9 Market Road, London N7
01-607 0087/8
ME.PA. T&C.RHR.Sc.CM. Spec in Yamaha
Equip.,
P.A.C.O.
31 New Park Road, Leicester.
0533 833471 Contact Roy Parker
T&C.St. Di. CM. PA. R.

PILEDRIVER EQUIPMENT HIRE 11 Harrison Gardens, Edinburgh 11. 031 337 1071 ME, T&C, SL, Di, PA, 16T Chhannel Mixer Frunt, MM, Rose Morris.

69 Jeddo Rd., London W12 01 749 1204. PA. ME. T & C. RhR. Di. Cm. CTM.

MAURICE PLACOUET HIRE

P S H Block 6/8, The Avon Trading Estate, Avonmore Road, West Kensington, London W.4 01-603 4438 Zoot Horn PA to 4000W Backline ME Storage RhR T & C

R & C MUSIC 41 Malvern Rd. Orpington, Kent. 01 231 3200 3 kw upwards 30 Channels: Full tour management facilities available.

RED UK PA HIRE Coolderry, Rising Lane, Lapworth, Solihull, Warwickshire 05643-2860 Enquiries to Mark Robbins ME. T.& C. CM, CTM, PA, ST

RIG HIRE
20A Russell Parade, Golders Green Road
London NW 11
01-458 5807
T + C SL. ba 30 into 8CM (Main Desk) 20
into 6 Monitoring PA

RUDY P.A. HIRE 65-67 Wembley Hill Road, Wembley, Middlesex. 01-903 6455 T&C. CM PA. 16 chan.

SWAMP SOUND SYSTEM 279A Iffley Road, Oxford 0865 45552 24 hour P.A. Spec. T & C. SL. Di. CM. CTM. PA.

TELECOMMS
189 London Road, North End, Portsmouth,
Hants.
Portsmouth 60036 Ask for Mike
ME Di T&C PA CM

WHALE AUDIO VISUAL 20 Belmont Park Road, Maidenhead, Berks 0628 21696 Hill Martin 20 CM PA 36Kilowatt SL.T & C Di

WIGWAM ACOUSTICS St Annes House, Ryecrost Avenue, Heywood, Lancashire 0706 68766 Contact Mike Spratt ME T & C SL 24 CM CTM. R PA to 5000 Watts.

KEY FOR HIRE COMPANIES

Musical Equipment T & C Transport & Crew Rehearsal Rooms RhR SL Stage Lighting Sc Security Di Disco СМ Channel Mixer Concert Tour Management CTM PA Public Address ST Storage В Repairs

PRECISION GUITAR TUNING

with the NEW DIOTUNER MODEL G2 ELECTRONIC STROBE

Sintable for both electric and acoustic guitars (including bass models) Direct input allows on-stage tuning. Purpose designed instrument gives quick precision tuning of octaves and open strings

Model G2 has an accuracy better than 1, 100th of a semitone and costs only £59 (inc. VAT) plus 50p p&p.
As reviewed in "I.M." August 1978, page 206

Send for details or c w o to A. M. MARSHALL

3 Doughty Street, LONDON, W.C. 1 Telephone: 01-405 9966

DISCO

HEREFORD DISCO AND LIGHTING CENTRE LTD

5 BRIDGE STREET, HEREFORD IEL 65156

Rokk Amplification — Custom Sound — Leech, Cabinet G.P. Cloud, T.K. electronic, Citronic, D.J. Electronics, Haze, Compa, Zero 88, Optikin . Electronics, Haze, Compa, Zero 88, Optikinetics, Pluto, Rank Strand.

LARGEST DISCOTHEQUE CENTRE IN WALES & WEST MIDLANDS 24 HR. REPAIR SERVICE, COMPLETE MIKE SERVICE ON FULL LIGHTING & SOUND RIGS

MUSICAL INSTRUMENTS

TOOTLEBUG sax, brass, flute bugs & octave dividers

A. R. Tootell 9 Mendip Close St. Albans Herts. Phone 60525

English and German quality overstrung pianos, renovated and repolished immediately from stock Buy one on ten days free approval - distance no

Call Oxford Piano Work shop, Freephone 3567 today

REMOVALS

PIANO REMOVALS

Uprights, Grands, Pianolas moved properly with experi care

London or Home Counties Stairs no problem

General transport & Hire availible Tel 01 698 8717

BY DRAGON TRANSPORT

VENUES

steve jonsen international promotions **PRESENTS**

Contest Talent (Sat the il rondo suite

Wed 16th May - Door open 8 30 Admission () on the door Bars & Sponsorship by Everards

SECOND HAND

CASH WAITING For Good Quality Second Hand Equiptment

We want Bhodes Strats Telecasters, marshall, Fenders, Gibsons

Contact J.Pags The Humbucker Music Centre 124c Green Larie Road Leicester

Tel. 0533 769318

LASSIFIED

PERCUSSION & DRUM **ACCESSORIES**



PRACTICE S DRUM KIT

WHY HAVE NOISE PROBLEMS? drum complete practice units. Excelle drumstick feel. Fully adjustable – £55. Send stamp to Bill Sanders, 84 Cornwall Avenue, Southall, Middx. Personal Avenue, Southall, Middx Personal attention 01-578 2909 (evenings).
FREE POSTAGE DRUM STICKS

INSURANCE

MUSICAL EQUIPMENT **INSURANCE** groups

orchestras

stuaios

dance bands discos

ASC(Insurance Services) 35. AMBERLEY GDNS STONELEIGH EPSOM SURREY

WANTED

WANTED FOR CASH

All Keyboards, Guitars, Amplification, Mics and Pedals. Collection arranged. Top Cash Offers at Sound Exchange, 296 High Street, Sutton, Surrey Tel: 01-643 6420



SITUATIONS VACANT

IM NEEDS A **GERMAN EDITOR**

This magazine is launching a German language edition this summer and we're looking for the right editor. He or she will be German or be able to write and speak the language fluently. The office will be in Frankfurt. If you qualify, call Ray Hammond on 01-379 6342/6917.

CUSTOM BUILDING

Pelep Cook

by reputation the best Custom Built Guitars, Basses and Flight Cases Repairs, Resprays, Refrets, P.V. Rewinds, Circuit Repairs and Modifications. Tel: 01-998 3101.

PETE BACK **CUSTOM GUITARS**

Custom Guitars built at realistic prices, plus A1 repairs and automizing-Customizing. 131 Ferham Road, Rotherham, Yorks. 0709.71462

LASSIFIED ADS SE

MARK

01-379-6342

SEND THIS PAGE BACK

This page can be used for competition entry, Readers Survey, and our Readers Service. Use the bottom coupon to get more information about catalogues and price lists. Tick the advertiser you require information from, state which instrument you play, and return the coupon to Cover Publications Ltd., Grosvenor House, 141-143 Drury Lane, London WC2.

	,	
ABC Music 194	FCN 24	Bill Occleshaw
Acoustic \$\$	Freedman 140	Peter Nobles 213
Adam Hall 175	Free & Easy 68,M32	Pa:ce 199
Airthrey 209	GEC	Packhorse 59
Alan's Music 209	Gibson Britain 133	Peavey
AKG 195	Gigsville 70,71,M29	Pete's
Altair 202	GMS	Picato
Allen & Heath 18	Goodman's 149	Pioneer 161
Aria 179		Pollard 208
	Gretsch	
Argent's 196	Guild 106,M28	Premier
A&R	H/H	Professional Music Strings M8
Assembly	Harman Audio 154,215	Pulsar
ATC	Harker & Howard M20	Ram-Air
Audiogenic 178	Keith Hand 177	Randall
Ernie Ball 136	Frank Hessey 54	Rainbow Cases M13
Banana Stand 146	Highway	Re-An
Bath MC	Mike Hill 226	REW 160,174,175
Barratt's 201	Hiwatt	Ridge Farm 132
Bell Electrolabs 127	Hofner	Richard Brown 172
Beyer Dynamics 120	Hohner	Rola Celestion 158
BGW 203	John Holms	Rose-Morris
Biggles 202, M10	James How	Rosetti 187
BirdBrothers 202	ITA5	Rokk 170
Bred PA 208	JBL	Rook Music 202
Boosey & Hawkes 110	Mick Johnson 40,98	RSD 58,168
Bose 206	Kembles 67,M29	SAI
Richard Brown 78	KEF 148	SES
Brodr-Jargensen 35,50	Keyboard Harmony M20	Sigma 209
Carlsboro SE 100	Kitchen's	Shure
CBS Arbiter 51	Korg 26	Side Street M28,M8
Central Sound Studio 133	Kingfisher	Simpson
Centre Sound M20	Kustom 101	Len Stiles 212
Chappel's	Laney	Silver Eagle 142
Chase 92-96	Dan Larking 129	Simms
Chandler 166	Leech	Springfield 66
Chingford	Peter Leigh 134	Socodi
Clearton 173	Macari's 176	Sound Wave 165
J.T. Cappock 4	Maine	Soundcraft 193
Crymbles 66	CF Martin 82	Star Guitar
Custom Sound 107	Dean Markley 16	Studio 34
Daburn 170	Mighty Mite 186	Summerfield
Trevor Daniels	MBE	Superwound 87,97
D'Merle 214	Modern Music 213	
DiMarzio 42,43		Strings & Things
	Morley	Sounder
DOD	Multivox	Synth
Dynacord	Mushroom	Sound Out
Electrovoice	Music House 146	Surfsound 213
Elka Orla 41	More Music 48	Streetly 211
EMS 120	Music Maker M20	Vitavox 208
ERP	Music Ground 182	Vixen
ESS	Musical Strings 66	Westmill Audio 200
Everyman's	Music Stop 198	West American Dist 134
FAL 190	Muir Music 123	White 166
Fane 164	MXR 147	J.G.Windows 211
FBT142	Nashville 198	Zero 88 45

READERS SERVICE FORM



elf Cenerating Bass Pedalboard

- PLUGS INTO ANY AMPLIFIER
- 16' AND 8' PITCH
- SINGLE TUNING CONTROL
- **VARIABLE SUSTAIN**
- **ULTRA COMPACT TO FIT UNDER ELECTRIC PIANOS**
- **CAN BE USED WITH ORGANS + GUITARS** + PIANO ACCORDIONS + SYNTHESIZERS

WELCOME!



EDMANS_629, High Road, Leytonstone, E.11 01-539-0288

SEND TODAY £125 INCLUDING

THE MUSIC HOUSE

387-389 LINCOLN ROAD **PETERBOROUGH**

Tel: PETERBOROUGH (0733) 51485

PUT YOURSELF IN THE SPOTLIGHT WITH LIGHTING FROM THE EXPERTS. RIGS TO SUIT ALL GIGS FOR SALE OR HIRE AT UNBEATABLE PRICES.

Also agents

Electrovoice Allen & Heath Ibanez

for:

H/H

Aria

Premier

Carlsbro

Norlin

Plus many, many more.



CUCTE EUT

Situated at Llancloudy on the A466, Hereford's newest and fully equipped 8 track studio is ideal for Song Writers or Bands in the South Wales-Midlands region who wish to make well recorded tapes.

Lack of gear need not be your problem as we can offer a full range of top quality instruments, etc. for use on sessions at no extra cost.

So why not give us a ring at 098-18 273 for further information and current rates? 24 hours answering service.

Introducing The All New SABRE™ Guitar!

Body

- Light-weight, contoured body for perfect balance and tireless playing.
- Volume control located for convenient operation by picking hand.
- Fast action pickup lever switch is positioned for operation during course of picking motion.
- Wide cutaway for easy access to 22nd fret.
 Body finishes available: Natural, Sunburst, Walnut, Black and White.

- One-piece rock maple construction.
 25½" scale with 22 frets
 Available with flat 12" radius fingerboard (Sabre I) or oval 7½" radius fingerboard (Sabre II). Sabre I has jumbo frets. Sabre II has standard frets.
- Rock-hard Melamine nut for long wear and precision notching.
- Patented flat truss rod which allows more strength while providing thin neck size (800/1000ths inches front to back).
- Neck tilt adjustment for adjustable angle without the use of shims.
- Head designed so that strings pull straight across
- Patented Music Man tuning keys (manufactured by H. Schaller) Tapered string post forces strings to lie flat against head for improved tension over nut

Pickups

- Two humbucking pickups with 12-14" magnets
 Narrow pickup design provides
- increased picking space between
- Pickups are vertically adjustable for

Electronics

- Internal micro-powered pre-amp for long battery life (one to three years).


 Pre-amp provides ow impedance output. Tone is
- unaffected by long cords or low-volume control
- Separate bass and treble tone controls provide both boost and cut.
- Bright switch conveniently adds additional highs at the player's fingertips.
- Phase reversal switch for pickups works in any position of lever switch. Instant out-of-phase operation can be obtained even though the lever switch is not in the two-pickup position.

- Heavy cast bridge provides excellent sustain without the need of a heavy body.
- Strings pull through from inserts in rear of body. then through bridge casting, resulting in rigid, vibration-free assembly.
- Bridge casting provides recessed well for six individual bridge saddles.
- Bridge saddles are made of stainless steel to resist corrosion and ensure long life.
- · Each bridge saddle has two vertical height adjustment screws and one horizontal octave adjustment screw. All screws are recessed within bridge saddle avoiding interference with picking and muting styles.

Basic Design

The Sabre guitar is the end result of 30 years' research and development of solid-body

electric instruments. Experience and krow'edge gained from creating new designs appreciate it until you plau it. Visit your Music



MUSIC MAN, INC.

The experience people. P.O. Box 4589 Telex 692-397

World Radio History

UK and Eire Distributors Music Man Division STRINGS & THINGS Ltd. 20 Chartwell Rd. Churchill Industrial Estate Lancing, W. Sussex BN15 8TU

'Super Swede' has arrived A Swedish Superlative in a class of its ow





Write now for illustrated details . . .

	PPOCK & NEWMAN LTD TONBRIDGE KENT TN91RA
Name	
Address	
	World Radio History

