


A new small computer that won't limit you tomorrow



New Cromemco System One shown with our high-capability terminal and printer.



Expandability

www.americanradiohistorv.com

Here's a low-priced computer that won't run out of memory capacity or expandability halfway through your project.

Typically, computer usage tends to grow, requiring more capability, more memory, more storage. Without a lot of capability and expandability, your computer can be obsolete from the start.

The new System One is a real building-block machine. It has capability and expandability by the carload.

Look at these features:

- Z80-A processor
- 64K of RAM
- 780K of disk storage
- CRT and printer interfaces
- Eight S-100 card slots, allowing expansion with
 - color graphics
 - additional memory
 - additional interfaces for telecommunications, data acquisition, etc.
- Small size

GENEROUS DISK STORAGE

The 780K of disk storage in the System One Model CS-1 is much greater than what is typically available in small computers. But here, too, you have a choice since a second version, Model CS-1H, has a 5" Winchester drive that gives you **5 megabytes** of disk storage.

MULTI-USER, MULTI-TASKING CAPABILITY

Believe it or not, this new computer even offers multi-user capability when used with our advanced CROMIX* operating system option. Not only does this outstanding O/S support multiple users on this computer but does so with powerful features like multiple directories, file protection and record level lock. CROMIX lets you run multiple jobs as well.

In addition to our highly-acclaimed CROMIX, there is our CDOS*. This is an enhanced CP/M⁺ type system designed for single-user applications. CP/M and a wealth of CP/M-compatible software are also available for the new System One through thirdparty vendors.

COLOR GRAPHICS/WORD PROCESSING

This small computer even gives you the option of outstanding high-resolution color graphics with our Model SDI interface and two-port RAM cards.

Then there's our tremendously wide range of Cromemco software including packages for word processing, business, and much more, all usable with the new System One.

ANTI-OBSOLESCENCE/LOW-PRICED

As you can see, the new One offers you a lot of performance. It's obviously designed with antiobsolescence in mind.

What's more, it's priced at only \$3,995. That's considerably less than many machines with much less capability. And it's not that much more than many machines that have little or nothing in the way of expandability.

Physically, the One is small – 7" high. And it's allmetal in construction. It's only 141/8" wide, ideal for desk top use. A rack mount option is also available.


CONTACT YOUR REP NOW

Get all the details on this important building-block computer. Get in touch with your Cromemco rep now. He'll show you how the new System One can grow with your task.

*CROMIX and CDOS are trademarks of Cromemco Inc. †CP/M is a trademark of Digital Research



Circle 126 on inquiry card.



CROMIX*— Cromemco's outstanding UNIX⁺—like operating system

CROMIX is just the kind of major development you've come to expect from Cromemco. After all, we're already well-known for the most respected software in the microcomputer field.

And now we've come up with the industry's first UNIX-lookalike for microcomputers. It's a tried and proven operating system. It's available on both 5" and 8" diskettes for Cromemco systems with 128K or more of memory.

Here are just some of the features you get in this powerful Cromemco system:

- Multi-user and multi-tasking capability
- Hierarchical directories
- Completely compatible file, device, and interprocess I/O
- Extensive subsystem support

FILE SYSTEM

One of the important features of our CROMIX is its file system comprised of hierarchical directories. It's a tree structure of three types of files: data files,

*CROMIX is a trademark of Cromemco, Inc. †UNIX is a trademark of Bell Telephone Laboratories directories, and device files. File, device, and interprocess I/O are compatible among these file types (input and output may be redirected interchangeably from and to any source or destination).

The tree structure allows different directories to be maintained for different users or functions with no chance of conflict.

PROTECTED FILES

Because of the hierarchical structure of the file system, CROMIX maintains separate ownership of every file and directory. All files can thus be protected from access by other users of the system. In fact, each file is protected by **four separate access privileges** in each of the three user categories.

TREMENDOUS ADDRESS SPACE, FAST ACCESS

The flexible file system and generalized disk structure of CROMIX give a disk address space in excess of one gigabyte per volume — file size is limited only by available disk capacity. Speed of access to disk files has also been optimized. Average access speeds far surpass any yet implemented on microcomputers.

'C' COMPILER AVAILABLE, TOO

Cromemco offers a wide range of languages that operate under CROMIX. These include a high-level command process language and extensive subsystem support such as COBOL, FORTRAN IV, RATFOR, LISP, and 32K and 16K BASICS.

There is even our highly-acclaimed 'C' compiler which allows a programmer fingertip access to CROMIX system calls.

THE STANDARD O-S FOR THE FUTURE

The power and breadth of its features make CROMIX the standard for the next generation of microcomputer operating systems.

And yet it is available for a surprisingly low \$595.

The thing to do is to get all this capability working for you now. Get in touch with your Cromemco rep today.



Circle 127 on inquiry card.

In The Queue

EUTE Volume 7, Number 5

May 1982

Features

34 Everyone Can Know the Real Time by Steve

Ciarcia / Technological advances have made real-time clocks simple and inexpensive.

60 SIx Personal Computers from Japan by Christopher P. Kocher and Michael Keith / A comparative review of the BMC if800. Canon CX-1, Hitachi MB-6890. NEC PC-8001A, Fujitsu FM-8, and Systems Formulate Corporation Bubcom80.

106 Japan Update by Mark Haas / The semiannual Consumer Electronics Show is on its way to becoming a showcase for new computer products

114 The Machines Behind the Machines by Phil Lemmons / Several Japanese companies, both large and small, have their eyes on the American market.

118 The Japanese Manufacturers—How Successful WIII They Be? by Tod Zipnick / How they fare depends largely on their ability to meet the needs of the American marketplace.

140 Japan Maps Computer Domination by Tom Manuel / Ten-year R&D effort aims to leapfrog U.S. technology.

148 The Atari Tutorial, Part 9: Even More Colorsi by Kathleen Pitta and Lane Winner / Television artifacts and the new GTIA chip allow even more colors to be displayed on Atari computers.

162 Ports of Entry and Soft Breezes for the Color Computer and Model III by William Barden Jr. / A s10 anemometer and other remote-sensing projects using the cassette interface

202 The Input/Output Primer, Part 4: The BCD and Serial Interfaces by Steve Leibson / A look at one of the least understood interfaces—the RS-232C—and one of the first instrument interfaces.

226 The User's Column: Supercalc, Spelling Programs, BASIC Compilers, and Home-Grown Accounting by Jerry Pournelle / A critical computer user surveys new programs. including one of his own.

274 More Maze Building by Thomas Edward Neldner I A Pascal program to generate mazes efficiently on a printer.

318 TRS-80 BASIC Program Hang-ups: The Reasons and Some Solutions by Glenn Tesler / Understand and eliminate those mysterious crashes on your TRS-80 Model I.

334 Anatomy and Development of a Batch-Processing System by Gene Walters / A software system that lets your computer run a series of programs without your intervention. **426** CHEDIT: A Graphics-Character Editor by Jerry N. Sweet / Define your own character set for Apple Pascal.

446 Give Your Apple a Voice: A Speech-Development System Using the Radio Shack Speech Synthesizer by John Blankenship / How to make your Apple II talk.

465 Programming PERT in BASIC by Steven Zimmerman and Leo M. Conrad I A method for planning complex activities where no precedents exist.

479 CP/M, Your Time Has Come: A Real-Time Clock for the Most Popular Microcomputer Operating System by J. L. Calaway and B. Hill / All the hardware and software you need to get

time-of-day printouts whenever you like.

Reviews

- 224 Alien Typhoon by Walt Latocha
- 246 PL/I for Microcomputers by John A. Lehman
- 252 Apple II 80-Column Video Boards, Five Popular Units by John E. Howland
- 266 More Apple 80-Column Boards by Gregg Williams
- **286** Colne Robotics Armdroid, The Small-Systems Robot by Steven W. Leininger
- 296 Super FORTH Isn't by Gregg Williams

Nucleus

- 6 Editorial: Japan and the "64K" Question
- 14 Letters
- 20, 307 BYTE's Bits
- BYTE Comment: Copyrights, Computers, and the Betamax Case
 300, 302, 304 Book Reviews: Fifty BASIC Exercises: Programmer's Guide to the 1802; TRS-80 Color Computer Technical Reference
- Manual BYTE's Bugs
- 308 Programming Quickies: Structured Strings in BASIC
- 388 BYTELINES
- 398 Ask BYTE
- 408 Event Queue
- 457 Technical Forum: Hierarchical Interrupts
- 460 Books Received
- 462 Clubs and Newsletters
- 463 Software Received
- 494 What's New?
- 542 BOMB, BOMB Results
- 542 Unclassified Ads
- 543 Reader Service



Page 60



Page 106



Page 114



Editor in Chief

Christopher Morgan

Managing Editor

Mark Haas

Technical Editors

Gregg Williams. Senior Editor; Richard S. Shuford; Curtis P. Feigel; George Stewart; Arthur Little; Stanley Wszola; Steve Ciarcia; Mark Dahmke Philip Lemmons: Allan Lundell, Consulting Editors; Jon Swanson, Drafting Editor

Copy Editors

Beverly Cronin, Chief; Faith Hanson; Warren Williamson; Anthony J, Lockwood; Ann Graves; Hilary Selby Polk; Elizabeth Kepner; Margaret Cook, Junior Copy Editor

Assistants

Faith Ferry; Debe Wheeler: Beverly Jackson

Production

David R. Anderson. Assoc. Director; Patrice Scribner; Damian Henriques; Jan Muller; Virginia Reardon; Sherry McCarthy. Chief Typographer; Debi Fredericks; Donna Sweeney; Valerie Horn; Jonathan M. Graves. Creative Consultant

Advertising

Thomas Harvey, Director: Marion Carlson: Rob Hannings: Deborah Porter: Vicki Reynolds; Cathy A. R. Drew; Jacqueline Earnshaw, Reader Service Coordinator; Wai Chiu Li, Advertising/ Production Coordinator: LInda J. Sweeney

Circulation

Gregory Spitzfaden. Manager: Andrew Jackson. Asst. Manager: Agnes E. Perry: Barbara Varnum; Louise Menegus: Pinky Krulis: Sheila A. Bamford James Bingham. Dealer Sales; Deborah J. Cadwell. Asst. Linda Ryan

Controller's Office

Daniel Rodrigues, Controller; Mary E. Fluhr, Acct. & D/P Mgr.: Karen Burgess: Jeanne Cilley; Linda Fluhr; Vicki Bennett

Traffic

N. Scott Gagnon; Scott Jackson, Kathleen Reckart

Receptionist


Jeanann Waters

Publishers

Virginia Londoner; Gordon R. Williamson; John E. Hayes, Associate Publisher; Cheryl A. Hurd; Michele P. Verville, Publisher's Assistants;

Officers of McGraw-Hill Publications Company: Paul F. McPherson. President: Executive Vice Presidents: Daniel A. McMillan, III. Gene W. Simpson: Senior Vice President-Editorial: Ralph R. Schulz: Vice Presidents: Kemp Anderson. Business Systems Development: Harry L. Brown. Special Markets: Robert B. Doll, Circulation: James E. Hackett. Controller; Eric B. Herr, Planning and Development: H. John Sweger, Jr., Marketing.

Officers of the Corporation: Harold W. McGraw Jr., Chairman and Chief Executive Officer: Joseph L. Dionne, President and Chief Operating Officer: Robert N. Landes, Senior Vice President and Secretary; Ralph J. Webb, Treasurer.



In This Issue

The Japanese entered the American personal computer market in earnest this year, and as one might expect, their products come standard with a host of "extras" at a price competitive with current American designs. This month we look closely at several Japanese personal computers—some that are already on the market, some that are on the horizon, and some that may never be sold in this country. Six machines, from Hitachi, BMC (Oki), Fujitsu, Canon, Systems Formulate, and NEC, are featured on the cover (photographed by Paul Avis; Pauline Elkin, stylist). For reviews of these computers see "Six Personal Computers from Japan" by Christopher P. Kocher and Michael Keith. Phil Lemmons discusses the companies responsible for these computers in "The Machines Behind the Machines." For a brief introduction to three new Japanese computers that were shown at the recent Consumer Electronics Show in Las Vegas see "Japan Update" by Mark Haas.

Steve Ciarcia tells you how you can build a real-time clock simply and inexpensively. Steve Leibson continues the Input/Output Primer with Part 4, in which he describes BCD and serial interfaces. Part 9 of the Atari Tutorial is on colors, and William Barden Jr. talks about ports of entry for the Color Computer and Model III.


BYTE is published monthly by BYTE Publications Inc. 70 Main St, Peterborough NH 03458. phone (603) 924-9281, a wholly-owned subsidiary of McGraw-Hill, Inc. Address subscriptions, change of address. USPS Form 3579, and fulfillment questions to BYTE Subscriptions. POB 590. Martinsville NJ 08836. Second class postage paid at Waseca. Minnesota 56093 - USPS Publication No. 528890 (ISSN 0360-5280). Canadian second class registration number 9321. Subscriptions are \$19 for one year. \$34 for two years, and \$49 for three years in the USA and its possessions. In Canada and Mexico. \$21 for one year. \$38 for two years. \$55 for three years. \$43 for one year if delivery to selected areas at additional rates upon request. Single copy price is \$2.95 in the USA and its possessions. \$3.50 In Canada and Mexico. \$4.50 in Europe. and \$5.00 elsewhere. Foreign subscriptions and sales should be remitted in United States funds drawn on a US bank. Printed in United States of America.

Address all editorial correspondence to the editor at BYTE, POB 372, Hancock NH 03449. Unacceptable manuscripts will be returned if accompanied by sufficient first class postage. Not responsible for lost manuscripts or photos. Opinions expressed by the authors are not necessarily those of BYTE. Entire contents copyright © 1982 by BYTE Publications Inc. All rights reserved. Where necessary, permission is granted by the copyright owner for libraries and others registered with the Copyright Clearance Center [CCC] to photocopy any article herein for the base fee of \$1.00 per copy of the article or item plus 25 cents per page. Payment should be sent directly to the CCC, 21 Congress St, Salem MA 01970. Copying done for other than personal or internal reference use without the permission of McGraw-Hill is prohibited. Requests for special permission or bulk orders should be addressed to the publisher.

BYTE® is available in microform from University MIcrofilms International, 300 N Zeeb Rd, Dept PR, Ann Arbor MI 48106 USA or 18 Bedford Row, Dept PR, London WC1R 4EJ England.




Office hours: Mon-Thur 8:30 AM - 4:30 PM, Friday 8:30 AM - Noon, Eastern Time





"....stands well above other S-100 graphics displays in its price and performance range."

BYTE, Product Review



"....better monochromaticdisplay....." ELECTRONIC DESIGN, 1981 Technology Forecast

MICROANGELO

HIGH RESOLUTION GRAPHICS SINGLE BOARD COMPUTER 512 x 480 resolution black and white and vivid color displays

RS-170 composite or direct drive output

Local or external sync generation

4 Mhz Z80 microprocessor

60 hertz realtime clock

8 level interrupt tie-in

IEEE S100 bus compatible



interface Time multiplexed refresh 4K resident Screenware™ Pak I operating system

Light pen

32K RAM isolated from host address space High speed communications over parallel bus ports

Screenware™ Pak I

A 4K byte operating system resident in PROM on MicroAngelo[™]. Pak I emulates an 85 character by 40 line graphics terminal and provides over 40 graphics commands. Provisions exist for user defined character sets and directly callable user extensions to Screenware[™] Pak I.

Screenware™ Pak II

An optional software superset of Pak I which adds circle generation, polygon flood, programmable split screen for separate graphics and terminal I/O, relative coordinates, faster vector and character plotting, a macro facility, full UCSD Pascal compatibility, and more.

And now...COLOR!!

The new MicroAngelo[™] Palette board treats from 2 to 8 MicroAngelos as "bit planes" at a full 512 x 480 resolution. Up to 256 colors may be chosen from 16.8 million through the programmable color lookup table. Overlays, bit plane precedence, fade-in, fade-out, gray levels, blinking bit plane, and a highly visual color editor are standard.

Ask about our multibus and RS-232 versions.



12310 Pinecrest Road • Reston, VA 22091 • (703) 476-6100 • TWX: 710-833-0684

syn • **Op** • **sis**, n. 1. a brief compendium of comments giving an overview of the whole subject.

2. a central index to the CP/M files on all your disks.

YOUR FILE CONTENTS AT A GLANCE!

SOFTWARE.LET /DISK#23 1 January 1982 Ellen J. Potter: pb Digital Marketing Corp. Order for Synopsis

SYNOPSIS[™] automatically maintains a central index with the file name, disk I.D., plus four user-defined lines of comments about any CP/M file, (I.e. date, writer, addressee, and subject.)

When editing a document file, just enter the four lines as non-printing comments at the top of your text. SYNOPSIS automatically reads the comments into the index. Nondocument files can also be cataloged in the index.

You can search the index for words or phrases in one or more fields. SYNOPSIS displays each full entry found.

The price is \$125. SYNOPSIS requires CP/M 2.x or MP/M, WordStar, Spelibinder or Magic Wand and 48K RAM. Formats: 8", NorthStar DD, Micropolis Mod II, Superbrain 3.0, Apple II with CP/M, 5¼" Xerox and 8" Xerox.





Trademarks: Synopsis - Pro/Tem Software CP/M. MP/M -Digital Research WordStar - MicroPro Inth Spellbinder -Lexisoft. Magic Wand - Peachtree Software.

Editorial

Japan and the "64K" Question

by Chris Morgan, Editor in Chief

Last May, Senior Editor Gregg Williams and I went to Tokyo to prepare for this special issue featuring the new Japanese personal computers. "Will the Japanese take over?" we asked ourselves during our ten-day whirlwind tour of major Japanese electronics firms. That was the 64K question. The answer is "There *is* no answer."

One can draw parallels to other consumer markets in which the Japanese have become dominant, but those comparisons would be risky. For one, U.S. companies offered no real competition to the Japanese when the latter swept in to blitz the car, camera, and audio markets. But the situation is fundamentally different in the computer field. The vast majority of technical computer innovations have come from American research-and-development labs—till today, at least. But now the Japanese are aggressively entering the R&D field. Therein lies the danger (or the opportunity, depending on your point of view).

The question of whether the Japanese will take over or not is, in a sense, moot. By one definition they already have. Lift the lid on almost any personal computer and you'll see scores of Japanese-made components: resistors, capacitors, and ICs (especially memories, a field where the Japanese dominate the world market). Often a majority of the components are made in Japan. Yet in another sense the Japanese must fight an uphill battle against the creativity of American computer companies.

The other big "if" in the picture is the U.S. government's position on Japanese imports in general. The Japanese are all too aware that a major change in import duties or quotas could quickly cut them off from the world's most lucrative consumer-electronics and computer market.

What will their strategy be? I see a two-pronged approach: (1) form joint ventures with American companies so the Japanese will have access to the U.S.'s vaunted software experience, and (2) complete the development of the recently announced "Japanese master plan for a fifth-generation computer system" with a massive R&D push. I'll describe both approaches in detail. First, the joint-venture strategy.

Japanese-American Joint Ventures

The Japanese are weakest in software development; their track record has been uneven. They've developed some of the best video-game software in the business (e.g., Space Invaders and Pac-Man), but their business software has been virtually nonexistent. One reason for this is the radically different way the Japanese conduct business, a direct function, in turn, of the complexity of written Japanese. The Japanese use three different character sets containing a myriad of symbols. A conventionally designed Japanese typewriter would be almost a contradiction in terms. To my knowledge there are no typewriters

PERCOM DISK SYSTEMS.

Expect ITJ H/Z-89, IBM PC and TRS-80* Model III. Prices start at under \$3000. Options: 5- or 14- Mbyte drives, floppy disk controller

At Percom, our business is making disk storage systems for microcomputers — something we've been doing right, since 1977.

From the design of rock-solid drive controller circuitry to quality controls that include 100% life testing of every drive shipped, you can expect to get more out of Percom Disk Systems.

And Percom provides you with comprehensive after-sales service from our wholly owned, fully independent customer service center.

WINCHESTER 10-MEGABYTE DISK STORAGE SYSTEMS



Enormous storage capacity plus high speed. Percom 5¼ inch hard disk systems are 40 times faster than single-density floppy mini-disks, 20 times faster than doubledensity units.

Systems include a smart, four-drive controller featuring state-of-the-art data encoding and separation, adaptable industry-standard disk interfacing. Versions for the Apple II, Atari,



floppy disk controller.



FERCIN

40 or 80-track drives, single or dual-head, flippy or nonflippy — all double-density rated. Available in 1, 2 and 3drive add-on units, 1 and 2-drive internal units, with full docu-

mentation and software support. Add-on drives from \$399, complete systems from \$459.95.

To learn more about quality Percom disk storage systems, mail the coupon today. Or, call toll-free 1-800-527-1222.

YESI'd like to know more about Percom disk systems. Please rush me information. Send to: PERCOM DATA COMPANY, INC. Dept BD1 11220 Pagemill Road, Dallas TX 75243		
name		1.1
street	1837	110
city state zip	1.30.并至	
phone number	1. Ank Mars	
I'm interested in floppy disk storage for my TRS-80 □ Mdł I □ Mdl II □ CC □ IBM PC □ H/Z-89 □ H-8 □ AIM/KIM/SYM □ System-50	* *	
I'm interested in hard disk storage for my □IBM PC □TRS-80 MdI III □Apple II □Atari □H/Z-89	7	12
Other computer? (] floppy_disk_or [] hard_disk?)		PER

PRICES ANO SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE 'TRS-Bo is a trademark of Tandy Radio Shack Corporation which has no relationship/to Percom Data Company, Inc wi 1981 Percom Data Company, Inc



SYMBOLIC DEBUGGER

This fourth generation version of our reliable, Z-80 native code compiler adds the two features professionals ask for:

◆ InterPest[™]—an interactive symbolic Pascal debugger that allows easy error detection.

• Overlays-that allow larger programs to run in limited memory.

A compiler for Professional programmers

Pascal/Z is a true Pascal. It closely follows the Jensen and Wirth standard with a minimum of extensions designed to aid the serious program developer in producing extremely compact, bug-free code that runs FAST.

Pascal/Z generates Z-80 native code that is ROMable and Re-entrant. Permits separate compilation, direct file access, external routines and includes a relocating macro assembler and Microsoft compatible linker. And code written for Pascal/Z is fully compatible with I-PAS 8000, our new native code Pascal compiler for Z-8000, to guarantee graceful migration to 16 bit operation.

Get "The FACTS about Pascal"

Confused about which Pascal to buy? Pseudo-code ... Native code ... M, MT or Z? Compare the unbiased benchmarks in our new booklet. Don't buy a Pascal compiler until you've read it.

> Call us for a free copy: 800-847-2088 (outside NYS) or 607-257-0190

> > And ask your local full-service computer dealer about our Pascal/Z demo package.



Micros for bigger ideas.

Ithaca Intersystems Inc. 1650 Hanshaw Rd • Ithaca, NY 14850 • TWX 510 255-4346 U.K. Distributor:

Ithaca Intersystems (U.K.)Ltd. Coleridge Road London N8 8ED Phone: 01-341 2447 Telex: 299568

Editorial_

that can type Japanese characters. (Significant progress is being made, however, in the display of Japanese characters on video screens. At last year's Tokyo Microcomputer Show, several computer terminals were shown for the first time displaying all three Japanese character sets: kanji, katakana, and hiragana.) Japanese secretaries write all business correspondence-what there is of it-in longhand because most negotiations are conducted verbally. As a result, the Japanese lack an intuitive understanding of American office procedures and are hampered in their ability to design good wordprocessing software.

To remedy this situation, many Japanese computer companies are obtaining licenses from U.S. companies to use software such as CP/M, Microsoft BASIC, and Visicalc on Japanese computers, and they are forming joint ventures with American companies, such as the Fujitsu/TRW connection. This type of alliance helps cloud the issue of import restrictions, because the U.S. companies could rightly claim that actions against a Japanese partner would hurt the American partner too. Japanese companies are also building, or planning to build, production plants in America. Japanese electronics companies are sometimes more adventuresome than their American counterparts. In the videodisc field (which we'll be covering in detail next month), despite IBM's and MCA's withdrawal from the laserdisc market, Pioneer is planning to build an American videodisc production plant. Pioneer deserves high praise for backing the best videodisc format and not letting it die. It's unfortunate that RCA and Sears are continuing to promote the inferior Selectavision system.


The "Master Plan"

Of potentially greatest significance in Japan's computer fortunes is the ten-year plan for national computer policy announced last fall by the Japanese Information Processing Development Center (JIPDEC), whereby Japanese computer companies would jointly develop a grandiose fifth-generation computer system on several different levels, relying on sophisticated artificial-intelligence research into natural languages and graphics. (See Tom Manuel's article, "Japan Maps Computer Domination," page 140.) This may sound like a major threat, but as Tod Zipnick says (page 118), in many cases Japanese computers are designed for the Japanese market. One of the biggest technological problems the Japanese face today is that their written language is virtually unusable for fostering computer literacy. (All the Japanese software we saw was written mostly in BASIC with Japanese REM statements. The REM statements were written in a phonetic, Roman form of kanji that the Japanese use with some reluctance because it is considered aesthetically inferior to true kanji. Quite simply, there is no practical alternative if the Japanese wish to do any meaningful programming. The fact is that every high-level language

Circle 219 on inquiry card.

Ithaca 525/800

A computer system so advanced, the technology you'll need later is already here. And waiting.



The Ithaca 525/800 gives you the ability to address an almost unlimited number of applications in

an almost unlimited number of applications in business, scientific, and educational environments. Its state-of-the-art hardware gives you a single or multi-user 8-bit system in one machine that handles 5¹4' or 8'' floppy and hard disks. It has a processor that's 50% faster than conven-tional systems. A unique Cache CP/M[®] - MP/M[®] system that's typically 500% faster. That's right, 500%. And up to 1 Mbyte of memory. It has add-on capacity built-in now, ready to expand when you're ready. There are no hidden costs to pay

when you're ready. There are no hidden costs to pay for later. Everything you need comes with the

CP/M and MP/M. Digital Research, Inc.

Ithaca 525/800. In fact, it could be the only system you'll ever need.

It's simply the finest price/performance Z-80^a based system available. And it's here now, waiting for your call.

800-247-2088

In New York State (607) 257-0190



1650 Hanshaw Road, P.O. Box 91 Ithaca, NY 14850 TWX: 510-255-4346

\$ Z-80 Zilog Inc. * Ithaca 525/800 Ithaca InterSystems Inc

Editorial 🕳


presently in existence uses some form of the Englishbased ASCII character set.) And the Japanese (like the Chinese, who face a similar problem) must become as computer-literate as the rest of the world to survive in the coming computer age. Their preoccupation with overcoming the computer-language barrier will necessarily temper their aggressive ways for a while. Nonetheless, I have a great deal of respect for their ability to get up to speed quickly.

I welcome the Japanese into the "international computer sweepstakes." Only when we begin to think on a more global than national scale will we see that the socalled "Japanese threat" is really more of an "international promise."

* * *

A Note About Our Hardware Reviewers

This month we review six Japanese computers in "Six Personal Computers from Japan" (page 60) cowritten by Michael Keith and Christopher Kocher. Both men work in advanced computer science research in the southern New Jersey area and wrote the NEC PC-8001 review that appeared in the January 1981 BYTE (page 72). Producing these six comprehensive reviews was a major undertaking, and we thought BYTE readers would enjoy learning a little bit about their backgrounds.



Michael Keith



Chris Kocher

Michael Keith is 26 years old and has a BS degree in electrical engineering from the New Jersey Institute of Technology and an MS in electrical engineering from Stanford University. He owns an Apple II computer. Among other things, he uses it in his spare time to manage the finances of his church. His other pursuits include playing the piano, reading, and juggling.

Thirty-four-year-old Chris Kocher has a BA in chemistry and an MS in systems engineering, both from the University of Pennsylvania. He is, in his own words, "slowly making my way toward a PhD in systems engineering." His hobbies include collecting books (over 2000 so far) and cross-country skiing.■





The first available implementation of CP/M-86 for the IBM Personal Computer has the features needed to run the full range of CP/M-86 application programs. Included are serial and parallel printer support, a 'smart' screen driver which can emulate most popular CRT terminals, and double density 193K/drive disk capacity. The Tecmar, Inc. Winchester hard disk & other peripherals are also supported.

Innovative features include built in horizontal scrolling and screen line editing which lets the user extensively edit or re-enter any line on the screen for CP/M and application programs. Besides editing the line being typed in, the cursor may be moved to any line on the screen, and the line edited by overtyping or inserting and deleting characters. Typing the 'Return' key will then send the line, as it appears on the screen, to CP/M. While common on mainframe systems, this screen line editing is new to CP/M and greatly reduces the amount of retyping necessary due to mistyped or repeated commands.

8086 Software

V-COM Disassembler

Software An Industry Standard for CP/M & 8086





Uniquely User Oriented

VEDIT is user oriented to make your editing for program development and word processing as fast and easy as possible. The customization (installation) process makes VEDIT the only editing package that allows you to determine your own keyboard layout and use any available cursor and function keys. Just think of the difference it makes in your ease of learning and usage to type cursor and function keys instead of memorizing obscure control characters. This customization is menu driven, extends to much more and takes only a few minutes.

Unequaled Hardware Support

The CRT version directly supports over 35 terminals (including ANSI standard) in its installation menu and utilizes 'smart' terminal features such as line insert/delete. reverse scroll, status line and reverse video. Function keys on terminals like the Televideo 920/950, Heath H19, and IBM 3101 are all supported. The memory mapped version is extremely flexible, supports bank select such as on the SSM VB3 and screen sizes up to 70 X 200.

Sophisticated Full Screen Editing

VEDIT gives you true 'what you see is what you get' full screen editing with an extensive set of features for creating and editing standard text files of up to one diskette in length. Very large files are effortlessly handled by VEDIT's ability to edit up to 47K of a file entirely in memory without performing any slow and annoying disk accessing. And you can handle multiple files, insert a specified line range of another file anywhere in the text and even change diskettes.

User Oriented Features

You get the features you expect, like searching, a scratchpad buffer for moving and rearranging sections of text, complete file handling on multiple drives and flexible macros. For ease of use VEDIT has features you won't find elsewhere, like automatic indenting for use with structured languages such as Pascal and PL/I. You are less likely to make a mistake with VEDIT, but if you do, one key will 'Undo' the changes you just made to a screen line. And if you run out of disk space with VEDIT, you can easily recover by deleting old files or even inserting another diskette. It is therefore no surprise that VEDIT is the industry standard for program development editing.

Word Processing

VEDIT is suitable for simple stand-alone word processing, or it may be used in conjunction with a text processor. Its features include word wrap, adjustable left margin, reformatting of paragraphs, word oriented cursor movement and deleting, and imbedding of printer control characters. VEDIT can print any portion of your file and display the cursor's line and column positions.

Now for **IBM** Personal Computer XEROX 820

Ordering

Please specify your microcomputer, video board or the CRT terminal version, the 8080, Z80 or 8086 code version and disk format.

VEDIT - Disk and manual					
For 8080 or Z80	. \$145				
For CP/M-86 or IBM MDOS	. \$195				
Manual only	. \$15				

VISA and MASTER CARD Welcome.

Apple II Softcard • TRS-80 II and I SuperBrain • Heath H8/H89 • Altos NorthStar • Vector • MP/M • IBM

PRODUCTS, INC.

1955 Pauline Blvd., Suite 200 Ann Arbor, Michigan 48103 (313) 996-1299

(.) M and MP M are registered trademarks of Digital Research, Inc. Apple II is a registered trademark of Apple Computer, Inc. Softcard is a trademark of Microsoft. TRS:40 is a trademark of Tandy Corporation.

Circle 113 on inquiry card.

Comp

ALL U.S. BYTE SUBSCRIBERS Should receive C PRIORITY ONE ELECTRONICS

Spring 1982 Engineering Selection Childe in the mail by May 10, 1982. Erouden's receive yours and \$2\$1.00 and we'll send you's copy by rothin 1st Blaist Mat. Compare and Mexico'send \$1.00-177.5. Currently. All other cuntiles and \$4.00 in U.S. Currency or 22 International Reply Coupons.

([

É

17

(h

www.americanradiohistory.com

Dares

THE NEW CATALOG IS HERE! THE NEW CATALOG IS HERE!

lust attach this coupon to the face of your orden lotm

DISCOUNT COUPON* From Our SPRING 1982 ENGINEERING SELECTION GUIDE

Appropriate
 Box

PRIORITY Come ELECTRONICS

alid on Prepaid U.S. Mail Orders Received Before June 15, 1982 r Present This Coupon at Our Retail Store Before June 15, 1982

PRIORITY COME ELECTRONICS 9161 Deering Ave., Chatsworth, CA 91311

> *Sorry, Discount Coupon Not Valid on Shipping Charges, Phone or Foreign orders Circle 341 on inquiry card.

Letters

IBM's Personal Computer

I am in love! After spending considerable time at the local IBM Product Center and reading many highly favorable articles on the IBM Personal Computer, I have concluded that it is the best personal computer on the market today.

I especially enjoyed Gregg Williams's "A Closer Look at the IBM Personal Computer" (January 1982 BYTE, page 36). This was the most complete and detailed article I have seen on the Personal Computer. However, I am confused about one point: does the BIOS (basic input/output system) reside in ROM (read-only memory) or in the DOS? From other sources, I have heard that it occupies 6K bytes of ROM, along with BASIC and the power-on self-test software; Mr. Williams contends that it is in the DOS. Who's right?

Thank you for a terrific article in a terrific magazine!

Arthur A. Glecker 2726 Saint Paul St. Baltimore, MD 21218

In a long article, pieces of information do not always get grouped in the best possible way. Although the section on the IBM BIOS does not say that the BIOS is in ROM, the last line of table 6 (page 54) does give this information. Thanks for your interest in my article....G.W.

I enjoyed "A Closer Look at the IBM Personal Computer." It was the first review l've read that contained nontrivial information. I learned things I didn't know even though I've read most of the manuals and have played with the computer to some extent.

On the negative side, I think your benchmarks were not quite fair to the IBM Personal Computer BASIC. Unlike most other BASICs, IBM's BASIC allows the use of integer variables in FOR statements. Since most FOR loops are over integers anyway, it certainly makes sense to use an integer variable index if it is available. In the benchmarks this could be accomplished by changing the Is to I%s or by using DEFINT I to declare I as an integer variable. If you try it, I think you'll find that it knocks 2+ seconds off each of the IBM PC times.

Jim Mehl POB 632 Los Gatos, CA 95030

Thank you for your kind words about my article on the IBM Personal Computer. However, I must reiterate a point that seems to be forgotten by many BYTE readers: that a benchmark gains its validity by executing, as much as is possible, the same program on different machines. Integer variables are nothing new; several other Microsoft BASICs have integer variables (e.g., Apple II Applesoft and Radio Shack's TRS-80 Model III BASIC). When the same program coded with integer variables is run, the relative rankings of the machines should be almost exactly the same-but then, that's another benchmark, isn't it? And since we can't run every possible program on a computer, we run a set of benchmark programs that we have carefully chosen to be representative. We did not use a full set of benchmarks in the IBM article due to time constraints; however, a full set of BASIC benchmarks was used to test the six Japanese computers reviewed in this issue (see page 60). . . . G. W.

Gregg Williams's "A Closer Look at the IBM Personal Computer" was highly informative. It is a worthy successor to Phil Lemmons's article, "The IBM Personal Computer: First Impressions" (October 1981 BYTE, page 26). The comparison between IBM medium resolution (320 pixels per row) and IBM high resolution (640 pixels per row), which is discussed on page 39 and pictured in photo 6, may be unfair. The performance in highresolution mode is probably limited by the resolution of the red-green-blue (RGB) monitor that was used. The RGB color monitor shown in photo 1 appears to be an Amdek Color II, which is advertised to resolve up to 560 pixels per row-80 less than the high-resolution mode of the IBM Color/Graphics Monitor Adapter.

Incidentally, Amdek is now accepting orders for a \$10 adapter that enables its RGB monitor to use the intensity bit carried on pin 6 of the IBM Color/Graphics Monitor Adapter, and thereby to generate 16 colors.

Gary G. Price, Assistant Professor Department of Curriculum and Instruction University of Wisconsin—Madison Teacher Education Building 225 North Mills St. Madison, WI 53706

Though the monitor we used was not supplied by Amdek, it is functionally identical. Both are produced by Hitachi and are RGB high-resolution monitors. When ordering the intensity bit adapter from Amdek, ask for the 16-Color Modification. Future models of the Amdek Color II will include built-in 16-color capability. Amdek is located at 2420 E. Oakton St., Suite E, Arlington Heights, IL 60005 (312) 364-1180. ... M. H.

Too Much Praise for IBM?

BYTE has defined a new era in personal computing—in terms of IBM. No customer experience taken into account, no long-term usage needed to evaluate—the IBM Personal Computer is arriving, therefore nothing else need be said. Let us all dispose of our several hundred thousand IBM imitations, which just coincidentally predate the Personal Computer by some years.

What has IBM learned from its own and others' experience? First and foremost (to quote Chris Morgan's editorial, "Of IBM, Operating Systems, and Rosetta Stones," January 1982 BYTE), "the keyboard alone is one of the best I've seen, though I wish the shift keys were more conventionally placed. (Oh, well.)" Is "Oh, well" the only comment appropriate to the "best keyboard" designed by a company that has produced what may purport to be the standard of office typewriter excellence? BYTE simply passes off a conscious corporate stupidity with an "oh well." Justify it to the typist who uses a typewriter alternately with the new "oh well" standard and hits the wrong keys consistently on both.

How many other facets of this machine have been glossed over in the same manner but without accompanying comment? Are we seeing the new BYTE objectivity? A 16-bit chip operating in 8-bit mode is

HOW TO USE YOUR EPSON WITHOUT WASTING COMPUTER TIME:

Your computer is capable of sending data at thousands of characters per second but the Epson can only print 80 characters per second.

This means your computer is forced to wait for the printer to finish one line before it can send the next. A waste of valuable time.

THE NEW MICROBUFFER™ ACCEPTS DATA AS FAST AS YOUR COMPUTER CAN SEND IT.

Microbuffer stores the data in its own memory buffer and then takes control of the printer. This frees your computer for more productive functions.

PARALLEL OR SERIAL.

40-l

18

14

Microbuffer model MBP-16K Is a Centronics-compatible parallel interface with 16,384 bytes of on-board RAM for data buffering.

The MBS-8K is a full-featured RS-232C serial interface with both hardware and software (X-On/X-Off) handshaking, baud rates from 300 to 19,000 and an 8,192 byte RAM buffer.

SIMPLY PLUG IT IN.

Either model fits the existing auxiliary interface connector inside the Epson MX-80, MX-80 F/T or MX-100 without modification, and is compatible with standard Epson cables and printer control software, including GRAFTRAX-80.

JUST \$159.00*

When you think how much time Microbuffer will save, can you afford *not* to have one? Call us for your nearest dealer.

PRACTICAL PERIPHERALS, INC. 31245 LA BAYA DRIVE, WESTLAKE VILLAGE, CA 91362 • (213) 991-8200

Circle 339 on inquiry card.

(18

BULLERAA

......

Letters_


justifiable because IBM is running at 4.77 MHz (let's have another resounding "oh well" for IBM's high speed).

The reason for all this is to point out, to some of your less sophisticated readers, that for each flaw (if I may use such a four-letter word in conjunction with IBM) there appears to be a BYTE rationale to justify it.

I don't remember, in the history of BYTE, any other company or products being accorded such accolades for a product yet unproven in the field with software, other hardware, and peripherals. McGraw-Hill owns BYTE. Does IBM own McGraw-Hill?

Jack Kahn 6013 Summerhill Rd. Camp Springs, MD 20748

Oh, well. I'm afraid Mr. Kahn misinterpreted my editorial, or failed to read the January BYTE closely enough. If he had, he would have realized that we discussed the shortcomings of the IBM machine in Gregg Williams's review on pages 60 and 61, including comments about the



machine's speed. To imply that we have been less than forthright in evaluating the IBM Personal Computer is patently unfair. In fact, next month's BYTE contains some fairly strong criticism by Jerry Pournelle about shift-key placement on the IBM, and last month we printed an article about the good and bad humanfactors design points of the machine ("A Human-Factors Case Study Based on the IBM Personal Computer" by Robert G. Cooper Jr., Paul Thain Marston, John Durrett, and Theron Stimmel, page 56). I'm distressed by Mr. Kahn's implication that we are somehow in cahoots with IBM, or that we are withholding our true opinions. We simply stated what we thought about the machine: that it has a very good overall design-period. . . . C. M.

Unwarranted Warrantles

I read with interest the interchange of letters between Intertec's Manager of Public Relations and one of the firm's customers (see "Open Letter to Potential Superbrain Buyers," January 1982 BYTE, page 18).

Significantly, Intertec made no case to justify its warranty policies other than to refer to "rules," that is, their Master Agreement. As an independent consultant to the industry for product-support operations, I advise my clients to accept full responsibility for field failures arising out of component failures following delivery. Realistically, there is no such thing as a shelf life for electronic devices; these devices are not loaves of bread.

This ploy is peculiar to the computer and computer peripheral industry. It is not practiced by responsible and knowledgeable manufacturers of electronic devices in other areas of the industry. It appears to be nothing more or less than a ploy to avoid warranty responsibilities. There is simply no justification for penalizing the ultimate consumer because a product did not move off the shelf within some arbitrary time period established by the manufacturer. Business can be bad—the dealer simply may be unable to move his merchandise as promptly as even he would wish.

Certainly, warranty policies of this nature suggest a lack of confidence on the part of the manufacturer in the reliability of its product over the short haul.

Perhaps if Intertec and other companies employing this practice would establish

"IBM Personal Computer" USERS YOU DESERVE THE BEST!



Combo Card (User Upgradeable)

NEW! Available now COMBO CARD

UP to 256K parity memory, UP to 256K Parity C ports printer & ASYNC ports

Includes 1 year warranty!

- MC-064 64K From \$435
 MC-128 128K From \$635
 MC-192 192K From \$835
 MC-256 256K From \$1035
- Suffix S = ASYNC comm. option \$60
- Suffix P = parallel printer option \$60
- Suffix SP = both options \$120
- User upgrade document available for
- sale, order model MC-001SP Program compatible with IBM's

64KB-256KB Parity Memory • MP-064: \$395 • MP-128: \$595 • MP-192: \$975 • MP-256: \$995

- User upgradeable

***# # # # # # #**

 Fully assembled, tested & burned-in • 1-year warranty

Advanced Communication

- CC-232: \$295
 2 RS232 ports
- Capable of ASYNC, BISYNC, SDLC, HDLC

Our customers include: IBM, TRW, Bell Labs, Visicorp, Softech Microsystems Inc., Information Unlimited Software, Context Management, Network Consulting Inc., etc.

master charge

ASYNC Communication

- CC-032: \$145 CC-132: \$275 CC-032 offers 1 serial port
- CC-132 offers 2 ports
- Program compatible with IBM's Serial Com. Card

Hardware Prototype

- WW-068: \$75 WW-069: \$55 WW-068 wire wrap card (13" x 4.2")
- WW-069 extender
- Get both for \$95

RESEARCH INC.

17925 Sky Park Circle, Suite B Irvine, CA 92714 (714) 540-1333 **Dealer Inquiries Welcome**

Letters -

aggressive Customer Relations departments concerned with the care of customers, there would be no need of Public Relations departments in their organizations. Undoubtedly, they would experience an increase in sales plus improved relations with their dealers.

If the Federal Trade Commission ever took the time to examine this failure to extend warranty coverage to the ultimate consumer, I suspect a "cease and desist" order would be forthcoming.

I suggest that Intertec clean up its act and provide a reasonable level of protection to the guy at the end of the pipeline. He deserves nothing less.

R. C. Redpath 250 Ramblewood Parkway Mount Laurel, NJ 08054

The letter to the editor, in the January 1982 BYTE, from James Ford of Paoluccio Willis Nau Associates regarding the purchase of several Superbrains and a subsequent misunderstanding between Mr. Ford and the dealer he purchased the equipment from points out an industrywide problem.

Certainly, one should attempt to purchase equipment at the best possible price; however, it's important to remember that the sale is only the beginning of the relationship between the dealer and the customer. From time to time, equipment does malfunction and must be repaired; advice about communications, protocol, and software is sometimes called for.

Here at Compudial/Tristar, we give a guarantee from the date of purchase on Superbrains and other Intertec equipment and stand behind the product with knowledge of its capabilities and limitations. This is not meant to be a selfcongratulatory statement; rather, it is to point out to our dealers and potential customers that, just as not all Superbrains are perfect when they come off the production line, neither are all dealers.

Simply stated, when one is purchasing any data-processing equipment, one should look for an established, knowledgeable, and reputable source that is capable of servicing the equipment.

Daniel F. Brown, President Compudial Inc. 2 Keystone Ave. Cherry Hill, NJ 08003

More on Intertec from the Federal Trade Commission

I read with interest the correspondence relating to the warranty on Intertec's Superbrain computer. Mr. Ford, the computer purchaser, assumed that even if the product was "inoperable when the cartons were first opened [he] would have had to pay repair charges." Intertec does not deny this interpretation of its warranty. Rather, it claims that the "warranty offers [its] customers excellent coverage...." Fortunately for purchasers, Mr. Ford's idea of who has to pay may be as incorrect as Intertec's reply is disingenuous.

The law does not require that merchandise be sold with a *written* warranty. However, whether or not the manufacturer or dealer includes a written warranty, the law of 49 states (under the Uniform Commercial Code) usually implies certain warranties. For example, there is usually an implied warranty of merchantability: the goods must be fit for the general purposes appropriate to that type of goods. This implied warranty applies at the time of sale regardless of whether the manufacturer's or dealer's warranty has expired. Further, delivery of a defective item may be a total failure of consideration, or breach of contract, by the seller. I suggest that a purchaser of a defective product consult a private attorney if the seller refuses to repair or replace it. Note that this doesn't apply to products sold "as is."


Incidentally, the Federal Trade Commission enforces a law called the Magnuson-Moss Warranty Act. This law sets standards for disclosing the terms of written warranties on consumer (personal) products. Had Mr. Ford purchased a *home* microcomputer, the company's warranty would have had to state: "This warranty gives you specific legal rights, and you may also have other rights which vary from state to state."

Randall H. Brook Assistant Regional Director Federal Trade Commission Seattle Regional Office 2840 Federal Building 915 Second Ave. Seattle, WA 98174

More on Warrantles

Isn't it time that our industry grew up? I just resisted purchasing an expensive piece of computer software for which the warranty reads in part:

All . . . computer programs are distributed on an "as is" basis with-



GRAPHIC SOFTWARE GRAPHIC SOFTWARE FOR

MICROCOMPUTERS — This self-teaching guide will show you how to write your own graphics software. 61 programs for 2D and 3D graphics: interactive input, translations, rotation, isometric views, perspective, scaling, stretching, clipping, surface intersections, shading, hidden line removal, tablet software, animation and more. Applications to science, engineering and business. "One of the most outstanding books on computer software" — A. Grund, U. Illinois; "The best book available on microcomputer graphics" — Creative Computing Feb, 1982. Book - \$21.95; Disk - \$18.95.

ENGINEERING SOFTWARE

ENGINEERING SOFTWARE FOR MICROS — A selfteaching guide to developing software for engineering applications of microcomputers. Emphasis is on combining graphics with engineering problem solving. Programs included to interactively create engineering drawings, store on disk file, recall, modify and merge. Other programs for simulation, mechanisms design, heat transfer, circuit analysis, optimizations and including Monte Carlo techniques. Programs for Fourier analysis display frequency spectra graphically. This is a valuable collection of modern engineering analysis software for students and professionals. Book – \$28.50; Disk – \$19.95.

Books contain fully documented program listings in BASIC with theory and equations. Disks contain the same programs as the books but without documentation. When ordering disks, please specify APPLE II Plus 48K DOS 3.3 or CP/M. out warranty of any kind. The entire risk as to the quality and performance of such programs is with the purchaser. Should the programs prove defective . . . the purchaser and not the manufacturer . . . assumes the entire cost of all necessary servicing or repair. (The company) shall have no liability or responsibility to a purchaser. . . .

This is not mere legal jargon. It's the embodiment of a business philosophy which seriously harms all of us. It encourages sloppy work and inadequate testing, and it increases the potential for dishonesty. Is it any wonder that so many businessmen are turned off by computers?

To software companies I say: Accept responsibility for your products. Get the bugs out before you sell them. Don't try to sell a program debugged by your customers as a "revised" or improved product at additional cost.

To software consumers I say: If possible, avoid products for which there is no warranty. Don't buy on faith. Complain loudly to software companies which provide no warranty.

Of BYTE I ask: Speak out on the importance of product and software warranties. Help your readers by reporting on the warranty provided in your product and software reviews, perhaps in your "At a Glance" boxes. Praise the responsible firms that produce quality products and help to expose the ones with a reputation for bugs.

John Navas II 490 Mariners Island Blvd., #108 San Mateo, CA 94404

Note Pad for the Handicapped

I think that Howard Batie's article "Handi-Writer, A Video Note Pad for the Physically Handicapped" (December 1981 BYTE, page 474) described the most valuable and original application of a microcomputer that I have seen.

I have worked extensively with the handicapped, including many cerebral palsy victims, and I agree with Mr. Batie's estimate that these people are not generally intellectually deficient. Many feel that they are emotionally unstable, but I have never seen any evidence of instability that was not explainable, to me, by their severe frustration. What a boon it would be for such an imprisoned mind to finally be able to communicate!

I am sure it would not be difficult to add another button to the control panel so that data could be output to a printer, or this could be done by intervention of a companion, when the user is satisfied with the text in the buffer.

Imagine-correspondence and creative writing for those who previously had no means of expression.

Ralph Nottingham 1619 SE 3rd Court Deerfield Beach, FL 33441

Software Copyright Kit

I have received an overwhelming number of inquiries concerning the booklet 'The Copyright Kit-How to Copyright Your Computer Software," which was mentioned in a letter published in the October 1981 BYTE (see "Legal Arguments." page 10). You must have an incredible readership! Letters and telephone calls poured in from all over the country, as well as from England and Italy.

Please inform your readers that the Copyright Kit is available for \$12.95 (plus \$2 postage and handling) from B. T. Enterprises, 171 Hawkins Rd., Centereach, NY 11720, and from National Attorneys' Publications Inc., POB 150, East Setauket, NY 11733.

Noel D. Adler **POB 150** East Setauket, NY 11733

Apathetic Advertisers

As one of the millions whose relationship with computers has been an adversary one, my interest in them was zilch until I read The World Challenge by Jean-Jacques Servan-Schreiber (Simon and Schuster 1981), a book in which the role of computers in the world of tomorrow is rather graphically delineated. The mention of BYTE in the same book led to my subscribing to your publication.

Although I find much of the material in BYTE less than comprehensible, I'm slowly learning about computers and the many possibilities they offer. I've already decided to buy a home computer; unfortunately, many of your advertisers do little to facilitate the process of evaluating their products and services.

For example, I wrote to Apple for brochures and specifications on its various models, accessories, software, etc. In return, the company sent a booklet outlining the development of its Apple

STRUCTURAL ANALYSIS ON MICROS - This selfteaching guide contains a series of programs which calculate stresses and deflections in beams, plates, trusses and frames using conventional and matrix techniques. Theory, equations and program listings fully documented. Written for the non-specialist who wants to use his micro for structural analysis with minimum investment in time. Use the programs as is or modify for your own applications. Book-\$39.95; Disk-\$19.95.

DATA PLOTTING ON MICROS - A collection of programs to process and display all types of data: bar charts, stock market charts, engineering and scientific data, 3D views of surfaces, pie charts, sorting, filtering, running averages, curve fitting, and more. Application to business, engineering and science. All programs fully documented and keyed to theory. Use as is or modify for your own applications. Book - \$24.95; Disk - \$19.95



190 Duck Hill Rd Duxbury, MA 02332

Letters _

III—but none of the more useful materials I'd requested. I've written Atari twice and telephoned once; many weeks later, Atari has not yet deigned to reply. Of the halfdozen or so computer stores I've written for price lists and information, only one has bothered to reply.

I gather, from the heft of your publication and its numerous advertisements, that there is a rather substantial industry centered around home computers and allied products and services. But I also get the impression nobody's particularly interested in showing any initiative to assist a would-be purchaser in obtaining information that would be helpful in making a reasonably rational buying decision.

H. B. Brandon 1204 Park Lane Clarksdale, MS 38614

More on a Structured 6809 Assembly Language

Greg Walker's interesting article, 'Toward a Structured 6809 Assembly Language" (November 1981 BYTE, page 370), will be helpful to many people who, for one reason or another, are forced to write in assembly language.

Use of higher-level language control structures in assembly language goes back a long way. In general, there have been two approaches.

The first approach is to write a special assembler which includes high-level control structures as part of the language. The earliest descriptions of this approach with which I'm familiar appeared in Niklaus Wirth's "PL360, A Programmable Language for the 360 Computers" (Journal of the Association for Computing Machinery, 15:1 (1968), pp. 37-74) for a large machine, and Bell and Wichman's "An ALGOL-like Assembly Language for a Small Computer" (Software—Practice and Experience, 1 (1971), pp. 61-72).

This approach can produce comprehensive error messages and more efficient generated code because long/short branches, etc., can be optimized.

The second approach is to implement the control structures via the manufacturer's standard macro-assembler, as in Walker's 6809 macros. The first description of this approach that I know of is M. M. Kessler's *CONCEPT* Report 14, *Implementation of Macros to Permit Structured Programming in OS/360* (IBM Corporation, Gaithersburg, MD 20760, 1970). The macro approach has the advantage of being piggy-backed on the standard assembler, thus greatly reducing the amount of documentation and programming needed to support it. Also, the macros can be examined easily and altered, if needed, by the user.

When our laboratory implemented Pascal-like control structures for the PDP-11 Macro-11 Assembler several years ago, we discovered that assembler programs with high-level control structures (IF...THEN, DO...WHILE, REPEAT...UNTIL and CASE) were much easier to write, debug, and maintain than the FORTRAN programs we wrote for the PDP-11 (FORTRAN was the only "high-level" language available to us on the PDP-11 at that time).

Scott Herman-Giddens Department of Computer Science Duke University Durham, NC 27706



Experimental Circuit Package Described

BYTE's Bits

At a recent conference of the International Society for Hybird Electronics, a group of IBM engineers described an experimental circuit package that makes it possible to feed power and information to a complex bipolar logic integrated circuit. The package, with 200 pathways for electrical signals and 16 for power, links thousands of electronic circuits on the chip with the rest of the circuitry in the computer system. The thin metal-film pathways run between 216 connector pins and 354 pads connecting the chip to the package. Previous IBM circuit packages of this nature had a maximum of 96 signal paths and 132 pads, which means that the technique being worked on doubles the signal capacity and nearly triples the number of connection pads.

The chip is the result of an experiment to shrink the size of the IBM System/370's central processing unit to a single integrated circuit measuring one-quarter inch on a side. The System/370 contains nearly 45,000 transistors, resistors, capacitors, and diodes. 897 N.W. Grant Ave. • Corvallis, Oregon 97330 • 503/758-0521

Expanding Horizons in Text Display

Videoterm increases your Apple][* display to a full capacity 80 columns. Proofreading text problems are a thing of the past. With Videoterm your text is displayed in upper and lower case characters with true descenders utilizing a 7 by 9 character matrix. The time-tested Videoterm is compatible with most word processors and is available with alternate character fonts. Once you've explored the advantages of Videoterm, you'll discover a whole new world for you and your Apple][.

Suggested retail price: \$345.00

Videx

ACCESSORIES

Videoterm Utilities Disc includes: Graphics Template System Font Editor Mid-Res Graphics Applesoft Read Screen Utility • Top & Bottom Scrolling Pascal Vidpatch Suggested price \$37.00 Videoterm Character Set **EPROMs** •N. European •French German Russian Inverse Spanish •Super & Subscript •Katakana (Japanese) •Math & Greek Symbols Suggested price \$29.00 each. Norsk

Dvorak EPROM (Enhancer)-\$29.00 Lower Case Chip (Rev 7 & up)-\$29.00

Videx is a trademark of Videx, Inc

SOFT VIDEO SWITCH



The Soft Video Switch is an automatic version of the popular Switchplate. It knows whether it should display 40 or 80 columns or Apple graphics. It does the tedious work of switching video-out signals so you don't have to. The Soft Video Switch can be controlled by software. May be used with any Videoterm with Firmware 2.0 or greater. The single wire shift mod is also supported. Package price is \$35.00.

www.americanradiohistorv.con

ENHANCER][

The Enhancer][features a typeahead buffer. Your keyboard has upper and lower case, and will auto repeat any key held down. A single keystroke can become a word or an entire sentence. Controlled by a powerful microprocessor, Enhancer][allows you to re-map your keyboard or add specialized features. Changing a chip creates a totally different keyboard. Enhancer][Utilities Disc included.

Suggested retail price \$149.00.

BYTE Comment

Copyrights, Computers, and the Betamax Case

You've spent hundreds and hundreds of hours bleary-eyed in your computer's glare, hoping that your late-night programming obsession really will pay off. You've missed your favorite television shows and your daughter's childhood. People look at you strangely and ask where you've been. Your wife joins Computer Widows Anonymous.

Then one day your great software masterpiece is finally finished. You

About the Author

Walter Klasson, an attorney with a specialty in computer law, is a member of the working group of the New York State Bar Association Subcommittee on Computer Law, which is considering a computer crime statute for New York. Mr. Klasson is author of a machine-language (Z80) word-processing program and president of Softlaw Inc., a consulting firm which specializes in adapting microcomputer/word-processor systems for small law offices. call out to your wife and kids, and the entire family at long last sits laughing together around your flickering video

display, playing your new science-

Walter Klasson 77 Seventh Ave., 21P New York, NY 10011

Copyright is such an absolute right that even "innocent" unauthorized copiers, who may not have known that what they were copying belonged to someone else, are chargeable with infringement.


fiction and fantasy computer game, The Beast That Ate Hoboken.

But someone out there wants to destroy your happiness. He buys a copy of your program only to give or sell a copy to a friend. Maybe the friend gives or sells copies to other people. Maybe the evil spreads. Your royalties fall off. You miss a payment on little Janie's teeth. You can't afford that 10 megabytes of hard disk you wanted. Is there no hope for you anywhere?

Yes, said the United States Ninth Circuit Court of Appeals this past October in what is known as the "Betamax Case." Sitting in California, that middle-level federal court determined that anyone who uses a video-tape recorder (VTR) to make a copy of copyrighted material without permission has infringed upon the copyright owner's statutory rights, even if the copier had no intention to sell the copy to anyone else. While computers weren't involved directly in the Betamax Case, this aspect of the decision seems to apply equally to unauthorized duplication of copyrighted computer software.

This legal development is not so

IT'S CRISP. IT'S CLEAR. IT'S COMPATIBLE.




Amdek's Video-300 green phosphor monitor is the easy-reading choice for almost any system—including IBM and Apple.

Everything about our 12" Video-300 monitor was designed to be easy. Easy to read. Easy to use. And easy to match up with practically any computer or word processing system, including the popular Apple and IBM personal computers. So it's easy to see why you should choose Video-300 for your text display needs.

Amdek's Video-300 monitor features:

- Non-glare screen to eliminate distracting reflections
- P-31 green phosphor display for no-strain viewing
- 80 x 24 character display



- Built-in carrying handle for portability
- Light-weight, industrial-grade cabinetry (only 17 lbs.)
- UL, FCC approved
- Full one-year warranty covering parts and labor

So ask your dealer about Video-300 — part of Amdek's complete line of color, green phosphor and black and white monitors. Then match Video-300's performance and price against any other display monitor. For quality and value, you'll choose Amdek.

AMDEK.

Amdek Corporation, 2420 E. Oakton St., Suite E, Arlington Heights, IL 60005. (312) 364-1180 • TLX: 25-4786 See our complete product line at the NCC Show, Booth #A-245, in Houston June 7-10.

surprising, although the Ninth Circuit Court did have to reverse the contrary decision of the federal district court below. The Ninth Circuit rejected the argument that so-called noncommercial, personal use should be considered noninfringing under an implied exception to the copyright statute. The court also interpreted the statutory "fair use" exception to the copyright owner's exclusive rights as applying only where the unauthorized copier used the copyrighted material for limited "productive" purposes, such as "criticism, comment, news reporting, teaching (including multiple copies for classroom use), scholarship, or research." The exception does not apply where the copier merely wanted to use the copied material for the ordinary purposes for which it would be sold.

This part of the Betamax decision seems reasonable enough to me. After all, as the court said, the unauthorized copying of a television program or a movie that is for sale by the copyright owner is in fact quite "commercial" in that it "tends to diminish the potential market" for the product. It is not hard to agree that illegal copying, even for personal use, of someone else's copyrighted "intellectual" property is no more "innocent" then taking anything else of value belonging to another.

The results so far in the Betamax Case may have been of some small comfort to authors and sellers of word processors, computer games, and other relatively inexpensive software (i.e., virtually everything used on a microcomputer), which is easily copied on the rapidly increasing numbers of small computers being sold. But, at least, their copyrights (like those of Walt Disney and Universal Studios, the victorious parties before the Ninth Circuit) have been fully supported by the court.

However, copyright owners of mass-distributed software still face the impracticalities of enforcing numerous separate small claims against individual infringers even though the cumulative dollar loss from widespread software piracy may be very substantial. Unlike phonograph records, for example,

microcomputer software doesn't have to be copied on relatively centralized and specialized counterfeiting equipment, which can be discovered and closed down. On the contrary, as with VTRs, the small-computer software pirates can do their dirty work in the privacy of the home, with little special expertise, cost, or equipment. Also, many small software houses simply don't have the resources necessary to go after the infringers they do suspect. Manufacturers of expensive software for larger computers. whose customers are usually a limited number of relatively responsible business organizations, don't share these problems. In short, although the Ninth Circuit's opinion labels most unauthorized copiers of smallcomputer software as copyright infringers, the practical difficulties of enforcing the copyright owner's legal rights remain.

While the first part of the Betamax decision could have been predicted, the second part is potentially a very significant new legal development. The Ninth Circuit also decided that the manufacturer and sellers of a VTR on which illicit copies are made (in this case, the defendants were various divisions of Sony, its advertising agency, and four retail stores) are equally liable for copyright infringement. Even more interesting, the court suggested that a possible solution to the video-tape piracy problem would be to charge the VTR manufacturers a royalty to be paid to the copyright owners. Think of the possibly staggering implications in the halls of Xerox of this novel legal conclusion if it were applied to photocopiers!

"Aha," the small-software author might think upon hearing this news, "a manufacturer of computer 'reproduction' equipment (for example, disk drives, cassette players, or any system incorporating them) is a big enough target for me to sink my legal teeth into for some relief (i.e., money) for all this pirating of my Beast That Surfed at Santa Cruz computer game."


Still, maybe the sound of eyeballs dropping out of heads did not accompany receipt of the news of this part

The Context MBA will be available starting May 15, 1982 at leading personal computer retailers. For the name and address of your nearest dealer, call or write Context.

Context Management Systems

23864 Hawthorne Blvd. Torrance, CA 90505 (213) 378-8277 Telex 181149 WEST LSA

Circle 119 on inquiry card.



Personal computers are full of promises. MBA makes them deliver.

You've heard how the personal computer is going to revolutionize the way you work.

NAL ARE MAY

So far, the reality hasn't measured up to the promises. But now there's a remarkable new software package that transforms the IBM Personal Computer into an incredibly powerful management tool (Apple and Xerox owners: read on).

The first totally integrated management software.

There are a lot of useful programs available for personal computers.

Unfortunately, they all seem to use different commands and different ways of storing data. This creates two major problems:

1. Every time you want to add a new function, you have to learn a whole new command language.

2. You may not be able to exchange data between different programs.

But now there's a better way. It's called the MBA, and it was created by a blue-chip management consultant, an MIT-trained systems designer, and some of the country's most experienced business programmers.

For the first time, MBA combines all the essential management functions in one easy-to-use package:

Electronic Spreadsheet. The ultimate financial modeling tool that lets you create a giant spreadsheet of figures and text. Change one number, and every affected item is instantly re-calculated.

Word Processing. Compose, edit, and print any kind of document. Make revisions yourself—faster than you can explain them to your secretary. Because MBA is an *integrated* system, it's easy to incorporate data from its other modules into a report you're writing.

Data Management. A sophisticated electronic filing system that lets you store information — ANY information — then retrieve it, analyze it, and generate reports to your specifications.

Graphic Output. For those occasions when a picture tells your story better than words, you can easily generate clear, readable graphs.

Communications. Tie into your company data center, a financial information service, or virtually any other computer system. MBA automatically retrieves the information you want, and lets you edit or rearrange it with a few keystrokes.

Easy to learn. Easy to use.

MBA's designers devoted great care to giving it a simple, consistent set of commands. So when you've learned one module, you'll immediately be comfortable with the others.

What, where, and how.

MBA is offered through selected computer retailers who have qualified people to demonstrate and answer questions.

It runs on the IBM Personal Computer, with Xerox and Apple versions available soon. But whichever machine you use, MBA will make a dramatic improvement in your personal productivity. And that's a



Context Management Systems, Inc.

Management software for personal computers. 23864 Hawthorne Blvd., Suite 101

Torrance, California 90505 (213) 378-8277

© Copyright 1982 Context Management Systems, Inc.

Circle 120 on inquiry card.

promise.



THE ONLY COMPLETE PROOFREADING PACKAGE

FOR ALL CP/M, MS-DOS, AND TRS-80 WORD PROCESSORS

We'll match Proofreader with any other spelling checker on the market. It has a big 38,000 word expandable dictionary, and can check even your largest documents in under four minutes. Proofreader looks up every word, and does not use less accurate root word analysis like some others. Full interactive correction is standard on CP/M and TRS-80 Model II systems, and is a low cost option for the TRS-80 Model I/III.

Spelling checking alone is not enough! No one else has anything like Grammatik! It analyzes your document for common typos. punctuation errors, misused phrases, and poor writing style. Grammatik is receiving rave reviews from both critics and users. Bob Louden in InfoWorld (12/7/81): "Grammatik is a surprisingly fast and easy tool for analyzing writing style and punctuation. If you are currently doing original writing on a word processor, you should consider this product." Eric Balkan in The Computer Consultant: "I'm impressed with the imagination that went into this product." A user: "Thanks for making my life easier!"

Grammatik and Proofreader are compatible with all CP/M. MS-DOS (including IBM PC), and TRS-80 word processors.

Current CP/M formats: standard 8⁺. NorthStar. Omikron TRS-80. Please call or write for details of minimum system sizes. and availability of additional disk and operating system formats. Shipping costs included. Please specify your system configuration when ordering. Dealer inquiries invited. MS-DOS versions scheduled for March 1982 release.

CP/M. MS-DOS	Proofreader	Grammatik
TRS-80 Model 11	\$129.00	\$149.00
TRS-80 Mod. 1/11	\$99.00	\$99.00
(Mode) I/III interact	\$54.00 ive correction op	\$59.00 tion - \$30.00)



of the Betamax decision wherever they make or sell disk drives. A brief legal and political explanation is in order to explain how the court found the VTR manufacturers liable along with the copiers and why, nevertheless, Tandy, Apple, Shugart, Percom, and many others may not have to raise their prices to pay royalties so that software authors can retire in luxury (or afford new shoes).

Copyright is such an absolute right that even "innocent" unauthorized copiers who may not have known that what they were copying belonged to someone else are chargeable with infringement. The difference in potential liability is that "innocent" unauthorized copiers, as opposed to deliberate infringers, might escape liability for full statutory minimum money damages, although they would probably be subject to an injunction (a court order that they not repeat the infringing behavior).

In the Betamax Case, however, the Ninth Circuit found that the defendants were not innocent, in that (although the legality of taping television broadcasts was in question) they knew that VTRs would be used to reproduce copyrighted materials and were in fact manufactured, advertised, and sold with that primary purpose in mind because virtually all television programming is copyrighted. The court therefore charged the manufacturers with "contributory infringement." On the other hand, the court, facing the reality of a popular and growing multimilliondollar industry recognized that an injunction (i.e., shutting the industry down) might not be appropriate and that the whole question of providing relief for the copyright owners was "exceedingly complex." But while suggesting the royalty mechanism, the court directed the district court below (which must, in the first instance, fashion the relief for the winning side) not to "be overly concerned with harm" to the VTR manufacturers.

Thus, by this time every good attorney who represents a manufacturer of modern technological "reproduction" equipment of any kind is busy "distinguishing" the Betamax Case-that is, showing how his client's circumstances are significantly different from a VTR manufacturer's so that the Betamax decision should not apply. An obvious distinction in the small-computer area is the lack of any "free" source of copyrighted software for computer system buyers comparable to the extremely widespread, broadcast of television programs. However, "the airwaves are free" argument sometimes heard (that copyright owners should lose their rights by broadcasting their works) is likewise not available in defense of computer software piracy, which is a more clear-cut form of infringement.

Another important distinction between VTRs and small-computer systems is that most of the latter are not promoted primarily as a means of duplicating copyrighted software but rather as requiring the purchase of certain copyrighted software (e.g., operating systems) and facilitating the general use of other purchased copyrighted applications software. Fully programmable systems even facilitate the creation of more copyrightable software, which is supportive of copyright's goal of promoting creativity. In contrast, what percentage of VTR owners have or really use video cameras?

In other words, even if you agree with the Ninth Circuit's implicit determination that most VTR owners are potential copyright infringers, most small-computer owners probably aren't. So it would be much more difficult to argue that most small-computer manufacturers and sellers were profiting from or encouraging copyright infringement to such a degree that they should be held liable as contributory infringers.

Even VTR manufacturers may not have to worry about the Ninth Circuit's Betamax decision. First, although at this writing it is still too early to know exactly what legal steps will be taken, Sony is likely to appeal to the United States Supreme Court which could reverse (or affirm) the Ninth Circuit on any number of grounds that could be more (or less) favorable to manufacturers of various types of reproduction equip-

Childhood's End: The 68000

ADDRESSING THE NEW FRONTIER... THE MICROCOMPUTER COMES OF AGE.

SAGE I

SAGE COMPUTER TECHNOLOGY IS NOW MANUFACTURING A 68000 BASED SINGLE-BOARD MICROCOMPUTER SYSTEM WHICH DELIVERS THE HIGHEST PERFORMANCE PER UNIT PRICE OF ANY COMPUTER IN HISTORY.

THE SAGE II MICROCOMPUTER HAS THE FOLLOWING FEATURES: INTERRUPT DRIVEN, 8 MHZ 68000 MICROPROCESSOR 2 MILLION INSTRUCTIONS PER SECOND, NO WAIT STATES WILL ADDRESS 16 MEGABYTES WITH UP TO 112 MEGABYTE OF PARITY RAM ON BOARD UP TO 1.3 MEGABYTES OF 5-114 INCH FLOPPY DISK STORAGE UP TO 1.3 MEGABYTES OF 5-114 INCH FLOPPY DISK STORAGE FULLY SUPPORTED IEEE 488 INTERFACE TERMINAL AND MODEM RS-232C SERIAL PORTS CENTRONICS COMPATIBLE PARALLEL PRINTER PORT UCSD PASCAL BASIC, FORTRAN AND ASSEMBLER AVAILABLE


TMU OF SALID ON THE



PRICES TOR MEDYSTEM START AT THE FOR MORE INFORMATION CONTACT OUR MARKED DEPARTMENT AT 703 52

Circle 367 on Toque

14. 195 NORTH EDISON WAY, SUITE 14 . RENO, NEVADA 89502



simply \$**599**00

- # 13" RGB Color.
- 16 Colors on your
 Apple III[®] or IBM.
- # Up to 80 Characters per line.
- 360 Dots per color.
 (horizontal resolution)
- Available for immediate shipment.

Other models available:

12" Green Phosphor

(1200)	lines	reso	lution	\$1	79.00

12" Black & White (15 Mhz) \$139.00

Contact your local dealer or call us direct.

Toll Free 1-800-258-6370



18 Bridge Street, Salem, NH 03079 Tel. (603) 893-2047 TWX: 710-366-0502 ment. Second, and perhaps more important, the United States Congress may act to set limits on copyright law. While copyright protection is mandated by the Constitution, its exact limits (such as the scope of its "fair use" exception) are a matter of federal statute. Within six weeks of the Betamax decision, at least one bill that, if enacted, would effectively overrule the Ninth Circuit was introduced in each house of Congress.

It is easy to imagine the vast industrial forces that might be arrayed against the Betamax decision, although the decision also has many important supporters among the owners of television, movie, and other copyrights. Intensive lobbying is probably now taking place, but Congress is likely to defer final action

If the Ninth Circuit's Betamax decision is judicially or legislatively overturned, the problem of the enforceability of the copyrights on inexpensive massdistributed software still remains.

until the Supreme Court has spoken, which probably won't be before the fall of 1982. "Friends of the court," representing various groups whose interests could be affected by the final judicial decision, may introduce additional briefs or arguments.

If the Ninth Circuit's Betamax decision is judicially or legislatively overturned, the problem of the enforceability of the copyrights on inexpensive mass-distributed software will remain. If the decision is allowed to stand and if it should be extended to the small-computer industry, then any royalty imposed would probably be passed on to the purchaser in higher prices on the hardware affected, almost like a tax on the entire class for the presumed piracy of a lesser number of individuals. This could reduce sales slightly.

Granting that such a royalty mechanism is not a perfect remedy for the software piracy problem, it is still certain that if there is insufficient legal or economic protection for inexpensive mass-distributed software, its availability will be reduced accordingly. While the actual incidence and cost of software piracy are not precisely known, it is likely to grow rapidly along with increased sales of computers and could become an additional economic barrier to the emergence of new small-software sources. All software authors may have to contend with an unacceptable uncertainty as to the exact economic potential of particularly valuable and innovative software.

The value to a hardware manufacturer of numerous sources of software that supports its system has at last been admitted by no less than IBM in connection with its new Personal Computer. Tandy and Apple, whether they admit it or not, owe much of their small-computer success to the multitudes of independent software sources for their machines, each of which is also promoting the hardware. There is currently software of great practical or entertainment value (as well as the inevitable rubbish) for the microcomputer market that costs anywhere from \$10 to a few hundred dollars. Much of this software is a product of a relatively individualistic. labor-intensive cottage industry. Many members of this cottage industry could not individually support the expense of a full-blown legal defense of their copyrights.

Perhaps the answer is some simple form of voluntary cooperation by those united in interest, as is done in other areas of copyright law. For example, many composers and songwriters are paid royalties from such organizations as the American Society of Composers, Authors, and Publishers (ASCAP) and Broadcast Music Inc. (BMI), which have been legally designed to collect an appropriate amount from those who want to play, perform, or otherwise "copy" the protected material (for example, radio stations). Some type of centralized, less voluntary royalty system established as the result of the

Be Picky. Get Economy, Quality, Flexibility and Compatibility from Board Level Products to Complete Multi-User Computer Systems.

Bank Selectable S-100 128K Memory. Systems Group's new 128K dynamic memory board has eight inde-

pendent 16K software selectable memory banks, each addressable on any 16K boundry. It's jumper selectable so you're not PROM locked in to any one configuration. And with more advanced features, it's the most flexible in the industry.



Fully Compatible — S-100 Boards. Use any of Systems Group's bank select memory boards for Alpha

Micro, Cromemco/CROMIX, Dynabyte, North Star, MP/M, OASIS and most other S-100 systems. Other high quality S-100 microcomputer boards include the newest high performance single and multi-user Z80 CPU board with up to 4 serial I/O's, floppy and hard disk controllers with Super CP/M and much more. All fully burned in and tested.



Eight-Inch Add-On Floppy Disk, Hard Disk, and Tape Drive Subsystems. This series was created to

provide a full range of mass storage products to complement the System 2800 computers. The subsystems also offer universal systems expansion to the users of other S-100 systems.

For dealers only, circle 401. All other inquiries, circle 402.









Series 2800 Business Computers. Systems Group offers a choice of expandable systems with dual floppies (up

to 2.4M Bytes) or hard disk (up to 40M Bytes) w/ floppy (1.2M Bytes) or tape (20M Bytes) for back-up.



Expandability. Addon memory, I/O and drive subsystems means never being trapped into systems

without flexibility. With Systems Group's reliable designs you can add more floppy and hard disk drives or tape back-up for increasing mass storage requirements. Add more memory and I/O for up to 12 independent users per system. Choose from Super CP/M, MP/M II, or OASIS operating systems.

Come to Systems Group for any of your microcomputer needs. Everything from our new 128K Memory Board to complete systems. We're helping make computers what they should have been in the first place.

All Systems Group's products are warranteed for one year. Ask about our 30 day dealer/ OEM evaluation policy.

CP/M and MP/M are Registered Trademarks of Digital Research. OASIS is a Trademark of Phase One Systems, Inc.



A Division of MEASUREMENT systems & controls incorporated 1601 Orangewood Avenue Orange, California 92668, (714) 633-4460 TWX/TELEX 910 593 1350 SYSTEM(GRP ORGE

See us at the Houston Astrovillage & Astrodomain during NCC '82 or at COMDEX/Spring '82 in Atlantic City. Betamax decision could perform a similar function for software authors, unless Congress or the industry acts to produce some better method of protecting the copyrights involved.

Another legal alternative might be to increase deterrence to software piracy by increasing the criminal sanctions available against copyright infringers. However, this leads into the wholly separate area of computer crime (which is beyond the scope of this article) and away from the copyright law's primary focus on civil, not penal, enforcement of the statutory right. While greatly increasing the minimum statutory money damages awardable against deliberate infringers and including the copyright owner's legal fees in those damages might be effective deterrents, such measures, which would have to be enacted by Congress, do not appear to be under serious consideration.


Of course, assorted hardwarebased technological solutions to the piracy problem, such as unduplicatable disks or ROM cartridges, exist. While often technologically effective, these methods are not always popular with users, limit the standardization and interchangeability of the various manufacturers' products, and don't encourage independent software sources to write for the machine involved. (A word of caution: those who provide information or equipment to defeat hardware or software antipiracy measures could be chargeable with contributory copyright infringement under the Betamax decision.)

It is therefore easy to predict, without knowing exactly what will or should be done, that the outcome of the Betamax Case and any other legal developments involving computer software piracy could have an important effect on the makeup of the small-computer industry. The courts have designed copyright law to promote human creativity. As the Ninth Circuit stated, "this purpose is to be achieved by reliance on the economic

incentives granted to authors and inventors by the copyright scheme." Such a purpose is not being served where the more widely distributed and lower-priced products of human creativity may have the least effective protection because of technological and social factors. Perhaps, then, some form of royalty system for software copyright owners would help to remove the economic Catch-22 facing small-software authors as a result of the proliferation of small computers for which their programs are sold and on which their work may also be stolen. In any case, in the world of inexpensive computer software, events may now be taking place that will determine just what economic threshold must be crossed before copyrights are really of any value.■

Occasionally, BYTE invites industry leaders to comment on topics related to the microcomputer industry. The opinions expressed by these authors are their own and do not necessarily express the opinions of BYTE or its publishers.

DATAFACE GRO SERIES INTERFACE TURNS YOUR ELECTRONIC TYPEWRITER INTO A PRINTER/TYPEWRITER



The Dataface GRQ-11 Interface expands your Olympia ES Series or Rem-

mington 200 Series electronic typewriters into a letter press quality printer for your personal or business computer. And, you still have a fully featured electronic typewriter—two machines in one.

The GRQ Series Interface features:

1. Standard EIA RS-232-C Serial Interface and Parallel (Centronics compatible).

2. Standard asynchronous ASCII code, 7 bit data; 1 start bit; accommodates 1 or 2 stop bits automatically; accommodates odd, even or absence of parity bit.

3. Fifty thru 9600 Baud data rate options.

4. Two K buffer; supports X-on, X-off protocol as well as RTS signals.

30 May 1982 © BYTE Publications Inc

5. Circuit board is installed inside typewriter back panel

along side logic board. The

connection between boards accomplished by 40 pin jumper cable using existing socket. No soldering required. Power is provided to the GRQ thru two pins of the 40 lead cable. Installation in 10 minutes.

GRQ-10 — CALL FOR SPECIAL WHOLESALE PRICE. SUGGESTED RETAIL \$349.50. 2372 A WALSH AVE., SANTA CLARA, CA 95050 (408) 727-6704

Circle 130 on inquiry card.

WICAT 68000 MULTI-USER SYSTEM 150

STANDARD EQUIPMENT

68000 Processor 256KB RAM 10MB Winchester 5¼" Floppy Disk Backup 5 RS-232 C Serial Interfaces Parallel Port Multibus™ WICAT Operating System Choice of One Language

HARDWARE OPTIONS

Graphics CRT Up to 1.5MB RAM Communications: Auto Answer and Auto Dial (1200 Baud) Local Networking Videodisc Interface

SOFTWARE OPTIONS

UNIX[™] V/7 CP/M[™] Emulator

LANGUAGE SUPPORT

PASCAL C FORTRAN BASIC APL* COBOL ADA™ LISP Assembler




WICATsystems

P.O. Box 539 1875 South State Street Orem, Utah 84057 (801) 224-6400

Call or write WICAT Systems for additional information. "UNIX is a trademark of Bell Labs. Multibus is a trademark of INTEL. ADA is a trademark of the United States Dept. of Defense CP/M is a trademark of Digital Research APL.68000 is a product of the Computer Company

How to keep cool when your system goes down.



SuperSoft offers programs designed to check out a downed computer or recover a crashed diskette. Fast.

SuperSoft's System Maintenance Series

Diagnostics II

Diagnostics II is the finest set of system maintenance routines available for microcomputers. Diagnostics II thoroughly checks all five areas of your computer system: memory, printer, terminal, disk, and CPU, pinpointing hardware problems to help you keep your system in perfect working order. (Requires: 32K CP/M) Diagnostics II: \$125.00 Manual Only: \$15.00

Disk Doctor

Disk Doctor is a program which automatically recovers "crashed" diskettes or accidentally erased files. It will place all readable information from a "crashed" file into a good file, and it will unerase files which have been erased but not overwritten. Disk Doctor will not function completely on some doublesided disks.

(Requires: 48K CP/M and two drives for complete operation) Disk Doctor: \$100.00 Manual Only: \$15.00

System Checker

System Checker is a diagnostic program which will check your entire computer system quickly with very little user interaction. It was designed to be used by persons with no knowledge of computer hardware. (Requires: 32K CP/M)

System Checker: \$75.00 Manual Only: \$15.00

Disk-Edit

Disk-Edit is a screen oriented disk editor. It gives you complete access to all the raw information on your disk, in both hex and ASCII, with scrolling. Disk-Edit will let you examine or alter files that cannot be accessed with a normal text editor. (Requires: 32K CP/M) Disk-Edit: \$100.00

Also Available From SuperSoft:

Language Series:

Ada*: \$250, C: \$200, LISP: \$150, BASIC: \$200, FORTRAN: \$275, RATFOR: \$100, FORTH: \$200, TINY PASCAL: \$85, Z8000 ASSEMBLER: \$500.

Financial Planning Series:

ScratchPad: \$200, Data-view: \$200, Stats-graph: \$200, Optimizer: \$200.

System Utilities:

Term II: \$200, Utilities Packs I & II: \$60 each, Elink: \$250, Encode/Decode II: \$100, BCD: \$300.

Entertainment Series:

Nemesis: \$45, Dungeon Master: \$40, Analiza II: \$50.

Word Processing:

Star-Edit: \$225, TFS: \$85.

Available from fine dealers everywhere, or directly from SuperSoft.

U.K. and European Distribution: Digital Devices, 134 London Road, Southborough Kent, Tunbridge Wells, TN4 OPL, England. Tel. Tunbridge Wells (892) 37977/9 Telex. 95582.

Japanese Distribution: ASR Corporation International, 3-23-8, Nishi-Shimbashi, Minato-Ku, Tokyo 105, Japan, Tel. (03)-437-5371. Telex. 0242-2723.

*Ada is a trademark of the Department of Defense (Ada Joint Program Office). CP/M is a registered trademark of Digital Research. SSS FORTRAN copyright Small Systems Services. Unix is a registered trademark of Bell Laboratories.

SuperSoft software available for virtually all CP/M systems. Please specify your system. Most products also available for CP/M-86 and IBM PC DOS. Please Inquire.



FIRST IN SOFTWARE TECHNOLOGY P.O.Box 1628 Champaign, IL 61820 (217) 359-2112 Telex 270365 Circle 396 on inquiry card.

Everyone Can Know The Real Time

Technological advances have made real-time clocks simple and inexpensive.

It's almost three years now since I last discussed real-time clocks. Much has happened since I wrote "Anyone Know the Real Time?" (reference 1). Back then real-time clocks were usually put together either from existing digital watch or clock chips or from a series of TTL (transistor-transistor logic) counters. Microprocessor-bus-compatible real-time-clock chips were just emerging and were very expensive. I had to phrase my article title as a question. Steve Ciarcia POB 582 Glastonbury, CT 06033

Today, of course, real-time clocks are established, cost-effective products. The expense of adding a true millisecond-to-month time-of-day clock to a personal computer is barely more than the cost of the cheapest, most primitive clock of the kind in wide use just a few years ago. Today, with very little trouble, everyone who really wants to can know the real time.

This month I'd like to update the story a little and describe how to con-




Photo 1: No longer must we assemble real-time clocks from digital-watch parts or from small-scale-integrated circuits. National Semiconductor has introduced two components that do all the hard work: the MM58167A and the MM58174A.

nect one of the latest products of realtime-clock technology to a microprocessor-based computer system, using a minimum-component circuit with battery backup, and I'll show how you can put together an intelligent clock that can function as a standalone peripheral device which communicates time data over a serial communication link to a remote computer upon command. But first, some background information.

What Is Real Time?

Why do we need a clock to keep "real" time? Does this mean there exists "unreal" time?

Before we think too hard about what seems to be a philosophical conundrum, let's consider for a moment a typical application where a computer monitors a number of physical parameters and triggers a series of sequentially timed control outputs in response to certain changes in the parameters.

Suppose you have a computer controlling the lights in your home and that you want the control computer

Copyright © 1982 Steven A. Ciarcia. All rights reserved.

Z8 is a trademark of Zilog Inc. Diagrams and tables pertaining to the MM58167A and the MM58174A are reprinted courtesy of National Semiconductor Corporation.




Figure 1: Schematic diagram of a simple real-time clock that uses the 60-Hz power-line frequency as a reference. This provides the computer with only regular pulses or "heartbeat ticks"; the time of day must be kept by software.




Figure 2: A simple real-time-clock circuit that relies on a crystal oscillator for its timebase. As in figure 1, the only output is a series of regular pulses.

to be able to tell when you are arriving home so that it can turn on the entrance light and turn it off when you get inside.

One way of setting up such a system is to place a pressure-sensitive switch under the doormat with a connection running to one of the computer's control inputs. As you approach the door and step on the mat, the computer's job is to sense the switch closure and turn the light on for, say, 200 seconds before turning it off. To perform these operations, the computer must be directed by a program which embodies a control algorithm that says, at least in part, 'Turn the light on when the switch is closed, and then turn the light off later."

Now here's the catch. An algorithm cannot by itself tell how long the computer's hardware takes to perform any part of the algorithm. But you will be quite aware of how long the entrance light stays on, as directed by the control algorithm. So the algorithm must use some means to make 200 seconds pass in your real perception before turning the light off and moving to other tasks.

This is what we mean when we say that a computer keeps track of "real time." An algorithm that may execute at different speeds on different hardware is tied to external events. A hardware circuit or hardware/software combination that accurately records time with respect to an external observer is called a real-time clock.

Limitations of Software Timing

In our simple entrance-light application, it's not very hard to write a program that will satisfy us. We can use a short BASIC program that monitors an input bit and sets an output state, incrementing a counter variable in a FOR. . .NEXT loop to provide the 200-second delay. Perhaps 5000 iterations of a 40-ms (millisecond) loop would do the trick.

But what happens if the problem becomes more complex? Suppose we have a second light inside the house and a second mat with a switch under it, with a similar need for the computer to turn the light on for a specified duration. We have to add another set of delay statements to our simple BASIC program, and when we add something, it changes the execution time of the original timing loop. While we could make the FOR. . . NEXT-loop method work for two lights, the complications mount quickly as the problem becomes larger.




Figure 3: Block diagram (3a) and pinout specification (3b) of the National Semiconductor MM58167A Real Time Clock. This integrated circuit and the MM58174A are advertised as being available from several distributors, including Jameco Electronics, 1355 Shoreway Rd., Belmont, CA 94002, (415) 592-8097.

Hardware Marks Real Time

We escape the convolutions of the software approach by using special hardware circuitry that maintains a record of true elapsed time irrespective of software execution speeds. These circuits can take many forms, but generally such real-time clocks fall into either the time-of-day or "heartbeat-interrupt" category.

The heartbeat-interrupt clock is less expensive and uses fewer or simpler components, but more software interaction is needed to perform all the housekeeping chores, while a *time-of-day* clock does almost everything with hardware, requiring relatively little interaction with software.

Heartbeat-Interrupt Clocks

Figure 1 and figure 2 on page 35 show examples of two heartbeatinterrupt circuits, which were the feature attractions of my previous article. The circuit of figure 1 uses a crystal as a convenient timebase, while the circuit of figure 2 uses the 60-Hz power line. Both produce a single regular pulse (a clock "tick") at intervals of some precise fraction of a second. (Typical systems produce a tick at intervals of 1/60, 1/40, and 1/10 second.) The output line of the circuit is connected to an interrupt input on the processor.

Every time the clock ticks, the processor stops what it is doing and increments an elapsed-ticks counter in memory. When the processor needs to know the real time, it must calculate the time from the number of ticks. For example, using a 1/60-second timebase, a count of 10,860 corresponds to 181 elapsed seconds.

TOP VIEW

21 06

20 0 05

19 04

18 03

17 02

16 01

15 00

14 STANDBY INTERRUPT

13 DINTERRUPT OUTPUT

RDY 4

A0 5

A1[6

A2 7

A3[8 A4[]9

OSC IN 10

OSC OUT [] 11 V_{SS} [] 12

Generally, a computer system with a heartbeat-interrupt clock is initialized with the time of day when it is turned on, with the initialization time stored either in the ticks counter (which is said to count ticks from midnight) or in a separate location (to be summed with the ticks when the value of the time is needed).

GP-100A: US\$389

Noikos

COMMAND PERFORMANCE.

Seikosha gives you all the best features—including economy and super-clear graphics.

Unlike some graphic printers, Seikosha's new GP-100A Uni-Hammer Graphic Printer puts full dot addressable graphic at your command. The GP-100A lets you repeat a column of data as many times as needed with just one command. Software control enables double-width character output, and the positioning is both character and dot addressable. Designed for simple operation, it ranks among the most cost-efficient graphic printers on the market. Command performance technology that not only works for you now, but takes you well into the future.

Other valuable features:

- Graphics, regular and double width character modes can be intermixed on the same line.
- Automatic printing. When the text exceeds the maximum line length, there is no loss of data due to overflow.
- Self-test printing is a standard feature.
- Centronics type parallel interface.
- Paper width is adjustable up to 10 inches.
- Optional Interface: RS232C, IEEE488, apple II, etc.

Graphic Printer CD Ser

Distributed by AXIOM CORPORATION 1014 Griswold Avenue San Fernando, Calif. 91340 Phone (213) 365-9521 TWX (910) 496-1746 Manufactured by SEIKOSHA SYSTEM EQUIPMENT DIV. 4-1-1 Taihei Sumida-ku Tokyo Japan. Phone: 03-623-8111 Telex: 262-2620

... Everything from Apple II to Zork II at the lowest possible prices.

But low prices are only one feature of our new catalog. We think you'll find it to be a very well-organized, wellwritten reference tool.

When you receive our catalog, you get with it our commitment to help you keep it up to date.

Unlike most catalogs that are obsolete the moment they're printed, ours was specifically designed to deal with the rapid-fire changes in microcomputer hard and software. Its loose-leaf binder format makes it a snap to add the new pages we'll send out on a regular basis.

Our catalog was developed on exactly the same principles as our business — to offer you the lowest possible prices combined with the highest quality of service.

16K RAM KITS 13.95

Set of 8 NEC 4116 200 ns. Guaranteed one full year

DISKETTES ALDULA DICKC

ALFHA DISKS	1 1	3
Single sided, certified Double Density	11	
with Hub-ring. Box of 10 Guarante	ed .	
year		

VERBATIM DATALIFE

MD 525-01, 10, 16	
MD 550-01, 10, 16	
MD 557-01, 10, 16	
MD 577-01, 10, 16	
FD 32 or 34-9000	
FD 32 or 34-8000	
FD 34-4001	

ALPHA DISKS

21.95 Single sided, certilied Double Density 40 Tracks. with Hub-ring. Box of 10. Guaranteed one Iuli year

VERBATIM DATALIFE

M0 525-01, 10, 16	26.50
MD 550-01, 10, 16.	.44.50
MD 55, 01, 10, 16	.54.95
MD 577-01, 10, 16	34.80
FD 32 or 34-9000	.36.00
FD 32 or 34-8000	.44.95
FD 34-4001	.48.60

DISKETTE STORAGE

5.4. PLASTIC LIBRARY CASE

" PLASTIC LIBRARY CASE 3.50 PLASTIC STORAGE BINDER w/ Inserts PROTECTOR 514 (50 Disk Capacity) 9.95 23 95 PROTECTOR 8" (50 Disk Capacity) 29.95 DISK BANK 5% 5 95 DISK BANK 8 6 95

NEC PERSONAL COMPUTERS

C-8001A CPU	899.00
C-8012A I/O	559 00
C-8033A DISK 1/0	125 00
C-8031A DUAL DISK	899 00

ALTOS COMPUTER SYSTEMS

Call Alpha Byte for our low Allos prices

ATARI COMPUTERS

ATARI 800	699.00
ATARI 400 (16K)	339.00
ATARI 810 DISK DRIVE	449 00
ATARI 850 INTERFACE	449.00
ATARI 410 PROGRAM RECORDER	79.00
EPSON CABLE	35.00
MEMORY MODULE (16K)	89. 9 5
JOYSTICK CONTROLLERS	10 00
PAODLE CONTROLLERS	19.95
STAR RAIDERS	35 00
MISSILE COMMAND	35 00
ASTERDIOS	35 00
WITE DEDUCTION	

INTEC PERIPHERALS RAM MODULES 48K FOR ATARI 400

328	FOR	ATARI	800		
4010	1011	ALL HULL	400		

CARTRIDGES LAZAR BLAST SKIING ORAGSTER BOXING

CHECKERS

BRIDGE

KABOOM

CARTI

BOXING

ROID

26.50 44.50

54 95

34.80

36.00

44.95

48.60

2 50

CHECKERS

TER

48K FOR

D BUSINESS

BUSINESS

HP-32E SCIENTIFIC w/ STATS

HP-33C Programmable Scientific

HP-41C Advanced Programmable

HP-41CV Advanced Prog 2K mem

HP-82106A MEMORY MODULE

HP-82160A IL INTERFACE

HP STATISTICS PAC

HP REAL ESTATE PAC

HP SURVEYING PAC

HP PLOTER MODULE. HP HP-IB INTERFACE

HP-82170A Quad Memory Module HP-82143A PRINTER/PLOTTER

HP-82161A DIGITAL CASSETTE HP MATH PAC

HP STRUCTURAL ANALYSIS PAC

HP-85A PERSONAL COMPUTER

HP DUAL OISK DRIVE HP-85A 16K MEMORY MODULE

HP-72258 GRAPHICS PLOTTER

HP STD APPLICATIONS PAC

HP GENERAL STATISTICS PAC

HP SINGLE 5% "DISK DRIVE

HP COMPUTERS

HP-41 PERIPHERALS

HP GRAPHIC PRESENTATIONS	
HP VISICALC PLUS	
HP ROM DRAWER	
HP PRINTER/PLOTTER ROM	
HP MASS STORAGE ROM	
HP RS-232 INTERFACE	

PRINTERS

ANADEX DP 95D0
ANADEX DP 9501
C-ITOH F-10 40 CPS PARALLEL
C-ITOH 45 CPS PARALLEL
C-ITOH 40 CPS SERIAL
C-ITOH PROWRITER PARALLEL
C-ITOH PROWRITER SERIAL
C-ITOH COMET I
EPSON MX-80
EPSON MX-80 F/T
EPSON MX-100 GRAPHIC
EPSON GRAFTRAX
IDS-445G PAPER TIGER
IDS-460G PAPER TIGER
IDS-560G PAPER TIGER
IDS PRISM 80 W/O COLOR
IDS PRISM 132 W/COLOR
NEC SPINWRITER 3510 S RO
NEC SPINWRITER 3530 P RO
NEC SPINWRITER 7710 S. RO
NEC SPINWRITER 7730 P. RO
NEC SPINWRITER 7700 D SELLUM
NEC SPINWRITER 3500 SELLUM
OKIDATA MICROLINE 80
OKIDATA MICROLINE 82A
OKIDATA MICROLINE 83A
OKIDATA MICROLINE 84
OUME 9/45

CORVUS

10

APP

279.00

135 00

21 95

21.95

٩p

21 95

21 .95

46 95

76 95 211 95

274 95

27 95

89 00

124 95

119 00

419 00

29 00

29 00

39.00

29.00

39.00

21 95

12.95

19.95

239.00

21.95

83.00

83.00

605 00 329.00

FOR S-100, APPLE OR TRS MOD I, III Contri Case

DIGITIZER PAO OFT Z-BO SOFTCARD MICROSOFT RAMCARO

VIDEX 80 x 24 VIDEO

APPLE HARDWARE

VERSA WRITER DIGITIZER	259.00
ABT APPLE KEYPAD	119.00
MICROSOFT Z-80 SOFTCARD	299.00
MICROSOFT RAMCARD	159.00
VIDEX 80 x 24 VIOEO CARD	299.00
VIDEX KEYBOARD ENHANCER II	129.00
VIDEX ENHANCER REV 0-6	99 00
VIDEX SOFT SWITCH	29 00
M & R SUPERTERM 80 x 24 VIDEO BD	315.00
SSM AIO BOARD (INTERFACE) A & T	165.00
SSM AIO BOARD (INTERFACE) KIT	135.00
APPLE FAN	44.95
T/G JOYSTICK	54 95
T/G PADDLE	34.95
VERSA E-Z PORŤ	21.95
MICRO SCI A2 W/O CONTROLLER	419.00
MICRO SCI A40 W/CONTROLLER	479.00
MICRO SCI A40 W/O CONTROLLER	409.00
MICRO SCI A70 W/CONTROLLER	629.00
MICRO SCI A70 W/O CONTROLLER	549.00
THE MILL-PASCAL SPEED UP	329.00
PROMETHEUS VERSACARO	229.00
SUPERCLOCK II	129.00
LAZAR LOWER CASE +	59.00
MICROBUFFER II 16K W/GRAPHICS	
MICROBUFFER II 32K W/GRAPHICS	299.00
WIZARD 80 COL VIDEO	279.00
MONITORS	

NEC 12" GREEN MONITOR

NEC 13" COLOR MONITOR	399 00
SANYO 12" MONITOR (B & W)	249 00
SANYO 12" MONITOR (GREEN)	269.00
SANYO 13" COLOR MONITOR	469 00
ZENITH 13" HI RES GREEN MON	139 00
AMDEK COLOR I	389.00
AMDEK RGB COLDR	859 00
AMDEK RGB INTERFACE	169.00

MOUNTAIN HARDWARE

159.00

159 00

39 00

116.00

116 00

329.00

1295.00

1295.00

1595.00

1770.00

1870.00

549.00 695 00

289.00

SCALL SCALL

SCALL

90.00

779.00

1195.00

1099.00

1799.00

1995.00

1995.00

2545.00 2545.00

2795.00

2295.00

389.00

549.00

799.00 1199.00

2149.00

250

165.00

135.00

44.95

54 95

34.95

199.00

CPS MULTIFUNCTION BOARD	199.00
SUPERTALKER SD200	259.00
ROMPLUS W/ KEYBOARD FILTER	179.00
ROMPLUS W/O KEYBOARD FILTER	130 00
KEYBOARD FILTER ROM	49.00
COPYROM	49 00
MUSIC SYSTEM	369 00
ROMWRITER	149 00
APPLE CLOCK	252 00
A/D + D/A	299 00
EXPANSION CHASSIS	625.00

CALIF. COMPUTER SYSTEMS

S-100 BOARDS	
2200A MAINERAME	459 00
2065C 64K DYNAMIC RAM	539.00
2422 FLOPPY DISK CONT & CP/M*	359.00
2710 FOUR SERIAL I/O	279 00
2718 TWO SERIAL/TWO PARALLEL I/O	269.00
2720 FOUR PARALLEL 1/0	
2810 Z-80 CPU	

APPLE BOAR

77104

PUTER YSTEMS

```
ARDS
```

105 00

329 00

549 00

259 00

D.L.	INTERFACE	149	00
S S	INTERFACE	159	00

CENTRONICS INTERFACE

VISTA COMPUTER CO.

APPLE VISION 80-80 COL CARD APPLE 811 DISK DRIVE CONTROLLER

MODEMS

NOVATION CAT ACOUSTIC MODEM	145 00
NOVATION D-CAT DIRECT CONNECT	165.00
NOVATION AUTO-CAT AUTO ANS	219.00
NOVATION APPLE-CAT	349 00
UDS 103 LP DIRECT CONNECT	175 00
UDS 103 JLP AUTO ANS	209 00
HAYES MICROMODEM II (APPLE)	299.00
HAYES 100 MODEM (S-100)	325 00
HAYES SMART MODEM (RS-232)	249 00
HAYES CHRDNOGRAPH	225.00
LEXICON LX-11 MODEM	109 00
RACAL VADIC 1200 BAUD/212A	795 00

TERMINALS

TELEVIDED 910	639 00
TELEVIOE0 912C	745 00
TELEVIDEO 920C	830.00
TELEVIDEO 950C	995 00
ZENITH Z-19	799 00

TRS-80 MOD I HARDWARE

27.00
159 00
429.00
289.00
159.00
649.00

MORROW DESIGN	NS S	Z-TERM*	89 95	TRACKCESS MOD I	24 95	EDU-WARE	
FLOPPY DISK SYSTEM	1S	Z-TERM PRO ASCILEXPRESS	129 95 63 95	OMNITERM SMART TERM MOD F. III MICROSOFT BASIC COMP FOR MOD L	89.95 165.00	PERCEPTION PKG	19.95
Controller, P.S. Microsoft Basic.	CP/M ^e	HAYDEN APPLESOFT COMPILER	149 00	1005 5 1 M00 I, II	159.00	COMPU-READ STORY TELLER	24.95 18.95
A & T		EASY WRITER-PRO EASY MAILER-PRO	199 00 79 00			COMPU-MATH, ARITHMETIC	39.95
DISCUS 2D (Single Drive — 500K) DISCUS 2D (Dual Orive — 1 MEG)	869 00 1499 00	EXPEDITER II APPLESOFT COMPILER	73 95	APPLE GAMES		COMPU-MATH: FRACTIONS COMPU-MATH DECIMALS	34.95 34.95
DISCUS 2 + 2 (Single Drive - 1 MEG		A-STAT COMP STATISTICS PKG	129 00	PERSONAL SOFTWARE		COMPU-SPELL (REQ. DATA DISK)	24.95
DISCUS 2 + 2 (Dual Drive - 2 MEG)	1999 00	SUPER TEXT II FINANCIAL PARTNER	129 00 199 00	CHECKER KING GAMMON GAMBLER	21.95 21.95	COMPU SPELL DATA DISKS 1-4, ea.	17 95
HARD DISK SYSTEMS		LISA 2 5	59 95	BRIDGE PARTNER	21.95	MORE GREAT APPLE	
Controller P.S. Microsoft Basic.	CP/M ^{ab}	SUPERSCRIBE U	99.95	MONTY PLAYS MONDPOLY	-	GAMES	
A & T		CONTINENTAL SOFTWA	ARE		32 95	OMPUTER QUARTERBACK	32.95
DISCUS M10 (10 Megabytes) DISCUS M26 (26 Megabytes)	3099.00 3749.00	G/L	199.00	MONTY	34 95	ERED ALLIANCE	49.95 49.95
	0, 10, 00	A/R A/P	199 00	PROU D			~
ISOLATORS		PAYROLL	99-90		-	U-V ARE	
ISO-1 3-SOCKET	53 95	PROPERTY MGMT		ALIF	-	GEPHON PKC	19.95
ISO-2 6-SOCKET	53 95	THE HOME ACCOUNTANT	95		1.95	STORY JE	
		PERSONAL		IDNI	.95		
BARE DRIVES		DESKT		IDARKS	1	COMPU-MA TIMA	34.95
TANDON 51/4 INCH	-	VISI I/VISIPLOT	2	PERSONAL SOF	<u>\</u>	COMPU-S disk)	24.95
100-1 SINGLE HEAD 40 TRK	9 00	VISI	9 00	CHECKER KING		OMPU DRIMARKS 1-4. ea	17.95
100-2 DUAL HEAD 40 TRK 100-3 SINGLE HEAD 40 TRK	~	VISIC	79.00	GE P.	2	GREAT APPLE	
100-4 DUAL H	A	VISIFILE	209.00	IONOPOL	29.	GAMES	
A HIM	HN	CONTINENTAL COST			32.95 32.95	COMPUTER QUARTERBACK TORPEDO FIRE	32.95
	9.00	CONTINENTAL SOFT	100	TY PLAY	32.95	THE SHATTERED ALLIANCE	49.95 49.95
48-2	9 00	G/L A/R	els			P00L 1.5	29.95
		A/B	99 00	ALL		ULTIMA RASTER BLASTER	33.95 24.95
UL DHO			00	ALAXY WARS ALIEN RAIN (AKA GALAXIAN)	20.95 20.95	FLIGHT SIMULATOR	24.95
3-SOUKET			59.95	ALIEN TYPHOON	20.95	INTERNATIONAL GRAND PRIX	25.95
Hadez B-SUCKET		P SOFTWARE		APPLE PANIC	24.95	SARGON II SHUFFLE BOARD	28.95 29.95
BAREDR		- Sol I WAILE	199 00	MIDNIGHT MAGIC SPACE QUARKS	29.95 24.95	FIREBIRD	24.95
51/		ALP.	179 00	AUTOMATED SIMULATIO		SNACK ATTACK	24.95
EAD 40	219.00	VISI /VISIPLOT	239.00 199.00	INVASION ORION	20.95	ROACH HOTEL	24.95 29.95
100-2 0 40	299.00	HOITERM	79.00	STAR WARRIOR	32.95	JABBERTALKY	24.95
100-3 100-4	299 00 429 00	VISICALC	199 00	TUES MORNING OUARTERBACK	25.95	THE WARP FACTOR COSMO MISSION	32.95 24.95
		VISIFILES	209.00	CRUSH. CRUMBLE AND CHOMP THE DRAGON'S EYE	24.95 20.95	C03M0 M1331014	24.55
ON THINLINE 8	459.00	CP/M® SOFTWAR	=	MUSE SOFTWARE		SUPPLIES	
848-2 DUAL SIDE	549.00	THE WORD-SPELL CHECK	75.00	ROBOT WARS	32.95	AVERY TABULABLES	
		d BASE II	599.00	THREE MILE ISLAND	32.95	1.000 3% × 15/16	.8.49
MICRO PRO		SUPER CALC	229 00	A.B.M	20.95	3.000 31/2 x 15/16	14.95
APPLE CP/M®		SPELLGUARD P & T CP/M* MOD II TRS-80	239 00 175.00	GLOBAL WAR CASTLE WOLFENSTEIN	20.95 24.95	5.000 3½ x 15/16	19.95
WORDSTAR ** **	249 00	COMMX TERMINAL PROG	82.50			FAN FOLD PAPER	
SUPERSORT ************************************	145 00	C BASIC 2	115.00	ON-LINE SYSTEMS WIZARD AND PRINCES	.29.95	(Prices F.O.B. S.P.)	
DATASTAR	90 00 215 00	PASCAL Z PASCAL MT+	349.00 439.00	MISSILE DEFENSE	25.95	9½ x 11 18/b WHITE 3.000 ct	29.00
SPELLSTAR	169 00	PASCAL/M	205.00	SABOTAGE	20.95	14 7/8 x 11 18b WHITE 3.000 ct	39.00
CALCSTAR MA 11	169 00	SYSTEMS PLUS - G/L, A/R, A/P, P/R	1799.00	SOFT PORN ADVENTURE THRESHOLD	24.95 31.95		
CP/M*		CDNDOR I.	579.00	JAW BREAKER	24.95		-
WORDSTAR SUPERSORT	310.00 195.00	CONDORII	849.00	CROSSFIRE	16.45		
MAILMERGE	110 00	DIGITAL RESEARCH		TIME ZONE H/R FOOTBALL	69.95 32.95		
DATASTAR	245.00	MAC	89.00	H/R CRIBBAGE	20.95		
SPELLSTAR CALCSTAR	195.00 239.00	SID ZSID	69.00 97.00	PEGASUS II	25.95		
	200.00	PL/ 1-80	439.00	SIRIUS SOFTWARE			0
MICROSOFT		SUPERSOFT		SPACE EGGS	24.95		T T
APPLE		DIAGNOSTIC I	69.00	GORGON SNEAKERS	32.95		
FORTRAN	165.00	DIAGNOSTIC II	89.00	EPOCK	.29.95	COMDI ITE	P
BASIC COMPILER*	315 00 595.00	C' COMPILER UTILITIES I	179.00 59.00	BEER RUN HADRON	24.95	CONFOIL	
Z-80 SOFTCARD	299.00	UTILITIES II	59.00	PULSAR II	.24.95	PRODUC	S
RAMCARD	159.00	RATFOR FORTRAN	89.00 239.00	EPOCK	29.95	110000	
TYPING TUTOR OLYMPIC DECATHLON	17.95 24.95	TORTHAN	235.00				
TASC APPLESDET COMPILER	159 00	TRS-80 GAMES		To order, or fo	or ir	nformation, c	all
CP/M [®]		TEMPLE OF APSHAL	34.95				
BASIC 80	299.00	HELLFIRE WARRIOR	34.95			~ 000	
BASIC COMPILER FORTRAN 80	319.00 369.00	STAR WARRIOR RESCUE AT RIGEL	34.95 24.95	VZ DI I			
COBOL 80	595.00	CRUSH, CRUMBLE AND CHOMP	24.95	Tourse our Others			0070
MACRO 80	189.00	INVADERS FROM SPACE	17.95	To use our 24-nour mo	uem o	rder line, call: (213) 883-	09/0.
mu MATH/mu SIMP mu LISP/mu STAR	219.00 175.00	PINBALL STAR TREK 3.5	17.95	We quarantee everything for	30 days	If anything is wrong active th	na ito-
		MISSILE ATTACK	18.95	and we'll make it right. And, i		If anything is wrong, return the shipping characteristic states and the shipping characterist	
APPLE SOFTWAR	E	STAR FIGHTER	24.95			all orders; COD up to \$300.00	
MAGIC WINOOW	79.00	TRS-80 SOFTWARE				g and handling on orders under	
MAGIC SPELL	59.00					hipping charges over 50 lbs. F	
BASIC MAILER APPLE PIE	.59.00	NEWDOS/80 2.0 MOD I. II LAZY WRITER MOD I. II	139.00 165.00	FPO and APO orders, add 15%			
DB MASTER	179.00	PROSOFT NEWSCRIPT MOD I. III	99.00			and subject to change without	
PFS: PERSONAL FILING SYSTEM PFS: REPORT	79.00 79.00	SPECIAL DELIVERY MOD I, III X-TRA SPECIAL DELIVERY MOD I, III	119.00			E VILLAGE, CALIFORNIA	
	13.00	The of concentration moon, in	133.00	CARTO EN DATA DITTE, WE	STEAT		

Circle 12 on inquiry card.

CP/M is a reg. trademark of Digital Research. *Regulies Z+80 Softcard. **Reg. trademark of Micro Pro International Corp.




Figure 4: Block diagram (4a) and pinout specifications (4b) of the National Semiconductor MM58174A Real Time Clock.

(4b)	CON	NECTION	DIAG	RAM
		~~~~		
	cs	1 •	16	] VDD
	NRDS	2	15	CRYSTAL IN
	NWDS	3	14	CRYSTAL OUT
	DB3	4	13	INTERRUPT
	DB2	5	12	ADO
	DBI	6	- 11	] AD1
	DB0	7	10	AD2
	vssD	8	9	AD3

The heartbeat-interrupt clock has some disadvantages. First, it is totally dependent on the processor's execution time and interrupt-handling capability. When the processor must interact with multiple peripheral devices, often there can be competition for the processor's attention. Computers from one major manufacturer actually ignore the clock at times, shutting it off while I/O (input/output) operations with the disk drive are taking place. The value of this clock is questionable because it loses a second or two with every disk operation.

The second criticism of heartbeatinterrupt timing is volatility. Since the time of day is kept only in software, the clock works only when the computer is powered. It is impossible to keep the clock running all the time without keeping power applied to the processor and part of the program memory, which can be an expensive undertaking.

### What Is a Good Clock?

The ultimate solution is a separate hardware time-of-day real-time clock interfaced to the processor but running independently. Such a clock should keep track of the time of day to a resolution of milliseconds and should, with battery backup, never need to be reset. Additional features should include variable-rate processor interrupts (once per millisecond or once per month as required) and alarm-clock (coincidence of a preset time-of-day value) interrupts. Fortunately, these capabilities can be added to your system with a modest amount of hardware.

National Semiconductor Corporation has simplified the business of putting a versatile real-time clock in a computer by introducing two CMOS (complementary metal-oxide semiconductor) LSI (large-scale integrated) circuits, the MM58167A and MM58174A. These real-time-clock chips are designed for direct connection to the control and data buses of common microprocessors. Figure 3 on page 36 is a block diagram of the MM58167A, and figure 4 is a block diagram of the MM58174A.

### Real-Time Clock: the MM58167A

The MM58167A is packaged in a 24-pin DIP (dual-inline package) and contains a 48-bit (14-digit) counter chain clocked from a 32,768-Hz

# CASH FLOW PROBLEMS?



# IT'S NICE TO KNOW SOMEONE WHO HAS THE SOLUTION.



MicroAge is your Solution Store ... that means at MicroAge Computer Stores we have a wide selection of time-saving computerized business systems designed specifically to solve the daily cash flow problems every businessman faces.

MicroAge has computerized business systems that

quickly and affordably allow you to regain control of your critical accounts receivable...at last making it possible for you to carry out effective collection procedures on a consistent basis. MicroAge has accounts receivable program packages to automatically display and update account information; prepare trial balance including a balance-due and delinquency aging

#### VISIT THE STORE IN YOUR AREA:

El Paso, Texas (915) 591-3349 Rockville, Manfand (301) 762-7585 Tucson, Arizona (602) 790-8959 Albuquerque, New Mexico (505) 883-0955 Piecsant Hill, California (415) 680-1489 Aurora, Colorado (303) 696-6950 Rochester, New York (716) 244-9000 Hurst, Texas (817) 284-3413 Sallna, Kansas (913) 823-7596 Orland Park, Illinois (312) 349-8080 Milwaukee, Wisconsin (414) 257-1100 Mountain View, California (415) 964-7063 Scattsdale, Arizana (602) 941-8794 Anchorage, Alaska (907) 279-6688 San Diego, California (714) 278-0623 Richardson, Texas (214) 234-5955 Milnneapolis, Milnnesola (612) 338-1777 Ornaho, Nebraska (402) 339-7441 Phoenix, Arizona (602) 265-0065 Columbus, Ohlo (614) 866-1550 Indianapolis, Indiana (317) 849-5161 Portland, Oregon (503) 256-4713 Norwalk, Conneticut (203) 846-0851 S. Louis, Missouri (314) 567-7644 Oklahoma City, Oklahoma (405) 726-1837

report, and take care of dozens of other tasks

Computerized business systems from the Micro-

Age Computer Store are available in the \$5,000

to \$15,000 range, to suit the individual budget of

your small business or professional practice.

MicroAge backs up every system with personal-

ized service, warranty service and repair, installation, systems consulting, even customer training. Visit the MicroAge Computer Store in your

area soon with your business problems, and let


"The Solution Store" SM

that eat into your time and profit!

us help you with the solution.

Houston, Texas (713) 440-7547 W. Palm Beach, Fiorida (305) 683-5779 Toronto, Canada (416) 487-5551 Houston, Texas (713) 270-9647 Wilmington, Delaware (302) 368-3672 Wilmington, Pennsylvanla (215) 434-4301

### FOR FRANCHISE OPPORTUNITY INFORMATION CALL (602) 968-3168



**Figure 5:** Schematic diagram of a real-time-clock circuit employing the National Semiconductor MM58167A suitable for direct connection to the bus of a microprocessor-based computer system (Z80, 8080, or 8085). The clock registers are addressed by input/output instructions that reference a set of addresses mapped into the I/O-address space of the processor. Provision is made for keeping the clock running when the computer system is turned off by supplying power from two 1.5-V alkaline battery cells, which should maintain operation for several months.

crystal-reference oscillator. The MM58167A can keep track of and communicate to the processor the time in any increment from 1/10,000 second to months. (Usually, submillisecond resolution isn't required except in critical instrumentation or arguments over processor benchmarks.)

The MM58167A contains a storage latch consisting of 56 bits of on-chip RAM (random-access read/write memory). With backup power from a battery supplied to the clock chip, this storage can be used to keep any desired quantity or time while the system is powered down, or, in the "alarm-clock" mode, to contain a value to be compared to the real-time counter (either in its entirety or against individual digits in the counter). Occurrence of a match between the storage latch and the counters is signaled on a maskable interrupt line called the Standby Interrupt, which is active in the low logic state.

Another output, called simply the Interrupt Output (active high), can provide the heartbeat interrupt described earlier. This output can be programmed to provide clock ticks at seven regular rates (ten times per second [10 Hz], once a second [1 Hz], once a minute, once an hour, once a day, once a week, and once a month) and when a comparison match occurs between the storage latch and the real-time counter.

### Real-Time Clock: the MM58174A

National Semiconductor's second real-time-clock chip, the MM58174A, is a 16-pin integrated circuit with somewhat fewer talents (but a lower cost) than the MM58167A. The timing chain is derived from a 32,768-Hz oscillator, as in the MM58167A, and it counts time intervals from 1/10 second through months. The other major difference is the MM58174A's lack of the comparison-match interrupt. However, the MM58174A does have a tick interrupt programmable for intervals of 1/2 second, 5 seconds, or 60 seconds.

As I write this, the price/performance ratio of the 58167A is more attractive than that of the 58174A, so I have based my construction project solely on the MM58167A.

### **Real-Time-Clock Interface**

Figure 5 is the schematic diagram of a real-time-clock circuit that incorporates the MM58167A. The circuit is

# Give your system some NEC, and watch its performance soar.

NEC's crisp, clear, high-performance JC1202 RGB color monitor, an industry standard. Also available: the JC1201 composite video version. NEC's classic green monitor, (JBI201), one of computing's performance legends. Non-glare screen, easy on the eye. And the checkbook.




The impressive new NEC dot matrix printer. Parallel Interface, 100 cps, 2K buffer, pin or friction feed. Stunning performance and versatility in the hottest new peripheral of the year.

Peripherals from NEC can make almost any computer system better.

Owners of Apple®, Radio Shack®, Atari®, IBM®, and many other personal computers will find their equipment to be compatible with NEC's famous monitors, as well as our highly-featured new PC-8023A dot matrix printer. (Some configurations may require a different interface.)

Ask your dealer for a demonstration.



Productivity at your fingertips



A4	A3	A2	A1	A0	Function
0	0	0	0	0	Counter-ten thousandths of seconds
0	0	0	0	1	Counter-hundredths and tenths of seconds
0	0	0	1	0	Counter-seconds
0	0	0	1	1	Counterminutes
0	0	1	0	0	Counter-hours
0	0	1	0	1	Counter-day of week
0	0	1	1	0	Counter-day of month
0	0	1	1	1	Counter-month
0	1	0	0	0	RAM-ten thousandths of seconds
0	1	0	0	1	RAM—hundredths and tenths of seconds
0	1	0	1	0	RAM—seconds
0	1	0	1	1	RAM—minutes
0	1	1	0	0	RAM—hours
0	1	1	0	1	RAM—day of week
0	1	1	1	0	RAM-day of month
0	1	1	1	1	RAM-months
1	0	0	0	0	Interrupt Status register
1	0	0	0	1	Interrupt Control register
1	0	0	1	0	Count Reset see table 2
1	0	0	1	1	RAM Reset
1	0	1	0	0	Status bit
1	0	1	0	1	Go command
1	0	1	1	0	Standby Interrupt
1	1	1	1	1	Test mode

**Table 1:** Address codes and functions for registers and comparison latches (RAM) in

 the National Semiconductor MM58167A Real Time Clock.

relatively simple to attach to most personal computer systems, requiring only an 8-bit data bus and 5 address lines.

The read  $(\overline{RD})$ , write  $(\overline{WR})$ , and chip select  $(\overline{CS})$  lines on the clock chip are similar to those found on memory devices. To read any register in the clock, external circuitry must place signals on the  $\overline{RD}$  and  $\overline{CS}$  lines while the proper address appears on the address lines; similarly, to write data into the clock registers, external circuitry must enable the WR and  $\overline{CS}$  lines while the address appears. The data bus serves as the data path in and out of the counters and latches; values are loaded and read in BCD (binary-coded decimal) format. The 5 address lines allow activation of 24 counter and memory functions, which are listed in table 1. (The binary values are equivalent to hexadecimal 00 through 1F.)

The MM58167A can be attached to

virtually any microprocessor bus. For example, in 6502- or 6800-based systems, the MM58167A would be addressed as 32 locations in memoryaddress space. As shown, the circuit of figure 5 contains signals designed to be decoded by the I/O bus of a Z80-, 8080-, or 8085-based computer, with the 24 clock-register addresses extending from hexadecimal E0 to FF. For simplicity and generality, I shall refer to particular registers in this article following the 00 to 1F coding of table 1. When you are using the circuit of figure 5, add hexadecimal E0 to these values.

### **Turned-Off Timekeeping**

One important attribute of both the MM58167A and the MM58174A is their ability to operate from battery power when the computer-system power is off. Both chips will continue keeping track of the real time when supplied with power at voltages down to 2.2 volts (V). A small 3-V battery can easily supply the current required (only 20  $\mu$ A [microamps], dissipating 44  $\mu$ W [microwatts] of power).

The circuit of figure 5 contains provision for operating the real-time clock on battery power when the computer is turned off. Transistors O1 and O2 serve as a voltage-sensitive on/off switch. When the system power is on at a potential of +5 V, transistor Q1 conducts, supplying power to the MM58167A. Diode D1 blocks any large current flow into the battery, but the two alkaline cells do receive a slight trickle charge from the system power through the 4.7k-ohm resistor. In normal operation the MM58167A requires about 12 mA (milliamps).

When the computer is shut off and the +5-V supply drops to 0 V, Q1 opens to keep current from the battery from going onto the system's power bus. Current begins to flow from the battery through diode D1 into the clock chip. At the same time, the <u>PWRDN</u> (Power Down, pin 23) input of the MM58167A senses the low-voltage condition of the power bus and causes the clock to enter the powered-down operating mode.

In the powered-down mode, the clock's three-state I/O lines enter a high-impedance condition, effectively disconnected from the computer, and the current drawn from the power source is reduced from 12 mA to 20  $\mu$ A. In this mode, which can be activated at any time by placing a 0-V potential on pin 23, the clock continues to keep time, but only the Standby Interrupt remains active (if it was enabled previously). Using the Standby Interrupt and some external power-control circuitry, you could set up your computer to shut itself completely off and then turn itself on automatically weeks later.

### An Intelligent Clock

Many of you will have no qualms about digging into your computers and adding this simple real-time clock. However, some of us who possess the technical skills to construct the project don't want to em-

## "Only VR Data can offer you a Winchester Hard Disk Drive for your IBM Personal Computer...

### ...with the same level of excellence and state-of-the-art technology you'd expect from IBM."

Warren Rosenkranz, President, VR Data

We are tremendously impressed with the IBM Personal Computer. When we set out to increase its capability with our exclusive,

### OTHER QUALITY PRODUCTS FROM VR DATA

Winchester Hard Disks 6.3 Megabytes 9.6 Megabytes 19.0 Megabytes

2x 6.3 Megabytes2x 9.6 Megabytes2x 19.0 Megabytes

Memory Boards with Error Correction 64 Kbytes 192 Kbytes 128 Kbytes In The Queue D-Con Direct connect internal modem The Echo Winchester Backup totally compatible Winchester Hard Disk Drive and Memory Board, we dedicated ourselves to making the very finest products possible. Some very knowledgeable dealers and users say we've totally succeeded. See for yourself!!

As with our Winchester Hard Disk Drive, all our designs are tested, re-tested and "burned in." We're so sure of our quality control that we offer an unconditional 120 day extended warranty covering full costs of parts and labor on all VR Data products.


Insist on the best. Ask for us by name.

INANO DER MI



777 Henderson Boulevard N-6 Folcroft, PA 19032 800-345-8102 MICROCOMPUTER EXCELLENCE SINCE 1972

www.americanradiohistory.com



**Figure 6:** Schematic diagram of a real-time-clock circuit that uses the MM58167A and the Z8-BASIC Microcomputer to constitute an intelligent peripheral device that can send information on the date, time, and its status over a serial communication line to a remote computer.

bark on the sometimes dangerous course of modifying our computers. I have to admit to membership in this group to the extent that I don't dare mess with the one computer I use as my word processor. For that reason I wanted to develop an intelligent realtime clock that I could use as an external peripheral device for any computer. As with some of my previous projects, I found that the most convenient and cost-effective means of doing so was to use the Z8-BASIC Microcomputer that I developed last year (see references 2 and 3).

Using the Z8-BASIC Microcomputer, we can develop an independent real-time clock that can communicate over a serial data link with almost any computer. (You could use another single-board microcomputer with similar results.) We can have almost all the features of the bus-interfaced real-time clock as well as convenient output formatting of the date and time. By adding intelligence to the hardware, software interaction with the real-time clock can be removed from the realm of the operating system and handled by an application program instead.

Figure 6 is the schematic diagram of an intelligent real-time clock consisting of an MM58167A chip interfaced with a Z8-BASIC Microcomputer. (The nomenclature on the left side of the diagram refers to bus signals of the Zilog Z8.) The logic gates IC1, IC2, and IC3 are address decoders. The clock-chip interface is set up to occupy hexadecimal addresses B800 through B81F (corres-

# PHD, the first Personal Hard Disk with full capacity built in backup

Advance to a new degree of computer power and data security with 10 Megabytes: five MB of fast disk storage and 5MB for backup. The savings in operator time will pay for the PHD. Available for a wide range of popular

• Apple II — all three operating systems on ONE disk.

- Ties into available low cost networks for education and
- IBM Personal Computer turns the IBM-PC into the fastest personal computer on the market.
- Xerox 820 add your vertical market software
- packages for a complete business solution. Heath-Zenith and other systems
- The compact PHD can also be used as a single 10MB drive. In the future you can expand to a 10  $\times$  10 or 20 MB

A full dealer program with flooring, service kits and demo package is available now. Suggested List Price: \$3,595.

Apple II is a trademark of Apple Computers, Inc. 18M Personal Computer is a trademark of 18M Corp. Xerox is a trademark of Xerox Corp. Heath-Zenith Is a trademark of Zenith Data Systems Circle 440 on inquiry card.

Also available from XCOMP: S100 Hard Disk Subsystem at unbeatable OEM prices • General Purpose (GP) controllers — 8 bit interface -


- with easy interface to microprocessor-based systems
- SG/R GP controller for SA1000 Interface SM/R GP controller for Storage Module Drives
- AN/R GP controller for ANSI interface disk and tape

- ST/S, SG/S SM/S and AN/S same as above, for pe subsystems are also available to OEMs. the S100 bus

PHD- type soler/	
Call or write to XCOMP, Inc. 7566 Trade Street San Diego, CA 92121 Tel. 714-271-8730 Tlx. 182786	aday: Dealer Info S100 Other Micro Low Cost S100 Subsystem OEM Sub Mail Info Please call me
Name	Phone
Title	
Company	
Address	

XCON

THE HARD DISK SPECIALISTS



**Photo 2:** The prototype of the real-time-clock circuit of figure 6, mounted on the back of a Z8-BASIC Microcomputer, which provides the intelligence and versatility of control of a general-purpose microcomputer.

ponding to register addresses 00 through 1F on the MM58167A). The Z8 has a multiplexed address/data bus, so the octal latch IC4 is required to latch the 8-bit low-order address. Other than that, circuit operation is as described for figure 5, including battery backup.

### **Time-Data Representation**

Now that I have described the hardware of the clock interface, we can turn our attention to how to use the real-time clock. Before we start writing programs in BASIC, assembler, or even FORTH, we must understand how the MM58167A stores in its registers the values that represent the current time.

Each unit of time is allotted a twodigit binary-coded-decimal register. Each register has a unique address within the clock chip, which is mapped into the address space of the external logic according to the range of addresses assigned to the clock chip; in the Z8-BASIC Microcomputer, hexadecimal B800 through B81F are the addresses of the clock registers as seen by the outside world.

The BCD internal representation of time is a slight inconvenience when we are programming in a high-level language; we can't directly load the registers with decimal values or read them with statements that assume decimal radix for arguments. But fortunately, the BCD representation maps directly onto hexadecimal representation for the set of numbers used for timekeeping, so we can load and read the registers using hexadecimal-radix operators, if our highlevel language has them.

The BASIC/Debug interpreter of the Z8-BASIC Microcomputer can operate on hexadecimal data, identifying hexadecimal variables and constants with the percent symbol (%) as a prefix character. If your language interpreter has no such ability, you may have to explicitly code some decimal-to-hexadecimal (and vice versa) conversion routines.

### Setting the Clock

The best way to describe the operation of the clock and the computer's interaction with it is to follow a sequence of setting and monitoring the time. For example, choosing a convenient time and date, such as 2:34 p.m. on Friday, May 14, we can set the clock.

First, all the counters are reset by writing hexadecimal FF to the coun-

ter-reset register, which lies at the internal clock-register address of hexadecimal 12. Then appropriate values for each time unit are loaded into the corresponding registers. For the date and time chosen, the decimal-radix values would be as follows (with the hours numbered in a 24-hour scheme):

month:	05
day of month:	14
day of week:	06
hour:	14
minute:	34

As I mentioned before, these twodigit decimal values must be represented in the clock in BCD format. If, for example, we tried to load 34 minutes into the minutes register (at clock address hexadecimal 0B, decimal 11) using the simple integer-arithmetic BASIC statement

### OUT 11,34

the MM58167A would read the 34 as two BCD digits and interpret it as 22 instead of 34. To avoid this error, we use the equivalent hexadecimal-radix statement

### OUT 11, %34

instead, with %34 understood to be a hexadecimal constant. (In the Z8-BASIC Microcomputer, the statement would be %0B,%34.) If your computer can't handle hexadecimal numbers, another possibility is to send 52, the decimal equivalent of hexadecimal 34. The statement

### OUT 11,52


will result in 34 being loaded into the BCD minutes register.

The same problem exists in reading the clock registers. If you try to read the value of 34 minutes in clock register hexadecimal 0B with the BASIC statement

### PRINT INP(11)

the interpreter will return the incorrect decimal value of 52 minutes. The solution is to print the value of deci-

# How To Sell More Software



# With Better User Manuals

### An intensive one-day seminar on Writing User Manuals That Sell

If you're an individual software author or a software company in the business of publishing and selling software, or if you'd like to be, you can benefit from this seminar. Unlike seminars that concentrate on the academic do's and don'ts of technical writing and formatting, this seminar gets down to the business value of the user manual as a marketing and sales tool that helps you get more users and keep them.

Developed and conducted by software marketing professionals with over 50 years of collective experience in writing software manuals for the commercial market, this seminar is loaded with facts and ideas on these subjects:

### **Manual Design**

How to make content, organization, page layout, and document format work to your sales advantage. How to publish attractive manuals that speak well of your software without spending a fortune.

### Training vs. Reference. Can one manual do both?

How to implement the techniques of tutorial writing into a well organized reference format that provides easy access for later questions.

### Packaging That Controls Point of Sale

How to make your manuals work for you at the point of sale to help the dealer present your software in its most competitive light--both on the shelf and on the demonstration machine.

### Automated Manual Writing

How to let the software document itself wherever



possible, and how to use word processing systems effectively to obtain maximum value from automated publishing tools.

### Seminar Manual

All attendants will receive a detailed How To manual on writing and producing user manuals for

commercial use. Many past attendants have praised the manual and other handout materials as being worth the price of attendance by themselves.

Schedule:		Chicago	May 21
Boston	May 1B	Dallas	May 25
New York	May 19	Los Angeles	May 26
Philadelphia	May 20	San Francisco	May 27

### **Only \$125 With Our Guarantee**

Price includes lunch and materials. We offer a 10% discount for companies sending more than one person.

### Get Details at Computerland Today!

Space is limited so make your reservation now. To get enrollment details, simply call (303) 471-9875, or, visit your nearest participating Computerland Store and pick up a complete Seminar Information Packet including an agenda, an outline of the seminar manual, seminar authors' and instructors' resumes and a brochure on Context, Inc.



833 West Colorado Avenue Colorado Springs. CO 80905 C5

D3

D4

C5 A0 C4 C5 C2 C5 D4 C5 C4 A0 C6 C9 CC C5 D3

A0

AØ

AØ

A0 C5

D8 C1 CD

C9 CE C5

A0 C1 CE C4

AF

CF

D2

A0

DØ

**C**1

D4

**C**3

**C8** 

A0

**C**1

ČE

D9

A0

C4

**C9** 

D3

CB

A0

D3 C5 C3 D4

CF

D2

AØ

A0

AØ

A0

A0C4C9D3CBA0D5D4C9CCC9D4D9A0A4B5B0A0 AØ



If you haven't written over that program accidentally deleted, this software can recover it for vou.

D9 AØ

A6

A0

DØ

**C**1 D4

**C3** 

**C8** 

A0

D5

D4

**C9** 

CC

**C9** 

D4

D9

A0

CD

**C**1

CE

D5

C6

C1 C3

D4

D5

D2

C5

C4

A0

C2

D9

AØ

**C1** 

ĊE

D3

D7

C5

D2

A0

**C**3 ČF

D2

DØ

AØ AØ

AØ

AØ

A0

**C**1

A0

D3

CF

C6

D4

D7

C1

D2

C5

AØ

Also, it can reorganize your disk and inform you of the remaining space available.

And, it allows you to patch any sector: display in Hex and ASCII on standard Apple screen.

Menu driven and easy for the novice while still efficient for the professional. **Compatible with** M & R Superterm.

For more information or to place your order call: (208) 263-1213

### Cost: \$50

We pay first class postage and insurance. You may use VISA or Master Card.

C4 TO ORDER: Send us your **C9** D3 check, money order or credit card CB number and expiration date. A0 Certified checks avoid clearance D3 delay. D4

#### C1 D4 **ANSWER** Corporation D4 CF 502A North Second Ave. D5 CF D3 СС Sandpoint, Idaho 83864 A0 AØ

AØAØC2D9AØCAC5D2D2D9AØD4C9C6C6D4AØAØ

D0	D1	D2	D3	D4	D5	D6	D7	Counter or RAM Reset
1	0	0	0	0	0	0	0	Ten thousandths of seconds
0	1	0	0	0	0	0	0	Hundredths and tenths of seconds
0	0	1	0	0	0	0	0	Seconds
0	0	0	1	0	0	0	0	Minutes
0	0	0	0	1	0	0	0	Hours
0	0	0	0	0	1	0	0	Days of the week
0	0	0	0	0	0	1	0	Days of the month
0	0	0	0	0	0	0	1	Months

Table 2: Bit specifications for the time-counter and comparison latch (RAM) reset format of the MM58167A.

mal register 11 in hexadecimal. The **Z8-BASIC** Microcomputer statement is

### PRINT HEX(0B)

Returning to our original example, 2:34 on Friday, May 14 is loaded into the real-time clock's registers with five write commands. In BASIC the statements are

OUT %0F, %05 (month) OUT %0E, %14 (day of month) OUT %0D, %06(day of week) OUT %0C, %14(hours) OUT %0B, %34 (minutes)

Next, a write pulse to hexadecimal address 15 is performed to reset the thousandths, hundredths, tenths, units, and tens of seconds counters to zero (the data on the address bus is ignored during the execution). This so-called Go command is used only for precise starting of the clock. If the seconds counter is at a value greater than 40 when the Go is issued, the minutes counter will be incremented: otherwise the minutes counter is unaffected. The Go command is unnecessary to start the clock, since the counters count whenever there is power. Instead, it is a convenient way to precisely synchronize at a given instant.

The time-unit counters and comparison (RAM) registers can be reset to zero at any time by setting the appropriate bits according to table 2 and writing to either the Counter Reset (hexadecimal 12) or RAM Reset (hexadecimal 13) registers.

### **Clock Reading and Interrupts**

The host processor can find out what time it is by reading the BCD values from registers 00 through 07. To display this information in any different form, you have to write an explicit software routine to convert the numeric output of the real-time clock to the desired format.

The Interrupt Output (pin 13) can be programmed to provide a signal at any of eight different times, as previously discussed. To enable one of these conditions, a logic 1 is written into the Interrupt Control register (hexadecimal 11) at the appropriate bit position corresponding to the desired output frequency. Figure 7 shows the functions of each bit position. (For example, writing hexadecimal 08-a 1 in bit D3-to the Interrupt Control register sets a once-perminute interrupt.)

When a counter rollover that corresponds to one of the control-register settings occurs, the Interrupt Output goes high. The interrupt is reset by reading the Interrupt Status register (hexadecimal 10).

The second interrupt is the Standby Interrupt (active low, pin 14). This interrupt is enabled by writing 01 to the Standby Interrupt register (hexadecimal 16). The interrupt output occurs when there is a match in the comparison between the comparison latch (RAM) and the real-time counter. The interrupt in this case is reset by writing 00 to this same register.

# EQUAL

COM

# $ZE\mu S^{TM}$ is a minicomputer AND a microcomputer.

ARE

Through multiprocessor technology, each user has a dedicated Z-80A-based single-board microcomputer module, housed in the system mainframe.

But users enjoy minicomputer performance and capacity. Including modular hard disk storage of 34 to 600 megabytes. Tape backup. Shared printers with spooling and queuing. Disk caching. Access to a common database.

Unequalled flexibility and reliability. The completely modular, stackable system can expand to 64 users. To add a user, add only a dumb terminal and an inexpensive user microcomputer module.



### $\mathbf{ZE}\mu\mathbf{S}$ sounds powerful. Now prove it.

Company
Addross
Address
City/State/Zip
Phone
Trademarks ZEµS, MUSE: OSM Computer Corporation

ZEµS, MUSE: OSM Computer Corporation Registered trademark: CP/M: Digital Research And ZE $\mu$ S isn't fazed by lightning, voltage variations, or power failures. Power for the entire system is "buffered" through a battery/recharger system that provides up to 20 minutes of operating power.

Unequalled value. MUSE[™] multiprocessor operating system is compatible with CP/M[®]. Minicomputer performance and capacity. New levels of reliability and flexibility. All at a per-user price that is shockingly competitive. If the coupon isn't fast enough, call.

"See us at the NCC in booth #4722"

OSM Computer Corporation
2364 Walsh Avenue
Santa Clara, CA 95051
(408) 496-6910 TWX 910-338-2099




Figure 7: Conceptual diagram of the assignment of bit functions in the Interrupt Control and Interrupt Status registers of the MM58167A.

Number	Туре	+ 5V	GND
IC1	74LS04	14	7
IC2	74LS30	14	7
IC3	74LS02	14	7
IC4	74LS373	20	10
IC5	MM58167A	see so	hematic

### Serial-Clock Software

Listing 1 on page 54 is a program written for the BASIC/Debug interpreter of the Z8-BASIC Microcomputer that reads and loads the MM58167A according to commands received from a remote computer over a serial communication link. This software is merely for demonstration and is not indicative of everything you might want in such an intelligent clock.

Because the intelligent clock of figure 6 has its own processor and battery backup, I felt it was unnecessary to include the code for setting the clock initially from the remote computer. For most applications, the clock will have to be set only once.

The subroutines starting at line 1000 allow the clock to be set using an off-line terminal. The program prompts you for entry of the current month, day, hour, etc. It waits after entry for you to issue a start command by pressing the space bar on the keyboard so that the clock can be synchronized with some time reference such as radio station WWV.

# S100 And MULTI-BUS SYSTEMS DE TO ORDER DY TO GO

A full range of S100, Multi-Bus systems and addons are available directly from stock when you need them. We stock the best hardware from floppys to 20 Mb systems, produced by S-D,


COMPUMART CORP.

CAMBRIDGE MICRO SYSTEMS DIV. 65 Bent Street, Dept. 104 P.O. Box 568, Cambridge, Ma. 02139 TELEX: 921401 Compumart Cam

800-343-5504 In Mass. call 617-491-2700 NEC, Intel and other solid manufacturers. Choose from single, multi-user and computer network software.

Write for our Cambridge Micro Systems Catalog.

PHONES: open EST Mon.-Thurs. 8:30-7:00, Fri. 8:30-6:00. We also have Hewlett Packard's HP-85 and 87 systems. D HEWLETT PACKARD



### What Are You Paying . . . For Room And Board?

### TRULY ONE OF A KIND!

THE FIRST AND STILL THE BEST SINGLE-BOARD Z80 COMPUTER. ONLY \$895.00 BUYS YOU THE FOLLOWING FEATURES:

- Z80A CPU
- 4 TIMERS (ZCTC)
- 64K RAM


HARDWARE

SOFTWARE

- 2 SERIAL PORTS (ZSIO)
- 2 PARALLEL PORTS (ZPIO)
- NEC FLOPPY DISK CONTROLLER

PLUS MORE . . .

SIERRA DATA SCIENCES



### Fresno, California

Marketing Division 21162 Lorain Avenue Fairview Park, Ohio 44126 (216) 331-8500 TELEX 980131 WDMR



### NETWORKING NECESSITY!

LIGHTNING BUSS TRANSFERS ARE THE HEART OF THIS S-100 SLAVE COMPUTER. COMBINED WITH THESE OTHER GREAT FEATURES YOU HAVE MAINFRAME POWER IN YOUR GRASP.

- Z80A CPU
- 4 TIMERS
- 64K RAM
- 2 SERIAL PORTS (ZSIO)
- 4 PARALLEL PORTS (ZPIO)
- ON-BOARD EPROM BURNER

PLUS MORE . . .

### NEED HIGH SPEED SERIAL I/O PORTS? MPM?

THIS 4 PORT SERIAL I/O CARD PROVIDES EXPANSION FOR YOUR SYSTEM NEEDS. ALSO AVAILABLE WITH SYNCHRONOUS COMMUNICATIONS CAPABILITIES.

- 4 SERIAL PORTS (ZSIO)
- 4 TIMERS (ZCTC)
- 0-880K BITS/SECOND
- BAUD RATES PROGRAMMABLE 75 TO 19.2K



### OUR BOARDS CAN BE CONFIGURED TO OPERATE WITH THE FOLLOWING SOFTWARE PRODUCTS:

*CP/M *MP/M *CP/NET **TURBODOS SINGLE USER OR NETWORKING SPECIAL NETWORKING SOFTWARE KONAN HARD DISK SUB SYSTEMS

*REGISTERED TRADE MARK OF DIGITAL RESEARCH CORPORATION. *REGISTERED TRADE MARK OF SOFTWARE 2000. Listing 1: A BASIC/Debug program written for the Z8-BASIC Microcomputer and the MM58167A to allow them to function as an intelligent serial time-of-day clock.

```
100 REM Serial Controlled Real Time Clock
110 Rem
130 a=%b807:b=%b806:c=%b805:d=%b804:e=%b803:f=%b802
140 1=0240
142 if 1=161 then 148
143 gosub 600
144 goto 140
148 Ī=@240
150 if 1=137 then 300
152 if 1=146 then 200
154 if 1=147 then 1000
156 if 1=148 then 1300
158 if 1=149 then 500
170 goto 148
200 Rem Reset Interrupt
205 m=@%b810
210 goto 140
300 Rem Set interrupt control register
310 input n :@%b8ll=n
330 goto 140
500 Rem Read Interrupt Status Register
510 print hex (@%b810)
520 goto 140
600 Rem Check Interrupt Line
605 p=@%C000
610 if AND(p, %80)=0 then 140
620 print "I"
630 goto 200
1000 Rem Time Set Subroutine
1005 "Enter date. Preceed entries with %"
1010 "Month (1-12) ";:input g
1020 "Day of the month (1-31) ";:input h
1030 "Day of the week (1-7) ";:input i
1040 "Hour (1-24) ";:input j
1050 "Minute (0-59) ";:input k
1060 "Press SPACE to start clock"
1070 if @240=160 then 1090
1080 goto 1070
1090 @a=g:@b=h:@c=i:@d=j:@e=k
1100 goto 1200
1200 REM print full time parameters
1210 goto 1220+@c
1221 "Sunday ";:goto 1250
1222 "Monday ";:goto 1250
1223 "Tuesday ";:goto 1250
1224 "Wednesday ";:goto 1250
1225 "Thursday ";:goto 1250
1226 "Friday ";:goto 1250
1227 "Saturday ";:goto 1250
1250 if @a>9 then goto 1259+@a-6
1255 goto 1259+@a
1259 goto 1260
1260 "
        January ";:goto 1280
        February ";: goto 1280
1261 "
1262 "
        March ";:goto 1280
```

### TEK 2200 SERIES DUAL TRACE OSCILLOSCOPES

### THE PERFORMANCE/ PRICE STANDARD



# Introducing a direct line to a 60 MHz Tektronix scope built for your bench!

From the world's most respected name in oscilloscopes: a new scope, plus a new direct order number, that finally makes it practical to put Tektronix quality on your bench...at work or home.

Among professional engineers and technicians there is no substitute for the performance and reliability of Tektronix oscilloscopes.

Now, for the first time, Tektronix is offering an advanced scope at an unprecedented low price and has a direct order line that lets you get your order processed today!

The scope: the 2213. Its radical new design brings you Tektronix quality for well below what you would pay for

### lesser-name scopes.

The 2213's practical design includes 65% fewer mechanical parts, fewer circuit boards, electrical connectors and cabling. Result: a lower price for you plus far greater reliability.

Yet performance is pure Tektronix: there's 60 MHz bandwidth for digital and high-speed analog circuits. The sensitivity for low signal measurements. The sweep speeds for fast logic families. A complete trigger system for digital, analog or video waveforms. And new highperformance Tektronix probes are included!

### 2213 PERFORMANCE DATA

Bandwidth: Two channels, dc—60 MHz from 10 V/div to 20 mV/div. (50 MHz from 2 mV/div to 10 mV/div). **Sweep speeds:** Sweeps from 0.5 s to 50 ns (to 5 ns/div with X10 mag).

**Sensitivity:** Scale factors from 100 V/div (10X probe) to 2 mV/div (1X probe). Accurate to ± 3%. Ac or dc coupling.

**Delayed sweep measurements:** Standard sweep, intensified after delay, and delayed.

(Need dual time-base performance and timing accuracy to ± 1.5%? Ask about our 2215 priced at \$1400.)

**Complete trigger system:** Modes include TV field, normal, vertical mode, and automatic; internal, external, and line sources; variable holdoff.

Probes: High perform-

ance, positive attachment, 10-14 pF and 60 MHz at the probe tip.

The price: Just \$1100 complete*. Order direct from Tektronix National Marketing Center. Phones are staffed by technical people to answer your questions about the 2213. Your direct order includes a 15-day return policy and full Tektronix warranty.

Now it's easier than ever to get your hands on a Tek scope!



(In Oregon, Alaska and Hawaii: 1-503-627-5402 collect.) Lines are open from 8 am EST to 5 pm PST.

*Price FO B , Beaverton, OR



Listing 1 continued:
1263 " April ";:goto 1280
1264 " May ";:goto 1280
1265 " June ":goto 1280
1266 " July ";:goto 1280
1267 " August ";:goto 1280
1268 " September ";:goto 1280
1269 " October ";:goto 1280
1270 " November ";:goto 1280
1271 " December ";:goto 1280
1280 print Hex(@b)
1290 print hex(@d);" HOURS ";hex(@e);" MINUTES ";hex(@f);" SECONDS"
1295 goto 140
1300 print hex(@d);":";hex(@e);":";hex(@f)
1310 goto 140



Terminals Terrific, Incorporated, P.O. Box 1625, Merrifield, VA 22116, 800-368-3404 (In VA, Call Collect 703-237-8695).

# And The Winner Is...IBC By Four Users!

When you are racing toward that finish line, beating the competition is everything. **IBC** is the choice of OEM's, system integrators and dealers throughout the world, because in benchmark after benchmark our small business computer systems finish first.

We finish first because we are faster, offer higher quality peripherals and can expand our system significantly beyond our nearest competitors. In fact, looking at the chart below, you can quickly see why knowledgeable resellers are choosing IBC.

	ISC	опух	ALTOS
Oasis Operating System (Max. Users)	9	5	4
CPU Speed (MHz)	6	4	4
Disk Speed I/O (MB/Sec.)	.81	.65	54
Seek (Milli Sec.)	35	50	65
Cache Disk Memory	Yes	No	No

Circle 198 on inquiry card. Join us in the winners circle with high performance equipment and the best dealer plan in the industry. Call or write:

### OUTSIDE THE USA

21592 Marilla Street Chatsworth, CA 91311

(213) 882-9007 TELEX NO. 215349

# WITHIN THE USA

4185 Harrison Blvd., Suite 301 Ogden, UTAH 84403 (801) 621-2294

Internation Printer

Indicates command-sequence initiation (all control commands must be preced-I. ed by "!"). Set Interrupt Control register. Clock responds with "?". Remote computer Control-I sends "%X" and a carriage return (X is the BCD value computed according to figure 7). Each time the interrupt is triggered by a counter rollover, the clock will send "I" and a carriage return to the remote computer. Control-R Reset Interrupt Output. Set complete time parameters. This is the manual preset mode and is most Control-S easily set using a terminal off line as previously described. Control-T Send short time. Clock responds with hours, minutes, and seconds as "10:25:35" plus a carriage return. Control-U Read Interrupt Status register. Clock responds with the value stored in the Interrupt Status register. Reading this register resets the Interrupt Output.

**Table 3:** Command codes used by the BASIC/Debug code in listing 1 to control the real-time-clock circuit of figure 6 from a remote computer. These codes were arbitrarily chosen and do not provide for activating all the capabilities of the MM58167A.

The serial communication of time information to the remote computer is commanded by various control codes. Only the minimal required information is transmitted from the intelligent clock so that the information can be more easily used in an application program on the remote machine. A simple response to a time query of "06:34" reduces processor data manipulation in the intelligent clock. The control codes I chose (arbitrarily) are listed in table 3.

My brief demonstration does not include setting the Standby Interrupt. It should be added for any serious use. Also, because this intelligent clock contains a versatile microcomputer, it can be programmed for any data rate or custom data format.

## ADD A 5 MBYTE WINCHESTER TO YOUR COMPUTER ARSENAL FOR \$2995.00

### **INTERFACES WITH:**

- S-100 BUS (CP/M)
- Heath H89, H90 (CP/M, HDOS)
- Zenith Z89, Z90 (CP/M, HDOS)
- TRS 80 Model III (CP/M, TRS DOS)
   Yama 820 (CP/M)
- Xerox 820 (CP/M)
- IBM Personal Computer (CP/M 86, IBMDOS)



AMT's EZ8X5 is a complete, ready to plug in Winchester Hard Disk Subsystem. Featuring easy implementation, enhanced system interface cards, an extensive disk test package. The EZ-8X5 delivers a full 5, 10, or 20 megabytes. Dealer and Distributor inquiries are being accepted.



### In Conclusion

Technology has come a long way from the days when real-time clocks were based on a heartbeat interrupt clocked from the power line. The MM58167A real-time clock is a wellthought-out design which truly meets the market demand. Applications that once demanded expensive hardware/software solutions are now satisfied by low-cost LSI hardware.

National Semiconductor has long had the reputation of being a leader in semiconductor innovation, and I believe the company has justified that reputation with the MM58167A.

### Next Month:

The high technology of videoimage storage has been promising to benefit the computer industry. In June, I'll let you in on how to reap this benefit with a computer controller for the Pioneer VP-1000 Laserdisc video player.■

### References

- Ciarcia, Steve. "Anyone Know the Real Time?", August 1979 BYTE, page 50. Reprinted in *Ciarcia's Circuit Cellar*, *Volume II*. Peterborough, NH: BYTE Books, 1981, page 96.
- Ciarcia, Steve. "Build a Z8-Based Control Computer with BASIC, Part 1," July 1981 BYTE, page 38. Reprinted in *Ciarcia's Circuit Cellar, Volume III*. Peterborough, NH: BYTE Books, 1982, page 146.
- Ciarcia, Steve. "Build a Z8-Based Control Computer with BASIC, Part 2," August 1981 BYTE, page 50. Reprinted in *Ciarcia's Circuit Cellar, Volume III*, page 156.

Editor's Note: Steve often refers to previous Circuit Cellar articles as reference material for each month's current article. Most of these past articles are available in reprint books from BYTE Books, 70 Main St., Peterborough, NH 03458. Ciarcia Circuit Cellar, Volume I, covers articles that appeared in BYTE from September 1977 through November 1978. Ciarcia's Circuit Cellar, Volume II, contains articles from December 1978 through June 1980. Ciarcia's Circuit Cellar, Volume III, contains the articles that were published from July 1980 through December 1981.

To receive a complete list of Ciarcia's Circuit Cellar project kits available from the Micromint, circle 100 on the reader-service inquiry card at the back of the magazine.



### The Link[®] from Panasonic. The portable computer that lets your customers take the advantages of an office computer anywhere they go.

The Link. It's the next major business tool because it's a full-logic computer that's fully portable.

variety of sophisticated comput-

4K bytes of information. Equally

wherever you go. You can program in Microsoft Basic.® Yet it's easy to

anyone in the field, the plant or on

managers, engineers or retailers -

example, types data into The Link and gets detailed product infor-

And The Link is part of an

the sales floor-like salesmen,

can now answer questions that

used to mean a trip back to the

mation and specs on the spot.

entire computer system: By

Wherever you need it.

adding different optional com-

ponents, you can create what-

ever kind of computer you need.

By adding the telephone

modem, for example, a salesman

can put his company's main

office computer or a data bank

office. A sales engineer, for

Imagine. Using just The Link,

important, it can link you to the

information and brainpower of

vour main office computer -

operate, even if you've never worked with a computer before.



to work for him from any telephone booth. He can check credit ratings and inventory, trace

Exchange information with other computers with the telephone modem.

By itself, it can perform a wide shipments, enter orders, make bids and estimates, and much er functions because it can store more. So The Link can make him and his office computer much more productive. By adding the microprinter,

the salesman gets hard copies of information right on the spot - an instant record of his transactions.

By adding the TV adapter, he can display information and 8-color charts on any color TV



Display Information and charts with the TV adapter. screen. So he can use data from his office computer to develop a sales presentation in a motel room. And show it on a client's video monitor the next day.

If the salesman needs to work with a bigger program and

The Link. It will change the way the world uses computers.

more memory, other optional components increase The Link's capacity to 52K RAM plus 64K ROM. That's more than many desktop computers.

The Link measures only 9" x 4", weighs only 21 ounces,



Take The Link and all its components anywhere in its slim attache case. and runs on AC or rechargeable

batteries. And it costs only \$600.00.* That's amazingly small when you realize the big change it could make in the way you do business.

'Manufacturer's suggested price.

DEALER INQUIRIES INVITED Panasonic Company, Portable Computers One Panasonic Way, Secaucus, N.J. 07094 NAME PL'EASE PRINT TITLE. COMPANY____ TYPE OF BUSINESS. ADDRESS CITY _ STATE_ ZIP PHONE NUMBER___ Panaso just slightly ahead of our time.

Circle 328 on inquiry card.

# Japanese Computers

JONATHAN GRAVES

www.americanradiohistory.com

# Six Personal Computers from Japan

A comparative review of the BMC if800, the Canon CX-1, the Hitachi MB-6890, the NEC PC-8001A, the Fujitsu FM-8, and the Systems Formulate Corporation Bubcom80

Do you want a Japanese computer? Before you answer too hastily, think back a few years.

The trend setters who bought Toyota automobiles when they first appeared in the United States in the late 1960s got a great deal of bemused attention from their neighbors. The neighbors maundered about spare parts, Detroit styling, and horsepower, but the Toyota owners just smiled. They knew they were getting a low-cost car that was reliable and met their needs at a time when the domestic companies did not care to address that particular set of needs.

Today, of course, American motorists rush to buy Japanese cars while Detroit automakers, scratching their heads and wondering what went wrong, scramble to imitate the virtues of the Japanese imports. And in other industries in which Americans have heretofore led the world, pundits and xenophobes alike are stridently warning, "The Japanese'll getcha if ya don't watch out!" Many steel companies and electronics firms are beginning to feel the uncomfortable heat of Japanese competition. Christopher P. Kocher 4233 Baltimore Ave. Philadelphia, PA 19104

Michael Keith D-46 Abbington Dr. Hightstown, NJ 08520

What about personal computers? A few Japanese firms have started selling "Americanized" versions of their computers, and a few others plan to start. Will the Japanese take over again?

Our crystal ball is no better than anyone else's, but we would like to help you decide for yourself. In this article, we evaluate and compare six Japanese personal computers: the BMC if800, the Canon CX-1, the Fujitsu FM-8, the Hitachi MB-6890, the NEC PC-8001A, and the Systems Formulate Corporation Bubcom80. Some of them are already being sold here; some are in the process of being adapted for the American market; and some may never be sold here.


Of course, there is no one best computer, just as there is no single

typical computer user. Each computer represents a design team's attempt to assemble a set of features that will appeal to a variety of users. How you rank a computer depends very much on what you plan to do with it. We will try to give as complete a picture of each machine as we can; you must supply the ranking.


Since the computers examined here are in various stages of adaptation, it would not be fair to rate the documentation of all the machines on the same scale. While some machines came with complete instruction manuals in English, others came with instructions written only in Japanese or with what were obviously first drafts of translations.

Moreover, since we had a limited time in which to examine a large number of very complicated machines, we had to concentrate on what is most salient: features that are conspicuously excellent, egregiously awful, or strikingly unique. We undoubtedly missed many subtleties of each machine. If this gives a misleading picture of any computer, we apologize.

### Japanese Computers.



**Photo 1:** The BMC if800 computer. Shown here is the basic machine consisting of a keyboard/processor module, two floppy-disk drives, a color video monitor, and a unique built-in printer. Notice the 10 "super-function" keys along the bottom of the display screen. These are fully programmable function keys that can be used for menu selection or other forms of interaction in programs.



**Photo 2:** Inside the keyboard unit of the if800. The built-in printer mechanism is clearly visible. The printer can operate as either friction-feed or tractor-feed, and produces a high-quality dot-matrix output.

Photographs accompanying this article, except photo 6, were taken by Paul Avis, photographer, and Pauline Elkin, stylist.

The prize for the most computer in the smallest package goes to the if800 Model 20 computer, manufactured by the Oki Electric Company of Japan. But since it is marketed in this country by BMC Computer Corporation (which has its office in Carson, California-the abbreviation stands for Business Machines Corporation), we refer to it as a BMC product to avoid confusion. Although it is billed as a personal computer, it will receive much consideration as a small-business computer because it has highresolution color graphics, support for Digital Research's CP/M operating system, a built-in printer and floppydisk drives, and a very high-level BASIC language all as standard equipment.

# BMC if800

### Hardware Overview

The basic if 800, shown in photo 1, consists of two pieces, one mounted above the other. One module contains the processor circuitry, the keyboard, and the printer; the other module contains the video-display screen and two  $5\frac{1}{4}$ -inch floppy-disk drives. The two modules are connected by two cables, one for the monitor and one for the disk drives. The combined system is sufficiently compact to fit well on even the most crowded table.

### Keyboard

The 98-key keyboard is very solid and has a nice typing feel. In addition to tactile feedback, you receive audio feedback with every key depression in the form of a faint click from the speaker under the keyboard. If a key is held down for more than a second, it automatically repeats the typing of its character, along with audio feedback.

The 98 keys are separated into several groups: a typewriter-keyboard section, 10 program-assignable function keys, 8 editing keys, a numeric keypad, and several special keys. The special keys include keys for setting tabs, a CAN (cancel) key (which erases the line currently being typed), and three keys for controlling the printer. The typewriter section also has a GRAPH key (for accessing a set of special graphics characters, such as card symbols and linedrawing characters) and a COMD

### At a Glance

Name BMC if800 (Model 20)

Distributor BMC Computer Corporation 860 East Walnut St. Carson, CA 90746 (213) 323-2600 Dimensions (inches) 19% by 20 by 26%

Microprocessor Z80, 8-bit

Size of User Memory 64K bytes

Number of Keys 98

Number of Function Keys 20

Built-In Hardware Dot-matrix printer: two 5¼-inch floppydisk drives; color video monitor

**Standard Interfaces** RS-232C (D8-25): light pen; monochrome video monitor; RGB color monitor; audiocassette tape

Optional Interfaces 8-inch floppy-disk drives; parallel I/O port; IEEE-488 bus; A/D, D/A converters

Expansion Sockets

Character Sets Roman, katakana, graphics

Graphics/Color Resolution 640 by 200

Number of Colors 8

Other Features Time-of-day clock with battery; speaker with music sublanguage

Price \$7950 (whole system)

key that allows single-keystroke access to various BASIC keywords.

When the PRINT key is depressed, everything that appears on the display screen is printed by the builtin printer. A small LED (lightemitting diode) on the keytop indicates whether the computer is in print mode. For example, to get a program listing, merely hit the PRINT key, type LIST, and hit RETURN, and you have instant hard copy. A separate HARD COPY key can be used to dump the current screen image (text and/or graphics) to the printer.

It also has a KANA key, which the manual says allows access to Japanese katakana characters. However, in the American unit, the key has been disabled with a metal spacer. (See the text box "Japanese Character Sets.")

### **Built-in Printer**

The if800's self-contained printer is conveniently placed behind the keyboard so that the paper comes out in the same direction as it does in an ordinary typewriter. The dot-matrix printer uses a wire-impact mechanism and a regular typewriter ribbon, and has both friction- and tractor-feed mechanisms. Its printing speed is 80 cps (characters per second), and the print quality is excellent (almost good enough to conceal the dot-matrix printing method). The only shortcoming we noticed is that in dumping a screen image (as opposed to regular character-by-character text printing) the scan lines are spread quite far apart in the printed image, making text or detailed graphics difficult to read. We hope this is only a software limitation.

### What's Inside?

Photo 2 gives an inside view of the keyboard/processor module, where various components of the computer are visible. The cover lifts off easily for access to the insides. The keyboard sits on top of the main printedcircuit board, which contains the microprocessor (a Z80A running at 4 megahertz [MHz]), memory, and support circuitry, as well as a small speaker for audio output. The keyboard assembly is all metal, providing a degree of electromagnetic shielding for the main circuit board.

Also inside the case is a real-timeclock chip that can be read by software. We were surprised at one feature of the time-of-day clock: the first time we plugged in the if800 and ran

### Japanese Character Sets

Japanese, unlike most languages, has four separate writing systems, and it is not unusual to see all of them on one page.

Kanji characters are pictographs taken from Chinese. One character represents one word or concept. Kanji characters are used to represent roots of nouns or verbs.


The hiragana and katakana systems are syllabaries in which one character represents one consonantvowel pair. Hiragana characters, full of graceful but tiny curlicues, are considered easier to read and are used in most text to indicate inflectional endings and to spell out words that are uniquely Japanese. Katakana characters represent exactly the same syllables as the hiragana but are more angular. They are used for children's books, official documents, and transliterating foreign words, especially foreign technical terms.

The Roman alphabet is used for such things as computer commands, in large part due to the ubiquity of Western computer-language systems.


Most of the Japanese personal computers reviewed here offer a Roman-alphabet keyboard with some sort of locking shift key that allows the same keys to be used for katakana as well. Generally, a few very common kanji characters are thrown in as graphics keys (the pictographs for "date" and "time," for example), but the hiragana characters require resolution beyond the capability of most noninterlaced video displays.

If you think about it, the Japanese character sets might explain much of the feverish technological development in certain segments of the Japanese electronics industry—like the work on very dense read-only memories. The Japanese require great amounts of memory just in character generators to form the complex kanji characters.

### Japanese Computers.



**Photo 3:** A sample display from the if800, illustrating some of the graphics primitive operators. Most of the picture was produced using LINE commands to draw polygonal outlines followed by PAINT commands to fill the polygons.



**Photo 4:** An example of "dithering" on the if800. Even though only eight colors are available, by juxtaposing dots of different colors in different combinations, many different, apparently solid, colors can be displayed. This technique can also be used on the Fujitsu and Bubcom computers.

one of the demonstration programs, the system showed the correct time! A little hunting inside the unit revealed a nickel-cadmium battery that keeps the clock chip going when the computer is unplugged or turned off.

### Connecting to the World

Near the rear of the keyboard/processor module are five slots for peripheral-device-controller circuit cards. Two of these slots are occupied by controller cards for the color video display and the two floppy-disk drives. Many other optional interfaces are available, including a controller for 8-inch floppy-disk drives, a Centronics-compatible parallel printer port, an IEEE-488 interface (an Institute of Electrical and Electronics Engineers standard connection scheme), A/D (analog-to-digital) and D/A (digital-to-analog) converters, and additional RS-232C serial I/O (input/output) ports.

The keyboard/processor module has other switches and connection points. Built into its right side are a DB-25S connector for RS-232C serial communication and DIN (Deutsche Industrie Norm) connectors for a light pen, a black-and-white composite-video monitor, and an audio-cassette recorder. On the left side are two push-button switches that reset the system. The first button, labeled IPL (Initial Program Loader), is a "hard" reset that restarts the system in its power-up state, whereas the second button, NMI (Non-Maskable Interrupt), is a "soft" reset that returns you to the BASIC or CP/M command level (if possible). The NMI button is useful for aborting execution of a program in an infinite loop or some other "hung" state (when Control-C may not work).

### **Display Module**

The top module of the if800 houses the standard color video monitor, which provides a high-resolution (640 dots horizontally by 200 dots vertically) eight-color display. Characters can be displayed in two sizes and in various screen formats (80 or 40 characters by 20 or 25 rows).

A unique feature of the if800 is the group of 10 "super-function" keys that are located on the video-monitor module, just below the display screen. These 10 keys duplicate the functions of the 10 function keys on the keyboard. Thus, they can be used under program control to produce any desired response. Their location makes it easy for an inexperienced user to select an item from a menu simply by pressing the function key just below the item shown on the screen. This would be especially useful in combination with a light pen because a program could be written that never required you to type on the main keyboard. You would just have to use the super-function keys.

Just to the right of the display screen are the two 5¼-inch two-sided double-density floppy-disk drives. Each floppy disk can store 280k (280,000) bytes.

### **Overview of Software**

The two major software packages that came with our if800 computer were Oki BASIC, a Microsoft product, and a version of the CP/M operating system. In addition, several demonstration programs that run under each were provided.

Oki BASIC is a very high-level implementation of the BASIC language that fully exploits the hardware of the if800. For example, many of the special functions on the keyboard (such as TAB, DEL [delete], CAN, and the function keys) are supported, as well as the COMD key, which allows single-keystroke typing of commonly used BASIC commands. Most of the peripheral devices can be directly controlled from BASIC, including both disk drives, the printer, the onboard speaker, the light pen, the clock and calendar, and RS-232C ports.

Each peripheral device is supported by a whole array of BASIC keywords. An example of a devicecontrol keyword is ON COM GOSUB, which allows a program to be interrupted by data arriving at the RS-232C port. A subroutine call is performed when a signal is detected on the port. This in effect allows for interrupt processing—usually reserved for assembly-language programmers—entirely within BASIC.

### **Displaying Graphics**

Because the if800 contains a highresolution color display, you might expect good graphics support from BASIC. We were not disappointed; many high-level keywords are available for manipulating the graphics screen. Primitive operators for drawing are available for creating images, including CIRCLE, LINE (which includes the capability of drawing rectangles), and POINT. In addition, a graphics macroinstruction facility called GML (Graphics Macro Lan-

Each computer represents a design team's attempt to assemble a set of features that will appeal to a variety of users.

guage) is built into Oki BASIC. This is used by defining a BASIC character string consisting of GML commands, which appear mostly as a single letter followed by a single numeral. Typical GML commands are:

Un—Move cursor up $n$ pixels
(there are corresponding
commands for other
directions)
Cn—Set color to n
Sn—Set scale factor to n

Xstring—Execute a previously defined GML string

To execute a GML command, the statement DRAW string or stringvariable is issued. One GML string can call another GML string, thus providing a nested-macro facility. Consequently, small detailed objects (such as game pieces or special symbols) can be compactly described and drawn with a single command. Another facility for describing detailed graphics images is the DEF CHR\$ statement in BASIC, which redefines any of the characters in the character set. Note, however, that characters can be only two colors (foreground and background), whereas GML commands can draw images with multiple colors.

Another interesting BASIC keyword is PAINT. A PAINT statement fills in the area starting at specified Cartesian coordinates and bounded by a specified border color with a specified fill color. The area boundary can be any complex shape bounded by any color (which need not be the same as the drawing color). If the boundary is very large and complex, an OUT OF MEMORY error may result, since a recursive algorithm utilizing a stack is used to process a PAINT command. This command, combined with the geometric commands, can be used to easily create graphics displays using filled polygons. A sample picture drawn by one of the authors is shown in photo 3. This was drawn entirely by a small BASIC program (containing a lot of DATA statements!).

The high horizontal resolution (640 dots across) allows use of a standard trick in computer graphics that can effectively provide many more than eight colors. This technique is called dithering and depends on the following effect: if we draw a horizontal line consisting of alternating blue and red pixels, our eyes will area-average the pixels and perceive the line as a solid line of a color somewhere between blue and red. By using different combinations and mixtures of the eight available colors, a whole array of different, apparently solid, colors can be displayed. Photo 4 shows a display created using this technique. Unfortunately, the BASIC PAINT keyword does not support filling with dither. patterns, but someone will eventually write such a routine for the if800. Even more impressive graphics will then be possible.

The eight-color display can be thought of as three overlaid planes of red, green, and blue pixels. It is possi-

### Japanese Computers

ble in software to choose whether one or several of these planes are to be displayed at any time. This could be used, for example, to allow superimposing a grid over an image in an architectural application program. The grid could be instantly displayed or removed at the touch of a key.

### **Musical Possibilities**

A set of commands is also available for making single-voice musical melodies through the onboard speaker. Another sublanguage called MML (Music Macro Language) is used. A BASIC string is defined containing MML commands, which include commands for specifying pitches, octaves, timbres, and rests. To play the melody, the statement PLAY string is executed.


### **Minor Gripes**

We noted only a few minor problems with the if800. When programming in BASIC, the keyboard produces uppercase letters in the normal mode. To get lowercase letters, the SHIFT key must be used. There is no shift-lock or lowercase-lock key, and there does not seem to be any way to reverse this behavior to the behavior most people expect (no shift=lowercase, shift=uppercase). This is fine for most programming, but if you have to type a lot of text (for example, in entering program instructions into the source file), it becomes annoving. The lowercase characters that have descenders are somewhat inelegant, as well; this is because of the small character matrix (8 by 8 dots).

### Other Observations

In addition to Oki BASIC, we tested a 64K-byte version of CP/M. Since CP/M is widely known, we shall mention only a few unique features of the BMC version. First, a library of graphics routines that can be called from Microsoft's MBASIC is available. This allows utilizing most of the Oki BASIC graphics primitives (LINE, CIRCLE, PAINT, etc., but not GML commands) from MBASIC. In fact, the CP/M graphics library seems to execute these commands slightly faster than Oki BASIC.

A version of Wordstar, the popular word processor from Micropro International, was also supplied. Overall it works quite well, with most of the special features (such as boldface, underlining, and text justification) supported by the if800's built-in printer. Features not supported include multiple text sizes and proportional spacing, since the if800 printer cannot perform these functions. Also of interest is the fact that Micropro is said to be working on a color version for the if800, which will utilize the color capability of the video display.



**Photo 5:** The Canon CX-1 computer. All the parts of the basic machine (keyboard, processor, two disk drives, and green video-display screen) are contained within a single molded plastic case.

# Canon CX-1

The CX-1 computer is being presented in the marketplace mainly as a business computer, partly because of its one-piece construction and its monochrome green display screen, which make it quite at home in an office setting. The documentation is well suited for use by inexperienced office workers. It is being marketed in this country by Canon U.S.A. Inc., which has its main office in Lake Success, New York.

### Hardware Overview

The basic parts of the CX-1 computer—the keyboard, processor, memory, video display, and two floppy-disk drives—are housed in a single cabinet measuring 53 by 64 by 33 cm (21 by 25 by 13 inches), shown in photo 5. This single-piece design has both advantages and disadvantages. An advantage is that there are no connecting cables to break or wear out. A disadvantage is that the unit takes up a lot of desk space and is quite heavy; it weighs 25 kg (55 pounds).

### **Keyboard Characteristics**

The CX-1's keyboard has 84 keys. In addition to the normal typewriter keys, it includes a numeric keypad, several command keys (SHIFT LOCK, UC, CTRL [Control], CAN, and ESC [Escape]), several editing keys (four cursor-control arrows, HOME, INS [insert], and DEL), two mode-select keys (PROG and OPE), and a HLT (halt) key.

Among the command keys are both a SHIFT LOCK key (which acts like a typewriter shift lock in that both alphabetic and numeric/symbol keys are locked in the shifted position) and a UC key (for "uppercase," which shift-locks only the alphabetic keys). The unfamiliar mode-select keys are used when programming in BASIC to switch between programming and operating modes (this will be explained later).

The HLT key is used to put the computer into a "pause" state. The computer will suspend whatever it is doing and display a special prompt character to show that it is in the pause state. You can then either continue or abort the current process. If this is done during execution of a BASIC program, variables can be examined in the pause state. This is very useful for debugging programs.

Another unfamiliar key is the large one labeled START on the right side of the keyboard. This key usually seems to work just like the RETURN key. It is labeled START because of the feature of Canon's BASIC interpreter that allows you to run a program by just hitting START in the "OPE" mode (rather than having to type "RUN" and then hit the RETURN key).

One notable omission from the keyboard is a REPEAT key (or a provision for automatic repetition of characters from all the keys). This is especially annoying when you are using the cursor-movement keys, as in editing; you have to keep jabbing away at the keyboard to keep the cursor moving. A REPEAT key would eliminate much of this tedium.

### Other Hardware Features

The 12-inch green monochrome video-display screen sits over the keyboard. The display format is 24 rows

	A CALL AND A CALL MARKS		

Photo 6: The CX-1 display, showing the dual-intensity (or "boldface") capability. Characters can be displayed in two different intensities on the CRT (cathode-ray tube). Also, notice the clock display in the upper right-hand corner. This display (which can be either real time or elapsed time from some event) is automatically refreshed every second by the operating system. Photo by the authors.

of 80 characters, and the overall display quality is excellent. One rare feature of the CX-1 is its ability to display characters on the screen in two different levels of brightness (sort of an electronic boldface). Photo 6 shows an example of this dualintensity display, along with the complete character set. The CX-1 is an entirely character-oriented machine; these characters are all that can be displayed on the screen. There are no user-definable characters or any mechanism for displaying bit-mapped graphics.

A unique feature of the CX-1 is a constant display of the time from the internal time-of-day clock; this always appears in the upper righthand corner of the video screen. To the right of the screen are two 5¹/₄-inch floppy-disk drives. Each one has a capacity of 320k bytes per disk. The operating system has a software door-lock function that prevents an absentminded user from opening the drive doors when the read/write head is engaged.

In the rear of the case are jacks for two optional additional disk drives, an optional light pen, three RS-232C serial ports, and three Centronicscompatible parallel ports.

### Software: Operating System

The Canon computer is built around an 8-bit 6809 microprocessor and runs an operating system called MCX ("Monitor program for CX-1"), which is both powerful and unconventional. It is a very "modeoriented" system; that is, you perceive the system as operating in various modes, each identified by a different prompt character. Operating modes, and their prompt characters, include:

0>MCX command mode

- \$ BASIC operating mode
- % BASIC programming mode
- @ Pause mode
- . Editor

You can switch modes by various commands or keystrokes. Commands are not always obvious or consistent, however. For example, to switch from BASIC programming mode to operating mode, you must press the OPE key (whereupon a small LED on the OPE key lights up). To switch back, however, you must press PROG and then hit the RETURN key.

Another unconventional characteristic of the MCX operating system is that all user typing appears on the bottom two lines of the screen. Therefore it has no screen editing, and even the method of entering and editing a BASIC program takes some getting used to. When a BASIC statement is entered, it first appears on the twenty-third line of the screen, near the bottom. When the RETURN key is typed, the statement jumps to the

### Japanese Computers

At a Glance Name Canon CX-1	(1a) FRC(x) = x mod 1 (i.e., the fractional part of x) FIX(x,n) = value of x rounded off to n decimal places MOD(x,n) = x MOD n (i.e., remainder when dividing x by n) MAX(x1,x2,,xn) Highest valued member of a set of numbers MIN(x1,x2,,xn) Lowest valued member of a set of numbers
Distributor Canon U.S.A. Inc. One Canon Plaza Lake Success, NY 11042 (516) 488-6700	(1b) CX-1 Function Microsoft Equivalent
Dimensions (inches) 13 by 20% by 25%	ASC\$CHR\$ CHR\$STR\$ STR\$MID\$
Microprocessor 6809, 8-bit	Table 1: Handy arithmetic functions available under Canon CX-1 BASIC (1a), and string functions that are incompatibly named for conversion from Microsoft BASIC
Size of User Memory 64K bytes	(1b).
Number of Keys 84	
Number of Function Keys O	the operation of many commands. teresting dialect of BASIC contains We were surprised that the system ac- certain features seemingly borrowed
Standard Interfaces Light pen; RS-232C (DB-25); printer; more disks	cesses the disk during certain phases from FORTRAN. This version of of operation—for instance, every BASIC uses type declarations akin to
Expansion Sockets 4	time the BASIC program in memory those in FORTRAN, the double is edited and run (the disk access asterisk ("**") for exponentiation, FORMAT statements, and an inter-
Character Sets Roman, graphics, boldface	The Canon CX-1's esting form of subprogram linkage. Perhaps the most attractive feature of CX-1 PASIC is its chilling to provide the set of the
Graphics/Color Resolution None	and its monochrome alphabetic labels for program lines.
Number of Colors 2	green display screenHere is a sample program in CX-1make it quite atBASIC:
Other Features Alphanumeric line labels; other FORTRAN- like features in BASIC	home in an           office setting.         10 FOR I=1 TO 100           20 N=N+I
Price \$4995 (whole system)	comes after you type the RUN com- mand). Another fortune (the NCX and 10 (FINIS) PRINT I: END
	Another feature of the MCX oper- ating system is the SECURE com-

main part of the display and reappears at the correct place in the program. Similarly, to change a BASIC statement, you must first pull it down to the twenty-third line (via an editing command), edit it, and then reinsert it into the program.

MCX acts like CP/M in that when it encounters an unrecognized command, it searches the disk to try to find a BASIC or command file by that name to execute. The MCX operating system seems to read from and write to the system disk more frequently than most systems; this slows down Another feature of the MCX operating system is the SECURE command, which allows you to cause a BASIC program file on disk to assume the "secured" state. A secured file can only be executed, not listed. This provides a modicum of software protection, since it prevents unauthorized users from reading the source code. When a file is secured, a six-character password is requested. Only by correctly reiterating this password can a file be unsecured.

### Software: BASIC Interpreter

The most important subsystem of MCX is Canon CX-1 BASIC. This in-

Notice that each line still has a line number, as in ordinary BASIC, but it can also have a label in brackets after the line number. This label can be referenced in GOTO, GOSUB, and IF... GOTO statements.

Another unique feature of CX-1 BASIC is its CALL statement, which allows an executing BASIC program in memory to call a BASIC program on disk as a subroutine. Upon encountering a CALL, the operating system searches for and loads the called program into memory, executes it, and then returns control to the original calling program. Values of variables can be passed between programs by declaring them with a PARAM statement in the called program. It is possible in this way to have many BASIC routines in memory at once (assuming they all fit, of course).

This powerful capability allows the programmer to write structured, modular programs. Libraries of commonly used Canon-BASIC routines can be developed and tested individually. These routines can then be used by other programs or executed sequentially to form new, more complex programs.


Also, it has a built-in XREF command, which provides a cross-reference listing of a BASIC program, listing all variables and the lines in which they occur. To our knowledge, this is the only BASIC interpreter that comes with this command built in.

CX-1 BASIC contains several unusual and useful functions, such as the arithmetic functions shown in table 1a. Two other unique keywords are SAVECRT% and LOADCRT%, which save and recall the current video-screen image as a 1920-byte disk record.

One last observation about CX-1 BASIC: some of the string functions have nonstandard names compared to almost all other versions of BASIC (certainly the Microsoft-derived varieties). Some examples of these are shown in table 1b. This can be quite confusing at first to an experienced BASIC user. It also complicates the conversion of programs to or from other versions of BASIC.

### **Other Software**

In addition to the BASIC language, several other important subsystems of MCX come as standard equipment with the computer, including a lineoriented text editor (similar to the familiar ED of CP/M) and a 6809 assembler and debugger. Finally, it also has a text formatter called CROFF (Canon's version of Unix's NROFF?) that, unfortunately, we were not able to test.



**Photo 7:** NEC's PC-8001A together with the color monitor, PC-8012 I/O unit, and PC-8032 dual floppy-disk drive.

# NEC PC-8001 A


The Nippon Electric Company (NEC) PC-8001A, shown in photo 7, is a version of the PC-8001 that has been adapted for the American market. (We previously reviewed the original unit as it was sold in Japan; see our article "The NEC PC-8001: A New Japanese Personal Computer," January 1981 BYTE, page 72.) As you would expect, there are few differences. To avoid duplication, we shall concentrate on those differences and on the floppy-disk drives and I/O chassis, which we did not review last time.

As closely as we can determine, the software for the PC-8001A is identical to that of the PC-8001—both run Version 1.1 of N-BASIC, written for NEC by Microsoft. (On the unit we tested, there was one galling difference: the cursor would not appear when the screen was in the 80- or 72-characters-per-line mode. An NEC spokesman, however, assured us that this was due to a defect in the unit we were testing and is not a characteristic of the system.)

### Keyboard and Character Set

The katakana characters available on the PC-8001 display have been replaced by the Greek alphabet and a set of superscripts (see photo 8 on page 70). The keyboard, aside from the absence of kana legends on the keycaps, has only two differences. What was the Roman/katakana key

### Japanese Computers



**Photo 8:** The NEC display. Katakana characters in the Japanese version have been replaced by Greek characters and superscripts in the American version.

### At a Glance

Name NEC PC-8001A

#### Distributor

NEC Information Systems Inc. 5 Militia Dr. Lexington, MA 02173 (617) 862-3120

Dimensions (inches) 31/4 by 16% by 11

Microprocessor µPD780C-1 (8-bit, Z80-compatible)

Size of User Memory 32K bytes

Number of Keys

Number of Function Keys 5 (shift yields 10 functions)

**Standard Interfaces** RS-232C: audio-cassette tape; monochrome video monitor; RG8 color monitor; printer; expansion bus

#### Optional Interfaces

Floppy-disk drives; I/O chassis; communications subsystem (IBM 3270, 3780, and HASP protocols)

Expansion Sockets
1 (system bus)

Character Sets Roman, Greek, superscripts, graphics

Graphics/Color Resolution 160 by 100; 80 by 25 (character-oriented)

Number of Colors 8

Other Features Time-of-day clock; beeper

Prices Keyboard/processor \$995 RG8 color monitor \$995 Dual floppy-disk drive \$995 I/O unit \$649 on the 8001 is a much needed shiftlock key on the 8001A, and a duplicate "-" (minus) key in the 8001's numeric keypad has been replaced by a locking "alternate character set" (i.e., Greek and superscripts) key on the 8001A.

Unfortunately, neither the alternate character set nor the graphics character set are indicated by legends on the keycaps-this makes them extremely awkward to use. If you have forgotten which is the Greek "gamma" ( $\gamma$ ) key, for example, you have to open the instruction manual, turn to the keyboard diagram, locate the gamma key, count the number of keys to the edge of the keyboard in the diagram, count the same number of keys in from the edge of the actual keyboard, and finally press the key. While most of the other computers reviewed here make you use this same sequence for graphic-character input, NEC forces you to do it for both graphics and Greek characters. Such a nuisance could and should be remedied, either by inscribing the alternative characters on the tops or fronts of the keys or by offering a set of stick-on labels for both alternative character sets.

### What's Inside?

Inside the keyboard/processor module, we found only two differences between the Japanese and American versions. The American version has a thick metal cover over the main printed-circuit board. This cover protects and stiffens the board underneath, but it was probably added as a shield to help the PC-8001A meet the Federal Communications Commission's stringent RFI (radio-frequency interference) emission limits. Also, the American version has more memory, 32K bytes, as standard equipment. (Because part of this memory is used for the display, up to 26,786 bytes are available to the read-only-memory-based BASIC interpreter for program and data storage, while 19,367 bytes are available to the disk BASIC system.) The NEC  $\mu$ PD780C-1 microprocessor, which is practically identical to the Zilog Z80, runs at 4 MHz.

Judging from our experience with the Japanese version, the hardware is quite reliable. We have used our PC-8001 both as a computer and as a terminal almost daily for over a year and a half with no trouble.

Our only quibbles have been relatively minor. One is the location of the Reset button, which extends from the rear of the console. It is easily triggered by accident if you push the keyboard against books or a wall at the back of your desk. We eventually remedied this minor problem by hanging a large hex nut on the protruding button. Our other quibble is the RS-232C serial interface-instead of a standard DB-25S connector on the outside of the case, NEC provides only a DIP (dual-inline pin) socket hidden away in a relatively inaccessible spot inside the case. NEC does sell an adapter cable with a DB-25, but the added expense should not be necessary.


The size of the NEC keyboard/processor module is attractively small: only 8.3 by 26 by 43 cm (3¹/₄ by 10¹/₄ by 16% inches), hardly bigger than just the keyboard. It is light enough to hold on your lap while you type, and it can easily be shoved to the side of your desk top when it's not in use-a definite advantage if your desk is crowded and doesn't really have room for a computer. Moreover, like most of the Japanese computers reviewed here, it can serve double duty either as a computer or as a remote terminal for a larger system.

#### Peripherals and Expansion

Of course, such a small chassis has no room inside for expansion, but to many users that is unimportant. For those who do wish to expand their systems, NEC sells the PC-8012A I/O unit shown in photo 9, a box that contains a power supply, 32K bytes of RAM (random-access read/write memory), sockets for 2K bytes of PROM (programmable read-only memory), interrupt-control circuitry,



**Photo 9:** The NEC PC-8012A I/O unit has seven slots for expansion and connectors on the back that can carry nonstandard voltages to the bus.



**Figure 1:** The NEC PC-8001A can operate in any of three memory modes when the PC-8012A I/O unit is connected.

### Japanese Computers-

and an extension of the system bus (called the "mother bus") with seven 36-pin slots for plug-in cards. One of these slots normally holds a floppydisk interface card, and the PC-8031 double disk drive can plug into the 8012A. If you don't need the interface box, the disk drive can apparently be connected to the keyboard/processor module through another less widely advertised accessory, the PC-8033 disk-interface unit. A second double disk unit, the PC-8032, can be daisychained to the 8031.

#### Making the Connection

NEC will win no industrial-design awards for this arrangement of the peripheral devices. Both the disk drive and the I/O unit are big and awkward, and the interconnecting cables provided with the units are too short to allow you much freedom in the way the boxes can be arranged on a flat surface. The expansion unit must sit about six inches behind the keyboard/processor. By straining the cable a bit, you can place the disk drive to either side of the keyboard. The combination of short, wide peripherals and short cables largely negates the advantages of the 8001A's small size.

Nor has the cabling arrangement been designed with an inexperienced or inept user in mind. Instead of separate connectors mounted firmly to the chassis, slots located in the chassis give access to edge connectors on the printed-circuit boards. The boards are recessed and slightly flexible, and, since there is inevitably some play in their mountings, seating the connectors properly or unplugging them requires considerable fumbling.

Moreover, the connectors have not been "idiot-proofed"; they can be inserted upside down about as easily as they can be inserted right side up. Indeed, the disk-unit-to-I/O-unit (8031 to 8012A) cable almost begs to be inserted upside down—an arrow on the connector that is supposed to indicate proper orientation is printed on the bottom of the connector, where it is invisible when the connector is oriented correctly.

#### Using Expanded Memory

Three memory modes are available for using the additional memory in the I/O-expansion unit (see figure 1). In mode 0, none of it is used, while in mode 1, only the PROM in the I/O unit can be addressed, along with the 32K bytes of RAM in the keyboard/ processor module. In mode 2, the 32K bytes of RAM in the 8012A are mapped into the memory-address space normally occupied by the BASIC-interpreter ROM, giving a full 64K bytes of user memory, but no BASIC. NEC spokesmen say that CP/M is available for the PC-8001A; undoubtedly, it must run in mode 2. Up to four more 32K-byte banks of RAM can be installed in slots in the motherboard. Any one of these banks can be swapped in address space with the main memory under software control, but no currently available software supports this.

Judging from our experience with the Japanese version, the hardware of the NEC PC-8001 is quite reliable.

#### **Control-Line Versatility**

The bus structure of the 8012 appears to be designed for either instrumentation or process control. It looks like it could be easily interfaced to the IEEE-488 bus. It has separate lines for eight levels of interrupts, and an 8214 interrupt-control chip is an integral part of the unit. Also included is a 600-hertz (Hz) real-time clock that can be used to generate an interrupt every 1.67 milliseconds (ms); during such an interval, the microprocessor could poll or service many more than eight devices.

In addition to the address, data, control, and interrupt lines, the system bus has six undefined lines, plus two sets of lines that can carry voltages input through a set of connectors at the rear of the chassis. These features make the bus particularly convenient to those wishing to build homebrew interfaces, even to systems requiring voltages other than the standard +5 volts (V) and  $\pm 12$  V.

#### **Floppy-Disk System**

While, as we noted above, the dual floppy-disk drives take up a lot of real estate on your desk because they are mounted side by side, horizontally, they do hold a lot of data. The soft-sectored 51/4-inch disks are formatted for 256 bytes per sector, 16 sectors per track, with 35 tracks per disk (34 user-accessible), for a total of 139k bytes per disk, although the disk directory won't allow a lot of small files. The cabinet is made of the same sturdy metal as the 8012 I/O unit, and, in addition to the clasp that snaps the drive doors open and shut, each drive has a separate lever that can be used to lock it shut.

The disk-drive unit is also "intelligent"—a separate controller within the drive unit does some of the work associated with storing data on a disk; the unburdened main processor just passes data through an I/O port. This is probably the reason for the major peculiarity of the NEC disk-access software.

In most disk BASICs, you just slide a disk into drive number 2 and type LOAD "2:filename" and the file loads. If you try that with the PC-8001A, you will get the error message "Disk Not Mounted"—you must type MOUNT 2 before you can use the disk. When you are done with the data on the disk, you must similarly type REMOVE 2 before removing the disk; if you insert another disk in the same drive, you must MOUNT it as well. These commands are necessary because the microprocessor works with a copy of the disk's fileallocation table that it reads into user memory when it executes the MOUNT command. The disk's copy of this table is not updated until the **The revolutionary Discovery multiprocessor** is the only system that allows the total integration of powerful 16 bit 8086 processors with the more standard Z-80 user processors. The DISCOVERY system may be configured in any 8 bit/16 bit combination, or as a totally exclusive 16 bit system only to provide the ultimate in performance and flexibility in advanced micro systems.

**Ultimate performance.** The dpc-186 is the most sophisticated single board microcomputer available today offering more power and faster processing time through the 8086 CPU for bigger, more complex programs. Memory starts at 128 K (compared to the Z-80's 64 K), and is expandable to 1 megabyte. And the dpc-186 is fully compatible with the standard DISCOVERY multiprocessor system permitting efficient upgrading as future needs develop, without sacrificing any of your extensive hardware and software investment. World's best multiprocessor system. The DISCOVERY system provides separate processors and memory for each of its 16 users. It offers full CP/M[™] and CP/M-86[™] compatibility, interprocessor communication, and shared and private files. Each user can take advantage of shared peripherals and cross submitting of tasks between processors. The system is controlled by a unique, two board dpc-280 service processor and dpc/os distributed processing operating system.

**By the board or by the system.** The DISCOVERY multiprocessor is ready for immediate delivery as a complete system, as processor boards. and everything in between. It offers <u>exclusive</u> technology in multiprocessing, yet is fully compatible with existing standards including CP/M and S-100. It is quite simply unmatched in performance, capabilities and offers a far greater degree of flexibility.

DISCOVERY-offering a whole new world of possibilities.

## For the first time, 8 and 16 bit processor intermixing.



Action Computer Enterprises, Inc.



The Multiprocessing Company 55 West Del Mar Boulevard, Pasadena, CA 91105 USA (213) 793-2440, TWX 910-588-1201 Circle 6 on inquiry card. Dealer and OEM inquiries invited.

*CP/M is a registered TM of Digital Research. Inc.

## Japanese Computers.

REMOVE command is executed. If you forget to issue the REMOVE command, the manual warns, the interpreter will not be able to locate any of the files you have added during that session, and, in the worst case, all data on the disk will be lost.

#### Documentation

As we explained earlier, we have not mentioned documentation for most of the machines reviewed here. Because some of them have not yet been introduced into the U.S. market, many of the user's manuals we saw were either preliminary translations or in the original Japanese. But the NEC PC-8001A is already being sold here, and the documentation we saw was what a buyer would see. We therefore decided to mention the documentation briefly to reassure would-be buyers who fear that the instructions for their new, expensive, and complicated Japanese computer may be as mystifying as the instructions that come with a cheap madein-Japan Christmas toy.

Although NEC's documentation is readable, in places it could be much better. The *PC-8012A I/O Unit User's Manual* would probably be somewhat mystifying to a totally inexperienced user because it seems to presuppose a good knowledge of both hardware and software. There are not enough step-by-step, do-this-then-dothat instructions; complicated features are inadequately explained; and some of the text is just plain bad English.

The PC-8001A Microcomputer Reference Manual is uneven in quality. Explanations of the BASIC commands are good, but they duplicate some sections of the NEC BASIC Language Learning Guide word for word. Explanations of more complicated hardware or system features, such as the terminal mode and the assembly-language monitor, tend to be confusing and poorly written. (One extreme example discusses the TM (test memory) command: "Note: As for the contents of the FF39 through FF3C numbers, since only under normal circumstances does TL (sic) memory of the FF39 - FF3C numbers become significant, after the TM command is entered in a situation in which an error occurs for a few seconds." Anyone find a verb there?)

Moreover, the English version leaves out a lot of valuable information included in the Japanese documentation, the *PC-8001 User's Manual*. Most conspicuously absent are the pinout tables for the printer interface, system bus, and RS-232C interface. The last is particularly noticeable because the RS-232C connector is a DIP socket and not a standard DB-25 connector.

On the other hand, the *PC-8031 Mini Disk Unit User's Manual* is pretty good, although it could be improved by the addition of some photographs of assembled systems. And NEC's *BASIC Language Learning Guide* is excellent—a wellplanned and well-written primer with many examples and a set of self-test review exercises and answers at the end of each chapter.



**Photo 10:** The Hitachi MB-6890 personal computer together with the color video display, double floppy-disk drive, and dot-matrix printer.

## Hitachi MB-6890

The word that best describes the Hitachi MB-6890, shown in photo 10, is *flexible*. It offers as standard equipment several features that other manufacturers provide only as expensive add-ons, such as a light-pen interface and an RS-232C interface complete with DB-25 connector. Also, it has such a profusion of hardware- and software-controllable switches and options that each user can configure the machine to individual taste.

#### **Details of Construction**

The case of the Hitachi processor unit is entirely plastic except for the detachable metal lid covering the rear. The rather thin (0.27-mm, 0.070-inch) base is reinforced with plastic posts in the rear where it is often required to bear the weight of the video monitor, and it is protected in front by the overlap of the substantially thicker plastic of the keyboard. This monocoque construction yields Next to keeping all your data on Verbatim Datalife^{**} flexible disks, the best thing you can do for your computer or word processor is to keep it running clean and error-free.

And the way to do just that is with Verbatim's new Datalife Head Cleaning Kit. It can remove up to 90% of the debris contaminating your drive heads. Dust, dirt and debris that causes data loss and errors, hinders system performance.

#### Quick and easy to use

All you have to do is remove a Cleaning Disk from its protective pouch, put the disk in the special jacket, insert it into your drive and turn it on. In just 30-60 seconds, your drive heads are cleaned.

#### Cleaning, with no cleaning mess

With your Datalife Head Cleaning Kit there's no hit-and-miss applying solvents that can splash and spill.

What's more, with Datalife Cleaning Disks every time you clean your heads, you can do it with a fresh, clean, disposable disk.

#### Cleans both Single and Dual Head Drives Safely

There's no worry about damaging your system with Datalife Cleaning Disks. And you can use them on single or dual head drives.

#### Protect your investment

The Datalife Head Cleaning Kit will help you guard against data loss, errors, and degradation of system performance because of debris contamination.

So if you want your data back verbatim, keep it on Verbatim disks. And keep your disk drives clean with Verbatim's Datalife Head Cleaning Kit.

Call (800) 538-1793 for the name of your nearest Verbatim dealer. (In California and outside the U.S. call (408) 737-7771 collect.)

## **Verbatim**[®]

# Introducing the second best thing you can do for your computer.



City Dealer

10 00

00'00

© 1981 Verbatim Corp. Datalife is a trademark of Verbatim Corp

## Japanese Computers



**Photo 11:** Hitachi provides a set of individually removable panels along the back of the processor enclosure to give access to individual expansion slots on the motherboard.

#### At a Glance

Name Hitachi MB-6890

American Representative Hitachi Sales Corporation of America 401 West Artesia Blvd. Compton, CA 90220 (213) 537-8383

Dimensions (inches) 4¾ by 17% by 20¼

Microprocessor 6809, 8-bit

Size of User Memory 32K bytes

Number of Keys 89

Number of Function Keys 5 (with shift gives 10 functions)

Standard Interfaces RS-232C (DB-25); monochrome video monitor; RGB color monitor; audio-cassette tape; light pen; printer; game paddles

**Optional interfaces** Disk drives; extra printers

Expansion Sockets 6 for I/O; 2 for RAM

Character Sets Roman, katakana, hiragana, graphics

Graphics/Color Resolution 640 by 200; 80 by 200

Number of Colors 8 on 8

Other Features Time-of-day clock

Prices (Yen Equivalent in Dollars) Keyboard/processor Y = \$1035

Color monitor Y = \$860Disk drive Y = \$1500Printer Y = \$763 a processor cabinet that is adequately strong and remarkably light.

The back of the case, shown in photo 11, shows Hitachi's solution to the problem of how to give access to optional peripheral-device circuit boards plugged into the system's bus. Six 56-pin sockets for edge connectors are mounted on the motherboard, perpendicular to the back of the case, and there is a removable plastic slot panel behind each socket.

The disk-controller board shown installed in the first slot incorporates a similar slot panel, mounted on the circuit card, that both stiffens the card and houses the card's connection to the outside world. Thus, no gaping holes are left for options that you may never install, nor must you arrange to snake expensive lengths of ribbon cable all over the inside of the processor cabinet to reach a fortuitous gap between sections of the case.

Since this plastic case provides no electromagnetic shielding, most of the motherboard and the circuit board underlying the keyboard are covered with thin (0.43-mm, 0.017-inch) sheets of aluminized plastic, making them look like hastily wrapped Christmas packages. Because this "gift wrapping" is staked in place and impedes access to the motherboard, it must surely also impede convective cooling of the electronic components underneath. On the other hand, it provides expensive components with an extra layer of protection against dust or an overturned mug of coffee.

#### System Versatility

The most striking features inside the case are the large number of miscellaneous unused connectors and a plethora of relocatable jumper connections. This suggests that it may be possible to substantially reconfigure the hardware rather easily.

In fact, a number of such reconfigurations are documented in the user's manual. Several of the jumpers have functions you might expect, such as setting the serial data-transfer rate and the transmission/reception parameters for the terminal mode.

## WHEN A MERICAN BUSINESS HITS THE ROAD, AMERICAN BUSINESS DECIDES ON HILTON.



www.americanradiohistory.com

Switch	Number	Open	Closed
1	BASIC	C mode	Terminal mode
2	Interla	aced screen	Noninterlaced screen
3	80 ch	aracters per line	40 characters per line
4	Norm	al mode	High-resolution mode
5	Funct	tion keys labeled	Function keys unlabeled
6	Half c	duplex when terminal	Full duplex when terminal
7		/char when terminal	8 bits/char when terminal
8		ana converted to ana for printer	Hiragana output to printer

**Table 2:** Functions of the Hitachi state-selection switch.



**Photo 12:** The Hitachi BREAK key is protected by a transparent plastic clamshell. The KATA/HIRA key can change the machine between any of three states—the color of the LED beside it indicates the state.

More unusual is an eight-position DIP switch on the motherboard that can be used to determine what state the machine will be in when the power is turned on (see table 2). Normally, the switch on the console labeled MODE is wired in parallel with DIP switch number 3, the characters-per-line switch. But by simply moving a jumper on the motherboard, it can be rewired to parallel DIP switches 1 or 2.

We should add that all these parameters can be reset individually by issuing the appropriate command from the keyboard, e.g., WIDTH 80 to select the 80-characters-per-line display mode. If you would rather change several of them simultaneously, you could reboot the system in the desired mode with the command NEW ON b where b is an expression with a value from 0 to 255, inclusive. The 8 bits of the binary representation of b serve the same purpose as the eight DIP switches; a 1 in the least significant bit (bit 1) corresponds to switch 1 being in the open position.

This is a fine idea, showing great insight into the wide variety of ways people use personal computers. It allows the person who uses the machine primarily as a remote terminal for a large system to turn the MB-6890 on and find a functioning terminal, rather than a computer that can be turned into a terminal only with a lengthy set of commands; it allows the person who wants both a computer and a terminal to configure a machine that switches from one use to the other with one push of a button; and it lets the person who primarily wants a stand-alone computer to find the machine in this form when it is turned on.

#### Keyboard

The keyboard, like that on the other computers reviewed here, has all the typewriter keys, plus a numeric/editing keypad and a set of userdefinable function keys. Controls that are used infrequently (the on/off, reset, and mode-select switches, and a knob controlling the loudness of the click that accompanies each keystroke) are hidden behind a small door at the top of the keyboard. The BREAK key (a powerful stop/reset key) has a transparent plastic clamshell around its front edge (visible in photo 12), which prevents you from hitting it accidentally.

The keyboard has four cursorcontrol keys. The cursor-left and cursor-right keys have two separate modes of operation. Normally, they move the cursor in increments of one character position, but with the SHIFT key depressed, they move the cursor a word at a time.

Every time you hit a key, the speaker in the bottom of the keyboard/processor module produces a click. As we said, a knob adjusts the volume. The electronic clicks are





## "We provide business programs as individual as your business needs."

"Allow me to introduce myself. I'm a Vector computer, dedicated to the advancement of society. And I'd like to tell you how a computer can help you manage your business more efficiently. Especially if that computer is a Vector, like me. Because we're probably the most flexible and cost-effective computers you can find.

"Our programs are the key. Because they enable me to handle sales forecasting, budgeting, job costing and proposals, commissions, personalized mass mailings, charts and graphs. We Vectors can even talk to each other and to other bigger computers.

"Unique combinations of our individual programs can actually customize me to meet your specific requirements. Any combination of our software packages can be assembled right off the shelf, to help you realize your full potential as a salesman, merchant, stockbroker, clergyman, contractor, real estate or insurance agent or whatever your business.

"Choose from Memorite III for word processing and mail list management, Execuplan for financial planning and forecasting, Business Accounting, Data Management for filing and sorting information, Communications and a host of others. And, of course, all we Vectors come with the popular CP/M operating system.

"For more information and your local dealer, call us at (805) 499-5831 or (800) 235-3547. In California, call (800) 322-3577. Or write to us at 500 North Ventu Park Road, Thousand Oaks, CA 91320.

"We'll show you how we small information systems can mean big business for you."



#### COMPUTERS FOR THE ADVANCEMENT OF SOCIETY.

Sold and supported by 400 dealers worldwide. Vector Products are approved on General Services Administration authorized ADP scheduled price list.

### Japanese Computers

completely inaudible when the knob is set for minimum volume, but the key hitting the mechanical stop at the bottom of its excursion still provides audible feedback. Thus, the only distinctive function served by these clicks is to indicate the repeated entries that occur when a key is held down for more than a half second. Nonetheless, the pitch and duration of beeps from the speaker may be controlled by an assembly-language program. Thus, the speaker can be used to produce sound effects and rudimentary music.

The MB-6890, like most microcomputers, uses a scanned keyboard: the keys are wired in a matrix, with each key capable of closing a connection between a horizontal (row) and vertical (column) electrical line. The keyboard-monitor circuitry detects closure of the switch inside the key by rapidly sending out pulses to successive columns while monitoring the row lines. An input sensed on row xwhile the output is going to row y indicates that the key at the intersection of x and y was pressed. Since the circuitry can typically complete a scanning cycle many times during the interval it takes a key to close and open again, it is unlikely to miss keys hit by even the fastest typist. Software in the keyboard monitor can aid in deciphering key "rollover," hitting a second key before the first is released.

But the MB-6890 keyboard, either through insufficient scanning speed or inadequate rollover software, does not accept key rollover very gracefully. The manual warns, "Be careful not to press more than three keys at the same time." This may seem an unlikely occurrence during text entry; whether it is or not depends on your skill as a typist, your typing speed, and the type of material you are entering. The problem is most apparent when you hold down the GRAPH key (to input either graphics or hiragana characters, depending on graphics mode) and rapidly type D followed by the adjacent key F. The computer often interprets it as a spurious cursor-up character, and the cursor goes bouncing merrily up to the previous line. Very disconcerting and very annoying!

#### **Coping with Characters**

The key labeled KATA/HIRA solves the problem of dealing with the four character sets used in Japanese text. Hitachi's elegant solution could easily be adapted to more universal problems. To understand its function, you must know that Japanese, unlike most languages, has four separate writing systems: kanji, katakana, hiragana, and the Roman alphabet. A brief discussion of the function of each appears in the text box "Japanese Character Sets" on page 63.

One of the most intriguing features of the MB-6890 is the light-pen interface, which is standard equipment. The pen, both simple and sturdy, is extremely easy to use.

Most of the Japanese personal computers reviewed here offer a Romanalphabet keyboard with some sort of locking shift key that allows the same keys to be used for katakana as well. There are generally a few very common kanji characters used as graphics keys (the pictographs for "date" and "time," for example), but the hiragana characters require resolution beyond the capability of most noninterlaced video displays.

Here's the way Hitachi approached the problem. The MB-6890 has an interlaced graphics mode (which doubles the vertical resolution of the characters), and in that mode, it offers you a choice of Roman, katakana, or hiragana characters. Normally, the keyboard produces Roman characters. Hit the KATA/ HIRA key once and an LED beside it

turns red, indicating that the keyboard is now accepting katakana input. Hit the key again and the LED turns green, indicating that the keyboard is accepting hiragana input. Hit it a third time and the LED goes out—you are back in the Roman mode.

#### **File Operations**

The Hitachi flavor of BASIC (Level-3 BASIC, a product of Microsoft) allows the programmer to pass files of data to or from any of the I/O interfaces—cassette tape, serial port, disk, printer, screen, or keyboard using a common command format. For instance, to output a program listing to any of these devices, there is the command

#### LIST "file descriptor" [,line number [,line number]]

where *file descriptor* is a standard string that identifies the device and the other parameters are optional. Thus, LIST "LPT0:" sends the listing to printer 0, whereas LIST "CAS0:TEST" sends it out the cassette interface into a tape file named TEST.

#### Light Pen

One of the most intriguing features of the MB-6890 is the light-pen interface, which is standard equipment (the pen itself, however, is an option). The pen is remarkably easy to use. Since the photodiode in its tip is mounted in a retractable switch. you can both locate the pen and trigger it by simply poking the tip against the screen. The pen is simple and sturdy; numerous falls from the desk top to the floor did not seem to damage it. This interface is supported in software by Level-3 BASIC, which offers a set of keywords for controlling the light pen (see table 3).

The keywords reflect the areas where light pens are most useful:

• Option selection from a menu. The computer displays a list of choices, each one next to a box, and you in-

## **Screen Director**

Screen Director[™] retrieves and displays any standard image file on your Apple's video monitor, large screen TV or color printer. For only \$150,

Screen Director[™] gives you a filmmaker's finesse in boardroom presentations, management briefings and demonstrations for clients. With Screen Director[™] you can scroll forwards and backwards through any color displays, with dissolves or cuts from one image to the next — all at

the touch of two buttons. You can even enhance your **Apple Business Graphics** with title slides in a variety of fonts and colors.

## Spice your Apple with cinema.

Screen Director[™] includes both the two-button controller and all necessary software.

> For information on dealers of Screen Director™ in your area, call (617) 491-3377.




Business & Professional Software, inc. 143 Binney Street Cambridge, MA 02142

Screen Director[™] is a product of Business & Professional Software, Inc., creators of **Apple Business Graphics**. Apple is a trademark of Apple Computer, Inc.

### Japanese Computers.

ON PEN GOSUB line number when pen in undefined area [, line number when in nth area...] -Branches to the nth subroutine when the light pen is pushed against the nth defined area PEN n:[(horizontal starting point, vertical starting point) - (horizontal end point, vertical end point)] -Defines rectangular areas for ON PEN command PEN ON-Pushing pen causes an interrupt OFF—Pen does not cause interrupt STOP-Pushing pen does not generate interrupts, but the status is stored; the subroutine executes at the next PEN ON PEN(argument)—a variable returning the following values for different values of the argument: Argument Value returned 0 TRUE when pen pressed 1 Horizontal position of pen when pen pressed 2 Vertical position of pen when pen pressed 3 TRUE while pen is being pressed, FALSE else 4 Current horizontal position as long as pen is pressed 5 Current vertical position as long as pen is pressed Table 3: Hitachi MB-6890 light-pen commands.



**Figure 2:** Memory map of the Hitachi MB-6890. This machine has an extra 5-bit-wide segment of memory that is addressed parallel to the segment of RAM that controls the video display. The extra 5 bits are used to specify the color of the corresponding pixel.

dicate your choice by pointing to a box with the light pen. Done properly, this can make use of the keyboard unnecessary.

• Screen location. You indicate where something is to be done on the screen by pointing to it with the light pen—much simpler than fiddling with cursors and control keys.

•Drawing. Instead of entering com-

plicated shapes one point at a time, you just draw them on the screen using the light pen.

Nonetheless, light pens do have some inherent limitations, and the Hitachi unit is no exception. Since they work by detecting the image in the video raster on the screen and inferring the pen position from the timing of the scanning beam, most light pens occasionally make mistakes. You trigger the pen *here* and the computer thinks that it was over *there*. In the Hitachi, the light pen seems particularly prone to wraparound errors. When you touch a point near the lefthand edge of the screen, the computer thinks you touched the right-hand side. But this is a problem that a clever programmer could largely circumvent by adding a verification step, such as letting a small blinking dot confirm the entry location before the computer accepts the data.

The Hitachi system displays another problem that results from the combination of a light pen with a color video display. The photodiode in the pen is not equally sensitive to all three primary additive colors. In fact, it is blind to red. This fact is not mentioned in the English-language version of the manual, but one of the demonstration programs supplied by the manufacturer shows that Hitachi is aware of the problem. In a routine in which you are supposed to select colors by pointing to the correct sample with the light pen, each color swatch has a white square in its center.

#### Graphics Display

Hitachi has made an interesting trade-off between memory use and display resolution. As the memory map in figure 2 shows, some of the

# One of the great masters?

Although the Datasouth DS180 matrix printer may not exactly rate as a work of art, our customers have a very high opinion of its value. Over the past year, we have shipped thousands of DS180 printers to customers throughout the world. Many of our sales now come in the form of repeat business — a strong testimonial to the acceptance of  $\cdot$ a product.

The success of the DS180 in a very competitive market did not happen by accident; rather through our sensitivity to the needs of the industry. This sensitivity we carry through research and development, production and quality control and finally to after sales support and service.

Recently we introduced new enhancements to make the DS180 printer even more versatile. Dot addressable raster scan graphics produces output of computer generated charts, maps and graphs at a resolution of 75 x 72 dots per inch. Variable horizontal pitch selection allows printing at 10, 12

or 16.5 characters per inch plus double wide printing at 5, 6 or 8.25 characters per inch. The expanded 2K FIFO print buffer handles a full CRT screen dump at up to 9600 baud without delaying the host system. We also offer transparent mode for isolating communications problems, and for APL users, the dual ASCII/ APL character set option.

Check our list of features and we think you will agree that the DS180 offers the most complete performance package in matrix printers.

- * 98.7 Dot Matrix
   * Spanido Characters
   * Adjustable Printhead, 1-6 Copies
   * 06 ASCII Character Set
   * Carinsley Ribbon
   * US Column Print Wolth
   * Tactor level If room to Bottom)
   * Non Volatile Format Retention

- Top of Form
  Horizontal Tabs
- Self Test X-on, X-off Paper Out Detection

Terminal Status Indicators
 Audio Alarm

The DS180 is available nationwide through our network of sales/service distributors.

 TSONDPRINTER STANDARD FEATURES
 OFTIONAL FEATURES

 • Microprocessor Control

 • Vertical Tabs

 • OCTIONAL FEATURES

 • SINCPSTPrintSpeed

 • Pertical Tabs

 • Oction

 • Sindipstematic generator

 • Pertical Tabs

 • Oction

 • Sindipstematic generator

 • Pertical Tabs

 • Oction

 • Biddipstematic generator

 • Pertical

 • Oction

 • Other Channel

 • Pertical

 • Other Channel

 • Pertical

 • Pertical

 • Other Channel

 • Anto

 • Other

 • Other

 • Stall

 • Stall

 • Other

 <td

124 34 25

20

15

10

PLAN

ACTLW

Now Available Nationwide **Through Participating COMPUTERLAND Stores** 

CORPORATE EFRECR

ROFIT



www.americanradiohistory.com

Circle 132 on inquiry card.



## Japanese Computers-

Lineiroptal Characters	40	80	40	80
Horizontal Characters				
Graphics Resolution	80 by 100	160 by 100	320 by 200	640 by 200
Color Resolution	40 by 25	80 by 25	40 by 200	80 by 200
Memory Required/Screen	1K	2К	8K	16K
Character Mode Usable	40 by 25	80 by 25	40 by 25	80 by 25
Character Matrix	8 by 8 pixe	ls	8 by 16 j	pixels
Maximum Pages	16	8	2	1
Memory Available to BASIC	29,546	28,522	22,378	14,186

RAM is taken up by the display; how much depends on resolution. Apparently, a separate 5-bit-wide memory that controls color parallels the main memory. In the highest resolution mode, each pixel (picture element) of the 640- by 200-pixel screen can be turned on or off individually, but only one color in addition to the background color is available to pixels in a given colorresolution cell. Thus, lines of different colors intersecting within one color-resolution cell take the color of the last line entered. This means that extremely high-resolution graphics are possible if you either restrict yourself to one color in addition to the background color or are very careful about where and how different colored lines intersect. If you are not careful, you get lines changing colors and "jaggies" along diagonal borders between areas of different colors.

As table 4 shows, you are also able to trade off resolution against the number of video pages, where each page may contain a different picture. Although it may take a relatively long time to draw a particular picture, it is possible to put separate pictures on separate pages and rapidly flip back and forth by switching pages. This feature could be useful for animation, games, storytelling, or graph and chart presentation.

#### **Peripheral Devices**

In addition to the display and light pen mentioned above, the system we evaluated included the Hitachi MP-3540 dual floppy-disk drive and MP-1040 dot-matrix printer. The connectors were well marked and designed so that they could not be inserted backward. Thus, it is nearly impossible to assemble the system incorrectly. We put everything together in less than five minutes without even looking at the manual. Hitachi, unlike some of the other manufacturers discussed here, included generous lengths of cable (more than three feet for each unit). The sockets for D-shaped connectors had wire ears that locked them in place so that they could not accidentally be pulled loose.

The dual 5¹/₄-inch floppy-diskdrive unit is reasonably compact, measuring 27 by 27 by 21 cm ( $10\frac{1}{8}$  by  $10\frac{1}{8}$  by  $8\frac{1}{8}$  inches), and unbelievably sturdy. The two drives are mounted vertically in a thick (1.65-mm, 0.065-inch) aluminum chassis that looks like it could withstand any abuse short of artillery fire. It weighs 11 kg (24 pounds).

Surprisingly, the disk drives are fan-cooled, even though the keyboard/processor unit is not. And, in addition to the power switch on the back, a "Motor" button on the front starts the drives spinning, independent of whether the processor is trying to read or write a disk. This might be useful if you have trouble centering disks when you put them in. A disk mounted on a rotating spindle tends to center itself.

The doors to the drive units do take a bit of getting used to. Instead of flipping a latch, to open a door you *push* the door in, and a spring pops it open. The springs are very firm, and you initially get the erroneous feeling that you are crunching the floppy disk.

The disks are soft-sectored and single-density, with 128 bytes per sector. With 16 sectors per track and 40 tracks per disk, each disk can store a total of about 80k bytes. The middle tracks on each disk are reserved for the directory.


The Disk BASIC supplied with the system supports both sequential and random-access files. Also, it has a command that permits you to write to a specific sector on a specific drive, irrespective of file status. (This could be a dangerous command; using it carelessly could wipe out files, or even the directory.)


The MP-1040 printer is remarkably quiet and quick, the latter due to the bidirectional motion of the print head that causes the characters to appear on the paper boustrophedonically. The MP-1040 is a bit wider than the disk unit, measuring 36.1 by 32.8 by 13.3 cm (141/4 by 13 by 51/4 inches), but its rubber feet are close enough together that it can sit on top of the disk drives if necessary. It can handle either fan-folded or rolled paper, either friction- or sprocket-feed, and can print not only Roman and katakana characters, but the more detailed hiragana characters as well. A rotary switch on the front panel allows the selection of 10 different form lengths, and push-button switches manually cause form and line feeds.

## BAYSTAR BRIGHTENS YOUR DATA.

You have the problem ... We have the solution .... The 5¼ Winchester Sub System. This new Day Star Sub System offers you reliability and versatility at a price you can afford. • 5¼-inch drives, with drives available in 4, 8, 12, or 16 megabytes. • Subsystems are available with 1 megabyte floppy backup. • This unit is available with or without case or power supply. • It interfaces to the S-100, TRS-80 Model II, TRS-80 Model III, Apple II, IBM Personal, Heath/ Zenith 89, N.E.C., Xerox 820 and soon to many others. • Intelligent controller using Z80B C.P.U. • The 5¼ Winchester has an on board addressable data buffer. • It features a D.M.A. (Direct Memory Access) when available. • It gives you power fail data protect. • The Winchester works with 115 or 230 VAC 50/60 C.P.S. • You can go from Winchester to floppy communications without C.P.U. assistance. • This small compact package unit gives you 625,000 (625K bytes) bytes per second data transfer.

Let Day Star brighten your data with their new 5¼ Winchester Sub System.






Circle 133 on inquiry card.



Japanese Computers.

## Fujitsu FM-8



**Photo 13:** The Fujitsu FM-8 computer. Shown here are the keyboard/processor module, color monitor, and two disk drives, all connected together with lengthy cables for ease of rearrangement. Other optional hardware includes a printer, modem, joystick, and Z80-processor card.

#### Update

At press time, we learned from Fujitsu that the company does not plan to sell in America the version of the FM-8 reviewed here. Instead, there is a strong possibility that Fujitsu will introduce an American version of the unit some time in the near future. With the Fujitsu FM-8 ("Fujitsu-Micro 8"), we were faced once again with the unenviable task of attempting to use a computer for which documentation is not yet available in an English version. (We first went through this when we obtained our original Japanese-version NEC PC-8001.) Fortunately, many technical terms in the manual are written in katakana or English. Therefore, we were able to decipher most of the salient features of the machine and obtain a fairly good working knowledge of it.

#### Hardware at First Look

The FM-8 computer system consists of three modules: keyboard/processor, 5¼-inch floppy-disk drives, and video monitor, as shown in photo 13. Unlike some of the other computers, however, they are connected with long cables that can be rearranged to fit available desk or wall space. A four-foot ribbon cable goes from the keyboard through a small interface box to the disk drives, and an even longer round cable with DIN connectors goes to the color video monitor.

#### **Keyboard and Controls**

The keyboard has 95 keys in all, including most of the familiar ones encountered already (10 function keys, numeric keypad, editing keys). It does have a few unique features, however. Three of the keys, the CAP (uppercase lock) key, the katakana key, and the INS key, have adjacent red LEDs to indicate their status.

The INS key toggles the computer in and out of insert mode. When in insert mode, characters can be inserted in the middle of lines, and the line is automatically shifted over to accommodate the new characters.

Two other interesting keys are the EL (erase line) key and the DUP (duplicate) key. The EL key performs the standard erase-to-end-of-line function, which is useful but not often found on a keyboard. The DUP key causes the contents of the previous line to be duplicated into the current line being typed, up to the next tab stop. In other words, hitting the DUP key will enter as many as eight characters from the previous line into the current line. This is useful, for exam-



## Turn your Apple into the world's most versatile personal computer.

The SoftCard[™] Solution. SoftCard turns your Apple into two computers. A Z-80 and a 6502. By adding a Z-80 microprocessor and CP/M to your Apple, SoftCard turns your Apple into a CP/M based machine. That means you can access the single largest body of microcomputer software in existence. Two computers in one. And, the advantages of both.

**Plug and go.** The SoftCard system starts with a Z-80 based circuit card. Just plug it into any slot (except 0) of your Apple. No modifications required. SoftCard supports most of your Apple peripherals, and, in 6502-mode, your Apple is still your Apple.

**CP/M for your Apple.** You get CP/M on disk with the SoftCard package. It's a powerful and simple-to-use operating system. It supports more software than any other microcomputer operating system. And that's the key to the versatility of the SoftCard/Apple.

Circle 280 on inquiry card.

**BASIC included**. A powerful tool, BASIC-80 is included in the SoftCard package. Running under CP/M, ANSI Standard BASIC-80 is the most powerful microcomputer BASIC available. It includes extensive disk I/O statements, error trapping, integer variables, 16-digit precision, extensive EDIT commands and string functions, high and low-res Apple graphics, PRINT USING, CHAIN and COM-MON, plus many additional commands. And, it's a BASIC you can compile with Microsoft's BASIC Compiler.

**More languages.** With SoftCard and CP/M, you can add Microsoft's ANSI Standard COBOL, and FORTRAN, or

Basic Compiler and Assembly Language Development System. All, more powerful tools for your Apple.

Seeing is believing. See the SoftCard in operation at your Microsoft or Apple dealer. We think you'll agree that the SoftCard turns your Apple into the world's most versatile personal computer.

**Complete information?** It's at your dealer's now. Or, we'll send it to you and include a dealer list. Write us. Call us. Or, circle the reader service card number below.

SoftCard is a trademark of Microsoft. Apple II and Apple II Plus are registered trademarks of Apple Computer. Z-80 is a registered trademark of Zilog, Inc. CP/M is a registered trademark of Digital Research, Inc.



Microsoft Consumer Products, 10700 Northup Way, Bellevue, WA 98004 • (206) 828-8080

#### At a Glance

Name Fujitsu FM-8

American Representative Fujitsu America Inc. 2945 Oakmead Village Court Santa Clara, CA 95051 (408) 727-4300

Dimensions (inches) 41/4 by 19 by 131/4

Microprocessors Two 8-bit 6809s, one 4-bit 8841

Size of User Memory 64K bytes

Number of Keys

Number of Function Keys

Standard Interfaces Analog input; RS-232C; expansion port; monochrome video monitor; RGB color monitor; printer Optional interfaces Z80 processor card; disk drives

Expansion Sockets 1 (for Z80 card): 1 for system bus

Character Sets Roman, katakana, graphics; optional: hiragana, Greek, Cyrillic, kanji

Graphics/Color Resolution 640 by 200

Number of Colors

Other Features Time-of-day clock: optional bubble memory

Prices (Yen Equivalent in Dollars) Y = \$3400 (entire system) Keyboard/processor Y = \$1035Color monitor Y = \$860Disk drive Y = \$1500Z80 expansion card Y = \$50

ple, if you have two lines in a program such as:

100  $A = C(I,J) + D(I,J) + 4 \times E(I,J)$ 110  $R = C(I,J) + D(I,J) + 4 \times E(I,J)$ 

Once you have typed line 100, you merely type "110 R=" and then hit the DUP key a few times to enter the rest of the line, which will be copied from the previous line.

The on/off switch for the computer is located under a hinged door in the upper right-hand corner of the keyboard. In our unit, there is nothing else under this door except a little niche that's just the right size for storing a bag of peanuts or a candy bar (to provide a little extra sustenance on those long nights of computing).

Fujitsu's engineers actually reserved this space to contain two optional bubble-memory-cartridge sockets. (We discuss bubble memory more in the review of the Bubcom80, coming up next.)

The back of the keyboard/processor unit contains jacks for several standard interfaces: floppy-disk drives, serial RS-232C ports and parallel printer port, color video monitor, monochrome video monitor, and audio-cassette tape. A DIN jack labeled ANALOG IN provides at least two analog input ports that can be read from BASIC or assemblylanguage software. These ports can

#### The Fujitsu FM-8's multiprocessor division of labor shows up in speed.

be used, for example, for connecting game paddles or a joystick. There is also a 10-position DIP switch for setting various default parameters such as data rate and parity format for the remote-terminal mode.

#### **Inspecting the Interior**


Inside the keyboard/processor module, several surprises await you. First, it has three microprocessors! Two are 8-bit 6809s, one serving as the central processor with the other dedicated entirely to handling videodisplay functions. The third one, a 4-bit microprocessor (a Fujitsu 8841), handles keyboard scanning. This division of labor means that the main processor is somewhat less taxed than in single-processor designs. This shows up in speed. The FM-8 was the fastest of the six computers reviewed here in a BASIC benchmark test that will be described later.

The main bank of random-access read/write memory is composed of eight 64K-bit memory chips, yielding 64K bytes. An additional 48K bytes of memory store the high-resolution video bit map composed of twentyfour 16K-bit chips.

Also taking up a significant area on the printed-circuit board (in the lower left-hand corner) are 16 integratedcircuit sockets, visible in all their bright-blue glory in photo 14. These were empty in our unit, but are intended to hold up to 16 ROM (readonly memory) chips. These ROMs provide the FM-8 with an amazing capability-an extra character set of 8500 characters! Approximately 8000 of these are Chinese-derived kanji characters; the remaining 500 include complete alphabets (uppercase and lowercase) of Cyrillic (used for Slavic languages, including Russian), Greek, Roman, and hiragana characters, plus some special symbols. Due to the intricate detail of the kanji pictographs, the auxiliary characters are formed in a 16 by 16 dot matrix, and are thus roughly twice the size of the ordinary characters. This character set is accessed from BASIC with the PRINT (x, y), A statement, where A is the hexadecimal address in ROM of the character desired; a table in the user's manual gives addresses for all the characters. Presumably, you could make your own ROMs containing characters for Arabic, Hebrew, APL, or whatever you like!

And if three microprocessors aren't enough, an optional Z80 processor card is available. It appears that this card is required to drive the alternate-

# Extraordinary Microcomputer Systems For The Most Demanding Applications



3

00

### Columbia Data Products' Performance Pleases The Hardest-To-Please.

#### intelligent Peripherals.

Columbia Data is a pioneer in Intelligent RS-232 storage systems for data logging-and store and forward data communications applications. We offer a variety of data storage capacities, access speeds, and microprocessor intelligence in our tape cartridge and floppy disk storage systems with the convenience of RS-232 system compatibility

#### Home Office:

## Home Officer 3901 MbcArmon on C 8990 Route 108 3901 MbcArmon on C Columbia MD 21045 Suite 211 Telephone 301-992-3400 Newport Beach, CA 92660 Telephone 301-992-3400 Telephone 714-752-5245 West Const:

Europe: PO Box 1118 4050 Moenchengladbach West Germany Telephone 021-61-33159

#### Commander Computers.

Our Commander Computers are integrated desktop systems for industrial, scientific, technical and educational applications. We provide the industry's largest I/O complement, including IEEE bus controllers, RS-232 and parallel interfaces, APU, CTC, 512 x 256 graphics display with dual Z-80A microprocessor architecture and a large selection of RAM. floppy disk and Winchester disk storage with CP/M* and MP/M* operating systems.

#### **Business Systems**.


Columbia Business Systems offer highperformance multi-tasking, multi-user computing systems for distributed processing and data communications. with large shared storage and peripheral selections. Our Concept 1000 can support up to 16 user stations in a true CP/M* and MP/M* operating system environment. Our 1500/1800 Series can support up to five stations.

COLUMBIA


DATA PRODUCTS, INC.

#### Circle 81 on inquiry card.

### Japanese Computers.



**Photo 14:** *Inside the keyboard of the FM-8. Visible in the lower left are 16 ROM sockets for the alternate-character-set ROMS.* 



**Figure 3:** An excerpt from the Fujitsu FM-8 Japanese-language tutorial BASIC manual, illustrating the ON...GOTO statement. The manual contains many such elegant and humorous drawings that are used to teach programming in BASIC.

character ROMs, but it apparently can be used as a general-purpose processor as well, since CP/M and other Z80 software are available for the FM-8.

#### **BASIC** Interpreter

Before we describe the software's capabilities, we want to praise whoever wrote the tutorial BASIC manual. Even though we could not read all of it (our edition is in Japanese), we were impressed by the simplicity and humor with which it teaches programming. (It is reminiscent of Roger Kaufman's A FORTRAN Coloring Book.) It is sprinkled liberally with good programming examples and amusing illustrations, like the one shown in figure 3, depicting the operation of various BASIC keywords. The other two manuals that come with the FM-8 (system-reference manual and BASIC-reference manual) also appear to be quite good (as far as we can tell).

The FM-8 dialect of BASIC (called FBASIC) is in many ways similar to some of the other BASICs reviewed here, supporting most of the same text, graphics, and I/O keywords as the others. It does have a few extra capabilities, however.

Of the graphics statements available, most notable is the CONNECT  $(x1, y1), (x2, y2), \dots, (xn, yn)$  statement. This statement draws a connected line segment through the points indicated, and can be used, for example, to draw polygonal outlines. Since most of the computers reviewed here have a polygon-fill command (PAINT), it is surprising that the FM-8 is the only one with a single command to draw an empty polygon (on all the others, you must use LINE commands in a loop to draw the line segments of the polygon). With the CONNECT command, it takes only two program statements to draw a filled polygon-you CONNECT it, then PAINT it.

Another unique keyword is SYM-BOL, which provides the FM-8 with the unique ability to write multiple-



#### VERSAbox

The only intelligent SPOOLER/BUFFER with an optional REAL TIME CLOCK interface/ display. For use with all Centronics parallel and RS-232C INPUT/OUTPUT interfaces.

VERSAbox's high-speed input combined with up to 60K buffer (more with character compression) frees up your computer from the slow job of printing. Moderns and other compatible devices can also be buffered. Multiple softwareselectable outputs permit you to choose between two or more VERSAbox outputs or use them simultaneously. You can buffer multiple inputs simultaneously too.

Add the optional REAL TIME CLOCK to VERSAbox and you get a six digit LED numeric time display. Your computer can read the time via the RS-232C port. Another useful option is the SWITCHED 120V SOCKET that can turn external devices on and off by clock control.

VERSAbox is supplied in an attractive, compact 11" wide, 8" deep, 3" high cabinet. Interface cables are available from your dealer or Prometheus. SPECIAL OFFER for Apple II owners: Buy a VERSAbox this month and you will receive a free parallel interface and cable.

VERSAbox, standard model with Centronics parallel INPUT/OUTPUT only and 16K buffer \$249.00 VERSAbox, with both Centronics parallel and RS-232C INPUT/OUTPUT and 16K buffer \$299.00 REAL TIME CLOCK option with DISPLAY add \$150.00 SWITCHED 120V OUTLET option add \$50.00 Additional 16K BUFFER MEMORY KITS

### PLUS VERSAbox FOR EVERYBODY

#### I. VERSAcard

Four cards on one for Apple II. (1) Serial Input/ Output Interface, (2) Parallel Output Interface, (3) Precision Clock Calendar, and (4) BSR Control. All on one card with TRUE SIMULTA-NEOUS OPERATION.

Before you buy Mountain Computer CPS or any other multifunction card, ask these questions:

Can Luse CP/M and Apple Pascal with NO disk modification?

Does it have interrupts?

Will I be able to read and set the year?

Does it have BSR control?

Can Luse DB Master? Ascii Express? VISI Dex? Easy Writer? WORDSTAR? Z-TERM PRO? VISITERM?....other software packages?

If the answer is YES to all of the above, then you're talking about VERSAcard and ONLY VERSAcard. And, the list price has been reduced by \$50 to **\$199.00** 

SPECIAL OFFER: Buy a VERSAcard and we'll sell you GRAFTRIX, a sophisticated screen dump graphics package, with \$25 off the regular list price of \$65 for only **\$40.00**.

THE STATES

#### II. AUTO-DOC

An automatic diagnostics system for your Appla Il computer. Get a complete check of your critical Apple hardware EVERY time you power-up.

AUTO-DOC saves TIME, ENERGY, and MONEY by identifying problems in your Apple before they make themselves known by sys tem failures. And, you don't have to remember to insert a disk. DOC automatically identifies system problems before you run your programs by doing extensive system diagnostics. If DOC finds a failure, it indicates the problem area and, in some cases, the specific chip or component that's responsible.

DOC includes a memory test, processor test, ROM test, and more. In addition, extensive disk based diagnostics are included for further test ing and subsystem checks for many popular peripheral cards.

AUTO-DOC is simple and easy to install. And once installed, DOC will always be there working AUTOMATICALLY everytime you power-up.

Can you afford to be without AUTO-DOC?

AUTO-DOC List Price \$99.00



PROMETHEUS PRODUCTS INCORPORATED 45277 Fremont Blvd. • Fremont, CA 94538 • (415) 490-2370

### Japanese Computers

size text. The syntax of the statement with all possible parameters is:

#### SYMBOL (x,y),string,x-scale, y-scale,color,rotation


The *x*- and *y*-scale factors cause the characters printed to be scaled in size (independently in each axis, if desired) and rotated (by multiples of 90 degrees). This is very handy for labeling graphs, for example.

To assist in programming, FBASIC has a MERGE command, which allows the combining of two or more programs from disk into one large program. Another command bears the somewhat whimsical name of UNLIST. We still aren't sure exactly what this does. Issuing the command UNLIST 50, for example, causes the program currently in memory to become unlistable starting at line 50.

Bubcom80

(It still runs normally, though.) Thus, it seems that the command might be similar to the SECURE command on the Canon CX-1. Unfortunately, there doesn't seem to be a way to undo an UNLIST.

Also quite useful is the ANPORT function, which reads an analog input port, does an 8-bit A/D conversion, and returns a value in a BASIC variable.



**Photo 15:** The Bubcom80's high-resolution monitor has a contour at the bottom that lets it fit snugly against the keyboard/processor enclosure. Slots in the top of the keyboard enclosure accept bubble-memory cartridges.

Bubble memories—are they the wave of the future or a vestigial remnant of a technological dead end? In the past year, three American manufacturers have pulled out of the bubble-memory business. On the other hand, several Japanese manufacturers are putting bubble memories into personal computers, either as standard equipment or as an option, in what may be either an attempt to stimulate a lackluster market or an anticipation of wonders to come.

A computer that offers bubble memory as a standard feature is the Bubcom80 (see photo 15), a Z80based machine developed jointly by Fujitsu, one of the Japanese manufacturers of bubble memories, and Systems Formulate Corporation, a company founded by former Fujitsu employees with that company's encouragement and blessing.

But bubble memory is not the only attraction of the Bubcom80. Let's take a look at some of its other virtues first.

#### Hardware

The main keyboard/processor module offers a remarkable collection of features for the price. It has all the features that are standard on the Japanese computers: separate numeric and editing keypads; user-programmable function keys; RS-232C serial interface; and Roman, katakana, and graphic input. It also

whole bushe

#### MODEL GB75© **Typewriter Interface**

Apple to IBM Electronic 50, 60, 75 Typewriters Interface Reads IBM keyboard in parallel with Apple keyboard Supports the IBM code functions using an escape sequence Types at about 13 characters per second Prints from Integer or Applesoft programs Supports the "Control | Number N" parallel line length mode sequence Has switch selectable upper/lower case I/O 60, 66, 78 continuous from feed page lengths, 40+video, 80, 95, 132 character line lengths

Suggested price \$225.00

#### TIMECARD III©

Multi-function time utility for the APPLE III computer system. Contains the year of the century, the month, the date, the day of week, the hour, the minute, the second, A countdown timer with a range of one millisecond to 999 hours, 59 minutes, 59 seconds, 999 milliseconds Selectable 12 or 24 hour time formats Diagnostic error reporting Fully compatible with the APPLE SOS operating system

\$195.00 Suggested price Circle 429 on inquiry card.

#### **MODEL 150 TYPE** AHEAD BUFFER

Up to 40 character type ahead capability Enter commands or data while your Apple Is processing previous instructions Compatible with all Apple computers, keyboards and software No cuts - no jumpers — no software patches required Includes complete instructions for quick and easy installation

Suggested price \$49,95

#### A800© FLOPPY DISK CONTROLLER

High speed DMA transfer of data (1 micro-second/byte) Documentation provided - includes theory of operation, schematics and diskettes Uses all standard Apple DOS commands (OPEN. CATALOG, LOCK, DELETE, LOAD, etc.) except for INIT which has been improved and enhanced in a Vista format routine Compatible with Apple DOS 3.3, Pascal1.1 and CP/M 2.2 (with the Z80 soft card by Microsoft) 2K x 8 PROM contains Autoboot functions and all eight-inch

loppy driver code allowing complete compatibility with Apple DOS 3.3

you have

one apple...

how get a

#### \$595.00 Suggested price **PROM DEVELOPMENT SYSTEM®**

Menu driven program development monitor 
Programs 2708, 2716, 2532, 2732and 48016 EPROMS Simulates PROM from RAM 4K 
Data and address interface for operator location and control Complete user documentation \$495.00

Suggested price

#### VISION 80

Full upper and lower case character with 3 dot descenders 9x10 dot matrix per line U.S. (9x11 Europe) ■ 128 ASCII character set ■ BASIC, FOR-TRAN and Pascal languages supported S Z801" and CP/M" comtible Compatible with all standard Apple" peripherals



Copyright 1981 Vista Computer Company, Inc. "Apple Computer Company, Inc.

Shift and lock for upper and ower case Source switches Between 40x24 and 80x24 software and hardware Rated #1 video card by Softalk and Call Apple

Suggested price \$395.00

#### VISION 40

Softscreen programmable character/generator card for the Apple II computer 
Allows use of DOS tool kit upper/lower case character sets in Apple 40 column mode 
Permits creation of new alpha/numeric and graphic characters under Aminatrix I Ideal for non-English language applications Compatible with most popular word processing software packages

Suggested price \$195.00

#### VISION 20

Cost effective Compatible with the latest Apple II Complete easy to follow installation guide = 120 day warranty Immediate delivery Suggested price \$29.95

1317 E. Edinger Santa Ana, CA 92705 (714) 953-0523 "Digital Research, Inc. Designed by Burtronia

### Japanese Computers

#### At a Glance

Name Bubcom80

#### Distributor

Systems Formulate Corporation, U.S.A. 231-E South Whisman Rd. Mountain View, CA 94041 (415) 969-7499

#### Dimensions (inches) 3% by 17% by 12%

Microprocessor Z80, 8-bit

Size of User Memory 64K bytes

Number of Keys

Number of Function Keys 8 definable, 8 defined

#### **Standard Interfaces**

RS-232C; audio-cassette tape; monochrome video monitor; RGB color monitor; printer; expansion bus; joysticks; two bubble-memory controllers Optional Interfaces Floppy-disk drives; high-resolution graphics

Expansion Sockets 1 (systems bus)

Character Sets Roman, katakana, user-definable graphics

Graphics/Color Resolution 160 by 100 (standard); 640 by 200 (optional)

Number of Colors 8

#### Other Features

Time-of-day clock with battery backup; speaker with music macroinstructions

#### Prices

Keyboard/processor \$1550 RGB color monitor \$1400 (with expansion box) Disk drive \$1275 (+\$450 for interface board)

offers a set of eight keys for singlekey entry of system commands (LABEL, FILES, INIT, STOP, CLS, EDIT, LIST, and RUN).

Connectors are included for both a light pen and joysticks. The numeric keypad, in addition to the 10 digits, includes a 000 key to facilitate the entry of large numbers. A loudspeaker can produce tones (with pitch manipulated by instructions written in a sort of sublanguage similar to the BMC's MML) to provide rudimentary music. And, of course, it has sockets for bubble-memory cartridges. One socket comes as standard equipment; the second is a \$175 option.

The keyboard enclosure is a little larger than the keyboard itself, measuring 44.5 by 10 by  $30.5 \text{ cm} (17\frac{1}{2} \text{ by} 3\frac{7}{6} \text{ by 12}$  inches). Except for a sheetmetal bracket on the rear, which houses the power supply, the enclosure is all plastic. Apparently, its interior has been sprayed with conductive paint to provide electromagnetic shielding. If you push in two plastic tabs under the front edge of the enclosure, you can tilt up the keyboard for access to the circuit board inside.

Space inside the case is understandably tight. The main printed-circuit board holds the Z80 microprocessor and associated circuitry, 64K bytes of main memory, the read/write mem-

#### Bubble memory is not the only attraction of the Bubcom80.

ory for the user-definable graphiccharacter set, a counter-timer integrated circuit, various interface chips, and some rather large custom integrated circuits, whose function we are unsure of. A small area (about 2.5 by 7.5 cm, 1 by 3 inches) of largely unused plated-through holes in the board is something that an ambitious user might be able to use for patches or custom circuitry.

Three other circuit boards are

suspended from the keyboard backplane. Two of these are attached to sockets for the bubble-memory cartridges; the third contains circuitry that we assume scans the keyboard and/or operates the bubble memory. One of the mystery circuits on the board is an 88-pin monster with two rows of pins along each side of a square package.

#### Software

The Bubcom80 can use nearly all 64K bytes of its memory-address space for read/write memory because, aside from its bootstrap loader, no ROMs for a BASIC interpreter or an operating system are taking up address space—you must boot the system by loading the operating system and interpreter into user memory either from bubble memory or from cassette tape or disk storage. This, of course, gives more software flexibility than the ROM BASICs-a sophisticated user who wants to run assembly-language programs or some language other than BASIC need not sacrifice address space to a BASIC interpreter.

The system we tested came with two versions of BASIC. The standard BASIC, which apparently does not support some of the high-resolution graphics features, left 29,710 bytes of memory free; the extended BASIC, which does support the high-resolution graphics, left 23,610 bytes of memory free. The system specifications indicate that the CP/M operating system will also be available for the Bubcom80, although we did not have a copy.


The extended BASIC (yet another Microsoft product) has several particularly useful keywords (see table 5).

The most notable one is MENU—a real boon to anyone who wants to write programs with menus for selecting options. It allows a program writer, with a single statement, to display a menu of labels anywhere on the screen. When the statement is executed, the labels are displayed on the screen and the cursor blinks on the bullet in front of the first menu item.

## Good Company for a Hard Disk

Hard disk usage is starting to boom. Computer owners are demanding instant output and more flexibility in order to take advantage of today's advanced computers.

Great Plains Software, in anticipation of these growing needs, created a comprehensive hard disk accounting/management system for progressive businesses who expect to grow.



Immediate response at your fingertips – a complete data base of every journal entry posted during fiscal year, CRT display of accounts payable, accounts receivable, customer and vendor records. Other features include budgeting, payroll, inventory, plus much more. Great Plains Software systems expand with your company. Built-in password keeps all information private and confidential. Documentation manual includes easy to follow step-by-step procedures. Screen display/ manual cross reference simplify operation.

Great Plains Software is designed specifically for businesses requiring in-depth results today and anticipate a growth potential in the future.

Your computer store has the details on Great Plains' advanced hard disk software systems – or for personal service, call (701) 293-8483.

#### OVERALL

- Password privacy system standard
- Written in UCSD Pascal*
- Hard disk oriented
   *TM UC Regents

#### TM OC Reger

- G/L - All entries on line entire fiscal year
- Flexible format financial statements
- Comparative income statements A/R
- Up to 9999 customers
- Profit by customer, customer type, salesman and state
- Open item or balance forward
- Instant screen inquiry
- Automatically posts to G/L

- A/P - Up to 9999 vendors
- Instant screen inquiry
- Automatically posts to G/L PAYROLL
- Up to 9999 employees
- Up to 25 deductions per
- employee - Withholding computed
- Prints W2, 941 & checks

#### INVENTORY


- FIFO, LIFO, standard cost, weighted moving average or serial number valuation
   5 price levels per part
- Concise report including profit by part and line
- Point of sale "cash register" program included

Advanced Software Systems for Today and Tomorrow



Great Plains Software 123 15th Street N., Fargo, N.D. 58102 (701) 293-8483 Circle 187 on inguiry card.

## Japanese Computers-





**Photo 16:** The Bubcom color-console/expansion box has slots for four 30.5-cm (12-inch) circuit boards.

If you hit the oversized RETURN key, the program branches to the subroutine or address associated with the first label; if you hit the space bar, the cursor drops down to the next label on the menu. Hitting the space bar when the cursor is in front of the last item on the menu sends it back to the first item on the list.

The BC834 console color video display with expansion box, shown in photo 16, is a bit expensive, but it offers more than most displays. The 40.6- by 40- by 37.5-cm (16- by  $15^{3}$ - by 14³/₄-inch) high-resolution color CRT (cathode-ray tube) sits directly above the expansion box, which connects to the system bus and contains slots for four 30.5-cm (12-inch) circuit boards.

The back of the console has something more computer manufacturers should provide: a switched set of four AC power outlets. Thus, you need not hunt around for extension cords and spare outlets to handle your computer and all its peripheral devices. You plug one cord into the wall and plug everything else into the switched outlets. You can then turn all components on or off together with a single switch.

The bottom front of the BC834 is recessed so that the keyboard/processor module can nestle snugly under the screen. In fact, it *must* fit snugly; the flat cable that connects the expansion unit to the back of the keyboard is no more than 7.5 cm (3 inches) long. This makes the system very difficult to plug together; you need skinny fingers and lots of patience to place the edge connector correctly and push it home.

Both the high-resolution graphics board and the floppy-disk-controller

board go into the expansion box. While the connections to the floppydisk board are straightforward, the connections to the graphics board are a little bit complicated-the graphics board plugs into the system bus in front and has two unmarked DIN connectors that poke out through holes in the back of the box. To install the board, you must run one cable from the back of the keyboard to the input DIN connector on one side of the graphics board and run another cable from the output DIN connector to the display input. A few labels on the connectors would be very helpful; as it is, you cannot connect the system correctly without consulting the diagram in the user's manual.

Without the high-resolution board, the processor's output can be connected directly to the display input. This mode of operation provides a graphics resolution of 160 by 100 pixels.

With the extra display memory on the high-resolution board, the resolution is 640 by 200 pixels, and the color of each pixel can be specified individually. The high-resolution display is organized as three separate conceptual planes, one each for red, blue, and green. When you clear the high-resolution screen, the three planes are erased sequentially, rather than simultaneously. The effect can be startling.

The main processor memory provides for a fourth character plane, which allows text to be displayed on top of the graphics plane; the text can be written, scrolled, or erased without disturbing the picture drawn on the graphics plane and underneath. Thus, you can list a graphics program on top of the display it creates to compare cause with effect.

Graphics keywords include PAINT, LINE, and CIRCLE, and a graphics macro language similar to that of the BMC is provided. Some of the graphics operations proceed slowly, particularly the PAINT routine. But the display is bright and luminous—figures drawn against a black background appear to float in space.

## New direct-connect MODEM Microboard.

#### Auto-dial, auto-answer RCA MODEM Microboard adds data communications to your board-level computer system.

You don't need a separate modem when you use the new CMOS Microboard MODEM with your board-level computer system.

Just plug it into the Microboard Universal Backplane, connect it to your phone line, and you're ready to transmit or receive data.

FCC-approved for direct connect to phone lines, the CDP18S653

provides auto-originate and autoanswer modes for unattended operation. Other features include:

- 300 baud FDX or 1200 baud HDX operation
- Touch-tone or pulse dialing
- Dial-tone and busy-tone detection for tandem dialing
- Busy-tone detection permits
   repeated dialing

## Ideal for any remote data acquisition applications.

 St connect
 Because our MODEM Micro-sales offic

 6653
 board offers you the CMOS benefits
 distributo

 RCA Solid State headquarters; Somerville, NJ, Brussels, Sao Paulo, Hong Kong,
 Anno Kong,

of low power and -40°C to +85°C operation, it is the ideal solution for gathering data at remote locations.

And the MODEM is supported by our large and growing family of CMOS Microboard products and development systems.

So if you want to turn your phone into a data communications center, pick it up right now and call (800) 526-3862.


Or contact any RCA Solid State sales office, representative or distributor.

Circle 292 on inquiry card.

Just connect "Old Reliable's" MODEM Microboard to your phone line, and you're ready to transmit and receive data.



## Japanese Computers



**Photo 17:** Each Bubcom bubble-memory cartridge holds 32K bytes. The white slide is a write-protect key.

#### Floppy-Disk Storage

The Bubcom80's floppy-disk drive, unlike the others reviewed here, uses double-sided IBM-format softsectored 8-inch floppy disks. Each disk can hold a whopping 1.2 megabytes, and if one drive is not enough, up to three more can be daisy-chained to the first one. But in spite of its capability, the vertically mounted drive unit takes remarkably little space—it is only 18.4 cm wide, 36.8 cm high, and 40.6 cm deep (7¼ by 14½ by 16 inches).

Curiously, a battery-backed-up real-time clock is on the diskcontroller board. (When we started the system, the Bubcom80, like the BMC, displayed the correct time, but it was set for the Tokyo time zone.)

#### **Bubble Memory**

What about the bubble memories?

How do they work and what do they do?

The bubble-memory cartridges, shown in photo 17, are black plastic rectangular packages about the size of a small match box-6.0 by 4.5 by 2.0 cm (1.8 by 2.4 by 0.8 inches). On each one is a little white plastic slide switch that can be used to writeprotect the data on the front of each cartridge; a black plastic window at the bottom front of the cartridge covers the metallic contacts on the bottom and slides out of the way when the cartridge is shoved into one of the sockets. You release the cartridge from its socket by pushing a lever on the side of the socket.

Inside each cartridge, circuitry creates magnetic domains—bubbles —and moves the patterns of bubbles along circular loops. The data cannot be accessed in a completely random fashion, in the way that data in main user memory is. To reach bits at the far end of a loop, you must cycle the intervening data past the read element, just as you must pass over sectors 1 through 15 before you read sector 16 on a disk. But because there is virtually no inertia to overcome when moving the bubbles, the average access time needed to read or write a given set of data is much less for a bubble cartridge than for a disk. (For more information, see A. I. Halsema's article "Bubble Memories: A Short Tutorial," June 1979 BYTE, page 166.)

Since the bubbles remain intact in the medium when power is removed, bubble cartridges can be removed and stored just the way disks can. The bubble cartridges supplied with the Bubcom80 machine we evaluated each hold 32K bytes of data, but Fujitsu, the manufacturer of the cartridges, promises that 128K-byte cartridges will be available in a year.

From the user's viewpoint, the bubble cartridges act just like disks. The software pretends that the two bubble-memory controllers are disk drives 1 and 2; the disk drives are considered drives 3 through 6. All the BASIC commands for disks, LOAD, SAVE, OPEN, CLOSE, etc., work the same for the bubble memories.

Two LEDs, labeled BUSY and READ ONLY, tell you when the bubble memory is in operation and when you are trying to write to a cartridge that is write-protected. The most noticeable difference is the speed of operation. Because there are no motors to start and bring up to speed, and no heads to move, the bubble memories are much faster.

#### Why Use Bubble Memory?

One disadvantage of the bubble cartridges is the price, currently \$175 for a 32K-byte bubble cartridge; standard BASIC in a bubble cartridge costs \$200, as opposed to \$25 on cassette tape and \$50 on an 8-inch floppy disk. Whether the prices come down substantially will undoubtedly depend on how widely used bubble memories become. On the other

# Your guide to the world of microprocessors.

## **The Micro-Professor**TM - A low cost tool for learning, teaching and prototyping.

Here in one attractive package and at a price of only \$149.00 is a Z80* based microcomputer to lead you step by step to a thorough knowledge of the world of microprocessors.

The Micro-Professor is a complete hardware and software system whose extensive teaching

* Z80 is a trademark of Zilog Inc.

MCRO-PROF

manual gives you detailed schematics and examples of program code. A superb learning tool for students, hobbyists and microprocessor enthusiasts, as well as an excellent teaching aid for instructors of electrical engineering and computer science courses.

But the Micro-Professor is much more than a teaching device. With it you can do breadboarding and prototyping, designing your own custom hardware and software applications with Z80, 8080 and 8085 compatible code.

The standard 2K bytes of RAM is expandable to 4K, and the standard 2K bytes of ROM can be increased to 8K. All this plus a built-in speaker, a cassette interface, and



Multitech Electronics Inc.

sockets to accept optional CTC/PIO. Bus is extendable.

As well as being an exciting learning tool, the Micro-Professor is a great low-cost board for OEM's. Call for details.

#### SSB-MPF Speech Synthesizer Board \$129

vocabulary of up to 400 words based on the TMS 5200 chip.

#### EPB-MPF EPROM Programming Board \$169 For all + 5V 1KB/2KB/ 4KB EPROMs.



Read/Copy/List/Verify Capability.

**BASIC-MPF Tiny Basic** \$19 2KB BASIC interpreter with hardware control capability. Machine-code subroutine accessible.

Circle 296 on inquiry card.

Call MPF-1 SSB-MPF Speech Sy EPR-MPF EPROM Pro

Shipp

In U.S. and Canada mail to:

Multitech Electronics Inc.

195 West El Camino Real

Elsewhere (800) 538-1542

California Tel. (408) 773-8400

Sunnyvale, CA 94086

## I'm ready to enter the world of microprocessing

toll free to	free to order.						
	Price	Oty.					
Micro-Protessor	\$149.00		ŀ				
nthesizer Board	\$129.00		I				
, gramming Board	\$169.00		ľ				
BASIC-MPF	\$ 19.00		I				
ng and Handling	\$ 4.95						
California residente	seles hhe a	tax					

1.95 4.9 sales tax TOTAL

Outside of North America mail te: Multitech Industrial Corporation 977 Min Shen E Road, 105 Taipei, Taiwan, ROC Tel, 02-769-1225 TWX 19162 MULTIIC, 23756 MULTIIC

and a	State	o D Vis	Check or mone rder enclosed a 🗌 Mastercharge
	1	Card No.	Expire
100	/	Care no.	copila
	Signature		e-prio
Na	Signature ame (Please Print)		eshi a
Na Address			C.p.r.c

### Japanese Computers-

hand, the bubble-memory controllers are much cheaper than disk drives.

The greatest advantage of bubbles over disks is the shorter data-access time. Then, too, in certain environments—abrasive, dusty atmospheres, for example—bubble memories could be expected to be much more reliable than disks. Thus, certain applications exist even today where the bubbles might be preferred to disks. Whether bubble memories will replace disks in more widespread applications depends on how quickly and how far their prices drop. Nevertheless, the Bubcom80 remains an interesting adventure into this new technology.

## Comparisons

Test	if800 (MBASIC)	if800 (Oki BASIC)	Canon	NEC	Bubcom	Fujitsu	Hitachi
1. FORNEXT	9.7	9.7	15.5	9.4	12.5	.9	2.8
2. 10 REMs	46.3	22.1	21.5	27.8	30.2	24.0	26.9
3. IF A>B	22.3	23,4	32.8	28.9	30.3	24.2	35.8
4. A + B	23.5	25.1	28.2	25.9	32.4	27.7	40.6
5. A+B	28.9	32.8	47.2	32.3	42.5	30.3	49.8
6. A/B	34.4	40.6	1:15.1	40.8	52.5	38.4	52.0
7. A1B	2:49.3	3:52.2	15:57.6	3:17.5	4:57.1	2:14.8	4:15.7
8. SIN(A)	1:26.0	1:50.0	5:55.2	1:43.0	2:23.5	1:15.3	2:11.1
9. LOG(A)	:32.3	:56.7	0:25.0	:30.	2:35. <b>6</b>	a 1:08.4	1:56.9
10. ONGOTO	22.2	23.4	24.6	20.8	30.2	21.1	30.1
11. GOSUB	18.6	15.	7.5	15.	19.9	4.8	1.8
12. INT	23.3	25.0	24.8	25.3	32.4	25.8	35.9
13. MID\$	25.3	29.8	31.0	30.2	38.3	28.4	41.4
14. RND	29.6	33.5	2:04.0	31.7	43.5	26.4	43.8
15. CHR\$(X)	21.0	21.6	24.4	21.7	27.9	19.8	32.0
16. Sieve	2:44.5	2:56.7	2:35.3	2:44.5	3:48.9	3:10.0	4:51.8

**Table 6:** Results of the benchmark comparison of the six Japanese computer systems. The tests were run twice on the BMC if800, once with each BASIC interpreter. The simple operations in the left column were repeated 5000 times; the prime-number-finding sieve was the most complicated algorithm in the test.

This completes our individual summaries of the features of the six Japanese computers.

But what about performance comparisons, especially speed of program execution? How fast do they execute the same BASIC program? Since execution speed depends on many different things, such as the type of microprocessor, clock rate, and efficiency of the language implementation, it is not easy to predict how a system will perform in this respect.

To compare these six computers, we ran a comprehensive set of 16 benchmark programs. The results of these comparisons are shown in table 6. Each benchmark tests one feature of BASIC, typically using a program to do 5000 iterations of a simple operation (such as C = A * B). The only exception to this pattern is benchmark 16, which is a program to find all prime numbers less than 10,000 using a simple sieve algorithm.

Without attempting to draw too many conclusions from these data, we can safely say that the Fujitsu FM-8 is the fastest of the computers, followed closely by the BMC if800. This is not surprising because of the FM-8's multiprocessor architecture. The Canon CX-1 is usually the slowest of the six, except in a few cases where the Hitachi is slower.

Additional data for comparison can be found in the "At a Glance" boxes accompanying this article. Data on the floppy-disk drives appears in table 7 on page 102.

#### Conclusions

The Japanese penchant for high quality and flexibility is readily apparent in these computers. The keyboards are durable and have many keys (usually including programmable ones). The video displays are either green-phosphor monochrome or color RGB- (red, green, blue) input monitors for crisp 80-column displays. The standard BASIC interpreters have many language extensions for supporting peripheral devices and usually contain a few abilities not found in most computers.

## NOW-Fully Transparent Mass Storage Systems For Your Personal Computer.



## Transparent Operation—Visible Results.

The graymatter is available in 5, 10, 15 & 20 Mbyte storage systems: Contact Your Local Computer Dealer for more Information.

**Distributed by:** 

The

Professional Integration 2701 Saturn Street, Brea, CA 92621 (714) 524

## Japanese Computers

5¼ 2 2	5¼ 2 1	5¼ 2	5¼ 2	8 1
2	2 1	2	-	1
_	1	4		
		1	2	2
?	39	34	39	76
?	16	16	16	26
?	128	256	?	?
)k 320k	81k	139k	328k	1.2M
applicable	.\$1354	\$1295	\$1500	\$1275
	? k 320k	? 128 k 320k 81k	? 128 256 k 320k 81k 139k	? 128 256 ? k 320k 81k 139k 328k

**Table 7:** Comparison chart of the six units' floppy-disk systems. Some specifications were not known at the time of this writing.


Prices for these computers may seem a bit high, and they would seem higher still if we factored in import and export costs and a less favorable yen/dollar exchange rate. But you must remember that these prices include many capabilities (both hardware and software) that are not standard on most American computers. All these machines, for example, have user-definable function keys and full numeric keypads, in addition to the standard typewriter keyboard. Most of them have simple commands that allow them to serve double duty as a remote terminal for another computer. This should be considered when comparing these machines to other currently available personal computers.

The six computers have a 50/50 split between use of the 6809 and Z80 microprocessors. The Fujitsu FM-8 uses three microprocessors (two 6809s plus a 4-bit 8841). Thus, it has an inherent speed advantage over most of the others. Otherwise, neither the 6809 nor the Z80 machines have a clear-cut speed advantage.

While individual system modules are all well designed, at least some of the manufacturers have paid inadequate attention to how the components fit together. Cables are too short, connectors are difficult to insert and remove, and the systems will not readily fit onto a crowded desk top or laboratory bench. Not everyone wants the display directly behind and above the keyboard. Because most of the BASIC interpreters (all except Canon's) were written by Microsoft, the versions of BASIC are very similar. It is nevertheless noteworthy that many keywords and features not found in most American machines are common to all Japanese computers. (An exception is the new IBM Personal Computer, which has a Microsoft BASIC system that resembles the ones in the Japanese machines.)

Although we have not really addressed the problem here, it is apparent that one major problem the Japanese manufacturers will have to address in penetrating the American market is documentation. Most Americans have experienced the atrociously translated instructions that come with many cheap Japanese toys and consumer goods, and they are likely to be very critical of instructions that are badly translated or confusing. Money allocated by the manufacturers for producing polished translations of software and hardware manuals would be well spent.

Will Japanese personal-computer manufacturers gain a significant portion of the market in North America? It's anybody's guess. Their prices may be slightly high, but they offer quality, along with a mix of features not found in domestically produced machines. And, as the automakers found, entrenched American competition may not be a significant impediment.



## LETTER-PERFECT PRINTER DOUBLES AS DATA CRUNCHER.



Print two ways...correspondence quality and high speed data processing. Now priced under \$2000!

The new T-1805 dual purpose serial printer uses a unique 40 x 18 matrix dot pattern for high quality correspondence printing; or, flip a switch, it uses a 7 x 9 matrix for high speed data processing printing. In the high speed mode, it generates reports at time-saving throughput rates reaching 200 lines per minute. In the reduced speed correspondence mode, its pivoting print head lays down overlapping dots to create a letter-perfect character that looks like it came from an office typewriter.

The T-1805 is the latest evolution in the popular and proven T-1000 series of serial printers. As such, the

T-1805 offers the same quality construction, high reliability, ease of operation and operator conveniences. Plus, for the benefit of the office crew, the T-1805 is exceptionally quiet. Its 53 dbA noise level ranks it as the quietest impact printer on the market.

There's much more to tell, so visit or call your Mannesmann Tally sales outlet today.

Mannesmann Tally, 8301 South 180th Street, Kent, WA 98031. Phone (206) 251-5524.

## Printers for the long run.





## TO BECOME THE LEADER IN TERMINALS, TELEVIDEO HAD TO GIVE YOU MORE. WE'RE STILL GIVING YOU MORE WITH OUR NEW SMALL BUSINESS COMPUTERS.



www.americanradiohistory.com

In three short years, TeleVideo became the number one independent supplier of CRT terminals in a very competitive marketplace.

We did it by designing and building terminals with more performance, reliability, features and functions than the competition.

But at a lower price.

Now TeleVideo has entered the even more competitive microcomputer marketplace. And we intend to repeat that success with the same basic philosophy:

By providing big system performance and features. And TeleSolutions — a hardware/software package that includes word processing and financial planning software programs.

For a price lower than many of the low performance personal computers.

#### TELEVIDEO'S TS 802 AND TS 802H. THE COMPUTERS THAT GIVE YOU MORE.

The TS 802 is TeleVideo's lowest priced computer.

Yet it gives you many more of the important features found only in larger computers costing much more. • Like modular design for easier

maintenance.

• High speed Z80A microprocessor with 64K bytes of RAM main memory —enough memory to handle most business applications.

• The CP/M operating system, which is included at no additional cost to give you access to more microcomputer software programs than any other operating system.

• An upward growth path through a unique multiple processor, building block architecture.

• Dual 5¼ inch double density diskettes with a million bytes of unformatted storage capacity.

• A high resolution, non-glare video screen with detached keyboard — just two examples of our innovative, ergonomic computer design.

• Two R232C serial ports for a printer and modem

• And a high speed port for plug-in expansion to a larger multi-user, multitasking TeleVideo computer system.

But suppose you need more storage. TeleVideo's next model up, the TS 802H, gives you all the same features of the TS 802. But instead of two floppy diskettes, it uses one floppy diskette and a 5¼ inch Winchester hard disk to give you 10 million bytes of unformatted storage capacity – 10 times the storage for only twice the price of the TS 802.

#### COMPUTERS THAT GROW AS YOUR NEEDS GROW.

The TS 802 and TS 802H are more than just single-user, stand alone computers.

When it's time to expand, simply plug them into TeleVideo's more powerful TS 806 or TS 816 multi-user, multi-tasking systems. The TS 802s then become intelligent, fast response satellite stations.

And because each has its own CPU, there's none of the degradation of throughput and contention for a single CPU that slows down the typical shared system. Each user maintains full processing capability in a shared file environment.

With TeleVideo, there's no obsolescence. Because of the unique multi-CPU architecture and TeleVideo's multi-tasking software, the TS 802s do not have to be replaced as your data processing needs grow.

#### TELESOLUTIONS.™ THE SOFTWARE PACKAGE THAT GIVES YOU MORE.

Instead of offering you just a business microcomputer, TeleVideo is offering a computer and software package called TeleSolutions. And instead of

offering you just any software, TeleSolutions offers you the most popular, most versatile software: MicroPro's[®] word processing WordStar™ and business

planning CalcStar.™ Whether you own a small business, manage a department in a company, or are your organization's DP manager, the combination of TeleVideo computers with WordStar and CalcStar gives you the quality text editing and financial planning help you'll need. If you do require more software, our CP/M operating system allows you to choose from the widest variety of microprocessor software.

When you buy either the TS 802 at \$3,495* or TS 802H at \$6,995; Tele Video includes WordStar and CalcStar for a special price of \$500 a savings of nearly \$300.

#### **WORLDWIDE SERVICE.**

TeleVideo's small business computers are serviced by a professional nationwide service network, and distributors in the U.S. and in 27 countries abroad.

#### THE BETTER BUSINESS SOLUTION? PROVE IT TO YOURSELF.

Before you begin evaluating business computers make a list of what you'd like one to do for you. Then bring that list to one of TeleVideo's computer dealers throughout the world. Sit down at a TeleVideo® computer. Study the TeleSolutions Package. Even try another computer. Compare the features, the functions, and the performance.

And compare the price.

We don't think you'll find a better business solution than TeleVideo and TeleSolutions.

For more information call toll free 800-538-1780.



TeleVideo Systems, Inc. Dept.#610A 1170 Morse Avenue Sunnyvale, CA 94086 Please send details on TeleVideo computers and TeleSolutions to:
NAME
TITLE
COMPANY
ADDRESS
Сіту
STATE ZIP
PHONE # ()

TeleSolutions[®] is a trademark of TeleVideo Systems, Inc WordStar[®] and CalcStar[®] are trademarks of MicroPro International Corporation. CP/M is a registered trademark of Digital Research Inc

CP/M is a registered trademark of Digital Research Inc *Prices are suggested retail excluding applicable state and local taxes – Continental U.S.A., Alaska and Hawaii

#### Circle 410 on inquiry card.

Northeast Region 617/369-9370, Eastern Region 212/308-0705, Southeast Region 404/447-1231; Midwest Region 312/969-0112, South Central Region 214/258-6776, Northwest Region 408/745-7760, Southwest Region 714/978-6038, European Sales (Holland) 31-075-28-7461

## Japanese Computers_

## Japan Update

## The semiannual Consumer Electronics Show is on its way to becoming a showcase for new computer products.

The Japanese, formidable competitors in many U.S. and foreign markets, are making great headway into our domestic microcomputer industry. While a large percentage of components of American-made microcomputers are made in Japan, few microcomputers up until now were actually manufactured by

#### Mark Haas Managing Editor

Japanese companies in Japan. This situation is rapidly changing, however. At the Consumer Electronics Show, held in Las Vegas in January, I previewed several new Japanese entries into the United States market by Casio, NEC, and Toshiba. Some companies were featuring soonto-be-available machines; others were




**Photo 1:** Casio's FX-9000P personal computer was finally introduced at the January Consumer Electronics Show. Using a Z80 look-alike, the basic unit comes with 12K bytes of ROM and one 4K-byte CMOS RAM pack with battery backup. RAM is expandable to 32K bytes, and a 16K-byte dynamic RAM pack is also available. The button-type keyboard contains only 67 keys but allows one-key access to many scientific and statistical functions. The printer is manufactured by Epson.

just offering a taste of what they'll be showing at next month's National Computer Conference in Houston. (For an extensive report on what the Japanese are up to see "Six Personal Computers from Japan" by Christopher P. Kocher and Michael Keith, page 60, in this issue.)

#### Casio's FX-9000P

Casio has finally released its FX-9000P personal computer (see photo 1) which is based on a Z80 look-alike microprocessor. Running at 2.75 MHz, Casio's proprietary processor is in a rather unique environment. Casio partitioned the user-memory area (32K bytes maximum) into 10 sections. The philosophy behind this decision is related to the way memory is physically added to the machine: in 4K-byte CMOS (complementary metal-oxide semiconductor) RAM (random-access read/write memory) packs with three-year battery backup. You can write programs to a RAM pack and interchange packs for different applications. While this may sound like a useful way of storing programs, keep in mind that each 4K-byte RAM pack costs \$189. Compare this to the Bubcom80's \$175 bubble-memory cartridges, each capable of holding 32K-bytes indefinitely, in a much smaller package.

The FX-9000P uses a button-type keyboard and is limited to 67 keys.



## SYSTEM BUILDERS: THINK SOLID. THINK PRICE. THINK CCS.

Each month, CCS produces, tests, and ships over 3,000 board-level building blocks. About ten come back for repair. And we're working on that.

## Built like a commodity. Priced like a commodity.

Volume means we keep our prices down. Low prices and reliability mean our customers keep coming back for more.

#### High performance that works.


You get all the performance that most systems want. Benchmarks prove it. You get the reliability and low price that all systems *need*.

#### S-100 in quantity.

Whether you want to add capability to an existing S-100 system, or build a system from scratch, chances are you'll find a solution in the CCS product line.

Call or write for the CCS S-100 product catalogue.

- 16K STATIC RAM
- 32K STATIC RAM
- 64K DYNAMIC RAM
- SERIAL I/O
- PARALLEL I/O
- FLOPPY DISK CONTROLLER
- HARD DISK CONTROLLER
- Z80[®] CPU
- PROTOTYPING BOARDS
- MOTHER BOARDS
- MAINFRAME / POWER SUPPLY
   Z80 Is a registered trademark of Zilog Corporation.




#### California Computer Systems, Inc.

250 Caribbean Drive Sunnyvale, CA 94086 408 734 5811 Telex 171959 CCS SUVL

Circle 65 on inquiry card.

### Japanese Computers



**Photo 2:** NEC's PC-6000 computer system was introduced recently in Japan and may be brought to this country soon. Shown here is the PC-6001 computer, the Touch Panel graphics tablet, and the data-cassette recorder. The keyboard on the unit shown is of the button type and allows use of an overlay, but NEC is contemplating the use of a keyboard similar to the one used on the PC-8001 before the PC-6001 is introduced into this country. The Touch Panel, expected to sell here for less than \$200, would mark a breakthrough in low-cost graphic input devices.



**Photo 3:** A close-up view of the PC-6001 as shown at NEC's suite at the Riviera Hotel in Las Vegas. Though the keyboard is of the button type, the feel was very good and not at all toy-like. The gray area surrounding the keyboard is a removable overlay which is very useful in applications where it is necessary to redefine the keyboard. ROM packs can be inserted in the right side of the case, and the speaker opening is visible at the upper left-hand corner of the case. Both the style and layout of the keyboard may change before introduction of the PC-6001 into this country.

The display provides only 16 lines of 32 characters in the text mode but offers 256 by 128 dots on the  $5\frac{1}{2}$ -inch video display in the graphics mode. The basic unit comes with one 4K-byte CMOS RAM pack, 12K bytes of ROM (read-only memory), and a 4K-byte video RAM.

The FX-9000P includes in its BASIC language many engineering and statistical functions and boasts an accuracy of 12 significant digits. Trigonometric and hyperbolic functions, as well as standard-deviation and correlation-coefficient functions, are built in and can be accessed with single keystrokes. Powerful graphics commands let you easily plot points, lines, curves, and quadrangles, which are useful for a graphics representation of business and scientific data.

Two option boards provide expansion capabilities. The OP-1 (\$379) attaches to the lower rear of the mainframe and contains a cassette-tape interface, clock, alarm, and calendar logic with battery backup, a character printer interface, and a graphics printer interface. Casio designed the graphics printer interface to connect with the Epson MX-82 (an enhanced version of the MX-80 which costs \$1295) and the character printer interface for a yet-to-bereleased exclusive character printer. The cassette interface operates at 300 bits per second (bps).

The OP-2, when released, will enable the FX-9000P to access two single-sided, double-density disk drives and will contain the disk operating system (DOS). The system includes an RS-232C interface.

Prices for the FX-9000P start at \$1199. The 4K-byte CMOS RAM packs are \$189, and a 16K-byte dynamic RAM pack is available for \$129.

#### NEC to Introduce the PC-6000?

NEC displayed its PC-8000 computer system publicly at the show, but in its hotel suite, I had a private viewing of the PC-6000 system (see photo 2). Recently introduced in Japan, the PC-6001 is obviously aimed directly at Radio Shack's Color

Computer and Commodore's VIC-20 markets. It contains NEC's version of the Z80 microprocessor, 16K bytes of ROM containing a subset of the BASIC found in the PC-8001, and 16K bytes of RAM expandable to 48K bytes. Made to connect to a color television, the display provides 25 lines of 32 characters and is capable of producing multicolored graphics. You can insert a ROM pack in the right side of the unit (see photo 3). and two Atari-type (nonresistive) joystick inputs allow connection of joysticks or other devices. The system includes RS-232C and Centronics ports and can synthesize music.

The keyboard on the unit I tried was of the button type, similar to the Color Computer's but with a much better feel to it. For applications that redefine the keyboard, you can use a keyboard overlay. Before the PC-6001 is introduced in this country, NEC may change its keyboard to resemble more closely that found on the PC-8001, although with that design you couldn't use the keyboard overlay. NEC still hasn't finalized the exact keyboard layout. The PC-6001 could be expected to sell here for well under \$500.

Of equal significance was NEC's new graphics tablet. Expected to sell for less than \$200, the graphics tablet connects to both joystick inputs, using 6 of the 8 bits of input provided. With the pressure-sensitive surface, you can use practically any writing instrument to trace existing artwork such as maps, or you can create new art directly on the tablet. I also viewed NEC's data-cassette recorder for program and data storage.

#### Toshiba Enters Personal Computer Market

Toshiba commanded a lot of attention at the show with the preview of its new T100. Part of the same family as the T200 and T250, the T100 provides a 64K-byte Z80-based computer for less than \$1000. In addition to the 64K bytes of user memory, the T100 (see photo 4) contains 32K bytes of ROM and a 16K-byte video RAM. Rent the capability to develop a microcomputerbased product, evaluate Ethernet,

## or manage a network!

### Off-the-shelf. For 30 days.

Don't mortgage the farm ... rent all the Intel microcomputer development system power and capability you need off-the-shelf from Genstar REI now. Immediately available for short-term rental (at attractive prices) are virtually every Intellec system and accessory from Intel — including a Network Manager plus a system for evaluating the office of the future, Ethernet; the new Intellec High-Level Language Debugger for all 8086 and 8088 software (P-Scope); and the newest high-performance peripherals — and much, much more. So develop a lot, and save a bundle. Rent from Genstar REI today.

#### <u>GENSTAR</u> Rental Electronics, Inc. (800) 227-8409 In California (213) 993-7368, (415) 968-8845 or (714) 879-0561

In California (213) 993-7368, (415) 966-8845 01 (714) 879-0561

GSA Contract #GS-04S-23560	
I'd like to save money send info by return mail! B582	
	□ I'm particulary interested in the following equipment:
NAME	TITLE
CITY/STATE/ZIP	MAIL STOP
TELEPHONE	1
Please complete coupon and mail to: Genstar Rental Electronics, Inc., 19525 Business Center Drive, Northridge, CA 91324 Genstar Rental Electronics. Inc. 1982	
	and the second se

Circle 181 on inquiry card.

### Japanese Computers



**Photo 4:** Toshiba surprised everyone when it previewed the T100 at the show. Shown here with the optional flat liquidcrystal display, the T100 is Z80-based and contains 64K bytes of user memory, 32K bytes of ROM, 16K bytes of video RAM, and provision for 32K-byte RAM and ROM packs. Toshiba will be offering Wordstar, dBase II, and all of the Structured Systems Group software, as well as CP/M, when the unit is officially introduced at next month's National Computer Conference in Houston.



**Photo 5:** The dual 5¹/₄-inch floppy disk drive being offered by Toshiba for the T100 is housed in a sturdy steel case containing its own power supply. Each drive is capable of storing 280K bytes, and the basic T100 can support four drives.

The ROM contains Microsoft BASIC, called T-BASIC, and CP/M is available. At the top right-hand corner of the unit, you can insert ROM and nonvolatile CMOS RAM packs with battery backup. Each pack can hold up to 32K bytes.

The T100 has a 90-key keyboard and displays 80 characters by 25 or 20 lines when used with a conventional monitor, or 36 characters by 24 or 19 lines when used with a regular television. Letters are formed in an 8 by 8 dot matrix. The color display can produce black, blue, purple, red, green, light blue, yellow, and white. You can display graphics in two modes: 640 by 200 dots and 160 by 100 dots.

One thing that caught everyone's eye was the optional flat liquidcrystal display, (see photo 4). The LCD pivot mounts on the back of the unit and displays 4 or 6 lines of 40 characters. It is also capable of providing a 320 by 64 dot matrix, which is dot addressable.

The T100 can accommodate up to four disk drives without resorting to use of the expansion unit (which will support four more drives). Two  $5\frac{1}{4}$ -inch drives, each capable of storing 280K bytes on a  $5\frac{1}{4}$ -inch floppy disk, are housed in a sturdy metal enclosure (see photo 5) which also contains a power supply.

The T300, an 8088-based unit operating under MP/M and supporting from one to four users, was not on display at the show but is scheduled to be at the National Computer Conference in June. Toshiba

The T100's optional, flat liquid-crystal display caught everyone's eye. It can display 4 or 6 lines of 40 characters.

will sell the basic T300 for \$1500 and a full-blown four-user system, employing a hard disk, for up to \$20,000.


#### Rumors

Reliable sources indicate that NEC is about to introduce an 8086-based all-in-one computer that will employ Digital Research's CP/M-86. Although it's still unofficial, I wouldn't be surprised if NEC were to preview the unit at one of the national computer conferences in late spring or early summer. NEC in the past has used a similar approach of previewing its computers such as its PC-8000 system before officially announcing them as viable products on the U.S. market.

Hitachi is planning to introduce a 16-bit computer by year's end. Now being completed in Yokohama, the design will most likely include a 68000 microprocessor operating under the new CP/M-65K. Digital Research is developing this new version of its ubiquitous operating system for release in June. Hitachi considered incorporating the 8086 in its new machine, but the availability of CP/M for the 68000 assures Hitachi of a broad base of software.

#### More to Come

This by no means covers the range of computer products we can expect to see from Japanese manufacturers this year. Phil Lemmons's article "The Machines Behind the Machines" on page 114 in this issue will bring you up to date on who will be the driving forces behind these new products. The Japanese have been carefully studying the U.S. market and are clearly ready to step right in.■



## We don't make a Winchester for just anybody.

We're Corona Data Systems and we've made Starfire, a Winchester disk just for Apple II*.

#### What's in it for you?

5 million characters of storage. And that's not all. You'll get Corona's Disk Partitioning which allows for up to 16 separate operating systems such as Apple DOS, CP/M*and Pascal, all sharing the same disk. Of course, you'll still be able to use DB Master*and protected software like VisiCalc*.

#### **Double Size Volumes.**

And with our Double Size Volumes, your Apple DOS is transformed into something special that offers larger data files. And you'll never have to type commands like "catalog" and "run" or type program names again. You can even forget what volumes the programs are in.

#### Reliability.

But you'll never forget Starfire's reliability. That's because we built DataGuard,



the feature that will correct errors, not just report them. And we also provide a one-year warranty that you can count on. That's reliability.

So why take chances? With Starfire, you're not just adding a hard disk to an Apple II, but transforming an Apple II into a full hard disk business computer.




21541 Nordhoff Street, Unit B Chatsworth, California, 91311 (213) 998-0505 Circle 121 on inquiry card.

www.americanradiohistorv.com

### Starfire – the Winchester disk made just for Apple II.

*Starfire and DataGuard are trademarks of Corona Data Systems *Apple II is a registered trademark of Apple Computers, Inc. *CP/M is a registered trademark of Digital Research, Inc. *DB Master is a trademark of Stoneware



## **OPEN FOR BUSINESS... THE NEW ALTOS ACCOUNTANT.**


Introducing the complete multi-purpose, multi-terminal desktop business accounting system with a built-in tutor.

Get everything you need to computerize your business. An ALTOS® Series 5 computer (including 5 MByte Winchester hard disk and 1 MByte floppy), three of our new smart terminals and a printer.

You also get the new ALTOS ACCOUNTANT, a completely integrated business accounting system that includes applications for general ledger, accounts payable, accounts receivable, inventory control, payroll, job costing and order processing.

There's more. You get the unique ALTOS COMPUTER TUTOR, the selfteaching tutorial that provides simple, self-paced, step-bystep training that makes using the computer easy. Best of all, you get everything for less than \$4 per day per user.* Complete hard disk sys-

> tems start at \$9,980. An Altos system is like having three computers in one. For example, while your bookkeeper prepares payroll, other users can check inventory, compute cost estimates or produce reports. All at the same time.



Need more? You can choose from hundreds of popular CP/M® and MP/M II " applications like word processing, business planning, and communicating with other computers or networks. There's also nationwide on-site service available from your dealer.

Join the thousands of businesses that already rely on Altos. For more information. call our toll free number or write: Altos Computer Systems, 2360 Bering Drive, San Jose, CA 95131. We'll put you in touch with your local Altos sales and service dealer who'll introduce you to your very own ALTOS ACCOUNTANT.

*Complete 3 user system for S4 per day per user. Price approximate and may vary in your area. Daily lease based on \$12,800 principal, 20% annual interest, five-year term. Packaged system includes Altos Series 5-SD computer with S MByte Winchester hard disk and 1 MByte floppy, a draft quality printer, three Altos smart terminals, and the ALTOS COMPUTER TUTOR software package. Price does not include tax, installation, additional training and maintenance.

ALTOS is a registered trademark of Altos Computer Systems. CP/M is a registered trademark and MP/M II is a trademark of Digital Research. Inc.

Circle 17 on inquiry card.

### Packed with fresh ideas for business



**800-538-7872** (In Calif. 800-662-6265)

1982 Altos Computer Systems

## Japanese Computers



## The Machines Behind the Machines

Several Japanese companies, both large and small, have their eyes on the American market.

When shopping for the products of any rapidly developing industry, you must judge not only the products themselves but also their manufacturers. This is especially true when products are complex. If you buy the world's greatest microcomputer from a company whose business acumen falls far below its engineering genius, that company may not be around two years from now when you need parts or service for the machine. You want to buy a machine from a company that will continue to produce and support microcomputers. When you buy, you're betting on one company to survive.

The temptation is strong to buy only from the largest companies, but that oversimplifies the judgment you must make. Size is, of course, important. Companies that hope to survive in the American microcomputer market must now be able to stand up to giants such as IBM, DEC, and Xerox. Big companies can also achieve economies of scale and further economies by making most or all of

#### Phil Lemmons Consulting Editor

their products' components (which economists call vertical integration).

Just as important as a company's size, however, is its determination to continue making microcomputers. Industry pioneers such as Apple Computer Inc. will be formidable competitors because everyone believes their manufacture and support of microcomputers will probably continue. If some huge, diversified company introduces a microcomputer that fails to win a good share of the market, that company can stop making microcomputers and rely on its hundreds of other products.

This article doesn't pretend to judge the contenders in the battle for survival in the U.S. microcomputer market; it's purpose is to profile some Japanese companies, including Canon, Oki, Fujitsu, Hitachi, NEC, and Systems Formulate Corporation. (For a comparative review of these companies' microcomputers see "Six Personal Computers from Japan," page 60 in this issue.) To help you put this information in context, I'll first give some information about the microcomputer industry in Japan and about Japanese pricing policies in the United States. I'll close with a few speculations about Japanese microcomputers in the United States during the next two years. These speculations must be considered strictly amateur.

## The Japanese Microcomputer Industry

The Japanese microcomputer industry is large and diverse, but two generalizations apply: the graphics are excellent, and the competition is fierce. The graphics are excellent because they *must* be in order to represent the complex kanji (Chinese characters) used in Japanese. The competition is fierce because manufacturing personal computers appeals to two different kinds of Japanese companies: the long-standing manufacturers of computers and the consumer electronics firms.

Sixty-four companies manufacture personal computers in Japan. (Sixty-

### Japanese Computers.

four; this is not a misprint. Clearly, the Japanese are finding ways to occupy the 40,000 electrical engineers who graduate from Japanese universities each year.) At least eleven Japanese companies are already marketing microcomputers in the United States: Canon, Casio, Seiko (Epson), Fujitsu, Nippon Electric Company (NEC), Oki (through BMC), Panasonic, Sharp, Systems Formulate, Toshiba, and Hitachi (the last delaved by the FCC's changes in rules governing radio-frequency interference). Sanyo and Sony are in the wings, and others are in their dressing rooms.

#### **Computer Manufacturers**

The Japan Electronics Almanac 1981 lists six major manufacturers of computers in Japan: Fujitsu, Hitachi, NEC, Toshiba, Mitsubishi Electric, and Oki Electric Company. These companies have experience in developing integrated computer systems and software. Oki is by far the


We know less about the intentions of the Japanese consumer electronics manufacturers than we do about the major computer manufacturers.

smallest with "only" 12,000 employees compared to Fujitsu's 34,000 and Mitsubishi's 49,000. NEC employs 64,000; Toshiba, 98,000; and Hitachi, 151,000.

Each of these major manufacturers has the resources to make a dream machine. The question is, can they effectively market their microcomputers in the United States?

Fujitsu has the least experience in consumer electronics and has shown a tendency to market its machines through OEMs (that is, to have its machines packaged and sold under the names of other original equipment manufacturers). NEC markets consumer products widely in Japan but not in the United States. On the other hand, NEC has outpaced the other companies in entering the American microcomputer market. Like NEC, Oki has also sold peripherals here, notably its Okidata printers, and is marketing small-business computers through the Japanese trading company BMC (Business Machines Corporation) and BMC USA Inc., its American subsidiary.

Various sources claim that 8086- or 8088-based microcomputers will come from Toshiba, NEC, Hitachi, and Fujitsu. If these rumors are true,



Circle 79 on inquiry card.

## **Expand Your IBM PC**

#### Memory Expansion Board

Datamac's Expansion Board offers 4 TIMES the amount of memory offered by the IBM PC. Configurations can be set at 64K, 128K, 192K and 256K bytes. Board can be easily upgraded in 64K capacities. Add-In Winchester Disk System

> Datamac's Add-In Winchester System is housed within the IBM chassis and is easy to install directly into the floppy disk slot, reducing desktop space. Winchester Controller Board is available for the larger OEM users.

#### Asynchronous Communications Controller

1 or 2 line capability on one card. Totally compatible with IBM software and diagnostics.

See your Computerland Dealer for the ever growing line of Datamac Peripheral Products for the IBM Personal Computer.



## The Japanese Manufacturers—How Successful Will They Be?

America has long awaited the Japanese entry into the U.S. personal computer market. Some Japanese companies have already begun to sell microcomputers here, and more are surely on their way. But a few questions remain unanswered: How successful will the Japanese companies be? What are their plans and what products can we expect from them?

Japanese companies will have to go through a two- to three-year learning curve to understand the American microcomputer market. For one, Japanese methods of conducting business are different from ours. As well, they might encounter problems stemming from a less than thorough understanding of microcomputer distribution, service, and support, FCC regulations, and software and its support.

#### Japanese Methods of Conducting Business

When Japanese engineers consider the design of a new product, they accept advice mainly from divisions within their company that have been successful in the past. Because their experience at this point stems from the Japanese rather than the American marketplace, new products are often designed with Japan in mind, not America. The market for microcomputers in Japan is several years behind ours. This explains why one Japanese company can plan to release a cassette-based microcomputer with no means to interface it with a disk drive. The Japanese market will accept such a product.

#### About the Author

Tod Zipnick is president of TMQ Software, a Chicago-based software and consulting firm to the microcomputer industry. by Tod Zipnick TMQ Software Inc. 390 Northeast River Rd. DesPlaines, IL 60016

but the same product will find much resistance in America.

Japan is several years behind us in software capability. They know hardware better than software. Japanese products reflect this lack of knowledge; consequently, their computers are hardware-intensive rather than software-oriented. The hardware is, nonetheless, very good.

## Distribution, Service, and Support

Microcomputer distribution, service, and support are also different here. The Japanese marketplace still contains a lot of hobbyists, and only recently in Japan has there been a transition to the business marketplace—a transition we experienced several years ago. When an American business plan is presented for Japanese approval, the Japanese are naturally skeptical about the distribution, service, and support based on their experiences in Japan. They do not yet understand the amount of money needed to support these functions in the American marketplace.

#### FCC Regulations

Having to pass a microcomputer through the FCC for approval is a new experience for the Japanese. Because of this, the Japanese manufacturers will spend a lot of time getting approval for their first line of products. In an industry that moves as fast as this one, such a delay could hurt their marketing plans. Future designs for new products will undoubtedly be passed through more quickly.

#### Software

One of the biggest lessons the


Japanese companies will have to learn is that software sells hardware in America. A Japanese company *will look at the third-party support* of the Apple, Atari, Radio Shack, and IBM computers and expect the same to occur for their machines. What they may not realize is that they will have to commit \$1 to 3 million to acquire software applications from outside vendors to do the job properly. A lot of money needs to be poured into software evaluations and support of software when it is released. This must be done in America, not in Japan, because the people working in Japan are not aware of the software options available through companies in the United States. At this time, very few Japanese companies have allocated the necessary resources in America to carry out these steps.

For software development, Japanese companies must lend between 50 and 100 machines to software companies. This often adds up to more money than most Japanese companies at first realize is necessary to push a product onto the market. Technical documentation on a system is also very difficult to get from Japanese manufacturers. The time and money needed to produce these documents is a must if software companies are going to support a machine.

We can expect Japanese manufacturers to make many mistakes when they first enter the American market. Remember, however, that American manufacturers had similar problems in the past. As the Japanese learn, and if they remain committed to the U.S. market, we can expect to see some fine products from Japan in the future.

## **ALPHANUMERIC or GRAPHIC?**

If high resolution required, install BMC color/green monitor in your system.



BM-1401RGB

THE IZ-INCH GREEN HONOLOGY ALMO-

CON VITA PHOSPHAR P-4 LEBERS HAVES CIEVING RUCH ELECTER AND SHAREDAS SCREEN COMED DISFLAVE IT NUCH SHARPED HUDDS 44 CHARACTERS WITH 24 LINES SWE ROIN ENDACTERS WITH 24 LINES F-2-1- COMPATIBLE TO ALMOST ALL SYSTEM JITTER AND CHOST FREE TRAGE 53

**RGB** Interface Board for

Apple-II is available now.

BM-12A

BM-12A 12" Green P4 Phosphol CPT Composite Video Signal, 80 Ohat X 24 Lines BM-1400CLU 18" Composite Video Signal 40 Chai * 25 Lines BM-J401RGE 13" RGB Separate Video Signat 5×5 Dom 40 Char 226 Lines

BM-1402RGB 13" RGB Separate Video Signal 5 × 7 Dots, 80 Char. × 25 Lines






LOB ANGELLES 20610 Manifettan Place Suite 112, Torrance, CA. 90501 Talex 898841 EMC USA TRND, Expirate 13-520-9880, 9881



www.americanradiohistory

NEW YORK OFFICE 450 Barell Avenue, Carlstadt, N.J. 07072 Telex: 133221 BMC NY OARL Phone: 201-939-7079, 709



### Japanese Computers.

the Japanese computer companies seem to be swarming around the chips of Intel design. This phenomenon is probably based on a desire to capitalize on the large base of software that already exists for these products.

Only Toshiba, NEC, and Hitachi are significant manufacturers of both computers and consumer products. Only Toshiba and Hitachi have marketed their consumer products on a large scale in the United States.

#### **Consumer Electronics** Manufacturers

Sharp, Sony, Matsushita (Panasonic and Quasar), Casio, Sanyo, Seiko, and Canon have all been successful in marketing consumer electronics in the U.S. These companies know the American consumer market and have impressive distribution and service networks. The demands of the consumer markets for small batterypowered gadgets have made these companies invest heavily in semiconductor research. Sharp and Seiko, for example, have spent millions on developing advanced low-power CMOS (complementary metal-oxide semiconductor) chips. Those chips and their descendants will form the basis of remarkably small, portable, batteryoperated microcomputers.

As to the sizes of the companies themselves, Matsushita employs 96,000 people and had semiconductor sales of \$254 million in 1981 (double the sales of Texas Instruments). Sony employs 33,000 and has annual sales of around \$5 billion, Sanyo employs 19,000, and Sharp employs 18,000. Canon is a \$2-billion company. Seiko is a privately held \$3-billion company.

We know less about the intentions of the Japanese consumer electronics manufacturers than we do about the major computer manufacturers, but the consumer electronics companies are clearly interested in the American microcomputer market. Sharp makes the YX-3200 business-oriented computer, a handheld computer, and also manufactures the handheld computer

sold here under the Radio Shack name. Casio makes and sells the FX-9000P, a desktop microcomputer aimed at scientists and engineers. Matsushita is producing a 6502-based handheld computer for sale under both the Panasonic and the Quasar names. Sony offers its Typecorder and a word processor that uses 3-inch floppy-disk drives. Matsushita and Hitachi are making 3-inch floppy-disk drives too.

Japanese consumer electronics companies know what an important role convenience of use plays in the sale of consumer goods. If we're lucky, these companies will introduce microcomputers that are not just friendly to users but are downright seductive.

Of particular interest to current microcomputer users is the Suwa Seiko Group, maker of Seiko watches. Suwa Seiko established the Shinshu Seiko Company Ltd. in 1961 to make watch parts. Shinshu Seiko now makes small liquid-crystal displays and digital printers. In the U.S., we know Shinshu Seiko better under the brand name Epson, as in Epson MX-80, the matrix printer that took the U.S. by storm.

Epson has made computers since 1978, when sale of the EX-1 office computer began in Japan. In 1980, Epson introduced to the Japanese market the KX-1, a desktop computer with built-in dual-disk drives. Epson America recently showed the HX-20, a handheld computer that looks very much like the Sony Typecorder, in the United States. At the October 1981 Data Show in Tokyo, Epson exhibited a desktop personal computer, the QC-20, which runs CP/M, has a 4-MHz Z80 processor, and comes with up to 256K-bytes of RAM (randomaccess read/write memory). The Data Show also gave Epson the opportunity to introduce a slim-line, 5¼-inch floppy-disk drive called the FT-20. Look for Epson to do big things with small packages.

Sony's plans for microcomputers are unknown, but in researching this article. I talked with many executives from Japanese electronics companies in the United States. Three people told

## How to chart your company's fortune without spending one

It's a fact. A single chart or graph can tell you instantly what it takes hours to interpret from printouts or other raw data.

Now, with the Strobe 100 Graphics Plotter and Software package, you can create superb hardcopy graphics directly from your computer. And you can do it for an investment of only \$995.

The Strobe System transforms complex data into

dynamic, colorful visuals with a few simple commands from your computer. Charts and transparencies that once took hours to produce are plotted within minutes. Information can be presented as bar charts, pie charts, curves or isometrics in a variety of colors. And with a resolution of 500 points per inch, the Strobe 100 matches or surpasses the quality of plotters costing thousands of dollars more.



The Strobe Graphics System Seeing is believing

You can also save and modify your graphics through Strobe's menu-driven programs. A broad selection of software—including a VisiCalc*-compatible program is now available.

HIPMENTS FOUCHTION

When the Strobe Graphics System is interfaced to your computer, an  $8-1/2 \times 11$  inch sheet of paper can speak anyone's language—visually. Visit your local dealer and learn

> how to start charting your fortunes today. Because a perspective on the present can also be your window on the future.



Strobe Inc. 897-5A Independence Avenue Mountain View, CA 94043 Telephone 415/969-5130

> Circle 393 on Inquiry card. *VisiCalc is a trademark of VisiCorp.

www.americanradiohistorv.com

## The disk drive that puts more byte into your Apple.

## Introducing the first totally compatible Floppy Disk Drive.


Rana Systems has designed a totally compatible disk drive for Apple, that's better than Apple's. A high density, high capacity disk drive and controller that offers a myriad of features Apple never thought of. Unique advantages that get the maximum efficiency out of your existing Apple II* hardware and software.

At Rana, we knew you wanted more storage, so we went right to the core of the problem. Even our most economical model is designed to give you 15% more storage capacity than Apple's. Our top-of-the-line unit gives you 4 times the capacity of Apple's comparable unit. Even our design is far more dramatic than theirs. With lines that actually complement the sleek Apple II computer.

#### We're a step ahead of Apple because we have a faster step.

Holding more information is even more valuable when you can get it faster. The Rana System track positioning mechanism is engineered to access three to four times faster track to track, with greater accuracy than Apple's. Our disk drive offers safeguards like a stall provision to protect spin motor burnout,

Apple II is a registered trademark of Apple Computer Inc.



an advanced write protect feature that keeps your information where you put it, and an energy saving device that "powers down" when your disk drive is taking a break.

#### We even took a bite out of Apple's price.

Our most popular model is 25% more economical per byte than Apple's, providing you with maximum performance, superior cost efficiency, and totally compatible styling. It also comes with a free diskette containing all the optional software and supports you'll need to enhance the capacity and performance. And it's all backed up with an efficient service support system, and a full 90 day warranty. The Rana System Floppy Disk Drive. Just plug it into your Apple and all those delicious extra bytes will be yours.





Circle 358 on inquiry card.

20620 South Leapwood Avenue, Carson, CA 90746 213-538-2353. For dealer information call toll free: 1-800-421-2207. In California only call: 1-800-262-1221. Source Number TCT-654.

## **Did you know** that with the new UCSD **P-SYSTEM** VERSIONIV you can write programs in FORTRAN Pascal BASIC

and run them on ALTOS, APPLE, COMMODORE. CROMEMCO, DEC, IBM, INTERTEC, PHILIPS, OHIO SCIENTIFIC. **RADIO SHACK, TERAK, TEXAS INSTRUMENTS. VECTOR GRAPHIC**, XEROX, ZENITH, and many more...

LISP

#### without change!

(Think about that next time you want a larger market)

We support systems software and/or applications ready-to-run on APPLE, DEC LSI-II‡, **RADIO SHACK** MODEL IIS & IIIS and ALTOS.

> **PCD** SYSTEMS P.O. Box 143 Penn Yan, NY 14527 315-536-7428



me that Sony has a marvelous personal computer running. Two of these sources said that the Sony computer is based on the 8086 microprocessor. One of these sources said that Sony had not yet decided to market the computer. Another enticing report claims that Sony is developing a 3-inch Winchester hard disk.

Matsushita will soon introduce a floppy-disk drive module for its handheld computer. The module incorporates a Z80 microprocessor and runs CP/M. Last fall at the press conference introducing the handheld computer, a Panasonic spokesman said, "This is only the beginning."

#### An Exceptional Entry

Among the Japanese microcomputers reviewed in this issue is the Bubcom80 from Systems Formulate Corporation. This small company, recently founded with Fujitsu's help by a former designer for Fujitsu, is neither a consumer electronics manufacturer nor a major computer manufacturer. Systems Formulate is, however, entirely devoted to designing and selling microcomputers and to teaching people how to use them. In addition to its own Bubcom80, Systems Formulate sells the Commodore VIC, the NEC PC-8001, the Apple II, and the Oki if800. A more detailed profile of Systems Formulate appears later.

#### Japanese Pricing Policies

Some American advertisements are welcoming the entrance of the Japanese into the microcomputer market here. Other voices, however, are warning that the Japanese will use unconscionable pricing policies to drive their American competitors out of the market.

American semiconductor manufacturers reportedly feel that Japanese manufacturers are "dumping" integrated circuits in the United States. That is, they're selling at a loss in order to drive American companies out of the market. The Japanese maintain that they are selling at a small profit despite paying a 4.2-percent tariff.

Chris Rutkowski, marketing and

national sales manager of the peripheral products division of Epson America, offers a strong rebuttal to charges that the Japanese practice unfair pricing. Rutkowski sums up the difference between the way American and Japanese companies price their products with: 'The Americans make a product and sell it for as much as they think they can get. The Japanese make a product and then figure out what it actually cost to make and distribute it. Then they add 15 percent. This is fair, equitable pricing."

American car advertisements on television are now verging on racism. While it's convenient for the American auto industry to blame the Japanese for plummeting sales, most consumers realize that Detroit is in trouble mainly because its executives were appallingly slow in realizing the need for small, efficient cars.

The American microcomputer industry seems far more progressive than the car industry. American microcomputer manufacturers expect a challenge and are preparing to meet it-I hope-without resorting to slurs. It seems reasonable to expect that fair competition between domestic companies and the Japanese in the American microcomputer market will lead to better products and lower prices, with several companies surviving on each side and the American consumer being the ultimate victor.



BMC BMC International is a lap-

anese trading company founded in 1977 to specialize in electronic products. BMC sells video monitors and terminals, memory boards, electronic typewriters, printers, the Oki if800 microcomputer, calculators, electronic games, and other products based on integrated circuits. BMC's promotional literature mentions personal computers as well as business computers. Its American subsidiary is known as BMC USA, Inc.



Oki Electric Industry Company Ltd. of Tokyo

manufactures the if800 distributed here by BMC. Okidata Corporation,

## At last, two books to show you how to make BASIC mean business.





ASIE for Business by Douglas Hergert, Act. 8399, \$12.95. This book will show you how to use a small computer to complete besiness tasks faster, more efficiently. It's a solid, practical introduction to BASIC, the programming language most commonly

You'll learn to use the computer to:

used in microcomputing.

- write sales reports and financial statements
   produce graphs and charts
   calculate depresiation and present value
   perform cost/volume/profit analysis
   plus much more!

Realistic sample programs illustrate each element of the language, and exercises at the end of each chapter encourage you to ex-plore new ways of using BASIC on your own. A special feature is a section which introduces three other programming languages: COBOL, FORTRAN and Pascal:

Executive Planning With BASIC, X. T. Bui, Ref. B380, \$12.95. This fascinating book presents a collection of BASIC computer programs for the most up-to-date business decision models. It explodes the myth that programming is for computer specialists only. The executive will quickly learn how to accelerate and improve decision-making and planning methods by using a microcomputer.

STRE

#### Here is an overview of what's covered:

DECISION MODELS UNDER CERTAINTY Cost-Volume-Profit: Finding the Break-Even Point
 Linear Programming: The Simplex Method • Inventory
Management: The EOQ Formula

OECISION MODELS UNDER UNCERTAINTY • Sequential Oecision Model: a Oecision Tree for Discounted Expected Values • Critical Path Analysis and PERT • A Simulation Model for Optimal Queuing

• Exponential Smoothing • Linear Regression • Multiple Linear Regression

#### INVESTMENT MODELS

Financial Ratio Analysis • Oiscounted Cash-Flow Models • Portfolio Management • Multicriteria Decision-Aid Models

SYBEX has the most comprehensive library available, from introductory to business to hardware, programming and assembly language titles; all written by computer professionals. The thorough, readable approach of SYBEX books is favored by both nontechnical people and computer specialists.

111111 1111

**OR BUSINESS** 

**Douglas Hergert** 

To order these books or get a free catalog fill out the coupon, or call TOLL-FREE 800/227-2346, (within Calif.) 415/848-8233

American Express m. dete al Amerit Enclosed S. Valle: SYDDX; in, 2344 State St., Sept Lerkolay, CA 94710 A.A.1

### lapanese Computers.

Oki Electronics of America, Oki Semiconductor, and Oki Electric Overseas Corporation are other subsidiaries of Oki Electric Industry, Last year marked Oki's centennial. While the company's size doesn't rival that of giants such as NEC and Toshiba, Oki does devote all the efforts of its 12,400 employees to electronic and telecommunications equipment.

About 38 percent of its sales consist of electronic business machines. Oki's **OKITAC** series of computers sells well in Japan, as do Oki's modems and teleprinters. Okidata printers are popular here. Oki Semiconductor's products include 64K-bit RAM chips and other VLSI (very large-scale integration) chips. The company's new VLSI plant opened in 1981 and was producing 3 million 64K-bit dynamic RAMs a month by late 1981. Oki expects production to rise gradually to 10 million a month by 1985.

Canon Although better known for calculators and cameras than for computers, Canon is capable of mounting a substantial microcomputer marketing effort in North America. Canon has diversified in recent years and now produces copiers, electronic typewriters, micrographics equipment, magnetic-card readers, magnetic heads for audio and digital devices, and microcomputer disk drives. Canon is conducting research in computeraided design (CAD) and computeraided manufacturing (CAM). In fact, 40 percent of Canon's sales in North America are business machines.

The two primary markets for microcomputers are home and office, and Canon USA has extensive experience in North America in both. So far, Canon has produced computers for the office market only. The Canon CX-1 and the BX-3 are general-purpose small-business computers.

The TX-10 and TX-15 are designed for fields such as banking and finance, payroll management, foreign exchange, science, statistics, insurance, real estate, and auto sales. The TX-10 has a numeric pad, and the TX-15 has a standard alphanumeric keyboard. The TX-25 has an alphanumeric keyboard and 4-inch floppy-disk drives. All these machines are based on the Motorola 6809 microprocessor. Canon could seek a larger market through its 7500 independent dealers in the United States and Canada, and its 700 authorized service centers could be a strong selling point for consumer computers.



Fujitsu Ltd. is FUJITSU Japan's largest manufacturer of computers and its

fourth-largest producer of semiconductors. Although Fujitsu's assets of \$3 billion are less than those of a few other Japanese corporations, Fujitsu devotes most of its efforts to computers and data communications. In fact, of Fujitsu's \$2,769,895,000 in 1981 sales, computers and data communications accounted for \$1,819,495,000 or 66 percent. Fujitsu makes printers, large hard-disk systems, terminals, integrated circuits, and many other computer-related products.

Fujitsu's prowess in making large computers is widely recognized. In May 1981. Fujitsu introduced the world's most powerful general-purpose computer, the FACOM M-382. Its dual processor system has 32 to 128 megabytes of main storage and as many as 64 channels, for a maximum total throughput of 96 megabytes per second.

Fujitsu is one of the world's largest producers of integrated circuits; its 64K-bit dynamic RAM mass-production system is the world's largest. Fujitsu sells integrated circuits in the United States through the subsidiary Fujitsu Microelectronics. In development are high-electron-mobility transistors (HEMT) and Josephsonjunction elements, both of which should bring dramatic improvements in circuit performance.

No one is doing more with bubble memories than Fujitsu. Mass production of 64K-bit and 256K-bit bubble

**ISE** is an International Consortium of the World's Leading Software and **Consulting Firms**, Representing Over 5.000 Professionals **Around the World** 

Major companies around the world are joining this consortium to provide mainframe-quality software for microcomputers.

ISE provides professional application developers with the finest array of integrated software tools available anywhere:

- Data Base Management
- Data Communications
- Programming Languages
- Screen Management

Also available—a full spectrum of the most advanced office systems for an integrated approach to office management and control.

These fine products are distributed in most countries through ISE. For more information, contact:

> In (I.S.: ISE-USA P.O. Box 248 Lafayette, Indiana 47902 Tel: (317) 463-2581

In Germany: ISE-ADV/ÓRGA GERMANY Lipowskystr. 26 8000 Munich 70 Tel: (0 89) 77 60 23-4

In France: **ISE-CEGOS** Tour Chenonceaux 204, Rond-Point du Pont de Sèvres 92516 Boulogne Billancourt Cedex Tel: 620-61-04

In Switzerland and Austria: **ISE-ADV/ORGA SWITZERLAND** Mainaustraße 17 CH-8008 Zürich Tel: (01) 32 02 70-1

Elsewhere: **ISE-INTERNATIONAL** P.O. Box 248 Lafavette, Indiana 47902 Tel: (317) 463-2581



P.O. Box 248 Lafayette, IN 47902 For more on one of our fine products, see page 303

## As inevitable as evolution.

Two rapidly changing technologies:

- 1. Computers shrinking in size and price, growing in power.
- Professional software, steadily increasing in sophistication.

It was inevitable that someone would bring these technologies together. That someone is ISE: a new kind of computing company created to bridge the evolutionary gap between professionalquality software and microcomputers.

The result of an international alliance of software and computer consulting companies, ISE today produces the world's most sophisticated software for the world's smallest professional computer systems.

ISE's current offerings of data base management systems and application development tools provide all the capability of mainframe software, at a fraction of the price.

For more information on this major development in business computer technology, phone our main office at (317) 463-2581 or contact the ISE affiliate nearest you.



Mainframe-quality software at micro prices.

P.O. Box 248 Lafayette, IN 47902

## What if you want more assurance your valuable data won't fade away?

## Rely on SYNCOM diskettes with Ectype[®] coating. Balanced coercivity means long-lasting signal life.

Syncom diskettes assure excellent archival performance in the following ways.


First, with calibrated coercivity – a precisely balanced blend of milled ferrous oxides that allows Ectype[®] coating to respond fully to "write" signals, for strong, permanent data retention.

Then, a burnished coating surface to boost both signal strength and packing density.

Carbon additives drain away static charge before it can alter data.

And, finally, every Syncom diskette is write/read-back certified to be 100% error free.

To see which Syncom diskette will replace the one you're using now, send for our free "Flexi-Finder" selection guide – and the name of the supplier nearest you.



Balanced coercivity of Ectype[®] coating allows write current to saturate fully and permanently.

Syncom, Box 130, Mitchell, SD 57301. 800-843-9862; 605-996-8200.



Manufacturer of a full line of flexible media "See us at NCC Booth #5510"

### Japanese Computers_

memories will begin soon, and Fujitsu has developed a prototype 1-megabit bubble memory. Although Fujitsu foresees the use of bubble memories in personal computers, price seems an obstacle at present.

In the U.S., Fujitsu markets its small- and medium-scale computers via the TRW-Fujitsu Company, a joint venture with TRW Inc. Fujitsu exports its large-scale computers to Amdahl Corporation, which markets them in an OEM arrangement.

In the realm of microcomputers for the mass market, Fujitsu has yet to establish itself. Fujitsu's "piggy-back" microcomputers, with their detachable ROMs (read-only memories) are certainly innovative. Users find the ease of replacing these ROMs a great aid in program development. The Fujitsu Micro 8 (FM-8), with twin 6809s and an optional Z80, is impressive too, although we have lately learned that it will not be sold in the U.S. in its present form. Fujitsu is among the Japanese firms rumored to have 8086-based systems in development, but they're not expected to be unveiled this year.

**OHITACHI** Hitachi is a 70year-old corporation whose 151,000 employees turn out thermal, hydroelectric, and nuclear power equipment as well as other electric utility equipment; chemicals; iron, steel, wire, and cable; industrial machinery; consumer products including televisions, video-tape recorders, audio equipment, and air conditioners; and computers, semiconductors, and other electronic equipment. Consumer items accounted for 21.3 percent of 1980 sales; computers, semiconductors, and other electronic equipment accounted for 18.9 percent. Hitachi's Maxell floppy disks have a substantial share of the market here and a reputation for excellent quality. Hitachi's dynamic RAMs also enjoy a good reputation, including the 64K-bit chips. In 1981, Hitachi was Japan's second-largest producer of semiconductors, turning out \$614 million worth of chips.

A Division of Schwan's Sales Enterprises, Inc

Circle 398 on inquiry card.

www.americanradiohistorv.com

## THE \$595* SMART TERMINAL

The Heath 19 Smart Video Terminal gives you all the important professional features you want in a terminal, all for under \$600.* You get the flexibility you need for high-speed data entry, editing, inquiry and transaction processing. It's designed to be the backbone of your system with heavy-duty features that withstand the rigors of daily use.

Standard RS-232C interfacing makes the 19 compatible with DEC VT-52 and most computer systems. And with the 19, you get the friendly advice and expert service that makes Heath/Zenith a strong partner for you.

Completely addressable blinking cursor lets you edit anywhere on screen

Complete ASCII character set including upper case, lower case with descenders, and special graphic

80 character by 24 line format, plus 25th line for operator messages and prompts.

symbols.

Professional quality keyboard, standard typewriter layout, 72 keys, including 12 special function keys. Reverse video by character lets you emphasize words, phrases or paragraphs. Sold through Heathkit Electronic Centers[†] nationwide (see your white pages for locations). Stop in today for a demonstration of the Heath 19 Smart Video Terminal. If you can't get to a store, send for the latest Heathkit[®] Catalog. Write Heath Co.,Dept. 334-894. Benton Harbor, MI 49022.

### HEATH/ZENITH

### Your strong partner

Heathkit

High resolution CRT gives you sharp, easyto-read image, reduces eye-strain. Z-80 microprocessorcontrol makes the 19 capable of multitude of high-speed functions. It's the only terminal with ROM source code readily available.

> Insert and delete character or line plus erase to end of line and end of screen make the 19 ideal for sophisticated editors like WORD-STAR.

Cursor and special functions are accessible by keyboard or computer, using either DEC VT-52 or ANSI Standard protocols.

Keypad in calculator format permits fast, easy entry of numeric data.

*In kit form, F.O.B. Benton Harbor, MI. Also available the completely assembled Zenith Z-19 at \$895. Prices and specifications are subject to change without notice.

†Heath Company and Veritechnology Electronics Corporation are wholly-owned subsidiaries of Zenith Radio Corporation. The Heathkit Electronic Centers are operated by Veritechnology Electronics Corporation.



A superior implementation of the UCSD p-SYSTEM is available NOW for your IBM Personal Computer.

Network Consulting has added many features which the professional programmer will find useful. These features are not available from any other sources.

- •Hard disk support for Corvus, Tall Grass Technology and others
- 25% more floppy storage, without adding or modifying hardware, retaining compatibility with standard IBM diskettes
- Double sided/double tracking/fast stepping floppy disk drive support
- •RAM disk support (uses up to 512k RAM) •Adaptable system support for adding
- custom I/O drivers
- Remote Terminal support
- •XON/XOFF flow control for serial printers
- Disk write verification
- •and more!

#### Standard p-System features include:

- Program chaining
   Standard I/O redirection (including command files)
- •Dynamic program overlays
- •Support for asynchronous processes
- and concurrency primitives in Pascal •Fast Pascal, Fortran and Basic com-
- pilers, all producing universal p-code programs
- A powerful screen oriented editor that runs in both programming and text editing modes
- •A Native machine Code Generator that processes your Pascal, Fortran and Basic programs to convert parts of them to Native machine code
- Dynamic runtime binding of separately compile programs and units.
- •Turtlegraphics for easy graphics displays
- •Print spooler for background printing •Symbolic debugger
- •Extended memory support
- •A library of program modules and other utilities

48 HOUR DELIVERY — CALL NOW! UCSD p—SYSTEM from Network Consulting The only serious choice for business Dealer Inguiries Welcome

TM The Regents of the University of California



Network Consulting Inc. A106 - 1093 W. Broadway Vancouver, B.C. Canada V6H 1E2 (604) 738-3500

### Japanese Computers.

Hitachi's integrated circuits and computers have been selling well where marketed under Hitachi's own name. Domestic Japanese sales of Hitachi's M and L series computers have been brisk. Hitachi's M-280H is among the world's most powerful computers, with 32 megabytes of main memory. What better place to dump that much data than the Hitachi disk storage unit that holds 2.5 gigabytes? The HITAC E-800 is a formidable super minicomputer, and the HITAC L series is designed for use as terminals in distributed processing. At the smaller end of the size scale, Hitachi offers three microcomputers based on the 6809 processor; the MB-6890, reviewed in this issue, is the most powerful of the three.

Despite its size, technical excellence, and vertical integration, Hitachi has suffered some setbacks in foreign markets. Hitachi was supplying processors to Itel in the United States, and Itel's debacle in computers hurt Hitachi here. In response, Hitachi has signed an agreement to supply large processors to a National Semiconductor Corporation subsidiary, National Advanced Systems Corporation. Hitachi has a similar arrangement in Europe with Olivetti.

The FCC's radio-frequency interference rules postponed the Hitachi 6809-based machines' entry into the American market. Hitachi is showing signs of being unhappy about software support for its 6809-based systems and is considering basing its future microcomputers on the 8086. Whatever Hitachi's decision, this giant company can make anything it wants to make, and it is sure to make interesting microcomputers.



Nippon Electric Company is another of the Jap-

anese corporate giants on the international scene. With 64,000 employees and \$5,174,493,000 in assets in 1981, NEC produces consumer products, including color televisions, hi-fi audio equipment, and kitchen appliances; microcomputers such as the PC-8000 series; and minicomputers such as the Astra series. It also produces mainframes, including the NEC System 1000, which can execute 29 million instructions per second, has a 64-megabyte main memory, a 256K-byte high-speed cache memory, and excellent integrated circuits, including NEC's widely used 64K-bit dynamic RAM chips (256K-byte dynamic RAMs and 512K-bit ROMs are in the experimental stage).

NEC's long list of peripherals is headed by the excellent Spinwriter series of letter-quality printers, renowned RGB (red-green-blue) color monitors, matrix printers, band printers, modems, floppy disks, and Winchester hard disks. In 1981, NEC led the world in production of semiconductors with sales of \$805 million, about seven times those of Texas Instruments.

NEC clearly has everything needed for vertically integrated production of microcomputer systems. Moreover, much of its strength is in computers (24 percent), electronic devices (23 percent), and home electronics (13 percent).

Two of NEC's subsidiaries are now selling the PC-8000 series in the U.S. NEC Home Electronics USA, Personal Computer Division, targets the personal-computer market, while NEC Information Systems Inc. sells to the small-business market. NEC Information Systems also offers office furniture designed for the PC-8000 and a new communications board for the PC-8000 in the office environment. Since its inception in 1977, NEC Information Systems has grown to an annual revenue rate of \$100 million.

Indications are that both NEC Home Electronics and NEC Information Systems plan aggressive expansion. NEC exhibited two new 8-bit microcomputers in Japan last year. Reports suggest that NEC Home Electronics will bring out a computer (perhaps the PC-6000) to compete head-on in price with the Commodore VIC.

NEC Information Systems may introduce the PC-8800, which will represent an improvement in mass storage

## FMS-80. THE TWO DOOR DATA BASE PLUS

### Door #1: Reports you'll use *today*. Door #2: The sky is the limit.

We've split the proven, bestselling FMS-80 micro data base manager into two parts. And we've split the price.

Part one (FMS-81) gives you the essential file and reporting features. You can quickly create programs with input questions a clerk can understand, and with reports a manager can *use*.

And FMS-81 with its new manual, is so easy to use, you'll be generating reports the first day. FMS-81 sells for \$495.

Part two (FMS-82) has all the fancy stuff. Including an Extended File Maintenance language that lets you perform virtually unlimited manipulation on up to 19 different data files simultaneously. Using FMS-82, you or your computer dealer can make FMS-80 do *just about anything.* FMS-82 sells for \$495.

Naturally, FMS-82 is fully compatible with all the files and functions you generate with FMS-81.

FMS-81 is so useful, it might seem like you'll never need FMS-82.

But as you expand your use of computers, isn't it nice to know it's there?

The FMS family runs under CP/M, MP/M, CDOS, and Turbodos. Call or write today for a brochure detailing the extensive capabilities of the Two Door Data Base Manager, and the name of your nearest dealer. You'll be impressed.

#### Systems Plus, Inc.



1120 San Antonio Road Palo Alto, CA 94303 (415) 969-7047

a **O**// product DJR Associates, Inc. 2 Highland Lane North Tarrytown, NY 10591

FMS-80, FMS-81, FMS-82 TM DJR Associates CP/M, MP/M TM Digital Research CDOS TM Cromerico Turbodos TM Software 2000, Inc.

Circle 403 on inquiry card.



### lapanese Computers.

and packaging over the the PC-8000. The 8800 is expected to have 8-inch drives, and, unlike the PC-8000, the whole system can be turned on and off with a single switch. Both NEC Home Electronics and NEC Information Systems are offering more applications software tailored to the PC-8000.

Rumors are also circulating that NEC will introduce a 16-bit microcomputer based on Intel's 8086 microprocessor, but it's unclear whether the machine's target is home, office, or both. If and when NEC does introduce the 8086-based machine, much will be determined by which subsidiary introduces it-NEC Home Electronics. NEC Information Systems, or both,



Akio Watanabe founded Systems Formulate in September 1978. Since 1964.

Watanabe's true love has been small computers. While a hardware designer at Fujitsu, he designed the FACOM 230 and FACOM V series systems. Watanabe struck out on his own in 1978 in order to spread the benefits of microcomputers to the public. Systems Formulate not only designs and sells machines but also provides training courses.

Sales from April 1980 to March 1981 were \$4,300,000, up from \$3,100,000 the previous year. Systems Formulate has already made a full return on its original investment of \$230,000. Fujitsu president Taiyu Kobayashi helped Systems Formulate with technology and personnel as well as financing.

Perhaps the most striking fact about Systems Formulate is that it sells 8 to 10 percent of all the personal computers in Japan. Systems Formulate has four retail stores, three in Japan and one in Palo Alto, California. The systems sold include the Commodore VIC, the Apple, the NEC PC-8001, and the Oki if 800.

Systems Formulate has two training "campuses," both in Japan. The campuses, which offer a variety of software training courses, provide a separate personal computer for each student. The most popular course? "SB nyu-mon," the beginner's course in small-business computer applications. Students can rent computer time for study outside class hours.

Watanabe and other Systems Formulate staff members designed the Z80-based Bubcom80, which Fujitsu builds. The Bubcom80 is a beautiful machine, and a drop in the price of bubble memory would make it hard to resist. Systems Formulate's direct retail sales of computers may enable the company's talented designers to understand better than others the needs of personal computer users. Add to that the little company's close ties with Fujitsu and apparent ability to use the giant's production facilities, and Systems Formulate seems an attractive dark horse in the American microcomputer market. At this point, however, Systems Formulate's only machine is too expensive for all but a few personal computer users.

TOSHIBA A century-old,

\$9-billion com-

pany that employs almost 64,000 people. Toshiba offers products that range from light bulbs to a neutral-beam injector for fusion experiments. Perhaps most impressive about Toshiba as a contender in the U.S. personal computer market is that Toshiba combines experience in both consumer electronics and information-processing systems with the capacity for vertical integration. Toshiba is Japan's thirdlargest producer of semiconductors, with sales of \$541 million in 1981.

Toshiba's technological feats include a pocket liquid-crystal-display television, a voice-driven word processor for the intricate Japanese language, a highly successful family of CMOS integrated circuits, and the world's first microcomputer that uses silicon-on-sapphire (SOS) technology.

The first two microcomputers Toshiba introduced in the United States were its T200 and T250 desktop machines. Both use the 8085A microprocessor and come with CP/M, CBASIC II, and Microsoft BASIC

## G&G ENGINEERING is working wonders with CompuPro[™]!

You can get *FAST* single and multi-user CompuPro based configurations fully integrated from G&G ENGINEERING.





Are you having trouble deciding whether to go 8 bits (with lots of software that runs *NOW*), or 16 bits (with all that potential power)? Thanks to G&G, it's a split decision—*EVERY-BODY WINS!* G&G ENGINEERING's implementation of MP/M 86TM does it all! We call our package **MP/M 8-16** because it uses Digital Research's MP/M 86 to provide a multi-user, multitasking environment for running both CP/M 2.2TM and CP/M 86TM compatible programs ... AT THE SAME TIME!

That's right! Imagine a system where one user could be running Wordstar[™], another dBASE II[™], a third SUPERCALC[™] (all 8 bit CP/M 2.2 compatible programs), while a fourth user runs CBASIC 86[™] (16 bits and CP/M 86 compatible)! It's all made possible thanks to CompuPro's powerful hardware, including the 8085/8088 processor board and DMA disk controllers, and thanks to G&G Engineering's software expertise.

Plus you can install up to a Megabyte of CompuPro high speed static RAM memory and an assortment of hard disk drives. This system means business.

But flexibility isn't the only good news. This system is also *FAST* (naturally, it's by G&G). What's more, it's *BIG*. CP/M 2.2 compatible programs when run under **MP/M 8-16** are not limited to user work areas of 48K, as with 8-bit-only MP/M systems. With MP/M 8-16, your work area for 8 bit software is a whopping 62K!

*MP/M 8-16 is a proprietary imptementation of MP/M 86 version 2.0. This implementation takes advantage of the CompuPro 8085/8088 processor card and can not be run on other CPU cards.



DUAL SYSTEMS and CompuPro make a perfect match in the best micro-computer version of UNIX we've seen. This is not "UNIX-LIKE" this *IS* UNIX, implemented on the MC68000 processor (32 bit internal registers!). For the software connoisseur.

APPLICATIONS (for users of our CompuPro systems)

### SUPERSHEET

Now you can really spread out with **SuperSheet,** G&G's enhancement of Sorcim's SUPERCALC[™]. Upward compatible with all your existing SUPERCALC files, **SuperSheet** allows up to 15 times more storage! If you are among the many who have been frustrated by the Memory FULL message, **SuperSheet** is the answer to your prayers! This is the largest electronic spreadsheet program on the market. Once again, G&G has taken the best and made it even better. (Requires a minimum of 128K RAM.)

### 

Compute in the *fast* lane with WARP DRIVE, G&G's RAM memory disk drive. WARP DRIVE is extended address RAM memory configured with CP/M 2.2 to look like a disk drive. Your programs can run from 10 to 30 times faster! When running CP/M 86, WARP DRIVE automatically becomes directly addressable main memory. WARP DRIVE is available in sizes ranging from 128K to 1 Megabyte.

### CPM-IBM

Turn your G&G system into an IBM-ulator! Your system can become a powerful software development tool for the IBM Personal Computer. (We use CompuPro's Dual Processor 8085/88 the same hardware IBM used for their own development!) Our **CPM-IBM** program allows you to transfer CP/M® compatible files to and from 51⁄4-inch diskettes in the IBM DOS format. The program discerns what kind of file or diskette it is reading, then does the appropriate conversion— IBM to CP/M or CP/M to IBM. G&G makes it easy!



G&G Engineering is an authorized CompuPro Systems Center. We specialize in CP/M S-100 Software and Hardware integration. Our engineers are factory-trained experts in Compu-Pro products. All our CompuPro equipment is covered by a 2-year phone exchange warranty. Single-user systems start at \$5,000 and multi-user systems begin at \$9,000.

COMPUPRO is a trademark of Godbout Electronic; MP/M, MP/M 86, CP/M, CP/M 2.2 and CP/M 86 are trademarks of Digital Research; WORDSTAR is a trademark of MicroPro; dBASE II is a trademark of Ashton-Tate; SUPERCALC and SUPERSHEET are trademarks of Sorcim; CBASIC 86 is a trademark of Compiler Systems Inc.; UNIX is a trademark of Bell Laboratories; WARP DRIVE is a trademark of G&G Engineering.

Circle 459 on Inquiry card.



## SITTING PRETTY

You can use just about any desk for a computer terminal stand. But with CF&A, you're sitting pretty. Our full range of desks, workstations, and terminal stands are designed to accommodate a variety of computer equipment. Choose from our Classic Series desks, DR Series desks and enclosures, specialty items like our Apple II desk, or a universal printer stand. You'll be sitting pretty with attractive color selections, durable construction, versatile configurations, useful options, competitive prices, quick delivery, and personal service. It's our way of doing business.



Computer Furniture and Accessories, Inc. 1441 West 132nd Street Gardena, CA 90249 (213) 327-7710

### Japanese Computers_

standard. The T200 has two 5¼-inch built-in disk drives, and the T250 has two 8-inch built-in disk drives.

At January's Consumer Electronics Show in Las Vegas, Toshiba surprised everyone by showing a third microcomputer, this one using a Z80A processor. Called the T100, this model has BASIC in a 32K-byte ROM, 64K bytes of user RAM, 16K bytes of video RAM, and the capacity to accept two additional 8- to 32K-byte ROM or RAM packs containing languages or applications programs. The T100's price starts at less than \$1000 and demonstrates the seriousness of Toshiba's interest in the American personal computer market. The T100 may or may not be the same machine as the rumored Toshiba PASOPIA. The PASOPIA was supposedly based on the 6502 processor and was to be priced below the Apple.

Toshiba will introduce another microcomputer at the June National Computer Conference in Houston. The T300 uses the more powerful 8088 microprocessor and is aimed at the small-business market. A single-user system with dual 8-inch, slim-line disk drives may sell for as little as \$3500, with a 10-megabyte Winchester harddisk drive costing perhaps \$4000. A multiuser system consisting of four T300s, a Winchester drive, and a printer may sell for around \$25,000.

All of a sudden, Toshiba has covered the entire spectrum of the American microcomputer market. Its products range from home computers for under \$1000 to multiuser systems for \$25,000. The T100, T200, T250, and T300 together seem to reflect excellent long-range planning. According to Toshiba, all four machines will run the same software. There may also be a 6502-based PASOPIA in the works.

Toshiba has signed 30 dealers and has a goal of signing 40 more this year. It has also opened two retail computer stores, one in the Westwood section of Los Angeles and the other in Costa Mesa, California. Vice-president and general manager John Rehfeld of Toshiba America stresses that the

retail stores will serve as "learning laboratories for gathering information which can be useful to our dealer network."

#### Speculations and a Pipe Dream

At the moment, it looks as if NEC and Toshiba are leading the pack in marketing Japanese microcomputers in the United States. Expect them to maintain their lead for some time. Both companies will soon be offering complete lines of microcomputers ranging widely in price. Both seem determined to win a significant share of the American market. Both have the resources for large-scale, vertically integrated manufacturing. Toshiba has marketed more consumer products here, but NEC has established dealer networks for its Spinwriters and video monitors and, to some extent, for its PC-8000 series.

Later this year or early in 1983, Hitachi can be expected to introduce in the U.S. a series of powerful microcomputers. Despite its setbacks in marketing computers here, Hitachi is such an impressive company that its products are likely to be worth the wait. Hitachi has successfully marketed consumer products in the U.S. and has everything necessary for vertically integrated production. The only questions are whether Hitachi will decide to build the right machines and whether the market will still be waiting by the time the Hitachi machines arrive.


As for the consumer electronics companies, Seiko's Epson subsidiary will probably be the first to make a strong showing. Existing marketing channels and consumer enthusiasm for the MX-80, along with Seiko's stateof-the-art CMOS technology, enormous financial resources, and experience in manufacturing microcomputers, give Epson an excellent chance of winning a significant share of the American market. This is certain if Epson decides to sell its computers, as it does its printers, for very low prices.

Expect Sony and Matsushita to burst on the scene sometime during 1982 with compact, convenient home

# Performance, quality, reliability.

Disk 2 Selector Channel

Excellence in DMA hard disk control.



CompuPro division, Godbout Electronics. Oakland Airport, CA 94614-0355

For business, scientific, and industrial computing solutions, contact your authorized CompuPro Systems Center.

## Performance, Quality, Reliability.

## Disk controllers/ sub-system

**Disk 1.** High performance, DMA floppy disk controller for single or double-density, single or double-sided diskettes. IBM (soft-sector) compatible. \$495, \$595 CSC. CP/M® 2.2 \$175, CP/M-86 \$300.

**Disk 2.** High performance, DMA hard disk controller handles up to four disk drives, up to sixteen heads per drive. Compatible with MP/M, OASIS, CP/M-80, and CP/M-86. Contact factory for pricing.

Floppy Disk Sub-System. Two Qume doublesided, double-density drives provide up to 2.4M bytes of on-line mass storage. With all-metal enclosure, Disk 1 DMA floppy disk controller, CP/M-80, and CP/M-86. \$3295.

#### MP/M 8-16 Operating System. CompuPro's proprietary version of Digital Research's multi-user MP/M-86 (V2.0) gives you the best of both worlds: Run 8 bit (CP/M 2.2) and 16 bit (CP/M-86) software - simultaneously - in a multi-user

## Interfacers

environment. \$990.

**Interfacer 1.** Two RS-232C serial ports, full handshake, independently selectable Baud rates. **\$249, \$324 CSC.** 

**Interfacer 2.** Three full duplex parallel ports plus one full-feature RS-232C serial port. **\$249, \$324** CSC.

**Interfacer 3-5.** Five RS-232C serial ports (2 sync/async, 3 async) with full handshake and selectable Baud rates. **\$599, \$699 CSC.** 

**Interfacer 3-8.** Eight RS-232C serial ports (2 sync/async, 6 async) with full handshake and selectable Baud rates. **\$699, \$849 CSC.** 

**Coming soon: Interfacer 4.** The latest addition to the interfacer series. Three RS-232C serial ports, one parallel port, and one Centronics parallel port.

## Memory

Static operation gives flawless DMA while handling 10 MHz clock speeds.

**RAM 20.** Extended addressing or bank select. RAM 20-8K: \$210, \$280 CSC. RAM 20-16K: \$285, \$355 CSC. RAM 20-24K: \$355, \$425 CSC. RAM 20-32K: \$425, \$495 CSC.

**RAM 16.** Works automatically with 8 or 16 bit systems (64K X 8 or 32K X 16). **\$650, \$750 CSC.** 

**RAM 17.** Ultra low power (1.6 Watts typical for 64K). RAM 17-64K: \$599, \$699 CSC. 48K version also available.

**RAM 21.** Low power, high density. Works automatically with 8 or 16 bit systems (128K X 8 or 64K by 16). **\$1695, \$1895 CSC.** 

**M-DRIVE.** The first "solid state disk drive" increases operating speeds up to 3500%. Memory saves are virtually instantaneous, spread sheets recalculate faster, long compiles take milliseconds instead of minutes, and disk wear is minimized too. You haven't experienced computing in the fast lane—until you've experienced M-DRIVE. **128K M-DRIVE \$1198, 256K M-DRIVE \$2395** (prices based on RAM 17; also available for other RAM types).

## CPUs

**CPU 8085/88.** Executes today's 8 bit and tomorrow's 16 bit software on an 8 bit bus. Chosen by leading software houses for IBM PC software development. **\$425, \$525 CSC.** 

**CPU Z.** The preferred Z80 board for high speed processing. **\$295, \$395 CSC.** 

**CPU 8086/87.** High-performance 16 bit CPU includes sockets for 8087 math co-processor and 80130 interval timer/interrupt controller. Compatible with 8 bit and 16 bit memory, or any mix thereof. \$695, \$850 CSC.

**Coming soon: 8 bit Slave Processor.** Designed to complement 16 bit CPUs (such as CPU 8086/87 and our upcoming 68K board), and 16/32 bit CPUs, by running existing libraries of 8 bit software.

Your authorized CompuPro Systems Center specializes Circle the reader service number for **CompuPro** delivers results in the toughest business, industrial, and scientific computing environments. Backed by a one year limited warranty (two years for boards qualified under the Certified System Component highreliability program), **CompuPro** system components are the leading choice of systems integrators world-wide.

When you depend on your computer, choose a computer on which you can depend: IEEE 696/S-100 from **CompuPro**.

## High-performance motherboards

6 Slots. \$140, \$190 CSC. 12 Slots. \$175, \$240 CSC. 20 Slots. \$265, \$340 CSC.

## **Documentation.**

#### "CompuPro Product User Manuals:

**1975 - 1980**³³. This 250 + page book includes data on all older Godbout/CompuPro products, as well as many newer products such as the Spectrum Color Graphics board, Interfacers 1 and 2, CPU 8085/88, motherboards, CPU Z, and more. Softcover, \$20.

"CompuPro Product User Manuals, Volume 2". 300 + page book includes data on System Support 1, Disk 1, RAM 17, Interfacer 3, System Enclosure, and STD products. Softcover. \$25.

#### "Interfacing to S-100/IEEE 696

**Microcomputers**¹. By Mark Garetz and Sol Libes; published by McGraw-Hill. Covers operating requirements and characteristics of the S-100 bus with clarity and precision. Softcover, **\$15**.

**Individual user manuals.** Interfacer 3, \$10; Disk Controller, \$25; System Support 1, \$20; most others, \$5.

## Other computer products

MPX 1-4 (4K on-board RAM) \$495, \$595 CSC. MPX 1-16 (16K on-board RAM) \$649, \$749 CSC. Front end processor ideal for use with multi-user systems.

**Enclosure 2.** Rugged, all-metal construction. Includes 20 slot motherboard, heavy-duty power supply with constant voltage transformer and line filter, cutouts for all popular connectors, positive pressurized fan with dust filter, attractive styling. Desktop model \$825, rack mount \$895.

**System Support 1.** Battery clock/calendar; sockets for battery backup RAM, 9511 or 9512 math processor, and 2716 ROM options; RS-232C serial port; triple interval timers; dual interrupt controllers; power fail interrupt; more. **\$395, \$495 CSC** (add \$195 to all prices for optional math processor).

Selector Channel. High speed DMA controller. Contact factory for pricing.

Mullen Extender Board. Simplifies servicing, troubleshooting, and testing. \$89.00


Mullen Controller Board. 8 opto-isolators accept outside world input data; drives 8 reed relays for computer interface to external devices (power relays, lights, etc.). \$219.00

CP/M, CP/M-86, and MP/M are trademarks of Digital Research; OASIS is a trademark of Phase 1.



CompuProdivision, Godbout Electronics, Oakland Airport, CA 94614-0355

n business, industrial, and scientific computing. The Systems Center nearest you.



### Japanese Computers_

computers that will set new standards for ease of use. The marketing channels open to these two companies are so extensive that both can easily recover from a late start.

The challenge to these companies is to design and produce the right machine on the first try. If the machines sacrifice versatility and performance to achieve the kind of compactness that fits neatly on one corner of a coffee table, then Sony and Matsushita will have to work very hard to succeed on the second try. If these two companies come in with machines that are not only compact and convenient but also are as powerful as the IBM Personal Computer, look out!

Any of the companies described in this article, as well as their American competitors, could get a lead on the others by bringing to market a system with clearly superior performance for the price. One obvious strategy would be to sell a standard built-in micro-Winchester hard disk for about the price of two standard floppy-disk drives. Veteran microcomputer users know how much faster the hard disks make many operations, and novices could tell at a glance when shopping for a system. Japanese and American computer companies with experience in manufacturing hard disks could turn that experience to advantage by mass producing micro-Winchesters and selling them at mass-market prices.

Here's where speculation ends and a pipe dream begins (no reference to Unix intended). Imagine an 8086based system with 256K-bytes of RAM, a CP/M-86 or MS-DOS operating system, BASIC in ROM, and a keyboard of high quality and versatility. That sounds a lot like a fully equipped IBM Personal Computer. Add a built-in micro-Winchester drive, a fold-away flat-screen video display, a built-in LSI 1200-bit-persecond modem, a home-appliance controller, and sell the whole thing for \$3500 or less. Offer a high-quality RGB color monitor for \$500. Then IBM, Radio Shack, and Apple would have something to worry about.

Circle 424 on inquiry card.

## INCREAS SALES OF OF CP/M®

#### SUPERVYZ is a revolutionary software concept that serves as a mediator between the user and CP/M, requesting information in plain English and translating the response into the form CP/M recognizes. Users are led from one application to another in a courteous and step-bystep sequence of menus. Aided by descriptive error messages and computer-assisted tutoring, the operator avoids mistakes and is advised of the next step in a polite and friendly manner.

WITH SUPERVYZ

#### EXPAND YOUR MARKET AND LOWER COSTS

As a Dealer, SUPERVYZ allows you to sell CP/M computers and application software to non-technical markets, without the added expense of teaching the operating system. EPIC supplies the menus or you create your own to meet the exact needs of your customers. Because SUPERVYZ is compatible with over 2,000 programs and 300 computers, you can bundle software from different suppliers and SUPERVYZ does the teaching. This eliminates costly after-the-sale handholding.

For further information about EPIC SUPERVYZ, call or write us today.



Supervyz is a trademark of Epic Computer Corporation. CP/M is a Trademark of Digital Research.



NOW SOLD THROUGH DISTRIBUTORS IN POPULAR FORMATS 800-421-0814 DEALERS ONLY PLEASE

Circle 163 on inquiry card.

www.americanradiohistory.com

## Japanese Computers.

## Japan Maps Computer Domination

Ten-year research and development effort leading to fifth-generation systems for the 1990s is aimed at leapfrogging U.S. technology.

> Tom Manuel Computers & Peripherals Editor ELECTRONICS

The Japanese have set out to leapfrog U.S. computer technology and become the world's leading suppliers of advanced computer systems. After two years of study and research, the Japanese Information Processing Development Center—JIPDEC—has hammered out a body of ideas, plans, and recommendations for projects that will culminate in what it calls a fifth-generation system by 1990.

The plan for research and development during the coming decade neatly integrates many of the innovative ideas from researchers in the U.S., Japan, and the rest of the world, extending and fitting them into the new system [ELECTRON-ICS, November 3, 1981, p. 71].

Reprinted from ELECTRONICS, November 17, 1981. Copyright © McGraw-Hill, Inc., 1981. All rights reserved.

What makes the goal entirely believable is the Japanese ability to turn such efforts into a national project. That gives them, in effect, a na-

Fifth-generation computers will come in sizes ranging from small personal computers to large mainframe computers.

tional computer policy that is concentrated, organized, and possibly government-backed in a way that other countries cannot match.

#### Problem Solver

To meet Japan's needs, the computer of the future, in addition to having a higher performance level at lower cost, must be able to handle many more general problem-solving tasks than today's machines. In addition, the system must be as natural for people to use as it is for them to speak. Access is to be through natural language, everyday speech, and pictures. The system that will perform this feat is being called the intelligentinterface machine (see figure 1).

Another of its three basic functions will be the system's ability to learn, associate, and infer, just as people do. The computer will be able to clarify even vague requests and then, by using its vast store of information or that available from other computers, make judgments that will enhance the thinking capacity of its human masters.

In other words, the computer could carry on an intelligent question-and-


We are dedicated to the achievement of a singular goal... to market fully supported software that sets standards of excellence. Standards against which all software will be measured. Standards which require that we, as well as the OEM's and authors with whom we labor, constantly offer the state-of-the-art. Our commitment to being Number One is too strong for

Lifeboat to market anything less.



The standard for fully supported software. 1651 Third Avenue, NY, NY 10028. (212) 860-0300. TWX 710-581-2524 (LBSOFT NYK).





**Figure 1:** System planned for fifth-generation computers. The intelligent-interface machine will offer natural-language access, the ability to learn and infer, and an understanding of the data it is storing.

answer session with a person. The basic function that will perform this feat is called the problem-solving and inference system, with a separate machine to implement it.

The third basic capability will be the ability to use stored information—the computer will be able to understand the contents of the database instead of just being able to store it, retrieve it, and pass it on. These knowledge bases—as opposed to databases—will feed the problem-solving function.

This part of the tripartite brain will be called the knowledge-based management system. It, like the other two, will have its own specialized machine to use advanced very large-scale integration (VLSI).

www.americanradiohistory.com

#### In All Sizes

Fifth-generation computers are slated to come in sizes ranging from small personal to large mainframe computers. It should be no surprise that they will be interconnected with local and global networks. Some new techniques to be used are new architectures like data-flow machines, artificial-intelligence concepts, and languages such as Lisp and Prolog along with machines optimized for them.

JIPDEC has recommended 26 research and development themes, each with several projects. The themes are grouped into seven categories (see table 1). Each theme has target specifications.

For example, a personal work sta-

# Which personal computer can make you better at what you do best?

	IBM PC	COMPARATIVE Apple III	HP-87	
MAXIMUM	256 K	256 K	544 K	
MEMORY SOFTWARE SELECTIONS	MORY VisiCalc [®]		VisiCale® PLUS Data Communications Word Processing Data Base Mgt. Graphics Presentations Statistics (3 pkgs.) Financial Decisions Linear Programming	
	Ср/М* 86	CP/M® Library Apple II Library	Math AC Circuit Analysis Waveform Analysis CP/M [®] Library Series 80 Users Library	
EASE OF USE Programmable Soft Keys Error Messages Built-in Disc Operating Syste Built-in Screen Graphics	em	0 38 No Yes	14 107 Yes Yes	
RELIABILITY Self Diagnosti Operating Temperature	rs Yes 61-90°F	No No figures available	Yes 32-133°F	

For you, choosing a personal computer means making an intelligent decision. And isn't that what you do best?

The first step in your THE BIGGEST MEMORY THE EVER HEARD OF. decision-making process is analysis. You look at all the numbers, and all the facts, before you leap. So you don't want a computer that's going

to run short on memory. Not when you can have the HP-87 and a memory that expands to over half a million bytes.

> Hewlett-Packard will make sure you don't run short on analytical software, either. For example, our VisiCalc[®] PLUS will let you turn up to 16,000 cells of data into bar graphs,

pie charts or whatever you need to present your results graphically. And our CP/M® module gives you access to the expanding world of CP/M software.

> We call it HP-Easy. Turn on the HP-87, and it's ready to go. The ROM-based operating system puts our built-in, enhanced BASIC to work for you. Instantly. The HP-87 has built-in commands and

editing keys that eliminate complicated keystroke sequences. Whether you're generating a complex graph, writing a program or correcting errors.


SURE LOOKS EASY.

And interfacing peripherals is as easy as putting a plug into a socket. That's the kind of craftsmanship that's putting all our Series 80 computers on the map. We're building power, friendliness and reliability into every one of them. From our portable partner, the HP-85, to the high-powered HP-87.

The most intelligent thing to do now? Get your hands on an HP-87. And then on the competition. You won't have any trouble making the right decision. Not if you want to get better and better at what you do best.

For the HP dealer nearest you, call TOLL FREE 800/547-3400 or in Oregon, Alaska and Hawaii

call 503/758-1010. For additional product information. write Hewlett-Packard, Dept. 276K, Corvallis, OR 97330.



#### Introducing the new HP-87. It's very good at what you do.



612/02

VisiCalc* is a registered trademark of VisiCorp - Personal Software. CP/M* is a registered trademark of Digital Research, Inc.

Circle 193 on inquiry card. www.americanradiohistory.com

#### Japanese Computers.

#### Basic-Application Systems

- Machine-translation system
- Question-answering system
- Applied speech-understanding system
- Applied picture-and-imageunderstanding system
- Applied problem-solving system

#### Development Supporting Technology

• Development-support system

#### Very Large-Scale Integrated Technology

- VLSI architecture
- Intelligent VLSI computeraided design system

**Table 1:** Scope of the fifth-generation project.

tion would be required to perform 2 million instructions per second, have from 0.5 to 5 megabytes of memory, and include 100 megabytes of disk storage with an average access of 1 millisecond. Other specifications include what is referred to as a super high-speed processor to perform from 1 billion to 100 billion floating-point operations per second and have a memory capacity of 8 to 160 megabytes.

#### **Big Numbers**

Designers hope to create a problemsolving and inference function that will have a performance of 100 million to 1 billion logical-inference operations per second (one logical inference equals 100 to 1000 instructions). Another project example is the specifications for a natural-language processing system. In addition, the knowledge-based management function should retrieve a unit of knowledge in several seconds from a knowledge base of 100 to 1000 gigabytes.

Very large-scale integration technologies, first with 1 million tran-

- Network architecture
- Database machine
- High-speed numericalcomputation machine
- High-level man-machine communication system

#### New Advanced Architecture

- Logic-programming machine
- Functional machine
- Relational-algebra machine
- Abstract data-type support machine
- Data-flow machine
- Innovative von Neumann machine

#### Systematization Technology

- Intelligent-programming system
- Knowledge-based design system
- Systematization technology for computer architecture
- Database and distributeddatabase system

#### Basic-Software Systems

- Knowledge-based management system
- Problem-solving and inference system
- Intelligent-interface system

sistors per chip and then up to more than 10 million, are to be used. A design-automation system for these integrated circuits will also be developed.

Newer high-speed device technologies such as gallium arsenide and Josephson junctions are excluded from the program because the researchers believe that such devices will not be ready for general use by 1990. However, they do maintain that the progress of these devices will be closely watched so that they can be incorporated into the project at some intermediate stage should they prove sufficiently practical and capable of superior performance.

The design-automation system is to consist of three parts: the software for automated design of VLSI, a computer system to run it—called System 5G—and the 5G personal computer that will be a logic-programming work station for designers. In the initial stage (the first five years) of the project, the planners intend to implement the Hierarchical Specification Language (HSL) now being used at the Musashino Electrical Communication Laboratory of the Nippon Telegraph & Telephone Public Corp.

The HSL system has several modules that are integrated into a total design system. It contains a language for describing a circuit, compiler, database, timing simulator, logic simulator, circuit simulator, test-pattern generator, placement and routing program, and design-rule checker.

#### Logic Designer

Also part of the design-automation project is the development of the logic-programming work station. No existing personal computer satisfies the requirements of high-speed processing of voice, graphic, and digitized-image input and of performance as a personal-interface machine using languages like Lisp. or Prolog. One of the fastest conventional general-purpose computersone capable of 40 million instructions per second—is planned to be the host computer for the design-automation system until the first models of fifthgeneration computers are available.

# DOW JONES BLUE CHIP SOFTWARE GIVES YOU BLUE CHIP INVESTMENT CONTROL.

Never before have investors had the electronic capability to track and intelligently manage their own portfolios like this. Using Dow Jones' data base and exclusive portfolio management software you can store, modify and automatically update individual holdings on your own personal computer.

> Now you have a remarkable opportunity to use software that can actually minimize risk and increase the chances for investment success —software that allows you to maintain multiple portfolios, automatically value each stock in your portfolio, obtain current quotes (15 to 30 minutes delayed during market hours) and historical quotes, retrieve year-to-date figures and compare them to the stock's original worth. You'll even be able to test the market with hypothetical portfolios—evaluating the "what- ifs" <u>before</u> you buy or sell.

> > More and more investors are becoming "bullish" about the DOW JONES NEWS/RETRIEVAL® Service—relying on it for instant business and financial data that can save hours of valuable time. You get exclusive electronic access to articles from The Wall Street Journal, Barron's and the worldwide Dow Jones News Service, in-depth background infor-

mation on thousands of public companies, earningsper-share forecasts, and much more. It's everything you need to better manage your business and personal finances.

When you make your software purchase, we'll give you a free Dow Jones password. . .as well as one hour of free introductory, non-prime time. And software and usage costs will be tax deductible in many cases (consult your tax advisor).

> Find out about Dow Jones' unique ability to help you manage your own portfolio like a professional, improve and broaden your research capabilities, spot and analyze trends. Visit your nearest computer store or call the Dow Jones customer service hotline.

> > Call Toll Free 800-257-5114 (In New Jersey call 609-452-1511)

**DOW JONES** NEWS/RETRIEVAL

DOW JONES NEWS/RETRIEVAL is a registered trademark of Dow Jones & Company, Inc.

LILLILLILLILLILL

# **INTERESTED?**



# LET'S TALK

www.americanradiohistorv.com

# **CONCEPT: PRIVATE COMPUTERS**

Our marketplace is maturing. Those of you that were around in 1977 will remember what it took then to make a sale...(anything that worked!)

The two beautiful faces at the left are evidence that *changes have occured* in the industry!!!

Besides an excellent, well proven S-100, CP/M, Z-80 4MHZ computer system, we have a few extra things to offer. (Not the model!)

Delta specializes in something called a *Private Computer*. It's for those of you systems integrationists that have matured with the market. You stopped assembling systems in your garage a long time ago, but still need a totally flexible computer line that your customers won't find at *Wards* or *Sears*.

A **Private Computer means** you will never see one of our computer systems on the shelf of your local department store or computer shop. We only sell to systems integrationists who add value to our product.

A Complete Range of Products is available. No other micro company in the world offers a more complete line of equipment to satisfy your needs. We have everything from low end single user systems to the top of the line 64 user distributed processing networks.

**3.** The DP Software Library is growing every month. We supply Accounting, Business Management, Code Writing, Medical, Dental, Chiropractic, Word Processing, Property Management and other programs. We have the source code in most cases and can negotiate customization if needed. Video taped training cassetts to aid you and your customers in learning how to use the programs and run the hardware are available.

Factory Support and Service is available in most large cities. There are 66 fully stocked factory maintainance centers in the U.S. and 12 outside the U.S. In more remote areas, our 24 hour fast turnaround component pool can be used to insure reasonable response times to satisfy customers. We have a customer service Hotline independant of sales or service. We have a 24 Hour Modem Engineering Advisory Billboard.

**Our Engineering Assistance and Software Development Program** can make headaches turn into profits. We maintain a staff of Engineers and Programmers whose services can be leased to expand your range of services. Problems from something as simple as hooking up a new printer or modifying an existing software program to customize a screen display can be resolved with this service.

**Financial Assistance** is available through a flexible credit program that can not only get the product to you quickly but keep your cash busy where it will do the most good. 30 - 60 - 90 day flooring plans can be arranged to allow you to collect your money before you have to pay us.

Sherry Starkey is on line right now at Delta to direct you to your area representative. If you have a half inch Beta or VHS video machine, ask Sherry for a sales demonstration in your own home or office. See the Plant, the People and the **Program**.

DELTA PRODUCTS INC. • 15392 ASSEMBLY LANE, HUNTINGTON BEACH, CA 92649 (714) 898-1492 • MON to FRI - 8 AM to 5 PM • TELEX: 681-367 DELTMAR HTBH Circle 138 on inquiry card.

# The Atari Tutorial

#### Part 9: Even More Colors!

*Television artifacts and the new GTIA chip allow even more colors to be displayed on Atari computers.* 

Kathleen Pitta and Lane Winner Atari Inc. 30 East Plumeria POB 50047 San Jose, CA 95134

The Atari 400 and 800 home computers allow the programmer to display many colors with their powerful color-register systems. Even more colors can be obtained with television artifacts and the new GTIA chip.

#### **Television Artifacts**

A television artifact is a pixel on the screen that displays a different color on the screen than the one assigned to it. This happens because the television display signal can become confused. The astute programmer can turn this bug into a feature. The ANTIC modes with which this can be accomplished are 2, 3, and 15. [Remember that the ANTIC mode numbers are not the same as the BASIC "GRAPHICS n" numbers;

This article appears in slightly different form in De Re Atari, published by Atari Inc., and is reproduced with its express permission. De Re Atari is available from the Atari Program Exchange, 155 Moffett Park Dr., POB 427, Sunnyvale, CA 94086. ANTIC mode 15 is not a mistake. ...G.W.] Each of these modes has a pixel resolution of one-half color clock by one scan line; each has one color and two luminances. With the use of artifacts, pixels of four different colors can be displayed on the screen in each of these modes.

A simple example of artifacts when using the Atari home computer is shown by the following lines of BASIC:

> GRAPHICS 8 COLOR 1 POKE 710,0 PLOT 60,60 PLOT 63,60

These statements plot two points on a black background, each with a different color. To understand why these colors are different, you must first understand how the display information for the television display is contained in a modulated television signal.

The two major components of this signal are the *luminance* (or bright-

ness) and the *color* (or tint). The luminance information is the primary signal, containing not only the brightness data but also the timing and synchronization signals. The color signal contains the color information and is combined or modulated onto the luminance waveform.

The luminance of a pixel on the screen is directly dependent on the amplitude of the luminance signal at that point. The higher the amplitude of the signal, the brighter the pixel. The color information, however, is a *phase-shifted signal*, which is a constantly oscillating waveform that has been delayed by some amount of time relative to a reference signal. This time delay is translated into the color.

The color signal oscillates at a constant rate of about 3.579 megahertz (MHz). The Atari home computer offers a high-resolution graphics mode (GRAPHICS 8) that displays 320 pixels across one horizontal scan line. The hardware does this by varying the amplitude of the luminance signal at 7.16 MHz, which is twice the color frequency. Since the color and lumi-

# Announcing the Printing Breakthrough of the Century: Smith-Corona[®] TP-1[®] Text Printer

# Low Cost Daisy Wheel Printer



SMITHCORONA TP-1-

- Microprocessor Electronics
- Serial or Parallel
   Interface
- Simple, Reliable
   Mechanism

## ACT NOW: Limited Supply, Low, Low Cost

**Smith Corona,** one of the largest manufacturers of small printers in the world, gives a whole new perspective to printing with their electronic text printer—**TP-1.** The **TP-1** is a microprocessor controlled, high quality **daisy wheel printer.** It produces perfectly formed, executive quality printouts at the speed of 120 words per minute. Typewriter quality printing at dot matrix prices.

Simple, durable and dependable, **TP-1** may be used with word processing systems, microcomputers and most small business systems. Compact and attractively








styled, the **TP-1** blends well with any setting.

Now, all your letters, documents forms and reports can have the crisp, professional look you demand—for business or personal use—at an affordable price. **TP-1**, the electronic text printer.

Don't delay. Order your **TP-1** TODAY at the low price of **\$845**.

Micro Printer Marketing offers same day shipping, nationwide service and invites dealer inquiries. Catalogues available. No shipping charges on pre-paid orders.





**Figure 1:** In this example of artifact color pixels, the visible portion of a pixel is one-half color clock wide, and its position within a color clock influences the color produced. See figure 2 and listing 1 for another example of artifact color pixels.

nance signals are theoretically independent, you should be able to assign any background color to be displayed and then vary the luminance on a pixel-by-pixel basis. This is, in fact, the way mode 8 works, the background color coming from playfield register 2 and the luminances coming from both playfield registers 1 and 2.

However, a problem does arise. In practice, the color and luminance signals are not independent. They are part of a modulated signal that must be demodulated by the television receiver before they can be used. Since the luminance is the primary signal, whenever it changes, it also has a drastic effect on the color phase shift. For one or more color clocks of constant luminance this is no problem, since the color phase shift will be unchanged in this area. However, if the luminance changes on a half color-clock boundary, it will also produce a color shift at that point. Moreover, the color obtained cannot be controlled from the transmitting end of the signal (the computer). The artifact color obtained is defined by the settings of the television receiver.

(A color clock is a *physical* unit of horizontal distance on the video display—160 color clocks per line of video display. A pixel is a *logical* unit of video display with a size that varies with the graphics mode in use. Depending on the graphics mode, a pixel may be one-half, one, two, or more color clocks wide.)

Since the luminance can change on half color-clock boundaries, two artifact colors can be generated, one for each side of the color clock. These two artifact color pixels can be combined to form two additional types of

#### The artifact colors are definitely distinct from each other, and programs can be written that utilize them.

full color-clock pixels. This is illustrated in figure 1.

Each of these pixels requires one color clock of screen space (although the visible part of the pixel is one-half color clock). Hence, the resulting display has an effective horizontal resolution of 160 pixels.

The colors A through D are different for each television set, usually because the tint-knob settings vary. Thus, the actual colors obtained cannot be controlled by the programmer. They are definitely distinct from each other, and programs can be written that utilize these artifact colors.

To illustrate a simple application of artifacting, refer to the sample pro-

gram in listing 1. This program draws lines in each of the four artifact colors (see figure 2) and then fills in areas using three of the colors. (Displaying many pixels of either type C or D next to each other results in the same thing: a line of constant luminance with background color.) The POKE 87,7 command causes the operating system to treat this mode as mode 7 instead of mode 8 and to use 2-bit masks when setting bits in the display memory; this tricks the Atari into creating pixels one-half color clock wide. To generate color A, use the COLOR 1 command. The COLOR 2 command produces color B; the COLOR 3 command produces color C. Color D is generated by displaying COLOR 1 to the left of COLOR 2.

#### The GTIA Chip

The new GTIA display chip for the Atari home computer will someday replace the CTIA chip currently in use. The GTIA is nothing more than a CTIA with a few extra features. It provides three additional modes of interpretation of information coming from the ANTIC chip. ANTIC does not require a new display mode to use the special GTIA modes; instead, it uses the high-resolution mode F hexadecimal. GTIA is completely upwardcompatible with the CTIA. A brief summary of the CTIA's features follows so that the differences between the two can be explained.

The CTIA is designed to display data on a television screen. It displays the playfield, players, and missiles. CTIA uses the data from ANTIC to display hue and luminance as defined by the four color registers. The GTIA expands this to use all nine color registers or 16 hues with one luminance or 16 luminances of one hue.

The three graphics modes of GTIA are simply three new interpretations of ANTIC mode F hexadecimal, a high-resolution mode. All three modes affect the playfield only. Players and missiles can still be added to introduce new hues or luminances, or to use the same colors and luminances in more than one way. All displays of hues and luminances can still be changed on-the-fly with



Switch selection of interface parameters and forms handling allows simple OEM system integration.

Automatic proportional spacing, without decreasing system throughput, sets the new standard for print quality.

To cut service costs and reduce adjustments, the exclusive Kevlar[®] belt is stronger and lighter than steel, with virtually no stretch.

For the highest accuracy in the history of daisywheel printing, our Microdrive[™] carriage drive mechanism has no cables or pulleys.

STANDARD OPERATOR CONTROL PANEL.

#### Test drive our hot new daisywheelers.

If you've always wanted letter-quality printing from your DP system but the cost has put you off, then a SPRINT 9 is for you. Now you can have the same high quality print usually only available on word processing systems—at prices that will let you forget all about dot-matrix terminals. With speeds of 45 and 55 cps (average English text, not burst rate), the reliable high performance of SPRINT 9 terminals leaves the crowd behind. Prove it to yourself with a test drive. Call or write Qume at (408) 942-4000. 2350 Qume Drive, San Jose, California 95131.

clume /

LIMITED OEM CONTROL PANEL.



Circle 355 on inquiry card.

Qume

I ICL

# AN ATARI 800" HOME COMPUTER AND A FATHER'S LOVE COMBINED TO HELP CHILDREN EVERYWHERE.

Fernando Herrera became the first grand prize winner of the ATARI Software Acquisition Program (ASAP) competition because he believed in computers, his son and himself.


The story of Herrera's success began with his son's sight problems. Young Steve Herrera had been born with severe cataracts in both eyes and, naturally, his father was concerned. Herrera reasoned that the boy's learning abilities could be seriously affected by growing up in a world he could not see.

Having just purchased an ATARI 800 Home Computer, it occured to Herrera that this could be the perfect tool for testing Steve's vision. So he wrote a program simply displaying the letter "E" in various sizes.

Success! It turned out that 2-year-old Steve could see even the smaller "E's" without special lenses. Herrera was first relieved, and then intrigued when he discovered that not only could his son see the "E's," but he would happily play with the computer-generated letters for hours. So Herrera added a picture of an elephant to go with the "E," and then more letters and pictures. Thus, "My First Alphabet"

was born, a unique teaching program for children two-years and older consisting of 36 high resolution pictures of letters and numbers.

Herrera submitted the program to the ATARI Program Exchange, where it became an instant best-seller. ATARI was so impressed with the outstanding design, suitability and graphic appeal of "My First Alphabet," that the program is being incorporated into the ATARI line of software.



In addition to his grand prize winnings of \$25,000 in cash and an ATARI STAR trophy, Herrera also automatically receives royalties from sales of his program through the ATARI Program Exchange.

But Fernando Herrera wasn't the only software "star" that ATARI discovered. Three other ATARI STARS were awarded at the ASAP awards ceremony for software submitted to the ATARI Program Exchange and judged by ATARI to be particularly unique and outstanding.

Ron and Lynn Marcuse of Freehold, New Jersey, teamed up to write three winning entries in the Business and Professional category for home computers: "Data Management System," "The Diskette Librarian" and "The Weekly Planner."

Sheldon Leeman of Oak Park, Michigan, captured an ATARI STAR for his exceptionally well-engineered "INSTEDIT" character set editor.

Greg Christensen of Anaheim, California, became our youngest ATARI STAR winner at the age of 17. Christensen designed the clever "Caverns of Mars" game program, which also will be incorporated into the ATARI product line. Greg designed the program in 1½ months after owning his ATARI Home Computer for less than a year.

Every three months, ATARI awards ATARI STARS to the writers of software programs

submitted to the ATARI Software Acquisition Program and judged first, second and third place in the following categories: Consumer (including entertainment, personal interest and development); Education; Business and Professional programs for the home (personal finance and record keeping); and System Software.

Quarterly prizes consist of selected ATARI products worth up to \$3,000, as well as an ATARI STAR, plus royalties from program sales through the ATARI Program Exchange. The annual grand prize is the coveted ATARI STAR trophy and \$25,000 in cash.

To be eligible, your software idea must be accepted by the ATARI Software Acquisition Program. Your program can have a broad application or serve a very specific purpose.







After submittal, consultation from ATARI is available if you need personal assistance with sound, graphics, or other technical aspects of your program.

To make your job easier, ATARI provides some 20 software development tools through the ATARI Program Exchange. A list and description of the various system software is published quarterly in the ATARI Program Exchange Catalog. These tools enable you to utilize all the ATARI resources and software, including the six ATARI programming languages.

Fernando Herrera had a great idea that made him a star. ATARI would like to give you the same opportunity.



Circle 32 on inquiry card.

Enter the ATARI ASAP competition and you could win \$25,000 in cash, royalties, some great prizes and an ATARI STAR.

SUBMIT TO: ATARI[®] Software Acquisition Program Dept. C1R, P.O. Box 427 155 Moffett Park Dr., B-1 Sunnyvale, CA 94086 OR CALL: 800-538-1862; in California, 800-672-1850.

I'm reaching for the stars. Please send me an entry form today.

Name____ Address


City_

- , ____


State/Zip_____ **ATARI HOME COMPUTERS** We've Brought The Computer Age Home.™ • 1982 ATARIL inc.

**Listing 1:** An Atari BASIC program to display artifact colors. See the text and figures 1 and 2 for details.

10 GRAPHICS 8:POKE 87,7:POKE 710,0:POKE 709,14
20 COLOR 1:PLOT 10,5:DRAWTO 10,70
30 PLOT 40,5:DRAWTO 40,70
40 COLOR 2:PLOT 20,5:DRAWTO 20,70
50 PLOT 41,5:DRAWTO 41,70
60 COLOR 3:PLOT 30,5:DRAWTO 30,70
70 FOR X = 1 TO 3:COLOR X:POKE 765,X
80 PLOT X•25+60,5:DRAWTO X•25+60,70
90 DRAWTO X•25+40,70:POSITION X•25+40,5
100 X10 18,#6,12,0,"S:"



**Figure 2:** An enlarged view (not to scale) of the upper left-hand corner of the video display produced by listing 1. This figure helps to explain how listing 2 produces four colored vertical lines from three different types of pixels.



**Figure 3:** Activation of graphics modes 9, 10, and 11. The two most significant bits of the hardware register PRIOR control the selection of these modes. For information on the use of the low 6 bits of the PRIOR register, see page 338 of the November 1981 BYTE.

display-list interrupts. The GTIA uses 4 bits of data from ANTIC for each pixel, called the pixel data. Each pixel is two color clocks wide and one scan line high. Thus, the pixels are roughly four times wider than their height. The display has a resolution of 80 horizontal pixels by 192 vertical pixels. Each line requires 320 bits (40 bytes) of memory, the same number used in ANTIC mode F hexadecimal. Therefore, for a program to run the GTIA modes, it must have at least 8K bytes of free RAM (random-access read/write memory) for the display.

The GTIA modes are selected by the priority register PRIOR, which is located at address D01B hexadecimal and shadowed at address 26F hexadecimal. [*The contents of shadow* registers are copied into their associated registers every 1/60 second. Thus, you will usually alter shadow registers, not the hardware registers themselves. . . G. W.] Bits D6 and D7 are the controlling bits. The effects of these bits are presented in figure 3.

Setting up the new GTIA modes is as simple as setting up the present modes supported by CTIA. To implement the modes from BASIC, simply use a GRAPHICS 9, GRAPHICS 10, or GRAPHICS 11 command. In assembly-language programs, selecting one of these modes is done by opening the screen device through CIO. If you are building your own display list, PRIOR must be set to select the correct mode.

#### Mode 9

Mode 9 produces up to 16 different luminances of the same hue. ANTIC provides the pixel data that selects one of 16 different luminances. The background color register provides the hue. In BASIC, this is done by using the SETCOLOR command to set the hue value in the upper nybble (4 bits) of the background color register and to set the luminance value in the lower nybble to all zeros. The format of the command is

#### SETCOLOR 4, HUEVALUE, 0

where 4 specifies the background

# **COMPUTER WAREHOUSE**

# CALL TOLL FREE 1-800-528-1054

#### ATARI

#### INTERNATIONAL DEALER INQUIRIES INVITED

ATARI	
Special 32K 800 Syste 800 w/32K, recorder, s raiders, joysticks Above w/48K	star Call
800 (16K) 400 810 Disk Drive 825 Printer 850 Interface 410 Recorder 830 Modem 16K Memory 32K Memory COMMODORE VIC 20	\$340 \$440 \$590 \$170 \$75 \$155 \$155 \$70 \$125
DISK DRIVES Lobo Apple 1st Drive Apple 2nd Drive	\$400 \$350
C. Itoh F-10 – Parallel F-10 – Serial 55CPS – Series Prowriter 1550	Call Call Call
Datasouth DS 180	\$1260
Diablo 630 RO w/Tractors 630 RO wo/Tractors . 630KSR wo/Tractors .	\$2260 \$2050 \$2435
Epson MX-80 MX-80 F/T MX-100	Call Call Call
NEC PC-8023A 3510 7710 7720	
Okidata Microline 80 Microline 82-A Microline 83-A Microline 84	\$455 \$740
Tally 1805/1802 1605/1602	\$1555 \$1325
Texas Instruments 810 Basic	Call
MONITORS Zenith 12" Green Screen	\$115

12" Green	s	с	re	ee	eı	n		 	\$	115
Amdek										
Video 100.										Call
Video 300.			,	,						Çall
Color I										Çall
Color II										Call



#### SPECIAL WORD PROCESSING SYSTEM

Altos 8000-2, Televideo 950, Diablo 630RO, Word Star, Cables \$5830 above w/TELEVIDEO 910. \$5500

#### **VIDEO TERMINALS**

Adds	
Viewpoint	\$530
Altos	0
Altos I	Call
Soroc	0-11
10 120	<b>•</b> • • •
IQ 130	
IQ 135	
IQ 140	Call
Televideo	
910 C	\$570
912 C	50/5
920 C	\$735
925 C	5/30
950 C	2812
Zenith	
Z-19	2080
DISKETTS	
Elephant	
5¼1 0. Sector (100)	<b>\$215</b>
Maxell	
5¼10. or 10. Sector	
(100)	.\$300
8'' 0. Sector (100)	.\$370
SOFTWARE	
WordStar	\$295
Mailmerge	\$100
SpellStar	\$160
DataStar	\$240

CalcStar ..... \$220

#### COMPUTERS

Altos	
ACS 8000-15	\$3850
ACS 8000-2	
w/CPM*	\$2650
Series 15D	
Series 5-5D	
Alspa	
ACI-1	
ACI-2	Call
California Computer	
Systems	
IBM	_
Personal Computer .	Call
NEC	Call
Northstar	
Advantage	
Horizon II 64K QD	\$2690
Televideo Systems	
TS-802	\$2700
TS-802H	\$5050
Zenith	
Z-89 48K w/CPM*	<b>\$2160</b>
Z-90 64K w/CPM*	\$2385
Both above w/superc	
MODEMS	
Novation	

Novation		_
CAT	. Ş	140
D-CAT	. Ş	155
Apple Cat II	. \$	349
Auto Cat	. <b>S</b>	235


#### 2222 E. Indian School Rd. • Phoenix, Arizona 85016 Order Line: 1-800-528-1054

Other Information: 602-954-6109

erCord

Store Hours: Tues.-Fri. 10-5 MST Saturday 10-2 MST


Prices reflect 3% cash discount. Product shipped in factory cartons with manufacturers warranty. Add 2% a minimum of \$5 for shipping and handling.



**Figure 4:** Interpretation of a byte of memory as a color pixel in graphics mode 9. Mode 9 gives one hue at 16 possible luminances.

**Listing 2:** An Atari BASIC program that illustrates BASIC graphics mode 9 by drawing 16 vertical lines of varying luminances (same hue).

10 GRAPHICS 9
20 SETCOLOR 4,12,0:REM initialize the background color to green
30 FOR I=0 TO 15:REM draw in different luminances
40 COLOR I
50 PLOT 2-I,10
60 DRAWTO 2-I,80
70 NEXT I
80 GOTO 80:REM hang up in a loop



**Figure 5:** Interpretation of a byte of memory as a color pixel in graphics mode 11. Mode 11 gives up to 9 hues at the same luminance level.

**Listing 3:** An Atari BASIC program that illustrates BASIC graphics mode 11 by drawing 16 vertical lines of varying hues (same luminance).

10 GRAPHICS 11
20 SETCOLOR 4,0,12:REM initialize the background color
30 FOR I = 0 TO 15
40 COLOR I:REM select different colors
50 PLOT 2•I,10
60 DRAWTO 2•I,80:REM draw bars in different colors
70 NEXT I
80 GOTO 80

color register, HUEVALUE sets the hue and can be anything from 0 to 15, and 0 sets the luminance part of the register to zero. The background luminance *must* be zero because the pixel data from ANTIC will be logically ORed with the lower nybble of the background color register to get the luminance that appears on the screen (see figure 4). Use the COLOR command to select luminances for drawing on the screen; its argument (ranging from 0 to 15) specifies the luminance. A sample BASIC program to use mode 9 is shown in listing 2.

Assembly-language programs should write the hue directly into the upper 4 bits of the shadow location for the background color register at location 2C8 hexadecimal. If you use CIO calls to draw to the screen, store the pixel data into ATACHR located at 2FB hexadecimal. This selects the luminance with values from 0 to F hexadecimal. If you are maintaining your own display data, the pixel data goes directly into the left or right half of the display RAM byte.

#### Mode 11

Mode 11 is similar to mode 9 except that it provides 16 different hues all with the same luminance. ANTIC provides the pixel data to select one of 16 different hues (see figure 5). In BASIC, use the SETCOLOR command to declare the single luminance value in the lower nybble of the background color register. Set the upper nybble of the background color register (the hue nybble) to zero. The format of the command is

#### SETCOLOR 4,0,LUMVALUE

where 4 specifies the background color register, 0 sets the upper nybble to zero, and LUMVALUE sets the value of the luminance and can range from 0 to 15. As with the other graphics modes (except mode 9), the lowest bit of the luminance is not used. The effective result is that only even numbers result in distinct luminances, which gives eight possible luminances in this mode. Use the COLOR command in this mode to select the various hues by selecting values from

# Introducing a New Software Program for the Apple That Helps Manage TIME & BILLING Westware reconcilent of communes

MINI-FLODON CHAL

#### **Every Minute Counts.**

When you charge for time, every minute counts. Counting up the charges, determining accountability for your services, making billing decisions—your livelihood depends on these tasks. Time itself and the cost you assign to it—are the real commodities of the professional practitioner.

#### Performs Like a Service Bureau. The Professional Time & Billing

The Professional Time & Billing program performs time management and billing functions as expertly, efficiently and smoothly as a prestigious service bureau but at a fraction of the cost! With the PTB program, turnaround time is virtually eliminated. Instant access to information and the ability to make quick, effective billing decisions are virtually at your fingertips. With delays eliminated, your cash flow will increase significantly.

#### Designed by Professionals.

The Professional Time & Billing program by SOFTWARE TECHNOLOGY for COMPUTERS was designed by professionals who understand that time is money. Their purpose in creating this program is to give you the best possible return on your time.

#### PTB Will Help Your Firm.

The PTB program will keep accurate records of WHICH staff member performed WHAT work for WHICH client. Up to 120 user-defined rate codes of time, expenses or fixed fees can be used. Even nonbillable work and non-time-related expenses can be recorded. The program provides accurate records of monies received from clients on account or other receipts you may want to record. The PTB program will correlate all this information, assemble a comprehensive set of internal reports, and generate statements for services rendered.

#### The System Will Pay for Itself. The PTB program will more than pay

The PTB program will more than pay for itself by increasing the speed, accuracy and efficiency of your client accounting and billing procedures.

#### Who Needs the PTB Package?

CPA firms, law practices, advertising agencies, architectural firms, engineering companies, private consultants, health care centers and countless others that depend on the ability to accurately and meaningfully manage billable time and resources.

### All This with Incredible Ease for \$395 (U.S.).

The Professional Time & Billing program requires no previous background in computers or programming. Extensive documentation and detailed explanations of how the system works provide an unparalleled level of trouble-free, user-oriented performance. Furthermore, you can learn to use the program in a minimal amount of time.

The complete package costs \$395 (U.S.) and includes a 3-ring binder, program diskette and user's manual. The program will run on an APPLE II or II Plus computer with 48k, a serial or parallel printer and 2 disk drives. No other special hardware add-ons are required.

#### For a Personal Demonstration.

For a personal demonstration of this outstanding program and other fine products from us, contact your local dealer. Call or write us for the whereabouts of your local dealer at:



SOFTWARE TECHNOLOGY for COMPUTERS P.O. Box 428 Belmont, MA 02178 (617) 923-4334

"THE DIFFERENCE LIES WITH THE SOFTWARE"

If your local dealer does not carry the PTB program ask him to give us a call. We are committed to providing quality software at reasonable prices.

#### Circle 136 on inquiry card.



Delphic Systems has merged its Z80 BASIC with FairCom's MICRO B+[™] to produce BASIC B+[™], the first all purpose interpreter featuring a B-TREE file structure implemented using NEW commands. No more messy CALLs or difficult assembly language interfacing! Instead, use the following BASIC B+[™] functions to manage an index without ever reorganizing the file:

G		100 COLOR 1000
BOPEN	BCLOSE	NEWB
KILLB	FINDB	GETB
NEXB	PREVB	STATS
A State of the second		

In addition, **BASIC B**+[™] was written using Z80 code in order to minimize size and enhance speed performance.

#### Features & Requirements

- Search a 10,000 entry index in one second
- No index reorganization needed
- Uses fast and compact Z80 code
- CP/M[®] Versions 1.4 or 2.2
- 12 Digit precision
- Program Chaining
- Read only file protection
   Sequential and random files



COLOR Statement Value	Address of Color Register Used (Hexadecimal)	Address of Operating-System Shadow Location (Hexadecimal)
0	D012	2C0
1	D013	2C1
2	D014	2C2
3	D015	2C3
4	D016	2C4
5	D017	2C5
6	D018	2C6
7	D019	2C7
8	D01A	2C8

 Table 1: Addresses of color registers and their shadow locations affected by the

 COLOR statement in BASIC.

**Listing 4:** An Atari BASIC program that illustrates BASIC graphics mode 10 by drawing 16 vertical lines of varying hues and luminances.

- 10 GRAPHICS 10
- 20 FOR I = 0 TO 8
- 30 POKE 704 + I,255+RND(I):REM set random colors
- 40 COLOR I
- 50 PLOT 2+I,10
- 60 DRAWTO 2+1,80:REM draw in bars of color
- 70 NEXT I
- 80 GOTO 80:REM hang up in a loop

0 to 15 for its argument. The pixel data from ANTIC will be logically ORed with the upper nybble of the background color register to set the hue part of the value that ultimately generates the color on the screen. A sample BASIC program using mode 11 is presented in listing 3.

In assembly language, use the operating-system shadow location for the background color register (at 2C8 hexadecimal) to set the luminance in the lower 4 bits with values from 0 to F hexadecimal. If you use CIO calls to write to the screen, store the pixel data to be written into ATACHR located at 2FB hexadecimal. This selects the hue with values from 0 to F hexadecimal. If you are maintaining your own display data, the pixel data goes directly into the left or right half of the display RAM byte.

#### Mode 10

Mode 10 allows all nine color registers to be used in the playfield at one time. Each color register to be used must be set to some combination of hue and luminance. The pixel data from ANTIC is used in this mode to select one of the color registers for display. In BASIC, the SETCOLOR command can be used as described in the Atari 400/800 BASIC Reference Manual to set the colors in the background and the four playfield registers. These can also be set by using the POKE instruction to addresses 708 through 712 decimal where the four playfield registers and the background register are located. The POKE instruction must be used to set the four player/missile color registers at locations 704 through 707 decimal. The COLOR command is used to select the color register desired, as shown in table 1. The only meaningful values for its argument are 0 to 8. A problem arises with this mode. ANTIC supplies 4 bits of data per pixel, as it does with modes 9 and 11. This allows for the selection of 16 color registers. However, only nine color registers exist in the hardware. An illegal data value between 9 and 15 will select one of the lower-value color registers. A sample BASIC program using mode 10 is given in listing 4

In assembly language, store the pixel data into ATACHR (location 2FB hexadecimal) or directly into the

# Our attitude is priceless. Our training is free.

Alabama has plenty of people who have a positive attitude about work.

And they're backed up with solid training. Alabama offers industrial development job training second to none in the country. It's the model program other states are trying to imitate.

Our training begins in mobile units on site with the same kind of equipment used on the real job—even when that equipment is highly specialized such as with chemical processing or precision metal cutting.

Alabama's training assistance costs you nothing but it can mean everything in making you productive right from the start—and profitable sooner.

Cut out for Alabama where people are trained to your specifications and ready to work.

For more information, mail this coupon to Reuben Finney, Director, Alabama Development Office, State Capitol, Montgomery, Alabama 36130, or call him at (205) 832-6980.

Name		
Title		
Address		
City	State	Zip_

Phone_

^{B1} Alabama. Cut out for business.

<b>dBASE II</b> Ashton-Tate	QUICKSCREEN Fox & Geller	WORDSTAR Micropro
\$595	^{\$} 149	\$299
<b>CB-80</b> ® ompiler Systems	SUPERCALC [®] Sorcim	SPELLBINDER® Lexisoft
^{\$} 419	^{\$} 239	\$299
SPELLSTAR Micropro	MAILMERGE [®] Micropro	<b>T/MAKER</b> Lifeboat Assoc.
^{\$} 169	\$99	\$229
ACCOUNTING PLUS® Systems Plus	CALCSTAR [®] Micropro	BASIC COMPILER Microsoft
CALL	^{\$} 219	\$325
BASIC 80® Microsoft	CONDOR 1® Condor	FMS-80 [®] Systems Plus
^{\$} 284	^{\$} 239	^{\$} 649
DEO 910 DEO 950 STARWRITER PROWRITER	\$955.00 ALTOS PRO \$1429.00 ZENITH PRO \$559.00 C.C.S. PROD \$1060.00 ARCHIVES F	ARE ISOFTCARD \$285 DUCTS LESS 2 DUCTS LESS 2 DUCTS LESS 2 PODUCTS LESS 2

display RAM byte, as in modes 9 and 11. In this mode, the pixel data can range from 0 to 8 and selects one of the nine color registers.

#### Advantages and Disadvantages

An important question arises in conjunction with GTIA concerning compatibility. GTIA is fully upwardcompatible with the CTIA, and all software that runs on a CTIA system will run the same way on a system with GTIA. This means you still have full use of players and missiles, collision detection, and display-list interrupts. The GTIA graphics modes are supported by the operating system, and all graphics commands and utilities that run in the CTIA modes can be used in GTIA modes.

The GTIA allows the programmer to display more colors on the screen with less work. Sixteen colors can be shown on one horizontal line. This is better than what can be done with horizontal kernels (see "The Atari Tutorial, Part 4: Display-List Interrupts," December 1981 BYTE, page 181) that can give a maximum of 12 colors per horizontal line. Much finer contour and depth can be represented using the shading available in mode 9. This means three-dimensional graphics can be realistically displayed.

Some disadvantages are associated with use of the GTIA chip. GTIA modes are map modes; text cannot be displayed in these modes without recourse to custom display lists. The GTIA pixel is a long, skinny horizontal rectangle (4:1 ratio, width to height) that does not represent curved lines well. Because each pixel uses 4 bits of information, GTIA requires nearly 8K bytes of free RAM to operate. Although it is upwardcompatible, it is not downwardcompatible. Thus, programs that use GTIA modes will not produce correct displays on computers that have CTIAs. There is no way currently for a program to determine whether or not a GTIA is present in a system. Finally, color artifacts produced by a GTIA system will not be identical to the color artifacts produced on the same television with a CTIA system.


Circle 387 on inquiry card.

# **AH-HA** H IKF ÷Η

#### Introducing "Popular Computing," the key to understanding.

Now you don't have to be a computer professional to unlock all the mysteries, potential, and pleasures of home and small business computers. Popular Computing, the new monthly magazine from McGraw-Hill, is the key.

Created in response to growing demand for our informative quarterly onComputing, Popular Com*puting* explores every aspect of personal computers and their use. All reported in easy-tounderstand nontechnical language.



#### The answer to "Computerphobia."

Even the most computerunsophisticated reader will find Popular Computing interesting and stimulating. Every issue will contain straighttalking product reviews,

special news briefs, and feature articles by famous guest contributors (like Isaac Asimov). There'll even be a helpful glossary of computer jargon we couldn't avoid using, and much, much more.

#### Special Introductory Offer.

Graw Hill

Send in this coupon today, and take advantage of Popular Computing's Special COMPUTING Introductory Offer. 201. Harmonile, MORE

Creek Endosed for \$11.97

July Law Charles I and Angel and Ang



# Ports of Entry and Soft Breezes for the Color Computer and Model III

A \$10 Anemometer and Other Remote Sensing Projects Using the Cassette Interface

> William Barden Jr. 28122 Orsola Mission Viejo, CA 92692

In the last article of this series, I discussed using the cassette output of the Model I and Model III as a single discrete output line to drive a music synthesizer, telephone dialer, and serial port. This month I'll look at the inverse—implementing discrete (binary) inputs on the Color Computer and Model III. (Unfortunately, the schemes I'll be using are not applicable on the Model I, so it will be slighted somewhat in this article.)

Of course, it's possible to implement *dozens* of discrete input lines to the Model I, Model III, or Color Computer by using a peripheral interface adapter (PIA) or peripheral input/output (PIO) device such as the 8255 semiconductor chip. This method requires four or five integrated circuits in addition to the PIO or PIA. The approaches I'll discuss here, however, involve using few additional components other than sensors. This cheap and dirty approach can be used to detect remote switch

The anemometer is constructed with plastic sprinkler fittings, wooden dowels, and plastic cups. Do some preliminary testing before using it atop a 200-foot tower.

closures (e.g., in burglar alarms and fire detectors); it can even be used to receive serial data (e.g., pulses generated by a telephone-type rotary dial). Discrete line inputs can also serve as a frequency counter. With the proper sensors and software, you can implement a low-frequency counter that easily measures thousands of counts per second; the software can handle switch bounce too.

As an example of a practical application of this discrete line input, I'll show you how to construct an anemometer that will measure wind speeds from  $2\frac{1}{2}$  to over 60 miles per hour. Believe it or not, this device costs less than \$10 and can be made by hackers without opposing thumbs.

#### Where Are the Discrete Inputs?

Looking at the Color Computer, you can spot several potential discrete inputs: two joystick jacks, a cassette jack, and an RS-232C jack.

# Lack of ZX81 memory giving you headaches.?



#### **The Memotech 64K Memopak**

The growth of interest in computer use caused by the introduction of the Sinclair ZX81 has made new and exciting demands on the ingenuity of electronic engineers. At Memotech we have focused our attention on the design of an inexpensive, reliable memory extension.

The Memopak is a 64K RAM pack which extends the memory of the ZX81 by a further 56K. Following the success of our 48K memory board the new memory extension is designed to be within the price range expected by Sinclair users. It plugs directly into the back of the ZX81 and does not inhibit the use of the printer or other add-on boards. There is no need for an additional power supply or for leads.

The Memopak together with the ZX81 gives a full 64K, which is neither switched nor paged, and is directly addressable. The unit is user transparent and accepts such basic commands as 10 DIM A(9000) 0-8K ...Sinclair ROM

8-16K...This section of memory switches in or out in 4K blocks to leave space for memory mapping, holds its contents during cassette loads, allows communication between programmes, and can be used to run assembly language routines.


16-32K...This area can be used for basic programmes and assembly language routines.

32-64K...32K of RAM memory for basic variables and large arrays.


With the Memopak extension the ZX81 is transformed into a powerful computer, suitable for business, leisure and educational use, at a fraction of the cost of comparable systems.



<u>Μ</u> ΜΕΜΟΤΕCΗ	Please debit my MASTER CHARGE VISA * account number: 'Please delete whichever does not apply	Please rush me: 64K RAM, Assembled	Quantity	Price \$179.95	Total
Please make cheques payable to: Memotech Corporation	Signature Date NAME			 	
Memotech Corporation 7550-Westyale Ave No. 220, Denver, COLORADO 80227, Tel (303) 986 0016	ADDRESS	550-Westyale Avenue, No. 220		Postage TOTAL OLORADO	\$4.00 80227



**Figure 1:** The Color Computer joystick switch inputs can be connected to external single-pole, single-throw (SPST) or single-pole, double-throw (SPDT) switches for remote sensing applications. Cable runs can be up to 50 feet.



**Figure 2:** The Color Computer joystick switch inputs are "wire ORed" to two keyboard rows. Since the keyboard is never used at the same time as the switches, this causes no sensing problems.

Joystick switch inputs. The left and right joysticks have four analog channels that could be used as discrete inputs. Even more promising, however, are the joystick "switch" inputs.

The joystick switches (shown in figure 1) are normally open switches that close to ground. The output of each switch goes to bit 0 (right joystick) and bit 1 (left joystick) of PIA address hexadecimal FF00. As you can see from figure 2, the switch inputs to the PIA are shared by two keyboard rows; normally, you wouldn't be using the keyboard and joystick switches at the same time. The joystick switches connect to the PIA through a small filter made up of a choke and bypass capacitor as shown in the figure; this eliminates some input noise.

Substituting an external switch (or switches) for the joystick switches, a cable can be run 50 feet or more to a remote location. This procedure is not generally recommended with an unterminated input, but I experienced no difficulties and no false readings in a home environment with a 60-foot intercom cable.

The program used is shown in listing 1, which simply checks for a 1 or 0 on either joystick input. This Extended Color BASIC program loops at about 30 senses per second, making the scheme fine for switch closures in burglar alarms, fire detectors, microswitches in mailboxes triggered by the weight of the mail, and so forth. At this point it's probably well to mention a typical switch that can be used for remote sensing. Radio Shack has submini lever switches with and without rollers (275-017 and 275-016, respectively), which require about 50 grams of force to operate. These switches were used in the applications described here, although virtually any single-pole, doublethrow (SPDT) switch could be used.

RS-232C input. Another possibility for a discrete input on the Color Computer is the RS-232C read (RD) input. This line is normally used to input serial data and, as figure 3 shows, it connects to an LM339 comparator in the Color Computer. One input to the comparator is a voltage divider made up of a 15-kilohm ( $k\Omega$ )

## COBOL the language of business. The language of Micro Focus

Our CIS COBOL product family brings you the most successful business programming tool ever devised, COBOL, in a form optimized for today's most cost effective hardware, the microcomputer. Standard COBOL as defined by ANSI X3.23-1974.

The reliability and performance of CIS COBOL are strongly emphasized by its' continued qualification for U.S. government contracts. In January 1981 CIS COBOL entered its 2nd year of G.S.A. certification.

CIS COBOL is powerful but simple to use. Its screenhandling, dynamic module loading and fast ISAM let you take full benefit from micro computer facilities.

Our FORMS-2 utility is a COBOL source code generator to help you build interactive applications with ease. Using our unique demonstration "How to create a COBOL program in 20 minutes," you can quickly try out new application ideas.

And if you are developing software for resale, the variety of systems running CIS COBOL offers you a very large available market.



CIS COBOL and FORMS-2 are trademarks of Micro Focus. 8080 is a trademark of Intel Corp. 280 of Zilog. LSI-11 and PDP-11 of Digital Equipment Corp. Apple II of Apple Computer. Softcard of Microsoft Consumer Products. CP/M of Digital Research and UNIX of Bell Laboratories. CIS COBOL and FORMS-2 are available through our dealers and distributors for many 8080, Z80 and LSI-11 systems including Apple II with Softcard and CP/M.

For OEM purchase on 8086, PDP-11, UNIX and other order codes approach us direct. Our system transfer technology has made CIS COBOL first on a number of processors and enabled us to interface to 30 different operating systems.

For more information about CIS COBOL fill in the coupon below.

To: Micro Focus Inc. 1601 Civic Center Drive, Santa Clara, Ca 95050, USA. Phone: (408) 496 0176. Telex: 278704 MFCIS UR
Please send me
A brochure on CIS COBOL
A brochure on FORMS-2
A set of Applications Notes
(Qty) CIS COBOL manual(s) at \$75 (inc. p+p) for which I enclose a check for \$
My chief interest is in; (please tick box)
8080
8086
🗌 UNIX
Name
Position
Company
Åddress
Tel No

Listing 1: Sample Color Computer BASIC program for reading joystick switch closures.

```
100 ' SWITCH CLOSURE FOR RIGHT AND LEFT JOYSTICK

110 INPUT "RIGHT(R) OR LEFT(L) DETECT";A$

120 IF A$="R" THEN M=1 ELSE M=2


130 A=(PEEK(&HFF00) AND M)

140 IF A=M THEN PRINT "OFF" ELSE PRINT "ON"


150 GOTO 130
```

Listing 2: Sample Color Computer BASIC program for reading RS-232C RD inputs.

100 ' SWITCH CLOSURE FOR RS-232-C RD INPUT 110 A=(PEEK(&HFF22) AND 1) 120 IF A=0 THEN PRINT "ON" ELSE PRINT "OFF" 130 GOTO 110



**Figure 3:** The Color Computer RS-232C RD input goes to an LM339 comparator via a diode. Output of the comparator is a logic 0 for positive signals and a logic 1 for negative signals.



**Figure 4:** Two 6-V batteries can be connected to an SPDT switch to implement a remote sensing switch connected to the Color Computer RS-232C port.

and a 10-k $\Omega$  resistor. The junction point is a constant +2 volts (V) and goes to the "+" (plus) input.

The "-" (minus) input connects to the external RD line via a common diode and  $10-k\Omega$  resistor to ground. RS-232C signals are normally above +3 V (logic 0) or below -3 V (logic 1). When the RD line is more positive than about +2.6 V, the input forward-biases the diode, and the "-" input is greater than the "+" input, producing a logic 0 comparator output. When the RD line is negative, the diode is reverse-biased, and the output of the comparator is logic 1. The comparator output goes to bit 0 of a PIA whose address is hexadecimal FF22. Reading bit 0 of PIA hexadecimal FF22 is a process similar to reading the joystick switch, as shown in listing 2.

Figure 4 shows the connections for the RS-232C remote input. Tie the normally closed contact of the switch to the positive terminal of a 6-V battery. Tie the normally open contact of the switch to the negative terminal of a second battery. Tie the opposite ends of the batteries together and to the ground lead of the RS-232C connector. The common contact of the switch goes to the RD line. There will be some switch bounce when the switch is broken (on the order of 50 or 60 milliseconds [ms]), but this arrangement is fine for slow sensing.

Again, this scheme was implemented using ordinary two-conductor cable without termination and with a 60-foot run in a home environment. No false readings were detected. Twisted-pair cable could be used to increase the noise immunity. As this method is essentially currentdriven rather than voltage driven, runs even longer than 60 feet should be possible.

Cassette input. Now for the third method of implementing a discrete input: using the cassette input. Examination of the Color Computer and Model III shows that the same scheme, a comparator input, is used for both the Color Computer and Model III 1500-bps (bits per second) cassette inputs. (The Model I and Model III 500-bps cassette inputs use



# Chart your financial future with MicroFinesse

In this fast-paced business world, the best way to stay competitive is to be able to see your financial alternatives clearly and make decisions fast.

That's why P-E Consulting Group Ltd. developed MicroFinesse, a complete package providing professional financial forecasting PLUS full high-

resolution color graphics support, including pie charts, histograms and graphs, for the financial projections you create.

Now this evolutionary financial resource planning tool eliminates the timeconsuming reprogramming required for financial model



consolidation or expansion. Micro-Finesse's menu-driven command format can also generate up to 15 userdefined reports per model, with visuals, without reprogramming.

Previously available only for mainframe applications, the MicroFinesse program can now be purchased at

leading Dealers nation-wide. MicroFinesse is specifically designed for the 48K Apple II[®] with the Apple Language Card.

So when your variables are many and your time is limited, take a good look at the financial artistry of MicroFinesse.

## MicroFinesse

Distributed by: OSBORNE/McGraw-Hill 630 Bancroft Way, Berkeley, CA 94710, (415) 548-2805



Apple II is a registered trademark of Apple Computer, Inc.

Circle 316 on inquiry card.

# Minicomputer performance in

**Multi-user. Multi Tasking.** Decision I[™] memory management hardware includes a memory map that is similar to the IBM 360,[®] and IBM 370.[®] It supports up to 16 tasks or 15 users and a supervisor without swapping. And, more with swapping. Each task or user enjoys complete memory protection and dynamic memory allocation. One task may be delegated as a supervisor to privileged system functions forbidden to ordinary tasks or users. Such functions (I/O calls, unauthorized memory access, etc.), will trap to the supervisor. If supervisory functions are not required the system can be configured for turnkey multi-user operation.

Multi-purpose IEEE696/S-100. Decision I utilizes the Morrow Designs IEEE Standard S-100 Wunderbuss." That means you can configure it to your specific applications. Add a floating point processor, add memory (to a full megabyte), add I/O, add controllers...add boards from dozens of manufacturers. And S-100 has a major advantage over single-board computers: If a board goes down, you simply replace it. And keep running. If you want to expand your system. Add boards and terminals.

An unmatched software base.

Decision I runs on the M/OS[™] operating system. M/OS supports all system calls source compatibly with UNIX." Thus, UNIX programs will compile directly and UNIX documentation is almost totally applicable. Morrow CP/M[®] has been configured to run under M/OS and communicate with both CP/M and UNIX standard media for maximum portability. Languages available include BASIC, COBOL, FORTRAN, RATFOR, Pascal and C. That means Decision I offers you a software base unmatched in its price/performance arena.

DEC 15

The OEM machine. A basic multi-user system at \$5,225 includes the Decision I, 4 Mhz Z80A-based CPU, sophisticated memory

IBM 360 and 370 are trademarks of IBM Corp. Wunderbuss is a registered trademark of Morrow Designs Decision I and M/OS are trademarks of Morrow Designs UNIX is a trademark of Bell Laboratories, Inc. CP/M is a trademark of Digital Research Corp.



# a multi-user Microcomputer.

boards, controllers and software allow you to configure your system your way...through a single supplier.

**The decision is yours.** Compare the Decision I, feature-for-feature with mini or microcomputers on the market today. Compare capabilities. Compare flexibility. Compare utility. Then, compare price. We think Decision I will change the way you think about microcomputer systems.

**Complete information?** See your computer dealer. Or, write Morrow Designs.

MANIE I

LOOK TO MORROW FOR ANSWERS.

(415) 524-2101


5221 Central Avenue, Richmond, CA 94804

Circle 290 on inquiry card.

management hardware, CP/M 2.2, M/BASIC 5.2, 3 serial and 2 parallel I/O ports, 14 I/O slots with S-100 connectors, supervisor control in both hardware and software, 128K of RAM and two quad-density disk drives (800K) with DMA controller. Plus, cabinet (either desk-top or rack-mount), and power supply. The same system with 8" floppies and a full Megabyte of formatted storage costs \$5,659. And, we offer OEM pricing.

A better microcomputer. Whether you're building a single or multi-user system, the Decision I offers you a hardware/software combination unmatched in the field. Decision I is not simply an improved 8-bit microcomputer. It's a breakthrough. In both computing power and price.

Systems your way. Morrow Designs' full range of hard and floppy disk memory, add-in memory boards, I/O




**Figure 5:** The Color Computer and Model III have identical 1500-bps cassette input logic. An LM339 comparator compares a fixed reference voltage to the cassette data input. Output of the comparator is a logic 0 for positive signals and a logic 1 for negative signals.

a different scheme, one of rectifying pulses. That arrangement is not as functional for random inputs as the one discussed here.) As a matter of fact, the input circuits in the Color Computer and Model III 1500-bps cassette interfaces are identical (see figure 5).

A frequency-shift keying method is used to generate the cassette waveform. A different frequency is used for a 0 and a 1 bit, as shown in figure 6. The Color Computer or Model III firmware measures the frequency of the sine wave by checking the binary output of the LM339 comparator, as shown in the figure.

One input to the LM339 is a fixed voltage of about +1 V from the junction of the 56-k $\Omega$  and 15-k $\Omega$  voltage divider. The second input is from a similar voltage divider. In the latter case, however, a diode goes to ground at the junction of the 6.8-k $\Omega$  and 8.2-k $\Omega$  resistors.

Input from the cassette recorder is an alternating current (AC) signal,



# "GE'S ENERGY AUDIT DIAGNOSED OUR LIGHTING NEEDS AND SAVED US \$17,688."



Robert O'Herron, Vice President of Facilities, Akron General Medical Center.

"I'm always looking for ways to cut costs. That's why I was very interested in General Electric's lighting energy audit.

"I simply filled it out, marking in the number of each type of lamp we use. GE then calculated that we could save more than \$68,000 annually in energy costs with GE energy-efficient lamps.

"We immediately changed one-fourth of our lamps to Watt-Miser[®] II fluorescents from GE. What's more, we did this without refixturing. Which meant a substantial \$17,688 savings in annual energy costs with no capital investment."

The GE energy audit may be able to save you a lot of money, too. Just fill out the form below and mail it in. WE BRING


You'll receive a personalized computer analysis, showing your potential savings.

The GE energy audit. Let it make the right diagnosis for you.



### GENERAL 🍪 ELECTRIC

			General Electric Company, 11D, Nela Park, Cleveland, Ohio 441	12.
Now in use	Total Number	Hours each lamp operates per week		
Standard Fluorescents 4'F40/RS 8'F96	 	_	My energy rate is <u>\$0.</u> per kilowatt hou (Divide total do <b>llars fro</b> m your last bill by total kilowatt hours used.)	r. 11 y
Energy Saving Fluorescents			Please send the savings analysis to:	
²⁸ 4'35/34W RS —	De	1 particular 1	Name	12
16 8'60W			Company	15
Deep Recessed			Address	19
Downlight Floods 75R30/FL	_1		CityState	22
2 150R/FL	~ <u> </u>		Zip Code	26
Incandescent Bulbs			Phone	26/
o 60 Watt 8 75 Watt 0	$\sim =$		I buy lamps from:	
6 100 Watt			Contractor	79
PAR-Lamps 150PAR/FL			Distributor	
150PAR/PL	1		CityState	36
00 75PAR/FL			Please have someone come out and help	39




**Figure 6:** Both the Color Computer and Model III 1500-bps cassette logics use a "frequency-shift keying" recording technique in which two separate frequencies represent logic 0 and 1.

Listing 3: Sample Color Computer BASIC program for reading cassette input.

```
100 ' SWITCH CLOSURE FOR CASSETTE INPUT
110 A=(PEEK(&HFF20) AND 1)
120 IF A=0 THEN PRINT "OFF" ELSE PRINT "ON"
130 GOTO 110
```

Listing 4: Sample Model III BASIC program for reading cassette input.

100 ' SWITCH CLOSURE FOR CASSETTE INPUT 110 A=(INP(255) AND 1) 120 IF A=0 THEN PRINT "OFF" ELSE PRINT "ON" 130 GOTO 110



**Figure 7:** Remote sensing can be implemented in the Color Computer or Model III by connecting an SPDT switch to two 3-V batteries.

Output of the comparator goes to bit 0 of PIA address hexadecimal FF20 in the Color Computer or to bit 0 of input/output (I/O) port address hexadecimal FF in the Model III. Reading either port requires a single BASIC instruction (PEEK (&HFF20) or INP(255)) or a comparable machine-language instruction. Listing 3 provides a simple Color Computer BASIC test of the cassette-in bit; listing 4 shows the equivalent Model III test.

A remote sensing switch can be implemented in identical fashion to the RS-232C method, as shown in figure 7. Two batteries produce +3 V and -3 V, and these voltages are tied to the normally closed (NC) and normally open (NO) contacts of the remote sensing switch. The switch is connected via ordinary two-conductor cable. Again, twisted wires may be used if desired to improve noise immunity. A 60-foot length of cable was used in a home environment, and no false readings were detected for slow switch closures.

#### **Switch Bounce**

The BASIC programs listed for the three discrete input methods are fine for slowly changing inputs such as burglar alarms. A typical BASIC loop allows sampling at a dozen or so times per second. When the frequency of switch closures is greater, however, you must rely on faster assembly-language code. Assemblylanguage code can test the inputs thousands of times per second. In fact, assembly language is so fast that switch bounce can cause problems. The typical switches mentioned above do not close instantaneously. Minute movements produce "make and break" conditions during a certain period, as shown in figure 8.

Various hardware schemes can

Micro-Courier is *the* electronic mail software for Apple[™] computers. It lets you send anything in your Apple computer to any other Apple, in any other office, anywhere

in the world. It's fast, 100% error-free, and inexpensive. You can send and receive charts, graphs, VisiCalc[™] reports and entire programs.

Micro-Courier also takes you right to THE SOURCE.



You can access one of the largest data bases in the world, including news, travel service, commodity updates, educational programs, electronic games and more.


And if you act now, you can get a free \$100 subscription to THE SOURCE with your Micro-Courier package. See your Apple dealer for complete details.



1400A Providence Highway Norwood, MA 02062

Apple is a trademark of Apple Computer Inc. VisiCalc is a trademark of VisiCorp., Inc. THE SOURCE is a servicemark of Source Telecomputing Corporation, a subsidiary of The Reader's Digest Association, Inc.

Circle 265 on inquiry card.



**Figure 8:** Switch debounce can be accomplished in software by delaying a "debounce time" after initial detection of the switch closure.



#### WHY DOES OUR SPELLING CHECKER COST LESS THAN THEIRS?

Maybe we goofed by not charging more for The WORD. Our customers tell us we must be crazy, giving away this much software for only \$75.

#### What's wrong with it?

Frankly, we're a little hurt when people ask us this question. We guess everyone must be getting used to paying \$200 to \$300 for decent software. Anything that costs less must be junk. Right?... WRONG!!!

The WORD is not only cheaper, it's better!

Available NOW for:

8" single CP/M[®], CDOSTM

XEROX 820 (8" only)

Intertec SuperbrainTM

AppleTM with CP/M Softcard (35.000 word dictionary)

North StarTM Double/Quad with CP/M CP/M is a registered trademark of Digital Research

#### OASIS SYSTEMS 2765 REYNARD WAY, SAN DIEGO, CA 92103

#### The WORD gives you more!

 The WORD gives you a 45,000 word dictionary that fits into less than 140K of disk space.

- The WORD works with your favorite text editor and marks mistakes in your document for easy, *in-context*, correction.
- The WORD's one-touch word review lets you add new words to the dictionary with a single keypress. You can build your own custom dictionaries too!
- The WORD will look up the correct spelling of misspelled words.
- The WORD analyzes your writing, counting words and showing you how often each word was used.
- The WORD has a special homonym helper feature to deal with these pesky words.
- The WORD will find rhyming words, solve crossword puzzles, and much more!

CALL TODAY! (714) 291-9489 eliminate switch bounce, but let's seek software solutions instead. The usual software approach is to delay for a fixed interval after detection of the first switch closure.

The following table suggests debounce requirements. The two Radio Shack switches referred to previously were pressed rapidly for exactly 10 closures within about 2 seconds for various "debounce delays" ranging from 10 ms to 100 ms. The "count" represents the number of switch closures detected. Counts greater than 10 indicate that switch bounces were counted as closures.

Debounce Delay (ms)	Key Closures Detected
100	10
90	10
80	10
70	10
60	10
50	17
40	19
30	22
20	33
10	59

The switch-bounce delay in software varies with the type of switch and action of the operator. Use these figures as a rough guide only.

#### A Low-Frequency Event Counter

Listing 5 gives a low-frequency counter program for the Color Computer, one that will measure events occurring thousands of times per second. The discrete input is on the cassette input line and is designed to interface to a BASIC driver.

Three parameters are stored in high memory in a 16K-byte system. The first, an interval count, is stored in locations hexadecimal 3FFA and 3FFB. The interval count may be any number from 1 through 32,768 and represents the time window during which events will be counted in units of 30.35 microseconds ( $\mu$ s). An interval of 1000, for example, represents 30,350  $\mu$ s or 30.35 ms. Maximum window time is 32,768  $\times$  30.35  $\mu$ s or .994508 second. (Note: for 32,768, use 0.)

The second parameter, a debounce delay count in milliseconds, is stored in locations hexadecimal 3FFC and 3FFD. This delay count will cause the program to "close" the window for a

# The IBM Personal Computer

#### Personal, Professional, Technical — or somewhere in between ... PC-MATE™ makes the IBM Personal Computer a perfect match

PC-MATE^{**} from TECMAR is the first and only complete expansion series available for the IBM Personal Computer. There are currently more than twenty PC-MATE^{**} expansion options available, and new products are continuously added to the list.

When you want more from your IBM Personal Computer, look to PC-MATE^{TR}.

You can create a SUPER PERSONAL COMPUTER with household lights and appliance control, voice output, and give it more memory than any ordinary personal can handle.

Or make it a **PROFITABLE PROFESSIONAL** SYSTEM with expansion space and a Winchester disk to handle more business accounts. Increase memory up to the system limit and process those accounts faster. Add flexible I/O interfaces and put yourself on line to outside information sources.

As an INTELLIGENT LABORATORY TOOL with interfaces to IEEE 488 instrumentation, analog signals, stepper motors and video signals, your IBM Personal Computer becomes the perfect workbench assistant.

Hardware, Software, Accessories — PC-MATE¹⁰ provides the highest quality and the greatest possible range of functionality for the IBM user.

Ask your local computer store for more information on the PC-MATETM series from TECMAR, or call for the name of your nearest authorized PC-MATETM dealer.

#### PC-MATE^{**} EXPANSION OPTIONS

Personal Computer Expansion Chassis (see photo) 192K and 256K Dynamic Memory with Parity Winchester Disk Drive and Controller Parallel Medium Speed Input/Output Interface Serial Medium Speed Input/Output Interface Parallel High Speed Input/Output Interface Serial High Speed Input/Output Interface Analog to Digital Converter - 8, 12, 14, 16 Bit Dust Cover Set for IBM PC and Peripherals High Speed Static Memory (RAM/ROM) Digital to Analog Converter - 8 and 12 Bit **Multi-System Printer Sharing Facility CMOS Memory with Battery Backup** System Clock with Battery Backup Electrically Erasable EPROM **BSR X-10 Device Controller Stepping Motor Controller** Video Image Digitizer **IEEE 488 Interface Prototyping Board Music Synthesizer Voice Synthesizer** IBM **Extender Board** 

#### **One Year Warranty**

Additional products are already under development, so if we don't have what you need, chances are good that we soon will.

Circle 408 on inquiry card.

1314

TECTOR

Tecmar Inc. PERSONAL COMPUTER PRODUCTS DIVISION 23600 Mercantile Rd., Cleveland, OH 44122 (216) 464-7410

www.americanradiohistorv.com

Listing 5: Color Computer assembly-language program for measuring low frequencies through the cassette input port. Switchdebounce time can be varied.

	00100	000	\$3F00		
3F00	00100 00110 *******	ORG *******		*******	
				OUNTER WITH DEBOUNCE *	
				TERVAL CNT IN 30.35 MICROSEC *	
	00140 *		TS, 2 BY		
	00150 *	\$03	FFC = DE	BOUNCE DELAY ONT IN MS, 2 BY *	
	00160 *	\$03	FFE = RE	SERVED FOR COUNT, 2 BYTES *	
				OF COUNTS IN INTERVAL, 2 BYT *	
		***************************************			
	00190 *				
3F00 BE 3FFA	00200 LOWFRE	LDX	\$3FFA	GET INTERVAL CNT	
3F03 108E 0000	00210	LDY	#Ø	INITIALIZE COUNT	
3F07 30 1F	00220 LOW010	LEAX	~178	DECREMENT INT CNT (5)	
3F09 1F 10	00230	TFR	X/D	NOW IN D (7)	
3F08 4D	00240	TSTA		TEST FOR NEGATIVE (2)	
3F0C 2B 0D	00250	BMI	LOW090	GO IF DONE (3)	
3FØE B6 FF20	88268	LDA	\$FF20	GET PIA BYTE (5)	
3F11 84 01	00270	ANDA	#1	GET CASSDIN BIT (2)	
3F13 27 F2	00280	BEQ	L0H010	GO IF 0 (3)	
3F15 31 21	00290	LEAY	174	1 / INCREMENT COUNT	
3F17 8D 07	00300	BSR	DEBNC	DEBOUNCE DELAY	
3F19 20 EC	00310	BRA	LOW010	CONTINUE INTERVAL	
GF1B 10BF GFFE	00320 LOW090	STY	\$3FFE	STORE COUNT	
3F1F 39	00330	RTS		RETURN FROM SUBROUTINE	
	00340 *				
	00350 * DEBOL	INCE DELH	Y SUBRUL	TINE	
3F20 34 10	00360 * 00370 debnc	PSHS	х	SAVE INTERVAL COUNT	
3F22 BE 3FFC	00370 DEDNU	LDX	A \$3FFC	GET DELAY COUNT IN MS	
3F25 8D 06	00390 DEB010	BSR	DELAY	DELAY N MS	
3F27 30 1F	00400	LEAX	-1.8	DECREMENT DELAY COUNT	
3F29 26 FA	00410	BNE	DEB010	GO IF NOT N MS	
3F2B 35 90	00420	PULS	X/PC	RETRIEVE INTERVAL COUNT, RTN	
	00430 *				
	00440 * DELAY	' SUBROUT	INE. DEL	AYS N MS.	
	00450 *				
3F2D 34 10	00460 DELAY	PSHS	х	SAVE DELAY COUNT	
3F2F 8E 006F	00470	LDX	#111	FINAGLE FACTOR	
3F32 30 1F	00480 DEL010	LEAX	-178	DECREMENT FINAGLE COUNT	
3F34 26 FC	00490	BNE	DEL010	LOOP FOR 1 MS	
3F36 AE 64	00500	LDX	4,5	GET INTERVAL COUNT	
3F38 30 88 DF	00510	LEAX	-33,X	ADJUST FOR 1 MS DELAY	
3F3B AF 64	00520	STX	4/5	RESTORE IN STACK	
3F3D 35 90	00530	PULS	X, PC	RETRIEVE COUNT, RTN	
0000 00000 TOTOL 500000	00540	END			
00000 TOTAL ERRORS					

**Listing 6:** Model III assembly-language program for measuring low frequencies through the cassette input port. Switch-debounce time can be varied.

7F00	00100	ORG	7F00H	THIS SR NON-RELOCATA	
	00110 ;*	********	*******	******************	****
	00120 ;*	LOW-FREQUE	NCY EVENT COUNTI	ER WITH DEBOUNCE	*
	00130 ;*	* INPUT:	7FFAH = INTERVA	L COUNT IN 26.86 MICROSEC	*
	00140 ;*	<del>بر</del> ا	UNITS, 2 BYTES		*
	00150 ;*	¥	7FFCH = DEBOUNC	E DELAY CNT IN MS, 2 BYTE	S *
	00160 ;*	* . · · · ·	7FFEH = RESERVE	D FOR COUNT, 2 BYTES	*
	00170 ;*	* OUTPUT:	7FFEH = # OF CO	UNTS IN INTERVAL; 2 BYTES	*
	00180 ;*	*********	*****	*******	****
	00190 ;				
7 <b>F00 F3</b>	00191 LO	OWFRE DI		DISABLE INTERRUPTS	

Listing 6 continued on page 178

# **TRS-80* COMPUTING EDITION**

©1981 Percom Data Co., Inc.

#### The Percom Peripheral

35 cents

#### Percom's DOUBLER II⁺ tolerates wide variations in media, drives

GARLAND, TEXAS — May 22, 1981 — Harold Mauch, president of Percom Data Company, announced here today that an improved version of the Company's innovative DOUBLER'* adapter, a double-density plug-in module for TRS-80* Model 1 computers, is now available.

Reflecting design refinements based on both theoretical analyses and field testing, the DOUBLER II^m, so named, permits even greater tolerance in variations among media and drives than the previous design.

Like the original DOUBLER, the DOU-BLER II plugs into the drive controller IC socket of a TRS-80 Model I Expansion Interface and permits a user to run either single- or double-density diskettes on a Model I.


With a DOUBLER II installed, over four times more formatted data — as much as 364 Kbytes — can be stored on one side of a fiveinch diskette than can be stored using a standard Tandy Model I drive system.

Moreover, a DOUBLER II equips a Model I with the hardware required to run Model III diskettes.

(*Ed. Note:* See "OS-80": Bridging the TRS-80° software compatibility gap" elsewhere on this page.)

The critical clock-data separation circuitry of the DOUBLER II is a proprietary design called a ROM-programmed <u>digital</u> phase-lock loop data separator.

According to Mauch, this design is more tolerant of differences from diskette to diskette and drive to drive, and also provides *immunity* to performance degradation caused by circuit component aging.



Percom DOUBLER II*

Mauch said "A DOUBLER II will operate just as reliably two years after it is installed as it will two days after installation."

The digital phase-lock loop also eliminates the need for trimmer adjustments typical of analog phase-lock loop circuits.

"You plug in a Percom DOUBLER II and then forget it," he said.

The DOUBLER II also features a refined Write Precompensation circuit that more effectively minimizes the phenomena of bitand peak-shifting, a reliability-impairing characteristic of magnetic data recording.

The DOUBLER II, which is fully software compatible with the previous DOUBLER, is supplied with DBLDOS^{**}, a TRSDOS^{*-} compatible disk operating system.

compatible disk operating system. The DOUBLER II sells for \$2005, including the DBLDOS diskette.

#### Circuit misapplication causes diskette read, format problems. High resolution key to reliable data separation

GARLAND, TEXAS — The Percom SEPARATOR¹⁶ does very well for the Radio Shack TRS-80[•] Model I computer what the Tandy disk controller does poorly at best: *reliably* separates clock and data signals during disk-read operations.

Unreliable data-clock separation causes format verification failures and repeated read retries.

#### CRC ERROR-TRACK LOCKED OUT

The problem is most severe on high-number (high-density) inner file tracks.

As reported earlier, the clock-data separation problem was traced by Percom to misapplication of the internal separator of the 1771 drive controller IC used in the Model I.

The Percom Separator substitutes a highresolution digital data separator circuit, one which operates at 16 megahertz, for the lowresolution one-megahertz circuit of the Tandy design.

Separator circuits that operate at lower frequencies — for example, two- or four-

megahertz — were found by Percom to provide only marginally improved performance over the original Tandy circuit.

The Percom solution is a simple adapter that plugs into the drive controller of the Expansion Interface (EI).

Not a kit — some vendors supply an untested separator kit of resistors, ICs and other paraphernalia that may be installed by modifying the computer — the Percom SEPARATOR is a fully assembled, fully tested plug-in module.

Installation involves merely plugging the SEPARATOR into the Model I El disk controller chip socket, and plugging the controller chip into a socket on the SEPARATOR.

The SEPARATOR, which sells for only \$29.95, may be purchased from authorized Percom retailers or ordered directly from the factory. The factory toll-free order number is 1-800-527-1222.

Ed. note: Opening the TRS-80 Expansion Interface may void the Tandy limited 90-day warranty. Circle 332 on Inquiry card. The Percom DOUBLER II is available from authorized Percom retailers, or may be ordered direct from the factory. The factory toll-free order number is 1-800-527-1222.

Ed. note: Opening the TRS-80 Expansion Interface may void the Tandy limited 90-day warranty. Circle 333 on inguiry card.

#### All that glitters is not gold

### OS-80[®] Bridging the TRS-80* software compatibility gap

Compatibility between TRS-80* Model I diskettes and the new Model III is about as genuine as a goldplated lead Krugerrand.

True, Model I TRSDOS* diskettes can be *read* on a Model III. But first they must be converted and rerecorded for Model III operation.

And you *cannot write* to a Model I TRSDOS* diskette. Not with a Model III. You cannot add a file. Delete a file. Or in any way modify a Model I TRSDOS diskette with a Model III computer.

Furthermore, your converted TRSDOS diskettes cannot be converted *back* for Model I operation.

TRSDOS is a one-way street. And there's no retreating. A point to consider before switching the company's payroll to your new Model III.

Real software compatibility should allow the *direct. immediate* interchangeability of Model I and Model III diskettes. No read-only limitations, no conversion/re-recording steps and no chance to be left high and dry with Model III diskettes that can't be run on a Model 1.

What's the answer? The answer is Percom's OS-80^{fm} family of TRS-80 disk operating systems.

OS-80 programs allow *direct*, *immediate* interchangeability of Model I and Model III diskettes.

You can run Model I single-density diskettes on a Model III; install Percom's plug-in DOUBLER⁽¹⁾ adapter in your Model I, and you can run doubledensity Model III diskettes on a Model I.

There's no conversion, no re-recording.

Slip an OS-80 diskette out of your Model I and insert it directly in a Model III.

And vice-versa.

Just have the correct OS-80 disk operating system — OS-80, OS-80D or OS-80/III — in each computer.

Moreover, with OS-80 systems, you can add, delete, and update files. You can read *and write* diskettes regardless of the system of origin.

OS-80 is the original Percom TRS-80 DOS for BASIC programmers.

Even OS-80 utilities are written in BASIC.

OS-80 is the Percom system about which a user wrote, in Creative Computing magazine, "... the best \$30.00 you will ever spend."⁺

Requiring only seven Kbytes of memory, OS-80 disk operating systems reside completely in RAM. There's no need to dedicate a drive exclusively for a system diskette.

And, unlike TRSDOS, you *can* work at the track sector level, defining and controlling data formats — in BASIC — to create simple or complex data structures that execute more quickly than TRSDOS files.

The Percom OS-80 DOS supports single-density operation of the Model I computer — price is \$29.95; the OS-80D supports double-density operation of Model I computers equipped with a DOUB-LER or DOUBLER II; and, OS-80/III — for the Model III of course — supports both single- and double-density operation. OS-80D and OS-80/III each sell for \$49.95. Circle 334 on inquiry card.

PRICES DO NOT INCLUDE HANDLING AND SHIPPING.

PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

PERCOM DATA COMPANY, INC. 11220 Pagemill Road Dallas, Texas 75243 (214) 340-7081

18 Trademark of Percom Data Company, Inc. *TRS-80 and TRSDOS are trademarks of Taudy Corporation which has no relationship to Percom Data Company. Company. 1 Creative Computing Magazine, June, 1980, page 26.

Listing 6 continued:

7F01 DD2AFA7F 7F05 01FFFF 7F08 FD210000 7F0C DD09 7F0E D21F7F 7F11 DBFF 7F13 E601 7F15 CA0C7F 7F18 FD23 7F1A CD257F 7F1D 18ED 7F1F FD22FE7F 7F23 FB 7F24 C9	00210 00220 00230 LOW010 00240 00250 00260 00260 00270 00280 00290 00290	LD LD ADD JP IN AND JP INC CALL JR LD EI RET	IX,(7FFAH) BC,-1 IY,0 IX,BC NC,LOW090 A,(0FFH) 1 Z,LOW010 IY DEBNC LOW010 (7FFEH),IY	;GET INTERVAL COUNT ;FOR DECREMENTS ;INITIALIZE COUNT ;DECREMENT INT CNT(15) ;GO IF DONE (10) ;GET I/O BYTE (11) ;GET CASSDIN BIT (7) ;GO IF Ø (10) ;INCREMENT COUNT ;DEBOUNCE DELAY ;CONTINUE INTERVAL ;STORE COUNT ;ENABLE INTERRUPTS ;RETURN FROM SR
	00350 ;			
7F25 FDE5	00360 DEBNC	PUSH	IY IY,(7FFCH)	SAVE INTERVAL CNT
7F27 FD2AFC7F 7F28 CD357F	00380 DEB010	LD CALL	DELAY	JELAY N MS
7F2E FD09	00390	ADD	IY,BC	DECREMENT DELAY CNT
7F30 38F9	00400	JŔ	C,DEB010	;GO IF NOT N MS
7F32 FDE1	00410	POP	IY	RETRIEVE INT COUNT
7F34 C9	00420	RET		RETURN FROM SR
	00430 ;			
	00440 ; DELAY 00450 ;	SUBROUT	INE. DELAYS N MS	•
7F35 215E00	00460 DELAY	LD	HL,94	FINAGLE FACTOR
7F38 Ø9	00470 DEL010	ADD	HL,BC	JECREMENT FINAGLE CNT
7F39 DA387F	00480	JP	C, DEL010	LOOP FOR 1 MS
7F3C 11DBFF	00490	LD	DE, -37	ADJUSTMENT CONSTANT
7F3F DD19	00500	ADD	IX,DE	ADJUST FOR 1 MS DELAY
7F41 C9	00510	RET		RETURN FROM SR
0000 00000 Tetal	00520	END		
00000 Total e	rrors			

specified time after each pulse is detected. The number of events detected in the interval, the third parameter, is returned in locations hexadecimal 3FFE and 3FFF.

A similar program for the Model III is shown in listing 6. The three parameters are passed in locations hexadecimal 7FFA through 7FFF and represent the same variables. Because operation for the two programs is similar, I'll describe both in general terms.

The DELAY subroutine delays for 1 ms by a simple loop. An interval count is adjusted for the 1-ms delay in units of 30.35 or 26.86. The DEBNC surboutine gets the debounce delay parameter and calls DELAY to delay for the debounce time in units of 1 ms.

The "main-line" code is in

LOWFRE. The interval count parameter is decreased by 1 each time through the main loop. When the interval count is decremented beyond 0, the interval is completed, and the subroutine returns to the BASIC program. If the interval count is not completed, the PIA or I/O port bit for CASSDIN is read. If the cassette bit is a logic 1, the count of pulses is increased by 1, and the DEBNC subroutine is called for the debounce delay.

These programs detect a logic 1 pulse, i.e., a negative voltage input. The input signal can be any switch closure occurring up to thousands of times per second. A typical example is a roller switch on a rotating cam shaft. A longer time window can be created by repeatedly calling the subroutine.

BASIC drivers for both versions are shown in listings 7 and 8. The machine-language forms of the program are contained within the BASIC program in DATA statements, and the programs are poked into high random-access memory (RAM) by the BASIC code. The BASIC program asks for the interval and debounce delay parameters, pokes them into the parameter block, then calls the machine-language subroutine. A running total of all counts is printed after each call. To see how the program works, connect a switch as shown in figure 7, then close the switch for various delay and interval times.

#### Now For the Soft Breezes

To give you a practical example of what can be accomplished with a single discrete input, I'm going to

SALE \$ALE SALE \$ALE SALE \$ALE S	ALESALE SALE	ALESALESALESALESALESALESA
FREE SHIPPING SHIPPING SHIPPING SHIPPING SHIPPING SHIPPING	OUNT PRICIN	FREE
8' in 0'		On prendici
FAST DELIVERY ON AL	LITY PRODUC	SORIES - SOFTWARE
	LL-FREE! 1-800	
UNDEN IU	LL-FREE! 1-000	-034-2033
No No VIC 20		
Z S L WWW	FOURTH DISK DRIVE WITH CONTROLLER	
ACCESSORIES Vic Datasette 65 Vic Disk Drive 489	\$17503	ACCESSORIES TecMate Expansion Chasis by Tec Mar 839 Time Master by Tec Mar 89 Device Master by Tec Mar 199
Vic Graphic Printer		IEEE-488 Interface by Tec Mar
VIC RS 232C Interface 43 Vic IEEE-488 Interface 84 Game Paddles/Joysticks 19 Vic Super Expander 49	Disk Drive/Controller (100% Compatable)	256K by C.I. 790 Apparat Inc. CALL SOFTWARE CP/M - 80 CALL
Vic Super Expander 49 Vic Programmers Aid Cartridge 44 Vic Mon Machine Language Monitor 44 Vic Modem 89	AIO-II by SSM	Temple of Apshai 29 Home Accting Plus 130
VIC Expansion Chasis (3 slot)	Metacard by Metamorphic	24
SOFTWARE Recreation Program Pack A (Six Pack) 44 Home Calculation Program Pack A (Six Pack) 44	Microbuffer II by Practical Peripheral CALL 32K by Saturn (incl. software) 209 Parallel Board by CCS #7720A or 7720D 99 Lowercase for Apple 29	SAVES SAVES CALL FOR SELECTION!
Super Slot         23           Avengers         23           Super Alien         23           Super Lander         23	Numeric Keypad (23 key) by Keyboard	
Draw Poker         23           ViCalc         14           ViTerm A         19           ViCheck         24	Videolerm by Videx	
V.P.M. 18	Modem 79 Microsott Sottcard Premium Sys 595 RGB Card for Amdek II 159	ANN AND S
THE ALTERNATIVE BASIC 108CALL!	Signalman Modem 79 SOFTWARE Bus. Pkgs by Continental	NEC I/O Unit 32K RAM 595 NEC Add on Dual Drive 849
BASIC TO8CALL!	Desktop Plan by Visicorp. 189 Home Money Minder by Continental CALL Magic Window by Art-Sci 88	NEC Add on Dual Drive
	Peach Tree Accling Pkgs       CALL         Personal Filing System       95         Screen Writer II (formerly Super Scribe II)       99         TASC by Microsoft       159	NEC Wordprocessing & Accting Software CALL
4016N Pet 769 4032N Pet 992 SP9000 Super Pet 1596	The Last One         449           Visifile         199           Visifae         189           Visidex         189	Atari 400 W/16K (Mem. Expanders Avall.)
CBM 8032 1139 CBM 8096 1569 4022 Dot Matrix Printer 599	VIsischedule 189 Visitrend/Visiptot 199 Entertainment	410 Recorder
4040 Dual Disk Drive         985           8050 Dual Disk Drive (1 meg)         1339           8250 Dual Disk Drive (2 meg)         1759           2031 Single Disk Drive         529	Alkemstone	Ramcram 149 Ram Disk 499
8300P Letter Quality Printer 1749 IEEE-IEEE Cable 38 Pet-IEEE 33	Olympic Decathalon 24 Time Zone 79 Softworp 29	FREE CATALOGUE
SOFTWARE           Word Pro 4 Plus         325           Wordcraft 80.         289           Visicalc.         149	Complete Selection. in StockCALL CP/M Basic 80	HOW TO ORDER
BPI General Ledger         329           022 Info System         299           Dow Jones Portfolio         114           Pascal         229	Calcstar         166           Mailmerge         79           Spellstar         159           T/Maker         229	Ordering information: Phone orders using VISA, MASTER- CARD, AMERICAN EXPRESS, DINER'S CLUB, CARTE BLANCHE, bank wire transfer, cashier's or certified check, money order, or personal check (allow ten days to clear). Unless prepaid with cash. please add 5% for shipping.
Legal Time Accting 449 Create-A-Base 249 AVAILABLE NOW ALL SOFTWARE	Wordstar	handling and insurance. (minimum 5.00) California residents add 6% sales tax. We accept CODs. OEM's. Insti- tutions and corporations please send for a written pue-
	CALL IF YOU DON'T SEE IT!	availability without notice. All equipment is new and complete with manufacturer's warranty (usually 90 days).
PRINTERS in stock	CE & FAST SERVICE	Composition mail order prices.
EPSON SPECIAL MX-70 THIS MONTH OF	ILY! DIADOUM	
MX-80G LETTER Q		
MX-80 F/T ONLY 5	1095 BROCHTEC	(714) 579-0330 MAIL TO: 1251 BROADWAY
MX-100 IDS PRISM -		EL CAJON, CA. 92021
SALE SALE SALE SALE SALE SALE SALE SALE	SALE SALE SALE SALE SALE SALE SALE SALE	LE SALE \$ALE SALE \$ALE SALE \$ALE

Listing 7: Color Computer BASIC driver program for LOWFRE. The machine-language code is included in the program and poked into high memory.

```
100 / LOWFRE DRIVER
110 DATA 190,63,250,16,142,0,0,48,31,31
120 DATA 16,77,43,13,182,255,32,132,1,39
130 DATA 242,49,33,141,7,32,236,16,191,63
140 DATA 254,57,52,16,190,63,252,141,6,48
150 DATA 31,38,250,53,144,52,16,142,0,111
160 DATA 48,31,38,252,174,100,48,136,223,175
170 DATA 100,53,144
180 FOR I=4H3F00 TO &H3F3E
190 READ A: POKE IJA
200 NEXT I
210 DEFUSR0=&H3F00
220 INPUT "INTERVAL, DELAY"; IC, DC
230 POKE &H3FFA,INT(IC/256):POKE &H3FFB,IC-INT(IC/256)#256
240 POKE &H3FFC/INT(DC/256):POKE &H3FFD/DC-INT(DC/256)#256
250 A=USR0(0)
260 B=B+PEEK(&H3FFE)*256+PEEK(&H3FFF):PRINT B
270 GOTO 250
```

**Listing 8:** Model III BASIC driver program for LOWFRE. The machine-language code is included in the program and poked into high memory.

```
100 ' LOWFRE DRIVER
110 DATA 243,221,42,250,127,1,255,255,253,33
120 DATA 0,0,221,9,210,31,127,219,255,230
130 DATA 1,202,12,127,253,35,205,37,127,24
140 DATA 237,253,34,254,127,251,201,253,229,253
150 DATA 42,252,127,205,53,127,253,9,56,249
160 DATA 253,225,201,33,94,0,9,218,56,127
170 DATA 17,219,255,221,25,201
180 FOR I=32512 TO 32577
190 READ A: POKE I, A
200 NEXT I
210 DEFUSR0=&H7F00
220 INPUT "INTERVAL, DELAY"; IC,DC
230 POKE &H7FFA, IC-INT(IC/256)*256:POKE &H7FFB, INT(IC/256)
240 POKE &H7FFC,DC-INT(DC/256)*256:POKE &H7FFD,INT(DC/256)
250 A=USR0(0)
260 B=B+PEEK(&H7FFE)+PEEK(&H7FFF)*256: PRINT B
270 GOTO 250
```

describe a plumbing/electronics project—an anemometer. All parts can be purchased at your local hardware store and Radio Shack. The anemometer will measure a wide range of wind speeds and is easy to construct. Best of all, the entire project costs less than \$10.

The plumbing. The physical appearance of the anemometer is detailed in figure 9. It's constructed with common 1-inch and ¹/₂-inch poly vinyl chloride (PVC) sprinkler fittings, wooden dowels, and plastic cups. Necessary parts are listed in table 1. To asemble the unit, refer to figure 10 and proceed as outlined in steps 1 through 19.

- Cut a piece of 1-inch PVC thickwall tubing to a length of 4 inches. (Any saw will do, but a hacksaw is best.)
- Drill a hole in a 1-inch cap just large enough to pass a ¹/₂-inch PVC tube without friction.
- 3. Cement the cap to the 4-inch piece of tubing from step 1. Push

the cap firmly down on the tube.

- 4. Drill a  $\frac{1}{16}$ -inch hole completely through the cap abut  $\frac{1}{2}$ -inch up from the bottom of the cap.
- 5. File off any projections from the bottom of a ¹/₂-inch cap.
- Drill a small, centered hole in the cap and push in a decorative nail having a rounded head. It should fit snugly.
- 7. Cement the cap to a 6-inch piece of thin-wall ¹/₂-inch PVC tubing.
- 8. Push the ½-inch tubing from step 7 through the hole in the 1-inch

Associated foreign total wide distry States and foreign total wide distry proprietorship for worldwide distry propri distry propri distry proprietorship for worldwide distry

Author's Name

# AS AN AUTHOR METHOR METHODS IN A SAN AUTHOR METHODS IN A SAN AUTHOR METANIC METANON ME

If you've tried to market your own program, you've probably run into a virtual brick wall of problems. Problems that require time, energy, funds, personnel and expertise to solve.

Lifeboat Associates invites you to bring your problems to us. That way you can do what you do best: create quality software. And we can do what we do best: sell it.

As an international publisher of quality computer software with a strong relationship among business, professional, programming and personal computer users, as well as micro- and minicomputer OEM's, Lifeboat Associates has sold and fully supported more software programs by more authors for more machines to more users in more countries than anyone else.

And we do a lot more than sell. Lifeboat also provides:

• Full after sales support • A multitude of media formats • OEM sales • Extensive promotional campaigns through Lifeboat's Software Desk Reference™, specially designed OEM private label catalogs, foreign catalogs, brochures, flyers and direct mail • Advertising • Advertising preparation • Marketing services throughout a wide network of affiliates, dealers and distributors • Translation facilities into foreign languages • Seminars • Typesetting services • And lots more

So if you've expended your time and genius in writing a great program, bring it to Lifeboat. We'll expend our time and genius in publishing it.

Write for a copy of the Lifeboat Author Guide.





1651 Third Avenue, New York, New York 10028

Copyright ©1981, by Lifeboat Associates Software Desk Reference is a trademark of Lifeboat Associates.

Circle 237 on inquiry card.

2022






Quantity	Description
1	4-inch piece of 1-inch PVC thick-wall tubing
2	1-inch slip caps
2	1/2 inch slip caps
1	6-inch piece of 1/2-inch thin-wall tubing
1	round-head nail or small screw
3 ft	14-inch wooden doweling
4	plastic, low-mass cups (halves of plastic ball or toy)
1	container of PVC cement
1	suitable mounting hardware for mast
1	suitable mounting hardware for mast

cap. Now cement a second 1-inch cap over the 1-inch tube. (Put two  $\frac{1}{2}$ -inch drain holes in the bottom of the second cap.) Do not push the cap on all the way. The inner  $\frac{1}{2}$ -inch tube should move as freely as possible.

- 9. After the cement has dried for an hour, drill a ¹/₁₆-inch hole through the inner tube, using the existing hole as a guide. Hold the tubes up to the light. The holes in the tubes should match. If not, drill out the inner tube again.
- 10. Drill two ¼-inch holes completely through a ½-inch cap. The holes should be at right angles to each other and as close to the top of the cap as possible. The bottom hole should clear the path of the top hole.
- 11. Cut two ¼-inch wood dowels to 14 inches. Push through the holes in the cap. Center the dowels.
- 12. Cement the dowels if they don't fit tightly.
- 13. Mount four plastic half-spheres (cups) on the four dowels. All four should present the same face to the wind.
- 14. Align and cement the plastic cups.
- 15. After the cement has dried, temporarily mount the cup assembly on the inner tube. Cut off enough of the inner tube to that the bot-






## Software In Depth

The first time you use our software you'll find it does wonderful things. The more you use it, the more you'll find how useful it is. We have programs for doctors, CPA's, attorneys, retail store managers, contractors, estimators, print shops, schools, and manufacturers. We even have a program for programmers. And the list is growing. We have programs for the Apple[™], NEC[™], and Atari 800[™] computers, and this list is growing, too. To see our software, please visit *The Xerox Store* or another fine computer dealership in your area. Call or write us for a free catalog. High Technology Software Products, Inc., 2201 N.E. 63rd Street,

P.O. Box B-14665, Oklahoma City, Oklahoma 73113, 405/478-2105 Apple is a trademark of Apple Computer. Inc. Atari is a trademark of Alari. Inc. NEC is a trademark of Nippon Electric Company. Ltd.







**NEC 8023** Outstanding Graphics, Print Quality & Performance



144 x 160 dots/inch . Proportional Spacing Lower case descenders
Nx9 dot matrix
8 character sizes
5 unique alphabels
Greek character set
Graphic symbols 100 CPS print speed 
 Bi-directional logic seeking 
 Adjustable tractors 
 Single-sheet friction leed . Vertical & horizontal tabbing NEC 8023 SCall Dot Matrix List \$795

#### **IDS Paper Tiger** 560/Prism 80/132 Affordable Color, Speed



Dot Resolution Graphics • 9-wire staggered printhead • Lowercase decenders • Over Biologic Seeking
Biologic

- Text justifications
- Prism 80

List \$899 \$700 IDS Paper Tiger 560G S1100 Prism 132 (Color) ... List \$1995 \$1895

#### **NEC Spinwriter** 7700 & 3500 **Daisy Wheel Quality Leader**



High speed, letter quality • 55/33 CPS • Typewriter quality • Bi-directional plotting & proportional spacing • Quiet • OCR quality print • Hi-res plotting/graphing • Quick change ribbon • Optional cut-sheet feeder, horizontal or bidirectional tractors . Prints up to 8 copies. NEC Spinwriter RO Serial Parallel 77xx List \$3055 S2575

List \$2290

\$1975

35xx

The Epson Series. High-Quality Printers at a Low Price.



#### Epson MX70

Super low priced dot resolution graphics • 5 × 7 dot matrix • User replacable printhead Top of form • 80 CPS optional friction feed · 10" paper width \$390 Epson MX70 ..... List \$450



Epson MX80/MX80FT 9×9 dot matrix • Lower case decenders 80 CPS • Bi-directional • Logic seeking • 40. 66. 132. columns per line • 64 special graphic characters: TRS-80 Compatible • Forms handling • Multipage printing · Adjustable tractors Scall Epson MX80 List \$645

SCall Epson MX80FT ..... List \$745



#### Epson MX100

Same basic features as the MX80 . Plus friction feed for single sheets • Plus 15" wide carriage • Dot Resolution Graphics Scall MX100 ..... List \$995

Full Line of Epson Accessories





Dot graphics . Wide carriage . 11 x 9 dot matrix - Lower case descender - Dot resolution graphics - Bi-directonal, logic seeking - Up to 200 CPS - RS 232 Serial & Parallel - Forms control - X-On/X-Off - Up to 6 part copy List \$1650 \$1350 Anadex 9501

#### **INTERFACE EQUIPMENT**

Complete stock of options, cables and accessorie	s.
GRAPPLER APPLE INTERFACE	\$175
CCS APPLE SERIAL Interface & Cable	
ORANGE INTERFACE for Apple II	
Parallel Interface Board and Cable	\$110
NOVATION D-CAT direct connect modem	
COMPLETE STOCK OF EPSON ACCESSORIES	\$Call
CUSTOM PRINTER CABLES FOR Apple, Atari, IBM,	
TRS-80 (all models)	\$Call
HAYES MICROMODEM	\$300
PRINTER STANDS: Large	. \$99
Small	\$25
PRINTER RIBBONS—Most Types	<b>\$Call</b>



### OUR PEOPLE MAKE US EXPERTS.

Malibu 200 Dot Matrix & Letter Quality in One Printer



200 CPS standard • Letter quality font • 12 optional fonts • Bi-directional logic seeking • 19 x 18 dot matrix • Expanded characters (2x, 4x) Optional • Dot resolution graphics of 144 x 120 • Underlining Malibu 200.....List \$2995 \$2600



120 CPS • Bi-directional printing • Logic seeking • Double width & condensed printing • Friction & tractor feed standard • Font selection. character pitch & line spacing are program controllable Okidata 82A....List \$799

#### Centronics 739 Crisp Dot-Matrix Characters



Graphics & word processing print quality • N × 9 dot matrix • suitable for word processing • Underlining • Proportional spacing • Right margin justification • Serif typeface • 80/100 CPS • 9½" pin feed/friction • Optional 2 Color Kit Centronics 739-1 .... List \$695 Centronics 739-3 .... List \$795 \$725

#### Our People, Our Product: Both Are Specialized.

Because our salespeople are printer specialists, they know the capabilities of each printer—and how to match one to your exact need. Red Baron's volume stocking assures a low, low price on a wide array of major brands. We're sure you'll like the product and services you get from Red Baron, and we know you'll love our Customer Benefit Package; an exclusive at Red Baron.


#### **Customer Benefit Package**

1. Free Expert Consultation. Before you buy, after you buy. 2. Toll-Free Ordering. There's never a toll charge when you place your order at Red Baron. 3. Free Catalog. Get your informative catalog with printer comparison chart and character samples today! 4. Warranty. The manufacturer's warranty applies where applicable. 5. Same-Day Shipping. Your order is sent the same day when you call before 11:00 a.m. 6. Free/MasterCard & Visa. Call us toll-free and charge your printer to your credit card. 7. We Stock What We Sell. No bait and switch, no hassle. We make every effort to keep a large stock of our advertised products.



1982 Red Baron Computer Products

www.americanradiohistory.cor



**Figure 10:** Construction details of the anemometer. Total construction time is approximately one hour if all parts are on hand.

Quantity	Description
1	150-ohm 1/4-watt 10% tolerance resistor
1	1-kilohm ¼-watt 10% tolerance resistor
1	100-kilohm 1/4-watt 10% tolerance resistor
1	4.7-kilohm ¼-watt 10% tolerance resistor
1	560-ohm 1/4-watt 10% tolerance resistor
1	741C op-amp (Radio Shack 276-007)
1	Infrared LED (Radio Shack XC880-A, 276-143)
1	Infrared phototransistor (Radio Shack 276-145)
2	6-V batteries or 8 "C" cells in assembly
1	Wire, cable, solder
1	Project board (Radio Shack 276-175)
1	DIN plug, 5-pin (Radio Shack 274-003)

tom of the inner tube cap is about  $\frac{1}{16}$  inch from the top of the 1-inch cap. Cement the cup assembly to the inner tube.

- 16. Again, check the hole alignment of the inner and outer tubes. Redrill the inner tube if necessary.
- 17. Press-fit the phototransistor and light-emitting diode (LED) into the two holes. Bring down the two leads from each. Cement the components in place using a bead of PVC cement around the edges.
- 19. Spin the cup assembly. It should move very freely, even in a light wind. You should be able to spin it by gently blowing at a cup at a distance of about a foot.

The electronics. The electronics assembly is built on a Radio Shack project board. The arrangement of the parts is shown in figure 11, and a parts list is given in table 2. Make a cable assembly of four wires and route to the anemometer. Solder the four cable wires to the LED and phototransistor as shown in figure 12.

After soldering the cable wires, wrap a piece of plastic electrical tape around the cable and tubing for strain relief. Put a dab of PVC cement on each solder joint and exposed lead. This will waterproof the connections.

The circuit for the electronics is shown in figure 13. The electronics produce a +6-V or -6-V signal to the cassette input line. The 741C operational amplifier (op-amp) compares a voltage at the "-" input that is about 82 percent of the positive supply voltage. If the input voltage on the "+" lead drops below this level, the output of the op-amp is -6 V; otherwise it is +6 V.

When the two holes in the anemometer tubing are aligned, the infared light from the LED strikes the phototransistor and causes current to flow through it. When enough current flows, the "+" input drops below the 82 percent level and the opamp output drops to -6 V. When no light is striking the phototransistor, no current flows through it, the "+" input is +6 V, and the op-amp output is +6 V. Place the anemometer assembly in a location that's shady yet exposed to the wind. (Don't

# BARD DISC SUBSYSTEM FOR

HA62	IBM BUS HARD DISK INTERFACE FOR WD-1000
4SP	4 SERIAL PORTS FOR IBM
PB	PROTOTYPING BOARD FOR IBM
EB	EXTENDER BOARD FOR IBM

#### S-100 BOARDS

ZOBEX CPU

Z-80A CPU WITH 4 SERIAL AND 3 PARALLEL PORTS

ZOBEX DDFDC

DOUBLE DENSITY DISK CONTROLLER

ZMS-100

64K RAM

#### HDCI

S-100 HARD DISK INTERFACE FOR WD-1000



ZOBEX is trademark of ZOBEX CORPORATION IBM is trademark of International Business Machines Corporation

## **BRAINS-MAINFRAMES**

#### **SUPERBRAINS**



SUPERBRAIN QD 64K

List \$3995 . . . . only \$2949



F ITH

Z-89 48K List \$2895....only \$2099 Z-90 64K DD 3195 ONLY \$2489

COMPUSTARS

Available to Dealers

#### **NORTH STAR**

Minicomputer Performance

Green Phosphor Options: Graphics + CP/M List .....\$3999 Only .....\$3199






Monitor Green Phosphor \$118

**ADVANTAGE** 

TERMINALS Z-19	\$718
INTERTUBE III Super Smart	\$710

#### **EPSON**

MX-80 FT. . . . . . . . . \$598 MX-80 . . . . . . . . . . . . \$474 MX-100 . . . . . . . . . . . . . \$749



ANADEX 9501		\$1290
NEC Letter Qual Friction & Tractor		call
ZENITH printer Z-25 list 1595 only		
STARWRITER letter qual FT	•••••	\$1824

ATARI 400 .....only \$340 800 .....only \$340 List \$899.....only \$675 Wonderful Games—Education for your family

ATARI

 Main Frames - S-100
 \$200 up

 Single Board Computer 64K
 \$749

 6800-CPU S-100
 Call us
 Save cash!

AMERICAN SQUARE COMPUTERS is organizing a World Wide Association of Computer Dealers. Open a Store or Start Work Out of Your Home! We Charge NO FRANCHISE FEE! (Our Competitors charge a FRAN-CHISE FEE of from \$15,000.00 to \$45,000.00.) Be a Winner! Let US help YOU get started MAKING MONEY by HELPING PEOPLE to put COMPUTERS to WORK. Write or Phone today.

#### **GODBOUT COMPUPRO**

#### SEATTLE'S

		1Hz 8086 CPU the fastest		
S-100 computer! 128K Static RAM, DD Disk Controller,				
22-slot Main Frame, 86-DOS, #2 128K				
		ONLY \$3349		
#1 As above but 64K	LIST .	\$3190 ONLY 2649		

#### CALIFORNIA COMPUTER 2210A

LIST \$2350..... ONLY \$1895 Z80, 64K, I/0, Disk controller + CP/M. Model 300-1A is the larger system: 2.4 Mb 8" Z80, 64K, and optional OASIS, CP/M, or MP/M operating system. LIST ...... \$5695..... ONLY \$4995

#### SYSTEMS GROUP SYSTEM 2800

Runs CP/M or OASIS. Supports single user & multiuser & multi task. Up to 5 megabytes with 8" drives. Optional 10-megabyte hard disk.Optional tape back up #2812 \$5035.....ONLY \$3775

#### TARBELL'S

Empire I&II have two 8" disk drives. The I is single sided, the II is double sided.

FREE Business Software
Empire I LIST \$4888 ..... Only ..... \$3666

#### We sell The Finest Hardware



SQUARE

We sell The Finest Software



CP/M is a registered trademark of Digital Research, Inc.

www.americanradiohistory.com

## DWEST PRICE BEST QUA

#### NORTH STAR Horizon 2



2-5¼" Disk Drives 64K Double Density Factory assem. & tested Factory guaranteed

A few left Low Price only \$2499

#### **Powerful North Star BASIC Free** Superb for Business & Science

HORIZON STANDARD IS NOW HRZ-2-64K QUAD

Factory Assembled & Tested Li	st		Only
Horizon-2-32K-Double Density			\$2349
Horizon-2-32K-Quad Density			\$2549
Horizon-2-64K-Quad \$359			\$2699
Horizon-2-64K-QHD 5 \$599			\$4499
Horizon Ram ASM32K=\$37			<=\$524
Big Sale on Multi-User Time-Sharing			call
English to Basic Translator			\$99
North Star Hard Disk 18 Mb \$537	΄5.		\$3923
North Star Time Sharing Multi-User			call
Zbasic 2 to 5 times faster! \$35	60.		call
Secretary Word Processor			\$99
Wordstar Word Processor			\$318
Floating Point Board \$39	9.		\$319
Oasis Multi-User Software SAV	Ε.		call
CP/M for N* Extra features \$23	ю.		\$220
Micro Mike Software SAV	Έ.		call
Ecosoft Accounting \$355 MICROSTA	т.		\$265
			\$515
Extra Precision Basic			\$50
Northword \$19	9.		\$179
Mailmanager \$29	9.		\$224
Infomanager \$39	9.		\$349
General Ledger \$49	9.		\$429
Accounts Receivable \$49	9.	• • •	\$429
Accounts Payable \$49	9.		\$429
Inventory \$49	9.		\$429
Order Entry \$49	9.		\$429
PROPAC \$149	9.		\$1274
DOS + Basic 5.2		• • •	27

#### **DECISION I**



#### "The IBM-360 on the Z-80 & S-100 BUS!"

Sixteen Programs running simultaneously! Free CPM, Microsoft BASIC and WORDSTAR with Complete system!

-,	LIST	UNLT
DECISION 1 + 65K Static + 8" Disks	\$4375	3500
DECISION 1 + 65K Static + 2 + 5" Disks	4195	3356
DECISION 1 + 65K Static + 5" Disk + 5 Mb Hard Disk	5990	4792
DECISION 1 3 user 195K Static + 5" Disk + 5Mb Hard Disk + MICRONIX	8035	6428
DECISION 1 - Z-80 + 1/0=Power	1725	1339

#### **MORROW 8" Disk**

Discus 2D + CP/M 600K only \$849 Discus 2 + 2 + CP/M 1.2 MEGA B. \$1149 Add Drives 2D = \$599 2 + 2 = \$795 Discus 2D-dual + CP/M Only \$1388 Free Microsoft BASIC from MORROW with Discus system Or hard disk



M-26 MORROW Hard Disk 26,000,000 Bytes!! List \$4495..... Only \$3395 Free CPM + BASIC M-20 List \$4795 .. Only \$3835 M-10 List \$3695 .. Only \$2955 M-5 List \$2495.. Only \$1995

#### **InterSystems**

Z-80A CPU 4 MHz 64K Dynamic RAM Front Panel

VI/0-1 - with interrupts FDCII Disk Controller 20 slot motherboard

Without front panel as above only \$2716 **Front Paneless Recommended for Business** 

#### Save on Memory and Programs

Systems Memory 64K A&T ..... \$459 Systems Memory 64K Bank ..... \$555 Microangelo ..... \$985 Corvus Hard Disk ...... SAVE SSM Video BRD VB3 kit ...... \$300 Spectrum Color ASM ..... \$326

Cat Novation Modem ..... \$169 Memory Merchant 16K ..... \$159

Which Computers are Best?-FREE. Insured Shipping at Low Rates. Call For Latest Prices, Details. We Beat Advertised Prices.





919-889-4577





Expert Advice



Jamestown N.C. 27282


919-883-1105

CP/M is a registered trademark of Digital Research, Inc.

Circle 20 on inquiry card.

www.americanradiohistorv.com

List \$3795 ..... Only \$2839



**Figure 11:** The electronics portion of the anemometer uses a small project board for easy circuit assembly. Three sets of wires go to power connections, the anemometer, and the cassette input plug.

mount it on a 200-foot tower until after additional testing, however.)

A PERIOD program. Listings 9 and 10 show PERIOD programs for the Color Computer and Model III, respectively. The PERIOD programs are used with the anemometer, but they are also general-purpose programs for measuring the period of any input signal that does not have to be debounced. The period is measured from the first negativegoing transition to the next negativegoing transition in 20.23- or 24.33-µs units. The period is passed back to a BASIC driver in locations hexadecimal 3FFE and 3FFF (Color Computer) or as the value of the USR function (Model III).

Listings 11 and 12 show the PERIOD programs incorporated as DATA statements in BASIC drivers. The machine-language code is located in high memory in both cases.

Using the anemometer. Protect high memory in the Color Computer by a CLEAR 200,&H3EFF. Protect high memory in the Model III by inputting a MEMORY SIZE of 32511. Load the BASIC Anemometer program, connect the cassette input to the electronics, connect the electronics power, and run the program.

The program measures the period for the rotating anemometer. If no



#### More Apple II owners choose Hayes Micromodem II than any other modem in the world.

Compare these features before you buy.

You should. It's your money. Thousands of Apple II owners have already compared, considered, and now they are communicating -- with Micromodem II. The best modem for your Apple II. The most modem for your money!

A complete data communication system for

the Apple II. The Micromodem II is not "base priced" plus necessary "options. It's a complete, high-performance system, designed specifically for your Apple II and ready immediately to put you in communication with all of North America

Unexcelled receive sensitivity level. Receive sensitivity levels determine the range of error in data transmission.

Micromodem II's excellent receive sensitivity level promises you clearer, more accurate transmission

Auto-dial and answer features built in. Automatically dials the telephone,

answers the telephone. micro

receives and transmits and hangs up the telephone - completely unattended. You can take advantage of low evening and week-end telephone line rates.

Operation can be full or half-duplex. And with user selectable transmission rates of 110 or 300 bps. FCC ap-

proved and completely Bell103 compatible. Quick and easy installation. The Micromodem II plugs directly into the Apple II, eliminating the need for a serial interface card. And the

Microcoupler™ (included) connects the Apple II directly to a standard RJ11 modular telephone jack, eliminating the losses and distortions associated with acoustic couplers.

Plus a wide variety of software, available right now! Because of our position in the industry, numerous sources have developed software specifically for the Micromodem II. The versatility of these prepared programs gives you a distinct advantage as an Apple II owner. Available in computer stores nationwide.

So if you're ready to communicate with other computers ... or to access large time-sharing systems like THE SOURCE". AMERICA'S INFORMATION UTILITY", then you're ready for Micromodem II. Come on. Compare. Consider. And you'll discover the time is ripe to join the thousands of happy Apple II owners who are communicating with Micromodem II's complete system capability.

Available at computer stores all across America - call or write for the

location nearest you. And don't settle for anything less than Hayes.

Hayes Microcomputer Products, Inc. 5835 Peachtree Corners East, Norcross, Georgia 30092 (404)449-8791

Your Apple II just isn't the same without a Hayes Micromodem II."

Micromodem II and Microcoupler are trademarks of Hayes Microcomputer Products, Inc. The Micromodem II can also be used with Bell & Howell Computers. THE SOURCE and AMERICA'S INFORMATION UTILITY are service marks of Source Telecomputing Corporation, a subsidiary of the Reader's Digest Association, Inc. Trademark of Apple Computer, Inc. c 1981 Hayes Microcomputer Products, Inc. Sold only in the U.S.A.

## Build your own private library for less than \$20 a month!

#### Each volume bound in genuine leather and fine fabric...the leather embellished with 22 karat gold.

Imagine being able to glance up at your bookshelf, and see there your own private library. With its proud expanse of leather spines, richly ornamented in gold, bearing the titles of the greatest books ever written.

Here, clearly, would be something of permanence in a changing and uncertain world. Something to treasure now . . . and to pass along to future generations in years to come.

A treasure, indeed, you might think—but surely an expensive luxury. Far from it.

For this is The Heirloom Library of the World's Greatest Books. Fifty enduring works of genius, selected by a distinguished board of advisers. In the handsome Collector's Edition, crafted for posterity in bindings of leather and fine fabrics. Ornamented with exclusive designs, the spines embellished with 22 karat gold.

#### Beautiful books, at a guaranteed low price—yet you make no long-term commitment

The Collector's Edition of the Heirloom Library will be

issued at the convenient rate of one great book per month, for just \$19.50 a volume—a price guaranteed for the duration of your subscription. However, you need make no long-term commitment. You may cancel your subscription at any time, on 30 days' written notice.

#### The rare pleasures of owning this personal library

As a subscriber, you would enjoy, whenever you wish, the rich pleasure of taking one of these books from your shelf—with its fragrance of leather, its satisfying weight in your hands. Then savor a moment of anticipation as you open the volume, to see your own inscribed bookplate on the decorated endpapers. And leaf through the pages admiring the burnished edges...the smooth, opaque paper...the crisp, legible type ... the wonderfully evocative illustrations.

Above all, you would be able to enter at will . . . as one embarking on a voyage of discovery . . . the world of Hemingway or Melville, Shakespeare or Dante, Dickens or Mark Twain. The greatest books ever written, in bindings worthy of the incomparable works they contain.


#### Mail your order by May 31st

By the time your library is complete, even ordinary books may be selling for more than \$19.50. For the costs of materials, of printing and binding, are rising almost daily. And thus it may never again be possible to offer subscriptions to the Collector's Edition of the Heirloom Library at this guaranteed low price. So, to be sure of acquiring this remarkable private library for no more than \$19.50 a volume, please mail the subscription form at right by May 31, 1982.


In a time-honored collecting tradition ... the greatest books of the greatest writers of all time. Bound in genuine leather and fine fabrics. The leather embellished with 22 karat gold.

(D 1982 FI

THE HEIRLOOM LIBRARY OF THE WORLD'S GREATEST BOOKS Collector's Edition



- Fifty beautiful volumes to enjoy and display in your home
- Issued monthly at a price not much higher than you pay for an ordinary book - just \$19.50 a volume
- Price guaranteed for the duration of your subscription
- To be sure of acquiring your library at this low price, your subscription form should be postmarked by May 31, 1982







Automatic generation of subject index and tables of contents, figures, etc.

Wordindex commands placed in any document produced by WordStarTM automatically number chapters and **8 levels** of sections; create tables of contents, figures, and tables, and a **sorted** subject index with page references.

WordIndex II is loaded with new features:

Multiple files. WordIndex II supports the WordStarTM .fi dot command.

Free choice of page number format.

Multiple choice of layout of all tables.

No limit on size of subject index.

Automatic generation of headings and footings.

Alternating page offset for even and odd pages simplifies printing procedures. SPECIAL OFFER for owners of all previous

versions of WordIndex; return your original WordIndex diskette directly to us and receive WordIndex II at a nominal cost of \$50.

#### \$39

100 - Tektronia Plot-10 TCS compatible graphic package.

Previously available on minis and mainframes only.

Supplied with the original TektronixTM documentation, MicroPlot fully implements the entire Tektronix Terminal Control System on your 8080/Z80 based microcomputer at a fraction of the original cost.

This package enables you to run even mainframe-developed software for the Pilot-10 TCS on your microcomputer using Tektronix compatible peripherals.

MicroPlot is supplied as MicrosoftTM .REL files to be used with Fortran-80TM.

#### MenuMasterTM

Stop measing around with CP/M commands. MenuMaster makes all your software menudriven.


Simply create your **own** menus directly on-screen using any text editor. The menu dispenses of long and hard-to-remember CP/MTM commands. The user may simply select programs from the menu using simple commands of his own choice.


Order your copy today directly from us by phone, telex, or mail. Please send cashier's check or state Visa or Master Charge account no.

Detailed descriptions may be requested at no cost. Just circle reader service. Dealers may apply for free demo-versions of all programs.


#### BORLAND Ltd


69, Upper Georges Street Dun Laoghaire Dublin, Republic of Ireland Phone 1802514. Telex 25105 GSOP ATTN. BORLAND





**Figure 12:** The infrared LED and phototransistor are mounted on opposite sides of the anemometer shaft. Each shaft revolution produces two infrared light detections.





## The Guesswork Is Gone!

#### Thanks to Strictly Soft Ware.

Consider the care you invested in buying your computer. We've done the same for your software.

How many times have you wondered: Is the package right? The price? The service?

We've cleared a course for you to the

#### best software — guality and price.

Strictly Soft Ware brings you the best in entertainment, education, performance, and price.

Take a look at the offerings below. And call now (toll-free) for our free catalog.

#### \$19.95 SPECIALS

- Track Attack
- Red Alert
- Snack Attack
- Midnite Magic

#### Arcade Games

ABM Apple-oids Apple Panic Autobahn Beer Run Bug Attack Compucube Computer Air Combat Computer Baseball County Fair Crossfire Cyber Strike Dark Forest Dogfight Epoch Firebird Flight Stimulator Gamma Goblins Genetic Drift Gobbler Golden Mountain Gorgon Hadron Hi Res Soccer Intl Gran Prix Missle Defense Mouskattack Olympic Decathalon Orbitron Outpost Pool 1.5 Pegasus II Phantoms Five Pulsar II

Raster Biaster Reversal Robot War Ruski Duck Snack Attack Sneakers Super Invaders Star Thief Space Eggs Space War Space Quarks Thief Three Mile Island Threshhold Track Attack Trick Shot Warp Attack

 Space Eggs Sneakers

Dark Forest

Beer Run

#### Adventures

Adventures 1-12 Alkemstone Akalabeth Adventure to Atlantis **Castle Wolfenstein** Crush, Crumble, Chomp Cyborg Galactic Empire Lords of Karma **Creature Venture** Mystery House Napoleon's Campaigns Oldorf's Revenge 00 Topos The Prisoner Race for Midnight

Southern Command Space Adventure Swordthrust Talawa's Last Redobtd Stone of Sisyphus Tarturian Temple of Apshai The Terrorist Time Zone Ulysses/Golden Fleece Ullima Wizard/Princess Wizardry Zork

Jawbreaker

Crossfire

Sabotage

#### **Business** Accounting

BPI Continental Peachtree Broderbund The Apple Speller ASCII Express Creative Financing Data Capture Data Factory DB Master DB Master Utility Desk Top Plan II Easywriter Eduware Financial Partner Graphtrix Letter Perfect Magic Spell

Above titles are partial selection. Call for prices and catalog.

## VISA 1.184

We take Master Card or VISA (include card # and expiration date). Ohio residents add 5.5% tax. Include \$2.00 for postage.

Send for free catalog. Prices subject to change.

#### Strictly Soft Ware

Post Office Box 338 Granville, Ohio 43023 order by phone 800-848-5253 in Ohio 614-587-2938

#### \$19.95 SPECIALS

- Raster Blaster 
   ABM
  - Castle Wolfenstein
  - Olympic Decathalon
  - Ceiling Zero

Magic Window The Mail Room The Merger Menu Generator Micro Courier PFS PFS Report **Real Estate Analyzer** Spellstar Superscribe II Super Text II TASC Compiler Tax Manager Tax Preparer Versaform Visiblend Visicalc 3.3 Visidex Visifactory Visifile Visiterm Visitrend/Visiplot Wordstar Z-80 Cards

#### Home/Personnel

**Decision Master** The Correspondent Diet Planning Financial Management System II Home Money Minder Mastertype



Circle 392 on inquiry card.

Listing 9: Color Computer assembly-language program to measure the period of a cassette input signal.

3F00	00120 * SUBRO 00130 * INP 00140 * OUT 00150 *	UTINE TO MEASURE UT: NIL PUT: 3FFEH≃PERIC OR ~1 IF TI	(*************************************
3F00 8E 0000	00180 FERIOD	LDX #0	TIME OUT COUNT
3F03 30 01	00190 PER010	LEAX 17X	INCREMENT TIME OUT CNT
3F05 27 30	00200	BEQ PER090	GO IF TIME OUT
3F07 B6 FF20	00210	LDA \$FF20	GET PIA BYTE
3F0A 84 01	00220	ANDA #1 BNE PERØ10	GET CASSDIN GO IF AT PULSE
3F0C 26 F5 3F0E 8E 0000	00230 00240	BNE PERØ10 LDX #0	INITIALIZE TIME OUT CNT
3F11 30 01	00250 PER020	LEAX 1/X	INCREMENT TIME OUT CNT
3F13 27 22	00260	BEQ PER090	GO IF TIME OUT
3F15 B6 FF20	00270	LDA \$FF20	GET PIA BYTE
3F18 84 01	00280	ANDA #1	GET CASSDIN
3F1A 27 F5	00290	BEQ PER020	GO IF NOT PULSE
3F1C 8E 0000	00300	LDX #0	INITIALIZE TIME OUT
3F1F 30 01	00310 PER030	LEAX 1,X	INCREMENT TIME OUT CNT
3F21 27 14 3F23 B6 FF20	00320 00330	BEQ PER090 LDA \$FF20	GO IF TIME OUT GET PIA BYTE
3F26 84 01	00340	ANDA #1	GET CASSDIN
3F28 26 F5	00350	BNE PER030	GO IF STILL PULSE
3F2A 30 01	00360 PER050	LEAX 1/X	INCREMENT TIME COUNT
3F2C 27 09	00370	BEQ PER090	GO IF TIME OUT
3F2E 86 FF20	00380	LDA \$FF20	GET PIA BYTE
3F31 84 Ø1	00390	ANDA #1	GET CASSDIN
3F33 27 F5	00400	BEQ PER050	GO IF NOT END
3F35 20 03	00410	BRA PERØ95	NORMAL RETURN
3F37 8E FFFF	00420 PER090	LDX #~1	FLAG TIME OUT
3F3A BF 3FFE 3F3D 39	00430 PER095 00440	STX \$3FFE RTS	RETURN WITH ARGUMENT RETURN
0000	00450	END	
- 99999 TOTOL EDDOD		hen i Tha'	


00000 TOTAL ERRORS

Listing 10: Model III assembly-language program to measure the period of a cassette input signal.

7F00	00100	ORG	7F00H	RELOCATABLE
	00110 ;*****	******	*************	******
•	00120 ;* SUBR	OUTINE 1	TO MEASURE PERIO	D OF LOW-FREQ SIGNAL *
	00130 ;* I	NPUT: N	NIL	*
	<b>00140 ;*</b> 0	UTPUT: H	HL=PERIOD IN 24.	33 MICROSECOND UNITS *
	00150 ;*	(	OR -1 IF TIME OU	T, 2 BYTES *
	00160 ;*****	******	***********	*******
	00170;			
7F00 210000	00180 PERIOD	LD	HL,0	TIME OUT COUNT
7F03 010100	00190	LD	BC+1	; INCREMENT
7FØ6 Ø9	00200 PER010	ADD	HL;BC	;INCREMENT TIME OUT CNT
7FØ7 3829	00210	JR	C, PER090	GO IF TIME OUT
7FØ9 DBFF	00220	IN	A,(ØFFH)	;GET I/O BYTE
7FØ8 E601	00230	AND	1	;GET CASSDIN
7FØD 20F7	00240	JR	NZ,PERØ1Ø	;GO IF AT PULSE
7F0F 210000	00250	LD	HL,0	REINITIALIZE TIME OUT CNT
7F12 Ø9	00260 PER020	ADD	HL, BC	; INCREMENT TIME OUT COUNT
7F13 381D	00270	JR	C; PER090	;GO IF TIME OUT

## The Lightning One

#### 8086/8087/8089 CPU Board



#### Features:

- □ 4, 5, 8 or 10 MHz operation jumper selectable
- 8086 or 8088 main processor
   Independent I/O and memory waitstate generator
- Up to 16K bytes of onboard EPROM
- 9 vectored interrupts expandable to 65
- EPROM monitor with diagnostics and disk utilities
- 8087 and 8089 co-processors available onboard
- CP/M-86* and MS-DOS** software support

•CP/M-86 is a trademark of Digital Research. ••MS-DOS is a trademark of Microsoft. Lightning One is a trademark of Lomas Data Products, Inc. The Lightning OneTM is the fastest processor board available on the S100 bus today. It contains <u>not</u> one processor, but <u>three</u> processors all working in parallel. It uses the Intel 8086 as the main processor. The math capability is augmented with the 8087 math processor and the I/O handling capabilities are augmented with the 8089 dual channel I/O processor. The board complies with all IEEE-696 specifications.

If you have an 8 bit system presently, don't despair. The *Lightning One* is available with the 8088. The 8088 is fully software compatible with the 8086, but utilizes an 8 bit bus allowing use of your present 8 bit memories. When you are ready to upgrade to full 16 bit operation, you need only to unplug the 8088 and plug in an 8086 in its place. When using an 8088, the 8087 and 8089 may still be utilized. In addition to the *Lightning One*, Lomas Data Products has a full line of S100 bus support cards including: memory, disk controllers, and serial and parallel I/O.

Prices for the Lightning One start at \$395.

#### Coming Soon: New Product Announcements:

- □ 128 K byte non-volatile static RAM □ M DRIVE for CP/M-86 and
- MS- DOS Dual CP/M-86 and CP/M 2.2
- Dual CP/M-86 and CP/M 2.2 support
- Winchester hard disk controller

For 16 bit computing on the S100 bus, come to the leader...

#### LOMAS DATA PRODUCTS, INC.

729 Farm Road, Marlboro, Massachusetts 01752 🗆 Telephone: 617-481-2822

Listing 10 continued:				
7F15 DBFF	00280	IN	A,(ØFFH)	;GET I/O BYTE
7F17 E601	00290	AND	1	;GET CASSDIN
7F19 28F7	00300	JR	Z, PER020	;GO IF NOT PULSE
7F1B 210000	00310	LD	HL,Ø	REINITIALIZE TIME OUT
7F1E Ø9	00320 PER030	ADD	HL,BC	;INCREMENT TIME OUT
7F1F 3811	00330	JR	C, PER090	;GO IF TIME OUT
7F21 DBFF	00340	IN	A,(ØFFH)	;GET I/O BYTE
7F23 E601	00350	AND	1	;GET CASSDIN
7F25 20F7	00360	JR	NZ, PER030	;GO IF STILL PULSE
7F27 Ø9	00370 PER050	ADD	HL,BC	FINCREMENT TIME OUT
7F28 3808	00380	JR	C, PER090	GO IF TIME OUT
7F2A DBFF	00390	IN	A,(ØFFH)	;GET I/O BYTE
7F2C E601	00400	AND	1	;GET CASSDIN
7F2E 28F7	00410	JR	Z, PER050	;GO IF NOT END
7F30 1803	00420	JR	PER095	NORMAL RETURN
7F32 21FFFF	00430 PER090	LD	HL;-1	FLAG TIME OUT
7F35 C39AØA	00440 PER095	JP	ØA9AH	FASS ARGUMENT BACK
0000	00450	END		
00000 Total	errors			

**Listing 11:** Color Computer BASIC driver program for the anemometer. This program uses the PERIOD program. The machine-language code for PERIOD is contained in the BASIC program and is poked into high memory.

100 'SAMPLE ANEMUMETER PROGRAM 110 DATA 142,0,0,48,1,39,48,182,255,32 120 DATA 132,1,38,245,142,0,0,48,1,39,34 130 DATA 182,255,32,132,1,39,245,142,0,0 140 DATA 40,1,39,20,182,255,32,132,1,38 150 DATA 245,48,1,39,9,182,255,32,132,1,39 160 DATA 245,32,3,142,255,255,191,63,254,57 170 FOR I=&H3F00 TO &H3F3D 180 READ A: POKE I,A 190 NEXT I 200 DEFUSR0=&H3F00 210 CLS 220 A=USR(0) 230 A=PEEK(&H3FFE)#256+PEEK(&H3FFF) 240 IF A=65535 THEN A=0: GOTO 260 250 A=3.75/(A*20.23E-6) ... 260 PRINT @262, A; "MPH 270 GOTO 220

**Listing 12:** Model III BASIC driver program for the anemometer. This program uses the PERIOD program. The machine-language code for PERIOD is contained in the BASIC program and is poked into high memory.

```
1100 'SAMPLE ANEMOMETER PROGRAM MODEL III
110 DATA 33,0,0,1,1,0,9,56,41,219
120 DATA 255,230,1,32,247,33,0,0,9,56
130 DATA 29,219,255,230,1,40,247,33,0,0
140 DATA 9,56,17,219,255,230,1,32,247,9
150 DATA 56,8,219,255,230,1,40,247,24,3
160 DATA 33,255,255,195,154,10
170 FOR I=32512 TO 32567
180 READ A: POKE I,A
190 NEXT I
200 DEFUSR0=&H7F00
210 CLS
220 A=USR(0)
230 IF A=-1 THEN A=0:GOTO 250
235 IF A<0 THEN A=65536+A
240 A=3.75/(A*24.33E-6)
250 PRINT @ 532, A; "MPH
260 GOTO 220
```

rotation is detected, a - 1 is returned as the period; both BASIC programs look for this flag and set the period to 0 in this case.

Wind speed will be displayed in the center of the screen. Wind speed in this case is a rough calculation based on preliminary empirical tests. The tests involved driving madly down city streets while keeping one eye on the road and the other on the rotating anemometer held at arm's length out the open car window. The 12-V DCpowered inverter for mobile computer operation is a project I'll leave for you in your spare time.

Each rotation of the shaft produces two pulses. A wind speed of 15 miles per hour (mph) is approximately 2 revolutions per second—thus the "3.75" factor. Rotational speed of the anemometer appears to be linear; 30-mph wind produces 4 revolutions per second and so forth. I would be very interested to hear from readers who construct the anemometer and run some tests with it, especially those who have access to a wind tunnel.


The above examples illustrate what can be achieved without a great deal of additional hardware when using inputs that were not meant to be discrete inputs but were dragged, kicking and screaming, into duty. In a later article, I'll look at a more sophisticated way to interface many lines to the system bus. I promise you won't be cutting up PVC tubing and scrubbing cement off your hands.



Compute. Compute. Compute. Compute. Compute. Compute. Compute. Compute.

Compute.

Compute.



Your printer.

•••Print. Print. Print. Print. Print. Print.

## New Microbuffer II lets you use your printer without tying up your computer.


Time. As an important resource it shouldn't be wasted. One such waste is in printing, where your computer must wait for your printer. Now there's a way to eliminate this waste.

Introducing the Microbuffer II[™], a buffered parallel printer interface for the Apple II[™] computer with 16K characters of memory (user expandable to 32K). It accepts data as fast as your computer can send it, allowing you to use your computer while the Microbuffer II is in control of your printing.

The Microbuffer II, compatible

with Applesoft, CP/M^{IM} and Pascal, comes with complete print formatting features as well as advanced graphics dump routines for most popular graphics printers.

The Snapshot[™] option permits you to dump the text screen or graphics picture to the printer while any program is



Circle 340 on inquiry card.

running — without interuption.

The 16K Microbuffer II is available for \$259. And the 32K version, for \$299. The Snapshot option is \$69.

So why waste time while your computer waits for your printer? Ask your computer dealer for the Microbuffer ] or call us for the name of a dealer near you.

Microbulfer and Snapshot are trademarks of Practical Peripherals, Inc.

CP/M is a registered trademark of Digital Research, Inc. Apple II is a registered trademark of Apple Computer, Inc.

PRACTICAL PERIPHERALS, Inc. 31245 La Baya Drive Westlake Village, California 91362 (213) 991-8200

## he^{\$}149⁹⁵ personal computer.

9

#### Introducing the Sinclair ZX81

If you're ever going to buy a personal computer, now is the time to do it.

The new Sinclair ZX81 is the most powerful, yet easy-to-use computer ever offered for anywhere near the price: only \$149.95* completely assembled

Don't let the price fool you. The ZX81 has just about everything you could ask for in a personal computer.

#### A breakthrough in personal computers

The ZX81 is a major advance over the original Sinclair ZX80-the world's largest selling personal computer and the first for under \$200.

In fact, the ZX81's new 8K Extended BASIC offers features found only on computers costing two or three times as much. Just look at what you get:

Continuous display, including moving graphics

Multi-dimensional string and numerical arrays

* Plus shipping and handling. Price includes connectors for TV and cassette, AC adaptor, and FREE manual

Mathematical and scientific functions accurate to 8 decimal places

Unique one-touch entry of key words like PRINT, RUN and LIST

Automatic syntax error detection and easy editing

- Randomize function useful for both
- games and serious applications Built-in interface for ZX Printer
- 1K of memory expandable to 16K

The ZX81 is also very convenient to use. It hooks up to any television set to produce a clear 32-column by 24-line display. And you can use a regular cassette recorder to store and recall programs by name.

THE OF IN AND THE OF INT If you already own a ZX80 The 8K Extended BASIC chip used in the ZX81 is available as a plug-in replacement for your ZX80 for only \$39.95, plus shipping and handling-complete with new keyboard overlay and the ZX81 manual. So in just a few minutes, with no special skills or tools required, you can upgrade your ZX80 to have all the powerful features of the ZX81. (You'll have everything except continuous display, but you can still use the PAUSE and SCROLL commands to get moving graphics.)

With the 8K BASIC chip, your ZX80 will also be equipped to use the ZX Printer and Sinclair software.

#### Order at no risk**

We'll give you 10 days to try out the ZX81. If you're not completely satisfied, just return it to Sinclair Research and we'll give you a full refund.

And if you have a problem with your ZX81, send it to Sinclair Research within 90 days and we'll repair or replace it at no charge.

**Does not apply to ZX81 kits.



**NEW SOFTWARE:**Sinclair has published pre-recorded programs on cassettes for your ZX81, or ZX80 with 8K BASIC We're constantly coming out with new programs, so we'll send you our latest software catalog with your computer.



ZX PRINTER: The Sinclair ZX Printer will work with your ZX81, or ZX80 with 8K BASIC. It will be available in the near future and will cost less than \$100



**16K MEMORY MODULE:** Like any powerful, full fledged computer, the ZX81 is expandable. Sinclair's 16K memory module plugs right onto the back of your ZX81 (or ZX80, with or without 8K BASIC). Cost is \$99.95, plus shipping and handling.



ZX81 MANUAL: The ZX81 comes with a comprehensive 164-page programming quide and operating manual designed for both beginners and experienced computer users. A \$10.95 value, it's yours free with the ZX81

## **The \$9995 personal computer.**

21 ST war war war some some some some

#### Introducing the ZX81 kit

If you really want to save money, and you enjoy building electronic kits, you can order the ZX81 in kit form for the incredible price of just \$99.95* It's the same, full-featured computer, only you put it together yourself. We'll send complete, easyto-follow instructions on how you can assemble your ZX81 in just a few hours. All you have to supply is the soldering iron

#### How to order

Sinclair Research is the world's largest manufacturer of personal computers. The ZX81 represents the latest technology in microelectronics, and it picks up right where the ZX80 left off. Thousands are selling every week.

We urge you to place your order for the new ZX81 today. The sooner you order, the sooner you can start enjoying your own computer.

To order, simply call our toll free number, and use your MasterCard or VISA.

To order by mail, please use the oupon. And send your check or money order. We regret that we cannot accept purchase orders or C.O.D.s.

**CALL 800-543-3000.** Ask for operator # 509. In Ohio call 800-582-1364. In Canada call 513-729-4300. Ask for operator # 509. Phones open 24 hours a day, 7 days a week. Have your Master-Card or VISA ready.

These numbers are for orders only. For information, you must write to Sinclair Research Ltd., 2 Sinclair Plaza, Nashua, NH 03061.



 AD CODE
 5BY
 PRICE1

 ZX81
 \$149.95

 ZX81 Kit
 99.95

 BK BASIC chip (for ZX80)
 39.95

 16K Memory Module (for ZX81 or ZX80)
 99.95

 Shipping and Hardling
 4.95

\$4.95 TOTAL

AMOUNT

QTY.

MAIL TO: Sinclair Research Ltd., One Sinclair Plaza, Nashua, NH 03061.

NAME

ADDRESS_

CITY/STATE/ZIP

t U.S. Dollars

## The Input/Output Primer Part 4: The BCD and Serial Interfaces

*A* look at one of the least understood interfaces— *RS-232C*—and one of the first instrument interfaces.

> Steve Leibson Auto-Trol Technology Corporation 12500 North Washington St. POB 33815 Denver, CO 80233

In Part 3 of this series, we looked at the parallel and HPIB or GPIB (IEEE-488) interfaces. This month we turn our attention to the BCD (binary-coded decimal) interface and

This article is the fourth in Steve Leibson's six-part series, The Input/Output Primer. The series describes the problems involved in communications between computers and the outside world and explains how some of these problems have been solved. The two remaining articles will discuss character codes and interrupts, buffers, grounds, and signal degradation. "An I/O Glossary," which defines many terms used in these articles, appeared with the first installment (February 1982 BYTE, page 122). Figure and table numbers are continued from Part 3.

the RS-232C serial interface. Both of these interfaces are older than those previously covered. The BCD interface traces its origins to scientific instruments that have been in use for decades. The serial interface's roots go back much farther, to the days when buffalo grazed the prairies of North America and André Ampère had an idea for a new method of communication. Let's look first at the BCD interface.

#### The BCD Interface

The BCD interface has remained popular because it provides a link to older measuring instruments that have been turning out reliable data for years. Some designers still put BCD interfaces in new digital instruments because the BCD interface is simple and inexpensive.

When scientists first connected

measuring instruments to computers, existing instruments lacked the electronic sophistication needed to use either the parallel or the IEEE-488 interface. Engineers were faced with developing an interface that relied on the intelligence of the computer to manage communications between the computer and the instruments.

Because measuring instruments send information to the computer but receive no information from it, the new interface could be unidirectional. There might be control lines from the computer to actuate ranges or control other aspects of the instrument's readings, but the control lines did not have to send data.

The new interface also had to accept a very wide word of data. For reasons that will become clear after I discuss the BCD coding method, high-resolution measuring instru-

## Introducin 2

## Word processing that goes beyond the stars.

How could anyone call their word processor The FinalWord? Take the best features of the most popular

word processors, combine them and add a few more in one text editor/ formatter and you'd be off to a good start. Then, write the program in C to allow user customization and make it capable of supporting any printer on the market and you'd be ahead of everybody else. If you went one step further and made your word



processor transportable from one terminal to another you'd have—The FinalWord.

Supports multiple printers: The FinalWord allows you to produce high-speed draft copies on one printer, and letter-quality on another. It also means you'll never need another version just because you bought a new printer.

#### User-installable on different hardware:

With The FinalWord you can upgrade your system and still have a familiar screen display. And since we've written The FinalWord in C, new versions are available almost as soon as new computers.

Features that go beyond the stars: Look at what you get with The FinalWord: automatic generation of Table of Contents, Index, footnoting and chapter/section numbering; enhanced command sets (delete/move a letter, word, sentence, paragraph, page); multiple buffers and windows, deletion recovery, true proportional spacing and more. And because we wrote The FinalWord to be easily reconfigured for different systems, our price can be lower.

Features	The FinalWord	WordStar	Magic Wand		
Full-Screen Editing	Yes	Yes	Yes		
Directory Access while Editing	Yes	Yes	Yes		
Simultaneous Printing while Editing	g Yes	Yes	Yes		
External Commands while Editing	Yes	Yes	No		
Video Highlighting	Yes	Yes	No		
Automatic Footnotes	Yes	No	No		
User-Defined Commands	Yes	No	No		
Multiple File Editing	Yes	No	No		
Deletion Recovery	Yes	No	No		
Supports Multiple Printers	Yes	No	No		
Crash Recovery	Yes	No	No		
Dynamic Include Files	Yes	No	Yes		
Suggested Retail Price	\$300	\$495	\$395		

The FinalWord requires a 56K CP/M system and video terminal with cursor positioning character sequences. It is presently available in 8" standard format for the TRS-80 Model II, Vector Graphics and Altos Systems. There are compatible versions for the HP-125, Xerox 820, Cromemco, Micropolis, Ohio Scientific and Dynabyte Systems, and there are 51/411 versions for the Heath/Zenith Z-89, Northstar, Apple and Superbrain. Coming Soon: The FinaiWord for the IBM Personal Computer.

The FinalWord is available through leading retailers, Westico, and Discount Software. or directly from:

Mark of the Unicorn PO BOX 423 Arlington, Massachusetts 02174 (617) 489-1387

Dealer and OEM inquiries invited. Call for delivery schedule. Reserve yours now!



MicroGANT is a sophisticated project planning system which uses Critical Path Method (CPM) techniques and PERT to determine task dependencies and project completion dates. The user creates tasks, assigns costs and defines task dependencies. The interactive system immediately redisplays the project plan as data is entered. Projects are displayed as Gantt charts, labor time summaries and financial summaries.

MicroGANTT features: scale of days, weeks, months, quarters or years can be varied at any time to present more or less detail. Accommodates unlimited number of tasks in a project plan. 🗖 Detailed sub-projects can be included as tasks in a project model. Assumptions are easily modified to make "What if?" analyses. Single key-stroke commands page through tasks and calendar of events on display screen. Single key-strokes switch the display from Gantt chart to labor time summary to financial summary. 
Partial allocation of manpower to tasks. 🗖 Partial completion of prerequisite tasks. All charts, reports and plans can be printed.

Available for **IBM Personal Computer** and CP/M compatible computers. Software and manual \$395. Manual alone \$25.

#### 4 ways to order:

- Write Westico, Inc., 25 Van Zant Street.
- Norwalk, CT 06855 • Call (203) 853-6880
- Telex 643-788
- Dial-up our 24-hour computer
- (300 baud) (203) 853-0816





BCD COUNTERS

DISPLAYS

**Figure 10:** Block diagram of a BCD instrument. Two signals drive a string of single-digit binary-coded decimal (BCD) counters. One signal is a representation of the physical quantity being measured. This signal may be either a pulse of controlled duration or a series of pulses whose frequency is proportional to the physical quantity being measured. The second signal, from the control circuits, is used for timing.

ments may have I/O (input/output) connectors with as many as 40 or 50 pins. The new interface had to permit the peripheral instrument to present its entire message at once, sometimes as many as 50 bits in parallel. Then the interface had to break up this wide parallel word into pieces that the computer could digest more easily.

#### **Binary-Coded Decimal Numbers**

BCD is a method that expresses each of the 10 decimal numerals (0 through 9) in a binary code. The coding sequence is:

	Bi	nar	y C	Code	Decimal				
Bit #	3	2	1	0	Numeral				
	0	0	0	0	0				
	0	0	0	1	1				
	0	0	1	0	2				
	0	0	1	1	3				
	0	1	0	0	4				
	0	1	0	1	5				
	0	1	1	0	6				
	0	1	1	1	7				
	1	0	0	0	8				
	1	0	0	1	9				

Note that 4 binary digits (bits) are required to represent the numerals 8 and 9. Codes 1010 through 1111 are

not used. Consequently, BCD coding is not as efficient as pure binary coding, but the ease with which BCD can be displayed for human operators offsets its inefficiency in code compaction.

The standard calendar presents an analogy. Each page contains 5 weeks, more than enough space to hold the days in any month. The extra spaces for days remain blank. That extra space is useless to the printer, but because we *do* block the days of the year into months, the convenience of placing each month on a separate page more than makes up for the wasted space.

Since each decimal digit in BCD coding takes 4 bits, each digit of a scientific-instrument reading requires 4 wires to transmit the binary values that express that digit. Scientific instruments make all digits available simultaneously on the I/O connector, and high-resolution instruments can have connectors with as many as 50 pins. That explains why the BCD interface has to be able to accept such wide data words.

#### Implementing the BCD Interface

What makes the BCD interfacing technique easy to implement in

## **IIII ANGUAGE** IIII PROCESSORS

When it comes to providing quality programs for serious microcomputer users — come to Westico. And you'll find more than quality software. You'll find instant response. In most cases, your order will be shipped within 24 hours. You'll also find the technical expertise on staff when you need help. For language processors and lots more, it's Westico. Here's just a sample of the more than 150 quality programs currently in stock:

PL/1-80^{°°} — Powerful application programming language for microcomputers. Implements on a micro the ANS Subset G language for minicomputers. Includes native code compiler, LINK-80 linkage editor, LIB-80 subroutine library manager. PLILIB run-time library and RMAC relocatable macro assembler. \$475/\$35. LINK-80 and RMAC also available separately.

**BT-80**^{••} — Efficient B-tree key indexed access method for PL/I-80. Features key length to 63 bytes, unique or duplicate keys, and data records to 4096 bytes. Datasets can be spread over 8 files for a total of 64 megabytes, \$200/\$30.

BASIC-80 — Extremely fast interpreter features double precision floating point math, 40 character variable names, CHAIN/COMMON, random and sequential files, EDIT, CALL with parameters and an overlay technique. \$350/—.

**BASIC COMPILER** -- Compatible with BASIC-80. Produces extremely efficient, optimized 8080/Z80 machine code. Includes macro assembler, linkage editor and subroutine library manager. Compiled programs can be linked with FOR-TRAN-80, COBOL-80, and assembly language programs. \$395/-. compiler/interpreter for development of financial and business application programs. System \$120/\$20. CBASIC-86-Implementation of CBASIC for CP/M-86. INT files compatible with CBASIC and supports 128K main memory. Requires CP/M-86 or MP/M-86. \$325/\$30.

CB-80 — Native code 8080 compiler of CBASIC language. Offers all of the features of CBASIC plus the speed and versatility of a compiler. Includes linkage editor which can create overlay modules. Supports CP/M and MP/M II. \$500/\$30.

FORTRAN-80 — Includes full ANSI standard X3.9 except COMPLEX data type. \$500/—.

**LYNX**[•] — Friendly overlay linkage editor for creating COM files from Microsoft compatible REL files. Constructs programs that use all available memory including that used by LYNX itself. Program size can be increased at least 9K without using the overlay feature. The overlay option is vital to programs larger than available memory. Easy to use with BATCH and HELP commands. \$250/\$25. PASCAL/MT⁺^m – Compiler produces 8080/Z80 code. Standard REL file can be linked with other languages. Includes linker, debugger disassembler and special Speed Programming Package with editor and Pascal syntax checker, \$475/\$30.

**COBOL-80** — Complies with ANSI Level 1 requirements and most useful features of Level 2. SCREEN SECTION for definition of CRTs. \$750/—. XASMOC — Family of microprocessor cross-assemblers. Designed to run on 8080/Z80 based microcomputers under a CP/M-like operating system. Support for Motorola 6800, 6801, 6803, 6805, 6809; RCA 1802; COP400; Intel 8048, 8051; MOS 6502. \$200/\$25. XLT86 — Translates Intel 8080 assembly language source code into optimized Intel 8086 source code. \$150/\$10.

## The Westico 24-Hour Computer Hotline (203) 853-0816 (300 baud) for detailed information and quick

access ordering.

• Westico has more than 150 programs for professionals and businesses that use a wide variety of microcomputers including: TRS-80 Model II, Apple, Vector Graphic, Cromemco, North Star, Micropolis, Ohio Scientific, Altos, Dynabyte, IBM, Intertec, Xerox, Zenith, Northern Telecom, AVL Eagle and more. We're working hard to be your software company.

For FREE catalog circle reader service number. More than 150 quality programs in stock. 4 Ways to order

- Write Westico, Inc., 25 Van Zant Street, Norwalk, CT 06855.
- Cali (203) 853-6880.
- Telex 643-788
- Dial-up our 24-hour computer (300 baud) (203) 853-0816.

COD, MasterCard and VISA accepted.

Prices do not include shipping and are subject to change. In CT add 7½% sales tax. All sales final.

Manual price may be credited toward purchase of software.

Dealer inquiries invited.


WES-43 Copyright © 1982 Westico, Inc.



25 Van Zant Street 

Norwalk, Connecticut 06855 (203) 853-6880 

Telex 643-788



**Figure 11:** The 98033A BCD interface. This figure shows how a computer reads in the digits of a BCD instrument. The counters are connected to the BCD interface, which reads in each digit, converts the BCD data to characters, adds delimiting characters, and sends the entire message to the computer. CTL is an external trigger that tells the instrument to take a reading. DFLG (print command) is a signal from the instrument indicating that a valid reading is represented on the digit lines. These two signals, CTL and DFLG, are the handshake lines between the interface and the instrument.

measuring instruments? The answer lies in the circuitry used to do the measuring.

Figure 10 shows a diagram of a typical measuring instrument. Input to the instrument such as voltage, current, or weight is fed to an electronic circuit that converts the physical parameter to a signal that represents the parameter. This signal may be either of two types: a square wave or a pulse.

A square wave alternately takes on two different fixed values for equal lengths of time. If the signal produced by the instrument is a square wave, the physical quantity measured by the instrument determines the wave's frequency. The frequency is fed to the input of a counter that is allowed to count for a precisely controlled period of time.

If the signal produced by the instrument is a pulse, the physical quantity measured determines the pulse's duration. The pulse is used to control a counter that is clocked by a precise square wave of known frequency.

Whether the signal starts as a frequency or a pulse, the result is a count proportional to the input parameter. The counter drives the digits in a display. If the counter counted in binary, the display would be difficult to read because we think in decimal.

Fortunately, it's possible to use BCD counters in the counter that drives the display. If several BCD counters are placed in series (or *cascaded*), they produce outputs easily displayed in decimal. This works in much the same way as an odometer. Each wheel of the odometer has the numerals 0 through 9 printed on it. Every time a wheel on the odometer makes a full turn, it advances the wheel to the left of it by one count. In a chain of BCD counters, each time a digit advances from 9 to 0, it advances the next higher counter by 1. Each BCD counter has 4 digital output lines that represent the state of the counter. These outputs are used to drive one digit in the display. The digits combine to form the complete reading of the instrument.

This technique is used in a remarkably wide range of digital measuring instruments, including digital clocks. Most instruments use this counting technique to convert a physical quantity into a digital display; in the case of digital clocks, of course, the quantities are periods of time.

#### The BCD Interface Is Born

The first accessory that designers added to their digital instruments was a printer, which made it possible for an unattended instrument to log its own readings. Signal lines were brought out of the instruments to drive the print wheels—one print wheel for each digit. These signal lines were nothing more than the digital output lines of the BCD counters in the instrument. The counters drove the display and positioned the print wheel just before it struck the paper.

By supplementing the counter output lines with just two more signals, designers created the BCD interface. One of the added signals told the printer when the reading was valid (*print command*), and the other allowed the printer to pace the readings (*external trigger*) so that the instrument would not take readings faster than the printer could print them. These two signals form the handshake mechanism of the BCD interface.

At its birth BCD interfacing was a big success. Experiments that had required an attendant to write down readings (usually some unlucky graduate student or technician) could now be automated. Printed logs could be obtained for production testing. The tedious job of recording data was greatly simplified. If a printer could do all that, just think what could be done by substituting a computer for the printer! The system would not only log information but also analyze it, process it, and take

## Powerful CP/M Software.

For Apple, Osborne, TRS-80, North Star, SuperBrain, Micropolis, Vector and others.



#### NEVADA COBOL \$199.95 For all CP/Mor MP/M

based computer systems with 32K RAM and one disk drive.

When we introduced Nevada COBOL three years ago, it was loaded with innovations. Today's Edition 2 is even better! For example:

□ Compare speed. It's 4 to 20 times faster than any other micro COBOL according to an independent study.* What's more, its easier to use.

□ Compare documentation. You get a 153-page manual with lots of examples and 16 complete COBOL source code programs.

 □ Compare memory requirements.
 Extremely compact. You can compile and execute 2500 statements in 32K
 RAM, 4000 statements in 48K, etc.
 □ Compare features. It's based upon the ANSI-74 standards with level 2 features such as compound conditionals and full CALL CANCEL.

 Compare royalties. You can distribute your object programs royalty FREE!
 Compare support. If you have a technical question, you talk directly to the author.

#### NEVADA PILOT

by John Starkweather.

**\$149.95** For all CP/M based computer systems with 32K RAM, 1 disk drive and CRT or video display and keyboard.

□ It's so easy to use, you'll be writing interactive applications within the first hour.

□ Perfect for industrial training, office training, drill and testing, virtually all programmed instruction, word puzzle games, and data entry facilitated by prompts.

 What's more, John Starkweather, Ph.D., the inventor of the PILOT language, has added many new features to Nevada PILOT. There are commands to drive optional equipment such as Video Tape Recorders and Voice Response Units. There's a built-in full screen text editor and much more.
 Meets all PILOT-73 standards for full compatibility with older versions.
 You get a diskette, 146-page manual and ten useful sample programs.

**A Compiler Benchmark: A Comparative Analysis of Four CCBOL Compilers" by Stephen F, Wheeler, CP/M and MP/M are registered trademarks of Digital-Research, Inc. TRS-80 is a registered trademark of Tandy Corp. © 1982; Elilis Computing.

#### NEVADA EDIT

**\$119.95.** For all CP/M based systems with 32K RAM, 1 disk drive and CRT or video display and keyboard.

□ A character-oriented full-screen video display text editor designed specifically to create COBOL, BASIC, PASCAL and FORTRAN programs.

□ Completely customizable tab stops, default file type, keyboard layout and CRT by menu selection.

□ The diskette comes with an easyto-read manual.



Ellis Computing 600 41st Avenue, Dept. B San Francisco, CA 94121 U.S.A.



CHARACTER # ASCII	-	_	-		-	-		_	-					14 Ov		
MANTISSA										_	NENT					
X * B C D DIGIT		D v :	• 01	VEF	110	AD	BI	T	CH	ARA	CTE	R 15	FUN	ICTIC	N CC	DE

**Figure 12:** The BCD message format is a floating-point number in scientific notation followed by a comma, an overflow character, a function code, and a linefeed terminator. The floating-point number is represented by a sign, a mantissa, an "E" which indicates that an exponent follows, an exponent sign, and an exponent. Unused BCD digit inputs may be grounded; they will then be transmitted to the computer as 0s.

appropriate action. The eyes and ears of a computerized process control loop were about to come into being.

#### A Real BCD Interface

Let's look at an actual BCD interface. My example will be the Hewlett-Packard 98033A BCD interface designed for the 9800 series of desktop computers (see figure 11).

The 98033A has several inputs that connect to the BCD instrument. Enough signal wires are included for an 8-digit mantissa with a sign bit and a 1-digit exponent, also with a sign bit. If this terminology is unfamiliar, think of a number, say, 1,427,327. That is how you might write it. In scientific notation, that number is:

#### $1.427327 \times 10^{6}$

The 1.427327 is called the mantissa and represents the *significant figures* of the number. The 6 is the exponent and represents the power of 10 by which the mantissa is multiplied to get the value of the number.

In addition to the mantissa and exponent inputs, the 98033A has an overload input bit and inputs for a

4-bit function code. Unlike the odometer, most instruments don't roll the display back to 0 when a counter reaches maximum count plus 1. Instead, they indicate an overflow, informing the operator that the input is too big to measure. The function-code bits are useful for instruments that can measure more than one range or quantity.

When the computer takes a reading, the interface scans each digit and converts the BCD values into ASCII characters. The ASCII characters are sent to the computer serially. A reading is composed of 16 characters. As shown in figure 12, 8 digits are available for the mantissa and 1 for the exponent; this format is usually sufficient to interface a BCD instrument. If the instrument has fewer digits to send, unused inputs may be grounded to read 0s.

#### Interfacing Flexibility


Because no standard for BCD interfacing yet' exists, the 98033A offers flexibility in the interpretation of signal wires. It can be configured to either positive- or negative-true signal levels. Input-signal voltages are constrained to be TTL-compatible, meaning that the low level is between 0 and 0.7 volts (V) and the high level is between 2 and 5.5 V. This signal level comes from the TTL logic circuit family, which has dominated digital designs since the late 1960s.


The tenth, thirteenth, and sixteenth characters of the ASCII string of characters sent by the interface are generated within the interface itself. They aid the computer in deciphering the meaning of the digits coming from the instrument. Character 10 is always an "E," which is shorthand for exponent. The "E" separates the mantissa from the exponent. The thirteenth character is a comma and separates the exponent from the function code. The sixteenth and last character, the linefeed or  $\langle LF \rangle$ , is a message terminator, informing the computer that transmission of the reading is complete.

Intelligence in the 98033A replaces any that might otherwise have to reside in the instrument. The 98033A provides a data path between today's computers and earlier interfacing instruments. Furthermore, the 98033A eases the burden for today's designers who cannot justify the development and manufacturing costs required to include a more complex interface in a new instrument.

#### The Unstandard Interface: Serial I/O

The first electronic digital computers appeared in the 1940s, and serious work in computer data com-





Circle 282 on inquiry card.

## .001 Second From Wallstreet

Now, a terminal in western Kansas is no more than a microsecond from the data of Wall Street or the Commodities Exchange.

Now, an advanced data communications system allows your CP/M[®] based computer system to access almost any dial-up computer, capture and store the received data, and transfer files between any two CP/M[®] systems — even when disk formats are incompatible.

What would you call a system like this?



What Crosstalk can do for you depends mostly on what you need done. It acts as a "smart terminal," automatically dialing any dial-up system. It allows you total modem control, changing modem speed, data word format and duplex instantly. It captures on-line data for analysis off-line, saving time and money. It transfers any type of file with complete error checking.

When you equip more than one office with Crosstalk, you can exchange information instantly by phone, even if you don't subscribe to an information utilities service.

So no matter where your office is located, Crosstalk can give you access to the world, instantly. Call or write for details.




1900 Leland Dr., Suite 12 Marietta, GA 30067 (404)952-0267

DEALER INQUIRES WELCOME


CROSSTALK is a trademark of Microstuf, Inc. CP/M is a registered trademark of Digital Research Inc.

Circle 330 on inquiry card.





Here's a hand-held, fully portable computer terminal that gives instant access to any ASCII transmitting data system with an RS232 interface. It's the revolutionary G.R. Electronics Pocket Terminal.



a 40-key, positive click-response keyboard. From its 32-character internal memory it displays eight bright 16-segment LED characters through a one-line window.

You may select from two alternate display modes. Entries may be in any format required, and all memory data can be

Miniature switches allow selection of these options • Single or dual stop bits • Parity bit SET/RESET/EVEN/ODD • 300/110 baud transmission rates • Control code response

- Compact, Lightweight, Fully Portable
- 40 Multi-Function Keys
- 32-Character Memory
- Format-Controllable Input & Output
- Memory/Display Editing
- Large Eight-Char. LED Display Readable from 6 ft. Distance
- Full 128-Char. ASCII Transmit/Receive
- Two Selectable Transmission Rates



munications didn't start until the next decade. When engineers began to connect computers to other devices, they drew upon serial I/O, a technology that had originated in the previous century.

The first electrical device used extensively for communications was the telegraph. Samuel Morse learned of André Ampère's idea for the telegraph in 1832. Morse improved the telegraph mechanically, but more important, he devised the Morse code. This was the first really practical encoding of human communications symbols into a form that is machinetransmittable.

Symbols are represented in Morse code by a series of dots and dashes, with each character having its own unique representation. The dots and dashes may be considered the predecessors of the 1s and 0s of the character codes we use in computer data communications today.

Improvements in the telegraph led to printing telegraphs that required no human operator to decipher the codes. New codes and more advanced machines evolved, culminating with the teletypewriter. By the time the teletypewriter was introduced, dots and dashes had become 1s and 0s. The Morse code gave way to codes that assigned the same number of bits to each character, making messages much easier for a machine to decode.

By the time the electronic computer came into being, a wealth of technology already existed for electronic data communications. Teletypewriters served as I/O devices between people and computers. The keyboard and printer of the teletypewriter provided a low-cost data entry and display mechanism. As technology progressed, cathode-ray tube terminals and faster printers replaced the teletypewriter, but the serial interfacing remained.

#### Transmitting Over One Wire

The basis for serial data communications is the transmission of information over one wire. The interfacing techniques previously discussed all rely on several parallel wires to carry information between

210 May 1982 © BYTE Publications Inc

Circle 466 on inquiry card.

## From CMC International, world's largest Intertec distributor...



## SUPERBRAIN and COMPUSTAR - YOUR CUSTOMERS WILL NEVER NEED ANOTHER SYSTEM!

CMC International is the largest distributor in the world of Intertec Data Systems products -the SuperBrain and CompuStar - Intertec's incredibly expandable microcomputers. No matter how small or large your customers are or become, we doubt that they'll ever outgrow these computers. Both SuperBrain and CompuStar offer the industry-standard CP/M dlsk operating system and 64K of dynamic RAM. Both are expandable to 10 megabytes of storage with the CompuStar disk storage system. CompuStars can be linked together to form a 255-user network.

Dealers benefit from the service and support offered through CMC. Like advertising co-op, software and hardware support, module replacement. And a tollfree line so you can call from anywhere in the continental United States.

The bottom line is profitability. Our dealers benefit with a combination of quality intertec products and CMC international's pricing.

Contact us today. We deliver.



Circle 314 on inquiry card.




#### ... AND MANY MORE!


Ouoted prices valid for stock on hand and subject to change without prior notice.

> Call for price information: Printers • Epson, Okidata. Monitors • Amdek, Sanyo, NEC . Modems • Novation, Hayes. Disk Drives • Micro Sci, Corvus.

Ask for our FREE catalog. For Software see our other ad, page 447







**Figure 13:** The RS-232 connector. The most abused connector in interfacing, this 25-pin subminiature D connector is used by most manufacturers for RS-232C interfacing. The terminal is supposed to use the male version of the connector, and the modem is to use the female version. Some devices use only pins 2, 3, and 7, while other devices use more pins. The reserved and unassigned pins have been used for anything from handshake signals to current-loop signal pins to power-supply pins. The RS-232C standard endorses none of these uses. The "Basic 8" pins are 1 through 7 and 20. If you manage to get these 8 pins connected correctly, the interface will probably work. Beware the phrase "standard RS-232C." The only standard is that advertising phrase.

devices; each wire carries a single bit of a character that is composed of multiple bits. When long distances separate a computer and its peripheral, the cost of running several wires in parallel becomes prohibitive. Serial interfacing provides a much less expensive solution.

Computer timesharing was born when computers became sufficiently powerful to handle several tasks simultaneously. Because computers were still very expensive, it was desirable to spread their cost over many users. But how were users at several locations to be connected to the central computing facility? Stringing wires to each location was too costly. Fortunately, the telephone system already had a suitable network of communications links.

However, these links were not limited to wires. Satellite and landbased microwave links also made up part of the phone system. Furthermore, all of these links were designed to carry voice, not computer data, and the phone companies winced at the prospect of finding all kinds of strange signals in their networks. Because teletypewriters did not have standardized interfacing requirements, the voltages involved could range from 6 to 140 V. A standard was required.

#### The RS-232C Standard

The Electronic Industries Association (EIA) standard RS-232C was specifically designed to do one thing: to define the electrical characteristics for an interface between a piece of data terminal equipment (DTE) and a piece of data communications equipment (DCE). The DTE is the terminal for the timeshare user, while the DCE is a modulator-demodulator (modem) that encodes computer data into voice-like signals that are permissible on the phone system.

## If you don't know a baud from a floppy... YOU NEED TO KNOW THE QDP-100 MICROCOMPUTER

Most people who need computers don't have the time, or desire, to become full-time computer "wizards."

With the budget-priced QDP-100 you get all the time-saving precision information you want from a computer, now and in the future, without all the unnecessary complexity associated with less considerate computers.

QDP-100 IS A FULL-SCALE 8-bit computer, readily upgradeable to 16 bits as your business or professional informationprocessing needs grow. It uses the IEEE S-100 bus, compatible with CP/M and MP/M disk operating systems.

QDP-100 HANDLES BOTH floppy disks and hard disks to give you total software versatility.

QDP-100 CONNECTS INSTANTLY to any standard terminal and printer. Both serial and parallel ports are available. Features most microcomputers can't match.

It does more, does it easier, and costs a lot less.

QDP-100 HAS SINGLE BOARD SIMPLICITY. Eliminates the hassle of complex multi-chip, multiboard computers. QDP-100 IS EASY to learn and to operate. Most owners use their QDP-100 with professional skill and results in short order. Our instruction manual doesn't need an interpreter. If you'd rather be a wizard with computer results, than with computers, choose the QDP-100. Call or write for literature and full details.

QDP NEEDS A FEW MORE GOOD DEALERS. Attractive, profitable, protected dealerships are still available in several high-potential computer market areas.


#### Quasar Data Products 10330 Brecksville Road

Cleveland, Ohio 44141 216/526-0838 Telex: 241596

CP/M and MP/M are registered trademarks of Digital Research Corp.

Circle 352 on inquiry card.

www.americanradiohistory.c



**Figure 14:** A minimal RS-232C link. A minimum of three wires is required to connect two RS-232C-compatible devices for bidirectional communication. Note that the DTE (data terminal equipment) transmits on pin 2 (transmitted data) and receives on pin 3 (received data). The DCE (data communications equipment) transmits on pin 3 and receives on pin 2. The signal names are from the DTE's perspective. Two DTEs or DCEs may communicate by cross-wiring pins 2 and 3. Some people think that is the normal way of connecting RS-232C devices, which shows how "standard" the standard is. Pin 7, the signal ground, is a return path for the signal current, and pin 1 is the earth ground. It's usually a good idea to connect the earth grounds between devices.

Figure 13 depicts the connector used with the RS-232C standard. Note that more than one wire is involved at this interface. Pins 2 and 3, the data-carrying wires, are called *transmitted* and *received data*. Pin 7 is a signal ground and serves as a current return path between the DCE and the DTE. These three wires are sufficient for bidirectional communications between the DCE and the DTE.

What are the other wires for, then? They serve as control wires between the DCE and the DTE and are there to establish and maintain a communication link with the computer. Let's ignore those other wires for now and examine the data lines more closely.

Common sense would tell you that the RS-232C standard allows data to be sent out on the transmitted-data line and received on the received-data line. Right? Wrong! Which device transmits on the transmitted data line, the DTE or the DCE? Both cannot transmit on pin 2 and receive on pin 3. If the DTE transmits on a wire, the DCE must have a receiver on that same wire, or there is no communication.

Note the difference between serial I/O and IEEE-488 (HPIB). The IEEE-488 standard specifies bidirectional data lines. RS-232C was developed earlier, and bidirectionality wasn't possible with the technology of the day. With just two data lines, it wasn't required either.

Which piece of equipment does transmit on the transmitted-data line? All signal names in the RS-232C standard are from the perspective of the DTE. Thus, the DTE transmits on pin 2 and receives on pin 3. The DCE transmits on pin 3 and receives on pin 2. Figure 14 should clear up any confusion about this.

Now to become confused again. Suppose you're going to connect a computer to a printer through the "standard RS-232C" port. Which device is a DTE, and which is a DCE? More specifically, which is going to transmit on pin 2 of the RS-232C connector, and which will transmit on pin 3? Neither the computer nor the printer is a terminal or a modem.

Manufacturers of these devices may offer cables which allow their equipment to look like either a DTE or a DCE. More often, however, the RS-232C connector is bolted to the back of the device, and no choice is possible. The manufacturer has had to make an arbitrary decision, one that will be wrong 50 percent of the time.

In the case of two devices of the same type, DTE or DCE, a *haywire* cable will have to be assembled to get signals onto the correct wires. Usually, this task falls to the user.

We have just jumped the first hurdle in connecting RS-232C equipment: physical plug-to-plug incompatibility. Many more potential problems are related to the data signal itself.

First, signal levels differ from those of the other interfaces discussed. RS-232C does not use TTL signals because TTL didn't exist when the standard was written. A positive voltage between 5 and 25 V is used to represent a logic 0 level on the RS- 232C data lines. A negative voltage between -5 and -25 V represents a logic 1 level.

These levels are true only for the data lines on pins 2 and 3; they are negative-true. All other signals in RS-232C are positive-true; therefore, a positive voltage represents a logic 1, and a negative voltage represents a logic 0. The same voltage levels are used; they just represent different logic levels.

Because the bits of a character are separated by time, a waveform is produced on the data line when a character is transmitted. Such a waveform for the transmission of the ASCII character "E" is shown in figure 15. The ASCII code for "E" is 1000101 in binary, and its least significant bit is transmitted first. The data line idles in the logic 1 state, and the waveform of figure 15 is read from left to right.

#### Waiting for Start

For asynchronous serial data communications, a start bit is always sent first to mark the beginning of the character. (Synchronous data communications is different and won't be discussed here.) Following the start bit are the data bits in the character, sent in order from least to most significant. Each bit is held on the data line for a precisely controlled length of time called a *bit time*.

The receiver, which is alerted to the incoming character by the start bit, times the incoming signal and samples each bit as near to the center of each bit time as possible. Naturally, the transmitter and the receiver must agree on the length of time a bit will be held on the data line or the transmission will be garbled by samples made at incorrect times.

Bit time determines the maximum rate at which characters may be transmitted and thus defines the *bit rate* at which the RS-232C interface runs. Standard bit rates are 50, 75, 110, 134.5, 150, 300, 600, 1200, 2400, 3600, 4800, and 9600 bits per second (bps).

#### Parity and Stop Bits

Following the data bits may be a *parity bit*, which is used for error

# MONITOR COMPATIBILITY. IT MAKES YOUR CHOICE CLEAR

All Electrohome Micro Computer Monitors feature the extra degree of engineering excellence you've come to expect from all Electrohome Electronic products.

Our ECM 1302 series 13" RGB analog color Data Monitors offer the latest in advanced electronic technology and design innovation. Both the medium resolution RGB ECM 1302-1 and high resolution RGB ECM 1302-2 Monitors feature:

- 2000 character (80 x 25) display
- 16 rich, vibrant colors

- compatibility with the IBM PERSONAL COMPUTER as well as many other micros
- optional NTSC to RGB interface

Our new EDM V26 Monochrome data display monitors are available with 9" or 12" screen sizes, white or green phosphor and feature:

Pavada

11571

- 18 MHZ bandwidth
- 2000 character (80 x 25) display
- 110/220 volts 50/60 Hz
- video loopthrough

• reduced scan adjustable All Electrohome monitors are backed by a nationwide distribution and service network, feature a full one-year warranty, and are C.S.A. and U.L. approved. F.C.C. approval pending.

Whatever your system, make the clear choice. Electrohome Video Monitors deliver the performance you want at a price that's compatible with your budget.



# **ELECTRONICS**


ELECTROHOME LIMITED, 809 WELLINGTON STREET NORTH, KITCHENER, ONTARIO N2G 4J6

### **Electrohome Distributors**

Consumer Computer Mktg. Inc., Sudbury, Mass (617) 443-5128 Components Unlimited Inc., Lynchburg, VA (804) 237-6286 EMES Systems Ltd., New York, NY (800) 223-1799 Anderson Associates, Bountiful, Utah (801) 292-8991

IBM

Anthem Systems Company, Burlingame, CA (415) 342-9182 Mycrosystems Distributors Inc., Dallas, Texas (214) 669-9370 Computerland, San Leandro, CA (800) 772-3545 (Ext. 118) Outside California (800) 227-1617 (Ext. 118) Listec (West) Inc., Glendale, California (213) 247-9247




Inexpensive S-100 computers can now communicate with the IEEE-488 instrumentation bus. The P&T-488 meets the IEEE-488 1980 standard for controller, listener, & talker.

Interface **software** allows simple communication with the 488 bus from Basic, Pascal and other high level languages. Interface software is available for CP/M[®], North Star, or Cromemco.

Special features include an interactive **busmonitor** program and a functional self-test program.

Price for (1) P&T-488 with software and 18" cable, assembled and tested: \$450 (domestic price) FOB Goleta, CA.





**Figure 15:** The serial waveform. Serial information uses time to separate the bits of a message. This figure shows a 7-bit character being transmitted serially. A start bit goes first to signal the receiver that a character is coming. The start bit is always a 0 and is followed by the 7 data bits, transmitted from the least significant to most significant bit. The character shown being sent is 1000101, which is the ASCII code for "E". The data bits are followed by an optional parity bit for error checking, then 1 or 2 stop bits which are always 0. The stop bits serve to separate the characters and to give the receiver time to finish assembling a character before the next one starts coming in.

detection. A noise pulse could affect the data line at the wrong time, causing a bit in the transmission to be misread. If the transmitter keeps track of the number of 1s in the character being transmitted, it can set the parity bit so that the total number of 1s is always even (for even parity) or odd (for odd parity). The receiver can also keep track of and use the parity bit to determine whether the transmission was received in error. Parity is useful for detecting single-bit errors. If more bits are affected, parity might not detect the error.

The last bits to be transmitted are the *stop bits*. These are not really bits but stop times to allow the receiver time to assemble the serial bits just received, send the assembled character on, and prepare for the next character. There may be 1, 1.5, or 2 bit times allowed for stop bits. Since this is a rest period, "fractional bits" are allowed.

### **Picking Up the Pieces**

Now, given the format of the data transmission, what could possibly go wrong? First, the transmitter and receiver must agree on several parameters. The bit rate has been mentioned already. In addition, the parity (odd, even, or none) and the number of stop bits must be set the same in both transmitter and receiver.

Character codes must also be con-

sidered (more on these next month). Our example uses the ASCII character set with 7 bits per character. ASCII is the most popular code in use today, but 5-bit codes (Baudot and Murray), 6-bit codes (IBM Correspondence Code), and 8-bit codes (IBM EBCDIC) also exist. The RS-232C standard does not restrict the number of bits per character.

After connecting the computer and printer so that they use the proper wires and agree on bit rate, parity, number of stop bits, and character code, you may feel that this interface is licked. Not so.

Suppose the printer is set up for ASCII 7-bit characters, odd parity, and 1 stop bit. In addition, the bit rate is set to 9600 bps. Well, that's fine. I've set the bit rate to the fastest rate so that the equipment doesn't waste a lot of time sending characters and the printer will be used at its maximum speed. Assume that the computer side of the interface has been set compatibly.

Now I'll write a program on the computer to send one line of text to the printer to be printed, being careful to put lots of comments in the program so I can remember what I did. The program works! I then list the program on the printer to have a record of my triumph. Unfortunately, several characters seem to have been lost in the transmission. I try again with equally dismal results. Running the program meets again

# TAKE A TEST DRIVE.



Systems available for Altos, 'Apple,™ Atari,™ Heath,™ North Star,™ S-100, *TRS (Models 1, 11, 111, Color), Zenith.

#### EAST

Richmond, Me.....(207) 737-4447 MIDWEST Cottage Software

#### Meta Technologies 1-800-321-3552

Dealer Inquiries - 1-800-621-3102, (312) 987-1024

#### WEST

Everett Computer Center Everett, Wa......(206) 259-0024 Connection 80 Vancouver, Wa......(206) 573-0319 H & S Microsystems Burnaby, BC Canada......(604) 430-4145



dent marketing services

www.americanradiohistorv.com



Imagine being able to use your computer seconds after beginning an extensive printout.

Visualize your printout with page breaks, page numbering and titles, margins of your choice, indented carryover lines, on any size paper!

Appreciate the time and money you will save by not waiting for your printer.

SooperSpooler, a buffered printer interface, maintains control over your printer while you go on using your computer for more productive activities. Eliminate waiting while your printer pecks through a long document. SooperSpooler accepts information from your computer at up to 3000 characters per second and feeds it to your printer as fast as it can handle it—without using any of your computer's memory or time!

#### SooperSpooler features include:

- 16K Memory (62K optional)
- Buffer Status Readout
- Space Compression
- Pagination
- Single Sheets
- Headers and Page Numbering
- Indentation on Carryover Lines
- Self Test Routine
- Features also Software Controllable
- Plugs into Most Computer Systems
- * 16K Parallel I/O Unit-\$349.00!
- * Serial I/O Option-\$95.00
- ★ 46K Memory Option—\$159.00

SooperSpooler by Compulink-

The missing link that gives your microcomputer mainframe printing.



Longmont, CO 80501- (303) 651-2014

Send for brochure Dealer inquiries welcome Call for information: 800-525-6705 with success and listing again fails. What is going on?

### No Handshake Today

First, let's consider the data rate at which the computer is sending characters. ASCII uses 7 bits plus 1 for the parity bit, 1 for the stop bit, and a start bit, for a total of 10 bits per character. The computer is sending 9600 bits per second, which is equivalent to 960 characters per second.

A quick look at the printer specifications reveals the problem. The printer can print a maximum of only 175 characters per second. We are sending data to the printer five times faster than it can print! Most printers

The success of a handshake mechanism in an RS-232C interface cannot be predicted without studying manuals for both of the devices involved.

have buffers and can tolerate this mismatched data rate until the buffer fills. After that, any subsequent characters transmitted will fall on the floor! Running my program required transmitting less than a buffer full of characters. Because the buffer didn't overflow, there was no problem. Listing the program on the printer, however, required sending more characters. When the buffer overflowed, characters were lost.

Other interfaces have handshake mechanisms to prevent data transmitters from going too fast for their receivers. Surely, RS-232C also has a handshake mechanism to prevent this problem? Nope. Returning to figure 13, let's now consider the other RS-232C signals and try to find some to use as a handshake mechanism. Look in particular for two sets of handshake lines: one for the transmitteddata line and the other for the receivedata line.

Aha! Pins 4 and 5 are called Request to Send and Clear to Send. These certainly look like prime contenders for handshake lines. Unfortunately, many printer manufacturers have also fallen into this trap. The names of the signals on pins 4 and 5 do indeed lead you to believe that they form a data-handshake mechanism. According to the strict RS-232C definition, the DTE asserts Request to Send when it has data to transmit. It then waits for the DCE to assert Clear to Send before transmitting. That's half of the traditional handshake. The problem is that the DCE is not allowed to drop Clear to Send until the DTE drops Request to Send.

### Take a Long Drink

This situation is similar to taking a drink from a garden hose with a friend controlling the spigot. It's easy to start the flow, but you'd better be prepared to take either a long drink or a short shower.

The DTE and DCE signals on pins 4 and 5 were intended as a handshake between the terminal and the modem (remember those?) to allow the terminal to request control of the communications link from the modem. They also make it possible for the modem to tell the terminal when the link has been acquired. The terminal is then allowed to assume that it will keep the link as long as it wishes. Thus, the DCE cannot arbitrarily drop Clear to Send whenever it wishes.

Request to Send and Clear to Send are indeed handshake lines. Unfortunately, the DTE and the communications link are handshaking, not the DTE and the DCE. Also, this handshake is on a message basis, not character by character. Use of pins 4 and 5 of the RS-232C connector can result in success but usually results in a spectacular failure.

Some manufacturers have ignored the strict definition of pins 4 and 5 and use them for a data handshake anyway. Others avoid the conflict by using the Data Terminal Ready or Data Set Ready lines (depending on whether they are emulating a terminal or a modem). None of these lines was intended to be used for data handshaking. Use of any RS-232C line for handshaking does not

# **Move Up to Tarbell**



## **The Serious Business Machine**

Do you have a small computer system that operates with mini-floppies and has limited storage capacity? Then it's time to move up to the Tarbell Empire Series System. Tarbell starts where small systems leave off, providing storage from 1 to 20 megabytes. This means Tarbell is capable of growing right along with your business. (It also makes sense to start with Tarbell if you're a firsttime computer buyer.)

Tarbell is the serious general purpose business machine, backed by years of experience with disk systems. It gives you word processing, inventory control with bill of materials, mailing lists — all in addition to accounting applications: general ledger, payables, receivables, payroll with cost accounting and order entry. Whatever your need may be, Tarbell can provide the working software that gets the job done.

With the Tarbell System you get a Z80 4 Mhz CPU with memory management, timer and full interrupt capability, 2 RS-232 serial ports with handshaking, 64 K bytes of random-access memory, double density floppy disk interface, 2 double density floppy disk drives, cabinet, power supply, and cables.

The software includes: CP/M[™] 2.2 disk operating system, Tarbell Disk BASIC, Tarbell Database System, and all manuals and documentation.

Tarbell also offers the MP/M[™] Multi-User Operating System and 4 additional RS-232 serial ports.

The Tarbell Empire Series is delivered assembled, tested, and with a FULL six-month warranty on parts and labor.

And when you need even more mass storage, Tarbell also has a hard disk that's systemcompatible and provides easy back-up.

If your business is growing or you need more than a few hundred K bytes — it's time to move up to Tarbell. Call your local Tarbell dealer for competitive prices.

The One-Stop Shopping Service

950 Dovlen Place, Suite B Carson, CA 90746 (213) 538-4251

CP/M and MP/M are trademarks of Digital Research

guarantee recognition of the handshake by the device at the other end of the cable.

Consider other possibilities of using Clear to Send as a handshake line. If a device drops Clear to Send in the middle of a character transmission, what does that mean? If the transmitter stops immediately, in the middle of the character, that character is sure to be garbled because timing is important in serial communications. If the transmitter waits until that character transmission is complete and then stops, there may be no room in the receiver's buffer for that last character transmitted.

Because this possibility is not considered in the standard, the success of a handshake mechanism in an RS-232C interface cannot be predicted without studying manuals for both of the devices involved. Sometimes even studying the manuals doesn't help.

### Back to the Beginning


Finally, consider the device that started this discussion, the teletype-

writer. The RS-232C standard at least defines a connector pinout and signal levels. No such standards exist for teletypewriters. The serial transmission format is the same, with start

The RS-232C standard defines the electrical characteristics for an interface between a piece of data terminal equipment (DTE) and a piece of data communications equipment (DCE).

and stop bits, data bits, and parity bits.

The signal interface uses a technique called *current loop*. Instead of positive and negative voltages representing logic 1s and 0s, current loop



al Presence may be either 20 or 60
 br milliamperes, depending on the telestypewriter model. No standard conrector or standard pinouts exist for current-loop operation.
 Despite all these problems, design-

uses presence or absence of current.

Despite all these problems, designers of serial interfaces for computers strive to include current-loop capabilities in their interface designs. Where RS-232C is limited to a 50-foot cable (an often-violated part of the standard), current loop can be run much farther. In addition, the current-loop interface has been around for a long time, and several devices other than teletypewriters use this interface. Finally, teletypewriters remain a cost-effective solution as a combination printer and terminal.

### Handle with Care

As you can see, serial interfacing needs to be approached more carefully than other hardware interfacing techniques. The "standard RS-232C" nomenclature persists in specification sheets even though most uses of the interface are far from standard.

As technology progresses, serial interfaces become more adept at covering an ever-widening range of hardware. Unfortunately, this still doesn't guarantee an efficient interface in every application because serial I/O remains the unstandard interface.

I've now discussed the four basic interfaces: parallel, IEEE-488, BCD, and serial. Without these interfaces, the computer systems we all know and love wouldn't be able to do much useful work.

Next month I'll examine the character codes used for data transmission. Character codes are another major source of incompatibility in computer communications. I'll discuss the problems presented by different character codes and how today's software strives to cope with incompatibilities.

Steve Leibson has written a booklet called "Computer Input/Output Course," published by Instruments & Control Systems, Chilton Way, Radnor, PA 19089. Price of the book is \$9.95

# Getting rave reviews from the boss may be the best reason to switch to Opus.

Buying products that perform well is one of the yardsticks by which your own performance is measured. So we make sure you take center stage just as soon as we get in on the act. For starters, we guarantee the performance of our products. As well as 48-hour delivery turnaround time. We back you with quality second to none in the industry. And with personal service. So call 800/321-9330 to get our entire supporting cast on the scene. Or write to Computer Resources, Inc., 4650 West 160th Street, Cleveland, OH 44135.



Quality Flexible Diskettes, Single-Disk Cartridges, Multi-Level Disk Packs, and Magnetic Tape.

Circle 99 on inquiry card.

	WARE CP/M°	SOFTWAR CP/M	• A	WARE PPLE [®]	HARDWARE PRINTERS
SUPERCALC	ODROLI	DRMATS.	VISICALC® APPLE DOS 3.3 List: 250.00 VISICALC® IBM 64K List: 200.00	List: 995.00 MX-80 FT GRAFTRA 158.00 List: 795.00	with X619.00
THE MICROHOUSE "ddQ" PACKAGE: ASHTON-TATE's dBASE II FOX & GELLER'S dUTIL and OUICKSCREEN List: 924.00	QUICKSCF List 149.00 dUTIL List: 99.00	FOX&GELLER IEEN	ISI: 200.00 //SICALC [®] IBM 256K 1 SIDEX	190.00 List: 745.00 MX-80 with ( 90.00 8141 SERIAL 8.00 8150 SERIAL INTERFACE WITH 2K BUFFER	549.00 GRAFTRAX479.00 .INTERFACE.64.00 140.00
	BASIC COMPIL COBOL 80	ER 315.00 VISIT 	LE	00 WITH 2K BUFFER AN Xon/Xolf PROTOCOL 00 8230 APPLE® Cr PARALLEL 0 8131 APPLE® INTERFACE	- ABLE24.00
	L, SPELLBINDER List: 495.00 SPELLCHECK List: 295.00	List: 250.00 List: 250.00 USIPACH INCLUDES V VISIEN & VI	(:	PARALLEL GRAPPLER INTERF. AND CABLE: FOR APPLE [®] , MX-80 (MUST have Graditrax), MX-80 MX-100. IDS PAPER TIGERS AND C. ITOH PROWRITER	125.00 D FT.

GUIDE.

## Microhouse[®] continues to feature the best savings on the best software.

**MICROPRO** HAYDEN IDS PIE Writer . . . . . .... 124.00 PRISM PRINTER 132... 1699.00 List: 495.00 APPLE" WORD PROCESSOR List: 1995.00 WORDSTAR FOR IBM ... 289.00 List: 149.95 PRISM PRINTER 80 ..... 799.00 List: 495.00 List: 895.00 APPLESOFT COMPILER. 145.00 SUPERSORT ..... 168.00 PAPER TIGER 560G ... 1149.00 MICROSOFT MAILMERGE ..... 103.00 TIME MANAGER ..... 125.00 DATASTAR..... 235.00 **OKIDATA** List: 150.00 SPELLSTAR..... 155.00 TASC CALCSTAR ..... 199.00 MICROLINE 84.....1199.00 APPLESOFT COMPILER. 150.00 MICROLINE 83A..... 749.00 FORTRAN 80 ..... 165.00 MICROLINE 82A..... 499.00 COBOL 80..... 550.00 ACCESSORIES MICROLINE 80 ..... 365.00 A.L.D.S. ..... 105.00 APPLE MICROPRO C. ITOH PROWRITER PARALLEL . 499.00 List: 375.00 VIDEX CALCSTAR ..... 149.00 List: 845.00 PROWRITER SERIAL .... 650.00 VIDEOTERM ..... 290.00 MODEMS List: 885.00 KEYBOARD ENHANCER. 105.00 F-10 PARALLEL ...... 1560.00 NOVATION F-10 SERIAL ...... CALL MOUNTAIN COMET I..... 295.00 APPLE® -CAT ..... 325.00 MULTI I/O..... 178.00 List: 495.00 List: 389.00 STARWRITER I MICROSOFT List: 1895.00 PREMIUM SYSTEM:..... 619.00 STARWRITER I SERIAL . 1500.00 INCLUDES: Z-80 SOFTCARD, 16K RAMCARD, VIDEX VIDEOTERM. and CP/M USER List: 1960.00 HAYES STARWRITER II CHRONOGRAPH ..... 199.00 List: 249.00 List: 2325.00 List: 775.00 SMARTMODEM ..... 227.00 STARWRITER II Z-80 SOFTCARD ..... 299.00 MICROMODEM II ..... 299.00 List: 2025.00

Circle 277 on inquiry card.

#### TO ORDER: THE MICROHOUSE ORDER CENTER IS OPEN

9:00 AM - 8:00 PM EASTERN TIME MONDAY THROUGH FRIDAY. CALL TOLL-FREE FOR ORDERS, PRICE

QUOTES, AND AVAILABILITY: **1-800-523-9511** IN PENNSYLVANIA, AND FOR TECHNICAL SUPPORT:

1.215.868.8219

### 

MICROHOUSE OFFERS 24 HOUR COMPUTER SHOPPING WITH MICROLINE. MICROLINE IS A COMPUTERIZED ORDER-ENTRY SYSTEM, SIMILAR TO ACCESSING TIME-SHARING SYSTEMS. MICROLINE ENABLES YOU TO ACCESS SPECIFIC INFORMATION ON OVER 1000 MICROCOMPUTER HARDWARE AND SOFTWARE PRODUCTS, IN ADDITION TO NUMEROUS SUPPLIES AND ACCESSORIES. MICROLINE GIVES YOU THE OPTION OF ORDERING AS MUCH AS YOU WANT, AS OFTEN AS YOU WANT, MICROHOUSES WILL PROCESS YOUR ORDER WITHIN 24 HOURS.

1.215.868.1230

MICROLINE OPERATES AT 300 BAUD, 8 BITS. NO PARITY, 1 STOP BIT.

SHIPPING ADD 2% TO ALL ORDERS. DIFFERENCE WILL BE CREDITED. OUTSIDE CONTINENTAL UNITED STATES ADD AN ADDITIONAL \$5.00.

ALL ITEMS SHIPPED UPS GROUND. OTHER SHIPPING METHODS AVAILABLE UPON REQUEST.

### PAYMENT

ACCEPTED PAYMENT BY PERSONAL CHECK. MONEY ORDER, C.O.D., MASTERCARD, OR VISA. PURCHASE ORDERS NEED PRIOR APPROVAL.

MICROLINE PAYMENTS BY PERSONAL CHECK. MONEY ORDER. C.O.D., MASTERCARD, OR VISA ONLY.

PENNSYLVANIA RESIDENTS ADD 6% SALES TAX.

MICROHOUSE 1444 LINDEN STREET P.O. BOX 498 BETHLEHEM, PA 18016

PRICES AND SPECIFICATION SUBJECT TO CHANGE WITHOUT NOTICE.

ALL ITEMS SUBJECT TO AVAILABILITY.

SUPERCALC is a trademark of SORCIM. VISICALC, VISIDEX, VISIPLOT, VISITERM, VISITREND, DESKTOP PLAN, and VISIFILE are trademarks of VISICORP.

QUICKSCREEN and dUTIL are trademarks of FOX & GELLER ASSOC.

SOFTCARD, RAMCARD, TIME MANAGER, and PREMIUM SYSTEM are trademarks of MICROSOFT.

WORDSTAR, SUPERSORT, MAILMERGE, DATASTAR, SPELLSTAR, and CALCSTAR are trademarks of MICROPRO INTERNATIONAL.

dBASE II is a trademark of ASHTON-TATE. SPELLBINDER and SPELLCHECK are trademarks of LEXISOFT.

MICROMODEM II is a trademark of HAYES MICROCOMPUTER PRODUCTS, INC. PRISM is a trademark of INTEGRAL DATA

SYSTEMS, INC. APPLE is a registered trademark of APPLE

COMPUTERS. CP/M is a registered trademark of DIGITAL

RESEARCH.

# PIEWRITER

IRM:

Yes, that's right. Another word processing system for the Apple If. So, what makes the Hayden PIEWriter so different? Well, for one - the price. Secondly - you need not purchase any additional hardware for your computer to make it operational.

DR APF

Microhouse

WordStar for

**289** 

has it. MicroPro's

Microhouse

PIEWriter has the ability to do incremental spacing so that fractions of a space can be added between words when justifying text. This makes the distribution of the space required to fill out a justified line more uniform and less noticeable. In addition, with its optional proportional spacing formatter program. PIEWriter becomes the ONLY word processor that can print true proportionally spaced documents.

Versatility and compatibility are two important features of PIEWriter. While some word processors for the Apple II computer will only work with specific accessories, such as 80-column display boards, lowercase adaptors and printers. PIEWriter is versatile enough to work with almost any combination of these. If you have any one of these hardware accessories in your system. Hayden has a PIEWriter for your particular configuration.



The Prism Printer is the first truly modular, field-upgradable dot matrix printer. Now your printer can be as flexible as the rest of your system.

No other printer offers you as much - or as little - as you need. Start with the basic printer which leatures text quality printing: then add the performance modules you need when you need them. Getting into word processing? Add the automatic cut sheet feeder. Handling lots of data? Install the high speed Sprint Mode. Want to get the big picture? Add the Dot Plot graphic option. And for communicating information and ideas faster, nothing is more effective than Prism Color for high quality, multi-color output.

And that's just the beginning. Additional Prism option modules will soon be available to help your evolving system meet its true potential.

If you are an Apple, IBM, or other professional microcomputer user. Prism Printer is the key to your total system solution. At last, the chemistry is right between you and your printer.

Microhouse offers both the Prism 80 and Prism 132 Printers at great savings. Please call for availability.

#### Circle 277 on inquiry card.

www.americanradiohistory.com

### Software Review

# Alien Typhoon

Walt Latocha 5328 South Narragansett Chicago, IL 60638

In the history of arcade games, Space Invaders has been an enduring favorite, as the number and popularity of its descendants will attest. The Bally Company's coinoperated version of Space Invaders was a fantastic success, and when the initial popularity of the game started to fade, the company introduced an improved version, Deluxe Space Invaders. Later, Bally improved upon the basic motif once again to produce Galaxian—the most difficult variation on the Space Invaders theme.

Galaxian's popularity was somewhat eclipsed by the Asteroids craze; nevertheless, Galaxian, like other popular arcade games, was favored enough to be copied for the home-computer market.

One of the first of the Galaxian clones was Broderbund Software's Alien Rain. After great success with that game, Broderbund has issued a more challenging version named, appropriately, Alien Typhoon.

In Alien Typhoon, as in Space Invaders, you control a gun that appears on the bottom of the screen. You can move the gun and fire it either by keyboard input or by a paddle controller. Above the gun hangs a constantly moving swarm of up to forty-six alien spacecraft.

Alien Typhoon differs from Space Invaders in that the aliens don't march down the screen in orderly ranks; rather, the ships peel off from the main cloud and divebomb your gun in groups of one to ten ships at a time.

As in Space Invaders, the aliens can attack and destroy your gun with gunfire of their own, but you face an added hazard when a spacecraft uses a ramming maneuver to demolish your gun. You have only two defense options—shoot the alien craft or get out of its way when it comes swooping down.

You are initially allowed three guns per game. If you earn a total of 5000 points (scored by destroying the alien ships that, depending on their types, have various point values) you are awarded a fourth weapon.

Documentation for the game is nonexistent (the only thing that comes close is a warning on the disk's package that reads, "For Fanatics Only!! Twice as many, twice as fast, and twice as tricky!"). However, the lack of documentation doesn't handicap this easily understood game. But there is absolutely nothing lacking in the game's graphics, which take full advantage of the Apple's resources. Beautiful color increases the excitement as the enemy craft swoop, bank, loop, and curl across the screen. In fact, the graphics are one of the major tactics that the computer uses in the game. Often a player will find himself bedazzled by the wild gyrations of one particular alien craft while another beelines in on a suicide run. The graphics alone make Alien Typhoon worth buying, and the game's sound effects are adequate and give proper emphasis to the mayhem on the screen.

As far as difficulty is concerned, I recommend that you take heed of the warning on the package. This game offers plenty of challenge—perhaps too much for some players. As a rule of thumb, if you haven't mastered Space Invaders or an equivalent game, think twice about purchasing Alien Typhoon.

### Conclusion

Alien Typhoon is a fast-action, sophisticated, arcadetype game with exceptional color graphics. The game requires great skill (more, in fact, than Galaxian, the original coin-operated game on which it is based), but if you have the required aptitude, the game should hold your interest for hours.

At a Glance	
Name	Format
Alien Typhoon	5¼-inch floppy disk
Туре	Language
Arcade-style game	6502 machine language
Manufacturer	Computer
Broderbund Software Inc.	Apple II or Apple II Plus wit
1938 Fourth St.	one disk and 48K bytes of
San Rafael, CA 94901 (415) 456-6424	memory
()	Documentation
Price	None
\$24.95	
	Audience
Author	Experienced game players
Tony Suzuki	

# Mindful Machines

James S. Albus

Kenr

The Brains of Men and Machines

On the leading edge of the current technological revolution, these two books are written by modern thinkers who, like the Renaissance sages of an earlier time, venture across the boundaries of traditional disciplines to create vivid, detailed studies of humanity's quest for self-contained thinking machines.

In Brains, Behavior, and Robotics, Dr. James Albus demonstrates through an analysis of the processing hierarchies of the human brain that in our own heads we find the best model for an artificial intelligence computer. He goes on to survey the state of the art of robotics and concludes by portraying the social and economic impact of the coming "robot revolution." Dr. Ernest W. Kent writes in The Brains of Men and Machines of the complex relationship between humans and machines. Drawing on the latest research in physiological psychology, he predicts that the more intelligent our machines become, the more they will resemble their creators in methods of processing information, storing data, solving problems, and even in their very circuitry.

Complete with extensive bibliographies, both The Brains of Men and Machines and Brains, Behavior, and Robotics will fascinate the layman and challenge the professional. Circle 56 on inquiry card.

www.americanradiohistory

JAK HIN HIN			and Robotics \$16.95 Machines \$15.95	
Name			Check Enclosed	
ddress			Bill Visa/ Master Card #	Call Toll-Free 800/258-5420
City	State	Zip	Expiration Date	
SYTE Book	s 70 Main Street Pet	erborough	N.H. 03458 Please add .75 per book to cov	ver shipping cost

The Brains of Men and Machines

Ernest W. Kent

B 5

### User's Column

# Supercalc, Spelling Programs, BASIC Compilers, and Home-Grown Accounting

A critical computer user surveys new programs, including one of his own.

> Jerry Pournelle c/o BYTE Publications POB 372 Hancock, NH 03449

"There may not be a lot of *really* new software," I said to my mad friend, "but there's a lot of good stuff coming out."

"What do you have in mind?" he asked.

"Well, there's Sorcim's Supercalc. I really like that one. Whatever you'd like to do with scratch-pad math, it'll do it, and simply. I've got two different versions, one on 5¼-inch disks for the Osborne 1 and another on 8-inch disks for the Godbout. And I love them both."

Which I do. One of the nicest things about Supercalc is the documentation, although it looks a bit formidable when you first open it (there are a lot of pages there). But on inspection it really tells you a lot about how to use the program. Neither I nor my assistants had any difficulty learning to use the program because there is not only complete program documentation, but also good Help instructions.

### CB80 has all the advantages and disadvantages of CBASIC-2.

"But there's no index," my mad friend said. "Mark 'em down. Tell the world. Dammit, there's no excuse for software without indexed documents."

A sentiment I thoroughly share, but Sorcim has an excuse for this one. Supercalc is so darned easy to use, once you get the hang of it, that the on-line Help files, plus the handydandy little "AnswerCard" that comes with it, are all you really need; most of the documentation is a tutorial, not a reference guide. Me, I think I'd have designed the documents slightly differently, with an indexed reference work appended to the tutorial; but that's a mild preference. Certainly you can learn Supercalc from what Sorcim supplies.

It's worth learning, too. Like dBase II, Spellguard, and WRITE, Supercalc is destined to become a classic, a program that does what it says it will do with very little fuss and bother.

What Supercalc does is calculate. It is, of course, a Visicalc "work-alike," designed to work on 8080/Z80 CP/M systems. Imagine a big work sheet spread out in rows and columns of



The 16 bit operating system designed specifically for *business micro-computing*. Application software?—it's here, NOW!


<u>OASIS-16</u>*: the operating system designed for business. Not just a hobby or development system rewritten for business use, it is the natural evolution of OASIS**: the multi-user system with a world-wide reputation as *th*e standard for those who take business seriously.

And here's more good news: there's no waiting for *application software* because what now runs on OASIS is upward compatible to run on OASIS-16. That means plenty of proven software, *available immediately*.

OASIS-16 puts it <u>all in one package</u>. For manufacturers: one source for operating systems, languages, tools; custom implementation to maximize hardware potential; international support & training; flexible licensing agreements. For software developers: complete portability keeps application software machine independent; integrated tool set makes development easier, faster. For end-users: user-friendliness; data security; portability simplifies system expansion; plus an extensive application software library. Computing professionals have long told us '<u>OASIS makes micros run like minis</u>' —with OASIS-16, it's truer than ever. And that's strictly good business.

*For 8086. 68000. Z8000, LSI-11, & others. **For Z80.

THE OASIS-16 PACKAGE CONTAINS: Operating System: EXEC JCL Language: Editor: Script Output Text Formatter: Assembler: Linkage Editor: Diagnostic & Conversion Utilities: BASIC Interpreter & Compiler: 'C' Compiler.



STRICTLY BUSINESS

FEATURES: File & Automatic Record Locking; Logon, Password & Privilege Level; User Accounting: Re-Entrant BASIC Interpreter & Compiler; ISAM, Keyed, Direct & Sequential Files; and more. Plus some of the best, most extensive documentation in the industry. OPTIONS: COBOL: PASCAL; FORTRAN; RDBMS; 2780/3780 Bisync; Networking; and others.

PHASE ONE SYSTEMS, INC. 7700 Edgewater Drive, Suite 830 Oakland, CA 94621-3051 Telephone 415/562-8085 TWX 910-366-7139 I'm serious about my business please send me quick:

 OASIS-16 Manual, \$75
 OASIS Manual, \$60
 Free Application Software Directory and put me on your mailing list. (Add \$3 for shipping: California residents add sales tax.)

#### Name_

St. (No Box#)	
City	State Zip
Check enclosed	
UVISA D Master	charge
Card No.	_ Exp. date
Signature	

### User's Column.

cells. Now imagine that into any cell you can enter any darned thing you want: a number, a label such as "sales tax" or "horsefeathers," or perhaps a formula such as "the sum of the five cells above this one." Another formula might be "the average of all the cells in the next row" or "the square of the cell above divided by pi." Finally, imagine that as soon as you enter a number that affects any cells in which you have formulas, the values, no matter how complex, are instantly recalculated and displayed.

That's Supercalc. Not only does it do all the above, but there are really nifty edit features that make it easy to get at the cells you want to work on; and you can save your work in a disk file at any time. I imagine the IRS is going to just hate Supercalc and all the programs like it; it will now be relatively easy to calculate your taxes in every conceivable way and choose

-	
	★ ★ FEATURING 8 and 16 BIT S-100 SYSTEMS ★ ★
	WE OFFER A WIDE RANGE OF CRTs, PRINTERS, GRAPHICS EQUIPMENT, SOFT- WARE FOR ALL SYSTEMS. EACH SYSTEM IS COMPLETELY TESTED, INTEGRATED AND READY FOR PLUG-IN OPERATION WHEN YOU RECEIVE IT. WE TAILOR & CONFIGURE SYSTEMS TO MEET YOUR BUDGET AND NEEDS. WE WELCOME YOUR REQUEST FOR TECHNICAL INFO BY PHONE OR LETTER.
(	CROMEMCO: Nation-wide maintenance and warranty service now available. SYSTEM I: Low priced small system with 5MB hard disk
	NEW SYSTEMS FROM IMS 2 yr warantee on boards! Integrated system with built-in monitor, detached keyboard, 5¼° drives. Systems w/8° drives, optional 10,20 or 40 MB Winchesters, built-in tape back up, multi-user capability (TURBODOS or MP/M). Z-80, S-100 bus. Over 150 configurations to match your specific needs. On site service contracts for NY tri-state area.
	SEATTLE 8086 SYSTEMS Featuring 86-DOS, the IBM PC Operating System.         System I: 8MHZ CPU set w/1 serial, 1 parallel 1/O (additional 1/O option) 64KB 16 bit         Static RAM, Tarbell DD controller, TEI 22 slot mainframe w/constant voltage trans- former         \$2,695.       System II: with 128K Static RAM         \$3,550.       Interfaced to dual Shugarts 801
	CALIFORNIA COMPUTER SYSTEMS 2210A High quality, low price. Z80 CPU, 1 serial port, disk controller w/CP/M 2.2 64K RAM \$1,650. Add our Max Box w/dual Shugarts or Qumes and IMS I/O w/2 serial, 1 parallel.
]	LOMAS DATA 8088/8086 Same CPU & Operating System as IBM PC. Complete LOMAS card set in TEI 12 slot mainframe, 86-DOS, dual Shugarts, Televideo 912, assembled and tested \$4,424.
	GODBOUT: Complete product line now available. Discount prices.
	MAX BOX DISK DRIVE SUBSYSTEM mfg by John D. Owens Assoc. Dual drive cabinet w/regulated power supply, fan, complete internal cabling. Will hold Shugarts, Qumes, Tandons and/or 8' Winchester, horizontally mounted. Excellent design and engineering. 17½ × 5½ × 22. Attractive buff color. W/2 Shugart 801 \$1,275. W/2 QUME DT-8 dble sided drives \$1,680.
i	TECMAR 8086 and Z80 Video Digitization systems 5% off list. IBM PC boards and accessories produced by TECMAR also discounted.
	GRAPHIC SYSTEM: Advertising•Architects•Designers•Package includes powerful interactive graphics software + MicroAngelo Graphics Subsystem + M9900 16 bit, S-100 w/dual 8' floppies, + HIPAD Digitizer + Plotter \$10,200.
	PER SCI: Model 299B & 277 with or without cabinet & power supply.
	<b>TURBODOS:</b> Spectacular CP/M Compatible Multi-user Operating System. Z80 Code interrupt driven. Up to 6X faster than CP/M; up to 35% increased disk capacity. Available for NorthStar, IMS, TRS-80 Model II, CCS & Tarbell controllers.
	Prices subject to change without notice
-	Write or call for free catalogue
J	OHN D. OWENS Associates, Inc. 12 Schubert Street, Staten Island, New York 10305 212 448-6283 212 448-2913 212 448-6298

the one you like best. The nicest part about it, too, is that if you use your computer to do your taxes, it's likely to be deductible—certainly the software is.

Sorcim is a thoroughly professional software company that also supplies the basic input/output system (BIOS) for the Godbout 8085 computer; and therein lies an instructive tale.

Supercalc has an installation program that lets you tell it what terminal you're using. Supercalc likes a half dozen or so terminals and will tolerate a few more. One that it likes is the Zenith Z-19, which is good because that's what I've connected to my new Godbout 8085/88. The Z-19 has a standard 24 lines of 80 columns, plus a special 25th status line that can't be got at without special programming. Supercalc uses the special programming to give some helpful information.

The Z-19 also has a row of specialfeature buttons that send an escape sequence—that is, the character "escape" (1B hexadecimal) and then a number or letter. Supercalc catches these and uses them to do nifty things like controlling the cursor and displaying Help files.

Unfortunately, the package I received from Sorcim didn't quite do that. There appeared on the 25th line a message that the "red square" special-purpose button was the "Help" button and that the "blue square" button would toggle the special shift to turn the numeric keypad into cursor controls; but in fact neither the red nor the blue button did anything at all, and trying to use the shift feature on the numeric keypad produced weird results that nothing seemed able to fix.

So now what? I sent a note to Richard Frank, president of Sorcim, and a few days later got a phone call from one of Sorcim's engineers. Other Z-19 terminals worked with Supercalc, so it wasn't the program. A few tests carried out during the phone conversation produced even stranger results: the terminal was operating well, but the computer wasn't receiving the escape sequences the terminal was generating. Just what was going on?

Eventually we found it. The Godbout BIOS for the 8085 expects one pattern of data and stop bits; the Z-19 sends another. To make it worse, the Z-19, although an excellent terminal in many ways—I recommend it as about as good as you can get just now—has some minor bugs in its program chips, and those bugs interact with the Sorcim-supplied 8085 BIOS and Supercalc to generate the strange results I noticed.

If all this seems confusing to you, imagine what *I* thought about it while it was happening to me! Eventually, though, I got my friend and computer consultant Tony Pietsch together with the Sorcim program specialists, and all was fixed nicely. Moreover, Sorcim is putting the problem and its solution into its Supercalc manual and notifying Godbout. The moral of this story is that if you insist on a state-of-the-art system (such as the Godbout 8085/88), you'd better be prepared for some unexpected results; but if you deal with reputable companies, you'll eventually get satisfaction.

### Microproof and Spellstar

Then there are the smaller companies: they want to do right, but they have limited resources. A lot of really good software comes out of such companies, but there are some problems too.

Example: As a result of my last column, Cornucopia Software has sent me four separate iterations of fixes for Microproof. Each version had problems, and each time I sent Cornucopia notes on what it probably ought to do. Lo! Cornucopia has now managed to take care of nearly all my objections to the program. It has speeded Microproof up enormously, overhauled the error-trapping procedures, made it easier to use, and generally fixed things up. But Microproof still doesn't handle dashes very well-the program thinks, for example, that "well-the" as I used it here is a candidate misspelled word. Quotation marks give Microproof problems too. There's another difficulty: with Microproof you can correct the word by spelling it properly, after which the program will go through your text file and globally make the changes. What, though, do you do about capitalization? (Mostly you hope you haven't begun any sentences with the word.)

Anyway, it took several iterations, but eventually Cornucopia developed a useful spelling program. A number of other companies have read my preliminary reviews of other programs and proceeded to patch things up and send me frantic revisions.

"So. You're a quality control department," my mad friend said.

"Well, not for everyone. And sometimes it's a fairly complicated situation like the problems with Supercalc and the Z-19 terminal."

"Yeah, sure," my mad friend said. "But did you ever stop to think how many software houses routinely use

HOUSTON INSTRUMENTS PLOTTERS Standard & Intelligent models w/surface areas of 8 ¹ / ₂ ×11° to 11° × 17°. Front panel electronic controls.	MICROPRO: Inventory sale on all Micropro software. WORDSTAR \$290. TELEVIDEO 950 \$980.	
DMP-2 \$ 935. DMP-3 \$1,195. DMP-4 \$1,295. DMP-5 \$1,455. DMP-6 \$1,685. DMP-7 \$1,865.	3 pg. memory upgrade \$150. MICROANGELO Price Lowered	
HAYES MICRO MODEM 100 \$359. Smartmodem \$251. Cronograph \$224.	SUBSYSTEM W/LIGHT PEN\$2,300. Includes S-100 graphic card, 15 [*] moni- tor, detached keyboard, light pen.	
EPSON MX 80         \$475.           MX80 F/T         \$630.         MX 100         \$725.           R5232.         \$70.         2K BUFFER         \$\$140.	Without light pen \$1,930. Graphics card alone \$975. Screenware Pak II \$350.	
3M SCOTCH® Diskettes In storage box 5 box minimum, price per box.	TEKEM: Tektronix emulator 5 350. Color systems from 4 to 256 colors. Basic color system (4 colors) \$2,330.	
740, 8° ss/sd         \$29.00           741, 8° ss/dd         \$35.50           743, 8° ds/dd         \$45.50           744-0, 5¼° soft sectored or 744-10, hard	IDS PRISM COLOR PRINTER \$1,795. Enhanced 560 w/software selectable colors; high speed printing at 200cps.	
sectored, single sided \$28.50 Head cleaning kit \$28.00 TEI MAINFRAMES, S-100	CORVUS: New Lower Prices! 6.7MB\$3,005. 11.3MB\$4,655. 20.5MB\$5,595.	
MCS112\$ 620. MCS122\$ 745. RM 12\$ 655. RM 22\$ 790. OEM & Qty. discounts offered	For S-100 and most other systems. KONAN SMC-100 hard disk controller S-100, 2400MB control \$1,469. Complete KONAN line available COMMUNICATIONS SOFTWARE	
TARBELL Z80 CPU         \$395.           New I/O card 4S + 2P         \$347.		
Double Density Controller \$435. PMMI S-100 Modem \$385. Compatible w/telex & Twx. 51 to 600 baud. On board pulse dialer.	Enables communications from a micro to a terminal or to another micro, min or maxi computer. HAWKEYE GRAFIX Source Code \$500. Object Code . \$75	
NEW ITEMS AVAILABLE: Summa Graphics Bit Pads • ALTOS systems • Microline printers • Memory Merchant RAM • PIICEON	MICROSOFT COBOL—80 \$560 BASIC-80 (interpretor) \$270 BASIC COMPILER: \$305 FORTRAN-80 \$380	
HAZELTINE 1500 \$ 885. 1510 \$ 980. 1520 \$1,210. ESPRIT \$ 695.	X-MACRO-86: \$275 muLISP/muSIMP: \$190 FORMULA: ALL-IN-ONE data base + w/p + accounting software \$595	
1 yr. on-site service contract! \$ 49.		
TELETYPE Model 4320 AAK .\$1,140. Model 43ASR, 8 level, 1° tape \$2,595.	QUICKSCREEN \$149 Use CRT as scratch pad, produce quality screens, create reports & forms.	
dBASE II demo package	Complete software \$595	
WE EXPORT Overseas C		
IOHN D. OWE	448-6298 or Cable: OWENSASSOC	

### User's Column-

their *paying customers* as their quality control department? Look—how much advance-notice software do you get?"

I thought about it. "Not too much. Mostly I get advertised stuff because I write and ask for it. Sometimes an outfit will see a review and ask if I want to see its new product. I try to be fair, but I don't have time to help with development."


"But you do anyway. Now think about the poor guy who buys new software that doesn't quite work. He doesn't know what to do. The license agreements discourage sending anything back for refunds. He doesn't even know how to describe the problem, or maybe he hasn't enough experience with competing programs to know he has a lemon. And meanwhile the publishers keep those \$500 price tags—and complain about pirates."

Unfortunately, my mad friend is right. In fact, things are worse than

that. Some companies, like Cornucopia, *try* to fix things when their customers complain and eventually do things right. Others just ignore the complaints and take the money and run.

And yet. It's certainly to our (the users') advantage that a lot of small software houses spring up. We don't want the field dominated by a few giants with ever-more-restrictive licensing policies ("Levitical documentation," as my mad friend calls it). We want a lot of competition, which means, I guess, that those of us who like to try new products just better get used to being unpaid quality control departments. Sigh.

I have another spelling program, Spellstar. It's pretty nifty. It's a bit slow, compared to Spellguard, but it does have some nice features. For example, Spellstar lets you mark the words you're interested in, then shows you the document with those words highlighted; on my Z-19,



Bible Research Systems • 8804 Wildridge Drive • Austin, Texas 78759 • (512) 346-2181 or call Your Local Dealer

Requires 48K, 1 disk drive, APPLE or TRS-80 APPLE is a trademark of APPLE Computer, Inc. Plus \$2.50 postage/handling TRS-80 is a trademark of Tandy Corp.

they're in reverse video. So, there they are, completely in context and marked so I can't miss them. Very nice.

Even better, if you tell Spellstar to ignore a word in the future, it'll do that: from then on, when it hits the marked word, it will unmark it and go right past it. When you drop out of Spellstar you're in Wordstar, so that you can use a global search and replacement to fix every future instance of the mistake.

Indeed, if I used Wordstar as an editor, I'd be tempted to use Spellstar in connection with it. However, I do have to warn you that a couple of my knowledgeable friends who do use Wordstar and who have Spellstar available to them prefer to use Spellguard on the grounds that it is just overall more convenient, especially for longer documents.

### Languages, Mon Amour

I know of two new BASIC compilers, and they're both excellent. It's almost an *embarras de richesse*. In my last review, I described the new features of Microsoft's BASCOM BASIC Compiler. I mentioned that Microsoft has added CHAIN and COMMON and that now only one run-time package is necessary.

One major consequence of only requiring one copy of the run-time program to be present on the disk (even though you may have half a dozen compiled programs) is that the compiled programs are shorter. Not all that much shorter, if you count program and run-time package; but the instant you have several compiled programs present, the disk savings mount. (I chuckle at that now; with my new Qume double-sided doubledensity disk system. I have more than 2 megabytes of floppy storage available, which means I don't worry so much about disk space. Yet. . . .)

Of course, if you use the run-time package, you're liable for the new royalty payments on any software you sell. (Microsoft dropped the royalty requirement for programs compiled with the old BASCOM, as I discussed in my last column.) You could, I guess, sell programs written

## S-IOO STATIC MEMORY BREAKTHROUGH





### **16K STATIC RAM \$169**

64K STATIC RAM \$795

Finally, you can buy state-of-the-art S-100 static memory for your computer at unprecedented savings.

Memory Merchant's memory boards provide the advanced features, quality and reliability you need for the kind of operational performance demanded by new high-speed processors.

### COMPLETELY ASSEMBLED

These memory boards are not kits, nor skeletons—but top quality, high performance memories that are shipped to you completely assembled, burned-in, socketed, tested and insured with one of the industry's best warranties.

### **SUPERIOR DESIGN & QUALITY**

Memory Merchant's boards are created by a designer, well-known for his proven ability in advanced, cost-efficient memory design. Innovative circuitry provides you with highly desired features and incredible versatility.

Only first quality components are used throughout, and each board is rigorously tested to assure perfect and dependable performance.

### SHIPPED DIRECT FROM STOCK

All Memory Merchant's boards are shipped direct from stock, normally within 48 hours of receipt of your order.

### **NO RISK TRIAL**

We are so convinced that you will be absolutely delighted with our boards that we extend a no risk trial offer. After purchasing one of our boards, you may return it (intact) for any reason within 15 days after shipment and we will refund the purchase price.

### NEW 18 MONTH LIMITED WARRANTY!

The reliability of our boards, through quality controlled production and proven performance, has enabled us to extend our warranty to a full 18 months. This includes a 6 month exchange program for defective units.

### **HOW TO ORDER**

Please send check, money order, VISA or MASTERCHARGE (add ICA#) with your order. Sorry, no C.O.D.'s. Specify model number, and quantity desired. Shipping and handling charge is \$5.00 per board. California residents add 6% Sales Tax. Credit card purchases may be telephoned to (415) 483-1008.

### **OEM and DEALER Inquiries invited.**



14666 Doolittle Drive San Leandro, CA 94577 (415) 483-1008

### 64K RAM, Model MM65K16S

Cool running operation to 10 MHz Ultra low-power consumption

Fully loaded 64K board draws: Typ. 350 Ma. (Max. current 550 Ma.) Bank Select Capability

Extended Addressing Capability

- One 16K submodule equipped with a 2K window which may be located in any of the 2K segments
- 2716 (5V) EPROM Compatibility: Programmed 2716 EPROM's may replace any or all of the RAM
- Four independently addressable 16K submodules on one board organized as two pair of independent 32K banks or as one 64K Extended Address Page. Each 32K bank responds independently to phantom. Bank Select logic is compatible with either Cromemco Cromix* or standard Bank Select software. *Cromix is a trademark of Cromemco.

New 16K (2K X 8) 150ns Static RAM Runs on any S-100, 8-bit system MPM Conversion Option: Write for details.

### 16K RAM, Model MM16K14

Bank Select Capability Extended Addressing Capability One 4K segment equipped with 1K windows

Four independent 4K X 8 byte segments

Uses field proven 2114 (1K X 4) Low-power consumption (Typ. 1.3 Amps) Runs on any S-100 8080, 4 MHz Z-80 or 5 MHz 8085 system.

Prices, terms, specifications subject to change without notice. Circle 257 on inquiry card.

### User's Column_

in Microsoft BASIC and compilable with BASCOM, leaving it to the customer to buy his own copy of BASCOM with a run-time package.

And, of course, you can use BASCOM to develop as many programs as you like for yourself. Since BASCOM is almost the same language as Microsoft's BASIC-80 interpreter, the result is a very powerful tool: you can run programs interpretively, squeezing out the syntax errors, then test the program logic, all while having an instant editor available for fix-up. Now, true, it would be a lot easier if BASIC-80 didn't simply dump your program and scrub all its variables whenever you make any program change whatever (even to add a remark!); but you can't have everything. (I wish we could, though; and if Microsoft wants to update BASIC-80, I strongly suggest that improvement.)

A second major defect of BASCOM is its surprising inability to

deal with arrays. The rule with BASCOM is, once dimensioned, always dimensioned. You cannot change dimensions at all. Worse, you can't compute the size of a dimension, even if the compiler has been told everything it would need for the calculation. You can't even use a variable for dimension size. The result is that if you make up a database program—as I have; see last month's column for details-you must either recompile any time you change the database structure, or you must waste a lot of memory on larger than necessary arrays; neither choice is convenient.

Finally, BASIC-80 and BASCOM have a strange random-access file structure—and you cannot access the random files as if they were sequential. Microsoft's BASIC stores random files in a packed binary-code format that very efficiently uses the disk space; but the files aren't ASCII (American Standard Code for Information Interchange) standard and can't be printed by any program not written in Microsoft BASIC, and that can be a pain.

So: given the defects, what are the alternatives?

### **Digital Research's CB80**

One solution might be to turn to Pascal and be done with it. Why mess with BASIC at all? Compiled Pascal MT+, or INT-file Pascal such as is created with Sorcim's Pascal M or UCSD Pascal, is supposed to be faster, easier to write, more efficient, and inherently better structured than the best BASIC ever written. (I'm not convinced; the few tests I've tried show BASIC programs compiled with BASCOM are about as fast as MT+and faster than UCSD Pascal.)

Besides, now comes Digital Research's new CB80 to challenge the whole notion.

CB80 was written by Compiler Systems, which in essence means

## THE BUSINESS POWER OF 60 MINI DISKS! MEGABYTER WINCHESTER DISK SYSTEM AMS 5000

Around the world and across the nation, business people and serious Apple II users are stepping up to SVA MEGABYTER SYSTEMS — Big storage at a low price.

Now the SVA AMS 5000 provides 5 to 10 megabytes of flexible and convenient on line data storage. This complete self contained 5" winchester disk drive memory system is attractively packaged and ready to run.

Imagine the power of accessing more than 60 mini disks simultaneously. And it's so easy to use you won't even know it's there. Most applications using the CP/M, DOS, PASCAL operating system will run on MEGABYTER systems.

Enhance those large and complex opplications with near instant program and data access — that means fast and convenient operation of accounts receivables or payables, inventories, medical data, insurance billings, etc. Increase Data Base performance with the superior large file accessing capability of the AMS 5000. Coll SVA today for expert application assistance.

* CP/M Trademark Digital Research, APPLE DOS Trademark of Apple Computer.



Rely on SVA for BACKUP data protection, archival data storage, and data transportability with the AMS 8000 MEGABYTER 8" floppy disk system. This system features high capacity removable media, IBM 3740 compatible, and may be used to transport data to other computers.

Preventative maintenance is not required for the AMS 5000. It's designed to operate continuously and is backed up by SVA's 6 month warranty with optional long term mointenance.

The best news of all is low price — A complete 5 Megobyte AMS 5000 MEGABYTER memory system is only — \$3,339.

To order your AMS 5000, coll SVA today or contact your Apple dealer. Look to SVA for a growing line of Apple Memory System products.... SVA means business!!




SORRENTO VALLEY ASSOCIATES

11722 Sorrento Valley Road San Diego, CA 92121-1084 (714) 452-0101 TWX 910-335-2047

# Look what's happened to

ТМ







### It's grown into a complete family of quality low cost digital plotters with one, six and eight pen models available

In just a few short years, the HIPLØT has become the most popular digital plotter among small systems users. With a record like that, what can we do for an encore? WE'VE INTRODUCED A COMPLETE LINE OF HIPLØTS ... with a model suited for just about every plotting application

The HIPLØT DMP Series is a new family of digital plotters with both "standard" and "intelligent" models available with surface areas of  $8\frac{1}{2}$  "×11" (DIN A4) and 11"×17" (DIN A3). For the user needing a basic reliable plotter, we have the "old stan-dard" DMP-2 ( $8^{1/2}$ " × 11") and the "new standard" DMP-5 (11"×17"). For those needing a little more capability, there are the DMP-3  $(8\frac{1}{2} \times 11^{\circ})$  and the DMP-6 (11"×17")—both microprocessor controlled and providing easy remote positioning of the X and Y axes (perfect for the OEM). For those who want this inYes, they are UL listed!**

telligence plus the convenience of front panel electronic controls, we've provided the DMP-4  $(8\frac{1}{2}" \times 11")$  and the DMP-7 (11"×17").

The "standard" plotters come complete with a RS-232-C and a parallel interface. The "intelligent" DMP plotters accept data from either an RS-232-C or Centronics[®] data source. For the "standard" plotters, software is available from our ever expanding "Micrographic Users Group". The "intelligent" HIPLØTs use our exclusive DM/PLTM language which minimizes plot software to a fraction of that normally associated with digital plotting.

And that's only part of the story. Now you can enjoy the advantages of multi-pen plotting capabilities with all six HIPLØT models. The DMP-2, 3, and 4 are available in a 6-pen format

**INSTRUMENTS & SYSTEMS DIVISION** Together...we'll create tomorrow.

there's an 8-pen option for the DMP-5, 6, and 7. So you can now have multi- color graphics under program control at an affordable HIPLØT price.

With the new DMP Series, high quality digital plotting can now be a part of your system. It just doesn't make sense to be without this valuable tool when there is a DMP plotter with the plot size, speed and capabilities that are exactly tailored to your specific 'needs ... and your budget,

Prices for the DMP Series start at only \$1085. Multi-pen plotters start at a low \$1480.

For complete information, contact Houston Instrument, P.O. Box 15720, Austin, Texas 78761. (512) 835-0900. For rush literature requests, outside Texas, call toll free, 1-800-531-5205. For technical information ask for operator #5. In Europe,

contact Houston Instrument, Rochesterlaan, 6 8240 Gistel, Belgium, Phone 059/277445. Circle 39 for literature.

Circle 40 to have representative call.

• DMP 2, 3 and 4 UL listed DMP 5, 6 and 7 UL listing pending

of Houston Instrument **Registered Trademark of Centronics** Data Corp.

TM HIPLOT and DM/PL are Trademarks





you can use up an afternoon to develop a pretty simple program. However, because CB80 is com-

piled and has no line numbers to fool with, you can put in tons of remarks,

### User's Column =

Gordon Eubanks, the author of CBASIC; and in a real sense CB80 is compiled CBASIC. You can compile all of your CBASIC programs with only minimal changes. Thus CB80 has all the advantages and disadvantages of CBASIC-2.

Advantages abound. CBASIC programs are nice to work with. Just for starters, you can redimension arrays as often as you like. You can access random files sequentially, and the file structure is standard ASCII for all files. There's a UCASE (uppercase) function and a nice search function that looks to see if what you want is embedded in anything else.

Another advantage of CBASIC over Microsoft's BASIC-80 is string space allocation; although CBASIC is a little slower in processing each input line (and slows down more and more as memory fills up), it does its "garbage collection" on the fly, so to speak. BASIC-80, on the other hand, runs at higher speeds until it runs out of string space—after which you find yourself completely locked away from your computer, unable to do any input or output or anything else for something like one to four minutes while BASIC-80 goes chasing through memory finding old strings the program has been told to forget. Eventually BASIC-80 clears everything up and becomes responsive again, if by then you haven't got so furious you've hit the Reset button.

So. CB80 is very nice. But, there's

no interpreter. As with Pascal, FOR-TRAN, PL/I, or any of the compiled languages, creating large programs in CB80 takes a lot of time. First you have to create the program on an editor; then you compile it, finding a number of trivial syntax errors that you must fix by loading in your text editor and mashing the source program; then you compile again, then link, and then run with the run-time package. By the time you're done,

# #1 Express Service:

# Hertz announces the end of the line.

If you're tired of standing in airport car rental counter lines, Hertz has a way to beat them. It's called #1 Express[™] Service. To see how easy it is, pick up a #1 Express pass the next time you're at one of our counters. Or ask your travel agent or corporate travel department. Hertz #1 **Express Service**. It's the end of the line. For reservations* call 1-800-654-3131. Ask for #1 Express.

Hertz "1 Express

Circle 192 on inquiry card.

Hertz

#1 For Everyone.TM Hertz rents Fords and other fine cars.

*Available at 35 major U.S. airports.

canradiohist

PN-1

www.amer

For a supply of #1 Express passes, send this coupon to: #1 Express Pass Hertz Corp. 660 Madison Avenue, New York, N. Y. 10021

Name Address

City, State and Zip



### User's Column-

meaning that if you come back to your program in six months you have half a chance of understanding it.

And actually CB80 is better than that.

Now it has labels. Instead of "GOSUB 3680" you can say "GOSUB COUNTIT", or "GOSUB PROCESS.ONE.ITEM". Better yet, you can have very complex functions, which you call and pass parameters to; and the functions use purely local variables that can't affect anything in the program outside.

The functions can take up many lines, and they can be "external," meaning that the function can be in an entirely different program "module" that gets called in at link time. Multiple-line functions can also access and change external variables; and the whole mess can be called by value, as in the statement "WHILE FARNUM(FOO)" where "FARNUM" has previously been defined as a function of the variable "FOO."

More yet, a multiline function can have both purely local variables and variables created just for that function (the variable "X" in the function is not the same as the variable "X" in another function or in the main program) and can *also* affect regular global variables in the rest of your BASIC program. This means you could have a function called "YES" that prints a prompt, gets an input, checks to see if the first letter of that input is either "y" or "Y," and informs the main program.

In other words, CB80 has got pretty darned close to Pascal's functions and procedures, and it seems to be a lot faster than Pascal too. You could sit down and write a really neat set of "software tools." You can, with CB80, build a whole library of useful program modules, setting them up in nice orderly blocks to be called in when needed.

That, of course, is the answer to the "no interpreter" problem: build a set of functions that you know will work and include them in the new programs you write. After a while you'll find that most programming consists of stringing together routines known to be reliable and once in a while developing a new function to stick into your tool kit.

Although CB80 is marketed by Digital Research and the manual flies Digital's colors, don't despair: the documentation wasn't really written by Digital, meaning that it's not encrypted and translated into Swahili, as much of Digital's documentation is. It does have some of the fine hand of the Digital hacker about it: for example, the text is peppered with incomprehensible "syntax diagrams," as if they were supposed to mean something; and here and there the sentence density gets completely out of hand. For the most part, though, the CB80 manual is in the really excellent style of the old CBASIC manual: clear, concise, and with plenty of examples. You need not be afraid of it.

You might, however, be afraid of CB80's price, which is steep, and its licensing policy, which is sheer madness: that is, Digital Research wants a flat \$2000 a year if you're going to compile, link, and market programs using CB80. (The fee applies only to programs you distribute, not to those developed for your own use; still, it's onerous enough.) Again, I suspect competition will bring this down; meanwhile, we can wait. . . .

### Which Language Now?

So. We have increasingly better BASICs, and one of these days we'll get a compiled language as good as CB80 with an interpreter as good as Microsoft's BASIC-80. When that happens, I think FORTRAN and COBOL and even Pascal are going to suffer a sharp drop in popularity.

My mad friend, meanwhile, continues to praise PL/I, which he says is easy to learn and remarkably effective. I confess I haven't had time to write anything but the simplest programs in PL/I or indeed even had time to examine it; but my mad friend is usually fairly reliable in his judgments and has a very healthy attitude toward computers, namely that they're for him to use and are not masters that control him.

## The Non-Programming Approach to Data Base Management

TIM

TΜ

### Data Base Management

Data management packages were created to save time and money in the development of software solutions to information problems. Many have been designed to accomplish just that, although most have only the programmer in mind. Sure they would save time in the long run, but what of the initial investment in time and effort required to learn the new language? What about the non-programmers in the world who would like an easy yet powerful applications generator? The solution is one of the most highly acclaimed software packages of our time, T.I.M. III.

### What is T.I.M.?

T.I.M. is **Total Information Management**. Programmers love it due to its original solutions to classic data management problems. Nonprogrammers adore it since they can use it to achieve the same results as with other more complicated programming-like packages.

## What Makes T.I.M. So Simple to Use?

We at Innovative Software, Inc. designed T.I.M. from day one with the end user in mind. Maybe he is a programmer who doesn't have time to learn a new language. Or perhaps a neophyte who fears coding pads and lines numbered by tens. We felt that a data management package should be able to be used by anyone from a systems analyst to a secretary. That's why T.I.M. takes a full *menu-driven* approach, uses multiple *HELP* screens, and has a manual that sets a new standard in documentation.

### The Manual

Many people believe that the manual is just as important as the software itself, a view that we at Innovative Software, Inc. tend to share. The manual for T.I.M. is divided into two sections, the Reference section and the Primer. The Reference section describes all of T.I.M.'s commands and subcommands. This is done in English, not in technical terms or in our own language. Even if you have

Available for CP/M,* and IBM PC DOS.** CP/M version—*695. IBM PC version—*495.

TIM is a Trademark of Innovative Software, Inc. *CP/M and MP/M are Trademarks of Digital Research **Trademarks of IBM never seen a computer before in your life, you'll be able to read and understand our manual immediately. The second section is a primer which goes through several examples for you, again in plain English. These true-to-life examples take the beginner by the hand, and instructs him what to do and when. You will be able to see for yourself that T.I.M.'s only limitation is the imagination of the user.

### Features of T.I.M.

T.I.M. has all of the features one has come to expect from a data management package, as well as many new ones. For example, a *word processing* interface that allows you to merge information from a T.I.M. file with letters or other documents created by a word processor. Now you can automatically send personalized letters to hundreds or thousands—quickly and easily. T.I.M.'s *Select* command enables you to pull specific information from a file. For example. "All customers who live in a certain ZIP code, whose last name begins with the letter A to L, whose balance due is less than \$50.00." A sophisticated *report generator* and even a *list generator* are also included.

How powerful is T.I.M.? With a maximum record size of 2400 charactars and the ability to keep up to forty fields sorted properly at all times, T.I.M. is powerful enough to handle just about any application. T.I.M. can handle over 32,000 records per file, and two files can be linked together for reports if your application requires a many-to-one relationship. T.I.M. also includes all of the same editing commands as your word processor, thus making data entry and editing a snap. You can also pull selected records from one file to place them into another. Files may be restructured to add or subtract fields and/or change field lengths or types.T.I.M. even has it's own utility for backing up hard disks onto floppies.

### Where to Find T.I.M.

T.I.M. is available from many fine computer dealers across the country. Or you may purchase from us direct by calling 913/383-1089.

Either way you will have the finest data management program available.

> **Innovative Software, Inc.** 9300 W. 110th Street, Suite 380 Overland Park, Kansas 66210 USA 913/383-1089

N6 20

### User's Column-

### Accounts Comprehensible

Once again I find myself embarrassed: I have to review a program I've written.

I have most of the many computer accounting packages available. Some, I guess, are really swell for what they do; but not one of them, not one, looks too useful for me.

I'm a writer. A good part of my life is deductible. It's amazing just how many activities turn out to be income-related research. And it comes as no surprise that the Internal Revenue Service is very interested in the records demonstrating that.

And therein lies the problem. Sure, I could hire an accountant. Many of my colleagues do, and a lot of them think I'm crazy when I tell them I keep my own books and make out my own tax returns. And yet, when I begin to question those colleagues, I find that I don't work any harder



Confeer Systems

Authorized Distributor

Cache BIOS is a trademark of Ithaca InterSystems. Inc. BMATE is a trademark of BRIDGE Computer Company. Division of Sea Data Corporation.



ONE BRIDGE STREET NEWTON, MASS. 02158 U.S.A. PHONE: (617) 244-3203 than they do. By the time they've explained everything to an accountant, turned in all the receipts, and kept all the records and diaries that the accountant wants, they've usually done *more* work than I do; and they pay more taxes too.

I've always kept my own books; one of the main reasons I let my mad friend talk me into buying Ezekial, my Z80, was the hope that I could computerize my accounting system. Thus I have for *years* pounced on every new accounting program eagerly and I've been disappointed every time.

Most "accounting" programs don't produce what I would call accounting books. Instead, they offer "special reports." Now understand: I don't know a darned thing about accounting. Everything I think I know came from two books, Donald H. MacKenzie's Fundamentals of Accounting and John N. Myer's Accounting for Non-Accountants. Those books explain what accounting is all about; and with pictures and illustrations, they give actual examples of journals and ledgers with the funny single, double, and triple lines, the complex scheme of indentations, and the strange check marks favored by accountants. And as far as I'm concerned, that's what my company's books ought to look like.

Nor am I completely mad; every couple of years I have my boys drift into the local university bookstore and buy all the accounting textbooks they can find, and I look through them; and lo!, the textbooks still show that accountants like double and triple lines, and complicated indentations, and....

Yet, there's no computer accounting program that I know of that produces books that look like the books in the accounting texts; and because that's the only thing I could understand with my cookbook knowledge of accounting, I had no real choice. I had to write programs that *do* make journals and ledgers that correspond with the examples in the elementary accounting textbooks.

Which is what I did. My account-

### The MICROMINT Z8 BASIC

COMPUTER/CONTROLLER board represents a milestone in microcomputer priceperformance. It is cheap enough to be programmed directly in a high level language, and efficient enough to be battery operated if required. The entire computer is 4" by 41/2" and includes a tiny BASIC interpreter, 4K bytes of program memory, one RS-232 serial port and two parallel ports, plus a variety of other features. Using a powerful Z8 microcomputer chip and Z6132 4K X 8 RAM, the Z8 BASIC COMPUTER/CONTROLLER board is completely self-contained and optimized for use as a dedicated controller. The unit is assembled and tested and comes with over 200 pages of documentation.

The price, in single quantity, a tiny \$195.* Optional power supply

(+5, +12 and -12V) \$35

diff

Please include \$4 for shipping and handling. *Call Micromint for quantity pricing

#### **Z8 MICROCOMPUTER**


- On board tiny BASIC interpreter.
- Parallel and serial I/O ports.
- 6 interrupts. RS-232 CONNECTOR
- Just attach a CRT terminal and immediately write control programs in BASIC.
   4K BYTES OF RAM
- Z6132 4K X 8 low power quasi-static RAM. EPROM pin compatible.
- SWITCH SELECTABLE BAUD RATES •110-9600 BPS.
- FULLY EXPANDABLE
- Data and address buses available for 124K memory and I/O expansion.
- 2 onboard parallel ports.
- 7.3728MHZ crystal for fast control operations. JUMPER SELECTABLE MEMORY OPTIONS
- •4K RAM, 2716 or 2732 EPROM operation. LOW POWER
- Consumes only 1½ WATTS at +5, +12 and -12V (optional power supply available).

To Order: Call Toll Free 1-800-645-3479

For Information Call 1-516-374-6793

MICROMINT INC. 917 Midway Woodmere, N.Y. 11598

## Micromint will put <u>both</u> a computer development system and an OEM dedicated controller in the palm of your hand for only \$195.



www.americanradiohistory.com

### User's Column

ing system starts with a simpleminded thing that lets you build a chart of accounts, essentially a list of ledger page names each with a corresponding ledger page number: for example, 501, postage; 506, office supplies; 506.012, travel supplies; 523, business charitable contributions; 923, family charitable contributions.

You can add to the chart of ac-

counts at any time, and you can use fractional page numbers, from .001 to .999, if you like, because each ledger page will become a CP/M file title "LED-xxx.yyy," as for example LED-506.012.

After you make a chart, you use the Journal program to build journals. A journal entry consists of a line that indicates to whom you paid (or from whom you received) something,



a longer explanation line, an amount, and a series of debits and credits that the program keeps track of (I hate to remember that when you spend money you *credit* cash and *debit* the account you spent it on). The program will not allow you to enter an item that doesn't have equal debits and credits.

You can put stuff into the journal in any order you want; there is then a program that will allocate the journal entries by date, so that the journal becomes a chronological record of what you spent and for what. The program has ways of entering cash, checks (from more than one account if you like; I have two interestbearing checking accounts and one commercial account, and I need to keep them all straight), a dozen different credit cards, and so forth. It also keeps track of check numbers.

Once you've built a journal, you can print it; that requires a printer that can print solid vertical bars (ASCII character 124 in decimal) in order to reproduce the single, double, and treble lines so loved by accountants.

You can then use the Post program, which takes the journal entries and allocates them among the various ledger pages you created in the chart of accounts. Journal has provision for control accounts. I suppose I better explain that. Let's say a primary expense category is postage, and that's the way I intend to report the expenses to the IRS. However, 1 often find I have to send express mail packets. These ought to be charged to a particular project-in my case, of course, a project is a book. Thus l debit the book account and credit the controlled account: I also debit postage and credit cash. When I get income from that particular project, the book gets credited, as does "agented income," while the bank account's and the controlled account's summary pages get debits; once again the books balance, and I can get some clues about the profitability of any particular book.


Anyway, Post takes care of all that, after which another program



### Satisfy your demand for text and sophisticated graphics

### Features

compact single board display controller • high efficiency 6809 microprocessor • Telidon alphanumeric/geometric Videotex software in ROM RS232C full duplex communication 
 independent transmit/receive baud rates, strap selectable from 75 to 9600 baud (odd, even or no parity). • 200 x 256 x 4 bit high speed raster video RAM • 8 grey levels (black to white), 6 colors and blinking white . RS170 RGB video and composite sync outputs. . input device interface for optional keypad or keyboard. • 8 character sizes including a maximum of 20 lines of 40 characters each



**Block Mosaic** 

Geometric

### **Ease of Operation**

By virtue of the Picture Description Instruction (PDI) protocol used in Telidon Systems, images may be created from familiar graphic primitives such as points, lines, arcs and polygons. This same presentation level protocol is recognized as an international videotex standard and forms the kernel of the protocol selected by AT & T for their image communication networks. The use of an 8 bit data format, ASCII standard characters and RS232C serial communication, enhances the general purpose nature of the NORPAK display generator.

### **Applications**

The compact size and low power consumption of the basic module facilitates integration into a complete display unit which may include a monitor and other specialized communications interfaces. It may be used as a simple output device connected to a computer or may form part of a stand-alone workstation. Many users who have been introduced to the potential of color graphics. through low resolution mosaic displays, will enjoy the increased spatial resolution of the pixel oriented raster bit plane technology. Some of the many potential applications include

- display generator for VIDEOTEX applications output device for system status in a process
- control environment
- business graphics generation
- student display for educational applications graphic artists sketchpad
- video games

This color display generator is available from stock for \$499.00 (U.S.) FOB Kanata, Ont., Canada. (Shipping and duty extra). For more information contact our sales office (OEM discounts available). orpak

## the Norpak Color Raster Display Generator

the only thing better than our picture is our price

NORPAKLIMITED 10 Hearst Way Kanata, Ontario Canada, K2L 2P4 (613) 592-4164

NORPAK LIMITED Bridge Administration Building Suite 101 Ogdensburg, New York U.S.A. 13669

Circle 305 on inquiry card.

www.americanradiohistorv.com

### User's Column -

prints all those ledgers. Each ledger entry contains a reference to the journal page and item number, so there is a complete audit trail back and forth; indeed, the whole thing looks exactly like the demonstration items given in Myer's Accounting for Non-Accountants, which ought to be no great surprise since that's what the programs were designed to do.

Now note: the programs do not give a lot of "special reports." They don't claim to do a darned thing that .isn't covered in the Myer book (which is still in print, published by E. P. Dutton, 1980). But they do create books that look like what accounting texts expect, which was all I set out to do.

And since my business gets confused with my family's affairs, I've made it easy to segregate business from family expenditures (for example, cases where the kids come on business trips and thus have to have their expenses charged to a different account from mine. That sort of thing).

I've used these programs since 1977. Eventually some of my friends asked for copies. Then more. Then I was asked to write up a little manual on how to use the programs, and while I was at it, why not include a brief treatise on what accounting is for and. . . .

It was getting out of hand, and one night over the slivovitz, Barry Workman got at me with an offer to publish the programs. "After all," he said, "they really are the best accounting programs you know of, aren't they?"

"No. Just the best for the kind of small business I operate. I don't know how good they'd be for an outfit that has lots of accounts receivable and accounts payable, or a big payroll."

"I use your accounting programs," Barry pointed out. "And so do a number of your friends. Consulting engineers and a couple of freelance

### **COPIES WITHOUT PROBLEMS:**

**FAST:** Turnaround time in hours and days, not weeks. You get your disks when you need them.

ACCURATE: Each copied track is checked bit by bit. If it doesn't match your original, it isn't shipped.

FLEXIBLE: Standard, double-boot, and copyresistant formats. 50 copies minimum, no maximum.

**REASONABLE:** Set-up as low as \$10 per disk. Copying only from 30¢, copying and 3M disk from \$2.00. Other disks and services also available.

**RELIABLE:** Years of disk duplication experience insures a problem-free shipment on time — time after time.

### For all your Apple[®] compatible copying needs.





1448 Estes Denve

Denver, CO 80215

(303) 234-0871

salespeople use it; you know, your programs produce standard ASCII files that can be manipulated to be the input to much more complicated routines if anyone wants more massaging than your stuff gives them."

And so forth. So eventually I agreed, and now I'm in the embarrassing position of reviewing my own software. All I can say on that score is that I do use the programs; they do work for my kind of small business. They are not heavy on accounts receivable and accounts payable; they're far more useful for recording expenses and income in complex ways than they are for controlling monthly billings. (Writers don't have monthly billings.) Given those limits, they are pretty good. They do make books that you can read and that your accountant will recognize. They preserve the audit trail, and they let you have as complex—or as simple a chart of accounts as you like.

My mad friend tells me that my little treatise on why one keeps books in the first place is the only thing on that subject he's been able to make sense of; but do recall that he's quite mad.

### Use dBASE II Instead?

I described my accounting package to George Tate of Ashton-Tate, the outfit that distributes dBASE II and WRITE, and he recommended that I throw it away and build an accounting system out of dBASE II. I haven't done that and I'm not likely to, but I'll have to confess that I see his point. Every time I play with dBASE II I find something else to like about it; unlike some programs, this one wears well, and I think you really could construct a pretty good accounting system from it. In fact, I *know* you can because I've seen some of them in operation.

I also have Quickscreen, a "screen builder" program designed for use with dBASE II and Microsoft BASIC. I like Quickscreen. I asked George Tate about it, and he told me a number of his programmers like to use it when they're doing programs in dBASE II, which is a pretty powerful recommendation. Quickscreen lets you build up a form, such as a letterhead or a shipping label, or anything like that, which includes lines and permanent labels (such as "Bill To:" or "***TOTAL***") as well as variables. You then save the form on disk, and when you call it again, the form returns with values for the variables from a dBASE II file. It all looks very useful, and the manual seems reasonably clear. I confess I haven't done a lot of experimenting with Quickscreen, but people I respect use it with no trouble.

Next time, more on new hardware, including, I hope, the IBM Personal Computer.■

,	\$295
	\$169 \$60
nal Corpora	ation
) Apple	\$195
BASIC-80	\$395 \$195
50	
SIC	\$500
ites	
single-dens	
ates Inc.	
56K-byte CP/M	\$149
	BASIC-80 50 SIC ates 8-inch single-dens CP/M disk ates Inc. 56K-byte

## A Message to our Subscribers

From time to time we make the BYTE subscriber list available to other companies who wish to send our subscribers promotional material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services, or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to BYTE Publications Inc, Attn: Circulation Department, 70 Main St, Peterborough NH 03458. Thank you.

-	
D. OWENS	** <u>IBM PC USERS</u> *
ASSOCIATES, INC. JOHN	<b>BABY BLUE:</b> Z80 card with 64K RAM lets you run CP/M [®] programs. RAM accessible by <i>both</i> Z80 and 8088. Fast, efficient, easy to install
ATES. INC. JOHN D. OWENS	SEATTLE COMPUTER RAM FOR IBM PC           64K RAM + BD         \$418.           128K RAM + BD         \$594.           192K RAM + BD         \$770.           256K RAM + BD         \$942.           64K Chip Kit         \$176.           Each RAM card has an RS232 serial port which uses IBM supplied software.
ASSOCI	WE EXPORT: Overseas Callers: TWX 710 588 2844, Phone 212 448-6298, or Cable: OWENSASSOC
JOHN D. OWENS	JOHN D. OWENS Associates, Inc. 12 Schubert Street, Staten Island, New York 10305 212 448-6283 212 448-2913 212 448-6298

# 20,000 Programs For The IBM



# Are Now Available Personal Computer!

### INTRODUCING BABY BLUE CPU PLUS

Baby Blue CPU Plus is an accessory printed-circuit board for your IBM Personal Computer and special software on disk.

As far as normal PC DOS operations are concerned, Baby Blue acts just like any other normal, mild-mannered 64K byte random-access memory board.

But when you invoke a CP/M-80* program, Baby Blue becomes a second computer within your computer, letting you run thousands (literally thousands) of programs written for the CP/M microcomputer operating system.

CP/M, the first microcomputer operating system to gain wide acceptance, has been around since 1975. Not only has it played host to a lot of programs, but those programs are among the most useful, most sophisticated, most thoroughly tested and debugged, most proven programs ever written. More than 200,000 computers were fieldtesting those programs for you before the IBM Personal Computer even existed.

The total CP/M library is immense. It includes the best efforts of thousands of professional and advanced-amateur programmers. There are time managers, spreadsheet manipulators and professional-office packages. Languages — BASIC, of course, ALGOL, FORTRAN, C, Pascal, LISP, COBOL, PILOT, and FORTH, to name a few. Text editors, text formatters, full-blown word processors, spelling checkers and indexers. Utilities that will massage problem files so that they lie back and purr. Games, including chess, Reversi, Adventure and tournament-level Star Trek. Database managers. Accounting packages that can run a milliondollar business... Just about anything you can imagine.

The net result is an integration of CP/M programs into the PC environment that's so smooth, so transparent that you won't need to know or care which operating system a program was originally written for.

### **Special Baby Blue Features:**

Z80B* microprocessor running at 4.77 megahertz.
 Additional 64K memory, fully available to PC DOS – looks just like the IBM 64K board to the system.

 Will accept CP/M programs on any of several popular 5%" soft-sectored diskette formats.

63K of user memory is available for CP/M programs – 7K more than on any other popular machine.

Files can be shared – CP/M and PC DOS programs can be mixed in a menu-driven system with common data files.

IBM Personal Computer peripherals are supported – including keyboard, video boards, printer, Asynchronous Communications Adapter.




Special option — Baby Blue bundled with WordStar* and Mail-Merge... \$980


For only **\$60** more than the cost of the IBM 64K Memory Board (**\$540**) you get 64K of Memory <u>PLUS</u> an interface to over **20,000** programs!

For more information call (212) 247-1400

or write XEDEX Corporation 134S Ave. of Americas, New York, N.Y. 1010S Circle 442 on inquiry card. WordStar* and Mail-Merge are trademarks of MicroPro International Corporation.







CP/M Is a registered trademark of Digital Research. WordStar is a trademark of MicroPro International Corporation. 280 is a trademark of Zilog, Inc. Baby Blue CPU Pius and Baby Blue are trademarks of XEDEX Corporation.

www.americanradiohistory.com

## **Software Review**

### PL/I for Microcomputers

John A. Lehman 716 Hutchins #2 Ann Arbor, MI 48103

PL/I was originally developed by IBM as the language of choice for the 360 computer series. As such, it was expected to replace FORTRAN, COBOL, ALGOL, and assembler language. The original PL/I was a huge language with more features than a hundred-blade Swiss Army knife. It was inconvenient because it required large chunks of expensive memory and considerable feats of recall on the part of programmers who were trying to remember its features.

Several years ago, ANSI (American National Standards Institute) issued PL/I standards for both a full and a subset language. The latter was

At a Glance
Name: PL/I-80
Туре
High-level-language system
Manufacturer
Digital Research
POB 579
Pacific Grove, CA 93950
Price
\$500 (\$35 for documentation alone)
Format
Two 8-inch floppy disks (other formats
available)
System Requirements
CP/M version 1.4 or higher, MP/M,
8080,8085, or Z80 processor with
48K bytes of memory and two 8-inch
disk drives (an 8086 version is also
available)
Documentation
Language manual, operator's guide, ap-
plications guide, and pocket reference
guide.
Audience
Language enthusiasts, applications and
system programmers

named the G subset and was intended for minicomputer use. It preserved all of the really useful features of full PL/I but cut it down to a manageable size. Implementations are available for most of the popular minicomputers and for any microcomputer that runs CP/M (version 1.4 or later) or MP/M.

Digital Research's PL/I-80 implements all of the level-G features except DEFINED, FLOAT DECIMAL, LIKE, ATANH, DATE, TIME, STRING, and VALID. DATE and TIME are operating system functions that are not supported by CP/M. FLOAT DECIMAL (binary-coded decimal floating-point arithmetic and data storage) is seldom used; FLOAT BINARY (which is supported) is used instead.

The linkage editor (LINK-80), which is included, supports overlays, indexed libraries, and Microsoft .REL files. This means that subroutines compiled under Microsoft FOR-TRAN, COBOL, and BASIC can be used by PL/I programs. (I can only vouch for the FORTRAN features because I don't have the other two compilers.) A version of the Digital Research MAC macro assembler (called RMAC), which produces relocatable code, is included; thus assembler subroutines can also be used. Assembler source libraries to access all CP/M and MP/M system features are included, as is an entire disk of sample programs. A .SYM file is generated, so Digital Research's

SID (a symbolic debugger) can be used for debugging with symbolic constants.

### Performance


As a combined scientific, business, and system programming language, PL/I isn't as elegant as Pascal or as easy to use as BASIC. It does provide most of the facilities of FORTRAN. COBOL, ALGOL (Pascal), BASIC, and assembler language in a form that encourages structured programming. Generally, programs written in PL/I are much more understandable than those written in BASIC. FORTRAN, COBOL, or assembler language (see listing 1). PL/I is not as clear as Pascal, but it has much better facilities for file management and system programming. Its primary advantage as a programming tool is that you can do all of your programming in one language.

This advantage is especially apparent to those of us who use several different computers. I can write a single program in PL/I and run it on my Z80 at home or on the Amdahl, Honeywell, or IBM Series/1 at work. My wife can write programs at home and run them on the IBM 370 OS/VS2 system at work. Any of these programs can also be run on an 8086, a PDP-11, and a NOVA, among others. The only other languages that allow such transportability are FORTRAN and COBOL. I'm allergic to COBOL, and although FORTRAN is my native computer

## INTRODUCING MetaCard The future for your Apple II.

MetaCard will turn your Apple II personal computer into tomorrow's high performance machine. It triples the memory of your Apple, and at the same time, greatly increases the processing speed with an Intel 8088 16-bit microprocessor. The future for your Apple is built into MetaCard.

Enough Memory to get the Job Done MetaCard has up to 128K bytes of onboard memory with parity. Adding



MetaCard to your Apple's existing 64K bytes of memory gives you three times the capacity, and opens the door to applications never before possible on your system.

Faster Processing Speeds Speed is just as important as memory. MetaCard is designed to handle all computing tasks at greatly increased speeds. The Intel 8088 operates at the full 5Mhz, running most applications at least 4 times faster than the Apple's 1Mhz 6502. And MetaCard gives you multiprocessing capabilities, allowing both the 8088 and 6502 to run simultaneously at full speed. Increased processing speeds, interprocessor interrupts and a real-time clock enable your Apple to perform like the machine you want.

Compatibility and Reliability Compatibility has been designed into MetaCard. Metamorphic's processor card runs CP/M-86, which is included with the card at no extra cost. And Metamorphic offers UCSD Pascal 4.0 and the operating system for the I B M Personal Computer as options. Full parity checking, power-up diagnostics and a 48 hour burn-in will insure the reliable


performance of your MetaCard.



Find Out More Not everyone needs greater memory and speed. If you're one of those who does, MetaCard is for you. At an introductory price of \$980 for the 64K configuration, it's

not the least expensive addition you can make to your system, but high performance products never arc. Call us today and find out what Metamorphic Systems has in mind for your Apple's future. Dealer inquiries welcome. Metamorphic Systems, Inc., P.O. Box 1541, Boulder, Colorado 80306, (303) 499-6502. Intel & Metamark of Apple Computer Inc. CPMM & is a registered trademark of Digital Research Corp. IBM Perional Computer is a registered trademark of TBM. U.C.S.D. Pascal is a registered trademark of TBM.

METAMORPHIC SYSTEMS, INC.



**Listing 1:** The HYPOCY program. This sample program shows the easily understood structure of a PL/I program. The program will draw the curves traced by a point on a circle while that circle is rolling internally on the circumference of another circle.

```
hypocy:
     proc options(main);
     /* Plots hypocycloid onto Microchroma 68 */
     /* graphics board using raster addresses which*/
/* is set up as cp/m punch device. */
      /* polypx and initgr are separately compiled (assembled) */
     /* routines to send groups of dot coordinates and */
     /* to initialize the graphics hardware respectively */
     dcl initgr entry,
           polypx entry (fixed, (0:255) fixed, (0:255) fixed);
     del
            (x,y,theta,templ,temp2,temp3)float,
            (sines(0:255), cosines(0:255)) float,
            (i, ix(0:255), iy(0:255), count) fixed;
     dcl
                   fixed initial(40),
            forty
           one hundred fixed initial(100),
            seventy_five fixed initial(75);
   call initgr;
     count=255;
circle:
     do i=0 to count;
           temp3=float(i);
            theta=temp3/40;
            sines(i)=sin(theta);
            cosines(i)=cos(theta);
           x=cosines(i)*seventy five+one_hundred;
y=sines(i)*seventy_five+one_hundred;
            ix(i) = fixed(x);
            iy(i)=fixed(y);
      end circle;
      call polypx(count, ix, iy);
hypo:
      do i=0 to count;
           temp3=float(i);
            templ=cosines(i);
            temp2=sines(i);
            x=templ*templ*templ*seventy_five+one_hundred;
y=temp2*temp2*temp2*seventy_five+one_hundred;
            ix(i) = fixed(x);
            iy(i)=fixed(y);
      end hypo;
      call polypx(count,ix,iy);
      end hypocy;
```

language, it's not suitable for nonnumeric or data-intensive programming.

So much for why you should use PL/I. How well does it work? Table 1 compares run times (in seconds on a 2-MHz Z80) for PL/I-80, Microsoft FORTRAN, and XBASIC (TDL/Xitan Extended Disk BASIC). The test programs were basically textbook examples, iterated enough times to make timing feasible. XBASIC is included to show how an interpreter compared with the compilers.

One hidden "gotcha" showed up in the tests. PL/I interprets numeric constants as fixed decimals and converts them to fixed binary-coded decimals each time arithmetic operations involving the latter are performed. Thus, using constants (rather than variables which have been set to a desired value) will increase the duration of execution by as many as fifty times.

In practice, the only time slow run speeds have presented a problem with PL/I has been during interactive video graphics. Otherwise, a floppydisk-based system is usually so badly disk-bound that the efficiency of the code produced by the compiler doesn't matter much. This characteristic is slightly irritating because both the compiler and the linker make heavy use of the disks; consequently, long programs can take more than five minutes to compile or link. A hard disk would presumably help this. Even so, PL/I-80 and Link-80 work faster with floppy disks than their IBM Series/1 equivalents do with hard disks. They have fewer bugs too.

Version 1.3 of PL/I-80 appears bug-free; at least I haven't found any.



# "WHAT IF..."

Seldom is your first solution to a problem the only one, or the one that's necessarily best to use.

That's why our VisiCalc[®] program is #1 in the business: the most widely-used business program ever for the personal computer.

It's a powerful "electronic worksheet" that takes the work out of working with numbers. Whether you are working with investments, cash flow, inventory, estimates, budgets, plans—nearly anything numerical, the VisiCalc program will help you work better, smarter, faster.

In just seconds, the VisiCalc program can calculate and display the answers to involved problems you could have spent hours doing by hand.

Its speed and versatility makes it easy for you to explore more alternatives. You can ask "What if?"...just change any number in your problem and instantly, the VisiCalc program recalculates all the numbers and displays the new results. So you can readily analyze the impact of decisions before you make them.

While the VisiCalc program does a lot by itself, it can do even more for you when used with the other Visi[™] programs. That's because they're all inter-related, just like your needs and tasks, to give you a fully integrated solution. For example, automatically bring in data stored in our VisiFile[™] program—such as customer or inventory information for calculation and analysis with your VisiCalc program.

In addition, our series includes the VisiTrend/Plot,[™] VisiSchedule,[™] VisiDex,[™] VisiTerm,[™] VisiPlot,[™]and Desktop/ PLAN[™] programs. Ask your retail computer store salesperson for a demonstration of the VisiCalc program. Discover how easy it is to take the work out of working with numbers.

> VISICALC' FROM VISICORP" PERSONAL SOFTWARE"

	PL/I	FORTRAN	XBASIC
10,000 iterations 10,000 fixed-point additions	0.5 0.9	0.3 0.5	20.8 NS
10,000 fixed-point multiplications	6.8	. 0.5	NS
10,000 floating-point additions	10.0	8.4	48
10,000 floating-point multiplications	15.5	14.9	57
10,000 dummy subroutine calls	0.6	0.6	42
10,000 cosine calculations	35.0	23.0	63

**Table 1:** The results, in seconds, comparing various languages' performance of standard functions on a TDL/Xitan S-100 system with the Z80 running at 2 MHz. The languages were Digital Research's PL/I-80, Microsoft FORTRAN, and XBASIC (TDL/Xitan Extended Disk BASIC). (NS indicates function not supported.)

Earlier versions had problems that were quickly remedied. Version 1.1 (a major upgrade) was sent out free of charge on disk. Version 1.2 was distributed in the form of a free patch sheet. Version 1.3 (with more upgrades) was available for \$25 on disk to owners of the earlier versions.

### Conclusions

The current version of PL/I-80 provides a nearly full ANSI level-G system with excellent facilities for linking and overlays. The file format is compatible with Microsoft compilers and thus allows use of existing program and subroutine libraries

with PL/I. Full access to CP/M and MP/M facilities is also provided.

PL/I is a more powerful language than FORTRAN, COBOL, Pascal, or BASIC. This implementation allows access to all commonly used features of PL/L. It's intended to facilitate both applications and systems programming: The current version for microcomputers is remarkably bugfree and is source-compatible with the dialects used on many mini- and mainframe computers. Thus, users can take advantage of existing software or develop software for larger machines on CP/M-based systems. The existence of an 8086 version promises continued compatibility with more powerful hardware.

Support from Digital Research is excellent. The only difficulty commercial users will encounter is the necessity of licensing use of the runtime library in third-party software products. This is offset by Digital Research's assistance program for OEM customers.



# Introducing . . . THE TEC-86 SERIES OF 16 BIT MICROCOMPUTER SYSTEMS TEC-86 - COMPLETE 16 BIT 8086 MICROCOMPUTER SYSTEM - \$4390

# FEATURES

- Two 8 Inch DD Floppy Disk Drives (1.2 MB Total)
- ROM Boot for MP/M-86 TM
- 64K Bytes of Memory
- Vectored Interrupts
- 16 Bit 8086 CPU
- Heavy Duty Power Supply
- IEEE 696 S-100

# TEC-86W — \$10990.

TEC-86 SYSTEM WITH WINCHESTER 31 MegaBYTE HARD DISK ONE YEAR Warranty

- Two RS232 Serial Ports
- Baud Rates from 50 to 19200 Baud
- Independent Baud Rate for each Serial Port
- 24 Parallel I/O lines (Three 8 Bit Ports)
- Attractive Industrial Quality Enclosure

TEC-86M4 — \$7595. FOUR USER TEC-86 SYSTEM WITH ½ MEGABYTE OF MEMORY

# TEC-86M4W — \$12990.

FOUR USER TEC-86 SYSTEM WITH ½ MEGABYTE OF MEMORY AND 31 MegaBYTE WINCHESTER HARD DISK

# **TEC-86 OPTIONS**

- CP/M-86m Single User Operating System
- MP/M-86m Multi-User Operating system Concurrent File Access File Password Protection File Time and Date Stamping Print Spooling
- Additional Memory, 64K and 256K byte increments up to a system total of one full Megabyte
- Languages BASIC-86m, FORTRAN-86m, PASCAL-86m, CBASIC/86m, PASCAL/M86m, FORTH, CIS-COBOL and other High Level Languages

- Double sided double density floppy disks (2.4 MB total)
- 31 Megabyte Winchester Hard Disk
- Attractive Wood Grain Desk Top Enclosure
- Rack Mounted enclosure
- Alphanumeric terminals (80 chars x 24 lines)
- Matrix, correspondence quality, letter quality, and graphics printers

# ANALOG TO DIGITAL DIGITAL TO ANALOG DATA ACQUISITION AND CONTROL BOARDS AND SYSTEMS

# APPLE A/D \$695 w/Timer-Counter

ANALOG TO DIGITAL Converter with Timer/Counter 12 Bit Accuracy, 16 Channels, 30 KHz Conversion, Three programmable Timer/Counters to: Trigger Conversions Count Conversions Count External Signals Count Bus Clock

Options: Programmable Gain; 14, 16 Bit Accuracy; 40, 100, or 125 KHz; Expansion to 256 Channels

# DIGITAL TO ANALOG CONVERTERS

12 Bit Resolution 3 Microsecond Conversion Jumper Selectable Outputs ±2.5V, ±5V, ±10V, 0 to +5V, 0 to +10V Each operates independently Each DAC holds previous value until an entire new word is presented to it Fully assembled and tested S100 A/D \$765 Analog to Digital Converter with Timer/Counter

12 Bit Accuracy, 16 Channels, 30 KHz Conversion, Five Programmable Timer/Counters for: Time of Day Triggering Conversions Counting Conversions Counting External Signals Interrupting the CPU Options: Programmable Gain; 14, 16 Bit Accuracy;

40, 100, 125 KHz Conversion; Expansion to 256 Channels

(216) 464-7410

## OTHER FINE \$100 and APPLE PRODUCTS AVAILABLE, INCLUDING:


ANALOG to DIGITAL CONVERTERS (12, 14, 16 bit accuracy, 30, 40, 100, 125 KHz Conversion rates, 16 to 256 Channels, programmable gain, timer/caunters). DIGITAL to ANALOG CONVERTERS (12 bit accuracy, 3 microsecond conversian rate). 8086 CPU Board, 1/0 Baards 64K/256K Memory Boards, Real-time Video Digitizer and Display. Complete Systems also available for Data Acquisition, Video Digitization, and General Purpose Applications. Circle 409 on Ingulry card.

REQUEST OUR CATALOG FOR COMPLETE LISTING, AND SPECIFICATIONS ON THE ENTIRE TECMAR PRODUCT LINE.

DEALER INQUIRIES INVITED



23600 Mercantile Rd. • Cleveland, OH 44122



# **Hardware Review**

# Apple II 80-Column Video Boards Five Popular Units

John E. Howland Vanguard Systems Corporation 6901 Blanco Rd. San Antonio, TX 78216

The Apple II computer's video-display section was designed with an ordinary television set in mind. This design choice limited the Apple's screen to 40 characters per line because of the limited resolution of ordinary color television sets. Of course, this arrangement allowed Apple II users the option of using their home television set, rather than requiring them to purchase a more expensive video monitor or terminal. However, as the popularity of the Apple II grew, software developers began to write programs that made applications such as accounting and word processing possible. These applications often require a professional-quality 80-character-per-line display. It's not surprising, then, that several enterprising manufacturers have developed Apple II interface cards to provide the more or less standard 24 lines of 80 uppercase and lowercase characters. (See photo 1, page 256.) I have reviewed five popular interface cards, Omnivision, Full-View 80, Smarterm, Sup'R'Terminal, and Videoterm, and this article surveys their characteristics and compares their features.

All the 80-column boards use a large-scale integration (LSI) device, either Motorola's 6845 or Synertek's 6545, as the "heart" of the display circuitry. Because of this, you might think that the boards would be very similar, but each has different features, and they are not entirely compatible with one another or with the standard Apple II software. Yet they do have features in common: all generate uppercase and lowercase characters and require a good-quality black-and-white monitor (not a black-and-white or color television set) for best results. (See the text box "A Fast Scan of Video Monitors," page 254.)

### Accessing the Boards

All the boards are accessed by using the standard Apple II conventions for getting at peripheral devices. For example, the familiar PR#n instruction, where *n* is the slot number of the peripheral device, can be used to activate the video boards. The Apple II permits only one peripheral device to be active at a time, so this can pose some difficulties if the board is intended to be used simultaneously with a modem (or serial interface, etc.). Another important consideration is that each board interprets certain control characters as commands to perform special functions. These control characters usually cannot be used by programs for other purposes. Moreover, Integer BASIC does not have the CHR\$ function required to generate the control characters.

Characters are formed on the video display as a matrix of dots within a field of fixed size. (See photo 2, page 257.) Common character sizes are 5 by 7 or 7 by 9 dots. As an example, a character may be formed from a table of dots having 5 columns and 7 rows, within a field of 6 columns and 13 rows. The unused rows and columns in the field provide the spacing between characters on a line and between lines of characters. The lowercase characters g, j, p, q, and y are generally easier to read when they are allowed to extend down into the lower rows.

Usually, 7 by 9 dot characters can be made to have a more pleasing appearance than 5 by 7 dot characters, due to the higher resolution; however, this may not be apparent unless a higher-bandwidth monitor is used. I suggest that you test the video board with the monitor you intend to use to ensure acceptable character appearance.

# The HiNet Local Area Network Because man was not meant to work alone

HiNet is the best way yet to get everybody in your company working together. A HiNet desktop work station puts each person in touch with what everybody else in the office is doing – for little more than the cost of a good typewriter.

# "HiNet takes the time out of sharing."SM

Put an end to big-computer backlogs and share data with different departments – or access abundant central files – instantly. You get maximum computing use from your own station or any other station on the network. And you can *print* on any one of the network's shared printers. There's no need to leave your desk or wait for someone else to assist you!

# No growing pains. Period.

Here, at last, is a system you can't outgrow. With HiNet you can start as small as just two work stations. Add up to 30 stations anywhere you want within your building. And since each low-cost station is a complete computer – not just a terminal – additional stations don't tax the system. They add to its capability.

# The friendliest system ever.

HiNet is so compatible that you can enjoy this advanced network technology and continue to use terminals, printers or

other peripherals you may already have.

HiNet is hardware and software – a complete local area network. Advanced systems' utilities provide the utmost in both data security and system integrity. So advanced, yet HiNet can use virtually any CP/M[®] applications software program in the world.

# So simple you can plan it yourself.

Let HiNet demonstrate itself on paper before you buy with the Local Area Network Planning Kit. The Kit will show you how to lay out a network according to your office floor plan. It's easy and it's free! Send for it. See how a local area network can help you accomplish more – and share information - more easily and efficiently than ever before.

Digital Microsystems

NOW WITH THOUSANDS OF INSTALLATIONS AROUND THE WORLD.




HINET IS COMPLETE HARDWARE AND SOFTWARE LOCAL AREA NETWORK TECHNOLOGY.

HiNet utilizes 8 or 16 bit processors in single board or Multibus^m configurations; advanced memory management and data storage; high-speed local network data and telecommunications; real time processing redundancy and back-up capabilities; multi-level data security provisions; end-to-end diagnostics and automatic error correction routines; international support and comprehensive training. Specially dedicated stations: print spool, telex or voice store & forward, and graphics. For a catalog and complete specifications contact Digital Microsystems.

CP/M is a registered trademark of Digital Research. Multibus is a trademark of Intel Corporation.

Circle 141 on inquiry card.



# A Fast Scan of Video Monitors

The video image produced by the Apple II and many other personal computers is called a raster-scan display. The image is made up of several hundred horizontal lines of several hundred tiny dots. In a normal television picture, there usually are 262 lines per frame and fewer than 200 dots per line. This allows fewer than 40 characters per line, with a 5 by 7 dot matrix. Lines of dots are displayed at the rate of 15,750 lines per second, so the video bandwidth would be 200 times 15,750 Hz, or about 3 MHz.

# Try a test run before you buy

To display a line of 80 characters in a 7 by 9 dot-matrix format would require about 800 dots per line and a video bandwidth of 12 MHz (18 MHz is not uncommon in expensive units).

Some of the video boards in this review generate acceptable images only on monitors. This means that buying an 80-column board may also necessitate the purchase of a monitor, unless you already have one with enough resolution and bandwidth. Monitors are available through most computer dealers, but stick to name brands such as Hitachi, Amdek (formerly known as Leedex), Motorola, NEC Home Electronics, Panasonic, Zenith, etc.

If you have a monitor but are unsure of its suitability for use with the board you have selected, try a test run in a dealer's showroom before you buy. Keep in mind that some of these 80-column boards use more of the video field, so the height and width controls may need to be adjusted.

Circle 278 on inquiry card.

# Don't gamble with your business!

# **Invest in an M System**

"Okay, which entry-level, singleuser microcomputer should I own?" The BOS M System.

"Which multi-user system should I own?"

### The BOS M System.

"If I want a larger system with the ultimate in performance and capacity, what should I own?" **The BOS M System Multiprocessor**. "How much more does it cost to own a single-user set-up and upgrade it, than to start with a larger system?" Not a penny more.

"Can I have diskette, tape, and large rigid disk storage?" Yes.

> Dealer and OEM Inquiries Welcome

"How about really good accounting software?"

BUS

The MBSI* package (GL, AR, AP, PR, OE/INV, Sales Analysis — all in Cobol) is probably the best available on any system...this is one you have to see to believe. "How about Word Processing?" WordStar^{*}_{1M}, and others.

"Can I run all the other software I've seen?"

Yes, if it's CP/M*** compatible, almost certainly!

"Will I have to change the operating system when I expand?" No, with BOS/TURBODOS****, just upgrade it.



"Well, this is important...will service be available when I need it?"

605

Yes, with a large dealer network, strategically placed maintenance depots, and fast factory repair turn-around.

"Sounds great! But isn't it too good to be true?"

No...and it's not even expensive! So, why take a chance with somebody else?

"Okay, how can I get one?" Contact your dealer, systems house, or consultant — or call us toll-free!


Business Operating Systems, Inc. 2835 East Platte Avenue Colorado Springs, Colorado 80909 In Colorado Call: (303) 634-1541 Toll Free Number: 1-800-525-3898 TELEX 45-0647 BOS CSP

APPLICABLE INDUSTRY STANDARDS: S-100 IEEE 696 • RS 232, HDLC, SDLC, Async, Sync • CP/M*** TURBODOS**** • 8" soft sectored diskettes • ANSI X3/B5/15 Tape Cartridge

*Micro Business Software, Inc. • ** Trademark of Micropro Int. Corp., San Rafael, CA • *** Registered Trademark of Digital Research • **** Software 2000, Inc.

www.americanradiohistory.com

**Photo 1:** Five 80-column video-interface boards for the Apple II computer. The photos are Full-View 80 (1a), Omnivision (1b), Smarterm (1c), Sup'R'Terminal (1d), and Videoterm (1e). Features vary, but most users will need a video monitor to appreciate the full quality of the displays produced.




All the boards store the character-dot tables in a readonly memory (ROM). Full-View 80, Sup'R'Terminal, and Videoterm allow an alternate character set to be selected from another ROM or from programmable memory. The alternate character set can be used for foreign languages or for special graphics characters. This is an important feature when special character fonts are needed for word processing or a programming language such as APL.

# Compatibility

In selecting a video board, software compatibility must be considered, particularly if you plan to use the board Most dealers can demonstrate the operation of programs with the video board. If a dealer is reluctant to demonstrate a particular program running with a given video board, beware; there may be a problem with that combination. Program-compatibility problems are usually the result of two conditions: difference in display size and difference in control functions. For example, HOME, VTAB (vertical tab), and INVERSE (black on white) commands are not supported by all the boards. None of the boards

are not supported by all the boards. None of the boards reviewed here supports the Flash Mode of the standard Apple II video display. All offer some support for Pascal. When the system is initially loaded, the Pascal-lan-


guage system examines interface-slot 3 for a peripheral card. If an interface card is present, the Pascal system attempts to use that interface as its console device. The video boards, therefore, must be placed in slot 3 to be used with Pascal. All the boards support the Z80-based Microsoft Softcard and Digital Research's CP/M. Again, the board must be in slot 3 to be used. **Photo 2:** Sample video displays of the five 80-column video-interface boards. Photos 2a through 2e correspond to the 80-column boards in photo 1.



When you shop for a video board, you must consider two areas of hardware compatibility. The first is how the video signal fed to the monitor is switched between the video board and the Apple II's normal display output. The second is how uppercase and lowercase characters are entered from the keyboard.

Full-View 80, Smarterm, and Videoterm support either a manual video-signal switch or a software video-signal switch. The software switch, however, requires modification of the existing software because the BASIC commands TEXT, GR, and HGR are not compatible with it. A similar problem is encountered with the Pascal Turtlegraphics unit. The boards can, of course, be used with two video displays. If this is done, both monitors can display information at the same time. If color graphics or simultaneous high-resolution graphics and 24 by 80 text displays are desired, then two monitors must be used, and video switching is not a problem.

The Apple II keyboard is a teletypewriter-compatible keyboard, but it does not generate all of the American Standard Code for Information Interchange (ASCII) character codes. In particular, the lowercase alphabetic characters and certain special characters, such as  $\{, \}$ , and [, cannot be generated. The video boards use a control character, such as ESC A (two keystrokes, the



ESCAPE key followed by an A key) or CTRL-A (one keystroke, CONTROL-A), to indicate that the subsequent character is uppercase. Two consecutive control characters toggle the keyboard into a shift-lock mode.

Such conventions for shifting usually make those control characters unavailable for use by a program. All five boards support a hardware modification to the Apple II computer (which invalidates the warranty) that involves connecting the shift-key switch and the game-paddle connector, pin 4. When this modification is performed, the shift key can be used as with a standard typewriter.

# TEK MICROPROCESSOR DEVELOPMENT WORKSHOPS



In a 5-day workshop, you'll follow a microprocessor application from software development through PROM programming on the Tektronix 8550 Microcomputer Development Lab.

If you work with editors and assemblers or compilers on a minicomputer or mainframe computer, or you've used a development system for microcomputers, you're already qualified to learn how the 8550 MDL supports the design process.

For schedules and class registration for the Development System in the Design Process Workshop in your area, call Customer Training collect at (503) 642-8951.

Microcomputer Development Labs



# At a Glance

Name Omnivision

Use 80-column video-display interface for the Apple II or Apple II Plus

#### Manufacturer

The Computer Stop 16919 Hawthorne Blvd. Lawndale, CA 90260 (213) 371-4010

Price \$295

#### Features

Character appearance: 5 by 7 dot matrix; inverse video; character generator in programmable memory

#### Software

Software on disk, compatible with Integer and Applesoft BASIC. Apple Pascal, and the Microsoft Softcard; Apple cursor editing; supports Pascal type-ahead buffer

#### Hardware


Motorola 6845 LSI circuit; light-pen input port; consumes 3 watts

### Omnivision

Computer Stop's Omnivision supersedes an earlier board known as Doublevision. The Omnivision board is, however, completely software compatible with the Doublevision. Omnivision is an 80-character video-display board and the only board reviewed here that does not have its software in ROM. The software drivers are supplied on 5¼-inch floppy disks, one for the standard Apple disk operating system (DOS) and the other for the Pascal-language system. (The Pascal language driver is provided for an additional \$25.) This means that a diskbased computer is required for use of Omnivision. Because the software is loaded into user-programmable memory, rather than ROM, it can be changed easily.

Omnivision supports a lowercase mode in which the ESC key is used to indicate that the next character is capitalized. The sequence ESC ESC enters the shift-lock mode. A hardware shift-key modification, where a wire is soldered to the Apple II's shift key at one end and attached to the Omnivision card at the other, is supported. In addition, Omnivision supports the Microsoft Softcard.

Characters are formed from 5 by 7 dot matrices without lowercase descenders. Neither a software-controlled video-signal switch nor a manual switch is provided. Complete program listings are provided in the documentation, which consists of a 60-page manual.



# TEK MICROPROCESSOR DEVELOPMENT WORKSHOPS



If you're just getting into microprocessor software design and debugging, this 5-day workshop is just your program.

You'll cover the development system's role in code design, assembling, debugging, software execution on hardware, and PROM programming

If all this sounds new to you, it won't after you get a week of

hands-on experience in the basics of software design and debugging. For schedules and class registration for the Software Design and Debugging Workshop in your area, call Customer Training collect at (503) 642-8951.



# At a Glance

#### Name Full-View 80

Full-View 80

Use 80-column video-display interface for the Apple II or Apple II Plus

#### Manufacturer

Bit 3 Computer Corporation 8120 Penn Ave. S. Minneapolis, MN 55431 (612) 881-6955

Price \$379

#### Features

Character appearance: 5 by 7, 7 by 9, or 8 by 10 dot matrix, lowercase descenders; inverse video; character generator in EPROM; supports alternate character set in EPROM (option: \$47); graphics

#### Software

Software in ROM, compatible with Integer and Applesoft BASIC. Apple Pascal, and the Microsoft Softcard; Apple cursor editing; supports Pascal type-ahead buffer

#### Hardware

Synertek 6545 LSI circuit; light-pen input port; consumes 2.5 watts

# Full-View 80

Full-View 80 from Bit 3 Computer Corp. has onboard control software, the latest version being revision 1.2. Software switching of the video signal is supported.

Characters can be formed from 5 by 7, 7 by 9, or 5 by 9 dot matrices (within an 8 by 10 dot framework); however, the 7 by 9 format requires a higher-quality monitor. An optional erasable programmable read-only memory (EPROM) adapter that allows the user to define customcharacter fonts is available for \$47. Full-View 80's display fully supports the Pascal-language system and the Microsoft Softcard when used in slot 3. Pascal keypress and type-ahead functions also are supported.

Full-View 80 supports the hardware shift-key modification. Without the keyboard modification, in the lowercase mode a CTRL-A is used to indicate that the next character is uppercase, while the sequence CTRL-A CTRL-A locks the keyboard in uppercase.

Full-View 80 has escape codes for entering certain frequently used commands such as HOME, CATALOG, LOAD, and RUN with two keystrokes. A stick-on legend for these codes is provided for the keyboard. Full-View 80 has a light-pen input, but a light-pen option is not offered at this time. Also, a 60-Hz nonmaskable-interrupt source is available. This can be used to provide a clock in software. Full-View 80's screen memory can be read by programs. The documentation consists of a 37-page manual; no source code is given.

ic 1981 Tektronik, Eric. A Lrights reserved: 106

The Grappler[™] is the most ntelligent Apple interface avail-ble. Simple commands from the eyboard or user program, are all ou need to dump screen graph-cs to your printer. The Grappler's xclusive EPROM chip makes igh resolution graphics that asy. There are Grappler ve-ions to accommodate the nadex, Epson Series,* IDS aper Tigers, Centronics 739, EC 8023, C. Itoh Pro-writer, kidata 82A,* Malibu 200, and ture graphic printers. uture graphic printers.

equires Graphics Upgrade.

TUNE

OW

CM

8

GRAPPLER" AND EPS

ACTUAL APPLE II PRI



3150 E. La Palma, Suite G, Anaheim, CA 92806

# (800) 854 8275 TOLL FREE (714) 630 3322 CA; AK; HI.

www.americanradiohistory.com


Grappler's features include:

- Graphica Screen Dump
- Inverse Graphics
   Emphasized Graphics
   Double Size Picture
- 90° Rotation

- Center Graphics
   Chart Recorder Mode
   Block Graphics
   Bell Control

- Skip-over-Perf
  Left and Right Margins
  Variable Line Length
- Text Screen Dump.

The Grappler[™] works with Pascal and CPM.



# Smarterm

Advanced Logic Systems' Smarterm board has EPROM-based control software and supports software switching of the screen between video sources. Smarterm generates characters formed from 5 by 7 dot matrices with no lowercase descenders. When used in slot 3, Smarterm supports the Pascal system and the Microsoft Softcard. Keypress and type-ahead are also maintained under Pascal.

Smarterm supports the hardware shift-key modification. Without the shift-key modification, CTRL-A capitalizes the next character when the keyboard is in the lowercase mode. CTRL-Z engages the shift-lock mode, where the keyboard will remain until CTRL-A is entered.

Smarterm has a medium-resolution graphics mode (160 elements horizontal by 72 elements vertical). (Basically, each normal character field is divided into three rows and two columns.) Smarterm can clear the screen, set the screen to black or white, plot points, draw lines, or draw a graphics character at the current cursor position. The documentation consists of a 47-page manual; no source code is given. Smarterm is now distributed by Apple Computer Inc.

# Sup'R'Terminal

The Sup'R'Terminal board from M & R Enterprises has EPROM-based control software and generates characters formed from 5 by 8 dot matrices with true lowercase descenders. Sup'R'Terminal's font tables are stored in programmable memory, rather than ROM, so they can be

# At a Glance

# Name

Sup'R'Terminal

### Use

80-column video-display interface for the Apple II or Apple II Plus

### Manufacturer

M & R Enterprises Suite E, 285 Sobrante Sunnyvale, CA 94086 (408) 738-3772

# Price

s 375

### Features

Character appearance: 5 by 8 dot matrix. lowercase descenders: inverse video; character generator in programmable memory; supports up to ten alternate character sets; graphics

#### Software

Software in ROM, compatible with Integer and Applesoft BASIC. Apple Pascal, and the Microsoft Softcard; Apple cursor editing; supports Pascal type-ahead buffer

Hardware


Motorola 6845 LSI circuit; consumes 4.5 watts

# MORE COMPUTER POWER MINIMUM REAL ESTATE

ard Disk cp/m*

> NOW! All ALSPA computers come standard with a CORVUS** hard disk interface. In less than 5 minutes you'll be up and running. In the space of a standard 8 inch drive, ALSPA computers have three RS-232, one parallel, and one hard disk port; 8 inch drives; and run CP/M software. Optional clock/calendar. ALSPA performance starts at \$1995, list.

DEALER/DISTRIBUTOR INQUIRIES INVITED





300

Alspa Computer, Inc.

AVEY WEST BEV D., SANTA CRUZ, CA 95060 • (408) 429-6000 magement of Digital Research, INC. Is strademack of CORVUS SYSTEMS. Inc.


ACI-2

 $\bigcirc$ 

ACI-1

CORVUS SYSTEMS

www.americanradiohistory.com



# **RM-MS 1686** *32-BIT GDP *REMOTE RF DATA LINK & BUS

***INTERFACE PROCESSOR *ADA™** PROGRAMMING *32K ROM *256K RAM OBJECTS *10MB HARD DISK 1.2MB FLOPPY ***VIDEO COLOR DOT BY DOT *OBJECT ORIENTED** *250 USER CAPACITY *16MB RAM AREA

μM 32/272

*16-BIT PROCESSOR

*128K RAM AREA

*32K ROM

*EDDIE-86 OPERATING SYS.

***DISK DRIVE & VIDEO INTERFACE** 

*BUILT-IN MODEM 1200 BAUD

***FOUR LANGUAGE LINKING** 

*IMB RAM OPERATING AREA

***COMPUTING LINK FOR POCKET** 

**RETAIL \$3,795.00** 

***THIRTY USER CAPACITY** 

UNITS AND MAINFRAME

Route #6; P.O. Box 105, Lebanon, Tennessee 37087

ADA is a trademark of U.S. Dept. of Defense (ADA Joint Program Office)

**RETAIL \$934.95** 

***HUMAN INTERFACE TERMINAL** 

**PRC-851** 

***REMOTE PERIPHERAL CONTROL** 

*BUILT-IN MODEM 1200 BAUD

***8-BIT PROCESSOR** 

*16K RAM AREA

POCKET SIZED

*8K ROM

***REMOTE RF DATA LINK** *BASIC COMPILER

***SOFTWARE MODULES** 

***ONE USER CAPACITY** 

*UP TO 64K ROM AREA

Sup'R'Terminal does not support software switching of the video display between the Apple II and its video sources. A manual video switch is not included. Sup'R'Terminal has a special video-balance circuit adjustment that improves the appearance of characters on lowresolution monitors. This circuit tends to correct the difference in intensity between vertical and horizontal lines in a character.

When used in slot 3, Sup'R'Terminal supports the Pascal system and the Microsoft Softcard. M & R Enterprises supplies the source code to provide keypress and type-ahead support for the Pascal system.

Sup'R'Terminal supports the hardware shift-key modification. Without the shift-key modification, CTRL-A capitalizes the next character when the keyboard is in lowercase mode. CTRL-A CTRL-A causes the keyboard to enter a shift-lock mode.

Sup'R'Terminal attaches to the Apple II computer in two places. The main board is inserted into a peripheral slot, while a second, smaller board, which is connected to Sup'R'Terminal by a four-wire cable, is inserted in integrated-circuit location C2. (The C2 integrated circuit must be removed from the Apple motherboard and plugged into the small board.) The documentation con-

# **RETAIL \$24,145.00**

# Look What Apparat has for your IBM Personal Computer.



The following add-ons are available immediately:

- 2 Dual Headed 40 Track Drives (appears as four) 640K of storage, software patch, easy internal mount. \$630.00
- Combo Card Parallel printer, ASYNC communication (RS-232), and clock calendar functions, uses only one slot. \$279.00
   2 Single Headed 40 Track Drives – 320K of
- 2 Single Headed 40 Track Drives 320K of disk storage, easy internal mount. \$450.00
   48K additional RAM - 27 chips plug into master PC board \$75.00
- * Add-on Memory Card (uses 64K dynamic RAM chips), 64K – \$425.00, 128K – \$525.00, 192K – \$625.00, 256K – \$725.00 • Prom Blaster – Programs most 1K to 4K
- Prom Blaster Programs most 1K to 4K EPROMS of 25XX and 27XX single or multivoltage, personality modules, read/write

software. \$149.00 • Apparat Game Diskette -\$24.95

- Clock Calendar Features seconds, minutes, hours, day of week, date, month and year, backup battery, leap year and crystal time base. \$129.00
- backup battery, leap year and crystal time base. \$129.00 • Prototype Card – 3.5 by 8 inch wirewrap holds 150-14 pin dips. \$29.95 • RGB Color Monitors – Includes cable, 16
- RQB Color Monitors Includes cable, 16 color modifications, NEC – \$1,095.00, AMDEK – \$899.00, TECO – \$699.00,
   3rd and 4th Add-on Drives – Expansion
- Srd and 4th Add-on Drives Expansion cabinet and IBM compatible drives, cabinet and 1 drive – \$499.00, two drives – \$749.00
- 64K Hardware Print-Spooler Parallel printer adapter, buffers 13 minutes of output at 80 characters/second, \$399.00.
- EPSON MX Printers MX-80 (with dot

eddresable graphics) -\$499.00, MX-80 F/T - \$575.00, MX-100 -\$775.00 • Verbatim Datailfe Diskettes - (5-1/4" 40 track, box of 10) \$24.95

• 16K Memory Kits (9 chips) -\$25.00

- 5-1/4" Flip-Sort -- \$21.95
- 5-1/4" Plastic Library Case \$1.95

Apparat will continue to develop add-on products for your IBM Personal Computer. Call today for more information. Dealer inquiries welcome.

# (303) 741-1778

IBM Personal Computer is a trademark of IBM.



VISA

"ON GOING SUPPORT FOR MICROCOMPUTERS"

Circle 22 on inquiry card.

www.americanradiohistory.com

sists of a 29-page manual that does not contain the firmware source code but does have many sample BASIC and Pascal programs. One interesting BASIC program converts control codes for Apple II Applesoft programs to the control codes required by Sup'R'Terminal.

# Videoterm

Videx's Videoterm board supports software switching of the video display as a \$35 option; in addition, a manual video switch is available for \$19. The board has a light-pen input and supports an optional alternate character-generator EPROM (\$39) of which several are available. (A special half-intensity character generator gave particularly good results on several monitors during my tests.) Characters are generated from a 7 by 9 dot matrix, and lowercase letters have true descenders.

When used in slot 3, Videoterm is compatible with the Pascal system and the Microsoft Softcard. Without the Videx Enhancer II (which, among other things, modifies the Apple keyboard to allow the shift key to work), CTRL-A is used to toggle between the lowercase and uppercase modes. If the video-switching option is installed, the standard single-wire shift-key modification to the Apple keyboard allows Videoterm to recognize both uppercase and lowercase letters via the shift key.

The documentation consists of a 141-page manual that includes firmware source code, many programming examples, and schematics of the board.

# Conclusions

Which board should you buy? Unfortunately, the decision is not an easy one because no board outshines the others when all features are considered. I recommend that you have the entire package you intend to use demonstrated, including the display board, monitor, software, and other peripherals. Failure to consider all the components as a unit could lead to additional expenditures for a monitor and software updates. The newer boards (i.e., Full-View 80 and Smarterm) feature software-controlled video-source switching. This feature offers greater user convenience because multiple monitors or manual switches are not required. Having to flip a switch, and not knowing when, can be a source of confusion for the novice. Videoterm's half-intensity charactergenerator EPROM offered one of the most legible character sets of all the boards tested. The final choice, of course, is yours. You will be most successful if you have your retailer demonstrate the entire system.

# More Apple 80-Column Boards

Gregg Williams Senior Editor

Two new Apple 80-column boards have recently been introduced. Here's a brief look at both of them.

### Vision-80

Vista's Vision-80 board for the Apple (originally designed in Australia) is a very refined 80-column board. In fact, I've seen the Videoterm, Omnivision, Vision-80, Full-View 80, and Wizard-80 boards, and I'm most impressed with the Vision-80 because of the many things it does. Its two most interesting features are the retention of standard Apple commands associated with manipulating the 40-column Apple II text window and its ability to be used as an intelligent terminal.

First, the prosaic stuff. Vision-80 (see photo 1a, page 268) supports most Apple peripherals, including the Apple Pascal card and the Microsoft Softcard. Vision-80 must be placed in Apple slot number 3. Its software is in erasable programmable read-only memory (EPROM), although the source code for it is not given in the documentation. It supports a shift-key modification that allows the Apple keyboard to produce both uppercase and

lowercase letters, but there is no provision for toggling between uppercase or lowercase if the shift-key modification is not made. The video monitor connected to the Vision-80 can display the 80-column screen or the standard 40-column text and low-resolution or high-resolution graphics screens under software control. The characters are formed in a large 9 by 10 grid (see photo 1b).

One of the problems with all of the 80-column boards *except* Vision-80 is that they do not respond properly to many of the text-screen manipulation commands common to many Applesoft and Integer BASIC programs. This means, for example, that when you use 80-column video board X with a given program, you may have to go into that program and replace, say, all occurrences of the HOME command with PRINT CHR\$(25) because that is what board X recognizes as a command to clear the text screen and home the video cursor. Vision-80 does not respond to *all* text-screen manipulation commands used by the Apple, but it does respond to far more than any other board. The commands it responds to include HOME, TEXT, GR, HGR, HGR2, POKEs to the text-window

# The UniFLEX™ Operating System extracts

# from the 8 bit 6809 microprocessor allowing it to outperform many 16 bit systems

With the UniFLEX™ Operating System, the 8 bit 6809 microprocessor can perform as well as larger CPUs in a multiuser, multi-tasking environment.

Independently developed from the ground up, UniFLEXTM closely models the features found in the UNIXTM Operating System. And in two years of use, UniFLEXTM has proven the abilities of the 6809 to perform large system functions when incorporated into a properly designed mainframe.

Some of the features supported include:

- full multi-user, multi-tasking capabilities
- hierarchical file systems
- device independent I/O
- four Gigabyte disk capacities
- full file protection
- inter-task communication via pipes
- I/O redirection
- task swapping for efficient memory usage
- full random-access files
- comprehensive shell command language
- foreground-background jobs
- electronic mail and printer spooling
- system accounting facilities

The support software currently available for use under UniFLEX™ is extensive. A sampling of the programs available includes:

 native C compiler (full implementation)

6809

- native Pascal compiler
- FORTRAN 77 ANSI Subset compiler
- COBOL compiler with ISAM files, Report Writer & Sort/Merge
- Extended BASIC interpreter
- Extended BASIC precompiler
- text editing and processing software
- enhanced printer spooler
- variety of absolute and relocatable assemblers
- debug and diagnostic packages

Technical Systems Consultants, Inc. also offers a line of single user FLEX™ software products for 6800 and 6809 processors. For those having an absolute need for a 16 bit processor, UniFLEX™ will be available through OEM licensing arrangements for the 68000 microprocessor. Please call or write for additional information on individual products or OEM licensing arrangements.

UNIX[™] is a trademark of Bell Laboratories. FLEX[™] and UniFLEX[™] are trademarks of Technical Systems Consultants, Inc.



111 Providence Road Chapel Hill, North Carolina 27514 (919) 493-1451




Send today for our NEW full-color 56-page catalog with continuous checks, statements, invoices, stationery, envelopes, supplies and accessories. We will also send our FORMS SELECTOR GUIDE, to help you find the right forms for your software.

- Quality products at low prices
- Available in small quantities
- Fast Service
- Money-Back Guarantee
- Convenient TOLL-FREE ordering

Fast Service by mail or. . .PHONE TOLL FREE 1 + 800-225-9550 Mass. residents 1 + 800-922-8560 8:30 a.m. to 5:00 p.m. Eastern Time Monday — Friday

Please rush	a new computer forms catalog to:	
NAME		
COMPANY		
STREET		
UTILET .		
CITY. STATE	E and ZIP	
PHONE		
Hardware a	and Software being used.	
NEWS	Nohe	CODE 22460
	INCUS,	
	Nebs	rorms
	compater	
	78 Hollis Street, Groton, Mas	
	A division of New England Bu	siness Service. Inc.

Photo 1: The Vision-80 board (1a) and video display (1b).



1b

# VISION-80


# !"#\$78'()#+,-./0123456789:;<=>? EABCDEFGHIJKLMNOPQRSTUVWXYZ[\]+_ `abcdefghijklwnoporstuvwxyz{!}*6

values in memory locations 32 through 35, ESCAPE SHIFT-P (same as HOME), ESCAPE E or CHR\$(29) (clear to end-of-line), ESCAPE F or CHR\$(11) (clear to end-of-page), TAB, HTAB, VTAB, INVERSE, NORMAL, the cursor movement and copying keys (right-arrow, leftarrow, ESCAPE A through ESCAPE D, and ESCAPE followed by I, J, K, or M), and CONTROL-S for stopping output to the video screen. In addition, you can switch between text and graphics screens under software control and you have a choice of six cursors (cursor shape can be either a block or an underline and it can be slow, fast, or no blink, a total of six combinations).

An interesting feature of the card is that it can be used with an acoustic modem and either the Apple Communications Card or the California Computer Systems Serial Card to make an intelligent terminal that can operate at data rates of up to 1800 bits per second. With a 48K-byte disk-based Apple, all available memory (about 33K bytes) can be used as a text buffer to store incoming data. Within the "communication option" (as it's called), the board can communicate with the disk operating system (DOS), which allows the saving and transmitting of files. If the remote computer is another Apple II with a Vision-80 board, your Apple can control itself and the remote Apple-potentially a powerful feature. The only thing bad that can be said about this feature is that it is not an option on the board. I'm sure it adds to the board's \$395 price tag, and you may not want to pay for it if you do not need communications capabilities or if you already have them (e.g., in a Hayes Micromodem, which is incompatible with Vision-80).

# -C is better than ever.

Whitesmiths, Ltd. is now shipping Release 2.1 of our highly acclaimed C Compilers for ten different operating system families on four architectures:



'Available in source form only.

ldris is a trademark of Whitesmiths, Ltd. 
UNIX is a trademark of Bell Laboratories CP/M is a trademark of Digital Research RSX-11M, RSTS/E, RT-11, LS1-11, VAX, and VMS are trademarks of Digital Equipment Corporation VERSAdos is a trademark of Motorola Inc.

We've added optimizations, sped up runtime routines, and (ahem) fixed all known bugs. The portable C library is more extensive than ever, with new math functions, pattern matching routines, and support for Ada-style exception handling. And it's easier than ever to interface to new environments.

Native compilers are only \$750, including shipping in the continental U.S. Cross compilers, for most combinations of host system and target machine, are \$1350. A Pascal Compiler may be included for an additional \$200. Old customers may upgrade for just half of the new price. And maintenance is now only 25% of the license fee per year.


Now's the time to write or call.

Distributors: Australia, Fawnray Pty Ltd. P.O.B. 224 Hurstville NSW 2220 570-6100 Japan, Advance Industries, Chiyoda-ku, Tokyo 03-258-0839 United Kingdom, Real Time Systems, Newcastle upon Tyne 0632 733131



P.O. Box 1132 Ansonia Station New York, N.Y. 10023 (212) 799-1200 Telex 645 592

Photo 2: The Wizard-80 board (2a) and video display (2b).



2b

# HIZARD-80

# !*#\$X&'()X+,-./0123456789:;<=>? @ABCDEFGHIJKLMNOPQRSTUVWXYZE\]t_ 'abcdefghijklmnopqrstuvwxyz{!}*}

# TELEPHONE VOICE RESPONSE The V100 interactive voice synthesizer

with telephone interface is an Apple II® or IBM Personal Computer® compatible, low-cost, solution to remote data base access arrangements.

# \$**395**00

- Direct telephone connection, auto-dial/answer
- Touch-tone® generation and detection
- Includes 1000 word, LPC allophone vocabulary
- Software for sentence/library construction
- Expandable with 300 (\$150) or 1300 (\$495) high quality LPC words

VYNET CORPORATION 2405 Qume Dr., San Jose, CA 95131 (408) 942-1037



# Wizard-80

Wesper Micro Systems' Wizard-80 board is an adequate 80-column board, but it has a few problems and lacks any outstanding characteristics that would distinguish it from many other Apple 80-column boards. One nice feature is the "medium-resolution" style of blackand-white pixel graphics that the board offers. Each character can be divided horizontally into three square pixels, giving a resolution of 72 rows of 80 pixels each. However, the Smarterm offers the same kind of graphics, but with higher resolution: 72 by 160.

The prosaic stuff is as follows. Wizard-80 (see photo 2a) supports most Apple peripherals, including Apple Pascal and the Microsoft Softcard; to work with them, the card should be placed in Apple slot number 3. Its software is in EPROM, and the source code is provided in the documentation (along with a schematic of the board). The board allows shifting between uppercase and lowercase letters with a CONTROL-A, but it has no provision for working from the shift key. There is no provision for mechanically or electrically switching the 40- and 80-column displays to the same monitor. Characters are formed in a 7 by 9 grid (see photo 2b), and the board can display either 18 or 24 lines of 80 characters each; the 18-line mode is a good feature that often makes text more readable.

Wizard-80 has some interesting features, including the medium-resolution graphics I mentioned and a set of 16 geometric characters that can be used to draw lines, corners, and grids (e.g., to draw the outline of a sheet of paper). It allows inverse video and some of the textscreen manipulation commands used in Applesoft and In-

# At a Glance

Name Vision-80

Use 80-column video-display interface for the Apple II or Apple Plus

#### Manufacturer

Vista Computer Company 1317 East Edinger Santa Ana. CA 92705 (714) 953-0523

S 375

#### Features

Character appearance: 9 by 10 dot matrix; inverse video; character generator in EPROM

#### Software

Software in EPROM, compatible with Integer and Applesoft BASIC. Microsoft Softcard, and Apple Pascal; supports Apple cursor editing and most Apple screen-manipulation commands

#### Hardware

Hitach1 HD46505 LSI circuit

At a Glance
Name Wizard-80
Use 80-column video-display interface for the Apple II or Apple II Plus
Manufacturer Wesper Micro Systems 14321 New Myford Rd. Tustin, CA 92680 [714] 730-6250
Price \$295
Features Character appearance: 7 by 9 dot matrix; inverse video; character generator in EPROM
Software Software in EPROM, compatible with Integer and Applesoft BASIC, Microsoft Softcard, and Apple Pascal
Hardware Uses Hitachi HD46505 LSI circuit

teger BASIC programs, including ESCAPE SHIFT-P (to clear the screen and home the cursor); ESCAPE E and ESCAPE F (or CHR\$(29) and CHR\$(11)) to clear to endof-line and end-of-screen, respectively; CONTROL-S to stop video output; right-arrow, left-arrow; and ESCAPE A through ESCAPE D to control the cursor. One feature not found on some other 80-column boards is a goto-xy control code that lets you position the cursor anywhere on the screen under program control.

Two program bugs were found in the Wizard-80 board. The first is that the board does not respond to one

of the two codes that are supposed to move the cursor up. The board responds to ESCAPE D (as does the unaugmented Apple II), but it doesn't respond to CONTROL-SHIFT-O (as stated in the manual). The second bug occurs when you SAVE or DELETE a command to the disk—the board does not go to the following line to receive your next command but, rather, receives it on the same line. Although the Apple does not malfunction because of this, it is a bug that is definitely there. (The board was tested on two different revisions of the Apple II to verify the validity of these bugs.)

The most serious flaw of the Wizard-80 is too many poor design decisions related to human interaction with the keyboard (which, after all, is the major way that you interact with your Apple). Of the 16 geometric shapes available from the board, four are not available from an unmodified Apple keyboard (although they are available if your Apple has one of several "extender" boards that add features to the keyboard); these shapes are available only through program control (e.g., through the CHR\$ function in BASIC).

Another problem is the cursor control keys. It is to Wesper Micro Systems' credit that the board responds to the standard Apple ESCAPE A through ESCAPE D keys (each a two-keystroke sequence), but the more convenient ESCAPE followed by I, J, K, or M method was not implemented (the four letters form a diamond shape that indicates the direction of cursor movement). Wesper did implement control keys to do cursor movement, but chose CONTROL-SHIFT-O for cursor-up, CONTROL-U for cursor-right, CONTROL-J for cursor-down, and CONTROL-H for cursor-left. If you look at the relative layout of those keys on the keyboard, you'll see that they bear no relation to the cursor-movement direction. I believe that here, as in several other places, the designer was more concerned with making the board easy to implement than with making it easy to use.

# Industrial marketing problems?

Regardless of what marketplace you are staking out, its position or size, we can help you draw a precise circle around it.

Why? Because as the leading business/technical/professional publishing company, we probably already know your market and can apply our expertise to your research needs.

Give us a call. Phone Ann Graham-Hannon at 212-997-6401 or write her as Director, Marketing Research, McGraw-Hill Research, 1221 Avenue of the Americas, New York, NY 10020. Call McGraw·Hill Research

Graw Hill

If it's a marketing research problem, we probably ploneered the solution.

# WE'RE STIL

# **STANDARD**

 64K internal memory. 

 Up to 1.5 Megabytes of dual disk storage – easily expandable to 10 Megabytes.
 Twin RS-232 serial ports.
 A CP/M† disk operating system.
 Two 4 MHZ Z80A Processors for faster response.
 A Full 80 x 24 line display on a 12-inch non-glare screen.

NIETEC DATA SYSTEME

# **SUPERBRAIN**

It used to be that buying a microcomputer was a simple task. There were only two or three manufacturers offering them and comparing prices and specifications was easy to do. Today, Intertec is no longer one of a handful of microcomputer vendors trying to attract your attention, but... we think we're still the best. And for a good reason.

Consider pricing. Our customers tell us we're still the price/performance leader in single-user and multi-user microcomputer systems. Ask around. Most folks (and even some manufacturers) will concede that point. What a lot of people

# THE BEST!

# **FEATURES**

True multi-user capability – network
up to 255 users. • Up to 1.5 Million bytes of
local, off-line user storage. • Four models of user
workstations available. • 64K Internal memory in each
workstation. • A CP/M† operating system.
10 - 384 Megabytes of auxiliary disk storage.

# **COMPUSTAR**[™]

2. NIERIEC DAIA SYSTEMS

replace it for you! And we'll even provide a reimbursement allowance to cover your cost of returning the system to us.

Go ahead. Review the pricing and performance specifications of *all* the microcomputers available today. We think you'll agree with us. . . ours are *still* the best! If you want uncompromised performance, competitive pricing, sophisticated expandable products and just plain peace-of-mind, you'll want Intertec.

Ask your dealer about Intertec's SuperBrain and CompuStar microcomputer systems. Or, call or write us at the

address below and get more information on today's best values in single and multi-user microcomputer systems.



# More Maze Building

A Pascal program to generate mazes efficiently on a printer.

A maze may look incredibly complex, yet it must satisfy just three simple conditions. The maze must have only one starting point and one ending point. All points in the maze must be accessible from the starting point. And there must be only one path from the start to the finish. (For a discussion of the theory behind maze building, see "How to Build a Maze," by David Matuszek, in the (December 1981 BYTE, page 190.)

This article presents a complete program, written in Pascal, to generate mazes on a printer. The program is efficient in terms of speed and memory requirements and may readily be modified to create different kinds of traditional random mazes.

To understand the program, we must first examine traditional mazes with a view toward the efficient storage of a maze within a computer. Each maze is a certain number of "cells" wide and high. A standard cell has four sides and looks like this:

+-	-+
1	1
+-	-+

Because the top and left sides of each cell are the bottom and right sides of some other cell, we consider only the bottom and right sides for our purposes here. We then consider each cell as a matrix position in matrix M. Since we are concerned with only two sides, only four different combinations of open/closed sets of cell sides are possible:

2223 North ( Arlington,	~	
	_	

**Thomas Edward Neldner** 

+		+	+ .		+	+.	. +	+	+
					1				1
+		+	+		+	+-	-+	+	+
	1			2		3	\$	4	

The dots indicate "don't care" sides of the cell.

These are the four possible combinations of openings a cell can have and are thus the four possible values a cell can achieve. We are also going to define a fifth value, that of zero or "no value." Such a cell is in a pristine or "frontier" state—it has yet to be touched by the program.

# To Create a Maze

First, a starting position must be created. Since both the start and stop position are immaterial, this merely amounts to printing the word START and a line of "--+" with one opening.

The program in listing 1 starts at an arbitrary position in the maze: the upper left cell. Note that this is not the upper left cell of the matrix; it is rather the M[1,1] cell, assuming subscripts of zero are allowed. M[0,0] would be the actual upper left cell, but this is part of the boundary described later. The program then tests the cells around it, searching for frontier cells. Since there are four directions out of any cell, there are 24 or 16 possible combinations of directions available, which may or may not open onto a frontier cell. The two special conditions are: it is not possible for all neighboring cells to be

frontier (we had to get to this cell somehow, thus making the previous cell nonfrontier); and if it is not possible to go in any direction, the path we were creating has come to a dead end—we are stuck.

The first of the nested CASE statements in listing 1 takes one of the 14 remaining possible combinations of directions (it picks randomly) and goes in that direction, making the cell it is moving into nonfrontier. And so the program winds its way through the matrix, "cutting" a path through the frontier cells as it does so. Sooner or later that path will curl up on itself, reaching a point where there are no frontier cells surrounding it.

When this happens, that cell is vacated, and the program goes back to the arbitrary starting cell (the upper left) and once again tests for frontier cells surrounding it. If there is one, the program once again takes off, blazing a trail through the frontier until it curls up and cannot continue. Once again, the system returns to the upper left cell and tests for frontier cells surrounding it. This can happen only a maximum of twice for the upper left cell; after that the program is stuck indeed.

So the program moves one cell to the right of the upper left cell and starts all over again, testing for frontier cells around it. Once again, this can happen only twice, and thus the program continues until it reaches the right-hand end of the line. Note that this is the only case where the pro-



# NO RISK* MAIL ORDER DISCOUNTS * Call

At Consumer Computers we're experts in the business of selling computer products by mail. We have become one of the leaders not only because our prices are better, but because of the reputation we've worked hard to earn. Over the years we have learned what you, the customer, want and need from a mail order company. If we offer any merchandise that you're in the market for, you should seriously compare what we have to offer over the others. Here are just a few of the reasons.

Our helpful salespeople are prepared to meet any currently advertised price on anything we sell (call for details...It's Toll Free!). We pay shipping and insurance charges on prepaid cash orders (with destinations in the continental US). We accept major credit cards for your convenience. If the product you receive is defective, even up to 30 days after you purchase it, we'll repair or replace it and pay for shipping back to you. Consumer Computers carefully selects

Consumer Computers carefully selects the hardware and software it offers to insure that quality is maintained in everything we sell. Our attention to quality is why we can stand behind our policy, because we stand behind our products.

You'll never regret becoming a member of our growing customer family. You have our word.



Listing 1: The maze-builder program, written in UCSD Pascal.

```
{$G+}
{2/28/80}
PROGRAM MAZE;
LABEL 190,210,500;
CONST H = 10; W = 23;
VAR Q,Z,A,B,I,J,X:INTEGER;
    M:ARRAY [0..11,0..24] OF INTEGER;
    SEED:REAL;
PROCEDURE L150; BEGIN
   M[I,J]:=M[I,J]-1; J:=J+1; M[I,J]:=4; Q:=0; END;
PROCEDURE L380; BEGIN
   J:=J-1; M[I,J]:=3; Q:=0; END;
PROCEDURE L420; BEGIN
   M[I,J]:=M[I,J]-2; I:=I+1; M[I,J]:=4; Q:=0; END;
PROCEDURE L470; BEGIN
   I:=I-1; M[I,J]:=2; Q:=0; END;
PROCEDURE ONCEWITHSTYLE; BEGIN
   WRITE ('+');
   FOR J:=1 TO W DO
      IF J=X THEN WRITE (' +')
             ELSE WRITE ('--+');
   WRITELN; END;
FUNCTION FNA(X:INTEGER):INTEGER;
BEGIN
   SEED:=SEED*27.36947+31.8723423;
   SEED:=SEED-TRUNC(SEED);
   FNA:=TRUNC(SEED*X)+1;END;
PROCEDURE GETRAND;
BEGIN:
   WRITE ('Please input a number -- any number:');
   READ(SEED); SEED:=ABS(SEED);
      REPEAT SEED:=SEED*13 UNTIL SEED>1:
      REPEAT SEED:=SEED/17 UNTIL SEED<1;
   END;
{INITIALIZATION}
BEGIN; GETRAND;
FOR I:=1 TO H DO FOR J:=1 TO W DO M[I,J]:=0;
FOR I:=0 TO W+1 DO BEGIN
   M[0,I]:=1; M[H+1,I]:=1; END;
FOR I:=0 TO H+1 DO BEGIN
   M[I,0]:=1; M[I,W+1]:=1; END;
   X := FNA(W-2) + 1;
   FOR I:=X-1 DOWNTO 1 DO WRITE ('
                                      1);
   WRITELN ('START');
   ONCEWITHSTYLE;
I:=1; J:=1; A:=1; B:=1; Q:=0; M[I,J]:=4;
{MAIN LOOP}
```

# NEC PC-8000 SYSTEM

"The end of the compromise.

The end of the	compromise.
PC-8001A	CPU/32K \$745
PC-8012A	I/Ó - 32K \$490
PC-8023A	100 CPS Printer:
	Friction, Tractor, Graphics \$485
PC-8031A	Dual Disk \$745
JB-1201M(A)	12" Green \$159
JC-1202DH(A)	13" RGB Color \$830
PC-8091A	RGB Cable \$19
PC-CPM	CP/M DOS FOR NEC \$119
PC-GA	Gen. Accounting \$245
PC-AR	Acct. Receivable\$245
PC-INV	Inventory Control \$245
PC-JC	Job Cost \$245
PC-WP	Word Processor \$350
PC-RM	3-D Report Mgr \$139
PC-32K	32K Card \$155
PC-SER	RS-232 Card \$199

### PRODUCTS FOR APPLE

AP-16



AP-128	128K Ram Floppy \$700
AP-B1	Bison Drive W/3.3 \$475
AP-B2	Bison Drive Add-On \$365
AP-K6	Konan 6MB Hard Disk \$2265
AP-111	Konan 11 MB Hard Disk\$2750
AP-K11	Konan 16MB Hard Disk \$2970
AP-PAR	Parallel Printer Card \$72

# PRODUCTS FOR IBM

IB-B2	Bison Drive-1 Side \$275
IB-B3	Bison Drive-2 Side \$465
IB-A64	AST 64K Card \$375
IB-A128	AST 128K Card \$530
IB-A192	AST 192K Card \$710
IB-A256	AST 256K Card \$815
1B-A2S	AST Dual Serial \$235






# ACS8000-14S/MTU

- 208K, 4 USER, Z80A
- .5M Floppy
- 40MB Winchester
- 17MB Tape Cartridge Backup Nationwide Service

List .\$15,500 BISON ...... \$12,400 AL-40M



# **VIDEO MONITORS**

V-AC1	Amdek Color I \$310
V-ACII	Amdek Color II - Apple \$Call
V-A300G	Amdek 300 Green \$150
V-Z12G	Zenith 12" Green \$115
V-J13	JCS 13" RGB \$625
V-J12G	JCS 12" Green \$166





P-MX80	Epson MX100 \$405
P-MX80F/T	Epson MX-80 F/T \$515
P-MX100	Epson MX-100 \$685
P-OK82	Okidata 82A \$468
P-OK83	Okidata 84, Serial \$1125
P-PC8023A	NEC PC-8023A \$485
P-PRO	C. ITOH Prowriter, 120 CPS \$485
P-PRO II	C. ITOH Prowriter II \$Call
P-F10	C. ITOH 40 CPS Daisywheel \$1395
AP-PAR	Parallel Int/Cable/Apple \$72

Micro	Pro SOFTWARE
MP-WS8 MP-WSA MP-MM8 MP-SS8 MP-SS8 MP-SS8 MP-SR8 MP-SR8 MP-SR8 MP-SI18 MP-CS8 Many additic similar disco	Word Star, 8"       \$250         Word Star, Apple       \$192         Mail Merge, 8"       \$77         Mail Merge, Apple       \$63         Spell Star, 8"       \$127         Spell Star, 8"       \$127         Super Sort, Apple       \$135         Super Sort, 8"       \$127         Super Sort, 8"       \$129         mal software packages are available at ints       \$149
DISKDR	
D-S801R D-QDT8 D-T81 D-T82	Shugart 801R         \$390           Qume DT-8         \$495           Tandon Thinline 8", SS         \$390           Tandon Thinline 8", DS         \$485
• RS-232 to T	
256K BYT WORD D	AMIC MEMORY Extended DMA Multi-Layer Tranty
	List\$1245 BISON\$975
<ul> <li>Intermix R.</li> <li>New Super</li> </ul>	IEMORY 64K ressing er Power CMOS M and EPROM
SYSTEMS • 24 Line Add • 200NS, Lov • Intermix R. • New Super S-ST64 8086 SUPER MICRO SC-SYS2 Sys	IEMORY 64K ressing er Power CMOS M and EPROM Jow Price List\$594 BISON\$440 • 8 MHZ 8086 S-100 SET • 128K 70NS Static RAM • DD Disk Controller • 22 Slot Mainframe • Cable for 2 8" Drives • MS-DOS (86-DOS) • Add Drives and Terminal! tem 2 List\$4185 BISON\$3450 1086 2 BRD Set w/DOS
SYSTEMS • 24 Line Add • 200NS, Low • Intermix R. • New Super S-ST64 8086 SUPER MICRO SC-SYS2 Sys SC-2/3 List QT S-100 Floppy D • +8V@ 25A • +5V@ 25A • Keyed Pow • Shielded M • Rugged Ca • 9%" x 17" y	IEMORY 64K ressing er Power CMOS Wand EPROM ow Price List\$594 BISON\$440 • 8 MHZ 8086 S-100 SET • 128K 70NS Static RAM • DD Disk Controller • 22 Slot Mainframe • Cable for 2 8" Drives • MS-DOS (86-DOS) • Add Drives and Terminal! tem 2 List\$4185 BISON\$3450 1086 2 BRD Set w/DOS \$795 BISON\$595 & 8" rive Mainframe = 16V(w 5A S-100 Power /-5V(w .5A/ + 24 V(w 3A Drive Power er Switch therboard

QT S-100 & 5¼"
<b>Floppy Mainfra</b>
<ul> <li>Similar to 8" Mainfr</li> </ul>

 Power for 5¼" D • 7" x 17" x 20" (H • 7" x 17" x 20" (H


QT-5MF6

QT-5MF8

inframe		
Mainframe	C 100	
" Drives		
"(HxWxD)		
"(HxWxD)	-	
	rive\$3	
8 Slot. 2-5¼" D	rive\$3'	75

(D)		E					2	2	2	-	-
(D)		-	-		1						
2-5¼"	Drive										\$35
2-5¼"	Drive										\$3'

QT-5MF12	12 Slot, 2-5¼" Drive \$400
DRIVE C.	ABINETS
H-BT8	BISON 2 Dr, Vert, 8", Thinline \$245
H-QT8	QT 1 Drive, 8" Vertical \$215
H-QT8-2	QT 2 Dr, Horizontal, 8" \$305



Just the system for the <u>dealer</u> or <u>OEM</u> who wants to make it big in the business market. The versatility and expandability of the CompuStar network lets you answer your clients' needs today and tomorrow. And our low price lets you offer a package they can afford to buy and you can afford to sell.

If networking is new to you, TriStar will give you a proper introduction. We've got software for CompuStar, including accounts payable, payroll, accounts receivable, word processing and database management. Plus we'll help you with your own software development, systems configuration, communications, hardware service, training, installation and any other needs that might pop up.

Because we're experts in networking and support, Intertec® (the manufacturer of CompuStar) has chosen us to distribute this incredible, expandable business system.

For more information on CompuStar and other Intertec products, call (609) 424-4700.



190: X := 0;IF M[I, J-1] <>0 THEN X:=X+8; IF M[I-1, J] <>0 THEN X := X+4; IF  $M[I+1,J] \ll 0$  THEN X:=X+2; IF M[I, J+1] <>0 THEN X := X+1; CASE X OF 1:CASE FNA(3) OF 1:L380; 2:L420; 3:L470; END; 2:CASE FNA(3) OF 1:L150: 2:L380; 3:L470; END; 3:CASE FNA(2) OF 1:L380; 2:L470; END; 4:CASE FNA(3) OF 1:L150; 2:L380; 3:L420; END; 5:CASE FNA(2) OF 1:L380; 2:L420; END; 6:CASE FNA(2) OF 1:L150: 2:L380; END; 7:L380; 8:CASE FNA(3) OF 1:L150; 2:L420; 3:L470; END; 9:CASE FNA(2) OF 1:L420; 2:L470; END; 10:CASE FNA(2) OF 1:L150; 2:L470 END; 11:L470; 12:CASE FNA(2) OF 1:L150; 2:L420; END; 13:L420; 14:L150;

Listing 1 continued:

# 9alaxy of Feacures

A GALAXY of features makes the LNW80 a remarkable computer. As you explore the LNW80, you will find the most complete, powerful, ready to run, feature-packed personal and business computer ever made into one compact solid unit.



**MODEL I COMPATIBILITY** – The **LNW80** is fully hardware and software compatible with the Model I. Select from a universe of hardware accessories and software – from VisiCalc[®] to space games, your **LNW80** will launch you into a new world of computing.

FULLY LOADED – A full payload includes an on-board single and double density disk controller for 5 ¼" and 8" single or double sided disk drives. RS232C communications port, cassette and parallel printer interfaces are standard features and ready to go. All memory is fully installed – 48K RAM, 16K graphics RAM and 12K ROM complete with Microsoft **BASIC**. **OUALITY CONSTRUCTION** – Instrumentation quality construction sets **LNW80** computers apart from all the rest. Integrated into the sleek solid steel case of the **LNW80** is a professional 74-key expanded keyboard that includes a twelve key numeric keypad.

HIGH RESOLUTION GRAPHICS & COLOR – The stunning 480 × 192 resolution gives you total display control – in color or black and white, The choice of display formats is yours; 80, 64, 40 and 32 columns by 24 or 16 lines in any combination of eight colors.

**PERFORMANCE** – Lift-off with a 4MHz Z80A CPU for twice the performance. The **LNW80** outperforms all computers in its class.



Our down to earth price won't send you into orbit

Research Corp. 2620 WALNUT Tustin, CA, 92680 (714) 641-8850 (714) 544-5844

Monitor and Disk drives notfincluded TM Personal Software, Inc.

Circle 239 on inquiry card.

```
15:GOTO 210;
END; {OF UPPER-CASE STATEMENT}
GOTO 190;
210: IF B<>W THEN B:=B+Q ELSE
   BEGIN WRITE ('!');
      FOR J:=1 TO W DO IF (M[A,J]=2) OR (M[A,J]=4) THEN WRITE ('
                                                                      11)
                                                                       ');
                                                      ELSE WRITE ('
      WRITELN:
      IF A=H THEN GOTO 500 ELSE
         BEGIN WRITE ('+');
            FOR J:=1 TO W DO IF M[A, J] > 2 THEN WRITE ('--+')
                                           ELSE WRITE (' +');
      WRITELN; B:=1; A:=A+1; END
      END;
I:=A; J:=B; Q:=1; GOTO 190;
500: X := FNA(W-2) + 1; M[H,X] := M[H,X] - 2; ONCEWITHSTYLE;
     FOR I:=X-1 DOWNTO 1 DO WRITE ('
                                         '); WRITELN ('STOP');
END.
```

gram will intentionally enter a nonfrontier cell.

Now the program has finished the first line of the maze. It is no longer possible for any more work to be done to this line because there are no longer any frontier cells surrounding any cell on the line. So the system prints the top line.

Now the system moves to the leftmost cell of the second line of the maze and does exactly the same thing over again for this new line. And so the program continues, left to right, top to bottom, creating and printing the maze.

When the program has completed

the maze-but before it has printed the last line-it is time to make the exit. The program randomly picks a spot on the last line of the maze and blows a hole through the bottom of the maze pattern, thus creating the stop point. The last line is printed, then the STOP message, and you have a maze with only one solution. See listings 2a and 2b on page 282 for a sample maze and its matrix.

# Additional Comments

The program makes a boundary by setting the outer rows and columns of the matrix to 1, making them nonfrontier. This method wastes the

outer limits of the matrix and decreases the size of the maze but is much faster than any kind of numeric subscript out-of-bounds checking since the program logic treats these outermost nonfrontier cells as offlimits territory. Therefore it won't go beyond them and cause a subscript error. Note that this requires a maze of 10 by 10 to actually be stored in a 12 by 12 matrix. Naturally, the percentage of memory required as overhead to store these outermost values goes down rapidly as the size of the maze increases, so this method becomes highly efficient with very large mazes.



# **New! TI LCD Programmer.** Hexadecimal and Octal Calculator/Converter. The brand new tilt-top TI LCD Programmer can save you hours of work. It was designed specifically for the problems you do, and has features that make it ideally suited for applications in computer programming, debugging, repair and digital logic design.

- Performs arithmetic in any of three number bases OCT, DEC, HEX.
- · integer, two's complement arithmetic in OCT and HEX.
- One^Ts complement capability in OCT and HEX.
   Converts numbers between OCT, DEC and HEX.

- Fifteen sets of parentheses available at each of four processing levels. Logical functions AND, OR, EXCLUSIVE OR and SHIFT operate bit by bit on OCT or HEX numbers.

Unisource Electronics has committed to buy TI's initial production of this unique product. Availability is limited! Order now.



# Color output for \$1995...and less.

The Prism color printers from Integral Data Systems give you great

color hard copy for less than you'd pay for most other quality colorless matrix printers.

The fully optioned 132 column Prism Printer turns complex data into colorful, communicative information that you can

really use. Practical information that can help you develop ideas, make decisions and effectively communicate with others. Detailed inventory data, lengthy sales analyses and financial models can now be displayed more clearly and precisely than ever before with colorful text, charts and graphs.

# And color is just part of the Prism Printer story.

cravola is a trademark of

Text quality print at up to 150 cps,

Binney & Smith Co., Inc

with proportional spacing and automatic text justification make the Prism Printer ideal for all your correspon-



dence requirements. A new cut sheet feeder automatically positions an 8½" x 11" sheet for quick, hassle-free loading, while a software selectable Sprint Mode lets you fly through data at over 200 cps. And if your requirement is for

only an 80 column printer, or if you simply don't need some of the performance features mentioned, other configurations of the Prism Printer are available for even less.

How much less? Contact your local dealer to find out. Call toll free (800) 258-1386 (New Hampshire, Alaska and Hawaii, call (603) 673-9100) for your dealer's name. He'll color your output affordable . . . at just \$1995. And less.

# Affordable color. Now. Meet the ▲ Prism Printer[™] from Integral Data Systems

Integral Data Systems, Inc. A Whole New Spectrum of Imaging Ideas Milford, NH 03055 Telex: 953032

				57	ART	•																
+-	-+-	-+-	-+-	-+	+-	-+-	+-	-+-	-+-	-+-	-+-	-+-	-+-	-+-	-+-	-+-	+-	-+-	-+-			+-
1		1									ł					1			1			
+		+-		-+	+	+	+	+-	-+-	-+-		+-	-+	+	+	+	+	+	+	+	· +	-1-
1	ł			1	1	1	-						1	1	1		1	1	1		1	1
+	-+	+-	-+-	+	+	+	+	+-		+-	-+-	-+-	+	+-	-+-	+-	+	+	+-		+	+
1			1		8	ł			1		ł		1				1			ł		-
+	+-	·-+	+-	-+-	-+-	-+	+	+	+		• +	+-	-+-	- +	-+	-	+	+	+	+ +	+-	+
		1				1	1	1			1					1	1	1		ł		1
+	+-	+	+	-+-	-+	+	+-	-+		-+	-	-+-	-+	-1-	+		-	+	+-		+-	+
1					1	1		1		1			1		ł			1			1	1
+		+	-+-	-+-	+	+-	+	+	+	+-	-+-	-+-	+-	-+-	-+	+		!	+	-++	- +	+
ł	1			1				1	1	1			ł	ł		-	1				1	1
+	+-	+	+	+-		-+	+	+	+	+-	• ••• •	+	+	-••-	+-	-+-	-+	+-	-+-		+	- -
1	1		1		1				- 1			1		1				1				
-1-	+	+-	-+-	-+	+	+-	+	+		-+	+-	-+-	-+-	-+-	-+-		+-	-+	+~		+-	+
1	1	1			1		1			1						-		ł			1	
+-	-+	+	+-	-+-		-+	+	+-	-+	+-	+-	+-	-+	+	+	+-	-+	+-			-	<b></b>
1		ł	-		1		1		1		1			1	1	1		1		1	1	1
+	+-	-+	+	+	- -	+-	+ -	-+	+	+	+-		+-		-+	- -	+	-+-	-+	+ +		-+-
1		1				1			1	1			1			1				1		1
+-	-+-	-+-	-+-	-+-		-+-	+-	-+-	· - + -	-+-	-+-	-+	-+-	-+-	-+-		-+	-+-		-++	+-	+
						51	"OP															

**Listing 2b:** The contents of matrix M, the internal representation of the maze in listing 2a. Note the outer border of all 1s. This keeps the algorithm from skipping beyond the matrix boundaries.

1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	1	2	З	З	1	1	1	1	З	З	4	1	З	1	1	2	1	1	2	1	4	1	2	1
1	2	З	З	2	2	2	2	1	З	1	З	4	2	2	4	З	2	2	2	З	З	4	2	1
1	З	3	2	З	4	4	2	1	2	З	4	1	4	З	З	2	2	2	1	2	1	З	4	1
1	1	4	З	3	З	2	2	4	1	З	2	З	З	2	1	4	다	2	2	З	4	1	2	1
1	1	.1	З	З	2	2	З	2	1	2	З	З	2	З	4	1	1	4	З	З	4	2	2	1
1	2	4	1	2	З	4	1	2	2	2	З	2	2	2	1	4	4	1	З	З	З	4	2	1
1	2	1	4	З	2	1	4	2	2	З	1	4	З	4	3	З	1	4	1	З	З	З	4	1
1	4	2	1	З	4	З	2	2	З	2	3	1	4	1	1	2	З	2	З	З	З	2	2	1
1	1	4	2	1	2	1	4	З	2	1	2	4	1	4	4	2	1	4	З	2	1	4	2	1
1	З	4	З	4	З	4	1	З	4	4	З	З	4	З	3	4	З	З	З	4	З	З	4	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

# Why wait?

# Announcing the mbp COBOL Compiler



# for CP/M-86*... available now.



- Recently, 16-bit microcomputers have been the big news. And here's more news just as big: the mbp COBOL Compiler for 16-bit systems. Not a 'sometime-in-the-future' product, it's here <u>now</u> —we're already delivering.
- For commercial and administrative applications, COBOL has long been recognized as <u>the</u> language. It's standardized and maintained like no other language—witness its popularity on mainframes for the last twenty years. Now, as 16-bit micros grow in popularity, so will COBOL. How can it miss? For business micro users, it opens up a whole range of benefits that previously only mainframe and mini users enjoyed. For application software developers, it's a completely new market—for dealers, too.
- The mbp COBOL Compiler's fine features include: meets ANSI 74 Standard (low intermediate), certification applied for • real executable machine code—run-time efficient, memory efficient • useproven reliability • user-friendly (example: over 500 error messages) • maximum portability protects software investments.
- And it's available <u>now</u> for CP/M-86, iRMX-86*, and ISIS*; available soon for OASIS-16* and MS-DOS*.
- Who is mbp? We're a worldwide company with more than twenty-five years of system software experience — more than twelve in custom COBOL Compiler installations for mainframes and minis. Now, this vast experience is also available to micro users. Take advantage of it—send the coupon or call today and start getting mainframe capabilities from your CP/M-86 micro. Why wait?

SOFTWARE, AND SOFTWARE, AND SYSTEMS TECHNOLOGY INC. 7700 Edgewater Drive, Suite 626 B Oakland, California 94621 Phone 415/632-1555
<ul> <li>mbp COBOL is what I've been waiting for. Please send me today:</li> <li>Special introductory offer</li> <li>mbp COBOL for CP/M-86 at single copy special introductory price of \$990. (User's Manual included. Offer expires June 30, 1982 when retail price will become \$1400.)</li> <li>mbp COBOL User's Manual only, \$95.</li> <li>Complete mbp COBOL information.</li> <li>Please have a representative contact me with information about OEM and distributor arrangements.</li> </ul>
Name Title Company Street (na PO Box numbers)
CityStateZip Check enclosed VISA UPS C.O.D. Mastercharge (Add \$3 for shipping. California residents odd sales tax.) Card NumberExp. date Signature
Hardware required: 96K memory, hard disk, 8-inch floppy. *CP/M-86 is a Digital Research trademark; iRMX-86 and ISIS are Intel TMs; OASIS-16 is a Phase One Systems, Inc. TM; MS-DOS is a Microsoft, Inc. TM. See us at COMDEX Booth 1467

Q is a Boolean variable that is also used as an arithmetic argument. The value of Q decides whether we advance to the next cell of a line (Q = 1) or not (Q = 0).

The program is very simple. Since it requires only integer arithmetic and uses a maximum integer value of 15, it is a rather trivial task to convert to machine language. Since each maze cell can attain only five values, this means that on a 60K-byte computer, assuming 4K bytes are used for program and operating system, and assuming each byte is broken into two cells, a maze

 $\sqrt{(60000 \times 2)}$  or 340

cells square is possible. Since a 132-column printer can print only 43 cells across, this means a 2500 by 43 maze can be created. Assuming 66 lines per page, a maze almost 80 pages long is possible.

The algorithm is fast. There is almost no delay between successive lines of the maze on my line printer



Circle 465 on inquiry card.

past the first few (I use a Horizon computer at 4 MHz with an Anadex printer).

# **Possible Enhancements**

One side effect of the algorithm is that the maze is almost always easier to solve by traveling from bottom to top. This makes sense when you realize that there are more possible pathways for the maze maker when the maze is "young" than when it is "older" (farther down, or more complete). Pathways created will generally be longer near the top of the maze and will have more possible paths diverging from them. A nifty solution to this problem is to duplicate the same algorithm in reverse, starting from the bottom right cell and moving from right to left, bottom to top. However, if the program figures out one line at the top, then one line at the bottom, alternating, the maze will be impossible to solve since the two separate pathways will never intersect. To fix this problem, randomly pick one place where the two pathways run side by side and cut a wall to connect them at that point. Naturally the correct solution of the maze will run through that hole.

Another option to make the mazes more difficult is to weigh the randomnumber generator in favor of paths that extend vertically—at least for the first several thousand decisions (this is assuming the maze is higher than it is wide, which will normally be the case). Other "derandomizing" operations on the random-number generator output can create beautiful and eye-catching patterns, not to mention some eye-strainers.

After each line of the maze is printed, the corresponding matrix row is never used again. It is possible at that time to shift the entire matrix up one row. The first line disappears, the second becomes the first, the third line becomes the second, and so on through the end of the matrix. Be careful to set the last line to frontier status. The program then becomes capable of making *infinite* length mazes having only a single solution. Implementation of this feature is left to the motivated reader. ■

# **Yes.** I want to turn my microcomputer into a powerful information and communications system. Send me your free Information Kit.

# **No.** Thanks anyway, I'm already on-line with THE SOURCE.SM

call toll free 1-800-323-1718.

.

SCH. THE R

16-page color brochure. Complete listing of 1200 programs.

If you are not one of the more than 11,000 microcomputer, data terminal or communicating word processor owners who already subscribe to The Source, send in this coupon

or call us toll-free. We will send you our free Information Kit that describes the over 1200 programs and services now available from The Source. You'll see how easy it is to turn your microcomputer into a powerful information and communications system.

With The Source, you get hundreds of useful services for the home or for helping you run

your business more profitably. You can get current stock prices, make airline reservations, find a good restaurant, barter goods and services, get up-to-the-minute sports and news from UPI. You can communicate instantly through electronic mail with branch offices and field representatives subscribing to The Source; you can create your own business programs, on either a simple or sophisticated level.

In addition to all this, you also have access to hundreds of easy-to-use data bases, electronic games, informative and educational

bree than 11,000<br/>or communi-<br/>s who already<br/>d in this couponprograms (including lessons in geometry and<br/>spelling, foreign language drills and math<br/>reviews), and a unique shop-at-home service<br/>that lets you buy over 30,000 brand nameFor free Information Kititems at discount prices.<br/>You can do all of this

You can do all of this easily and inexpensively with a local phone call in more than 350 cities across the country, and at a one-time subscription fee of only \$100.00 and usage costs as low as \$4.25/hour.

If you'd like to get the most out of your personal computer or data terminal, call our tollfree number or send for your free kit today.

You have nothing to lose and a world of information to gain.

Mail to:

Source Telecomputing Corporation, Dept. (22M) 1616 Anderson Road, McLean, VA. 22102.

State

Name	
------	--

Company_ Address

.....

_ ._ .



).



Zio

The Source is a servicemark of Source Telecomputing Corporation, a subsidiary of The Reader's Digest Association, Inc.

# **Hardware Review**

# Colne Robotics Armdroid The Small-Systems Robot

Steven W. Leininger 5402 Summit Ridge Trail Arlington, TX 76017

If you think you've explored all the possible hardware options for your small-computer system and are looking for some excitement, you might be interested in Armdroid, a new computer-controlled robot arm. The bright orange mechanical arm is available from Colne Robotics in kit or assembled form, complete with power supply and interface electronics. The kit form, besides being less expensive, "enables the person assembling the device to understand the principles of the robot," according to the manufacturer. The robot can be used for a variety of experimental and educational applications. It has 6 degrees of motion and a lift capacity of 10 ounces. I received both a kit and an assembled Armdroid for my evaluation, along with a "preliminary" manual.

## Mechanical Description

The Armdroid has five major mechanical components: the base, the shoulder, the upper arm, the forearm, and the wrist and hand assembly. Each section is connected to its neighbor by a pivoting or rotating joint. The stationary base sits on the tabletop and provides support for the rest of the arm. The base, which also serves as the enclosure for the stepper-motor-drive electronics, contains the motor which rotates the arm about a vertical axis through the base.

### About the Author

Steven W. Leininger was the design engineer for the original Radio Shack TRS-80 Model I microcomputer. He is now an independent computer consultant.

# At a Glance

Name Armdroid

Use Robotic arm

Manufacturer Colne Robotics 207 NE 33rd St. Fort Lauderdale, FL 33334

#### Dimensions

At shoulder: 18 by 18 by 29 cm (7 by 7 by 11.5 in) Shoulder pivot height: 25 cm (10 in) Arm length at maximum extension from shoulder pivot to finger tip: 48 cm (19 in)

### Price Kit: \$595

Assembled: \$695

### Features

6 degrees of motion; menu-driven control software; 10-ounce load capacity

#### Additional Hardware Needed

TRS-80 Model I Level II (other microcomputers will be supported in the future)


### Additional Software Needed Learn, an interactive menu-driven control program (included)

Hardware Option Zero-position sense switches

#### Documentation Construction and Operation Manual, 87 pages

Audlence

Experimenters, students, and professionals interested in robotics



## 5-10-20 Megabytes in an add-on hard disk for:

IBM Personal Computer • Xerox 820 Apple • SuperBrain • Heath-Zenith TRS-80 Models II & III

Targa, a truly high performance design, whether by Porsche or by CMC. Targa hard disk system, a significant extension to the storage capacity of your microcomputer, at an unheard of price/performance ratio. Suggested list for 5 mb:


only \$2895.

- Targa 5 6.38 Mbytes unformatted, 5 MB formatted, 5 MB formatted. Upgradeable to 10 MB
  Targa 10 12.8 Mbytes unformatted, 10 MB formatted, 10 MB formatted. Upgradeable to 20 MB formatted.
- Targa 20 matted 20 Mbytes formatted, 25.6 MB unformatted


Our Targa Winchester-type, hard disk drives are offered in desk-top dimensions of  $15'' \times 51/4'' \times 131/2''$ . It comes complete with cables, software and interface. Call or write for complete specifications and/or the dealer nearest you. Dealer inquiries invited. Circle 77 on inquiry card.

A Division of Computer Marketing Corporation 11058 Main • Suite 220 • Bellevue, WA 98004 • Phone (206) 453-9777 • Telex: 152556 SEATAC Call Toll-Free 1-800-426-2963

www.americanradiohistory.com



**Photo 1:** The Armdroid kit's many parts. The cost of the six stepper motors (at the top of the photo) is offset by the relatively inexpensive stamped-steel chassis and structural parts. The power supply and interface electronics are not shown.



**Photo 2:** The shoulder contains five of the six stepper motors. Reduction gears are used to increase the force applied via the drive cables.

The shoulder rotates on the main bearing, a fairly heavy-duty ball-bearing assembly at the top of the base. Five stepper motors and associated reduction gears and drive belts are mounted on the shoulder and provide motion control to the arm, wrist, and hand.

The upper arm connects to the shoulder with a horizontal pivot and is rotated on that pivot by one of the stepper motors in the shoulder. If you move the upper arm vertically, the hand is raised and brought closer to the base. Cable-driving gears transmit motion to the forearm and the hand and wrist assembly; these are mounted in the shoulder end of the upper arm.

The forearm fastens to the upper arm with a horizontal pivot and is rotated about that point with one of the motors in the shoulder. The primary response to pivoting the forearm is the raising or lowering of the hand with respect to the tabletop.

The hand and wrist assembly attaches to the end of the forearm with a combination horizontal pivot and bevel gear assembly. The operator uses two motors in the shoulder to either rotate the hand about the pivot (an upand-down motion) or twist the hand about its axis. The remaining motor in the shoulder opens and closes the hand's three rubber-tipped metal fingers.

You can move any section independently without affecting the orientation of the other sections because of the Armdroid's parallelogram-type construction. This independence of control permits the angle of the hand to remain constant with respect to the workbench while the rest of the arm is manipulated to position the hand in the desired location.

#### **Interface Electronics**

The Armdroid I tested came with an I/O (input/output) adapter for the Radio Shack TRS-80 Model I. This adapter, a nonlatched parallel port, plugs into the expansion port on the TRS-80. A cable from the adapter plugs into the base of the Armdroid.

Colne Robotics has mounted two printed-circuit cards within the base of the Armdroid: the interface board and the motor-drive board. The interface board accepts signals from the TRS-80, conditions them, and converts them to pulses of the duration and shape suitable for controlling the arm's motors. The motor-drive board amplifies the signals to provide the voltage and current levels required to drive the motors' coils.

You can set the Armdroid's internal electronics for external computer control or operation via manual switches by making the selection on the two printed-circuit boards inside the Armdroid's base.

#### Building the Kit

Being a disciple of Erector Set and Heathkit, I had no fears about venturing out into the frontiers of robot kit building. To get a feel for the scope of the project, I laid all the parts out and familiarized myself with the construction section of the manual.

The manual I received was a preliminary version. The entire mechanical assembly instructions were on just six pages! Undaunted, I forged ahead. About halfway through the first paragraph, I was instructed to glue magnets onto some of the gears. Apparently, the magnets are optional (at least they weren't included in the kit), but no mention was made of that fact. The system uses the magnets and their respective reed switches to sense the home position of the gears.

The instructions rambled on, sometimes with several steps in a sentence. The manual specified part numbers (usually) but didn't refer to the drawing numbers.

I knew the next part was going to be tricky because the instructions said that an assistant would be helpful. The task at hand was to assemble a dual-race ball-bearing assembly from scratch. Using refrigerated petroleum jelly

# A Good-Buy Present.

### Z-80A™ CPU, Floppy Disk Controller, 64K of Memory, Serial & Parallel I/O Ports ... all on a SINGLE S-100 BOARD!

Your business computer market has problems—expensive, power-nungry machines that are hard to expand and even harder to service. Advanced Micro Digital Corporation has the solution-SUPER/quad, a TRULY single Sidoo board computer that will seem like a dream to skeptical seem like a dream to skeptical technicians and selesmen—not to mention your customers, SUFT Riqued is less expensive, less difficult to service and expand and requires less power than traditional four board S-100 systems; yet it contains all their popular features;

- IEEE S-100 Standard
- Z-80ATMCPU
- 64K Bank Select Memory
- Both 8" or 51/4" Floppy Disk Controller (WD 1793 chip)
- 2 Serial & 2 Parallel I/O Ports
- · Real Time Clock Interrupts
- 2K Monitor EPROM
- Extended Addressing
- Runs with CP/M[™], MP/M[™] and CP/NET[™] and Turbodos[™]
- One Year Warranty

Advanced Micro Digital Corporation is dedicated to the research and development of S-100 computer technology. The maintenance of superb quality in our product line is our priority.

111111

Now you can say "Good-Bye!" to all your old S-100 boards without giving up convenience and configurability, because now its all on a single S-100 computer board







r more information sublishigung write of gall:

CRACE Grove The Stigle E Garden Grove CARRAN (71.6) (71.6) (71.4004 - TELEX - 5 /8401 - 100 - 1 Bildie 9 on Indiality said.

www.americanradiohistory.com



**Photo 3:** The controlling circuitry is contained on two printedcircuit boards. The motor-drive board (left) and the microprocessor interface board (right) are easy to assemble and connect directly to a TRS-80 Model I (versions for the Commodore PET, the Apple II, and the Sinclair ZX81 are planned).



**Photo 4:** A mechanical assistant can speed the assembly of the arm.

as per the instructions, I greased the bearing track and imbedded 24 ball bearings in the goo. After carefully inserting the base-support column into the bearing and turning the assembly upright, I attempted to repeat the job on the upper bearing track.

Darn. While tightening the adjusting ring, three balls hopped out of the lower bearing and huddled in a mound of petroleum jelly. Back to the beginning; twice more the same thing happened. Arrgh!! Finally, success! But wait, why was the shoulder pan rubbing on the shoulder-drive gear? And, wasn't that ball-bearing assembly just a little bit off parallel? At this point, I decided to cheat and look at the factory-assembled Armdroid. It appeared that the bearing-support column was too short. I described my problem to the gentlemen at Colne Robotics over the phone and was told that I probably had the bearing ring—an almost but not quite symmetrical part—on upside down.

I tried it again: I disassembled the bearing, inverted the bearing ring, and carefully placed the steel balls in the petroleum-jelly-coated track (I'm pretty good at this by now). Continuing as before, I installed the adjusting ring and beheld a smoothly operating shoulder bearing.

The instructions continued: put this motor here, put these gears there, and see the drawing. Well, I looked at the drawing. (The drawings are good up to a point, but they lack fine detail or close-ups in some areas.) I cheated a couple more times by looking at the assembled arm to verify my understanding of the drawings and text.

Assembly continued on the upper arm and forearm. The wrist posed no major problems. Then disaster struck! The fingers are held together with a large number of "circlips" (split rings that fit around the outside of a shaft). The circlips allow you to slide a rod through a hole, then prevent the rod from sliding back again. A special pair of circlip pliers is an absolute necessity to proceed beyond this point. I tried to make do with what I had (needle-nose pliers, screwdrivers, etc.) and realized I definitely needed the proper tools. It would have been nice if the appropriate pliers came in the kit or were at least available as an option.

The final assembly of the hand progressed easily after I purchased the circlip pliers. The instructions said to connect the arm assembly to the shoulder and base assembly. The cable threading came next. In the helpful hints section, the instructions said that this operation is greatly simplified by threading the arm before attaching it to the shoulder. So I started over again.

The actual cable threading progressed well, except for a clearance problem on one of the wrist cables. After checking the preassembled arm, I decided that cable clearance in the wrist is an assembly problem that Colne Robotics had experienced and corrected but had not updated in the manual. Ten minutes later, the offending cable had been restrung and worked smoothly.

The two printed-circuit boards went together just about as well as one would expect. No part numbers or reference designators were silk-screened on the boards, so I had to rely on the drawings in the manual for parts placement. Mounting the interface and motor-driver printed-circuit boards into the base of the Armdroid and connecting the stepper-motor wires to the driver board completed the assembly operation.

#### Using the Armdroid

A machine-language cassette for the TRS-80 Model I Level II microcomputer comes with the Armdroid. The menu-driven program, named Learn, allows you to familiarize yourself with the operation of the robot arm and to create, modify, and save motion sequences.

The manual suggests reading through the software description quickly and proceeding to the "Introductory Demonstration Sequence" section, which tells you to load Learn and enter the learn mode by typing an "L".

# Introducing the METROTECH Viewdata Option




All you need to extend your \$100 **Business Computer to bring you** the last word in Viewdata Systems, plus the internationally acclaimed Prestel.⁽¹⁾

**METROTEL** – in one flexible package it offers all you need for creating, running and editing the most advanced of inhouse viewdata systems - with all the advantages of linking up with the Prestel world-wide videotex service.

#### METROTEL- a new type of information service for general business use.

Simple to use, METROTEL brings to the S100 computer a complete viewdata system. Timely information can be displayed in full colour on many remote monitors, and with METROTEL's sophisticated editing facilities, eyecatching screens can be rapidly created.

Ideal for setting up private systems for use in hotels, conference centres, shopping centres or any public area - or anywhere you require 'in your home' or 'in your office' notice board facilities.



KEY TO CONTINUE

#### **VIDEOTEX NOW** The Prestel World Service

METROTEL places the world at your fingertips via the PRESTEL World Service. Through PRESTEL, world-wide videotex information banks are now available in the United States at the touch of a button - including -

WORLD-WIDE COMMODITIES' PRICES, INTERNATIONAL MESSAGING, BUSINESS NEWS, WORLD NEWS, TELESHOPPING, TRAVELAND RESERVATIONS, INTERNATIONAL NEWSLETTERS, ETC. METROTEL was designed and implemented in England, the birthplace of PRESTEL, and is fully compatible with the PRESTEL system. The PRESTEL World Service offers a low monthly charge and pay-as-you-use billing, and, with METROTEL you can have it on your computer...NOW.

#### For further information on PRESTEL, contact: Logica 212/599-0828, 666, Third Avenue, New York, NY 10017

To obtain your METROTEL system, 'phone METROTECH in England on Uxbridge (City Code 895) 57780 or telex us on 935302. Better (and cheaper) still, find your nearest METROTEL owner and send us an immediate message via PRESTEL Number 01937 9861.

Circle 118 on Inquiry card.



WATERLOO ROAD UXBRIDGE MIDDLESEX UB8 2YW ENGLAND Tel: 0895 57780 Telex: 935302


(T) Prestel is the trademark of British Telecom

# INTRODUCING ASO

#### The master printer interface at a very low cost

For the first time ever a truly affordable Apple interface offers all the most sophisticated text and graphics capabilities on Epson®, Okidata[®], Centronics[®], and IDS[®] printers. With the easy to use PKASO Interface, you simply slip it into your Apple Computer,® attach the cable to your printer, and enjoy all these features:

· Broadest range of text printing using your software · HiRes graphics with up to 40 creative options . LoRes and HalfTone graphics in 16 levels of gray • SuperRes plotting with up to 2160 x 960 points per page • User created or software defined characters and symbols . Full text and graphics dump of absolutely any screen image.



Gray scale printing

Apple /// compatibility

At Interactive Structures we've built our reputation on innovation, quality and service, and we're doing it again with the new PKASO series. The PKASO Interface will bring out the best in your Apple Computer, your data printer and your program. It will perform with all popular languages such as BASIC and ASSEMBLER. It will print both text and graphics with PASCAL. And it's the first and only Apple interface to offer all this plus support for the Apple Z-80 CP/M System and for full Apple /// operation.

Don't settle for less. And don't pay more. Call us now for the name of the PKASO dealer near you. Circle 210 on inquiry card.



Interactive Structures, Inc. 112 Bala Avenue P.O. Box 404 Bala Cynwyd, PA 19004 (215) 667-1713

a registered trade name of upon d trade name of Okidata Corpo de name of Centronics Data Co




Photo 5: The hand and wrist assembly has three fingers. The fingers are opened and closed in unison under program control. The wrist allows both rotation and up-and-down motion of the hand.

This mode lets you manually operate the robot while programming it to follow the same motions automatically.

The program asks you if you want to start again, continue from the present position, or exit the program. Type "S" to clear the memory and free the arm. The arm is free when no torque is applied to the stepper motors. This allows you to initialize the Armdroid's position by hand using the large gears in the shoulder. When you are satisfied with the starting position, press the space bar. The program applies torque to the arm, effectively stiffening and locking the arm in place.

You can now move the arm using the Q, W, E, R, T, Y, and 1 through 6 keys to manually control the movement of the different parts of the arm. If you're like me, it will take a couple of tries to predictably move the arm, rotate the wrist, and open and close the hand under manual control. Type a "0" to get out of the learn mode.

Now the miracle of life! Press "G" for go, and the Armdroid takes the shortest path to your initial starting position. The program then asks "O" (once) or "F" (forever). Forever seems like a long time for something you haven't tried yet, so type "O".

Wow! The arm is doing just what you taught it to do! And without the long pauses for head scratching and note taking! You are returned to the menu.

To look at the sequence of commands that were sent to the stepper motors, type "D" for display. A table appears on the screen showing the stepper increment values stored in memory.

To extend the sequence of movements, simply reenter the learn mode, and type "C" for continue. You can add additional motions by using the manual-control keys. Once again, you must type "0" to return to the menu mode.

After testing the new sequence, you may decide that some of the motions need to be fine tuned. This can be done using the edit mode.

## The MultiMode Printer with The Magnificent Fonts



MultiMode Printer Offers Flexibility

### The "Beautiful" Font



Circle 349 on inquiry card.

### . . . At a Sensible Price—\$1,995 (Qty. 1)

"Flexibility" means instantaneous call up of any of this trendsetting machine's many features whether for *word processing*, *data processing, graphics* or *forms generation*. Using either of the two built in interfaces, an external keyboard or downloading from your computer, you can program the Qantex Model 7030 to do more.

Compare the "Beauty" of our printed letters for the word processing fonts which include Cubic, Trend, Spokesman, Courier, Italics, Script, OCR-A, APL, Scientific plus *downloaded* fonts from your computer. Draft copy modes include 8 resident fonts — U.S., U.K., German, French, Spanish, Swedish, Finnish, Norwegian and Danish.

Other features include high resolution graphics —  $144 \times 144$ , single pass and double pass word processing, and 180 cps data processing modes and user defined formats.

Operator initiated, the MultiMode printer provides a complete printed status report of operating parameters and diagnostics.

For more information, or a demo, call us about the new Qantex Model 7030 MultiMode Printer.

**Qantex** ^{*} Division of North Atlantic 60 Plant Avenue, Hauppauge, NY 11788 (516) 582–6060 (800) 645–5292 *Registered Trademark of North Atlantic Industries

www.americanradiohistory.com



**Photo 6:** The Armdroid has a maximum reach of 19 inches from the shoulder base.

Three cassette-tape commands allow you to save your Armdroid sequence for a rainy day. "W" (write) saves the sequence in memory on the tape, "R" (read) retrieves the sequence from tape, and "C" (check) verifies that the data on the tape is the same as that in memory.

Colne Robotics has graciously included the source listing for the Armdroid control software in the manual. The Z80 assembly-language source is well documented and should prove to be a valuable learning tool for the student of robot technology. The source code is also useful to those who wish to modify the control software for a specific application.

I understand that Colne Robotics is developing similar software for other microcomputers, such as the Commodore PET, the Apple II, and the Sinclair ZX81. Watch their advertisements for further details.

#### Documentation

The 87-page manual is broken down into four sections. The introduction section is nine pages long and strays from the purpose of an experimental robot arm. Discussions on the economic and social impact of industrial robots, complete with tables and formulas, seem more like padding than useful information.

The second section deals with the mechanical assembly of the Armdroid. As noted above, some deficiencies and inaccuracies in the instructions exist. A hand-holding, step-by-step approach would benefit the novice builder.

The next section details the electronics of the Armdroid. This section was not too bad, but again a step-bystep approach would be helpful.

The final section describes the software package included with the arm. This chapter of the manual was the easiest to use, due in part to the quality of the Learn program itself. And I applaud the inclusion of the program listing as an aid to understanding the ins and outs of microprocessor-controlled robotics.

It should be noted that my review is based on a "preliminary" manual for the Armdroid. I have been reassured that the manual will be revised to eliminate some of the limitations that I have noted above.

#### Conclusions

•The Armdroid is a low-cost manipulator with good dexterity and maneuverability.

• The software delivered with the arm is easy to use and serves as a powerful tool in understanding robot operation.

• The Armdroid kit is not for the inexperienced builder, unless the manual is improved.

●I feel I have learned a lot about the mechanics, electronics, and software of robots, thanks to the people at Colne Robotics.■

# Apple Logo

The name Logo describes not only the evolving family of computer languages detailed in this book, but also a philosophy of education that makes full and innovative use of the teaching potential of modern computers. *Apple Logo* presents the Apple II user with a complete guide to the applications of this unique system and also includes a description of TI Logo for users of the Texas Instruments 99/4 computer.

The designers' vision of an unlimited educational tool becomes a reality for the Apple II user who begins to work with this procedural language. Logo enables even young children to control the computer in self-directed ways (rather than merely responding to it), yet it also offers sophisticated users a general programming system of considerable power. Apple Logo actually teaches programming techniques through "Turtle Geometry"—fascinating exercises involving both Logo programming and geometric concepts. Later chapters illustrate more advanced projects such as an "INSTANT" program for preschool children and the famous "DOCTOR" program with its simulated "psychotherapist."



ISBN 0-07-00425-0 240 Pages Softcover, spiral-bound \$14.95

Call Toll-Free 800/258-5420

BYTE Books 70 Main Street Peterborough, N.H. 03458



**Right for the time**. Finally someone invented an RS-232C compatible calendar/clock system, complete with 6-digit display... and selling for only \$249. Hayes did it!

Introducing the Hayes Stack Chronograph, the newest addition to the Hayes Stack microcomputer component series. It allows your computer to accurately record all of your system activities by date and time...down to the second. Thanks to a battery back-up system, you never have to reset the time when your computer is off, and it will keep on ticking even when there's a power failure. A writeprotect switch prevents accidental



Microcomputer Component Systems

#### changing of day, date or time.

**Right for the job.** The Hayes Stack Chronograph is ideal for any home or business application requiring accurate timekeeping. Use it for timing everything from lights, burglar alarms, or sprinkler systems ... to sending mail electronically (with the Hayes Stack auto-dial Smartmodem and your computer) ... logging and recording reports or time-sharing access time... and batching all your messages to send at night, when rates are lowest. Chronograph helps do it all.

And Chronograph stacks up. Keep your computer system up-to-date with the Hayes stackables, including the RS-232C compatible Smartmodem, the most sophisticated 300-baud originate/ answer modem you can buy. And yet, it's probably the easiest to use too.

The Hayes Stack Chronograph and Smartmodem are available wherever fine computer products are sold. It's time. And it's now.

### The Hayes Stack Chronograph. There's no better time.



 Hayes Microcomputer Products, Inc.
 5835 Peachtree Corners East, Norcross, Georgia 30092 404/449-8791

 Hayes Slack is a trademark of Hayes Microcomputer Products, Inc.
 © Hayes Microcomputer Products, Inc.
 Circle 190 on Inguiry card.

### **Software Review**

### Super FORTH Isn't

Gregg Williams Senior Editor

Let's imagine that someone has just implemented a language that looks something like BASIC, but that it has some very strange and arbitrary qualities. For example, not every line has to have a number, but all line numbers must end with a 5. All variables must be exactly three characters long. The BASIC keyword STEP is replaced by the word EVERY, and variables used in an INPUT statement must begin with the letter I. Although the language works—you can write programs in it—how would you feel if the manufacturer called the product Super BASIC?

It's apparent that I'm very disappointed with Hayden's Super FORTH and that I don't believe it is a worthwhile product. When I first saw the ads, I was very excited about the product. It ran on the Apple (only one very expensive Apple FORTH existed at the time); it implemented Apple high-resolution graphics, floating-point numbers, and string variables (none of which are usually supplied in a standard FORTH); and the \$49.95 price was right. At the time, I thought Super FORTH might become the de facto standard for the Apple II.

#### At a Glance

Name Super FORTH

**Type** Version of the FORTH programming language

Manufacturer Hayden Book Company Inc. 50 Essex St. Rochelle Park, NJ 07662 (201) 843-0550

Price \$49.95

Author Larry Bugbee

Format 514-inch floppy disk (boots under DOS 3.2 or BASIC's disk)

Language Used 6502 threaded machine code

**Computer Needed** Apple II with 48K bytes of memory and Applesoft either in ROM or loaded into the Apple Language Card

**Documentation** 35 pages in a 3-ring binder

Audience People interested in FORTH I have been working with different versions of FORTH for about a year and a half and have used versions based both on and independent of the FORTH Interest Group (fig) version. I say this to indicate that I can be fair with a non-fig-FORTH implementation. I spent several nights programming on the Super FORTH system, and my conclusion is this: if you want to use this particular version of FORTH because of the features mentioned above, fine. However, if you're interested in interacting with the world of FORTH outside the confines of the Super FORTH instruction manual, you should buy a different version.

#### Problems

To indicate why I formed my opinion of this software, here are some of the problems I found.

Super FORTH lacks the "screen" mechanism almost universally used to store FORTH source code for later compilation. It has only two commands that let you store either the entire contents of the FORTH system at that time or only newly defined words. This means that if you want to modify a definition, you have to FORGET it (oops—Super FORTH has no word for FORGET) and retype it. If the word you're redefining isn't the most recent one defined, you automatically lose every word defined after that word, and you have to retype those words as well. The absence of this feature alone puts an unreasonable burden on the Super FORTH user.

Certain essential FORTH words are missing; others have arbitrary nonstandard definitions. For example, the words ROT (which rotates the top three numbers on the stack),  $\{+!\}$  (which adds a number to a variable), and FORGET are missing in Super FORTH. (The braces are standard BYTE notation for FORTH words that include punctuation and for lists of FORTH words.) In addition, other words behave differently. The word C@ in other FORTHs takes the contents of a single byte and puts the byte on top of the FORTH stack; in Super FORTH, the corresponding word 1@ must be followed (don't ask me why) by the words { 0PUSH SWITCH } to make the number available on the top of the stack.

# SX Is a Two Letter Word.









#### ... describing the price performance leaders in table top computers.

Owning an SX from IMS International is a joy no matter which model you choose.

Both give you Winchester performance and a lot more.

Our 5000 SX table top computer features either a 5.5 or 11 MByte Winchester subsystem, plus one or two 54'' floppy drives.

And our 8000 SX offers a 10, 20 or 40 megabyte Winchester, plus one or two 8" floppies, and a 17 megabyte incremental cartridge tape drive subsystem.

Both high performance Winchester subsystems deliver awesome speed — ten times faster than floppies, on the average. You can load a 20 KByte system program in less than a second.

More importantly, IMS systems are engineered for reliability, so downtime won't take away the gains Winchester technology brings. They're strictly business, from their metal-not-plastic cabinets to their test-don't-guess circuitry. And with our full 2-year warranty, you have it in writing.

Software for the SXs includes either single user, or our new high performance multiuser/ multiprocessor operating systems, plus BASIC, FORTRAN and COBOL languages, and a host of compatibility-tested application programs.

For complete information and specifications on the 5000 SX and 8000 SX, along with the location of your nearby IMS International dealer, just contact us. We'll tell you everything you ever wanted to know about SX. Call (714) 978-6966 or (702) 883-7611 today, or write:



WE BUILD COMPUTERS AS IF YOUR BUSINESS DEPENDED ON THEM.

2800 Lockheed Way, Carson City, NV 89701 • Telex: 910-395-6051

Circle 200 on inquiry card.

Another arbitrary difference is that do-loops in Super FORTH cannot be nested in the same word (contrary to the way all other versions I know of work). In Super FORTH, you must define a word that contains the inner do-loop, then use this word within the do-loop of another word. Again, this is a problem only if you plan to interact with the rest of the FORTH world. Unfortunately, Super FORTH has too many such problems.

Although the Super FORTH system worked most of the time, it "went away" (irretrievably malfunctioned) many more times than my two other versions of FORTH. I counted four fatal malfunctions in one session.

Many FORTH functions, given the same name in every other FORTH implementation, are given other names in Super FORTH. For example, the FORTH words { C@ C! C, } are in Super FORTH { 1@ 1! 1, }. This small point is annoying when trying to relate Super FORTH to other written material about the FORTH language.

Another annoying point is that all numbers printed from the stack are always printed with leading zeros (e.g., 0005 if you are in hexadecimal mode, or 00005 if you are in decimal mode). Although this would be useful in printing tabular material, I think the fixed display width indicates a lack of craftsmanship.

#### **Good Points**

To be fair to Super FORTH and its author Larry Bugbee, the product does contain a number of things that are quite good.

The documentation for Super FORTH is better than average when compared to other FORTH products. Word definitions are grouped by function and are explained with a minimum of jargon. In a radical departure from most FORTH documentation, most word definitions include an example of their use, and some even give guidance for their proper use.

Super FORTH includes words that allow you to do Apple high-resolution graphics on high-resolution page 1. It allows you to draw boxes, blocks (filled-in boxes), points, lines, and shapes in any available high-resolution color. You can draw shapes, but the XDRAW function is not supported. You must have Applesoft in ROM or in a Language Card for these commands to work. (The bulk of Super FORTH will work without Applesoft.)

Another set of words implements a stack for floatingpoint numbers and operations. (The regular FORTH stack works on 16-bit signed integers only.) The list of floating-point words is quite long and comprehensive, making it probably the best feature of Super FORTH. These words also require Applesoft to work.

Super FORTH includes a set of words that allows you to manipulate character strings. The words do the following operations: creation of string variables, string constants, and a string stack; string concatenation; string assignment; and substring manipulation through a MID\$ word.

Finally, Super FORTH includes some words that allow you to directly manipulate the FORTH environment. Little guidance on how to do so is given, but this is usually the case with most FORTHs. These words are meant for use only by veteran FORTH programmers, and it is good they are there. For example, it should be possible to use them to make a call to the Applesoft ROM to implement the high-resolution XDRAW function.

#### Conclusions

The inability to store FORTH source code for later modification and recompilation is a major defect of Super FORTH.

On the other hand, the implementation of string, floating-point, and high-resolution graphics words is a definite advantage for someone who wants to use FORTH with these capabilities. They can be added to other FORTHs, but this would be a lot of work in itself.

Unfortunately, I cannot recommend Super FORTH to people interested in learning FORTH. The many differences between it and the two leading versions of FORTH (those supported by FORTH Inc. and the FORTH Interest Group) would make it difficult for the user to learn from the existing body of information on FORTH. It could be done, but it would require a lot of extra work.

The <b>HOMEBRAINTM</b> is a ded- icated microcomputer system in a stand-alone package. <b>HOME-</b> <b>BRAIN'STM</b> I/O potential exceeds 300 channels. <b>ACHIEVE TOTAL</b> <b>HOME CONTROL</b>	THE HO THE HO THE THE THE THE THE THE THE THE	<b>DMEBRAIN</b> [™] Is <b>the First Total Home</b> <b>control Computer</b> Using your personal computer RS232 Inter- tace • MOMEBRAIN [™] controls your home using your define logic sequences	EVALUATE THE HOMEBRAIN TM Order New By Calling Toll-Free 1-800-228-2028 EXT. 332 Lines Open 8 AM To 6 PM C.S.T. Just give us your Name, Shipping, Address and Visa or MasterCard number and we will charge the \$750.00 purchase price, plus \$20.00 shipping (N.J. residents add 5% sales tax) to your account. Or, SEND* your CHECK* or MONEY ORDER* to:
<ul> <li>Energy Management</li> <li>Home Security</li> <li>Lighting Control</li> <li>Safety Monitoring</li> <li>Appliance Control</li> </ul>		<ul> <li>Logic diagrams, timers, counters, alarm clocks, calendars, are directly implemented by the HOMEBRAIN [™] microprocessor</li> <li>HOMEBRAIN [™] logs controlled operating times for the month</li> <li>The HOMEBRAIN [™] operates totally independent of your personal computer. Crashing your computer will not crash HOMEBRAIN [™] leaving your home defenseless.</li> </ul>	HYPERTEK, INC 30-4 FARM ROAD SOMERVILLE, NEW JERSEY 08876 *Sending your check will qualify you for an INTRODUCTORY REBATE of 10%. Allow 6-8 weeks for delivery.

An Introduction To Microcomputers: Volume 0– The Beginner's Book, Third Edition by Adam Osborne and David Bunnell

guide to

personal computers

400/800"

ATARI

One of our most popular titles, Volume 0 has been expanded and revised to include new sections on software and communications. Written for the complete novice, this book introduces the construction and operation of microcomputers. *Paper \$7.95.* 

lected (cuisor) Programs

GINEERING

EII' Edition

Ron Jeifries and Glen Fisher

#### 6502 Assembly Language Subroutines by Lance Leventhal and Winthrop Saville

This book includes over 50 indispensible, ready-to-use subroutines. A boon to every 6502 programmer, it will save hours of programming time. Includes array, bit and string manipulation, sorting and searching operations, much more. *Paper \$12.99* 

#### Assembly Language Programming for the Apple II[™] by Robert Mottola

This comprehensive, easy to understand introduction provides solid groundwork for getting started in assembly language programming on the Apple II. Many subroutines written in assembly language are provided, and most explanations are shown with equivalent examples in BASIC. *Paper \$12.95*.

#### Discover FORTH: Learning And Programming the FORTH Language by Thom Hogan

Using a friendly approach, the author explains the history and uses of FORTH, as well as how to program to an intermediate level. Includes notes on logical extensions and alterations to the current standard FORTH syntax. *Paper \$14.95*.

#### Atari[®] Computer: A Guide to Atari[®] 400/800™ Personal computers by Lon Poole with Martin McNiff and Steven Cook

BY THOM HOGAN

USER GUIDE

DEL 2

SYSTEM

Jean Vates

Your

Your Atari[®] Computer provides invaluable reference material for Atari[®] home computer users. This "how-to" guide written for the novice covers all the common external devices, including disk drives and printers. The reader can also learn to program in Atari[®] BASIC. *Paper \$15.00.* 

#### Trade Secrets: How to Protect Your Ideas and Assets by James Pooley

Attorney James Polley provides legal advice on a "hot" topic: who owns your ideas in today's business world. Employers can learn to tighten company security systems and protect their intellectual assets. Employees can become familiar with their rights to take "commercial" ideas to new jobs or start competing businesses without being sued. *Cloth* \$19.95.

### A User Guide to the UNIX[™] System by Rebecca Thomas and Jean Yates

Designed to ease the novice through the difficult learning stages, this volume is also an excellent reference for those already familiar with the UNIXTM operating system. Computer-side tutorials teach forty basic commands plus there's a list of UNIXTM system resources, and a bibliography for further study. *Paper \$15.99*.

#### VisiCalc[®]: Home and Office Companion by David M. Castlewitz and Lawrence Chisausky with Patricia Kronberg. Illustrated by L. D. Chukman

Contains 50 models that can be used immediately for personal and business applications. Provides models for loans and investments, advertising and sales, inventory control, personnel, household aids and more. Designed to accomodate most micros and every version of the VisiCalc[®] program. *Paper \$15.99*.

Now at your dealer, or write Osborne/McGraw-Hill, 630 Bancroft Way, Berkeley, CA 94710. Phone orders: CALL TOLL FREE 800-227-2895. In California call 415-548-2805. Canadian orders contact L.A. Varah (416) 561-9311, McGraw-Hill-Ryerson (416) 293-1911.

6502 ASSEMBLY LANGUAGE

SUBROUTINES

TO MICROCOMPUTE

WINTHROP SAVILLE

The Beginner's Book

Adam Osborne David Bunnell

LANCE A LEVENTHAL



Atari® 400/800TM are trademarks of Atari, Inc. PETTM is a trademark of Commodore Business Machines, Inc. CURSORTM is a trademark of The Code Works. UnixTM is a trademark of Bell Laboratories. Apple II® is a registered trademark of Apple Computer, Inc. VisiCalc[®] is a registered trademark of VisiCorp.

Circle 317 on inquiry card.

### **Book Review**

#### Fifty BASIC Exercises

Jean-Pierre Lamoitier Sybex Berkeley, CA, 1981 253 pages, softcover \$12.95

Reviewed by Paul Swanson 97 Jackson St. Cambridge, MA 02140

While BASIC is widely acclaimed as an easy-to-learn. easy-to-use programming language, teaching yourself BASIC can be a problem. The manuals that accompany many computer systems are very dry, and while you can learn BASIC (Beginner's Allpurpose Symbolic Instruction Code) from them, they serve better as reference manuals than teaching guides. Some computers do come with teaching guides, but these generally explain BASIC at a very elementary level, using simple text and cartoons.

For those who don't want to learn by trial and error with a manual designed for reference, but want a more intellectually written teaching guide than the cartoon approach, Fifty BASIC Exercises by Jean-Pierre Lamoitier could be the book you're looking for. This book uses the learnby-doing approach, a truly effective teaching method, well suited to programming. In the introduction, the author cautions that the book assumes some background in a scientific or technological field. I think a mathematical background in particular would be most helpful to the reader; a few of the included programs are based on mathematical algorithms that are not exactly on the tip of everyone's tongue. There is sufficient explanation, however, so that even if you aren't familiar with the mathematics you can still learn something about BASIC from the program. Then too, you might try using a reference book such as the C.R.C. Standard Mathematical Tables to help you with the math.

Two chapters of introductory material include discussions of flowcharting and a few basic rules and techniques, along with some simple programs to write. The remaining chapters are divided into such topics as "Elementary Exercises in Geometry," "Financial Computations," and "Statistics." Each chapter builds on the information presented in the previous chapters, and each set of new material is accompanied by at least one exercise. The exercises, which are all short BASIC programs, cover many problems commonly confronted in programming, such as finding the number of days between two dates, calculating loan repayments, sales forecasting, and several calculations involving income tax.

The programs in the book were designed to run on the Radio Shack TRS-80 and so will run with some minor changes on any system using Microsoft BASIC. Where the differences in BASIC are important, Lamoitier discusses them.

The book was translated from French and may have lost a few things in translation. The glossary, in this English version at least, is missing, and this is a serious drawback. Definitions are the most common barrier to anyone learning a new subject, and a computer language is certainly no exception. A better index would also help: as it stands, the index fails to cover many of the subjects that are in the text, and the ones that are included are listed with single page references, which makes it very difficult to relocate topics that appear in several places throughout the book. I don't know if the French version has a better index, but I find it hard to believe that no one thought to include a glossary.

From my observations, a person learning BASIC or any other first language on computers seems to go through four phases. The first, or orientation, phase is when any fears of the computer are dispelled and the rudiments of operating it are learned. This is well covered in the first two chapters alone. This brevity is geared toward the reader who is serious about, and adept at. learning, in which case more discussion at that level would be boring. The rest of the book deals guite successfully with the second phase, during which the programmer-to-be learns to write programs with loops and more sophisticated algorithms. The third phase, which the book should leave the reader ready to pursue, is when the programmer starts using a very structured approach and tackles applications that may use the programs written in phase two as interim calculations. (The fourth phase, which I see as learning data file manipulation on a large scale, is not important here.) My purpose in mentioning these phases is to state one more point about this book: in order for the person learning BASIC to be ready for the third phase, that person should be familiar with subroutine use. Lamoitier uses subroutines quite effectively in the exercises and, further, discusses organizing, or structuring, the program in general. However, I would have liked more explanations of how the subroutines fit into the scheme of structuring; as programs get more sophisticated, subroutine use gets more important.

But in general, *Fifty BASIC Exercises* is a worthwhile book. It has its shortcomings, for while the need for more discussion on subroutines can be argued, I think that most readers of the book will agree that it would benefit considerably from a glossary and an expanded index. Nevertheless, it should serve the novice well as a practical and intelligently written guide to the fundamentals of BASIC programming. ■


### **BYTE's Bugs**

#### Mystery Coll Turns Up in Circuit Cellar

Several readers contacted us with a complaint about Steve Ciarcia's article "Build a Computerized Weather Station" (see the February 1982 BYTE, page 38). An inductive coil labeled only "*L1" appeared in the schematic diagram of figure 11b on page 64 with no explanation of its origin or value. Coil L1 is meant to be wound by hand from eight turns of number-26 copper wire around a coil form with an inside diameter of onequarter inch.

We apologize for the omission of this information, which should have been placed in the figure caption.

Thanks to Rick Parrot of Data General in Apex, North Carolina, and to others for pointing out this error.■



#### SEE HOW MUCH MORE WORD PROCESSING YOU CAN GET FOR LESS FROM EXXON OFFICE SYSTEMS.

If you're just starting out in word processing. Expanding. Or want to start over. You owe it to yourself and your business to see the new Exxon 500 Series Information Processor.

It makes word processing easier. Unlike most, it's not menu-bound. So operators don't get bogged down with lists.

It has an Explain key to help the operator along. All queries are answered

**FOULT CONTINUE It mass So operators It has a on the screen. It** on the screen. In plain English. It comes with a 50,000-word dictionary. It spots misspellings and corrects them. Automatically. You can even teach it more words. Up to 10,000 more. Words that are special to your business or profession.

The 500 Series is the word processor to start with. Compare. We think you'll agree that it does more, more easily, for less.

And what you start with you can stay with. Its modular design allows for future enhancements such as increased communications with other machines, including computers. Additional state-of-the-art software and programmability to handle a wide range of applications. Seeing is believing.

Mail coupon or call toll-free for a demo: 800-327-6666. In Conn. 800-942-2525. See how the 500 will fit your business.

Circle 169 on inquiry card.

TO

EXON	OFFICE SYSTEMS
------	-------------------

#### START WITH US. STAY WITH US.

Exxon Office Systems Compa	1
P.O. Box 10184	
Stamford CT 06904	

BYT 04 82

DPlease send me your "Start with us. Stay with us." product information kit on your new 500 Series Information Processor. I'd like a demonstration. Have your representative call me

NAME			
TITLE			
COMPANY		PHONE	
ADDRESS			
CITY	STATE	ZIP	

### **Book Review**

#### Programmer's Guide to the 1802

Tom Swan Hayden Book Company Rochelle Park, NJ, 1981 156 pages, softcover \$7.95

Reviewed by Harley Shanko 15025 Vanowen, #209 Van Nuys, CA 91405

Users of the 1802 8-bit microprocessor are sure to enjoy Tom Swan's *Programmer's Guide to the 1802.* It is written in such a way that the novice should be able to understand quickly the 1802 instruction set and begin writing assembly-language programs; yet the more advanced programmer should find this book useful also. The author's style and occasional interjections of humor make for easy reading, with references and comparisons that simply and clearly illustrate the subject matter.

The book is divided into four sections. Beginning with "A System of Numbers—A Number of Systems," Swan quickly acquaints the reader with the hexadecimal number system. This foundation should allow the computer novice to proceed without difficulty through the next section, "Fundamentals of Assembly Language," to which one third of the book is devoted.

Arithmetic and logic operations are explained, using binary and hexadecimal examples to introduce various computer instructions (add, subtract, carry/borrow, complement, AND, OR, exclusive OR, and shift). Then program flow (branch, skip, and call) and data flow (load and store) are covered, as well as register control, input/output, and other features and instructions unique to the 1802. The last ten pages of this section use assembly-language routines as examples to introduce certain programming concepts.

A quarter of the book is spent clearly explaining the 1802 instruction set. Each instruction mnemonic is defined, its symbolic actions are represented, and a textual discussion and programming example are included. Sprinkled throughout the book are illustrations, tables, and figures, all courtesy of RCA; interestingly, these are not referred to by the author.


The last guarter of the book includes a thoroughly commented assembler and disassembler source listing and text describing it, a library of subroutines which can be used in many programs, and the answers to the examples included at various points by the author. The assembler does not support the use of labels, macros, or mathematical expressions; thus the user must assign starting addresses and branch and call addresses. Nevertheless, this line-at-a-time assembler allows a programmer to enter mnemonics, addresses, and immediate data, and frees him from error-prone mnemonicto-object-code conversion. The assembler can be run on small systems (21/2K bytes of programmable memory, minimum) and still provide space for assembling 1K bytes of obiect code.

To test its usability, I installed the assembler in my homebrew 1802 system. Despite its limitations, the assembler does provide a means to enter a program in source form and get immediate display of valid entries (invalid entries are flagged with an ERROR message) via the disassembler, which overwrites the entry display. The assembled object code can then be run, saved, or programmed into an EPROM (erasable programmable read-only memory) if both hardware and software support these last two features. It is assumed that the user can write his own "handler" which normalizes the user system and the assembler interfaces and provides a keyboard/display for the assembler/disassembler. Depending on the operating system's register usage, this handler software can range from quite simple code to the rewriting of all the keyboard input, display output, and SCRT (Standard Call and Return Technique) routines. My handler used about 150 bytes, using existing keyboard and video-display subroutines.

In summary, this book is what 1802 users have needed for years. In fact, it might have been better received five years ago when I started into microcomputing. Still, it does provide the explanations necessary to clarify several points and better explain some of the interrupt-type instructions. For all except perhaps the most advanced 1802 programmers, this book should prove to be a worthwhile acquisition.



S-100 MEMORIES



#### **64K STATIC RAM**

#### **256 DYNAMIC RAM**

150 ns Access-270 ns Cycle

150 ns 2Kx8 Rams Extended Addressing Bank Select Low Power Consumption Cromix, MPM Compatible

\$625.00

M12

8-or 16-Bit Data Parity Error Detection Extended Addressing ROM Driven Bank Select

\$945.00

Industrial Quality FULL 12 Month Warranty



M23

(408) 727-4710 Master Charge and Visa 670 Nuttman Ave. No. 110 Santa Clara, CA 95050

SPACE CONTRIBUTED BY THE PUBLISHES

# Mainframe solutions at micro prices.

MDBS solves the problem of expensive, time-consuming application development and maintenance.

Here's what makes the MDBS Data Base Management System so unique:

ECONOMY—Our state-of-the-art system cuts application development costs by up to 80%.

EFFICIENCY—Data compression allows optimum use of space. HARDWARE COMPATIBILITY—From 8080, Z80...to the PDP-11, MDBS delivers uniformly excellent results.

PORTABILITY—MDBS operates under most popular operating systems and languages, including CP/M, UNIX, IBM PCDOS, COBOL, BASIC, PASCAL, C, PL/1, FORTRAN, and many more.

INTEGRITY—RECOVERY, RESTART, and the ability to roll the data base back are available. Data base integrity is supported through advanced data structuring techniques.

AUTHENTICITY—MDBS is the first and only true and complete DBMS currently available on microcomputers.

CAPABILITY—Our system includes features you won't find anywhere else, at any price.

- Fully-integrated, dictionary-driven.
- Unparalleled data structuring ability—far superior to hierarchical. CODASYL. and relational approaches.
- Powerful, English-like query system entirely non-navigational. Fully supports spur-of-the-moment "what if" inquiries.
- Query nesting allowed. Automatic sorting of output tables.
- Built-in data security down to the field level. Data encryption capability.
- Performance tuning, including the ability to influence physical storage structures.
- Extremely fast retrieval even for large volume data bases.
- Multi-users capabilities including active and passive lockout.

MDBS is not restricted to the limitations of data base "pretenders" like file management systems.

To help make application development more effective and efficient, MDBS also offers extensive consulting services and professional training seminars.

#### MDBS and other fine products are distributed in most countries through ISE.

For more information please contact:

In (I.S.: **ISE-USA** P.O. Box 248 Lafayette, Indiana 47902 Tel: (317) 463-2581

In Germany: ISE-ADV/ORGA GERMANY Lipowskystr. 26 8000 Munich 70 Tel: (0 89) 77 60 23-4

In France: **ISE-CEGOS** Tour Chenonceaux 204, Rond-Point du Pont de Sèvres 92516 Boulogne Billancourt Cedex Tel: 620-61-04 In Switzerland and Austria: ISE-ADV/ORGA SWITZERLAND Mainaustraße 17 CH-8008 Zürich Tel: (01) 32 02 70-1 Elsewhere: ISE-INTERNATIONAL P.O. Box 248 Lafayette, Indiana 47902 Tel: (317) 463-2581



#### Professionals know the difference.

Please call me imme	diately at ( )		
Please tell me about	vour half day cominar	phone no.)	
	your three-day workshop	0	
I'm enclosing \$105 i seas; Indiana resider	n payment for the MDBS its please add \$3.80 sale VISA or Maste	manual (\$135 ove s tax)	
Card Number	Phone No		
Signature	Expi	ration Date	
Name	Title		
Company			
Address			
City	State	Zip	
(area code)		(ext.)	

### **Book Review**

#### **TRS-80** Color Computer Technical Reference Manual

Tandy Corporation Fort Worth, TX 1981, 71 pages softcover, \$14.95

Reviewed by Yvon Kolva POB 22 Peterborough, NH 03458

I was astounded to see Radio Shack's TRS-80 Color Computer Technical Reference Manual on the shelf at the local Tandy Computer Center Store. After I had purchased it and began sifting through its informationpacked pages, I realized what

an incredible find this book was

Radio Shack, along with many other major computer manufacturers, has had a reputation of closely guarding all the information about its computer systems, releasing only the bare minimum of facts necessary to sell the computers and software. With the appearance of this manual, Radio Shack seems to be reversing this policy.

This book gives all the information that any TRS-80 Color Computer (Level I and II) owner might want to know. It covers memory maps, block diagrams, schematics, pin connectionseverything that could be of interest to either a software designer or a hardware hacker.

#### The Inscrutable PIA

Unfortunately, this manual is not as explicit at it should be. Apparently, it was originally written for Radio Shack's internal use, and after it was finished. Tandy decided to release it to the general public. The descriptions and explanations are quite sketchy, and I found myself rereading the material in order to make sense of it. For example, the second paragraph on page 4 states:

The next two pages of the Map /Color Computer Memory Map | explain the addressing for the PIA's. In general, the even numbered locations are the I/O registers and the odd numbered memory locations are the control registers, Bit two of the control registers determines what is addressed at the even numbered memory locations. If this bit is set high (logic 1) the data I/O register is addressed. If it is low the data direction register is addressed. Normally the data direction register is addressed only during initialization to allow configuration of the data inputs and outputs. (By clearing bit 2 and writing to the even numbered memory location one address below, each bit of the PIA may be set as an input or an output. A 1 in the data direction register sets the bit as an output and a 0 sets the bit as an input.)

When I proceeded to the corresponding diagram. I found it was not clear to which of many registers the paragraph

### All about LOGOhow it was invented and how it works

"Changes the learning experience from a matter of discipline into one of discovery." - Marvin Minsky, MIT

"A revolutionary book ... required reading for anyone with an interest in computers, children, education, or the future." -80 Microcomputing



Now in paperback, \$6.95

**BASIC BOOKS, INC.** 10 East 53rd Street, New York, NY 10022



### Transfers data via DMA up to 200K bytes per second Allows full control over all tape-drive functions

- **Fast Math Processor**
- Kit or assembled
- 32-bit floating point operations
  - for arith., trig., exponential, etc. functions

Or 64-bit floating point operations for arithmetic functions



# WHY THE MICROSOFT RAMCARD MAKES OUR SOFTCARD AN EVEN BETTER IDEA.

Memory — you never seem to have quite enough of it.

But if you're one of the thousands of Apple owners using the SoftCard, there's an economical new way to expand your memory dramatically.

#### 16K ON A PLUG-IN CARD.

Microsoft's new RAMCard simply plugs into your Apple II,[®] and adds 16k bytes of dependable, buffered read/write storage.

Together with the SoftCard, the RAMCard gives you a 56k CP/M[®] system that's big enough to take on all kinds of chores that would never fit before (until now, the only way to get this much memory was to have an Apple Language Card installed).

#### GREAT SOFTWARE: YOURS, OURS, OR THEIRS.

With the RAMCard and SoftCard, you can tackle largescale business and scientific computing with our COBOL and FORTRAN languages. Or greatly increase the capability of CP/M

HICROSOFT

applications like the Peachtree Software accounting systems. VisiCalc[™] and other Apple software packages can take advantage of RAMCard too.

And RAMCard gives you the extra capacity to develop advanced programs of your own, using the SoftCard and CP/M. Even with the RAMCard in place, you can still access your ROM BASIC and monitor routines.

#### JOIN THE SOFTCARD FAMILY.

The RAMCard is just the latest addition to the SoftCard family — a comprehensive system of hardware and software that can make your Apple more versatile and powerful than you ever imagined.

Your Microsoft dealer has all the exciting details. Visit him soon, and discover a great idea that keeps getting better.

Microsoft Consumer Products, 400 108th Ave. N.E., Suite 200, Bellevue, WA 98004. (206) 454-1315.

Circle 281 on inquiry card.

www.americanradiohistory.com

DON'T TYPE IT IN FROM THE KEYBOARD · POINT IT OUT ON THE SCREEN! DON'T touch sensitive monitor gives you an alternative to keyboard entry IIAT's touch sensitive monitor gives accurate · · · and fun. FEATURING . . . High Quality Color Monitor for super graphics and text that's easier, faster, Touch sensitive Bezel with 80 by 36 infrared sensing matrix for precise response with no loss of image quality High speed sensing circuitry for multipoint tracking Foud Interfaces for Apple II, IBM PC and Qeth Atari 800 for flexibility PILOT plus™ software for programming power in Computer Aided Instruction (CAI) meril. 13" Color Monitor with Integrated Touch Sensitive Bezel and Sense ADUEDUS HUI Circuitry: \$1595 Monitor Interface Card with cable and documentation USE IT for . . . For Apple II: \$159 For IBM PC:* For Alari 800:* Education, Training & Testing Order Entry and Processing DiscoVision or Sony Videodisk Interface Card with Monitor **Process Control Retail Point of Sale** Interface, Cables and Database Query Programs Documentation For Apple II: \$599 For IBM PC:* Any application where you need quick and easy user interaction. For Alari 800:* PILOT plus™ CAI Course Authoring Software: \$150 *IBM AND ATARI INTERFACES SCHEDULED FOR AVAILABILITY IN JUNE 1982. CALL FOR PRICE. Finally . . . A professional graphics editor for the Apple. Written in machine way to make speed, ultrapen provides a simple, tow cost way usual presentations. Finally age for ultimated graphics to stand alone for computer-based visual presentations. Greate still and animated graphics basic programs. Write us for details. Ultrapen will also work with your BASIC programs. ALL PRICES DO NOT INCLUDE SHIPPING COSTS. ALSO FROM IIAT: Putting ACTION into interACTIVE computing TRAPEN PPLE AND APPLE II ARE REGISTERED TRADEMARKS OF APPLE PPLE AND APPLE II ARE REGISTERED TRADEMARK OF AROUTER. INC.. ATAOM POILTER IS A REGISTERED TRADEMARK OF OK 100 FERSONAL PILOT PILS S A REGISTERED TRADEMARK OF M CORPORATION. PILOT PILS S M COMPOLER SYSTEMS. International Institute International Institute of Applied Technology, Inc. 20010 Century Boulevard 20010 Century Maryland 20874 Germantown, Maryland (301) 428-9010

#### Book Reviews -

was referring. In general, the explanations are too terse.

Section 1, which is 11 pages long, is devoted to a block diagram of the Color Computer and to a series of precise memory maps of the randomaccess memory.

These maps are very useful if you like to experiment with the different memory pages, modes, and displays. For example, I found out how to get limited higher-density video graphics on my Level I 4K-byte system after only a little experimentation. And using the POKE command to place a 0 into location FFD7 causes the system to operate at a clock rate of 1.8 MHz instead of the normal .89 MHz.

Section 2 is only two pages long and details the proper sequence of operations needed to disassemble the computer, as well as the reassembly procedure.

Section 3, 'Theory of Operation," concentrates on the 6809E microprocessor, which is the heart of the TRS-80 Color Computer, and how it is interfaced to the outside world through the rest of the computer's components. Block diagrams, programming models, timing diagrams, cassette formats, and peripheral schematics are all included in the 26 pages that comprise this section. All of the components of the system are covered: joysticks, the RS-232C serial port, sound port, cassette port, and power supply.

The next section, labeled

### **BYTE's Bits**

#### Computer Stores Listed

A mailing list of all the known computer stores in the United States and Canada has been compiled by NACS (National Association of Computer Stores). Approximately 1500 stores are listed, and most entries contain

"Troubleshooting," lays down general guidelines on where to look for the most common problems that you may encounter. Like the rest of the manual, the explanations do leave a lot unsaid and aren't very thorough. For example, the sound went out on my computer, and I discovered, much to my dismay, that the audio circuitry isn't covered in the troubleshooting section. However, using the schematics in the following sections, I was able to diagnose the problem and locate the bad chip on the circuit board.

Sections 5, 6, and 7 are gold mines for the hardware hacker. Section 5 features a complete list of all of the parts used in the Color Computer, including the screws! Section 6 is an actual-scale drawing of both the component side and the printed-circuit side of the computer board used in the Color Computer. Section 7, the last one in the manual, is composed of three 11 by 16 inch fold-out pages that give the complete circuit diagram of the Color Computer.

The TRS-80 Color Computer Technical Reference, Manual (order no. 26-3193) is a bit skimpy on the explanations, but the diagrams and schematics more than make up for these deficiencies. If you are interested in the hardware/interfacing aspect or the software aspect, or even if you're just curious about the machine, then I recommend this manual.■

company name, street ad-

dress, city, state, and zip

code. The list is broken down

by state and includes a

number of entries for foreign

The list is available for

\$110. For details, contact the

National Association of

Computer Stores, 3255 South U.S.#1, Fort Pierce, FL

33450, (305) 465-9450.

countries.

### TRS-80TM DISCOUNT BUY DIRECT CON WE SELL THE FULL LINE OF TRS-80'S AT WHOLESALE PRICES

***** PERSONAL COMPUTERS ***** 



MODEL II				
26-4002 64K   Drive\$3279				
Ask About Hard Drives				
MODEL III				
26-1062 16K \$819				
26-1066 48K with				
2 Drives, RS232 \$2049				
COLOR COMPUTER				
26-3001 4K\$309				
26-3002 16K Ext. Basic \$455				
26-3003 32K Ext. Basic \$569				
POCKET COMPUTER				
26-3501 Pocket Computer\$155				
COLOR COMPUTER DISK DRIVES				
26-3022 Color Disk Drive #1 \$498				
26-3023 Color Disk Drive #2, 3, 4 \$338				
•LARGE INVENTORY WRITE FOR YOUR				
•FAST DELIVERY FREE CATALOG				
THOUSANDS OF SATISFIED				
CUSTOMERS				

ORDER TOLL FREE 1-800-841-0860 **MICRO MANAGEMENT** SYSTEMS, INC. DEPT. NO. 1 115 C. SECOND AVE. S.W. CAIRO, GA. 31728 GA. 912-377-7120 IM - TANDY CORPORATION FREE COPY OF WARRANTY UPON REQUEST

Circle 269 on inquiry card.

### **Structured Strings in BASIC**

Dr. David W. Stockburger Psychology Department Southwest Missouri State University Springfield, MO 65802

The applications programmer often needs to create a sequence of events to direct the activity of a program. In many cases, the events are repeated at various levels within the sequence. The following describes a generalpurpose routine in BASIC that allows the programmer to create a great variety of structured strings easily; these strings may then be used to sequence events in control programs. It has potential use in music generation, industrial control, robotics, and animation.

As an example, suppose a program to demonstrate animation techniques had 26 possible screens or displays, each symbolized by a small letter *a* through *z*. Input to this program might be in the form of a string (e.g., < aabzzcabzrabz >), which would sequentially display



the screen associated with each small letter. These strings can be constructed and entered by the user. This may be a laborious task, however, if the input strings are long and complicated. Because it is likely that some patterns of small letters are repeated within the final string, considerable time and effort can be saved by creating a production system that inputs strings of capital and/or small letters (e.g.,  $\langle aBZcD \rangle$ ) and produces strings consisting of only small letters (e.g.,  $\langle aaabccdefcddd \rangle$ ). A set of production rules govern the replacement of any capital letter by a string of capital and/or small letters.

In this routine, an initial string of capital and/or small letters entered by the user is expanded until a string with only small letters remains; this last string is called the structured string. The expansion is performed by userdefined production rules. A production rule is a string that begins with a capital letter and is followed by capital and/or small letters.

The routine works by setting the pointer to the first letter in the initial string and examining that symbol. If it is a small letter, the routine increments the pointer and repeats the process. If it is a capital letter, it expands the initial string by replacing the capital letter with all symbols that follow it in the appropriate production rule. The pointer is *not* incremented in this case and the process is repeated, beginning at the position of the first letter of the newly inserted string. If a symbol is encountered that is neither a capital letter for which a production rule has been defined nor a small letter, the routine will generate an error. The routine will repeat the above process until the expanded string contains only small letters or until a string longer than some predefined length results. The flowchart for this routine is presented in figure 1.

For example, given the following set of production rules:

AaabbB
Bcccd
CeAe
DABCD

and the initial string  $\langle CD \rangle$ , the routine proceeds as follows: it initially sets the pointer (*p*) to 1 and expands  $\langle C \rangle$  in  $\langle CD \rangle$ . The result is the string  $\langle eAeD \rangle$ . When the routine now finds a small letter  $\langle e \rangle$  in the

### YOU DON'T HAVE TO PAY AN ARM AND A LEG FOR DEMONSTRATION SOFTWARE!

### Get everything you need for \$29500

Whether you are selling your customer hardware or software, the three best ways to close the sale are:

 demonstration;
 demonstration; and
 demonstration. That's why we offer you the best software demonstration system in the microcomputer industry.

The package includes all the software listed here, plus important promotional materials and our exclusive video sales presentation designed to help you make the sale. You get the whole package for just \$295.00.

We offer you the largest selection of quality business applications and the best support available anywhere. Everyone claims to be the best ... but we're willing to demonstrate it. All you have to do is give us a call, or drop us a card.

#### FINANCIAL

General Ledger 
Accounts
Payable
Accounts
Receivable
Payroll
Cash
Receipts/Disbursements
Job
Costing
Mailing
List
Management

#### MEDICAL/DENTAL

Office Scheduler • Patient Billing • Accounts Receivable • Insurance Forms GOVERNMENTAL / EDUCATIONAL

Student Record Keeping • Student Scheduling • Fund Accounting WHOLESALE

#### DISTRIBUTION

Purchasing and Receiving Inventory Control Invoicing and Receivables Sales Commission Reporting Backorder Management

#### MANUFACTURING INVENTORY CONTROL

Finished Goods Inventory Management • Parts Inventory Management • Parts Purchasing and Receiving • Bill of Material • Production Scheduling

All IMS business applications require CP/M® or MP/M® and CBASIC N®.e. registered Trademarks of Digital Research Corp.



Circle 206 on inquiry card.

#### Supercharge Your Micro's Performance With



The Professional Operating System with CP/MTM Compatability -Spectacular Performance. Programs run 3 to 10 times faster compared with TRSDOS or CP/M. Benchmark results up to 20 times taster obtained with some applications by independent tirm! •Double-Sided Drive Support. Provides 1 25 Megabytes of storage per 8" double-sided/density disk Intermix any combination of single- or double-sided drives on-line

•Expanded Directories, Store larger number of files and more information per disk

 Automatic Density/Side Recognition. Detects changes in disk format automatically. Change disks at and time without compromising data or "BDCS/Read-Only" errors •Fast Disk Backups. Copy a complete 8" SS/DD diskette (610K) in less than 80 seconds Copy a

double-sided/density diskette (1 25 Megabytes) in less than 1 minute 45 seconds!

•Hard Disk Drive Support. Supports large hard disks in excess of 1,000 Megabytes without partitioning. •Advanced Utilities. Complete set of disk utilities, system.date and time functions, communications channel interface, etc. provided as standard features

•Enhanced Automatic Print Speeling. Run multiple printers simultaneously; support for multiple Queues and printers is standard feature on spooling versions

•CP/M Compatibility. Virtually any CP/M (version 2.x) program will run under TURBODOS without modification. Also fully media compatible with standard CP/M-format diskettes

Advanced Mainframe-like features. Includes read-after-write validation of all disk update operations. type-ahead buffers, incremental disk backup utility, password/log-on security, system date and time functions, accepts string of multiple commands, and numerous other capabilities not available under CP/M or TRSDOS Multi-user. networking versions also available

TRS-80 Model II Deater and OFM inquiries invited and Xerox 820 versions Data-Rx, Inc. Special Introductory Price Easity adaptable to any Z80-based computer.

(408) 375-2775 • 686 Lighthouse Avenue • Monterey, 93940

TURBOOOS is the registered trademark of Software 2000 CP/M. MP/M. and CP/NET are registered trademarks of Digital Research



#### **Programming Quickies**

first position of the string, it increments the pointer and examines the second letter in <eAeD>, which is  $\langle A \rangle$ . Finding a capital letter, it looks it up in the set of production rules, finds it, and expands the string to <eaabbBeD>. The next capital letter to be expanded is  $\langle B \rangle$ , and the expanded string would now be <eaabbcccdeD>. Continuing the process would yield <eaabbcccdeABCD>, which could be infinitely expanded. The routine would stop, however, because the pointer would have become larger than the limit set by the user.

The BASIC routine (written in Poly Disk BASIC for a Poly-88 computer) as described above is presented in listing 1. The production rules are read in as data statements in the string variable T\$. If different production rules are desired, they may be substituted or added to the existing data statements. If a number of different production systems are desired, it would probably be easiest to store them in mass storage, such as disk or tape files, and read them into T\$ as desired.

The string variable A\$ is used for both the input and output string. The user inputs the initial string into the routine through this variable, and the routine returns the expanded string back into this variable. The routine uses the BASIC commands RIGHT\$, LEFT\$, and MID\$ to accomplish the expansion. (This should pose no problem for most BASICs.) Examples of the results of the routine are presented in listing 2.




Figure 1: Flowchart for the structured string-generation program in listing 1.

# Turn To The Future With COMPUTE! Publications

#### The Beginner's Guide To Buying A Personal Computer

A Novice's handbook of useful, helpful information designed to teach you the basics of evaluating and selecting a personal computer. Written in plain English for the interested beginner. Complete with personal computer specification charts and buyer's guide. Applicable to home, educational, and small business buyers. ISBN 0-942386-03-5. Paperback. \$3.95.

#### **COMPUTE!'s First Book Of Atari**

192 pages of useful, informative applications and programs from **COMPUTE!** magazine issues now out of print. Includes previously unpublished information including Memory Map. Contents include such articles and programs as "Adding A Voice Track to Atari Programs," "Designing Your Own Atari Graphics Modes," and "Inside Atari BASIC." Spiral bound for ease of access to listings. For Beginner level to Advanced Atari users. ISBN 0-942386-00-0. Paperback. \$12.95.

#### **Inside Atari DOS**

From the authors of the Atari Disk Operating System, an exciting stepby-step guide to the DOS software. Complete with listings of commented source code and detailed explanations of each module of code. Author: Bill Wilkinson, Optimized Systems Software, Inc. Spiral bound for ease of access to listings. For Intermediate to Advanced Atari Users. ISBN 0-942386-02-7. Paperback. \$19.95

#### COMPUTE!'s First Book Of PET/CBM

256 pages of Commodore PET and CBM articles from **COMPUTE!** magazine issues now out of print. Includes such classic articles and programs as "Feed Your PET Some Applesoft," "Disk Lister: A Disk Cataloging Program." and "Cross Reference For The PET." Spiral bound for ease of access. ISBN 0-942386-01-9. Paperback. \$12.95.

1..

Ittu

**COMPUTE! Books** invites dealer inquiries. Call the Toll Free Number below for Dealer Information.

ATARI is a registered trademark of Atari. Inc. PET and CBM are trademarks of Commodore Business Machines, Inc.

To Order COMPUTE! Books Send coupon to COMPUTE! Books. P.O. Box 5406. Greensboro, NC 27403 USA For fastest service, in the US call TOII Free 800-334-0868 In NC call 919-275-9809.	Please send me: Quan. Beginner's Guide First Book of Atari Inside Atari DOS First Book of PET/CBM	<b>Price</b> \$ 3.95 ea. 12.95 ea. 19.95 ea. 12.95 ea.	+ 2.00 ea. + 2.00 ea.	
All orders must be prepaid (money order, check or charge). All payments must be in US funds. (Outside the US add \$4.00 shipping and handling for air mall, \$2.00 for surface mail.) NC residents add 4% sales tax.	Name			
Payment Enclosed Please charge my USA MasterCard American Express	City	State	e Zip	
Account No Expires/	Country Allow 4-6 weeks for delivery. For	reign surface d	lelivery allow 2-3 mont	hs. Dept. 111

#### **Programming Quickles**

Listing 1: The structured string-generation program (written in Poly Disk BASIC). In practical applications, this program would be used as part of a larger program.

STRINGS ****** 10 REM ***** 20 REM A PROGRAM TO GENERATE STRUCTURED STRINGS 30 REM 40 REM Copyright, 1981 by David W. Stockburger 50 REM PSYCHOLOGY DEPARTMENT **30 REM** SOUTHWEST MISSOURI STATE UNIVERSITY 70 REM SPRINGFIELD, MISSOURI 65804 80 REM 90 DIM S\$(1:400) 100 REM CONTAINS STRING TO BE GENERATED 110 DIM T\$(26:20) 120 REM CONTAINS PRODUCTION RULES 130 DIM A\$(1:1) 140 REM TEMPORARY STRING USED BY STRINGS 150 REM 160 REM READ IN TRANSFORMATION STRINGS TO BE USED 170 REM N IS THE NUMBER OF TRANSFORMATION STRINGS 180 N = 10190 FOR I=1 TO N 200 READ T\$(I) 210 NEXT 220 DATA "Asabbee" 230 DATA "Bodefsh" 240 DATA "CLABL" 250 DATA "Dxsz" 260 DATA "Etiser" 270 DATA "Fnnos" 280 DATA "GvFZeeD" 290 DATA "HGCEH" 300 DATA "IwwzebDBACH" 310 DATA "Zmmm" 320 REM 330 INPUT "Enter maximum length of expanded string (1 to 300) ",L 340 INPUT "ENTER STRING TO BE EXPANDED ",S\$ 350 GOSUB 430 360 PRINT S\$ 370 INPUT "Do you wish to continue (Y or N)? ",A\$ 375 PRINT 380 IF A\$="N" THEN STOP 390 IF A\$="Y" THEN 340 400 GOTO 370 410 REM 420 REM 430 REM ****** SUBROUTINE TO EXPAND STRINGS ****** 440 REM 450 P=0 460 REM P IS POSITION IN STRING 470 REM FIND CURRENT LETTER 480 P=P+1 490 IF P>L THEN RETURN 500 IF P>LEN(S\$) THEN RETURN 510 A\$=MID\$(S\$,P,P)

#### THE MULTI-USER FRIENDLY 256K MEMORY BOARD WITH



#### No Compromise in Performance

- Main-frame type memory mapping for optimal BANK SWITCHED applications or 24-BIT extended addressing
- Operates in any S-100 System
  IEEE / 696⁺ or non IEEE
- DMA operation fully supported⁺
- □ 8/16 data transfer protocol*
- Up to 6 MHZ with no wait states: Up to 10 MHZ with automatic wait state assertion
- □ Parity error detection⁺
- Double parity in 16-BIT operation

#### No Compromise in Features

- All memory/refresh cycle timing is generated ON BOARD providing easy CPU independent characterization
- □ Ideal for use with the new generation of operating systems: CP/M-80.[™] CP/M-86.[™] MP/M-11.[™] MP/M-86.[™] OASIS[™] UNIX[™]

#### No Compromise in Quality

- Multilayer board and bus signal
- filtering for noise-free operation
- □ Thorough 100% final test and burn-in

#### No Compromise in Versatility

- Manual provides source listing and complete installation guide for MP/M-II^{***} BANK SWITCHED multi-user applications
- For the CP/M-2.2^{***} user: Manual includes implementations of 'Virtual Disk' for solid state disk/file applications

#### No Compromise in Customer Support

- Comprehensive technical manual
   User hot-line
- □ Full one year parts and labor warranty

+In accordance with IEEE-696 standard Registered trademarks of "Digital Research. "Phase L and ""Bell Labs

### ORDER NOW

#### (213) 887-5737

- If you wish, send a check or money order for \$1,379 (in California add 6% sales tax where applicable).
- Manual available at \$25.00 each refundable with order.
- MACROTECH International Corp., 22133 Cohasset St., Canoga Park, California 91303

------



MACROTECH International Corp., 22133 Cohasset St., Canoga Park, California 91303

OEM inquiries 467 Dealer inquiries 468 all other inquiries 469

#### **Programming Quickies**,

Listing 1 continued:

520 IF A\$>="a" AND A\$<="z" THEN 470 530 IF A\$<"A" OR A\$>"Z" THEN 670 540 REM THE LETTER IS A CAPITAL 550 REM CAN EXPANSION LETTER BE FOUND? 560 J=0 570 FOR I=1 TO N 580 IF A\$=LEFT\$(T\$(I),1) THEN J=I 590 NEXT 600 IF J=0 THEN 720 610 REM IF J=0 THEN NO EXPANSION LETTER WAS FOUND 620 REM NOW EXPAND USING J 630 L1=LEN(T\$(J))-1 640 L2=LEN(S\$)-P 650 S\$=LEFT\$(S\$,P-1)+RIGHT\$(T\$(J),L1)+RIGHT\$(S\$,L2) 660 GOTO 510 670 REM ERROR - SYMBOL IN STRING NOT A CAPITAL OR SMALL LETTER 680 PRINT "ERROR IN INPUT STRING OR PRODUCTION RULE" ",A\$ **690 PRINT "THE INCORRECT SYMBOL WAS** 700 PRINT 710 RETURN 720 REM ERROR - PRODUCTION RULE NOT FOUND IN TRANSFORMATION TABLE 730 PRINT "CAPITAL LETTER NOT A PRODUCTION RULE" 740 PRINT "THE INCORRECT SYMBOL WAS "yA\$ 750 PRINT 760 RETURN



Apple II is a registered trademark of Apple Computer, inc.; Z-80 Softcard is a registered trademark of Microsoft Consumer Products. D.C. Hayes Micromodem is a trademark of D.C. Hayes, Associates, Inc.; Novation CAT is a registered trademark of Novation, Inc.

# **LOGO** Language of the 80's

Apple Logo and Logo introduce you to a dynamic new computer language that not only enables educators to make full and innovative use of the teaching potential of modern computers but also offers programmers an easy-to-use system of considerable power.

Readers of this book will see that the designers' vision of Logo as a virtually unlimited educational tool has now become a reality. Logo enables even young children to use the computer in rewarding, self-directed projects, while at the same time providing sophisticated users with a powerful and expressive general programming system. This book presents the reader with a complete guide to the exciting applications of this unique procedural language.

The author introduces programming techniques through Turtle Geometry—a series of fascinating exercises involving both Logo programming and geometric concepts. Later chapters illustrate more advanced projects that utilize Logo's sophisticated list-processing capabilities; these include the conversational DOCTOR program with its simulated psychotherapist and an INSTANT program with which parents and teachers can create a programming environment for preschool children. The book also contains reference material of enduring value to sophisticated users.

Get in on the ground floor of the burgeoning Logo movement with this comprehensive, detailed guide to the up-and-coming computer language of the Eighties!


This book is published in two versions: *Apple Logo* is for users of Apple LogoTM software (distributed by Apple Computer Company) and contains an appendix for users of TI LogoTM. *Logo* is specifically for users of Logo software developed at MIT for the Apple II computer (distributed by Krell Software and Terrapin, Inc.). *Logo* also contains appendices that enable users of Apple LogoTM to carry out the projects in the book. Be sure to specify *Apple Logo* or *Logo* when ordering!


Logo

Apple Logo \$14.95 240 pages, softcover, illustrated

Logo \$14.95 240 pages, softcover, illustrated

Harold Abelso











ION

BYTE Books 70 Main St Peterborough, N.H. 03458

Circle 58 on inquiry card.



#### **Programming Quickies**

Listing 2: Examples of structured string generation from program in listing 1. The production rules used are given in lines 220 through 310 of listing 1.

ENTER STRING TO BE EXPANDED sdefslkigwZBCD sdefslkigwmmmcdefshtaabbcccdefshtxyz Do you wish to continue (Y or N)? Y

ENTER STRING TO BE EXPANDED J9T CAPITAL LETTER NOT A PRODUCTION RULE THE INCORRECT SYMBOL WAS J

J9T . Do you wish to continue (Y or N)? Y

ENTER STRING TO BE EXPANDED EFG tisernnopynnopmmmeexyz Do you wish to continue (Y or N)? Y

#### Cautions

Remember:

•The string variable A\$ must be dimensioned longer than the cutoff limit given to the routine because, upon exiting the routine, the expanded string may contain both small and capital letters to the right of this length. The additional length needed will depend upon the type of production rules that have been employed.

•The replacement string of a production rule may not



An Atlanta bulletin board system uses a Hayes S-100 modem around the clock. Since March 1979, it has logged over 21,500 calls and been down a mere 10 minutes. For performance like this, depend on the Hayes Micromodem 100.[™] Features include automatic dialing/answering, 45 to 300 baud operation, a built-in serial interface and direct connection to any modular phone jack.

The Micromodem 100 – and Micromodem 11[™] for Apple 11° computers – are now available nationwide. Call or write for the name of your nearest dealer.



Hayes Microcomputer Products Inc. 5835 Peachtree Corners East, Norcross, GA 30092 (404) 449-8791 mean 10 A Monadation Late Indentities of March Metal International Products International Computer Internatio contain the capital element in the first position. For instance, *AAa* is not permitted because first position would never be expanded to a small letter. More complex versions of the same phenomenon may occur when replacement rules cyclically replace capital letters. For example, the replacement rules *ABa* and *BAb* would recursively call one another without replacing the initial portion of the string by small letters.

•The routine is fairly slow and may not function in realtime applications, where short time intervals (i.e., seconds) are important. For example, it would probably not be possible to generate strings of musical notes and play them simultaneously with the result sounding anything like music. Where time is critical, the strings must first be generated and stored in a mass storage medium, such as floppy disk, tape, or programmable memory. They may then be recalled when needed.

•The routine cannot easily generate all useful strings. Some transformations of existing strings cannot be produced by this routine. For example, when a musical phrase an octave higher or lower than an existing phrase is desired, it may not be easily produced using this system.

The inspiration for the routine came from the discussion of formal systems by Douglas Hofstadter (in Gödel, Escher, Bach: an Eternal Golden Braid, Basic Books, New York, 1979) and the formal theory of grammar (see Automata Theory: Machines and Languages by Richard Y. Kain, McGraw-Hill, New York, 1972). In these systems, a given string is expanded by the use of production rules to generate an axiom (discussed by Hofstadter) or an element of the language (discussed by Kain). The major difference between these systems and the present one is that, in the former cases, each capital letter may have a number of different replacement strings so that any number of possible expansions are possible, defining either a formal system or formal language. In the case of the above routine (where only one possible expansion is allowed for any capital letter), the initial string will always produce the same expanded string.



Integrated Desk Top Computer with 12 inch

64Kb RÂM, 4 MHz Z80A[®], Two Quad Capacity Floppy Disk Drives, Selectric[®] Style 87 Key Keyboard, Business Graphics Software

Bit-Mapped Graphics or Character Display.

a BAR GRAPH




w/ graphics running in seperate 20K of RAM; also includes 2K Boot Strap ROM.

#### **Optional operating systems.**

G/DOS runs existing NorthStar programs; Graphics C/PM[®] also runs conventional NorthStar C/PM[®] programs. Serial ports and parallel ports are available as options.

Call for prices.

Typical Systems Graphics:



**3-DIMENSIONAL CHART** 

#### **MULTI-USER HORIZON SYSTEMS**

Low Cost, Packaged, High Performance, Multiuser HORIZON[®] systems with 5Mb or 18Mb Integrated Winchester Hard Disks, Up to Five Users.

> HRZ-IQ-64K-HD5 w/5 Megabyte Winchester ..... \$4749*

Four-User HORIZON 1Q-64K-18H w/ 18Mg Hard Disk. only \$8260*

* To May 30, 1982

**Optional Operating Systems.** 

Multi-user operating systems now available to run both NorthStar DOS/BASIC and standard C/PM[®]programs (offers more available RAM than an MP/M system)

#### HORIZON 2Q-64K, \$2896* (with metal case) H RAM 64K Memory Board, \$595*

* To May 30, 1982

All prices, F.O.B. shipping point, subject to change. All offers subject to withdrawl without notice. Advertised prices reflect a 2% cash discount (order prepaid prior to shipment), C.O.D.'s and credit card orders are 2% higher.



# MiniMicroMart, Inc.

943 W. Genesee St. P.O. Box 2991B Syracuse, N.Y. 13220 (315) 422-4467 TWX 710-542-0431

Circle 288 on inquiry card.

# TRS-80 BASIC Program Hang-ups

### The Reasons and Some Solutions

Understand and eliminate those mysterious crashes

Glenn Tesler POB 83 North Hollywood, CA 91603

Have your TRS-80 BASIC programs ever stopped for no apparent reason or hung up in the middle of an operation? There are at least six reasons why this can happen:

1. The program is trying to output to a nonexistent printer or to one that's not ready.

2. String space collection, also known as garbage collection, is taking place.

3. Your program is large and has many line references to the middle or end.

4. Your program uses variables that were not defined in the *proper* order (the proper order will be explained later).

5. Your program is stuck in an endless loop.

6. Your system has crashed, your memory has dropped out, etc.

These problems occur often, and can be annoying, especially when you have to load the program again and start over. Here are some solutions to the first four possibilities, some of which should improve your program execution time.

#### Printer Not Ready

Occasionally, you may run a program that contains LPRINT (output to printer) statements when your printer is off or disconnected. If so, your program will hang up when it reaches the first LPRINT, because the TRS-80 printer-driver software waits until the printer sends a ready signal before it transmits each character to be output. If the printer is off, this software routine never receives the ready signal, staying in a loop without sending a warning message to the

#### Often a TRS-80 BASIC program will stop during an operation for no apparent reason.

user. To prevent this, you need a routine that checks for the printer's presence without getting stuck. Listing 1 shows two methods, using both BASIC and Z80 machine language, that will alert you to the printer-not-ready situation.

If you use the NEWDOS operating system, accidentally pressing the J, K, and L keys simultaneously (the NEWDOS screen-print command) will result in a hang-up for the same reasons. To prevent this, you can disable the screen print by POKEing the decimal number 201 (hexadecimal C9) into decimal location 17333 (hexadecimal 43B5). To re-enable this function, you must POKE the decimal number 103 (hexadecimal 67) into the same location.

#### Garbage Collection

If you define 20 strings as 3 characters in length and then you redefine those same 20 strings as 2 characters, it should take up 40 bytes, right? Wrong! It takes 100 bytes: 60 for the old strings—now garbage—and 40 for the new strings. Eventually, the computer has to get rid of the garbage to free string space. This procedure sometimes seems to take forever.

The program in listing 2 repeatedly picks a random number from five to nine and defines 100 strings to that length; the random numbers are displayed between the asterisks. The program also shows how much string space is left in memory. Occasionally, this program pauses when the numbers get low. This means that it is time for string space compression, also known as garbage collection, which the computer usually does without a warning. This doesn't have to happen anymore!

Save the BASIC program from listing 2, then decide whether you want to use BASIC or machine language to create a string-compression detector. If you select BASIC, enter the program in listing 3; use the program in listing 4 if you select machine language.

The BASIC version POKEs a machine-language program similar to that in listing 4 into memory. Before running the BASIC version, you must

					X	RA S LETT-PA	CKAF
Α	PPL	E			MB	тм	
Our V	EPSON NEC Our Volume Sales Are So High That Our Prices Are The World's Lowest - Period!			DRIVES F	COM	PARE! / WITH CONTROLLEF	2
CALIFORN COMPUTER SY 7710 Async. Serial Int 7490 GPIB (IEEE-488) 7470 Ana. to DIg. Con	STEMS : \$135 Int. \$239	MOUNTA HARDWA CPA Multi-Function The Clock Supertalker	RE	APPLE Hard Disks + 8' Apple Co	" Disks fo		ALL
7711 Async. Serial (Te 7712 Sync. Serial Int. 7721 Apple Parallel In Calendar/Clock Modu Programable Timer	\$149 it. \$109	Music System Expansion Chassis Romwriter Ram Plus (32K Board	\$319 \$599 \$139 d) \$149				
NEC	PRINTERS				PLEASE CAI		
Spinwriter 7710 8023 A EPSON MX 80 MX 80 Ft. MX 100	\$ 2339 \$CALL \$CALL \$CALL \$CALL	DP9500/9501 INTEGRAL DATA S' Prism 80 Prism 132 Color Prin MPI 88 G Printer 99 G Printer	\$ 1195	MODEMS Hayes Micromodem II Hayes Smartmodem Hayes Chronograph Novation Cat Novation D-Cat Modem	\$289 \$229 \$199 \$145 \$165	DISKETTES (Boxes Verbatim Datalife Verbatim 8" Double-Side/DD RAM CARDS Ramex 16 K Card	of 10) \$ 24-95 \$39-95 \$ 119
VISICORP, INC. Desktop Plan III	\$229	SOFTWARE STONEWARE DB Master	\$169	Novation Apple Cat II Novation Auto Cat	\$339 \$209	Ramex 128 K Card Wesper 16 K Card Microsoft 16 K Card Dana 16 K Card	\$CALL \$ 119 \$ 139 \$ 119
Desktop Plan II Visifiles Visiplot Visitrend/Visiplot Visidex Visiterm Visicalc 3-3 Visipak	\$189 \$189 \$229 \$189 \$79 \$189 \$539	DB Utility Pack MICRO PRO Apple CP/M Word Star Super Sort Mail Merger Data Star Spell Star Call Star	\$ 69 \$219 \$119 \$ 79 \$179 \$119 \$119	MONITORS Zenith ZVM-121 Phospho 15 MHZ NEC 1201 Phosphor 20 MHZ NEC 0112 Composite Color NEC 2112 RGB Color Amdek 300 Phosphor	\$119 \$179 \$335 \$899 \$199	80 COLUMN CAI FOR APPLE Wesper 80 Card Vision 80 Card (Vista) Videx 80 Card MISCELLANEO APPLE PRODUC Enhancer II Dana Apple Fan	\$259 \$299 \$259 US
P Call For Continental, Da		\$169 nd, Automated Simulations ble, Synergistic Software, E	Etc.	Amdek Composite Color Amdek IBM Compatible Color		Sup R Mod	\$27-95
IN COLORADO (303) 279-2727 CALL "THE COMPUTER-LINE" TM 7 DAYS <b>1-(800)-525-7877</b> IN COLORADO SUITE 108 COMPUTERWORLD INTERNATIONAL, INC. SUITE 133, P.O. BOX 81, WHEAT RIDGE, COLORADO, U.S.A. 80034-0081							

SUITE 108 THE GOLD OFFICES 607 10TH ST. GOLDEN, CO 80401

TERMS: RETAIL/MAIL ORDER: MASTERCHARGE/VISA ACCEPTED. WE CALCULATE UPS FREIGHT.

۲C

**Listing 1:** Two methods of alerting a user to a printer-not-ready condition on a TRS-80 Model I. Listing 1a is a one-line BASIC statement that prints a warning message if the printer is absent. Listing 1b is the machine-language equivalent (users must write their own code to display the warning).

#### 1a

IF (PEEK(14312) AND 240)<>48 THEN PRINT"PRINTER IS NOT READY"

#### 1b


LOOP	CALL	5D1H	;IS PRINTER READY?
	JR	Z, PRTRDY	;YES, START PRINTING
	CALL	PRTMSG	;DISPLAY WARNING (CODE NOT SHOWN)
	CALL	49H	;WAIT TILL KEY PRESSED
	JR	LOOP	;SO WE CAN TEST AGAIN
PRTRDY	EQU	\$	PRINTER IS READY

set the TRS-80 memory size to at least 71 bytes below the actual end of memory (or at least 65 bytes below where you usually set it if you have other programs in high memory). When you run it, the program will ask where in memory you want the machine-language program to be POKEd. Answering with an ENTER will tell the program to use the current memory size. An address below the memory size will result in an error; otherwise, the program will POKE the data to the location specified.

To use the machine-language ver-

sion, first assemble the source code given in listing 4 using a TRS-80 assembler. If you are using a tape-based system (Level II), save the object (executable) code to tape with the name CKSTR. Then reset the memory size as described above, ready the tape for loading, go into the system mode, type in "CKSTR," and hit ENTER to begin loading. When the tape is loaded, type "/" and ENTER. This will run the CKSTR program and return to BASIC. On a disk-based system, save the object code to disk with the name CKSTR. Type in this file name when you are in DOS (disk operating system). It will load, initialize, and return to DOS. You should then enter BASIC, setting your memory size as explained above.

Once you have a version of CKSTR in memory, load and run the program in listing 2 again. When it is time for a string compression to occur, the CKSTR routine displays a graphic character that looks like the letter C (for compression) in the



# Quality Computer Services presents.. Hard Disk Systems



### For TRS, Apple, Heath, S-100, IBM..... 6,12,20,40 and 80 Megabyte systems

Completely assembled and tested subsystem including:

- Switching power supply
- Winchester drive
- Host adapter card
- Sealed case
- Expansion

The encloser, controller and power supply have been designed to allow for future backup hardware or increased storage

- Software
- Auto attach CP/M*
- · Hard disk utilities
- Real time clock

Formatting program
 Assigns alternate sectors
for any weak sectors detected
during formatting assuring
the lowest possible error rate

Warranty: The system has a full one year warranty on all parts and workmanship
Also available: attach for TRSDOS, OASIS*, Apple DOS
Optional 51//" floppy (shown)

See local dealer or call: Quality Computer Services 178 Main Street Metuchen, New Jersey 201-548-2135



 Quantity discounts available. Distributor, Dealer and OEM inquries invited.


CALLE USE OF STREET

*OASIS is a Irademark of Phase One Systems, CP/M is trademark of Digital Research

Toll free number: 800 631 5944

SINGLE





MULTI

USER

The SB-80/4 computer has the hardware features needed for today's sophisticated small business systems that demand speed and storage capacity for a single user or the multiuser application that demands up to four users.

- 5 separate 4 MHZ Z80A CPU's Interface
- 320K 200ns Main Memory
- 8 or 5 1/4 Inch Dual Density Floppy Drives
- CP/M Compatible
   Operating System
   4 Parallel Ports
- (Master Board)
- 6 Serial Ports (2 Master Board - 4 Slave Board)
- Winchester Hard Disk
- Four Channel DMA Controller
- 50 Pin Expansion Connector
- Real Time Clock

#### **SINGLE BOARD TECHNOLOGY**

By utilizing the latest in Large Scale Integration, engineers have packaged into a single board a complete computer system with features found only in other costly multi-board systems. Each user has a dedicated Z80A microcomputer module with dedicated 64K RAM housed in the system mainframe.

Any computer is only as good as its software, and the combination of a Z80A CPU and CP/M allows access



#### Colonial Data Services Corp.

105 Sanford Street Hamden, Conn. 06514

Mid Atlantic Distributor COMPUTER APPLIED SYSTEMS, INC. 497 Hill Street, York, Pennsylvania 17403 • (717) 848-2431 ©CP/M is a registered trademark of Digital Research, Inc. to the largest library of software available for eight-bit micros. BASIC, FORTRAN, Pascal, COBOL, APL, and PL/I languages are available now. Complete integrated business and engineering systems are ready to run. In addition, our multi user I/O supervisory operating system allows up to four users to simultaneously perform computer functions or share the same database on the SB-80/4.

#### LARGE CAPACITY DISK

Eight-inch drives store three times as much data at twice the transfer speed of smaller drives. The SB-80/4 cabinet can house two single or double sided drives, and two more drives can be attached. That's up to four megabytes of floppy disk storage. For extended applications, hard disks and multi SB-80/4 networks are available.

#### WINCHESTER HARD DISK

Hard disk options from 10 megabytes up to 104 megabytes are available for applications requiring large database files and records.

#### AFFORDABLE

The result is a high-speed, full featured microcomputer system at a price that beats the competition. The SB-80/4 gives you minicomputer performance and capacity at microcomputer size and price.

(203) 288-2524 • Telex: 956014

New England Distributor S&M SYSTEMS, INC. P.O. Box 1225 • 2 Washington St., Haverhill, MA 01830 • (617) 373-1599 **Listing 2:** This BASIC program will show the delays caused by TRS-80 string compression and how these delays are caused by the way string space is maintained.

100 'STRING (c) COPYRIGHT 1980 by Glenn Tesler 110 ' 120 'THIS PROGRAM SHOWS THE DELAYS CAUSED BY STRING 'COMPRESSION, AND ALSO HOW THESE DELAYS ARE CAUSED 130 140 'BY THE WAY STRING SPACE IS MAINTAINED. 150 ' 160 GOTO 560 'GO DO INITIALIZATION 170 180 A = RND(5) + 4'PICK A RANDOM LENGTH 190 'FROM 5-9. 200 . . 210 PRINT : PRINT "*"; A; "*" 'DISPLAY IT BETWEEN 220 'ASTERISKS 230 ' 240 'NOW DEFINE EACH ELEMENT IN THE ARRAY TO THE RANDOM LENGTH 250 WHICH WAS JUST PICKED. THEN, DISPLAY THE AMOUNT OF 260 'STRING SPACE LEFT TO ALLOCATE TO STRINGS BEFORE GOING 'THROUGH THE STRING COMPRESSION ROUTINE. FRE(A\$) IS NOT 270 'USED SINCE IT INVOKES THE STRING COMPRESSION ROUTINE. 280 290 'AND THAT WOULD DEFEAT THE PURPOSE OF THIS EXAMPLE. 300 310 FOR B=1 TO X/10 'ARRAY ELEMENT COUNTER 320 AS(B)=STRINGS(A,32) 'DEFINE AN ELEMENT 330 'TO THE RANDOM LENGTH X1=PEEK(16598) + 256*PEEK(16599) 'STRING WK AREA PTR 340 350 X2=PEEK(16544) + 256*PEEK(16545) 'START OF STRING DATA 360 'POINTER 370 PRINT X1-X2; 'CALCULATE & DISPLAY 380 'THE AMOUNT OF FREE 390 'STRING SPACE 400 NEXT B 'LOOP TILL EACH ELEMENT 410 'HAS BEEN DEFINED 42U GOTO 180 'PICK A NEW RANDOM 430 'LENGTH 440 450 END OF MATN PROGRAM 460 470 480 'INITIALIZATION 490 500 'ALLOCATE STRING SPACE. WHEN THE ARRAYS ARE DEFINED, THE 'AMOUNT OF STRING SPACE ALLOCATED BY THE CLEAR/10 WILL BE 510 520 'THE NUMBER OF ARRAY ELEMENTS IN ALL. THIS WAY, YOU CAN 'CAUSE MORE STRINGS OR LESS STRINGS TO BE DEFINED TO 530 'RANDOM LENTHS. CURRENTLY, THERE ARE 100 STRINGS IN ALL. 54u 550 560 CLEAR 1000 570 CLS 'CLEAR SCREEN 580 DEFINT A-W, Y-Z 'USE INTEGERS FOR SPEED 590 600 'PRE-DEFINE VARIABLES FOR SPEED 610 A=0 : B=A : X1=0 : X2=0 620 'GET AVAILIBLE STRING SPACE. FRE IS BEING USED AS THERE 630 'HAVE BEEN NO STRINGS DEFINED ALREADY, THUS NO GAPS 640 'HAVE BEEN CREATED. 650 . 660 670 X=FRE(A\$) 680 ' 'NOW SET UP AN ARRAY. 690 700 . . 710 DIM A\$(X/1U) 720 GOTO 180

**Listing 3:** This BASIC program tells the user if any string compression or garbage collection is occurring by displaying a graphics character in the upper right-hand corner of the screen.

```
      1000
      'ROUTINE TO POKE "STRING COMPRESSION DETECTOR" INTO MEMORY

      1020
      '(c)
      COPYRIGHT 1980
      by Glenn Tesler

      1040
      '
      'GO DO INITIALIZATION

      1060
      GOTO 4120
      'GO DO INITIALIZATION

      1080
      '
      Listing 3 continued on page 324
```

upper right-hand corner of the screen. When the garbage collection is finished, the character is removed. With this routine in memory, you will never have to wonder if the computer has crashed or is merely collecting garbage.

The garbage collection routine (starting at hexadecimal location 28E6) uses the Z80 RST instruction, and my detection program takes advantage of this. An RST causes the processor to begin executing at a location in low memory; the garbage collector contains an RST 18, effectively the same as a subroutine call to location hexadecimal 18. Contained in this location, which is in ROM (read-only memory), is a jump vector to another location in programmable memory (hexadecimal 4006), which in turn points to the routine that is the target of programs calling this particular RST. By replacing the information in the second jump vector (locations 4006 to 4008 hexadecimal), any call to RST 18 must first go through my program, where it then checks to see if the call came from the compression routine. If so, the graphics character is displayed, a "switch" in memory is set, and the program jumps to the original target of the RST 18; otherwise, it just does the **RST 18**.

To erase the graphics character when the compression routine is finished, RST 20 is also checked. This points to a routine that tests data type (i.e., string, integer, etc). Since almost every command has to check the data type, RST 20 is used a lot. When this RST is called, the program checks to see if the "switch" in memory is set and the graphics character is being displayed. If so, it resets the switch and erases the character, and continues with the regular RST 20.

The machine-language program is only 65 bytes long, including the initialization routine. If you are wondering whether an RST 20 is performed in the string-compression routine, it is not. Also, if you are wondering why I didn't use FRE(A\$) in the BASIC program, it is because it uses the string-compression routine before calculating the available string space.





324

May 1982 © BYTE Publications Inc

Listing 3 continued:

1100 'SET UP A DEFAULT LOAD ADDRESS AT WHICH TO POKE DETECTOR, 1120 'THEN LET USER OVERRIDE IT IF NECESSARY 1140 1160 'DEFAULT LOAD ADDRESS M1 = M'BEGIN WITH FRESH SCREEN 1180 CLS PRINT "WHERE SHOULD THE STRING COMPRESSION DETECTOR" 1200 PRINT " (DEFAULT IS:"; M1; ")"; 1220 BE LOADED 1240 INPUT M1 1260 IF M1 >= M THEN 1460 'LOAD POINT MUST BE>=MEM SIZE 1280 PRINT PRINT "MEMORY SIZE IS SET AT"; M; 'ERROR MESSAGE 1300 1320 PRINT "SO RESET MEMORY SIZE AND TRY AGAIN" 'DON'T LET PROGRAM CONTINUE 1340 END : GOTO 1300 1360 ' 1380 'SAVE FINAL LOAD ADDRESS, THEN CONVERT IT TO VALID VALUES 1400 'FOR THE "POKES": 0-32767 REMAIN THE SAME, BUT 1420 '65536 MUST BE SUBTRACTED FROM 32768-65535. 1440 "M" IS LOAD ADDRESS FOR PGM. 1460 M=M1 1480 IF M > 32767 THEN A=M-65536 ELSE A=M 1500 1520 'POKE THE MACHINE LANGUAGE PROGRAM INTO HIGH MEMORY. 1540 'ANOTHER ROUTINE WILL HANDLE THE RELOCATION AS NEEDED. 1560 ' PRINT : PRINT "NOW POKING PROGRAM INTO HIGH MEMORY ... " 1580 1600 FOR B=1 TO NB 'LOOP TO DO THE POKES 1620 READ C 'ONE BYTE AT A TIME 1640 POKE A,C 'INTO HIGH MEMORY 1660 IF A=32767 THEN A=-32768 ELSE A=A+1 'CHECK BOUNDARY 1680 NEXT B 'TO KEEP 'A' A VALID INTEGER 1700 ' 1720 'INTEGERS MUST BE IN THE RANGE: -32768 TO 32767 'IF "M" EXCEEDS 32767, IT WOULD BE AN ERROR. 1740 BY 'SUBTRACTING 65536 FROM "M", A NEGATIVE NUMBER RESULTS, 1760 1780 'WHICH ACTUALLY IS A 2-80 ADDRESS BETWEEN 32768 AND 65535 1800 1820 IF M > 32767 THEN M=M-65536 'CHECK AND ADJUST RANGE 1840 ' 1860 'MACHINE LANGUAGE IS NOT SELF-RELOCATABLE, 1880 'SO NOW IT IS NECESSARY TO CALCULATE AND ADJUST SOME 1900 'OF THE ADDRESSES IN IT. 1920 1940 'THE CALCULATION IS DONE THIS WAY: 1960 ' 1. CALCULATE ABSOLUTE ADDRESS OF A VARIABLE 1980 ' WITHIN THE MACHINE LANGUAGE PROGRAM: 2000 M0 = PROGRAM LOAD ADDRESS + VARIABLE DISPLACEMENT 2020 WITHIN PROGRAM 2040 ' 2. CONVERT ADDRESS 'M1' TO TWO SINGLE BYTES: LSB, MSB: 2060 ' M2 = LSB, M1 = MSB2080 ' 3. CALCULATE WHERE TO STORE ADJUSTED VARIABLE ADDRESS 2100 ' AND STORE IT THERE. THIS MAY HAVE TO BE DONE MORE THAN ONCE IF THE VARIABLE IS REFERENCED MORE THAN 2120 ' 2140 ' ONCE. 2160 . 2180 PRINT : PRINT "NOW RELOCATING INTERNAL ADDRESSES..." 2200 M0 = M + 13'ADDRESS OF GRAPHIC DISPLAY RTN 2220 M2=M0 AND 255 'EXTRACT LSB FROM 2-BYTE ADDR. 2240 M1=INT(M0/256) AND 255 'EXTRACT MSB ALSO 2260 POKE M+1, M2 'STORE LSB INTO MACH LANG PGM 2280 'STORE MSB POKE M+2, M1 2300 ' 2320 'ADDRESS OF "GRAPHIC REMOVER" M0 = M + 382340 M2≓M0 AND 255 'CALC LSB OF GRAPHIC REMOVER 2360 M1=INT(M0/256) AND 255 'CALC MSB POKE M+7, M2 2380 STORE THEM INTO PROGRAM 2400 POKE M+8, M1 2420 ' 2440 M0 = M + 64'ADDRESS OF A SWITCH IN PGM 2460 M2=M0 AND 255 'LSB OF SWITCH ADDRESS 2480 Ml=INT(M0/256) AND 255 'MSB 2500 POKE M+33, M2 'STORE SWITCH ADDRESS INTO 2520 POKE M+34, M1 'PROGRAM IN THREE LOCATIONS. POKE M+39, M2 2540 'IN THREE PLACES POKE M+40, M1 2560 POKE M+47, M2 2580 2600 POKE M+48, M1 Listing 3 continued on page 326

### There's great business ahead! And here is THE DATA BASE to get you there.

Meet **GBS**...the most complete,

most powerful **relational** database management system available. It was designed to go beyond the capabilities of ordinary DBM systems. And it does. Where others may possibly be stateof the art...GBS, our General Business System, is **ahead-of-the-art**!



hand with plenty of tutorials and easily understandable examples. And, the entire documentation is typeset for ease of reading.

You can. Because GBS is fully supported by QUALITY SOFTWARE. So, if you ever have a question, or need assistance, simply contact QUALITY SOFTWARE and our professional support people will be happy to help.


You can. Because we offer a special 30-Day Money Back Guarantee. Order your edition of GBS at \$700 (on disk, with complete professional documentation) and try GBS in your own business environment. If GBS isn't all we say it is, and more, simply return it within 30 days for a full refund. This offer is for a limited time only, so please act immediately.

#### Call Today

There's great business ahead. And GBS is the relational data base management system which can help you control your information and data quickly, efficiently and effectively. Call us today for additional information or to

take advantage of our special 30-Day Money Back Guarantee.

GBS -- it's the best business decision you can make, for today and the future.





QUALITY SOFTWARE 6660 Reseda Blvd., Suite 107 Reseda, CA 91335 (213) 344-6599

*CP/M is a registered trademark of Digital Research.

**B** ecause it is relational, GBS is far more valuable to you and your business. It has the capability to access an almost unlimited amount of data from a variety of files, then combine that data and display or print it in a format that you specify.

#### Relational, Efficient & Automatic

GBS can automatically search for, locate, and interrelate information from many files. For example, on each order entry it can automatically decrement inventory; automatically post the data to your Accounts Receivable and automatically update your General Ledger. You don't have to spend countless hours making redundant entires, with the chance for numerous errors. GBS' inter-file relationships and adjustments save you considerable time, and thus many hours of high-cost labor.

Most other business programs are limited single file systems, whereas GBS allows you to work with 3 different files at the same time. All Indexes are updated automatically. What's more, a large GBS data file can extend over 4 different disk drives...not merely one. No other data base system has the power and flexibility of GBS!

#### A program generator, par excellence

Included as a part of GBS is a very powerful applications development tool, called QUICK GEN. Basically, this function allows almost anyone -- even those unsophisticated about computers -to generate useful business programs. Think of the efficiency you gain when anyone on your staff can quickly generate a needed program to solve a particular problem! But, GBS versatility doesn't stop there. GBS is also ...


#### ...a Fully Programmable system...

... which allows you, or those with deeper computer interest, to create almost any business application program, such as accounts payable/receivable ... payroll ... general ledger ... order entry ... mailing lists ... personnel files ... cost accounting ... real estate listings ... time/expense management, and many more. And each one will be a personalized program ... individualized to the specific requirements of your firm!

#### Start using GBS now

You can. Because GBS is up and running on most popular CP/M* based computers, like those made by Apple, Tandy, Xerox, Sharp, NEC, Hewlett Packard, Toshiba, Osborne, Televideo, Vector, Altos and more.

You can. Because GBS documentation is written in a friendly, freeflowing, style...and it leads you by the Circle 50 on inquiry card.



Listing 3 continued: 2620 ' 2640 'NECESSARY RELOCATIONS ARE COMPLETE. 2660 'SET UP THE "USR" CALL: ASSUME LEVEL II, BUT 1F IN 2680 'DISK BASIC, SET IT UP THROUGH A "DEFUSR": 2700 2720 2740 POKE 16526, M AND 255 'LSB OF DETECTOR START 2760 POKE 16527, (M/256) AND 255 'MSB 2780 2800 'NOW SEE IF IN DISK BASIC. IF SO, ABOVE DIDN'T HURT. IF PEEK (16809) <> 201 THEN DEFUSR=M 2820 2840 2860 'NOW ACTIVATE THE STRING COMPRESSION ROUTINE. 'IT WILL REMAIN IN HIGH MEMORY UNTIL YOU RE-BOOT OR 2880 'RE-INITIALIZE BASIC. YOU CAN LOAD AND RUN OTHER 2900 'BASIC PROGRAMS NOW, AS LONG AS THEY DO NOT POKE OTHER 2920 'MACHINE LANGUAGE PROGRAMS INTO THE SAME PLACE AS THE 2940 2960 'STRING COMPRESSION ROUTINE. 2980 3000 . *** MAKE SURE YOUR OTHER PROGRAMS DO NOT *** * * * *** DESTROY THE DETECTOR !!! 3020 3040 3060 M = USR(0)'ACTIVATE THE DETECTOR 3080 'END OF MAINLINE OF PROGRAM 3100 3120 3140 PRINT : PRINT "STRING COMPRESSION DETECTOR ACTIVE" 3160 END : GOTO 3160 'MAKE SURE PROGRAM STOPS HERE 3180 3200 END OF MAIN PROGRAM 3220 . 3240 3260 'ERROR ROUTINE FOR HANDLING OVERFLOWS IN A CERTAIN BLOCK 3280 'OF LINES. IF THE ERROR IS SOMEPLACE ELSE, OR IS NOT 'AN OVERFLOW, THEN BASIC'S NORMAL ERROR MESSAGE IS GIVEN. 3300 3320 'IF IT IS AN OVERFLOW IN THAT BLOCK, THEN THIS ROUTINE 3340 MODIFIES THE APPROPRIATE VARIABLE. 3360 3380 'CHECK TO SEE IF VALID ERROR 3400 3420 IF ERR<>10 OR ERL<2200 OR ERL>2820 THEN ON ERROR GOTO () 3440 3460 'IF ERROR OCCURED WITH MO, CHANGE MO ELSE CHANGE M 3480 3500 IF ERL=2200 OR ERL=2220 OR ERL=2240 THEN 3700 3520 IF ERL=2320 OR ERL=2340 OR ERL=2360 THEN 3700 3540 IF ERL=2440 OR ERL=2460 OR ERL=2480 THEN 3700 3560 3580 'IN THE NEXT TWO LINES: IF THE VARIABLE IS NEGATIVE, '65536 IS ADDED. IF POSITIVE, 65536 IS SUBTRACTED. THIS 3600 'SHOULD TAKE CARE OF THE OVERFLOW. NEXT IT RESUMES TO 3620 'GIVE CONTROL BACK TO THE ERROR LINE. 3640 3660 3680 M=M+(-SGN(M)*65536) : RESUME 3700 M0=M0+(-SGN(M0)*65536) : RESUME 3720 3740 END OF ERROR ROUTINE 3760 3780 THESE DATA STATEMENTS CONTAIN THE MACHINE LANGUAGE 3800 'PROGRAM THAT IS 'THE "STRING COMPRESSION DETECTOR" 3820 3840 34, 7, 64, 3860 DATA 33, 181, 255, 33, 206, 255, 34 17, 253, 3880 DATA 64, 201, 227, 213, 10, 40, 205, 144 28, 209, 227, 3900 DATA 32, 10, 62, 183, 50, 63, 60 62, 1, 232, 255, 195, 144, 58, 3920 DATA 50, 28, 232 71, 50, 3940 DATA 255, 203, 232, 255, 40, 16, 175, 58 254, 3960 DATA 63 63, 60, 183, 32, 5, 62, 32, 50, 3980 DATA 60, 195, 217, 37, 4000 4020 END OF DATA STATEMENTS 4060 4080 'INITIALIZATION 4100

Listing 3 continued on page 328

# 8086-SUPER MICRO.

### Superfast in its class and ready to run.

#### Computer Benchmarks—All systems running the same BASIC program.

Manufacture-Model	Class	Operating System	Language (Type*)	Run Time (Seconds)
IBM 3033	Mainframe	VS2-10RVYL	Stanford BASIC	10
Seattle Computer System 2	Micro	MS-DOS	Microsoft BASIC (C)	33
Digital Equipment PDP 11/70	Mini	n/a	BASIC (I)	45
Prime 550	Mainframe	PRIMOS	BASIC V16.4 (I)	63
Digital Equipment PDP-10	Mainframe	TOPS-10	BASIC (I)	65
IBM System 34	Mainframe	Release 05	BASIC (I)	129
TEI System 48	Micro	MAGIC 1.0	Microsoft BASIC (C)	178
Hewlett-Packard HP3000	Mini	Time Share	BASIC (I)	250
Seattle Computer System 2	Micro	MS-DOS	Microsoft BASIC (I)	310
Alpha Micro AM-100/T	Micro	AMOS 4.3a	Alpha BASIC (SC)	317
Digital Equipment PDP 11/45	Mini	n/a	BASIC (I)	330
Data General NOVA 3	Mini	Time Share	BASIC 5.32	517
Ohio Scientific C4-P	Micro	OS65D 3.2	Level 1 BASIC (I)	680
North Star Floating Point	Micro	NSDOS	NorthStar BASIC (I)	685
Radio Shack TRS-80 II	Micro	TRSDOS 1.2	BASIC (I)	792
Apple II +	Micro	DOS 3.2	Applesoft II (I)	960
Cromemco System 3	Micro	CDOS	32K BASIC (I)	1074
Commodore Pet 2001	Micro	n/a	Microsoft BASIC (I)	1374
IBM 5100	Micro	n/a	BASIC (I)	1951
Vector MZ	Micro	n/a	Micropolis BASIC (I)	2251

*C = Compiler; I = Interpreter. Times (except for Seattle Computer) taken from August 1981 issue of Interface Age.

The Seattle Computer System 2 is the fastest micro on the block. In fact, System 2 outperforms many minis and mainframes.

Even the big boys such as: IBM System 34, Prime 550, and Hewlett-Packard HP 3000 are left in the dust when System 2 starts running.

The speedy System 2 consists of 8 Mhz. 8086 CPU set, 128K of 85 nsec. static RAM, double-density disk controller, 22-slot constant voltage mainframe, a cable for two 8" drives, and MS-DOS operating system (also called 86-DOS, IBM PC-DOS, Lifeboat SB-86).

High-level languages like Microsoft's Basic, Pascal, Fortran, Cobol are available now for your application programs. System 2 comes fully assembled, tested and ready to run with the addition of disk drives (that we can supply) and terminal.

Call (206) 575-1830 for the location of your nearest System 2 dealer.

#### Dealer inquiries welcome.



Listing 3 continued:

4120 4140 4160 4180 4200	DEFINT A-L,N-Z 'USE INTEGER VARIABLES M=PEEK(16561)+256*PEEK(16562)+1 'MEM SIZE ON ERROR GOTO 3420 'OVERFLOW ERROR HANDLER C=0:B=C:A=C:M1=C:M2=C 'SET UP VARIABLES FOR SPEED ON ERROR GOTO 3420 'TAKE CARE OF OVERFLOW ISON UP VARIABLES FOR SPEED
4220 4240 4260 4280 4300 '	C=0:B=C:A=C:M0=C 'SET UP VARIABLES FOR SPEED M1=C:M2=C NB=65 'LENGTH OF MACH. LANG. PGM. GOTO 1160 'GO BACK TO MAIN PROGRAM
4320 '	END OF INITIALIZATION

#### Line Searches

When the TRS-80 BASIC interpreter encounters a GOSUB, GOTO, RUN, LIST, etc., it has to search for the associated line number. The interpreter always starts at the beginning of the program unless it is looking for a GOTO, RUN, or GOSUB, in which case it does one of the following:

• If the line referenced is earlier than the line the command is on, it will begin the search at the start of the program.

If the line referenced is not earlier than the line the command is on, the search begins on the command line.
If the command is entered as a direct statement, the search begins at the start of the program.

The further the line is from the command referencing it, the longer the interpreter takes to find it. This can take a long time in large programs. Here are three ways to prevent this situation:

1. Try to use subroutines as much as possible. This cuts down wasted program space.

2. Put frequently used routines near the start of the program to reduce search time.

3. Place your initialization routines at the end of the program, and start your program with a GOSUB to the routine. Then your program won't have to waste time going over lines that are used only once.

Also, when entering additional lines near the top of a large program, it takes a long time to get the prompt after hitting ENTER. Here are several reasons for this: • The BASIC interpreter searches for the line, starting at the beginning of the program.

•If the line is currently in the program, it is deleted. When the interpreter deletes a line, the lines above must fill the empty space.

•Next, the interpreter moves the lines that are past where the new one has to go to accommodate it.

• The line pointers for each line are changed, starting with the new line.

•The interpreter finishes up by executing a CLEAR.

#### **Defining Variables**

Here are some recommendations on how to define variables. If you define them in these ways, the time it takes to find each variable should be reduced and the program execution time should improve.

• Use integer variables whenever possible.

• Define all variables in the statements of the program that will be executed first. These statements should be placed at the end of the program, and invoked by a GOSUB from the beginning of the program, as mentioned before. Then, it will not be necessary for BASIC to scan them when looking for GOTO and GOSUB targets during the rest of the run.

• Define simple variables before defining arrays.

• Define the most frequently used variables before defining infrequently used ones. (This is mentioned in the Level II manual on page 11/2.)

Combining these suggestions, you should define your frequently used variables before your seldomly used ones. Frequently used arrays should



St. Louis, Missouri (314) 434-4011

San Francisco, California Sunnyvale, California (408) 730-2145

Sherman Oaks, California (213) 907-1803

McLean, Virginia (703) 356-6441

Irvine, California (714) 851-9462

New York, New York (212) 687-7122

Schaumburg, Illinois (312) 882-8176

Fair Oaks, California (916) 966-8037

Glendora, New Jersey (609) 939-4762

Bellevue, Washington (206) 455-4725

Atlanta, Georgia (404) 952-0919

Arlington, Texas (817) 261-5312

Burlington, Massachusetts (617) 273-5955 (617) 229-2800 (OEM)

Rocky River, Ohio (216) 333-3725 (Cleveland) (412) 261-0406 (Pittsburgh)

Livonia, Michigan (313) 525-8240

Dysan Flexible Diskettes are also available from all ComputerLand Stores, Sears Business System Centers, and independent computer outlets nationwide.

For the location of the Dysan sales outlet nearest you, contact Dysan at: (408) 988-3472; Toll Free: (800) 538-8133; Telex 171551 DYSAN SNTA; TWX: 910-338-2144.

Circle 150 on inquiry card.

### DID YOU KNOW THAT THE BEST MEDIA AVAILABLE IS NOW AVAILABLE NEAR YOU?

#### Well, it is.

For years, we've been supplying

discriminating data processing professionals worldwide with the finest magnetic media made anywhere...Dysan diskettes, mini-diskettes, disc packs, disc cartridges and single rigid disks.

Is there any reason why **you** should have to settle for second best?

Now you can buy Dysan precision diskettes and mini-diskettes direct from the Dysan sales office or authorized dealer near you. And they're not just any diskettes. They're certified 100% error-free both on **and** between the tracks to insure you of flawless performance. That means no lost data. No need to re-program. Or de-bug again. Dysan diskettes work the first time, every time. Think about how much time, energy and aggravation you can save.

Why wait for problems to occur to convince you that a bargain diskette is really no bargain? Call the Dysan office nearest you. Or stop in your nearest authorized Dysan dealer. Once you experience the Dysan difference you won't settle for anything less.





Our Media Is Our Message 5201 Patrick Henry Drive Santa Clara, CA 95050

			<b>\$</b>	
			(C) COPYRIGHT 19	980 BY GLENN TESLER
00110			ESTS TO SEE IF BA	ASTC IS IN ITS
00120	STRING	COMPRESS	SION ROUTINE, IF	IT IS, IT DISPLAYS
00140	A GRAPI	HICS CHAI	RACTER, ELSE IT (	CHECKS TO SEE IF THE
00150	;GRAPHI	CS CHAR I	IS ON THE SCREEN	. IF SO DISPLAY A BLANK.
00160	;NEXT,	DO RST188	H	
00170	;			
1C90 00180	RST18H	EQU	1C90H	;16 BIT COMPARE ;TEST DATA TYPE
25D9 00190	RST2UH	EQU	25D3H	CHAR TO DISPLAY
00B7 00200 00210	CMPSYM	500	105	, CHAR TO DIDI DAI
F618 00220	•	ORG	63000	;<== YOU MAY CHANGE THIS
00230		0110	00000	
F618 2127F6 00240	SETSTR.	LD	HL,CKSTR	;OVERLAY JUMP VECTOR
F61B 220740 00250		LD	(4007H),HL	;TO GIVE ME CONTROL.
	;			; OVERLAY JUMP VECTOR
role 2140ro 00270		LD	HL,CKBYT	; TO BE ABLE TO TAKE IT
F621 220A40 00280		LD	(400AH) HL	OFF SCREEN AFTERWARDS.
00290		ONE OF		PS, DEPENDING ON WHERE
				T EXECUTION TIME
00320	•	(BASTC	VIA "SYSTEM" OR	DOS VIA "CKSTR/CMD").
00330		(50010		
F624 C3191A 00340	1	JP	IA19H 402DH	USE THIS TO ENTER BASIC
00350	;	JP	402DH	;OR USE THIS TO ENTER DOS
00360	1 ;			SAVE HL, GET RET ADDR. SAVE DE RET ADR IF IN STR CMPRSN IS IT THAT ADDRESS? RESTORE DE SAVE RET ADD, GET HL NOT ADDR, SKIP GET SYMBOL DISPLAY SET SWITCH
F627 E3 00370	CKSTR:	EX	(SP),HL	;SAVE HL, GET RET ADDR.
F628 D5 00380	)	PUSH	DE	;SAVE DE
F629 11FD28 00390		LD	DE,28FDH	RET ADR IF IN STR CMPRSN
F62C CD901C 00400 F62F D1 00410		DOD	DF	RESTORE DE
F630 E3 00420		EX	(SP) HL	SAVE RET ADD. GET HL
F631 200A 00430	)	JR	NZ, DORS18	NOT ADDR, SKIP
F633 3EB7 00440	)	LD	A, CMPSYM	GET SYMBOL
F635 323F3C 00450	1	LD	(3C3FH),A	;DISPLAY
F638 3E01 00460	)	LD LD	A,1	;SET SWITCH
		LD	(CMPSW),A RST18H	
F63D C3901C 00480 00490	DORS18	JP	RST18H	;DO 16 BIT COMPARE
		LD	A, (CMPSW)	• GET SWITTCH
	)	BIT	0.A	:ON?
F645 2810 00520	)	TR	Z, DORS20	NO, DO RST20
F647 AF 00530	)	XOR	А	:ZAP A
F648 325AF6 0054	)	LD	(CMPSW),A	;ZAP SWITCH ;GET SCN BYT ;IS IT THE CHAR?
F64B 3A3F3C 00550	)	LD	A, (3C3FH)	;GET SCN BYT
F647         AF         00530           F648         325AF6         00540           F648         3A3F3C         00550           F64E         FEB7         00560           F650         2005         00570	)	СР	CMPSYM	; IS IT THE CHAR?
E010 2001 00570	)	JR	NZ, DORS 20 A, 32	NO, DO RST20H
F654 323F3C 00590		LD	(3C3FH),A	; PUT BYTE ON SCREEN
	, DORS20	JP	RST20H	;DATA TYPE
00610				,
F65A 00 00620	CMPSW	DEFB	0	;SWITCH
	) ZSIZE	EQU	Ş-SETSTR	
F618 00640	)	END	SETSTR	
00000 TOTAL ERRORS				
CKBYT F640 00500	00270			
CKSTR F627 00370	00240			
CMPSW F65A 00620		0500 005	40	
CMPSYM 00B7 00200	00440 0	0560		
DORS18 F63D 00480	00430	0570		
DORS20 F657 00600 RST18H 1C90 00180	00520 0 00400 0			
RST20H 25D9 00190	00400 0	0400		
SETSTR F618 00240	00630 0	0640		
ZSIZE 0043 00630				

be defined and then seldomly used arrays. All these definitions should be in an initialization routine at the end of the program, and a GOSUB at the beginning of the program should pass control to this initialization routine.

#### Conclusion

Even if you don't add these detection routines to your system, knowing what the computer is doing will help you avoid rebooting unnecessarily (say, during string compression). If you do add them, and use some of the variable-definition sequences suggested, then you'll find the computer doing more of what it was meant to do: making your life easier and more fun! LETTER PERFECT T.M. LJK WORD PROCESSING

#### ATARI 400/800

APPLE II & II+

EASY TO USE – Letter Perfect is a single load easy to use program. It is a menu driven, character orientated processor with the user in mind. FAST machine language operation, ability to send control codes within the body of the program, mnemonics that make sense, and a full printed page of buffer space for text editing are but a few features. Screen Format allows you to preview printed text. Indented margins are allowed. Data Base Merge with DATA PERFECT by LJK, form letters, accounting files and mailing labels only with MAIL MERGE/UTILITY by LJK. FEATURES – Proportional/ Incremental spacing * Right Justification * File Merging * Block movement * Headers * Footers * Print Multiple Copies * Auto Page Numbering * Scroll forward/backward * Search and Replaces * Full cursor control * Underlining * Boldface * Superscripts * Subscripts * Auto page numbering * Insert character/line * Delete character/line * Centering * Horizontal tabs/changeable * Multifunction format line (line spacing – left margin – page width – lines/page – change fonts – top/ bot margin adjust) MUCH MORE! \$149.95

#### ATARI VERSION 2.0 #2001

Uses proportional font, right justified with Atari 825/Centronics* 737, 739 printers. Uses EPSON MX* Series + Graftrax/italicized font. Can mix type fonts on same page; mix boldface and enhanced font in same line with justification. Can be used with 16K Atari/400.

"Compared to the price of many other word processors, this package is a steal. It does everything the advertisement claims and more. On top of this the software is very easy to use." A.N.A.L.O.G. MAGAZINE

#### APPLE VERSION 5.0 #1001

DOS 3.3 compatible — Use 40 or 80 column interchangeably (Smarterm — ALS; Videoterm-Videx; Full View 80 — Bit 3 Inc.; Vision 80 — Vista; Sup-R-Term — M&R Ent.) Reconfigurable at any time for different video, printer, or interface. USE HAYES MICROMODEM II*LCA necessary if no 80 column board, need at least 32 K of memory. Files saved as either Text or Binary. Shift key modification allowed. Data Base Merge compatible with DATA PERFECT* by LJK.

"For \$150, Letter Perfect offers the type of software that can provide quality word processing on inexpensive microcomputer systems at a competitive price." INFOWORLD

#### DATA PERFECT T.M. LJK

#### APPLE & ATARI DATA BASE MANAGEMENT

\$99.95

Complete Data Base System. User orientated for easy and fast operation. 100% Assembly language. Easy to use. You may create your own screen mask for your needs. Searches and Sorts allowed, Configurable to use with any of the 80 column boards of Letter Perfect word processing, or use 40 column Apple video. Lower case supported in 40 column video. Utility enables user to convert standard files to Data Perfect format. Complete report generation capability. Much More!

#### EDIT 6502 T.M. LJK

This is a coresident – two pass ASSEMBLER, DIS-ASSEMBLER, TEXT EDITOR, and MACHINE LANGU-AGE MONITOR. Editing is both character and line oriented. Disassemblies create editable source files with ability to use predefined labels. Complete control with 41 commands, 5 disassembly modes, 24 monitor commands including step, trace, and read/write disk. Twenty pseudo opcodes, allows linked assemblies, software stacking (single and multiple page) plus complete printer control, i.e. paganation, titles and tab setting. User can move source, object and symbol table anywhere in memory. Feel as if you never left the environment of BASIC. Use any of the 80 column boards as supported by LETTER PERFECT, Lower Case optional with LCG.

#### LJK DISK UTILITY

#### APPLE \$29.95

This menu driven program allows the user to manipulate a variety of different file types. Binary, Text, and Source files may be easily converted into each other. The program may be used with APPLESOFT*, VISCALC*, and other programs. These program files may be readily adapted for multiple use including editing with LETTER PERFECT word processings.

MAIL MERGE/UTILITY

\$29.95 ATARI

This menu driven program combined with LETTER PERFECT allows user to generate form letters and print mailing labels. With the Atari, you may CONVERT ATARI DOS FILES, or Visicalc files compatible for editing with LETTER PERFECT. Utility creates Data Base files for Letter Perfect.

#### LOWER CASE CHARACTER GENERATOR

\$24.95

|"#\$%&'()#+,- /0123456789:;<=>?#A0CDEFG HIJKLMHOPORSTUUHXYZE\3^_ abcdefghijklano penstuvwxyz()}~

Lower Case Character Generator for the Rev. 7, Apple II or II+ computers. When installed, this Eprom will generate lower case characters to the video screen. Lower case characters set has two dot true descenders. Installation instruction included. Manual includes listing of software for full support and complete instructions for shift key modification. Compatible with LETTER PERFECT.



**EVEL SORIALE** 

### with our variety of quality disk drives.

ASAP carries only the highest quality floppy disk drives, to provide you with years of trouble-free service and superior performance.

Data Trak[™] double-sided, double-density drives from Qume[®] feature state-of-the-art technology. You get superior data integrity through improved disk life, data reliability and drive serviceability.

Shugart drives have been setting industry quality and reliability standards for years. Shugart's Bi-Compliant" head assembly provides superior media compliance and high reliability.

 Model
 801 (standard floppy)
 \$400.00

 Model
 850
 \$640.00

 ASAD
 slop provides o full line of high or line high distance

ASAP also provides a full line of high reliability disk drive subsystems. For superior quality, high reliability disk drives, contact ASAP today.

#### Part No. — Description*

	Pri	ice
--	-----	-----

CAB5V — Single cabinet for either Shugart or Qume 5 ¹ /4"				
floppy disk drives (cabinet only) \$ 75	00.			
CAB5V/10 — Single cabinet with (1) Qume® DT-5, double-sid double-density 51/4" floppy disk drive installed \$ 425				
CABBH — Dual cabinet for 8" floppy disk drives	.00			
(horizontal mounting) \$ 225	i.00			
CA88V — Cabinet for 8" floppy disk drives				
(vertical mounting) \$ 225	i.00			
CA88H/V+1S — Dual cabinet with (1) Shugart SA801R				
8" floppy disk drive installed (horizontal or				
vertical mounting) \$ 665	00.			

CAB8H/V+2S - Dual cabinet with (2) Shugart SA801R's 8" floppy disk drives installed (horizontal or vertical mounting) .....\$1055.00 CAB8H+1M — Dual cabinet with (1) Mitsubishi double-sided double-density, 8" floppy disk drive installed ..... \$ 695.00 CAB8H+2M - Dual cabinet with (2) Mitsubishi double-sided double-density, 8" floppy disk drives installed .....\$1155.00 CAB8H/V+1Q - Dual cabinet with (1) Qume® DT-8 double-sided double-density drive installed (horizontal or vertical mounting) ..... \$ 725.00 CAB8H/V+2Q - Dual cabinet with (2) Qume® DT-8's doublesided double-density drives installed (horizontal or vertical mounting) .....\$1205.00 HDC8/1-HD — Cabinet with (1) Priam 10 megabyte hard disk drive with Microbyte Controller ..... Call for price HDC8/1F+1HD — Cabinet with (1) Qume® DT-8 double-sided, double-density drive, and (1) Priam 10 megabyte hard disk drive with Microbyte Controller ..... Call for price CAB8V/2F-9SMB — Desk top cabinet for (2) 8" Shugart or Qume floppy disk drives, 9-slot motherboard, card cage, fan, dust filter, power supply, and all power and drive cables ..... Call for price X5 — Cabinet for desk top mainframe (small power supply) ..... \$ 200.00 800D — Cabinet for desk top mainframe (standard power supply) ..... \$ 255.00

*All cabinets come complete with power supply. fan and internal cables.

Terminals	Printers	822 40 Column Thermal	Stampede Cartudge 18 50
Manufacturer Model # Price Ampex Dialogue 80 S 875 00	Epson MX-80	Printer	Ice Hockey Cartridge
Lear Siegler ADM-5 \$ 660.00 Lear Siegler ADM-3A \$ 635.00	80 Column Dot Matrix Printer Character set: full 96-character ASCII with	Matrix Printer \$ 279.00 825 80 Column Dot	Verbatim 5'4" Diskettes
Lear Sregler ADM-3A+ S1225.00 Lear Sregler ADM-31 S1095.00	descenders Crachics characters: 64 block characters	Matrix Printer	Part # Sector Price MD525-01 Soft 10/\$27.50
Lear Siegler ADM-32 \$1225.00 Lear Siegler ADM-42 \$1195.00	Graphics characters: 64 block characters Centronics-style 8-bit parallel interface	850 Interface Module	MD525-10 Hard 10 10/527 50 MD525-10 Hard 10 10/527 50 MD525-16 Hard 16 10/\$27 50
Televideo TVI 910 \$ 625.00 Televideo TVI 912C \$ 725.00	standard: Apple. TRS-80. RS-232 interfaces optional.	410 Cassette Recorder S 80.00 CX30-04 Paddle Controls S 17 95	6" Diskettes
Televideo TVI 925 \$ 825.00 Televideo TVI 950C \$ 925.00	MX-80 FT/Friction Feed	CX40-04 Joysticks (pair) \$ 17.95	FD32-1000 Hard 10/\$35.00 FD34-1000 Soft 10/\$35.00
Components	MX-100/132 Column	INTRODUCING ASAP's Atari 800 16K RAM Module: \$55.00	Memorex 5'\{" Diskettes
4116's (200 nS)/5290-3 Apple TRS-80 Heath	Okidata Dot Matrix Printers 82A — 80 column printer w/tractor	1 year warranty parts & labor	Part # Side/Dens Sector Price MEM 3481 1/Db1 Sof1 10/S26 50
1.15	Throughput @ 80 characters per line: 76 lines per minute	Software Atari	MEM 3483 1/Dbl Hard 10 10/S26 50 MEM 3485 1/Dbl Hard 16 10/S26 50
16-49 \$1.60 each 100 up \$1.30 each 2114 L-2/200 nS	Print Speed: 120 CPS 83A — 136 column printer w/tractor	Basketball	8" Diskettes MEM 3060 1/Sql Soft 10/S35.00
t ow-Power 1K x 4 Static RAM 1 16 S2 80 each 50-99 S2 60 each	Throughpul @ 136 characters per line: 76 lines	Super Breakout	MEM 3101 2/Sgi Soft 10/S45 00 MEM 3090 1/Dbi Soft 10/S45 00
17-49 S2 70 each 100 up S2 45 each	per minute Print Speed: 120 CPS	Video Easel	MEM 3102 2/Dbt Soft 10/\$55.00
2708/450 nS 1K x 8 EPROM S4 00 each or 8/S28 00	84A — 136 column printer w/tractor Throughput @ 136 characters per line: 114 lines	Star Raiders	Scotch 3M 5' «" Diskettes
2716/5 Volt	per minute Print Speed: 200 CPS	Music Composer	Part #         Side/Dens         Sector         Price           744-0         1/Sqt         Sott         10/S33.00
2K x 8 EPROM S4 95 each Regulators	Centronics & RS-232C interfaces standard on models 82A & 83A. 2K serial buffer board (RS-232)	Telelink I         S         24.00           Space Invaders         S         30.00	744-10 1/Sql Hard 10 10/S33 00 744-16 1/Sql Hard 16 10/S33 00
32015	<ul> <li>optional on all models. 84A: Centronics 8-bit parallel interface optional: Hi-RES Graphics</li> </ul>	Kingdom	745-0 2/0bl Soft 10/S49.00 745-10 2/0bl Hard 10 10/S49.00
34015 \$ 70 320112 \$ 80	standard. CALL FOR PRICE & DELIVERY	Biorhythm S 12.95 Graph It	745-16 27Dbl Hard 16 10/S49.00 Maxell
340112 \$ 75 Connectors	Apple Parallel Interface:	Energy Czar \$ 12.95 Mailing List \$ 19.95	5%" Diskettes Part # Side/Dens Sector Price
1.9 10-24 25 up	AEI-1 W/Cable	Touch Typing         \$ 19.95           Stock Charting         \$ 22.95	MD1 1/Sgł Sott 10/S32 00 MD2D 2/Dbl Sott 10/S44 00
DR25P \$2.00 \$1.90 \$1.75 DR25S \$2.95 \$2.75 \$2.50	Compatible with Epson & Okidata Printers     On-board Firmware (2708)	Stock Analysis	MH1 1/Sgl Hard 16 10/S39.00 MH2D 2/Dbl Hard 16 10/S50.00
DR25C \$ 95 \$ 85 \$ 75 100 Pin IMSA}	Optional Cables S20 00 AEC-2/Atari to Epson Printer	Word Processor	8" Diskettes FD1-128 1/SgI Soft 10/S41.00
Gold/S-100 Soldertail Connectors \$2.60 each or 10/S2.40 each	TREC-2/TRS-80 to Epson/Okidata Printer RSC-1/RS-232 (male to male)	Microsoft BASIC \$ 75.00 Dataselt	FH1-32 1/Sgl Solt 32 10/S41 00 FD2-XD 2/Db1 Sott 10/S50 00
Capacitors	Serial Interface SEI-1 \$55.00	Atari Mailing List Disk 19 95	Elephant Memory Systems
t @ 12 Volt Cerdinic8c each or 100/S7 00 DIP Sockets — Low Prolite Tin Soldertail	Asynchronous 300 1200 2400 or 9600 BPS     Compatible with Epson Printers	Atari Character Generator Disk 16 95 Text Wizard Disk	Part # Side/Dens Sector Price EMS 1 1/Sgl Soft 10 S25 00
Description 1-9 10-49 50-99 100 up	75 to 9600 BPS Manufacturer/Model # Price	Micropainter Album 1 Disk 16 95 Micropainter Album 2 Disk 16 95	EMS 2 1/Db1 Soft 10/S27 50 EMS 3 1/Db1 Hard 10 10/S27 50
14 pin tin st S 15 S 13 S 12 S 11 16 pin tin st S 16 S 14 S 13 S 12	Anadex-9501 W/2K buffer	Le Stick Accessory	EMS 4 1/0bt Hard 16 10/\$27 50 EMS 5 2/0bi Soit 10/\$33 00
18 pun tro st         5         19         5         18         5         16         5         14           20 pun tro st         5         25         5         23         5         21         5         20	C Itoh Pro/Writer II Call for price C Itoh F-10 Printmaster	Pool 1 5 HI-RES 48K	EMS 6 2/Dbi Hard 10 10/S33.00 EMS 7 2/Dbi Hard 16 10/S33.00
24 pm tm st S 26 S 24 S 22 S 20 28 pm tm st S 32 S 30 S 29 S 27	Texas Instruments-810	HI-RES Adv #0 — Mission Asteroid Disk 19.95 HI-RES Adv #2 — Wiz & Princess Disk 25.00	Control Data
40 pin tin st S 42 S 40 S 38 S 34 SYSTEMS WITH SPICE from	Manufacturer Model # Price Novation CAT \$ 149.00	Roadwork Disk	6" Diskettes Part # Side/Dens Sector Price
CALIFORNIA COMPUTER SYSTEMS	Novation d-CAT S 160.00 Novation Auto-Cat S 229.00	Softporn Adventure (X-rated) Disk 25 00 The Next Step Disk	1221-60 1/Sgt Soft 10/S38 00 1223-00 1/Dbl Soft 10/S43 00 1225-00 2/Dbl Soft 10/S48 00
FOR S-100 USERS 32K Static RAM Board	DC Hayes Smart Modem S 235.00	Personal Soltware Visicalo Disk	51/4" Diskettes
Part Number 2032C	DC Hayes Micro Modem II S 320.00 (Apple) DC Hayes Micro Modem 100 S 320.00	Arcade Plus Ghost Hunter (Cassette)	1241-00 1/Sg1 Soft 10/S25 00 1241-10 1/Sg1 Hard 10 10/S25 00 1241-16 1/Sg1 Hard 16 10/S25 00
Part Number 2116C Price \$300.00 64K Oynamic RAM Board	Lexicon Lex-11 S 139.00 Livermore LIV-Star 20M S 149.00	Ghost Hunter (Disk) S 30 00	1241-16 1/Sgl Hard 16 10/S25 00 1242-00 1/Dbl Soft 10/S30 00 1242-10 1/Dbl Hard 10 10/S30 00
Part Number 2065C Price \$550.00 280A CPU Board	UDS UDS 103 LP (300 Bd) \$ 185.00 UDS UDS 202 LP (1200 Bd) \$ 245.00	FOR HOME ENTERTAINMENT SYSTEMS	1242-16 1/0bi Hard 16 10/530.00 1244-00 2/0bi Soft 10/540.00
Part Number 2810A Price S270 00 Floppy Oisk Controller	Monitors	Dragster Cartridge	1244-10 2/Dbt Hard 10 10/\$40.00 1244-16 2/Dbt Hard 16 10/\$40.00
Part Number 2422A Price \$370.00 CP/M** Version 2.2 Free With Purchase	Manufacturer Model # Price Amdek 100/12" B&W S 110 00	Checkers Cartridge	FLEXCASE Disk Storage Call for price
S-100 Mainirame Part Number 2200A Price S475.00 S-100 Motherboard	Amdek 100-80 S 169.00 Amdek 100G/12" Grn. S 125.00	Skung Cartridge	SRW Media Storage Cases
Part Number 2501A Price \$150.00 4-Port Serial I/O Interface	Amdek Color-1 13" \$ 350.00 Sanyo DM 5109CX/9" Grn. \$ 175.00	Tennis Cartridge	Part # Size Price
Part Number 2710A Price S285.00 2-Serial. 2-Parallel I/O Board	Sanyo DM 5012/12" B&W S 270 00 Sanyo DM 5112ex/12" Grn. S 290 00	Freeway Cartridge	SRW-5 5' ;" S2 50 ea SRW-8 8" S3 25 ea
Part Number 2719A Price S280 00 4-Port Parallel I/O Board	Sanyo DM C6013/13" Color S 425.00 Zenith ZVM-121/12" Grn S 115.00	All prices subject to change without no	otice. Call for best price. In policy: full money-back guarantee if not
Part Number 2720A Price \$195.00 FOR APPLE II' USERS	ATARI COMPUTER PRODUCTS	totally satisfied.	
Synchronous Serial Interface Part Number 7712A Price \$149.00	ATARI 800 (16K) Personal Business Computer Features:	charge: add \$2.50 up to 1 lb. for UPS blu	a, phone, ship by: UPS or Mail Shipping ae; add \$1.50 for U.S Mail (U.S. only) (\$25.00
Programmable Timer Part Number 7440A Price S 95.00	<ul> <li>Computer console</li> <li>Atari 8K basic</li> </ul>	minimum order). Call for larger shipme Terms: We accept cash, check, money	ents. / orders. Visa & Master Charge (U.S. Funds
Asynchronous Serial Interface Part Number 7710A Price \$139.00	<ul> <li>57 full stroke alpha-numeric keyboard with four function keys</li> </ul>		terms available on approval (school PO's
Catendar/Clock Module Part Number 7424	<ul> <li>Operator's manual</li> </ul>		Toll free outside California:
3 ³ ¹ Digit BCD A-to-0 Converter Part Number 7470A Price: S 95.00	RF modulator     Power supply	$\gamma \land \checkmark$	(800) 421-7701
12K ROM/PROM Module Part Number 7114A Price S 85.00 Bacallel Interface	Call for price ATARI 400		Inside California:
Parallel Interface Part Number 7720A Price ⁻ S125 00 Arithmetic Processor	Atari Optional Accessories	computer	(213) 595-6431
Part Number 7811A Price \$349.00 Centronics Printer Interface	Model # Description Price 410 Program Recorder S 80.00	products, inc.	714 891-2663
Part Number 7728A Price \$125.00	810 Disk Drive System S 455.00	1198 E. Willow St., Signal Hill, CA 908	900

### Anatomy and Development of a Batch-Processing System

A software system lets your computer run a series of programs without your intervention.

#### Gene Walters 779 Vereda Court San Jose, CA 95123

Most microcomputer programs require responses or input from the user during their execution. For some applications, however, interactive computing has drawbacks. Programs that include updating, sorting, and listing files can take the computer a lot of time and leave you sitting idle. And many programs-even common ones for the home-do require such tasks. Suppose you want to keep a household inventory sorted by item descriptor and also by room or location or you want to catalog your collection of phonograph records and sort by title, performing artist, and composer. Programs for either of these domestic tasks would require time-consuming sorts.

Two basic approaches can be used to design programs that include lengthy operations like those described above. You can write several programs—one for updating, one for sorting, one for listing, and one for each additional function required—or you can write one large program that combines all the functions.

Each approach has advantages and disadvantages. Using the first method, you have more RAM (random-access read/write memory) free for sorting. However, you must run each program separately, which leaves you an unpleasant choice. You can watch the computer while one program executes so that you will be ready when the time comes to initiate the next program, or you can leave the computer and come back later. If you wait and watch, you waste your own time. If you leave and come back, you will find either that the program has not finished running or that the program has finished and the computer has been idle for some indefinite period. I find it frustrating to run back and forth to check on the computer's progress.

The second approach lets you enter all the desired options at the beginning of the program's run and then let the computer do all the required processing. Because all the program functions reside in memory at the same time, however, the computer may have little memory space free for processing. As a result, the program will run more slowly.

I wanted the best features of both methods: a third approach that would provide for continuous unattended running of all the required functions but leave plenty of memory space free for processing. I decided to write an executive program that would let me set up a file containing all the instructions and commands that the computer would need to run a number of separate programs in succession without operator intervention. This approach is called *batch processing*.

I developed my batch-processing system on a North Star Horizon computer with 56K bytes of RAM, a video-display terminal, and a printer. I tested the programs on both release 4 and release 5.2 of North Star system software. You can use batchprocessing software like mine on any microcomputer that has a CHAIN feature (which permits one program to call another).


#### **Design Goals**

I tried to set up the executive program and its supporting programs in a way that would permit me to use them in many other applications without making extensive changes. I wanted to have one executive for a system consisting of many programs that would support an unattended run of several programs. I required that maximum memory, date and time information, and common parameters be available for all programs and that the parameters specific to the execution of one program be easily available.

Other features that I felt the batchprocessing system should include are error checking of all input parameters

## How to maximize your Model III:

You don't have to settle for standard equipment. Let MTI and Alpha Byte help you build the Model III you want.





#### MTI FLOPPY DISK ADD-ON KITS

Now you can upgrade your 16K level II Model III to a full 48K Disk System the easy way with MTI's Double Density Disk Controller and your choice of Disk Drives. You can choose 40 track. Double-Sided 40 track or Double-Sided 80 track Drives to supply your disk storage needs. Forty Track Drives store 175K. Double-sided 40 Track drives store 350K. Four Double-Sided 80 Track Drives provide up to 3 MEGABYTES of On-Line storage.

#### INTERNAL DISK DRIVE KITS

The first drive kit includes one Tandon Disk Drive, MTI Double Density Controller, Switching power supply. 32K of RAM, all mounting hardware, cables and Detailed Installation Instructions. The second internal drive kit includes a second drive and the necessary installation hardware

40 TRACK DRIVE SYSTEM	
DRIVE NO 1 KIT	649.00
DRIVE NO 2 KIT	259 00
40 TRACK DUAL HEAD SYSTEM	
DRIVE NO 1	729.00
DRIVE NO 2	369.00
80 TRACK DUAL HEAD SYSTEM	
DRIVE NO 1	889.00
DRIVE NO 2	549.00

#### EXTERNAL DRIVE KITS

Two external drives can be attached to any dual drive Model III Computer


40 TRACK EXTERNAL DRIVES	
DRIVE NO. 3	359.00
DRIVE NO. 4	339.00
DUAL HEAD 40 TRACK EXTERNAL DRIVES	
DRIVE ND. 3.	479.00
DRIVE ND 4	459.00
DUAL HEAD 80 TRACK EXTERNAL DRIVES	
DRIVE ND. 3	659.00
DRIVE NO. 4	639.00

#### FIVE MEGABYTE EXTERNAL WINCHESTER HARD DRIVE

Add the Ultimate in Fast High Capacity Disk Storage to any Model III Floppy Disk system. Reliable Winchester technology provides enough storage for the largest business files. Winchester disk drives have greatly increased data transfer rates and that means faster program and file loading. This is a complete self contained system that connects to a standard Model III Disk System in minutes without any modification to the computer

#### 

A complete diagnostic program for the Model III. Tests RAM and ROM, video display and all disk drives. Catch problems while they're small and be sure that your Model III is In perfect running condition



Now you can run proven CP/M based software on your Model III, with standard 80-column display. A simple internal modification will transform your Model III into a NEW computer and allow you to run CP/M the industry-standard operating system and assure you of a large supply of fine software. Includes CP/M 2.2.

MODEL	Ш	SPEED-UP	MOD	149.00

Now you can run your Model III at 4 MEGAHERTZ, that's almost double the standard speed. This simple-to-install kit does require some soldering

MODEL	111	COOLING	KIT		.44.95
MODEL		COOLING	RU.	 	. 44.30

Heat build up is a major cause of system failures and 'flakey' operation. This kit provides excellent coolina

#### **DOSPLUS OPERATING SYSTEMS** FOR THE MODEL III

Solid BUG-FREE operating systems for the Model III. Supports different size drives on the same system and Basic Program Chaining with variables saved in memory.

40 TRACK	99.00
80 TRACK	119.00
EXPANOEO DOSPLUS 3.3.8	149.00
Read and Write 40 Track Diskettes on an 80 Track	System.
HARD OISK DOSPLUS	299.00
Supports the MTLE MEC WARD DIEK	

We guarantee everything for 30 days. If anything is wrong, return the Item and we'll make it right. And, of course, we'll pay the shipping

charges We accept Visa and Master Card on all orders;

COD orders, up to \$300.00. Add \$2.00 for standard UPS shipping and handling on orders under 50 lbs, delivered in continental U.S. Call for shipping charges over 50 Ibs. Foreign, FPO and APO orders add 15% for shipping. Californians add 6% sales tax. Prices quoted are for stock on hand and are

subject to change without notice.

31245 LA BAYA DR, WESTLAKE VILLAGE, CALIFORNIA 91362



CP/M is a reg. trademark of Digital Research

www.americanradiohistorv.com



### Now you don't have to decide between a personal computer and aVT100 terminal.

Digital's introduced a personal computing option which can turn a VT100 terminal into a personal computer that uses the CP/M® operating system.

It's called Digital's Personal Computing Option. You can purchase just the option, or you can buy the complete terminal/computing package called the VT180.

Either represents significant advantages over the choices available to you now. For now, you can provide access to a large computer <u>and</u> personal computing at the same terminal.

More than that, you save the additional cost of putting personal computers and terminals side by side on the top of a desk.

With the CP/M operating system Digital's personal computing terminal will run the literally hundreds of programs available for it. Including word processing, mailing lists, financial modeling, statistics, even data base communications—in <u>addition</u> to the many more being specially edited for this terminal. And by virtue of the fact that Digital's personal computing terminal is VT100-based, you get all the features that people buy VT100s for in the first place. Features like smooth scrolling with up to 132 columns display, split-screen viewing, double-height and width characters, and reverse video.


Plus a reputation that's second to none in the industry. Plus Digital's service, on-site, anywhere in the world.

All of this should make great sense when you're confronted with the choice of terminals or personal computers.


Because now you can pick one and get both. See your Digital dealer for more information or write: Digital Equipment Corporation, Terminals Product Group, 2 Mt. Royal Avenue, UPI-5, Marlboro, MA 01752. Telephone toll-free 800-225-9378 (outside the continental U.S. or in Massachusetts call 617-480-4077) between 8:30am and 5:00pm Eastern time. In Europe: 12 Av. des Morgines, CH-1213 Petit-Lancy/Geneva. In Canada: Digital Equipment of Canada, Ltd.



Circle 445 on Inquiry card.



**Figure 1:** A diagram of relations between the update/sort program and the list program in the Article/Book Maintenance System. Either the master file or an update file must be present before execution of the update/sort program.



when the executive is set up to run a batch job, video display of processing status during execution, a built-in HELP command, automatic seeking of the batch-processing system on any disk drive, and cancellation of any command during job setup. The system should allow for both short and long forms of commands to the executive and for the easy addition of new commands, new programs, and additional parameters for all programs or a single program. Finally, I wanted to use general utility routines in the executive to set up job-control information.

#### **Constructing the System**

To illustrate how to construct a batch-processing system, I'll describe a set of four programs, called the Article/Book Maintenance System, for maintaining and listing a file on books and articles and show how this small system can serve as the basis for other systems.

The Article/Book Maintenance System maintains one record (a collection of a fixed number of related data items) for each article or book. Each record contains three fields (data items), one each for the title, the author, and the publication date. The system has two programs that work directly on the data:

- a program that creates or updates the article/book master file and sorts the information by any of the three fields
- 2. a program that lists the current master file

Figure 1 shows the relationships among the functions performed by the update/sort program and the list program. Note that either the master file or an update file must exist before the update/sort program is run.

Execution of a single job may require calling either the update/sort program, the list program, or both more than once. A simple example is the following sequence:

1. Update an existing master file with an update file and sort the information by title.

### INTRODUCING CALCSTAR. ANOTHER INDISPENSABLE BUSINESS PROGRAM FROM MICROPRO, THE WORDSTAR BUSINESS

Presenting CalcStar — another standardsetting software product in the WordStar tradition.

CalcStar is MicroPro's new electronic spread sheet and financial modeling program a sophisticated, yet easy to use, calculating and planning tool for CP/M[®] based computers.

The ultimate electronic spread sheet. CalcStar calculates solutions to complex numerical problems in business and finance. Helps you make budget plans and sales forecasts with greater speed and accuracy. And projects figures into the future to answer the

Market and word-processing capabilities in

several powerful ways.

CalcStar software eliminates the need to use ledger paper ever again. It turns your video screen into a "window" on a giant electronic ledger sheet, with up to 600 entries arranged the way you want. Then, by inserting formulas into CalcStar, you create financial models that simulate the future numerically. And predict the outcomes of your business decisions.

When you notice what CalcStar can do for your business, you'll wonder how you ever got along without it. (If you're now a WordStar user, you probably already know the feeling.)

The MicroPro bonus. Like WordStar, CalcStar is packed with innovative features that make it versatile and easy to use. Features like Automatic Forms Mode, which lets an inexperienced user enter data into a spread sheet quickly and with less chance of error.

CalcStar's greatest innovation is its ability to join with WordStar. Which means, for example, you can use WordStar's printing options, like boldface and underlining, to dress up financial documents. And you can insert sections of CalcStar's spread sheets into your WordStar documents.

This kind of flexibility should come as no surprise if you're already familiar with the MicroPro software family – a line of programs designed to work together to multiply your problem-solving power. Visit your MicroPro dealer to find out just how big a difference *all* our products can make in your business. We predict you'll discover it's not just CalcStar or WordStar that's indispensable. It's MicroPro.

WondMaster

WordStar



A glance at CalcStar features Runs on CP/M version 2.0 or above, with 80column screen, addressable cursor, and at least 48K memory. 56K or more is recommended for fullest utilization.

Highly user friendly: Call up full screen of help or use help menu. WordStar-like cursor commands. User's guide shows you the basics. Install from menu OR a WordStar file.

Stores formulas and formats along with data, for convenience and less chance of error.

Math functions include average, minimum, maximum, logarithms, exponents, and regression analysis.



Spellstan

Calcstan

DataStar **

MailMerée

Supersont"



- 2. List the sorted master file.
- 3. Sort again, but by author.
- 4. List the newly sorted master file.

The Article/Book Maintenance System has an executive program and a subexecutive which together enable the system to call the update/sort and list programs in sequences like the one above. I'll discuss the executive and subexecutive programs in detail after I describe how the system looks in operation.

The system accepts an update file in the format of a North Star BASIC program file. Adoption of this format permits use of the North Star editor, normally used for entering BASIC programs, with the Article/Book Maintenance System. Listing 1 shows the formats for update data-title, author, and date on each new book or article. The format requires line numbers and quotes. In the absence of the quotes, the North Star editor would convert any BASIC keywords in the line to an internal representation different from an ASCII (American Standard Code for Information Interchange) string. Note the use of the minus sign after the line number of a record to be deleted.

Listings 2 through 5 show examples of two typical job executions in the Article/Book Maintenance System. Underlined text in the listings represents user input. Listing 2 shows an update file created with the North Star editor and saved under the name UPDATE1. The first job. shown in listing 3, is a sample run of the main program in the Article/Book Maintenance System. This run uses the file UPDATE1 to create a new master file, MASTER, then sorts and lists MASTER. Since no MASTER file existed when the job was set up, the program asks the user during the input dialogues of both the update/sort and the list commands to confirm that it's all right to proceed without MASTER.

Listing 4 shows the new update file, UPDATE2. The second run of the main program appears in listing 5. The dialogue in listing 5 causes MASTER to be updated with the data in UPDATE2, then sorted and listed by title, then sorted and listed by

Circle 14 on inquiry card.



It's really quite basic: time is money.

And BASIC takes a lot more time and costs a lot more money than it should every time you write a new business software package.

Especially when you could speed things up with dBASE II.

#### dBASE II is a complete applications development package.

Users tell us they've cut the amount of code they write by up to 80% with dBASE II.

Because dBASE II is the high performance <u>relational</u> database management system for micros.

Database and file handling operations are done automatically, so you don't get involved with sets, lists, pointers, or even opening and closing of files.

Instead, you write your code in concepts.

And solve your customers' problems faster and for a lot less than with BASIC (or FORTRAN, COBOL or PL/I).

#### dBASE II uses English-like commands.

dBASE II uses a structured language to put you in full control of your data handling operations.

It has screen handling facilities for setting up input and output forms.

It has a built-in query facility, including multikey and sub-field searches, so you can DISPLAY some or all of the data for any conditions you want to apply.

You can UPDATE, MODIFY and REPLACE entire databases or individual characters.

CREATE new databases in minutes, or JOIN databases that already exist.

APPEND new data almost instantly, whether the file has 10 records or tens of thousands.

SORT the data on as many keys as you want. Or INDEX it instead, then FIND whatever you're looking for in seconds, even using floppies.

Organize months worth of data in minutes with the built-in REPORT. Or control every row and column on your CRT and your printer, to format input and output exactly the way you want it.

You can do automatic calculations on fields,



records and entire databases with a few keystrokes, with accuracy to 10 places.

Change your data or your entire database structure without re-entering all your data.

And after you're finished, you can protect all that elegant code with our runtime compiler.

### Expand your clientbase with dBASE II.

With dBASE II, you'll write programs a lot faster and a lot more efficiently. You'll be able to write more programs for more clients. Even take on the smaller jobs that were out of the economic question before. Those nice little foot-in-the-database assignments that grow into bigger and better bottom lines.

#### Your competitors know of this offer.

The price of dBASE II is \$700 but you can try it free for 30 days.

Cali for our Dealer Plan and OEM run-time package prices, then take us up on our money-back guarantee. Send us your check and we'll send you a copy of dBASE II that you can exercise on your CP/M[®] system any way you want for 30 days.

Then send dBASE II back and we'll return all of your money, no questions asked.

During that 30 days, you can find out exactly how much dBASE II can save you,

and how much more it lets you do.

But it's only fair to warn you: business programmers don't go back to BASIC's.

Ashton-Tate, 9929 Jefferson, Los Angeles, CA 90230. (213) 204-5570.





ALC: NO

author. The end of listing 5 shows both the system's listing by title and the listing by author. This simple example, which uses the same system of programs repeatedly to do a set of tasks and requires no attention from the operator after the job is set up, shows the convenience and flexibility of the executive of the Article/Book Maintenance system.

#### Programs

The Article/Book Maintenance System contains four programs. The main executive (MAIN) program handles all interaction between the Article/Book Maintenance System and the user. Handling the user interaction includes checking the validity of all input parameters. In addition, the MAIN program constructs a jobcontrol file containing both the global data (to be used by all programs) and the parameters entered by the user to determine the course of program execution. MAIN provides a set of utility routines that can be used for the MAIN program in other batchprocessing systems.

The subexecutive (%1) program reads the next entry in the job-control file to determine which program to call next for execution.

The update/sort (%!SORT) program performs updates and sorts. It reads global data from the jobcontrol file and uses the data as parameters for the updates and sorts. The data read include parameters for listings (top and bottom margins, number of lines per page) and for adjusting the position of the paper after an error listing, the names of files to be sorted, and the field to use for the sort. After completing the update and the sort, this program returns control to the subexecutive.

The listing (%1LIST) program

reads parameters from the jobcontrol file, including the name of the master file to be listed and the order of fields for the listing.


#### **Data Files**

The Article/Book Maintenance System contains three kinds of data files. The job-control file (%IJCL) contains all the parameters and control information for the system. It is organized as a North Star Type 3 data file; figure 2 shows the file's format. Update files are defined by the user; they are files of North Star Type 2, which is normally used for BASIC programs. Master files, also userdefined, are files of North Star Type 3 as well.

File-naming conventions of the Article/Book Maintenance System are as follows: the MAIN program can have any name you wish, the subexecutive is %1, the job-control file is

Listing 1: The formats for data in an update file for the Article/Book Maintenance system. These formats were chosen so that the North Star BASIC editor could be used for entering and deleting data in the batch-processing system.

Add Entry
line number"title\author\date"
or
line number"title\author\date\"
Example:
10"Art of Computer Programming - Fund. Alg. Vol I\Knuth, D.E.\1968" 20"Compiler Design Theory\Lewis, P.M., et al\1976"
Delete Entry
Same as add except for the addition of a minus sign between line numbers and the quote. All master file entries whose fields match the fields specified in the delete entry will be deleted. In other words, one, two or all three fields may be used in making a match for deletion.
Example:
10-"Erroneous Title\Author\1973"



Circle 263 on inquiry card.

10"Art of Computer Programming - Fund. Alg. Vol I\Knuth, D.E.\1968" 20"Z80 Software Gourmet Guide & Cookbook\Wadsworth, N.\1979" 30"Basic with Style\Nagin, P, Ledgard, H\1978"

Listing 3: A sample run of the MAIN program in the Article/Book Maintenance System. Underscored items are entries made by the user. The dialogue causes the system to create a new master file, sort it, and list it on the printer.

SAMPLE MAIN TYPE 'HELP' IN RESPONSE TO 'COMMAND:' IF YOU NEED DETAILED INSTRUCTION. TO CANCEL ANY COMMAND JUST TYPE A 'RETURN' TO ANY INPUT REQUEST. DATE: 01/05/81 TIME: 13:00 COMMAND: SORT MASTER FILE NAME: MASTER MASTER FILE DOESN'T EXIST. IS THIS OKAY (Y/N)? Y PROCESS UPDATE FILE (Y/N)? Y UPDATE FILE NAME: UPDATE1 SORT BY TITLE, AUTHOR OR DATE (T/A/D)? T COMMAND: LIST MASTER FILE NAME: MASTER MASTER FILE DOESN'T EXIST. IS THIS OKAY (Y/N)? Y EACH PRINT LINE WILL CONTAIN THE TITLE, AUTHOR AND DATE. PLEASE SPECIFY THE ORDER TO PRINT. ENTER 'T' FOR TITLE, 'A' FOR AUTHOR AND 'D' FOR DATE. FIRST ONE: T SECOND ONE: A THIRD ONE: D COMMAND: OUIT ... EXECUTING ... UPDATE / SORT PROGRAM ... EXECUTING...LIST PROGRAM -----Output on the printer: ARTICLE/BOOK LIST 01/05/81 13:00 PAGE 1. TITLE AUTHOR DATE 1968 Art of Computer Programming - Fund. Alg. Vol I Knuth, D.E. Basic with Style Nagin, P, Ledgard, H 1978 Z80 Software Gourmet Guide & Cookbook Wadsworth, N. 1979

# SOLVES YOUR FILING PROBLEMS

#### SUPERFILE makes your information files an ASSET!

Menu driven

Customize program included CLIENT RECORDS SALES LEADS CORRESPONDENCE JOURNAL ABSTRACTS PERSONNEL RECORDS MAILING LISTS CARD FILES LEGAL CONTRACTS ALMOST ANYTHING!

Learn in minutes

Ready to run Demo data base included

**The USERS MANUAL** tells you how to use **SUPERFILE** to index and retrieve information for these and other practical uses.

#### IF YOU CAN TYPE, YOU CAN TEACH YOURSELF TO USE SUPERFILE IN MINUTES.

You Need Computer with Z-80[®] cpu

and at least 48K memory

CP/M[®] operating system

2 or more floppy disk drives or hard disk

#### **Disk Formats**

8" single density 5" including: Osborne, Xerox, North Star, Intertec, Apple (cp/m), Vector.

#### **Technical Specifications**

SEARCH SPEED: 100 records per second* RECORD ENTRY: your own text processor or easily convert your present files # RECORDS PER DATA BASE: max. 8,000 on 8" SD (depends on disk capacity) RECORD LENGTH: variable to 512,000 char. (free format - no fixed length fields) # KEY WORDS PER SEARCH: max. 64 using "and", "or" & "not" # KEY WORDS PER DATA BASE: max. 3.000 alpha-numeric plus 32,000 integers # KEY WORDS PER RECORD: max. 250 KEY WORD LENGTH: max. 64 char. each # FILES PER DATA BASE: no limit FILE SIZE: max. 512,000 bytes SORT: alpha-numeric by record MERGE and/or SPLIT: records and files

#### Where

Your Dealer Call FYI, INC. Write FYI, INC. Reader Service # SUPERFILE costs only \$195 (including DEMO data base and manual) (30 day money back guarantee)

MANUAL only: \$50 (applies to purchase)

Special Dealer DEMO free, on request from qualified Dealers and OEM's.

SUPERFILE (TM) trademark of FYI, INC. Z-80° registered trademark of Zilog CPI/M* registered trademark of Digital Research * Using Z-80, 4mhz, 8" DD, av. 10 keywords/record. Please add \$10 outside the US, Canada, Mexico FYI, INC. P.O. BOX 10998 #615 AUSTIN, TX. 78766 MC/VISA (800) 531-5033 Inside Texas (512) 346-0133

**IT'S WHAT YOU CAN FIND THAT COUNTS!** 

С

ircle 284 on inquiry card.	
MAY SPECIAL SALE ON PREPAID OR (Charge Cards, c.o.d. or p.o.'s not avaid wameed Crt-1 introduction (at last 16 x 80 dr 24 x 80 video board b	) /0
MAPPED SIMULATES INTELLIGENT TO PCBD	ERMINAL \$239.95
<u>A&amp;T</u>	\$299.95
CALIFORNIA COMPUTER SYST	TEMS
2032 32K STATIC RAM A & T 200 NSEC 2065 64K DYNAMIC RAM A & T	
2200 S-100 MAIN FRAM A & T	\$379.95
2810A Z80 CPU A & T.	. \$249.95
<b>2810A</b> 280 CPU A & T <b>2710A</b> 4 SERIAL 1/0 A & T <b>2718A</b> 2 SERIAL, 2 PARALLEL A & T	\$291.95
2720A 4 PARALLEL A & T Proto Boards WW	\$214.95 \$39.95
APPLE PRODUCTS	
7114A 12K ROM/PROM	\$106.95
74404 PROGRAMMABLE TIMER 74704 A TO O CONVERTER 74904 GP18 (IE 488) INTERFACE	. \$98.50
7710A ASYNC SERIAL	\$125.95
7712A SYNC SERIAL	\$98.95
77208 PARALLEL CENTRONICS	\$98.95 \$342.95
7811C ARITHMETIC PROCESSOR W/ROM 7500A WW BOARD 7510A SOLDERTAIL BOARD	. \$342.95 \$22.95
7510A SOLDERTAIL BOARD	\$23.95
MICROCOMPUTER PRO	DUCTS
SIOO PRODUCTS CB-2 280 PROCESSOR BOARD.	
VBIC 64 x 16 VIDEO, PCBD.         XIT         \$198.95. A & T           KIT         \$153.95. A & T         \$153.95. A & T	\$269.95 \$32.95
	. \$199 95
VB3 80 CHARACTER VIDEO 4MHZ. KIT . \$345.95, A & T IO4 2 PARALLEL, 2 SERIAL. PCBD KIT . \$155.95, A & T	\$425 95
	\$194 95
PB-1 2708. 2716 PROGRAMMER BOARD Kit 5135 95. A & T	S185 95
APPLE PRODUCTS AID SERIAL/PARALLEL INTERFACE A & T	\$155.95
A\$10 SERIAL I/O A & T	
APIO PARALLEL IO W/O CABLES A & T	\$87.95
WMC inc. WAMECO	INC.
BOAROS WITH MIKOS PARTS Mem•3 32k Static Ram, PCBD	\$26.05
KIT LESS RAM \$95.95, A & T	
KIT LESS ROM \$109.95. A & T	
EPM-2 16K/32K EPROM. PCBD	\$32.95 \$99.95
FPB-1 FRONT PANEL. PCBD	\$48.50 \$184.95
QN8-12 13 SLOT MOTHER BOARD, PCBD KIT	
	2
MONDAY-FRIDAY, 8:00 TO 12:00, 1:00	5
THURSOAYS, 8:00 TO 9:00 P.M. (415) 728-9121	10 5:30

P.O. BOX 955 . EL GRANADA, CA 94018 PLEASE SEND FOR IC, XISTOR AND COMPUTER PARTS LIST VISA or MASTERCHARGE Send account number, interbank number, expiration date and sign your order. Approx postage will be added Orders with check or money order will be sent post paid in U.S. If you are ond a regular customer, please use charge, casher's check or postal money order. Otherwise there will be a two-week delay for checks to ctear. Calif. residents add 6% tax. Money back 30-day guaranter. We cannot accept returned IC's that have been soldered to. Prices subject to change without notice. \$20.00 misimum enter. \$2.00 service charge as arders lans than \$20.00.

#### Flow of Execution

Figure 3 shows the flow of execution of the Article/Book Maintenance System. The MAIN program executes first, then shifts to the subexecutive. The subexecutive determines whether the job is at an end. If not, the subexecutive determines, based on data from the job-control file, the next program to execute-whether % ISORT or % ILIST. Either the sort or the list program CHAINs to the subexecutive.

#### The MAIN Program

Listing 6 is the MAIN program. MAIN contains remarks identifying the functions and variables used. I'll comment on MAIN from beginning to end, with emphasis on use of the utility routines. I gave the utility routines line numbers from 64000 to 65040; this numbering should make it easy for you to use the delete and append features of BASIC to separate the utility routines and use them for another application. Now for the comments, by line number.

170-200 Drive Determination. A search determines the disk drive on which the Article/Book Maintenance System is located. This eliminates the need to specify the drive when running MAIN.

290-400 Command Interpretation. This block of code starts by determining the command. Line 300 calls a utility routine at line 64990 to check for null input. MAIN calls this routine to handle input throughout the program. The GOTOs on line 370 correspond to the functions defined in the DATA statement on line 100. In this case, 1000 is HELP, 2000 is QUIT, 3000 is SORT, and 4000 is LIST. The command-processing routine matches each character in the input string with each character in the commands defined in the DATA statement at 100. This permits the user to enter short forms for each command (H, Q, S, and L) and still identify the desired function in a unique manner.

1000-1130 HELP-Command Processing. These lines display the available commands as they were defined in the DATA statement at line 100.

2000-2030 QUIT-Command Processing. These lines close the job-control file and call the subexecutive.

3000-3500 SORT-Command Processing. Lines 3010-3030 start a new entry in the job-control file. The GOSUB 64260 goes to the utility routine that saves the name of the program to be executed. Line 3050 transfers control to the routine at 64460, which will add a descriptive phrase for the program to be executed. Lines 3070 and 3080 call utility routines to process




Figure 2: The structure of the job-control file. The file contains "global" parameters-parameters needed by more than one program in the Article/Book Maintenance System-and the parameters that determine which program is executed next.

### "Without touching your program I can move it to and from Z80, LSI-11," 8086, 6502, 8080, 6809, 68000 and 9900-based computers."



UCSD p-System and UCSD Pascal are trademarks of the Regents of the University of California. LSI-11 is a trademark of Digital Equipment Corporation. XenoFile is a trademark of SofTech Microsystems, Inc. CP/M is a registered trademark of Digital Research, Inc. Apple is a registered trademark of Apple Computer, Inc.

Circle 382 on inquiry card.

JULIE ERWIN, Vice President, Marketing, Sof Tech Microsystems, Inc.

Vou can do it too, with SofTech Microsystems' unique software development and execution environment, the UCSD p-SystemTM.

Our UCSD p-System is the only genuinely machine-independent operating system for 8-bit and 16-bit microcomputers. And to over 50,000 end-users and scores of applications developers it is the one proven, reliable answer to software obsolescence.

For software development, it allows you to work in any combination of UCSD PascalTM, FORTRAN-77, BASIC, and assembly language. It provides support for dynamic memory management and multitasking, with a full arsenal of powerful enhancements, such as a versatile Screen Editor, Native Code Generators, a Print Spooler, TURTLEGRAPHICS and XenoFileTM, for easy access to CP/M[®] disks and files.

Users report that our UCSD p-System's friendly, fast and compact execution environment makes it their first choice in software. So whether you're buying or developing software for your IBM, Apple[®], Tandy, Commodore, Texas Instruments, Philips or any other small computer, your best move is to our UCSD p-System. Nothing else touches it.

Our UCSD p-System is available for distribution licensing as well as single copy purchase. Visa and MasterCard orders are welcome, or you may write to us for more details.



9494 Black Mountain Road, San Diego, CA 92126. (714) 578-6105 TWX: 910-335-1594

#### offware purchase one con Handbook with **ULTIMATE SOFTWARE PLAN**

We'll match any advertised price on any item that we carry. And if you find a lower price on what you bought within 30 days of buying it, just show us the ad and we'll refund the difference.

It's that simple.

	CP/M®	DISK WITH / M.	ANUAL NLY	* Specia CP/M user	items or r al price of rs: k systems and
	ARTIFICIAL INTELLIG	ENCE	OBGANIC	SOFTWARE	
		\$849/\$40 \$849/\$40	TextWriter DateBook	11	\$111/\$25
	ASYST DESIGN*		Milestone		\$269/\$30
	Prof Time Accounting.	\$549/\$40	OSBORN	E.e	
	General Subroutine Application Utilities	\$439/\$40	General Le	edger Acct Pay	\$ 59/\$20
	COMPLETE BUS. SYS	TEMS	Acct Rec// Payrolt w/(	Acct Pay	\$ 59/\$20
	Creator Reporter	\$199/\$25	All 3	ASIC-2	\$129/\$60
•	Reporter Both	\$299/\$45	All 3 + CB	ASIC-2. Osborne	\$199/\$75
	COMPUTER CONTRO	L	PEACHTR		3203/300
ľ	Fabs (B-tree)	\$119/\$20	General Le	edger	\$399/\$40
ľ	UltraSort II COMPUTER PATHWAY	3119/323	Acct Rece	edger ivable	\$399/\$40
	Pearl (level 1)	\$ 99/\$25	Payroll	Jie.	\$399/\$40
	Pearl (level 1) Pearl (level 2) Pearl (level 3)	\$299/\$40 \$549/\$50	Inventory	lgt Write-up	\$399/\$40
	DIGITAL RESEARCH®		Property N	lat	\$799/\$40
	CP/M 2.2		<b>CPA</b> Client	Write-up	\$799/\$40
	NorthStar	\$149/\$25	P5 Version MagiCalc		Add \$129
	TRS-80 Model II (P+T)	\$159/\$35	Other.		less 10%
	Micropolis	\$169/\$25	SOFTWAR	E WORKS*	
	PL/I-80 BT-80	\$459/\$35 \$179/\$30	Adapt (CD)	OS to CP/M).	\$ 49/sna
		\$ 85/\$15			\$ 68/\$na
		\$ 65/\$15 \$ 90/\$15	SOHO GR	OUP*	
	Tex.	\$ 90/\$15 \$ 50/\$10	WorkSheet	er	\$159/\$20
	DeSpool CB-80			RED SYSTE	
	CBasic-2	\$459/\$35 \$ 98/\$20	Business P	ackages.	1110
	DMA		Call for Prin	ce	
	Ascom Formula	\$149/\$15 \$539/\$45	SORCIM'		
	GRAHAM-DORIAN*		Trans 86		\$115
	General Ledger	\$729/\$40			\$157
	Acct Receivable	\$729/\$40	TCS"		5 70/c05
	Job Costing	\$129/\$40	All 4.	r AP or Pay. each	\$ 79/\$25 \$269/\$99
	Payroll II	\$729/\$40	Compiled e	ach	\$ 99/\$25
	Payroll				\$ 99/\$25
	Inventory	\$493/\$40	SUPERSO Diagnostic	F1"	\$ 49/520
	Cash Register Apartment Mgt	\$493/\$40	Diagnostic	I	\$ 84/\$20
	MICRO-AP®		Disk Docto Forth (808)		
	S-Basic	\$269/\$25			
	Selector IV Selector V	\$495/\$50	Fortran w/	Ratfor	\$289/\$35
	MICRO DATA BASE S	YSTEMS*	Star Edit.		\$189/\$30
		\$269/\$35 \$795/\$40	Officia a		less 10%
	DRS or QRS or RTL MDBS PKG	\$269/\$10	UNICORN		
	MUBS PKG	\$1295/\$60	Mince Scribble		\$149/\$25
	MICROPRO [®] WordStar	\$319/\$60	Both.		\$249/\$50
	Customization Notes	\$429/\$02	WHILESMI	IHS	
	Mail-Merge WordStar/Mail-Merge	\$109/\$25	Pascal (incl	er "C")	\$850/\$30
	DataStar	\$249/\$60	"PASCAL"		
	SuperSort I	\$119/\$40 \$199/\$40	Pascal/MT-	+ Pkg	\$429/\$30
	Spell Star	\$175/\$40	Compiler		5315
	CalcStar	\$259/\$na	Pascal/Z		\$349/\$30
	MICROSOFT ' Basic-80	\$298	Pascal/UCS Pascal/M	SD 4.0	\$670/\$50
	Basic Complier	\$329	"DATA DAG	<b>C</b> ²	
	Basic Complter Fortran-80 Cobol-80	\$349	FMS-80		\$649/\$45
,	M-Sort	\$175	dBASE II	•	\$595/\$50
۰	Macro-80	\$144	Condor II		2099/250
	MuSimp/MuMath	\$ 84 \$224	WORD PR	OCESSING	\$179/\$50
	MuLisp-80	\$174	SpellGuard		\$229/\$25
	Multi Plan Manager Series	Call	VTS/80	d.	\$259/\$65
		ERS ONLY-	CALL TO		VISA - MAC
12	tside Continental U.S	-800-854-200	5 ext. 82	S · Calif. 1	-800-522-15
2	side commendi U.a	auu au pi	us Air Pari	el Post · /	Add \$3.50 pc

new prices) the month. d formats. Most formats available.

the Ultimate Software Plan.

way to get your software

Combine our price protection with the

availability of full professional support and

our automatic update service and you have

It's a convenient, uncomplicated, logical

items and	formats. Most formats	available.
/\$25	Magic Spell Spell Binder Select The Word	\$269/\$25
/\$25 9/\$25 9/\$30	Select.	\$495/\$na
9/\$30	The Word	.\$ 65/\$na
	"OTHER GOODIES" Micro Plan. Plan 80. Target BSTAM. BSTNS. Tiny 'C' Compiler. Nevada Cobol Micro Stal. Vedit. MiniModel. StalPak. Micro B + Raid. String/80 (source). ISIS CP/M Utility. Lynx CP/M Power. Mathe Magic.	\$410/500
9/\$20	Plan 80	\$269/\$30
9/\$20	Target	\$189/\$30
9/\$60	BSTMS.	\$149/\$na
3/\$75 3/\$60	Tiny "C"	\$ 89/\$50
.,	Tiny "C" Compiler	\$229/\$50
/\$40	MicroStat	\$224/\$25
0/\$40	Vedit	\$130/\$15
0/\$40	StatPak	\$449/\$40
/\$40	Micro B+	\$229/\$20
0/\$40	String/80	\$ 84/\$20
/\$40	String/80 (source)	\$279/\$na
\$129	ISIS CP/M Utility	\$199/\$50
10%	Supervyz	\$ 95/\$na
	CP/M Power	\$ 75/\$na
/sna	P Maine Magic	\$ 95/ \$11a
8/\$na	APPLE II®	
/\$20	INFO UNLIMITED	
/\$20	EasyWriter Datadex EasyMailer Other	\$199
	Datadex.	\$249
	Other	less 15%
/sna	Softcard (Z-80 CP/M)	\$298
, stra	Fortran.	\$ 179
	Softcard (Z-80 CP/M) Fortran Cobol Tasc	\$139
/\$25	MICROPRO*	
/\$99 /\$25 /\$25	Wordstar MailMerge Wordstar/MailMerge	\$269
/\$25	Wordstar/MailMerge	\$ 99
1423	SuperSort I	\$159
/\$20	Spellstar	\$129
/\$20 /\$20	PERSONAL SOFTWA	
/\$30	Visicalc 3.3	\$225
/\$30 /\$30	Desktop/Plan II	\$225
/\$20	Visiterm.	\$ 90
/\$30 /\$30 /\$35 /\$20 /\$30	Visiplot	\$180
10%	Visicale 3.3 Desktop/Plan II Visiterm Visidex Visiplot Visifrend/Visiplot Visifile	\$300
/\$25	DEAGUTOECO	
/\$25 /\$25 /\$50	PEACHTREE® G/L, A/R, A/P, Pay or	
/\$50	PEACHTREE G/L. A/R. A/P. Pay or Inventory (each)	\$224/\$40
/\$30		
/\$45	*VU #3R	E 40
	"Context Connector	
/\$30	(usew/Visicalc).	\$ 99
	Super-Text II	\$219
/\$30	Data Factory	\$134
/\$50 /\$20	(use w/Vislcalc). *Context Connector (use w/Visicalc). Micro Courier. Super-Text II Data Factory. DB Master	\$184
	IBM PC SOFTW	ARE
/\$45 /\$50		
/\$50 /\$50	<ul> <li>Business/Med/WP Call for Price</li> </ul>	
/\$50	8086 SOFTWARE CBASIC 86 Pascal MT + 86 Pkg Pascal UCSD 86 Macro 86	\$300/\$na
/\$50 /\$25 /\$65	Pascal MT + 86 Pkg	\$730/\$na
/\$65	Macro 86	\$259/\$na
	TERCHARGE	a sectoring
	00 ext. 823	
		or oach ite
COD 60	stage and handling p	er each item

Outside Continental U.S.-add \$10 plus Air Parcel Post • Add \$3.50 postage and handling per each item • California residents add 6% sales tax • Allow 2 weeks on checks, C.O.D. \$3.00 extra • Prices subject to change without notice. All items subject to availability • @-Mfgs. Trademark. Blue Label \$3.00 addItional per item. THE DISCOUNT SOFTWARE GROUP

6520 Selma Ave. Suite 309 · Los Angeles, Ca. 90028 · (213) 837-5141 Int'I TELEX 499-0446 DISCSOFT LSA • USA TELEX 194-634 (Attn: 499-0446) TWX 910-321-3597 (Attn: 499-0446)

file-name inputs. Two additional utility routines, found at lines 64460 and 64360, are called to process string and numeric values respectively. Whenever the routine at line 64990 is called to check for null input (e.g., line 3110), the jump for null value indicated on the next statement (e.g., line 3120) goes to 65050 to reset the pointers for starting the entry over. To complete command processing, line 3490 calls the routine at 64150 to update the pointers in the job-control file.

4000-4570 LIST-Command Processing. Setting up an entry in the jobcontrol file requires the same kind of processing required in the SORT command. The first and last lines of the code for each command that adds an entry to the job-control file are the same, as shown here:

P1 = P

(start of command processing)

Text continued on page 366




Figure 3: A diagram of control flow in the Article/Book Maintenance System. The main program executes first and calls the subexecutive. Based on data from the jobcontrol file, the subexecutive determines which program executes next.

Circle 142 on inquiry card.

### **STOP SOFTWARE FAILURES**

Using a micro in a product <u>sounds</u> easy... One piece of software can make the difference between success and failure.

What do you do when the software doesn't work? Over the years, we have seen many good products fail, either before or after they reached the market, because the microprocessor software did not do its job.

#### WHAT WENT WRONG?

Many of the failures occurred because the people programming the micro did not know how to organize a large control program. Those responsible for the product implementation were wizards at hardware design and had easily coded small micro control programs before. But the programming techniques that worked for less than 2K bytes of code simply fell apart as the program grew beyond 4K bytes.

Unfortunately, the loops and tests and flags that work so well for a small program get out of control very rapidly as the program grows. Pretty soon, some of the things the program must do are not being done fast enough. The code gets too complicated, difficult to modify and unreliable. The result: another software failure!

Fortunately, these problems can be avoided by using a program manager. You can divide your complex control program into a number of separate, more manageable programs, called *tasks*, each designed to do one job. For example, a Keyboard Task might handle user input; a Printer Task might generate reports. Each task can be written and tested separately and then combined to form a reliable, finished system.

The program manager, called a *multitasking executive*, supervises the orderly execution of these tasks, assuring that the most important jobs always get done first. Tasks appear to be executing simultaneously. It's almost like having a separate CPU for each task! That is why professional software designers are now turning to AMX as the starting point for their product and system designs. They know that AMX will shield them from the difficulties of managing the micro, freeing them to concentrate on their application.



AMX is our **multitasking executive** for the 8080, 8085, Z80 and 6809 processors. We're rather proud of it. We made AMX compact, very fast, and ROMable to meet our own application needs. Even though the AMX nucleus is less than 1400 bytes in size, it features multiple task priorities, intertask message passing with priority queuing, external event synchronization, and interval timing with 32-bit precision. Each feature is clearly explained in the AMX Reference Manual.

#### **RELIABILITY BUILT IN**

We don't know anyone who can write an executive without errors, so we thoroughly tested AMX in real applications before ever offering it as a product. That is why not one system malfunction has ever been attributed to AMX. That kind of reliability just isn't an accident.

#### HARDWARE INDEPENDENCE

AMX does not require a particular hardware configuration. Of course, it does need a microprocessor, but even there we offer you a choice. You control your environment. You pick the I/O method. You decide the most optimum interrupt service technique for your system. AMX will support your choice. High level language interface modules are available separately to allow AMX to be used with most popular programming languages including PASCAL, C, PL/M and FORTRAN. Of course, you can also code in assembly language if required.

Users of the CP/M and FLEX Operating Systems can utilize our AMX interface modules to access information on diskette in real time.

#### **COMPLETE DOCUMENTATION**

AMX can be judged by the quality of our documentation. The positive response from our users has exceeded our expectations. Our manuals are especially valuable to those just being introduced to real-time multitasking. More experienced users will appreciate the fact that we deliver AMX source on diskette to permit AMX to be moved to the software development system of your choice.

#### **HOW TO ORDER**

A specification sheet and price list are available, free. Your check or money order for \$75 will purchase the AMX Reference Manual for immediate evaluation (specify 8080, 8085, Z80 or 6809 processor). Add \$25 for postage and handling outside USA and Canada. The standard AMX Multitasking Executive package, including source code, is available for \$800 after signing our liberal license agreement.

AMX is the choice of professionals the world over. Make it yours, today.



CPPM is a trademark of Digital Research Corp.; FLEX is a trademark of Technical Systems Consultants. Inc.; Z80 is a trademark of Zilog Corp.

**Listing 4:** The update file UPDATE2. Line 20 deletes an old entry and replaces it with the data in line 30. The dialogue in listing 5 shows how the Article/Book Maintenance System incorporates UPDATE2 in a new master file.

```
10"Pascal - User Manual & Report\Jensen, K, Wirth, N\1974"
20-"Basic with Style\\"
30"Basic with Style - Programming Proverbs\Nagin, P, Ledgard, H\1978"
```

**Listing 5:** A second sample run of the MAIN program in the Article/Book Maintenance System. Underscored items are entries made by the user. The dialogue causes the system to update the master file, sort and list it by title, then sort and list it by author. Both sets of sorted data appear at the end of the listing.

SAMPLE MAIN TYPE 'HELP' IN RESPONSE TO 'COMMAND:' IF YOU NEED DETAILED INSTRUCTIONS. TO CANCEL ANY COMMAND JUST TYPE A 'RETURN' TO ANY INPUT REQUEST. DATE: 01/06/81 TIME: 09:00 COMMAND: SORT MASTER FILE NAME: MASTER PROCESS UPDATE FILE (Y/N)? Y UPDATE FILE NAME: UPDATE2 SORT BY TITLE, AUTHOR OR DATE (T/A/D)? T COMMAND: LIST MASTER FILE NAME: MASTER EACH PRINT LINE WILL CONTAIN THE TITLE, AUTHOR & DATE. PLEASE SPECIFY THE ORDER TO PRINT. ENTER 'T' FOR TITLE, 'A' FOR AUTHOR AND 'D' FOR DATE. FIRST ONE? T SECOND ONE? A THIRD ONE? D COMMAND: SORT MASTER FILE NAME: MASTER PROCESS UPDATE FILE (Y/N)? N SORT BY TITLE, AUTHOR OR DATE (T/A/D)? A COMMAND: LIST MASTER FILE NAME: MASTER EACH PRINT LINE WILL CONTAIN THE TITLE, AUTHOR AND DATE. PLEASE SPECIFY THE ORDER TO PRINT. ENTER 'T' FOR TITLE, 'A' FOR AUTHOR AND 'D' FOR DATE. FIRST ONE? A SECOND ONE? T THIRD ONE? D COMMAND: QUIT ••• EXECUTING ••• UPDATE/SORT PROGRAM ... EXECUTING...LIST PROGRAM ... EXECUTING... UPDATE/SORT PROGRAM ... EXECUTING...LIST PROGRAM

### ... Hard Power from the Soft Support of

A new and powerful computer has been born... the System 83. The versatile UNIX* operating system pilots the System 83's raw power through a myriad of software such as "C", FORTRAN, PASCAL, BASIC, COBOL, and even Networking. Step into a bold new frontier with more power than you ever dreamed possible.

#### **FEATURES:**

- □ UNIX V7 configured by UNISOFT**
- □ Full IEEE 696/S-100 Compatability

(11500

- □ MC68000 8Mhz Processor
- □ 32-Bit Data Operations with 32-Bit Internal Registers
- □ 16-Bit Data Transfer Operations
- □ Memory Management Allows Concurrent Use of Mapped and Non-mapped Address space
- □ Rugged Industrial Grade Components at all Levels
- □ 16 Mb of Main Memory Directly Addressable
- □ 7 Vectored Interrupt Levels
- □ 192 Device-supplied Interrupts
- □ 256 Kb of RAM with Parity Per Board Slot
- □ Up to 3.2 Mb of RAM Per Cabinet
- UNIX is a trademark of Bell Laboratories and is supported on the DUAL System 83 by UNISOFT
   UNISOFT is a trademark of UNISOFT Corporation of Berkeley, CA.

Circle 146 on Inquiry card.

#### DUAL SYSTEMS CONTROL CORPORATION

system reliability/system integrity

al .

720 Channing Way • Berkeley • CA 94710 • (415) 549-3854 • Telex : 172029 SPX

www.americanradiohistory.com

LU.

Listing 5 continued:

Ì	Outp	out on the printer:			
ļ	ARTICLE/BOOK LIST	01/06/81 09:00		PAGE 1	ļ
	TITLE		AUTHOR	DATI	E   
	Art of Computer Progr Basic with Style - Pr Pascal - User Manual 280 Software Gourmet	& Report	Knuth, D.E. Nagin, P, Ledgard Jensen, K, Wirth, Wadsworth, N.		8   4
1	ARTICLE/BOOK LIST	01/06/81 09:00		PAGE	1
	AUTHOR	TITLE		DAT	E
	Knuth, D.E. Nagin, P, Ledgard, H	Pascal - User Manual & Rep Art of Computer Programmin Basic with Style - Program Z80 Software Gourmet Guide	g - Fund. Alg. Vol ming Proverbs	197 I 196 197 197	8   8



# Now NRI takes you inside the new TRS-80 Model III microcomputer to train you at home as the new breed of computer specialist!

#### NRI teams up with Radio Shack advanced technology to teach you how to use, program and service state-of-the-art microcomputers...

It's no longer enough to be just a programmer or a technician. With microcomputers moving into the fabric of our lives (over 250,000 of the TRS-80™ alone have been sold), interdisciplinary skills are demanded. And NRI can prepare you with the first course of its kind, covering the complete world of the microcomputer.

#### Learn At Home in Your Spare Time

With NRI training, the programmer gains practical knowledge of hardware, enabling him to design simpler, more effective programs. And, with advanced programming skills, the technician can test and debug systems quickly and easily.

Only NRI gives you both kinds of training with the convenience of home



Training includes new TRS-80 Model III microcomputer, 6-function LCD Beckman multimeter, and the NRI Discovery Lab with hundreds of tests and experiments.

(TRS-80 Is a trademark of the Radio Shack division of Tandy Corp.)

study. No classroom pressures, no night school, no gasoline wasted. You learn at your convenience, at your own pace. Yet you're always backed by the NRI staff and your instructor, answering questions, giving you guidance, and available for special help if you need it.

#### You Get Your Own Computer to Learn On and Keep

NRI training is hands-on training, with practical experiments and demonstrations as the very foundation of your knowledge. You don't just program your

computer, you go inside it ... watch how circuits interact...interface with other systems ... gain a real insight into its nature.


You also work with an advanced liquid crystal display handheld multimeter and the NRI Discovery Lab, performing over 60 separate experiments. You learn troubleshooting procedures and gain greater understanding of the information. Both microcomputer and equipment come as part of your training for you to use and keep.

#### Send Or Call For Your Free Catalog...

You'll get all the details in NRI's FREE, 100-page catalog. It will show you all the equipment, lesson outlines and facts on other electronic courses, including Communications Electronics, TV/ Audio/Video, Electronic Design and more. Send coupon below or phone right now using our TOLL-FREE number 1-800-323-1717, at no expense to you. If coupon is missing, write NRI Schools, 3939 Wisconsin Avenue, Washington, DC 20016.

#### MAIL COUPON OR CALL TOLL-FREE 1-800-323-1717 Ask for Operator 52 (In Illinois, phone 1-800-942-8881)

#### **NRI Schools** McGraw-Hill Continuing Education Center 3939 Wisconsin Avenue Washington, D.C. 20016 We'll give you tomorrow. CHECK ONE FREE CATALOG ONLY Industrial Electronics NO SALESMAN WILL CALL ON YOU **Basic Electronics** Small Engine Servicing Computer Electronics including Microcomputers Color TV, Audio, and Video System Servicing Appliance Servicing Automotive Servicing **Electronics** Design Technology Auto Air Conditioning Air Conditioning, Heating, Refrigeration, & Solar Technology Building Construction ō **Digital Electronics** Communications Electronics • FCC Licenses • Mobile CB • Aircraft • Marine Name (Please Print) Street



170-052

Age

All career courses

approved under GI bill

Check for details

**Listing 6:** The MAIN program in the Article/Book Maintenance System. This program is the executive that manages the other programs. It handles all interaction with the user and sets up a job-control file. MAIN repeatedly calls the utility subroutines found at lines 64000 through 65040.

10 REM* MAIN EXECUTIVE (SAVED IN FILE "MAIN") 20 REM* 12/16/80 WRITTEN BY GENE F. WALTERS 30 REM* SET UP PARAMETERS 40 DIM V\$(80) 50 D1=0 \REM DEVICE FOR CONSOLE 60 D3=0 \REM DISK FILE FOR THE SYSTEM 70 U=3 \REM NO. OF DRIVES IN SYSTEM 80 L1=5 \REM NO. OF BYTES FOR NUMERIC VALUES 90 L2=2 \REM NO. OF BYTES OF OVERHEAD FOR A STRING < 256 CHAR 100 DATA "HELP", "QUIT", "SORT", "LIST" \REM AVAILABLE COMMANDS 110 N9=4 \REM NO. OF COMMANDS THAT CAN BE EXECUTED 120 N=0 \REM NO. OF COMMANDS IN JOB CONTROL FILE 130 B=5 \REM NO. OF BLOCKS FOR JOB CONTROL FILE 140 P=L1+L1 \REM POSITION OF NEXT AVAILABLE BYTE IN JOB CONTROL FILE 150 S\$="%!" \REM PREFIX FOR SYSTEM FILE NAMES 160 GOSUB 64520 \REM SIGN-ON MESSAGE 170 FOR I=1 TO U 180 U=CHR(1+48)190 IF FILE(S\$+","+U\$)=2 THEN EXIT 220 200 NEXT I 210 PRINT #D1,"COULDN'T FIND SUBEXECUTIVE FILE [",S\$,"]." \END 220 F\$=S\$+"JCL,"+U\$ 230 IF FILE(F\$)=3 THEN 250 240 CREATE F\$,B 250 OPEN #D3,F\$ 260 WRITE #D3,N,0 270 GOSUB 5000 \REM SET UP GLOBAL PARAMETERS IN JOB CONTROL FILE 280 REM* INPUT NEXT COMMAND 290 RESTORE \INPUT #D1, "NEXT COMMAND: ", C1\$ 300 IS=C1\$ \GOSUB 64990 \REM CHECK FOR NULL INPUT 310 ON Z GOTO 320, 290 320 FOR I=1 TO N9 330 READ C2\$ 340 IF LEN(C1\$)>LEN(C2\$) THEN 380 350 IF C1\$<>C2\$(1,LEN(C1\$)) THEN 380 360 N=N+1 370 ON I GOTO 1000, 2000, 3000, 4000 \REM GOTO FOR EACH COMMAND 380 NEXT I 390 PRINT #D1, "INVALID COMMAND!" 400 GOTO 290 1000 REM* HELP COMMAND 1010 RESTORE 1020 PRINT #D1 1030 PRINT #D1, "COMMANDS AVAILABLE: ", 1040 FOR I=1 TO INT((N9+5)/6)1050 FOR J=1 TO N9-INT(N9/6)*61060 READ C2\$ 1070 PRINT #D1,C2\$, 1080 IF (I-1)*6+J<>N9 THEN PRINT #D1,", ", 1090 NEXT J 1100 PRINT #D1 \PRINT #D1, TAB(20),

#### **TEXAS COMPUTER SYSTEMS** EPSON Offers Lowest Prices on PRINTERS & ACCESSORIES If you buy your EPSON somewhere else you'll probably pay too much! Common Features of the MX80, MX80FT & MX100 Printers 80 characters per second Replaceable print head by user User programable from BASIC Bi-directional logic seeking printhead 96 ASCII characters Programable tabs (vert./horz.) Carfridge ribbons Self-test mode Tractor/pin feed paper flow Extreme reliability 12 type fonts under software control 9x8 & 9x16 matrix Programable form leeds Compressed/expanded letters Parallel interface standard Double strike & embraciand modes Double strike & emphasized modes MX80....The Printer that started it all. All of the above features plus extreme ease of use. Complete TRS80 block graphics set as well as user selectable infernational symbols. Gives correspondence quality printing in several user selectable modes. Dip switch pins may be set for dedicated applications. Complete forms programability from BASIC software. MX80FT ....All the features of the MX80 but with FRICTION feed as well for the use of single sheets of paper or roll paper. An exceptional buy for the user needing the single sheet capability. In the compressed mode 132 characters can be printed across the width of a page which means it can be used for any printouts that normally need a 15 inch wide printer. MX100... An exceptional printer with a extra quiet printhead and extra heavy duty construction for the intense use of a business environment. Does not have the TRS80 graphic blocks but comes standard with Bit-Image graphics which allow the user control of individual dots for designing specialized graphs, symbols, etc. A best buy for business use. CORVUS HARD DISKS MX70....For the budget minded a excellent entry level printer. It has most all of the features mentioned above including Bit-Image graphics in place of the TRSB0 graphic blocks set. The Printer is unidirectional only. Expandable text can be printed but not compressed. Only single density printings is supported on the MX70. An inexpensive heavy duty printer. CALL FOR PRICES \$\$\$\$\$ BEST prices on Epson Printers All Printers & accessories in STOCK now!!! EPSON ACCESSORIES, INTERFACES & CABLES GRAPHTRAX 80 option (bit-image/Italics).\$79 EPSON PACK 2 - GRAFTRAX version for MX80, 80FT & MX100. This package includes updated versions of modules in original Epson Pack. A screen oriented BIT IMAGE GRAPHICS generator uti-ty is provided. Create your special characters, symbols, etc. directly on your monitor and then send to printer. Printout In-cludes code to generate razobics and will \$25 if purchased with EPSON printer 16K Level 1. CABLE & INTERFACE to Model I keyboard. \$85 16K Extended Basic APPLE interface & cable ... 32K Extended Basic. GRAPPLER Apple hi resolution graphics..\$Call IEEE interface & cable (CBM/Pet). \$79 Color Disk 0...\$499 monitor and then send to printer. Printout In-cludes code to generate graphics and will save needed code as BASIC program line to disk. Then MERGE these into your BASIC pro gram. Also demo programs showing use of Bit-Image graphics. Full documentation. INTRO BPECIAL: 224.95 with printer or GRAFTRAX. \$34.95 separately. \$7.50 for update of did Epson Park ATARI cable (must have 850 interface).....\$35 \$149 SERIAL RS232 2k buffered int. card RS COLOR computer to Epson card/cable..\$59 RIBBONS AND CARTRIDGES IN STOCK NOW SCALL 800-433-5184 update of old Epson Pack Model III 32k. Model III 48k. PRINTERS MODEL MATRIX PRINTERS LETTER QUALITY **Daisy Wheel / Spinwriters EPSON MX70** \$CALL C. ITOH F-10/40 cps \$1595 **EPSON MX80** \$CALL EPSON MX80 FT \$CALL DAISY WHEEL II RS \$1695 EPSON MX100 FT \$CAL 95 LINE PRINTER VII RS \$32 '95 **NEC 8023A** \$49 375 KIT 2 C. ITOH 8510 \$49 KIT 3 575 OKIDATA 82A \$49 KIT 4 '50 OKIDATA 82A w/tractor \$55 KIT 5 375 KIT 6 **OKIDATA 83A** \$76

Radio Shack HARD DISK ..... \$3995 TCS 1.Drive/single cabinet.....\$849 TCS 1 Drive/triple cabinet ..... \$949 TCS 2 Drive/triple cabinet ... \$1424 TCS 3 Drive/triple cabinet...\$1899 TCS uses original Shugart drives MODEL 16 1 Drive.....\$4499 MODEL 16 2 Drive.....\$5199 DT-1 DATA TERMINAL.....\$629 TCS 180 day Limited warranty on TCS Items. \$439 \$459 \$569 Disk 1...\$349 The following come with quality TCS memory and our own 180 day limited war-ranty. No warranty when customer opens computer or adds internal components. MODEL III 16k TCS......\$788 MODEL III 32k TCS......\$818 \$918 MODEL III 48k TCS.....\$848 DISK **EXPANSION** KITS Our DISK DRIVES are made by Tandon the same company that makes the drives used by Radio Shack. These drives are 40 track, double density, 5 millisecond stepping rate and are fully burned in for 48 hours. These drives used by Radio Shack. No soldering or modifications to texisting circuitry is necessary. The following kits are available:

48k 2 DISK DRIVES 111 MODEL \$1795 ... Above KIT fully assembled, with 48 hour burn-in test & 180 day TCS Limited Warranty!!

CUSTOM SOFTWARE FROM TCS Completely Integrated BINARY SEARCH TREE programs now available. This series of programs fully implements the B-TREE structures including INSERTION, DELETION, EDITING & TRAVERSAL. No more sorting or long data file searches and yet files can be larger than memory. Duplicate keys are fully supported. Files can be retrieved in sorted order via B-TREE Traversal. Each of the programs come with fully commented source code so that you can use the modules in your own programming.

B-TREE Library (organize your home library keyed by author)...... B-TREE Video (organize your video cassette library, prints labels, etc)....... B-TREE Mailing List (keyed by name or zip,label printing,etc)...... \$39.95



6080 quietized cabinet

LINE PRINTER VIII RS

OKIDATA 84 / 200 cps

LINE PRINTER VI RS

**CENTRONICS 704** 

LINE PRINTER V RS

CENTRONICS 739 serial

CENTRONICS 739parallel \$59

ANADEX 9500/01 2k buf. \$1295 TEXAS INST. 810 Basic

Centronics 352 / 200 cps \$1795

200cps data proc., 50cps super letter quality

speed band printer. For serious business applications.

Centronics 353 / dual mode,

LINE PRINTERS

CENTRONICS 6080/81

608l standard

\$1595

\$1549

\$2495

\$6399

CALL	NEC SPINWRITERS	
\$325	3510 RS232	\$1795
\$495	3530 Centronics pa'lel	\$1795
\$495	7710 Read Only	\$2375
\$499	7710 R/O w/tractor	\$2575
\$559	7720 kybd w/tractor	\$2750
\$769	7730 R/O parallel	\$2375
\$649	7730 R/O par.w/tract.	\$2575
\$599	DIABLO 630 R/O	\$2350
\$749	DIABLO 630 keyboard	\$2850
\$1295	QUME 9/35 R/O	\$1850
\$988	QUME 9/35 keyboard	\$1950
\$1559	QUME 9/45 limited	\$2295

QUME 9/55 limited

Interfaces & cables available for most printers with any TRS80, Apple, Atari & most other computers. \$\$\$\$CALL FOR PRICES!

\$2395

#### HIGH RESOLUTION MONITOR NEC green monitor \$179 600 lines per minute high NEC color monitor \$349 \$7676 ALTOS COMPUTERS \$CALL



1110 NEXT I 1120 PRINT #D1 1130 GOTO 290 2000 REM* QUIT COMMAND 2010 WRITE #D3%P,0 2020 CLOSE #D3 2030 CHAIN S\$+A\$+","+U\$ 3000 REM* SORT COMMAND 3010 P1=P \REM SAVE CURRENT POSITION OF BYTE POINTER 3020 P\$=S\$+"SORT"+A\$+","+U\$ 3030 GOSUB 64260 \REM SAVE BYTE COUNTER & PROGRAM NAME TO EXEC 3040 V\$="UPDATE/SORT PROGRAM" 3050 GOSUB 64460 \REM ADD STRING PARAMETER FOR PROGRAM DESCRIPTOR 3060 PRINT #D1, "MASTER ", 3070 GOSUB 64870 \REM GET FILE NAME 3080 GOSUB 64670 \REM SEPARATE OUT UNIT & CHECK FOR EXISTENCE 3090 ON Z GOTO 3170, 3100 3100 INPUT #D1, "MASTER FILE DOESN'T EXIST. IS THIS OKAY (Y/N)? ",X\$ 3110 I\$=X\$ \GOSUB 64990 \REM CHECK FOR NULL INPUT 3120 ON Z GOTO 3130, 65050 3130 IF X\$="Y" THEN 3170 3140 IF X\$="y" THEN 3170 3150 IF X\$="N" THEN 65050 3160 IF X\$="n" THEN 65050 ELSE 3100 3170 V\$=F1\$ \COSUB 64460 \REM ADD STRING PARAMETER F1\$, MASTER FILE NAME 3180 V\$=F2\$ \GOSUB 64460 \REM ADD STRING PARAMETER F2\$, MASTER UNIT NO. 3190 INPUT #D1, "PROCESS UPDATE FILE (Y/N)? ",X\$ 3200 I\$=X\$ \GOSUB 64990 \REM CHECK FOR NULL INPUT 3210 ON Z GOTO 3220, 65050 3220 IF XS="Y" THEN 3290 3230 IF X\$="y" THEN 3290 3240 IF X\$="N" THEN 3260 3250 IF X\$<>"n" THEN 3190 3260 V\$="" \GOSUB 64460 \REM ADD NULL STRING FOR UPDATE FILENAME 3270 GOSUB 64460 \REM ADD NULL STRING FOR UPDATE UNIT NO. 3280 GOTO 3370 3290 PRINT #D1, "UPDATE ", 3300 GOSUB 64870 \REM GET FILE NAME 3310 GOSUB 64670 \REM SEPARATE OUT UNIT & CHECK FOR EXISTENCE 3320 ON Z GOTO 3350, 3330 3330 F9\$=F\$ \GOSUB 64800 \REM COULDN'T FIND FILE 3340 GOTO 65050 3350 V\$=F1\$ \GOSUB 64460 \REM ADD STRING PARAMETER F1\$, UPDATE FILE NAME 3360 V\$=F2\$ \GOSUB 64460 \REM ADD STRING PARAMETER F2\$, UPDATE UNIT NO. 3370 V=0 3380 INPUT #D1, "SORT BY TITLE, AUTHOR OR DATE (T/A/D)? ",X\$ 3390 I\$=X\$ \GOSUB 64990 \REM CHECK FOR NULL INPUT 3400 ON Z GOTO 3410, 65050 3410 IF X\$="T" THEN V=1 3420 IF X\$="t" THEN V=1 3430 IF X\$="A" THEN V=2 3440 IF X\$="a" THEN V=2 3450 IF X\$="D" THEN V=3 3460 IF X\$="d" THEN V=3

Listing 6 continued on page 358

### THE FORTH SOURCE[™]

FORTH DISKS WITH DOCUMENTATION flg-FORTH Model and Source Listing, with printed Installation Manual and Source Listing.	PRICE
□ APPLE II 5¼ □ 8080/Z80® 8 □ 8086/8088 8 □ H89/Z89 5¼	\$65.00
APPLE II/II + by MicroMotion. Version 2. FORTH-79 Standard, editor, assembler, 200 pg manual, 5%	100.00
APPLE II/II + COMBO 1 by MicroMotion. Version 2. All of the above plus floating point and HiRes Turtle graphics	140.00
APPLE II by Kuntze. fig-FORTH editor, assembler, source listing and screens, 5%	90.00
ATARI® by Pink Noise Studio. fig-FORTH, editor, assembler, missile graphics, sound and handle	00.00
drivers, 5%	90.00
Standard, editor, assembler. 200 pg manual, 8 <b>CP/M Combo 1</b> by MicroMotion. 2.x. All of the above	100.00
plus floating point.	140.00
CROMEMCO [®] by Inner Access fig-FORTH editor, assembler, 5% or 8	100.00
H89/Z89 by Haydon. fig-FORTH Stand Alone, source, editor, assembler & tutorial on disk. 5%	250.00
H89/Z89 by Haydon. fig-FORTH, CP/M [®] , source, editor,assembler, & tutorial on disk, 5%	175.00
□ HP-85 by Lange. fig-FORTH, editor and assembler, 5%	90.00
□ IBM [®] PC/FORTH by Laboratory Microsystems. fig-	100.00
FORTH, editor and assembler. Manual, 5%	100.00
Requires PC/FORTH. Specify software or for AMD 9511, AMD 9512 or Intel 8087	100.00
IBM-Cross Compiler by Laboratory Microsystems. Requires PC/FORTH. (Nautilus Systems Model)	<b>3</b> 00.00
<ul> <li>PET[®] by FSS. fig-FORTH editor and assembler, 5¼</li> <li>PET[®] with floating point, strings, disk I/O</li> </ul>	90.00 150.00
TRS-80/I by Nautilus Systems. fig-FORTH, editor and assembler, 5%	90.00
TRS-80/I or III by Miller Microcomputer Services. MMSFORTH, FORTH-79 subset, editor, assembler, dbi-precision, arrays, utilities & applications. 210 pg.	
manual, 5%	130.00
6800 by Talbot Microsystems. fig-FORTH, editor, assembler, disk I/O, FLEX [®] 5% or 8	100.00
6809 by Talbot Microsystems. fig-FORTH, editor, assembler, disk I/O, FLEX [®] 5% or 8	100.00
6809 Enhanced 2nd screen editor,	
macroassembler,tutorial, tools and utilities, FLEX	250.00
280 by Laboratory Microsystems. Editor and     assembler. CPIM. 9	50.00
assembler, CP/M, 8 Z80, floating point, requires Z80 above Z80, AMD 9511 support, requires Z80 above	150.00 150.00
Z80 by Inner Access. Editor, assembler and manual, CP/M, 8	100.00
<ul> <li>8080 by Inner Access. Editor, assembler, and manual, CP/M, 8</li> </ul>	100.00
8086/88 by Laboratory Microsystems. Editor,	100.00
assembler, CP/M-86 [®] , 8 B086/88 with floating point, CP/M-86 B086/88 with AMD 9511 support CP/M-86	100.00 200.00 200.00

HAB About CORTH	IDES, & DOCU	IMENTS	PRICE
fig-FORTH, FORTH-	by Haydon. Id	eograms (words) of	
more, A MUST! A			\$20.00
"FORTH Encycloped			
FORTH-79 reference			25.00
Starting FORTH" b			
user's manual availa			16.00
"Starting FORTH" ()			20.00
"METAFORTH" by 0 8080 code.	Cassady. Cross	s compiler with	30.00
Proceedings of Tech	nical Confere	nces	00.00
- "1980 FORML" (F	ORTH Modifie	cation Laboratory)	25.00
"1981 FORML" T "1981 Rochester		't	40.00
MORE FORTH BOOKS			25.00
"Systems Guide		"APPLE®	
to fig-FORTH"	25.00	(MicroMotion)	20.00
"Using FORTH" "A FORTH	25.00	User's Manual"	20.00
Primer"	25.00	(MicroMotion)	
"Caltech FORTH Manual"	12.00	User's Manual"	20.00
"Threaded	12100	MMSFORTH	
Interpretive	20.00	User's Manual"	18.50
Languages"	20.00	Standard"	15.00
FORTH"	20.00	"Tiny Pascal in	10.00
"PDP-11 FORTH User's Manual"	20.00	fig-FORTH"	10.00
C "AIM FORTH		Standard	
User's Manual"	12.00	Conversion"	10.00
INSTALLATION DOCU			
<ul> <li>Installation Manual model, glossery, me Source Listings of f computers</li> </ul>	mory map, and	d instructions	\$15.00
model, glossery, me	emory map, and Ig-FORTH, for on manual is r	d Instructions specific CPU's and	\$15.00 15.00
model, glossery, me Source Listings of f computers. The above Installation	mory map, an ig-FORTH, for on manual is r ch	d Instructions specific CPU's and	
model, glossery, me Source Listings of f computers. The above Installatic Implementation. Eac 1802 6502 8080 8086	emory map, and Ig-FORTH, for on manual is r ch 6800 /88 9900	d instructions specific CPU's and equired for AlphaMicro APPLE II®	
model, glossery, me Source Listings of f computers. The above Installatic implementation. Eac 1802 6502 8080 8086 PACE 6809	Ig-FORTH, for on manual is r ch 6800 /88 9900 NOVA	d instructions specific CPU's and equired for AlphaMicro APPLE II®	
model, glossery, me Source Listings of f computers. The above Installatic Implementation. Eac 1802 6502 8080 8086	Ig-FORTH, for on manual is r ch 6800 /88 9900 NOVA IG DISKS	d instructions specific CPU's and equired for AlphaMicro APPLE II [®] PDP-11/LSI/11	
model, glossery, me Source Listings of f computers. The above installatil implementation. Eac 8080 8086 PACE 6809 FORTH PROGRAMMIN "MVP-FORTH" byh program developme	Ig-FORTH, for Ig-FORTH, for on manual is r 6800 /88 9900 NOVA IG DISKS Haydon & Bout int system. Ba	d instructions specific CPU's and equired for AlphaMicro APPLE II® PDP-11/LSI/11 relie. An extended sed on "All About	
model, glossery, me Source Listings of f computers. The above installation implementation. Eac 8080 8086 PACE 6809 FORTH PROGRAMMIN "MVP-FORTH" byf program developme FORTH" and optimi	Ig-FORTH, for lg-FORTH, for on manual is r 6800 /88 9900 NOVA IG DISKS laydon & Bout int system. Ba ized for CP/M	d instructions specific CPU's and equired for AlphaMicro APPLE II® PDP-11/LSI/11 relie. An extended sed on "All About	
model, glossery, me Source Listings of f computers. The above installativ implementation. Ead 8080 8086 PACE 6809 FORTH PROGRAMMIN "MVP-FORTH" byt- program developme FORTH" and optimi A public domain pro	Ig-FORTH, for Ig-FORTH, for on manual is r 6800 6800 6800 6800 6800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 1800 18	d instructions specific CPU's and equired for AlphaMicro APPLE II* PDP-11/LSI/11 relie. An extended sed on ''All About and 8080/Z80. by Curry Assoc.	15.00
model, glossery, me Source Listings of f computers. The above installatile implementation. Eac 8080 8086 PACE 6809 FORTH PROGRAMMIN "MVP-FORTH" byt- program developme FORTH" and optimi A public domain pro "FORTH PROGRAM Decompiler, Subrou	Ig-FORTH, for Ig-FORTH, for on manual is r 6800 (88 9900 NOVA IG DISKS Haydon & Bout its system. Ba ized for CP/M Joduct. 8 inch IMING AIDS" ttine Decompli	d instructions specific CPU's and equired for AlphaMicro APPLE II® PDP-11/LSI/11 relie. An extended sed on "All About and 8080/Z80. by Curry Assoc. er, Callfinder and	15.00
model, glossery, me Source Listings of f computers. The above installativ implementation. Ead 8080 8086 PACE 6809 FORTH PROGRAMMIN "MVP-FORTH" byt- program developme FORTH" and optimi A public domain pro	Ig-FORTH, for Ig-FORTH, for on manual is r 6800 88 9900 NOVA IG DISKS Haydon & Bout int system. Ba ized for CP/M oduct. 8 inch MING AIDS" thine Decompil fig-FORTH nur	d instructions specific CPU's and equired for AlphaMicro APPLE II® PDP-11/LSI/11 relie. An extended sed on "All About and 8080/Z80. by Curry Assoc. er, Callfinder and	15.00
model, glossery, me Source Listings of f computers. The above installation implementation. Eac 8080 8086 PACE 68009 FORTH PROGRAMMIN "MVP-FORTH" bythe program developme FORTH" and optimin A public domain pro "FORTH PROGRAM Decompiler, Subrou Translator requires Specify CP/M, 8" or CROSS COMPILER DIS	Ig-FORTH, for lg-FORTH, for on manual is r 6800 88 9900 NOVA IG DISKS Haydon & Bout int system. Ba ized for CP/M boduct. 8 inch IMING AIDS" thine Decompil fig-FORTH nu- Apple 3.3, 5%	d instructions specific CPU's and equired for APPLE II® PDP-11/LSI/11 relie. An extended sed on "All About and 8080/Z80. by Curry Assoc. er, Callfinder and cleus.	15.00 \$ 75.00
<ul> <li>model, glossery, me Source Listings of f</li> <li>computers.</li> <li>The above Installation</li> <li>implementation.</li> <li>East</li> <li>1802</li> <li>6502</li> <li>8080</li> <li>8086</li> <li>PACE</li> <li>6809</li> <li>FORTH PROGRAMMIN</li> <li>"MVP-FORTH" byh- program developme FORTH" and optimin A public domain pro- G"FORTH PROGRAM</li> <li>Decompiler, Subrou Translator requires Specify CP/M, 8" or</li> </ul>	Ig-FORTH, for Ig-FORTH, for on manual is r 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6800 6900 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 6000 60000 6000 6000 6000 6000 6000 6	d instructions specific CPU's and equired for APPLE II® PDP-11/LSI/11 relie. An extended sed on ''All About and 8080/Z80. by Curry Assoc. er, Callfinder and cleus.	15.00 \$ 75.00
<ul> <li>model, glossery, me Source Listings of f computers.</li> <li>The above Installation implementation. Ead</li> <li>1802 6502</li> <li>8080 8086</li> <li>PACE 6809</li> <li>FORTH PROGRAMMIN</li> <li>"MVP-FORTH" byh program developme FORTH and optimin A public domain pro</li> <li>"FORTH PROGRAM Decompiler, Subrou Translator requires Specify CP/M, 8" or</li> <li>CROSS COMPILER DIS Allows extending, m and memory savings code. Nautilus (NS), Talbo</li> </ul>	Ig-FORTH, for on manual is r ch 6800 88 9900 NOVA IG DISKS daydon & Bout int system. Ba ized for CP/M boduct. 8 inch IMING AIDS" Itine Decompli ig-FORTH nuc Apple 3.3, 5% SKS modifying and 6 s, can also pro t Microsystem	d instructions specific CPU's and equired for APPLE II® PDP-11/LSI/11 relie. An extended sed on "All About and 8080/280. by Curry Assoc. er, Callfinder and cleus. compiling for speed duce ROMable ts (TM), Laboratory	15.00 \$ 75.00
model, glossery, me Source Listings of f computers. The above installation implementation. Eac 8080 8086 PACE 6600 FORTH PROGRAMMIN "MVP-FORTH" byf- program developme FORTH" and optimin A public domain pro "FORTH PROGRAM Decompiler, Subrou Translator requires Specify CP/M, 8" or CROSS COMPILER DIS Allows extending, m and memory savings code.	Ig-FORTH, for on manual is r ch 6800 /88 9900 NOVA IG DISKS Haydon & Bout int system. Ba ized for CP/M oduct. 8 inch MING AIDS" thine Decompil fig-FORTH nuu- Apple 3.3, 5% SKS nodifying and of s, can also pro- t Microsystem and Inner Acce 200	d instructions specific CPU's and equired for APPLE II® PDP-11/LSI/11 relie. An extended sed on "All About and 8080/Z80. by Curry Assoc. er, Califinder and cleus. compiling for speed duce ROMable hs (TM), Laboratory ess (IA). Barry (LM)* 300.00	15.00 \$ 75.00 150.00
<ul> <li>model, glossery, me Source Listings of f</li> <li>computers.</li> <li>The above Installation</li> <li>implementation. Ead</li> <li>1802</li> <li>6502</li> <li>8080</li> <li>8086</li> <li>PACE</li> <li>6809</li> <li>FORTH PROGRAMMIN</li> <li>"MVP-FORTH" by- program developme FORTH and optimin A public domain pro- tronstator requires Specify CP/M, 8" or</li> <li>CROSS COMPILER DIS Allows extending, m and memory savings code.</li> <li>Nautilus (NS), Talbo Microsystems (LM) - CP/M (NS) 200</li> <li>H89/Z89 (NS)</li> </ul>	Ig-FORTH, for Ig-FORTH, for on manual is r ch 6800 88 9900 NOVA IG DISKS Haydon & Bout int system. Ba ized for CP/M boduct. 8 inch IMING AIDS" thine Decompil fig-FORTH nuc Apple 3.3, 5% SKS nodifying and of s, can also prod t Microsystem and Inner Acco 200.00	d instructions specific CPU's and equired for AlphaMicro APPLE II® PDP-11/LSI/11 relie. An extended sed on "All About and 8080/Z80. by Curry Assoc. er, Califinder and cleus. compiling for speed duce ROMable ps (TM), Laboratory ess (IA). BBM (LM)* 300.00 8086 (LM)* 300.00	15.00 \$ 75.00 150.00
model, glossery, me Source Listings of f computers. The above installation implementation. Ead 8080 8086 PACE 6809 FORTH PROGRAMMIN "MVP-FORTH" byh program developme FORTH PROGRAM Decompiler, Subrou Translator requires Specify CPIM, 8" or CROSS COMPILER DIS Allows extending, m and memory savings code. Nautilus (NS), Talbo Microsystems (LM) CPIM (NS) 200 H99/289 (NS) TRS801 (NS)	Ig-FORTH, for lg-FORTH, for on manual is r ch 6800 88 9900 NOVA IG DISKS 4aydon & Bout int system. Ba ized for CP/M boduct. 8 inch MING AIDS" titine Decompil fig-FORTH nur Apple 3.3, 5% SKS modifying and 6 s, can also pro t Microsystem and Inner Acco 200.00 200.00	d instructions specific CPU's and equired for AlphaMicro APPLE II® PDP-11/LSI/11 relie. An extended sed on "All About and 8080/280. by Curry Assoc. er, Califinder and cleus. compiling for speed duce ROMable is (TM), Laboratory ess (IA). BM (LM)* 300.00 280 (LM)* 200.00	15.00 \$ 75.00 150.00
<ul> <li>model, glossery, me Source Listings of f</li> <li>computers.</li> <li>The above Installation</li> <li>implementation. Ead</li> <li>1802</li> <li>6502</li> <li>8080</li> <li>8086</li> <li>PACE</li> <li>6809</li> <li>FORTH PROGRAMMIN</li> <li>"MVP-FORTH" by- program developme FORTH and optimin A public domain pro- tronstator requires Specify CP/M, 8" or</li> <li>CROSS COMPILER DIS Allows extending, m and memory savings code.</li> <li>Nautilus (NS), Talbo Microsystems (LM) - CP/M (NS) 200</li> <li>H89/Z89 (NS)</li> </ul>	Ig-FORTH, for on manual is r ch 6800 /88 9900 NOVA IG DISKS Haydon & Bout int system. Ba ized for CP/M oddet. 8 inch MING AIDS" tine Decompli fig-FORTH nuc Apple 3.3, 5% SKS nodifying and d s, can also pro- t Microsystem and Inner Acce 200.00 200.00 200.00 200.00 200.00 200.00 200.00	d instructions specific CPU's and equired for AlphaMicro APPLE II® PDP-11/LSI/11 relie. An extended sed on "All About and 8080/Z80. by Curry Assoc. er, Califinder and cleus. compiling for speed duce ROMable ps (TM), Laboratory ess (IA). BBM (LM)* 300.00 8086 (LM)* 300.00	15.00 \$ 75.00 150.00

#### ORDERS ONLY (415) 961-4103

Ordering Information: Check, Money Order (payable to MOUNTAIN VIEW PRESS, INC.), VISA or MasterCard accepted. No COD's or unpaid PO's. California residents add 61/2 % sales tax. Shipping costs in US included in price. Foreign orders, pay in US funds on US bank, include for handling and shipping by Air. \$5,00 for each item under \$25,00, \$10,00 for each item between \$25,00 and \$99,00 and \$20,00 for each item over \$100,00. Minimum order \$10,00. All prices and products subject to change or withdrawal without notice. Single system and/or single user license agreement required on some products.

Specializing in the FORTH Language

#### **MOUNTAIN VIEW PRESS, INC.**

**PO BOX 4656** 

**MOUNTAIN VIEW, CA 94040** 

(415) 961-4103

Listing 6 continued:

3470 IF V=0 THEN 3380 3480 GOSUB 64360 \REM ADD NUMERIC PARAMETER, SORT OPTION 3490 GOSUB 64150 \REM UPDATE NO. OF COMMAND ENTRIES 3500 GOTO 290 4000 REM* LIST COMMAND 4010 P1=P \REM SAVE CURRENT POSITION OF BYTE POINTER 4020 P\$=S\$+"LIST"+A\$+","+U\$ 4030 GOSUB 64260 \REM SAVE BYTE COUNTER & PROGRAM NAME TO EXEC 4040 V\$="LIST PROGRAM" 4050 GOSUB 64460 \REM ADD STRING PARAMETER FOR PROGRAM DESCRIPTOR 4060 PRINT #D1, "MASTER ", 4070 GOSUB 64870 \REM GET FILE NAME 4080 GOSUB 64670 \REM SEPARATE OUT UNIT & CHECK FOR EXISTENCE 4090 ON Z GOTO 4170, 4100 4100 INPUT #D1, "MASTER FILE DOESN'T EXIST. IS THIS OKAY (Y/N)? ",X\$ 4110 I\$=X\$ \GOSUB 64990 \REM CHECK FOR NULL INPUT 4120 ON Z GOTO 4130, 65050 4130 IF X\$="Y" THEN 4170 4140 IF X\$="y" THEN 4170 4150 IF X\$="N" THEN 65050 4160 IF X\$="n" THEN 65050 ELSE 4100 4170 V\$=F1\$ \GOSUB 64460 \REM ADD STRING PARAMETER F1\$, MASTER FILE NAME 4180 V\$=F2\$ \GOSUB 64460 \REM ADD STRING PARAMETER F2\$, MASTER UNIT NO. 4190 PRINT #D1,"EACH PRINT LINE WILL CONTAIN THE TITLE, AUTHOR & DATE." 4200 PRINT #D1, "PLEASE SPECIFY THE ORDER TO PRINT." 4210 PRINT #D1,"ENTER 'T' FOR TITLE, 'A' FOR AUTHOR AND 'D' FOR DATE." 4220 INPUT #D1, "FIRST ONE? ", B\$ 4230 I\$=B\$ \GOSUB 64950 \REM CHECK FOR NULL INPUT 4240 ON Z GOTO 4250, 65010 4250 GOSUB 4490 \REM CONVERT B\$ TO 1=T, 2=A, 3=D, 4=NONE 4260 B1=Z 4270 ON Z GOTO 4280, 4280, 4280, 4220 4280 INPUT #D1, "SECOND ONE? ", B\$ 4290 I\$=B\$ \GOSUB 64950 \REM CHECK FOR NULL INPUT 4300 ON Z GOTO 4310, 65010 4310 GOSUB 4490 \REM CONVERT B\$ TO 1=T, 2=A, 3=D, 4=NONE4320 B2=Z 4330 ON Z GOTO 4340, 4340, 4340, 4280 4340 IF B2=B1 THEN 4470 4350 INPUT #D1, "THIRD ONE? ", B\$ 4360 I\$=B\$ \GOSUB 64950 \REM CHECK FOR NULL INPUT 4370 ON Z GOTO 4380, 65010 4380 GOSUB 4490 \REM CONVERT B\$ TO 1=T, 2=A, 3=D, 4=NONE 4390 B3=Z 4400 ON Z GOTO 4410, 4410, 4410, 4350 4410 IF B3=B1 OR B3=B2 THEN 4470 4420 V=B1 \GOSUB 64360 \REM ADD NUMERIC PARAMETER B1, 1ST PRINT FIELD 4430 V=B2 \GOSUB 64360 \REM ADD NUMERIC PARAMETER B2, 2ND PRINT FIELD 4440 V=B3 \GOSUB 64360 \REM ADD NUMERIC PARAMETER B3, 3RD PRINT FIELD 4450 GOSUB 64150 \REM UPDATE NO. OF COMMAND ENTRIES 4460 GOTO 290 4470 PRINT #D1,"INPUT ERROR. PLEASE START OVER." 4480 GOTO 4220 4490 REM SUBROUTINE TO CONVERT B\$ TO 1=T, 2=A, 3=D, 4=NONE Listing 6 continued on page 360



# The guy on the left doesn't stand a chance.

He's carrying a briefcase with two file folders, a newsmagazine, and a sandwich.

She's carrying the OSBORNE 1® – the portable personal business computer. Using the OSBORNE 1, she is going to get more work done and <u>better</u> work done – in less time, and with less effort. She won't have to eat lunch at her desk.

# Is competition a question of getting ahead, or of not being left behind?

Hardly an academic question in today's business environment. The computer is here to stay. And those who are grasping the tools of this technology are moving forward faster.


The OSBORNE 1 is a powerful computer that can handle all the details of the words, numbers, and information you deal with every day. You free up time to work with the essence of your day, not the detail. And you master a powerful new personal extension. A tool that will enable you to do jobs you simply could not consider before.

Consider the built-in advantage you gain over the person who is still shuffling tedium.

#### The most intelligent purchase you can make.

Lots of big and little computers can make a similar promise. But none can match this: the OSBORNE 1 delivers two disk drives, a **complete** computer with communications capabilities, a business keyboard, and CRT screen. Plus five productivity software packages with a retail value of over \$1500. Including CP/ $M_{c}^{\oplus}$  word processing, an advanced electronic spreadsheet, and BASIC languages. All for a <u>total</u> price of only \$1795. All in a portable package that fits under the seat of your airplane.

To explore the very competitive capabilities of the OSBORNE 1, visit your local authorized computer retailer. A demonstration will show you just how easily you can put the power of the OSBORNE 1 into your career.



The \$1795 suggested retail price for the Osbarne 1 (a registered trademark of Osbarne Computer Carporation) includes the fallowing saftware packages: wORDSTAR[®] with MAILMERCE[®] (a rademark and a registered trademark of MicroPor International Corporation of Son Radaet, California, U.S.A.); SUPERCALC[®] (a trademark of Sorcim Corporation); CBASIC[®] (a registered trademark of Complier Systems); MBASIC[®] (a registered trademark of Microsoft); and CP/M (a registered trademark of Digital Research). 4500 Z=4 4510 I\$=B\$ \GOSUB 64990 \REM CHECK FOR NULL INPUT 4520 ON Z GOTO 4530, 65050 4530 IF B\$="T" THEN Z=1 4540 IF B\$="t" THEN Z=1 4550 IF B\$="A" THEN Z=2 4560 IF B\$="a" THEN Z=2 4570 IF B\$="D" THEN Z=3 4580 IF B\$="d" THEN Z=3 4590 RETURN 5000 REM*-----5010 REM* SUBROUTINE TO SET UP GLOBAL PARAMETERS 5020 REM*-----5040 P\$="GLOBAL" 5050 GOSUB 64260 \REM SAVE BYTE COUNTER & ENTRY ID 5060 INPUT #D1, "DATE: ",D\$ 5070 INPUT #D1, "TIME: ", T\$ 5080 V\$=D\$ \GOSUB 64460 \REM ADD STRING PARAMETER D\$, DATE 5090 V\$=T\$ \GOSUB 64460 \REM ADD STRING PARAMETER T\$, TIME 5100 V=66 \REM NO. OF LINES PER OUTPUT PAGE 5110 GOSUB 64360 \REM ADD NUMERIC PARAMETER IN V 5120 V=2 \REM NO. OF LINES FOR TOP MARGIN 5130 GOSUB 64360 \REM ADD NUMERIC PARAMETER IN V 5140 V=3 \REM NO. OF LINES FOR BOTTOM MARGIN 5150 GOSUB 64360 \REM ADD NUMERIC PARAMETER IN V 5160 V=48 \REM MAX LENGTH OF TITLE 5170 GOSUB 64360 \REM ADD NUMERIC PARAMETER IN V 5180 V=20 \REM MAX LENGTH OF AUTHOR 5190 GOSUB 64360 \REM ADD NUMERIC PARAMETER IN V 5200 V=10 \REM MAX LENGTH OF DATE 5210 GOSUB 64360 \REM ADD NUMERIC PARAMETER IN V 5220 WRITE #D3%L1+L1,P,NOENDMARK \REM UPDATE BYTE POINTER 5230 RETURN 64000 REM#-----64010 REM*-----64020 REM* SUPPORTING ROUTINES 64030 REM*-----64040 REM*-----64050 REM 64060 REM*-----64070 REM* SUBROUTINE TO UPDATE THE NUMBER OF COMMAND ENTRIES IN THE JCL 64080 REM* FILE AND SET UP THE POINTER TO THE NEXT COMMAND ENTRY 64090 REM*-----64100 REM 64110 REM* VARIABLES USED BY ROUTINE -64120 REM* N - CURRENT COUNT FOR NUMBER OF COMMAND ENTRIES 64130 REM* P1 - BYTE POSITION OF POINTER TO NEXT COMMAND ENTRY P - BYTE POSITION OF FIRST BYTE OF NEXT COMMAND ENTRY 64140 REM* 64150 WRITE #D3%0, N, NOENDMARK 64160 WRITE #D3%P1, P, NOENDMARK 64170 RETURN 64180 REM*-----64190 REM* SUBROUTINE TO SAVE CURRENT BYTE POINTER AND PROGRAM NAME TO EXECUTE IN CURRENT COMMAND ENTRY IN THE JCL FILE 64200 REM*

# NEC's new letter-quality printer gets personal with IBM.

## The Spinwriter^{*} 3550 lets the IBM PC get down to business.

NEC's new Spinwriter letter-quality printer is the only one plug-compatible with the IBM Personal Computer. So you get the business applications you've been wishing for. Letter-quality output for word and data processing. Multi-language, scientific, and technical printing. Simple forms handling. Quiet operation. And the reliability of the industry's most popular printer line.

NEC designed the new Spinwriter especially for the IBM PC. It comes complete with documentation and training materials to fit your PC user's handbook. Just plug the Spinwriter in and your PC instantly becomes more versatile and flexible.

#### More than 8 forms handlers and 50 print thimbles boost PC versatility. NEC designed the Spinwriter's 8 modular forms handlers to accommodate a wide range of paper and document sizes and types. The easily mounted handlers let

your computer print out the forms you need for data processing, word processing, graphics, accounting or other business applications.

The Spinwriter's 50 print thimbles can more than triple your PC's usefulness. They come in both constant pitch and proportional-spaced fonts, plus in foreign language, technical and scientific versions. They snap in and out in seconds, and let you print up to 203 columns on 16-inch paper. They each last for more than 30 million impressions.

This printer's special features make everything look better on paper. The Spinwriter's software-invoked features include automatic proportional spacing; bidirectional, bold and shadow printing; justification; centering; underscoring; and sub/super scripting, all at speeds up to 350 words per minute.

That big extra, Spinwriter reliability. The new 3550 is part of NEC's renowned Spinwriter family, the world's most popular line of letter-quality printers. Spinwriters have the industry's best mean-time-between-failure rating, in excess of 3,000 hours. In terms of average personal computer usage, that's more than five years.

NEC Information Systems, Inc. 5 Militia Drive, Lexington, MA 02173 Send me more information on the Spinwriter 3550.			
Name			
Title			
Company			
Address			
City	State	Zip	

# NEC Information Systems, Inc.

Circle 300 on inquiry card.



```
Listing 6 continued:
64210 REM*-----
64220 REM
64230 REM* VARIABLES USED BY ROUTINE -
64240 REM* P$ - NAME OF PROGRAM TO EXECUTE (INCLUDES UNIT NUMBER)
           P - BYTE COUNTER FOR JCL FILE
64250 REM*
64260 WRITE #D3%P,P,P$
64270 P=P+L1+LEN(P$)+L2
64280 RETURN
64290 REM*-----
64300 REM* SUBROUTINE TO ADD A NUMERIC PARAMETER TO A COMMAND ENTRY
64310 REM*-----
64320 REM
64330 REM* VARIABLES USED BY ROUTINE -
64340 REM* V - NUMERIC VALUE TO ADD
64350 REM* P - BYTE COUNTER FOR JCL FILE
64360 WRITE #D3,V
64370 P=P+L1
64380 RETURN
64390 REM*-----
64400 REM* SUBROUTINE TO ADD A STRING PARAMETER TO A COMMAND ENTRY
64410 REM*-----
64420 REM
64430 REM* VARIABLES USED BY ROUTINE -
64440 REM* V$ - STRING VALUE TO ADD
64450 REM* P - BYTE COUNTER FOR JCL FILE
64460 WRITE #D3.V$
64470 P=P+LEN(V$)+L2
64480 RETURN
64490 REM*-----
64500 REM* SUBROUTINE TO DISPLAY INITIAL SIGN-ON MESSAGES
64510 REM*-----
64520 PRINT #D1, "SAMPLE MAIN" \PRINT #D1
64530 PRINT #D1, "TYPE 'HELP' IN RESPONSE TO 'COMMAND:' IF YOU ",
64540 PRINT #D1, "NEED DETAILED INSTRUCTION."
64550 PRINT #D1, "TO CANCEL ANY COMMAND JUST TYPE A 'RETURN'",
64560 PRINT #D1," TO ANY INPUT REQUEST."
64570 PRINT #D1
64580 RETURN
64590 REM*-----
64600 REM* SUBROUTINE TO REMOVE UNIT NO. FROM FILE NAME
64610 REM*-----
64620 REM
64630 REM* USESF$ - FILE NAME WITH UNIT NO.64640 REM* RETURNSF1$ - FILE NAME
64650 REM*
                    F2$ - UNIT IN THE FORM ',X'
64660 REM*
                     Z - 1 FOR FILE EXISTS, 2 IF IT DOESN'T
64670 IF FILE(F\$)=-1 THEN Z=2 ELSE Z=1
64680 F1$=F$
64690 F2$=",1"
64700 FOR I=1 TO LEN(F$)
64710 IF F$(I,I)<>"," THEN 64730
64720 F1$=F$(1,I-1) \F2$=F$(I) \EXIT 64740
64730 NEXT I
64740 RETURN
64750 REM*-----
```

Our new MC-1000 Computer System is proof that the age of affordability in computers has arrived. Thanks to single board design we can offer not only the lowest priced computer in its class but also the most reliable. For information and ordering call:

MC-1000

There is More

Brewing in  $\delta$ 

Than Just Beer

Milwaukee (

(414) 784-2312

### **ALL STANDARD**

RS

(QTY I)

SERIES

- 64K Memory
- 2-5¹/₄" Disk Drives (225K Total Storage)
- Real Time Clock
- 2-RS-232 Interfaces

Ξ

- Parallel Printer Port (Centronics Type)
- Extensive Self Diagnostics (In Rom)
- 2 Year Limited Warranty

**OPTIONS** 

- Disk Capacity to 1.8 MBYTE
- UCSD* Pascal, Basic, Fortran

# MILWAUKEE COMPUTERS INC. 16235 W. RYERSON ROAD * NEW BERLIN, WI 53151 * (414) 784-2312

00


MPUT

Circle 286 on inquiry card.

20

Listing 6 continued:

```
64760 REM* SUBROUTINE FOR FILE ERROR MESSAGE
64770 REM*------
64780 REM
64790 REM* USES F9$ - FILE NAME
64800 PRINT #D1, "COULDN'T FIND FILE ", F9$
64810 RETURN
64820 REM*-----
64830 REM* SUBROUTINE FOR REQUESTING FILE NAME
64840 REM*-----
64850 REM
64860 REM* RETURNS FILE NAME IN F$
64870 INPUT #D1, "FILE NAME: ",F$
64880 I$=F$
64890 GOSUB 64990 \REM CHECK FOR NULL INPUT
64900 ON Z GOTO 64910, 65050
64910 RETURN
64920 REM*-----
64930 REM* CHECK FOR NULL STRING
64940 REM*-----
64950 REM
64960 REM* USES
                     IS WHICH CONTAINS THE INPUT STRING TO CHECK
64970 REM* RETURNS Z = 1 IF THE LEN(I$)>0
64980 REM*
                        2 IF THE LEN(1$)=0
64990 Z=1
65000 IF I$="" THEN Z=2
65010 RETURN
65020 REM*----
65030 REM* BACKUP FILE POINTER TO BEGINNING OF ENTRY
65040 REM*-----
65050 READ #D3%P1-1,&Z \REM READ TO POSITION PTR AT P1
65060 P=P1 \REM BACKUP RUNNING BYTE COUNTER
65070 N=N-1 \REM BACKUP ENTRY COUNTER
65080 GOTO 290
```



**1.** Change in bowel or bladder habits.

**2.** A sore that does not heal.

**3.** Unusual bleeding or discharge.

**4.** Thickening or lump in breast or elsewhere.

**5.** Indigestion or difficulty in swallowing.

6. Obvious change in wart or mole.

7. Nagging cough or hoarseness.

8. A fear of cancer that can prevent you from detecting cancer at an early stage. A stage when it is highly curable. Everyone's afraid of cancer, but don't let it scare you to death.



# We'd like your (apple to meet <u>The</u> Executive Secretary

The professional word processing system for the Apple[™] computer

		_
GENERAL Editing, printing, form letters, mail-merge, and electronic mail all in one package at one price?	1	
User's manual designed for the user?	1	
User-controlled configuration of printers, slots, drives, and 40/80 column editing?	-	
THE MANUAL		
Complete index included?	1	
Organized as a set of lessons?	-	
Easel-bound for ease of use?	-	
<b>THE DOCUMENT PRINTER</b> Integrates files from DB MASTER's Utility Pack [™] , The Data Factory [™] , Visicalc [™] , Information Master [™] , and most DIF [™] files.	1	
Accepts keyboard input at print time?	-	
Supports all major printers, including Centronics 737 and IBM ET- series?	1	
Has IF and related commands to allow conditional printing of information based on the contents of a database or on keyboard input?	1	
Prints page headers of arbitrary complexity?	-	
Prints page numbers wherever you want them?	-	
Automatically generates alphabetical index for words you specify?	1	
Supports file chaining and file nesting?	-	
Has multi-level outline indenting?	-	
Has left- and right-justified tab stops?	-	
Gives full control of all margins, dynamic text reformatting, centering, and justification?	1	
Supports Thunderclock ¹⁶ and the CCS clockcard for automatic dating?	-	

## check this chart:

INTEGRATED CARD FILE FEATURES		
Allows multiple card files per disk?	-	
Allows user to define size and content of 'cards' in each file?	-	
Generates new subset card files based on search or sort criteria for an existing file?	-	
Incorporates one/multiple line report printer for card files?	-	
Allows totals and subtotals during report printing?	~	
THE DOCUMENT EDITOR Keeps up with professional typing speeds?	-	
User-defined phrase abbreviations?	-	
40 or 80 character edit modes user-selectable?	-	
Supports Smarterm [™] , Superterm [™] , Videoterm [™] and Full View 80 [™] .	-	
Uses real shift key?	-	
Supports file merge and unmerge?	-	
Global search and replace?	-	
Block operations: move, transfer, delete?	-	
Character/word/line: insert/replace/delete?	-	
Allows embedded commands to control special printer functions?	-	
ELECTRONIC MAIL SYSTEM		
Menu driven?	-	
Multiple document queuing?	-	
Fully automatic with Hayes modem?	-	

#### **Published by:**

Available at computer stores nationwide. \$250 suggested retail.



4306 Upton Avenue South Minneapolis, Minnesota 55410 Phone (612) 929-7104

Now available: The Executive Speller[™]. Allows on-the-fly corrections and specialized dictionaries. 25,000 word capacity. Suggested retail \$75.00.

```
10 REM* SUBEXECUTIVE (SAVED IN FILE %!)
20 REM* 11/11/80
25 DIM P$(80)
30 D1=0 \REM DEVICE FOR CONSOLE
40 D3=0 \REM DISK DRIVE FOR SYSTEM
41 L1=5 \REM NO. OF BYTES FOR NUMERIC VALUES
42 L2=2 \REM NO. OF OVERHEAD BYTES FOR A STRING < 256 CHAR
43 SS="%!" \REM PREFIX FOR SYSTEM FILE NAMES
50 FOR I=1 TO 3
60 \text{ US=CHRS(I+48)}
70 IF FILE(S+"JCL,"+U$)=3 THEN EXIT 100
80 NEXT I
90 PRINT #D1, "COULDN'T FIND JOB CONTROL FILE." \END
100 OPEN #D3,S$+"JCL,"+U$
110 READ #D3.N,NO,N1
120 IF NO=N THEN END
130 P=N1 \REM NO. OF BYTES FOR N+NO
140 FOR I=0 TO NO
150 READ #D3%P,P1
160 P=P1
170 NEXT I
180 READ #D3,X$,P$
190 WRITE #D3%L1, NO+1, NOENDMARK
195 PRINT #D1."...EXECUTING...", P$
200 CHAIN X$
```

Text continued from page 348:

```
P = S + (program name) +
 A$+","+U$
GOSUB 64260
V = (program description)
GOSUB 64460
```

**GOSUB 64360 GOTO 290** 

(end of command processing)

5000-5230 Setting Up Global Parameters. These lines repeatedly call utility routines to put parameters common to all programs into the jobcontrol file. Since the code does not evaluate the date and time variables, D\$ and T\$, the user can input date and time in any form so long as the entries are ten characters or fewer in length.

#### The Subexecutive

Listing 7 is the subexecutive (%!) program. Since the subexecutive's only functions are to read the next entry in the job-control file and transfer control to the program indicated by that file, the subexecutive is independent of application. Here are comments, by line number, on the subexecutive.

50-80 Drive Determination. The subexecutive searches for the disk drive that contains the job-control file.

100-110 Read Initial Job-Control Parameters. These lines read the number of entries in the file (N), the last entry processed (N0), and the pointer giving the byte position (N1). 130-180 Read Name of Program for CHAINing. The first parameter of each entry is the pointer to the next entry, except in the case of the last entry, whose first parameter is set to 0. This program segment exploits North Star BASIC's direct addressing of disk files for positioning and reading parameters at the correct byte. This segment also reads the name of the program, X\$, and the descriptive phrase about the program, P\$.


190 Update the Entry Counter. This updates the entry counter (the second parameter in the file) by 1, so that it points to the next entry to be processed.

195-200 Transfer Control to Next Program. These lines display on the console a message that tells which program is running and then CHAIN the next program.

#### The Update/Sort Program

Listing 8 is the update/sort (%ISORT) program. I will describe only those features of this program that relate to its overall structure and its use of the executive.

30-90 Overall Program Flow. These lines all call subroutines. The simplest way to develop a program for execution in this system is to call a series of subroutines, each of which performs a major function. This allows isolation of the part of the program at lines 1000, 2000, and 7000 that interfaces with the executive and the jobcontrol file. The other subroutines at lines 3000, 4000, 5000, and 6000 actually do the updating and sorting. 1000-1270 Read in Global Data. This section of code dimensions arrays, initializes variables, and reads in the



Circle 254 on inquiry card.

**Listing 8:** The update/sort program (%!SORT). Lines 30 through 90 control the flow of the program by calling seven subroutines—one for each major program function.

```
10 REM* SAMPLE SORT PROGRAM (SAVED IN FILE '%!SORT')
20 REM* 12/16/80 WRITTEN BY GENE F. WALTERS
30 GOSUB 1000 \REM READ IN GLOBAL DATA
40 GOSUB 2000 \REM READ IN SORT COMMAND DATA
50 GOSUB 3000 \REM READ IN MASTER FILE
60 GOSUB 4000 \REM READ UPDATE FILE AND MERGE WITH MASTER DATA
70 GOSUB 5000 \REM SORT MERGED DATA
80 GOSUB 6000 \REM WRITE OUT NEW MASTER FILE
90 GOSUB 7000 \REM RETURN TO SUBEXECUTIVE
1000 REM*------
1010 REM* SUBROUTINE TO READ IN GLOBAL DATA
1020 REM*-----
1030 DIM P$(80)
1040 D1=0 \REM DEVICE FOR CONSOLE
1050 D2=1 \REM DEVICE FOR PRINTER
1060 D3=0 \REM DISK FILE FOR THE SYSTEM
1070 D4=1 \REM MASTER FILE
1080 D5-2 \REM UPDATE FILE
1090 U=3 \REM NO. OF DRIVES IN SYSTEM
1100 S$="%!" \REM PREFIX FOR SYSTEM FILE NAMES
1110 FOR I=1 TO U
1120 U$=CHR$(I+48)
1130 IF FILE(S$+"JCL,"+U$)=3 THEN EXIT 1160
1140 NEXT I
1150 PRINT #D1, "COULDN'T FIND JOB CONTROL FILE." \END
1160 OPEN #D3,S$+"JCL,"+U$
1170 READ #D3,N,N0,N1 \REM-# CMD ENTRIES, CURRENT CMD, PTR TO 1ST ENTRY
1180 READ #D3,P$ \REM PASS OVER FIRST STRING
1190 READ #D3,D$,T$ \REM READ IN DATE AND TIME
1200 READ #D3,P5,P6,P7 \REM LINES/PAGE, TOP MARGIN, BOTTOM MARGIN
1210 READ #D3,K1,K2,K3 \REM MAX LENGTH FOR TITLE, AUTHOR, DATE
1220 \text{ K9}=\text{K1}+\text{K2}+\text{K3}
1230 DIM E$(125*K9),X$(K9+3),A(132),E1$(K1),E2$(K2),E3$(K3)
1240 DIM Q$(K9), Q0$(K9), B$(K9), B0$(K9)
1250 P=0 \REM PAGE COUNTER
1260 L=0 \REM LINE COUNTER
1270 RETURN
2000 REM*-----
2010 REM* SUBROUTINE TO READ IN SORT COMMAND DATA
2020 REM*-----
2030 P2=N1
2040 FOR I=1 TO NO
2050 P1=P2
2060 READ #D3%P1,P2
2070 NEXT I
2080 READ #D3,P$,P$ \REM PASS OVER FIRST TWO STRINGS
2090 READ #D3,F1$,U1$ \REM FILE NAME & UNIT FOR MASTER
2100 READ #D3,F2$,U2$ \REM FILE NAME & UNIT FOR UPDATES
2110 READ #D3,M \REM FIELD TO SORT ON
2120 CLOSE #D3
2130 RETURN
3000 REM*------
```

368 May 1982 © BYTE Publications Inc

Listing 8 continued on page 370

# **The Logo Language is Here** for the Apple II

TO SQUIRAL :ANGLE :DISTANCE IF :DISTANCE > 200 THEN STOP FORWARD :DISTANCE RIGHT :ANGLE SQUIRAL :ANGLE :DISTANCE + 3 END

Terrapin, the Turtle Company, brings you the Terrapin Logo Language for the Apple II with Turtle graphics, now ready for immediate delivery.

The Terrapin Logo language is a sophisticated and powerful language that is easy for anyone to use. Although originally intended for children, the Logo language is one that the most advanced programmers will enjoy using too. It includes many features common to artificial intelligence research languages permitting programs of great power to be written quickly and easily. Writing comparable programs in other languages is usually much more difficult and time consuming.

The Turtle graphics is fun and easy. With simple commands such as FORWARD, RIGHT, and PENUP you can draw in six hi-res colors. In just a few short sessions you can learn to create figures more complex than the one above whether you know how to program or not.

But the Terrapin Logo language is more than just a graphics language. It supports:

- list structure, allowing easy manipulation of words (strings) and lists
- user defined procedures which can be used exactly as if they were part of the language.
- fully integrated screen editor for procedures and text
- floating point and integer arithmetic
- a total of 120 primitives (commands) including 30 graphics commands
- recursion
- assembly-language interface capability

#### SQUIRAL 123 1

The Terrapin Logo language was developed by the Artificial Intelligence lab at the Massachusetts Institute of Technology. Terrapin is now authorized by MIT to distribute the results of its 12 years of research to you. To provide quality support for the language, Terrapin has assembled a team that includes two of the three authors who developed the Logo language for the Apple II at MIT, as well as Dr. Feurzeig, the originator of the Logo language.

Every copy of the Terrapin Logo language comes with complete documentation. To run the language, a 48K Apple II with a 16K RAM card or a language card, and one disk drive is required.

Terrapin also offers the robot Turtle, and the following books: Turtle Geometry, Special Technology for Special Children, Mindstorms, Katie & the Computer, and Apple Logo from Byte Books.

Suggested retail price: \$149.95 To order or for more information, call or write:



Terrapin, Inc. 678 Massachusetts Avenue Cambridge, MA 02139 (617) 492-8816

"Logo" trademark under license from Bolt, Beranek & Newman, Inc.

Listing 8 continued:

```
3010 REM* SUBROUTINE TO READ MASTER FILE
3020 REM*------
3030 E=0 \REM NO. OF ENTRIES
3040 ES="" \REM STRING ARRAY FOR ENTRIES
3050 IF FILE(F1$+U1$)<>3 THEN RETURN
3060 OPEN #D4,F1$+U1$
3070 IF TYP(D4)=0 THEN 3120
3080 READ #D4,E1$,E2$,E3$
3090 E$=E$+E1$+E2$+E3$
3100 E = E + 1
3110 GOTO 3070
3120 CLOSE #D4
3130 RETURN
4000 REM*-----
4005 REM* SUBROUTINE TO READ UPDATE FILE
4010 REM*------
4015 IF F2S="" THEN RETURN
4020 OPEN #D5%2,F2$+U2$
4025 READ #D5, &A(1) \REM READ # OF BYTES IN LINE
4030 IF A(1)=1 THEN 4355 \REM END OF BASIC TYPE 2 FILE
4035 FOR I=2 TO A(1) \REM READ IN BASIC LINE
4040 READ #D5,&A(I)
4045 NEXT I
4050 X$="" \REM INITIALIZE STRING FORM OF BASIC LINE
4055 S=0 \REM SET S TO INDICATE ADD ENTRY OPERATION
4060 FOR I=4 TO A(1)-1
4065 IF A(I)=34 THEN EXIT 4085 \REM SEARCH FOR QUOTE
4070 IF A(I)=229 THEN S=1 \REM SET S TO INDICATE DELETE ENTRY
4075 NEXT I
4080 GOTO 4340
4085 J1=I+1
4090 FOR I=A(1)-1 TO J1 STEP -1 \IF A(I)=34 THEN EXIT 4100 \NEXT I
4095 GOTO 4340
4100 J2=I-1
4105 FOR I=J1 TO J2 \REM CONVERT LINE TO A STRING
4110 X = X + CHR (A(I))
4115 NEXT I
4120 C=0
4125 FOR I=1 TO LEN(X$) \REM CHECK FOR PROPER NO. OF '\'
4130 IF X$(I,I)="\" THEN C=C+1
4135 NEXT I
4140 IF C<2 THEN 4340 \REM LINE IN ERROR
4145 IF C=2 THEN 4160
4150 IF C>3 THEN 4340
4155 IF X$(LEN(X$))<>"\" THEN 4340
4160 E1$=""
4165 FOR I=1 TO LEN(X$)
4170 IF X_{(I,I)} = " \ THEN EXIT 4185
4175 E1$=E1$+X$(I,I)
4180 NEXT I
4185 IF E1$="" THEN CO=1 ELSE CO=0 \REM CO = NO. OF BLANK FIELDS
4190 FOR K=1 TO K1-LEN(E1$)
4195 E1$=E1$+" "
4200 NEXT K
```

#### **Project Recording**

Projects are recorded on individual cards. New projects can be added and completed projects removed easily and quickly.

#### Separate Project Calendars

Each step is scheduled on a separate linear calendar space for each project. You simply place a mark or notation whenever something is to occur.

#### **Fast Review**

A quick daily scanning tells you instantly which projects need attention that day, or during the days ahead. It keeps you on top of all the details about what should be going on. At the same time, it gives you the "big picture" of all your projects and how they inter-relate.

#### **Completely Flexible**

Comes with four pads of 31 day MONTHLY calendars. Additionally, 52 week YEARLY, 7 day WEEKLY and 24 hour DAILY calendars are also available.

#### **Rugged Construction**

Made of handsome, Bavarian tan leather like material that will stand up to years of heavy use.

Expandable

Initially accommodates 40 projects. Additional panels can be added to expand to 100 projects.

# **New Scheduling Tool!**

JANA JAPAK, 1992

# At last, a unique and completely portable scheduling system that's guaranteed to improve management productivity.

It's called the **ScheduleMate**[™] scheduling system, and it can literally do away with scheduling conflicts, missed deadlines, last minute rushes and the resulting costly overtime. How? By providing a compact and completely portable "scheduling center" for all your project activities.

The **ScheduleMate**[™] utilizes a separate project card and a separate scheduling calendar for each project, which means you can schedule each one individually. Then there's no more relying on memory, or trying to jam everything onto a single appointments calendar. And unlike bulky wall mounted units, the ScheduleMate is completely portable, so you can take it wherever you need it.

As a result, you have complete control over all your projects, including all the details of who is supposed to do what... and when. Then, in a matter of seconds, you can see what's due today... or ... tomorrow ... or even next week. As a result, you eliminate the disappointments and chaos that come from a lack of good scheduling and follow up. Instead, you are always prepared, and all of your projects run smoothly on schedule.

#### **Satisfaction Guaranteed**

We know you'll be pleased with the way the **ScheduleMate**¹⁴ system improves productivity. However, if you are not, for any reason, you may return it within 30 days for a complete and courteous refund.



Add \$3 shipping and handling. Ohio residents add sales tax.

We honor American Express, MasterCard, Diners Club and Visa.

### To order phone 800-848-2618 IN OHIO CALL: 800-282-2630

or mail check to: Executive ScanCard [™] Systems Dept. 307 6480 Busch Blvd. Suite 200 Columbus, Ohio 43229 Circle 167 on inquiry card.

Orders outside the U.S. are assessed a minimum Air Parcel Post charge per unit as follows: Canada \$7.50; Mexico \$12; all other countries \$18

PATENTS PENDING @ COPYRIGHT 1982 EXECUTIVE SCANCARD ** SYSTEMS

```
Listing 8 continued:
```

```
4205 E2$=""
4210 FOR J=I+1 TO LEN(X$)
4215 IF X (J,J)="\" THEN EXIT 4230
4220 E2\$ = E2\$ + X\$(J,J)
4225 NEXT J
4230 IF E2$="" THEN CO=CO+1 \REM INCREMENT BLANK FIELD COUNTER
4235 FOR K=1 TO K2-LEN(E2$)
4240 E2$=E2$+" "
4245 NEXT K
4250 E3$=""
4255 FOR I=J+1 TO LEN(X$)
4260 IF X$(I,I)="\" THEN EXIT 4275
4265 E3$=E3$+X$(I,I)
4270 NEXT I
4275 IF E3$="" THEN CO=CO+1 \REM INCREMENT BLANK FIELD COUNTER
4280 FOR K=1 TO K3-LEN(E3S)
4285 E3$=E3$+" "
4290 NEXT K
4295 IF S=0 THEN 4310
4300 GOSUB 4365 \REM DELETE ENTRY
4305 GOTO 4025
4310 IF CO<>3 THEN 4325 \REM CHECK FOR ALL FIELDS BLANK
4315 GOSUB 4465 \REM ERROR IN ENTRY
4320 GOTO 4025
4325 E$=E$+E1$+E2$+E3$
4330 E=E+1
4335 GOTO 4025
4340 GOSUB 8000 \REM CHECK FOR PAGE HEADING
4345 PRINT #D2, "COULDN'T PROCESS LINE", %6I, A(2)+A(3)*256," IN UPDATE FILE."
4350 GOTO 4025
4355 CLOSE #D5
4360 RETURN
4365 REM* ROUTINE TO DELETE AN ENTRY
4370 X$="" \FOR I=1 TO K9 \X$=X$+" " \NEXT I
4375 S1=0 \REM INDICATOR FOR ENTRY FOUND
4380 REM DETERMINE WHICH FIELDS ARE BLANK
4385 IF E1$=X$(1,K1) THEN I1=0 ELSE I1=1
4390 IF E2$=X$(1,K2) THEN I2=0 ELSE I2=1
4395 IF E3$=X$(1,K3) THEN I3=0 ELSE I3=1
4400 FOR I=1 TO E
4405 IF I1 THEN IF E1$<>E$(K9*I-K9+1,K9*I-K2-K3) THEN 4425
4410 IF I2 THEN IF E2$<>E$(K9*I-K2-K3+1,K9*I-K3) THEN 4425
4415 IF I3 THEN IF E3$=E$(K9*I-K3+1,K9*I) THEN EXIT 4490
4420 IF NOT 13 THEN EXIT 4490
4425 NEXT I
4430 REM ENTRY NOT FOUND
4435 IF S1=1 THEN RETURN \REM ENTRY HAS BEEN FOUND - NO MSG
4440 GOSUB 8000 \REM CHECK FOR PAGE HEADING
4445 PRINT #D2,"COULDN'T FIND ENTRY TO DELETE THAT IS ON LINE ",
4450 PRINT #D2,A(2)+A(3)*256,"."
4455 RETURN
4460 REM INVALID DELETE REQUEST
4465 GOSUB 8000 \REM CHECK FOR PAGE HEADING
                                                                 Listing 8 continued on page 374
```

for only	\$339.00	
\$230		Call
		for
		price
\$535	000014	price
\$285	PRINTERS	
	Epson	
\$225	MX-80	\$469
\$285	MX 80 FT	\$569
\$285	MX 100	\$769
\$399		
\$449	Tally	
		\$1399
		\$1399
		\$1699
\$389	MT1805	\$1699
	NEC - Spinwriter	
\$525		\$2339
		\$2690
4370		\$2340
		\$2599
\$1040		\$3100
\$1199	PC 8023	\$ 625
	Data Products	
\$2999	D50	\$1499
Call		
for	Prices are subject to change	without notic
	CILES ALE SUDIELE IU CHAIPE	
	\$479 \$285 \$285 \$285 \$285 \$399 \$449 \$549 \$389 \$389 \$525 \$370 \$1040 \$1199 \$2999 Call	\$285       8000-12         \$385       8000-14         \$535       PRINTERS         \$285       PRINTERS         \$285       MX-80         \$285       MX 80 FT         \$285       MX 80 FT         \$285       MX 100         \$399       \$449         \$449       Tally         \$549       MT1602         \$389       MT1805         \$389       MT1805         \$525       Model 7710         \$370       Model 7720         \$404 7710       Model 7720         \$1040       Model 7725         \$1040       Model 7725         \$1199       PC 8023         Data Products       D50         \$2999       D50

*INCLUDES CABLE AND CABINET

Circle 344 on inquiry card.

Listing 8 continued:

```
4470 PRINT #D2, "AT LEAST ONE FIELD MUST BE NON-BLANK ON LINE ".
4475 PRINT #D2,A(2)+A(3)*256,"."
4480 RETURN
4485 REM FOUND ENTRY TO DELETE
4490 FOR J=I TO E-1
4495 E$(K9*J-K9+1,K9*J)=E$(K9*J+1,K9*J+K9)
4500 NEXT J
4505 E$=E$(1,LEN(E$)-K9) \REM TRUNCATE STRING BY ONE ENTRY
4510 E=E-1 \REM DECREMENT ENTRY COUNTER
4515 S1=1 \REM SET INDICATOR TO ENTRY FOUND
4520 GOTO 4400 \REM LOOK FOR ANOTHER TO DELETE
5000 REM*-----
5010 REM* SUBROUTINE TO SORT THE MERGED DATA
5020 REM*-----
5030 DEF FNFS(X)
5040 ON M GOTO 5050, 5060, 5070
5050 RETURN E$(K9*X-K9+1,K9*X-K2-K3)
5060 RETURN E$(K9*X-K2-K3+1,K9*X-K3)
5070 RETURN E$(K9*X-K3+1,K9*X)
5080 FNEND
5090 DEF FNP(X) = (X - ((X/2 - INT(X/2)) + 2))/2
5100 DEF FNB(X)
5110 K=0
5120 IF FNF$(X+X)<FNF$(X+X+1) THEN K=1
5130 RETURN X+X+(K AND (X+X<T))
5140 FNEND
5150 FOR T=2 TO E
5160 Q$=FNF$(T) \Q0$=E$(K9*T-K9+1,K9*T) \I=T
5170 IF I=1 THEN 5220
5180 J=FNP(I)
5190 IF Q$<=FNF$(J) THEN 5220
5200 E$(K9*I-K9+1,K9*I)=E$(K9*J-K9+1,K9*J) \I=J
5210 GOTO 5170
5220 E$(K9*I-K9+1,K9*I)=Q0$
5230 NEXT T
5240 T=E
5250 B=FNF(T) \BO=E(K9*T-K9+1,K9*T)
5260 E_{(K9*T-K9+1,K9*T)=E_{(1,K9)} T=T-1 I=1
5270 IF I+I>T THEN 5320
5280 J=FNB(I)
5290 IF FNF$(J)<=B$ THEN 5320
5300 E$(K9*I-K9+1,K9*I)=E$(K9*J-K9+1,K9*J) \I=J
5310 GOTO 5270
5320 E$(K9*I-K9+1,K9*I)=B0$
5330 IF T>=2 THEN 5250
5340 RETURN
6000 REM*-----
6010 REM* SUBROUTINE TO WRITE OUT NEW MASTER
6020 REM*-----
6030 F$=F1$+U1$ \L9=INT((LEN(E$)+3*L2*E+255)/256)
6040 IF FILE(F$)=-1 THEN 6060
6050 DESTROY F$
6060 CREATE F$, L9
6070 OPEN #D4,F$
```

C. ITOH F-10 PRINTMASTER 40 CPS DAISY WHEEL PRINTER

# C. ITOH F-10 PRINTMASTER

# False Advertising?

# ...and, you may have to get in line to get the best price.

What a mess. If you saw our ad last month, and a lot of people did, you probably know we are selling the best price/ performance daisy wheel printer on the market at the unbelievable price of \$1295. Now we are being told we are embarassing C. Itoh Electronics and using false advertising. Well, you decide.

Since we believe in free enterprise and competition, we recognized this printer would be a big success. The F-10 printer is everything a great printer should be. It's not a toy, but a full function 40 CPS printer designed to go after the Diablo 630 and it's competitors from Qume and NEC. Constructed on a cast aluminum base with durable metal parts, the quality is second to none.

To offer the \$1295 price we arranged to buy the unit from a source that has the best price C. Itoh offers to a volume purchaser.

We scheduled the printers shipments, placed our advertising, and got ready. We knew the market was waiting for this kind of quality at the right price.

What we weren't ready for was the reaction of C. Itoh Electronics and their distributor Leading Edge Products. To say the least it wasn't pleasant.

Before the first ad hit the street some people received pre-publication copies. The phone started ringing off the hook. The callers are asking a lot of questions about who we are and do we have printers. Kind of like the questions a competitor might ask to see if you are for real. We are.

#### THE PRESIDENT CALLS

Then the president of C. Itoh Electronics calls and wants to know where we got the printers from and if we have them in stock. A very nice man, but a funny question. We decline to answer.

Its not over yet. The national sales manager calls next, and boy is he mad. Seems that he doesn't like us calling the F-10 a C. Itoh printer since we don't buy them directly from them. A rose by any other name. He tells us that our offer of a factory warranty is misleading, and they are getting a lot of calls. Since our supplier has warranty service from C. Itoh it seemed like a good idea to pass it on to you. Maybe not. We tell him we will clarify this in furture advertising. He seems satisfied.

About this time we start our wholesale program to dealers and resellers. To say the least they were as excited as we were about the printer. Orders started rolling in, and we started shipping the printers. Sounds like everyone is happy so far. You are getting a great price, the dealers get a wholesale price, and C. Itoh is getting their asking price.

About this time two guys from Leading Edge Products come walking in the door to check us out, we're flattered, they leave. We can't say they are thrilled about our price, but thats what competition is all about. They sell parallel units to the dealers at \$1250, and recommend a list price of \$1995. Have you seen their ad about saving \$800?

#### THE STING

Our customers start telling us that they've been told by Leading Edge Products that we're not for real. We call posing as a end user and they tell us the same thing. Dirty pool.

Oh well, the phone is ringing off the hook, we are going crazy because unlike many distributors we take each unit out of the box and test it. This takes time and the buyers seem to be in a hurry. We start to think about our next shipment, and hiring another technician.

Now the rub. Our source for these units is being hassled. Three heavyweights from C. Itoh tell them that they don't like the way we are selling the units, and that this might jeopardize their shipments in the future, and in fact the units confirmed for delivery the next two months are now "not confirmed."

#### A PRICE PROBLEM

Our source is told the low price is giving the unit a cheap image and they don't like it. Their marketing plans are being spoiled by these low prices, and they are going to stop it. We think you can tell the difference between "cheap quality" and "cheap prices."

You may be getting the feeling that

we are a bunch of nuts for selling this printer at such a low price. Not so, we make a nice profit and we intend to sell a lot of printers.

We also sell lots of accessories to go with the printers at great prices. Another profit center — and one stop shopping for our customers.

What C. Itoh is really unhappy about is that they are being flooded with calls about us wanting to know what the catch is. What you should really call about is to tell them you want them to get off our case so you can get this great printer at a great price.

#### LET THEM KNOW

Better yet send the president a note telling him that free enterprise and competition is what America is all about.

The man to tell is:

Mark Takeuchi - President C. Itoh Electronics 5301 Beethoven Street Los Angeles, CA 90066

If you will send us a copy of your letter with your order we will throw in a box of ribbons and a couple of print wheels of your choice as a gesture of our appreciation for your support.

Just circle the reader service card and we will send you a full set of specifications, and our warranty policy (we do our own service). Doesn't exactly like sound like your typical mail order distributor does it. And if you ask we will even tell you the names of some happy users. Happy because of our service, the great product, the low price, and our money back guarantee if not satisfied in 30 days.



1703 STEWART STREET SANTA MONICA, CA 90404 TELEPHONE (213) 829-6871 Listing 8 continued:

```
6080 FOR I=1 TO E
6090 WRITE #D4,E$(K9*I-K9+1,K9*I-K2-K3)
6100 WRITE #D4, E$(K9*I-K2-K3+1, K9*I-K3)
6110 WRITE #D4, E$(K9*I-K3+1, K9*I)
6120 NEXT I
6130 CLOSE #D4
6140 RETURN
7000 REM*-----
7010 REM* RETURN TO SUBEXECUTIVE
7020 REM*-----
7030 IF P=0 THEN 7070
7040 FOR I=P5-L-2 TO P5 \REM EJECT TO A NEW PAGE
7050 PRINT #D2
7060 NEXT I
7070 CHAIN S$+","+U$
8000 REM*-----
8010 REM* SUBROUTINE FOR PAGE HEADING
8020 REM*-----
8030 IF L=0 THEN 8060
8040 L=L-1
8050 RETURN
8060 IF P=0 THEN 8100
8070 FOR I=1 TO P7 \REM BOTTOM MARGIN
8080 PRINT #D2
8090 NEXT I
8100 P=P+1
8110 FOR I=1 TO P6 \REM TOP MARGIN
8120 PRINT #D2
8130 NEXT I
8140 PRINT #D2,"ERRORS",TAB(40-INT((LEN(D$)+LEN(T$)+2)/2)),
8150 PRINT #D2,D$," ",T$,TAB(73),"PAGE",%31,P
8160 PRINT #D2
8170 L=P5-P6-P7-3
8180 RETURN
```



# Get Omni quality for as little as \$1.99... even if all you want is a 10 pack.

Call toll-free for great savings on Omni's complete line of 5¼" premium disks. Each is certified error-free at a minimum of twice the error threshold of your system. Each is rated for more than 12 million passes without disk-related errors or significant wear. And each is precision fabricated to exceed all ANSI specifications with such standard features as reinforced hub rings and Tyvec sleeves. Get same day shipment and an unconditional, no hassle money-back guarantee.



Master Card

23 Alvarado Ave.,Worcester, MA 01604 (800) 343-0314; In Mass: (617) 756-2960

# Call toll free (800) 343-0314 In Mass: (617) 756-2960

Call if you're not sure which disk is compatible with your system. Call for prices on 96 tpi and special formats. We offer an unconditional money-back warranty. We're here to help.

Be sure to	indicate system	name and	model	# at	right
Be sure to	indicate system	name and	mode	# at	righ

# of 10 Packs	514" Disks	Price Per 10 Pack	Total Price		VISA
	Single side/single density	\$19.90	\$	Card #	Exp
	Single side/double density	\$23.90	\$		
	Double side/double density	\$39.90	\$	System and model #	
	Flip/Floppy reversible Double side/double density	\$39.90	\$	Name	
	Protective plastic library case (in lieu of soft storage box)	\$ 2.99	\$	Address.	
	Shipping and handling		\$ 1.50		
	5% sales tax (Mass. only)		\$		
Circle 210 or	inquicy cord	Total	\$	Tel	

Check

Circle 310 on inquiry card.

www.americanradiohistory.com

**Listing 9:** The list program (%!LIST). The subroutines at lines 1000, 2000, and 5000 isolate interaction with the subexecutive program and the job-control file.

10 REM* SAMPLE LIST PROGRAM (SAVED IN FILE '%!LIST') 20 REM* 11/18/80 WRITTEN BY GENE F. WALTERS 30 GOSUB 1000 \REM READ IN GLOBAL DATA 40 GOSUB 2000 \REM READ IN LIST COMMAND DATA & INITIALIZATION 50 GOSUB 3000 \REM READ AN ENTRY FOR PRINTING 60 IF Z THEN 90 \REM TEST FOR END OF FILE 70 GOSUB 4000 \REM PRINT ENTRY 80 GOTO 50 90 GOSUB 5000 \REM PROGRAM WRAPUP & RETURN TO SUBEXECUTIVE 1000 REM*-----1010 REM* SUBROUTINE TO READ IN GLOBAL DATA 1020 REM*-----1030 DIM P\$(80),L(3) 1040 D1=0 \REM DEVICE FOR CONSOLE 1050 D2=1 \REM DEVICE FOR PRINTER 1060 D3=0 \REM DISK FILE FOR THE SYSTEM 1070 D4=1 \REM MASTER FILE 1080 U=3 \REM NO. OF DRIVES IN SYSTEM 1090 SS="%!" \REM PREFIX FOR SYSTEM FILE NAMES 1100 FOR I=1 TO U 1110 U\$=CHR\$(I+48) 1120 IF FILE(S\$+"JCL,"+U\$)=3 THEN 1150 1130 NEXT I

Listing 9 continued on page 380

#### Text continued from page 366:

global data stored at the beginning of the job-control file.

2000–2130 Read in Parameters for Program Execution. Using the current-entry pointer near the beginning of the job-control file, lines 2040 through 2070 position to the entry containing the parameters for the update/sort program's execution. Lines 2090 through 2110 then read in those parameters.

7000–7070 Return to Subexecutive. This section of code first positions the paper when an error listing is produced. The code uses the current line number, L, and the number of lines per page, P5, to calculate the number of blank lines to print in order to eject the listing to a new page. As a result, the printer should start at the top of a new page after each program's execution. Line 7070 CHAINs to the subexecutive.

#### The List Program

Listing 9 is the list program (% ILIST). Again, I will describe only those features of the list program that Text continued on page 382

#### **BUTF** Back Issues For Sale The following issues are available: \$3.25 es. \$2.00 ea. \$2.75 es. \$2.75 es May 78 Feb. 81 July 76 Oct. 79 Apr. 77 June 78 \$3.25 es. Mar. 81 May 77 July 78 Nov. 79 Apr. 81 June 77 Aug. 78 Dec. 79 May 81 July 77 Sept. 78 Jan. 80 July 81 Oct. 78 Mar. 80 Aug. 77 Aug. 81 Dec. 78 \$2.75 ea. Apr. 80 Oct. 81 Prices include postage in the US. Please add \$.50 per copy Jan. 79 Sept. 77 May 80 Nov. 81 for Canada and Mexico; and \$2.00 per copy to May 79 June 80 Dec. 81 Nov. 77 foreign countries (surface delivery). June 79 July 80 \$3.70 ea. Dec. 77 Feb. 78 July 79 Aug. 80 Mar. 82 Send requests with payment to:

### 70 Main St, Peterborough NH 03458 Attn: Back Issues

* Payments from foreign countries must be made in US funds payable at a US bank.

Oct. 80

Dec. 80

Aug. 79

Sept. 79

t a US bank. Please allow 4 weeks for domestic delivery and 8 weeks for foreign delivery

Mar. 78

Apr. 78



And the new MP150G Wide Carriage Dot work printer, a whole new world of wonded capability stretches out before you. Performance-priced at \$1095,* the MP150G gives you data processing options you may have thought unavailable for with a low cost. Bettended capatity means enhanced performance. A nine ire head prints six character densities, and gives you a choice between data processing, or correspondence quality bette. D The microprocessor-controlled bi-directional logic seeking head zips along at 150 CPS, with thruputs of up to 200

LPM for average text, and as many as 226 columns on 15 inch wide paper. That's speed in *two* directions. Dot graphics; a full 1000 character buffer (with up to 8000 character capability optionally available); and an optional non-volatile soft-switch keypad for configuration selection and retention. All dressed up in sleek, attractively styled casework. Set your sights on performance, versatility and extended capability with the MP150G Wide Carriage Dot Matrix Printer from MPI. It's worlds apart from the ordinary.

Suggested list price. Substantial OEM discounts available.



Micro Peripherals, Inc. 4426 South Century Dr. Salt Lake City, Utah 84107 (801) 263-3081

Arizona PLS Associates (602) 246-5477 • California VITEK (714) 744-8305 • Computer Potentials (408) 738-1740 • Colorado PLS Associates (303) 773-1218 • Fiorida Computer Village (305) 266-5965 • Georgia Micro Graphics (404) 790-5771 • Illinois CW Electronic Enterprises (312) 298-4830 • Massachusetts Butler Associates (617) 965-1060 • Consumer Computer Markelling (617) 443-5128 • Minnesota Bohlig & Associates (612) 922-7011 • New Jersey Hansen & Hughes (201) 552-7055 • Ohio EGS (216) 729-2222 • Oregon Microware (503) 620-6150 • Pennsylvania OED Electronics (215) 674-9600 • Texas Computer Warkel Vares (214) 373-4443 • Thorsey Distributors (214) 233-5744 • Utah PLS Associates (801) 466-8729 • Washington Microware (206) 451-8586 • International: Europe Russet Instrument. Ltd. (0734) 868147 Telex: 849721 • Australia Datatel Pty. Ltd. 690-4000 Telex: AA30996 • Canada Norango (416) 498-5332 Telex: 06966710 • Mexico, Central and South America Siscom-trol (905) 689-02-09


Circle 293 on inquiry card.

Listing 9 continued:

1140 PRINT #D1, "COULDN'T FIND JOB CONTROL FILE." \END 1150 OPEN #D3,S\$+"JCL,"+U\$ 1160 READ #D3, N, NO, N1 \REM-# CMD ENTRIES, CURRENT CMD, PTR TO 1ST ENTRY 1170 READ #D3.P\$ \REM PASS OVER FIRST STRING 1180 READ #D3, D\$, T\$ \REM READ IN DATE AND TIME 1190 READ #D3, P5, P6, P7 \REM LINES/PAGE, TOP MARGIN, BOTTOM MARGIN 1200 READ #D3,L(1),L(2),L(3) \REM MAX LENGTH FOR TITLE, AUTHOR, DATE 1210 RETURN 2000 REM*-----2010 REM* SUBROUTINE TO READ IN LIST COMMAND DATA & INITIALIZATION 2020 REM*-----2030 DIM P1\$(80), P2\$(80), P3\$(80), P(3), X1\$(80), X2\$(80), X3\$(80) 2040 P2=N1 2050 FOR I=1 TO NO 2060 P1=P2 2070 READ #D3%P1,P2 2080 NEXT I 2090 READ #D3, P\$, P\$ \REM PASS OVER FIRST TWO STRINGS 2100 READ #D3,F1\$,U1\$ \REM FILE NAME & UNIT FOR MASTER 2110 READ #D3, P(1), P(2), P(3) \REM PRINT FIELD ORDER 2120 L1=L(P(1)) \REM LENGTH OF 1ST PRINT FIELD 2130 L2=L(P(2)) \REM LENGTH OF 2ND PRINT FIELD 2140 L3=L(P(3)) \REM LENGTH OF 3RD PRINT FIELD 2150 P=0 \REM INITIALIZE PAGE NUMBER COUNTER 2160 L=0 \REM INITIALIZE LINE COUNTER 2170 CLOSE #D3 2180 OPEN #D4,F1\$+U1\$ 2190 RETURN 3000 REM*-----3010 REM* SUBROUTINE TO READ AN ENTRY 3020 REM*-----3030 Z=0 3040 IF TYP(D4)<>0 THEN 3060 3050 Z=1 \RETURN \REM END OF FILE 3060 READ #D4, X1\$, X2\$, X3\$ 3070 ON P(1) GOTO 3080, 3090, 3100 3080 P1\$=X1\$ \GOTO 3110 3090 P1\$=X2\$ \GOTO 3110 3100 P1\$=X3\$ 3110 IF LEN(P1\$)>L1 THEN P1\$=P1\$(1,L1) \REM TRUNCATE IF TOO LONG 3120 ON P(2) GOTO 3130, 3140, 3150 3130 P2 \$=X1\$ \GOTO 3160 3140 P2\$=X2\$ \GOTO 3160 3150 P2\$=X3\$ 3160 IF LEN(P2\$)>L2 THEN P2\$=P2\$(1,L2) \REM TRUNCATE IF TOO LONG 3170 ON P(3) GOTO 3180, 3190, 3200 3180 P3\$=X1\$ \GOTO 3210 3190 P3\$=X2\$ \GOTO 3210 3200 P3\$=X3\$ 3210 IF LEN(P3\$)>L3 THEN P3\$=P3\$(1,L3) \REM TRUNCATE IF TOO LONG 3220 RETURN 4000 REM*-----4010 REM* SUBROUTINE TO PRINT AN ENTRY 4020 REM*-----

Listing 9 continued on page 382

# **THE LAST MEMORY™**



# **OFFERS MORE FOR LESS**

THE LAST MEMORY", 64K static RAM/EPROM board, sets the industry standard in cost and performance. That's why it's the choice of system integrators, research laboratories, small businesses, large corporations, universities, and hobbyists from Dayton to Tasmania.

Now, how could we make the standard in S100 memory boards better? BY LOWERING THE PRICE!!

549.99

Board	Without	RAM
16K		
64K		

KIT 99.99 99.00 210.00 199.00

459.00

#### **ASSEMBLED & TESTED**

139.99 139.00 259.99 239.00 499.00 660.00.

All boards supplied with 150hs RAM Any board configuration () e. 2K. 4K., 62K, etc.) available. OEM discounts available All prices are F.O.B. Freeport 1L. Dealer mountes myded



static memory systems Inc. 15 So. Van Buren Ave. Suite 209

Freeport, Illinois 61032 (815) 235-8713



#### Listing 9 continued:

```
4030 GOSUB 4060 \REM PRINT HEADING IF REQUIRED
4040 PRINT #D2, P1$, TAB(L1+1), P2$, TAB(L1+L2+2), P3$
4050 RETURN
4060 REM*-----
4070 REM* SUBROUTINE TO PRINT HEADING
4080 REM*-----
4090 IF L=0 THEN 4120
4100 L=L-1
4110 RETURN
4120 IF P=0 THEN 4160
4130 FOR I=1 TO P7 \REM BOTTOM MARGIN
4140 PRINT #D2
4150 NEXT I
4160 P=P+1
4170 FOR I=1 TO P6 \REM TOP MARGIN
4180 PRINT #D2
4190 NEXT I
4200 PRINT #D2, "ARTICLE/BOOK LIST", TAB(40-INT((LEN(D$)+LEN(T$)+2)/2)),
4210 PRINT #D2,D$," ",T$,TAB(73),"PAGE",%3I,P
4220 PRINT #D2
4230 ON P(1) GOTO 4240, 4250, 4260
4240 PRINT #D2, "TITLE", TAB(L1+1), \GOTO 4270
4250 PRINT #D2, "AUTHOR", TAB (L1+1), \GOTO 4270
4260 PRINT #D2, "DATE", TAB(L1+1),
4270 ON P(2) GOTO 4280, 4290, 4300
4280 PRINT #D2, "TITLE", TAB(L1+L2+2), \GOTO 4310
4290 PRINT #D2, "AUTHOR", TAB (L1+L2+2), \GOTO 4310
4300 PRINT #D2, "DATE", TAB(L1+L2+2),
4310 ON P(3) GOTO 4320, 4330, 4340
4320 PRINT #D2, "TITLE" \GOTO 4350
4330 PRINT #D2, "AUTHOR" \GOTO 4350
4340 PRINT #D2,"DATE"
4350 PRINT #D2
4360 L=P5-P6-P7-5
4370 RETURN
5000 REM*------
5010 REM* RETURN TO SUBEXECUTIVE
5020 REM*-----
5030 FOR I=P5-L-2 TO P5 \REM EJECT TO A NEW PAGE
5040 PRINT #D2
5050 NEXT I
5060 CLOSE #D4
5070 CHAIN S$+","+U$
```

#### Text continued from page 378:

relate to its overall structure and its use of the executive.


**30–90** Overall Program Flow. I again used the approach of controlling program flow by using a series of GOSUB statements. The subroutines at lines 1000, 2000, and 5000 isolate interaction with the subexecutive and the job-control file. 1000-1210 Read in Global Data. These lines are similar to lines 1000 through 1270 in the update/sort program but do less processing after reading the parameters.

**2000–2190** Read in Parameters for Program Execution. These lines read in parameters for executing the rest of this program.

**5000–5070** Return to Subexecutive. After positioning the printer to a new page, this section transfers control back to the subexecutive.

#### Adapting for your Application

You can adapt these programs for your application in two ways. One is to retain the same basic functions in the system but change the fields to be



### **"READ THE CHART AND SEE WHICH COMPUTER COSTS LESS** AND GIVES YOU MORE FOR YOUR MONEY."

-WILLIAM SHATNER

<b>COMPARE OUR \$995 COMPUTER</b>						
FEATURES	COMMODORE 4016	IBM®	APPLE II®	TRS-80® MODEL III		
Base Price	\$ 995	\$1565	\$1330	\$ 999		
12" Green Screen	Standard	345	299	NO		
IEEE Interface	Standard	NO	300	NO		
TOTAL	\$ 995	\$1910	\$1929	\$ 999		
Intelligent Peripherals	Standard	NO	NO	NO		
Real Time Clock	Standard	NO	NO	NO		
Upper & Lower Case Letters	Standard	Standard	NO	Standard		
Separate Numeric Key Pad	Standard	Standard	NO	Standard		
Maximum 5¼" Disk Capacity Per Drive	500K	160K	143K	178K		

These systems were configured to approximate the capabilities of the 16K PET® 4016. Disk drives and printers are not included in prices. Models shown vary in their degree of expandability.

#### WHY COMMODORE

The idea of a computer in every office and home used to be science fiction. But that idea is now becoming reality. The question is, with so many to choose from, which

computer should you buy. When you consider the facts, the clear choice is Commodore:

I Commodore is the only personal computer company with a full line of computers—from our \$299.95 VIC-20 to the economical PET⁸ and CBM[™] (see chart) to our new SuperPET computer that speaks 5 computer languages.

2 Commodore is the only U.S. personal computer company that manufactures its own semiconductor micro-processors—the "heart" of all personal computers. As a result, Commodore's computer system is more affordable.

3 Commodore's proprietary "6502" microprocessor is

4 Commodore's CBM provides more storage power-1 000 000 characters on 5¼" dual disks—than any system in its price range. More than IBM. More than Apple. More than Tandy.

5 Commodore computer systems can be expanded to meet the needs of a growing business.

6 With over a quarter of a million computers sold worldwide, Commodore is proven for performance and reliability.

7 Sales in excess of \$200,000,000 annually. Commodore is listed on the New York 8

Stock Exchange. USES AND APPLICATIONS

Word Processing. It's easy on Commo-

dore - the most versatile, efficient and economical computers in their price range.

Financial Planning and Budgeting. Through the use of VisiCalc^{TM I}, the electronic worksheet. It lets you explore all your financial alternatives in seconds Dow Jones Portfolio Management System². Gives you up-to-the-minute data on over 6,000 securities. And more.

Data Management and Retrieval System. OZZ³, our information wizard, makes it easy for you. Doctors' System. Our Medical Accounting System (MAS)⁴ offers a fast, flexible billing and accounts receivable package.

Legal Time Accounting System (LTA)4. Automatical ly processes activities by client, attorney and action. Accounting and Bookkeeping Systems.

 Accounts receivable
 Accounts payable
 Payroll so technologically advanced and reliable that it's used in Inventory control # Job costing # Engineering # Person- 4 MAS and LTA were created by the Bristol Software Factors all Apple and Atari computers, as well as many others. nel record keeping # Tax preparation.

WE WROTE THE BOOK ON SOFTWARE The Commodore Software Encyclopedia is a comprehensive directory of software programs for: Business 
 Education 
 Recreation 
 Personal Use Contains over 1,000 software applications to choose from. Pick up a copy at your local Commodore dealer.

**FULL SERVICE, FULL SUPPORT** Commodore dealers throughout the country offer prompt local service. And our new national service contract with TRW provides nationwide support. TRW is the largest third-party related computer service organiza-tion in the U.S., with over 2,000 skilled technicians, nationwide.

1 VisiCalc is a Trademark of Personal Softwear, Inc.

- 2 The Portfolio Management System was created by Micro Business Systems, Inc.
   3 OZZ was created by the Bristol Software Factory.



# CHOOSE... Choose an Apple Desk



A compact Bi-Level desk ideal for the Apple computer system. This  $42'' \times 29'2''$  desk comes with a shelf to hold two Apple disk drives. The top shelf for your TV or monitor and manuals can also have an optional paper slot to accomodate a printer. It is shown here with the optional Corvis shelf which will hold one Corvis disk drive. The Corvis shelf is available on the 52''  $\times$  29'2'' version of the Apple desk.

### Choose a Micro Desk



The Universal Micro desk accommodates the S-100 type microcomputers. The desk is available in four sizes: 17.75 inch, 19.06 inch, and 20.75 inch wide openings with 24 inch front-to-rear mounting space. The fourth size is a 20.75 inch wide opening with a 26.50 inch front-to-rear mounting space.

### Choose a Mini Rack



Mini racks and mini micro racks have standard venting, cable cut outs and adjustable RETMA rails. Choose a stand alone bay or a 48", 60", or 72" desk model in a variety of colors and wood tones. A custom rack is available for the Cromemco.

### **Choose a Printer Stand**



The Universal printer stand fits the:

Centronics 700's	Diablo 1600's & 2300's
Dec LA 34	T.I. 810 & 820
NEC Spinwriter	Okidata Slimline
Lear Siegler 300's	Anadex 9500's

Delivery in days on over 200 styles and colors in stock. Dealer inquiries invited.



17129 S. Kingsview Avenue Carson, California 90746 Telephone: (213)538-9601 maintained; the other is to use the structure and the supporting utility routines for an entirely different set of tasks.

As an example of the easier case, let's assume you want to maintain a directory of all your program and data files where each entry contains the following fields: disk identification, file name, type of file, date of last update, and description of file contents. This system has five fields rather than the three in the Article/Book Maintenance System. The lines of the programs to change are shown in table 1. As this example shows, you can retain much of the original system for the new application. But this system has a major limitation on the number of entries that can be maintained, because the entire file must be in memory for the sort process. Additional code could be written in the update/sort program to perform the sorting process on disk to remove this limitation.


Now let's look at how to adapt the batch-processing system for an application quite different from the original Article/Book Maintenance System. The MAIN program is made to be flexible. You can adapt it to meet the requirements of the programs that are to be incorporated; just set up the appropriate global parameters and parameters specific to the programs you want to use. This is done by deleting lines 3000 through 5230 from the MAIN program (see listing 6). Also change lines 100 and 360 to reflect the commands that you need. Determine all the parameters that will be used by two or more programs to be run in a batch. Then,

MAIN Program	(Save in a file with a name of your choice)
Lines 3380-3460 4130-4580 5160-5210 64520	Modification Change for your options Change for your options Change for proper length of each field Change the name to one of your choice
Subexecutive (	%!)
No change requ	lired
Update/Sort Pr	ogram (%!SORT)
Lines 1210-1240 3080-3090 4290 4310 4325 4395-4560 5040-5070 6090-6110	Modification Change for the different fields Change for the different fields Provide more code for the two additional fields Change 3 to 5 for the proper number of fields Change for the additional two fields Change and provide more code for the two additional fields Change and provide more code for the two additional fields Change and provide more code for the two additional fields
List Program (	%!LIST)
Lines	Modification

Linco	
1030	Change for additional fields
1200	Change for additional fields
2030	Change for appropriate length of print line
2110	Change for additional fields
2140	Provide more code for additional fields
3060-3210	Change and provide more code for the two additional fields
4040	Change for the additional fields
4200	Change for the appropriate heading and print line length
4230-4340	Change subheading

**Table 1:** Changes required to adapt the Article/Book Maintenance System for maintaining disk directories. This table shows the required changes in each of the batchprocessing system's four programs, with line-number references in each.

# RM/COBOL^{TM1} MAKES IT ACROSS!



#### ...FROM ONE OPERATING SYSTEM TO ANOTHER! A VITAL WAY TO PROTECT YOUR SOFTWARE INVESTMENT FOR THE FUTURE!!

The RM/COROL language runs on more different Operating Systems and more

different-sized computers than any other similar language. For starters, it runs on NCR and TI minicomputers and, in the micro field, on the CP/M², MP/M², CP/M86², MP/M-86², TRSDOS³, OASIS⁴, MOASIS⁴, and UNIX⁵, (ONYX version) Operating Systems... to mention only a few.



#### .. AND YOU'RE GONNA LOVE 'EM TOO!!

Use your computer to program itself. **(RT!** (<u>C</u>obol <u>Reprogramming Tool!</u>) from Cybernetics is a program generator for **RM/COROI**, that produces error-free **RM/COROI**, source programs for data input, file maintenance, and report printing programs.

A full feature interactive program generator, not a subset! Call Now! 714/848-1922. Until now. serious business software of the scope and flexibility seen in the minicomputer world has not been available on micros. RM/COROL now allows transfer of such software with a minimum of fuss.

We have participated in such a mini-tomicro transfer of a major set of general business software... using **RM/COROL** as the transfer mechanism, of course. Running on literally thousands of minicomputers, these refined, enhanced, and proven software packages cover A/R, A/P, G/L, P/R, Order Entry (with Invoicing and Inventory Control) as well as Sales Analysis. The Packages define a new level of achievement for features and flexibility in micro applications software and offer top quality at a reasonable price.

For immediate information, call 714/848-1922 for your complete product descriptions.

#### Trademarks of:

I-Ryan-McFarland Corp.; 2-Digital Research, Inc.; 3-Tandy Corp.; 4-Phase One Systems, Inc.; 5-Bell Telephone Laboratories, Inc.; 6-Cybernetics, Inc.



8041 NEWMAN AVE., SUITE 208 HUNTINGTON BEACH, CA 92647 714/848-1922



You can save on computers and software using our commercial buying service. We buy wholesale for you. Our fee is one fourth of what we save you off list. We offer you:

- Access to over 500 Manufacturers
- 1500 Satisfied Clients
- Leasing
- Exporting Services

Examples of prices paid by our clients (including fee) are:

Computers		Vector 2600	4,221.00
-		Vector 3005	6,458.00
	3,075.00	Vector 5005	7,308.00
Adds Multivision I	3,074.00	Wicat	CALI
Alpha Micro 1030	12,047.00	Xerox 82051/4	2,300.00
Alpha Micro 1051	17,634.00	Xerox 8208″	2,900.00
Alspa AC1-2/SS	2,320.00		
Altos 8000.02	2,629.00		
Altos 8000-10	6.141.00	Printers	
Altos 8000 · 15	3,585.00	C. Itoh F-10	1,400.00
Altos 8600 · 10	7,586.00	C. ltoh 40 CPS Serial	1,400.00
Apple2 + 48K	1,208.00	C. Itoh 45 CPS Par	1,675.00
Archives Model I	4,700.00	C. ltoh Comet II	800.00
CCS Series 300-1 A	4,414.00	Diablo 630	1,965.00
CromencoSystem()	3,200.00	IDS 560	1,965.00
CromemcoSystem 1	2,946.00	IDS Prism 132 Column	1,099.00
CromemcoSystem 2	3,400.00	NEC 3510	
DEC VT-180xx	3,344.00	NEC 3510 NEC 7710R/O	1,830.00
Dynahyte	30% OFF		2,325.00
IBM Personal	CALL	NEC 7720KSR	2,700.00
Micromation	CALL	NEC 8023	
NEC 8001A	750 00	Olivetti 231	2,104.00
NEC 8012A	490.00	Qume9/35	1,795.00
NEC 8031 A	750.00	Qume9/45	2,045 00
North Star Advantage	2950.00	Sellem I	2,725 00 CALL
North Star Hoz 1164K DD	2,995.00	Tally	CALL
North Star Hoz II 64K QD	3,040.00		
Onyx 5001 MU-6	7,350.00		
Osborne	CALL.	Others	
Seattle System 2	3,251.00	VIIICI3	
Televideo TS-802	2,600.00	Anderson Jacobsen	641.25
Televideo TS-802H	5,000.00	Corvus 10MEG	3,825.00
Televideo TS 806	5,100.00	DEC VT-100	1,430.00
Toshiba T-200 w/Printer	4,099.00	Houston Instrument DMP-2	1,147.00
Toshiba T·250 w/Printer	5,099.00	Houston Instrument DMP-4	
Toshiba EW · 1000/4	6,799.00	Houston Instrument DMP-7	2,077.00
Toshiba EW - 1000/2 w/Ptr	5,999.00	Morrow 20MEG	3.650.00

For latest wholesale prices and to order Call Toll Free 800-227-2283. In California call 415-376-9020. Assembly, integration and testing also available from our service department.

**Ask about our Leasing Program.** We are buying agents for overseas computer dealers. **EXPORT SERVICES available.** International Telex 470851.

Mastercard, VISA at 3% handling fee. Prices subject to change without notice. Minimum fee 100.15% cancellation fee.

## THE PURCHASING AGENT

1635 School St., Suite 101, Moraga, CA 94556

using the utility routines found in lines 64000 through 65080, write a routine to set up the global parameters in the job-control file. This approach assures that if you want to change a parameter later, you will need to make only a simple modification in the MAIN program.

Next, again using the utility routines, write a routine for each command required. Remember the importance of checking that all parameters to be written to the jobcontrol file are reasonable. The Article/Book Maintenance System handles only string input. If you want to accept a numeric value, first read it in as a string, then call the routine at line 64990 to check for null input, and then convert the string to a numeric value by using the BASIC function VAL.

Finally, use the basic structure of the programs listed here as the model for the programs to be run under your batch-processing system.


#### Conclusion

It is irritating to have to attend a computer and nurse it through a series of repetitive operations. After all, the computer is supposed to be a laborsaving and timesaving device, especially useful for repetitious tasks that people hate. But what will save you from the labor and time required to supervise and redirect the computer through a series of repetitions?

The answer is batch-processing software. Once you have a batchprocessing system working, you'll find that you can easily adapt it for various specific applications. While the computer works on one set of tasks, you will be free to concentrate on another, or simply relax. I hope that the batch-processing system that I have described proves as helpful to you as it has to me.■

The author will send interested BYTE readers a 5¼-inch, singledensity North Star disk containing the programs described in this article. The programs on the disk, which costs \$15, include both the Article/Book Maintenance System programs and the set of programs for maintaining disk directories.

# BUSINESS FORM PROCESSING Application Memo #1: INVOICES



## Other VersaForm Uses:

- Purchase Orders
- Professional Billing
- Inventory Ledgers
- Job Costing
- Personnel Records
- Send for Application Note INV-01

VersaForm supports Apple II and Apple III. Hard Disk versions available

**Now there's a way** to quickly automate specific areas of your business . . . using existing forms. In a single session you can emulate a standard invoice on a personal computer (as shown on side). Automatic filling, calculating and data checking features to speed error-free processing. It's called Business Form Processing, a brand new concept in desktop computing.

**Producing management reports** that used to take days now takes minutes. Just specify which items contained within your form are to be sorted, sub and summary totalled. Each report as shown took only minutes to specify, and minutes to produce. It's the combination of the easy-to-use reporting facility with its powerful forms emulator that makes VersaForm more than just a data base.

You can use existing forms. With a simple output formatting module, VersaForm lets you overprint processed information to a pre-printed form, or to blank paper that becomes its own custom form. It even customizes your output to your printer's line spacing and number of characters per line, and can omit confidential data from final customer drafts. If you have a form, we've got the system and solution to higher productivity. Visit your local computer store where Apples are sold.



Applied Software Technology 14125 Capri Drive Los Gatos, California 95030 (408) 370-2662

# BYTELINES

## News and Speculation about Personal Computing

#### **Conducted by Sol Libes**

Random Rumors: IBM is expected to expand distribution of its Personal Computer in the second half of this year; look for distribution through channels other than Computerland and Sears. Reportedly, IBM is taking a look at mail-order and nonfranchised computer stores. It's also rumored that IBM is readving a smaller computer system designed specifically for mail-order sales and that the Pick operating system for the Personal Computer will be released soon. There's word of a deal between IBM and Motorola for the development of a 370/4300-computer-compatible system of software to run on Motorola's 68000... Epson America is rumored to be developing a desktop personal computer for the low-end business market.... Software Arts, Cambridge, Massachusetts (the outfit that developed Visicalc) is said to be developing another revolutionary program for a leading hardware manufacturer.... Commodore is expected to finally release its 16-bit microprocessor that will be software compatible with the 6502.

**Ncc Predictions:** Here are some of the new items that I expect to see introduced at the NCC show next month in Houston: look for Apple Computer Inc. to finally introduce the Apple IV using a 68000 microprocessor, a Unix-like operating system, sophisticated graphics, and networking functions.... Expect DEC (Digital Equipment Corporation) to finally introduce its personal com puter system based on the venerable PDP-8.... Look for Zenith to introduce its Z-100 16-bit computer system, rumored to use the Microsoft MS-DOS (the operating system used on the IBM Personal Computer).... Commodore will formally introduce its new personal computer that can emulate the Apple, Radio Shack, and IBM systems and run CP/M. ... I expect Xerox to introduce a portable version of its Xerox 820 computer/wordprocessor system. ... Expect a 3.25-inch 3.3-megabyte "baby Winchester" disk drive from a U.S. vendor (check out the Sony, Monroe, Osborne, and Otrona booths for prototypes) and 5¹/₄-inch hard-disk drives with 30megabyte capacity from Tandon and Control Data.... Epson is rumored to be readying a 1-megabyte, very thin 5¼-inch floppy-disk drive for showing at NCC. . . . Also, Integral Data Systems is expected to debut a dotmatrix printer with an 18-wire head to provide high-quality print.

Growing 68000 Market: As predicted several months ago in this column, Radio Shack has released its TRS-80 Model 16 using a 68000 16-bit microprocessor. Following in the footsteps of companies such as Godbout and Cromemco, the Model 16 is a dual-processor system that uses both an 8-bit Z80 processor and a 16-bit 68000 processor. This "hardware now, software later" strategy will allow purchasers to run Z80 software until 68000 software becomes available. Tandy expects to release a three-user (reportedly Unixlike) operating system over the summer and may have several languages available later. Applications software should be available starting in 1983.

Although the Radio Shack TRS-80 Model II has proved to be a very good single-user business system, the Model 16 represents a significant step upward for Tandy in its attempts to compete with IBM, DEC, et al., in the very lucrative multiuser business market. The Model 16 also offers options of an Arcnet local network interface, memory expansion up to 512K bytes and hard-disk storage.

Rather than design a completely new computer from the ground up, as Apple is doing, Tandy has developed its Model 16 by adding the 68000 system to its Model II, replacing the single 8-inch floppy-disk drive with two slim-line drives (1.25 megabytes per drive), and changing the color of the cabinet from battleship gray to ivorywhite. The basic unit with 128K bytes of memory and 1.25 megabytes of disk storage lists for \$5000; however, if you want additional memory, a second floppy-disk drive, and a hard disk, you can expect a price of over \$10,000 (some Radio Shack dealers are already offering 15 percent discounts). Tandy also offers to upgrade Model Il machines to most of the features of the Model 16 for \$1500-it's nice to see a company that doesn't forget its old customers.

Considering that Radio Shack's line of computers now ranges from tiny pocket computers to 16-bit multiuser systems, the next question is Will Radio Shack's next machine be a true 32-bit microcomputer?

Apple and PET users who want to upgrade to 16-bit processors need not feel left out in the cold. Several independent vendors are already offering plug-in and add-on 68000 and 8088 processor cards. For example, Digital Acoustics, Santa Clara, California, offers a 68000 processor card that can be attached to an Apple or PET for \$700 to \$1400, depending on the amount of additional memory (actually, the unit can be interfaced to any system via I/O ports and appropriate software). Metamorphic Microsystems, Boulder, Colorado, offers a card for the Apple that incorporates an Intel 8088, and also has available CP/M-86, MP/M-86, and UCSD Pascal 4.0. A 68000 Apple plug-in card is already being sold in England. (As yet, no software is available for the 68000 product.)

For almost a year now S-100 system owners have had 68000 processors available to them, with a variety of different multiuser Unixlike operating systems and development languages, from suppliers such as Empirical Research Group, Milton, Washington; MicroDa-Sys, Santa Monica, California; Dual Systems Control, Berkeley, California; and Cromemco, Mountain View, California. Already available

# en reasons disk W 70U a BA Disk. Flexv SF

More than four decades of experi-ence in magnetic media - BASF invented magnetic recording tape, the forerunner of today's wide range of magnetic media, back in 1934, and was the first independent manufacturer of IBM-compatible floppy disks.

Tough Tyvek sleeve - no paper dust, no static electricity.

Special self-cleaning jacket and liner help eliminate data errors and media wear and tear.

Center hole diameter punched to more accurate standards than industry specifications, for top performance.

BASF FlexyDiek ctors: soft nord Length 128 By

BASE

Bi-axially oriented polyester substrate-for uniform and reliable performance year after year.

**BASF FlexyDisk** 

Cross-linked oxide coating-for low head wear and long troublefree media life.

Total capability - one of two manufacturers in the world that makes both 8" and 5.25" models, has tape and disk experience, and manufactures floppy disk drives.

Double lubrication - lubricants both in the formula and on the disk surface, to minimize media wear due to head friction.

Packaging to suit your requirements - standard flip-top box, Kassette 10® storage case, or bulk pack.

100% certification - every single disk is tested at thresholds 2-3 times higher than system requirements, to be 100% error-free.

For the name of your nearest supplier, write BASF Systems, Crosby Drive, Bedford, MA 01730, or call 617-271-4030.



Floppy Disks Mag Cards Cassettes Computer Tapes

Circle 38 on inquiry card.

www.americanradiohistory.com

**Computer Peripherals** 

#### **BYTELINES**

for these systems are languages such as Pascal, FORTH, FORTRAN, and BASIC. Prices for these systems are equal to or less than the Radio Shack prices.

Several other 68000-system suppliers are already delivering 68000 systems at under \$5000. Most notable are the Fortune 32:16 (already in Computerland stores) and the Sage II from Sage Computer Technology, Reno, Nevada, starting at \$3600.

Apple Computer's 68000 machine, which will not become available until the second half of the year at the earliest, will encounter a highly competitive 68000 marketplace. It will have to be darned good to compete.

**BM Doings:** Like every other personal computer

manufacturer, IBM underestimated the market for its product. It initially expected to sell about 100,000 units this year, but the company has greatly expanded its manufacturing facilities and now is expecting to ship 200,000 Personal Computers, thus generating between \$500 and \$600 million in revenue (which should still be a small fraction of IBM's total yearly \$30 billion revenue). This should make IBM number three in the personal computer marketplace, following Apple Computer Inc. and Radio Shack (both companies are expected to ship over 300,000 systems this year). In fact, just about every personal computer manufacturer expects to set records this year. In the meantime, many IBM customers must wait as long as two months for delivery.

Sales of the IBM Personal Computer are currently limited to the U.S., although some dealers are reshipping to dealers outside the U.S. However, IBM is expected to start shipping to foreign dealers before the year is out.

Although users are generally pleased with the Personal Computer, there are some complaints: users say IBM has not made it easy to expand its system with additional memory and accessory devices, that the keyboard differs from IBM's conventional keyboards, that the system takes up more desk space than competing systems, that competitors can match or even exceed the IBM's performance in many areas, and-the biggest complaint-that the few programs available are too complex. Also, IBM hampered independent suppliers of addon peripherals by not releasing technical information until several months after the unit was released.

There are rumors that IBM will introduce a new, lowercost personal computer later this year or in early 1983. Also of interest is the fact that Telesoft, San Diego, California, recently demonstrated its new Ada compiler on an IBM Personal Computer enhanced with 256K bytes of memory and a 6-megabyte hard-disk drive.

Justice Department vs AT&T and IBM: The Justice Department, after many years of pursuit and incalculable expense, has finally settled its antitrust suit with AT&T and dropped its suit against IBM. This means that AT&T is now free to become a formidable competitor in

# BUY A 212A-TYPE MODEM AND GET A \$212 REBATE.

Now, as an introductory offer, when you buy Cermetek's new fullyfeatured Bell 212A compatible modem, the CERMETEK 212A, you'll get a \$212 rebate.

Just consider the CERMETEK 212A's features:

- Integral Auto-Dialer
- 0-300 or 1200 BPS Operation
- Bell 212A Compatibility. Bell 103/113 compatibility or 0-300 BPS mode
- Auto-originate/Auto Answer/ Auto-Speed sense
- User option menu
- Full Duplex operation
- Seven (7) diagnostic modes
- One year limited warranty



To get your CERMETEK 212A modem, contact:

A.C.T. Rocky Mountain 2640 Youngfield Lakewood CO 80214 (303) 233-4431 A.C.T. 15800 Addison Rd. Addison TX 75001 (214) 980-1888

P & L Associates 11 Laura Lane P.O. Box 481 East Setauket NY 11733 (516) 221-7623

Offer expires September 30th, 1982. Limited to two modems per customer.

Circle 69 on inquiry card.

### THE WORLD'S LARGEST COMPUTER MAIL ORDER FIRM

# Computer Exchange

Ad #

Disk Drives, II and III Profile III, Hardisk Inter Call 25% The Controller \$ 495 21% Inte Unlimited, Dow Jones News & Quotes \$ 69 28% Easywriter (PRO) \$ 139 25% programs for the Apple II \$ 49	00
HARDWARE Identified       CLOSEOUT on Apple Computer, Inc. products       CLOSEOUT on Apple Computer, Inc. products       SOFTWARE on disk for Apple 11/86       on disk for Apple 11/86       order if Apple 11/86         Apple 11/86       CLOSE       Apple 11/86       Software:       SAVE         Apple 11/86       OUT       SAVE       SAVE       Software:       SAVE         Apple 11/86       OUT       SAVE       SAVE       Software:       SAVE         Apple 11/86       OUT       SAVE       Software:       SAVE       Software:       Save         Apple 110       Controller       S 49       30%       Info Unlimited,       Save       Some Common Basic Programs, 70 Business, Statistica and Mash, 70 Business, Statistica	00
Apple Computer, Inc. products         Apple II 48K or 64K         Apple II 48K or 64K         Apple II 128K         Disk Drives, II and III         Profile III, Hardisk         CALL 25%         Dow Jones News & Quotes         Set	
Profile III, Hardisk OALL \$2750 22% The Controller \$495 21% Into Untilmited, 75 Business, Statistics and Math Dow Jones News & Quotes \$69 28% Easywriter (PRO) \$139 25% programs for the Apple II \$49	•
Interface Cards OAL 25% Dow Jones News & Quotes \$ 69 28% Easywriter (PRO) \$ 139 25% programs for the Apple II \$ 49	SAVE
	50%
Direct Substitute for Apple Drives         Microcourier         \$ 189         24%         Apple Spellguard CP/M         \$ 219         28%         Magic Wand         \$ 250           Microcourier         S 189         24%         Apple Spellguard CP/M         \$ 219         28%         Magic Wand         \$ 250           Microcourier         S 189         CALL         CALL         Insoft:         GL, AR, AP, PR or Iv         \$ 189           Micro-Sci A2 is a direct substitute for Apple II'         Artsci Magic Window         \$ 75         25%         Electric Duet NEW         \$ 25         20%         Personal Software/VisiCorp	37% 38% SAVE
drives It will run all Apple II software. Save Ashton-Tate CP/M Ashton-Tat	25% 25%
A2 Drive, 5°, 143K \$395 18% Executive Secretary-WP \$189 25% GraFORTH NEW! \$ 69 25% Desktop Plan II \$189 Control of the secretary Secreta	25% 25% 20%
A70 Drive, 5", 286K \$489 20% Broderbund Software Payroll \$269 30% Micro Lab Micro Lab VisiSchedule \$219	30%
Controller Card for A70 or A40         \$ 79         21%         General Ledger         \$ 349         30%         Data Factory. ver. 5.0         \$ 249         20%         VisiTrend and VisiPiot         \$ 239           Sorrento Valley         Apple Panic         \$ 21         30%         Tax Manager         \$ 95         38%         VisiTrend and VisiPiot         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 79         \$ 70         \$ 79         \$ 70         \$ 70         \$ 79         \$ 70         \$ 70         \$ 70         \$ 70         \$ 70         \$ 70         \$ 70         \$ 70         \$ 70         \$ 70         \$ 70         \$ 70         \$ 70         \$ 70         \$ 70         \$ 70         \$ 70         \$ 70         \$ 70         \$ 70         \$ 70         \$ 70 <td< td=""><td>20% 20% 20%</td></td<>	20% 20% 20%
MONITORS: SAVE Red Alert \$ 21 30% Micro Pro all CP/M T Softech Int'I NEC 12" Color \$ 359 24% Space Warrior \$ 18 30% Word Star \$ 239 36% Stock/lile \$ 250	60%
12° Green     \$ 169     22%     Many Others in Stock     CALL     CALL     Main Merge     \$ 79     30%     Stocksetter     \$ 423       SANYO:     9° B&W     \$ 149     31%     Budgeco, Raster Blaster     \$ 22     27%     Spell Star     \$ 159     36%     Software Publishing:	30%
12" B&W \$219 30% Central Point Software: * Super Sort \$189 30% PFS III \$ 69 12" Green \$229 30% Copy II Plus ver. 4 \$ 35 10% Microanti	26% 26% 26%
13° Color     \$ 399     28%     Will copy most copy protected software     A.L.D.S.     \$ 110     10%     Sorcim Supercalc CP/M     \$ 219       ZENITH     12° Green     \$ 119     20%     for your backup in 45 seconds!     NEW     BASIC Compiler     \$ 299     25%     Stoneware,	25%
Maxell     \$ 39     33%     Home Accountant     \$ 56     25%     Fortran 80     \$ 149     25%     Sub Logic     Flight Simulator     \$ 28       Memorax     \$ 25     45%     Home Money Minder     \$ 26     25%     Olympic Decathion     \$ 24     24%	22% 20%
B0 COLUMN VIDEO CARDS:         Data Most         TASC Compiler         \$ 159         22%         OTHER BRANDS IN STOCK:           Videx Videoterm         \$ 249         28%         Snack Attack         \$ 22         25%         Typing Tutor II         \$ 19         30%         Actemit, Adventure International, Ast           M&B_D_SUP_RTyping         \$ 295         Thiel         \$ 22         25%         Muse         Actemit, Adventure International, Ast	
ALS: Smarterm \$ 269 30% Denver Software Super Text II \$ 113 25% AUD. Simm. Avalor, Avant-Garde, E ALS: Smarterm \$ 269 30% Financial Partner \$ 185 25% Castle Wollenstein \$ 23 25% Info Com, Lazer, Like Phoenix, Qual	Vare
CCS: Serial Interface 7710A \$139 22% Hayden, Sargon II (chess) \$ 29 22% On-Line Sensible, Sentient, Sirius, Strategic, Synergistic and United.	
High Technology Writer II \$ 25% Stock Magnetic Attack And Stock Superscribe If Screen- writer II \$ 25% Stock Magnetic Attack And Stock Magnetic Attack And Stock Magnetic Attack And Stock	
ISC Videostick Paddle \$ 35 23% Job Control System \$ 469 40% Pegasus II \$ 22 25% Peachtree CP/M software availab Keyboard Company: Howard Software Threshold \$ 30 25% Peachtree CP/M software availab	e for
Corporation     \$ 45     10%     Tax Preparer     \$ 115     25%     Cranston Manor     \$ 26     25%     most 5" and 8" drives, and complexity       Joystick II     \$ 25     17%     Real Estate Analyzer     \$ 145     25%     Mission Astroid     \$ 15     25%     imilar discounts.       Game Paddle     \$ 25     17%     Creative Financing     \$ 145     25%     Mystery House     \$ 19     25%	
MåR: RF Modulator S JUP RFAN Microbit: 280 Softcard S 279 33% SUP RFAN S 39 25% SUP RFAN CLOSEOUT SAVE ALTON CLOSEOUT	
15K RAM Card       \$ 159       20%       Image: CPS Multifunction Card       \$ 209       13%         CPS Multifunction Card       \$ 209       13%       Image: CPS Multifunction Card       \$ 209       13%         CPS Multifunction Card       \$ 209       13%       Image: CPS Multifunction Card       \$ 209       13%	20%
Novation Applecat Modern \$329 16% CK commodore MTU-1 Tape Backup for Hard Disk \$2795 8000-10 208K, 4 User, 10 Meg \$6495	25% 25%
Dan Paymar LCA New rev. \$ 34 33% VIC 20 Home Computer \$ 249 16% Others in Stock CALL Saturn System 32K RAM Card \$ 149 36%	CALL
64K RAM Card \$375 12% HEWLETT H/P 85A ★ \$1,995	y Last
VC-Expand for Visicalc \$ 75 25% H/P BC Microcomputer / Mcniter / Printer \$1995 27% ALS: Smarterm 80.Col Card \$ 289 30% H/P 87 CP / M Microcomputer NEWI \$1995 20%	30%
2-Card (2-80) \$ 209 22% Addram 16K Card \$ 119 20% Synergizer Package \$ 549 27% H/P 125 CP/M Microcomputer NEW! \$ 1995 27% H/P 82901M 5" Dual Drives \$ 1650 27% EPSON PRINTERS	
Videoterm 80 col.         \$ 249         28%         H / P 7225B Professional Graphics Plotter         \$ 2060         25%         MX80         \$ 449           Soft Video switch         \$ 25         28%         H / P 7470A Graphics Plotters         \$ 1249         19%         MX80 F / T         \$ 555	31 % 25 %
Enhancer II \$ 99 34% H/P 41C Calculator \$ 185 25% MX100 F/T w/graphics \$ 729 Full Videx Line, Call up to 35% H/P 41CV Calculator 2.2K \$ 245 25% 70/80/100 Apple Interface and Cable \$ 95 PAPER: Fan Fold, Call for sizes, Full Calculator 2.2K \$ 245 25% MX100 F/T w/graphics \$ 5729	27% 15% 22%
LETTER QUALITY PRINTERS:	20%
Cume         Letter quality printer         SAVE         800         16K         \$ 666         17%         NEC         Microcomputer           Sprint 9 45R0         \$ 2395         23%         400         16K         \$ 333         26%         NEC         001         20K         001         20K	
NEC 3510 RO Serial \$1995 20% ATADI Microtek 16K RAM \$75 25% 286K Total Dual Drive PC8031 \$750	25% 25%
Clympia (Typewriter/Printer)         AIAKI         Microtek 32K RAM         \$ 149         2 576         32K addon and I/O Unit PC8012         \$ 495           ES-100, 18CPS, with full cable and interface to Apple 11         \$ 1695         22%         810 Disk Drive         \$ 449         26%         Ren Tec "The Wedge" 32K         \$ 495	24% 17% 25%
PRINTERS:         850 Interface         \$ 169         25%         Impact Printer Cable         \$ 49           Ebson, See special Epson section at right         Other Hardware         20 to 30%         3510 Letter Qual. Printer         \$ 1995	25% 20%
Intergral Data Full Line of Software 25% NEC PC Software CALL Prism 132, Color Printer w/Graphics \$1695 16% Visicalc \$159 21%	CAL
Prism 80, B&W, ASF, W/Graphics         \$ 995         12%         Pac Man Avail 5/82         \$ 34         25%         Corvu         5 Meg Hard Disk         \$ 2995           445 Tiger W/Graphics & 2K         \$ 695         23%         Communicator Kit         \$ 345         25%         Close Out         10 Meg Hard Disk         \$ 2995           560 Tiger W/Graphics & \$1095         22%         Educator Kit         \$ 129         27%         CLOSE Out         20 Meg Hard Disk         \$ 5245           Okidata Microline 82A         \$ 495         25%         Educator Kit         \$ 129         27%         Close Out         20 Meg Hard Disk         \$ 5245	21% 20% 20%
ORDERING INFORMATION:	-
Money Orders welcomed. Personal Checks STAR INDICATES With your Oregon Order Desk	VISA
insurance and handling. UPS is standard. BEST BUYS mention Ad # (503) 772-3803	
Additional 3% for VISA or MC. Include REFERENCES:	
telephone #. No COD. Prices subject to we have been a computer dealer since 1978. Our bank reference is First Interstate Bank (503) 776-5620. We belong to the Chamber of Commerce, (503) 772-6293. (800)547-1289	

#### BYTELINES -

the nonregulated computer/ communications marketplace. To grasp the potential impact of this decision, consider that last year AT&T's Bell Laboratories spent \$1.6 billion on research and development—more than the total amount spent by Japan's Ministry of International Trade and Industry.

Last year alone Western Electric, AT&T's manufacturing arm, produced more 64K-bit dynamic-memory integrated circuits than any other U.S. supplier and is already producing the MAC-32 32-bit microprocessor. Bell Labs has already disclosed the design of a 256K-bit dynamic-memory chip. Consider also the attention the industry is focusing on Unix. AT&T's Advanced Communications Service, scheduled to go online shortly, promises to

tie together computers, networks, and communications terminals in an incredibly advanced and massive computer operation.

IBM is free to pursue the same path. The company has already reentered the timesharing business and is spending about 10 percent of its revenues (almost \$2 billion) on research.

Apple Dolngs: After failing in the courts to cancel Apple Computer Inc.'s ban on mail-order sales, one of the six mail-order dealers cut off by Apple has filed a formal complaint with the Federal Trade Commission, charging Apple with price fixing and violation of the Sherman Antitrust Act. In the meantime, mail-order sales continue from nonauthorized

-

-


-

Apple dealers who buy their units from authorized Apple dealers and still manage to offer discounts.

Apple finally appears to have gotten the Apple III off the ground by cutting the price by \$400, increasing the dealer margin to 33.4 percent, offering a new, sophisticated operating system and seven application software packages (including CP/M), and making significant hardware improvements and options (including a built-in 5megabyte hard disk). Reportedly, only 10,000 of the original Apple IIIs were sold compared to more than 350,000 Apple IIs sold through the end of 1981.

Word has it that Apple has spent \$30 million in the development of its two new microcomputer systems, which it hopes to formally

announce at NCC. Apple has kept tight wraps on information about these two units; however, rumors abound that one, called "Lisa," is intended for the business market and will be a workstation system using a 68000 processor. It should have a Unix-like operating system, hard disk, 128K bytes of memory, Ethernet interface, and a base price of at least \$5000. The second system is rumored to be a low-cost portable system that will be softwarecompatible with the Apple II. It has been designated the "Super II." One question is What will happen to the Apple II and III when these new units are released?



Marymac INDUSTRIES, INC.

In Texas Orders Questions & Answers 1-713-392-0747 21969 Katy Freeway Katy (Houston) Texas 77450 To Order 1-800-231-3680 800-231-3681

### SAVE **BIG DOLLARS** ON ALL TRS-80° HARDWARE & SOFTWARE

TRS-80[®] BY RADIO SHACK. Brand new in cartons delivered. Save state sales tax. Texas residents add only 5% sales tax. Open Mon.-Fri. 9-6, Sat. 9-5. We pay freight and insurance. Come by and see us. Call us for a reference in or near your city. Ref: Farmers State Bank, Brookshire, Texas.

#### WE OFFER ON REQUEST

Federal Express (Overnight Delivery)

Houston Intercontinental Airport Delivery (Same Day)

U.P.S. BLUE (Every Day)

References from people who have bought computers from us probably in your city

* TRS-80 is a Registered Trademark of Tandy Corp





II and III

No Tax on Out of Texas Shipments!



WE ALWAYS OFFER

- NO extra charge for Master Card or Visa.
- We use Direct Freight Lines. No long waits.
- We always pay the freight and insurance
- I Toll free order number
- Our capability to go to the giant TRS-80° Computer warehouse 5 hours away, in Ft. Worth, Texas, to keep you in stock.

#### **JOE McMANUS**



## **Tired Of Your** GENERALL EDGER?



- *** THE ULTIMATE PERSONAL CHECK REGISTER**
- *** A PROFESSIONAL ACCOUNTING SYSTEM**
- *** A PERSONAL FINANCIAL MANAGER**
- *** A SMALL BUSINESS ACCOUNTING SYSTEM**

CLO BANG MARK NO. 04

1: 11230 30801: 78 91230

13.300

*** A COMPLETE GENERAL LEDGER** 

VERSALEDGER

YOUR FIRM NAME HERE

FOR YOUR TRS-80 MODEL I, H , HI 47 GOLOR COMPUTER • APPLE H • L.B.M. • XEROX • ATARI ALL MIGEOSOFT BASIC COMPUTERS

### HOW IT WODKS

**VERSALEDGER** is a complete accounting system that grows as you or your business grows. To start, your VERSALEDGER acts as a simple method of keeping track of your checkbook. Just enter your check number, date and to whom the check is made out to. As you or your business grows, you may add more details to your transactions . . . . account number, detailed account explanations, etc.

PAY

- VERSALEDGER can give you an instant cash balance at anytime. (IF YOU WANT IT TO)
- VERSALEDGER can be used as a small per-sonal checkbook register. (IF YOU WANT IT TO)
- VERSALEDGER can be used to run your million dollar corporation. (IF YOU WANT IT TO)
- VERSALEDGER prints checks. (IF YOU WANT IT TO)
- VERSALEDGER stores all check information forever. (IF YOU WANT IT TO)
- VERSALEDGER can handle more than one checkbook. (IF YOU WANT IT TO)
- VERSALEDGER can be used to replace a general ledger. (IF YOU WANT IT TO)
- VERSALEDGER HAS AN ALMOST UNLIMITED CAPACITY . . . . (300 checks per month on single density 51/4" disk drives such as the TRS-80 Model-I) (500 checks per month on the Apple II) (2400 checks per month on the TRS-80 Model III) (6000 checks per month on the TRS-80 Model II) (3000 checks per month on single density 8" CP/M)
- VERSALEDGER will soon have an add-on payroll package. (IF YOU NEED IT)

#### — CAN BE USED WITH 1 or MORE DISK DRIVES —

## VERSALEDGER HAS BEEN CREATED WITH THE FIRST TIME COMPUTER USER IN MIND

50 N. PASCACK ROAD

SPRING VALLEY, NEW YORK 10977

* ADD \$3.00 FOR SHIPPING IN UPS AREAS

* ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS * ADD \$5.00 TO CANADA AND MEXICO * ADD PROPER POSTAGE OUTSIDE U.S., CANADA & MEXICO



(914) 425-1535



**NEW TOLL-FREE** ORDER LINE (OUTSIDE OF N.Y. STATE) (800) 431-2818

1001

HECK N.

INTRODUCTORY PRICE

\$**99** 95

*** ALL PRICES & SPECIFICATIONS SUBJECT TO CHANGE ***


Circle 188 on inquiry card.

the first major redesign of this hardware to have occurred in several years. These drives are typically half the height of a standard drive. This makes it possible to double storage capacity without changing the cabinet, because you can stack two slim-line drives in the space previously occupied by one standard drive. Furthermore, manufacturers have reduced the length of the new 8-inch drives by at least two inches.

The genesis of the slim-line design is credited to Micro Peripherals, Chatsworth, California, which introduced the first slim-line drive in the spring of 1980 but did not start shipping until November of that year. Tandon, also in Chatsworth, introduced a slim-line drive at last year's NCC show and has since introduced a double-sided version. Tandon is currently the only high-volume supplier of these drives. Shugart Associates has introduced an 8-inch slim-line drive, and Siemens is expected to show prototypes of its drive at NCC next month. At least six Japanese suppliers are expected to show 8-inch slim-line drives at NCC, many of which are already being delivered in Japan.

Although prices for the slim-line drives are currently higher than standard drives, these prices are expected to fall quickly as manufacturers gear up to full production. In the long run, prices are expected to be significantly lower than standard drives because manufacturers are further along the learning curve in design and manufacturing techniques.

Last year saw a turning point in the floppy-disk market as shipments of 5¼-inch



- the blocks which have defective sectors. The operating system will know that those sectors should be skipped.
- BADLIM is the only program that gives protection for soft and hard errors.
- The first time BADLIM will list which files in your disk are on bad sectors, so you can take action to correct it.
- But thereafter the bad areas in your disk will be automatically by-passed.
- For CP/M 1.4 single density and for CP/M 2.xx of any format and density. It is a must for Winchester as the media cannot be replaced.

BADLIM cost only \$73. Whatever the reason you have to use a computer you need BADLIM. Contact your dealer or call us today:

BLAT R&D Corp., 8016 188th. St SW, Edmonds WA 98020. Phone: [206] 771-1408 DEALER INQUIRIES INVITED. drives overtook shipments of 8-inch drives. Although the new slim-line 8-inch drives are expected to bolster sales of 8-inch drives in general, they are not expected to significantly affect 5¼-inch shipments. Estimates for 1982 are that 1.9 million 8-inch and 3 million 5¼-inch drives will be shipped.

Incidentally, a reported 250 million disks were sold through the end of 1981; 125 million were sold in 1981 alone.

Icrocomputer Profits: Apple Computer reported that its net income for the first quarter of 1981 rose 83 percent to \$13.6 million on revenues of \$133.6 million. But that's nothing compared to Atari! Warner Communications, which owns Atari, reported that Atari sales last year doubled to \$1.2 billion, while income guadrupled to \$287 million. Incidentally, when Warner bought Atari in 1976, sales were about \$40 million-Warner is reaping a video game bonanza. Corvus Systems reported that its sales for 1981 more than guadrupled over the previous year, from \$2.7 million to \$11.4 million. Corvus is now two and a half years old.

Exxon Corp., which for the last few years has attempted to establish itself in the microcomputer field (with Zilog, Vydec, et al.) reported that its Office Systems subsidiary lost \$76 million in 1981—oh well, I guess Exxon needed a big tax loss.

**Dvorak Keyboard on Personal Computers:** The Dvorak typewriter keyboard configuration has long been recognized as considerably more efficient than the conventional QWERTY keyboard configuration. Unfortunately. the conventional configuration has been with us for many years and changing it is assumed to be difficult and expensive; however, owners of personal computers whose keyboards are software controlled can make the change easily by changing the software which scans the keys, and recent studies show that increased production more than balances the slight effort required. Software is already available for the TRS-80 Models I and III. Apple II, and Exidy Sorcerer microcomputers. People who are interested in reconfiguring their personal computers to use the Dvorak keyboard configuration should contact Quick Strokes (the newsletter for Dvorak keyboard users), POB 643, West Sacramento, CA 95691.


**Videodiscs that can Record:** Sharp Corp., Osaka, Japan, has disclosed that it has developed a videodisc system with recording capability. Based on a thermomagnetic effect, it employs a silicon laser and a 5¼-inch disk, similar to a floppy disk, that can store up to 200 megabytes. The unit is expected to be in production within two years.

Foreign Exchange: If you're into computer bulletin boards and are tired of accessing U.S. bulletin board systems, why not try a foreign BBS such as FORUM-80 London (01-286-6207), CBBS-London (01-286-6207), or FORUM-80 Holland (010-313-512-533).

**Blegal Access:** Before the FBI and the courts put him out of business, a California teenager developed a hobby of illegally accessing computer systems. He had ac-



Made by Seikosha, AXIOM's new GP-100 is the finest printer a little money can buy. It uses standard 8-1/2 x 11 paper and has AXIOM's fabulous graphics interfaces for Apple, TRS-80, Atari, PET, HP and more! See the GP-100 at your AXIOM dealer today!





Seikosha Is the leading company of the worldwide Seiko Group.

AXIOM CORPORATION

1014 Griswold Avenue, San Fernando, CA 91340 • Telephone: (213) 365-9521 • TWX: 910-496-1746

Circle 36 on inquiry card.

www.americanradiohistory.com

### BYTELINES -

cessed computers belonging to U.S. Leasing, UCLA, UCA, DEC, and even law enforcement agencies. How did he do it? How did he get the access codes and passwords? Some he got by going through printouts he found in company trash cans, some by trial and error, and others by posing as a law officer or computer repairman. Why did he do it? "Just for kicks!"

**Computers and the Handicapped:** Microcomputers are being used in many ways to help the handicapped help themselves to become more effective in the job market, more independent as individuals, and able to coexist with nonhandicapped persons on a more equal basis. A new organization to help this effort is "Computers to Help People," Madison, Wisconsin, founded by John Boyer, a grad student in computer science who is both deaf and blind.

ntel Upgrades 8086: Intel has introduced a new microprocessor, called the 80286, that is software-compatible with the company's 8086 16-bit microprocessor. The new processor has an onchip multilevel protection mechanism as well as capabilities for memory management and virtual-memory address translation. Thus, it's targeted for the multiuser and multitasking market. The integrated circuit has 68 pins. Another upgrade that Intel

is expected to release shortly

is to be called the 80186. It will have on-chip clock and interrupt controllers, two DMA (direct memory access) channels, timers, counters, and random chip-select logic.

nix Rumors: Tandy is expected to announce at NCC a Unix-like operating system for its new TRS-80 Model 16. Experts are betting that it will be Microsoft's Xenix. Rumors also suggest that Xenix will be implemented on the IBM Personal Computer and National Semiconductor's new 16-bit microcomputer . . . . Word has it that Unix IV with the Writer's Workbench is being readied for release to commercial customers early next vear . . . Unix System V is reportedly being tested by AT&T and is expected to be adopted internally in about six months.

andom News Bits: Mattel Electronics has a new microcomputer game called Dallas. The processor, when playing the role of J.R., has been programmed to cheat, lie, and blackmail . . . Ithaca Intersystems' new version of Pascal/Z (version 4.0) has a unique feature: an interactive symbolic debugger called Swat. . . . If your rug is creating static problems with your computer, try spraying the rug with a mixture of twothirds Downey Fabric Softener and one-third water in a spray bottle....M/A-Com's purchase of Ohio Scientific Inc. seems to have determined Ohio Scientific's moving from the personal computer market to the business computer market-I note that the name of Ohio Scientific has been changed to "M/A-Com Office Systems Inc."... According to a report from Market Venture Consultants, Newport Beach,

California, 20 percent of all personal computers sold today are used in business, and this should increase to over 30 percent by 1985.... Disk Trends, another marketing research organization, predicts that the 31/2-inch floppy-disk drive is likely to become a major product, especially in office machines. It also predicts 31/2-inch Winchester drives with 5-megabyte capacity in volume production by 1983.... Pertec Computer has given up manufacturing floppy-disk drives to concentrate on higher-margin tape and Winchester disk-drive products.... Lifeboat Associates has released CP/Emulator, a program that will allow software written with it to run under CP/M-86 and under Microsoft's MS-DOS (used on IBM's Personal Computer and others). Cost is \$750. ... Lifeboat Associates and Intel have cooperatively formed iRUG, a users group for Intel's iRMX-86 operating system. For information write iRUG, Lifeboat Associates, 1651 Third Ave., New York, NY 10028.... Intel is reportedly shipping its Ada compiler for the iAPX432 32-bit microprocessor and hopes to have its 432 development system available in the last quarter of this year.

CP/M 2.2 is extremely important, and the Z80 chip will live forever because of it." Dr. Portia Isaacson Future Computing Inc.

**MAIL:** I receive a large number of letters each month as a result of this column. If you write to me and wish a response, please include a selfaddressed, stamped envelope.

Sol Libes POB 1192 Mountainside, NJ 07092



(601) 467-8231

### WHY BUY FROM THE BEST? Service... Support... Software...

### NEECO



### K commodore

16K B (16K RAM-40 Column) - Lim. Qty \$ 995
32K B (32K RAM-40 Clm.) - Lim. Qty \$1295
4016 (16K RAM 4.0 Basic-40 Clm.) \$ 995
4032 (32K RAM 4.0 Basic-40 Clm.) \$1295
8032 (32K RAM 4.0 Basic-80 Clm.) \$1495
8050 Dual Disk (1 Meg Storage) \$1795
4040 Dual Disk (343K Storage) \$1295
8010 IEEE Modem \$ 280
C2N Cassette Drive
CBM - IEEE Interface Cable \$ 40
IEEE - IEEE Interface Cable\$ 50 VIC 20 Home/Personal Computer\$ 295
10 20 Homer claunar computer

### CALL NEECO FOR ANY OF YOUR COMMODORE COMPUTER NEEDS

### **NEC SPINWRITER PRINTERS**

apple

5530 (Parallel)	\$3055
5510 (Serial)	\$3055
5520 (KSR-Serial)	
Tractor Option	\$ 225

MX-80 PRINTER\$	
MX-80 FT \$	745
MX-100\$	
MX-70 \$	459
INTERFACE CARDS	
8141 (RS-232) \$	75
8150 (2K Buffered RS-232) \$	
8161 (IEEE 488)\$	
8131 (Apple Card) \$	
cier (rippie cure)	

### **DIABLO 630 PRINTER**

8220 (TRS-80 Cable) .....

. . . . . . . . . . . . .

8230 (Apple Card)

**EPSON PRINTERS** 

DIABL0 630 - Serial - RS-232	\$2710
Tractor Option	\$ 250

### AMDEK MONITORS

#### Video 100 12" B+W ..... \$ 179 Video 300 12" Green ..... \$ 249 Color | 13" Low Res ..... \$ 449 Color II 13" High Res ..... \$ 999


### **INTERTEC COMPUTERS** 64K Superbrain

> S 25

S 35

(360 Disk Storage), CP/M™... \$3495 64K QD Superbrain (700K Disk Storage). CP/M**. . \$3995

*CP/M is a registered trademark of Digital Research



### **ATARI COMPUTERS**

Atari 400 (16K RAM) ..... \$ 399 Atari 800 (32K RAM) - good thru 8/31 ..... \$1080 Atari 410 RECORDER \$ 89.95 Atari 810 DISK DRIVE ..... \$ 599 95

NEECO carries all available ATARI Software and Peripherals.

### PROFESSIONAL SOFTWARE

APPLE

16K APPLE II+ ....

48K APPLE II+

w/Monitor +

32K APPLE II+ ..... \$1430

APPLE DISK w/3.3 DOS . \$ 650

APPLE DRIVE Only ..... \$ 490 APPLE III 128K - In Stock!

Info Analystpak ..... \$4740

\$1330

...\$1530

WordPro	1 8K						\$ 29.95
WordPro	3 (40	Clm.)16K		•			\$ 199.95
WordPro	3+						\$ 295
WordPro	4 (80	Clm.) 32K					\$ 375
WordPro	4+		•	•	•	•	\$ 450

JUST A SAMPLE OF THE MANY PRODUCTS WE CARRY, CALL US FOR OUR NEW 60-PAGE CATALOG. WE WILL MATCH SOME ADVERTISED PRICES ON CERTAIN PRODUCTS LISTED UNDER SIMILAR "IN STOCK" CONDITIONS.



Circle 301 on Inquiry card.

### Ask BYTE

### **Conducted by Steve Clarcia**

### **Cows and Catalogs**

Dear Steve,

Another gentleman and I are currently trying to adapt the Radio Shack TRS-80 Color Computer for farmcontrol applications. Initially, we plan to develop a system for computer-controlled feeding of dairy cows.

One of our biggest hurdles involves reliably identifying each cow (up to 250) as she approaches the feeder. We'd like the computer to decide how much feed she is to receive and to update each cow's statistics.

We need a unit that can be worn by the cow like a necklace and mated with control circuitry on the feeder. Obviously, durability and temperature sensitivity are major concerns. Do you have any ideas that might prove useful?

In a different vein, my library of device manufacturers' and distributors' catalogs is very small. Although it's not too difficult to get catalogs from distributors listed in magazines like BYTE, I know that there are many outfits that could prove more useful. I have the feeling that many distributors ignore the most versatile and useful components because of their limited appeal. Can you suggest a method of building a larger device and component library? Gary L. Filkins Jr. Otsego, Ml

I am not familiar with cows, but I assume that you are not looking for a totally automated feeding arrangement and that someone will be available at the feeder to do whatever is necessary.

For reliability, I would suggest that the device around

the cow's neck be a passive one, i.e., no batteries to replace. The first thing that comes to mind is a dog tag (cow tag?) with a bar code (similar to the Universal Product Code) printed on it. When a cow approaches the feeder, the tag is read with a light-sensitive wand and the computer prints out the feed requirements and other pertinent data. This would require an optical bar-code interface to your computer.

Another device would need a resistive element molded into the cow tag with two ends brought out to a connector or wiper. As a cow approached, she would "punch in" to a device that would incorporate the resistance in an oscillator circuit and output a frequency unique to each cow. The computer would identify each cow by the generated frequency. A unit must be constructed to use this concept.

Here are a couple of approaches to beef up your device manufacturers' and distributors' catalog library. First, the major semiconductor manufacturers publish data catalogs and application notes about their products. You can contact their literature departments directly. Second, you might like to get the Electronics Engineers Master Catalog, which covers many manufacturers. It's available from United Technical Publications, Circulation Department, 645 Stewart Ave., Garden City, NY 11530. . . . Steve

### **TV Jitter Bugs**

Dear Steve, When I use my TRS-80 Color Computer with an old

Motorola tube-type color TV set, the picture is great. When I use it with my new 12-inch Sanyo, lots of evenly spaced horizontal bars fade in and out at about 1 Hz. Sometimes they disappear, at other times they appear diagonally or vertically. The controls have no effect, and similar bars appear much more dimly on a set in the Radio Shack store. On a 12-inch black-and-white portable TV, the bars are worse still and, in addition, the picture will sometimes bend as a "bump" rises slowly up the screen.

Is there something wrong with my set, or do all radiofrequency (RF) modulators do this? Can I just tap the signal going into the Astec RF modulator and pipe it directly into the video section of the set? I wrote Tandy Corporation and was referred to the manufacturer of my television. But why would it care whether my Color Computer works? **Charles Hall** Raleigh, NC

Your problem is not caused by the RF modulator, but by a slight "sync" incompatibility between the computer and the TV. Many of the newer TVs use phase-locked synchronization circuitry and their capture range is not great enough for some computers.

It's interesting to note that an article in the January 1981 Consumer Reports, "19-inch color TV's" (see page 36), dealt with this phenomenon. Consumers Union tested a number of televisions with an Apple II computer. It found that two models (Zenith and Sylvania) had a "severe vertical jitter, making the display almost unreadable."

While this is little consola-

tion to you, in your case it may not be your TV. You mentioned the same effect occurred with your computer on a television in a store. Did the store's Color Computer exhibit these bars? If not, you may have a defect in your computer.

In summary, the problem exists with some television sets. Run a swap test with a Color Computer that functions normally and determine where the fault lies. . . . Steve

### Downloading to CP/M

Dear Steve.

A brochure on Visicorp's Visiterm software package claims that it will allow information to be downloaded from a larger host computer to an Apple II. Do you know of any similar software packages that will allow downloading to a CP/M-based microcomputer? My company has a Z80-based computer with a Soroc IO-120 terminal and CP/M 2.2. The host computer is an IBM 360/370. John E. O'Hare

Tucson, AZ

Lifeboat Associates (1651 Third Ave., New York, NY 10028, (212) 860-0300) sells a utility program, called BSTMS, which allows you to download certain software from a large mainframe computer. BSTMS is available for many CP/M configurations at a cost of \$400.

A popular public-domain telecommunications program is Modem73, which is the latest version of a program written by Ward Christensen. Modem73 is available at a low cost from the CP/M User's Group, which can be

### Wild Hare Software Systems Multiply the Capabilities of Data General's

### RDOS INFOS® ICOS DOS

Wild Hare gives Data General users a choice when upgrading to a multi-user environment and eliminates the need to use AOS. Wild Hare makes it easy for you. It creates a true multi-lingual, multi-user environment for your current system. No user software modifications are necessary. There is no need to install a new operating system. And, no expensive hardware upgrade is required.

### Features

- · Each user is totally independent of all other users.
- · Each user may run all standard Data General software.
- Each user may independently edit, compile, execute and debug programs written in any language supported by RDOS, INFOS®, ICOS and DOS.
- Standard languages supported include: Fortran IV, Fortran V, COBOL, ALGOL, RPG, DG/L™, BASIC, PASCAL, MAC, etc.
- All NOVA's[®] and ECLIPSE's[®] are supported.
- · Wild Hare guarantees its software systems on a money back basis.

### Wild Hare's Software Gives Data General Users A Choice!



NOVA+ ECLIPSE+ and INFOS+ are registered trademarks of Data General Corporation.

### Ask BYTE-

contacted via Lifeboat Associates. Winterhalter & Associates Inc. (313 North First St., Ann Arbor, MI 48103, (313) 662-2002) has a number of programs, known as the Micro 3270 family, that emulate an IBM 3270 interactive terminal and the IBM 3780, 2780, 3741, and 2770 remote-job entry terminals. Some of the versions run under CP/M. Hope this is of some help.

### Digital Speedometer

#### Dear Steve,

I want to build a digital speedometer with a threedigit readout having increments of 5 miles per hour (mph) or even 1 mph. Input pulses can be taken on a onepulse-to-one-tire-revolution basis directly from the axle or brake drum. My tires have a diameter of about 29½ inches.

I also want to build a digital tachometer with a three-digit readout to display my four-cylinder engine's speed at any range up to 9990 revolutions per minute (rpm). Input pulses can be taken from an engine pulley or from the ignition coil.



I haven't had any luck in locating circuit diagrams for these units. Can you help? Peter J. Pinette Yorktown Heights, NY

A circuit for a digital speedometer can be found in the January 1981 "Ask BYTE" (see page 288). The article has enough information to configure one for your purpose. A digital tachometer can be made using the same concepts.

My Circuit Cellar article "DC Motor Controls: Build a Motorized Platform" (May 1981 BYTE, page 66) also contained information on this subject.

Both circuits consist of signal conditioners feeding decade counters with the binary-coded decimal (BCD) outputs converted to drive seven-segment light-emitting diode (LED) displays. If you understand how the various counters work (refer to manufacturer's data sheets), you can tailor the circuits to your specific applications. ... Steve

### Data In, Garbage Out

Dear Steve,

Most people using small computers for hobby or business have experienced garbled data at some time. In my own case, it happens occasionally on data files on my Charles River Data HD11-T. which is hooked to a Heath H-11A (based on the LSI 11/23 microprocessor). The files have been known to be correct beforehand. Unfortunately, there is no indication that something has garbled the file until it is accessed.

I suspect that some sort of power glitch affecting the disk drive is the culprit, but there hasn't been lightning or any indication of power problems while the system



## ARE YOU READY?

### You are ready for MICRO if you want to. . .

also cevering the 68091

Go beyond canned software
 Use your computer for more

than games Learn advanced programming techniques

Understand the inner workings of your computer

Get the most out of your 6502/6809 system

Month after month, MICRO gives readers sophisticated software applications, detailed discussions of programming languages, and indepth hardware tutorials.

To get the most out of your machine, say YES to MICRO today! We accept VISA or Mastercard. **\$24.00** per year in the U.S., **\$27.00** elsewhere.



### Ask BYTE-

was operating. Although the power line used by the system is not "dedicated," it is not overloaded.

I'm confused by the various advertisements for "line conditioners," protectors, and regulators. How do you know if you really need one of these things, barring frequent catastrophes, and how do you choose the one suited for your installation? A 1-kilovolt-ampere (kVA) capacity regulator costs about \$500, so it would be nice to know it would help before making the purchase. It would even be better to save part of the cost by building it! James R. Monnahan Provo, UT

Basically, two types of power-line problems affect computers: voltage transients and voltage fluctuations. Transients tend to place spikes (i.e., short-duration, high-voltage pulses) on the power-supply line. Spikes can raise havoc with a computer. Fortunately, a welldesigned and regulated power supply can suppress many of them. Poorly designed power supplies generally fail under a severe transient, usually by means of shorted diodes.

Ordinarily, voltage fluctuations are visible in the form of lights dimming or flashing. The problem here is that if the voltage goes too low, the regulators in the power supply cannot compensate and the voltage in the computer drops below the minimum specifications. The result is garbled data.

On the other end, high line voltages should be taken care of by power-supply regulator circuits. Because a computer's power transformers are usually step-down devices, higher voltages result in an increase in heat dissipation by the regulators.

Line conditioners and protectors are often metal-oxide varistors (MOVs) or zener diodes designed to clip transients above a certain level, which protects circuits downstream. The regulators are designed to maintain the line voltage between prescribed limits.

Which device is required for your computer? I would try to be more aware of the lights dimming or flashing (e.g., when a large motor starts or stops). If this is the case, either add a regulator or eliminate the offending device. Otherwise, try a clipping device.... Steve

### Wanted: RS-232C-to-IEEE-488 Interface

Dear Steve,

I recently assumed a new position at Kenyon College and discovered that some of the scientists on campus have become very frustrated trying to use a Hewlett-Packard HP-9872A Plotter that is attached to an HP-2647 Graphic Terminal. They have managed to learn about handshaking sequences and other protocols, but the problem seems to be the interface. A salesman informed me that the plotter interface is an IEEE-488 and not the RS-232C type that is standard on an Digital Equipment Corporation PDP-11/70.

Two solutions are obvious: to replace the plotter with a different model that has the appropriate interface, or to buy or build a "black box" that does bidirectional RS-232C-to-IEEE-488 conversion. Since I'm not truly informed about electronics, I am wondering about the difficulty of making such a black box and about the cost of obtaining one, if I could even locate such a device.

Perhaps you know of someone or some company that has made such a device—or could you give me some estimates on the relative

# Take your pick of the litter.

When you're ready to let your computer out and introduce it to the rest of the world, one of the Cat family of Modems is the way to do it.

Take your pick. You can't go wrong. They're all purebreds—from Novation, the recognized world leader in personal communications.




### **Cat Acoustic Modem**

Fast, accurate, reliable originate/answer modem with built-in diagnostics. Just add your computer and phone. Then dial up the world. \$189**

### Super Mike

Replace your phone's carbon mike with Super Mike. No more carbon granule problems. Making things perfectly clear has never been so easy. \$14.95**





### **Auto-Cat**


Answers automatically and stores data in your computer until you're ready. The world's first LSI 103 modem. State-of-the-art, all digital, crystal controlled direct connect.

You're off the hook for under \$250**



Major breakthrough—the intelligent modem. Slips into your Apple. All auto functions, selectable baud rates, Serial RS-232 port, BSR X-10 controller*** easy-to-use self-prompting format. Other options available.

From \$389** including software



### **D-Cat**

Get the performance and reliability of a direct connect modem (up to 20dB improvement) with the portability and price of an acoustic. Use it at home. Use it at work. Truly unique. So's the price. \$199**



### Call for details: (800) 423-5410

In California (213) 996-5060 Available from Avnet Electronïcs, Hamilton Electro, Hamilton Avnet,

Kierulff Electronics, Byte Shops, Computerland, and your local computer store.

Novation, Inc., 18664 Oxnard Street, Tarzana, California 91356

*Apple is a registered trademark of Apple Computer Inc. Cat is a trademark of Novation, Inc. which does not make Apple computers. **Suggested retail price ***BSR is a trademark of BSR Corporation

### **STARTING YOUR OWN** MICROCOMPUTER BU

Starting your own microcomputer business is easy if you know the right steps to take. Two volumes of the new book Your Fortune In The Microcomputer Business describe the things you should know to start right and to build your business successfully.

Many people have good ideas for a successful microcomputer business. But they don't know how to put their ideas into action. These people are plenty smart. That's not the problem. The problem is in knowing simple things: How to analyze the market. How to select the right product or service. How to get enough startup money. How to plan your growth and success. The answers to these problems are not hard to understand. All you need is the right information. Your Fortune In The Microcomputer Business gives you the knowledge tools to start right, grow and prosper.

This practical reference manual has no hocus-pocus. It does not tell you how to do astrology or dating services. It does give you clear, complete, step-by-step instructions on how to get started right and insure your success!

### Volume I Includes:

- The hottest trends in the market The seven best test markets
- How to read between the lines at a trade show
- 107 ways to reach your market
- Examples of the best ads in the business
- How to get free advertising
- The 21 steps to set up your business
- How to start a manufacturing business
- How to write a newsletter
- How to give a seminar
- How to start a service business
- How to package software for the mass market
- How to be a highly paid consultant
- Franchising-the good, the bad and the ugly
- Interviews with six successful microcomputer businesses
- How to use the RLC factor to be street smart, lean, mean and successful

### Volume II Includes:

- Strategies for growth
- Straight facts on incorporation
- How to build your organization
- How to manage cash flow
- How to develop your accounting system
- How to manage employees, wages and salaries
- How to survive a cash crunch
- What to do if things get really bad
- How to maximize your profits
- How to grow by acquisition
- How to value your business

How and when to sell your business WRITE OR CALL-DON'T WAIT!

### Wildfire Publishing, P.O. Box 420-DS Carpinteria, CA 93013 Ph. (805) 684-1489

Please send the following book(s) by return mail. I understand if I want to return them for any reason within 30 days of receipt, I can do so and get a prompt full refund. □ Your Fortune In The Microcomputer Business Vol. I, Getting Started, \$20.00. (Postpaid)

□ Your Fortune In The Microcomputer Business Vol. II, Growth, Survival and Success, \$20.00. (Postpaid)

Calif. residents please add \$1.20 each sales tax.

Name
Street
City State Zip
Enclosed is or charge my MasterCharge 🗋 or Visa 🗖
Card #
Ex. Dt MCInterbank #
Signature © 1982 Wildfire Pub.

404 May 1982 © BYTE Publications Inc

cle 434 on inquiry card	
-------------------------	--

Cir

### Ask BYTE-

ease or difficulty of building one? Robert A. Rennert Kenyon College

Gambier, OH

Any easy solution is always expensive (Murphy's Law) and the cheap solution very hard (again, Murphy's Law). However, don't give up hope.

Your first idea, replace the plotter, is a good one. The Hewlett-Packard 7221A Plotter is the RS-232C eauivalent of the 9872A Plotter and it costs about the same. Your second solution is also good. One type of black box on the market is the GPIB (general-purpose interface bus, equivalent to the Hewlett-Packard interface) controller with RS-232C interface. Another is the PDP-11-to-GPIB interface card of which the National Instruments series is a good example.

Finally, building you own interface is less expensive but more difficult than buying one ready-made.

Here are some sources for literature and hardware. . . . Steve

Fairchild Camera and Instrument Corporation 464 Ellis St. Mountain View, CA 94042 (Re: 96LS488 GPIB circuit)

Hewlett-Packard Company 9920 Carver Rd. Cincinnati, OH 45242 (Re: Publications 5952-0058 and 5952-0156)

### RS-232C-to-GPIB interface

Physical Data Inc. 8089 Southwest Cirrus Dr. Beaverton, OR 97005

**ICS Electronics Corporation** 1620 Zanker Rd. San Jose, CA 95112

### Unibus-to-GPIB interface

National Instruments Building A-117 8900 Shoal Creek Austin, TX 78758.

In "Ask BYTE," Steve Ciarcia answers questions on any area of microcomputing. The most representative questions received each month will be answered and published. Do you have a nagging problem? Send your inquiry to: Ask BYTE

clo Steve Ciarcia POB 582

Glastonbury CT 06033 If you are a subscriber to The Source, send your questions by electronic mail or chat with Steve (TCE317) directly. Due to the high volume of inquiries, personal replies cannot be given. Be sure to include Ask BYTE" in the address.

### And then there were none. The list of already extinct animals

grows . . . the great auk, the Texas gray olf, the Badlands bighorn, the sea mink,

the passenger pigeon . . . What happens if civilization continues to slowly choke out wildlife species by species

Man cannot live on a planet unfit for animals.

Join an organization that's doing something about preserving our endangered species. Get involved. Write

the National Wildlife Federation, Department 105, 1412 16th Street, NW. Washington,

DC 20036. It's not too late.





Volume 11

Growth, Survival

and Success

IN VICTOR WILL



## AIM 65. The professional's microcomputer.

Printer, display, full keyboard. Only \$465.00.

For professional learning, designing and work, Rockwell's AIM 65" microcomputer gives you an easy, inexpensive head start.

- 20-column printer and display
- □ Dual cassette, TTY and
- general purpose I/0
- microprocessor
- System expansion bus
- □ Read/write RAM memory

- □ PROM/ROM expansion
  - sockets
- Self-prompt interactive monitor firmware
- Terminal-style keyboard
- Options available include:
  - —PROM programmer module
  - ---RM 65 standard modules and card cages
  - ---power supply and enclosure

For more on the AIM 65 microcomputer and how you can develop programs in assembly language, BASIC, PL/65, Pascal or FORTH*, write Rockwell International, Electronic Devices Division, RC55, P.O. Box 3669, Anaheim, CA 92803. For location of nearest distributor or dealer call 800-854-8099 (in California 800-422-4230).



...where science gets down to business

# Birth of a legend.



# Epson.

A whole new generation of Epson MX printers has just arrived. And while they share the family traits that made Epson famous — like unequalled reliability and ultra-fine printing — they've got a lot more of what it takes to be a legend.

For instance, they've got a few extra type styles. Sixty-six, to be exact, including italics, a handy subscript and superscript for scientific notation, and enough international symbols to print most Western languages. What's more, on the new-generation MX-80, MX-80 F/T and MX-100, you get GRAFTRAX-Plus dot addressable graphics. Standard. So now you can have precision to rival plotters in a reliable Epson printer. Not to mention true backspace, software printer reset, and programmable form length, horizontal tab and right margin.

All in all, they've got the features that make them destined for stardom. But the best part is that beneath this software bonanza beats the

# Uh...three legends.

heart of an Epson. So you still get a bidirectional, logical seeking, disposable print head, crisp, clean, correspondence quality printing, and the kind of reliability that has made Epson the bestselling printers in the world.

All of which should come as no surprise, especially when you look at the family tree. After all, Epson *invented* digital printers almost seventeen years ago for the 1964 Tokyo Olympics. We were the first to make printers as reliable as the family stereo. And we introduced the computer world to correspondence quality printing and disposable print heads. And now we've given birth to the finest printers for small computers on the market.

What's next? Wait and see. We're already expecting.



3415 Kashiwa Street • Torrance, CA 90505 • (213) 539-9140

FEATURE	ORIGINAL MX-80	GRAFTRAX-80*	ORIGINAL MX-100	MX-80 MX-80 F/T M with GRAFTRAX-Ph		
Bidirectional printing	x	x	X	X	X	x
Logical seeking function	X	X	Х	X	Х	X
Disposable print head	x	x	Х	X	Х	Х
Speed: 80 CPS	X	x	X	х	X	X
Matrix: 9 x 9	X	X	x	х	X	X
Selectable paper feed			X		Х	X
PAPER HANDLING FUNCTIONS	_					
Line spacing to n/216		x		х	Х	X
Programmable form length	X	x	X	х	X	X
Programmable horizontal tabs	Х	x	X	Х	X	X
Skip over perforation			X	X	X	X
PRINT MODES AND CHARACTER FONTS						
% ASCII characters	X	X	Х	X	х	X
Italics character font		Х		X	Х	X
Special international symbols				х	X	x
Normal, Emphasized, Double-Strike and Double/Emphasized print modes	x	x		x	x	x
Subscript/Superscript print mode				X	Х	х
Underline mode				х	Х	x
10 CPI	X	X	X	X	Х	х
5 CPI	X	X	X	Х	Х	х
17.16 CPI	X	X	X	X	Х	Х
8.58 CPI	X	x	X	x	X	X
DOT GRAPHICS MODE						
Line drawing graphics				х	Х	Х
Bit image 60 D.P.I.		Х	Х	Х	Х	Х
Bit image 120 D.P.I.		X	X	х	Х	Х
CONTROL FUNCTIONS						
Software printer reset		x		Х	Х	Х
Adjustable right margin			X	X	Х	Х
True back space		Х		х	X	Х
INTERFACES						
Standard — Centronics-style 8-bit parallel	х	Х	Х	х	x	X
Optional - RS-232C current loop w/2K buffer	x	X	X	х	х	X
RS-232C x-on/x-off w/2K buffer	X	X	X	X	х	Х
IEEE-488	х	Х	x	X	Х	х

*Tandy TRS-80 block graphics only available with GRAFTRAX 80.

ABCDEFGHIJKLMN abcdefghijklmn ABCDEFGHIJKLMN abcdefghijklmn Ø1234 ABCDEFGHIJKLMN abcdefghijklmn ABCDEFGHIJKLMN abcdefghijklmn Ø1234 ABCDEFGHIJKLMN abcdefghijklmn ABCDEFGHIJKLMN abcdefghijklmn Ø1234 ABCDEF abcdef ABCDEF abcdefghijklmopgrstuvwx ABCDEFGHIJKLMNOPQRSTUVWX abcdefghijklmopgrstuvwx Ø1234567 ABCDEFF abcdef ABCDEFabcde fØ1234567

ABCDEFGHIJKLMN abcdefghijklenopgretuvwx*ABCDEFGHIJKLMNOPQRSTUVWX abcdefghijklenopgretuvwxABCDEF6HIJKLMNOPQRSTUVWX abcdefghijklenopgretuvwx 81234367* Circle 165 on inquiry card.

### **Event Queue**

### May 1982

### May

Courses from Boeing Computer Services, various sites throughout the U.S. Boeing **Computer Services is offering** a wide variety of computerrelated courses at its regional service centers. Course topics range from "Introduction to Data Processing" to "Structured Program Development in FORTRAN." For a complete schedule of times, locations, and fees, contact Boeing Computer Services Co., Education and Training Division, POB 24346, Seattle, WA 98124, (206) 575-7700.

### May

Courses in Structured Systems, various sites throughout the U.S. Courses in "Structured Systems Design," and "Structured Requirements Definition" are being offered by Ken Orr and Associates. For information on meeting times, places, and fees, contact Ken Orr and Associates Inc., 715 East 8th, Topeka, KS 66607, (800) 255-2459; in Kansas, (913) 233-2349.

#### May

Courses from George Washington University, San Jose, CA; Washington, DC; Mexico City; Mexico; and Berlin, West Germany. Among the courses scheduled are "Computer Performance Evaluation," "Workshop in Data Communications for Microcomputers," and "Microcomputer Applications Workshop." Fees range from \$590 to \$760. Contact Continuing Engineering Education, School of Engineering and Applied Science, George Washington University, Washington, DC 20052, (800) 424-9773; in the District of Columbia, (202) 676-6106.

#### May

Seminars and Conferences from Datapro Research, various sites throughout the U.S. Among the topics to be presented are "IBM's Systems Network Architecture." "Data Dictionary/Directory Systems," and "Data Processing: Fundamental Concepts." Enrollment fees are \$640 for Datapro subscribers and \$690 for nonsubscribers. For a complete catalog with descriptions, dates, and locations, contact Datapro Research Corp., 1805 Underwood Blvd., Delran, NJ 08075, (800) 257-9406; in New Jersey, (609) 764-0100.

### May

Technology Transfer Institute Seminars, Washington, DC, and San Francisco, CA. "Fundamentals of Database Management," "Fundamentals of Data Structures," and "X.25 and Other Protocol Interfaces" are among the seminars being offered. Contact Technology Transfer Institute, 741 10th St., Santa Monica, CA 90402, (213) 394-8305.

#### May-June

Intensive Two-day Seminars for Professional Development, various sites throughout New England. Among the seminars to be offered by Worcester Polytechnic Institute are "Fundamentals of Data Processing," "Distributed Systems: The Architecture and Utilization of this Revolutionary Technology," and 'Microprocessors: Hardware, Software, and Applications." Registration fees range from \$445 for a twoday program to \$990 for a seven-day executive institute. For complete details, contact Ms. Ginny Bazarian, Office of Continuing Education, Worcester Polytechnic Institute, Worcester, MA 01609, (617) 793-5517.

#### May-June

Cooperative Education Program, various sites throughout the U.S. This series of more than 100 data-processing courses is presented by Q.E.D. Information Sciences Inc. Course topics include systems development, structured methodologies, database, telecommunications, management, and human relations. These two- to five-day courses are tailored for analysts, designers, programmers, managers, and other users. For additional details, contact the Manager of Education Programs, Q.E.D Information Sciences Inc., O.E.D. Plaza, POB 181, Wellesley, MA 02181, (800) 343-4848; in Massachusetts, (617) 237-5656.

### May-June

Courses and Seminars from Sira Institute, various sites throughout England. Sira Institute is sponsoring seminars on a wide variety of subjects, ranging from microprocessor familiarization to design and development of microprocessor-based equipment. For details, contact Conferences & Courses Unit, Sira Institute Ltd., South Hill, Chislehurst, Kent BR7 5EH, England.

### May-June

National Computer Graphics Association Seminar Program, various sites throughout the U.S. Topics include "Computer Graphics: Technology and Applications," "Successful Business Graphics," and "Applications of Computer Graphics to Transportation Problems." Seminar fees are \$395 for association members and \$425 for nonmembers. For complete details, contact Eloise Wenker, NCGA Seminar, 2033 M St. NW, #300, Washington, DC 20036, (202) 466-4102.

#### May-June

Datamation Institute Seminars on Information Management, various sites throughout the U.S. Databases and communications, systems performance, data-processing management, word processing, office automation, computer graphics, and topics of general interest are among the areas to be covered by these two-day seminars. Fees range from \$495 to \$595. For schedules of times and places. contact Karen Smolens, the Center for Management Research. Datamation Institute Seminar Coordination Office, 850 Boylston St., Chestnut Hill, MA 02167, (617) 738-5020.

### May-June

Education and Training Seminars, various sites throughout the U.S. and Europe. Among the seminar topics offered by STSC Inc. and APL+Plus International are "Nested Arrays," "Intermediate APL," and "Advanced APL Programming Techniques." For complete details on these and other seminars, contact the Seminar Administrator, STSC Inc., 11 Clearbrook Rd., Elmsford, NY 10523, (914) 347-5560. In Europe, contact APL+Plus International, Tour Neptune, Cedex N°20, 92086 Paris La Défense, France, Tel: 773.79.64.

### May-June

The Master Method of Selling Small-Business Systems, Westlake Village, CA. This one-day seminar is designed for mini- and microcomputer manufacturers and software vendors who sell smallbusiness systems. The seminar fee is \$150. For details, contact Seminar Information, M. W. L. Inc., 32038 Watergate Court, Westlake Village, CA 91361, (213) 889-2607.

### YOU CAN'T KEEP A GOOD MEMORY DOWN

### EXCEPT IN PRICE AND AT CHRISLIN WE PROVE IT!

Our CI-S100 64KB single card is compatible with most S100 bus systems.

The CI-6800/2 expansion memory for EXORCISOR I and EXORCISOR II microprocessors has a capacity of 64KB on a single card, parity is standard.

We offer new super competitive memory prices for your LSI 11, Motorola, IBM PC, S100, and Multibus microprocessor based systems.

Our new add-in expansion memory for IBM's Personal Computer has capacity up to 512KB on a single card with one RS232-C port and parity.

NEW 512KB W RS232 PORT

The CI-1123 add-in memory has capacity up to 256KB on a single board, parity is standard.

The CI-8086 is compatible with the Multibus 8 bit and 16 bit microprocessors. The memory has capacity up to 512KB on a single card, and parity is standard.

DON'T ASK WHY WE CHARGE SO LITTLE, ASK WHY THEY CHARGE SO MUCH.

Chrislin Industries, Inc. 31352 Via Colinas • Westlake Village, CA 91362 • 213-991-2254

TWX 910-494-1253 (CHRISLIN WKVG)

Circle 75 on inquiry card.

www.americanradiohistory.com

### Event Queue_

#### May-June

One- and Two-day Professional Development Seminars, various sites in the greater Boston area. Among the courses being offered by Boston University are "Business Writing for Results," Improving Customer Service," and "Assertive Management." Registration fees range from \$295 for a oneday program to \$445 for a two-day program. These seminars can be conducted within your company. For details, contact Ms. Joan Merrick, Center for Management Research, 850 Boylston St., Chestnut Hill, MA 02167, (617) 738-5020. For information on the in-company seminars, contact Ms. Elaine Dee at the same address.

#### May-June

Productivity '82, various sites throughout the U.S. and Canada. This two-day show features hands-on demonstrations of Hewlett-Packard's newest computer and application solutions ranging from personal and smallbusiness computers to the top-of-the-line computer systems for office computing, distributed data processing. and factory automation. Sixteen different seminars are held each day on such topics as using personal computers, choosing financial and applications software, and preparing easy-to-read graphics. Additional information can be obtained from local Hewlett-Packard sales offices or from Rudanne Clark, Hewlett-Packard, 3000 Hanover St., Palo Alto, CA 94304, (415) 857-7247.

#### May-June

Sensors & Systems '82, various sites throughout the central and western regions of the U.S. This series of three-day conferences will cover all aspects of sensor technology from temperature sensors through to displacement, velocity, acceleration, magnetic field, and moisture. Other topics to be covered include signal conditioning, digital interfaces, and system interfaces. Contact Network Exhibitions, 785 Harriet Ave., Campbell, CA 95008, (408) 370-1661.

#### May-July

Computerized Robots, various sites throughout the U.S. This four-day course is tailored for managers concerned with the planning and design of advanced manufacturing methods and for those who will be involved with the development and integration of high-technology robot systems. Course topics include the extent of robot automation in the U.S., Japan, and Europe; technical capabilities and limitations of robots; robot sensory mechanisms, vision, touch, proximity; and programming techniques for robot control. The course fee is \$845. For details, contact Ruth Dordick, Integrated Computer Systems, _3304 Pico Blvd., POB 5339, Santa Monica, CA 90405, (800) 421-8166; in California, (800) 352-8251.

### May-July

Meetings, Seminars, and Programs from the Electronic Industries Association (EIA), various sites throughout the U.S. Among the events planned are the Electronic Components Conference, the Government/Industry Executive Roundtable '82, and a symposium on "Telecommunications: Trends and Directions." Contact EIA, 2001 Eye St. NW, Washington, DC 20006, (202) 457-4981.



### The Hard & Soft of It: Atari from ASAF If you're into Atari, get into ASAP. When it comes to Atari, ASAP has it all — computers, a full line of accessories, and one of the most complete lines of software on the

market. Whether you use your Atari for work or play, make ASAP your source. Call today.

The Atari® 800TM Computer features color graphics and English characters with truly high resolution, high quality sound, expandable memory and sleek modular appearance.

Atari® 400" - 16K also available: \$349.00.

OPTIONAL ACCESSORIES PRICE
ATARI® 410 [™] Program Recorder 80.00
ATARI® 810 [™] Disk Drive 455.00
ATARI® 822 [™] Thermal Printer 299.00
ATARI® 820™ 40-column Dot
Matrix Impact Printer 279.00
ATARI® 825 [™] 80-column Dot
Matrix Impact Printer 625.00
ATARI® 830 [™] Acoustic Modem 159.00
ATARI® 850 [™] Interface Module 169.00
ATARI® Paddle (CX30-04) and
Joystick (CX40-04) 17.95
ASAP 16K RAM Module 55.00

**COMPLETE SOFTWARE LIBRARY INCLUDES** THESE POPULAR UNITS:

#### Atari®

Video Easel ROM 25.00
Music Composer ROM 42.00
Assembler/Editor ROM 45.00
Mortgage Loan Analysis
Tape 15.95
Stock Analysis Disk 19.95
Stock Charting 22.95
Bond Analysis Disk 19.95
Mailing List Tape 19.95
Touch Typing (2 tapes) 19.95
Graph It (2 tapes) 17.95
Word Processor 119.00
Personal Finance 64.95
Microsoft Basic
Basketball ROM 27.00
Super Breakout ROM 30.00
Computer Chess ROM 32.00
3D Tic Tac Toe ROM 25.00
Star Raiders ROM 36.00
Kingdom Cassette 12.95
Blackjack Cassette 12.95
Biorhythm Cassette 12.95



1198 E. Willow St., SIgnal Hill, CA 90806

Energy Czar Tape 12.95
Telelink (Terminal ROM) 24.00
Space Invader ROM 30.00
Scram
Asteroid
Missile Command
Arcade Plus
Ghost Hunter Cassette 25.00
Ghost Hunter Disk 30.00
Datasoft
Atari Mailing List Disk 19.95
Atari Character Generator
Disk 16.95
Text Wizard Disk 89.95
Micropainter Album 1
Disk 16.95
Micropainter Album 2
Disk 16.95
Le Stick Accessory 30.00
On-Line Systems
HI-RES Adv #0 — Mission:
Asteroid Disk 19.95

HI-RES Adv #2 — Wiz & Princess
Disk 25.00
Roadwork Disk 29.95
Jawbreaker Disk 25.00
Softporn Adventure (X-rated)
Disk
The Next Step Disk 29.95
Personal Software
Visicalc Disk 169.00
FOR HOME ENTERTAINMENT
SYSTEMS:
Activision
Dragster Cartridge 18.50

Boxing Cartridge 18.50
Checkers Cartridge 18.50
Fishing Derby Cartridge 18.50
Skiing Cartridge 18.50
Bridge Cartridge 23.95
Tennis Cartridge 18.50
Laser Blast Cartridge 18.50
Freeway Cartridge 18.50
Kaboom! Cartridge 18.50
Stampede Cartridge 18.50
Ice Hockey Cartridge 23.95

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE. CALL FOR BEST PRICE

ASAP offers a 15-day buyer protection policy: full money-back guarantee if not totally satisfied. **Ordering information:** name, address, phone; ship by: UPS or Mail. Shipping charge: add \$2.50 up to 1 lb. (UPS blue), U.S. Mail add \$1.50 (U.S. only) (\$25.00 minimum order). Terms: We accept cash, check, money orders, Visa and Master Charge (U.S. funds only). Tax: 6% Calif. res., COD's and terms available on approval (School PO's Accepted).

Toll free outside California: (800) 421-7701. Inside California: (213) 595-6431 (714) 891-2663.

### **Event Queue**

#### May-July


Speech Synthesis and Recognition, various sites throughout the U.S. This four-day seminar is for product development and design engineers, systems analysts, programmers, and technical managers who will be involved with the planning, design, and implementation of voice input/output (VIO) systems. Among the topics to be covered are understanding voice-processing algorithms and software, evaluating available VIO hardware components and systems, and using speech-synthesis techniques. In-class presentations of VIO systems, components, and techniques will illustrate discussions. The course fee is \$795. Contact Ruth Dordick. Integrated Computer Systems, 3304 Pico Blvd., POB 5339, Santa Monica, CA 90405, (800) 421-8166; in California, (800) 352-8251.

May-July

Structured Design and Programming, various sites throughout the U.S. This four-day course emphasizes the development of skills that facilitate the efficient production of reliable, well-documented, and maintainable programs, on time and within budget. Some of the topics to be addressed are structured software design methods. how to write structured programs for mini- and microcomputers, and how to improve program readability and reliability. The course fee is \$795. Contact Ruth Dordick, Integrated Computer Systems, 3304 Pico Blvd., POB 5339, Santa Monica, CA 90405, (800) 421-8166; in California, (800) 352-8251.

#### May-July

Technical Classes from Zilog, Campbell, CA. Zilog is offering a series of one- to five-day



CALIFORNIA MICRO COMPUTER 9323 Warbler Ave., Fountain Valley, CA. 92708 (714) 968-0890 technical classes at its California-based training facility. Topics range from 'Microprocessors: A General Introduction" to "Zeus/System 8000 User." Contact Zilog, Training and Education Dept., 1315 Dell Ave., Campbell, CA 95008, (408) 446-4666.

### May-July

Computer Network Design and Protocols, various sites throughout the U.S. This four-day course will focus on the practical aspects of network design, interfacing, protocols, and packet switching. Among the topics to be covered are how to determine system requirements and perform design trade-offs, how to carry out network communication and control protocols, and how to evaluate available network hardware and software components. The course fee is \$845. For complete details, contact Ruth Dordick, Integrated Computer Systems, 3304 Pico Blvd., POB 5339, Santa Monica, CA 90405, (800) 421-8166; in California, (800) 352-8251.

#### May-August

Engineering Summer Conferences, Chrysler Center for Continuing Engineering Education, North Campus, University of Michigan, Ann Arbor, MI. Among the conferences being offered are "Interactive Design with Computers," "Applied Numerical Methods," and "Robotics: Concepts. Theory, and Applications." For complete details, contact Engineering Summer Conferences, 200 Chrysler Center, North Campus, University of Michigan, Ann Arbor, MI 48109, (313) 764-8490.

### May 9-12

The Seventeenth Annual Meeting of the Association for the Advancement of Medical Instrumentation (AAMI), Hyatt Regency Embarcadero, San Francisco, CA. Approximately 50 scientific and technical sessions will explore such topics as nuclear magnetic resonance imaging, computerized data management for surgical anesthesia monitoring, and patient data management. Exhibits will be featured. For details, contact the AAMI, Suite 602, 1901 North Fort Myer Dr., Arlington, VA 22209, (703) 525-4890.

#### May 10-12

Dexpo 82, Marriott Hotel, Atlanta, GA. This exposition features DEC- (Digital Equipment Corporation) compatible hardware, software, and services. Contact Expoconsul International Inc., 19 Yeger Rd., Cranbury, NJ 08512, (609) 799-1661.

#### May 10-13

The Annual Meeting and Technical Conference of the IEEE Industrial Power Systems Department, Marriott Hotel, Philadelphia, PA. For details, contact Dr. Paul Reece, General Electric Co., 6901 Elmwood Ave., Mail Drop 06302, Philadelphia, PA 19142, (215) 726-2800.

#### May 10-14

Introduction to Microprocessor Systems Engineering, University of Tennessee Space Institute, Tullahoma, TN. For details, contact Jules Bernard, University of Tennessee Space Institute, Tullahoma, TN 37388, (615) 455-0631, ext. 278.

#### May 10-14

The Twentieth Annual Convention of the Association for Educational Data Systems (AEDS), Sheraton Twin Towers, Orlando, FL. This convention includes presentations on the state of the art in educational computing. Administrative and instructional computing applications will be presented, and new ways



### Event Queue

of improving educational processes will be explored. Contact AEDS, 1201 Sixteenth St. NW, Washington, DC 20036, (202) 833-4100.

#### May 11

DEC-Compatible Show, Omni International, Atlanta, GA. This conference for Digital Equipment Corporation (DEC) users is sponsored by MDB Systems. It is designed to provide users with selection assistance and application support for a wide range of products. Contact MDB Systems Inc., 1995 North Batavia St., Orange, CA 92665, (714) 998-6900.

#### May 14-15

The Second Annual Southern California Computers-in-Education Conference, University High Scool, Irvine, CA. This conference covers the application of computers in education from kindergarten through two-year college. All areas of curriculum will be covered, including reading, mathematics, science, language, and special education. Hands-on workshops and field trips are planned. Contact Craig Walker, Arrowview Intermediate School, 2299 North G St., San Bernardino, CA 92405, (714) 886-9118.

### May 14-16

Applefest/Boston, Hynes Auditorium, Boston, MA. This show will feature more than 200 displays and booths of Apple-compatible products and accessories. Seminars and panel discussions will be held. Ticket prices are \$6 per day or \$15 for a three-day pass. Contact National Computer Shows, 824 Boylston St., Chestnut Hill, MA 02167, (617) 739-2000.

#### May 15-16

The North American Computer Othello Championship, Learning Resources Center, Andersen Hall, Northwestern University, Evanston, IL. This two-day tournament is sponsored by the United States Othello Association. Champions will be determined in three categories: microcomputer systems (located on site), mainframe systems (telephone hookup), and specialpurpose Othello machines. For complete tournament details, write to Professor Peter W. Frey, Dept. of Psychology, Northwestern University, Evanston, IL 60201.

#### May 16-21

Advanced DP Training Management Workshop, Los Angeles, CA. This workshop is intended for training managers directly responsible for planning, monitoring, and evaluating data-processing training and reporting to upper-level management. The prerequisite for this workshop is completion of Deltak's Training Managers' Workshop (see May 23-28) and a minimum of one year's experience since completion or the equivalent on-the-job experience. The registration fee is \$850. Contact Linda Hubacek, Deltak Inc., 1220 Kensington Rd., Oak Brook, IL 60521, (312) 920-0700.

#### May 17-21

Graphics Interface 82, Toronto, Ontario, Canada. This conference and exhibition is sponsored by the Canadian Man-Computer Communications Society and the National Computer Graphics Association of Canada. Papers and speakers will address a wide variety of topics, including man-computer interaction, animation, graphics algorithms, and computer-aided design and manufacturing. For details, contact Rich MacKay, Dataplotting Services Inc., 160 Duncan Mills Rd., Don Mills, Ontario M3B 1Z5, Canada, (416) 447-8518.

#### May 18-20

Microcomputers in Education, Gutman Library, Cambridge, MA. This series of workshops is designed for educators at all levels. Topics include an overview of the educational uses of microcomputers, BASIC and graphics, Pascal, and the administrative uses of microcomputers. Hands-on experience will be emphasized. For information, contact Technical Education Research Centers, 8 Eliot St., Cambridge, MA 02138, (617) 547-3890.

#### May 18-20

Northcon/82 High-Technology Electronics Exhibition and Convention, Seattle Center Coliseum, Seattle, WA. Contact Electronics Conventions Inc., 999 North Sepulveda Blvd., El Segundo, CA 90245, (800) 421-6816; in California, (213) 772-2965.

### May 19-21

**Computer Hong Kong 82,** Regent Hotel, Hong Kong. This three-day program, which embraces the Fifth Hong Kong Computer Conference, will focus on the electronic data-processing market. For further details, contact Kallman Associates, 5 Maple Court, Ridgewood, NJ 07450, (201) 652-7070.

#### May 20-21

The Third Annual Computer Law Institute, Los Angeles, CA. This institute will provide an in-depth program on antitrust, proprietary rights, and contractual issues confronting the computer industry. Among the topics to be covered are fair trade practices and the negotiation and structuring of distributor, dealer, and original equipment manufacturer contracts. Contact Ami Silverman, University of Southern California Law Center, University Park, Los Angeles, CA 90007, (213) 743-2582.

#### May 20-21

The Third Annual Electronic Mail Seminar, BBN Conference Center, Cambridge, MA. This seminar is designed for anyone investigating, planning, implementing, or expanding computer-based message systems. The technical, social, and managerial issues involved in a successful electronic mail program will be studied. Hands-on experience will be provided. Contact BBN Information Management Corp., 10 Moulton St., Cambridge, MA 02238, (617) 497-2929.

#### May 21-23

The 1982 Computer Showcase Expo, Boston, MA. The Computer Showcase is designed for small-business owners, independent professionals, and corporate managers. Admission is \$7.50. For further details, contact the Interface Group, 160 Speen St., POB 927, Framingham, MA 01701, (800) 225-4620; in Massachusetts, (617) 879-4502.

#### May 22

The First Regional Conference on Technology and Special Education, Mill Neck Manor Lutheran School for the Deaf, Mill Neck, NY. Sponsored by the New York State Association for Educational Data Systems, this conference will focus on computer applications in special education for administrators, teachers, and parents. Contact Dr. Dolores Shanahan, Commack Public Schools, Indian Hollow Computer Laboratory, Kings Park Rd., Commack, NY 11725, or Jerry Burke, Half Hollow Hills High School, Dix Hills, NY 11746.

#### May 22

The Third Annual New Jersey Microcomputer Show & Flea Market, Holiday Inn (North), Newark International Airport, Newark, NJ. This event will feature more

### PERSONAL COMPUTERS PERSONAL COMPUTERS PERSONAL COMPUTERS

### **EPSON MX-80**

### \$439.00

INTERFACES & CABLES IEEE \$55.00 RS-232 \$70.00 APPLE INTERFACE & CABLE \$90.00 TRS-80 CABLE \$35.00


Amdek Video-300	199.00
Amdek Color-1 Monitor	359.00
Atari 400 16K	
Atari 810 Disk Drive	449.00
Atari 850 Interface	169.00
Atari 830 MODEM	159.00
Atari 800 16K	749.00
Diablo 630	2095.00
Epson MX-70	329.00
Epson MX-80 FT	549.00
Epson MX-100 FT Printer	739.00
Hayes Micromoderm II (Apple II)	
Microtek 16K Ramboard for	
Atari 800,	79.00
Microtek 32K Ramboard for	
Atari 400 & 800	149.00
M&R Sup-R-Terminal	
Microsoft Soft Card (Z-80)	
Microsoft Ramcard 16K for Apple	
NEC 3510 Spinwriter	
NEC 3515 Spinwriter	
NEC 3530 Spinwriter	
NEC PC-8023 Printer	
NEC JC1201 M(A) - Color 12" Monitor	359.00
NEC GREEN JB1201M - 12" Monitor	
Okidata Microline-80 Matrix Printer	
Okidata Microline-82A	499.00
Okidata Microline-83A	
Televideo 910	
Televideo 912C	669.00
Televideo 920C	
Televideo 925	
Televideo 950	929.00

# CALL TOLL FREE! 800-343-0873

Stock Shipments Same Day or Next No Surcharge for Credit Cards All Equipment Factory Fresh w/MFT Warranty Prices do not Reflect Shipping Charges Mass. Residents Please Add 5% Sales Tax


### PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE





64k & Clock/Calendar ... \$445.
 128k & Clock/Calendar ... \$540.

Tenley Design, Inc. PO Box 39155 Wash DC 20016



### Event Queue_

than 50 commercial exhibitors and 150 flea market sellers. Hardware, software, and accessories for all popular systems will be featured. Contact Kengore Corp., 3001 Rte. 27, Franklin Park, NJ 08823, (201) 297-2526, for additional information.

### May 23-28

DP Training Managers' Workshop, Dallas, TX. This workshop is intended for individuals with less than 18 months' experience in coordinating data-processing training programs. Participants will learn to establish in-house education programs that will meet management objectives and ensure a high return on their organization's investment in training. The registration fee is \$850. Contact Linda Hubacek, Deltak Inc., 1220 Kensington Rd., Oak Brook, IL 60521, (312) 920-0700.

### May 25-27

Electro/82 High-Technology Electronics Exhibition and Convention, Hynes Auditorium, Commonwealth Pier, and Sheraton-Boston Hotel, Boston, MA. Contact Electronics Conventions Inc., 999 North Sepulveda Blvd., El Segundo, CA 90245, (800) 421-6816; in California, (213) 772-2965.

### May 31-June 4

Personal Microcomputer Interfacing and Scientific Instrument Automation, Virginia Polytechnic Institute and State University, Blacksburg, VA. This workshop is designed to teach users how to interface and use personal computers in instrumentation and automation systems. Hands-on experience working with and designing interfaces for personal computers will be featured. Contact Dr. Linda Leffel, CEC, Virginia Tech, Blacksburg, VA 24061, (703) 961-4848.

### June 1982

June

Knowledge Engineering in the 1980s, Chicago, IL, Expert Systems are computer programs that reason in tasks requiring considerable human expertise, such as locating computer malfunctions, monitoring intensive care patients, analyzing noisy signal data, and diagnosing medical problems. This one-day executive briefing provides an introduction to the potential benefits and costs of Expert Systems. For further information, contact Dina Barr, Teknowledge, 151 University Ave., Palo Alto, CA 94301, (415) 326-6827.

### June-August

Database Concepts and Design, various sites throughout the U.S. Sponsored by the American Management Associations (AMA), this five-day seminar is designed for dataprocessing managers, system designers, and other personnel involved in database activities. Topics include an overview of the database environment; evaluating and measuring performance, costs, and results; determining. organizational needs and the systems software to meet them; and implementing, integrating, and supporting the database within company plans and budget. Highlighting this seminar is a comprehensive review of database products. Individual fees are \$850 for AMA members and \$975 for nonmembers. Team discounts are available. Contact AMA, 135 West 50th St .. New York, NY 10020, (212) 586-8100. To register by phone, call (212) 246-0800.

### June 6-11

Advanced DP Training Management Workshop, Calgary, Alberta, Canada. For details, see May 16-21.



### BASIC Scientific Subroutines, Vols. I and II

Valuable programs for professional and hobbyist

by Fred R. Ruckdeschel

Designed for the engineer, scientist, experimenter, and student, this series presents a complete scientific subroutine package featuring routines written in both standard Microsoft and North Star BASIC.

• Volume 1 covers plotting, complex variables, vector and *matrix* operation, random number generation, and series approximations.

• Volume II includes leastsquares approximation, special polynomial functions, approximating techniques, optimization, roots of functions, interpolation, differentiation, and integration.

Volume 1 ISBN 0-07-054201-5 336 pages; hardcover 19.95

Volume II ISBN 0-07-054202-3 800 pages; hardcover 23.95

### Threaded Interpretive Languages

How to implement FORTH on your 280

by Ronald Loeliger

This book develops an interactive, extensible language with specific routines for the Zilog Z80 microprocessor. With the core interpreter, assembler, and data type defining words covered in the text, it is possible to design and implement programs for almost any application and equivalent routines for different processors.

ISBN 0-07-038360-X 272 pages; hardcover 18.95

### Beginner's Guide for the UCSD Pascal System

The most popular Pascal version explained by its creator

by Kenneth L. Bowles

Written by the originator of the UCSD Pascal System, this informative book is an orientation guide to the System.

### The hard facts about Software

### from Byte Books

For the novice, this book steps through the System, bringing the user to a sophisticated level of expertise. Once familiar with the System, the reader will find the Guide an invaluable reference tool for creating advanced applications.

ISBN 0-07-006745-7 204 pages; softcover 11.95

### The BYTE Book of Pascal

### A powerful, structured language

Blaise W. Liffick, Editor

Based on articles, language forums, and letters from BYTE magazine, this work is a valuable software resource. Pascal continues to be popular as a structured programming language. Written for both potential and established users, this book introduces the Pascal language and examines its merits and possible implementations. Featured are two versions of a Pascal compiler, one written in BASIC and the other in 8080 assembly language; a p-code interpreter written in both Pascal and 8080 assembly language; a chessplaying program; and an APL interpreter.

ISBN 0-07-037823-1 334 pages hardcover \$25.00

**Beyond Games:** Systems Software for Your 6502 Personal Computer

Creating programs for the Apple, Atari, Challenger and PET computers

by Kenneth Skier

At last, a complete programming guidebook. A selfcontained course in structured programming and topdown design, this book presents a powerful set of tools for building an extended monitor, disassembler, hexadecimal dump routine and text editor programs.

ISBN 0-07-057860-5 440 pages; softcover 14.95

Name			Title	Price	Quantity	Amount
Address		····				
City		State Zip				
	Check Enclosed	Amount				
	Bill Visa/Master Card Number	- ·	Add 75¢ per book to co	over shippin	2	
<i>J1</i> 5		Expiration	costs:			
JVK GTOW HAII		Date			Total	

www.americanradiohistory.com

BYTE Books 70 Main Street Peterborough, N.H. 03458 Circle 59 on inquiry card. ORDER TOLL FREE 800/258-5420

### Model EP-2A-79 **EPROM** Programmer



Three years in the field with unsurpassed performance. Software is available for the EP-2A-79 for most all of the microcomputers including the popular CP/M. FLEX. HDOS operating systems. Write or call for specific hardware/software interfacing. Driver packages available for F-8, 6800, 6809, 8080,8085, Z-80, 1802, 6502 and 2650 based systems.

EP-2A-7	9 115V 50/60 HZ		\$169.00
	Persona	lity Modules	
PM-0 PM-1 PM-2 PM-2A PM-3 PM-3	TMS 2708         \$17.00           2704, 2708         17.00           2732         33.00           2732A         33.00           TMS 2716         17.00           TMS 2532         33.00	PM-5 PM-5E PM-8 PM-9 SA-64-2 SA-64-3	2716, 2758         \$17.00           2816         35.00           MCM68764         35.00           2764         35.00           TMS 2564         39.00           2764         39.00

### **Optimal Technology, Inc.**

Phone (804) 973-5482 Blue Wood 127

### Earlysville, VA 22936

### XCEL[®] MICROCOMPUTER **RETROFIT GRAPHICS**



### Event Queue

### June 6-11

DP Training Managers' Workshop, Philadelphia, PA, For details, see May 23-28.

### June 7-9

Microcomputers in Education. Taft School, Watertown, CT. For details, see May 18-20.

### June 7-10

The 1982 National Computer Conference, Astrohall, Houston, TX. This show will feature sessions commemorating the twenty-fifth anniversary of the first FORTRAN compiler. For more details, contact the American Federation of Information Processing Societies Inc., 1815 North Lynn St., Arlington, VA 22209, (703) 558-3612.

### lune 7-11

The Eleventh Annual Meeting of the MUMPS Users' Group, Denver Hilton Hotel, Denver, CO. This conference will embrace a wide assortment of topics relating to the MUMPS computer language, including medical and business applications, small and large MUMPS systems, technical issues, and new areas of opportunity. Roundtable discussions, workshops, and tutorials for new and experienced programmers will be held. Hardware, software, and systems will be exhibited. Contact the 1982 MUMPS Users' Group Meeting, POB 37247, Washington, DC 20013, (301) 779-6555.

### June 9-11

The International Conference on Consumer Electronics (ICCE), Arlington Park Hilton, Arlington Heights, IL. The technical program will include papers and panel discussions on such topics as personal computing, computeraided design techniques, home information systems, and videotex, teletext, videodisc, video-cassette recorders, and

cameras. Exhibits will be featured. This conference is sponsored by the Consumer Electronics Group of the IEEE (Institute of Electrical and Electronics Engineers). Contact the IEEE, 445 Hoes Lane, Piscataway, NI 08854.

### lune 13-16


The Fifteenth Annual Conference of the Association of Small Computer Users in Education, Chatham College, Pittsburgh, PA. This conference will include papers and demonstrations on the educational and administrative uses of computers. Other topics to be covered are robotics, Pascal programming, computer literacy, and the use of packaged software in computer courses. For more information, contact Jan Carver, Computer Center, Chatham College, Pittsburgh, PA 15232, (412) 441-8200.

### lune 14-16

The Fifteenth Power Modulator Symposium, Hyatt Regency Baltimore, Baltimore, MD. This symposuim will focus on the technology, devices, and systems associated with rep-rated power modulators, including switches, auxiliary devices, energy storage, radio-frequency systems, and low-frequency generators. For details, contact Leonard Klein, Palisades Institute for Research Services Inc., 201 Varick St., New York, NY 10014, (212) 620-3377.

### hune 15-17

The 1982 IEEE MTT-S International Microwave Symposium, Hyatt Regency Hotel, Dallas, TX. The theme of this symposium is 'Thirty Years of Microwaves." Papers and tutorials on a wide range of topics, including computeraided design and measurement techniques, microwave field and network theory, as well as satellite communica-



# **PERSONAL COMPUTERS**

Televideo 925	N
Televideo 950	N
CBM 8032 Computer	N
C8M 8050 Disk Drive	N
C8M 4032 Computer	N
C8M 4040 Disk Drive	N
C8M 4022 Printer	N
CBM VIC-20	N
Microtek 16K Rambaard far Atari 800	С
Micratek 32K Ramboard for Atari 400 and 800 149.00	С
Qume Sprint 9/45 (Full Panel)	D
Atari 810 Disk Drive	N
Atari 850 Interface	N
Atari 830 MODEM 159.00	Ν
Atari 800 16K	Н
Epson MX-70	A
Epson MX-80 FT	
Amdek Video-300	T
Hayes Micromadem II (Apple II)	T
	Te

NEC 3510 Spinwriter\$1750.00
NEC 3515 Spinwriter 1795.00
NEC 3530 Spinwriter 1750.00
NEC PC-8023 Printer
NEC 7710 Spinwriter
NEC 7720 Spinwriter
NEC 7730 Spinwriter
NEC JC 1201 M(A) — Calar 12" manitar 359.00
Okidata Micraline-B2A
Okidata Microline-B3A
Diablo 630
M & R Sup-R-Terminal
Microsoft Soft Card (Z-80)
Microsoft Ramcard 16K for Apple
Hazeltine 1420
Amdek 100 G 169.00
Anadex DP-9500/9501
Televideo 910
Televideo 912C
Televideo 920C



### **NEC GREEN** 12" MONITOR JB 1201M \$159.00



**OKIDATA MICROLINE 80A** MATRIX PRINTER \$329.00



AMDEK COLOR-1 MONITOR \$339.00



**EPSON MX-100 FT PRINTER** \$729.00

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

### **CALL TOLL FREE!** 1-800-556-7586

COMPUTER SHOPPING CENTER INC.

12 Meeting St. Cumberland, RI 02864 1-401-722-1027 **TELEX 952106** 

### **COMPUTER. SHOPPING CENTER**

We Accept C.O.D.'s • Stock Shipments Same Day or Next • No Surcharge for Credit Cards • All Equipment Factory Fresh w/MFT Warranty • We Carry the Complete Line of Personal Software • Prices do not Reflect Shipping Charges Rhode Island Residents please add 6% Sales Tax

Circle 102 on inquiry card.

BYTE May 1982 419

americanradiohistory com

### HOW DO YOU KEEP TRACK OF YOUR SPECIAL PEOPLE? (customers, suppliers, members, employees, associates, etc.)

### EASY - WITH NAMOR™

### The new full feature mail/telephone list program.

- ★ 100% menu driven
- ★ Generates, deletes, merges lists
- * Searches, sorts, modifies entries
- ★ Prints 1" label or special list format
- ★ Fast entry lookup, easy update

### Introductory Offer, \$100 (\$150 after Sept. 30, 1982)


SYSTEM REQUIREMENTS: CP/M®, 56K, terminal with addressable cusor & 80 char. x 24 line screen, single or dual disk, 8" IBM or 51/4" North Star.

CP/M is a registered trademark of Digital Research. NAMOR is a trademark of SHAPE, Inc.

### DETAILED INFORMATION AVAILABLE



SHAPE, INCORPORATED P. O. BOX 29882 SAN ANTONIO, TEXAS 78229



### Event Queue...

tions/microwave systems, will be presented. Contact J. R. Griffin, Texas Instruments Inc., Mail Stop 3432, POB 405, Lewisville, TX 75067, (214) 462-5693.

### June 15-17

The Office Automation Show/Conference, Barbican Centre, London, England. For details on this show and conference, contact Clapp & Poliak International, 7315 Wisconsin Ave., Washington, DC 20014, (301) 657-3090.

### June 16-18

The Twentieth Annual Meeting of the Association for Computational Linguistics, University of Toronto, Toronto, Ontario, Canada. This meeting features papers on syntax, computational semantics, discourse analysis and speech acts, machine translation, as well as the mathematical and theoretical foundations of computational linguistics. For additional information, contact Don Walker, Artificial Intelligence Center, SRI International, Menlo Park, CA 94025, (415) 859-3071.

### June 20-25

DP Training Managers' Workshop, Chicago, IL. For details, see May 23-28.

### June 23-26

Productivity 82, Seattle University, Seattle, WA. This conference is sponsored by the Association for Computing Machinery (ACM) and the Canadian Information Processing Society (CIPS). Productivity 82 is designed to emphasize the use of computers to improve productivity in industry and in the office, as well as to improve productivity in the programming of computers. Papers and panel discussions will be featured. For more information, contact Productivity 82-ACM/CIPS, 10636 Main St. #276, Bellevue, WA 98004.

### June 28-30

COMDEX/Spring '82, Atlantic City Convention Hall, Atlantic City, NJ. For details on this conference and exhibition, contact the Interface Group, 160 Speen St., POB 927, Framingham, MA 01701, (800) 225-4620; in Massachusetts, (617) 879-4502.

### June 28-30

National Educational Computing Conference (NECC-82), Radisson-Muehlebach Hotel, Kansas City, MO. This conference features papers, sessions, panel discussions, and exhibits of educational computing products. Among the topics to be addressed are "Computer Use in the Physical Sciences," "Computer Education for Teachers," and "Computer Science, Engineering, and Information Systems Education." For more information. contact E. Michael Staman, NECC-82 General Chairman, Computer Services, 305 Jesse Hall, University of Missouri-Columbia, Columbia, MO 65211.

### July 1982

### July 11-15

The International Manufacturing Systems Conference '82, Convention Center, Buffalo, NY. The conference theme is "The Technology of Productivity." More than 100 experts will conduct seminars on a wide variety of topics. Exhibits, vendor presentations, and plant tours are planned. Contact Roy Combs, International Manufacturing Systems Conference, 186 North Water St., Rochester, NY 14604, (716) 232-3950.

### SUBARU OFFERS GREATER TRACTION. AND EVEN GREATER TRACTION.

We congratulate all the car makers who've finally noticed that front wheel drive improves traction. We, however, introduced front wheel drive in 1969. And we just don't think there's any substitute for experience.

As pioneers of front wheel drive, we use this experience to balance all the factors — drive train, steering, weight distribution, suspension — which make for remarkable adhesion to the road. Even around curves, in rain or snow.

The people of Maine, Idaho, Alaska and West Virginia think so much of our front wheel drive that they've helped make Subaru the best selling import in those states! States where good traction is absolutely essential.

But if you want even more traction, we suggest our wagon with On Demand Four Wheel Drive. Which allows you to go from front wheel drive to four wheel drive with the. flick of a lever. On Demand. <u>Without stopping</u>

(Any other 4 wheeler around requires a full stop before switching. And stopping is exactly what you can't do sometimes) Both models also help you keep things under control when it comes to gas mileage. So while you're holding on to the road, you can also hold on to your money.

And both offer plenty of room, with plenty of options, like power windows, power steering, AM/FM cassette tape deck, cruise control. The works.



But the best option of all is deciding what level of traction you want. Greater. Or even greater.

> SUBARU. INEXPENSIVE. AND BUILT TO STAY THAT WAY.

> > \$7,019**

*6,269**

1981 YTD REGISTRATIONS JUNE 1981 R.L. POLK AND COMPANY REPORT *1982 EPA ESTIMATES FOR OUR FWD 5-SPEED WAGON. USE EST. MPG FOR COMPARISIONS. YOUR MILEAGE MAY DIFFER DEPENDING ON DRIVING SPEED, WEATHER CONDITIONS AND TRIP LENGTH. ACTUAL HWY, MILEWAY WILL PROBABLY BE LESS. ** TOTAL SUGGESTED POE FOR OUR DL MODELS — NOT INCLUDING DEALER PREP, INLAND TRANSPORTATION, STATE AND LOCAL TAX, LICENSE AND TITLE FEES. CERTAIN ITEMS SHOWN OPTIONAL AT EXTRA COST.

### **Event Queue**

#### July 13-14

Controlling Electromagnetic Interference, Hyatt Hotel at LA Airport, Los Angeles, CA. This seminar is sponsored by Electronics magazine, a McGraw-Hill publication, and is designed for electronics industry professionals who must make technical or cost decisions based on an understanding electromagnetic interference. Topics of discussion include intersystem problems, designing against environmental noise, how to determine the best frequency for a given application, and the structure and use of intrasystem electromagnetic compatibility models. The fee is \$595; inplant programs can be arranged. Contact Ms. Barbara Bancroft, McGraw-Hill Seminar Center, Room 3112, 305 Madison Ave.. New York, NY 10017, (212) 687-0243.

### July 18-22

The Fourth General Assembly of the World Future Society, Sheraton Washington Hotel, Washington, DC. The conference theme is "Communications and the Future." All areas of the communications field from telecommunications to interpersonal communication will be covered. The impact of new technologies on society will be explored. Contact the World Future Society, 4916 St. Elmo Ave., Bethesda, MD 20814, (301) 656-8274.

#### July 19-21

Summer Computer Simulation Conference (SCSC), Marriott City Center Hotel, Denver, CO. The SCSC covers all aspects of computer simulation methodology and applications. Technical sessions and presentations on mathematical methods, model design, simulation languages, and validation techniques will be featured. Information is available from Harvery Marks or Philicia Marks. Transaction Technology Inc., 7648 Capistrano Ave., Canoga Park, CA 91304, (213) 346-5376.

July 21-23

The Computer: Extension of the Human Mind, Eugene Hilton Hotel, Eugene, OR. Sponsored by the University of Oregon College of Education, this conference will feature workshops, speakers, and presentations on the use of computers in education. Topics of interest include preparing teachers to teach with computers, the ethical and social issues associated with computers, and how computers assist learning. The conference fee is \$95; students enrolled in the university's summer session can register for \$55 and earn a single credit hour. For additional information, contact Judy Ohmer, College of Education, University of Oregon,

Eugene, OR 97403, (503) 686-3405.

#### July 25-31

Family Computer Camp, Clarkson College, Potsdam, NY. Each member of your family can gain skill with computers while participating at his or her own level (beginner to expert) and age group (ranging from age 5 to adult). Among the topics to be covered in laboratory and lecture sessions are BASIC programming, word processing, graphics, and home and recreational computer use. Additional details are available from the Conference and Information Center, Clarkson College, Potsdam, NY 13676, (315) 268-6647.

In order to gain optimal coverage of your organization's computer conferences, seminars, workshops, courses, etc, notice should reach our office at least three months in advance of the date of the event. Entries should be sent to: Event Oueue, BYTE Publications, POB 372, Hancock NH 03449. Each month we publish the current contents of the queue for the month of the cover date and the two following calendar months. Thus a given event may appear as many as three times in this section if it is sent to us far enough in advance.



Circle 297 on inquiry card.

www.americanradiohistorv.com

Circle 236 on Inquiry card.

# **BYTE'S Best Cellar List**

### Ciarcia's Circuit Cellar, Volumes I, II, & III by Steve Ciarcia

Collections of Steve Ciarcia's perennially popular columns from BYTE Magazine, these three volumes are sure to please home computer users and electronics hobbyists. Volume I includes power conversions, programming EPROMs, remote terminal interfacing, touchinput video display, and more. Volume II, focusing on projects which interface the personal computer with the home, features useful applications such as a computer-controlled home security system, computerized appliances, input-output expansion for the TRS-80, and even a computer-

controlled wood stove. **Volume III** offers low-cost construction projects such as an ultrasonic rangefinder, handheld remote computer control, two speech synthesizers, and a remote-control motorized platform, to name just a few.

### **Build Your Own Z80 Computer**

This complete guide to building a working computer offers engineers, students, and hobbyists an exciting alternative to buying a computer. With clear instructions, Steve Ciarcia fully explains how to build a basic single-board micro-computer based on the Zilog Z80 microprocessor. The finished product features a 1 K-byte operating system, serial and parallel ports, hexadecimal display, audio cassette mass storage, and easy expansion to include a video terminal.

	Please send Ciarcia's Circuit Cellar, Vol. I \$8	3.00		Call Toll-Free 800/258-5420	
	Ciarcia's Circuit Cellar, Vol. II \$	12.95			
	Ciarcia's Circuit Cellar, Vol. III \$	\$12.95			
	Build Your Own Z80 Computer	\$15.95			
Name				Check Enclosed	
Address				Bill Visa/ MasterCard #	
City	State	e Zi	р	Expiration Date	
BUTE				Please add .75 per book to cover shipping cost.	
	70 Main Street Peterborough, N.H. 0349	E 0			B

by Steve Carria

Circle 60 on inquiry card.

SUILD YOUR OWI

Giancia's Cincuit Cellan

<b>ATARI HOME</b>	COMPUTERS	PRINTERS					
		Centronics 739.3         \$619.00           Centronics 739.1         \$519.00           Diablo 630 Special         \$1799 00           Epson         \$359 00           MX70         \$359 00           MX80FT         Call           MX100         Call					
		NEC 823					
<b>*ATARI 800</b>	ATARI 400	7710 Can					
16K \$679 32K \$749	16K \$329 32K \$478	Okidata \$499.00 82A \$499.00 83A \$769.00					
48K \$819	48K \$555	82A . \$499 00 83A . \$769.00 84 . \$1129 00 Citoh Starwriter					
		F 10-40 CPS					
410 Recorder         \$76.00           810 Disc Drive         \$449.00           822 Printer         \$269.00           825 Printer         \$629.00           830 Modem         \$159.00           820 Printer         \$269.00           820 Printer         \$269.00           820 Printer         \$269.00           820 Interface         \$169.00           850 Interface         \$169.00           New DOS 2 System         \$29.00	CX30 Paddle         \$18 00           CX40 Joy Stick         \$18 00           CX853 16K RAM         \$89.00           Microtek 16K RAM         \$75.00           Microtek 16K RAM         \$75.00           Microtek 16K RAM         \$159 00           Inteck 46K Board         \$249.00           One year extended warranty         \$50.00	F10:55 CPS       Call         Paper Tiger       445G         445G       \$699 00         460G       \$899 00         560G       \$1129.00         Talley       \$1399 00         8024-7       \$1399 00         8024 L       \$1629.00         MPC Apple Parallel Board & Cable       \$69.00					
PACKAGES 481 Entertainer \$83.00	THIRD PARTY PROGRAMS						
482 Educator         \$130.00           483 Programmer         \$57.00           484 Communicator         \$344.00	ATARI Program Exchange: Eastern Front '41 \$25 50	XEROX					
484 Communicator \$344 00 ATARI HOME COMPUTER PROGRAMS	Avalanche \$15.50 Outlaw \$15.50	Xerox 820					
Home Office CX404 ATARI Word Processor \$119.00	747 Landing Simulation \$15.50 Babel \$15.50	System I 5' 4" \$2450 00 System I 8" \$2950 00					
CX8102 Calculator \$29.00 CX412 Dow Jones Investment Evaluator \$99.00	Dog Daze         \$15.50           Downhill         \$15.50	CPM 5'4 \$169 00 Word Processing \$429 00					
CX4109 Graph It, Joystick optional \$17.00	Attack! \$15.50	Super Calc \$269.00					
CX4104 Mailing List \$20.00 CX4115 Mortgage & Loan Analysis \$13.00 CX406 Personal Financial Management System \$59.00	Reversi II. \$15.50 Domination \$15.50	Texas Instruments					
CX4103 Statistics 1 \$20 00 CX8107 Stock Analysis \$20 00	Solitare \$15.50 Disk Eiver \$15.50						
CXL4015 TeleLink 1 \$23.00 Home Study	Supersort \$15.50 Data Management \$15.50						
CX4101 An Invitation to Programming 1 \$20.00 CX4106 An Invitation to Programming 2 \$23.00	Chameleon \$15.50	Let _					
CX4107 Biorhythm \$13.00 Conversational Languages (ea.) \$46.00	Insomnia \$15.50 My First Alphabet \$25.50						
CX4121 Energy Czar \$13.00 CX4114 European Countries & Capitals \$13.00	Mapware \$18.00	TI-99/4A \$299					
CX4108 Hangman. Joystick optional \$13.00 CX4102 Kingdom. \$13.00							
CXL4007 Music Composer \$47.00	Bowler's Data Base \$13.00 .	PHA 2100 R F         Modulator         \$43.00           PHP 1600 Telephone Coupler         \$179.00					
CX4123 Scram. uses joystick \$20.00 CX4112 States & Capitals \$13.00	Crystal Software	PHP 1700 RS-232 Accessories Interlace \$179 00 PHP 1800 Disk Drive Controller \$239 00					
CX4110 Touch Typing \$20.00 Home Entertainment	Bernuda Fantasy	PHP 1250 Disk Memory Drive \$389 00 PHP 2200 Memory Expansion (J2K RAM) \$319 00					
Home chiertainnen.	Galactic Quest	PHP 1100 Wired Remote Controllers(Pairs \$31.00 32K Expansion \$329.00					
PAC MAN \$35.00	Forgotten Island \$26.00 Haunted Palace \$33.00	PHP Printer Solid State \$319.00					
Centipede \$35.00	Computerar Acct Bec. Gen Ledger	PHM 3006 Home Financial Decisions \$26.00 PHM 3013 Personal Record Keeping \$43.00					
Caverns of Mars \$32.00	(Inventory, Payroll, ea.) \$110.00 Visicalc \$169.00	PHD 5001 Mailing List \$60.00 PHD 5021 Checkbook Manager \$18.00					
CXL4013 Asteroids \$35.00	Visicalc \$169.00 Letterperfect (Word Processor) \$109.00 Ricochet \$14.50	PHM 3008 Video Chess · \$60 00 PHM 3010 Physical Fitness \$26 00					
CXL4004 Basketball \$27.00 CX4105 Blackjack \$13.00	Crush Crumble & Chomp (cassette of disk)	PHM 3009 Football         \$26 00           PHM 3018 Video Games I         \$26 00					
CxL4009 Computer Chess \$33 00	Star Warrior (cassette or disk)         \$29.00           Rescue at Rigel (cassette or disk)         \$24.00	PHM 3024 Indoor Soccer \$26.00					
CXL4012 Missile Command \$35.00 CXL4008 Space Invaders \$35.00	Datestones (cassette or disk) \$16.00 Invasion Orion (cassette or disk) \$18.00	PHM 3031 The Attack \$35.00					
CXL4011 Star Raiders . \$42.00 CXL4006 Super Breakout \$33.00	Mission Asteriod	PHM 3033 Blackjack and Poker \$22.00					
CXL4010 3 D Tic Tac Toe \$27 00	The Next Step \$34 00	PHM 3034 Husile         \$22.00           RHM.3036 Zero Zap         \$18.00					
Programming Languages and Aids	MOUSKATTACK         \$34.00           The Next Step         \$34.00           Softporn         \$27.00           Wizzard & Princess         \$29.00	PHM 3037 Hangman \$18 00 PHM 3038 Connect Four \$13 00					
CXL4003 Assembler Editor \$47.00 CXL4002 ATARI BASIC \$47.00	K-BYTE Krazy Shoot Out (ROM)	Tombstone City 21st Century \$34.00					
CX8126 ATARI Microsoft BASIC . \$70.00 CXL4018 PILOT \$72.00	Jaw Breaker (on line disk)	Munch Man \$34.00					
CX405 PILOT \$10500	Ghost Hunter (cassette)\$24 00Ghost Hunter (disk)\$30 00	CAR WARS					
A	I items subject to availability and price chang	the second s					
_		_					
comput	er mail ordei	West					
compar							

Franco Habla Espanol

(hp)	HEWLETT

	100	in the second	12
<b>A</b>		- 1 - E	
1 1 30	hand a second		
hrararar	angengengengen		
	A		

### HP•85 \$1999

80 Column Printer	\$799.00
HP • 125	\$1999.00
HP+83	\$1699.00
HP+85 16K Memory Module	\$169.00
5"+" Dual Master Disc Drive.	\$1929.00
NEW' HP+87	\$1999.00
Hard Disk w/Floppy	\$4349.00
Hard Disk	\$3440.00
Sweet Lips Plotter	51149 00
HP•41CV Calculator	\$249.00
41 C	\$189.00
11 C	\$119.00
12 C	\$129.00
34 C	\$117 00
38 C	\$119.00
HP+41 Printer	\$340.00
HPIL CALCULATOR PERIP	HERALS
IL Modua!	\$104 00
Digital Casselte	\$449.00
Printer/Plotter	\$419.00
Card Reader	\$164.00

### NEC

\$99.0

Optical Wand

Maxell

8001-A	\$669.00
8031	\$669.00
8012	\$549.00

Disks	
of 10)	

MD I (box of 10)	\$36.00
MD II (box of 10)	
MFD I (8")	\$44.00
MFD II (8" Double Density)	\$54.00
Syncom (box of 10)	\$29.00

### Apple

Call for availability and prices on all Apple computers and peripherals.

### Monitors

12" Green	\$129.00 \$139.00 \$349.00
NEC 12" B&W	\$169.00
12" Color Ti 10" Color	\$339.00 \$349.00

## **EXAMPLE COMMODIANES**

SOFTWARE	
Word Pro 5 Plus	\$319.00
WordPro4 Plus	\$299.00
WordPro3 Plus	\$199.00
Commodore Tax Package	\$589.00
Visicale	\$169.00
Medical Billing	\$449.00
The Source	\$89.00
OZZ Information System	\$289.00
Dow Jones Portfolio	\$129.00
Pascal	\$239.00
Legal Time Accounting	\$449.00
Word Craft 80	\$289.00
Power	\$79.00
Socket-2-Me	\$20.00
Jinsam	SCall
MAGIS	\$ Call
The Manager	\$209.00
Softrom	\$129.00
Real Estate Package	\$799 00
BPI Inventory Control	\$319.00
BPI Job Costing	\$319.00
BPI Payroll	. \$319.00
BPI General Ledge:	\$329.00
Creative I SAM	\$79.00
Creative General Ledger	\$229.00
Creative Accounts Receivable	\$229.00
Creative Inventory	\$229.00

VIC 20 \$259

### COMPLETE

VIC 6 Pack Program	. \$44.00
VIC 1530 Commodore Datassette	\$69.00
VIC 1540 Disk Drive	\$499.00
VIC 1515 VIC Graphic Printer	\$339.00
VIC 1210 3K Memory Expander	\$32.00
VIC 110 8K Memory Expander	\$53.00
VIC 1011 RS232C Terminal Interface	\$43.00
VIC 1112 VIC IEEE-488 Interface	\$86.00
VIC 1211 VIC 20 Super Expander	\$53.00
VT 232 VICTerm I Terminal Emulator	\$9.00
VIC 1212 Programmers Aid Cartridge	\$45.00
VIC 1213 VICMON Machine Language Monitor	\$45.00
VIC 1901 VIC AVENGERS	\$23.00
VIC 1904 SUPERSLOT	\$23.00
VIC 1906 SUPER ALIEN	\$19.00
VIC 1907 SUPER LANDER	\$23.00
VIC 1908 DRAW POKER	\$23.00
VIC 1909 MIDNIGHT DRIVE	\$23.00



### CBM 8032 \$1069

4032	\$969.00
4016	\$769.00
8096 Upgrade Kit	\$399.00
Super Pet	\$1599.00
2031	\$529.00
8050	\$1299.00
4040	\$969.00
8300 (Letter Quality)	\$1799.00
8023	\$769.00
4022	\$599.00
Pe: to IEEE Cable	\$37.00
IEEE to IEEE Cable	\$46.00
Tractor Feed for 8300	\$240.00
8010 Modem	\$229.00



\$13.00
\$13.00
\$11.00
\$15.00
\$13.00
\$13.00
\$39.00
\$44.00
\$44.00
\$12.00
\$27.00
\$19.00
\$13.00
\$13.00
\$19.00
\$15.00

In-stock items shipped same day you call. No risk, no deposit on C.O.D. credit card or phone orders. No waiting period for certified checks or money orders. All prices shown are cash prices, add 3% for Master card and Visa. Pre-paid orders receive free shipping in the continental United States.

### Terminals

Tele

Zen

### Modems

elevideo 910 912C 920C 950 Call for computers lenith Z 19 dds	\$699.00 \$749.00 \$939.00 \$749.00	Novation Auto D Cat Cat Hayes Smart Livermore Star
------------------------------------------------------------------------------------	----------------------------------------------	-------------------------------------------------------------------

Nev. & Pa. residents add sales tax.

### CALL TOLL FREE 800-233-8950 INTERNATIONAL CALLS AND IN PA. CALL (717) 327-9575

477 E. THIRD ST., WILLIAMSPORT, PA 17701

Circle 97 on inquiry card.

BYTE May 1982 425

\$239.00

\$169:00 \$159.00

\$239.00

\$119.00

Patricio

Espano

Habla

# CHEDIT

### A Graphics-Character Editor

Define your own character set for Apple Pascal.

Jerry N. Sweet 30 Willow Tree Lane Irvine, CA 92715

Apple's Pascal system provides the graphics character set SYS-TEM.CHARSET, which is manipulated with the TURTLE-GRAPHICS procedures WSTRING, WCHAR, and CHARTYPE. These procedures allow you to employ limited graphics text on displays when the various hardware modes (text only, graphics only, and partially mixed text and graphics as described in the manuals) are insufficient. However, no presently supplied program allows you to edit the character set. Therefore, you are stuck with those characters defined by Apple, as nice as they may be. Herein lies a remedy.

The CHEDIT program allows editing of Apple-format graphics character sets (see listing 1). Although the program is easy to use, it has a number of idiosyncrasies because of its short implementation time. It is not entirely orthogonal and does not contain bulletproof input procedures.

The format of CHEDIT is loosely based on a program of the same name written for the Terak 8510a microcomputer by Keith Allan Shillington. His program was reasonably fast because it used all kinds of UCSD Pascal magic and byte-manipulation intrinsic procedures. However, there was no documentation available internal or external to the program, making it difficult to understand. In contrast, CHEDIT is quite slow in spots, but quite easy to read and understand.

### Execution

Because the program uses TUR-**TLEGRAPHICS procedures**, the SYS-TEM.LIBRARY must be online when CHEDIT is executed. In addition, since the program makes use of the SYSTEM.CHARSET file for prompts, it too must be online. If you are using a nongraphic display (e.g., an 80-column CRT), make sure that the graphics-output device is hooked up (i.e., your TV set). When everything is in order, execute the program (enter X followed by CHEDIT). You are confronted with the prompt IN-PUT FILE. Then, you must give the name of a file containing a graphics character set. Initially, this will probably be SYSTEM.CHARSET. You are then asked for the name of the output file. I suggest something like TEMP.CHARSET for starters, unless you have something specific in mind, like APL.CHARSET.

Once these preliminaries are out of the way, an 8-row by 16-column character menu is set up in the lower center portion of the screen, an 8-row by 7-column editing pallet is set up in the upper right-hand portion, and a new prompt appears in the upper lefthand portion. This is your cue to select a character for editing (see table 1 on page 440).

### **Character Selection**

The prompt at this stage is ABORT, QUIT, MAKE CHARAC-TER. The appropriate replies are A, to abort the program and editing (you are asked to confirm this with Y or N); Q, to terminate editing and save the result in the output file; and M, to perform character selection and editing.

Once you have typed M to make a character, the prompt '.' ACCEPTS, UP, DOWN, LEFT, RIGHT appears accompanied by a flashing cursor that is placed initially in the upper left-hand corner of the character menu. Two methods are used to *Text continued on page 440* 



7400 SERIES

> 74.5 SERIES

35 .38 .38 .45 .65 .55 .55 .55 .55 .55 .55 .55 .35 1.25 .60 .95 .55 .200

1.10 1.45 1.10 .95 1.25 1.25 1.25 1.25 .95 4.00 2.75 3.50 3.50 3.50 3.50 3.50 3.50 3.50

8/3.95 m 8/2.65 m 8/4.50 m 8/8.00 m 8/9.25 m 8/10.25 m

e1 10/1.20 10/1.30 10/1.40 10/1.80 10/2.70 10/2.70 10/2.70 10/3.00 10/3.90 P 8 14 16 18 20 22 24 28 40 10/5 30 10/5 70 10/8 70 10/9,70 10/12,70 10/13,70 10/13,70 10/17,70

2.95 5.00 8.95 10.50 11.50

1.0

SOCKETS

S SAVE S (\$5+) CALL MBC. . (203) 342 2747 Mainframes ONYX CB002 256K 10 MEG HD \$14990 \$16990 ALTOS SYSTEMS ACS 8000-2 1 MEG FD ACS 8000-6 14 MEG HD \$2990 \$8990 ACS 8000-10 10 MEG HD \$6895 COMHODORE CBM 9000 SUPERPET \$1699 CBM 8300 LETTER QUALITY \$1990 CBM 8023 (132COL_150CPS)\$ 799 CBM 8052 2 MED FD \$1750 PACKARD HEWLETT-PACKARD \$1995 HP-87 HP_85 \$2190 HP-83 \$1790 HP-125 \$2190 HP CALCULATORS - 20% OFF SSS XEROX SYSTEMS 810 5 1/4 FLOPPY SYS 820 6 FLOPPY SYS \$2395 \$2990 NORTH STAR HRZ-1Q-64K-HD5 SAVE \$1600 \$\$\$ ADVANTAGE 64K-QD INTERTEC SUPERBRAIN \$3350 ends 64K-DD \$2975 64K-0D \$3380 DISKETTS SINGLE SIDE (BOX OF 10) \$24.50 DOUBLE SIDE (BOX OF 10) \$35.00 CABLES- RS232 M/M 6 \$17.95 var begin M/F 5 \$18.95 Printers end: OLYMPIA ES-100 TYPEWRITER begin WITH RS-232 PARALLEL IEEE \$1250 IDS PRISM-80 (200CPS) F/T \$ 999 end; PRISM-80 COLOR \$1350 560G - 132 51090 PRISM-132 COLOR F/T \$1690 CENTRONICS 739-1 739-3 \$ 560 \$ 675 OKIDATA MICROLINE 82A \$ 495 MICROLINE 83A 749 EPSON MX-80, MX80-F/T, MX-100 SSS IN STOCK INCLUDING CARDS&CABLES ALWAYS COMPETATIVELY PRICED \$5 C ITOH F-10 40CPS \$1490 DTABLO 630 \$1990 begin NEC SPINWRITER 7710/7730 NEC SPINWRITER 3510/3530 NEC SPINWRITER 7720 KSR \$2590 \$1950 \$2890 ANADEX 9500/9501 \$1225 ABOVE ITEMS MAY BE ORDERED BY MAIL OR PHONE. FACTORY SEALED, MANUFACTURERS WARRANTY INCLUDED --- PRICES SUBJECT TO CHANGE-Multi-Business Computer Systems Inc. 28 MARLBOROUGH STREET end; PORTLAND, CONN. 06480 TWX/TELEX 710-428-6345

Listing 1: The CHEDIT program listing, designed for the Apple II. The program requires 48K bytes of memory, the Language System card, and the Apple Pascal package. (\$5+)
program MakeGraphicChars;
(version [3], June 21, 1981 by Jerry Sweet)
uses TurtleGraphics; (kindly provided by Apple Computers, Inc.) const xmin = 0; ymin = 0; xmax = 279; xboxcorner = 216; yboxcorner = 11 HellFreezesOver = false; ymax = 191; {screen parameters} yboxcorner = 119; (exploded character box) (number of rows of characters) CharRows = 8; TopRow = 6; (top-most row of display) CharsPerRow = 16; {number of characters per row} xblocksize = 12; yblocksize = 13; {"logical" character block size}
ybmax = 12; {sizes less one} xbmax = 11;title = 'Graphic character generator, version [3], 25-Jun-81'; type legalset = set of char; onebit = 0..1: block = packed array [0..7, 0..7] of onebit; cblock = packed array [0..ybmax, 0..xbmax] of onebit; charimage = packed array [0..7] of 0..255; Charset = packed array [0..127] of charimage; Charfile = file of Charset: color = (fblack, fwhite); {turtle graphics uses 'black' and 'white'} ortho = (horizontal, vertical); var filler : array [color] of cblock; {exploded character 'bits'} filename, cnum : string; icfile, cfile : Charfile; selx, sely : integer: procedure wrxy (x, y : integer); ( places the turtle at the logical character position (x, y), where (0, 0) is the at the top-left corner of the screen } begin if x < 0 then x := 0 else if x > 39 then x := 39; if y < 0 then y := 0 else if y > 22 then y := 22; pencolor (none); moveto (x * 7, ymax - (y + 1) * 8) procedure wr (p : string; procedure Wr (p : string; x, y : integer); ( writes the prompt p at the logical text position (x, y), unless the prompt is null, in which case the screen is cleared from lines x through y. 3 i, j : integer; if length (p) > 0 then begin wrxy (x, y); wstring (p) end el se for i := 0 to y - x do begin wrxy (0, x + i); for j := 1 to 30 do wchar (' ') end procedure wrst (p : string; x, y : integer); var i : integer; wr (p, x, y); for i := length (p) + x to 29 do wchar (' ') procedure rd (p : string; x, y : integer; var s : string);
{ writes the prompt p at the logical text position (x, y), then
 reads, character-by-character (echoing), and returns s } const bs = 0; can = 24;var c : char; pn : integer: t : string [1]; stop : Boolean; wr (p, x, y); pn := length (p); s := ''; t := ' '; repeat read (keyboard, c): stop := eoln (keyboard); if not stop then begin case ord (c) of pn := pn - 1; wr (' ', pn, y); delete (s, length (s), 1) end: can : begin ('', y, y); wr (p, x, y); pn := length (p); s := '' wrend end: if (pn < 40) and not (ord (c) in [bs, can]) then begin t [1] := c; s := concat (s, t); wr (t, pn, y); pn := pn + 1 end end; until stop

Listing 1 continued on page 430

### Presenting a C Compiler for CP/M-86® and IBM® PC-DOS® That Speaks Your Language!

The C86TM Compiler offers the most up-to-date language available, especially designed for CP/M-86TM. Special features include the C language pre-processor, externals, statics, data initialization, pointers, arrays, structures, longs and floats.

You can't beat the convenience, dependability and affordability of the  $C86^{\text{TM}}$  compiler, and with no assembly step required, it's faster than you ever imagined!

The C86TM system includes a linking loader, librarian and a large support library. All library source code is included, so that you may extend or modify the library. You may combine code written in C with code written using ASM-86TM

IBM_® personal version available soon.

For more information write or call. Dealer inquiries invited.

450 Disk and Documentation. \$

25 Documentation only. ¹ 20 Overseas Airmail.

Computer Innovations, Inc. 75 Pine Street Lincroft, New Jersey 07738 Telephone: (201) 530-0995

C86 is a trademark of Computer Innovations. Inc.: CP/M-86 and ASM-86 are trademarks of Digital Research; IBM and PC-DOS are registered trademarks of International Business Machines, Inc.;

### START YOUR OWN COMPUTER

#### HOW TO START YOUR OWN SYSTEMS HOUSE 7th edition. November 1981

Written by the founder of a successful systems house, this fact-filled 220-page manual covers virtually all aspects of starting and operating a small systems company. It is abundant with useful, real-life samples: contracts, proposals, agreements and a complete business plan are included in full, and may be used immediately by the reader. Proven, field-tested solutions to the many problems facing small turnkey vendors are presented.

#### HOW TO BECOME A SUCCESSFUL COMPUTER CONSULTANT \$28 by Leslie Nelson. 4th revised edition. December 1981

Independent consultants are becoming a vitally important factor in the microcomputer field, filling the gap between the computer vendors and commercial/ industrial users. The rewards of the consultant can be high: freedom, more satisfying work and doubled or tripled income. This manual provides comprehensive background information and step-by-step directions for those interested to explore this lucrative field.

#### FREE-LANCE SOFTWARE MARKETING

by B.J. Korites, 3rd edition, June 1980

APPLE HARDWARE

MICRO SCI DISK DRIVES IDIRECT APPLE REPLACEMENT) A-2 DISK DRIVE

A-70 A-40 CONTROLLER 3.3 A 3 CONTROLLER 3.3 A 3 CCS 77100 SERIAL INT CCS 77100 SERIAL INT VIDEX BC COLUMN VIDEX ENMANCER II LOWER CASE ADAPIOR 16K RAM CARD MICROSOFT OR MPC ALS CHOROSOFT

\$30.

\$36

Circle 166 on inquiry card.

Writing and selling computer programs as an Independent Is a business where • you can get started quickly, with little capital investment • you can do it full time or part time . the potential profits are almost limitless. This best-seller by Dr. Korites explains how to do it.

#### HOW TO START YOUR OWN WORD PROCESSING SERVICE \$39.50 by Leslie Nelson. February 1982

Turn a small investment into a steady, money making business that adds \$10,000, \$50,000 or \$100,000 to your income. Detailed start-up, marketing and operations plans are included.

Send check. money order. VISA. Master Charge or American Express # and exp: date. Publisher pays 4th class shipping. Add \$1.00 per book for UPS shipping (USA only). NJ residents add 5% sales tax. For faster shipment on credit card orders call (201) 783-6940.

> ESSEX PUBLISHING CO. Dept. 2 285 Bloomfield Avenue . Caldwell, N.J. 07006

\$299 \$289 \$229

\$ 309 \$ 209 \$ 139 \$ 149 \$ 139 \$ 139 \$ 239 \$ 369

\$299 \$169 \$199 \$139 \$299 \$24 \$45 \$145

\$189 \$229 \$119 \$385 \$79

\$70

ATARI HARDWARE

SOFTWARE

MINIMUM ORDER-\$100.00

169 \$429 \$249 \$339 \$579

\$149

\$79

\$159 \$49 \$139 \$149 \$129 \$109 \$129 \$129 \$129 \$129 \$129 \$129 \$129 \$139

\$319 \$269 \$35

\$ 29

\$38

410 PROGRAM RECORDER 810 DISK DRIVE 820 PRINTER 822 PRINTER 825 PRINTER 830 MODEM 850 INTER FACE MODULE 853 IGK MEMORY EXPANSION

VISICALC (ATARI) BASIC (ATARI) VISICALC VISIDEX VISIPLOT

SARGON CHESS

VERBATIM DISKS MAXELL DISKS

VISITREND//LOT MICROLAB DATA FACTORY D B MASTER (STONEWARE) SUP.R.TEXT II WORDSTAR B.P.I. SOFTWARE (each) STOCKFILE INVENTORY ZORK

VISITERN VISITREND/PLOT

# ORDER: 1-800-547-2492

### SERVICE: 503-479-4150

SPECIAL ON APPLE REPAIRS - ALL PRICES PLUS PARTS \$40 \$50 DRIVES PRINTERS APPLE II \$100 APPLE III \$100 SILENTYPE \$50 PERIPHERAL CARDS \$45

EPSON

MX-80FT \$539

\$439

\$699

**OKIDATA** 

82A \$539

83A \$829

80

84

\$389

\$1229

**ATARI**[®] 400 (16K) \$325

800 (16K) \$675 1.D.S.

560G Printer \$1049

WORD PROCESSOR PACKAGE - WORDSTAR, 80 Column, w/enhanced character set, Z-80 & 16K Card by ALS \$1049

MX-80

MX-100

MAGNUM SYSTEM - OLIVETTI 121 Printer/Typewriter w/RS 232 or Parallel Interface \$1495

TERMS SHIPPING: Add 3% of total transaction for UPS brown (ground) or 5% for UPS blue (air), Parcel Post,


or any special arrangements. PAYMENT: Cashier's checks, certified checks, money orders, and bank wires honored immediately, Wire transfer funds to U.S. National Bank nf Oregon, South Grants Pass Branch. Credit RCE, accour numher \$01-981, Add 3% for Visa and Master Charge Allow 20 days for personal checks to clear. REFINDS: 10% restances in the second second


right on their benches at (503) 4 79-4150. REPAIRS: Out of warranty guarantee: Labor 30 days from date of your receipt, 90 days on parts. Call for details on quality guaranteed discount repair and reconditioning service. We have been repairing electronic equipment for 12 years and love it!

"A Unique Combination of Quality Products, Competitive Prices, and Service"



530 N.E. 'E' Street • Grants Pass, Ore. 97526 ALL BRAND NAMES ARE REGISTERED TRADE MARKS







Model II 26-4002

3288

8 Megabyte Hard Disk

> (Primary) 26-4150.

# \$399400

# **DISCOUNT TRS-80[®]** Computers

We have the Largest Inventory in the Central United States. Discount prices on all software and accessories for your TRS-80 computer needs.

* No out of state Taxes

* Immediate Shipment

* Direct Buying

* Several Payment Methods

WRITE TODAY FOR YOUR

**FREE CATALOG!** 

BUY DIRECT Toll Free Order: 1-800-835-9056 Kansas Residents: 1-800-362-9091

# Jimscot, Inc.

P.O. Box 607 - 1023 N. Kansas

Liberal, Ks. 67901

* TRS-80 is a Registered Trademark of Tandy Corporation

Circle 302 on inquiry card.

Listing 1 continued:



```
Crank out the characters in the charset file in a nice format )
      : char;
var
    line : integer:
  procedure stepback (ic : integer);
  { Moves the turtle to the specified character and back one pixel }
  begin
    onbox (chr (ic)); turnto (-90); move (1); turnto (180); move (1)
  end:
begin (drawallchars)
  (reset did an initial 'get' for us)
for c := chr (0) to chr (127) do begin
    stepchar (c);
    drawblock (icfile^ [ord (c)], 1, 0, 0, 7, 8, turtlex, turtley, 10)
  end:
  close (icfile);
                      {keep it kosher}
  Stepback ((CharRows - 1) * CharsPerRow); (go to the bottom line)
boxlines (horizontal, turtlex, turtley, CharRows + 1, yblocksize,
                CharsPerRow * xblocksize);
  stepback ((CharRows - 1) * CharsPerRow); (put the turtle back)
  boxlines (vertical, turtlex, turtley, CharsPerRow + 1, xblocksize,
CharRows * yblocksize)
end:
procedure Genchar:
{ This procedure does the actual editing }
type cursor = (pallet, menu);
                       (the character for edit)
var c : char;
        y : integer; (cursor position)
     ×,
    bitbox : block; {edit box}
inc : char; {input character}
     stack : array [0..7] of block; {bitbox stack for saving characters}
     sp, ts : integer; {stack pointers}
  procedure clearbits:
   ( Initialize the edit parameters )
   var i, j : integer;
  begin
    x := 0; y := 0;
for i := 0 to 7 do for j := 0 to 7 do bitbox [i, j] := 0
   end:
  procedure placechar (c : char);
{ Put the character in the bitbox where it's supposed to go }
  begin {placechar}
     stepchar (c);
     drawblock (bitbox, 2, 0, 0, 7, 8, turtlex, turtley, 10);
  end: (placechar)
  procedure putblock (which : color; x, y : integer);
{ Put a block of the specified color both on the edit screen and
   on the current edit character's corresponding position. This also
    changes the contents of bitbox }
  begin
    turtlex + x, turtley + y, 10);
        bitbox [y, x] := ord (which)
     end
  end;
  procedure newchar;
  { Finish the edit }
begin
  placechar (c);
                    (draw the character as it will appear)
  exit (Genchar)
end;
procedure clearchar;
{ Clear the current character }
var i, j : integer;
beain
  clearbits:
                (reinitialize)
  for i := 0 to 6 do for j := 0 to 7 do putblock (fblack, i, j)
end;
procedure spraychar (c : char);
 ( Put the specified character onto the pallet )
 var i, j : integer;
beain
   stepchar (c):
   for i := 0 to 6 do for j := 0 to 7 do
    if screenbit (turtlex + i, turtley + j) then putblock (fwhite, i, j) else putblock (fblack, i, j)
procedure flashit (where : cursor; x, y : integer);
{ flash the cursor at the current edit position }
 var k : Boolean;
                                                             Listing 1 continued on page 434
```



ner drive The HSDS Software has more than One Year's FIELD Experience. The latest HSDS version adds several enhancements including maintenance of system files

HSDS version adds several enhancements including maintenance of system mess on the hard drive, files as large as the disk, the ability to segment the disk as logical drives, definable directory size, and many utilities including bulk coples between floppy and hard drives, multiple purge, Superzap, and Directory Catalog System. Full program compatibility with TRSDOS 2.0a is maintained. MIxed floppy and hard drive operation is supported.

HSDS is available for the Cameo, Cynthia Bull, Corvus, Data Peripherals, and Santa Clara Systems hard disk systems as well as the ARM Winchester Drive. ARM 15 Megabyte Drive Subsystem \$3895. Cameo 5/5 Cartridge Drive \$5995. Cyn HSDS Software \$400. Cynthia Bull 10/10 Drive \$7995

#### NEW PRODUCT ★ Model II Fast Backup Utility ★ \$75

5 to 10 times faster backups!!! Full disk backup (including verify) 55 seconds!!! on two drive system — 2:15 on single drive system. In business, time is money, and one BACKUP is worth 1000 tears!!

#### NEW PRODUCT * INTEGRATED BUSINESS SYSTEM *

ISAM File Structure — Multi-Company Capability. Modular structure. Each module includes complete user documentation which guides the user through installation and allows "practice" using a sample data base. When ready, the user simply names his data base and begins. The Integrated Business System program set includes General Ledger, Accounts Receivable, Accounts Payable, Payroll. Inventory, General Journal, Asset Management and more.

Business Programs \$250/module Mod III, \$300/module Mod II, \$795 for all four Mod III, \$995 for all four Mod II. General Ledger and Accounts Receivable available now. Accounts Payable and Payroll 1st Quarter 1982.



CIRCLE READER RESPONSE BELOW FOR FREE CATALUG *1RS-80 IS A REGISTERED TRADEMARK OF TANDY CORFUMATION TELEPHONE OROERS ACCEPTED (714) 997-4950

Circle 457 on inquiry card.



Now available INTERTEC'S amazing SUPER-BRAIN with a built-in 5MB Hard Disk Storage. The K SYSTEM FIVE looks and operates like a normal SUPERBRAIN but with the advantage of 5 MB of hard disk storage and hard disk speed that are immediately available to the operator

Kramer Systems International, Inc. has successfully installed COMPUSTARTM and SUPER-BRAINTM Systems worldwide.

Dealer and International inquiries invited. Available on the GSA schedule.



Kramer Systems International, Inc. 8403 Dixon Avenue Silver Spring, Maryland 20910

Call today for additional information

(301) 585-7480

#### **GET THE MOST FROM YOUR NEC PC-8001** WITH RACET COMPUTES SOFTWARE!! **RACET NECDOS \$175**

RACET NECODS does more for your PC-8001 than any other ODS. It's faster, more efficient and easier to use. It's loaded with extra leatures to let you stretch the limits of your system. This advanced operating system works with the ROM NBASIC to give full compatibility with color and other BASIC commands. USER FRIENOLY — Emphasizes Integrity. No MOUNT or REMOVE commands!!!

Receilent protection from improper diskelle swapping. AGAIN, HELP, FIND and REF commands. File password protection.

ADVANCED DESIGN. RACET NECDOS utilizes the computer in the 8031 for most disk I/O functions minimizing memory utilization in the PC-8001. The Dynamic Translent Area (DTA) allows multiple translents to be scatter loaded and relocated

in memory simultaneously. This unique capability optimizes use of valuable memory, yet provides an almost limitless growth potential. ADVANCED FEATURES. All DOS functions and commands may be used directly in a BASIC program!!! Special RUN option allows merging of programs, retaining all variables in memory. Fixed block spanned records. AUTO and DO commands. Machine language loads and saves. MATPRINT and MATINPUT to disk. Complete directory. ALL supervisory calls documented and available to the machine language programmer. Superzap utility included.

#### CONVERT TRS-80* PROGRAMS TO RACET NECDOS WITH 'PROTRAN' \$99.95

COMPLETE utilities for file transfer and BASIC program conversion. Model III diskettes may be read directly. Model I and II via RS-232. Transfer BASIC programs, data files, or machine language files. NO support is provided for conversion of machine language files or PEEK's. POKE's. or USR's to function on PC-8001. Includes Mod I, Mod II and RACET NECDOS Datadisk with complete documentation on conversion requirements and syntax differences.

#### MULTI-KEY SORT 'MKS' \$60

SUPER FAST Machine Language In-Memory Sorts. Three-key sort on 500 elements in 4 Seconds!!! SImple one-line BASIC functions — SORTV and SORTC verbs. Mixed ascending and descending keys.

#### KFS-80 KEYED FILE SYSTEM \$150

Machine language BASIC ISAM utility provides keyed and sequential access to multiple files. Simple interface to BASIC. Binary tree keyed-file index system provides rapid access to records.

RACET COMPUTES software for the NEC is distributed by the Waybern Corporation and is available from your local NEC Dealer.

## **III:** Waybern Corporation

13911 Enterprise Dr., Garden Grove, CA 92643 (714) 554-4520 • (213) 222-7514

**BACET** COMPUTES

Circle 458 on inquiry card.

CIRCLE READER RESPONSE BELOW FOR FREE CATALOG

BŶTE May 1982 433

FOR TRS-80 MODEL I OR III Listing 1 continued: AND SOON FOR THE NEW **IBM PERSONAL COMPUTER!** * MORE SPEED 10-20 times faster than Level II BASIC. * MORE ROOM Very compact compiled code plus VIRTUAL MEMORY makes your RAM act larger. Variable number of block butters. 31-char-unique word-names use only 4 bytes in header! end: * MORE INSTRUCTIONS Add YOUR commands to its 79-STANDARD-plus Instruction set! Far more complete than most Forths: single & Instruction set! Far more complete than most Forths: single & double precision, arrays, string-handling, clock, move * MORE EASE rean Editor, structured & Excellent full-screen Editor, structured & modular programming Word search utility THE NOTERAD letter writer Optimized for your TRS-80 or IBM with keyboard repeats, upper/lower case display driver, full ASCII, single- & double-width graphics, etc. *** MORE POWER** MORE POWER Forh operating system interpreter AND compiler 8060 or 8086 Assembler (250 Assembler also available for TRS-80) intermix 35 to 80-track disk drives Model till and IBM can read, write and run each other's a multidodel (of sket perinter, disk and tape (Ich-Megabyte hard disk available) end: THE PROFESSIONAL FORTH FOR TRS-80 (Thousands of systems in use) MMSFORTH Diek System V2.0 (requires 1 diek drive, 32K RAM) For Radio Shack TRS-80 Model I or III ... \$129.95 For IBM Personal Computer (advance order) ... \$249.95 AND MMS GIVES IT **PROFESSIONAL SUPPORT** Source code provided MMSFORTH Newsletter mmorum in NewBattler Many demo programs aboard MMSFORTH User Groups Inexpansive upgrades to latest version Programming staff can provide advice, modifications and custom programs, to fit YOUR needs. MMSFORTH UTILITIES DISKETTE: Includes FLOATING POINT MATH (L2 BASIC ROM routines plus Complex numbers, Reclangular-Polar coordinate conversions, Degress mode, more), plus a full Forth-sity's 280 ASSEM-BLER; plus a power/ul CROSS-REFERENCER to list Forth worde by block and line. All on one disketts (requires MMSFORTH V2.0, 1 drive & 32K RAM). \$39.85* FORTHCOM: communications packags provides RS-232 driver, dumb terminal mode, transler of FORTH blocks, and host mode to operate a remote TRS-80 (requires MMSFORTH V2.0.1 drive & 32K RAM) \$39.95* MMSFURIN 42.0, 1017-0 2 vsr. THE DATAHANDLER V1.2: a very sophisticated data-base management system operable by non-pro-grammers (requires MMSFORTH V2.0, 1 drive & 32K S59.85* end: MMSFORTH GAMES DISKETTE: resi-time graphics & board games wisource code, includes BREAKFORTH, CRASHFORTH, CRYPTOQUOTE, FREEWAY, OTHELLO & TICTACFORTH (requires MMSFORTH V2.0.1 drive & 32K RAM) \$39,85" begin Other MMSFORTH products under develop end: FORTH BOOKS AVAILABLE MMSFORTH USERS MANUAL - without Appendices, for \$17.50° begin STARTING FORTH best companion to our man-\$15.95* THREADED INTERPRETIVE LANGUAGES - advanced, excellent analysis of MMSFORTH-like ian guage. \$18.95* PROGRAM DESIGN & CONSTRUCTION - Intro. to atruc-tured programming, good for Forth \$13.95* end: FORTH -79 STANDARD MANUAL - official reference to 79-STANDARD word set, stc \$13,95" 79-STANDARD word set, etc. FORTH SPECIAL ISSUE, BYTE Magazine (Aug. 1980) -we stock this collector's item for Forth users and beginners \$4.00" ORDERING INFORMATION: Software prices include • OHDENING INFORMATION: Software prices include manuals and require signing of a non-transferrable single system, single-user license. Describe your Hard-ware. Add \$2.00 SH plus \$3.00 per MMSFORTH and \$1.00 per addItional book; Mass. orders add 5% tax. Foreign orders add 20%. UPS COD, VISA & M/C ac-cepted; no unpaid purchase orders, please. Send SASE for free MMSFORTH information Good dealers sought Get MMSFORTH products from your computer dealer or MILLER MICROCOMPUTER SERVICES (B5) 61 Lake Shore Road, Natick, MA 01760 (617) 653-6136 end:

```
procedure delay (var k : Boolean);
{ insert a delay between flashes }
var i : integer:
begin
  i := 100;
  while (not k) and (i > 0) do begin i := i - 1; k := keysense end;
procedure dopallet;
var original : onebit;
     origscr : Boolean;
  procedure putdot (on : Boolean; x, y : integer);
( also flash the corresponding pixel in the edit character )
  var fcolor : color:
  begin
     if on then fcolor := fwhite else fcolor := fblack;
drawblock (filler [fcolor], 1, 0, 0, 1, 1,
turtlex + x, turtley + y, 10)
  end:
begin (dopallet)
  original := bitbox [y, x];
origscr := screenbit (turtlex + x, turtley + y);
  uhile not k do begin
    putblock (fwhite, x, y); putdot (true, x, y); delay (k);
     putblock (fblack, x, y); putdot (false, x, y); delay (k)
  end;
  if original = 1 then putblock (fwhite, x, y)
  else putblock (fblack, x, y);
putdot (origscr, x, y)
procedure domenu:
var reversed : Boolean:
   procedure xor;
  begin
     drawblock (filler [fwhite], 2 * ((xblocksize + 15) div 16), 0, 0,
                      xblocksize, yblocksize - 1, turtlex, turtley, 6)
     end:
  begin (domenu)
     onbox (chr (y # CharsPerRow + x));
reversed := false;
while not k do begin
       xor; delay (k); reversed := not reversed;
     end:
     if reversed then xor
  end;
begin (flashit)
   k := false;
  case where of
    pallet : dopallet;
       menu : domenu
  end; (case)
procedure push;
{ save the current bitbox on the stack }
  stack [sp] := bitbox:
  sp := (sp + 1) mod 8
procedure poo:
{ restore the bitbox from the top of stack }
  sp := sp - 1; if sp = -1 then sp := 7;
bitbox := stack [sp];
  stepchar (c);
  drawblock (bitbox, 2, 0, 0, 7, 8, turtlex, turtley, 10);
  spraychar (c)
procedure shift;
( shift the character up, down, left, or right )
var x, y : integer;
  procedure shiftup;
  beain
    for y := 7 downto 1 do for x := 0 to 6 do
bitbox [y, x] := bitbox [y - 1, x];
for x := 0 to 6 do bitbox [0, x] := 0
  end:
  procedure shiftdown:
  begin
    for y := 0 to 6 do for x := 0 to 6 do
    bitbox [y, x] := bitbox [y + 1, x];
for x := 0 to 6 do bitbox [7, x] := 0
```

Listing 1 continued on page 436

Circle 378 on inquiry card.

#### S100 EPROM PROGRAMMER/16K MEMORY MODULE



· Programs, copies or verifies the most popular 5 volt EPROMS (2758. 2516.2716.2532.& 2732) · Adjustable 25 volt on board supply.

• External programming console - Includes 24-pin ZIF socket • Sockets also included for up to 8 memory chips (2716/2732 EPROMS or 2K X 8 NMOS Static RAMS) • Memory addressable in 4K/2K windows • Memory management -4 memory chips may be independently enabled/disabled under program control • 8-bit I/O port w/handshake • Software - CP/M version on 8" disk, PET 2001 (requires \$100 adapter) on cassette.

#### S100 PROTOTYPE MODULE



 Unique prototype module takes up only one computer slot • Uses low cost W/W posts, and if desired, solder tail sockets.

Wiring & components are on the same side . Provisions for 3 voltage regulators - 5 volt regulator may be TO-3 or TO-220 case • Any size integrated circuit on .300, .400, or .600 centers may be used . Typical configurations - 36 16/14-pin 1C's. or 4 40-pin & 28 16/14-pin IC's, or 1 40-pin & 4 24-pin & 14 20-pin & 14 16/14-pin IC's, etc. • Also has provisions for: toggle switch, trimpot, & 2 50-pin ribbon cable headers . Power & ground traces to each IC position . Ample de-coupling provisions.

PRICES

Prog/Mem Mod. \$1	195(kit)\$240(A&T)
EPROMS:2Kx8 (5V)	. \$8.00(450NS)**
4Kx8 (5V)	\$16.00 (450NS)**
RAMS 2Kx8 (5V)	\$11.50 (150NS)**
Prototype (Board)	\$35.00

Prototype (Pins) ..... \$35/M Software: CP/M version (8" diskette) ... ..... \$15.00 PET (specify ROMS)......\$8.00 Shipping & handling ..... \$2.00

CALIFORNIA RES. ADD 6% SALES TAX. PAYMENT: MONEY ORDER OR CHECK (ALLOW 10 DAYS TO CLEAR) "WITH PURCHASE OF PROGRAMMING BOARD

SIERRA COMPUTER PRODUCTS 3645 Gold Ridge Trail, Pollock Pines, CA 95726/(916)644-5932



*Supervyz is a trademark of Epic Computer Corporation. CP/M is a trademark of Oigital Research.

San Diego, CA 92121 Tel: 714-695-3560

## -100 INNOVATORS: **REMOTE CONTROLLER**—Innovative Features: *Complete 256 address control-not just 16 *No ultrasonic link—prevents erractic operation *120,208,240 and 277VAC control-for single & 3 phase operation *Hardware driven—requires minimal software *Complete line of industrial switches available-to 5.5KW **REAL TIME CLOCK**—Innovative Featuers: *First to use LSI OKI clock chip *Crystal controlled for .002% accuracy *4 software selectable clock generated interrupts *Full clock and calendar data *Lithium battery backup good for 6000 hours! **ENERGY WATTCHER™**—Innovative Features: *First microcomputer based energy monitor *Clip on probes for easy installation *Monitors Real Power, not volt-amps *Peak Power and continuous power readings *Single and 3 phase operation

See your local computer dealer or contact SciTronics directly for more information. Watch for future innovative products from SciTronics Inc., 523 So, Clewell St., P.O. Box 5344, Bethlehem, PA 18015 (215) 868-7220

C.

# Fancy Shmancy

Elaborate microprocessor development systems cost a lot of money, and they can close off your engineering options by locking you into just one or two kinds of chips. Sound familiar? Well, read on-we've got a better idea.

Use your desktop computer; anything that will run CP/M° is fine. With our microprocessor cross-assemblers you can produce software for eleven of the most popular chip families, and more are on the way.

In two years on the market, our crossassemblers have gained a reputation for quality, performance, and reliability. Hundreds of Industrial R&D labs and several major semiconductor houses have found these products a fast, cost-effective way to develop their microprocessor software. We invite you to join them.

#### CP/M CROSS-ASSEMBLERS

Extremely fast absolute assemblers, running under CP/M. Generate object file (intel hex or Motorola S-record format) and listing from standard assembly language for the target processors listed. Features include comprehensive syntax checking, listing control, neated conditional assembly, and insertion of external source files. All versions listed have been thoroughly field-tested and are available now.

	XASM05 6805
	XASM09 6809
	XASM18 1802
	XASM48 8048/41
	XASM51 8051
	XASM65 6502
	XASM68 6800/01
NEW!	XASM75 NEC 7500
	XASMF8 F8/3870
NEW!	XASMZ8 Z8
	XASM400 COP400
Assem	blers \$200.00 each
except	XASM75\$500.00
Visa and	Mastercard accepted. We ship on 8"
single-der	neity and Softcard + 5.25" diskettes. Ask
us about	other formats. OEM INQUIRIES INVITED.
•Tradem	ark of Digital Research
	ark of Microsoft
	-



```
Listing 1 continued:
procedure shiftleft:
begin
   for x := 0 to 5 do for y := 0 to 7 do
   bitbox [y, x] := bitbox [y, x + 1];
for y := 0 to 7 do bitbox [y, 6] := 0
end:
procedure shiftright:
begin
   for x := 6 downto 1 do for y := 0 to 7 do
     bitbox [y, x] := bitbox [y, x - 1];
      for y := 0 to 7 do bitbox [y, 0] := 0
    end:
begin (shift)
   Igin (shift)
wrst ('Shift character', 0, 4);
case gc (['U', 'D', 'L', 'R', '2', '4', '6', '8'], '', false) of
'U', '8' : shiftup;
'D', '2' : shiftdown;
'L', '4' : shiftleft;
'R', '6' : shiftleft;
end: ('area)
   end; (case)
   placechar (c); spraychar (c)
 end:
 procedure invert;
 { invert the entire character }
 var ×, y : integer;
 begin
   for y := 0 to 7 do for x := 0 to 6 do
bitbox [y, x] := 1 - bitbox [y, x];
placechar (c); spraychar (c)
 end:
 function select : char;
 { select a character for editing }
 var comm : char:
 begin
   flashit (menu, selx, sely);
      read (keyboard, comm);
      case upcase (comm) of
         ise upcase (comm) of

'U', 'B' : if sely - 1 in [0..CharRows - 1] then sely := sely - 1;

'D', '2' : if sely + 1 in [0..CharRows - 1] then sely := sely + 1;

'L', '4' : if selx - 1 in [0..CharsPerRow - 1] then selx := selx - 1;

'R', '6' : if selx + 1 in [0..CharsPerRow - 1] then selx := selx + 1;
          · . ' ,
               '5' : begin
                           select := chr (sely * CharsPerRow + selx):
                           exit (select)
                         end
      end; {case}
   until HellFreezesOver
 end:
 procedure getchar;
 { Duplicate another character for editing }
 var sc : char;
 beain
   wrst ('Get character', 0, 4);
   sc := select; (select the character)
   push:
                            (push the old character)
   plasm, for the new character onto the pallet)
placechar (c) (put it into the edit position)
   placechar (c)
end:
procedure PromptState:
begin
   wrst ('Edit character', 0, 4);
   stepchar (c)
end;
procedure PromptEdit;
begin
   clrdisp;
    wr ('New,Clear,Pop,Invert,Get', 0, 0);
wr ('[Shift] Up,Down,Left,Right', 0, 1);
*wr ('''.'' (set),'' '' (clear)', 0, 2);
     PromptState
   end
   procedure setup;
   beain
     clearbits;
                       sp := 0;
     spraychar (c); {put the selected character onto the for ts := 0 to 7 do push; {fill stack with original character}
                                             (put the selected character onto the pallet)
      PromptEdit
   end;
begin { Genchar }
  wrst ('Select character for edit', 0, 4);
c := select; (select character for edit)
                                                                          Listing 1 continued on page 438
```

## **MODEM HEADQUARTERS** Connect any computer or terminal to the phone lines!

1200 Baud — 120 Characters per Second Penril 300/1200

**300/1200 Auto-Dialer** ......**\$225** Allows any computer to automatically dial out through the Penril 300/1200.

300 Baud - 30 Characters per Second

Phone Link Acoustic Modem \$129 Originate and Answer. Half/Full duplex. RS232. Operates with any standard telephone. Indicators for On, Carrier, Self-test, Send Data, Receive Data. One year warranty.

Micro-link \$179 Originate/Auto-Answer, Half/Full duplex. RS232. Phone connection via RJ11C standard phone jack. Indicators for On, Carrier Detect, Self-test, Send Data, Receive Data. Two year warranty. Fits under phone:

ADDS Viewpoint CRT	 						\$529
GE2120 Printing Terminal 150 CPS. 300/1200 Baud.	 • •	•••	•••	• • •	• • •	******	\$1,799
GE2030 Printing Terminal 60 CPS. 300/1200 Baud.	 • •		• •		• • •	• • • • • • •	. \$999

All equipment is in stock. Your satisfaction guaranteed. Any product may be returned for full credit. Write or call for full product information.



**U.S. ROBOTICS** INC. 203 N. WABASH SUITE 1718 CHICAGO, ILL 60601 (312) 346 5650

#### CATCH THE S-100 INC. BUS! **ODDS & ENDS** 5-100 **OUR** LIST SPECIAL PRICE CASH PRICE Mullen TB-4 Extender card w/logic probe - kit 59.00 49.00 Shugart SA801 bare drive 8" 399.00 3M Scotch 740-0 8" diskettes - 10 box 26 00 SSM 1/0-4 2P+2S Ports Kit 210.00 168.00 Morrow Designs 8 Slot Motherboard A&T 124.00 93.00 Hayes Computer "Stack" Smart Modem A&T 279.00 237.00 All S.D. Systems Kits (call for available items) 30% OFF

Subject to Available Quantities • Prices Quoted Include Cash Discounts. Shipping & Insurance Extra.

> We carry all major lines such as S.D. Systems, Cromemco, Ithaca Intersystems, North Star, Sanyo, ECT, TEI, Godbout, Thinker Toys, SSM. For a special cash price, telephone us.

> > 5-100, inc.

14425 North 79th Street, Suite B Scottsdale, Arizona 85260 SALES 800-528-3138 • TECHNICAL 602-991-7870

#### **Best Price • Good Quality • Swift Delivery • Export** COMPUTER MONITOR SOFTWARE LNW 80 Graphic Computer \$ databas 1,400 ZENITH ZVM121 12" Ashton-Tate..... 575 48K B/W 12" green 12" color 13" color. 2.300 IL CP/M 119 CONDOR I 250 26% off Sys-tem & software П. 450 CROMEMCO NEC 170 m 850 340 15% off boards SANYO 445 financial (AR, AP, Inventory etc.) Components %" Floppy .... **RGB** monitor 950 Accounting Plus 450 2,956 CS1 5 % ' Peachtree . 500 hard disk system . Z2H 7,396 other 64K, 8".... Z 90-80 new, CS3 5.916 VISICALC 150 Zenith MICROSOFT softcard 330 345 2.290 PRINTER 64K . Z 90-82 64K, (G-w/graphic feature) BASIC BO..... BASIC Compiler 285 1 SS, DD ..... Z 89 48K. 2,490 310 250 Integral Data System SUPERCALC Sorcim. Micro Pro WORDSTAR 2.095 S/09 128K, 6809 3.450 69/K kit, 6809, PRISM 80 150 cos. 720 295 .785 SWTPC MAILMERG 105 SUPERSORT I.... CP/M 2.2 Digital Research... 165 PRISM 132 1.050 130 color G 660 1,497 68/09 48K, MALIBU 200 letter quality/ 165 cps G 1,500 2,380 6809 ..... /09 64K.... **COMPUTER SYSTEM &** 910 144 × 144. PRINTEK . 1,835 **TECHNOLOGY, INC.** ATARI 400 16K 600 16K 340 SCALL . . . . . . . . . . . . 695 ZBOASEM Z80 Macro Assembler . Z80BUG Z80 Symbolic Debugger 68ASEM 6800 Cross Assembler . 130 \$CALL NORTH STAR HORIZON, 2 340 cps G . . . 130 muad drive, 64K..... . . 3,200 **EPSON** MX70 G. . 305 200 ADVANTAGE. 2 quad drive, 64K. 99/4 16-bit. MX80 . MX100 6BBUG 6800 Debugger & board 350 735 3.100 . . 399 ZENITH Z25 15D cps 1.250 5200 64K, 1 MB. 5615 64K, DYNABYTE WH14 75 cps. ... 400 DISK DRIVES C.ITOH Starwriter Micropolis, Tandon ...... \$CALL 1.350 40c serial 11 MB hard disk ...... 8,000 8510A Graphic, 320 x 240, DD ...... 8,000 45c parallel. 25c Serial. 1 550 1,450 TERAK COMET I. . . . . . . . . . 8600 Graphic. DATA SOUTH DS 180. 1,299 640 × 480. Color, DD Printer Cable \$ 30 Prices subject to change, Visa/Mastercard add 17,000 3%. F.O.8. point of shipment. 20% restocking fee for returned merchandise. Personal checks take 3 weeks to clear. COD on certified check only. N.Y. residents add sales tax. XEROX 820 2,399 1 8" CP/M, 32K NEC CP/ DEC. ADDs, ALTOS. DIGITIZER/PLOTTER CALL (212) 937-6363 HOUSTON INSTRUMENT TERMINAL HI PAD DIGITIZER DT-11 11" × 11". OT-11A w/APPLE Interface. HIPLOT DMP-2 6%" × 11". COMPLOT DP-11 4000 steps/sec. free consultation, catalogue 725 750 975 ZENITH Z 19 635 CABLE: COMSYSTEC NEW YORK TELEX: 429418 CSTNY 21-55 44th Road L.I.C., NY 11101 ZENTEC Zephyr 912C 1,050 TELEVIDEO 705 4.000 BEEHIVE, ESPRIT, HAZELTINE SCALL 8411A PRINTER/PLOTTER. 5.200

Circle 90 on inquiry card.

XXXXX Ada[™] Now Listing 1 continued: XAVAX One/32KB \$1.500 68000 8MHz single board computer Multibus^{1#}/IEEE 796 compatible 2 RS232C, 2 parallel ports Sockets for 64KB ROM Motorola KDM module compatible 128KB RAM on board, add .... (\$500) Manual of boards, chips .....(\$15) \$8,500 **XAVAX** Two 68000 8MHz Multibus™ computer 256KB RAM expandible to 1MB • 10MB Winchester, 960KB floppy One parallel, 2 RS232C ports Graphics display monitor Multitasking operating system Editor, filer, linker, utilities
 Language: (Pascal, C, COBOL, FORTRAN, BASIC, or Assembler) • UNIX/7 and APL are options. Manual with OS summary ..... (\$15) Operating system manual ..... (\$25) System manuals set [7] ..... (\$85) XAVAX Two/3 \$10.850 • Multibus'*/IEEE 796 bus, 3 users /6 includes 512KB RAM, 6 users /6 adds 3 RS232C ports [5 total] XAVAX Two/6 \$12,850 **XAVAX** Three \$12,850 XAVAX Two features, plus: Second 68000 processor Memory management on board Ada[™] and Pascal with OS ... (\$5000) Initial XAVAX Two/3, add ... (\$2350) Initial XAVAX Two/6, add ... (\$4350) XAVAX 10 Cartridge Backup \$5.000 10MB high speed mini-Winchester 7MB integrated backup [3 min.] Multibus[™] controller [32KB RAM] 960KB floppy [in main cabinet] Interface to XAVAX Two, Three. HARDWARE [Multibus™] 880 Kilobaud I/O controller \$1,500 8 channel RS232C Bisync and ASCII asynchronous CRC generate, detect, check ports individually programmable 8 channel RS232C I/O board \$300 8 channel intelligent RS232C \$580 4 channel parallel board \$400 ANSI Winchester controller \$500 512KB RAM [parity, 270ns] \$1,700 256KB RAM [half populated] \$1,500 SOFTWARE BizBooks™ [80 modules] \$4,500 Accounting, inventory control \$2,500 BizGraf[™] [8 colors] Business color graphs, plots. MasterCard and VISA accepted. Ask your distributor for XAVAX. * UNIX trademark of Bell Laboratories. " Multibus trademark of Intel Corporation. " Ada trademark Department of Defense. (319) 344-0550 **XAVAX CORPORATION** 300 Northwest Tower Bettendorf, IA 52722 TWX: Cable: 910 - 525-1177 XAVAXCORP

#### (set up the pallet) setup: repeat flashit (pallet, x, y); (flash the cursor at the current position) read (keyboard, inc); (read the character just typed) case upcase (inc) of (convert to upper case and select action) 'N' : newchar: (accept and exit) 'N' : newchar; 'C' : begin push; clearchar end; 'U', 'B' : if y + 1 in [0..7] then y := y + 1; 'D', '2' : if y - 1 in [0..7] then y := y - 1; 'L', '4' : if x - 1 in [0..6] then x := x - 1; (clear pallet) (move cursor up) (move cursor down) (move cursor left) 'R', '6' : if x + 1 in [0..6] then x := x + 1; 'P' : pop; (move cursor right) (pop char from stack) 'S' : begin shift; PromptState end; (shift char) 'I' : invert; (invert char) 'G' : begin getchar; PromptEdit end; (retrieve another char) '.', '5' : putblock (fwhite, x, y); ' ', '0' : putblock (fblack, x, y) (white space) (black space) end; (case) until HellFreezesOver. end; { Genchar } procedure gather; { get all the edited characters into their output configurations } const msg = 'writing out'; bitshift : array [0..6] of integer; dotcount : integer; procedure writedot (i : integer); begin if i mod CharsPerRow = 0 then begin wr ('.', length (msg) + dotcount, 0); dotcount := dotcount + 1 end end; beain 201n wr ('', 0, 3); wr (msg, 0, 0); bitshift [0] := 1; bitshift [1] := 2; bitshift [2] := 4; bitshift [3] := 8; bitshift [4] := 16; bitshift [5] := 32; bitshift [6] := 64; dotcount := 0; i := 0 to 127 do begin stepchar (chr (i)); for y := 0 to 7 do begin cval [y] := 0; for x := 0 to 6 do if screenbit (turtlex + x, turtley + y) then cval [y] := cval [y] + bitshift [x]; (for) cfile^ [i] := cval; writedot (i) end (for) end: procedure getfiles; { Get input and output file names and open them } var sysio : integer; begin repeat wr ('', 0, 0); rd ('Input file: [;], 0, 0, filename); if length (filename) = 0 then exit (program); (\$I-) reset (icfile, filename); (\$I+) sysio := ioresult; if sysio <> 0 then wr (concat ('?Cannot open ', filename), 0, 1); until sysio = 0; repeat peac wr ('', l, 1); rd ('Dutput file: ', 0, 1, filename); if length (filename) = 0 then exit (program); (\$I-) rewrite (cfile, filename); (\$I+) sysio := ioresult; if sysio <> 0 then wr (concat ('?Cannot open ', filename), 0, 2); until sysic = 0; end; procedure initialize: begin Initturtle; fillscreen (black); fillchar (filler [fwhite], sizeof (cblock), 255); fillchar (filler [fblack], sizeof (cblock), 0); getfiles; fillscreen (black); drawcharbox (xboxcorner, yboxcorner); drawallchars; selx := 0; sely := 0; (initialize character selection coordinates) end; procedure shutdown; { Get the edited characters and output the charset file } begin oather: put (cfile); close (cfile, lock); clrdisp; wr (concat ('[', filename, ' made]'), 0, 1); if gc (['Y', 'N'], 'new edit? ', true) = 'N' then exit (program);

Listing 1 continued on page 440



# What's Good for the Space Shuttle is good for your Apple II!...

MICROWARE creator of OS-9/BASIC Ø9 (used by N.A.S.A., and leading Universities, government agencies, and corporations Worldwide) joins with STELLATION TWO to deliver the same Operating system and Programming Language to the APPLE II.

OS-9/BASIC Ø9 are the result of a 3 year research project-designed with the 6809 in mind. This "Operators dream machine" combines with THE MILL microprocessor board to provide Apple II users with software features previously reserved for Main frames and mini's. JUST PLUG IN THE MILL AND LET BASIC Ø9 WORK FOR YOU! other Stellation Two products include:

> Spooler: Allows Apple II to print while processing Pascal Speedup: THE MILL with software for a 50% faster Apple with Pascal Floating Point: Extends the MILL's power to floating point numbers.)

STELLATION



OS-9 is a trademark of Microware, BASICØ9 is a trademark of Microware and Motorola.

Apple II is a trademark of Apple computers.

The Lobero Building P.O. Box 2342 Santa Barbara, Ca, 93120 (805) 966-1140 TELEX 658439

-----



Ask about our "QED" discounts. VISA and MasterCard orders accepted.

VISA and MasterCard orders accep	ted.
VIDEO TERMINALS         VT 100 DECscope       \$         VT 103 DECscope       \$         VT101 DECscope       \$         VT102 DECscope       \$         ADM 34 (dumb terminal)       \$         ADM 31 (dumb with visual attributes).       \$         ADM 31 (two page buffer)       \$         ADM 21, 24, 32, 36, 42       \$         Hazeltine Esprit       \$         Hazeltine Executive 80 Model 20       \$         Hazeltine Executive 80 Model 30       \$         1410 (Hazeltine dumb terminal)       \$         1420 (Lonsul 580 & ADM 3A comp.).       \$         1500 (dumb terminal)       \$         1520 (buffered, printer port)       \$         RETRO-GRAPHICS TERMIN/       \$         VT102 Nith graphics pkg.       \$         ADM 3A with graphics pkg.       \$         ADM 5 with graphics pkg.       \$         300 BAUD TELEPRINTERS       \$         LA 34-DA DECwriter IV       \$         LA 34-DA DECwriter IV       \$         LA 36 DECwriter IV	MTI <u>Price</u> 1595 2400 1215 1785 1995 595 645 1495 1715 595 825 1105 3280 1795 1845 1095 1095 1095 1095 2295
Diablo 1650 KSR	2695
Diablo 1650 KSR TI 743 (portable) TI 745 (port/built-in coupler) TI 765 (port/bubble/b.i. coupler)	1190
TI 765 (port/bubble/b i coupler)	1485 2595
600 BAUD TELEPRINTERS	2000
Epson MX-80	645
TI 825 KSR impact	1570
TI 825 KSR pkg.	1795
1200 BAUD TELEPRINTERS	
Epson MX-100 LA 120 RA (receive only) LA 120 AA DECwriter III T 783 (portable) TI 785 (port/built-in coupler) TI 787 (port/internal modern) TI 810 BO impact	995 2095 2295
TI 783 (portable)	1645
TI 785 (port/built-in coupler)	2270
TI 810 RO impact	2595
TI 810 BO pkg.	1700
TI 820 RO impact	1850
TI 820 RO pkg. TI 820 KSR impact	2025 2025
TI 820 KSR pkg.	2195
TI 820 KSR pkg. Lear Siegler 310 ballistic	1945
2400 BAUD	
Dataproducts M200 (2400 baud)	2910
DATAPRODUCTS LINE PRINT	ERS
8300 (300 LPM band)	5455
81000 (1000 LPM band)	11330
8300 (300 LPM band) 8600 (600 LPM band) 81000 (1000 LPM band) BP1500 (1500 LPM band)	19700
ACOUSTIC COUPLERS	
A/J A242-A (300 baud orig.)	242
Vadic VA 3413 (300/1200 orig.)	315
A/J A242-A (300 baud orig.) A/J 247 (300 baud orig.) Vadic VA 3413 (300/1200 orig.) Vadic VA 3434 (1200 baud orig.) MODEMS	845
GDC 103A3 (300 baud Bell) GDC 202S/T (1200 baud Bell)	395
	565
VA 103 (300 baud modemphone)	825 235
VA 3451 (orig/ans triple modern) VA 3455 (1200 baud orig/ans.) VA 2450 (Bell 201 comp.)	885
VA 3455 (1200 baud orig/ans.)	770
CASSETTE STORAGE SYSTEM	725
Technes OIC (secol/second)	735
Techtran 817 (store/for/speed up)	915
Techtran 818 (editing)	1225
Techtran 822 (dual) FLOPPY DISK SYSTEMS	1640
Techtran 950 (store/forward)	1395
Techtran 951 (editing) • Plesse call for quote.	1995
mti	•
Distributors, New York, New Jersey an	nd Ohio.

Distributors, New York, New Jersey and Ohio. New York: 516/482-3500,212/895-7177,518/449-5959 Outside N.Y.S.: 800/645-8016 New Jersey: 201/227-5552 Ohio: 216/464-6688

#### Listing 1 continued: initialize end: procedure abort; benin clrdisp; if gc (['Y', 'N'], 'Abort: are you sure? ', true) = 'Y' then exit (program) end: begin { MakeGraphicChars } initialize; repeat clrdisp; clrdisp; wrst ('Character Editor', 0, 4); case gc (['A', 'Q', 'M'], 'Abort, Quit, Make character: ', true) of 'A' : abort; { terminate with no save} 'Q' : shutdown; {terminate with save} 'M' : Genchar (make new character) end; { case } until HellFreezesOver end.

#### Text continued from page 426:

move the cursor about within the menu. In the first method, you type the letters U, D, L, and R (for up, down, left, and right, respectively). In the second method, you use a standard numeric keypad (not normally present on the Apple) by pressing the number corresponding to the direction of desired cursor movement (i.e., 2 = down, 4 = left, 6 = right,8 = up). When the cursor is placed over the character that you wish to edit, press the period key or 5. The character is displayed on the editing pallet and the list of edit options appears.

#### **Character Editing**

A new cursor appears in the lower left-hand corner of the editing pallet.

As with character selection, the cursor is moved about within the pallet with the letters U, D, L, and R, or with the digits on the keypad. The latter method is somewhat easier to use. However, if your Apple is like mine, you will have to suffer use of the directional mnemonics.

In order to make a white block, the period key or 5 is pressed. To make a black block, the space bar or 0 is pressed. If you are observant, you may have noticed by now that all cursor movement and flashing are duplicated by a one-pixel cursor within the menu box of the selected character. In fact, any action taken in the pallet is duplicated to scale within the selected character.

But there is more to it than that. Typing C clears the pallet, giving you

Prompt	Ortions
ABORT,QUIT,MAKE CHARACTER:	Options A = abort; do not save editing done Q = quit; save editing done M = select and edit a character
'.' ACCEPTS UP,DOWN,LEFT,RIGHT	"." (or 5) = select character U (or 8) = move cursor up D (or 2) = move cursor down L (or 4) = move cursor left R (or 6) = move cursor right
NEW,CLEAR,POP,INVERT,GET [Shift] UP,DOWN,LEFT,RIGHT '.' (SET), ' ' (CLEAR)	N = new character; terminate edit C = clear pallet P = pop character from stack I = invert pallet G = get and copy alternate character S = shift character (up, down, left, right) U (or 8) = move cursor up D (or 2) = move cursor down L (or 4) = move cursor left R (or 6) = move cursor right "." (or 5) = set current pixel " " (or 0) = clear current pixel
Table 1: A summary of commands	for the CHEDIT program.




Circle 273 on inquiry card.

# North Star's Advantage over IBM and Apple is easy to see.

The North Star ADVANTAGE desktop computer has higher precision graphics, better software, and greater disk capacity than the IBM Personal Computer or the Apple III. Plus, nationwide on-site service and free business graphics software. See it for yourself. Then check the price. You'll see how easy it is to own the North Star ADVANTAGE. For the name of the North Star dealer nearest you, call today.

## CALL TOLL FREE **1-800-447-4700** (ILLINOIS 1-800-322-4400)



14440 Catalina Street, San Leandro, California 94577

the proverbial clean slate. If you have done this by accident, don't panic; the character is not lost forever. While in edit mode (as opposed to initial character selection mode), the character is saved in an 8-level circular stack. To recover the original character, type P (for pop). Upon entry to edit mode, the stack is filled with the original character found. Therefore, subsequent pops will only vield the same character. However, no mechanism yet exists for recovering from an accidental pop. Thus, this should be used as a "restart edit" command, rather than as a method of comparing or saving succeeding edits. Commands that "push" characters onto the stack are Clear (C) and Get (G). The number of pushes is finite; only the eight most recently cleared characters are saved.

If you wish to obtain another character for editing that might be similar in form or dimension to the one you have in mind, the Get command copies a specified character into the character currently under consideration. As previously mentioned, this operation performs a push of the old character. To perform a Get, typing G places you into a characterselection mode that is used in the same way as the initial selection. The letters U, D, L, and R are used to move the cursor about within the menu; the period is used to select the character under the cursor. A copy of the character specified then appears in the pallet and within the menu box of the character currently being edited.

A Shift mode allows you to move a character about within the pallet. Although pixels shifted off the edges of the pallet are lost and cannot be recovered, the entire original character may be recovered with the pop command mentioned earlier. To shift the character, press S followed by the direction of the shift (U, D, L, or R). Since only one shift is performed, subsequent shifts require S to be pressed again before specifying the direction.

Finally, an Invert command causes all black pixels to become white and vice versa. This is done by pressing I. Circle 327 on inquiry card.



Circle 415 on inquiry card.

L34 0ECwriter IV         999         95         53           L34 0ECwriter IV Forms Cirl.         1.085         105         58           LA12 0ECwriter III KSR         2.295         220         122           LA120 0ECwriter III KSR         2.295         220         122           LA120 0ECwriter III KSR         2.295         152         90           VT100 CRT 0ECscope         1.895         155         90           VT101 CRT 0ECscope         1.995         190         106           VT132 CRT 0ECscope         1.745         157         995           VT132 CRT 0ECscope         1.745         157         995           VT132 CRT 0ECscope         1.745         157         385         353           VT132 CRT 0ECscope         1.745         152         133         115           INSTRUMENTS         1745 Portable Terminal         595         57         37           T1755 Bubble Memory Terminal         595         57         34           MMS CRT Terminal         595         57         34           MMS CRT Terminal         595         57         34           MMS CRT Terminal         155         112         55           ADMS CRT Terminal		DESCRIPTION	PURCHASE	12 MOS	R MONTH 24 MOS	36 m0
L33 0ECwriter IV Forms Ciri.         1.085         105         58           L120 0ECwriter III RD         2.095         220         122           L3120 DECwriter III RD         2.095         200         112           VT100 CRT DECscope         1.895         152         90           VT101 CRT DECscope         1.895         156         90           VT101 CRT DECscope         1.895         156         90           VT101 CRT DECscope         1.895         156         90           VT132 CRT DECscope         1.745         167         98           VT132 CRT DECscope         1.745         167         98           VT132 CRT DECscope         1.745         153         85           INSTRUMENTS         11745 Portable Terminal         1.595         153         85           T1745 Portable KSR. 120 CPS         2.395         230         128           T1787 Portable KSR. 120 CPS         2.395         230         128           T187 Portable KSR. 120 CPS         2.395         230         128           DATAMEDIA         EXCEL 42 CRT Terminal         1.695         162         90           DATAMEDIA         EXCEL 42 Smart Builtered CRT         3.195         307         117		LASA DELWRITER IV	\$1,095	\$105	\$ 58	5 4
DEC         LA20 DECwriter III RD         2.095         200         112           V100 CRT DECscope         1.85         115         57           V1105 CRT DECscope         1.85         115         57           V1125 CRT Braphics         3.295         315         185           V1125 CRT DECscope         1.745         167         98           V1125 CRT DECscope         1.985         190         106           V1182 CRT DECscope         1.985         153         85           INTRTUMENTS         11745 Portable Terminal         1.595         153         85           INSTRUMENTS         11745 Portable KSR.120 CPS         2.395         230         128           INSTRUMENTS         11820 KSR Printer         2.195         211         117           ILEAR SIEGLER         Alm32 CRT Terminal         1.695         162         90           DATAMEDIA         ExCEL 12 CRT Terminal         1.695         162         90           EXCEL 12 CRT Terminal         1.695		LA34 DECwriter IV Forms Ctrl	1,095	105	58	4
DECC         V1100 CRT DECscope         1.695         162         90           V1101 CRT DECscope         1,195         115         67           V1120 CRT GECscope         1,195         115         67           V1120 CRT DECscope         1,985         115         67           V1131 CRT DECscope         1,745         167         98           V1312 CRT DECscope         1,745         167         98           V1312 CRT DECscope         1,745         167         98           VT18XAC Personal Computer Dption         2,395         230         128           TT/45 Portable KSR. 120 CPS         2,385         230         128           T1785 Portable KSR. 120 CPS         2,385         230         128           T1785 Portable KSR. 120 CPS         2,385         230         128           T187 Portable KSR. 120 CPS         2,485         273         152           TB10 RD Printer         1,695         162         90           T182 Portable KSR. 120 CPS         2,485         273         152           DATAMEDIA         EXCEL 12 CRT Terminal         645         62         36           ADM32 CRT Terminal         1,995         190         106           EXCEL 12	and the second	LA120 DECwriter III KSR	2,295			1
VT101 CRT DECscope         1,195         115         67           VT125 CRT Graphics         3,295         315         185           VT132 CRT DECscope         1,745         167         196           VT132 CRT DECscope         1,995         190         106           VT132 CRT DECscope         1,995         190         106           VT182 CRT DECscope         1,995         190         106           INSTRUMENTS         T1765 Bubble Memory Terminal         1,595         123         85           T1785 Portable XSR, 120 CPS         2,485         273         152         111           T1787 Portable XSR, 120 CPS         2,485         273         152         111           IL20 KSR Printer         2,195         211         117         117           MM32 CRT Terminal         1,695         162         90           DATAMEDIA         ExCEL 12 CRT Terminal         1,695         162         90           EXCEL 12 CRT Terminal         650         2,895         <	DEC	VT100 CRT DECscone	2.095			7
VT125 CRT Graphics         3,295         315         185           VT131 CRT DECscope         1,745         167         98           VT132 CRT DECscope         1,995         190         106           VT182AC Personal Computer Option         2,395         230         128           TT45 Fortable Terminal         1,595         153         85           INSTRUMENTS         TT/85 Portable KSR, 120 CPS         2,395         230         128           T1745 Portable KSR, 120 CPS         2,385         230         128           T1785 Portable KSR, 120 CPS         2,385         230         128           T1787 Portable KSR, 120 CPS         2,385         230         128           T180 RD Printer         1,695         162         36           T180 KSR Printer         2,195         211         117           ADM32 CRT Terminal         645         52         36           ADM42 CRT Terminal         1,695         162         90           DATAMEDIA         EXCEL 12 CRT Terminal         1,695         162         90           DATAMEDIA         EXCEL 12 CRT Terminal         1,695         162         90           DATAMEDIA         EXCEL 12 CRT Terminal         1,695         54 <td></td> <td>VT101 CRT DECscope</td> <td>1,195</td> <td></td> <td></td> <td>1</td>		VT101 CRT DECscope	1,195			1
VT132 CRT DECscope         1.995         190         106           VT182AC Personal Computer Option         2.395         230         128           TT45 Portable Terminal         1.595         153         85           INSTRUMENTS         T1745 Portable KSR, 120 CPS         2.395         230         128           T1745 Portable KSR, 120 CPS         2.395         230         128           T1785 Portable KSR, 120 CPS         2.395         230         128           T1785 Portable KSR, 120 CPS         2.395         230         128           T1820 KSR Printer         1.695         162         90           T1820 KSR Printer         1.695         162         36           ADM32 CRT Terminal         645         52         36           ADM42 CRT Terminal         1.955         190         106           DATAMEDIA         EXCEL 12 CRT Terminal         1.955         190         106           EXCEL 12 CRT Terminal         1.955         530         717         117           TELEVIDEO         25 CRT Terminal         1.955         54         50         54           COLDRSCAN 10 Color CRT         3.195         307         171         103         57           IECE SPI		VT125 CRT Graphics				11
VTIBXAC Personal Computer Option         2,395         230         128           TT/45 Portable Terminal         1.595         153         85           TT/65 Bubble Memory Terminal         1.595         249         138           TT/65 Bubble Memory Terminal         695         67         37           TT/65 Bubble Memory Terminal         695         67         37           TT/85 Portable KSR, 120 CPS         2.395         230         128           TT/85 Portable KSR, 120 CPS         2.395         230         128           TT/85 Portable KSR, 120 CPS         2.395         230         128           TB10 RD Printer         1.195         1105         111           TB20 KSR Printer         1.195         190         166           DATAMEDIA         EXCEL 12 CRT Terminal         1.195         190         106           EXCEL 12 CRT Terminal         1.695         162         90         54           OLDRSCAN 10 Color CRT         3.195         307         171           TELEVIDEO         525 CRT Terminal         1.075         103         57           NEC SPINWRITER         Latter Quality, 7715 R0         2.895         278         154           Letter Quality, 7715 R0         2.8		VT131 CHI UEGSCOpe				57
TEXAS INSTRUMENTS         17/55 Subble Memory Terminal         2,695         249         138           INSTRUMENTS         Thasjihi D Terminal         2,695         230         128           INSTRUMENTS         T1785 Portable KSR. 120 CPS         2,385         230         128           T1787 Portable KSR. 120 CPS         2,385         231         152           T180 RD Printer         1,695         162         90           T1820 KSR Printer         2,185         211         117           LEAR SIEGLER         ADM32 CRT Terminal         645         62         36           ADM32 CRT Terminal         1655         162         90         106           DATAMEDIA         EXCEL 12 CRT Terminal         1.695         162         90           COLORSCAN 10 Color CRT         3,195         307         171           TELEVIDEO         25 CRT Terminal         1.075         103         57           NEC SPINWRITER         Lefter Quality, 7715 R0         2,895         278         154           COLORSCAN 10 Color CRT         2,195         115         57           NEC SPINWRITER         Lefter Quality, 7715 R0         2,895         216         175           GENERAL ELECTRIC         2030 KSR Print		VTI8XAC Personal Computer Option				8
TEXAS INSTRUMENTS         17/55 Bubble Memory Terminal         2,695         249         138           INSTRUMENTS         Thaight Dierminal         2,695         230         128           INSTRUMENTS         Tras portable KSR. 120 CPS         2,385         230         128           T1787 Portable KSR. 120 CPS         2,385         230         128           T180 RD Printer         1,695         162         90           T1820 VSR Printer         2,195         211         117           LEAR SIEGLER         ADM33 CRT Terminal         645         62         36           ADM32 CRT Terminal         1,695         190         106           DATAMEDIA         EXCEL 42 CRT Terminal         1,695         162         90           CDLORSCAN 10 Color CRT         3,195         307         171           TELEVIDEO         250 CRT Terminal         1,075         103         57           NEC SPINWRITER         Lefter Quality, 7715 R0         2,895         278         154           COLORSCAN 10 Color CRT         3,195         107         103         57           NEC SPINWRITER         Lefter Quality, 7715 R0         2,895         216         175           GENERAL ELECTRIC         2030 KSR Print	The local division of	TI745 Portable Terminal	1.595	153	85	- 3
TITAS Portable KSR. 120 CPS.         2.385         230         128           INSTRUMENTS         TITAS Portable KSR. 120 CPS         2.845         273         152           TB10 R0 Printer         1.695         162         90           TIB20 KSR Printer         2.195         211         117           LEAR SIEGLER         ADM33 CRT Terminal         645         62         36           ADM32 CRT Terminal         1655         190         166         162         30           DATAMEDIA         EXCEL 42 CRT Terminal         1.695         190         106           DATAMEDIA         EXCEL 12 CRT Terminal         1.695         162         90           DATAMEDIA         EXCEL 12 CRT Terminal         1.695         190         106           EXCEL 12 CRT Terminal         1.695         190         106           EXCEL 22 Smart Builtered CRT         3.195         307         171           TELEVIDEO         25 CRT Terminal         1.075         103         57           NEC SPINWRITER         Lefter Quality, 7715 R0         2.895         278         154           COLORSCAN 10 COLOR CRT         2.195         115         57           SENERAL ELECTRIC         2030 KSR Printer 30 CPS		TI765 Bubble Memory Terminal .	2,595	249	138	9
INSTRUMENTS         17/87 Portable KSR, 120 CPS         2.845         273         152         90           T180 R D Printer         1.695         162         90         1117         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91         91 <td></td> <td>TI Insight 10 Terminal</td> <td></td> <td></td> <td></td> <td>2</td>		TI Insight 10 Terminal				2
The D Printer         1.695         1620 SRP Printer         2,195         211         1177           TI200 KRP Printer         2,195         211         1177           LEAR SIEGLER         AUM32 CRT Terminal         55         57         34           AUM32 CRT Terminal         165         165         34           AUM32 CRT Terminal         165         56         54           AUM32 CRT Terminal         1.651         162         90           DATAMEDIA         EXCEL 42 Smart Bulfered CRT         395         54           DATAMEDIA         EXCEL 42 Smart Bulfered CRT         307         171           DATAMEDIA         EXCEL 42 Smart Bulfered CRT         305         54         65         CRL 46         50         CRL	INSTRUMENTS	TI787 Portable KSR, 120 CPS.				10
LEAR SIEGLER         Amm3A CRT Terminal AdmS CRT Terminal CRT Termin		Ti810 RD Printer	1.695	162	90	1
LEAR SIEGLER         ADM32 CRT Terminal ADM32 CRT Terminal         645         62         36           DATAMEDIA         EXCEL 12 CRT Terminal         1.195         110         112         65           DATAMEDIA         EXCEL 12 CRT Terminal         1.695         162         90           EXCEL 12 CRT Terminal         1.695         162         90           EXCEL 42 Smart Builtered CRT         3.195         307         171           TELEVIDEO         295 CRT Terminal         1.075         103         57           NEC SPINWRITER         Letter Quality, 7715 R0         2.895         278         154           Letter Quality, 7715 R0         2.895         211         175           GENERAL ELECTRIC         2030 KSR Printer 30 CPS         1.195         115         57           EXECLUER 80/20         1.345         127         75         142         290           MAX-80 F/T Printer         80/20         1.695         162         90           MX-80 F/T Printer         80/50         48         48						8
CEAR SIEGLER         ADM32 CRT ferminal ADM42 CRT ferminal         1,155         112         65           DATAMEDIA         EXCEL 12 CRT Terminal         1,995         190         106           DATAMEDIA         EXCEL 12 CRT Terminal         1,995         190         106           COLDSCAN 10 Color CRT         995         95         54           COLORSCAN 10 Color CRT         3,195         307         171           TELEVIDEO         \$25 CRT Terminal \$50 CRT Terminal         1,075         103         57           NEC SPINWRITER         Lefter Quality, 7715 R0 Lefter Quality, 7725 KSR         2,895         278         154           GENERAL ELECTRIC         2030 KSR Printer 30 CPS         1,195         115         67           JUZO KSR Printer 30 CPS         1,195         115         67         2030 KSR Printer 30 CPS         2,195         211         117           MAZELTINE         Executive 80/20         1,345         127         75         290           EPSON         WX-80 F/T Printer         745         71         42		ADM3A CRT Terminal				2
ADM42 CRT Terminal         1.995         190         106           DATAMEDIA         EXCEL 12 CRT Terminal         1.695         152         90           EXCEL 12 CRT Terminal         1.695         152         90         54           EXCEL 12 CRT Terminal         1.695         152         90         54           CDLDRSCAN 10 Color CRT         3.195         307         171           TELEVIDEO         \$25 CRT Terminal         1.075         103         57           NEC SPINWRITER         Lafter Quality, 7715 R0         2.895         278         154           Lefter Quality, 7715 R0         2.895         211         175           GENERAL ELECTRIC         2030 KSR Printer 30 CPS         1.185         115         67           GENERAL ELECTRIC         2030 KSR Printer 120 CPS         2.195         211         117           HAZELTINE         Executive 80/20         1.345         127         75           Executive 80/20         1.695         162         90           WX-80 F/T Printer         745         71         42           EPSON         WX-80 F/T Printer         745         71         42	LEAR SIEGLER	ADM32 CRT Terminal				24
DATAMEDIA         EXCEL 42 Smart Buffered CRT.         995         96         54           COLDRSCAN 10 Color CRT         3,195         307         171           TELEVIDEO         525 CRT Terminal         850         82         46           SD CRT Terminal         1,075         103         57           NEC SPINWRITER         Latter Quality, 7715 R0         2,895         278         154           Letter Quality, 7725 KSR         3,295         315         175           GENERAL ELECTRIC         2720 KSR Printer 30 CPS         1,195         115         67           MAZELTINE         Executive 80/20         1,345         127         75           Executive 80/20         1,345         169         90           MX-80 F/T Printer         745         71         42           WX-80 S/T Printer         895         86         48	the means that we	ADM42 CRT Terminal				1
CDLORSCAN 10 Color CRT         3,195         307         111           TELEVIDEO         25 CRT Terminal         850         82         46           SD CRT Terminal         1,075         103         57           NEC SPINWRITER         Letter Quality, 7715 R0         2,895         316         175           SENERAL ELECTRIC         2030 KSR Printer 30 CPS         1,195         115         67           SENERAL ELECTRIC         2030 KSR Printer 120 CPS         2,195         211         117           HAZELTINE         Executive 80/20         1,455         162         90           WX-80 F/T Printer         745         71         42           WX-80 F/T Printer         795         86         48		EXCEL 12 CRT Terminal				6
TELEVIDEO         \$25 CRT Terminal 50 CRT Terminal 50 CRT Terminal 50 CRT Terminal 50 CRT Terminal 1,075         850 1,075         82 1,035         46 1,075           NEC SPINWRITER         Lefter Quality, 7715 R0 Lefter Quality, 7715 KSR 2,895         2,895         278         154           GENERAL ELECTRIC 7/20 KSR Printer 30 CPS         1,195         115         67           MAZELTINE         Executive 80/20         1,345         127         75           EXPSON         WX-80 F/T Printer WX-100 Printer         745         71         42           WX-100 Printer         895         85         48	DATAMEDIA					3
Image: Constraint in the image inthe image inthe image in the image in the image in the image in th						3
SENERAL ELECTRIC         033 KSR printer 30 CPS 120 KSR printer 120 CPS         1.195 2.195         115 211         67 117           HAZELTINE         Executive 80/20 Executive 80/30         1.345         127         75           HAZELTINE         Executive 80/20         1.345         127         75           HAZELTINE         Executive 80/20         1.695         162         90           WX-80 F/T Printer         745         71         42           WX-100 Printer         895         85         48	TELEVIDEO	950 CRT Terminal				3
SENERAL ELECTRIC         033 KSR printer 30 CPS 120 KSR printer 120 CPS         1.195 2.195         115 211         67 117           HAZELTINE         Executive 80/20 Executive 80/30         1.345         127         75           HAZELTINE         Executive 80/20         1.345         127         75           HAZELTINE         Executive 80/20         1.695         162         90           WX-80 F/T Printer         745         71         42           WX-100 Printer         895         85         48	NEC SPINWDITED	Letter Quality, 7715 RO	2,895	278	154	10
HAZELTINE         Executive 80/20         1.345         127         75           Executive 80/30         1.695         162         90           EPSON         MX-80 F/T Printer         745         71         42           MX-100 Printer         895         86         48	NEG GRIMMAITEN					11
HAZELTINE         Executive 80/20         1.345         127         75           Executive 80/30         1.695         162         90           EPSON         MX-80 F/T Printer         745         71         42           MX-100 Printer         895         86         48	GENERAL ELECTRIC	2030 KSR Printer 30 CPS				4
HAZELTINE         Executive 80/30         1,695         162         90           EPSON         MX-80 F/T Printer         745         71         42           MX-100 Printer         895         85         48						4
MX-80 F/T Printer         745         71         42           MX-100 Printer         895         86         48	HAZELTINE	Executive 80/30				6
MX-100 Printer 895 86 48	EDRON	MX-80 F/T Printer				2
	EPSON	MX-100 Printer				3
	TIMEPLEX					5
TIMEPLEX         E0400 4 Channel Stat Mux         1,525         147         82           0500 8 Channel Stat Mux         2,050         197         110           FULL OWNERSHIP AFTER 12 DR 24 MONTHS - 10% PURCHASE DPTION AFTER 35 MONTH         10% PURCHASE DPTION AFTER 35 MONTH	TIMEPLEX	MX-100 Printer E0400 4 Channel Stat Mux E0800 8 Channel Stat Mux	895 1.525 2,050	86 147 197	48 82 110	17
MICROCOMPUTERS	APPLE			111		
APPLE + COMMODORE + HP85 + DEC LSI 11						
	ADDUSTIC COUPLERS - MOD	MS - THE RMAL PAPER - RUMENS - INTERFAC	E MODULES	. FLOPPY	disk of	IS

# 

# DISTRIBUTORS – DEALERS FOR A UNIQUE NEW PRODUCT

# AVAILABLE ALSO TO END USERS

Micro, mini and mainframe users can cut costs and save time with Keele Codes unique E40 compression utility.

If you – make bock-up copies from Winchester or floppy disk

- archive your database files
- -save reports or correspondence on
- tape or disk
- need more media spoce accessible from the terminal
- send written material via line or telephone


then Keele Code E40 could halve your disk costs and save transfer time by compressing natural English to about 40% of its original size. Through compression you achieve more than twice os much moteriol on each disk in the same time as it would take to moke a copy. Optimised for English – E40 will compress ony written/data/program material and all 256 ASCII characters con be coded and faithfully restored. Numeric tables too!

Avoilable for most CP/M machines, including 8" IBM, Xerox 820, Superbrain, North Star, Z80 Apple, Osborne, Vector, Heath/Zenith, Televideo.

Also available for PDP11 and GEC 4080 series. Other languages to follow.

Write or phone for full details Keele Codes Limited, University of Keele, Keele, Staffs. ST5 5BG England. Tel: 011 44 782-629221. Telex: 851 36113.

Cut out the coupon Mastercharge accepted. You may phone or telex your order	BS/01
Please send me E40 for CP/MRetail price \$ 9' (inc air mail postage	Tick
CP/M manual onlyRetail price \$13 further details	⁵ □
Name	
Address	
l enclose a cheque/ money order for	
Mastercharge	
My computer is	
Year of purchase	



 Ease of use for minimal training.

 Search and replace feature yields quick replacement of selected characters or strings.



# **8086 SOFTWARE**

From Dynamic Microprocessor Associates, Inc.

### EM80/86[™]

An emulator which will permit an 8086, using 86-DOS (IBM Personal DOS, MS-DOS, SB-86*) or CP/M-86*, to run CP/M* programs written for 8080 without modifications. Complete system \$200.

### **THE FORMULA[™]**

An information manager incorporating characteristics of a data base manager, a word processor, and a compiler language into a "system language" for application development. Delivered with the General Accounting System including General Ledger, Accounts Payable, and Accounts Receivable. Complete system \$595; manual only \$60.

#### **ASCOM**TM

The Asynchronous Communication Control Program allows a microcomputer to communicate with another computer through a serial port; ideal for interfacing with a time sharing system. Includes various protocols and supports both batch and interactive processing. Complete system \$175; manual only \$20.

#### **UT86**[™]

System utilities designed to improve the user friendliness of systems using 86-DOS. UT86 provides neatly formatted and sorted directories, interactive copy routines which permit selection of individual files or groups of files, formatted file printouts with pagination and headings, and more. Complete system \$180.

### THE FOUNDATION[™]

An advanced data entry and query language. Available Summer 1982.

### DMA • WE SPEAK YOUR LANGUAGE

#### Dynamic Microprocessor Associates, Inc.

545 Fifth Avenue, New York, New York 10017 • (212) 687-7115

We ship prepaid and COD orders. Shipping & Handling charges extra: \$5 UPS areas: \$7 non-UPS areas. Mexico. Canada: \$10+ elsewhere. MasterCharge and VISA accepted. *Trademarks: 80-DOS. Seattle Computer Products: CP/M and CP/M-86. Digital Research: SB-86. Lileboat Associates: MS-DOS, Microsoft

Pressing I twice in a row yields the original character. The drawback to use of this command is that shifting causes black pixels to be brought in on one edge of the pallet. If you want a white background, these pixels must be filled in separately. The alternative is to make the background black before shifting, then change the background back to white with the Invert command.

#### Terminating the Edit

Once you are satisfied with an edit, type N (for new character). This makes the change permanent. The ABORT, QUIT, MAKE CHARAC-TER prompt is then displayed and a new character may be selected for edit, or the new characters may be saved in the output file with the Q command. Then you are asked whether you want to begin a new edit session. Typing N terminates the program. Typing Y causes prompts for new input and output files to appear. If a null (Return key only) is entered for either file name, the program is terminated.

#### Using the New Character Set

In order to use a character set that you create, you must rename the file output from CHEDIT to SYS-TEM.CHARSET. This is required by the TURTLEGRAPHICS unit.

The alternative is to write your own versions of WCHAR. WSTRING, and CHARTYPE by using DRAWBLOCK, in which case you must match some of the declarations made in CHEDIT (charimage, charset, and charfile), and read in the character-set file of your own choosing (see procedure drawallchars).

#### Summary

CHEDIT is a simple editor for Apple-format character sets. If required, modifications should be easy to make. I graciously forgive Apple for providing such a limited form of graphics support with its Pascal package; it is adequate for many small applications. But with CHEDIT, there is no reason why you should be restricted only to the character sets provided by Apple.



445

BYTE May 1982

# Give Your Apple a Voice

A Speech-Development System Using the Radio Shack Speech Synthesizer

> John Blankenship Professor of Computer Technology DeVry Institute of Technology 2858 Woodcock Ave. Atlanta, GA 30341

"Speech. It separates man from the lower forms of life and from mere machines." In the not-too-distant past, this statement would have been true. Now, with many consumer products gaining the power of speech, it seems only natural that the complete home-computer system have the power of verbal communication.

I added the power of speech to my Apple II with the aid of a Radio Shack Voice Synthesizer. To make the same conversion with your Apple you will need to tinker with its hardware: if you own a TRS-80 you will have to modify some of the software presented here, and if you own anything else you will have to do a little of both. I will attempt to cover the subject in such a manner that modifications will be as painless as possible. They might even be fun!

#### Speech Alternatives

I had wanted to add the power of speech to my computer for some time and had explored several alternatives. I found that the best speech quality resulted from methods that *reproduced*, rather than *created*, the human sounds desired.

A simple sampling method that uses an A/D (analog-to-digital) converter can produce superb sound quality if the sample rate is sufficiently high. Each sample, however, uses 1 byte of memory, so it is not unreasonable for one second of speech to require 4000 bytes. In addition, the vocabulary is fixed and considerable effort is required to increase it.

Another method for reproducing speech is LPC (linear predictive coding). This technique is used in Texas Instruments' Speak & Spell, and while it reduces the memory requirement to several hundred bytes per second, the quality of speech is slightly reduced (and it still has the disadvantage of a fixed vocabulary).

The Radio Shack Speech Synthesizer generates the sounds that make up speech, called phonemes, through the use of Votrax circuitry. The Speech Synthesizer can generate 45 different sounds, 10 of which are

Phoneme Sound	Example Usage	ASCII Characters
''a'' ''ah'' ''aw'' ''e'' ''eh'' ''oo'' ''u''	day honest law meet heavy book school	); 1 E 3 % U
phonemes Shack's Sp	available veech Synthe	among the 45 with Radio sizer. These o form words


capable of varying durations (see samples in table 1). The major advantage of this method is that the words are not reproduced, but *created* from a single-byte code, which translates to less than 20 bytes for each second of output. These phonemes can be combined in any order, thus permitting an essentially unlimited vocabulary.

In the past I had heard speech that was generated from phonemes, and it was generally of poor quality. After a great deal of practice, I discovered that quality was more a function of the programmer than of the hardware. One major consideration in understanding speech is the rhythm. As an example, pronounce the word "kick." You will notice a pause before the last "k." The word flow can be improved through the insertion of such pauses.

Even the phonemes themselves can present problems. Let's examine the word "name." When asked what sounds form this word, most people initially respond with "n", "a", "m", where the "a" is long. If these sounds were sent to the synthesizer it would say something that *resembled* "name," but it would hardly sound proper.

A closer examination of the word "name" reveals the sounds "n", "a", "e", "m", where both the "a" and "e" are long. When these sounds are re-

and sentences.



**Figure 1:** Schematic diagram for the interface between the Apple II Parallel Interface card and the Radio Shack Speech Synthesizer.

produced by the synthesizer, the word is easily recongnized. Now, however, the word ends too abruptly. The addition of another "m" to form the combination "n", "a", "e", "m", "m" sounds nearly human. (By lengthening the "a" or the "e" sound you can attain a pronunciation applicable to a particular region of the country.)

Word flow can also be improved by the addition of such neutral phonemes has "eh" and "uh." The transition between sounds in the word "name" is improved by adding an "uh" between the "n" and the "a" sounds.

By varying these techniques, I convinced myself that above-average speech quality could be achieved with phonemes. In order to manipulate the sounds quickly and easily, I decided to write a program that could perform the following: •Aid in determining the proper sounds

•Keep those sounds in a dictionary •Convert words to sounds automatically

I wanted to write the program in a modular format for two reasons. First, although the program would be written on an Apple II, I expected that many Radio Shack TRS-80 owners would want to convert it. The use of small modules, each with specific functions, would simplify the modification process considerably.


Second, although this program would be used to develop a dictionary, it would also be used in an application program to decode and output the words. If I wrote the original program in modules, the sections not required in the application program could be deleted to conserve memory.

<b>V</b> Oryx
SOLLMALG
GUARANTEED LOWEST PRICES!
To celebrate our opening, we are matching any advertised price. Just
show us the ad.
ORDER TOLL FREE - Outside WI
1-800-826-1589
SOFTWARE Graphpower 299. Tax Preparer 182 127
Real Estate Analyzer 127
Creative Financing 127. Word Processor 1 425. DB Master 179.
Mail Management
Micropro Wordslar (Apple)         248.           Mailmerge (CP/M)         90.           Spellslar (CP/M)         169.           Supersort II (CP/M)         159.           Context Connector         180.           Easwriter (Pro)         195.
Context Connector 180. Easywriter (Pro) 195.
Superscribe II 95.
Easymaller 160. Datadex 249. Microplan Basic 419.
Wizardy 42. Nevada CoBol 159
Apple Panic 25. SpellGuard 239
Computer Air Combat 53. PFS & Report 80.
Sublogic Filght Simulator 28. SpeedStar 115. Systems Plus Acc'lg. Module 425.
Zork II
Painter Power 34. Invoice Factory 148.
Raster Blaster 25.
Visiterm
Visidex 209. Visitrend/Visiplot 249. Magic Window 79.
Int'i Grand Prix 25.
Estimator 295. A-stat 79 145. Super Vyz 95. Graphic Soltware 19.
C.O.R.P.I. 235. Snack Allack 22.
Electronic 1, 11, or 111
Mailing List Program 50. Apple Doc 49.
Quoted prices valid for stock on
hand and subject to change without

Quoted prices valid for stock on hand and subject to change without prior notice.


Programs for popular microcomputers.

Ask for our FREE catalog.



- Add \$2.50 for shipping per software and small item. Call regarding others.
   We Welcome:
   Visa. Mastercharge - (Add 4%)
   Checks (Allow 1-2 weeks for clearing)
   CD0 (Add \$1.50 per shipment)
- TOLL FREE Outside Wisconsin 1-800-826-1589 For Technical Info & in Wisconsin: 715-848-2322 Oryx Software 205 Scott St., Dept. BB

Box 1961 . Wausau, WI 5440



**Photo 1:** The Radio Shack Speech Synthesizer with the author's adapter for the Apple II computer.

**Photo 2:** Inside the Speech Synthesizer. The Votrax circuitry is encased in plastic, and none of the supporting integrated circuits have markings.

Let's take a closer look at the Radio Shack Voice Synthesizer to determine the requirements of such a program.

#### What the Synthesizer Needs

The synthesizer (see photo 1) has a built-in amplifier and speaker, and the ribbon cable plugs directly into the TRS-80 keyboard or expansion connector. It uses memory-mapped I/O (input/output) so that anything stored in the last 32 screen memory locations is sent to the synthesizer.

In order to use this system with my Apple II computer, I made an adapter (also shown in photo 1) to connect it to my parallel interface card, which doubles as my printer interface when the system is not speaking. The only unusual requirement of the adapter is that the memory-mapped port inside the synthesizer must be hardwired to an address that will keep it enabled. I also added a power-on reset so that I would not have to contend with random sound each time the unit was turned on. Figure 1 shows the schematic for the adapter.

It is difficult to identify any of the internal circuitry of the synthesizer. The Votrax unit is completely sealed, and none of the surrounding integrated circuits are marked (see photo 2). But the central component, the Votrax SC-01 integrated circuit, is available to experimenters from the

**Listing 1:** Simple Apple program to convert sentences into phoneme codes. This routine uses information stored in DATA statements and performs a linear search to produce the proper output. The relatively slow speed limits it to use with vocabularies of less than 100 words.

```
10
      INPUT TS
      GOSU8 60000
15
z o
      GOTO 10
3.0
     END
60000 T1$ = "":OUT = 49361
60005 FOR T = 1 TO LEN (T$)
80007 T1$ = T1$ + MID$ (T$,T,1)
60010 IF MID$ (T$,T,1) = " T
                                               THEN 60050
60020
          NEXT
60030
           RETURN
60050
          RESTORE
                                                              " THEN 60055
60055
          READ T28, T38: IF T18 (
                                              ) T26 +
60057 T35 = T35 + " "
60060 FOR T1 = 1 TO LEN (T35)
60070 POKE OUT, ASC ( MID5 (T35,T1,1))
60071
           PRINT
                    MID: (T3:,T1,1);
        POKE (OUT + 3),0
NEXT T1
T15 = "": GOTO 60020
60080
60090
60095
60100
          DATA
                   YOU, YCCU
                   WILL, WW#! I##LLO
60101
          DATA
60102
          DATA
                   NOT, "NNA; ASTTO"
60103
          DATA
                   LIE, "OLAA; A*O"
                    TO, TTH (UUUO
60104
          DATA
60105
          DATA
                   ME, MME . 60
```

Micromint, 917 Midway, Woodmere, NY 11598, (516) 374-6793.

#### Software

Actual operation of the unit is easy. Listing 1 shows a simple program that converts entered sentences to phoneme codes and sends the codes to the synthesizer.


The words and their respective sounds are kept in data statements. I soon found that the major disadvantage of this method was loss of speed. After I acquired several hundred words in my dictionary, the time that elapsed between words spoken became several seconds; this is obviously excessive for real-time output. However, the small program works well for vocabularies of less than 100 words, and it is very easy to add to an application program.

In addition to the speed problem of those applications that require large vocabularies, I still needed to develop the proper sounds. The program in listing 2, which fulfills all of the requirements set forth earlier, is the result of my effort. Let's examine each module in this program individually.

The first section provides the basic documentation. Note that all variables start with the letter T. In general, variable names should be easily identifiable, but I chose to modify this policy. Since this program would be added to other programs, I wanted to avoid using the same variable in both.

# COMPUTER AND INFORMATION SCIENCES

-the oldest, largest and most respected book club for the computer professional



#### (Publishers' Prices Shown)

56680. INVERSIONS: A Catalog of Caligraphic Cartwheels. Scott Kim. Explores the myriad mysteries of written human language and the way in which the human brain interprets it. Softcover. \$8.95

52140-2. THE HANDBOOK OF ARTIFICIAL IN-TELLIGENCE. Volume 1. Edited by Barr and Feigenbaum. An outstanding collection of articles which demonstrate how computers exhibit near-human intelligence. Over 400 pages. Counts as 2 of your 3 baoks. \$30.00.


42000-2. DESIGN AND STRATEGY FOR DIS-TRIBUTED DATA PROCESSING. James Martin. Coverage of the impact of DDP on the ultimate users of a system, the office-of-the-future concept and much more. Counts as 2 of your 3 books. \$37.50

82522. TEACHING YOUR COMPUTER TO TALK: A Manual of Command and Response. Edward R. Teja. A fact-filled guide to voice equipment for computers. \$15.95

42053-2. DESIGNING A DISTRIBUTED PRO-CESSING SYSTEM. Humish Donaldson. Includes file strategy. communication networks, and workflow design. Counts as 2 of your 3 books. \$34.95

54425. IDA: A User's Guide to the IDA Interactive Data Analysis and Forecasting System. Ling and Roberts. An essential handbook that explains how to use the IDA package. \$12.50

70745. A PROGRAMMER'S GUIDE TO COBOL. William J. Harrison. \$18.95



**70691. PROGRAM FLOW ANALYSIS.** Edited by Muchnick and Jones. A comprehensive look at a statistical method which can yield more efficient and reliable software. **\$23.50** 

62757. MINICOMPUTERS: Low-Cost Computer Power For Management. Revised Edition. Donald P. Kenney. How to use minicomputers to cut data processing costs and set up more manageable information handling systems. \$14.95

79167. SOFTWARE RELIABILITY GUIDEBOOK. Roberl L. Glass. Analysis of technical tools available for software design and implementation. Includes applications for small operations to mammoth projects. \$18.95

39960. COMPUTER-ASSISTED DATA BASE DE-SIGN. George V. Hubbard. A complete look at data models, editing, design tactics, root anchor points and much more. \$24.95

**39977-2. COMPUTER CONTRACT NEGOTIA-TIONS.** Auer and Harris. Shows the computer professional how to handle every phase of successful negotiation. from preparation through signing the final agreement. Counts as 2 of your 3 books. **\$34.50** 

34115. APL IN PRACTICE. Edited by Allen J. Rose et al. Covers topics including writing maintainable APL codes. evaluating telecommunications networks, using APL for construction accounting and more. \$25.00

70230. PRINCIPLES OF SOFTWARE ENGINEER-ING AND DESIGN. Marvin V. Zelkowitz et al. A practical guide which shows you how to handle everything from small programs all the way through the design of large, complex software systems. \$24.50

78333-2. SIMPLIFIED ACCOUNTING FOR ENGI-NEERING AND TECHNICAL CONSULTANTS. Hayes and Baker. Easy-to-follow, plain language format. Covers partnership share accounting, compensation plans, time accounting, systems of billing and more. Counts as 2 of your 3 books. \$27.95

53667-2. HOW TO BUILD YOUR OWN SELF-PRO-GRAMMING ROBOT/ROBOT INTELLIGENCE ...WITH EXPERIMENTS. David L. Heiserman. A two-volume set. Counts as 2 of your 3 books. \$29.90

42420. THE DISTRIBUTED SYSTEM ENVIRON-MENT: Some Practical Approaches' Grayce M. Booth. Covers horizontal and hierarchical distributed structures, networking and much more. \$21.95

34440. THE ART OF ELECTRONICS. Horowitz and Hill, Emphasizes circuit intuition and non-mathematical design techniques. Packed with diagrams, schematics, and illustrations. \$224.95

www.americanradiohistory.com

51955-2. A GUIDE TO THE SUCCESSFUL MAN-AGEMENT OF COMPUTER PROJECTS. Hamish Donaldson. Invaluable advice on project management and documentation, systems design strategy. and programming. Counts as 2 of your 3 books. \$34.95

79155. SOFTWARE INTERPRETERS FOR MI-CROCOMPUTERS. Thomas C. McIntire. How to design a reliable software interpreter for any microcomputer system. \$23.95

42213. DICTIONARY OF BUSINESS AND MAN-AGEMENT. Jerry M. Rosenberg. Over 8000 entries. \$24.95

81895. SYSTEMS ANALYSIS AND MANAGE-MENT: Structure, Strategy, and Design. Donald V. Steward. Insightful discussion of critical path scheduling, management modelling, structural models and more. \$25.00

32270-2. ADVANCES IN COMPUTER PROGRAM-MING MANAGEMENT. Vol. I. Edited by Thomas A. Rullo. Covers programmer evaluation, goal setting and performance standards, productivity measurements and more. Counts as 2 of your 3 books. \$29.50

48494. FILE TECHNIQUES FOR DATA BASE OR-GANIZATION IN COBOL. Johnson and Cooper. Includes technical considerations in choosing a file structure, data structures and more. \$20.95

42303. A DISCIPLINE OF PROGRAMMING. Edsger W. Dijkstra. A programming classic. \$22.95

70725-2. THE PROGRAMMER'S ANSI COBOL REFERENCE MANUAL. Donald A. Sordillo. Alphabetized and heavily cross-referenced, provides a complete reference to COBOL verbs, syntax concepts and uses. Counts as 2 of your 3 books. \$27.95

81857. SYSTEMATIC PROGRAMMING. Niklaus Wirth. A classic work on programming as an exercise in constructing algorithms by the noted author. \$23.95

79240. SOFTWARE PSYCHOLOGY: Human Factors in Computer and Information Systems. Ben Shneiderman. \$24.95

If reply card has been removed, please write: **The Library of Computer and Information Sciences** Dept. 7-BB3, Riverside, N.J. 08075, to obtain membership information and application.



ONE CHIP DOES IT ALL Jaws-IB is the Rolls-Royce of all the S100 dynamic boards. Its heart is Intel's single chip 64K dynamic RAM controller. Eliminates high-current logic parts dolou linear measive best sinks unreliable

... delay lines... massive heat sinks... unreliable trick circuits. JAWS-IB solves all these problems. LOOK WHAT JAWS-IB OFFERS YOU Hidden refresh... fast performance... low power consumption ... latched data outputs ... 200 NS 4116 RAM's ... on-board crystal ... RAM Jumper selectable on 8K boundaries ... fully socketed ... solder mask on both sides of board ... phantom line ... designed for 8080, 8085, and Z80 bus signals ... works in Explorer, Sol, Horizon, as well as all other well-designed S100 computers.



**Listing 2:** Completed speech-development program for the Apple. This program incorporates features that help determine proper sounds, maintain a dictionary, and automatically convert entered words to sounds.

```
60000
        REM *******************
10003
        REM *
                   SPEECH
        REM *
60002
                 DEVELOPEMENT
                 SYSTEM
60003
        REM *
        REM *
60004
                      BY
        REM * JOHN BLANKENSHIP
60005
        REM ***************
60006
60007
        REM
             THIS PROGRAM HAS BEEN DESIGNED TO BE INCLUDED INTO ANY
             OTHER PROGRAM REQUIRING SPEECH OUTPUT
60008
        REM
60009
        REM
60010
              ALL VARIABLES BEGIN WITH 'T' TO HELP PREVENT CONFLICTS
        REM
             WHEN WRITING THE APPLICATION PROGRAM
60011
        REM
60012
        REM
60013
        REM
              THE ENTIRE PACKAGE PROVICES FOR COMPLETE DEVELOPMENT
60014
        REM
             AND MAINTENANCE OF A PHONETIC DICTIONARY AS WELL AS THE SOFTWARE TO MAKE THE REQUIRED RUN TIME CONVERSIONS
80015
        REM
60016
        REM
60017
        REM
              THE SYSTEM IS MODULAR SO THAT UNNEEDED ROUTINES MAY BE
80018
        REM
             DELETED FROM THE APPLICATION PACKAGE
60019
        REM
60020
        REM * INITIALIZATION *
REM ***************
60021
60022
60023
        DIM TW$ (300), TP$ (300)
        LET DS = CHRS (4)
60024
80025
        REM
        REM ******************
60026
        REM *
                     MENU
60027
        REM ******************
60028
       TEXT : HOME
PRINT "
60029
                        SPEECH OEVELOPEMENT SYSTEM"
60030
        PRINT "
60031
                       WRITTEN BY JOHN BLANKENSHIP": VTAB 8
                    1. INPUT OATA FROM DISK"
2. Save data to oisk"
        PRINT "
60032
       PRINT "
PRINT "
PRINT "
60033
                     3. PREPARE NEW WORD FOR ENTRY"
60034
        PRINT "
                      4. SAY A SENTENCE"
60035
        PRINT "
60036
                     5. LIST DICTIONARY"
        PRINT "
                    6. RETURN TO BASIC"
Print "Which? ";: Get TT$
60037
        VTAB (20):
60038
       IF VAL (TT$) = 6 THEN HOME : END
LET T1 = VAL (TT$): IF T1 < 1 OR T1 > 5 THEN PRINT CHR$ (
60039
60040
7): GOTO 80038
60041
        ON T1 GOTO 60043,60062,60081,60137,60122
        REM
80042
        REM ******************
60043
               INPUT DATA
        REM *
60044
60045
        REM *
                   FROM DISK
                                   .
        60046
60047
        HOME
        PRINT "
                        INPUT DATA FROM DISK": VTAB 8
60048
60049
        INPUT "WHAT FILE NAME "; TNS
       IF LEN (TN$) = 0 THEN 60026
PRINT D& OPEN SPEECH. TNS
60050
60051
       PRINT D&"READ SPEECH. "TN&
INPUT TA
60052
60053
                  PRINT "FILE ";: INVERSE : PRINT TN#;: NORMAL : PRIN
60054
        VTAB 20:
T " CONTAINS "TA" WORDS "
60055 FOR T1 = 1 TO TA
        INPUT TW&(T1)
INPUT TP$(T1)
60056
60057
60058
        NEXT T1
PRINT D&"CLOSE SPEECH. "TN#
60059
        COTO 60026
60060
60061
        REM
60062
        REM *********************
60063
        REM * SAVE DATA TO DISK *
        REM .......
60064
        HOME : PRINT " SAVE I
IF LEN (TN$) = 0 THEN 60069
                                  SAVE DATA TO DISK": VTAB 8
60065
60066
     7 PRINT "USE FILE NAME ";: INVERSE : PRINT TN$;: NORMAL : PRIN
(Y/N) ": GET TT$
60067
т
60068
        IF TTS = "Y" THEN 60070
        VTAB 12: INPUT "WHAT FILE NAME ";TN$
VTAB 20: PRINT "SAVING "TA" WORDS"
60069
60070
        PRINT DS "OPEN SPEECH. "TNS
60071
                                                    Listing 2 continued on page 452
```

450 May 1982 © BYTE Publications Inc

## FOR ONLY \$129.95 Learn Computing From The Ground Up

Build a Computer kit that grows with you, and can expand to 64k RAM, Microsoft BASIC, Text Editor/Assembler, Word Processor, Floppy Disks and more.

#### EXPLORER/85

Here's the low cost way to learn the fundamentals of com-puting, the all-Important basics you'll need more and more as you advanced energing Explore/185 motherboard, with all the features you need to learn how to write and use programs And it can grow into a system that is a nuich for any personal computer un the market. Look at these features 4005 Central Processing Unit, the microprocesant "heart" of the Explore/185 (figin the millions who will huy and use the 600/4005 this year alient"). From this plass need-bit impulsively parts from which you can Input and use the 500/4005 this year alient"). From this plass need-bit inpulsion as a well as control externor Switches, relays. Ights, etc. a cassette interface that less you since and reload programs you've learned to write. If-huxe 2.000 hyte operating system/minuting makes it leaves to learn computing in control exterior swinches, noisy's tignis, etc. — a cassette interface that lies vin stime and reload programs you've learned to write the laws to learn computing in-system/inumitier makes it haves to learn computing in-ing and intering of programs. • It permits access by you coall parts of the system so you can check up in the situates rang and intering of programs. • It allows tracing each pro-gram siep by sign, with provision for displaying all the contents of the CPU (registers, flags, etc.] • . . and it does much more! You get all this up the starting level (Level A) of the Explorer/BS for only \$123-85. Incredible To use, just plug in your #VDC power supply and terminal or hyphoad/display — if you don't have them, see our pecial differs helow. Level A computer kit (ferminal Version] . \$123.96 Di Level A kit (flex keypad/Display Version) . \$129.96 plus \$174.1.

postpard. LEVEL C — Add still more computing power: this "build-ing block" mounts directly on the motherboard and expands the S100 hus to six slots [] Level C kit. 39.65 plus 52 Pat."



LEVEL D — When you reach the point in learning that re-quirts more memory, we offer two choices: either add sk of a memory directly on the motherboard. or add 18k to 6k of memory hy means of a single \$100 card, our famous "LAME". IAW

"[AWS:" Level D Lid (CHECK ONE). ☐ 4k no-beard . 549.95 plus 52 Pal*: ☐ 16k S100 "[AWS". \$149.95 plus 52 [PAl*]. 22k S100 "[AWS" . \$199.95 plus 52 Pal*]. ☐ 46k S100 "[AWS" . \$249.95 plus 52 Pal*]. ☐ 64k S100 "[AWS" . \$269.95 plus 52 Pal*]. ☐ 64k S100

LEVEL E — An Important "building block." It activates the#k ROM/EPROM space on the motherboard. Now just plug in our #k Microsoft BASIC or your own custom programs

programs □ Level E kit **35**, 35 plus 50: P bi ¹ <u>Microsoft BASIC</u> — 11's the Language that allows you to talk English to your cantpuent 'It is available three ways □ bk cassette version of Microsoft BASIC (requires Level 1) and 12k of RAM minimum, we suggest a 1 bis 5100 "JAWS" — see abavet **564.85** postpaint. B k ROM version of Microsoft BASIC (requires Level II & Level E and 4k ROM (jest plug into your Level E sockets, Wir suggest effect the kL Level D RAM supportion are a 1bis S100 "JAWS") **369.85** plus **32** P bi ³ Dek version of Microsoft BASIC (requires Level B 32k of ROM, legip disk cantroller, "Toppy disk drive) **322** pointend

ST PAL⁺ Drive Cables (set up for two drives) \$25.00 plus ST 50 PAL⁺ C CP/M- 2.2 DIsk Operating System. Includes Text Educ/Assembler. dynamic debugger, and other features that give your Explorer/M access to thousands in features CP/M-based programs. \$150.00 peatpaid.

sohmer 309.80 plus 32 PA1* NEED A TERMINAL? We offer you choices the least ex-pensive one is our Heav Keypad/Display kit hat dis-plays the information on a calculator type screen. The other choice is our ASCII keyboard/Computer Terminal kit that can be used with either



4. Plug In Level E

SEND ME THE ITEMS CHECKED ABOVE Total Enclosed (Cann. Residents aidd sales tax). \$_____ Paid by:

	CARD (Bank No
Appl. No	Exp. Date
Signature	

City State Zin

NETRONICS Research & Development Ltd. 333 Litchfield Road, New Milford, CT 06776

# **ANNOUNCING TWO NEW TERMINALS**

Smart • Fast • Graphics • Matching Modem and \$295 Printer

Netronics announces a state of the art breakthrough in terminals. Now at prices you can afford, you can go on-line with data-bank and computer phone-line services. It's all yours: "electronic newspapers," educational services, Dow-Jones stock reports, games, recipes, personal computing with any level language, program exchanges, electronic bu-letin boards... and more every day!!!

Netronics offers two new terminals, both feature a full 56 key/128 character typewriter-style keyboard, baud rates to 19.2 kilobaud, a

style keyboard, baud rates to 19.2 kilobaud, a rugged steel cabinet and power supply. The simplest one, FASTERM-64, is a 16 line by 64 or 32 character per line unit, with a serial printer port for making hard copy of all incoming data, and optional provisions for block and special character graphics. The "smart" version, SMARTERM-80, features either 24 line by 80 character's per line or 16 by 40 characters per line, it olfers on-screen editing with page-at-line printing, 12,000 pixel graphics, line graphics, absolute cursor adfressing, underlining, reverse video, one-half intensity and much more ... simply plug them into your computer or our phone modem and be on-line instantly. Use your TV set (RF modulator required) or our delux green-phosphor monitor pictured above. For hard copy just add our matched printer.

Price breakthrough!!! Own the FASTERM-64, a complete terminal kit, ready to plug in for just \$199.95 or order the SMARTERM-80 kit for just \$299.95, (both available wired and tested.) Be on-line with the million-dollar computers and data services today ... we even supply the necessary subscription forms.

More good news: All the components in our terminals are available separately (see coupon), so you buy only what you need!!!

Couponi, So you buy only what you need!!! FASTERM-64 ... DISPLAY FORMAT: 54 or 32 charactersitine by 16 lines ... 96 displayable ASCII characters (upper & lower case) ... 8 baud rates: 150, 300, 600, 1200, 2400, 4800, 9600, 19, 200, (switch sel), ... LINE OUTPUT: RS232C or 20 ma current loop... VIDEO OUTPUT: 1V P/P (EIA RS-170) ... CURSOR MODES: home & clear screen. erase to end of line, areas curson line, cursor up & down, aulo carradge return/line feed at end of line & auto scrolling ... REVERSE VIDEO ... BLINKING CURSOR ... PARIY: off, even or odd ... STOP BITS: 1, 1.5, 2... DaTA BITS PER CHARACTER, 56, 7 or 8... CHARACTER OUTPUT: 5 by 7 dot matrix in a 7 by 12 cell., PRINTER OUTPUT: prints all incoming data ... IK ON BOARD RAM... OPTIONAL GRAPHICS MODE: Includes 34 Greek & math characters plus 30 special graphics CHARACTER... DISPLAY FORMAT: 60 characters by 24 lines or 40 characters by 16 lines SMARTERM-80, ... DISPLAY FORMAT: 60 characters case) 8 baud rates: 110, 300, 600, 1200, 2400, 4800, 9600, 19, 200 ... LINE OUTPUT: Prints all incoming data... IK ON BOARD RAM... DYTIONAL GRAPHICS MODE: Includes 34 Greek & math characters plus 30 special graphics CHAracters... ASCII ENCODED KEYBOARD: 65 characters. SMARTERM-80, ... DISPLAY FORMAT: 60 characters by 24 lines or 40 characters by 16 lines SMARTERM-80, ... DISPLAY FORMAT: 60 characters by 24 lines or 40 characters. To 200, 2400, 4800, 9600, 19, 200 ... LINE OUTPUT: INS232/C or 20 ma current loop ... VIDEO OUTPUT: 1V pp (EIA RS-170) ... EUTING FEATURES: Inseridelei Bine, inservidelei e character, for ward/back lab ... LINE OR PAGE THANSMIT... PAGE PRINT FUNCTION ... CARPHICS: 12,000 pikei resolution block plus line graphics ... OK-SCREEN PARITY INDICAOR ... PARITY: off, even or od ... STOP BITS: 110 baud 2, all others 1... CHAR. OUTPUT: 7 by 11 character line 8 by 12 block ... PRINTER OUTPUT... 60 OR SO HZ VERTICAL REFRESH ... BLINKING BLOKK CURSOR ... CRYSTAL CONTROLLED ... 2K ON BOARD RAM ... ASCII ENCODED SUPPLY. TELEPHONE MODEM

SUPPLY. SupplY

OUIRED. UNIT A State of the second se



Continental U.S.A. Credit Card Buyers Outside Connecticut CALL TOLL FREE 800-243-7428

To Order From Connecticut Or For Tech. Assist, Call (203) 354-9375 NETRONICS R&D LTD. Dept.

333 Litchfield Road, New Milford, CT 06776

Please send the items checked below:

COMPLETE FASTERM:64 TERMINAL (includes FASTVID:64 video board ASCII-3 keyboard, steel cabinet and power supply) ... kit \$199.95 plus \$3 P&I ... wired & tested \$249.95 plus \$3 P&I ... graphics option: add \$19.95 to oract of board

... wired & tested \$249.95 plus \$3 P&I ... graphics option: add \$19.95 to each of above COMPLETE SMARTERM-80 TERMINAL (includes SMARTVID-80 video board, ASCII-3 keyboard, steel cabinet and power supply) ... kit \$29.95 plus \$3 P&I ... wired and tested \$369.95 plus \$3 P&I FASTVID-64 VIDEO BOARD (requires +5 & -12V DC) ... kit \$99.95 plus \$3 P&I ... graphics option add \$19.95 ... wired & tested \$129.95 plus \$3 P&I ... graphics option add \$19.95 ... wired & tested \$129.95 plus \$3 P&I ... praphics option add \$19.95 ... wired & tested \$129.95 plus \$3 P&I ... praphics option add \$19.95 ... wired & tested \$129.95 plus \$3 P&I ... praphics option add \$19.95 ... wired & tested \$249.95 plus \$3 P&I ... DELUXE STEEL TERMINAL CABINET ... \$19.95 plus \$3 P&I ... wired and tested \$89.95 plus \$3 P&I ... wired and tested \$89.95 plus \$3 P&I ... pOWER SUPPLY (powers ASCII-3 keyboard & video boards) ... kit only \$19.95 plus \$2 P&I

19.95 plus \$2 P&I
 ZENITH VIDEO MONITOR (high resolution green phosphor) . . . wired &
 tested \$149.95 plus \$6 P&I
 TELEPHONE MODEM MODEL 103 O/A . . . wired & tested \$189.95 plus \$3

P&i

P&I DOT MATRIX PRINTER Comet I ... wired & tested \$299.95 plus \$10 P&I □ RF MODULATOR MOD RF-1 ... kit only \$8.95 plus \$1 P&I □ 3FT-25 LEAD MODEM/TERMINAL OR PRINTER/TERMINAL CONNECTOR CABLE ... \$14.95 ea plus \$2 P&I CABLE

For Canadian orders, double the postage . Conn. res. add sales tax.

🗆 VISA 🛛 Ma	< □ Ca sterCard	ashier's Check/Money Orde (Bank No _ Exp. Date	
Signature Print Name Address			
City	State _	Zip	-



-	CP/M is a re	g trademark of Digital Research	
	K (Clip.	and mail entire ad) ★	
CEN	DMETU	FEELS CUECKED ADOL	

D Personal Check D Cashler's Check/Muney Order

MASTER CARD (Bank No
 E. Du

Print Name _

Address

Circle 5 on inquiry card.



```
Listing 2 continued:
           PRINT D& "WRITE SPEECH. "TN&
PRINT TA
60072
60073
           FOR T1 = 1 TO TA
PRINT TW$(T1)
PRINT TP$(T1)
60074
60075
60076
60077
           NEXT TI
           PRINT DS"CLOSE SPEECH. "TNS
60078
60079
           COTO 60026
60090
           REM
60091
           60082
           REM * PREPARE NEW WORD *
           REM *******************
60093
           HOME : PRINT " PREPARE AND ADD NEW WORD TO DICTIONARY"
60064
           LET T3 • FRE (0)
VTAB 4: INVERSE : PRINT "INSTRUCTIONS": NORMAL
PRINT " 1. ENTER PHONETIC SOUND"
60085
60086
                         1. ENTER PHONETIC SOUND"
60087
           PRINT "
                              2. HIT RETURN TO HEAR IT"
60088
           PRINT "
                              3. CONTINUE THE PROCESS UNTIL
                                                                                                     CORRE
60099
CT"
                              4. HIT RETURN (NO ENTRY) TO SAVE"
60090
           PRINT "
60091
           PRINT
           PRINT "
                              NOTE: A SPACE AT THE END OF A WORD
                                                                                                        15
60092
REQUIRED TO STOP SOUND"
60093 POKE 34,12: REM SET TOP OF WINDOW
60094 LET TS: = ""
--- IGP OF WINDOW

60085 REM INPUT LINE WITH EDITING TO MEMORY STARTING AT 512 - THE

60086 POKE 51,160: CALL 64874

60087 LET TSS = "": FOP T'
HEN 60099
                                       CHR$ ( PEEK (511 + T1) - 128): NEXT T1
60098 LET TS$ = TS$ +
          IF LEN (TS$) = 0 THEN 60103
LET T1$ = TS$
LET T$ = TS$: GOSUB 60186
60099
60100
60101
60102
          GOTO 60094
60102 GOTO 800044

60103 IF RIGHTS (T1$,1) = " " AND T1$ ( ) " " THEN T1$ = LEFTS

(T1$, LEN (T1$) - 1): GOTO 60103

60104 PRINT "DO YOU WISH TO SAVE THE SOUND": INVERSE : PRINT T1$;:

NORMAL : PRINT " (Y/N) ";: GET TT$: PRINT

60105 IF TT$ ( ) "Y" THEN TEXT : GOTO 60026

60106 INPUT "WHAT WORD HAS THIS SOUND ";TT$
          INPUT "WHAT WORD HAS THIS SOUND ";TT$

IF LEN (TT$) = 0 THEN 60028

REM FIND ALPHABETICAL POSITION OF NEW WORD IN ARRAY

IF TA = 0 THEN 60118

FOR T1 = 1 TO TA

IF TW$(T1) ( TT$ THEN NEXT T1

IF TW$(T1) ( ) TT$ THEN 60115

LET TP$(T1) = T1$

TFXT
60107
60108
60109
60110
60111
60112
60113
           TEXT : GOTO 60081
LET T2 = T1
60114
60115
60116
            REM MOVE ARRAY TO MAKE ROOM FOR NEW WORD
FOR T1 = TA TO T2 STEP - 1:TW$(T1 + 1) = TW$(T1):TP$(T1 + 1
60117
   = TP$(T1): NEXT T1
60118
           LET TA = TA + 1
IF T2 = 0 THEN T2 = 1
60119
           LET TW$ (T2) = TT$ : TP$ (T2) = T1$
60120
            TEXT : GOTO 60081: REM
60121
80122
           REM **************
           60123
60124
60125
                                                    LIST DICTIONARY": VTAB 3: PRINT "(A
NY KEY TO CONTINUE - ESC FOR MENUE)": VTAB 10

60126 IF TA = 0 THEN PRINT "NO WORDS IN DICTIONARY": FOR T3 = 1 T

0 1000: NEXT T3: GOTO 60026

60127 PRINT "DO YOU WANT THE PRINTER ON (Y/N) ";: GET T$
    127 PRINT "DO TOU WANT THE PRINTER ON (Y/N) ";: GET T6

128 IF T6 = "Y" THEN CALL 768: REM TURN PRINTER ON

129 HOME :T3 = 1: FOR T2 = 1 TO TA

130 LET T3 = T3 + 1: IF T6 ( ) "Y" AND T3 = 20 THEN GET T16:T3

1: IF T15 = CHR6 (27) THEN 60026
60128
60129
60130
60131
          PRINT TW&(T2), TP$(T2)
60132
           NEXT T2
            IF TS ( ) "Y" THEN GET TIS
PRINT DS"PR#0": REM TURN PRINTER OFF
60133
60134
60135
            COTO 60028
60136
           REM
           60137
30138
 80139
            REM ***************
            HOME : PRINT " SAY A SENTENCE"
PRINT : PRINT "DO YOU WANT GRAPHICS (Y/N) ";: GET TS$
 30140
 30141
            LET TG = 0:TF = 0: IF TB$ =
                                                         "Y" THEN TG = 1
 10142
 10143
            PRINT
 10144
           POKE 34,5: VTAB 6: REM SET WINDOW
PRINT "WHAT SENTENCE ": INPUT TS$
 0145
 :0146
            IF LEN (T56) = 0 THEN 60026
Gobub 60150: IF TG = 1 THEN TEXT : GOTO 60137
60147
60148
            GOTO 60145
60149
           REM
            REM **********
60150
           REM * SAY TS.
REM **********
60151
60152
```

Listing 2 continued:

IF TG = 0 THEN 60155 IF TF = 0 THEN GOSUB 60192:TF = 60153 60154 1 LET TS\$ = TS\$ + " ":T1\$ = "":T3 = FRE (0) FOR T1 = 1 TO LEN (TS\$) IF MID\$ (TS\$,T1,1) = " " THEN 80161 60155 60156 60157 LET TIS = TIS + MIDS (TSS.T1.1) 60158 NEXT TI 60159 RETURN 60160 60161 REM BINARY SEARCH OF ARRAY FOR WORD IF LEN (T1\$) = 0 THEN 60159 LET TL% = TA:T5% = 1 LET T2\$ = TW\$(T5%):TT\$ = TW\$(TL%) 80162 60163 60164 IF T16 > T26 AND T16 ( TT6 THEN 60168 IF T16 = T26 THEN T = T5%: GOTO 60176 IF T16 = TT5 THEN T = TL%: GOTO 60176 60165 60166 60167 LET T% = ((TL% - TS%) / 2) + TS% LET TY\$ = TW\$(T%) 60168 60169 REM NOT FOUND - BEND ORIGINAL WORD IF TYS = TS THEN TS = TIS:TIS = "": GOBUB 60181: GOTO 60158 LET TS = TYS 60170 60171 60172 60173 IF TIS > TYS THEN 60175 LET TL% = T%:TT\$ = TY\$: GOTO 60164 LET TS% = T%:T28 = TY\$: GOTO 60164 60174 60175 REM FOUND AT ELEMENT T REM FOUND AT T - SEND PHONETIC EQUIVALENT LET T\$ = TP\$(T): GOSUB 60181 60176 60177 60178 LET T18 = "": GOTO 80159 60179 60160 REM 60181 REM ********* ........ REM * OUTPUT T\$ REM * TO SYNTHESIZER REM ************ 60182 60183 60184 LET TS = TS + " ": IF TG THEN GOSUB 60226: IF RND (1) > .7 60185 COSUB 60214 THEN FOR T3 = 1 TO LEN (T\$) 60186 POKE 49361, ASC ( MIDs (T\$,T3,1)): POKE 49364,0: REM SEND T 60187 O OUTPUT PORT NEXT T3 IF TG THEN GOSUB 60234 60166 60189 RETURN 60190 60191 REM 60192 REM . DRAW LORES FACE 60193 REM ************** 60194 REM MAIN FACE 60195 GR : POKE - 16302,0: REM FULL SCREEN GRAPHICS FOR T2 = 40 TO 47: HLIN 0,39 AT T2: NEXT T2 COLOR= 8: HLIN 9,30 AT 0: COLOR= 7 60196 60197 60198 FOR T2 = 1 TO 39: HLIN 9,30 AT T2: NEXT T2 60199 VLIN 2.37 AT 8: VLIN 2.37 AT 31 VLIN 4.35 AT 7: VLIN 4.35 AT 32 VLIN 8.33 AT 6: VLIN 8.33 AT 33 60200 60201 60202 VLIN 8.33 AT 6: VLIN 8.33 AT 33 VLIN 13.32 AT 5: VLIN 13.32 AT 34 VLIN 18.26 AT 4: VLIN 18.26 AT 35 HLIN 8.30 AT 40: HLIN 10.29 AT 41 HLIN 10.29 AT 42: HLIN 11.28 AT 43 HLIN 12.27 AT 44: HLIN 13.26 AT 45 HLIN 14.25 AT 46: HLIN 15.24 AT 47 60203 60204 60205 60206 80207 ..... REM FACIAL FEATURES 60209 COLOR= 10: VLIN 23,33 AT 19: VLIN 23,33 AT 20 60210 COLOR= 3: VLIN 30,32 AT 18: VLIN 30,32 AT 21 COLOR= 8: PLOT 18,33: PLOT 21,33 60211 60212 HLIN 10,15 AT 16: HLIN 24,29 AT 16: GOBUB 60234 60213 60214 REM EYES COLOR= 7: FOR T4 = 19 TO 21 HLIN 11,14 AT T4: HLIN 25,28 AT T4: NEXT T4 LET TH% = RND (1) * 5:TV% = RND (1) * 2: FOR T4 = 10 TO 11: FOR T5 = 19 TO 20 60215 60216 RND (1) * 2: COLOR= 0 60217 60218 PLOT T4 + TH%, T5 + TV%: PLOT T4 + 14 + TH%, T5 + TV%: NEXT T5 60219 . T4 COLOR= 3: HLIN 11,14 AT 18 + TV%: HLIN 25,28 AT 18 + TV% 60220 COLOR= 8: HLIN 10,15 AT 18: HLIN 24,29 AT 18 HLIN 10,15 AT 22: HLIN 24,29 AT 22 VLIN 19,21 AT 10: VLIN 18,21 AT 15 60221 60222 60223 VLIN 16,21 AT 24: VLIN 19,21 AT 29 60224 60225 RETURN MOUTH OPEN 60226 REM REM HOUTH OFEN COLOR= 10: HLIN 16,23 AT 37: HLIN 17,22 AT 40 COLOR= 8: FLOT 14,37: FLOT 25,37 COLOR= 3: FLOT 13,36: FLOT 26,36 COLOR= 0: HLIN 15,24 AT 38 60327 60228 60229 60230 HLIN 16,17 AT 39: HLIN 22,23 AT 39 Color= 8 HLIN 18,21 AT 39 \$0231 60232 RETURN 60233 MOUTH CLOSE 60234 REM COLOR 7: HLIN 15,24 AT 39: HLIN 15,24 AT 40 Color 10: HLIN 16,23 AT 37: HLIN 17,22 AT 39 60235 60236 60237 COLOR= 8: PLOT 14.37 COLOR= 3: FLOT 13,36: PLOT 26,36 COLOR= 0: HLIN 16,17 AT 36: HLIN 22,23 AT 38 COLOR= 8: HLIN 16,21 AT 38 60236 60239 60240 60241 RETURN

Circle 335 on inquiry card.





roadster gives you all the pleasure of a classic sportscar - with easy maintenance and reliability, too! Easyto-assemble kit comes complete with everything you need to build the car at home in your leisure time, over a VW chassis and engine. Factory-built models also available. Fuel efficient, economical, and beautiful: you'll enjoy

1-800-328-5671*

*In Minnesota, [612] 544-2781. International TWX: 910-576-3150. Or write for complete brochures: send \$3.00 with your name, address, telephone number and the name of this publication, to Fiberfab, 1000 Turners Cross Rd. Minnearobie MD 15416 Spacific Minneapolis, MN 55416. Specify information on the MG-TD Replica



## 68000 MINI-SYSTEMS IEEE-696 S-100 Compatible

Special Offer

ERG-I \$7995 - CPU, 4 RS232 SERIAL PORTS, 64K STATIC RAM, 10 SLOT BACK PLANE, 28" DOUBLE DENSITY, DOUBLE SIDED FLOPPIES OR A 5MB 5¼" WINCHESTER, 68KFORTH¹ SYSTEMS LANGUAGE WITH MACRO ASSEMBLER, ALL INTEGRATED INTO DESK TOP CABINET, BURNED-IN AND TESTED.

ERG-II \$9795 - SAME AS ERG-I EXCEPT FOR MASS STORAGE; ERG-II HAS A 5MB 5¼" WINCHESTER AND ONE 8" DOUBLE DENSITY, DOUBLE SIDED DRIVE.

ERG-III \$12995 - CPU, 4 RS232 SERIAL PORTS, 256K DYNAMIC RAM, 10 SLOT BACK PLANE, 5MB 5¼" WINCHESTER AND ONE 8" DOUBLE DEN-SITY, DOUBLE SIDED DRIVE, IDRIS² MULTI-USER, MULTI-TASKING OPERATING SYSTEM AND C COMPILER, ALL INTEGRATED INTO DESK TOP CABINET, BURNED-IN AND TESTED.

ERG-IV \$18995 — CPU, 8 RS232 SERIAL PORTS, 512K DYNAMIC RAM, 10 SLOT BACK PLANE, 24MB 8" WINCHESTER AND 20 MB 1/4" TAPE CAR-TRIDGE, IDRIS² MULTI-USER, MULTI-TASKING OPERATING SYSTEM WITH BOTH C AND PASCAL COMPILERS, ALL INTEGRATED INTO DESK TOP CABINET, BURNED-IN AND TESTED.

8MHz CPU Standard, 10MHz Optional; OEM Pricing for CPU, Card Sets and Integrated Systems Available. Trademark 1 ERG; 2 WHITESMITHS LTD.

30 Day Delivery for Integrated Systems with valid purchase order

	EMPIRICAL RESEARCH	
United Kingdom	GROUP, INC.	Australia/New Zealand
MicroAPL LTD.	POB 1176	S.I. MicroComputer
London 834-2687	MILTON, WA 98354	Prod. LTD.
	206-631-4855	Sydney 231-4091

#### Text continued from page 448:

The INITIALIZATION section dimensions the WORD and PHONEME arrays to hold 300 entries each. This situation can be modified, of course, to suit your needs. In addition, the string variable D\$ is initialized by setting it equal to control-D for use in disk operation of the Apple. (This step would be omitted for such computers as the TRS-80.)

The MENU section allows easy selection of the desired function when developing a vocabulary. The GET statement permits you to enter data from the keyboard without using the Return key.

The two DISK modules save and retrieve the two arrays that contain the vocabulary. Two variables are particularly important if you are converting this program for use on another computer. The number of words in the dictionary, and thus the number of entries in each array, is the first number in the disk file. It is read into the variable TA, and it controls the number of words that are subsequently read into each array. The variable TN\$ holds the name of the disk file: this allows you to use several dictionaries. Dictionaries can also be loaded and saved to other disks when required.

The section for PREPARING A NEW WORD allows you to easily develop the proper sounds for a new dictionary entry.

Any character or group of characters will be "said" by the synthesizer when the Return key is hit. The last sound is continually voiced, so each word should be followed by a space. This "problem" is actually a design feature. When developing a word, you can listen to each sound by typing its character and hitting Return with no space. This feature is indispensable when comparing different phonemes.

When the word is finally correct, hit Return with no entry, and you will be asked if you wish to save that sound. If you do, you will also be asked to supply a word that demonstrates the sound. Both the word and its sound will be automatically entered into the dictionary in alphabetical order. The importance of this will become apparent in a moment.

If you convert this program to another BASIC, lines 60095 to 60098 could present problems. These lines utilize a subroutine in the Apple's monitor that enters characters into the buffer area. A simple INPUT TS\$ could have been used, but my method allows you to enter such illegal characters as semicolons and quotes. In addition, it preserves all of the Apple editing features.

The LIST DICTIONARY allows you to dump all the present words and their sound codes to the screen (or a printer). The listing scrolls a new screen full each time a key is pressed. ESC will abort the listing and return to the MENU.

The section SAY A SENTENCE is used to say the words contained in T\$. It may be used as a separate subroutine if it is entered at line 60150, which only says TS\$, without entering it from the keyboard. This module performs a binary search of the words in the dictionary and outputs the appropriate sound to the synthesizer.

By using a binary search of the dictionary, conversion is done very quickly. For example, 256 words can be examined with only eight reads. This is possible because the words are organized in alphabetical order and the program divides the remaining words in half with each successive guess.

If the word is not found in the dictionary, it (not its phonemes) is sent to the synthesizer. Such words are, at best, poorly pronounced, but at least the system does not crash in the middle of a big demonstration. In most cases you'll find that one bad word is easily recognized in the context of a complete sentence.

The FRE(0) function in lines 60085 and 60155 forces an internal clean-up of the Applesoft string variables. This operation can require several seconds, depending on the length of the dictionary. When utilizing subroutines from this system in other programs, FRE(0) can be postponed until several sentences have been voiced. This will allow pauses at the most natural points.

Section OUTPUT T\$ sends the phoneme code of each individual



it as often as you wish to end users without paying royalties. This is the best-debugged, easiest-to-install, enhanced Osborne-based system on the market. The industry standard accounting package with thousands of users. It's well worth up to \$995 to end users.

You'll receive both source and object code for General Ledger, Accounts Receivable, Accounts Payable and Payroll & Cost Accounting, Plus, aur custom Installation program that railors the system to most terminals and disks.

Minimum requirements are 48K RAM, CP/MTM or CDOS, CBASIC2, TM a CRT, and a 132-column printer. Vandata can provide standard 8", NorthStar 5" double-density or Heath/Zenith 5" diskettes. Our installation manual is included and the Osborne/McGraw-Hill application manuals are available separately.


#### 17544 Midvale Ave. N., Suite 205, Seattle, WA 98133. (206) 542-7611 The Birth of UNIX[™] for CP/M[™]! Brings to CP/M Some of the BEST FEATURES The... MicroShell POWER of UNIX of UNIX! POPULARITY OF CP/M (Manna)) Available for adoption by: CP/M SOFTWARE DEVELOPERS **CP/M SOFTWARE USERS** Loads and Executes as a normal program under CP/M. Installing Itself under the CP/M operating system Other CP/M programs – editors/word processors/application programs/compilers/ assemblers – may then be run using all MicroShell leatures CP/M compatibility is generally not affected by MicroShell's presence det Human bards and CP/M Compatibility and the compatibility of affected by MicroShell's presence CP/M Compatibility Adds UNIX Power without losing CP/M Compatibility Console Input/Output Redirection · Send Console Output to a File instead of or in addition to the screen Example: stat *... > slatus - sends "stat" output to file "status" • Take Console Input from a File Instead of the Keyboard Example: ed filename < script - takes "ed" commands from the file "script" · Indispensable for: graphic debugging, saving exact Screen Output for documentation, etc. MicroShell finds your program. User concentrates on the big tasks, MicroShell does the details Permits development or data files on one drive and all programs on another User-specified file types for Automatic Search, Example: "com", "init", etc. User-specified Search Path. Example: Current Drive 1st, then Drive A, etc. Automatic Command File Search Path User types a logical group of commands to be executed Example: compile file; link file; file MicroShell executes the commands one at a time Multiple Commands Per Line Files of CP/M or MicroShell commands are executed by MicroShell simply by typing file name User-specified Command Filetypes. Example: ".sh", ".sub", etc. Argument substitution (\$1, \$2, etc.) as with CP/M SUBMIT/XSUB Direct Command File User definable prompt with Disk Drive and/or User Number optional Instail program to customize MicroShell to user's needs & system Others - ORDER MANUAL FOR FULL DETAILS Additional Features CP/M 2 2/32K with 8080 8085/280 CPU Required Mail or Phone Adoption Requests to: NEW 2153 Golf Course Drive ADOPTION FEE: \$150.00 Manual Only: \$ 25.00 () Reston, VA 22091 **GENERATION** (703) 476-9143 (VA residents add 4% sales tax) SYSTEMS, inc. VISA, MC Check or Money Order CPIM - TM of Digital Research Corp UNIX - TM of Bell Telephone Labs





word to the synthesizer. My program sends it to a port at address 49361 and strobes it in by writing to address 49364. On a TRS-80 you would only need to print T\$ into the last 32 screen locations. The example programs provided in the synthesizer manual should aid in converting this module for use with a TRS-80.

One peculiarity of operating the system should be mentioned. Sending a "?" to the synthesizer will toggle it on or off depending on its present state. Since Reset does not turn the synthesizer on, you may or may not have to send a "?" to initially activate it.



**Photo 3:** Low-resolution graphics display adds life to the speech program.

As an afterthought, I decided to add a little spice to the program. The final module (draw a low-resolution face) produces the graphics shown in photo 3. Such an addition would have to be greatly modified if run on a TRS-80, but I heartily recommend it. The mouth opens and closes with each word and the eyes (complete with eyelids) move at random. I can't tell you the reaction a talking face gets from a person not used to working with computers.

I'm extremely happy with the addition of voice output to my personal computer, and it has inspired several applications that may be discussed in future articles. If you want your machine to talk, compare the phonetics approach with other methods. If it meets your requirements, I hope that my speech-development system will make your life easier.

Circle 135 on Inquiry card.

# **Technical Forum**


# **Hierarchical Interrupts**

Caxton C. Foster Computer and Information Science University of Massachusetts Amherst, MA 01003

Most popular microprocessors will support daisychained peripheral devices. These allow a peripheral close to the processor to gain priority over a more distant peripheral when both devices request interrupt service simultaneously. This is normally done by using two lines between the processor and its set of peripheral devices (see figure 1). The first line is the IRQ (interrupt-request line). Any device is allowed to "pull" this line to ground, thus generating a request for interrupt service. At the convenience of the processor, the second line (the interrupt-acknowledge line or INTACK) is energized, indicating that the processor is ready to accept an interrupt.

The INTACK line goes sequentially from device to device, thus giving rise to the term "daisy chain." If a device isn't requesting an interrupt, it passes the unchanged IN-TACK signal to its successor in the chain. If, however, a device is in the active state and is requesting an interrupt, it "traps" the acknowledge signal. Since devices farther down the line never receive the acknowledge signal, they don't take control of the processor or the system bus.

In any imaginable interrupt system, if devices A and B request interrupts simultaneously, either A wins or B wins (ties are not permitted). We have, in effect, a strict ordering of all the peripheral devices by priority. Adding



**Figure 1:** Daisy-chain connection of interrupting peripherals. If two peripheral devices interrupt simultaneously, the device closer to the computer takes priority over the one farther away. This system allows a higher-priority device to interrupt a lowerpriority device.


a hierarchical level mechanism merely gives the device at level n priority over the devices on level n-1 or lower. In this sense, a daisy chain is a general solution to the problem of resolving simultaneous requests.

Unlike a daisy chain, a hierarchical scheme keeps lowpriority devices from interrupting the code processing the interrupt of a high-priority device. In a typical hierarchical scheme, the processor has a level at which it is currently running. Each peripheral device requests an interrupt on one of several lines: IRQ0, IRQ1 . . . IRQn where n is commonly 3 or 7 (see figure 2). A priority encoder examines these request lines and outputs a binary number corresponding to the number of the highest active request line. This binary number is compared with the processor's current level and, if the level of the processor is greater than or equal to the level of the request, the request is not acted upon and no new interrupt is generated. Only if the request level exceeds the processor level will the current program be interrupted. If an interrupt is to be honored, the interrupt-acknowledge line (IN-TACK0, INTACK1 . . . INTACKn) corresponding to the level of the highest request is activated.

Three difficulties accompany the hierarchical-interrupt scheme. Foremost is the fact that many otherwise attractive microprocessors don't have one. Second, microprocessors that do incorporate such a scheme usually have too many levels (causing some' hardware to go unused) or too few (almost as difficult as none at all). Third, for n levels, 2n lines must be added to the I/O (input/output) bus to convey requests and acknowledgments.

#### The Present Method

In a daisy chain, each peripheral device has an interrupt flag that has two states: on and off. To turn the processor's interrupt system back on (so that other, more important interrupts can be recognized), this initial interrupt flag must be cleared (thus releasing the IRQ line)



**Figure 2:** A typical hierarchical-interrupt scheme. The processor keeps track of the interrupt level it's currently servicing and will pause to give service only if an interrupt occurs at a higher level.

soon after its recognition. If this is not done and all interrupts are serviced with the interrupt system disabled, the intended hierarchy becomes a first-come-first-served system.

Peripheral devices could be equipped with a three-state interrupt flag:

- Off—not requesting service (does not affect IRQ); passes INTACK down the chain (away from the processor) and passes IRQ up the chain (toward the processor).
- On-requesting service (asserts IRQ); does not pass INTACK down line but traps it instead.
- Blocking—not requesting service; does not pass IRQ up the chain.

States Off and On correspond to the two conventional states. In the Blocking state, the device refuses to allow lower-priority devices (those farther down the chain) to break into its interrupt-service routine, thus protecting its own priority and incidentally providing a hierarchy with as many levels as there are peripheral devices. When a device needs service, it changes from Off to On. At the first clear-interrupt flag (issued by the processor prior to reenabling the interrupt system), the device changes its state from On to Blocking. This releases the IRQ line and also prevents lower-priority devices from pulling it down. At the second clear-interrupt flag (issued by the processor at the end of the interrupt routine), the device changes from Blocking to Off.

Clearly a paragon of interrupt systems, it allows each device to protect its own service routine from all lesser requests. The system allows infinitely fine discrimination, with classes of devices having one member each.

#### A Less Expensive Realization

The system described above requires an additional flipflop and a few additional gates at each peripheral device. If this configuration is too expensive, it's possible to envision an intermediate system.

Into the daisy chain we insert a few *blocking nodes* (see figure 3). To the processor, these look like normal peripheral devices with a peripheral address. They are capable of executing two operations: Block and Unblock. In the Unblock state these special nodes are transparent and have no effect on the daisy chain, but in the Block state they inhibit any interrupt requests from devices beyond them in the chain.

After recognizing an interrupt and before reenabling the interrupt system, the processor issues a Block command to the node just inboard of the active peripheral. At the conclusion of the service routine, the processor Unblocks the node and allows all peripheral devices an opportunity to compete for attention.

If the processor had one more output line (the Unblock line), we could dispense with the addresses for these nodes. On interrupt request, the nearest inboard node could set itself automatically to the Block state and forward the interrupt request to the processor. At the conclusion of an interrupt-service routine, the processor could issue an Unblock command on the Unblock line, and the Blocked node nearest the processor could reset itself.

#### Conclusion

Either of these solutions would provide a moderatecost, reasonably flexible means of keeping low-priority devices from interrupting high-priority service routines. To be sure, the priority of a device would depend on its position in the daisy chain. Not only would it be a considerable nuisance to rearrange the priorities, but it would, in fact, be impossible to accomplish without operator assistance.

Using memory-mapped I/O with PIAs (peripheral interface adapters) or VIAs (versatile interface adapters) is a more flexible solution than either proposed here,





Figure 3: A compromise hierarchical system. This method reduces cost by using "blocking nodes" in a daisy-chain system.

because an arbitrary priority hierarchy can be constructed that doesn't even need to be transitive (A can block B and C, B can block C, and C can block A and B). The mask bits in the VIA permit and block interrupts from devices in any fashion that seems acceptable to the system at a particular time. For a system organized on an I/O bus, however, either of the schemes proposed here offers a great improvement over the simple interrupt armed or interrupt disarmed that have been the usual implementations to date.



# **Books** Received

Apple II/III Software Directory, G. Van Diver and R. Love. Overland Park. KS: Vital Information Inc. (7899 Mastin Dr.), 1982; 1148 pages, 13 by 20.5 cm, softcover, ISBN none, \$19.95.

Assembly Language for the PDP-11, Charles Kapps and Robert L. Starford. Boston, MA: CBI Publishing Company, 1981; 353 pages, 17.5 by 23.5 cm, hardcover, ISBN 0-87150-304-2, \$23.50.

**BASIC** Programs for Home Financial Management, W. B. Goldsmith Jr. Englewood Cliffs, NJ: Prentice-Hall, 1981; 314 pages, 21.5 by 28 cm. hardcover. ISBN 0-13-066522-3, \$18.95.

BASIC Programs for Scientists and Engineers, Alan R. Miller. Berkeley, CA: Sybex, 1981; 318 pages, 17.5 by 23.5 cm, softcover, ISBN 0-89588-073-3, \$14.95.

A Bibliography of Computer Music, Sandra L. Tjepkema. Iowa City, IA: University of Iowa Press, 1981; 276 pages, 15 by 23 cm, hardcover, ISBN 0-87745-110-9, \$17.50.

CAI Sourcebook, Robert L. Burke. Englewood Cliffs, NJ: Prentice-Hall, 1982; 206 pages, 15 by 23 cm, hardcover, ISBN 0-13-110155-2, \$14.95.

Computers for People, Jerry Willis and Merl Miller. Beaverton, OR: Dilithium Press, 1982; 200 pages, 13 by 21 cm, softcover, ISBN 0-918398-64-9, \$7.95.

Computer Simulation of Classical Substitution Cryptographic Systems, Rudolph F. Lauer. Laguna Hills, CA: Aegean Park Press, 1981; 111 pages, 21.2 by 27.2 cm, softcover, ISBN 0-89412-050-6. \$24.80.

Database Management System Anatomy, James A. Larson. Lexington, MA: Lexington Books, 1982; 183 pages, 15.5 by 22.5 cm, hardcover, ISBN 0-669-04544-6. \$22.95.

Databook of Venture Capital Sources for High-Technology Companies, Richard Loftin. Washington, DC: Financial Data Corporation, 1981; 576 pages, 14.5 by 22.3 cm, softcover, ISBN 0-940758-00-8, \$115.

The 8085/SDK-85 [Hands-On, Volume 2], Howard Boyet. New York: MTI Publications, 1981; 814 pages, 15.5 by 23 cm, softcover, ISBN none, \$19.95.

The 8051: Programming, Interfacing, Applications, Howard Boyet and Ron Katz. New York: MTI Publications, 1982; 396 pages, 17 by 25.2 cm, softcover, ISBN none, \$19.95.

**Experiments** in Electronics, Instrumentation, and Microcomputers, F. Holler, J. Avery, S. Crouch, and C. Enke. Menlo Park, CA: The Benjamin/Cummings Publishing Co., 1982; 326 pages, 21.2 by 27.2 cm, softcover, ISBN 0-8053-6918-X, \$13.95.

From Chips to Systems: An Introduction to Microprocessors, Rodnay Zaks. Berkeley, CA: Sybex, 1982; 552 pages, 17.5 by 23.5 cm, softcover, ISBN 0-8988-063-6, \$14.95.

H-8 Programming for Beginners, Ron Santore, Don



Inman, and Bob Albrecht. Portland, OR: Dilithium Press, 1980; 195 pages, 13 by 20.5 cm, softcover, ISBN 0-918398-17-7, \$8.95.

Information Systems Development, A Systematic Approach, Mats Lundeberg, Göran Goldkuhl, and Anders Nilsson. Englewood Cliffs, NJ: Prentice-Hall, 1981; 337 pages, 17.5 by 23.5 cm, hardcover, ISBN 0-13-464677-0, \$24.95.

Introduction to Interactive Computer Graphics, Joan E. Scott. New York: John Wiley & Sons, 1982; 255 pages, 14.6 by 22.3 cm, hardcover, ISBN 0-471-05773-8, \$24.95.

Introduction to Real-Time Software Design, S. T. Allworth. New York: Springer-Verlag, 1981; 140 pages, 14.6 by 22.3 cm, softcover, ISBN 0-387-91175-8, \$14.

Inventory Management for Small Computers, Chuck Atkinson. Beaverton, OR: Dilithium Press, 1982; 194 pages, 13 by 20.5 cm, softcover, ISBN 0-918398-48-7, \$16.95.

Minds and Mechanisms, Margaret A. Boden. Ithaca, NY: Cornell University Press, 1981; 311 pages, 13.5 by 22 cm, hardcover, ISBN 0-8014-1431-8, \$29.50.

*Oh! Pascal!*, Doug Cooper and Michael Clancy. New York: W. W. Norton & Company, 1982; 476 pages, 17.5 by 23.5 cm, softcover, ISBN 0-393-95205-3, \$15.95.

Pascal: A Problem Solving Approach, Elliot B. Koffman. Reading, MA: Addison-Wesley, 1982; 470 pages, 15.5 by 22.5 cm, softcover, ISBN 0-201-10341-9, \$14.95.

PET Fun and Games, Ron Jeffries and Glen Fisher. Berkeley, CA: Osborne/ McGraw-Hill, 1981; 192 pages, 21.2 by 27.2 cm, softcover, ISBN 0-931988-70-5 \$10. Practical Data Base Management, edited by the Auerbach Publishers Staff. Reston, VA: Reston Publishing Company, 1981; 430 pages, 14.6 by 22.3 cm, hardcover, ISBN 0-8359-5591-5, \$24.95

Robot Manipulators, Mathematics, Programming, and Control, Richard P. Paul. Cambridge, MA: The MIT Press, 1981; 279 pages, 15 by 23 cm, hardcover, ISBN 0-262-16082-X, \$25.

Simple Pascal, James J. McGregor and Alan H. Watt. Rockville, MD: Computer Science Press, 1981; 182 pages, 15 by 22 cm, softcover, ISBN 0-914894-72-2, \$10.95.

Strategic Financial Planning with Simulation, Dennis E. Grawoig and Charles L. Hubbard. Princeton, NJ: Petrocelli Books, 1982; 643 pages, 14.6 by 22.3 cm, hardcover, ISBN 0-89433-115-9, \$35.

Trends in Information Processing Systems (Proceedings of the Third Conference of the European Cooperation in Informatics, Munich, October 20-23, 1981), volume in the Lecture Notes in Computer Science series, edited by G. Goos and J. Hartmanis. New York: Springer-Verlag, 1981; 349 pages, 16 by 23.8 cm, softcover, ISBN 3-540-10885-8, \$20.

A User Guide to the Unix System, Jean Yates and Rebecca Thomas. Berkeley, CA: Osborne/McGraw-Hill, 1982; 496 pages, 7.4 by 9 cm, softcover, ISBN 0-931988-71-3, \$15.99.

Writing Interactive Compilers and Interpreters, P. J. Brown. New York: John Wiley & Sons, 1981; 265 pages, 14.6 by 22.3 cm, softcover, ISBN 0-471-10072-2, \$14.50.

This is a list of books received at BYTE Publications during this past month. Although the list is not meant to be exhaustive, its purpose is to acquaint BYTE readers with recently published titles in computer science and related fields. We regret that we cannot review or comment on all the books we receive; instead, this list is meant to be a monthly acknowledgment of these books and the publishers who sent them.



## **Clubs and Newsletters**

#### Hobbyists Compute Under the Big Sky

The Big Sky Micro-Computer Club currently has about 35 members. All types of computers are of interest to the club. Beginners and experts alike are invited to join and help with the newsletter. Contact the Big Sky Micro-Computer Club, POB 21456, Pioneer Station, Billings, MT 59102, or call Wes Henley at (406) 656-4013.

#### Personal Computer Group In Capital

IBMicro is a new group for IBM Personal Computer users in the Washington, DC, area. The club has created a charter and bylaws and is busily at work on a newsletter, a bulletin board, and hardware and software exchanges. The group plans to have monthly meetings with guests speakers and feedback from members. Special-interest groups for word processing, graphics, games, and other applications are planned. Contact IBMicro, 1414-C Wright Circle, Bolling AFB, Washington, DC 20336.

#### Nevada COBOL Users Group

The Nevada COBOL Users Group has been formed to distribute information on applications and routines written in the language. The club will provide coordination among users developing extensions to Nevada COBOL. Information will be distributed through periodic newsletters. Contact Bob Blum, Nevada COBOL Users Group, 5536 Colbert Trail, Norcross, GA 30092, (404) 449-8948.

#### **Starter Kit Group**

Cary Davids has started a users group for owners of the Z80 Starter Kit from SD Systems. The club produces a newsletter. Contact Cary Davids, 6000 Puffer Rd., Downers Grove, IL 60516.

#### Osborne Group Assembling

A new group for Osborne Computer users is being formed in the Tampa Bay area. For further details, contact Frederick Dunn, POB 517, Clearwater, FL 33517, (817) 446-7239.

#### South American Hobbyists

The Concepción Computer Club is interested in all areas of microcomputing. The club would appreciate information and newsletters from other users groups. A special edition of the group's newsletter, *Boletín del Concepción Computer Club*, is produced in English. Contact Raúl H. Figueroa Rebolledo, Concepción Computer Club, POB 685, Concepción, Chile, Tel: 24854.

#### 6800/6809 Fans in Sweden

PD 68 is a group of Motorola 6800 and 6809 users

in Sweden. The group meets on the last Thursday of each month, excluding June, July, and December, at ABF Huset, Hammarby Centrum, in Stockholm. The Flex operating system is of particular interest to group members, who number about 300. A newsletter, MPU-laren, is produced each quarter. The club would like to hear from the personalcomputing community in the U.S. Contact Jason King, Ludwigsbergsgatan 13¹, S-117 26, Stockholm, Sweden, Tel: 08/68 23 11.

#### **New Address**

The new mailing address for the Amateur Computer Group of New Jersey (ACG-NJ) is POB 319, South Bound Brook, NJ 08880.

#### Explorer 85 Users Group

A new group is being formed for owners of Netronics' Explorer 85 system. The group plans to produce a free newsletter of hardware and software ideas. For more information, contact Gord Wiggins, POB 88, Cartwright, Newfoundland, A0K 1V0, Canada.

#### Graphics Club Forming

A computer graphics club is being formed in the Connecticut/Westchester County, New York area. Plans call for group meetings with manufacturers of graphics products and creating a newsletter. For further details, contact Howard Rothman, 218 Huntington Rd., Bridgeport, CT 06608, (203) 579-0472.

## ATTENTION S-100 USERS, OEMs & ISOs! MM-103 IS THE ONLY MODEM FOR YOUR NEEDS!

In previous issues, we listed more than 50 reasons why PMMI MM-103 modems are superior, along with a list of satisfied users that is now too long to print. Quality, integrity and low cost have made the MM-103 America's most popular modem. PMMI was the first to gain FCC approval and meet IEEE-696 S-100 standards. You won't find another modem for the S-100 bus with a wider range of Baud rates, more extensive and controllable software and such an unbestable warranty. And since PMMI has eliminated the need for an accessic couplor or an RS 232 adapter, your connection is more reliable and you buy no unnecessary hardware.

#### SO DON'T DELAY! GO WITH THE MODEM WITH EXPERIENCE!

COMMUNICATIONS (POTOMAC MICRO-MAGIC, INC.) For Aurther information, call or write: Three Skyline Place 5201 Leesberg Pike, Suite 604 Falls Church, VA 22041 [1783] 379-5660 Or dual not our 24 house Test Center. [703] 379-5000 [300 Bewd]



# **Software Received**

#### Apple

AgDisk Financial Management Series One, an agricultural financial-management package in Pascal for the Apple II. Floppy disk, \$140. Harris Technical Systems, 624 Peach St., POB 80837, Lincoln, NE 68501.

Alkemstone, an adventuretype game for the Apple II. Floppy disk, \$39.95. Level-10, Suite 507, 7475 Dakin St., Denver, CO 80221.

Apple-Aids, a disk-utility package for the Apple II. Floppy disk, \$49.95. Advanced Operating Systems, 450 St. John Rd., Michigan City, IN 46360.

Beer Run, an arcade-type game for the Apple II. Floppy disk, \$29.95. Sirius Software Inc., 10364 Rockingham Dr., Sacramento, CA 95827.

Enhanced Graphics Software for the IDS 460G/560G, a graphics utility for the Apple II. Floppy disk, \$44.95. Computer Station Inc., 11610 Page Service Dr., St. Louis, MO 63141.

Graphic Writer, utility to combine graphics with Applewriter text for the Apple II. Floppy disk, \$34.95. Computer Station Inc. (see address above).

Hadron, an arcade-type game for the Apple II. Floppy disk, \$34.95. Sirius Software Inc. (see address above).

Hi-Res Computer Golf, a computerized golf game for the Apple II. Floppy disk, \$29.95. Avant-Garde Creations, POB 30160, Eugene, OR 97403.

The Liberator, a programming utility and library of subroutines for the Apple II. Floppy disk, \$29.95. Pear Software, 407 Terrace, Ashland, OR 97520.

Pascal Hi-Res Graphics Dump Routine for the IDS 460G, a graphics utility in Pascal for the Apple II. Floppy disk, \$44.95. Computer Station Inc. (see address above).

Snake Byte, an arcade-type game for the Apple II. Floppy disk \$29.95. Sirius Software Inc. (see address above).

Sneakers, an arcade-type game for the Apple II. Floppy disk, \$29.95. Sirius Software Inc. (see address above).

Ultra Hi-Res Graphics, utility for use with the IDS 460G/560G printers with the Apple II. Floppy disk, \$49.95. Computer Station Inc. (see address above).

#### Atari

Atari Word Processor, a word-processing system for the Atari 800. Floppy disk, \$149.95. Atari Inc., Computer Division, POB 427, Sunnyvale, CA 94086.

The Duplicating Machine, a program-duplication utility for the Atari 400 and 800. Floppy disk, \$19.95. Midwest Software, 2707A Ridge Court, Lawrence, KS 66044.

#### CP/M

CP/M Adventures 1-12, a series of Scott Adams's adventures for CP/M (Z80). 8-inch floppy disk, \$129.95. Adventure International, 507 East St., POB 3435, Longwood, FL 32750.

Ficomp CP/M 2.2. Utilities, a set of utility programs for CP/M (Z80). 8-inch floppy disk, \$24.95. Ficomp Inc., 3017 Talking Rock Dr., Fairfax, VA 22031.

Copy86, a utility program for copying Z80 CP/M files to and from 86-DOS. 8-inch floppy disk, \$120. GIOS Enterprises, 9784 Woodhollow Way, Sacramento, CA 95827.

#### PET

Concentration, Memory, Cosmic Collision, Hangman, and Torpedo Command, games for the PET 2001. Cassette, \$5.99 each. Royal Software, 149-45 83rd St., Howard Beach, NY 11414.

PET/CBM Cross-Reference Program, a crossreference utility program for the PET/CBM. Floppy disk, \$29.95. Oppenheimer Software, 79th Street Boat Basin #39, New York, NY 10024.

#### **Texas Instruments**

Adventureland, an adventure-type game for the TI-99/4. Floppy disk, \$29.95. Texas Instruments Inc., 13500 North Central Expressway, POB 225012, Dallas, TX 75265.

Car Wars, an arcade-type game for the TI-99/4. Command Module (i.e., ROM cartridge), \$39.95. Texas Instruments Inc. (see address above).

The Count, an adventuretype game for the TI-99/4. Floppy disk, \$29.95. Texas Instruments Inc. (see address above).

Ghost Town, an adventure-type game for the TI-99/4. Floppy disk, \$29.95. Texas Instruments Inc. (see address above).

**Pirate Adventure**, an adventure-type game for the TI-99/4. Floppy disk and Command Module (i.e., ROM cartridge), \$29.95. Texas Instruments Inc. (see address above).

Pyramid of Doom, an adventure-type game for the TI-99/4. Floppy disk, \$29.95. Texas Instruments Inc. (see address above).

#### **TRS-80**

**Bisplan**, a businessmodeling program for the TRS-80 Models I and III. Cassette, \$20. Mariah Com-

# Your FREE reference guide to COMPUTER SUPPLIES



Here's our latest edition ... yours FREE for the asking! This direct order catalog features 48 pages of more than 1000 supply products for your small business computer. Thousands of data processing managers nationwide buy their supplies direct from this catalog because they like the large selection, the ease of ordering, the fast delivery and the quality products. Plus, we've just introduced 100 new products to meet the demands of an everchanging computer environment.

To receive your FREE 1982 catalog, simply call Toll-Free 800-323-0628 (in Illinois, call 312-377-0990) or circle the Reader Service Card number below.

### Send for your free copy today!



Circle 428 on inquiry card.

## MAIL ORDER DISCOUNTS

### apple' //

SOFTWARE & ACCESSO	DRIE
--------------------	------

VISICALC	9
VISITREND/VISIPLOT	5
VISIFILE	0
DESKTOP PLAN II	9
BPI BUSINESS SOFTWARE	5
CONTINENTAL BUS. SOFTWARE	5
SUPERSCRIBE II	0
SUPERTEXT II	
EASYWRITER	9
WORDSTAR (CP/M)	
REAL ESTATE ANALYZER	20
TAX PREPARER	5
CREATIVE FINANCING	0
HAYES MICROMODEM II	9
MICROSOFT Z-80 SOFTCARD	
MICROSOFT 16K RAM CARD	59
VIDEX 80 COLUMN CARD	9

## NEC NEC PC-8000

PC-8001A SYSTEM W/32K
PC-8012A I/O & EXPANSION
SLOTS W/32K
PC-8031A DUAL DRIVES
PC-8023A MATRIX PRINTER
TRACTOR/FRICTION
PC-8033A I/O PORT FOR DISK DRIVES 145
THE WEDGE-DISK, RS232 &
GAME I/O W/32K
DISKETTES
BASE 5%" DISKETTES (10)
BASF 8" DISKETTES (10)

#### Epson printers

EPSON MX-70	
EPSON MX-100	
<b>QUME SPRINT 5/</b>	45
MONITORS	5 I
	5 13" COLOR I
	3" COLOR II
	3" COLOR II

169 365

875

175

#### ATAR 800 & 400

CP/M OPERATING SYSTEM


NEC 12" GREEN NEC 12" LOW-RES COLOR. NEC 12" HI-RES RGB COLOR

	TARI 800 (16K).	
,	TARI 400 (16K)	
	10 DISK DRIVE	439
	16K RAM MEMORY MODULE.	
1	50 INTERFACE MODULE	
	30 ACOUSTIC MODEM	
	ATARI WORD PRÓCESSOR	
	XEROX 820 "SAM"	
	SYSTEM I (5%" DRIVES)	
	SYSTEM II (8" DRIVES)	
	KEROX 630 PRINTER.	
	NODD DDOCESSING INODOSTADI	426

TO ORDER: Please send cashier's check, money order or personal check (allow 10 business days to clear); VISA and Master Card credit card service add 3%, Shipping, handling and insurance in US, add 3% (minimum \$\$). California residents add 6% sales tax. Foreign orders add 10% for shipping. Equipment is subject to price change and availability. All equipment carries factory warranty. TELEX: 697120 DATAMAX:SDG

## COMPUTER HORIZON

16766 Bernardo Center Drive, Sulte 110B, San Diego, CA 92128 (714) 565-7092 (800) 854-1941



#### Software Received.

puting, POB 513, Columbia, MO 65205.

DOSfix, a set of modifications for TRSDOS for the TRS-80 Models II and III. Floppy disk, \$15 (Model II) and \$10 (Model III). Snapp-Ware, 3719 Mantell Ave., Cincinnati, OH 45236.


Macro-Mon, a machinelanguage utility program for the TRS-80 Models I and III. Cassette, \$54.95; floppy disk, \$59.95 (Model I) and \$69.95 (Model III). Advanced Operating Systems, 450 St. John Rd., Michigan City, IN 46360.

Omniterm, a telecommunications software package for the TRS-80 Models I and III. Floppy disk, \$95. Lindbergh Systems, 41 Fairhill Rd., Holden, MA 01520.

Rubik's Cube Coach, a simulator and solution for the Rubik's Cube puzzle for the TRS-80 Model I. Cassette, \$14.95. H & S Computer Co., 1024 Alamosa Dr., Claremont, CA 91711.

Snapp-II, extended BASIC for the TRS-80 Models II and III. Floppy disk, \$200 (Model II) and \$125 (Model III). Snapp-Ware (see address above).

Snapp-III, language enhancements for the BASIC interpreter for the TRS-80 Models II and III. Floppy disk, \$100 (Model II) and \$75 (Model HI). Snapp-Ware (see address above).



ment utilities for the TRS-80 Models II and III. Floppy disk, \$100 (Model II) and \$75 (Model III). Snapp-Ware (see address above).

Snapp-V, disk input/output file-management utilities for the TRS-80 Models II and III. Floppy disk, \$75 (Model II) and \$60 (Model III). Snapp-Ware (see address above).

Snapp-VI, a string spacemanagement utility for the TRS-80 Models II and III. Floppy disk, \$100 (Model II) and \$75 (Model III). Snapp-Ware (see address above).

Snapp-VII, a reformatter for BASIC programs to increase readability for the TRS-80 Model III. Floppy disk, \$40. Snapp-Ware (see address above).

Super Color Terminal, telecommunications software for the TRS-80 Color Computer. Cassette and floppy disk, \$69.95. Nelson Software Systems, POB 19096, Minneapolis, MN 55419.

Time Quest, an adventuretype game for the TRS-80 Models I and III. Floppy disk, \$24.95; cassette, \$19.95. The Programmer's Guild, POB 66, Peterborough, NH 03458.

## Other Computers

Adventure A, an adventure-type game for the Sinclair ZX80 and 81. Cassette, \$19.95. Softsync, POB 480, Murray Hill Station, New York, NY 10156.

This is a list of software packages that have been received by BYTE Publications during the past month. The list is correct to the best of our knowledge, but it is not meant to be a full description of the product or the forms in which the product is available. In particular, some packages may be sold for several machines or in both cassette and floppy-disk format; the product listed here is the version received by BYTE Publications.

This is an all-inclusive list that makes no comment on the quality or usefulness of the software listed. We regret that we cannot review every software package we receive. Instead, this list is meant to be a monthly acknowledgment of these packages and the companies that sent them. All software received is considered to be on loan to BYTE and is returned to the manufacturer after a set period of time. Companies sending software packages should be sure to include the list price of the packages and [where appropriate] the alternate forms in which they are available.

# **Programming PERT in BASIC**

A method for planning complex activities where no precedents exist.

> Steven Zimmerman College of Business and Management Studies University of South Alabama Mobile, AL 36688

Leo M. Conrad Imagineering Concepts POB 9843 Mobile, AL 36691-0843

The Performance Evaluation and Review Technique (PERT) is a powerful method of planning complex activities, especially pioneering projects like the creation of a new business or the development of a new machine. The innovative nature of these projects assures that few precedents exist to help estimate performance time.

PERT gives managers the tools to deal with uncertainty; PERT is management in action. It plans, schedules, and controls activity. Using PERT, contractors, builders, engineers, and businessmen can improve planning in the midst of uncertainty and save money as a result.

Until now, only large businesses with access to large computers could use PERT. The program in listing 1 brings PERT's power to microcomputer users. (Our article "Programming the Critical-Path Method in BASIC" in the July 1982 issue of BYTE will present the Critical-Path Method, which places greater emphasis on the trade-off between the time and the costs required to complete a project.)

Before presenting our program,

however, we'll give you a glimpse at PERT's history, briefly describe the nature of PERT analysis, suggest one possible PERT application for a manager, and examine the mathematics behind PERT.

## The events that have zero slack time form the critical path.

#### **Origins of PERT**

PERT dates back to a team created by the Navy Special Projects Office, Lockheed Aircraft Corporation, and the management consulting firm of Booz, Allen, and Hamilton. Work during World War I on the Gannt scheduling chart and the Gannt milestone chart should also be noted because these precipitated the development of the network diagram (described later) used in PERT.


Managers of many different kinds of tasks have successfully applied PERT. One particularly spectacular result of the PERT approach is the Polaris missile, which also occasioned PERT's development. (Lockheed Aircraft was the major contractor for Polaris.) Completion time was critical in the Polaris program, but there was considerable uncertainty about how long the required activities would take. Moreover, the start of many activities depended on the completion of others. These are the chief reasons why PERT employs a network scheme and focuses on the probability of various activities finishing at specified times.

#### The Start of PERT Analysis

PERT analysis begins by reducing a project description to a list of events and activities. An activity is a part of a project that consumes resources or time and has a definable beginning and end. An event is a point in time, an instant. The beginning and ending points of an activity are events. To apply PERT to a complex project, you must identify all the events needed to complete the project and all the activities that result in the identified events.

As an example, we'll use a simplified version of an actual con-

Letter	Activity	Beginning Event	End Event	
А	assemble accounting data	1	2	
В	look for bank	1	3	
Ċ	look for real-estate agent	1	4	
Ž	seek permits	2	7	
D	make market study of area	2	3	
G	look for contractor	2	5	
F	seek insurance for con- struction	2	6	
Н	get basic architectural plans	3	5	
E	make cost study	3	4	
i i	buy land	4	5	
J	list materials	5	6	
К	get more detailed architec- tural plans	5	7	
L	have survey made	5	8	
М	buy first batch of materials	6	8	
0	buy second batch of materials	6	9	
N	complete detailed internal layout of foundation	7	8	
Q	hire crew	7	9	
Р	build foundation	8	9	





struction project that we just completed. To simplify, we'll end our example with the completion of the building's foundation. We identified 18 activities needed to complete this foundation. Table 1 lists the activities, assigned letters A through Q and Z. Each of the nine events in the project consists of the completion of one or more activities.


#### The Bubble Diagram

The second stage in PERT analysis is the layout of a "bubble" diagram that shows how the necessary activities and events form a sequence of steps. Figure 1 is the bubble diagram of our foundation-building example. With or without PERT, specifying the sequence of a project's steps is obviously an important planning activity. Most contractors lay out the sequence of tasks in a project in some fashion, but PERT makes task sequencing a formal activity. Formalizing this process lends valuable structure to essential planning. In particular, making a bubble diagram forces the planner to specify which activities depend on the completion of others.

Diagrams like that shown in figure 1 are also called networks. A PERT network has one initial event, at the extreme left, and one terminal event, at the extreme right. The circles in figure 1 are numbered and represent events. The lines are lettered and represent activities; each line has an arrow indicating its direction in time from beginning to completion. The network as a whole shows the series of activities that must be performed to complete the project. The arrows show which activities and events logically precede others.

An event that results from completion of more than one activity is called a merge event; an event that represents the joint beginning of more than one activity is called a burst event. Before any activity can start, all preceding activities must be completed (but not all simultaneously). An arrow's length and its compass direction are insignificant.

Dashed lines in network diagrams represent "dummy" activities. A



**Figure 1:** The PERT network diagram of the activities required to build a foundation. Each circle represents an event and each line between circles represents one of the activities listed in table 1. The three numbers given for each activity represent human estimates of the optimistic (minimum), likely, and pessimistic (maximum) time in weeks that each activity will take. The network has one initial event, event 1 at the extreme left, and one terminal event, event 9 at the extreme right. The critical path is the one that takes the most time to get from event 1 to event 9.

dummy activity exists when the completion of one event depends on the completion of another but requires no additional work or activity. PERT handles dummy activities like any others but assigns the activity zero time and zero costs.

#### The Critical Path

The longest route from the beginning of the network on the left to its end on the right determines the time required to complete the project. This line is the critical path, which determines the minimum time required to complete a job. Although the concept of a critical path may sound complex, it is simple once you've laid a project out in a bubble diagram.

Critical-path analysis can reveal ways to shorten the critical path and to control the total length of a job. Because of the size of our computer, a TRS-80 Model I with 32K bytes of memory, we wrote a program that analyzes the critical path but does not attempt to shorten it.

#### **Three Time Estimates**

Along each activity line in figure 1, you see three decimal numbers. Each





### The cost of calling the Big Apple shouldn't make you feel rotten.

The cost of calling city to city needn't put you in a state of shock. Whether you transmit voice, data or facsimile, we could cut your company's long-distance phone bill 40%. With no capital investment or change in equipment. Contact Walt Pioli. RCA Americom, 400 College Road East, Princeton, NJ 08540. (609) 734-4300.



Name/Title	
Company/Phone	
Address	
City/State/Zip	
	PMN-4
RCA American Communications	

The solution that beats the system

number represents a time expressed in weeks (though you could use any unit of time if you used the same unit for all items). The first of the three numbers represents the optimistic (minimum) estimated time required to complete the activity that the line represents; the second number represents the time that you expect will be required to complete the activity (the likely time); the third number represents the pessimistic (maximum) time, or the time the activity may require if everything goes wrong.

An example will clarify this. Line A in figure 1 connects event 1 to event 2. Line A stands for the activity of gathering and organizing the required accounting data. Event 2 is the completion of the accounting papers needed for construction of our foundation. The minimum time required for line A is estimated at one week, the likely time at two weeks, and the maximum time at three weeks; so the three values 1, 2, 3 are written on line A.

One reason PERT requires these three time estimates is that, as noted earlier, PERT originates from a research project. Since most research project activities are unprecedented, planners can't make a single, accurate estimate of the time each activity requires. The three estimated times are the basis for a statistical estimate of the probability of completing a project or an activity by any given time.

#### Applying PERT

Applying PERT is simple. A manager who can identify a project's critical path can control time and costs by concentrating on activities along the critical path. If an activity not on the critical path slips behind schedule, the slippage will not usually affect the time required to complete the entire project (although the slippage can hurt if the critical path shifts). Should an activity on the critical path slip, however, the time required to complete the project will increase and the project may be in trouble.

One obvious application of PERT is in making decisions about authorizing overtime on a specific activity. If

Text continued on page 473

468 May 1982 © BYTE Publications Inc

Circle 359 on inquiry card.

**Listing 1:** A program for PERT. Written in TRS-80 Level II Basic, the program asks a list of the activities in a project, the beginning and ending events of each activity, and estimates of the optimistic, most likely, and pessimistic durations of each activity. The program then uses statistical methods to find the critical path of the project, the time required to complete the critical path, and the probability of completing the project by any scheduled completion time.

```
10 CLEAR 1000:CLS:REM "PERt"
20 PRINT"PERT/CRITICAL PATH SCHEDULING PROGRAM"
30 PRINT"DEVELOPED BY STEVEN M. ZIMMERMAN, PH.D.
                                                   & LEO M. CONRAD
                                                                      1980"
40 INPUT"DISK SYSTEM OR LEVEL II BASIC (D/B)":S$
50 PRINT: PRINT *** NOTE BEGINNING EVENTS WILL BE SORTED INTO NUMBERICAL ORDER *"
: INPUT "DIMENSION FOR ACTIVITIES"; D%: PRINT
60 DIM A$(D%,2),A(D%,11),SV(11)
70 PRINT"INPUT MENU"
80 PRINT"
              К
                    KEYBOARD"
90 PRINT"
              D
                    DISK FILE"
100 PRINT"
                     READ STATEMENT"
               R
110 PRINT"
               T1
                      TAPE RECORDER #-1"
120 PRINT"
               T2
                      TAPE RECORDER #-2"
130 INPUT"SELECTION"; IO$
140 IFI0$<>"K"THEN 220
150 INPUT"NUMBER OF ACTIVITIES"; M%:EE=0
                                                                                 AC
160 PRINT"THIS IS GOING TO BE WORK YOU MUST NOW INPUT UP TO ";M%;"
TIVITIES"
170 FOR I=1 TO M%
180 INPUT"ACTIVITY CODE ";A$(I,1)
190 INPUT DESCRIPTION, BEGINING EVENT NUMBER, END EVENT NUMBER, MOST OFTIMISTIC
TIME, MOST LIKELY TIME AND MOST PESSIMISTIC TIME";A$(I,2),A(I,1),A(I,2),A(I,3),A
(I,4),A(I,5)
200 NEXTI
210 GOT0480
220 IFI0$="T1"ORIO$="T2"THEN230 ELSE330
                                              TAPE INPUT
230 PRINT"SETUP TAPE #-"; IO&; " TO PLAY":REM
240 IF S$="D"CMD"T"
250 IFIO$="T1"INPUT#-1,M%,EE
260 IFIO$="T2"INPUT#-2,M%,EE
270 FORI=1TOM%
280 IFID$="T1"INPUT#-1,A$(I,1),A$(I,2):INPUT#-1,A(I,1),A(I,2),A(I,3),A(I,4),A(I,
5)
290 IFID$="T2"INPUT#-2,A$(I,1),A$(I,2):INPUT#-2,A(I,1),A(I,2),A(I,3),A(I,4),A(I,
5)
300 NEXTI
310 IFS$="D"CMD"R"
.320 GOT0480
330 IFI0$<>"D"THEN420
340 LINEINPUT"NAME OF FILE:DISK ";B$:REM DISK INPUT
350 OPEN"I",1,B$
360 INPUT#1, M%, EE
370 FORI=1TOM%
380 INPUT#1,A$(I,1),A$(I,2),A(I,1),A(I,2),A(I,3),A(I,4),A(I,5)
390 NEXTI
400 CLOSE1
410 GOT0480
420 IFI0$<>"R"THEN70
430 READM% EE
440 FORI=1TOM%:REM READ INPUT
450 READA$(I,1),A$(I,2),A(I,1),A(I,2),A(I,3),A(I,4),A(I,5)
460 IFA$(I,1)="END"THEN480
470 NEXTI
4BO REM PRINTS INPUT DATA FOR VERIFICATION
490 M=M%: TP=0: FORI=1TOM: IFA(I,2) >TPTHENTP=A(I,2)
495 NEXT:EE=TP
500 FORI=1TOM-1
510 FORJ=I+1TOM
520 IFA(I,1)<=A(J,1)THEN550
                                                                  Listing 1 continued on page 470
```

```
530 FORK=1T011:SV(K)=A(I,K):A(I,K)=A(J,K):A(J,K)=SV(K):NEXTK
540 FORK=1TO2:SV$(K)=A$(I,K):A$(I,K)=A$(J,K):A$(J,K)=SV$(K):NEXTK
550 NEXTJ,I
560 XX=5:PRINT"VERIFICATION OF INPUT"
                                                                 LAST
                                                                          SLACK"
570 Z1$="CODE DESCRIPTION EXPECTED EARLY
                                             EARLY
                                                      LAST
                                                                          TIME"
                                                                 FIN
580 Z2$≍"
                           TIME
                                    START
                                             FIN
                                                       START
                                        OPTIMIST LIKELY PESSI"
590 Z3$="CODE DESCRIPTION BEGIN END
                                                           TIME"
                         EVENT EVENT
                                        TIME
                                                 TIME
600 Z4$="
610 PRINT"ND "; Z3$
             ";Z4$
620 PRINT"
630 K=0
640 C4$="### "
650 FORI=1TOM%
660 PRINTUSINGC4$;I:
670 C1$=" #### "
680 C2$="% % %
                       "":C3$=" ##### ## "
690 PRINTUSINGC2$;A$(I,1),A$(I,2);
700 FORJ=1TO2
710 PRINTUSINGC1$:A(I,J)::NEXTJ
720 FORJ=3T05
730 PRINTUSINGC3$;A(I,J);:NEXTJ
740 K=K+1:IFK>=13 THENPRINT:INPUT"ENTER TO PAGE";DU$:K=0
750 PRINT:NEXTI
                      -1 TO CONTINUE OR NUMBER TO CHANGE";L:IFL=-1THEN810
760 INPUT"-2 TO ADD,
770 IFL<>-2THEN790
780 L=M%+1:M%=L:N%=N%+1
790 INPUT INPUT CODE, DESCRIPTION, BEGINNING EVENT NUMBER, END EVENT
                                                                             NUMBER
, MOST OPTIMISTIC TIME, MOST LIKELY TIME AND THE MOST
                                                          PESSIMISTIC TIME";A$(L
,1),A$(L,2),A(L,1),A(L,2),A(L,3),A(L,4),A(L,5)
800 GOT0480
810 INPUT "HARD COPY OF INPUT DATA (Y/N) ":P$
820 IFP$<>"Y"THEN960
830 INPUT"TITLE";T$:LPRINT"TITLE: ";T$
840 INPUT"DATE"; T$: LPRINT"DATE: "; T$
850 LPRINT"ND "; Z3$
860 LPRINT"
              ";Z4$
870 FORI=1TOM%
880 LPRINTUSINGC4$:I:
890 LPRINTUSINGC2$; A$(I,1), A$(I,2);
900 FORJ=1T02
910 LPRINTUSINGC1$;A(I,J);:NEXTJ
920 FORJ=3T05
930 LPRINTUSINGC3$;A(I,J);:NEXTJ
940 LPRINT" "
950 NEXTI
960 REM NOW THE WORK BEGINS BEGINNING EVENT IS 1 EARLY START =0 FOWARD PASS
970 FORI=1TOM%
980 A(I,6) = (A(I,3)+4*A(I,4)+A(I,5))/6
990 IFA(I,1)=1THENA(I,7)=0:A(I,8)=A(I,6):GOTD1070
1000 MAX=0.0
1010 FORJ=1TOM%
1020 IFA(J,2)<>A(I,1)THEN1050
1030 IFA(J,8)>MAXTHENMAX=A(J,8)
1040 A(I,7)=MAX
1050 NEXTJ
1060 A(I,8) = A(I,7) + A(I,6)
1070 NEXTI
1080 REM BACKWARD PASS
1090 XM=0.0
1100 FORI=M%TO1STEP-1
1110 IFA(I,2)<>EETHEN1130
1120 IFXM<A(I,8)THENXM=A(I,8)
1130 NEXTI
1140 FORI=M%TO1STEP-1
1150 IFA(I,2)=EETHENA(I,10)=XM:GOT01220
```

Listing 1 continued:

```
Listing 1 continued:
1160 MIM=99999
1170 FORJ=M%TO1STEP-1
1180 IFA(I,2)<>A(J,1)THEN1210
1190 IFA(J,9)<MIMTHENMIM=A(J,9)
1200 A(I,10)=MIM
1210 NEXTJ
1220 A(I,9) = A(I,10) - A(I,6)
1230 NEXTI
1240 REM SLACK VARIABLE CALCULATIONS
1250 EORI=1TOM%
1260 A(I,11)=A(I,10)-A(I,8)
1270 NEXTI
1280 K=0:REM PRINT OUTPUT
1290 PRINT"CODE DESCRIPTION EXPECTED EARLY
                                              EARLY
                                                     LAST
                                                           LAST
                                                                  SLACK"
1300 PRINT"
                             TIME
                                       START
                                              FIN
                                                     START FIN
                                                                  TIME"
1310 C5$=" ###.##"
1320 FORI=1TOM%
1330 PRINTUSINGC2$; A$(I,1), A$(I,2);
1340 FORJ=6T011
1350 PRINTUSINGC5$; A(I, J); :NEXTJ
1360 PRINT: K=K+1: IFK=13INPUT"ENTER TO PAGE"; DU$: K=0
1370 NEXTI
1380 INPUT"HARD COPY OF RESULTS (Y/N)"; P$: IFP$<>"Y"THEN1450
1390 LPRINT" ":LPRINTZ1$:LPRINTZ2$
1400 FORI=1TOM%
1410 LPRINTUSINGC2$;A$(I,1),A$(I,2);
1420 FORJ=6T011
1430 LPRINTUSINGC3$;A(I,J);:NEXTJ
1440 LPRINT" ":NEXTI
1450 PRINT"OUTPUT MENU"
1460 PRINT"
                      CRITICAL PATH AND TIME"
              C
1470 PRINT"
                D
                       DISK"
1480 PRINT"
                Ε
                      END"
1490 PRINT"
                R
                       RECYCLE"
1500 PRINT"
                T1
                       TAPE#-1"
1510 INPUT"
                T2
                       TAPE#-2
                                      SELECTION "; OP$: IFOP$="R"THEN480
1520 IFOP$<>"C"THEN1690
1530 REM IDENTIFICATION OF CRITICAL PATH AND COSTS
1540 CO=0:PATH$=" ":SI=0
1550 FORI=1TOM%: IFA(I,11)>0.00001THEN1570 :REM NOTE >0 SHOULD WORK BUT .00001 U
SED
1560 CO=CO+A(I,6):PATH$=PATH$+" "+A$(I,1):SI=SI+((A(I,3)-A(I,5))/6)[2
1570 NEXTI:C6$="###,###,###.##":SI=SQR(SI)
1580 CLS:PRINT"CRITICAL PATH":PRINTPATH$:PRINT
1590 PRINT"TIME OF CRITICAL PATH":PRINTUSINGC6$;CO:INPUT"SCHEDULED PROJECT TIME
(USE SAME TIME UNITS AS DATA) ";ST:Z=(ST-CD)/SI:XX=0
1600 BB$="PROBABILITY OF BEING COMPLETED ON TIME": IFZ<0THEN1640
1610 A=.4361836:B=-.1201676:C=.937298:D=(2.7182818[(-Z[2/2))*(2*3.1415926)[(-.5)
:E=(1+.3326*Z)[(-1):P=1.-D*(A*E+B*E[2+C*E[3):IFXX>OTHEN1630 :REM TAYLOR SERIES
1620 PRINT"Z= ";Z,BB$;F:GOT01650
1630 PRINT"Z= ";-Z, BB$;1-P:GOT01650
1640 XX=99:Z=-Z:GOT01610
1650 INPUT "HARD COPY (Y/N) "; P$: IFP$<>"Y"THEN1450
1660 LPRINT" ":LPRINT"CRITICAL PATH":LPRINT PATH$:LPRINT" ":LPRINT"SCHEDULED PRO
JECT TIME IS ":ST
1670 LPRINT"TIME OF CRITICAL PATH":LPRINTUSINGC6$;CO:IFXX=OLFRINT"Z= ";Z,BB$;P:G
0T01450
1680 LPRINT"Z= ";-Z, BB$;1-P:GOT01450
1690 IFOP$="E"THENEND
1700 IFOP$<>"D"THEN1750
1710 LINEINPUT"NAME OF FILE:DISK ";X$:OPEN"O",1,X$
1720 PRINT#1, M%, EE
1730 FORI=1TOM%:PRINT#1,CHR$(34);A$(I,1);CHR$(34);",";CHR$(34);A$(I,2);CHR$(34);
A(I,1);A(I,2);A(I,3);A(I,4);A(I,5):NEXTI
1740 CLOSE1:60T01450
                                                                 Listing 1 continued on page 472
```

May 1982 © BYTE Publications Inc 471

Listing 1 continued:

1750 IFS\$="D"THENCMD"T" 1760 IFOP\$="T1"PRINT#-1,M%,EE:FORI=1TOM%:PRINT#-1,A\$(I,1),A\$(I,2):PRINT#-1,A(I,1 ),A(I,2),A(I,3),A(I,4),A(I,5):NEXTI 1770 IFOP\$="T2"PRINT#-2,M%,EE:FORI=1TOM%:PRINT#-2,A\$(I,1),A\$(I,2):PRINT#-2,A(I,1 ),A(I,2),A(I,3),A(I,4),A(I,5):NEXTI 1780 IFS\$="D"THENCMD"R" 1790 GOT01450 1800 REM PUT DATA HERE FIRST # ACTIVITIES THEN ENDING EVENT NUMBER THEN CODE, DESCRIPTION, BEGINNING EVENT, ENDING EVENT, OPT. TIME, LIKELY TIME, PESS. TIME FO R EACH ACTIVITY. 1810 DATA18.9 1820 DATA A, ACCT. PAPERS, 1, 2, 1, 2, 3 1830 DATA Z, PERMITS, 2, 7, 4, 5, 8 1840 DATA B, SHOP BANKERS, 1, 3, 2, 4, 6 1850 DATA C, SHOP REAL EST., 1, 4, 2, 13, 17 1860 DATA D, MARKET STUDY, 2, 3, 2, 4, 5 1870 DATA G, CONTRACTOR, 2, 5, 1.4, 2.2, 6.7 1880 DATA F, INSURANCE, 2, 6, .4, 1.3, 1.5 1890 DATA H, ART. PLANS, 3, 5, 2, 4, 6 1900 DATA E.COST STUDY, 3, 4, 3, 4, 5 1910 DATA I,LAND,4,5,8,11,13 1920 DATA J, MATERIAL, 5, 6, 2, 3, 4 1930 DATA K, PLANS, 5, 7, 2, 5, 12 1940 DATA L, SURVEY, 5, 8, 1, 2, 4 1950 DATA M, BUY MAT #1, 6, 8, 2, 3, 4 1960 DATA 0, BUY MAT #2,6,9,1,2,5 1970 DATA N, LAYOUT, 7, 8, 9, 11, 12 1980 DATA P, FOUNDATION, 8, 9, 1, 3, 6 1990 DATA Q, HIRE CREW 2,7,9,1,2,3

#### MICROSTAT™ Release 2.0



RELEASE! Just some of the new features of Microstat Rel. 2.0 include: new programs for moments about the mean, skewness, kurtosis and stepwise multiple regression, longer file names, faster sort routine, the ability to declare each data file's numeric precision and drive location plus an expanded user's manual with new appendices for the equations and file structures used in Microstat. Also included is a Data Management Subsystem for file maintenance (edit, list, destroy, augment, sort, rank-order, move and merge) plus transformations (add, subtract, multiply, divide, reciprocal, log, natural log and antilog, exponentiation and linear) that allow you to create new variables from existing variables.

After file creation with DMS, programs for analysis include: Descriptive statistics, Hypothesis testing (mean and proportion), ANOVA (one-way, two-way, and random blocks), Scatterplots, Frequency distributions, Correlation analysis, Simple, Multiple and Stepwise Multiple Regression (including files larger than available memory), Time series, 11 Nonparametric tests, 8 Probability distributions, Crosstabs and Chi-square, Combinations, Permutations and Factorials (up to one million factorial). All program output is neatly formatted for easy use.

The price for Microstat Rel. 2.0 is \$295.00 and the user's manual is available for \$25.00 (credited towards purchase) and includes sample printouts with file lables that reference standard statistical texts and journals so you can compare the results from Microstat to those produced on much larger systems. Compare Microstat to any other package on the market and we think you'll agree that Microstat is the best at any price.

ECOSOFT, INC. P.O. BOX 68602 INDIANAPOLIS, IN 46268-0602 (317) 283-8883





#### Text continued from page 468:

the activity is not on the critical path, a manager's decision to authorize expenditures for overtime would be foolish and wasteful. All activities not on the critical path have "slack time," the difference between the earliest and latest expected finish. By definition, only the activities on the critical path have zero slack time. We'll elaborate later.

#### **Our PERT Program**

Our PERT program is shown in listing 1. A dimension (DIM) statement at line 60 provides places to store data on activities. The same DIM statement also provides storage for a dummy variable, SV, to be used later during sorts.

On a system with 32K bytes of memory and two disk drives, our program can handle more than 200 activities. We have yet to need more than 100 activities. Your machine's memory capacity and the limits of your DIM statement will determine the size of the problem that our program can handle for you. You can find the limits by experimentation.

One way to save memory is to carefully omit remark (REM) statements. We used REM statements to index some of our GOTO statements; you must send the GOTO to the line following any REM statement you drop. Another approach divides the problem into subproblems and treats each subproblem separately. If you can't reduce the problem's memory demands, you can always use the PERT program to determine how to obtain a machine with 48K bytes of memory.

As noted before, the critical path consists of a series of activities that have zero slack time. To find the critical path, you must identify activities that have zero slack time. The program output, consisting of two tables, is designed to identify these activities.

The first table (see listing 2) shows the program's input, listing all the activities in the project, their beginning and ending events, and the three estimates of the time each activity requires. You should check your input whenever you use this program, because otherwise you may get crazy results.

The second table (see listing 3) is the program's output. Notice the last column, "Slack Time." Zeros in this column identify the critical path. You can, of course, trace the activities in the critical path by looking in the first column, "Code," for each activity with zero slack time. But our pro-

**Listing 2:** A printout of the input for the PERT program sample run shown in listing 1. *Input includes the beginning and ending event of each activity and three estimates of the time each activity requires.* 

TITLE: SAMPLE PROBLEM							
DATE: 01	/19/81						
NO CODE	DESCRIPTION	BEGIN	END	OPTIMIST	LIKELY	PESSI	
	E	VENT	EVENT	TIME	TIME	TIME	
1 A	ACCT. PAPE	1	2	1.00	2.00	3,00	
2 B	SHOP BANKE	1	3	2.00	4.00	6, 00	
3 0	SHOP REAL	1	4	2,00	13.00	17.00	
4 Z	PERMITS	2	7	4.00	5.00	8.00	
5 D	MARKET STU	2	3	2.00	4. 00	5.00	
6 G	CONTRACTOR	2	5	1.40	2, 20	6, 70	
7 F	INSURANCE	23	6	0.40	1.30	1, 50	
8 H	ART. PLANS	3	5	2,00	4.00	6, 00	
9 E	COST STUDY	3	4	3.00	4.00	5.00	
10 I	LAND	4	5	8.00	11.00	13, 00	
<b>11</b> J	MATERIAL	5	6	2,00	3, 00	4.00	
12 K	PLANS	5	7	2.00	5.00	12.00	
13 L	SURVEY	5	8	1.00	2,00	4.00	
14 M	BUY MAT #1	6	8	2,00	3.00	4.00	
15 0	BUY MAT #2	6	9	1.00	2,00	5.00	
16 N	LAYOUT	7	8	9, 00	11.00	12.00	
17 Q	HIRE CREW	7	9	1.00	2,00	3.00	
18 P	FOUNDATION	8	9	1.00	3,00	6,00	

ELCON	BOOKS and SOFTWARE
For ATARI - PET - C	OSI - APPLE II - 6502
ATARI BASIC - Learning by	The Third Book of Ohio Scientific
Using This new book is an "Action"-	s now available i
Book, You do more than read it. Learn the intricacy of ATARI- BASIC thorugh the short programs	the OSI system experimenter
BASIC thorugh the short programs	Interface techniques, system ex- pansions, accessories and much more (EPROM-Burner, 6522 I/O-
suggestions challenge you to	more (EPROM-Burner, 6522 I/O- card with 1K RAM, Soundboard
change and write program routines. Yes, it's exciting -	EPROM/RAM board I Order-No. 159 \$7.95
Many of the programs are	The Fourth Book of OHIO
appropriate for beginners as well as experienced computer users	VIP-Book - Very Important Programs, Many interesting pro-
(Screen Orawings, Special Sounds, Keys, Paddles + Joysticks,	prams for OSI computers Sortion
Keys, Paddles + Joysticks, Specialized Screen Routines, Graphics and Sound, Peeks and	(Binary Tree). Oifferential Equi- tation, Statistics, Astrology, Gas
Pokes and special stuff ).	Consumption, Games a. s. o. Order-No. 160 \$9.95
Order-No. 164 \$9.95 Games for the ATARI-Computer	MID Destroy About book also
How to program your own games on the ATARI, Complete listings	a cassette with the programs. Order-No. 160 A \$19.95
I IN BASIC and Machine Language	
of exciting games. Tricks and hints,	The Fifth book of Ohio Scientific Many exciting programs program-
Order-No. 162 \$4.95	ming hints and tricks, Textwriter, Debugger for C1P_Games, Utilities
ATMONA-1 Machine Language Monitor for	and much more (poiled keyboard)
the ATARI 400/800	Order-No. 161 67.95 Invoice Writing Program for OSI-
This powerful monitor provides you with the firmware support that you need to get the most	Invoice Writing Program for OSI- C1PMF, C4P. Disk and Cassette 8K RAM.
Out of your county exercise	Order-No. 8234 \$29.80
ATMONA-1 comes on a bootable cassette. No certridges required. Disessemble, Memory Oump HEX	Melling List for C1PMF or C4PMF 24K RAM
Olsessemble, Memory Oump HEX ASCII, IChange Memory	C4PMF 24K RAM 250 addresses Incl. phone number
Locations, Blocktransfer fill	and parameters on one 5 1/4 disk) Order-No. 8240 \$29.80
Locations. Blocktransfer fill memory block, save and load machine language programs, start mach. Lang. Progr. (Printer	8K Microsoft BASIC Reference
mach, Lang, Progr. (Printer optional)	Manual
Comet with Introductionary	Authoritative reference for the original Microsoft 4K + 8K BASIC developed for ALTAIR
article on how to program the ATARI computer in machine	BASIC developed for ALTAIR and later computers including
language. (Available also in ROM) Order-No. 7022 \$19.95	OSI, PET. TRS-80 and VIC
	Order-No. 141 \$9.95 Expension Mandhook for 6502
ATMONA-2 Superstapper A very powerful Tracer to explore the ATARI ROM/RAM area, Stop	Expansion Handbook for 6502 and 5802
at previously selected address. Opcode or operand (cassette).	S-44 Card Manual describes all of the 4.5 x 6.5 44-pin S-44 cards incl. schematics. A MUST for every 6502 system user (KIM, SYA4 AUX VIC PET post
Order-No. 7049 \$49.95	incl. schematics. A MUST for every 6502 system user IKIM.
EDITOR/ASSEMBLER for	every 6502 system user (KIM, SYM, AIM, VIC, PET, OSI) Order-No. 152 \$9.95
ATARI 800, 32K RAM Extremely fast and powerful	
Extremely fast and powerful Editor/Assembler. (8K Source- code in about 5 seconds) Includes	Microcomputer Application Notes
ATMONA-1	Reprint of Intel's most Important application notes including 2708,
Order-No. 7098 \$49.95 MACRO-Assembler	8085, 8255, 6251 chips. Very necessary for the hardware buff.
for ATARI 800, 48K RAM	Order-No. 153 \$9.95
Please specify your system; RAM, disc or cassette.	Complex Sound Generation
Order-No. 7099 \$89.00	New revised applications manual for the Texas Instruments SN
Gunfight - For ATARI 400/800 16K RAM, needs two joysticks, animation and sound. (8K machine	76477 Complex Sound Generator
animation and sound. (8K machine	Order-No, 154 \$6.95
ianguage) Order-No. 7207 \$ 19.95	Small Business Programs Complete listings for the business
EPROM BURNER for ATARI 400/800, Bare boards only with	user, Inventory, Invoice Writing,
400/800, Bare boards only with description, schematic + software (2716, 2732)	Mailing List and much more. Introduction to Business Appli-
(2716, 2732) Order-No. 7041 \$99.00	cations. Order-No. 156 \$14.90
Invoice Writing for very small	Microcomputer Hardware Hand-
business with ATARI 400/800 16K RAM.	book
Order-No. 7022 cass. \$29.85	Descritions, pinouts and specifi- cations of the most popular microprocessor and support chips,
Order-No. 7200, disc. \$39.99	A MUST for the hardware buff
Wordprocessor for ATARI 800, 48K RAM	Order-No. 29 \$14.95
Order-No. 7210 \$29.95	Care and Feeding of the Commodore PET
How to connect your EPSON- Printer to the ATARI 400/800.	Eight chapters evoloring PET
Construction article with printed circuit board and software.	hardware, includes repair and interfacing information Pro
Screenprint and variable charac-	gramming tricks and schematics. Order-No. 150 \$9.95
ters per line). Order-No. 7210 \$ 19.95	Prototype-Expansion Board for
OSI OSI OSI OSI OSI	VIC-20 (S-44-Bus). Order-No. 4844 \$18.95
The First Book of Ohio Scientific	16K RAM/ROM board for S44-
Diagrams, hardware and software	bus. Any combination of RAM and ROM on one board.
information not previously available in one compact source.	(SY2128 or 2716) Order-N0. 613 \$39.95
192 pages	Low cost expenison boards for your APPLE 11. Bere board comes
Order-No. 157 \$7.95 The Second Book of Ohio	your APPLE II. Bere board comes with extensive description and
Scientific	software
Very valuable information about OSI microcomputer systems.	Prototyping card Order-No. 604 \$29.00
Introduction to OS-65 O and	6522 VIA-I/O Exp. Order-No, 605 \$39.00
OS-85U networking. Hardware and software hints and tips. Systems specifications. Business	2716 EPROM-Burner
epplications.	8K EPROM/RAM Card
Order-No. 158 \$7.95	Order-No. 609 \$29.00
ELCOMP Publishing, I Pomona, CA 91766, Pl	hone: (714) 623-8314
Payment: Check, Money Order, POSTPAID or PREPAID in USA 5	VISA, Mastercharge, Eurocheck.

Peyment: Check, Money Order, VISA, Masercherge, Eurocheck POSTPAID or PREPAID in USA, §5,00 handling fee for C.D.D.All orders outside USA: Add 15 % shipping, CA add 6.5 % seles tax ATARI is a registered trademark of ATARI inc. APPLEI II is a registered trademark of ATPLE Inc.

### Announcing Expanded Disk Storage For IBM Personal Computers

Simple plug-in installation no additional electronics or wiring required.

#### **Internal Drives**

168K Bytes - IBM Format (Single sided drive)	\$470.00
336K Bytes - IBM Format (Double sided drive)	\$570.00
672K Bytes - IBM Format (Dual double sided drives)	\$1140.00

#### **External Drives**

Single sided drive with 168K Bytes	. \$570.00
Double sided drive with 336K Bytes	. \$670.00

Includes cable, power supply and cabinet.

Drives are IBM compatibility tested with a 90-day warranty. For more information, call or write:

> 2 INTERFACE, INC. 20932 CANTARA STREET CANOGA PARK. CALIFORNIA 91304 (213) 341-7914

Quantity and dealer discounts available upon request.



gram also provides a menu option C CRITICAL PATH AND TIME, which prints both the critical path and the time required to complete it.

A word of caution about using the program: round-off problems in cal-

#### PERT and CPM

The Performance Review and Evaluation Technique (PERT) and the Critical-Path Method (CPM) are managerial tools that emerged in the late 1950s. Both PERT and CPM rely on network diagrams to analyze projects. PERT was developed to guide the management of complex research and development projects.

By their nature, such projects have no precedents to guide planners in estimating how long each activity in a project will take. Planners must resort to statistical methods to estimate actual performance time. PERT's developers wanted to know how long a project could be expected to last and, given a scheduled completion date, what probability there was of actually meeting the date.

CPM, on the other hand, was developed by duPont and Remington Rand Univac to determine how time required for routine construction and maintenance can be reduced. Here experience can serve as a guide for estimating the time required for each activity in a project. CPM assumes these are reliable estimates and concentrates on determining the optimal trade-off of total time required for a project and the total cost of a project. Rather than asking how long the project will probably take or what chance there is of meeting a schedule, CPM seeks to determine a project schedule to minimize direct and indirect costs. (An example of an indirect cost is production time lost while a manufacturing plant closes for maintenance.)

An article entitled "Programming the Critical-Path Method in BASIC" by Dr. Zimmerman and Mr. Conrad will appear in the July issue of BYTE. That article will use the same construction project that appears as a sample case in this article. Although the routine character of the project makes it better suited to analysis by CPM than by PERT, the authors chose to use the same example for both articles to show the similarities and contrasts between the two managerial techniques. ... P.L.

Circle 289 on inquiry card.

culating the critical path forced us to define zero slack time as 0.00001 instead of true zero. Where small differences are important, this approximation of zero can cause problems. The value 0.00001 is entered at line 1550; perhaps you can change the value to true zero for some of your applications. Furthermore, since we used statistical methods to determine the probability of a project's being completed on time, given a scheduled completion date, you should remember that data generated by the program is based on estimates and is itself an estimate.

#### **Running the Program**

The easiest way to input data is to use DATA statements at the end of the program. Entering data from the keyboard takes time and increases the number of errors. The following description of a program run assumes that DATA statements were used for input.

The data needed (see listing 2) include the name of each activity, its beginning and ending events, and the optimistic, likely, and pessimistic estimates of the activity's length.

Whether you input data from DATA statements or the keyboard,

**Listing 3:** Output of the PERT program sample run in listing 1. Activities on the critical path are identified by zero slack time (shown in column on far right), where slack time is the difference between earliest (column 5) and lastest (column 7) expected finish. The program has printed the critical path, CIKNP, the project's expected duration (42.3333 weeks), and the probabilities of project completion in 35 weeks and 50 weeks.

CODE	DESCRIPTION			EARLY	LAST	LAST	SLACK
		TIME	START	FIN	START	FIN	TIME
Ĥ	ACCT. PAPE	2.00	0.00	2.00	2.00	4.00	2.00
в	SHOP BANKE	4.00	0.00	4. 00	3.83	7.83	3.83
C	SHOP REAL	11.83	0.00	11. 83	0.00	11.83	0.00
Z	PERMITS	5.33	2.00	7.33	23.00	28, 33	21.00
D	MARKET STU	3.83	2.00	5.83	4.00	7.83	2.00
G	CONTRACTOR	2.82	2.00	4. 82	19, 85	22. 67	17.85
F	INSURANCE	1. 18	2.00	3. 18	34. 98	36. 17	32, 98
н	ART. PLANS	4. 00	5.83	9.83	18.67	22. 67	12.83
E	COST STUDY	4. 00	5.83	9.83	7.83	11.83	2.00
I	LAND	10.83	11. 83	22. 67	11. 83	22. 67	0.00
J	MATERIAL	3.00	22. 67	25. 67	33. 17	36. 17	10.50
ĸ	PLANS	5. 67	22, 67	28. 33	22, 67	28. 33	0.00
L	SURVEY	2. 17	22, 67	24. 83	37.00	39. 17	14. 33
М	BUY MAT #1	3.00	25. 67	28. 67	36.17	39. 17	10.50
Ũ	BUY MAT #2	2.33	25. 67	28. 00	40.00	42. 33	14. 33
N	LAYOUT	10.83	28. 33	39. 17	28. 33	39. 17	0.00
Q	HIRE CREW	2.00	28. 33	30.33	40.33	42.33	12.00
P	FOUNDATION	3. 17	39. 17	42.33	39. 17	42.33	0.00

CRITICAL PATH CIKNP SCHEDULED PROJECT TIME IS 42, 3333 TIME OF CRITICAL PATH 42.33 PROBABILITY OF BEING COMPLETED ON TIME . 5 Z= 0 CRITICAL PATH CIKNP SCHEDULED PROJECT TIME IS 35 TIME OF CRITICAL PATH 42.33 Z= -2. 24537 PROBABILITY OF BEING COMPLETED ON TIME . 0123852 CRITICAL PATH CIKNP SCHEDULED PROJECT TIME IS .5й TIME OF CRITICAL PATH 42.33 PROBABILITY OF BEING COMPLETED ON TIME . 990536 2.34743 Z=

SOMEDAY ... in the comfort of your own home or office, you'll be able to shop and bank electronically, read instantly updated major newswires, analyze the performance of a stock that interests you, send electronic mail to business associates across the country, then play Bridge with your best friend in San Francisco and two strangers in Chicago and Dallas.

### WELCOME TO SOMEDA

Someday is today with the CompuServe Information Service. All this and more can be accessed with a local phone call in most major U.S. cities. For hardware you need a terminal or personal computer and a modem. The CompuServe Information Service costs only \$5.00 per hour, billed in minute increments to your charge card.

Ask for a demonstration at a Radio Shack® Computer Center. Videotex software is available for various brands of personal computers. CompuServe Information Service, 5000 Arlington Centre Blvd., Columbus, Ohio 43220. (614) 457-8650.

### CompuServe

# INVESTMENT ANALYSIS

#### CENTENNIAL SOFTWARE / 410 17TH ST. SUITE 1375 / DENVER, CO 80202 / (303) 595-9193

**REAL-FOCUS** 

#### STOCK-FOCUS

THE FOCUS TECHNIQUE

Find out how low is low and how high is high. Using capital structure and performance data, Stock-focus objectively calculates the underlying value of a stock. The system was first developed by the management science department of a major money center bank, and is now in use by investment advisors, trust companies and brokerage houses. On your screen, Stock-focus will plot an estimate of lowest value, highest value and the current price. You then decide what to buy, sell or hold.

FOCUS is CENTENNIAL SOFTWARE's new approach to Program Architecture, providing a nat-

ural interaction between microcomputers and users.

Real-focus you can analyze any potential investment from a single building project to a complex time-phased planned unit development. bine individual results files for portfolio analysis. You also receive a usable reference manual, menu helps,

Exhaustively analyze potential real estate invest-ments using the Wharton School's approach to real

estate analysis. In minutes you can project profit, costs,

and IRR for any project over a 10 year period. Real-

focus accounts for amortization, debt, income, operat-ing expenses, taxes, depreciation, and cash flows for

after-tax holding and the results of sale. With

a program glossary, multiple report formats and spool-ing. With our FOCUS technique even the most com-plex programs are versatile and easy to use. It provides worksheet style input screens, free access to all program segments, and the ability to com-COMPUTER MEMORY-K **REAL-FOCUS** STOCK-FOCUS \$179.00 IBM PC 64 32/48 \$189.00 149.00 159.00 Apple (plus) II TRS-801 32/48 149.00 159.00 TRS-80 II 64 179.00 189.00 32/48 149.00 159.00 TRS-80 III ALL PROGRAMS IN DISK BASIC IBM is a trademark of IBM, Apple is a trademark of Apple Computer Corp., TRS-80 is a trademark of Tandy Corporation ORDER NOWI FILL IN OR CALL 800-525-2003 (Toll Free) PROGRAM NAME. COMPUTER MEMORY NAME PHONE # ADDRESS ACCOUNT # EXP. DATE

the program begins by giving an identification message and then asks:

#### DISK SYSTEM OR LEVEL II BASIC (D/B)?

Our example will work the same way whichever answer you give. The program next asks the number of activities, using the answer as the basis for a dimension statement. As noted earlier, you must have enough memory to dimension the number of activities in your project.

The program presents the message:

#### *** NOTE BEGINNING EVENTS WILL BE SORTED INTO NUMERICAL ORDER *

when asking

DIMENSION FOR ACTIVITIES?

As you see in listing 2, events are arranged according to the earliest starting event in each activity, and ties are broken by reference to the earliest ending event for each activity.

Now the program presents the input menu:

#### INPUT MENU

- K KEYBOARD
- D DISK FILE
- **R** READ STATEMENT
- T1 TAPE RECORDER#-1
- T2 TAPE RECORDER#-2SELECTION?__

Option R causes the program to read DATA statements at the end of the program. After a brief delay, the program will display for verification the input that was read.

The video display of the input will look slightly different than the table in listing 2 because of differences in the screen and printer sizes. If a single screen won't accommodate all the input, the program will ask you to page through.

After listing all the input, the program will say:

#### -2 ADD, -1 TO CONTINUE OR NUMBER TO CHANGE?

The number referred to is the number

476 May 1982 © BYTE Publications Inc Circle 68 on inquiry card.

of any activity that you wish to change. Assuming you want to continue and enter -1, the program will ask:

#### HARD COPY OF INPUT DATA (Y/N)?___

If you request hard copy, the program will ask

TITLE?___ DATE?

and will print your responses at the top of the page. Our sample set of data used the title SAMPLE PROB-LEM and the date 01/19/81.

After the input is printed, the screen will display the results, as shown in listing 3. For each activity, you will see computations of how long it should be expected to take, the earliest week it can start, the earliest week it can finish, the last week it can start, the last week it can finish, and the slack time (the difference between the earliest and latest possible finish). You may have to page through a screen display of this data. The program will again ask if you want hard copy.

Then you will see:

OUTPUT MENU CRITICAL PATH AND C TIME D DISK E END R RECYCLE TAPE # - 1T1 TAPE # - 2T2 SELECTION?_

Option C, for our example, results in a display like the following:

CRITICAL PATH CIKNP TIME OF CRITICAL PATH 42.33 SCHEDULED PROJECT TIME (USE SAME TIME UNITS AS DATA)?__

For our example, the critical path consists of shopping for a real-estate agent, obtaining land, getting architectural plans, getting a detailed



64K DYNAMIC RAM 'Uniselect: 2' Model 64KUS features. 18 or 24 bit address. 

 8 bit data.
 Bank select by SW settable port, bits in two blocks.
 Two 32kb (128kb) addressing.
 Transparent refresh - same as M:256KE.
 Fast access time - 220nsec, will run with

 Z80, Z8000 to 4mhz, 8080, 8085, 8086, 8088 to 5mhz without Wait States. • Can be configured to various multiusers OS's. • Expandable to 256KB using 4164's.



32 STATIC RAM 'Uniselect: 3' Model 32KUS features. Teatures: Model J2KUS • Fully Static using 2k by 8 NMOS chips. • 16 or 24 bit address. • 8/16 bit wide data. • Bank Select by port and bit in 32K block. • Two 16K block addressing with window capability in 2k increments. • EPROM can be mixed with RAM. • Fast access - 250nsec from address valid - will run with 280, 28000 to 4mbz, 8080, 8085, 8088, 8086 or 68000 to 8mbz without Wait States. 
Provision for Battery Backup using NMOS or CMDS.



#### 256K DYNAMIC RAM features: Model 256KE ● 16 or 24 bit address. ● 8/16 bit wide data. ● Transparent refresh with unlimited OMA, immune to Wait States, halts, resets. . Fast access time 180nsec from

٨

Smemr or Psync high, will run with 280, 28000 to 4mhz, 1080, 8085, 8086 to 8mhz without Wait States. • Accepts 4116, 4064's.								
Model	Prices	Assembled & Tested						
256KE	S795	256KB						
256KE-128	\$535	128KB						
64KUS-129	<b>6616</b>	129/0						

256KE	S795	256KB
256KE-128	\$535	128KB
4KUS-128	\$515	128KB
4KUS-64	\$395	64KB(4164's)
i4KUS	S395	64KB(4116's)
4KU-16	S285	16KB
2KUS	\$399	32 KB
2KUS-16	\$269	16KB
2KUS-N	S149	No Memory
2KUS-B	\$ 72	Bare board with Ooc

All boards conform to IEEE696/S100 specifications, fully socketed, legends, masks, Gold contacts. Guaranteed Dne Full year.

Delivery is within 3 working days. MC, Visa or CDD orders accepted, Illinois residents add 514% sales tax.

O.E.M. & DEALER PRICING AVAILABLE

S.C. DIGITAL

P.O. Box 906, Aurora, Illinois 60507 Phone (312) 897-7749

### multiuser WICAT system 150

The WICAT 150-WS set a new standard of price/performance with its powerful Motorola 68000 processor, large memory, hard disk, floppy disk, and complete system software.

Now there is a flexible efficient multiuser System 150. Memory and resources are assigned dynamically to each user as needed. Program code is shared to avoid multiple copies. Backround processing can be initiated. All of the power of the top of the line WICAT System 100 is here.

Concurrent Corporation will be adding full network database and screen management software as well as applications soon. We can discuss your needs with you and help select the proper configuration. Please write or call





Circle 115 on Inguiry card.

layout for construction, and actually building the foundation. The time of the critical path is expected to be 42.33 weeks.

You can now input the scheduled time for the project, and the program will use the Z calculations explained in the textbox "A Glance at the Mathematics of PERT" to tell you the probability of meeting the schedule.

#### A Glance at the Mathematics of PERT

The mathematics of PERT involves some interesting statistical concepts. You don't have to understand the mathematics to use PERT, but it helps you to understand how our program works.

First, we must refresh your recollection of some basic statistical terms. The mean of a set of occurrences of some variable is the arithmetic average of the values of the occurences; the standard deviation shows the variability of occurrences from the mean (more precisely, the standard deviation is the square root of the mean of the squares of the deviations of individual occurrences from the mean); the variance is the square of the standard deviation.

For example, if we have three values 9, 12, and 15, their mean is 36/3 = 12, their variance is

 $(9-12)^2 + (12-12)^2 + (15-12)^2 = 18$ 

and the standard deviation is the square root of 18, which is approximately 4.24.

It is a common statistical assumption that the standard deviation in unimodal distributions (distributions that have only a single most-likelyoccurring value) is roughly a sixth of the range of distribution. The basis for this estimate is the fact that 89 percent or more of any distribution lies within three standard deviations of the mean; and for the normal distribution, 99.7 percent of the distribution lies within three standard deviations of the mean.

Since we have estimates of the minimum time a and the maximum time b required to complete an activity, we have established an estimated range of actual times. We can estimate the standard deviation of the actual time as:

(b-a)

As shown in listing 3, there is a 0.0123852 probability of finishing in 35 weeks and a 0.990536 probability of finishing in 50 weeks. As noted earlier, there is also a 0.500 probability of finishing in the expected time of the critical path—42.33 weeks.

#### Conclusion

If you need help planning and

Since PERT assumes that chance, or random, factors will influence the actual time needed to complete an activity, we can expect the actual times to be distributed along some curve. PERT assumes that the mean actual time will follow the distribution known as the beta distribution, which is contained in a finite interval and may be either symmetric or skewed. Our most likely time of completion m is the mode of the curve for each activity. The following equation, based on the assumption that our formula for the standard deviation is correct, is a linear approximation of the value of the expected value, EV, of the mean time:

$$EV = \frac{(a+4\times m+b)}{6}$$

As you can see, this is just a weighted average, counting the minimum and the maximum each once and the mode four times, then dividing the total by six. On line 980 of listing 1, the same equation is expressed as:

A(I,6) = (A(I,3) + 4 * A(I,4) + A(I,5))/6

The following equation gives the variance of the beta distribution for each activity:

$$VAR = ((b-a)/6)^2$$

For each activity, the program applies the statistical principles described above and calculates the time the activity should last, the earliest time at which it can start, the earliest finish, the latest start, and the latest finish. Calculation of the earliest start and finish times is called the "forward pass" and takes place in our program at lines 960 through 1070. Calculation of the latest start and finish is called the "backward pass" and takes place at lines 1080 through 1230. scheduling complex projects, our PERT program can provide it. You can use it without knowing how to perform the calculations involved. Although we repeat our caution about relying on estimate-based estimates, we still believe PERT has proved itself a valuable managerial tool and that our program accurately represents PERT.

The difference between the earliest and latest projected finish for each activity is called "slack time." At lines 1240 through 1270, the program calculates slack time for each activity. The events that have zero slack time form the critical path.

To obtain the approximate variance for the critical path, add the variances of the activities on the path:

$$VAR(Path) = VAR(1) + VAR(2)$$
  
... + VAR(n)

It happens that the Central Limit theorem enables us, based on the foregoing, to assume that the distribution of the time required to complete the critical path is normal. Based on this assumption, we can calculate the probability of the project's being on time, given some specified target completion time. The calculation's basis is the deviation of the scheduled completion time from the estimated mean completion time, with the deviation measured in units of standard deviations. This deviation is called Z. The Z calculation for the standard normal table is:

$$Z = \left(\frac{\frac{\text{scheduled}}{\text{time} - \text{critical path}}}{\text{VAR(path)}}\right)$$

Rather than require you to use normal tables with our program, we have built in a Taylor series to approximate the tables. (A Taylor series is a power series that gives the expansion of a function f(x) in the neighborhood of a point a, provided all derivatives exist and the series converges.) The Taylor series is located at line 1600 and following in our program.

The expected time of the critical path is the sum of the expected times of all the activities on the path. If the scheduled time of the project equals the expected time of the critical path, you have a 50 percent chance of completing the project on time.

## CP/M, Your Time Has Come

A real-time clock for the most popular microcomputer operating system.

> J. L. Calaway and B. Hill c/o Teleshows Inc. 6842 Ranchito Ave. Van Nuys, CA 91405

Have you ever looked with envy at big computers that have built-in, real-time clocks? If so, this project may be for you. We had a business program that required such a clock, but the application neither warranted the expense of a clock board nor required split-second accuracy. We needed a time-of-day reference rather than a precise generator of program interrupts and we needed to be able to access the clock and print the time from either the operating system or a BASIC program. We wanted something like the clock in Digital Research's MP/M, but we also wanted our clock to work with earlier versions of CP/M.

The project turned out to be reasonably easy to implement in both hardware and software. Anyone running CP/M with a disk drive and a Z80 or 8080 processor can have a clock like ours with little difficulty. The part of the project that requires the most care is integrating the software into the existing CP/M system. If you're rusty at using CP/M's DDT (debugger), ED (editor), and ASSEMBLER programs, here is a chance to practice on a worthwhile project.

#### Building the Clock Hardware

Figure 1 shows all the hardware we need. The unregulated +8 V power bus in most computers has a lot of 120-cycle ripple riding on top. We differentiate this ripple with a condenser (C1) and a resistor (R1). By

Ben Hill is president of Teleshows Inc, which provides television production services to the industry. He is interested in music and photography and has a special interest in business applications for computers. His equipment is a three-disk S-100 system with a Perkin-Elmer OWL terminal and a Diablo printer. feeding the result into a high-gain LM324 operational amplifier (IC1), wired as a comparator, we get a 120-cycle pulse output. (The output isn't quite symmetrical, but that's not a problem in this application.)

Now that we have pulses to count, the rest of the hardware is easy. The 7490 (IC2) is used as a divide-by-10 counter, and its output feeds the 7492 (IC3), which is connected as a divide-by-12. The result: a divide-by-120 and one pulse per second on the output of the counter chain. Thanks to your friendly utility company, the pulse is accurate to 0.05%.

This one-second pulse is now fed to a 7400 NAND gate (IC4). Two of the gates in this device are connected as a familiar set/reset latch. Another gate is used to invert the processor interrupt-acknowledge pulse (SINTA, pin 96 on the S-100 bus). The diode on the POC (power-on clear) line (pin 99 on the S-100 bus) allows setting the latch on power-up but prevents the acknowledge pulse from feeding back down the POC line. Since the count pulse is too wide, we differentiate it with a condenser (C2) and a resistor (R2) and then feed it to pin 5 of IC4. The output of the latch (pin 3) is fed to the PINT (processor-interrupt) line (pin 73 on the S-100 bus). In operation, the clock pulse triggers the latch and PINT goes low. It stays low until the processor acknowledges the interrupt via SINTA and again presets the latch.

We could use a faster pulse time, but it would complicate the project. Each disk access by a running program will disable the interrupts. If clock pulses came in at a faster rate—say 60 times a second—then some method would have to be devised to keep track of those pulses occurring during disk access. Otherwise the pulses that occurred while the interrupts were disabled would be lost and the clock would lose time. Fortunately, disk-access times are usually less than 1 second. Since the latch will hold the clock request that long, the processor will recognize the clock pulse when the disk controller turns the interrupts back on.

The switch on the PINT line is there so that you can disable the clock. Some programs enable interrupts. DDT

About the Authors

Jack Calaway is an engineering consultant specializing in hardware and software systems for the television post-production industry. He is interested in computer languages and flying. His computer equipment consists of a mature S-100 system with four disk drives, a line printer and several types of processors, including Intel 8080, Zilog Z80, Motorola 6800, and Intel 8088.

is an example. Since DDT uses the same restart instruction as the clock program (RST.7), you must disable the clock to prevent mutual interference whenever you use DDT. Furthermore, if you use interrupts in your system, you won't be able to use the hardware described here.

You can construct the circuit using space on one of your boards or on a piece of perf-board. The layout is not critical. You can use either wire-wrap or point-to-point wiring with solder. When you complete your board, check for a one-second pulse at pin 3 of the 7400. If you have it, your clock hardware is working properly.

#### **Clock Software**

The clock software consists of four parts:

•code that establishes an area in memory to act as a communications link between the BIOS (basic input/output system) and the clock program on disk

•a program that controls, sets, and reads the clock

 modifications in the BIOS to prepare it for handling the clock-generated interrupts


• code that adds BIOS to the clock routines that are accessed during each interrupt to update the time

If you have a listing of your BIOS, now is the time to dust it off and use it. If you don't have a listing, get the name of your BIOS file from your system manual and print a listing to use as a reference while implementing this clock. You can print the listing by using the TYPE command on the ASM file that contains the BIOS or on the PRN file produced by assembling the file.

Note that some of the file names used in this article may not match the names used in your system. To prevent confusion, we describe file references as fully as possible.

#### **Establishing a Communications Area**

There are 16 unused bytes in CP/M's BIOS, starting at address 40 hexadecimal. We will use 7 bytes of this for our communications area. But first, look at the EQUATES or SYMBOL TABLE section at the beginning of your freshly printed BIOS. See if any of the labels or equate statements use address 40. If none does, then you are free to use any of those 16 bytes. If some of the locations are used, don't write over them or you will "clobber" your operating system. Instead, pick another location. The CP/M manual lists the addresses that are free in low memory. Look in the section called the CP/M



**Figure 1:** The hardware required to generate the clock interrupts for the CP/M clock programs. This design uses the inherent stability of the AC line to generate accurately timed pulses. The LM324 sees the few hundred millivolts of AC ripple riding on top of the computer's +8 V supply and makes a pulse out of it. Using this approach makes it unnecessary to bring AC into the board. The counters divide the pulse down to one per second.

Alteration Guide, under the heading "Reserved Locations in Page Zero."

You don't have to use the locations at 0040 hexadecimal, or even low memory for that matter. You can use any location that isn't reserved by CP/M. If you decide to use a high-memory location (i.e., above the BIOS), remember that you will have to change the addresses of all programs that use the clock whenever the size of the CP/M system is changed. Also, whatever location you do choose will become the value to be used in the TIME program equate: BASE.

Assuming we have picked 0040 hexadecimal as the starting location for our communications area, here is how hexadecimal addresses are employed: the address of the clock routine is stored at 0040 and 0041. This is set by the BIOS and is used by the time program when starting the clock. The clock ON/OFF flag is at 0042 (ON=1, OFF=0), 0043 is the seconds register, 0044 is the minutes register, 0045 is the hours register, and 0046 is the AM/PM flag (AM=0, PM=FF).

#### The TIME Program

TIME is a short machine-language program that resides permanently on your system disk. In addition to reading and setting the clock, TIME checks to see if the BIOS has the code to handle the required interrupts. TIME also checks for valid time entries from the terminal.

As a command file, TIME may be called in response to CP/M's prompt. The time-of-day registers maintained by the BIOS may also be read by a BASIC program that uses the PEEK instruction. The clock may be called as often as desired with either method, but the actual starting and stopping of the clock can be done only in TIME's command mode.

To set the time and start the clock with this program, get the A > prompt, and then type:

TIME 120000PM (or any valid 12-hour clock time)

The program will respond with:

#### START CLOCK BY PRESSING RETURN

When return is pressed, the clock is started and the following message is displayed:

TIME SET TO = 12:00:00 PM (the set time)

The clock is now running and will continue to run without intervention. The clock won't interfere with your other programs unless they require the use of interrupts. To read the time, type:

#### TIME

The program will display the time in this format:

12:00:15 PM

To stop the clock, type:

#### TIME STOP

This will stop the clock and display a message like:

#### STOPPED AT 12:00:15 PM

When you start the clock again, you must, of course, reset it. There is no provision for a split-time register.

#### Modifications -

Now that we have a clock pulse, a program to process it, and a place in memory to store it, we need a few changes in the system BIOS to make it all work. The areas in BIOS that are affected by the clock program are as follows:

• The EQUATE area. We need to add EQUATES to tell the assembler what addresses we have chosen for the communications section.

•The cold boot (bootstrap) routine. When initializing the system or using the cold boot start, RST-7 has not yet been set up, so the clock must be disabled by setting the ON/OFF flag to OFF (0).

•The GOCPM area in the BIOS is used at program exits and by both cold and warm boots. During the cold boot, the ON/OFF flag is set to 0 and the interrupts are not turned on. With a warm boot, however, we don't know whether the clock is ON or OFF, so we check it. The program then decides what to do: either turn the clock OFF, or leave it OFF if it already is.

•The SETUP routine section sets up jumps into CP/M in low memory. Since the CP/M size changes if you add memory, we add a bit of code here to tell the communications area the address of the clock in BIOS. The TIME program, which sets up the restart address-link to the BIOS clock, must get the address from the communications area.

•The READ and WRITE routines. If the disk controller does not use DMA (direct memory access), or if it does but uses it in the direct-transfer mode, we must disable the interrupts while we are doing a read or write to disk. The code entered here turns off the interrupts and then turns them back on again as soon as possible to avoid losing any counts. Check your disk-controller manual to see what kind of read/write system it uses. If your controller tolerates interrupts during the read/write cycles, then you need not implement this section of code.

•Add the clock coding to BIOS. The program in listing 1 provides the coding necessary to handle and service the clock interrupts. At the end of this code is a short section called INTON. This code saves the processor status in a register, then checks the ON/OFF locations. If the clock ON/OFF location is ON (1), the interrupts are enabled. If the clock is OFF (0), the interrupts are left disabled. Note again that if your terminal or printer input/output routines in BIOS use interrupts, you will not be able to implement this clock.

The preceding summarizes the changes needed in BIOS to implement the clock. The clock counter is kept in binary-coded-decimal form. The lower 4 bits of each byte hold the units of time, while the upper 4 bits hold tens of units. Since there is no way of knowing how much stack space your system has allowed, the interrupt handler routine is coded as simply as possible.

#### **Putting It All Together**

The new code to be added to the BIOS is shown in listing 1. It is generally compatible with all versions of CP/M, but in version 2.0 and later, make sure that add-

ing this code doesn't exceed the BIOS size allowed by your system.

To start, find the equivalent code in your listing, and with your editor call up your CBIOSXX.ASM (where C stands for "custom" and XX is the size of your system). Put in the new EQUATES at any convenient location in your BIOS EQUATE area, and follow listing 1 for the rest of the new code. Remember: don't write over or delete any code in your BIOS. Just make additions.

After you have made the changes, save the file. This will give you a new CBIOSXX.ASM file that contains the additions. Starting at this point you should work on a *Text continued on page 486* 

**Listing 1:** The clock program that is added to the CP/M BIOS. It enables the system BIOS to handle the one-a-second interrupts generated by the clock hardware and maintains the accumulated time in registers located in low memory. Once the clock is started, this program maintains the time registers without interference with other operating programs.

CLOCK PROGRAM BIOS CODE BY J. L. CALAWAY AND B. HILL. FEB 10, 1981 LISTING #1 **REVISION 1** ; CODE TO BE ADDED TO THE SYSTEM BIOS TO IMPLEMENT THE CLOCK PROGRAM : IN THE AREA USED BY BIOS TO SET THE VARIOUS EQUATES AND CONDITIONALS, WE ADD THE EQUATES NEEDED TO ; DEFINE THE CLOCK COMMUNICATIONS AREA ; ; CLOCK EQU TRUE ENABLE REAL-TIME-CLOCK 00040H BASE EQU COMMUNICATIONS AREA : CLKADR EQU BASE ADDRESS INITIATED BY BIOS : ONOFF EQU CLKADR+2 ON/OFF FLAG 0=OFF SEC EQU ONOFF+1 ; BCD SECONDS MIN EQU SEC+1 BCD MINUTES ; BCD HOURS HRS EQU MIN+1; HRS+1 AMPM EQU AM=O, PM=FF ; IN THE COLD BOOT SECTION ; ; XRA Α EXISTING CODE, NO CHANGE ; STA IOBYTE EXISTING CODE, NO CHANGE ; IF CLOCK NEW CODE TO BE ADDED ; STA ONOFF SET ONOFF=0 ; ENDIF END OF NEW CODE IN THIS SECTION IN THE GOCPM SECTION WHERE CONTROL IS TRANSFERED ; TO CP/M. WE ADD A CHECK TO SEE IF THE INTERRUPTS SHOULD BE ON, OR OFF ; ; LDA DISKNO EXISTING CODE, NO CHANGE ; MOV C,A EXISTING CODE, NO CHANGE ; IF CLOCK NEW CODE TO BE ADDED ; LDA ONOFF GET FLAG ; ORA TEST A :

Listing 1 cont			; START WITHOUT INTERRUPTS ; TURN ON INTERRUPTS ; END OF NEW CODE	
	JMP	СРМВ	; BACK TO OLD CODE, NO CHANGE	
; SET C	IE AREA W Clkadr to	HERE A JUMP TO LO THE ADDRESS OF C	W MEMORY IS SETUP, WE LOCK	
• ?	SHLD	DMAADD	; EXISTING CODE, NO CHANGE	
	LXI	CLOCK H,CLK CLKADR	; ADDED CODE BEGINS ; ADDRESS	
	ENDIF		; END OF NEW CODE	
; NOW,		IS DONE BY THE TI	JUMP INSTRUCTION IN ME PROGRAM, WHEN	
; IN TH ; THE U ;	IE WARM E ISER PROC	BOOT AREA, WE CHEC GRAM HAS TURNED TH	K TO SEE IF E CLOCK OFF	
WBOOT:	LXI	SP,80H	; OLD CODE, NO CHANGE	
		INTON	; NEW CODE STARTS HERE ; CHECK ; END OF NEW CODE	
	LDA	DISKNO	; OLD CODE, NO CHANGE	
; DMA,	IE READ F We must Il read f	TURN OFF THE INTE	Y CONTROLLERS ARE NOT RUPTS DURING THE	
	XTHL XTHL		; EXISTING CODE, NO CHANGE ; EXISTING CODE, NO CHANGE	
	IF DI ENDIF	CLOCK	; NEW CODE STARTS HERE ; KILL INTERUPTS ; END OF NEW CODE	
	LDA	SECTOR	; EXISTING CODE, NO CHANGE	
		AS POSIBLE AFTER WANT TO TURN THEM	WE HAVE COMPLETED THE DISK BACK ON	
RDDONE:	IN	DSTAT	; READ DISC STATUS, OLD BIOS CODE	
		CLOCK INTON	; NEW CODE STARTS HERE ; CHECK ; END OF NEW CODE	
; WE DO	D THE SAN	ME THING FOR WRITE	AS WE DID FOR READ	
,			Listing 1 continued on page	464

Listing 1 continued:

XTHL XTHL			EXISTING EXISTING		
IF DI ENDIF	CLOCK	;	NEW CODE TURN OFF END NEW	S HI	ERE

; AND AGAIN, BACK ON AS SOON AS POSIBLE ; WDONE: IN DSTAT ; OLD CODE, NO CHANGE IF CLOCK ; NEW CODE HERE CALL INTON ; CHECK - TURN BACK ON ENDIF ; END NEW CODE

; THIS IS THE ACTUAL CLOCK SUBROUTINE TO BE ADDED TO THE BIOS. ; IT MAY BE PLACED ANYWHERE IN BIOS PROVIDING YOU DON'T BREAK ; UP A BIOS SUBROUTINE. A GOOD PLACE TO PUT IT IS AT THE END ; OF THE PROGRAM JUST BEFORE THE CBIOS MESSAGES.

; CLOCK TIME IS KEPT IN BCD FORMAT AND ; IN LINE CODE IS USED TO MINIMIZE STACK USAGE.

; (NOTE: THE 3RD AND 4TH LOCATION FROM THE ; START OF CLK, IS CHECKED BY THE "TIME" PROGRAM BEFORE ; TURNING THE CLOCK ON AND IT MUST BE THE SAME AS THE ADDRESS ; IN THE TIME PROGRAM USED FOR SECONDS.)

;

IF CLOCK

CLK:	PUSH		;	SAVE USER
CLK:	PUSH LXI MOV ADI DAA MOV CPI JNZ XRA MOV INX MOV ADI DAA MOV CPI JNZ XRA MOV CPI JNZ XRA	H H, SEC A, M 1 M, A O6OH CLK2 A M, A H A, M 1 M, A O6OH CLK2 A M, A H	- 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7	SECONDS GET CURRENT + 1 BCD CORRECTION PUT IT BACK - DATA MAY BE GOOD BCD FOR 60 SEC OK, EXIT A=0 RESET SECONDS, CHECK MINUTES TO MINUTES CURRENT + 1 BCD CORRECTION PUT IT BACK AGAIN BCD FOR 60 MINUTES OK, EXIT A=0 RESET MINUTES, DO HOURS TO HOURS
	MOV ADI DAA	A,M 1	;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	GET CURRENT + 1 BCD CORRECTION

Listing 1 continued:

CLK2:	MVI INX MOV CMA MOV	M,A 013H CLK2 M,O01H H A,M M,A H	, , , , , , , , , , , , ,	OVERFLOW? OK SET TO 1 HR TO AM/PM FLAG GET CURRENT REVERSE NEW RESTORE
; INTERI		IS USED	; TO CHECK AI	DO ON/OFF CHECK ND SEE IF THE IT ENABLES THEM
	EI	ONOFF A INTON2	9 • 9 •	SAVE GET FLAG AND TEST OFF TURN ON RESTORE USER

; THIS COMPLETES THE CODE ADDED TO BIOS FOR CLOCK OPERATION

ALT	'OS LIST	OUR		il! Apple Call	
ACS8000-15 ACS8000-10 ACS8000-10SMTU	4990 8500 1 1990	3915 6665 9400	Panasonio		
TERM	INALS	OUR	Televide Systen	o Compu ns Ca	
Adds Viewpoint Televideo-910 Televideo 912C XERO	LIST 650 699 950 X 820	PRICE 599 CALL 695	DYN 5200 A2 5505 A1 5615 A1 5701 A1	IABYTE LIST 3995 6995 8995 8995	OUR PRICE 2995 5229 6650 6950
System 1-5¼" Disk Drive(s) System 2-8" Disk Drive(s)	LIST 2995 3795	2450 3425	Dlablo 630 Qume Sprint Okidata 82A	NTERS LIST 2900 2895 595	OUR PRICE CALL 2695 495
Zenith-290-80 64K-1.2MB with CP/M+microsoft supercalc	basic+	All For 3690	Okidata 63A Epson-100 Anadex 132 Column DP9501 NEC 3510	940 995 1650 2290	765 885 1350 1407 1900
Large Library of CP/M-MP/M-Oasis Software Call for Price List Visit our NYC Showroom for a free Demo					
Compuco Business Bystems Inc.					
170 Broadway, New York, NY 10038 Call 212-619-3360 — WE SHIP EVERYWHERE! — Full Service & Support Free Consultation at all times Dealers of many other Hardware Products Call					



Circle 451 on inquiry card.

#### Text continued from page 482:

temporary disk so that any mistakes won't wipe out your good disk.

Now assemble the BIOS file. If you have any errors, be sure to correct them before continuing. When the program assembles correctly, you will have two files: CBIOSXX.PRN and CBIOSXX.HEX. Transfer these two files along with SYSGEN (the CP/M command file that initializes new disks), CPMXX.COM (the command file for changing system size—sometimes called MOVCPM.COM), BOOT.HEX (the source file for the cold-start loader program), and DDT. You are now ready to add the new BIOS to your system. The following sequence shows how:

A > DDT CPMXX.COM DDT VERS X.X	(Call your file with DDT.)
NEXT PC	
2100 0100	(system response after loading)
-ICBIOSXX.HEX	(Input your CBIOS hex file.)
-RXXXX	(This number varies. Check your manual for correct off- set bias.)
NEXT PC	(system response after loading CBIOS.HEX)

<b>110</b> /	0000
1/20	

(Input your BOOT hex file.)
(This offset number is always 900 for BOOT.)
(system response after loading BOOT.HEX)
(Exit DDT with a warm boot.)
(Call SYSGEN and follow the prompts on your ter- minal to complete initializ- ing the new system.)

Now it's time to try the new system. Put in your new disk and cold boot. If all is well, your system should run normally. Be sure to check out the CP/M operating system thoroughly to make sure you haven't added a bug somewhere. If the system crashes, one way to get a cross-check is to print out the CBIOS.PRN file and compare it with your old listing. If the listings check, it is likely that you inserted some of the clock code in the wrong place. You'll have to do the BIOS over.

Once you get this far, the rest is easy. Call in your editor again and start a new file: TIME.ASM. This little program (listing 2) will reside permanently on your new



Circle 117 on induiry card.

operating system disk. The coding is straightforward and heavily commented. After coding is complete, assemble the file and use the CP/M LOAD command to create the TIME.COM file on your new disk.

If you wired up the hardware on a kludge board, now is the time to install it. Power down and put in your board with the clock-disable switch OFF. Power up again and type the word "TIME" in response to the CP/M prompt. You can expect to see a garbled message, such as:

$$A > \langle d: \#:B > AM$$

If you get this answer—with strange characters for time—all is well. The time characters are just junk put in

the time registers by the power-up start. "AM", "PM", or ": ", however, should appear in the proper position.

Now type in any valid 12-hour clock time. The display should read:

#### START CLOCK BY PRESSING RETURN

When you press return the display should read:

TIME IS SET TO = 12:00:00 PM (your set time)

If this message sequence doesn't occur, look for a problem in the TIME program. Fix this section before pro-

Text continued on page 492

**Listing 2:** TIME, a program that initializes the clock in the CP/M command mode. It resides permanently on disk and, when called, sets, starts, and stops the clock and reads the time. TIME may be called from any drive.

; FEB 1	Ø, 1981	BY J. L. CALAWA LISTING #2, 03: S AREA EQUATES	
-	NICATION	S AREA EQUATES	
; BASE CLKADR	EQU EQU	Ø4ØH BASE CLKADR+2	; COMM. AREA ; ADDR OF CLK IN BIOS
ONOFF SEC	EQU EQU	CLKADR+2 ONOFF+1	; ON=1, OFF=Ø ; BCD SEC
MIN	EQU	SEC+1	; BCD MIN
HRS	EQU	MIN+1	; BCD HOURS
AMPM	EQU EQU	HRS+1	; AM=0, PM=1
RSTLC	EQU	Ø38H	; RST-7
; CP/M	ADDRESS	EQUATES	
	EQU	00005H	; DOS ENTRY
TAIL	EQU	ØØØ80H	; COMMAND TAIL
;		EQUATES	
			; PRINT BUFFER
GCHR	EQU	ØØlH	; KEYBOARD
; ASCII ;	EQUATES		
	EQU		; CARRIAGE RET
$\mathbf{LF}$	EQU	ØØAH	; LINE FEED
BELL	EQU	007H	; BELL
EOM	EQU	Ø24H	; CP/M EOM
	ORG	0100H	; СР/М ТРА
; HERE	WE BEGIN		
•	LXI	D,CRLF C,PMSG	; CLEAR SCREEN
	CALL	ENTRY	
; WHAT		-	
	SET, ST	OP	
;			

Listing 2 continued: ; COUNT TAIL LDA ; TEST ORA Α DISP ; SHOW IF Ø JZ D,TAIL+1 ; FIRST CHAR LXI MOV L,A ; COUNT Η,Ø MVI DAD D ; END ; A=Ø XRA Α ; EOF MOV M,A SCAN TO FIRST NON-BLANK CHAR ; ; ; CHAR SCAN: LDAX D ORA Α ; EOM? ; YES-SKIP RZ 1 1 CPI ; SPACE? SCAN1 ; NO JNZ INX D **JMP** SCAN ; NON-BLANK ; SCAN1: CPI Ø61H ; LOWER CASE \$+5 ; NO JM Ø2ØH ; MAKE LOWER SBI 'S' CPI ; STOP JZ STOP ; LOOKS LIKE WE WILL SET TIME CHECK TO SEE IF BIOS HAS CLOCK ; ; CLKADR LHLD H INX INX Η ; TO ADDRESS INX Η MOV C,M H INX B,M MOV H,NOT SEC-1 LXI DAD B MOV A,L ORA H JZ SCAN3 LXI D,BIOSMG C,PMSG MVI ENTRY CALL RET CONVERT INPUT TIME ; ; ; BACK UP POINTER SCAN3: DCX D ; TEST ; Ø-9 TIME ; :/M SKIP ; A/B SET AM/PM SPACE = SKIP; ; 00 = END; SRC TEST: INX D ; CHAR D LDAX ; END? ORA Α

Listing 2 conti	nued:			
	JZ	FINI		
	CPI	Ø61H	;	LOWER
	JM	\$+5		
	SBI	Ø20H	;	CONVERT
	CPI	'Ø '	;	
	JC	TEST1	;	NO
	CPI	<b>'9'+</b> 1		
	JC	PACK	;	VALID
TEST1:	CPI	'A'	;	AM
	JZ	SETA		
	CPI	'P'	;	PM
	JZ	SETP		
	CPI	'M'	;	JUNK?
	JZ	TEST		
	CPI	1:1	;	COLON
	JZ	ŢEST		
	CPI		;	SPACE
	JZ	TEST		
ERROR:	LXI	D,IVMSG	;	NG
	MVI	C,PMSG		
	CALL	ENTRY		
	RET			
. DACK	INTO BCD			
•	INIO BCD			
; PACK:	MVI	C,3		TO DO
IACK.	PUSH	D	;	
	LXI	H,BUFF+3	'	Brive
	LXI	D,BUFF+2		
PACK1:	LDAX	D, BOFF (2)		
FACK1:	RAR	D		
	RAR			
	RAR			
	RAR		;	SHIFT NIBBLE
	ANI	ØØFH	;	CLEAR HIGH
	MOV	B,A	-	TEMP
	MOV	A,M	;	
	RLC	A / H		
	RLC			
	RLC			
	RLC		;	SHIFT TO HIGH
	ANI	ØFØH		CLEAR LOW
	ORA	B	;	COMBINE
	MOV	M,A	;	SAVE
	DCX	D		
	DCX	H		
	DCR	C	;	DONE
	JNZ	PACK1	'	
	POP	D	;	SRC
	LDAX	D	;	GET NEW
	ANI	ØØFH	;	TO BCD
	MOV	B,A	;	TEMP
	INX	Н		
	MOV	Α,Μ		
	ORA	В		
	MOV	Μ,Α		
	JMP	TEST	;	NEXT
;				
SETA:	XRA	A		

Listing 2 continued on page 490

.

Listing 2 contin	ued: JMP	SETAP		
SETP:	MVI	A,ØFFH		
	STA	BUFF+4		
ourne .	JMP	TEST	:	CONT
	0111			
; FINISH	I			
;				
FINI:	LXI	H, TABLE	;	TIME CHK
	LXI	D,BUFF+1		
	MVI	C,3		<u> </u>
FINIl:	LDAX	D	;	GET TIME
	CMP	M		
	JNC	ERROR		
	INX	D		
	INX	H		
	DCR	C		
	JNZ	FINIL		
	DCX	D	_	MIN
	LDAX	D	-	MIN BCD 1 HR
	CPI	001H	;	BCD I HK
	JC	ERROR	-	
	DI		;	HOLD OFF COPY
	LHLD	BUFF+1	;	COPI
	SHLD	SEC		
	LHLD	BUFF+3		
	SHLD	HRS CLKADR		SET VECTOR
	LHLD SHLD	RSTLC+1	;	SEI VECIOR
	MVI	A,ØC3H	;	JMP
	STA	RSTLC	1	OMP
	MVI	A,1		
	STA	ONOFF	;	START
	LXI	D,STMSG	;	ASK FOR A START
	MVI	C,PMSG	*	
	CALL	ENTRY		
	MVI	C,GCHR		
	CALL	ENTRY	:	GET KEY
	LXI	D,TIMSG		GIVE AN ANSYER
	MVI	C, PMSG	·	
	CALL	ENTRY		
	CALL	DISP	;	SHOW
	EI		;	INTERRUPTS ON
	RET			
•	OF MAX.	TIMES		
; TABLE:	DB	Ø6ØH,Ø6ØH,Ø13H		
; STOP (	CLOCK			
;	DT		-	
STOP:	DI XRA	A	;	INTERRUPTS OFF A=Ø
		ONOFF	-	HALT
	STA LXI	D,STPMSG	i	INTI
	MVI	C,PMSG		
	CALL	ENTRY	;	TELL WHEN
	CALL	DISP	'	///////////////////////////////
	RET		;	BACK TO CPM
; DISPL		12HR FORMAT	,	
;				

LXI H, HRS LXI D, BUFF CALL DTIM ; SET UP LDA AMPM ; AM OR PM ORA A ; A'A' JZ DISPI MVI A, 'A' JZ DISPI MVI A, 'P' DISP1: INX D STAX D LXI D, BUFF MVI C, PMSG CALL ENTRY RET ; QUICK TO CP/M ; DISPLAY TIME ; DTIM: MVI C,3 ; TO DO DTIMI: MVI C,4 ; TO ACCI RAR ; MSN ANI 00FH ; CLEAR ORI '0' ; TO ASCII STAX D ; STORE IN BUFFER INX D ; STORE IN BUFFER NNX D ; STORE IN BUFFER NNX D ; DONE RZ MVI A,':' ; ADD COLON STAX D ; DCX H INX D ; DCR C ; DONE RZ MVI A,':' ; ADD COLON STAX D ; STAX D ; STAY D ; DTIMI ; DATA AND MESSAGE AREA ; STMSG: DB BELL,'INVALID TIME',CR,LF,EOM STMSG: DB 'START CLOCK BY PRESSING RETURN ',EOM STMSG: DB 'AM' CRLF: DB CR,LF,CM DS 32 ; ROOM	Listing 2 con	tinued:			
ORA A , AM/PM MVI A,'A' JZ DISPI MVI A,'P' DISPI: INX D STAX D LXI D, BUFF WVI C, PMSG CALL ENTRY RET ; QUICK TO CP/M ; DISPLAY TIME ; DTIM: MVI C,3 ; TO DO DTIM1: MVV A,M ; GET DATA RAR ; ISOLATE HI NIBBLE RAR ; MSN ANI ØØFH ; CLEAR ORI 'Ø' ; TO ASCII STAX D ; STORE IN BUFFER INX D ; STORE IN BUFFER INX D ; STORE IN BUFFER INX D ; LOW NIBBLE ANI ØØFH ORI 'Ø' STAX D ; DONE RZ MVI A,':' ; ADD COLON STAX D ; JP DTIM1 ; DATA AND MESSAGE AREA ; STOMG: DB BELL,'NO CLOCK IN BIOS', CR, LF, EOM INX D ; JATA AND MESSAGE AREA ; STMSG: DB START CLOCK BY PRESSING RETURN ', EOM STMSG: DB START CLOCK BY PRESSING RETURN ', EOM STMSG: DB CR, LF, 'TIME SET TO = ', EOM BUFF: DM Ø ; DISPLAY DATA DW Ø DW Ø DB ' AM' CRLF: DB CR, LF, EOM STACK EQU \$	DIGF.	LXI	D,BUFF	;	SET UP
<pre>MVI A,'A' JZ DISPI MVI A,'P' DISPI: INX D STAX D LXI D, BUFF MVI C,PMSG CALL ENTRY RET ; QUICK TO CP/M ; DISPLAY TIME ; DTIM: MVI C,3 ; TO DO DTIMI: MVI C,3 ; TO DO DTIMI: MVVI C,3 ; GET DATA RAR ; ISOLATE HI NIBBLE RAR RAR ; MSN ANI ØØFH ; CLEAR ORI '0' ; TO ASCII STAX D ; STORE IN BUFFER INX D ; STORE IN BUFFER INX D ; STORE IN BUFFER INX D ; LOW NIBBLE ANI ØØFH ORI '0' STAX D ; LOW NIBBLE ANI ØØFH OCK H INX D DCCR C ; DONE RZ WVI A,':' ; ADD COLON STAX D JF DTIMI ; DATA AND MESSAGE AREA ; IDSMG: DB BELL,'NO CLOCK IN BIOS',CR,LF,EOM STMSG: DB BELL,'INVALID TIME',CR,LF,EOM STMSG: DB 'START CLOCK BY PRESSING RETURN ',EOM STMSG: DB 'AM' CRLF: DB CR,LF, 'TIME SET TO = ',EOM BUFF: DW Ø DW Ø DW Ø SUM Ø S</pre>					
JZ DISP1 MVI A,'P' DISP1: INX D STAX D LXI D, BUFF MVI C, PMSG CALL ENTRY RET ; QUICK TO CP/M ; DISPLAY TIME ; DTIM: MVI C,3 ; TO DO DTIM1: MVI C,3 ; TO ATA RAR ; ISOLATE HI NIBBLE RAR ; MSN ANI ØØFH ; CLEAR ORI '0' ; TO ASCII STAX D ; STORE IN BUFFER INX D ; STORE IN BUFFER INX D ; LOW NIBBLE ANI ØØFH ORI '0' STAX D ; DONE RZ MVI A,':' ; ADD COLON STAX D ; DCR C ; DONE RZ MVI A,':' ; ADD COLON STAX D ; JF DTIM1 ; DATA AND MESSAGE AREA ; STMSG: DB BELL,'NO CLOCK IN BIOS', CR, LF, EOM STMSG: DB 'START CLOCK BY PRESSING RETURN ', EOM STMSG: DB 'AM' CRLF: DB CR, LF, EOM DB 'AM' CRLF: DB CR, LF, EOM SG 32 ; ROOM				;	AM/PM
MVI A,'P' DISP1: INX D STAX D LXI D, BUFF MVI C,PMSG CALL ENTRY RET ; QUICK TO CP/M ; DISPLAY TIME ; DTIM: MVI C,3 ; TO DO DTIM! MOV A,M ; GET DATA RAR RAR RAR RAR RAR RAR RAR					
DISP1: INX D STAX D LXI D,BUFF MVI C,PMSG CALL ENTRY RET ; QUICK TO CP/M ; DISPLAY TIME ; DTIM: MVI C,3 ; TO DO DTIM1: MOV A,M ; GET DATA RAR ; ISOLATE HI NIBBLE RAR ; MSN ANI ØØFH ; CLEAR ORI 'Ø' ; TO ASCII STAX D ; STORE IN BUFFER INX D ; DONE RZ MVI A,':' ; ADD COLON STAX D ; JP DTIM1 ; DATA AND MESSAGE AREA ; BIOSMG: DB BELL,'NO CLOCK IN BIOS',CR,LF,EOM INX D ; START CLOCK BY PRESSING RETURN ',EOM STMNG: DB BELL,'INO CLOCK BIOS',CR,LF,EOM IVMSG: DB BELL,'INO CLOCK BIOS',CR,LF,EOM STMNG: DB START CLOCK BY PRESSING RETURN ',EOM TIMSG: DB 'START CLOCK BY PRESSING RETURN ',EOM TIMSG: DB CR,LF,'TIME SET TO = ',EOM DW Ø DW Ø DW Ø DW Ø DB ' AM' CRLF: DB CR,LF,EOM DS 32 ; ROOM					
LXI D, BUFF MVI C, PMSG CALL ENTRY RET ; QUICK TO CP/M ; DISPLAY TIME ; DTIM: MVI C,3 ; TO DO DTIM1: MOV A,M ; GET DATA RAR ; ISOLATE HI NIBBLE RAR RAR ; MSN ANI 00FH ; CLEAR ORI '0' ; TO ASCII STAX D ; STORE IN BUFFER INX D ; STORE IN BUFFER INX D ; LOW NIBBLE ANI 00FH ORI '0' STAX D ; DONE RZ MVI A,':' ; ADD COLON STAX D ; JP DTIM1 ; DATA AND MESSAGE AREA ; BIOSMG: DB BELL,'NO CLOCK IN BIOS',CR,LF,EOM INX D ; JP DTIM1 ; DATA AND MESSAGE AREA ; BIOSMG: DB BELL,'INVALID TIME',CR,LF,EOM STMSG: DB START CLOCK BY PRESSING RETURN ',EOM STMSG: DB 'STAPT CLOCK BY PRESSING RETURN ',EOM TIMSG: DB CR,LF,'TIME SET TO = ',EOM STMSG: DB CR,LF,'TIME SET TO = ',EOM STMSG: DB CR,LF, 'TIME SET TO = ',EOM STMSG: DB CR,LF, 'TIME SET TO = ',EOM STMSG: DB CR,LF, COM STMSG: DB CR,LF, COM STACK EQU \$	DISP1:		•		
<pre>MVI C,PMSG CALL ENTRY RET ;QUICK TO CP/M ;DISPLAY TIME ; DTIM: MVI C,3 ; TO DO DTIM1: MVV A,M ;GET DATA RAR ;ISOLATE HI NIBBLE RAR RAR ;MSN ANI ØØFH ;CLEAR ORI 'Ø' ;TO ASCII STAX D ;STORE IN BUFFER INX D MOV A,M ;LOW NIBBLE ANI ØØFH ORI 'Ø' STAX D DCX H INX D DCR C ;DONE RZ MVI A,':' ;ADD COLON STAX D JP DTIM1 ;DATA AND MESSAGE AREA ; BIOSMG: DB BELL,'NO CLOCK IN BIOS',CR,LF,EOM INX D JP DTIM1 ;DATA AND MESSAGE AREA ; BIOSMG: DB BELL,'NO CLOCK IN BIOS',CR,LF,EOM INX C JP DTIM1 ;DATA AND MESSAGE AREA ; BIOSMG: DB BELL,'NO CLOCK IN BIOS',CR,LF,EOM ITMSG: DB BELL,'INVALID TIME',CR,LF,EOM STMSG: DB 'STOPPED AT ',EOM STMSG: DB 'START CLOCK BY PRESSING RETURN ',EOM TIMSG: DB 'START CLOCK BY PRESSING RETURN ',EOM STMSG: DB 'START CLOCK BY PRESSING RETURN ',EOM TIMSG: DB 'START CLOCK BY PRESSING RETURN ',EOM STMSG: DB 'START CLOCK BY PRESSING RETURN ',EOM DW Ø DW Ø DW Ø DW Ø DW Ø DW Ø DW Ø DW Ø</pre>					
CALL ENTRY RET ; QUICK TO CP/M ; DISPLAY TIME ; DTIM: MVI C,3 ; TO DO DTIM1: MOV A,M ; GET DATA RAR RAR RAR RAR RAR RAR RAR					
<pre>RET ; QUICK TO CP/M ; DISPLAY TIME ; DTIM: MVI C,3 ; TO DO DTIM1: MOV A,M ; GET DATA RAR ; ISOLATE HI NIBBLE RAR ; MSN ANI 00FH ; CLEAR ORI '0' ; TO ASCII STAX D ; STORE IN BUFFER INX D MOV A,M ; LOW NIBBLE ANI 00FH ORI '0' STAX D DCR C ; DONE RZ MVI A,':' ; ADD COLON STAX D JP DTIM1 ; DATA AND MESSAGE AREA ; BIOSMG: DB BELL,'NO CLOCK IN BIOS',CR,LF,EOM IVMSG: DB BELL,'INVALID TIME', CR,LF,EOM STMSG: DB 'STOPPED AT ',EOM STMSG: DB 'STATT CLOCK BY PRESSING RETURN ',EOM TIMSG: DB CR,LF,'TIME SET TO = ',EOM BUFF: DW 0 ; DISPLAY DATA DW 0 DW 0 DW 0 DB 'AM' CRLF: DB CR,LF,EOM DS 32 ; ROOM STACK EQU \$ </pre>			-		
; DISPLAY TIME ; DTIM: MVI C,3 ; TO DO DTIM1: MOV A,M ; GET DATA RAR RAR RAR RAR RAR RAR RAR			LNIKI	•	OUTCK TO CP/M
; DTIM: MVI C,3 ; TO DO DTIM1: MOV A,M ; GET DATA RAR RAR RAR RAR RAR RAR RAR				,	volok lo olym
DTIM: MVI C,3 ; TO DO DTIM1: MOV A,M ; GET DATA RAR RAR RAR RAR RAR RAR RAR	•	AY TIME			
RAR RAR RAR RAR RAR RAR RAR RAR		MVI	С,3	;	TO DO
RAR RAR RAR RAR RAR RAR RAR RAR	DTIM1:		Α,Μ	•	
RAR ; MSN ANI ØØFH ; CLEAR ORI 'Ø' ; TO ASCII STAX D ; STORE IN BUFFER INX D ; STORE IN BUFFER INX D ; LOW NIBBLE ANI ØØFH ORI 'Ø' STAX D DCX H INX D DCR C ; DONE RZ MVI A,':' ; ADD COLON STAX D INX D JP DTIM1 ; DATA AND MESSAGE AREA ; BIOSMG: DB BELL,'NO CLOCK IN BIOS',CR,LF,EOM IVMSG: DB BELL,'INVALID TIME',CR,LF,EOM STEMSG: DB 'STOPPED AT ',EOM STEMSG: DB 'STOPPED AT ',EOM STEMSG: DB 'START CLOCK BY PRESSING RETURN ',EOM TIMSG: DB CR,LF,'TIME SET TO = ',EOM BUFF: DW Ø DW Ø DW Ø DW Ø DW Ø DW Ø DW Ø STAK' EQU \$				;	ISOLATE HI NIBBLE
RAR ; MSN ANI ØØFH ; CLEAR ORI 'Ø' ; TO ASCII STAX D ; STORE IN BUFFER INX D MOV A,M ; LOW NIBBLE ANI ØØFH ORI 'Ø' STAX D DCX H INX D DCR C ; DONE RZ MVI A,':' ; ADD COLON STAX D INX D JP DTIM1 ; DATA AND MESSAGE AREA ; BIOSMG: DB BELL,'NO CLOCK IN BIOS',CR,LF,EOM IVMSG: DB BELL,'INVALID TIME',CR,LF,EOM STMSG: DB 'START CLOCK BY PRESSING RETURN ',EOM STMSG: DB 'START CLOCK BY PRESSING RETURN ',EOM TIMSG: DB CR,LF,'TIME SET TO = ',EOM BUFF: DW Ø ; DISPLAY DATA DW Ø DW Ø DW Ø DB 'AM' CRLF: DB CR,LF,EOM DS 32 ; ROOM STACK EQU \$					
ANI 00FH ; CLEAR ORI '0' ; TO ASCII STAX D ; STORE IN BUFFER INX D MOV A,M ; LOW NIBBLE ANI 00FH ORI '0' STAX D DCX H INX D DCR C ; DONE RZ MVI A,':' ; ADD COLON STAX D JP DTIM1 ; DATA AND MESSAGE AREA ; BIOSMG: DB BELL,'NO CLOCK IN BIOS',CR,LF,EOM IVMSG: DB BELL,'NO CLOCK IN BIOS',CR,LF,EOM STMSG: DB 'STOPPED AT ',EOM STMSG: DB 'START CLOCK BY PRESSING RETURN ',EOM TIMSG: DB CR,LF,'TIME SET TO = ',EOM BUFF: DW 0 ; DISPLAY DATA DW 0 DW 0 DW 0 DW 0 DW 0 DW 0 STACK EQU \$				;	MSN
STAX D ; STORE IN BUFFER INX D MOV A,M ; LOW NIBBLE ANI ØØFH ORI 'Ø' STAX D DCX H INX D DCR C ; DONE RZ MVI A,':' ; ADD COLON STAX D JP DTIM1 ; DATA AND MESSAGE AREA ; BIOSMG: DB BELL,'NO CLOCK IN BIOS',CR,LF,EOM IVMSG: DB BELL,'INVALID TIME',CR,LF,EOM STPMSG: DB 'STOPPED AT ',EOM STMSG: DB 'START CLOCK BY PRESSING RETURN ',EOM TIMSG: DB CR,LF,'TIME SET TO = ',EOM BUFF: DW Ø DW Ø DW Ø DW Ø DW Ø STACK EQU \$				•	
INX D MOV A,M ; LOW NIBBLE ANI 00FH ORI '0' STAX D DCX H INX D DCR C ; DONE RZ MVI A,':' ; ADD COLON STAX D JP DTIM1 ; DATA AND MESSAGE AREA ; BIOSMG: DB BELL,'NO CLOCK IN BIOS',CR,LF,EOM IVMSG: DB BELL,'INVALID TIME',CR,LF,EOM STPMSG: DB 'STOPPED AT ',EOM STMSG: DB 'START CLOCK BY PRESSING RETURN ',EOM TIMSG: DB CR,LF,'TIME SET TO = ',EOM BUFF: DW 0 ; DISPLAY DATA DW 0 DW 0 DW 0 DW 0 DW 0 DW 0 STACK EQU \$			-	;	
<pre>MOV A,M ; LOW NIBBLE ANI ØØFH ORI 'Ø' STAX D DCX H INX D DCR C ; DONE RZ MVI A,':' ; ADD COLON STAX D JP DTIM1 ; DATA AND MESSAGE AREA ; BIOSMG: DB BELL,'NO CLOCK IN BIOS',CR,LF,EOM IVMSG: DB BELL,'INVALID TIME',CR,LF,EOM STPMSG: DB 'STOPPED AT ',EOM STMSG: DB 'START CLOCK BY PRESSING RETURN ',EOM TIMSG: DB CR,LF,'TIME SET TO = ',EOM BUFF: DW Ø ; DISPLAY DATA DW Ø DW Ø DW Ø DW Ø START CLOCK BY PRESSING RETURN ',EOM STMSG: DB 'START CLOCK BY PRESSING RETURN ',EOM STACK EQU \$</pre>				;	STORE IN BUFFER
ANI ØØFH ORI 'Ø' STAX D DCX H INX D DCR C ; DONE RZ MVI A,':' ; ADD COLON STAX D JP DTIM1 ; DATA AND MESSAGE AREA ; BIOSMG: DB BELL,'NO CLOCK IN BIOS',CR,LF,EOM IVMSG: DB BELL,'INVALID TIME',CR,LF,EOM STPMSG: DB 'STOPPED AT ',EOM STPMSG: DB 'STOPPED AT ',EOM STMSG: DB 'STOPPED AT ',EOM STMSG: DB CR,LF,'TIME SET TO = ',EOM BUFF: DW Ø ; DISPLAY DATA DW Ø DW Ø DW Ø DW Ø STACK EQU \$			—	•	LOW NIBBLE
STAXDDCXHINXDDCRC; DONERZMVIA,':'; ADD COLONSTAXDJPDTIM1; DATA AND MESSAGE AREA;BIOSMG:DBBELL,'NO CLOCK IN BIOS', CR, LF, EOMIVMSG:DBBELL,'INVALID TIME', CR, LF, EOMSTPMSG:DB'STOPPED AT ', EOMSTMSG:DB'START CLOCK BY PRESSING RETURN ', EOMBUFF:DWØ;DWØDWØDWØDWØDWØDS32; ROOMSTACKEQU\$				1	2011 112022
DCX H INX D DCR C ; DONE RZ MVI A,':' ; ADD COLON STAX D INX D JP DTIM1 ; DATA AND MESSAGE AREA ; BIOSMG: DB BELL,'NO CLOCK IN BIOS',CR,LF,EOM IVMSG: DB BELL,'INVALID TIME',CR,LF,EOM STPMSG: DB 'STOPPED AT ',EOM STPMSG: DB 'START CLOCK BY PRESSING RETURN ',EOM TIMSG: DB CR,LF,'TIME SET TO = ',EOM BUFF: DW Ø ; DISPLAY DATA DW Ø DW Ø DW Ø DW Ø START CLOCK BY PRESSING RETURN ',EOM CRLF: DB CR,LF,'TIME SET TO = ',EOM BUFF: DB CR,LF CRLF1: DB CR,LF CRLF1: DB CR,LF, EOM DS 32 ; ROOM			'Ø'		
INX D DCR C ; DONE RZ MVI A,':' ; ADD COLON STAX D INX D JP DTIM1 ; DATA AND MESSAGE AREA ; BIOSMG: DB BELL,'NO CLOCK IN BIOS',CR,LF,EOM IVMSG: DB BELL,'INVALID TIME',CR,LF,EOM STPMSG: DB 'STOPPED AT ',EOM STMSG: DB 'STOPPED AT ',EOM STMSG: DB 'START CLOCK BY PRESSING RETURN ',EOM TIMSG: DB CR,LF,'TIME SET TO = ',EOM BUFF: DW Ø ; DISPLAY DATA DW Ø DW Ø DW Ø DW Ø DW Ø START CLOCK BY PRESSING RETURN ',EOM STMSG: DB CR,LF,'TIME SET TO = ',EOM BUFF: DB CR,LF, 'TIME SET TO = ',EOM STACK EQU \$					
DCR C ; DONE RZ MVI A,':' ; ADD COLON STAX D INX D JP DTIM1 ; DATA AND MESSAGE AREA ; BIOSMG: DB BELL,'NO CLOCK IN BIOS',CR,LF,EOM IVMSG: DB BELL,'INVALID TIME',CR,LF,EOM STPMSG: DB 'STOPPED AT ',EOM STMSG: DB 'STOPPED AT ',EOM STMSG: DB 'START CLOCK BY PRESSING RETURN ',EOM TIMSG: DB CR,LF,'TIME SET TO = ',EOM BUFF: DW Ø ; DISPLAY DATA DW Ø DW Ø DW Ø DW Ø DW Ø STACK EQU \$					
RZ MVI A,':' ; ADD COLON STAX D INX D JP DTIM1 ; DATA AND MESSAGE AREA ; BIOSMG: DB BELL, 'NO CLOCK IN BIOS', CR, LF, EOM IVMSG: DB BELL, 'INVALID TIME', CR, LF, EOM STPMSG: DB 'STOPPED AT ', EOM STMSG: DB 'START CLOCK BY PRESSING RETURN ', EOM TIMSG: DB CR, LF, 'TIME SET TO = ', EOM BUFF: DW Ø ; DISPLAY DATA DW Ø DW Ø DW Ø DW Ø DW Ø STACK EQU \$				•	DONE
STAX D INX D JP DTIM1 ; DATA AND MESSAGE AREA ; BIOSMG: DB BELL, 'NO CLOCK IN BIOS', CR, LF, EOM IVMSG: DB BELL, 'INVALID TIME', CR, LF, EOM STPMSG: DB 'STOPPED AT ', EOM STMSG: DB 'START CLOCK BY PRESSING RETURN ', EOM TIMSG: DB CR, LF, 'TIME SET TO = ', EOM BUFF: DW Ø ; DISPLAY DATA DW Ø DW Ø DW Ø DB 'AM' CRLF: DB CR, LF, EOM DS 32 ; ROOM STACK EQU \$			C		Done
INX D JP DTIM1 ; DATA AND MESSAGE AREA ; BIOSMG: DB BELL, 'NO CLOCK IN BIOS', CR, LF, EOM IVMSG: DB BELL, 'INVALID TIME', CR, LF, EOM STPMSG: DB 'STOPPED AT ', EOM STMSG: DB 'START CLOCK BY PRESSING RETURN ', EOM TIMSG: DB CR, LF, 'TIME SET TO = ', EOM BUFF: DW Ø ; DISPLAY DATA DW Ø DW Ø DW Ø CRLF: DB CR, LF CRLF1: DB CR, LF, EOM DS 32 ; ROOM STACK EQU \$			A,':'	;	ADD COLON
JP DTIM1 ; DATA AND MESSAGE AREA ; BIOSMG: DB BELL, 'NO CLOCK IN BIOS', CR, LF, EOM IVMSG: DB BELL, 'INVALID TIME', CR, LF, EOM STPMSG: DB 'STOPPED AT ', EOM STMSG: DB 'START CLOCK BY PRESSING RETURN ', EOM TIMSG: DB CR, LF, 'TIME SET TO = ', EOM BUFF: DW Ø ; DISPLAY DATA DW Ø DW Ø DW Ø DW Ø DW Ø STACF: DB CR, LF CRLF1: DB CR, LF, EOM DS 32 ; ROOM					
; DATA AND MESSAGE AREA ; BIOSMG: DB BELL, 'NO CLOCK IN BIOS',CR,LF,EOM IVMSG: DB BELL, 'INVALID TIME',CR,LF,EOM STPMSG: DB 'STOPPED AT ',EOM STMSG: DB 'START CLOCK BY PRESSING RETURN ',EOM TIMSG: DB CR,LF, 'TIME SET TO = ',EOM BUFF: DW Ø ; DISPLAY DATA DW Ø DW Ø DW Ø DW Ø DW Ø STACF: DB CR,LF CRLF1: DB CR,LF,EOM DS 32 ; ROOM STACK EQU \$					
IVMSG: DB BELL, 'INVALID TIME', CR, LF, EOM STPMSG: DB 'STOPPED AT ', EOM STMSG: DB 'START CLOCK BY PRESSING RETURN ', EOM TIMSG: DB CR, LF, 'TIME SET TO = ', EOM BUFF: DW Ø ; DISPLAY DATA DW Ø DW Ø DW Ø CRLF: DB CR, LF CRLF1: DB CR, LF, EOM DS 32 ; ROOM STACK EQU \$	; DATA				
IVMSG: DB BELL, 'INVALID TIME', CR, LF, EOM STPMSG: DB 'STOPPED AT ', EOM STMSG: DB 'START CLOCK BY PRESSING RETURN ', EOM TIMSG: DB CR, LF, 'TIME SET TO = ', EOM BUFF: DW Ø ; DISPLAY DATA DW Ø DW Ø DW Ø CRLF: DB CR, LF CRLF1: DB CR, LF, EOM DS 32 ; ROOM STACK EQU \$	;				
STPMSG:DB'STOPPED AT ',EOMSTMSG:DB'START CLOCK BY PRESSING RETURN ',EOMTIMSG:DBCR,LF,'TIME SET TO = ',EOMBUFF:DWØDWØDWØDWØDWØDWØDWØDS'AM'CRLF:DBCRLF1:DBDS32STACKEQU					
STMSG:       DB       'START CLOCK BY PRESSING RETURN ', EOM         TIMSG:       DB       CR,LF,'TIME SET TO = ', EOM         BUFF:       DW       Ø       ; DISPLAY DATA         DW       Ø       Ø         DB       'AM'         CRLF:       DB       CR,LF,EOM         DS       32       ; ROOM         STACK       EQU       \$					E,CR,LF,EOM
TIMSG: DB CR,LF, 'TIME SET TO = ',EOM BUFF: DW Ø ; DISPLAY DATA DW Ø DW Ø DW Ø DB 'AM' CRLF: DB CR,LF CRLF1: DB CR,LF,EOM DS 32 ; ROOM STACK EQU \$			-		RESSING RETURN ', EOM
DW Ø DW Ø DW Ø DB 'AM' CRLF: DB CR,LF CRLF1: DB CR,LF,EOM DS 32 ; ROOM STACK EQU \$	TIMSG:	DB		T	O = ', EOM
DW Ø DW Ø DB 'AM' CRLF: DB CR,LF CRLF1: DB CR,LF,EOM DS 32 ; ROOM STACK EQU \$	BUFF:		-	;	DISPLAY DATA
DW Ø DB 'AM' CRLF: DB CR,LF CRLF1: DB CR,LF,EOM DS 32 ; ROOM STACK EQU \$					
DB 'AM' CRLF: DB CR,LF CRLF1: DB CR,LF,EOM DS 32 ; ROOM STACK EQU \$					
CRLF1: DB CR,LF,EOM DS 32 ; ROOM STACK EQU \$					
DS 32 ; ROOM STACK EQU \$					
STACK EQU \$	CRLF1:				ROOM
	STACK			;	KUUM
	;				

END

Text continued from page 487:

ceeding.

Now again type 'TIME" in response to the prompt and the display should read:

#### A> 12:00:00 PM

At this point you should have a working clock. Turn on the disable switch in your clock board and go through the set-time sequence again. There should be a time change in the seconds column whenever you type "TIME" in response to the CP/M prompt.

Check out the minutes and seconds registers by setting the clock to 12:59:50. In 10 seconds, it should make the change to 01:00:00. If it does, congratulations! You now have a time-of-day clock—just like the expensive mainframe computers. If you have problems, then doublecheck your steps. This program has been thoroughly tested and should work.

If you program in BASIC, include one or two of the BASIC subroutines (listings 3, 4, and 5) in your pro-

grams. You will then be able to get a time readout whenever you want by simply calling one of these subroutines.

Note that there are two listings for reading the clock. Listing 3 is a program in Microsoft BASIC with the instruction HEX(X). Not all BASICs have this instruction, so there is an alternate clock read (listing 4), which does the same thing but less elegantly.

An interesting note here about the way that the HEX\$(X) instruction works: remember that the program stores the clock as a binary-coded-decimal number. For example, 25 seconds would be stored in the register as 0010/0101. The 2 is stored in the upper 4 bits and the 5 in the lower 4 bits. Due to the binary weighting of the 8 bits in the register, the HEX\$(X) instruction sees what it thinks is decimal 37. When called, the instruction dutifully returns the hexadecimal value of this number, or 25. Furthermore, it gives us that value as a string. Just what we need! Sneaky, isn't it? And very useful in cutting code down to size and setting up a printout.

Listing 5 is a short BASIC program that enables you to

**Listing 3:** A clock-read program in Microsoft BASIC. It can be used as a subroutine in a larger program to allow reading the clock when desired. This program makes interesting use of the HEX\$(X) instruction.

```
10 REM
        CLOCK PROGRAM BY J.L. CALAWAY & B. HILL
20 REM
                       02:20:47 PM
        FEB 12, 1981
                                     LISTING #3
30 REM
         READ CLOCK PROGRAM FOR BASIC WITH
40 REM
                                           HEX$(X) COMMAND
50 REM
70 REM
80
       T(1) = PEEK(69) : T(2) = PEEK(68) : T(3) = PEEK(67) : M1 = PEEK(70)
       IF M1=Ø THEN M1$="AM" ELSE M1$="PM"
90
100 REM
110 REM----LOOP TO CHANGE REGISTER VALUES TO DECIMAL STRINGS------
120 REM
130
        FOR I=1 TO 3
          IF VAL(HEX$(T(I))) <10 THEN T$(I) = "0" + HEX$(T(I))
140
                ELSE T$(I)=HEX$(T(I))
150
        NEXT I
160 REM
170 REM------PRINT IT------
180 REM
190
        PRINT "TIME:
                      ";T$(1);":";T$(2);":"T$(3);" ";M1$
200 REM
210 REM-----STORE AND/OR RETURN-------
Listing 4: A clock-read program for users who have a version of BASIC without a HEX$(X) instruction. It works the same as listing 3,
but takes twice as much code. It assumes that DIM(X) need not be used if X is less than 10.
100
     REM
          CLOCK PROGRAM BY J. L. CALAWAY AND B. HILL
110
     REM
          FEB 12, 1981
                         Ø3:05:19 PM
                                         LISTING #4
120 REM
130 REM
          READ CLOCK PROGRAM FOR BASIC WITHOUT THE HEX$(X) COMMAND
140 REM
```

```
150 REM-----READ THE REGISTERS-----
```

170 T(1)=PEEK(69):T(2)=PEEK(68):T(3)=PEEK(67):M1=PEEK(70)

160 REM

Listing 4 continued: 180 IF M1=Ø THEN M1\$="AM" ELSE M1\$="PM" 190 REM 200 REM-----LOOP CHANGES HEX CODE TO DECIMAL STRINGS-----210 REM 220 FOR I = 1 TO 3 230 X=T(I)240 X = X - 16250 IF X<Ø THEN GOTO 290 260 IF X<10 THEN T(I) = T(I) - 6270 IF X > 10 THEN T(I)=T(I)-6: GOTO 240 280 REM IF T(I) < 10 THEN  $T_{(I)} = "0" + RIGHT_{(STR_{(I)})}$ 290 ELSE T\$(I) = RIGHT\$(STR\$(T(I)), 2) 300 NEXT I 310 REM 320 REM-----PRINT THE STRINGS------330 REM 340 PRINT T\$(1)":";T\$(2);":";T\$(3);" "; M1\$ 350 REM 360 REM------STORE AND/OR RETURN AS DESIRED------

**Listing 5:** A BASIC program to set the clock by jamming a time into the clock registers. The clock has previously been started in the CP/M command mode and is running continuously. The program makes a cursory check for valid entries; an exhaustive examination for invalid time would require more code. The clock cannot be stopped and started from a BASIC program.

200 REM CLOCK PROGRAM BY J. L. CALAWAY & B. HILL 210 REM FEB 12, 1981 02:23:07 PM LISTING 5 220 REM 225 REM BASIC PROGRAM TO SET TIME IN RUNNING CLOCK 230 REM 240 LINE INPUT "WHAT TIME DO YOU WANT SET (HHMMSS(AM OR PM)"; T\$ 250 IF LEN(T\$)<>8 THEN PRINT CHR\$(7); "INVALID TIME": GOTO 240 260 REM 270 T(1)=VAL(MID\$(T\$,5,2)): T(2)=VAL(MID\$(T\$,3,2)): T(3)=VAL(LEFT\$(T\$,2)) 280 IF MID $(T^{,7,2)="AM"}$  THEN T(4)=0 ELSE T(4)=1 290 REM 300 REM-----LOOP TO CHANGE SET TIME TO BCD------310 REM 320 FOR I=1 TO 4 330 X=T(I)340 X=X-10IF X<Ø THEN 380 350 360 IF X<=9 THEN T(I) = T(I) + 6370 IF X>9 THEN T(I)=T(I)+6: GOTO 340 380 POKE 66+I, 0+T(I)NEXT I 390 400 REM 410 REM-----PRINT/STORE OR RETURN AS DESIRED-----PRINT/STORE OR RETURN AS DESIRED-----

set the clock from BASIC. But this program doesn't start or stop the clock. The time code is simply jammed into the running clock registers.

Depending on your variety of BASIC, you may have to make a few more changes in the code. If you use CBASIC, for example, then you will have to add DIM statements to initialize the arrays. Or you could forget the arrays and simply use separate variables for the hours, minutes, seconds, and the AM/PM registers. If your BASIC requires the DIM statement, you may also have to initialize the arrays to 0.

While the BASIC listings serve as a starting point, you can embroider them as you wish. Maybe you would like to store the time in registers to be printed back later in the program. Perhaps you would like to display the seconds ticking away to add a sense of pressure to a favorite game program. Now that you have a clock, you can easily do such tricks. We hope you enjoy it.

#### SYSTEMS

#### Ace 100

Franklin Computer Corp. claims that its Ace 100 personal computer is 100% hardware- and softwarecompatible with the Apple computer. According to the company, all programs written for the Apple II, including high- and low-resolution black-and-white graphics, will run on the Ace without modification. Standard features include 64K bytes of RAM (random-access read/write memory) and a Videx Keyboard Enhancer. The Ace has an uppercase and lowercase 72-key typewriter-like keyboard and a 12-key numeric keypad

The Franklin Ace 100 is available for \$1595. Contact Franklin Computer Corp., 7030 Colonial Highway, Pennsauken, NJ 08109, (609) 488-1700. Circle 500 on inquiry card.

#### Expandable **Pocket Computer**

The Model PC-2 TRS-80 Pocket Computer features a BASIC interpreter with 42 statements. 34 functions, and 6 commands. The expandable PC-2 has full string-handling abilities with 80-character string length and two-dimensional arrays, a 26-character alphanumeric LCD (liquid-crystal display) with uppercase and lowercase characters, 2.5K bytes of memory, and a built-in realtime clock. Additional fea-

tures include fully addressable 7 by 156 dot-matrix LCD graphics and a 60-pin I/O interface connector

Options for the PC-2 include an RS-232C interface and software, a four-color printer/plotter with nine different character sizes, and add-on RAM (randomaccess read/write memory) and ROM (read-only memory) modules. The PC-2 costs \$279.95. A 4K-byte memory module is available for \$69.95. Contact local Radio Shack stores, computer centers, and participating dealers, or the Tandy Corp., 1300 One Tandy Center, Fort Worth, TX 76102.

Circle 501 on inquiry card.

#### Wicat System 150

The high-capacity Wicat System 150 includes an 8-MHz Motorola 68000 microprocessor (a 16-bit processor), memory, display screen, storage, and storage backup in a single desktop unit. The 150's main memory ranges from 256K bytes to 1.5 megabytes; standard mass storage includes a 10-megabyte Winchester hard-disk drive and a 960K-byte 51/4-inch floppy-disk drive for backup. The singleuser, real-time, multitasking 150 can be configured with 51/4-inch floppy disks or as an intelligent terminal without mass storage. The System 150 supports two RS-232C serial interfaces, a 16-bit parallel interface, and Pascal, C, APL, Ada,

COBOL, FORTRAN, LISP, WBASIC, and 68000 assembly languages.

Hardware options include a videodisc interface and a battery backup. Optional operating systems include Unix version 7 and a CP/M emulator. The Wicat System 150 ranges in price from under \$4000 for the intelligent terminal to \$8500 with the Winchester hard-disk unit. Contact Wicat Systems, 1875 South State St., Orem, UT 84057, (801) 224-6400.



#### Desktop Computer

The ACI-2 desktop computer features two highperformance 8-inch floppydisk drives and 64K bytes of RAM (random-access read/write memory). The Z80-based ACI-2 can run Digital Research's CP/M 2.2 software and interface with most industrystandard terminals, modems, and printers through three RS-232C serial ports. The ACI-2, which can be used with a modem for communications over telephone lines and as a smart timeshare terminal, is available for \$2995 from Alspa Computer Inc., 300 Harvey West Blvd., Santa Cruz, CA 95060, (408) 429-6000. Circle 503 on inquiry card.

#### PUBLICATIONS

#### Konan **Products Catalog**

Hard-disk drives and controllers, I/O controllers, cables, power supplies, and other items are listed in a free catalog of Konan products. Contact Konan Corp., 1448 North 27th Ave., Phoenix, AZ 85009, (800) 528-4563; in Arizona, (602) 269-2649. Circle 504 on inquiry card.

#### Understand Your VIC

Understanding Your VIC, Volume 1: Basic Programming is a step-bystep guide to learning about your Commodore VIC-20. Many of the book's exercises give the correct results so that you have feedback at your fingertips. The VIC's color and sound abilities can be mastered with the help of chapters that show you how to build demonstration programs with these features. Another chapter describes how the proper use of psuedocode and data dictionaries can help you refine programming problems.

Available in softcover for \$11.95, Understanding Your VIC, Volume 1 can be purchased from Commodore dealers or directly from Total Information Services, POB 921, Los Alamos, NM 87544, (505) 455-7049.

Circle 505 on inquiry card.

#### 8088 User's Manual

Intel's iAPX 88 Book details the 8088's architecture and discuss its 8- and 16-bit registers, megabyte memory-addressing modes, and instruction set. An overview of the 8088's key features, addressing techniques, and functional extensions is provided. A separate hardware section covers bus timing and interface considerations, interrupt handling, direct memory addressing, and interfacing memory and peripherals. Examples are given of multiplexed- and demultiplexed-bus personal and small-business computers, an S-100-bus-based design, and an 8088-based video-display controller.

The iAPX 88 Book costs \$7.50. Contact Intel Corp., Literature Dept., 3065 Bowers Ave., Santa Clara, CA 95051, (408) 734-8102. Circle 506 on inquiry card.

#### Microprocessor Operating Systems

Microprocessor Operating Systems provides indepth descriptions of National Semiconductor's BLMX-80, Intel's iRMX 80/88 and iRMX 86, Data General's MP/OS, Texas Instruments' Rx. Bell Lab's Unix, Motorola's VERSAdos, and Zilog's RIO/CP and ZRTS operating systems. The book is available for \$11.95 from Microcomputer Applications, POB E, Suisun City, CA 94585, (707) 422-1465. Circle 507 on inquiry card.

#### Software Business Review

**ICP Software Business** Review analyzes software solutions to business problems for the corporate and data-processing executive. Existing and potential information-management problems are identified, and software solutions are proposed. Contact International Computer Programs, 9000 Keystone Crossing, Indianapolis, IN 46240, (800) 428-6179; in Indiana, (317) 844-7461. Circle 508 on inquiry card.

#### **Ti Logo Source**

Microcomputers Corporation has a new catalog and a newsletter for Texas Instruments' TI-99/4A computer users. The bimonthly TI Logo Source newsletter is filled with reviews and news of the latest developments in Logo software. The catalog is packed with lists of available Logo programs. Both are free from Microcomputers Corp., POB 191, Rye, NY 10580, (914) 967-8370. Circle 509 on inquiry card.

#### Data Manual

The design and operation of the OB68K1 singleboard computer are described in a data manual available from Omnibyte. The OB68K1 computer system features the Motorola 16-bit MC68000 microprocessor on a Multi, bus/IEEE P796 bus and software compatibility with Motorola's MEX678KDM. The manual is available for \$10 from Omnibyte Corp., 245 West Roosevelt Rd., West Chicago, IL 60185, (312) 231-6880. Circle 510 on inquiry card.

#### Microcomputer Buyer's Guide

Webster's Microcomputer Buyer's Guide reviews more than 150 microcomputer systems from more than 50 suppliers. Individual chapters elaborate on the general topics of theory, applications, independent software vendors, and a wide range of display and printing terminals. The guide costs \$25, plus \$2.50 postage and handling. Contact Computer Reference Guide, 135 South Harper Ave., Los Angeles, CA 90048, (213) 852-4886. Circle 511 on inquiry card.

#### CP/M Users Software Directory

Vital Information's CP/M software directory is designed to aid hobbyists in the selection of software and peripherals. The directory contains more than 3000 entries, divided into 33 sections by subject. Program entries include publisher and list price. A toll-free hotline is available for subscribers who have software, hardware, or peripheral questions. The directory costs \$19.95, plus \$1.50 postage. Contact Vital Information Inc., 7899 Mastin Dr., Overland Park, KS 66204, (800) 255-5119; in Kansas, (913) 381-1818. Circle 512 on inquiry card.


PERIPHERALS



#### **Hide Your Modem**

The MB10303 is a compact Bell-compatible 300-bit-per-second (bps) modern intended for spacesaving applications. It measures 5.8 by 5.75 by 2 cm (2%, by 2% by 3% inches) and requires 33.5 square cm (51/s square inches) of circuit-board area. It operates in full-duplex, manual originate, and manual or automatic answer. It interfaces at standard transistor-transistor logic (TTL) levels. Power requirements are 40 milliamperes (mA) at +5 volts (V) DC, 25 mA at +8 to +18 V DC, and 25 mA at - 5 to - 12 V DC. It can

communicate with Bell System 103 and 113 series modems, with Bell 212A and Vadic 3400 series modems operating in the low-speed (300 bps) mode, and with acoustic-coupler data sets that use complementary signaling and handshake sequences. For further information, contact Micro-Baud Systems Inc., 3393 De La Cruz Blvd., Santa Clara, CA 95050, (408) 727-5275. Circle 513 on inquiry card.



#### Single-Card EPROM Programming

Giddings & Lewis Electronics' single-card EPROM Programmer Module is designed to program 2708 EPROMs (erasable programmable read-only memories). It doesn't require a special software-development system because it plugs directly into your production system. The module fits into a standard 114-millimeter- (41/2-inch-) wide nest. The easy-to-use Programmer pulses each EPROM 100 times per byte; total programming time is 100 seconds per kilobyte of memory.

The EPROM Programmer Module costs \$295. Contact Giddings & Lewis Electronics, 142 Doty St., POB 590, Fond du Lac, WI 54935, (414) 921-9400. Circle 514 on inquiry card.



#### KIM-Compatible Mini-Disk Systems

Percom Data Company's MFD mini-disk storage systems for AIM-65, KIM, and SYM computers are available in one-, two-, and three-drive versions. The MFD systems are available in 40- and B0-track models and in both standard- and "flippy-" drive versions. The 40-track drive can store 102K bytes of formatted data; the 80-track drive stores 205K bytes.

An MFD system includes a disk-controller circuit card, a disk operating system (DOS) in ROM and on a disk, an interconnecting cable, user's manual, and disk drives. Two controllers are available: one for the AIM-65, the other for Percom's System-50 (SS-50) bus. Utilities and a 20-command library are supplied on the system disk. The DOS communicates directly with an Aim Monitor, Editor, BASIC, or other AIM program through your I/O and F1 and F2 keys.

The Percom MFD drive systems start at \$599.95.

An interface for connecting the drives to your computer costs \$49.95. Contact Percom Data Co., 211 North Kirby, Garland, TX 75042, (214) 272-3421. Circle 515 on inquiry card.

#### Paddle-Adapple

The Paddle-Adapple I/O expansion adapter lets software writers create fourplayer games with each player having paddle and push-button controls. Paddle-Adapple plugs into the Apple II's game port and works in two modes: the first lets you select between two devices plugged into the Apple; the second takes advantage of the Apple's ability to handle up to four game controllers. In either mode, the Paddle-Adapple's ''jumper'' sockets can be configured to meet designer needs, such as exchanging X and Y axes or reassigning push-button numbers.


The Paddle-Adapple is compatible with all Apple software and with most game I/O devices. The shiftkey modification is supported. It costs \$29.95 and is available from Southern California Research Group, POB 2231-B, Goleta, CA 93118, (805) 685-1931. Circle 516 on inquiry card.

#### **Clock/Calendar Board**

Columbus Instruments' IB-902AB interface card converts the AIM-65, PET, KIM, 6502, and 6800 computers into dedicated laboratory and industrial measurement systems. It contains a 12-bit A/D (analogto-digital) converter, a 16-channel multiplexer, a real-time clock/calendar with battery backup, and space for an additional 16K bytes of memory. The clock/calendar is crystalcontrolled to three seconds per month and provides time in seconds, minutes, hours, day of week, date, month, and year. A 12- or 24-hour clock is selectable, and programmable interrupts from 1024 per second to 1 per second are available. The onboard battery backup will provide the accurate time of day for up to four years. Conversion time of the A/D converter is 35 microseconds. Power requirements are  $\pm 15$  volts.

Supplied with demonstration programs for setting up the clock/calendar, reading analog channels, and addressing and testing memory, the IB-902AB costs \$1270. Contact Columbus Instruments, 950 North Hague Ave., Columbus, OH 43204, (614) 488-6176.

Circle 517 on inquiry card.



#### Adam Family

The Adam family of addon modules are designed to bring mini- and microcomputers into the world of data acquisition. The modules accept up to 16 analog inputs from a wide variety of analog devices and transducers such as temperature, flow-rate, and current sensors. The modules convert input voltage to digital values with a resolution of 8 bits. Adam modules are available with either an interface for the TRS-80 Expansion Interface or with an RS-232C asynchronous interface. The TRS-80 version costs \$190; the RS-232C interface is \$250. For details, contact Small System Design, POB 4546, Manchester, NH 03108, (603) 432-7929. Circle 518 on inquiry card.

#### To Alphasyntauri and Bach

The Alphasyntauri synthesizer is a modular instrument system that uses computer programs rather than hard-wired components to create and control sounds. Based on the Apple II microcomputer, the Alphasyntauri gives musicians an all-digital instrument that doesn't require programming or computer expertise.

An Alphasyntauri music system is made up of the Alphaplus operating system, instrument definitions, software utilities, a 61-note keyboard, foot pedals, and a computer interface. Mountain Computer's Musicsystem synthesizer provides 8-voice stereo polyphony. The complete system, including the Apple II, costs \$5000. The instrument alone costs \$2100. The Alphasyntauri is available from selected Apple dealers. A demonstration record costs \$2. Contact Syntauri Corp., 3506 Waverly St., Palo Alto, CA 94306, (415) 494-1017.

Circle 520 on inquiry card.



#### The Datec 33 is a 0- to 300-bit-per-second (bps) Bell-compatible originate/answer modem featuring a front panel

voice/data button, long space disconnect, five diagnostic tests, and built-in "A" control. The modulardesigned rack-mountable modem will operate with any telephone over dial networks or over two-wire leased lines. The computerto-terminal interface is a standard RS-232C connection.

The Datec 33 has a suggested retail price of \$399 in a stand-alone version and \$325 for a card model. Contact Datec Inc., 300 East Main St., Carrboro, 27510, NC (919) 929-2135. Circle 521 on inquiry card.

#### Joystick Interface

Joy-6 is a joystick interface for TRS-80 Models 1 and III that features push buttons, sound-effects capability, and control software. It can be used as a 6-channel analog-to-digital converter with temperature sensors or other transducers, and it can drive an external relay for control applications.

A complete Joy-6 package includes two joysticks with push buttons, power supply, user's manual, and the Joypak-1, a 16K-byte machine-language cassette packed with six joystick games. The Model III version requires an adapter cable. Joy-6 costs \$124.95; a kit version is available for \$99.95. Contact Mega Systems Inc., 262 Park Lane, King of Prussia, PA 19406, (215) 337-3876.

Circle 522 on inquiry card.

May 1982 © BYTE Publications Inc 497

#### 5-Megabyte **Memory System**

The LS525, a 5-megabyte memory system, incorporates a Seagate ST506 51/4-inch Winchester harddisk drive, Logical Systems' LDOS disk operating system, a linear power supply, and the LSI 500 series controller. A separate host adapter provides crossconnections to different central processors and

buses. All TRS-80 programs currently running under TRSDOS or NEWDOS will operate with LDOS.

The LS525 costs \$3750. including a manual that details LDOS operations. Contact Laredo Systems Inc., 2264 Calle de Luna, Santa Clara, CA 95050, (408) 980-1888. Circle 519 on inquiry card.



### New Products from Commsoft

Commsoft's CW89 software package lets hamradio operators send and receive Morse code with their Heath H-8/H-19 or Heath/Zenith Z-89 microcomputers. The CW89 features a split-screen display, 4- to 99-word-per-minute operation, the ability to receive autotrack, a 1000-character pretype buffer, ten user-definable messages, a break-in mode, on-screen system status, disk I/O, hard-copy capabilities, and a codepractice section. All communications can be sent to a printer or stored on a disk. The CW89, which requires a hardware interface such as Commsoft's Codem, is available for \$99.95, postpaid.

The Codem interface is a universal continuous-wave (CW) interface that converts received CW audio into RS-232C or TTL signal levels and RS-232C or TTL signal levels to transmitter keying, so the Codem doubles as a code-practice oscillator and CW regenerator. The Codem costs \$124.95; a 9-volt DC power supply is \$9.95. A complete package consisting of the software, Codem, an interface cable, power supply, documentation, and shipping fees is available for \$249.95. Contact Commsoft, 665 Maybell Ave., Palo Alto, CA 94306, (415) 493-2184. Circle 523 on inquiry card.


#### **Modem Plus**

The Modem-Plus is a 1200-bit-per-second (bps) 202C/S-compatible modem for the S-100 bus. The address-selectable, originate/answer modem provides S-100 interface requirements, an on-board modem UART (universal asynchronous receiver/ transmitter) with selectable word format, hardwareautomatic pulse-dialing, 16-digit memory for redial, and modern sense and control lines using polling methods. Registered with the FCC for direct connection to the telephone system, the Modem-Plus is available in two models: one has a second on-board UART with selectable word format connected to a separate RS-232C I/O port; the other provides modem interrupts to the processor rather than the RS-232C port. The Modem-Plus is available for \$595 from Integrated Design Engineering Inc., POB 16307, St. Louis, MO 63125, (314) 487-1188. Circle 524 on inquiry card.

#### Get Into Warp Drive

The Warp Drive hardware and software package allows extendedaddress S-100 RAM (random access read/write memory) to emulate a disk drive under CP/M version 2.2, providing an increase in speed up to 40 times faster than floppy disks. The Warp Drive is based on Compupro's dual-processor 8085/8088 board, which allows as much as 1 megabyte of extendedaddress RAM to behave like a disk drive under CP/M-80 on the 8-MHz 8085 and to appear as directly addressable memory when running CP/M-86 on the 8-MHz 8088. All CP/M 2.2-compatible software runs on the Warp Drive without modifications.

The Warp Drive is available from G & G Engineering, 13708 Doolittle Dr., San Leandro, CA 94577, (415) 895-0798. Circle 525 on inguiry card.



#### Multiple-Output Power Supply

The Model MP400 Power Supply can drive small line printers and lowcurrent floppy-disk drives. It provides outputs of +5 volts (V) DC at 5 amperes (A) with overvoltage protection, +12 VDC at 0.5 A, -5 V DC at 0.5 A. and + 24 V DC at 0.75 A with a 1.2-A surge capability. The +5-V DC output is regulated to 0.1%; all others to 5%. Noise and ripple are less than 10 millivolts. The MP400 fits into

standard slope-front microprocessor enclosures and requires either 115 or 230 V AC ± 10% input power. An aluminum heat sink maintains low ambient temperatures. The MP400 Power Supply costs \$72 in original-equipment-manufacturer quantities and is available from CEI Corp., Grenier Industrial Park, POB 501, Londonderry, NH 03053, (603) 623-8888. Circle 526 on inquiry card.

#### Microspeed

Apple II, II Plus, and III users can realize processing speeds up to 100 times faster than Applesoft BASIC with the Microspeed Language System. Developed from an extended FORTH. Microspeed is a hardware and software package that uses the Intel 8231A arithmetic processor and interactive compiler to provide enhanced programming capabilities such as print formatting, fast high-resolution and "turtle" graphics, and extended, highspeed mathematical functions.

System utilities include line- and screen-oriented text editors and a 6502 assembler. Each Microspeed comes with an auxiliary processor card, a user's manual, and two disks of software.

Two Microspeed configurations are available: Microspeed II, which uses a 2-MHz 8231A arithmetic processor, and Microspeed II+, which uses the newer 4-MHz 8231A. Microspeed Il costs \$495, Microspeed II+ costs \$645. The manual is available separately for \$35. Contact Applied Analytics Inc., Suite 200, 8910 Brookridge Dr., Upper Marlboro, MD 20772, (301) 627-6650. Circle 527 on inquiry card.

#### Mice In Your System

Upgrade your microcomputer to a development tool with MICE—Micro In-Circuit Emulator. A dualprocessor, two-board device with a built-in line assembler and a two-pass disassembler, MICE features real-time emulation up to 5 MHz and an RS-232C interface for modems or terminals with data rates from 110 to 9600 bits per second.

MICE is available for 8085A, Z80, Z80A, Z80B, 6502, NSC800, 8048, 8049, and 8050 microcomputers. Prices range from \$1495 to \$5000. Obtain additional details from Microtek Lab Inc., 17221 South Western Ave., Gardena, CA 90247, [213] 538-5369. Circle 528 on inquiry card.

#### Hollister Microsystems

Hollister Microsystems supplies interface boards, peripheral devices, and software for the Apple II, the IBM Personal Computer, and other microcomputers. For the Apple II, Hollister offers a 6800 cross-assembler on disk and an EPROM- (erasable programmable read-only memory) programmer/ EPROM card for programming 2716, 2732, 2732A, and 2764 EPROMs. Other products for the Apple include an EPROM/ROM simulator and a 24-bit parallel I/O card with highlevel-drive and master/ slave stacking capabilities.

For complete details on these and other products, contact Hollister Microsystems, 5081 Fairview, Hollister, CA 95023, (408) 637-0753. Circle 529 on inquiry card.



#### No More Walting

If you're tired of waiting for your printer, plotter, or other peripheral to finish its job so you can get back to your computer, the Microcue may be what you've been waiting for. Microcue, a programmable Z80-based first-in, first-out (FIFO) device, accepts data from your computer and drives the printer from its own memory, freeing the host computer for other chores. A multiport Microcue can connect multiple printers and computers and select between them from switches or software control. The Microcue SP has serial and parallel ports and can convert from one to the other.

In addition to buffering, all Microcues are download-programmable, which allows for poll and select, code conversions, data formatting, modem operation, and interfacing to other systems. Present models have from two to eight ports and 16K to 32K bytes of memory. Prices start at \$299. Contact Microcompatible, POB 7624, Atlanta, GA 30357, (404) 874-8366. Circle 530 on inquiry card.

#### Apple Cat ii

The Apple-Cat II is a large-scale integration (LSI) modem that converts your Apple II or II Plus computer into a functional telephone, complete with a handset. It can automatically answer, dial, re-dial, and disconnect a telephone call. Both Baudot and ASCII code are combined in this single add-on product. For the deaf and hearing impaired, a special 45.5-bit-per-second (bps)

Baudot-coded Weitbrecht modem is provided for use with teletypewriters (TTYs).

Data-transmission rates range from 50 to 1200 bps. Software is supplied on a floppy disk. A separate RS-232C serial port is provided, and the Apple Cat II also offers a 26K-byte memory-storage area and software controls that assure the accurate transmission of data.

An optional program chip provides compatibility

with many languages and operating systems, including BASIC, Pascal, and CP/M. The Apple-Cat II costs \$389 and is available from authorized Novation distributors. Contact Novation Inc., 18664 Oxnard St., Tarzana, CA 91356, (213) 996-5060. Circle 531 on inquiry card.

#### 80-Column PET Adapter

Execom's 80-column adapter, circuit board, and ROM combination lets you switch the Commodore PET's 40-column display to an 80-column display from the keyboard or through program control. The kit contains a dual 24-pin socket, a circuit board that replaces the existing screen programmable memory, and an 80-column reference ROM that plugs into an expansion slot.

The circuit board and ROM combination is designed for the 2000, 3000, and 4000 series of PET/CBM computers that are designed for version 3.0 or 4.0 BASIC but do not have a video-display or a display-controller chip. The kit costs \$275; Execom will install the adapter for an additional \$75. An optional board that allows the ROM to be used with any other 2K-byte ROM in any expansion socket is available for \$25. For details, contact Execom Corp., 1901 Polaris Ave., Racine, WI 53404, (414) 632-1004. Circle 532 on inquiry card.

#### Z65: Database Processor

The Z65 Database Processor is an applications development tool for the Apple II. It consists of a Z80 microprocessor, a 6502-to-Z80 software interface, and a Z80 implementation of the MDBS databasemanagement program, which is based on an extended-network data model. With the Z65, all applications development is performed within the Apple disk operating system using Applesoft BASIC. Database manipulations are handled by the Z80, which increases the 6502's speed.

With documentation, the Z65 package is available through a single-user license for \$1600. Without the Z80 card, the Z65 software costs \$1500, including documentation. Manuals can be purchased separately. For details, contact Micro Data Base Systems Inc., PO8 248, Lafayette, IN 47902, (317) 448-1616. Circle 533 on inquiry card.

#### MISCELLANEOUS

#### Video Attributes Controller

The CRT 8021 Video Attributes Controller (VAC) works in conjunction with a character-generator ROM to provide video attributes and graphics for a display screen. An n-channel MOS/LSI (metal-oxide semiconductor/large-scale integrated) circuit, the 8021 processes and serializes parallel data from the character generator for direct connection to the video input of a display-screen monitor. Attributes are added to alphanumeric data as you choose. The 8021 features both field and character attributes graphics modes, a 20-MHz video shift register, cursor, and separate data and attributes latches. Attributes include reverse video, character blink and blank, underline, and strike through. For more details, contact Standard Microsystems Corp., 35 Marcus Blvd., Hauppauge, NY 11787, (516) 273-3100.

Circle 534 on inquiry card.



#### Patch Set Monitors Line Signals

Syzygy's RS-232 Patch Set is a handheld device that connects inline with an interface cable, terminal, or modem. Designed for engineers and field-service personnel working with custom or nonstandard interfaces, the Patch Set's two 26-pin headers and jumpers permit line monitoring and full configuration of all 25 line signals. This lets the user completely define the configuration by means of jumper cables. The unit does not affect communications and is transparent to the line.

About the size of a business card, the Patch Set conforms to RS-232C standards and comes with ten 2-pin, four 3-pin, and one 4-pin jumper assemblies. The RS-232 Patch Set costs \$111. Contact Syzygy, 256 West San Bernardino Rd., Covina, CA 91723 (213) 332-3320.


Circle 535 on inquiry card.

#### Flipper Flips Signals

A software-controllable switch that lets you switch voltage signals with simple software commands, the Flipper can be used between alternate video signals such as those generated by the Apple and an 80-column video board. The device plugs into the game port on the Apple and makes use of annunciator output zero (ANO). It allows unobstructed use of all the remaining functions for game I/O by providing a parallel game I/O connector.

The Flipper has two RCA phono jacks for input and one for output, and it can be arranged to have one jack for input and two for output. The board drains 30 milliamperes when the relay is energized. The Flipper costs \$50 and is available from Aurora Systems Inc., 2040 East Washington Ave., Madison, WI 53704, (608) 249-5875.

Circle 536 on inquiry card.



#### Dynamic Memory Board

The CI-6800-2 dynamicmemory board for the Exorcisor I and II and Rockwell International's System 65 plugs directly into existing Exorcisor connectors. Available in 16K-, 48K-, and 64 K-byte configurations, the board allows maximum processor throughput with the use of hidden-refresh control logic onboard. Data-access time is 225 nanoseconds (ns) and cycle time is 400 ns, which allows the board to operate as a static programmable memory at clock rates in excess of 1.5 MHz. For 2-MHz operation, the board can be configured to use a cycle-stealing refresh operation.

Onboard memory-select is available in 4K-byte increments to up to 64K bytes of memory. Another feature is onboard even parity with output jumperselectable to the system bus as a parity error or nonmaskable interrupt. The board's power consumption is under 7 watts.

Prices range from \$475 for the 16K-byte by 8-bit version to \$575 for the 64K-byte by 8-bit version. Contact Chrislin Industries Inc., 31352 Via Colinas #102, Westlake Village, CA 91361, (213) 991-2254. Circle 537 on inquiry card.

#### **Remote Transmitter Controls Appliances**

The BSR System X-10 Model TR274 remote telephone transmitter is a portable, calculator-size transmitter that is used in conjunction with a personal computer and your telephone. With the TR274, you can control any lights and appliances that are hooked up to your base station from any telephone, anywhere. The TR274 works with answering machines as well. The transmitter must be used with the TR270 telephone responder/controller. The Model TR274 telephone transmitter costs \$29.99. As a set, the TR274 and the TR270 cost \$99.99. Contact BSR Ltd., Rte. 303, Blauvelt, NY 10913, (914) 358-6060. Circle 538 on inguiry card.

#### SOFTWARE

#### **Package of Mysterles**

The Applied Mysteries Package consolidates the information in H. C. Pennington's TRS-80 Disk & Other Mysteries into easily understood concepts. The package includes disassembled listings of bootstrap loaders with comments, descriptions of encoding methods that render floppy disks difficult to copy, a utility program for viewing a file's devicecontrol block, and procedures for disassembling system files. The Applied Mysteries package (booklet and floppy disk) costs \$17.95, plus \$2 postage. Contact Applied Softwares, 4316 Vermont Court, Virginia Beach, VA 23456.

Circle 539 on inquiry card.

#### Print Diagrams of Your Projects

The expanded PMS-II project-management system has the ability to prepare net-change reports that compare the current status of a project to a previous status. In addition to critical-path analysis, data-management, and reporting capabilities, PMS-II can calculate gains and losses that can be displayed in both calendar and net working days format. Accommodating more than 1000 simultaneous activities for each project, PMS-II can calculate a critical-path schedule

based upon a three- to seven-day week, while omitting holiday periods.

PMS-II will operate with any microcomputer running under Digital Research's CP/M 2.2 operating system and Compiler Systems' CBASIC 2.07. Two 8-inch disk drives and a 132-column printer are required. PMS-II costs \$995. Contact North America Mica Inc., Suite 240, 11772 Sorrento Valley Rd., San Diego, CA 92121, (714) 481-6998.

Circle 540 on inquiry card.

#### Level II COBOL

Mainframe applications programs written to ANSI 74 COBOL standards can now be transported to microcomputers with minimal conversion thanks to Micro Focus Inc.'s Level II COBOL. The easy-to-install language fully meets the specifications set forth by the American National Standards Institute (ANSI) for Level II COBOL modules, including nucleus, table handling, sequential I/O, relative and indexed I/O, interprogram communication, and sort/ merge operations.

Level II COBOL is available for 8086-based computers and any computer with a C language compiler, such as the Z8000, the 68000, and the PDP-11. Contact Micro Focus Inc., 1601 Civic Centre Dr., Santa Clara, CA 95050, (408) 496-0176. Circle 541 on inquiry card.

#### Get In Synch

Synch is a 2780/3780 IBM binary synchronous software communications package for the Radio Shack TRS-80 Model II. Emulating 2770-, 2780-, and 3780-type bisynchronous work stations at data rates of up to 9600 bits per second, Synch supports transparency, buffer expansion from 128K bytes to 512K bytes, space compression, RVI (processor interrupt), and multipoint circuits. Synch provides lowcost RJE (remote job entry) capabilities and automatic features that allow up to 100 files to be arranged for unattended operations.

Including documentation, Synch costs \$500. Contact Westico Inc., 25 Van Zant St., Norwalk, CT 06855, (203) 853-6880. Circle 542 on inquiry card.

#### Quic-N-Easi Program Development

The Quic-N-Easi programming system ties together formatted and edited data entry with processing, printing, and filehandling capabilities including index-sequential, sequential, and randomaccess methods. The system features a screen builder, parameter-driven content editor, an interpreter language, and a print-format handler.

Quic-N-Easi will operated with most CP/M, Z80-based microcomputers with a minimum of 48K bytes and one disk drive. It costs \$ 395, including a selfteaching guide, reference manual, and reference card. Contact Standard Microsystems Inc., 136 Granite Hill Court, Langhorne, PA 19047, (215) 968-0689. Circle 543 on inquiry card.

#### Communications Software for Osborne

The Micro-Link communications package is designed exclusively for the Osborne 1's video-display screen. It uses the Osborne's RS-232C port with a standard modem to communicate over telephone lines with other computer users as well as with computerized bulletin boards and informationretrieval services. One such service, The Source, has organized an electronic mailbox for members of the Osborne Users Group, Originate and answer modes as well as full- and halfduplex operation are supported. Operating at 300 bits per second (bps), Micro-link allows files to be transmitted in character, line, or memory-block protocols. Files can be prepared in advance and transmitted automatically. and a complete two-way record of communication can be recorded in memory and on disk.

With documentation and software on disk, Micro-Link costs \$89. Contact Osborne Computer Corp., 26500 Corporate Ave., Hayward, CA 94545, (415) 887-8080. Circle 544 on inquiry card.

#### Microline Graphics Package

Okidata's all-pointsaddressable graphics software package lets you create flowing lines and illustrations with any Microline printer. Each dot in the 60- by 66-dot-per-squareinch field is under your control. A software algorithm, supplied on floppy disk, lets you translate data displayed by an Apple computer into parallel data that can be used by the Microline printer. The Apple displays data in a 280 by 192 dot format, and the software sets it up proportionally for printing on a one-to-one basis.

The package consists of two programmable readonly memories (PROMs) and a floppy disk. It's available for the Microline Models 82A and 83A for \$100 at local dealers. As a standard feature on the Microline Model 84, the package provides a 72- by 72-dot-per-square-inch format. Contact Okidata Corp., 111 Gaither Dr., Mt. Laurel, NJ 08054. Circle 545 on inquiry card.

#### FORTH Source Code

A variety package of FORTH source code containing many previously unpublished FORTH definitions is available on an 8-inch disk from Timin Engineering. The package includes data structures, software-development aids, string manipulators, an expanded 32-bit vocabulary, a screen calculator, a typing practice program, and a menu generation/selection program. Also provided are examples of recursion, < BUILDS. ..DOES> usage, output number formatting, assembler definitions, conversational programs, 100 screens of software, and 100 screens of instructional documentation. The screens can be used with Timin FORTH or any other FIG (FORTH Interest Group) FORTH.

The variety package of FORTH source code costs \$75. Contact Timin Engineering Co., Suite E-2, 9575 Genesee Ave., San Diego, CA 92121, (714) 455-9008.

Circle 546 on inquiry card.

#### Entertainment Products

Arcade Machine, Red Alert, Track Attack, and Midnight Magic are four new entertainment products from Broderbund Software.

Arcade Machine lets you create arcade games for one or two players, featuring monsters, sound effects, automatic scoring, fast loading, and automatic boot to a title page with your name and your game's title in large graphic letters.

Red Alert requires a joystick, which helps you wield radar, ack-ack, and rockets to protect your base against an alien menace. Track Attack is a fastpaced, high-resolution game with color graphics, large-scale animation, and three train-robbery scenar-

# What's New?

ios from which to choose. The Midnight Magic highresolution pinball game has dual flipper controls, upper and lower playing levels, and a host of other effects.

The products range in price from \$29.95 to \$49.95. Each requires a 48K-byte Apple II with DOS 3.2 or 3.3. For details, contact Broderbund Software, 1938 Fourth Ave., San Rafael, CA 94901, [415] 456-6424. Circle 547 on inquiry card.

#### **Depreciation Pianner**


Designed for the Apple computer, the Depreciation Planner keeps track of depreciable assets for accounting and tax-planning purposes. Incorporating both pre-January 1981 depreciation methods and the new post-January 1981 depreciation methods, the Planner automatically calculates currentmonth depreciation, yearto-date, and life-to-date amounts. A modeling feature lets you experiment with all forms of depreciation for each asset. Lists of items potentially eligible for investment tax credit in each fiscal year can be printed, as well as a depreciation-projection report listing current and following-year depreciation for individual assets. The Planner can provide a printed list of assets in five formats: tag numbers, location, depreciation type, depreciation method, and asset life.

Contact Dakin5 Corp., 7475 Dakin St., Denver, CO 80221, (303) 426-6090.

Circle 548 on inquiry card.

#### HP 83/85 File Manager

The Hewlett-Packard File Manager Software Pac gives owners of HP 83/85 computers electronic filemanagement capabilities. The File Manager lets you create your own forms for entering data into the filing system. Data can be updated, searched, sorted, or even translated to a string data file for use with other software packages, such as Visicalc Plus. Other fea-



tures include report and graphics capabilities, builtin error trapping and recovery routines, and comprehensive dataintegrity checks. Each File Manager file can contain up to 1000 forms; each form can contain up to 1000 alphanumeric characters.

The HP 83/85 File Manager Software Pac is supplied on 5¼-inch floppy disks and is available for \$200 at local Hewlett-Packard sales offices. ■ Circle 549 on inquiry card.

#### Where Do New Products Items Come From?

The information printed in the new products pages of BYTE is obtained from "new product" or "press release" copy sent by the promoters of new products. If in our judgment the information might be of interest to the personal computing experimenters and homebrewers who read BYTE, we print it in some form. We openly solicit releases and photos from manufacturers and suppliers to this marketplace. The information is printed more or less as a first-in first-out queue, subject to occasional priority modifications. While we would not knowingly print untrue or inaccurate data, or data from unreliable companies, our capacity to evaluate the products and companies appearing in the "What's New?" feature is necessarily limited. We therefore cannot be responsible for product quality or company performance.

TANTALUM CAPACITORS	LINEAR CIRCUITS	CR	YSTALS
300 F 3 11 300 F 3 2 5 11 300 F 3 10 5 10 10 10 10 10 10 10 10 10 10 10 10 10	Lingst         N         Lingst         N         Title         Jit           Lingst         -30         Lingst         -30         Title         -35           March         -30         Lingst         -30         Title         -36           March         -30         Lingst         -30         Title         -36           March         Lingst         -176         March         -36         -36           741         -40         Lingst         -36         -36         -36           747         -40         Lingst         -36         -36         -36           745         -56         -56         -36         -36         -36           745         -56         -56         -36         -36         -36           745         -56         -56         -36         -36         -36           745         -56         -56         -36         -36         -36           745         -56         -56         -36         -36         -36           74         -56         -56         -36         -36         -36	2,000 15,432 20,000 \$4,25 as	3 000 5 000 8.000 3 079 6 000 10 000 8 000 6.144 18 000 \$3.50 e8
200LF 20V 41	4133	TOGGLE SWITCHES 1000 - \$P07 1.10 2000 - 0P07	REGULATORS LM337 12 79HGKC-5V at 5A 86.5 723 8 78N05 5 78L05 5 LM305G 5 320T 5.12.15or 24 5
RS232 CONNECTORS DB 25P male 61 m DB 25S female 1 m HOODS 100	INTERFACE & DRIVERS		340K-12, 15 or 24 V 81, 340K-12, 15 or 24 V 81, 340T-5, 6, 8, 9, 12 15, 18 or 24 V 8, 8 LAS1412 + 12 V 3A 83,9
UART's AV5-100 TRIGON - 125 TRIGON - 125 COLORAT - 125 COLORA	CPU'S & SUPPORT CHIPS DODA - 138 805 - 138 DODA - 138 805 - 148 DODA - 138 805 - 158 DODA - 138 805 - 158 805 - 158 DODA - 138 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805 - 158 805	741.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5         74.5           74.5 </th <th>No.         PA 5195           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5297           201         24,5297           201         24,5297           201         24,5297           201         24,5297           201         24,5297           201         24,5297           201         24,5297           201         24,5297           201</th>	No.         PA 5195           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5197           201         24,5297           201         24,5297           201         24,5297           201         24,5297           201         24,5297           201         24,5297           201         24,5297           201         24,5297           201         24,5297           201
404         -         10         100         -         100           404         -         10         100         -         100           404         -         10         100         -         100           404         -         100         -         100         -         100           400         -         40         100         -         100         400         -         100           400         -         40         MC10         -         100         400         -         100           400         -         40         MC10         -         100         400         -         100           400         -         40         MC10         -         100         400         -         100           400         -         7         MC10         -         100         400         -         100         400         -         100         400         -         100         400         -         100         400         -         100         400         -         100         400         -         100         400         -         100         400         -	2114L \$1.65 FD1791 B - 34.95 2732-32K ROM - 14.95	1273 74LS 74.575 74LS 74.575 74LS 74.576 74LS 74.580 74LS 74.585 74LS 74.586 74LS	170 - 1 H ALLEY - 1 173 H THLEY - 1 174 H THLEY - 1 175 H THLEY - 1 187 - H THLEY - 1 180 H H THLEY - 1 180 H H H H H H H H H H H H H H H H H H H
POSTAGE RATES A 10% FOR ORDERS UNDER 1 28.00 ADD 5% FOR ORDERS BETWEEN 1 25 00 ADD 3% FOR ORDERS ABOVE M0 00	TERMS: FOB CAMBRIDGE, MASS SENC OR MONEY ORDER MINIMUM TEL D AND 180 00 C.O.D. PURCHASE ORDER OR CHARGE MINIMUM MAIL ORDER 15.00.	EPHONE, FEATUR	

## PRINTER SOLUTION



Circle 345 on inquiry card.

#### **SUPER E-Z80 KIT**

64K-Z80A-CP/M™ Compatible **Micro-Computer** 

Features: Z80A CPU-CTC and PIO . 64K Dynamic Ram • 4K Monitor EProm • 54 Key Keyboard (Detachable) • 3 Fully Buffered 5-100 Spaces • Intergrated Circuit Sockets • RS232-C Asynch. Modem Control (Program mable Baud Rate) ● Composite Video ● CP/M™ Operating System Compatible ● Epson or Centronics Printer Compatible Parallel Port 8272 Floppy Controller Device - 3740 and 3741 Comp. - 8" & 54" Drives - up to 4 Drives • 280 Programming Card • As-sembly Instructions • Monitor Listing • Block Diagram.

**PRICE: \$1195.00 TERMS: Certified check or** money order (Texas Res. Add Sales Tax)

KIT-80 INC. 18601 LBJ Fwy. • Mesquite, Texas 75150 • 800-527-1593

the second se	
Sco Diske	10.1200.0000
SAVE 40% write com	te for our plete list.
5 1/4 " Specify soft, 10 or 16 sector	Price/10
#744 1 side/sgl dens	\$26.70
#744D 1 side/dbl dens	
#745 2 sides/dbl dens	
8 '' Specify soft or 32 sector #740 1 side/sgl dens #741 1 side/dbl dens #743 2 sides/dbl dens	
CHECKS – VISA – MC – (313) 777-7780 ADD \$2	
LYBEN COMPUTER SYS 27204 Harper Avi St. Clair Shores, MI 4	STEMS
Authorized Distributor Information Processing Products	ЗM

Circle 244 on inquiry card.









710.00

RS-232 PROBLEMS?

"SUPERNET" THIS IS THE MOST UNIQUE S-100 COMPUTER BOARD: 64K of memory, 280A CPU, Double Density Floppy Disk Con-troller, 2 Serial & Parallel I/O, monitor (EPROM) ALL on a single S-100 Computer Board from ADVANCED Micro Digital Corp.O \$900 \$ 35. \$ 455. \$ 750. Televideo 912C Enclosure with 10 slots, power supply, cut outs for two 8 * tiopples \$ 650. \$5.50 4164 RAM Chips \$5.50 2716 EPROM ..... Z-80A CPU Z-80A CTC \$10.00 MICRO SPOT ELECTRONICS 14221 Edwards, Suite 72 Westminster, CA 92683 (714) 891-0382 TERMS Pre-Payment or C.O.D. up to \$250, (Cashier's check). Allow one week for checks to clear bofore shipping. Add \$5 shipping and handling charge to your order. Calif. Residents add 6% sales tax.

Circle 383 on inquiry card.

Circle 274 on inquiry card.



*TRADEMARK OF DIGITAL RESEARCH. NOT ASSOCIATED WITH DIGITAL RESEARCH OF CALIFORNIA, THE ORIGINATORS OF CPM SOFTWARE

www.americanradiohistorv.com



Circle 343 on Inquiry card.





Circle 98 on inquiry card.



PC/FORTH



Circle 178 on Inquiry card.

www.americanradiohistory.com



Circle 8 on inquiry card.

#### **CROSS REF. PROGRAM**

#### for MBASIC & BASCOM Source Files M80 and CP/M's ASM


MXREF will list all program variables, functions, key words, strings, constants and line number references in alphabetical order. 1000 varjable names allowed. Requires an 8080 or Z80 running CP/M ver. 1.4 or later and at least 48K RAM. Price \$96.00. Manual only \$15.00. Add \$5.00 COD. MXREF available in CP/M format on 5" NorthStar or 8" single or double density soft sector.

#### COMPUTER TOOLBOX INC. 1325 East Main St. Waterbury, CT. 06705 (203) 754-4197

Circle 104 on inquiry card.

Circle 320 on inquiry card.

			_	
SPECIAL	s on IN	TEGRATE	D CIRCU	ITS
6502	7.45	10/6.95	50/6.55	100/6.15
6502A/6512A	8.40	10/7.95	50/7.35	100/6.90
6520 PIA	5.15	10/4.90	50/4.45	100/4.15
6522 VIA	.6.45	10/6.10	50/5.75	100/5.45
6532	7.90	10/7.40	50/7.00	100/6.60
2114-L200		3.75	25/3.50	100/3.25
2114-L300		3.15	25/2.90	100/2.65
2716 EPROM		7.00	5/6.45	10/5.90
2532 EPROM				14.50
6116 Hitachi 2K x	6 CMOS	RAM		14.50
4116				8 fer 17
Zero Insertion For	ce 24 pir	Socket		2.00
6550 RAM (PET	8K)			12.70
S-100 Wire Wrap	Socket			2.40
A P Produc	te 1	5% 0	FF 🖡	
				4
A P Hobby-Blox 15% OFF				
*********************		*********		



#### MODEM SPECIAL \$99

SIGNALMAN Mk1 from Anchor Automation DIRECT CONNECT Modern with RS232 Cable and Connector included. Fully compatible with all Bell 103 modems. 0 to 300 bps. full duplex, frequency shift keyed modulation, automatic ANSW/ORIG selection, direct connect, audible tone carrier detect indicator. self-contained battery powered.

PET/CBM Version (Mk1P) \$169 For Commodore Computers, the Signalman Mk1P includes connector, cable, and machine language software

STAR MODEM	Prentice/Livermore Data Sys	stems
RS232 MODEM	SALE	\$128
IEEE 488 MODEM	SALE	\$199
RS232 CCITT		\$170
IEEE 488 CCITT		\$270

#### We carry Apple II+ from **Bell & Howell**



16K RAM for Apple	95
CASH MANAGEMENT SYSTEM Easy to use. Keeps track of cash disbursements, receipts, cash transfers, expenses for up to 50 categ	\$45 cash
FORTH for PET by Cargile/Riley Full FIG model with all 79 Standard extensions.	\$50
Metacampiler for FORTH for independent object code	30
KMMM PASCAL for PET/CBM Includes translator for true machine language object	\$85 code.
EARL for PET/CBM Editor, Assembler, Relocator, Linkeditor.	65
SuperGraphics - BASIC Language Extensions Fast Machine Language Graphics routines for PET/C	<b>40</b> BM.

215-822-7727



## CBM-PET SPECIALS

8023 Printer – 136 col, 150cps bi-directional	(995)	775
8300 Daisy Wheel-40 cps bi-directional	(2250)	1750
8032 80 x 25 CRT, business keyboard	(1495)	1100
Super Pet	(1995)	1650
8096 Board (extra 64K RAM for 8032)	(500)	400
8050 Dual Disk Drive - 1 megabyte	(1795)	1345
8250 Dual Disk Drive - 2 megabyte	(2195)	1760
CBM IEEE Modem	(395)	199
4016 full size graphics keyboard	(995)	795
4032 full size graphics keyboard	(1295)	
4040 Dual Disk Drive - 330,000 bytes	(1295)	999
2031 Single Disk Drive - 165,000 bytes	(695)	550
4022 Tractor Feed Printer	(795)	630
C2N External Cassette Deck	(75)	65
VIC 20 Color Computer	(299)	259
VIC 1515 Graphic Printer	(395)	335
Used CBM/PET Computers		CALL
8024-7 High Speed Printer	(1995)	1345
WE WILL MATCH ANY ADVERTIS	SED PR	ICE

*** EDUCATIONAL DISCOUNTS *** Buy 2 PET/CBM Computers, receive 1 FREE

PETSCAN I \$345 base price. Allows you to connect up to 20 CBM/PET Computers to shared disk drives and printers. Completely transparent to the user. Perfect for schools or multiple word processing configurations

CODOM Desembles	r for f	DM/	DET	70
4K er 8K bytes ef seft R Adds extra RAM which 4K Version - \$85 .8K	n can b	e write	protected like F	ROM.
RAM/ROM for PET,				
Library of PET Subrou	tines			12
The PET Revealed				12
IEEE-RS232 Printer In	terface	for PE	T	120
IEEE-Parallel Printer In	nterface	for Pl	ET	110
Oust Cover for PET				8
2 Meter PET to IEEE			EE Cable	40
PET Spacemaker II RO				36
Programmers Toolkit -		OM Ut	ilities	35
SM-KIT - PET ROM UI				40
VISICALC for PET, AT.				190
OZZ Data Base System				335
WordPro 4 Plus - 803				300
WordPro 3 Plus - 32K				195
Compute!'s First Book		/CBM		11
TNW 488/103 with D				450
VIC Jupiter Lander TNW 1000 Serial Inte	24	410	Night Rider	110
VIC Invaders	24		Rubik's Cube	13
VIC 1540 Disk Drive	500		Snakman	13
VIC 16K RAM	112		Amok (UMI)	17
VIC 8K RAM	54		Cosmic Debris	ę
VIC 3K RAM	36	VIC	Maze in 3-D	12
VIC 1515 Printer	335		Super Alien	24
VIC 20	259	VIC	Superslot	24

EPROM Programmer for CBM/PET 79 Branding Iron with software/hardware for 2716 and 2532.

A B Computers



RA Wa W: W Disk Disk Disk

list SALE

the new Verbatim		Kits		
SF 5" or 8"	10/2.00	20/1.95	100/1.85	
abash 5" abash 8"			100/1.85 100/1.85	
E STOCK	MAXEL	L DIS	SKS	
kette Storage Pages	6		10 for 3.95	
k Library Cases	8	* - 2.85	5" - 2.15	
k Hub Rinos 8'	- 50 for 7.50	5" -	50 for 6.00	

 $\cap$ 

#### CASSETTES - AGFA PE-611 PREMIUM High output, low noise, 5 screw housings. 10/.56 50/.50 10/.73 50/.68 C-10 100/.48 C-30 100/.66 All other lengths available. Write for price list.

#### SPECIALS

EPSON MX-80 Printer	
EPSON MX-80 F/T Printer	
EPSON MX-70 Printer	
EPSON MX-100 Printer	
Centronics 739 Printer with dot graphics	575
STARWRITER Dalsy Wheel Printer	1445
Zenith ZVM-121 Green Phosphor Monitor	119
Amdek Color Monitor	355
DC Hayes Smartmodem	240
Watanabe Intelligent Plotter 1195 6-Pen	1445
BMC BM12A Green Phosphor Monitor	105
BMC BM1400BLUC 13" Color Monitor	285

#### **ALL BOOK and SOFTWARE PRICES DISCOUNTED**

#### Synertek Systems

SYM-1 Microcomputer	SALE	199
SYM BAS-1 BASIC or RAE 1/2 Assembler		85
KTM-2/80 Synertek Video and Keyboard		349
KTM-3/80 Synertek Tubeless Terminal		385
***************************************		



Z90-80 64 K	2170
Z90-82 64K, 1 double dens. drive	2395
Z89-0 48K	1950
Z89-1 48K, 1 drive	2150
Z67 10 Megabyte + Floppy Drive	4495
Z37 1.3 Megabyte Dual Floppy	1495
Z25 High Speed Printer	1195
Z19 Video Terminal (VT-52 compatible)	670
ZVM-121 Green Phosphor Monitor	119
All Zenith Software discounted	



Write for prices on other Atari items.

WRITE FOR CATALOG Add \$1.25 per order for shipping. We pay balance of UPS surface charges on all prepaid orders. Prices listed are on cash discount basis. Regular prices slightly higher. Prices subject to change.

252 Bethlehem Pike Colmar, PA 18915

Circle 4 on inquiry card.






Circle 275 on inquiry card.





BASF	Flexy- Disks ®
<b>SAVE 40%</b>	Write for our complete list.
<b>5 1/4 ''</b> Specify soft, 10 or 16 sector 1 side/single density 1 side/double density 2 sides/double density	
8 '' Specify soft or 32 sector 1 side/single density 2 side/double density	
CHECKS – VISA – M (313) 777-7780 ADD LYBEN COMPUTER 27204 Harpe St. Clair Shores, f	s <i>2 SHIPPING</i> SYSTEMS rAve.

Circle 242 on inquiry card.







Circle 52 on inquiry card.



5¼" drives — simultaneously. Call 714/275-1272 today or write for details.

C.D.R. Systems Inc. Controlled Data Recording Systems. Inc. 7667 Vickers St., San Diego. CA 92111

Circle 67 on inquiry card.



Circle 369 on Inquiry card.

# Why use their flexible discs:

Athana, BASF, Control Data, Dysan, IBM, Maxell, Nashua, Scotch, Shugart, Syncom, 3M, Verbatim or Wabash

# when you could be using MORE

high quality error free discs?

Product Description	Part #	CE quant. 100 price per disc (\$)
8" SSSD IBM Compatible (128 B/S, 26 Sectors)	3062	2.09
8" SSSD Shugart Compatible, 32 Hard Sector	3015	2.09
8" SSDD IBM Compatible (128 B/S, 26 Sectors)	3090	2.74
8" DSDD Soft Sector (Unformatted)	3102	3.14
8" DSDD Soft Sector (128 B/S, 26 Sectors)	3115	3.34
8" DSDD Soft Sector (1024 B/S, 8 Sectors)	3104	3.34
8" DSDD Burroughs B-80 Comp., 32 Hard Sector	3092	3.34
5 ¹ / ₄ " SSSD Soft Sector (Unformatted)	3401	1.94
5¼" SSDD Soft Sector w/Hub Ring	3481	2.34
5¼" SSDD 10 Hard Sector w/Hub Ring	3483	2.34
5¼" SSDD 16 Hard Sector w/Hub Ring	3485	2.34
5¼" DSDD Soft Sector w/Hub Ring	3491	3.09
5 ¹ / ₄ " DSDD 10 Hard Sector w/Hub Ring	3493	3.09
51/4" DSDD 16 Hard Sector w/Hub Ring SSSD = Single Sided Single Density; SSDD = Single Sided Double Density DSDD = Double Sided Double Density	3495	3.09

#### Memorex Flexible Discs...The Ultimate in Memory Excellence

Quality

Memorex means quality products that you can depend on. Quality control at Memorex means starting with the best materials available. Continual surveillance through-out the entire manufacturing process. The benefit of Memore's years of experience in magnetic media pro-duction, resulting, for instance, in proprietary coating formulations. The most sophisticated testing proce-dures you'll find anywhere in the business.

#### 100 Percent Error Free

Each and every Memorex Flexible Disc is certified to be 100 percent error free. Each track of each flexible disc is tested, individually, to Memorex's stringent standards of excellence. They test signal amplitude, resolution, low-pass modulation, overwrite, missing pulse error and extra pulse error. They are torque-tested, and competitively tested on drives available from almost every major drive manufacturer in the industry including drives that Memorex manufacturers. Rigid quality audits are built into every step of the manmanufacturing process and stringent testing result in a standard of excellence that assures you, our customer, of a quality product designed for increased data reliability and consistent top performance.

Customer-Orlented Packaging Memorex's commitment to excellent does not stop with a quality product. They are proud of their flexible discs and they package them with pride. Both their packaging and their labeling have been designed with your ease of identification and use in mind. The desktop box containing ten discs is convenient for filing and storage. Both box labels and jacket labels provide full information on compatibility, density, sectoring, and record length. Envelopes with muiti-language care and handling instructions and and color-coded removable labels are included. A write-protect feature is available to provide data security.

Full One Year Warranty --- Your Assurance of Quality Memorex Flexible Discs will be replaced free of charge by Memorex if they are found to be defective in materials uy memorex if they are found to be defective in materials or workmanship within one year of the date of purchase. Other than replacement, Memorex will not be respon-sible for any damages or losses (including consequential damages) caused by the use of Memorex Flexible Discs.

Quantity Discounts Available Memorex Flexible Discs are packed 10 discs to a carton and 10 cartons to a case. Please order only in increments of 100 units for quantity 100 pricing. We are also willing to accommodate your smaller orders. Quantities less than 100 units are available in incre-ments of 10 units at a 10% surcharge. Quantity discounts are also available. Order 500 or more discs at the same time and deduct 1%; 1,000 or more saves you 2%; 2,000 or more saves you 3%; 5,000 or more saves you 4%; 10,000 or more saves you 5%; 25,000 or more saves you 6%; 50,000 or more saves you 7% and 100,000 or more discs earns you an 8% discount off our super low quantity 100 price. Almost all Memorex Flexible Discs are immediately available from CE. Our warehouse facilities are equipped to help us get you the quality product you need, when you need it. If you need further assistance to find the flexible disc that's right for you, call the Memorex compatibility hotline. Dial 800-538-8080 and ask for the *flexible disc hotline* extension 0997. In California dial 800-672-3525 extension 0997. Outside the U.S.A. dial 408-987-0997.

#### **Buy with Confidence**


Buy with Confidence To get the fastest delivery from CE of your Memorex Flexible Discs, send or phone your order directly to our Computer Products Division. Be sure to calculate your price using the CE prices in this ad. Michigan residents please add 4% sales tax. Written purchase orders are accepted from approved govern-ment agencies and most well rated firms at a 30% surcharge for net 30 billing. All sales are subject to availability, acceptance and verification. All sales are subject to availability, acceptance and verification. All sales are fund. Prices, terms and speci-fications are subject to change without notice. Out of stock items will be placed on backorder automatically unless CE is instructed differently. Minimum order \$50.00. International orders are invited with a \$20,00 surcharge for special handling in addition to shipping charges. Att shipments are F.0.8. An Arbor, Michigan. No COD's please. Non-certified and foreign checks require bank clearance.

Arbor, Michigan, No COD's please. Non-certified and foreign checks require bank clearance. Mail orders to: Communications Electronics, Box 1002. Ann Arbor, Michigan 48106 U.S.A. 4dd 88.00 per case or partial-case of 100 8-inch discs or 56.00 per case or partial case of 100 5-w-inch min-discs for U.P.S. ground shipping and handling in the continential U.S.A. If you have a Master Card or Visa card, you may call anytime and place a credit card order. Order toll-free in the U.S. Call anytime 800-521-4414. If you If you are outside the U.S. or in Michigan, dial 313-994-4444. Order your high quality, error free Memorex discs today. Convolute 1982 Communicationes Electronicate. Copyright *1982 Communications Electronics"





Order Toll-Free! (800) 521-4414 In Michigan (313) 994-4444



For Data Reliability-Memorex Flexible Discs



#### **Computer Products Division**

854 Phoenix D Box 1002 D Ann Arbor, Michigan 48106 U.S.A. Cell TOLL-FREE (800) 521-4414 or outside U.S.A. (313) 994-4444



Circle 320 on inquiry card.

Circle 71 on inquiry card.

Circle 108 on Inquiry card.

# L NOT BE U

CP/M [®] Software	Software/Manual only
Digital Research PL/I-80 BT-80 Mac Sid Z-Sid Tex DeSpool	\$459/\$35 \$179/\$30 \$ 85/\$15 \$ 65/\$15 \$ 90/\$15 \$ 90/\$15 \$ 90/\$15 \$ 50/\$10
Micropro WordStar Customization Note: Mail-Merge WordStar/Mail-Merge DataStar WordMaster SuperSort I Spell Star	\$319/\$60 s \$489/\$na \$109/\$25 \$419/\$85 \$249/\$60 \$119/\$40 \$199/\$40 \$175/\$40
Microsoft Basic-80 Basic Compiler Fortran-80 Cobol-80 M-Sort Macro-80 Edit-80 MuSimp/MuMath MuLisp-80 Organic Software	\$289/\$na \$329/\$na \$349/\$na \$574/\$na \$124/\$na \$144/\$na \$224/\$na \$174/\$na
Milestone Supersoft	\$269/\$30
Diagnostic I Diagnostic II Disk Doctor Forth (8080 or Z80) Fortran Fortran w/Ratfor	\$ 49/\$20 \$ 84/\$20 \$ 84/\$20 \$149/\$30 \$219/\$30 \$289/\$35
Unicorn Mince Scribble Both	\$149/\$25 \$149/\$25 \$249/\$50
Data Base FMS-80 dBASE II Access/80	\$649/\$45 \$595/\$50 \$699/\$50
Pascal Pascal/MT+ Pascal/M	\$429/\$30 \$189/\$20
Miscellaneous SpellGuard SuperCalc CBASIC-2 MicroStat StatPak Micro B + Apple Software (Busi	\$299/\$25 \$269/\$50 \$ 98/\$20 \$224/\$25 \$449/\$40 \$229/\$20
Micropro Wordstar MailMerge Wordstar/MailMerge SuperSort I Spellstar	\$289 \$119 \$389 \$189 \$139
Personal Software Visicalc 3.3 CCA Data Mgr Desktop/Plan II Visiterm Visidex Visiplot Visiplot Visitrend/Visiplot Zork	\$229 \$ 84 \$229 \$139 \$229 \$135 \$185 \$275 \$ 34
Miscellaneous Micro Courier Super-Text II ASCII Express	\$219 \$127 \$59

				-		
VNFFFSSVFEESSVV	Apple Softw Wizard & Pri Mystery Hou Flight Simula Raster Blaste Sargon II ABM Pool 1.5 Beer Run Epoch Sneakers Midnight Ma Wizardry	ncess se ator er	ertainmer	nt)	***************	28 24 32 29 26 29 22 26 28 32 27 32 45
		d by Micr hancer ck action Ca Videx Microsof Board Model 771 lodel 771 lodel 771 lodel 771 lodel 771 lodel 771 lodel 771 lodel 771 lodel 78 Soard CCI-100 5 Add-ons CCI-189 5 Z-87 Dua Drives fo	rd 220 20 20 27728 80° Mode 51%", 40 Tr 51%", 40 Tr 1%", 40 Tr 1%", 40 Tr 1%", 40 Tr	ack Z-89 ack stem power st	\$\$\$\$\$\$\$\$\$\$\$\$ \$\$ \$ \$ \$ \$ \$ \$ \$ \$	299 49 25 199 249 159 249 159 249 149 20 21 299 455 201 295 201
000 00 F	Corvus 5M Corvus 10M Corvus 20M Corvus Mirro Shugart 8" 8 ANDON 514 Power Suppli	r 01R Raw " Raw Di ies	Drive	\$	30	0 <b>89</b> 4 <b>89</b> 4 <b>29</b> 5 <b>99</b> 399 Call Call
N N E E F F F F F F	Diskettes — E Maxell 514 " Maxell 8 " BASF/Verbat Plastic File E Plastic Libra Head Cleanir Floppy Saver Floppy Saver	im 5¼″ im 8″ BOX — Hold ry Case 5 ry Case 8 ng Disket	1/4 "	\$ ikts. \$ \$ \$ \$	26	40 45 .95 36 19 3 4 25 .95
1	<b>IGK RAM Kit</b> One Kit Two Kits 200ns for TR		ople II.			.00 .00
	specify): C <b>omputer Sy</b> Atari 400		Jum	pers \$	; ;	2.50 359
	Atari 800 Call for other Zenith Z89, 4 Zenith Z90, 6 Call for other	8K 4K		\$ \$ \$	: (	599 Call Call
	For fast deliv			check	s	

For fast delivery, send certified checks, money orders or call to arrange direct bank wire transfers. Personal or company checks require one to three weeks to clear. All prices are mail order only and are subject to change without notice. Call for shipping charges.

#### Terminals **ADDS** Viewpoint Call \$ Zenith Z-19 699 \$ Televideo 910 595 \$ Televideo 920C Ś 769 Televideo 950 \$ 969 S-100 California Computer Systems Mainframe 349 \$ Z80 CPU 64K RAM \$ 239 \$ 569 Floppy Disc Cntrl \$ 339 Integrated Sys. w/int. cables, tstd. \$1975 \$ 269 \$ 249 2P + 2S I/O 4 Port Serial I/O 249 4 Port Parallel I/O Ś 179 **Casio Calculators** Pocket Comp. FX702 Desk Printr/Calc. FR100 FX702 \$185.00 Ś 79.95 Scientific Calc. FX8100 \$ 49.95 CA90 Plastic \$ 49.95 Game Watch Game Watch CA901 Steel Š 69.95 Calendar Watch AX210 \$ 59.95 NEC Spinwriter 7710 R.O. Ser Printers \$2305 7710 Ser w/tr. \$2595 7720 KSR w/tr. \$2795 7730 R.O. Par \$2395 7730 R.O. Par w/tr.\$2595 NEW 3500 Series \$ Call \$ Call Epson MX-70 q Epson MX-80 \$ Call Epson MX-80FT \$ Call \$ Call Epson MX-100 Epson Graftrax \$ Call PaperTiger 560 Gr. & 2K \$ Call IDS Prism 80 \$ Call IDS Prism 132 \$ Call \$ Call PaperTiger Access. Anadex DP-8000 Anadex DP-9500/01 \$ 949 \$1465 \$ Call \$ Call \$ Call \$ Call \$ Call \$ 739 Okidata Microline 80 Fric. & pin feed Okidata Microline 82A Fric. & pin feed Okidata Microline 83A 120 cps Okidata 84 200 cps Centronics 739 Data South 180 cps \$ Call Monitors Leedex 12" B & W Leedex 12" Green Screen Leedex 13" Color \$ 119 \$ 129 \$ 329 Sanvo 9" B&W \$ 149 Sanyo 9" Green Screen Sanyo 12" Green Screen \$ 189 \$ 249 Sanyo 12" B&W Š 239 Sanyo 13" Color Zenith 12" Green Screen \$ \$ 449 129 Zenith 13" Color \$ 349 n ****** Special of the Month *****

#### Olivetti DY 211 Daisy Wheel \$Call

	Telecommunications Prentice Star Modem 1-yr. guar. Univ. Data System UDS103LP Univ. Data System UDS103JP Novation Cat	\$ 125 135 189 139
	Novation D-Cat	149
	Novation Auto-Cat	\$ 199
	Novation Apple Cat II	\$ 299
•	Hayes Smart Modem TM	\$ 249
	Hayes Micro-Modem II TM	\$ 310
	Hayes Chronograph [™]	\$ 225
	CCÍ Telnet Com. Package	\$ 135

#### DEALER (NATIONAL/INTERNATIONAL) INQUIRIES INVITED Send for FREE Catalogue TO ORDER CALL TOLL FREE 1-800-343-6522 TWX: 710-348-1796 Massachusetts Residents call 617/242-3361

420-438 Rutherford Ave., Dept. B05M Charlestown, Massachusetts 02129 Hours 9 AM-9 PM (EST) Mon.-Fri. (Sat. till 6)

Technical Information call 617/242-3361 Massachusetts Residents add 5% Sales Tax Tandy Corporation Trademark/*Digital Research





Circle 134 on Inquiry card.

Circle 11 on inquiry card.

www.americanradiohistorv.com

Circle 279 on inquiry card.

Price/10

32 50

44.20

Qty 50

\$110.00

\$ 32.50

39.00

50.00

70.00

#### CRT CONTROLLER

#### 6522 APPLE II INTERFACE

81-260 "SLIM"

Single board large scale Integra-

tion Microcomputer. This 4.5 x 6.5

2532 EPROM. The fully buffered

22/44 pin bus is similar to the KIM® , SYM® , and AIM® expan-

sion connector. The four 8 bit I/O

ports connect through 16 pin dip

sockets. This board was designed

for control and is ideal for Per-

6502 MPU Two 6522 VIA's Four 2114 RAM's (2K bytes)

One EPROM 2516 or 2532

Crystal clock 1 Mhz Requires 5V 1AMP Power

Fully buffered-expandable

Use your Apple II Computer, JBE

6522 Parallel Interface card and

\$199.95 Assembled

\$ 39.95 Bare Board

\$149.95 Kit

development system for SLIM.

6502 MICROCOMPUTER

6502 MPU, 6522 VIA, 2716 EPROM, 2114

RAM single board computer. Single 5

volt power supply at 400 Ma. Two in-dependent 8 bit I/O ports with hand-

shake lines. RC controlled 1 Mhz clock.

Complete documentation, I/O lines use

50 pin edge connector. Data and ad-

dress lines are not accessible. Mod. for

2532 is included. EPROM is not includ-

Solder mask-both sides

EPROM Programmer

sonal and OEM use.

4.5 x 6.5 card

Prices:

81-260A

81-260K

81-260B

Power on reset

the Microprocessor, two 6522 VIA's, four 2114 RAM's, 2516, 2716 or

USES

6502

board

#### JBE I MICROCOMPUTER



This Intelligent CRT Controller uses an 8085A CPU & an 8275 Integrated CRT Controller. It features: · 25 lines (80 char./line)

- 5x7 dot matrix Upper & lower case
- Two 2716's (controller & char.
- generator) Serial interface RS232 & TTL Baud rates of 110, 150, 300, 600,
- 1200, 2400, 4800 and 9600
- Keyboard scanning system Unencoded keyboard required Uses + 5V & ± 12V Power Sup-
- pliesDoes not have graphic capabilities.

Documentation Includes program listing and composite video circuit.

		Statement in the second second	
(withdoc) 2716 Char. Gen. A 7 2716 Program A 12	\$39.95 \$19.95 \$19.95	79-295A 79-295K 79-295B	\$69.95 Assembled \$59.95 Kit \$19.95 Bareboard
Bare Board only		compatible	

#### A-D CONVERTER

220 12 1 -

JBEs 16 channel A-D Converter plugs in-to your Apple II computer. It uses an ADC0817 which incorporates a 16 chan-nel multiplexer and an 8 bit A-D Con-verter. The 16 inputs are high im-pedance and the voltage range is 0 to 5.12 volts. Conversion time is <100 µsec. The resolution is 8 bits or 256 steps, linearity is  $\pm$  1/2 step. Two 16 pin DIP sockets are used for input, GND & reference voltage connections. There are 3 single bit TL inputs. Doc includes sample program. sample program. 81-132A Assm. \$89.95 \$69.95 \$29.95

81-132K Kit 81-1328 Bare Board


EPROM PROGRAMMER



JBE's EPROM Programmer is designed to program 5V 2516's, 2532's & 2716's. It Interfaces to the JBE Parallel I/O card using four ribbon cables. An LED indicates when the EPROM is being programmed. A textool zero Insertion force socket is used for the EPROM. Comes with complete documentation for writing and reading EPROM's in the Apple II or Apple II Plus. Cables available

	_
80-244B Bare Board	\$24.95
80-244 K KIt	\$39.95
80-244A Assm.	\$49.95
separately.	

PARIS	
6502 MPU	\$9.95
6522 VIA	\$9.95
Z-80 MPU	\$9.95
Z-80 PIO	\$9.95
TWO2114 RAM	\$9.95
2716	\$14.95
50 pin conn.	\$5.95
DipJumper2ft.	\$4.95




thesizer chip. The SC-01 phonetically synthesizes continuous speech of unlimited vocabulary. The SC-01 contains 64 different phonemes and 4 levels of inflection accessed by an 8 bit code. It requires 10 Bytes per second to continuous speech. Both boards have an audio amp for direct connection to an 8 ohm speaker

Documentation includes basic user programs, a phoneme chart and listing of coded words to help you get started. Documentation for the Apple II® Speech Syn-thesizer includes a disk with many user programs

81-088 Apple II Speech Synthesizer \$139.95 81-120 Parallel Input Speech Synthesizer \$149.95

Prices include the SC-01 Chip SC-01 sold separately for \$ 75.95

**EPROM EXPANSION CARD** 



bytes of EPROM. This board takes the place of the on board ROM in the Apple. It is software switchable by the same technique used by the Apple II firmware card. Solder jumpers are for reset to the Apple ROM or EPROM Expansion Card. Use JBE EPROM Programmer and Parallel I/O to program your EPROMs. EPROMs sold separately. \$59.95

81-085A Assm. 81-085K KIT \$49.95 81-085B Bare Board \$39.95



2532 is included. EPROM is not include ed. 1K RAM, 2K EPROM, 2 I/O ports 80-280 Assm. \$129.95 80-280 Kit \$119.95

\$ 19.95

80-280 Bare Board



JBE's 7.75 x 11.75 6502 base Microcomputer has the capacity for 16K of EPROM. 4K of RAM, 8 Parallel Ports and 1 Serial Port. Monitor and Tiny Basic are also available. The fully populated version Includes:

- 1 6502 CPU
- 4 6522 VIA (8 Parallel I/O Ports)
- AY5-1013 (Serial I/O Ports)
- 82114 RAM (4K)
- 2 2716 EPROM (Monitor & Tiny Basic)

The partially populated version includes:

- 1 6502 CPU
- 1 6522 VIA (2 Parallel I/O Ports)
- 1 AY5-1013 (Serial I/O Port)
- 2 2114 RAM (1K) 1 2716 EPROM (with
- Monitor)

Both versions include sockets for 2716s or 2532s. 8 16 pin sockets for I/O interfacing and a DB25 connector for RS232.

All address and data lines are brought off the board to the 50 pin edge connector. (similar to the Apple II bus)

This board also features power on reset and cassette Interface

81-030 C Fully		
Populated	\$3	349.95
81-030M Partially		
Populated	\$2	249.95
81-030B Bare Board	\$	89.95
2716 EPROM		
(with Monitor)	\$	19.95
2715 EPROM		
(with Tiny Basic	\$	19.95
and the second se	-	
(Top adjances )	10-	
THE REAL PARTY OF THE REAL PROPERTY OF THE REAL PRO	A 13	





#### ATTENTION SINGLE BOARD COMPUTER OWNERS

Complete your system with these fine products at savings from 15 to 25%.

Clock/Calendar for Digital Research's Big Board. Full time & date functions. Eight interrupts & battery backup. Bare board—\$25, Kit—\$54.95, Asm— \$67.95, Program diskette—\$5. Add \$2.50 postage.


Enclosures — Will house a computer board, keyboard, power supply, 12" monitor and 5" disk. 21"D X 19"W X 16" H. List \$105 Now Only **\$89 +** \$7 shipping

Monitors — 12" Motorola, 15 MHz, 800 line resolution. Separate video & sync. List \$200 Now Only **\$150 +** \$4 shipping.

Call or write for other great specials. AB COMPUTER PRODUCTS, P.O BOX 571-B JACKSON, N.J. 08527, (201) 370-9889

Circle 3 on inquiry card.





Circle 399 on inquiry card.

Gom		
CPU Z A&T DISK II&MPM	394, 8085/3 199, CPU Z 9-16 CALL DISK 3 (5) 449, RAM 16	6MHz CSC 308, 1 A&T 371,
LIGHTING 1 8 HAZITAL 25EF		
8086, Support RAM 64K Stat	CARD & 86DOS ONI IC 746, IBM 25	LY 629, 56K ADD-ON 699,
DECISION 1 E RAM 65K STAT	ASIC 1295. DMA D IC 581. MULTI CAB 1056, DUAL	J w/CPM TM 356.
	UBJECT TO CHANGE DEMARK OF DIGITA UESTININSTER C 714 895-1746	A 4263-0451 CA.



American Novel, your PhD thesis, documentation for a computer program, or whatever; think about Intergraphics' **Personal Publishing** service. It is the lowest cost method yet devised to get your words into print. Your Personal Computer, a modem, and a little "do-it-yourself" spirit are all that is necessary to access our fully automated computerized typesetting service. For further information, write to:

Intergraphics Inc.

106A South Columbus Street Alexandria, Virginia 22314

#### Circle 212 on inquiry card.



Circle 139 on Inquiry card.


SYSTEM DIAGNOSTIC ..... \$94.95 Complete diagnostics for every component of your TRS-80. Separate tests for ROM, RAM, video display, keyboard, line printer, cassette recorder, disk drives, RS-232-C interface.

Add \$5.00 for program supplied on diskette, \$3.00 postage and handling. S.A.S.E. for FREE catalogue.

HOWE SOFTWARE 14 Lexington Rd., New City, NY 10956 (914) 634-1821

Circle 461 on inquiry card.

Circle 195 on inquiry card.



#### ELECTRONIC SYSTEMS KITS

Apple Peripheral Kits SERIAL I/O INTERFACE 0 to 30,000 baud.

SERIAL I/O INTERFACE 0 to 30,000 baud, D.T.R., Input & output from monitor or basic, or useApple as intelligent terminal, Bd only (P/N 2) \$14.95, Kit (P/N 2A) \$51.25, Assembled (P/N 2C) \$62.95. PROTOTYPING BOARD (P/N 7907) \$21.95. PARALLEL TRIAC OUTPUT BOARD 8 triacs, each can switch 110V, 6A loads, Bd only (P/N 210) \$19.20, Kit (P/N 210A) \$119.55. OPTO-ISOLATED INPUT BOARD 8 inputs, can be driven from TTL logic. Bd only (P/N 120) \$15.55, Kit (P/N 120A) \$69.95.

#### Interface Kits

SERIAL/PARALLEL INTERFACE Bidirectional, Baud rates from 110 to 19.2K, sw selectable polarity of input and output strobe, 5 to 8 data bits, 1 or 2 stop bits, parity odd or even or none all characters contain a start blt, +5 & -12V required.Bd only (P/N 101) \$11.95, Kit (P/N 101A) \$42.89.

RS-232/TTL INTERFACE Bidirectional, re-quires ±12V, Kit (P/N 232A) \$9.95. RS-232/20mA INTERFACE Bidirectional, 2

passive opto-isolated circuits. Kit (P/N 7901A) \$14.95

PROM Eraser Will erase 25 PROMs in 15 minutes. Ultravlolet, assembled. 25 PROM capacity \$37.50 (with timer \$69.50). 6 PROM capacity OSHA/UL version \$78.50 (with timer \$108.50).

NiCad Battery Fixer/Charger Kit Opens shorted cells that won't hold a charge and then charges lhem up, all in one kit w/full parts and instructions. No PC board. \$8.95

#### **Z80 Microcomputer**

16 bit 1/0, 2 MHz clock, 2K RAM, ROM Bread-board space. Excellent for control. Bare Board \$28.50. Full Kit \$99.00. Monitor \$20.00. Power Supply Kit \$35.00. Tiny Basic \$30.00.

#### Modem Kit \$60.00

State of the art, orig., answer. No tuning neces-sary. 103 compatible 300 baud. Inexpensive acoustic coupler plans included. Bd. only \$17.00. Article in June Radio Electronics.

60 Hz Crystal Time Base Kit \$4.40 Converts digital clocks from AC line frequency to crystal time base. Outstanding accuracy

Video Modulator Kit \$9.95 Convert TV set into a high quality monitor w/o affecting usage. Comp. kit w/full Instruc.

Multi-volt Computer Power Supply 8v 5 amp, ±18v 5 amp, 5v 1.5 amp, -5v .5 amp, 12v 5 amp, -12v option. ±5v. ±12v are regulated. Basic Kit \$35.95. Kit with chassis and all hardware \$51.95. Add \$5.00 shipping. Kit of hardware \$16.00. Woodgrain case \$10.00. \$1.50 shipping

Type-N-Talk by Votrax Text to speech synthesizer with unlimited vocabu-lary, built-in text to speech algorithm, 70 to 100 bits per second speech synthesizer, RS232C interface \$359.00. Speech IC \$79.95.

#### 1802 16K Dynamic RAM Kit \$149.00 Expandable to 64K. Hidden refresh w/clocks up to 4 MHz w/no wait states. Addl. 16K RAM \$25.00.

S-100 4-slot expansion Super Monitor VI.I Source Listing \$ 9.95 \$15.00



#### RCA Cosmac 1802 Super Elf Computer \$106.95

The Super Eff is a small single board computer that does many bin things. It's an excellent computer for training and for learning programming with its machine language and yet it's easily expanded with additional memory, Full Basic, ASCII Keyboards, video character generation, etc.

ROM monitor; State and Mode displays; Single step; Optional address displays; Power Supply; Audio Amplifier and Speaker; Fully socketed for all IC's; Full documentation.

The Super Elf includes a ROM monitor for pro gram loading, editing and execution with SINGLE STEP for program debugging which is not in-cluded in others at the same price. With SINGLE STEP you can see the microprocessor chip operating with the unique Quest address and data bus displays before, during and after executing in-structions. Also, CPU mode and instruction cycle are decoded and displayed on 8 LED indicators.

An RCA 1861 video graphics chip allows you to connect to your own TV with an inexpensive video modulator to do graphics and games. There is a speaker system included for writing your own music or using many music programs already written. The speaker amplifier may also be used to drive relays for control purposes

A 24 key HEX keyboard includes 16 HEX keys plus load, reset, run, wait, input, memory protect, monitor select and single step. Large, on board displays provide output and optional high and low address. There is a 44 pin standard connector slot

#### Super Expansion Board with Cassette Interface \$89.95

This is truly an astounding value! This board has been designed to allow you to decide how you want it optioned. The Super Expansion Board comes with 4K of low power RAM fully address-able anywhere in 64K with built-In memory protect and a cassette interface. Provisions have been made for all other options on the same board and it fits neatly into the hardwood cabinet alongside the Super Elf. The board includes slots for up to 6K of EPROM (2708, 2758, 2716 or TI 2716) and is fully socketed. EPROM can be used for the monitor and Tiny Basic or other purposes.

A 1K Super ROM Monitor \$19.95 is available as an on heard ontion in 2708 EPROM which has been preprogrammed with a program loader/editor and error checking multi file cassette read/write software, (relocatable cassette file) another exclu-sive from Quest. It includes register save and readout, block move capability and video graphics driver with blinking cursor. Break points can be used with the register save feature to isolate pro-

#### **Rockwell AIM 65 Computer**

6502 based single board with full ASCII keyboard and 20 column thermal printer. 20 char, alphanu-meric display ROM monitor:, fully expandable. \$419.00. 4K version \$449.00. 4K Assembler \$35.00, 8K Basic Interpreter \$65.00.

Special small power supply 5V 2A 24V .5A assem. in frame \$59.00. Molded plastic enclosure to fit both AIM 65 and power supply \$52.50. AIM 65 1K In cabinet with power supply, which, fuse, cord assem, \$559.00, 4K \$579.00, A65/40-5000 AIM 65/40 w/16K RAM and monitor \$1295.00, RAM Board Kit (16K, \$195) (32K, \$215), VD640 Video Interface Kit \$119.00, A&T \$149.00 Complete AIM 65 in this briefcase with power supply \$518.00. Special Package Price: 4K AIM, 8K Basic, power supply, cabinet \$629.00 AIM 65/KIM/SYM/Super Elf 44 pin expansion board: board with 3 connectors \$22,95.

Elf II Adapter Kit \$24.95 Plugs Into Elf II providing Super Elf 44 and 50 pin plus S-100 bus expansion. (With Super Expansion). High and low address displays, state and mode LED's optional \$18.00.

#### Quest Super Basic V5.0

A new enhanced version of Super Basic now available. Quest was the first company worldwide to ship a full size Basic tor 1802 Systems. A complete function **Super Basic** by **Ron Cenker** including floating point capability with scientific notation (number range  $\pm$ .17E³⁰), 32 bit integer ±2 billion; multi dim arrays, string arrays; string manipulation; cassette I/O; save and load, basic. data and machine language programs; and over 75 statements, functions and operations.

New improved faster version including re-number and essentially unlimited variables. Also, an exclusive user expandable command Serial and Parallel I/O routines Included.

Super Basic on Cassette \$55.00.

for PC cards and a 50 pin connector slot for the Quest Super Expansion Board. Power supply and sockets for all IC's are included plus a detailed 127 pg. Instruction manual which now includes 127 pg. Itsitution marka which how michaes over 40 pgs. of software Info, including a series of lessons to help get you started and a music pro-gram and graphics target game. Many schools and the started to be a series of the series of the series of the graphic starget game. Many schools and the series of and universities are using the Super Elf as a course of study. OEM's use it for training and R&D

Remember, other computers only offer Super Elf features at additional cost or not at all. Compare before you buy. Super Elf Kit \$106.95, High address option \$8.95, Low address option \$9.95. Custom Cabinet with drilled and labelled plexigiass front panel \$24,95. All metal Expansion Cabinet, painted and silk screened, with room for SS-100 boards and power supply SS-00. NICad Battery Memory Saver Kit \$6.95. All kits and options also completely assembled and tested.

Questdata, a software nublication for 1802 computer users is available by subscription for \$12.00 per 12 issues. Single issues \$1.50. Issues 1-12 bound \$16.50

Moews Video Graphics \$3.50, Games and Music \$3.00, Chip 8 Interpreter \$5.50, Starship 4K cassette \$14.95. Exciting and challenging space game. Complete manual included.

Free 14 page brochure of complete Super Elf system.

gram bugs quickly, then follow with single step. If

you have the Super Expansion Board and Super Monitor the monitor is up and running at the push of a button

Other on board options include Parallel Input and Output Ports with full handshake. They allow easy nection of an ASCII keyboard to the input port. RS 232 and 20 ma Current Loop for teletype or other device are on board and if you need more memory there are two S-100 slots for static RAM or video boards. Also a 1K Super Monitor version 2 with video driver for full capability display with Tiny Basic and a video interface board. Parallel I/O Ports \$9.85, RS 232 \$4.50, TTY 20 ma I/F \$1.95, S-100 \$4.50. A 50 pin connector set with ribbon cable is available at \$18,95 for easy connection between the Super Elf and the Super Expansion Board.

Power Supply Kit for the complete system (see Multi-volt Power Supply below).




Super Color S-100 Video Kit \$129.95 Expandable to 256 x 192 high resolution colo graphics. 6847 with all display modes computer controlled. Memory mapped. 1K RAM expand-able to 6K. S-100 bus 1802, 8080, 8085, Z80, etc. Dealers: Send for excellent pricing/margin merpoto.

FREE: Send for your copy of our NEW 1982

QUEST CATALOG. Include 88¢ stamp.

TERMS: \$5.00 min. order U.S. Funds. Calif. residents add 6% tax. \$10.00 min. VISA and MasterCard accepted. \$1.00 insurance optional. Shipping: Add 5%; orders under \$25.00-10%.

Prices subject to change



#### Program Modifications Now A Snap With Basic IDEAS"

If you know what it's like to write programs on a mainirame computer with a well human-engin-ered programming facility (like SPF), then you're probably frustated with the limitations of the BASIC Line Editor of your TRS-80* Mod II.

Line Editor of your 1KS-80° Mod II. If you've never experienced mainframe program-ming power at its best, you don't know what you've been missing: Tedioustine-by-line aditing is now a thing of the past with Basic IDEAS" and its powerful Full-Screen Text Editor: Changes Made Easy. Move the cursor any-where on the screen & simply type In your revisions.

- Multi-Line Insert & Delete: Just position the cursor and insert/delete lines at will.
- Text Insert & Delete Within A Line: Again, just position the cursor anywhere on the line and insert or delete text with instantaneous П visual feedback.

VISUAI 16600aCK Also includes: Global Search & Replace, Automatic Prompting, Print, and much more. That's not all. Basic IDEAS' has a full array of advanced programming tools that make Mod II BASIC Essler To Write, Essler To Read, Essler To Modify

To Modify. Send for our FREE brochure for complete details and actual examples of the power of Basic IDEAS". Complete system, fully documented, only \$299.

**Computer IDEAS Corporation** 4229 Hall St. . Dallas, Texas 75219

Circle 95 on inquiry card.



Circle 51 on inquiry card.



Circle 260 on inquiry card.



Beech Enterprizes 6109 South I Street Tacoma, Washington 98408 (206) 472-1094
Printers         — Epson, Okidata, Nec, Anadex, Others           Epson MX-70         315.00           Epson MX-80         445.00           Epson MX-100         745.00           Anadex DP9500, DP9501         1265.00           IDS 560         1104.00
Boards — Microsoft, Videx Z80 Softcard by Microsoft287.00 16K Ramcard by Microsoft146.75
Computer systems — Altos, Televideo, NEC NEC — 64K Ram, 2 Disk, 7 Expansion Slots CRT
Other Products & Software Available. \$ Call Hard Disk, Visicalc, Modems, Monitors, Furniture
Terms: Certified checks, personal checks, money orders. Allow 2 weeks for per- sonal checks to clear. Equipment is sub-

ject to price change and availability.

Circle 43 on Inquiry card.

Marrie	the second s
	Build and Enhance your Apple 'software Ilbrary at affordable prices. For the FIRST time – PACKED disks with 60 outstanding programs. Your Apple ' needs programs! At last you have an opportunity to use your Apple' to its fullest capacity!
	APPLEWARE INC. offers on each disk an extensive variety of programs including:
	Business • Printer • Graphics Games • Text • Music Utilities • Data Base • Finance Science • Engineering • and many others with 3.3 DOS for easy demutfining.
	First 3 disks available at \$59.95 each Order all 3 for a free bonus disk. Call now toll free: 1—800-327-8664 Fla. Residents: 305—584-7004 Please add \$3 for postage & handling
L	6400 Hayes St. Hollywood, FL 33024 *TM Apple is a registered trademark of Apple Computer Co.

For CP/M-80[®] Users

Circle 23 on inquiry card.

Circle 400 on inquiry card.

BELIEVE IT!

### Washington Computer Services

an affiliate of ((( WASHINGTON ))) est. 1912


CUSTOM COMPUTER ROOM WIRING SINCE 1960

97 Spring Street, New York, New York 10012

TO ORDER: CALL OUR TOLL-FREE NUMBER: (800) 221-5416 In N.Y. State and for technical information: (212) 226-2121

HOURS: 9 AM-5:30 PM (EST) Monday-Friday

#### PRINTERS



\$425

\$398

\$660

\$200

\$420

\$549

SCALL

**SCALL** 

**\$CALL** 

\$500

**CONDOR III** 

MILESTONE

SUPERCALC

**SELECTOR V** 

**SPELLGUARD** 

ACCOUNTING PLUS

**TURBOOOS (MULTI)** 

**TURBOODS (1 USER)** 

**AMERICAN BUS. SYST. \$CALL** 

SUPERSOFT

**FMS-80** 

#### **8" DISK DRIVE SALE**

**TELEX: 12-5606** 

QUME OATATRACK 8 \$589 2 for \$1110
Enclosure, power supply for 2 8" drives A & T \$350 MORROW OISCUS 20 + CP/M® , MICROSOFT BASIC, CONT. \$950
HARD DISK SPECIALS
CORVUS 5MB, 10MB, 20MB Constellation Multiplexer and Mirror Backup
MORROW 26MB + controller + CP/M 2.2°, M basic         \$4495         \$3821           Controller, CDC Hawk Drive (5 fix, 5 rem)         \$7995         \$6795
controller, Western Dynex (5 fix, 5 rem) \$5995 \$5099
Winchester 5 ¹ / ₄ drives complete with case, cable, software, S-100 controller. Adapter avail. for use with
ACOMP any Z-80 system. Cartridge drive controllers avail.
5MB         APPLE S-100         Z-89         \$2898           10MB         XEROX ALTOS         OEM discounts available!         R.S. MOD. #         \$3398
SW 8" and 14" Winchester/tabe
FULLY CONFIGURED BUSINESS SYSTEMS
The following are some examples of the fully assembled and tested business
and scientific computer systems which we offer. 8000 SX, multi-user, multi-processor, turbo DOS SCALL CPM 2.2 FULL 2 YEAR WARRANTY!
INTERNATIONAL OF MELLEL FOLLE E FEAN WAITHAITTE
68000 16 bit multi-user UNIX V.7 \$CALL
SFATTLE 8086 16 bit, 128K RAM, Syst. #2 \$3499
Systems Group Call us for best prices on these high quality 2nd generation boards and systems.
California Computer Systems Computer Systems Computer Computer Systems Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Computer Comp
2200 H.D. Mainframe \$517 2810AZ-80 CPU, serial port \$316
2065C64K dynamic RAM         \$409         2422A Floppy Cont, CP/M 2.2         \$427           CCS 2210A w/floppy controller, 1 serial port         \$2116
CCS 300-1A w/1.2 MB floppy drives, 2 serial, 2 parallel ports \$CALL
DIGIAC Fine Computers SCALL
BODSOULT We offer generous discounts on the Compupro line of TAM fast, quality 8 and 16 bit boards
NorthStar & HORIZON \$CALL
NECLow prices on PC-8000 series SCALL DELTA S-4500 10 User, Multi-Processor, 40 MB hard 17 MB tape SCALL
ALTOS single and multi-user systems <b>\$CALL</b>
MORROW Decision 1, CP/M Microsoft Basic, UNIX \$CALL
XEROX. List \$2995 \$CALL
Similar savings on the full lines of CCS, SSM, NNC, MORROW, DELTA,
NDRTHSTAR, ITHACA INTERSYSTEMS, GODBDUT, NEC, TELEVIDEO, IMS ZENITH, ADDS, DEC, DATA GEN., ATARI, DYNABYTE, TECMAR, DUAL
LOOK HERE! AMPEX
Call us for ALL your softwear needs Dialogue 80" Systems Houses, Educational Institutions, &
Government Agencies Given Special Consideration
NFIGURED FOR RADIO SHACK® MODEL II

**CABLE: WASHCOMP NYK** 

#### ALL OF OUR PERIPHERALS CAN BE CO DE. ER and INTERNATIONAL INUUIKIES W

\$716

\$235

\$221

\$649

\$396

\$236

**\$CALL** 

SCALL

\$500

\$220

For last delivery, send certified check, money order or call to arrange direct bank wire transler. Personal or company checks require two to three weeks to clear. All prices are mail order only. Prices subject to change without notice; call for latest prices. Prices include 3% cash discount, N.Y. residents add sales tax. Qantex is a trademark of North Atlantic Industries, Inc. Radio Shack® is a trademark of the Tandy Corp. CP/M® is a trademark of Digital Research. All sales subject to our standard sale conditions (available on request).

PL/1-80

CB-80

PASCAL MT + V5.5

WHITESMITH'S C

**BSTAM, BSTMS** 

PEARL (LEVEL 3)

**GRAHAM-OORIAN** 

STRUCTUREO SYST.

VANDATA/OSBORNE

PEACHTREE

LIFEBOAT SOFTWARE \$CALL

VISA



**RIBBONS** at **GREAT DISCOUNTS** Multistrike ribbons (black) for: Refill* Reinaded New Ribbon Ribbons Cartridges Pancakes Qume (Ours) \$3 ea. \$2 ea. \$1 ea. Diablo (Univ.) \$4 ea. \$3 ea \$2 ea. \$4 ea. \$3 ea. \$2 ea. NEC (Orig.) \$4 ea. \$3 ea. S2 ea. Wang (Ours) Ricoh (Orig.) \$6 ea. \$4 ea. \$3 ea. (Cloth ribbons will be available shortly.) *Minimum order 3 pancakes with instructions. Add 25 percent for orders of less than 1 doz. We "trade" for RELDADABLE used cartridges. Write for price lists on diskettes, printwheels and other ribbons. Order our new 150 page book HOW TO RELDAD MULTI-STRIKE DAISY WHEEL WORD PROCESSING RIBBONS. \$49. This book puts you in business reloading ribbons at home. WILLIAM WALKER Word Processing Supplies 306 West 46th St New York, NY 10036 Circle 431 on inquiry card. **VOLTAGE SURGE &** TRANSIENT SUPPRESSOR Protects Most Electronic Equipment The SUPPRESSOR electronically removes or reduces sudden voltage changes. It simply plugs into a power receptacle on the same circuit as the equipment being protected END POWER LINE SPIKES, SURGES, HASH... Only \$29.95 ea. Dealer Inquiries Invited CUESTA SYSTEMS, INC. 3440 Roberto Court San Luis Obispo, California 93401 (805) 541-4160 Circle 128 on inquiry card. ADDS VIEWPOINT \$495 Qty. 1 Modem 300/1200 \$699 DEC COMPATIBLE Datamedia Excel 12 \$1,295 Excel 22 \$995

> Economy Peripherals (404) 952-0213

Verbatim flexible disks

Call Free **(800) 235-4137** for prices and information. Dealer inquiries invited. C.O.D. and charge cards accepted.



Circle 320 on inquiry card.



Circle 384 on inquiry card.

SU	PER	R S/	ALE
	EPR	OM	
2716 2732	1-7 4.15 9.70	8 up 3.90 8.85	50 up CALL CALL
Fo Set of 8	AM EX or TRS-80 pieces U	D Model PD416-2	Ш
WRITE	FOR F	REE CA	TALOG
IN CALI (213) 64 Mail Order – Mi P.O. BOX 1957 VISA or Master	12621 CRI HAWTHOR ILOCATED NEXT TORE HOURS: More	ENSHAW BO NE, CALIFOR T TO FORMULA INTER- PRI TOWN TO BOARD OUTSIDE CALIFOI 1-800-42 D. Send Money O TTHORNE, CA S ude expiration d	NIA 90250 INATIONALI - Set IOam to 5pm NNIA TOLL FREE 21-5775 rder or Check to: 10250, Use your ate), Add \$2.00

Circle 246 on inquiry card.

Circle 462 on inquiry card.

Circle 395 on inquiry card.



**INTERSYSTEMS** DPS1 DPS1A DPS2A CALL FOR PRICES DYNABYTE List Less 30% ALTOS List Less 20% NORTHSTAR Horizons & Advantages ...... CALL **TELEVIDEO COMPUTER** SYSTEMS ...... CALL **SUPERBRAIN** 64K DD \$2639 \$2949 64K QD. . DSS-10MEG Hard Disk. ..... \$3195 CROMEMCO CS-1 List. \$3995 ..... OUR PRICE \$3195 CS-2 List, \$4695 ..... OUR PRICE \$3549 CS-3 List. \$7995..... OUR PRICE \$6349 Z2H List, \$9995 ..... OUR PRICE \$7995

**COMPUTERS** 



TERMINALS TeleVideo Televideo 910C. CALL 912C CALL 920C ... CALL 925C CALL 950C CALL INTERTUBE..... \$725 Emulator..... \$725 OKIDATA Maroline 80 \$359 Microune 82A \$469 Microline 83A \$749 C.ITOH. ..... CALL FOR PRICES SOROC Soroc IQ120. \$679 IQ130.....\$585 IQ135..... \$719 (Q135 w graphics) \$789 IQ140..... \$995 HAZELTINE CALL 1420. 1500..... SAVE 1510 CALL ZENITH Z19. \$639 Prices are for pre-paid orders only, and reflect a cash discount. C.O.D.'s and charge cards slightly. higher.

Most items in stock for immethate derivery lactory sealed cartons withil factory warranty. NYS residents and aboro priate sales fast. Prices do not include snipping (20.0) orders require 25% deposit. Prices subject to change without notice.

# PRINTERS

749-1 PAR												\$699
739-3 SER			l									\$619
704-11 parallel.												
704-9 (RS232).											1	\$1519

#### TI 810

810 Basic. 810 Full Option. 820 RO Basic. 820 KSR Basic.	\$1599 \$1545
NEC 7710 (RS232) SERIAL,	\$2395 \$2395
Qume	PRICE
Diablo 630 RO	\$3495
Paper Tiger 445G. 460. 460G. 560G.	\$799 \$839
Prism 80. 132 w/color	
Epson MX 80	\$465

### DISK SYSTEMS

#### MORROW

Discus 2D	\$835
Duai Discuss 2D	\$1385
Discuss 2 + 2	\$1199
M 5 5meg Hard Disk	\$1995
M 10 10 meg Hard Disk	\$2995
M26 26 meg Hard Disk	\$3349
CORVUS 5 meg Hard Disk	\$2999
CORVUS 10 meg Hard Disk	\$4279
CORVUS 20 meg Hard Disk	\$5159




Circle 107 on inquiry card.



Flexible Disks, nobody does it better than Wabash. MasterCard, Visa Accepted.



Circle 320 on inquiry card.



Circle 368 on inquiry card.



Circle 463 on inquiry card.




Computer Shopper is your link to individuals who buy, sell and trade computer equipment and software among themselves nationwide. No other magazine fills this void in the marketplace chain.

Thousands of cost-conscious computer enthusiasts use Computer Shopper every month through hundreds of classified ads. And new equipment advertisers offer some of the lowest prices in the nation.

Subscribe to Computer Shopper with a 6 month trial for only \$6. MasterCard or VISA call TOLL FREE 800-327-9920 COMPUTER SHOPPER P.O. Box F307 • Titusville, FL 32780 305-269-3211

Circle 101 on inquiry card.



- All solid state electronics Attractive styling, compact size
- only \$129.95



Circle 34 on inquiry card.

#### COMPUTER

Buy - Sell - Employment - Etc.


National on-line classified system for all types of advertisements.

Sell your unneeded equipment, or upgrade with good used gear.

There is no charge to read the listings. Club listings, reader to reader messages. and letters to the editor may be placed at no charge. Ads are \$10.00 for 90 days, payable by Visa, MasterCard or check. Ads are up to 1200 characters long. Ads may also be sent in written form to the address below. Ads are not limited to computer related subjects. No delay, your ad is working for you the minute you enter it!!!

> 512 346-4495 @ 300 baud 24 hours, multiple lines

**COMPUTER CLASSIFIEDS** 8348 Summerwood Austin, Tx 78759



47 GOLDHURST TERRACE CONTACT VINCELORD LTD. U.K. AND EUROPE:

LONDON NW6

www.americanradiohistorv.com



3.95ea. 2.65ea.

5.95ea. 4.75ea. 8.95ea.

9.95ea. 1.75ea.

DIP SWITCHES

\$70 Each

(5 or more,

.90ea.

4 Pcs. 7 Pos. 8 Pos.

7.68ea. 2.10ea. 2.95ea.

Circle 122 on inquiry card.

Circle 106 on inquiry card.

# CALIFORNIA DIGITAL Post Office Box 3097 B • Torrance, California 90503

# NEW! Ampex D81 Terminal Only \$895

AMPEX

1984 1987

7001

25.42

2122

IAQ

AMPEX

# D81 buffered editing terminal with detached Selectric-style keyboard.

Operates in conversational or block mode at synchronous rates to 19.2Kbps. RS232C interface. Operates in either full or half duplex. Parallel printer interface is standard. The D81 offers ergonomic design, sculptured profile and award-winning styling plus these features:

Familiar Selectric-style detached keyboard
Amber, green or white phosphors 

Non-glare
12" display formatted as 24 lines by 80 columns of data with 25th status line
Standard memory two 1920 character pages with third and fourth pages optional
Standard editing functions include erase, insert and delete character and line operations
Full range of visual attributes

Half-intensity protected fields
128 displayable symbols, including 96 ASCII characters, 21 control characters and 11 line drawing characters
Twenty function keys with 10-key numeric pad.
Function keys supported by standard 256KB memory expandable to 2MB
Function key memory down-loadable from host.

#### Also from Ampex!

D80 Terminal. Similar features to D81 but with detached programmer-type keyboard. D30 Terminal. Strictly inter-active terminal. Detached keyboard. Operates in on-line, local or monitor modes. Economy and ease of operation make it ideal for basic data communications.



All merchandise sold by California Digital is premium grade. Shipping: First five pounds \$2.00; each additional add \$.40 Foreign orders 10% shipping. Excess will be refunded. California residents add 6% sales tax. COD's discouraged. Open accounts extended to state supported educational institutions and companies with a "Strong Dun & Bradstreet." Warehouse: 15608 Inglewood Blvd. Visitors by appointment. TOLL FREE ORDER LINE (800) 421-5041 TECHNICAL & CALIFORNIA (213) 679-9001

www.americanradiohistory.con



americanradiohistory com

FREE PLASTIC LIBRARY CASE INCLUDED WITH THE PURCHASE OF EVERY BOX OF DISKETTES <b>224295</b> Met labeled for California Digital by one of noal respected producers of magnetic media. To immer econoid metal life cash to the manufactured with s reinforced hub-hole of course, a plantic library case is included every host of diskettes. MMD-CD5001X101 the specify computer or required actions.	64K DYNAMIC \$9.95 4164 100- 16K DYNAMIC \$2.10 4116 100-\$1.85	<b>16K STATIC</b> <b>16K STATIC</b> <b>13.95</b> 2167 70ns. <b>2716 EPROM</b> <b>\$4.95</b> 100- \$4.50 1K-\$4.00	La Ca	NEW OLIVETTI 80 Eight Inch Disk Dr		9.	55 TEN
boxes '22.75 One hundred boxes '21.50	2732		OM		single \$319	309	295
Scotch 51/4" DISKETTES				★ 0LIVETTI 802/851	double 425	419	410
	SAL	E [₽] 7	.95	SHUGART 801/R SHUGART 851/R	single 395 double 525	385 495	375
<b>*26</b> . ⁵⁰				QUME DATA TRACK 8	double 525	495	475
Yaur Chaice	5	ea, 32 ⁺	100 <del>4</del> 1K <del>4</del>	★ The 8" Olivetti drives are		ian the S	hugarts
SCOTCH MEMOREX	21L02 1K	1.19 1.09 1	1.05 .99		nch Disk Drive		
Soft Sector 10 Sector 16 Sector	2114 300ns. 4044-4 450ns. 4044-2 250ns.	4.50 4.19 4 4.95 4.65 4	2.50 1.99 4.00 3.75 4.50 4.25	0LIVETTI 501/400	single 199	185	175
COTCH 744-0 744-10 744-16 \$26.50	6116 1.6k 24 pin 2167/6167 20 pin		5.75 5.45 9.65 9.25	OLIVETTI 502/451	double 235	225	215
EMOREX 3401 3403 3405 26.50		PROM	1	connectors and one m		-	10 w 81
ERBATIM 525-01 525-10 NA 26.50	2708 450ns.	3.95 3.50	3.25 3.00 3.75 3.50	230 volt 50Hz. 8"	add \$50.00 per	drive.	-
YSAN 104/1 107/1 NA 39.50 Single Side Double Density	2716 tri-volt 2732 Intel/Hitac	8.50 7.95 2.7.95 7.50	7.65 7.25 7.00 8.65		AGE C		
YSAN 104/1D 107/1D NA 45.80	2532 Texas Inst 2764 64K Epron	12.95 11.50 10 n29.95 27.00 25	0.00 9.50 5.00 23.50			-	X
Dauble Side Dauble Density				\$005	-		V
COTCH 745-0 745-10 745-16 42.50	direct co	Elinewser Data Systems	Your Choice	333	Eight <mark>In</mark> ch S	ubsys	sten
YSAN 104/2D 107/2D NA 49.50 YSAN 96 204/2D NA NA 59.50	DACOD	EN/	\$169	Two Olivetti 801 disk drives complete in dual enclosure w			
EIGHT INCH DISKETTES	Direct connect modents eliminat associated with accustic modern	s. Choose either of these t	two great units.	Documentation included, 50 L Signal cable add ^s 3			
Single Side Single Density Single Side Double Density	The Universal Data Systems 103 inate modes. Fully Bell 103 con- telephone jack. 100% powered f proximity to A.C. power reception	montable. Directly conner	te to the new modular		above but with:		
0TCH 740-0 29.50 SCOTCH 741-0 39.00 MOREX 3060 29.50 MEMOREX 3090 35.00	Novation D' Cat connects to mo- multiple line office telephones.	ost of the new "Bell" modul	lar handsets. Ideal for	Shugart 801R MSD2801 '1195 Shugart 851R MSD2851' 1450	Olivetti 802 Dume 018		
VSAN 3740/1 39.50 DYSAN 3740/D 57.50	SW	ЛТСН	IES	SPECIAL		1	- 7
Thirty Two Sector         Double side Double Density           OTCH         740-32         29.50         SCOTCH         743-0         47.50	DIP SW	//	TOGGLE en. 100+	JI LOIAL		ly an	
Scence Mere Channel Str. 6 8" 124.95 Pullic Lanary Castr. 3% 6.8" 2.95 MEMOREX 3114 39.50	4 .88 7 .99	.73 .69 710	01 on/on 1,19 .98 03 on/off/on 1,39 1,19 07 mmt.on 1,39 1,19 08 mmt.on 1,39 1,19	\$ <b>295</b>			
Datafit Fig. Last. Inc. Sectors 54" 2445 Distort Fig. Last. Mill. Sources, 8 2185 PLEASE PHONE FOR VOLUME PRICING	12 1.19	.99 .91 100 720		000			
	CONN	<b>JECT</b> (	DRS	Volumn Pricing Upon Request			
BSR				Seagate C	ompat	able	e
X-10				7.5 ME			
e new HSR timet runs your home just like clockwork. Turns on lamps and			) • HEMALE	Winchester H			
Itances while your away from home. Completely compatible with your ex- ing System X-10 devices. It Timer eight channel \$55.00 Appliance Module 500 W, \$13.95	GOLD EDGE CONNECTORS S-100 .125" centers each		le 2.25 2.00 1.90	We have priced this so low that t	he manufacturer has a		
rasonic Controller 19,95 NEW full centrol wall switch 14.50	Imsai solder .250° row 52.9 Imsai wire wrap (TI) 3.9 Sullins Hi-Rel250° 4.51 Sullins Hi-Rel. W/W 5.3	5 3.50 DA15P mal 0 4.00 DA15S (ema	1.50 1.35 1.20 le 2.35 2.15 2.00 ale 3.25 3.10 2.90	their brand name in our advertisin Industry standard Seagate plug co as a 5%" floppy disk drive. CAL	mpatable. Drive fits into	the same	space
VINCHESTER SUBSYSTEM	Sullins / Atair - 140" 4.9 .156" Centers Istandard) 22/44 Kim Eyelet 2.5 36/72 Digital Group S/T 5.9	5 4:50 DB 25P mal DB 25S fem DB hood 2/	le 2.50 2.35 2.25 ale 3.35 3.15 3.05 /P 1.35 1.15 1.05	S-100 MOT		ARD	>
	36/72 Digital Group S/T 5.9 36/72 Digital Group W/W 6.6 43/86 Motorola 6800 S/T 6.6 43/86 Motorola 6800 W/W 7.0	0 6.15 DC37S fem: 0 6.15 DC hood 2/1	ale 0.00 5.75 5.50 P 2.25 2.00 1.75	SOC HE			
	INTEGRATED CIRCUIT SOCK	DD50S fema DD50 hood	ale 9.40 8.60 8.00 2/P 2.60 2.40 2.10	* <b>3</b> 3	ict burs from Californ	a Digital	
°1250	Low Profile Wire W	Vrap CENTHONI	ICS.	is oual	ity engineered. No sho	et cuts	EE 13 T T
P12500 Jets istven megabyte Wincheiler hard .euai encelsume and power supply.	Low Profile Wire W each 100* each 1 8 cm \$10 \$00 \$.46 \$	57-30360	ICS         7.95         6.75         5.75           ABLE CONNECTORS         4.85         4.15         3.95           485         4.15         3.95         4.70	IMSAI	ity engineered. No sho een takes to produce the Active termination ci ts noise and crosstalk.	rt cuts is mother rcuitry manufae	

www.americanradiohistory.com

Circle 154 on inquiry card.

		Olicie 154 oli mqui y dan
FLOPP	Y DISK DRIVES	CPU
Virtually	CIAL!!!!!!! QUME DATATRAK 8 the industry standard. High quality/	CCS 2810       \$ 275         Godbout Z-80A       \$ 275         Godbout 8085A       \$ 295
density. Tandon	<ul> <li>Full featured, double, sided, double</li> <li>TM 848</li> <li>\$545</li> <li>Jantity 1, \$499 quantity 2 up.</li> </ul>	MEMORY           CCS 2065 64K dynamic         \$ 595           CCS 2116 32K static         \$ 625
TANDON DOUBLE SIDED, DOU TM100-248 TPI (500 KBYTES). Compatible with Northstar, Cromen	\$325	Godbout RAM 17 64K \$ 675 <u>I/O</u> CCS 2710 4 SIO \$ 325
TM100-4 96 TPI (1000 KBYTES) Compatible with Zenith, Heath, etc.		Godbout Interfacer 1         \$ 225           Godbout Interfacer 2         \$ 225
	\$1195 \$1295	NEW !!!! Qume Sprint 9
CONTROLLERS Tarbell single density kit Tarbell single density A & T Tarbell double density A & T CCS 2422 w/CPM 2.2 Godbout Disk 1 MDA MXV-21 L SI-11 controller (BX-6	\$195 \$310 \$425 \$350 \$450 01, RX-02 compatible) \$1050	DAISY WHEEL PRINTER \$2395 45 CPS, RO. Available in KSR version. Call for further particulars. Ribbons: \$125/case Bidirectional tractor feed \$225 NEW !!!! ABM 85 Video Terminal \$ 895
MISCELLANEOUS 2 Disk drive enclosure \$ 95 (fits Siemens, Shugart, Qume) CP-206 power supply \$110 (powers two floppies)	Cable Kits 2 drives \$ 35 3 drives \$ 40 4 drives \$ 45 Diskettes ss \$39/10 - ds \$59/10	<ul> <li>Detachable keyboard</li> <li>Televideo 920, ADM 3A compatible</li> <li>High resolution green phosphor (23 MHZ)</li> <li>Extra multi-bus or S-100 slot for stand-alone capability</li> </ul>
Mini-Enclosure with power supply 1 drive \$ 85 2 drives \$120	POB 1608, Palo Alto, CA 94302 (415)	without notice. All goods subject to

	COMPUTER CONTROL	MICRO TAX	Inventory \$799/40
General	'Fabs (B-Tree) \$159/25	Level 1 \$249	Order Entry
GEHEIDI	Ultrasort	Level II	
		Level III	REDDING GROUP
	CONDOR COMPUTER Condor II \$549/50	*Combo II + III	*Lynx
Callerance	Condor II	Microsoft 5.3	SÓHO GROUP
Software	Condor III	Run time module	Matchmaker \$ 97/20
JUILWAIG	DIGITAL RESEARCH	MICRO PRO	Worksheet\$177/20
	CP/M	Wordstar	SORCOM
Main Offices:	2.2 Intel MDS-800 \$149/25	WS Training Guide 20	*Pascal/M Z80. \$349/40
	Northstar (Horizon)\$149/25	WS Custom Notes \$429/na	Pascal/M 86/88
9060 Arrowood Ct.	Micropolis	MailMerge \$109/25	*Act 65
Terre Haute, IN 47802	TRS Model II\$159/35	WS-Mailmeige \$419/85	*Act 68
	CB-80 \$459/35	Datastar \$249/60	Act 69
WE HONOR	CBasic2 \$ 98/20	DS Custom Notes \$429/na	*Act 86/88\$149/25
VISA and MASTERCHARGE	ERIC COMPUTER	Calcstar \$259/na	*Trans 86\$119/25
	Super vyx \$ 89/15	Supersort I	*Supercalc \$269
TOLL FREE - Outside Indiana		Spellstar \$175/40	SOUTHERN COMPUTERS
1-800-457-0517	FAIRCOM		'Raid \$224/35
	*Micro B + (Specify language)\$229/20	Basic-80 \$298	*Raid FP
ORDER DESKS	(Specify language) \$229/20	Basic Compiler \$329	*FFP \$224/15
(812) 299-2484	FINANCIAL PLANNING	Fortran-80 \$349	*Recover \$ 75
. ,	*Mini Model	Cobol-80 \$629	*RADAR \$449/25
Best Selection	FRIENDS	M-Sort \$124	ISIS
Best Service	ACCESS 801 \$249	Macro-80 \$144	
	ACCESS 80 II	Edit-80 \$ 84	STRUCTURED SYSTEMS GROUP
Write for our famous CATALOG.		MuSimp/muMath \$224	General Ledger
Contains many items not in ad.	FRONTIER SOFTWARE	MuLisp-80	Accounts Receivable
	Professional	NORTHWEST ANALYTICAL	Accounts Payable
Outside US add \$10 plus addi-	Time Accounting \$549/40	Statpak. \$439/40	Payroll
	General Subroutine	OASIS	Inventory \$849/40
tional postage. Add \$3.50	Application Utilities\$439/40	"The Word" \$ 75	Order Entry
postage and handling per each	ISA	ORGANIC SOFTWARE	Analyst\$224/25
item. Indiana residents add 4%	Spellouard \$229/25	Textwriter III	Letteright \$159/20
sales tax. Allow 2 weeks on	SP/Law \$109	Datebook	NAD
checks. COD ok. Prices subject		*Milestone \$269/30	Qsort\$ 89/20
to change without notice. All	PASCAL LANGUAGE	PEACHTREE SOFTWARE	SUPERSOFT
items subject to availability.	Pascal Z\$349/30	General Ledger \$399/40	*Diagnostic II\$ 84/20
items subject to availability.	Pascal MT + V5.5	Accounts Receivable \$399/40	*Forth \$149/30
	Compiler\$316/20	Accounts Payable \$399/40	*SSS Fortran\$219/30
ARTIFICIAL INTELLIGENCE	SPP Only\$140/15	Payroll\$399/40	*Fortran w/RATFOR
Disk Manual	KEY BITS	Inventory	*C Compiler\$175/20
with " Only	Wordsearch	Mailing Address \$399/40	*Disk Doctor\$ 84/20
Manual	String 80	for P5 Version	*Term I\$129/25
Dental (PAS-3) \$849/40	String 80 (Source) \$279	Codes C Descriptions	Term II
Medical (PAS-3)	String Bit\$ 65	CPA \$799/40	Z8000 Xassembler \$449/35
ASHTON-TATE		Property Mgt	Others less 10%
*dBASEII\$575/50	LEXISOFT	Passive Payroll \$449/40	WHITESMITHS
BUSINESS PLANNING SYSTEMS	*Spellbinder\$349/45	Series 7.Peachtree	C Compiler
Plan-80	MICRO AP	Sales Tracker	Pascal (incl C) \$850/45
BYROM SOFTWARE	Selector IV \$269/35	AR-Sales Analysis\$1299/50	Call for catalog and other listings
*BSTAM\$149/15	Selector V \$469/50		
*BSTMS\$149/15	\$Basic \$269/25	6 A.,	and with Coffeend
		* Available for A	pple with Softcard

526 May 1982 © BYTE Publications Inc

# Orange County Sunnyvale San Diego Los Angeles San Fernando Valley Dallas





Microline 82A 80 132 column, 120 CPS, 9 x 9 dot matrix, friction feed, pin feed, adjustable tractor feed (optimal), handles 4 part forms up to 9.5" wide, rear & bottom feed, paper tear bar. 100% duty cycle/200,000,000 character print head, bi-directional/logic seeking, both serial & parallel interfaces included, front panel switch & program control of 10 different form lengths, uses inexpensive spool type ribbons, double width & condensed characters, true lower case descenders & graphies PRM-43082 Friction & pin feed .... \$499.95


Microline 83A 132.232 column. 120 CPS, handles forms up to 15" wide, removable tractor, plus all the features of the 82A.

PRM-43083 with FREE tractor ..... \$744.95

Microline 84 132-232 column. 200 CPS. full dot graphics built in, handles forms up to 15" wide, plus all the features of the 83A.

PRM-43083	with FREE tractor \$1149.95
PRA-27081	Apple card \$39.95
PRA-27082	Apple cable \$19.95
PRA-27087	TRS-80 cable \$24.95
PRA-43081	2K hi spd serial card \$169.95
PRA-43082	Graphics ROMs 82A \$79.95
PRA-43083	Graphics ROMs 83A \$79.95
PRA-43088	Tractor option 82A \$39.95
PRA-43080	Extra ribbons pkg. of 2 \$9.95

**INEXPENSIVE PRINTERS - Epson** 



MX-70 80 column, 80 CPS, 5 x 7 dot matrix, adjustable tractor ford, & graphics DBM-27070 List \$150 \$280.05

PR#1-2	1010 List \$459 .	\$389.95
		bi-directional/logic seeking adjustable pin feed, & 64

MX-80FT same as MX-80 with friction feed added. PRM-27082 List \$745 ..... \$529.95

**MX-100** 132 column, correspondence quality, graphics, up to 15" paper, friction feed & adjustable pin feed, 9 x 9 dot matrix, 80 CPS.


PRM-27100	List \$945 \$724.95
PRA-27084	Serial interface \$54.95
PRA-27088	Serial intf & 2K buffer \$144.95
PRA-27081	Apple card \$39.95
PRA-27082	Apple cable \$19.95
PRA-27086	IEEE 488 card \$52.95
PRA-27087	TRS-80 cable \$24.95
PRA-27085	Graftrax 11 \$75.00
PRA-27090	Extra print head \$44.95
PRA-27083	MX-80 ribbon cart \$13.95
PRA-27101	MX-100 ribbon only \$9.95


**16K RAM Card for Apple II** was \$175, **Now Only \$74.95** 

Expand your Apple's memory from 48K to 64K with this assembled & tested RAM Card that just plugs right into your Apple. Take advantage of this half price sale !!!

MEX-16700A 16K RAM Card ...... \$74.95


#### SD Systems ExpandoRAM III





SD Systems has duplicated the famous reliability of their ExpandoRAM I and II boards in the new ExpandoRAM III, a board capable of containing 256K of high speed RAM. Utilizing the new 64K x 1 dynamic RAM chips, you can configure a memory of 64K, 128K, 192K, or 256K, all on one S-100 board. Memory address decoding is done by a programmed hipolar ROM so that the memory map may be dip-switch configured to work with either COSMOS/MPM-type systems or with OASIS-type systems.

Extensive application notes concerning how to operate the ExpandoRAM III with Cromemco, Intersystems, and other popular 4 MHz Z-80 systems are contained in the manual.



The Disk Bank system is a revolutionary diskette storage concept designed to handle all your diskette storage needs no matter how small or large.

The Disk Bank system can grow as your storage needs grow. Its modular interlocking design allows you to add to your system horizontally or verticallly. And Disk Bank's design allows easy accss to your diskettes. Just open the drawer and slide it out. The diskette retaining gate falls forward automatically for easy access to any of the 10 diskettes, without fear of bending or crimping. Shipping weight 1 lb.

MMA-405	51/4" Disk Bank	\$4.95
MMA-408	8" Disk Bank	\$5.95

www.americanradiohistory.com



#### SIGNALMAN - Anchor

...

Direct-connect automatic answer/originate selection, 300 Baud full duplex, Bell 103, includes RS-232 cable IOM-5600A Signalman \$98.50

#### **SMARTMODEM** - Hayes

	rect-connect_auto-answer/auto-d se dialing, RS-232C interface. pro	
<b>IOM-5400A</b>	Smartmodem	\$249.95
<b>IOK-1500A</b>	Hayes Chronograph	\$219.95
<b>IOM-2010A</b>	Micromodem II	\$329.95
IOM-1100A	Micromodem 100	\$375.00

#### **Apple-CAT** - Novation

Software selectable 1200 or 300 Baud. direct connect. autoanswer/auto-dialse dialing. auxiliary 3-wire RS-232C serial port for printer IOM-5232A Save \$50.00 \$325.00



P80 dimensions: 14½" wide, 13" deep, 4½" high • P100 dimensions: 21" wide, 13" deep, 5½" high • Stores paper below printer • Constructed of 16 gauge steel • Attractive textured finish • Plastic trim and rubber feet • Adjustable paper support brackets.

The Printer Pal is a very simple, but convenient paper rack and printer stand. The Model P80 will support an 80 column printer such as the Epson MX80/MX80FT or the Okidata 82A. The Model P100 supports the larger 132 column printers like the Epson MX100 or the Okidata 83A. Either model performs the same function; to act as a stand for your printer while keeping your paper straight and tidy so you can spend your time computing instead of realigning your printer paper.





#### EDDOM EDAGED C.

EPROM ERASER - Spectron	lics
Ultra-violet EPROM erasers	
XME-3100A With out timer	\$69.50
XME-3101 With timer	
XME-3200 Economy Model	\$39.95

CPS MULTICARD - Mtn. Computer Three cards in one! Real time clock/calendar, serial interface. & parallel interface - all on one card. IOX-2300A A & T ..... \$179.95 Leedex / Amdek

Reasonably priced video monitors	
VDC-801310 13" Color 1	\$379.95
VDC-801320 Color Il	\$895.00
IOV-2300A DVM board for Apple	\$199.95

Prices may be slightly higher at our retail locations. Please call the store nearest you for local price and availability. Circle 223 on inquiry card.

www.americanradiohistorv.com

Computer Products 13440 S. Hawthorne Blvd. Hawthorne, Calif. 213-973-7330	<b>Computer Products</b> 21800 Ventura Blvd. Woodland Hills, Calif. 213-716-6120	<b>JIAN IDJEF</b> Computer Products 4950 Bellline Road Addison, Texas 214-458-2782
PLACE OR	Inside Califo	U.S 800-421-5500 ornia - 800-262-1710
TOLL FRE	<b>E.</b> Los Angeles	Area - 213-973-7707
SBC-200 - SD Systems           MH2 Z-80A CPU with serial & parallel 1/0, 1K RAM, 8K           OM space, monitor PROM included.           PC-30200A A & T           \$299.95           THE BIG Z* - Jade           or 4 MH2 switchable Z-80* CPU with serial 1/0, vonudates 2708, 2716, or 2732 EPROM, baud rates from 5 to 9600           PU-30201K Kit           PU-30201A A & T           \$139.95           PU-30201B Bare board	VERSAFLOPPY II - SD SYSTEMS Double density disk controller for any combination of 5 ¹ /4" or 8" single or double sided disk drives, analog phase-locked loop data separator, vectored interrupt, CP/M 2.2 & OASIS compatible, control diagnostic software PROM included IOD-1160A A & T \$359.95 SFC-55009047F CP/M 2.2 for VF II . \$99.95 DOUBLE-D - Jade Double density controller with the inside track, on-board Z- 80A*, printer port. IEEE S-100, can function on an interrupt driven buss	Single User System SBC 200, 64K ExpandaRAM II. Versafloppy II. CP/M 2.2 <b>\$10955.000</b> 4 MHz Z-80A CPU, 64K RAM, serial I/O port, parallel I/O port, double-density disk controller, CP/M 2.2 disk and manuals, system monitor, control and diagnostic software. Board set with 256K of RAM \$1295.00
2810 Z-80* CPU - Cal Comp Sys 4 MH2 Z-80A* CPU with RS-232C serial I/Oport and an- ard MOSS 2.2 monitor PROM, front panel compatible. PU-30400A A & T \$269.95	IOD-1200K       Kit       \$299.95         IOD-1200A       A & T       \$375.00         IOD-1200B       Bare board       \$59.95         DOUBLE       DENSITY - Cal Comp Sys	-All boards are assembled and tested- 8" Disk Drives
CB-2 Z-80 CPU - S.S.M. r - 1 MHz Z-80 CPU board with provision for up to 8K of OM or 4K of RAM on board, extended addressing, IEEE (00, front panel compatible. PU-30300K Kit PU-30300A A & T \$299.95	5%" and 8" disk controller. single or double density, with on-board boot loader ROM. and free CP/M 2.2° and manual set. IOD-1300A A & T	And a second
16K STATIC RAM - Mem Merchant         118K static RAM board, IEEE S-100, bank selectable,         antom capability, addressable in 4K blocks, "disable-able"         1K segments, extended addressing, low power         EM-16171A A & T         \$154.95	Intelligent 4-port serial 1/0 card, on-board Z-80A, 2K RAM, 4K PROM area, on-board firmware, fully buffered, vectored interrupts, four CTC channels, add to SD Board set for powerful multi-user system IOI-1504A A & T w/software \$495.00 I/O-4 - S.S.M.	
32K STATIC RAM - Jade           or 4 MHz expandable static RAM board uses 2114L's           EM-16151K 16K 4 MHz kit           \$16151K 32K 4 MHz kit           \$169.95           EM-32151K 32K 4 MHz kit           \$299.95           ssembled & tested	2 serial 1/0 ports plus 2 parallel 1/0 ports IOI-1010K Kit \$179.95 IOI-1010A A & T \$249.95 IOI-1010B Bare board \$35.00 I/O-5 - SSM Microcomputer	Shugart SA801R single-sided double-density MSF-10801R \$394.95 ea 2 for \$389.95 ea Shugart SA851R double-sided double-density MSF-10851R \$554.95 ea 2 for \$529.95 ea
MEMORY BANK - Jade 1112, S-100, bank selectable, expandable from 16K to 64K	Two serial & 3 parallel 1/0 ports, 110-19.2K Baud           IOI-1015A         A & T         \$279.95	<i>Qume DT-8 double-sided double-density</i> MSF-750080 \$524.95 ea 2 for \$499.95 ea
CM-99730B       Bare Board       \$49.95         CM-99730K       Kit no RAM       \$199.95         CM-32731K       32K Kit       \$23.95         CM-64733K       64K Kit       \$279.95         sembled & Tested       add \$50.00	I/O-8 - SSM Microcomputer Eight software programmable serial I/O ports, 110 -19.2K Baud, ideal for multi-user systems IOI-1018A A & T	Siemens FDD 100-8 sngl-sided dbl-density MSF-201120 \$384.95 ea 2 for \$349.95 ea 51/4" Disk Drives Shugart SA400L sngl-sided dbl-density 40 track
64K RAM - Calif Computer Sys Ills bank port / bank byte selectable, extended ressing, 16K bank selectable, PHANTOM line allows nory overlay, 8080 / 2.80 / front panel compatible. M-64565A A & T	PROM-100 - SD Systems 2708. 2716. 2732 EPROM programmer w/software MEM-99520K Kit	MSM-104000 \$234.95 ea 2 for \$224.95 ea Shugart SA450 dbl-sided dbl-density 70 track MSM-104500 \$349.95 ea 2 for \$329.95 ea Qume DT-5 dbl-sided dbl-density 80 track
64K STATIC RAM - Mem Merchant           1K static 5-100 RAM card. 4-16K banks. up to 8MHz           M-64400A A & T           \$594.95	PB-1 - S.S.M.           2708, 2716 EPROM board with built-in programmer           MEM-99510K Kit         \$154.95           MEM-99510A A & T         \$219.95	MSM-750050 \$359.95 ea 2 for \$349.95 ea <i>MPI B-51</i> sngl-sided dbl-density 40 track MSM-155100 \$234.95 ea 2 for \$224.95 ea <i>MPI B-52</i> dbl-sided dbl-density 40 track MSM-155005 \$240.5 ea <i>MPI B-52</i> dbl-sided dbl-density 40 track
64K STATIC RAM - SSM E 696/S-100 standard. up to 6MHz/8 Bit, 12MHz/16 Bit, it extended addressing. disable-able in 2K increments M-64300A A & T	EPROM BOARD - Jade 16K or 32K uses 2708's or 2716's, 1K boundary MEM-16230K Kit \$79.95 MEM-16230A A & T \$119.95	MSM-155200 \$344.95 ea 2 for \$334.95 ea <i>MPI B-91 sngl-sided dbl-density 77 track</i> MSM-155300 \$369.95 ea 2 for \$359.95 ea <i>MPI B-92 dbl-sided dbl-density 77 track</i> MSM-155400 \$469.95 ea 2 for \$459.95 ea
64K STATIC - Lab Standard olute IEEE 696/S-100 compliance. 8 or 16 Bit data paths, it request/acknowledge properly implemented, supports A at 8MHz, switchable bank select system for use with memco & Alpha Micro M-64900A A & T \$699.95	ISO-BUS - Jade Silent, simple, and on sale · a better motherboard 6 Slot (5'4" x 8%") MBS-061B Bare board \$19.95 MBS-061K Kit \$39.95 MBS-061K Kit \$39.95	ISOBAR - GSC
BUS PROBE - Jade	MBS-061A A & T	Isolates & protects your valuable equipment from high

Cromemco & Alpho	n Micro	for use with
MEM-64900A	.A & T	\$699.95

#### **BUS PROBE - Jade**

S 100 diagnosti all 96 IEEE S-1 hardicare and	ic analyzer board, dynamic visual display of 00 signals, oids in real time analysis of faulty software
<b>TSX-200B</b>	Bare Board \$59.95
<b>TSX-200K</b>	Kit
TSX-200A	<i>Kit</i> \$119.95 <i>A &amp; T</i> \$149.95

MBS-121K Kit \$69.95 MBS-121A A & T \$89.95 18 Stot (14%" x 8%")

MBS-181B Bare board ...... \$49.95

MBS-181K Kit \$99.95 MBS-181A A & T \$139.95

Isolates & protects your valuable equipment from high voltage spikes & AC line noise, inductive isolated ground, 15

EME-115103 3 socket ...... \$39.50

EME-115105 4 socket ..... \$49.50

EME-115110 9 socket rackmount ....

\$74.50

amp circuit breaker, U.L. listed


# PALOMAR TAKES THE RISK ....Join the thousands of satisfied customers who buy from fast response, expert technical help, and



#### NEC-8023 A

High-resolution dot graphics. Proportional spacing. Correspondent quality printing. Bidirectional tractor and friction feed. 80. 132 col. Greek and math symbols. 100 cps matrix printer.

List \$780 Parallel ..... \$599



#### C. ITOH

Pro/Writer offers 8 character sizes. 5 different alphabets, and high proportional spacing, bidirectional, vert. and horiz. tabs, resolution graphics. nx9 matrix. 100 cps 136 col. max. Friction and tractor feed. \$549





#### EPSON-COMPLETE STOCK!

Features disposable print heads, Graphtrax, All models except MX-70 print text in two directions. MX-80F/T and MX 100 have both friction and tractor feed. Unparalleled dot placement accuracu

MX.70 (80 col.)					•						į.	CALL
MX-80 (80 col.)			,					,				CALL
MX-80F/T (80 col.)	•	•										CALL
MX-100 (136 col.)												
Interface Cards					•		•					CALL
Cables												CALL

#### VIDEO TERMINALS. MONITORS

Ampex Dialog 80														\$995
Ampex Dialog 30	•													\$795
Televideo 920C														\$845
Televideo 950						÷								\$995
SOROCIQ 120 .									•	•				\$699
Zenith 12" Green														\$119
NEC 12" Green														\$169
Amdex 12" B/W (L	e	e	de	2	()		•							\$99
Amdex 13" Color L	o	·F	Re	s	,		•	•				•	•	\$439



#### LOW, LOW PRICE ON NOVELL!

Heavy duty, 150 CPS, bidirectional, tractor feed, 9x9 dot matrix. 6 or 8 lines per inch. 10, 13.6 or 16.5 CPI. EIA RS-232C or parallel interface. IMAGE 800 ..... \$995



#### MPI 88G/99G MATRIX

High resolution dot-addressable graphics for Apple. Enhanced "correspondence quality" printing. Tractor and friction feed. Serial and Parallel Input. 100 cps Bi-directional printing. 88 G (132 col.) List \$749 99 G (132 col.) List \$849 \$549 \$599 Apple parallel I/O Card/Cable/Disk .... \$110 with Graphics Prom (Ap-Pak) \$145 IEEE I/O Card \$55 Single Sheet Feeder ..... \$25 QT Cover \$35

#### **OKIDATA UP TO 200 CPS!**


Microline 82A-80/132 col., 120 CPS, 9x9 dot matrix, friction. pin feed or tractor feed (removeable) rear and bottom feed. Includes bidirectional/logic seeking, serial and parallel interfaces. Double width and condensed characters, true lower case descenders and graphics.

82A ..... \$545 Microline 83A - 1.32/232 col., 120 CPS, handles forms up to 15 in. wide, plus all the features of the 82A. 83A ...

\$775 Microline 84- 132/232 col., 200 CPS. with full dot graphics built in. Takes forms up to 15 in. wide, plus all the features of the 83A. 84SP \$1250

#### MODEMS

MODLIN					
UDS 103 LP, direct			 •		\$169
103 JLP Auto Answer					\$209
202 LP 1200 BAUD			 		\$259
NOVATION CAT, acoustic					\$145
D.CAT, direct					\$155
Auto Cat					\$219
Apple Cat					\$329
HAYES S100 Micromodem					\$349
Apple Micromodem					\$299
Smart Modem					\$245





ADLER

17.5 CPI. 10, 12, 15 and proportional spacing line correcting memory. inter-changeable pr wheels.

SE1010 List \$1295 ..... SAVE \$30 Interface Card ..... ADD \$3



NEC SPINWRITER	S
7710/7730 RO w/tractor	\$25
7720 KSR w/tractor	. \$29
3510/3530 RO	\$17
Bidirectional tractor	\$2
Push tractor	\$3



#### **OLYMPIA**

Letter quality. Daisy wheel printer typewri interfaces to Apple. Atari. NEC. TRS80 a. RS232 Serial ports.

#### ES 100 RO Computer printer

List \$1690 SAVI	E \$3
ES100 Typewriter only List \$1195 SAV	E \$1
Interface Card Only	\$2
(specify serial or parallel	
I/O Cable (specify serial or parallel)	\$

Apple Serial Card ..... \$1

#### MODEMS

BIZCOMP Super low introductory price, S
over other moderns! Apple-direct connect
game port. No serial card needed. Save \$13
more. Atari-direct connect via interf
module and telelink cartridge. Commodor
the only modem available. Each pkg. conta
cable with connectors and phone T-adapte
Apple Comm Pkg \$1
VIC Comm Pkg \$1
Atari Comm Pkg \$1

# OUT OF MAIL ORDER BUYING! Is with confidence and know you'll receive the same guaranteed satisfaction — at UNBEATABLE PRICES!

#### APPLE SOFTWARE

#### BUSINESS

Financial Partner	\$191.99
Pascal Tutor	\$97.99
	\$196.99
Easy Writer 40 col.	\$78.99
	241.99
	\$129.99
Mail Meger (Req. Softcard)	\$80.99
	\$192.99
	129.99
	129.99
	117.99
The Address Book	\$38.99
Form Letter Module	
	229.99
	275.99
	229.99
	275.99
Visitrend/Visipiot	229.99
Visidex	\$89.99
	\$229.99
	199.99
	435.99
	255.99
word i locessor (ried. conterie)	233.35
PERSONAL/HOME	\$10.00
Typing Tutor	\$19.99
Elementry Math	\$31.99 \$74.99
Personal Filing System	\$74.99
Personal Report System	\$31.99
Algebra I	\$39.99
	\$31.99
Compu-Math: Fractions	\$31.99
CUMOU-MAUL DECIMALS	
Compu-Spells: (Reg. Data Disk)	\$23.99
Compu-Spells: (Reg. Data Disk) MISC	\$23.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler	\$23.99 \$165.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler	\$23.99 \$165.99 \$315.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc	\$23.99 165.99 315.99 \$41.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc D.B. Master	\$23.99 165.99 315.99 \$41.99 \$189.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc D.B. Master D.B. Utility Pack	\$23.99 165.99 315.99 \$41.99 \$189.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple-Doc D.B. Master D.B. Utility Pack GAMES	\$23.99 165.99 315.99 \$41.99 \$189.99 \$81.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc D.B. Master D.B. Utility Pack GAMES Raster Blaster	\$23.99 165.99 315.99 \$41.99 \$189.99 \$81.99 \$24.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc D.B. Master D.B. Utility Pack GAMES Raster Blaster Air Traffic Controller	\$23.99 \$165.99 \$315.99 \$41.99 \$189.99 \$81.99 \$81.99 \$24.99 \$9.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc D.B. Master D.B. Utility Pack GAMES Raster Blaster Air Traffic Controller Femple of Apshai	\$23.99 \$165.99 \$315.99 \$41.99 \$189.99 \$81.99 \$81.99 \$24.99 \$9.99 \$31.95
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc D.B. Master D.B. Utility Pack GAMES Raster Blaster Air Traffic Controller Femple of Apshai Datestones of Ryn	\$23.99 \$165.99 \$41.99 \$41.99 \$189.99 \$81.99 \$24.99 \$9.99 \$31.95 \$15.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc D.B. Master D.B. (Itility Pack GAMES Raster Blaster Air Traffic Controller femple of Apshai Datestones of Ryn Aorloc's Tower	\$23.99 \$165.99 \$15.99 \$41.99 \$189.99 \$81.99 \$24.99 \$9.99 \$31.95 \$15.99 \$15.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc D.B. Master D.B. (Itility Pack GAMES Raster Blaster Air Traffic Controller femple of Apshai Datestones of Ryn Aorloc's Tower Rescue at Rigel	\$23.99 \$165.99 \$315.99 \$41.99 \$189.99 \$81.99 \$24.99 \$9.99 \$31.95 \$15.99 \$15.99 \$15.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc D.B. Master D.B. Utility Pack GAMES Raster Blaster Air Traffic Controller Femple of Apshai Datestones of Ryn Morloc's Tower Rescue at Rigel tell Fire Warnior	\$23.99 \$165.99 \$315.99 \$41.99 \$81.99 \$24.99 \$31.95 \$15.99 \$15.99 \$23.99 \$31.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc D.B. Master D.B. Utility Pack GAMES Raster Blaster Air Traffic Controller Femple of Apshai Datestones of Ryn Morloc's Tower Rescue at Rigel tell Fire Warnior	\$23.99 \$165.99 \$315.99 \$41.99 \$81.99 \$81.99 \$31.95 \$15.99 \$15.99 \$23.99 \$31.95 \$31.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple-Doc D.B. Master D.B. Utility Pack GAMES Raster Blaster Air Traffic Controller Femple of Apshai Datestones of Ryn Aorloc's Tower Rescue at Rigel tell Fire Warnior Star Warnior Drash, Crumble and Chomp	\$23.99 \$165.99 \$315.99 \$41.99 \$81.99 \$81.99 \$24.99 \$9.99 \$31.95 \$15.99 \$23.99 \$31.99 \$23.99 \$31.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc D.B. Master D.B. Utility Pack GAMES Raster Blaster Air Traffic Controller Femple of Apshai Datestones of Ryn Morloc's Tower Rescue at Rigel tell Fire Warnior Star Warnior Trash, Crumble and Chomp Jpper Reaches of Apshai	\$23.99 \$165.99 \$315.99 \$41.99 \$189.99 \$81.99 \$24.99 \$9.99 \$31.95 \$15.99 \$15.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc D.B. Master D.B. Utility Pack GAMES Raster Blaster Vir Traffic Controller Femple of Apshai Datestones of Ryn Morloc's Tower Rescue at Rigel tell Fire Warnior Star Warnior Crash, Crumble and Chomp Jpper Reaches of Apshai The Keys to Acheron	\$23.99 \$165.99 \$315.99 \$41.99 \$189.99 \$81.99 \$24.99 \$9.99 \$31.95 \$15.99 \$31.95 \$15.99 \$31.99 \$23.99 \$31.99 \$23.99 \$15.99 \$15.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc D.B. Master D.B. Utility Pack GAMES Raster Blaster Kaster Blaster Games Raster Blaster Controller Femple of Apshai Datestones of Ryn Morloc's Tower Rescue at Rigel tell Fire Warnior Star Warnior Crash, Crumble and Chomp Jpper Reaches of Apshai The Keys to Acheron Snack Attack	\$23.99 \$165.99 \$315.99 \$41.99 \$189.99 \$81.99 \$24.99 \$31.95 \$15.99 \$31.95 \$15.99 \$31.95 \$15.99 \$31.99 \$23.99 \$15.99 \$15.99 \$15.99 \$15.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc D.B. Master D.B. Master D.B. Utility Pack GAMES Raster Blaster Air Traffic Controller femple of Apshai Datestones of Ryn Morloc's Tower Rescue at Rigel tell Fire Warrior Star Warrior Crash, Crumble and Chomp Jpper Reaches of Apshai The Keys to Acheron Snack Attack The Prisoner	\$23.99 \$165.99 \$315.99 \$41.99 \$189.99 \$81.99 \$24.99 \$9.99 \$31.95 \$15.99 \$31.95 \$15.99 \$31.99 \$23.99 \$31.99 \$23.99 \$15.99 \$15.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc D.B. Master D.B. (Utility Pack GAMES Raster Blaster Air Traffic Controller femple of Apshai Datestones of Ryn Morloc's Tower Rescue at Rigel tell Fire Warrior Star Warrior Drash, Crumble and Chomp Jpper Reaches of Apshai The Keys to Acheron Snack Attack he Prisoner Yonk I	\$23.99 \$165.99 \$315.99 \$41.99 \$189.99 \$81.99 \$31.95 \$15.99 \$31.95 \$15.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$23.99 \$15.99 \$15.99 \$23.99 \$23.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc D.B. Master D.B. Utility Pack GAMES Raster Blaster Air Traffic Controller femple of Apshai Datestones of Ryn Morloc's Tower Rescue at Rigel tell Fire Warnior Star Warnior Trash, Crumble and Chomp Jpper Reaches of Apshai The Keys to Acheron Snack Attack The Prisoner Sonk I Sobot Wars	\$23.99 \$165.99 \$315.99 \$41.99 \$88.99 \$81.99 \$24.99 \$31.95 \$15.99 \$15.99 \$15.99 \$31.99 \$31.99 \$23.99 \$15.99 \$23.99 \$23.99 \$23.99 \$23.99 \$23.99 \$23.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc D.B. Master D.B. Master D.B. Utility Pack GAMES Raster Blaster Vir Traffic Controller Femple of Apshai Datestones of Ryn Morloc's Tower Rescue at Rigel tell Fire Warnior Star Warnior Crash, Crumble and Chomp Jpper Reaches of Apshai The Keys to Acheron Sinack Attack The Prisoner Conk I Coho II Coho I Wars Three Mile Island	\$23.99 \$165.99 \$315.99 \$41.99 \$81.99 \$81.99 \$31.99 \$15.99 \$15.99 \$15.99 \$15.99 \$15.99 \$15.99 \$23.99 \$15.99 \$23.99 \$23.99 \$15.99 \$23.99 \$23.99 \$31.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc D.B. Master D.B. Utility Pack GAMES Raster Blaster Air Traffic Controller femple of Apshai Datestones of Ryn Morloc's Tower Rescue at Rigel tell Fire Warnior Star Warnior Trash, Crumble and Chomp Jpper Reaches of Apshai The Keys to Acheron Snack Attack The Prisoner Sonk I Sobot Wars	\$23.99 \$165.99 \$315.99 \$41.99 \$189.99 \$81.99 \$24.99 \$31.95 \$15.99 \$31.95 \$15.99 \$31.95 \$15.99 \$15.99 \$15.99 \$15.99 \$23.99 \$15.99 \$23.99 \$15.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc D.B. Master D.B. Master D.B. Utility Pack GAMES Raster Blaster Air Traffic Controller femple of Apshai Datestones of Ryn Morloc's Tower Rescue at Rigel tell Fire Warrior Star Warrior Crash, Crumble and Chomp Jpper Reaches of Apshai The Keys to Acheron Sinack Attack he Prisoner 'onk I 'onk II 'onk II 'onk II 'Date Wolfenstein	\$23.99 \$165.99 \$315.99 \$41.99 \$189.99 \$81.99 \$24.99 \$31.95 \$15.99 \$31.95 \$15.99 \$31.99 \$23.99 \$15.99 \$23.99 \$15.99 \$23.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$33.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc D.B. Master D.B. Master D.B. Utility Pack GAMES Raster Blaster Air Traffic Controller femple of Apshai Datestones of Ryn Aorloc's Tower Rescue at Rigel tell Fire Warrior Star Warrior Crash, Crumble and Chomp Jpper Reaches of Apshai The Keys to Acheron Snack Attack he Prisoner Sonk I Sonk I Sonk I Sonk I Saste Wolfenstein Wizard and Princes	\$23.99 \$165.99 \$15.99 \$41.99 \$189.99 \$81.99 \$31.95 \$15.99 \$31.95 \$15.99 \$31.99 \$31.99 \$23.99 \$15.99 \$15.99 \$23.99 \$23.99 \$23.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$23.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$32.99 \$31.99 \$32.99 \$32.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple-Doc D.B. Master D.B. Master D.B. Utility Pack GAMES Raster Blaster Air Traffic Controller Femple of Apshai Datestones of Ryn Aorloc's Tower Rescue at Rigel tell Fire Warrior Star Warrior Crash, Crumble and Chomp Jpper Reaches of Apshai The Keys to Acheron Snack Attack The Prisoner Jonk I Kobot Wars Three Mile Island U.B.M. Castle Wolfenstein Mizard and Princes Missile Defense	\$23.99 \$165.99 \$15.99 \$41.99 \$88.99 \$81.99 \$31.95 \$15.99 \$15.99 \$15.99 \$15.99 \$15.99 \$23.99 \$23.99 \$23.99 \$23.99 \$31.99 \$23.99 \$31.99 \$23.99 \$31.99 \$23.99 \$31.99 \$23.99 \$31.99 \$23.99 \$23.99 \$23.99 \$23.99 \$23.99 \$23.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple-Doc D.B. Master D.B. Utility Pack GAMES Raster Blaster Air Traffic Controller Temple of Apshai Datestones of Ryn Aorloc's Tower Rescue at Rigel tell Fire Warnior Data Varnior Data Varnior D	\$23.99 \$165.99 \$15.99 \$18.99 \$81.99 \$24.99 \$9.99 \$31.95 \$15.99 \$15.99 \$15.99 \$23.99 \$23.99 \$23.99 \$23.99 \$23.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc D.B. Master D.B. Master D.B. Utility Pack GAMES Raster Blaster Air Traffic Controller femple of Apshai Datestones of Ryn Morloc's Tower Rescue at Rigel tell Fire Warnior Star Warnior Trash, Crumble and Chomp Jpper Reaches of Apshai The Keys to Acheron Snack Attack The Prisoner Sonk I Sobot Wars Three Mile Island AB.M. Castle Wolfenstein Wzard and Princes Missille Defense Trashton Manor Varp Destroyer	\$23.99 \$165.99 \$15.99 \$41.99 \$189.99 \$81.99 \$24.99 \$31.95 \$15.99 \$15.99 \$15.99 \$15.99 \$23.99 \$15.99 \$23.99 \$15.99 \$23.99 \$15.99 \$23.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc D.B. Master D.B. Master D.B. Utility Pack GAMES Raster Blaster Air Traffic Controller femple of Apshai Datestones of Ryn Morloc's Tower Rescue at Rigel tell Fire Warnior Star Warnior Trash, Crumble and Chomp Jpper Reaches of Apshai The Keys to Acheron Snack Attack The Prisoner Sonk I Soh II Soh III Soh II Soh II Soh II Soh II Soh II S	\$23.99 \$165.99 \$15.99 \$41.99 \$81.99 \$81.99 \$24.99 \$31.95 \$15.99 \$15.99 \$15.99 \$15.99 \$15.99 \$15.99 \$23.99 \$15.99 \$23.99 \$15.99 \$23.99 \$31.99 \$23.99 \$31.99 \$31.99 \$23.99 \$31.99 \$31.99 \$23.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$33.99 \$31.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99
Compu-Spells: (Reg. Data Disk) MISC Applesoft Compiler Basic Compiler Apple Doc D.B. Master D.B. Master D.B. Utility Pack GAMES Raster Blaster Air Traffic Controller femple of Apshai Datestones of Ryn Morloc's Tower Rescue at Rigel tell Fire Warnior Star Warnior Trash, Crumble and Chomp Jpper Reaches of Apshai The Keys to Acheron Snack Attack The Prisoner Sonk I Sobot Wars Three Mile Island AB.M. Castle Wolfenstein Wzard and Princes Missille Defense Trashton Manor Varp Destroyer	\$23.99 \$165.99 \$15.99 \$41.99 \$189.99 \$81.99 \$24.99 \$31.95 \$15.99 \$15.99 \$15.99 \$15.99 \$23.99 \$15.99 \$23.99 \$15.99 \$23.99 \$15.99 \$23.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$31.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99 \$33.99



APPLE ACCESSORIES

MICROSOFT	
Z80 Softcard	\$299.99
16K RAMcard	\$158.99
CCS	
Parallel Card	\$119.99
A5YNC Serial Card	\$148.99
Clock Calender Card	\$99.99
IEEE Card	
A·D Card	\$99.99
MOUNTAIN COMPUTERS	
Romolus	\$129.99
Keyboard Fitter Rom	\$49.99
CPS Multifunction Card	\$189.99
Super talker	\$229.99
PAYMAR	
L/C Adapter-New	
L/C Adapter-Old	\$45.99
Videx-Video Term	\$299.99
ADVANCE BUSINESS TECH	-
13 Key pad for Apple (New KBD)	\$110.99
13 Key pad for Apple (Old KBD)	\$110.99
BAR Code Reader	\$189.99
Dana-Cooling Fan	
Lazer-Lower Case Adapter	\$55.99
T.G. PROD.	
Game Paddles	
Joy Stick	
Select A Port	
Wizard-80 (80 col.)	\$278.99

#### **RS232 CABLES**

4 wire male-male 10 ft.	\$19.99
9 wire male-male 10 ft.	\$21.99
4 wire male-female 10 ft.	\$19.99
9 wire male-female 10 ft.	\$21.99
RS232 Switch Box (Use 2 terminals or	printers
from one output port)	109.99

#### FAN FOLD PAPER

(Prices F.O.B. S.P.)	
91/2x11-20# Bond White (2700 ct.)	\$30.10
14%x11-20# Bond White (2400 ct.)	\$37.10
14%x11.20 # Bond 1/2" Green Bar	
(2400 ct.)	\$37.10

#### **RIBBONS**

NEC																	1.4		\$77/Doz.
Qume																			\$45/Doz.
Diablo																			\$66/Doz.
Anadex																		Ş	135/6 ea.
Tritel .																			\$95/Doz.
TI/DEC,	/1	Г	Г	Y											4				\$45/Doz.
Epson																		\$	13.95/ea.
MPI/Axi	0	n	٦,	/1	B	a	S	e	1	2								\$	13.95/ea.

#### MAGNETIC MEDIA


Premium Quality At Bargain Prices
100% Certified with hub rings, box of 10 Economy Diskettes
51/4" SSSD Soft 10 or 16 meter 605 00
SSSD Soft, 10 or 16 sector \$28.50
DODD 3011, 10 01 10 Sector \$30.00
Quality Diskettes 5 ¹ / ₄ " SSD, Soft 10 or 16 sector \$27.00
SSDD, Soft 10 or 16 sector \$32.00
DSDD, Soft 10 or 16 sector \$38.50
8" SSSD, Soft or 32 hard sector \$28.50 DSDD, Soft or 32 hard sector \$45.50
DSDD, Soft or 32 hard sector \$45.50 CALL for prices on name brand diskettses:
VERBATIM DYSAN 3M SCOTCH
MEMOREX WABASH MAXELL
NEC
PC-8000 Series
Microcomputer System
Permanananan sa sa sa sa sa
• z-80A CPU 4 MHz
• 5 user programmable function keys
• 82 Keys with numeric keypad
<ul> <li>160 x 100 resolution</li> <li>80 character screen</li> </ul>
PCX-8001A Microcomputer w/32K RAM \$899
PC-8012A I/O Unit w/32K RAM
Expansion slots \$599
PC-8031A Dual Mini-Disk Drive Unit \$899 PC-8032A Add-On Dual Mini Disk
Drive Unit \$799
ATARI SOFTWARE
Adventure # 1,2,3, (D) \$31.99
Adventure #4,5,6, (D) \$31.99
Adventure #4,5,6, (D) \$31.99 Adventure #7,8,9 (D) \$31.99
Adventure #4,5,6, (D) \$31.99 Adventure #7,8,9 (D) \$31.99 Adventure #10,11,12 (D) \$31.99
Adventure #4,5,6, (D)       \$31.99         Adventure #7,8,9 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure 1.12 (D)       \$31.99         Atari Mailing List (D)       \$19.99
Adventure #4,5,6, (D)       \$31.99         Adventure #7,8,9 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure #10,11,12 (D)       \$19.99         Adventure 1·12 (D)       \$79.99         Atari Mailing List (D)       \$19.99         Text Wizard (D)       \$79.99
Adventure #4,5,6, (D)       \$31.99         Adventure #7,8,9 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure 1.12 (D)       \$19.99         Atari Mailing List (D)       \$19.99         Text Wizard (D)       \$79.99         Comput-Math/Fractions (D)       \$31.99
Adventure #4,5,6, (D)       \$31.99         Adventure #7,8,9 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure 1.12 (D)       \$79.99         Atari Mailing List (D)       \$19.99         Text Wizard (D)       \$79.99
Adventure #4,5,6, (D)       \$31.99         Adventure #7,8,9 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure #10,2 (D)       \$31.99         Adventure 1.12 (D)       \$19.99         Atari Mailing List (D)       \$19.99         Text Wizard (D)       \$79.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Fractions (D)       \$23.99         Compu-Math/Decimals (C)       \$23.99
Adventure #4,5,6, (D)       \$31.99         Adventure #7,8,9 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure 1.12 (D)       \$31.99         Adventure 1.12 (D)       \$79.99         Atari Mailing List (D)       \$19.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Fractions (D)       \$23.99         Compu-Math/Decimals (C)       \$23.99         Letter Perfect (D)       \$119.99
Adventure #4,5,6, (D)       \$31.99         Adventure #7,8,9 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure #10,2 (D)       \$31.99         Adventure 1.12 (D)       \$19.99         Atari Mailing List (D)       \$19.99         Text Wizard (D)       \$79.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Fractions (D)       \$23.99         Compu-Math/Decimals (C)       \$23.99
Adventure #4,5,6, (D)       \$31.99         Adventure #7,8,9 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure 1.12 (D)       \$31.99         Adventure 1.12 (D)       \$79.99         Atari Mailing List (D)       \$19.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Fractions (D)       \$23.99         Compu-Math/Decimals (C)       \$23.99         Letter Perfect (D)       \$119.99
Adventure #4,5,6, (D)       \$31.99         Adventure #7,8,9 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure 1·12 (D)       \$79.99         Atari Mailing List (D)       \$19.99         Text Wizard (D)       \$79.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Decimals (D)       \$31.99         Compu-Math/Fractions (D)       \$23.99         Letter Perfect (D)       \$119.99         Mail Merge/Utility (D)       23.99         TO PLACE YOUR ORDER CALL:       TO PLACE YOUR ORDER CALL:
Adventure #4,5,6, (D)       \$31.99         Adventure #7,8,9 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure 1·12 (D)       \$79.99         Atari Mailing List (D)       \$19.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Fractions (D)       \$23.99         Compu-Math/Decimals (C)       \$23.99         Letter Perfect (D)       \$119.99         Mail Merge/Utility (D)       23.99         TO PLACE YOUR ORDER CALL:       TELEX         TELEPHONE       CODE: BApr82       TELEX
Adventure #4,5,6, (D)       \$31.99         Adventure #7,8,9 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure 1·12 (D)       \$79.99         Atari Mailing List (D)       \$19.99         Text Wizard (D)       \$79.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Decimals (D)       \$31.99         Compu-Math/Fractions (D)       \$23.99         Letter Perfect (D)       \$119.99         Mail Merge/Utility (D)       23.99         TO PLACE YOUR ORDER CALL:       TO PLACE YOUR ORDER CALL:
Adventure #4,5,6, (D)       \$31.99         Adventure #7,8,9 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure 1·12 (D)       \$79.99         Atari Mailing List (D)       \$19.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Fractions (D)       \$23.99         Compu-Math/Decimals (C)       \$23.99         Letter Perfect (D)       \$119.99         Mail Merge/Utility (D)       23.99         TO PLACE YOUR ORDER CALL:       TELEX         TELEPHONE       CODE: BApr82       TELEX
Adventure #4,5,6, (D)       \$31.99         Adventure #7,8,9 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure 1·12 (D)       \$79.99         Adventure 1·12 (D)       \$19.99         Text Wizard (D)       \$19.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Decimals (D)       \$31.99         Compu-Math/Decimals (D)       \$23.99         Compu-Math/Decimals (C)       \$23.99         Letter Perfect (D)       \$119.99         Mail Merge/Utility (D)       23.99         TO PLACE YOUR ORDER CALL:       TELEPHONE         TELEPHONE       CODE: BApr82       TELEX         (714)744-7314       or write to:       697120
Adventure #4,5,6, (D)       \$31.99         Adventure #7,8,9 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure 1·12 (D)       \$79.99         Adventure 1·12 (D)       \$19.99         Text Wizard (D)       \$19.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Decimals (D)       \$31.99         Compu-Math/Decimals (D)       \$31.99         Compu-Math/Fractions (D)       \$23.99         Compu-Math/Decimals (C)       \$23.99         Letter Perfect (D)       \$119.99         Mail Merge/Utility (D)       23.99         CODE: BApr82       TELEX         (714)744-7314       or write to:       697120         PACOMARAR       Or write to:       697120         PACOMARAR       Computer Products
Adventure #4,5,6, (D)       \$31.99         Adventure #7,8,9 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure 1·12 (D)       \$79.99         Adventure 1·12 (D)       \$19.99         Text Wizard (D)       \$19.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Decimals (D)       \$31.99         Compu-Math/Decimals (D)       \$23.99         Compu-Math/Decimals (C)       \$23.99         Letter Perfect (D)       \$119.99         Mail Merge/Utility (D)       23.99         TO PLACE YOUR ORDER CALL:         TELEPHONE         (714)744-7314       or write to:       697120 <b>PALODARAR</b>
Adventure #4,5,6, (D)       \$31.99         Adventure #7,8,9 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure 1·12 (D)       \$79.99         Adventure 1·12 (D)       \$79.99         Atari Mailing List (D)       \$19.99         Text Wizard (D)       \$79.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Pecimals (D)       \$31.99         Compu-Math/Fractions (D)       \$23.99         Compu-Math/Pecimals (C)       \$23.99         Compu-Math/Decimals (C)       \$19.99         Mail Merge/Utility (D)       23.99         Mail Merge/Utility (D)       23.99         Mail Merge/Utility (D)       23.99         CODE: BApr82       TELEX         (714)744-7314       or write to:       697120 <b>PAACOMARA</b> San Marcos Bivd San Marcos CA 92069         TERMS OF SALE: Cash. check, money order, bank wire transfer.         credit card or purchase orders from qualified firms and institutions.
Adventure #4,5,6, (D)       \$31.99         Adventure #7,8,9 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure #10,11,12 (D)       \$31.99         Adventure 1·12 (D)       \$79.99         Atari Mailing List (D)       \$19.99         Text Wizard (D)       \$79.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Fractions (D)       \$31.99         Compu-Math/Decimals (D)       \$31.99         Compu-Math/Fractions (D)       \$23.99         Compu-Math/Decimals (C)       \$23.99         Letter Perfect (D)       \$119.99         Mail Merge/Utility (D)       23.99         CODE: BApr82       TELEX         (714)744-7314       or write to:         Of Willer Products         910-105 W. San Marcos Blvd., San Marcos. CA 92069         TERMS OF SALE: Cash. check. money order. bank wire transfer.

Circle 326 on inquiry card.

## PRIORITY ONE ELECTRONICS



BE GBT162A	Assembled & Tested		\$360.00
BEGBT162C	CSC	\$495.00	\$460.00
BE 6876231	Math Chip		\$195.00
BEGBT0232	Math Chip		\$195.00
BEGBT162AM1	A&T with 8231 Math	Chip	\$555.00
BEGBT162CM1	CSC with 8231 Math	Chip	\$855.00
BEGBT162AM2	A&T with 8232 Math	Chip	\$555.00
BE GBT 162 CM2	CSC with 8232 Math		\$655.00
	X CHANNEL BOARD		
I/O Mul	tiplexer, using 8085/ With 4K RAI		oard
BEGBT166A4	A&T	\$495.00	\$445.00
BEGBT165C4	CSC	\$595.00	\$535.00
	With 16K RA		
BEGBT166A16	AST	\$649.00	\$565.00
BEGBT188C16	CSC	\$749.00	\$675.00
	INTERFACER I - CO		
	Two Serial L		
BEGBT133A	AST	\$249.00	\$219.00
BEGBT133C	ĊŚĆ	\$324.00	\$296.00
	INTERFACER II . CO		+=====
Th	ree parallel, one ser		
	A&T	\$249.00	\$219.00
BEGBT150A BEGBT150C	CSC	\$324.00	\$269.00
BEBBIIDUL			4208.00
<b>E</b> 1	INTERFACER III - C		
	t channel multi-use s		ra
BEGBT1746A	AST	\$699.00	\$629.00
BEGBT1748C	CSC 200 hr. 8 Port	\$849.00	\$750.00
BEGBT1745A	A & T	\$599.00	\$559.00
BEGBT1745C	CSC 200 hr. 5 Port	\$699.00	\$629.00
	MULTI I/O . MORROV	W DESIGNS	
	Three Serial, Two		
BENDSMB3200		\$359.00	\$329.00
	TTCHBOARD . MORE		
	Two serial I/O, four p		
	one status port, one		****
BE M0\$\$82411		\$299.00	\$269.00
	I/O4 · SSM		
	Two serial I/O, two p	baraller 1/0	
BESSMID4K	Kit	****	\$210.00
BESSMID4A	A&T	\$290.00	\$260.00
	1/0 5 - SSA	4	
	ial, 3 Parallel includi	ng i Centron	ICS
BESSMI051	A& T	\$329.00	\$309.00
	I/O 8 - SSA		
	8 Port Serial I/O w		
BE \$\$MID8A	A & T	\$550.00	\$495.00
	2710 4 PORT SERI		
		and ontional	2KROM
	shaking RS232 ports		
BE CC\$271001	A & T	\$360.00	\$310.00
27	A & T 19 2 SERIAL & 2 PAI	\$360.00 RALLEL - CCS	\$310.00
27	A & T 19 2 SERIAL & 2 PAI	\$360.00 RALLEL - CCS	\$310.00 2K ROM
27	A & T 19 2 SERIAL & 2 PAI ports, 28 bit parallel port A & T	\$360.00 RALLEL - CCS Orts, & optional \$360.00	\$310.00
27 2 RS232 C BE CC\$271901	A & T 19 2 SERIAL & 2 PAI ports, 2 8 bit parallel ports A & T 2720 4 PORT PARAI	\$360.00 RALLEL - CCS Orts, & optional \$360.00 LLEL - CCS	\$310.00 2K ROM \$325.00
27 2 RS232 C BE CC\$271901	A & T 19 2 SERIAL & 2 PAI ports, 2 8 bit parallel ports A & T 2720 4 PORT PARAI	\$360.00 RALLEL - CCS Orts, & optional \$360.00 LLEL - CCS	\$310.00 2K ROM \$325.00
27 2 RS232 C BE CC\$271901	A & T 19 2 SERIAL & 2 PAI ports, 2 8 bit parallel ports, 2 8 bit parallel ports A & T 2720 4 PORT PARAL I parallel ports and 0	\$360.00 RALLEL - CCS Orts, & optional \$360.00 LLEL - CCS	\$310.00 2K ROM \$325.00




346 31	ATTC KAM	- COMPOPRO	
RAM 20 10 MHZ,	4K byte bl	ock disable, ba	ank select
or 24 bit addre	ssing avai	lable 8, 16, 24	or 32K
PART NO. DESCRI	PTION	LIST PRICE	OUR PAICE
BEBBTISHAAB 8K A&	T	\$210.00	\$190.00
BEGBT164AC8 8K CS	C	\$280.00	\$260.00
BEGBTI64AA18 16K A	8T	\$285.00	\$260.00
BEGBT164AC18 16K C	SC	\$355.00	\$325.00
BEGBT164AA24 24K A	&T	\$355.00	\$325.00
BEGBT164AC24 24KC	SC	\$425.00	\$385.00
BEGBTIB4AA32 32K A	&T	\$425.00	\$385.00
BEGBT164AC32 32K C	SC	\$495.00	\$450.00
Ch	AOS STAT	TIC RAM	
For a complete an	alysis of t	he advantages	of CMOS
memory, see the "I			
the leave lance			

#### the January Issue of BYTE. 64K CMOS STATIC RAM - COMPUPRO RAM 17, 10 MHZ, 2 Watt, DMA Compatable 24 Bit Addressing \$599.00 BEGBT175AB4 64K A&T BEGBT175CB4 64K CSC 200hr. \$550.00 \$650.00 NEW! 32K x 16 BIT CMOS STATIC RAM - COMPUPRO 8 and/or 16 Bit III) RAM 16 10 MHZ, 32K x 16 0, 044 IEEE/696 16 BIT 2 Watt, 24 Bit Addressing 1804 64K A&T \$650,00 \$598,00 \$598,00 \$598,00 \$598,00 \$598,00 \$598,00 \$598,00 \$598,00 \$598,00 1 RAM 16 10 MHZ, 32K x 16 or 64K x 8 BE GBT180A 64K A&T BE GBT180C 64K CSC NEW! 128K NMOS STATIC RAM . COMPUPRO RAM 21 15MHz, 128K X 8 OR 64K x 16 IEEE/696 8 or 16 Bit 1.2 Amps 24 Bit Addressing BEGBT190A 128K A&T \$1695.00 \$1610.00 BF 6BT190C 128K CSC \$1895.00 \$1795.00

	S-100 I	PROM	
F	BI PROM PROGR	AMMER - SSM	
Progr	ams 2708 or 27	16's, operates as	a
4	K/8K EPROM BC	ARD AS WELL.	
BE SSMPBIK	Kit		\$179.00
BE SSMPBIA	AST	\$265.00	\$220.00
	CONOROM 270		
16K x 8		using 2708, Pow	er on
	jump to any		
BE GBT125A	A&T	\$135.00	\$120.00
BE GBT125C	ĊSC	\$195.00	\$175.00
	MB8A -		
		, disable in 1K inc	
BESSMMB8AK BESSMMB8AA	Kit A & T	\$179.00	\$114.00 \$159.00
S-	<b>100 VIDE</b>	<b>D BOARDS</b>	
	SPECTRUM .	COMPUPRO	
Color	Graphics boar	d with Paralle	11/0
BE GBT144A	AST	\$399.00	\$349.00
BEGBT144C	CSC	\$449.00	\$399.00
BEGBT20	Sublogic Univers		\$35.00
	Graphics Interpr		
	VB - 3 S		
		video display Me	əmory
	Mapped, Parallel	Keyboard port	A
BESSMVB3K24		\$499.00	\$425.00
OESSMYB3A24 Bessmyb3up	80 x 24 A&T 80 x 50 Line Up		\$440.00 \$ 39.00
BESSMUDJUF	VB2-S.		\$ 38.00
1/O Manne		ith Parallel Keybo	and port
1/U Mappe	64 x		Jaru pon
BESSMVB2K	Kit 04 A	10	\$199.00
BESSMYBZA	AST	\$269.00	\$229.00
DECOMICER	VBBB -		
Memory		oard 64 x 16 ch	aracter
		graphics display	
BESSMUBIK	Kil	J	\$179.00
BESSMVB1A	A-8 T	\$242.00	\$220.00
		K CALENDAR	
BEQTCCCSA		d & Tested	\$150.00
		lobaud Magazine	
S-100 N	<i><b>NOTHERBOA</b></i>	RDS - COMP	UPRO
	Active terminatio		
BEGBT153A	A&T 6 slot, 2 lbs		\$126.00
BEGBT153C			
	CSC 6 slot, 2 lbs		\$175.00
BEGBT154A BEGBT154C	CSC 6 SIOI, 2 IDS A&T 12 SIOL 3 ID CSC 12 SIOL 3 ID	s. \$175.00	\$175.00 \$155.00 \$220.00

#### S-100 DYNAMIC RAM



#### THE EXPANDABLE 1

PRIORITY 1 ELECTRONICS THE EXPANDABLE 1" 64K Dynamic Ram board provides your S-100 system with 64K of reliable, highspeed dynamic RAM. Compatable with most of the major S-100 systems on the market, including those with front panels, it supports DMA operations and requires no Wait states with current microprocessors.

User expandable from 16 to 64K 

Supports DMA
Designed to IEEE proposed S-100 bus standards 

2 or A Mtz operation © Operates with either an 8080 or 2-80 based S-100 system, providing processor-transparent re-treshes with both ● Supports IMSAI-type front panels
 Jumper-selectable Phantom input ● Uses Popular 4116 RAMS 

All ICs in sockets

Any 16K block can be made bank-independent

Fully buttered address and data lines . Fail-sate retresh circuitry for extended Wait states . Board configuration with reliable, easy-to-conligure Berg jumpers

S-100	<b>DISK CONTROLI</b>	LERS
E PRIEXPI64	64K Assembled & Tested	\$409.00
E PRIEXP148	48K Assembled & Tested	\$379.00
E PRIEXP132	32K Assembled & Tested	\$339.00
E PRIEXP116	16K Assembled & Tested	\$299.00

#### JISK ( 2422A . CA. COMP. SYST.

I/O Mapped, controls 8", single or double density A&T with CPM 2.2 8" S. D. OUR PRICE

\$375.00


#### 475.00 BECCS2422A

DISK JOCKEY 2D - MORROW Memory Mapped, controls 8", single or

double density, serial I/O E MUI0J2208 A&T with CP/M 2.2 \$399.00 \$375.0 S-100 DISK SUBSYSTEMS DJ2B DISCUS SINGLE SIDED MORROW \$375.00 **BE ME10J2208** 

8" DBL Density drives with cabinet, power supply controller, with CP/M 2.2 and Microsoft Basic BEMD\$F1216 Single Drive System \$1095.00 \$150.00 BEMD\$F1228 Dual Drive System \$1875.00 \$1598.00 DJ2B DISCUS DOUBLE SIDED . MORROW

8" DBL Density/sided drives with cabinet Power supply controller, with CP/M 2.2 and Microsoft Basic BEM03F2216 Single Drive System \$1395.00 \$1250.00 BEM03F2226 Dual Drive System \$2495.00 \$2050.00 S-100 HARD DISK - MORROW



5.25" 5MB, 8" 10 & 20MB, 14" 26MB formatted hard disk complete with cabinet, P.S., Controller, CP/M 2.2 and Microsoft MBASIC 80

		LIST PRICE	SALE PRICE
BEMOSDMAMS	5 MB	\$2495.00	<b>\$1995.00</b>
BEMOSMIOS	10 MB	\$3695.00	\$2950.00
BEMOSM20S	20 MB	\$4795.00	WOW \$3825.00
BEMOSM26S	26. MB	\$4495.00	\$3495.00
BEST PRICE!	F	N	SIREEN 80 x 24

OUTPERFORMS MONITORS OF TWICE THE PRICE! USI has the competition buckling at their knees! You can have a professional performing Video Monitor for a fraction of the cost! The USI EV2131N is a 12" Green, high resolution data display compatable with 80 x 24 computer formats \$149,00 BEUSIEV2131N 24 lbs

A&T 20 slot, 4 lbs. CSC 20 slot, 4 lbs.

RECRT1554

BE GTB 155C

\$265.00

\$340.00

\$235.00

\$310.00

#### PRIORITY ONE ELECTRONICS



**COMPUPRO DMA DISK 1** 

#### SAVE \$220.00

Priority 1 Electronics is pleased to offer the COMPU-PRO DISK 1 High Performance Disk Controller at our regular low price with CP/M 2.2 and BIOS at no additional cost. That's a savings of \$220.00 of the manufacturer's list price.

- Third generation INTEL 8272/NEC 765A LSI floppy disk controller
- High speed cycle stealing DMA interface for processor independent data transfer between system memory and flexible disk.
- Handles up to four 8 or 5.25 inch floppy disk drives Single or double density/single or double sided
- capability.
- Supports IBM 3740 soft sectored formats.
- 24 bit DMA addressing with data transfer across 64K boundaries for data transfer throughout the 16Mbyte memory map.

PART NO.	DESCRIPTION	LIST PRICE	OUR PRICE
BEPOB171ACPM	A&T w/CP/M 2.2 & BIOS	\$670.00	\$450.00
BE 88T171C	CSC	\$595.00	\$555.00
BE BUTCPMBO*	CP/M 2.2 for Z80/8085 manuals & BIOS 8" S/D		\$175.00
BEGETDASES	Oasis 8 bit single user 8	" S/D disk	\$500.00
BEBBTDASSM	Oasis 8 bit multluser, 8'	S/D disk	\$850.00

#### S-100 SYSTEMS SUPERSIXTEEN - COMPUPRO HERE IS WHAT EACH PACKAGE INCLUDES:

BE GBT1612A 6 MHz 8085/8088 Dual Processor Board

BE 881171A High Speed DMA Disk Controller BE 881182A System Support 1 Multi-Function Board

BE BUT133A Interfacer 1 Dual Serial I/O BE 128K 10MHz Low Power Static Ram

BESSTCP/IN 85 16 Bit Operating System Ready to Load & Go Cables and Decumentation Three interfacer cables one disk I/O cable, complete documentator for all hardware, and manuals for both CP/M operating systems.

Campa Pre's famous 1 Year limited warranty.

Now to the best part of all. If purchased Separately, these quality components would list for \$4,344.00. BUT SuperStrates's im package price is an emazing \$3,495.00. Yeu stars \$849.001(For boards qualified under the Certified System Component high-reliability program - with extended 2 year warranty, 200 hour burn-in and 6/8 MHz processors - add \$600.00 to Sh. Wt. 15 lbs.





# MicroFrame o

S-100 MAINFRAMES





110V 60HZ CVT Mainframe uses famous 20 slot COMPUPRO Motherboard. 55 lbs. BEGBTENC200K 20 Slot Rack Mount BEGBTENC200K 20 Slot Desk Top \$895.00 \$825.00 \$825.00 \$760.00

#### S-100 MAINFRAME - CCS

12-slot motherboard with removable termination card BE CCS220001 Office Cream BE CCS220002 Blue 35 lbs \$575.00 \$535.00 35 lbs \$575.00 \$535.00 SOFTWARE - MICROPRO All software is supplied on 8" Single Density IBM 3740 CP/M Compatable Diskettes

3740 CP/M Compatible Dispeties WORDSTAR Screen-Oriented, integrated word processing system specifically designed for non-technical personnel \$495.00 \$300.00 BEMPRWROSTAL MAIL MERGE WORD STAR OPTION

MALL MERGE WORD STAR OPTION Powerful file merging tool BE MPABLIBREAL (Requires Word Star 2.1 or later) \$250.00 \$100.00 SPELLSTAR WORD STAR OPTION One Step "Proofreader" with compressed 20,000 word dictionary and user-created supplemental dictionaries BEMPATPLIATAL (Requires Word Star 3.0 or later) \$250.00 \$150.00

SUPERSORT Sophisticated program that will select and re-arrange variable length Information from data files BEMPRSPRIAL \$250.00 \$150.00

Sophisticated, easy-to-use, electronic spread sheet and financial planner BEMPRCLCSTAI \$295.00

\$200.00 DATA STAR Office-Oriented Data Entry, retrival, and

updating system BEMPROATSTAT \$350.00

Turn to pages 12 and 13 for our Full Color, 2-Page Ad Announcing Our Fall 1982 **Engineering Selection Guide** 

#### PRIORITY ONE ELECTRONICS. VISA.

9161B DEERING AVE • CHATSWORTH, CA 91311

ORDER TOLL FREE (800) 423-5922 CA, AK, HI CALL (213) 709-5464 Terms U.S. VISA, MC, BAC, Check, Money Order, U.S. Funds Only. CA residents add 6%Sales Tax. MINIMUM PHEPAID ORDER \$15.00. Include MINIMUM SHIPPING & HANDLING of \$2.50 for the first 3 lbs plus 25% for each additional pound. Orders over 50 lbs. sent freight collect Just In case, please include your phone number. Prices subject to change without notice. We will do our best to maintain prices through May, 1982. Credit Card orders will be changed appropriate freight. If you don't already have your Spring '82 Engineering Selection Guide, send \$1.00 for your copy, today. Sale prices are for prepaid orders only.

\$200.00



MIL

**FLOPPY DISC DRIVES** 

ONE

. 10

11

Tandon TM-800 Thinline is exactly half the size of conventional 8"

floppy disk drives

# 16K Memory

#### ALL MERCHANDISE 100% GUARANTEED!

# 4116-200ns 8/15.95

#### **CALL US FOR VOLUME QUOTES**

			CRYSTALS		6502
1702 2708 2758 TMS2516 2716-1 TMS2716 TMS2532 2732 2764	256 x 8         (1 ns)         4           1024 x 8         (450 ns)         9           1024 x 8         (5V) (450 ns)         9           2048 x 8         (5V) (350 ns)         9           4096 x 8         (5V) (450 ns)         12	ach 8 pcs 95 4.50 99 2.75 95 8.95 50 4.95 50 4.95 50 8.50 95 8.95 95 8.95 95 11.95 CALL CALL	32.768 KHZ         3.95           1.0 MHZ         4.95           1.8432         4.95           2.0         3.95           2.097152         3.95           3.2768         3.95           3.579545         3.95           4.0         3.95           5.0         3.95           5.0688         3.95	<ul> <li>MARY SPECIALS</li> <li>16K APPLE* RAM CARD</li> <li>Upgrade your 48K Apple II to full 64K.</li> <li>Fully software and hardware compatible with Apple language card and microsoft Z80 card.</li> </ul>	6502           6502         6.9           6502-A         12.9           6504         6.9           6505         8.9           6507         9.9           6520         4.3           6522         9.9           6532         14.9           6551         11.8
4027 4116-120 4116-150 4116-200 4116-300 4164 2102-1 2102-1 21L02-4 21L02-2 2111 2112 2114 2114 2114L-2 2114L-3 2114L-3 2114L-3 2114L-4 2147 TMS4044-4 TMS4044-4 TMS4044-2 TMM2016 HM6116	16.384 x 1       (120ns)       8/28         16.384 x 1       (150ns)       8/18         16.384 x 1       (200ns)       8/15         16.384 x 1       (200ns)       8/15         16.384 x 1       (200ns)       8/15         16.384 x 1       (200ns)       8/14         64,536 x 1       (200ns)       8/14         500 x 1       (200ns)       1         1024 x 1       (450ns)       1         1024 x 1       (LP) (450ns)       1         1024 x 1       (LP) (250ns)       1         256 x 4       (450ns)       2         256 x 4       (450ns)       2         1024 x 1       (LP) (200ns)       8/18         1024 x 4       (LP) (200ns)       8/19         1024 x 4       (LP) (300ns)       8/17         1024 x 4       (LP) (300ns)       8/17         4096 x 1       (450ns)       9         4096 x 1       (450ns)       3         4096 x 1       (450ns)       3	.95 1.95 .95 1.80 .95 1.75 CALL 100 pcs .95 1.85 .89 .85 .29 1.15 .69 1.55 .99 2.49 .99 2.79 .95 1.95 .95 2.35 .95 2.25 .95 2.25 .95 2.25 .95 2.25 .95 2.40 .95 CALL .49 3.25 .49 4.25 CALL	5.185 3.95 5.7143 3.95 6.5536 3.95 8.0 3.95 10.0 3.95 14.31818 3.95 18.0 3.95 18.432 3.95 20.0 3.95 22.1184 3.95 32.0 3.95 32.0 3.95 <b>MISC.</b> AY5-2376 12.50 11C90 13.95 XR2206 4.95 3242 7.95 32480 9.00 MC4024 3.95 MC4024	<ul> <li>* Eliminates the need for Applesoft or Integer Basic ROM card when used in conjunction with DOS 3.3.</li> <li>* Allows you to run Apple Fortran or Pascal.</li> <li>* Available as bare board, kit, or com- pleted and tested board.</li> <li>BARE BOARD \$ 40.00 KIT</li></ul>	Z80           Z80-CPU         8.3           Z80A-CPU         6.0           Z80A-P10         6.0           Z80A-CTC         5.3           Z80A-CTC         5.3           Z80A-CTC         5.3           Z80A-CTC         5.3           Z80-ADRT         15.2           Z80-ADART         18.2           Z80-ADART         18.2           Z80-ADART         23.3           Z80A-S10/0         23.3           Z80A-S10/0         23.3           Z80A-S10/1         23.3           Z80A-S10/1         23.3           Z80A-S10/2         23.3           Z80-S10/2         23.3           Z80-S10/2         23.4           Z80-S10/9         17.5           Z80-S10/9         17.5           Z80B-CPU         18.6           Z80B-CPU         17.5           Z80B-P10         17.5           Z80B-P10         17.5           Z80B-P10         17.5           Z80F-1         39.9           Z6132         34.9
		STREET, STREET, ST	9602 1.50	СМОЗ	
74LS00         SERI           74LS01         .25           74LS03         .25           74LS03         .25           74LS03         .25           74LS03         .25           74LS04         .25           74LS04         .25           74LS04         .25           74LS04         .25           74LS10         .25           74LS11         .35           74LS12         .35           74LS13         .45           74LS14         .100           74LS15         .35           74LS20         .25           74LS21         .35           74LS22         .25           74LS23         .35           74LS24         .35           74LS23         .35           74LS33         .55           74LS34         .75           74LS43         .75           74LS43         .75           74LS44         .75           74LS451         .25           74LS43         .55           74LS43         .55           74LS43         .55           74LS45         .50	74LS16         2.40           74LS168         1.75           74LS85         1.15           74LS86         40           74LS168         1.75           74LS90         65           74LS170         1.75           74LS91         89           74LS173         80           74LS92         .70           74LS93         65           74LS93         65           74LS93         85           74LS93         85           74LS94         .95           74LS95         .85           74LS174         .95           74LS174         .95           74LS174         .95           74LS194         .95           74LS194         .95           74LS194         .95           74LS194         .00           74LS12         .45           74LS139         .95           74LS12         .45           74LS12         .45           74LS12         .45           74LS12         .95           74LS12         .95           74LS12         .95           74LS12         .97 <td>74LS293         1.85           74LS295         1.05           74LS298         1.20           74LS324         1.75           74LS352         1.55           74LS353         1.55           74LS363         1.35           74LS364         1.95           74LS365         .95           74LS366         .95           74LS367         70           74LS368         .70           74LS374         1.75           74LS375         1.45           74LS374         1.75           74LS375         1.65           74LS390         1.90           74LS393         1.60           74LS393         1.60           74LS393         1.65           74LS424         .95           74LS669         1.89           74LS674         .65           74LS683         2.20           74LS684         2.40      &lt;</td> <td>DISC CON- TROLLERS           1771         24.95           1793         44.95           1797         54.95           UP765         39.95           UARTS           AY3-1014         6.95           AY3-1013         3.95           TRI602         4.95           IM6402         7.95           INTERFACE         8726           8726         1.69           8728         2.49           8796         .99           8796         .99           8797         .99           8798         .99           DM8131         2.95           DS8836         1.29           CLOCK         CIRCUITS           MM53659         3.95           MM53652         7.45           7208         15.95           CONVERTERS         MC1408 L8         4.95           DAC-0800         4.95           ACC0800         4.95</td> <td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td> <td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td>	74LS293         1.85           74LS295         1.05           74LS298         1.20           74LS324         1.75           74LS352         1.55           74LS353         1.55           74LS363         1.35           74LS364         1.95           74LS365         .95           74LS366         .95           74LS367         70           74LS368         .70           74LS374         1.75           74LS375         1.45           74LS374         1.75           74LS375         1.65           74LS390         1.90           74LS393         1.60           74LS393         1.60           74LS393         1.65           74LS424         .95           74LS669         1.89           74LS674         .65           74LS683         2.20           74LS684         2.40      <	DISC CON- TROLLERS           1771         24.95           1793         44.95           1797         54.95           UP765         39.95           UARTS           AY3-1014         6.95           AY3-1013         3.95           TRI602         4.95           IM6402         7.95           INTERFACE         8726           8726         1.69           8728         2.49           8796         .99           8796         .99           8797         .99           8798         .99           DM8131         2.95           DS8836         1.29           CLOCK         CIRCUITS           MM53659         3.95           MM53652         7.45           7208         15.95           CONVERTERS         MC1408 L8         4.95           DAC-0800         4.95           ACC0800         4.95	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

#### HOURS: Mon. - Fri., 9 to 5; Sat., 11 to 3



JDR MICRODEVICES, INC. 1224 So. Bascom Ave. San Jose, CA 95128 800-538-5000 • 800-662-6279 (CA)

(408) 995-5430 • Telex 171-110

#### **VISIT OUR RETAIL STORE!**

TERMS: For shipping include \$2.00 for UPS ground, \$3.00 for UPS Blue Label air. \$10.00 minimum order. Bay Area residents add 6½% sales tax. California residents add 6% sales tax. We reserve the right to limit quantities and substitute manufacturer. Prices subject to change without notice. Send SASE for complete list.

# 2716 EPROMS 450NS (5V)

# 8/4.95 ea.

#### ALL MERCHANDISE 100% GUARANTEED!

#### **CALL US FOR VOLUME QUOTES**

8000 8200	TV		APPLE* FAN	\$69.00	IC SC	OCKETS
8080A         3.95         8212         1,           8085         12.95         8214         3,           8085A         216.95         8216         1,           8086A         99.95         8224         2,           8088         39.95         8226         1,           8155         11.95         8228         4,           8155         29.95         8237         19,           8185         29.95         8238         4,           8155         39.95         8228         4,	50         MC1330         1.89           85         MC1350         1.29           85         MC1358         1.79           80         LM380         1.29           50         LM386         1.50           80         LM565         .99           90         LM741         .29           95         LM1310         2.90           95         LM1800         2.99           85         LM1802         2.49		OVERHEAT ULTRA-QUIET DRAWS COOL YOUR COMPU' ELIMINATES D SAVES REPAIF INCREASES RE CLIPS ON —	A APPLE TO APPLE FAN AIR THROUGH FER OWN TIME CHARGES		.13 .11 .15 .12 .17 .13 .20 .18 .29 .27 .30 .27 .30 .27 .40 .32 .49 .39 DEDERTAIL
8748 29.95 8755 44.95 8253 9, 8253 9, 8253 9, 8253 9, 8255 4, 8255 4, 8255 5, 8255 5, 8255 5, 8255 8, 8255 8,	75         EPRO           85         75         PE-14           25         PE-14T (with         90           90         PE-24T (with		SCREWS COLOR MATCH LONG LIFE, MOTOR *APPLE IS A 1	LOW NOISE	8 pin WW 14 pin WW 16 pin WW 20 pin WW 22 pin WW 24 pin WW 28 pin WW 40 pin WW WW = V	.59 .49 .69 .52 .69 .58 .99 .90 1.09 .98 1.39 1.28 1.69 1.49 1.99 1.80 VIREWRAP
6808         9.95         8279         9.           6809         24.95         8279-5         10.           6809         29.95         8282         6.           6810         4.60         8283         6.           6820         4.95         8284         5.           6821         4.95         8284         5.	50 A BLACK ANODIZI 50 65 65 70 65	ED ALUMINUM ENCLOSURE.	OF APPLE CO		CONN RS232 MAL RS232 FEM RS232 HOO S-100 ST S-100 WW	ALE 3.75
6828         14.95         8287         6.           6834         16.95         8288         25.           6840         14.95         8289         49.           6843         42.95         6844         44.95           6847         15.95         6847         15.95           6850         4.75         6852         5.75	95 (CALIF CALL JDF	662-6279 ORNIA RESIDENTS) A BEFORE YOU BUY! ANY COMPETITORS' PRICES	2N2907	25 50/10.99 25 50/10.99 79 10/ 6.99 00 100/ 8.99		435 VITCHES .90 .90 .95 .95
6860 10.95 6862 11.95 7	805T .79 7905T 808T .99 7912T	.89 LM301V .34 LM308V .98		7400	SERIES	
6880         2.95         .7           68B00         10.95         .7           68B21         12.95         .7           68B50         12.95         .7	812T .79 7915T 815T .99 7924T 824T .99 805K 1.39 7905K 812K 1.39 7912K	1.19 LM311 .64 1.19 LM317T 1.95 LM317T 1.95 LM317K 3.95 1.49 LM323K 4.95 1.49 LM323K 4.95	7400 .19 7401 .19 7402 .19 7403 .19 7403 .19	7451 .23 7453 .23 7454 .23 7460 .23 7470 .35	74136         .50           74141         .65           74142         2.95           74143         2.95           74144         2.95	74186 18.50 74190 1.15 74191 1.15 74192 .79 74193 .79
LEDS 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7	815K 1.39 79L05 8L05 .69 79L12 8L12 .69 79L15 8L15 .69 M309K 1.49 LM323K M317T 1.95 LM337K T = TO-220 K = TO-3 L = TO	.79         LM339         .99           .79         LM377         2.29           3.95         LM380         1.29           4.95         LM555         .39           3.95         LM555         .69           LM556         .69         LM565           0.92         LM5667V         1.29           LM567V         1.29         LM567V           LM723         .49         LM723	7405         .22           7406         .22           7407         .22           7408         .24           7409         .19           7410         .19           7411         .25           7412         .30           7413         .35           7414         .55           7416         .25           7417         .25	7472 .29 7473 .34 7474 .35 7475 .49 7476 .35 7480 .59 7481 1.10 7482 .95 7483 .50 7485 .65 7485 .65 7486 .35	74145         .60           74147         1.75           74148         1.20           74150         1.35           74151         .65           74153         .55           74154         1.40           74156         .65           74156         .65           74157         .55           74158         .65           74159         .65	74194         85           74195         .85           74196         .79           74197         .75           7198         1.35           74221         1.35           74246         1.35           74246         1.35           74248         1.85           74243         1.85           74243         1.85           74243         1.85           74243         1.85           74243         1.85           74245         1.75
SHUGAR	T SA-40	0 LM741V .29 LM747 .79 LM748V .59	7420 .19 7421 .35 7422 .29	7490 .35 7491 .40 7492 .50	74160 .85 74161 .70 74162 .85	74259 2.25 74265 1.35 74273 1.95
• Raw drive for use i	n TRS-80, Atari, A	LM1310 2.90	7423 .29 7425 .29 7426 .29 7427 .29	7493 .49 7494 .65 7495 .55 7496 .70	74163 .85 74164 .85 74165 .85 74166 1.00	74276 1.25 74279 .75 74283 2.00 74284 3.75
<ul> <li>NEW - in original c certification.</li> </ul>		LM1414 1.59 LM1458V .69 LM1458V .69 LM1488 .99 LM1489 .99	7428 .45 7430 .19 7432 .29 7433 .45	7497         2.75           74100         1.00           74107         .30           74109         .45           74110         .45	74167 2.95 74170 1.65 74172 5.95 74173 .75 74174 .89	74285 3.75 74290 .95 74293 .75 74298 .85 74351 2.25
• LIMITED SUPPLY - at this price.	they won't last l	ONG LM1889 2.49 LM3900 .59 LM3909V .98 LM3914 3.95	7438 .29 7440 .19 7442 .49 7443 .65	74111 .55 74116 1.55 74120 1.20 74121 .29	74175 .89 74176 .89 74177 .75 74178 1,15	74365 .65 74366 .65 74367 .65 74368 .65
\$199 CALL FOR VO	<b>.95 ea.</b>	LM3916 3.95	7444 .69 7445 .69 7446 .59 7447 .69 7448 .69	74122 .45 74123 .55 74125 .45 74126 .45 74128 .55	74179         1.75           74180         .75           74181         2.25           74182         .75           74184         2.00	74376         2.20           74390         1.75           74393         1.35           74425         3.15           74426         .85
*Some computers require modifica			7450 .19	74132 .45	74185 2.00	74490 2.55


HOURS: Mon. - Fri., 9 to 5; Sat. 11 to 3



JDR MICRODEVICES, INC. 1224 S. Bascom Ave. San Jose, CA 95128 800-538-5000 • 800-662-6279 (CA) (408) 995-5430 • Telex 171-110

#### VISIT OUR RETAIL STORE!

TERMS: For shipping include \$2.00 for UPS Ground, \$3.00 for UPS Blue Label Air. \$10.00 minimum order. Bay Area residents add 6½% sales tax. California residents add 6% sales tax. We reserve the right to limit quantities and substitute manufacturer. Prices subject to change without notice. Send SASE for complete list.



www.americanradiohistorv.com



Circle 7 on inquiry card.



Circle 419 on inquiry card.

www.americanradiohistorv.com



Circle 419 on inquiry card.

www.americanradiohistorv.com



7400	W		Part No. Function Price
SN7400N         20         SN7472N         29         SN7412N           SN7401N         20         SN7473N         35         SN7414N           SN7402N         25         SN7473N         35         SN7414N           SN7402N         25         SN7473N         35         SN7414N           SN7402N         25         SN7473N         35         SN7414           SN7402N         25         SN7473N         35         SN7414           SN7404N         25         SN7473N         50         SN7416           SN7405N         25         SN7473N         50         SN7416           SN7405N         25         SN7463N         50         SN7416           SN7405N         25         SN7405N         50         SN7416           SN7405N         25         SN7405N         55         SN7415N           SN7405N         25         SN7405N         5         SN7415N           SN7405N         25         SN7405N         5         SN7415N           SN7411N         26         SN7405N         175         SN7415N           SN7411N         26         SN7405N         5         SN7415N           SN7411N	7N         .69           3N         .89           3N         .89           3N         .89           3N         .89           3N         .89           3N         .89           5N         .279           3N         1.255           3N         1.395           3N         .89           5N         .895           3N         .955           3N         .979           3N         .79	Your Choice — \$69.95 ea. any Model	70551P1         CMOS Precision Timer         14,55           7045EV/KI1*         Stopwatch Chip, XTL         24,95           7105CPL         31 bb Digit A/D (LCD Drive)         16,95           7105CPL         31 bb Digit A/D (LCD Drive)         15,95           7107CPL         31 bb Digit A/D (LCD Drive)         15,95           7107CPL         31 bb Digit A/D (LCD Drive)         15,95           7107CPL         31 bb Digit A/D LCD Dis. HLD.         18,95           7107CPL         31 bb Digit A/D LCD Dis. HLD.         18,95           7107CPL         31 bb Digit A/D LCD Dis. HLD.         17,95           72051PG         CMOS LED Stopwatch/Timer         12,35           72051PG         CMOS LED Stopwatch/Timer         13,55           7205CPU         Tone Generator         5,15           7205CEV/KI1*         Tone Generator Chip, XTL         13,55           7201APO         Oscillator Controller         6,50           7201APO         Oscillator Controller         13,55           72051PA         Clock Generator         13,55           72081PA         Clock Generator         3,55           72081PA         Clock Generator         3,55           72051PA         Clock Generator         13,55
SN/420N .25 SN/465N .69 SN/415 SN/421N .29 SN/465N .69 SN/445 SN/422N .45 SN/497N 3.00 SN/445 SN/422N .45 SN/4107N 1.49 SN/446 SN/425N .29 SN/4100N .89 SN/446 SN/426N .29 SN/4104N .89 SN/446	N .79 IN 2.25 IN .79 IN 2.49	CALL OR SEND ORDER IN REFERENCING TO THIS AD FOR SPECIAL PRICE Because of Limited Supply, please provide a second and third choice	721519/G         4 Func. CMDS Stopwatch CKT         13,95           7215E/V/KIt*         4 Func. Stopwatch Chip, XTL         19,95           7216A/JJ         5-Digit Univ. Counter C.A.         32,00           7216C/JJ         5-Digit Freq. Counter C.A.         32,05           7216D/JF         5-Digit Freq. Counter C.A.         28,55           7216D/JF         4-Digit LED Up/Down Counter 12,35         12,35
5N1/426N29 SN/4105N89 SN/448 SN/427N25 SN/4107N35 SN/448 SN/478N49 SN/4103N39 SN/448 SN/478N49 SN/4103N39 SN/448 SN/4127N29 SN/4121N39 SN/448 SN/4127N25 SN/4122N55 SN/448	IN 1.25 IN 1.25 IN .89 IN .89		7286141 8 Digit Univ. LED Drive 10.95 72841PL LCD 4% Digit Up Counter DRI 11.25 728A1JL 8 Digit Univ. Counter Chip, XTL 74.95 728AEV/KIt* 5 Function Counter Chip, XTL 74.95 72401JE CMOS Bin Prog. Timer/Counter 4.95
SINTAJIN .23 SINTALIZIN .53 SINTAJI SINTAJIN .40 SINTALIZIN .59 SINTAJI SINTAJIN .25 SINTALIZIN .59 SINTAJI SINTAJIN .25 SINTALIZIN .49 SINTAJI SINTALIN .89 SINTALIZIN .75 SINTAJI SINTALIN .59 SINTAJISIN .75 SINTAJI	IN .69 IN .89 IN .89 IN 1.49	Image lense	7821JA         CMOS Divide-by-256 RC Timer         2.05           72501JE         CMOS BCD Prog. Timer/Counter         6.00           72501JE         CMOS 8CD Prog. Timer/Counter         5.25           75551PA         CMOS 555 Timer (8 pin)         1.45           75561PD         CMOS 555 Timer (14 pin)         2.20
SN7443N 1.10 SN7414N .99 SN742 SN7444N 1.10 SN74142N 3.25 SN742 SN7445N .89 SN7413N 3.49 SN742 SN7445N .99 SN7414N 3.49 SN742 SN7444N .99 SN7414N 3.49 SN742	N 1.25 N .99 N 1.95 N .79		7611BCPA         CMOS Op Amp Comparator         5MV 2.55           7621BCPA         CMOS Op Amp Exit. Cmvr.         SMV 2.95           7621BCPA         CMOS Dual Op Amp Comp.         SMV 3.95           7631CCPE         CMOS Tri Op Amp Comp.         SMV 7.95           7641CCPD         CMOS Quad Op Amp Comp.         IMV 7.50
SN 7448N         .79         SN 742147N         1.95         SN 742           SN 7450N         .20         SN 74148N         1.29         SN 742           SN 7451N         .20         SN 74150N         1.25         SN 743           SN 7451N         .20         SN 74150N         1.25         SN 743           SN 7451N         .20         SN 74151N         .69         SN 743           SN 74451N         .20         SN 74151N         .69         SN 7435	IN 3.95 IN 3.95 IN .69 IN .69 IN .69	Add Wai         Bitty Conf.         PERSON         Comm. Comman Comman Acada         DVRALL SUIT         PERSON           Sci.00         Sci.00         PERSON         PERSO	7642CPD CMDS Quad Op Amp Comp. 10MV 7.50 7660CPA Voltage Converter 8680CPA Waveform Generator 4.55 8686CCPD Monollinic Logarithmic Amp 8686CCPA Voit Ref/indicator 2.55 8212CPA Voit Ref/indicator 2.55
SN7459A .25 SN74153N .79 SN7465 SN7460N .20 SN74154N .125 SN7478 SN7470N .29 SN74154N .125 SN7478 SN7470N .29 SN74154N .79 SN747 74LS01 .29 74LS2 .76 14L512 74LS02 .29 74LS32 .76 14L513	N 1.49 N 1.49	Instrume         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0         0.0 <th0.0< th="">         0.0         <th0.0< th=""> <th0.0<< td=""><td>74C00 .39 74C 74C221 1.95</td></th0.0<<></th0.0<></th0.0<>	74C00 .39 74C 74C221 1.95
74LS03 .79 74LS93 .75 74LS19 74LS04 .35 74LS95 .99 74LS19 74LS05 .35 74LS96 1.15 74LS22 74LS08 .35 74LS107 .45 74LS22 74LS09 .35 74LS109 .45 74LS23	1.15 1.19 1.19 1.49	K-Index         S	74C20 .39 74C160 1.69 74C901 0.95 74C30 .39 74C161 1.69 74C911 0.95 74C42 1.39 74C162 1.49 74C912 10.95
74LS10         35         74LS112         45         74LS12           74LS11         39         74LS113         49         74LS14           74LS11         39         74LS114         49         74LS34           74LS11         59         74LS14         49         74LS34           74LS151         59         74LS34         74         74LS34           74LS151         59         74LS34         74         74           74LS15         59         74         74         74           74LS15         59         74         74         59         74         59           74LS16         59         74         59         74         59         74         59           74         50         74         59         74         59         74         59           74         50         55         74         59         74         59         74         59           74         52         35         74         59         74         59         74         59         74         59         74         59         74         59         74         59         74         59         74	1.49 2.95 1.19 1.19	Head         3         **10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10         *10 <td>MCC38         1.75         MCC164         1.59         MCC31         1.03           MCC14         .77         MCC164         1.59         MC232         5.40           MCC14         .77         MC171         1.39         MC5202         5.40           MCC16         .59         MC171         1.39         MC5202         5.40           MC615         .55         MC171         1.39         MC5202         5.50           MC616         .55         MC172         1.19         MC526         7.50           MC619         .55         MC191         1.69         MC259         .750           MC59         1.23         MC191         1.69         MC595         .750           MC59         1.23         MC195         1.59         MC759         .79</td>	MCC38         1.75         MCC164         1.59         MCC31         1.03           MCC14         .77         MCC164         1.59         MC232         5.40           MCC14         .77         MC171         1.39         MC5202         5.40           MCC16         .59         MC171         1.39         MC5202         5.40           MC615         .55         MC171         1.39         MC5202         5.50           MC616         .55         MC172         1.19         MC526         7.50           MC619         .55         MC191         1.69         MC259         .750           MC59         1.23         MC191         1.69         MC595         .750           MC59         1.23         MC195         1.59         MC759         .79
74L521         .35         74L5132         .99         74L525           74L522         .35         74L5133         .89         74L527           74L526         .35         74L5136         .49         74L526           74L527         .35         74L5136         .49         74L522           74L526         .35         74L5136         .89         74L522           74L526         .15         74L5136         .89         74L522           74L526         .15         .74L5136         .89         74L522           74L527         .15         .74L5136         .89         .74L523           74L528         .51         .51         .55         .69         .74L523	.99 .89 .69 .69	Image: B         Image: Col. 4 (b)(in Multiplet)         U(T_1 + U(T_	LH0002CN 6.65 LM10CLH 4.55 LM10CLH 4.55 LM10CH 4.55 LM30T-5 1.25 LM30T-9 4.55 LM30T-6 1.25 LM30T-12 1.25 LM30T-12 1.25 LM31DN .79 LM30T-12 1.25 LM31DN .79
74L533 .59 74L5153 .77 74L527 74L533 .59 74L5154 .7.7 74L527 74L537 .45 74 .5155 .89 74L528 74L538 .39 74L5156 .89 74L529 74L540 .35 74L5157 .89 74L529 74L540 .99 74L5168 .89 74L529	1.95 .89 .99	MFD         WVDC         PRICE         WVDC	TL072CP         1.39         LM341P-5         75         LM321N         69           TL074CN         2.49         LM31P-12         75         LM331N         1.00           LH0082CD         35.60         LM31P-15         .78         LM739N         1.19           TL082CP         1.19         LM32P-5         .69         LM741CN         .35           TL084CN         2.19         LM342P-5         .69         LM741SCG         3.00
NL S47         89         74 LS160         1.15         74 LS33           74 LS48         1.15         74 LS161         1.15         74 LS33           74 LS48         1.15         74 LS162         1.15         74 LS33           74 LS49         1.15         74 LS162         1.15         74 LS33           74 LS49         1.15         74 LS162         1.15         74 LS33           74 LS45         .55         74 LS164         1.15         74 LS33           74 LS54         .55         74 LS164         1.15         74 LS33           74 LS45         .56         .74 LS164         1.15         74 LS35	.69 .69	PIC J	LH094CD 36.80 LM342P-15 .49 LM747N .79 LM300H .99 LM348N 1.25 LM738N .59 LM301CN .35 LM350K 5.75 LM1014N 2.75 LM320H 1.95 LF331N .50 LM1310N .155 LM304H 1.95 LF335N .100 LM1853CN .59 LM354H .99 LF355N .100 LM1858N .25
74L574         .45         74L5169         1.19         74L57           74L575         .59         74L5170         1.95         74L537           74L576         .45         74L5173         .99         74L538           74L578         .49         74L5174         .99         74L539           74L538         .49         74L5174         .99         74L539           74L538         .49         74L5175         .99         74L539	.69 .69 2.49		LM307CN 45 LF356N 1.10 LM1489N 1.25 LM308CN 1.00 LM388N 1.00 LM1496N 1.25 LM308CH 1.95 LM38N 1.07 LM156CV 1.75 LM309K 1.25 LM39N 4.49 LM1800N 2.95 LM300CN 1.75 LM37NN 4.49 LM1800N 2.95
741_586         1.25         741_581         2.95         741_587           741_590         .49         741_5191         1.25         81_597           745500         .69         74_5191         1.25         81_597           745500         .45         745         1.25         81_597           745500         .45         745         1.95         1.25           74500         .45         745         1.95         1.957           74500         .45         745124         1.95         1.957	1.95 1.95 3.25 3.25 1.45	Image:	LM311/CN .90 LM377N 2.35 LM1872N 5.49 LM312H 2.49 LM30N 1.25 LM1877N 9.25 LM317MP 1.15 LM381N 1.55 LM187N 9.25 LM317M 1.75 LM382N 1.75 LM189N 3.20 LM317K 1.95 LM38N-3 1.26 LM20207 1.49 LM316N 1.95 LM38N-3 1.26 LM2027 2.65
14504         .55         145133         .55         14523           14506         .55         145134         .69         14526           14508         .50         145135         1.19         745268           14509         .50         745135         1.79         745268           14509         .50         745138         1.35         1.75         745268           14510         .45         745138         1.35         1.45         1.45         1.55         1.45         1.55         1.45         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.45         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55         1.55	1.45 1.35 1.35 .79 2.95	Is pin LP         22         21         20         Is pin ST         35         12         20           16 pin LP         ?29         .28         .27         24 pin ST         .36         .42         .20           20 pin LP         .34         .32         .30         .28 pin ST         .40         .46         .42           22 pin LP         .34         .32         .30         .28 pin ST         .30         .36         .35         .36 pin ST         .30         .81           24 pin LP         .37         .36         .35         .36 pin ST         1.26         .12         .126         .13           28 pin LP         .43         .44         .43         .40 pin ST         .139         .126         .136	LM339N 195 LM337N 1.45 LM2378P 2.25 LM320K-5 1.35 LM39N 1.35 LM296P-1 2.25 LM320K-12 1.35 LM392N .69 LM396N 2.55 LM320K-15 1.35 LF398N 4.00 LM3900N .69 LM320T-5 1.25 LM390 4.00 LM3900C N 1.25
74S11         .45         74S139         1.35         74S28           74S15         .45         74S140         .79         74S28           74S20         .45         74S151         1.35         74S28           74S22         .45         74S151         1.35         74S37           74S22         .45         74S153         1.35         74S37           74S20         .45         74S157         1.35         74S37	3.25 2.75 3.49 3.49 2.95	36 pin LP         60         59         58           40 pin LP         63         .62         .61           SOLDERTAIL (GOLD)	LM3207-12 1.25 TL49CP 4.49 LM3909N 1.15 LM3207-15 1.25 TL49CP 1.75 LM391N 3.95 LM323K 5.95 NE510A 6.00 LM3915N 3.95 LM324N 3.9 NE523A 4.95 LM3916N 3.95 LM329D Z .65 NE531H 3.95 RC4136N 1.25
MS32         .55         MS158         1.35         MS4519           MS38         1.25         MS4510         2.95         MS4717           MS40         .50         MS114         1.99         MS4717           MS51         .45         MS45174         1.59         MS4717           MS51         .45         MS174         1.59         MS4717           MS54         .50         MS178         2.95         MS4717           MS54         .50         MS194         1.95         M25371	10.95 10.95 10.95 12.95 12.95	STANDARD         B pin www         59         .54         49           TITTITI         1-24         25-49         50-100         10 pin www         .69         .63         .58           B pin SG         .79         .73         .57         .70         .70         .57         .70         .70         .59         .54         .49         .59         .54         .49         .54         .58         .77         .70         .70         .57         .70         .56         .54         .54         .55         .77         .70         .70         .56         .54         .55         .77         .70         .70         .56         .54         .55         .54         .41         .59         .57         .70         .70         .56         .54         .55         .77         .70         .70         .56         .54         .41         .59         .57         .70         .70         .56         .54         .42         .59         .57         .70         .81         .59         .56         .54         .42         .59         .59         .77         .70         .70         .56         .54         .44         .20         .70         .70         .70         .	LM33IN 3.95 NE335H 6.00 RC4151NB 3.95 LM33Z 1.30 NE540H 6.00 RC4191FK 6.95 LM33Z 1.40 NE544N 4.95 RC4195TK 5.49 LM33Z 1.75 NE550A 1.30 LM4500A 3.25 LM33TT 1.95 NE555V .39 ICL003B 4.95 LM33TM 1.15 LM556N .99 LM1300M 1.29
74563         .50         745159         1.73         745171           74514         .75         745155         1.95         745517           74516         .79         745196         1.95         745571           745112         .79         745240         2.95         745573           745113         .79         745241         2.95         745947           745114         .79         745242         2.25         745941	5.95 5.95 9.95 9.95 3.15 3.15	Ib pin SG         .99         .53         .48         22 pin WW         1.49         1.35         1.23           24 pin SG         .79         .75         .69         24 pin WW         1.39         1.26         1.13           28 pin SG         1.10         1.00         .90         22 pin WW         1.49         1.53         1.38           36 pin SG         1.65         1.44         1.26         1.13         1.33           36 pin SG         1.65         1.40         1.26         1.91         1.93         1.79           40 pin SG         1.65         1.40         1.26         1.01         1.99         1.79         1.79	Lm3337MP 1.15 LM356N .99 Lm13080N 1.29 Lm338K 6.55 NE56N 3.35 Lm13080N 1.49 Lm338N .99 LM565N 1.25 75138N 1.95 Lm306K-5 1.35 LM565CN 1.55 75450N .89 Lm306K-12 1.35 LM567V 1.25 75451CN .89 Lm306K-15 1.35 LM567V 1.25 75451CN .89
CA3010H .99 CA-LINEAR CA30 CA3013H 2.15 CA3050N 3.25 CA10 CA3033H 3.26 CA3050N 3.25 CA11 CA3035H 2.49 CA3050N 1.25 CA11 CA3035H 2.49 CA3051N 2.00 CA316 CA3051N 1.35 CA3051N 2.00 CA316 CA3054N 1.30 CA3051N 2.00 CA316	5N 3.95 0H 1.39 0H 1.25	1/4 WATT RESISTOR ASSORTMENTS - 5%	50 VOLT CERAMIC DISC CAPACITORS
CD4000 .39   CD400	IN .59 DN 3.50 18 2.49	64 Ohm 52 Ohm 100 Ohm 120 Ohm 139 Ohm ASST. 2 5es. 180 Ohm 220 Ohm 270 Ohm 390 Ohm 50 Ohm 50 Ohm 51 Ohm 510 Ohm 500 Ohm 510 Oh	10 pf 0.8 .06 05 000μF 0.8 .06 05 22 pf 0.8 .06 0.5 .0047μF 0.8 .06 0.5 100 pf 0.8 .06 0.5 .022μF 0.8 .06 0.5 100 pf 0.8 .06 0.5 .022μF 0.9 .07 0.6 220 pf 0.8 .06 0.5 .022μF 0.9 .07 0.6
CD4002         .39         CD400         CD400           CD4005         1.19         CD401         1.49         CD42           CD4007         .25         CD402         .99         CD45           CD4007         .49         CD404         .89         CD45	7 ,99 3 3.95 0 1.39 1 1.29	ASST. 3 5ea. 1.2K 1.5K 1.8K 2.2K 2.7K 50 pcs. \$1.95 3.3K 3.3K 4.7K 5.6K 6.8K ASST. 4 5éa. 8.2K 10K 12K 15K 18K 50 pcs. \$1.95 22K 27K 33K 47K 56 47K 50 pcs. \$1.95	370         pf         .08         .06         .05         1         µµF         .15         .12         .10           100         VOLT MYLAR FLIM CAPACITORS         .0022mt         1         .11         .08           .0022mt         12         .10         .07         .0222mt         1.11         .08           .0022mt         12         .10         .07         .042mt         1.1         .18         .08           .0022mt         12         .10         .07         .047mt         .21         .17         .13           .0047mt         12         .10         .07         .107t         .23         .17           .047mt         12         .10         .07         .22mt         .33         .27         .22
CD4010 .49 CCA404 .89 CCA5 CD4011 .39 CCA45 1.79 CCA5 CD4012 .25 CCA46 1.79 CCA5 CD4012 .25 CCA4047 2.50 CCA5 CD4014 1.39 CCA4049 .49 CCA5 CD4014 1.39 CCA4049 .49 CCA5 CD4015 1.19 CCA450 .59 CCA5	3.95 2.95 1.49 3 1.79	ASST. 5 5ea. 56K 68K 82K 100K 120K 50pcs \$1.95 ASST. 6 5ea. 390K 470K 550K 680K 820K 50pcs \$1.95 ASST. 6 5ea. 390K 470K 550K 680K 820K 50pcs \$1.95	+20% DIPPED TANTALUMS (Solid) CAPACITORS 1/35 /
CD4016         .59         CD4051         1.19         CD452           CD4017         1.19         CD4052         1.19         CD452           CD4018         .99         CD4053         1.19         CD452           CD4018         .99         CD4053         1.19         CD452           CD4019         .49         CD4053         1.19         CD452           CD4070         1.19         CD4059         .95         CD453	1.29 1.79 1.79 1.95 1.279	ASST. 7 5ea. 2.7M 1.3M 1.9M 4.7M 5.6M 50 pcs. \$1.95 ASST. 8R Includes Resistor Assts. 1-7 (350 pcs.) \$10.95 ea. \$10.00 Minimum Order - U.S. Funds Only Spec Sneets - 25c Culturelle Resident Add 5% Sales Tax	MINI. ALUMINUM ELECTROLYTIC CAPACITORS Axial 1-99 100-499 500+ Radial 1-99 100-499 500+
CD4021         1.39         CD4050         1.49         CD452           CD4027         1.19         CD4056         .79         CD452           CD4023         .29         CD4058         .39         CD458           CD4024         .79         CD4058         .59         CD458           CD4024         .79         CD4059         .55         CD475	11.95 2.79 2.49 .75 1.95	California Residents Add 6% Sales Tax Postage — Add 5% plus \$1.50 insurance Send S.A.S.E. for Monthly Sale Flyert Mul Cider Erctents: Worldwidt	
CD4026 2.95 CD4071 4.9 CD472 CD4027 6.9 CD4072 4.9 MC144 CD4028 89 CD4073 1.9 MC144 CD4028 1.49 CD4015 3.9 MC144 CD4030 4.9 CD4016 1.39 MC144	1.95 17.95 10 18.95 11 15.95 12 15.95	NEW 1992 CATALOG WINNER CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1992 CATALOG MARKEN 1995 CATALOG MARKEN 1995 CATALOG MARKEN 1995 CATALOG MARKEN 1995 CATALOG MARKEN 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995 CATALOG 1995	22/50V 19 10 14 4/750V 15 15 14 47/50V 26 20 1.8 4/750V 15 15 14 47/50V 26 21 1.9 10/6V 15 13 12 47/50V 29 25 21 10/6V 15 13 12 100/50V 29 28 21 10/50V 15 14 100/50V 28 28 21 15 14
CD4034 3.49 CD4078 .55 MC144 CD4035 .99 CD4081 .39 MC144 CD4040 1.49 CD4082 .39 MC145 CD4040 9.99 MC145	19 7.95 33 15.95 38 2.49	1355 SHOREWAY ROAD, BELMONT, CA 94002 5/82 PHONE ORDERS WELCOME - (415) 592-8097	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

# Unclassified Ads

FOR SALE: Synertek SYM-1 with 4 K monitor ROM and 1 K RAM. Excellent condition, with all manuals, \$150 plus postage. Robert Peristein, 142 Dumas Rd., Cherry Hill, NJ 08003, (609) 428-7282

WANTED: Used computer-science books, Reasonably priced, in good condition for personal use-only one copy of a title wanted. Examples: programming languages. Knuth (Vol. 2), programming techniques, compiler design, applications, etc. M. Berman, Mathematics Dept., Room GT-113, Bronx Community College, Bronx, NY 10453.

FOR SALE: Programmer's Toolkit (3.0) for PET (8/16/32 K) and Commodore WP2 (16/32 K) and Temple of Apshal programs (32 K). Originally \$170. Asking \$70 for total package. MTU 8-bit D/A converter for PET, \$35 or best offer, Philip Chao, POB 387, Rochester, NY 14642, (716) 442-0903.

FOR SALE: 32 K Sorcerer with Vista V200 5-inch dual disks. S-100 expansion box, music DAC, and video CRT. CP/M. 280 assembler, BASIC and Development ROM PACs, and some Adventure games. Cost me \$2800; will sell for \$1600. Drop a card with quote and I'll call you. Gerald Owens. c/o S.M.C., Collegedale. TN 37315, (615) 396-3524 after 9 p.m.

Author(s)

UNCLASSIFIED POLICY: Readers who are soliciting or giving advice, or who have equipment to buy, sell or swap should send in a clearly typed notice to that effect. To be considered for publication, an advertisement must be clearly noncommercial, typed double spaced on plain white paper, contain 75 words or less, and include complete name and address information

These notices are free of charge and will be printed one time only on a space available basis. Notices can be accepted from individuals or bona fide computer users clubs only. We can engage in no correspondence on these and your confirmation of placement is appearance in an issue of BYTE.

Please note that it may take three or four months for an ad to appear in the magazine.

# BYTE's Ongoing Monitor Box

#### Article # Page Article

	-		•
1 2	34 60	Everyone Can Know the Real Time Six Personal Computers from Japan	Ciarcia Kocher, Keith
3 4 5	106 114 118	Japan Update The Machines Behind the Machines The Japanese Manufacturers, How	Haas Lemmons
6	140 148	Successful Will They Be? Japan Maps Computer Domination The Atari Tutorial, Part 9: Even More	Zipnick Manuel
		Colorsl	Pitta, Winner
8 9	162 202	Ports of Entry and Soft Breezes for the Color Computer and Model III The Input/Output Primer, Part 4: The BCD	Barden
10	224	and Serial Interfaces Alien Typhoon	Leibson Latocha
11	226	Supercalc, Spelling Programs, Basic Compilers, and Home-Grown Accounting	Pournelle
12 13	246 252	PL/I for Microcomputers Apple II 80-Column Video Boards, Five Popular Units	Lehman Howland
14 15	266 274	More Apple 80-Column Boards More Maze Building	Williams
16	286	Colne Robotics Armdroid, The Small-Systems Robot	Leininger
17 18	296 318	Super FORTH Isn't TRS-80 BASIC Program Hang-ups: The	Williams
19	334	Reasons and Some Solutions Anatomy and Development of a Batch- Processing System	Tesler Walters
20 21	426 446	CHEDIT: A Graphics-Character Editor Give Your Apple a Voice: A Speech Development System Using the Radio Shack	Sweet
		Speech Synthesizer	Blanken- ship
22	465	Programming PERT in BASIC	Zimmer- man, Conrad
23	479	CP/M, Your Time Has Come: A Real-Time Clock for the Most Popular Microcomputer Operating System	Calaway,
		a barran a barran	Hill

FOR SALE: National Semiconductor Digitalker DT-1050 3-chip set. Never used, still in box. \$40. Jeffrey M. Craig, 3001 South King Dr. Apt. 912, Chicago, IL 60616.

FOR SALE: Jade double-density disk controller. S-100 bus compatible. Reads and writes single- or double-density. 5- or 8-inch, single- or double-sided. Uses on-board Z80A. Has serial printer port. \$200. Jim Burrett. 5-629 Rubdige St., Peter-borough, Ontario, Canada, [705] 742-4831.

FOR SALE OR TRADE: Assembled and tested Disk-80 (BYTE, March 1981) substitute for RS expansion interface. Originally cost \$429.95. Two months old. For sale at \$250 or trade for database/business programs, printers, or hardware. Includes: 32 K RAM, disk controller for four drives, real-time clock, printer port, power supply, cable to TRS-BO, case, and documentation. A. Keung, 761 Fieldstone Rd., Mississauga. Ontario, L5C 3K7 Canada, (416) 279-4613 after 6 p.m.

WANTED: Manuals covering the electronic portions of the Savin 900 Wordmaster and the Holmes Tycom KSR38 Selectric typewriter modification. I have the baseplate information available, if anyone needs it, but need maintenance manual or at least schematic for the digital electronics parts of both units. particularly the circuit boards of the Savin 900. Will pay for originals or copies. Please call collect. Bob Howard, 1234 South First Ave., Arcadia, CA 91006, (213) 446-3302.

FOR SALE: OSI C1P Challenger with 32 K memory, minidisk drive with DOS, APF 9-inch monitor, manuals, and repair manual. Barry Hammer, (608) 725-5114.

WANTED: The following back issues of Microsystems: 1-1, 1-3, 1-6, and 2-2. DJC, POB 4163, Spartanburg, SC 29303. (803) 583-6106.

FOR SALE: IEEE Computer. 35 issues from 9/71 to 2/78 (some missing). Communications of the ACM, Vol. 23: #3, 5, 6, 9, 11 and Vol. 24; #1, 3, 73, 2/76 to 4/76, IEEE Spectrum, 89 issues from 2/68 to 2/76 (some missing). Everything for \$150 or best offer. You pay postage. David Wolverton. 301 C Nubes, Irvine, CA 92715, [714] 752-7303.

FOR SALE: Tektronix 4051 graphics computer system, in-cludes 4662 digital plotter, 4924 tape drive, 4952 joystick, datacommunications interface. Extended BASIC. editor. binary loader. ROM pack expander. manuals, and more. Software in-cluded: Mathematics Vol. 1 & 2, Stat Vol. 1-4. Mangmt Vol. 1 & 2. Plotter, and Graphics programs. More than 30 tapes. Can be used as stand-alone or terminal. Present price is over \$20,000, but will sell for \$5000. Ron Bremer, 19645 Southwest Wright St., Aloha, OR 97007, (503) 642-1048, 629-1859,

**First Place Tle** 

The February BOMB results ended in a tie for first place between Steve Ciarcia for "Build a Computerized Weather Station" and Steve Leibson for "The Input/ Output Primer, Part 1: What is I/O?" Each will receive \$100. Neal Atkins and Enrique Castro-Cid captured the second-place prize of \$50 for their description of "A Homebrew Graphics Digitizer." Our readers evidently appreciated the tax advice offered by Melvyn Feuerman and Melvyn Moller as their article "Tax Tips for Computer Owners" placed third. Our congratulations to these authors.

# **Reader Service**

Inquiry No. Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.
<ul> <li>47th STREET PHOTO 413</li> <li>A.S.T. RESEARCH 17</li> <li>3 AB COMP.PROD. 514</li> <li>AAB COMPUTER 507</li> <li>5 ABM PRODUCTS 452</li> <li>6 ACTION COMPUTER 73</li> <li>7 ADV.COMP.PROD. 536, 537</li> <li>8 ADV. EFFORT.SAVER 506</li> <li>9 ADV.MICRO DIGITAL CORP. 289</li> <li>ALF PRODUCTS, INC. 242</li> <li>0 ALE PRODUCTS, INC. 242</li> <li>1 ALMALY TRADING CORP. 512</li> <li>1 ALPHA BYTE COMP.PROD. 38, 39</li> <li>1 ALPHA BYTE COMP.PROD. 335</li> <li>1 ALPHA BYTE COMP.SS. 112, 113</li> <li>1 AMDEK CORP. 23</li> <li>1 AMDEK CORP. 23</li> <li>1 AMDEK CORP. 500</li> <li>2 APPARAT INC 265</li> <li>23 APPLEWARE, INC. 516</li> <li>24 APRAT INC 265</li> <li>24 APPLED SOFTWARE TECH 387</li> <li>26 ARBA 20</li> <li>26 APPARAT INC 265</li> <li>27 ARRA 20 SOFTWARE TECH 387</li> <li>28 ASAP COMPUTER PROD 322, 333</li> <li>28 ASAP COMPUTER PROD 322, 333</li> <li>29 ASAP COMPUTER PROD 322, 333</li> <li>20 ASAP COMPUTER PROD 322, 333</li> <li>20 ASAP COMPUTER PROD 322, 333</li> <li>21 ASAP COMPUTER PROD 322, 333</li> <li>23 ATLANTIC CABINET CORP. 504</li> <li>34 UNOTATE CONTROL SYS. 520</li> <li>37 ATLANTIC CABINET CORP. 504</li> <li>34 AUTOR ADES 504</li> <li>39 BAUSCH &amp; LOMB INSTR.SYS. 233</li> <li>31 BAUSCH &amp; LOMB INSTR.SYS. 233</li> <li>323 BAUSCH &amp; LOMB INSTR.SYS. 233</li> <li>34 BAUSCH &amp; LOMB INSTR.SYS. 233</li> <li>354 BAUSCH &amp; LOMB INSTR.SYS. 233</li> <li>34 BAUSCH &amp; LOMB INSTR.SYS. 233</li> <li>34 BAUSCH &amp; LOMB INSTR.SYS. 233</li> <li>34 BAUSCH &amp; LOMB INSTR.SYS. 233</li> <li>355 BUSIN PRODUCTS 277</li> <li>354 BELECTR. 504</li> <li>355 BUSIN PRODUCTS 277</li> <li>351 BISON PRODUC</li></ul>	87       COMPUPERO,         88       COMPUSERI         89       COMPUSERI         89       COMPUSERI         89       COMPUSERI         89       COMPUSERI         89       COMPUSERI         111       COMPUTERI         112       COMPUTERI         90       COMPUTERI         91       COMPUTERI         92       COMPUTERI         93       COMPUTERI         94       COMPUTERI         95       COMPUTERI         96       COMPUTERI         97       COMPUTERI         98       COMPUTERI         99       COMPUTERI         90       COMPUTERI         91       COMPUTERI         91       COMPUTERI         92       COMPUTERI         93       COMPUTERI         104       COMPUTERI         105       COMPUTERI         106       COMPUTERI         107       COMPUTERI         108       COMPUTERI         109       COMPUTERI         100       COMPUTERI         101       COMPUTERI         102       C	T 52 GODBOUT 135 GODBOUT 136, 137 (E 476 EMS Inc. 504 AGZN.&BOOKS 311 CORP. 324 AL 445 PROD.INC. 10, 11 CHANNEL 437 CLASSIFIEDS 520 'NTS.UNLTD. 485 EXCHANGE 391 'URN.& ACCSS. 134 HORIZON 464 DEAS CORP. 516 NNOVATIONS 429 HOPPER 420 EXCHANGE 391 PING CTR. 419 PING CTR. 419 PICLTIES. 179 OOLBOX,INC. 512 VRHSE 155 SHOPPER 420 SHOPPER 420 COMP.R520 DING CTR. 419 PICLTIES. 179 OOLBOX,INC. 512 VRHSE 155 SHOPPER 420 CTT. 512 WHOLESALE 519 IME INC. 510 VRHSE 155 OOLBOX,INC. 512 VRHSE 155 ST.THE 522 WHOLESALE 519 IME INC. 510 VRHSE 155 ST.THE 522 WHOLESALE 519 IME INC. 512 VRHSE 155 ST.THE 523 WHOLESALE 519 IME INC. 510 VRHSE 155 ST.THE 523 WHOLESALE 519 IME INC. 510 VRHSE 155 ST.THE 523 UNCTS 147 TT COMP.CORP. 83 ICHNOLOGY 85 STEMS 158 INT CTR 352 .310 JUCTS 147 IT SYSTEMS 514 P. CORP. 335 STEMS 158 INT CORP. 331 OFTWARE 348 145 BOOK BAZAAR 516 IO SYS. 456 ERIPHERALS 518 2 SVS.FURN 384 O UTING 207 ECH.CONSLT. 431 IESRCH GRP. 434 145 S 207 ECH.CONSLT. 431 IESRCH GRP. 434 145 S 207 ECH.CONSLT. 431 IESRCH GRP. 434 CORP. 139 CORP. 429 CANCARD SYS. 371 S	171         FIBERFAB,II           172         FORETHOUC           173         FREDERICK           174         FREEDOM           175         FROG PRINC           176         FRYE ELECT           177         FYI INC, 345           178         G-H COMPU           179         GENERAL E           170         GENERAL E           180         GENERAL SC           1813         GILTRONIX,I           183         GILTRONIX,I           184         GENSTAR RE           183         GILTRONIX,I           184         GILTRONIX,I           185         GILTRONIX,I           186         GENSTAR RE           187         GREAT PLAIN           188         GILTRONIX,I           189         GLENSTAR RE           180         GENSTAR RE           181         GILTRONIX,I           185         GILTRONIX,I           185         GILTRONIX,I           186         GILTRONIX,I           187         GREAT PLAIN           188         GILTRONIX,I           189         INCSCT           180         HAYES MICT <td>SIMULATIONS 512 VC. 454 SHT PRODUCTS 460 ER ASSOC. 514 SHT PRODUCTS 460 ER ASSOC. 514 SHT PROD. 250 ONS 467 ECHN.INT'L. 445 DE, THE 516 TE, 439 NEERING 133 TER SYS. 506 LECTRIC CO. 171 FTWARE INC. 526 I SALES CO. 109 EI SALES CO. 100 EI SALES CO. 101 LEY LOGIC INC. 431 ROMICR 422 EI STD. 433 RY MICROSYS. 506 OGE PROD CIII LEY LOGIC INC. 431 ROMICS 422 EI SALES CO. 101 EI SALES CO. 101 LEY LOGIC INC. 431 RY MICROSYS. 506 FOR CO. 101 LEY LOGIC INC. 431 RY MICROSYS. 512 H COMP 16 H INT'L. 313 H INT'L.</td> <td>254         MCGRAW-H           *         MCGRAW-H           *         MCGRAW-H           *         MCGRAW-H           *         MCGRAW-H           *         MCGRAW-H           *         MEMORY M           35         MEMORY M           260         METAVORI           260         METAVORI           261         METROTECH           262         MICRO AG           263         MICRO DUI           264         MICRO MAD           265         MICRO MAD           456         MICRO MAD           456         MICRO MAD           456         MICRO MAD           457         MICRO MAD           458         MICRO MAD           459         MICRO MAD           450         MICRO MAD           451         MICRO MAD           452         MICRO FROM           277         MICRO MAD           458         MICRO MAD           459         MICRO SOF           275         MICROBOT           280         MICROSOF           281         MICROSOF           2828         MICROSOF</td> <td>PHIC SYS.INC. 247 INC. 516 DH 291 PRPRISES INC 142 E COMP.STORE 41 SINESS WORLD 343 SNASSOC 510 4173 VELOPMENTS 248 CUS 165 DAZINE 402 NASSOC 510 4173 VELOPMENTS 248 CUS 165 DAZINE 402 NTER MRKTG 149 DINTL. 339 INT 522 NTER MRKTG 149 DINTL. 339 INT 522 NTER MRKTG 149 DINTL. 339 INT 522 NTER MRKTG 149 DINTL. 339 INT 522 T (CPD) 87 T (COMP.INC. 428 4 ELECTR.INC. 99 PHICS OF CO. 422 ELECTR.INC. 99 PHICS OF CO. 422 ELECTR.INC. 99 PHICS OF CO. 422 ELECTR.INC. 99 PHICS OF CO. 422 ELECTR.INC 59 PHICS OF CO. 422 ELECTR.INC 59 PHICS OF CO. 422 ELECTR.INC 59 PHICS 05 F (D) COMPLERS 45 INT COMP.180 SC 228, 229, 243 CMARE 447 COMPUTERS 45 ILES 415 ECHNOLOGY 418 HICRO 261 TWARE 447 COMPUTERS 359 MCGRAW-HILL 167 MCGRAW-HILL 167 MCGRAW-HILL 167 MCGRAW-HILL 299 JUTER 51 SOC. 228, 229, 243 CHANGES 514, 518, 520 COMPUTERS 359 MCGRAW-HILL 167 MCGRAW-HILL 167 MCGRAW-HILL 299 JUTER 51 SOC. 228, 229, 243 CHANGES 514, 518, 520 COMPUTERS 35 MCGRAW-HILL 299 JUTER 51 F SOS, 228, 229, 243 CHANGES 514, 518, 520 CHANGES 514, 518, 510 CHANGES 514, 518, 510 CH</td>	SIMULATIONS 512 VC. 454 SHT PRODUCTS 460 ER ASSOC. 514 SHT PRODUCTS 460 ER ASSOC. 514 SHT PROD. 250 ONS 467 ECHN.INT'L. 445 DE, THE 516 TE, 439 NEERING 133 TER SYS. 506 LECTRIC CO. 171 FTWARE INC. 526 I SALES CO. 109 EI SALES CO. 100 EI SALES CO. 101 LEY LOGIC INC. 431 ROMICR 422 EI STD. 433 RY MICROSYS. 506 OGE PROD CIII LEY LOGIC INC. 431 ROMICS 422 EI SALES CO. 101 EI SALES CO. 101 LEY LOGIC INC. 431 RY MICROSYS. 506 FOR CO. 101 LEY LOGIC INC. 431 RY MICROSYS. 512 H COMP 16 H INT'L. 313 H INT'L.	254         MCGRAW-H           *         MCGRAW-H           *         MCGRAW-H           *         MCGRAW-H           *         MCGRAW-H           *         MCGRAW-H           *         MEMORY M           35         MEMORY M           260         METAVORI           260         METAVORI           261         METROTECH           262         MICRO AG           263         MICRO DUI           264         MICRO MAD           265         MICRO MAD           456         MICRO MAD           456         MICRO MAD           456         MICRO MAD           457         MICRO MAD           458         MICRO MAD           459         MICRO MAD           450         MICRO MAD           451         MICRO MAD           452         MICRO FROM           277         MICRO MAD           458         MICRO MAD           459         MICRO SOF           275         MICROBOT           280         MICROSOF           281         MICROSOF           2828         MICROSOF	PHIC SYS.INC. 247 INC. 516 DH 291 PRPRISES INC 142 E COMP.STORE 41 SINESS WORLD 343 SNASSOC 510 4173 VELOPMENTS 248 CUS 165 DAZINE 402 NASSOC 510 4173 VELOPMENTS 248 CUS 165 DAZINE 402 NTER MRKTG 149 DINTL. 339 INT 522 NTER MRKTG 149 DINTL. 339 INT 522 NTER MRKTG 149 DINTL. 339 INT 522 NTER MRKTG 149 DINTL. 339 INT 522 T (CPD) 87 T (COMP.INC. 428 4 ELECTR.INC. 99 PHICS OF CO. 422 ELECTR.INC. 99 PHICS OF CO. 422 ELECTR.INC. 99 PHICS OF CO. 422 ELECTR.INC. 99 PHICS OF CO. 422 ELECTR.INC 59 PHICS OF CO. 422 ELECTR.INC 59 PHICS OF CO. 422 ELECTR.INC 59 PHICS 05 F (D) COMPLERS 45 INT COMP.180 SC 228, 229, 243 CMARE 447 COMPUTERS 45 ILES 415 ECHNOLOGY 418 HICRO 261 TWARE 447 COMPUTERS 359 MCGRAW-HILL 167 MCGRAW-HILL 167 MCGRAW-HILL 167 MCGRAW-HILL 299 JUTER 51 SOC. 228, 229, 243 CHANGES 514, 518, 520 COMPUTERS 359 MCGRAW-HILL 167 MCGRAW-HILL 167 MCGRAW-HILL 299 JUTER 51 SOC. 228, 229, 243 CHANGES 514, 518, 520 COMPUTERS 35 MCGRAW-HILL 299 JUTER 51 F SOS, 228, 229, 243 CHANGES 514, 518, 520 CHANGES 514, 518, 510 CHANGES 514, 518, 510 CH
your name and address. Then cill list. Add an 18-cent stamp to the our advertisers are encouraged to	rcle the appropria card, then drop it	te numbers for the in the mail. Not on	advertisers you s ly do you gain in	select from the life	353 QUCES 321 354 QUEST ELE 355 QUME COF 457 RACET CO	ECTR. 515 RP. 151 MPUTES 433
ger BYTE. The index is provided a errors or omissions. *Correspond	is an additional se	rvice by the publish			458 RACET COL 357 RADIO SHA	MPUTES 433 ACK CIV TEMS 122, 123

#### **Reader Service_**

	iiry No. Page No.	Inquiry No. Page No.	Inquiry No. Page No.	Inquiry No. Page No.
292	RCA SOLID STATE 97	* SINCLAIR RESEARCH 200, 201	402 SYSTEMS GROUP. THE 29	424 VECTOR ELECTR. 138
360	RCE 429	380 SLUDER 514	403 SYSTEMS PLUS INC. 131	425 VECTOR GRAPHICS 79
312	RED BARON COMP.PROD. 184, 185	381 SLUDER 520	404 TAB BOOKS 401	426 VERBATIM CORP 75
361	REITH, WALCOTT ENG. 433	SOF/SYS.INC. 365	405 TARBELL ELECTR. 219	427 VIDEX 21
363	REMOTE EVOLUTIONARY	382 SOFTECH MICROSYS 347	407 TECHNICAL ENGINEERING 520	428 VISIBLE COMP.SUPPLY 463
	COMP. 264	383 SOFTWARE CONSLTG.SERV. 504	408 TECMAR INC 175	VISICORP INC. 249
364	RENAISSANCE TECHN. 220	<ul> <li>SOLID STATE SALES 503</li> </ul>	409 TECMAR INC 251	429 VISTA COMPUTER CO 93
365	ROCKWELL INT'L, 405	384 SONICS MICRO SYS. 518	* TEKTRONIX INC. 55	* VR DATA 45
455	RUPERT NEVE INC. 239	385 SORRENTO VALLEY ASSOC 232	TEKTRONIX INC. 258	430 VYNET CORP. 270
366	S C DIGITAL 477	386 SOURCE TELECOMP.CORP. 285	* TEKTRONIX INC. 260	431 WALKER, WILLIAM 518
454	S.P.C. TECH.INC. 304	387 STANDARD SFTW.CORP. 160	410 TELEVIDEO INC 104, 105	432 WARNER ROBINS AFB 308
	S-100 INC 437	388 STATE OF ALABAMA 159	411 TENLEY DESIGN 416	433 WASHINGTON COMP.SERV. 517
367	SAGE COMP. TECH. 27	389 STATIC MEMORY SYS 381	412 TERMINALS TERRIFIC 56	* WESTICO INC. 204, 205, 512
368	SATURN SYSTEMS INC. 520	390 STELLATION TWO 439	413 TERRAPIN INC. 369	* WHITESMITHS LTD 269
369	SCIENTIFIC ENG. 508	391 STRAWBERRY TREE COMP. 441	414 TEXAS COMP.SYS. 355	* WICAT SYSTEMS 31 434 WILDFIRE PUBLISHING 404
370	SCION CORP 5	392 STRICTLY SOFTWARE 195	TINNEY, RBT.GRAPHICS 400	
371	SCITRONICS 435	393 STROBE 121 • SUBARU OF AMERICA 421	415 TRANSNET CORP. 443 416 TRAXX COMP.CORP. 217	435 WILDHARE COMP.SYS. 399 436 WINCHENDON GRP,THE 522
372	SCOTIA SOFTWARE 208	394 SUBLOGIC 190	416 TRAXX COMP.CORP. 217 417 TRISTAR DATA SYS. 278	438 WINTEK CORP. 506
0.70	SCOTTSDALE SYSTEMS 259	395 SUNTRONICS 518	463 TSA PROFORMA 520	439 WINTERHALTER & ASSOC. 420
373	SCR ELECTR. 506	396 SUPERSOFT 32, 33	* TSC 267	437 WRITEWRITTER 375
374	SEATTLE COMP PRODS 327	397 SYBEX 125	419 U.S. MICRO SALES 538, 539	440 X COMP 47
375 376	SEIKO-SHA CORP. 37 SFTW.TECH FOR COMP. 157	398 SYNCOM 128	419 U.S. MICHO SALES 530, 539 420 U.S. ROBOTICS 437	440 X COMP 47
377	SHAPE INC. 420	399 SYSTEM SOLUTIONS 514	421 UNISOURCE ELECTR.INC 280	442 XEDEX CORP. 244, 245
378	SIERRA COMP.PROD. 435	400 SYSTEMED 518	422 UNIVERSAL INFO.SYS. 516	443 ZOBEX 187
379	SIERRA DATA SCIENCES 53	401 SYSTEMS GROUP, THE 29	423 VANDATA 455	
0/0	SIENNE BETA SOIENCES 55		120 111121111400	*Correspond directly with company.

#### **National Advertising Sales Representatives:**

#### Northeast (617) 444-3946

ME, NH, VT, MA, CT, RI, DE, MD, VA, WV, OK, TX, Upstate NY, Eastern Canada

Hajar Associates 280 Hiliside Ave. Needham Heights, MA 02194

Mid Atlantic (201) 741-7744 NY, NYC, NJ, PA

Hajar Associates 321 Broad St. Red Bank, NJ 07701 Southeast (305) 628-3525 NC, SC, GA, FL, AL, MS, TN, KY

Hajar Associates Diplomat Bidg. 5400 Diplomat Circle Suite 272 Orlando, FL 32810

Midwest (312) 966-0160 MN, WI, MI, IA, IL, IN, OH, MO, NE, KS, ND, SD, AR

Hajar Associates 5225 Old Orchard Rd. Suite 50 Skokle, IL 60076 Northwest (415) 964-0706

AK, HI, WA, OR, ID, MT, WY, Northern California, Nevada Except Las Vegas, Western Canada

Hajar Associates 1000 Eiwell Ct. Suite 124 Palo Alto, CA 94303

Southwest (714) 540-3554 UT, CO, AZ, NM, Las Vegas, Southern California

Hajar Associates 3303 Harbor Bivd. Suite H-4A Costa Mesa, CA 92626

#### **European Advertising Sales Representatives;**


Mr. Simon Smith McGraw-Hill Publishing Co. 34 Dover St. London W1X 3RA England 1-493-1451

Mr. Andrew Karnig Andrew Karnig & Associates Kungsholmsgatan 10 112 27 Stockholm, Sweden 08/51-68-70

Mr. Hans Csokor Publimedia Reisnerstrasse 61 A-1037 Vienna, Austria Mr. Fritz Krusebecker McGraw-Hill Publishing Co. Liebigstrasse 27C D-6000 Frankfurt/Main 1 West Germany 72-01-81

Mr. Michael Sales McGraw-Hill Publishing Co. 17 rue Georges Bizet F 75116 Paris France 720-33-42 Mr. A. Fablo Guarnieri McGraw-Hill Publishing Co. Via Bracchini 1 20123 Milan, Italy 88-90-617

Mrs. Gurit Gepner McGraw-Hill Publishing Co. 115 Yosephtal St. Bat Yam, Israel 866-561



On the new slicked-up. patible of trimmed-down Starwriter F-10. ribbons. It's C. Itoh's latest generation of letter-quality printers. print jus

tion of letter-quality printers. It cranks out flawless copy at 40 cps: and its full 15" carriage lets it double in brass for both letter processing and business applications. You can plug it into almost any micro on the market (serial or parallel) simply by plugging it in. And then make it keep on trucking with inexpensive. easily available Diablo compatible daisy wheels and ribbons.

In its serial mode, it can print just about anything including boldface, underlines, subscripts and superscripts), and snap the carriage back to start the next line in less than a second. In its line mode, it prints in both directions, for even faster throughput.

(While making about as much noise as a cat walking on Kleenex.)

lt's a nice, portable 30 pounds-about 10 pounds lighter than the Starwriters before it. And it stands exactly as tall (or precisely as small) as a dollar bill. Speaking of which: Incredibly. the Starwriter F-10 sells for about the same preposterously low price as its predecessors. Which is to say. about \$800 less than a lot of other printers that don't even come close to measuring up. Or even better... Measuring down. Distributed Exclusively by Leading Edge Products. Inc., 225 Turnpike Street, Canton, Massachusetts 02021. Call: tollfree 1-800-343-6833: or in Massachusetts call collect (617) 828-8150. Telex 951-624.




Circle 234 on inquiry card.

# Radio Shack's TRS-80° is Your Best Choice in a First Computer

Why? Because you can start with our \$999 Model III and easily—and economically—expand into a powerful, professional system!

	ES?	and the second	CANCE 17. 1	
	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Complete Al	19.00	
	1 138-1			
	I EISI EI	901		
	HIRLER			
	COURSE ALT	2013 JT 3 JT		
	1 WE # 13			
1	F FFXE DNB		_	
		NE KEN NELLE NEE FOR DAS		
0.10				
	.e.u			
DE:	1 391-101	10 (1993) I	China to	
			white U	*
1				





- Go from 16K to 48K Memory
- Add RS-232-C Interface
- Or Get It All with Our *2495 Model III Desktop Computer

A Radio Shack Model III is a versatile, self-contained computer that can grow with you. Whether you're a beginner or a pro, there's one that fits your budget and intended use. And features you'd expect to pay extra for are standard on Model III.

**The built-In "extras".** Our \$999 system includes: a 65-key keyboard with 12-key data pad, a 12" high-resolution monitor, and a parallel printer interface.

You get much more, including 16K memory, powerful Model III BASIC language, 500 and 1500 baud cassette operation, 16 lines of 64 or 32 upper and lower case characters, repeating keys, special graphics characters, program editor and real time clock.

Model III is ready for a wide range of professional and personal uses. Choose from our large library of user-proven programs or develop your own applications in easy-to-learn BASIC. Just add a cassette recorder to store and run programs and data. Cat. No: 26-1062. ***999**  **Choose our professional Model III** Desktop Computer for more sophisticated applications. You get the same basic features as the smaller model, but with 48K internal memory, two built-in double-density mini disk drives for 368K of program and data storage and a built-in RS-232 Serial Interface to communicate with other computers using an optional telephone coupler, like our new Modem II (right). Our powerful disk operating system (TRSDOS) is included along with an expanded Disk BASIC language. And we have optional programming languages to meet specific needs-choose from COBOL. Assembler, Compiler BASIC and FORTRAN. And of course the smallest Model III can be upgraded to this top of the Model III line. \$2495 Cat. No. 26-1066.

Get a "hands-on" demonstration of the TRS-80 Model III today at more than 240 Radio Shack Computer Centers and 6200 Radio Shack stores and participating dealers nationwide. Ask about our service and leasing plans, too.



Send for a TRS-80 computer catalog. Includes a full line of Radio Shack computers and software.

Circle 357 on inquiry card.





#### Connects Directly to Phone Line And Any RS-232-Equipped TRS-80

Now your TRS-80 can access and transfer data by telephone. Program the Modem II to dial and answer, receive and transmit, even hang-up. 300 baud. FCC registered. Cat. No. 26-1173.

Send me a free TRS-80 catalog.
Mail To: Radio Shack Dept. 82-A-130 1300 One Tandy Center Fort Worth, TX 76102
NAME
COMPANY
ADDRESS
CITY
STATE ZIP
Retail prices may vary at

individual stores and dealers.